GREENBERG
PENNSYLVANIA
SPARROWS

1986

"Rite in the Rain"®

WEATHERPROOF

LEVEL MARK

No. 310

DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING Roadway of any Width: Side Slopes 1 to 1

At the center of the roadway, the distance from the center line to the side stake is 100 feet. The distance from the side stake to the center line is 100 feet. The distance from the side stake to the center line is 100 feet. The distance from the side stake to the center line is 100 feet.

Distance from Center Line to Side Stake (Feet)	0	1	2	3	4	5	6	7	8	9	10
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	1.5
1	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9	3.0
2	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	4.5	4.7
3	4.8	4.9	5.1	5.2	5.4	5.5	5.7	5.8	6.0	6.1	6.3
4	6.4	6.5	6.7	6.8	7.0	7.1	7.3	7.4	7.6	7.7	7.9
5	8.0	8.1	8.3	8.4	8.6	8.7	8.9	9.0	9.2	9.3	9.5
6	9.6	9.7	9.9	10.0	10.2	10.3	10.5	10.6	10.8	10.9	11.1
7	11.2	11.3	11.5	11.6	11.8	11.9	12.1	12.2	12.4	12.5	12.7
8	12.8	12.9	13.1	13.2	13.4	13.5	13.7	13.8	14.0	14.1	14.3
9	14.4	14.5	14.7	14.8	15.0	15.1	15.3	15.4	15.6	15.7	15.9
10	16.0	16.1	16.3	16.4	16.6	16.7	16.9	17.0	17.2	17.3	17.5
11	17.6	17.7	17.9	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1
12	19.2	19.3	19.5	19.6	19.8	19.9	20.1	20.2	20.4	20.5	20.7
13	20.8	20.9	21.1	21.2	21.4	21.5	21.7	21.8	22.0	22.1	22.3
14	22.4	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9
15	24.0	24.1	24.3	24.4	24.6	24.7	24.9	25.0	25.2	25.3	25.5
16	25.6	25.7	25.9	26.0	26.2	26.3	26.5	26.6	26.8	26.9	27.1
17	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	28.5	28.7
18	28.8	28.9	29.1	29.2	29.4	29.5	29.7	29.8	30.0	30.1	30.3
19	30.4	30.5	30.7	30.8	31.0	31.1	31.3	31.4	31.6	31.7	31.9
20	32.0	32.1	32.3	32.4	32.6	32.7	32.9	33.0	33.2	33.3	33.5
21	33.6	33.7	33.9	34.0	34.2	34.3	34.5	34.6	34.8	34.9	35.1
22	35.2	35.3	35.5	35.6	35.8	35.9	36.1	36.2	36.4	36.5	36.7
23	36.8	36.9	37.1	37.2	37.4	37.5	37.7	37.8	38.0	38.1	38.3
24	38.4	38.5	38.7	38.8	39.0	39.1	39.3	39.4	39.6	39.7	39.9
25	40.0	40.1	40.3	40.4	40.6	40.7	40.9	41.0	41.2	41.3	41.5
26	41.6	41.7	41.9	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1
27	43.2	43.3	43.5	43.6	43.8	43.9	44.1	44.2	44.4	44.5	44.7
28	44.8	44.9	45.1	45.2	45.4	45.5	45.7	45.8	46.0	46.1	46.3
29	46.4	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9
30	48.0	48.1	48.3	48.4	48.6	48.7	48.9	49.0	49.2	49.3	49.5
31	49.6	49.7	49.9	50.0	50.2	50.3	50.5	50.6	50.8	50.9	51.1
32	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	52.5	52.7
33	52.8	52.9	53.1	53.2	53.4	53.5	53.7	53.8	54.0	54.1	54.3
34	54.4	54.5	54.7	54.8	55.0	55.1	55.3	55.4	55.6	55.7	55.9
35	56.0	56.1	56.3	56.4	56.6	56.7	56.9	57.0	57.2	57.3	57.5
36	57.6	57.7	57.9	58.0	58.2	58.3	58.5	58.6	58.8	58.9	59.1
37	59.2	59.3	59.5	59.6	59.8	59.9	60.1	60.2	60.4	60.5	60.7
38	60.8	60.9	61.1	61.2	61.4	61.5	61.7	61.8	62.0	62.1	62.3
39	62.4	62.5	62.7	62.8	63.0	63.1	63.3	63.4	63.6	63.7	63.9
40	64.0	64.1	64.3	64.4	64.6	64.7	64.9	65.0	65.2	65.3	65.5

Spencer at Poughkeepsie

1180

"Return the Rain"
WEATHERPROOF

is product of
J. L. DARLING CORPORATION
TACOMA, WASHINGTON 98421 U.S.A.

14 April - 1st was very
 warm - probably 1st of 12
 10 April - when it snowed
 then was 8-10" of snow (not 12)
 12 April - 13-14 - it was cold
 at night (low 20°) - dark light
 rain 63° - clear

7:30 - 8:30 I checked
 double nest - both empty - no eggs
 Sparrows were in - 1st was
 back in general 3rd - 1st of 1st day

Some singing from swamp territory
 & feeding - after 2:30
 at night. Swamp song, probably
 from high in trees. Swamp song
 feeding over swamp. From a
 distance to the from north of nest.

Swampy swale by bridge seems
 low water edges were
 brownish - brown looking - maybe
 its normal for season before
 frozen ground melt.

Large sig where Swamp 4 + 5 (?)
 were swamps were sig in lot
 from further back * deep water,
 Swamp.

9:00 am

♂ Territory 2

♂ rub

Now one Sig ♂ Sig to
 h, L on D. h.c.
 + after 10 g. are ~~now~~ sig
 (actually I saw only one)

I see a So's Sprout +
 clear ~~high~~ ~~low~~
 no interaction

2 long arrows are
happy about new
signs of sweep
person + we
totally ignored

See Spence & Long

from across the
creek where Swampy dammed

Can cross the dead trees

only one jump fly
old River Pond fly
from the creek
deep water near Dam
much activity in areas
of deep water

little song perow activity
as well

Field 1

Temp + Insect Samples
Territory?
+ Species

Worm (60+ today)
26°C air

- 1# lost:
- 10+ tiny Apterous + thorn
 - 1 3mm C. under beetle
 - 5-10 small (2mm) spiders
 - 10 1cm elaterids
 - 8 3mm Spider
 - 1 4mm beetle
 - 4 4mm Spider
 - 4 4mm homoptera (green)

Temps

Wet	7.4
Damp	7.8
	8.7
	6.1
	6.3
	8.2
	7.7
	7.4

2# (Swamp here, by "3")

- missed
- 1cm fly
- 1cm bee
- 3mm homoptera
- 5mm fly
- 5mm weevil
- 5mm beetle
- 5mm beetle
- 4mm beetle
- 2mm weevil

3"

5.1
5.2
5.3
Wed 5.1
4.2
3.8

3# 5+ small dipterans

7.8	8.8
6.6	7.2
5.2	7.8
	8.2

3' insects

Redd 2nd Song Sparrow

This is single territory
3 on perches

2 1.0 cm chalcid
1 cm w? fly
5 x 4 cm spider
1 5 mm beetle
1 4 mm beetle
3 x 2 mm spider
1 3 mm hemiptera

insects

Con dg bed
20+ Small spiders
not light
hemfly

1 cm grub

2.5 cm caterpillar

2 x 1 cm elaterid

6 mm spider

3 x 4 mm long

hemiptera

5 mm grasshopper

1 4 mm spider

2 x 3 mm spider

4 mm wasp

3 mm beetle

4th Song Sparrow

4.9

lost 1 hem fly

4.6

2.5 cm caterpillar

8 mm grub

5.8

5 mm beetle

3 mm beetle

5.7

2 x 4 mm spider

5.3

2 x 2 mm spider

1 x 5 mm hemiptera

5.2

2/8

Song Sparrow - heard across

Swamp territory

Song Sparrow in middle of

Swamp territory

Swamp ♂ started singing

but no aggression towards

Song Sparrow ♂ Song Sparrow

5 (by camp) Song Sparrow

100 ft low fly
1 spider 4mm

9.8

9.3

accidentally

dumped sample

lots of insects

(1.6 sample)

10.2

7.1

6.1

8.7

6 Swamp Sparrow

Wtr
no
veg

13.2

8.1

4.9

3 7mm flies

5.2

8 3mm beetles

1 3mm hump

3.6

5 4mm

1 4mm fly

5.2

13 spider

2 4mm spider

3/21

8.9

7.8

Apr 15
morning, cloudy & rainy
so I cancelled plans to
do sky box etc.

8.30

Field 1.

There are 2-3
singing
in the
some
with some
puddles

♂ R. 2

of 2nd
ground

For 4 way close between Sing. 1 & 2

Sing 3 - some are

there too, an impression

Sing. 1 & 2 in 1985

★ Song → Sup
when
ferry
3+

★ song on
the bank
Swamp didn't let
Song in
from "in the water"

about This is an area of
lower water level
that was occupied by swamp
last year - this year
it is upland but quite
wet

feeding notes

Today I have seen several
Song Sparrows foraging (3 Song Sparrows were
jump scratching & peck on bare soil)

1 Sparrow did this but was on a
Song territory & was chased off by
the Song

later I saw an in song
(chickadee)
both sides
when there)

early flight feed (dark blue) &
peck at clumps of three
leaves

feeding
within 1 m
no aggression observed

There is a lot of Song
fighting over territories close to the
dam

in -

House flock of Song Sparrows

1145

Apr. 15
1300 rainy night

Field 1

Dike

April 16 - Snowing all morning
went out for a walk in
marsh in snow at 11:00 am

The entire area has been
flooded significantly overnight

Here are estimates of

Current water levels

very
deep

Field 1

Little
vegetation
except
tall
grass

After snow stops I

saw Scaup in 2-3

in flooded willow feeding

Water is up to normal

Dike between swamp

territories & Lake is up to

beetles outside dike

across road to bridge

It's hard to say what the effect
 of the flood waves are since
 so far I've only had a few songs
 & only 1 Swamp Song. I see
 small groups of 2 songs distributed
 in the flooded areas &
 a couple of Swamps. Before the
 flood the distribution of territories
 was similar (with fewer swamps)
 in last summer.

3:30 →

4/16

Overcast no rain.

quick

4/16

The "Pig" Beaver Lake is
full of water.

Note: The swamps
have moved over
to song area
at head of Beaver Lake.
Since yesterday
only a little singing.

4/17 Field 1 7:00 - 8:00

Nickel

water has receded considerably

Swamp ♂ is singing persistently

not songs - Song 1 was heard

only once

♂ has solid
red skin
clear chest

Swamp ♂ has only been singing
from willow thicket

Swamp ♂ from feeding & looking on
water surface &
picking at water surface

Song → non-singing swamp

Song from 2nd over water pool
& dead Red leaves

Song → Song

Swamp ♂ from 3rd over water pool
at Dead Red leaves

Flashed
 Willow thickets in area
 of extensive shrub in Sedge

Shrub species - but not

for singing birds only ♂

very persistently

[song started earlier Sedge
 (more dense)]

♂

♂

will

flashed

♂

Page 2

Swamp → Swamp by calls

feeding by perched semi + larks

pr + water

old rock trees

very close to calling song sparrow.

watched song

feeding low in shrub over water - 3-4 birds perched & spreaded to perch on water

feeding

Swamp perched vertically

praying at water surface

Water

start close to water
Swamp perched vertically
praying at water surface

Song on bank or bushes
Song

crow song pecked on horizontal
branches of B-th
B-th - x-ly
peck at water

Song
pecked at water steadily vertical
peck

2nd song on mid vegetation
pecked exemplar
subp

Song on grass mat
peck at water

Song on ^{bank} ~~vegetation~~ mat peck at
water

Song steadily shrub peck at
water

Watched Song Sparrows
for 60" - it hopped 4"
on branches of shrub
until it got
to a small muddy
patch where it proceeded
to peck at mud

Song 60" 3-4 pecks at water
steady in water
2 pecks steadily
on water

one peck at dead rock
horizontal

Song 50" on small island peck peck
high down peck at water
on sand bar peck peck at
water

Song on island peck at water
peck at water

April 17 some general notes

1. Song in Swamp dark fog
in early flooded area
little song - no persistent
singing
2. Little observation near bottom
birds, birds near each other
3. birds seem to be willing
to fly off water surface
from shrub
4. very little song by the Sparrows

April 17 3:00-

Field 1 - pond is totally

drained & lake is not
totally back

There is a lake is
still many (flooded)

Shiny line out & feed
 in open for 30'

Shy are big out over
 cover now by
 Sup got 3 1-2 cm brown
 mudding

Looking for, up water
 & mudding
 some or wedged the
 water

seems to be a person
 long

Sperry seem to be enthusiastic
 about the Friday exposed

Shireline - back
 Species are big in
 exposed land north

2 Sps (w) from bottom (has 2 sides)
 on breaky
 pily at no yher
 & vegetation

April - 18 sunny -
 7:00 AM

Toy Pigsbuck
 Field 1

1 dy
 later fly
 down long
 & no response

8 m - 10 m

♂ one in immediately
 other fly at 30"
 one in 3 m from top in 30"
 shewings + flower type record
 after 3 m come up to top recorder
 ♀ followed ♂ m - 10 m

Since ♂ song had been
 no longer heard since
 from the park
 after 2:00 I went further
 away

After 5:00 I moved around
 into willows
 and finally dropped in
 willows but
 never met him

After I stopped
 a couple of songs
 in the song line
 in close calling
 I sang ♂ → on the
 Swamp ♂

Exp 3
Song sparrow / SLAMP SONG

Songs in area not singing

Exp 4 Song sparrow (same) / Song Song

This bird is not singing

in 30" Song came within

2 m of speaker & began to

Sing
was excited for while I was

After 2'00 a second
song sparrow came in
within 5m

a 3rd came from north

song bird went from

Expt 5

Song sparrow / Song sparrow

Song sparrow immediately to
edge of Dike
in 10'
10-30

2-1 song sparrow into Dike
after 4:00

END

Expt 6 Song sparrow / Song sparrow

1-1 song sparrow in Dike
not song

2:10⁰ ♂ returned from fight
with song sparrow 17m away
but continued fight later

Expt 7 Song sp / Sons

Site location

2:51 sec ♂ Song flew in within

2 m of recorder

3:23 flew in again stayed

Song

4:11 2nd Song came in 10 m

Shooped in recorder

Song freq 0/min 9/min

Expt 8

1-10 Song (100m)

2-100 (100m)

Song 3m away

3 songs in area 1m away

Song 1st about 12 m away

No Song Swamp interactions

Song in place

Song in 90"

low end chipping

low within 3m

2nd Song (100m) in 2m

chipping then over

growing

3-30 chipping within 2m

then by speaker

song pattern / song 17

50"

song time clustering in

within 5 sec

song 5 m away

(with response)

930

song? / song

downward by

any one

95" song time in within 3m

clipping + growing

300 flow over top of rocks

the
sub into the water

smaller swamp

3:30 fly by

3:55 goal

4:00 2 swamps in 3m

chasing each other

4:20 fly by

Expt.

Swamp / Swamp song

3:00 Swamp time in within 5 m
fly for 10"

2:00 fly by song

3:30 - chasing

Swamp / Swamp time location

2:45 song started singing at

edge of swamp song = 20m from

top of swamp song, 20m from

4:20 Swamp song = 10"
flight

Song tree / Song sp

Willow

10th swooping in

0th 2nd song

1st 2nd song

(Chirped song)

3rd 2nd swoop

♂ from next + prior

a 9th song calling

long flying with 3m

(More he at bearing it
song + song)

stayed where he

Same location

Same Song tree / SLANP 20/11/06

After 9⁰⁰ ² Song feeding

~ 25 - 30 m away

→ This area

After, about 6³⁰

Sharp sparrow time in

chipping about 10 m from the tree

Shaped over
calling loudly

Song line in a 8115

checked song 3-4

but was unable to

reach Swamp line 0116

in swampy area

until 2:00

later - song were

feeding in area

Expt

Swamp area / Swamp Song

See area 5 minutes

with 2 (2 songs)

5 m flight

3rd Swamp in 2 m

stayed with 3-10 m

while time

Sim function song / SWAMP

no response

Exp
S Song / SWAMP

2:20 Song flew over

tape + one
in

2:40 flew by

sluggish at 18:00 water

20:00 about 18 in air

SAME location song / ~~the~~ song song

80" started singing

120" 2nd ♂ started singing

140" ♂ coming in

3' 30" ♂ line is 2m from
the speaker

4'30" non-singer male is within a range

Both still

Same location as nest box C song / song

40"

5'0 song + chirp song speaker

40" Super chirping &
coming in

2' 5" 2 songs within

15m (1m to edge of wet
area then left

9'10 returned
within 3m

chirping
chirp of
2nd singer

5-6'0 song by it alone
reorder.

Sept 15 - 1000 / Song

1st 6 Song all this with a few
others

4th 1000 - 2m

1st 1000 - 3m

2nd 1000 - 4m

2nd 1000 suggest this
2nd 1000 in (chase)
of it

(Cont)

Nov 1

Lake is almost

totally
drained.

Sharp peak in
territory

4/19 Banding Record (to be transferred)

By House C

→ 1 ♂ Song 66
Blue/yellow / Blue-jay R 366

65 mm
21.5 g

note: narrow wing tail feathers
if fat

→ 4/20 Field 1 by Rd
Red-Red 66 370
Song sparrow 64 mm
21.5 g
recap at House, ♂ rounded bill

→ 4/20 By House R/R - W/R 66 371
22 g
64 mm
narrow tail

the

April 20

 Spry 1, 4
 → Blue Piglet 66 373
 (M. rivatus)
 61 mm wing

SLay test

Spry

→ Spry by willow 66 60" 23.5g
 w/o w/o 2, 2
 ♂ 64 mm
 (sing 18)

April 20

→ Spry W-6/W-6 R. + ♂ 66 375
 (sing 18 mg)

 (with blue 101 R)
 A
 pc

narrow tail feathers

63 mm

21 g

Notes April 20 6-11 am
Field 1

Singing Flashed ♂
Chased ♀
+
Singing
+
Singing

I marked 5 Song Sparrows
in this area

April 20 pm (1-3)

(2306)

collecting
+ soil temps

Sample 7 Size Purity Temp.

10.3 8 small (10.3)

2 small

Small (10.3)

10.6

11.8

10.6

10.9

10.2

10.7

Sample 8

9.7

8.2

7.3

11.6

8.2 (10.3)

9.7

Sample 9

10.3 13.1 (10.3)

30.80 small (10.3)

1.4 (10.3)

2.2 (10.3)

10.3

10, 8 10, 2

105

115

Figure 10: SLP

10.3

10-6

91

[illegible]

10 small flies

Sample 11

Swamp Sparrow

~~Rich~~ Near Beaver Dam

Temperature

Moist

12.7
12.6

Poor Sample

9.8

11.5

25 small flies

lost

11.9

1 km fly

12.3

2 4 mm green homoptera

15.4

Sample 12 18°C.

Song

near Beaver Dam

12.8

11.8

12.7

12.4

13.6

11.4

Temperature

Poor Sample

4-5 small raptors lost

Sample 13 (Field 2 Song)

replaces last sample 97

20-25 small flies

stephane

flies

humus 3m

April 20 not < >

Beaver Dam

Swamp

area behind and
now little growth only

Field

670 $\rightarrow$
overcast ~ 500

or to RR make

Little songs

Field L

Apr. 1 20 Banding Record

Song Sparrow 1 w / 1 w sup
um (droppin)

Shrew Sparrow 6/11/11
Buffy 5/11/11
11/11/11 76 thin
11/11/11 11/11/11
11/11/11 11/11/11
11/11/11 11/11/11

Post tail feathers

Shrew Sparrow 2/11/11
11/11/11 11/11/11

Swamp (net by D. H. C.)

O-w/o-w 3/11/11 4-5/11/11
No 11/11/11

♂ CP

(11/11/11)

64 mm wing

♂ in area
(11/11/11)

Insect samples - Dry weights

1 but 13mm wide beetle Song
0.15

2 1cm fly } Shrimp
 1cm bee } 0.017g
 3mm wasp }

3 0.545g Song

3' 1cm fly - .0035 Song
 15-20 5mm wasps
0.109

4 2, 1 well .1303g
 4 Shrimp 1 fly .0035
 (one caterpillar weighed .10g)

5 0.15 Song

6 Song 0.38

1 cm fly = .0035

1 cm beetle = .0055

1

#

Swamp 13 x .0035

1.2 cm humpw. .016

1.5 cm Acidul

1 x 5 mm beetle

2

13 x 4 mm beetle

5 x 3 mm sp. w

12 x 3 mm beetle

5 x 5 mm pupa

1 x 8 mm bee

3 x 4 mm humpw.

4 mm pupa

3

3

35

3

27

27

8

14

Sort

9

20 small + 6 x 1

1. 85 cm el. larva

2 x 1 cm el. larva

.071

5 mm beetle

4 mm beetle

6 x 3 mm beetle

1 cm hump

5 mm pupa

3 x 3 mm pupa

2 x 4 mm sp. w

10

Swamp

.012

4 x 3 mm beetle

2 x 5 mm fly

1 7 mm fly

1 4 mm sp. w

Swamp #11

2 x 4 mm green hump

1 cm fly = .0035

? .007

Sarg

12 Flooded

10 mm hump

5 mm fly & L

5 mm spider

.005

Sarg

13

13 mm hump

27 2 cm caterpillar

1 x 1.5 cm caterpillar

2 x 1.5 mm elaterid

4 x 1.2 mm elaterid

5 x 5 mm hump

1 x 6 mm beetle

7 x 3 mm beetle

5 mm wasp

1 cm wasp

2 x 4 mm spider

7 mm spider

5 x 3 mm spider

6 x 3 mm spider

2 x 3 mm

hump

April 14 - 21

Apr. 30 - May 12 Nothing

May 22 - June 3 ?

Song territory

Song

+

+

+

(+)

+

+

Song, Int.

Song

-

- (Singer)

-

- (Singer)

-

-

Sweep

-

-

-

- (Sweep song)

- (Sweep song)

- (Sweep song)

- (Sweep song)

Sweep

-

+(2)

+(2)

+

+(3)

+

Apr. 19 1982

Song territory / Sweep song

Sweep song to edge of territory

crv 300 approached

within 2m of

Speaker + retreated

Song from Song ~ 10m

away (possible with response)

Song song in chaps

+ song? checked it

Write letter

12.11.10 form

Write letter to Mr. Howard Nelson

Brown R.L.

Brown R.L.

Fort for boots

Apr 1

Song

36 (10)

~~35 (4)~~ ?

46 (6)

3 is 500

Insert Date

Swamp

21 (3)

10 (3)

8 (1)

Things to do
in notebook

TRIGONOMETRIC FORMULÆ

Solution of Right Triangles

For Angle A. $\sin = \frac{a}{c}$, $\cos = \frac{b}{c}$, $\tan = \frac{a}{b}$, $\cot = \frac{b}{a}$, $\sec = \frac{c}{b}$, $\csc = \frac{c}{a}$

Given	Required	
a, b	A, B, c	$\tan A = \frac{a}{b} = \cot B$, $c = \sqrt{a^2 + b^2} = a \sqrt{1 + \frac{b^2}{a^2}}$
a, c	A, B, b	$\sin A = \frac{a}{c} = \cos B$, $b = \sqrt{(c+a)(c-a)} = c \sqrt{1 - \frac{a^2}{c^2}}$
A, a	B, b, c	$B = 90^\circ - A$, $b = a \cot A$, $c = \frac{a}{\sin A}$
A, b	B, a, c	$B = 90^\circ - A$, $a = b \tan A$, $c = \frac{b}{\cos A}$
A, c	B, a, b	$B = 90^\circ - A$, $a = c \sin A$, $b = c \cos A$

Solution of Oblique Triangles

Given	Required	
A, B, a	b, c, C	$b = \frac{a \sin B}{\sin A}$, $C = 180^\circ - (A + B)$, $c = \frac{a \sin C}{\sin A}$
A, a, b	B, c, C	$\sin B = \frac{b \sin A}{a}$, $C = 180^\circ - (A + B)$, $c = \frac{a \sin C}{\sin A}$
a, b, C	A, B, c	$A + B = 180^\circ - C$, $\tan \frac{1}{2}(A - B) = \frac{(a - b) \tan \frac{1}{2}(A + B)}{a + b}$ $c = \frac{a \sin C}{\sin A}$
a, b, c	A, B, C	$s = \frac{a + b + c}{2}$, $\sin \frac{1}{2}A = \sqrt{\frac{(s - b)(s - c)}{b c}}$ $\sin \frac{1}{2}B = \sqrt{\frac{(s - a)(s - c)}{a c}}$, $C = 180^\circ - (A + B)$
a, b, c	Area	$s = \frac{a + b + c}{2}$, $\text{area} = \sqrt{s(s - a)(s - b)(s - c)}$
A, b, c	Area	$\text{area} = \frac{b c \sin A}{2}$
A, B, C, a	Area	$\text{area} = \frac{a^2 \sin B \sin C}{2 \sin A}$

REDUCTION TO HORIZONTAL

Horizontal distance = Slope distance multiplied by the cosine of the vertical angle. Thus: slope distance = 319.4 ft. Vert. angle = $5^\circ 10'$. From Table, Page IX. $\cos 5^\circ 10' = .9959$. Horizontal distance = $319.4 \times .9959 = 318.09$ ft. Horizontal distance also = Slope distance minus slope distance times (1 - cosine of vertical angle). With the same figures as in the preceding example, the following result is obtained. $\cos 5^\circ 10' = .9959$, $1 - .9959 = .0041$. $319.4 \times .0041 = 1.31$. $319.4 - 1.31 = 318.09$ ft.

When the rise is known, the horizontal distance is approximately: - the slope distance less the square of the rise divided by twice the slope distance. Thus: rise = 14 ft., slope distance = 302.6 ft. Horizontal distance = $302.6 - \frac{14 \times 14}{2 \times 302.6} = 302.6 - 0.32 = 302.28$ ft.