Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,57

Import Division

SEP 7 1927

Recorded

HARDY PERENNIALS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

FALL 1927

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS

Per Doz.—Per 100

ACHILLEA

Ptarmica Boule de Neige. Sprays of small, double, white flowers. 12 to 18 inches. June-September.	1.50	10.00
“ The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September.	1.50	10.00
rupestris. A compact, low growing alpine plant, forming cushions of attractive, green foliage, and bearing masses of snow-white flowers borne in dense umbels. 6 in. May-June.	2.50	15.00
tomentosa. A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers.	1.50	10.00
umbellata. A rare and dainty rock plant bearing heads of snow white flowers over tufts of silvery foliage. 6 inches. June.	2.50	15.00

ADENOPHORA

Potantinii. A somewhat rare plant, closely related to the Campanulas, bearing drooping, bell-shaped flowers, pale blue in color, on branching stems. 2 ft. June-July.	1.50	10.00
--	------	-------

AETHIONEMA (Lebanon Candytuft)

iberideum. A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clusters. April-May.	2.50	15.00
pulchellum. Another trailer, bearing heads of rosy pink flowers. May.	2.50	15.00

AGROSTEMMA

coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July.	1.25	8.00
“ alba. A white variety of the preceding.	1.25	8.00

	Per Doz.—Per 100	
ALYSSUM		
argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.	1.50	10.00
saxatile compactum (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May. 1 ft.	1.25	8.00
ANCHUSA		
italica Dropmore Variety. Tall spikes of gentian-blue flowers, resembling giant forget-me-nots. 4 ft. June-July.	1.50	10.00
ANEMONE		
Pulsatilla (Pasque Flower) Large cup shaped, bluish purple flowers, filled with golden anthers, borne singly on stems 1 ft. high. April-May.	1.50	10.00
“ rubra. A mahogany colored variety of the last.	1.50	10.00
ANTHEMIS		
tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September.	1.50	10.00
AQUILEGIA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright, various colored flowers are valuable for cutting.		
chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June.	1.50	10.00
coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June.	1.50	10.00
flabellata. A dwarf species bearing ivory white flowers. 1 ft. May-June.	1.50	10.00
nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June.	1.25	8.00

	Per Doz.—Per 100	
AQUILEGIA (Continued)		
Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June.	1.50	10.00
ARABIS		
alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May.	1.50	10.00
alpina fl. pl. A double flowered form of the foregoing.	2.00	12.00
ARMERIA (Thrift, Sea Pink)		
Cephalotes. (Giant Thrift) Strong tufts of foliage and heads of silvery pink flowers borne on stout stems. Good for cutting. 1½ ft. May-June.	1.50	10.00
maritima Lauchiana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches.	1.25	8.00
ARTEMISA		
lactiflora. Fragrant spiraea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft.	1.50	10.00
ASCLEPIAS		
tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June.	1.50	10.00
ASPHODELINE (Asphodel)		
lutea. Grassy foliage and stately spikes of yellow, lily-like flowers. 3-4 ft. July- September.	2.00	12.00
ASTER. (Michaelmas Daisy, Starwort) As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties are excellent for cutting. The finest flowers and strongest spikes are obtained if the plants are divided annually.		
Climax. Large, pale mauve flowers with yellow centers are profusely borne on long straight stems. 4-5 ft. September-October.	1.50	10.00

	Per Doz.—Per 100	
ASTER (Continued)		
Louvain. Symmetrical bush like habit. The foliage is completely hidden by masses of medium size, delicate pink flowers. 3 ft. September.	1.50	10.00
Maggie Perry. Immense trusses of large, soft pink flowers. 4 ft. September-October.	2.50	15.00
N. A. Barr's Pink. A new variety of strong, erect growth, bearing large, bright pink flowers. When this variety was shown at the R. H. S. Hall, London, it was described by the Horticultural Advertiser as the best pink Aster in cultivation. 4 ft. September-October.	3.00	20.00
N. A. Lil Fardel. Large, clear pink flowers. 4 ft. September-October.	1.50	10.00
N. A. Mrs. F. W. Raynor. Large crimson flowers. 4 ft. September-October.	1.50	10.00
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October.	1.50	10.00
The Queen. Very large flowers borne in loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September.	1.50	10.00
Sam Banham. The best white aster; good for cutting. 3 ft. September-October.	1.50	10.00
St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.50	10.00
tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November.	1.50	10.00
White Climax. A pure white form of Climax.	1.50	10.00
ASTER, DWARF ALPINE		
alpinus. Large, bluish purple flowers. 9 inches. May-June.	1.50	10.00
“ albus. A white variety of the foregoing.	1.50	10.00
subcoeruleus. Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July.	1.50	10.00

	Per Doz.—Per 100	
AUBRIETIA		
deltoidea. A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May.	2.00	12.00
BAPTISIA		
austral's. (False Indigo) A first rate border plant bearing sprays of dark indigo blue flowers, resembling lupines. When well established, this is a valuable plant for cutting. 3 ft. June-July.	1.50	10.00
BOCCONIA		
cordata. (Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bearing panicles of creamy white flowers. 6-8 ft. July-August.	1.50	10.00
BOLTONIA		
asteroides. A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September.	1.25	8.00
latisquama. Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.25	8.00
“ nana. A somewhat uncommon plant deserving wider recognition. It forms a compact bush, 3 ft. in height, and in September is smothered with dainty pink flowers.	2.00	12.00
CALAMINTHA		
alpina. A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.	1.50	10.00
CAMPANULA (Bell-flower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.		
alliaraefolia. Handsome, heart shaped leaves and creamy white, pendulous flowers. 2½ ft. June.	1.50	10.00
bcnoniensis. Small blue flowers profusely borne on numerous slender, graceful stems. 2½ ft. June.	1.50	10.00

	Per Doz.—Per 100	
CAMPANULA (Continued)		
carpatica. Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter. 1 ft. July-August.	1.50	10.00
macrantha. A vigorous grower, 4 to 5 ft, high, the stems terminating in clusters of large, deep blue flowers. July.	1.50	10.00
Medium. (Canterbury Bell) Blue, pink, white; separate.	1.25	8.00
“ Calycanthema. (Cup and Saucer) mixed colors.	1.25	8.00
persicifolia. Slender, graceful stems studded with blue, cup shaped flowers in June and July. 2½ ft.	1.50	10.00
“ alba. A white variety of the preceding.	1.50	10.00
pyramidalis. (Chimney Campanula) Tall pyramidal spikes of blue flowers. 6 ft. July.	1.50	10.00
“ alba. A white variety of the above.	1.50	10.00
CARYOPTERIS		
mastacanthus. (Blue Spiraea) A compact, free flowering plant of sub-shrubby habit with attractive gray foliage; it is covered during fall with trusses of lavender-purple flowers.	2.00	12.00
CENTAUREA		
macrocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August.	1.50	10.00
montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.	1.50	10.00
“ alba. A white variety of the last.	1.50	10.00
CERASTIUM		
tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers.	1.50	10.00
CHRYSANTHEMUM		
maximum. (Shasta Daisy) A useful plant for cutting, the large, white daisy-like flowers are produced over a long period. 2 ft. June-September.	1.25	8.00

Per Doz.—Per 100

CLEMATIS

integrifolia. Drooping, blue flowers are borne towards the top of erect stems about 12 ft. high. July-August.	2.00	12.00
--	------	-------

COREOPSIS

grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout summer.	1.25	8.00
---	------	------

CRUCIANELLA

stylosa. A useful trailer for the rock garden bearing terminal clusters of pink flowers.	1.50	10.00
---	------	-------

DELPHINIUM

Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½-3 ft.	1.25	8.00
---	------	------

Bellamosum. Similar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
--	------	------

formosum. A robust growing Larkspur having dark blue flowers with white centers. 4 ft. June-September.	1.25	8.00
---	------	------

grandiflorum. (Chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September.	1.25	8.00
---	------	------

“ album. A white variety of the last.	1.25	8.00
--	------	------

Mixed Hybrids. Raised from seed saved from H. J. Jones' named varieties.	2.00	12.00
---	------	-------

DIANTHUS

alpinus. A lovely dwarf Alpine with deep pink flowers borne close down to the foliage, which they entirely hide in May and June. 4 inches.	3.00	20.00
---	------	-------

arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.	1.50	10.00
---	------	-------

caesius. (Cheddar Pink) Blue-gray cushions of foliage and rosy pink, sweetly scented flowers carried on 9 inch stems. May-June.	2.00	12.00
--	------	-------

Per Doz.—Per 100

DIANTHUS (Continued)

deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging. June-July.	1.50	10.00
“ albus. A white variety of the foregoing.	1.50	10.00
“ Brilliant. A vivid crimson variety variety, the flowers are shown to great advantage against the dark green foliage.	1.50	10.00
plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from white to crimson. 1 ft. May-June.	1.25	8.00
“ Miss Gladys Cranfield. A new variety of exceptional merit. It is of compact growth and bears large, flat, rosy lilac flowers with velvety maroon centers on stems about 1 ft. high.	2.00	12.00

DIELYTRA

formosa. Dainty fern-like foliage and pendulous, lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.	1.50	10.00
--	------	-------

DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.

gloriosaeflora. Pink, purple, white; separate.	1.25	8.00
“ The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deepest rose.	1.50	10.00

DORONICUM

caucasicum. Large, bright yellow flowers are abundantly produced in early spring. Good for cutting. 1½ ft.	2.50	15.00
---	------	-------

DRACOCEPHALUM

Ruyschianum. One of the showiest of spring flowering plants and one we recommend to those seeking something unusual. It forms a clump of many stems, each one being thickly covered during May with Purplish blue, Salvia shaped flowers. 1 to 1½ ft.	2.00	12.00
--	------	-------

Per Doz.—Per 100

ECHINACEA (Purple Coneflower)

- purpurea.** A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone-shaped, orange red centers, are borne on strong, straight stems, 3 to 4 ft. in height. Ju'y-August. 1.50 10.00

ECHINOPS (Globe Thistle) Vigorous and stately plants, attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.

- Ritro.** Globular heads of glistening blue flowers. 4 ft. July-August. 1.50 10.00
- sphaerocephalus.** Heads of grayish white flowers. 6 ft. August. 1.50 10.00

ERYNGIUM (Sea Holly)

- planum.** Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July-August. 1.25 8.00

EUPATORIUM

- coelestinum.** Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratium-like flowers from August to October. 2 ft. 1.50 10.00
- Fraseri.** Feathery white flowers. 2 ft. July-September. 1.25 8.00

EUPHORBIA (Spurge)

- corollata.** The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September. 1.50 10.00
- polychroma.** A conspicuous object in early spring. It has a bushy, much branched habit, each branch terminating in a whorl of bright petal-like bracts. 1½ ft. 1.50 10.00

FUNKIA

- undulata variegata.** Creamy white and green variegated leaves. 1.50 10.00

	Per Doz.—Per 100	
GAILLARDIA		
grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-September.	1.25	8.00
The Dazzler. A recent introduction, producing large, bright golden yellow flowers with red maroon centers. Its strong, straight, erect stems make it a valuable variety for cutting.	2.00	12.00
GEUM		
Lady Stratheden. A new variety similar in habit and growth to the well known Geum Mrs. Bradshaw. It bears large, old gold, double flowers. 2 ft. May-June.	1.50	10.00
Mrs. Bradshaw. One of the most striking of hardy plants. Slender, branching stems are produced from tufts of evergreen foliage and bear large, rich scarlet, double flowers in great profusion. 2 ft. May-June.	1.50	10.00
GLOBULARIA (Globe Daisy)		
tricosantha. A low growing rock plant bearing globular heads of pale blue flowers arising from tufts of shiny green foliage. 6 inches. May-June.	1.50	10.00
GYPHOPHILA		
paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July.	1.25	8.00
repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July.	1.50	10.00
HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.		
autumnale Riverton Beauty. Clear yellow flowers with black centers. 4 ft. August-September.	1.50	10.00
“ Riverton Gem. Rich mahogany-red flowers.	1.50	10.00
“ surperbum. Yellow. 4 ft. August-September.	1.50	10.00
Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.	1.50	10.00

	Per Doz.—	Per 100
HELIANTHEMUM. (Rock or Sun Rose) Dwarf evergreen shrubs of spreading habit, which for freedom of flowering and brillance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.		
Fireball. Brilliant scarlet. 9 inches.	2.00	12.00
macranthum. Large creamy white. 6 inches.	2.00	12.00
Mrs. Earle. Double scarlet flowers. 9 inches.	2.00	12.00
praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.	2.00	12.00
rhodanthe carneum. Very large, clear pink flowers. Silvery foliage. 9 inches.	2.00	12.00
HELIOPSIS		
Pitcheriana. Golden yellow flowers throughout the summer. 3 ft.	1.25	8.00
HEMEROCALLIS		
Dumortieri. Orange-yellow, lily-like flowers. 1½ ft. June-July.	1.50	10.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white separate.	1.50	10.00
HOLLYHOCK. Our double varieties, with the exception of Newport Pink, are Chater's celebrated strain, and may be relied upon to come true to color.		
Double Varieties: Apple Blossom, Bright Rose, Cerise, Crimson, Newport Pink, Salmon Rose, White, Yellow.	1.50	10.00
Single Mixed.	1.50	10.00
HYPERICUM		
olympicum. A rare rock plant, gray foliage and very large, yellow flowers. 6 in. June-July.	3.00	20.00
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flowering plant of dwarf and compact hab't, bearing masses of snow white flowers produced in large trusses. 9 in. April-May.	1.25	8.00

Per Doz.—Per 100

INCARVILLEA

Delavayi. A somewhat rare plant of exceptional merit. The flowers are tubular in shape, like those of <i>Bignonia grandiflora</i> ; they are dainty pink in color, the throat being streaked with purple. They are borne in clusters of six to twelve flowers on stout erect stems. July. Strong flowering roots.	2.00	12.00
grandiflora. Larger flowers than the preceding but dwarfer and less vigorous.	2.50	15.00

INULA

ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft.	1.50	10.00
glandulosa. A little known plant of rare beauty. The flowers are golden and fully five inches across, with long thread-like ray petals. 2 ft. June-July.	2.00	12.00

IRIS

cristata. A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May.	1.50	10.00
pumila Cyanea. Violet-purple. 9 in. May.	1.50	10.00
“ The Bride. Pure white. 9 in. May.	1.25	8.00

LATHYRUS (Perennial Sweet Pea)

latifolius albus. A vigorous climber. White flowers.	1.50	10.00
“ roseus. A pink variety.	1.50	10.00

LEONTOPODIUM

alpinum (Edelweiss). White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance. 6 in. May-June.	2.00	12.00
---	------	-------

LIATRIS

callilepis. Stems 2½ to 3 ft. in height covered with deep lilac flowers. July-August.	2.00	12.00
pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August.	1.50	10.00
scariosa. Deep purple. 2-3 ft. June-July.	1.50	10.00

	Per Doz.—Per 100	
LINUM (Flax)		
perenne. A continuous succession of clouds of sap- phire blue flowers throughout summer. 2 ft.	1.25	8.00
“ album. A white variety of the above.	1.25	8.00
LYCHNIS		
alpina. Compact cushions of rich green leaves stud- ded in April and May with heads of pink flowers.	1.50	10.00
“ alba. A rare white variety of the above.	2.00	12.00
halcedonica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flow- ers. 2-3 ft. July-August.	1.50	10.00
“ alba. A white variety of the above.	1.50	10.00
LYSIMACHIA		
nummularia. A prostrate trailer, spangled during spring and early summer with large, clear yel- low flowers.	1.25	8.00
LYTHRUM		
virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September.	1.50	10.00
MONARDA		
didyma. (Bergamot) Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.	1.25	8.00
NEPETA		
Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	1.50	10.00
OENOTHERA (Evening Primrose)		
missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in dia- meter. One of the best perennials for rock garden or border. June-August.	1.50	10.00
speciosa. Erect habit; snow-white flowers in great pro- fusion throughout summer. 2 ft.	1.50	10.00

Per Doz.—Per 100

ONOSMA (Golden Drop)

stellatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping clusters of amber-colored, drop-shaped blossoms, deliciously almond scented. 1-1½ ft.	3.00	20.00
---	------	-------

PARADANTHUS (Blackberry Lilly)

chinensis. Bright orange, lily-like flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.50	10.00
--	------	-------

PAPAVER

nudicaule (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.	1.50	10.00
orientale. Large scarlet flowers. 3 ft. May-June.	1.50	10.00
“ Gerald Perry. Pale pink flowers of medium size. 2½ ft.	2.50	15.00
“ Lord Lambourne. Large, orange-scarlet flowers with deeply frilled petals. 3 ft.	3.00	20.00
“ Mahony. A very distinct variety, having deep mahogany colored flowers. 3 ft.	3.00	20.00
“ Mrs. Perry. Medium size flowers of a pleasing shade of apricot pink. 2½ ft.	2.00	12.00
“ Princess Ena. Small tulip shaped flowers, orange salmon in color. 2½ ft.	2.50	15.00
“ Royal Scarlet. Rich glowing scarlet flowers of enormous size. 3 ft.	2.00	12.00
“ Mixed colors.	1.50	10.00

pilosum. A very free flowering border plant bearing orange-bronze flowers. June-July. 2 ft.	1.50	10.00
--	------	-------

PENTSTEMON

barabatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August.	1.50	10.00
Digitalis. White, tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July.	1.50	10.00

Per Doz.—Per 100

PHLOX. One of the most important families of hardy perennials and one that should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water.

Albion. White with faint red eye. 2½ ft.	1.25	8.00
Antonin Mercier. Soft lilac blue with white center. 2 ft.	1.25	8.00
Bacchante. Fiery pink with crimson eye. 2½ ft.	1.25	8.00
Baron van Dedem. Glowing crimson. 2 ft.	1.25	8.00
Beacon. Bright cerise. 2 ft.	1.50	10.00
Europa. White with carmine eye. . 2½ ft.	1.25	8.00
Geffion. Soft pink with soft rose eye. 2½ ft.	1.50	10.00
Gruppenkonigen. Flesh pink with carmine eye. 2½ ft.	1.50	10.00
La Vogue. Pinkish mauve. 2½ ft.	1.25	8.00
Mrs. Jenkins. Pure white; large trusses. 2½ ft.	1.25	8.00
Rijnstroom. Rose-pink, very large individual flowers. 2½ ft.	1.50	10.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.25	8.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.25	8.00
Thor. Very large trusses of dazzling pink flowers. 2½ ft.	1.25	8.00
Widar. Light reddish violet with large white center. 2 ft.	1.25	8.00
suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eyes. 2½ ft. June-September.	1.50	10.00
PHLOX, Dwarf varieties		
amoena. Compact of glossy green foliage and masses of vivid pink flowers in April and May. 9 in.	1.50	10.00
divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May.	1.50	10.00
subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in.	1.25	8.00

Per Doz.—Per 100

PHLOX (Continued)

subulata atrolilacina. Masses of deep lilac flowers entirely cover the plants during April and May. The flowers of this plant are the nearest approach to blue of any variety of this type of Phlox.	2.60	12.00
“ G. F. Wilson. One of the best and most floriferous of spring flowering plants. Mats of glossy foliage completely hidden by sheets of starry, lavender flowers in April and May. 6 in.	2.00	12.00
“ lilacina. A lilac variety.	1.25	8.00
“ rosea. A pink variety.	1.25	8.00
“ Vivid. The most attractive of the dwarf Phloxes. It is a neat, compact grower, and when in bloom, nothing can be seen but a sheet of warm, salmon-rose flowers.	2.50	15.00

PHYSOSTEGIA

virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August.	1.25	8.00
“ alba. A white variety of the foregoing.	1.25	8.00
“ grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snap dragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering plants. August-September.	1.50	10.00

PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June.	1.25	8.00
Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white; large flowers.	2.00	12.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyons. Deep rose.	1.25	8.00
White Reserve. Pure white; perpetual flowering.	1.25	8.00

	Per Doz.—Per 100	
PLATYCODON. (Balloon Flower)		
grandiflorum. Blue bell-shaped flowers borne on slender stems. 2ft. June-October.	1.25	8.00
“ album. A white variety of the above.	1.25	8.00
PLUMBAGO		
Larpenae. (Leadwort) Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.	1.50	10.00
POLEMONIUM		
humile. A choice and rare rock plant of neat tufted habit, bearing dense trusses of satiny, pale blue flowers in great profusion. May-June. 6 inches.	2.50	15.00
Richardsoni. Neat tufts of vivid green foliage and erect spikes of pale blue flowers. 1½ ft. May.	1.50	10.00
POLYANTHUS. A choice mixed strain, varying from white to crimson. 9 inches. May.	1.50	10.00
PYRETHRUM		
roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.25	8.00
RANUNCULUS		
acris fl. pl. This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting. May-June.	2.00	12.00
repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.	1.25	8.00

Per Doz.—Per 100

RUDBECKIA

- Golden Glow.** Double, deep yellow flowers. 6 ft.
July-September. 1.25 8.00

SAGINA

- glabra.** Emerald green cushions of moss-like growth covered in spring with numberless, small white flowers. 2 in. 1.50 10.00

SALVIA

- azurea grandiflora.** Tall straight stems covered for half their length with sky-blue flowers. 4-5 ft.
August-September. 1.25 8.00
- virgata nemerosa.** Branching spikes of violet-blue flowers in a continuous succession from June until frost. 2 ft. 2.00 12.00

SANTOLINA (Cotton Lavender)

- incana.** An aromatic, compact growing, half shrubby plant with silvery foliage. 1.25 8.00

SAPONARIA

- ocymoides.** A good plant for carpeting in the herbaceous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring. 1.50 10.00

SCABIOSA

- caucasica.** One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft. 2.00 12.00
- “ **alba.** A white variety of the above. 2.00 12.00

SCUTELLARIA (Skull Cap)

- baicalensis coelestina.** Clear blue flowers, resembling those of a snapdragon in shape, are freely borne on thin wiry stems from early summer until frost. 1½ ft. 1.50 10.00

SEDUM

- acre.** A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May. 1.50 10.00
- album.** Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant. 1.50 10.00
- hispanicum.** A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in. 1.50 10.00

	Per Doz.—Per 100	
SEDUM (Continued)		
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.50	10.00
obtusatum. A rare and attractive stone-crop. Small, round, fleshy leaves, dull green in spring but which turn red in summer. Yellow flowers. 4 in. June.	2.00	12.00
reflexum. Clusters of golden flowers. 9 in. June-July.	1.50	10.00
sarmentosum. Fleshy leaved, trailer with yellow flowers.	1.50	10.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.50	10.00
Sieboldii. Round, fleshy, gray leaves and clusters of pink flowers. One of the most attractive Sedums. 9 in. August-September.	2.00	12.00
stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 in. June-July.	1.50	10.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September.	1.25	8.00
“ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.	1.50	10.00
SEMPERVIVUM		
arachnoideum. Rosettes of fleshy leaves covered with silky hairs resembling a cobweb. 3 in.	1.50	10.00
SIDALCEA		
Rosy Gem. Pink mallow-like flowers on slender graceful stems. 2½ ft. July.	2.00	12.00
SPIRAEA		
Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2½ ft. June.	1.50	10.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.	1.50	10.00
Ulmaria fl. pl. A double flowered variety of the above and a much superior plant. Excellent for cutting.	2.00	12.00

	Per Doz.—Per 100	
STOKESIA		
cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October.	1.50	10.00
STATICE		
latifolia. (<i>Sea Lavender</i>). Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September.	1.50	10.00
SWEET WILLIAM		
Newport Pink.	1.25	8.00
Scarlet Beauty.	1.25	8.00
White.	1.25	8.00
THALICTRUM		
adiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of <i>Gypsophila paniculata</i> before that is available. 2½ ft. June-July.	1.50	10.00
aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July.	1.50	10.00
“ purpureum. Pinkish purple flowers.	1.50	10.00
diptercarpum. Long graceful sprays of rosy purple flowers with conspicuous yellow anthers, are borne over handsome fern-like foliage. 3-5 ft. June-July.	2.00	12.00
glaucum. Glaucous foliage and large, feathery heads of yellow flowers.		
TRITOMA (Torch Lily)		
Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October.	2.50	15.00
Mixed Hybrids. A choice mixture, varying from yellow to scarlet.	1.50	10.00
TUNICA		
Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.	1.50	10.00

VALERIANA

officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July.	1.50	10.00
---	------	-------

VERONICA

incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	1.50	10.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	1.50	10.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers	1.50	10.00
spicata. Spikes of blue flowers. 2 ft. June-August.	1.50	10.00

VIOLA

Jersey Gem. One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact.	2.00	12.00
pedata. (Bird's Foot Violet). Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May.	1.50	10.00

YUCCA

filamentosa. (Adam's Needle) Large rosettes of sword-like leaves, and spikes of white flowers. 6-8 ft. July. Two year plants.	1.50	10.00
--	------	-------

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

<i>Achillea rupestris</i>	<i>Iris pumila cyanea</i>
<i>Achillea tomentosa</i>	<i>Iris pumila The Bride</i>
<i>Achillea umbellata</i>	<i>Leontopodium alpinum</i>
<i>Aethionema iberideum</i>	<i>Lychnis alpina</i>
<i>Aethionema Pulchellum</i>	<i>Lychnis alpina alba</i>
<i>Alyssum argenteum</i>	<i>Lysimachia nummularia</i>
<i>Alyssum saxatile compactum</i>	<i>Nepeta Mussini</i>
<i>Anemone Pulsatilla</i>	<i>Oenothera missouriensis</i>
<i>Anemone Pulsatilla rubra</i>	<i>Onosma stellulatum</i>
<i>Aquilegia flabellata</i>	<i>Papaver nudicaule</i>
<i>Arabis alpina</i>	<i>Phlox amoena</i>
<i>Arabis alpina fl. pl.</i>	<i>Phlox divaricata</i>
<i>Armeria maritima Lauchean</i>	<i>Phlox subulata alba</i>
<i>Aster alpinus</i>	<i>Phlox subulata atrolilacina</i>
<i>Aster alpinus albus</i>	<i>Phlox subulata G. F. Wilson</i>
<i>Aster subcoeruleus</i>	<i>Phlox subulata lilac'na</i>
<i>Aubrietia deltoidea</i>	<i>Phlox subulata rosea</i>
<i>Calamintha alpina</i>	<i>Phlox subulata Vivid</i>
<i>Campanula carpatica</i>	<i>Plumbago Larpentae</i>
<i>Cerastium tomentosum</i>	<i>Polemonium humile</i>
<i>Crucianella stylosa</i>	<i>Sagina glabra</i>
<i>Dianthus alpinus</i>	<i>Santolina incana</i>
<i>Dianthus arenarius</i>	<i>Saponaria ocymoides</i>
<i>Dianthus caesius</i>	<i>Sedum acre</i>
<i>Dianthus deltoides</i>	<i>Sedum album</i>
<i>Dianthus deltoides albus</i>	<i>Sedum hispanicum</i>
<i>Dianthus deltoides Brilliant</i>	<i>Sedum lydium</i>
<i>Euphorbia polychroma</i>	<i>Sedum obtusatum</i>
<i>Globularia tricosantha</i>	<i>Sedum reflexum</i>
<i>Gypsophila repens</i>	<i>Sedum sarmentosum</i>
<i>Helianthemum Fireball</i>	<i>Sedum sexangulare</i>
<i>Helianthemum macranthum</i>	<i>Sedum S'eboldii</i>
<i>Helianthemum Mrs. Earle</i>	<i>Sedum stoloniferum</i>
<i>Helianthemum praecox</i>	<i>Sempervivum arachnoideum</i>
<i>Helianthemum rhodanthe carneum</i>	<i>Tunica Saxifraga</i>
<i>Hypericum olympicum</i>	<i>Veronica incana</i>
<i>Iberis sempervirens</i>	<i>Veronica repens</i>
<i>Inula ensifolia</i>	<i>Veronica rupestris</i>
<i>Iris cristata</i>	<i>Viola pedata</i>

All plants in the following list are suitable for cutting, a careful selection will provide a supply of flowers from spring until fall.

Achillea Ptarmica The Pearl	Heliopsis Pitcheriana
Achillea Ptarmica Boule de Neige	Inula glandulosa
Anthemis tinctoria Kelwayi	Liatris pycnostachya
Armeria Cephalotes	Pentstemon barbatus Torreyi
Baptisia australis	Phlox Miss Lingard
Campanula persicifolia	Pink Excelsior
Campanula persicifolia alba	Pink Her Majesty
Chrysanthemum maximum	Pink Homer
Coreopsis grandiflora	Pink Juliette
Delphinium Belladonna	Pink Lord Lyon
Delphinium Bellamosum	Pink White Reserve
Delphinium formosum	Pyrethrum roseum
Dianthus Miss Gladys Cranfield	Ranunculus acris fl. pl.
Eryngium planum	Scabiosa caucasica
Eupatorium coelestinum	Scabiosa caucasica alba
Euphorbia corollata	Statice latifolia
Gaillardia grandiflora	Thalictrum adiantifolium
Geum Lady Stratheden	Tritoma Pfitzeri
Geum Mrs. Bradshaw	Spiraea Ulmaria fl. pl.
Gypsophila paniculata	

Prices and descriptions of the plants in the preceding lists will be found in the body of catalogue.