With regards of author

SOME PLANT NAMES OF THE UTE INDIANS

BY

RALPH V. CHAMBERLIN

Reprinted from the AMERICAN ANTHROPOLOGIST (N. S.), Vol. XI, No. 1,
January-March, 1909

Lancaster Pa., U. S. A.
The New Era Printing Company
1909

BIOLOGY

581.9979

C 35s

N. Briggs.
1909.

[Reprinted from the AMERICAN ANTHROPOLOGIST, Vol. 11, No. 1, Jan.-March, 1909.]

SOME PLANT NAMES OF THE UTE INDIANS

By RALPH V. CHAMBERLIN

WHILE among the Gosiute Indians in the spring of 1901, the writer made the acquaintance of a Uinta Ute, named Tungaip, who had taken up a temporary abode there because of factional trouble among his own people such as to make his absence from them necessary to his safety. From him I secured the partial list of plant names herewith presented. The paper is now published in this preliminary and tentative form only because I do not foresee the opportunity to extend and elaborate or otherwise to better it, and in the hope that it may prove of some interest or aid to others. The names were obtained almost exclusively at the time mentioned from the now lamented Tungaip. With a few exceptions they have not been tested through others of his tribe, and some errors may therefore occur, especially in the case of the less familiar species.

The Ute proper held the richer game portions of Utah and adjacent parts, and were to a much greater degree hunters, and more warlike, than most of the relative tribes. Their dependence upon the vegetable kingdom was, naturally, less intimate than with such tribes as the desert-dwelling Gosiute,¹ though no doubt a complete list of all kinds of serviceable plants among them would prove large.

As compared with some related dialects, the language, among other things, appears to show a more frequent development of *v* in place of *b*, especially in the nominal endings, and of *r* in place of *t* or *d*. For example, *-ûp* is heard as *-ûv*, *-av*, and *-îv*, depending on phonetic relations. The syllables *-go-ûp*, and *-gi-ûp*, sometimes heard as *-gwiûp* or *gwiûp*, in Ute become *-go-ûv* or *-gi-îv*, thus easily passing to *gwiûv* or *-gwiîv*, in which form most commonly heard.

¹ This name is not derived etymologically from the name of chief Goship as is so often suggested. Goship was chief over a band of closely related Indians, but not over the Gosiute proper. The name is compounded from *kûtsîp*, or *gûtsîp*, meaning primarily 'ashes,' and hence, secondarily, 'parched or dry earth,' 'desert earth,' etc., and Ute; i. e., rendered freely, the name may be said to mean 'Desert Ute.'

This is in line with a general phenomenon resulting from a strong tendency in the language toward an easy or gliding phonetic softness. The phenomenon as it appears to me is in the frequent suppression of syllables and letters, especially of vowels. In some cases vowels are heard very lightly and in others not at all. This results in the accumulation of consonants, of which illustrations are given among the examples below. There would seem to be a more frequent shifting of the primary accent to the second syllable, or, more rarely, to the third.

Examples of apparent condensation are :

kwi'ûv, oak, corresponds to Shoshoni and Gosiute *kwi'ni up*.

pagwai'ûv, maple, corresponds to Shoshoni and Gosiute *pa'gwi ni up*.

tu'ca-gar, white, is frequently heard as *tcar* (cf. following word also).

tsa'-kûm, white rabbit, cottontail, is probably derived from the preceding word *tu'ca-gar*, meaning white, and *kûm*, rabbit.

k'sa-ka-nav, or *ksa-nav*, a species of willow, from *ku'-tsi-*, ashes, hence gray, etc., in reference to the pubescent covering, or in some plant names to the dryness of habitat, and *ka-nav-*, general term for willow. The corresponding Shoshoni and Gosiute word is *ku'tsi-si-o-pi*; *si'-o-pi*, or *shi'-o-pi*, in these languages corresponding to *ka-nav*.

kai-siv, Cornus or kinnikinnick, corresponds to Shoshoni *ã'ka-sib*.

Other cases similar to those above given occur in the subsequent list of plant names.

From such comparisons and study as I have made, the conclusion would seem justified that the primary roots of the Ute language are monosyllabic or largely so, as they are in the Gosiute. While a discussion of this subject cannot properly be entered upon here, some of the particles and combinations more frequently occurring in the plant names presented, more especially in the terminations, may be discussed briefly. Various examples of primary roots will be indicated in the analyses of words selected for illustration below :

(1) *b*, *p*, *v*. — Indicating, in general, substance or material in nouns ; in verbs occasionally indicating the production of a material thing ; sometimes giving a participial or adjectival effect. Far most common as the noun ending, indicated in the following :

(2) *-ûp*, *-ûv*. — A nominal ending added to verbs and indicating in

general the substance or material involved ; hence object or thing in general. For example :

o-pîn-go-ûv(-g^{wuv}), fence (of wood) : *o-pî*, wood, + *n*, adjectival ending, q. vid., + *go*, verbal root meaning to enclose or surround, + *-ûv*.

tik-ûp, food : *ti-ki*, eat, + *-ûv* ; hence, material to eat.

to-tsi-va-wûv, hair of head : *to-tsi-in*, head, + *wu*, thread or hair-like object, hence hair in general, + *-ûv*.

ko-nov, sack : *go, ko*, root meaning to enclose or to surround, as indicated under the first example, + *no*, root meaning to carry, move, etc., + *-ûv*.

tîm-bi-ûv, bridle : *tîm-bi*, mouth, + *-ûv*.

It is a common ending in plant names, as may be seen from an examination of the general list given later. In these names it has practically the meaning of "plant" in many cases. In some of these it is evidently the representative of *ô-pî*, wood, tree, or plant, rather than of *ûp* as in the case of *sho-av*, cottonwood, corresponding to Gosiute *so'-o-pî*.

(3) *-ûmp*. — A nominal ending indicating, in most cases, material or substance of service or use. In plant names it hence generally indicates the plant or plant product as useful for food. Its general use in this connection may be indicated by the Gosiute word for oats, *o-at-ump*, which appears to be simply the English word with *-ump* added.

The particle seems doubtless a development of *-ûm* or *-m*, and *-ûp* ; i. e. of the combination *-ûm-ûp* or of *-mûp*. *Ûm* or *-m* following or added to a noun or noun group has a possessive or adjectival effect. By transliteration *-ûmp* is derived. This may be seen, for example, in the Gosiute word for currant (the berry), which corresponds closely to the Ute, but is given because better known to me in its changes. This word is *po-gon-ûp*, but quite as frequently is heard as *po-gûmp*. Hence it will be easily seen why *-ûmp* is primarily added to other nouns, in contrast with the preceding ending, *-ûp*, which is primarily added to verbs, and also how, in most cases where it would primarily be used, the force would be to indicate material of service. The suffix is far most common in the combination indicated under (4). Examples :

po-gûmp, currant (the berry). The name for the plant as a whole is *po-gomp-îv*, this being a good illustration of the point made previously that in plant names the ending *-ûv* (*-îv*) has often the force of "plant."

ku-si-a-kûmp, balsam-root: *ku-tsi-*, gray, ashen, in reference to the dense coat of hair on the plant, + *a-ka*, stalk, shoot, etc., + *-ûmp*. The young shoots, leaves, and their petioles, of this plant were formerly eaten.

to-ûmp, service-berries.

- (4) *-nûmp*. — A development of the preceding, consisting of that in combination with *na*, a particle primarily added to a verb to indicate means or instrument, *-na-ûmp* becoming condensed to *-nûmp*, which in turn has become an integral suffix. It indicates instrument or means. Rarely it is used like *-ûmp* or even *-ûp* where euphony is obtained thereby. Examples :

ka-ri-nûmp, chair or saddle: *ka-ri*, sit down, + *-nûmp*.

tî-ki-nûmp, table: *tî-ki*, eat, + *-nûmp*.

ta-bi-nûmp, clock: *ta-bi*, sun, + *-nûmp*.

taⁿ-gi-nûmp, stirrup: apparently from *ta*, particle indicating the foot or relation to it (nasalized, as is commonly so with vowels before *g* or *k*), + *gi*, verbal particle indicating pressing or thrusting into, + *-nûmp*.

- (5) *t, d, r*. — As an ending indicates quality, condition, or relation, and hence primarily is adjectival. It is a common adjective ending, such adjectives being sometimes used as nouns representing things having the qualities indicated. It is the ending in a number of plant names. Examples :

añ-kar, red. (And so with other names of colors. Cf. the Gosiute and Shoshoni ending in the equivalent *t*, in the combination *-bit*; as, *añ-ka-bit*, red, *tu-o-bit*, black, etc.)

to-kar, black.

at, good.

a-bat, great.

tîn-zi-ër, hard.

na-ri-ënt, strong.

ku-bër-ant, long, tall.

kwa-nar, *kwa-na-ri*, smelling, stinking.

pu-ner, *pu-ne-ri*, looking, seeing, vision, adj. Cf. *pu-ni-ke*, see; *pu-ne-ri-nūmp*, field-glass, i. e., 'vision instrument.'

kwi-o-kīnt, (1) circular, (2) circle: *kwi-o-kīn*, to move or make move in a circular path, etc., + *t*.

tī-ga-kīnt, (1) touching, bordering, (2) boundary-line: *tī-ga-kīn*, to put against, to touch, to border, + *t*.

- (6) *-tc*, *-ts*, *-ds*. — A common ending in the names of plants and animals, seeming quite generally to indicate an object living or regarded as living, a person or part of a living thing or person. The usage may be indicated by the word for mule, *mu-rats*. This seems to come from the English word mule, the *l*, which does not occur in Ute, being replaced by *r* (cf. *ka-va*, horse, apparently from Spanish caballo, the *ll* here being wholly dropped) and *ts* added. It is a very common ending in plant names, perhaps that most frequent. Examples:

<i>a-ran-gūtc</i> ,	locust.	<i>ūwits</i> ,	plover.
<i>o-nūm-būtc</i> ,	badger.	<i>ai-peds</i> ,	boy.
<i>sa-rītc</i> ,	dog.	<i>to-wats</i> ,	man.
<i>ta-būn-dsītc</i> ,	fox.	<i>na-ni-pēds</i> ,	old man.
<i>yūm-būtc</i> ,	porcupine.	<i>pi-ads</i> ,	mother.
<i>no-vīntc</i> ,	person, Ute.	<i>pu-rēts</i> ,	arm.
<i>wan-dsītc</i> ,	antelope.		

It may be found that *ats* (*ēts*, *äts*), occurring so frequently as an ending in Ute plant names, is in some cases to be regarded as integral (secondarily) and as alone the name or as having been the name of a particular plant, as is the case in Gosiute. Here it is applied to species of *Amarantus*, useful as food, and is made terminal in names of some plants thought to resemble this one in appearance or use.

- (7) *-m*, *-n*, *-ūm*. — Following a noun indicates possession or relation or gives the effect of an adjective to the noun to which added. Examples:

o-pīm-go-ūv, fence: *o-pi*, wood, + *m*, + *go*, + *ūv*. (Vid. ante under *-ūp*.)

ka-bam-sī-ta-gwīv, horse medicine: *ka-ba*, *ka-va*, horse, + *m*, + *sī-ta-gwīv*, medicine.

sa-gwam-sī-ta-gwīv, *Abronia fragrans*, which is used as a stomach medicine: *sa-gwa*, stomach, + *m* + *sī-ta-gwīv*, medicine.

tīm-pīm-ûv, *Cystopteris fragilis*: *tīm-pi*, rock, + *ûv*, i. e. rock (loving) plant.

tīmp, *tīmpi*, mouth: *ti*, root meaning to strike or force into, cut into, and hence to bite; thus pertaining to a cutting object, + *m*, + *bi*, meaning part of a living body, etc. (Cf. the following, and also the combination *-bītē*, rare in Ute but common in related dialects.)

namḡ, *nam-pi*, foot: *na*, thing beneath or supporting, bottom part, etc., + *m*, + *bi*, as in the preceding.

LIST OF PLANTS ACCORDING TO SCIENTIFIC NAMES

Abronia fragrans Nutt. Sand Puff. *sa-gwam-si-ta-gwiv*: apparently *sa-gwa-*, stomach, + *si-ta-gwiv*, medicine. The roots and flowers said to be used as a remedy in stomach and bowel trouble. The name is probably not specific, and will likely be found to be applied to other plants put to similar medicinal use.

Acer glabrum Torr. Maple. *pa-wai'-ûv*: *pa*, water, + *kwi-ûv*, oak.

Achillea millefolium L. Yarrow. *i-am'-si-ta-gwiv*: *i-a*, wound, etc., + *m*, + *si-ta-gwiv*, medicine. Applied externally on bruises, etc., and also used as a tea in cases of sickness.

Agropyrum repens Beauv. Blue-joint. ? *wai-*.

Allium bisceptrum Watson, **acuminatum** Hook. Onion. *kūñ-ka*. Bulbs and leaves eaten.

Amelanchier alnifolia Nutt. Service-berry. *to-ûmp'*. Berries were formerly an important food, being used in season and also preserved by drying for winter. Cf. Shoshoni and Gosiute *tī'-ûmp*.

Amsinckia tessellata. *tu'-ka-rûmp*. Cf. the Gosiute *ku-ni-ro-ûmp*.

Antennaria dimorpha Torr. and Gray, etc. Everlasting. *tīm'-pīn-tsau-ûv*: *tīm-pi*, rock, + *n*, + *tsau*, submerge, cover under, etc., + *ûv*; i. e., apparently, rock-matting plant.

Arabis holboelli Hornem. Rock Cress. *qta'-ko-mav*.

Artemisia tridentata Nutt. Sage-brush. *ma-av*; *ma-ap*. Leaves used in decoction as medicine.

Asclepidiora decumbens Gray. Milkweed. *sa-na'-ko-mav*.

Aspidium filix-mas Schwartz. Wood Fern. *kaĩ'-ban-kīm-bīs*: *kai-ba*, mountain, + *n*, + *kīm-hīa*.

Astragalus iodanthus Watson. Buffalo Bean. *tī'-wi-pi-tcūm-av*: probably from *tī-wip*, earth, + *tsu*, *tcu*, press, press over, etc., + *m*, + *ûv*; i. e., likely meaning earth or ground-matting plant.

Balsamorhiza sagittata Nutt. *ku-si'-a-kūmp*: *ku-si-*, from *ku-tsīp*,

ashes, hence meaning gray or whitish, in reference to the whitish covering of pubescence so conspicuous in this plant, + *a-ka*, shoot, etc., + *-ûmp*. The young shoots and leaves were formerly eaten, hence the name. The roots also were eaten to some extent.

Beckmannia erucaeformis Host. Slough Grass. *a-wat'-o-gwîv* : *a-wat* + *o-gwîv*.

Berberis repens Lindl. Oregon Grape; Barberry. *ksîp-o-a-ats*.

Betula occidentalis Hook. Birch. ? *pa-gwai'-ûv*.

Calochortus nuttallii Torr. and Gray. Sego. *si'go*. The bulbs of this plant were formerly much used as food. The Gosiute and Shoshoni name is identical.

Capsella bursa-pastoris Moench. Shepherd's Purse. *mo'-tên-de-âts*. Introduced into the region.

Capsella divaricata Walp. Shepherd's Purse (native). *mo'-tên-de-âts*.

Carex jamesii Torr. Sedge. *pi'-gwûts* (prob. *pa'-gwûts*).

Castilleja parviflora Bong. Painted-cup. *mo'-ten-dît*. Root used as a medicine in bowel trouble.

Caulanthus hastatus Watson. *añ-ga-ko-rîmp*.

Citrulus vulgaris (cultivated). Watermelon. *shan-ti-kût*.

Claytonia caroliniana Michx. Spring Beauty. *ti-bi-wu-tcûⁿk*. Formerly the bulbs were eaten extensively.

Collinsia parviflora Dougl. *mi'-pûⁿ-ga-shi''-êts*. Plant said to have been used externally as a remedy for sore flesh, like *Gilia*, q. vid.

Commandra pallida A. DC. Bastard Toad-flax. *sa-gwa-si-ûⁿ-gûts*. Roots used as a medicine in headache, etc.

Cornus stolonifera Michx. Kinnikinnick; Cornel. (1) *kai'-şiv*; (2) *a-va-tu-tûm-bûtc-ûm-av*. Cf. the Shoshoni *añ-ka-sib*, this name referring to the red bark ("red willow," probably). The Ute name seems to be condensed.

Cowania mexicana Don. Cliff Rose. *pu-i'-tcûm-av*.

Cymopterus longipes Watson. *o-an-tûv*. Leaves formerly boiled and eaten as food. It seems probable that the Shoshoni name for this plant, *toi'-yan-dûp* (*toi'ya-bi*, mountain, + *n*, + *dûp*), preserves most nearly the original form, and that the Ute *o-an-tûv* and the Gosiute *an-dsûp'* are abbreviated.

Cystopteris fragilis Bernh. Fern. *tîm-pîm-ûv* : *tîm-pî*, rock, + *m*, + *ûv*.

Delphinium menziesii DC. and **bicolor** Nutt. Larkspur. *sa-gwa-rînt*.

Draba nemorosa L. Whitlow Grass. *kus-pa-sen-di-ât*.

Eleocharis palustris R. Br. Spike-rush. *pa-o'-ga-da-pîn-tîd* : *pa-o*, referring to water, + *ga-da-pîn-tîd*.

- Elymus canadensis** L. Lyme Grass. *o-do-rûm-biv*. Seeds formerly gathered as food.
- Eragrostis purshii** Schrad. *kaib'-o-gwîv*: *kai-ba*, mountain, + *o-gwîv*.
- Erigeron canus** Gray. Fleabane. ? *sa-gûm-sî-ta-gwîv*.
- Eriogonum ovalifolium** Nutt. Silver-plant. *k'sûm-sêd-au-ge-êts*: probably from *ku-tsîm*, ashen, gray, etc., + *sêd-añ-ge-êts*. Used as medicine.
- Equisetum arvense** L. Horsetail. (a) fertile stems, *tu-ko-wûts*; (b) sterile stems, *to-tsi-wûts*.
- Equisetum lævigatum** Braun. Scouring-rush. *ya-a'-ti-nûmp*. Likely from *ya-a-gi*, cry, call out, etc., + *t*, + *-nûmp*, instrument, etc., in reference to its use by children as whistles.
- Eragrostis purshii** Schrad. *kaib'-o-gwîv*.
- Erodium cicutarium** L'her. Storks-bill; Alfilaria. *pa'-bo-i-êts*.
- Erysimum asperum** DC. *sa'-go-a''-sînt*.
- Ferula multifida** Gray. *to-tûv*. The root furnishes one of the medicines most highly valued among this and related peoples. It is especially applied externally upon wounds and bruises, being first reduced to a pulp between stones or in a mortar. It is also used for distemper in horses; for this purpose it is burned in a pan held beneath the horse's nose.
- Fritillaria atropurpurea** Nutt. Tiger Lily; Brown Lily. *ka'-rûm-sî-ta-gwîv*. The bulbs and roots used as medicine in the form of a decoction. It is said to be taken but sparingly because in larger quantities it is regarded as dangerously poisonous.
- Fritillaria pudica** Spreng. Buttercup; Yellow Bell. *pim'-î-kwi-êts*. Formerly the bulbs were used as food.
- Gilia gracilis** Hook. *yo-gûm-sî-ta-gwîv*: *yo'-gu-vîtc*, coyote, + *m*, + *sî-ta-gwîv*, medicine. Used as a poultice on bruised or sore leg. In this connection cf. the Shosnoni name for this little *Gilia*, so abundant in the region: *i-am-bîp*, the first part of which would seem to refer to wound.
- Glaux maritima** L. Sea-milkwort. *tsûn'-a-na-di-êts*.
- Grass (general term). *o'-wîv*.
- Grayia polygaloides** Hook and Arn. Shad Scale. ? *sa'-mûv*.
- Grindelia squarrosa** Dunal. Gum-plant. *ku-ats-ûm-sî-ta-gwîv*: *ku-ats* + *ûm*, possessive, + *sî-ta-gwîv*, medicine. Said to be used as a cough medicine. Cf. *Senecio*.
- Guttierrezia euthamiae** Torr. and Gray. Lesser Rabbit Brush; Torch-weed. *shpûmp*.

- Hedysarum mackenzii** Richard. *kai-va-ma-mû-tca-kwûv*; *mo'-têm-be-itch*: *kai'va*, mountain, + *m*, + *mu-tca-kwûv*. Roots said to be used as medicine.
- Hydrophyllum capitatum**. Waterleaf. *o-at'êm-bi-êts*.
- Iva axillaris** Pursh. *tam-ěs'-ta-gwûv*; *ta-ma-si-ta-gwûv*: *ta-ma* + *si-ta-gwûv*, medicine. Occasionally used as medicine.
- Juncus balticus** Deth. Bog-Rush. *pau-wûv*. Corresponding to the Shoshoni and Gosiute name for the same plant, *pa'hwap*, also heard more fully as *pa'-ûm-ûp*: *pa-ûm*, aquatic, + *ûp*.
- Juniperus californica** var. **utahensis**. Cedar. *wap*. The name is probably from *wa-ap*, meaning, in some dialects (e. g., Shoshoni), to burn, the reference probably being to the use of the bark, etc., in making slow-match and for kindling purposes.
- Krynitzkia sericea** Gray. *yu'-bi-shad-ûmp*. Root used as stomach medicine.
- Lathyrus ornatus** Nutt. Everlasting Pea. *sa-gwa'-sa-int*.
- Lepidium intermedium** Gray. Pepper-grass. *sau'-ga-mi-ants*.
- Lepidium sativum**. Pepper-grass. *wa'-to-ma-siv*.
- Lithospermum pilosum** Nutt. Gromwell. *tsût-kûp*. Roots used as medicine in form of decoction; diuretic in action. I have seen it used by an old couple for this purpose.
- Lonicera utahensis** Watson. Woodbine. *te-ěd-kav*: *te-a*, *tî-a*, deer, + *kav*. Cf. the Gosiute name for this plant: *parri-ên-dî-kûp*, meaning elk food.
- ? **Malvastrum munroanum** Gray. False Mallow. *sa-gwûn-na-ga-ats*.
- Matricaria discoidea** DC. May-apple. (*ma*)-*mo-a-na-nûmp*. Used as a medicine.
- Orogenia linearifolia** Watson. *pîn'-ka-pai-âts*.
- Pachystima myrsinites** Raf. Box. *te-ě-kav*. Cf. *Lonicera*.
- Pentstemon glaber** Pursh. Beard-tongue. *mû-tcêm-bi-a*.
- Phacelia menziesii** Torr. ? (*ma*)-*mû'-têm-bi-a*.
- Phlox longifolia** Nutt. Phlox; Sweet William. (*mo*)-*mu'-kwi-êts*.
- Pinus mojophylla** (nuts of). Pine-nuts. *tî-va*.
- Populus angustifolia** James. Cottonwood. *sho-av*: *sho* + *av*, from *o-pi*, wood. Cf. Gosiute *so-o-pi*.
- Potentilla anserina** L. Five finger. *qte'-ăñ-gîv*.
- Pteris aquilina** L. Bracken. *kai-ban-kîm-bis*: *kai-ba*, mountain, + *n*, + *kîm-bis*. See also *Aspidium filix-mas* Schwartz.
- Quercus undulata** var. Rocky Mountain Oak; Scrub Oak. *kwi'-ûv*. The Gosiute form is *kwi-ni-ûp*, and is sometimes heard as *ku-ni-ûp*.

- Ranunculus aquatilis** L. var. Buttercup. *paí'-a-pu-ěts*.
Ranunculus cymbalaria Pursh. Buttercup. *pau-ús-a-nau-ga-ant*.
Rhus aromatica Ait. var. **trilobata** Gray. Sumach; Squaw-berry.
mo-tam-bi-űts. The berries, are eaten.
Ribes aureum Pursh. Buffalo or Missouri Currant. *po-gomp'-iv* :
po-gomp, currant (the berry), + *űv*. Berries used as food.
Rosa fendleri Crepin. Rose. *añ-ga-si-űñ-gűv* : *añ-kar*, red, + *si-űñgen*,
 stem, etc., + *űv*. Berries sometimes eaten.
Salix amygdaloides Anders., **lasiandra** Benth., var., and **cordata**
 Muhl. *k'sa-nav*; *k'sa-ka-nav* : *ksa*, probably shortened from
ku'-tsi-, ashen, grayish, etc., + *ka-nav'*, willow. Used in bask-
 etry, etc.
Salix flavescens Nutt. Willow. *ta-ma-nűmp-in-av*; *ta-ma-nűmp-in-*
ka-nav.
Salix longifolia Muhl. Willow. *ka-nav'*. Used in basketry, etc.
Scirpus validus Vahl. Bulrush. *l'su-saip*. Lower, tender portions
 eaten.
Senecio sp. Groundsel. *ko-ats-ěm-si-ta-gűv* : *ko-ats*, + *ěm*, posses-
 sive, + *si-ta-gűv*. Used as medicine. Cf. *Grindelia*.
Shepherdia argentea Nutt. Buffalo-berry. *añ-gűt-a-gűv*. Berries
 formerly used as food to some extent.
Shepherdia canadensis Nutt. *ta-ma-nűmp*.
Sisymbrium canescens Nutt. Hedge Mustard. *po-e'-tűm-ěn*. Used
 as medicine.
Smilacina amplexicaulis Nutt. False Solomon's Seal. *yo-gwo'-ta-*
ma-nűmp : *yo-go-vűtc*, coyote, + *ta-ma-nűmp*. Cf. the Gosiute
i-tcu-pain-po-go-nűp, from *i-tcu-pa*, coyote, + *n*, possessive, + *po-go-*
nűp, berry, i. e., 'coyote berry.'
Solanum tuberosum (cultivated). Potato *tsűñ*. Transferred from the
 name of a native plant.
Streptanthus cordatus Nutt. *o-nűn-ga-ats*.
Taraxicum officinale Weber. Dandelion. *(mo)-műn'-ti-ad-qsűp*.
 Leaves formerly used as food. Cf. the Shoshoni *mű-tca-gi-a*.
Tellima parviflora Hook. *añ-gai-ya-ga-ti-nűmp*.
Trifolium, general term. Clover. *mo'-pi-űnts*; *mű'-pi-űnts*.
Trifolium pratense L. (introduced). Red Clover. *?sa-gwa-in-di-űp*.
Triglochin maritimum L. Arrow-grass. *pa'-sau-wa-d'int*.
Troximon sp. *añ'-ka-pi-sa-wats*. Leaves formerly eaten, like the
 dandelion.

Valerianella congesta. *añ-go-i-ěnts.*

Veronica aggerata Speedwell. *pu'-i-ants.*

Vicia americana Muhl. Vetch. *ka-na-te'-ănts*; *pu-i-pi-um-av*: *pu-i-pi*, blue, + *um*, + *av*. The second name refers to the blue or purplish flower and is probably general.

Viola beckwithii. Wild Pansy. *ka-bam-si-ta-gwiv*: *ka-ba*, horse, + *m*, + *si'-ta-gwiv*, medicine.

Viola canina L. var. **sylvestris** Regel. Violet. *sau'-o-ma-ănts.*

Viola cucullata Ait. Violet. *sau-ěd-in-do-ěts.* Roots used as medicine.

Zygadenus nuttallii Gray. Poison Segoe. *ta-bă'-si-gwiv*: *ta'-bi*, sun, + *si-go*, + *iv*, 'sun sego.' The bulbs of this plant are poison, hence the common name as given above. The sego proper is *Calochortus nuttallii*.

ALPHABETICAL LIST OF PLANTS ACCORDING TO UTE NAMES

añ-gai-ya-ga-ti-nump. *Tellima parviflora* Hook.

añ-ga-ko-rimp. *Caulanthus hastatus* Watson. Rose.

añ-ga-si-um-giv. *Rosa fendleri* Crepin. Buffalo-berry.

añ-go-i-ěnts. *Valerianella congesta.*

añ-gut-a-gwiv. *Shepherdia argentea* Nutt.

añ-ka-pi-sa-wats. *Troximon* sp.

a-va-tu-tum-but-um-av. *Cornus stolonifera* Michx. Kinnikinnick ;
Cornel. Cf. *kai'siv*.

a-wat-o-gwiv. *Beckmannia erucæformis* Host. Slough Grass.

i-am'-si-ta-gwiv. *Achillea millefolium* L. Yarrow.

ka-bam-si-ta-gwiv. *Viola beckwithii.* Wild Pansy.

kai-ban-kim-bis. *Aspidium filix-mas* Schwartz, *Pteris aquilina* L. Wood
fern ; Bracken.

kai-b-o-gwiv. *Eragrostis purshii* Schrad.

kai-rum-si-ta-gwiv. *Fritillaria atropurpurea* Nutt. Tiger Lily ; Brown
lily.

kai-va-ma-mu-tca-kwuv. *Hedysarum mackenzii* Richard. Vetch.

kai-b-o-gwiv. *Eragrostis purshii.* Kinnikinnick ; Cornel.

kai-siv. *Cornus stolonifera* Michx. Willow.

ka-na-te'-ănts. *Vicia americana* Muhl.

ka-nav. *Salix longifolia* Muhl.

ko-ats-ěm-si-ta-gwiv. *Senecio* sp.

k'sa-ka-nav; *ksa-nav.* *Salix amygdaloides* Anders; *Salix lasiandra*
Benth. var.; *Salix cordata* Muhl.

ksip-o-a-ats. *Berberis repens* Lindl. Oregon Grape ; Barberry.

- k' sũm-sed-an-ge-ěts.* Eriogonum ovalifolium Nutt. Silver Plant.
ku-ats-ũm-sĩ-ta-gwĩv. Grindelia squarrosa Dunal. Gum Plant.
kũñ-ka. Allium bisceptrum Watson ; Allium acuminatum Hook. Onion.
ku-sĩ-a kũmp. Balsamorhiza sagittata Nutt. Balsam root ; Arrow root.
kus-pa-sẽn-di-ăť. Draba nemorosa L. Whitlow Grass.
kwi'-ũv. Quercus undulata Torr. var. Rocky Mountain Oak ; Scrub Oak.
ma-ab ; ma-av. Artemisia tridentata Nutt. Sage-brush.
? (ma)-mũ-tẽm-bi-a. Phacelia menziesii Torr.
mi'-pũ"-ga-shi'"-ěts. Collinsia parviflora Dougl.
(ma)-mo-a-na-nũmp. Matricaria discoidea DC. May Apple.
mo-mi'-kwi-ěts. Phlox longifolia Nutt. Phlox ; Sweet William.
mo-pi-ănts. Various species of Trifolium. Clover.
mo-tam-bi-ăts. Rhus aromatica Ait. var. trilobata Gray. Sumach ; squaw-berry.
mo-tẽn-de-ăts. Capsella bursa-pastoris Moench. ; Capsella divaricata Walp. Shepherd's purse.
mo'-ten-ăť. Castilleja parviflora Bong. Painted-cup.
(mo)-mũn'-ki-ad-ksũp. Taraxacum officinale Weber. Dandelion.
mũ'-tcẽm-bi-a. Phacelia menziesii Torr.
o'-ant-ũv. Cymopteris longipes Watson.
o-ať-ẽm-bi-ěts. Hydrophyllum capitatum. Water leaf.
o-do-rũm-bĩv. Elymus canadensis L. Lyme Grass.
o-nũn-ga-ats. Streptanthus cordatus Nutt.
o-wiv. Grass (in general).
pa'-bo-i-ăts. Erodium cicutarium L'her. Stork's Bill ; Alfilaria.
? pa-gwai'-ũv. Betula occidentalis Hook. Birch.
pai'-a-pu-i-ěts. Ranunculus aquatilis L. var. Buttercup.
pa-o"-ga-da-pĩn-tĩd. Eleocharis palustris R. Br. Spike-rush.
pa'-sau-wa-dĩnt. Triglochin maritimum L. Arrow Grass.
pau-ũs-a-nau-ga-ant. Ranunculus cymbalaria Pursh. Buttercup.
pau-wũv. Juncus balticus Deth. Bog-rush.
pa-wai'-ũv. Acer glabrum Torr. (see also *pa-gwai'-uv*). Maple.
pi-gwũts. Carex Jamesii Torr. Sedge.
pim'-i-kwi-ěts. Fritillaria pudica Spreng. Yellow Bell ; Buttercup.
pin'-ka-pai-ăts. Orogenia linearifolia Watson.
po-e'-tcẽm-ẽn. Sisymbrium canescens Nutt. Hedge Mustard.
po-gomp'-ĩv. Ribes aureum Pursh. Buffalo or Missouri Currant ; Currant.
pu'-i-ants. Veronica aggerata. Speedwell.

pu-i-pi-ûm-av. *Vicia americana* Muhl. Vetch.
pu-i'-tcûm-av. *Cowania mexicana* Don. Cliff Rose.
qta'-ko-mav. *Arabis holboellii* Hornem. Rock Cress.
qte'-ăñ-giv. *Potentilla anserina* L. Five Finger.
sa'-go-a'-sint. *Erysimum asperum* DC.
?sa-gûm-si-ta-gwiv. *Erigeron canus* Gray. Fleabane.
sa-gwa-in-di-ûp. ? *Trifolium pratense* L. ? Red Clover.
sa-gwam-si-ta-gwiv. *Abronia fragrans* Nutt. Sand Puff.
sa-gwa-rînt. *Delphinium menziesii* DC.; *Delphinium bicolor* Nutt.

Larkspur.

sa-gwa'-sa-int. *Lathyrus ornatus* Nutt. Everlasting pea.
sa-gwa-si-ûñ-gûts. *Commandra pallida* A. DC. Bastard Toad-flax.
sa-gwûn-na-ga-ats. ? *Malvastrum munroanum* Gray. ? False Mallow.
sa'-mûv. ? *Grayia polygaloides* Hook and Arn. ? Shad Scale.
sa-na'-ko-mav. *Asclepidiora decumbens* Gray. Milkweed.
sau-êd-in-do-êts. *Viola cucullata* Ait. Violet.
sau-ga-mi-ants. *Lepidium intermedium* Gray. Pepper-grass.
sau'-o-ma-änts. *Viola canina* L. var. *sylvestris* Regel. Violet.
shan-ti-kût. *Citrus vulgaris.* Watermelon.
sho-av. *Populus angustifolia* James. Cottonwood.
shpûmp. *Guttierrezia euthamiae* Torr. and Gray. Rabbit-brush ; Torch-weed.

si-go *Calochortus nuttallii* Torr. and Gray. Sego.
ta-bă'-si-gwiv. *Zygadenus nuttallii* Gray. Poison Sego.
ta-ma-nûmp. *Shepherdia canadensis* Nutt.
ta-ma-nûmp-in-ûv ; ta-ma-nûmp-in-ka-nav. *Salix flavescens* Nutt. Vid.
 sub. *Salix* in preceding list. Willow.

ta-ma-si-ta-gwiv ; ta-mes'-ta-gwiv. *Iva axillaris* Pursh.
te-êd-kav. *Lonicera utahensis.* Woodbine.
te-ê-kav. *Pachystima myrsinites* Raf. Box.
ti-bi-wu-tckⁿ. *Claytonia caroliniana* Michx. Spring-beauty.
tim'-pîn-tsau-ûv. *Antennaria dimorpha* Torr. and Gray. Everlasting.
tim'-pik-ûv. *Cystopteris fragilis* Bernh. Fern.
ti-va. Nuts of *Pinus monophylla* Torr. Pine-nuts.
ti'-wi-pi-tcûm-av. *Astragalus iodanthus* Watson. Buffalo-bean ; Rattle-weed.

to-tsi-wûts. *Equisetum arvense* L., sterile stems. Horsetail.
to-tûv. *Ferula multifida* Gray.
to-ûmp'. *Amelanchier alnifolia* Nutt. Service-berry.
tsiñ. *Solanum tuberosum.* Potato.

- tsûn'-a-na-di-ěts*. *Glaux maritima* L. Sea milkwort.
t'su-saip. *Scirpus validus* Vahl. Bulrush.
tsût-kûp. *Lithospermum pilosum* Nutt. Gromwell.
tú-ka-rûmp. *Amsinckia tessellata*.
tu-ko-wûts. *Equisetum arvense* L., fertile stems. Horsetail.
wai. ? *Agropyrum repens* Beauv. Blue-joint grass.
wap. *Juniperus californica* var. *utahensis*. Cedar juniper.
wa'-to-ma-siv. *Lepidium sativum*. Pepper-grass.
ya-a'-ti-nûmp. *Equisetum laevigatum* Braun. Scouring Rush.
yo-gûm-sî-ta-gwiv. *Gilia gracilis* Hook. *Gilia*.
yo-gwó'-ta-ma-nûmp. *Smilacina amplexicaulis*. Nutt. False Solomon's Seal.
yu'-bi-shad-ûmp. *Krynitzkia sericea* Gray.

PROVO, UTAH

3 0112 105209024