GARD. PINN.

PEARL / HERMES

LS 19

MAY 1967

STADEL

Leewards #19

Gardner Pinnacles

26 May 1967

Pearl & Hermes Reef

Seal, Boats, Kittling, & Sandals.

31 May 1967

D. L. Stadel

D.L. Stadel

Gardner Pinick

1967

Σ

Seal, Grass Kittery,

Sand Islands

Pearl & Hermes Reef

✓ Done
~~CDH~~

BFB Return ^{VADP}

558 - 82998 ✓

Com Nod

Eggs	Scd	HP	LD
17	2 8	2	5
15	3	2	
20-20	5	-4	3
1-5	1	1	
28	5	5	
10	5	5	
130	5		
30	5		
100	10	5	10
30			
10	5	4	
10	5	5	3
378	57	31	21

Grey - B-T

E	SD	MD	LD	Imm
20	5	1-5	5	
3	2	5		
25	4			
6-20				
5	10			
8/5	1 5	5	3	2
5	5	5	5 5	
79	21	26	13	2
	2			

SP	Sooty MD	Tern LD
3	5	5-7

5	1	7
	5	10

3	11	29
---	----	----

Rotten Eggs
50
30
50

400

Laysan Albatross

80 days

Blue-faced Booby

90 Jay chick

70 " "

60

80

70

70

80

90

90

10 AL DC

Red T Tropic

2 Adults

~~OE to Small Ch.~~
~~OE~~
~~OE~~
~~OE~~

~~Rotten egg~~ Rotten Eggs

OE
TN
III

10

Wedtail

2 Adults

Fairy Tern

⑤

Egg	SD	MD	L	L
	1	2	3	
		1		

Blue-Grey Noddy

Egg
11

~~Wander~~

WT

GP

RT

1

Haw No 2

Eg	SD	AD
⊕	⊕	
1	1	

2	2
---	---

[A long diagonal line is drawn across the bottom half of the left page.]

LD	Imm	Birds
		40
	11	

2	40
---	----

~~Seal~~ Bind ✓ ADP

~~Second sand spit~~

19 DFA

1 LA

85 Seals + 2

BFB on SDC & MedDC

737-30260 ✓ ♀ OZE

~~Boer - Trip~~

Bind

~~Third Sand Spit~~

BFB

OZE

OZE

Grass

~~BF A 48 - 100 - 36 - 2~~
~~103 - 100 - 28 - 100 - 100~~
~~106 - 100 - 100 - 100~~
~~100 - 58 - 1 - 15~~
Total 1175

Laysan 170

6 - 8 Grey BF over Island
Possibly eggs (Behavior)

Grass ✓ A-DP

BFB

737-266/02 ✓ SDC ✓

Seal Pup

~~1st clump at Seae & Messer~~

Laysan Alb

737-29218 ✓

Mass

Frigate

Egg ~~6-8-8-5-2~~

Total 27

SNC ~~-7-2-4-1~~

Total 14

SBC ~~-1-3-6~~

Tot 10

MD - 1

~~Let San Alb~~
~~737-29218~~

Mass

Fragrostis ✓

Boer

TriB

Scie

Messed

Solanum

Lepturus

Sticking Grass

Fox tail

Pontalacae

Wild Cucumber

Seal

GBT

~~50 - 20~~

Tot ~~70 - 100~~ 170

Egg & ch 1-10 days

Haw 50

Seal T

OE | ~~3 - 6~~ 9

CN

~~100 - 50 - 50~~ = 200

Eggs/SDC

Seal

BFA

~~100 - 50/100 - 70 - 7~~

~~277~~ 310

we Noddy

~~200 - 100~~ = 300

Laysan

~~100 - 50 - 27~~ 27

Seal Pups

2-7 days

25

50 days

60+

1-7 days

Seal

✓ADP

RHB

595-62351 OE ✓✓

OE

615-16015

OE ✓✓

BIB

OE

SD

MD

1/1

11

1

3

2

1

Sooty ST.P.

1 dead

Fairy T

3

Seal

Plants

Eragro

Lep⁺

Solanum

W cucum

Trieb

Boer

Ponty

Sticking Grass

Pepper Grass

K. Heng

~~BFB~~

~~SE SDC ADD LD~~
~~I II II~~

RT - 5

Laysan

~~8-2-5-15~~

BFA

~~100-100-100-53~~

~~20~~ -30 inches

Handwritten calculations on lined paper:

Top calculation:

$$\begin{array}{r} 7680 \\ 9 \\ \hline 20 \end{array}$$

Second calculation:

$$\begin{array}{r} 61 \\ 144 \\ \hline 80 \end{array}$$

Third calculation:

$$\begin{array}{r} 244 \\ 24480 \\ \hline 61200 \\ 8800 \end{array}$$

Fourth calculation:

$$\begin{array}{r} 8 \\ 9 \\ \hline 72 \end{array}$$

$$\begin{array}{r} 978 \\ 900 \overline{) 880280} \\ \underline{8100} \\ 7028 \\ \underline{6300} \\ 7280 \end{array}$$

7530-222-0078
FEDERAL SUPPLY SERVICE

Memoranda

Lee wards #19

Pearl & Hermes

28 May, 30-31 May & 1 June
1967

P. L. Stadel.

Pearl & Hermes

28 May 1967

Dennis Stadel

South east

Dave
CPK ✓

✓ADP

28 May

Red-footed Booby

✓737-30098 ♂ OE ✓
✓737-30072 ♂ OE ✓

Sooty Tern

723-63811 OE ✓

Red-tailed ✓ADP

645-12609 ✓
595-62360 SD ✓
645-12602 OE ✓
645 12619 SD ✓

Blue - f. B. ✓ ADP

737-38213 ✓ ♀ MDC ✓

Haw Nod Tern

723-60702 - SD < ✓

B Footed Albatross

737-33010 age? ✓

B F Albross

3-3-3-10-20-4105

10-10-10-10-20-20

40-50 (-255)

Log 590 A.

47-50-50-50-50

50-50-50-50-150-100

100-70-100-100-150

50-25-25-50-50

100-200-200-~~400~~ 100

100-100-100-100

2417

20

Blue-face

OE | ~~OE~~ | SDC

MDC

LD <

Imm

Birds

Brown B

OE

||||

OZE

||||

SDC

~~||||~~

MDC

|

LDC

|

Imm

Birds

RF B

OE	O2E	SDC	MDC	LPD	Imm	Bind
----	-----	-----	-----	-----	-----	------

		Noted				

					↓	

Com Noddy

OE SDC MDC

10-40

50 = 155

160

200

Grey B T

0#	SDC	MD	LD
10-10			
50-			
100			
100-100	1111	1	
20-50			

440

Laysan Finch

1

Rainy Tern
2-1

Christ I Sh

OE	1	✓
SDC		
MDC		

Hawaiian Nod
OE
SDC

1

Sooty Storm Petrel
One found Dead

Hen N
OE | IIII
SDC | ~~IIII~~ II

Laysan Finch

Eragrostis variabilis

4 eggs, 2 eggs, No eggs
No eggs, No eggs, 3 eggs
3 old Nests

Erag leaves

Benin Is
Chick II

BF Albal
Length } width

BFA

Underman

101 mm

93

101

96

104

103

97

97

91

95

99

97

100

91

96

99

94

92

93

97

101 mm

97

103

94

95

92

104

94

95

95

104

96

106

108

102

102

95

97

99

98

Culmen

106 mm

103

97

102

110

102

78

92

97

97

99

98

94

94

101

99

97

96

107

101

Laysan

Underman

108 mm

112

106

106

98

116

106

102

93

109

107

94

103

95

87

77

106

96

95

89

103 mm

108

108

98

108

97

108

98

103

102

80

79

97

94

101

91

96

102

91

101

Culmen

107 mm

91

100

102

103

99

101

100

109

99

78

98

93

99

106

96

94

95

110

98

BF Albatross

Culmen		
107	102	92
109	94	104
106	98	95
100	102	103
104	104	101

Laysan

Culmen	Culmen	Culmen
99	98	106
103	101	107
98	98	99
102	101	97
105	102	100

Nests

Sooty Tern

Scratched oat. area
No Material used

Grey backed T

No nesting Material

Scratched

Egg blends in

Collect 1/4 to 1/2 inch coral
rocks.

Bonin Is P

Cynodon Area with
Boerhaavia & Mustard.

Coarse Coral material

Nests with cynodon
for lining

Wedgetail

Tribulus Boerhaavia Area

Coarse Coral

Grey-back T Mos)

No Material

Large coral removed

Trip Beerhaus

Portulaca

Common noddy

Length	Width	Seaweed	Feathers	Twib	Bones	Bone	Area Grass and leaves
50.1	36.3	✓	✓	✓	✓		
58.8	38.3		✓	✓	✓		✓
56.2	36.8	✓	✓	✓			✓
52.1	36.9	✓	✓	✓			✓
55.2	36.4	✓	✓	✓			✓
54.1	37.4		✓	✓	✓		✓
50.0	37.1	✓	✓	✓			
53.0	35.8			✓	✓		✓
57.9	37.7		✓	✓	✓		✓
57.9	35.4		✓	✓	✓		✓
53.2	36.9		✓	✓	✓		✓
60.0	37.5		✓	✓	✓		✓
56.6	38.0		✓	✓			✓
53.0	37.8	✓		✓			✓
56.2	38.0			✓	✓		✓
54.0	37.5		✓	✓	✓		✓
53.3	39.1	✓	✓	✓			✓
53.2	36.9		✓	✓	✓		✓
55.1	37.2			✓			✓
54.0	36.2		✓	✓	✓		✓

L	W	Seaweed	Feathers	Tail	Bones	Grass and/or Leaves
54.1	37.4			✓	✓	✓
54.9	36.8			✓	✓	✓
53.0	36.8	✓	✓	✓	✓	✓
54.3	36.9	✓	✓	✓	✓	✓
53.7	36.9		✓	✓	✓	✓
55.4	36.5			✓	✓	✓
52.3	36.8			✓	✓	✓
52.6	37.1		✓	✓	✓	✓
54.4	36.4		✓	✓	✓	✓
56.6	38.2		✓	✓	✓	✓

32 Long

25 wide

20	16	16	30
25	18	18	24
18	16	20	24
20	18	24	24
18	24	24	24
18	18	20	24
20	28	20	24

20

20 900

Isolated colony

Incubation

M

M

M

18-22 Days

Young chicks up to 5 days

M M H

H-H H

30 x 14 wide

$$\begin{array}{r} 33 \\ 15 \\ \hline 165 \\ 33 \\ \hline 495 \end{array}$$

18	18	18	18
24	24	24	24
18	18	18	18
18	18	16	16
18	18	18	24

Incubation 18-24 days

Medium to heavy
22-28

$$\begin{array}{r} 31 \\ 95 \\ 36 \\ \hline 576 \\ 285 \\ \hline 65420 \end{array}$$

65420 long 36 wide

$$\begin{array}{r} 3 \\ 36 \\ 25 \\ \hline 180 \\ 72 \end{array}$$

144

(2)

30 long 12

36 36 36 36

36 36

Average 36

Fresh eggs

35 long

18 -	18	18	20
22	24	36	36
18	18	18	18
18	18	18	36
36	36	36	36
<hr/>			
20	20	20	21

Heavy to
5 Day chicks
Light Incubation

12
40

12

30
fresh eggs

~~10~~ 10 yds

28

35 yds
Light Incub

42
28
35
140
84
940

22
441
5
5

$$\begin{array}{r} 24 \\ 24 \\ \hline 96 \\ 18 \\ \hline 76 \end{array}$$

3

95

18

20 inch

Trip - Sesuvium

Light to medium

$$\begin{array}{r} 28 \\ 95 \\ \hline 90 \\ 54 \\ \hline 630 \end{array}$$

93

22

24 inches Square

Sesuvium - Eragrostis

8-14 days

$$\begin{array}{r} 93 \\ 22 \\ \hline 186 \\ 186 \\ \hline 2046 \end{array}$$

$$\begin{array}{r} 24084 \\ 144 \\ \hline 96336 \\ 2676, 96336 \\ 924084 \\ \hline 24084 \\ 144 \\ \hline 3468096 \end{array}$$

4
North of Lagoon

50-10

Scaevola - Trib - ~~W. Lett~~ Mustard

10-15 70 med. eggs

Pipped or chicks

1-3 day old chick

24 inch density

500 sq

$$\begin{array}{r} 2 \overline{) 9} \\ 4500 \\ \underline{144} \end{array}$$

$$\begin{array}{r} 18000 \\ 18000 \\ \underline{4500} \\ 64800 \end{array}$$

$$\begin{array}{r} 1124 \\ 576 \overline{) 648000} \\ \underline{576} \\ 720 \\ \underline{576} \\ 1440 \\ \underline{1152} \\ 2880 \end{array}$$

$$\begin{array}{r} 24 \\ 24 \\ \underline{196} \\ 48 \\ \underline{576} \end{array}$$

$$\begin{array}{r} 645 \\ 9 \\ \underline{75} \\ 685 \end{array}$$

5

$$\begin{array}{r} 45 \\ 15 \\ \underline{225} \\ 45 \\ \underline{675} \end{array}$$

$$\begin{array}{r} 85 \\ 15 \\ \underline{425} \\ 85 \\ \underline{1275} \end{array}$$

15
Trib Sesuvium ~~W. Lett~~ Mustard
Large coral rocks

24 inch Density
Medium to 1-3 day chick

$$\begin{array}{r} 3234 \\ 576 \overline{) 1860200} \\ \underline{1728} \\ 1322 \\ \underline{1152} \\ 1700 \\ \underline{1152} \\ 5480 \end{array}$$

$$\begin{array}{r} 6075 \\ 144 \\ \underline{24300} \\ 24300 \\ \underline{6075} \\ 874800 \end{array}$$

$$\begin{array}{r} 1435 \\ 9 \\ \underline{12915} \\ 144 \\ \underline{51700} \\ 51700 \\ \underline{12915} \\ 18601200 \end{array}$$

6

48 - 26 yds
 Trib - Boer - ~~Wheat~~ ^{Pepper Grass}
 Heavy to 3 day chick
 80% chicks
 24 inch density

56 - 27 yds
 Trib Boer ~~Wheat~~ ^{Pepper Grass}
 Heavy or 1-3 day chick
 80% chicks

7

44 - 20
 Boer Trib - Mustard
 Light to Medium incubation
 Some hatched (10%)
 24 in Density

800
 7200
 144
 28800
 28800
 72000
 1036800
 576 1036800
 576
 4608
 4608

Finch
2 eggs
2 old nests
4 old "

New N
O E II

Boer - Trip
on Solanum clump
= Primarily Boer

Finch
2 eggs
2 old nests
4 old "

Haw N
O E II

Boer - Trip
on Solanum clump
Primarily Boer

2
8.3
8

$$\begin{array}{r}
 5836 \\
 576 \overline{) 3441904} \\
 \underline{2880} \\
 5619 \\
 \underline{5468} \\
 2150 \\
 \underline{1728} \\
 3824
 \end{array}$$

$$\begin{array}{r}
 3 \\
 2774 \\
 \hline
 9 \\
 24666 \\
 \hline
 144 \\
 88664 \\
 \hline
 88664 \\
 2441904 \\
 \hline
 3441904 \\
 4 \\
 26 \\
 \hline
 48 \\
 208 \\
 \hline
 104 \\
 1248
 \end{array}$$

$$\begin{array}{r}
 56 \\
 27 \\
 \hline
 406 \\
 112 \\
 \hline
 1526
 \end{array}$$

Lausan

2477

2275

170¹

27

30

400

400

3520 ~~Total~~

228

3298 Southeast

BFA

255

166

119

1175

310

353

1500

50

3828

1857

1971

Stad

Tax

Bird
~~Bed~~

Gross

Seal

Kitt

Bank

Total

South E

$$\begin{array}{r}
 1514 \\
 576 \overline{) 874800} \\
 \underline{576} \\
 2988 \\
 \underline{2880} \\
 1080 \\
 \underline{576} \\
 5040
 \end{array}$$

Sooty Tern June

753
~~753~~ - 44718 ✓ Roost ✓ N
 43520 ✓ Roost ✓
 42030 ✓ " ✓
 44184 ✓ OE ✓
 42060 ✓ Roost ✓
 43565 ✓ OE ✓
 44633 ✓ ✓
 42277 ✓ OE ✓
 43579 ✓ OE ✓
 43565 ✓ Roost ✓

723 ✓ 64761 ✓ Roost ✓
 64917 ✓ OE ✓
~~64417~~ ✓
 63754 ✓
 64868 ✓ OE ✓
 63582 ✓ OE ✓
 63523 ✓ OE ✓
 64461 ✓ OE ✓

753 · 43894 ✓ Roost ✓ N
 · 43512 ✓ OE ✓
 · 44408 ✓ OE ✓
 · 43718 ✓ Roost ✓
 · 43581 ✓ OE ✓
 · 44525 ✓ Roost ✓
 · 44971 ✓ OE ✓

~~723~~ 63516 ✓ OE ✓ N
 723 64850 ✓ OE ✓
 64252 ✓ OE ✓

Molt

BPB	All Feat	
"	"	
"	"	All 30
"	"	
"	"	Alike
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		
"		

Recovery

Laysan A
 757-18757 ✓
 20814 ✓
 Found Mot on Bird
 737-36328 ✓

65
~~61~~
125

263

$$\begin{array}{r}
 4 \quad 6021 \\
 576 \overline{) 3468096} \\
 \underline{3456} \\
 1209 \\
 \underline{1152} \\
 576
 \end{array}$$

4
5

7530-222-0078
FEDERAL SUPPLY SERVICE