Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.73

RECEIVED

★ FEB 19 1929 ★

U. S. Department of Agriculture

TREE, SHRUB AND FRUIT SEEDS

PRICE LIST

Autumn 1928 - Spring 1929

Thomas J. Lane

SEEDSMAN

Dresher, Penna., U. S. A.

Conditions and Terms

All offers and acceptances of orders are subject to my receiving the full quantity for which I have placed orders with my growers and collectors. Failing to get these amounts, I reserve the right to reduce proportionately all orders that have been booked; or fill orders in rotation received while supply lasts.

The prices in this list are based on an average crop and normal cost of collecting and preparing the seed. If though unforeseen contingencies the cost of any item is extraordinarily increased I reserve the privilege of proportionately advancing the price of such items of accepted orders, subject to the buyer's option to pay the increased price or cancel those parts of his order.

I give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants I send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

All Claims Must be Made Upon Receipt of Goods

AFTER GOODS ARE PLACED ON BOARD CARS HERE, I ASSUME NO RESPONSIBILITY FOR THEIR SAFE DELIVERY OR ANY INJURY CAUSED BY DELAY IN DELIVERY BY THE TRANSPORTATION COMPANY.

SACKS AND BOX AND PACKING CHARGED ADDITIONALLY.

Not less than one-half pound will be supplied at pound rates nor one-quarter bushel at bushel rates.

When seeds are to go by mail, postage is charged at Parcel Post rates in U. S. A. Consult your postmaster as to your zone and allow charges accordingly. Foreign countries 12c. per pound for postage.

SATISFACTORY ARRANGEMENTS FOR PAYMENT MUST ACCOMPANY ORDERS FROM UNKNOWN CORRESPONDENTS.

All P. O. orders payable at Dresher, Pa., U. S. A.

Terms—Net Cash.

SPECIAL PRICES WILL BE QUOTED ON LARGE QUANTITIES.

Cable Address "LANE AMBLER" A. B. C. Code 4th and 5th Edition.

All orders will receive my best attention. Packing for shipment will receive special care and seeds will be packed in a manner that will permit their reaching destination in perfect order.

Thomas J. Lane
SEEDSMAN
Dresher, - - Penna.

October 1st, 1928

General Information and Suggestions For Planting

Seeds to germinate must have the proper conditions of heat and moisture. These conditions vary greatly with different seeds. Experience and close attention are necessary to successful propagation and the propagator must be a close observer of the wants and habits of trees and plants and be able to gather knowledge from what he may see. Owing to certain conditions of moisture, temperature and time which they do not always meet with after sowing, seeds sometimes fail to appear the first season. Examine them at close of Spring, and if found sound do not disturb them, and their germination may be looked for the season following.

Seeds of deciduous trees and shrubs are best sown in the Fall, pines and similar evergreens in Spring, but deciduous ones will grow very well sown in Spring if kept in good condition through the Winter. When sown in Spring seeds of a hard, bony nature, such as the yellow locust, are best soaked in hot water for a day or two and then sown at once. Seeds of maples, ash, magnolia, beech, all nut trees, as well as many other kinds require to be kept slightly moist over Winter if not sown in Fall; on the other hand, catalpa and some others may be kept quite dry until Spring comes.

Junipers, hollies and a few similar seeds remain a full year before sprouting. It is just as well, therefore, to keep them in a box of soil until the next Autumn, then sow them.

If the planting is done in the Fall it is better to mulch the ground with straw, leaves, or any like material; this will prevent baking of the soil after the Spring rains, and keep it in a nice mellow condition. The mulching should be removed in the Spring, or, at least so much that it will not interfere with the growth of the young seedlings.

The seed of evergreens is always found in cones, with the exception of the juniper and yew, which produce small berries; hence, the general name applied to evergreens of coniferae, or cone-bearing.

The soil most suitable for raising conifers is a light sandy loam, rich in vegetable matter, but entirely free from rank manures. The soil should be deeply spaded and thoroughly pulverized. Then lay off in beds four feet wide, and any desirable length, with paths of one foot between. The beds should be higher in the middle, the sides being but little higher than the paths. The seed is usually sown broadcast and then carefully and lightly raked in; but some prefer sowing in drills a few inches apart, then rolling, or pressing with back of the spade, and sifting over them a very light covering of one-eighth to one-quarter of an inch of soil. The ground should be prepared the Fall before, and the seed put in at the earliest possible moment in the Spring. Most failures in growing evergreen seedlings arise from not having the seed beds partially shaded. If hot sunshine falls on them while the seeds are swelling, and cold follows, a large proportion will rot before they appear above the ground. When seedlings are raised extensively artificial arbors are made high enough to work under. When the growing is done on a less extensive scale, stakes are driven at convenient distances along the sides of the beds to which boards six inches wide are nailed, to support screens for shading the young seedlings. The lower edge of these boards should be but four or five inches above the surface of the ground, to allow the air to circulate freely over the beds. Lath screens are very satisfactory.

The following suggestions may be of service to the nurseryman, but should be changed as conditions may require.

Andromeda Azalea	Kalmia	Rhododendron	Sow in peat moss or fine leaf mould in well protected seed bed.
Carpinus Edgeworthia	Prunus	Silver maple Quercus Ulmus	Sow as soon as possible after seeds are received.
Acer Aesculus Benzoin Calycanthus Caragana Carpinus Celtis Chionanthus	Cinnamomum (in warmer weather) Cornus Corylus Fraxinus Juglans Liriodendron	Ligustrum Pinus Strobus Prunus Roses Taxodium Tilia Rhus Syringa	Sow in Autumn or when seed arrives.
Actinidia Akebia Berberis Catalpa Cercidiphyllum Clematis	Desmodium Diospyrus Fagus Gleditschia Juniperus Kerria	Paeonia Pines Pyrus Sambucus Sophora Staphylea	Sow in early spring.
Abies Ampelopsis Aralia Aucuba Betula Biota Buxus Celastrus Cercis Chamaecyparis Clethra Cryptomeria Cydonia	Euonymus Ginkgo Hibiscus Ilex Larix Lindera Liquidambar Magnolia Morus Nandina Paulownia Photinia Picea	Pinus Pueraria Rhodotyphus Robinia Sciadopitys Spirea Styrax Taxus Thuja Tsuga Viburnum Wisteria	Sow in spring after danger of frost is past and soil is warm.
Carya Crataegus Juniperus	Magnolia Rhodotyphus Taxus	Tilia Viburnum	Stratify before sowing; seeds germinate slowly.
Buxus Camellia Cercis Gleditschia	Ilex Photinia Pueraria Robinia	Rosa Sophora	Soak in hot water just before planting.
Ampelopsis Aucuba Berberis Cinnamomum Euonymus	Ginkgo Hedera Ligustrum Lindera Magnolia	Prunus Rosa Sapindus Viburnum	Wash off thick pulp before stratifying or sowing.

Practical Plant Propagation by Hottes, is a very helpful book for planters. It contains much valuable information. Price \$2.15 Post-paid.

Evergreens

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
<i>Abies amabilis</i> , California Fir	.75	6.00	5.25
“ <i>balsamea</i> , Balsam Fir	.50	4.00	3.50
“ <i>brachyphylla</i> (homolepsis)	.40	2.50	2.25
“ <i>concolor</i> , California Silver Fir	.40	3.00	2.50
“ <i>concolor</i> , Colorado Silver Fir	.35	2.25	2.00
“ <i>firma</i> , Japanese Fir	.45	2.00	1.75
“ <i>Fraseri</i> , Double Balsam	.50	5.00	4.75
“ <i>grandis</i> , Pacific Coast Fir	.50	4.50	4.00
“ <i>magnifica</i>	.40	3.25	2.85
“ <i>nobilis</i>	.50	4.00	3.75
“ <i>Nordmanniana</i> , Nordman Fir	.50	3.00	2.65
“ <i>pectinata</i> , European Silver Fir	.35	1.25	1.00
“ <i>Pinsapo</i> , Spanish Fir	.35	3.00	2.50
“ <i>veitchii</i>	.35	3.25	2.90
<i>Araucaria excelsa</i>	.50	4.50	
<i>Berberis Aquifolium</i> (Mahonia) Clean Seed	.50	3.50	3.25
“ <i>Japonica</i>	.60	4.50	4.00
<i>Buxus sempervirens</i> , Box	.35	2.50	2.25
<i>Cedrus Atlantica</i> , Mt. Atlas Cedar	.35	3.00	2.65
“ <i>Deodora</i> , Deodar Cedar	.40	2.75	2.25
“ <i>Libanni</i> , Lebanon Cedar	.40	3.00	2.75
<i>Chamaecyparis Lawsoniana</i>	.50	2.75	2.50
“ <i>obtusa</i>	.30	1.85	1.65
“ <i>pisifera</i>	.30	1.85	1.65
<i>Cinnamomum Camphor</i> , Camphor tree	.25	1.75	1.50
<i>Crataegus Pyracantha</i> , Evergreen Thorn	.35	1.50	1.25
<i>Cryptomeria Japonica</i> , Japanese Cedar	.25	1.75	1.50
<i>Cupressus Arizonica</i>	.35	2.50	2.25
“ <i>Benthamiana</i>	.75	5.00	
“ <i>Goveniana</i>	.50	3.50	
“ <i>Lawsoniana</i> (same as <i>Chamaecyparis</i>)	.50	2.75	2.50
“ <i>Macrocarpa</i> , Monterey Cypress	.50	2.75	2.55
“ <i>sempervirens horizontalis</i>	.25	1.50	1.25
“ <i>sempervirens pyramidalis</i>	.35	2.00	1.50
“ <i>Triomphe de Boskoop</i>	1.00	10.00	
<i>Eucalyptus globulus</i>	1.00	8.00	
“ <i>Gunnii</i>	1.25	10.00	
“ <i>rostrata</i>	1.00	8.00	
“ <i>viminalis</i>	1.00	8.00	
<i>Ilex Aquifolium</i> , English Holly	.35	1.75	1.50
“ <i>Crenata</i> Japanese Holly	.40	2.75	2.50
“ <i>Opaca</i> American Holly	.25	.90	.75
“ <i>Sieboldi</i>	.35	2.75	2.50
<i>Juniperus Chinensis</i> , Chinese Juniper	.25	1.25	1.00
“ <i>california</i> California Juniper	.40	3.00	2.75
“ <i>communis</i> , Common “	.25	1.00	.85
“ <i>excelsa</i>	.35	2.50	2.25
“ <i>Monosperma</i>	.35	2.25	2.00
“ <i>occidentalis</i> , Western “	.50	3.50	
“ <i>Pachyphlaea</i>	.25	1.50	1.35
“ <i>prostrata</i>	.25	1.65	1.35
“ <i>Sabina</i> Berries	.35	2.25	2.10

Evergreens—Continued

		Quantities of 10 lbs. and over		
		Per oz.	Per lb.	Per lb.
Juniperus	Scopulorum	.35	1.75	1.50
	Virginiana Red Cedar	.25	.75	.65
"	" " Northern type..	.35	1.00	.75
Kalmia	angustifolia, Laurel, C. S.	.75	7.50	
"	Latifolia Sheep Laurel, C. S.	.75	7.50	
Larix	Dahurica Korean Larch	.40	4.00	3.85
"	Europaea European Larch, 50 lbs. at \$1.50 per lb.	.25	2.00	1.75
"	Leptolepis, Japanese Larch, 50 lbs. at \$3.25 per lb.	.40	3.85	3.50
Laurus	nobilis, Sweet Bay	.25	1.50	1.25
Libocedrus	Decurrens, Incense Cedar	.35	2.50	1.85
Magnolia	grandiflora, Evergreen Magnolia	.25	1.50	1.35
Photinia	Arbutifolia, Christmasberry	.25	1.50	1.35
Picea	Canadensis Alba, White Spruce	.50	4.50	4.00
"	bicolor, (alcoquiana), Japanese Spruce ..	.60	5.10	4.85
"	canadensis, Black Hill Spruce	.75	6.50	6.00
"	Englemanni	.50	5.00	4.75
"	excelsa, 100 lbs. at \$1.15 per lb.	.25	1.50	1.30
"	Koyamai	.80	8.50	
"	nigra, Black Spruce	1.25	8.00	7.50
"	orientalis, Oriental Spruce	1.50	12.50	
"	Polita	.50	5.00	4.75
"	pungens glauca (Colorado seed)	.50	6.00	5.50
"	pungens, Ksters Blue Spruce	1.50	12.50	
"	rubra, Red Spruce	1.00	8.00	
"	Stichensis (Menziessii)	.75	5.50	5.00
Pinus	aristata, Hickory Pine	.50	4.00	3.75
"	austriaca (same as Nigra) (50 lbs. at \$1.25)	.35	1.75	1.35
"	Banksiana, Jack Pine	.35	3.75	3.35
"	Canariensis, Canary Island Pine	.30	2.50	2.10
"	Caribaea (Cubensis) Slash Pine	.60	5.00	4.75
"	cembra	.20	1.00	.90
"	Contorta, Shore Pine	.75	6.50	6.25
"	Coulteri, Big Cone Pine	.50	5.00	4.75
"	Densiflora, Japanese Red Pine	.25	1.75	1.50
"	Echinata (Mitis), Yellow Pine	.75	7.50	7.25
"	edulis, Pinyon Pine, also Nut Pine	.20	1.25	1.00
"	Excelsa, Himalayan Pine	.35	3.00	2.50
"	Flexilis, Limber Pine	.35	3.50	3.00
"	insignis, See Pinus Radiata (50 lbs. at \$2.60 per lb.)	.35	3.00	2.75
"	Jeffreyi	.35	3.00	2.75
"	Koraiensis	.25	1.75	1.25
"	Lambertiana, Sugar Pine	.25	2.00	1.75
"	Laricio, Corsican Pine.	.40	3.50	3.25
"	Monophylla, Single Leaf Pine	.40	4.00	3.75
"	Montana	.30	2.50	2.35
"	monticola. Pacific Coast White Pine	.60	5.50	5.00
"	mughus, Seed from select plants	.60	6.00	5.50
"	mughus, Dwarf Mountain Pine	.35	3.00	2.75
"	Muricata, Prickle cone pine	.60	5.50	5.00
"	Murryana, Lodgepole Pine	.60	6.00	5.75

Evergreens— Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
<i>Pinus nigra</i> , Austrian Pine (50 lbs. at \$1.25) . . .	.35	1.75	1.35
“ <i>palustris</i> , (Australis), Long Leaf Pine . . .	.25	2.50	2.00
“ <i>parvifolia</i> , Japan White Pine	.40	3.50	3.00
“ <i>pentaphylla</i>	.40	3.50	3.00
“ <i>Pinea</i> , Italian Stone Pine	.25	1.00	.85
“ <i>Ponderosa</i> , Bull Pine	.35	2.50	2.00
“ “ <i>(scopulorum)</i> (From Colorado) . . .	.25	2.00	1.75
“ <i>radiata</i> (<i>insignis</i>) Monterey Pine (50 lbs. at \$2.25 per lb.)	.35	2.75	2.50
“ <i>resinosa</i> , Red Pine	1.50	17.50	15.00
“ <i>Rigida</i> , Pitch Pine	.65	6.25	6.00
“ <i>Sabiniana</i> , Digger Pine	.25	1.50	1.35
“ <i>strobos</i> , White Pine (100 lbs. at \$2.10 per lb.)	.40	2.75	2.50
“ <i>Sylvestris</i> var (<i>reginsis</i>) Riga Scot Pine		4.00	3.50
“ <i>sylvestris</i> , Scotch Pine (50 lbs. at \$1.50) . .	.35	2.00	1.75
“ <i>Taeda</i> , (Oldfield) Loblolly Pine	.60	5.25	5.00
“ <i>thunbergii</i> , Japanese	.25	1.75	1.60
<i>Pseudotsuga Douglasii</i> , Douglas Spruce green . .	.75	6.50	6.00
“ <i>Douglassii</i> , Douglas Spruce Colo. . .	.60	5.00	4.85
<i>Retinispora obtusa</i> , (Same as <i>Chamaecyparis</i>) . .	.35	1.85	1.65
“ <i>Pisifera</i> “	.35	1.85	1.65
<i>Rhododendron catawbiense</i> , Mountain Laurel, <i>Rhododendron Maximum</i> clean seed			
<i>Sciadopitys verticillata</i> , Umbrella Pine	.40	3.50	3.25
<i>Sequoia Gigantea</i> , Big tree	1.50	15.00	
“ <i>sempervirens</i> , California Red Wood . . .	.40	3.00	2.75
<i>Taxus baccata</i> , English Yew	.35	2.25	2.00
“ <i>Brevifolia</i> , California Yew	.75	7.50	7.00
“ <i>cuspidata</i> , Japanese Yew (50 lbs. at \$2.20 per lb.)	.35	2.75	2.35
<i>Thuja Gigantea</i> , Western Arbor-vitae	.60	5.00	4.00
“ <i>Occidentalis</i> , American “	.50	4.00	3.75
“ <i>orientalis</i> , Chinese Arborvitae	.20	1.25	.90
“ “ <i>Compacta</i>	.35	3.00	2.50
“ “ <i>nana</i>	.35	3.00	2.75
“ “ <i>aurea</i> , Chinese Golden	.30	2.50	2.15
<i>Tsuga Canadensis</i> , Hemlock Spruce.		7.00	6.50
“ <i>caroliniana</i> , Carolina Hemlock	.75	8.00	7.50
“ <i>diversifolia</i>	.60	4.50	4.25
“ <i>Mertensiana</i> , Western Spruce	1.25	11.00	
“ <i>Sieboldi</i> , Japanese Spruce	.60	4.50	4.25
<i>Ulex Europaea</i> , Furze	.35	2.50	
<i>Yucca filamentosa</i> , Adam's Needle	.25	2.00	1.75

Deciduous Trees and Shrubs

	Quantities of 10 lb. and over		
	Per oz.	Per lb.	Per lb.
• <i>Acer campestre</i> , English Maple	.20	.75	.60
“ <i>dasycarpum</i> , Silver (Ready in May only) . .	.20	.75	.50
“ <i>Ginnale</i>	.30	2.50	2.35

Deciduous Trees and Shrubs--Continued

		Quantities of 10 lbs. and over		
		Per oz.	Per lb.	Per lb.
Acer	Japonicum	.35	2.75	2.35
"	Negundo, Ash Leaf Maple	.25	1.25	1.00
"	macrophyllum, Oregon Maple	.20	.60	.40
"	palmatum (50 lbs. at \$2.10 per lb.)	.35	3.00	2.50
"	Palmatum, Atropurpureum, Japan Blood..	1.25	12.00	11.50
"	Platanoides, Norway	.25	.85	.60
"	Platanoides, Schwedleri Blood leaf	.25	2.00	1.75
"	Pennsylvanicum (Striatum) Striped leaf..	.25	2.00	1.85
"	rubrum, Red Maple (Ready in May only)..	.50	3.00	2.85
"	saccharum, Sugar Maple	.25	1.00	.85
"	spicatum, Mountain "	.30	2.75	2.50
"	striatum, (same as Pennsylvanicum)	.25	2.00	1.85
Aesculus	hippocastanum, Horse Chestnut	.20	.60	.40
"	rubicunda, Red Flowering	.25	1.50	1.25
Ailanthus	glandulosa, Tree of Heaven	.25	1.00	.75
Amorpha	Fruticosa Indigo Shrub	.20	.65	.50
Andromeda	(Pieris) Japonicum, Clean Seed	1.50	12.00	
Aralia	Spinosa, Angelica tree.	.35	3.00	2.50
Aronia	Arbutifolia, Red Chokeberry	.20	1.25	1.10
"	Melanocarpa, Black Chokeberry	.15	1.00	.85
Asimina	triloba, Pawpaw	.25	1.35	1.10
Aucuba	Japonica	.30	2.00	1.85
Azalea	Calendulacea, Clean Seed ..	1.00	8.00	
"	hinodigeri, " "	5.50		
"	Mollis, " "	1.50	10.00	
"	Nudiflora " "	1.00	8.00	
"	Viscosa " "	1.00	8.00	
Benzoin	Aestivale, Spicebush.	.25	1.25	1.10
Berberis	Thunbergii, Japanese Barberry berries..	.25	1.50	1.25
"	" " " Clean Seed ...	.50	3.50	3.10
"	vulgaris, Common Barberry	.25	1.10	.90
"	" Purpurea, Purple Barberry ..	.25	2.00	1.75
Betula	alba, European White Birch	.20	.75	.65
"	" " " re-cleaned.....	.30	2.50	2.10
"	Lenta, Sweet Birch	.30	2.25	1.85
"	Lutea, Yellow "	.30	2.25	1.85
"	Papyracea, Paper "	.35	2.50	2.00
"	populifolia, Poplar Birch	.25	1.50	1.35
"	Rubra, Red (Ready in July only)	.50	3.50	
Calycanthus	floridus laevigatus, Sweet Shrub ...	.25	1.50	1.25
Caragana	arborescens, Siberian Pea	.25	1.60	1.35
Carpinus	Americana, Hornbeam, Clean Seed	.25	1.25	1.00
"	Betulus, European "	.20	.75	.60
Carya, (same as	Hicoria)			
Castanea	Americana, American Sweet Chestnut	.15	.65	.50
Catalpa	speciosa, Western catalpa	.20	1.25	1.00
Ceanothus	Americanus, Clean Seed	.50	4.50	4.00
Celtis	occidentalis, Nettle Tree	.25	1.25	1.00
Cephalanthus	Occidentalis, Button Bush	.20	.75	.65
Cercidiphyllum	Japonicum, Katsura tree	.75	6.00	5.50*
Cercis	Canadensis, Judas Tree	.25	1.85	1.75

Deciduous Trees and Shrubs—Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
<i>Cercis Japonica</i> , Japan Judas tree	.75	6.00	5.50
<i>Chionanthus Virginica</i> , White Fringe ..	.50	3.25	2.85
<i>Citrus trifoliata</i> , Hardy Orange	.25	2.00	1.90
<i>Clethra alnifolia</i> , Sweet Pepper Bush	.25	1.50	1.25
<i>Colutea arborescens</i> , Bladder Nut	.25	1.25	1.00
<i>Cornus alternifolia</i> , Blue-berried Dogwood	.20	1.50	1.15
“ <i>amomum</i> , (Sericea)	.20	1.25	1.00
“ <i>florida</i> , White Dogwood Berries	.20	.60	.50
“ <i>Kousa</i>	.35	3.00	2.75
“ <i>Mas</i> , Cornelian Cherry	.25	1.25	.90
“ <i>Nuttalli</i> , Pacific Coast Dogwood	.25	1.75	1.65
“ <i>Paniculata</i> , Gray Dogwood	.20	1.00	.95
“ <i>Sanguineum</i>	.25	1.00	.85
“ <i>Siberica</i>	.25	1.75	1.60
<i>Corylus americana</i> , Hazel Nut	.20	.75	.65
“ <i>avellana</i> , European Filbert	.20	.75	.65
“ “ <i>Purpurea</i>	.25	2.25	2.10
<i>Cotoneaster acutifolia</i>	.25	2.00	1.75
“ <i>horizontalis</i>	.30	2.75	2.35
<i>Crataegus coccinea</i> , White Thorn, berries	.20	.75	.65
“ <i>cordata</i> , Washington “ “	.25	.90	.80
“ <i>crus-galli</i> , Cockspur “	.25	.75	.65
“ <i>oxycanthus</i> , Clean Seed	.25	1.00	.75
<i>Cydonia Japonica</i> , Clean Seed	.35	3.25	3.00
“ “ <i>Pygmea</i> , Dwarf creeping	.75	5.00	4.75
<i>Cytissus scoparius</i> , Scotch Broom	.25	1.50	1.35
<i>Diospyros Kaki</i> , Large Improved Type	.25	2.00	1.65
“ <i>Lotus</i> , Good for Stocks	.25	.85	.65
“ <i>Virginiana</i> , Persimmon, Clean Seed ..	.25	.75	.60
<i>Eleagnus Angustifolia</i> , Russian Olive	.20	.80	.65
“ <i>longipes</i>	.35	3.25	3.00
“ <i>umbellatus</i> , Autumn eleagnus	.35	3.00	2.75
<i>Euonymus Alatus</i> , Winged burning bush	.30	2.75	2.40
“ <i>Americanus</i> , Burning Brush	.25	1.50	1.40
“ <i>Atropurpureus</i>	.25	2.00	1.90
“ <i>Europeus</i>	.25	1.50	1.25
“ <i>Japonicus</i> , Evergreen Euonymus	.30	2.50	2.25
“ <i>japonicus Aurea</i>	.50	3.50	3.25
<i>Exochorda Grandiflora</i> , Pearl bush.	.35	3.50	3.25
<i>Fagus Americana</i> , American Beech	.25	1.00	.85
“ <i>sylvatica</i> , European “	.25	.75	.65
“ “ <i>purpurea</i> , Blood-leaved	.35	2.25	1.85
<i>Fraxinus Americana</i> , White Ash	.25	1.00	.75
“ <i>excelsior</i> , European “	.25	.75	.60
“ <i>Oregona</i>	.35	3.00	
“ <i>Ornus</i> , Flowering “	.20	.85	.65
“ <i>sambucifolia</i> , Black “	.35	3.00	
“ <i>viridis</i> , Green “	.20	.60	.50
<i>Genista Tinctoria</i> Dyers Greenwood	.25	1.75	1.60
<i>Ginko biloba</i> (<i>Salisburea adaintifolia</i>) Maiden- hair-tree	.25	.75	.65
<i>Gleditschia Triocanthus</i> , Honey Locust	.20	.75	.55

THOMAS J. LANE
DRESHER, Pa.

Deciduous Trees and Shrubs—Continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
Gymnocladus Canadensis, Kentucky Coffee	.20	.75	.65
Halesia tetraptera, Snowdrop Tree	.25	1.50	1.15
Hamamelis Virginica, Witch Hazel	.25	2.00	1.75
Hibiscus Syriacus, Althea clean seed	.35	1.25	1.10
Hicoria Alba (Carya Tomentosa) Mockernut			
“ Cordiformis (Carya Amara) Bitternut			
“ Glabra (C. porcina) Pignut	.10	.25	.16
“ Lacinosa (C. Sulcata) Shellbark	.10	.25	.18
“ ovata (C. Alba) Shagbark	.15	.25	.17
“ Pecan (C. olivaeformis) Pecan	.15	.60	.50
Eippophaea rhamnoides, Sea Buckthorn	.25	1.50	1.25
Ilex decidua	.25	1.50	1.15
“ Fugisanensis	2.50	25.00	
“ Verticillata, Winterberry	.25	1.25	1.00
Juglans Cinerea, Butternut	.10	.25	.15
“ California	.15	.75	.60
“ Cordiformis, Heart Nut	.15	.65	.50
“ nigra, Black Walnut	.10	.20	.14
“ Regia, English Walnut	.10	.65	.60
“ Sieboldiana	.15	.65	.50
Kerria Japonica	.50	3.75	2.85
Koeluteria Paniculata, Varnish Tree	.15	.75	.60
Larix Europea, European larch (50 lbs. @ \$1.60)	.25	2.00	1.75
“ leptolepis (50 lbs. at \$3.10 per lb.)	.50	4.00	3.25
“ Occidentalis	.75	7.50	7.00
Laburnum vulgare	.25	1.25	1.10
Ligustrum Iboia berries	.15	.50	.40
“ vulgare	.20	1.00	.65
Lindera Benzoin, Spice Bush	.20	1.25	1.00
Liquidambar styraciflua, Sweet Gum	.35	3.50	3.25
Liriodendron tulipifera, Tulip Tree	.20	1.00	.75
Lonicer Tartarica	.35	3.50	
Maclura aurantiaca, Osage Orange	.25	1.50	1.25
Magnolia acuminata	.25	2.00	1.75
“ Glauca, Sweet Bay	.40	3.50	3.25
“ grandiflora, Evergreen	.25	1.75	1.60
“ Kobus	.25	2.25	2.00
“ tripetala	.25	2.00	1.50
“ Yulan (conspicua)	1.00	7.50	
Morus alba, White Mulberry	.25	2.00	1.85
“ tartarica, Russian Mulberry	.35	2.50	2.25
Myrica cerifera, Wax Myrtle	.25	1.50	1.20
Negundo Aceroides, Ash-leaved Maple	.20	.65	.50
Nandina Domestica, Clean Seed	.40	2.50	2.25
Nyssa aquatica, Sour Gum	.25	1.25	1.00
“ multiflora (sylvatica)	.25	1.25	1.00
“ uniflora	.25	1.25	1.00
Oxydendrum arborcum (Andromeda) Clean Seed	.50	3.75	3.50
Paeonia moutan Tree paeony	1.00	8.00	7.50
Paulowina imperialis, Empress Tree	.25	1.25	1.00
Pieris japonica (Andromeda) Clean Seed	1.25	10.00	

Deciduous Trees and Shrubs—continued

	Quantities of 10 lbs. and over		
	Per oz.	Per lb.	Per lb.
Platanus occidentalis, American Plane	.20	1.00	.75
“ orientalis, Oriental Plane	.20	.85	.70
Prinos verticillatus, Winterberry	.25	1.25	1.00
Prunus serotina, Clean Seed	.20	1.00	.75
Ptelea trifoliata, Hop Tree	.25	1.00	.90
Pyrus americana (same as sorbus)	.25	1.35	1.15
Pyrus acuparia (same as sorbus)	.15	.75	.60
“ arbutifolia (same as sorbus)	.25	1.00	.90
Quercus Coccinea, Scarlet Oak	.10	.35	.25
“ Falcata, Spanish Oak	.10	.35	.25
“ ilicifolia, Scrub Oak	.10	.50	.35
“ Lyrata	.10	.35	.25
“ Michauxii	.10	.35	.25
“ macrocarpa, Bur Oak	.10	.35	.25
“ Nigra, Black Jack	.10	.40	.30
“ palustris, Pin Oak (50 lbs. @ .30)	.10	.40	.35
“ Phellos, Willow Oak	.10	.40	.34
“ rubra, Red Oak	.10	.30	.20
“ tinctoria, Black Oak	.10	.35	.25
Rhamnus Cathartica, Buckthorn	.20	1.25	1.00
“ Caroliana	.25	1.75	1.60
“ Frangula	.25	1.50	1.25
Rhodotyphus Kerroides, Jet bead.	.35	2.50	2.25
Rhus aromatica (Canadensis)	.25	1.50	1.25
“ Copalina, Shining Sumach.	.20	.90	.70
Rhus Cotinus, Mist Bush	.50	3.50	3.25
“ Glabra, Smooth Sumach.	.20	.75	.50
“ Typhina, Stags horn sumach.	.20	.75	.50
Ribes sanguineum, Flowering Currant	.50	4.00	3.50
Robina Pseudacacia, Yellow or Black Locust ..	.20	.85	.60
Rosa blanda, Meadow Rose	.20	1.25	.95
“ canina	.20	1.00	.70
“ Carolina	.25	1.25	1.10
“ humilis	.25	1.15	.90
“ lucida	.25	1.25	1.10
“ Multiflora Japonica Berries, American. .	.20	1.25	1.00
“ “ Clean Seed, European. .	.25	1.50	1.25
“ Rubignosa.	.25	1.25	1.00
“ Rugosa, Clean Seed.	.25	1.75	1.40
“ Setigera, Berries Wild Rose	.20	1.35	1.15
Salisaburia Adiantifolia (same as Ginkgo)	.20	.60	.50
Sambucus Canadensis, Elder, Clean Seed	.50	4.00	3.75
Sassafras officinale	.25	1.50	1.25
Sophora Japonica, Pagoda Tree, Clean Seed . .	.20	1.00	.85
Sorbus Americana, American Mt. Ash	.25	1.35	1.15
“ Aucuparia, European Mt. Ash	.15	.75	.60
Spiraea Opulifolia, Clean Seed	.40	4.00	
Syringa dilata, Korean lilac clean seed	1.50	12.00	
“ japonica, Japanese Tree Lilac	.75	8.00	7.50
“ vulgaris, Common Lilac, Clean Seed. .	.40	3.50	3.00
“ “ alba, White Lilac	.60	5.00	4.50
Taxodium distichum, Deciduous Cypress	.25	1.25	1.50

Deciduous Trees and Shrubs—Continued

	Per oz.	Quantities of 10 lbs. and over	
		Per lb.	Per lb.
<i>Tilia Americana</i> , American Linden	.25	1.50	1.10
“ <i>argenta</i> , European Silver Linden	.20	1.00	.90
“ <i>Platyphyllos</i> large leaf, European Silver Linden	.20	1.00	.80
“ <i>Vulgaris</i> small leaf	.20	1.15	.90
<i>Ulmus Americana</i> , American Elm (In May only) ..	.25	1.25	.75
<i>Viburnum acerifolium</i> berries	.20	.75	.50
“ <i>carlesii</i>	.75	6.00	5.50
“ <i>Cassinoides</i> “	.20	1.25	1.10
“ <i>Dentatum</i> “	.20	1.15	.95
<i>Viburnum Lantana</i> D. B.	.25	1.25	1.00
“ <i>Lentago</i> Berries	.25	1.25	1.10
“ <i>Oxycoccus</i> “	.25	1.25	1.10
“ <i>Prunifolium</i> “	.20	1.00	.70

Vines and Climbers

<i>Akebia, Quinata</i>	.35	2.25	2.00
<i>Ampelopsis veitchii</i> , Japan creeper berries		1.65	1.25
“ “ “ “ Clean Seed	.25	2.00	1.50
“ <i>Virginica</i> , Virginia “	.25	1.90	1.75
<i>Aristolochia Siphon</i> true variety	.50	4.50	4.00
<i>Celastrus scandens</i> , Berries	.25	1.50	1.25
“ “ Clean Seed	.40	3.75	3.00
<i>Clematis flammula</i> , Sweet Clematis	.25	1.50	1.25
“ <i>paniculata</i> , real clean seed (this is clean seed, practically free from all foreign matter and not to be con- fused with inferior quality offered at a less price) ..	.35	3.25	3.00
“ <i>Virginiana</i>	.50	4.50	
“ <i>Vitalba</i> , English Clematis	.25	1.25	1.00
<i>Hedera Helix</i> , Ivy	.25	1.25	1.00
<i>Pueraria thunbergiana</i>	.35	2.25	2.00
<i>Tecoma radicans</i> , Trumpet Vine	.35	2.25	2.00
<i>Wisteria frutescens</i>	.40	3.00	
“ <i>multijuga</i> , Blue	.50	3.75	3.25
“ <i>sinensis</i> (Chinese) Blue	.20	1.50	1.10
“ “ “ White	.35	3.00	2.75

Fruits

Apple, French Crab	.25	1.00	.85
“ Austrian	.20	.85	.65
Cherry, Mahaleb clean stones (50 lbs. at .85) ...	.25	1.25	1.00
“ mazzard	.20	.85	.70
Myrobalan plum (50 lbs. at .60 per lb)	.20	1.00	.75
Peach Pits, Natural 50 lbs. at 10c	.10	.20	.15
Pear, French Pear	.35	3.50	3.00
<i>Pyrus callieriana</i> , Chinese tree pears	.50	6.75	6.00
“ <i>serotina</i> , Japan pear	.50	5.00	4.75
“ <i>usseriensis</i> cultivated variety	.60	8.00	7.50
Quince	.35	2.75	2.50