ON THE
PRINCIPLES AND MANAGEMENT
OF THE
MARINE AQUARIUM

KB61747

Library
of the
University of Toronto

Alfred Brown & Co
Hon. Sec.
Zoological Section
of Dep^y of Nat^l. Hist^y
& Microscop. Socy
With the author's kind
regards. Birmingham
7 May 1881.

ON THE
PRINCIPLES AND MANAGEMENT
OF THE
MARINE AQUARIUM.

BIRMINGHAM
PRINTED BY WATSON AND BALL,
CASTLE STREET.

[*Entered at Stationers' Hall.*]

ON THE
PRINCIPLES AND MANAGEMENT
OF THE
MARINE AQUARIUM.

A PAPER READ BEFORE THE
Birmingham Natural History and Microscopical Society,

AT THE MIDLAND INSTITUTE,
ON TUESDAY, 27th JANUARY, 1874,

WITH ADDITIONS,
BY
WILLIAM R. HUGHES, F.L.S.,

PRESIDENT FOR THE YEAR.

LONDON:
JOHN VAN VOORST, 1, PATERNOSTER ROW,
1875.

"In this review of the pains and pleasures of a period which stands widely apart from the ordinary routine of my existence, I have felt the joys and sorrows of years crowded into a few hours, and I have risen from this contemplation of by-gone days more and more deeply impressed with the conviction of the beneficent, calming and ennobling influences of the study of nature generally, and of the history of living beings more especially. The study of zoology, by bringing us constantly into the presence of the infinitely grand and varied problem of organisation, and by comprehending within the scope of its contemplation both animal structures and that unknown agent which we term *life*, at once stimulates our reasoning powers and elevates our moral aspirations, and thus satisfies all the requirements of our double nature. And it is no doubt owing to the fact of this science appealing simultaneously to our intellectual and moral instincts that it exerts so powerful an influence over those who devote themselves in a humble and teachable spirit to its pursuit."—*The Rambles of a Naturalist on the coasts of France, Spain, and Sicily*, by A. de Quatrefages, translated by E. C. Otté, 1857.

TO

PHILIP HENRY GOSSE, ESQ, F.R.S.

Author of *The Aquarium*,

I INSCRIBE THE RE-ISSUE OF THIS PAPER, WITH FEELINGS

OF SINCERE GRATITUDE AND RESPECT.

P R E F A C E .

The writer having had nearly fourteen years' experience in the management of the Marine Aquarium, hopes that this little book, which is an enlargement of the original paper read before the Society, may be found useful to amateurs and students who wish for a manual of practical instruction thereon.

Being assured that the appreciation of the Marine Aquarium as an important educational institution is steadily advancing, and feeling that any information, which from this point of view assists its progress, will be very acceptable and valuable to the public, the writer invites criticism from those who have studied the subject.

BIRMINGHAM,

March, 1875.

ON THE PRINCIPLES AND MANAGEMENT
OF THE
MARINE AQUARIUM.

I APPEAR before you as the author of a Paper this evening in compliance with the request of certain of the Members, made to me some time since by the Honorary Secretary, that I would give some information as to the management of my own Aquarium; and because it has occurred to me that any particulars on the subject of Aquaria generally may be acceptable at the present time, when public attention has been directed to the establishment of a Marine Aquarium in Birmingham, the more especially as I have, since our last *Soirée* when I had the honour to introduce the subject, met many intelligent men in the town who have said to me, “Yes! a Marine Aquarium would be a capital thing for Birmingham, but how should you manage about the “water?” A very natural question, and one *per se* that is capable of a ready answer. Bring it by rail at the cheapest rate you can get it, as you would any other commodity that you require from a distance! But to my querists I fear this answer would by no means solve the difficulty in their minds, which is probably more deep-seated than

THE MARINE AQUARIUM—Popular notion of it.

appears on the surface—the popular notion of an Aquarium being in all probability derived from those antiquated glass vessels of globular shape and narrowed upper extremity (upon which it would be well if the Legislature imposed a heavy tax as a prevention of cruelty to animals)—in which gold and silver fish have been imprisoned, and the water has been changed at more or less irregular intervals! My present purpose is to show,—incidentally in connection with its principles and management,—what those experienced in these matters are perfectly well aware of, that the water of a well-managed Aquarium needs to be changed no more than does the soil of one's garden in which are grown vegetables and flowers. It is, however, true that there is a loss of quantity by evaporation, and also a loss of some of the chemical constituents of sea-water, on account of the extraction of calcareous matter by tubeworms, crustaceans, &c., which deposit it in constructing their coverings—as vegetables and flowers extract a certain amount of the original constituents of the soil, which may be replenished from time to time by natural or artificial means. Therefore the soil is simply a medium for the growth of plants—and the water in the Aquarium a medium for the preservation of animals.

Beyond my own circle of friends and from those not members of this Society the question may naturally arise—but what are *your* qualifications for giving an opinion on the subject of Aquaria?—the querists naturally inferring from my official position as Treasurer of your great Borough that figures and foraminifera—accounts and sea-anemones—blue books and barnacles have very few affinities in common. It might be of little interest to this meeting to tell how upwards of thirteen years ago, I first directed my attention to the subject of Marine Zoology,

THE MARINE AQUARIUM—The writer's early instructors.

but to me it is a very pleasant retrospect, and the names of kind friends to whom I am indebted for early instruction, such as Dr. Wade, Mr. W. Mattieu Williams, formerly of this Institute, Mr. Joseph Bragg, and others, occur to my mind with grateful remembrance. Subsequently, when I had outstepped their teachings—succeeded those of Mr. P. H. Gosse, from whom personally and through whose writings I have derived the most valuable information and benefit in many ways, similarly, from Dr. Spencer Cobbold, and from Mr. W. A. Lloyd, of the Crystal Palace, Hamburgh and other Aquaria, whose great knowledge and experience have always been at my service during a period of twelve years, whenever I have sought his opinion. Throughout that time I have maintained in perfect health marine animals of great variety and beauty—some of excessive rarity—for example the beautiful Vestlet *Cerianthus Lloydii*, (*Edwardsia vestita*) which figures life-like—thanks to the gifted pencil of my friend Mr. G. Sherriff Tye in the 1st part of the Transactions of our Society, and which is now I believe nearly extinct on the British shores. Regarding that beautiful order of Zoophytes the *Actinoida* (or sea-anemones) I was quite surprised on looking over the Crystal Palace Hand Book of my friend Mr. Lloyd to find that at one time or other I had possessed twenty-four of the species (thirty) enumerated therein, and that, moreover, I had been fortunate in possessing three species not now in that Collection. It is not too much to say that I have exhibited to this Society at various times during its existence—and that of its parent—"the Birmingham Natural History Association"—a greater number of rare and beautiful marine animals than have been shown and described at any other inland Society, and I would fain hope with some little benefit to science.

THE MARINE AQUARIUM—Discovery of it.

I do not mention this ostentatiously, but simply to give a practical illustration of what can be done by the Marine Aquarium even in a small way. The Aquarium has really an advantage over those beautiful little fairy-like rock pools at the sea coast—you can group together animals of different localities which never can be associated together naturally—and you can examine them at your leisure in your own room, and I venture to say that neither you nor your friends will ever tire of the examination. To me during these years, the Marine Aquarium has been a subject of intense interest, and an intellectual recreation of the greatest relief after official work, always of a laborious and responsible character.

The history of Marine Aquaria is interesting, and will repay perusal by all who feel inclined to consult Mr. Gosse's exquisite Book—"The Aquarium," or Mr. Lloyd's "Hand-Book to the Crystal Palace Aquarium"—a wonderful sixpennyworth of information that ought to be in the hands of every marine Naturalist. To our great townsman, the late Dr. Joseph Priestley, for his grand discovery of the mutual dependence of plants and animals on each other, must be awarded the honour of its discovery. No matter in what Aquaria—fresh-water or marine—public or private—large or small—these principles govern them. The mode in which they are applied may vary greatly, but the effect aimed at is the same. The introduction of the Marine Aquarium as an object of public interest is however mainly, if not entirely, due to the delightful books of Mr. Gosse—nearly a quarter of a century ago—which contain illustrations by his pencil so novel, beautiful, and truthful, besides being coloured after nature, that they have marked a new era in Zoological literature.

THE MARINE AQUARIUM—Mr. Gosse's definition of it.

In his "Naturalist's Rambles on the Devonshire coast," Mr. Gosse states that for several years past he had been paying attention to our native *Rotifera*, "and in the course of this study had kept fresh water "in glass vases unchanged from year to year, yet perfectly pure and "sweet and fit for the support of animal life, by means of the aquatic "plants, such as *Vallisneria*, &c., which were growing in it. Not "only did the Infusoria and Rotifera breed and multiply in successive generations in these unchanged vessels, but *Entomostraca*, "*Planarie*, *Naides*, and other Annelides and *Hydræ* continued their "respective races; and the young of our river fishes were able to "maintain life for some weeks in an apparently healthy state, though "(perhaps from causes unconnected with the purity of the water) I "was not able to preserve these long."

"The possibility of similar results being obtained with sea-water "had suggested itself to my mind, and the subject of growing the "marine *Algae* had become a favourite musing, though my residence in "London precluded any opportunity of carrying out my project. My "notion was that as plants in a healthy state are known to give out "oxygen under the stimulus of light, and to assimilate carbon, and "animals on the other hand consume oxygen and throw off carbonic "acid, the balance between the two might be ascertained by experiment, and thus the great circular course of nature, the mutual "dependence of organic life, be imitated on a small scale."*

Mr. Gosse then describes at length his most interesting and successful experiments with marine animals and plants, based on "the

* "A Naturalist's Rambles on the Devonshire Coast," by P. H. Gosse, A.L.S., &c., London 1853, pp. 228-9.

THE MARINE AQUARIUM—Mr. Gosse's invention of the name.

“important anticipation that by this plan great facilities would be
 “afforded for the study of marine animals, under circumstances not
 “widely diverse from those of nature,” and it is a very remarkable
 coincidence, that experiments exactly parallel to his, and founded on
 the same principles, were simultaneously prosecuted with the same
 results, by Mr. Robert Warington, of Apothecaries’ Hall, London,
 (since deceased), who preceded Mr. Gosse in instituting these experi-
 ments.

Soon after this period (1852) the Marine Aquarium became a
 fashionable amusement which reached a fever of excitement in 1860—
 something like potichomanie or crochetwork—and appears, on Mr.
 Lloyd’s authority, to have nearly died out in 1862, or to have been
 confined to a few enthusiastic amateurs—since which period, how-
 ever, public Aquaria have steadily grown into favour.

To help us to arrive at a knowledge of the principles of the
 Aquarium we must first ascertain what it is. To Mr. Gosse we are in-
 debted for the name *Aquarium*—as applied to a receptacle for plants
 and animals mutually balancing each other—and he discusses in his
 delightful book with that title, its propriety as such, being a word
 “easily pronounced and easily remembered, significant, and expressive.”
 Dr. Carpenter, and others use the term *Vivarium*—to which Mr. Gosse
 objects, as it lacks distinctness of meaning, literally being an enclosure
 in which living animals are kept, such as a park, a rabbit warren, or a
 fish pond, in which sense it was used by the Ancients. Some authors
 have lengthened the term to *Aqua-vivarium*, to which Mr. Gosse also
 objects on account of its length and uncouthness. The word *Aquarium*
 is, therefore, in use popularly as signifying a collection of aquatic animals

THE MARINE AQUARIUM—Mr. Lloyd's description of it.

maintained in health by plants, or by artificial means supplying their place, “distinguishing it as a Fresh-water Aquarium if the contents “be fluviatile, or a Marine Aquarium if it be such as I have made the “subject of the present volume.”*

I venture to suggest the word *Aquariist* as the most convenient, if not the most correct, as applicable to one skilled in the management of the Aquarium. I do so, because the word *Aquariologist* is too long, and the word *Aquarian* is too indefinite, it has been, I believe, used in three senses; 1. By my friend Mr. Newman, to a person who works at, or keeps an Aquarium; 2. By the Americans to a “water drinker,” or “teetotaller;” and 3. By the early Christians, who used water instead of wine in the celebration of the Eucharist. Mr. Newman’s definition, however, has priority to recommend its adoption if desirable.

Mr. Lloyd, in his book before referred to, which contains the most recent results of his large practical experience, describes the Aquarium as “an arrangement for the maintenance of living animals, “under the following three conditions,” viz.:—

“1st. The water must not be changed, though it may receive “addition from time to time of whatever it may lose, as, for instance, “in fresh water by evaporation, or in such solid matters as are taken “from it in the course of the formation of the shells and other hard “parts of creatures existing in it.

“2nd. The water must be kept not only in a pure and respirable “condition by its absorption of atmospheric air at its surface, which

* “The Aquarium: an unveiling of the wonders of the deep sea,” by P. H. Gosse, F.R.S. Second Edition. London, 1856, p. 251.

THE MARINE AQUARIUM—Admission of lung-breathers.

“absorption may or may not be increased by putting the water in
 “motion in any convenient manner, but this purity must be assisted
 “by the presence of vegetation growing in it, and tending to decompose
 “the poisonous carbonic acid gas evolved from the animals, such vege-
 “tation taking up the carbon of the gas into its own substance, and
 “liberating the resulting oxygen for the use of the creatures.

“3rd. The Animals must not be lung-breathers, that is to say, they
 “must be either such as the sea-anemones and corals and some others
 “which have the function of respiration diffused over their entire
 “bodies ; or, be such as the creatures above them (up to and ending
 “with fishes), which are provided with gills during their whole period
 “of existence. As lunged animals do not require the purifying pro-
 “cesses just alluded to, an Aquarium is not for their use, and they are
 “therefore excluded from it ; and this exclusion applies even to such
 “aquatic animals as water lizards, frogs, and salamanders in their adult
 “states.”*

Exception may be taken to the third of Mr. Lloyd's propositions because the admission or rejection of lung-breathers in no way interferes with the balance of the Aquarium, and it is, therefore, a mere matter of opinion. The presence of an aquatic mammal in an Aquarium sufficiently large for its accommodation would, it seems to me, be somewhat analogous to the position of a ship sailing over the sea. The motion of the ship would, to a feeble extent, aerate the water by disturbance of its surface—the mammal, by its swimming in the Tank, would mechanically contribute to the same effect in, of course, a

* “Official Hand Book to the Marine Aquarium of the Crystal Palace Aquarium Company (Limited),” by W. A. Lloyd. Fourth Edition, 1873, pp. 7, 8.

THE MARINE AQUARIUM—Mr. Newman's opinion.

greater degree, but so far as chemical action is concerned, except as to the excreta which would probably be insignificant in the large mass of water required for its accommodation, the mammal could not have an appreciable influence either in maintaining or disturbing the balance. Those who saw the first porpoise in the Brighton Aquarium will doubtless remember, that in the large Tank in which it was confined there were a number of conger eels, which of course supplied the "animal balance," and therefore the presence of the mammal was not essential to, and in no perceptible way interfered with such balance—and moreover, there was ample space for its accommodation without interfering in any way with the congers, which generally rested at the bottom of the Tank. Bearing, therefore, these points in mind, and even admitting that an Aquarium is, according to Mr. Lloyd's third proposition, a *habitat* solely for marine or fresh-water animals not being lung breathers—and supposing it is determined to keep lung breathers as well—such as porpoises, dolphins, etc.—surely they must be maintained in *water which for all practical purposes will be an Aquarium*, although not strictly answering to its original but perhaps somewhat restricted name, and for reasons already stated it is not desirable to change that name—rather then let it be more comprehensive and admit (where practicable) animals of higher organisation, such as those referred to.

Writing on this subject, and on others in connection with the Marine Aquarium—in the progress of which he has always taken the deepest interest—in the *Zoologist* for 1873, Mr. Newman says: "A porpoise or dolphin is as legitimate an object for the Aquarium as a

THE MARINE AQUARIUM—The writer's definition of it.

“dog-fish or a skate ;—I would even introduce a spermaceti whale
“did not his magnitude and muscular powers suggest certain difficulties
“both to his transit and to his captivity.” *

I, therefore, in common with Mr. Newman, agree to differ with our friend, and consider the managers of the Brighton or any other public Aquarium are, without involving the sacrifice of the name Aquarium, or violating the law that governs it, perfectly justified in introducing a porpoise, or other aquatic mammal, if they can secure and maintain it alive, and exhibit it to the public as an object of interest, or, what is more important, derive from it information on any point of scientific value.

How and by what means the other important propositions involving the perpetual chain of evolution of one gas by one series of life, and its absorption under modified conditions by another series, it in its turn giving off in exchange the life constituents necessary for the first, and thus constituting the balancing principle of the Marine Aquarium, are to be successfully carried out—I will try and explain, —very briefly on this occasion, and so far as our present knowledge permits—for the limits of a Paper of this description will not allow of very elaborate detail.

I venture to define an Aquarium in its liberal sense, as being a vessel of some kind for marine or fresh-water animals to live and move in, under conditions where a sufficient amount of oxygen is supplied naturally or artificially for the existence of such animals, whether it be in the case of the simpler forms of life, such as sea-anemones which

* *The Zoologist*, conducted by Edward Newman, F.L.S., F.Z.S., Second Series, September 1873, p. 3,663.

THE MARINE AQUARIUM—The three cardinal subjects.

respire over the whole surface of their bodies, or animals of higher organisation where the organs of respiration are differentiated, as fishes, which respire by means of gills ; or mammals which breathe by means of lungs ; such mammals absolutely requiring water as a means to move in, and coming to its surface to obtain oxygen from the surrounding atmosphere necessary to breathe in.

The three cardinal subjects to bear in mind in their order of importance, influencing these conditions, are *light*, *aëration* (which implies *circulation*), and *temperature*.

The recent researches in deep-sea dredging although they have cleared up many most important points as to the geographical distribution of marine animals—pressure—currents—temperature, etc., of the sea, and have inaugurated the wonderful doctrine of “the continuity of the chalk,” have left us still in much obscurity about that mighty question *light*, and its effects on marine life. The latest accounts record instances of animals composed almost wholly of eyes—while others indicate the total absence of such organs in other animals ! Phosphorescence may at great depths compensate the absence of light, for we read* that at a depth of about 600 fathoms—off the South East coast of Ireland—“Many of the Animals were most brilliantly “phosphorescent, and we were afterwards even more struck by this “phenomenon in our Northern cruise. In some places nearly every- “thing brought up seemed to emit light, and the mud itself was “perfectly full of luminous specks. The Alcyonarians, the brittle-Stars, “and some Annelids were the most brilliant. The *Pennatulæ*, the “*Virgulariæ*, and the *Gorgoniæ* shone with a lambent white light,

* “The Depths of the Sea,” by Professor Wyville Thomson, F.R.S., 1873, p. 98.

THE MARINE AQUARIUM—Light.

“so bright that it showed quite distinctly the hour on a watch; whilst
“the light from *Ophiacantha spinulosa* was of a brilliant green,
“coruscating from the centre of the disk, now along one arm, now
“along another, and sometimes vividly illuminating the whole outline
“of the star-fish.”

It is certain that *light* is the primary question to be considered in relation to Aquaria. The presence of it in an uninterrupted volume combined with a high rate of temperature, may in a few days convert an Aquarium which was in an efficient condition of health and beauty of the inhabitants, into a decomposing mass. It must be borne in mind, however, that light alone without a high temperature cannot cause decomposition in an Aquarium. Excessive light causes an excessive development of Algæ spores, which make sea-water and even fresh-water opaquely green, but that does not interfere with the health of the animals. When the temperature is above 40° Far., light must be admitted sparingly, and adjusted as to quantity and quality. The direct rays of the sun should never be allowed to converge on an Aquarium, especially if they proceed from the direction of the south, or west, or south-west.

Figure 1 represents a glass Tank transparent on all sides—placed in a conservatory—with the rays of the sun in this objectionable manner. The situation is objectionable, the light and heat are objectionable, the vessel is objectionable. They illustrate the extremes to be avoided—because in addition to the great heat directed upon the Tank—the growth of vegetation will be too excessive—no part of the Tank will be free from its development. It is a false balance.

Figure 2 represents a lateral form of illumination in a far less

THE MARINE AQUARIUM—The dark-chamber tank.

objectionable manner for transparent, and still less for opaque Tanks, the straight lines in the figure representing the passage of the rays of light, which in the former case would pass through, as at the dotted lines—and although the light in these instances may be right from a point in which the north and east rays predominate—the form of the vessel is bad, especially in the transparent one, where the rays pass through it, as it offers too large a surface for the reception of light, and the consequent excessive growth of vegetation is promoted.

Figure 3 represents what my experience has proved to be the most effective, viz.: the slope back dark-chamber Tank, which I have had in constant use upwards of twelve years, invented, I believe, by Mr. Edward Edwards, late of Menai Straits, but now of Chester, (whose beautiful, and successfully managed Aquaria you will remember I had the pleasure of describing to this Society in the Autumn of 1868) and which was manufactured by Mr. Lloyd. In it there is a minimum space for the reception of the rays of light. It consists of slate and glass. The dimensions are about 22 inches long, by 18 inches wide, and 9 inches high. Its capacity is about twelve gallons. Three sides are opaque—the fourth (of glass) transparent. It is, therefore, viewed horizontally from the room in which it is placed, which is its best aspect for the examination of the inhabitants, but of course it permits of vertical observation in addition. The dark-chamber is intended to hinder the excessive formation of the spores mentioned at page 20, but it does not prevent the formation of vegetation on the rockwork, etc. It contains a shelving platform, on which are piled masses of rockwork up to the top of the inclined surface, and thus the animals can select

THE MARINE AQUARIUM—Aëration.

depths of water most agreeable to them. The dark-chamber at the back excludes the mass of water therein from the light, thus keeping it cool and free from vegetation, but there is a free circulation between this and the main body of water in the Tank, artificially assisted as hereafter described. Moreover, the rays of light coming from a north-easterly point, (which is the best aspect for an Aquarium, and which is the position in which mine is placed)—in a slanting direction parallel with the platform, enter the water at *its surface only*. Any other mode of illumination is bad—and experience during twelve years has demonstrated to me, in maintaining rare and delicate animals, that this form of Aquarium for private purposes is the best of all. This arrangement is not necessary in public or other Aquaria provided with streams, because separate reservoirs, such as that which the Crystal Palace possesses, form in themselves the dark chambers. Any Aquarium may be exposed to great light and may be unprovided with an annexed dark chamber, and yet it may act well, if it has a separated reservoir underground, of four or five times the capacity of the Aquarium, with which it is in constant and sufficient communication.

As to *aëration*, it follows—the larger the surface of water exposed to the atmosphere the larger amount of oxygen will be absorbed. Mr. Lloyd justly says that—“the value of water for Aquarium purposes does not within certain limits depend so much upon the bulk of it as upon the advantageous distribution of that bulk over large spaces.” Observe the following illustrations :—

Figures 4 and 5 represent two Tanks or vessels of equal capacity—the contents of each being 1,000 cubic inches. The depth to the

THE MARINE AQUARIUM—Aëration.

water line as shown by the dotted lines respectively, is in No. 5—5 inches ; and in No. 4—20 inches. The surface water in contact with the atmosphere is in No. 5, 200 square inches, and in No. 4, only 50 square inches. Therefore the absorption of air is in No. 5 four times as much as in No. 4. Again, if the surface of No. 5 is smartly agitated for a few minutes, the whole column of water is exchanged—but the time necessary for this exchange would in No. 4 be quadrupled. Therefore No. 5 would accommodate twenty animals in health, against a fourth of that number in No. 4. These figures are copied from Mr. Lloyd's first book, published in 1858,* and have been lithographed for me by Mr. G. Sherriff Tye, to whom I record my obligation, as also for the other five original drawings.

The Tank which I have mentioned, permits in a greater degree this mode of aëration than any other. With healthy plants growing in it, and balancing the animal life it needs but a minimum of attention. All that is required being the breaking of the surface, so as to exchange the water in contact with the atmosphere, and prevent the accumulation of a film of dust. This "breaking" is effected by means of a pair of boxwood forceps about seventeen inches long, as at Fig. 7. The forceps are held firmly and passed rapidly through the water for a few minutes until the whole mass has been disturbed, and bubble-like froth in which atmospheric air is entangled appears on the surface. This mode is preferable to syringing or such like operations. These latter disturb the stratum of shingle at the bottom of the Tank, and do not effect an equal distribution of the air introduced ; besides,

* "A List of whatever relates to Aquaria," by W. A. Lloyd, London, 1858, p. 130, and "Supplement to the same, 1860."

THE MARINE AQUARIUM—Noxious influences.

the interior of a syringe soon becomes objectionable in odour, and unfit for use. My observations under this head, will explain the reasons expressed in an earlier part of my Paper against the fish-globe shape for Aquaria, where the surface is narrowed and contact with the atmosphere lessened. For those who do not care to invest in a Tank, a nice little Aquarium, Fig. 6, can be had for a few shillings. Obtain a confectioner's cake-glass of about 13 or 14 inches diameter, and 6 or 7 high—of flint glass free from flaws, have a pedestal stand turned for it of some hard wood with an aperture for the knob to fit in; and, although you will have some trouble in the adjustment of the light, still with care you may obtain some very good effects, and maintain for a long time many marine animals of the radiate type and even small fishes in excellent health. It cannot, however, be considered a model Aquarium.

Paint is excessively injurious to the contents of an Aquarium, and wherever painting is going on in the house, the Aquarium should be removed to another room away from its influence. Miss Stephens, of Bridport, who has had considerable experience in the management of Aquaria during many years, informs me that exposure to the influence of an atmosphere impregnated with the smell of paint entirely destroyed the inmates of an Aquarium, and a similar case occurred within my own experience in which a rare fish died from the effects of varnish used after painting in the apartment in which the Aquarium was placed; the volatile constituent of the varnish condensed as a scum on the surface of the water, and thus interfering with proper aëration produced the effect described.

If the Fishes seek the surface of the Aquarium constantly—or

THE MARINE AQUARIUM—Mechanical aids to aëration.

refuse food at the usual time—if the anemones reject food—or protrude the walls of the alimentary cavity—or abnormally elongate the column—or detach the base from the rockwork and lie about loosely—these are bad signs, indicating local decomposition, overcrowding, or the effects of insufficient aëration, and the evil must be at once sought out and remedied.

The common anemone of the coasts (*Actinia mesembryanthemum*) is, I believe, the best indicator of the healthy state of a Tank, as it refuses to expand when the water is in an insufficiently aërated condition, or too dense from an insufficient supply of fresh water.

The higher the organisation of the animal the greater is its breathing capacity—therefore in public Aquaria, where large fishes are maintained, a free circulation of water through the Tanks, seems to me in the absence of a full complement of plants a necessity to obtain perfect aëration, and without it it appears to me, to say the least, doubtful that such Aquaria can be conducted with that economy and successful result which characterise the circulating system.

Various mechanical appliances have at times been suggested for aërating the water in Aquaria—notably that of Mr. Hurwood, of Ipswich, in 1859, which was “an arrangement whereby the pressure of
“a stream of fresh-water, such as exists in the pipes of waterworks in
“towns, or such as can be got from a high cistern already existing in a
“dwelling-house, may be employed to compress air, which compressed
“air in turn forces a current of sea-water into an Aquarium.—This
“arrangement was adopted in several private Aquaria in England,
“but afterwards on a much larger scale in the first public Aquarium
“erected in Paris, in the Acclimatation Garden, in 1859. This Aquarium

THE MARINE AQUARIUM—Temperature.

“was very successful, the sea-water not being changed once during its “thirteen years of existence.” * The late Dr. Ball, of Dublin, also invented “a method of keeping sea-water in occasional motion by “passing bubbles of air through it with a pair of bellows,” and it was proposed that the apparatus should be worked by visitors to the public Aquarium of that city—but, I believe, it is not recorded as to whether the invention was successful in its results. Some years ago, I availed myself for a short time of a contrivance for aërating the water, by suspending over the Aquarium two or three feet high, a bell-glass perforated at the bottom. This glass was filled once or so in a day, and the water allowed to filter through a sponge, and drop into the Tank below. On the whole I found the effect incommensurate with the trouble occasioned, and I discontinued the proceeding. Where practicable, Otto and Langen’s gas engine appears to be an exceedingly effective, economic and compact motive power for providing continuous circulation. The magnificent circulating system in use at the Crystal Palace Aquarium will be briefly referred to hereafter.

Tides, winds, storms, plants, all contribute to the aëration of the sea, and all our contrivances are only endeavours to imitate the effect of the operations of these agencies.

As to *temperature*—this is a very important subject in connection with Marine Aquaria—apprehended more clearly perhaps when it is known that the temperature of our Seas within the depths from which we obtain most of the animals adapted to exist in Aquaria, only exhibits a range of about 25 degrees, between 40° and 65° Fahrenheit, whereas our atmospheric temperature varies enormously. I am in-

* Official Hand Book to the Marine Aquarium of the Crystal Palace, &c., page 20.

THE MARINE AQUARIUM—Temperature.

formed that in Britain the lowest recorded temperature in air in the shade is -7° Fahrenheit, and the highest in air in the shade is 93° Fahrenheit—or a range of 100 degrees. Consequently it is most desirable that the former range (40° to 65°) shall be maintained. The water in the Aquarium should always be cold to the hand, let the temperature of the atmosphere be whatever it may. Placed in a north-easterly, or north, or east position, as I have stated previously, and in a room well ventilated, and that has ordinarily in cold months a fire burning in it, there is little to be feared. Extreme cold, although sometimes fatal to animals of the radiate type, is not accompanied by rapid decomposition, on account of the low temperature prevailing, and it may be modified by placing over the Tank at night a newspaper, or covering of some non-conducting material. At other times the Tank should not be covered, but exposed to the free play of the atmosphere. The danger is greatest from an opposite cause, arising from rapid decomposition, when almost tropical heat suddenly sets in during the summer months. At this time the patience of the Aquarist will be tried—but by frequent ventilation of the apartment—by shutting off light by means of a Venetian or other blind—by the introduction of a piece of ice once a day, and above all means by not overcrowding the Aquarium with animals, one may pull through even the “dog days” with success. It is desirable here to mention that it is a great mistake when a Tank is going on well to add to its stock. Refuse your friends’ present courteously but firmly, and do not be tempted under any circumstances to accept the responsibility of a “white elephant.”

Respecting the management of the Marine Aquarium, which is

THE MARINE AQUARIUM—Knowledge of Zoology desirable.

purely practical—the good old proverb, “cleanliness is next to godliness,” is eminently applicable. If we regard the Aquarium in the light of a Sanitorium or House of Convalescence, which is a convenient mode of fixing upon one’s mind the necessity for the greatest amount of purification naturally and artificially to be always carried on, we shall instinctively manage it with this object in view, never introducing anything impure, or in even a state of *semi* decomposition, removing such if discovered, and being careful to aërate the water and purify whatever was near the decomposing substance. Do not, however, think that this is a tedious and harassing process. It is nothing of the kind. Ten minutes a day—five at night and five in the morning—are quite sufficient for all the *necessary* work needed. Mr. Lloyd very justly says in his Hand Book before referred to—* “that the reason why Aquaria in private houses have met with such “small success may be found in the natural difficulty of the whole “thing; in the general want of a knowledge of Zoology among those “attempting it; and in the difficulty of producing an at once “sufficiently comprehensive and practical manual of instructions on “the subject. General laws can only in such cases be stated, “as it is not possible to give any definite rules; applicable under all “circumstances, respecting the kind, sizes, and number of animals “which may be permanently kept in a given quantity of water, inas- “much as the capability of the water for maintaining the animals in a “private house (and even in a building specially made for Aquarium “purposes), is liable to continual change from various circumstances, “among which temperature is a principal one, and regulation of light

* pp. 12—13.

THE MARINE AQUARIUM—Continuous stream.

“is another. Such capability is also greatly affected by the proportions of the vessel containing the water, for if the fluid is spread out in shallow masses, its absorption of air by mere surface contact with it, and its consequent good condition is much greater than when it is piled up (so to speak) in tall masses with small surface area.”

Undoubtedly a stream of water, intermittent or continuous, accompanied by means for introducing an abundant supply of air to the Aquarium are best adapted to produce the most successful results—if one considers for a moment the general character of the inhabitants of a stagnant pond in which live eels, tench, and carp, and that of a clear torrent-like river where live trout, salmon, and grayling, one gets a tolerably good notion of the superior effects of this mode of oxygenation. But this is scarcely practicable without much expense in a private Aquarium, although to my mind, as already stated, most necessary in public Aquaria. By a private Aquarium I mean one maintained in an ordinary dwelling house. Nevertheless, by the careful adjustment of the balance of the relations of animals and plants—by agitation of the surface for a few minutes at night and morning, so as to allow no film of dust to accumulate or interfere with the free play of air over the surface, we may get in some degree a substitute—though animals of high organisation as fishes cannot be maintained so successfully as in public Aquaria. On the other hand, animals lower in the series of classification, such as sea-anemones and other radiates and crustaceans may be maintained for many years. Indeed, there seems no limit to the life of some of them. The celebrated *Actinia* (a variety of *Actinia mesembryanthemum*, I believe) once the property of Sir J. G. Dalryell is now

THE MARINE AQUARIUM—The rockwork and shingle.

stated to be in its forty-fifth year of captivity in Edinburgh, has given birth to over a thousand young ones, and shows no signs of getting old !

I propose to deal with each portion of the Aquarium establishment and management separately.

Assuming that a suitable Tank has been selected, and that the errors alluded to in the former part of my paper have been avoided, we first consider the *rockwork*. Experience has demonstrated that for such purpose nothing is so suitable as *Mica schist*, its compact non-friable character offering a favourable *nidus* for the growth of vegetation. Moreover, its dark green hue has an agreeable effect under water, and exhibits the colours of sea-anemones, tube-worms, and fishes to advantage. Animals readily adhere to it, and I have in my Tank instances of a tube-worm (*Serpula triquetra*) two inches in length, that have developed upon it from germs contained in the sea-water. The mica should be of picturesque fracture when broken up, and should first be cleansed in fresh-water of impurities, and cemented on to the sides and back of the Tank, with none but the best Portland cement, finely sifted. After it has well set, fresh river or rain water should be introduced and allowed to remain, until all impurities and opacity from lime and other causes have subsided. After this, it should be rinsed over with sea-water before the stock of sea-water is introduced. The mode of displaying the rockwork must be left to the taste of the Aquarist. I would, however, recommend the avoidance of too many deep crevices, wherein animals may lurk and die unsuspected.

Next comes the *shingle*. As a relief to the dark green of the rockwork, and as acceptable for animals, such as the *Echinus* (Sea-

THE MARINE AQUARIUM—The water.

urchin) to burrow in, nothing is better than the finely-ground masses of flint about the size of large peas, found at Shanklin, and on some other shores of the Isle of Wight and Southern Coast,—its pale brown or buff colour is very suitable as not militating against the colours of the inhabitants of the Tank. Sand is not recommended. But few Marine animals suitable to be kept in private Aquaria are found burrowing in sand. Moreover, it is apt to get covered with a filmy mass of vegetation, very difficult to dislodge, and the removal of the sand from a Tank when requiring to be cleansed is a troublesome process. Sand is chiefly objectionable in currentless Aquaria, because it lies close, and hinders oxygenated water from circulating among it, whereas shingle has interstices admitting water. Before any shingle is introduced, it should be carefully cleansed of all shore impurities, and this is best effected by washing it in a vessel such as a domestic colander, free from any particle of grease, placed in a tub, under a water tap, when all impurities will float away over the surface. Like the rockwork it should be rinsed in pure sea-water, before being placed at the bottom of the Tank, which it may cover to a depth of two or three inches.

The *water*. If possible all sea-water for Aquaria should be procured during the winter months, as at this period it is freer from germs of life, both animal and vegetable, and absorbs a greater quantity of oxygen at the surface than at other times. If taken in the hot summer months when *Medusæ* and *Noctilucae* are floating about towards the surface, decomposition is often a result which may cause temporary inconvenience. If required for *immediate* use, it should be taken when the tide is coming in—a mile out in the open sea, in the morning if

THE MARINE AQUARIUM—Evaporation, &c.

possible, and care should be had that the vessel (such as a Bristol stone jar, or glass) in which it is conveyed is perfectly clean, and that even the cork is a new one. A bad cork has often spoiled a bottle of wine—much less has spoiled a bottle of sea-water! No sea-water should be taken along shore from such places as Liverpool, Rhyl, &c., where rivers flow and dilute the standard quality, but the preference should be given to Weymouth, Torquay, Tenby, &c. It should be of high specific gravity, so that one gets the largest amount of saline constituents for the smallest sum of money. The water should be kept securely corked in a cool dark place, and when wanted, carefully syphoned into the tank, so that no sediment which may exist may be introduced with it. By all means keep in reserve (according to the size of your Aquarium) two or three good-sized jars of pure sea-water. It will be found useful when specimens are received, and have to be temporarily accommodated before being finally located in your Tank. All Aquariists should have a store of sea-water under all circumstances—“Old store, no sore.”

The standard of the water must be maintained. Its specific gravity is about 1,026° at 60° Fahrenheit. Sea-water is less dense at a higher than a lower temperature. Evaporation goes on constantly, but this can be supplied by the introduction of distilled, or pump, or river water. I give the preference to distilled water, as it is freer from germs that may develop injuriously from river or pump water. The fresh-water should not be introduced too rapidly, but a little sea-water should first be taken out—a quart or so—and mixed with an equal quantity of fresh-water, and this should be gradually introduced and well agitated with the mass of water in the Aquarium

THE MARINE AQUARIUM—Evaporation, compensation, &c.

so as to uniformly dilute it. Any deviation in the standard may be observed by a hydrometer, or by two small glass balls (of different colours) acting in concert—one floating at top, and the other remaining at the bottom of the water—when their conditions will vary with the strength of the sea-water—or what is as good as anything by “rule of thumb” mark on the Tank the normal height of the water, which should be correct at introduction, and keep it to the standard as before stated.

There is as a rule more danger to be feared from sea-water becoming *too salt* by evaporation, than by the accidental introduction of *too much fresh-water*. In the former case you have a brine or pickle, in the latter a dilution that will in time right itself.

A large public Aquarium or a small one if there are corals, or echinoderms, or crustaceans, or fishes, may require to be occasionally supplied with carbonate of lime, to compensate the quantity abstracted from the water by animals of these classes—personally, however, I have never had occasion to use it.

If properly aërated, the stock of sea-water never need be changed; the greater part of that which is now in my Tank has been unchanged (except to compensate loss) for many years—probably seven or more.

In a private Aquarium there is a certain loss caused by the slopping over of the water, and by periodical cleansing and other causes, small but appreciable, which must be supplied from the stock-bottle. In other respects there is no loss—for you may almost entirely evaporate the fluid from a given quantity of sea-water, leaving scarcely anything but its saline constituents, and again return it to its normal state by the introduction of fresh-water.

THE MARINE AQUARIUM—Artificial sea-water.

If from any causes sea-water becomes putrid, exposure of it to the oxygenating effects of the atmosphere, in shallow vessels, and occasionally breaking the surface as previously directed, will soon restore it to its original condition.

I have found that if at the bottom of the Tank there is an accumulation of sedimentary matter it is a good plan to draw off several gallons of the water with a syphon (a few feet of $\frac{3}{4}$ -inch India-rubber tubing) from the bottom, and allow it to settle in separate vessels for a few hours, and then return it carefully to the Tank again. A glass dipping-tube about ten inches long by a quarter of an inch diameter is very useful for the removal of small decomposing substances.

Much has been said about artificial sea-water, but my experience is not very favourable to it—I found it crude and harsh in its effects on the anemones, they refused to expand, and shrank up and died. Should however anyone desire to make a trial of it I append Mr. Gosse's formula.* His experiments were highly successful, but this kind of water does not, so far as I know—except at Hanover and Berlin—appear to have been adopted in any public Aquarium, nor is it much favoured by amateurs, but my friend Mr. Wright Wilson reports very satisfactorily on it, and uses none other. I have been informed that if kept in a cool place for some months and the constituents allowed to blend well together, on exposure to the air the ordinary conferva found in a Marine Aquarium will develop in artificial sea-water. As the natural element can readily be obtained

* Common table salt	- - - -	3½ ounces	}	Avordupois.
Epsom salts	- - - -	¼ ounce		
Chloride of magnesium	- - - -	200 grains	}	Troy
Chloride of potassium	- - - -	40 grains		

to which must be added a little less than one gallon of distilled water, so that a specific gravity bubble 1,026° will just sink in it. "*The Aquarium*," p. 264.

THE MARINE AQUARIUM—Vegetation.

from the coast at a few pence per gallon, I prefer it, rather than incur risk and disappointment. Artificial sea-water, however, needs trial on a large scale in England.

The various accessories of the Aquarium being supplied, now comes the important question of *vegetation*.

My experience on this head has demonstrated that if the Tank is established in the *autumn*, and a few pieces of rock introduced on which are naturally growing fronds of the sea-lettuce (*Ulva latissima*), Spores will be given off the old plants, which finding a favourable nidus in the Mica, will develop in the early spring months into healthy and vigorous vegetation, and will continue until autumn again. As soon as the young plants exhibit signs of development the old ones must be removed. It is not possible to describe the beauty of this vegetation. Even without animals (if it could exist) it would be worth maintaining in an Aquarium. Of brilliant grass-green colour, and of the richest spring tinge, the young *Algæ* appear like broad short blades of young wheat plants, gently waving sometimes with the agitation of the sea-water, and seeming, when undisturbed, like a bank of lovely green moss. From this under the stimulus of the early morning sun during a brief period, globules of oxygen (like silver) rise to the surface, and disperse in myriads. It is a truly beautiful sight—one of the most interesting I have ever witnessed in connection with *Aquaria*. I have known fronds of between two and three inches in length develop in this way. Now, if fishes are maintained in the Tank this vegetation is highly serviceable as food for them. I have seen my fishes,—grey mullet and wrasse,—bobbing at the vegetation for half an hour together, and I have seen the blennies tugging at it,

THE MARINE AQUARIUM—Vegetation as food.

as a bird does at a worm when making its escape into the ground. There is another great advantage connected with this form of growth, it neither attacks the slate sides of the Tank, nor the glass, nor the shingle—their smooth surfaces probably presenting no nidus or resting place for the spores.

I believe it is here for the first time demonstrated, the great advantages arising from the introduction of *Ulva* loaded with spores at this particular time of the year, when the surfaces of the rockwork are absolutely free from any other form of vegetation, and where other plants are not present to lead to a “struggle for existence”—three most important points. Any difficulty likely to occur from excessive growth, and consequent decay of this form of vegetation in the autumn, may be removed by the annual cleansing hereafter referred to.

From the repeated success of the experiment, I do not doubt that other *Algæ*, both the *Chlorospermæ* and the *Rhodosperræ*, may be cultivated in a similar manner, if regard be had to the points I have urged, and to the proper adjustment of light. My object in growing the young *Ulva* was not what my friend Mr. Newman pleasantly calls “the crotchet of planting the Aquarium as a lettuce garden,” nor so much for purposes of aëration, but to afford a healthy vegetable diet for my fishes, and their growth and vigour are proofs of its successful effects on them. I feel very strongly on this point, and consider that no Aquarium can be complete without vegetation as a source of food for the inhabitants, irrespective altogether of its value as a means of aëration. If we consider the sea as a gigantic natural Aquarium of absolute perfection as to the balance of mutual relations, the water being the medium of preservation; life consists of three series—vege-

THE MARINE AQUARIUM—Ornamental vegetation.

tables, vegetable-feeders, and animal-feeders,—it is surely not too much to suppose that the elimination of any one of these series, if such an event *could* arise, would materially affect the balance of the whole. In the absence of proof to the contrary, we may not unfairly assume the same principles and the same results in reference to artificial Aquaria. Although, so far as I am aware, there are no statistics of the mortality of fishes in public Aquaria, I have been informed by Mr. Edwards—and it is a very important fact in illustration—that grey mullet have thriven successfully in a private Aquarium for upwards of eleven years, and this may probably be due to the circumstance that vegetation of some kind is always found in such an Aquarium, thus affording natural food for the inhabitants.

Mr. Gosse's remarks on the growth of sea-weeds in Aquaria (*The Aquarium*, page 276) should be perused by all interested in this question, as also a Paper by my friend Mr. A. W. Wills, in which the writer strongly advocates the introduction of sea-weeds into the Aquarium.*

If sea-weeds are simply required as an ornament in addition to the *Ulva latissima*, none are so hardy and beautiful as *Bryopsis plumosa* and *Griffithsia setacea*, and if introduced attached to stones they will flourish artificially for many months, without exhibiting any signs of decay.

While on the subject of vegetation, I do not maintain that the autumn is the *only* time of the year when a Tank may be established. It certainly can be set up at any time, but, so far as my experience has shown, if established at any other period and without

* "Shall we have vegetation in Aquaria?"—A Paper read before the Birmingham Natural History and Microscopical Society, by A. W. Wills, F.C.S., President, 1875.

THE MARINE AQUARIUM—Scavengers.

the introduction of fronds of *Ulva latissima*, an inferior form of vegetation is most frequently the result. The silky greenish-black filamentous confervæ (*Spirulina* and *Oscillatoria*) spring up with marvellous rapidity in hot months, covering rockwork, glass, and shingle, and proving most difficult intruders to dislodge. In fact they cannot be thoroughly exterminated without a regular scouring process, involving much time and trouble. Mr. Lloyd says that conferva, like fire, "is a good servant but a bad master." Its growth may be checked by the absence of light, and by rubbing the sides of the Tank, and the glass front, with a spade-shaped cleanser, covered with folds of lamp-cotton, such as that given at Fig. 8.

As to natural aids for removing excessive vegetation, I am not much inclined to them on account of their erratic character, but Mr. Lloyd speaks most highly of that important and effective vegetable scavenger *Haliotis tuberculata* (the Ormer), and states that no scrubbing is needed where it is, and where the light is not in great excess. Mr. G. Sherriff Tye, who has had much experience in the management of the Marine Aquarium, recommends *Trochus umbilicatus*, *Littorina littorea*, and *Patella vulgata* as good scavengers for a *small* Tank, and thrive well where *Haliotis* could not be kept by reason of its large size.

If the suggestions I have enumerated have been carried out as to the establishment of the Aquarium, the water in the Tank will be brilliant and sparkling,—clear as crystal,—very different from stagnant water, such for instance, as that which has been recently boiled and cooled, or which has been allowed to stand in a tumbler or water bottle for a day or two, in the absence of light and vegetation. It will have *life* in it, so to speak.

THE MARINE AQUARIUM—Introduction of inhabitants.

And now we come to the consideration of a very important question—the introduction of the *inhabitants* of the Aquarium, which should be done after there is an established growth of vegetation evolving oxygen.

It is not possible to give very specific directions on this point—so much depends upon the size, position, and healthy state of a Tank. As a rule, however, the higher the organisation of the animal, the larger the space required for its maintenance—for instance, half-a-dozen or a dozen anemones, according to size, may be maintained in space which would only accommodate four of the smaller crustaceans, such as shore crabs and prawns, or *one* fish not more than four or five inches in length. But what would apply to a low temperature in the winter months, would not hold good in weather when without much warning, tropical heat suddenly sets in. Regard must also be had to the locomotive or stationary habits of the animals introduced—vagrants are more difficult to maintain than settlers.

A brief acquaintance with the principles of Zoology—as before stated—will do more to aid the student in the management of an Aquarium and the association of the various inhabitants of the Tank than anything, and will familiarize him with the kinds of animals that may be associated together with advantage.

As to *feeding*. All marine animals require food to be given them and if this is not attended to, they will not survive long or thrive in the Aquarium, however well regulated it may be as respects the mutual balance of animal and vegetable life. A well-managed Aquarium, with the water unchanged, fosters the reproduction of minute marine life, such as *Infusoria*, *Entomostraca*, &c., upon

THE MARINE AQUARIUM—Feeding.

which all the inhabitants of a Tank will feed naturally, and some, such as tube-worms and pipe-fishes, exist solely on this nutriment. We do not know upon what the *Holothuriadæ* (sea-cucumbers), and other vermiform echinoderms feed, as sand is usually found in their stomachs. Such animals, however, as the sea-anemones, the star-fishes, the carnivorous mollusca, and most fishes require to be fed artificially. This may be performed not less than once, nor more than four times a week, according to the temperature, taking care that by a too abundant supply of food an excess of carbonic-acid gas is not given off by the animals, which excess is more likely to arise in the summer months.

For artificial food which should be varied, I recommend uncooked fresh fish, such as haddock, whiting, sole, or smelt—any fish in fact that contains but little oil or fatty matter. Oysters are good, but too expensive now-a-days. Give mussels but rarely, as they have an enervating tendency (if I may use such a term in reference to a radiate) and weaken the animals if eaten too frequently. Living and healthy shrimps form a most important article of diet for many fishes—such as the Wrasse—but they are difficult to procure inland. On an average twopence or threepence a week is quite sufficient to supply all the food that is necessary for an ordinary Aquarium, as a fragment can be cut off fish intended for one's dinner. All food should be freshly killed, and never given in a decomposing state. Butcher's meat, poultry, and cooked meat should be avoided. My friend Mr. S. Allport records a remarkable instance where he gave a piece of cooked fowl to a sea-anemone, which almost immediately died as from the effects of poison.

The food should be chopped into very small pieces, and one of the size of a No. 1 shot given with a pair of wooden forceps—which for

THE MARINE AQUARIUM—Effects after feeding—Cleansing.

convenience of handling may be smaller than those at Fig. 7—to an anemone, which when expanded is about the size of a silver threepenny piece, and so in proportion. Fish, crustaceans, star-fishes, etc., may have larger pieces in proportion to their size, but it is better that they should be small.

It is curious to observe in the lowly organised order of sea-anemones a certain amount of instinct or sympathetic intelligence. When one is fed, the others in an Aquarium, although closed at the time, will soon expand in anticipation of their morsel. Crustaceans and many fishes will, when domiciliated, readily come and take food from the hand, and I once had a tame mollusk, the dog-whelk, (*Nassa reticulata*) which exhibited this intelligence, and always appeared with his long cylindrical proboscis carried aloft and waving to and fro whenever there was any feeding going on.

It sometimes happens that the water in an Aquarium indicates by a milky appearance or slight smell that some unusual amount of decomposition is going on, frequently caused by supplying food to the animals. In such cases I have found that a small quantity of Condyl's fluid largely diluted at once restores the water to its former brilliancy and purity by oxidation of the impurities. This remedy requires to be used with great caution, as an excessive supply is detrimental to the *vegetation*.

After feeding the good old proverb suggests *rest*—and I have but little more with which to trouble my hearers about the management of the Marine Aquarium.

One thing I must mention—and it is an operation perhaps, a little troublesome, involving time and patience—*cleansing*. Once in the

THE MARINE AQUARIUM—Cleansing—Incrustation, &c.

year, in late autumn, the Aquarium should be dismantled, except of course the rockwork—its living contents carefully provided for in vessels (temporarily), and the whole thing—slate, glass, rockwork, and shingle, thoroughly scrubbed with a brush, and rinsed again and again with fresh-water, before the sea-water is returned to the Tank. It is rather a tiresome process, but the stimulus to the increased health of its inhabitants will be an ample repayment of the trouble—besides fresh vegetation succeeds better when the decayed remains of a previous year's growth have been removed, and the surface of the rockwork presents a more favourable nidus for the attachment of the spores from newly introduced plants.

A sponge dipped in fresh-water and passed now and then over the water line on the glass in the Tank, will prevent the incrustation of saline particles, etc., difficult to dislodge if left for a time. Persistently adherent vegetation may be removed by the application of dilute sulphuric acid,—taking care that it is applied carefully, and the rockwork or glass well washed afterwards.

Mr. Gosse once told me a good story of an elderly lady acquaintance of his who had a Marine Aquarium, and whose views of cleanliness in its management carried her so far as to call forth the remark that “there is nothing for it but soap and water once a week!” Mr. Lloyd informs me that “so carefully balanced are the light, temperature, and air, in relation to the vegetation, animals, and water,” that the Tanks in the Crystal Palace Aquarium do not require to be cleansed; that the supply of oxygen by artificial means is in fact, so great,—to use Liebig's famous expression “*eremacausis*,”—as to *burn up* all decomposing matter, and I am aware that some

THE MARINE AQUARIUM—The writer's collection.

Aquariists do not attempt the operation of cleansing in private Tanks, but my own experience is decidedly in favour of its being done as I have suggested, once a year in the late autumn.

Here is a Schedule of the present contents of my own Tank holding about twelve gallons of sea-water :—

- 3 *Mugil capito* (Grey Mullet) 4 or 5 inches long.
- 3 *Crenilabrus rupestris* (the Goldsinny), about the same size.
- 1 *Blennius pholis* (Smooth Blenny).
- 1 „ *Montagui* (Montagu's Blenny).
- 2 *Palæmon serratus* (Common Prawn) ; and,
- 5 species (numbering 8 individuals) of Anemones.

Here is another Schedule from a glass Aquarium—a confectioner's cake glass, which I have previously described—holding between one and two gallons of water :—

- 2 *Syngnathus lumbriciformis* (Worm-pipe fish).
- 1 *Murænoides guttata* (Butter fish).
- 1 *Lepidogaster bimaculatus* (Two-spotted Sucker).
- 3 *Echinus miliaris* (Sea Urchin).
- 1 *Asterina gibbosa* (Starlet).

A mass of tube-worms (*Serpulæ*), numbering ten or a dozen.

Several tunicates, and 5 species (numbering 7 individuals) of Anemones. Microscopic life of all kinds is found, but of course I omit this. All the fishes in this Aquarium, it should be observed, are very small.

It is not too much to say that all these animals are maintained in as good health as it is possible to obtain within the limits of Aquaria of small size. Some of the radiates have been in my possession

THE MARINE AQUARIUM—Public Aquaria—The fish-house.

for years—two of them (*Tealia crassicornis* and *Anthea cereus*) are well known to Aquariists to be most difficult or almost impracticable to keep in health in a private tank. Some of the fishes (which include seven species) have been in captivity for eighteen months, and none less than four months, and they have grown appreciably. The blennies travelled by post from Cornwall last March in a tin box, packed with damp seaweed, and they have grown considerably since that time.

It must be always remembered by the Aquariist that it is not sufficient to keep his collection of animals in bare existence. *It would be cruel to do so.* They should present as nearly as possible the healthy appearance which they bear in their natural free state, possessing appetites to take the food offered to them, and performing the functions of reproduction—they will then be in a condition to be exhibited by the Aquariist with that satisfaction with which a horticulturist would show the treasures of a greenhouse, or the produce of a garden on which he has lavished care and attention.

It does not fall within the scope of the present Paper to discuss the construction of public Aquaria; besides, the subject has since the reading been carefully gone into by a Committee appointed by the Society.* The principles, however—before stated—which govern them and the management to which they are subject are of necessity the same, with few modifications, as those which apply to any Aquarium

All honour to the Zoological Society of London, and to Mr. D. W. Mitchell, the late Secretary, and to Mr. E. W. H. Holdsworth for

* Report of a Committee appointed by The Birmingham Natural History and Microscopical Society to obtain information respecting the subject of a Marine Aquarium, with the view of promoting an efficient Institution of the kind in Birmingham. 1874.

THE MARINE AQUARIUM—The Hamburg Aquarium, &c.

the establishment of “The Fish-house” or Aquarium in the Zoological Gardens in the year 1853, which was the first public Aquarium ever erected, and which still flourishes in nearly its original condition. Sufficient prominence as an independent institution, which it richly deserves, has however scarcely been given to this Aquarium. Its influence has, nevertheless, been very great, but it cannot, I think, be doubted that the remarkable biological and financial success that has attended the career of the Marine Aquarium in the Zoological Gardens at Hamburg, has mainly directed public attention to the important subject of Aquaria generally, and has stimulated commercial enterprise in establishing most if not all the public Aquaria that have been erected since. “The Hamburg Aquarium was opened in 1864, “and had the immense advantage of the early popularity of the recently established gardens in which it is situated, and the still greater “one of being under the management of Mr. W. A. Lloyd, whose zeal “and self-sacrifice reduced the total current expenditure to £600 per “annum on a capital of £3,000. As a consequence, *capital and “profits balanced each other in six years.*”* The Directors of the Crystal Palace Company revived the example in England, and their Institution has, under Mr. Lloyd’s superintendence, achieved extraordinary success. The Brighton Aquarium followed; and the munificent scale upon which it was projected, and the popularity it has enjoyed, are signs of its permanency. Marine Aquaria of importance have been opened at Manchester and Southport, and other are, I rejoice to hear, projected at Liverpool, Edinburgh, Glasgow, Dublin, Kingstown, Torquay, Plymouth, Hastings, and Scarborough, as well as in our own

* Report of a Committee, &c. (previously referred to), page 9.

THE MARINE AQUARIUM—Brighton & Crystal Palace Aquaria.

good Town; and I venture to look forward hopefully to the time when every large town in England will have its Marine and fresh-water Aquarium open to the mass of the people at a nominal charge.

It may be interesting to state, for the information of those who have not studied the question, that the Aquaria at Brighton and the Crystal Palace typify two entirely distinct systems.

At Brighton there is no means of circulating the water from tank to tank, and the water in the reservoir is small as compared with what is in the show tanks containing the animals. The water can, however, be renewed from the sea; but, in consequence of the supply-pipe being near the shore, sand and other detritus are mixed with the water, which requires some time to become clear. Aëration is effected by pumping air into the tanks through vulcanite pipes of *large* diameter, and purification is assisted by the presence of oysters and other mollusks in the tanks, as first suggested by Mr. Gosse.

In the Crystal Palace system there is a large reservoir four or five times the capacity of the show and store tanks, and by means of gravitation, and by force-pumps in duplicate to meet cases of accident, a perpetual circulation is effected. This is carried out by means of a pipe extending over the tops of the tanks, from which, under pressure of the force-pumps, a *small* jet of water, the pressure of which can be varied, is directed into each tank; and the jet of water in passing to the bottom of the tank carries with it innumerable small bubbles of air, so minute as to have the appearance of "falling sand" in the water, or dense steam seen in the air, and thus every portion of the tank is submitted to the most perfect oxidation. The result is that the water is always brilliantly clear,

THE MARINE AQUARIUM—The Naples Aquarium.

and the animals in the Aquarium enjoy health in as great a measure as can be obtained within the limits of this kind of artificial existence.

In the writer's judgment—without at all undervaluing the usefulness of the noble Institution at Brighton*—the circulating or “natural” system, as in operation at the Crystal Palace, appears to him to be immeasurably the most effective, and only lacks the complement of an indigenous growth of sea-weeds, not merely as an adjunct to aëration, but especially as a means of supplying some of the natural vegetable food for the animals (which under present circumstances they do not obtain), to make the system as near perfection as our present knowledge of these matters enable us to form a conclusion as to what is perfection in the management of the Aquarium. To put it plainer:—if the circulating system were in operation at Brighton, judging from the success of the Crystal Palace system, at least three times the number of animals might be maintained at Brighton as compared with the number now in the tanks.

But far above all other public Aquaria in the world in scientific importance, the highest rank must be assigned to the Marine Aquarium at Naples, and all Biologists owe a deep debt of gratitude to Dr. Anton Dohrn, the eminent founder, to whose ability, energy, and fortune its success is attributable. Constructed principally on the “natural” system as in operation at the Crystal Palace with some recent modifications to prevent loss of eggs and embryos by the passage of the water from one tank to another, the Aquarium from its proximity

* See an interesting Paper entitled “The Brighton Aquarium,” by W. Saville Kent, F.L.S., in *Nature*, vol. viii. No. 208, 1873.

THE MARINE AQUARIUM—Sanitary Science.

to the Mediterranean sea, exhibits a semi-tropical fauna, wonderful and beautiful; and to us dwelling in colder temperatures, perfectly unfamiliar. Not, however, is the Aquarium unique as a mere spectacle or public recreation, which it most certainly is of the highest eminence, but specially so as a scientific institution. *La Stazione Zoologica* in connection with the Aquarium, to which is attached a laboratory of twelve tables and a valuable library in many languages, where accomplished Naturalists from all parts of the world—under most liberal arrangements of the management—have facilities for pursuing the most abstruse studies into the structure, embryogeny, and development of marine invertebrate life.* May the noble example set by Dr. Dohrn find many imitators!

In these days when Sanitary Science deservedly occupies so large a share of public attention, and promises to influence the future condition of the people, the Sanitarian may take a lesson from the Marine Aquarium, for the principles which govern it—the mutual dependence of animal and vegetable life—are the principles which govern our existence: they are continually in operation within us and around us. The keeper of an Aquarium cannot be otherwise than a sanitarian, and to a certain extent a physiologist; for if he is to manage his Aquarium efficiently, he is bound to notice most particularly the elementary principles of Sanitary Science—namely, that the animals he has undertaken to maintain in an artificial state of existence can only be so maintained by preserving them in a cleanly habitation of sufficient cubic space, and by supplying them with pure

* See an interesting account of the Marine Aquarium at Naples, by Professor E. Ray Lankester, in *The Athenæum*, 9th May, 1874.

THE MARINE AQUARIUM—Apologetic.

air, pure water, pure and varied food, by maintaining as far as possible an uniform degree of temperature. The Aquarist will carry these principles into the management of his own dwelling, and they will influence his conduct whenever he is called upon to discharge analogous duties for the benefit of the community.

Before concluding the subject, I feel bound to say, with reference to the management of the Marine Aquarium, that the points whereon I have imperfectly touched, are simply stated as the results of my own experience, and that I do not consider the conclusions arrived at, in any way dogmatical or final. We cannot too strongly bear in mind the quotation from Lord Macaulay which a former President* gave some time ago:—"It is philosophy which never rests, which has never attained, which is never perfect. Its law is progress. A point which yesterday was invisible, is its goal to-day, and will be its starting point to-morrow." This aphorism eminently applies to the Marine Aquarium, as to every other branch of Natural History, and I shall feel much obliged to the Members of this Society, and to anyone who will kindly take the trouble to give me the benefit of his or her experience in the management of the Aquarium, and point out wherein I am wrong, and how I may improve. It may be probable that my experiments have been conducted on too small a scale, and that greater results would have been obtained, had larger resources been at my disposal. This I freely admit—with the reservation however, that I have been satisfied so far, and have not desired to incur further responsibilities. *Finis coronat opus.*

* S. Allport, F.G.S. "President's Address," Birmingham Natural History and Microscopical Society, 1869.

THE MARINE AQUARIUM—Æsthetics and Economics.

My system—if I may venture without egotism to call it such—has been reduced to such automaton-like accuracy that whenever I have left home for a fortnight or three weeks in the autumn (generally a precarious time for the Aquarium on account of the variability of the temperature), I have been quite content to leave my Aquaria in charge of one of my boys (under twelve years), or in that of an intelligent domestic to whom I have just given a few plain instructions, and I never remember to have returned and been disappointed at finding that an accident had happened to the contents ;—on the contrary, all has invariably gone well.

Wherever in this Paper I have differed from those whose judgment I value, I have expressed my own convictions, and I have stated the reasons on which they are based. I trust my friends will concede to me that freedom of opinion which they claim for themselves.

My Paper would perhaps be incomplete without some reference to the Marine Aquarium æsthetically and economically considered. A good Aquarium is an untiring and ever pleasing object of interest and study both to oneself and friends. Unlike a green-house or garden, its treasures are always the same—the animal flowers are ever blooming—and the graceful motions of the crustaceans and fishes may be watched for hours together. When supplemented by a Microscope a new and inexhaustible field of observation and enquiry opens up to the mind—because in a healthy Aquarium microscopic forms of life are constantly being developed from germs in the water, and many of the higher forms of marine life may be examined *in situ*. And what may be said of a private Aquarium, may be said of public Aquaria with far greater force. It cannot be doubted that a public Aquarium suc-

THE MARINE AQUARIUM—Proposed Birmingham Aquarium.

cessfully managed is one of the greatest triumphs of science that has ever been applied to the furtherance of the study of Natural History. When one looks back over the history of the Aquarium and remembers its introduction as a fashionable amusement twenty or more years ago, when the genial artist John Leech satirised it in *Punch*, among the follies of the day, our times indeed have changed, now that *Nature*, the most influential of scientific serials, records the additions to the Brighton Aquarium as regularly as the *Morning Post* chronicles the movements of Society. No one who ever sees that wonderful collection, or the smaller, but (to me as a Naturalist) still more unique and beautiful one at the Crystal Palace, but comes away with his mind exalted by the contemplation of beings his remotest fancy never could have pictured in their living state ; confined it is true, but free and active as in “the depths of the sea.” To those who have not seen either, I say visit *both*. You will come away and wish you had such a collection in our good Town—and wishing may lead to action, and to helping on our movement to establish one.

I have elsewhere* expressed my opinion that a Marine Aquarium, if constructed properly and managed efficiently, would be most acceptable to Birmingham, and most appropriate, because this was the adopted town of the great Priestley, the discoverer of the principles that govern the Aquarium. It seems to me—and I know others whose judgment I value share my opinion—that no greater attraction or means of intellectual recreation for the working classes and our neighbours in the mining districts could be devised—because it would be so utterly different from any other exhibition now existing, and so

* *Nature*, Vol. IX, page 254. January, 1874.

THE MARINE AQUARIUM—Its influence and value.

suitable as a relief and mental refreshment for those in crowded courts to whom the *sea* is but a name ! It is of no use denying the fact that “the Sea and its living wonders” have irresistible fascinations for us who live far away from them.

The Marine Aquarium appeals to the two extremes of society ; to the unlettered—who look with wonder and curiosity on strangeness of form, and beauty of colour—and to the cultivated, who from a higher point regard with profound interest, details of structure and affinities and analogies with beings of other worlds and times besides our own. The Marine Aquarium is at once a living museum—a beautiful picture—a choice library ! No cabinet collection of dried specimens can bring to view such instances, among a thousand others, as the graceful progress of the *Pleuronectidæ* (the flat fishes) or the weird form and muscular contractions of the cuttle-fish ! No picture ever painted, can rival in colour the markings of the Wrasse, or the “living fire” (as Mr. Newman aptly terms it) of the eyes of the gemmeous Dragonet ! No library on Zoology can give the Student a clear idea of the denizens of the deep from mere description, as can the contemplation of the actual living beings themselves. Doubtless as a utilitarian agency for the solution of undetermined points in Biology, the Aquarium is still in its infancy, though I cannot help thinking, that if the successful cultivation of some marine plants were combined with it, as I have shown it can be, even in a small Aquarium, it will be of immense value by supplying its inhabitants with vegetable food (which under present circumstances they do not obtain,) they may breed freely in confinement, and we may in some measure help to arrive at a solution of such problems, as how

THE MARINE AQUARIUM—Conclusion.

to secure the proper development and render available those almost innumerable germs of food supply, that are produced by sea fishes in general. For instance, the Turbot produces about fourteen millions of eggs annually, of which not one perhaps in ten thousand reaches maturity, nor one in a million finds its way to our tables! Our knowledge of the laws governing the movements—appearance and disappearance in certain localities—of the Herring and other fishes, their spawning and time of development, is still obscure, and if we had light upon this subject, thousands of tons of valuable food would be available for us of a most nutritious and palatable character. I cannot consider these enquiries visionary or the results obtained from them unprofitable, when I remember that within the last few years judicious legislation, the result of accurate knowledge obtained by these researches, has so developed the Salmon fishery, that in place of this fish being only obtainable by the few and wealthy, it is now every season so cheap and abundant as to be found on the table of the artizan. But this is not our present question, the Marine Aquarium as a public Institution is established for purposes of amusement and instruction. As mankind becomes more highly educated, higher intellectual recreation will not be a luxury but a necessity, and as such the public Aquarium eminently ranks in our days. May the time arrive when the proposed Marine Aquarium for Birmingham shall become an established fact, and that it may be on such a scale as to rival or even surpass those of other cities, either English or Continental, which already possess such a treasure is the very earnest wish of mine, shared, I believe, by most of the Members of this Society.

A VASCULUM FOR TRANSMITTING MARINE ANIMALS.

P O S T S C R I P T .

VASCULUM FOR COLLECTING MARINE ANIMALS.

In the *Zoologist* for 1864, page 9,340, I described a newly devised *Vasculum* which I had in use for the collection and transmission of living marine animals from the coast. Since that time my friend, Mr. W. P. Marshall, has been good enough to take the subject in hand, and has much improved upon the original design, which after long experience was found to be somewhat too heavy, and otherwise objectionable in consequence of the chipping off of the enamel with which the *Vasculum* was coated. I think it not inappropriate to append a description of this *Vasculum*—as kindly supplied by Mr. Marshall—to the foregoing paper, as it may be exceedingly useful for those who collect personally, or who require their specimens to be forwarded direct from the sea coast. It may not be generally known that most marine animals do better when packed in damp sea-weed than when transmitted in sea-water. All the sea-anemones and corals, all the echinoderms, many crustaceans, and several littoral species of fishes may be packed in this way. Mr. Lloyd, in a very interesting Paper in the *Zoologist* for February, 1874, gave an elaborate account of the best modes of transmission of Aquarium animals, which may be read with advantage by all Aquarists.

The following is Mr. Marshall's description :—"Vasculum or collecting-can for aquatic objects, of light construction, convenient for carrying, compact when open for use, quite plain and smooth, and free from any recesses in which small objects might be lost, or dirt accumulated, and readily made clean and dry after using.

A VASCULUM FOR TRANSMITTING MARINE ANIMALS.

“It consists of a square metal can (Fig. 9) with rounded corners, 6
“in. long, $4\frac{1}{2}$ in. wide, and 6 in. high, with a flat lid having a perfora-
“ted centre for ventilation; the lid is without any lip or fastening,
“and has a projecting hinge that allows it to hang close against the side
“of the can when open; and the can has a square shaped wire handle
“that falls down close to either side, and has a wood handle threaded
“upon the centre portion, the same length as the can.

“The bottom half of the can forms a well for carrying living
“animal and vegetable objects in water, and the upper half is occupied
“by a metal tray 3 in. deep, (Fig. 10) that fits the can loosely, and is
“supported at each end by a narrow lip resting upon the top edge of
“the can. This tray has a perforated bottom for drainage, and a vertical
“tube $\frac{3}{4}$ in. diameter is fixed in the centre, having a funnel shaped top
“ $1\frac{1}{2}$ in. in diameter level with the top of the can; this gives access to
“the well whilst the tray is in its place, and also serves as a ventilator
“for the well, and a handle for lifting the tray.” Animals not requiring
to be transmitted in sea-water may be packed in damp sea-weed and
placed on this tray, where they are kept from being crushed, and the
medium in which they are packed is constantly preserved moist, by
the dashing up of the sea-water in the well, which water can be fre-
quently changed during a long journey without much difficulty.

The Vasculum has been very efficiently and economically made of
copper by Mr. T. M. Walker, 17 $\frac{1}{2}$ Lower Priory, and the Plating
Company (Limited), 82 Lichfield Street, Birmingham, have success-
fully coated it with their patent nickel deposit, which protects the
metal from any action of sea water, and preserves every part perfectly
bright and clear as silver—an immense advantage, as many delicate

A LIST OF COLLECTORS, &c. OF MARINE ANIMALS.

marine animals succumb under the effects of confinement where oxidation is going on from water coming in contact with iron, tin, zinc, or indeed with any metal, so far as my experience goes,—except nickel, which seems to be absolutely impervious to the action of sea water.

LIST OF COLLECTORS, &c. OF MARINE ANIMALS.

As I have been frequently asked by friends and others, where and from whom they can obtain marine animals, I have thought it desirable to furnish the names of collectors of, and dealers in such animals.

If marine animals are wanted, it is best to order them in the late autumn or early spring months, because on account of the low tides prevailing, rarer and finer animals can be secured, and they will bear travelling far better when the temperature is low.

The following names of Collectors are principally taken from Mr. Lloyd's Handbook, referred to in my Paper.

- Mr. E. Edwards, Vrondeg, Upton Park, Chester.
- „ J. Holwell, Morthoe, Ilfracombe.
- „ W. Jenkins, 2, St. Julian's Cottages, Tenby.
- „ R. Pile, Swan Street, Torquay.
- „ J. B. Randell, 19, Allez Street, Guernsey.
- „ C. Rogers, 18, St. Andrew Street, Plymouth.
- „ A. J. R. Sclater, Bank Street, Teignmouth.
- „ R. J. Smith, 25, St. Alban's Row, Weymouth.
- „ J. Thompson, 11, York Place, Southend, Essex.

Birmingham,

March, 1875.

Fig 1

Fig 2

Fig 3

Fig 5

Fig 6

Fig 4

Fig 7

Fig 8

Fig 9

Fig 10

JANUARY 1879.

CATALOGUE OF BOOKS

PUBLISHED BY

MR. VAN VOORST.

MAMMALS.

A HISTORY OF BRITISH QUADRUPEDS; including the Cetacea. By THOMAS BELL, F.R.S. &c. Second Edition, revised and partly rewritten by the Author, assisted by R. F. TOMES and E. R. ALSTON. 8vo, illustrated by 160 Woodcuts, £1 6s.

NATURAL HISTORY OF THE SPERM WHALE, and a Sketch of a South-Sea Whaling Voyage. By THOMAS BEALE. Post 8vo, 12s.

HISTORY AND DESCRIPTION OF THE SKELETON OF A SPERM WHALE in the Australian Museum. By W. S. WALL, Curator; together with some Account of a Genus of Sperm Whales, called *Euphysetes*. 2 Plates. 8vo, 5s.

HOUSE-DOGS AND SPORTING-DOGS: their Varieties, Points Management, Training, Breeding, Rearing, and Diseases. By JOHN MEYRICK Fcp. 8vo, 3s. 6d.

A GUIDE TO THE QUADRUPEDS AND REPTILES OF EUROPE, with Descriptions of all the Species. By Lord CLERMONT. Pos 8vo, 7s.

BIRDS.

A HISTORY OF BRITISH BIRDS. By the late WILLIAM YARRELL. Fourth Edition, revised and enlarged by Professor NEWTON, M.A., F.R.S., &c. Volume I. 8vo, cloth, containing 111 Illustrations of Species and numerous other Engravings, £1 1s. To be continued in Parts at 2s. 6d. each. The Supplements to the First and Second Editions are still to be had.

COLOURED ILLUSTRATIONS OF THE EGGS OF BRITISH BIRDS, with Descriptions of their Nests and Nidification. By WILLIAM C. HEWITSON. Third Edition, 2 Vols. 8vo, £4 14s. 6d.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

A HANDBOOK OF BRITISH BIRDS. Showing the Distribution of the Resident and Migratory Birds in the British Islands, with an Index to the Records of the Rarer Species. By J. E. HARTING, F.L.S. &c. 8vo, 7s. 6d.

ORNITHOLOGICAL SYNONYMS. By the late HUGH EDWIN STRICKLAND, M.A., F.R.S., &c. Edited by Mrs. HUGH EDWIN STRICKLAND and Sir WILLIAM JARDINE, Bart., F.R.S.E. &c. 8vo. Vol. I., containing the Order ACCIPITRES, 12s. 6d.

MONTAGU'S DICTIONARY OF BRITISH BIRDS. Edited by EDWARD NEWMAN, F.L.S., F.Z.S., &c. 8vo, 12s.

THE BIRDS OF EGYPT. By G. ERNEST SHELLEY, F.Z.S., F.R.G.S., &c., late Captain Grenadier Guards. Royal 8vo, with 14 Coloured Plates, £1 11s. 6d.

THE BIRDS OF NORFOLK. By HENRY STEVENSON, F.L.S. Vols. I. & II., 8vo, each 10s. 6d.; Vol. III. will complete the Work.

ORNITHOLOGICAL RAMBLES IN SUSSEX, with a Catalogue of the Birds of that County, and Remarks on their Local Distribution. By A. E. KNOX, M.A., F.L.S., F.Z.S. Third Edition, post 8vo, 7s. 6d.

THE BIRDS OF MIDDLESEX. A contribution to the Natural History of the County. By J. E. HARTING, F.L.S., F.Z.S. Post 8vo, 7s. 6d.

THE BIRDS OF THE HUMBER DISTRICT. By JOHN CORDEAUX, of Great Cotes, Ulceby. Post 8vo, 6s.

NOTES ON THE BIRDS OF DAMARA LAND AND THE ADJACENT COUNTRIES OF SOUTH-WEST AFRICA. By the late CHARLES JOHN ANDERSSON. Arranged and edited by JOHN HENRY GURNEY; with Additional Notes by the Editor. 8vo, 10s. 6d.

THE BIRDS OF SOMERSETSHIRE. By CECIL SMITH, of Lydeard House, near Taunton. Post 8vo, 7s. 6d.

THE BIRDS OF JAMAICA. By P. H. GOSSE, F.R.S. Post 8vo, 10s.

GEOGRAPHICAL AND COMPARATIVE LIST OF THE BIRDS OF EUROPE AND NORTH AMERICA. By CHARLES LUCIEN BONAPARTE, Prince of Musignano. 8vo, 5s.

A DESCRIPTIVE CATALOGUE OF THE RAPTORIAL BIRDS IN THE NORFOLK AND NORWICH MUSEUM. By JOHN HENRY GURNEY. Part 1, imperial 8vo, 5s.

FALCONER'S FAVOURITES. By W. BRODRICK. A series of Life-sized Coloured Portraits of all the British species of Falcons at present used in Falconry. Large folio, cloth, £2 2s.

FALCONRY IN THE BRITISH ISLES. By Messrs. SALVIN and BRODRICK. Second Edition, with New Plates and Additions. Imperial 8vo, £2 2s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

FALCONRY IN THE VALLEY OF THE INDUS. By R. F. BURTON. Post 8vo, with 4 Illustrations, 6s.

OOTHECA WOLLEYANA: an Illustrated Catalogue of the Collection of Birds' Eggs formed by the late JOHN WOLLEY, Jun., M.A., F.Z.S. Edited from the original Notes by ALFRED NEWTON, M.A., F.L.S., &c. Part 1, ACCIPITRES. Royal 8vo, £1 11s. 6d.

SYSTEMATIC CATALOGUE OF THE EGGS OF BRITISH BIRDS, arranged with a view to supersede the use of Labels for Eggs. By the Rev. S. C. MALAN, M.A., M.A.S. On writing-paper, 8vo, 8s. 6d.

THE ORNITHOLOGY OF SHAKESPEARE, Critically Examined, Explained, and Illustrated. By J. E. HARTING, F.L.S., F.Z.S. 8vo, 12s. 6d.

MEMOIRS ON THE EXTINCT WINGLESS BIRDS OF NEW ZEALAND. With an Appendix on those of England, Australia, Newfoundland, Mauritius, and Rodriguez. By RICHARD OWEN, C.B., F.R.S., &c. 2 Vols. (Vol. I. text, Vol. II. plates), royal 4to, boards, £6 6s.

THE DODO AND ITS KINDRED; or, the History, Affinities, and Osteology of the Dodo, Solitaire, and other Extinct Birds of the Islands Mauritius, Rodriguez, and Bourbon. By H. E. STRICKLAND, M.A., F.G.S., F.R.G.S., and R. G. MELVILLE, M.D. Edin., M.R.C.S. Royal 4to, with 18 Plates and other Illustrations, £1 1s.

HINTS ON SHORE-SHOOTING, including a Chapter on Skinning and Preserving Birds. By J. E. HARTING, F.L.S., F.Z.S. Post 8vo, 3s. 6d.

A LIST OF BRITISH BIRDS. The Genera arranged according to Sundevall's Method. The Nomenclature revised by HENRY THORNTON WHARTON, M.A., M.R.C.S., &c. Post 8vo, sewed, 6d.

THE IBIS, a Quarterly Journal of Ornithology. Edited by OSBERT SALVIN, M.A., F.R.S., &c., and PHILIP LUTLEY SCLATER, M.A., F.R.S., &c. Annual Prepaid Subscription, £1 1s. Single Numbers, 6s. each.

BULLETIN OF THE NUTTALL ORNITHOLOGICAL CLUB (Cambridge, Mass. U.S.). A Quarterly Journal of Ornithology. Edited by J. A. ALLEN, S. F. BAIRD, and ELLIOTT COUES. Prepaid Subscription, 12s. per annum.

REPTILES.

HISTORY OF BRITISH REPTILES. By THOMAS BELL, F.R.S., President of the Linnean Society, V.P.Z.S., &c., Professor of Zoology in King's College, London. Second Edition, with 50 Illustrations, 12s.

THE REPTILES OF EUROPE. By Lord CLERMONT. See page 1, *Mammals*.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

FISHES.

YARRELL'S HISTORY OF BRITISH FISHES. Third Edition, with Figures and Descriptions of the additional Species by Sir JOHN RICHARDSON, C.B., and with a Portrait and Memoir. 2 Vols. 8vo, 522 Illustrations, £3 3s.—The First and Second Supplements, containing the additional Species, with the Portrait and Memoir, are sold separately, for the convenience of purchasers of the earlier Editions. First Supplement, 8vo, 7s. 6d.; Second Supplement, 8vo, 5s.

GROWTH OF THE SALMON IN FRESH WATER. By WILLIAM YARRELL, F.R.S. &c. With Six Coloured Illustrations of the Fish of the natural size, exhibiting its structure and exact appearance at various stages during the first two years. 12s., sewed.

THE FISHES OF ZANZIBAR. By Lieut.-Colonel R. LAMBERT PLAYFAIR, Her Majesty's Political Agent and Consul at Zanzibar, and ALBERT C. L. G. GÜNTHER, M.A., Ph.D., M.D. With 21 Plates (16 of them Coloured), containing 67 Figures of the Fishes. Royal 4to, cloth, £3 3s.

PRODUCTION AND MANAGEMENT OF FISH IN FRESH WATERS, by Artificial Spawning, Breeding, and Rearing. By GOTTLIEB BOCCIUS. 8vo, 5s.

HERALDRY OF FISH. By THOMAS MOULE. Nearly 600 families are noticed in this work, and besides the several descriptions of fish, fishing-nets, and boats, are included also mermaids, tritons, and shell-fish. Nearly 70 ancient seals are described, and upwards of 20 subjects in stained glass. The engravings, 205 in number, are from stained glass, tombs, sculpture and carving, medals and coins, rolls of arms, and pedigrees. 8vo, 21s.; a few on large paper (royal 8vo) for colouring, £2 2s.

AN ANGLER'S RAMBLES. By EDWARD JESSE, F.L.S., Author of 'Gleanings in Natural History.' Contents:—Thames Fishing—Trolling in Staffordshire—Perch Fishing Club—Two Days' Fly-fishing on the Test—Luckford Fishing Club—Grayling Fishing—A Visit to Oxford—The Country Clergyman. Post 8vo, 10s. 6d.

FLY-FISHING IN SALT AND FRESH WATER. With 6 Coloured Plates, representing Artificial Flies, &c. 8vo, 7s. 6d.

MOLLUSCA.

HISTORY OF BRITISH MOLLUSCA AND THEIR SHELLS. By Professor EDWARD FORBES, F.R.S. &c., and SYLVANUS HANLEY, B.A., F.L.S. Illustrated by a figure of each known Animal and of all the Shells, engraved on 203 copper-plates. 4 Vols. 8vo, £6 10s.; royal 8vo, with the Plates Coloured, £13.

BRITISH CONCHOLOGY; or, an Account of the Mollusca which now inhabit the British Isles and the surrounding Seas; with particulars of their habits and distribution. By J. GWYN JEFFREYS, F.R.S., F.G.S. Vols. I. to IV., post 8vo, 12s. each. Vol. V., containing Coloured Figures of all the Species, £2 17s., or Plain, £1 12s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

GENERA OF RECENT MOLLUSCA, arranged according to their Organization. By HENRY and ARTHUR ADAMS. This work contains a description, and a figure, engraved on steel, of each genus, and an enumeration of all the species. 3 Vols. 8vo, £4 10s.; or royal 8vo, with the Plates Coloured, £9.

THESAURUS CONCHYLIIORUM, or Figures and Descriptions of Recent Shells. Edited and Illustrated by G. B. SOWERBY, F.L.S. Parts 1 to 32, imperial 8vo, £1 5s. each.

SYNOPSIS OF THE MOLLUSCA OF GREAT BRITAIN. Arranged according to their Natural Affinities and Anatomical Structure. By W. A. LEACH, M.D., F.R.S., &c. &c. Post 8vo, with 13 Plates, 14s.

A HISTORY OF THE OYSTER AND THE OYSTER FISHERIES. By T. C. EYTON, F.L.S., F.Z.S., &c. 8vo, with 6 Plates, 5s.

RAMBLES IN SEARCH OF SHELLS, LAND AND FRESH-WATER. By JAMES EDMUND HARTING, F.L.S., F.Z.S., &c. Post 8vo, cloth, with Coloured Illustrations, 7s. 6d.

HISTORY OF THE BRITISH MARINE TESTACEOUS MOLLUSCA. By WILLIAM CLARK. 8vo, 15s.

MALACOLOGIA MONENSIS. A Catalogue of the Mollusca inhabiting the Isle of Man and the neighbouring Sea. By EDWARD FORBES. Post 8vo, 3s.: Edinburgh, 1838.

INTRODUCTION TO CONCHOLOGY; or, Elements of the Natural History of Molluscos Animals. By GEORGE JOHNSTON, M.D., LL.D., F.R.C.S.E., Author of 'A History of the British Zoophytes.' 8vo, 102 Illustrations, 21s.

CRUSTACEA, ZOOPHYTES, &c.

HISTORY OF BRITISH STALK-EYED CRUSTACEA (Lobsters, Crabs, Prawns, Shrimps, &c.). By THOMAS BELL, President of the Linnean Society, F.G.S., F.Z.S., Professor of Zoology in King's College, London. The volume is illustrated by 174 Engravings of Species and Tail-pieces. 8vo, £1 5s.

HISTORY OF BRITISH SESSILE-EYED CRUSTACEA (Sandhoppers &c.). By C. SPENCE BATE, F.L.S., and J. O. WESTWOOD, F.L.S. &c. With Figures of all the Species and numerous Tail-pieces. Uniform with the Stalk-eyed Crustacea by Professor BELL. 2 Vols. 8vo, £3.

A HISTORY OF THE BRITISH HYDROID ZOOPHYTES. By THOMAS HINCKS, B.A. 2 Vols. 8vo, cloth, with 67 Plates, £2 2s.; large paper, royal 8vo, £4 4s.

HISTORY OF THE BRITISH ZOOPHYTES. By GEORGE JOHNSTON, M.D., LL.D. Second Edition, in 2 Vols. 8vo, with an Illustration of every Species. £2 2s.; or on large paper, royal 8vo, £4 4s.

HISTORY OF BRITISH STARFISHES, AND OTHER ANIMALS OF THE CLASS ECHINODERMATA. By EDWARD FORBES, M.W.S., Professor of Botany in King's College, London. 8vo, with more than 120 Illustrations, 15s.

A HISTORY OF THE BRITISH SEA-ANEMONES AND MADREPORES. With Coloured Figures of all the Species. By PHILIP HENRY GOSSE, F.R.S. 8vo, £1 1s.

A MANUAL OF THE SEA-ANEMONES COMMONLY FOUND ON THE ENGLISH COAST. By the Rev. G. TUGWELL. Post 8vo, Coloured Plates, 7s. 6d.

THE NORTH-ATLANTIC SEA-BED; comprising a Diary of the Voyage on board H.M.S. 'Bulldog' in 1860, and Observations on the Presence of Animal Life and the Formation and Nature of Organic Deposits at great depths in the Ocean. By G. C. WALLICH, M.D., F.L.S., F.G.S. Published with the sanction of the Lords Commissioners of the Admiralty. 4to, Part 1, with Map and 6 Plates, 15s.

DEEP-SEA RESEARCHES ON THE BIOLOGY OF GLOBIGERINA. By G. C. WALLICH, M.D., Surgeon-Major (retired list) H.M. Indian Army. 8vo, sewed, with a 2-page Plate, 2s. 6d.

MARINE ZOOLOGY.

MANUAL OF MARINE ZOOLOGY OF THE BRITISH ISLES. By P. H. GOSSE, F.R.S. Parts 1 & 2, fep. 8vo, 7s. 6d. each.

THE AQUARIAN NATURALIST: a Manual for the Seaside. By Professor T. RYMER JONES, F.R.S. Post 8vo, with 8 Coloured Plates, 18s.

THE SEASIDE BOOK: an Introduction to the Natural History of the British Coasts. By W. H. HARVEY, M.D., M.R.I.A., &c. With a Chapter on Fish and Fish Diet, by YARRELL. Fourth Edition. Fep. 8vo, with 83 Woodcut Illustrations, 5s.

THE AQUARIUM: an Unveiling of the Wonders of the Deep Sea. By P. H. GOSSE, F.R.S. Post 8vo, Second Edition (without the Plates), 7s. 6d.

ON THE PRINCIPLES AND MANAGEMENT OF THE MARINE AQUARIUM. By WILLIAM R. HUGHES, F.L.S. &c. Demy 8vo, cloth, Illustrated, 2s. 6d.

HANDBOOK OF THE MARINE AQUARIUM; containing Practical Instructions. By P. H. GOSSE, F.R.S. Fep. 8vo, Second Edition, 2s. 6d.

TENBY: A SEASIDE HOLIDAY. By P. H. GOSSE, F.R.S. Post 8vo, with 24 Coloured Plates, 21s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

ENTOMOLOGY.

EXOTIC BUTTERFLIES: being Illustrations of New Species; with Coloured Drawings and Descriptions. By WILLIAM C. HEWITSON. In 5 Vols., demy 4to, price £26 5s., half-bound morocco.

ILLUSTRATIONS OF DIURNAL LEPIDOPTERA: LYCÆNIDÆ. By WILLIAM C. HEWITSON. Demy 4to. Parts 1, 2, 3, 6, & 7, £1 5s. each; Parts 4 and 8, £1 10s. each; Part 5, 10s. The work is now complete.

A MANUAL OF BRITISH BUTTERFLIES AND MOTHS. By H. T. STAINTON. With many Woodcuts; 12mo. Vol. I., comprising the Butterflies and stout-bodied Moths, 4s. 6d. Vol. II., the slender-bodied and small Moths, 5s. 6d.

THE NATURAL HISTORY OF THE TINEINA. By H. T. STAINTON, assisted by Professor ZELLER, J. W. DOUGLAS, and Professor FREY. Vols. I. to XIII., with Coloured Plates, 12s. 6d. each.

By the same Author:—

THE TINEINA OF SOUTHERN EUROPE. 8vo, 16s.

THE TINEINA OF SYRIA AND ASIA MINOR. 8vo, 4s.

THE TINEINA OF NORTH AMERICA. By (the late) Dr. BRACKENRIDGE CLEMENS. Being a collective edition of his writings on that group of insects. With Notes by the Editor, H. T. STAINTON, F.R.S., Sec.L.S. 8vo, 12s. 6d.

THE BRITISH TORTRICES. By S. J. WILKINSON. 8vo, with 4 plates, £1 5s.

AUSTRALIAN LEPIDOPTERA, WITH THEIR TRANSFORMATIONS. By A. W. SCOTT, M.A. Folio. Parts 1 to 3, 21s. each.

THE LEPIDOPTERIST'S GUIDE: for the use of the young Collector. By H. GUARD KNAGGS, M.D., F.L.S. Third Thousand, with numerous woodcuts. Post 8vo, sewed, 1s.

PRACTICAL HINTS RESPECTING MOTHS AND BUTTERFLIES, with notices of their Localities; forming a Calendar of Entomological Operations throughout the year, in pursuit of Lepidoptera. By RICHARD SHIELD. 12mo, stiff-paper wrapper, 3s.

A SYNONYMIC CATALOGUE OF DIURNAL LEPIDOPTERA. By W. F. KIRBY. Containing the full Synonymy of every Species, and an Alphabetical Index of about 10,000 references. 8vo, sewed, £1 1s.—Also **A SUPPLEMENT:** bringing down the Bibliography to June 1877. 8vo, sewed, 8s. 6d.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

AN ACCENTUATED LIST OF THE BRITISH LEPIDOPTERA,
with Hints on the Derivation of the Names. Prepared by the Entomological
Societies of Oxford and Cambridge. 8vo, 5s.

THE LIST WITHOUT THE DERIVATIONS. 8vo, sewed, 3d.

THE CABINET LIST OF THE LEPIDOPTERA OF GREAT
BRITAIN AND IRELAND. By H. GUARD KNAGGS, M.D. The Tineina
being elaborated by H. T. STAINTON, F.R.S., F.L.S., &c. 8vo, sewed, 1s. 6d.

LIST OF BRITISH LEPIDOPTERA FOR LABELLING CABI-
NETS, arranged as in Stainton's 'Manual of Butterflies and Moths.' Sewed, 1s.

INSECTA MADERENSIA: being an account of the Insects of the
Islands of the Madeiran Group. By T. VERNON WOLLASTON, M.A., F.L.S.,
With Coloured Plates. Royal 4to, £2 2s.

By the same Author:—

COLEOPTERA ATLANTIDUM: being an enumeration of the
Coleopterous Insects of the Madeiras, Salvages, and Canaries. 8vo, £1 1s.

COLEOPTERA HESPERIDUM: being an enumeration of the
Coleopterous Insects of the Cape-Verde Archipelago. 8vo, 10s. 6d.

COLEOPTERA SANCTÆ-HELENÆ. 8vo, with a Plate, 9s.

A MONOGRAPHIC REVISION AND SYNOPSIS OF THE
TRICHOPTERA OF THE EUROPEAN FAUNA. By ROBERT MCLACHLAN,
F.L.S. &c. Royal 8vo. Part 1, 6s.; Part 2, 8s.; Part 3, 4s. 6d.; Part 4, 8s. 6d.;
Part 5, 8s.; Part 6, 7s. 6d.; Part 7, 8s. 6d. Illustrated with Plates by the Author.

INSTRUCTIONS FOR THE COLLECTION AND PRESERVA-
TION OF NEUROPTEROUS INSECTS. By ROBERT MCLACHLAN, F.L.S.
8vo, sewed, 1s.

THE ANATOMY AND PHYSIOLOGY OF THE BLOW-FLY
(*Musca vomitoria*, Linn.). A Monograph, by B. T. LOWNE, M.R.C.S. Eng.
Illustrated with 10 Plates. 8vo, 12s. 6d.

ELEMENTS OF ENTOMOLOGY: an Outline of the Natural
History and Classification of British Insects. By WM. S. DALLAS, F.L.S. Post
8vo, 8s. 6d.

THE WORLD OF INSECTS; a guide to its wonders. By J. W.
DOUGLAS. 12mo, sewed, 3s. 6d.

THE INSECT HUNTERS, and other Poems. By EDWARD NEW-
MAN, F.L.S. &c. Second Edition. Fcp. 8vo, cloth, 2s. 6d.

FARM INSECTS: being the Natural History and Economy of the
Insects Injurious to the Field Crops of Great Britain and Ireland, and also those
which infest Barns and Granaries, with suggestions for their destruction. By
JOHN CURTIS, F.L.S. Illustrated with numerous engravings. A Second Edition
in preparation.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

ON THE VARIATION OF SPECIES, with especial reference to the Insecta: followed by an inquiry into the nature of Genera. By T. VERNON WOLLASTON, M.A., F.L.S. Post 8vo, 5s.

ON A TRUE PARTHENOGENESIS IN MOTHS AND BEES: a contribution to the History of Reproduction in Animals. By CARL T. E. VON SIEBOLD. Translated by W. S. DALLAS, F.L.S. &c. 8vo, cloth, 5s.

INSECTA SAUNDERSIANA, or characters of undescribed Insects in the Collection of W. WILSON SAUNDERS, Esq., F.R.S. &c. 8vo, illustrated. Parts 1 to 8, 3s. each; Part 9, 1s. 6d.

THE ENTOMOLOGISTS' ANNUAL, 1855 to 1874. Edited by H. T. STAINTON, F.R.S. Comprising Notices of the New British Insects detected in each year, with other original papers. Fcp. 8vo, sewed, 2s. 6d. each.

THE ENTOMOLOGISTS' MONTHLY MAGAZINE: conducted by J. W. DOUGLAS, R. McLACHLAN, F.L.S., E. C. RYE, F.Z.S., and H. T. STAINTON, F.R.S. On the first of every month, price 6d.
The 14th Volume was completed in May 1878. 8vo, cloth, 7s.

BOTANY.

MANUAL OF BRITISH BOTANY, containing the Flowering Plants and Ferns, arranged according to the Natural Orders. By Professor CHARLES CARDALE BABINGTON, M.A., F.R.S., &c. Seventh Edition, revised throughout. 12mo, cloth, 10s. 6d.; thin-paper copies, in limp leather binding (for the pocket), 12s.

BRITISH WILD FLOWERS. Illustrated by JOHN E. SOWERBY. Described, with an Introduction and a Key to the Natural Orders, by C. PIERPOINT JOHNSON. Re-issue, to which is now added a SUPPLEMENT containing 180 new figures, comprising lately discovered Flowering Plants, by JOHN W. SALTER, A.L.S., F.G.S.; and the Ferns, Horsetails, and Club-Mosses, by JOHN E. SOWERBY. Large 8vo, with 1780 Coloured Figures, £3 3s.

AN ILLUSTRATED KEY TO THE NATURAL ORDERS OF BRITISH WILD FLOWERS. By JOHN E. SOWERBY. With 9 Plates, containing 112 Coloured Figures. 8vo, 7s. 6d.

BRITISH POISONOUS PLANTS. Illustrated by JOHN E. SOWERBY. Described by CHARLES JOHNSON, Botanical Lecturer at Guy's Hospital; and C. PIERPOINT JOHNSON. Second Edition, containing the principal Poisonous Fungi. Post 8vo, with 32 Coloured Plates, 9s. 6d.

FERNS OF THE BRITISH ISLES. Described and Photographed by SY. C. With 20 Plates, giving photographs of all the Species, Woodcuts showing the Fruetification, and an Illustrated Glossary of Terms. 8vo, 10s. 6d.

NEWMAN'S BRITISH FERNS, comprising under each species carefully accurate Figures, detailed Descriptions, an ample List of Localities, and minute Instructions for Cultivating. Demy 8vo, 18s. Small Edition, Fcp. 8vo, 2s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

THE BRITISH FERNS AT ONE VIEW. By BERTHOLD SEEMANN, Ph.D., F.L.S. Folding Sheet with descriptions of the Orders, Tribes, and Genera, and a Coloured Figure of a portion of each Species. 8vo, cloth, 6s.

MANUAL OF THE BRITISH MARINE ALGÆ, containing Generic and Specific Descriptions of all the known British Species of Seaweeds, with Plates to illustrate all the Genera. By Professor W. H. HARVEY. 8vo, £1 1s. Coloured Copies, £1 11s. 6d.

AN ELEMENTARY COURSE OF BOTANY: STRUCTURAL, PHYSIOLOGICAL, AND SYSTEMATIC. By Professor ARTHUR HENFREY, F.R.S., F.L.S., &c. Illustrated by upwards of 600 Woodcuts. Third Edition, by MAXWELL T. MASTERS, M.D., F.R.S., F.L.S., &c., Examiner in Botany to the University of London. Post 8vo, 15s.

RUDIMENTS OF BOTANY. A Familiar Introduction to the Study of Plants. By PROFESSOR HENFREY. With Illustrative Woodcuts. Second Edition, fcp. 8vo, 3s. 6d.

A SET OF SIX COLOURED DIAGRAMS: for Schools and Lectures. By Professor HENFREY. 15s.

VEGETATION OF EUROPE, ITS CONDITIONS AND CAUSES. By Professor HENFREY. Fcp. 8vo, 5s.

WEEDS AND WILD FLOWERS. By LADY WILKINSON. Post 8vo, with Coloured Engravings and Woodcuts, 10s. 6d.

WALKS AFTER WILD FLOWERS; or the Botany of the Bohereens. By RICHARD DOWDEN. Fcp. 8vo, 4s. 6d.

THE BRITISH RUBI; an attempt to discriminate the Species of *Rubus* known to inhabit the British Isles. By Professor BABINGTON. Fcp. 8vo, 5s.

FLORA OF EASTBOURNE; being an Introduction to the Flowering Plants, Ferns, &c. of the Cuckmere District, East Sussex. By F. C. S. ROPER, F.L.S., F.G.S., &c., President of the Eastbourne Natural History Society. Post 8vo, with a Map, 4s. 6d.

FLORA OF SURREY: or, A Catalogue of the Flowering Plants and Ferns found in the County, with the Localities of the rarer Species, from the MSS. of the late J. D. SALMON, F.L.S., and from other Sources. Compiled by J. A. BREWER. Fcp. 8vo, with 2 Maps, 7s. 6d.

CONTRIBUTIONS TOWARDS A CYBELE HIBERNICA. By DAVID MOORE, Ph.D., &c., and A. G. MORE, F.L.S. Post 8vo, 10s. 6d.

FLORA OF CAMBRIDGESHIRE; or, A Catalogue of Plants found in the County of Cambridge, with References to former Catalogues, and the Localities of the Rarer Species. By C. C. BABINGTON, M.A., F.R.S., F.L.S., &c. 12mo, with a Map, 7s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

FLORA CAPENSIS; being a Systematic Description of the Plants of the Cape Colony, Caffraria, and Port Natal. By Professor HARVEY and Dr. SONDER. Vol. I. Ranunculaceæ to Connaraceæ, 8vo, 12s. Vol. II. Leguminosæ to Loranthaceæ, 12s. Vol. III. Rubiaceæ to Campanulaceæ, 18s.

THESAURUS CAPENSIS; or, Illustrations of the South-African Flora; being Figures and brief Descriptions of South-African Plants, selected from the Dublin University Herbarium. By W. H. HARVEY, M.D., F.R.S., Professor of Botany in the University of Dublin, and Keeper of the Herbarium. 8vo, Vols. I. & II., each with 100 Plates, uncoloured, £1 1s. each.

FLORA CALPENSIS. Contributions to the Botany and Topography of Gibraltar. By E. F. KELAART, M.D., F.L.S., &c. 8vo, 10s. 6d.

REFUGIUM BOTANICUM; or, Figures and Descriptions from Living Specimens of Little-known or New Plants of Botanical interest. Edited by W. WILSON SAUNDERS, F.R.S., F.L.S. The Descriptions by H. G. REICHENBACH, Professor of Botany and Director of the Botanic Garden, Hamburg, J. G. BAKER, F.L.S., Assistant Curator of Kew Herbarium, and other Botanists. The Plates by W. H. FITCH. Vols. I., III., & V., £1 5s. each, half-bound. Vol. II. Parts 1 & 2, and Vol. V. Part 1, 7s. 6d. each, sewed.

ICONES PLANTARUM INDIAE ORIENTALIS; or, Plates and Descriptions of New and Rare Plants, chiefly from Southern India. By Major R. H. BEDDOME, Officiating Conservator of Forests (Madras). Parts 1 to 15, royal 4to, sewed, 6s. 6d. each.

THE FERNS OF SOUTHERN INDIA, being Descriptions and Plates of the Ferns of the Madras Presidency. By Captain R. H. BEDDOME, Officiating Conservator of Forests. Demy 4to, sewed. Parts 1 to 20, £6 10s.

FERNS OF BRITISH INDIA. By Captain BEDDOME. 4to, Vols. I. & II., £4 each, and 3 Parts, 6s. 6d. each.—**SUPPLEMENT** to the same, £1.

NEREIS BOREALI-AMERICANA; or, Contributions towards History of the Marine Algæ of the Atlantic and Pacific Coasts of North America. By Professor HARVEY. Royal 4to, with 50 Coloured Plates, £3.

INDEX GENERUM ALGARUM; or, A Systematic Catalogue of the Genera of Algæ, Marine and Freshwater: with an Alphabetical Key to all the Names and Synonyms. By Professor HARVEY. 8vo, sewed, 2s. 6d.

MYCOLOGICAL ILLUSTRATIONS. Being Figures and Descriptions of New and Rare Hymenomycetous Fungi. Edited by W. WILSON SAUNDERS, F.L.S., and WORTHINGTON G. SMITH, F.L.S.; assisted by A. W. BENNETT, M.A., F.L.S. Parts 1 & 2, super-royal 8vo, sewed, 10s. 6d. each.

PRINCIPLES OF THE ANATOMY AND PHYSIOLOGY OF THE VEGETABLE CELL. By HUGO VON MOHL. Translated, with the Author's permission, by ARTHUR HENFREY, F.R.S. &c. 8vo, with an Illustrative Plate and numerous Woodcuts, 7s. 6d.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

GEOLOGY AND MINERALOGY.

HISTORY OF BRITISH FOSSIL MAMMALS AND BIRDS.

By Professor OWEN. This volume is designed as a companion to that by Professor BELL on the Recent Mammalia, 'British Quadrupeds and Cetacea,' 8vo, with 237 Illustrations, £1 11s. 6d.

THESAURUS SILURICUS. The Flora and Fauna of the Silurian

Period, with Addenda (from recent acquisitions). By JOHN J. BIGSBY, M.D., F.G.S., &c. 4to, boards, 18s.

By the same Author:—

THESAURUS DEVONICO-CARBONIFERUS. The Flora and

Fauna of the Devonian and Carboniferous Periods. The Genera and Species arranged in Tabular Form, showing their Horizons, Recurrences, Localities, and other facts; with large Addenda from recent acquisitions. 4to, boards, £1 16s.

FIGURES OF CHARACTERISTIC BRITISH FOSSILS; with

Explanations of the Plates and Descriptive Remarks. By WILLIAM HELLIER BAILY, F.L.S., F.G.S., M.R.I.A., Acting Palæontologist to the Geological Survey of Ireland, &c. Vol. I.—Palæozoic, with 42 Lithographic Plates, containing over 700 Figures and several Woodcuts. 8vo, £1 1s. plain; £2 coloured.

THE YORKSHIRE LIAS. By R. TATE, A.L.S., F.G.S., and J. F.

BLAKE, M.A., F.G.S. Illustrated by Woodcuts, 19 Lithographed Plates of Fossils, and a large Geologically Coloured Map. 8vo, £1 8s.

ELEMENTARY COURSE OF GEOLOGY, MINERALOGY,

AND PHYSICAL GEOGRAPHY. By DAVID T. ANSTED, M.A., F.R.S., F.G.S., &c., Consulting Mining Engineer. Second Edition. Re-issue, with important Notes and Additions, post 8vo, with many Illustrations, 12s.

THE ANCIENT WORLD. By Professor ANSTED. Second Edition, post 8vo, with 149 Illustrations, 10s. 6d..

GOLD-SEEKER'S MANUAL. By Professor ANSTED. Fcp. 8vo. 3s. 6d.

GEOLOGIST'S TEXT-BOOK. Chiefly intended as a Book of Reference for the Geological Student. By Professor ANSTED. Fcp. 8vo, 3s. 6d.

A GEOLOGICAL INQUIRY RESPECTING THE WATER-

BEARING STRATA OF THE COUNTRY AROUND LONDON, with Reference especially to the Water Supply of the Metropolis; and including some Remarks on Springs. By JOSEPH PRESTWICH, F.R.S., F.G.S., &c. 8vo, with a Map and Woodcuts, 8s. 6d.

THE GROUND BENEATH US. Its Geological Phases and

Changes, being three Lectures on the Geology of Clapham and the neighbourhood of London generally. By J. PRESTWICH, F.R.S. &c. 8vo, sewed, with 2 Plates, 3s. 6d.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

LECTURE ON THE ANTIQUITY OF MAN, Illustrated by the Contents of Caves and Relics of the Cave-Folk. By Professor T. RUPERT JONES, F.R.S., F.G.S., &c. 8vo, sewed, with folding Sheet of Sections and Illustrations, 1s.

GEOLOGY. By Professor JOHN MORRIS, F.G.S. &c., and Professor T. RUPERT JONES, F.G.S. &c. First Series. Heads of Lectures on Geology and Mineralogy in several Courses. Fcp. 8vo, 2s. 6d.

MANUAL OF THE MINERALOGY OF GREAT BRITAIN AND IRELAND. By ROBERT PHILIPS GREG, F.G.S., and WILLIAM G. LETTSOM. 8vo, with numerous Woodcuts, 15s.

CHEMISTRY.

ON ALKALI MANUFACTURES. By Professor LUNGE, of Zurich. In the press.

EXPERIMENTAL RESEARCHES IN PURE, APPLIED, AND PHYSICAL CHEMISTRY. By E. FRANKLAND, Ph.D. (Marburg), D.C.L., F.R.S., Professor of Chemistry in the Royal School of Mines, &c. In one thick Volume, 8vo, £1 11s. 6d.

LECTURE NOTES FOR CHEMICAL STUDENTS. By Professor FRANKLAND. Post 8vo. Fifth Thousand. Vol. I. (Inorganic), 4s. Second Edition. Vol. II. (Organic), 5s.

CHEMISTRY: General, Medical, and Pharmaceutical; including the Chemistry of the British Pharmacopœia. By JOHN ATTFIELD, Ph.D., F.C.S., Professor of Practical Chemistry to the Pharmaceutical Society of Great Britain, &c. Sixth Edition. Illustrated. Post 8vo, 15s.

THE LABORATORY GUIDE: A Manual of Practical Chemistry for Colleges and Schools. Specially arranged for Agricultural Students. By A. H. CHURCH, M.A., Professor of Chemistry in the Agricultural College, Cirencester. Fourth Edition (Revised). 6s. 6d.

A MANUAL OF INORGANIC CHEMISTRY; Arranged to facilitate the Experimental Demonstration of the Facts and Principles of the Science. By Professors C. W. ELIOT and F. H. STORER, of the Massachusetts Institute of Technology. Second Edition (Revised). Crown 8vo, 10s. 6d.

ELEMENTS OF HEAT AND OF NON-METALLIC CHEMISTRY. By FREDERICK GUTHRIE, B.A., Ph.D., &c., late Professor of Chemistry and Physics, Royal College, Mauritius. Intended for the use of Candidates for the Matriculation Pass Examination of the University of London. Post 8vo, 7s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

DESTRUCTIVE DISTILLATION: A Manualette of the Paraffin, Coal Tar, Rosin Oil, Petroleum, and Kindred Industries. By EDMUND J. MILLS, D.Sc. (Lond.), F.R.S., "Young" Professor of Technical Chemistry in Anderson's College, Glasgow. 8vo, 2s. 6d.

THE MECHANICAL THEORY OF HEAT, with its Applications to the Steam-Engine and to the Physical Properties of Bodies. By R. CLAUSIUS, Professor of Physics in the University of Zurich. Edited by T. ARCHER HIRST, F.R.S., Professor of Mathematics in University College, London. 8vo, cloth, 15s.

HANDBOOK OF CHEMICAL MANIPULATION. By C. GREVILLE WILLIAMS, late Principal Assistant in the Laboratories of the Universities of Edinburgh and Glasgow. Post 8vo, with very numerous Woodcut Illustrations, 15s.

DISCURSIVE CHEMICAL NOTES IN RHYME. By the Author of the 'Chemical Review,' a B. Part I. The Non-Metallics. Sewed, 1s.

JOURNAL OF THE CHEMICAL SOCIETY. 8vo. Published Monthly. Annual Subscription, £1 10s.

INDEX to the First Twenty-five Volumes of the JOURNAL OF THE CHEMICAL SOCIETY (1848 to 1872) and to the MEMOIRS AND PROCEEDINGS (1841 to 1847). Compiled by HENRY WATTS, B.A., F.R.S., &c. 8vo, sewed, 2s. 6d.

MICROSCOPY.

THE MICROGRAPHIC DICTIONARY: A Guide to the Examination and Investigation of the Structure and Nature of Microscopic Objects. By J. W. GRIFFITH, M.D. &c., and Professor HENFREY. Third Edition. Edited by Dr. GRIFFITH and Professor MARTIN DUNCAN, M.B. Lond., F.R.S., &c., assisted by the Rev. M. J. BERKELEY, M.A., and Professor T. RUPERT JONES, F.R.S. 8vo, cloth, with 48 Newly Engraved Plates and many Woodcuts. £2 12s. 6d.

AN ELEMENTARY TEXT-BOOK OF THE MICROSCOPE. Including a description of the Methods of Preparing and Mounting Objects &c., by Dr. GRIFFITH, with 12 Coloured Plates, containing 451 Figures. Post 8vo, 7s. 6d.

MICROSCOPIC OBJECTS FIGURED AND DESCRIBED. By JOHN H. MARTIN, Hon. Sec. to the Maidstone and Mid-Kent Natural History Society. 8vo, cloth, 194 Illustrations, 14s.

A TREATISE ON THE CONSTRUCTION, PROPER USE, AND CAPABILITIES OF SMITH, BECK, AND BECK'S ACHROMATIC MICROSCOPE. By RICHARD BECK. Royal 8vo, with numerous Illustrations, £1 1s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

LOCAL AND GENERAL NATURAL HISTORY, &c.

THE NATURAL HISTORY AND ANTIQUITIES OF SELBORNE, in the County of Southampton. By the late Rev. GILBERT WHITE, formerly Fellow of Oriel College, Oxford. Edited by THOMAS BELL, F.R.S., F.L.S., F.G.S., &c., Professor of Zoology in King's College, London. With steel Plate and other Illustrations, 2 Vols., demy 8vo, £1 11s. 6d. A few copies have been printed on larger paper, royal 8vo, with the Plates on India paper, £3 3s.

THE NATURAL HISTORY OF SELBORNE. By the late Rev. GILBERT WHITE, M.A., with Notes by the Rev. LEONARD JENYNS, M.A., F.L.S., &c. Fcp. 8vo, with 26 Illustrations, 7s. 6d.

NATURAL HISTORY OF THE COUNTY OF STAFFORD; comprising its Geology, Zoology, Botany, and Meteorology; also its Antiquities, Topography, Manufactures, &c. By ROBERT GARNER, F.L.S. With a Geological Map and other Illustrations. 8vo, with a Supplement, 10s. Price of the Supplement, 2s. 6d.

THE NATURAL HISTORY OF THE EUROPEAN SEAS. By the late Professor EDWARD FORBES, F.R.S. &c. Edited and Continued by ROBERT GODWIN-AUSTEN, F.R.S. Fcp. 8vo, 5s.

THE CANADIAN NATURALIST. By P. H. GOSSE, F.R.S. With 44 Illustrations of the most remarkable Animal and Vegetable productions. Post 8vo, 12s.

GATHERINGS OF A NATURALIST IN AUSTRALASIA; being Observations principally on the Animal and Vegetable Productions of New South Wales, New Zealand, and some of the Austral Islands. By GEORGE BENNETT, M.D., F.L.S., F.Z.S. 8vo, with 8 Coloured Plates and 24 Woodcuts, 21s.

NATURAL HISTORY OF THE AZORES OR WESTERN ISLANDS. By FREDERICK DUCANE GODMAN, F.L.S., F.Z.S., &c. 8vo, 9s.

AUTUMNS ON THE SPEY. By A. E. KNOX, M.A., F.L.S., &c. Post 8vo, with 4 Illustrations by Wolf, 6s.

LETTERS HOME, FROM SPAIN, ALGERIA, AND BRAZIL, during past Entomological Rambles. By the Rev. HAMLET CLARK, M.A., F.L.S. With 5 Chromolithographic Plates. 8vo, cloth, 7s. 6d.

NATURAL HISTORY OF TUTBURY. By Sir OSWALD MOSLEY, Bart., D.C.L., F.L.S. Together with the Fauna and Flora of the district surrounding Tutbury and Burton-on-Trent, by EDWIN BROWN. With an Appendix. Royal 8vo, £1 1s.

A NATURALIST'S RAMBLE TO THE ORCADES. By A. W. CRICHTON, B.A., F.L.S., F.Z.S. Fcp. 8vo, 4s.

PRODROMUS FAUNÆ ZEYLANICÆ, being Contributions to the Zoology of Ceylon. By E. F. KELAART, M.D. Edin., F.L.S., F.Z.S., Staff-Surgeon, Ceylon. 8vo, 10s. 6d.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

ZOOLOGICAL CLASSIFICATION: A Handbook of Reference, with Tables of the Sub-kingdoms, Classes, Orders, &c., of the Animal Kingdom, their Characters, and Lists of the Families and principal Genera. By FRANCIS P. PASCOE, F.L.S. &c. Royal 18mo, 6s. 6d.

ESSAYS AND OBSERVATIONS ON NATURAL HISTORY, ANATOMY, PHYSIOLOGY, PSYCHOLOGY, AND GEOLOGY. By JOHN HUNTER, F.R.S. Being his Posthumous Papers on those subjects, arranged and revised, with Notes, by Professor RICHARD OWEN, F.R.S., D.C.L., &c. 2 Vols. 8vo, £1 11s. 6d.

ANATOMICAL MANIPULATION; or, The Methods of pursuing Practical Investigations in Comparative Anatomy and Physiology. Also an Introduction to the Use of the Microscope, &c. By ALFRED TULK, M.R.C.S., M.E.S., and ARTHUR HENFREY, F.L.S., M.Micr.S. With Illustrative Diagrams. Fep. 8vo, 9s.

FIRST STEPS TO ANATOMY. By JAMES L. DRUMMOND, M.D., Professor of Anatomy and Physiology in the Belfast Royal Institution. With 12 Illustrative Plates. 12mo, 5s.

GENERAL OUTLINE OF THE ORGANIZATION OF THE ANIMAL KINGDOM, AND MANUAL OF COMPARATIVE ANATOMY. By T. RYMER JONES, F.R.S., Professor of Comparative Anatomy in King's College, London, late Fullerian Professor of Physiology to the Royal Institution of Great Britain, &c. &c. Fourth Edition, illustrated by 571 Engravings. 8vo, £1 11s. 6d.

NATURAL HISTORY OF ANIMALS; being the Substance of Three Courses of Lectures delivered before the Royal Institution of Great Britain. By T. RYMER JONES, F.R.S., Professor of Zoology in King's College, London. Post 8vo. Vol. I. with 105 Illustrations; Vol. II. with 104 Illustrations, 12s. each.

RESEARCHES IN ZOOLOGY, Illustrative of the Structure, Habits, and Economy of Animals. By JOHN BLACKWALL, F.L.S. Second Edition. 8vo, 7s. 6d.

OBSERVATIONS IN NATURAL HISTORY; with a Calendar of Periodic Phenomena. By the Rev. LEONARD JENYNS, M.A., F.L.S. Post 8vo, 10s. 6d.

OBSERVATIONS IN METEOROLOGY; relating to Temperature, the Winds, Atmospheric Pressure, the Aqueous Phenomena of the Atmosphere, Weather Changes, &c. By the Rev. LEONARD JENYNS, M.A., F.L.S., &c. Post 8vo, 10s. 6d.

A MANUAL OF NATURAL HISTORY, for the Use of Travelers; being a Description of the Families of the Animal and Vegetable Kingdoms; with Remarks on the Practical Study of Geology and Meteorology. To which are appended, Directions for Collecting and Preserving. By ARTHUR ADAMS, M.R.C.S., WM. BALFOUR BAIKIE, M.D., and CHARLES BARRON, Curator of the Royal Museum at Haslar. Post 8vo, 12s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

HUMBLE CREATURES (Part I.): THE EARTHWORM AND COMMON HOUSEFLY. In Eight Letters. By JAMES SAMUELSON, assisted by J. BRAXTON HICKS, M.D. Lond., F.L.S. With Microscopic Illustrations by the Authors. Second Edition. Post 8vo, 3s. 6d.

HUMBLE CREATURES (Part II.): THE HONEY-BEE; its Natural History, Habits, Anatomy, and Microscopical Beauties. With 8 Tinted Illustrative Plates. By JAMES SAMUELSON, assisted by Dr. HICKS. Post 8vo, 6s.

THE HONEY-BEE; its Natural History, Physiology, and Management. By EDWARD BEVAN, M.D. Revised, Enlarged, and Illustrated by WILLIAM AUGUSTUS MUNN, F.R.H.S. &c. Post 8vo, cloth, 7s. 6d.

ILLUSTRATIONS OF INSTINCT, deduced from the Habits of British Animals. By JONATHAN COUCH, F.L.S., Member of the Royal Geological Society and of the Royal Institution of Cornwall, &c. Post 8vo, 8s. 6d.

LETTERS OF RUSTICUS ON NATURAL HISTORY. Edited by EDWARD NEWMAN, F.L.S., F.Z.S., &c. 8vo, 8s. 6d.

THE PHILOSOPHY OF EVOLUTION (an Actonian Prize Essay). By B. THOMPSON LOWNE, M.R.C.S., F.L.S., Lecturer on Physiology at the Middlesex Hospital Medical School, &c. Post 8vo, cloth, with 8 Plates, 5s. 6d.

ON PARTHENOGENESIS; or, the Successive Production of Procreating Individuals from a Single Ovum. A Discourse delivered at the Royal College of Surgeons of England. By RICHARD OWEN, F.R.S. &c. 8vo, 5s.

CATALOGUE OF BRITISH VERTEBRATED ANIMALS. Printed for Labels. 8vo, sewed, 2s. 6d. The names derived from Bell's Quadrupeds and Reptiles, and Yarrell's Birds and Fishes.

THE ZOOLOGICAL RECORD (in continuation of the Record of Zoological Literature). Edited by EDWARD CALDWELL RYE, F.Z.S., Librarian to the Royal Geographical Society. 8vo, cloth, £1 10s. each annual Volume. The Record of Zoological Literature commenced with the year 1864.

DESCRIPTIVE ETHNOLOGY. By R. G. LATHAM, M.A., M.D., F.R.S., &c. 2 Vols. 8vo, £1 12s.—The portion of the Work on **THE ETHNOLOGY OF INDIA** is sold separately, price 16s.

Other Works on Ethnology, by Dr. LATHAM:—

NATURAL HISTORY OF THE VARIETIES OF MAN. 8vo, Illustrated, £1 1s.

ETHNOLOGY OF EUROPE. Fcp. 8vo, 5s.

ETHNOLOGY OF THE BRITISH ISLANDS. Fcp. 8vo, 5s.

ETHNOLOGY OF THE BRITISH COLONIES AND DEPENDENCIES. Fcp. 8vo, 5s.

MAN AND HIS MIGRATIONS. Fcp. 8vo, 5s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

MEMOIR OF THE REV. J. S. HENSLOW, M.A., F.L.S.,
F.G.S., F.C.P.S., Rector of Hitcham, and Professor of Botany in the University
of Cambridge. By the Rev. LEONARD JENYNS, M.A., F.L.S., F.G.S., F.C.P.S.
Post 8vo, with a Photographic Portrait, 7s. 6d.

A LIFE OF LINNÆUS. By Miss BRIGHTWELL, of Norwich.
Fcp. 8vo, 3s. 6d.

MEMOIR OF THE LIFE AND WORKS OF EDWARD
NEWMAN, F.L.S., F.Z.S., &c. By his Son. With Portrait taken from Life
in 1866. 8vo, sewed, 1s.

GREAT ARTISTS AND GREAT ANATOMISTS: a Biogra-
phical and Philosophical Study. By R. KNOX, M.D., F.R.S.E. Post 8vo, 6s. 6d.

THE ZOOLOGIST. A Shilling Monthly Journal of Natural History.
Edited by J. E. HARTING, F.L.S., F.Z.S., &c.

ARCHITECTURE, FINE ART, &c.

ON THE ARCHITECTURAL HISTORY OF ELY CATHE-
DRAL. By the Rev. D. J. STEWART, M.A., Minor Canon. 8vo, cloth, Illus-
trated, £1 1s.

MANUAL OF GOTHIC MOLDINGS. A Practical Treatise on
their formations, gradual development, combinations, and varieties; with full
directions for copying them and for determining their dates. Illustrated by
upwards of 600 examples. By F. A. PALEY, M.A. With numerous additions
and improvements by W. M. FAWCETT, M.A. Fourth Edition, 7s. 6d.

MANUAL OF GOTHIC ARCHITECTURE. By F. A. PALEY,
M.A. With a full Account of Monumental Brasses and Ecclesiastical Costume.
Fcp. 8vo, with 70 Illustrations, 6s. 6d.

TREATISE ON THE RISE AND PROGRESS OF DECO-
RATED WINDOW TRACERY IN ENGLAND. By EDMUND SHARPE,
M.A., Architect. 8vo, Illustrated with 97 Woodcuts and 6 Engravings on steel,
10s. 6d.

SERIES OF ILLUSTRATIONS OF THE WINDOW TRA-
CERY OF THE DECORATED STYLE OF ECCLESIASTICAL ARCHI-
TECTURE. Edited, with Descriptions, by Mr. SHARPE. 60 Engravings on
steel, 8vo, 21s.

BAPTISMAL FONTS. A Series of 125 Engravings, examples of
the different periods, accompanied with Descriptions. With an Introductory
Essay by F. A. PALEY, M.A., Honorary Secretary of the Cambridge Camden
Society. 8vo, £1 1s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

INSTRUMENTA ECCLESIASTICA. A Series of Working Designs, engraved on 72 Plates, for the Furniture, Fittings, and Decorations of Churches and their Precincts. Edited by the Ecclesiological, late Cambridge Camden Society. 4to, £1 11s. 6d.—The SECOND SERIES contains a Cemetery Chapel, with Sick-house and Gateway Tower—A Wooden Church—A Chapel School—Schools and School-houses—A Village Hospital—An Iron Church—And Designs for Funeral Fittings, for Timber Belfries, and for a variety of Works in Metal, Wood, and Stone. Price also £1 11s. 6d.

THE CHURCH RESTORERS. A Tale treating of Ancient and Modern Architecture and Church Decorations. By F. A. PALEY, M.A. Fcp. 8vo, 4s. 6d.

PERRAN-ZABULOE; with an Account of the past and present state of the Oratory of St. Piran in the Sands, and remarks on its Antiquity. By the Rev. WILLIAM HASLAM, B.A. Fcp. 8vo, 4s. 6d.

THE VICAR OF WAKEFIELD. With 32 Illustrations by WILLIAM MULREADY, R.A.; engraved by JOHN THOMPSON. First reprint. Square 8vo, 10s. 6d.

WATTS'S DIVINE AND MORAL SONGS. With 30 Illustrations by C. W. COPE, A.R.A.; engraved by JOHN THOMPSON. Square 8vo, 7s. 6d.

GRAY'S ELEGY IN A COUNTRY CHURCHYARD. Each Stanza illustrated with an Engraving on Wood, from 33 Original Drawings. Elegantly printed, in post 8vo, cloth, 9s. (Small Edition, 2s. 6d.)—A Polyglot Edition of this Volume, with interpagated Translations in the Greek, Latin, German, Italian, and French Languages. 12s.

GRAY'S BARD. With Illustrations by the Hon. Mrs. JOHN TALBOT. Post 8vo, 7s.

SHAKESPEARE'S SEVEN AGES OF MAN. Illustrated by Original Designs drawn on Wood by Mulready, Constable, Wilkie, Collins, Chalon, Cooper, Calcott, Landseer, and Hilton. 8vo, 6s.

THE FARMER'S BOY AND OTHER RURAL TALES AND POEMS. By ROBERT BLOOMFIELD. Fcp. 8vo, 7s. 6d. With 13 Illustrations by Sidney Cooper, Horsley, Frederick Tayler, and Thomas Webster, A.R.A.

EMINENT MEN OF THE DAY. Photographed by G. C. WALLICH, M.D. Square 8vo, cloth gilt, £1 1s. This Volume contains 16 Portraits of Men eminent in Science.

THE POOR ARTIST; or, Seven Eyesights and One Object. 'SCIENCE IN FABLE.' By R. H. HORNE, Author of 'Orion.' Second Edition, with an Essay on Varieties of Vision in Man. Fcp. 8vo, with a Frontispiece, 5s.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

GENERAL LITERATURE AND SCIENCE.

EVENING THOUGHTS. By a **PHYSICIAN.** Post 8vo, Second Edition, 4s. 6d.—“We cannot help expressing a wish that these ‘Evening Thoughts’ may not be the only contributions to general literature that we may have from a mind so powerful, so cultivated, and so gentle as that of the Physician whose pages we now close.”—*Guardian*.

THOUGHTS OF A PHYSICIAN. Being a Second Series of ‘Evening Thoughts.’ Post 8vo, cloth, 5s.

ILLUSTRATIONS OF ARTS AND MANUFACTURES; being a Selection from a Series of Papers read before the Society for the Encouragement of Arts, Manufactures, and Commerce. By **ARTHUR AIKIN, F.L.S., F.G.S., &c.**, late Secretary to that Institution. Fcp. 8vo, 8s.

THE UNITY OF THE PHYSICAL SCIENCES; being an Inquiry into the Causes of Gravitation and Polarity, with an Application of the Results to some of the principal Phenomena in each of the Physical Sciences. By **JOHN DICKSON.** Post 8vo, 4s.

A FAMILIAR INTRODUCTION TO THE STUDY OF POLARIZED LIGHT; with a Description of, and Instructions for Using, the Table and Hydro-Oxygen Polariscopes and Microscope. By **CHARLES WOODWARD, F.R.S.** 8vo, Illustrated, 3s.

ELEMENTARY ASTRONOMY; or, Notes and Questions on the Stars and Solar System, for the Use of Schools. By **C. C. REEKS.** Fcp. sewed, 1s.

THE FIRST PRINCIPLES OF NATURAL PHILOSOPHY. By **WILLIAM THYNNE LYNN, B.A. Lond., A.K.C., F.R.A.S.,** of the Royal Observatory, Greenwich. Fcp. 8vo, 3s.

SCENERY, SCIENCE, AND ART; being Extracts from the Notebook of a Geologist and Mining Engineer. By **Professor D. T. ANSTED, M.A., F.R.S., &c.** 8vo, with Woodcuts and 4 Views in tinted lithography, 10s. 6d.

TOBACCO AND ITS ADULTERATIONS. By **HENRY P. PRESCOTT,** of the Inland Revenue Department. With upwards of 250 Illustrations drawn and engraved on 40 Steel Plates. 8vo, 12s. 6d.

THE CURRENCY UNDER THE ACT OF 1844; together with Observations on Joint-Stock Banks, and the Causes and Results of Commercial Convulsions. From the City Articles of ‘The Times.’ 8vo, 6s.

FIRST PLATFORM OF INTERNATIONAL LAW. By **Sir EDWARD CREASY, M.A.,** Professor of Jurisprudence in the Hon. the Four Inns of Court, late Chief Justice of Ceylon, &c. &c. 8vo, cloth, £1 1s.

BIBLIOGRAPHICAL CATALOGUE OF PRIVATELY PRINTED BOOKS. By **JOHN MARTIN, F.S.A.** Second Edition, 8vo, 21s.

TRAVELS AND RESEARCHES IN CRETE. By **Captain T. A. B. SPRATT, R.N., C.B., F.R.S., &c.** 2 Vols. 8vo, with numerous Illustrations, £2.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

TRAVELS IN LYCIA, MILYAS, AND THE CIBYRATIS, in company with the late Rev. E. T. Daniell. By Lieut. SPRATT, R.N., and Professor EDWARD FORBES. Two Vols. 8vo, with numerous Illustrations, including Views of the Scenery, Plans of Ancient Cities and Buildings, Plates of Coins and Inscriptions, Cuts of Rock Tombs, Fossils, and Geological Sections, and an original Map of Lycia. 36s.

LETTERS FROM THE VIRGIN ISLANDS. Illustrating Life and Manners in the West Indies. Post 8vo, cloth, 9s. 6d.

THE ISLE OF MAN; its History, Physical, Ecclesiastical, and Legendary. By J. G. CUMMING, M.A., F.G.S. Post 8vo, 12s. 6d.

LETTERS FROM ABROAD, from a Physician in search of Health. By WILLIAM BULLAR, M.D. Post 8vo, 7s.

AN ARCTIC VOYAGE TO BAFFIN'S BAY AND LANCAS-TER SOUND IN SEARCH OF FRIENDS WITH SIR JOHN FRANKLIN. By R. A. GOODSIR, Late President of the Royal Medical Society of Edinburgh. Post 8vo, 5s. 6d.

CUPS AND THEIR CUSTOMS. Second Edition. Post 8vo, boards, 2s. 6d.

THE MOCKING-BIRD AND OTHER POEMS. By FREDERICK FIELD, F.R.S. Fcp. 8vo, cloth, 5s.

HEALTHY RESPIRATION. By STEPHEN H. WARD, M.D., Physician to the Hospital for Diseases of the Chest, Victoria Park, &c. Second Edition. Fcp. 8vo, sewed, 1s.

HARDING'S UNIVERSAL STENOGRAPHY. Revised Edition by JOHN R. ROBINSON. Fcp. 8vo, sewed, 3s.; bound, 3s. 6d.

NOTES ON NETS; or, The Quincunx practically considered. By the Hon. and Rev. CHARLES BATHURST, LL.D. 12mo, 4s.

ELEMENTS OF PRACTICAL KNOWLEDGE; or, The Young Inquirer Answered. Explaining in Question and Answer, and in familiar language, what most things daily used, seen, or talked of, are; what they are made of, where found, and to what uses applied. Second Edition. 18mo, with Illustrations, 3s., cloth.

THE ECONOMY OF HUMAN LIFE. In Twelve Books. By R. DODSLEY. With Twelve Plates, engraved on steel, from original designs, by Frank Howard, Harvey, Williams, &c. 18mo, gilt edges, 5s.

FIRST PRINCIPLES OF RELIGION AND THE EXISTENCE OF A DEITY, explained in a series of Dialogues adapted to the capacity of the Infant Mind. 2s.

SUNDAY BOOK FOR THE YOUNG; or, Habits of Patriarchal Times in the East. With Woodcuts, 2s. 6d. By ANNE BULLAR.

DOMESTIC SCENES IN GREENLAND AND ICELAND With Woodcuts, 2s. Second Edition.

ENGLAND BEFORE THE NORMAN CONQUEST. 2s. 6d.

NATURAL HISTORY OF THE BRITISH ISLES.

This Series of Works is Illustrated by many Hundred Engravings; every Species has been Drawn and Engraved under the immediate inspection of the Authors; the best Artists have been employed, and no care or expense has been spared. Each Work of the Series is sold separately, as enumerated below.

QUADRUPEDS. By Professor BELL. Second Edition, revised by the Author, R. F. TOMES, and E. R. ALSTON. £1 6s.

BIRDS. By Mr. YARRELL. Fourth Edition. Edited by Professor NEWTON, F.R.S. In Parts at 2s. 6d.

COLOURED ILLUSTRATIONS OF THE EGGS OF BIRDS. By Mr. HEWITSON. Third Edition. 2 Vols., £4 14s. 6d.

REPTILES. By Professor BELL. Second Edition. 12s.

FISHES. By Mr. YARRELL. Third Edition. Edited by Sir JOHN RICHARDSON. 2 Vols., £3 3s.

MOLLUSCOUS ANIMALS AND THEIR SHELLS. By Professor EDWARD FORBES and Mr. HANLEY. 4 vols. 8vo, £6 10s. Royal 8vo, Coloured, £13.

STALK-EYED CRUSTACEA. By Professor BELL. 8vo, £1 5s.

SESSILE-EYED CRUSTACEA. By Mr. SPENCE BATE and Professor WESTWOOD. 2 Vols., £3.

STARFISHES. By Professor EDWARD FORBES. 15s.

ZOOPHYTES. By Dr. JOHNSTON. Second Edition. 2 Vols., £2 2s.

HYDROID ZOOPHYTES. By the Rev. T. HINCKS. 2 Vols., £2 2s.

POLYZOA. By Dr. HINCKS. (*In the press.*)

FOREST TREES. By Mr. SELBY. 8vo. (*Out of print.*) Large paper copies, £2 16s.

FOSSIL MAMMALS AND BIRDS. By Professor OWEN. £1 11s. 6d.

A few copies have also been printed on Large Paper.

In preparation.

A MANUAL OF CHEMISTRY. By Professor FRANKLAND.

ON WATER ANALYSIS. By Professor FRANKLAND.

JOHN VAN VOORST, 1 PATERNOSTER ROW.

INDEX.

	Page		Page
Accentuated List of Lepidoptera	8	England before the Norman Conquest	21
Adams and Baikie's Manual of Natural History	16	Entomologists' Monthly Magazine	9
Adams's Genera of Mollusca	5	Evening Thoughts	20
Aikin's Arts and Manufactures	20	Eyton on the Oyster	5
Anatomical Manipulation	16	Fawcett and Paley's Gothic Moldings	18
Andersson's Birds of Damara Land	2	Ferns of the British Isles	9
Ansted's Ancient World	12	Field's Mocking-Bird	21
— Elementary Course of Geology	12	First Principles of Religion	21
— Geologist's Text-book	12	Fly-Fishing	4
— Gold-seeker's Manual	12	Forbes's British Starfishes	6
— Scenery, Science, and Art	20	— Malacologia Monensis	5
Attfield's Chemistry	13	Forbes and Hanley's British Mollusca	4
Babington's British Rubi	10	Forbes and Godwin-Austen's European Seas	15
— Flora of Cambridgeshire	10	Forbes and Spratt's Travels in Lycia	21
— Manual of British Botany	9	Frankland's Experimental Researches	13
Baily's British Fossils	12	— Lecture Notes for Chemical Students	13
Baptismal Fonts	18	Garner's Natural History of Staffordshire	15
Bate and Westwood's Crustacea	5	Godman's Natural History of Azores	15
Bathurst's Notes on Nets	21	Godwin-Austen and Forbes's European Seas	15
Beale on the Sperm Whale	1	Goldsmith's Vicar of Wakefield Illustrated	19
Beck on Achromatic Microscopes	14	Goodsir's Arctic Voyage	21
Beddome's Icones Plantarum	11	Gosse's Aquarium	6
— Ferns of Southern India	11	— Birds of Jamaica	2
— Ferns of British India	11	— British Sea-Anemones	6
Bell's British Quadrupeds	1	— Canadian Naturalist	15
— British Reptiles	3	— Handbook to Aquarium	6
— British Stalk-eyed Crustacea	5	— Marine Zoology	6
— White's Selborne	15	— Tenby	6
Bennett's Australasia	15	Gray's Bard	19
Bevan on Honey-Bee	17	— Elegy	19
Bigsby's Thesaurus Devonico-Carboniferus	12	Greenland and Iceland	21
— Thesaurus Siluricus	12	Greg and Lettsom's Mineralogy	13
Blackwall's Researches in Zoology	16	Griffith and Henfrey's Micrographic Dictionary	14
Blake and Tate's Yorkshire Lias	12	Griffith's Text-book of the Microscope	14
Bloomfield's Poems	19	Günther and Playfair's Fishes of Zanzibar	4
Boccus on Fish Production	4	Gurney's Catalogue of Birds	2
Bonaparte's List of Birds	2	Gurney and Andersson's Birds	2
Brewer's Flora of Surrey	10	Guthrie's Elements of Heat	13
Brightwell's Life of Linnæus	18	Hanley and Forbes's British Mollusca	4
Brodrick's Falconer's Favourites	2	Harding's Stenography	21
Brodrick and Salvin's Falconry	2	Harting's Birds of Middlesex	2
Bullar's Letters from Abroad	21	— Handbook of British Birds	2
Burton's Falconry on the Indus	3	— Hints on Shore Shooting	3
Catalogue of British Vertebrates	17	— Ornithology of Shakespeare	3
Church's Laboratory Guide	13	— Rambles in Search of Shells	5
Chemical Society's Journal	14	Harvey's British Marine Algæ	10
Clark's Letters Home	15	— Flora Capensis	11
Clark's Testaceous Mollusca	5	— Thesaurus Capensis	11
Clausius's Mechanical Theory of Heat	14	— Index Generum Algarum	11
Clemens's Tineina of North America	7	— Nereis Boreali-Americana	11
Clermont's Quadrupeds and Reptiles of Europe	1	— Seaside Book	6
Cordeaux's Birds of the Humber	2	Haslam's Perran-Zabuloe	19
Couch's Illustrations of Instinct	17	Henfrey's Botanical Diagrams	10
Creasy's International Law	20	— Rudiments of Botany	10
Crichton's Ramble to the Orcades	15	— Vegetable Cell, by Mohl	11
Cumming's Isle of Man	21	— Vegetation of Europe	10
Cups and their Customs	21	Henfrey and Griffiths's Micrographic Dictionary	14
Currency	20	Henfrey and Masters's Course of Botany	10
Curtis's Farm Insects	8	Henfrey and Tulk's Anatomical Manipulation	16
Dallas's Elements of Entomology	8	Henslow's Memoir, by Jenyns	18
Dickson's Unity of Physical Sciences	20	Hewitson's British Birds' Eggs	1
Discursive Chemical Notes	14	— Illustrations of Diurnal Lepidoptera	7
Douglas's World of Insects	8	— Exotic Butterflies	7
Dowden's Wild Flowers	10	Hincks's Hydroid Zoophytes	5
Drummond's Anatomy	16	— Polyzoa	22
Economy of Human Life	21	Horne's Poor Artist	19
Elements of Practical Knowledge	21	Hughes's Marine Aquarium	6
Eliot and Storer's Inorganic Chemistry	13		

	Page		Page
Hunter's Essays and Observations	16	Poor Artist, by Horne	19
Ibis	3	Prescott on Tobacco.....	20
Insecta Saundersiana	9	Prestwich's Geological Inquiry	12
Instrumenta Ecclesiastica	19	— Ground Beneath us	12
Jeffreys's Conchology	4	Record of Zoological Literature	17
Jenyns's Life of Henslow	18	Reek's Elementary Astronomy.....	20
— Observations in Meteorology	16	Roper's Flora of Eastbourne.....	10
— Observations in Natural History	16	Salvin and Brodrick's Falconry	2
— White's Selborne	15	Samuelson's Earthworm and Housefly	17
Jesse's Angler's Rambles	4	— Honey-Bee	17
Johnston's British Zoophytes	5	Saunders's Refugium Botanicum	11
— Introduction to Conchology.....	5	Saunders and Smith's Mycological Illus-	
Jones's Animal Kingdom	16	trations	11
— Aquarian Naturalist	6	Scott's Australian Lepidoptera.....	7
— Natural History of Animals.....	16	Secmann's British Ferns at One View	10
Jones and Morris's Geology.....	13	Selby's British Forest Trees.....	22
Jones's (T. Rupert) Antiquity of Man	13	Shakespeare's Seven Ages of Man	19
Journal of the Chemical Society	14	Sharpe's Decorated Windows	18
Kelaart's Botany of Gibraltar	11	Shelley's Birds of Egypt	2
— Zoology of Ceylon	15	Shield's Hints on Moths	7
Kirby's Catalogue of Lepidoptera	7	Siebold on Parthenogenesis	9
Knaggs's Lepidopterist's Guide	7	Smith's Birds of Somersetshire	2
— List of Lepidoptera.....	8	Sonder and Harvey's Flora Capensis	11
Knox's (A. E.) Autumns on the Spey	15	Sowerby's (G. B.) Thesaurus Conchyliorum	5
— Ornithological Rambles	2	Sowerby's (J. E.) British Wild Flowers	9
Knox's (Dr.) Great Artists and Anatomists	18	— British Poisonous Plants	9
Latham's Descriptive Ethnology.....	17	— Key to Natural Orders of British	
— Ethnology of British Colonies.....	17	Plants	9
— Ethnology of British Islands	17	Spratt's Travels in Crete	20
— Ethnology of Europe	17	Spratt and Forbes's Travels in Lycia	21
— Man and his Migrations	17	Stainton's Butterflies and Moths	7
— Varieties of Man.....	17	— Entomologists' Annual	9
Leach's British Mollusca	5	— History of the Tineina	7
Letters from Virgin Islands	21	— List of Lepidoptera.....	8
Letters of Rusticus	17	— Tineina of South Europe	7
Lettsom and Greg's Mineralogy	13	— Tineina of Syria	7
Lowne's Anatomy of Blowfly	8	Stainton and Clemens's Tineina of North	
— Philosophy of Evolution	17	America	7
Lunge on Alkali Manufactures.....	13	Stevenson's Birds of Norfolk	2
Lynn's Natural Philosophy	20	Stewart's Ely Cathedral	18
MacLachlan's Instructions on Neuroptera	8	Storer and Eliot's Inorganic Chemistry.....	13
— Trichoptera	8	Strickland's Ornithological Synonyms	2
Malan's Catalogue of Eggs.....	3	Strickland and Melville on the Dodo.....	3
Martin's (J.) Catalogue of Books.....	20	Sunday Book for the Young	21
Martin's (J. H.) Microscopic Objects.....	14	Tate and Blake's Yorkshire Lias.....	12
Masters and Henfrey's Botany.....	10	Thoughts of a Physician.....	20
Melville and Strickland on the Dodo	3	Tugwell's Sea-Anemones	6
Meyrick's House- and Sporting-Dogs	1	Vicar of Wakefield, Illustrated by Mulready	19
Micrographic Dictionary	14	Wall on Sperm Whale	1
Mill's Destructive Distillation	14	Wallich's Deep-Sea Researches	6
Mohl on Vegetable Cell	11	— Eminent Men	19
Montagu's Dictionary of Birds, by Newman	2	— North-Atlantic Sea-bed	6
Moore and More's Cybele Hibernica.....	10	Ward on Healthy Respiration	21
Morris and Jones's Geology	13	Watts's Songs, Illustrated	19
Mosley's Natural-History of Tutbury	15	Westwood and Bate's Crustacea	5
Moule's Heraldry of Fish	4	Wharton's List of Birds	3
Munn's Bevan on the Honey-Bee	17	White's Selborne, by Bell	15
Newman's British Ferns	9	— Selborne, by Jenyns	15
— Insect Hunters.....	8	Wilkinson's British Tortrices	7
— Letters of Rusticus	17	Wilkinson's (Lady) Weeds and Wild	
— Life and Works	18	Flowers	10
— Montagu's Birds	2	Williams's Chemical Manipulation.....	14
Newton's Ootheca Wolleyana	3	Wollaston's Coleoptera Atlantidum	8
— Yarrell's Birds.....	1	— Coleoptera Hesperidum	8
Nuttall Ornithological Bulletin	3	— Coleoptera Sanctæ-Helenæ	8
Owen's British Fossil Mammals and Birds	12	— Insecta Maderensia	8
— Extinct Birds of New Zealand	3	— Variation of Species	9
— Parthenogenesis	17	Woodward on Polarized Light.....	20
Paley's Church Restorers	19	Yarrell's British Birds	1
— Gothic Architecture	18	— British Fishes	4
Paley and Fawcett's Gothic Moldings	18	— on the Salmon	4
Pascoe's Zoological Classification	16	Zoological Record	17
Playfair and Günther's Fishes of Zanzibar.	4	Zoologist	18