83. ~~95~~ n. Geo. C. Griffing

PRICE ONE SHILLING AND SIXPENCE.

THE LABEL LIST
OF
BRITISH LEPIDOPTERA

COMPILED AFTER

"A HANDBOOK OF BRITISH LEPIDOPTERA."

BY

EDWARD MEYRICK, B.A., F.Z.S., F.E.S., ETC.

LONDON:

WATKINS & DONCASTER,
36, STRAND, W.C.

1896.

PRICE ONE SHILLING AND SIXPENCE.

THE LABEL LIST
OF
BRITISH LEPIDOPTERA.

COMPILED AFTER

"A HANDBOOK OF BRITISH LEPIDOPTERA."

BY

EDWARD MEYRICK, B.A., F.Z.S., F.E.S., ETC.

LONDON:

WATKINS & DONCASTER,
36, STRAND, W.C.

1896.

THE LABEL LIST
OF
BRITISH LEPIDOPTERA.

CARADRININA.

ARCTIADÆ.

CEONISTIS, Hb.

quadra, L.

LITHOSIA, F.

lutarella, L.

sericea, Gregs.

complana, L.

lurideola, Zk.

deplana, Esp.

muscerda, Hufn.

griseola, Hb.

caniola, Hb.

sororcula, Hufn.

GNOPHRIA, Stph.

rubricollis, L.

CYBOSIA, Hb.

mesomella, L.

SETINA, Schrk.

irrorella, L.

MILTOCHRISTA, Hb.

miniata, Forst.

senex, Hb.

NUDARIA, Hw.

mundana, L.

RÆSELIA, Hb.

centonalis, Hb.

confusalis, HS.

NOLA, Lch.

cucullatella, L.

URABA, Walk.

strigula, Schiff.

albula, Hb.

SARROTHRIPUS, Curt.

undulana, Hb.

EARIAS, Hb.

clorana, L.

HYLOPHILA, Hb.

bicolorana, Fuesl.

HALIAS, Tr.

prasinana, L.

TYRIA, Hb.

jacobææ, L.

UTETHEISA, Hb.

pulchella, L.

COSCINIA, Hb.

cribrum, L.

striata, L.

PHRAGMATOBIA, Stph.

fuliginosa, L.

DIACRISIA, Hb.

mendica, Cl.

urticæ, Esp.

menthastri, Esp.

lubricipeda, L.

russula, L.

ARCTIA, Schrk.

plantaginis, L.

villica, L.

caja, L.

CALLIMORPHA, Latr.

hera, L.

dominula, L.

CARADRINIDÆ.

Poliades.

CUCULLIA, Schrk.

absinthii, L.

gnaphalii, Hb.

chamomillæ, Schiff.

umbratica, L.

asteris, Schiff.

scrophulariæ, Cap.

verbasci, L.

lychnitis, Ramb.

POLIA, O.

exoleta, L.

vetusta, Hb.

solidaginis, Hb.

semibrunnea, Hw.

socia, Rott.

lambda, F.

furcifera, Hufn.

ornithopus, Rott.

areola, Esp.

viminalis, F.

lichenea, Hb.

protea, Bkh.

aprilina, L.

chi, L.

flavicincta, F.

xanthomista, Hb.

DASYPOLIA, Gn.

templi, Thub.

VALERIA, Germ.

oleagina, F.

MISELIA, O.

oxyacanthæ, L.

bimaculosa, L.

DILOBA, B.

cæruleocephala, L.

ASTEROSCOPIUS, B.

nubeculosus, Esp.

sphinx, Hufn.

APOROPHYLA, Gn.

australis, B.

lutulenta, Bkh.

nigra, Hw.

lunosa, Hw.

HELIOPHOBUS, B.

hispidus, H-G.

ORTHOSIA, O.

xerampelina, Hb.

croceago, F.

citrago, L.

aurago, F.

flavago, F.

fulvago, L.

gilvago, Esp.

ocellaris, Bkh.

circellaris, Hufn.

helvola, L.

litura, L.

pistacina, F.

macilenta, Hb.

lota, Cl.

ypsilon, Bkh.

suspecta, Hb.

satellitica, L.

CONISTRA, Hb.
rubiginea, F.
erythrocephala, F.
ligula, Esp.
vaccinii, L.

Melanchrides.

MELIANA, Curt.
flammea, Curt.
 LEUCANIA, O.
turca, L.
lithargyrea, Esp.
albipuncta, F.
Loreyi, Dup.
littoralis, Curt.
conigera, F.
vitellina, Hb.
comma, L.
putrescens, Hb.
obsoleta, Hb.
unipuncta, Hw.
impudens, Hb.
straminea, Tr.
impura, Hb.
pallens, L.
 MONIMA, Hb.
incerta, Hufn.
opima, Hb.
gracilis, F.
stabilis, View.
populeti, Tr.
miniosa, F.
pulverulenta, Esp.
munda, Esp.
gothica, L.
 CHARÆAS, Stph.
graminis, L.

NEURONIA, Hb.
popularis, F.
 PANOLIS, Hb.
piniperda, Panz.
 HARMODIA, Hb.
nana, Rott.
albimacula, Bkh.
compta, F.
irregularis, Hufn.
cæsia, Bkh.
luteago, Hb.
carpophaga, Bkh.
capsincola, Hb.
cucubali, Fuesl.
 MELANCHRA, Hb.
cespitis, F.
reticulata, Vill.
serena, F.
chrysozona, Bkh.
trifolii, Rott.
dentina, Esp.
glauca, Hb.
conspicillaris, L.
contigua, Vill.
genistæ, Bkh.
thalassina, Rott.
dissimilis, Kn.
oleracea, L.
pisi, L.
leucophæa, View.
tincta, Brh.
advena, F.
nebulosa, Hufn.
brassicæ, L.
persicariæ, L.
albicolon, Hb.

myrtilli, L.
cordigera, Thnb.
melanopa, Thnb.

Caradrinides.

AGROTIS, O.

vestigialis, Rott.
corticea, Hb.
segetum, Schiff.
ypsilon, Rott.
lunigera, Stph.
exclamationis, L.
obelisca, Hb.
nigricans, L.
saucia, Hb.
præcox, L.
cursoria, Hufn.
cinerea, Hb.
ripæ, Hb.
puta, Hb.
plecta, L.
strigula, Thnb.
agathina, Dup.
tritici, L.
augur, F.
occulta, L.
subrosea, Stph.
Ashworthii, Dbld.
lucernea, L.
simulans, Hufn.
obscura, Brh.
putris, L.
fennica, Tausch.
flammatra, F.
c-nigrum, L.
ditrapezium, Bkh.
triangulum, Hufn.

pronuba, L.
comes, Hb.
orbona, Hufn.
brunnea, F.
xanthographa, F.
castanea, Esp.
umbrosa, Hb.
rubi, View.
Dahlia, Hb.
festiva, Hb.
stigmatica, Hb.
glareosa, Esp.
depuncta, L.
typica, L.

TRIPHÆNA, O.

fimbria, L.
ianthina, Esp.
interjecta, Hb.
baja, F.
sobrina, Gn.
rubricosa, F.
leucographa, Hb.
hyperborea, Zett.
prasina, F.

HELIOTHIS, O.

armigera, Hb.
peltigera, Schiff.
scutosa, Schiff.
dipsacea, L.

OCHRIA, Hb.

ochracea, Hb.

NONAGRIA, O.

dissoluta, Tr.
cannæ, O.
sparganii, Esp.
geminipuncta, H.
arundinis, F.

CÆNOBIA, Hw.

rufa, Hw.

LUPERINA, B.

testacea, Hb.

Dumerilii, Dup.

SPODOPTERA, Gn.

exigua, Hb.

RUSINA, B.

tenebrosa, Hb.

ACOSMETIA, Stph.

caliginosa, Hb.

AMPHIPYRA, O.

pyramidea, L.

tragopogonis, L.

CARADRINA, O.

pyralina, View.

diffinis, L.

affinis, L.

trapezina, L.

subtusa, F.

retusa, L.

oo, L.

paleacea, Esp.

umbra, Hufn.

micacea, Esp.

petasitis, Dbld.

lutosa, Hb.

elymi, Tr.

fulva, Hb.

musculosa, Hb.

phragmitidis, Hb.

brevilinea, Fenn.

Hellmanni, Ev.

concolor, Gn.

Morrisii, Dale.

arcuosa, Hw.

palustris, Hb.

quadripunctata, F.

morpheus, Hufn.

alsines, Brh.

taraxaci, Hb.

ambigua, F.

exulis, Lef.

trigrammica, Hufn.

matura, Hufn.

SENTA, Stph.

maritima, Tausch.

STILBIA, Stph.

anomala, Hw.

ACTINOTIA, Hb.

polyodon, Cl.

HADENA, Schrk.

meticulosa, L.

lucipara, L.

flammea, Esp.

atriplicis, L.

maura, L.

scabriuscula, L.

rectilinea, Esp.

adusta, Esp.

gemina, Hb.

polyodon, L.

lithoxylea, F.

sublustris, Esp.

rurea, F.

scolopacina, Esp.

hepatica, Hb.

porphyrea, Esp.

furva, Hb.

abjecta, Hb.

sordida, Bkh.

basilinea, F.

ochroleuca, Esp.
ophiogramma, Esp.
pabulatricula, Brh.
leucostigma, Hb.
unanimis, Tr.
didyma, Esp.
nictitans, Bkh.
Haworthii, Curt.
captiuncula, Tr.
literosa, Hw.
bicoloria, Vill.
strigilis, Cl.
fasciuncula, Hw.

METACHROSTIS, Hb.

perla, F.
muralis, Forst.
algæ, F.

MOMA, Hb.

orion, Esp.

ACRONYCTA, O.

leporina, L.
alni, L.
strigosa, F.
tridens, Schiff.
psi, L.
megacephala, F.
aceris, L.
ligustri, F.
rumicis, L.
auricoma, F.
euphorbiæ, F.
menyanthidis, View.

ARSILONCHE, Ld.

albovenosa, Gz.

PLUSIADÆ.

Hypenides.

BOLETOBIA, B.

fuliginaria, L.

ÆTHIA, Hb.

emortualis, Schiff.
tarsipennalis, Tr.
nemoralis, F.
derivalis, Hb.

HERMINIA, Latr.

cribralis, Hb.
barbalis, Cl.

SCHRANKIA, Hb.

turfosalis, Wk.

HYPENODES, Gn.

costistrigalis, Stph.
albistrigalis, Hw.

BOMOLOCHA, Hb.

fontis, Thnb.

HYPENA, Schrk.

rostralis, L.
proboscidalis, L.
obsitalis, Hb.

COLOBOCHYLA, Hb.

salicalis, Schiff.

AVENTIA, Dup.

flexula, Schiff.

Plusiades.

OPHIUSA, O.

pastinum, Tr.
craccæ, F.

SCOLIOPTERYX, Germ.

libatrix, L.

PLUSIA, O.

- moneta*, F.
chrysitis, L.
orichalcea, F.
bractea, F.
festuæ, L.
iota, L.
pulchrina, Hw.
gamma, L.
chalcites, Esp.
ni, Hb.
interrogationis, L.
tripartita, Hufn.
triplasia, L.

CATEPHIA, O.

- alchymista*, Schiff.

PHOBERIA, Hb.

- lunaris*, Schiff.

CATOCALA, Schrk.

- fraxini*, L.
nupta, L.
sponsa, L.
promissa, Esp.
electa, Bkh.

EUCLIDIA, O.

- mi*, Cl.
glyphica, L.

ERASTRIA, O.

- fasciana*, L.

EUSTROTIA, Hb.

- zenustula*, Hb.
lucida, Hufn.
luctuosa, Esp.
argentula, Hb.
uncula, Cl.
viridaria, Cl.

PANEMERIA, Hb

- tenebrata*, Sc.

EMMELIA, Hb.

- trabealis*, Sc.

EUBLEMMA, Hb.

- ostrina*, Hb.
parva, Hb.
paula, Hb.

RIVULA, Gn.

- sericealis*, Sc.

OCNERIADÆ.

LÆLIA, Stph.

- cænosa*, Hb.

ORGYIA, O.

- gonostigma*, F.
antiqua, L.

DASYCHIRA, Hb.

- fascelina*, L.
pudibunda, L.

COLOCASIA, O.

- coryli*, L.

PORTHESIA, Stph.

- similis*, Fuesl.

EUPROCTIS, Hb.

- chrysorrhæa*, L.

STILPNOTIA, Westw.

- salicis*, L.

OCNERIA, Hb.

- monacha*, L.
dispar, L.

NOTODONTINA.**HYDRIOMENIDÆ.****TRICHOPTERYX, Hb.***viretata, Hb.**carpinata, Bkh.**polycommata, Hb.***MYSTICOPTERA, Meyr.***sexalisata, Hb.***LOBOPHORA, Curt.***halterata, Hufn.***CHLOROCLYSTIS, Hb.***coronata, Hb.**rectangulata, L.**debiliata, Hb.***GYMNOSCELIS, Mab.***pumilata, Hb.***TEPHROCLYSTIS, Hb.***venosata, F.**expallidata, Gn.**campanulata, HS.**minutata, Gn.**absinthiata, Cl.**assimilata, Gn.**pimpinellata, Hb.**valerianata, Hb.**albipunctata, Hw.**vulgata, Hw.**oblongata, Thnb.**subfulvata, Hw.**satyrata, Hb.**pulchellata, Stph.**linariata, F.**succenturiata, L.**castigata, Hb.**lariciata, Frr.**virgaureata, Dbld.**cauchyata, Dup.**plumbeolata, Hw.**isogrammaria, HS.**pygmæata, Hb.**tenuiata, Hb.**trisignaria, HS.**indigata, Hb.**constrictata, Gn.**subciliata, Gn.**pusillata, F.**abbreviata, Stph.**dodoneata, Gn.**exiguata, Hb.**irriguata, Hb.**insigniata, Hb.**fraxinata, Crewe.**innotata, Hufn.**sobrinata, Hb.**helveticaria, B.**nanata, Hb.**extensaria, Frr.***EUCYMATOGE, Hb.***subnotata, Hb.**scabiosata, Bkh.**togata, Hb.**vitalbata, Hb.**tersata, Hb.***COLLIX, Gn.***sparsaria, Hb.***EUCESTIA, Hb.***spartiata, Fuesl.**rufata, F.**griseata, Schiff.**plagiata, L.***CARSIA, Hb.***paludata, Thnb.*

CALOCALPE, Hb.

certata, Hb.*undulata*, L.

PHILEREME, Hb.

vetulata, Schiff.*rhamnata*, Schiff.

EUSTROMA, Hb.

reticulata, F.*prunata*, L.*associata*, Bkh.*populata*, L.*testata*, L.

PLEMYRIA, Hb.

bicolorata, Hufn.*hastata*, L.*tristata*, L.*rivata*, Hb.*sociata*, Bkh.*galiata*, Hb.

CATACLYSME, Hb.

virgata, Rott.

HYDRIOMENA, Hb.

ocellata, L.*simulata*, Hb.*variata*, Schiff.*juniperata*, L.*sagittata*, F.*fulvata*, Forst.*dotata*, L.*picata*, Hb.*miata*, L.*siterata*, Hufn.*sordidata*, F.*trifasciata*, Bkh.*truncata*, Hufn.*silacea*, Hb.*corylata*, Thnb.*suffumata*, Hb.*cæsiata*, Lang.*flavicinctata*, Hb.*dubitata*, L.*badiata*, Hb.*nigrofasciaria*, Gz.*rubidata*, F.*berberata*, Schiff.*cuculata*, Hufn.*albicillata*, L.*unangulata*, Hw.*adæquata*, Bkh.*minorata*, Tr.*tæniata*, Stph.*unifasciata*, Hw.*alchemillata*, L.*affinitata*, Stph.*decolorata*, Hb.*albulata*, Schiff.*procellata*, F.*bilineata*, L.*fluviata*, Hb.*polygrammata*, Bkh.*lapidata*, Hb.

PELURGA, Hb.

comitata, L.

OPEROPHTERA, Hb.

brumata, L.*boreata*, Hb.

EUCHÆCA, Hb.

luteata, Schiff.*obliterata*, Hufn.*sylvata*, Hb.*Blomeri*, Curt.

ASTHENA, Hb.

candidata, Schiff.

murinata, Sc.

dilutata, Bkh.

VENUSIA, Curt.

cambrica, Curt.

XANTHORHOE, Hb.

vittata, Bkh.

cervinata, Schiff.

limitata, Sc.

plumbaria, F.

bipunctaria, Schiff.

multistrigaria, Hw.

didymata, L.

spadicearia, Bkh.

ferrugata, L.

designata, Rott.

munitata, Hb.

quadrifasciaria, Cl.

firmata, Hb.

montanata, Bkh.

fluctuata, L.

salicata, Hb.

olivata, Bkh.

viridaria, F.

RHODOMETRA, Meyr.

sacraria, L.

LYTHRIA, Hb.

purpuraria, L.

STERRHIDÆ.

EOIS, Hb.

muricata, Hufn.

contiguaria, Hb.

rusticata, F.

virgularia, Hb.

straminata, Tr.

perochraria, F.R.

holosericata, Dup.

dilutaria, Hb.

humiliata, Hufn.

subsericeata, Hw.

inornata, Hw.

aversata, L.

degeneraria, Hb.

emarginata, L.

dimidiata, Hufn.

trigeminata, Hw.

bisetata, Hufn.

STERRHA, Hb.

ochrata, Sc.

LEPTOMERIS, Hb.

remutaria, Hb.

immutata, L.

marginepunctata, Gz.

ornata, Sc.

imitaria, Hb.

emutaria, Hb.

strigilaria, Hb.

strigaria, Hb.

immorata, L.

rubiginata, Hufn.

PYLARGE, HS.

fumata, Stph.

LEUCOPHTHALMIA, Hb.

orbicularia, Hb.

pendularia, Cl.

porata, F.

punctaria, L.

trilineararia, Bkh.

annulata, Schulze.

CALOTHYSANIS, Hb.

amata, L.

GEOMETRIDÆ.

NEMORIA, Hb.

strigata, Müll.*viridata*, L.

EUCHLORIS, Hb.

pustulata, Hufn.*smaragdaria*, F.*vernaria*, Hb.*lactearia*, L.

GEOMETRA, L.

papilionaria, L.

PSEUDOTERPNA, Hb.

pruinata, Hufn.

MONOCTENIADÆ.

BAPTRIA, Hb.

atrata, L.

APLASTA, Hb.

ononaria, Fuesl.

ERANNIS, Hb.

æscularia, Schiff.

BREPHOS, O.

parthenias, L.*notha*, Hb.

SELIDOSEMIDÆ.

OPISTHOGRAPTIS, Hb.

notata, L.*alternaria*, Hb.*liturata*, Cl.*clathrata*, L.*luteolata*, L.

DIASTICTIS, Hb.

brunneata, Thnb.*wauaria*, L.*roboraria*, Schiff.*consortaria*, F.

ECTROPIS, Hb.

luridata, Bkh.*punctularia*, Hb.*biundularia*, Bkh.*consonaria*, Hb.

DEILEPTENIA, Hb.

abietaria, Hb.

CLEORA, Curt.

lichenaria, Hufn.

SELIDOSEMA, Hb.

ericetaria, Vill.*repandata*, L.*glabraria*, Hb.*angularia*, Thnb.*gemmaria*, Brh.*cinctaria*, Schiff.

BUPALUS, Lch.

pinarius, L.*atomarius*, L.*carbonarius*, Cl.*limbarius*, F.

TEPHRONIA, Hb.

sepiaria, Hufn.

SYNOPSISIA, Hb.

abruptaria, Thnb.

ABRAXAS, Lch.

grossulariata, L.*sylvata*, Sc.*adustata*, Schiff.*marginata*, L.

PSEUDOPANTHERA, Hb.

punctata, F.*bimaculata*, F.*pictaria*, Curt.*macularia*, L.*obscuraria*, Hb.

- obfuscaria*, Hb.
hippocastanaria, Hb.
petraria, Hb.
lineata, Sc.
CROCOTA, Hb.
belgaria, Hb.
strigillaria, Hb.
gilvaria, F.
ochrearia, Ross.
THERIA, Hb.
rupicapraria, Hb.
PSODOS, Tr.
coracina, Esp.
HYBERNIA, Latr.
leucophæaria, Schiff.
marginaria, Bkh.
aurantiaria, Esp.
defoliaria, Cl.
APOCHEIMA, Hb.
zonaria, Schiff.
hispidaria, F.
pedaria, F.
BISTON, Lch.
hirtarius, Cl.
stratarius, Hufn.
betularius, L.
DEILINIA, Hb.
pusaria, L.
exanthemata, Sc.
OURAPTERYX, Lch.
sambucaria, L.
METROCAMPA, Latr.
prosapiaria, L.
margaritaria, L.
pulveraria, L.
dolabraria, L.
EUCHLÆNA, Hb.
prunaria, L.
parallelaria, Schiff.
apiciaria, Schiff.
SELENIA, Hb.
bilunaria, Esp.
lunaria, Schiff.
tetralunaria, Hufn.
HYGROCHROA, Hb.
syringaria, L.
CEPPHIS, Hb.
advenaria, Hb.
COLOTOIS, Hb.
pennaria, L.
ENNOMOS, Tr.
erosaria, Bkh.
fuscantaria, Hw.
alniaria, L.
quercinaria, Hufn.
autumnaria, Wernb.
GONODONTIS, Hb.
bidentata, Cl.
elinguaria, L.
POLYPLOCIDÆ.
HABROSYNE, Hb.
derasa, L.
THYATIRA, O.
batis, L.
PALIMPSESTIS, Hb.
fluctuosa, Hb.
duplaris, L.
or, F.
octogesima, Hb.

POLYPLOCA, Hb.

diluta, F.*flavicornis*, L.*ridens*, F.

SPHINGIDÆ.

HEMARIS, Dalm.

bombylifomis, Esp.*fuciformis*, L.

MACROGLOSSA, Sc.

stellatarum, L.

DEILEPHILA, O.

porcellus, L.*elpenor*, L.*celerio*, L.*nerii*, L.*lineata*, F.*euphorbiæ*, L.*galii*, Rott.

SPHINX, L.

pinastri, L.*ligustri*, L.*convolvuli*, L.

ACHERONTIA, O.

atropos, L.

SMERINTHUS, Latr.

populi, L.*ocellatus*, L.

DILINA, Dalm.

tiliæ, L.

NOTODONTIDÆ.

PYGÆRA, O.

pigra, Hufn.*anachoreta*, Hb.*curtula*, L.

NOTODONTA, O.

ziczac, L.*dromedarius*, L.*tritophus*, Esp.*torva*, Hb.

DRYMONIA, Hb.

dictæoides, Esp.*tremula*, Cl.*trepida*, Esp.*trimacula*, Esp.*chaonia*, Hb.

GLUPHISIA, B.

crenata, Esp.

STAUROPUS, Germ.

fagi, L.

PTILOPHORA, Stph.

plumigera, Esp.

PTEROSTOMA, Germ.

palpina, L.

ODONTOSIA, Hb.

camelina, L.*cuculla*, Esp.*carmelita*, Esp.

HIEROPHANTA, Meyr.

bicoloria, Schiff.

CERURA, Schrk.

vinula, L.*bifida*, Hb.*furcula*, L.*bicuspis*, Bkh.

PHALERA, Hb.

bucephala, L.

SATURNIADÆ.

SATURNIA, Schrk.

pavonia, L.

LASIOCAMPINA.

DREPANIDÆ.

CILIX, Lch.

glaucata, Sc.

FALCARIA, Hw.

lacertinaria, L.*falcataria*, L.

DREPANA, Schrk.

harpagula, Esp.*binaria*, Hufn.*cultraria*, F.

ENDROMIDIDÆ.

ENDROMIS, O.

versicolora, L.

LASIOCAMPIDÆ.

LASIOCAMPA, Schrk.

quercus, L.*trifolii*, Esp.

ERIOGASTER, Germ.

populi, L.*lanestris*, L.*rubi*, L.*cratægi*, L.

CLISIOCAMPA, Curt.

castrensis, L.*neustria*, L.

ODONESTIS, Germ.

potatoria, L.

GASTROPACHA, O.

quercifolia, L.*ilicifolia*, L.

PAPILIONINA.

NYMPHALIDÆ.

ANOSIA, Hb.

erippus, Cr.

ARGYNNIS, F.

paphia, L.*adippe*, L.*aglaia*, L.*lathonia*, L.*euphrosyne*, L.*selene*, Schiff.

MELITÆA, F.

aurinia, Rott.*cinxia*, L.*athalia*, Rott.

VANESSA, F.

c-album, L.*urticæ*, L.*polychloros*, L.*io*, L.*antiopa*, L.*atalanta*, L.*cardui*, L.

LIMENITIS, F.

sibilla, L.

APATURA, F.

iris, L.

SATYRIDÆ.

MELANARGIA, Meig.

galathea, L.

PARARGE, Hb.

ægeria, L.*megæra*, L.

SATYRUS, F.

semele, L.

EPINEPHELE, Hb.

tithonus, L.*janira*, L.*hyperanthus*, L.

EREBIA, Dalm.

æthiops, Esp.*epiphron*, Kn.

CÆNONYMPHA, Hb.

tiphon, Rott.*pamphilus*, L.

ERYCINIDÆ.

NEMEOBIUS, Stph.

lucina, L.

LYCÆNIDÆ.

THECLA, F.

rubi, L.*pruni*, L.*w-album*, Kn.*betulæ*, L.*quercus*, L.

CHRY SOPHANUS, Hb.

argiades, Pall.*minimus*, Fuesl.*semiargus*, Rott.*astrarche*, Bgstr.*phlæas*, L.*dispar*, Hw.

LYCÆNA, F.

oætica, L.*argiolus*, L.*corydon*, Pod.*bellargus*, Rott.*ægon*, Schiff.*icarus*, Rott.*arion*, L.

PIERIDÆ.

COLIAS, F.

hyale, L.*edusa*, F.

GONEPTERYX, Lch.

rhamni, L.

EUCHLOE, Hb.

cardamines, L.

LEUCOPHASIA, Stph.

sinapis, L.

PIERIS, Schrk.

daphidice, L.*napi*, L.*rapæ*, L.*brassicæ*, L.

APORIA, Hb.

cratægi, L.

PAPILIONIDÆ.

PAPILIO, L.

machaon, L.

HESPERIADÆ.

HESPERIA, F.

malvæ, L.*tages*, L.

CYCLOPÆDES, Hb.

palæmon, Pall.

PAMPHILA, F.

thaumas, Hufn.*lineola*, O.*actæon*, Esp.*sylvanus*, Esp.*comma*, L.

PYRALIDINA.

PHYCITIDÆ.

ANERASTIA, Hb.

lotella, Hb.

GYMNANCYLA, Z.

canella, Hb.

PEMPELIA, Hb.

dilutella, Hb.*ornatella*, Schiff.

SALEBRIA, Z.

formosa, Hw.*semirubella*, Sc.*fusca*, Hw.*betulæ*, Gz.*palumbella*, F.

ALISPA, Z.

angustella, Hb.

EPISCHNIA, Hb.

boisduvaliella, Gn.*bankesiella*, Rich.

HYPOCHALCIA, Hb.

ahenella, Hb.

DIORYCTRIA, Z.

splendidella, HS.*abietella*, F.

PHYCITA, Curt.

spissicella, F.

NEPHOPTERYX, Hb.

genistella, Dup.*hostilis*, Stph.

PLODIA, Gn.

interpunctella, Hb.

EPHESTIA, Gn.

elutella, Hb.*ficulella*, Barr.*cahiritella*, Z.*calidella*, Gn.*kuehniella*, Z.

HETEROGRAPHIS, Rag.

oblitella, Z.

EUZOPHERA, Z.

pinguis, Hw.*cinerosella*, Z.

CATEREMNA, Meyr.

terebrella, Zk.

HOMÆOSOMA, Curt.

sinuella, F.*binævella*, Hb.*cretacella*, Rsl.*nimbella*, Z.*nebulella*, Hb.

NYCTEGRETIS, Z.

achatinella, Hb.

MYELOIS, Hb.

cirrigerella, Zk.*cribrella*, Hb.*ceratonix*, Z.

EURHODOPE, Hb.

marmorea, Hw.*advenella*, Zk.*suavella*, Zk.

CRYPTOBLABES, Z.

bistriga, Hw.

ACROBASIS, Z.

consociella, Hb.*sodalella*, Z.*Zelleri*, Rag.*tumidana*, Schiff.

GALLERIADÆ.

MELIPHORA, Gn.

grisella, F.

CORCYRA, Rag.

cephalonica, Stt.

MELISSOBLAPTES, Z.

bipunctanus, Z.

APHOMIA, Hb.

sociella, L.

GALLERIA, F.

mellonella, L.

CRAMBIDÆ.

CALAMOTROPHA, Z.

paludella, Hb.

CRAMBUS, F.

hamellus, Thnb.*uliginosellus*, Z.*pascuellus*, L.*ericellus*, Hb.*silvellus*, Hb.*dumetellus*, Hb.

pratellus, L.
culmellus, L.
hortuellus, Hb.
craterellus, Sc.
chrysonuchellus, Sc.
falsellus, Schiff.
verellus, Zk.
myellus, Hb.
pinellus, L.
margaritellus, Hb.
furcatellus, Zett.
latistrius, Hw.
perlellus, Sc.
fascelinellus, Hb.
inquinatellus, Schiff.
geniculeus, Hw.
contaminellus, Hb.
salinellus, Tutt.
tristellus, F.
selasellus, Hb.

PLATYTES, Gn.
alpinella, Hb.
cerussella, Schiff.

EUCHROMIUS, Gn.
ocelleus, Hw.

CHILO, Zk.
phragmitellus, Hb.
cicatricellus, Hb.

PYRAUSTIDÆ.

ACENTROPUS, Curt.
niveus, Ol.

SCHÆNOBIUS, Dup.
gigantellus, Schiff.
forficellus, Thnb.

DONACAULA, Meyr.
mucronella, Schiff.

CATACLYSTA, Hb.
lemnata, L.

NYMPHULA, Schrk.
stagnata, Don.
stratitotata, L.

HYDROCAMPA, Latr.
nymphæata, L.

DIASEMIA, Hb.
litterata, Sc.
ramburialis, Dup.

STENIA, Gn.
punctalis, Schiff.

ANTIGASTRA, Ld.
catalaunalis, Dup.

MARGARONIA, Hb.
unionalis, Hb.

AGROTERA, Schrk.
nemoralis, Sc.

NOTARCHA, Meyr.
ruralis, Sc.

EURRHYPARA, Hb.
urticata, L.

PERINEPHELA, Hb.
lancealis, Schiff.

PHLYCTÆNIA, Hb.
cilialis, Hb.
crocealis, Hb.
lutealis, Hb.
ferrugalis, Hb.
prunalis, Schiff.
terrealis, Tr.
fuscalis, Schiff.
sambucalis, Schiff.

NOMOPHILA, Hb.
noctuella, Schiff.

PSAMMOTIS, Hb.
pulveralis, Hb.
hyalinalis, Hb.

PYRAUSTA, Schrk.
octomaculata, F.
cingulata, L.
nigrata, Sc.
sanguinalis, L.
purpuralis, L.
aurata, Sc.
cespitalis, Schiff.
alpinalis, Schiff.
decrepitalis, HS.
olivalis, Schiff.
repandalis, Schiff.
flavalis, Schiff.
stachydalis, Zk.

verbascalis, Schiff.

nubilalis, Hb.

asinalis, Hb.

MICROSTEGA, Meyr.

pandalis, Hb.

MECYNA, Stph.

polygonalis, Hb.

LOXOSTEGE, Hb.

sticticalis, L.

verticalis, L.

palealis, Schiff.

CYNÆDA, Hb.

dentalis, Schiff.

SCOPARIA, Hw.

resinea, Hw.

lineola, Curt.

angustea, Stph.

alpina, Stt.

murana, Curt.

frequentella, Stt.

cratægella, Hb.

truncicolella, Stt.

pallida, Stph.

cembræ, Hw.

dubitalis, Hb.

ambigualis, Tr.

EVERGESTIS, Hb.

straminalis, Hb.

extimalis, Sc.

MESOGRAPHE, Hb.

forficalis, L.

PYRALIDIDÆ.

ENDOTRICA, Z.

flammealis, Schiff.

PYRALIS, L.

glaucinalis, L.

costalis, F.

farinalis, L.

lienigialis, Z.

AGLOSSA, Latr.

pinguinalis, L.

cuprealis, Hb.

SYNAPHE, Hb.

angustalis, Schiff.

PTEROPHORIDÆ.

TRICHOPTILUS, Wlsm.

paludum, Z.

OXYPTILUS, Z.

distans, Z.

pilosellæ, Z.

parvidactylus, Hw.

hieracii, Z.

teucarii, Greening.

PLATYPTILIA, Hb.

cosmodactyla, Hb.

acanthodactyla, Hb.

gonodactyla, Schiff.

Zetterstedtii, Z.

isodactyla, Z.

Bertrami, Rsl.

ochrodactyla, Hb.

rhododactyla, F.

PTEROPHORUS, Geoffr.

tetradactylus, L.

baliodactylus, Z.

pentadactylus, L.

galactodactylus, Hb.

spilodactylus, Curt.

PSELNOPHORUS, Wallgr.

brachydactylus, Tr.

MARASMARCHA, Meyr.

phæodactyla, Hb.

microdactyla, Hb.

ALUCITA, L.

osteodactyla, Z.

tephradactyla, Hb.

lienigiana, Z.

monodactyla, L.

lithodactyla, Tr.

STENOPTILIA, Hb.

pterodactyla, L.

zophodactyla, Dup.

bipunctidactyla, Hw.

AGDISTIS, Hb.

Bennetii, Curt.

ORNEODIDÆ.

ORNEODES, Latr.

hexadactyla, L.

PSYCHINA.

PSYCHIDÆ.

PSYCHE, Schrk.

villosella, O.*opacella*, HS.

STERRHOPTERIX, Hb.

hirsutella, Hb.

ZEUZERIDÆ.

PHRAGMATÆCIA, Newm.

castaneæ, Hb.

ZEUZERA, Latr.

pyrina, L.

ZYGÆNIDÆ.

ZYGÆNA, F.

filipendulæ, L.*loniceræ*, Esp.*trifolii*, Esp.*meliloti*, Esp.*exulans*, Hoch.*pilosellæ*, Esp.

PROCRIS, F.

geryon, Hb.*statices*, L.*globulariæ*, Hb.

HETEROGENEIDÆ.

HETEROGENEA, Kn.

asella, Schiff.

APODA, Hw.

limacodes, Hufn.**TORTRICINA.**

EPIBLEMIDÆ.

LOBESIA, Gn.

permixtana, Hb.

CHROSIS, Gn.

fuligana, Hw.*littoralis*, Curt.*euphorbiana*, Frr.

BACTRA, Stph.

lanceolana, Hb.*furfurana*, Hw.

EXARTEMA, Clem.

latifasciana, Hw.

EUCOSMA, Hb.

salicella, L.*woodiana*, Barr.*semifasciana*, Hw.*hartmanniana*, L.*corticana*, Hb.*betuletana*, Hw.*capreana*, Hb.*sororculana*, Zett.*variegana*, Hb.*ochroleucana*, Hb.*pruniana*, Hb.*oblongana*, Hw.*gentianana*, Hb.*sellana*, Hb.*dimidiana*, Sodof.*sauciana*, Hb.*fuligana*, Hb.*carbonana*, Barr.*nigricostana*, Hw.*profundana*, F.*postrema*, Z.*arcuella*, Cl.*arbutella*, L.*rufana*, Sc.*purpurana*, Hw.*mygindana*, Schiff.*schulziana*, F.*palustrana*, Z.*rivulana*, Sc.*metallicana*, Hb.*micana*, Fröl.*irriguana*, HS.*urticana*, Hb.*lacunana*, Dup.*doubledayana*, Barr.*cespitana*, Hb.

- bifasciana*, Hw.
branderiana, L.
striana, Schiff.
ericetana, Westw.
antiquana, Hb.
 PAMPLUSIA, Gn.
pauperana, Dup.
mercuriana, Hb.
 EVETRIA, Hb.
buoliana, Schiff.
pinivorana, Z.
turionana, Hb.
resinella, L.
duplana, Hb.
retiferana, Wk.
sylvestrana, Curt.
 ASTHENIA, Hb.
pygmæana, Hb.
 ENARMONIA, Hb.
cruciana, L.
simplana, F.R.
rubiginosana, HS.
quadrana, Hb.
nanana, Tr.
pinicolana, Z.
rufimitrana, HS.
vacciniana, Z.
ratzeburgiana, Rtz.
corticana, Hb.
oppressana, Tr.
woeberiana, Schiff.
 TMETOCERA, Ld.
ocellana, F.
 EUDEMIS, Hb.
naevana, Hb.
 ANCYLIS, Hb.
derasana, Hb.
lundana, F.
paludana, Barr.
myrtillana, Tr.
siculana, Hb.
comptana, Fröl.
unguicella, L.
uncana, Hb.
biarcuana, Stph.
inornatana, HS.
diminutana, Hw.
mitterbacheriana, Schiff.
upupana, Tr.
lactana, F.
 GYPSONOMA, Meyr.
dealbana, Fröl.
neglectana, Dup.
aceriana, Dup.
 CYDIA, Hb.
obtusana, Hw.
trimaculana, Don.
minutana, Hb.
ramella, L.
signatana, Dgl.
achatan, F.
ustomaculana, Curt.
strobilella, L.
subsequana, Hw.
fractifasciana, Hw.
nigromaculana, Hw.
citrana, Hb.
candidulana, Nolck.
pupillana, Cl.
æmulana, Schl.
tripoliana, Barr.
aspidiscana, Hb.
conterminana, HS.
 NOTOCELIA, Hb.
uddmanniana, L.
rosæcolana, Dbld.
trimaculana, Hw.
roborana, Tr.
incarnatana, Hb.
tetragonana, Stph.
 SPHÆRÆCA, Meyr.
obscurana, Stph.
 EPIBLEMA, Hb.
tripunctana, F.
subocellana, Don.
penkleriana, F.R.
nisella, Cl.
crenana, Hb.
demarniana, F.R.
immundana, F.R.
tetraquetrana, Hw.
nigricana, HS.

distinctana, Wilk.
tedella, Cl.
nemorivaga, Tgstr.
similana, Hb.
pflugiana, Hw.
trigeminana, Stph.
brunnichiana, Fröl.
turbidana, Tr.
grandævana, Z.
fænella, L.
bilunana, Hw.
ophthalmicana, Hb.
solandriana, L.
semifuscana, Stph.
sordidana, Hb.
cæcimaculana, Hb.
expallidana, Hw.
fulvana, Stph.
scopoliana, Hw.
cana, Hw.
 HEMIMENE, Hb.
 alpestrana, HS.
 alpinana, Tr.
 quæstionana, Z.
 petiverella, L.
 sequana, Hb.
 simpliciana, Hw.
 consortana, Wilk.
 acuminatana, Z.
 tanaceti, Stt.
 senectana, Gn.
 plumbagana, Tr.
 LIPOPTYCHA, Ld.
 saturnana, Gn.
 plumbana, Sc.
 ACROCLITA, Ld.
 consequana, HS.
 PAMMENE, Hb.
 flexana, Z.
 nitidana, F.
 germarana, Hb.
 ochsenheimeriana, Z.
 rhediella, Cl.
 splendidulana, Gn.
 fimbriana, Hw.
 argyrana, Hb.

gallicolana, Z.
spiniana, Dup.
populana, F.
regiana, Z.
trauniana, Schiff.
 LASPEYRESIA, Hb.
 roseticolana, Z.
 ianthinana, Dup.
 rufillana, Wilk.
 servillana, Dup.
 leplastriana, Curt.
 corollana, Hb.
 perlepidana, Hw.
 internana, Gn.
 pallifrontana, Z.
 compositella, F.
 orobana, Tr.
 dorsana, F.
 nigricana, Stph.
 leguminana, Z.
 scopariana, HS.
 cosmophorana, Tr.
 cognatana, Barr.
 coniferana, Rtz.
 microgrammana, Gn.
 gemmiferana, Tr.
 cæcana, Schl.
 ulicetana, Hw.
 CARPOCAPSA, Tr.
 pomonella, L.
 splendana, Hb.
 juliana, Curt.
 nimbana, HS.
 grossana, Hw.
 EPINOTIA, Hb.
 aurana, F.
 albersana, Hb.
 funebrana, Tr.
 hypericana, Hb.
 TORTRICIDÆ.
 RHACODIA, Hb.
 caudana, F.
 ACALLA, Hb.
 cristana, F.
 hastiana, L.

umbrana, Hb.
rufana, Schiff.
sponsana, F.
literana, L.
niveana, F.
boscana, F.
mixtana, Hb.
maccana, Tr.
lipsiana, Schiff.
logiana, Schiff.
variegana, Schiff.
permutana, Dup.
perplexana, Barr.
schalleriana, L.
comariana, Z.
lorquiniana, Dup.
contaminana, Hb.
shepherdana, Stph.
ferrugana, Tr.
caledoniana, Stph.
aspersana, Hb.
holmiana, L.

PHILEDONE, Hb.
prodromana, Hb.
gerningana, Schiff.

EPAGOGE, Hb.
gnomana, Cl.
grotiana, F.

CAPUA, Stph.
angustiorana, Hw.
favillaceana, Hb.

SPARGANOTHIS, Hb.
pillleriana, Schiff.

CACÆCIA, Hb.
piceana, L.
podana, Sc.
decretana, Tr.
cratægana, Hb.
*xylostean*a, L.
rosana, L.
sorbiana, Hb.
lafauryana, Rag.
costana, F.
semialbana, Gn.
unifasciana, Dup.

lecheana, L.
musculana, Hb.

PANDEMIS, Hb.
corylana, F.
ribeana, Hb.
heparana, Schiff.
cinnamomeana, Tr.

TORTRIX, L.
forskaleana, L.
bergmanniana, L.
bifasciana, Hb.
ministrana, L.
conwayana, F.
læflingiana, L.
viridana, L.
paleana, Hb.
viburniana, F.
rusticana, Tr.
forsterana, F.
diversana, Hb.
dumetana, Tr.
politana, Hw.
cinctana, Schiff.
sinuana, Stph.
chrysanthemana, Dup.
virgaureana, Tr.
incertana, Tr.
nubilana, Hb.
abrasana, Dup.
pascuana, Hb.
bellana, Curt.
colquhounana, Barr.
octomaculana, Hw.
conspersana, Dgl.
longana, Hw.
argentana, Cl.
osseana, Sc.

ISOTRIAS, Meyr.
hybridana, Hb.

EXAPATE, Hb.
congelatella, Cl.

CHEIMATOPHILA, Stph.
tortricella, Hb.

PHALONIADÆ.

LOZOPERA, Stph.

francillana, F.*dilucidana*, Stph.

PHALONIA, Hb.

rutilana, Hb.*dipoltella*, Hb.*zephyrana*, Tr.*maritimana*, Gn.*smeathmanniana*, F.*badiana*, Hb.*cnicana*, Dbld.*tesserana*, Tr.*affinitana*, Dgl.*vectisana*, Westw.*manniana*, F.R.*notulana*, Z.*udana*, Gn.*geyeriana*, HS.*mussehlana*, Tr.*griseana*, Stph.*rupicola*, Curt.*subroseana*, Hw.*implicitana*, Wk.*roseana*, Hw.*degreyana*, McL.*ciliella*, Hb.*flaviciliana*, Wilk.*erigerana*, Wlsm.*nana*, Hw.*atricapitana*, Stph.*pallidana*, Z.*dubitana*, Hb.*hybridella*, Hb.*curvistrigana*, Wilk.

CHLIDONIA, Hb.

baumanniana, Schiff,*subbaumanniana*, Wilk.

EUPÆCILIA, Stph.

maculosana, Hw.

COMMOPHILA, Hb.

rugosana, Hb.*amandana*, HS.*schreibersiana*, Fröl.

ANISOTÆNIA, Stph.

ulmana, Hb.

CLYSIA, Hb.

ambiguella, Hb.

EUXANTHIS, Hb.

angustana, Tr.*straminea*, Hw.*alternana*, Stph.*æneana*, Hb.*zægana*, L.*hamana*, L.

HYSTEROSIA, Stph.

inopiana, Hw.

TRYPANIDÆ.

TRYPANUS, Ramb.

cosius, L.

TINEINA.

ÆGERIADÆ.

ÆGERIA, F.

apiformis, Cl.*crabroniformis*, Lew.

TROCHILIUM, Sc.

scoliiforme, Bkh.*spheciforme*, Gern.*andreniforme*, Lasp.*tipuliforme*, Cl.*asiliforme*, Rott.*myopiforme*, Bkh.*culiciforme*, L.*formiciforme*, Esp.*ichneumoniforme*, F.*musciforme*, View.*chrysidiforme*, Esp.

SCIAPTERON, Stgr.

tabaniforme, Rott.

GELECHIADÆ.

PARASIA, Dup.

neuropterella, Z.*metzneriella*, Stt.*carlinella*, Stt.*lappella*, L.

SITOTROGA, Hein.

cerealella, Ol.

PALTODORA, Meyr.

striatella, Hb.*cytisella*, Curt.

ARISTOTELIA, Hb.

hermannella, F.*stipella*, Hb.*pictella*, Z.*tarquiniella*, Stt.*subdecurtella*, Stt.*ericinella*, Dup.*brizella*, Tr.*bifractella*, Dgl.*atrella*, Hw.*tenebrella*, Hb.*pulveratella*, HS.*lutulentella*, Z.*morosa*, Mühl.*quæstionella*, HS.*arundinetella*, Stt.*lucidella*, Stph.*elongella*, Hein.*tetragonella*, Stt.*suffusella*, Dgl.*palustrella*, Dgl.*divisella*, Dgl.

STENOLECHIA, Meyr.

gemmella, L.*albiceps*, Z.

PTOCHEUUSA, Hein.

osseella, Stt.*inopella*, Z.*littorella*, Dgl.*subocellea*, Stph.

APHANAULA, Meyr.

nanella, Hb.*leucatella*, L.

EPITHECTIS, Meyr.

lathyri, Stt.*mouffetella*, Schiff.

ANACAMPSIS, Curt.

tæniolella, Z.*vorticella*, Sc.*coronillella*, Tr.*sangiella*, Stt.*albipalpella*, HS.*anthyllidella*, Hb.

ACANTHOPHILA, Hein

alacella, Dup.

XENOLECHIA, Meyr.

æthiops, Westw.*humeralis*, Z.*scaella*, Sc.

GELECHIA, Hb.

basaltinella, Z.*domestica*, Hw.*umbrosella*, Z.*affinis*, Dgl.*similis*, Stt.*mundella*, Dgl.*obscurella*, Hein.*senectella*, Z.*desertella*, Dgl.*politella*, Stt.*figulella*, Stgr.*terrella*, Hb.*acuminatella*, Sirc.*artemisiella*, Tr.*atriplicella*, F.R.*obsoletella*, F.R.*plantaginella*, Stt.*instabilella*, Dgl.*salicorniæ*, Hering.*suædella*, Rich.*ocellatella*, Boyd.*Huebneri*, Hw.*knaggsiella*, Stt.*maculea*, Hw.*blandulella*, Tutt.*fraternella*, Dgl.*viscariella*, Stt.*tricolorella*, Hw.*costella*, Westw.*maculiferella*, Dgl.*semidecandrella*, Stt.*junctella*, Dgl.*marmorea*, Hw.*vicinella*, Dgl.*leucomelanella*, Z.*luculella*, Hb.*scriptella*, Hb.*fugitivella*, Z.*proximella*, Hb.

notatella, Hb.
triparella, Z.
dodecella, L.
vulgella, Hb.
sequax, Hw.
nigra, Hw.
muscosella, Z.
cuneatella, Dgl.
pinguinella, Tr.
sororculella, Hb.
scotinella, HS.
hippophaëlla, Schrk.
rhombella, Schiff.
solutella, Z.
distinctella, Z.
diffinis, Hw.
velocella, Dup.
pelella, Tr.
boreella, Dgl.
galbanella, Z.
malvella, Hb.
lentiginosella, Z.
mulinella, Z.
ericetella, Hb.
longicornis, Curt.

TACHYPTILIA, Hein.

temerella, Z.
populella, Cl.

PSORICOPTERA, Stt.

gibbosella, Z.

PLATYEDRA, Meyr.

vilella, Z.

BRACHMIA, Hb.

gerronella, Z.
rufescens, Hw.
inornatella, Dgl.

RECURVARIA, Hw.

cinerella, Cl.

YPSOLOPHUS, F.

humerellus, Schiff.
semicostellus, Hb.
marginellus, F.
juniperellus, L.
verbascellus, Hb.
schmidiellus, Heyd.

fasciellus, Hb.

ustulellus, F.

ANARSIA, Z.

spartiella, Schrk.

CHELARIA, Hw.

huebnerella, Don.

SYMMOCA, Hb.

signatella, HS.

quadripuncta, Hw.

ÆCOPHORIDÆ.

CARCINA, Hb.

quercana, F.

HYPERCALLIA, Stph.

christiernana, L.

PLEUROTA, Hb.

bicostella, Cl.

APLOTA, Stph.

palpella, Hw.

CHEIMOPHILA, Hb.

salicella, Hb.

CHIMABACHE, Hb.

phryganella, Hb.

fagella, F.

SEMIOSCOPIA, Hb.

avellanella, Hb.

steinkellneriana, Schiff.

ENICOSTOMA, Stph.

lobella, Schiff.

EXÆRETIA, Stt.

allisella, Stt.

DEPRESSARIA, Hw.

costosa, Hw.

umbellana, Stph.

assimilella, Tr.

atomella, Hb.

liturella, Schiff.

pallorella, Z.

nanatella, Stt.

arenella, Schiff.

propinquella, Tr.

subpropinquella, Stt.

carduella, Hb.

cnicella, Tr.

hypericella, Tr.
ocellana, F.
conterminella, Z.
ciniflonella, Z.
yeatiana, F.
alstræmeriana, Cl.
angelicella, Hb.
purpurea, Hw.
capreoella, Z.
ciliella, Stt.
applanata, F.
zephyrella, Hb.
rotundella, Dgl.
badiella, Hb.
douglasella, Stt.
emeritella, Stt.
olerella, Z.
albipunctella, Hb.
chærophylli, Z.
ultimella, Stt.
pimpinellæ, Z.
depressella, Hb.
weirella, Stt.
pulcherrimella, Stt.
heracliana, De Geer.
nervosa, Hw.
discipunctella, HS.

PSECADIA, Hb.
pyrausta, Pall.
decemguttella, Hb.
funereila, F.
bipunctella, F.
pusiella, Roem.

HARPELLA, Schrk.
geoffrella, L.
bractella, L.

ÆCOPHORA, Latr.
oliviella, F.
sulphurella, F.

ACOMPSIA, Hb.
grandis, Desv.
formosella, F.
woodiella, Curt.
lambdella, Don.
lunaris, Hw.
augustella, Hb.

similella, Hb.
minutella, L.
tripuncta, Hw.
subaquilea, Stt.
tinctella, Hb.
unitella, Hb.
panzerella, Stph.
flavifrontella, Hb.
pseudospretella, Stt.
fuscescens, Hw.

AMPHISBATHIS, Z.
incongruella, Stt.

ELACHISTIDÆ.

GONIODOMA, Z.
limoniella, Stt.

COLEOPHORA, Hb.
fabriciella, Vill.
deauratella, Z.
frischella, L.
albitarsella, Z.
alcyonipennella, Koll.
ahenella, Hein.
potentillæ, Stt.
paripennella, Z.
fuscocuprella, HS.
nigricella, Stph.
siccifolia, Stt.
gryphipennella, Bch.
orbitella, Z.
vitisella, Gregs.
bicolorella, Stt.
viminetella, Z.
fuscedinella, Z.
lutipennella, Z.
limosipennella, Dup.
badiipennella, Dup.
solitariella, Z.
olivacella, Stt.
laricella, Hb.
juncicolella, Stt.
hemerobiella, Sc.
leucapennella, Hb.
wockeella, Z.
salicorniæ, Wk.
chalcogrammella, Z.

lixella, Z.
ochrea, Hw.
anatipennella, Hb.
ibipennella, Z.
palliatella, Zk.
currucipennella, Z.
vibicella, Hb.
*conspicue*lla, Z.
vibicigerella, Z.
pyrrhulipennella, Z.
vulnerariæ, Z.
saturatella, Stt.
genistæ, Stt.
discordella, Z.
niveicostella, Z.
albicosta, Hw.
onosmella, Brh.
nutantella, Mühl.
apicella, Stt.
lineolea, Hw.
conyzæ, Z.
inulæ, Wk.
trogodytella, Dup.
therinella, Tgst.
graminicolella, Wk.
tripoliella, Hodgk.
argentula, Z.
virgaureæ, Stt.
squamosella, Stt.
laripennella, Zett.
muehligiella, Stt.
flavaginella, Z.
salinella, Stt.
artemisiella, Scott.
artemisicolella, Brd.
murinipennella, Dup.
sylvaticella, Wood.
alticolella, Z.
glaucicolella, Wood.
cæspititiella, Z.
obtusella, Stt.
adjunctella, Hodgk.
agrammella, Wood.

ASYCHNA, Stt.

modestella, Dup.

BATRACHEDRA, Stt.
præangusta, Hw.
pinicolella, Dup.

COSMOPTERYX, Hb.

lienigiella, Z.
druryella, Z.
schmidiella, Fr.
eximia, Hw.

STATHMOPODA, Stt.

pedella, L.

ELACHISTA, Tr.

trapeziella, Stt.
cinereopunctella, Hw.
magnificella, Tgst.
gleichenella, F.
apicipunctella, Stt.
albifrontella, Hb.
holdenella, Stt.
luticomella, Z.
atricomella, Stt.
alpinella, Stt.
kilmunella, Stt.
poæ, Stt.
perplexella, Stt.
subnigrella, Dgl.
stabilella, Fr.
nigrella, Hw.
bedellella, Sirc.
humilis, Z.
obscorella, Stt.
consortella, Stt.
tæniatella, Stt.
gangabella, Z.
zonariella, Tgst.
cingillella, HS.
megerlella, Stt.
serricornis, Stt.
paludum, Fr.
biatomella, Stt.
eleochariella, Stt.
rhynchosporella, Stt.
scirpi, Stt.
cerusella, Hb.
disertella, HS.
collitella, Dup.
subocellea, Stph.

- dispunctella*, Dup.
triatomea, Hw.
rufocinerea, Hw.
cygnipennella, Hb.
subalbidella, Schl.
 STEPHENSIA, Stt.
 brunnichiella, L.
 LIMNÆCIA, Stt.
 phragmitella, Stt.
 ANYBIA, Stt.
 epilobiella, Roem.
 HELIODINES, Stt.
 ræsellæ, L.
 PANCALIA, Curt.
 leuwenhæckella, L.
 CHRYSOCLISTA, Stt.
 bimaculella, Hw.
 linneella, Cl.
 aurifrontella, Hb.
 vinolentella, HS.
 aira, Hw.
 rhamniella, Z.
 MOMPHA, Hb.
 terminella, Westw.
 schrænkella, Hb.
 raschkiella, Z.
 conturbatella, Hb.
 propinquella, Stt.
 lacteella, Stph.
 decorella, Stph.
 subbistrigella, Hw.
 fulvescens, Hw.
 ochraceella, Curt.
 miscella, Schiff.
 Stephensi, Stt.
 HELIOZELA, HS.
 sericiella, Hw.
 stanneella, F.R.
 resplendella, Stt.
 betulæ, Stt.
 ANTISPILA, Hb.
 pfeifferella, Hb.
 treitschkiella, F.R.
 AUGASMA, HS.
 æratellum, Z.
- DOUGLASIA, Stt.
 ocnerostomella, Stt.
 PERITTIA, Stt.
 obscuripunctella, Stt.
 SCYTHRIS, Hb.
 grandipennis, Hw.
 fuscoænea, Hw.
 senescens, Stt.
 laminella, HS.
 fuscocuprea, Hw.
 siccella, Z.
 variella, Stph.
 chenopodiella, Hb.
 cicadella, Z.
 ENDROSIS, Hb.
 lactella, Schiff.
 CATAPLECTICA, Wlsm.
 profugella, Stt.
 Farreni, Wlsm.
 auromaculata, Fr.
 fulviguttella, Z.
 PHAULERNIS, Meyr.
 dentella, Z.
 SCHRECKENSTEINIA, Hb.
 festaliella, Hb.
 EPERMENIA, Hb.
 illigerella, Hb.
 chærophyllella, Gz.
 daucella, Pey.
 insecurella, Stt.
 PLUTELLIDÆ.
 ATEMELIA, HS.
 torquatella, Z.
 PRAYS, Hb.
 curtisellus, Don.
 YPONOMEUTA, Latr.
 evonymellus, L.
 cognatellus, Hb.
 padellus, L.
 irrorellus, Hb.
 plumbellus, Schiff.
 vigintipunctatus, Retz.
 ORTHOTÆLIA, Stph.
 sparganella, Thnb.

CEROSTOMA, Latr.

caudella, L.
xylostella, L.
nemorella, L.
asperella, L.
scabrella, L.
horridella, Tr.
lucella, F.
alpella, Schiff.
sylvella, L.
costella, F.
radiatella, Don.
sequella, Cl.
vittella, L.

PLUTELLA, Schrk.

porrectella, L.
cruciferarum, Z.
annulatella, Curt.
dalella, Stt.

EIDOPHASIA, Stph.

messingiella, F.R.

GLYPHIPTERYX, Hb.

fuscoviridella, Hw.
thrasonella, Sc.
haworthana, Stph.
oculatella, Z.
equitella, Sc.
fischeriella, Z.

CHOREUTIS, Hb.

myllerana, F.
bjerkandrella, Thnb.

SIMAETHIS, Lch.

pariana, Cl.
fabriciana, L.

TINEIDÆ.

NEPTICULA, Z.

pomella, Vaughan.
pygmæella, Hw.
atricapitella, Hw.
basiguttella, Hein.
tiliæ, Fr.
anomalella, Gz.
viscerella, Stt.
aucupariæ, Fr.
minusculella, HS.

pyri, Glitz.

oxyacanthella, Stt.
desperatella, Fr.
nylandriella, Tgst.
torminalis, Wood.
regiella, HS.
æneofasciella, HS.
fragariella, Heyd.
splendidissimella, HS.
auromarginella, Rich.
aurella, Stt.
filipendulæ, Wk.
poterii, Stt.
acetosæ, Stt.
gratiosella, Stt.
ulmivora, Hein.
prunetorum, Stt.
marginicolella, Stt.
alnetella, Stt.
continuella, Stt.
centifoliella, Z.
Hodgkinsoni, Stt.
microtheriella, Stt.
betulicola, Stt.
plagicolella, Stt.
ignobilella, Stt.
distinguenda, Hein.
glutinosæ, Stt.
luteella, Stt.
sorbi, Stt.
argentipedella, Z.
tityrella, Stt.
malella, Stt.
agrimoniella, HS.
atricollis, Stt.
angulifasciella, Stt.
rubivora, Wk.
arcuatella, HS.
fulgens, Stt.
myrtillella, Stt.
salicis, Stt.
floslactella, Hw.
lapponica, Wk.
confusella, Wlsm.
septembrella, Stt.
catharticella, Stt.
intimella, Z.

- Weaveri*, Stt.
sericopeza, Z.
quinquella, Bed.
trimaculella, Hw.
assimilella, Z.
subbimaculella, Hw.
argyropeza, Z.
apicella, Stt.
headleyella, Stt.
pulverosella, Stt.
cryptella, Stt.
- TRIFURCULA, Z.
- atrifrontella*, Stt.
immundella, Z.
pallidella, Z.
- SCOLIAULA, Meyr.
- quadrinaculella*, Boh.
- OPOSTEGA, Z.
- salaciella*, Tr.
auritella, Hb.
crepusculella, Z.
spatulella, HS.
- BUCCULATRIX, Z.
- cristatella*, Z.
nigricomella, Z.
maritima, Stt.
artemisiae, HS.
frangulella, Gz.
boyerella, Dup.
cidarella, Z.
thoracella, Thnb.
ulmella, Z.
cratægi, Z.
demaryella, Stt.
- OINOPHILA, Stph.
- v-flavum*, Hw.
- LITHOCOLLETIS, Hb.
- roboris*, Z.
amyotella, Dup.
hortella, F.
sylvella, Hw.
cramerella, F.
tenella, Z.
heegeriella, Z.
alnifoliella, Dup.
- lautella*, Z.
nigrescentella, Logan.
insignitella, Z.
anderidæ, Fletcher.
ulmifoliella, Hb.
spinolella, Dup.
cavella, Z.
viminetorum, Stt.
salicicolella, Sirc.
lantanelle, Schrk.
pomifoliella, Z.
torminella, Fr.
sorbi, Fr.
cerasicolella, HS.
spinicolella, Stt.
faginella, Z.
carpinicolella, Stt.
coryli, Nic.
distentella, Z.
junoniella, Z.
quinqueguttella, St
ulicicolella, Stt.
scopariella, Z.
quercifoliella, Z.
messaniella, Z.
viminiella, Stt.
corylifoliella, Hw.
Nicellii, Stt.
frælichii, Z.
stettinensis, Nic.
kleemannella, F.
schreberella, F.
emberizipennella, Bch.
tristrigella, Hw.
scabiosella, Dgl.
trifasciella, Hw.
comparella, Z.
- ORNIX, Tr.
- guttea*, Hw.
loganella, Stt.
betulæ, Stt.
scoticella, Stt.
torquillella, Z.
anglicella, Stt.
avellanella, Stt.
fagivora, Stt.

CORISCIMUM, Z.

- sulphurellum*, Hw.
cuculipennellum, Hw.
brongniardellum, F.

GRACILARIA, Hw.

- alchimiella*, Sc.
stigmatella, F.
hemidactylella, F.
falconipennella, Hb.
semifascia, Hw.
populetorum, Z.
elongella, L.
tringipennella, Z.
syringella, F.
phasianipennella, Hb.
auroguttella, Stph.
omissella, Stt.
ononidis, Z.
imperialella, Mn.
hofmanniella, Schleich.

LEUCOPTERA, Hb.

- laburnella*, Stt.
spartifoliella, Hb.
orobi, Stt.
lathyrifoliella, Stt.
wailesella, Stt.
lotella, Stt.
scitella, Z.

LYONETIA, Hb.

- prunifoliella*, Hb.
clerkella, L.

PHYLLOCNISTIS, Z.

- saligna*, Z.
suffusella, Z.

BEDELLIA, Stt.

- somnulentella*, Z.

TISCHERIA, Z.

- complanella*, Hb.
dodonæa, Heyd.
marginea, Hw.
gaunacella, Dup.
angusticollella, Z.

OCNEROSTOMA, Z.

- pinariella*, Z.

CEDESTIS, Z.

- farinatella*, Dup.
gysseleniella, Dup.

ARGYRESTHIA, Hb.

- illuminatella*, Z.
arceuthina, Z.
præcocella, Z.
dilectella, Z.
andereggiella, Dup.
brockeella, Hb.
gædartella, L.
pygmæella, Hb.
sorbiella, Tr.
cornella, F.
aurulentella, Stt.
abdominalis, Z.
retinella, Z.
glaucinella, Z.
mendica, Hw.
semifusca, Hw.
conjugella, Z.
spiniella, Z.
ephippella, F.
nitidella, F.
albistria, Hw.
semitestacella, Curt.

ZELLERIA, Stt.

- hepariella*, Stt.
fasciapennella, Stt.
saxifragæ, Stt.

SWAMMERDAMIA, Hb.

- combinella*, Hb.
heroldella, Hb.
lutarea, Hw.
cæsiella, Hb.
pyrella, Vill.

RÆSLERSTAMMIA, Z.

- pronubella*, Schiff.
erxlebelli, F.

ACROLEPIA, Curt.

- granitella*, Tr.
betulella, Curt.
pygmæana, Hw.
perlepidella, Stt.

EPICHNOPTERYX, Hb.

reticella, Newm.*pulla*, Esp.

FUMEA, Hb.

crassiorella, Brd.*intermediella*, Brd.*betulina*, Z.*sepium*, Spr.

SOLENOBIA, Z.

*inconspicuell*a, Stt.*Douglasii*, Stt.

TALEPORIA, Hb.

conspurcatella, Z.*pseudobombycella*, Hb.

NARYCIA, Stph.

melanella, Hw.

DIPLODOMA, Z.

marginepunctella, Stph.

TEICHOBIA, HS.

verhuellella, Stt.

OCHSENHEIMERIA, Hb.

birdella, Curt.*bisontella*, Z.*vacculella*, F.R.

SCARDIA, Tr.

boleti, F.

SCYTHROPIA, Hb.

cratægella, L.

INCURVARIA, Hw.

pectinea, Hw.*muscalella*, F.

LAMPRONIA, Stph.

tenuicornis, Stt.*pubicornis*, Hw.*quadripunctella*, Stph.*luzella*, Hb.*prælatella*, Schiff.*rubiella*, Bjerk.

MYRMECOZELA, Z.

ochraceella, Tgst.

TINEOLA, HS.

biselliella, Hüm.

ISCHNOSCIA, Meyr.

subtilella, Fuchs.

PHYLLOPORIA, Hein.

bistrigella, Hw.

MONOPIS, Hb.

imella, Hb.*ferruginella*, Hb.*fenestratella*, Heyd.*rusticella*, Hb.*monachella*, Hb.

TRICHOPHAGA, Rag.

tapetiella, L.

TINEA, L.

capitella, Cl.*œhlmanniella*, Tr.*fulvimitrella*, Sodof.*arcella*, F.*corticella*, Curt.*parasitella*, Hb.*arcuatella*, Stt.*picarella*, Cl.*granella*, L.*cloacella*, Hw.*albipunctella*, Hw.*caprimulgella*, HS.*confusella*, HS.*nigripunctella*, Hw.*angustipennis*, HS.*misella*, Z.*fuscipunctella*, Hw.*pellionella*, L.*pallescentella*, Stt.*lapella*, Hb.*semifulvella*, Hw.*simplicella*, HS.*vinculella*, HS.*argentimaculella*, Stt.

NEMOPHORA, Hb.

swammerdamella, L.*schwarziella*, Z.*pilella*, F.*metaxella*, Hb.

ADELA, Latr.

- fibulella*, Schiff.
- rufimitrella*, Sc.
- cræsella*, Sc.
- degeerella*, L.
- viridella*, Sc.
- cuprella*, Thnb.

NEMOTOIS, Hb.

- scabiosellus*, Sc.
- cupriacellus*, Hb.
- minimellus*, Z.
- fasciellus*, F.

MICROPTERYGINA.

HEPIALIDÆ.

HEPIALUS, F.

- hectus*, L.
- lupulinus*, L.
- velleda*, Hb.
- sylvinus*, L.
- humuli*, L.

MICROPTERYGIDÆ.

MICROPTERYX, Hb.

- sparmannella*, Bosc.
- salopiella*, Stt.
- purpurella*, Hw.
- Kaltenbachii*, Stt.
- semipurpurella*, Stph.
- Sangii*, Wood.
- unimaculella*, Zett.
- subpurpurella*, Hw.

ERIOCEPHALA, Curt.

- thunbergella*, F.
- aureatella*, Sc.
- mansuetella*, Z.
- aruncella*, Sc.
- calthella*, L.