Meek

1863

Meek

Go Direct to Wilmington &
then take Steam Boat down
to Salem 16

Mr. Dickson

Isiah E. Egan - Saw bone

Seen with shells	3- or more
Saw Bone?	
Saw Bone?	
Back bone Measurements?	

meat

2 5

3 1/2

2 2

2 5
3 3
2 2
1 3
6 5
1 0
7 3

13

Memoranda - Localities
Charles Sears - Riceville Monmouth
Co - N.J.

Vincentown - Geo. Bryan

Keyport - Revd. Saml. Lockwood

Beds below First Bed -

Charleston - 3 or 4 m. S. of Burl-
ington. Fossils abundant in fresh
It is the only loc. in W. Jersey

Middleton point 17 m. S.
of New Brunswick. in the same
county, on the farm Meigs Ten Ey-
ck. - an opening from which num-
-ous fossils are said to have been
taken -

Along the shore of Raritan
Bay beyond Key Port, fossils
have been picked up occasionally

A few fossils have also been
collected from below the first bed
from springs on farms near
Jacksonville & Morris town S.E.
part Linn Co. as N. Brunswick

Joseph Corns Esq.

Freehold N. J.

His store is only a few steps
from the depot.

Mr. Davis

Dr John Slack lives at a
good locality for fossils
between Bordentown & Trenton
at Crosswicks village - One in
bus runs out from Bordentown

Mr. Schuck (Skunk)
Marlboro N. J.

Charles H. Wardell
Middle town point (Oo)
good local for fossils from first bed
of Mr. Schuck (Skunk)

Sat. May 16th 1863. Washington City

Left home at 8 o'clock A.M. On an excursion to New Jersey. Arrived at Wilmington at 1 o'clock P.M. Took stage down to the river, where I took steam boat for Salem. Arrived at Salem at 5 1/2 o'clock P.M. Country around Salem low and nearly level. Near pretty village of 4000 inhabitants. - Shaded by beautiful Linden & Maple.

Sunday 17.

Came up to Woodstown, a small village of 800 to 1000 inhabitants, in a marsh district.

1/2 mile S of town saw extensive marsh diggings, but could find no good fossils.

Only saw ferruginous crusts of *Gryphaea vesicularis* not worth collecting! (See 2^d of Cook).

Monday 18th

Walked out 3 miles E. of Woodstown to Mr. Burkley Edwards' marsh pits. Found numbers *G. vesicularis*, & *Terebratulina* Harlani also many *Dentalium* - some *G. vomer* - a large *Craspedotheca*, shark's teeth, bones *Mosasaurus*. (See 2^d of Cook)

Just over the marsh bed there is

a 12 or 14 inch layer of hard cal-
careous sandstone containing *G. vovianus*
Turbo *Polarthusa* &c. This layer
I have no doubt but this bed represents
the Bryozoa Li. at other places

These marl diggings are about
50 to 60 feet lower than the highest
part of the surrounding country
Beautiful farming district, soil
sandy & some places pebbly.

Came back to Woodstown
and staid all night

Tuesday May 19th

Came in stage to Mullica Hill, where I
arrived at 8 o'clock. It is a small village
of five or six hundred inhabitants. Situated
on a rather elevated position, some 70
feet above a small stream, and surround-
ed by a fertile well improved country of
wealthy farmers. The section seen here
is as represented on the opposite page

Mullica Hill

25 to 30 to highest part of village
10 feet to level of the village

No 6

No 5

Bluish

25 green good

25

marl. no fossils
seen

No 4

G. vovianus, *E. costata*, & many
casts of *minerals*, *Bolinites*, &c.

3 1/2

No 3

Orange colored sand

stone with rapidly dis-

22

-integrating - occasional
22. casts *Gryphaena vovianus*
-is.

No 2

13 ft Slope nothing seen

13 ft

creek
below hill

Marl is struck at a depth of 10 to 15
feet below the surface in most of the wells
in the village, the bed being No 4 of the section
which is a bluish or greenish gray and apparent-
ly a good marl. I saw no fragments even
of fossils in it, though I supposed it to
be the first bed owing to the fact that
No 3 contains the large *Gryphaena vovianus*
E. costata, and numerous casts of *minerals*
such as we usually see in the
layer at the base of the first bed

4 All these shells are either in the condition of ^{more or less ferruginous} casts, or mainly converted into oxide of iron, and the whole bed has a highly ferruginous appearance.

The bed No 2 has an ochre yellowish, or orange color, and seems to be mainly siliceous sand, but under a magnifier, grains of green sand can be seen scattered through it at places.

Two miles S.E. of Mulliken hill, and at a lower elevation than the top of the section here, there are extensive marl diggings, the upper part, at least, of which is in the 2^d, there being large quantities of *S. Harlani*, and small *S. vesica* in it, with casts of *encrallaea*.

Just over this bed there is a layer (12 to 15 inches) of gray, ^{rather} hard calcareous sandstone, containing *G. vomer*, small *Teredo*, being the same I saw yesterday at Mr Edwards pits. It is evidently the same as the white limestone of

5 west Jersey; and even here, contains so much calcareous matter, that lime can be made of it. When first dug out it is rather hard, but after an year or so, when exposed to the weather, at this place it crumbles down, or falls to pieces.

The bed of marl here seems to be quite thick, and contains very few shells (mostly casts of *encrallaea* &c) towards the lower part; at least there were the only fossils I saw at the openings farthest down the creek towards Mulliken hill.

One mile farther up this creek, (in a direction E. of S.) from the farthest opening, where I saw so many *S. Harlani*, Mr Josiah E. Ewan, and others have work pits; on examining the marl thrown out here I saw no *Crataceous* fossils, but numerous small Tertiary shells, mostly in a broken condition. On examining these, I was surprised to find, apparently *Tarantula Martoni*, mixed with Miocene *Streblocarditas*, &c. They were evidently all thrown out of the same pits, but

6 may belong to different beds. I was informed by Mr. Swan that the shells nearly all come out of the upper part of the bed, though he says there are also some in the lower. He gave me a joint of the back bone, apparently of a Samian, much like those found in the Cretaceous beds; and a part of a small jaw with curious wedge shaped teeth, growth of which (particularly the fangs) he thought came out of the lower part of the bed.

Wednesday May 20th
 Came on to Carpenters Landing. Here I saw *Gonophora vespicularis*, in a dark bed of sand (sometimes used as a mark though evidently not a true green sand mark) apparently 50 feet or more below the 1st Green Sand bed, which occurs near the tops of the hills here.

Came on to Barnsboro, saw some outcrops of marl, but saw no fossils in it.

In the evening came to Blackwoodtown

Thursday 21st

Went up Timber Creek about 1/2 a mile in a direction to the marl pits of Mr. David B. Marshall. This is one of the most extensively worked marl diggings I have seen. It is the second bed, and is mostly above the water level, so as to be very conveniently worked the section here is as below:—

Marshall's pits

On going up the creek, owing to the gentle descent of the valley and, and

8 the dip of the top of bed No 1. of the last section is brought down to the water level within about $\frac{1}{4}$ of a mile from Mr. Marshall's pits; and a few hundred yards above this a bed of gray granular limestone is seen holding a position just above, and apparently representing No 3; It seems to be 80 or 100 or more feet thick, though I am not sure I saw its whole thickness. Contains vast numbers of *Bryozoa*, a few *Echinoderms*, *Gryphaena* *ovum*, *Dentalina* &c &c. This bed may possibly also represent bed No 2 of the last section, which is also very hard and calcareous in places even down at Mr. Marshall's pits.

Friday May 22^d
Came over to White Horse.

Examined several marl diggings half way between this place, and immediately at White Horse but could find no good specimens. The marl here and 2 miles out on the road towards White Horse, is the 2^d

bed of G. S. At the latter place I saw vast numbers *Terebrat Harlani* with some *S. vesic.* & in the hard gray granular arenaceous li. above the marl I saw some *Bryozoa*.

In the evening came down to Cambridge, thence to Bordentown, and later to Creswicks.

Saturday May 23

Examined the Creek here, and found a few specimens of casts in a little bar, where they had been carried down and left by the stream.

Came on up to Mr. Nimrod Woodward's where I collected many fine specimens of *Exogyra costata*, *Belamnitella*, *Terebratula plicata* &c &c.

Returned to N. Egypt in the evening, and remained for the night.

Sunday May 24

Collected some specimens *T. Harlani*, *Exogyra lutealis*, *S. vesicularis* &c at Barnes's pit, 2^d Bed.

101
May 25 Monday May 25
Came down in stage to Port-
-entown where I arrived at 10 AM.
but had to wait until 2 o'clock
P. M. for train to Freshet. Arrived
at Freshet at 5 o'clock. Staid all
night.

Tuesday May 26th
Came in stage an up to Marlboro.
Visited Mr. Herbert's Marl Pits
at Marlboro and found many *Licinat*
plicata. Then walked over to Mr.
G. C. Schunk's place. His son went
out with me to his marl pits where
found great numbers *Ex. costat.* *Gryph*
uspic. With some *Os. larva*, *Licinat*
plicat, and a few *Gryph. vomer*.

Just at the base of the marl
and at its connection with the
dark clays below, there is a
band only an inch or so in
thickness of light gray sandy mat.
with many casts of fossils, some of
the same are also found in the

clays below (a foot or so) (11)
Mr. Schunk, thinks this bed
of dark clay 150 to 200 feet in
thickness; - below it a bed of
marl, 6 feet in thickness. At
Mr. Tenney's ^{15-20 ft. S. of N. Brunswick.} In this lower bed of
marl; (which holds a position
150 to 200 feet below No. 1. of
Prof Cook.) Some fossils occur -
Then come dark clays with *Licinat*
uspic. Over No. 1. of Cook, at
Mr. Schunk's place ^(where it is 27 feet) a dark bed
of hard marly clay ^(about 20 feet) occurs in which
I saw a apparently ident with
our Nebraska sp. also *O. larva* -
and casts of *G. vomer*, with many other
things, all soft and ready to fall
to pieces.

At Tinton falls. there is a
hard rusty stratum 25 feet thick
composed of indurated marl with many
Gryph. solivorus sand. The mat-
ter of the bed is deep blue, but
it weathers to a rusty brown

12 Saw in it clams of *Crustacean*
Ostrea Larva &c

This indurated stratum under-
lies much of the country here, and
comes in above the dark clays
seen overlying Mr. Schenk's Pond.
Just above it comes No 2. of
Prof Cook.

Near Eton town, Saw where
a marl pit has been opened and
piles of marl thrown out. It has
as grayish yellow appearance as if much
weathered or altered. Saw in it *S.*
harlanii, *S. verner*, and some small
corals, with *S. vesicularis*, and *A. verna-*
na, all more or less broken. This
is evidently the 2^d Bed of Prof Cook
and other exposures show it to lie
immediately upon the hard marly rock
at Eton falls.

Wednesday May 27th

Spent the day collecting fossils from the
various marl pits about Mr. Schenck's

Friday 28th

Came over to Beer's Hill, 3 1/4 miles from
Keyport, where there is a deep cut for
the road passing from Freshets to
There is here a very interesting exposure of
rocks showing the following section

Long slope 60 to 80 feet

Hard greenish
gray marly
sandstone, weather-
ing rusty. casts
of fossils

No 3 -

15 to 18 feet

rusty marly sand, or
very soft sand stone

No 2

6 to 8.

Dark bluish gray more
or less sandy and micaceous
clays, losing its color, and
becoming lighter grayish and
yellowish when weathered.

No 1.

18 feet seen

This cut passes through the hill
in a nearly north and south direction
and all the beds dip to the S. or S.E.
apparently as much as 30 to 40 feet
or more. The casts of shells seen

14. In No 3 are Cardium, Pectunculus,
Sauricardium? Conchacea, Gryphaea
vesicularis &c. With fragments of Corus-
tacea, and curious cylindrical bodies like
pins driven ~~to~~ into the rock.

This bed (No 3) seems to be ^{impure} green
sand indurated and partly altered by
leaching. As seen here it is quite soft,
hard, but it is doubtless even now
soft at other localities where protected
from atmospheric agencies by being
beneath water bearing strata. Here it
seems to have first been indurated, and
then traversed by cracks dividing it
into blocks and irregular masses of various
sizes, and water percolating down into
these cracks has disintegrated the rock
on each side, so as often to leave
merely isolated masses embedded in loose
brownish sandy material containing much
oxide iron. Near the upper part
only occasional smaller pieces of the
undecomposed rock are seen, and
these increase in size downwards.

15
until the whole becomes a massive rock
traversed by cracks & seams.

Mr. Schanck, thinks this the second
bed of Prof. Cook, but I can see none
of the characteristic fossils of that bed in
it. It may however be a representative
of the hard lower portion of that bed
forming Tinton falls. If so the upper
better portion containing T. Harlani,
should be found somewhere in the hills
above.

About 70 to 100 yds from the
end of this cut, after descending
a slope of about 66 feet the following
section is seen

slope 66 feet up
to cut

No 2	{	Dark micaceous clays	15 feet 8 in
No 1		Green sand marl	16 to 18 ft

This marl bed Mr. Schanck thinks
looks first bed, though I saw no
fossils in it

Saturday May 29th

Came with Mr. Schanck down to the farm of Mr. Joseph Tenyck's place 15 miles south of New Brunswick. At this place we saw the lowest known bed of Green Sand marl, which is thought by Mr. Schanck to be as much as 100 feet below the 1st bed of Prof Cook. This bed is only about 6 feet in thickness, and is somewhat clayey though though it is said to be a good fertilizer. It rests upon dark bluish arenaceous clays, which contain more or less lignite. These clays have been penetrated some 30 to 40 feet in wells without passing through them.

In the marl here casts of large *Inoceramus*, *Pholadomya*, *Ammonite placenta*, *Scaphites Currieri*, *Pandora*, *Gucculaca* &c &c. Occur in abundance.

This bed seems to be undoubtedly, I think the same as that seen deep in the deep lent of the Cahoon pond near Delaware, and probably

along with No. 1. of Prof Cook, represents our No. 4 of Nebraska. Though I also saw in it casts of a peculiar *Pholadomya* (the same also found just under Mr. Schanck's bed) very closely allied to one from the beds near Judith river.

According to my own observations and what I can learn from Mr. Schanck the order of succession of the N. S. beds are as follows:

Cook's	Green Sand. S. Currieri &c. Tenyck's	40 feet
	Sand	100 feet
2-	Limestone (Mr. Schanck) corals &c. &c.	10 to 25 ft
	Green Sand. S. Harlani &c.	40 to 60
	Tinton Falls rock	20 to 25 ft
	Yellowish sand or	100 ft
1st	Dark clays with small fossils	20
	Green Sand S. Currieri &c. &c.	20
	Dark more or less sandy micaceous clay with fossils at top	5 to 100 ft
	Tenyck's bed Green S. marl	6
	Dark clays interbedded with sand - much lignite	120
	Light clays, paper clays &c.	150 ft

Remained over Sunday at Keyport.
Just above this place there is on
the immediate shore of the Bay a bluff
of clays and presenting the following

Profile
very calcareous material with G. sand 5 or 6 feet No 2

dark plastic clays
often in thin layers 35 to 40" (No 1)
separated by thin layers
of light colored sand. con-
tains much fine sand
by tides. Also, comes of
fine, converted into pyrites
contains much Pyrites

This bluff is rapidly undermined by
the waves, and falls and slide down
in great quantities

Monday, 21
Went out to Mr. Wordell's place
some three miles from Keyport and 15 to 17
from New Brunswick, where I was
assisted by Mr. Schanck in collect-
ing many interesting fossils from

the lowest bed of marl, all coasts.
Returned to Keyport at 6 o'clock P.M.
packed my specimens & remaining all night

Tuesday May 2—
Took Steam Boat for Anson, thence
by Rail Road to Washington where
I arrived at 9 o'clock P.M.

June 10th 1863
Came down to Aquia Creek on Government
Steamer. 1/2 mile below the landing saw
a fine exposure of Eocene Strata exhibit
in following Section

	yellowish and light col. loose sand, with at places many <i>Tur. mastom</i> and a few <i>graptolites</i> & <i>O. compressirostris</i> , <i>Naticas</i> , with some hard concretions many masses of same	25 to 40
No 6	soft, bluish gray sand with few green gr. sand many shells; shading into beds above	15 to 20 feet
No 5	like No 2	10 to 18 in
No 4	soft like No 1. with vast numbers shells	6 feet
No 3	very hard larger many shells	10 to 18 in
No 2	bluish gray sand with a few gr. green s. and great numbers of shell	15 to 18 feet —
No 1		

Tide

In No. 1. Saw some *Cucullaea*, *Panopaea*, *Cytherea*, *O. compressirostris*, *Tor. mortoni*, and a few *Territella* — No 3 has much the same fossils in great numbers though they are usually broken, or ready to fall to pieces. No 2 and 4 contains same fossils seen in the bed between and seems to be merely the same material hardened. No 5 has fewer fossils but much the same sp. as No 3.

Lower part of No 6 has many fine specimens of *T. mortoni*, & indeed seem to be much like the bed into which it shades below, only that is yellowish instead of bluish gray.

At some places just above the fossiliferous zone it is hardened into a layer somewhat like No 2 & 4 — but yellowish. Some of these hard masses, and huge pieces of No 2 & 4 fall to the base of the bluff where they are washed by the waves so as to show on their cleaned surfaces vast numbers of fossils, mostly *Territella mortoni* with some *O. compressirostris*, *Cucullaea* &c.

This bold precipitous bluff extends along much of the distance from Aquia Creek to Potomac Creek, and the hills back of the Aquia creek landing rising from 50 to 80 feet above the river are composed of the same formation.

Thursday June 12
Spent in collecting *Coccone* fossils from the bluff below the Aquia creek landing.

Friday June 13th
Came down on a small government boat to a point some 14 miles below Aquia Creek (by the river). Where I stopped on the Maryland side. Here the banks are from 15 to 25 feet in height. About 3 to 4 feet above the water level they are composed of a grainish gray sand with a few green grains. Saw in it lots of *Cardita*, and a few other bivalves apparently all *Mio* zone. Above this there is a layer of light colored clay, and above this a similar drab colored more arenaceous material which also forms the surface soil. It is not very productive, and takes quite hard in dry weather — will not

21
produce much without manure.
Saw some good crops of wheat however.

The lower stratum of Morley material here dips beneath the water level on following it down to near the house of a farmer by the name of Speake.

Opposite here on the Virginia side there are some rather high bluffs of light colored material, but I did not go over to see what it is. Below here the country becomes lower, though still farther down a higher ridge is seen.

Monday June 15th
Came down on Steamer Key-Port, to Pipey Point, where I arrived late in the evening.

Tuesday June 16
Sailed with Dr. Friesbie up St. Marys river some 3 miles to the farm of Col. Bond where we took dinner. About 1/2 mile above this on the same side of the river at the (Right side) at Mr. George Codes place saw on the margin of the river an

22
exposure of Missine presenting the following section

8 to 10 ft { yellowish, clay and sand without fossils,

4 to 5 ft { bluish clayey mud with numerous Missine fossils

Immediately opposite this, and at a distance of about one mile the same beds are seen, but the lower shell stratum only rises about 2 1/2 to 3 feet above the water, indicating a dip of only about 2 1/2 to 3 feet per mile in an E. direction.

Wednesday June 17 ~~after~~ ~~all~~
After collecting many fossils sailed in the evening for Pipey Point. A short distance before reaching there were caught in a squall and came very near being capsized. Making it impossible to reach the Port.

23 against such a wind, we at last succeeded in taking down the sail. We now found ourselves in great danger of swamping, while the wind was fast carrying us out from the shore. Our only chance seemed to be to reach St. Georges Island, by paddling, which we at last succeeded in doing, in a nearly exhausted condition, and partly wet from rain and spray. Reached the hut of a farmer in the Island, before the hardest rain commenced. Got a poor supper, and had to remain all night, the wind being so high that we dared not start.

Thursday June 18th

Sailed with a light breeze about four o'clock, before breakfast. Spent the day in packing specimens. Dr. Leisler is sick. As he is too sick to think of starting on another trip up the St. George, and I

24 find it difficult to obtain a boat and assistance, I have reluctantly concluded to take the Steamer Key Port for Washington in the morning.

Friday June 19
Started at 5 o'clock A. M. on Key Port for Washington City

Spent about 10 days at Washington opening and examining specimens. Then went on an expedition to the Eocene localities down the Potomac, and to the Miocene beds on St. Marys, where I collected 2 boxes Miocene fossils. Then came back to Washington and spent about 1 month of packing, identifying, and making up set of fossils for distribution. Then took up the work of making out check lists of Cret. & Tertiary fossils, which occupied my time until Aug. 27 when I began work on the California Collections.

1863	Memorandum of Expenses	
May 14	Torn Belt of pouch	85
	Memorandum book	30
" 16	Expenses of Ticket to Phila	4 90
" "	" Wilmington to Del. City	50
" "	Dinner	37 1/2
" 17	Supper lodging Breakfast	75
" "	Buggy to Woodstown	1 50
" 18	Hotel dinner sup. Lodg. Breakfast & din	1 25
" 19	Supper lodging Breakfast	75
" "	Stage from Woodstown to	
" "	Mullica Hill	25
" "	Wrapping paper	10
" "	Box	10
" 20	Exp. at Mullica Hill	1 25
" "	Stage to Carpenter's Landing	25
" "	Exp. to Blackwoodstown	20
" 22	Exp. at Blackwoodstown	1 75
" "	Buggy to White Horse	1 00
" "	Camden to Bordentown	50
" "	Bordent. to Grosswicks	50
" 23	Exp. at Grosswicks	75
" "	Grosswicks to New Egypt	1 00
" "	Boxes & paper at N.E.	20

19. 81

May	Ant Boat over	19 81
23	1. pencil	10¢
25	Exp. Hotel at New Egypt	1 50
"	Stage to Bordentown	50
"	Dinner	2 5
"	Bordentown to Ambury	80
26	Bill at Freehold	75
"	Fair to Marlboro	25
"	Fair at Marlboro	50
30 th	Boxes for fossils	20
"	Cash paid for fossils	1.00
June 1 st	Bill at Keyport	3 00
" 2 nd	Box at Keyport	10
" 2 nd	Passage Keyport to Ambury	50
" "	Ambury to Phila.	1 25
" "	Expenses on boat	25
" "	Hack to depot at Phila	1 00
" "	Dinner	25
" "	Phila. to Washington	4 90
Total		\$36.91

June 6	Telegram sent to Commander Magaw at Aquia Creek.	35¢
" 7	Reply to same	39
" 8 th	two other Telegrams	58
		102

		132
9 th	June self and luggage boxes &c twice to Steam boat at Washington	4 00
	Fare on street cars while preparing to start	25
10	checking luggage on boat	25
12	Man for carrying luggage and boxes to Boat at Aquia Creek	25
	Bill at Aquia Creek	1.50
	Passage from Mr. Sp. to Pine Pt	3 50
	Boarding at Mr. Speaks	3 50
19	Supper & Lodging St. Georges Is	50
20	Boarding at Piney Point	3 00
18	Man for shoving off & bailing boat	50
"	Porter Cabin	25
"	Passage freight & Breakfast on Boat coming up	3.00

Chandler
Pt. 2 m S.W.)

Chanch
or there

Mr. Lockwood
Catalogue Lepidoptera
Report 1862
Lynchport N.S.

Sec 1 - and 1

Mr. Chandler
Middle town Pt. 2 m S.W.)

Rev G. C. Schanch
Marbleboro'

2021

1862 Memoranda - Hayden

Hayden Dr To postage on letters forwarded
to Phila. previous to Oct. 16th - 2 4 ct
- br by cash - paid 10 ct

Dr Oct. 20th to 5 letters - 15 ct
" 25 to 3 - 9 ct

Dr Cash paid Mr. Varden for exps
on his box sent - 1.50

Nov. 7 1 letter - 3

" 11 - writing paper 1/2 25

" 13 - 1 letter 3

" 15 mail matter forwarded - 6

" 19 1 letter 3

" 30 3 letters 9

Dec 1 1 - 5

Jan 27 (63) Steel pens 1/2 - 5

" 3 Paid on Winchells M.SS. 63 -

" 16 writing paper 1/2 25

Feb 11 Drawing paper 1/2 25

" 26. Steel pens 1/2 75

March 10 writing paper - 1/2 25

July 24 1863 To his share of \$13.50 paid by me
to the Printers of the Proceed. Acad. Nat. Sci. 13.50
it being an old unpaid bill. I sent the amt
to Prof. Leidy by Dr. J. S. Billings.

1863 - left a
Munich & Thompson to one hundred
Bill & Receipt for proof. Baird
\$13.25 - for Mest. over of his writing
to W. J.
Muck & Hayden

near
Co. has
apparently
limited

therefore, are
compared
production
1st, that

the immediate product of devel-
- opment &c ; 2nd, that it frequently
happens &c &c

Sept. 18-1863
Hayden Dr to exps on proof of Nebraska
fossils sent to Cassin 25

Mr. Meek.

I sent to M. & T. a check for the full
amount you transmitted. They returned
this bill and receipt .25 ct less than
what I paid them. I wrote a note
about it but received no answer

Joseph Lidy
Sept. 1863.

I paid \$13.50

to 3 - left in
and to one hundred
the proof of it
was of the writing
to N.Y.

near
Co. has
of the
discrete

therefore are
in comparison
production
of 101, that
of level -
that it frequently

Book of Nebraska
25

Philadelphia July 31 1863

Mr. H. B. Meek (Meek & Hayden)

Dr. to Merrihew & Thompson,

BOOK, PAMPHLET, PERIODICAL AND GENERAL JOB PRINTERS,

Lodge Street, above Second, corner of Kenton Place.

Nov. 27/61 To printing 1 form with cover

\$ 1.50

Feb. 5/62 ————— 50 Extras — 3 forms

10.50

Mar. 28 .. ————— 50 ..

(1.25

\$13.25

Re Payment

Merrihew Thompson

4 ds
5 4
3 4
Munich & Thompson
Bill & Receipt for
\$13.25 - for Mest
Muck & Hayden

63 - left a
to one hundred
proof. Haid
over of his writing
to N. J.

near
Co. has
apparently
Limestone

therefore, are
compared
production
1st, that
the immediate product of devel-
- opment &c ; 2nd, that it frequently
happens &c &c

25-18-1863
Hayden Dr to exp on proof of Nebraska
fossils sent to Cassin

According to order

Jos. Leidy.
July 1863.

1862 Memoranda - Hayden

Hayden Dr To postage on letters forwarded
to Phila. previous to Oct. 16th - 2 4 cts
- Cr by Cash - paid 10 cts

Dr Oct. 20th to 5 letters - 15 cts
" 25th to 3 " 9 cts

Dr Cash paid Mr. Varden for express
on his box sent - 1.50

Nov. 7 1 letter - 3

" 11 - writing paper 1/2 25

" 13 - 1 letter 3

" 15 mail matter forwarded - 6

" 19 1 letter 3

" 30 3 letters 9

Dec 1 1 " 3

Jan 2nd (63) Steel pens 1/2 5

" 3 Paid on Winchells M.S.S. 63 -

" 16. Writing paper 1/2 25

Feb 11 Drawing paper 1/2 25

" 26. Steel pens 1/2 75

March 10 writing paper - 1/2 25

July 24 1863 To his share of \$13.50 paid by me
to the Printers of the Proceed. Acad. Nat. Sci.
it being an old unpaid bill. I sent the amt
to Prof. Leidy by Dr. J. S. Billings. 1350

Hayden Dr
Aug 1863

May 15th 1863 - Left a
roll of papers, and 6 one hundred
dollar bonds, with proof. Baird
(placed in the drawer of his writing
desk) before starting to N. J.

Mr. Jonathan Smith near
Pemberton Burlington Co. has
an interesting specimen apparently
from the description a *Lianulite*

These deviations, therefore, are
peculiar in this, as compared
with the mode of reproduction
in other animals; viz. 1st, that
the immediate product of devel-
-opment is; 2nd, that it frequently
happens &c &c

Sept. 18 - 1863
Hayden Dr to express on proof of Nebraska
fossils sent to Cassin 25