SMITHSONIAN
LIBRARY

313
C-2-80
51-
A SYNONYMIC CATALOGUE

OF

NEUROPTERA ODONATA,

OR

DRAGONFLIES.

WITH AN APPENDIX OF FOSSIL SPECIES.

BY

W. F. KIRBY, F.L.S., F.E.S., &c.,

ASSISTANT IN ZOOLOGICAL DEPARTMENT, BRITISH MUSEUM (NATURAL HISTORY),
S. KENSINGTON,

AND

AUTHOR OF 'A SYNONYMIC CATALOGUE OF DIURNAL LEPIDOPTERA,'
'EUROPEAN BUTTERFLIES AND MOTHS,' ETC.

LONDON:

GURNEY & JACKSON, 1 PATERNOSTER ROW.

(SUCCESSORS TO MR. VAN VOORST.)

BERLIN: R. FRIEDLÄNDER & SON.

1890.

AS THE CONDITION OF THIS VOLUME
WOULD NOT PERMIT SEWING, IT WAS
TREATED WITH A STRONG, DURABLE
ADHESIVE ESPECIALLY APPLIED TO
ASSURE HARD WEAR AND USE.

P R E F A C E.

THE present work was prepared for press some years ago, but its publication has been delayed pending the appearance of my Revision of the *Libellulinae* in the 'Transactions of the Zoological Society of London,' which was not issued till last year.

Comparatively few recent species of the suborder *Odonata* are known at present—about 1800, or rather more than half as many as those belonging to the least numerous Classes of *Vertebrata*, such as *Mammalia* or *Reptilia*; and very much fewer than those of the larger families of such Orders of Insects as *Coleoptera* or *Lepidoptera*. But the Dragonflies have hitherto met with but little attention, being a group of insects which are very brittle, occupy much space in cabinets, and are very liable to lose their colours.

The tendency of all Catalogues and Monographs is to render themselves incomplete; and I have little doubt that the number of species of *Odonata* now known could easily be at least quadrupled if more workers were attracted to the subject; for the present Catalogue (except in the subfamilies *Libellulinae* and *Aeschninae*) is mainly a record of the work of one or two writers only,—notably that of the veteran Belgian entomologist Baron E. de Selys-Longchamps, who has devoted a great part of his long life to the study of *Odonata*, and has monographed all the subfamilies (except the two above-mentioned), aided by the constant advice and assistance of Dr. Hagen, to whom all entomologists are so deeply indebted for his invaluable 'Bibliotheca Entomologica.' It is to be hoped that the Baron will

shortly be able to complete his monograph of the *Æschninæ*, of which he has already published the synopsis of genera, and which will add at least one third to the number of species already described in that subfamily.

I am indebted to Mr. S. H. Scudder for furnishing me with some additions to the list of Fossil *Odonata* in Appendix I. (including species about to be published in his forthcoming treatise on the Tertiary Insects of North America), and to Mr. C. Davies Sherborn for looking over the MS. and proofs of the same part of the Catalogue.

In Appendix II. will be found omissions; additions made to the subject during the progress of this work through the press; and any recent corrections of importance which I have noticed, or to which my attention has been called, and which I have found, on examination, to be well-grounded. The student is recommended to take special note of this Appendix when making use of the book.

I need say nothing of the merits or demerits of the Catalogue itself, of which those who use it will form their own opinion; but it may be desirable to make some observations on the principles of nomenclature which have been adopted, after full consideration and much experience of work of this nature.

I find that initial capitals catch the eye so much more readily than small letters, that I make no apology for employing them for specific names throughout (contrary to the usual practice) in all works for the technical details of which I am personally responsible. It might also be argued that the binomial names of species are practically equivalent to proper names.

The nomenclature is made to commence from the 10th edition of Linné's '*Systema Naturæ*' (1758). The starting-point of the 12th edition (1767), fixed by the British Association Rules, is invalidated by their admission of exceptions. The Linnæan system was practically established in 1758, and was adopted by most naturalists of repute between 1758 and 1767; nor can we always determine Linné's own species described in 1767 without reference to the more detailed descriptions or figures published

by himself and others in earlier works, in which his new system is employed. This point, however, does not practically affect the nomenclature of *Odonata*.

Specific names rejected as synonyms, and subsequently applied to other species of the same genus, appear to me as objectionable as preoccupied names of genera, and have been discarded.

Specific names unaccompanied by descriptions, which were the bane of Entomology fifty years ago, and the use of which has been retained in *Odonata* longer than in most other groups of insects, have usually been rejected, with the following exceptions :—

(1) When the characters of the genus, combined with the locality, are sufficient to identify the species intended (e.g. *Anax Imperator*, Leach).

(2) When a genus has been characterized, and the species belonging to it have been provisionally named, but not described (e.g. *Acanthaschna Victoria* and *Uniformis*, Selys).

(3) In the case of fossil species; for the names applied to these, in the present state of our knowledge, often relate rather to individual specimens in Museums than to readily obtainable and identifiable species.

(4) When MS. names have been adopted by a later author reference is sometimes made to the MS. name.

Subgenera are not used; all such are here treated as genera.

The limits of a genus are always variable, and its characters subject to modification, both according to the increase of our knowledge, and to the divergent views of different entomologists; hence, although no generic name ought to be issued without a description, yet the fixing of a type, which must always be an identifiable species placed in it when the generic name is used for the first time, appears to be even more important; for no real certainty can be obtained without. In fact the fixing of the type of a genus is to the description what the figure of an insect is to the description of a species. Hence when Baron De Selys-Longchamps first published the name *Agriocnemis* without a description, and placed in it two undescribed and one described

species, the latter must be regarded as the type, notwithstanding that the Baron selected one of the others, when he subsequently characterized the genus and the species belonging to it.

Latreille fixed the types of *Libellula*, *Æshna*, and *Agrion*; and therefore Leach's subsequent alterations in their use must be rejected. But to minimize the resulting confusion, the corrected form of the second name (*Æschna*) has been allowed to stand, as in popular use, in addition to *Æshna*, which is cotypical with *Gomphus*, Leach, though, strictly speaking, it should perhaps have received a new name. *Agrion*, when used by the *older* authors, though properly neuter, is always employed in association with feminine specific names, and this use has here been allowed to remain. Newman's name, *Sympetrum*, to which Dr. Hagen objects because it was published, unaccompanied by a description, in an English periodical unknown in Germany at the time, and was not subsequently used by Newman himself, has two of the strongest claims to be retained instead of *Diplax*, Charpentier,—firstly, that of nine years priority; and, secondly, of having had a specific type assigned to it at the time of publication, which *Diplax* had not.

An asterisk (*) (except in the index) denotes the type of a genus;

(†) denotes that the section of the genus to which it is prefixed is not regarded as typical;

(||) denotes that the name so marked is preoccupied.

In conclusion, I may say that I regard the *Odonata* as possessing a better claim than any other group to be regarded as the typical *Neuroptera* of Linné; and even if I were disposed to combine them with the *Orthoptera* (which I am not), it is the latter name, of much later date, and not the former, which I would reject.

W. F. KIRBY.

Chiswick,
July, 1890.

LIST OF AUTHORS QUOTED.

Those marked (*) have treated of fossil species only; those marked (†) have noticed fossil as well as recent species.

Albarda.	*Germar.	Perty.
Allard.	Gerstaecker.	†Pictet.
*Assmann.	*Giebel.	Pollen and Van Dam.
Bates.	*Göppert.	Provancher.
Beauvois, Palisot de.	Guérin-Ménéville.	
*Berendt.	†Hagen.	*Quenstedt.
Blackmore.	Haldeman.	Rambur.
Blanchard.	Hanseman.	Retzius.
Boisduval.	Harris.	Römer.
Bolivar.	*Heer.	Roesel.
Borowsky.	Heikel.	Roster.
†Brauer.	Hoeven, Van der.	Rudow.
Brittinger.		
*Brodie.	Johanssen.	Sagra, Ramon de la.
Brullé.	Karsch.	Say.
Buchecker.	Kirby.	Schäffer.
*Buckman.	*Knorr.	*Schenchzer.
Burmeister.	*Köhler.	*Schmidel.
Calvert.	*König.	Schneider.
†Charpentier.	Kolbe.	Schomburgk.
Coquebert.	Kolenati.	Scopoli.
Costa.		†Seudder.
Curtis.	Latreille.	†Selys-Longchamps,
	Leach.	E. de.
Dale.	Lepechin.	Shaw.
De Geer.	†Linden, Van der.	Stephens.
De Haan.	Linné.	*Strickland.
*Deichmüller.	Lucas.	Ström.
Desjardins.		Sulzer.
Donovan.	Mabille.	
D'Orbigny.	McLachlan.	Uhler.
Drury.	*Massalongo.	
	Müller.	Veth.
Edwards.	*Münster.	Villers.
Eichwald.		
†Erichson.	Newman.	Walker.
Evans.		Walsh.
Eversmann.	Olivier.	Waterhouse.
	*Omboni.	Weber.
Fabricius.	*Oustalet.	†Westwood.
Fée.		White.
Fischer.	Packard.	Wiedemann.
Fonscolombe.	Pallas.	*Woodward.
Fourcroy.	Panzer.	
	*Parkinson.	Zetterstedt.
Gay.	Percheron.	*Zittel.

CONTENTS.

	Page
PREFACE	iii
LIST OF AUTHORS QUOTED	vii
CONTENTS	ix
LIBELLULIDÆ :	
Libellulinæ	1, 165, 177
Corduliinæ	46, 167, 184
ÆSHINIDÆ :	
Gomphinæ :	
<i>Gomphina</i>	57, 168, 185
<i>Cordulegasterina</i>	78, 170
Æschninæ	83, 172, 185
AGRIONIDÆ :	
Agrioninæ	96, 173, 186
Cænagrioninæ :	
<i>Pseudostigmatina</i>	119
<i>Normostigmatina</i>	122, 174, 186
APPENDIX I. LIST OF FOSSIL ODONATA	165
,, II. ADDITIONS AND CORRECTIONS	177
INDEX	189

FAM. I.

LIBELLULIDÆ.

SUBFAM. I.

LIBELLULINÆ.

Genus 1. **Tholymis.**

Hag. Stett. ent. Zeit. xxviii. p. 221 (1867); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 365, 712 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 265 (1889).

<p>*1. T. Tillarga, Fabr. (<i>Libellula T.</i>) Ent. Syst.,
Suppl. p. 285 (1798); <i>Lib. T., Ramb.</i> Ins.
Névr. p. 39 (1842).</p> <p>2. T. Pallida, Beauv. (<i>Lib. P.</i>) Ins. Afr. Amér.
p. 171, t. 2. f. 2 (1805); <i>Thol. P., Hag.</i> l. c.
(1867).</p> <p>3. T. Citrina, Hag. l. c. p. 218 (1867).</p>	E. Indies. Africa. Cuba.

Genus 2. **Pantala.**

Hag. Neur. N. Amer. p. 141 (1860); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 364, 713 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 265 (1889).

<p>— *1. P. Flavescens, Fabr. (<i>Lib. F.</i>) Ent. Syst.,
Suppl. p. 285 (1798); <i>Pantala F., Hag.</i>
l. c. p. 142 (1861); Stett. ent. Zeit. xxviii.
p. 215 (1867).</p> <p><i>Lib. Viridula, Beauv.</i> Ins. Afr. Amér. p. 69,
t. 3. f. 4 (1805); <i>Ramb. Ins. Névr.</i> p. 38
(1842).</p> <p><i>Lib. Analis et Terminalis, Burm.</i> Handb.
Ent. ii. p. 852. nos. 23 & 24 (1839).</p> | <p>Asia,
Africa,
America.</p> |
|---|---------------------------------------|

2. **P. Hymenæa**, Say, (*Lib. H.*) Journ. Ac. N. America.
Philad. viii. p. 19 (1836); *Pant. H., Hag.*
Neur. N. Amer. p. 142 (1861); Stett. ent.
Zeit. xxviii. p. 217 (1867).

Genus 3. **Hydrobasileus**.

Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 266 (1889).

- *1. **H. Vittatus**, Kirb. l. c. p. 314, t. 51. f. 10 Menado.
(1889).
Tramea Quadrivittata, Hag. (MS.).

Genus 4. **Camacinia**.

Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 266 (1889).

- *1. **C. Gigantea**, Brauer, (*Neurothemis G.*) Amboina,
Verh. zool.-bot. Ges. Wien, xvii. p. 8 Morty I.
(1867); Kirb. l. c. p. 267 (1889).

Genus 5. **Antidythemis**.

Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 267 (1889).

- *1. **A. Trameiformis**, Kirb. l. c. p. 315, t. 51. Para.
f. 4 (1889).
Dythemis (?) *Trameiformis*, Selys (MS.).

Genus 6. **Tramea**.

Hag. Neur. N. Amer. p. 143 (1861); Brauer, Verh. zool.-bot.
Ges. Wien, xviii. pp. 364, 713 (1868); Kirb. Trans. Zool.
Soc. Lond. xii. pp. 258, 268 (1889).

- *1. **T. Carolina**, Joh. (*Libellula C.*) Amœn. N. America,
Acad. vi. p. 411. n. 85 (1764); Linn. Syst. Antilles.
Nat. i. (2) p. 904. n. 17 (1767); Dru. Ill.
Ex. Ent. i. t. 47. f. 6 (1773); Ramb. Ins.
Névr. p. 32 (1842); *Tram. C., Hag.* l. c.
(1861).
2. **T. Onusta**, Hag. l. c. p. 144 (1861); Stett. Texas,
ent. Zeit. xxviii. p. 222 (1867). Cuba.
Lib. Carolina, Selys, Sagra, Hist. Cuba,
Anim. Art. p. 440 (1857).
3. **T. Virginia**, Ramb. (*Lib. V.*) l. c. p. 33 N. America.
(1842).
4. **T. Lacerata**, Hag. Neur. N. Amer. p. 145 id.,
(1861). Sandw. Is.

5. **T. Abdominalis, Ramb.** (*Lib. A.*) l. c. p. 37 (1842); *Tram. A., Hag.* l. c. p. 145 (1861); *Stett. ent. Zeit.* xxviii. p. 223 (1867).
Lib. Basalis, Selys, l. c. p. 441 (1857).
T. Insularis, ♀, *Scudd.* Proc. Bost. Soc. N. H. x. p. 191 (1866). N. America, Cuba.
6. **T. Insularis, Hag.** *Neur. N. Amer.* p. 146 (1861); *Stett. ent. Zeit.* xxviii. p. 224 (1867). N. America, Cuba.
7. **T. Basalis, Burm.** (*Lib. B.*) *Handb. Ent.* ii. p. 852. n. 25 (1839). S. America.
Lib. Incerta, Ramb. l. c. p. 34 (1842).
8. **T. Binotata, Ramb.** (*Lib. B.*) l. c. p. 36 (1842). Min. Geraes.
9. **T. Subbinotata, Brauer,** *Verh. zool.-bot. Ges. Wien*, xvii. p. 811 (1867). Brazil.
10. **T. Cephysa, Hag.** *Stett. ent. Zeit.* xxviii. p. 226 (1867). id.
11. **T. Darwini, Kirb.** l. c. p. 315, t. 51. f. 1 (1889). Galapagos I.
12. **T. Longicauda, Brauer,** l. c. p. 812 (1867). Brazil.
13. **T. Brasiliana, Brauer,** l. c. (1867). id.
14. **T. Chinensis, De Geer,** (*Lib. C.*) *Mém. Ins.* iii. p. 556, t. 26. f. 1 (1773). E. Indies.
15. **T. Similata, Ramb.** (*Lib. S.*) l. c. p. 36 (1842). India (?).
16. **T. Stylata, Ramb.** (*Lib. S.*) l. c. p. 37 (1842). Bombay.
17. **T. Translucida, Kirb.** l. c. p. 315 (1889). N. India.
18. **T. Burmeisteri, Kirb.** l. c. p. 316 (1889). E. Indies.
Lib. Chinensis, Burm. l. c. p. 852. n. 27 (1839).
19. **T. (?) Crocea, Brauer,** l. c. p. 813 (1867). Luzon.
20. **T. Loewii, Brauer,** l. c. xvi. p. 563 (1866). Ceram.
21. **T. Rosenberghii, Brauer,** l. c. p. 564 (1866). id.
22. **T. Eurybia, Selys,** *Mitth. Mus. Dresd.* iii. p. 298 (1878). Menado.
23. **T. Euryale, Selys,** l. c. (1878). id., Java.
24. **T. (?) Brevistyla, Brauer,** *Reise d. Novara, Neur.* p. 83 (1866). Australia.
25. **T. Samoensis, Brauer,** *Verh. zool.-bot. Ges. Wien*, xvii. p. 22 (1867). Samoa.
26. **T. Transmarina, Brauer,** l. c. p. 21 (1867). id., Fiji.
27. **T. Basilaris, Beauv.** (*Lib. B.*) *Ins. Afr. Amér.* p. 171, t. 2. f. 1 (1805); *Ramb.* l. c. p. 35 (1842). W. Africa.

<p>— 28. T. Continentalis, Selys, l. c. p. 299 (1878).
 29. T. Africana, Brauer, l. c. p. 814 (1867).
 — 30. T. Limbata, Desj. (<i>Lib. L.</i>) Rapport Soc. Maurice, i. (1832); Bull. Soc. Ent. France, iv. p. 4 (1835); <i>Tram. L.</i>, Kirb. l. c. p. 318 (1889).
 <i>Lib. Mauricana</i>, Ramb. l. c. p. 34 (1842).
 31. T. Erythræa, Brauer, l. c. p. 814 (1867).
 32. T. Madagascariensis, Kirb. l. c. pp. 317, 318 (1889).</p> | <p>Senegal.
 Sier. Leone.
 Mauritius,
 Rodriguez.

 Mauritius.
 Madagascar.</p> |
|--|--|

Genus 7. **Tauriphila.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 268 (1889).

<p>*1. T. Iphigenia, Hag. (<i>Tramea I.</i>) Stett. ent. Zeit. xxviii. p. 230 (1867), xxix. p. 262 (1869).
 2. T. Australis, Hag. (<i>Tram. A.</i>) l. c. xxviii. p. 229 (1867).</p> | <p>Bogota,
 Amazons.

 Cuba.</p> |
|--|---|

Genus 8. **Miathyria.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 269 (1889).

<p>1. M. Marcella, Selys, (<i>Libellula M.</i>) Sagra, Hist. Cuba, Ins. p. 452 (1857); <i>Tramea M.</i>, Hag. Stett. ent. Zeit. xxviii. p. 227 (1867).
 <i>Tram. Simplex</i>, Hag. Neur. N. Amer. p. 146 (1861).
 *2. M. Simplex, Ramb. (<i>Lib. S.</i>) Ins. Névr. p. 121 (1842); Selys, l. c. p. 452 (1857); <i>Tram. S.</i>, Hag. Stett. ent. Zeit. xxviii. p. 228 (1867).
 3. M. Pusilla, Kirb. l. c. p. 318, t. 52. f. 3 (1889).
 4. M. (?) Balteata, Hag. (<i>Tetragoneuria B.</i>) Neur. N. Amer. p. 140 (1861).</p> | <p>Brazil,
 Cuba.

 Cuba.

 Amazons.

 S. States,
 Cuba.</p> |
|---|---|

Genus 9. **Pseudothemis.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 270 (1889).

— *1. P. Zonata, Burm. (<i>Libellula Z.</i>) Handb. Ent. ii. p. 859. n. 68 (1839); Selys, Ann. Soc. Ent. Belg. xxvii. p. 97 (1883); <i>Pseud. Z.</i>, Kirb. l. c. p. 270, t. 52. f. 1 (1889).	<p>China,
 Japan.</p> |
|---|-----------------------------------|

Genus 10. **Rhyothemis.**

Hag. Stett. ent. Zeit. xxviii. p. 232 (1867); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 364, 714 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 269 (1889).

1. **R. Splendida, Ramb.** (*Libellula S.*) Ins. Névr. p. 43 (1842). China.
2. **R. Imperatrix, Selys,** Ann. Soc. Ent. Belg. xxxi. p. 53 (1887). Loo Choo.
3. **R. Marcia, Dru.** (*Lib. M.*) Ill. Ex. Ent. ii. t. 45. f. 3 (1773); Ramb. l. c. p. 42 (1842). E. Indies.
Lib. Murcia, Fabr. Ent. Syst. ii. p. 376. n. 11 (1793).
4. **R. Graphiptera, Ramb.** (*Lib. G.*) l. c. p. 45 (1842). Australia.
5. **R. Vitellina, Brauer,** l. c. p. 184 (1868). Pelew Is.
6. **R. Variegata, Joh.** (*Lib. V.*) Amœn. Acad. vi. p. 412. n. 96 (1764); Linn. Syst. Nat. i. (2) p. 904. n. 18 (1767); Ramb. l. c. p. 44 (1842). E. Indies.
Lib. Arria, Dru. Ill. Ex. Ent. ii. t. 46. f. 1 (1773).
Lib. Indica, Fabr. Spec. Ins. i. p. 521. n. 8 (1781); Don. Ins. China, Neur. f. 2 (1798); Guér. Icon. R. Anim., Ins. t. 60. f. 1 (1829).
Lib. Histrio, Fabr. Mant. Ins. ii. p. 237. n. 24 (1787).
Lib. Celestina, Oliv. Enc. Méth. vii. p. 569. n. 3 (1792).
7. **R. Amaryllis, Selys,** Mitth. Mus. Dresd. iii. p. 299 (1878). Menado.
8. **R. Snelleni, Selys,** l. c. (1878). Celebes.
- *9. **R. Phyllis, Sulz.** (*Lib. P.*) Gesch. Ins. t. 26. f. 2 (1776); Ramb. l. c. p. 42 (1842). Eastern Archipelago.
Lib. 4-punctata, Rœm. Gen. Ins. t. 26. f. 2 (1783).
Lib. Vittata, Web. Obs. Ent. p. 105 (1801).
Rhy. Phyllis, var. Subphyllis, Selys, An. Soc. Esp. xi. p. 9 (1882).
10. **R. Dispar, Brauer,** Verh. zool.-bot. Ges. Wien, xvii. p. 815 (1867). Amboina, Fiji.
11. **R. Pretiosa, Selys,** Mitth. Mus. Dresd. iii. p. 299 (1878). Moluccas.

12. **R. Regia, Brauer**, (*Celithemis R.*) l. c. p. 24 (1867). Amboina.
13. **R. Chalcoptilon, Brauer**, (*Cel. C.*) l. c. p. 25 (1867). Samoa.
14. **R. Apicalis, Kirb.** l. c. p. 319, t. 51. f. 5 (1889). N. Hebrides.
15. **R. Obsolescens, Kirb.** l. c. p. 321 (1889). Borneo.
16. **R. Semihyalina, Desj.** (*Lib. S.*) Rapport Soc. Maurice, i. (1832); Bull. Soc. Ent. France, iv. p. iv (1835). Mauritius.
Rhy. Hemihyalina, Selys, Ann. Soc. Ent. Belg. xxxi. p. 8 (1887).
Lib. Disporata, Ramb. l. c. p. 40 (1842).
17. **R. Separata, Selys**, (*Lib. S.*) Lucas, Expl. Alg. iii. p. 115, t. 1. f. 1 (1849); Rev. Odon. p. 304 (1850). Algeria.
18. **R. Syriaca, Selys**, (*Lib. S.*) Rev. Odon. p. 305 (1850). Syria.
19. **R. Triangularis, Kirb.** l. c. p. 319 (1889). Borneo.
20. **R. Resplendens, Selys**, Mitth. Mus. Dresd. iii. p. 300 (1878). Australia &c.
21. **R. Notata, Fabr.** (*Lib. N.*) Spec. Ins. i. p. 390. n. 12 (1781). W. Africa.
Lib. Fenestrina, Ramb. l. c. p. 40 (1842).
22. **R. Cuprina, Kirb.** l. c. p. 320, t. 51. f. 6 (1889). Sier. Leone.
23. **R. Fulgens, Selys**, l. c. p. 300 (1878); Ann. Mus. Genov. xxvii. p. 450 (1889); Kirb. l. c. p. 322 (1889). Sarawak, Banka, Singapore.
24. **R. Curiosa, Selys**, l. c. p. 451 (1889). Born., Sing. Singapore.
 Var. *a. R. Cur.*, var. *Transversa, Selys*, l. c. p. 452 (1889).
 Var. *b. R. Cur.*, var. *Apicalis, Selys*, l. c. (1889). Banka.
25. **R. Pygmæa, Brauer**, (*Celithemis P.*) l. c. p. 297 (1867). Papua.
26. **R. Vidua, Selys**, Mitth. Mus. Dresd. iii. p. 300 (1878). Menado.
27. **R. Fuliginosa, Selys**, Ann. Soc. Ent. Belg. xxvii. p. 88 (1883). Japan, China.
28. **R. Plutonia, Selys**, l. c. p. 89 (1883). Bengal.
29. **R. Cognata, Ramb.** (*Lib. C.*) l. c. p. 41 (1842). Madagascar.

Genus 11. **Neurothemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xvii. p. 8 (1867), xviii. pp. 366, 717 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 271 (1889).

|| *Polynœura*, Ramb. Ins. Névr. p. 127 (1842).

*1. **N. Fulvia, Dru.** (*Lib. F.*) Ill. Ex. Ent. ii. China.

t. 46. f. 2 (1773); Don. Ins. China, *Neur.* f. 3 (1798); *Pol. F., Ramb.* l. c. p. 129 (1842).

♂. *Lib. Sophronia, Dru.* l. c. f. 4 (1773); *Pol. S., Ramb.* l. c. p. 128 (1842); *Neur. S., Brauer,* l. c. p. 9 (1867).

2. **N. Stigmatizans, Fabr.** (*Lib. S.*) Syst. Ent. E. Archipel., Australia.

p. 421. n. 5 (1775).
Lib. Oculata, Fabr. l. c. n. 6 (1775); *Neur. O., Selys,* Ann. Mus. Genov. xiv. p. 292 (1879).

Lib. Elegans, Guér. Voy. Coq., Zool. ii. (2) p. 194, t. 10. f. 3 (1829-1832); *Pol. E., Ramb.* l. c. p. 127 (1842); *Neur. E., Brauer,* l. c. p. 14 (1867).

Lib. Bramina, Guér. l. c. p. 195 (1832).

Lib. Manadensis, Boisd. Voy. Astr., Ent. ii. p. 651, t. 12. f. 1 (1835); *Pol. M., Ramb.* l. c. p. 128 (1842).

Neur. Pseudosophronia, Brauer, l. c. p. 15 (1867).

N. Innominata, Brauer, l. c. p. 17 (1867).

N. Diplax, Brauer, l. c. p. 18 (1867).

N. Unicolor, Selys, Mitth. Mus. Dresd. iii. p. 301 (1878).

3. **N. Fluctuans, Fabr.** (*Lib. F.*) Ent. Syst. E. Indies, Australia.

ii. p. 379. n. 26 (1793); *Neur. F., Brauer,* l. c. p. 16 (1867); *Selys,* Ann. Mus. Genov. xiv. p. 294 (1879).

Lib. Apicalis, Guér. l. c. p. 194 (1832); *Pol. A., Ramb.* l. c. p. 127 (1842).

Pol. Palliata, Ramb. l. c. p. 129 (1842); *Neur. P., Brauer,* l. c. p. 10 (1867).

Neur. Nicobarica, Brauer, l. c. p. 12 (1867).

N. Incerta, Brauer, l. c. (1867).

Pol. Ramburii, Brauer, l. c. xvi. p. 568 (1866).

Neur. Decora, Brauer, l. c. xvi. p. 568 (1866), xvii. p. 13 (1867).

N. Ceylonica, Brauer, l. c. p. 11 (1867).

<p>4. N. Disparilis, Kirb. l. c. p. 322, t. 54. f. 8 (1889).
 <i>N. Fluctuans</i>, race (?) <i>Disparilis</i>, <i>Selys</i>, l. c. xxvii. p. 453 (1889).</p> <p>5. N. Oligoneura, Brauer, l. c. p. 976 (1867).</p> <p>6. N. Tullia, Dru. (<i>Lib. T.</i>) l. c. t. 46. f. 3 (1773).
 <i>Lib. Equestris</i>, <i>Fabr.</i> Spec. Ins. i. p. 523. n. 20 (1781); <i>Burm. Handb. Ent.</i> ii. p. 855. n. 42 (1839); <i>Ramb.</i> l. c. p. 72 (1842).
 ♀. <i>Lib. Lineata</i>, <i>Fabr.</i> Ent. Syst. ii. p. 375. n. 7 (1793); <i>Ramb.</i> l. c. p. 73 (1842).</p> <p>7. N. Feralis, Burm. (<i>Lib. Equestris</i>, var. <i>Feralis</i>) l. c. (1839).
 <i>Lib. Communimacula</i>, <i>Ramb.</i> l. c. p. 73 (1842).</p> <p>8. N. Affinis, Kirb. l. c. p. 323, t. 54. f. 2 (1889).</p> <p>9. N. Intermedia, Ramb. (<i>Lib. I.</i>) l. c. p. 91 (1842); <i>Neur. I.</i>, <i>Selys</i>, l. c. xxvii. p. 454 (1889).
 <i>N. Degener</i>, <i>Selys</i>, l. c. xiv. p. 296 (1879).</p> | <p>Borneo.</p> <p>Cape York.
E. Indies.</p> <p>Sumatra,
Moluccas.</p> <p>Barang.</p> <p>India.</p> |
|--|--|

Genus 12. **Diastatops.**

Ramb. Ins. Névr. p. 135 (1842); *Brauer, Verh. zool.-bot. Ges. Wien*, xviii. pp. 364, 715 (1868); *Kirb. Trans. Zool. Soc. Lond.* xii. pp. 257, 271 (1889).

<p>1. D. Dimidiata, Linn. (<i>Lib. D.</i>) Syst. Nat. i. p. 545. n. 14 (1758); <i>Palpopleura D.</i>, <i>Ramb.</i> l. c. p. 129 (1842).
 <i>Lib. Marginata</i>, <i>De Geer</i>, Mém. Ins. iii. p. 558. n. 5, t. 26. f. 6 (1773).</p> <p>2. D. Tincta, Ramb. l. c. p. 135 (1842).</p> <p>*3. D. Pullata, Burm. (<i>Lib. P.</i>) Handb. Ent. ii. p. 854. n. 34 (1839); <i>Diast. P.</i>, <i>Ramb.</i> l. c. p. 136, t. 3. f. 4 (1842).</p> <p>4. D. Obscura, Fabr. (<i>Lib. O.</i>) Syst. Ent. p. 422. n. 10 (1775).
<i>Diast. Fuliginea</i>, <i>Ramb.</i> l. c. p. 137 (1842).</p>	S. America. id. id. Brazil.

Genus 13. **Potamothemis.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 257, 272 (1889).

- *1. **P. Fasciata, Linn.** (*Lib. F.*) Syst. Nat. i. | S. America.
 p. 545. n. 12 (1758); *Palpopleura F., Ramb.*
 l. c. p. 134 (1842); Waterh. Aid, i. t. 32
 (1881).
 2. **P. Americana, Linn.** (*Lib. A.*) l. c. n. 16 | Brazil.
 (1758).
Lib. Violacea, De Geer, Mém. Ins. iii. p. 559.
 n. 6, t. 26. f. 7 (1773).

Genus 14. **Palpopleura.**Ramb. Ins. Névr. p. 129 (1842); Brauer, Verh. zool.-bot. Ges.
 Wien, xviii. pp. 365, 717 (1868); Kirb. Trans. Zool. Soc.
 Lond. xii. pp. 257, 272 (1889).

1. **P. Lucia, Dru.** (*Lib. L.*) Ill. Ex. Ent. ii. | Africa.
 t. 45. f. 1 (1773); *Palp. L., Ramb.* l. c.
 p. 131 (1842).
Lib. Variegata, Fabr. Spec. Ins. i. p. 524.
 n. 29 (1781); Beauv. Ins. Afr. Amér.
 p. 171, t. 2. f. 4 (1805).
 — ♂. *Lib. Marginata, Fabr.* l. c. p. 523. n. 24
 (1781); Beauv. l. c. p. 172, t. 2. f. 5
 (1805); *Palp. M., Ramb.* l. c. p. 131
 (1842).
Lib. Denticulata, Beauv. l. c. f. 6 (1805).
Lib. Sinuata, Fabr. Ent. Syst. ii. p. 378.
 n. 17 (1793).
 2. **P. Semivitrea, Burm.** (*Lib. S.*) Handb. | Comorin Is.
 Ent. ii. p. 861. n. 75 (1839).
 — *3. **P. Vestita, Ramb.** l. c. p. 132, t. 3. f. 2 | Madagascar.
 (1842).
P. Confusa, Ramb. l. c. p. 133, t. 3. f. 3
 (1842).
 4. **P. Portia, Dru.** (*Lib. P.*) l. c. ii. t. 47. | W. Africa.
 f. 3 (1773); *Palp. P., Ramb.* l. c. p. 130
 (1842).
 5. **P. Jucunda, Ramb.** l. c. p. 134 (1842); | S. Africa.
 Kirb. l. c. t. 56. f. 6 (1889).
 — 6. **P. Sexmaculata, Fabr.** (*Lib. S.*) Mant. Ins. | China.
 i. p. 338. n. 31 (1787); Don. Ins. China,
Neur. f. 3 (1798).
Æshna Minuta, Fabr. l. c. p. 339. n. 5
 (1787).

Genus 15. **Perithemis.**

Hag. Neur. N. Amer. p. 185 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 365, 718 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 262, 273 (1889).

<p>1. P. Domitia, Dru. (<i>Libellula D.</i>) Ill. Ex. Ent. ii. t. 45. f. 4 (1773); <i>Per. D.</i>, Kirb. l. c. p. 325 (1889); Ann. Nat. Hist. (6) iv. p. 232 (1889).
 <i>Lib. Melella, Selys</i>, Sagra, Hist. Cuba, Ins. p. 451 (1857).</p> <p>2. P. Pocahontas, Kirb. Ann. Nat. Hist. (6) iv. p. 232 (1889).</p> <p>3. P. Mooma, Kirb. l. c. p. 233 (1889).</p> <p>4. P. Tenera, Say, (<i>Lib. T.</i>) Journ. Acad. Philad. viii. p. 31. n. 20 (1839).</p> <p>*5. P. Tenuicincta, Say, (<i>Lib. T.</i>) l. c. n. 21 (1839).
 <i>Lib. Chlora, Ramb.</i> Ins. Névr. p. 125 (1842).
 <i>Lib. Domitia, Hag.</i> l. c. p. 185 (1861).</p> <p>6. P. Iris, Hag. l. c. (1861).</p> <p>7. P. Bella, Kirb. Trans. Zool. Soc. Lond. xii. p. 324, t. 51. ff. 8, 9 (1889).
 <i>P. Bella, Hag.</i> MS. (?)</p> <p>8. P. Thais, Kirb. l. c. p. 324 (1889).</p> <p>9. P. Lais, Perty, (<i>Lib. L.</i>) Del. Anim. Art. p. 125, t. 25. f. 2 (1834); Ramb. Ins. Névr. p. 113 (1842).</p> <p>10. P. Intensa, Kirb. l. c. p. 326, t. 51. f. 7 (1889).</p> <p>11. P. Icteroptera, Selys, (<i>Lib. I.</i>) l. c. p. 451 (1857).
<i>Lib. Domitia, Ramb.</i> l. c. p. 124 (1842).</p>	Antilles. Jamaica. id. U. States. id. Mexico. Santarem. Para. Brazil. Mexico. Buen.Aires.

Genus 16. **Pseudoleon.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 262, 274 (1889).

*1. P. Superbus, Hag. (<i>Celithemis Superba</i>) Neur. N. Amer. p. 148 (1861); <i>Pseud. Superbus, Kirb.</i> l. c. p. 274, t. 53. f. 7 (1889).	Mexico.

Genus 17. **Celithemis.**

Hag. Neur. N. Amer. p. 147 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xvii. pp. 367, 718 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 262, 274 (1889).

- *1. **C. Eponina, Dru.** (*Lib. E.*) Ill. Ex. Ent. ii. t. 47. f. 2 (1773); Fabr. Ent. Syst. ii. p. 382. n. 39 (1793); Coqueb. Icones, p. 27, t. 7. f. 1 (1799); Ramb. Ins. Névr. p. 45 (1842); *Cel. E., Hag.* l. c. (1861); Stett. ent. Zeit. xxviii. p. 231 (1867).
Lib. Camilla, Ramb. l. c. p. 46 (1842).
Lib. Lucilla, Ramb. l. c. (1842).
2. **C. Fasciata, Kirb.** l. c. p. 326, t. 52. f. 2 (1889). Georgia.
- 3. **C. Elisa, Hag.** (*Diplax E.*) Neur. N. Amer. p. 182 (1861); Pack. Amer. Nat. i. p. 311, t. 9. f. 5 (1867). U. States.
4. **C. Amanda, Hag.** (*Diplax A.*) l. c. p. 183 (1861). Georgia.
 ||*Lib. Pulchella, Burm.* Handb. Ent. ii. p. 849. n. 2 (1839).
5. **C. (?) Ornata, Ramb.** (*Lib. O.*) l. c. p. 96 (1842); *Dipl. O., Hag.* l. c. p. 184 (1861). N. America.

Genus 18. **Compsothemis.**

Karsch, Ent. Nachr. xv. p. 276 (1889).

- *1. **C. Regalis, Karsch,** l. c. (1889). | Madagascar.

Genus 19. **Leucorhinia.**

Britt. Sitzungsber. Akad. Wiss. Wien, math.-nat. Classe, i. p. 333 (1850); Brauer, Verh. zool.-bot. Ges. Wien, xviii. p. 719 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 275 (1889).

Leucorhina, Brauer, l. c. p. 368 (1868).

Cenotiata, p., Buch. Syst. Ent. p. 10 (1878).

1. **L. Pectoralis, Charp.** (*Lib. P.*) Hor. Ent. p. 46 (1825); Lib. Eur. p. 85, t. 13 (1840); Selys, Rev. Odon. p. 56 (1850). Europe.
Lib. Rubicunda, p., Selys, Mon. Lib. Eur. p. 56 (1840); Ramb. Ins. Névr. p. 109 (1842).

2. L. Gonypenis, Buch. (<i>Cæn. G.</i>) l. c. p. 10, t. 12. f. 2 (1878).	Grisons.
3. L. Rubicunda, Linn. (<i>Lib. R.</i>) Syst. Nat. i. p. 543. n. 4 (1758); Faun. Suec. p. 372 (1761); Selys, Rev. Odon. p. 55 (1855).	Europe.
4. L. Orientalis, Selys, Ann. Soc. Ent. Belg. xxxi. p. 54 (1887).	Loo Choo,
Japan.
5. L. Infusata, Eversm. (<i>Lib. I.</i>) Bull. Mosc. ix. p. 237 (1836).	Kasan.
6. L. Dubia, Lind. (<i>Lib. D.</i>) Mon. Lib. p. 16 (1825); Selys, Rev. Odon. p. 50 (1850).
<i>Lib. Rubicunda, Curt.</i> , Brit. Ent. xv. t. 712 (1838); Selys, Mon. Lib. Eur. p. 56 (1840); <i>Diplax R., Evans</i> , Brit. Lib. t. 21. f. 3 (1845).
<i>Lib. Melanostigma, Eversm.</i> l. c. p. 238 (1836).	Europe.
7. L. Albifrons, Burm. (<i>Lib. A.</i>) Handb. Ent. ii. p. 851. n. 14 (1839); Selys, ll. cc. p. 57 (1840), p. 59 (1850).
<i>Lib. Leucorhinus, p., Charp.</i> , Lib. Eur. p. 87 (1840).
<i>Lib. Hellmanni, ♂, var., Eversm.</i> l. c. p. 352 (1841).
<i>Lib. Fallax, ♀, Eversm.</i> l. c. p. 355 (1841).	id.
— 8. L. Intacta, Hag. (<i>Diplax I.</i>) Neur. N. Amer. p. 179 (1861).	N. America.
— 9. L. Hudsonica, Selys, (<i>Lib. H.</i>) l. c. p. 53 (1850); <i>Dipl. H., Hag.</i> l. c. p. 180 (1861).	Hudson's B.

Genus 20. **Cœnotiata.**

Buch. Syst. Ent. (Odonata) p. 10 (1878); Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 276 (1889).

*1. C. Caudalis, Charp. (<i>Libellula C.</i>) Lib. Eur. p. 89, t. 44 (1840); Selys, Rev. Odon. p. 62 (1850).
<i>Lib. Hellmanni, Eversm.</i> Bull. Mosc. 1841, p. 351, t. 5. ff. 7-11.
<i>Lib. Fallax, Eversm.</i> l. c. p. 353, t. 5. ff. 1-6 (1841).
<i>Lib. Albifrons, Ramb.</i> Ins. Névr. p. 110 (1842).
<i>Lib. Ornata, Britt.</i> Stett. ent. Zeit. vi. p. 205 (1845).	Europe.

Genus 21. **Sympetrum.**

Newm. Ent. Mag. i. p. 511 (1833); Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 265, 276 (1889).

Diplax, Charp. Lib. Eur. p. 12 (1840); Hag. Nour. N. Amer. p. 173 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 263, 265, 369, 719 (1868).

1. **S. Scoticum, Don.** (*Libellula Scotica*) Brit. Ins. xv. t. 523 (1811); Steph. Ill. Brit. Ent., Mand. vi. p. 94 (1835); Ramb. Ins. Névr. p. 105 (1842); Selys, Mon. Lib. Eur. p. 53 (1840); Rev. Odon. p. 48 (1850); *Symp. Scoticum*, Newm. l. c. p. 511 (1835).
Lib. Flaveolata, ♀, Linn. Faun. Succ. p. 372 (1761).
Lib. Cancellata, Müll. Faun. Fridr. p. 61. n. 537 (1764).
Lib. Pallidistigma, Steph. l. c. p. 94 (1835).
Lib. Veronensis, Charp. Hor. Ent. p. 48 (1825).
Lib. Nigra, Charp. Lib. Eur. p. 83, t. 12 (1840).
Lib. Nigricula, Eversm. Bull. Mosc. ix. p. 240, t. 1. ff. 1, 2 (1836).
Diplax Scotica et Pallidistigma, Evans, Brit. Lib. p. 27, t. 19. ff. 1, 2, t. 20. f. 1 (1845).
- 2. **S. Pedemontanum, All.** (*Lib. Pedemontana*) Mém. Soc. Tur. iii. p. 194 (1766); Rœm. Gen. Ins. t. 24. f. 1 (1783); Ramb. l. c. p. 108 (1842); Selys, Mon. Lib. Eur. p. 44 (1840); Rev. Odon. p. 28 (1850).
Lib. Harpedone, Sulz. Gesch. Ins. t. 24. f. 1 (1776).
- 3. **S. Elatum, Selys**, (*Diplax Elata*) Ann. Soc. Ent. Belg. xv. p. 27 (1871), xxvii. p. 94 (1883). Japan.
4. **S. Flaveolum, Linn.** (*Libellula Flaveola*) Syst. Nat. p. 543. n. 2 (1758); Charp. Lib. Eur. p. 74, t. 9 (1840); Ramb. l. c. p. 104 (1842); Selys, Mon. Lib. Eur. p. 45 (1840); Rev. Odon. p. 33 (1850).
Lib. Flaveolata, Linn. Faun. Succ. p. 372 (1761).
Lib. Rubra, Müll. Faun. Fridr. p. 62. n. 550 (1764).
Lib. Aurea, Scop. Ann. Hist. Nat. v. p. 120 (1772).

Europe,
N. Asia,
N. America.

S. & Central
Europe,
N. & W. Asia.

Europe,
N. Asia.

Lib. Flavescens, Fisch. Nat. Livl. p. 335 (1778).

Lib. Victoria, Fourcr. Ent. Par. ii. p. 348. n. 16 (1785).

Var. *a. Lib. Latreillii*, Selys, Rev. Odon. p. 35 (1850).

Symp. Aurantiacum, Buch. Syst. Ent., Odonata, p. 9, t. 8. f. 1 (1878).

5. **S. Rhæticum**, Buch. l. c. p. 9, t. 7. f. 1 (1878). Grisons.

6. **S. Fonscolombii**, Selys, (*Lib. F.*) Mon. Lib. Eur. p. 49 (1840); Rev. Odon. p. 37 (1850); Ramb. l. c. p. 102 (1842). Europe, Africa, W. Asia.

Lib. Flaveola, Fonsc. Ann. Soc. Ent. Fr. vi. p. 144 (1837).

Lib. Erythroneura, Schneid. Stett. ent. Zeit. vi. p. 111 (1845).

7. **S. Subpruinoseum**, Kirb. Proc. Zool. Soc. Lond. 1886, p. 326, t. 33. f. 7. N.W. India.

8. **S. Pallidinervis**, Kirb. Trans. Zool. Soc. Lond. xii. p. 327, t. 55. f. 4 (1889). India.

- *9. **S. Vulgatum**, Linn. (*Lib. Vulgata*) Syst. Nat. i. p. 543. n. 3 (1758); Faun. Suec. p. 372 (1761); Charp. Hor. Ent. p. 49 (1825); Lib. Eur. p. 79, t. 11. f. 1 (1840); Selys, Rev. Odon. p. 45 (1850); *Diplax V.*, Selys, Ann. Soc. Ent. Belg. xxviii. p. 34 (1884); *Symp. V.*, Selys, l. c. xxxi. p. 10 (1887). Europe.

Var. *a. Lib. Striolata*, Charp. Lib. Eur. p. 78, t. 10. f. 2 (1840); Selys, Rev. Odon. p. 40 (1850); Lucas, Expl. Alg. iii. p. 123, t. 1. f. 2 (1849); *Symp. Striolatum*, Selys, Ann. Soc. Ent. Belg. xxxi. p. 10 (1887). id.

Diplax Vulgata, race *Striolata*, Selys, l. c. xxviii. p. 34 (1884).

? *Lib. Variegata*, Mill. Faun. Fridr. p. 62. n. 548 (1764).

Lib. Vulgata, Don. Brit. Ins. x. t. 337. f. 1 (1801); Steph. Ill. Brit. Ent., Mand. vi. p. 95 (1836); Selys, Mon. Lib. p. 50 (1840); Fonsc. Ann. Soc. Ent. France, vii. p. 147 (1840); Ramb. l. c. p. 99 (1842); *Sympetrum Vulgatum*, Newm. l. c. p. 512 (1833); Selys, Ann. Soc. Ent. Belg. xxxi. p. 10 (1887).

- Lib. Ruficollis*, Churp. l. c. p. 80, t. 11. f. 2 (1840).
Lib. Sicula, Hay. Syn. Lib. Eur. p. 35. n. 14 (1840).
 Var. *b. Lib. Macrocephala*, Selys, Rev. Zool. Cuv. 1841, p. 245. Sicily.
 Var. *c. Dipl. Vulyata*, race *Nigrifemur*, Selys, Ann. Soc. Ent. Belg. xxviii. p. 35 (1884). Madeira.
 Var. *d. Dipl. V.*, race *Decolorata*, Selys, l. c. (1884). Armenia.
 10. **S. Meridionale**, Selys, (*Lib. Meridionalis*) Rev. Zool. Cuv. 1841, p. 245; Rev. Odon. p. 39 (1850). Europe, N. Africa, W. Asia.
Lib. Hybrida, Ramb. l. c. p. 101 (1842).
 11. **S. Nigrostigma**, Buch. (*Dipl. N.*) l. c. p. 9, t. 8. f. 2 (1878). Zurich.
 12. **S. Flavostigma**, Buch. (*Dipl. F.*) l. c. f. 4 (1878). id.
 13. **S. Armeniacum**, Selys, (*Dipl. Armeniaca*) Ann. Soc. Ent. Belg. xxviii. p. 36 (1884); *Symp. Armeniacum*, Selys, l. c. xxxi. p. 9 (1887). Armenia.
 14. **S. Imitans**, Selys, (*Dipl. I.*) C. R. Ent. Soc. Belg. xxx. p. clxxix (1886); *Symp. I.*, Selys, Ann. Soc. Ent. Belg. xxxi. p. 56 (1887). Pekin.
 15. **S. Sanguineum**, Müll. (*Lib. Sanguinea*) l. c. p. 62. n. 547 (1764); Selys, Rev. Odon. p. 31 (1850); Lucas, Expl. Alg. iii. p. 123, t. 2. f. 3 (1849); —, Rœs. Ins.-Belust. ii. t. 8. f. 4 (1749). Europe, Algeria, Asia Minor.
Lib. Flaveola, Lindl. Mon. Lib. p. 15 (1825).
Lib. Ræselii, Curt. Brit. Ent. xv. fol. 712 (1838); Selys, Mon. Lib. Eur. p. 47 (1840); Ramb. l. c. p. 103 (1842).
Symp. Rufostigma et *Basale*, Newm. l. c. pp. 512, 513 (1833).
Lib. Rufostigma, *Augustipennis*, et *Basalis*, Steph. l. c. pp. 95 & 96 (1835).
Dipl. Rufostigma, *Augustipennis*, et *Basalis*, Evans, l. c. pp. 27, 28, t. 19. ff. 3, 4, t. 20. f. 2; t. 21. f. 1 (1845).
Lib. Nigripes, Charp. l. c. p. 77, t. 10. ff. 1, 2 (1840).
 16. **S. Depressiusculum**, Selys, (*Lib. Depressiuscula*) Rev. Zool. Cuv. 1841, p. 244; Rev. Odon. p. 39 (1850). Europe, N.&W. Asia.

- Lib. Ræselii*, p., *Selys*, Mon. Lib. Eur. p. 48 (1840).
Lib. Genei, *Ramb.* l. c. p. 103 (1842).
17. **S. Tenerrimum**, **Buch.** l. c. t. 9. f. 3 Zurich.
 (1878).
18. **S. Orientale**, **Selys**, (*Dipl. Orientalis*) Ann. Darjiling,
 Soc. Ent. Belg. xxvii. p. 140 (1883). China.
19. **S. Sinense**, **Selys**, (*Dipl. Sinensis*) l. c. China.
 (1883), xxviii. p. 37 (1884).
20. **S. Frequens**, **Selys**, (*Dipl. F.*) l. c. xxvii. Japan.
 p. 93 (1883).
21. **S. Hypomelas**, **Selys**, (*Dipl. H.*) l. c. xxviii. N. India.
 p. 37 (1884).
22. **S. Commixtum**, **Selys**, (*Dipl. Commixta*) id.
 l. c. p. 38 (1884).
23. **S. Assimilatum**, **Uhl.** (*Lib. Assimilata*) U. States.
 Proc. Acad. Philad. 1857, p. 88; *Hag. Stett.*
ent. Zeit. xxviii. p. 93 (1867); *Dipl. A.*,
Hag. Neur. N. Amer. p. 174 (1861).
24. **S. Rubicundulum**, **Say**, (*Lib. Rubicundula*) N. America.
 Journ. Acad. Phil. viii. p. 26 (1839); *Dipl.*
R., *Hag. Neur. N. Amer.* p. 176 (1861);
Scudd. Proc. Bost. Soc. N. H. x. p. 219
 (1866).
25. **S. Obtrusum**, **Hag.** (*Dipl. Obtrusa*) Stett. id.
ent. Zeit. xxviii. p. 95 (1867).
Dipl. Rubicundula, var., *Hag. Neur. N. Amer.*
 p. 177 (1861).
26. **S. Vicinum**, **Hag.** (*Dipl. Vicina*) l. c. p. 175 id.
 (1861).
27. **S. Albifrons**, **Charp.** (*Lib. A.*, nec *Bürm.*) Southern
 Lib. Eur. p. 81, t. 11. f. 3 (1840); *Ramb.* States.
 l. c. p. 110 (1842); *Dipl. A.*, *Hag.* l. c.
 p. 177 (1861).
Lib. Ambigua, *Ramb.* l. c. p. 106 (1842);
Selys, *Rev. Odon.* p. 325 (1850).
28. **S. Pallipes**, **Hag.** (*Dipl. P.*) Hayden's Colorado.
 Rep. U.S. Surv. Territories, 1873, p. 589
 (1874).
29. **S. Decisum**, **Hag.** (*Dipl. Decisa*) l. c. id.
 p. 588 (1874).
30. **S. Atripes**, **Hag.** (*Dipl. A.*) l. c. (1874). Yellowstone
31. **S. Semicinctum**, **Say**, (*Lib. Semicincta*) U. States.
 l. c. p. 27 (1839); *Dipl. S.*, *Hag. Neur. N.*
Amer. p. 176 (1861).
32. **S. Madidum**, **Hag.** (*Dipl. Madida*) l. c. W. States.
 p. 174 (1861).

33. **S. Costiferum**, Hag. (*Dipl. Costifera*) l. c. p. 175 (1861). U. States.
34. **S. Imbutum**, Say, (*Lib. Imbuta*) l. c. p. 32 (1839); *Dipl. I., Hag.* l. c. p. 185 (1861). Maryland.
35. **S. Uniforme**, Selys, (*Diplax Uniformis*) Ann. Soc. Ent. Belg. xxvii. p. 92 (1883), xxviii. p. 42 (1884). Japan.
36. **S. Croceola**, Selys, (*Dipl. C.*) l. c. xxvii. p. 94 (1883). id.
37. **S. Corruptum**, Hag. (*Mesothemis Corrupta*) l. c. p. 171 (1861). N. America.
38. **S. Chrysoptera**, Selys, (*Dipl. C.*) l. c. xxvii. p. 95 (1883). Washington Territory.
39. **S. Illotum**, Hag. (*Mesothemis Illota*) l. c. p. 172 (1861); *Diplax I., Selys*, l. c. xxviii. p. 43 (1884). California.
- Var. *a. Dipl. I.*, var. *Virgula*, Selys, l. c. p. 44 (1884). Mexico.
- Var. *b. Dipl. I.*, var. *Gilva*, Selys, l. c. p. 43 (1884). S. America.
40. **S. Castaneum**, Burm. (*Lib. Castanea*) Handb. Ent. ii. p. 85 t. n. 39 (1839). Bahía.
41. **S. (?) Sobrinum**, Ramb. (*Lib. Sobrina*) l. c. p. 114 (1842). Brazil.
42. **S. Nigricans**, Ramb. (*Lib. N.*) l. c. p. 97 (1842). Buenos Aires.

Genus 22. **Thecadiplax.**

Selys, Ann. Soc. Ent. Belg. xxvii. p. 140 (1883), xxviii. p. 38 (1884); Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 277 (1889).

- *1. **T. Erotica**, Selys, (*Dipl. E.*) l. c. xxvii. p. 90 (1883). Japan.
2. **T. Kunckeli**, Selys, (*Dipl. K.*) l. c. xxviii. p. 39 (1884). China(?).
3. **T. Fastigiata**, Selys, (*Dipl. F.*) l. c. xxvii. p. 92 (1883). Japan.
4. **T. Infuscata**, Selys, (*Dipl. I.*) l. c. p. 90 (1883), xxviii. p. 40 (1884). China, Japan.
5. **T. Baccha**, Selys, (*Dipl. B.*) l. c. xxviii. p. 40 (1884). China.
6. **T. Cordulegastra**, Selys, (*Dipl. C.*) l. c. xxvii. p. 139 (1883). id.

Genus 23. **Trithemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 176, 366, 735 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 265, 277 (1889).

<p>1. T. Trivialis, Ramb. (<i>Lib. T.</i>) Ins. Névr. p. 115 (1842).
 <i>Lib. Phalerata</i>, <i>Uhl.</i> Proc. Acad. Nat. Sci. Phil. 1858, p. 30.</p> <p>2. T. Bipunctata, Brauer, (<i>Lib. (Dipl.) B.</i>) Reise d. Novara, <i>Neur.</i> p. 86 (1866).</p> <p>3. T. Pacifica, Kirb. (<i>Dipl. Pacificus</i>) Ann. Nat. Hist. (5) xiii. p. 455 (1884).</p> <p>4. T. Rubra, Kirb. Trans. Zool. Soc. Lond. xii. p. 328 (1889).</p> <p>5. T. Yerburii.
 <i>Trith. Intermedia</i>, <i>Kirb.</i> Proc. Zool. Soc. Lond. 1886, p. 327, t. 33. f. 4.</p> <p>*6. T. Aurora, Burm. (<i>Lib. A.</i>) Handb. Ent. ii. p. 859. n. 65 (1839); <i>Trith. A.</i>, <i>Brauer</i>, Verh. zool.-bot. Ges. Wien, xviii. p. 177 (1868); <i>Kirb.</i> l. c. p. 327, t. 33. f. 3 (1886).</p> <p>7. T. Adelpha, Selys, Mitth. Mus. Dresd. iii. p. 315 (1878).
 <i>Trith. Soror</i>, <i>Brauer</i>, l. c. p. 179 (1868).</p> <p>8. T. Congener.
 <i>T. Fraterna</i>, <i>Alb.</i> Veth's Midden-Sumatra, <i>Neur.</i> p. 4 (1881); <i>Selys</i>, Ann. Mus. Genov. xxvii. p. 467 (1889).</p> <p>9. T. Arteriosa, Burm. (<i>Lib. A.</i>) l. c. p. 850. n. 14 (1839); <i>Trith. A.</i>, <i>M'Lachl.</i> Journ. Linn. Soc., Zool. xvi. p. 179 (1883).
 <i>Lib. Distincta</i>, <i>Ramb.</i> l. c. p. 85 (1842).
 <i>Lib. Rubella</i>, <i>Brullé</i>, Webb & Berthelot, Hist. Nat. Canar., Ent. p. 82. n. 3 (1844).
 <i>Lib. Conjuncta</i>, <i>Selys</i>, Lucas, Expl. Alg. iii. p. 121, t. 1. ff. 6, 6a (1849).
 Var. <i>a.</i> <i>Trith. Arteriosa</i>, v. <i>Syriaca</i>, <i>Selys</i>, Ann. Soc. Ent. Belg. xxxi. p. 23 (1887).</p> <p>10. T. Rubrinervis, Selys, (<i>Libellula R.</i>) Rev. Zool. Cuv. 1844, p. 244; Luc. Expl. Alg. iii. p. 120. n. 10, t. 1. f. 5 (1849); Rev. Odon. p. 26 (1850).</p> <p>11. T. Hæmatina, (<i>Lib. H.</i>) Ramb. Ins. Névr. p. 84 (1842).</p> | <p>India,
Ceylon.
Japan.</p> <p>Australia,
Pacific Isls.
Tongatabu.</p> <p>Australia &c.</p> <p>E. Indies.</p> <p>id.</p> <p>Philippines.</p> <p>Sumatra.</p> <p>Africa,
Canaries.</p> <p>Beyrout.</p> <p>Sicily,
Africa,
Syria.</p> <p>Madagascar.</p> |
|---|---|

12. **T. Sanguinolenta**, **Burm.** (*Lib. S.*) Handb. Ent. ii. p. 859. n. 60 (1839). Cape.
13. **T. (?) Lacustris**, **Kirb.** Trans. Zool. Soc. Lond. xii. p. 329 (1889). Wadelai.
14. **T. Ramburii**.
Lib. Hematina, var., *Ramb.* l. c. p. 84 (1842);
Selys, Rev. Odon. p. 27 (1850). Mauritius,
Bourbon.
15. **T. (?) Stictica**, **Burm.** (*Lib. S.*) l. c. p. 850. Natal.
n. 13 (1839).
16. **T. Dorsalis**, **Ramb.** (*Lib. D.*) l. c. p. 89. Africa.
(1842).
17. **T. Ferrugaria**, **Ramb.** (*Lib. F.*) l. c. p. 82. Cape.
(1842).
18. **T. Festiva**, **Ramb.** (*Lib. F.*) l. c. p. 92. E. Indies,
(1842). Papua.
Lib. Infernalis, *Brauer*, l. c. xv. p. 507
(1865).
19. **T. Proserpina**, **Selys**, Mitth. Mus. Dresd. iii. p. 314 (1878). Moluccas.
20. **T. Cæsia**, **Ramb.** (*Lib. C.*) l. c. p. 95. Bombay.
(1842).
21. **T. Geminata**, **Ramb.** (*Lib. G.*) l. c. p. 90. id.
(1842).
22. **T. Obsoleta**, **Ramb.** (*Lib. O.*) l. c. p. 83. — ?
(1842).
23. **T. Berenice**, **Dru.** (*Lib. B.*) Ill. Ex. Ent. i. t. 48. f. 3 (1773); Say, Journ. Acad. Phil. viii. p. 25 (1839); *Ramb.* l. c. p. 88 (1842); *Dipl. B.*, *Hag.* Neur. N. Amer. p. 178 (1861); Pack. Amer. Nat. i. p. 311, t. 9. ff. 3, 4 (1867). U. States.
Lib. Histris, *Burm.* Handb. Ent. ii. p. 849.
n. 7 (1839).
24. **T. Ochracea**, **Burm.** (*Lib. O.*) l. c. p. 854. Mexico,
n. 38 (1839); *Dipl. O.*, *Hag.* l. c. p. 181. Cuba,
(1861). S. America.
Lib. Fervida, *Ericks.*, Schomb. Reisen in
Brit.-Guiana, iii. p. 584 (1848).
Lib. Justina, *Selys*, Sagra, Hist. Cuba, Ins.
p. 450 (1857).
25. **T. Ambusta**, **Hag.** (*Dipl. A.*) Proc. Bost. Soc. N. H. xi. p. 293 (1868), xviii. p. 81. Cuba,
(1877). I. of Pines.
Lib. Minuscula, *p.*, *Ramb.* l. c. p. 115 (1842).
Dipl. Justiniana, *Hag.* Neur. N. Amer.
p. 181 (1861); Scudd. Proc. Bost. Soc.
N. H. x. p. 197 (1866).

26. **T. Justiniana, Selys**, (*Lib. J.*) l. c. p. 450 (1857). Cuba.
27. **T. Fraterna, Hag.** (*Dipl. F.*) Proc. Bost. Soc. N. H. xv. p. 375 (1873). id.,
Dipl. Ochracea et Abjecta, Scudd. l. c. x. I. of Pines.
pp. 196, 197 (1866).
28. **T. Credula, Hag.** (*Dipl. C.*) Neur. N. Amer. p. 184 (1861). St. Thomas,
Brazil.
29. **T. Abjecta, Ramb.** (*Lib. A.*) l. c. p. 83 (1842); *Dipl. A., Hag.* l. c. p. 184 (1861). Cuba,
S. America.
30. **T. Unimaculata, De Geer**, (*Lib. U.*) Mém. Ins. iii. p. 558, t. 26. f. 15 (1773); Burm. S. America.
l. c. p. 855. n. 43 (1839); Ramb. l. c. p. 111 (1842).
31. **T. Famula, Erichs.** (*Lib. F.*) l. c. p. 584 (1848). Guiana.
32. **T. Pulla, Burm.** (*Lib. P.*) l. c. p. 855. n. 41 (1839). Surinam.
33. **T. Fusca, Ramb.** (*Lib. F.*) Ins. Névr. p. 78 (1842). S. America.
34. **T. Distinguenda, Ramb.** (*Lib. D.*) l. c. Cayenne.
p. 81 (1842).
Lib. Incompta, Ramb. l. c. p. 119 (1842).
35. **T. Abbreviata, Ramb.** (*Lib. A.*) l. c. p. 119 (1842). id.
36. **T. (?) Attenuata, Kirb.** Trans. Zool. Soc. Santarem.
Lond. xii. n. 328, t. 53. f. 2 (1889).
37. **T. Communis, Ramb.** (*Lib. C.*) l. c. p. 93 (1842); Blanch. Faun. Chil. vi. p. 111, Chili.
t. 2. f. 4 (1854).
38. **T. Vilis, Ramb.** (*Lib. V.*) l. c. p. 98 (1842). Buenos
Aires.
39. **T. Umbrata, Linn.** (*Lib. U.*) Syst. Nat. i. S. States,
p. 545. n. 13 (1758); Ramb. Ins. Névr. Mexico,
p. 73 (1842); Hag. Neur. N. Amer. p. 158 W. Indies,
(1861). S. America.
Lib. Unifasciata, De Geer, Mém. Ins. iii. p. 557, t. 26. f. 4 (1773).
Lib. Fallax, Subfasciata, Tripartita, Umbrata, et Ruralis, Burm. Handb. Ent. ii. pp. 855, 856 (1839).
Lib. Flavicans, Ramb. l. c. p. 87 (1842).
40. **T. Caledonicum, Brauer**, (*Libellula Caledonica*) l. c. xv. p. 505 (1865); Reise d. N. Caledon.,
Novara, Neur. p. 94 (1866). Austral., &c.

Genus 24. **Erythrodiplax.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 368, 722 (1868);
Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 265, 278 (1889).

*1. E. Plebeia, Ramb. (<i>Libellula P.</i>) Ins.	Chili.
Névr. p. 107 (1842); Blanch., Gay, Faun.	
Chil. vi. p. 111 (1854).	
<i>Erythemis Corallina, Brauer</i> , Reise d. No-	
vara, Neur. p. 84 (1866).	
2. E. Leontina, Brauer , (<i>Lib. L.</i>) l. c. p. 93	id.
(1866).	
3. E. Connata, Burm. (<i>Lib. C.</i>) Handb. Ent.	id.
ii. p. 855. n. 44 (1839).	
4. E. Chloropleura, Brauer , (<i>Lib. (Diplax?) C.</i>) l. c. p. 88 (1866).	id.
5. E. Anomala, Brauer , (<i>Lib. (Dipl.?) A.</i>)	Brazil.
l. c. p. 90 (1866).	

Genus 25. **Brachythemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 367, 736 (1868);
Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 264, 278 (1889).

— *1. B. Contaminata, Fabr. (<i>Libellula C.</i>) Ent.	E. Indies.
Syst. ii. p. 382. n. 38 (1793); Ramb. Ins.	
Névr. p. 99 (1842).	

Genus 26. **Crocothemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 367, 736 (1868);
Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 265, 279 (1889).

— 1. C. Erythræa, Brullé , (<i>Libellula E.</i>) Expéd.	S. Europe,
de Morée, iii. (1) p. 102, t. 32. f. 4 (1862);	E. Indies,
Selys, Rev. Odon. p. 24 (1850).	Africa.
<i>Lib. Ferruginea, Lind.</i> Mon. Lib. p. 13	
(1825); Burm. Handb. Ent. ii. p. 858.	
n. 62 (1839); Ramb. Ins. Névr. p. 79	
(1842); Selys, Mon. Lib. Eur. p. 42	
(1840).	
<i>Lib. Coccinea, Charp.</i> Lib. Eur. p. 70, t. 7	
(1840).	
— 2. C. Servilia, Drury , (<i>Lib. S.</i>) Ill. Ex. Ent. i.	E. Indies,
t. 47. f. 6 (1773); Ramb. l. c. p. 80 (1842).	Australia.
<i>Lib. Ferruginata, Fabr.</i> Spec. Ins. i. p. 521.	
n. 11 (1781).	

3. C. Soror, Ramb. (<i>Lib. S.</i>) l. c. p. 82 (1842).	India.
4. C. Hæmatodes, Burm. (<i>Lib. H.</i>) l. c. p. 849.
n. 6 (1839).	Australia.
5. C. Inquinata, Ramb. (<i>Lib. I.</i>) l. c. p. 86
(1842).	Madagascar.
6. C. Reticulata, Kirb. Proc. Zool. Soc. Lond.
1886, p. 328, t. 33. ff. 8, 9.	Campbell-
pore.

Genus 27. **Microthemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 367, 724 (1868);
Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 279 (1889).

*1. M. Duivenbodi, Brauer, (<i>Perithemis D.</i>)
l. c. xvi. p. 569 (1866); <i>Micr. D., Kirb.</i>
l. c. t. 56. f. 1 (1889).	Papua.
2. M. Philipp[in]ensis, Selys, Anal. Soc.
Esp. xi. p. 11 (1882).	Philippines.

Genus 28. **Brachydiplax.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 172, 368, 725
(1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 280
(1889).

1. B. Indica, Kirb. l. c. p. 329, t. 54. f. 9
(1889).	India.
*2. B. Denticauda, Brauer, (<i>Dipl. D.</i>) l. c.
xvii. p. 301 (1867).	Papua.
3. B. Maria, Selys, Mitth. Mus. Dresd. iii.
p. 303 (1878).	Borneo,
Menado.
4. B. Chalybea, Brauer, l. c. xviii. p. 173
(1868).	Philippines.
5. B. Gracilis, Brauer, (<i>Microthemis G.</i>)
Sitzungsb. Acad. Wien, lxvii. p. 195
(1878); <i>Brach. G., Selys,</i> Ann. Mus. Ge-
nov. xxvii. p. 456 (1889).	Borneo.
6. B. Melanops, Selys, l. c. p. 457 (1889).	Born., Sum.

Genus 29. **Microdiplax.**

Selys, Ann. Mus. Genov. xxvii. p. 457 (1889).

*1. M. Delicatula, Selys, l. c. p. 459 (1889).	Malacca,
Borneo. |
|---|---------------------|

Genus 30. **Brachymesia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 280 (1889).

- *1. **B. Australis**, Kirb. l. c. p. 330 (1889). | Sydney.

Genus 31. **Deielia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 281 (1889).

- *1. **D. Phaon**, Selys, (*Trithemis P.*) Ann. Soc. Ent. Belg. xxvii. p. 106 (1883). | Japan,
Amoy.
2. **D. Dispar**, Selys, (*Trith. Phaon*, race *D.*) | iid.
l. c. p. 107 (1883), xxxi. p. 58 (1888).
*3. **D. Fasciata**, Kirb. l. c. p. 330, t. 53. f. 6 | Sandwich
(1889). | Islands.

Genus 32. **Macrodiplax.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 366, 737 (1868);
Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 282 (1889).

- *1. **M. Cora**, Brauer, (*Diplax C.*) l. c. xvii. | Ceram,
p. 20 (1887). | Philippines.

Genus 33. **Urothemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 175, 366, 737
(1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 282
(1889).

- 1. **U. Edwardsii**, Selys, (*Lib. E.*) Luc. Expl. | Africa.
Alg. iii. p. 124. n. 19, t. 2. ff. 5, 5 a (1849);
Rev. Odon. p. 315 (1850); *Ur. E.*, Selys,
C. R. Ent. Belg. xxi. p. lxx (1878).
*2. **U. Bisignata**, Brauer, l. c. p. 175 (1868). | Luzon.
3. **U. Sanguinea**, Burm. (*Lib. S.*) Handb. | India,
Ent. ii. p. 858. n. 60 (1839); Ramb. Ins. | Ceylon.
Névr. p. 112 (1842).
♂. *Lib. Signata*, Ramb. l. c. p. 117 (1842).
4. **U. Nigrilabris**, Selys, Mitth. Mus. Dresd. | Menado.
iii. p. 104 (1878).
5. **U. Aliena**, Selys, l. c. p. 105 (1878). | Papua.
6. **U. (?) Nigra**, Lind. (*Lib. N.*) Mon. Lib. | Naples.
p. 16 (1825); Ramb. l. c. p. 118 (1842);
Selys, Mon. Lib. Eur. p. 55 (1840); Rev.
Odon. p. 65 (1850).

7. U. Advena , Selys, C. R. Ent. Belg. xxi. p. lxiv (1878).	Catalonia.
8. U. Lycoris , Selys, (<i>Lib. L.</i>) Rev. Zool. (2) xxiii. p. 176 (1872).	Madagascar (?)
9. U. Assignata , Selys, (<i>Lib. A.</i>) l. c. p. 177 (1872).	id.
10. U. Designata , Selys, (<i>Lib. D.</i>) l. c. (1872).	Africa.
11. U. Insignata , Selys, (<i>Lib. I.</i>) l. c. p. 178 (1872).	Borneo.

Genus 34. **Æthriamanta**.

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 283 (1889).

*1. Æ. Brevipennis , Ramb. (<i>Libellula B.</i>) Ins. Névr. p. 114 (1842); <i>Æthr. B.</i> , Kirb. l. c. p. 283, t. 53. f. 3 (1889).	India.
2. Æ. Rezia , Kirb. Proc. Zool. Soc. Lond. 1889, p. 298.	Madagascar.

Genus 35. **Onychothemis**.

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 170, 365, 732 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 284 (1889).

*1. O. Abnormis , Brauer, l. c. p. 170 (1868).	Luzon.
2. O. (?) Hova , Ramb. (<i>Libellula H.</i>) Ins. Névr. p. 92 (1842).	Madagascar.

Genus 36. **Libellula**.

Linn. Syst. Nat. i. p. 543 (1758); Latr. Hist. Nat. Crust. Ins. iii. p. 286 (1802); Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 284 (1889).

Platetrum, Newm. Ent. Mag. i. p. 511 note (1833).
Pigiphila, Buch. Syst. Ent. p. 11 (1878).

*1. L. Depressa , Linn. l. c. p. 544. n. 5 (1758); Faun. Suec. p. 372 (1761); Charp. Lib. Eur. p. 63, t. 4 (1840); Ramb. Ins. Névr. p. 53 (1842); Selys, Mon. Lib. Eur. p. 34 (1840); Rev. Odon. p. 8 (1850); Kirb. l. c. p. 284, t. 55. f. 1 (1889).	Europe.

Genus 37. **Untamo.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 284 (1889).

- *1. **U. Apicalis**, Kirb. l. c. p. 331, t. 53. f. 4 Sula.
(1889).

Genus 38. **Lyriothemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 180, 365, 728
(1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 285
(1889).

- 1. **L. Acigastra**, Selys, (*Calothemis A.*) Mitth. Thibet.
Mus. Dresd. iii. p. 309 (1878).
- 2. **L. Pachygastra**, Selys, (*Cal. P.*) l. c. Shanghai.
p. 310 (1878).
- 3. **L. Lewisi**, Selys, Ann. Soc. Ent. Belg. Japan.
xxvii. p. 96 (1883).
- 4. **L. Elegantissima**, Selys, l. c. p. 141 China.
(1883), xxxi. p. 57 (1887).
- *5. **L. Cleis**, Brauer, l. c. p. 181 (1868). Mindanao.
- 6. **L. Priapea**, Selys, (*Calothemis P.*) Mitth. Singapore.
Mus. Dresd. iii. p. 310 (1878).
- 7. **L. Magnificata**, Selys, (*Cal. M.*) l. c. p. 311 Malacca.
(1878).
- 8. **L. Frontalis**, Kirb. l. c. p. 332 (1889). Sula.
- 9. **L. Braueri**, Kirb. l. c. t. 53. f. 5 (1889). id.

Genus 39. **Orthemis.**

Hag. Neur. N. Amer. p. 160 (1861); Brauer, Verh. zool.-bot.
Ges. Wien, xviii. pp. 367, 729 (1867); Kirb. Trans. Zool.
Soc. Lond. xii. pp. 263, 286 (1889).

- *1. **O. Ferruginea**, Fabr. (*Lib. F.*) Syst. Ent. America.
p. 423. n. 19 (1775); *Orth. F.*, Kirb. l. c.
p. 286, t. 57. ff. 3, 3 a, b, c (1889).
- *Lib. Discolor*, Burm. Handb. Ent. ii. p. 856.
n. 51 (1839); *Orth. D.*, Hag. l. c. p. 160
(1861); Stett. ent. Zeit. xxix. p. 279
(1868); Uhl. Proc. Bost. Soc. N. H. xi.
p. 297 (1868).
Lib. Macrostigma, Ramb. Ins. Névr. p. 57
(1842).
- 2. **O. Flavopicta**, Kirb. l. c. p. 332, t. 54. f. 1, Para.
t. 57. f. 5 (1889).

Genus 40. **Leptetrum.**

Newm. Ent. Mag. i. p. 511 note (1833); Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 261, 262, 286 (1889).

Libellula, Hag. Neur. N. Amer. p. 151 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 366, 730 (1868).

1. **L. Forense**, Hag. (*Lib. Forensis*) l. c. p. 154 (1861); Rep. Geol. Surv. Territ. 1873 (Colorado), p. 585 (1874). California, Arizona, &c.
2. **L. Nodistictum**, Hag. (*Lib. Nodisticta*) Neur. N. Amer. p. 151 (1861); Rep. Geol. Surv. Territ. 1873 (Colorado), p. 583 (1874). Mexico, Yellowstone, Venezuela.
3. **L. Vibex**, Hag. (*Lib. V.*) Neur. N. Amer. p. 159 (1861). Mexico.
4. **L. Angustipennis**, Ramb. (*Lib. A.*) Ins. Névr. p. 63 (1842); Selys, Sagra, Hist. Cuba, Ins. p. 446 (1857); Hag. l. c. p. 159 (1861); Scudd. Proc. Bost. Soc. Nat. Hist. x. p. 192 (1866). Cuba, Haiti, Isle of Pines.
5. **L. Merida**, Selys, (*Lib. M.*) C. R. Ent. Soc. Belg. xi. p. lxxvii (1868). Mexico.
6. **L. Compositum**, Hag. (*Mesothemis Composita*) Rep. Geol. Surv. Territ. vi. p. 728 (1873); *Lib. C.*, Hag. Rep. Colorado (1873), p. 587 (1874). Yellowstone.
7. **L. Cyaneum**, Fabr. (*Libellula Cyanea*) Syst. Ent. p. 424. n. 22 (1775); Ramb. l. c. p. 70 (1842). America.
Lib. Quadrupla, Say, Journ. Acad. Philad. viii. p. 23. n. 9 (1839); Hag. Neur. N. Amer. p. 157 (1861).
Lib. Bistigma, Uhl. Proc. Acad. Philad. 1857, p. 87. n. 1 (1857).
8. **L. Julia**, Uhl. (*Lib. J.*) l. c. p. 88. n. 5 (1857); Hag. l. c. p. 153 (1861); Stett. ent. Zeit. xxviii. p. 92 (1867). N. America.
9. **L. Exustum**, Say, (*Lib. Exusta*) l. c. p. 29 (1839); Hag. Proc. Bost. Soc. N. H. xv. p. 265 (1873). Southern States.
Lib. Deplanata, Ramb. l. c. p. 75 (1842); Hag. Neur. N. Amer. p. 154 (1861).
10. **L. Fulvum**, Müll. (*Lib. Fulva*) Faun. Fridr. p. 62. n. 4 (1764); Selys, Rev. Odon. p. 9 (1850). Europe.

Lib. Fridrichsdalensis, Müll. l. c. n. 9 (1764).

Lib. Conspurcata, Fabr. Ent. Syst. Suppl. p. 283 (1798); Selys, Mon. Lib. Eur. p. 35 (1840); Ramb. l. c. p. 76 (1842); Charp. Lib. Eur. p. 59, t. 2 (1840).

Lib. Fugax, Harr. Expos. Engl. Ins. t. 46. f. 2 (1782).

Lib. Quadrifusciata, Don. Brit. Ins. xii. t. 425 (1807).

Lib. Bimuculata, Steph. Ill. Brit. Ent., Mand. vi. p. 92 (1836).

Var. *a. Lib. Fulva*, race *Pontica*, Selys, Ann. Soc. Ent. Belg. xxxi. p. 12 (1887). Asia Minor.

11. **L. Intermedium**, Rud. (*Libellula Intermedia*) Zeitschr. ges. Naturw. (3) iii. p. 242 (1878). Germany.

- 12. **L. Quadrimaculatum**, Linn. (*Lib. Quadrimaculata*) Syst. Nat. i. p. 543. n. 1 (1758); Faun. Succ. p. 371 (1761); Charp. l. c. p. 60, t. 3 (1840); Ramb. l. c. p. 50 (1842); Selys, Mon. Lib. Eur. p. 32 (1840); Rev. Odon. p. 7 (1850); Hag. l. c. p. 150 (1861); Pack. Amer. Nat. i. p. 310, t. 9. f. 2 (1867). Northern Hemisphere.

Lib. Quadripunctata, Fabr. Spec. Ins. i. p. 520. n. 4 (1861).

Lib. Maculata, Harr. l. c. t. 46. f. 1 (1782).

Var. *o. Lib. Prænubila*, Newm. l. c. p. 420 (1833); Steph. l. c. p. 92 (1836); Evans, Brit. Lib. p. 26, t. 17. f. 2 (1845).

Lib. Ternaria, Say, l. c. p. 21. n. 7 (1839).

- 13. **L. Angelina**, Selys, (*Lib. A.*) Ann. Soc. Ent. Belg. xxvii. p. 99 (1883). Japan.

- 14. **L. Semifasciatum**, Burm. (*Lib. Semifasciata*) Handb. Ent. ii. p. 862. n. 80 (1839); Hag. Neur. N. Amer. p. 151 (1861); Proc. Bost. Soc. N. H. xv. p. 264 (1873). N. America.

Lib. Maculata, Ramb. l. c. p. 55 (1842).

Lib. Ternaria, ♀, Say, l. c. p. 21. n. 7 (1839).

Lib. Hersilia, Blanch. D'Orbigny, Dict. d'Hist. Nat., Atlas, ii.; Ins. Névr. t. 1. f. 2 (1861).

Genus 41. **Plathemis.**

Hag. Neur. N. Amer. p. 149 (1861); Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 261, 287 (1889).

<p>*1. P. Lydia, Drury, (<i>Libellula</i> L.) Ill. Ex. Ent. i. t. 47. f. 4 (1773).
 <i>Lib. Trimaculata</i>, De Geer, Mém. Ins. iii. p. 556, t. 26. f. 2 (1773); Fabr. Ent. Syst. ii. p. 374. n. 3 (1793); Ramb. Ins. Névr. p. 52 (1842); Paek. Amer. Nat. i. p. 310, t. 9. f. 1 (1867); <i>Plath. T.</i>, Hag. l. c. p. 149 (1861).</p> <p>2. P. Subornata, Hag. l. c. p. 149 (1861).</p> <p>3. P. (?) Pulchella, Dru. (<i>Lib. P.</i>) Ill. Ex. Ent. i. t. 48. f. 5 (1773); Ramb. l. c. p. 54 (1842); Hag. Neur. N. Amer. p. 153 (1861).
 <i>Lib. Bifasciata</i>, Fabr. Syst. Ent. p. 421. n. 3 (1775).
 <i>Lib. Versicolor</i>, Fabr. l. c. p. 423. n. 17 (1775).
<i>Lib. Confusa</i>, Uhl. Proc. Acad. Philad. 1857, p. 87. n. 3.</p>	N. America. S. States. N. America.

Genus 42. **Belonia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 288 (1889).

<p>1. B. Longipennis, Kirb. l. c. p. 334 (1889).</p> <p>*2. B. Foliata, Kirb. l. c. p. 333, t. 54. f. 4 (1889).</p> <p>3. B. Uniformis, Kirb. l. c. p. 333 (1889).</p> <p>4. B. Herculea, Karsch, (<i>Libellula</i> H.) Ent. Nachr. xv. p. 235 (1889).</p> <p>5. B. Plumbea, Uhl. (<i>Libellula</i> P.) Proc. Acad. Philad. 1857, p. 87. n. 2; Hag. Neur. N. Amer. p. 157 (1861).</p> <p>6. B. Saturata, Uhl. (<i>Lib. S.</i>) l. c. p. 88. n. 4 (1857); Hag. l. c. p. 152 (1861); Rep. Geol. Surv. Territ. 1873 (Colorado), p. 585 (1874).</p> <p>7. B. Croceipennis, Selys, (<i>Lib. C.</i>) C. R. Ent. Belg. xi. p. lxxvii (1868); Hag. Rep. Geol. Surv. Territ. 1873 (Colorado), p. 586 (1874).
 <i>Lib. Saturata</i>, p., Hag. Neur. N. Amer. p. 152 (1861).</p> | <p>Cuença.</p> <p>Mexico.</p> <p>id.</p> <p>S. America.</p> <p>N. America.</p> <p>Mexico,
California.</p> <p>Mexico,
Guatemala.</p> |
|--|---|

8. B. Odiosa, Hag. (<i>Lib. O.</i>) l. c. p. 152 (1861).	Texas,
California.
9. B. Luctuosa, Burm. (<i>Lib. L.</i>) Handb. Ent. ii. p. 861. n. 76 (1839); Hag. l. c. p. 152 (1861).
— <i>Lib. Basalis, Say</i> , Journ. Acad. Philad. viii. p. 23. n. 10 (1839).	N. America.
10. B. Funerea, Hag. (<i>Lib. F.</i>) l. c. p. 158 (1861).	Mexico.

Genus 43. **Holotania.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 288 (1889).

*1. H. Axilena, Westw. (<i>Libellula A.</i>) Drury, Ill. Ex. Ent. ii. t. 47. f. 1 (1837); Dunc. Introd. Ent. p. 292, t. 29. f. 1 (1840); <i>Lib. Axillena, Hag.</i> Neur. N. Amer. p. 156 (1861); Proc. Bost. Soc. N. H. xvi. p. 361 (1874).
<i>Lib. Lydia, Dru.</i> Ill. Ex. Ent. ii. t. 47. f. 1 (1773); Ramb. Ins. Névr. p. 55 (1842).
<i>Lib. Leda, Say</i> , Journ. Acad. Philad. viii. p. 22. n. 8 (1839).	Southern
States.
2. H. Vibrans, Fabr. (<i>Lib. V.</i>) Ent. Syst. ii. p. 380. n. 30 (1793).
<i>Lib. Lydia, p., Ramb.</i> l. c. (1842); Hag. Neur. N. Amer. p. 155 (1861).
<i>Lib. Leda, var. a, Say</i> , l. c. (1839).	id.
3. H. Auripennis, Burm. (<i>Lib. A.</i>) Handb. Ent. ii. p. 861 (1839); Hag. l. c. p. 155 (1861); Scudd. Proc. Bost. Soc. N. H. x. p. 191 (1866).
<i>Lib. Costalis, Ramb.</i> l. c. p. 59 (1842).	N. America.
4. H. Flavida, Ramb. (<i>Lib. F.</i>) l. c. p. 58 (1842); Hag. l. c. p. 156 (1861).	Southern
States.
5. H. Incesta, Hag. (<i>Lib. I.</i>) l. c. p. 155 (1861).	N. America.

Genus 44. **Thermorthemis.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 289 (1889).

1. T. Caffra, Burm. (<i>Lib. C.</i>) Handb. Ent. ii. p. 856. n. 52 (1839).	Natal.
*2. T. Madagascariensis, Ramb. (<i>Lib. M.</i>) Ins. Névr. p. 56 (1842).	Madagascar.
3. T. Angustiventris, Ramb. (<i>Lib. A.</i>) l. c. p. 59 (1842).	Senegal.

Genus 45. **Protorthemis.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 290 (1889).

*1. P. Celebensis , Kirb. l. c. p. 334, t. 54. f. 7,
t. 57. ff. 6, 6a (1889).	Makian.
2. P. Coronata , Brauer, (<i>Libellula C.</i>) Verh.
zool.-bot. Ges. Wien, xvi. p. 565 (1866).	Ceram,
Papua.
3. P. Metallica , Brauer, (<i>Orthemis M.</i>) Sitz-
ungsb. Akad. Wien, lxvii. p. 199 (1878).	Malacca,
Borneo.

Genus 46. **Nesocria.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 291 (1889).

*1. N. Woodfordi , Kirb. l. c. p. 335 (1889).	Alu.
2. N. (?) Longitudinalis , Selys, (<i>Agrionoptera L.</i>) Mitth. Mus. Dresd. iii. p. 312
(1878).	Ternate,
Gilolo.
3. N. (?) Biserialis , Selys, (<i>Agr. Longitudi-
nalis</i> , race <i>Biserialis</i>) Ann. Mus. Genov.
xiv. p. 304 (1879).	Papua.

Genus 47. **Lathrecista.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 291 (1889).

*1. L. Pectoralis , Brauer, (<i>Libellula P.</i>) Verh.
zool.-bot. Ges. Wien, xvii. p. 19 (1867).	Celebes,
Ceram, Fiji.
2. L. Festa , Selys, (<i>Agrionoptera F.</i>) Ann.
Mus. Genov. xiv. p. 300 (1879).	Queensland.
3. L. Terminalis , Kirb. l. c. p. 335 (1889).	Borneo.
4. L. Simulans , Selys, (<i>Agr. S.</i>) l. c.
(1879).	Ceylon,
Malacca.
5. L. (?) Difficilis , Selys, (<i>Agr. D.</i>) l. c. p. 301
(1879).	Malaysia?
6. L. (?) Mysis , Selys, (<i>Agr. M.</i>) Mitth. Mus.
Dresd. iii. p. 311 (1878).	Mysol.

Genus 48. **Nesoxenia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 291 (1889).

*1. N. Cingulata , Kirb. l. c. p. 336, t. 53. f. 8
(1889).	Alu.

Genus 49. **Agrionoptera.**

Brauer, Verh. zool.-bot. Ges. Wien, xiv. p. 163 (1864), xviii. pp. 365, 367, 728 (1868); Reise d. Novara, *Neur.* p. 100 (1866); Selys, Ann. Mus. Genov. xiv. p. 298 (1879); Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 260, 261, 263, 292 (1889).

1. **A. Interrogata**, **Selys**, Mitth. Mus. Dresd. p. 312 (1878); Ann. Mus. Genov. xiv. p. 302 (1879). Mysore.
2. **A. Lineata**, **Brauer**, (*Orthemis* L.) Sitz. Akad. Wien, lxxvii. p. 201 (1878); Selys, An. Soc. Esp. xi. p. 13 (1882); *Agr. L.*, **Selys**, Ann. Mus. Genov. xiv. p. 302 (1879). Philippines.
3. **A. Malaccensis**, **Selys**, l. c. xxvii. p. 461 (1889). Malacca.
4. **A. Nicobarica**, **Brauer**, Verh. zool.-bot. Ges. Wien, xv. p. 978 (1865); Reise d. Novara, *Neur.* p. 101, t. 2. f. 6 (1866). Nicobar Islands.
5. **A. Quatuornotata**, **Brauer**, l. c. xvii. p. 298 (1867); Kirb. l. c. t. 56. f. 3 (1889). Menado.
6. **A. Insularis**, **Kirb.** l. c. p. 336 (1889). Solomon Is.
7. **A. Insignis**, **Ramb.** (*Libellula* L.) Ins. Névr. p. 123 (1842). Java.
8. **A. Similis**, **Selys**, (*A. Insignis*, race (?) *Similis*) l. c. p. 303 (1879). Ternate, Gilolo.
Var. *a. A. Insignis*, var. *Papuensis*, **Selys**, l. c. (1879). Papua.
- *9. **A. Sexlineata**, **Selys**, l. c. p. 304 (1879). Malacca.
|| *A. Insignis*, **Brauer**, Reise d. Novara, *Neur.* p. 101 (1866). Amboina.

Genus 50. **Chalcostephia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 293 (1889).

- *1. **C. Flavifrons**, **Kirb.** l. c. p. 337 (1889). | Angola.

Genus 51. **Raphismia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 293 (1889).

- *1. **R. Bispina**, **Hag.** (*Diplax* B.) Stett. ent. Zeit. xxviii. p. 91 (1867). Morty, Ceram.
Dipl. Thoracantha, **Brauer**, Verh. zool.-bot. Ges. Wien, xvii. p. 299 (1867); *Brachydiplox* T., **Selys**, Mitth. Mus. Dresd. iii. p. 302 (1878); *Raph. B.*, **Kirb.** l. c. p. 393, t. 56. f. 4 (1889).

Genus 52. **Anatya.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 293 (1889).

- *1. **A. Anomala**, Kirb. l. c. p. 338, t. 53. f. 9, | Brazil.
t. 57. f. 7 (1889).

Genus 53. **Tyriobapta.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 294 (1889).

- *1. **T. Torrida**, Kirb. l. c. p. 338, t. 54. ff. 5, 6 | Borneo.
(1889); Selys, Ann. Mus. Genov. xxvii.
p. 464 (1889).

Genus 54. **Hemistigma.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 295 (1889).

1. **H. Affinis**, Ramb. (*Libellula A.*) Ins. Névr. | Madagascar.
p. 94 (1842).
*2. **H. Albipuncta**, Ramb. (*Lib. A.*) l. c. p. 93 | Senegal.
(1842).

Genus 55. **Thermochoria.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 295 (1889).

- *1. **T. Equivocata**, Kirb. l. c. p. 339, t. 52. f. 8 | W. Africa.
(1889).

Genus 56. **Uracis.**

Ramb. Ins. Névr. p. 31 (1842); Brauer, Verh. zool.-bot. Ges.
Wien, xviii. pp. 365, 727 (1868); Kirb. Trans. Zool. Soc.
Lond. xii. pp. 260, 296 (1889).

- *1. **U. Imbuta**, Burm. (*Libellula I.*) Handb. | S. America.
Ent. ii. p. 850. n. 9 (1839).
Ur. Quadra, Ramb. l. c. p. 31, t. 2. f. 5 e
(1842).
2. **U. Fastigiata**, Burm. (*Lib. F.*) l. c. n. 10 | Bahia.
(1839).
3. **U. Guttata**, Erichs. (*Lib. G.*) Schomb. | Guiana.
Reisen in Brit.-Guiana, iii. p. 584 (1848).
4. **U. (?) Infumata**, Ramb. (*Lib. I.*) l. c. p. 74 | Brazil.
(1842).
Lib. Fuscofasciata, Blanch. Voy. d'Orbigny,
Ins. p. 217, t. 28. f. 5 (1845).

Genus 57. **Misagria.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 296 (1889).

- *1. **M. Parana, Kirb.** l. c. p. 339, t. 52. f. 9, | Para.
t. 57. ff. 8, 8a-c (1889).

Genus 58. **Macrothemis.**

Hag. Stett. ent. Zeit. xxix. p. 281 (1868); Brauer, Verh. zool.-bot. Ges. Wien, xviii. p. 734 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 297 (1889).

- *1. **M. Celeno, Selys**, (*Libellula* C.) Sagra, Cuba,
Hist. Cuba, Ins. p. 454 (1857); *Macr. C.*, Hayti,
Hag. l. c. p. 281 (1868). St. Thomas,
I. of Pines.
|| *Dythemis Pleurosticta*, Hag. Neur. N. Amer.
p. 165 (1861); Scudd. Proc. Bost. Soc. N.
H. x. p. 194 (1866).
2. **M. Pleurosticta, Burm.** (*Lib. P.*) Handb. Brazil.
Ent. ii. p. 849. n. 3 (1839); *Macr. P.*, Hag.
Stett. ent. Zeit. xxix. p. 285 (1868).
3. **M. Tenuis, Hag.** l. c. p. 286 (1868). N. Freiburg.
4. **M. Marmorata, Hag.** l. c. (1868). id.
5. **M. Hemichlora, Burm.** (*Lib. H.*) l. c. S. America.
p. 849. n. 4 (1839); *Macr. H.*, Kirb. l. c.
t. 54. f. 3, t. 57. f. 11 (1889).
6. **M. Tessellata, Burm.** (*Lib. T.*) l. c. p. 849. Brazil.
n. 5 (1839).
7. **M. Sterilis, Hag.** (*Dythemis S.*) Neur. N. S. America.
Amer. p. 317 (1861).
|| *Lib. Tessellata*, Ramb. l. c. p. 89 (1842).
8. **M. Næva, Hag.** (*Dyth. N.*) l. c. p. 167 Cuba.
(1861).
9. **M. Debilis, Hag.** (*Dyth. D.*) l. c. p. 168 id.
(1861).
10. **M. Æqualis, Hag.** (*Dyth. Æ.*) l. c. p. 167 id., Mex.
(1861).

Genus 59. **Ephidatia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 283 (1889).

- *1. **E. Longipes, Hag.** (*Erythemis L.*) Neur. Brazil.
N. Amer. p. 169 (1861).
2. **E. Cubensis, Scudd.** (*Macromia C.*) Proc. Cuba.
Bost. Soc. N. H. x. p. 190 (1866).
E. Longipes, p., Hag. l. c. (1861).
E. Specularis, Hag. Stett. ent. Zeit. xxviii.
p. 98 (1867).
3. **E. Amazonica, Kirb.** l. c. p. 331 (1889). Amazons.

Genus 60. **Dythemis.**

Hag. Neur. N. Amer. p. 162 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 368, 733 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 298 (1889).

*1. D. Rufinervis, Burm. (<i>Libellula R.</i>) Handb. Ent. ii. p. 850. n. 15 (1839); <i>Dyth. R.</i> , Hag. l. c. p. 162 (1861).
<i>Lib. Conjuncta, Ramb.</i> Ins. Névr. p. 91 (1842); Selys, Sagra, Hist. Cuba, Ins. p. 444 (1857).
<i>Lib. Vinosa, Scudd.</i> Proc. Bost. Soc. N. H. x. p. 192 (1866).	Cuba,
Hayti.
2. D. Velox, Hag. l. c. p. 163 (1861).	Texas.
3. D. Fugax, Hag. l. c. (1861).	id.
4. D. Sallæi, Selys , (<i>Lib. (Dyth.) S.</i>) C. R. Ent. Belg. xi. p. 67 (1868).	Orizaba.
5. D. Nubecula, Ramb. (<i>Lib. N.</i>) l. c. p. 122 (1842).	Brazil.
6. D. Mendax, Hag. l. c. p. 164 (1861).	Texas.
7. D. Præcox, Hag. l. c. p. 165 (1861).	Mexico.

Genus 61. **Scapanea.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 298 (1889).

*1. S. Frontalis, Burm. (<i>Libellula F.</i>) Handb. Ent. ii. p. 857. n. 56 (1861); Selys, Sagra, Hist. Cuba, Ins. p. 453 (1857); <i>Dyth. F.</i> , Hag. Neur. N. Amer. p. 165 (1861); Scudd. Proc. Bost. Soc. N. H. x. p. 193 (1866).	Cuba,
Haiti. |
|---|-----------------|

Genus 62. **Rhodopygia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 265, 299 (1889).

*1. R. Cardinalis, Erichs. (<i>Libellula C.</i>) Schomb. Reisen in Brit. Guiana, iii. p. 583 (1848); <i>Rhod. C.</i> , Kirb. l. c. t. 52. f. 10 (1889).	Guiana.

Genus 63. **Pseudomacromia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 299 (1889).

*1. P. Torrida, Kirb. l. c. p. 340, t. 52. f. 7 (1889).	Africa.

Genus 64. **Cannacria.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 262, 300 (1889).

- *1. **C. Batesii, Kirb.** l. c. p. 341, t. 53. f. 1, Amazons.
t. 57. f. 9 (1889).

Genus 65. **Neocysta.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 300 (1889).

- *1. **N. Attenuata, Erichs.** (*Libellula* A.) Guiana,
Schomburgk's Reisen in Brit. Guiana, iii. Amazons.
p. 583 (1848).

Genus 66. **Zyxomma.**

Ramb. Ins. Névr. p. 30 (1842); Brauer, Verh. zool.-bot. Ges.
Wien, xviii. pp. 364, 712 (1868); Kirb. Trans. Zool. Soc.
Lond. xii. pp. 258, 301 (1889).

- *1. **Z. Petiolatum, Ramb.** l. c. t. 2. f. 4 d India.
(1842); Kirb. l. c. t. 57. f. 10 (1889).
2. **Z. Obtusum, Alb.** Veth's Midden-Sumatra, Sumatra.
Neur. p. 1, t. 1. ff. 1, 2 (1881); Selys, Ann.
Mus. Genov. xxvii. p. 449 (1889).
3. **Z. Atlanticum, Selys,** l. c. (1889). W. Africa.

Genus 67. **Orthetrum.**

Newm. Ent. Mag. i. p. 511, note (1833); Kirb. Trans. Zool.
Soc. Lond. xii. pp. 261, 263, 301 (1889).

Hydronympha, Buch. Syst. Ent. Odonata, p. 8 (1878).

Libella, Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 368, 731
(1868).

1. **O. Sabina, Dru.** (*Libellula* S.) Ill. Ex. Ent. E. Indies,
i. t. 48. f. 4 (1773); Ramb. Ins. Névr. Australia.
p. 47 (1842); *Orth. S., Kirb.* l. c. t. 55.
f. 5 (1889).
Lib. Gibba, Fabr. Ent. Syst., Suppl. p. 284
(1798).
Var. *a. Lib. Ampullacea, Schneid.* Stett. ent. Asia Minor.
Zeit. vi. p. 110 (1845); Selys, Rev. Odon.
p. 288 (1859).
Var. *b. Lepthemis Sabina, v. Africana, Selys,* Camaroons.
Ann. Soc. Ent. Belg. xxxi. p. 22 (1887).

2. **O. Divisum, Selys**, (*Lepthemis Divisa*) Mitth. Mus. Dresd. iii. p. 302 (1878). Menado.
3. **O. Chrysostigma, Burm.** (*Lib. C.*) Handb. Ent. ii. p. 857. n. 58 (1839); Selys, Ann. Soc. Ent. Belg. xxxi. p. 18 (1887); *Orth. (?) C., McLachl.* Journ. Linn. Soc., Zool. xvi. p. 177 (1882). Canaries.
4. **O. Barbarum, Selys**, (*Lib. Barbara*) Lucas, Expl. Alg. iii. p. 117, t. 1. ff. 2, 2a-h (1849); Selys, Rev. Odon. p. 306 (1850). Algeria.
- 5. **O. Trinacria, Selys**, (*Lib. T.*) Rev. Zool. 1841, p. 244; Rev. Odon. p. 4 (1850). Sicily,
Lib. Clathrata et Bremii, Ramb. l. c. p. 48, Egypt,
t. 3. f. 1a (1842). Senegal.
6. **O. Leptura, Burm.** (*Lib. L.*) l. c. p. 858. Java.
n. 59 (1839).
7. **O. Asiaticum, Fabr.** (*Lib. Asiatica*) Ent. Syst., Suppl. p. 283 (1798). E. Indies.
8. **O. Annulatum, Beauv.** (*Lib. Annulata*) Ins. Afr. Amér. p. 69, t. 3. f. 3 (1805). Africa.
9. **O. Stemmale, Burm.** (*Lib. Stemmalis*) l. c. Mauritius.
p. 857. n. 57 (1839).
10. **O. Coarctatum, Ramb.** (*Lib. Coarctata*) l. c. id.
p. 61 (1842).
- 11. **O. Brachiale, Beauv.** (*Lib. Brachialis*) l. c. Africa.
p. 171, t. 2. f. 3 (1805); Ramb. l. c. p. 62
(1842).
12. **O. Marchalii, Ramb.** (*Lib. M.*) l. c. Mauritius.
(1842).
13. **O. Contractum, Ramb.** (*Lib. Contracta*) id., Madag.
l. c. p. 60 (1842).
14. **O. Fasciolatum, Ramb.** (*Lib. Fasciolata*) Cape.
l. c. p. 69 (1842).
15. **O. Subfasciolatum, Brauer**, (*Lib. Subfasciolata*) Verh. zool.-bot. Ges. Wien, xv. id.
p. 506 (1865); Reise d. Novara, *Neur.*
p. 97 (1866).
16. **O. Blackburni, McLachl.** Ann. Nat. Hist. Hawaiian
(5) xii. p. 229 (1883). Islands.
17. **O. Oblitum, Ramb.** (*Lib. Oblita*) l. c. p. 123 Australia.
(1842).
- *18. **O. Cærulescens, Fabr.** (*Libellula C.*) Ent. Europe,
Syst., Suppl. p. 285 (1798); Charp. Lib. Algeria.
Eur. p. 67, t. 6 (1840); Selys, Rev. Odon.
p. 22 (1850); Ann. Soc. Ent. Belg. xxxi.
p. 13 (1887); Kirb. l. c. p. 302, t. 55. f. 6
(1889).

- Lib. Olympia*, Fonsc. Ann. Soc. Ent. France, vi. p. 139, t. 6. ff. 1, 2 (1837); Selys, Mon. Lib. Eur. p. 40 (1840); Ramb. Ins. Névr. p. 67 (1842).
Lib. Dubia, Ramb. l. c. (1842).
Lib. Vulgata, Scop. Ent. Carn. p. 261. n. 680 (1763).
Lib. Biguttata, Don. Brit. Ins. xiii. t. 449 (1808).
Lib. Donovanii, Leach, Edinb. Enc. ix. p. 136 (1815).
Lib. Opalina, Charp. Hor. Ent. p. 45 (1825).
19. **O. Helveticum**, Buch. (*Lib. Helvetica*) l. c. p. 8, tt. 5 & 15 (1878). Switzerland
20. **O. Hyalinum**, Kirb. Proc. Zool. Soc. Lond. 1886, p. 326, t. 33. ff. 5, 6. N.W. India.
21. **O. Gracile**, Selys, (*Lib. Gracilis*) Ann. Soc. Ent. Belg. xxxi. p. 15 (1887). Persia &c.
22. **O. Brunneum**, Fonsc. (*Lib. Brunnea*) l. c. p. 141, t. 6. f. 3 (1837); Selys, Rev. Odon. p. 18 (1850); Ann. Soc. Ent. Belg. xxxi. p. 14 (1887). S. & Central Europe.
- Lib. Cærulescens*, Fonsc. l. c. p. 137, t. 5. ff. 1, 2 (1837); Selys, Mon. Lib. Eur. p. 38 (1840); Ramb. l. c. p. 65 (1842).
23. **O. Cycnos**, Selys, (*Lib. C.*) Rev. Zool. 1848, p. 15; Rev. Odon. p. 17 (1850). Corsica.
24. **O. Sardoum**, Ramb. (*Lib. Sardoa*) l. c. p. 68 (1842); Selys, Rev. Odon. p. 16 (1850). Sardinia.
25. **O. Ramburii**, Selys, (*Lib. R.*) Rev. Zool. 1848, p. 16; Lucas, Expl. Alg. iii. p. 118, t. 1. ff. 3, 3 a-c (1849); Rev. Odon. p. 20 (1850); Ann. Soc. Ent. Belg. xxxi. p. 14 (1887). Mediterr. Region.
26. **O. Nitidinervis**, Selys, (*Lib. N.*) Rev. Zool. 1841, p. 243; Luc. Expl. Alg. iii. p. 120, t. 1. f. 4 (1849); Selys, Rev. Odon. p. 15 (1850). S. Europe, Algeria.
- Lib. Bætica*, Ramb. l. c. p. 66 (1842).
27. **O. Lineostigma**, Selys, (*Libella L.*) C. R. Ent. Soc. Belg. xxx. p. clxxx (1886). Pekin.
28. **O. Tæniolatum**, Schneid. (*Lib. Tæniolata*) Stett. ent. Zeit. vi. p. 111 (1845); Selys, Rev. Odon. p. 290 (1850); Ann. Soc. Ent. Belg. xxxi. p. 17 (1887). Rhodes, E. Indies.

29. **O. Obscurum, Ramb.** (*Lib. Obscura*) l. c. p. 64 (1842).
Lib. Congener, Ramb. l. c. p. 70 (1842). E. Indies.
30. **O. Luzonicum, Brauer,** (*Libella Luzonica*)
 Verh. zool.-bot. Ges. Wien, xviii. p. 169 (1868). Philippines.
31. **O. Ransonneti, Brauer,** (*Libellula R.*) l. c. xv. p. 1009 (1865); Selys, l. c. p. 20 (1887). Red Sea.
32. **O. Azureum, Ramb.** (*Lib. Azurea*) l. c. p. 68 (1842). Madagascar.
33. **O. Laterale, Burm.** (*Lib. Lateralis*) Handb. Ent. ii. p. 850. n. 11 (1839). Santa Johanna.
34. **O. Anceps, Schneid.** (*Lib. A.*) l. c. p. 111 (1845); Selys, Rev. Odon. p. 291 (1850); Ann. Soc. Ent. Belg. xxxi. p. 16 (1887). Asia Minor.
- 35. **O. Cancellatum, Linn.** (*Lib. Cancellata*)
 Syst. Nat. i. p. 544. n. 7 (1758); Faun. Suec. p. 373 (1761); Don. l. c. xiv. t. 472 (1810); Charp. Lib. Eur. p. 65, t. 5 (1840); Ramb. l. c. p. 77 (1842); Selys, Mon. Lib. Eur. p. 37 (1840); Rev. Odon. p. 12 (1850). Europe.
Lib. Frumenti, Müll. Faun. Fridr. p. 62. n. 551 (1764).
- 36. **O. Japonicum, Uhl.** (*Lib. Japonica*) Proc. Acad. Nat. Sci. Philad. 1858, p. 29; *Libella J.*, Selys, Ann. Soc. Ent. Belg. xxvii. p. 100 (1883). Japan.
37. **O. Camarense, Kirb.** Proc. Zool. Soc. Lond. 1889, p. 298. Camaroons.
- 38. **O. Albistyla, Selys,** (*Lib. A.*) Rev. Zool. 1848, p. 15; Rev. Odon. p. 13 (1850); *Libella A.*, Selys, Ann. Soc. Ent. Belg. xxvii. p. 101 (1883). Europe, China, Japan.
 Var. *a. Libellula Albicauda, Brauer,* Verh. zool.-bot. Ges. Wien, xv. p. 905 (1865); Reise d. Novara, Neur. p. 91 (1866). China.
 Var. *b. Lib. Speciosa, Uhl.* l. c. p. 80 (1858). Japan.
- 39. **O. Pruinosum, Burm.** (*Lib. Pruinosa*)
 Handb. Ent. ii. p. 858. n. 63 (1839); Brauer, Verh. zool.-bot. Ges. Wien, xv. p. 1013 (1865); *Libella P.*, Selys, Ann. Mus. Genov. xxvii. p. 463 (1889). E. Indies.
40. **O. Clelia, Selys,** (*Libella C.*) Mitth. Mus. Dresd. iii. p. 313 (1878). Menado.

41. **O. Carnaticum, Fabr.** (*Libellula Carnatica*) India.
l. c. p. 284 (1798).
42. **O. Triangulare, Selys,** (*Libella Triangularis*) l. c. p. 314 (1878). N. India.
43. **O. Delesserti, Selys,** (*Libella D.*) l. c. N'lgherries.
(1878).
44. **O. Neglectum, Ramb.** (*Libellula N.*) l. c. India,
p. 86 (1842); *Libella N., Selys*, l. c. p. 314 Thibet.
(1878).
45. **O. Petalura, Brauer,** (*Libellula P.*) l. c. Hong Kong.
p. 506 (1865); Reisc d. Novara, *Neur.*
p. 96 (1866).
- 46. **O. Melania, Selys,** (*Libella M.*) Ann. Soc. Japan.
Ent. Belg. xxvii. p. 103 (1883).
47. **O. Testaceum, Burm.** (*Libellula Testacea*) Java.
l. c. p. 859. n. 64 (1839); *Libella T., Selys*,
Ann. Mus. Genov. xxvii. p. 463 (1889).
48. **O. Glaucum, Brauer,** (*Lib. Glauca*) Verh. E. Indies.
zool.-bot. Ges. Wien, xv. p. 1012 (1865).
49. **O. Villosovitatum, Brauer,** (*Lib. Villosovitata*), l. c. xviii. p. 167 (1868). Amboina,
N. Austr. &c.
50. **O. (?) Braminea, Fabr.** (*Lib. B.*) Ent. Syst., E. Indies.
Suppl. p. 284 (1798); Ramb. l. c. p. 126
(1842).
51. **O. (?) Servum, Fabr.** (*Lib. Serva*) Ent. China.
Syst. ii. p. 378. n. 22 (1793).

Genus 68. **Leptthemis.**

Hag. *Neur. N. Amer.* p. 160 (1861); Brauer, Verh. zool.-bot.
Ges. Wien, xviii. pp. 368, 723 (1868); Kirb. Trans. Zool.
Soc. Lond. xii. pp. 264, 302 (1889).

- *1. **L. Vesiculosa, Fabr.** (*Libellula V.*) Syst. Mexico to
Ent. p. 421. n. 7 (1775); Ramb. Ins. Névr. Brazil,
p. 50 (1842); *Leptth. V., Hag.* *Neur. N.* W. Indies.
Amer. p. 160 (1861); Kirb. l. c. t. 57. f. 1
(1889).
Lib. Acuta, Say, Journ. Acad. Philad. viii.
p. 24. n. 12 (1839).
2. **L. Hamatogastra, Burm.** (*Lib. H.*) Handb. Georgia to
Ent. ii. p. 857. n. 55 (1839); *Leptth. H., Hag.* Brazil.
l. c. p. 161 (1861).
3. **L. Plebeja, Burm.** (*Lib. P.*) l. c. p. 856. S. America.
n. 50 (1839).

Smittella Libellula (200 101)

Genus 69. **Mesothemis.**

Hag. Neur. N. Amer. p. 170 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 369, 721 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 303 (1889).

- *1. **M. Simplicicollis**, Say, (*Libellula* S.) Journ. Acad. Philad. viii. p. 28 (1839); *Mes. S.*, *Hag.* l. c. p. 170 (1861); Kirb. l. c. t. 57. ff. 4, 4a (1889). N. America, Mexico, W. Indies.
Lib. Cærulans et *Maculiventris*, Ramb. Ins. Névr. pp. 64, 87 (1842).
M. Gundlachii, Scudd. Proc. Bost. Soc. N. H. x. p. 195 (1866), xi. p. 299 (1868).
 2. **M. Collocata**, Hag. l. c. p. 171 (1861). Texas.
 3. **M. Attala**, Selys, (*Lib. A.*) Sagra, Hist. Cuba, Ins. p. 445 (1857); *Mesothemis A.*, *Hag.* l. c. p. 172 (1861). Mexico to Brazil, W. Indies.
Lib. Annulata, p., Ramb. l. c. p. 78 (1842).
Lib. Mithra, Selys, l. c. p. 446 (1857); *Mes. M.*, *Hag.* l. c. p. 172 (1861).
Leptthemis Verbenata, Hag. l. c. p. 162 (1862).

Genus 70. **Erythemis.**

Hag. Neur. N. Amer. p. 168 (1861); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 368, 723 (1861); Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 304 (1889).

1. **E. Rufa**, Ramb. (*Libellula* R.) Ins. Névr. p. 71 (1842). Ceylon, Java.
 *2. **E. Peruviana**, Ramb. (*Lib. P.*) l. c. p. 81 (1842); *Eryth. P.*, Kirb. l. c. t. 55. f. 3 (1889). S. America.
Lib. Bicolor, Erichs. Schomb. Reisen in Brit. Guiana, iii. p. 583 (1848); *Eryth. B.*, *Hag.* l. c. p. 169 (1861).
 3. **E. Furcata**, Hag. l. c. p. 169 (1861). Trop. Amer.
 4. **E. Rubriventris**, Blanch. (*Lib. R.*) Voy. Corrientes.
d'Orb. Ins. p. 217, t. 8. f. 4 (1845).

Genus 71. **Pachydiplax.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 368, 722 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 305 (1889).

- *1. **P. Longipennis**, Burm. (*Libellula* L.) N. America, Mexico.
Handb. Ent. ii. p. 850. n. 12 (1839); *Me-*

- sothemis* L., *Hag.* Neur. N. Amer. p. 173 (1861).
Lib. Truncatula et Socia, Ramb. Ins. Névr. pp. 95, 96 (1842).

Genus 72. **Cannaphila.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 261, 305 (1889).

- *1. **C. Insularis**, Kirb. l. c. p. 341 (1889); Haiti,
 Ann. Nat. Hist. (6) iv. p. 233 (1889). Jamaica.

Genus 73. **Micrathyria.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 264, 303 (1889).

1. **M. Hagenii.**

|| *Dythemis Didyma*, *Hag.* Neur. N. Amer. Cuba,
 p. 165 (1861). Mexico.

|| *Dyth. Dicrota*, *Hag.* Proc. Bost. Soc. N. H. xviii. p. 75 (1877).

*2. **M. Didyma**, Selys, (*Lib. D.*) Sagra, Hist. Cuba, Ins. p. 453 (1857).

|| *Lib. Phyne*, Ramb. l. c. p. 121 (1842).

Dyth. Dicrota, *Hag.* Neur. N. Amer. p. 166 (1861).

Mesothemis Poeyi, Scudd. Proc. Bost. Soc. N. H. x. p. 194 (1866), xi. p. 300 (1868).

3. **M. Pertinax**, Hag. (*Dyth. P.*) l. c. p. 166 Mexico.
 (1861).Genus 74. **Cacergates.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 306 (1889).

- *1. **C. Leucosticta**, Burm. (*Lib. L.*) Handb. Africa,
 Ent. ii. p. 849. n. 8 (1839); Selys, Luc. Asia Minor.
 Expl. Alg. iii. p. 122. n. 13, t. 2. ff. 1, 1 a
 (1849); Rev. Odon. p. 310 (1850).

— *Lib. Unifasciata*, Ramb. Ins. Névr. p. 108 (1842).

2. **C. Fuscopalliata**, Selys, (*Trithemis F.*) Mesopo-
 Ann. Soc. Ent. Belg. xxxi. p. 23 (1887). tamia.

Genus 75. **Calothemis.**

Selys, Mitth. Mus. Dresd. iii. p. 305 (1878); Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 306 (1889).

1. C. Bivittata , Ramb. (<i>Libellula</i> B.) Ins. Névr. p. 75 (1842); <i>Cal. B.</i> , <i>Selys</i> , l. c. p. 306 (1878).	Malacca.
2. C. Biappendiculata , Selys , l. c. p. 307 (1878).	Labuan.
*3. C. Meyeri , Selys , l. c. p. 308 (1878).	Papua.

Genus 76. **Orchithemis.**

Brauer, Sitzungsab. Akad. Wien, xlvii. p. 196 (1878); Kirb. Trans. Zool. Soc. Lond. xii. pp. 260, 307 (1889).

*1. O. Pulcherrima , Brauer , l. c. p. 198 (1878); Kirb. l. c. t. 56. f. 2 (1889).
<i>Calothemis Exsudans</i> , <i>Selys</i> , Mitth. Mus. Dresd. iii. p. 309 (1878).	Malacca,
Java.
2. O. Pruinans , Selys , (<i>Cal. P.</i>) l. c. p. 308 (1878).	Banka.

Genus 77. **Diplacodes.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 307 (1889).

1. D. Nebulosa , Fabr. (<i>Libellula</i> N.) Ent. Syst. ii. p. 379. n. 27 (1793).	India,
Ceylon.
2. D. Portoricana , Kolbe , (<i>Diplax</i> P.) Arch. f. Nat. liv. p. 168 (1888).	Porto Rico.
3. D. Minuscula , Ramb. (<i>Lib. M.</i>) Ins. Névr. p. 115 (1842); <i>Dipl. M.</i> , <i>Hag.</i> Neur. N. Amer. p. 183 (1861).	N. & S.
America.
4. D. Exul , Selys , (<i>Dipl. E.</i>) Ann. Soc. Ent. Belg. xxvii. p. 96 (1883).	S. Africa.
*5. D. Tetra , Ramb. (<i>Libellula</i> T.) Ins. Névr. p. 119 (1842).
<i>Lib. Concinna</i> , <i>Ramb.</i> l. c. p. 120 (1842).	Mauritius,
Madagascar.
— 6. D. Lefebvrei , Ramb. (<i>Lib. F.</i>) l. c. p. 117 (1842).
<i>Lib. Parvula</i> , <i>Ramb.</i> l. c. p. 116 (1842).
<i>Lib. Flavistyla</i> , <i>Ramb.</i> l. c. p. 117 (1842);
<i>Selys</i> , <i>Lucas</i> , Expl. Alg. iii. p. 124, t. 1. ff. 7, 7 a-c (1849).
<i>Lib. Morio</i> , <i>Schneid.</i> Stett. ent. Zeit. vi. p. 110 (1845).	Africa,
Madagascar,
Asia Minor.
7. D. Ramburii .
<i>Lib. Parvula</i> , var., <i>Ramb.</i> l. c. p. 117 (1842).	Mauritius.

Genus 78. **Diplacina.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 173, 368, 733 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 261, 308 (1889).

*1. D. Nana , Brauer, l. c. p. 174 (1868).	Philippines.
2. D. (?) Smaragdina , Selys, Mitth. Mus. Dresd. iii. p. 320 (1878); Ann. Mus. Genov. xiv. p. 306 (1879).	Papua.
3. D. Braueri , Selys, An. Soc. Esp. xi. p. 15 (1882).	Philippines.
4. D. Bolivari , Selys, l. c. p. 14 (1882).	id.

Genus 79. **Acisoma.**

Ramb. Ins. Névr. p. 28 (1842); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 367, 724 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 263, 308 (1889).

*1. A. Panorpoides , Ramb. l. c. (1842); Kirb. l. c. t. 56. f. 5 (1889).	Africa,
E. Indies.
2. A. Inflata , Selys, An. Soc. Esp. xi. p. 10 (1882).
<i>A. Panorpoides</i> , Selys, Lucas, Expl. Alg. iii. p. 124, t. 2. ff. 4, 4a, b (1849).	Algeria.
3. A. Ascalaphoides , Ramb. l. c. p. 29, t. 2. f. 3c (1842).	Madagascar.
4. A. (?) Trifida , Kirb. l. c. p. 341 (1889).	Congo.

Genus 80. **Neophlebia.**

Selys, Pollen et Van Dam, Faune Mad., Ins. p. 18 (1869); Mitth. Mus. Dresd. iii. p. 315 (1878); Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 309 (1889).

*1. N. Polleni , Selys, Pollen et Van Dam, Faune Mad., Ins. p. 18, t. 2. f. A (1869).	Madagascar.

Genus 81. **Tetrathemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 182, 369, 727 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 309 (1889).

*1. T. Irregularis , Brauer, l. c. p. 183 (1868).	Philippines.

2. **T. Leptoptera, Selys**, (*Neophlebia* L.) Pollen et Van Dam, Faune Madag., Ins. p. 19 (1869).
♂. *T. Lorquini*, Selys, Mitth. Mus. Dresd. iii. p. 316 (1878). | Moluccas, Celebes.
3. **T. Platyptera, Selys**, l. c. (1878). | Bengal.
? *T. Irregularis*, Karsch, Ent. Nachr. xv. p. 263 (1889).
4. **T. Hyalina, Kirb.** l. c. p. 342, t. 56. f. 8 (1889). | Borneo.
5. **T. Tristrigata, Kirb.** l. c. p. 343 (1889). | Gilolo.
6. **T. Flavescens, Kirb.** l. c. p. 343, t. 52. f. 4 (1889). | Sarawak.
7. **T. Fruhstorferi, Karsch**, l. c. p. 321 (1889). | Ceylon.

Genus 82. **Brachygonia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 310 (1889).

- *1. **B. Oculata, Brauer**, (*Tetrathemis* O.) Sitzungs- Bornco.
sb. Akad. Wien, lxvii. p. 194 (1878).

Genus 83. **Nephepeltia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 310 (1889).

- *1. **N. Phryne, Perty**, (*Libellula* P.) Delectus S. America.
Anim. Art. p. 125, t. 25. f. 3 (1845);
Ramb. Ins. Névr. p. 121 (1842); *Nannophya* P., Hag. Stett. ent. Zeit. xxviii. p. 91 (1867).

Genus 84. **Nannodythemis.**Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 369, 726 (1868);
Kirb. Trans. Zool. Soc. Lond. xii. pp. 258, 311 (1889).

- *1. **N. Australis, Brauer**, (*Nannophya* A.) Sydney.
Reise d. Novara, New. p. 99 (1866); Kirb.
l. c. p. 344, t. 52. f. 5 (1889); Karsch,
Ent. Nachr. xv. p. 260 (1889).

Genus 85. **Nannophlebia.**Selys, Mitth. Mus. Dresd. iii. p. 315 (1878); Kirb. Trans. Zool.
Soc. Lond. xii. pp. 258, 311 (1889).

- *1. **N. Lorquini, Selys**, (*Neophlebia* L.) Pollen et Van Dam, Faune Madag., Ins. p. 19 (1869). | Moluccas.

Genus 86. **Nannodiplx.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 369, 556, 725 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 312 (1889).

*1. N. Rubra, Brauer , l. c. p. 556 (1868).	Australia.
2. N. Finschi, Karsch , Ent. Nachr. xv. p. 250 (1889).	P. Moresby.

Genus 87. **Fylgia.**

Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 312 (1889).

*1. F. Amazonica, Kirb. l. c. p. 344, t. 51. ff. 2, 3 (1889).	Para.
<i>Nannophya Semiaurea, Hag.</i> MS.	
<i>Nannothemis Semiaurea, Karsch</i> , Ent. Nachr. xv. p. 258 (1889).	
2. F. (?) Venosa, Burm. (<i>Libellula V.</i>) Handb. Ent. ii. p. 848. n. 1 (1839).	Bahia.

Genus 88. **Nannothemis.**

Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 369, 726 (1868); Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 312 (1889).
Nannophya, Hag. Neur. N. Amer. p. 186 (1861).

*1. N. Bella, Uhl. (<i>Nannophya B.</i>) Proc. Acad. Philad. 1857, p. 87; Hag. l. c. p. 186 (1861); Stett. ent. Zeit. xxviii. p. 90 (1867); Pack. Amer. Nat. i. p. 311, t. 9. f. 6 (1867).	N. America.
2. N. Maculosa, Hag. (<i>Nannoph. M.</i>) Neur. N. Amer. p. 187 (1861).	Georgia.
3. N. Sylvia, Kirb. l. c. p. 343 (1889).	Ceara.

Genus 89. **Nannophya.**

Ramb. Ins. Névr. p. 27 (1842); Brauer, Verh. zool.-bot. Ges. Wien, xviii. pp. 369, 726 (1867).
Fylla, Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 313 (1889).

*1. N. Pygmæa, Ramb. l. c. p. 27, t. 2. f. 1 a (1842).	Amboina,
<i>Fylla Exigua, Kirb.</i> l. c. p. 345, t. 52. f. 6 (1889).	China,
<i>?Nannophya Exigua, Hag.</i> MS.	Borneo, &c.

Genus 90. **Dasythemis.**

Karsch, Ent. Nachr. xv. p. 251 (1889).

- *1. **D. Liriopa, Karsch**, l. c. p. 252 (1889). | Brazil.

Genus 91. **Neodythemis.**

Karsch, Ent. Nachr. xv. p. 252 (1889).

- *1. **N. Hildebrandti, Karsch**, l. c. (1889). | Madagascar.

Genus 92. **Hypothemis.**

? Hag. Stett. ent. Zeit. xxviii. p. 91 (1867) ; Karsch, Ent.
Nachr. xv. p. 261 (1889).

- *1. **H. Hageni, Karsch**, l. c. (1889). | Fiji.

SUBFAM. II.

CORDULINÆ.

Genus 1. **Neophya.**

Selys, C. R. Soc. Ent. Belg. xxv. p. xvi (1881).

- *1. **N. Rutherfordi, Selys**, l. c. p. xvii (1881). | Old Calabar.

Genus 2. **Cordulephya.**

Selys, C. R. Soc. Ent. Belg. xiv. p. vi (1870) ; Bull. Acad.
Belg. (2) xxxi. p. 315 (1871).

- *1. **C. Pygmæa, Selys**, l. c. (2) xxxi. p. 316 | Melbourne.
(1871), xxxvii. p. 22 (1874).

Genus 3. **Hemicordulia.**

Selys, C. R. Soc. Ent. Belg. xiv. p. v (1870) ; Bull. Acad.
Belg. (2) xxxi. p. 250 (1871).

1. H. Oceanica, Selys , l. c. (2) xxxi. p. 251	Tahiti.
(1871).	
2. H. (?) Assimilis, Selys , l. c. (1871),	Celebes.
xxxvii. p. 18 (1874).	

3. H. Asiatica, Selys , l. c. (2) xlv. p. 186 (1878).	Khasia Hills.
4. H. (?) Similis, Ramb. (<i>Cordulia S.</i>) Ins. Névr. p. 147 (1842); <i>Hem. (?) S., Selys</i> , l. c. (2) xxxi. p. 252 (1871).	Madagascar.
5. H. (?) Virens, Ramb. (<i>Cord. V.</i>) l. c. p. 147 (1842); <i>Hem. (?) V., Selys</i> , l. c. p. 253 (1871), xxxvii. p. 18 (1874).	Mauritius.
6. H. (?) Novæ-Hollandiæ, Selys , l. c. (2) xxxi. p. 254 (1871), xxxvii. p. 19 (1874).	Australia.
*7. H. Australiæ, Ramb. (<i>Cord. A.</i>) l. c. p. 146 (1842); <i>Hem. A., Selys</i> , l. c. (2) xxxi. p. 255 (1871).	id.
8. H. Intermedia, Selys , l. c. (1871).	Queensland.
9. H. Tau, Selys , l. c. p. 256 (1871).	Austr., Fiji.
10. H. Fidelis, McLachl. Ent. M. Mag. xxiii. p. 104 (1886).	Loyalty Is.

Genus 4. **Somatochlora.**

Selys, Bull. Acad. Belg. (2) xxxi. p. 279 (1871), xlv. p. 204 (1878).

|| *Chlorosoma*, Charp. Lib. Eur. p. 23 (1840).

1. S. Jacksoniensis, Ramb. (<i>Cordulia J.</i>) Ins. Névr. p. 147 (1842); Selys, l. c. (2) xxxi. p. 259 (1871).	Australia.
2. S. affinis, Selys , l. c. p. 260 (1871).	S.W. Austr.
3. S. Smithii, White , (<i>Cord. S.</i>) Voy. Erebus and Terror, t. 6. f. 2 (1845); Selys, l. c. p. 261 (1871).
<i>Cord. Novæ-Zelandiæ, Brauer</i> , Verh. zool.-bot. Ges. Wien, xv. p. 501 (1865); Reise d. Novara, <i>Neur.</i> p. 78, t. 2. f. 3 (1866).	N. Zealand.
4. S. Villosa, Ramb. (<i>Cord. V.</i>) l. c. p. 144 (1842); Blanch., Gay, Faun. Chil. vi. p. 113, t. 2. f. 5 (1851); Selys, l. c. p. 268 (1871), (2) xlv. p. 188 (1878).	Chili.
5. S. Grayi, Selys , (<i>Epitheca G.</i>) l. c. (2) xxxi. p. 283 (1871), xlv. p. 192 (1878).	N. Zealand.
6. S. Braueri, Selys , (<i>Ep. B.</i>) l. c. (2) xxxi. p. 284 (1871).	id.
7. S. Heterodoxa, Selys , (<i>Ep. H.</i>) l. c. (2) xlv. p. 192 (1878).	Luzon.
8. S. Linearis, Hag. (<i>Cord. L.</i>) <i>Neur. N. Amer.</i> p. 137 (1861); <i>Ep. L., Selys</i> , l. c. (2) xxxi. p. 286 (1871), xlv. p. 193 (1878);	United States.

- Hag. Proc. Bost. Soc. N. H. xvi. p. 360 (1866).
Cord. Procera, *Selys*, l. c. (2) xxxi. p. 285 (1871).
9. **S. Filosa**, **Hag.** (*Cord. F.*) Neur. N. Amer. p. 136 (1842); *Ep. F.*, *Selys*, l. c. p. 287 (1871). Georgia, Maryland.
- Cord. Tenebrosa*, *Walsh*, Proc. Acad. Nat. Sci. Phil. 1862, p. 399.
10. **S. Elongata**, **Scudd.** (*Cord. E.*) Proc. Bost. Soc. N. H. x. p. 218 (1866); *Ep. E.*, *Selys*, l. c. p. 292 (1871). Northern States.
11. **S. Metallica**, **Lind.** (*Libellula M.*) Mon. Lib. Eur. p. 18 (1825); *Charp. Lib. Eur.* p. 94, t. 15 (1840); *Æschna M.*, *Cherp.* Hor. Ent. p. 59 (1825); *Cord. M.*, *Steph.* Ill. Brit. Ent., Mand. vi. p. 89 (1836); *Ramb.* l. c. p. 148 (1842); *Selys*, Mon. Lib. Eur. p. 64 (1840); *Rev. Odon.* p. 69 (1850); *Ep. M.*, *Selys*, Bull. Acad. Belg. (2) xxxi. p. 288 (1871). Europe.
- Lib. Aenea*, *Panz.* Ins. Deutschl. Heft 88, t. 20 (1805).
12. **S. Alpestris**, **Selys**, (*Cord. A.*) Mon. Lib. Eur. pp. 65, 210 (1840); *Hag.* (p.) Syn. Lib. Eur. p. 41 (1860); *Selys*, *Rev. Odon.* p. 71 (1850); *Ramb. Ins. Névr.* p. 149 (1842); *Ep. A.*, *Selys*, Bull. Acad. Belg. (2) xxxi. p. 300 (1871). id.
13. **S. Arctica**, **Zett.** (*Æshna A.*) Ins. Lapp. p. 1040. n. 6 (1840); *Cord. A.*, *Selys*, *Rev. Odon.* p. 71 (1850); *Ep. A.*, *Selys*, Bull. Acad. Belg. (2) xxxi. p. 297 (1871). id.
- Cord. Subalpina*, *Selys*, l. c. vii. (2) p. 90 (1840).
- Cord. Alpestris*, *p.*, *Hag.* l. c. p. 41 (1840).
14. **S. Viridiænea**, **Uhl.** (*Cord. V.*) Proc. Acad. Nat. Sci. Phil. 1858, p. 31; *Ep. V.*, *Selys*, l. c. (2) xxxi. p. 289 (1871). Hakodadi.
15. **S. Atrovirens**, **Selys**, Ann. Soc. Ent. Belg. xxviii. p. 108 (1883). Japan.
16. **S. Graeseri**, **Selys**, Bull. Acad. Belg. (2) xxxi. p. 58 (1887). Amoor.
17. **S. Franklinii**, **Selys**, (*Ep. F.*) l. c. (2) xlv. p. 195 (1878). Hudson's Bay.
- Ep. Septentrionalis*, *p.*, *Selys*, l. c. (2) xxxi. p. 298 (1871).

18. **S. Septentrionalis, Hag.** (*Cord. S.*) Neur. N. Amer. p. 139 (1861); *Ep. S., Selys*, l. c. p. 298 (1871), (2) xlv. p. 195 (1878). Labrador, Hudson's Bay.
19. **S. Semicircularis, Selys**, (*Ep. S.*) l. c. (2) xxxi. p. 295 (1871), (2) xlv. p. 194 (1878); Hag. Rep. U. S. Geol. Surv. Territ. 1873 (Colorado) p. 590 (1874). U. States.
20. **S. Forcipata, Scudd.** (*Cord. F.*) Proc. Bost. Soc. Nat. Hist. x. p. 216 (1866); *Ep. F., Selys*, l. c. (2) xxxi. p. 295 (1871), xlv. p. 194 (1878). Hudson's Bay, Northern States.
21. **S. Flavomaculata, Lind.** (*Lib. F.*) l. c. p. 19 (1825); Charp. l. c. p. 96, t. 16 (1840); *Cord. F., Ramb.* l. c. p. 148 (1842); Selys, Mon. Lib. Eur. p. 62 (1840); Rev. Odon. p. 73 (1850); *Ep. F., Selys*, Bull. Acad. Belg. (2) xxxi. p. 304 (1871). Europe.
- Lib. Ænea, p., Linn.* Syst. Nat. i. p. 544. n. 8 (1758); Faun. Succ. p. 373 (1761).
22. **S. Walshii, Scudd.** (*Cord. W.*) l. c. p. 217 (1866); *Ep. W., Selys*, l. c. p. 293 (1871). White Mts.
23. **S. Hudsonica, Selys**, (*Ep. H.*) l. c. p. 301 (1871). Hudson's Bay.
24. **S. Nasalis, Selys**, (*Ep. N.*) l. c. (2) xxxvii. p. 21 (1874). N. America.
25. **S. Albicincta, Burm.** (*Epophthalmia A.*) Handb. Ent. ii. p. 847. n. 8 (1839); *Cord. A., Hag.* Neur. N. Amer. p. 138 (1861); *Ep. A., Selys*, l. c. (2) xxxi. p. 303 (1871). Labrador, Alaska, New Hampshire.
- Cord. Eremita, Scudd.* l. c. p. 215 (1866), xi. p. 300 (1867).
- 26. **S. Tenebrosa, Say**, (*Lib. T.*) Journ. Acad. Philad. viii. p. 19 (1839); *Cord. T., Hag.* l. c. p. 137 (1861); *Ep. T., Selys*, l. c. p. 289 (1871). U. States.
27. **S. Cingulata, Selys**, (*Ep. C.*) l. c. p. 302 (1871), (2) xxxvii. p. 20 (1874), (2) xlv. p. 195 (1878); Ent. M. Mag. xi. p. 241 (1875). Labrador, Newfoundl. White Mts.
28. **S. Sericea, Selys**, (*Cord. S.*) Bull. Acad. Belg. (2) xxxi. p. 262 (1871). Para.
29. **S. Tomentosa, Fabr.** (*Lib. T.*) Syst. Ent. p. 423. n. 20 (1775); *Cord. T., Selys*, l. c. p. 268 (1871). America.
30. **S. Lepida, Selys**, (*Cord. L.*) l. c. p. 264 (1871). U. States.

31. S. Lintneri , Hag. et Selys, (<i>Cord. L.</i>)
Bull. Acad. Belg. (2) xlv. p. 187 (1878).	New York
State.
32. S. Libera , Selys, (<i>Cord. L.</i>) l. c. (2) xxxi.
p. 263 (1871).	N. America.
— 33. S. (?) Marginata , Selys, Ann. Soc. Ent.
Belg. xxvii. p. 109 (1883).	Japan.

Genus 5. **Neurocordulia.**

Selys, Bull. Acad. Belg. (2) xxxi. p. 278 (1871), xlv. p. 206 (1878).

1. N. Selysii , Hag. (<i>Cordulia S.</i>) op. cit. (2)
xlv. p. 189 (1878).	Georgia.
— 2. N. Uhleri , Selys, (<i>Cord. U.</i>) l. c. (2) xxxi.
p. 274 (1871).	New Eng-
land.
3. N. Obsoleta , Say, (<i>Libellula O.</i>) Journ.
Acad. Phil. viii. p. 29 (1839); <i>Didymops O.</i> ,
Hag. Neur. N. Amer. p. 136 (1861); <i>Epi-
theca (?) O.</i> , Selys, l. c. p. 279 (1871);
Hag. Proc. Bost. Soc. N. H. xv. p. 269
(1873).
<i>Lib. Polysticta</i> , Burm. Handb. Ent. ii. p. 856.
n. 53 (1839).
<i>Cord. Modesta</i> , Walsh, Proc. Ent. Soc. Phil.
ii. p. 254 (1863).	U. States.
4. N. Yamaskanensis , Prov. (<i>Æschna Y.</i>)
Nat. Canad. vii. p. 248 (1875); <i>Ep. Y.</i> ,
Prov. l. c. ix. p. 86 (1877).
<i>Ep. (?) Jamascarensis</i> , Hag. Bull. Acad. Belg.
(2) xlv. p. 191 (1878).	Canada.

Genus 6. **Tetragoneuria.**

Hag. Neur. N. Amer. p. 140 (1861).

|| *Tetragoneura*, Selys, Bull. Acad. Belg. (2) xxxi. p. 259
(1871), xlv. p. 207 (1878).

1. T. Costalis , Selys, (<i>Cordulia C.</i>) l. c. (2)
xxx. p. 273 (1871), xxxvii. p. 20 (1874).	Georgia.
2. T. Spinosa , Selys, (<i>Cord. S.</i>) l. c. (2) xlv.
p. 188 (1878).
<i>Cord. Spinigera</i> , ♀, Selys, l. c. (2) xxxvii.
p. 20 (1874).	id.
3. T. Canis , McLachl. Ent. M. Mag. xxiii.
p. 104 (1886).	Washingt'n
Territory.
4. T. Spinigera , Selys, (<i>Cord. S.</i>) l. c. (2)
xxx. p. 269 (1871).	Canada.

5. **T. Cynosura, Say**, (*Libellula C.*) Journ. Acad. Philad. viii. p. 30 (1839); *Cord. C., Selys*, l. c. p. 270 (1871); Hag. Proc. Bost. Soc. N. H. xv. p. 271 (1873).
Epophthalmia Lateralis, Burm. Handb. Ent. ii. p. 847. n. 7 (1839); *Cord. L., Hag.* Neur. N. Amer. p. 139 (1861).
6. **T. Basiguttata, Selys**, (*Cord. B.*) l. c. p. 271 (1871). id.
- *7. **T. Semiaquea, Burm.** (*Lib. S.*) l. c. p. 858. n. 61 (1839); *Tetr. S., Hag.* l. c. p. 110 (1861); *Cord. S., Selys*, l. c. p. 272 (1871); *C. Semiaquea, Hag.* Proc. Bost. Soc. N. H. xvi. p. 360. n. 26 (1874). id.
8. **T. Complanata, Ramb.** (*Cord. C.*) Ins. Névr. p. 145 (1842); *Selys*, l. c. p. 273 (1871). Florida (?).

Genus 7. **Epicordulia.**

Selys, Bull. Acad. Belg. (2) xxxi. p. 259 (1871), xlv. p. 207 (1878).

- *1. **E. Princeps, Hag.** (*Epitheca P.*) Neur. N. Amer. p. 134 (1861); *Cordulia P., Selys*, l. c. (2) xxxi. p. 275 (1871). U. States.
2. **E. Regina, Selys**, (*Cord. R.*) l. c. p. 277 (1871). Georgia.

Genus 8. **Epitheca.**

Burm. Handb. Ent. ii. p. 845 (1839); Charp. Lib. Eur. p. 11 (1840); Ramb. Ins. Névr. p. 143 (1839); *Selys*, Bull. Acad. Belg. (2) xxxi. p. 278 (1871), xlv. p. 207 (1878); C. R. Soc. Ent. Belg. xiv. p. 5 (1870).
Libella, Selys, Mon. Lib. Eur. p. 58 (1840).

- *1. **E. Bimaculata, Charp.** (*Libellula B.*) Hor. Ent. p. 43 (1825); Lib. Eur. p. 57, t. 1 (1840); *Libella B., Selys*, l. c. p. 59 (1840); *Ep. B., Ramb.* l. c. p. 143 (1842); *Selys*, Rev. Odon. p. 66 (1850); Bull. Acad. Belg. (2) xxxi. p. 282 (1871). Europe, Siberia.
- Libellula Fuchsiana, Eversm.* Bull. Mosc. ix. p. 235, t. 1. f. 3 (1836).
- Var. *a. Ep. B.*, var. *Sibirica, Selys*, Ann. Soc. Ent. Belg. xxxi. p. 59 (1887). Irkutsk, Amoor.

Genus 9. **Cordulia.**

Leach, Edinb. Enc. ix. p. 137 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 88 (1836); Ramb. Ins. Névr. p. 144 (1842); Selys, Mon. Lib. Eur. p. 61 (1840); Rev. Odon. p. 68 (1850); Bull. Acad. Belg. (2) xxxi. p. 258 (1871), xlv. p. 208 (1878); C. R. Soc. Ent. Belg. xiv. p. v (1870).
 || *Chlorosoma*, *Charp.* Lib. Eur. p. 12 (1840).

*1. C. Ænea, Linn. (<i>Libellula</i> <i>Æ.</i>) Syst. Nat. i. p. 544. n. 8 (1758); Faun. Suec. p. 373 (1761); <i>Charp.</i> l. c. p. 91, t. 14 (1840); <i>Cord. Æ.</i>, <i>Ramb.</i> Ins. Névr. p. 151 (1842); Selys, Mon. Lib. Eur. p. 67 (1840); Rev. Odon. p. 75 (1850); Bull. Acad. Belg. (2) xxxi. p. 267 (1871).	<p>Europe,
N. Asia,
Algeria.</p>
2. C. Shurtleffi, Scudd. Proc. Bost. Soc. N. H. x. p. 217 (1866); Selys, Bull. Acad. Belg. (2) xxxi. p. 265 (1871).	<p>Canada,
N. States.</p>

Genus 10. **Oxygastra.**

Selys, C. R. Soc. Ent. Belg. xiv. p. v (1870); Bull. Acad. Belg. (2) xxxi. p. 305 (1871).

<p>*1. O. Curtisii, Dale, (<i>Cordulia</i> <i>C.</i>) Mag. Nat. Hist. vii. p. 60 (1834); Curt. Brit. Ent. xiii. t. 616 (1836); Steph. Ill. Brit. Ent., Mand. vi. p. 90 (1836); Ramb. Ins. Névr. p. 150 (1842); Selys, Mon. Lib. Eur. p. 68 (1840); Rev. Odon. p. 77 (1850); <i>Oxyg. C.</i>, <i>Selys</i>, Bull. Acad. Belg. (2) xxxi. p. 306 (1871).
<i>Libellula Nitens</i>, <i>Fonsc.</i> Ann. Soc. Ent. France, vi. p. 146 (1837).</p>	W. Europe.

Genus 11. **Syncordulia.**

Selys, C. R. Soc. Ent. Belg. xxvi. p. clxviii (1882).

*1. S. Gracilis, Burm. (<i>Epophthalmia</i> <i>G.</i>) Handb. Ent. ii. p. 847. n. 9 (1839); <i>Oxygastra</i> <i>G.</i>, <i>Selys</i>, Bull. Acad. Belg. (2) xxxi. p. 307 (1871).	Australia?
2. S. Atrifrons, McLachl. C. R. Soc. Ent. Belg. xxvii. p. xc (1883).	Queensland.

Genus 12. **Gomphomacromia.**

Brauer, Verh. zool.-bot. Ges. Wien, xiv. p. 163 (1864); Reise d. Novara, *Neur.* p. 80 (1866); Selys, Bull. Acad. Belg. (2) xxxi. p. 309 (1871).

- *1. **G. Paradoxa**, Brauer, ll. cc. p. 163 (1864), Chili.
p. 81, t. 2. f. 5 (1866); Selys, l. c. p. 313
(1871); Hag. Verh. zool.-bot. Ges. Wien,
xvii. p. 57 (1867).
- 2. **G. Fallax**, McLachl. Trans. Ent. Soc. Ecuador.
Lond. 1881, p. 141.

Genus 13. **Nesocordulia.**

McLachl. C. R. Soc. Ent. Belg. xxvi. p. clxx (1882).

- *1. **N. Flavicauda**, McLachl. l. c. (1882). | Madagascar.

Genus 14. **Neocordulia.**

Selys, C. R. Soc. Ent. Belg. xxvi. p. clxviii (1882).

1. N. Androgynis, Selys, (<i>Gomphomacromia</i>
A.) Bull. Acad. Belg. (2) xxxi. p. 310
(1871). 2. N. Setifera, Selys, (<i>Gomph. S.</i>) l. c. p. 311
(1871). 3. N. Batesii, Selys, (<i>Gomph. B.</i>) l. c. p. 312
(1871); McLachl. Trans. Ent. Soc. Lond.
1881, p. 26. 4. N. Volkemi, Selys, (<i>Gomph. V.</i>) l. c. (2)
xxxvii. p. 21 (1874). | <ul style="list-style-type: none"> Minas
Geraes. Rio. St. Paulo. Minas
Geraes. |
|--|--|

Genus 15. **Æschnosoma.**

Selys, C. R. Soc. Ent. Belg. xiv. p. vii (1870); Bull. Acad. Belg. (2) xxxi. p. 521 (1871).

*1. Æ. Elegans, Selys, Bull. Acad. Belg. (2)
xxxi. p. 522 (1871). 2. Æ. Forcipula, Selys, l. c. p. 523 (1871). 3. Æ. Rustica, Selys, l. c. p. 524 (1871).	Amazons. Brazil. Bahia.

Genus 16. **Epophthalmia.**

Burm. Handb. Ent. ii. p. 844 (1839); Selys, C. R. Soc. Ent. Belg. xiv. p. vii (1870); Bull. Acad. Belg. (2) xxxi. p. 525 (1871), xlv. p. 209 (1878).

1. E. Australis , Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 61 (1867); Selys, Bull. Acad. Belg. (2) xxxi. p. 534 (1871).	Celebes.
2. E. Cyanocephala , Hag. l. c. p. 60 (1867); Selys, l. c. p. 534 (1871).	Ceylon.
3. E. Vittigera , Ramb. (<i>Macromia V.</i>) Ins. Névr. p. 140 (1842); Selys, l. c. p. 533 (1871).	Java.
*4. E. Vittata , Burm. l. c. p. 845. n. 1 (1839); Hag. l. c. p. 59 (1867); <i>Ep. V.</i> , Selys, l. c. p. 531 (1871).	India,
Andamans.
5. E. Futilis , Selys, l. c. p. 530 (1871).	Malaysia (?)
— 6. E. Elegans , Brauer, (<i>Macr. E.</i>) Verh. zool.-bot. Ges. Wien, xv. p. 905 (1865); Reise d. Novara, <i>Neur.</i> p. 76, t. 2. f. 4 (1866); <i>Ep. E.</i> , Selys, l. c. p. 528 (1871).	China,
Japan.
— 7. E. Tæniolata , Ramb. (<i>Macr. T.</i>) l. c. p. 139 (1842); Hag. <i>Neur.</i> N. Amer. p. 132 (1861); Proc. Bost. Soc. N. H. xvi. p. 359 (1874); <i>Ep. T.</i> , Selys, l. c. p. 527 (1871).	U. States.
8. E. Georgina , Selys, l. c. (2) xlv. p. 197 (1878).	Georgia.
— 9. E. Amphigena , Selys, (<i>Macr. A.</i>) l. c. (2) xxxi. p. 538 (1871).	Japan.

Genus 17. **Macromia.**

Ramb. Ins. Névr. p. 137 (1842); Selys, C. R. Soc. Ent. Belg. xiv. p. vii (1870); Bull. Acad. Belg. (2) xxxi. p. 536 (1871), xlv. p. 210 (1878).

1. M. Splendida , Pict. (<i>Cordulia S.</i>) Rev. Zool. 1843, p. 131.
<i>Cord. Splendens</i> , Pict. et Selys, Mag. Zool., Ins. t. 117 (1844); <i>Macr. S.</i> , Selys, Rev. Odon. p. 79 (1850); Bull. Acad. Belg. xxxi. p. 540 (1871).	S. France.
2. M. Pacifica , Hag. <i>Neur.</i> N. Amer. p. 134 (1861); Selys, Bull. Acad. Belg. (2) xxxi. p. 542 (1871).	Texas.

3. **M. Annulata**, Hag. l. c. p. 133 (1861); Selys, l. c. p. 544 (1871). | Texas.
4. **M. Flavipennis**, Walsh, Proc. Acad. Nat. Sci. Phil. 1862, p. 398; Selys, l. c. p. 545 (1871). | Chicago.
- 5. **M. Illinoiensis**, Walsh, l. c. p. 397 (1862); Selys, l. c. p. 546 (1871). | U. States.
6. **M. Magnifica**, Selys, l. c. (2) xxxvii. p. 22 (1871). | California.
7. **M. Moorei**, Selys, l. c. p. 28 (1874), (2) xlv. p. 203 (1878); Kirb. Proc. Zool. Soc. Lond. 1886, p. 328, t. 33, f. 2. | Himalaya.
8. **M. Westwoodii**, Selys, l. c. (2) xxxvii. p. 27 (1874), (2) xlv. p. 201 (1878). | Penang, Sumatra.
- *9. **M. Cingulata**, Ramb. l. c. p. 137 (1842); Hag. l. c. p. 133 (1861); Selys, l. c. (2) xxxi. p. 541 (1871), (2) xxxvii. p. 24 (1874). | N. America.
- Macr. *Whitei*, Selys, l. c. (2) xxxi. p. 555 (1871).
10. **M. Flavicincta**, Selys, l. c. (2) xxxvii. p. 25 (1874). | Bengal.
11. **M. Cincta**, Ramb. l. c. p. 141 (1842); Selys, l. c. (2) xxxi. p. 556 (1871). | Java.
12. **M. Picta**, Selys, l. c. p. 552 (1871). | S. Africa.
13. **M. Sophia**, Selys, l. c. p. 550 (1871), (2) xlv. p. 198 (1878). | Cape Coast Castle.
14. **M. Melania**, Selys, l. c. (2) xxxi. p. 551 (1871). | Old Calabar.

Genus 18. **Didymops.**

Ramb. Ins. Névr. p. 142 (1842); Selys, Bull. Acad. Belg. (2) xlv. p. 211 (1878).

- *1. **D. Transversa**, Say, (*Libellula T.*) Journ. Acad. Phil. viii. p. 19 (1839); *Did. T.*, Hag. Neur. N. Amer. p. 135 (1861); *Macromia T.*, Selys, l. c. (2) xxxi. p. 548 (1871); Hag. Proc. Bost. Soc. N. H. xvi. p. 359 (1874). | U. States.
- Epophthalmia Cinnamomea*, Burm. Handb. Ent. ii. p. 845. n. 2 (1839).
- Did. Servillei*, Ramb. l. c. p. 142 (1842).

Genus 19. **Phyllomacromia.**

Selys, Bull. Acad. Belg. (2) xlv. p. 212 (1878).

1. P. Trifasciata , Ramb. (<i>Macromia T.</i>) Ins. Névr. p. 138, t. 3. f. 5e (1842); Selys, l. c. (2) xxxi. p. 549 (1871), (2) xxxvii. p. 24 (1874).	Madagascar.
2. P. Tropicalis , Selys, (<i>Macr. T.</i>) l. c. (2) xlv. p. 200 (1878).
<i>Macr. Africana</i> , ♂, Selys, l. c. (2) xxxvii. p. 24 (1874).	Zanzibar,
S. Africa.
3. P. Africana , Selys, (<i>Macr. A.</i>) l. c. (2) xxxi. p. 554 (1871), xlv. p. 199 (1878).	Nubia.
4. P. Contumax , Selys, Ent. M. Mag. xvi. p. 103 (1879).	W. Africa.

Genus 20. **Idionyx.**

Selys, C. R. Soc. Ent. Belg. xiv. p. vi (1870); Bull. Acad. Belg. (2) xxxi. p. 519 (1871), xlv. p. 212 (1878).

*1. I. Yolanda , Selys, l. c. (2) xxxi. p. 520 (1871).	Singapore.
2. I. Optata , Selys, l. c. (2) xlv. p. 196 (1878).	Khasia
Hills.

Genus 21. **Synthemis.**

Selys, C. R. Soc. Ent. Belg. xiv. p. vi (1870); Bull. Acad. Belg. (2) xxxi. p. 557 (1871).

1. S. Miranda , Selys, Bull. Acad. Belg. (2) xxxi. p. 558 (1871).	New
Caledonia.
2. S. Macrostigma , Selys, l. c. p. 559 (1871), (2) xxxvii. p. 29 (1874).	Fiji.
3. S. Leachii , Selys, l. c. (2) xxxi. p. 561 (1871), (2) xxxvii. p. 30 (1874).	Australia.
*4. S. Eustalacta , Burm. (<i>Epophthalmia E.</i>) Handb. Ent. ii. p. 845. n. 3 (1839); <i>Synth. E.</i> , Selys, l. c. (2) xxxi. p. 562 (1871), (2) xxxvii. p. 31 (1874).	id.
5. S. Regina , Selys, l. c. (2) xxxvii. p. 31 (1874).	Queensland.
6. S. Virgula , Selys, l. c. p. 33 (1874).	Melbourne.
7. S. Guttata , Selys, l. c. (2) xxxi. p. 563 (1871), xxxvii. p. 31 (1874).	Australia.
8. S. Brevistyla , Selys, l. c. (2) xxxi. p. 564 (1871).	Port
Denison.

FAM. II.

ÆSHNIDÆ.

SUBFAM. I.

GOMPHINÆ.

Div. I. GOMPHINA.

Genus 1. **Heterogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 27 (1854); Mon. Gomph. p. 94 (1857).

*1. H. Smithii, Selys, Bull. Acad. Belg. xxi. (2) p. 29 (1854), (2) xxxvi. p. 495 (1873); Mon. Gomph. p. 97 (1857). 2. H. Sommeri, Selys, Bull. Acad. Belg. xxi. (2) p. 29 (1854); Mon. Gomph. p. 95 (1857). 3. H. Cochinchinensis, Selys, Bull. Acad. Belg. (2) xlv. p. 419 (1878).	<p>Silhet.</p> <p>China.</p> <p>Cochin
China.</p> |
|--|---|

Genus 2. **Lindenia.**

De Haan, Bijd. Nat. Wetensch. i. (2) p. 47 (1826); Hœv. op. cit. iii. p. 338 (1828).

Diastatomma, p., Burm. Handb. Ent. ii. p. 831 (1839); Charp. Lib. Eur. p. 15 (1840).

Onychogomphus, Selys, Bull. Acad. Belg. xxi. (2) p. 30 (1854); Mon. Gomph. p. 15 (1857).

1. L. Rupta, Selys, (<i>On. Ruptus</i>) Mon. Gomph. p. 393 (1857); Bull. Acad. Belg. (2) vii. p. 534 (1859), (2) xxxv. p. 734 (1873); Ann. Soc. Ent. Belg. xv. p. 29, t. 3. f. 12 (1872). 2. L. Geometrica, Selys, (<i>On. Geometricus</i>) Bull. Acad. Belg. xxi. (2) p. 31 (1854), (2) xxviii. p. 172 (1869); Mon. Gomph. p. 20 (1857).	Amoor. Java.

3. **L. Saundersii, Selys**, (*On. S.*) Bull. Acad. Belg. xxi. (2) p. 31 (1854); Mon. Gomph. p. 22 (1857). India.
4. **L. Bistrigata, Selys**, (*Gomphus Bistrigatus*) Bull. Acad. Belg. xxi. (2) p. 46 (1854); *Onych. B.*, *Selys*, Mon. Gomph. pp. 24, 392 (1857); Bull. Acad. Belg. (2) xxviii. p. 173 (1869). id.
5. **L. Uncata, Charp.** (*Æshna U.*) l. c. p. 123, t. 46 (1840); *Gomph. Uncatus, Selys*, Rev. Odon. p. 96 (1850); *Onych. U.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 32 (1854); Mon. Gomph. p. 26 (1857). S. Europe.
- || *Æshna Unguiculata, Fonsc.* Ann. Soc. Ent. France, vii. p. 104 (1838).

Gomph. Occitanicus, Ramb. Ins. Névr. p. 165, t. 4. f. 3 c (1842).
6. **L. Macrodon, Selys**, (*Onych. M.*) Ann. Soc. Ent. Belg. xxxi. p. 24 (1887). Syria.
- *7. **L. Forcipata, Linn.** (*Libellula F.*) Syst. Nat. i. p. 545. n. 11 (1758); Faun. Suec. p. 374 (1761); De Geer, Mém. Ins. ii. p. 685, t. 21. f. 1 (1771); *Gomph. Forcipatus, Selys*, Rev. Odon. p. 98 (1850); *Onych. F.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 33 (1854); Mon. Gomph. p. 28 (1854); Ann. Soc. Ent. Belg. xxxi. p. 25 (1887). Europe, Algeria, W. Asia.
- Lib. Viridicincta, Retz.* Gen. Spec. Ins. p. 57. n. 186 (1783).

Æshna Unguiculata, Lind. Opusc. Scient. iv. p. 164. n. 7, t. 47. f. 6 (1823); Mon. Lib. Eur. p. 31. n. 10 (1825); *Gomph. Unguiculatus, Selys*, Mon. Lib. p. 80 (1840); Hag. Syn. Lib. Eur. p. 44 (1840); Ramb. Ins. Névr. p. 164, t. 4. ff. 1, 2 a, b (1842); *Onych. Forc.*, race *Ung.*, *Selys*, Bull. Acad. Belg. (2) xxxvi. p. 495 (1873).

Æshna Hamata, Charp. Hor. Ent. p. 25 (1825); Lib. Eur. p. 121, t. 27 (1840).

Var. a. *Ophiogomphus Forcipatus*, var. *Consobrinus, Kolbe*, Berl. ent. Zeitschr. xxix. p. 153 (1885). Algeria.

Var. b. *Oph. F.*, var. *Socialis, Kolbe*, l. c. (1885). id.
8. **L. Lefebvrei, Ramb.** (*Gomph. L.*) l. c. p. 166, t. 4. f. 4 d (1842); *Onych. L.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 33 (1854), Egypt.

- (2) xlv. p. 425 (1878); Ann. Soc. Ent. Belg. xxxi. p. 27 (1887).
9. **L. Supina, Selys**, (*On. Supinus*) Bull. Acad. Belg. xxi. (2) p. 34 (1854); Mon. Gomph. p. 41 (1857). Caffraria.
10. **L. Flexuosa, Schneid.** (*Gomph. Flexuosus*) Stett. ent. Zeit. vi. p. 114. n. 13 (1845); Selys, Rev. Odon. p. 295 (1850); *Onych. F.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 34 (1854), (2) xxxv. p. 735 (1873), (2) xlv. p. 425 (1878); Mon. Gomph. p. 43 (1857); Ann. Soc. Ent. Belg. lxxxi. p. 27 (1887). Caucasus, Asia Minor.
11. **L. Grammica, Ramb.** (*Gomph. Grammicus*) l. c. p. 164 (1842); *Onych. G.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 35 (1854); Mon. Gomph. p. 45 (1857). India.
12. **L. Genei, Selys**, (*Gomph. G.*) Rev. Zool. 1841, p. 246; Rev. Odon. pp. 101, 384 (1850); *Onych. G.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 36 (1854), (2) xxxv. p. 737 (1873); Mon. Gomph. p. 51 (1857). Sicily.
Gomph. Excelsus, Costa, Bull. Ent. Ital. xv. p. 333 (1884).
13. **L. Costæ, Selys**, (*On. C.*) C. R. Soc. Ent. Belg. xxix. p. cxlvi (1885). Oran.
Onych. Genei, ♂, *Selys*, Ann. Soc. Ent. Belg. xiv. p. 14 (1870).
14. **L. Lineata, Selys**, (*Gomph. Lineatum*) Rev. Odon. p. 386 (1850); *Onych. L.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 36 (1854); Mon. Gomph. p. 48 (1857). Nepal.
15. **L. Pumilio, Ramb.** (*Gomph. P.*) l. c. p. 154 (1842); *Onych. P.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 37 (1854); Mon. Gomph. p. 54 (1854). Egypt.
16. **L. Hagenii, Selys**, (*On. H.*) Ann. Soc. Ent. Belg. xiv. p. 15 (1870); Bull. Acad. Belg. (2) xxxv. p. 738 (1872), (2) xlv. p. 426 (1878); Ann. Soc. Ent. Belg. xxxi. p. 28 (1887). id.
Gomph. Genei, ♀, *p.*, *Selys*, Mon. Gomph. p. 52 (1857).
17. **L. Cognata, Ramb.** (*Gomph. Cognatus*) l. c. p. 167 (1842); *Onych. C.*, *Selys*, Bull. Acad. Belg. xxi. (2) p. 38 (1854); Mon. Gomph. p. 56 (1857). Caffraria.

18. L. Atrata, Selys , (<i>On. Atratus</i>) C. R. Soc.
Ent. Belg. xxix. p. cxlvi (1885).	Congo.
19. L. Reinwardtii, Selys , (<i>On. R.</i>) Bull. Acad.
Belg. xxi. (2) p. 38 (1854); Mon. Gomph.
p. 60 (1857).	Java.
20. L. Cerastis, Selys , (<i>Ophiogomphus C.</i>) Bull.
Acad. Belg. xxi. (2) p. 41 (1854); <i>Onych.</i> (?)
<i>Cerastes, Selys</i> , Mon. Gomph. pp. 63, 398
(1854); Bull. Acad. Belg. (2) xxviii. p. 173
(1869).	Nepal.
21. L. Biforceps, Selys , (<i>On. B.</i>) Bull. Acad.
Belg. (2) xlv. p. 420 (1878).	Darjiling.
22. L. (?) Inscripta, Selys , (<i>On. Inscriptus</i>)
l. c. p. 422 (1878).	Java.
23. L. Modesta, Selys , (<i>On. Modestus</i>) l. c.
p. 423 (1878).	India (?).
24. L. Abyssinica, Selys , (<i>On. Abyssinicus</i>)
l. c. p. 426 (1878).	Abyssinia.
25. L. Frontalis, Selys , (<i>On. F.</i>) l. c. p. 428
(1878).	Nicobar.

Genus 3. **Herpetogomphus.**

Erpetogomphus, Selys, Mon. Gomph. p. 69 (1857); Bull. Acad.
Belg. (2) vii. p. 535 (1859).

1. H. Designatus, Selys , (<i>Erp. D.</i>) Mon.
Gomph. p. 401 (1857); Bull. Acad. Belg.
(2) vii. p. 536 (1859); Hag. Neur. N.
Amer. p. 99 (1861).	Texas.
2. H. Compositus, Selys , (<i>Erp. C.</i>) Mon.
Gomph. p. 400 (1857); Bull. Acad. Belg.
(2) vii. p. 536 (1859), (2) xxxv. p. 740
(1873); Hag. l. c. p. 99 (1861); <i>Herp. C.</i> ,
<i>Hag. Rep. U.S. Surv. Territ.</i> 1873 (Colo-
rado), p. 597 (1874).	id.,
Yellowstone
Oregon.
3. H. Viperinus, Selys , (<i>Erp. V.</i>) C. R. Soc.
Ent. Belg. xi. p. lxviii (1867); Bull. Acad.
Belg. (2) xxviii. p. 176 (1869).	Orizaba.
4. H. Elaps, Selys , (<i>Erp. E.</i>) Mon. Gomph.
p. 70 (1857); Bull. Acad. Belg. (2) vii.
p. 538 (1859), (2) xxviii. p. 175 (1869);
Hag. Neur. N. Amer. p. 100 (1861).	Mexico.
5. H. Boa, Selys , (<i>Erp. B.</i>) Bull. Acad. Belg.
(2) vii. p. 537 (1859); Hag. l. c. p. 100
(1861).	Vera Cruz.
6. H. Cophias, Selys , (<i>Erp. C.</i>) Mon. Gomph.	Mexico.

- p. 72 (1857); Bull. Acad. Belg. (2) vii.
p. 537 (1859), (2) xxviii. p. 175 (1859);
Hag. l. c. p. 100 (1861).
- *7. **H. Crotalinus, Selys**, (*Ophiogomphus C.*) Mexico.
Bull. Acad. Belg. xxi. (2) p. 40 (1854);
Erp. C., Selys, Mon. Gomph. p. 72 (1854);
Bull. Acad. Belg. (2) xxviii. p. 174 (1869);
Hag. l. c. p. 101 (1861).
8. **H. Menetriesii, Selys**, (*Ophiog. (?) M.*) Guatemala,
Brazil (?).
Bull. Acad. Belg. xxi. (2) p. 39 (1854);
Herp. M., Selys, Bull. Acad. Belg. (2)
xvi. p. 429 (1878).
Erp. Crotalinus, p., Selys, Mon. Gomph.
p. 75 (1857).
9. **H. Severus, Hag.** (*Ophiog. S.*) Rep. Geol. Colorado.
Surv. Territ. 1873 (Colorado), p. 591
(1874); *Herp. S., Selys*, Bull. Acad. Belg.
(2) xvi. p. 430 (1878).
10. **H. Montanus, Selys**, l. c. p. 433 (1878). Montana.

Genus 4. **Diastatomma.**

Burm. Handb. Ent. ii. p. 831 (1839); Charp. Lib. Eur. p. 15
(1840).

Ophiogomphus, Selys, Bull. Acad. Belg. xxi. (2) p. 39 (1854);
Mon. Gomph. p. 76 (1857).

1. **D. Rupinsulense, Walsh**, (*Erpetogom-
phus Rupinsulensis*) Proc. Acad. Philad. 1862,
p. 388; Selys, Bull. Acad. Belg. (2) xxviii.
p. 207 (1869); *Oph. R., Hag.* Rep. Geol.
Surv. Territ. 1873 (Colorado), p. 594 (1874);
Selys, l. c. (2) xvi. p. 434 (1878). Canada,
N. States.
2. **D. Mainense, Pack.** (*Oph. Mainensis*) Maine.
Proc. Ent. Soc. Philad. ii. p. 255, note
(1863); Hag. l. c. p. 595 (1874); Selys,
l. c. (2) xxviii. p. 208 (1869), (2) xvi.
p. 435 (1878).
Oph. Rupinsulensis, ♀, Selys, l. c. (2) xxxv.
p. 741 (1873).
3. **D. Bison, Selys**, (*Oph. B.*) l. c. (2) xxxvi. California.
p. 496 (1873), (2) xvi. p. 436 (1878).
4. **D. Spinicorne, Selys**, (*Oph. Spinicorais*) N. China.
l. c. (2) xvi. p. 437 (1878).
5. **D. Colubrinum, Selys**, (*Oph. Colubrinus*) N. America.
l. c. xxi. (2) p. 40 (1854), (2) xvi. p. 438
(1878); Mon. Gomph. p. 76 (1857); Hag.

- Neur. N. Amer. p. 101 (1861); Rep. Geol. Surv. Territ. 1873 (Colorado), p. 592 (1874).
- *6. **D. Cecilia, Fourcr.** (*Libellula C.*) Ent. Europe.
Par. ii. p. 348. n. 15 (1785).
Æschna Serpentina, Charp. Hor. Ent. p. 25 (1825); Lib. Eur. p. 129, t. 30. f. 1 (1840);
Gomph. Serpentinus, Ramb. Ins. Névr. p. 160 (1842); Selys, Mon. Lib. Eur. p. 91 (1840); Rev. Odon. p. 93 (1850); *Oph. S.*, Selys, Bull. Acad. Belg. xxi. (2) p. 41 (1854); Mon. Gomph. p. 79 (1857).
Lib. Vulgatissima, Panz. (Schäffer, Icones Ins. Rat. t. 190. f. 3) Nomencl. Schäffer's Ins. p. 186 (1804).
Æshna Spectabilis, Eversm. Bull. Mosc. 1841, p. 356, t. 6. ff. 1, 2.
Paradigma Bucheckeri, Buch. Syst. Ent., Neur. p. 13, t. 19. f. 2 (1878).
7. **D. Assimile, Schneid.** (*Gomph. Assimilis*) Asia Minor.
Stett. ent. Zeit. vi. p. 115 (1845); Selys, Rev. Odon. p. 294 (1850); *Onychogomphus A.*, Selys, Bull. Acad. Belg. xxi. (2) p. 32 (1854); *Oph. (?) A.*, Selys, Mon. Gomph. p. 81 (1857).
8. **D. Morrisoni, Selys**, (*Oph. M.*) C. R. Soc. Nevada.
Ent. Belg. xxii. p. lxxv (1879).

Genus 5. **Ceratogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 42 (1854); Mon. Gomph. p. 64 (1857).

- *1. **C. Pictus, Selys**, ll. cc. p. 42 (1854), p. 65 (1857). | Cape.

Genus 6. **Phyllogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 43 (1854); Mon. Gomph. p. 110 (1857).

- *1. **P. Æthiops, Selys**, Bull. Acad. Belg. xxi. Guinea.
(2) p. 43 (1854), (2) xlv. p. 439 (1878);
Mon. Gomph. pp. 111, 407 (1854).

Genus 7. **Microgomphus.**

Selys, Mon. Gomph. p. 100 (1857); Bull. Acad. Belg. (2) vii.
p. 533 (1859).

- *1. **M. Chelifer**, Selys, ll. cc. p. 101 (1857), Mt. Ophir.
p. 533 (1859).

Genus 8. **Macrogomphus.**

Selys, Mon. Gomph. pp. 87, 428 (1857).

Heterogomphus, p., Selys, Bull. Acad. Belg. xxi. (2) p. 27 (1854),
(2) vii. p. 334 (1859).

1. **M. Quadratus**, Selys, Bull. Acad. Belg. Sumatra.
(2) xvi. p. 415 (1878).
2. **M. Thoracicus**, McLachl. C. R. Soc. Ent. Perak.
Belg. xxviii. p. vii (1884).
3. **M. Abnormis**, Selys, C. R. Soc. Ent. Borneo (?).
Belg. xxviii. p. x (1884).
- *4. **M. Robustus**, Selys, (*Het. R.*) Bull. Acad. Thibet.
Belg. xxi. (2) p. 27 (1854); *Macr. R.*,
Selys, Mon. Gomph. p. 88 (1857).
5. **M. Annulatus**, Selys, (*Het. A.*) Bull. E. Indies.
Acad. Belg. xxi. (2) p. 28 (1854); *Macr.*
A., Selys, Mon. Gomph. pp. 92, 405
(1857); Bull. Acad. Belg. (2) xxviii. p. 170
(1869).
6. **M. Albardæ**, Selys, Bull. Acad. Belg. (2) Sumatra.
xvi. p. 416 (1878).
7. **M. Parallelogramma**, Burm. (*Diastatoma P.*) Handb. Ent. ii. p. 832. n. 2
(1839); *Het. (?) Parallelogrammus*, Selys,
l. c. xxi. (2) p. 28 (1854); *Macr. P.*,
Selys, Mon. Gomph. pp. 90, 403 (1857);
Bull. Acad. Belg. (2) xxviii. p. 171 (1869).
8. **M. Montanus**, Selys, l. c. p. 171 (1869). Sylhet.
9. **M. Decemlineatus**, Selys, l. c. (2) xvi. Sumatra.
p. 418 (1878).

Genus 9. **Octogomphus.**

Selys, Bull. Acad. Belg. (2) xxxv. p. 759 (1873).

- *1. **O. Specularis**, Selys, (*Neogomphus (?) S.*) California.
l. c. (2) vii. p. 544 (1859); Hag. Neur.
N. Amer. p. 110 (1861); *Oct. S.*, Selys,
l. c. (2) xxxv. p. 760 (1873).

Genus 10. **Dromogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 58 (1854).

<p>*1. D. Spinosus, Selys, l. c. p. 59 (1854);
 <i>Gomphus S., Selys</i>, Mon. Gomph. p. 120
 (1857); Hag. Neur. N. Amer. p. 102
 (1861).</p> <p>2. D. Spoliatus, Selys, (<i>Gomph. S.</i>) Mon.
 Gomph. p. 409 (1857); Bull. Acad. Belg.
 (2) vii. p. 543 (1859); Hag. l. c. p. 103
 (1861).</p> <p>3. D. Armatus, Selys, Bull. Acad. Belg. xxi.
 (2) p. 59 (1854), (2) xxxvi. p. 499 (1873),
 (2) xlvi. p. 467 (1878); <i>Gomph. A., Selys</i>,
 Mon. Gomph. p. 122 (1857); Hag. l. c.
p. 102 (1861).</p>	S. States. Texas. N. America.

Genus 11. **Æshna.**

Æshna, Fabr. Syst. Ent. p. 424 (1775); Latr. Gen. Crust.
 Ins. iii. p. 286 (1802).

Gomphus, Leach, Edinb. Encycl. ix. p. 137 (1815); Selys, Bull.
 Acad. Belg. xxi. (2) p. 44 (1854); Mon. Gomph. p. 115
 (1857).

Diastatomma, p., Burn. Handb. Ent. ii. p. 831 (1839); Charp.
 Lib. Eur. p. 15 (1840).

<p>1. Æ. Pallida, Ramb. (<i>Gomph. Pallidus</i>) Ins.
 Névr. p. 163 (1842); Selys, Bull. Acad.
 Belg. xxi. (2) p. 52 (1854); Mon. Gomph.
 p. 145 (1857); Hag. Neur. N. Amer. p. 105
 (1861).</p> <p>♂. <i>Gomph. Pilipes, Selys</i>, Mon. Gomph.
 p. 148 (1857); Bull. Acad. Belg. (2) vii.
 p. 541 (1859).</p> <p>2. Æ. Villosipes, Selys, (<i>Gomph. V.</i>) Bull.
 Acad. Belg. xxi. (2) p. 53 (1854), (2) xlvi.
 p. 458 (1878); Hag. l. c. p. 105 (1861).</p> <p>3. Æ. Livida, Selys, (<i>Gomph. Lividus</i>) l. c.
 xxi. (2) p. 53 (1854); Mon. Gomph. p. 150
 (1857); Hag. l. c. p. 106 (1861).</p> <p>♂. <i>G. Sordidus, Selys</i>, Bull. Acad. Belg.
 xxi. (2) p. 54 (1854).</p> <p>4. Æ. Spicata, Selys, (<i>Gomph. Spicatus</i>) l. c.
 p. 54 (1854), (2) xxviii. p. 183 (1869);
 Mon. Gomph. pp. 153, 414 (1857); Hag.
l. c. p. 107 (1861).</p>	U. States. id. N. America.

5. **Æ. Furcifer, Selys**, (*Gomph. F.*) Bull. Acad. Belg. (2) xlv. p. 458 (1878). Massachusetts.
6. **Æ. Militaris, Selys**, (*Gomph. M.*) Mon. Gomph. p. 416 (1857); Bull. Acad. Belg. (2) vii. p. 542 (1859); Hag. l. c. p. 107 (1861). Texas.
7. **Æ. Intricata, Selys**, (*Gomph. Intricatus*) ll. cc. p. 418 (1857), p. 542 (1859); Hag. l. c. p. 108 (1861). id., Missouri.
8. **Æ. Minuta, Ramb.** (*Gomph. Minutus*) l. c. p. 161 (1842); Selys, Bull. Acad. Belg. xxi. (2) p. 55 (1854); Mon. Gomph. p. 155 (1857); Hag. l. c. p. 108 (1861). Georgia.
9. **Æ. Exilis, Selys**, (*Gomph. E.*) Bull. Acad. Belg. xxi. (2) p. 55 (1854), (2) xxxv. p. 748 (1873); Mon. Gomph. p. 156 (1857); Hag. l. c. p. 108 (1861). United States.
10. **Æ. Notata, Ramb.** (*Gomph. Notatus*) l. c. p. 162 (1842); Selys, Bull. Acad. Belg. xxi. (2) p. 57 (1854), (2) xlv. p. 466 (1878); Mon. Gomph. p. 159 (1857); Hag. l. c. p. 110 (1861). Illinois.
 ♀. *G. Elongatus, Selys*, Bull. Acad. Belg. xxi. (2) p. 58 (1854).
- G. Fluvialis, Walsh*, Proc. Acad. Philad. 1862, p. 394; Proc. Ent. Soc. Philad. ii. p. 252 (1863); Selys, l. c. (2) xxviii. p. 185 (1869).
11. **Æ. Amnicola, Walsh**, (*Gomph. A.*) Proc. Acad. Philad. 1862, p. 396; Proc. Ent. Soc. Philad. ii. p. 252 (1863); Selys, l. c. p. 184 (1869). id.
12. **Æ. Spiniceps, Walsh**, (*Macrogomphus* (?) S.) Proc. Acad. Philad. 1862, p. 389; Proc. Ent. Soc. Phil. ii. p. 256, note (1863); Selys, l. c. p. 205 (1869); *Gomph. S.*, Selys, l. c. (2) xxxv. p. 750 (1873). id., Michigan.
13. **Æ. Plagiata, Selys**, (*Gomph. Plagiatus*) l. c. xxi. (2) p. 57 (1854), (2) xlv. p. 465 (1878); Mon. Gomph. p. 159 (1857); Hag. l. c. p. 109 (1861). Maryland, S. Carolina.
14. **Æ. Olivacea, Selys**, (*Gomph. Olivaceus*) Bull. Acad. Belg. (2) xxxv. p. 749 (1873); Hag. Rep. U.S. Geol. Surv. Territ. 1873 (Colorado), p. 597 (1874). California, Nebraska.
15. **Æ. Parvula, Selys**, (*Gomph. Parvulus*) l. c. xxi. (2) p. 56 (1854), (2) xlv. p. 459 (1878); Mon. Gomph. p. 157 (1857); Hag. Neur. N. Amer. p. 109 (1861). N. States.

16. **Æ. Albistyla, Selys**, (*Gomph. Albistylus*) Maine.
Bull. Acad. Belg. (2) xlvi. p. 460 (1878).
17. **Æ. Nævius, Selys**, (*Gomph. N.*) 1. c. Pennsylv-
p. 462 (1878). ania.
18. **Æ. Brevis, Selys**, (*Gomph. B.*) 1. c. (1878). N. America.
19. **Æ. Abbreviata, Selys**, (*Gomph. Abbreviatus*) 1. c. p. 464 (1878). U. States.
20. **Æ. Scudderi, Selys**, (*Gomph. S.*) 1. c. (2) id.
xxxv. p. 752 (1873).
21. **Æ. Dilatata, Ramb.** (*Gomph. Dilatatus*) S. States,
1. c. p. 155 (1842); Selys, 1. c. xxi. (2) Michigan.
p. 47 (1858); Mon. Gomph. p. 123 (1857);
Hag. 1. c. p. 103 (1861).
22. **Æ. Crassa, Selys**, (*Gomph. Crassus*) Kentucky.
Bull. Acad. Belg. (2) xlvi. p. 453 (1878).
23. **Æ. Vasta, Walsh**, (*Gomph. Vastus*) Proc. U. States.
Acad. Philad. 1862, p. 391; Selys, 1. c. (2)
xxviii. p. 176 (1869).
24. **Æ. Ventricosa, Walsh**, (*Gomph. Ventricosus*) Illinois.
Proc. Ent. Soc. Philad. ii. p. 249
(1863); Selys, 1. c. p. 177 (1869), (2) xlv.
p. 453 (1878).
25. **Æ. Externa, Selys**, (*Gomph. Externus*) U. States.
Mon. Gomph. p. 411 (1857); Bull. Acad.
Belg. (2) vii. p. 540 (1859); Hag. 1. c.
p. 104 (1861).
G. Consobrinus, Walsh, 1. c. p. 242 (1863);
Selys, Bull. Acad. Belg. (2) xxviii. p. 178
(1869).
26. **Æ. Quadricolor, Walsh**, (*Gomph. Q.*) Illinois.
1. c. p. 246 (1863); Selys, 1. c. p. 182
(1869).
27. **Æ. Grasinella, Walsh**, (*Gomph. Grasinellus*) id.
Proc. Acad. Philad. 1862, p. 394;
Proc. Ent. Soc. Phil. ii. p. 242 (1863);
Selys, 1. c. p. 179 (1869). *Type 1868*
28. **Æ. Fraterna, Say**, Journ. Acad. Philad. U. States.
viii. p. 16 (1839); *Gomph. Fraternus, Selys*,
1. c. xxi. (2) p. 47 (1854); Mon. Gomph.
p. 125 (1857); Hag. 1. c. p. 104 (1861);
Walsh, Proc. Acad. Philad. 1862, p. 393;
Proc. Ent. Soc. Phil. ii. p. 238 (1863).
29. **Æ. Consanguis, Selys**, (*Gomph. C.*) C. R. N. Carolina.
Soc. Ent. Belg. xxii. p. lxvi (1879).
30. **Æ. Confraterna, Selys**, (*Gomph. Confraternus*) California.
Bull. Acad. Belg. (2) xxxv.
p. 744 (1873).

31. **Æ. Sobrina, Selys**, (*Gomph. Sobrinus*) l. c. p. 745 (1873). California.
32. **Æ. Adelpha, Selys**, (*Gomph. Adelphus*) Mon. Gomph. p. 413 (1857); Bull. Acad. Belg. (2) vii. p. 541 (1859), (2) xlvi. p. 457 (1878); Hag. l. c. p. 104 (1861). New York.
33. **Æ. Kurilis, Selys**, (*Gomph. K.*) Mon. Gomph. p. 132 (1857); Bull. Acad. Belg. (2) vii. p. 540 (1859). Kurile Isles.
- *34. **Æ. Vulgatissima, Linn.** (*Libellula V.*) Syst. Nat. i. p. 544. n. 6 (1758); Faun. Suec. p. 372 (1761); *Gomph. Vulgatissimus, Selys*, Rev. Odon. p. 82 (1850); Bull. Acad. Belg. xxi. (2) p. 48 (1854); Mon. Gomph. p. 129 (1857). Europe.
- Lib. Forcipata, Don.* Brit. Ins. xii. t. 423 (1807); *Æshna F., Latr.* l. c. xiii. p. 8, t. 97 bis. f. 1 (1805); Panz. Faun. Germ. Heft 88, t. 21 (1805); *Æschna F., Charp.* l. c. p. 125, t. 28 (1840); *Gomph. Forcipatus, Steph.* Ill. Brit. Ent., Mand. vi. p. 87 (1836); Selys, Mon. Lib. Eur. p. 89 (1840); Ramb. l. c. p. 156, t. 5. f. 5 e (1842).
35. **Æ. Schneideri, Selys**, (*Gomph. S.*) Rev. Odon. p. 292 (1850); Bull. Acad. Belg. (2) xxviii. p. 180 (1869); Ann. Soc. Ent. Belg. xxxi. p. 29 (1887). Mingrelia.
- G. Forcipatus, Schneid.* Stett. ent. Zeit. vi. p. 114. n. 12 (1845).
- 36. **Æ. Simillima, Selys**, (*Gomph. Simillimus*) Mon. Lib. Eur. p. 85 (1840); Rev. Odon. p. 89 (1850); Bull. Acad. Belg. xxi. (2) p. 49 (1854); Mon. Gomph. p. 134 (1857). France, Spain, Italy.
- Æshna Forcipata, Fonsc.* Ann. Soc. Ent. France, vii. p. 101 (1838).
- Gomph. Zebratus, Ramb.* l. c. p. 157, t. 5. f. 3 c (1842).
37. **Æ. Lucasii, Selys**, (*Gomph. L.*) Luc. Expl. Alg. iii. p. 20, t. 2. ff. 6, 6 a, b (1849); Rev. Odon. p. 318 (1850); Bull. Acad. Belg. xxi. (2) p. 50 (1854); Mon. Gomph. p. 136 (1857). Algeria.
- 38. **Æ. Pulchella, Selys**, (*Gomph. Pulchellus*) Mon. Lib. Eur. p. 83 (1840); Rev. Odon. p. 91 (1850); Bull. Acad. Belg. xxi. (2) p. 50 (1854); Mon. Gomph. p. 138 (1857); Ramb. l. c. p. 159, t. 5. f. 4 d (1842). Belgium, France.

|| *Petalura Flavipes*, *Selys*, Cat. Léop. &c. de Belge, pp. 9, 11 (1837).

Æschna Anguina, *Charp.* l. c. p. 131, t. 30. f. 2 (1840).

39. **Æ. Abdominalis**, **McLachl.** (*Gomph. A.*) N. China.
C. R. Soc. Ent. Belg. xxviii. p. viii (1884).
40. **Æ. Graslini**, **Ramb.** (*Gomph. G.*) l. c. France.
p. 158, t. 5. f. 2 *b* (1842); *Selys*, Rev. Odon. p. 87 (1850); Bull. Acad. Belg. xxi. (2) p. 51 (1854); Mon. Gomph. p. 140 (1857).
41. **Æ. Flavipes**, **Charp.** (*Æschna F.*) Europe.
Hor. Ent. p. 25 (1825); Lib. Eur. p. 127, t. 29 (1840); *Gomphus F.*, *Steph.* Ill. Brit. Ent., Mand. vi. p. 88, t. 30. f. 1 (1836); *Ramb.* l. c. p. 161 (1842); *Selys*, Mon. Lib. Eur. p. 87 (1840); Rev. Odon. p. 85 (1850); Bull. Acad. Belg. xxi. (2) p. 51 (1854); Mon. Gomph. p. 142 (1857).
Æschna Forcipata, *♂*, *Lind.* Opusc. Scient. iv. p. 164 (1823); *Æshna F.*, var. *β*, *Lind.* Mon. Lib. Eur. p. 30 (1825).
Petalura Selysii, *Guér.* Mag. Zool. cl. ix. t. 201 (1837); *Gomphus S.*, *Selys*, Mon. Lib. Eur. p. 93 (1840).
Æshna Cognata, *Eversm.* Bull. Mosc. ix. p. 244 (1837).
42. **Æ. Davidi**, **Selys**, (*Gomph. D.*) Ann. Soc. Syria.
Ent. Belg. xxxi. p. 30 (1887).
43. **Æ. Nigripes**, **Selys**, (*Gomph. N.*) l. c. Amur.
p. 59 (1887).
44. **Æ. Melampus**, **Selys**, (*Gomph. M.*) Bull. Japan.
Acad. Belg. (2) xxviii. p. 182 (1869).
45. **Æ. Melæncops**, **Selys**, (*Gomph. M.*) l. c. id.
xxi. (2) p. 48 (1854), (2) xxviii. p. 180 (1869); Mon. Gomph. p. 128 (1857).
46. **Æ. Pryeri**, **Selys**, (*Gomph. P.*) Ann. Soc. id.
Ent. Belg. xxvii. p. 111 (1883).
47. **Æ. Personata**, **Selys**, (*Gomph. Personatus*) Assam.
Bull. Acad. Belg. (2) xxxvi. p. 497 (1873), (2) xlvi. p. 454 (1878).
48. **Æ. Promelas**, **Selys**, (*Gomph. P.*) l. c. (2) Madras.
xxxvi. p. 498 (1873).
49. **Æ. (?) Ceylonica**, **Selys**, (*Gomph. (?) Ceylonicus*) l. c. (2) xlvi. p. 455 (1878). Ceylon.
50. **Æ. Rueppeli**, **Selys**, (*Gomph. R.*) Mon. Abyssinia.
Gomph. p. 162 (1857); Bull. Acad. Belg. (2) vii. p. 539 (1859).

51. Æ. Dorsalis, Selys , (<i>Gomph. D.</i>) ll. cc.
p. 164 (1857), p. 539 (1859).	Abyssinia.
52. Æ. Postocularis, Selys , (<i>Gomph. P.</i>) Bull.
Acad. Belg. (2) xxviii. p. 181 (1869).	Japan.
53. Æ. Epophthalmus, Selys , (<i>Gomph. E.</i>)
Ann. Soc. Ent. Belg. xv. p. 31, t. 2. f. 13
(1872); Bull. Acad. Belg. (2) xxxv. p. 747
(1873).	Irkutsk.

Genus 12. **Anisogomphus.**

Selys, Mon. Gomph. p. 120 (1857).

1. A. Præterius, Selys , (<i>Gomph. P.</i>) Bull.
Acad. Belg. (2) xlvi. p. 447 (1878).	Transvaal.
2. A. Bivittatus, Selys , (<i>Gomph. B.</i>) l. c. xxi.
(2) p. 46 (1854); Mon. Gomph. p. 168
(1857).	India.
*3. A. Occipitalis, Selys , (<i>Gomph. O.</i>) Bull.
Acad. Belg. xxi. (2) p. 45 (1854); Mon.
Gomph. p. 166 (1857).	id.
4. A. Maacki, Selys , (<i>Gomph. M.</i>) Ann. Soc.
Ent. Belg. xv. p. 33, t. 2. f. 14 (1872);
Bull. Acad. Belg. (2) xxxv. p. 742 (1873).	Irkutsk.
5. A. Nietneri, Selys , (<i>Gomph. (?) N.</i>) Bull.
Acad. Belg. (2) xlvi. p. 449 (1878).	Ceylon.
6. A. M-flavum, Selys , (<i>Gomph. M.</i>) l. c.
p. 451 (1878).	N. China.

Genus 13. **Cyclogomphus.**Selys, Bull. Acad. Belg. xxi. (2) p. 61 (1854); Mon. Gomph.
p. 105 (1857).

1. C. Heterostylus, Selys , (<i>C. Heterostyla</i>)
Bull. Acad. Belg. xxi. (2) p. 62 (1854);
<i>C. Heterostylus, Selys</i> , Mon. Gomph. p. 106
(1857); Bull. Acad. Belg. (2) xxxv. p. 757
(1873).	India.
*2. C. Ypsilon, Selys , Bull. Acad. Belg. xxi.
(2) p. 62 (1854); Mon. Gomph. pp. 107,
406 (1857).	id.
3. C. Vesiculosus, Selys , Bull. Acad. Belg.
(2) xxxvi. p. 300 (1873).	id.
4. C. Torquatus, Selys , l. c. xxi. (2) p. 63
(1854); Mon. Gomph. p. 108 (1857).	id.

5. C. Verticalis , Selys, Bull. Acad. Belg. (2) xxxvi. p. 501 (1873).	India.
6. C. (?) Minusculus , Selys, l. c. (2) xlvi. p. 468 (1878).	Moolai.

Genus 14. **Anormogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 60 (1854); Mon. Gomph. p. 102 (1857).

*1. A. Heteropterus , Selys, ll. cc. p. 61 (1854), p. 103 (1857); Bull. Acad. Belg. (2) xxxvi. p. 500 (1873).	India.

Genus 15. **Platygomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 44 (1854); Mon. Gomph. p. 112 (1857).

*1. P. Dolabratus , Selys, ll. cc. p. 44 (1854), p. 113 (1857).	India.
2. P. (?) Occultus , Selys, Bull. Acad. Belg. (2) xlvi. p. 440 (1878).	China.

Genus 16. **Leptogomphus.**

Selys, Bull. Acad. Belg. (2) xlvi. p. 442 (1878).

*1. L. Semperi , Selys, l. c. p. 443 (1878).	Mindanao.
2. L. Inclitus , Selys, l. c. p. 444 (1878).	Moolai.
3. L. (?) Lansbergei , Selys, l. c. p. 446 (1878).	Java.

Genus 17. **Austrogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 63 (1854); Mon. Gomph. p. 170 (1857).

1. A. Collaris , Selys, ll. cc. p. 64 (1854), p. 172 (1857).	Australia.
2. A. Australis , Selys, ll. cc. p. 65 (1854), p. 175 (1857); Bull. Acad. Belg. (2) xxxv. p. 759 (1873).	id.
*3. A. Guerini , Ramb. (<i>Gomphus</i> G.) Ins. Névr. p. 162 (1842); <i>Austr. G.</i> , Selys, Bull. Acad. Belg. xxi. (2) p. 65 (1854); Mon. Gomph. p. 177 (1857).	id., Tasmania.
4. A. Amphiclitus , Selys, Bull. Acad. Belg. (2) xxxv. p. 757 (1873).	Queensland.

Genus 18. **Hemigomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 66 (1854); Mon. Gomph. p. 181 (1857).

*1. H. Heteroclytus , Selys, ll. cc. p. 68 (1854),
pp. 186, 419 (1857).	Australia.
2. H. Gouldi , Selys, (<i>Austrogomphus</i> G.)
ll. cc. p. 64 (1854), p. 171 (1857); <i>Heterogomphus</i> G., Selys, Mon. Gomph. p. 420
(1857); <i>Hem. G.</i> , Selys, Bull. Acad. Belg.
(2) xxviii. p. 186 (1869).	S. Australia.
3. H. Ochraceus , Selys, l. c. p. 187 (1869).	Melbourne.
4. H. (?) Lateralis , Selys, l. c. (2) xxxvi.
p. 501 (1873).	N. Australia.
5. H. Præruptus , Selys, (<i>Onychogomphus</i> P.)
Mon. Gomph. p. 395 (1857); Bull. Acad.
Belg. (2) vii. p. 535 (1859).	Adelaide.
6. H. (?) Interruptus , Selys, Bull. Acad.
Belg. xxi. (2) p. 66 (1854); Mon. Gomph.
p. 179 (1857).	S. America.

Genus 19. **Neogomphus.**

Selys, Mon. Gomph. p. 419 (1857); Bull. Acad. Belg. (2) vii. p. 543 (1859).

1. N. Elegans , Selys, (<i>Hemigomphus</i> E.) Bull.
Acad. Belg. xxi. (2) p. 67 (1854).	Brazil.
*2. N. Molestus , Selys, (<i>Hem. M.</i>) l. c. p. 67
(1854); Mon. Gomph. p. 183 (1857).	Chili.
3. N. Bidens , Selys, Bull. Acad. Belg. (2)
xlvi. p. 470 (1878).	id.

Genus 20. **Cyanogomphus.**

Selys, Bull. Acad. Belg. (2) xxxv. p. 753 (1873).

*1. C. Waltheri , Selys, l. c. (1873).	Brazil.

Genus 21. **Epigomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 59 (1854), (2) xxviii. p. 188 (1869); Mon. Gomph. p. 84 (1857).

*1. E. Paludosus , Selys, Bull. Acad. Belg.
xxi. (2) p. 60 (1854), (2) xxxv. p. 756
(1873); Mon. Gomph. p. 85 (1857).	Brazil.

2. E. Obtusus, Selys , Bull. Acad. Belg. (2) xxviii. p. 187 (1869), (2) xxxv. p. 757 (1873).	Upper
Amazons.
3. E. Subobtus, Selys , l. c. (2) xlvi. p. 467 (1878).	Central
America.

Genus 22. **Agriogomphus.**

Selys, Bull. Acad. Belg. (2) xxviii. p. 189 (1869).

*1. A. Sylvicola, Selys , l. c. p. 190 (1869).	Amazons.

Genus 23. **Progomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 69 (1854); Mon. Gomph. p. 194 (1857).

1. P. (?) Paucinervis, Selys , Bull. Acad. Belg. (2) xxxv. p. 762 (1873).	Quito.
2. P. Pygmæus, Selys , l. c. (2) xxxvi. p. 502 (1873).	Bogota.
*3. P. Gracilis, Selys , l. c. xxi. (2) p. 70 (1854); Mon. Gomph. p. 196 (1857).	Brazil.
4. P. Complicatus, Selys , Bull. Acad. Belg. xxi. (2) p. 70 (1854), (2) xxviii. p. 190 (1869), (2) xxxv. p. 763 (1873); Mon. Gomph. p. 198 (1857).	id.
5. P. Intricatus, Selys , Mon. Gomph. p. 421 (1857); Bull. Acad. Belg. (2) vii. p. 545 (1859).	Amazons.
6. P. Costalis, Selys , Bull. Acad. Belg. xxi. (2) p. 71 (1854); Mon. Gomph. p. 200 (1857).	Brazil.
7. P. Integer, Selys , Bull. Acad. Belg. (2) xlvi. p. 659 (1878).	Cuba.
8. P. Serenus, Selys , l. c. p. 661 (1878).	Haiti.
9. P. Obscurus, Ramb. (<i>Diastatomma Obscurum</i>) Ins. Névr. p. 170 (1842); <i>Prog. Obscurus, Selys</i> , l. c. xxi. (2) p. 72 (1854), (2) xlvi. p. 658 (1878); Mon. Gomph. p. 201 (1857); Hag. Neur. N. Amer. p. 110 (1861).	United
States.
10. P. Zonatus, Selys , l. c. xxi. (2) p. 72	Mexico.

- (1854); Mon. Gomph. p. 203 (1857);
Hag. Neur. N. Amer. p. 111 (1861).
11. **P. Polygonus, Selys**, C. R. Soc. Ent. Belg. Merida.
xxii. p. lxviii (1879).

Genus 24. **Gomphoides.**

Selys, Bull. Acad. Belg. xxi. (2) p. 73 (1854); Mon. Gomph.
p. 208 (1857).

- *1. **G. Infumata, Ramb.** (*Diastatomma Infumatum*) Ins. Névr. p. 170 (1842); *Gomphoides Infumata, Selys*, Bull. Acad. Belg. xxi. (2) p. 74 (1854); Mon. Gomph. p. 210 (1857). Brazil.
2. **G. Suasa, Selys**, Bull. Acad. Belg. (2) vii. p. 545 (1859), (2) xxviii. p. 191 (1869), (2) xxxvi. p. 503 (1873); Hag. Neur. N. Amer. p. 112 (1861). Mexico.
- ♂. *G. Perfida, Hag.* l. c. (1861).
3. **G. Pacifica, Selys**, l. c. (2) xxxvi. p. 504 (1873). id.
4. **G. Bifasciata, Selys**, l. c. (2) xlvi. p. 663 (1878). id.
5. **G. Fuliginosa, Selys**, l. c. xxi. (2) p. 74 (1854); Mon. Gomph. p. 211 (1857). Chili.
6. **G. Ictinia, Selys**, Bull. Acad. Belg. (2) xlvi. p. 664 (1878). Pernambuco.
7. **G. Audax, Selys**, l. c. xxi. (2) p. 75 (1854); Mon. Gomph. p. 213 (1857). Brazil.
- 8. **G. Stigmatus, Say**, (*Æschna Stigmata*) Journ. Acad. Philad. viii. p. 17 (1839); *Progomphus Stigmatus, Selys*, Bull. Acad. Belg. xxi. (2) p. 72 (1854); Mon. Gomph. p. 205 (1857); *Gomphoides S., Selys*, Mon. Gomph. p. 423 (1857); Bull. Acad. Belg. (2) xxviii. p. 191 (1869); *G. Stigmata, Hag. Neur. N. Amer.* p. 111 (1861). United States.
9. **G. Semicircularis, Selys**, Bull. Acad. Belg. xxi. (2) p. 76 (1854); Mon. Gomph. p. 215 (1857). S. America (?).
10. **G. Regularis, Selys**, Bull. Acad. Belg. (2) xxxv. p. 765 (1873). Minas Geraes.
11. **G. (?) Annectens, Selys**, l. c. (2) xxviii. p. 192 (1869). Brazil.
12. **G. Ambigua, Selys**, l. c. (2) xxxvi. p. 505 (1873). Guatemala.

Genus 25. **Cyclophylla.**

Selys, Bull. Acad. Belg. xxi. (2) p. 76 (1854); Mon. Gomph. p. 216 (1857).

1. C. Elongata , Selys, Mon. Gomph. p. 224 (1857); <i>Gomphoides E.</i> , Hag. Neur. N. Amer. p. 113 (1861).	Mexico.
2. C. Protracta , Selys, Bull. Acad. Belg. (2) vii. p. 546 (1859); Hag. l. c. p. 113 (1861).	id.
3. C. Diphylla , Selys, l. c. xxi. (2) p. 76 (1854); Mon. Gomph. p. 217 (1857).	Brazil.
4. C. Argentina , Hag. Bull. Acad. Belg. (2) xlv. p. 665 (1878).	Argentine Republic.
5. C. Gladiata , Selys, Bull. Acad. Belg. xxi. (2) p. 77 (1854), (2) xxxv. p. 766 (1873); Mon. Gomph. p. 219 (1857).	Pernambuco.
*6. C. Signata , Selys, ll. cc. p. 77 (1854), p. 220 (1857).	S. America.
7. C. Sordida , Selys, ll. cc. p. 78 (1854), p. 223 (1857).	Para.
8. C. Ophis , Selys, Bull. Acad. Belg. (2) xxviii. p. 193 (1869).	Tapajos.
9. C. Andromeda , Selys, l. c. p. 194 (1869).	Caripé.
10. C. Pegasus , Selys, l. c. p. 195 (1869).	Tapajos.

Genus 26. **Aphylla.**

Selys, Bull. Acad. Belg. xxi. (2) p. 78 (1854); Mon. Gomph. p. 227 (1857).

1. A. Edentata , Selys, Bull. Acad. Belg. (2) xxviii. p. 196 (1869).	Ega.
*2. A. Brevipes , Selys, l. c. xxi. (2) p. 78 (1854); Mon. Gomph. p. 227 (1857).	Para.
3. A. Tenuis , Selys, Bull. Acad. Belg. (2) vii. p. 547 (1859).	N. Granada.
4. A. Dentata , Selys, l. c. (1859).	Amazons.
5. A. Molossus , Selys, l. c. (2) xxviii. p. 196 (1869).	Santarem.
6. A. Producta , Selys, l. c. xxi. (2) p. 79 (1854); Mon. Gomph. p. 230 (1857); <i>Gomphoides P.</i> , Hag. Neur. N. Amer. p. 113 (1861).	S. America.
7. A. Caraiba , Selys, (<i>Gomphoides C.</i>) Bull. Acad. Belg. xxi. (2) p. 79 (1854); <i>Aph.</i>	Cuba.

- C.*, *Selys*, Sagra, Hist. Cuba, Ins. p. 456 (1857).
A. Producta, race *Caraiba*, *Selys*, Mon. Gomph. p. 232 (1857).

Genus 27. **Diaphlebia.**

Selys, Bull. Acad. Belg. xxi. (2) p. 81 (1854); Mon. Gomph. p. 236 (1857).

- *1. **D. Angustipennis**, *Selys*, ll. cc. p. 81 (1854), p. 237 (1857). Amazons.
 2. **D. Semilibera**, *Selys*, Bull. Acad. Belg. (2) xxviii. p. 197 (1869). id.

Genus 28. **Zonophora.**

Selys, Bull. Acad. Belg. xxi. (2) p. 80 (1854); Mon. Gomph. p. 233 (1857).

1. **Z. Batesii**, *Selys*, Bull. Acad. Belg. (2) xxviii. p. 198 (1869). Fonte Boa.
 *2. **Z. Campanulata**, *Burm.* (*Diastatomma C.*) Brazil.
 Handb. Ent. ii. p. 833. n. 4 (1839); *Zon. C.*, *Selys*, l. c. xxi. (2) p. 80 (1854); Mon. Gomph. p. 158 (1857).
 3. **Z. Calippus**, *Selys*, Bull. Acad. Belg. (2) xxviii. p. 199 (1869). Santarem.

Genus 29. **Hagenius.**

Selys, Bull. Acad. Belg. xxi. (2) p. 82 (1854); Mon. Gomph. p. 238 (1857).

- *1. **H. Brevistylus**, *Selys*, ll. cc. p. 82 (1854), p. 241 (1857); Hag. Neur. N. Amer. p. 111 (1861). N. America, Colombia.
 2. **H. (?) Nanus**, *Selys*, Bull. Acad. Belg. (2) xxviii. p. 200 (1869). Japan.
 3. **H. (?) Aberrans**, *Selys*, l. c. (2) xxxvi. p. 506 (1873). N. India.

Genus 30. **Davidius.**

Selys, Bull. Acad. Belg. (2) xlv. p. 667 (1878).

1. **D. (?) Zallorensis**, *Selys*, l. c. p. 667 (1878). Himalaya.

2. D. Bicornutus , Selys , l. c. p. 670 (1878).	N. China.
*3. D. Davidii , Selys , l. c. p. 671 (1878).	Moupin.
4. D. (?) Ater , Selys , l. c. p. 672 (1878).	Japan.

Genus 31. **Sieboldius**.

Selys, Bull. Acad. Belg. xxi. (2) p. 83 (1854); Mon. Gomph. p. 243 (1857).

*1. S. Japonicus , Selys , ll. cc. p. 83 (1854),
p. 244 (1857).	Japan.
2. S. Albardæ , Selys , C. R. Soc. Ent. Belg.
xxx. p. clxxxix (1886).	Pekin.

Genus 32. **Longchampia**.

Diastatomma, p., *Burm. Handb. Ent.* ii. p. 831 (1839); *Ramb. Ins. Névr.* p. 167 (1842); **Selys**, Bull. Acad. Belg. xxi. (2) p. 84 (1854); Mon. Gomph. p. 254 (1857), *nec Charp.*

*1. L. Tricolor , Beauv. (<i>Æshna</i> T.) <i>Ins. Afr. Amér.</i> p. 67, t. 3. f. 2 (1805?); <i>Diast. Tricolora</i> , <i>Burm.</i> l. c. p. 833. n. 3 (1839); <i>D. Tricolor</i> , <i>Ramb.</i> l. c. p. 168 (1842); Selys , Bull. Acad. Belg. xxi. (2) p. 85 (1854); Mon. Gomph. p. 256 (1857); <i>McLachl. C. R. Soc. Ent. Belg.</i> xxv. p. lxiii (1881).	W. Africa.
2. L. Bicolor , Selys , (<i>Diast. B.</i>) Bull. Acad. Belg. (2) xxviii. p. 201 (1869).	Old Calabar.

Genus 33. **Gomphidia**.

Selys, Bull. Acad. Belg. xxi. (2) p. 86 (1854); Mon. Gomph. p. 259 (1857).

*1. G. T-nigrum , Selys , ll. cc. p. 86 (1854),
p. 260 (1857).	N. India.
2. G. Maclachlani , Selys , Bull. Acad. Belg.
(2) xxxv. p. 767 (1873).	Labuan.
3. G. Kirschi , Selys , l. c. (2) xlvi. p. 673
(1878).	Philippines.
4. G. Confluens , Selys , l. c. p. 675 (1878).	China.

Genus 34. **Ictinus.**

Ramb. Ins. Névr. p. 171 (1842); Selys, Bull. Acad. Belg. xxi. (2) p. 86 (1854); Mon. Gomph. p. 263 (1857).

1. **I. Pertinax, Selys**, ll. cc. p. 88 (1854), p. 270 (1857). China.
2. **I. Melænops, Selys**, Mon. Gomph. pp. 272, 426 (1857); Bull. Acad. Belg. (2) vii. p. 548 (1859). Malacca.
3. **I. Decoratus, Selys**, Bull. Acad. Belg. xxi. (2) p. 89 (1854); Mon. Gomph. p. 273 (1857). Java.
- *4. **I. Rapax, Ramb.** (*Diastatomma R.*) l. c. p. 169 (1842); *Ict. R., Selys*, ll. cc. p. 90 (1854), p. 276 (1857). E. Indies.
♀. *Ict. Vorax, Ramb.* l. c. p. 171 (1842).
5. **I. Præcox, Selys**, Bull. Acad. Belg. xxi. (2) p. 89 (1854), (2) xlv. p. 677 (1878); Mon. Gomph. p. 275 (1857). Pondicherry.
6. **I. Mordax, Selys**, Mon. Gomph. p. 433 (1857); *I. Rapax*, race (?) *Mordax, Selys*, Bull. Acad. Belg. (2) xxxv. p. 768 (1873). Himalaya.
7. **I. Fallax, Selys**, l. c. xxi. (2) p. 91 (1854); Mon. Gomph. p. 279 (1857). Shanghai.
? *Libellula Clavata, Don.* Ins. China, t. 45. f. 1 (1798).
8. **I. Tenax, Selys**, Bull. Acad. Belg. xxi. (2) p. 88 (1854), (2) xlv. p. 676 (1878); Mon. Gomph. p. 269 (1857). Manilla.
9. **I. Australis, Selys**, Bull. Acad. Belg. (2) xxxv. p. 769 (1873). Queensland.
10. **I. Angulosus, Selys**, l. c. xxi. (2) p. 92 (1854); Mon. Gomph. p. 281 (1857). India.
11. **I. Atrox, Selys**, Bull. Acad. Belg. xxi. (2) p. 92 (1854), (2) xlv. p. 677 (1878); Mon. Gomph. p. 282 (1857). India (?), China (?).
- 12. **I. Clavatus, Fabr.** (*Aeshna Clavata*) Syst. Ent. p. 425. n. 4 (1775); *Diastatomma Clavata, Burm.* Handb. Ent. ii. p. 832. n. 1 (1839); *Ict. Clavatus, Selys*, Bull. Acad. Belg. xxi. (2) p. 93 (1854); Mon. Gomph. p. 285 (1857). China.
13. **I. Phaleratus, Selys**, Bull. Acad. Belg. xxi. (2) p. 94 (1854). id.
14. **I. Ferox, Ramb.** l. c. p. 172 (1842); Selys, Africa.

- l. c. p. 94 (1854); Mon. Gomph. p. 288 (1857).
 15. **I. Pugnax, Selys**, ll. cc. p. 95 (1854), p. 290 (1857). Natal.

Genus 35. **Vanderia.**

|| *Lindenia, Selys*, Mon. Lib. Eur. p. 74 (1840); Rev. Odon. p. 102 (1850); Bull. Acad. Belg. xxi. (2) p. 96 (1854); Mon. Gomph. p. 297 (1857); Ramb. Ins. Névr. p. 173 (1842).

- *1. **V. Tetrphylla, Lind.** (*Æshna T.*) Mon. Lib. Eur. p. 32 (1825); *Lind. T., Selys*, ll. cc. p. 76 (1840), p. 102 (1850), p. 96 (1854), p. 298 (1857); Luc. Expl. Alg. iii. p. 128, t. 2. f. 7, 7a, b (1849); Ramb. l. c. p. 174 (1842). Italy, N. Africa, W. Asia.
Æshna Phyllura, Eichw. Zool. Spec. i. p. 224. n. 2 (1829).
 ♂. *Ictinus Prædator, Ramb. l. c. p. 173 (1842).*
Lind. Quadrifoliata, Eversm. Bull. Mosc. xxvii. (3) p. 194, t. 1. ff. 7-9, details (1854).

Genus 36. **Cacus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 97 (1854); Mon. Gomph. p. 293 (1857).

- *1. **C. Latro, Erichs., (Ictinus L.) Schomb.** Guiana.
Reisen in Brit. Guiana, iii. p. 585 (1848); Cacus L., Selys, ll. cc. p. 97 (1854), p. 294 (1857).

Div. II. **CORDULEGASTERINA.**Genus 1. **Chlorogomphus.**

Selys, Bull. Acad. Belg. xxi. (2) p. 99 (1854), (2) xlv. p. 680 (1878); Mon. Gomph. p. 311 (1857).

- *1. **C. Magnificus, Selys**, Bull. Acad. Belg. xxi. (2) p. 99 (1854); Mon. Gomph. p. 313 (1857). Sumatra.
 2. **C. Hyalinus, Selys**, Bull. Acad. Belg. (2) xxxvi. p. 529 (1873). id.
C. Magnificus, ♂, Selys, olim (1854 & 1857).

Genus 2. **Orogomphus.**

Selys, Bull. Acad. Belg. (2) xlv. p. 681 (1878).

*1. O. Splendidus, Selys , l. c. (1878).	Luzon.
2. O. Atkinsoni, Selys , l. c. p. 682 (1878).	Bengal.

Genus 3. **Allogaster.**

Selys, Bull. Acad. Belg. (2) xlv. p. 684 (1878).

*1. A. Latifrons, Selys , l. c. (1878).	Bengal.

Genus 4. **Zoræna.**

|| *Thecaphora*, Selys, Bull. Acad. Belg. xxi. (2) p. 100 (1854);
 Mon. Gomph. p. 319 (1857).

*1. Z. Diastatops, Selys , (<i>Thec. D.</i>) Bull.
Acad. Belg. xxi. (2) p. 101 (1854), (2) xlv.
p. 685 (1878); Mon. Gomph. p. 320 (1857).
<i>Cordulegaster Lateralis</i> , Scudd. Proc. Bost.
Soc. N. H. x. p. 211 (1866), xi. p. 300
(1867).	N. America.

Genus 5. **Anotogaster.**Selys, Bull. Acad. Belg. xxi. (2) p. 101 (1854); Mon. Gomph.
p. 322 (1857).

1. A. Basalis, Selys , Bull. Acad. Belg. xxi.
(2) p. 102 (1854), (2) xxxvi. p. 507 (1873);
Mon. Gomph. p. 323 (1857).	N. India.
*2. A. Nipalensis, Selys , Bull. Acad. Belg.
xxi. (2) p. 102 (1850); Mon. Gomph.
p. 325 (1857).	Nepal.
— 3. A. Sieboldii, Selys , (<i>Cordulegaster S.</i>)
Bull. Acad. Belg. xxi. (2) p. 107 (1854),
(2) xxviii. p. 202 (1869); Mon. Gomph.
p. 545 (1857).	Japan.

Genus 6. **Thecagaster.**

Selys, Bull. Acad. Belg. xxi. (2) p. 103 (1854).

*1. T. Brevistigma, Selys , l. c. (1854); <i>Cordulegaster B.</i> , Selys, Mon. Gomph. p. 329
(1857).	N. India.
2. T. Parvistigma, Selys , Bull. Acad. Belg.
(2) xxxvi. p. 508 (1873).	Himalaya.

Genus 7. **Cordulegaster.**

Leach, Edinb. Encycl. ix. p. 136 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 86 (1836); Selys, Mon. Lib. Eur. p. 95 (1840); Rev. Odon. p. 104 (1850); Bull. Acad. Belg. xxi. (2) p. 104 (1854); Mon. Gomph. p. 327 (1857); Ramb. Ins. Névr. p. 177 (1842).

Thecaphora, Charp. Lib. Eur. p. 14 (1840).

1. **C. Sayi**, Selys, Bull. Acad. Belg. xxi. (2) p. 104 (1854), (2) xxviii. p. 203 (1869), (2) xlvi. p. 686 (1878); Mon. Gomph. p. 331 (1857); Hag. Neur. N. Amer. p. 115 (1861). N. America.
- *2. **C. Annulata**, Latr. (*Æshna A.*) Hist. Nat. Crust. Ins. xiii. p. 6 (1805); *Cord. Annulatus*, Steph. l. c. p. 86 (1836); Selys, Mon. Lib. Eur. p. 96 (1840); Rev. Odon. p. 105 (1850); Bull. Acad. Belg. xxi. (2) p. 105 (1854); Mon. Gomph. p. 333 (1857); Ann. Soc. Ent. Belg. xxxi. p. 31 (1887). Europe, N. Africa, Asia Minor.
- || *Libellula Grandis*, Scop. Ent. Carn. p. 259 (1763).
- || *Lib. Forcipata*, Harr. Exp. Engl. Ins. t. 23. f. 3 (1782).
- Lib. Boltonii*, Don. Brit. Ins. xii. t. 430 (1807).
- Æshna Lunulata*, Charp. Hor. Ent. p. 29 (1825); Lib. Eur. p. 118, t. 26 (1840); *Cord. Lunulatus*, Ramb. l. c. p. 178 (1842).
- C. Annulatus*, races *Immaculifrons* et *Intermedius*, Selys, Mon. Gomph. pp. 335, 336 (1857).
3. **C. Pictus**, Selys, Bull. Acad. Belg. xxi. (2) p. 106 (1854), (2) xxxv. p. 771 (1873); Mon. Gomph. p. 340 (1857); Ann. Soc. Ent. Belg. xxxi. p. 32 (1887). Transcaucasia.
4. **C. Charpentieri**, Kol. (*Æshna C.*) Mel. Ent. v. p. 114 (1846); *Cord. C.*, Selys, Rev. Odon. p. 298 (1850); Ann. Soc. Ent. Belg. xxxi. p. 33 (1887). id.
5. **C. Insignis**, Selys, Bull. Acad. Belg. xxi. (2) p. 106 (1854); Mon. Gomph. p. 343 (1857); Ann. Soc. Ent. Belg. xxxi. p. 34 (1887). Asia Minor.

6. C. Pekinensis , Selys, C. R. Soc. Ent. Belg. xxx. p. clxxxii (1886).	Pekin.
7. C. Bidentatus , Selys, Bull. Acad. Belg. xxi. (2) p. 106 (1854), (2) xxxvi. p. 509 (1873); Mon. Gomph. p. 339 (1857); Ann. Soc. Ent. Belg. xxxi. p. 34 (1887).	Europe.
8. C. Luniferus , Selys, Bull. Acad. Belg. (2) xlv. p. 691 (1878).	Moupin.
9. C. Diadema , Selys, C. R. Soc. Ent. Belg. xi. p. lxviii (1868); Bull. Acad. Belg. (2) xxviii. p. 203 (1869).	Mexico.
10. C. Godmani , McLachl. Ent. M. Mag. xv. p. 35 (1870); Selys, Bull. Acad. Belg. (2) xlv. p. 687 (1878).	Costa Rica.
11. C. Erroneus , Selys, Bull. Acad. Belg. (2) xlv. p. 688 (1878).	United States.
12. C. Maculatus , Selys, Bull. Acad. Belg. xxi. (2) p. 105 (1854), (2) xlv. p. 689 (1878); Mon. Gomph. p. 337 (1857).
<i>Æschna Obliqua</i> , var. A, Say, Journ. Acad. Philad. viii. p. 16 (1839).	N. America.
13. C. Dorsalis , Selys, Mon. Gomph. p. 347 (1857); Bull. Acad. Belg. (2) vii. p. 549 (1859), (2) xxxv. p. 772 (1873).	Sitka.

Genus 8. **Pseudogomphus**.

Kirk. Proc. Zool. Soc. Lond. 1889, p. 299.

*1. P. Insignis , Kirk. l. c. (1889).	Cameroons.

Genus 9. **Tæniogaster**.

Selys, Bull. Acad. Belg. xxi. (2) p. 107 (1854).

1. T. Obliqua , Say, (<i>Æschna O.</i>) Journ. Acad. Philad. viii. p. 15 (1839); <i>Cordulegaster Obliquus</i> , Selys, l. c. (2) xlv. p. 692 (1878).	N. America.
*2. T. Fasciata , Ramb. (<i>Cordulegaster Fasciatus</i>) Ins. Névr. p. 178 (1842); Selys, Bull. Acad. Belg. (2) xlv. p. 692 (1878).
<i>Tæn. Obliquus</i> , Selys, l. c. xxi. (2) p. 108 (1854); <i>Cord. O.</i> , Selys, Mon. Gomph. p. 349 (1857); Hag. Neur. N. Amer. p. 116 (1861).	Georgia.

Genus 10. **Petalia.**

Selys, Bull. Acad. Belg. xxi. (2) p. 108 (1854); Mon. Gomph. p. 352 (1857).

- 1*. **P. Punctata**, Selys, Bull. Acad. Belg. xxi. | Chili.
(2) p. 109 (1854), (2) xxviii. p. 204 (1869);
Mon. Gomph. p. 353 (1857).

Genus 11. **Phyllopetalia.**

Selys, Mon. Gomph. p. 356 (1857); Bull. Acad. Belg. (2) vii. p. 549 (1859).

- *1. **P. Stictica**, Selys, Mon. Gomph. p. 357 | Chili.
(1857); Bull. Acad. Belg. (2) vii. p. 550
(1859), (2) xvi. p. 694 (1878).
2. **P. Apicalis**, Selys, Mon. Gomph. p. 359 | id.
(1857); Bull. Acad. Belg. (2) vii. p. 550
(1859).
3. **P. Apollo**, Selys, Bull. Acad. Belg. (2) | id.
xvi. p. 695 (1878); Bol. Viaje al Pacif.
Neur. p. 4 (1884).
4. **P. Decorata**, Selys, l. c. p. 695 (1878). | id.

Genus 12. **Hypopetalia.**

McLachl. Trans. Ent. Soc. Lond. 1870, p. 170; Selys, Bull. Acad. Belg. (2) xxxv. p. 773 (1873).

- *1. **H. Pestilens**, McLachl. l. c. p. 171 (1870); | Chili.
Selys, l. c. p. 773 (1873).

Genus 13. **Petalura.**

Leach, Zool. Misc. ii. p. 96 (1815); Selys, Bull. Acad. Belg. xxi. (2) p. 110 (1854); Mon. Gomph. p. 365 (1857).

- *1. **P. Gigantea**, Leach, l. c. p. 96, t. 95 | Australia.
(1815); Selys, ll. cc. p. 110 (1854), p. 366
(1857).

Genus 14. **Uropetala.**

Selys, Mon. Gomph. p. 368 (1857); Bull. Acad. Belg. (2) vii. p. 551 (1859).

- *1. **U. Carovei**, White, (*Petalura C.*) Voy. | N. Zealand.
Erebus & Terror, Ins. p. 25, t. 6. ff. 1, 1 a
(1815); Selys, Bull. Acad. Belg. xxi. (2)

p. 111 (1854); *Urop. C., Selys*, Mon. Gomp. p. 370 (1857); Bull. Acad. Belg. (2) xxviii. p. 205 (1869).

Genus 15. **Tachopteryx.**

Selys, Bull. Acad. Belg. (2) vii. p. 551 (1859).

- *1. **T. Thoreyi**, **Selys**, (*Uropetala T.*) Mon. United Gomp. p. 373 (1857); *Tach. T., Selys*, States. Bull. Acad. Belg. (2) vii. p. 551 (1859), (2) xvi. p. 696 (1878); *Petalura T., Hag.* Neur. N. Amer. p. 117 (1861).
 2. **T. Hageni**, **Selys**, C. R. Soc. Ent. Belg. Nevada. xxii. p. lxviii (1879).
 3. **T. Pryeri**, **Selys**, l. c. xxxiii. p. clviii (1889). Japan.

Genus 16. **Phenes.**

Ramb. Ins. Névr. p. 175 (1842); Selys, Bull. Acad. Belg. xxi. (2) p. 111 (1854); Mon. Gomp. p. 375 (1857).

- *1. **P. Raptor**, **Ramb.** l. c. p. 176 (1842); Gay, Chili. Faun. Chil. vi. p. 115, t. 1. f. 6 (1854); Selys, ll. cc. p. 112 (1854), p. 377 (1857).

SUBFAM. II.

ÆSCHNINÆ.

Genus 1. **Anax.**

Leach, Edinb. Encycl. ix. p. 137 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 81 (1836); Selys, Mon. Lib. Eur. p. 115 (1840); Rev. Odon. p. 109 (1850); Bull. Acad. Belg. (3) v. p. 723 (1883); Ramb. Ins. Névr. p. 182 (1842); Brauer, Reise d. Novara, Neur. p. 59 (1866).

|| *Cyrtosoma*, Burm. Handb. Ent. ii. p. 839 (1839); Charp. Lib. Eur. p. 13 (1840).

- 1. **A. Junius**, **Drury**, (*Libellula Junia*) Ill. N. America, Ex. Ent. i. t. 47. f. 5 (1773); *Æschna J.*, Cuba, Burm. Handb. Ent. ii. p. 841. n. 18 Kamitch'ka, (1839); Ramb. l. c. p. 196 (1842); *Æshna* China, *Junius*, Say, Journ. Acad. Philad. viii. Oahu. p. 9 (1839); *Anax Junia*, Selys, Rev. Odon. p. 328 (1850); *A. Junius*, Hag.

- Neur. N. Amer. p. 118 (1861); Verh. zool.-bot. Ges. Wien, xvii. p. 33 (1867); Brauer, Reise d. Novara, *Neur.* p. 62 (1866).
A. Spiniferus, *Ramb.* l. c. p. 186, t. 1. f. 14 (1842).
2. **A. Strenuus**, *Hag.* Verh. zool.-bot. Ges. Oahu.
 Wien, xvii. p. 34 (1867).
3. **A. Longipes**, *Hag.* Neur. N. Amer. p. 118 United
 (1861); Verh. zool.-bot. Ges. Wien, xvii. States.
 p. 35 (1867); Ent. M. Mag. xx. p. 169
 (1884); Brauer, l. c. p. 60 (1866);
 McLachl. Ent. M. M. x. pp. 227, 228
 (1874), xx. p. 129 (1883).
4. **A. Walsinghami**, *McLachl.* l. c. xx. p. 127 California,
 (1882). Guatemala.
5. **A. Amazili**, *Burm.* (*Æschna A.*) l. c. p. 841. S. and
 n. 19 (1839); *Anax A.*, *Hag.* Neur. N. Central
 Amer. p. 119 (1861); Verh. zool.-bot. America.
 Ges. Wien, xvii. p. 38 (1867); Brauer,
 l. c. p. 61 (1866).
A. Maculatus, *Ramb.* l. c. p. 188 (1842).
6. **A. Concolor**, *Brauer*, Verh. zool.-bot. Ges. Brazil.
 Wien, xv. p. 508 (1865); Reise d. Novara,
Neur. pp. 60, 66, t. 1. f. 15 (1866).
7. **A. Guttatus**, *Burm.* (*Æschna Guttata*) l. c. E. Indies.
 p. 840. n. 14 (1839); *Anax G.*, *Brauer*,
 Reise d. Novara, *Neur.* p. 62 (1866); *A.*
Guttatus, *Hag.* Verh. zool.-bot. Ges. Wien,
 xvii. p. 39 (1867).
 ♂. *A. Magnus*, *Ramb.* l. c. p. 188 (1842);
 Brauer, l. c. p. 62 (1866).
8. **A. Gibbosulus**, *Ramb.* l. c. p. 187 (1842); Moluccas.
 Brauer, l. c. p. 62 (1866).
A. Fumosus, *Hag.* l. c. p. 42 (1867).
9. **A. Panybeus**, *Hag.* l. c. (1867). Celebes.
10. **A. Georgius**, *Selys*, Rev. Zool. xxiii. Natal.
 p. 179 (1872).
11. **A. Goliath**, *Selys*, l. c. p. 178 (1872). Madagascar.
12. **A. Tristis**, *Hag.* l. c. p. 35 (1867). Guinea.
13. **A. Dorsalis**, *Burm.* (*Æschna D.*) l. c. S. Africa.
 p. 840. n. 17 (1839); *Anax D.*, *Brauer*,
 l. c. p. 61 (1866); *Hag.* l. c. p. 37 (1867).
14. **A. Immaculifrons**, *Ramb.* l. c. p. 189 India.
 (1842); Brauer, l. c. p. 60 (1866).
- *15. **A. Imperator**, *Leach*, l. c. p. 137 1815). Europe.
 — *Æshna Formosa*, *Lind.* Opusc. Scient. iv.
 p. 158, t. 4. f. 1 (1823); Mon. Lib. Eur.

p. 20 (1825); Fouse. Ann. Soc. Ent. France, vii. p. 79, t. 5. f. 1 (1838); *Anax F.*, Steph. l. c. p. 81 (1836); Selys, Mon. Lib. Eur. p. 117 (1840); *Æshna (Anax) F.*, Selys, Bull. Acad. Belg. vi. (2) p. 387 (1839); *Anax Formosus*, Ramb. l. c. p. 182, t. 1. f. 12 (1842); Selys, Rev. Odon. p. 110 (1850); Brauer, l. c. p. 60 (1866); Hag. l. c. p. 48 (1867).

Æschna Azurea, Charp. Hor. Ent. p. 31 (1825); Lib. Eur. p. 99, t. 17 & t. 45. f. 1 (1840).

16. **A. Lunatus**, Kol. (*Æschna Lunata*) Bull. Mosc. xxix. (2) p. 499 (1856). Kirghis Steppes.
17. **A. Mauricianus**, Ramb. l. c. p. 184 (1842); Brauer, l. c. p. 60 (1866). Mauritius, Madagascar.
18. **A. Tumorifer**, McLachl. l. c. xxi. p. 250 (1885). Madagascar.
19. **A. Speratus**, Hag. l. c. p. 46 (1867). Cape.
- 20. **A. Rutherfordi**, McLachl. l. c. xx. p. 128 (1883). Sierra Leone.
- 21. **A. Parthenope**, Selys, (*Æschna (Anax) P.*) Bull. Acad. Belg. vi. (2) p. 389 (1839); *Anax P.*, Selys, Mon. Lib. Eur. p. 119 (1840); Rev. Odon. p. 111 (1850); Brauer, l. c. p. 61 (1866); Hag. l. c. p. 47 (1867). Europe.
A. Parisinus, Ramb. l. c. p. 185, t. 1. f. 10 (1842).
22. **A. Julius**, Brauer, Verh. zool.-bot. Ges. Wien, xvii. p. 508 (1865); Reise d. Novara, *Neur.* pp. 61, 63 (1866); Selys, C. R. Soc. Ent. Belg. xxvii. p. 116 (1883). Shanghai.
23. **A. Bacchus**, Hag. l. c. p. 48 (1867). Himalaya.
24. **A. Striatus**, Kirb. Proc. Zool. Soc. Lond. 1889, p. 299. Chili.

Genus 2. **Hemianax.**

Selys, Bull. Acad. Belg. (3) v. p. 723 (1883).

|| *Cyrtosoma*, Selys, Trans. Ent. Soc. Lond. 1871, p. 412.

- *1. **H. Ephippiger**, Burm. (*Æschna Ephippigera*) Handb. Ent. ii. p. 840. n. 15 (1839); *Anax E.*, Brauer, Reise d. Novara, *Neur.* p. 63 (1866); *A. Ephippiger*, Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 21 (1867). S. Europe, Asia, Africa.

- Æshna* (*Anax*) *Mediterranea*, *Selys*, Bull. Acad. Belg. vi. (2) p. 391 (1839); *Anax M.*, *Selys*, Mon. Lib. Eur. p. 120 (1840); *A. Mediterraneus*, *Selys*, Rev. Odon. p. 329 (1850); *Brauer*, l. c. p. 63 (1866).
Anax Senegalensis, *Ramb.* Ins. Névr. p. 190 (1842).
 2. **H. Papuensis**, *Burm.* (*Æschna P.*) l. c. Australia.
 p. 841. n. 20 (1839); *Anax P.*, *Brauer*, l. c. p. 63 (1866); *Hag.* l. c. p. 33 (1867).
Anax Congener, *Ramb.* l. c. p. 191 (1842).

Genus 3. **Oligoæschna.**

Selys, Ann. Mus. Genov. xxvii. p. 470 (1889).

- *1. **O. Modiglianii**, *Selys*, l. c. p. 471, fig. (1889). | Nias.

Genus 4. **Anaciæschna.**

Selys, Mitth. Mus. Dresd. iii. p. 317 (1878); Bull. Acad. Belg. (3) v. p. 729 (1883).

- *1. **A. Jaspidea**, *Burm.* (*Æschna J.*) Handb. Java,
 Ent. ii. p. 840. n. 16 (1839); *Anax J.*, Borneo,
Brauer, Reise d. Novara, *Neur.* p. 63 Sumatra,
 (1866); *A. Jaspideus*, *Hag.* Verh. zool.-Tahiti.
 bot. Ges. Wien, xvii. p. 32 (1867).
Æschna Tahitensis, *Brauer*, Verh. zool.-bot.
 Ges. Wien, xv. p. 907 (1865); Reise d.
 Novara, *Neur.* p. 73 (1866); *Hag.* l. c.
 p. 48 (1867).

Genus 5. **Æschna.**

- Ill. Mag. i. p. 126 (1802); *Selys*, Mon. Lib. Eur. p. 98 (1840);
 Rev. Odon. p. 112 (1850); Bull. Acad. Belg. (3) v. p. 728
 (1883); *Ramb.* Ins. Névr. p. 192 (1842).
 †*Æshna*, *p.*, *Fabr.* Syst. Ent. p. 424 (1775); *Leach*, Edinb.
 Encycl. ix. p. 137 (1815); *Steph.* Ill. Brit. Ent., Mand.
 vi. p. 82 (1836).
 1. **Æ. Ingens**, *Ramb.* l. c. p. 192 (1842). | Georgia,
Æ. Abboti, *Hag.* Stett. ent. Zeit. xxiv. Florida,
 pp. 373, 374 (1863); Proc. Bost. Soc. Cuba.
 N. II. xvi. p. 350 (1874).

2. **Æ. Virens**, **Ramb.** l. c. p. 193 (1842); Georgia to
Hag. Neur. N. Amer. p. 127 (1861);
Scudd. Proc. Bost. Soc. N. H. x. p. 190
(1866). Bolivia,
Cuba.
3. **Æ. Juncea**, **Linn.** (*Lib. J.*) Syst. Nat. i. Europe,
p. 544. n. 10 (1758); Faun. Succ. p. 174 Asia,
(1761); *Æshua J.*, *Steph.* Ill. Brit. Ent., America.
Mand. vi. p. 84 (1835); Evans, Brit. Lib.
p. 21, t. 11. f. 2 (1845); *Æschua J.*, *Selys*,
Mon. Lib. Eur. p. 106 (1840); Rev. Odon.
p. 116 (1850); Hag. l. c. p. 120 (1861).
Lib. Quadrifasciata, var. *e*, *Ocellata*, *Müll.*
Nova Acta Leop.-Carol. iii. p. 125 (1767);
Æschua Ocellata, *Hug.* Syn. Lib. Eur. p. 54
(1840).
Æschua Rustica, *Zett.* Ins. Lapp. p. 1040
(1840).
Æschua Picta, *Charp.* Lib. Eur. p. 112,
t. 20 (1840).
Æsch. Propinqua, *Scudd.* Proc. Bost. Soc.
N. H. x. p. 215 (1866).
Var. *a*. *Æ. Picta*, var. *Caucasica*, *Kol. Mel.* Transcau-
Ent. v. p. 114 (1846). casia.
Æ. Caucasica, *Selys*, Rev. Odon. p. 300
(1850).
4. **Æ. Hudsonica**, **Selys**, Ent. M. Mag. xi. Canada, &c.
p. 242 (1875).
5. **Æ. Squamata**, **Müll.** (*Lib. S.*) Faun. Fridr. N. Europe.
p. 62. n. 546 (1764).
Lib. Cærulea, *Ström*, Nye Saml. af K. Danske
Vid. Selsk. Skrift. ii. p. 90 (1783).
Æschua Borealis, *Zett.* l. c. p. 1040 (1840);
Selys, Rev. Odon. p. 119 (1850).
6. **Æ. Sitchensis**, **Hag.** Neur. N. Amer. p. 119 Sitka.
(1857).
7. **Æ. Septentrionalis**, **Burm.** Handb. Ent. Labrador.
ii. p. 839. n. 11 (1839); Hag. l. c. p. 120
(1861).
8. **Æ. Coluberculus**, **Harr.** (*Lib. C.*) Exp. Europe.
Engl. Ins. t. 27. f. 1 (1782).
Æschua Mixta, *Latr.* Hist. Nat. Crust. Ins.
xiii. p. 7 (1805); *Charp.* Hor. Ent. p. 35
(1825); Lib. Eur. p. 110, t. 19 (1840);
Selys, Mon. Lib. Eur. p. 102 (1840); Rev.
Odon. p. 122 (1850).
Æshua Affinis, *Steph.* l. c. p. 85 (1836);
Evans, l. c. p. 22, t. 12. f. 2 (1845).

Æshua Colubert (Type 1815) Exp.

Æschna Alpina, Selys, Rev. Zool. 1848, p. 16; Rev. Odon. p. 125 (1850).

9. **Æ. Affinis**, Lind. (*Æshna A.*) Opusc. Europe, Algeria.
 Scient. iv. p. 102, t. 4. f. 5 (1823); Mon. Lib. Eur. p. 24 (1825); Fonse. Ann. Soe. Ent. France, vii. p. 91, t. 4 (1838); *Æschna A.*, Charp. Lib. Eur. p. 108, t. 18 (1840); Selys, Mon. Lib. Eur. p. 104 (1840); Rev. Odon. p. 124 (1850).
- Æshna Lundoltii*, Buch. Syst. Ent., Odonata, p. 14, t. 27 (1878).
10. **Æ. Brevistyla**, Ramb. l. c. p. 205 (1842). Australia.
11. **Æ. Bonariensis**, Ramb. l. c. p. 204 B. Aires, &c.
 (1842); Bol. Viaje al Pacif. Neur. p. 5 (1884).
12. **Æ. Perrensi**, McLachl. Ent. M. Mag. xxiv. Corrientes.
 p. 76 (1887).
13. **Æ. Variegata**, Fabr. (*Æshna V.*) Syst. Tierra del
 Ent. p. 425. n. 4 (1775). Fuego.
14. **Æ. Diffinis**, Ramb. l. c. p. 203 (1842); Chili,
 Blanch., Gay, Faun. Chil. vi. p. 116, t. 2. Peru.
 f. 6 (1851); Mab. Miss. Sci. Cap Horn, vi.,
 Neur. p. 3, t. 1. ff. 1, 1a (1888).
15. **Æ. Confusa**, Ramb. l. c. p. 205 (1842). B. Aires.
16. **Æ. Macromia**, Brauer, Verh. zool.-bot. Brazil.
 Ges. Wien, xv. p. 906 (1865); Reise d. Novara, Neur. p. 68 (1866); Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 49 (1867).
17. **Æ. Castor**, Brauer, ll. cc. p. 906 (1865), Rio.
 p. 72, t. 1. f. 17 (1866); Hag. l. c. p. 50 (1867).
18. **Æ. Marchalii**, Ramb. l. c. p. 203 (1842). Colombia.
19. **Æ. Cornigera**, Brauer, ll. cc. p. 906 S. America.
 (1865), p. 70 (1866); Hag. l. c. p. 49 (1867).
20. **Æ. Brevifrons**, Hag. Neur. N. Amer. Mexico to
 p. 129 (1861). Chili.
21. **Æ. Multicolor**, Hag. l. c. p. 121 (1861). W.N. Amer.
22. **Æ. Luteipennis**, Burm. l. c. p. 837. n. 4 Brazil.
 (1839).
- Æschna Excisa*, Brauer, ll. cc. p. 906 (1865),
 p. 69 (1866); Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 50 (1867).
23. **Æ. Constricta**, Say, (*Æshna C.*) Journ. Irkutsk,
 Acad. Phil. viii. p. 11 (1839); *Æschna C.*, Kamtch'ka,
 Hag. Neur. N. Amer. p. 123 (1861); Seudd. N. America.
 l. c. x. p. 212 (1866).

- Æschna Palmata*, Hag. Stett. ent. Zeit. xvii. p. 369 (1856).
Æschna Arundinacea, Selys, Ann. Soc. Ent. Belg. xv. p. 36 (1872).
24. **Æ. Mutata**, Hag. Neur. N. Amer. p. 124 (1861). N. America.
25. **Æ. Serrata**, Hag. Stett. ent. Zeit. xvii. p. 370 (1856). Kirghis Steppes.
26. **Æ. Crenata**, Hag. l. c. p. 369 (1856), xix. p. 97 (1858); Selys, l. c. p. 35 (1872), xxxi. p. 60 (1887); Bergr. Ent. Nachr. vii. p. 86 (1881). Irkutsk, N. America.
- Æschna Eremita*, Scudd. l. c. x. p. 213 (1866); Hag. Proc. Bost. Soc. N. H. xv. p. 376 (1873); *Æ. Eremitica*, Hag. l. c. xviii. p. 34 (1875).
27. **Æ. Maxima**, Heikel, Not. Faun. Flor. Fenn. vi. p. 117 note (1861). Finland.
- 28. **Æ. Verticalis**, Hag. Neur. N. Amer. p. 122 (1861). N. America.
- Æsch. Propinqua*, p., Scudd. l. c. x. p. 214 (1866).
- 29. **Æ. Clepsydra**, Say, (*Æshna C.*) l. c. p. 12 (1839); *Æsch. C.*, Hag. l. c. p. 122 (1861). United States.
30. **Æ. Cyanea**, Müll. (*Lib. C.*) l. c. p. 61. n. 541 (1764); *Æsch. C.*, Selys, Rev. Odon. p. 115 (1850). Europe.
- Lib. Anguis*, Harr. l. c. t. 23. f. 4 (1782).
Lib. Grandis, Don. Brit. Ins. v. t. 166 (1796).
Æ. Maculatissima, Latr. l. c. p. 7 (1805); *Æsch. M.*, Charp. Hor. Ent. p. 34 (1825); Steph. l. c. p. 83 (1836); Fouse. l. c. p. 84 (1838); Selys, Mon. Lib. Eur. p. 108 (1840); Ramb. l. c. p. 199 (1841).
Æsch. Juncea, Charp. Lib. Eur. p. 103, t. 23 (1840).
Lib. Varia, Shaw, Gen. Zool. vi. p. 242, t. 80 (1806).
Lib. Aenea, Sultz. Kennz. d. Ins. t. 17. f. 101 (1761).
- 31. **Æ. Melanictera**, Selys, Ann. Soc. Ent. Belg. xxvii. p. 119 (1883). Japan.
32. **Æ. Milnei**, Selys, l. c. p. 120 (1883). id.
33. **Æ. Januaria**, Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 51 (1867). Brazil.

34. **Æ. Florida, Hag.** Neur. N. Amer. p. 125 (1861). Mexico.
35. **Æ. Pentacantha, Ramb.** l. c. p. 208 (1842); Hag. l. c. p. 129 (1861). Southern States.
36. **Æ. Grandis, Linn.** (*Lib. G.*) Syst. Nat. i. p. 544. n. 9 (1758); Faun. Suec. p. 373 (1761); Don. l. c. x. t. 337. f. 2 (1801); *Æshna G., Steph.* l. c. p. 83 (1836); *Æsch. G., Charp.* Hor. Ent. p. 32 (1825); Lib. Eur. p. 114, t. 24 (1845); Selys, Mon. Lib. Eur. p. 112 (1840); Rev. Odon. p. 131 (1850); Ramb. Ins. Névr. p. 197 (1842). Europe, Siberia.
Lib. Quadrifasciata, Müll. l. c. p. 61. n. 540 (1764).
Lib. Flaripennis, Retz. Gen. Spec. Ins. p. 57. n. 185 (1783).
Lib. Ræselii, Borowsky, Natur. vii. p. 150 t. 47. f. 1 (*teste Hagen; ante 1840*).
37. **Æ. Isocles, Müll.** (*Lib. Quadrifasciata, var. β, Isoc.*) Nova Acta Leop.-Carol. iii. p. 125. n. 9 (1767); *Æsch. I., Hag.* Syn. Lib. Eur. p. 58 (1840). Europe.
Æsch. Chrysophthalmus, Charp. Hor. Ent. p. 33 (1825); Lib. Eur. p. 116, t. 25 (1840).
Æ. Grandis, Lind. Opusc. Scient. iv. p. 160. n. 3, t. 4. f. 3 (1823).
Æ. Rufescens, Lind. Mon. Lib. Eur. p. 27 (1825); Steph. l. c. p. 82 (1836); Fonse. l. c. p. 96, t. 6. f. 2 (1838); *Æsch. R., Selys,* Mon. Lib. Eur. p. 113 (1840); Rev. Odon. p. 129 (1850); Ramb. l. c. p. 198 (1842).
38. **Æ. (?) Annulata, Fabr.** (*Æshna A.*) Ent. Syst., Suppl. p. 286 (1798). India.

Genus 6. **Epiæschna.**

Hag. Proc. Bost. Soc. N. H. xviii. p. 86 (1877); Selys, Bull. Acad. Belg. (3) v. p. 729 (1883).

1. **E. Heros, Fabr.** (*Æshna H.*) Ent. Syst., Suppl. p. 285 (1798); *Æschna H., Ramb.* Ins. Névr. p. 194 (1842); Hag. Neur. N. Amer. p. 128 (1861); Harr. Ent. Corr. p. 326 (1869). United States, Mexico.
Æshna Multicincta, Say, Journ. Acad. Sci. Philad. viii. p. 9 (1839).

Genus 7. **Brachytron.**

Evans, Brit. Lib. p. 22 (1845); Selys, Bull. Acad. Belg. (3) v. p. 730 (1883).

1. **B. Hafniense, Müll.** (*Libellula Hafniensis*) | Europe.
 Faun. Fridr. p. 61. n. 542 (1764).
 ♂. *Lib. Pratensis, Müll.* l. c. p. 62. n. 543
 (1764); *Æschna P., Selys*, Rev. Odon.
 p. 113 (1850).
Lib. Aspis, Harr. Exp. Engl. Ins. t. 27. f. 3
 (1782).
Æshna Vernalis, Lind. Opusc. Scient. iv.
 p. 159, t. 4. f. 2 (1823); Mon. Lib. p. 21
 (1825); Steph. Ill. Brit. Ent., Mand. vi.
 p. 85 (1836); Fonsc. Ann. Soc. Ent. France,
 vii. p. 81, t. 5. f. 2 (1838); *Æsch. V., Selys*,
 Mon. Lib. Eur. p. 100 (1840); Ramb.
 Ins. Névr. p. 207 (1842); *Brach. V.,*
Evans, l. c. p. 22, t. 13. f. 1 (1845).
Æsch. Pilosa, Charp. Hor. Ent. p. 37 (1825);
 Lib. Eur. p. 106, t. 21 (1845).

Genus 8. **Acanthæschna.**

Selys, Bull. Acad. Belg. (5) iii. p. 731 (1883).

- *1. **A. Victoria, Selys**, (MS.) l. c. p. 782 | Australia.
 (1883).
2. **A. Uniformis, Selys**, (MS.) l. c. (1883). | id.

Genus 9. **Austroæschna.**

Selys, Bull. Acad. Belg. (5) iii. p. 732 (1883).

- *1. **A. Parvistigma, Selys**, l. c. p. 733 (1883). | Australia.

Genus 10. **Jagoria.**

Karsch, Ent. Nachr. xv. p. 238 (1889).

- *1. **J. Pæcilopectera, Karsch**, l. c. p. 239 (1889). | Luzon &c.

Genus 11. **Gomphæschna.**

Selys, Trans. Ent. Soc. Lond. 1871, p. 413; Bull. Acad. Belg.
(5) iii. p. 733 (1883).

<p>— *1. G. Furcillata, Say, (<i>Æshna F.</i>) Journ. Acad. Sci. Philad. viii. p. 391 (1839); <i>Æschna F.</i>, <i>Hag.</i> Neur. N. Amer. p. 131 (1861); Proc. Bost. Soc. Nat. Hist. xvi. p. 352 (1874).
<i>Gynacantha Quadrifida, Ramb.</i> Ins. Névr. p. 209 (1842).</p> <p>— 2. G. Antilope, Hag. (<i>Æsch. A.</i>) Proc. Bost. Soc. N. H. xvi. p. 354 (1874).</p>	United States. Baltimore.

Genus 12. **Allopetalia.**

Selys, Bull. Acad. Belg. (2) xxxvi. p. 510 (1873),
(3) v. p. 734 (1883).

*1. A. Pustulosa, Selys, l. c. (2) xxxvi. p. 511 (1873). 2. A. Reticulosa, Selys, l. c. p. 514 (1873). 3. A. Armata, Hag. (<i>Æschna A.</i>) Neur. N. Amer. p. 124 (1861).	Bogota. S. America. Mexico.

Genus 13. **Basiaeschna.**

Selys, Bull. Acad. Belg. (3) v. p. 735 (1883).

<p>— *1. B. Janata, Say, (<i>Æshna J.</i>) Journ. Acad. Sci. Philad. viii. p. 13 (1839); <i>Æschna J.</i>, <i>Hag.</i> Neur. N. Amer. p. 125 (1861).
<i>Æsch. Minor, Ramb.</i> Ins. Névr. p. 207 (1842).</p>	United States.

Genus 14. **Fonscolombia.**

Selys, Bull. Acad. Belg. (3) v. p. 736 (1883).

*1. F. Irene, Fonsc. (<i>Æshna I.</i>) Ann. Soc. Ent. France, vii. p. 93, t. 4. f. 1 (1838); <i>Æschna I.</i>, <i>Selys</i>, Mon. Lib. Eur. p. 110 (1840); Rev. Odon. p. 132 (1850); <i>Ramb.</i> Ins. Névr. p. 206 (1842). — 2. F. Maclachlani, Selys, Ann. Soc. Ent. Belg. xxvii. p. 126 (1883).	S. Europe. Japan.

- 3. **F. Vinosa, Say**, (*Æshna V.*) Journ. Acad. Sci. Philad. viii. p. 13 (1839). | N. America.
Æshna 4-guttata, *Burm.* Handb. Ent. ii. p. 837. n. 2 (1839); *Æsch. Quadriguttata*, *Selys*, Rev. Odon. p. 398 (1850); *Hag.* Neur. N. Amer. p. 130 (1861).

Genus 15. **Amphiæschna.**

Selys, Trans. Ent. Soc. Lond. 1871, p. 413; Bull. Acad. Belg. (3) v. p. 737 (1883).

- *1. **A. Ampla, Ramb.** (*Æschna A.*) Ins. Névr. p. 195 (1842); *Hag.* Verh. zool.-bot. Ges. Wien, xvii. p. 56 (1867). | Amboina, Java.
 2. **A. (?) Idæ, Brauer**, (*Gynacantha I.*) Verh. zool.-bot. Ges. Wien, xv. p. 908 (1865); *Reise d. Novara, Neur.* p. 75, t. 2. f. 2 (1866); *Sitz. Akad. Wien*, lxxvii. (1) p. 203 (1878); *Hag.* l. c. p. 57 (1867). | Borneo.

Genus 16. **Caliæschna.**

Selys, Bull. Acad. Belg. (3) v. p. 738 (1883).

- *1. **C. Microstigma, Schneid.** (*Æschna M.*) Stett. ent. Zeit. vi. p. 113 (1845); *Selys*, Rev. Odon. pp. 300, 396 (1850). | Corfu, Asia Minor.

Genus 17. **Cephalæschna.**

Selys, Bull. Acad. Belg. (3) v. p. 739 (1883).

- *1. **C. Orbifrons, Selys**, l. c. (1883). | Bengal.

Genus 18. **Telephlebia.**

Selys, Bull. Acad. Belg. (3) v. p. 741 (1883); *Ann. Soc. Ent. Belg.* xxvii. p. 122 (1883).

- *1. **T. Godeffroyi, Selys**, ll. cc. (1883). | Australia.

Genus 19. **Æschnophlebia.**

Selys, Bull. Acad. Belg. (3) v. p. 742 (1883) ; Ann. Soc. Ent. Belg. xxvii. p. 122 (1883).

*1. Æ. Optata , Selys, Ann. Soc. Ent. Belg. xxvii. p. 122 (1883).	Japan.
2. Æ. Longistigma , Selys, l. c. p. 123 (1883).	id.
3. Æ. Anisoptera , Selys, l. c. (1883).	id.

Genus 20. **Tetracanthagyna.**

Selys, Bull. Acad. Belg. (3) v. p. 744 (1883).

1. T. Plagiata , Waterh. (<i>Gynacantha</i> P.) Proc. Ent. Soc. Lond. 1877, p. x ; Trans. Ent. Soc. Lond. 1878, p. 119, t. 4.	Borneo.

Genus 21. **Gynacantha.**

Ramb. Ins. Névr. p. 209 (1842) ; Selys, Sagra, Hist. Cuba, Ins. p. 459 (1857) ; Hag. Neur. N. Amer. p. 131 (1861).
Triacanthagyna, Selys, Bull. Acad. Belg. (3) v. p. 745 (1883).

*1. G. Trifida , Ramb. l. c. p. 210 (1842) ; Selys, Sagra, Hist. Cuba, Ins. p. 459 (1857) ; Hag. l. c. p. 131 (1861).	Cuba,
Jamaica,
Brazil.
2. G. Obscuripennis , Blanch. (<i>Æschna</i> O.) D'Orbigny, Voy. Amér. Mérid. vi. (2) p. 217, t. 28. f. 3 (1837-1843).	S. America.
3. G. Dirupta , Karsch, (<i>Tri. D.</i>) Ent. Nachr. xv. p. 236 (1889).	Kei.

Genus 22. **Acanthagyna.**

Gynacantha, Selys, Bull. Acad. Belg. (3) v. p. 745 (1883).

1. A. Gracilis , Burm. (<i>Æschna</i> G.) Handb. Ent. ii. p. 837. n. 6 (1839) ; <i>Gyn. G.</i> , Kolbe, Arch. f. Nat. liv. p. 169, t. 13. f. x. 3 (1888).	S. America.
2. A. Nervosa , Ramb. (<i>Gyn. N.</i>) Ins. Névr. p. 213 (1842) ; Kolbe, l. c. p. 168, t. 13. f. x. 1 (1888).	S. America,
Cuba,
Porto Rico.
3. A. Robusta , Kolbe, (<i>Gyn. R.</i>) l. c. p. 170, t. 13. f. x. 2 (1888).	Brazil.

4. A. Subinterrupta , Ramb. (<i>Gyn. S.</i>) l. c. p. 212 (1842).	Java,
Papua, &c.
5. A. Bispina , Ramb. (<i>Gyn. B.</i>) l. c. p. 211 (1842).	Mauritius.
6. A. Basiguttata , Selys, (<i>Gyn. B.</i>) An. Soc. Esp. xi. p. 20 (1842).	Philippines.
7. A. Bifida , Ramb. (<i>Gyn. B.</i>) l. c. p. 213 (1842).	S. America.
8. A. Furcata , Ramb. (<i>Gyn. F.</i>) l. c. p. 210 (1842).	Borneo.
9. A. Hyalina , Selys, (<i>Gyn. H.</i>) l. c. p. 19 (1882).	Philippines.
10. A. Mexicana , Selys, (<i>Gyn. M.</i>) C. R. Soc. Ent. Belg. xi. p. lxxix (1869).	Mexico.
11. A. Microstigma , Selys, (<i>Gyn. M.</i>) Mitth. Mus. Dresd. iii. p. 316 (1878).	Moluccas.
12. A. Viridis , Ramb. (<i>Æschna V.</i>) l. c. p. 200 (1842).	Tapajos.
13. A. Rosenbergii , Brauer, (<i>Gyn. R.</i>) Verh. zool.-bot. Ges. Wien, xvii. p. 295 (1867).	Papua,
Celeb., Jap.
14. A. Septima , Selys, (<i>Gyn. S.</i>) Sagra, Hist. Cuba, Ins. p. 460 (1857); Hag. Neur. N. Amer. p. 132 (1861).	W. Indies,
S. America.
15. A. Africana , Beauv. (<i>Æschna A.</i>) Ins. Afr. Amér. p. 67, t. 3. f. 1 (1805); <i>Æschna A.</i> , Ramb. l. c. p. 196 (1842).	W. Africa.

Genus 23. **Heliaschna.**

Selys, Congr. Sci. x. p. 167 (1882); Bull. Acad. Belg. (3) v. p. 746 (1883).

1. H. Fuliginosa , Selys, Bull. Acad. Belg. (3) v. p. 746 (1883).	Cameroons.

Genus 24. **Neuræschna.**

Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 54 (1867); Selys, Bull. Acad. Belg. (3) v. p. 748 (1883).

1. N. Costalis , Burm. (<i>Æschna C.</i>) Handb. Ent. ii. p. 837. n. 3 (1839); <i>Neur. C.</i> , Hag. l. c. p. 55 (1867).	S. America.
<i>Gynacantha Ferox</i> , Erichs. Schomb. Reisen Brit. Guiana, iii. p. 585 (1848).	

Genus 25. **Staurophlebia.**

Brauer, Verh. zool.-bot. Ges. Wien, xv. p. 907 (1865); Reise
d. Novara, *Neur.* p. 74 (1866).

1. S. Reticulata, Burm. (<i>Æschna R.</i>) Handb.
Ent. ii. p. 837. n. 5 (1839).
<i>Æschna Gigas, Ramb.</i> Ins. Névr. p. 193
(1842).
<i>Staur. Magnifica, Brauer</i> , Il. cc. p. 907
(1865), p. 74, t. 2. f. 1 (1866); Hag. Verh.
zool.-bot. Ges. Wien, xviii. p. 53 (1867).	S. America.

F A M. I I I.

A G R I O N I D Æ.

S U B F A M. I.

A G R I O N I N Æ.

Genus 1. **Agrion.**

- Fabr. Syst. Ent. p. 425 (1775); Latr. Hist. Nat. Crust. Ins. iii.
p. 287 (1802).
Calepteryx, Leach, Edinb. Encycl. ix. p. 137 (1815); Steph.
Ill. Brit. Ent., Mand. p. 78 (1836); Selys, Mon. Lib. Eur.
p. 126 (1840).
Callepteryx, Hag. Syn. Lib. Eur. p. 61 (1840).
Calopteryx, Burm. Handb. Ent. ii. p. 825 (1839); Charp. Lib.
Eur. p. 16 (1840); Selys, Rev. Odon. p. 133 (1850); Syn.
Cal. p. 9 (1853); Mon. Cal. p. 22 (1854).
Euphea, Selys, Mon. Lib. Eur. p. 200 (1840).
Sylphis, Selys, Syn. Cal. p. 8 (1853); Mon. Cal. p. 19 (1854).

1. A. Elegans, Selys , (<i>Sylph. E.</i>) Il. cc. p. 9
(1853), p. 20 (1854); <i>Calopt. E., Walk.</i>
List Neur. B.M. iv. p. 590 (1853); Hag.
Bull. Acad. Philad. (2) xlvii. p. 552
(1879).
<i>Sylph. Angustipennis, Selys</i> , Il. cc. p. 9
(1853), p. 20 (1854); <i>Calopt. A., Walk.</i>
l. c. p. 590 (1853); Hag. Neur. N. Amer. | Georgia,
Kentucky. |
|---|-----------------------|

- p. 56 (1861); Proc. Bost. Soc. N. H. xviii. p. 21 (1875); Bull. Acad. Philad. (2) xlvii. p. 552 (1879); Psyche, v. p. 242 (1889).
2. **A. Amata, Hag.** (*Calopt. A.*) Psyche, v. p. 244 (1889). New Hampshire.
- 3. **A. Apicalis, Burm.** (*Calopt. A.*) l. c. p. 827. n. 8 (1839); Selys, ll. cc. p. 10 (1853), p. 23 (1854); Walk. l. c. p. 591 (1853); Hag. Neur. N. Amer. p. 56 (1861); Proc. Bost. Soc. N. H. xviii. p. 21 (1875); Psyche, v. p. 246 (1889). United States.
- 4. **A. Dimidiata, Burm.** (*Calopt. D.*) l. c. p. 829. n. 16 (1839); Walk. l. c. p. 59 (1853); Selys, ll. cc. p. 10 (1853), p. 24 (1854); Hag. Neur. N. Amer. p. 57 (1861); Psyche, v. p. 245 (1889). id.
- Calopt. Cognata, Ramb.* Ins. Névr. p. 222 (1842).
- Calopt. Syriaca, var., Ramb.* l. c. p. 224 (1842).
5. **A. Æquabilis, Say,** (*Cal. Æ.*) Journ. Acad. Philad. viii. p. 33 (1839); *Calopt. Æ., Hag.* P. Bost. Soc. N. H. xv. p. 274 (1873), xviii. p. 21 (1875); Psyche, v. p. 246 (1889). N. America.
- Calopt. Virginica, ♂, Selys,* ll. cc. p. 11 (1853), p. 29 (1854); Walk. l. c. p. 592 (1853).
6. **A. Hudsonica, Hag.** (*Calopt. H.*) Proc. Bost. Soc. N. H. xviii. p. 22 (1875); Psyche, v. p. 247 (1889). Hudson's Bay.
- Calopt. Virginica, ♀, p., Selys,* ll. cc. p. 11 (1853), p. 29 (1854).
7. **A. Yakima, Hag.** (*Calopt. Y.*) Psyche, v. p. 248 (1889). Washington Territory.
8. **A. Syriaca, Ramb.** (*Calopt. S.*) l. c. p. 223 (1842); Walk. l. c. p. 593 (1853); Selys, ll. cc. p. 11 (1853), p. 32 (1854); Bull. Acad. Belg. (2) xlvii. p. 554 (1879). Syria, Egypt.
9. **A. Exul, Selys,** (*Calopt. E.*) Syn. Cal. p. 12 (1853); Mon. Cal. p. 34 (1854); Walk. l. c. p. 594 (1853). Algeria.
10. **A. Splendens, Harr.** (*Libellula S.*) Exp. Engl. Ins. t. 30. ff. 1, 3 (1782); *Calopt. S., Selys,* Rev. Odon. p. 138 (1850); Syn. Cal. p. 12 (1853); Mon. Cal. p. 36 (1854); Bull. Acad. Belg. (2) xlvii. p. 555 (1879); Ann. Soc. Ent. Belg. xxxi. p. 38 (1887). Europe, N. Africa, N. & W. Asia.

Lib. Virgo, p., Linn., Syst. Nat. i. p. 545. n. 17 (1758); Faun. Suec. p. 374 (1761); *Calept. V.*, varr. α & γ , Steph. Ill. Brit. Ent., Mand. vi. p. 79 (1836); Evans, Brit. Lib. p. 18, t. 7. ff. 1, 2 (1845).

Calopt. Ludoviciana, Selys, Mon. Lib. Eur. p. 131 (1840); *Callept. L.*, Hag. Syn. Lib. Eur. p. 64 (1840); *Calopt. L.*, Ramb. l. c. p. 220 (1842).

Agrion Parthenias, Charp. Lib. Eur. p. 137, t. 33 (1840).

Var. *a. Calopt. Ancilla*, Selys, Syn. Cal. p. 13 (1853). Prussia.

Var. *b. Agrion Xanthostoma*, Charp. Hor. Ent. p. 5 (1825); Lib. Eur. p. 139 (1840). S. Europe.

Var. *c. Calopt. Taurica*, Selys, Syn. Cal. p. 13 (1853). Crimea.

Var. *d. Calopt. Splendens*, race *Mingrelica*, Selys, Ann. Soc. Ent. Belg. xii. p. 106 (1868); Bull. Acad. Belg. (2) xxxv. p. 471 (1875). Mingrelia.

*11. **A. Virgo**, Linn. (*Lib. V.*) ll. cc. p. 545. Europe.

n. 17 (1758), p. 374 (1761); *Calept. V.*, varr. β , γ , ϵ (p.), Steph. l. c. p. 79 (1836); *Agr. V.*, Charp. Hor. Ent. p. 4 (1825); Mon. Lib. p. 134, t. 31 (1840); *Callept. V.*, Hag. l. c. p. 61 (1840); *Calopt. V.*, Ramb. l. c. p. 218 (1842); Selys, Rev. Odon. p. 134 (1850); Syn. Cal. p. 13 (1853); Mon. Cal. p. 40 (1854).

Agrion Vesta, Charp. Lib. Eur. p. 136, t. 32 (1804); *Callept. V.*, Hag. l. c. p. 63 (1840).

Lib. Splendens, Harr. l. c. f. 2 (1782).

Lib. Splendeo, Harr. l. c. ff. 4, 5 (1782).

Calept. Hæmorrhoidalis, Evans, l. c. p. 19, t. 8. ff. 2, 3 (1845).

Calept. Ludoviciana, Steph. l. c. p. 79 (1836); Evans, l. c. p. 19, t. 7. f. 3, t. 8. f. 1 (1845).

Calept. Xanthostoma, Steph. l. c. p. 80 (1836).

Calept. Anceps, Steph. l. c. (1836); Evans, l. c. p. 19, t. 9. f. 1 (1845).

Agrion Colchicus, Eichw. Reise Casp. Meere, i. (2) p. 272 (1837).

Var. *a. Agrion Festiva*, *Brullé*, Expéd. Morée, Greece.
II. (i.) p. 103, t. 32. ff. 5, 6 (1832).

12. **A. Hæmorrhoidalis**, *Lind.* Mon. Lib. Eur. S. Europe,
p. 34 (1825); Fouse. Ann. Soc. Ent. Algeria.
France, vii. p. 552, t. 7. f. 1 (1838); *Calopt.*
H., *Selys*, Mon. Lib. Eur. p. 133 (1840);
Calopt. H., *Ramb.* l. c. p. 221 (1842); *Selys*,
Rev. Odon. p. 141 (1850); Syn. Cal. p. 14
(1853); Mon. Cal. p. 44 (1853); Walk.
l. c. p. 599 (1853).

13. **A. Maculata**, *Beauv.* Ins. Afr. Amér. N. America,
p. 85, *Neur.* t. 7. f. 3 (1805); *Calopt. M.*,
Selys, Syn. Cal. p. 10 (1853); Mon. Cal.
p. 27 (1854); Walk. l. c. p. 592 (1853);
Hag. Neur. N. Amer. p. 56 (1861); Proc.
Bost. Soc. N. H. xv. p. 273 (1873); *Psyche*,
v. p. 249 (1889).
Lib. Virgo (*Ganyma*), *Dru.* Ill. Ex. Ent. i.
t. 48. f. 2 (1773).
Agrion Virginica, *Westw.*, *Drury*, i. p. 118
(1837); *Calopt. V.*, ♀, *Selys*, ll. cc. p. 11
(1853), p. 29 (1854); Walk. l. c. p. 599
(1853).
Calopt. Holosericea, *Burm.* l. c. p. 828. n. 13
(1839).
Calopt. Papilionaria, *Ramb.* l. c. p. 222
(1842).
Calopt. Dimidiata, *Ramb.* l. c. p. 223 (1842).
Calopt. Materna et Opaca, *Say*, l. c. p. 32
(1839).

14. **A. Cornelia**, *Selys*, (*Calopt. C.*) ll. cc. p. 15 Japan.
(1853), p. 47 (1854); Bull. Acad. Belg. (2)
xxvii. p. 648 (1869); Walk. l. c. p. 600
(1853).

15. **A. Atrata**, *Selys*, (*Calopt. A.*) Syn. Cal. China,
p. 16 (1853); Mon. Cal. p. 48 (1854); Japan.
Walk. l. c. p. 601 (1853).
Calopt. Smaragdina, *Selys*, ll. cc. p. 16 (1853),
p. 51 (1854); Walk. l. c. p. 600 (1853).

16. **A. Grandæva**, *Selys*, (*Calopt. G.*) ll. cc. China.
p. 16 (1853), p. 30 (1854); Walk. l. c.
p. 600 (1853).

17. **A. Japonica**, *Selys*, (*Calopt. J.*) Bull. Acad. Japan.
Belg. (2) xxvii. p. 647 (1869).

Genus 2. **Matrona.**

Selys, Syn. Cal. p. 17 (1853); Mon. Cal. p. 32 (1854); Walk.
List Neur. Ins. B.M. iv. p. 601 (1853).

<p>*1. M. Basilaris, Selys, ll. cc. p. 17 (1853),
p. 33 (1854); <i>Calopteryx B.</i>, <i>Walk.</i> l. c.
p. 601 (1853).</p> <p>2. M. Nigripectus, Selys, Bull. Acad. Belg.
(2) xlvii. p. 355 (1879).</p> | <p>Sylhet.</p> <p>Khasia
Hills.</p> |
|--|---|

Genus 3. **Umma.**

|| *Cleis, Selys*, Syn. Cal. p. 22 (1853); Mon. Cal. p. 55 (1854);
Walk. List Neur. Ins. B.M. iv. p. 608 (1853).

<p>*1. U. Cincta, Selys, (<i>Cleis C.</i>) ll. cc. p. 23
(1853), p. 56 (1854); Bull. Acad. Belg.
(2) xxxv. p. 472 (1873); <i>Calopteryx C.</i>,
<i>Walk.</i> l. c. p. 608 (1853).</p> <p>2. U. Monostigma, Selys, (<i>Cleis M.</i>) Bull.
Acad. Belg. (2) xlvii. p. 358 (1879).</p>	Guinea. Cameroons.

Genus 4. **Sapho.**

Selys, Syn. Cal. p. 21 (1853); Mon. Cal. p. 57 (1854); Walk.
List Neur. Ins. B.M. iv. p. 606 (1853).

<p>*1. S. Ciliata, Fabr. (<i>Agrion C.</i>) Spec. Ins. i.
p. 528. n. 3 (1781); <i>Sapho C.</i>, <i>Selys</i>, ll. cc.
p. 22 (1853), p. 58 (1854); <i>Calopteryx C.</i>,
<i>Walk.</i> l. c. p. 607 (1853).</p> <p>2. S. Orichalcea, McLachl. Ent. M. Mag. vi.
p. 27 (1869); Selys, Bull. Acad. Belg. (2)
xxvii. p. 650 (1869).</p> <p>3. S. Gloriosa, Selys, l. c. (2) xxxvi. p. 611
(1873), (2) xlvii. p. 358 (1879).</p> <p>4. S. Bicolor, Selys, Syn. Cal. p. 21 (1853);
Mon. Cal. p. 61 (1854); <i>Walk.</i> l. c. p. 606
(1853).</p> <p>5. S. Longistigma, Selys, Bull. Acad. Belg.
(2) xxvii. p. 650 (1869).</p> <p>6. S. Pulchella, Kirb. Proc. Zool. Soc. Lond.
1889, p. 300.</p> | <p>W. Africa.</p> <p>id.</p> <p>Gaboon,
Cameroons.</p> <p>Guinea.</p> <p>Old Calabar.</p> <p>Cameroons.</p> |
|--|---|

Genus 5. **Mnais.**

Selys, Syn. Cal. p. 20 (1853); Mon. Cal. p. 63 (1854); Walk.
List Neur. Ins. B.M. iv. p. 605 (1853).

<p>1. M. Strigata, Selys, ll. cc. p. 20 (1853),
p. 64 (1854); <i>Calopteryx S.</i>, Walk. l. c.
p. 605 (1853).</p>	Japan.
<p>*2. M. Pruinosa, Selys, ll. cc. p. 20 (1853),
p. 65 (1854); Bull. Acad. Belg. (2) xlvii.
p. 357 (1879); <i>Calopt. P.</i>, Walk. l. c. p. 606
(1853).</p>	id.
<p>3. M. Costalis, Selys, Bull. Acad. Belg. (2)
xxvii. p. 651 (1869).</p>	id.
<p>4. M. Andersoni, McLachl. Bull. Acad. Belg.
(2) xxxv. p. 472 (1873).</p>	Yunan.

Genus 6. **Psolodesmus.**

McLachl. Trans. Ent. Soc. Lond. 1870, p. 165; Selys, Bull.
Acad. Belg. (2) xxxv. p. 473 (1873).

<p>*1. P. Mandarinus, McLachl. l. c. p. 165
(1870); Selys, l. c. p. 474 (1873); Hag.
C. R. Soc. Ent. Belg. xxiii. p. lxii (1880).</p>	Amoy.

Genus 7. **Echo.**

Selys, Syn. Cal. p. 19 (1853); Mon. Cal. p. 67 (1854); Walk.
List Neur. Ins. B.M. iv. p. 604 (1853).

<p>*1. E. Margarita, Selys, ll. cc. p. 19 (1853),
p. 67 (1854); Bull. Acad. Belg. (2) xlvii.
p. 356 (1879).
Var. <i>a. E. Morg.</i>, race (?) <i>Tripartita</i>, Selys,
Bull. Acad. Belg. (2) xlvii. p. 356 (1879).</p> | <p>India.

Khasia
Hills.</p> |
| <p>2. E. (?) Uniformis, Selys, l. c. p. 357 (1879).</p> | <p>Sumatra.</p> |

Genus 8. **Phaon.**

Selys, Syn. Cal. p. 23 (1853); Mon. Cal. p. 69 (1854); Walk.
List Neur. Ins. B.M. iv. p. 609 (1853).

<p>*1. P. Iridipennis, Burm. (<i>Calopteryx I.</i>)
Handb. Ent. ii. p. 827. n. 9 (1839); Walk.
l. c. p. 609 (1853); <i>Euphœa I.</i>, Ramb. Ins.
Névr. p. 232 (1842); <i>Phaon I.</i>, Selys, ll. cc.
p. 24 (1853), p. 70 (1854).
Var. <i>a. Phaon I.</i>, race <i>Fuliginosus</i>, Selys,
Bull. Acad. Belg. (2) xlvii. p. 359 (1879).</p> | <p>Africa.

id.,
Madagascar.</p> |
|---|--|

- G.*, *Selys*, ll. cc. p. 26 (1853), p. 84 (1854).
5. **V. Amoena**, *Selys*, ll. cc. p. 25 (1853), p. 82 (1854); *Bull. Acad. Belg.* (2) xxxv. p. 475 (1873); *Calopt. A.*, *Walk.* l. c. p. 611 (1853). Sumatra.
6. **V. Smaragdina**, *Selys*, *Bull. Acad. Belg.* (2) xlvii. p. 362 (1879). Khasia Hills.
7. **V. Apicalis**, *Selys*, l. c. (2) xxxvi. p. 612 (1873), (2) xlvii. p. 362 (1879). E. Indies.

Genus 11. **Lais**.

Selys, *Syn. Cal.* p. 27 (1853); *Mon. Cal.* p. 87 (1854); *Walk. List Neur. Ins. B.M.* iv. p. 613 (1853).

1. **L. Imperatrix**, *McLachl.* *Trans. Ent. Soc.* Lond. 1878, p. 85; *Selys*, *Bull. Acad. Belg.* (2) xlvii. p. 363 (1879). Ecuador.
2. **L. Globifer**, *Selys*, *Syn. Cal.* p. 27 (1853); *Mon. Cal.* p. 88 (1854); *Heterina G.*, *Walk.* l. c. p. 613 (1853). S. America.
3. **L. Guttifera**, *Selys*, *Bull. Acad. Belg.* (2) xxxv. p. 475 (1873). Brazil.
4. **L. Smaragdina**, *Selys*, l. c. (2) xxvii. p. 654 (1869). Santarem.
5. **L. Ænea**, *Selys*, *Syn. Cal.* p. 28 (1853); *Mon. Cal.* p. 91 (1854); *Bull. Acad. Belg.* (2) xxvii. p. 654 (1869); *Het. Æ.*, *Walk.* l. c. p. 614. n. 2 (1853). Amazons.
6. **L. Devillii**, *Selys*, *C. R. Soc. Ent. Belg.* xxiii. p. 1 (1880); *McLachl.* l. c. 1881, p. 26. Ecuador.
7. **L. Cuprea**, *Selys*, *Syn. Cal.* p. 28 (1853); *Mon. Cal.* p. 92 (1854); *Bull. Acad. Belg.* (2) xxvii. p. 655 (1869); *C. R. Soc. Ent. Belg.* xxiii. p. 1 (1880); *Het. C.*, *Walk.* l. c. p. 614. n. 3 (1853). Brazil.
8. **L. Hauxwelli**, *Selys*, *Bull. Acad. Belg.* (2) xxvii. p. 654 (1869), (2) xxxv. p. 476 (1873), (2) xlvii. p. 365 (1879); *C. R. Soc. Ent. Belg.* xxiii. p. xlix (1880). Pebas.
9. **L. Fulgida**, *Selys*, *Bull. Acad. Belg.* (2) xlvii. p. 365 (1879); *C. R. Soc. Ent. Belg.* xxiii. p. xlix (1880). Rio Napo.
10. **L. Metallica**, *Selys*, *Bull. Acad. Belg.* (2) S. America.

- xxvii. p. 654 (1869); McLachl. l. c. 1881,
p. 27.
- *11. **L. Hyalina, Selys**, Syn. Cal. p. 28 (1853); Brazil.
Mon. Cal. p. 92 (1854); Bull. Acad. Belg.
(2) xxxv. p. 477 (1873); *Het. H., Walk.*
l. c. p. 614. n. 4 (1853).
12. **L. Pruinosa, Selys**, Syn. Cal. p. 28 (1853); id.
Mon. Cal. p. 93 (1854); *Het. P., Walk.*
l. c. p. 615. n. 5 (1853).
13. **L. Marginata, Selys**, Bull. Acad. Belg. (2) Peru.
xlvi. p. 366 (1879).
14. **L. Pudica, Selys**, Syn. Cal. p. 29 (1853); Ypanema.
Mon. Cal. p. 95 (1854); *Het. P., Walk.*
l. c. p. 615. n. 6 (1853).

Genus 12. **Hetærina.**

Selys, Syn. Cal. p. 30 (1853); Mon. Cal. p. 96 (1854); Walk.
List Neur. Ins. B.M. iv. p. 616 (1853).

1. **H. Duplex, Selys**, Bull. Acad. Belg. (2) Bogota.
xxvii. p. 656 (1869); Hag. Stett. ent. Zeit.
xxx. p. 256 (1869).
2. **H. Simplex, Selys**, Syn. Cal. p. 30 (1853); S. America.
Mon. Cal. p. 98 (1854); Walk. l. c. p. 616.
n. 7 (1853).
H. Perplexa, Selys, Bull. Acad. Belg. (2)
xxvii. p. 655 (1869).
3. **H. Sanguinea, Selys**, Syn. Cal. p. 31 id.
(1853); Mon. Cal. p. 100 (1854); Bull.
Acad. Belg. (2) xxxv. p. 478 (1873), (2)
xlvi. p. 366 (1879); Walk. l. c. p. 617. n. 8
(1853).
4. **H. Rosea, Selys**, Syn. Cal. p. 31 (1853); Brazil.
Mon. Cal. p. 102 (1854); Walk. l. c. p. 617.
n. 9 (1853).
- *5. **H. Caja, Dru.** (*Libellula C.*) Ill. Ex. Ent. Venezuela.
ii. t. 45. f. 2 (1773); *Calopteryx C., Ramb.*
Ins. Névr. p. 226 (1842); *Het. C., Selys*,
ll. cc. p. 32 (1853), p. 104 (1854); McLachl.
l. c. 1881, p. 27; Walk. l. c. p. 618. n. 10
(1853).
6. **H. Dominula, Selys**, ll. cc. p. 33 (1853), Guiana.
p. 107 (1854); Walk. l. c. p. 619. n. 11
(1853).
7. **H. Donna, Selys**, Bull. Acad. Belg. (2) Entre Rios.
xxxv. p. 478 (1873).

8. **H. Auripennis, Burm.** (*Calopteryx A.*) Brazil.
Handb. Ent. ii. p. 827. n. 10 (1839); *Het. A., Selys*, Syn. Cal. p. 39 (1853); Mon. Cal. p. 109 (1854); Walk. l. c. p. 619. n. 12 (1853).
9. **H. Hebe, Selys**, ll. cc. p. 34 (1853), p. 112 id.
(1854); Walk. l. c. p. 620. n. 13 (1853).
10. **H. Sanguinolenta, Selys**, ll. cc. p. 35 id.
(1853), p. 115 (1854); Walk. l. c. p. 621. n. 14 (1853).
11. **H. Mortua, Selys**, ll. cc. p. 35 (1853), Guiana.
p. 117 (1854); Walk. l. c. p. 621. n. 15 (1853).
12. **H. Septentrionalis, Selys**, ll. cc. p. 36 Georgia.
(1853), p. 119 (1854); Walk. l. c. p. 622. n. 16 (1853); Hag. Neur. N. Amer. p. 59 (1861).
13. **H. Læsa, Selys**, ll. cc. p. 36 (1853), p. 119 Surinam.
(1854); Walk. l. c. p. 622. n. 17 (1853).
14. **H. Carnifex, Selys**, ll. cc. p. 37 (1853), Brazil.
p. 123 (1854); Bull. Acad. Belg. (2) xxxv. p. 479 (1873); Walk. l. c. p. 624. n. 19 (1853).
Var. *a. H. Fulgens, Selys*, Syn. Cal. p. 38 Minas
(1853); Walk. l. c. p. 624. n. 10 (p.) Geraes.
(1853).
15. **H. Longipes, Selys**, l. c. p. 37 (1853); Brazil.
Mon. Cal. p. 121 (1854); Walk. l. c. p. 623 (1853).
16. **H. Proxima, Selys**, ll. cc. p. 38 (1853), id.
p. 125 (1854); Walk. l. c. p. 624. n. 20 (1853).
17. **H. Luteola, Ramb.** (*Calopteryx L.*) l. c. Mexico,
p. 223 (1842). W. Indies.
♂. *Cal. Cruentata, Ramb.* l. c. p. 228 (1854);
Het. C., Selys, ll. cc. p. 39 (1853), p. 127
(1854); Sagra, Hist. Cuba, Ins. p. 461
(1857); Walk. l. c. p. 625. n. 21 (1853);
Hag. l. c. p. 59 (1861).
Var. *a. H. Brasiliensis, Selys*, Syn. Cal. p. 40 Brazil.
(1853); Walk. l. c. p. 626 (1853).
18. **H. Vulnerata, Selys**, Syn. Cal. p. 40 Mexico to
(1853); Mon. Cal. p. 130 (1854); Walk. Brazil.
l. c. p. 626. n. 22 (1853); Hag. l. c. p. 60
(1861).
19. **H. Texana, Walsh**, Proc. Ent. Soc. Phil. Texas,
ii. p. 227 (1863). Mexico.

Het. Basalis, Selys, Bull. Acad. Belg. (2) vii. p. 441 (1859); Hag. l. c. p. 60 (1861).

20. **H. Scelerata, Walsh**, l. c. p. 267 (1863). Illinois.
H. Americana, Walsh, l. c. p. 210 (1863).
H. Basalis, p., Selys, Bull. Acad. Belg. (2) xxvii. p. 657 (1869).
- 21. **H. Californica, Selys**, l. c. (2) vii. p. 440 California,
 (1859), (2) xxxv. p. 480 (1873); Hag. l. c. Montana.
 p. 59 (1861).
- 22. **H. Americana, Fabr.** (*Agrion A.*) Ent. United
 Syst., Suppl. p. 287 (1798); *Calopt. A., States.*
Burm. Handb. Ent. ii. p. 826. n. 4 (1839);
Het. A., Selys, Syn. Cal. p. 41 (1853);
 Mon. Cal. p. 131 (1854); Bull. Acad. Belg.
 (2) xxvii. p. 657 (1869), (2) xxxv. p. 480
 (1873); Walk. l. c. p. 627. n. 23 (1853);
 Hag. l. c. p. 60 (1861).
- *Lestes Basalis, Say*, Journ. Acad. Philad.
 viii. p. 35 (1839); *Agrion B., Flint*, Harris'
 Ins. Injur. Veget. ed. 3, p. 12, t. 1. f. 2
 (1862).
Het. Pseudamericana, Walsh, l. c. p. 223
 (1863).
23. **H. Maxima, McLachl.** Ent. M. Mag. xv. Costa Rica.
 p. 244 (1879); Selys, Bull. Acad. Belg. (2)
 xlvii. p. 369 (1879).
24. **H. Moribunda, Selys**, Syn. Cal. p. 42 Guiana.
 (1853); Mon. Cal. p. 154 (1854); Walk.
 l. c. p. 628. n. 24 (1853).
- 25. **H. Tricolor, Burm.** (*Calopt. T.*) l. c. p. 827. United
 n. 7 (1839); *Het. T., Selys*, ll. cc. p. 42 States.
 (1853), p. 136 (1854); Walk. l. c. p. 629.
 n. 25 (1853); Hag. l. c. p. 61 (1861).
26. **H. Limbata, Selys**, ll. cc. p. 43 (1853), Illinois,
 p. 157 (1854); Bull. Acad. Belg. (2) xxvii. Georgia,
 p. 657 (1869). Texas.
- *H. Rupamniensis, Walsh*, l. c. p. 230 (1863).
27. **H. Rupinsulensis, Walsh**, Proc. Acad. Rock Island.
 Nat. Sci. Philad. 1862, p. 383.
28. **H. Titia, Dru.** (*Lib. T.*) l. c. ii. t. 45. f. 5 Texas,
 (1773); *Calopt. T., Ramb.* l. c. p. 227 Mexico,
 (1842); *Het. T., Selys*, Syn. Cal. p. 43 Honduras.
 (1853); Mon. Cal. p. 158 (1854); Bull.
 Acad. Belg. (2) xxxvi. p. 613 (1873);
 Walk. l. c. p. 630 (1853); Hag. l. c. p. 61
 (1861).

29. **H. Bipartita, Selys**, Bull. Acad. Belg. (2) xxxv. p. 481 (1873). Chontales.
30. **H. Macropus, Selys**, Syn. Cal. p. 44 (1853); Mon. Cal. p. 141 (1854); Bull. Acad. Belg. (2) xxxv. p. 481 (1873); Walk. l. c. p. 631. n. 27 (1853); Hag. l. c. p. 62 (1861). Honduras, Mexico.
31. **H. Sublimbata, Selys**, (*H. Occisa*, var. *S.*) Bull. Acad. Belg. (2) xxxvi. p. 613 (1873). Panama.
32. **H. Occisa, Selys**, Syn. Cal. p. 44 (1853); Mon. Cal. p. 143 (1854); Walk. l. c. p. 631. n. 28 (1853). Colombia, Venezuela.
33. **H. Albistigma, Selys**, ll. cc. p. 45 (1853), p. 146 (1854); Walk. l. c. p. 632 (1853). Puerto Cabello.
34. **H. Heterosticta, Selys**, (*H. Macropus*, var. *H.*) Bull. Acad. Belg. (2) xxxv. p. 481 (1873). Mexico to Venezuela.
35. **H. Asticta, Selys**, (*H. Macr.*, var. *A.*) l. c. (1873). Mexico.
36. **H. Fuscoguttata, Selys**, C. R. Soc. Ent. Belg. xxi. p. xxi (1878); Bull. Acad. Belg. (2) xlvii. p. 367 (1879). Panama.
37. **H. Sempronia, Selys**, Syn. Cal. p. 45 (1853); Mon. Cal. p. 147 (1854); Bull. Acad. Belg. (2) xxxv. p. 482 (1873); Walk. l. c. p. 632. n. 29 (1853); Walk. l. c. p. 62 (1861). Texas(?), Mexico, Bogota.
38. **H. Brightwelli, Kirb.** (*Agrion B.*) Trans. Linn. Soc. Lond. xiv. p. 107, t. 3. f. 5 (1823); *Calopteryx B.*, *Burm.* l. c. p. 827. n. 6 (1842); *Het. B.*, *Selys*, Syn. Cal. p. 46 (1853); Mon. Cal. p. 148 (1854); Walk. l. c. p. 633. n. 30 (1853). Brazil.
39. **H. Majuscula, Selys**, ll. cc. p. 47 (1853), p. 151 (1854); Bull. Acad. Belg. (2) xlvii. p. 368 (1879); Walk. l. c. p. 634. n. 31 (1853); Hag. Stett. ent. Zeit. xxx. p. 257 (1869). Colombia, Guiana.
40. **H. Capitalis, Selys**, Bull. Acad. Belg. (2) xxxv. p. 482 (1873), (2) xxxvi. p. 614 (1873). — ?
41. **H. Miniata, Selys**, l. c. (2) xlvii. p. 370 (1879). Chiriqui.
42. **H. Borchgravii, Selys**, l. c. (2) xxvii. p. 658 (1869). Brazil.

Genus 13. **Caliphæa.**

Selys, Bull. Acad. Belg. (2) vii. p. 439 (1859).

- *1. **C. Confusa**, Selys, l. c. p. 440 (1859). | Nepal.

Genus 14. **Bayadera.**

Selys, Syn. Cal. p. 49 (1853); Mon. Cal. p. 162 (1854); Walk.
List Neur. Ins. B.M. iv. p. 636 (1853).

- *1. **B. Indica**, Selys, (*Epallage I.*) ll. cc. p. 49 | India.
(1853), p. 163 (1854); *Euphæa I.*, Walk.
l. c. p. 636 (1853).
2. **B. Hyalina**, Selys, Bull. Acad. Belg. (2) | Khasia
xlvii. p. 373 (1879). | Hills.

Genus 15. **Epallage.**

Charp. Lib. Eur. p. 16 (1840); Selys, Rev. Odon. p. 143 (1850);
Syn. Cal. p. 49 (1853); Mon. Cal. p. 162 (1854); Walk.
List Neur. Ins. B.M. iv. p. 636 (1853).

- *1. **E. Fatima**, Charp. (*Agrion F.*) l. c. p. 132, | Greece,
t. 45. f. 2 (1840); *Euphæa F.*, Selys, Rev. | Asia Minor.
Odon. p. 143 (1850); Walk. l. c. p. 637
(1853); *Ep. F.*, Schneid. Stett. ent. Zeit.
vi. p. 115 (1845); Selys, Syn. Cal. p. 50
(1853); Mon. Cal. p. 165 (1854); Bull.
Acad. Belg. (2) xxvii. p. 659 (1869), (2)
xlvii. p. 371 (1879).
2. **E. Alma**, Selys, Bull. Acad. Belg. (2) xlvii. | Astrabad.
p. 372 (1879).

Genus 16. **Anisopleura.**

Selys, Syn. Cal. p. 48 (1853); Mon. Cal. p. 158 (1854); Walk.
List Neur. Ins. B.M. iv. p. 635 (1853).

- *1. **A. Lestoides**, Selys, ll. cc. p. 48 (1853), | India.
p. 159 (1854); *Euphæa L.*, Walk. l. c.
p. 635 (1853).
2. **A. Comes**, Hag. C. R. Soc. Ent. Belg. xxiii. | Himalaya.
p. lxiii (1880).

Genus 17. **Pseudophæa.**

|| *Euphæa*, Ramb. Ins. Névr. p. 228 (1842); Selys, Syn. Cal. p. 50 (1853); Mon. Cal. p. 167 (1854); Walk. List Neur. Ins. B.M. iv. p. 637 (1853).

1. **P. Dispar**, Ramb. (*Euph. D.*) l. c. p. 230 Nilghiris.
(1842); Selys, ll. cc. p. 51 (1853), p. 169
(1854); Bull. Acad. Belg. (2) xxxvi. p. 614
(1873); Walk. l. c. p. 640. n. 10 (1853).
2. **P. Impar**, Selys, (*Euph. I.*) Bull. Acad. Malacca.
Belg. (2) vii. p. 441 (1859).
3. **P. Inæquipar**, Selys, (*Euph. I.*) l. c. p. 442 Borneo.
(1859).
4. **P. Tricolor**, Selys, (*Euph. T.*) l. c. p. 442 id.
(1859).
5. **P. Subcostalis**, Selys, (*Euph. S.*) l. c. (2) Labuan.
xxxv. p. 483 (1873).
6. **P. Decorata**, Selys, (*Euph. D.*) Syn. Cal. China.
p. 51 (1853); Mon. Cal. p. 172 (1854);
Walk. l. c. p. 640. n. 9 (1853).
7. **P. Formosa**, Selys, (*Euph. F.*) Bull. Acad. Formosa.
Belg. (2) xxvii. p. 660 (1869); C. R. Soc.
Ent. Belg. xxiii. p. lxiv (1880).
8. **P. Compar**, McLachl. (*Euph. C.*) Trans. Amoy.
Ent. Soc. Lond. 1870, p. 167; Selys, Bull.
Acad. Belg. (2) xxxv. p. 484 (1873).
9. **P. Ochracea**, Selys, (*Euph. O.*) l. c. (2) vii. Malacca.
p. 443 (1859).
10. **P. Brunnea**, Selys, (*Euph. B.*) l. c. (2) Khasia
xlvi. p. 374 (1879). Hills.
11. **P. Aspasia**, Selys, (*Euph. A.*) Syn. Cal. Sumatra.
p. 52 (1853); Mon. Cal. p. 173 (1854);
Bull. Acad. Belg. (2) xlvi. p. 374 (1879);
Ann. Mus. Genov. xxvii. p. 474 (1889);
Walk. l. c. p. 639. n. 8 (1853).
12. **P. Bocki**, McLachl. (*Euph. B.*) Ent. M. id.
Mag. xvi. p. 204 (1889); Selys, Ann. Mus.
Genov. xxvii. p. 476 (1889).
- *13. **P. Variegata**, Ramb. (*Euph. V.*) l. c. p. 229 Java,
(1842); Selys, Syn. Cal. p. 52 (1853); Amboina.
Mon. Cal. p. 175 (1854); Ann. Mus.
Genov. xxvii. p. 475 (1889); Walk. l. c.
p. 639. n. 7 (1853).
Euph. Aspasia, ♀, Selys, Syn. Cal. p. 52
(1853); Mon. Cal. p. 174 (1854); Walk.
l. c. p. 639. n. 8 (1853).

14. P. Splendens, Selys , (<i>Euph. S.</i>) ll. cc. p. 52 (1853), p. 178 (1854); Bull. Acad. Belg. (2) xxxv. p. 485 (1873); Walk. l. c. p. 638. n. 6 (1853).	Ceylon.
15. P. Guerini, Ramb. (<i>Euph. G.</i>) l. c. p. 229 (1842); Selys, Syn. Cal. p. 53 (1853); Mon. Cal. p. 179 (1854); Walk. l. c. p. 638. n. 4 (1853).	Cochin
China.
16. P. Refulgens, Selys , (<i>Euph. R.</i>) ll. cc. p. 53 (1853), p. 181 (1854); Bull. Acad. Belg. (2) xlvii. p. 375 (1879); Walk. l. c. p. 638. n. 5 (1853).	Manilla.
17. P. Semperi, Selys , (<i>Euph. S.</i>) Bull. Acad. Belg. (2) xlvii. p. 376 (1879).	id.
18. P. Masoni, Selys , (<i>Euph. M.</i>) l. c. p. 377 (1879).	Tenasserim.
19. P. Opaca, Selys , (<i>Euph. O.</i>) Syn. Cal. p. 53 (1853); Mon. Cal. p. 183 (1854).	China.

Genus 18. **Dysphæa.**

Selys, Syn. Cal. p. 53 (1853); Mon. Cal. p. 185 (1854); Walk. List Neur. Ins. iv. p. 641 (1853).

*1. D. Dimidiata, Selys , ll. cc. p. 54 (1853), p. 185 (1854); Bull. Acad. Belg. (2) xlvii. p. 378 (1879); Veth's Midden-Sumatra, <i>Neur.</i> p. 6, t. 2. ff. 1, 2 (1881); <i>Euphæa D.</i> , Walk. l. c. p. 641. n. 11 (1853).	Sumatra,
Java.
2. D. Lugens, Selys , Bull. Acad. Belg. (2) xxxv. p. 485 (1873).	S. Borneo.
3. D. Semilimbata, Selys , l. c. p. 486 (1873).	Labuan.
4. D. Limbata, Selys , l. c. (2) vii. p. 443 (1854), (2) xxvii. p. 660 (1869), (2) xxxv. p. 487 (1873).	Malacca,
Borneo.

Genus 19. **Heliocharis.**

Selys, Syn. Cal. p. 55 (1853); Mon. Cal. p. 187 (1854); Walk. List Neur. Ins. B.M. iv. p. 642 (1853).

*1. H. Amazona, Selys , ll. cc. p. 55 (1853), p. 188 (1854); Bull. Acad. Belg. (2) xxvii. p. 661 (1869); <i>Dictérias A.</i> , Walk. l. c. p. 642. n. 1 (1853).	Ega.
2. H. Libera, Selys , Bull. Acad. Belg. (2) xlvii. p. 661 (1869).	Santarem.
3. H. Brasiliensis, Selys , l. c. (2) vii. p. 444 (1859).	Bahia.

Genus 20. **Dictérias.**

Selys, Syn. Cal. p. 55 (1853); Mon. Cal. p. 189 (1854); Walk.
List Neur. Ins. B.M. iv. p. 642 (1853).

- *1. **D. Atrosanguinea**, Selys, ll. cc. p. 56 | Para.
(1853), p. 191 (1854); Bull. Acad. Belg.
(2) xxvii. p. 662 (1869); Walk. l. c. p. 642.
n. 2 (1853).
2. **D. Procera**, Selys, Bull. Acad. Belg. (2) | Santarem.
vii. p. 444 (1859).

Genus 21. **Notholestes.**

McLachl. Ent. M. Mag. xxiv. p. 31 (1887).

1. **N. Elwesii**, McLachl. l. c. p. 32 (1887). | Darjiling.

Genus 22. **Philoganga.**

|| *Anisoneura*, Selys, Bull. Acad. Belg. (2) vii. p. 444 (1859).

- *1. **P. Montana**, Selys, (*Anis. M.*) l. c. p. 445 | Himalaya.
(1859), (2) xlvii. p. 379 (1879).

Genus 23. **Amphipteryx.**

Selys, Syn. Cal. p. 66 (1853); Mon. Cal. p. 241 (1854).
Amphipteryx, Walk. List Neur. Ins. B.M. iv. p. 653 (1853).

- *1. **A. Agrioides**, Selys, ll. cc. p. 66 (1853), | Colombia.
p. 241 (1854); *Amp. Agrionides*, Walk. l. c.
p. 654. n. 1 (1853).

Genus 24. **Devadatta.**

|| *Tetraneura*, Selys, Bull. Acad. Belg. (2) vii. p. 449 (1859).

- *1. **D. Argyroides**, Selys, (*Tetr. A.*) l. c. p. 449 | Singapore.
(1859).

Genus 25. **Diphlebia.**

Selys, Bull. Acad. Belg. (2) xxvii. p. 662 (1869).
|| *Dineura*, Selys, l. c. (2) vii. p. 450 (1859).

- *1. **D. Lestoides**, Selys, (*Amphipteryx L.*) Syn. | Tropical
Cal. p. 67 (1853); Mon. Cal. p. 243 (1854); | America.
Amphipteryx L., Walk. List Neur. Ins. B.M.
iv. p. 654. n. 2 (1853).

Genus 26. **Libellago.**

Selys, Syn. Cal. p. 57 (1853); Mon. Cal. p. 225 (1854); Walk.
List Neur. Ins. B.M. iv. p. 643 (1853).

*1. L. Dispar, Beauv. (<i>Agrion D.</i>) Ins. Afr. Amér. p. 85, <i>Neur.</i> t. 7. f. 2 (1805); <i>Lib. D., Selys</i>, Syn. Cal. p. 58 (1853); Mon. Cal. p. 226 (1854); Bull. Acad. Belg. (2) xlvii. p. 383 (1879); Walk. l. c. p. 644. n. 4 (1853). 2. L. Cancellata, Selys, Bull. Acad. Belg. (2) xlvii. p. 383 (1879). 3. L. Rubida, Selys, Syn. Cal. p. 58 (1853); Mon. Cal. p. 228 (1854); Bull. Acad. Belg. (2) xlvii. p. 381 (1879); Walk. l. c. p. 644. n. 3 (1853). 4. L. Cyanifrons, Selys, Bull. Acad. Belg. (2) xxxv. p. 493 (1873), (2) xlvii. p. 381 (1879). 5. L. Glaucia, Selys, l. c. (2) xlvii. p. 380 (1879). — 6. L. Curta, Selys, Syn. Cal. p. 58 (1853); Mon. Cal. p. 229 (1854); Bull. Acad. Belg. (2) xlvii. p. 382 (1879); Walk. l. c. p. 644. n. 2 (1853). 7. L. Caligata, Selys, Syn. Cal. p. 57 (1853); Mon. Cal. p. 231 (1854); Walk. l. c. p. 643. n. 1 (1853). 8. L. Ambigua, Gerst. Arch. f. Naturg. xxxv. p. 222 (1869); Decken's Reisen in Ost-Afrika, iii. (2) p. 51 (1873). 9. L. Asiatica, Selys, Bull. Acad. Belg. (2) xlvii. p. 384 (1879).	W. Africa. Old Calabar. Guinea. Gaboon. Old Calabar. Guinea. Natal. Zanzibar. Philippines.

Genus 27. **Rhinocypha.**

Ramb. Ins. Névr. p. 232 (1854); Selys, Syn. Cal. p. 59 (1853);
Mon. Cal. p. 198 (1854); Walk. List Neur. Ins. B.M. iv.
p. 645 (1853).

1. R. Fulgipennis, Guér. (<i>Agrion F.</i>) Mag. Zool. i., Ins. t. 15 (1831); <i>Rhin. F., Ramb.</i> l. c. p. 233 (1842); <i>R. Fulgidipennis, Selys</i>, ll. cc. p. 59 (1853), p. 200 (1854); <i>Libellago Fulgipennis, Walk.</i> l. c. p. 651. n. 17 (1853). 2. R. Quadrimaculata, Selys, ll. cc. p. 60	Cochin China. India.

- (1853), p. 202 (1854); *Lib. Q., Walk.* l. c. p. 651. n. 16 (1853).
3. **R. Spuria, Selys**, Bull. Acad. Belg. (2) xlvii. p. 388 (1879). Khasia Hills.
4. **R. Fenestrella, Ramb.** l. c. p. 236 (1842); Selys, Syn. Cal. p. 60 (1853); Mon. Cal. p. 204 (1854); Bull. Acad. Belg. (2) xlvii. p. 387 (1879); *Lib. F., Walk.* l. c. p. 650. n. 15 (1853). Pulo Penang.
5. **R. Cuneata, Selys**, Syn. Cal. p. 60 (1853); Mon. Cal. p. 206 (1854); *Lib. C., Walk.* l. c. p. 650. n. 14 (1853). Thibet.
6. **R. Unimaculata, Selys**, Bull. Acad. Belg. (2) xlvii. p. 385 (1879). Khasia Hills.
7. **R. Bifasciata, Selys**, l. c. p. 386 (1879). Darjiling.
8. **R. Trifasciata, Selys**, Syn. Cal. p. 61 (1853); Mon. Cal. p. 207 (1854); *Lib. T., Walk.* l. c. p. 650. n. 13 (1853). India.
9. **R. Unimaculata, Selys**, ll. cc. p. 61 (1853), p. 209 (1854); *Lib. U., Walk.* l. c. p. 649. n. 12 (1853). id.
10. **R. Trimaculata, Selys**, ll. cc. p. 62 (1853), p. 211 (1854); *Lib. T., Walk.* l. c. p. 648. n. 11 (1853). Thibet.
11. **R. Ignipennis, Selys**, Bull. Acad. Belg. (2) xlvii. p. 389 (1879). Khasia Hills.
12. **R. Angusta, Selys**, Syn. Cal. p. 62 (1853); Mon. Cal. p. 212 (1854); Bull. Acad. Belg. (2) xlvii. p. 390 (1879); Veth's Midden-Sumatra, *Neur.* p. 7, t. 2. ff. 3, 4 (1881); *Lib. A., Walk.* l. c. p. 648. n. 10 (1853). Sumatra.
13. **R. Fenestrata, Burm. (Calopteryx F.)** Handb. Ent. ii. p. 826. n. 2 (1839); *Rhin. F., Selys*, Syn. Cal. p. 62 (1853); Mon. Cal. p. 216 (1854); *Lib. F., Walk.* l. c. p. 647. n. 8 (1853). Java.
Rhin. Vitrella, Ramb. l. c. p. 234 (1842).
Rhin. Infumata, Ramb. l. c. p. 237 (1842).
14. **R. Bisignata, Selys**, ll. cc. p. 62 (1853), p. 214 (1854); *Lib. B., Walk.* l. c. p. 648. n. 9 (1853). Nilghiris.
15. **R. Biseriata, Selys**, Bull. Acad. Belg. (2) vii. p. 446 (1859). Borneo.
16. **R. Biforata, Selys**, l. c. (1859). Malacca.
Var. *a. Rhin. B.*, var. *Delimbata, Selys*, l. c. (2) xlvii. p. 392 (1879). E. Burmah.

<p>17. R. Perforata, Perch. (<i>Agrion Perforatus</i>)
 Gen. Ins., <i>Neur.</i> t. 2 (1835); <i>Rhin. Perforata</i>, <i>Ramb.</i> l. c. p. 235 (1842); <i>Selys</i>, <i>Syn. Cal.</i> p. 63 (1853); <i>Mon. Cal.</i> p. 219 (1854); <i>Bull. Acad. Belg.</i> (2) xxxv. p. 487 (1873); <i>Lib. P., Walk.</i> l. c. p. 647. n. 7 (1853).
 Var. <i>a. Rhin. P.</i>, var. <i>Limbata</i>, <i>Selys</i>, <i>Bull. Acad. Belg.</i> (2) xlvii. p. 392 (1879).</p> <p>18. R. Terminata, Selys, l. c. (2) xxvii. p. 662 (1869).</p> <p>19. R. Eximia, Selys, l. c. (2) xxxv. p. 488 (1873).</p> <p>20. R. Humeralis, Selys, l. c. (1873).</p> <p>21. R. Colorata, Selys, l. c. (2) xxvii. p. 664 (1869), (2) xxxv. p. 489 (1873), (2) xlvii. p. 395 (1879).</p> <p>*22. R. Tincta, Ramb. l. c. p. 237 (1842); <i>Selys</i>, <i>Syn. Cal.</i> p. 64 (1853); <i>Mon. Cal.</i> p. 223 (1854); <i>Bull. Acad. Belg.</i> (2) xxvii. p. 663 (1869), (2) xxxv. p. 490 (1873), (2) xlvii. p. 395 (1879); <i>Lib. Tincta, Walk.</i> l. c. p. 646. n. 5 (1853).</p> <p>23. R. Frontalis, Selys, <i>Bull. Acad. Belg.</i> (2) xxxv. p. 490 (1873).</p> <p>24. R. Semitincta, Selys, l. c. (2) xxvii. p. 664 (1869), (2) xxxv. p. 491 (1873).</p> <p>25. R. Albistigma, Selys, <i>Bull. Acad. Belg.</i> (2) xxxvi. p. 615 (1873), (2) xlvii. p. 397 (1879).</p> <p>26. R. Monochroa, Selys, l. c. (2) xxxvi. p. 614 (1873).</p> <p>27. R. Cucullata, Selys, l. c. (2) xxxv. p. 492 (1873).</p> <p>28. R. Heterostigma, Ramb. l. c. p. 236 (1842); <i>Selys</i>, <i>Syn. Cal.</i> p. 63 (1853); <i>Mon. Cal.</i> p. 221 (1854); <i>Lib. H., Walk.</i> l. c. p. 646. n. 6 (1853).</p> <p>29. R. Anisoptera, Selys, <i>Bull. Acad. Belg.</i> (2) xlvii. p. 394 (1879).</p> <p>30. R. Petiolata, Selys, l. c. (2) vii. p. 447 (1859).</p> <p>31. R. Ustulata, Selys, <i>Mitth. Mus. Dresd.</i> iii. p. 296 (1878); <i>Bull. Acad. Belg.</i> (2) xlvii. p. 393 (1879).
 <i>R. Petiolata, Brauer</i>, <i>Verh. zool.-bot. Ges. Wien</i>, xvii. p. 291 (1867).</p> <p>32. R. Unicolor, Selys, <i>Bull. Acad. Belg.</i> (2) xxvii. p. 665 (1869).</p> | <p>Cochin
China.</p> <p>E. Burmah.</p> <p>Moluccas.</p> <p>Borneo.</p> <p>Labuan.</p> <p>Philippines,
Batchian.</p> <p>Manilla,
Waigion,
N. Guinea.</p> <p>Menado,
Luzon.</p> <p>Philippines,
N. Guinea.</p> <p>Malaysia.</p> <p>Celebes.</p> <p>Labuan.</p> <p>Java.</p> <p>Sumatra.</p> <p>Malacca.</p> <p>Amboina,
Ceram.</p> <p>Manilla.</p> |
|--|--|

Genus 28. **Micromerus.**

Ramb. Ins. Névr. p. 238 (1842); Selys, Syn. Cal. p. 64 (1853);
Mon. Cal. p. 233 (1854); Walk. List Neur. Ins. B.M. iv.
p. 652 (1853).

1. **M. Snellemani**, Selys, Bull. Acad. Belg. Sumatra.
(2) xlvii. p. 398 (1879); Veth's Midden-
Sumatra, Neur. p. 10, t. 3. f. 4 (1881).
2. **M. Sumatranus**, Selys, ll. cc. p. 397 (1879), id.
p. 9, t. 3. ff. 1, 2 (1881).
3. **M. Bisignatus**, McLachl. Trans. Ent. Soc. Celebes.
Lond. 1870, p. 168; Selys, Bull. Acad.
Belg. (2) xxxv. p. 495 (1873).
4. **M. Rufescens**, Selys, l. c. (2) xxxvi. p. 617 id.
(1873).
5. **M. Finalis**, Selys, l. c. (2) xxvii. p. 665 Ceylon.
(1869), (2) xxxvi. p. 616 (1873).
- *6. **M. Lineatus**, Burm. (*Calopteryx Lineata*) Java,
Handb. Ent. ii. p. 826. n. 1 (1839); *Micr.* India,
Lineatus, Ramb. l. c. p. 238 (1842); Selys, Ceylon.
Syn. Cal. p. 65 (1853); Mon. Cal. p. 237
(1854); Bull. Acad. Belg. (2) xxvii. p. 665
(1869); *Libellago* L., Walk. l. c. p. 653.
n. 19 (1853).
♀. *Micr. Uxor*, Ramb. l. c. p. 239 (1854).
7. **M. Obscurus**, Kirb. Proc. Zool. Soc. Lond. Hassan
1886, p. 328, t. 33. f. 1. Abdal.
8. **M. Aurantiacus**, Selys, Bull. Acad. Belg. Malacca.
(2) xvii. p. 448 (1859), (2) xlvii. p. 397
(1879).
9. **M. Xanthocyanus**, Selys, l. c. (2) xxvii. Celebes.
p. 666 (1869).
10. **M. Semiopacus**, Selys, l. c. (2) xxxvi. Sarawak.
p. 617 (1873).
11. **M. Blandus**, Selys, Syn. Cal. p. 64 (1853); Nicobar.
Mon. Cal. p. 254 (1854); *Libellago* B.,
Walk. l. c. p. 652. n. 18 (1853).
12. **M. Stigmatizans**, Selys, Bull. Acad. Belg. Malacca.
(2) vii. p. 448 (1859).
13. **M. Sticticus**, Selys, l. c. (2) xxvii. p. 665 Borneo.
(1869), (2) xxxvi. p. 616 (1873).
14. **M. Hyalinus**, Selys, l. c. (2) vii. p. 447 Malacca.
(1859).

9. **T. Saundersii, Selys**, Syn. Cal. p. 70 (1853); Mon. Cal. p. 257 (1854); Bull. Acad. Belg. (2) xxvii. p. 671 (1869), (2) xxxv. p. 500 (1873); Walk. l. c. p. 657. n. 6 (1853). Amazons.
10. **T. Derivata, McLachl.** l. c. p. 27 (1881). Ecuador.
11. **T. Albovittata, Selys**, Bull. Acad. Belg. (2) xxxvi. p. 618 (1873). Amazons.
T. Picta, Selys, l. c. (2) xxvii. p. 672 (1869).
12. **T. Vittata, Selys**, l. c. p. 673 (1869). Ega.
13. **T. Batesi, Selys**, l. c. (1869). St. Paulo.
14. **T. Aurora, Selys**, l. c. (2) xlvii. p. 401 (1879). Rio Napo.
15. **T. Mutata, McLachl.** l. c. p. 29 (1881). Ecuador.
16. **T. Concinna, McLachl.** l. c. p. 28 (1881). id.
17. **T. Inæqualis, Selys**, l. c. (2) xxvii. p. 674 (1869). Fonte Boa.
18. **T. Beata, McLachl.** Ent. M. Mag. vi. p. 28 (1869); Selys, l. c. p. 674 (1869). Pebas.

Genus 31. **Euthore.**

Selys, Bull. Acad. Belg. (2) xxvii. pp. 668, 675 (1869).

- *1. **E. Fasciata, Selys**, (*Thore F.*) Syn. Cal. p. 70 (1853); Mon. Cal. p. 259 (1854); Walk. Cat. Neur. Ins. B.M. iv. p. 657 (1853); *Euth. F., Selys*, Bull. Acad. Belg. (2) xxvii. p. 676 (1869). Venezuela.
2. **E. Plagiata, Selys**, l. c. (2) xxxv. p. 501 (1873), (2) xlvii. p. 402 (1879); Bol. Viaje al Pacif., *Neur.* p. 6 (1884). Rio Negro.
3. **E. Fastigiata, Selys**, (*Thore F.*) l. c. (2) vii. p. 450 (1859); *Euth. F., Selys*, l. c. (2) xxvii. p. 677 (1869). Bogota.
4. **E. Meridana, Selys**, l. c. (2) xlvii. p. 404 (1879). Venezuela.
5. **E. Hyalina, Selys**, (*Thore H.*) Syn. Cal. p. 71 (1853); Mon. Cal. p. 261 (1854); Walk. l. c. p. 658. n. 6 (1853); *Euth. H., Selys*, Bull. Acad. Belg. (2) xxvii. p. 677 (1869), (2) xxxv. p. 502 (1873). Bahia.
6. **E. Mirabilis, McLachl.** Trans. Ent. Soc. Lond. 1878, p. 87; Selys, l. c. (2) xlvii. p. 403 (1879); Waterh. Aid Ident. Ins. i. ii. 65, 66 (1882). Ecuador.

Genus 32. **Cora.**

Selys, Syn. Cal. p. 71 (1853); Mon. Cal. p. 262 (1854); Bull. Acad. Belg. (2) xxvii. pp. 668, 678 (1869); Walk. List Neur. Ins. B.M. iv. p. 658 (1853).

1. C. Dualis , McLachl. Trans. Ent. Soc. Lond. 1878, p. 90; Selys, Bull. Acad. Belg. (2) xlvii. p. 405 (1879).	Ecuador.
2. C. Munda , McLachl. l. c. p. 91 (1878); Selys, l. c. p. 406 (1879).	id.
3. C. Jocosa , McLachl. l. c. 1881, p. 30.	id.
4. C. Brasiliensis , Selys , l. c. (2) xxvii. p. 678 (1869).	Brazil.
5. C. Marina , Selys , l. c. (1869).	Orizaba.
6. C. Terminalis , McLachl. l. c. 1878, p. 92; Selys, l. c. (2) xlvii. p. 407 (1879).	Bolivia.
7. C. Alcyone , Selys , l. c. (2) xxxv. p. 503 (1873).	Bogota.
8. C. Inca , Selys , l. c. p. 505 (1873).	Quito.
*9. C. Cyane , Selys , Syn. Cal. p. 71 (1853); Mon. Cal. p. 263 (1854); Bull. Acad. Belg. (2) xxvii. p. 679 (1869); <i>Thore C.</i> , <i>Walk.</i> l. c. p. 658. n. 7 (1853).	Venezuela.
10. C. Incana , Selys , Bull. Acad. Belg. (2) xxvii. p. 679 (1869).	id.
11. C. Modesta , Selys , l. c. p. 680 (1869), (2) xxxv. p. 504 (1873).	Bogota.
12. C. Semiopaca , Selys , C. R. Soc. Ent. Belg. xxi. p. xxi (1878); Bull. Acad. Belg. (2) xxvii. p. 408 (1879).	Panama.

Genus 33. **Palæophlebia.**

Selys, C. R. Soc. Ent. Belg. xxxiii. p. clv (1889).

*1. P. Superstes , Selys , l. c. p. clvi, t. 2 (1889).	Japan.

SUBFAM. II.

CÆNAGRIONINÆ.

Div. I. **PSEUDOSTIGMATINA.**Genus 1. **Megaloprepus.**

Ramb. Ins. Névr. p. 290 (1842); Selys, Bull. Acad. Belg. (2) x. p. 12 (1860); Mém. Cour. xxxviii. p. 6 (1886).

- *1. **M. Cæruleatus, Dru.** (*Libellula Cærulata*) Honduras,
 Ill. Ex. Ent. iii. t. 50. f. 1 (1782); *Lestes* New
Cæruleata, Westw. Drury, iii. t. 50. f. 1 Granada.
 (1837); *Meg. Cærulatus, Ramb.* l. c. p. 290
 (1842); Selys, ll. cc. p. 13 (1860), p. 7
 (1886); Hag. Neur. N. Amer. p. 63 (1861);
 Bol. Viaje al Pacif., Neur. p. 7 (1884).
Lib. Cærulea, Don. Nat. Rep. iv. t. 110.
 (1834).
 Var. *a. M. Brevistigma, Selys,* Bull. Acad. New
 Belg. (2) x. p. 13 (1860); *M. Cær.*, race Granada.
B., Selys, Mém. Cour. xxxviii. p. 7 (1886).
 Var. *b. M. Latipennis, Selys,* Bull. Acad. Mexico,
 Belg. (2) x. p. 14 (1860). Guatemala.

Genus 2. **Microstigma.**

Ramb. Ins. Névr. p. 288 (1842); Selys, Bull. Acad. Belg. (2) x. p. 14 (1860); Mém. Cour. xxxviii. p. 8 (1886).

1. **M. Rotundatum, Selys,** ll. cc. p. 15 (1860), Peru,
 p. 10 (1886). Ecuador.
2. **M. Exustum, Selys,** Bull. Acad. Belg. (2) Pebas,
 x. p. 15 (1860). Colombia,
M. Rotundatum, race *Exustum, Selys,* Mém. Ecuador.
 Cour. xxxviii. p. 10 (1886).
3. **M. Lunatum, Selys,** Bull. Acad. Belg. (2) Amazons.
 x. p. 16 (1860).
M. Rotundatum, race *Lunatum, Selys,* Mém.
 Cour. xxxviii. p. 10 (1886).

- *4. **M. Anomalum, Ramb.** l. c. p. 289 (1842); Cayenne,
Selys, Bull. Acad. Belg. (2) x. p. 16 (1860); Amazons.
Mém. Cour. xxxviii. p. 11 (1886).
♀. *M. Proximum, Ramb.* l. c. (1842).
Var. *a. M. Anomalum, var. Minor, Selys,* Massari.
Mém. Cour. xxxviii. p. 11 (1886).
5. **M. Maculatum, Selys,** Bull. Acad. Belg. Guiana,
(2) x. p. 17 (1860); Mém. Cour. xxxviii. Amazons.
p. 12 (1886).

Genus 3. **Anomisma.**

McLachl. Ent. M. Mag. xiv. p. 87 (1877); Selys, Mém.
Cour. xxxviii. p. 12 (1886).

- *1. **A. Terminatum, McLachl.** (*Microstigma* Ecuador,
T.) l. c. p. 87 (1877). Peru.
♂. *A. Abnorme, McLachl.* l. c. (1877);
Trans. Ent. Soc. Lond. 1881, p. 31; Selys,
l. c. p. 13 (1886).

Genus 4. **Mecistogaster.**

Ramb. Ins. Névr. p. 281 (1842); Selys, Bull. Acad. Belg. (2)
x. p. 19 (1860); Mém. Cour. xxxviii. p. 15 (1886).

1. **M. Ornatus, Ramb.** l. c. p. 288 (1842); Mexico,
Selys, ll. cc. p. 20 (1860), p. 17 (1886); S. America.
Hag. Neur. N. Amer. p. 64 (1861).
M. Luctuosus, Selys, Bull. Acad. Belg. (2) x.
p. 20 (1860).
2. **M. Acutipennis, Selys,** Mém. Cour. xxxviii. Trinidad.
p. 18 (1886).
3. **M. Jocaste, Hag.** Stett. ent. Zeit. xxx. Colombia,
p. 260 (1869); McLachl. Ent. M. Mag. New
xiv. p. 88 (1877); Selys, l. c. p. 18 (1886). Granada.
Var. *a. M. Sincerus, McLachl.* l. c. p. 88 U. Amazons,
(1877); Selys, l. c. p. 19 (1886). Ecuador.
4. **M. Buckleyi, McLachl.** Trans. Ent. Soc. Ecuador.
Lond. 1881, p. 32; Selys, l. c. p. 20 (1886).
5. **M. Astictus, Selys,** Bull. Acad. Belg. (2) Brazil.
x. p. 21 (1860); Mém. Cour. xxxviii. p. 21
(1886); McLachl. Ent. M. Mag. xiv. p. 88
(1877).
6. **M. Modestus, Selys,** ll. cc. p. 23 (1860), Mexico.
p. 22 (1886); Hag. Neur. N. Amer. p. 64
(1861).

7. **M. Iphigenia, Selys**, Mém. Cour. xxxviii. Colombia.
p. 22 (1886).
8. **M. Linearis, Fabr.** (*Agrion* L.) Gen. Ins. S. America.
p. 249 (1776); *Mec. L., Selys*, Bull. Acad.
Belg. (2) x. p. 22 (1860); Mém. Cour.
xxxviii. p. 23 (1886).
Agrion Tullia, Burm. Handb. Ent. ii. p. 818.
n. 2 (1839).
M. Signatus, Ramb. l. c. p. 286 (1842).
M. Filigerus, Ramb. l. c. p. 287 (1842).
M. Flavistigma, Ramb. l. c. (1842).
9. **M. Lucretia, Dru.** (*Libellula* L.) Ill. Ex. id.,
Ent. ii. t. xlviii. f. 1 (1773); Sulz. Gesch. Haiti.
Ins. t. 24. f. 4 (1776); *Lestes* L., *Westw.*,
Drury, ii. t. xlviii. f. 1 (1837); *Agrion*
L., *Burm.* l. c. p. 818. n. 1 (1839); *Mec.*
L., *Ramb.* l. c. p. 286 (1842); *Selys*, ll. cc.
p. 24 (1860), p. 25 (1886); *Hag.* l. c.
p. 65 (1861).
Lib. Linearis, Olin. Enc. Méth. Ins. vii.
p. 567. n. 41 (1792); *Mec. L., Ramb.* l. c.
p. 282 (1842).
Lib. Longissima, Fée, Vie de Linné, p. 365.
n. 13 (1832).
Agrion Amalia, Burm. l. c. p. 818. n. 3
(1839).
M. Virgatus, Ramb. l. c. p. 284 (1842).
M. Filiformis, Ramb. l. c. p. 285 (1842).
M. Leucostigma, Ramb. l. c. p. 286 (1842).
10. **M. Marchali, Ramb.** l. c. p. 283 (1842); Guiana,
Selys, ll. cc. p. 25 (1860), p. 25 (1886). Amazons.
M. Filum, Ramb. l. c. p. 284 (1842).
M. Pedicillatus, Ramb. l. c. (1842).
11. **M. Hauxwelli, Selys**, Mém. Cour. xxxviii. Upper
p. 27 (1886). Amazons.

Genus 5. **Pseudostigma.**

Selys, Bull. Acad. Belg. (2) x. p. 18 (1860); Mém. Cour.
xxxviii. p. 27 (1886).

- *1. **P. Aberrans, Selys**, ll. cc. p. 18 (1860), Mexico to
p. 28 (1886); *Hag. Neur. N. Amer.* p. 63 Colombia.
(1861).
2. **P. Accedens, Selys**, ll. cc. p. 19 (1860), Vera Cruz.
p. 29 (1886); *Hag.* l. c. p. 64 (1861).

Div. II. **NORMOSTIGMATINA.**Genus 6. **Paraphlebia.**

Hag. Neur. N. Amer. p. 71 (1861); Selys, Bull. Acad. Belg. (2) xiv. p. 8 (1862); Mém. Cour. xxxviii. p. 32 (1886).

- *1. **P. Zoe, Hag.** l. c. p. 72 (1861); Selys, Vera Cruz.
ll. cc. p. 9 (1862), p. 33 (1886).
- 2. **P. Hyalina, Brauer,** Verh. zool.-bot. Ges. Mexico.
Wien, xxi. p. 105 (1871); Selys, Mém.
Cour. xxxviii. p. 34 (1886).

Genus 7. **Philogenia.**

Selys, Bull. Acad. Belg. (2) xiv. p. 10 (1862); Mém. Cour. xxxviii. p. 35 (1886).

- 1. **P. Helena, Hag.** Stett. ent. Zeit. xxx. Bogota.
p. 261 (1869); Selys, Mém. Cour. xxxviii.
p. 35 (1886).
- 2. **P. Raphaella, Selys,** l. c. p. 37 (1886). id.
- *3. **P. Margarita, Selys,** Bull. Acad. Belg. (2) Teffe.
xiv. p. 11 (1862); Mém. Cour. xxxviii.
p. 38 (1886).
- 4. **P. Cassandra, Selys,** ll. cc. p. 12 (1862), S. America.
p. 38 (1886).

Genus 8. **Megapodagrion.**

Selys, C. R. Soc. Ent. Belg. xxix. pp. cxlii, cxliv (1885); Mém. Cour. xxxviii. p. 40 (1886).

|| *Podagrion*, Selys, Bull. Acad. Belg. (2) xiv. p. 12 (1862).

- *1. **M. Megalopus, Selys,** (*Pod. M.*) l. c. p. 14 Amazons.
(1862); *Meg. M.*, Selys, Mém. Cour.
xxxviii. p. 41 (1886).
- 2. **M. Contortum, Selys,** (*Pod. C.*) Bull. Brazil.
Acad. Belg. (2) xiv. p. 15 (1862); *Meg. C.*,
Selys, Mém. Cour. xxxviii. p. 41 (1886).
- 3. **M. Oscillans, Selys,** (*Pod. O.*) Bull. Acad. Bogota.
Belg. (2) xiv. p. 16 (1862); *Meg. O.*,
Selys, Mém. Cour. xxxviii. p. 42 (1886).
- 4. **M. Setigerum, Selys,** l. c. p. 42 (1886). Ecuador.
- 5. **M. Nebulosum, Selys,** l. c. p. 43 (1886). Peru.
- 6. **M. Venale, Selys,** (*Pod. V.*) Bull. Acad. Vencznela.
Belg. (2) xiv. p. 17 (1862); *Meg. V.*, Selys,
Mém. Cour. xxxviii. p. 44 (1886).

7. **M. Temporale, Selys**, (*Pod. T.*) Bull. Acad. Belg. (2) xiv. p. 18 (1862); *Meg. T.*, *Selys*, Mém. Cour. xxxviii. p. 45 (1886). Bogota.
8. **M. Macropus, Selys**, (*Pod. M.*) Bull. Acad. Belg. (2) xiv. p. 16 (1862); *Meg. M.*, *Selys*, Mém. Cour. xxxviii. p. 45 (1886). Venezuela.
9. **M. Curtum, Selys**, l. c. p. 46 (1886). Ecuador.
10. **M. Mercenarium, Hag.** (*Pod. M.*) Stett. ent. Zeit. xxx. p. 261 (1869); *Selys*, l. c. p. 47 (1886). Bogota.

Genus 9. **Mesagrion.**

Selys, C. R. Soc. Ent. Belg. xxix. p. cxliv (1885); Mém. Cour. xxxviii. p. 49 (1886).

- *1. **M. Leucorhinum, Selys**, ll. cc. p. cxliv (1885), p. 50 (1886). Bogota.

Genus 10. **Heteropodagrion.**

Selys, C. R. Soc. Ent. Belg. xxix. p. cxliv (1885); Mém. Cour. xxxviii. p. 51 (1886).

- *1. **H. Sanguinipes, Selys**, ll. cc. p. cxliv (1885), p. 53 (1886). Quito.

Genus 11. **Heteragrion.**

Selys, Bull. Acad. Belg. (2) xiv. p. 19 (1862); Mém. Cour. xxxviii. p. 54 (1886).

- *1. **H. Flavovittatum, Selys**, ll. cc. p. 20 (1862), p. 56 (1886). Minas Geraes.
2. **H. Ovatum, Selys**, ll. cc. p. 21 (1862), p. 56 (1886). Brazil.
3. **H. Ochraceum, Selys**, ll. cc. p. 24 (1862), p. 56 (1886). id.
- H. Ovatum*, ♀ (?), *Selys*, Bull. Acad. Belg. (2) xiv. p. 22 note (1862).
4. **H. Dorsale, Selys**, l. c. p. 23 (1862); Mém. Cour. xxxviii. p. 57 (1886). id.
5. **H. Obsoletoletum, Selys**, Mém. Cour. xxxviii. p. 57 (1886). S. Brazil.
6. **H. Triangulare, Selys**, Bull. Acad. Belg. (2) xiv. p. 22 (1862); Mém. Cour. xxxviii. p. 58 (1886). Brazil.

7. H. Beschkii , Selys, ll. cc. p. 27 (1862),
p. 59 (1886).	New
Friburg.
8. H. Aurantiacum , Selys, ll. cc. p. 25
(1862), p. 60 (1886).
Var. <i>a.</i> <i>H. Cinnamomeum</i> , Selys, Bull. Acad.
Belg. (2) xiv. p. 26 (1862).
Var. <i>b.</i> <i>H. Amazonicum</i> , Selys, Mém. Cour.
xxxviii. p. 60 (1886).	Brazil,
B. Aires.
Bahia.
Amazons.
9. H. Consors , Selys, Bull. Acad. Belg. (2)
xiv. p. 27 (1862); Mém. Cour. xxxviii.
p. 60 (1886).	Bahia.
10. H. Macilentum , Selys, ll. cc. p. 26 (1862),
p. 60 (1886).	Venezuela.
11. H. Erythrogastrum , Selys, Mém. Cour.
xxxviii. p. 61 (1886).	Panama,
Chiriqui.
12. H. Chrysops , Selys, Bull. Acad. Belg. (2)
xiv. p. 28 (1862); Mém. Cour. xxxviii.
p. 62 (1886).	Venezuela.
13. H. Majus , Selys, Mém. Cour. xxxviii.
p. 62 (1886).	Chiriqui.
14. H. Æquatoriale , Selys, l. c. p. 63
(1886).	Ecuador,
Colombia.
15. H. Angustipenne , Selys, l. c. p. 64 (1886).	Ecuador.
16. H. Icterops , Selys, Bull. Acad. Belg. (2)
xiv. p. 29 (1862); Mém. Cour. xxxviii.
p. 65 (1886).	S. America.
17. H. Petiolatum , Selys, ll. cc. p. 30 (1862),
p. 66 (1886).	Santarem.

Genus 12. **Perilestes.**

Selys, Bull. Acad. Belg. (2) xiv. p. 31 (1862); Mém. Cour.
xxxviii. p. 66 (1886).

*1. P. Fragilis , Selys, ll. cc. p. 32 (1862),
p. 67 (1886).	Guiana,
Brazil.
2. P. Attenuata , Selys, l. c. p. 68 (1886).	Santarem.

Genus 13. **Neurolestes.**

Selys, Congr. Sci. x. p. 668 (1882); C. R. Soc. Ent. Belg. xxix.
p. cxliv (1885); Mém. Cour. xxxviii. p. 70 (1886).

*1. N. Trinervis , Selys, C. R. Soc. Ent. Belg.
xxix. p. cxliv (1885); Mém. Cour. xxxviii.
p. 71 (1886).	Cameroons.

Genus 14. **Chlorolestes.**

Selys, Bull. Acad. Belg. (2) xiv. p. 33 (1862) ; Mém. Cour. xxxviii. p. 72 (1886).

- *1. **C. Conspicua**, Selys, ll. cc. p. 34 (1862), Cape.
p. 73 (1886).
- 2. **C. Longicauda**, Burm. (*Agrion Longicaudum*) Handb. Ent. ii. p. 823. n. 26 (1839) ; id.
Chlor. Longicauda, Selys, ll. cc. p. 35
(1862), p. 73 (1886).
- 3. **C. Tessellata**, Burm. (*Agr. Tessellatum*) id.
l. c. p. 823. n. 25 (1839) ; *Chlor. Tessellata*, Selys, ll. cc. p. 35 (1862), p. 74
(1886).
- 4. **C. Fasciata**, Burm. (*Agr. Fasciatum*) l. c. S. Africa.
p. 822. n. 24 (1839) ; *Chlor. Fasciata*,
Selys, ll. cc. p. 36 (1862), p. 74 (1886).
- 5. **C. Umbrata**, Selys, ll. cc. p. 57 (1862), Cape.
p. 74 (1886).

Genus 15. **Allolestes.**

Selys, Ann. Soc. Ent. Belg. xii. p. 97 (1869) ; Ann. Nat. Hist. (4) iii. p. 274 (1869) ; Mém. Cour. xxxviii. p. 75 (1886).

- *1. **A. Maclachlani**, Selys, ll. cc. p. 97 (1869), Seychelles.
p. 274 (1869), p. 76 (1886).

Genus 16. **Podopteryx.**

Selys, Trans. Ent. Soc. Lond. 1871, p. 415 ; Mitth. Mus. Dresd. iii. p. 318 (1878) ; Mém. Cour. xxxviii. p. 78 (1886).

- *1. **P. Roseonotata**, Selys, ll. cc. p. 415 (1871), Aru.
p. 319 (1878), p. 79 (1886).

Genus 17. **Argiolestes.**

Selys, Bull. Acad. Belg. (2) xiv. p. 38 (1862) ; Mém. Cour. xxxviii. p. 80 (1886).

- 1. **A. Postnodalis**, Selys, Mitth. Mus. Dresd. New
iii. p. 319 (1878) ; Mém. Cour. xxxviii. Guinea.
p. 81 (1886).

2. **A. Ornata, Selys**, Mitth. Mus. Dresd. iii. p. 321 (1878); Ann. Mus. Genov. xiv. p. 308 (1879); Mém. Cour. xxxviii. p. 83 (1886). New Guinea.
3. **A. Obscura, Selys**, ll. cc. p. 321 (1878), p. 309 (1879), p. 84 (1886). id.
4. **A. Pallidistyla, Selys**, ll. cc. p. 320 (1878), p. 310 (1879), p. 85 (1886). id.
5. **A. Cincta, Selys**, Mém. Cour. xxxviii. p. 86 (1886). Celebes.
- *6. **A. Australis, Guér.** (*Agrion A.*) Voy. Coq., Zool. (2) ii. p. 196 (1830); *Argia A.*, Ramb. Ins. Névr. p. 156 (1842); *Argiolestes A.*, Selys, Bull. Acad. Belg. (2) xiv. p. 39 (1862); Mém. Cour. xxxviii. p. 87 (1886). Offack, Waigiu.
7. **A. Icteromelas, Selys**, ll. cc. p. 40 (1862), p. 88 (1886). Melbourne.
8. **A. Grisea, Selys**, ll. cc. p. 40 (1862), p. 88 (1886). Australia.

Genus 18. **Podolestes.**

Selys, Bull. Acad. Belg. (2) xiv. p. 41 (1862); Mém. Cour. xxxviii. p. 88 (1886).

- *1. **P. Orientalis, Selys**, ll. cc. p. 42 (1862), p. 89 (1886); Ann. Mus. Genov. xxvii. p. 479 (1889). Labuan, Sumatra.
2. **P. Chrysopus, Selys**, l. c. p. 480 (1889). Labuan.

Genus 19. **Synlestes.**

Selys, C. R. Soc. Ent. Belg. xi. p. lxxvi (1869); Mém. Cour. xxxviii. p. 90 (1886).

- *1. **S. Weyersi, Selys**, ll. cc. p. lxxvi (1869), p. 91 (1886). Australia.

Genus 20. **Amphilestes.**

Selys, Bull. Acad. Belg. (2) xiv. p. 42 (1862); Mém. Cour. xxxviii. p. 92 (1886).

- *1. **A. Macrocephala, Selys**, Bull. Acad. Belg. (2) xiv. p. 43 (1862). Malacca.
2. **A. Borneensis, Selys**, Mém. Cour. xxxviii. p. 93 (1886). Labuan.

3. A. Elopuræ , McLachl. Mém. Cour. xxxviii. p. 221 (1886).	N. Borneo.
4. A. Philippina , Selys , An. Soc. Esp. xi. p. 26 (1882); Mém. Cour. xxxviii. p. 94 (1886).	Philippines.

Genus 21. **Prionocnemis**.

Selys, Mém. Cour. xxxviii. p. 223 (1886).

|| *Hypocnemis*, **Selys**, Bull. Acad. Belg. (2) xvi. p. 153 (1863); An. Soc. Esp. xi. p. 24 (1882); Mém. Cour. xxxviii. p. 97 (1886).

*1. P. Serrata , Selys , (<i>Hyp. S.</i>) ll. cc. p. 154 (1863), p. 26 (1882), p. 98 (1886).	Philippines.
2. P. Cornuta , Brauer , (<i>Hyp. C.</i>) Verh. zool.-bot. Ges. Wien, xviii. p. 548 (1868); Selys , An. Soc. Esp. xi. p. 26 (1882); Mém. Cour. xxxviii. p. 100 (1886).	id.
3. P. Atropurpurea , Brauer , (<i>Hyp. A.</i>) l. c. p. 549 (1868); Selys , Mém. Cour. xxxviii. p. 101 (1886).	Manilla.
4. P. Erythrura , Brauer , (<i>Hyp. E.</i>) l. c. p. 550 (1868); Selys , An. Soc. Esp. xi. p. 26 (1882); Mém. Cour. xxxviii. p. 101 (1886).	Philippines.
5. P. Hæmatopus , Selys , (<i>Hyp. H.</i>) ll. cc. p. 27, t. 1 (1882), p. 102 (1886).	Mindanao.
6. P. Ignea , Brauer , (<i>Hyp. I.</i>) l. c. p. 547 (1868); Selys , ll. cc. p. 28 (1882), p. 103 (1886).	Philippines.
7. P. Flammea , Selys , (<i>Hyp. F.</i>) ll. cc. p. 28 (1882), p. 104 (1886).	Luzon.
8. P. Appendiculata , Brauer , (<i>Hyp. A.</i>) l. c. p. 548 (1868); Selys , ll. cc. p. 29 (1882), p. 105 (1886).	Mindanao.

Genus 22. **Idiocnemis**.

Selys, Mitth. Mus. Dresd. iii. p. 321 (1878); Ann. Mus. Genov. xiv. p. 312 (1879); Mém. Cour. xxxviii. p. 106 (1886).

*1. I. Inornata , Selys , ll. cc. p. 321 (1878), p. 314 (1879), p. 107 (1886).	Papua.
2. I. Bidentata , Selys , ll. cc. p. 321 (1878), p. 313 (1879), p. 108 (1886).	id.

Genus 23. **Tatocnemis.**

Kirk. Proc. Zool. Soc. Lond. 1889, p. 300.

- *1. **T. Malgassica**, Kirk. l. c. p. 302; p. 301 | Madagascar.
fig. (1889).

Genus 24. **Leptocnemis.**

Selys, Mém. Cour. xxxviii. p. 223 (1886).

|| *Hemicnemis*, Selys, Congr. Sci. x. p. 668 (1882); C. R. Soc.
Ent. Belg. xxix. p. cxliv (1885); Mém. Cour. xxxviii. p. 111
(1886).

<p>1. L. Cyanops, Selys, (<i>Trichocnemis</i> C.)
Ann. Soc. Ent. Belg. xii. p. 28 (1869);
Ann. Nat. Hist. (4) iii. p. 275 (1869);
<i>Hemic. C.</i>, Selys, Mém. Cour. xxxviii.
p. 112 (1886).</p> <p>— 2. L. Bilineata, Selys, (<i>Trich. B.</i>) ll. cc. p. 28
(1869), p. 275 (1869); <i>Hem. C.</i>, Selys, l. c.
p. 113 (1886).</p>	Seychelles. id.

Genus 25. **Cœliccia.**

|| *Trichocnemis*, Selys, Sagra, Hist. Cuba, Ins. p. 464 (1857);
Bull. Acad. Belg. (2) xvi. p. 155 (1863); Mém. Cour.
xxxviii. p. 114 (1886).

<p>*1. C. Membranipes, Ramb. (<i>Platycnemis</i> M.)
Ins. Névr. p. 240 (1842); <i>Trich. M.</i>, Selys,
Bull. Acad. Belg. (2) xvi. p. 156 (1863);
Mém. Cour. xxxviii. p. 115 (1886).
Var. <i>a. Trich. Silenta</i>, Selys, ll. cc. p. 157
(1863), p. 116 (1886).</p> <p>2. C. Borneensis, Selys, (<i>Trich. B.</i>) Mém. Cour. xxxviii. p. 116 (1886).</p> <p>3. C. Octogesima, Selys, (<i>Trich. O.</i>) Bull. Acad. Belg. (2) xvi. p. 157 (1863); Mém. Cour. xxxviii. p. 117 (1886).</p> <p>4. C. Didyma, Selys, (<i>Trich. D.</i>) ll. cc. p. 158
(1863), p. 118 (1886).</p> <p>5. C. Renifera, Selys, (<i>Trich. R.</i>) Mém. Cour. xxxviii. p. 119 (1886).</p> | <p>Java,
Moluccas.</p> <p>Padang.</p> <p>N. Borneo.</p> <p>Malacca,
Borneo.</p> <p>Darjiling.</p> <p>id.</p> |
|--|--|

Genus 26. **Copera.**

|| *Psilocnemis*, *Selys*, Bull. Acad. Belg. (2) xvi. p. 168 (1863);
Mém. Cour. xxxviii. p. 121 (1886).

1. **C. Vittata**, *Selys*, (*Psil. V.*) ll. cc. p. 170 Malacca.
(1863), p. 121 (1886).
2. **C. Imbricata**, *Selys*, (*Psil. I.*) ll. cc. p. 171 Sumatra.
(1863), p. 122 (1886).
3. **C. Atomaria**, *Selys*, (*Psil. A.*) Mém. Cour. Labuan.
xxxviii. p. 122 (1886).
- *4. **C. Marginipes**, *Ramb.* (*Platycnemis M.*) Java,
Ins. Névr. p. 240 (1842); *Psil. M.*, *Selys*,
Bull. Acad. Belg. (2) xvi. p. 168 (1863);
Mém. Cour. xxxviii. p. 123 (1886).
♀. *Psil. Striatipes*, *Selys*, Bull. Acad. Belg.
(2) xvi. p. 169 (1863).
Plat. (?) Lacteola, *Selys*, l. c. p. 167 (1863).
- 5. **C. Annulata**, *Selys*, (*Psil. A.*) l. c. p. 172 China,
(1863); Mém. Cour. xxxviii. p. 124 Japan.
(1886).
6. **C. Subannulata**, *Selys*, (*Psil. S.*) Mém. India.
Cour. xxxviii. p. 125 (1886).
7. **C. Serapica**, *Selys*, (*Psil. S.*) Bull. Acad. Nicobar.
Belg. (2) xvi. p. 171 (1863); Mém. Cour.
xxxviii. p. 125 (1886).
8. **C. Ciliata**, *Selys*, (*Psil. C.*) ll. cc. p. 173 Malacca.
(1863), p. 125 (1886).
9. **C. Alatipes**, *McLachl.* (*Psil. A.*) Ent. M. Madagascar.
Mag. ix. p. 1 (1872); *Psil. Alipes*, *Selys*,
Mém. Cour. xxxviii. p. 126 (1886).

Genus 27. **Platycnemis.**

Charp. Lib. Eur. p. 21 (1840); *Ramb.* Ins. Névr. p. 239
(1842); *Selys*, Rev. Odon. p. 164 (1850); Bull. Acad.
Belg. (2) xvi. p. 162 (1863); Mém. Cour. xxxviii. p. 127
(1886).

1. **P. Latipes**, *Ramb.* l. c. p. 242 (1842); S. Europe,
Selys, ll. cc. p. 167 (1850), p. 166 (1863),
p. 128 (1886). Syria.
2. **P. Mauricana**, *Selys*, Bull. Acad. Belg. Mauritius.
(2) xvi. p. 167 (1863).
3. **P. Dealbata**, *Selys*, l. c. p. 167 (1863); Egypt,
Mém. Cour. xxxviii. p. 128 (1886); Ann. Syria.
Soc. Ent. Belg. xxxi. p. 46 (1887).
- *4. **P. Pennipes**, *Pall.* (*Libella P.*) Reise, i. Europe,
p. 469 (1771); *Plat. P.*, *Selys*, Rev. Odon. W. Asia.

- p. 168 (1850); Bull. Acad. Belg. (2) xvi.
 p. 165 (1863); Mém. Cour. xxxviii. p. 129
 (1886).
- Agrion Platypoda*, Lind. Opusc. Scient. iv.
 p. 102. n. 4, t. 3. f. 4 (1823); Mon. Lib.
 Eur. p. 37 (1825); Fonsc. Ann. Soc. Ent.
 France, vii. p. 560, t. 14. f. 2 (1838);
 Steph. Ill. Brit. Ent., Mand. vi. p. 76
 (1836); Selys, Mon. Lib. Eur. p. 148
 (1840); *Plat. P.*, Ramb. l. c. p. 241
 (1842); Evans, Brit. Lib. p. 17, t. 6. ff. 1,
 2 (1845).
- Agrion Lacteum*, Charp. Hor. Ent. p. 11
 (1825); Lib. Eur. p. 165, t. 43. f. 2
 (1840).
- Agrion Puella*, var., Fabr. Spec. Ins. i.
 p. 528. n. 2 (1781).
- Puella Nitidula*, Brullé, Expl. Morée, ii. (1)
 p. 105, t. 32. f. 8 (1832).
- Var. *a. Libellula Albidella*, Vill. Linn. Ent.
 iii. p. 15. n. 28 (1789).
- Var. *b. Plat. Pecchioli*, Selys, Bull. Acad.
 Belg. (2) xvi. p. 166 (1863).
5. **P. Insularis**, Selys, l. c. (1863); Mém. Corfu.
 Cour. xxxviii. p. 129 (1886).
6. **P. Hyalinata**, Brullé, (*Puella H.*) l. c. Greece.
 p. 106, t. 32. f. 9 (1832).
7. **P. Subdilatata**, Selys, Luc. Expl. Alg. iii. Algeria.
 p. 132, t. 2. ff. 8, 8 *a-d* (1849); Rev. Odon.
 p. 319 (1850); Bull. Acad. Belg. (2) xvi.
 p. 164 (1863); Mém. Cour. xxxviii. p. 130
 (1886).
8. **P. Acutipennis**, Selys, Rev. Zool. 1841, France.
 p. 246. n. 8; Rev. Odon. p. 164 (1850);
 Bull. Acad. Belg. (2) xvi. p. 163 (1863);
 Mém. Cour. xxxviii. p. 130 (1886); Ann.
 Soc. Ent. Belg. xxxi. p. 63 (1889); Kolbe,
 Berl. ent. Zeitschr. xxix. p. 153 (1885).
P. Diversa, Ramb. l. c. p. 243 (1842).
Agrion Platypoda, var., Fonsc. l. c. p. 561
 (1838).
9. **P. Aigira**, Kolbe, l. c. p. 154 (1885). Algeria.
10. **P. Foliacea**, Selys, C. R. Soc. Ent. Belg. Pekin.
 xxx. p. clxxxiii (1886).
11. **P. (?) Œdipus**, Eichw. (*Agrion Œ.*) Zool. Trans-
 Spec. i. p. 223 (1829). caucasia.

Genus 28. **Calicnemis.**

Selys, Bull. Acad. Belg. (2) xvi. p. 159 (1863); Mém. Cour. xxxviii. p. 130 (1886).

- *1. **C. Eximia, Selys**, ll. cc. p. 160 (1863), Sikkim.
p. 131 (1886).
- Var. *a. C. Atkinsoni, Selys*, Mém. Cour. India.
xxxviii. p. 131 (1886).
- 2. **C. Miniata, Selys**, l. c. p. 132 (1886). Sikkim (?).
- 3. **C. Pulverulans, Selys**, l. c. p. 133 (1886). Sikkim.

Genus 29. **Metacnemis.**

Selys, Bull. Acad. Belg. (2) xvi. p. 160 (1863); Mém. Cour. xxxviii. p. 134 (1886).

- 1. **M. Angusta, Selys**, ll. cc. p. 162 (1863), Cape.
p. 135 (1886).
- *2. **M. Valida, Selys**, ll. cc. p. 161 (1863), id.
p. 136 (1886).
- 3. **M. Robusta, Selys**, Mém. Cour. xxxviii. Nubia.
p. 135 (1886).

Genus 30. **Allocnemis.**

Selys, Bull. Acad. Belg. (2) xvi. p. 173 (1863); Mém. Cour. xxxviii. p. 137 (1886).

- 1. **A. Pachystigma, Selys**, Mém. Cour. W. Africa.
xxxviii. p. 138 (1886).
- 2. **A. Rufipes, Selys**, (*Metacnemis R.*) l. c. Cameroons.
p. 139 (1886).
- *3. **A. Leucosticta, Selys**, Bull. Acad. Belg. S. Africa.
(2) xvi. p. 174; Mém. Cour. xxxviii. p. 140
(1886).

Genus 31. **Chlorocnemis.**

Selys, Bull. Acad. Belg. (2) xvi. p. 175 (1863); Mém. Cour. xxxviii. p. 140 (1886).

- 1. **C. Nigripes, Selys**, Mém. Cour. xxxviii. W. Africa.
p. 141 (1886).
- *2. **C. Elongata, Selys**, Bull. Acad. Belg. (2) Guinea.
xvi. p. 176 (1863); Mém. Cour. xxxviii.
p. 142 (1886).
- 3. **C. Flavipennis, Selys**, Bull. Acad. Belg. Sierra
(2) xvi. p. 176 (1863). Leone.

Genus 32. **Palæmnema.**

Selys, Bull. Acad. Belg. (2) x. p. 434 (1860) ; Mém. Cour.
xxxviii. p. 145 (1886).

<p>*1. P. Paulina, Dru. (<i>Libellula P.</i>) Ill. Ex. Ent.
ii. t. 46. f. 4 (1773) ; <i>Lestes P., Westw.</i>,
Drury, l. c. (1837) ; <i>Euphaea P., Ramb.</i>
Ins. Névr. p. 231 (1842) ; <i>Pal. P., Selys</i>,
ll. cc. p. 434 (1860), p. 146 (1886).</p> <p>2. P. Desiderata, Selys, Mém. Cour. xxxviii.
p. 146 (1886).</p> <p>3. P. Angelina, Selys, Bull. Acad. Belg. (2)
x. p. 435 (1860) ; Mém. Cour. xxxviii.
p. 147 (1886).</p> <p>4. P. Nathalia, Selys, Mém. Cour. xxxviii.
p. 147 (1886).</p> <p>5. P. Clementia, Selys, l. c. p. 148 (1886).</p> <p>6. P. Melanostigma, Selys, Bull. Acad. Belg.
(2) x. p. 436 (1860) ; Mém. Cour. xxxviii.
p. 149 (1886).</p> | <p>Mexico,
Honduras.</p> <p>Mexico.</p> <p>Guatemala,
Honduras.</p> <p>Panama.</p> <p>Venezuela.
Puerto
Cabello.</p> |
|---|--|

Genus 33. **Platysticta.**

Selys, Bull. Acad. Belg. (2) x. p. 436 (1860) ; Mém. Cour.
xxxviii. p. 150 (1886).

<p>*1. P. Maculata, Selys, Bull. Acad. Belg. (2)
x. p. 437 (1860).</p> <p>2. P. Tropica, Selys, l. c. p. 438 (1860).</p> <p>3. P. Montana, Selys, l. c. (1860).</p> <p>4. P. Hilaris, Selys, l. c. p. 439 (1860).</p> <p>5. P. Digna, Selys, l. c. p. 440 (1860).</p> <p>6. P. Auriculata, Selys, Mitth. Mus. Dresd.
iii. p. 322 (1878) ; Ann. Mus. Genov. xiv.
p. 322 (1879) ; Mém. Cour. xxxviii. p. 152
(1886).</p> <p>7. P. Bicornuta, Selys, ll. cc. p. 322 (1878),
p. 321 (1879), p. 152 (1886).</p> <p>8. P. Halterata, Brauer, Verh. zool.-bot. Ges.
Wien, xviii. p. 551 (1868) ; Selys, Mém.
Cour. xxxviii. p. 153 (1886).</p> <p>9. P. Lestoides, Brauer, l. c. p. 552 (1868) ;
Selys, l. c. p. 154 (1886).</p> | <p>Ceylon.</p> <p>id.</p> <p>id.</p> <p>id.</p> <p>id.</p> <p>New
Guinea.</p> <p>id.</p> <p>Philippines.</p> <p>id.</p> |
|--|---|

10. P. Quadrata , Selys , Bull. Acad. Belg. (2) x. p. 441 (1860).	Singapore.
11. P. Rufostigma , Selys , Mém. Cour. xxxviii. p. 155 (1886).	Labuan.
12. P. Annulata , Selys , l. c. p. 156 (1886).	Luzon.

Genus 34. **Protosticta**.

Selys, C. R. Soc. Ent. Belg. xxix. p. cxlv (1885); Mém. Cour. xxxviii. p. 157 (1886).

*1. P. Simplicinervis , Selys , ll. cc. p. cxlv (1885), p. 157 (1886).	Celebes.
2. P. Gracilis , Kirb. Proc. Zool. Soc. Lond. 1889, p. 302.	Menado.

Genus 35. **Disparoneura**.

Selys, Bull. Acad. Belg. (2) x. p. 443 (1860); Mém. Cour. xxxviii. p. 160 (1886).

1. D. Subnodalis , Selys , Mém. Cour. xxxviii. p. 162 (1886).	Old Calabar.
2. D. Quadrimaculata , Ramb. (<i>Argia</i> Q.) Ins. Névr. p. 255 (1842); <i>Disp. Q.</i> , Selys , Bull. Acad. Belg. (2) x. p. 446 (1860); Mém. Cour. xxxviii. p. 163 (1886).	India.
— *3. D. Glauca , Burm. (<i>Agrion Glaucum</i>) Handb. Ent. ii. p. 821. n. 17 (1839); <i>Disp. Glauca</i> , Selys , Bull. Acad. Belg. (2) x. p. 443 (1860).	S. Africa.
— 4. D. Mutata , Selys , Mém. Cour. xxxviii. p. 164 (1886).	E. Africa.
5. D. Frenulata , Selys , Bull. Acad. Belg. (2) x. p. 444 (1860); <i>D. Frenulata</i> , Selys , Mém. Cour. xxxviii. p. 165 (1886).	S. Africa.
— 6. D. Pruinosa , Selys , l. c. p. 166 (1886).	W. Africa.
7. D. Cæsia , Selys , (<i>Alloneura</i> C.) Bull. Acad. Belg. (2) x. p. 459 (1860); <i>Disp. C.</i> , Selys , Mém. Cour. xxxviii. p. 167 (1886).	Ceylon.
8. D. Centralis , Selys , (<i>All. et Disp. C.</i>) ll. cc. p. 449 (1860), p. 167 (1886).	id.
9. D. Tenax , Selys , (<i>All. et Disp. T.</i>) ll. cc. p. 449 (1860), p. 168 (1886).	id.
10. D. Atkinsoni , Selys , Mém. Cour. xxxviii. p. 168 (1886).	Khasia Hills.

11. D. Analis, Selys , (<i>All. A.</i>) Bull. Acad. Belg. (2) x. p. 451 (1860); <i>Disp. A., Selys</i> , Mém. Cour. xxxviii. p. 169 (1886).	Mount Ophir.
12. D. Aurantiaca, Selys , l. c. p. 169 (1886).	Sarawak.
13. D. Westermanni, Selys , (<i>All. W.</i>) Bull. Acad. Belg. (2) x. p. 447 (1860); <i>Disp. W., Selys</i> , Mém. Cour. xxxviii. p. 171 (1886).	Nilghiris.
14. D. Gomphoides, Ramb. (<i>Argia G.</i>) l. c. p. 256 (1842); <i>All. et Disp. G., Selys</i> , ll. cc. p. 448 (1860), p. 171 (1886).	id.
15. D. Humeralis, Selys , (<i>All. et Disp. H.</i>) ll. cc. p. 454 (1860), p. 171 (1886).	Malacca.
16. D. Interrupta, Selys , (<i>All. et Disp. I.</i>) ll. cc. p. 453 (1860), p. 172 (1886).	Singapore.
17. D. Integra, Selys , (<i>All. I.</i>) Ann. Soc. Esp. xi. p. 32 (1882); <i>Disp. I., Selys</i> , Mém. Cour. xxxviii. p. 172 (1886).	Philippines.
18. D. Obsoleta, Selys , (<i>All. et Disp. O.</i>) ll. cc. p. 33 (1882), p. 173 (1886).	id.
19. D. Notostigma, Selys , (<i>All. N.</i>) Bull. Acad. Belg. (2) x. p. 452 (1860); <i>Disp. N., Selys</i> , Mém. Cour. xxxviii. p. 174 (1886).	Singapore.
20. D. Vittata, Selys , l. c. p. 174 (1886).	W. Africa.
21. D. Verticalis, Selys , (<i>All. V.</i>) Bull. Acad. Belg. (2) x. p. 453 (1860); <i>Disp. V., Selys</i> , Mém. Cour. xxxviii. p. 176 (1886).	Borneo.
22. D. Collaris, Selys , (<i>All. et Disp. C.</i>) ll. cc. p. 455 (1860), p. 176 (1886).	Malacca, Borneo.

Genus 36. **Caconeura.**

|| *Alloneura, Selys*, Bull. Acad. Belg. (2) x. p. 446 (1860); Mém. Cour. xxxviii. pp. 176, 223 (1886).

*1. C. Dorsalis, Selys , (<i>All. D.</i>) ll. cc. p. 456 (1860), p. 178 (1886).	Sarawak.
2. C. Lansbergei, Selys , (<i>All. L.</i>) Mém. Cour. xxxviii. p. 178 (1886).	Borneo(?).
3. C. Gracillima, Selys , (<i>All. G.</i>) l. c. p. 179 (1886).	Celebes(?).
4. C. Hyperythra, Selys , (<i>All. H.</i>) l. c. p. 180 (1886).	Labuan.
5. C. Insignis, Selys , (<i>All. I.</i>) l. c. p. 181 (1886).	Sumatra.
6. C. Erythroprocta, Selys , (<i>All. E.</i>) l. c. p. 182 (1886).	Waigiou.

7. C. Wallacei , Selys, (<i>All. W.</i>) l. c. p. 183 (1886).	New Guinea (?)
8. C. Plagiata , Selys, (<i>All. P.</i>) l. c. p. 184 (1886).	Mysol.
9. C. Exul , Selys, (<i>All. E.</i>) l. c. p. 185 (1886).	Moluccas.
10. C. Moluccensis , Selys, (<i>All. M.</i>) l. c. p. 186 (1886).	Amboina.
11. C. Flavipennis , Selys, (<i>All. F.</i>) l. c. p. 188 (1886).	Celebes (?)
12. C. Salomonis , Selys, (<i>All. S.</i>) l. c. (1886).	Solomon Isl.
13. C. Circumscripta , Selys, (<i>All. C.</i>) l. c. p. 190 (1886).	Moluccas.

Genus 37. **Nososticta.**

Selys, Bull. Acad. Belg. (2) x. p. 456 (1860) ; Mém. Cour. xxxviii. p. 190 (1886).

*1. N. Solida , Selys, ll. cc. p. 457 (1860),
p. 191 (1886). | Adelaide,
&c. |
|--|------------------|

Genus 38. **Isosticta.**

Selys, C. R. Soc. Ent. Belg. xxix. p. cxlv (1885) ; Mém. Cour. xxxviii. p. 192 (1886).

*1. I. Spinipes , Selys, ll. cc. p. cxlv (1885),
p. 193 (1886). | New
Caledonia. |
|---|-------------------|

Genus 39. **Peristicta.**

Selys, Bull. Acad. Belg. (2) x. p. 442 (1860) ; Mém. Cour. xxxviii. p. 195 (1886).

*1. P. Forceps , Selys, Bull. Acad. Belg. (2) x.
p. 442 (1860).	Brazil.

Genus 40. **Idioneura.**

Selys, Bull. Acad. Belg. (2) x. p. 458 (1860) ; Mém. Cour. xxxviii. p. 196 (1886).

*1. I. Ancilla , Selys, ll. cc. p. 458 (1860),
p. 197 (1886).	Bahia.

Genus 41. **Cænoneura.**

|| *Neoneura, Selys*, Bull. Acad. Belg. (2) x. p. 459 (1860); Mém. Cour. xxxviii. p. 198 (1886).

1. C. Waltheri, Selys , (<i>Neon. W.</i>) Mém. Cour. xxxviii. p. 198 (1886).	Entre Rios.
*2. C. Bilinearis, Selys , (<i>Neon. B.</i>) Bull. Acad. Belg. (2) x. p. 460 (1860).	Para.
3. C. Maria, Scudd. (<i>Agrion M.</i>) Proc. Bost. Soc. N. H. x. p. 188 (1866); <i>Neon. M., Selys</i> , Mém. Cour. xxxviii. p. 199 (1886).	Cuba,
I. of Pines.
4. C. Carnatica, Selys , (<i>Neon. C.</i>) l. c. p. 200 (1886).	Cuba.
5. C. Fulvicollis, Selys , (<i>Neon. F.</i>) l. c. p. 202 (1886).	Para.
6. C. Rubriventris, Selys , (<i>Neon. R.</i>) Bull. Acad. Belg. (2) x. p. 459 (1860); Mém. Cour. xxxviii. p. 203 (1886).	id.
7. C. Sylvatica, Selys , (<i>Neon. S.</i>) Mém. Cour. xxxviii. p. 204 (1886).	Rio Janeiro (?).
8. C. Rufithorax, Selys , (<i>Neon. R.</i>) l. c. (1886).	San Paulo.

Genus 42. **Microneura.**

Selys, Mém. Cour. xxxviii. p. 206 (1886).

*1. M. Caligata, Selys , l. c. (1886).	Cuba.

Genus 43. **Protoneura.**

Selys, Sagra, Hist. Cuba, Ins. p. 470 (1857); Bull. Acad. Belg. (2) x. p. 461 (1860); Mém. Cour. xxxviii. p. 207 (1886); Hag. Neur. N. Amer. p. 73 (1861).

1. P. Ehippiger, Selys , Mém. Cour. xxxviii. p. 208 (1886).	Pebas,
Teffe.
2. P. Humeralis, Selys , l. c. p. 209 (1886).	Coary.
3. P. Tenuis, Selys , Bull. Acad. Belg. (2) x. p. 461 (1860); Mém. Cour. xxxviii. p. 210 (1886).	Amazons.
4. P. Capilliformis, Selys , Mém. Cour. xxxviii. p. 211 (1886).	Santarem.
*5. P. Capillaris, Ramb. (<i>Agrion Capillare</i>) Ins. Névr. p. 280 (1842); <i>Prot. Capillaris, Selys</i> , Sagra, Hist. Cuba, Ins. p. 471	Cuba.

- (1857); Bull. Acad. Belg. (2) x. p. 461
(1860); Mém. Cour. xxxviii. p. 212 (1886);
Hagen, l. c. p. 73 (1861).
6. **P. Aurantiaca, Selys**, Mém. Cour. xxxviii. p. 213 (1886). Panama (?).
7. **P. Paucinervis, Selys**, l. c. p. 214 (1886). Pebas, Teffe.
8. **P. Exigua, Selys**, l. c. p. 216 (1886). Amazons.
9. **P. Tenuissima, Selys**, l. c. p. 217 (1886). Pebas, Teffe.
10. **P. Sancta, Selys**, Bull. Acad. Belg. (2) x. p. 462 (1860); Mém. Cour. xxxviii. p. 218 (1886). Brazil, Amazons.

Genus 44. **Hyponeura.**

Selys, Mon. Cal. p. 275 (1854); Bull. Acad. Belg. (2) xx. p. 381 (1865).

- *1. **H. Funcki, Selys**, ll. cc. p. 275 (1854), p. 381 (1865). Colombia.
2. **H. Lugens, Hag.** (*Agrion L.*) Neur. N. Amer. p. 95. n. 42 (1861); *Hyp. L., Selys*, Bull. Acad. Belg. (2) xx. p. 382 (1865). Mexico.

Genus 45. **Argia.**

Ramb. Ins. Névr. p. 254 (1842); Selys, Bull. Acad. Belg. (2) xx. p. 382 (1865).

1. **A. Mœsta, Hag.** (*Agrion Mæstum*) Neur. N. Amer. p. 94. n. 41 (1861); *Argia Mæsta, Selys*, l. c. p. 384 (1865). Texas.
2. **A. Putrida, Hag.** (*Agrion Putridum*) l. c. p. 96. n. 44 (1861); *Argia Putrida, Selys*, l. c. p. 385 (1865). United States.
3. **A. Claussenii, Selys**, l. c. p. 386 (1865). Minas Geraes.
4. **A. Lacrimans, Hag.** (*Agrion L.*) l. c. p. 95. n. 43 (1861); *Argia Lacrymans, Selys*, l. c. p. 386 (1865). Mexico.
5. **A. Serva, Selys**, l. c. p. 387 (1865). Brazil.
6. **A. Sordida, Selys**, l. c. (1865). S. America.
7. **A. Modesta, Selys**, l. c. p. 388 (1865). Brazil.
8. **A. Dimissa, Selys**, l. c. (1865). id.
9. **A. Insipida, Selys**, l. c. p. 389 (1865). Guiana.
10. **A. Calida, Hag.** (*Agrion Calidum*, ♂) l. c. p. 93. n. 36 (1861); *Argia Calida, Selys*, l. c. p. 390 (1865). Mexico.

11. A. Optata , Selys, l. c. p. 390 (1865).	Moluccas.
12. A. Concinna , Ramb. (<i>Agrion Concinnum</i>)
l. c. p. 270 (1842); <i>Argia Concinna</i> , Selys,
l. c. p. 391 (1865).	Cape.
13. A. Infumata , Selys, l. c. p. 392 (1865).	Para.
14. A. Croceipennis , Selys, l. c. p. 393 (1865).	Brazil.
15. A. Eliptica , Selys, l. c. (1865).	id.
16. A. Fumigata , Selys, l. c. p. 394 (1865).	Guiana.
17. A. Collata , Selys, l. c. p. 395 (1865).	S. America.
18. A. Reclusa , Selys, l. c. (1865).	Para.
19. A. Tractipennis , Selys, l. c. p. 396 (1865).	Amazons.
20. A. Impura , Ramb. l. c. p. 255 (1842);
Selys, l. c. p. 357 (1865).	id.
21. A. Thespis , Selys, l. c. (1865).	Bahia.
22. A. Mollis , Selys, l. c. p. 398 (1865).	Min. Geraes.
23. A. Funebris , Hag. (<i>Agrion Funebre</i>) l. c.
p. 92. n. 36 (1861); <i>Argia Funebris</i> , Selys,
l. c. p. 398 (1865).	Vera Cruz.
24. A. Extranea , Hag. (<i>Agrion Extraneum</i>)
l. c. p. 92. n. 37 (1861); <i>Argia Extranea</i> ,
Selys, l. c. p. 399 (1865).
<i>Agrion Calidum</i> , ♀, Hag. l. c. p. 93. n. 38
(1861).	Mexico,
Central
America.
25. A. Kurilis , Selys, l. c. p. 400 (1865).	Kurile Isl.
26. A. Inculta , Selys, l. c. (1865).	Lima.
27. A. Immunda , Hag. (<i>Agrion Immundum</i>)
l. c. p. 93. n. 39 (1861); <i>Argia Immunda</i> ,
Selys, l. c. p. 401 (1865).	Mexico.
28. A. Fissa , Selys, l. c. p. 401 (1865).	Bogota.
29. A. Albistigma , Selys, l. c. p. 402 (1865).	Montevideo
*30. A. Fumipennis , Burm. (<i>Agrion Fumi-</i>
<i>penne</i>) Handb. Ent. ii. p. 819. n. 7 (1839);
Hag. l. c. p. 97. n. 47 (1861); <i>Argia Fumi-</i>
<i>pennis</i> , Selys, l. c. p. 403 (1865).
<i>Argia Obscura</i> , Ramb. l. c. p. 256, t. 8. f. 1
(1842).	United
States.
31. A. Violacea , Hag. (<i>Agrion Violaceum</i>)
l. c. p. 90. n. 33 (1861); <i>Argia Violacea</i> ,
Selys, l. c. p. 404 (1865).	id.
32. A. Lilacina , Selys, l. c. p. 405 (1865).	Brazil.
33. A. Variabilis , Selys, l. c. p. 406 (1865).	Vera Cruz.
34. A. Vivida , Selys, l. c. (1865).	Califor., &c.
35. A. Cuprea , Hag. (<i>Agrion Cupreum</i>) l. c.
p. 96. n. 45 (1861), <i>Argia Cuprea</i> , Selys,
l. c. p. 407 (1865).	Mexico.
36. A. Ænea , Selys, (<i>A. Ænea</i>) l. c. (1865).	Mexico, &c.
37. A. Jocosa , Selys, l. c. p. 408 (1865).	Bogota.

38. A. Orichalcea , Selys, l. c. (1865).
<i>Agrion Cupreum</i> , p., Hag. l. c. p. 97 (1861).	Venezuela.
39. A. Oculata , Selys, l. c. p. 409 (1865).	La Guayra.
40. A. Pulla , Selys, l. c. p. 410 (1865).	Venezuela.
41. A. Translata , Selys, l. c. (1865).	id.
42. A. Sedula , Hag. (<i>Agrion Sedulum</i>) l. c.
p. 94. n. 40 (1861); <i>Argia Sedula</i> , Selys,
l. c. p. 411 (1865).	Southern
States.
43. A. Medullaris , Selys, l. c. p. 412 (1865).	Bogota.
44. A. Tibialis , Ramb. (<i>Platycnemis T.</i>) l. c.
p. 241 (1842); <i>Trichocnemis T.</i> , Hag. l. c.
p. 72. n. 1 (1861); <i>Argia T.</i> , Selys, l. c.
p. 413 (1865).
<i>Agrion Fontium</i> , Hag. l. c. p. 91. n. 34 (1861).	United
States.
45. A. Binotata , Walsh, (<i>Agr. Binotatum</i>)
Proc. Acad. Nat. Sci. Philad. 1862, p. 387;
Selys, l. c. p. 414 (1865).	Wisconsin.
46. A. Difficilis , Selys, l. c. p. 413 (1865).	Peru.
47. A. Apicalis , Say, (<i>Agrion A.</i>) Journ. Acad.
Nat. Sci. Philad. viii. p. 410 (1839); <i>Argia</i>
<i>A.</i> , Selys, l. c. p. 414 (1865); <i>Agrion</i>
<i>Apicate</i> , Hag. l. c. p. 91. n. 35 (1861).	United
States.
48. A. Bipustulata , Selys, l. c. p. 415 (1865).	id.

Genus 46. **Onychargia**.

Selys, Bull. Acad. Belg. (2) xx. p. 416 (1865).

*1. O. Atrocyana , Selys, l. c. (1865).	Singap. Java
2. O. (?) Rubripunctata , Selys, Mitth. Mus.
Dresd. iii. p. 321 (1878); Ann. Mus.
Genov. xiv. p. 315 (1879).	New
Guinea.
3. O. (?) Flavovittata , Selys, ll. cc. p. 321
(1878), p. 316 (1879).	id.

Genus 47. **Ceratura**.

Selys, Bull. Acad. Belg. (2) xli. p. 251 (1876).

*1. C. Capreola , Hag. (<i>Agrion Capreolus</i>)
Neur. N. Amer. p. 78. n. 8 (1861); <i>Cer.</i>
<i>Capreola</i> , Selys, l. c. p. 252 (1876). | W. Indies,
S. America. |
|--|---------------------------|

Genus 48. **Anomalagrion.**

Selys, Sagra, Hist. Cuba, Ins. p. 469 (1857); Bull. Acad. Belg. (2) xli. p. 254 (1876).

<p>*1. A. Hastatum, Say, (<i>Agrion Hastata</i>) Journ. Acad. Nat. Sci. Philad. viii. p. 38 (1839); <i>Agrion Hastatum</i>, Hag. Neur. N. Amer. p. 77. n. 7 (1861); Selys, Sagra, Hist. Cuba, Ins. p. 470 (1857); <i>Anom. H.</i>, Selys, Bull. Acad. Belg. (2) xli. p. 255 (1876).
 <i>Agrion Anomalum</i>, Ramb. Ins. Névr. p. 281 (1842).
 <i>Agrion Venerinotata</i>, Hald. Proc. Acad. Nat. Sci. Phil. ii. p. 55 (1844).</p> | <p>N. America.
Cuba,
Venezuela.</p> |
|--|---|

Genus 49. **Micronympha.**

|| *Ischnura*, Charp. Lib. Eur. p. 20 (1840); Selys, Bull. Acad. Belg. (2) xli. p. 259 (1876).

<p>1. M. Prognatha, Hag. (<i>Agrion Prognatum</i>) Neur. N. Amer. p. 83. n. 17 (1861); <i>Isch. Prognatha</i>, Selys, l. c. p. 259 (1876).</p> <p>2. M. Demorsa, Hag. (<i>Agr. Demorsum</i>) l. c. p. 81. n. 14 (1861); <i>Isch. Demorsa</i>, Selys, l. c. p. 261 (1876).</p> <p>3. M. Defixa, Hag. (<i>Agrion Defixum</i>) l. c. p. 80. n. 12 (1861); <i>Isch. Defixa</i>, Selys, l. c. p. 261 (1876).</p> <p>4. M. Cervula, Selys, (<i>Isch. C.</i>) l. c. p. 262 (1876).</p> <p>5. M. Perparva, Selys, (<i>Isch. P.</i>) l. c. p. 263 (1876).</p> <p>6. M. Verticalis, Say, (<i>Agrion V.</i>) Journ. Acad. Nat. Sci. Philad. viii. p. 37 (1839); <i>Isch. V.</i>, Selys, l. c. p. 265 (1876).
<i>Agr. Ramburii</i>, Hag. l. c. p. 76. n. 5 (1861).</p> <p>*7. M. Pumilio, Charp. (<i>Agrion P.</i>) Hor. Ent. p. 22 (1825); Lib. Eur. p. 154, t. 39 (1840); Burm. Handb. Ent. ii. p. 820. n. 12 (1839); Ramb. Ins. Névr. p. 277, t. 7. ff. 4, 5 d, e (1842); Selys, Mon. Lib. Eur. p. 156 (1840); Bull. Acad. Belg. vii. (2) p. 94 (1840); Rev. Odon. p. 182 (1850); Rost. Bull. Ent. Ital. xvii. p. 251, t. 2 (ii.), t. 4 (1885); <i>Isch. P.</i>, Evans, Brit. Lib. p. 17,</p>	Virginia. Mexico. California. id. Texas. United States. Europe, Mediterranean Region.

t. 5. f. 7 (1845); Selys, Bull. Acad. Belg. (2) xli. p. 267 (1876).

Agr. Elegans, Fonsc. Ann. Soc. Ent. France, vii. p. 565, t. 14. ff. 7 *a, b* (1838).

Agr. Cognata, Selys, Rev. Zool. 1840, p. 214.

Var. *a. Agrion Xanthopterus*, Steph. Ill. Brit. Ent., Mand. v. p. 72 (1836); Evans, l. c. p. 13, t. 3. f. 2 (1845).

Agr. Rubellum, Curt. Brit. Ent. xvi. t. 732 (1839).

Agr. Aurantiaca, Selys, Cat. Lep. &c. Belg. p. 12 (1837); Mon. Lib. Eur. p. 159 (1840); Fonsc. l. c. p. 570, t. 15. f. 3 (1838).

Agr. Pum., var. *Aur.*, Rost. l. c. p. 253, t. 6. ff. 5 *a-c* (1885).

Var. *b. Agr. P.*, var. *Stephanella*, Rost. l. c. p. 252, t. 6. ff. 4 *a-c* (1885).

8. **M. Fluviatilis**, Selys, (*Isch. F.*) Bull. Acad. Belg. (2) xli. p. 269 (1876). S. America.

9. **M. Bizonata**, Selys, (*Isch. B.*) l. c. p. 270 (1876). Brazil.

10. **M. Heterosticta**, Burm. (*Agr. Heterostictum*) l. c. p. 820. n. 16 (1839); *Isch. Heterosticta*, Selys, l. c. p. 271 (1876). Australia, New Caledonia.

— 11. **M. Ramburii**, Selys, (*Agr. R.*) Rev. Odon. p. 186 (1850); Sagra, Hist. Cuba, Ins. p. 468 (1857); *Isch. R.*, Selys, Bull. Acad. Belg. (2) xli. p. 272 (1876). America.

Agr. Senegalense, var., Ramb. l. c. p. 277 (1842).

Agr. Tuberculatum, Selys, Sagra, Hist. Cuba, Ins. p. 467 (1857); Hag. l. c. p. 76. n. 4 (1861).

Agr. Iners, Hag. l. c. p. 75. n. 3 (1861).

Agr. Credulum, Hag. l. c. p. 80. n. 11 (1861).

12. **M. Senegalensis**, Ramb. (*Agr. Senegalense*) l. c. p. 276 (1842); Selys, Rev. Odon. p. 186 (1850); *Isch. Senegalensis*, Selys, Bull. Acad. Belg. (2) xli. p. 273 (1876). Africa, E. Indies.

13. **M. Marocana**, Kolbe, (*Isch. M.*) Berl. ent. Zeitschr. xxviii. p. 133 (1884). Morocco.
Var. *a. Isch. M.*, var. *Flavistyla*, Kolbe, l. c. p. 134 (1884).

— 14. **M. Graellsii**, Ramb. (*Agr. G.*) l. c. p. 275 (1842); Selys, Luc. Expl. Alg. iii. p. 135, t. 3. ff. 1, 1 *a-c* (1849); Rev. Odon. p. 185 Spain, Portugal, Algeria.

- (1850); *Isch. G.*, *Selys*, Bull. Acad. Belg. (2) xli. p. 275 (1876).
Agr. Algiricum, *Selys*, Luc. Expl. Alg. iii. p. 135 (1849).
Agr. Algirum, *Selys*, Rev. Odon. p. 186 (1850).
15. **M. Genei, Ramb.** (*Agr. G.*) l. c. p. 276 (1842); *Selys*, l. c. p. 187 (1850); *Rost.* l. c. p. 254, t. 5 (1885); *Isch. G.*, *Selys*, Bull. Acad. Belg. (2) xli. p. 276 (1876).
 Var. *a. Agr. Genei*, var. *Aurantiaca*, *Rost.* l. c. p. 255, t. 6. ff. 6 *a-c* (1885).
16. **M. Elegans, Lind.** (*Agriion E.*) Opusc. Sicily, Sardinia, Corsica.
 Scient. iv. p. 104. n. 6, t. 4. f. 5 (1823);
 Mon. Lib. Eur. p. 40. n. 39 (1825); *Steph.* Ill. Brit. Ent., Mand. vi. p. 72 (1836);
Ramb. Ins. Névr. p. 274, t. 7. ff. 6, 7 *f'-g* (1842); *Evans*, l. c. p. 13, t. 3. ff. 3, 4 (1845); *Selys*, Rev. Odon. p. 188 (1850);
Rost. l. c. p. 246, t. 2 (i.), t. 3 (1885); *Isch. E.*, *Selys*, Bull. Acad. Belg. (2) xli. p. 277 (1876).
Agr. Pupilla, Hansem., *Wiedem. Zool. Mag.* ii. (1) p. 156 (1823); *Selys*, Mon. Lib. Eur. p. 157 (1840).
Agr. Tuberculatum, Charp. Hor. Ent. p. 21 (1825); Lib. Eur. p. 152, t. 38. f. 2 (1845); *Burm. Handb. Ent.* ii. p. 819. n. 11 (1839).
Agr. Hastulatum, Burm. l. c. p. 820. n. 13 (1839).
Agr. Aglaë, Fonsc. l. c. p. 567, t. 15. ff. 1, 2 (1838).
Agr. Ezonatum, Steph. l. c. p. 72 (1836); *Evans*, l. c. p. 14, t. 3. f. 5 (1845).
Agr. Rufescens, Steph. l. c. p. 74 (1836); *Evans*, l. c. p. 15, t. 5. f. 2 (1845).
Agr. Rubens, Evans, l. c. p. 14, t. 3. f. 6 (1845).
 Var. *a. Agr. E.*, race *Magna*, *Rost.* l. c. p. 247 (1885). Italy.
 Var. *b. Agr. E.*, var. *Excelsa*, *Rost.* l. c. p. 248, t. 6. ff. 1 *a-c* (1885). id.
 Var. *c. Agr. E.*, var. *Exigua*, *Rost.* l. c. ff. 2 *a-c* (1885). Florence.
 Var. *d. Agr. Elegans*, var. *Aurantiaca*, *Rost.* l. c. p. 249, t. 6. ff. 3 *a-c* (1885). id.

17. **M. Lamellata, Kolbe**, (*Isch. L.*) l. c. p. 155 (1884). Algeria.
18. **M. Taitensis, Selys**, (*Isch. T.*) Bull. Acad. Belg. (2) xli. p. 279 (1876). Taiti.
19. **M. Orientalis, Selys**, (*Isch. O.*) l. c. p. 280, (2) xlii. p. 989 (1876); Ann. Soc. Ent. Belg. xxvii. p. 132 (1883). China, Japan.
20. **M. Asiatica, Brauer**, (*Agr. (Isch.) Asiaticum*) Verh. zool.-bot. Ges. Wien, xv. p. 509 (1865); Reise d. Novara, *Neur.* p. 52 (1866); *Isch. Asiaticum, Selys*, l. c. (2) xlii. p. 990 (1876). China.
21. **M. Aurora, Brauer**, (*Agr. (Isch.) A.*) ll. cc. p. 510 (1865), p. 56 (1866). E. Indies.
Isch. Delicata, Selys, l. c. (2) xli. p. 281 (1876). Australia, Tahiti.
22. **M. Spinicauda, Brauer**, (*Agr. (Isch.) S.*) ll. cc. p. 511 (1865), p. 57 (1866); *Isch. S., Selys*, l. c. (2) xlii. p. 990 (1876). Polynesia.
23. **M. Cingillum, Brauer**, (*Agr. C.*) l. c. xix. p. 11 (1869). Rock-hampton.
24. **M. Æruginosum, Brauer**, (*Agr. Æ.*) l. c. p. 13 (1869). id.
25. **M. Rubilio, Selys**, (*Isch. R.*) l. c. (2) xli. p. 283, xlii. p. 990 (1876). India.
26. **M. Rufostigma, Selys**, (*Isch. R.*) l. c. (2) xli. p. 283 (1876). id.
27. **M. Distigma, Brauer**, (*Agr. (Isch.) D.*) l. c. xix. p. 14 (1869). Rock-hampton.
28. **M. (?) Rufovittata, Blanch.** (*Agrion Rufovittatum*), D'Orbigny, Voy. Amér. Mér. p. 217, t. 28. f. 6 (1837-43). Bolivia.

Genus 50. **Amphiagrion.**

Selys, Bull. Acad. Belg. (2) xli. p. 284 (1876).

- *1. **A. Discolor, Burm.** (*Agrion D.*) Handb. Ent. ii. p. 819. n. 8 (1839); Selys, Sagra, Hist. Cuba, Ins. p. 467 (1857); Ilag. Neur. N. Amer. p. 79. n. 10 (1861). United States, Cuba.
- *Agr. Saucium, Burm.* l. c. p. 819. n. 10 (1839); Hag. l. c. p. 85. n. 21 (1861); Pack. Amer. Nat. i. p. 308, t. 9. f. 7 (1867); *Amph. S., Selys*, Bull. Acad. Belg. (2) xli. p. 285 (1876).
2. **A. Amphion, Selys**, l. c. p. 287 (1876). N. America.

3. A. Heterodoxum , Selys, (<i>Agr. H.</i>) C. R. Soc. Ent. Belg. xi. p. lxxix (1868); <i>Amph. H.</i> , Selys, Bull. Acad. Belg. (2) xli. p. 288 (1876).	Vera Cruz.
4. A. Flavescens , Selys, (<i>Agr. Heterodoxum</i> , var. (?) <i>F.</i>) C. R. Soc. Ent. Belg. xi. p. lxx (1868); <i>Amph. F.</i> , Selys, Bull. Acad. Belg. (2) xli. p. 289 (1876).	Mexico.

Genus 51. **Oxyagrion.**

Selys, Bull. Acad. Belg. (2) xli. p. 290 (1876).

1. O. Dissidens , Selys, l. c. p. 292 (1876).	Quito.
2. O. Pavidum , Selys, l. c. p. 294 (1876).	Brazil.
3. O. Terminale , Selys, l. c. p. 295 (1876).	id.
4. O. Brevistigma , Selys, l. c. p. 297 (1876).	id.
5. O. Microstigma , Selys, l. c. p. 298 (1876).	id.
6. O. Miniopsis , Selys, l. c. p. 299 (1876).	Bogota.
7. O. Hæmatinum , Selys, l. c. p. 300 (1876).	M. Geraes.
8. O. Rubidum , Ramb. (<i>Agrion R.</i>) Ins. Névr. p. 261 (1842); <i>Ox. R.</i> , Selys, l. c. p. 301 (1876).	Buenos Aires.
9. O. Rufulum , Hag. (<i>Agr. R.</i>) Neur. N. Amer. p. 86, n. 25 (1861); <i>Ox. R.</i> , Selys, l. c. p. 302 (1876).	Californ.(?),
Chili.
10. O. Basale , Selys, l. c. p. 303 (1876).	Brazil.

Genus 52. **Acanthagrion.**

Selys, Bull. Acad. Belg. (2) xli. p. 304 (1876).

1. A. Apicale , Selys, l. c. p. 306 (1876).	Amazons.
2. A. Gracile , Ramb. (<i>Agrion G.</i>) Ins. Névr. p. 260 (1842); <i>Acanth. G.</i> , Selys, l. c. p. 307 (1876).	Brazil.
Var. <i>a. Ac. Gracile</i> , var. <i>Cuneatum</i> , Selys, l. c. p. 309 (1876).	Brazil,
Mexico.
Var. <i>b. Ac. Gr.</i> , var. <i>Quadratum</i> , Selys, l. c. (1876).	Mexico.
3. A. Minarum , Selys, (<i>A. Gracile</i> , race (?) <i>M.</i>) l. c. (1876).	Minas
Geraes.
4. A. Lancea , Selys, (<i>A. Gracile</i> , race (?) <i>L.</i>) l. c. p. 310 (1876).	Buenos
Aires.
5. A. Vidua , Selys, (<i>A. Gracile</i> , race (?) <i>V.</i>) l. c. (1876).	Venezuela.

6. A. Truncatum , Selys, l. c. p. 311 (1876).	M. Geraes.
7. A. Temporale , Selys, l. c. p. 312 (1876).	id.
8. A. Trimaculatum , Selys, l. c. p. 313 (1876).	Brazil.
9. A. Interruptum , Selys, l. c. p. 314 (1876).	Valparaiso.
10. A. Nigrinuchale , Selys, l. c. p. 316 (1876).	Brazil.
11. A. Laterale , Selys, l. c. p. 317 (1876).	N. Granada.
12. A. (?) Cheliferum , Selys, l. c. p. 319 (1876).	Brazil.

Genus 53. **Xiphiagrion.**

Selys, Bull. Acad. Belg. (2) xli. p. 321 (1876).

*1. X. Cyanomelas , Selys, l. c. (1876).	Moluccas.

Genus 54. **Enallagma.**

Charp. Lib. Eur. p. 21 (1840); Selys, Bull. Acad. Belg. (2) xli. p. 496 (1876).

1. E. Minutum , Selys, (<i>Trichocnemis Minuta</i>) Hist. Cuba, Ins. p. 464 (1857).
<i>Agrion Aduncum</i> , Hag. Neur. N. Amer. p. 79. n. 9 (1861); <i>En. (?) A.</i> , Selys, Bull. Acad. Belg. (2) xli. p. 499 (1876).	Cuba.
— 2. E. Durum , Hag. (<i>Agr. D.</i>) l. c. p. 87. n. 27 (1861); <i>En. D.</i> , Selys, l. c. p. 500 (1876).	Southern States.
3. E. Doubledayi , Selys, (<i>Agr. D.</i>) Rev. Odon. p. 209 (1850); Sagra, Hist. Cuba, Ins. p. 469 (1857); Hag. l. c. p. 89 (1861); <i>En. D.</i> , Selys, Bull. Acad. Belg. (2) xli. p. 502 (1876).	Florida, Cuba.
*4. E. Cyathigerum , Charp. (<i>Agr. C.</i>) Lib. Eur. p. 163, t. 42. f. 1 (1840); Selys, Rev. Odon. p. 205 (1850); <i>En. C.</i> , Selys, Bull. Acad. Belg. (2) xli. p. 505 (1876).
<i>Agr. Charpentieri</i> , Selys, Rev. Zool. 1840, p. 214; Bull. Acad. Belg. vii. (2) p. 95 (1840).
<i>Agr. Hastulatum</i> , Steph. Ill. Brit. Ent., Mand. vi. p. 74 (1836); Ramb. Ins. Névr. p. 273, t. 7. f. 3 c (1840).
<i>Agr. Brunnea</i> , Evans, Brit. Lib. p. 15, t. 4. f. 8 (1845).
<i>Agr. Pulchrum</i> , ♀, Hag. Syn. Lib. Eur. p. 80 (1840).	Europe.

5. **E. Annexum, Hag.** (*Agr. A.*) l. c. p. 87 (1861). *En. Cyathigerum*, race *Annexum*, *Selys*, Bull. Acad. Belg. (2) xli. p. 596 (1876). N. America. Irkutsk.
6. **E. Boreale, Selys**, (*Enallagma B.*) Ent. M. Mag. xi. p. 242 (1875). *En. Cyathigerum*, race (?) *B.*, *Selys*, Bull. Acad. Belg. (2) xli. p. 509 (1876). Newfoundland.
7. **E. Robustum, Selys**, (*Æn. R.*) Ent. M. Mag. xi. p. 243 (1875). *En. Cyathigerum*, race (?) *R.*, *Selys*, Bull. Acad. Belg. (2) xli. p. 507 (1876). California.
8. **E. Deserti, Selys**, (*Agr. D.*) Ann. Soc. Ent. Belg. xiv. p. 19 (1871); *En. D.*, *Selys*, Bull. Acad. Belg. (2) xli. p. 510 (1876). Algeria.
9. **E. (?) Brevispina, Selys**, l. c. p. 511 (1876). Japan.
10. **E. Hageni, Walsh**, (*Agr. H.*) Proc. Ent. Soc. Philad. ii. p. 234 (1863); *En. H.*, *Selys*, l. c. p. 512 (1876). *Agrion*, n. sp., *Walsh*, Proc. Acad. Nat. Sci. Philad. 1862, p. 386. N. America.
11. **E. Ebrium, Hag.** (*Agr. E.*) l. c. p. 89 (1861); *En. E.*, *Selys*, l. c. p. 513 (1876). Illinois, Chicago.
12. **E. Civile, Hag.** (*Agr. C.*) l. c. p. 88 (1861); *En. C.*, *Selys*, l. c. p. 514 (1876); Kolbe, Arch. f. Nat. liv. p. 170 (1888). *Agr. Canadense*, *Prov. Nat. Canad.* viii. p. 325 (1876). N. America, Cuba.
13. **E. Simile, Selys**, (*E. Civile*, race (?) *S.*) l. c. p. 515 (1876). Venezuela.
14. **E. Prævarum, Hag.** (*Agr. P.*) l. c. p. 88 (1861); *En. P.*, *Selys*, l. c. p. 516 (1876). S. States, Mexico.
15. **E. Semicirculare, Selys**, l. c. p. 517 (1876). Mexico.
16. **E. Aspersum, Hag.** (*Agr. A.*) l. c. p. 97 (1861); *En. A.*, *Selys*, l. c. p. 518 (1876). United States.
17. **E. Traviatum, Selys**, l. c. p. 519 (1876). id.
18. **E. Divagans, Selys**, l. c. p. 521 (1876). Mas'chus'ts.
19. **E. Exsulans, Hag.** (*Agr. E.*) l. c. p. 82 (1861); *En. E.*, *Selys*, l. c. p. 522 (1876). United States.
20. **E. Cultellatum, Selys**, l. c. p. 524 (1876). Cuba.
21. **E. Krugii, Kolbe**, l. c. liv. p. 171 (1888). Porto Rico.
22. **E. Signatum, Hag.** (*Agr. S.*) l. c. p. 84 (1861); *En. S.*, *Selys*, l. c. p. 525 (1876). *Agr. Dentiferum*, *Walsh*, Proc. Ent. Soc. Philad. ii. p. 236 (1863). United States.

— 23. E. Pollutum , Hag. (<i>Agr. P.</i>) l. c. p. 83 (1861); <i>En. P.</i> , Selys, l. c. p. 527 (1876).	Florida.
24. E. Cæcum , Hag. (<i>Agr. C.</i>) l. c. p. 84 (1861); <i>En. Cæcum</i> , Selys, l. c. p. 528 (1876).	Mexico,
W. Indies.
25. E. Cardenium , Selys, (<i>En. Cæcum</i> , race <i>C.</i>) l. c. p. 530 (1876).	Cuba,
Trinidad.
26. E. (?) Nigradorsum , Selys, l. c. p. 531 (1876).	Zanzibar.
27. E. (?) Obliteratum , Selys, l. c. p. 533 (1876).	Cape.
28. E. Gabonense , Selys, l. c. (1876).	Gaboon.
29. E. (?) Subfurcatum , Selys, l. c. p. 534 (1876).	Abyssinia.
30. E. (?) Malayanum , Selys, l. c. p. 536 (1876).	Java.
31. E. (?) Parvum , Selys, l. c. p. 537 (1876).	India.
32. E. (?) Melanotum , Selys, l. c. p. 538 (1876).	China.
33. E. Circulatum , Selys, Ann. Soc. Ent. Belg. xxvii. p. 133 (1883).	Japan.

Genus 55. **Nehalennia.**

Selys, Rev. Odon. p. 172 (1850); Bull. Acad. Belg. (2) xli. p. 1235 (1876).

1. N. Atrinuchalis , Selys, Bull. Acad. Belg. (2) xli. p. 1237 (1876).	Shanghai.
*2. N. Speciosa , Charp. (<i>Agrion Speciosum</i>) Lib. Enr. p. 141, t. 38. f. 1 (1840); Selys, Rev. Odon. p. 173 (1850); <i>Neh. Speciosa</i> , Selys, Bull. Acad. Belg. (2) xli. p. 1238 (1876).
<i>Agr. Sophia</i> , Selys, Rev. Zool. 1840, p. 213; Bull. Acad. Belg. vii. (2) p. 92 (1840).	Europe.
— 3. N. Irene , Hag. (<i>Agrion I.</i>) Neur. N. Amer. p. 74 (1861); <i>Neh. I.</i> , Selys, Bull. Acad. Belg. (2) xli. p. 1240 (1876).	United States.
4. N. Selysi , Kirb.
<i>N. Sophia</i> , Selys, l. c. p. 1244 (1876).	Minas
Geraes.
— 5. N. Posita , Hag. (<i>Agr. Positum</i>) l. c. p. 77 (1861); <i>Neh. Posita</i> , Selys, l. c. p. 1242 (1876).	United States.
6. N. Denticollis , Burm. (<i>Agr. Denticolle</i>) Handb. Ent. ii. p. 819. n. 9 (1839); Hag. l. c. p. 81 (1861); <i>Neh. Denticollis</i> , Selys, l. c. p. 1244, (2) xlii. p. 990 (1876).	Mexico.
7. N. Lais , Selys, l. c. (2) xlii. p. 990 (1876).	id.

Genus 56. **Cœnagrion.**

†*Agrion*, *Fabr.* Syst. Ent. p. 425 (1775); *Leach*, *Edinb. Encycl.* ix. p. 137 (1819); *Steph.* Ill. Brit. Ent., Mand. vi. p. 71 (1836); *Charp.* Lib. Eur. p. 21 (1840); *Selys*, Mon. Lib. Eur. p. 146 (1840); *Rev. Odon.* p. 171 (1850); *Bull. Acad. Belg.* (2) xli. p. 1246 (1876).

1. **C. (?) Nepos, Selys**, (*Agr.* (?) *N.*) *Bull. Acad. Belg.* (2) xli. p. 1249 (1876). Amazons.
2. **C. Minutissimum, Selys**, (*Agr.* *M.*) l. c. p. 1250 (1876). id.
3. **C. (?) Exclamationis, Selys**, (*Agr.* (?) *E.*) l. c. p. 1251 (1876). California.
4. **C. Concinnum, Joh.** (*Agr.* *C.*) *Odon. Svec.* p. 107. n. 7 (1859); *Selys*, Ann. Soc. Ent. Belg. xv. p. 40, t. 2. f. 8 (1872); *Bull. Acad. Belg.* (2) xli. p. 1252 (1876). N. Europe, N. Asia.
5. **C. Interrogatum, Selys**, (*Agr. Concinnum*, race (?) *I.*) *Bull. Acad. Belg.* (2) xli. p. 1254 (1876). Saskatchewan.
6. **C. Pulchellum, Lind.** (*A. Pulchella*) *Opusc. Sci.* iv. p. 103 (1823); *Mon. Lib. Eur.* p. 38. n. 7 (1825); *Selys*, Mon. Lib. Eur. p. 161 (1840); *A. Pulchellum, Selys*, *Rev. Odon.* p. 197 (1850); *Bull. Acad. Belg.* (2) xli. p. 1255 (1876). Europe, W. Asia.
Agr. Interruptum, Charp. Hor. Ent. p. 16 (1825); *Lib. Eur.* p. 156, t. 40, sup. (1840).
Agr. Puella, Hansem. *Wiedem. Zool. Mag.* ii. (1) p. 155 (1823); *Steph.* Ill. Brit. Ent., Mand. vi. p. 73. n. 5 (1836); *Evans*, Brit. Lib. p. 14, t. 3. ff. 7, 8 (1845).
Agr. Lunulatum, Evans, l. c. p. 15, t. 4. f. 3 (1845).
Agr. Hastulatum, Evans, l. c. ff. 5, 6 (1845).
Agr. Cyathigerum, Evans, l. c. f. 7 (1845).
- *7. **C. Puella, Linn.** (*Libellula P.*) *Syst. Nat.* i. p. 546. n. 18 (1758); *Faun. Suec.* p. 375 (1761); *Agr. P., Lind.* *Opusc. Scient.* iv. p. 104. n. 5 (1823); *Mon. Lib. Eur.* p. 39 (1825); *Selys*, Mon. Lib. Eur. p. 163 (1840); *Rev. Odon.* p. 200 (1850); *Bull. Acad. Belg.* (2) xli. p. 1257 (1876); *Ramb.* Ins. Névr. p. 271, t. 7. f. 2 b (1842). Europe, N. Africa, W. Asia.
Agr. Furcatum, Charp. Hor. Ent. p. 18

- (1825); Lib. Eur. p. 158, t. 40, inf. (1845);
 Steph. l. c. p. 73. n. 8 (1836); Evans, l. c.
 p. 14, t. 4. ff. 1, 2 (1845).
Agr. Pupa, Hansem. l. c. p. 155 (1823).
Agr. Annulare, Steph. l. c. p. 74. n. 8 (1836);
 Evans, l. c. p. 15, t. 5. f. 1 (1845).
8. **C. Irina, Brullé**, (*Puella I.*) Expl. Morée, Greece.
 ii. l. p. 105, t. 3. f. 7 (1832).
9. **C. Hastulatum, Charp.** (*Agr. II.*) ll. cc. Europe,
 p. 20 (1825), p. 160, t. 41. f. 1 (1845); W. Asia.
 Selys, Rev. Odon. p. 209 (1850); Bull.
 Acad. Belg. (2) xli. p. 1260 (1876); *Agr.*
Hastulatu, Selys, Mon. Lib. Eur. p. 165
 (1840); Bull. Acad. Belg. vii. (2) p. 97
 (1840).
10. **C. Lanceolatum, Selys**, (*Agr. L.*) Ann. Irkutsk,
 Soc. Ent. Belg. xv. p. 43, t. 2. f. 10 (1872); Amur.
 Bull. Acad. Belg. (2) xli. p. 1262 (1876).
11. **C. Resolutum, Selys**, (*Agr. R.*) Bull. Acad. Hudson's
 Belg. (2) xli. p. 1263 (1876). Bay.
12. **C. Ornatum, Selys**, (*Agr. O.*) Rev. Odon. Central
 p. 203 (1850); Bull. Acad. Belg. (2) xli. Europe.
 p. 1265 (1876).
13. **C. Vernale, Hag.** (*Agr. V.*) Preuss. Pro- Europe,
 vinzbl. xxi. p. 56. n. 5 (1839). Asia Minor.
Agr. Lunulatum, Charp. Lib. Eur. p. 162,
 t. 41. f. 2 (1845); Selys, Rev. Odon. p. 212
 (1850); Bull. Acad. Belg. (2) xli. p. 1266
 (1876).
14. **C. Glaciale, Selys**, (*Agr. G.*) Ann. Soc. Siberia.
 Ent. Belg. xv. p. 41, t. 2. f. 9 (1872); Bull.
 Acad. Belg. (2) xli. p. 1268 (1876).
15. **C. Armatum, Charp.** (*Agr. A.*) Lib. Eur. N. Europe.
 p. 164, t. 43. f. 1 (1840); Selys, Rev. Odon.
 p. 193 (1850); Bull. Acad. Belg. (2) xli.
 p. 1270 (1876).
 ♀. *A. Pulchrum*, ♂, *Hag.* Syn. Lib. Eur.
 p. 79. n. 78 (1840).
16. **C. Cærulescens, Fonsc.** (*Agr. C.*) Ann. S. France,
 Soc. Ent. France, vii. p. 569, t. 15. f. 4a, b Spain,
 (1838); Selys, Mon. Lib. Eur. p. 169 Sardinia.
 (1840); Rev. Odon. p. 218 (1850); Bull.
 Acad. Belg. (2) xli. p. 1271 (1876).
A. Pulchellu, Fonsc. l. c. p. 569, t. 14. ff. 3, 4
 (1838).
A. Aquisextanum, Ramb. l. c. p. 267, t. 6.
 f. 5c (1842).

17. **C. Scitulum**, Ramb. (*Agr. S.*) l. c. p. 266, t. 6. f. 4d (1842); Selys, Rev. Odon. p. 215 (1850); Bull. Acad. Belg. (2) xli. p. 1273 (1876).
♀. *A. Distinctum*, Ramb. l. c. p. 269 (1842).
18. **C. Mercuriale**, Charp. (*Agr. M.*) l. c. p. 159, t. 42. f. 2 (1840); Selys, Rev. Odon. p. 221 (1850); Bull. Acad. Belg. (2) xli. p. 1275 (1876).
A. Puella, Fonsc. l. c. p. 563, t. 14. ff. 5a, b, 6 (1838).
A. Fonscolombii, Ramb. l. c. p. 266, t. 6. f. 5e (1842).
19. **C. Hermeticum**, Selys, (*Agr. H.*) Ann. Soc. Ent. Belg. xv. p. 45 (1872); Bull. Acad. Belg. (2) xli. p. 1277 (1876).
20. **C. Exornatum**, Selys, (*Agr. E.*) ll. cc. p. 44, t. 2. f. 11 (1872), p. 1278 (1876).
21. **C. Quadrigerum**, Selys, (*Agr. Q.*) Ann. Soc. Ent. Belg. xxvii. p. 136 (1883).
22. **C. Lindenii**, Selys, (*Agr. L.*) Mon. Lib. Eur. p. 167 (1840); Rev. Odon. p. 225 (1850); Bull. Acad. Belg. (2) xli. p. 1279 (1876); Ramb. l. c. p. 264, t. 6. f. 2b (1842).
23. **C. Sieboldii**, Selys, (*Agr. S.*) Bull. Acad. Belg. (2) xli. p. 1281 (1876).
24. **C. Hieroglyphicum**, Brauer, (*Agr. H.*) Verh. zool.-bot. Ges. Wien, xv. p. 510 (1865); Reise d. Novara, *Neur.* p. 54 (1866).
A. (?) Lineolatum, Selys, l. c. p. 1282 (1876).
25. **C. Sexlineatum**, Selys, (*Agr. S.*) Ann. Soc. Ent. Belg. xxvii. p. 135 (1883).
26. **C. (?) Xanthomelas**, Selys, (*Agr. X.*) Bull. Acad. Belg. (2) xli. p. 1284 (1876).
27. **C. (?) Waltheri**, Selys, (*Agr. W.*) l. c. p. 1286 (1876).
28. **C. (?) Melanoproctum**, Selys, (*Agr. M.*) l. c. p. 1287 (1876).
29. **C. Insulare**, Selys, (*Agr. I.*) Rev. Zool. 1872, p. 179; Bull. Acad. Belg. (2) xli. p. 1288 (1876).
30. **C. Punctum**, Ramb. (*Agr. P.*) l. c. p. 260. n. 6 (1842); Selys, Bull. Acad. Belg. (2) xli. p. 1291 (1876).
31. **C. Deckeni**, Gerst. (*Agr. D.*) Arch. f. Nat. xxxv. p. 222 (1869); Decken's Reisen, iii. (2) p. 54 (1873).

S. & W.
Europe,
Algeria.

Europe.

Algeria.

Siberia.

Japan.

Europe,
Algeria,
Asia Minor.

Japan.

China,
Japan.

Japan.

Sandwich I.

Minas
Geraes.
Polynesia.

Mauritius,
Bourbon.

Mauritius.

Mbaramu,
E. Africa.

32. C. Kersteni, Gerst. (<i>Agr. K.</i>) ll. cc. p. 222
(1869), p. 53 (1873).	Cape.
33. C. (?) Hawaiense, McLachl. (<i>Agr. H.</i>)
Ann. Nat. Hist. (5) xii. p. 232 (1883).	Hawaiian
Islands.
34. C. Pacificum, McLachl. (<i>Agr. P.</i>) l. c.
p. 234 (1883).	id.
35. C. Deceptor, McLachl. (<i>Agr. D.</i>) l. c.
p. 235 (1883).	id.
36. C. Calliphya, McLachl. (<i>Agr. C.</i>) l. c.
p. 236 (1883).	id.
37. C. (?) Satelles, Blackb. (<i>Agr. S.</i>) Ann.
Nat. Hist. (5) xiv. p. 414 (1884).	id.
38. C. Oahuense, Blackb. (<i>Agr. O.</i>) l. c. p. 415
(1884).	id.
39. C. Nigrohamatum, Blackb. (<i>Agr. N.</i>) l. c.
(1884).	id.
40. C. Koelense, Blackb. (<i>Agr. K.</i>) l. c. p. 417
(1884).	id.
41. C. Dorothea, Fourcr. (<i>Lib. D.</i>) Ent. Par.
ii. p. 344. n. 4 (1785).	France.
42. C. Sophia, Fourcr. (<i>Lib. S.</i>) l. c. p. 345.
n. 5 (1785).	id.
43. C. Adelais, Fourcr. (<i>Lib. A.</i>) l. c. n. 6
(1785).	id.

Genus 57. **Pyrrhosoma.**

Charp. Lib. Eur. p. 19 (1840); Selys, Bull. Acad. Belg. (2) xli.
p. 1293 (1876).

1. P. Tenellum, Vill. (<i>Libellula Tenella</i>) Linn.
Ent. iii. p. 15. n. 27 (1789); <i>Agrion Tenel-</i>
<i>lum</i> , Selys, Rev. Odon. p. 180 (1850);
<i>Pyrrhosoma</i> (?) T., Selys, Bull. Acad. Belg.
(2) xli. p. 1294 (1876).
<i>Agr. Rubella</i> , Lind. Opusc. Scient. iv. p. 105.
n. 7, t. 4. ff. 6, 7 (1823); Mon. Lib. Eur.
p. 42. n. 12 (1825); Selys, Mon. Lib. Eur.
p. 154 (1840); <i>A. Rubellum</i> , Steph. Ill.
Brit. Ent., Mand. vi. p. 71. n. 1, t. 29. f. 4
(1836); Evans, Brit. Lib. p. 13, t. 3. f. 1
(1845).	Europe.
*2. P. Nymphula, Sulz. (<i>Lib. N.</i>) Gesch. Ins.
t. 24. f. 5 (1776).
<i>Lib. Minius</i> , Harr. Exp. Engl. Ins. t. 29.
ff. 1, 2 (1782); <i>Agr. Minium</i> , Charp. Hor.
Ent. p. 13 (1825); Lib. Eur. p. 146, t. 36.
f. 2 (1845); Steph. l. c. p. 75. n. 10 (1836);	id.

- Selys, Rev. Odon. p. 178 (1850); *Pyrrh. M., Evans*, l. c. p. 16, t. 5. ff. 3, 4 (1845); Selys, Bull. Acad. Belg. (2) xli. p. 1296 (1876).
Agr. Amazon, Hansem. Wiedem. Zool. Mag. (2) i. p. 152 (1823).
Agr. Sanguinea, Lind. Mon. Lib. Eur. p. 41 (1825); Selys, Mon. Lib. Eur. p. 152 (1840); *Agr. Sanguineum, Ramb.* Ins. Névr. p. 262 (1842).
Agr. Fulvipes, Steph. l. c. p. 75. n. 11 (1836); *Erythromma F., Evans*, l. c. p. 16, t. 5. f. 5 (1845).
Er. Chloridion, Evans, l. c. f. 6 (1845).
 3. **P. Abbreviatum, Selys**, Bull. Acad. Belg. California. (2) xli. p. 1299 (1876).

Genus 58. **Erythromma.**

Charp. Lib. Eur. p. 20 (1840); Selys, Bull. Acad. Belg. (2) xli. p. 1300 (1876).

- *1. **E. Najas, Hansem.** (*Agrion N.*) Wiedem. Europe. Zool. Mag. ii. (1) p. 158 (1823); Selys, Mon. Lib. Eur. p. 151 (1840); Rev. Odon. p. 177 (1850); Ramb. Ins. Névr. p. 263, t. 6. f. 1 a (1842); *Erythr. N., Selys*, Bull. Acad. Belg. (2) xli. p. 1302 (1876).
Agr. Analis, Lind. Mon. Lib. Eur. p. 40. n. 10 (1825).
Agr. Chloridion, Charp. Hor. Ent. p. 14 (1825); Lib. Eur. p. 148, t. 37, fig. sup. (1840); Steph. Ill. Brit. Ent., Mand. vi. p. 75. n. 12 (1836).
 2. **E. Humerale, Selys**, Ann. Soc. Ent. Belg. Siberia. xxxi. p. 61 (1887).
 3. **E. Viridulum, Charp.** (*Agr. V.*) Lib. Eur. Europe, Asia Minor. p. 149, t. 37, fig. inf. (1840); Selys, Rev. Odon. p. 175 (1850); *Erythr. V., Selys*, Bull. Acad. Belg. (2) xli. p. 1304 (1876).
Agr. Bremii, Ramb. l. c. p. 265, t. 6. ff. 6, 7 (1842).
 4. **E. (?) Conditum, Selys**, l. c. p. 1305 Maryland. (1876).
 5. **E. (?) Gayi, Selys**, l. c. p. 1307 (1876). Chili.
 6. **E. (?) Blanchardi, Selys**, l. c. p. 1309 id. (1876).

Genus 59. **Pseudagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 490 (1876).

1. P. Melanicterum , Selys, l. c. p. 492 (1876).	W. Africa.
2. P. Angolense , Selys, l. c. p. 493 (1876).	Angola.
— 3. P. Prætextatum , Selys, l. c. p. 494 (1876).	Africa.
4. P. Syriacum , Selys, (<i>Pseud. Prætextatum</i> , race (?) <i>Syriacum</i>) Ann. Soc. Ent. Belg. xxxi. pp. 47, 48 (1887).	Beyrout.
*5. P. Furcigerum , Ramb. (<i>Agrion F.</i>) Ins. Névr. p. 261 (1842); Selys, Bull. Acad. Belg. (2) xlii. p. 496 (1876).	Cape.
— 6. P. Glaucescens , Selys, l. c. p. 498 (1876).	W. Africa.
— 7. P. Torridum , Selys, l. c. p. 500 (1876).	Senegal.
8. P. Nubicum , Selys, l. c. p. 501 (1876).	Nubia.
9. P. Decorum , Ramb. (<i>Agr. D.</i>) l. c. p. 258 (1842); <i>Pseud. D.</i> , Selys, l. c. p. 502 (1876).	Bombay.
10. P. Microcephalum , Ramb. (<i>Agr. M.</i>) l. c. p. 259 (1842); <i>Pseud. M.</i> , Selys, l. c. p. 504 (1876).	E. Indies.
11. P. Australasiæ , Selys, l. c. p. 506 (1876).	Austral., &c.
12. P. Migratum , Selys, l. c. p. 507 (1876).	Japan.
13. P. Approximans , Selys, l. c. (1876).	E. Indies (?).
14. P. Cyane , Selys, l. c. p. 508 (1876).	Austral. (?).
15. P. (?) Hisopa , Selys, l. c. p. 509 (1876).	Pulo Besoar.
16. P. Rubriceps , Selys, l. c. p. 510 (1876).	Java.
17. P. Crocops , Selys, l. c. p. 512 (1876).	Menado.
18. P. Coriaceum , Selys, l. c. p. 513 (1876).	Moluccas.
19. P. Pilidorsum , Brauer, (<i>Agr. P.</i>) Verh. zool.-bot. Ges. Wien, xviii. p. 553 (1868); <i>Pseud. P.</i> , Selys, l. c. p. 514 (1876).	Luzon.
20. P. Ustum , Selys, l. c. p. 515 (1876).	Sula.
21. P. Magnanimum , Selys, l. c. p. 516 (1876).	Aru.
22. P. Pruinsum , Burm. (<i>Agr. P.</i>) Handb. Ent. ii. p. 821. n. 19 (1839); <i>Pseud. P.</i> , Selys, l. c. p. 517 (1876).	Java.
23. P. Hypermelas , Selys, l. c. p. 519 (1876).	India.
24. P. Flavithorax , Selys, Mitth. Mus. Dresd. iii. p. 322 (1878); Ann. Mus. Genov. xiv. p. 317 (1879).	Papua.

Genus 60. **Xanthagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 520 (1876).

— *1. X. Erythroneurum, Selys, l. c. p. 521 (1876). 2. X. Zelandicum, McLachl. (<i>Telebasis Zelandica</i>) Ann. Nat. Hist. (4) xii. p. 35 (1873); <i>Xanth. Xelandicum</i>, Selys, l. c. p. 524 (1876). 3. X. Antipodum, Selys, l. c. (1876). 4. X. Sobrinum, McLachl. (<i>Tel. Sobrina</i>) l. c. p. 36 (1873); <i>X. Sobrinum</i>, Selys, l. c. p. 524 (1876).	Melbourne. N. Zealand. id. id.

Genus 61. **Ceriagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 525 (1876).

<p>*1. C. Cerinorubellum, Brauer, (<i>Agrion</i> (<i>Pyrhosoma</i>) C.) Verh. zool.-bot. Ges. Wien, xv. p. 511 (1865); <i>Agr. C.</i>, Brauer, Reise d. Novara, <i>Neur.</i> p. 59 (1866); <i>Cer. C.</i>, Selys, l. c. p. 526 (1876).</p> <p>— 2. C. Glabrum, Burm. (<i>Agr. G.</i>) Handb. Ent. ii. p. 821. n 18 (1839); <i>Cer. G.</i>, Selys, l. c. p. 527 (1876).
<i>Agr. Ferrugineum</i>, Ramb. Ins. Névr. p. 280 (1842).</p> <p>3. C. Coromandelianum, Fabr. (<i>Agr. Coromandeliana</i>) Ent. Syst., Suppl. p. 287 (1798); <i>Cer. C.</i>, Selys, l. c. p. 528 (1876).
<i>Agr. Cerinum</i>, Ramb. l. c. p. 279 (1842).</p> <p>4. C. Melanurum, Selys, l. c. p. 529 (1876).</p>	Ceylon. Africa. India. China, Jap.

Genus 62. **Argiagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 530 (1876).

*1. A. Leoninum, Selys, l. c. (1876).	Sicr. Leone.

Genus 63. **Anisagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 952 (1876).

1. A. Allopterum, Selys, l. c. p. 953 (1876). 2. A. Rubicundum, Selys, l. c. p. 954 (1876).	Mex., Guat. Mexico.

Genus 64. **Telebasis.**

Selys, Bull. Acad. Belg. (2) xx. p. 378 (1865); C. R. Soc. Ent. Belg. xi. p. lxxi (1869).

Erythragrion, Selys, Bull. Acad. Belg. (2) xlii. p. 955 (1876).

1. T. Filiola , Perty, (<i>Agrion F.</i>) Del. Anim. Art. p. 125, t. 25. f. 4 (1834); <i>Er. F.</i> , Selys, l. c. p. 956 (1876).	Brazil.
2. T. Dominicana , Selys, (<i>Agr. Dominicanum</i>) Sagra, Hist. Cuba, Ins. p. 466 (1857); Hag. Neur. N. Amer. p. 86. n. 24 (1861); <i>Er. D.</i> , Selys, Bull. Acad. Belg. (2) xlii. p. 958 (1876).	Haiti,
Porto Rico,
Guiana.
3. T. Vulnerata , Hag. (<i>Agr. Vulneratum</i>) l. c. n. 23 (1861); <i>Er. V.</i> , Selys, l. c. p. 960 (1876).	Porto Rico.
4. T. Erythrina , Selys, (<i>Er. Erythrinum</i>) l. c. p. 961 (1876).	Minas
Geraes.
*5. T. Salva , Hag. (<i>Agr. Salvum</i>) l. c. p. 85. n. 22 (1861); <i>Er. S.</i> , Selys, l. c. p. 962 (1876).
<i>Telebasis Boucardi</i> , Selys, C. R. Soc. Ent. Belg. xi. p. lxx (1869).	Texas to
Guatemala.
6. T. Corallina , Selys, (<i>Er. Corallinum</i>) Bull. Acad. Belg. (2) xlii. p. 964 (1876).	Brazil.
7. T. Coccinea , Selys, (<i>Er. Coccineum</i>) l. c. p. 965 (1876).	Minas
Geraes.

Genus 65. **Telagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 966 (1876).

1. T. Fulvellum , Selys, l. c. p. 968 (1876).	Amazons.
2. T. Inversum , Selys, l. c. p. 969 (1876).	Santarem.
*3. T. Longum , Selys, l. c. p. 970 (1876).	Brazil.
4. T. Mecistogastrum , Selys, l. c. p. 972 (1876).	id.

Genus 66. **Leptagrion.**

Selys, Bull. Acad. Belg. (2) xlii. p. 974 (1876).

1. L. Porrectum , Selys, l. c. p. 975 (1876).	Brazil.
*2. L. Macrurum , Burm. (<i>Agrion M.</i>) Handb. Ent. ii. p. 819. n. 4 (1839); Selys, l. c. p. 977 (1876).	id.
3. L. Andromache , Selys, l. c. p. 978 (1876).	id.
4. L. Elongatum , Selys, l. c. p. 979 (1876).	id.
5. L. Dispar , Selys, (<i>L. Elongatum</i> , race <i>D.</i>) l. c. p. 979 (1876).	id.

6. L. Dorsale , Burm. (<i>Agr. D.</i>) l. c. p. 819.
n. 5 (1839); <i>Lept. D., Selys</i> , l. c. p. 981
(1876).	Para.
7. L. Inca , Selys , l. c. p. 982 (1876).	Peru.
8. L. (?) Inornatum , Selys , l. c. p. 983
(1876).	S. Amer. (?)
9. L. (?) Obsoletum , Selys , l. c. p. 985
(1876).	Obydos.
10. L. Flammeum , Selys , l. c. p. 986 (1876).	Amazons.
11. L. (?) Rufum , Selys , l. c. p. 987 (1876).	S. Amer. (?)
12. L. Croceum , Burm. (<i>Agr. C.</i>) l. c. p. 819.
n. 6 (1839); <i>Lept. C., Selys</i> , l. c. p. 988
(1876).	Surinam.

Genus 67. **Megalagrion.**

McLachl. Ann. Nat. Hist. (5) xii. p. 237 (1883).

1. M. Blackburni , McLachl. l. c. (1883).	Hawaiian Is.
2. M. Oceanicum , McLachl. l. c. p. 239
(1883).	id.

Genus 68. **Leptobasis.**

Selys, Bull. Acad. Belg. (2) xliii. p. 99 (1877).

*1. L. Vacillans , Selys , l. c. p. 101 (1877).	Cuba.
2. L. Macrogaster , Selys , (<i>Agriion M.</i>) Sagra,
Hist. Cuba, Ins. p. 465 (1857); Hag.
Neur. N. Amer. p. 74. n. 2 (1861); <i>Lept. (?)</i>
<i>Macrogaster</i> , Selys , Bull. Acad. Belg. (2)
xliii. p. 102 (1877).	Jamaica.
3. L. Dicerus , Selys , l. c. (1877).	Para.
4. L. Bicornis , Selys , l. c. p. 103 (1877).	Amazons.
5. L. Quadricornis , Selys , l. c. p. 104 (1877).	Para.
6. L. Rosea , Selys , l. c. p. 105 (1877).	Amazons.
7. L. Macilentus , Ramb. (<i>Agr. Macilentum</i>)
Ins. Névr. p. 259. n. 4 (1842); <i>Lept. Ma-</i>
<i>cilentus</i> , Selys , l. c. p. 106 (1877).	Brazil.

Genus 69. **Archibasis.**

|| *Stenobasis*, **Selys**, Bull. Acad. Belg. (2) xliii. p. 107 (1877).

1. A. Oscillans , Selys , (<i>Sten. O.</i>) l. c. p. 108
(1877).	Banka (?),
Siam (?).
2. A. Melanocyana , Selys , (<i>Sten. M.</i>) l. c.
p. 110 (1877).	Malacca.
3. A. (?) Occipitalis , Selys , (<i>Sten. (?) O.</i>) l. c.
p. 111 (1877).	Papua.

Genus 70. **Teinobasis.**

|| *Telebasis*, Selys, Bull. Acad. Belg. (2) xliii. p. 112 (1877).

1. T. Recurva , Selys, (<i>Tel. R.</i>) l. c. p. 114
(1877).	Mindanao.
2. T. Superba , Selys, (<i>Tel. S.</i>) l. c. (1877).	Menado.
3. T. Pretiosa , Selys, (<i>Tel. P.</i>) l. c. p. 116
(1877).	Papua.
4. T. Prothoracica , Selys, (<i>Tel. P.</i>) l. c.
p. 117 (1877).	Mysol.
5. T. Lorquini , Selys, (<i>Tel. L.</i>) l. c. p. 118
(1877).	Moluccas.
6. T. Ruficollis , Selys, (<i>Tel. R.</i>) l. c. p. 119
(1877).	Singapore.
7. T. Combusta , Selys, (<i>Tel. C.</i>) l. c. p. 120
(1877).	Sula.
8. T. Glauca , Brauer, (<i>Amphicnemis</i> G.)
Verh. zool.-bot. Ges. Wien, xviii. p. 542
(1868); <i>Tel. G.</i> , Selys, l. c. p. 121 (1877).	Luzon.
9. T. Rufithorax , Selys, (<i>Tel. R.</i>) l. c. p. 122
(1877).	Obi, Mysol.
10. T. Filiformis , Brauer, (<i>Amph. F.</i>) l. c.
p. 544 (1868); <i>Tel. F.</i> , Selys, l. c. p. 123
(1877).	Luzon.
11. T. Filum , Brauer, (<i>Amph. F.</i>) l. c. p. 545
(1868); <i>Tel. F.</i> , Selys, l. c. p. 124 (1877).	Mindanao.
12. T. Eximia , Selys, (<i>Tel. E.</i>) Mittl. Mus.
Dresd. iii. p. 322 (1878); Ann. Mus. Genov.
xiv. p. 319 (1879).	Ternate.
13. T. Laglaizei , Selys, (<i>Tel. L.</i>) ll. cc. p. 322
(1878), p. 319 (1879).	Papua.

Genus 71. **Amphicnemis.**

Selys, Bull. Acad. Belg. (2) xvi. p. 152 (1863), (2) xliii.
p. 126 (1877).

*1. A. Wallacei , Selys, ll. cc. p. 153 (1863),
p. 128 (1877).	Sarawak.
2. A. Ecornuta , Selys, Ann. Mus. Genov.
xxvii. p. 482 (1889).	Sumatra.
3. A. Furcata , Brauer, Verh. zool.-bot. Ges.
Wien, xviii. p. 543 (1868); Selys, Bull.
Acad. Belg. (2) xliii. p. 127 (1877).	Philippines.
4. A. Lestoides , Brauer, l. c. p. 541 (1868);
Selys, l. c. p. 130 (1877).	id.

Genus 72. **Pericnemis.**

Selys, Bull. Acad. Belg. (2) xvi. p. 151 (1863), (2) xliii.
p. 131 (1877).

*1. P. Stictica , Selys, ll. cc. p. 152 (1863),
(2) xliii. p. 132 (1877).	Java.
2. P. Annulata , Brauer, Verh. zool.-bot. Ges.
Wien, xix. p. 10 (1869).	Samoa.

Genus 73. **Argiocnemis.**

Selys, Bull. Acad. Belg. (2) xliii. p. 135 (1877).

1. A. Rubescens , Selys, l. c. p. 136 (1877).	Queensland.
*2. A. Rubeola , Selys, l. c. p. 137 (1877).	Celebes.
3. A. Intermedia , Selys, (<i>A. Rubeola</i> , var.
(?) <i>I.</i>) l. c. p. 138 (1877).	Java,
Labuan.
4. A. Lunulata , Selys, l. c. p. 139 (1877).	Java, Celeb.
5. A. Nigricans , Selys, l. c. p. 140 (1877).	Java, &c.
6. A. Solitaria , Selys, (<i>Argiocnemis S.</i>) Rev.
Zool. xxiii. p. 181 (1872); <i>Argiocn. S.</i> ,
<i>Selys</i> , Bull. Acad. Belg. (2) xliii. p. 141
(1877).	Rodriguez.

Genus 74. **Agriocnemis.**

Selys, Pollen & Van Dam, Faune Mad., Ins. p. 24 (1869);
Selys, Bull. Acad. Belg. (2) xliii. p. 142 (1877).

1. A. Lacteola , Selys, l. c. (2) xliii. p. 144
(1877).	India.
2. A. Minima , Selys, l. c. p. 145 (1877).	Java.
3. A. Pygmæa , Ramb. (<i>Agrion Pygmæum</i>)
Ins. Névr. p. 278 (1842).	India.
4. A. Velaris , Selys, An. Soc. Esp. xi. p. 31.
n. 72 (1882).
<i>Agriocn. Pygmæa</i> , Selys, Bull. Acad. Belg. (2)
xliii. p. 146 (1877).	Philippines.
5. A. Exsudans , Selys, l. c. p. 148 (1877).	New Caled.
6. A. Femina , Brauer, (<i>Agrion (Ischnura) F.</i>)
Verh. zool.-bot. Ges. Wien, xviii. p. 554
(1868).
<i>Agriocn. Incisa</i> , Selys, l. c. p. 149 (1877).	Singapore
to Celebes,
Philippines.

7. A. Pulverulans , Selys, (<i>A. Incisa</i> , race (?))
<i>P.</i>) l. c. p. 150 (1877).	Celebes.
8. A. Materna , Selys, l. c. p. 151 (1877).	Sumatra.
9. A. Maclachlani , Selys, l. c. p. 152 (1877).	Gaboon.
10. A. Exilis , Selys, Rev. Zool. (2) xxiii.
p. 182 (1872); Bull. Acad. Belg. (2) xliii.
p. 154 (1877).	Zanzibar,
Madagascar,
Mauritius.
11. A. Carmelita , Selys, Bull. Acad. Belg.
(2) xliii. p. 155 (1877).	Annam.
12. A. Australis , Selys, l. c. (1877).	Queensland
*13. A. Rufipes , Ramb. (<i>Agrion R.</i>) l. c. p. 258.
n. 11 (1842); Selys, l. c. (2) xli. p. 1290
(1876).
<i>Agrion Mauritianum</i> , Selys, Rev. Zool. 1872,
p. 180.	Mauritius.

Genus 75. **Hemiphlebia.**

Selys, C. R. Soc. Ent. Belg. xi. p. lxxii (1869); Bull. Acad.
Belg. (2) xliii. p. 156 (1877).

*1. H. Mirabilis , Selys, ll. cc. p. lxxiii (1869),
p. 158 (1877). | Port
Denison. |
|--|------------------|

Genus 76. **Megalestes.**

Selys, Bull. Acad. Belg. (2) xliii. p. 293 (1862).

*1. M. Major , Selys, l. c. p. 293 (1862).	India.

Genus 77. **Archilestes.**

Selys, Bull. Acad. Belg. (2) xliii. p. 294 (1862).

*1. A. Grandis , Ramb. (<i>Lestes G.</i>) Ins. Névr.
p. 244 (1842); Hag. Neur. N. Amer. p. 66.
n. 1 (1861); <i>Arch. G.</i> , Selys, l. c. p. 294
(1862). | Mexico to
Venezuela. |
|---|-------------------------|

Genus 78. **Lestes.**

Leach, Edinb. Encycl. ix. p. 137 (1815); Steph. Ill. Brit. Ent., Mand. vi. p. 76 (1836); Ramb. Ins. Névr. p. 243 (1842); Selys, Mon. Lib. Eur. p. 135 (1840); Rev. Odon. p. 146 (1850); Bull. Acad. Belg. (2) xiii. p. 295 (1862).

Puella, Brullé, Expl. Morée, ii. (1) p. 104 (1832).

Anapates, Charp. Lib. Eur. p. 18 (1840).

1. **L. Macrostigma**, Eversm. (*Agrion M.*) S. Europe,
Bull. Mosc. ix. p. 246 (1836); *Lest. M.*, Asia Minor.
Ramb. l. c. p. 249 (1842); Selys, Rev.
Odon. p. 150 (1850); Bull. Acad. Belg.
(2) xiii. p. 296 (1862).
L. Picteti, Selys, Mon. Lib. Eur. p. 138
(1840).
2. **L. Viridis**, Lind. (*Agr. V.*) Mon. Lib. Eur. Europe,
p. 36 (1825); Fonsc. Ann. Soc. Ent. France, Algeria,
vii. p. 556, t. 13. f. 3 (1838); *Lestes V.*, Asia Minor.
Selys, l. c. p. 137 (1840); Rev. Odon. p. 168
(1850); Bull. Acad. Belg. (2) xiii. p. 297
(1862); Ramb. l. c. p. 250 (1842).
Agr. Leucopsallis, Charp. l. c. p. 5 (1825);
Mon. Lib. p. 140, t. 35 (1840).
3. **L. Simplex**, Hag. l. c. p. 68. n. 6 (1861); Texas,
Selys, Bull. Acad. Belg. (2) xiii. p. 298 Mexico.
(1862).
4. **L. Unguiculatus**, Hag. (*L. Unguiculata*) United
l. c. p. 70. n. 11 (1861); Selys, l. c. p. 299 States.
(1862).
5. **L. Uncatus**, Kirb. id.
|| *L. Hamata*, Selys, l. c. p. 300 (1862).
|| *L. Forcipata*, Hag. l. c. p. 71. n. 13 (1861).
6. **L. Smaragdulus**, Buch. (*L. Smaragdula*) Zurich.
Syst. Ent. p. 16, t. 41. f. 6 (1878).
7. **L. Dryas**, Kirb. Europe.
|| *L. Nympha*, Selys, Mon. Lib. Eur. p. 141
(1840); Rev. Odon. p. 151 (1850); Bull.
Acad. Belg. (2) xiii. p. 301 (1862).
|| *L. Forcipula*, Ramb. l. c. p. 247 (1842).
- *8. **L. Sponsa**, Hansem. (*Agr. S.*) Wiedem. id.
Zool. Mag. ii. (1) p. 159 (1823); *Lestes S.*,
Selys, ll. cc. p. 140 (1840), p. 154 (1850),
p. 301 (1862); Ramb. l. c. p. 248 (1842).
L. Nympha, Steph. l. c. p. 77 (1836).
Agr. Forcipula, Charp. Hor. Ent. p. 6 (1825);

- Lib. Eur. p. 141, t. 34. ff. 1, 2 (1840);
Lest. F., Steph. l. c. p. 78 (1836); Evans,
 Brit. Lib. p. 18, t. 6. f. 4 (1845).
Agr. Picteti, Fonsc. l. c. p. 557, t. 13. f. 4
 (1838).
Agr. Spectrum, Kol. Bull. Mosc. xxix. (4)
 p. 501 (1856).
9. **L. Disjunctus, Selys**, (*L. Disjuncta*) Bull. United
 Acad. Belg. (2) xiii. p. 302 (1862). States.
10. **L. Forcipatus, Ramb.** (*L. Forcipata*) l. c. id.
 p. 246 (1842); Selys, l. c. p. 303 (1862).
L. Hamata, Hag. l. c. p. 70. n. 12 (1861).
11. **L. Stultus, Hag.** (*L. Stulta*) l. c. p. 67. n. 4 San
 (1861); Selys, l. c. p. 304 (1862). Francisco.
12. **L. Alacer, Hag.** l. c. p. 67. n. 3 (1861). Texas,
L. Alacris, Selys, l. c. p. 304 (1862). Mexico.
13. **L. Minutus, Selys**, (*L. Minuta*) l. c. p. 305 Brazil.
 (1862).
14. **L. Vigilax, Selys**, l. c. p. 306 (1862). N. Jersey.
15. **L. Rectangularis, Say**, Journ. Acad. Nat. United
 Sci. Philad. viii. p. 34 (1839); Hag. l. c. States.
 p. 66. n. 2 (1861); Selys, l. c. p. 306
 (1862).
16. **L. Sublatus, Hag.** (*L. Sublata*) l. c. p. 307 Surinam.
 (1862).
17. **L. Forficula, Ramb.** l. c. p. 247 (1842); Mexico to
 Hag. l. c. p. 68. n. 7 (1861); Selys, l. c. Brazil.
 p. 308 (1862).
18. **L. Striatus, Selys**, (*L. Striata*) l. c. p. 309 Venezuela.
 (1862).
19. **L. Spumarius, Selys**, (*L. Spumaria*) l. c. Porto Rico.
 (1862).
20. **L. Exoletus, Selys**, (*L. Exoleta*) l. c. p. 310 Brazil.
 (1862).
21. **L. Undulatus, Say**, (*L. Undulata*) l. c. Chili,
 p. 35 note (1839); Selys, l. c. p. 311 Buenos
 (1862); Bol. Viaje al Pacif., *Newr.* p. 8 Aires.
 (1884).
L. Vittata, Selys, Rev. Odon. p. 331 (1850).
Agr. Viridivittatum, Blanch. Gay, Faun.
 Chil. vi. p. 118, t. 11. f. 7 (1849).
22. **L. Auritus, Selys**, (*L. Aurita*) Bull. Acad. Brazil.
 Belg. (2) xiii. p. 312 (1862).
23. **L. Tricolor, Erichs.** Schomb. Reisen Brit. S. America.
 Guiana, iii. p. 585 (1848); Selys, l. c.
 p. 313 (1862).
24. **L. Pictus, Selys**, (*L. Picta*) l. c. p. 314 (1862). Brazil.

25. **L. Tenuatus, Ramb.** (*L. Tenuata*) l. c. p. 245. n. 2 (1842); Selys, Sagra, Hist. Cuba, Ins. p. 463 (1857); Bull. Acad. Belg. (2) xiii. p. 315 (1862); Hag. l. c. p. 69. n. 9 (1861). Antilles.
- 26. **L. Eurinus, Say,** l. c. p. 36 (1839); *L. Eurina*, Hag. l. c. p. 70. n. 10 (1861); Selys, Bull. Acad. Belg. (2) xiii. p. 316 (1862); ? Walsh, Proc. Acad. Nat. Sci. Philad. 1862, p. 385. United States.
- 27. **L. Inæqualis, Walsh,** l. c. (1862). Illinois.
- 28. **L. Congener, Hag.** l. c. p. 67. n. 5 (1861); Selys, l. c. p. 316 (1862). United States.
29. **L. Vidua, Hag.** l. c. p. 69. n. 8 (1861); Selys, l. c. p. 317 (1862). New Orleans.
30. **L. Virens, Charp.** (*Agr. V.*) Hor. Ent. p. 8 (1825); Lib. Eur. p. 142, t. 34. ff. 3, 4 (1840); *Lest. V.*, Selys, Rev. Odon. p. 156 (1850); Bull. Acad. Belg. (2) xiii. p. 517 (1862). Europe, Algeria, Asia Minor.
- L. Vestalis, Ramb.* l. c. p. 250. n. 9 (1842).
L. Barbara, ♂, *Lind.* Mon. Lib. Eur. p. 36 (1825).
31. **L. Japonicus, Selys,** (*L. Japonica*) Ann. Soc. Ent. Belg. xxvii. p. 130 (1883). Japan.
- 32. **L. Barbarus, Fabr.** (*Agr. Barbara*) Suppl. Ent. Syst. p. 286 (1798); Fonsc. l. c. p. 554, t. 13. f. 2 (1838); *Agr. Barbarum*, Charp. ll. cc. p. 9 (1825), p. 143, t. 35. ff. 3, 4 (1840); *Lest. Barbara*, ♀, *Lind.* l. c. p. 36 (1825); *Lest. Barbara*, Selys, Mon. Lib. Eur. p. 142 (1840); Rev. Odon. p. 159 (1850); Bull. Acad. Belg. (2) xiii. p. 318 (1862); Ramb. l. c. p. 251 (1842). Mediteranean Region.
- Agr. Nympha, Hansem.* l. c. p. 161 (1823).
33. **L. Sellatus, Selys,** (*L. Sellata*) Bull. Acad. Belg. (2) xiii. p. 318 (1862). Egypt, Syria.
34. **L. Elatus, Selys,** (*L. Elata*) l. c. p. 319 (1862). India, Ceylon.
35. **L. Præmorsus, Selys,** (*L. Præmorsa*) l. c. p. 320 (1862); Mitth. Mus. Dresd. iii. p. 317 (1878). Menado, Sula.
36. **L. Concinnus, Selys,** (*L. Concinna*) l. c. p. 321 (1862). China, Java.
37. **L. Wallacei, Kirb.** Proc. Zool. Soc. Lond. 1889, p. 302. Sarawak.

38. L. Viridulus, Ramb. (<i>L. Viridula</i>) l. c. p. 252 (1861); Selys, l. c. p. 322 (1862).	Bombay.
39. L. Orientalis, Selys, l. c. p. 322 (1862).	Ceylon.
40. L. Virgatus, Burm. (<i>Agr. Virgatum</i>) Handb. Ent. ii. p. 824. n. 30 (1839); <i>L. Virgata, Selys,</i> l. c. p. 323 (1862).	S. Africa.
41. L. Plagiatus, Burm. (<i>Agr. Plagiatum</i>) l. c. p. 824. n. 29 (1839); <i>L. Plagiata, Burm.</i> l. c. p. 324 (1862).	id.
<i>L. Forceps, Ramb.</i> l. c. p. 245. n. 3 (1842).	
42. L. Pallidus, Ramb. (<i>L. Pallida</i>) l. c. p. 252 (1842); Selys, l. c. p. 325 (1862).	Senegal.
43. L. Ictericus, Gerst. (<i>L. Ictericus</i>) Arch. f. Nat. xxxv. p. 222 (1869); V. d. Decken's Reisen in Ost-Afrika, iii. (2) p. 52 (1873).	Mombas.
44. L. Ochraceus, Selys, (<i>L. Ochracea</i>) l. c. p. 325 (1862).	Cape (?)
45. L. Gracilis, Selys, l. c. p. 327 (1862).	Ceylon.
46. L. Divisus, Selys, (<i>L. Divisa</i>) l. c. p. 328 (1862).	id.
47. L. Colenisonis, White, (<i>Agr. C.</i>) Voy. Erebus & Terror, Ins. t. 6. f. 3 (1846); <i>Lest. C., Bull. Voy. Erebus &c. text,</i> p. 25 (1874); Selys, l. c. p. 328 (1862).	New Zealand.
48. L. Psyche, Selys, l. c. p. 329 (1862).	Australia.
49. L. Io, Selys, l. c. p. 330 (1862).	id.
50. L. Leda, Selys, l. c. p. 331 (1862).	id.
51. L. Annulosus, Selys, (<i>L. Annulosa</i>) l. c. p. 332 (1862).	Adelaide.
52. L. Analis, Ramb. l. c. p. 253. n. 13 (1842); Selys, l. c. p. 333 (1862).	Australia, Tasmania.
53. L. Cingulatus, Burm. (<i>Agr. Cingulatum</i>) l. c. p. 823. n. 28 (1839); <i>L. Cingulata, Selys,</i> l. c. p. 334 (1862).	Australia.
54. L. Cyaneus, Selys, (<i>L. Cyanea</i>) l. c. p. 335 (1862).	India.

Genus 79. **Sympycna.**

Charp. Lib. Eur. p. 19 (1840); Selys, Rev. Odon. p. 161 (1850); Bull. Acad. Belg. (2) xiii. p. 336 (1862).
Sympycna, Selys, Mon. Lib. Eur. p. 144 (1840).

- *1. **S. Fusca, Lind.** (*Agriion F.*) Opusc. Scient. iv. p. 102. n. 3, t. 3. f. 3 (1823); Mon. Lib. Eur. p. 37 (1825); Fons. Ann. Soc. Ent. France, vii. p. 559, t. 14. f. 1 (1838); *Sympycna F., Selys,* l. c. p. 145 (1840);

- *Sympycna F.*, *Selys*, Bull. Acad. Belg. (2) xiii. p. 337 (1862); Ann. Soc. Ent. Belg. xxxi. p. 43 (1887); *Lestes F.*, *Ramb.* Ins. Névr. p. 253. n. 15 (1842); *Selys*, Rev. Odon. p. 161 (1850).
Agr. Phallatum, *Charp.* Hor. Ent. p. 10 (1825); Lib. Eur. p. 145, t. 36. f. 1 (1840); Burm. Handb. Ent. ii. p. 823. n. 27 (1839).
2. **S. Pædisca**, **Eversm.** (*Agrion P.*) Bull. Mosc. ix. p. 247 (1836); *Sympycna P.*, *Brauer*, Verh. zool.-bot. Ges. Wien, xxx. p. 231 (1880); *Selys*, Ann. Soc. Ent. Belg. xxxi. p. 43 (1887). S. Russia, Central Asia.
3. **S. (?) Ochracea**, **Montr.** (*Sympecma O.*) Ann. Soc. L. Lyon, xi. p. 247 (1864). New Caledonia.

Genus 80. **Platylestes.**

Selys, Bull. Acad. Belg. (2) xiii. p. 337 (1862).

- *1. **P. Platystylus**, **Ramb.** (*Lestes Platystyla*) E. Indies.
 Ins. Névr. p. 254 (1842); *Plat. P.*, *Selys*, l. c. p. 338 (1862).

APPENDIX I.

FOSSIL ODONATA.

LIBELLULIDÆ.—LIBELLULINÆ.

Genus **Æschnidium**.

Westw. Q. J. Geol. Soc. x. p. 394 (1854).

Estemoa, Gieb. Ins. Vorw. p. 286 (1856); Deichm. Ins. Lith. Schief. p. 30 (1886).

*1. Æ. Bubas, Westw. l. c. pp. 387, 394, t. 15. f. 5 (1854); <i>Est. B.</i>, Gieb. l. c. p. 287 (1856). 2. Æ. Densum, Hag. (<i>Libellula Densa</i>) Palæontographica, x. p. 107. n. 24 (1862); <i>Est. D.</i>, Deichm. l. c. p. 34, t. 3. f. 4 (1886). 3. Æ. Giganteum, Münst. (<i>Æschna Gigantea</i>) Nova Acta Phys. Med. Leop.-Carol. xix. (1) p. 216, t. 23. f. 14 (1839); Gieb. Ins. Vorw. p. 279 (1856); Quenst. Handb. Petrefaktenkunde, ed. 2, p. 378, t. 31. f. 3 (1867), ed. 3, p. 487, fig. (1883); <i>Petalura G.</i>, Hag. l. c. p. 107. n. 18 (1862); <i>Est. G.</i>, Deichm. l. c. p. 35, t. 3. ff. 1-3 (1886); <i>Anax Giganteus</i>, Hag. Stett. ent. Zeit. ix. p. 10 (1848); Rev. Odon. p. 361. n. 19 (1860); Palæontographica, x. p. 142 (1862). <i>Petalura Latialata</i>, Hag. Palæontographica, x. p. 107. n. 18 (1862). <i>P. Eximia</i>, Hag. l. c. n. 19 (1862).	<p>Swanage
(Lower
Purbeck).</p> <p>Solenhofen
(Lithogr.
Stone).</p> <p>Solenhofen,
Eichstätt
(Lithogr.
Stone).</p> |
|--|--|

Genus **Libellulium**.

Westw. Q. J. Geol. Soc. x. pp. 387, 394 (1854) ; Gieb. Ins. Vorw. p. 286 (1856).

*1. L. Agrias , Westw. l. c. t. 15. f. 4 (1854) ;
Gieb. Ins. Vorw. p. 286 (1856).	Swanage
(L. Purb.).
2. L. Kaupii , Westw. l. c. p. 395, t. 17. f. 21
(1856) ; Gieb. l. c. (1856).	id.
3. L. Antiquum , Brod. (<i>Libellula Antiqua</i>)
Foss. Ins. p. 33, t. 5. f. 10 (1845) ; Hag.
Rev. Odon. p. 363. n. 31 (1850) ; Gieb.
l. c. p. 285 (1856).	Vale of
Wardour
(Lower
Purbeck).

Genus **Libellula**.

1. L. Thoe , Heer, Neue Denkschr. Schweiz.
Ges. xi. p. 79, t. 6. f. 2 (1850) ; Hag. Rev.
Odon. p. 363. n. 32 (1850) ; Gieb. Ins.
Vorw. p. 282 (1856).
—, Knorr, Samml. merkw. Natur. t. 33.
ff. 3, 4 (1755).	(Eningen
(Miocene).
2. L. Perse , Heer, l. c. p. 80, t. 5. f. 4, t. 6.
f. 3 (1850) ; Hag. l. c. p. 363. n. 33 (1850) ;
Gieb. l. c. p. 282 (1856).	id.
3. L. Doris , Heer, l. c. p. 81, t. 6. f. 4, t. 5.
f. 5 (1850) ; Urw. d. Schweiz, pp. 366, 368,
f. 231 (1865), ed. 2, pp. 392, 394, f. 272
(1883) ; Hag. l. c. p. 363. n. 34 (1850) ;
Gieb. l. c. p. 282 (1856).	id.
4. L. Thetis , Heer, N. Denkschr. xi. p. 83,
t. 5. f. 6, t. 6. f. 5 (1850) ; Hag. l. c. p. 364.
n. 35 (1850) ; Gieb. l. c. p. 283 (1856).	id.
5. L. Eurynome , Heer, l. c. p. 85, t. 5. f. 7
(1850) ; Hag. l. c. p. 364. n. 36 (1850) ;
Gieb. l. c. p. 283 (1856).
—, Knorr, l. c. t. 33. f. 2 (1755).	id.
6. L. Melobasis , Heer, l. c. p. 86, t. 5. f. 8,
t. 6. f. 6 (1850) ; Hag. l. c. p. 364. n. 37
(1850) ; Gieb. l. c. p. 283 (1856).	id.
7. L. Calypso , Heer, l. c. p. 87, t. 5. f. 9, t. 6.
f. 7 (1850) ; Urw. d. Schweiz, pp. 366, 368,
f. 232 (1865), ed. 2, pp. 392, 394, f. 273
(1883) ; Hag. l. c. p. 364. n. 38 (1850) ;
Gieb. l. c. p. 284 (1856).	id.
8. L. Decapitata , Selys, Rev. Odon. p. 364.
n. 39 (1850) ; Gieb. l. c. p. 285 (1856).
—, Brod. Foss. Ins. p. 125, t. 9. f. 1 (1855).	England
(L. Lias).

9. L. Abscissa , Hag. Palæontographica, x. p. 107. n. 25 (1862).	Eichstätt (Lith. St.).
10. L. Nævia , Hag. l. c. n. 26 (1862).	Sol'h. (L.S.).
11. L. Valga , Hag. l. c. n. 27 (1862).	Eichstätt.
12. L. Cassandra , Hag. l. c. p. 264, t. 45. ff. 1-4 (1863).	Rott (Br.-coal).
13. L. Cellulosa , Hag. l. c. p. 253, t. 43. ff. 1-8 (1863).	id.
14. L. Ceres , Hag. l. c. p. 260, t. 44. f. 9-11, t. 45. ff. 5-12 (1863).	id.
15. L. Aglaia , Heer, Rech. Climat. Pays Tert. p. 153 (1861).	Provence (Eocene).
16. L. Minuscula , Oust. Ann. Sci. Géol. ii. (3) p. 88, t. 2. f. 6 (1870).	Auvergne (Miocene).
17. L. Eningensis , König, Icon. Foss. Sect. i. p. 2, t. 2. f. 17 (1825); Quenst. Handb. Petrefaktenkunde, p. 317, t. 24. n. 8 (1852), ed. 2, p. 377, t. 31. f. 8 (1867), ed. 3, p. 487, t. 37. f. 37 (1883).	Eningen (Miocene).
18. L. Sieboldiana , Göpp. Tert. Flora Schosnitz, t. 26. f. 54 (1855); Assm. Zeitschr. Ent. (2) i. p. 48, t. 1. f. 9 (1870).	Schosnitz (Miocene).
19. L. Pannewitziana , Göpp. l. c. t. 26. f. 55 (1855); Assm. l. c. p. 56, t. 1. f. 11 (1870).	id.
20. L. Kieseli , Assm. l. c. p. 52, t. 1. f. 10 (1870).	id.

LIBELLULIDÆ.—CORDULINÆ.

Genus **Cordulia**.

1. C. Platyptera , Charp. (<i>Libellula Platyptra</i>) Nova Acta Phys. Med. Leop.-Carol. xx. p. 408, t. 22. f. 3 (1843); <i>L. Platyptera</i> , Hag. Stett. ent. Zeit. ix. p. 12 (1848); <i>Cord. P.</i> , Hag. Rev. Odon. p. 363. n. 30 (1850); Heer, N. Denkschr. schweiz. Ges. xi. p. 74, t. 5. f. 3 (1850); Gein. Ins. Vorw. p. 288 (1856).	Radoboj (Oligocene).
2. C. (?) Scheuchzeri , Massal. Monogr. Ner. Foss. p. 31 (1855); Stud. Pal. p. 17, t. 2. f. 7 (1856); Omboni, Atti Acc. Venet. (6) iv. p. 1425, t. 15. f. 6 (1886).
—, Scheuchz. Herb. Diluv. p. 21, t. 5. f. 2 (1709).	Monte Bolca (Eocene).

ÆSHNIDÆ.—GOMPHINÆ.Genus **Æshna**.*Gomphus*, *auct.*

<p>1. Æ. Jurassica, Gieb. (<i>Libellula J.</i>) <i>Ins.</i> Vorw. p. 284 (1856).
<i>Gomph. Petrificatus</i>, <i>p.</i>, <i>Hag.</i> <i>Rev. Odon.</i> p. 359. n. 13 (1850).
<i>Lindenia</i> —, <i>Brod.</i> <i>Foss. Ins.</i> p. 33, t. 5. f. 9 (1845).</p>	Vale of Wardour (Lower Purbeck).
<p>2. Æ. Petrificata, Hag. (<i>Gomph. Petrificatus</i>) l. c. p. 359. n. 13 (1850); <i>Lib. P.</i>, <i>Gieb.</i> l. c. p. 284 (1856).
<i>Lindenia</i> —, <i>Brod.</i> l. c. p. 33, t. 5. f. 8 (1845).</p>	id.
<p>3. Æ. Resinata, Hag. (<i>Gomph. Resinatus</i>) <i>Stett. ent. Zeit.</i> ix. p. 8 (1848); <i>Rev. Odon.</i> p. 358. n. 10 (1850); <i>Lib. R.</i>, <i>Gieb.</i> l. c. p. 248 (1856).
<i>Gomphus</i> (larva), <i>Hag.</i>, Berendt, Bernstein-Reste, ii. p. 80, t. 6. f. 6, t. 8. f. 12 (1856).</p>	E. Prussia (Amber).

Genus **Gomphoides**.

1. G. Brodiei, Buckm. (<i>Æschna B.</i>) <i>Proc. Geol. Soc.</i> iv. p. 212 (1843); <i>Phil. Mag.</i> xxiv. p. 377 (1844); <i>Libellula B.</i>, <i>Brod.</i> <i>Foss. Ins.</i> p. 101, t. 8. f. 1 (1845); <i>Gieb.</i> <i>Ins.</i> Vorw. p. 285 (1856); <i>Gomphus B.</i>, <i>Hag.</i> <i>Rev. Odon.</i> p. 360. n. 15 (1850); <i>Gomphoides</i> (?) <i>B.</i>, <i>Selys</i>, <i>Rev. Odon.</i> p. 360, note (1850).	Dumbleton (Upper Lias; "fish-bed").
2. G. Occulta, Hag., Berendt, Bernstein-Reste, ii. p. 81 (1856).	E. Prussia (Amber).

Genus **Ictinus**.

1. I. Fur, Hag. <i>Palæontographica</i>, x. p. 258, t. 43. f. 9 (1863).	Rott (Br.-coal).

Genus **Protolindenia**.

Deichm. Ins. Lith. Schief. p. 37 (1886).

- *1. **P. Wittei, Gieb.** (*Æschna W.*) Zeitschr. Solenhofen
ges. Naturw. xvi. p. 132, t. 1. f. 1 (1860); (Lithogr.
Prot. W., Deichm. l. c. p. 37, t. 4. ff. 1, 2, Stone).
9, 10 (1886).

Genus **Heterophlebia**.Westw. & Brod. Q. J. Geol. Soc. v. p. 35 (1848); Gieb. Ins.
Vorw. p. 287 (1856).

- *1. **H. Dislocata, Brod.** l. c. p. 35, t. 2 (1848); Dumbleton
Hag. Stett. ent. Zeit. x. p. 226 (1848); (Upper
Rev. Odon. p. 358. n. 11 (1850); Palæon- Lias; "fish-
tographica, xv. p. 62, t. 12. ff. 7-9 (1866); bed").
Gieb. Ins. Vorw. p. 287 (1856); Quenst.
Handb. Petrefaktenkunde, ed. 2, p. 377,
fig. (1867), ed. 3, p. 486, fig. (1885).
2. **H. Buckmani, Brod.** (*Agrion B.*) Foss. id.
Ins. p. 102, t. 8. f. 2 (1845); *Het. B., Gieb.*
Ins. Vorw. p. 288 (1856).
Het. Dislocata, p., Hag. Rev. Odon. p. 358.
n. 11 (1850).
3. **H. Casta, Hag.** Palæontographica, x. Eichstätt,
p. 106. n. 7 (1862). Solenhofen
? *Libellula Brevialata, Münst.* op. cit. l. c. (Lithogr.
(1862). Stone).
4. **H. Jucunda, Hag.** l. c. v. p. 121, t. 24. Sieblos
ff. 1, 2 (1858). (Br.-coal).
5. **H. Hopei, Brod.** (*Libellula* (?) *H.*) l. c. Strensham
p. 102, t. 10. f. 3 (1845); *Petalura H.,*
Selys, Rev. Odon. p. 359, note (1850). (Lower
Lias).
6. **H. Liassina, Strickl.** (*Æshna L.*) Charles- Binton, nr.
worth's Mag. Nat. Hist. (2) iv. p. 302, fig. Bedford
(1840); Brod. Foss. Ins. p. 102, t. 10. f. 4 (Lower
(1845); *Petalura L., Hag.* Rev. Odon. Lias).
p. 359. n. 14 (1850); *Diastatomma L.,*
Gieb. Ins. Vorw. p. 276 (1856).
7. **H. Westwoodi, Hag.** Rev. Odon. p. 359. Cheltenham
n. 12 (1850); Gieb. Ins. Vorw. p. 288 (Lower
(1856). Lias).
—, *Brod.* l. c. p. 127, t. 10. fig. 8 (1845).

Genus **Stenophlebia**.

Hag. Palæontographica, xv. p. 79 (1866).

<p>*1. S. Amphitrite, Hag. (<i>Heterophlebia A.</i>) l. c. x. p. 105. n. 2 (1862); <i>Sten. A.</i>, Hag. l. c. xv. p. 83, t. 13. f. 1 (1866); Deichm. Ins. Lith. Schief. p. 43 (1886).</p> <p>2. S. Æqualis, Hag. (<i>Het. Æ.</i>) l. c. x. pp. 105, 124. n. 4, t. 13. ff. 4-6 (1862); <i>Sten. Æ.</i>, Hag. l. c. xv. p. 86, t. 11. ff. 2-4 (1866); Zitt. Handb. Palæont. i. (2) p. 775, f. 977 (1885); Deichm. l. c. p. 43 (1886).</p> <p>3. S. Latreillii, Münst. (<i>Agrion L.</i>) Nova Acta Phys. Med. Leop.-Carol. xix. p. 218, t. 23. f. 16 (1839); Hag. l. c. x. p. 138 (1862); Deichm. l. c. p. 44 (1886); <i>Cordulegaster</i> (?) <i>L.</i>, Hag. Stett. ent. Zeit. ix. p. 9 (1848).
<i>Cord.</i> (?) <i>Muensteri</i>, p., Hag. Rev. Odon. p. 360. n. 17 (1850); <i>Diastatomma M.</i>, ♀, Gieb. Ins. Vorw. p. 276 (1856).</p> <p>4. S. Phryne, Hag. (<i>Het. P.</i>) Palæontographica, x. p. 105. n. 5 (1862); <i>Sten. P.</i>, Hag. l. c. xv. p. 91, t. 11. f. 5 (1866); Deichm. l. c. p. 43 (1886).</p> <p>5. S. Lithographica, Gieb. (<i>Calopteryx L.</i>) Zeitschr. ges. Naturw. ix. p. 380, t. 6. f. 1 (1857); Hag. l. c. x. p. 121 (1862); Deichm. l. c. p. 45 (1886).</p> | <p>Eichstätt
(Lithogr.
Stone).</p> <p>Eichstätt,
Solenhofen
(Lithogr.
Stone).</p> <p>Solenhofen
(Lithogr.
Stone).</p> <p>Eichstätt
(Lithogr.
Stone).</p> <p>Solenhofen
(Lithogr.
Stone).</p> |
|--|--|

Genus **Cordulegaster**.

1. C. Intermedia, Münst. (<i>Æschna I.</i>) Nova Acta Phys. Med. Leop.-Carol. xix. p. 216, t. 23. f. 13 (1839); Gieb. Ins. Vorw. p. 280 (1856); <i>Petalura I.</i>, Hag. Palæontographica, x. p. 107. n. 20 (1862); <i>Anax Intermedius</i>, Hag. Stett. ent. Zeit. ix. p. 10 (1848); Rev. Odon. p. 361. n. 20 (1850); Palæontographica, x. p. 142 (1862); <i>Cord.</i> (?) <i>I.</i>, Deichm. Ins. Lith. Schief. p. 45, t. 4. f. 7 (1886). 2. C. Buchi, Hag. (<i>Anax B.</i>) Stett. ent. Zeit. ix. p. 11 (1848); Rev. Odon. p. 361. n. 21 (1850); Palæontographica, x. p. 143 (1862),	<p>Eichstätt,
Solenhofen
(Lithogr.
Stone).</p> <p>Solenhofen
(Lithogr.
Stone).</p> |
|---|--|

- xv. p. 92, t. 13. f. 2 (1866); *Æschna* B., *Gieb. Ins. Vorw.* p. 280 (1856).
Æschna (?) —, *Erichs. Phys. Abhandl. Wiss. Berlin*, 1837, p. 127, t. 2 (1839).
3. **C. Dresdensis, Charp.** (*Libellulites* D.) Solenhofen,
 Lib. Eur. p. 171 (1840). Eichstätt
Libellulites Solenhofensis, Charp. l. c. p. 180, (Lithogr.
 t. 48. f. 1 (1840). Stone).
- Æschna Charpentieri, Hag.* Stett. ent. Zeit.
 ix. p. 11 (1848); *Rev. Odon.* p. 362. n. 26
 (1850); *Gieb. Ins. Vorw.* p. 278 (1856);
Anax C., *Hag. Palæontographica*, x. pp. 106,
 140. n. 16, t. 14. f. 1 (1862).

Genus **Cymatophlebia.**

Deichm. Ins. Lith. Schief. p. 48 (1886).

- *1. **C. Longialata, Münst.** (*Libellula* L.) Nova Eichstätt,
Acta Phys. Med. Leop.-Carol. xix. p. 216, Solenhofen
 t. 23. f. 15 (1839); *Æschna* L., *Germ.*, (Lithogr.
 Münster, Petrefactenkunde, v. p. 79, t. 9. Stone).
 f. 1, t. 13. f. 6 (1842); *Gein. Grundr.*
Verstein. p. 187, t. 8. ff. 5, 5 a (1845);
Gieb. Ins. Vorw. p. 279 (1856); *Gyna-*
cantha L., *Hag. Stett. ent. Zeit.* ix. p. 9
 (1848); *Rev. Odon.* p. 361. n. 18 (1856);
Petalia (?) L., *Hag. Palæontographica*, x.
 pp. 107, 127. n. 17, t. 13. ff. 1, 2 (1862);
Zittel, Handb. Palæont. i. (2) p. 775. f. 978
 (1885); *Cym. L., Deichm.* l. c. p. 49, t. 3.
 ff. 5-8 (1886); *Anax* (?) *Longialatus, Hag.*
Stett. ent. Zeit. ix. p. 11 (1848); *Rev.*
Odon. p. 361. n. 22 (1850).
Æschna Multicellulosa, Gieb. Z. ges. Naturw.
 ix. p. 374, t. 6. f. 2 (1857).
Æschna Bavarica, Gieb. Ins. Vorw. p. 280
 (1856).

Genus **Uropetala.**

1. **U. Koehleri, Hag.** (*Gomphus* (?) K.) Stett. Eichstätt,
 ent. Zeit. ix. p. 8 (1848); *Rev. Odon.* Solenhofen
 p. 360. n. 16 (1850); *Palæontographica*, x. (Lithogr.
 p. 139 (1862); *Libellula* K., *Gieb. Ins. Vorw.* Stone).
 p. 284 (1856); *Ur. K., Deichm. Ins. Lith.*
Schief. p. 52, t. 4. ff. 3, 11, 12 (1886).

- Petalura Varia*, Hag. Palæontographica, x. p. 107. n. 22 (1862).
Lib. —, Köhl., Zeitschr. f. Min. 1826, ii. p. 231, t. 7. f. 3.
2. **U. Muensteri**, Germ. (*Æschna M.*) Nova Eichstätt, Solenhofen (Lithogr. Stone).
 Acta Phys. Nat. Leop.-Carol. xix. p. 215, t. 23. f. 12 (1839); Hag. l. c. x. p. 137 (1862); Deichm. l. c. p. 41 (1886); *Cor-
 dulegaster* (?) M., Hag. Stett. ent. Zeit. ix. p. 8 (1848); Rev. Odon. p. 360. n. 17 (1850); *Diastatomma M.*, Gieb. l. c. p. 276 (1856); *Petalura M.*, Hag. Palæontogra-
 phica, x. p. 107. n. 21 (1862).
Petalura (?) *Wittei*, Hag. Palæontographica, x. p. 133, t. 13. f. 3 (1862).
3. **U. Antiqua**, Lind. (*Æshna A.*) Nouv. Solenhofen (Lithogr. Stone).
 Mém. Acad. Brux. iv. p. 250, plate (1827); *Æsch. A.*, Hag. Rev. Odon. p. 362. n. 29 (1850); Palæontographica, x. p. 137 (1862); Gieb. l. c. p. 279 (1856).
4. **U. Schmideli**, Gieb. (*Æschna S.*) l. c. p. 278 id.
 (1856); Hag. Palæontographica, x. p. 141 (1862).
Libellula —, Schmid. Vorstell. merkw. Verstein. p. 36, t. 19. f. 2 (1780).

Genus **Petalura**.

1. **P. Differens**, Hag. (*P. Differenz*) Palæon- Eichstätt
 tographica, x. p. 107. n. 23 (1862). (Lith. St.).
2. **P. (?) Acutipennis**, Hag. l. c. viii. p. 22, Sieblos
 t. 3. ff. 1-4 (1859). (Br.-coal).
3. **P. (?) Ovatipennis**, Hag. Würzburg. nat. id.
 Zeitschr. i. p. 79 (1860).

ÆSHNIDÆ.—ÆSCHNINÆ.Genus **Anax**.

1. **A. Metis**, Heer, (*Æschna M.*) Neue Radoboj
 Denkschr. schweiz. Ges. xi. p. 68, t. 5. f. 1 (Oligocene).
 (1850); Gieb. Ins. Vorw. p. 277 (1856);
Anax M., Hag. Rev. Odon. p. 361. n. 23
 (1850).

Genus **Æschna**.

1. Æ. Dido, Hag. Palæontographica, x. p. 268,
t. 44. f. 8 (1863).	Rott
(Br.-coal).
2. Æ. Tyche, Heer, Neue Denkschr. Schweiz.
Ges. xi. p. 67, t. 4. f. 7 (1850); Hag. Rev.
Odon. p. 362. n. 24 (1850); Gieb. Ins.
Vorw. p. 277 (1856).	Eningen
(Miocene).
3. Æ. Polydore, Heer, l. c. p. 63, t. 4. f. 6
(1850); Hag. l. c. p. 362. n. 25 (1850);
Gieb. l. c. p. 277 (1856).	id.
4. Æ. Perampla, Brod. (<i>Æshna P.</i>) Foss.
Ins. p. 33, t. 5. f. 7 (1845); <i>Æsch. P.</i> ,
Hag. l. c. p. 362. n. 27 (1850); Gieb. l. c.
p. 281 (1856).	Vale of
Wardour
(Lower
Purbeck.
5. Æ. Eudore, Heer, l. c. p. 73, t. 8. f. 4
(1850); Hag. l. c. p. 362. n. 28 (1850);
Gieb. l. c. p. 278 (1856).	Eningen
(Miocene).
6. Æ. Parkinsoni, Selys, Rev. Odon. p. 362,
note (1850); Gieb. l. c. p. 279 (1856).
—, <i>Parkinson, Organic Remains</i> , iii. p. *257,
t. 17. f. 2 a-c (1811).	Pappen-
heim
(Lithogr.
Stone).
7. Æ. Hageni, Heer, Urwelt d. Schweiz,
p. 86, t. 7. f. 9 (1865), ed. 2, p. 96, t. 7. f. 9
(1883); Quenst. Handb. Petrefaktenkunde,
ed. 2, p. 377, t. 31. f. 1 (1867).	Schambelen
(Lias).
8. Æ. Flindersiensis, Woodw. Geol. Mag.
n. s. iii. (1) p. 337 (1884).	Queensland
(Cret. Lim.).
9. Æ. Solida, Scudd. Tert. Ins. N. Amer.
t. 13. f. 1 (1890).	Florissant
(Oligocene).
10. Æ. Separata, Scudd. l. c. f. 15 (1890).	id.
11. Æ. Larvata, Scudd. l. c. f. 11 (1890).	id.

AGRIONIDÆ.—AGRIONINÆ.Genus **Isoplebia**.

Hag. Palæontographica, xv. p. 68 (1866); Deichm. Ins.
Lith. Schief. p. 56 (1886).

*1. I. Aspasia, Hag. (<i>Calopteryx A.</i>) l. c. x.
p. 105. n. 1 (1862); <i>Is. A., Hag.</i> l. c. xv.
p. 70, t. 12. f. 12, t. 14. ff. 1-3 (1866);
Deichm. l. c. p. 56, t. 4. ff. 4-6 (1866).
<i>Æschna Gigantea, p., Münst.</i> Nova Acta
Phys. Nat. Leop.-Carol. xix. (1) p. 212,
t. 23. f. 14 a (1839). | Eichstätt
(Lithogr.
Stone). |
|--|-----------------------------------|

2. **I. Helle, Hag.** (*Heterophlebia H.*) l. c. x. | Eichstätt
p. 105, n. 3 (1862); *Is. H., Hag.* l. c. xv. | (Lithogr.
p. 76, t. 11. f. 1 (1866); Deichm. l. c. | Stone).
p. 57 (1886).

Genus **Tarsophlebia.**

Hag. Palæontographica, xv. p. 58 (1866).

- *1. **T. Eximia, Hag.** (*Heterophlebia E.*) l. c. x. | Eichstätt,
p. 106. n. 6 (1862); *Tars. E., Hag.* l. c. | Solenhofen
xv. p. 65, t. 12. ff. 1-6, 11 (1866); Deichm. | (Lithogr.
Ins. Lith. Schief. p. 57 (1886). | Stone).
Euphæa Longiventris, Hag. l. c. x. pp. 106,
121. n. 11, t. 13. ff. 7, 8 (1862).

Genus **Euphæa.**

1. **E. (?) Multinervis, Hag.** Palæontogra- | Eichstätt
phica, x. pp. 106, 119. n. 8, t. 14. ff. 2-4 | (Lithogr.
(1862). | Stone).
2. **E. Filosa, Hag.** l. c. p. 106. n. 9 (1862). | id.
3. **E. Areolata, Hag.** l. c. n. 10 (1862). | id.

AGRIONIDÆ.—CÆNAGRIONINÆ.

Genus **Podagrion.**

- *1. **P. Abortivum, Scudd.** Bull. U. S. Geol. | Wyoming
Surv. Territ. iv. p. 775 (1878); Tert. Ins. | (Green Riv.
N. Amer. t. 5. ff. 7, 8 (1890). | Shales,
| Eocene).

Genus **Dysagrion.**

Seudd. Bull. U. S. Geol. Surv. Territ. iv. p. 534 (1878).

- *1. **D. Frederici, Scudd.** l. c. p. 536 (1878); | Wyoming
Tert. Ins. N. Amer. t. 6. ff. 2, 5, 6, 9, 10, | (Green Riv.
14, 17 (1890). | Shale, Eoc.).
2. **D. Packardii, Scudd.** Zittel, Handb. Pa- | id.
læont. i. (2) p. 776, f. 979 (1885); Tert. |
Ins. N. Amer. t. 6. ff. 1, 3, 11 (1890).
3. **D. Lakesii, Scudd.** Tert. Ins. N. Amer. | id.
(1890).

Genus **Cœnagrion**.*Agrion*, Auct.

1. C. Aglaope , Heer, (<i>Agrion A.</i>) Neue Denkschr. schweiz. Ges. xi. p. 59, t. 4. f. 4 (1850); Hag. Rev. Odon. p. 356. n. 2 (1850); Gieb. Ins. Vorw. p. 272 (1856).
<i>Agrion Sanguineum</i> (?), Curt., Trans. Geol. Soc. (2) iii. p. 286, t. 34. f. 6 (1832).	(Eningen (Miocene).
2. C. Aglaopheme , Heer, (<i>Agr. A.</i>) l. c. p. 62, t. 4. f. 5 (1850); Hag. l. c. p. 356. n. 3 (1850); Gieb. l. c. p. 273 (1856).	id.
3. C. Antiquum , Hag. (<i>Agr. A.</i>) Stett. ent. Zeit. ix. p. 7 (1848); Rev. Odon. p. 556. n. 4 (1850); Berendt, Bernstein-Reste, ii. p. 78, t. 8. f. 11 (1856); Gieb. l. c. p. 273 (1856).	E. Prussia (Amber).
4. C. Hecticum , Hag. (<i>Agr. H.</i>) Palæontographica, x. p. 106. n. 12 (1862).	Eichstätt (Lith. St.).
5. C. Exhaustum , Hag. (<i>Agr. E.</i>) l. c. n. 13 (1862).	id.
6. C. (?) Eichstaettense , Hag. (<i>Agr. E.</i>) l. c. pp. 106, 118. n. 14, t. 14. f. 5 (1862); Deichm. Ins. Lith. Schief. p. 58 (1886).	id.
7. C. Vetustum , Hag. (<i>Agr. V.</i>) Stett. ent. Zeit. ix. p. 7 (1848); Rev. Odon. p. 350. n. 1 (1850); Palæontographica, x. pp. 106, 118. n. 15 (1862); Gieb. l. c. p. 272 (1856).
<i>Agrion</i> —, Charp. Lib. Eur. p. 171, t. 48. ff. 2, 3 (1840).	Solenhofen (Lithogr. Stone).
8. C. Mysis , Hag. (<i>Agr. M.</i>) Palæontographica, x. p. 269, t. 44. f. 6 (1863).	Rott (Br.-coal).
9. C. Thais , Hag. (<i>Agr. T.</i>) l. c. f. 7 (1863).	id.
10. C. Icarus , Hag. (<i>Agr. I.</i>) l. c. f. 5 (1863).	id.
11. C. Iris , Heer, (<i>Agr. I.</i>) Vorw. d. Schweiz, ed. 2, p. 395. f. 275 (1883).	
12. C. Mascescens , Scudd. (<i>Agr. M.</i>) Tert. Ins. N. Amer. t. 13. ff. 8, 9 (1890).	Florissant (Oligocene).
13. C. Exsularis , Scudd. (<i>Agr. E.</i>) l. c. f. 5 (1890).	id.
14. C. Telluris , Scudd. (<i>Agr. T.</i>) l. c. f. 10 (1890).	id.

Genus **Steropoides**.

Agrion, subg. || *Sterope*, Heer, Neue Denkschr. schweiz. Ges. xi. p. 44 (1850).

*1. S. Parthenope , Heer, (<i>Agrion P.</i>) l. c. p. 45, t. 3. f. 11 (1850); Gieb. Ins. Vorw. p. 274 (1856); <i>Sterope P.</i> , Hag. Rev. Odon. p. 358. n. 9 (1850).	Eningen (Miocene).

Genus **Lithagrion**.

Scudd. Bull. U. S. Surv. Territ. vi. p. 293 (1882); Ann. Rep. U. S. Surv. Territ. xii. (1) p. 284 (1883); Proc. Bost. Soc. N. H. xxi. p. 409 (1883).

*1. L. Hyalinum , Scudd. Tert. Ins. N. Amer. t. 13. f. 4 (1890).	Florissant (Oligocene).
2. L. Umbratum , Scudd. l. c. ff. 12, 14 (1890).	id.

Genus **Agrionidium**.

Westw. Q. J. Geol. Soc. x. p. 396 (1854).

*1. A. Ætna , Westw. l. c. t. 18. f. 39 (1854).	Durdlestone Bay (Lower Purbeck).

Genus **Lestes**.

1. L. Coloratus , Hag. Stett. ent. Zeit. ix. p. 7 (1848); Rev. Odon. p. 357, n. 5 (1850).
<i>Agrion Coloratum</i> , Heer, Neue Denkschr. schweiz. Ges. xi. p. 55 (1850); Gieb. Ins. Vorw. p. 273 (1856).
<i>Calopteryx</i> , sp., Charp. Jahrb. f. Mineral. 1841, p. 335, t. 1.	Radoboj (Oligocene).
2. L. Leucosia , Heer, (<i>Agrion L.</i>) l. c. p. 56, t. 4. f. 1 (1850); Gieb. l. c. p. 273 (1856); <i>Lest. L.</i> , Hag. Rev. Odon. p. 357. n. 6 (1850).	Eningen (Miocene).
3. L. Ligea , Heer, (<i>Agrion L.</i>) l. c. p. 57, t. 4. f. 2 (1850); Gieb. l. c. p. 274 (1856); <i>Lest. L.</i> , Hag. l. c. p. 357. n. 7 (1850).	id.
4. L. Peisinoe , Heer, (<i>Agrion P.</i>) l. c. p. 59, t. 4. f. 3 (1850); Gieb. l. c. p. 274 (1856); <i>Lest. P.</i> , Hag. l. c. p. 357. n. 8 (1850).	id.
5. L. Vicina , Hag. Palæontographica, v. p. 123, t. 24. ff. 3, 4 (1858).	Sieblos (Br.-coal).

APPENDIX II.

ADDITIONS AND CORRECTIONS.

LIBELLULIDÆ.—LIBELLULINÆ.

Genus **Hydrobasileus**, Kirb. (p. 2).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 349 (1890).

Genus **Camacinia**, Kirb. (p. 2).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 359 (1890).

2. **C. Harterti**, Karsch, l. c. (1890). | Sumatra.

Genus **Tramea**, Hag. (pp. 2-4).

10. For T. Cephysa , Hag., read T. Cophysa ,
Hag. &c.	Ceylon,
Penang.
33. T. Extranea , Karsch, Berl. ent. Zeitschr.
xxxiii. p. 351 (1890).	

Genus **Tauriphila**, Kirb. (p. 4).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 351 (1890).

Genus **Rhythemis**, Hag. (pp. 5, 6).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 352 (1890).

6. **E. Variegata**, Joh.

Var. <i>a. Rhy. V.</i> , race <i>Imperatrix</i> , Selys, C.	Loo Choo.
R. Soc. Ent. Belg. xxxii. p. xlix (1888).	

16. R. Semihyalina, Desj.
<i>Rhy. Hemihyalina, Karsch</i> , l. c. p. 352
(1890).	
21. R. Notata, Fabr.; Karsch, l. c. p. 353
(1890).	
22. R. Cuprina, Kirb.
<i>R. Fenestrina, Karsch</i> , l. c. (1890).	
29. R. Cognata, Ramb.; Karsch, l. c. p. 352
(1890).	
30. R. Regalis, Karsch (<i>Compsothemis</i> , n. l.
p. 11).	Madagascar.
31. R. Braganza, Karsch , Berl. ent. Zeitschr.
xxxiii. p. 354 (1890).	Brazil.

Genus **Zenithoptera**, Selys.

Selys, Assoc. France (Algérie), 1881, p. 167 (1882); Karsch,
Berl. ent. Zeitschr. xxxiii. p. 355 (1890).
Potamothemis, Kirb. (p. 9).

Genus **Palpopleura**, Ramb. (p. 9).

Selys, Pollen & Van Dam, Faune Madag., Ins. p. 15 (1869).

Genus **Leucorhinia**, Britt. (pp. 11, 12).

8. L. Intacta, Hag.; Calv. Trans. Amer. Ent.
Soc. xvii. p. 38 (1890).	
9. L. Hudsonica, Selys.
<i>L. Hugeni, Calv.</i> l. c. p. 36 (1890).	
11. L. Proxima, Calv. l. c. p. 38 (1890).	N. America.

Genus **Cœnotiata**, Buch. (p. 12).

1. C. Caudalis, Charp.
Var. <i>a. Leucorhinia C.</i> , var. <i>Immaculata</i> ,
<i>Selys</i> , Ann. Soc. Ent. Belg. xxxii. p. 134
(1888).	Europe.
Var. <i>b. L. Caud.</i> , var. <i>Apicalis, Selys</i> , l. c.
(1888).	id.

Genus **Sympetrum**, Newm. (pp. 13-17).

1. S. Scoticum, Don.
<i>Libellula Triedra, Müll.</i> Nova Acta Acad.
Leop.-Carol. iii. p. 129. n. 19 (1767).	

- ? *Lib. Parvula*, Müll. Zool. Dan. Prodr. p. 141
(1776).
2. **S. Pedemontanum**, All.
Lib. Pedemontana, Hag. Syn. Lib. Eur. p. 29
(1810).
4. **S. Flaveolum**, Linn.
? *Lib. Plebeia*, Müll. Nova Acta &c. iii. p. 126
(1767).
9. **S. Vulgatum**, Linn.
♀. *Lib. Globulata*, Müll. l. c. p. 129 (1776).
10. **S. Meridionale**, Selys.
Var. *a. Lib. Nudicollis*, Hag. Rev. Odon.
p. 40 (1850).
43. **S. Rufa**, Müll. (*Lib. R.*) l. c. p. 125 (1776). Europe.
44. **S. Miniata**, Eichw. (*Lib. M.*) Faun. Casp. Mongrelia.
Cauc. p. 177 (1841).

Genus **Trithemis**, Brauer (pp. 18-20).

- 11a. **T. Selika**, Selys, (*Libellula S.*) Pollen & Van Dam, Faune Madag., Ins. p. 16 (1869). Madagascar.
- 11b. **T. Flavipennis**, Selys, (*Lib. F.*) l. c. id.
(1869).
41. **T. Fervida**, Erichs. (*Lib. F.*) Schomb. Guiana.
Reisen Brit. Guiana, iii. p. 584 (1848).
42. **T. Erratica**, Erichs. (*Lib. E.*) l. c. (1848). id.

Genus **Æthriamanta**, Kirb. (p. 24).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 376 (1890).

Genus **Dicranopyga**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 282 (1890).

- *1. **D. Mundula**, Karsch, l. c. p. 283 (1890). | E. Africa.

Genus **Belonia**, Kirb. (p. 28).

Brauer, Berl. ent. Zeitschr. xxxiii. p. 361 (1890).

Genus **Holotania**, Kirb. (p. 29).

5. **H. Incesta**, Hag.
Libellula I., Calv. Trans. Amer. Ent. Soc.
xvii. p. 34 (1890).

Genus **Thermorthemis**, Kirb. (p. 29).

1. **T. Caffra**, **Burm.**, is probably not congeneric. |

Genus **Helothemis**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 377 (1890).

- *1. **H. Discalis**, **Ramb.** (*Trithemis*, p. 19. |
n. 16).

Genus **Lathrecista**, Kirb. (p. 30).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 369 (1890).

Genus **Potamarcha**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 370 (1890).

- *1. **P. Obscura**, **Ramb.** (*Orthetrum*. p. 38. |
n. 29.)

Genus **Nesoxenia**, Kirb. (p. 30).

2. **N. Metallica**, **Brauer**, (*Protorthemis*, p. 30. |
n. 3).
3. **N. Lineata**, **Brauer**, (*Agrionoptera*, p. 31. |
n. 2).
4. **N. Malaccensis**, **Selys**, (*Agr.* p. 31. n. 3).
5. **N. Sexlineata**, **Selys**, (*Agr.* p. 31. n. 9).
6. **N. Braminea**, **Fabr.** (*Orthetrum*, p. 39. |
n. 50).

Genus **Agrionoptera**, Brauer (p. 31).

- *1. **A. Nicobarica**, **Brauer**, (9 wrongly indicated as type through confusion in synonymy). |

Genus **Chalcostephia**, Kirb. (p. 31).

2. **C. (?) Coronata**, **Selys**, (*Libellula C.*) Pollen | Madagascar.
& Van Dam, Faune Madag., Ins. p. 17 |
(1869).

Genus **Corduliops**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 374 (1890).

- *1. **C. Metallica**, Karsch, l. c. (1890). | Zanzibar.

Genus **Anatya**, Kirb. (p. 32).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 373 (1890).

- *1. **A. Guttata**, Erichs. (*Uracis*, p. 32. n. 3). |
A. Anomala, Kirb.

Genus **Hemistigma**, Kirb. (p. 32).

1. **H. Affinis**, Ramb. |
Libellula A., Selys, Pollen & Van Dam, Faune
Madag., Ins. p. 16 (1869).
2. **H. Albipuncta**, Ramb. |
Lib. A., Selys, l. c. p. 16 (1869).
3. **H. Diffinis**, Selys, (*Lib. D.*) l. c. p. 17 | Senegal.
(1869).

Genus **Uracis**, Ramb. (p. 32).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 373 (1890).

Genus **Macrothemis**, Hag. (p. 33).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 362 (1890).

3. **M. Tenuis**, Hag.; Karsch, l. c. p. 364 |
(1890).
11. **M. Catharina**, Karsch, l. c. pp. 364, 366 | Brazil.
(1890).
12. **M. Imitans**, Karsch, l. c. pp. 364, 367 | id.
(1890).
13. **M. Pumila**, Karsch, l. c. pp. 364, 368 | Bahia.
(1890).

Genus **Paltothemis**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 362 (1890).

- *1. **P. Lineatipes**, Karsch, l. c. (1890). | Brazil.

Genus **Scapanea**, Kirb. (p. 34).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 362 (1890).

Genus **Pseudomacromia**, Kirb. (p. 34).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 369 (1890).

Genus **Orthetrum**, Newm. (pp. 35-39).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 376 (1890).

38. **O. Cancellatum**, Linn.

Libellula Lineolata, Charp. Hor. Ent. p. 44
(1825).

43. **O. Neglectum**, Ramb. (*Lib. Neglecta*), &c.

46. **O. Melania**, Selys.

Lib. M., Selys, C. R. Soc. Ent. Belg. xxxii.
p. li (1888).

51. **O. Wrightii**, Selys, (*Lib. W.*) Ann. Soc. Ent. Belg. xii. p. 96 (1869); Ann. Nat. Hist. (4) ii. p. 272 (1869).

Mauritius,
Seychelles.

Genus **Lepthemis**, Hag. (p. 39).

2. *For* **L. Hamatogastra**, Burm., read **L. Hæmatogastra**, Burm. &c.

4. **L. Gravida**, Calv. Trans. Amer. Ent. Soc. xvii. p. 35 (1890).

Texas,
Florida.

Genus **Oligoclada**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 382 (1890).

*1. **O. Pachystigma**, Karsch, l. c. (1890).

Venezuela.

Genus **Cannaphila**, Kirb. (p. 41).

1. **C. Insularis**, Kirb.; Karsch, Berl. ent. Zeitschr. xxxiii. p. 380 (1890).

2. **C. Angustipennis**, Ramb. (*Leptetrum*,
p. 26. n. 4).

Cannaphila A., Karsch, l. c. p. 380 (1890).

Genus **Micrathyria**, Kirb. (p. 41).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 371 (1890).

4. **M. Attenuata**, Kirb. (*Trithemis*, p. 20.
n. 36).

Genus **Melanarptis**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 380 (1890).

- *1. **M. Mincki**, Karsch, l. c. p. 382 (1890). | Brazil.

Genus **Diplacodes**, Kirb. (p. 42).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 372 (1890).

1. **D. Nebulosa**, Fabr.; Karsch, l. c. (1890). |

Genus **Diplacina**, Brauer (p. 43).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 378 (1890).

3. **D. Braueri**, Selys; Karsch, l. c. p. 379 |
(1890).
4. **D. Bolivarii**, Selys; Karsch, l. c. (1890). |

Genus **Nephepeltia**, Kirb. (p. 44).

1. **N. Phryne**, Perty. Erase the reference to |
Rambur from the synonymy (*vide Micra-* |
thyria, n. 2. p. 41). |

Genus **Aino**, Kirb.

Kirb. Ann. Nat. Hist. (6) v. p. 113 (1890).

|| *Nannophya*, Kirb. Trans. Zool. Soc. Lond. xii. pp. 259, 313
(1889).

- *1. **A. Puella**, Kirb. Ann. Nat. Hist. (6) v. | ——— ?
p. 113 (1890).
|| *Nannophya Pygmæa*, Kirb. Trans. Zool. Soc.
Lond. xii. pp. 313, 347, t. 56. f. 7 (1889). |

Genus **Neodythemis**, Karsch (p. 46).

Karsch, Berl. ent. Zeitschr. xxxiii. p. 46 (1890).

Genus **Micromacromia**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 388 (1890).

- *1. **M. Camerunica**, Karsch, l. c. p. 389 | Cameroons.
(1890).

Genus **Allorhizucha**, Karsch.

Karsch, Berl. ent. Zeitschr. xxxiii. p. 390 (1890).

- *1. **A. Klingi**, Karsch, l. c. (1890). | Cameroons.

Genus **Zygonyx**, Hag.

Hag. Verh. zool.-bot. Ges. Wien, xvii. p. 62 (1867); Brauer, op. cit. xviii. pp. 370, 742 (1868); Selys, Bull. Acad. Belg. (2) xxxi. p. 520 (1871); Karsch, Berl. ent. Zeitschr. xxxiii. p. 281 (1890).

1. **Z. Ida**, Selys, Ann. Soc. Ent. Belg. xii. | Java.
p. 96 (1869); Ann. Nat. Hist. (4) iii.
p. 274 (1869); Karsch, Berl. ent. Zeitschr.
xxxiii. p. 281 (1890).
*2. **Z. Iris**, Selys, ll. cc. p. 97 (1869), p. 274 | Malaysia.
(1869).

Schizonyx Karsch.Genus **Schizopyga**, ~~Karsch.~~ Kirby (lapsus)

Karsch, Berl. ent. Zeitschr. xxxiii. p. 281 (1890).

- *1. **S. Luctifera**, Selys, (*Zygonyx* (?) L.) Ann. | Seychelles.
Soc. Ent. Belg. xii. p. 96 (1869); Ann.
Nat. Hist. (4) iii. p. 273 (1869); Karsch,
Berl. ent. Zeitschr. xxxiii. p. 281 (1890).

LIBELLULIDÆ.—CORDULINÆ.

Genus **Pentathemis**, Karsch.

Karsch, Ent. Nachr. xvi. p. 33 (1890).

- *1. **P. Membranulata**, Karsch, l. c. (1890). | Australia.

Genus **Somatochlora**, Selys (pp. 47-50).22. **S. Walshii**, Scudd.

Epitheca W., Calv. Trans. Amer. Ent. Soc.
xvii. p. 33 (1890).

Genus **Pseudogomphus**, Kirb. (p. 81).

- *1. **P. Sophia**, Selys, (*Macromia*, p. 55. n. 13). |
Pseud. Insignis, Kirb. (p. 81. n. 1)

ÆSHNIDÆ.—GOMPHINÆ.

Genus **Lindenia**, De Haan (pp. 57–60).

14. **L. Lineata**, Selys. For (*Gomph. Lineatum*)
read (*Gomph. Lineatus*).

Genus **Ictinus**, Ramb. (p. 77).

7. **I. Fallax**, Selys; C. R. Soc. Ent. Belg.
xxxii. p. lii (1888).

ÆSHNIDÆ.—ÆSCHNINÆ.

Genus **Anax**, Leach (pp. 83–85).

1. **A. Junius**, Dru.
Anax J., Hag. Psyche, v. p. 305 (1890).
3. **A. Longipes**, Hag.; l. c. p. 303 (1890).
4. **A. Walsinghami**, McLachl.
Anax W., Hag. l. c. p. 306 (1890).
5. **A. Amazili**, Burm.
Anax A., Hag. l. c. p. 307 (1890).
6. **A. Concolor**, Brauer.
Anax C., Hag. l. c. p. 304 (1890).

Genus **Æschna**, Ill. (pp. 86–90).

3. **Æ. Juncea**, Linn.
Libellula Ocellata, Müll. Nova Acta Acad.
Leop.-Carol. iii. p. 125 (1767).
6. **Æ. Sitchensis**, Hag.; Psyche, v. p. 353
(1890).
7. **Æ. Septentrionalis**, Hag. l. c. p. 354
(1890).
36. **Æ. Grandis**, Linn.
Libellula Nobilis, Müll. l. c. p. 126 (1767).
39. **Æ. Viridis**, Eversm. (*Æshna V.*) Bull. Europe.
Mosc. 1836, p. 242, t. 2. f. 1; *Æschna V.*,
Selys, Rev. Odon. p. 127 (1850).
Æschna Virens, Charp. Lib. Eur. p. 101,
t. 22 (1840).

Genus **Acanthagyna**, Kirb. (pp. 94–95).

12. **A. Viridis**, Ramb.
Æschna Subviridis, Selys, Rev. Odon. p. 129
(1850).

AGRIONIDÆ.—AGRIONINÆ.

Genus **Rhinocypha**, Ramb. (pp. 112–114).

6. *For R. Unimaculata*, Selys, read **R. Im-**
maculata, Selys.

AGRIONIDÆ.—CENAGRIONINÆ.

Genus **Platycnemis**, Charp. (pp. 129, 130).

1. **P. Latipes**, Ramb.
Var. *a. Plat. L.*, var. *Bilineata*, Selys, Rev. | Mont-
Odon. p. 389 (1850). | pellier.
Var. *b. Plat. Syriaca*, Hag. Rev. Odon. | Syria.
p. 389 (1850).
P. Latipes, var. (?), Selys, l. c. p. 168 (1850).

Genus 31 *a.* **Froneura**, Selys.

Selys, C. R. Soc. Ent. Belg. xxxiii. p. clxxii (1889).

- *1. **P. Prolongata**, Selys, l. c. p. clxxiv, fig. | Pebas.
(1889).

Genus **Micronympha**, Kirb. (pp. 140–143).

15. **M. Genei**, Ramb.
Agrion G., Selys, Rev. Odon. p. 390 (1850).
16. **M. Elegans**, Lind.
Agr. E., Selys, l. c. p. 391 (1890).

Genus **Cœnagrion**, Kirb. (pp. 148–154).

44. **C. Lehmanni**, Kol. (*Agrion L.*) Bull. Mosc. | Kirghis
xxix. (2) p. 500 (1856). | Steppes.

Genus **Erythromma**, Charp. (p. 152).

3. **E. Viridulum**, Charp.
Agrion V., Selys, Rev. Odon. p. 389 (1850).

Genus **Brachybasis.**

Selys, Ann. Soc. Ent. Belg. xii. p. 95 (1869); Ann. Nat.
Hist. (4) iii. p. 272 (1869).

- *1. **B. Rhomboidalis, Beauv.** (*Agrion R.*) Ins. |
Afr. Amér. p. 85, *Neur.* t. 7. f. 1 (1805). |
Agrion Glabrum, Burm. (*Ceriagrion*, p. 154. |
n. 2). |
? *Agr. Caffrum, Burm.* Handb. Ent. ii. p. 821. |
n. 20 (1839). |
-

The types of four genera which have not been indicated in the text may be noted as follows:—

- P. 120. **Mecistogaster**, Ramb. (8. **M. Linearis, Fabr.**).
P. 128. **Leptocnemis**, Selys (1. **L. Cyanops, Selys**).
P. 144. **Oxyagrion**, Selys (8. **O. Rubidum, Ramb.**).
P. 144. **Acanthagrion**, Selys (2. **A. Gracile, Ramb.**).

INDEX.

The names of Genera are printed in Capitals, and those of species in small letters. An asterisk (*) is prefixed to fossil genera and species.

- Abboti, 86.
 Abbreviata, 20, 66.
 Abbreuiatum, 152.
 Abbreuiatus, 66.
 Abdominalis, 3, 68.
 Aberrans, 75, 121.
 Abiecta, 20.
 Abnorme, 120.
 Abnormis, 24, 63.
 ABNORMOGOMPHUS, 70.
 *Abortivum, 174.
 *Abscissa, 167.
 Abyssinica, 60.
 Abyssinicus, 60.
 ACANTHÆSCHINA, 91.
 ACANTHAGRION, 144, 187.
 ACANTHAGYNA, 94, 185.
 Accedens, 121.
 Acigastra, 25.
 ACISOMA, 43.
 Acuta, 39.
 Acutipennis, 120, 130, *172.
 Adalais, 151.
 Adelpha, 18, 67.
 Adelphus, 67.
 Aduncum, 145.
 Advena, 24.
 Aenea, 48, 49, 52, 89, 103, 138.
 Æquabilis, 97.
 Æqualis, 33, *170.
 Æquatoriale, 124.
 Æquatorialis, 116.
 Æruginosum, 143.
 ÆSCHNA, 62, 86, *173, 185.
 *ÆSCHNIDIUM, 163.
 ÆSCHNINÆ, 83, *172, 185.
 ÆSCHNOPHLEBIA, 94.
 ÆSCHNOSOMA, 53.
 ÆSHNA, 58, 64, 67, 86, *168.
 ÆSHNIDÆ, 57, *168, 185.
 Æthiops, 62.
 ÆTHIRIAMANTIA, 24, 179.
 *Ætna, 176.
 Affinis, 8, 32, 47, 87, 88, 180.
 Africana, 4, 35, 56, 95.
 Aglaë, 142.
 *Aglaia, 167.
 *Aglaope, 175.
 *Aglaophene, 175.
 *Agrias, 166.
 AGRIOCNEMIS, 158.
 AGRIOGOMPHUS, 72.
 Agrioides, 111.
 AGRION, 96, 148, *175.
 AGRIONIDÆ, 96, *173, 186.
 Agrionides, 111.
 *AGRIONIDIUM, 176.
 AGRIONINÆ, 96, *173, 186.
 AGRIONOPTERA, 31, 180.
 AINO, 183.
 Alacer, 161.
 Alacris, 161.
 Alatipes, 129.
 Albardæ, 63, 76.
 Albicauda, 38.
 Albicincta, 49.
 Albidella, 130.
 Albifrons, 12, 16.
 Albipuncta, 32, 180.
 Albistigma, 107, 114, 138.
 Albistyla, 38, 66.
 Albistylus, 66.
 Albovittata, 117.
 Alevone, 118.
 Algira, 130.
 Algoricum, 142.
 Algirum, 142.
 Aliena, 23.
 ALLOCNEMIS, 131.
 ALLOGASTER, 79.
 ALLOLESTES, 125.
 ALLONEURA, 134.
 ALLOPETALIA, 92.
 Allopterum, 154.
 ALLORNIZUCHIA, 184.
 Alma, 108.
 Alpestris, 48.
 Alpina, 88.
 Amalia, 121.
 Amanda, 11.
 Amaryllis, 5.
 Amata, 97.
 Amazili, 84.
 Amazon, 152.
 Amazona, 110.
 Amazonica, 33, 45.
 Amazonicum, 124.
 Ambigua, 16, 73, 112.
 Ambusta, 19.
 Americana, 9, 106.
 Amnicola, 65.
 Amcena, 103.
 AMPHÆSCHINA, 93.
 AMPHLAGRION, 143.
 Amphiclitus, 70.
 AMPHICNEMIS, 157.
 Amphigena, 54.
 AMPHILESTES, 126.
 Amphion, 143.
 AMPHIPTERYX, 111.
 *Amphitrite, 170.

- AMPIPTERYX, 111.
 Ampla, 93.
 Ampullacea, 35.
 ANACLÆSCH-
 NA, 86.
 Analis, 1, 134, 152,
 163.
 ANAPATES, 160.
 ANATYA, 32, 181.
 ANAX, 83, *172,
 185.
 Anceps, 38, 98.
 Ancilla, 98, 135.
 Andersoni, 101.
 Androgynis, 53.
 Andromache, 155.
 Andromeda, 74.
 Angelina, 27, 132.
 Angolense, 153.
 Anguina, 68.
 Anguis, 89.
 Augulosus, 77.
 Augusta, 113, 131.
 Angustipenne, 124.
 Angustipennis, 15,
 26, 75, 96, 182.
 Angustiventris, 29.
 ANISAGRION,
 154.
 ANISOGOM-
 PHUS, 69.
 ANISONEURA,
 111.
 ANISOPLEURA,
 108.
 Anisoptera, 94, 114.
 Annectens, 73.
 Annexum, 146.
 Annulare, 149.
 Annulata, 36, 40,
 55, 80, 90, 129,
 133, 158.
 Annulatum, 36.
 Annulatus, 63, 80.
 Annulosa, 163.
 Annulosus, 163.
 Anomala, 21, 32,
 180.
 ANOMALAGRI-
 ON, 140.
 Anomalum, 120,
 140.
 ANOMISMA, 120.
 ANORMOGOM-
 PHUS, 70.
 ANOTOGASTER
 79.
 ANTIDYTHE-
 MIS, 2.
 Antilope, 92.
 Antipodum, 154.
 *Antiqua, 166, 172.
 *Antiquum, 166,
 175.
 APHYLLA, 74.
 Apicale, 139, 144.
 Apicalis, 6, 7, 25,
 82, 97, 103,
 139, 178.
 Apollo, 82.
 Appendiculata,
 127.
 Approximans, 153.
 Aquisextanum, 149.
 ARCHIBASIS,
 156.
 ARCHILESTES,
 159.
 Arctica, 48.
 *Areolata, 174.
 Argentina, 74.
 ARGIA, 137.
 ARGAGRION,
 154.
 ARGIOCNEMIS,
 158.
 ARGIOLESTES,
 125.
 Armata, 92.
 Armatum, 149.
 Armatus, 64.
 Armeniaca, 15.
 Armeniacum, 15.
 Arria, 5.
 Arteriosa, 18.
 Arundinacea, 89.
 Ascalaphoides, 43.
 Asiatica, 36, 47,
 112, 143.
 Asiaticum, 36, 143.
 Aspasia, 109, *173.
 Aspersum, 146.
 Aspis, 91.
 Assignata, 24.
 Assimilata, 16.
 Assimilatum, 16.
 Assimile, 62.
 Assimilis, 46, 62.
 Asticta, 107.
 Astictus, 120.
 Ater, 76.
 Atkinsoni, 79, 131,
 133.
 Atlanticum, 35.
 Atomaria, 129.
 Atrata, 60, 99.
 Atratus, 60.
 Atrifrons, 52.
 Atrinuchalis, 147.
 Atripes, 16.
 Atrociana, 139.
 Atropurpurea, 127.
 Atrosanguinea,
 111.
 Atrovirens, 48.
 Atrox, 77.
 Attala, 40.
 Attenuata, 20, 35,
 124, 182.
 Audax, 73.
 Aurantiaca, 134,
 137, 141, 142.
 Aurantiacum, 14,
 124.
 Aurantiacus, 115.
 Aurea, 14.
 Auriculata, 132.
 Auripennis, 29,
 105.
 Aurita, 161.
 Auritus, 161.
 Aurora, 18, 117,
 143.
 Austr'asiae, 153.
 Australiæ, 47.
 Australis, 4, 23,
 44, 54, 70, 77,
 126, 159.
 AUSTROÆSCH-
 NA, 91.
 AUSTROGOM-
 PHUS, 70.
 Axilena, 29.
 Axillena, 29.
 Azurea, 38, 85.
 Azureum, 38.
 Baccha, 17.
 Bacchus, 85.
 Bætica, 37.
 Balteata, 4.
 Barbara, 36, 161,
 162.
 Barbarum, 36,
 162.
 Barbarus, 162.
 Basale, 15, 144.
 Basalis, 3, 15, 29,
 79, 106.
 BASIÆSCHNA,
 92.
 Basiguttata, 51, 95.
 Basilaris, 3, 100.
 Batesii, 35, 53, 75,
 117.
 *Bavarica, 171.
 BAYADERA,
 108.
 Beata, 117.
 Bella, 10, 45.
 BELONIA, 28,
 179.
 Berenice, 19.
 Beschikii, 124.
 Biappendiculata,
 42.
 Bicolor, 40, 76,
 100.
 Bicornis, 156.
 Bicornuta, 132.
 Bicornutus, 76.
 Bidens, 71.
 Bidentata, 127.
 Bidentatus, 81.
 Bifasciata, 28, 73,
 113.
 Bifida, 95.
 Biforata, 113.
 Biforceps, 60.
 Biguttata, 37.
 Bilinearis, 136.
 Bilineata, 128, 186.
 Bimaculata, 27, 51.
 Binotata, 3, 139.
 Binotatum, 139.
 Bipartita, 107.
 Bipunctata, 18.
 Bipustulata, 139.
 Biserialis, 30.
 Biseriata, 113.
 Bisignata, 23, 113.
 Bisignatus, 115.
 Bison, 61.
 Bispina, 31, 95.
 Bistigma, 26.
 Bistrigata, 58.
 Bistrigatus, 58.
 Bivittata, 42.
 Bivittatus, 69.
 Bizonata, 141.
 Blackburni, 36,
 156.
 Blanchardi, 152.
 Blandus, 115.
 Boa, 60.
 Bocki, 109.
 Bolivari, 43, 183.
 Boliviana, 116.
 Boltonii, 80.
 Bonariensis, 88.
 Borchgravi, 107.

- Boreale, 146.
Borealis, 72, 87.
Borneensis, 126,
128.
Boucardi, 155.
Brachiale, 36.
Brachialis, 36.
BRACHYBASIS,
187.
BRACHYDI-
PLAX, 22.
BRACHYGO-
NIA, 44.
BRACHIYME-
SLA, 23.
BRACHIYTHE-
MIS, 21, 187.
BRACHYTRON,
91.
Braganza, 178.
Bramina, 7.
Braminea, 39, 180.
Brasiliana, 3.
Brasiliensis, 105,
110, 118.
Braueri, 25, 43,
47, 183.
Bremii, 36, 152.
*Brevialata, 169.
Brevifrons, 88.
Brevipennis, 24.
Brevipes, 74.
Brevis, 66.
Brevispina, 146.
Brevistigma, 79,
119, 144.
Brevistyla, 3, 56, 88.
Brevistylus, 75.
Brightwelli, 107.
*Brodiei, 168.
Brunnea, 37, 109,
145.
Brunneum, 37.
*Bubas, 163.
Bucheckeri, 62.
*Buchi, 170.
Buckleyi, 120.
*Buckmani, 169.
Burmeisteri, 3.
CACERGATES,
41.
CACONEURA,
134.
CACUS, 78.
Cæcum, 147.
CÆNONEURA,
136.
Cærulans, 40.
Cærulata, 119.
Cærulatus, 119.
Cærulea, 87, 119.
Cæruleata, 119.
Cæruleatus, 119.
Cærulescens, 36,
149.
Cæsia, 19, 133.
Cæstra, 29, 180.
Cæthrum, 187.
Caja, 104.
Caledonica, 20.
Caledonicum, 20.
CALEPTERYX,
96.
CALÆSCIINA,
93.
CALICNEMIS,
131.
Calida, 137.
Calidum, 137, 138.
Californica, 106.
Caligata, 112, 136.
CALIPHLEA,
108.
Calippus, 75.
CALLEPTE-
RYX, 96.
Callidum, 138.
Callipha, 151.
CALOPTERYX,
96.
CALOTHEMIS,
42.
*Calypso, 166.
CAMACINIA, 2,
177.
Camaranica, 183.
Camarense, 38.
Camilla, 11.
Campanulata, 75.
Canadense, 146.
Cancellata, 13, 38,
112.
Cancellatum, 38,
182.
Canis, 50.
CANNACRIA, 35.
CANNAPHILA,
41, 182.
Capillare, 136.
Capillaris, 136.
Capilliformis, 136.
Capitalis, 107.
Capreola, 139.
Capreolus, 139.
Caraiba, 74, 75.
Cardenium, 147.
Cardinalis, 34.
Carmelita, 159.
Carnatica, 39, 136.
Carnaticum, 39.
Carnifex, 105.
Carolina, 2.
Carovei, 82.
Cassandra, 122,
*167.
*Casta, 169.
Castanea, 17.
Castaneum, 17.
Castor, 88.
Catharina, 180.
Caucasica, 87.
Caudalis, 12, 178.
Cecilia, 62.
Celebensis, 30.
Celeno, 33.
Celestina, 5.
CELITHEMIS,
11.
*Cellulosa, 167.
Centralis, 133.
CEPHALÆSCH-
NA, 93.
Cephysa, 3, 177.
Cerastes, 60.
Cerastis, 60.
CERATOGOM-
PIIUS, 62.
CERATURA,
139.
*Ceres, 167.
CERIAGRION,
154.
Cerinorubellum,
154.
Cerinum, 154.
Cervula, 140.
Ceylonica, 7, 68.
Ceylonicus, 68.
CHALCOPTE-
RYX, 116.
Chalcoptilon, 6.
CHALCOSTE-
PIIIA, 31, 180.
Chalybea, 22.
Charpentieri, 80,
145, *171.
Chelifer, 63.
Cheliferum, 145.
Chinensis, 3, 102.
Chlora, 10.
Chloridion, 152.
CHLOROCNE-
MIS, 131.
CHLOROGOM-
PIIUS, 78.
CHLOROLES-
TES, 125.
CHLOROPLEU-
RA, 21.
CHLOROSOMA,
47, 52.
Chlorophthalmus,
90.
Chloropleura, 21.
Chrysops, 124.
Chrysoptera, 17.
Chrysopus, 126.
Chrysostigma, 36.
Ciliata, 100, 129.
Cincta, 55, 100, 126.
Cingillum, 143.
Cingulata, 30, 49,
55, 163.
Cingulatum, 163.
Cingulatus, 163.
Cinnamomea, 55.
Cinnamomeum,
124.
Circulatum, 147.
Circumscripta, 135.
Citrina, 1.
Civile, 146.
Clathrata, 36.
Claussenii, 137.
Clavata, 77.
Clavatus, 77.
CLEIS, 100.
Cleis, 25.
Clelia, 38.
Clementia, 132.
Clepsydra, 89.
Coarctata, 36.
Coarctatum, 36.
Coccinea, 21, 155.
Coccineum, 155.
Cochinchinensis,
57.
Cœcnm, 147.
CÆLICCIA, 128.
CÆNAGRION,
148, *175, 186.
CÆNAGRIONI-
NÆ, 119, *174,
186.
CÆNOTIATA,
11, 12, 178.
Cœrulea, 87.
Cœrulescens, 37.
Cognata, 6, 59, 68,
97, 141, 178.
Cognatus, 59.

- Colechicus, 98.
 Colenisonis, 163.
 Collaris, 70, 134.
 Collata, 138.
 Collocata, 40.
 Colorata, 114.
 *Coloratum, 176.
 *Coloratus, 176.
 Coluberculus, 87.
 Colubrinum, 61.
 Colubrinus, 61.
 Combusta, 157.
 Comes, 108.
 Commixta, 16.
 Commixtum, 16.
 Communimacula, 8.
 Communis, 20.
 Compar, 109.
 Complana, 51.
 Complicatus, 72.
 Composita, 26.
 Compositum, 26.
 Compositus, 60.
 COMPSOTHE-
 MIS, 11.
 Concinna, 42, 117,
 138, 162.
 Concinnum, 138,
 148.
 Concinnus, 162.
 Concolor, 84.
 Conditum, 152.
 Confluens, 76.
 Confraterna, 66.
 Confraternus, 66.
 Confusa, 9, 28, 88,
 108.
 Congener, 18, 38,
 86, 162.
 Conjuncta, 18, 34.
 Connata, 21.
 Consanguis, 66.
 Consobrinus, 58,
 66.
 Consors, 124.
 Conspicua, 125.
 Conspurcata, 27.
 Constricta, 88.
 Contaminata, 21.
 Continentalis, 4.
 Contortum, 122.
 Contracta, 36.
 Contractum, 36.
 Contumax, 56.
 COPERA, 129.
 Cophias, 60.
 Cophysa, 3, 177.
 CORA, 118.
 Cora, 23.
 Corallina, 21, 155.
 Corallinum, 155.
 CORDULEGAS-
 TER, 80, *170.
 Cordulegastra, 17.
 CORDULEGAS-
 TERINA, 78.
 CORDULE-
 PHYA, 46.
 CORDULIA, 52,
 *167.
 CORDULINE, 46,
 *167, 184.
 CORDULIOPS,
 181.
 Coriaceum, 153.
 Cornelia, 99.
 Cornigera, 88.
 Cornuta, 127.
 Coromandeliana,
 154.
 Coromandelianum,
 154.
 Coronata, 30, 180.
 Corrupta, 17.
 Corruptum, 17.
 Costae, 59.
 Costalis, 29, 50, 72,
 95, 101.
 Costifera, 17.
 Costiferum, 17.
 Crassa, 66.
 Crassus, 66.
 Credula, 20.
 Credulum, 141.
 Crenata, 89.
 Crocea, 3.
 Croceipennis, 28,
 138.
 Croceola, 17.
 Croceum, 156.
 Crocops, 153.
 CROCOTHEMIS,
 21.
 Crotalinus, 61.
 Cruenta, 118.
 Cruentata, 105.
 Cubensis, 33.
 Cucullata, 114.
 Cultellatum, 146.
 Cuneata, 113.
 Cuneatum, 144.
 Cuprea, 103, 138.
 Cupreum, 138,
 139.
 Cuprina, 6, 178.
 Curiosa, 6.
 Curta, 112.
 Curtisii, 52.
 Curtum, 123.
 Cyane, 118, 153.
 Cyanea, 26, 89,
 163.
 Cyaneum, 26.
 Cyaneus, 163.
 Cyanifrons, 112.
 Cyanocephala, 54.
 CYANOOGOM-
 PHUS, 71.
 Cyanomelas, 145.
 Cyanops, 128, 187.
 Cyathigerum, 145,
 146, 148.
 CYCLOGOM-
 PHUS, 69.
 CYCLOPHYL-
 LA, 74.
 Cynos, 37.
 *CYMATO-
 PHLEBIA, 171.
 Cynosura, 51.
 CYRTOSOMA,
 83, 85.
 Darwini, 3.
 DASYTHEMIS,
 46.
 Davidi, 68, 76.
 DAVIDIUS, 75.
 Dealbata, 129.
 Debilis, 33.
 *Decapitata, 166.
 Decemlineatus, 63.
 Decepta, 151.
 Decisa, 16.
 Decisum, 16.
 Deckeni, 150.
 Decolorata, 15.
 Decora, 7.
 Decorata, 82, 109.
 Decoratus, 77.
 Decorum, 153.
 Defixa, 140.
 Defixum, 140.
 Degener, 8.
 DEIELIA, 23.
 Delesserti, 39.
 Delicata, 143.
 Delicatula, 22.
 Delimbata, 113.
 Demorsa, 140.
 Demorsum, 140.
 *Densa, 163.
 *Densum, 163.
 Dentata, 74.
 Denticauda, 22.
 Denticolle, 147.
 Denticollis, 147.
 Denticulata, 9.
 Dentiferum, 146.
 Deplanata, 26.
 Depressa, 24.
 Depressiuscula, 15.
 Depressiusculum,
 15.
 Derivata, 117.
 Deserti, 146.
 Desiderata, 132.
 Designata, 24.
 Designatus, 60.
 DEVADATTA,
 111.
 Devilli, 103.
 Diadema, 81.
 DIAPHLEBIA,
 75.
 DIASTATOM-
 MA, 57, 61, 64,
 76.
 DIASTATOPS, 8.
 Diastatops, 79.
 Dicerias, 156.
 DICRANOPY-
 GA, 179.
 Dierota, 41.
 DICTERIAS, 111.
 *Dido, 173.
 Didyma, 41, 128.
 DIDYMOPS, 55.
 *Differens, 172.
 *Differenz, 172.
 Difficilis, 30, 139.
 Diffinis, 88.
 Digna, 132.
 Dilatata, 66.
 Dilatatum, 66.
 Dimidiata, 8, 97,
 99, 110.
 Dimissa, 137.
 DINEURA, 111.
 DIPHLEBIA,
 111.
 Diphylla, 74.
 DIPLACINA, 43,
 183.
 DIPLACODES,
 42, 183.
 DIPLAX, 13.
 Diplax, 7.
 Disrupta, 94.
 Discalis, 180.
 Discolor, 25, 143.
 Disjuncta, 161.

- Disjunctus, 161.
 *Dislocata, 169.
 Dispar, 5, 23, 109, 112, 155.
 Disparata, 6.
 Disparilis, 8, 102.
 DISPARONEURA, 133.
 Dissidens, 144.
 Distigma, 143.
 Distincta, 18.
 Distinctum, 150.
 Distinguenda, 20.
 Divagans, 146.
 Diversa, 130.
 Divisa, 36, 163.
 Divisum, 36.
 Divisus, 163.
 Dolabratus, 70.
 Dominicana, 155.
 Dominicanum, 155.
 Dominula, 104.
 Domitia, 10.
 Donna, 104.
 Donovanii, 37.
 *Doris, 166.
 Dorothea, 151.
 Dorsale, 123, 156.
 Dorsalis, 19, 69, 81, 84, 134.
 Doubledayi, 145.
 DROMOGOMPHUS, 64.
 Dryas, 160.
 Dualis, 118.
 Dubia, 12, 37.
 Duivenbodi, 22.
 Duplex, 104.
 Durum, 145.
 *DYSAGRION, 174.
 DYSPHLEA, 110.
 DYTHEMIS, 34.
 Ebrium, 146.
 ECHO, 101.
 Ecomuta, 157.
 Edentata, 74.
 Edwardsii, 23.
 *Eichstaettense, 175.
 Elaps, 60.
 Elata, 162.
 Elatum, 13.
 Elatus, 162.
 Elegans, 7, 53, 54, 71, 96, 141, 142, 174.
 Elegantissima, 25.
 Eliptica, 138.
 Elisa, 11.
 Elongata, 48, 74, 131.
 Elongatum, 155.
 Elongatus, 65.
 Elopure, 127.
 Elwesii, 111.
 ENALLAGMA, 145.
 EPALLAGE, 108.
 EPHIDATIA, 33.
 Ephippiger, 85.
 Ephippigera, 85, 136.
 EPLESCHINA, 90.
 EPICORDULIA, 51.
 EPIGOMPHUS, 71.
 EPITHECA, 51.
 Eponina, 11.
 EPOPHITHALMIA, 54.
 Epophthalmus, 69.
 Equestris, 8.
 Equivocata, 32.
 Eremita, 49, 89.
 Eremitica, 89.
 Erotica, 17.
 ERPETOGOMPHUS, 60.
 Erratica, 179.
 Erroneus, 81.
 ERYTHEMIS, 40.
 Erythrea, 4, 21.
 ERYTHRAGRION, 155.
 Erythrina, 155.
 Erythrinum, 155.
 ERYTHRODIPLAX, 21.
 Erythrogastrum, 124.
 ERYTHROMMA, 152, 186.
 Erythroneura, 14.
 Erythronium, 154.
 Erythroprocta, 134.
 Erythrura, 127.
 *ESTEMOA, 165.
 *Eudore, 173.
 EUPHLEA, 96, 109, *186.
 Eurina, 162.
 Eurinus, 162.
 Euryale, 3.
 Eurybia, 3.
 *Eurynome, 166.
 Eustalacta, 56.
 EUTHORE, 117.
 Excelsa, 142.
 Excelsus, 59.
 Excisa, 88.
 Exclamationis, 148.
 *Exhaustum, 175.
 Exigua, 45, 137, 142.
 Exilis, 69, 158.
 Eximia, 114, 131, 157, *165, *174.
 Exoleta, 161.
 Exoletus, 161.
 Exornatum, 150.
 Exsudans, 42, 158.
 Exsulans, 146.
 *Exsularis, 175.
 Externa, 66.
 Exterius, 66.
 Extranea, 138, 177.
 Extraneum, 138.
 Exul, 42, 97, 135.
 Exusta, 26.
 Exustum, 26, 119.
 Ezonatum, 142.
 Fallax, 12, 20, 53, 77, 185.
 Famula, 20.
 Fasciata, 9, 11, 23, 81, 117, 125.
 Fasciatum, 125.
 Fasciatus, 81.
 Fasciolata, 36.
 Fasciolatum, 36.
 Fastigiata, 17, 32, 117.
 Fatima, 108.
 Femina, 158.
 Fenestrata, 113, 178.
 Fenestrella, 113.
 Fenestrina, 6.
 Feralis, 8.
 Ferox, 77, 95.
 Ferrugaria, 19.
 Ferruginata, 21.
 Ferruginea, 21, 25.
 Ferrugineum, 154.
 Fervida, 19, 179.
 Festa, 30.
 Festiva, 19, 99.
 Fidelis, 47.
 Filiformis, 121, 157.
 Filigerus, 121.
 Filiola, 155.
 Filosa, 48, *174.
 Filum, 121, 157.
 Finalis, 115.
 Fin-chi, 45.
 Fissa, 138.
 Flammea, 127.
 Flammeum, 156.
 Flaveola, 13, 14, 15.
 Flaveolata, 13.
 Flavolum, 13, 179.
 Flavescens, 1, 14, 44, 144.
 Flavicans, 20.
 Flavicauda, 53.
 Flavicincta, 55.
 Flavida, 29.
 Flavifrons, 31.
 Flavipennis, 55, 68, 90, 131, 135, 179.
 Flavipes, 68.
 Flavistigma, 121.
 Flavistyla, 42, 141.
 Flavithorax, 153.
 Flavomaculata, 49.
 Flavipicta, 25.
 Flavostigma, 15.
 Flavovittata, 139.
 Flavovittatum, 123.
 Flexuosa, 59.
 Flexuosus, 59.
 *Flindersiensis, 173.
 Florida, 90, 102.
 Fluctuans, 7.
 Fluvialis, 65.
 Fluviatilis, 141.
 Foliacea, 130.
 Foliata, 28.
 FONSCOLOMBIA, 92.
 Fonscolombii, 14, 150.
 Fontium, 139.
 Forceps, 135, 163.
 Forcipata, 49, 58, 67, 68, 80, 161.
 Forcipatus, 58, 67, 161.
 Forcipula, 53, 160.
 Forense, 26.
 Forensis, 26.
 Forficula, 161.

- Formosa, 84, 102, 109.
 Formosus, 85.
 Frænulata, 133.
 Fragilis, 124.
 Franklinii, 48.
 Fraterna, 18, 20, 66.
 Fraternus, 66.
 *Frederici, 174.
 Freulata, 133.
 Frequens, 16.
 Fridrichsdalensis, 27.
 Frontalis, 25, 34, 60, 114.
 Fruhstorferi, 44.
 Frumenti, 38.
 Fuchsiana, 51.
 Fugax, 27, 34.
 Fulgens, 6, 105.
 Fulgida, 103.
 Fulgidipennis, 112.
 Fulgipennis, 112.
 Fuliginea, 8.
 Fuliginosa, 6, 73, 95.
 Fuliginosus, 101.
 Fulva, 26, 27.
 Fulvellum, 155.
 Fulvia, 7.
 Fulvicollis, 136.
 Fulvipes, 152.
 Fulvum, 26.
 Fumigata, 138.
 Fumipenne, 138.
 Fumipennis, 138.
 Fumosus, 84.
 Funcki, 137.
 Funebris, 138.
 Funerea, 29.
 *Fur, 168.
 Furcata, 40, 95, 157.
 Furcatum, 148.
 Furcifer, 65.
 Furcigerum, 153.
 Furellata, 92.
 Fusca, 20, 163.
 Fuscofasciata, 32.
 Fuscoguttata, 107.
 Fuscopalliata, 41.
 Futilis, 54.
 FYLGIA, 45.
 FYLLA, 45.
 Gabonense, 147.
 Gamma, 99.
 Gayi, 152.
 Geminata, 19.
 Genei, 16, 59, 142, 186.
 Geometrica, 57.
 Geometricus, 57.
 Georgina, 54.
 Georgius, 84.
 Gibba, 35.
 Gibbosulus, 84.
 Gigantea, 2, 82, 116, *165, *173.
 *Giganteum, 165.
 *Giganteus, 165.
 Gigas, 96.
 Gilva, 17.
 Glabrum, 154, 187.
 Glaciale, 149.
 Gladiata, 74.
 Glauca, 39, 112, 133, 157.
 Glaucescens, 153.
 Glaucom, 39, 133.
 Globifer, 103.
 Globulata, 179.
 Gloriosa, 100.
 Godeffroyi, 93.
 Godmani, 81.
 Goliath, 84.
 GOMPHESCH-
 NA, 92.
 GOMPHIDIA, 76.
 GOMPHINA, 57.
 GOMPHINE, 57, *168, 185.
 GOMPHOIDES, 73, *168.
 Gomphoides, 134.
 GOMPHOMA-
 CROMIA, 53.
 GOMPHUS, 64, *168.
 Gonypenis, 12.
 Gouldi, 71.
 Gracile, 37, 144, 187.
 Gracilis, 22, 52, 72, 94, 102, 133, 163.
 Gracillima, 134.
 Graellsii, 141.
 Graeseri, 48.
 Grammica, 59.
 Grammicus, 59.
 Grandeva, 99.
 Grandis, 80, 89, 90, 159, 185.
 Graphiptera, 5.
 Graslinella, 66.
 Graslinellus, 66.
 Graslini, 68.
 Gravidia, 182.
 Grayi, 47.
 Grisea, 126.
 Guerini, 70, 110.
 Gundlachii, 40.
 Guttata, 32, 56, 84, 181.
 Guttatus, 84.
 Guttifera, 103.
 GYNACANTHA, 94.
 Hæmatina, 18, 19.
 Hæmatinum, 144.
 Hæmatodes, 22.
 Hæmatogaster, 39, 182.
 Hæmatopus, 127.
 Hæmorrhoidalis, 98, 99.
 Hafniense, 91.
 Hafniensis, 91.
 Hagenii, 41, 46, 59, 83, 146, *173, 178.
 HAGENIUS, 75.
 Halterata, 132.
 Hamata, 58, 161.
 Hamatogaster, 39, 182.
 Harpedone, 13.
 Harterti, 177.
 Hastata, 140.
 Hastatum, 140.
 Hastulata, 149.
 Hastulatum, 142, 145, 148, 149.
 Hauxwelli, 103, 121.
 Hawaïense, 151.
 Hebe, 105.
 *Hecticum, 175.
 Helena, 122.
 HELIÆSCHINA, 95.
 HELIOCHARIS, 110.
 *Helle, 174.
 Hellmanni, 12.
 HELOTHEMIS, 180.
 Helvetica, 37.
 Helveticum, 37.
 HEMIAX, 85.
 Hemichlora, 33.
 HEMICNEMIS, 128.
 HEMICORDU-
 LIA, 46.
 HEMIGOM-
 PHUS, 71.
 Hemihyalina, 6, 178.
 HEMIPHLEBIA, 159.
 HEMISTIGMA, 32, 181.
 Herculea, 28.
 Hermeticum, 150.
 Heros, 90.
 HERPETOGOM-
 PHUS, 60.
 Hersilia, 27.
 HETÆRINA, 104.
 HETERAGRI-
 ON, 123.
 Heteroclytus, 71.
 Heterodoxa, 47.
 Heterodoxum, 144.
 HETEROGOM-
 PHUS, 57, 63.
 *HETERO-
 PHLEBIA, 169.
 HETEROPODA-
 GRION, 123.
 Heteropterus, 70.
 Heterosticta, 107, 141.
 Heterostictum, 141.
 Heterostigma, 114.
 Heterostyla, 69.
 Heterostylus, 69.
 Hieroglyphicum, 150.
 Hilaris, 132.
 Hildebrandti, 46.
 Hisopa, 153.
 Histrio, 5, 19.
 Holosericea, 99.
 HOLOTANIA, 29, 179.
 *Hopei, 169.
 Hova, 24.
 Hudsonica, 12, 49, 87, 97, 178.
 Humerale, 152.
 Humeralis, 114, 134, 136.
 Hyalina, 44, 95, 104, 108, 117, 122.

- Hyalinata, 130.
 Hyalinum, 37,
 *176.
 Hyalinus, 78, 115.
 Hybrida, 15.
 HYDROBASI-
 LEUS, 2, 177.
 HYDRONYM-
 PIA, 35.
 Hymenea, 2.
 Hypermelas, 153.
 Hyperythra, 134.
 HYPÖCNEMIS,
 127.
 Hypomelas, 16.
 HYPONEURA,
 137.
 HYPOPETA-
 LIA, 82.
 HYPOTHEMIS,
 46.

 *Icarus, 175.
 Ictérica, 163.
 Ictericus, 163.
 Icteromelas, 126.
 Icterops, 124.
 Icteroptera, 10.
 Ictinia, 73.
 ICTINUS, 77,
 *168, 185.
 Ida, 184.
 Idæ, 93.
 IDIOCNEMIS,
 127.
 IDIONEURA,
 135.
 IDIONYX, 56.
 Ignea, 127.
 Ignipennis, 113.
 Illinoisensis, 55.
 Ilota, 17.
 Ilotum, 17.
 Imbricata, 129.
 Imbuta, 17, 32.
 Imbutum, 17.
 Imitans, 15, 181.
 Immaculata, 178,
 186.
 Immaculifrons, 80,
 84.
 Immunda, 138.
 Immundum, 138.
 Impar, 109.
 Imperator, 84.
 Imperatrix, 5, 103,
 177.
 Impura, 138.

 Inæqualis, 117,
 162.
 Inæquipar, 109.
 Inca, 118, 156.
 Incana, 118.
 Incerta, 3, 7.
 Incesta, 29, 179.
 Incisa, 158, 159.
 Inclitus, 70.
 Incompta, 20.
 Inculta, 138.
 Indica, 5, 22, 108.
 Iners, 141.
 Infernalis, 19.
 Inflata, 43.
 Infumata, 32, 73,
 113, 138.
 Infumatum, 73.
 Infuscata, 12, 17.
 Ingens, 86.
 Inominata, 7.
 Inornata, 127.
 Inornatum, 156.
 Inquinata, 22.
 Inscripta, 60.
 Inscriptus, 60.
 Insignata, 24.
 Insignis, 31, 80,
 81, 134, 184.
 Insipida, 137.
 Insulare, 150.
 Insularis, 3, 31, 41,
 130, 182.
 Intacta, 12, 178.
 Integer, 72.
 Integra, 134.
 Intensa, 10.
 Intermedia, 8, 18,
 27, 47, 158, 170.
 Intermedium, 27.
 Intermedius, 80,
 *170.
 Interrogata, 31.
 Interrogatum, 148.
 Interrupta, 134.
 Interruptum, 145,
 148.
 Interruptus, 71.
 Intricata, 65.
 Intricatus, 65, 72.
 Inversum, 155.
 Io, 163.
 Iphigenia, 4, 121.
 Irene, 92, 147.
 Iridipennis, 101.
 Irina, 149.
 Iris, 10, *177, 184.
 Irregularis, 43, 44.

 ISCHINURA, 140.
 Isocetes, 90.
 *ISOPHLEBIA,
 173.
 ISOSTICTA, 135.

 Jacksoniensis, 47.
 JAGORIA, 91.
 Jamasearensis, 50.
 Janata, 92.
 Januaria, 89.
 Japonica, 38, 99,
 162.
 Japonicum, 38.
 Japonicus, 162.
 Japponicus, 76.
 Jaspidea, 86.
 Jaspideus, 86.
 Jocaste, 120.
 Jocosa, 118, 138.
 Jucunda, 9, *169.
 Julia, 26.
 Julius, 85.
 Juncea, 87, 89, 185.
 Junia, 83.
 Junius, 83, 185.
 *Jurassica, 168.
 Justina, 19.
 Justiniana, 19, 20.

 Kaupi, 102, *166.
 Kersteni, 151.
 *Kieseli, 167.
 Kirschi, 76.
 Klingi, 184.
 *Koehleri, 171.
 Koelense, 151.
 Krugii, 146.
 Kunckeli, 17.
 Kurilis, 67, 138.

 Lacerata, 2.
 Lacrimans, 137.
 Lacrymans, 137.
 Lacteola, 129, 158.
 Lactum, 130.
 Lacustris, 19.
 Laesa, 105.
 Laglaizei, 157.
 LAIS, 103.
 Lais, 10, 147.
 *Lakesii, 174.
 Lamellata, 143.
 Lancea, 144.
 Lanceolatum, 149.
 Landoltii, 88.
 Lansbergei, 70,
 134.

 *Larvata, 173.
 Laterale, 38, 145.
 Lateralis, 38, 51,
 71, 79.
 LATHRECIS-
 TA, 30, 180.
 *Latidata, 165.
 Latifrons, 79, 119.
 Latipennis, 79, 119.
 Latipes, 129, 186.
 Latreillii, 14, *170.
 Latro, 78.
 Leachii, 56.
 Leda, 29, 163.
 Lefebvrei, 42, 58.
 Lehmanni, 186.
 Leoninum, 154.
 Leontina, 21.
 Lepida, 49.
 LEPTAGRION,
 155.
 LEPTETRUM,
 26.
 JULIUS, 85.
 LEPTHEMIS, 39,
 182.
 LEPTOBASIS,
 156.
 LEPTOCNEMIS,
 128, 187.
 LEPTOGOM-
 PHUS, 70.
 Leptoptera, 44.
 Leptura, 36.
 LESTES, 160, *176.
 Lestoides, 108, 111,
 132, 157.
 Leucopsallis, 160.
 LEUCORHINA,
 11.
 LEUCORHINIA,
 11, 178.
 Leucorhinum, 123.
 Leucorhinus, 12.
 *Leucosia, 176.
 Leucosticta, 41,
 131.
 Leucostigma, 121.
 Lewisi, 25.
 *Liassina, 169.
 LIBELLA, 35, 51.
 LIBELLAGO,
 112.
 LIBELLULA, 24,
 26, *166.
 LIBELLULIDÆ,
 1, *165, 177.
 LIBELLULINÆ,
 1, *165, 177.

- *LIBELLULUM, 166.
 Libera, 50, 110.
 *Ligea, 176.
 Lilacina, 138.
 Limbatæ, 4, 106, 110, 114.
 LINBENIA, 57, 78, 165.
 Lindenii, 150.
 Linearis, 47, 121, 187.
 Lineata, 8, 31, 59, 115, 180, 185.
 Lineatipes, 181.
 Lineatum, 59.
 Lineatus, 115, 185.
 Lineolata, 182.
 Lineolatum, 150.
 Lineostigma, 37.
 Lintneri, 50.
 Liriopa, 46.
 *LITHAGRION, 176.
 *Lithographica, 170.
 Livida, 64.
 Lividus, 64.
 Loewii, 3.
 LONGICHAMPIA, 76.
 *Longialata, 171.
 *Longialatus, 171.
 Longicauda, 3, 125.
 Longicaudum, 125.
 Longipennis, 28, 40.
 Longipes, 33, 84, 105, 185.
 Longissima, 121.
 Longistigma, 94, 100.
 Longitudinalis, 30.
 *Longiventris, 174.
 Longum, 155.
 Longuinii, 44, 157.
 Lucasii, 67.
 Lucia, 9.
 Lucilla, 11.
 Lucretia, 121.
 Luctifera, 184.
 Luctuosa, 29, 102.
 Luctuosus, 120.
 Ludoviciana, 98.
 Lugens, 102, 110, 137.
 Lunata, 85.
 Lunatum, 119.
 Lunatus, 85.
 Luniferus, 81.
 Lunulata, 80, 158.
 Lunulatum, 148, 149.
 Lunulatus, 80.
 Luteipennis, 88.
 Luteola, 105.
 Luzonica, 38.
 Luzonicum, 38.
 Luzoniensis, 102.
 Lycoris, 24.
 Lydia, 28, 29.
 LYRIOTHEMIS, 25.
 Maacki, 69.
 Macilenta, 156.
 Macilentum, 124, 156.
 Machachiani, 76, 92, 125, 159.
 Macrocephala, 15, 126.
 MACRODIPLAX, 23.
 Macrodon, 58.
 Macrogastrer, 156.
 Macrogastra, 156.
 MACROGOMPHUS, 63.
 MACROMIA, 54.
 Macromia, 88.
 Macropus, 107, 123.
 Macrostigma, 25, 56, 160.
 MACROTHEMIS, 33, 181.
 Macrum, 155.
 Maculata, 27, 99, 132.
 Maculatissima, 89.
 Maculatum, 120.
 Maculatus, 81, 84.
 Maculiventris, 40.
 Maculosa, 45.
 Madagascariensis, 4, 29.
 Madida, 16.
 Madidum, 16.
 Magna, 142.
 Magnanimum, 153.
 Magnifica, 55, 96.
 Magnificata, 25.
 Magnificus, 78.
 Magnus, 84.
 Mainense, 61.
 Mainensis, 61.
 Major, 159.
 Majus, 124.
 Majuscula, 107.
 Malaccensis, 31, 180.
 Malayanum, 147.
 Malgassica, 128.
 Manadensis, 7.
 Mandarinus, 101.
 Marcella, 4.
 Marshallii, 36, 88, 121.
 Marcia, 5.
 Margarita, 101, 122.
 Marginata, 8, 9, 50, 104.
 Marginipes, 129.
 Maria, 22, 136.
 Marina, 118.
 Marmorata, 33.
 Maroccana, 141.
 *Mascens, 175.
 Masoni, 110.
 Materna, 99, 159.
 MATRONA, 100.
 Mauricianus, 4, 129.
 Mauricianus, 85.
 Mauritanum, 159.
 Maxima, 89, 106.
 MECISTOGASTER, 120, 187.
 Mecistogastrum, 155.
 Mediterranea, 86.
 Mediterraneus, 86.
 Medullaris, 139.
 MEGALAGRION, 156.
 MEGALESTES, 159.
 MEGALOPREPUS, 119.
 Megalopus, 122.
 MEGAPODAGRION, 122.
 Melanops, 68, 77.
 Melampus, 68.
 MELANARP-TIS, 183.
 Melania, 39, 55, 102, 182.
 Melanictera, 89.
 Melanicterum, 153.
 Melanocyana, 156.
 Melanoproctum, 150.
 Melanops, 22.
 Melanostigma, 12, 132.
 Melanotum, 147.
 Melanurum, 154.
 *Melobasis, 166.
 Membranipes, 128.
 Membranulata, 184.
 Mendax, 34.
 Menetriesii, 61.
 Mercenarium, 123.
 Mercuriale, 150.
 Merida, 26.
 Meridana, 117.
 Meridionale, 15, 150, 179.
 Meridionalis, 15.
 MESAGRION, 123.
 MESOTHEMIS, 40.
 METACNEMIS, 131.
 Metallica, 30, 48, 103, 180, 181.
 Metella, 10.
 *Metis, 172.
 Mexicana, 95.
 Meyeri, 42.
 M-flavum, 69.
 MIATHYRIA, 4.
 MICRATHYRIA, 41, 182.
 Microcephalum, 153.
 MICRODIPLAX, 22.
 MICROGOMPHUS, 63.
 MICROMACROMIA, 183.
 MICROMERUS, 115.
 MICRONEURA, 136.
 MICRONYM-PHA, 140, 183.
 MICROSTIGMA, 119.
 Microstigma, 93, 95, 144.
 MICROTHEMIS, 22.
 Migratum, 153.
 Militaris, 65.

- Milnei, 89.
 Minarum, 144.
 Mincki, 183.
 Mingrelica, 98.
 Miniata, 107, 131, 179.
 Minima, 158.
 Miniopsis, 144.
 Minitum, 151.
 Minius, 151.
 Minor, 92, 120.
 Minuseula, 19, 42, *167.
 Minuseulus, 70.
 Minuta, 9, 65, 145, 161.
 Minutissimum, 148.
 Minutum, 145.
 Minutus, 65, 161.
 Mirabilis, 117, 159.
 Miranda, 56.
 MISAGRIA, 33.
 Mithra, 40.
 Mixta, 87.
 MNAIS, 101.
 Modesta, 50, 60, 118, 137.
 Modestus, 60, 120.
 Modiglianii, 86.
 Mœsta, 137.
 Mœstum, 137.
 Molestus, 71.
 Mollis, 138.
 Molossus, 74.
 Moluccensis, 135.
 Monochroa, 114.
 Monostigma, 100.
 Montana, 111, 132.
 Montanus, 61, 63.
 Mooma, 10.
 Moorei, 55.
 Mordax, 77.
 Moribunda, 106.
 Morio, 42.
 Morrisoni, 62.
 Mortua, 105.
 *Muensteri, 170, 172.
 *Multicellulosa, 171.
 Multicincta, 90.
 Multicolor, 88.
 *Multinervis, 174.
 Munda, 118.
 Mundula, 179.
 Murcia, 5.
 Mutata, 89, 117, 133.
 Mysis, 30, *175.
 Næva, 33.
 *Nævia, 167.
 Nævius, 66.
 Najas, 152.
 Nana, 43.
 NANNODI-
 PLAX, 45.
 NANNODYTHE-
 MIS, 44.
 NANNOPHLE-
 BIA, 44.
 NANNOPHYA,
 45, 183.
 NANNOTHEMIS,
 45.
 Nanus, 75.
 Nasalis, 49.
 Nathalia, 132.
 Nebulosa, 42, 183.
 Nebulosum, 122.
 Neglecta, 39, 182.
 Neglectum, 39, 182.
 NEHALENNIA,
 147.
 NEOCORDU-
 LIA, 53.
 NEOCYSTA, 35.
 NEODYTHE-
 MIS, 46, 183.
 NEOGOMPHUS,
 71.
 NEONEURA,
 136.
 NEOPHLEBIA,
 43.
 NEOPHYA, 46.
 NEPIHEPELTIA,
 44, 183.
 Nepos, 148.
 Nervosa, 94.
 NESOCORDU-
 LIA, 53.
 NESOCRIA, 30.
 NESOXENIA, 30, 180.
 NEURÆSCHNA,
 95.
 NEUROBASIS,
 102.
 NEUROCORDU-
 LIA, 50.
 NEUROLESTES,
 124.
 NEUROTHE-
 MIS, 7.
 Nicobarica, 7, 31.
 Nietneri, 69.
 Nigra, 13, 23.
 Nigricans, 17, 158.
 Nigricula, 13.
 Nigridorsum, 147.
 Nigrifemur, 15.
 Nigrilabris, 23.
 Nigrinuchale, 145.
 Nigripectus, 100.
 Nigripes, 15, 68, 131.
 Nigrohamatum,
 151.
 Nigrostigma, 15.
 Nipalensis, 79.
 Nitens, 52.
 Nitidineris, 37.
 Nitidula, 130.
 Nobilis, 185.
 Nobilitata, 102.
 Nodisticta, 26.
 Nodistictum, 26.
 NORMOSTIG-
 MATINA, 122.
 NOSOSTICTA,
 135.
 Notata, 6, 65, 178.
 Notatus, 65.
 NOTHOLESTES,
 111.
 Notostigma, 134.
 Novæ-Hollandiæ,
 47.
 Novæ-Zealandiæ,
 47.
 Nubecula, 34.
 Nubicum, 153.
 Nudicollis, 179.
 Nympha, 162.
 Nymphula, 151.
 Oahuense, 151.
 Obliqua, 81.
 Obliquus, 81.
 Oblita, 36.
 Obliteratum, 147.
 Oblitum, 36.
 Obseura, 8, 38, 126, 138, 180.
 Obscuripennis, 94.
 Obscurum, 38, 72.
 Obscurus, 72, 115.
 Obsolescens, 6.
 Obsoleta, 19, 50, 134.
 Obsoletum, 123, 156.
 Obtrusa, 16.
 Obtrusum, 16.
 Obtusum, 35.
 Obtusus, 72.
 Occipitalis, 69, 156.
 Occisa, 107.
 Oœitanicus, 58.
 *Occulta, 168.
 Occultus, 70.
 Oceanica, 46.
 Oceanicum, 156.
 Ocellata, 87, 185.
 Ochracea, 19, 20, 109, 163, 164.
 Ochraceum, 123.
 Ochraceus, 71, 163.
 Octogesima, 128.
 OCTOGOM-
 PHUS, 63.
 Oculata, 7, 44, 139.
 Odiosa, 29.
 Oedipus, 130.
 Oenea, 138.
 *Oeningensis, 167.
 OLIGOÆSCII-
 NA, 86.
 OLIGOCLADA,
 182.
 Oligoneura, 8.
 Olivacea, 65.
 Olivaceus, 65.
 Olympia, 37.
 Onusta, 2.
 ONYCHIARGIA,
 139.
 ONYCHOGOM-
 PHUS, 57.
 ONYCHOTHE-
 MIS, 24.
 Opaca, 99, 110.
 Opalina, 37.
 OPIHOGOM-
 PHUS, 61.
 Ophis, 74.
 Optata, 56, 94, 138.
 Orbifrons, 93.
 ORCHITHEMIS,
 42.
 Orichalcea, 100, 139.
 Orientale, 16.
 Orientalis, 12, 16, 126, 143, 163.
 Ornata, 11, 12, 116, 126.

- Ornatum, 149.
 Ornatus, 120.
 OROGOMPHUS, 79.
 ORTHEMIS, 25.
 ORTHETRUM, 35, 182.
 Oscillans, 122, 156.
 *Ovatipennis, 172.
 Ovatum, 123.
 OXYAGRION, 144, 187.
 OXYGASTRA, 52.
 PACHYDIPLAX, 40.
 Pachygastra, 25.
 Pachystigma, 131, 182.
 Pacifica, 18, 54, 73.
 Pacificum, 151.
 Pacificus, 18.
 *Packardi, 174.
 Pædemontana, 179.
 Pædisca, 164.
 PALEMNEMA, 132.
 PALEOPHLEBIA, 118.
 Palliata, 7.
 Pallida, 1, 64, 163.
 Pallidinervis, 14.
 Pallidistigma, 13.
 Pallidistyla, 126.
 Pallidus, 64, 163.
 Pallipes, 16.
 Palmata, 89.
 PALPOPLEURA, 9, 178.
 PALTOTHEMIS, 181.
 Paludosus, 71.
 *Pannewitziana, 167.
 Panorpoides, 43.
 PANTALA, 1.
 Panybeus, 84.
 Papilionaria, 99.
 Papnensis, 31, 86.
 Paradoxa, 53.
 Parallelogramma, 63.
 Parallelogrammus, 63.
 Parana, 33.
 PARAPHLEBIA, 122.
 Parisinus, 85.
 *Parkinsoni, 173.
 Parthenias, 98.
 Parthenope, 85, *176.
 Parvistigma, 79, 91.
 Parvula, 42, 65, 179.
 Parvulus, 65.
 Parvum, 147.
 Paucinervis, 72, 137.
 Paulina, 132.
 Pavidum, 144.
 Pecchioli, 130.
 Pectoralis, 11, 30.
 Pedemontana, 13.
 Pedemontanum, 13, 179.
 Pedicellatus, 121.
 Pegasus, 74.
 *Périsinœ, 176.
 Pekinensis, 81.
 Pennipes, 129.
 Pentacantha, 90.
 PENTATHEMIS, 184.
 *Perampla, 173.
 Perfida, 73.
 Perforata, 114.
 Perforatus, 114.
 PERICNEMIS, 158.
 PERILESTES, 124.
 PERISTICTA, 135.
 PERITHEMIS, 10.
 Perparva, 140.
 Perplexa, 104.
 Perrensi, 88.
 *Perse, 166.
 Personata, 68.
 Personatus, 68.
 Pertinax, 41, 77.
 Peruviana, 40.
 Pestilens, 82.
 PETALIA, 82.
 PETALURA, 82, *172.
 Petalura, 39.
 Petiolata, 114.
 Petiolatum, 35, 124.
 *Petrificata, 168.
 *Petrificatus, 168.
 Phalerata, 18.
 Phaleratus, 77.
 Phallatum, 164.
 PHAON, 101.
 Phaon, 23.
 PHENES, 83.
 Philippensis, 22.
 Philippina, 127.
 Philippinensis, 22.
 Philodorsum, 153.
 PHILOGANGA, 111.
 PHILOGENIA, 122.
 Phryne, 44, *170, 183.
 Phyllis, 5.
 PHYLLOGOMPHUS, 62.
 PHYLLOMA-CROMIA, 56.
 PHYLLOPETALIA, 82.
 Phyllura, 78.
 Phyne, 41.
 Picta, 55, 87, 116, 117, 161.
 Picteti, 159, 161.
 Picturata, 116.
 Pictus, 62, 80, 161.
 PIGIPHILA, 24.
 Pilidorsum, 153.
 Pilipes, 64.
 Pilosa, 91.
 Plagiata, 65, 94, 117, 135, 163.
 Plagiatum, 163.
 Plagiatus, 65, 163.
 PLATETRUM, 24.
 PLATHEMIS, 28.
 PLATYCENEMIS, 129, 186.
 PLATYGOMPHUS, 70.
 PLATYLESTES, 164.
 Platypoda, 130.
 Platyptera, 44, *167.
 *Platyptra, 167.
 PLATYSTICTA, 132.
 Platystyla, 164.
 Platystylus, 164.
 Plebeia, 21, 179.
 Plebeja, 39.
 Pleurosticta, 33.
 Plumbea, 28.
 Plutonia, 6.
 Pocahontas, 10.
 PODAGRION, 122, *174.
 PODOLESTES, 126.
 PODOPTERYX, 125.
 Pœciloptera, 91.
 Poeyi, 41.
 Polleni, 43.
 Pollutum, 147.
 *Polydore, 173.
 Polygonus, 73.
 POLYNEURA, 7.
 Polysticta, 50.
 Pontica, 27.
 Porrectum, 155.
 Portia, 9.
 Portoricana, 42.
 Posita, 147.
 Positum, 147.
 Postnodalis, 125.
 Postocularis, 69.
 POTAMARCHA, 180.
 POTAMOTHEMIS, 9, 178.
 Præcox, 34, 77.
 Predator, 78.
 Præmorsa, 162.
 Præmorsus, 162.
 Prænubila, 27.
 Præruptus, 71.
 Prætextatum, 153.
 Pretorius, 69.
 Prævarum, 146.
 Pratensis, 91.
 Pretiosa, 5, 157.
 Priapea, 25.
 Princeps, 51.
 PRIONOCNEMIS, 127.
 Procera, 48, 111, 116.
 Producta, 74, 75.
 Prognatha, 140.
 Prognatum, 140.
 PROGOMPHUS, 72.
 Prælongata, 186.
 Promelas, 68.
 PRONEURA, 186.

- Propinqua, 87, 89.
 Proserpina, 19.
 Prothoracica, 157.
 *PROTOLIN-
 DENIA, 169.
 PROTONEXURA,
 136.
 PROTORTHE-
 MIS, 30.
 PROTOSTICTA,
 133.
 Protracta, 74.
 Proxima, 105, 178.
 Proximum, 120.
 Pruinans, 42.
 Pruinosa, 38, 101,
 104, 133.
 Pruinosum, 38, 153.
 Prveri, 68, 83.
 PSEUDAGRION,
 153.
 Pseudamericana,
 106.
 PSEUDOGOM-
 PIUS, 81, 184.
 PSEUDOLEGN,
 10.
 PSEUDOMA-
 CROMIA, 34,
 182.
 PSEUDOPHLEA,
 109.
 Pseudosophronia,
 7.
 PSEUDOSTIG-
 MA, 121.
 PSEUDOSTIG-
 MATINA, 119.
 PSEUDOTHE-
 MIS, 4.
 PSILOCNEMIS,
 129.
 PSOLODESMUS,
 101.
 Psyche, 163.
 Pudica, 104.
 PUELLA, 160.
 Puela, 130, 148,
 150, 183.
 Pugnax, 78.
 Pulchella, 11, 28,
 67, 100, 148,
 149.
 Pulchellum, 148.
 Pulchellus, 67.
 Pulcherrima, 42.
 Pulchrum, 145,
 149.
 Pulla, 20, 139.
 Pullata, 8.
 Pulverulans, 131,
 159.
 Pumila, 181.
 Pumilio, 59, 140.
 Punctata, 82.
 Punctum, 150.
 Pupa, 149.
 Pupilla, 142.
 Pusilla, 4.
 Pastulosa, 92.
 Putrida, 137.
 Patridum, 137.
 Pygmaea, 6, 45, 46,
 158, 183.
 Pygmaeum, 158.
 Pygmaeus, 72.
 PYRRHOSOMA,
 151.
 Quadra, 32.
 Quadrata, 133.
 Quadratum, 144.
 Quadratus, 63.
 Quadricolor, 66.
 Quadricornis, 156.
 Quadrifasciata, 27,
 87, 90.
 Quadrifida, 92.
 Quadrifoliata, 78.
 Quadrigerum, 150.
 Quadriguttata, 93.
 Quadrimaculata,
 27, 112, 133.
 Quadrimaculatum,
 27.
 Quadripunctata, 5,
 27.
 Quadrivittata, 2.
 Quadrupla, 26.
 Quatuornotata, 31.
 Ramburii, 7, 19,
 37, 42, 140, 141.
 Ransouneti, 38.
 Rapax, 77.
 Raphaela, 122.
 RAPPHISMA, 31.
 Raptor, 83.
 Reclusa, 138.
 Rectangularis, 161.
 Recurva, 157.
 Refulgens, 110.
 Regalis, 11, 178.
 Regia, 6.
 Regina, 51, 56.
 Regularis, 73.
 Reinwardtii, 60.
 Renifera, 128.
 *Resinata, 168.
 *Resinatus, 168.
 Resolutum, 149.
 Resplendens, 6.
 Reticulata, 22,
 96.
 Reticulosa, 92.
 Rezia, 24.
 Rhacicum, 14.
 RHINOCYPHA,
 112, 186.
 RHODOPYGIA,
 34.
 Rhomboidalis, 187.
 RHYOTHEMIS,
 5, 177.
 Robusta, 94, 131.
 Robustum, 146.
 Robustus, 63.
 Roeselii, 15, 16, 90.
 Rosea, 104, 156.
 Rosenbergii, 3, 95.
 Roseonotata, 125.
 Rotundatum, 119.
 Rubella, 18, 151.
 Rubellum, 141,
 151.
 Rubens, 142.
 Rubeola, 158.
 Rubescens, 158.
 Rubicunda, 11, 12.
 Rubicundula, 16.
 Rubicundulum, 16.
 Rubicundum, 154.
 Rubida, 112.
 Rubidum, 144, 187.
 Rubilio, 143.
 Rubra, 13, 18, 45.
 Rubriceps, 153.
 Rubrinervis, 18.
 Rubripunctata,
 139.
 Rubriventris, 40,
 136.
 Rueppeli, 68.
 Rufa, 40, 179.
 Rufescens, 90, 115,
 142.
 Ruficollis, 15, 157.
 Rufinervis, 34.
 Rutipes, 131, 159.
 Rutithorax, 136,
 157.
 Rufostigma, 15,
 133, 143.
 Rufovittata, 143.
 Rufovittatum, 143.
 Rufulum, 144.
 Rufum, 156.
 Rupamensis, 106.
 Rupinsulense, 61.
 Rupinsulensis, 61,
 106.
 Rupta, 57.
 Ruptus, 57.
 Ruralis, 20.
 Rustica, 53, 87.
 Rutherfordi, 46,
 85.
 Rutilans, 116.
 Sabina, 35.
 Sallavi, 34.
 Salomonis, 155.
 Salva, 185.
 Salvum, 155.
 Samoensis, 3.
 Sancta, 137.
 Sanguinea, 15, 23,
 104, 152.
 Sanguineum, 15,
 152, *175.
 Sanguinipes, 123.
 Sanguinolenta, 19,
 105.
 SAPHIO, 100.
 Sardoia, 37.
 Sardoum, 37.
 Satelles, 151.
 Saturata, 28.
 Saucium, 143.
 Saundersii, 58,
 117.
 Sayi, 80.
 SCAPANEA, 34,
 181.
 Scelerata, 106.
 *Scheuchzeri, 167.
 SCHIZOPYGA,
 184.
 *Schmideli, 172.
 Schneideri, 67.
 Scintillans, 116.
 Scitulum, 150.
 Scotica, 13.
 Scoticum, 13, 178.
 Scuderi, 66.
 Sedula, 139.
 Sedulum, 139.
 Selika, 179.
 Sellata, 162.
 Sellatus, 162.
 Selysii, 50, 68,
 147.

- Semiaquaea, 51.
 Semiaquea, 51.
 Semiaurea, 45.
 Semicincta, 16.
 Semicinctum, 16.
 Semicirculare, 146.
 Semicircularis, 49, 73.
 Semifasciata, 27.
 Semifasciatum, 27.
 Semihyalina, 6, 178.
 Semilibera, 75.
 Semilimbata, 110.
 Semiopaca, 118.
 Semiopacus, 115.
 Semitincta, 114.
 Semivitrea, 9.
 Semperi, 70, 110.
 Sempronia, 107.
 Senegalense, 141.
 Senegalensis, 83, 141.
 Separata, 6, *173.
 Septentrionalis, 48, 49, 87, 105, 185.
 Septima, 95.
 Serapica, 129.
 Serenus, 72.
 Sericea, 49.
 Serpentina, 62.
 Serpentinus, 62.
 Serrata, 89, 127.
 Serva, 39, 137.
 Servilia, 21.
 Servillei, 55.
 Servum, 39.
 Setifera, 53.
 Setigerum, 122.
 Severus, 61.
 Sexlineata, 31, 180.
 Sexlineatum, 150.
 Sexmaculata, 9.
 Shurtleffi, 52.
 Sibirica, 51.
 Sicula, 15.
 *Sieboldiana, 167.
 Sieboldii, 79, 150.
 SIEBOLDIUS, 76.
 Signata, 23, 74.
 Signatum, 146.
 Signatus, 121.
 Silenta, 128.
 Similata, 3.
 Simile, 146.
 Similis, 31, 47.
 Simillima, 67.
 Simillimus, 67.
 Simplex, 4, 104, 160.
 Simplicicollis, 40.
 Simplicinervis, 133.
 Simulans, 30.
 Sincerus, 120.
 Sinense, 16.
 Sinensis, 16, 102.
 Sinuata, 9.
 Sitchensis, 87, 185.
 Smaragdina, 43, 99, 103.
 Smaragdula, 160.
 Smaragdulus, 160.
 Smithii, 47, 57.
 Snellenamni, 115.
 Snelleni, 5.
 Sobrina, 67, 154.
 Sobrinum, 17, 154.
 Sobrinus, 67.
 Socia, 41.
 Socialis, 58.
 *Solenhofensis, 171.
 Solida, 135, *173.
 Solitaria, 158.
 SOMATOCHILONIA, 47, 184.
 Sommeri, 57.
 Sophia, 55, 147, 151, 184.
 Sophronia, 7.
 Sordida, 74, 137.
 Sordidus, 64.
 Soror, 18, 22.
 Speciosa, 38, 147.
 Speciosum, 147.
 Spectabilis, 62.
 Spectrum, 161.
 Specularis, 33, 63.
 Speratus, 85.
 Spicata, 64.
 Spicatus, 64.
 Spinicauda, 143.
 Spiniceps, 65.
 Spinicorne, 61.
 Spinicornis, 61.
 Spiniferus, 84.
 Spinigera, 50.
 Spinipes, 135.
 Spinosa, 50, 150.
 Spinosus, 64.
 Splendens, 54, 97, 98, 110.
 Splendeo, 98.
 Splendida, 5, 54.
 Splendidus, 79.
 Spoliatus, 64.
 Sponsa, 160.
 Spumaria, 161.
 Spumarius, 161.
 Spuria, 113.
 Squamata, 87.
 STAUROPHILEBIA, 96.
 Stemmale, 36.
 Stemmialis, 36.
 STENOBASIS, 156.
 *STENOPHILEBIA, 170.
 Stephanella, 141.
 Sterilis, 33.
 *STEROPE, 176.
 *STEROPIDES, 176.
 Stictica, 19, 82, 158.
 Sticticus, 115.
 Stigmata, 73.
 Stigmatizans, 7, 115.
 Stigmatus, 73.
 Strenuus, 84.
 Striata, 161.
 Striatipes, 129.
 Striatus, 85, 161.
 Strigata, 101.
 Striolata, 14.
 Striolatum, 14.
 Stulta, 161.
 Stultus, 161.
 Stylata, 3.
 Suasa, 73.
 Subalpina, 48.
 Subannulata, 129.
 Subbinotata, 3.
 Subcostalis, 109.
 Subdilata, 130.
 Subfasciata, 20.
 Subfasciolata, 36.
 Subfasciolatum, 36.
 Subfurcatum, 147.
 Subinterrupta, 95.
 Sublata, 161.
 Sublatus, 161.
 Sublimbata, 107.
 Subnodalis, 133.
 Subobtusus, 72.
 Subornata, 28.
 Subphyllis, 5.
 Subpruinose, 14.
 Subviridis, 185.
 Sumatranus, 115.
 Superba, 10, 157.
 Superbus, 10.
 Superstes, 118.
 Supina, 59.
 Supinus, 59.
 SYLPHIS, 96.
 Sylvatica, 136.
 Sylvia, 45.
 Sylvicola, 72.
 SYMPEUMA, 163.
 SYMPETRUM, 13, 178.
 SYMPYCNA, 163.
 SYNCORDULIA, 52.
 SYNLESTES, 126.
 SYNTHESIS, 56.
 Syriaca, 6, 18, 97, 186.
 Syriacum, 153.
 TACHOPTERYX, 83.
 TÆNIOGASTER, 81.
 Tæniolata, 37, 54.
 Tæniolatum, 37.
 Tahitensis, 86.
 Taitensis, 143.
 *TARSOPHILEBIA, 174.
 TATOCNEMIS, 128.
 Tau, 47.
 Taurica, 98.
 TAURIPHILA, 4, 177.
 TEINOBASIS, 157.
 TELAGRION, 155.
 TELEBASIS, 155.
 TELEPHILEBIA, 93.
 *Telluris, 175.
 Temporale, 123, 145.
 Tenax, 77, 133.
 Tenebrosa, 48, 49.
 Tenella, 151.
 Tenellum, 151.
 Tenera, 10.
 Tenerrimum, 16.
 Tenuata, 162.

- Tenuatus, 162.
 Tenuicincta, 10.
 Tenuis, 33, 74,
 136, 181.
 Tenuissima, 137.
 Terminale, 144.
 Terminalis, 1, 30,
 118.
 Terminata, 114.
 Terminatum, 120.
 Ternaria, 27.
 Tessellata, 33, 125.
 Tessellatum, 125.
 Testacea, 39.
 Testaceum, 39.
 Tetra, 42.
 TETRACAN-
 THAGYNA, 94.
 TETRAGONEU-
 RA, 50.
 TETRAGONEU-
 RIA, 50.
 TETRAXEURA,
 111.
 Tetraphylla, 78.
 TETRA THEMIS,
 43.
 Texana, 105.
 Thais, 10, *175.
 THECADIPLAX,
 17.
 THECAGASTER
 79.
 THECAPHORA,
 79, 80.
 THERMOCHO-
 RIA, 32.
 THERMORTHE-
 MIS, 29, 180.
 Thespis, 138.
 *Thetis, 166.
 *Thoe, 166.
 THOLYMIS, 1.
 Thoracantha, 31.
 Thoracicus, 63.
 THORE, 116.
 Thoreyi, 83.
 Tibialis, 139.
 Tillarga, 1.
 Tineta, 8, 114.
 Titia, 100.
 T-nigrum, 76.
 Tomentosa, 49.
 Torquatus, 69.
 Torrida, 32, 34.
 Torridum, 153.
 Tractipennis, 138.
 TRAMEA, 2, 177.
 Trameiformis, 2.
 Translata, 139.
 Translucida, 3.
 Transmarina, 3.
 Transversa, 6, 55.
 Traviatum, 146.
 TRIACANTHA-
 GYNA, 94.
 Triangulare, 39,
 123.
 Triangularis, 6,
 39.
 TRICHO CNE-
 MIS, 128.
 Tricolor, 76, 106,
 109, 161.
 Tricolora, 76.
 Triedra, 178.
 Trifasciata, 56,
 113.
 Trifida, 43, 94.
 Trimaculata, 28,
 113.
 Trimaculatum,
 145.
 Trinacria, 36.
 Trinervis, 124.
 Tripartita, 20, 101.
 Tristis, 84.
 Tristrigata, 44.
 TRITHYMIS, 18.
 179.
 Trivialis, 18.
 Tropica, 132.
 Tropicalis, 56.
 Truncatula, 41.
 Truncatum, 145.
 Tuberculatum,
 141, 142.
 Tullia, 8, 121.
 Tumcrifer, 85.
 *Tyche, 173.
 TYRIOBAPTA,
 32.
 Uhleri, 50.
 Umbrata, 20, 125.
 *Umbratum, 176.
 UMMA, 100.
 Uncata, 58.
 Uncatus, 58, 160.
 Undulata, 161.
 Undulatum, 161.
 Unguiculata, 58,
 160.
 Unguiculatus, 58,
 160.
 Unicolor, 7, 114.
 Unifasciata, 20, 41.
 Uniforme, 17.
 Uniformis, 17, 28,
 91, 101.
 Unimaculata, 20,
 113, 186.
 UNTAMO, 25.
 URACIS, 32, 181.
 UIROPETALA,
 82, *171.
 UROTHEMIS, 23.
 Ustulata, 114.
 Ustum, 153.
 Uxor, 115.
 Vacillans, 156.
 *Valga, 167.
 Valida, 131.
 VANDERIA, 78.
 Varia, 89, *172.
 Variabilis, 138.
 Variegata, 5, 9, 14,
 88, 109, 177.
 Vasta, 66.
 Vastus, 66.
 Velaris, 158.
 Velox, 34.
 Venale, 122.
 Venerinotata, 140.
 Venosa, 45.
 Ventricosa, 66.
 Ventricosus, 66.
 Verbenata, 40.
 Vernale, 149.
 Vernalis, 91.
 Veronensis, 13.
 Versicolor, 28.
 Verticalis, 70, 89,
 134, 140.
 Vesiculosa, 39.
 Vesiculosus, 69.
 Vesta, 98.
 VESTALIS, 102.
 Vestalis, 162.
 Vestita, 9.
 *Vetustum, 175.
 Vibex, 26.
 Vibrans, 29.
 Vicina, 16, *176.
 Vicinum, 16.
 Victoria, 14, 91,
 116.
 Vidua, 6, 144, 162.
 Vigilax, 161.
 Vilis, 20.
 Villosa, 47.
 Villosipes, 64.
 Villosovittata, 39.
 Villosovittatum,
 39.
 Vinosa, 34, 93.
 Violacea, 9, 138.
 Violaceum, 138.
 Viperinus, 60.
 Virens, 47, 87, 162,
 185.
 Virgata, 163.
 Virgatum, 163.
 Virgatus, 121, 163.
 Virginia, 2.
 Virginica, 97, 99.
 Virgo, 98, 99.
 Virgula, 17, 56.
 Viridicenea, 48.
 Viridicincta, 58.
 Viridis, 95, 160,
 185.
 Viridivittatum,
 161.
 Viridula, 1, 163.
 Viridulum, 153,
 186.
 Viridulus, 163.
 Vitellina, 5.
 Vitrella, 113.
 Vittata, 5, 54, 117,
 129, 134, 161.
 Vittatus, 2.
 Vittigera, 54.
 Vixida, 138.
 Volxemi, 53.
 Vorax, 77.
 Vulgata, 14, 15,
 37.
 Vulgatissima, 62,
 67.
 Vulgatissimus, 67.
 Vulgatum, 14, 179.
 Vulnerata, 105,
 155.
 Vulneratum, 155.
 Wallacei, 135, 157,
 162.
 Walshii, 49, 184.
 Walsinghami, 84,
 185.
 Waltheri, 71, 136,
 150.
 Westermanni, 134.
 Westwoodii, 55,
 *169.
 Weyersi, 126.
 Whitei, 55.
 *Wittei, 169, 172.

Woodfordi, 30.	Xanthostoma, 98.	Yolanda, 56.	ZENITHOPTERA, 178.
Wrightii, 182.	Xelandicum, 154.	Ypsilon, 69.	Zoe, 122.
XANTHAGRION	XIPHIAGRION,		Zonata, 4.
154.	145.	Zallorencis, 75.	Zonatus, 72.
Xanthocyanus, 115.		Zealandica, 154.	ZONOPHORA,
XANTHOME-		Zealandicum, 154.	75.
LAS, 150.	Yakima, 97.	Zebratus, 67.	ZORÆNA, 79.
Xanthopterum,	Yamaskanensis,	Zelandica, 154.	ZYGONYX, 184.
141.	50.	Zelandicum, 154.	ZYXOMMA, 35.
	Yerburii, 18.		

THE END.

WORKS BY THE SAME AUTHOR.

UNIFORM WITH THE PRESENT CATALOGUE.

A SYNONYMIC CATALOGUE
OF
DIURNAL LEPIDOPTERA,

Containing the full Synonymy of every Species, and a
complete Alphabetical Index.

With SUPPLEMENT, bringing up the BIBLIOGRAPHY
to June 1877, price 29s. 6d.

Two Parts, 900 pages (London, 1871 & 1877).

SUPPLEMENT (separately), 200 pages, price 8s. 6d.
London, 1877.

In the Press.

A SYNONYMIC CATALOGUE
OF
LEPIDOPTERA HETEROCERA.

Part I.—SPHINGES and BOMBYCES.

LONDON:

GURNEY & JACKSON, 1 PATERNOSTER ROW.

(SUCCESSORS TO MR. VAN VOORST.)

BERLIN: R. FRIEDLÄNDER & SON.

SMITHSONIAN INSTITUTION LIBRARIES

3 9088 00316644 4

nhent QL513.02K58

A synonymic catalogue of Neuroptera Odon