A/1

6/1

R1363579

Library
of the
University of Toronto

Digitized by the Internet Archive
in 2018 with funding from
University of Toronto

<https://archive.org/details/listofbritishdip00verr>

2nd Edition.

A
LIST
OF
BRITISH DIPTERA.

By G. H. VERRALL,
EX-PRESIDENT
OF
THE ENTOMOLOGICAL SOCIETY OF LONDON.

Cambridge :
PRINTED AT THE UNIVERSITY PRESS.
DECEMBER
1901

PART I.

Cambridge :

PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS.

2nd Edition.

A
LIST
OF
BRITISH DIPTERA.

By G. H. VERRALL,
FELLOW OF THE ENTOMOLOGICAL SOCIETY OF LONDON.

Cambridge :
PRINTED AT THE UNIVERSITY PRESS.
1901

PREFACE.

A SECOND Edition of the "List of British Diptera" has become imperative, not only because the First Edition is exhausted, but because of the numerous additions, subtractions, and alterations. About 300 species have been added to the old "List," and about 500 names have been altered in some way or other, such as being confirmed as British, placed under a different genus, changed in synonymy, &c. Beyond that numerous other changes have been suggested which have not been at present adopted, as I have refused to make any change which might upon being tested have to go back to the previous name.

The "List" of 1888 was entirely my own composition, but as a proof of the increased attention now given to British Diptera I have to thank Messrs N. Rothschild, Theobald, Austen, Wainwright, Collin, and many others, for assistance in forming this "List."

A few words of explanation may be of use as to the value of this "List" in certain families :

Cecidomyidæ ; no attempt has been made to cope with the vast increase in genera and species which have been added to the European Fauna in the last few years, because no British worker has attended to this family ; the alphabetical order of species and the old genera have been retained, and only specially recorded species have been added.

Mycetophilidæ ; this family, though much improved, is still in a most unfinished condition.

Chironomidæ; I hope to make this the third volume of "British Flies," in which case I can say that probably over a hundred new British species will be added, and consequently I have unloaded the burden of most of Walker's names (not species!) to the Expurgated List.

Stratiomyidæ to *Cyrtidæ*; these families are intended to be included in the second volume of "British Flies," which is now considerably worked out.

Tachinidæ; the nomenclature and arrangement of this family have been revolutionised, but are still very far from being complete, though the improved arrangement will undoubtedly be of assistance to students.

Numerous unrecorded British species are included in this Second Edition of which records will probably soon appear; at present such species stand only on a level with those recorded in the catalogues of Curtis and Stephens.

I have great hope that the increased interest in British *Diptera* will soon enable us to have Faunal Lists almost as accurate as those which are possessed by at least the *Coleoptera* &c., even if we cannot hope to equal those of the *Lepidoptera*.

The imperfections of this "List" are as fully recognised as they were in the "List" of 1888, but the improvements are obvious. A fairly complete "List" could be issued if only some sharp-sighted young Entomologist would master the *Cecidomyidæ*.

I may well repeat the words used at the conclusion of the preface of the First Edition of my "List of British Diptera" and say again "let this list quickly give place to another."

G. H. VERRALL.

SUSSEX LODGE, NEWMARKET,

December, 1901.

BRITISH DIPTERA.

One specimen & More than one & Full series.

ORTHORRHAPHA.

NEMATOCERA.

PULICIDÆ.

PULEX, L.

irritans, L.
canis, Curt.
felis, Bouché.
erinacei, Bouché.
goniocephalus, Taschb.

TRICHOPSYLLA,
Kolen.

fasciatus, Bosc.
sciurorum, Bouché.
melis, Wlk.
mustelæ, Wagner.
penicilliger, Grube.
lagomys, Wagner?
gallinæ, Schrk.
hirundinis, Curt.
columbæ, Walck.
styx, Rothsch.
Newsteadi, Rothsch.

TYPHLOPSYLLA,
Taschb.

agertes, Heller.
var. nobilis, Rothsch.
dasytremus, Rothsch.
bisotodontatus, Kolen.
gracilis, Taschb.
pentacanthus, Rothsch.

CTENOPSYLLUS,
Kolen.

musculi, Dugés.
specabilis, Rothsch.

HYSTRICHOPSYLLA,
Taschb.

talpæ, Curt.
obtusiceps, Rits.

CERATOPSYLLUS,
Curt.

elongatus, Curt.
intermedius, Rothsch.
jubatus, Wagner.
octactenus, Kolen.
hexactenus, Kolen.
pentactenus, Kolen.

CECIDOMYIDÆ.

CECIDOMYINÆ.

LASIOPTERA, Mg.

obfuscata, Mg.
fuliginosa, Steph.
stygia, Mg.
albipennis, Mg.
rubi, Schrk.

ASPHONDYLIA, Lw.

pimpinellæ, F. Lw.
genistæ, Lw.
sarothamni, Lw.
ulicis, Traill.

CECIDOMYIA, Mg.

acrophila, Winn.
alpina, F. Lw.
betulæ, Winn.
brassicæ, Winn.
bursaria, Bremi.
campanulæ, Müll.
cardaminis, Winn.
cerastii, Binnie.

clausilia, Meade.
corrugans, F. Lw.
cratægi, Winn.
destructor, Say.
euphorbiæ, Lw.
filicina, Kief.
pteridis, Müll.
foliorum, Lw.
galeobdolonis, Winn.
galii, Lw.
Giraudi, Frjld.
heraclei, Kltb.
heterobia, Lw.
lathyræ, Frjld.
marginemtorquens, Bremi.
medicaginis, Bremi.
muricatæ, Meade.
onobrychidis, Bremi.
persicariæ, L.
pilosellæ, Binnie.
plicatrix, Lw.
potentillæ, F. Lw.
pruni, Kltb.
pustularis, Bremi.
pyri, Bouché.
quercus, Binnie.
ranunculi, Bremi.
rhododendri, Vallot.
rosaria, Lw.
rosarum, Hardy.
salicina, Schrk.
saliciperda, Duf.
salicis, Schrk.
serotina, Winn.
sisymbrii, Schrk.
taxi, Tuck.
terminalis, Lw.
thalictri, Traill.
tiliæ, Schrk.

tornatella, *Bremi.*
 trifolii, *F. Lw.*
 tubicola, *Kief.*
 ulmariae, *Bremi.*
 urticae, *Perris.*
 veronicae, *Vallot.*
 violae, *F. Lw.*

DIPLOSIS, *Lw.*

betulina, *Kief.*
 botularia, *Winn.*
 buxi, *Laboulb.*
 callida, *Winn.*
 centralis, *Winn.*
 coniophaga, *Winn.*
 dryobia, *F. Lw.*
 flava, *Mg.*
 fraxinella, *Meade.*
 helianthemii, *Hardy.*
 jacobææ, *Lw.*
 linariae, *Winn.*
 loti, *Deg.*
 pini, *Deg.*
 pyrivora, *Riley.*
 tremulae, *Winn.*
 tritici, *Kirby.*
 verna, *Curt.*
 volvens, *Kief.*

SCHIZOMYIA, *Kief.*
 galiorum, *Kief.*

HORMOMYIA, *Lw.*
 abrotani, *Traill.*
 annulipes, *Hart.*
 piligeræ, Lw.
 capreæ, *Winn.*
 corni, *Gir.*
 fagi, *Hartig.*
 fasciata, *Mg.*
 Fischeri, *Frfld.*
 juniperina, *L.*
 millefolii, *Lw.*
 poæ, *Bosc.*
 ptarmicæ, *Vallot.*
 rubra, *Kief.*

DIRRHIZA, *Lw.*
 rhodophila, *Hardy.*

EPIDOSIS, *Lw.*
 longipes, *Lw.*

WINNERTZIA, *Rnd.*
 tenella, *Wlk.*

LESTREMINÆ.

CAMPYLOMYZA, *Mg.*
 flavipes, *Mg.*
 bicolor, *Mg.*
 halterata, *Ztt.*
 aceris, *Mg.*
 brevipennis, *Wlk.*

MICROMYIA, *Rnd.*
 globifera, *Hal.*

CATOCHA, *Hal.*
 latipes, *Hal.*
 brevinervis, *Ztt.*

LESTREMIA, *Mcq.*
 leucophæa, *Mg.*
 cinerea, *Mcq.*
 carnea, *Mcq.*
 fusca, *Mg.*

MYCETOPHILIDÆ.

SCIARINÆ.

SCIARA, *Mg.*

Thomæ, L.
 carbonaria, *Mg.*
 præcox, *Mg.*
 brunnipes, *Mg.*
 quinquelineata, *Mcq.*
 bilineata, *Stæg.*
 confinis, *Winn.*
 macilenta, *Winn.*
 fuscipennis, *Mg.*
 fucata, *Mg.*
 pulicaria, *Mg.*
 flavipes, *Pz.*
 hyalipennis, *Mg.*
 pallipes, *F.*
 nitidicollis, *Mg.*
 caudata, *Wlk.*
 vitripennis, *Mg.*
 minima, *Mg.*
 scatopsoides, *Mg.*
 extrema, *Wlk.*
 fenestrata, *Mg.*
 longipes, *Mg.*

aprilina, *Mg.*
 pusilla, *Mg.*
 gracilis, *Wlk.*
 pallida, *Wlk.*
 compressa, *Wlk.*

tilicola, Lw.
bicolor Mg
 TRICHOSIA, *Winn.*
 splendens, *Winn.*
 absurda, *Winn.*

BRADYSIA, *Winn.*
 brevipennis, *Wlk.*
 angustipennis, *Winn.?*

EPIDAPUS, *Hal.*
 venaticus, *Hal.*

ZYGONEURA, *Mg.*
sciarina, Mg.

MYCETOPHILINÆ.

CORDYLA, *Mg.*
crassicornis, Mg.
 flaviceps, *Stæg.*
 semiflava, *Stæg.*
 brevicornis, *Stæg.*
 fasciata, *Mg.?*

DYNATOSOMA, *Winn.*
 fuscicorne, *Mg.*
nigricoxa, Ztt.

MYCETOPHILA, *Mg.*
punctata, Mg.
 lineola, *Mg.*
 stolidia, *Wlk.*
 pumila, *Winn.*
 uninotata, *Ztt.*
 unicolor, *Stan.*
 nigrifolia, *Wlk.*
 vittipes, *Ztt.*
 bimaculata, *F.*
 luctuosa, *Mg.*
 lutescens, *Ztt.*
 obscura, *Dzied.*
signata, Mg.
lunata, Mg.
 reciproca, *Wlk.*
 cingulum, *Mg.*
nebulosa Stan.

TRICHONTA, Winn.

X *Spec. plures.*

RHYMOSIA, Winn.

X *fasciata*, Mg.
cristata, Stæg.
truncata, Winn.
maculosa, Mg.
fenestralis, Mg.
selecta, Wlk.
sericea, Mcq.

EXECHIA, Winn.

X *leptura*, Mg.
fungorum, Deg.
lateralis, Mg.
tenuicornis, v. d. Wulp.
dorsalis, Stæg.
interrupta, Ztt.
indecisa, Wlk.
spinigera, Winn.
tarsata, Stæg.
leioides, Wlk.
ferruginea, Wlk.
flava, Wlk.
fuscula, Ztt.

ALLODIA, Winn.

X *ornaticollis*, Mg.
crassicornis, Stan.
sobria, Wlk.
conformis, Wlk.
terminalis, Wlk.
finalis, Wlk.

MYCOTHERA, Winn.

semifusca, Mg.
dimidiata, Stæg.
ocellus, Wlk. ?

BRACHYCAMPTA,
Winn.

alternans, Winn.
bicolor, Mcq.
serena, Winn.
amœna, Winn.
hastata, Winn.
griseicollis, Stæg.

DOCOSIA, Winn.

X *sciarina*, Mg.
valida, Winn.
Megophthalmidia
crassicornis, Curt. *ozia*

ANATELLA, Winn.

gibba, Winn.
ciliata, Winn.

PHRONIA, Winn.

nitidiventris, v. d. Wulp.
signata, Winn.
austriaca, Winn.
flavipes, Winn.
basalis, Winn.
cinerascens, Winn.
foreipula, Winn.
crassipes, Winn.
Girschneri, Dzied.
dubia, Dzied.

SCEPTONIA, Winn.

X *nigra*, Mg.

ZYGOMYIA, Winn.

valida, Winn.
notata, Stan.
pictipennis, Stæg.
vara, Stæg.
paludosa, Stæg.

AZANA, Wlk.

anomala, Stæg.

ACNEMIA, Winn.

X *nitidicollis*, Mg.
amœna, Winn.
defecta, Wlk.

CÆLOSIA, Winn.

flava, Stæg.

ALLOCOTOCERA, Mik.

X *pulchella*, Curt.GLAPHYROPTERA,
Winn.

X *fascipennis*, Mg.
subfasciata, Mg.
fasciola, Mg.

X *Winthemii*, Lehm.
bimaculata, Mg.
picta, Mg.
octomaculata, Curt.
fumosa, Wlk.
basalis, Wlk.
infera, Wlk.
parallela, Wlk.
pubescens, Wlk.
diversa, Wlk. X *Megophthalmidia*
crassicornis Curt.

LEIA, Mg.

X *elegans*, Winn.

ANACLINIA, Winn.

X *nemoralis*, Mg.

BOLETINA, Stæg.

X *trivittata*, Mg.
Winnertzii, Dzied.
dubia, Stæg.
sciarina, Stæg.
borealis, Ztt.
plana, Wlk.
anal, Mg.

LEPTOMORPHUS,
Curt.X *Walkeri*, Curt.

SCIOPHILINÆ.

EMPALIA, Winn.

X *vitripennis*, Mg.POLYLEPTA, Winn.
splendida, Winn.

EMPHERIA, Winn.

pictipennis, Hal.
compressa, Wlk.
aliena, Wlk.

TETRAGONEURA,
Winn.

hirta, Winn.
sylvatica, Curt.
melanoceras, Hal.

LASIOSOMA, Winn.

luteum, Mcq.
rufilaterum, Wlk.

hirtum, Mg.
ochraceum, Wlk.
maura, Wlk.
fenestella, Curt.
rufum, Mg.

MONOCLONA, Mik.

halterata, Stæg.
unicornuta, Dzied.

SCIOPHILA, Mg.

tenuis, Wlk.
hyalinata, Mg.
marginata, Mg.
fasciata, Ztt.
occultans, Winn.
hilaris, Wlk.
cinerascens, Ztt.
exigua, Winn.
tumida, Winn.
fraterna, Winn.
congrua, Wlk.
trivittata, Ztt.
cingulata, Mg.
ornata, Mg.
fimbriata, Mg.
ferruginea, Mg.
ruficollis, Ztt.
punctata, Mg.
trilineata, Ztt.
incisurata, Ztt.

CEROPLATINÆ.

ASINDULUM, Ltr.

flavum, Winn.

PLATYURA, Mg.

marginata, Mg.
atrata, F.
semirufa, Mg.
cincta, Winn.
nana, Mcq.
mycetophiloides, Wlk.
nigriceps, Wlk.
vitripennis, Wlk.
antica, Wlk.
fasciata, Ltr.
flavipes, Mg.
unicolor, Wlk.
servula, Wlk.
discoloria, Mg.
concisa, Wlk.

CEROPLATUS, Bosc.

lineatus, F.
tipuloides, F.

MACROCERINÆ.

MACROCERA, Pz.

fasciata, Mg.
crassicornis, Winn.
lutea, Mg.
pusilla, Mg.
vittata, Mg.
centralis, Mg.
angulata, Mg.
stigma, Curt.
phalerata, Mg.

BOLITOPHILINÆ.

BOLITOPHILA, Mg.

Saundersii, Curt.
fusca, Mg.
tenella, Winn.
cinerea, Mg.

MYCETOBINÆ.

MYCETOBIA, Mg.

pallipes, Mg.

DITOMYIA, Winn.

fasciata, Mg.

PLESIASTINA, Winn.

annulata, Mg.
vittata, Wlk.

DIADOCIDINÆ.

DIADOCIDIA, Ruthé.
ferruginosa, Mg.

BIBIONIDÆ.

ANARETE, Hal.

candidata, Hal.

SCATOPSE, Geoff.

notata, L.
bifilata, Hal.
geniculata, Ztt.
pulicaria, Lw.
scutellata, Lw.

flavicollis, Mg.
incompleta, Verr.
tristis, Ztt.
infumata, Hal.
integrata, Wlk.
simplex, Wlk.
albitarsis, Ztt.
transversalis, Lw.
inermis, Ruthé.
talpæ, Verr.
coxendix, Verr.
halterata, Mg.
platyscelis, Lw.
clavipes, Lw.
minutissima, Verr.
recurva, Lw.
subnitens, Verr.
brevicornis, Mg.

ASPISTES, Mg.

berolinensis, Mg.

DILOPHUS, Mg.

febrilis, L.
albipennis, Mg.
humeralis, Ztt.

BIBIO, Geoff.

pomonæ, F.
Marci, L.
leucopterus, Mg.
hortulanus, L.
anglicus, Verr.
ferruginatus, Gmel.
venosus, Mg.
reticulatus, Lw.
nigriventris, Hal.
varipes, Mg.
laniger, Mg.
Johannis, L.
lacteipennis, Ztt.
lepidus, Lw.
clavipes, Mg.

SIMULIDÆ.

SIMULIUM, Ltr.

ornatum, Mg.
reptans, L.
maculatum, Mg.
latipes, Mg.
nanum, Ztt.

CHIRONOMIDÆ.**CORYNONEURA,**
Winn.*minuta*, Winn.
atomaria, Ztt.**THALASSOMYIA,**
Schin.*Frauenfeldi*, Schin.**CHIRONOMUS,** Mg.*plumosus*, L.
ferrugineovittatus, Ztt.
prasinus, Mg.
viridicollis, v. d. Wulp.
annularis, Deg.
pallens, Mg.
riparius, Mg.
tendens, F.
flaveolus, Mg.
dorsalis, Mg.
aprilinus, Mg.
flavimanus, Mg.
anthracinus, Ztt.
tentaus, F.
scalænus, Schrk.
rufipes, L.
flexilis, L.
chloris, Mg.
dispar, Mg.
pedellus, Deg.
pedestris, Mg.
fuscipennis, Mg.
psittacinus, Mg.
viridis, Mcq.
brev tibialis, Ztt.
viridulus, L.
paganus, Mg.
nigrimanus, Stæg.
biannulatus, Stæg.
virescens, Mg.
pusillus, L.
prasinatus, Stæg.
pictulus, Mg.
histrion, F.
albimanus, Mg.
nubeculosus, Mg.
nubilus, Mg.
albipennis, Mg.
rufovittatus, Stæg.
glabricollis, Mg.
longipes, Stæg.*nervosus*, Stæg.
sulphuricollis, Mg.
lividus, Mg.
maculipennis, Mg.
vagans, Mg.
opacus, Mg.
brunnipes, Ztt.
albidus, Mg.
perennis, Mg.
lugubris, Ztt.
leucopus, Mg.
carbonarius, Mg.
nemoralis, Ztt.
stramineipes, Ztt.**CRICOTOPUS,** v. d.
Wulp.*tremulus*, L.
pulchripes, Verr.
tibialis, Mg.
motitator, L.
pilitarsis, Ztt.
ephippium, Ztt.
bicinctus, Mg.
annulipes, Mg.
sylvestris, F.
venosus, Mg.
rubicundus, Mg.
plebeius, Mg.**ORTHOCLADIUS,**
v. d. Wulp.*dolens*, Wlk.
variabilis, Stæg.
albolineatus, Mg.
olivaceus, Mg.
testaceus, Mcq.
barbicornis, F.
sordidellus, Ztt.
frigidus, Ztt.
notatus, Mg.
stercorarius, Deg.
lucens, Ztt.
minutus, Ztt.
melaleucus, Mg.
pygmæus, Mg.
ictericus, Mg.**CAMPTOCLADIUS,**
v. d. Wulp.*aterrimus*, Mg.
byssinus, Schrk.
minimus, Mg.**TANYTARSUS,** v. d.
Wulp.*punctipes*, W.
tenuis, Mg.
flabellatus, Mg.
pusio, Mg.
præcox, Mg.
debilis, Mg.
vernus, Mg.
flavipes, Mg.**EURYCNUM,**
v. d. Wulp.*elegans*, Mg.**METRIOCNEMUS,**
v. d. Wulp.*fuscipes*, Mg.
modestus, Mg.
?
lacustris, Hal.**DIAMESA,** Mg.*obscurimanus*, Mg.
Chiron, Hal.
Waltlii, Mg.
Ammon, Hal.
Typhon, Hal.
tonsa, Hal.
notata, Stæg.**TANYPUS,** Mg.*varius*, F.
nebulosus, Mg.
choreus, Mg.
punctatus, F.
punctipennis, Mg.
guttipennis, v. d. Wulp.
carneus, F.
lentiginosus, Fries.
ornatus, Mg.
trifascipennis, Ztt.
zonatus, F.
lætus, Mg.
dubius, Stæg.
culiciformis, L.
monilis, L.
phatta, Egg.
plumipes, Fries.
notatus, Mg.
melanops, Mg.
ferrugineicollis, Mg.
griseipennis, v. d. Wulp.

pygmaeus, v. d. Wulp.
melanurus, Mg.
pusillus, Mg.
nervosus, Mg.

CLUNIO, Hal.

marinus, Hal.

CERATOPOGON, Mg.

niger, Winn.
bipunctatus, L.
vexans, Ztt.
piceus, Winn.
ciliatus, Winn.
Kaltenbachii, Winn.
myrmecophilus, Egg.
crassipes, Winn.
brevipennis, Mcq.
alacer, Winn.
murinus, Winn.
titillans, Winn.

halteratus, Winn.
velox, Winn.
frutetorum, Winn.
lucorum, Mg.
rostratus, Winn.
brunnipes, Mg.
pavidus, Winn.
fuscus, Mg.
minutus, Mg.
amœnus, Winn.
varius, Winn.
fascipennis, Stæg.
pictipennis, Stæg.
arcuatus, Winn.
pulicaris, L.
albicans, W.
æstivus, Winn.
scutellatus, Mg.
pumilus, Winn.
neglectus, Winn.
gracilis, Hal.
ochraceus, Winn.
lacteipennis, Ztt.
nitidus, Mcq.
candidatus, Winn.
illustris, Winn.
leucopeza, Mg.
flavipes, Mg.
spinipes, Mg.
brachialis, Hal.
distinctus, Hal.
unimaculatus, Mcq.

fulvus, Mcq.
serripes, Mg.
rufipectus, Winn.
lineatus, Mg.
tibialis, Mg.
fasciatus, Mg.
rubiginosus, Winn.
femoratus, Mg.
bicolor, Mg.
venustus, Mg.
albipes, Winn.
signatus, Mg.
ornatus, Mg.
tæniatus, Hal.
calceatus, Hal.
pictus, Mg.
solstitialis, Winn.
varipes, Curt.

ORPHNEPHILIDÆ.

ORPHNEPHILA, Hal.

testacea, Ruthé.

PSYCHODIDÆ.

PERICOMA, Hal.

palustris, Mg.
mutua, Eat.
cognata, Eat.
compta, Eat.
extricata, Eat.
nubila, Mg.
trivialis, Eat.
neglecta, Eat.
canescens, Mg.
exquisita, Eat.
fallax, Eat.
gracilis, Eat.
blandula, Eat.
trifasciata, Mg.
pulchra, Eat.
ocellaris, Mg.
Dalii, Eat.
notabilis, Eat.
ambigua, Eat.
decipiens, Eat.
soleata, Hal.
consors, Eat.
labeculosa, Eat.
advena, Eat.
morula, Eat.
fratercula, Eat.

ustulata, Hal.
caliginosa, Eat.
incerta, Eat.
revisenda, Eat.
fusca, Mcq.
calceata, Mg.
auriculata, Curt.

ULOMYIA, Hal.

fuliginosa, Mg.
hirta Wlk. nec L.

PSYCHODA, Ltr.

lucifuga, Hal.
phalænoides, L.
albipennis, Ztt.
sempunctata, Curt.
erminea, Eat.
humeralis, Mg.
bullata, Hal.

TRICHOMYIA, Hal.

urbica, Hal.

SYCORAX, Hal.

silacea, Hal.

CULICIDÆ.

CORETHRA, Mg.

*X**culiciformis*, Mg.
*X**plumicornis*, F.
pallida, F.

MOCHLONYX, Lw.

velutinus, Ruthé.

ÆDES, Mg.

cinereus, Mg.

ANOPHELES, Mg.

nigripes, Stæg.
bifurcatus, L.
maculipennis, Mg.

CULEX, L.

*X**annulatus*, Schrk.
*X**cantans*, Mg.
fumipennis, Steph.
vexans, Mg.
annulipes, Mg.
morsitans, Theob.
pulchripalpis, Rnd.
dorsalis, Mg.

lateralis, *Mg.*
ornatus, *Mg.*
diversus, *Theob.*
nemorosus, *Mg.*
nigripes, *Ztt.*
var. *sylvæ*, *Theob.*
rusticus, *Rossi.*
nigritulus, *Ztt.*
pipiens, *L.*
ciliaris, *L.*
lutescens, *F.*

TÆNIORHYNCHUS,
Arrib.
Richardii, *Fic.*

DIXIDÆ.

DIXA, *Mg.*

maculata, *Mg.*
nebulosa, *Mg.*
æstivalis, *Mg.*
aprilina, *Mg.*

PTYCHOPTERIDÆ.

PTYCHOPTERA, *Mg.*

contaminata, *L.*
paludosa, *Mg.*
lacustris, *Mg.*
albimana, *F.*
scutellaris, *Mg.*

LIMNOBIDÆ.

LIMNOBINÆ.

LIMNOBIA, *Mg.*

bifasciata, *Schrk.*
annulus, *Mg.*
quadrinotata, *Mg.*
nubeculosa, *Mg.*
flavipes, *F.*
nalis, *Mg.*
nitida, *Verr.*
nigropunctata, *Schum.*
tripunctata, *F.*
stigma, *Mg.*
trivittata, *Schum.*
macrostigma, *Schum.*

DICRANOMYIA, *Steph.*

aquosa, *Verr.*
pilipennis, *Egg.*
modesta, *Mg.*

mitis, *Mg.*
lutea, *Mg.*
chorea, *Mg.*
sericata, *Mg.*
stigmatica, *Mg.*
didyma, *Mg.*
dumetorum, *Mg.*
ornata, *Mg.*
goritiensis, *Mik.*
morio, *F.*

RHIPIDIA, *Mg.*

maculata, *Mg.*
ctenophora, *Lw.*

GERANOMYIA, *Hal.*
unicolor, *Hal.*

RHAMPHIDINÆ.

RHAMPHIDIA, *Mg.*
longirostris, *Mg.*

ORIMARGA, *O-Sack.*
virgo, *Ztt.*

ANTOCHA, *O-Sack.*
opalizans, *O-Sack.*

THAUMASTOPTERA,
Mik.
calceata, *Mik.*

ERIOPTERINÆ.

EMPEDA, *O-Sack.*

flava, *Schum.*
nubila, *Schum.*

GONIOMYIA, *Steph.*

tenella, *Mg.*
connexa, *Lw.*
jucunda, *Lw.*
schistacea, *Schum.*
lateralis, *Mcq.*
scutellata, *Egg.*
sexguttata, *Dale.*

CHILOTTRICHIA, *Rnd.*
imbuta, *Mg.*

ACYPHONA, *O-Sack.*
maculata, *Mg.*

MOLOPHILUS, *Curt.*

ochraceus, *Mg.*
appendiculatus, *Stæg.*
propinquus, *Egg.*
bifilatus, *Verr.*
obscurus, *Mg.*
murinus, *Mg.*
ater, *Mg.*

RHYPHOLOPHUS,
Kolen.

lineatus, *Mg.*
nodulosus, *Mcq.*
pentagonalis, *Lw.*
similis, *Stæg.*
varius, *Mg.*
hæmorrhoidalis, *Ztt.*

ERIOPTERA, *Mg.*

flavescens, *Mg.*
macrophthalma, *Lw.*
lutea, *Mg.*
ænionota, *Mg.*
fuscipennis, *Mg.*
trivialis, *Mg.*

SYMPLECTA, *Mg.*

punctipennis, *Mg.*
stictica, *Mg.*

TRIMICRA, *O-Sack.*

pilipes, *F.*

LIPSOTHRIX, *Lw.*
errans, *Wlk.*

LIMNOPHILINÆ.

IDIOPTERA, *Mcq.*

fasciata, *L.*
pulchella, *Mg.*
trimaculata, *Ztt.*

EPHELIA, *Schin.*

miliaria, *Egg.*
apicata, *Lw.*
submarmorata, *Verr.*
marmorata, *Mg.*
varinervis, *Ztt.*

DACTYLOLABIS,
O-Sack.

Frauenfeldi, *Egg.*
gracilipes, *Lw.*

PÆCILOSTOLA, *Schin.*

- ✓ punctata, *Schrk.*
 ✓ pictipennis, *Mg.*

EPIPHRAGMA,
O-Sack.

- ✓ picta, *F.*

LIMNOPHILA, *Mcq.*

- ✓ Meigenii, *Verr.*
 ✓ dispar, *Mg.*
 ✓ lineola, *Mg.*
 lineolella, *Verr.*
 aperta, *Verr.*
 ferruginea, *Mg.*
 ochracea, *Mg.*
 bicolor, *Mg.*
 ✓ punctum, *Mg.*
 fuscipennis, *Mg.*
 discicollis, *Mg.*
 subtineta, *Ztt.*
 ✓ lucorum, *Mg.*
 sepium, *Verr.*
 nemoralis, *Mg.*
 filata, *Wlk.*

ADELPHOMYIA,
Bergr.

- senilis, *Hal.*

TRICHOCERA, *Mg.*

- ✓ annulata, *Mg.*
 ✓ hiemalis, *Deg.*
 ✓ fuscata, *Mg.*
 ✓ regelationis, *L.*

ANISOMERINÆ.**ANISOMERA**, *Mg.*

- æqualis, *Lw.*
Burmeisteri, *Lw.*

PERONECERA, *Curt.*

- fuscipennis, *Curt.*
 lucidipennis, *Curt.*

AMALOPINÆ.**ULA**, *Hal.*

- ✓ pilosa, *Schum.*

DICRANOTA, *Ztt.*

- pavida, *Hal.*
 bimaculata, *Schum.*

AMALOPIS, *Hal.*

- ✓ immaculata, *Mg.*
 unicolor, *Schum.*
 claripennis, *Verr.*
 occulta, *Mg.*
 straminea, *Mg.*
 littoralis, *Mg.*

PEDICIA, *Ltr.*

- ✓ rivosa, *L.*

CYLINDROTOMINÆ.**CYLINDROTOMA**,
Mcq.

- distinctissima, *Mg.*
 diversa, *Wlk.*

LIOGMA, *O-Sack.*

- glabrata, *Mg.*

PHALACROCERA,
Schin.

- replicata, *L.*

TIPULIDÆ.**DOLICHOPEZA**, *Curt.*

- ✓ sylvicola, *Curt.*

NEPHROTOMA, *Mg.*

- dorsalis, *F.*

PACHYRRHINA, *Mcq.*

- ✓ crocata, *L.*
 ✓ imperialis, *Mg.*
 ✓ scurra, *Mg.*
 ✓ histrio, *F.*
 maculosa, *Mg.*
 ✓ cornicina, *L.*
 guestfalica, *Westh.*
 ✓ analis, *Schum.*
 ✓ quadrifaria, *Mg.*
 annulicornis, *Mg.*
 lunulicornis, *Schum.*

TIPULA, *L.*

- nigra, *L.*
 pagana, *Mg.*
 obsoleta, *Mg.*

signata, *Stæg.*

- ✓ confusa, *v. d. Wulp.*
 ✓ marmorata, *Mg.*
 ✓ rufina, *Mg.*
 longicornis, *Schum.*
 truncorum, *Mg.*
Winnertzii, *Egg.*
 ✓ hortensis, *Mg.*
 ✓ pabulina, *Mg.*
 hortulana, *Mg.*
 ✓ varipennis, *Mg.*
 nubeculosa, *Mg.*
 scripta, *Mg.*
 excisa, *Schum.*
 ✓ melanoceras, *Schum.*
 plumbea, *F.*
 pruinosa, *W.*
 ✓ luteipennis, *Mg.*
 ✓ flavolineata, *Mg.*
 ✓ lunata, *L.*
 ✓ marginata, *Mg.*
 ✓ lateralis, *Mg.*
montium, *Egg.*
 ✓ Diana, *Mg.*
 ✓ vernalis, *Mg.*
 ✓ vaga, *Wlk.*
 ✓ vittata, *Mg.*
 ✓ gigantea, *Schrk.*
 ✓ lutescens, *F.*
 ✓ toleracea, *L.*
 ✓ paludosa, *Mg.*
 ✓ selene, *Mg.*
 ✓ fascipennis, *Mg.*
 peliostigma, *Schum.*
 ✓ ochracea, *Mg.*

DICTENIDIA, *Brul.*

- ✓ bimaculata, *L.*

XIPHURA, *Brul.*

- atrata, *L.*
 ✓ nigricornis, *Mg.*

CTENOPHORA, *Mg.*

- ✓ ornata, *Mg.*
 ✓ flaveolata, *F.*
 ✓ pectinicornis, *L.*

RHYPHIDÆ.**RHYPHUS**, *Ltr.*

- ✓ fenestralis, *Scop.*
 ✓ cinctus, *F.*
 ✓ punctatus, *F.*

BRACHYCERA.

STRATIOMYIDÆ.

PACHYGASTRINÆ.

PACHYGASTER, *Mg.**atra*, *Pz.**Leachii*, *Curt.**tarsalis*, *Ztt.**✓ orbitalis*, *Whlbq.**meromelæna*, *Aust.*

CLITELLARINÆ.

EPHIPPIUM, *Ltr.**thoracicum*, *Ltr.*NEMOTELUS, *Geoff.**pantherinus*, *L.**✓ uliginosus*, *L.**✓ notatus*, *Ztt.**nigrinus*, *Fln.*OXYCERA, *Mg.* *analis*, *Mg.**✓ pygmæa*, *Fln.**nigripes*, *Verr.**formosa*, *Mg.**tenuicornis*, *Mcq.**longicornis*, *Dale.**✓ Morrisii*, *Curt.**terminata*, *Mg.**✓ pardalina*, *Mg.**dives*, *Lw.**Fallenii*, *Stæg.**✓ pulchella*, *Mg.**✓ trilineata*, *F.*

STRATIOMYINÆ.

STRATIOMYS, *Geoff.**chamæleon*, *L.**✓ potamida*, *Mg.**riparia*, *Mg.**✓ furcata*, *F.**✓ longicornis*, *Scop.*ODONTOMYIA, *Mg.**argentata*, *F.**microleon*, *L.**ornata*, *Mg.**hydrodromia*, *Mg.**angulata*, *Pz.**felina*, *Pz.**✓ tigrina*, *F.**hydroleon*, *L.**✓ viridula*, *F.*

SARGINÆ.

CHRYSONOTUS, *Lw.**✓ bipunctatus*, *Scop.*SARGUS, *F.**✓ flavipes*, *Mg.**rufipes*, *Whlbq.?**✓ cuprarius*, *L.**var. nubeculosus*, *Ztt.**iridatus*, *Scop.**✓ infuscatus*, *Mg.*CHLOROMYIA, *Dunc.**✓ formosa*, *Scop.*MICROCHRYSA, *Lw.**✓ polita*, *L.**✓ flavicornis*, *Mg.**✓ cyaneiventris*, *Ztt.*

BERINÆ.

BERIS, *Ltr.**✓ clavipes*, *L.**✓ vallata*, *Forst.**✓ chalybeata*, *Forst.**fuscipes*, *Mg.**✓ geniculata*, *Curt.**Morrisii*, *Dale.*CHORISOPS, *Rnd.**✓ tibialis*, *Mg.*

XYLOMYINÆ.

XYLOMYIA, *Rnd.**✓ maculata*, *F.**varia*, *Mg.**marginata*, *Mg.*

TABANIDÆ.

HÆMATOPOTA, *Mg.**✓ pluvialis*, *L.**✓ crassicornis*, *Whlbq.**✓ italica*, *Mg.*

THERIOPECTES,

*Zlr.**✓ micans*, *Mg.**montanus*, *Mg.**✓ tropicus*, *Mg.**var. bisignatus*, *Jaen.**✓ solstitialis*, *Mg.*ATYLOTUS, *O-Sack.**rusticus*, *F.**✓ fulvus*, *Mg.*TABANUS, *L.**✓ bovinus*, *L.**✓ sudeticus*, *Zlr.**✓ autumnalis*, *L.**græcus*, *F.**✓ bromius*, *L.**✓ maculicornis*, *Ztt.**cordiger*, *W.**glaucoptis*, *Mg.*CHRYSOPS, *Mg.**✓ cæcutiens*, *L.**✓ quadrata*, *Mg.**✓ felicta*, *Mg.**sepulcralis*, *F.*

LEPTIDÆ.

LEPTIS, *F.**✓ scolopacca*, *L.**strigosa*, *Mg.**✓ notata*, *Mg.**✓ tringaria*, *L.**nigriventris*, *Lw.**conspicua*, *Mg.**✓ lineola*, *F.*CHRYSOPILUS, *Mcq.**✓ aureus*, *Mg.**✓ auratus*, *F.*ATHERIX, *Mg.**✓ marginata*, *F.**✓ Ibis*, *F.**✓ crassipes*, *Mg.*PTIOLINA, *Stæg.**Wodzickii*, *Frjld.**✓ unicolor*, *Curt.*

SYMPHOROMYIA,

*Frjld.**✓ crassicornis*, *Pz.**melæna*, *Mg.**immaculata*, *F.*SPANIA, *Mg.**✓ nigra*, *Mg.*

XYLOPHAGUS, *Mg.*

- ater*, *F.*
cinctus, *Deg.*

ASILIDÆ.

DASYPOGONINÆ.

LEPTOGASTER, *Mg.*

- cylindrica*, *Deg.*
guttiventris, *Ztt.*

DIOCTRIA, *Mg.*

- œlandica*, *L.*
Reinhardi, *W.*
atricapilla, *Mg.*
rufipes, *Deg.*
Baumhaueri, *Mg.*
flavipes, *Mg.*
linearis, *F.*

ISOPOGON, *Lw.*

- brevirostris*, *Mg.*

LASIOPOGON, *Lw.*

- cinctus*, *F.*

LAPHRINÆ.

LAPHRIA, *Mg.*

- flava*, *L.*
marginata, *L.*

ASILINÆ.

ASILUS, *L.*

- crabroniformis*, *L.*

RHADIURGUS, *Lw.*

- variabilis*, *Ztt.*

PAMPONERUS, *Lw.*
germanicus, *L.*ANTIPALUS, *Lw.*
varipes, *Mg.*PHILONICUS, *Lw.*

- albiceps*, *Mg.*

EPITRIPTUS, *Lw.*

- cingulatus*, *F.*

NEOITAMUS, *O-Sack.*

- cyanurus*, *Lw.*

MACHIMUS, *Lw.*

- atricapillus*, *Fln.*
rusticus, *Mg.*

EUTOLMUS, *Lw.*
rufibarbis, *Mg.*DYSMACHUS, *Lw.*

- trigonus*, *Mg.*

BOMBYLIDÆ.

ANTHRAX, *Scop.*

- Paniscus*, *Rossi.*
hottentota, *L.*

- fenestratus*, *Fln.*

- caudata*, *Mg.*
 BOMBYLIUS, *L.*

- discolor*, *Mik.*

- major*, *L.*

- fugax*, *W.*

- vulpinus*, *Mg.*

- posticus*, *Mg.*

- canescens*, *Mik.*

- minor*, *L.*

PHTHIRIA, *Mg.*

- pulicaria*, *Mik.*

THEREVIDÆ.

THEREVA, *Ltr.*

- nobilitata*, *F.*

- fulva*, *Mg.*

- plebeia*, *L.*

- bipunctata*, *Mg.*

- funebria*, *Mg.*

- annulata*, *F.*

DIALINEURA, *Rnd.*

- anilis*, *L.*

PSILOCEPHALA, *Ztt.*

- ardea*, *F.*

- fuscipennis*, *Cooke.*

SCENOPINIDÆ.

SCENOPINUS, *Ltr.*

- fenestralis*, *L.*

- niger*, *Deg.*

- glabrifrons*, *Mg.*

CYRTIDÆ.

ONCODES, *Ltr.*

- gibbosus*, *L.*

ACROCERA, *Mg.*

- globulus*, *Pz.*

EMPIDÆ.

HYBOTINÆ.

HYBOS, *Mg.*

- grossipes*, *L.*

- femoratus*, *Müll.*

CYRTOMA, *Mg.*

- nigra*, *Mg.*

- spuria*, *Fln.*

- melæna*, *Hal.*

EMPINÆ.

RHAMPHOMYIA, *Mg.*

- spissirostris*, *Fln.*

- dissimilis*, *Ztt.*

- nigripes*, *F.*

- sulcata*, *Fln.*

- cinerascens*, *Mg.*

- albosegmentata*, *Ztt.*

- spinipes*, *Fln.*

- dentipes*, *Ztt.*

- filata*, *Ztt.*

- fumipennis*, *Ztt.*

- conformis*, *Kow.*

- tarsata*, *Mg.*

- costata*, *Ztt.*

- hybotina*, *Ztt.*

- atra*, *Mg.*

- simplex*, *Ztt.*

- anomalipennis*, *Ztt.*

- plumipes*, *Fln.*

- geniculata*, *Mg.*

- gibba*, *Fln.*

- pennata*, *Mcq.*

- cæsia*, *Mg.*

- variabilis*, *Fln.*

- æthiops*, *Ztt.*

- sciarina*, *Fln.*

- umbripennis*, *Mg.*

- flava*, *Fln.*

- tenuirostris*, *Fln.*

- caudata*, *Mg.*

EMPIS, *L.*

- ✠ tessellata, *F.*
 ✠ livida, *L.*
 ✠ opaca, *F.*
 ✠ borealis, *L.*
 ✠ stercorea, *L.*
 ✠ trigramma, *Mg.*
 ✠ punctata, *Mg.*
 ✓ bilineata, *Lw.*
 concolor, *Verr.*
 ✠ lutea, *Mg.*
 scutellata, *Curt.*
 ✠ nigritarsis, *Mg.*
 lucida, *Ztt.*
 brunnipennis, *Mg.*
 ✠ pennipes, *L.*
 pennaria, *Fln.*
 ✠ vernalis, *Mg.*
 decora, *Mg.*
 albipennis, *Mg.*
 albinervis, *Mg.*
 vitripennis, *Mg.*
 ✓ volucris, *Mg.*
 prodromus, *Lw.*
 caudatula, *Lw.*
 ✓ chioptera, *Fln.*
 ✠ æstiva, *Lw.*
 lepidopus, *Mg.*
 brevicornis, *Lw.*
 grisea, *Fln.*
 var. nodosa, *Beling.*

PACHYMERIA, *Steph.*

- ✠ femorata, *F.*
 ✠ palparis, *Egg.*

RAGAS, *Wlk.*

- ✓ unica, *Wlk.*

HILARA, *Mg.*

- ✓ matrona, *Hal.*
 cilipes, *Mg.*
 ✠ pilosa, *Ztt.*
 ✠ interstincta, *Fln.*
 ✠ maura, *F.*
 nitidula, *Ztt.*
 ✠ niveipennis, *Ztt.*
 squalens, *Ztt.*
 pinetorum, *Ztt.*
 manicata, *Mg.*
 ✠ clypeata, *Mg.*

- nigrina, *Fln.*
 fuscipes, *F.*
 quadrivittata, *Mg.*
 cornicula, *Lw.*
 canescens, *Ztt.*

- ✠ litorea, *Fln.*
 lurida, *Fln.*
 chorica, *Fln.*
 rufipes, *Mcq.*
 recedens, *Hal.*
 tenella, *Fln.*
 obscura, *Mg.*
 ✠ thoracica, *Mcq.*

OREOGETON, *Schin.*

- ✠ flavipes, *Mg.*

OCYDROMINÆ.

TRICHINA, *Mg.*

- ✠ clavipes, *Mg.*
 flavipes, *Mg.*
 elongata, *Hal.*

MICROPHORUS, *Mcq.*

- anomalus, *Mg.*
 velutinus, *Mcq.*

CÆDALEA, *Mg.*

- flavipes, *Ztt.*
 ✠ stigmatella, *Ztt.*
 ✠ Holmgreni, *Ztt.*

OCYDROMIA, *Mg.*

- ✠ glabricula, *Fln.*
 dispar, *Curt.*

LEPTOPEZA, *Mcq.*

- flavipes, *Mg.*
 ✠ ruficollis, *Mg.*

EUTHYNEURA, *Mcq.*

- ✓ myrtilli, *Mcq.*
 myricæ, *Wlk.*

CLINOCERA, *Mg.*

- KOWARZIA, *Mik.*
 barbatula, *Mik.*
 bipunctata, *Hal.*
 plectrum, *Mik.*

- CLINOCERA, *Mg.*
 nigra, *Mg.*

HELEODROMIA, *Hal.*

- ✠ stagnalis, *Hal.*
 ✠ fontinalis, *Hal.*

CHAMÆDIPSIA, *Mik.*

- lota, *Hal.*

WIEDEMANNIA, *Ztt.*

- ✠ bistigma, *Curt.*
 lamellata, *Lw.*
 rhynchops, *Now.*

HEMERODROMIA,
Mg.

- ✠ precatória, *Fln.*
 ✠ melanocephala, *Hal.*
 albicornis, *Mg.*
 oratoria, *Fln.*
 unilineata, *Ztt.*

ARDOPTERA, *Mcq.*

- ✠ irrorata, *Fln.*
 ✠ gattata, *Hal.*
 exoleta, *Hal.*

GLOMA, *Mg.*

- ✓ fuscipennis, *Mg.*

TRICHOPEZA, *Rnd.*

- ✠ longicornis, *Mg.*

LEPIDOMYIA, *Bigot.*

- ✠ melanocephala, *F.*

THAMNODROMIA,
Mik.

- albiseta, *Ztt.*
 vocatoria, *Fln.*

SCIODROMIA, *Hal.*

- ✓ immaculata, *Hal.*

TACHYDROMINÆ.

DRAPETIS, *Mg.*

- assimilis, *Fln.*
 nervosa, *Lw.*
 exilis, *Mg.*
 pusilla, *Lw.*
 aterrima, *Hal.*

STILPON, *Lw.*

- graminum, *Fln.*
 lunata, *Wlk.*

TACHYPEZA, *Mg.*

- ✓ *nubila*, *Mg.*
fuscipennis, *Fln.*
prælusio, *Wlk.*

TACHISTA, *Lw.*

- ✗ *arrogans*, *L.*
✗ *connexa*, *Mg.*
✓ *annulimana*, *Mg.*
æmula, *Lw.*
morio, *Wlk.*

DYSALETRIA, *Lw.*

sp. ?

ELAPHROPEZA, *Mcq.*

ephippiata, *Fln.*

CHERSODROMIA,
Wlk.

- ✗ *arenaria*, *Hal.*
cursitans, *Ztt.*
hirta, *Wlk.*
incana, *Wlk.*
speculifera, *Wlk.*

TACHYDROMIA, *Mg.*

- lutea*, *Fln.*
glabra, *Mg.*
✗ *pectoralis*, *Fln.*
stramineipes, *Ztt.*
flavipennis, *Wlk.*
formalis, *Wlk.*
pulchella, *Wlk.*
munda, *Wlk.*
✗ *ciliaris*, *Fln.*
nigritarsis, *Fln.*
✗ *longicornis*, *Mg.*
dissimilis, *Fln.*
✗ *compta*, *Wlk.*
stigmatella, *Ztt.*
pubicornis, *Ztt.*
albiseta, *Pz.*
pallipes, *Fln.*
✗ *minuta*, *Mg.*
fulvipes, *Mg.*
✗ *agilis*, *Mg.*
✓ *dubia*, *Mg.*
castanipes, *Mg.*
exigua, *Mg.*
cothurnata, *Mcq.*

Not in List
✗ *major* *Mg.*
✗ *annulipes* *Ztt.*
✓ *flavipennis* *Mg.* ?
✓ *nervosa* *Mg.*

notata, *Mg.* —

✗ *dichroa*, *Mg.* —

commiles, *Wlk.* —

maculipes, *Mg.* —

flavipes, *F.*

compungens, *Wlk.* —

robusta, *Wlk.*

✗ *annulata*, *Fln.* —

fasciata, *Mg.* —

varia, *Wlk.*

✓ *divisa*, *Wlk.* ✗

infusata, *Mg.* —

✗ *cursitans*, *F.*

ecalceata, *Ztt.* —

laticincta, *Wlk.* —

candicans, *Fln.*

calceata, *Mg.*

articulata, *Mcq.*

pallidiventris, *Mg.*

✓ *bicolor*, *F.*

albicornis, *Ztt.*

flavicornis, *Mg.*

DOLICHOPODIDÆ.

PSILOPUS, *Mg.*

- ✗ *platypterus*, *F.*
✗ *Wiedemanni*, *Fln.*
longulus, *Fln.*
obscurus, *Mg.*
lætus, *Mg.*
contristans, *W.*

NEURIGONA, *Rnd.*

- ✗ *pallida*, *Fln.*
✓ *suturalis*, *Fln.*
✓ *quadrifasciata*, *F.*

EUTARSUS, *Lw.*

aulicus, *Mg.*

HYGROCELEUTHUS,

Lw.

- ✗ *diadema*, *Hal.*
latipennis, *Fln.*

DOLICHOPUS, *Ltr.*

- ✗ *atripes*, *Mg.*
phæopus, *Hal.*
✗ *vitripennis*, *Mg.*
✗ *atratus*, *Mg.*

✓ *picipes*, *Mg.*

lepidus, *Stæg.*

campestris, *Mg.*

Falleni, *Lw.*

melanopus, *Mg.*

planitarsis, *Fln.*

✗ *clavipes*, *Hal.*

rupestris, *Hal.*

✗ *nubilus*, *Mg.*

latelimbatus, *Mcq.*

claviger, *Stan.*

confusus, *Ztt.*

✗ *discifer*, *Stan.*

✗ *plumipes*, *Scop.*

✗ *Wahlbergi*, *Ztt.*

✗ *pennatus*, *Mg.*

✗ *popularis*, *W.*

✗ *signatus*, *Mg.*

✓ *urbanus*, *Mg.*

acuticornis, *W.*

✗ *longicornis*, *Stan.*

mediicornis, *Verr.*

puncticornis, *Ztt.*

linearis, *Mg.*

Scotti, *Verr.*

✗ *nitidus*, *Fln.*

✗ *griseipennis*, *Stan.*

signifer, *Hal.*

sabinus, *Hal.*

✗ *simplex*, *Mg.*

thalassinus, *Hal.*

strigipes, *Verr.*

virgultorum, *Hal.*

arbustorum, *Stan.*

✗ *festivus*, *Hal.*

✗ *trivialis*, *Hal.*

✗ *brevipennis*, *Mg.*

longitarsis, *Stan.*

✗ *æneus*, *Deg.*

TACHYTRECHUS,
Stan.

notatus, *Stan.*

consobrinus, *Wlk.*

insignis, *Stan.*

PŒCILOBOTHRUS,
Mik.

✗ *nobilitatus*, *L.*

ducalis, *Lw.*

principalis, *Lw.*

HERCOSTOMUS, *Lw.**fulvicaudis*, *Wlk.**cretifer*, *Wlk.**gracilis*, *Stan.**chrysozygos*, *W.**chærophylli*, *Mg.**germanus*, *W.**nigriplantis*, *Stan.**nigripennis*, *Fln.**plagiatus*, *Lw.**atrovirens*, *Lw.**nanus*, *Mcq.**parvilamellatus*, *Mcq.*HYPOPHYLLUS, *Lw.**discipes*, *Ahr.**obscurcellus*, *Fln.**Cinipes*ORTHOCHILE, *Ltr.**nigrocærulea*, *Ltr.*

GYMNOPTERNUS,

*Lw.**cupreus*, *Fln.**celer*, *Mg.**metallicus*, *Stan.**chalybæus*, *W.**ærosus*, *Fln.**assimilis*, *Stæg.**prætextatus*, *Hal.*CHRYBOTUS, *Mg.**neglectus*, *W.**cilipes*, *Mg.**pulchellus*, *Kow.**blepharosceles*, *Kow.**cupreus*, *Mcq.**angulicornis*, *Kow.**palustis*, *Verr.**læsus*, *W.**amplicornis*, *Ztt.**gramineus*, *Fln.**microcerus*, *Kow.*

MELANOSTOLUS,

*Kow.**melancholicus*, *Lw.*DIAPHORUS, *Mg.**nigricans*, *Mg.**oculatus*, *Fln.**Hoffmanseggii*, *Mg.**Winthemi*, *Mg.*ARGYRA, *Mcq.**atriceps*, *Lw.**diaphana*, *F.**confinis*, *Ztt.**argentina*, *Mg.**argyria*, *Mg.**leucocephala*, *Mg.**elongata*, *Ztt.*LEUCOSTOLA, *Lw.**vestita*, *W.*THRYPTICUS, *Gerst.**bellus*, *Lw.*RHAPHIUM, *Mg.**longicorne*, *Fln.*PORPHYROPS, *Mg.**antennata*, *Carl.**spinicoxa*, *Lw.**fascipes*, *Mg.**nemorum*, *Mg.**penicillata*, *Lw.**nasuta*, *Fln.**pectinata*, *Lw.**consobrina*, *Ztt.**micans*, *Mg.**elegantula*, *Mg.**crassipes*, *Mg.**gravipes*, *Wlk.**prærosa*, *Lw.*SYNTORMON, *Lw.**Zelleri*, *Lw.**biseriatus*, *Lw.**pumilus*, *Mg.**tarsatus*, *Fln.**sulcipes*, *Mg.**monilis*, *Wlk.**pallipes*, *F.*MACHÆRIUM, *Hal.**maritimæ*, *Hal.*XIPHANDRIUM, *Lw.**fissum*, *Lw.**caliginosum*, *Mg.**monotrichum*, *Lw.**appendiculatum*, *Ztt.**brevicorne*, *Curt.**auctum*, *Lw.**fasciatum*, *Mg.*ACHALCUS, *Lw.**cinereus*, *Wlk.**flavicollis*, *Mg.*MEDETERUS, *Fisch.**micaceus*, *Lw.**muralis*, *Mg.**tristis*, *Ztt.**apicalis*, *Ztt.**pallipes*, *Ztt.**diadema*, *L.**flavipes*, *Mg.**jaculus*, *Mg.**truncorum*, *Mg.**dendrobæus*, *Kow.**petrophilus*, *Kow.*SCELLUS, *Lw.**notatus*, *F.*

HYDROPHORUS,

*Whlbg.**nebulosus*, *Fln.**bipunctatus*, *Lehm.**borealis*, *Lw.**balticus*, *Mg.**litoreus*, *Fln.**præcox*, *Lehm.**viridis*, *Mg.**bisetus*, *Lw.*LIANCALUS, *Lw.**virens*, *Scop.*ALLÆONEURUS, *Mik.**lacustris*, *Scop.*

CAMPSICNEMUS,

*Wlk.**magius*, *Lw.**scambus*, *Fln.**curvipes*, *Fln.**loripes*, *Hal.**armatus*, *Ztt.**pusillus*, *Mg.**pectinulatus*, *Lw.**picticornis*, *Ztt.*ECTOMUS, *Mik.**alpinus*, *Hal.*

TEUCHOPHORUS,
Lw.

spinigerellus, *Ztt.*
pectinifer, *Kow.*
monacanthus, *Lw.*
simplex, *Mik.*

SYMPYCNUS, *Lw.*

cirrhipes, *Wlk.*
✓ annulipes, *Mg.*
✓ aeneicoxa, *Mg.*
nigritibialis, *Ztt.*

LAMPROCHROMUS,
Mik.

elegans, *Mg.*
bifasciellus, *Ztt.*

CHRYSOTIMUS, *Lw.*

molliculus, *Fln.*
concinuus, *Ztt.*

XANTHOCHLORUS,
Lw.

✓ ornatus, *Hal.*
✓ tenellus, *W.*

BATHYCRANIUM,
Strobl.

bicolorellus, *Ztt.*

ANEPSIUS, *Lw.*

flaviventris, *Mg.*

MICROMORPHUS,
Mik.

albipes, *Ztt.*

THINOPHILUS,
Whlbq.

flavipalpis, *Ztt.*
ruficornis, *Hal.*

SCHÆNOPHILUS,
Mik.

✓ versutus, *Wlk.*

APHROSYLUS, *Wlk.*

✓ celtiber, *Hal.*
raptor, *Hal.*
ferox, *Hal.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*

lutea, *Pz.*
✓ punctum, *Mg.*
✓ flavicauda, *Mg.*
✓ lacustris, *Mg.*
✓ tristis, *Mg.*
✓ fuscipennis, *Boh.*
✓ *trilineata* *Ztt.*

CYCLORRHAPHA.

PROBOSCIDEA.

PLATYPEZIDÆ.

OPETIA, *Mg.*

✓ nigra, *Mg.*
lonchopteroides, *Curt.*

PLATYCHEMA, *Ztt.*

pulicaria, *Fln.*

CALLIMYIA, *Mg.*

speciosa, *Mg.*
amoena, *Mg.*
var. leptiformis, *Fln.*
elegans, *Mg.*

AGATHOMYIA, *Verr.*

antennata, *Ztt.*
Collini, *Verr.*

PLATYPEZA, *Mg.*

✓ consobrina, *Ztt.*
✓ modesta, *Ztt.*
✓ rufa, *Mg.*
✓ atra, *Mg.*
✓ furcata, *Fln.*
dorsalis, *Mg.*
holosericea, *Mg.*
fasciata, *Mg.*
aterrima, *Wlk.*
✓ hirticeps, *Verr.*
infumata, *Hal.*
picta, *Mg.*
fumipennis, *Wlk.*

PIPUNCULIDÆ.

CHALARUS, *Wlk.*

✓ spurius, *Fln.*
holosericeus, *Mg.*

VERRALLIA, *Mik.*

pilosa, *Ztt.*
var. setosa, *Verr.*
✓ villosa, v. *Ros.*
✓ aucta, *Fln.*

NEPHROCERUS, *Ztt.*

✓ flavicornis, *Ztt.*

PIPUNCULUS, *Ltr.*

✓ furcatus, *Egg.*
✓ zonatus, *Ztt.*
fascipes, *Ztt.*
✓ modestus, *Hal.*
fuscipes, *Ztt.*
ruralis, *Mg.*
unicolor, *Ztt.*
terminalis, *Thoms.*
obtusinervis, *Ztt.*
halteratus, *Mg.*
✓ varipes, *Mg.*
✓ campestris, *Ltr.*
ater, *Mg.*
✓ pratorum, *Fln.*
carinatus, *Verr.*
✓ vittipes, *Ztt.*
✓ flavipes, *Mg.*
Strobl, *Verr.*
strigulipes, *Verr.*
seminitidus, *Beck.*
incognitus, *Verr.*
geniculatus, *Auct.*
confusus, *Verr.*
✓ rufipes, *Mg.*
hæmorrhoidalis, *Ztt.*
xanthopus, *Thoms.*
maculatus, *Wlk.*
lateralis, *Mcq.*
semimaculatus, *Beck.*
✓ geniculatus, *Mg.*
nigritulus, *Ztt.*
littoralis, *Beck.*
✓ sylvaticus, *Mg.*

SYRPHIDÆ.

SYRPHINÆ.

PARAGUS, *Ltr.*

✓ tibialis, *Fln.*
bicolor *F.*
var. lacerus, *Lw.*

PIPIZELLA, *Rnd.*

- ~~X~~ virens, *F.*
~~X~~ maculipennis, *Mg.*
~~X~~ flavitarsis, *Mg.*
~~X~~ biguttata, *Curt.*
~~X~~ Heringi, *Ztt.*

PIPIZA, *Fln.*

- ~~X~~ luteitarsis, *Ztt.*
~~X~~ quadrimaculata, *Pz.*
~~X~~ noctiluca, *L.*
~~X~~ fenestrata, *Mg.*
~~X~~ bimaculata, *Mg.*
~~X~~ guttata, *Mg.*
~~X~~ signata, *Mg.*
~~X~~ notata, *Mg.*
~~X~~ lugubris, *F.*

CNEMODON, *Egg.*

- ~~X~~ vitripennis, *Mg.*
~~X~~ acuminatus, *Lw.*

PSILOTA, *Mg.*

- ~~X~~ anthracina, *Mg.*

ORTHONEURA, *Mcq.*

- ~~X~~ elegans, *Mg.*
~~X~~ brevicornis, *Lw.*
~~X~~ nobilis, *Fln.*

LIOGASTER, *Rnd.*

- ~~X~~ splendida, *Mg.*
~~X~~ metallina, *F.*

CHRYSOGASTER, *Mg.*

- ~~X~~ splendens, *Mg.*
~~X~~ hirtella, *Lw.*
~~X~~ Macquarti, *Lw.*
~~X~~ virescens, *Lw.*
~~X~~ chalybeata, *Mg.*
~~X~~ solstitialis, *Fln.*
~~X~~ cæmeteriorum, *Auct.*
~~X~~ fumipennis, *Wlk.* (*nec Lw.*)

CHILOSIA, *Mg.*

- ~~X~~ maculata, *Fln.*
~~X~~ sparsa, *Lw.*
~~X~~ antiqua, *Mg.*
~~X~~ longula, *Ztt.*
~~X~~ scutellata, *Fln.*
~~X~~ soror, *Ztt.*
~~X~~ pulchripes, *Lw.*

~~X~~variabilis, *Pz.*

- ~~X~~ honesta, *Rnd.*
~~X~~ vulpina, *Mg.*
~~X~~ barbata, *Lw.*
~~X~~ intonsa, *Lw.*
~~X~~ illustrata, *Harr.*
~~X~~ æstracea, *Auct.*
~~X~~ grossa, *Fln.*
~~X~~ chrysocoma, *Mg.*
~~X~~ albipila, *Mg.*
~~X~~ flavicornis, *Auct.*
~~X~~ nebulosa, *Verr.*
~~X~~ impressa, *Lw.*
~~X~~ albitarsis, *Mg.*
~~X~~ flavimana, *Mg.*
~~X~~ fraterna, *Mg.*
~~X~~ chloris, *Wlk.*
~~X~~ Bergenstammi, *Beck.*
~~X~~ præcox, *Ztt.*
~~X~~ mutabilis, *Fln.*
~~X~~ vernalis, *Fln.*
~~X~~ proxima, *Ztt.*
~~X~~ cynocephala, *Lw.*
~~X~~ rostrata, *Ztt.*

PLATYCHIRUS, *St. Farg.*

- ~~X~~ manicatus, *Mg.*
~~X~~ tarsalis, *Schum.*
~~X~~ discimanus, *Lw.*
~~X~~ melanopsis, *Lw.*
~~X~~ peltatus, *Mg.*
~~X~~ scutatus, *Mg.*
~~X~~ albinanus, *F.*
~~X~~ podagratus, *Ztt.*
~~X~~ scambus, *Stæg.*
~~X~~ immarginatus, *Ztt.*
~~X~~ fulviventris, *Mcq.*
~~X~~ perpallidus, *Verr.*
~~X~~ clypeatus, *Mg.*
~~X~~ angustatus, *Ztt.*
~~X~~ sticticus, *Mg.*
~~X~~ spathulatus, *Rnd.*

PYROPHÆNA, *Schin.*

- ~~X~~ granditarsa, *Forst.*
~~X~~ ocyimi, *F.*
~~X~~ rosarum, *F.*

MELANOSTOMA, *Schin.*

- ~~X~~ ambiguum, *Fln.*
~~X~~ dubium, *Ztt.*

~~X~~ mellinum, *L.*~~X~~ scalare, *F.*MELANGYNA, *Verr.*

- ~~X~~ quadrimaculata, *Verr.*

XANTHANDRUS, *Verr.*

- ~~X~~ comtus, *Harr.*
~~X~~ hyalinatus, *Fln.*

LEUCOZONA, *Schin.*

- ~~X~~ lucorum, *L.*

ISCHYROSYPHUS, *Big.*

- ~~X~~ glaucius, *L.*
~~X~~ laternarius, *Müll.*

DIDEA, *Mcq.*

- ~~X~~ alneti, *Fln.*
~~X~~ fasciata, *Mcq.*
~~X~~ intermedia, *Lw.*

CATABOMBA, *O.-S.*

- ~~X~~ pyrastris, *L.*
~~X~~ selenitica, *Mg.*

SYRPHUS, *F.*

- ~~X~~ albstriatus, *Fln.*
~~X~~ tricinctus, *Fln.*
~~X~~ venustus, *Mg.*
~~X~~ lunulatus, *Mg.*
~~X~~ nigricornis, *Verr.*
~~X~~ quadrilunulatus, *Lw.*
~~X~~ annulipes, *Ztt.*
~~X~~ torvus, *O.-S.*
~~X~~ topiarius, *Mg.*
~~X~~ annulatus, *Ztt.*
~~X~~ lineola, *Ztt.*
~~X~~ vittiger, *Ztt.*
~~X~~ grossulariæ, *Mg.*
~~X~~ diaphanus, *Ztt.*
~~X~~ ribesii, *L.*
~~X~~ vitripennis, *Mg.*
~~X~~ latifasciatus, *Mcq.*
~~X~~ nitidicollis, *Mg.*
~~X~~ nitens, *Ztt.*
~~X~~ arcuatus, *Fln.*
~~X~~ lapponicus, *Ztt.*
~~X~~ corollæ, *F.*
~~X~~ luniger, *Mg.*
~~X~~ bifasciatus, *F.*

- ~~✓~~ balteatus, Deg.
~~✓~~ cinctellus, Ztt.
~~✓~~ cinctus, Fln.
~~✓~~ auricollis, Mg.
~~✓~~ decorus, Mg.
 var. maculicornis, Ztt.
 var. nigriritibius, Rnd.
~~✓~~ euchromus, Kow.
~~✓~~ triangulifer, Ztt.
~~✓~~ punctulatus, Verr.
~~✓~~ guttatus, Fln.
 flavifrons, Verr.
~~✓~~ umbellatarum, F.
~~✓~~ compositarum, Verr.
~~✓~~ labiatarum, Verr.
~~✓~~ lasiophthalmus, Ztt.
~~✓~~ arcticus, Ztt.
~~✓~~ barbifrons, Fln.

SPHÆROPHORIA,
St. Farg.

- scripta, L.
 var. dispar, Lw.
 var. nigricoxa, Ztt.
 var. strigata, Stæg.
 menthastri, L.
 var. picta, Mg.
 var. taniata, Mg.
 var. dubia, Ztt.
 flavicauda, Ztt.
 var. nitidicollis, Ztt.

XANTHOGRAMMA,
Schin.

- ~~✓~~ ornatum, Mg.
~~✓~~ citrofasciatum, Deg.

DOROS, Mg.

- conopseus, F.

BACCHA, F.

- ~~✓~~ obscuripennis, Mg.
~~✓~~ elongata, F.

PELECOCERA, Mg.

- ~~✓~~ tricineta, Mg.

CHAMÆSYRPHUS,
Mik.

- ~~✓~~ scævoides, Fln.

SPHEGINA, Mg.

- ~~✓~~ clunipes, Fln.

ASCIA, Mg.

- ~~✓~~ podagrica, F.
~~✓~~ dispar, Mg.
~~✓~~ floralis, Mg.
~~✓~~ geniculata, Mg.

BRACHYOPA, Mg.

- ~~✓~~ bicolor, Fln.

RHINGIA, Scop.

- ~~✓~~ rostrata, L.
~~✓~~ campestris, Mg.

VOLUCELLINÆ.

VOLUCELLA, Geoff.

- ~~✓~~ bombylans, L.
~~✓~~ inanis, L.
~~✓~~ inflata, F.
~~✓~~ pellucens, L.

ERISTALINÆ.

ERISTALIS, Ltr.

- ~~✓~~ sepulchralis, L.
~~✓~~ æneus, Scop.
~~✓~~ cryptarum, F.
~~✓~~ tenax, L.
~~✓~~ intricarius, L.
 var. furvus, Verr.
~~✓~~ arbustorum, L.
~~✓~~ nemorum, L.
~~✓~~ pertinax, Scop.
~~✓~~ rupium, F.
~~✓~~ horticola, Deg.

MYIATROPA, Rnd.

- ~~✓~~ florea, L.

HELOPHILUS, Mg.

- ~~✓~~ trivittatus, F.
~~✓~~ hybridus, Lw.
~~✓~~ pendulus, L.
 frutetorum, F.
~~✓~~ versicolor, F.
 lunulatus, Mg.
 transfugus, L.
~~✓~~ lineatus, F.
 vittatus, Mg.

MALLOTA, Mg.

- ~~✓~~ cimbiciformis, Fln.
~~✓~~ eristoloides, Lw.

MERODON, Mg.

- ~~✓~~ equestris, F.
 var. narcissi, F.
 var. transversalis, Mg.
 var. validus, Mg.

MILESINÆ.

TROPIDIA, Mg.

- ~~✓~~ scita, Harr.
 milesiformis, Fln.

MYIOLEPTA, Newm.

- ~~✓~~ luteola, Gmel.

CRIORRHINA, Mcq.

- ~~✓~~ ranunculi, Pz.
 ruficauda, Mg.
~~✓~~ berberina, F.
~~✓~~ oxyacanthæ, Mg.
~~✓~~ floccosa, Mg.
~~✓~~ asilica, Fln.

POCOTA, St. Farg.

- ~~✓~~ apiformis, Schrk.

CYNORRHINA, Willist.

- fallax, L.

BRACHYPALPUS, Mcq.

- ~~✓~~ bimaculatus, Mcq.

XYLOTA, Mg.

- ~~✓~~ segnis, L.
~~✓~~ tarda, Mg.
 confinis, Ztt.
~~✓~~ lenta, Mg.
~~✓~~ sylvarum, L.
 nemorum, F.
~~✓~~ florum, F.
 abiens, W.

SYRITTA, St. Farg.

- ~~✓~~ pipiens, L.

EUMERUS, Mg.

- ~~✓~~ sabulonum, Fln.
~~✓~~ ornatus, Mg.
~~✓~~ strigatus, Fln.
 lunulatus, Mg.

CHRYSOCHLAMYS,
Rnd.

- ~~✓~~ euprea, Scop.
~~✓~~ ruficornis, F.

CALLIPROBOLA, *Rnd.*✓ speciosa, *Rossi.*ARCTOPHILA, *Schin.*✓ muscitans, *F.*SERICOMYIA, *Mg.*✓ borealis, *Fln.*✓ lappona, *L.*

CHRYSTOXINÆ.

CHRYSTOXUM, *Mg.*✓ cautum, *Harr.*sylvanum, *Mg.*✓ arcuatum, *L.*octomaculatum, *Curt.*✓ elegans, *Lw.*✓ festivum, *L.*vernale, *Lw.*✓ bicinctum, *L.*CALLICERA, *F.*✓ ænea, *F.*

MICRODONTINÆ.

MICRODON, *Mg.*✓ mutabilis, *L.*devius, *L.*latifrons, *Lw.*

CONOPIDÆ.

CONOPINÆ.

CONOPS, *L.*✓ vesicularis, *L.*✓ quadrifasciata, *Deg.*✓ ceriiformis, *Mg.*strigata, *Mg.*✓ flavipes, *L.*

PHYSOCEPHALA,

Schin.✓ nigra, *Deg.*✓ rufipes, *F.*

MYOPINÆ.

ZODION, *Ltr.*✓ cinereum, *F.*ONCOMYIA, *Dsv.*✓ atra, *F.*pusilla, *Mg.*SICUS, *Scop.*✓ ferrugineus, *L.*MYOPA, *F.*✓ buccata, *L.*✓ testacea, *L.*polystigma, *Rnd.*✓ fasciata, *Mg.*dorsalis, *F.*

ÆSTRIDÆ.

GASTROPHILUS,

Leach.✓ equi, *F.*hæmorrhoidalis, *L.*✓ nasalis, *L.*CEPHENOMYIA, *Ltr.*✓ rufibarbis, *Mg.*auribarbis, *Mg.*HYPODERMA, *Ltr.*✓ lineatum, *Vill.*bovis, *Deg.*Diana, *Brau.*ÆSTRUS, *L.*✓ ovis, *L.*biangulatus, *Cooke.*

PHARYNGOMYIA,

*Schin.*picta, *Mg.*

TACHINIDÆ.

TACHININÆ.

MEIGENIA, *Dsv.*egens, *Egg.*✓ bisignata, *Mg.*dorsalis, *Mg.*vernalis, *Dsv.*floralis, *Mg.*majuscula, *Rnd.*VIVIANIA, *Rnd.*cinerea, *Fln.*pacta, *Mg. (pt.).*MERIANIA, *Dsv.*✓ puparum, *F.*MASICERA, *Mcq.*sylvatica, *Fln.*pratensis, *Mg.*✓ ~~myiodes~~CEROMASIA, *Rnd.*machairopsis, *Br. & Berg.*angelicæ, *Mg.*agilis, *Mg.*florum, *Mcq.*rutila, *Mg.*festinans, *Mg.*hortensis, *Mg.*juvenilis, *Rnd.*✓ senilis, *Mg.*myiodes, *Dsv.*brevipennis, *Mg.*parva, *Mcq.*✓ stabulans, *Mg.*spectabilis, *Mg.*GYMNOCHÆTA, *Dsv.*✓ viridis, *Fln.*EXORISTA, *Mg.*✓ vetula, *Mg.*chelonæ, *Rnd.*agnata, *Rnd.*affinis, *Mg. (Fln. ?).*✓ fimbriata, *Mg.*biserialis, *Mcq.*flavicans, *Rnd.*✓ notabilis, *Mg.*intersita, *Wlk.*intermixta, *Wlk.*floralis, *Meade.*mutabilis, *Fln.*perturbans, *Ztt.*ruficauda, *Ztt.*noctuicida, *Rnd.*jucunda, *Mg.*lucorum, *Mg.*EPICAMPOCERA, *Mcq.*succincta, *Mg.*✓ ambulans, *Mg.*BLEPHARIDEA, *Rnd.*✓ vulgaris, *Fln.*

MYXEXORISTA,

*Br. & Berg.*fauna, *Mg.*

macrops, Br. & Berg.
libatrix, Mg.

FRONTINA, Mg.

nigricans, Egg.
læta, W.
fugax, Rnd.

CAMPYLOCHÆTA, Rnd.

obscura, Fln.

PHOROCERA, Dsv.

serriventris, Rnd.
concinata, Mg.
cilipeda, Rnd.
internexa, Wlk.
pumicata, Mg.
gracilis, Egg.

BOTHRIA, Rnd.

assimilis, Fln.
cæsifrons, Mcq.
segregata, Rnd.
frontosa, Mg.
pascuorum, Rnd.

BLEPHARIPODA, Rnd.

scutellata, Dsv.
major, Mcq.
atropivora, Rnd.
morosa, Mg.

SISYROPA, Br. & Berg.

angusta, Br. & Berg.
hortulana, Egg.
? acronyctarum, Mcq.
lucorum, Rnd.
gnava, Mg.

lota, Mg.
excisa, Fln.

CHÆTOLYGA, Rnd.

analis, Mcq.
amœna, Mg.
glabrata, Mg.
exacta, Wlk.
apicalis, Mg.
quadripustulata, F.
dispecta, Wlk.
nigrithorax, Egg.

TACHINA, Mg.

larvarum, L.
grandis, Egg.
erucarum, Rnd.
rustica, Mg.
noctuarum, Rnd.
latifrons, Rnd.
nigricans, Egg.
præpotens, Mg.?

STOMATOMYIA, Br. & Berg.

filipalpis, Rnd.

PERICHÆTA, Br. & Berg.

unicolor, Fln.

GERMARIA, Dsv.

ruficeps, Fln.

GONIA, Mg.

fasciata, Mg.
divisa, Mg.
capitata, Deg.
ornata, Mg.
trifaria, Zlr.
lateralis, Zlr.
Førsteri, Mg.

THELYMORPHA, Br. & Berg.

vertiginosa, Fln.
marmorata, F.

BRACHYCHÆTA, Br. & Berg.

DESVOIDIA, Meade.
spinigera, Rnd.
fusca, Meade.

MONOCHÆTA, Br. & Berg.

leucophæa, Mg.
albicans, Fln.

APOROMYIA, Rnd.

dubia, Fln.

SOMOLIA, Rnd.

rebaptizata, Rnd.
crassitarsis (Polidea), Ztt.
œnea, Mg.

MICRONYCHIA,

Br. & Berg.
ruficauda, Ztt.

MINTHO, Dsv.

præceps, Scop.
compressa, F.

MELANOTA, Rnd.

volvulus, F.

PELATACHINA, Meade.

tibialis, Fln.

MACQUARTIA, Dsv.

dispar, Fln.
tenebricosa, Mg.
nitida, Ztt.
affinis, Schin.
grisea, Fln.
spinicincta, Meade.
ciliaris, Ztt.
flavipes, Mg.
cælebs, Mcq.

MACROPROSOPA, Br. & Berg.

atrata, Mg.

LOEWIA, Egg.

setibarba, Egg.
brevifrons, Rnd.

PTILOPS, Rnd.

chalybeata, Mg.

ANTHRACOMYIA, Rnd.

melanoptera, Mg.
nana, Mg.
anthracina, Mg.

DEGEERIA, Mg.

ornata, Mg.
collaris, Fln.
medorina, Schin.
pulchella, Mg.
luctuosa, Mg.
pygmæa, Mcq.
grandicornis, Ztt.

THELAIRA, Dsv.

leucozona, Pz.
nigripes, F.

DEMOTICUS, *Mcq.*

- plebeius, *Fln.*
 longirostris, *Mg.*
 frontatus, *Boh.*
 spretus, *Mg.*

MYIOBIA, *Dsv.*

- aurea, *Fln.*
 fenestrata, *Mg.*
 longipes, *Mg.*
 inanis, *Fln.*
 pacifica, *Mg.*

RHYNCHISTA, *Rnd.*
 proluxa, *Mg.*ZOPHOMYIA, *Mcq.*
 temula, *Scop.*OLIVIERIA, *Dsv.*

- lateralis, *F.*
 rufomaculata, *Deg.*

OCYPTERA, *Ltr.*

- brassicaria, *F.*
 cylindrica, *F.*

OCYPTERULA, *Rnd.*
 pusilla, *Mg.*LOPHOSIA, *Mg.*

- fasciata, *Mg.*

MICROPALPUS, *Mcq.*

- vulpinus, *Fln.*
 comptus, *Fln.*
 fulgens, *Mg.*
 pictus, *Mg.*
 hæmorrhoidalis, *Fln.*
 pudicus, *Rnd.*
 quadraticornis (*Nemoræa*), *Meade.*

ERIGONE, *Dsv.*

- radicum, *F.*
 strenua, *Mg.*
 conjuncta, *Wlk.*
 vagans, *Mg.*
 cæsia, *Fln.*
 rudis, *Fln.*
 nemorum, *Mg.*

- consobrina, *Mg.*
 appendiculata, *Mcq.*
 intermedia, *Ztt.*
 setosa, *Mcq.?*
 vivida, *Ztt.*

ECHINOMYIA, *Dum.*

- grossa, *L.*
 fera, *L.*

FABRICIA, *Dsv.*

- ferox, *L.*

PELETERIA, *Dsv.*
 tessellata, *F.*SERVILLIA, *Dsv.*

- lurida, *F.*
 leucocoma, *Mg.*
 ursina, *Mg.*

PLAGIA, *Mg.*

- ruralis, *Fln.*
 curvinervis, *Ztt.*
 trepida, *Mg.*

THRYPTOCERINÆ.

ANACHÆTOPSIS,
*Br. & Berg.*ocypterina, *Ztt.*PHORICHÆTA, *Rnd.*

- lugens, *Mg.*
 carbonaria, *Pz.*
 tricineta, *Rnd.*

PTYCHONEURA,
Br. & Berg.

- rufitarsis, *Mg.*
 ?rubitarsis, (*Ztt.*)
Meade.

DISCOCHÆTA,
Br. & Berg.

- muscaria, *Fln.*
 cognata, *Schin.*

UROPHYLLA,
Br. & Berg.

- blanda, *Fln.*
 ?seria, *Mg.*
 ?Dalii (*Degeeria*),
Meade.

RÆSELIA, *Dsv.*

- antiqua, *Fln.*
 pallipes, *Fln.*
 atra, *Dsv.*

STAUFERIA, *Br. & Berg.*procera, *Mg.*DIGONCHÆTA, *Rnd.*

- spinipennis, *Mg.*
 setipennis, *Fln.*

THRYPTOCERA, *Mcq.*

- pilipennis, *Mg.*
 crassicornis, *Mg.*
 bicolor, *Mg.*
 minutissima, *Ztt.*
 latifrons, *Mg.*

BLEPHAROMYIA,
Br. & Berg.

- amplicornis, *Ztt.*
 incerta, *Meade* (*Phorocera*).

HYPOSTENA, *Mg.*procera, *Mg.*SIPHONA, *Mg.*

- cristata, *F.*
 geniculata, *Deg.*

GYMNOSOMINÆ.

GYMNOSOMA, *Mg.*

- rotundatum, *L.*

CERCOMYIA, *Br. & Berg.*

- curvicauda, *Fln.*
 thoracica, *Mg.?*

PSALIDA, *Rnd.*
 simplex, *Fln.*

PHASINÆ.

PHASIA, *Ltr.*rothi, *Ztt.*ALOPHORA, *Dsv.*

- hemiptera, *F.*
 obesa, *F.*
 pusilla, *Mg.*

CLYTIA, *Dsv.*
continua, *Pz.*
rotundiventris, *Fln.*

TRIXINÆ.

TRIXA, *Mg.*
alpina, *Mg.*
ferruginea, *Mg.*
æstroidea, *Dsv.*
scutellata, *Newm.*
grisea, *Mg.*

FORTISIA, *Rnd.*
fœda, *Mg.*

REDTENBACHERIA,
Schin.
insignis, *Egg.*

PHYTO, *Dsv.*
melanocephala, *Mg.*
parvicornis, *Mg.*
nigra, *Dsv.*

STEVENIA, *Dsv.*
maculata, *Fln.*

MELANOPHORA, *Mg.*
roralis, *L.*
atra, *Mcq.*

RHINOPHORA, *Dsv.*
atramentaria, *Mg.*
melania, *Mg.*
simplicissima, *Lw.*

FRAUENFELDIA, *Egg.*
rubricosa, *Mg.*
trilineata, *Mg.*

BRACHYCOMA, *Rnd.*
devia, *Fln.*
smerinthe, *Meade.*
erratica, *Mg.*

CLISTA, *Mg.*
lepida, *Mg.*
mœrens, *Mg.*
ænescens, *Ztt. ?*

SARCOPHAGINÆ.

TEPHROMYIA,
Br. & Berg.
grisea, *Mg.*

CYNOMYIA, Dsv.

alpina, *Ztt.*
mortuorum, *L.*

ONESIA, Dsv.

sepulchralis, *Mg.*
cognata, *Mg.*

SARCOPHAGA, Mg.

carnaria, *L.*
similis, *Meade.*
albiceps, *Mg.*
atropos, *Mg.*
melanura, *Mg.*
agricola, *Mg.*
laticornis, *Mg.*
nigriventris, *Mg.*
juvenis, *Rnd.*
clathrata, *Mg.*
adolescens, *Rnd.*
affinis, *Fln.*
dissimilis, *Mg.*
infantula, *Rnd.*
fulvicauda, *Meade.*
haemorrhoidalis, *Mg.*
nurus, *Rnd.*
cruentata, *Mg.*
haematodes, *Mg.*
vulnerata,
Schin.
hæmorrhœa,
Meade.
hæmorrhœa, *Mg.*
offuscata,
Schin.
setipennis,
Rnd.
crythrura, *Fln.*

SARCOPHILA, *Rnd.*
latifrons, *Fln.*

THERIA, *Dsv.*
muscaria, *Mg.*

HETERONYCHIA,
Br. & Berg.
chætoneura, *Br. & Berg.*

NYCTIA, *Dsv.*
halterata, *Pz.*

ENGYOPS, Rnd.

micronyx, *Br. & Berg.*

MILTOGRAMMA, Mg.

punctatum, *Mg.*

METOPODIA,
Br. & Berg.

sp.? cylindrica, *Fln. ?*

METOPIA, Mg.

campestris, *Fln.*
argyrocephala, *Mg.*
leucocephala, *Rossi.*
amabilis, *Mg.*
argentata, *Mcq.*
forficulæ, *Newp.*

SPHIXAPATA, Rnd.

conica, *Fln.*
? piligena (*Arrenopus*),
Rnd.

NEMORÆA, Dsv.

nupta, *Rnd.*
rubrica, *Mg. ?*

DEXINÆ.

MACRONYCHIA, Rnd.

agrestis, *Fln.*
polyodon, *Mg.*

DEXIOSOMA, Rnd.

caninum, *F.*

MYIOSTOMA, Dsv.

cristatum, *Rnd.*

DEXIA, Mg.

rustica, *F.*
vacua, *Fln.*

PROSENA, St. Farg.

sybarita, *F.*
angustifrons (*Aphria*),
Meade.

DINERA, Mcq.

grisesens, *Fln.*

MYIOCERA, Dsv.

carinifrons, *Fln.*

MUSCIDÆ.

IDIA, *Mg.*
lunata, *F.*

STOMOXYS, *Geoff.*
calcitrans, *L.*

HÆMATOBIA, *Dsv.*
stimulans, *Mg.*
irritans, *L.*
serrata, *Dsv.*

POLLENIA, *Dsv.*
vespillo, *F.*
rudis, *F.*
varia, *Mg.*

MYIOSPILA, *Rnd.*
meditabunda, *F.*

GRAPHOMYIA, *Dsv.*
maculata, *Scop.*
picta, *Ztt.*

MUSCA, *L.*
domestica, *L.*
corvina, *F.*

CYRTONEURA, *Mcq.*
stabulans, *Fln.*
pabulorum, *Fln.*
pascuorum, *Mg.*
cæsia, *Mg.*

MORELLIA, *Dsv.*
simplex, *Lw.*
hortorum, *Fln.*
curvipes, *Mcq.*

MESEMBRINA, *Mg.*
meridiana, *L.*

PYRELLIA, *Dsv.*
cadaverina, *L.*
cyanicolor, *Ztt.*
lasiophthalma, *Mcq.*
eriphthalma, *Mcq.*
serena, *Mg.*

PROTOCOLLIPHORA,
Hough.

AVIHOSPITA, *Hendel.*
azurea, *Fln.*
grœnlandica, *Ztt.*

CALLIPHORA, Dsv.

erythrocephala, *Mg.*
vomitória, *L.*

EUPHORIA, Dsv.

PSEUDOPYRELLIA, *Girsch.*
cornicina, *F.*

LUCILIA, Dsv.

cæsar, *L.*
sylvarum, *Mg.*
sericata, *Mg.*
ruficeps, *Mg.*
illustris, *Mg.*
micans, *Mg.*
nobilis, *Mg.*
splendida, *Mg.*
equestris, *Mg.*
regina, *Mg.*

ANTHOMYIDÆ.**MYDÆINÆ.****POLIETES, Rnd.**

lardaria, *F.*
hirticrura, *Meade.*
albolineata, *Fln.*

HYETODESIA, Rnd.

incana, *W.*
lucorum, *Fln.*
marmorata, *Ztt.*
serva, *Mg.*
dispar, *Fln.*
Goberti, *Mik.*
consobrina, *Ztt.*
obscurata, *Mg.*
variabilis, *Fln.*
longipes, *Ztt.*
umbratica, *Mg.*
semicinerea, *W.*
læta, *Fln.*
perdita, *Mg.*
errans, *Mg.*
signata, *Mg.*
lasiophthalma, *Mcq.*
erratica, *Fln.*
basalis, *Ztt.*
quadrinotata, *Mg.*
boleticola, *Rnd.*
rufipalpis, *Mcq.*

Carbo Sch.

abdominalis, *Ztt.*
scutellaris, *Fln.*
populi, *Mg.*
pallida, *F.*

ALLÆOSTYLUS,
Schnbl.

simplex, *W.*
sudeticus, *Schnbl.*
flaveola, *Fln.*

MYDÆA, Dsv.

vespertina, *Fln.*
nigritella, *Ztt.*
allotalla, *Mg.*
urbana, *Mg.*
angelicæ, *Scop.*
tincta, *Ztt.*
pagana, *F.*
affinis, *Meade.*
nigricolor, *Fln.*
impuncta, *Fln.*
separata, *Mg.*

SPHECOLYMA, Perr.

inanis, *Fln.*

SPILOGASTER, Mcq.

nigrinervis, *Ztt.*
maculosa, *Mg.*
notata, *Fln.*
quadrinotata, *Fln.*
duplicata, *Mg.*
communis, *Dsv.*
atripes, *Meade.*
duplaris, *Ztt.*
quadrum, *F.*
fratercula, *Ztt.*
depuncta, *Fln.*
tetrastigma, *Mg.*
flagripes, *Rnd.*
protuberans, *Ztt.*
fuliginosa, *Fln.*
ungulata, *Rnd.*
consimilis, *Fln.*
pertusa, *Mg.*
spinifemorata, *Meade.*
fuscata, *Fln.*
trigonalis, *Mg.*
ciliatocosta, *Ztt.*
scrupulosa, *Ztt.*

platyptera *Ztt.*

LIMNOPHORA, *Dsv.*

- X* punctata, *W.*
- X* sororcula, *Ztt.*
- X* trianguligera, *Ztt.*
- X* contractifrons, *Ztt.*
- X* septemnotata, *Ztt.*
- X* solitaria, *Ztt.*
- X* litorea, *Fln.*
- X* triangula, *Fln.*

MELANOCHILA,
Rnd.

- X* riparia, *Fln.*

MACRORCHIS, *Rnd.*

- X* meditata, *Fln.*

CHELISIA, *Rnd.*

- X* monilis, *Mg.*

HYDROTÆA, *Dsv.*

- X* ciliata, *F.*
- X* occulta, *Mg.*
- X* curvipes, *Ztt.*
- X* cyrtoneurina, *Ztt.*
- X* irritans, *Fln.*
- X* dentimana, *Mg.*
- X* dentipes, *F.*
- X* palæstrica, *Mg.*
- X* similis, *Meade.*
- X* Rondanii, *Meade.*
- X* impexa, *Lw.*
- X* velutina, *Dsv.*
- X* brevipennis, *Lw.*
- X* meteorica, *L.*
- X* armipes, *F.*
- X* albipuncta, *Ztt.*
- X* fasciculata, *Meade.*
- X* parva, *Meade.*
- X* glabricula, *Fln.*

OPHYRA, *Dsv.*

- X* leucostoma, *W.*
- X* anthrax, *Mg.*

DRYMIA, *Mg.*

- X* hamata, *Fln.*

POGONOMYIA, *Rnd.*

- X* alpicola, *Rnd.*

TRICHOPTICUS,
Rnd.

- X* cunctans, *Mg.*
- X* semipellucidus, *Ztt.*
- X* rostratus, *Meade.*
- X* aculeipes, *Ztt.*
- X* hirsutulus, *Ztt.*
- X* innocuus, *Ztt.*
- X* pulcher, *Meade.*

ANTHOMYINÆ.

HYDROPHORIA, *Dsv.*

- X* ambigua, *Fln.*
- X* divisa, *Mg.*
- X* caudata, *Ztt.*
- X* conica, *W.*
- X* brunneifrons, *Ztt.*
- X* linogrisea, *Mg.*
- X* anthomyia, *Rnd.*
- X* socia, *Fln.*
- X* albifrons, *Meade.*

HYLEMYIA, *Dsv.*

- X* virginea, *Mg.*
- X* variata, *Fln.*
- X* spinosa, *Rnd.?*
- X* lasciva, *Ztt.*
- X* flavipennis, *Fln.*
- X* seticrura, *Rnd.*
- X* cardui, *Mg.*
- X* nigrescens, *Rnd.*
- X* pullula, *Ztt.*
- X* cinerella, *Mg.*
- X* cinerosa, *Ztt.*
- X* antiqua, *Mg.*
- X* grisea, *Fln.*
- X* strigosa, *F.*
- X* nigrimana, *Mg.*
- X* præpotens, *W.*
- X* puella, *Mg.*
- X* operosa, *Mg.*
- X* coarctata, *Fln.*
- X* penicillaris, *Rnd.*
- X* criniventris, *Ztt.*
- X* tibiaria, *Rnd.*

EUSTALOMYIA, *Kow.*

- X* hilaris, *Fln.*
- X* festiva, *Ztt. ?*

MYCOPHAGA, *Rnd.*

- X* fungorum, *Deg.*

LASIOPS, *Rnd.*

- X* Røderi, *Kow.*
- X* ctenoctema, *Kow.*
- X* Meadii, *Kow.*

ANTHOMYIA, *Mg.*

- X* pluvialis, *L.*
- X* albicincta, *Fln.*
- X* pratincola, *Pz.*
- X* radicum, *L.*
- X* sulciventris, *Ztt.*

CHORTOPHILA, *Mcq.*

- X* buccata, *Fln.*
- X* unilineata, *Ztt.*
- X* albescens, *Ztt.*
- X* arenosa, *Ztt.*
- X* striolata, *Fln.*
- X* cinerea, *Fln.*
- X* cinerella, *Fln.*
- X* curvicauda, *Ztt.*
- X* trapezina, *Ztt.*
- X* impudica, *Rnd.*
- X* odontogaster, *Ztt.*
- X* cinerea, *♀ Meade.*
- X* sepia, *Mg.*
- X* Billbergi, *Ztt.*
- X* sylvestris, *Fln.*
- X* longula, *Fln.*

PHORBIA, *Dsv.*

- X* floccosa, *Mcq.*
- X* transversalis, *Ztt.*
- X* discreta, *Mg.*
- X* pudica, *Rnd.*
- X* dissecta, *Mg.*
- X* lactuæ, *Bouché.*
- X* seneciella, *Meade. ?*
- X* intersecta, *Mg.?*
- X* obscura, *Mcq.*
- X* muscaria, *Mg.*
- X* histrio, *Ztt.*
- X* cilicrura, *Rnd.*
- X* trichodactyla, *Rnd.*
- X* florilega, *Ztt.*
- X* vetula, *Ztt.?*
- X* ignota, *Rnd.*
- X* cepetorum, *Meade.*
- X* cinerea, *♂ Meade.*
- X* neglecta, *Meade.*
- X* exigua, *Meade.*

PEGOMYIA, Dsv.

- ~~X~~betæ, Curt.
 conformis, Fln.
 palliceps, Ztt.
~~X~~hæmorrhous, Ztt.
~~X~~rufipes, Fln.
~~X~~transversa, Fln.
 transgressa, Ztt.
~~X~~latitarsis, Ztt.
~~X~~bicolor, W.
~~X~~nigritarsis, Ztt.
~~X~~fulgens, Mg.
 exilis, Mg.
~~X~~ephippium, Ztt.
 versicolor, Mg.
~~X~~flavipes, Fln.
 vittigera, Ztt.
 silacea, Mg.
~~X~~*univittata* Ros.
 CHIROSIA, Rnd.
~~X~~albitarsis, Ztt.

HOMALOMYINÆ.

HOMALOMYIA,
Bouché.

- ~~X~~hamata, Mcq.
 aprica, Hal.
~~X~~fuscata, Fln.
~~X~~pretiosa, Schin.
 Roserii, Rnd.
~~X~~pallitibia, Rnd.
~~X~~manicata, Mg.
~~X~~monilis, Hal.
~~X~~scalaris, F.
~~X~~canicularis, L.
~~X~~armata, Mg.
~~X~~aërea, Ztt.
 carbonaria, Meade.
 umbrosa, Stein.
~~X~~coracina, Lw.
 Kowarzi, Verr.
 Verrallii, Stein.
~~X~~postica, Stein.
~~X~~sociella, Ztt.
~~X~~?lepidæ, W.
 triangulifera, Meade.
~~X~~similis, Stein.
~~X~~parva, Stein.
~~X~~serena, Fln.
~~X~~corvina, Verr.
~~X~~polychæta, Stein.
~~X~~?lepidæ, W.

- glaucescens, Ztt.
 herniosa, Rnd.
~~X~~incisurata, Ztt.
 vesparia, Meade.
~~X~~mutica, Ztt.
 triangulifera, Rnd.
 nigrisquama, Meade.
~~X~~genualis, Stein.

PIEZURA, Rnd.

- ~~X~~pardalina, Rnd.

AZELIA, Dsv.

- ~~X~~Macquarti, Stæg.
~~X~~Zetterstedti, Rnd.
~~X~~cilipes, Hal.
~~X~~triquetra, W.
~~X~~gibbera, Mg.
~~X~~aterrima, Mg.

CÆLOMYIA, Hal.

- ~~X~~mollissima, Hal.

CÆNOSINÆ.

CARICEA, Dsv.

- ~~X~~tigrina, F.
 exsul, Ztt.
~~X~~humilis, Mg.
 sexmaculata, Mg.
~~X~~intermedia, Fln.
~~X~~means, Mg.

ALLOGNOTA, Pok.

- ~~X~~agromyzella, Rnd.

CÆNOSIA, Mg.

- ~~X~~infantula, Rnd.
~~X~~elegantula, Rnd.
 tricolor, Meade.
 pallicornis, Ztt.
~~X~~sexnotata, Mg.
 genualis, Rnd.
 geniculata, Fln.

- ~~X~~verna, F. ?
 pedella, Fln.
 costata, Mg.
 pictipennis, Lw.

ATHERIGONA, Rnd.

- varia, Mg.

HOPLOGASTER, Rnd.

- ~~X~~mollicula, Fln.

LISPE, Ltr.

- ~~X~~tentaculata, Deg.
 litorea, Fln.
 gemina, v. d. Wulp.
 crassiuscula, Lw.
 uliginosa, Fln.
 pulchella, Lw.

FUCELLIA, Dsv.

- ~~X~~fucorum, Fln.
~~X~~maritima, Hal.
 muscaria, Ztt.

CORDYLURIDÆ.

CORDYLURA, Fln.

- ~~X~~pudica, Mg.
 rufimana, Mg.
~~X~~pubera, F.
~~X~~ciliata, Mg.
 umbrosa, Mg.
 biseta, Lw.
 similis, Siebke.
 rufipes, Mg.

PARALLELOMMA,
Beck.

- ~~X~~albipes, Fln.
 vittata, Mg.

CNEMOPOGON, Rnd.

- apicalis, Mg.

LEPTOPA, Ztt.

- filiformis*, Ztt.

AMAUROSOMA, Beck.

- ~~X~~fasciata, Mg.
 brevipennis, Curt.
 tibiella, Ztt.
~~X~~*inermis* Beck.

NORELLIA, Dsv.

- ~~X~~spinimana, Fln.
 flavicauda, Mg.
 nerrosa, Mde. (nec Mg.).
 striolata, Mg. pt.
~~X~~liturata, Mg.
 spinigera, Ztt.

HYDROMYZA, Fln.

- ~~X~~livens, F.

POGONOTA, Ztt.
 ✕ hircus, Ztt.
 MICROPROSOPA,
 Beck.
 pallipes, Ztt.
 heteromyzina, Ztt.
 TRICHOPALPUS, Rnd.
 ✕ fraternus, Mg.
 ✕ punctipes, Mg.
 SPATHIOPHORA, Rnd.
 hydromyzina, Fln.
 Falleni, Schin.
 SCATOPHAGA, Mg.
 ✕ scybalaria, L.
 tæniopa, Rnd.
 ✕ suilla, F.
 spurca, Mg.
 scatomyzoides, Ztt.
 ✕ inquinata, Mg.
 maculipes, Ztt.
 ordinata, Beck.
 ✕ analis, Mg.
 ✕ lutaria, F.
 ✕ stercoraria, L.
 merdaria, F. ✕
 ✕ squalida, Mg.
 ✕ litorea, Fln.
 villipes, Ztt.
 fontanalis, Rnd.
 maculipennis, Beck. (in
 litt.)
 arrogans, Hal.
 calida, Hal.
 rudis, Hal.
 decipiens, Hal.
 dalmatica, Beck.
 eximia, Hal.
 CERATINOSTOMA,
 Meade.
 ostiorum, Hal.
 CONIOSTERNUM,
 Beck.
 obscurum, Fln.
 CLIDOGASTRA, Mcq.
 nigrita, Fln.
 GYMNOMERA, Rnd.
 tarsea, Fln.
 dorsata, Ztt.

THYREOPHORA, Mg.
 furcata, F.
 PHYCODROMIDÆ.
 ORYGMA, Mg.
 luctuosum, Mg.
 PHYCODROMA, Stnh.
 sciomyzina, Hal.
 CÆLOPA, Mg.
 pilipes, Hal.
 frigida, Mg.
 FUCOMYIA, Hal.
 gravis, Hal.
 eximia, Stnh.
 frigida, Fln.
 parvula, Hal.
 glabra, Wlk.
 HELOMYZIDÆ.
 HELOMYZA, Fln.
 humilis, Mg.
 ✕ inornata, Lw.
 ✕ rufa, Fln.
 variegata, Lw.
 ✕ pectoralis, Lw.
 affinis, Mg.
 ✕ flava, Mg.
 ✕ similis, Mg.
 ✕ lævifrons, Lw.
 suilloidea, (Desv.) Hal.
 ustulata, Mg.
 montana, Lw.
 ✕ Zetterstedtii, Lw.
 ✕ pallida, Fln. (nec Ztt.)
 olens, (Mg.?) Lw.
 ✕ flavifrons, Ztt.
 ALLOPHYLA, Lw.
 ✕ atricornis, Lw.
 SCOLIOCENTRA, Lw.
 ✕ villosa, Mg.
 ECOTHEA, Hal.
 fenestralis, Fln.
 ECCOPTOMERA, Lw.
 sp.?

BLEPHAROPTERA, Lw.
 ✕ spectabilis, Lw.
 ✕ ruficauda, Ztt.
 ✕ inscripta, Mg.
 ✕ humeralis, Ztt.
 flavicornis, Lw.
 ✕ ruficornis, Mg.
 ✕ serrata, L.
 ✕ modesta, Mg.
 HETEROMYZA, Fln.
 ✕ atricornis, Mg.
 commixta, Coll.
 rotundicornis, Meade
 (nec Ztt.)
 ✕ oculata, Fln.
 magnicornis, Lw.
 TEPHROCHLAMYS, Lw.
 ✕ rufiventris, Mg.
 ✕ flavipes, Ztt.
 HETERONEURIDÆ.
 HETERONEURA, Fln.
 ✕ albibana, Mg.
 alpina, Lw.
 nigrimana, Lw.
 STOMPHASTICA, Lw.
 ✕ flava, Mg.
 tigrina, Fln.
 decora, Lw.
 TRIGONOMETOPUS,
 Mcq.
 ✕ frontalis, Mg.
 SCIOMYZIDÆ.
 LUCINA, Mg.
 fasciata, Mg.
 ACTORA, Mg.
 æstuum, Mg.
 CEDOPAREA, Lw.
 ✕ buccata, Fln.
 DRYOMYZA, Fln.
 ✕ flaveola, F.
 decrepita, Ztt.
 ✕ Senilis Ztt.

NEUROCTENA, *Rnd.*

H anilis, *Fln.*

NEOTTIOPHILUM,

Frfd.

H præustum, *Mg.*

SCIOMYZA, *Fln.*

brevipennis, *Ztt.*

✓ glabricula, *Fln.*

nigriinana, *Mg.*

H pallida, *Fln.*

X fuscinervis, *Ztt.*

X obtusa, *Fln.*

bifasciella, *Fln.*

X nana, *Fln.*

X Schœnherri, *Fln.*

✓ cinerella, *Fln.*

X dubia, *Fln.*

H pallidiventris, *Fln.*

virgata, *Hal.*

pallidicarpa, *Rnd.*

H ventralis, *Fln.*

pusilla, *Ztt.*

simplex, *Fln.*

lata, *Schin.*

H dorsata, *Ztt.*

X ruficeps, *Ztt.*

X griseola, *Fln.*

nasuta, *Ztt.*

X albocostata, *Fln.*

vittata, *Hal.*

PHÆOMYIA, *Schin.*

H fuscipennis, *Mg.*

PELIDNOPTERA, *Rnd.*

nigripennis, *F.*

TETANOCERA, *Dum.*

H elata, *F.*

H lævifrons, *Lw.*

H sylvatica, *Mg.*

✓ unicolor, *Lw.*

H ferruginea, *Fln.*

robusta, *Lw.*

✓ punctata, *F.*

H coryleti, *Scop.*

reticulata, *F.*

H umbrarum, *L.*

X punctulata, *Scop.*
chærophylli, *F.*
coryleti, *Schin. (nec Scop.)*

LIMNIA, *Dsv.*

X marginata, *F.*

H unguicornis, *Scop.*

H rufifrons, *F.*

obliterata, *F.*

ELGIVA, *Mg.*

X albiseta, *Scop.*

H dorsalis, *F.*

✓ lineata, *Fln.*

X rufa, *Pz.*

X cucularia, *L.*

SEPEDON, *Ltr.*

X sphegeus, *F.*

X spinipes, *Scop.*

PSILIDÆ.

PSILA, *Mg.*

H fimetaria, *L.*

✓ rufa, *Mg.*

H pallida, *Fln.*

debilis, *Egg.*

pectoralis, *Mg.*

✓ rosæ, *F.*

H nigricornis, *Mg.*

atra, *Mg.*

✓ nigra, *Fln.* *?*

H bicolor, *Mg.*

villosula, *Mg.*

PSILOSOMA, *Ztt.*

Lefebvrii, *Ztt.*

CHYLIZA, *Fln.*

atriseta, *Mg.*

annulipes, *Mcq.*

H leptogaster, *Pz.*

H ~~nitida~~ *Mg.*
LOXOCERA, *Mg.*

H aristata, *Pz.*

var. *Yerburyi*, *Aust.*

H albiseta, *Schrk.*

sylvatica, *Mg.*

nigrifrons, *Mcq.*

fulviventris, *Mg.*

LISSA, *Mg.*

H loxocerina, *Fln.*

MICROPEZIDÆ.

MICROPEZA, *Mg.*

H corrigiolata, *L.*

lateralis, *Mg.*

CALOBATA, *Mg.*

ephippium, *F.*

✓ cibaria, *L.*

✓ cothurnata, *Pz.*

H petronella, *L.*

adusta, *Lw.*

trivialis, *Lw.*

H stylifera, *Lw.*

sellata, *Mg.*

ORTALIDÆ.

ORTALINÆ.

DORYCERA, *Mg.*

X graminum, *F.*

TETANOPS, *Fln.*

myopina, *Fln.*

PTILONOTA, *Lw.*

H guttata, *Mg.*

centralis, *F.*

ORTALIS, *Fln.*

gangrænosa, *F.*

ornata, *Mg.*

LOXODESMA, *Lw.*

lacustris, *Mg.*

PTEROPÆCTRIA, *Lw.*

✓ afflicta, *Mg.*

✓ nigrina, *Mg.*

paludum, *Fln.*

palustris, *Mg.*

H frondescentiæ, *L.*

oscillans, *Mg.*

mærens, *Mg.*

CEROXYS, *Mcq.*

X pictus, *Mg.*

H crassipennis, *F.*

H omissus, *Mg.*

ANACAMPTA, *Lw.*

H urticæ, *L.*

hyalinata, *Pz.*

PLATYSTOMINÆ.PLATYSTOMA, *Mg.*✂ seminationis, *F.*RIVELLIA, *Dsv.*✂ syngenesiæ, *F.***ULIDINÆ.**SEOPTERA, *Kirby.*✂ vibrans, *L.*ULIDIA, *Mg.*erythropthalma, *Mg.*CHRYSOMYZA, *Fln.*✂ demandata, *F.***TRYPETIDÆ.**CERATITIS, *McLeay.*capitata, *W.*PLATYPAREA, *Lw.*discoidea, *F.*ANOMŒA, *Wlk.*✂ antica, *W.*ACIURA, *Dsv.*✂ rotundiventris, *Fln.*ACIDIA, *Dsv.*✂ cognata, *W.*✂ heraclei, *L.*✂ lychnidis, *F.*GONYGLOSSUM, *Rnd.*Wiedemanni, *Mg.*CHÆTOSTOMA, *Rnd.*curvinervis, *Rnd.*SPILOGRAPHIA, *Lw.*abrotani, *Mg.*✂ Zoë, *Mg.*hamifera, *Lw.*✂ artemisiæ, *F.*✂ alternata, *Fln.*Meigenii, *Lw.*RHAGOLETIS, *Lw.*cerasi, *L.*RHACOCHLÆNA, *Lw.*toxoneura, *Lw.*TRYPETA, *Mg.*jaceæ, *Dsv.*falcata, *Scop.*✂ onotrophes, *Lw.*✂ cornuta, *F.*✂ tussilaginis, *F.*lappæ, *Cedj.*✂ florescentiæ, *L.*colon, *Mg.*serratulæ, *L.*MYOPITES, *Breb.*Blotii, *Breb.*inulæ, *v. Roser.*Frauenfeldi, *Schin.*UROPHORA, *Dsv.*spoliata, *Hal.*macrura, *Lw.*✂ solstitialis, *L.*✂ stylata, *F.*aprica, *Fln.*✂ quadrifasciata, *Mg.*✂ cardui, *L.*SPHENELLA, *Lw.*✂ marginata, *Fln.*CARPHOTRICHIA, *Lw.*✂ guttularis, *Mg.*✂ pupillata, *Fln.*ICTERICA, *Lw.*✂ Westermanni, *Mg.*ENSINA, *Dsv.*✂ sonchi, *L.*TEPHRITIS, *Ltr.*parietina, *L.*✂ miliaria, *Schrk.*✂ corniculata, *Fln.*flavipennis, *Lw.*✂ proboscidea, *Lw.*✂ plantaginis, *Hal.*tessellata, *Lw.*✂ absinthii, *F.*elongatula, *Lw.*hyoscyami, *L.*formosa, *Lw.*conura, *Lw.*ruralis, *Lw.*✂ vespertina, *Lw.*dioscurea, *Lw.*leontodontis, *Deg.*✂ bardanæ, *Schrk.*EUARESTA, *Lw.*✂ conjuncta, *Lw.*guttata, *Fln.*URELLIA, *Dsv.*cometa, *Lw.*eluta, *Mg.*amœna, *Frfd.*✂ stellata, *Fuessl.***LONCHÆIDÆ.**LONCHÆA, *Fln.*✂ vaginalis, *Fln.*chorea, *F.*tarsata, *Fln.*✂ palposa, *Ztt.*ænea, *Mg.*pusilla, *Mg.*latifrons, *Mg.*nigra, *Mg.*nigrimana, *Mg.*PALLOPTERA, *Fln.*✂ saltuum, *L.*✂ ustulata, *Fln.*✂ umbellatarum, *F.*parallela, *Lw.*ambusta, *Mg.*✂ trimacula, *Mg.*✂ arcuata, *Fln.*✂ usta, *Mg.*TOXONEURA, *Mcq.*✂ muliebris, *Harr.*fasciata, *Mcq.***SAPROMYZIDÆ.**PEPLOMYZA, *Hal.*✂ Wiedemanni, *Lw.*? Baumhaueri, *Lw.*SAPROMYZA, *Fln.*✂ longipennis, *F.*lupulina, *F.*

- fasciata*, Fln.
inusta, Mg.
spectabilis, Lw.
flaviventris, Costa.
decempunctata, Fln.
notata, Fln.
pallidiventris, Fln.
bipunctata, Mg.
quadripunctata, L.
obsoleta, Fln.
pallida, Fln.
sordida, Hal.
biumbrata, Lw.
torida, Fln. ?
præusta, Fln.
albiceps, Fln.
placida, Mg.
plumicornis, Fln.
tarsella, Ztt.
decipiens, Lw.
apicalis, Lw.
anisodactyla, Lw.
difformis, Lw.

LAUXANIA, Ltr.

- cylindricornis*, F.
Elisæ, Mg.
atrimana, Mg.
ænea, Fln.
geniculata, F.
hyalinata, Mg.
amica, Hal.

OPOMYZIDÆ.

BALIOPTERA, Lw.

- tripunctata*, Fln.
combinata, L.
venusta, Mg.

OPOMYZA, Fln.

- germinationis*, L.
florum, F.
asteia, Hal.

PELETHOPHILA,
Hagenb.

- lutea*, Fln.
flava, L.

RHICNOËSSA, Lw.
cinerella, Hal.

- TETANURA*, Fln.
pallidiventris, Fln.

SEPSIDÆ.

SEPSIS, Fln.

- punctum*, F.
pectoralis, Mcq.
violacea, Mg.
cynipsea, L.
flavimana, Mg.
nigripes, Mg.
pilipes, v. d. Wulp.
ornata, Mg.
maculipes, Wlk.
concinna, Wlk.
duplicata, Hal.

NEMOPODA, Dsv.

- cylindrica*, F.
stercoraria, Dsv.
nigricornis, Mg.
tarsalis, Wlk.
fumipennis, Wlk.

HENICITA, Westw.

- annulipes*, Mg.
Leachi, Mg.

THEMIRA, Dsv.

- putris*, L.
pilosa, Dsv.
spinosa, Ferr.
superba, Hal.
minor, Hal.

SALTELLA, Dsv.

- sphondylii*, Schrk.
scutellaris, Fln.
nigripes, Dsv.

MYCETAULUS, Lw.
bipunctatus, Fln.

PIOPHILIDÆ.

PIOPHILA, Fln.

- casei*, L.
luteata, Hal.
atrata, F.
varipes, Mg.
affinis, Mg.

- nigrimana*, Mg.
nigriceps, Mg.
latipes, Mg.
nigricornis, Mg.
apii, Westw.

MADIZA, Fln.

- glabra*, Fln.
latipes, Mg.

GEOMYZIDÆ.

ANTHOMYZA, Fln.

- grisea*, Fln.
gracilis, Fln.
flavipes, Ztt.

GEOMYZA, Fln.

- marginella*, Fln.
sabulosa, Hal.
cingulata, Hal.
obscura, Fln.

DIASTATA, Mg.

- punctum*, Mg.
obscuripennis, Mg.
nigripennis, Lw.
unipunctata, Ztt.
costata, Mg.
fulvifrons, Hal.
nebulosa, Fln.

TETHINA, Hal.

- illota*, Hal.

EPHYDRIDÆ.

NOTIPHILINÆ.

DICHÆTA, Mg.

- caudata*, Fln.

NOTIPHILA, Fln.

- uliginosa*, Hal.
nigricornis, Stnh.
stagnicola, Mcq. (nec
Stnh.).

- australis*, Lw.
guttiventris, Stnh.
maculata, Stnh.
venusta, Lw.
riparia, Mg.
cinerea, Fln.
dorsata, Stnh.
annulipes, Stnh.

TRIMERINA, *Mcq.*
madizans, *Fln.*
 DISCOMYZA, *Mg.*
incurva, *Fln.*
cimiciformis, *Hal.*
 PSILOPA, *Fln.*
leucostoma, *Mg.*
nitidula, *Fln.*
compta, *Mg.*
nigritella, *Stnh.*
 DISCOCERINA, *Mcq.*
obscura, *Fln.*
nigrina, *Mg.*
calceata, *Mg.*
pulicaria, *Hal.*
 ATHYROGLOSSA, *Lw.*
glabra, *Mg.*
 HECAMEDE, *Hal.*
albicans, *Mg.*
 HYDRELLINÆ.
 GLENANTHE, *Hal.*
ripicola, *Hal.*
 HYDRELLIA, *Dsv.*
albilabris, *Mg.*
thoracica, *Hal.*
laticeps, *Stnh.*
flavilabris, *Stnh.*
discolor, *Stnh.*
hydrocotyles, *Hal.*
porphyrops, *Hal.*
griseola, *Fln.*
chrysostoma, *Mg.*
nigripes, *Ztt.*
cochleariæ, *Hal.*
ranunculi, *Hal.*
tarsata, *Hal.*
albiceps, *Mg.*
 ATISSA, *Hal.*
pygmæa, *Hal.*
 PHILHYGRIA, *Stnh.*
picta, *Fln.*
punctatonervosa, *Fln.*
stictica, *Mg.*

interrupta, *Hal.*
flavipes, *Fln.*
posticata, *Mg.*
interstincta, *Fln.*
 HYADINA, *Hal.*
scutellata, *Hal.*
guttata, *Fln.*
~~*pulicaria*~~
 AXYSTA, *Hal.*
cesta, *Hal.*
 PELINA, *Hal.*
ænea, *Hal.*
ænescens, *Stnh.*
 OCHTHERA, *Ltr.*
mantis, *Deg.*
 EPHYDRINÆ.
 CANACE, *Hal.*
nasica, *Hal.*
ranula, *Lw.*
 PARHYDRA, *Stnh.*
pusilla, *Mg.*
pubera, *Lw.*
fossarum, *Hal.*
quadripunctata, *Mg.*
aquila, *Fln.*
coarctata, *Fln.*
litoralis, *Mg.*
 HALMOPOTA, *Hal.*
salinarum, *Bouché.*
 EPHYDRA, *Fln.*
riparia, *Fln.*
halophila, *v. Heyd.*
micans, *Hal.*
breviventris, *Lw.*
 ILYTHEA, *Hal.*
spilota, *Hal.*
 CÆNIA, *Dsv.*
defecta, *Hal.*
obscura, *Mg.*
palustris, *Fln.*
albula, *Mg.*
 SCATELLA, *Dsv.*
quadrata, *Fln.*
sibilans, *Hal.*

sorbillans, *Hal.*
æstuans, *Hal.*
stagnalis, *Fln.*
lutosa, *Hal.*
noctula, *Mg.*
leucostoma, *Mg.*
 SCATOPHILA, *Beck.*
cribrata, *Stnh.*
despecta, *Hal.*
 TICHOMYZA, *Mcq.*
fusca, *Mcq.*
 MOSILLUS, *Ltr.*
subsultans, *F.*
 DROSOPHILIDÆ.
 LEUCOPHENGIA, *Mik.*
maculata, *Daf.*
 SCAPTOMYZA, *Hardy.*
flaveola, *Mg.*
graminum, *Fln.*
flava, *Fln.*
gracilis, *Wlk.*
 DROSOPHILA, *Fln.*
transversa, *Fln.*
phalerata, *Mg.*
melanogaster, *Mg.*
fenestrarum, *Fln.*
confusa, *Stæg.*
funebis, *F.*
tristis, *Fln.*
obscura, *Fln.*
litoralis, *Mg.*
cameraria, *Hal.*
nigrita, *Hal.*
ingrata, *Hal.*
 NOTEROPHILA, *Rnd.*
glabra, *Fln.*
 AULACIGASTER, *Mcq.*
rufitarsis, *Mcq.*
 ACLETOMYZA, *Frfd.*
syrphoides, *Frfd.*
 STEGANA, *Mg.*
coleoptrata, *Scop.*
curvipennis, *Fln.*
Phortica
variegata *Schw*

CHLOROPIDÆ.LIPARA, *Mg.*✓ *lucens*, *Mg.*
rufitarsis, *Lw.*EURINA, *Mg.**lurida*, *Mg.*PLATYCEPHALA, *Fln.**umbraculata*, *F.*✓ *planifrons*, *F.*CAMAROTA, *Mg.**flavitaris*, *Mg.*SELACHOPS, *Whlbg.**flavocincta*, *Whlbg.*MEROMYZA, *Mg.*✓ *pratorum*, *Mg.*✓ *saltatrix*, *L.*✓ *variegata*, *Mg.**nigriventris*, *Mcq.**læta*, *Mg.*CENTOR, *Lw.*✓ *cereris*, *Fln.**myopinus*, *Lw.**nudipes*, *Lw.*

ANTHRACOPHAGA,

*Lw.**strigula*, *F.**frontosa*, *Mg.*HAPLEGIS, *Lw.**tarsata*, *Fln.**divergens*, *Lw.**rufifrons*, *Lw.*EUTROPHA, *Lw.**fulvifrons*, *Hal.*DIPLOTOXA, *Lw.**messoria*, *Fln.*CHLOROPS, *Mg.*✓ *Meigenii*, *Lw.**brevimana*, *Lw.*✓ *tæniopus*, *Mg.**puncticollis*, *Ztt.**speciosa*, *Mg.**læta*, *Mg.**rufina*, *Ztt.*✓ *scalaris*, *Mg.**gracilis*, *Mg.**cinctipes*, *Mg.**lateralis*, *Hal.*✓ *hypostigma*, *Mg.*
CHLOROPISCA, *Ew.**ornata*, *Mg.*✓ *glabra*, *Mg.* ?OSCINIS, *Ltr.**albiseta*, *Mg.**maura*, *Fln.**rapta*, *Hal.**frit*, *L.**vastator*, *Curt.**granarius*, *Curt.**pusilla*, *Mg.*SIPHONELLA, *Mcq.**lævigata*, *Fln.**capreolus*, *Hal.**palposa*, *Fln.*ELACHYPTERA, *Mcq.**brevipennis*, *Mg.*✓ *cornuta*, *Fln.***MILICHIDÆ.**CACOXENUS, *Lw.**indagator*, *Lw.*MILICHIA, *Mg.*✓ *ornata*, *Ztt.*PHYLLOMYZA, *Fln.**securicornis*, *Fln.***AGROMYZIDÆ.**DESMOMETOPA, *Lw.**M-atrum*, *Mg.*AGROMYZA, *Fln.**vagans*, *Fln.**lacteipennis*, *Fln.**obscura*, *Fln.**lutea*, *Mg.**pusilla*, *Mg.*✓ *nigripes*, *Mg.*✓ *flaveola*, *Fln.**nana*, *Mg.*✓ *exigua*, *Mg.**latipes*, *Mg.**pistaciæ*, *Curt.**violæ*, *Curt.**flavonotata*, *Hal.**geniculata*, *Fln.*CERATOMYZA, *Schin.*✓ *denticornis*, *Pz.*LIOMYZA, *Mcq.**glabricula*, *Mg.**flavipes*, *Fln.*LEUCOPIS, *Mg.**puncticornis*, *Mg.*✓ *obscura*, *Hal.**griseola*, *Fln.**annulipes*, *Ztt.*OCHTHIPHILA, *Fln.*✓ *polystigma*, *Mg.**juncorum*, *Fln.**aridella*, *Fln.*✓ *geniculata*, *Hal.**flavipalpis*, *Hal.**maritima*, *Ztt.**spectabilis*, *Lw.*SCHÆNOMYZA, *Hal.**litorella*, *Fln.**fasciata*, *Mg.***PHYTOMYZIDÆ.**NAPOMYZA, *Hal.*✓ *lateralis*, *Fln.*PHYTOMYZA, *Fln.**plantaginis*, *Gour.**nigricans*, *Mcq.**albipennis*, *Fln.**notata*, *Mg.**rufipes*, *Mg.**analisis*, *Ztt.**Zetterstedtii*, *Schin.*✓ *flava*, *Fln.**flaviventris*, *Ztt.**populicola*, *Wlk.**aquilegiæ*, *Hardy.*

CHROMATOMYZA,

*Hardy.**ilicis*, *Curt.**obscura*, *Fln.**nigra*, *Mg.*

✓ affinis, *Mg.*
 albiceps, *Mg.*
 flaviceps, *Mcq.*
 cinereifrons, *Hardy.*

ASTIADÆ.

ASTIA, *Mg.*
 concinna, *Mg.*
 amœna, *Mg.*

BORBORIDÆ.

BORBORUS, *Mg.*
 nitidus, *Mg.*
 notabilis, *Coll.*
 ✓ niger, *Mg.*
 ✓ suillorum, *Hal.*
 Roseri, *Rnd.*
 pallifrons, *Fln.*
 pedestris, *Mg.*
 longipennis, *Hal.*
 ✓ vitripennis, *Mg.*
 sordidus, *Ztt.*
 ✓ equinus, *Fln.*
 nigrifemoratus, *Mcq.*
 ✓ geniculatus, *Mcq.*

SPHÆROCERA, *Ltr.*

✓ subsultans, *F.*
 ✓ monilis, *Hal.*
 eximia, *Coll.*
 denticulata, *Mg.*
 vaporariorum, *Hal.*
 ✓ pusilla, *Fln.*
 scabricula, *Hal.*

LIMOSINA, *Mcq.*

lugubris, *Hal.*
 acutangula, *Ztt.*
 vagans, *Hal.*
 ferruginata, *Stnh.*
 fuscipennis, *Hal.*
 ✓ fontinalis, *Fln.*
 roralis, *Rnd.*
 lutosa, *Stnh.*
 Halidayi, *Coll.*
 ✓ limosa, *Fln.*
 geniculata, *Mcq.*
 Zosteræ, *Hal.*
 ✓ pumilio, *Mg.*
 flaviceps, *Stnh.*
 sylvatica, *Mg.*
 curtiventris, *Stnh.*

ochripes, *Mg.*
 scutellaris, *Hal.*
 erratica, *Hal.*
 nivalis, *Hal.*
 clunipes, *Mg.*
 heteroneura, *Hal.*
 rufilabris, *Stnh.*
 ✓ crassimana, *Hal.*
 quisquilia, *Hal.*
 fungicola, *Hal.*
 vitripennis, *Ztt.*
 coxata, *Stnh.*
 spinipennis, *Hal.*
 minutissima, *Ztt.*
 mirabilis, *Coll.*
 nigerrima, *Hal.*
 atomus, *Rnd.*
 melania, *Hal.*
 leucoptera, *Hal.*

PHORIDÆ.

CONICERA, *Mg.*

✓ atra, *Mg.*
 similis, *Hal.*

PLATYPHORA, *Verr.*

Lubbocki, *Verr.*

GYMNOPHORA, *Mcq.*

✓ arcuata, *Mg.*

TRINEURA, *Mg.*

aterrima, *F.*
 ✓ velutina, *Mg.*
 stictica, *Mg.*

PHORA, *Ltr.*

opaca, *Mg.*
 trinervis, *Beck.*
 ✓ lugubris, *Mg.*
 ✓ thoracica, *Mg.*
 ✓ urbana, *Mg.*
 fennica, *Beck.*
 ✓ crassicornis, *Mg.*
 ✓ concinna, *Mg.*
 ✓ maculata, *Mg.*
 unispinosa, *Ztt.*
 dorsalis, *Beck.*
 erythronota, *Strobl.*
 ✓ curvinervis, *Beck.*
 ✓ abdominalis, *Fln.*
 ✓ incrassata, *Mg.*
 ✓ carinifrons, *Ztt.*

autumnalis, *Beck.*
 formicarum, *Verr.*
 pygmæa, *Ztt.*
 ✓ fasciata, *Fln.*
 ✓ lutea, *Mg.*
 ✓ melanocephala, *v. Ros.*
 ✓ rufipes, *Mg.*
 pulicaria, *Fln.*
 minor, *Ztt.*
 ciliata, *Ztt.*
 flava, *Fln.*
 gracilipes, *Mg.*
 ✓ pumila, *Mg.*
 fuscipes, *Mcq.*
 funebris, *Mg.*
 florea, *F.*

METOPINA, *Mcq.*

✓ galeata, *Hal.*

EPROBOSCIDEA.

HIPPOBOSCIDÆ.

HIPPOBOSCA, *L.*

✓ equina, *L.*

ORNITHOMYIA, *Ltr.*

✓ ayicularia, *L.*
 ✓ *Stenopteryx* *Shp.*
 STENOPTERYX,
Leach.

hirundinis, *L.*

OXYPTERUM, *Leach.*

pallidum, *Leach.*
 Kirbyanum, *Leach.*

LILOPTENA, *Nitz.*

✓ cervi, *L.*

MELOPHAGUS, *Ltr.*

✓ ovinus, *L.*

BRAULIDÆ.

BRAULA, *Nitz.*

cæca, *Nitz.*

NYCTERIBIDÆ.

NYCTERIBIA, *Ltr.*

Latreillii, *Leach.*
 Hermannii, *Leach.*

INDEX.

	PAGE		PAGE		PAGE		PAGE
Achalcus.....	19	Atherix	15	Ceratinostoma	30	Conops.	23
Acidia	32	Athyroglossa.....	34	Ceratitis	32	Cordyla	8
Aciura	32	Atissa	34	Ceratomyza	35	Cordylura	29
Acletoxenus	34	Atylotus	15	Ceratopogon	12	Corethra.....	12
Acnemia	9	Aulacigaster	34	Ceratopsyllus	7	Corynoneura	11
Acerocera	16	Axysta	34	Cercomyia	25	Cricotopus	11
Actora	30	Azania	9	Ceromasia	23	Criorrhina	22
Acyphona	13	Azelia	29	Ceroplatus	10	Ctenophora	14
Adelphomyia	14	Baccha.....	22	Ceroxys	31	Ctenopsyllus	7
Ædes	12	Balioptera	33	Chætolysa	24	Culex	12
Agathomyia	20	Bathycranium	20	Chælostoma	32	Cylindrotoma	14
Agromyza	35	Beris	15	Chalarus.....	20	Cynomyia	26
Allocotocera	9	Bibio	10	Chamædipsia	17	Cynorrhina	22
Allodia.....	9	Blepharidæa	23	Chamæsyrrhus	22	Cyrtoma	16
Allœoneurus	19	Blepharipoda	24	Chelisia	28	Cyrtoneura	27
Allœostylus	27	Blepharomyia	25	Chersodromia	18	Dactylolabis	13
Allognota	29	Blepharoptera	30	Chilosia	21	Degeeria	24
Allophyla	30	Boletina	9	Chilotrichia	13	Demoticus	25
Alophora	25	Bolitophila	10	Chironomus	11	Desmometopa	35
Amalopsis.....	14	Bombylius	16	Chirosia	29	Dexia	26
Amaurosoma.....	29	Borborus	36	Chloromyia	15	Dexiosoma	26
Anacampta	31	Bothria	24	Chloropisca	35	Diadocidia	10
Anachætopsis	25	Brachycampta	9	Chlorops	35	Dialineura	16
Anaclinia	9	Brachychæta	24	Chorisops	15	Diamesa	11
Anarete	10	Brachycoma	26	Chortophila	28	Diaphorus	19
Anatella	9	Brachyopa	22	Chromatomyia.....	35	Diastata	33
Anepsius.....	20	Brachypalpus	22	Chrysochlamys.....	22	Dichæta	33
Anisomera	14	Bradysia.....	8	Chrysogaster.....	21	Dicranomyia	13
Anomœa.....	32	Braula.....	36	Chrysomyza	32	Dicranota	14
Anopheles	12	Cacoxenus	35	Chrysonotus	15	Dictenidia	14
Anthomyia.....	28	Cænia	34	Chrysopilus	15	Didea	21
Anthomyza	33	Callicera	23	Chrysops.....	15	Digonochæta.....	25
Anthracomyia	24	Callimyia	20	Chrysotimus	20	Dilophus.....	10
Anthrætophaga	35	Calliphora	27	Chrysotoxum	23	Dinera	26
Anthrax	16	Calliprobola	23	Chrysotus	19	Diœtria	16
Antipalus	16	Calobata	31	Chyliza	31	Diplosis	8
Antocha	13	Camarota	35	Clidogastra	30	Diplotoxæ	35
Aphrosylus	20	Campsicnemus	19	Clinocera	17	Dirrhiza	8
Aporomyia.....	24	Camptocladus	11	Clista	26	Discocerina	34
Arctophila	23	Campylochaeta	24	Clunio	12	Discochaeta	25
Ardoptera	17	Campylomyza	8	Clytia	26	Discomyza	34
Argyra	19	Canace.....	34	Cnemodon	21	Ditomyia	10
Ascia	22	Caricea	29	Cnemopogon	29	Dixa	13
Asilus	16	Carphotricha	32	Cœlomyia	29	Docosia	9
Asindulum.....	10	Catabomba	21	Cœlopa	30	Dolichopeza	14
Asphondylia	7	Catocha	8	Cœlosia	9	Dolichopus.....	18
Aspistes	10	Cecidomyia	7	Cœnosia	29	Doros	22
Astia	36	Center.....	35	Conicera	36	Dorycera.....	31
Atherigona.....	29	Cephenomyia	23	Coniosternum	30	Drapctis	17

	PAGE		PAGE		PAGE		PAGE
Drosophila.....	34	Hecamede	34	Lispe	29	Myiostoma.....	26
Drymia	28	Heleodromia.....	17	Lissa	31	Myopa	23
Dryomyza	30	Helomyza	30	Lœwia	24	Myopites.....	32
Dynatosoma	8	Helophilus.....	22	Lonehæa.....	32	Myxexorista	23
Dysaletria	18	Hemerodromia.....	17	Lonehoptera	20	Napomyza	35
Dysmachus	16	Henicita	33	Lophosia.....	25	Nemopoda	33
Eecoptomera.....	30	Hercostomus	19	Loxocera.....	31	Nemoræa	26
Echinomyia	25	Heteromyza	30	Loxodesma.....	31	Nemotelus	15
Ectomus.....	19	Heteroneura	30	Lueilia.....	27	Neoitamus	16
Elachyptera	35	Heteronychia	26	Lueina.....	30	Neottiophilum	31
Elaphropeza	18	Hilara	17	Maehærinum	19	Nephrocerus.....	20
Elgiva	31	Hippobosca	36	Maehimus	16	Nephrotoma	14
Empalia	9	Homalomyia'.....	29	Macquartia	24	Neurigona	18
Empeda	13	Hoplogaster	29	Macroera	10	Nenroctena	31
Empheria	9	Hormomyia	8	Macronychia	26	Norellia	29
Empis	17	Hyadina	34	Maeropsopa	24	Noterophila	34
Engyops	26	Hybos	16	Macrorehis	28	Notiphila	33
Ensina.....	32	Hydrellia	34	Madiza	33	Nycteribia	36
Ephelia	13	Hydromyza	29	Mallota	22	Nyetia	26
Ephippium	15	Hydrophoria.....	28	Masieera.....	23	Ochthera	34
Ephydra	34	Hydrophorus	19	Medeterus	19	Ochthiphila	35
Epicampocera	23	Hydrotæa	28	Meigenia	23	Ocydromia	17
Epidapus	8	Hyetodesia	27	Melangyna.....	21	Ocyptera	25
Epidosis	8	Hygroceleuthus ..	18	Melanochila	28	Ocypterula.....	25
Epiphragma	14	Hylemyia	28	Melanophora.....	26	Odontomyia	15
Epitriptus	16	Hypoderma	23	Melanostolus.....	19	Oeothæa.....	30
Erigone	25	Hypophyllus.....	19	Melanostoma	21	Oelalea	17
Erioptera	13	Hypostena	25	Melanota	24	Oedoparea	30
Eristalis	22	Hystriehopsylla ..	7	Melophagus	36	Oestrus	23
Euaresta.....	32	Icterica	32	Meriania.....	23	Olivieria	25
Eumerus.....	22	Idia	27	Merodon	22	Oneodes	16
Euphoria	27	Idioptera	13	Meromyza	35	Oneomyia	23
Eurina	35	Ilythea	34	Mesembrina	27	Onesia	26
Euryenemus.....	11	Ischyrosyrphus ..	21	Metopia	26	Opetia	20
Eustalomys	28	Isopogon	16	Metopina	36	Ophyra	28
Eutarsus.....	18	Kowarzia ..	17	Metopodia	26	Opomyza	33
Euthyneura	17	Lamprochromus ..	20	Metriocnemus	11	Oreogeton	17
Eutolmus	16	Laphria	16	Microchrysa	15	Orimarga	13
Eutropha	35	Lasiopogon	16	Microdon	23	Ornithomyia.....	36
Exechia	9	Lasiops	28	Mieromorphus	20	Orphnephila	12
Exorista	23	Lasioptera	7	Mieromyia	8	Ortalis	31
Fabricia	25	Lasiosoma	9	Micronychia	24	Orthoehile	19
Fortisia	26	Lanxania	33	Micropalpus	25	Orthoeladius	11
Frauenfeldia.....	26	Leia	9	Micropeza	31	Orthonenra	21
Frontina.....	24	Lepidomyia	17	Mierophorus	17	Orygma	30
Fucellia	29	Leptis	15	Mieroprosopa	30	Oseinus	35
Fueemyia	30	Leptogaster	16	Milichia	35	Oxycera	15
Gastrophilus.....	23	Leptomorphus	9	Miltogramma	26	Oxypterum	36
Geomyza.....	33	Leptopa	29	Mintho	24	Pachygaster	15
Geranomyia	13	Leptopeza	17	Moehlonyx.....	12	Pachymeria	17
Germaria	24	Lestremia	8	Molophilus.....	13	Pachyrrhinus	14
Glaphyroptera.....	9	Lencophenga	34	Monochaeta	24	Palloptera ..	32
Glenanthe	34	Leucopis.....	35	Monoelona.....	10	Pamponerus	16
Gloma	17	Leucostola	19	Morellia	27	Paragus	20
Gonia	24	Leucozoua	21	Mosillus	34	Parallelomma	29
Goniomyia	13	Liancalus	19	Musca	27	Parhydra	34
Gonyglossum	32	Limnia	31	Myetaulus	33	Pedicia	14
Graphomyia	27	Limnobia	13	Myetobia	10	Pegomyia	29
Gymnochæta.....	23	Limnophila	14	Mycetophila	8	Pelatachina	24
Gymuomera	30	Limnophora	28	Mycophaga	28	Pelecoera	22
Gymnophora.....	36	Limosina	36	Mycothera	9	Peleteria	25
Gymnoptermis.....	19	Liogaster	21	Mydaa	27	Pelethophila	33
Gymnosoma	25	Liogma	14	Myiatropa	22	Pelidnoptera.....	31
Hæmatobia	27	Lionmyza	35	Myiobia	25	Pelina	34
Hæmatopota.....	15	Lipara	35	Myioera	26	Peplomyza.....	32
Halmopota.....	34	Lipoptena	36	Myiolepta	22	Perichæta	24
Haplegis.....	35	Lipsothrix	13	Myiospila	27	Pericoma	12

PAGE	PAGE	PAGE	PAGE
Peronccera..... 14	Ptilonota 31	Sicus 23	Thelaira 24
Phæomyia 31	Ptilops..... 24	Simulium 10	Thelymorpha 24
Phalacrocera..... 14	Ptiolina 15	Siphona 25	Themira 33
Pharyngomyia 23	Ptychoneura 25	Siphonella 35	Thereva 16
Phasia 25	Ptychoptera 13	Sisyropa 24	Theria 26
Philhygria 34	Pulex 7	Somolia 24	Therioplectes 15
Philonicus 16	Pyrellia 27	Spania 15	Thinophilus 20
Phora 36	Pyrophæna 21	Sphærocera 36	Thrypticus..... 19
Phorbia 28	Ragas 17	Sphærophoria 22	Thryptocera 25
Phorichæta 25	Redtenbacheria .. 26	Spathiophora 30	Thyreophora 30
Phorocera 24	Rhacochlæna 32	Sphecolyma 27	Tichomyza..... 34
Phronia 9	Rhadiurgus 16	Sphagina..... 22	Tipula 14
Phthiria 16	Rhagoletis 32	Sphenella 32	Toxoneura 32
Phycodroma 30	Rhamphidia 13	Sphixapata 26	Trichina 17
Phyllomyza 35	Rhamphomyia..... 16	Spilogaster..... 27	Trichocera 14
Physocephala 23	Rhaphium 19	Spilographa 32	Trichomyia 12
Phyto 26	Rhienoëssa..... 33	Stauferia..... 25	Trictonta 9
Phytomyza 35	Rhingia 22	Stegana 34	Trichopalpus 30
Piezura 29	Rhinophora 26	Stenopteryx 36	Trichopeza..... 17
Pipophila 33	Rhipidia 13	Stevenia 26	Trichopticus 28
Pipiza 21	Rhymosia 9	Stilpon 17	Trichopsylla 7
Pipizella 21	Rhynchista 25	Stomatomyia 24	Trichosia 8
Pipunculus 20	Rhypholophus..... 13	Stomoxys 27	Trigonometopus .. 30
Plagia 25	Rhyphus 14	Stomphastica 30	Trimerina 34
Platycephala..... 35	Rivellia 32	Stratiomys..... 15	Trimiera..... 13
Platychirus 21	Roeselia 25	Sycorax 12	Trineura..... 36
Platycnema 20	Saltella 33	Symphoromyia..... 15	Trixa 26
Platyparca..... 32	Sapromyza..... 32	Symplecta 13	Tropidia 22
Platypeza 20	Sarcophaga 26	Sympycnus 20	Trypeta 32
Platyphora 36	Sarcophila 26	Syntormon..... 19	Typhlopsylla..... 7
Platystoma 32	Sargus..... 15	Syritta..... 22	Ula 14
Platyura 10	Scaptomyza 34	Syrphus 21	Ulidia 32
Plesiastina 10	Scatella 34	Tabanus 15	Ulomyia 12
Pocota 22	Scatophaga 30	Tachina 24	Urellia..... 32
Pœcilobothrus 18	Scatophila 34	Tachista 18	Urophora 32
Pœcilostola 14	Scatopse 10	Tachydromia..... 18	Urophylla 25
Pogonomyia 28	Seellus..... 19	Tachypeza 18	Verrallia..... 20
Pogonota 29	Scenopinus 16	Tachytrechus 18	Viviania 23
Polietes 27	Sceptonia 9	Tæniorhynchus .. 13	Volucella 22
Pollenia 27	Schizomyia 8	Tanypus 11	Wiedemannia 17
Polylepta 9	Schœnomyza..... 35	Tanytarsus 11	Winnertzia 8
Porphyrops 19	Schœnophilus 20	Tephritis 32	Xanthandrus 21
Prosenia 26	Sciara 8	Tephrochlamys .. 30	Xanthochlorus 20
Protocalliphora .. 27	Sciodromia..... 17	Tephromyia 26	Xanthogramma .. 22
Psalida 25	Sciomyza 31	Tetanocera..... 31	Xiphandrium 19
Psila..... 31	Sciophila..... 10	Tetanops..... 31	Xiphura 14
Psiloccephala 16	Scolioecentra 30	Tetanura 33	Xylomyia 15
Psilopa 34	Selachops 35	Tethina 33	Xylophagus 16
Psilopus 18	Seoptera 32	Tetragonocura 9	Xylota..... 22
Psilosoma 31	Sepedon 31	Teucophorus 20	Zodion..... 23
Psilota..... 21	Sepsis 33	Thalassomyia 11	Zophomyia 25
Psychoda 12	Sericomyia..... 23	Thamnodromia .. 17	Zygonmyia 9
Pteropæctria..... 31	Servillia 25	Thaumastoptera .. 13	Zygocura 8

PART II.

ADDITIONAL
SPECIES ORIGINALLY DESCRIBED FROM BRITAIN,
BUT PROBABLY UNRECOGNIZABLE UNLESS FROM TYPES.

CHIRONOMIDÆ.**CHIRONOMUS**, *Mg.*

dissidens, *Wlk.*
 ejuncidus, *Wlk.*
 eminulus, *Wlk.*
 futilis, *Wlk.*
 notescens, *Wlk.*
 objectans, *Wlk.*
 perlevis, *Wlk.*
 dispessus, *Wlk.*
 mancus, *Wlk.*
 convictus, *Wlk.*
 incertus, *Wlk.*
 tritus, *Wlk.*
 modicellus, *Wlk.*
 disclusus, *Wlk.*
 inopertus, *Wlk.*
 occipiens, *Wlk.*
 obnixus, *Wlk.*
 pulsus, *Wlk.*
 malacus, *Wlk.*
 imbecillis, *Wlk.*
 obreptans, *Wlk.*
 trichopus, *Wlk.*
 pallidicornis, *Wlk.*
 discrepans, *Wlk.*
 enotatus, *Wlk.*
 involitans, *Wlk.*
 convectus, *Wlk.*
 separatus, *Wlk.*
 irretitus, *Wlk.*
 morulus, *Wlk.*
 patibilis, *Wlk.*
 obvius, *Wlk.*
 impar, *Wlk.*
 incoactus, *Wlk.*
 conversus, *Wlk.*
 zonarius, *Wlk.*
 intextus, *Wlk.*
 appetitus, *Wlk.*
 marcidus, *Wlk.*
 obvertens, *Wlk.*
 convestitus, *Wlk.*
 perreptans, *Wlk.*

hebescent, *Wlk.*
 lentulus, *Wlk.*
 perpessus, *Wlk.*
 inscendens, *Wlk.*
 minusculus, *Wlk.*
 ingratus, *Wlk.*
 nexilis, *Wlk.*
 inserpens, *Wlk.*
 mœrens, *Wlk.*
 irritus, *Wlk.*
 intrudens, *Wlk.*
 pervulsus, *Wlk.*
 excerptus, *Wlk.*
 nactus, *Wlk.*
 oblidens, *Wlk.*
 effusus, *Wlk.*
 incomptus, *Wlk.*
 persidens, *Wlk.*
 obditus, *Wlk.*
 exspatiens, *Wlk.*
 pertenuis, *Wlk.*
 permacer, *Wlk.*
 incallidus, *Wlk.*
 obsepiens, *Wlk.*
 paganicus, *Wlk.*
 oppertus, *Wlk.*
 novatus, *Wlk.*
 offectus, *Wlk.*
 opplens, *Wlk.*
 nitidicollis, *Wlk.*
 pergens, *Wlk.*
 obtexens, *Wlk.*
 deproperans, *Wlk.*
 obsistens, *Wlk.*
 pertractus, *Wlk.*
 moturus, *Wlk.*
 denotatus, *Wlk.*
 alligatus, *Wlk.*
 adjunctus, *Wlk.*
 cœquatus, *Wlk.*
 appositus, *Wlk.*
 perexilis, *Wlk.*
 compertus, *Wlk.*
 contingens, *Wlk.*
 fertus, *Wlk.*
 habilis, *Wlk.*

ictericus, *Wlk.*
 parilis, *Wlk.*
 affinis, *Wlk.*
 patens, *Wlk.*
 cingulatus, *Wlk.*
 expalans, *Wlk.*
 interseptus, *Wlk.*
 impensus, *Wlk.*
 nugax, *Wlk.*
 divisus, *Wlk.*

LEPTIDÆ.**LEPTIS**, *F.*

inutilis, *Wlk.*

EMPIDÆ.**RHAMPHOMYIA**, *Mg.*

saniculæ, *Curt.*

EMPIS, *L.*

gracilis, *Curt.*
unicolor, *Wlk.*
bistortæ, *Wlk.*

TACHINIDÆ.**TACHINA**, *Mg.*

flexa, *Wlk.*
interna, *Wlk.*
dispartita, *Wlk.*
disjuncta, *Wlk.*
nigrolineata, *Wlk.*
discrepans, *Wlk.*
immissa, *Wlk.*
retracta, *Wlk.*
comitata, *Wlk.*
intersecta, *Wlk.*
insuscepta, *Wlk.*
commissa, *Wlk.*
defecta, *Wlk.*

DEXIA, *Mg.*

figens, *Wlk.*

PART III.

ADDITIONAL
REPUTED BRITISH DIPTERA.

PULICIDÆ.

TYPHLOPSYLLA,
Tasch.

assimilis, *Tasch.*
orientalis, *Wagn.*

MYCETOPHILIDÆ.

CEROPLATUS, *Bosc.*
sesioides, *Whlbg.*

CULICIDÆ.

CULEX, *L.*
bicolor, *Mg.*

ASILIDÆ.

ISOPOGON, *Lw.*
hottentotus, *F.*

DYSMACHUS, *Lw.*
forcipatus, *L.*

THEREVIDÆ.

DIALINEURA, *Rnd.*
fuscipennis, *Mg.*

DOLICHOPODIDÆ.

NEURIGONA, *Rnd.*
Erichsonii, *Ztt.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*
trilineata, *Ztt.*

PLATYPEZIDÆ.

PLATYPEZA, *Mg.*
boletina, *Fln.*

SYRPHIDÆ.

PARAGUS, *Ltr.*
albifrons, *Fln.*

CHILOSIA, Mg.

pubera, *Ztt.*
chloris, *Mg.*
olivacea, *Ztt.*

PLATYCHIRUS,

St. Farg.
latimanus, *Whlbg.*

SYRPHUS, F.

nigritarsis, *Ztt.*

CONOPIDÆ.

CONOPS, *L.*
vitellina, *Lw.*

TACHINIDÆ.

MASICERA, *Mcq.*
usta, *Ztt.*

EXORISTA, Mg.

hortulana, *Mg.*
arvensis, *Mg.*
volatica, *Mcq.*
angustipennis, *Mg.?*
heraclei, *Mg.*
laticella, *Mcq.*
consanguinea, *Mcq.*
impavida, *Mcq.*
pallipes, *Fln.*
parens, *Rnd.*

PHOROCERA, *Dsv.*
angusta, *Mcq.*

EXORISTA, Mg.

aratoria, *Mg.*
grandis, *Ztt.*

TRIXA, Mg.

dorsalis, *Mg.*
variegata, *Mg.*

NEMORÆA, Dsv.

histrion, *Mg.*

TACHINA, Mg.

morosa, *Mg.*
terminalis, *Mg.*

PHOROSTOMA, *Dsv.*
maritima, *Schin.*

ANTHOMYIDÆ.

LIMNOPHORA, *Dsv.*
albifrons, *Rnd.*

PEGOMYIA, Dsv.

hyoscyami, *Pz.*
Winthemi, *Mg.*

CORDYLURIDÆ.

MICROPROSOPA, *Beck.*
pallicauda, *Ztt.*

SCIOMYZIDÆ.

LUCINA, *Mg.*
maculipes, *Rnd.*

ORTALIDÆ.

PTEROPÆCILA, *Lw.*
lamed, *Schrk.*

TRYPETIDÆ.

TRYPETA, *Mg.*
matricariæ, *Lw.*

SAPROMYZIDÆ.

SAPROMYZA, *Fln.*
platycephala, *Lw.*

GEOMYZIDÆ.

DIASTATA, *Mg.*
fumipennis, *Mg.*
basalis, *Mg.*

PHYTOMYZIDÆ.

PHYTOMYZA, *Fln.*
nigricornis, *Mcq.*
chaerophylli, *Kalt.*

BORBORIDÆ.

LIMOSINA, *Mg.*
ciliifera, *Rnd.*

PHORIDÆ.

PHORA, *Ltr.*
nigricornis, *Egg.*