Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

2,57

HARDY PERENNIALS

AND

ROCK PLANTS

WHOLESALE

HAMMONTON HARDY PLANT NURSERY

HAMMONTON

NEW JERSEY

SPRING 1932

INTRODUCTION

In presenting our 1932 Spring catalogue to the trade we wish to call attention to our large stock of rock garden plants and to say that we are in a position to take care of any demand for these popular favorites.

In accordance with the trend towards lower prices we have made ours as low as is consistent with well grown plants, true to name.

Our nursery is situated at Folsom about four miles from Hammonton, and can be conveniently reached from any point in New Jersey.

TERMS

Accounts are due in thirty days.

Orders from unknown correspondents, unaccompanied by cash or references will not be filled. If plants are required in a hurry, we suggest that cash and references be sent with first order. This will be promptly forwarded, and we will at once take up the question of shipping future orders on open account.

Prices in this catalogue include packing.

HARDY PERENNIALS AND ROCK PLANTS

Per Doz.—Per 100

ACHILLEA

filipendulina. A strong growing species with large, flat heads of yellow flowers. 3 ft. June-July.	1.25	8.00
Ptarmica Boule de Nieve. Sprays of small, double white flowers. 12 to 18 inches. June-September	1.00	6.00
“ The Pearl. A stronger growing variety than the foregoing, bearing larger flowers. 2 ft. June-September.	1.00	6.00
tomentosa. A dwarf rock plant, forming neat cushions of foliage which are hidden during May and June by heads of bright yellow flowers.	1.25	8.00

ACONITUM

Sparks' Variety. Slender, branching spikes of dark blue flowers. 4-5 ft. July-August.	2.00	12.00
--	------	-------

AETHIONEMA (Lebanon Candytuft)

iberideum. A very free flowering trailer for the rock garden. It has gray, glaucous leaves and the white flowers are produced in terminal clusters. April-May.	2.00	12.00
---	------	-------

AGROSTEMMA

coronaria. Bright crimson flowers and gray woolly foliage making a pleasing contrast. 2 ft. June-July.	1.25	8.00
“ alba. A white variety of the preceding.	1.25	8.00

AJUGA

genevensis. Short spikes of intense blue flowers. A good rock plant. 6 in. June	1.00	6.00
reptans. A quick growing trailer for the rock garden. Bright blue flowers in April.	1.00	6.00

Per Doz.—Per 100

ALYSSUM

argenteum. Large flat heads of golden yellow flowers borne on wiry stems. 1 ft. May-June.	1.00	6.00
montanum. A rare Alpine of compact though trailing habit; its dark green leaves are covered with white encrustations and each of its many stems terminates in a truss of bright yellow flowers in May and June.	1.25	8.00
saxatile compactum (Gold Dust) One of the most popular of spring flowering plants. Masses of yellow flowers in April and May.	1.00	6.00

ANCHUSA

italica Dropmore Variety. Tall spikes of gentian-blue flowers resembling, giant forget-me-nots. 4 ft. June-July.	1.00	6.00
“ Opal. Similar to the last variety but having pale blue flowers.	1.00	6.00
myosotidiflora. A distinct species producing masses of bright-blue, forget-me-not flowers in April and May. 1 ft.	1.50	10.00

ANDROSACE

lanuginosa. A Himalayan plant rare in America. It is of a trailing habit and its prostrate stems are covered with silky leaves. The flowers are rose pink and are borne in clusters at the termination of the stems. May-September.	2.50	15.00
--	------	-------

ANEMONE

Pulsatilla (Pasque Flower) Large cup shaped flowers, bluish-purple in color, filled with golden anthers; borne singly on stems 1 foot in height. April-May.	1.25	8.00
--	------	------

ANTHEMIS

tinctoria Kelwayi. Our stock of this variety has been raised from one plant selected from a large number of seedlings and is a great improvement on the plant usually offered under this name. Its bright yellow flowers are very large and are produced very freely on strong, straight stems. An excellent plant for cutting. 2½ ft. June-September	1.00	6.00
--	------	------

Per Doz.—Per 100

AQUILEGIA (Columbine) An attractive and popular group of spring flowering plants which should be well represented in every collection of perennials. They are adapted for border or rock garden and their bright various colored flowers are valuable for cutting.

chrysantha. A tall and beautiful species bearing soft yellow flowers. 3 ft. May-June. 1.25 8.00

coerulea. Blue and white flowers with long slender spurs. 2 ft. May-June. 1.50 10.00

nivea grandiflora. Large pure white flowers. Strong grower. 2 ft. May-June. 1.00 6.00

Mrs. Scott Elliott's Strain. This is probably the best strain of long spurred hybrids. The flowers are of rich and varied colors. 2-3 ft. May-June. 1.25 8.00

Rose Queen. A pink variety. 1.50 10.00

ARABIS

alpina. (Rock Cress) A useful early spring flowering plant suitable for rock garden, border, or for spring bedding. 9 inches. April-May. 1.00 6.00

alpina fl. pl. A double flowered form of the last. 1.50 10.00

ARENARIA (Sandwort)

montana. One of the best rock plants for trailing over a ledge. Cascades of glistening white flowers in May. 2.00 12.00

ARMERIA (Thrift, Sea Pink)

maritima Lauchiana. Compact tufts of grass-like foliage entirely covered in May and June with globular heads of pink flowers. 6 inches. 1.00 6.00

ARTEMISIA

lactiflora. Fragrant spirea-like plumes of creamy white flowers are borne on stout, erect stems from August to October. 5-6 ft. 1.00 6.00

ASCLEPIAS

tuberosa. Strong stems terminating in clusters of bright orange red flowers. 2½ ft. May-June. 1.25 8.00

Per Doz.—Per 100

ASTER (Michaelmas Daisy, Starwort). As a plant of general usefulness the aster has few rivals. The great variety in color, size of flower, time of flowering and height, combined with simple cultural requirements, make it one of the most desirable of hardy plants. Many of the varieties are good for cutting and strongest spikes are obtained if the plants are divided annually.

Bluebeard. Very large, heliotrope flowers on strong, erect stems. 4 ft. September-October.	1.50	10.00
Climax. Large mauve flowers with yellow centers are profusely borne on long straight stems.	1.50	10.00
Coerulea. Large pale blue flowers in pyramidal heads. 4-5 ft. September-October.	1.50	10.00
Feltham Blue. Large clear blue flowers. 4 ft. September.	1.25	8.00
Mauve Cushion. Distinct from all other asters, this variety forms a round, compact cushion that is entirely covered with delicate mauve flowers during October and November. 9 in.	1.25	8.00
Perry's White. A very free flowering variety of graceful habit. The flowers are large and of good substance. 4 ft. September-October.	1.50	10.00
Sam Banham. The best white Aster; very large flowers, good for cutting. 3 ft. September-October.	1.25	8.00
The Queen. Very large flowers borne in loose sprays on long straight stems. They open pale mauve and turn nearly white with age. 4 ft. September.	1.25	8.00
St. Egwyn. This variety forms a compact bush, and during September the foliage is entirely hidden by large, clear pink flowers. One of the best asters in cultivation. 2½ ft.	1.25	8.00
tartaricus. A distinct species from Siberia. Large violet flowers are carried on tall, leafy stems. 6 ft. November.	1.25	8.00
White Climax. A pure white form of Climax.	1.50	10.00
N. A. Barr's Pink. A variety of recent introduction, bearing large, bright pink flowers. 4 ft. September-October.	1.50	10.00
" " Lil Fardel. Large, clear pink flowers. 4 ft. September-October,	1.50	10.00

Per Doz.—Per 100

ASTER, DWARF ALPINE

alpinus	Large, bluish purple flowers. 9 inches. May-June.	1.25	8.00
“ albus .	A white variety of the foregoing.	1.25	8.00
subcoeruleus .	Large violet-purple flowers freely borne on slender, erect stems. 1 ft. June-July.	1.25	8.00

AUBRIETA

deltoidea .	A dwarf, free flowering rock plant with pale lavender flowers. 4 inches. April-May.	2.00	12.00
--------------------	--	------	-------

BAPTISIA

australis .	A first rate border plant bearing sprays of dark indigo blue flowers. 3 ft. June-July.	1.00	6.00
--------------------	---	------	------

BOCCONIA

cordata .	(Plume Poppy) A tall growing stately plant with handsome, gray, glaucous foliage, bear- ing panicles of creamy white flowers. 6-8 ft. July-August.	1.25	8.00
------------------	---	------	------

BOLTONIA

asteroides .	A tall aster-like plant of vigorous habit, more suitable for naturalizing than for the border. White flowers. 6 ft. September.	1.00	6.00
latisquama .	Not so strong growing as the last. Pink flowers. 5-6 ft. September.	1.00	6.00
“ nana .	A somewhat uncommon plant deserving wider recognition. It forms a compact bush, 3 ft. in height, and in September is smothered with dainty pink flowers.	1.50	10.00

CALAMINTHA

alpina .	A prostrate rock plant producing a mass of violet-blue flowers borne in clusters. 6 in. July-August.	1.00	6.00
-----------------	--	------	------

CAMPANULA (Bell flower) One of the most beautiful and important families of hardy plants. Having a very wide geographical distribution, its members are extremely varied in character and are adapted for rock garden, border and woodland.

alliaræfolia .	Handsome, heart shaped leaves and creamy white, pendulous flowers. 2½ ft. June.	1.25	8.00
carpatica .	Branching stems bearing cup-shaped, blue flowers, 1½ inches or more in diameter. 1 ft. July-August.	1.25	8.00
“ alba .	A white variety of the preceding.	1.25	8.00

Per Doz.—Per 100

CAMPANULA (continued)

glomerata. Clusters of tubular, violet-purple flowers, borne on strong upright stems. 1½ ft. July.	1.50	10.00
Medium (Canterbury Bell) Blue, pink, white; separate.	1.00	6.00
“ Calycanthema. (Cup and Saucer) Mixed colors	1.00	6.00
persicifolia. Slender, graceful stems studded with blue cup shaped flowers in June and July. 2½ ft.	1.25	8.00
“ alba. A white variety of the preceding.	1.25	8.00
pyramidalis (Chimney Campanula) Tall pyramidal spikes of blue flowers. 5-6 ft. July.	1.50	10.00
“ alba. A white variety of the above.	1.50	10.00
rotundifolia. (Blue Bells of Scotland) Slender spikes of blue, bell shaped flowers growing from compact tufts of bright green foliage. 9 inches. June-July.	1.25	8.00

CARNATION, BORDER. (Dianthus carophyllus) We can supply these popular favorites in the following colors; separate, red, rose, salmon, violet, yellow, white.

1.25 8.00

CARYOPTERIS

mastacanthus. (Blue Spirea) A compact, free flowering plant of sub-shrubby habit with attractive gray foliage; it is covered during fall with trusses of lavender-purple flowers.

2.00 12.00

CENTAUREA

marocephala. A stately plant of robust habit, bearing large, globular heads of golden yellow flowers. 4-5 ft. July-August.

1.00 6.00

montana. Woolly foliage and bright blue flowers. 1½ ft. June-July.

1.00 6.00

“ **alba.** A white variety of the last

1.00 6.00

CERASTIUM

tomentosum. Forms a carpet of silvery foliage which is covered in May with pure white flowers.

1.00 6.00

CHELONE

Lyonii. A very free flowering plant bearing large, deep pink Pentstemon-like flowers on sturdy erect stems. 2 ft. July-September.

1.25 8.00

Per Doz.—Per 100

CHRYSANTHEMUM

maximum. (Shasta Daisy) A useful plant for cutting. The large, white daisy-like flowers are produced over a long period. 2 ft. June-September.	1.00	6.00
uliginosum. A tall, robust grower; white flowers with green centers. 4-5 ft. August-September.	1.00	6.00

COREOPSIS

grandiflora. One of the best hardy plants for cutting; bright yellow flowers are borne on long graceful stems throughout summer.	1.00	6.00
---	------	------

DELPHINUM

Belladonna. An invaluable plant for cutting; sky-blue flowers in great profusion from June until frost. 2½-3 ft.	1.25	8.00
Bellamosum. Similar in habit and growth to the above, but having dark blue flowers.	1.25	8.00
grandiflorum. (chinense) Gentian-blue flowers; finely divided foliage. 2 ft. June-September.	1.00	6.00
“ album. A white variety of the last.	1.00	6.00
Lamartine. Rich blue flowers with white centers. 2½ ft.	1.50	10.00
Mixed Hybrids. Raised from seed saved from a first class strain.	2.00	12.00

DIANTHUS

Allwoodi Jean. White flowers with crimson centers. 1 ft. June-October.	1.25	8.00
“ Joyce. Rose pink with red centers. 1 ft. June-October.	1.25	8.00
arenarius. A desirable rock plant of compact, tufted habit. During May and June the foliage is entirely hidden by masses of deeply fringed, fragrant, white flowers borne on 6 inch stems.	1.25	8.00
caesius. (Cheddar Pink) Blue-gray cushions of foliage and rosy pink, sweetly scented flowers carried on 9 inch stems. May-June.	1.25	8.00
deltoides. (Maiden Pink) A trailing, pink flowered rock plant, also useful for border edging. June-July.	1.00	6.00
“ album. A white variety of the foregoing.	1.00	6.00
“ Brilliant. A vivid crimson variety, the flowers are shown to great advantage against the dark green foliage.	1.00	6.00

Per Doz.—Per 100

DIANTHUS (Continued)

plumarius. A first rate mixture of fragrant, beautifully frilled flowers, varying in color from white to crimson. 1 ft. May-June.	1.25	8.00
subacaulis. A dainty and rare alpine plant forming compact cushions of gray foliage and bearing innumerable small, pink flowers. May, 6 inches.	2.50	15.00

DIELYTRA

formosa. Dainty fern-like foliage and pendulous lyre shaped flowers of a pleasing shade of pink. 1 ft. May-August.	1.00	6.00
---	------	------

DIGITALIS (Foxglove) One of the showiest and most attractive of old fashioned favorites whose popularity is continually increasing.

gloxinaeflora. Pink, purple, white; separate.	1.00	6.00
" The Shirley. A new strain raised by the Rev. W. Wilks, the originator of the well known Shirley Poppies. The flowers are of enormous size and vary in color from pure white to deep-est rose.	1.00	6.00

ECHINACEA

purpurea. A distinct plant of uncommon beauty. Large, pinkish-purple flowers having cone shaped, orange red centers are borne on strong, straight stems, 3 to 4 feet in height. July-August.	1.25	8.00
---	------	------

ECHINOPS (Globe Thistle) Vigorous and stately plants, attractive both in flower and foliage. The large, handsome leaves are spiny at the tips and are covered with silvery down.

Ritro. Globular heads of glistening blue flowers. 4 ft. July-August.	1.00	6.00
sphaerocephalus. Heads of grayish white flowers. 4 ft. July-August.	1.00	6.00

ERIGERON

speciosus. A free flowering and vigorous plant bearing medium sized, purplish-lilac flowers. Good for cutting. 2 ft. July-August.	1.25	8.00
--	------	------

ERYNGIUM (Sea Holly)

planum. Small flower heads and steely blue stems. Good for cutting and drying. 2½ ft. July-August.	1.00	6.00
---	------	------

Per Doz.—Per 100

EUPATORIUM

coelestinum. Very free flowering and one of the best hardy plants for cutting. Masses of blue, ageratium-like flowers from August to October. 2 ft.	1.00	6.00
Fraseri. Feathery white flowers. 2 ft. July-September.	1.25	8.00

EUPHORBIA (Spurge)

corollata. The value of this plant for cutting is not fully appreciated. It is well adapted for shipping and its small pure white flowers take the place of Gypsophila paniculata when that is past. Best results are obtained by allowing it to remain undisturbed for several years. 1½ to 2 ft. August-September.	1.00	6.00
Myrsinites. An uncommon plant particularly suitable for a hot, dry position on the rock garden. It is of trailing habit and has thick stems covered with blue-gray leaves; each stem terminating in a cluster of bright yellow bracts. May-June.	1.25	8.00

FUNKIA

undulata variegata. Creamy white and green variegated leaves.	1.50	10.00
--	------	-------

GAILLARDIA

grandiflora. Ranging in color from old gold to crimson. For furnishing a continuous supply of cut flowers, this plant is unrivaled. 2 ft. June-September.	1 00	6.00
The Dazzler. A recent introduction, producing large, bright golden yellow flowers with red maroon centers. Its strong, straight, erect stems make it a valuable variety for cutting.	1.25	8.00

GERANIUM

sanguineum. Forms a thick mass of prostrate stems and bears a profusion of saucer shaped, blood red flowers. 1 ft. June-August.	1.50	10.00
--	------	-------

GLOBULARIA.

trichosantha. A low growing rock plant bearing globular heads of pale blue flowers arising from tufts of shiny green foliage. 6 inches. May-June.	1.25	8.00
--	------	------

Per Doz.—Per 100

GYPSOPHILA

Ehrlei. The most valuable hardy plant for cutting that has been introduced for many years. It is quite distinct from *Gypsophila paniculata* fl. pl. and flowers earlier than that variety. After the main crop of bloom is past, a continuous succession of flower spikes are produced until frost. Strong field-grown grafted plants.

3.75 27.50

GYPSOPHILA. (Continued)

paniculata. Cloud-like masses of small white flowers. One of the most popular and useful plants for cutting. 2½ ft. July.

1.00 6.00

repens. A dwarf trailer, excellent for cascading down the slopes of the rock garden. Masses of small white flowers. June-July.

1.00 6.00

repens monstrosa. A stronger growing and more erect variety of the preceding. Very useful for cutting. 1 ft. May-June.

1.50 10.00

HELENIUM. Strong growing plants, valuable for producing late summer effects in woodland or herbaceous border. Also useful as a cut flower.

autumnale Riverton Gem. Rich mahogany-red flowers.

1.50 10.00

“ **Gartensonne.** A new variety having clear yellow flowers. 4 ft. August-September.

2.00 12.00

“ **superbum.** Yellow. 4 ft. August-September.

1.50 10.00

Hoopesii. Large heads of deep yellow flowers. 2 ft. June-July.

1.25 8.00

HELIANTHEMUM. (Rock or Sun Rose) Dwarf evergreen shrubs of spreading habit, which for freedom of flowering and brilliance of coloring are equalled by few and excelled by no other family of plants. Delighting in full sun, they will thrive on a sunny bank where few other plants will exist. Massed on the rock garden or front of herbaceous border, they are the most gorgeous sight in the garden during June.

Fireball. Brilliant scarlet. 9 inches.

2.00 12.00

macranthum. Large creamy white. 6 inches.

2.00 12.00

Mrs. Earle. Double scarlet flowers. 9 inches.

2.00 12.00

praecox. Large, soft yellow flowers. Silvery foliage. 9 inches.

2.00 12.00

rhodanthe carneum. Very large, clear pink flowers. silvery foliage. 9 inches.

2.00 12.00

Rose Queen. Large, single pink flowers. 9 inches

2.00 12.00

Sudbury Gem. Terra cotta colored flowers. 9 inches.

2.00 12.00

	Per Doz.—Per 100	
HELIANTHUS		
mollis. Handsome foliage thinly covered with silvery down and large lemon yellow flowers. 9 ft. August-September.	1.25	8.00
HELIOPSIS		
Pitcheriana. Golden yellow flowers, throughout the summer. 3 ft.	1.00	6.00
HEMEROCALLIS		
Dr. Regel. Fragrant, orange-yellow, lily like flowers. 1½ ft. May.	1.50	10.00
Thunbergi. Clear yellow flowers. 3 ft. July.	1.50	10.00
HERNIARIA		
glabra. A prostrate green carpeter which remains green during winter. 1½ ft.	1.25	8.00
HESPERIS		
matronalis. Sweetly scented, purple flowers freely produced during summer. 1½ ft.	1.00	6.00
“ albus. A white variety of the last.	1.00	6.00
HEUCHERA.		
Pluie de Feu. Graceful spikes of dazzling crimson flowers in greatest profusion. 2 ft. May-June.	2.00	12.00
Rosamunde. Branching stems of coral-pink flowers. 2 ft. May-June.	2.00	12.00
HIBISCUS (Mallow)		
Marvel Mallows. Pink, red, white, separate.	1.25	8.00
HYPERICUM		
olympicum. A rare rock plant, gray-foliage and very large, yellow flowers. 6 in. June-July.	2.50	15.00
IBERIS (Candytuft)		
sempervirens. An invaluable and popular spring flowering plant of dwarf and compact habit, bearing masses of snow white flowers produced in large trusses. 9 in. April-May.	1.00	6.00
“ Little Gem. A miniature form of the above, being entirely covered in early spring with snow white flowers. 6 inches.	2.00	12.00

Per Doz.—Per 100

INULA

ensifolia. Forms a compact, symmetrical clump and in July is covered with bright yellow flowers. 1 ft.	1.50	10.00
Royleana. A strong growing plant bearing golden yellow flowers. 3-4 ft. July-September.	1.25	8.00

IRIS

cristata. A dwarf fairy-like plant with soft blue, orange striped flowers. Easily grown in a rather moist, partially shaded position. 4 in. May.	1.50	10.00
Japanese. Mixed.	1.25	8.00
pumila cyanea. Violet-purple. 9 in. May.	1.00	6.00
sibirica. Graceful, slender, grass-like foliage and violet-blue flowers on long stems. An excellent plant for moist situations. 3 ft. May-June.	1.00	6.00
“ Snow Queen. Large, snow-white, well formed flowers.	1.00	6.00

LATHYRUS (Perennial Sweet Pea)

latifolius albus. A vigorous climber. White flowers.	1.25	8.00
“ roseus. A pink variety.	1.25	8.00

LAVANDULA (Sweet Lavender)

vera. A popular old-fashioned plant with fragrant blue flowers and foliage. 1½-2 ft. June-July.	1.25	8.00
“ Munstead Variety. A dwarf, compact form of the foregoing. Good for edging or the rock garden. 9 inches. May-June.	2.50	15.00

LEONTOPODIUM

alpinum (Edelweiss) White leaves and small yellow flowers surrounded by star-like heads of leaves clothed with a dense, white woolly substance. 6 in. May-June.	1.50	10.00
--	------	-------

LIATRIS

pycnostachya. Long slender stems with rosy purple flowers. 4-5 ft. July-August.	1.00	6.00
--	------	------

	Per Doz.—Per 100	
LINUM (Flax)		
perenne. A continuous succession of clouds of sapphire blue flowers throughout summer. 2 ft.	1.00	6.00
“ alba. A white variety of the above.	1.00	6.00
LOBELIA		
cardinalis. Tall spikes of scarlet flowers. 4 ft. June-July.	1.25	8.00
LYCHNIS		
alpina. Compact cushions of rich green leaves studded in April and May with heads of pink flowers.	1.25	8.00
chalcedonica. (Jerusalem Cross) Stout leafy stems bearing large, flat heads of bright scarlet flowers. 2-3 ft. July-August.	1.00	6.00
“ alba. A white variety of the above.	1.00	6.00
Viscaria splendens fl. pl. Double crimson-scarlet flowers of an intensity that has no equal in any plant. 1 foot. June.	1.50	10.00
LYSIMACHIA. A prostrate trailer, spangled during spring and early summer with large, clear yellow flowers.		
	1.00	6.00
LYTHRUM		
virgatum Rose Queen. A shapely bush formed of many slender stems which are thickly covered three quarters of their length with rosy pink flowers. 3-4 ft. July-September.	1.25	8.00
MAZUS		
rugosus. A prostrate grower forming a dense, green carpet, studded in spring with large violet flowers spotted with gold.	1.25	8.00
MERTENSIA		
virginica (Virginian cowslip) One of the most beautiful of spring flowering plants. It forms large, glaucous gray leaves and bears drooping clusters of clear blue flowers. 1½ ft. May.	1.50	10.00
MONARDA		
didyma. (Bergamot) Bright red heads of flowers on 3 ft. stems. The whole plant is fragrant. June-August.	1.25	8.00
MYOSOTIS		
palustris semperflorens. The well known and popular Forget-me-not.	1.00	6.00

Per Doz.—Per 100

NEPETA

Mussini. (Catmint) A many stemmed, somewhat trailing plant with silvery leaves, which during June bears spikes of lavender blue flowers in great profusion. Most effective if grown in large masses. 1 ft.	1.00	6.00
---	------	------

OENOTHERA (Evening Primrose)

missouriensis. A fine trailing plant with very large, pale yellow flowers, five or six inches in diameter. One of the best perennials for rock garden or border. June-September.	1.50	10.00
---	------	-------

ONOSMA

stellatum. A rare and beautiful plant for the rock garden. It forms an evergreen tuft of leaves and bears during May and June drooping amber-colored, drop shaped blossoms. It should be given a sunny, well drained position. 1 ft.	2.50	15.00
---	------	-------

PARADANTHUS (Blackberry Lily)

chinensis. Bright orange, lily-like, flowers with brownish purple spots, followed by conspicuous black seeds resembling blackberries. 3 ft. July-August.	1.00	6.00
---	------	------

PAPAVER

alpinum. A dwarf, miniature poppy having finely divided, gray leaves and bearing, throughout the summer, white, yellow, orange and pink flowers.	1.50	10.00
nudicale (Iceland Poppy) Dwarf free flowering plants, bearing solitary blossoms on stems about 1 ft. in height. Good for cutting. May-August.	1.25	8.00
orientale. Large scarlet flowers. 3 ft. May-June.	1.00	6.00
“ Menelik. Large rich, coppery-crimson flowers. 3 ft.	1.50	10.00
“ Olympicum. The only double form of the Oriental Poppy. Rich scarlet flowers. 2½ ft.	1.25	8.00

PENTSTEMON

barbatus Torreyi. Graceful tapering stems covered with large, tubular, scarlet flowers. 4 ft. June-August.	1.00	6.00
Digitalis. White tubular flowers with purple throat. Good for cutting. 2-3 ft. June-July.	1.25	8.00

Per Doz.—Per 100

PHLOX. One of the most important families of hardy perennials and one that should be well represented in every collection. Phloxes are best suited by a deep, well manured soil and abundance of water.

Antonin Mercier. Soft lilac blue with white center. 2 ft.	1.00	6.00
B. Comte. Brilliant French purple. 1½ ft.	1.00	6.00
Baron van Dedem. Glowing crimson. 2 ft.	1.00	6.00
Beacon. Bright cerise. 2 ft.	1.00	6.00
Bridesmaid. White with rose crimson eye. 2½ ft.	1.00	6.00
Enchantress. Salmon pink. 2 ft.	1.25	8.00
Europa. White with carmine eye. 2½ ft.	1.00	6.00
Geffion. Soft pink with rose eye. 2½ ft.	1.00	6.00
La Vogue. Pinkish mauve. 2½ ft.	1.00	6.00
Mia Ruys. The best white Phlox.	1.25	8.00
Rijnstroom. Rose-pink, very large individual flowers. 2½ ft.	1.00	6.00
Rosenberg. Carmine violet with reddish eye. 2 ft.	1.00	6.00
R. P. Struthers. Rosy red with crimson eye. 2 ft.	1.00	6.00
Sunshine. Deep salmon-rose. 2 ft.	1.00	6.00
Thor. Very large trusses of dazzling pink flowers. ½ ft.	1.00	6.00
W. C. Egan. Large pink flowers. 2½ ft.	1.00	6.00
Widar. Reddish-violet flowers with white centers. 2½ ft.	1.00	6.00
suffruticosa Miss Lingard. A good variety for cutting; pyramidal trusses of white flowers with faint lilac eye. 2½ ft. June-September.	1.25	8.00

PHLOX, Dwarf varieties

amoena. Compact glossy green foliage and masses of vivid pink flowers in April and May. 9 in.	1.00	6.00
carolina. Reddish pink flowers. 1 ft. May-June	1.25	8.00
divaricata. Trusses of large, fragrant, lavender-blue flowers. 9 in. May.	1.50	10.00
subulata alba. (Moss Pink) Moss-like foliage covered in April and May with sheets of white flowers. 6 in.	1.00	6.00
“ rosea. A pink variety.	1.00	6.00
“ Vivid. The most attractive of the dwarf Phloxes. It is a neat, compact grower, and when in bloom, nothing can be seen but a sheet of warm, salmon-rose flowers.	1.50	10.00

Per Doz.—Per 100

PHYSOSTEGIA

virginiana. Long slender spikes closely covered with pinkish mauve, tubular flowers. 3 ft. July-August.	1.00	6.00
“ alba. A white variety of the foregoing.	1.00	6.00
“ grandiflora. A plant of recent introduction and a most valuable acquisition. It produces numerous stout, square stems 1 ft. to 1½ ft. high, each covered with large, brilliant pink flowers, somewhat resembling a snapdragon in shape. The value of this plant is enhanced by its being an addition to the very few dwarf late flowering plants. August-September.	1.00	6.00

PINK, Hardy. A highly popular group of old fashioned garden plants, esteemed for their extreme floriferousness and delicious fragrance. 12 to 15 inches. May-June.

Excelsior. Delicate rose pink.	1.25	8.00
Her Majesty. Pure white; large flowers.	1.25	8.00
Homer. Deep rose with darker center.	1.25	8.00
Juliette. White, laced crimson.	1.25	8.00
Lord Lyons. Deep rose.	1.25	8.00
White Reserve. Pure white; perpetual flowering.	1.25	8.00

PLATYCODON (Balloon Flower)

grandiflorum. Blue bell-shaped flowers borne on slender stems. 2 ft. June-October.	1.25	8.00
“ album. A white variety of the above.	1.25	8.00

PLUMBAGO

Larpenae. (Leadwort) Forms compact tufts of innumerable wiry stems, each one terminating in a dense truss of cobalt blue flowers. 1 ft. August-October.	1.50	10.00
--	------	-------

POLEMONIUM

reptans. Compact tufts of foliage and light blue flowers. 1 ft. April-May.	1.00	6.00
---	------	------

POTENTILLA

Willmottae. A distinct and pretty rock plant with brilliant cherry red flowers. 6 inches. June-August.	1.50	10.00
---	------	-------

PYRETHRUM

roseum. Daisy-like flowers varying in color from white to crimson. Useful for cutting. 2 ft. June.	1.00	6.00
---	------	------

Per Doz.—Per 100

RANUNCULUS

acris fl. pl. This plant is too often confused with the following variety which is generally sold for it. Of late years it has become very scarce and we are pleased to be able to offer the true plant. The glistening yellow flowers are small and very double and are borne on strong, erect stems, from 2½ to 3 ft. in height, the whole inflorescence forming a loose pyramid. It is one of the real old-fashioned plants and is equally valuable for border decoration or for cutting. May-June.

1.00 6.00

repens fl. pl. Small, double, yellow flowers on branching stems. Valuable for cutting. 1-1½ ft. April-May.

1.00 6.00

RUDBECKIA

Golden Glow. Double, deep yellow flowers. 6 ft. July-September.

1.00 6.00

SAGINA

glabra. Emerald green cushions of moss-like growth covered in spring with myriads of small white flowers. 2 inches.

1.25 8.00

SALVIA

azurea. Tall straight stems covered for half their length with sky-blue flowers. 4-5 ft. August-September.

1.50 10.00

Pitcheri. Similar in habit and growth to the preceding but having rich, deep blue flowers. 4-5 ft. August-September.

1.50 10.00

virgata nemerosa. Branching spikes of violet-blue flowers in a continuous succession from June until frost. 2 ft.

2.00 12.00

SANTOLINA (Cotton Lavender)

incana. An aromatic, compact growing, half shrubby plant with silvery foliage.

1.25 8.00

SAPONARIA

ocymoides. A good plant for carpeting in the herbaceous border or for trailing down the slopes in the rock garden. Spangled with bright pink flowers in spring.

1.00 6.00

Per Doz.—Per 100

SCABIOSA

caucasica. One of the finest of hardy plants, bearing a succession of large, soft lilac flowers on long stems throughout summer. 2½ ft.	1.50	10.00
“ alba. A white variety of the above.	1.50	10.00

SEDUM

acre. A dwarf grower which quickly forms a thick carpet of vivid green, moss-like foliage and is hidden by yellow flowers in May.	1.00	6.00
album. Small succulent leaves which turn reddish bronze in fall. Trusses of white flowers in June and July. 6 in. An excellent edging plant.	1.00	6.00
anglicum. Small, globular, pale green leaves forming compact tufts. 2 inches.	1.50	10.00
dasyphyllum. A minute species producing masses of short, delicate stems thickly covered with globular, blue gray leaves.	1.50	10.00
hispanicum. A minute plant forming spreading tufts of gray foliage becoming bronze in fall. 3 in.	1.00	6.00
kamtschaticum. Leafy prostrate stems which in July and August bear clusters of star-shaped, orange colored flowers.	1.25	8.00
lydium. Carpets of bright green foliage which turns reddish bronze during summer. 4 in.	1.00	6.00
reflexum. Clusters of golden flowers. 9 in. June. July.	1.00	6.00
sarmentosum. Fleshy leaved trailer with yellow flowers.	1.00	6.00
sexangulare. Dwarf trailer; green foliage and yellow flowers. 6 in. June-July.	1.00	6.00
Sieboldii. Round, fleshy, gray leaves and clusters of pink flowers. One of the most attractive Sedums. 9 inches. August-September.	1.50	10.00
stoloniferum. Large clusters of pink flowers on prostrate, trailing stems. 6 ft. June-July.	1.00	6.00
spectabile. Erect sturdy habit with broad glaucous leaves. The flowers are borne in large flat heads and are rosy purple in color; they retain their beauty for two months. 1½ ft. August-September.	1.25	8.00
“ Brilliant. A deeper colored variety than the preceding, being a vivid amaranth red.	1.25	8.00

Per Doz.—Per 100

SEMPERVIVUM (Houseleek)

arachnoideum (Cobweb Houseleek) Rosettes of succulent, pale green leaves covered with silky hairs resembling a cobweb.	1.50	10.00
globiferum. Pale green rosettes.	1.00	6.00

SIDALCEA

Rosy Gem. Rose pink flowers, resembling small Hollyhocks, on erect, wiry stems. 2½ ft. July-August.	1.50	10.00
--	------	-------

SILENE

maritima. A compact mat of gray foliage and large white flowers. 9 inches. May.	1.50	10.00
--	------	-------

SPIRAEA

Filipendula. (Dropwort) Loose clusters of creamy white flowers tipped with red, borne on slender stems rising from tufts of fern-like foliage. 2½ ft. June.	1.25	8.00
Ulmaria. (Meadow Sweet) Loose heads of creamy white flowers on long straight stems. 2½ ft. June-July.	1.00	6.00
“ fl. pl. A double flowered form of the foregoing and a much superior plant. Excellent for cutting.	1.00	6.00

STOKESIA

cyanea. A showy plant with a lengthy flowering period; large blue flowers on somewhat straggling stems. 1½ ft. August-October.	1.25	8.00
“ alba. A white variety of the foregoing.	1.50	10.00

STATICE

latifolia. (Sea Lavender) Branching flower stems bearing countless, small, blue-purple flowers which retain their color long after being cut and dried. Very good for cutting. 1½-2 ft. August-September.	1.25	8.00
--	------	------

Per Doz.—Per 100

SWEET WILLIAM

Holborn Glory. A choice mixture of all colors.	1.00	6.00
Newport Pink.	1.00	6.00
Scarlet Beauty.	1.00	6.00
White.	1.00	6.00

THALICTRUM

adiantifolium. Clumps of maiden-hair foliage and long spikes of loosely arranged, small yellowish-white flowers, good for cutting. They can be used in place of <i>Gypsophila paniculata</i> before that is available. 2½ ft. June-July.	1.00	6.00
aquilegifolium. Columbine-like foliage and feathery heads of creamy white flowers. 2½ ft. June-July.	1.25	8.00
“ purpureum. Pinkish purple flowers.	1.25	8.00

THYMUS

citriodorus argenteus. Forms a compact bush about 9 inches in height. The small leaves are silver variegated and lemon scented.	1.25	8.00
“ aureus. Similar in habit and fragrance to the above but having golden variegated leaves.	1.25	8.00
lanuginosus. Carpets of woolly leaves covered in June and July with pink flowers.	1.50	10.00
Serpyllum albus. A fragrant, creeping rock plant, quickly growing into a dense carpet which becomes covered with white flowers in June and July.	1.00	6.00
“ coccineus. A scarlet flowered variety.	1.00	6.00

TRITOMA (Torch Lily)

Pfitzeri. A very distinct and handsome late flowering perennial; tufts of grass-like foliage and thick fleshy stems covered with orange-scarlet, tubular flowers. 2-3 ft. September-October.	2.00	12.00
---	------	-------

Per Doz.—Per 100

TUNICA

Saxifraga. Tufts of grass-like foliage and stems bearing small, rosy pink flowers. 6 in. July-September.	1.00	6.00
---	------	------

VALERIANA

officinalis. A strong growing and free flowering plant bearing large heads of faint pink flowers. 3-4 ft. June-July.	1.25	8.00
---	------	------

VERONICA

filiformis. A spreading carpeter, useful for the rock garden.	1.25	8.00
incana. Compact masses of silvery foliage and deep blue flowers. 1 ft. May-June.	1.00	6.00
repens. Carpets of evergreen foliage entirely covered in spring with very pale blue flowers.	1.25	8.00
rupestris. A prostrate trailer forming a thick green carpet which is almost hidden in May and June by myriads of clusters of deep blue flowers.	1.00	6.00
“ nana. A miniature variety of the preceding. 2 inches.	2.00	12.00
“ rosea. A pink form of the last.	2.00	12.00
spicata. Spikes of blue flowers. 2 ft. June-August.	1.00	6.00
subsessilis. Stout erect stems of intense blue flowers. 2-3 ft. July-August.	2.00	12.00

VIOLA

Apricot. Rich apricot color tinged with orange.	1.00	6.00
Jersey Gem. One of the best hardy plants of recent introduction. It blooms freely and continuously from spring until frost, and the flowers, royal purple in color, are not affected by the sun. Its foliage is a rich, healthy green, and its habit of growth is neat and compact.	1.00	6.00
pedata. (Bird's Foot Violet) Tufts of finely divided leaves and lilac blue flowers. 6 in. April-May.	1.50	10.00

YUCCA

filamentosa. (Adam's Needle) Large rosettes of sword-like leaves, and spikes of white flowers. 6-8 ft. July.	1.00	6.00
---	------	------

Being frequently asked for selection of plants suitable for planting on rock gardens, we append the following list as being adapted for that purpose:

<i>Achillea tomentosa</i>	<i>Lychnis alpina</i>
<i>Aethionema iberideum</i>	<i>Lysimachia nummularia</i>
<i>Ajuga genevensis</i>	<i>Mazus rugosus</i>
<i>Ajuga reptans</i>	<i>Nepeta Mussini</i>
<i>Alyssum argenteum</i>	<i>Oenothera missouriensis</i>
<i>Alyssum montanum</i>	<i>Onosma stellatum</i>
<i>Alyssum myosotidiflora</i>	<i>Papaver nudicaule</i>
<i>Androsace lanuginosa</i>	<i>Phlox amoena</i>
<i>Anemone Pulsatilla</i>	<i>Phlox carolina</i>
<i>Arabis alpina</i>	<i>Phlox divaricata</i>
<i>Arabis alpina fl. pl.</i>	<i>Phlox subulata alba</i>
<i>Arenaria montana</i>	<i>Phlox subulata lilacina</i>
<i>Armeria maritima Lauchiana</i>	<i>Phlox subulata rosea</i>
<i>Aster alpinus</i>	<i>Phlox subulata Vivid</i>
<i>Aster alpinus albus</i>	<i>Plumbago Larpentae</i>
<i>Aster subcoeruleus</i>	<i>Polemonium reptans</i>
<i>Aubrieta deltoidea</i>	<i>Potentilla Willmottae</i>
<i>Calamintha alpina</i>	<i>Sagina glabra</i>
<i>Campanula carpatica</i>	<i>Santolina incana</i>
<i>Campanula carpatica alba</i>	<i>Saponaria ocymoides</i>
<i>Campanula glomerata</i>	<i>Sedum acre</i>
<i>Campanula rotundifolia</i>	<i>Sedum album</i>
<i>Cerastium tomentosum</i>	<i>Sedum anglicum</i>
<i>Dianthus arenarius</i>	<i>Sedum dasyphyllum</i>
<i>Dianthus caesius</i>	<i>Sedum hispanicum</i>
<i>Dianthus deltoides</i>	<i>Sedum kamtschaticum</i>
<i>Dianthus deltoides albus</i>	<i>Sedum lydium</i>
<i>Dianthus deltoides Brilliant</i>	<i>Sedum reflexum</i>
<i>Dianthus subacaulis</i>	<i>Sedum sarmentosum</i>
<i>Dielytra formosa</i>	<i>Sedum saxangulare</i>
<i>Geranium sanguineum</i>	<i>Sedum Sieboldii</i>
<i>Gypsophila repens</i>	<i>Sedum stoloniferum</i>
<i>Gypsophila repens monstrosa</i>	<i>Sempervivum arachnoideum</i>
<i>Helianthemum Fireball</i>	<i>Sempervivum globiferum</i>
<i>Helianthemum macranthum</i>	<i>Silene maritima</i>
<i>Helianthemum Mrs. Earle</i>	<i>Thymus citriodorus argenteus</i>
<i>Helianthemum praecox</i>	<i>Thymus citriodorus aureus</i>
<i>Helianthemum rhodanthe carneum</i>	<i>Thymus lanuginosus</i>
<i>Helianthemum Rose Queen</i>	<i>Thymus Serpyllus albus</i>
<i>Helianthemum Sudbury Gem</i>	<i>Thymus Serpyllum coccineus</i>
<i>Herniaria glabra</i>	<i>Tunica Saxifraga</i>
<i>Hypericum olympicum</i>	<i>Veronica filiformis</i>
<i>Iberis sempervirens</i>	<i>Veronica incana</i>
<i>Iberis sempervirens Little Gem</i>	<i>Veronica repens</i>
<i>Inula ensifolia</i>	<i>Veronica rupestris</i>
<i>Iris cristata</i>	<i>Veronica rupertris nana</i>
<i>Iris pumila cyanea</i>	<i>Veronica rupertris rosea</i>
<i>Lavandula vera Munstead Variety</i>	<i>Viola pedata</i>
<i>Leontopodium alpinum</i>

Hammonton Printing Company