EDGAR A. MEARN'S PAPERS
1872-1913

Box 18

Folder 8

Division of Birds

Birds
Collected by the Childs Frick Expedition to Africa.

Nos. 19401 to 22060, inclusive.

November 22, 1911 to June 3, 1912.

Djibouti, French Somaliland to Sagon River, Abyssinia.

Edgar A. Mearns.

Vol. I.

Africa

1911

Djibouti, French Somaliland Nov. 22

19401	♀	Totanus		
2	♂	Limnites	do	"
3	♀	"	do	"
4	♂	Squatarola	do	"
5	♂	Plover	do	"
6	♂	"	do	"
7	♀	"	do	"
8	♂	Egialitis	do	"
9	♂	Motacilla	do	"
19410	♀	"	do	"
1	♂	Lark, long-billed	do	"
2	♂	"	do	"
3	♂	"	do	"
4	♀	"	do	"
5	♂	Pyrrhuloxia	do	Nov. 23
6	♂	"	do	"
7	♂	"	do	"
8	♀	"	do	"
9	♀	"	do	"
19420	♀	Silver-bill Weaver	do	"
1	♀	Saxicola	do	"
2	♂ ad.	Hyphantornis	do	"
3	♂ ad.	"	do	"
4	♀	"	do	"
5	♀	"	do	"
6	♀	"	do	"
7	♀	"	do	"
8	♀	"	do	"
9	♀	Milvus aegyptius	Dire Dawa, Abyssinia	Nov. 27
19430	♀	Lophoceros	do	"
1	♀	"	do	"
2	♂	Dinemellia dinemelli	do	"
3	♂	"	do	"
4	♂	Brachotis	do	"
5	♀	Pycnonotus	do	"

Iris orange-red.

Iris dark brown.

Iris brown.

"

"

"

19436	♀	Monticola	Sire Saona, Abyssinia	1911. Nov. 27
7	♀	"	do	"
8	♂	Streptopelia	do	Nov. 28
9	♂	Melittophagus	do	"
19440	♀	"	do	"
1	♂	Eagle	do	"
2	♀ ad.	Neophron percnopterus	do	"
3	♀ ad.	Eagle	do	Nov. 29
4	♀	Eurocephalus ruepelli	do	"
5	♀	Dinomellia dinomelli	do	"
6	♀	"	do	"
7	♀	Passer	do	"
8	♀ ad.	Scops owl	do	Nov. 30
9	♂ ad.	Irisor	do	"
19450	♂ ad.	Cinnyris	do	"
1	♀ ad.	"	do	"
2	♀ ad.	Laniola	do	"
3	♀ ad.	"	do	"
4	♂ ad.	Eremomela?	do	"
5	♀ ad.	"	do	"
6	♂ ad.	Rhinoceros affinis	do	Dec. 1
7	♂ ad.	"	do	"
8	♂ ad.	Upupa epops	do	"
9	♀ ad.	"	do	"
19460	♀ ad.	Woodpecker, small	do	"
1	♂ ad.	Batis	do	"
2	♀ ad.	"	do	"
3	♂ ad.	Bradorius	do	"
4	♂	"	do	"
5	♀	"	do	"
6	♀	"	do	"
7	♂ ad.	Cinnyris	do	"
8	♀ ad.	Zonogastria	do	"
9	♂	Neoscytus monachus	do	"
19470	ad.	"	do	Dec. 2

Shot by Childs Frick.

do

do

Nothing; much faded and worn.

Length, 28 inches; alar expanse, 59.

} mated pair.

Shot by Childs Frick

"

Shot by Childs Frick

Shot by Childs Frick

Africa

1911.

19471	juv <i>Necropytes monachus</i>	Dire Dawa, Abyssinia	Dec. 2
2	imm? " "	do	"
3	" " "	do	"
4	♂ ad <i>Colinus</i> , blue nape	do	"
5	♂ ad <i>Dinemellia dinemelli</i>	do	"
6	♂ ad <i>Dierurus</i>	do	"
7	♂ ad <i>Rhinocorax affinis</i>	do	Dec. 3
8	♀ ad <i>Neophron percnopterus</i>	do	"
9	♂? <i>Lophoceros</i>	do	"
19480	♀ ad <i>Barbet</i> , long-tailed	do	"
1	♀ ad <i>Pycnonotus</i>	do	"
2	♂ im <i>Monticola</i>	do	"
3	♂ ad <i>Glossy Starling</i>	do	"
4	♀ Eagle	do	Dec. 4
5	♂? <i>Goshawk</i> , large	do	"
6	♂ ad <i>Rhinocorax</i>	do	"
7	♀ ad <i>Lophoceros</i>	do	"
8	♂ <i>Saxicola</i>	do	"
9	♂ ad <i>Buphaga erythrorhynchos</i>	do	"
19490	♂ <i>Pradornis</i>	do	"
1	♂ "	do	"
2	♀ "	do	"
3	♂ <i>Motacilla</i>	do	"
4	♀ <i>Serinus?</i>	do	"
5	♀ "	do	"
6	♂ <i>Halcyon</i>	do	"
7	♀ "	do	Dec. 5
8	♂? Eagle	do	"
9	ad <i>Stigmatopelia senegalensis</i>	do	"
19500	ad. <i>Streptopelia</i>	do	"
1	♂ ad <i>Glossy Starling</i>	do	"
2	♀ ad "	do	"
3	♀ ad <i>Monticola</i>	do	"
4	im. <i>Warren Sparrow</i>	do	"

			1911.
19505	♂	Leisticola, dark	Dec. 5
6	♀	"	"
7	♀ ad.	Barbet, long-tailed	"
8	♂ ad.	Bomb-Strike	"
9	♂ ad.	Ploceipasser melanorhynchus	"
19510	♀ ad.	"	"
1	♀ ad.	Urupa spops	"
2	♀ ad.	"	Dec. 6
3	♂ ad.	"	"
4	♂ ad.	Milvina aegyptiis	"
5	♂ ad.	Lophoceros	"
6	♂ ad.	"	"
7	♂ ad.	Parrot, red-breasted	"
8	♀ ad.	"	"
9	♀ ad.	"	"
19520	♀ ad.	Parus	"
1	♀ ad.	Brachornis	"
2	ad.	Sylvia	"
3	ad.	Leisticola, dark	"
4	♂ ad.	Strike, chestnut-sided	"
5	♀	Granatina	"
6	♂ ad.	Estrilda, black-chested	"
7	♀ ad.	Zonogasteris	"
8	♀ ad.	Ploceipasser melanorhynchus	"
9	♂ ad.	Woodpecker, small	"
19530	♂ ad.	"	"
1	♂ ad.	Woodpecker, large, golden	"
2	♀ ad.	"	"
3	♀	Kingfisher	"
4	♀ ad.	Ardea	"
5	im.	Chalcophaps indica	"
6	♂ ad.	Eurocephalus ruepelli	"
7	♂ ad.	Saxicola	"
8	♂	"	"
9	♂ ad.	Barbet, short-tailed	"
19540	♂ ad.	"	"

		Africa		1911.
		Dire Dawa, Abyssinia		Dec. 6
19541	♂ ad. Barbet, long-tailed			
2	♀ ad. "	do		"
3	♂ ad. "	do		Dec. 7
4	♂ ad. "	do		"
5	♂ ad. <i>Colaptes auratus</i>	do		"
6	♀ ad. Woodpecker, large, golden	do		"
7	♀ ad. <i>Lophoceros</i>	do		"
8	♂ ad. <i>Rhinopomastus cabanisi</i>	do		"
9	♀ ad. " "	do		"
19550	♂ ad. Batis	do		"
1	♀ ad. <i>Eurocephalus ruepelli</i>	do		"
2	♂ ad. Bush-shrike	do		"
3	♂ ad. "	do		"
4	♂ juv. <i>Monticola</i>	do		"
5	♀ ad. <i>Erythropygia</i> ?	do		"
6	♀ ad. <i>Sinamella dimidiata</i>	do		"
7	♀ ad. <i>Granatina</i>	do		"
8	♂ ad. <i>Amadina</i>	do		"
9	♂ ad. "	do		Dec. 8
19560	♂ ad. "	do		"
1	♂ juv. <i>Neophron percnopterus</i>	do		"
2	♂ ad. <i>Necrosyrtes monachus</i>	do		"
3	♀ <i>Milvus aegyptius</i>	do		"
4	♀ ad. <i>Lophoceros</i>	do		"
5	♂ ad. <i>Upupa</i>	do		"
6	♂ ad. Barbet, long-tailed	do		"
7	♀ ad. "	do		"
8	♀ ad. "	do		"
9	♂ Knigfisher	do		"
19570	♂ im. Batis	do		"
1	♀ ad. <i>Laniarius juncois</i>	do		"
2	♂ ad. <i>Pycnonotus</i>	do		"
3	♀ ad. <i>Ploceipasser melanorhynchus</i>	do		"
4	♀ ad. " "	do		"
5	♂ ad. <i>Granatina</i>	do		"

} mates.

		Africa	1911.
19576	♀ ad. <i>Rhinocorax affinis</i>	Dire Dawa, Abyssinia	Dec. 8
7	♀ ad. " "	do	"
8	♀ ad. " "	do	Dec. 9
9	♂ ad. " "	do	"
19580	♀ ad. <i>Erythropygia?</i>	do	"
1	♂ ad. <i>Lanius</i>	do	"
2	♂ ad. <i>Erythronela?</i>	do	"
3	♀ ad. Woodpecker, small	do	"
4	♀ ad. <i>Rhinopomastus cabanisi</i>	do	"
5	♀ ad. Kingfisher	do	"
6	♂ ad. <i>Coccyus</i> , blue nape	do	"
7	♂ ad. "	do	"
8	♂ ad. Scops owl	do	"
9	♀ ad. <i>Dinemellia dinemelli</i>	do	"
19590	♂ ad. <i>Zonogastria</i>	do	"
1	♂ ad. <i>Saxicola</i> , black throat	do	"
2	♀ <i>Saxicola</i>	do	"
3	♂ "	do	Dec. 10
4	♀ "	do	"
5	♂ ad. <i>Lophoceros</i>	do	"
6	♀ ad. "	do	"
7	♂ ad. Woodpecker, large, dark	do	"
8	♀ ad. " "	do	"
9	♀ ad. " " golden	do	"
19600	♂ ad. <i>Stigmatopelia</i>	do	"
1	♂ <i>Lanius</i>	do	"
2	♂ juv. <i>Buphaga erythrorhynchos</i>	do	"
3	♂ ad. <i>Cisticola</i> , dark	do	"
4	♂ ad. <i>Batis</i>	do	"
5	♂ ad. <i>Granatina</i>	do	"
6	♂ ad. Eagle	do	"
7	♂ <i>Milvius</i>	do	"
8	♀ <i>Necrosyrtes monachus</i>	do	"
9	♂ ad. <i>Rhinocorax affinis</i>	do	"
19610	♂ ad. <i>Erythropygia?</i>	do	"

		Africa		1911,
19611	♀ ad. <i>Erythropygia</i>	Dire Dawa, Abyssinia		Dec. 11
2	♂ <i>Milvus aegyptius</i>	do		"
3	♂ "	do		"
4	♂ <i>Lophoceros</i>	do		"
5	♀ "	do		"
6	♀ "	do		"
7	♀ "	do		"
8	♀ ad. <i>Upupa</i>	do		"
9	♂ Woodpecker, small	do		"
19620	♂ ad. <i>Rhinopomastus cabanisi</i>	do		"
1	♀ "	do		"
2	ad. <i>Dicrurus</i>	do		"
3	♀ <i>Drimellia drimelli</i>	do		"
4	♀ "	do		"
5	♀ Bustard, largest	Canip. No. 1. Error	Abyssinia	Dec. 13
6	♂ ad. <i>Leucophaea regina?</i>	Error,	"	"
7	♀ ad. "	do	"	"
8	♀ ad. <i>Laniarius funebris</i>	do	"	"
9	♂ ad. <i>Francolinus grantii</i>	Tollo,	Abyssinia	Dec. 14
19630	♂ "y Bustard, largest	do	"	Dec. 15
1	♀ Guinea-Howl.	Near Tollo,	"	"
2	♂ <i>Scizorhis leucogaster</i>	do	"	"
3	♂ Guinea-Howl	Mullo,	"	Dec. 16
4	♂ <i>Lophoceros</i> , red bill	Tollo,	"	"
5	♂ ad. <i>Lophoceros</i> , yellow bill	do	"	"
6	♀ "	do	"	"
7	♀ "	do	"	"
8	♂ ad. Plover, large, no spurs	do	"	"
9	♀ ad. "	do	"	"
19640	♂ ad. Scops owl	Moulou,	"	Dec. 17
1	♂ Woodpecker, small	do	"	"
2	♂ ad. Starling, tail cross-banded	do	"	"
3	♂ ad. Oriole, large	do	"	"
4	♂ ad. Parrot, red-breasted	do	"	"
5	♂ ad. "	do	"	"

Probably young male.
Shot by Mr. Childs Trick.

Africa.

1911.

19646	♂ ad. <i>Schizothraupis leucogaster</i>	Moulou,	Abyssinia	Dec. 17
7	♀ ad. <i>Crataepus</i>	"	do	"
8	♂ ad. Sandpiper, 2-banded.	Bilan,	"	Dec. 18
9	♂ <i>Caprimulgus</i>	do	"	"
19650	♂ ad. Plover, large, spurred.	do	"	Dec. 19
1	♂ ad. Roller	do	"	"
2	♀ ad. "	do	"	"
3	♂ ad. <i>Pterocles</i> , 1-banded,	do	"	"
4	♂ <i>Francolinus grantii</i>	Sadi Malka,	"	Dec. 20
5	♂ "	do	"	"
6	♀ "	do	"	"
7	♂ Plover, black-bellied, spurred	do	"	"
8	♀ do	do	"	"
9	♀ <i>Egialitis</i>	do	"	"
19660	♀ Shrike, bell	do	"	"
1	♀ <i>Motacilla</i>	do	"	"
2	♂ <i>Budytes</i>	do	"	"
3	♂ <i>Luscinia</i>	do	"	"
4	♂ Green Tanagerbird	do	"	"
5	♂ "	do	"	"
6	♂ juv. <i>Cinnyris</i>	do	"	"
7	♂ ad. <i>Sternestes</i>	do	"	Dec. 21
8	♀ ad. "	do	"	"
9	♂ ad. <i>Lepidina picta</i>	do	"	"
19670	♂ ad. <i>Francolinus grantii</i>	do	"	"
1	♂ ad. <i>Oedemura</i>	do	"	"
2	♂ ad. Plover, like no. 19657	do	"	"
3	♂ Tuxtor, red bill	do	"	"
4	♂ "	do	"	"
5	♀ "	do	"	"
6	♀ Woodpecker, large, golden	do	"	"
7	Passer	do	"	"
8	"	do	"	"
9	♂ ad. Barbet, small	do	"	"
19680	♀ ad. "	do	"	"

Africa

1911.

1968	1	♂	Bombus	Wadi Mawa, Abyssinia	Dec. 21
	2	♂	Meloboris	"	"
	3	♀	"	"	"
	4	♂	Meloboris	"	"
	5	♂	Meloboris	"	"
	6	♂	Meloboris	"	"
	7	♂	Meloboris	"	"
	8	♂	Meloboris	"	"
	9	♂	Meloboris	"	"
1969	0	♂	Meloboris	Wadi Mawa, Abyssinia	Dec. 22
	1	♂	"	"	"
	2	♂	"	"	"
	3	♀	"	"	"
	4	♀	"	"	"
	5	♂	Meloboris	Wadi Mawa, Abyssinia	Dec. 23
	6	♂	Meloboris	"	"
	7	♀	Meloboris	"	"
	8	♂	Meloboris	"	"
	9	♂	Meloboris	"	"
1970	0	♂	Meloboris	Wadi Mawa, Abyssinia	Dec. 24
	1	♂	Meloboris	"	"
	2	♂	Meloboris	"	"
	3	♂	Meloboris	"	"
	4	♂	Meloboris	"	"
	5	♂	Meloboris	"	"
	6	♂	Meloboris	"	"
	7	♂	Meloboris	"	"
	8	♂	Meloboris	"	"
	9	♂	Meloboris	"	"
1971	0	♂	Meloboris	Wadi Mawa, Abyssinia	Dec. 25
	1	♂	Meloboris	"	"
	2	♂	Meloboris	"	"
	3	♂	Meloboris	"	"
	4	♂	Meloboris	"	"
	5	♂	Meloboris	"	"
	6	♂	Meloboris	"	"
	7	♂	Meloboris	"	"
	8	♂	Meloboris	"	"
	9	♂	Meloboris	"	"
1972	0	♂	Meloboris	Wadi Mawa, Abyssinia	Dec. 26
	1	♂	Meloboris	"	"
	2	♂	Meloboris	"	"
	3	♂	Meloboris	"	"
	4	♂	Meloboris	"	"
	5	♂	Meloboris	"	"
	6	♂	Meloboris	"	"
	7	♂	Meloboris	"	"
	8	♂	Meloboris	"	"
	9	♂	Meloboris	"	"

Shot by Childs Frost

Adfura

1911.

19716	ad. <i>Bancora</i>	Lada Bora, Abyssinia	Dec. 26
7	ad. <i>Cervina scapularis</i>	Plateau above Lada Bora, Abyss.	"
8	ad. "	do	"
9	ad. "	do	"
19720	ad. <i>Rhinoceros affinis</i>	do	"
1	♂ ad. <i>Cervina chusqueana</i>	Adis Ababa, Abyssinia	Dec. 27
2	♀ ad. "	do	"
3	♂ Eagle	do	Dec. 28
4	ad. <i>Williams zeyheri</i>	do	Dec. 29
5	♀ <i>Octopus hypoleucus</i>	do	Dec. 30
6	♀ "	do	"
7	♀ "	do	"
8	♂ <i>Macropygia</i>	do	"
9	♀ "	do	"
19730	♀ "	do	"
1	♀ <i>Egyptolophus</i>	do	"
2	♂ <i>Cisticola</i>	do	"
3	♀ "	do	"
4	♂ <i>Ammodramus</i>	do	"
5	♀ "	do	"
6	ad. <i>Ammodramus</i>	do	"
7	ad. "	do	"
8	♂ <i>Ammodramus</i>	do	"
9	imm. "	do	"
19740	♀ <i>Parus</i>	do	"
1	ad. <i>Monticola</i>	do	"
2	♂ <i>Parus</i>	do	"
3	♀ "	do	"
4	♂ <i>Parus</i>	do	"
5	♀ <i>Swallow, Chamaea</i>	do	"
6	♂ ad. <i>Thalassidroma</i> , sp. (H. below)	do	"
7	♂ "	do	"
8	♀ "	do	Dec. 31
9	♂ <i>Nettion cucullatus</i>	do	"
19750	♂ "	do	"

Africa

Aden, Arabia, Abyssinia

1911,

Dec. 31

19751 ♂ ad. *Buteo augur*

2 ♂ ad. "

3 ♀ ad. "

4 ♂ ad. *Buteo*

5 ♀ ad. *Buteo*

6 ♂ ad. *Buteo*

7 ♀ ad. "

8 ♂ ad. *Falco*, H. L. head

9 ♂ ad. " white throat

19760 ♂ ad. "

1 ♂ ad. "

2 ♀ ad. "

3 ♂ ad. *Merula*

4 ♂ ad. *Corvus*, *corax* or *crassirostris*

5 ♂ ad. *Merula*

6 ♀ ad. "

7 ♀ ad. *Corvus*

8 ♀ ad. *Corvus*

9 ♂ ad. *Struthio*

19770 ♀ "

1 ♀ "

2 ad. *Scolopax*

3 ad. "

4 ad. *Ortalis hypoleucos*

5 ad. *Passer*

6 Weaver

7 ad. *Helminthophila*

8 *Passer*

9 *Motacilla*, white

19780 *Motacilla*, yellow.

1 ♂ ad. *Corvus*, *crassirostris*

2 ♂ ad. " "

3 ♀ ad. *Merula*

4 ♀ ad. *Corvus*

5 ♀ ad. *Merula*

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

1912.

Jan. 1

"

"

"

"

"

"

"

"

"

"

"

"

"

Jan. 2

"

"

"

"

Africa

1912

Adis Ababa, Abyssinia

Jan. 2

19756 ♂ Weaver
 7 ♂ "
 8 ♂ *Chlorophanes - common*
 9 ♀ "

do

"

do

"

do

"

19790 ♀ "

do

"

1 ♂ *Struthio*

do

"

2 ♂ "

do

"

3 ♀ "

do

"

4 ♀ *Macropygia*

do

"

5 ♀ *Lanius, white throat.*

do

"

6 ♂ *Struthio*

do

"

7 ♂ "

do

"

8 ♂ *Struthio*

do

"

9 ♀ *Struthio, spotted*

do

"

19800 ♂ "

do

Jan. 3

1 ♂ "

do

"

2 ♂ "

do

"

3 ♂ *Struthio*

do

"

4 ♀ "

do

"

5 ♂ *Macropygia*

do

"

6 ♂ "

do

"

7 ♂ *Passer*

do

"

8 ♀ *Struthio, white throat*

do

"

9 ♂ *Struthio*

do

"

19810 ♂ *Struthio*

do

"

1 ♂ " *partly-crowned*

do

"

2 ♂ "

do

"

3 ♀ "

do

"

4 ♂ *Protonotaria*

do

"

5 ♀ "

do

"

6 ♂ *Struthio*

do

"

7 ? Weaver

do

"

8 ♂ *Struthio*

do

Jan. 4

9 ♀ "

do

"

19820 ♀ *Struthio*

do

Jan. 7

19421

2

3

4 ♂ ad. *Thalassidroma*

5 ♂ ad. *Wren*

6 ♂ ad. *Wren*

7 ♀ ad. *Wren*

8 ♀ ad. *Wren*

9 ♂ ad. *Wren*

19532 ♂ ad. *Wren*

1 ♂ ad. *Wren*

2 ♀ ad. *Wren*

3 ♂ ad. *Wren*

4 ♂ ad. *Wren*

5 ♀ ad. *Wren*

6 ♂ ad. *Wren*

7 ♀ ad. *Wren*

8 ♂ ad. *Wren*

9 ♀ ad. *Wren*

19540 ♂ juv. *Wren*

1 ♀ ad. *Wren*

2 ♂ ad. *Wren*

3 ♀ ad. *Wren*

4 ♀ ad. *Wren*

5 ♂ ad. *Wren*

6 ♂ ad. *Wren*

7 ♀ ad. *Wren*

8 ♀ ad. *Wren*

9 ♂ ad. *Wren*

19550 ♂ ad. *Wren*

1 ♂ ad. *Wren*

2 ♂ ad. *Wren*

3 ♀ ad. *Wren*

4 ♂ ad. *Wren*

5 ♂ ad. *Wren*

Wren

Wren

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912.

Jan. 7

"

"

"

"

"

"

"

Jan. 8

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Jan. 9

"

"

"

"

"

"

"

"

"

"

Jan. 10

Africa			1912
19856	♂ ad. <i>Caprimulgus</i>	do	Jan. 10
7	♀ ad. "	do	"
8	♂ ad. <i>Caprimulgus</i>	do	"
9	♀ ad. "	do	"
19860	♂ ad. <i>Caprimulgus</i>	do	"
1	♂ ad. "	do	"
2	♂ ad. <i>Caprimulgus</i>	do	"
3	♀ ad. <i>Caprimulgus</i>	do	"
4	♀ ad. "	do	"
5	♂ ad. <i>Caprimulgus</i>	do	"
6	♂ ad. <i>Caprimulgus</i>	do	"
7	♂ ad. <i>Caprimulgus</i>	do	"
8	♂ ad. <i>Caprimulgus</i>	do	"
9	♂ ad. "	do	Jan. 11
19870	imm. <i>Caprimulgus</i>	do	"
1	♀ ad. <i>Caprimulgus</i>	do	"
2	♀ ad. "	do	"
3	♂ ad. <i>Caprimulgus</i>	do	Jan. 12
4	♂ ad. "	do	"
5	♂ ad. "	do	"
6	♂ ad. "	do	"
7	♂ ad. "	do	"
8	♂ ad. <i>Caprimulgus</i>	do	"
9	♀ ad. "	do	"
19880	♂ ad. <i>Caprimulgus</i>	do	"
1	♀ ad. "	do	"
2	♂ ad. <i>Caprimulgus</i>	do	"
3	♂ ad. <i>Caprimulgus</i>	do	"
4	♂ ad. <i>Caprimulgus</i>	do	"
5	♂ ad. "	do	"
6	♂ ad. <i>Caprimulgus</i>	do	"
7	♀ ad. "	do	"
8	♀ ad. "	do	"
9	♂ ad. "	do	Jan. 13
19890	♂ ad. <i>Caprimulgus</i>	do	"

Skinned by Zaphiro

} a pair, killed same shot
 } a pair, killed same shot

Africa

1912

19891	♂ ad. <i>Lark. rufus-annuus</i>	Adis Ababa, Abyssinia	Jan. 13
2	♀ ad. "	do	"
3	♂ ad. <i>Hirundo</i>	do	"
4	♀ ad. "	do	"
5	♂ ad. <i>Hirundo</i>	Hakaki, Abyssinia	Jan. 14
6	♂ ad. "	do	"
7	♂ ad. "	do	"
8	♀ ad. "	do	"
9	♀ ad. <i>Lark</i>	do	"
19900	♂ ad. <i>Emberiza</i>	do	"
1	♂ ad. "	do	"
2	♂ ad. <i>Sylvia</i>	do	"
3	♂ ad. <i>Pratincola</i>	do	"
4	♂ ad. <i>Olapochus aegyptiacus</i>	Alalta, Abyssinia	Jan. 15
5	♂ ad. "	do	"
6	♂ ad. <i>Lark</i>	do	"
7	♂ ad. <i>Emberiza</i>	do	"
8	♂ ad. <i>Lark</i>	Hakaki, Abyssinia	"
9	♂ ad. <i>Hirundo</i>	Alalta, Abyssinia	"
19910	♀ ad. "	do	"
1	♂ ad. <i>Hirundo</i>	Hakaki, Abyssinia	"
2	♀ ad. "	do	"
3	♀ ad. "	do	"
4	♂ ad. <i>Emberiza</i>	do	"
5	♀ ad. "	do	"
6	♂ ad. <i>Lark</i>	Alalta, Abyssinia	Jan. 16
7	♂ ad. <i>Emberiza</i>	do	"
8	♀ ad. <i>Hirundo</i>	do	"
9	♂ ad. <i>Emberiza</i>	do	"
19920	♂ ad. "	do	"
1	♀ ad. "	do	"
2	♀ ad. <i>Olapochus aegyptiacus</i>	do	Jan. 17
3	♀ ad. <i>Polyporus typicus</i>	do	"
4	♂ ad. <i>Emberiza</i>	do	"
5	♂ ad. <i>Centurus cerynus</i>	do	"

Nothing.
} Mated pair.

Ovipositing.
Bone skin of face deep yellow. Heel-joint wears both ways. Stomach empty.

Africa

1912,

19926	♂	<i>Corvus leucurus</i> pub?	Alaltu, Abyssinia	Jan. 17
7	♂ ad.	<i>Notocoris capensis</i>	Camp. II of Saleish, Abyssinia	Jan. 18
8	♀ ad.	"	do	"
9	♂ ad.	<i>Notocoris capensis</i>	do	"
19930	♂ ad.	<i>hirsutus</i>	do	"
1	♂ ad.	<i>hirsutus</i>	do	"
2	♂ ad.	"	do	"
3	♂ ad.	"	do	"
4	♀ ad.	"	do	"
5	♂ ad.	<i>hirsutus</i>	Camp. E. of Saleish, Abyssinia	Jan. 19
6	♀	<i>hirsutus</i>	Camp. do	"
7	♀ ad.	<i>hirsutus</i>	Near Anseba, Abyssinia	Jan. 20
8	♂ ad.	<i>hirsutus</i>	do	Jan. 21
9	♂	<i>hirsutus</i>	do	"
19940	♂ ad.	<i>hirsutus</i>	do	"
1	♂ ad.	"	do	"
2	♀ ad.	<i>hirsutus</i>	do	"
3	♀ ad.	<i>hirsutus</i>	do	"
4	♂ ad.	"	do	"
5	♂ ad.	<i>hirsutus</i>	do	Jan. 22
6	♀ ad.	<i>hirsutus</i>	do	"
7	♀ ad.	<i>hirsutus</i>	do	"
8	♂ ad.	<i>hirsutus</i>	Dalicha, Abyssinia	Jan. 24
9	♀ ad.	<i>hirsutus</i>	do	"
19950	♀ ad.	<i>hirsutus</i>	do	"
1	♂ ad.	<i>hirsutus</i>	do	"
2	♀ ad.	"	do	"
3	♂ ad.	<i>hirsutus</i>	do	"
4	♂ ad.	<i>hirsutus</i>	do	"
5	♀ ad.	"	do	"
6	♀ ad.	"	do	"
7	♀ ad.	<i>hirsutus</i>	do	"
8	♀ ad.	"	do	"
9	♂ ad.	<i>hirsutus</i>	do	"
19960	♂ ad.	<i>hirsutus</i>	do	"

} mated pair, killed same night
Female ovipositing.

Shot by Charles Kiser, with rifle.

Shot by Charles Kiser, with rifle.

- 19961 ♂ ad *Linnaea*
 2 ? *Laccophilus*
 3 ♀ ad *Habrozetes vocifer*
 4 ♂ ad *Centropus* "
 5 ♂ ad *Phrynosoma*
 6 ♂ ad *Thryx* small
 7 ♀ ad "
 8 ♂ ad *Barbut* small
 9 ♀ ad *Dicranura*

- 19970 ♂ ad *Colinus*, blue
 1 ♂ ad "
 2 ♀ ad "
 3 ♀ *Colinus*, brown
 4 ♂ ad *Phlorae*, KK. ad. spurred
 5 ♀ ad "
 6 ♀ ad "
 7 ♀ ad "
 8 ♀ ad *Pedionomus*
 9 ♀ ad *Centropus superciliosus*

- 19980 ♂ ad *Parus*, red-breasted
 1 ♂ ad *Pterocles*
 2 ♀ ad *Streptopelia*
 3 ♀ ad *Streptopelia*
 4 ♂ ad *Uropygia* *epops*
 5 ♀ ad "
 6 ♂ ad *Ceryle rudis*
 7 ♂ ad "
 8 ♀ ad *stans*
 9 ♀ ad *Papenotus*

- 19990 ♀ ad *Budytes*
 1 ♂ *Weaver*
 2 ♂ ad *Weaver*
 3 ♂ *Barbut*, almost *stans*
 4 ♀ "
 5 ♂ ad ?

Africa

Dulitche, Abyssinia

do

do

Babra Duloka, Abyssinia

Sadi Wassa, Abyssinia

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912-

Jan. 24

"

Jan. 25

"

Jan. 26

Jan. 27

"

"

"

"

"

"

Jan. 28

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Africa

1912.

Sadi Malka, Abyssinia Jan. 28

19996 ♂ ad. *Lagomasticta*

7 ♀ ad. "

8 ♂ ad. *Setulola chrysopygia*

9 ♂ ad. "

20000 ♂ ad. "

1 ♂ ad. *Neclaronia*

2 ♂ ad. *Cinnyris*

3 ♂ ad. *Chondestes*

4 ♂ ad. *C. ... bell. ...*

5 ♂ ad. *Chalcophaps indica*

6 ♂ ad. *Clivicola*

7 ♂ ad. *Bub. ... small*

8 ♂ ad. "

9 ♀ ad. "

20010 ♂ ad. "

1 ♂ ad. *Weaver*

2 ♀ ad. "

3 ♂ ad. *Cyanocitta*

4 ♀ ad. "

5 ♂ ad. *Bub. ... small*

6 ♂ ad. *Prinia*

7 ♂ ad. *Struthio, bell*

8 ♂ ad. "

9 ♂ ad. *Laniarius funebris*

20020 ♂ ad. *Cinnyris*

1 ♀ ad. *Cinnyris*

2 ♂ ad. *Eagle*

3 ♀ ad. "

4 ♂ ad. *Troglodytes*

5 ♂ ad. "

6 ♀ ad. "

7 ♂ ad. *... bell. ...*

8 ♀ ad. "

9 ♀ ad. *...*

20030 ♂ ad. *Batis*

do "

do "

do "

do "

do "

do "

do Jan. 29

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do "

do Jan. 30

do "

do "

do "

do "

do "

do "

do "

do "

		Africa		1912,
20031	♂ ad. <i>Melittophagus</i>	Sadi Malka, Abyssinia	Jan. 30	
2	♀ ad. "	do	"	
3	♀ ad. <i>Pelionus</i>	do	"	
4	♂ ad. "	do	"	
5	♂ ad. <i>Sanicola</i>	do	"	
6	♀ ad. <i>Cisticola</i> , dark	do	"	
7	♂ ad. <i>Dinimella dinimelli</i>	do	Jan. 31	
8	♂ ad. <i>Weaver</i>	do	"	
9	♀ ad. "	do	"	
20040	♀ ad. <i>Silvabill</i>	do	"	
1	♂ ad. <i>Warbler</i>	do	"	
2	♀ ad. <i>Bonbrt</i>	do	"	
3	♀ ad. <i>Woodfowler</i>	do	"	
4	♂ ad. <i>Pyrenonotus</i>	do	"	
5	♀ ad. <i>Microcephalus rufellii</i>	do	"	
6	♀ ad. <i>Loxia</i> owl	do	Feb. 1	
7	♀ ?	do	"	
8	♂ ad. <i>R. tinea</i> , undaria	do	Feb. 2	
9	♂ ad. <i>Trochilurus granat</i>	do	"	
20050	♂ ad. <i>Theraps</i>	do	"	
1	♂ ad. <i>Theraps</i>	do	"	
2	♀ ad. <i>Microcephalus rufellii</i>	do	"	
3	♂ ad. <i>Phoenicurus</i>	do	"	
4	♂ ad. <i>Glossy Starling</i>	do	"	
5	♂ ad. <i>Phoenicurus</i>	do	"	
6	♂ ad. <i>Dinimella dinimelli</i>	do	"	
7	♀ ad. <i>Merula</i>	do	"	
8	♂ ad. <i>Erythrura</i>	do	"	
9	♀ ad. "	do	"	
20060	♀ ad. <i>Lophoceros</i> , red bell	do	Feb. 3	
1	♂ ad. <i>Lophoceros</i> yell. "	do	"	
2	♀ ad. "	do	"	
3	♂ ad. <i>Lophoceros</i> , blk. bell	do	"	
4	♂ "	do	"	
5	♀ "	do	"	

} Mated pair.

~ Nest yellow.

Africa.

1912.

20066 ♂ ad. *Leucogaster* Sadi Manka, Abyssinia Feb. 3

7 ♂ ad. " " do "

8 ♂ ad. " " do "

9 ad. " " do "

20070 ♂ ad. " " do "

1 ♂ ad. " " do "

2 ♀ ad. Roller do "

3 ♂ ad. " do "

4 ♀ ad. *Euphonia* do "5 ♂ ad. *Pyrochulanda* do "

6 ♀ ad. " do "

7 ♂ ad. *Pesticola* do "8 ♀ ad. *Phaeocephalus* Iron Bridge, Hawash River, Abyss. Feb. 4

9 ♀ ad. " do "

20080 ♂ ad. *Pterocarpus* do "1 ♂ ad. *Pterocarpus* do "2 ♂ ad. *Alcedo*, large do "

3 ♂ ad. " do "

4 ad. " do "

5 ♂ ad. *Gonogaster* do "6 ♀ ad. *Pyrochulanda* do "7 ♂ ad. *Pesticola* do "8 ♂ ad. *Urocyathus* do Feb. 59 ♂ ad. *Silvery-bill* do "20090 ♀ ad. *Shrike* do "1 ♂ ad. *Lanius fuscus* do "2 ♀ ad. *Bush-shrike* do "3 ♀ ad. *Bush-shrike*, small do "4 ♂ ad. *Kingfisher* do "5 ♂ ad. *Cambridgea* do "6 ♀ ad. *Alcedo* do "7 ♂ ad. *Hostunian* do "

8 ♀ ad. " do "

9 ♂ ad. *Pesticola* do "

20100 ♂ ad. " do "

} Mated pair.

Africa

1912.

Hawash River, Abyssinia

Feb. 6

20101 ♂ ad. Bustard, large

2 ♂ ad. Lanius

3 ♂ ad. "

4 ? "

5 ♂ ad. Pterocles

6 ♀ ad. "

7 ♂ ad. Ceryle

8 ♂ ad. Green-backed Shrike

9 ♂ ad. Mirafra, large

20110 ♀ ad. Lanius

1 ♂ ad. Petroica

2 ♂ ad. Silver-bird

3 ♀ ad. Bustard, medium

4 ♂ ad. Pterocles

5 ♂ ad. Stephanostris coronata

6 ♂ ad. Lanius

7 ♂ ad. Lanius

8 ♀ ad. "

9 ♂ ad. Lanius

20120 ? Mirafra

1 ♂ ad. Eurocephalus rufellii

2 ♂ ad. Lanius, pale

3 ♀ ad. "

4 ♂ ad. Shrike

5 ♀ ad. "

6 ♂ ad. Oenanthe capensis

7 ♂ ad. Spermophaga

8 ♂ ad. Lanius

9 ♀ ad. "

20130 ♀ ad. Pyrrhuloxia

1 ♀ ad. "

2 ♂ ad. Mirafra, large

3 ♂ ad. "

4 ♀ ad. Anthus

5 ♀ ad. Green Tailorbird

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

Feb. 7

Feb. 8

Africa

1912.

Hawash River, Abyssinia Feb. 8

- 20136 ♀ ad. *Buteo*
 7 ♂ *Sagittaria*
 8 ad. Hornbill
 9 ♀ ad. *Sagittaria*

do
do
do

Feb. 9

20140 ♀ ad. *Antonia*

1 ?

2 ♀ ad. *Thraupis*

3 ♂ ad. *Leucotis*

4 ♂ ad. "

5 ♂ ad. *Amantia*

6 ♀ ad. *Leucotis*

7 ad. *Phalacrocorax*

8 ♂ *Egialitis*

9 ♂ "

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
Feb. 10

20150 ♂ ad. *Pteroceros*

1 ♂ ad. *Pteroceros*

2 ♂ ad. "

3 ♂ ad. *Grus*, small

4 ♀ ad. *Schizothraupis leucogaster*

5 ♂ ad. *Tephroceros*, blk. bill

6 ♀ ad. "

7 ♀ ad. *Tephroceros*, yell. bill

8 ♀ ad. *Colinus*, blue

9 ♂ *Trisax*

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

20160 ♂ "

1 ♂ ad. *Dicrurus*

2 ♀ ad. "

3 ♂ ad. Woodpecker, large, golden

4 ♀ ad. Indicator

5 ad. Barbet

6 ♂ ad. *Dinimellia dinimelli*

7 ♂ ad. *Agave*, W. savan

8 ♂ ad. *Lagotis*

9 ♀ ad. *Palus*

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

20170 ♂ ad. *Chalcophaps indica*

do

"

Shot, with rifle, by Charles Frick.

Only one spur on each tarsus

Africa.

1912.

Hawash River, Abyssinia Feb. 10

20171 ad. *Chloroceryle*

2 ad. "

3 ad. "

4 ♀ ad. *Streptopelia*

5 ♀ ad. "

6 ♂ ad. "

7 ♂ ad. *Phasianus*

8 ♂ ad. *Chalcophaps indica*

9 ♀ ad. "

20180 ♂ ad. *Oedipodites*

1 ♀ ad. "

2 ♂ ad. *Chalcophaps indica*

3 ♀ ad. *Totipotia*

4 ♀ ad. *Halcyon*

5 ♂ ad. *Eurostocheus nupellii*

6 ♀ ad. "

7 ♂ ad. *Lanius*

8 ♀ ad. "

9 ♂ ad. *Bucconides*

20190 ♂ ad. *Lanius*

1 ♂ ad. *Schizothraupis leucogaster*

2 ♂ ad. *Myiophobus*

3 ♀ ad. *Barbut*

4 ♂ ad. *Melittophaga*

5 ♀ ad. *Bradyornis*

6 ♀ ad. *Oriolus chinensis*

7 ♂ ad. *Glory Starling*

8 ad. *Leucosticte*

9 ♀ ad. *Cisticola*

20200 ? *Merops*

1 ♂ ad. *Rhinopomastus catanisi*

2 ♂ ad. " "

3 ♀ ad. " "

4 ♀ ad. " "

5 ♂ ad. *Halcyon*

do

do

do

Feb. 11.

do

do

do

do

do

do

do

do

Feb. 12.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

Shot by Childs Friere

Sire, Abyssinia

Africa

1912.

Arusi Plain, Abyssinia

Feb. 14

- 20241 1 ad. Aras
2 ad. "
3 ad. "
4 1 ad. Phoebe, large
5 1 ad. "
6 1 ad. Cassin's
7 1 ad. "Triton"
8 1 ad. "infans" common
9 1 ad. "Cottus"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

20250 1 ad. "

do

"

1 1 ad. "

do

"

2 1 ad. "

do

"

3 1 ad. "Cottus" common

do

"

4 1 ad. "Corvus" refulgens juv?

do

Feb. 15.

5 1 ad. "

do

"

6 1 ad. "Lark"

do

"

7 1 ad. "Lark"

do

"

8 1 ad. "

do

"

9 1 ad. "Sparrow"

do

"

8000 ft

20260 1 ad. "

do

"

1 1 ad. "

do

"

2 1 ad. "

do

"

3 1 ad. "

do

"

4 1 ad. "

do

"

5 1 ad. "

do

"

6 1 ad. "

do

"

7 1 ad. "

do

"

8 1 ad. "

do

"

9 1 ad. "

do

"

10 1 ad. "

do

"

11 1 ad. "

do

"

12 1 ad. "

do

"

20270 1 ad. "Aras" common

do

"

2 1 ad. "

do

"

3 1 ad. "

do

"

4 1 ad. "

do

"

5 1 ad. "

do

"

6 1 ad. "

do

"

7 1 ad. "

do

"

8 1 ad. "

do

"

} Killed same shot

Africa

1912.

20276 ♂ ad. Pratincola

7 ♂ ad. " do
8 ♂ ad. Stomachet do

9 ♂ ad. " do

20280 ♂ ad. Sparrow

1 ♂ ad. Oriole

2 ♂ ad. Pratincola

3 ♂ ad. Pratincola

4 ♂ ad. Sparrow

5 ♂ ad. " do

6 ♂ ad. " do

7 ♂ ad. " do

20290 ♂ ad. " do

1 ♂ ad. Pratincola

2 ♂ ad. " do

3 ♂ ad. Pratincola

4 ♂ ad. " do

5 ♂ ad. Stomachet

6 ♂ ad. " do

7 ♂ ad. " do

8 ♂ ad. " do

9 ♂ ad. Stilt

20300 ♂ ad. " do

1 ♂ ad. Pratincola

2 ♂ ad. " do

3 ♂ ad. Oriole

4 ♂ ad. Oriole

5 ♂ ad. Pratincola

6 ♂ ad. Pratincola

7 ♂ ad. Pratincola

8 ♂ ad. Pratincola

9 ♂ ad. Pratincola

20310 ♂ ad. Helminthophila capensis

Arusi, Plateau, Abyssinia Feb. 15

do " "

do " "

8200 ft. do Feb. 16

7850 " do "

9000 " do Feb. 17

9500 " do "

9000 " do "

9500 " do "

9000 " do "

9000 " do "

9000 " do "

9500 " do "

9000 " do "

9000 " do "

9000 ft. do "

9000 ft. do "

10000 ft. do Feb. 18

" do "

" do "

" do "

11000 ft. do "

9000 ft. do "

9500 ft. do "

" do Feb. 20

" do "

" do "

" do "

} Mated pair, killed same shot

} Hypericum throat at 9000 feet.

} Mated pair

Take on divide 11000 feet in high zone

} abundant in the Heath Zone to at least 11000 feet
Iris red. Bill black. Legs and feet fresh

Iris brown. Entire bill orange. Feet and claws brownish yellow.
In Heath Zone
In Heath Zone

Africa.			1912.
20311	♂ ad. <i>Merula</i>	9000 feet, <i>do</i>	Feb. 20
2	♂ ad. <i>Merula</i>	" <i>do</i>	"
3	♀ ad. "	" <i>do</i>	"
4	♀ ad. "	" <i>do</i>	"
5	♀ ad. "	" <i>do</i>	"
6	♂ ad. <i>Thurmeria</i>	" <i>do</i>	"
7	♂ ad. "	" <i>do</i>	"
8	♂ ad. "	" <i>do</i>	"
9	♂ ad. "	" <i>do</i>	"
20320	♂ <i>Geothlypis</i>	" <i>do</i>	"
1	♂ "	" <i>do</i>	"
2	♂ "	" <i>do</i>	"
3	♂ "	" <i>do</i>	"
4	♂ "	" <i>do</i>	"
5	♂ ad. <i>Bradyornis</i>	" <i>do</i>	"
6	♀ ad. "	" <i>do</i>	"
7	♂ <i>Woodhouse's</i>	" <i>do</i>	"
8	♂ "	" <i>do</i>	"
9	♂ <i>Woodhouse's</i>	" <i>do</i>	"
20330	♂ ad. <i>Scopelogadus galinieri</i>	" <i>do</i>	"
1	♀ ad. "	" <i>do</i>	"
2	♂ <i>Anthus</i>	" <i>do</i>	"
3	♂ "	" <i>do</i>	"
4	♂ "	" <i>do</i>	"
5	♂ ad. <i>Stenochelidon</i>	" <i>do</i>	"
6	♂ <i>Stenochelidon</i>	" <i>do</i>	"
7	♂ "	" <i>do</i>	"
8	♂ ad. <i>Stenochelidon</i>	" <i>do</i>	"
9	♀ <i>Stenochelidon</i>	" <i>do</i>	"
20340	♂ ad. <i>Merula</i>	" <i>do</i>	"
1	♀ ad. <i>Myiophobus</i>	" <i>do</i>	"
2	♂ <i>Branta</i>	" <i>do</i>	"
3	♂ ad. <i>Myiophobus</i>	" <i>do</i>	"
4	♂ ad. <i>Myiophobus</i>	" <i>do</i>	"
5	♀ ad. "	" <i>do</i>	"

Iris brown. Bill and maxilla orange. Feet yellow; claws yellowish brown.
 { contained a perfectly-formed egg; bluish green, thickly dashed with brown.
 Iris brown. Bill and maxilla orange. Feet and claws brownish yellow.

} One pair, shot together. Juniper woods at 9000 feet.

Feb. 21

Africa

1912.

20346 ♂ ad Merula
7 ♂ ad Thrusch, spotted
8 ♀ ad "
9 ♀ ad Grey S. W. G.

20350 ♀ ad E. myna

1 ♂ ad Zosterops

2 ♂ ad "

3 ♂ ad "

4 ♂ ad "

5 ♀ ad "

6 ♀ ad "

7 ♀ ad "

8 ♂ ad "

9 ♂ ad "

20360 ♂ ad N. v. v. v.

1 ♂ ad Stenodactylus

2 ♂ ad "

3 ♂ ad "

4 ♂ ad "

5 ♂ ad "

6 ♀ ad Turtur lugens

7 ♂ ad B. v. v. v.

8 ♀ ad Weaver

9 ♂ ad "

20370 ♂ ad L. v. v. v.

1 ♂ ad "

2 ♂ ad "

3 ♂ ad "

4 ♂ ad "

5 ♀ ad Diopthisornis

6 ♂ ad Titmouse

7 ♂ ad "

8 ♀ ad "

9 ♂ ad "

20380 ♂ ad "

1 ♂ ad "

2 ♂ ad "

3 ♂ ad "

4 ♂ ad "

Juniperus, Arusi Plateau
Abyssinia. Altitude 9000 feet.

do

do

do

do

do

do

do

do

do

do

do

do

do

Juniperus, Arusi Plateau
Abyssinia. Altitude 8500 feet.

do

do

Juniperus, Arusi Plateau, 4000 ft. Abyssinia

" "

" "

" 7000 ft.

" 7000 ft.

" "

" "

" "

" "

" "

" 8,500 ft.

" "

9,000 ft.

Feb. 21

"

"

"

"

"

"

"

"

"

"

"

"

"

Feb. 22.

"

"

"

"

"

"

"

"

"

"

"

"

Feb. 23.

"

Stream in juniper woods.

Female has no red on head.

Shot at a corn-stack.

Open plain, with a few juniper trees, in which it nests.

At one shot a hen was hit, but the male escaped into a hole in the ground, on an open plain. Probably nesting in grass on nearly open plain. Several groves occupied.

Africa.

1912.

20381 ♂ ad. M. rubra.

Janif. Bone
Ethiopia Station, 9000 feet, Abyssinia Feb. 23

2 ♂ ad. " 9200 ft. "

3 ♂ ad. Parrot, yellow face " " "

4 ♀ ad. Macropygia " 9000 ft. "

5 ♀ ad. Sparrow, white breast " " "

6 ♂ ad. Striped " " "

7 ♂ ad. Pratincola " 9200 ft. "

8 ♂ ad. " " " "

9 ♂ ad. Starling, chestnut in wing " 8500 ft. "

20390 ♂ ad. " 9200 ft. "

1 ♂ ad. " 8500 ft. "

2 ♂ ad. " 9200 ft. "

3 ♂ ad. " " "

4 ♂ ad. " 8500 ft. "

5 ♀ ad. " " "

6 ♂ ad. Nectarinia " 9200 ft. "

7 ♂ ad. " " "

8 ♂ ad. " " "

9 ♂ ad. " " "

20400 ♂ ad. " " "

1 ♂ ad. " " "

2 ♂ ad. " " "

3 ♂ ad. Francolinus " 9000 ft. Feb. 24

4 ♂ ad. Eagle " 9200 ft. "

5 ♂ ad. Plover, large " " "

6 ♂ ad. " " "

7 ♀ ad. " " "

8 ♂ ad. Tyrannus rufopectus " 9000 ft. "

9 ♂ ad. " " "

20410 ♀ ad. " " "

1 ♀ ad. " " "

2 ♂ ad. " 8500 ft. "

3 ♂ ad. " " "

4 ♀ ad. " " "

5 ♂ ad. " " "

Grass of grassy plain on nearly open plain. Kill and speckled red. Short song!
do
do
Breeding.

Tree on open plain

Foot and about only.

		Africa		1912.
20416	♂ Nestorina	{ Principle Zone	9200 ft. Abyssinia	Feb. 24
7	♀ ad. Tinnunculus	"	8000 ft. "	"
8	♂ ad. Lophophanes	"	9000 ft. "	"
9	♂ ad. Sturnia	"	" "	"
20420	♂ ad. Tinnunculus	"	9200 ft. "	"
1	♂ ad. Estrilda	"	9200 ft. "	"
2	♂ ad. Tinnunculus	"	" "	"
3	♂ ad. Sturnia	"	9200 ft. "	"
4	♀ ad. Tinnunculus	"	9000 ft. "	"
5	♀ ad. "	"	" "	"
6	♀ ad. Eagle	"	9200 ft. "	Feb. 25
7	♂ ad. Lophophanes occipitalis	"	" "	"
8	♂ ad. Sturnia	"	" "	"
9	♂ ad. Wheatear	"	" "	"
20430	♀ ad. "	"	" "	"
1	♂ ad. Quercus	"	10,000 ft. "	Feb. 26
2	im. Quercus	"	" "	Feb. 27
3	♂ ad. Quercus	"	10,500 ft. "	"
4	♀ ad. Sturnia, shot in wing	"	" "	"
5	♂ ad. Tinnunculus, spotted	"	10,500 ft. "	"
6	♀ ad. Tinnunculus	"	" "	"
7	♂ ad. Lophophanes	"	" "	"
8	♂ ad. Wheatear	"	" "	"
9	♂ ad. Tinnunculus	"	" "	"
20440	♀ ? Nestorina	"	10,500 ft. "	"
1	♂ ad. Estrilda	"	" "	"
2	♂ ad. Tinnunculus	"	" "	"
3	♀ ad. "	"	" "	"
4	♀ ad. "	"	9,000 ft. "	Feb. 28
5	♀ ad. "	"	" "	"
6	♀ ad. "	"	" "	"
7	♀ juv. "	"	" "	"
8	♂ juv. "	"	" "	"
9	♂ juv. "	"	" "	"
20450	♂ ad. "	"	" "	"

Was on the ground fighting with Nuthatches when shot.

Bill and feet red.

In camphor-tree zone

Iris brown. Bill and feet reddish brown.

Iris brown. Bill and feet reddish brown; claws olive-brown. Camphor zone.

Bill and feet brownish red.

Iris brown. Bill and feet red; claws olive-brown.

Africa

1912.

20451	♂ ad	Buteo augur	Amusi Plateau, 9000 ft Abyssinia	Feb. 28
2	♂ ad	Trogon	"	"
3	♂	Nectarinia	"	"
4	♀	"	"	"
5	♂ ad	Merula	2500 ft	"
6	♂ ad	Merula	9000 ft	"
7	♂	Laticollis	"	"
8	♀	"	"	"
9	♂	Merula	12,000 ft	"
20460	♀	"	9,000 ft	Feb. 29
1	♂ ad	Pigeon	"	"
2	♂ ad	Merula	"	"
3	♂ ad	"	"	"
4	♀	Kestrel	"	"
5	♂ ad	Buteo augur	"	"
6	♂ ad	"	"	"
7	♀	Cryptolophus	"	"
8	♂	Liturus	"	"
9	♂ ad	"	"	"
20470	♂ ad	Heavy Starling	"	"
1	♂	Spurrow	"	"
2	♀	"	"	"
3	♀	"	"	"
4	♂	Scissurus strigatus	"	"
5	♀	"	"	"
6	♀	"	"	"
7	♂	Starling	"	"
8	♂	Woodpecker, gold & red bellied	"	"
9	♂	"	"	"
20480	♂	"	"	"
1	♂	Redstart	"	"
2	♂	"	"	"
3	♂	"	"	"
4	♀	"	"	"
5	♀	"	"	"

Shot from limb of tree in forest

} Mated pair

} Ore, along gape, and feet, yellow.
Four seen in an L. b. bird's side.

Taken in mammal trap.

Africa 1912.
Ainasi Plateau, 9000 ft., Abyssinia Feb. 29

1912.

Feb. 29

March 2,

March 3

the north contained $1\frac{1}{2}$ and a trace.

Had with the large Bill (1st) arrived yesterday and father of same in crop.

Iris dark brown. Bill, bare space above eye, feet and claws, yellowish.

Caught in rat trap.

4 Secu Ho-day.

Africa

1912,

20521 ♂ ad *Paroplossa galinieri*

2 ♂ ad *Ceryle*

3 ♂ ad "

4 ♀ "

5 ♂ ad *Zosterops*

6 ♂ ad *Prunus*

7 ♂ ad *Stenochelidon*

8 ♂ ad *Trachypodidae*

9 ♂ ad "

20530 ♂ ad "

1 ♂ ad "

2 ♂ ad "

3 ♂ ad *Quercus maculata*

4 ♀ ad "

5 ♂ ad *Trachypodidae*

6 ♂ ad *Parus*

7 ♂ ad "

8 ♂ ad *Trachypodidae*

9 ♂ ad "

20540 ♂ ad *Apus*

1 ♂ ad *Harporhynchus*

2 ♀ ad *Parus*

3 ♂ ad *Vireo*

4 ♀ ad "

5 ♂ ad *Apus*

6 ♂ ad "

7 ♂ ad *Parus*

8 ♂ ad *Ceryle*

9 ♂ ad *Stenochelidon*

20550 ♂ ad *Parus*

1 ♀ ad *Trachypodidae*

2 ♂ ad *Ceryle*

3 ♂ ad "

4 ♂ ad *Trachypodidae*

5 ♂ ad *Trachypodidae*

Cafu,

Abyssinia March 3

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Botula

"

"

Malke

"

"

"

"

"

Botula

"

"

"

"

"

"

"

"

"

"

"

Botula

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Botula

"

"

"

"

"

Parus

"

"

Botula

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Parus

"

"

Botula

"

"

"

"

"

"

"

"

"

"

"

one large figure-ty
A mated pair was shot at this place, in yellowwood zone. We had passed
Bill, eye-ring, and wattle, red. Feet & claws black
Eye-ring, feet and claws yellow. Bill blackish, base of beak's corner of mouth orange
do

Mated pair

Shot only. Shot by Dr. Samuel G. Rofferty.
Mated pair, killed same shot.
Killed same shot

Africa

1912

20556	1 ad		Lake, Abyssinia	March 5
7	ad	"	"	"
8	ad	Ceryle	"	"
9	ad	"	"	"
20560	1 ad	"	"	"
1	ad		Alitta (Alita), Sidamo	March 6
2	ad	"	"	"
3	ad	Ceryle	"	"
4	ad	Ceryle	Near Alitta	"
5	ad	"	"	"
6	ad	Ceryle	"	"
7	ad	"	"	"
8	ad	"	"	"
9	ad	Ceryle	"	"
20570	1 ad	Phalacrocorax	"	"
1	ad	"	"	"
2	ad	"	"	"
3	ad	Ceryle	Lake	"
4	ad	Ceryle	Near Alitta	"
5	ad	Ceryle	Near Lake	"
6	ad	Ceryle	"	"
7	ad	Ceryle	Near Alitta	"
8	ad	Ceryle	"	"
9	ad	Woodpecker, golden, red back	"	"
20580	1 ad	Ceryle	Alitta (Alita)	March 7
1	ad	Ceryle	"	"
2	ad	"	"	"
3	ad	Ceryle	"	"
4	ad	Ceryle	"	"
5	ad	"	"	"
6	ad	"	"	"
7	ad	"	"	"
8	ad	"	"	"
9	ad	"	"	"
20590	1 ad	"	"	"

Light foot & shank

Africa
1912,
Alitta, Sidamo, Abyssinia March 7

20591	♂	Thrush	"	"	"	"
2	♂	Mitocilla	"	"	"	"
3	♂	"	"	"	"	"
4	♂	Quail	"	"	"	"
5	♂	Thrush	"	"	"	"
6	♂	Zosterops	"	"	"	"
7	♂	"	"	"	"	"
8	♂	Thrush	"	"	"	"
9	♂	Thrush	"	"	"	"
20600	♂	"	"	"	"	"
1	♂	Thrush	"	"	"	"
2	♂	Thrush	"	"	"	"
3	♂	Thrush	"	"	"	"
4	♂	Thrush	"	"	"	"
5	♂	Thrush	"	"	"	"
6	♂	Thrush	"	"	"	"
7	♂	Thrush	"	"	"	"
8	♂	Thrush	"	"	"	"
9	♂	Thrush	"	"	"	"
20610	♂	Thrush	"	"	"	"
1	♂	Thrush	"	"	"	"
2	♂	Thrush	"	"	"	"
3	♂	Thrush	"	"	"	"
4	♂	Thrush	"	"	"	"
5	♂	Thrush	"	"	"	"
6	♂	Thrush	"	"	"	"
7	♂	Thrush	"	"	"	"
8	♂	Thrush	"	"	"	"
9	♂	Thrush	"	"	"	"
20620	♂	Thrush	"	"	"	"
1	♂	Thrush	"	"	"	"
2	♂	Thrush	"	"	"	"
3	♂	Thrush	"	"	"	"
4	♂	Thrush	"	"	"	"
5	♂	Thrush	"	"	"	"

} mated pair.

Mate of No. 20591. Killed same shot.

Thrush

} a mated pair.

Africa

1912.

Abba, Sudan, Abyssinia

March 11.

- 20661 ♀ *Pycnonotus*
 2 ♀ *Prunella*
 3 ♂ *Alcedo*
 4 ♂ *Crateropus*
 5 ♂ *Alcedo*
 6 ♂ *Alcedo*
 7 ♂ *Alcedo*
 8 ♂ *Alcedo*

- " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "

March 13

Small, but extremely common

- 20670 ♂ *Empidonax bicolor*
 1 ♂ *Empidonax*
 2 ♂ *Empidonax*
 3 ♂ *Empidonax*
 4 ♂ *Empidonax*
 5 ♂ *Empidonax*
 6 ♂ *Empidonax*
 7 ♂ *Empidonax*
 8 ♂ *Empidonax*
 9 ♂ *Empidonax*

- " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "

Shot at same spot as the male.

- 20680 ♀ *Empidonax*
 1 ♂ *Empidonax*
 2 ♀ *Empidonax*
 3 ♀ *Empidonax*
 4 ♀ *Empidonax*
 5 ♀ *Empidonax*
 6 ♀ *Empidonax*
 7 ♀ *Empidonax*
 8 ♀ *Empidonax*
 9 ♀ *Empidonax*

- " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "
 " " "

March 14

- 20690 ♂ *Empidonax*
 1 ♂ *Empidonax*
 2 ? *Empidonax*
 3 ♂ *Empidonax*
 4 ♀ *Empidonax*
 5 ♀ *Empidonax*

- " " "
 " " "
 " " "
 " " "
 " " "

March 15

Africa

1912.

Lake near Lake Chad, Abyssinia March 15

20690	♂ ad	Pardaliparus
7	♂ ad	Iduna
8	♂ ad	Iduna
9	♂ ad	Iduna
20700	♀	Circus
1	♀	Merula
2	♀	Chalcophaps
3	♂ ad	Melospiza
4	♂ ad	Melospiza
5	♂ ad	"
6	♀	"
7	♂ ad	Buteo
8	♀	"
9	♂ ad	Nannida
20710	♂ ad	Phalaropus
1	♀	Melospiza
2	♀	Circus
3	♀	Buteo
4	♂ ad	Iduna
5	♂ ad	Iduna
6	♂ ad	"
7	♂ ad	Iduna
8	♀ ad	Iduna
9	♂ ad	Barbet, red-headed
20720	♂ ad	"
1	♀ ad	Iduna
2	♂ ad	Iduna
3	♀	Iduna
4	♂ ad	Iduna
5	♂ ad	Iduna
6	♀	Iduna
7	♀	Iduna
8	♀	Iduna
9	♀	Iduna
20730	♀	Iduna

Lake River,

act. 3700 ft.

March 16

March 17

Iris brown. Bill black, greenish yellow on base of mandible and on sides of maxilla at base. Feet yellow; claws black.

The first one seen since we passed Sidi, 1200 ft.

} Mated pair

Africa

1912.

20731 ♀ *Colaptes auratus* at 3700 feet Gilobo River, Abyssinia March 17.

2 ♂ ad	"	do	"
3 ♀ ad	"	do	"
4 ♀ ad	"	do	"
5 ♂ ad	"	do	"
6 ♂ ad	"	do	"
7 ? ad	"	do	"
8 ? ad	"	do	"
9 ♀ ad	"	do	"

20740 ♂ *Junco* do "

1 ♀ ad	<i>Sylvia</i>	do	"
2 ♂	<i>Corvinus</i>	do	"
3 ♀	"	do	"
4 ♂ ad	<i>Chalcophaps</i>	do	"
5 ♀ ad	<i>Pringella</i>	do	"
6 ♀ ad	<i>Regulus</i>	do	"
7 ♂ ad	<i>Regulus</i>	do	"
8 ♀	"	do	"
9 ♀ ad	"	do	"

20750 ♂ *Colaptes auratus* Near Abaya Lake, Abyssinia "

1 ?	"	do	"
2 ♂ ad	<i>Merula alba</i>	do	"
3 ♀ ad	<i>Merula alba</i>	do	"
4 ♂ ad	<i>Merula alba</i>	do	"
5 ♂ ad	"	do	"
6 ♀ ad	<i>Merula alba</i>	do	"

7 ♂ ad *Merula alba* "Black" or "Red" Abyssinia "

8 ♀ ad	"	do	"
9 ♂ ad	"	do	"

20760 ♀ *Merula alba* do "

1 ♂ ad	<i>Merula alba</i>	do	"
2 ?	<i>Merula alba</i>	do	"
3 ♀ ad	<i>Merula alba</i>	do	"
4 ♂ ad	<i>Merula alba</i>	do	"
5 ♂ ad	"	do	"

March 19

Mr. Childs Brown saw two of these birds riding on the back of a greater bird.

} Iris and bill yellow, feet yellow. Tarsus + toes black, claws black-brown.
3 specimens (including No. 20750 & 20760).

} Sides of head blue - black.

Lake Abaya, south of Addis Ababa, March 22.

Colonies breeding on lower limbs of leguminous trees bordering Lake Abaya.

9. Head brown. Bell black, splumaceous base of antenna. Feet and claws black.
10. Head brown. Bell brownish yellow; feet light & feet color; claws black.

Africa.

1912.

(South end of the north lake)
Abaya, Lakes, Abyssinia
Month of June, 1912, near
Lake Abaya, Abyssinia

March 24

Gen. Abaya, same Lake, Abyssinia

March 25.

Gen. Abaya, same Lake.

- 20836 ♂ ad. *Chalcophaps indica*
7 ♀ ad. *Harelda alba*
8 ad. *Lophophanes alba*
9 ♀ ad. *Rollulus*
20840 ♂ ad. *Schombia*
1 ♂ ad. "
2 ♀ ad. "
3 ♂ ad. *Indradactylus*
4 ♂ ad. *Argya*
5 ♂ ad. *Lophophanes fuscus*
6 ♂ ad. *Castroville*
7 ♂ ad. "
8 ♀ *Lophophanes fuscus*
9 ♀ ad. *Rollulus*

- 20850 ♂ ad. *Prioniturus*
1 ♂ ad. *Rollulus*
2 ♂ ad. *Prioniturus*
3 ♂ ad. *Rollulus*
4 ♂ ad. "
5 ♂ ad. "
6 ♀ ad. "
7 ♂ ad. *Prioniturus*
8 ♀ ad. "
9 ♂ ad. *Rollulus*

- 20860 ♂ ad. "
1 ♂ ad. *Rollulus*
2 ? *Rollulus*
3 ♂ ad. *Rollulus*
4 ♂ ad. "
5 ♂ ad. "
6 ♀ ad. "
7 ♂ ad. *Pyramodactylus*
8 ♂ ad. "
9 ♀ ad. "

- 20870 ♀ *Melospiza*

Same place as above, near
Lake Abaya, Abyssinia.

March 26.

March 27

Colors of eggs fresh in notebook.
{ Eggs laid about 12/12 all yellow. Some sides of eggs and openings somewhat green.
Eggs all set all black.
Iris dark red. Bill, legs, feet and claws all dark black.

Iris grayish brown. Bill yellowish green. Feet brownish black; claws black.
Iris grayish brown. Bill black. Feet olive, claws black.
Iris grayish white. Eye-rings yellow. Feet orange; claws olive tipped with black.
Killed a *Turnedus (Lophophanes)*, iris hazel. Bill black. Feet, legs and base of mandible orange. Claws black.
Iris hazel. Bill brownish brown. Feet brownish red; claws olive.

Africa

1912.

Spring just south of the Orange Lake
Chenabunda, Abyssinia March 27.

20871 ♂ ad. *Leucophaea*

2 ♂ ad. "

3 ♀ ad. "

4 ♀ ad. *Margaritana*

5 ♂ ad. *Sumbria*

6 ♀ ad. *Wanna*

7 ♂ ad. *Lophoceros picta*

8 ♂ ad. *Chalcophaps indica*

9 ♂ ad. " "

20880 ♂ ad. " "

1 ♀ ad. " "

2 ♀ ad. " "

3 ♀ ad. " "

4 ♀ ad. " "

5 ♂ ad. " "

6 ♂ ad. " "

7 ♂ ad. *Chalcophaps indica*

8 ♂ ad. " "

9 ♂ ad. *Pycnonotus*

20890 ♀ ad. *Soma*

1 ♀ *Panthera*

2 ♂ ad. *Ptilinopus*

3 ♂ ad. *Wanna*

4 ♂ ad. "

5 ♂ ad. *Lophoceros*

6 ♂ ad. *Lophoceros picta*

7 ♂ ad. *Restionia*

8 ♂ ad. "

9 ♂ *Wanna*

20900 ♀ *Argya*

1 ♂ ad. *Tephrosia*

2 " " "

3 ♂ ad. "

4 ♂ ad. *Roller*

5 ♂ ad. *Roller*

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

March 28

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

March 29

"

"

"

Eyes smaller narrower than in white-tailed species. Middle bill, feet and claws blue.

Chased out by *Vultur* (*Struthio*?) and apparently very much frightened.
 = *Struthio*! red head, dark eyes,
 (Chasing *Struthio*?) and apparently very much frightened.

			1912.
20926	♂	Oryza	March 29.
7	♂	Gliding	do
8	♀	Colinus, blue	do
9	♂	Zonotrichia querula	do
20910	♂	Lanius	March 30
1	♂	"	do
2	♀	"	do
3	♂	Melanerpes	do
4	♂	"	do
5	♀	Lanius	do
6	♂	Geococcyx	do
7	♂	Modiolus	do
8	♂	Totanus	do
9	♀	Melospiza, yellow, white.	do
20920	♂	Melospiza, gray & white	do
1	♂	"	do
2	♂	Tringa	do
3	♂	Tringa	do
4	♂	"	do
5	♂	"	do
6	♂	"	do
7	♂	"	do
8	♂	"	do
9	♂	"	do
20930	♂	"	March 31.
1	♂	"	do
2	♂	"	do
3	♂	Tringa	do
4	♂	Tringa	do
5	♂	"	do
6	♂	Melanerpes	do
7	♂	"	do
8	♀	"	do
9	♂	Melospiza	do
20940	♂	Melospiza	do

Irish, pale, clear yellow. Bill black, paler and greenish below. Feet and claws grayish flesh color.

Africa

1912.

East Prov. (near first), near Gessala
Abyssinia

March 31

20941 ♂ ad. Roller, blue

2 ♂ ad. "

3 ♀ ad. "

4 ♀ ad. Roller, blue

5 ♀ ad. Streptopelia

6 ♂ juv. "

7 ♂ ad. Columba

8 ♀ ad. "

9 ♀ ad. "

20950 ♂ ad. Halcyon

1 ♂ ad. Passer

2 ♀ ad. Lanius funebris

3 ♂ ad. Bush-blender

4 ♂ ad. "

5 ♂ ad. Geosaypha

6 ♂ ad. Dicrurus

7 ♂ ad. Starling

8 ♂ ad. Schizoceros leucogaster

9 ♀ ad. Upupa

20960 ♀ ad. Scitellus

1 ♂ ad. Scopus umbretta

2 ♀ ad. " "

3 ♂ ad. Pterodroma

4 ♂ ad. Columba

5 ♂ ad. Lophoceros

6 ♂ ad. Lophoceros

7 ♂ ad. Centropus

8 ♂ ad. Ceryle sharpei

9 ♀ ad. Roller, blue

20970 ♂ ad. Lamprolaima

1 ♂ ad. "

2 ♂ ad. "

3 ♂ ad. Upupa

4 ♂ ad. Swift, large

5 ♀ ad. Hirundo

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

April 1.

} Mated pair

Iris dark brown. Bill all blue except a white area on side of mandible. Feet blackish; claws blue. Stomach contained insects and fruits.

Africa

1912.

20976	♂ ad	<i>Scolecophagus</i>	{ <i>East River (4000 ft), near</i> <i>Liardula, Abyssinia</i>
7	♀ ad	"	
8	♂ ad	<i>Scoropion</i>	
9	♂ ad	<i>Melanocephalus</i>	
20980	♀ ad	"	do
1	♂ ad	<i>Merula</i>	do
2	♂ ad	<i>Woodf. mass</i>	do
3	♂ ad	<i>Shrew, large-brown</i>	do
4	♀ ad	"	do
5	♂ ad	"	do
6	♂ ad	"	do
7	♀ ad	"	do
8	♂ ad	<i>Scoropion</i>	do
9	♂ ad	"	do
20990	♂ ad	"	do
1	♀ ad	"	do
2	♀ ad	<i>Scoropion</i>	do
3	♂ ad	<i>Scoropion</i>	do
4	♂ ad	<i>Scoropion</i>	do
5	♂ ad	<i>Scoropion</i>	do
6	♂ ad	"	do
7	♀ ad	"	do
8	♂ ad	<i>Scoropion</i>	do
9	♀ ad	<i>Scoropion</i>	do
21000	♂ ad	<i>Scoropion</i>	do
1	♂ ad	<i>Scoropion</i>	do
2	♀ ad	<i>Scoropion</i>	do
3	♂ ad	<i>Scoropion</i>	do
4	♀ ad	<i>Scoropion</i>	do
5	♂ ad	"	do
6	♂ ad	"	do
7	♀ ad	<i>Scoropion</i>	do
8	♂ ad	<i>Scoropion</i>	do
9	♀ ad	<i>Scoropion</i>	do
21010	♀ ad	<i>Scoropion</i>	do

April 1

"

"

"

"

"

"

"

"

April 2.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

} Mated pair

iris pale red.

iris yellowish brown

Bill & body black.

April

{
Hale's (4000 ft), near
Hale, Arizona.

1912.

April 2

April 3

21011 ♂ *Antelope*

2 ♂ *Antelope*

3 ♂ *Antelope*

4 ♀ "

5 ♀ *Antelope*

6 ♀ *Antelope*

7 ♀ "

8 ♀ "

9 ♀ *Antelope*

21020 ♀ *Antelope*

1 ♀ *Antelope*

2 ♂ *Antelope*

3 ♀ "

4 ♀ "

5 ♀ "

6 ♀ "

7 ♀ *Antelope*

8 ♂ *Antelope*

9 ♂ *Antelope*

21030 ♀ " "

1 ♂ *Antelope*

2 ♂ *Antelope*

3 ♂ *Antelope*

4 ♂ *Antelope*

5 ♀ "

6 ♀ *Antelope*

7 ♂ *Antelope*

8 ♀ *Antelope*

9 ♀ "

21040 ♂ *Antelope*

1 ♂ "

2 ♀ *Antelope*

3 ♂ *Antelope*

4 ♀ *Antelope*

5 ♀ *Antelope*

Iris chrome yellow. Core greenish yellow. Bill pale yellowish green at base, shading to plumbeous at tip. Feet lemon yellow.

Only the chin is slightly marked with red.

♂

April 6

Africa

*Scotophilus (some full), many
Lanius, Phrynosoma*

1912.

April 6.

21046 ♂ ad. Parrot, red-chested

7 ♀ ad. Woodp.

8 ♂ ad. Nuthatch

9 ♂ ad. "

21050 ♂ ad. Oriole

1 ♂ ad. Lampyridae

2 ♂ ad. Parrot, red-chested

3 ♀ ad. "

4 ♂ ad. Cisticola

5 ♂ ad. "

6 ♂ ad. Pigeon

7 ♂ ad. Sylviidae

8 ♀ ad. "Thamnospiza?"

9 ♂ ad. Lark

21060 ♂ ad. "

1 ♂ ad. "

2 ♂ ad. "

3 ♀ ad. "

4 ♂ ad. Pigeon

5 ♂ ad. Tetrax

6 ♂ ad. Melospiza

7 ♂ ad. Zonotrichia querula

8 ♂ ad. Zonotrichia querula

9 ♀ ad. "

21070 ♂ ad. Chelophanes

1 ♂ ad. "

2 ♂ ad. "

3 ♂ ad. Painted Eagle

4 ♂ ad. "Sturnella, large"

5 ♂ ad. Chalcophaps indica

6 ♀ ad. Parrot, red-chested

7 ♀ ad. "Sturnella"

8 ♀ ad. "

9 ♂ ad. Noddy

21080 ♀ ad. "

Iris reddish brown. Bill olive-green shading to black at tip and to ground in front of base of mandible. Feet and claws greenish olive.

} Probably a mated pair; shot together.

Iris light yellow. Bill fine olive-brown above, horn color below. Feet and claws fleshy olive, paler on tarsus.

Bill red; feet olive.

Bill olivaceous above, orange below, both mandibles tipped broadly with black. Feet olive.

Bill olivaceous-orange above, pale subnasal-orange below, both mandibles broadly tipped with bluish.

Bill blackish, with some pale orange at base of mandible.

Bill olivaceous-black, with base of mandible pale and tinged with red. Feet olive.

Iris brown. Bill above and on sides black, flesh color below. Feet plumbeous; claws black.

Iris brown. Bill, feet, and claws black.

Killed on the same tree as No. 21071. ♂ ad.

Iris hazel. Bill and claws black. Feet plumbeous.

April 7

Mated with a red-breasted bird.

} Mated pair; shot together.

Africa

1912.

Lake Ruw (4000 feet) near
Gardula, Abyssinia.

April 7

21081 ♂ ad Immor

2 ♀ Wood Hoopoe

3 ♂ ad Immor

4 ♂ ad "

5 ♀ ad "

6 ♀ juv "

7 ♀ juv "

8 ♀ ad "

9 ♀ ad "

21090 ♀ ad Eumyophala ruficollis

1 ♀ ad "

2 ♀ ad Eumyophala ruficollis

3 ♂ ad Eumyophala ruficollis

4 ♂ ad Argys

5 ♀ ad "

6 ♀ ad "

7 ad Portunella

8 ♀ ad Eumyophala ruficollis

9 ♀ ad Eumyophala ruficollis

21100 ♂ ad Eumyophala ruficollis

1 ♂ ad Eumyophala ruficollis

2 ♀ ad "

3 ♂ ad "

4 ♀ ad "

5 ♀ ad Eumyophala ruficollis

6 ♂ ad Eumyophala ruficollis

7 ♀ ad "

8 ♂ ad "

9 ♂ ad "

21110 ♀ ad "

1 ♂ ad Eumyophala ruficollis

2 ♂ ad "

3 ♀ ad "

4 ♂ ad Immor

5 ♀ ad "

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Imm. along red. Bill, feet, and claws black
do. do.

{ Killed same shot.

{ Mother and young present at the same shot; young being fed

{ Mated pair.

Mated with No. 21104. Bill orange-red at base, surrounded by white, with a brownish-black tip which also forms a narrow lateral band of brownish black.
Mated with No. 21103. Bill entirely black. Throat entirely throat flesh color and black anteriorly, red posteriorly.

Mated with No. 21104. Bill black, surrounded with white on sides of base. Throat flesh color and black anteriorly, red posteriorly.

Mated with No. 21104. Bill black, surrounded with white on sides of base. Throat flesh color and black anteriorly, red posteriorly.

April 8

"

"

"

"

"

"

"

"

Africa

1912.

{ Gato River (4000 feet), near
Gardula, Abyssinia

April 8

21116	♀ ad	Chloroceryle, red-shafted	do
7	♀ ad	Chloroceryle, dark	do
8	♂ ad	Chloroceryle, dark	do
9	♀ ad	"	do
21120	♂ ad	Hirundo, large	do
1	♂ ad	Hirundo, large	do
2	♂ ad	"	do
3	♀ ad	Chloroceryle, large	do
4	♂ ad	Chloroceryle	do
5	♂ ad	Chloroceryle, fr. white	do
6	♀ ad	"	do
7	♀ ad	Naufragus	do
8	♀ ad	Argus	do
9	♂	Chloroceryle	do
21130	♂ ad	Chloroceryle	do
1	♂ ad	"	do
2	♂ ad	"	do
3	♂ ad	Chloroceryle, large	do
4	♂ ad	Hirundo	do
5	♂ ad	Chloroceryle	do
6	♂	Wilson	do
7	♀ ad	Chloroceryle	do
8	♀ ad	Wilson	do
9	♀ ad	Chloroceryle	do
21140	♂	Wilson	do
1	♂ ad	Chloroceryle	do
2	♂ ad	"	do
3	♂ ad	Chloroceryle	do
4	♂ ad	Wilson, red-shafted	do
5	♀ ad	"	do
6	♂	Wilson	do
7	♂ ad	Wilson	do
8	♀ ad	"	do
9	♀	Wilson	do
21150	♀	Wilson	do

} Related pair.

Contained a fully-developed egg.

April 9

Bill black with a white area on sides of base, and narrow, oblique white lines on sides of mandible near base.

} I mated pair.

Africa

Gato River (4000 feet), near
Gardula, Abyssinia.

1912.

April 9

- 21151 ♂ ad. *Struthio*, small, slender, plum. *do*
2 ♀ ad. " " *do*
3 ♂ ad. *Struthio* *do*
4 ♂ ad. *Struthio* *do*
5 ♂ ad. *Struthio* *do*
6 ♀ *Indicator* *do*
7 ♂ *Indicator* *do*
8 ♂ juv. " *do*
9 ♂ ad. *Melospiza* *do*

- 21160 ♂ ad. " *do*
1 ♂ ad. *Struthio* *do*
2 ♂ ad. *Struthio* *do*
3 ♂ ad. *Struthio* *do*
4 ♂ ad. " *do*
5 ♀ ad. " *do*
6 ♀ ad. *Struthio* *do*
7 ♂ ad. *Struthio* *do*
8 ♂ ad. *Struthio* *do*
9 ♂ ad. *Struthio* *do*

- 21170 ♂ ad. *Struthio* *do*
1 ♂ ad. *Struthio* *do*
2 ♂ ad. *Struthio* *do*
3 ♀ ad. *Struthio* *do*
4 ♂ ad. *Struthio* *do*
5 ♀ ad. *Struthio* *do*
6 ♂ ad. *Struthio* *do*
7 ♂ ad. *Struthio* *do*
8 ♂ ad. *Struthio* *do*
9 ♂ ad. *Struthio* *do*

- 21180 ♂ ad. " *do*
1 ♂ ad. " *do*
2 ♀ ad. " *do*
3 ♂ juv. " *do*
4 ♂ ad. *Crested Eagle* *do*
5 ♀ ad. *Roller*, large *do*

April 10

April 11

} mated pair.

{ Was feeding young, when both were shot at once.
{ Was feeding young by himself when
{ Mated pair killed by the same shot.

{ Iris hazel brown. Cere and base of bill yellow, rest of bill black. Tarsus black.
{ Orange; claws black.
Iris cherry red, Cere and feet yellow, Bill and claws black.

} Killed by same shot while fighting each other.

Iris hazel brown. Cere and commissural margin yellow. Basal half of bill greenish gray, distal half black. Tarsus yellow, claws black.
When shot was sitting beside a hive of bees in a flat-topped mimosa-tree.

21186 ♂ ad. *Melanerpes*

7 ♂ ad. *Junco-berm.*

8 ♂ ad. *Parus*

9 ♂ ad. "

21190 ♂ ad. "

1 ♀ ad. *Sturnus*

2 ♀ juv. "

3 ♂ ad. "

4 ♀ ad. *Geothlypis*

5 ♂ ad. *Junco-berm.*

6 ♀ ad. *Geothlypis* ??

7 ♀ ad. *Argyrea*

8 ♂ ad. *Halcyon*

9 ♂ ad. *Woodpe.*

21200 ♂ ad. *Tricholaima*

1 ♀ ad. "

2 ♀ ad. *Indicator*

3 ♂ ad. *Nectarinia*

4 ♂ ad. *Turdus*

5 ♂ ad. "

6 ♂ ad. *Plumbeus*

7 ♂ ad. "

8 ♂ ad. *Gray Noddy*

9 ♂ ad. *Agave*

21210 ♀ ad. "

1 ♂ ad. *Argyrea*

2 ♂ ad. "

3 ♂ ad. "

4 ♂ ad. "

5 ♂ ad. "

6 ♀ ad. "

7 ♀ juv. "

8 ♂ ad. *Coccyz. blue*

9 ad. "

21220 ♀ ad. *Thrush?*

Africa
Lata River (about 1 mi. near
Bardula, Abyssinia)

1912.

April 11.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

April 12.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

} Parent and young killed by the same shot

Inside of mouth same.

Feeding on flowers of the Agave-like fibre plant

Iris dark brown. Bare space around eye, ear, and bill chrome yellow; feet the same. Bill dark plumbeous, shading to yellowish at base; claws black. { Iris reddish brown. Small bare area under eye green. Naked skin at sides of throat dark plumbeous or slate color. Feet grayish black with whitish soles; claws glossy black. Iris reddish brown. Small naked area below eye green. Naked skin at sides of throat yellowish green. White area at base of bill occupies most of basal one-half of maxilla. Distal one-half of bill brownish red.

Iris dark red. Naked space around eye and base of bill vinaceous-red. Bill with maxilla broadly tipped with black with a narrow proximal border of blue; mandible black except sides at base. Feet vinaceous anteriorly, flesh color posteriorly. Iris dark brown. Entire bill black. Feet and claws brownish black

Africa			1912.
{ Gato River (4000 feet) near Sardula, Abyssinia			April 12
21221	♂ ad. <i>Urocyon</i>	do	"
2	♀ ad. "	do	"
3	♂ ad. <i>Neotoma</i>	do	"
4	♀ ad. "	do	"
5	♂ ad. "	do	"
6	♂ ad. <i>Woodf.</i>	do	"
7	"	do	"
8	♂ ad. <i>Neotoma</i>	do	"
9	♂ ad. <i>Campophaga</i>	do	"
21230	♂ ad. <i>Oreolus</i>	do	"
1	♂ ad. <i>Stigmatopora</i>	do	"
2	♂ ad. <i>Chalcophaps</i>	do	"
3	♂ "	do	"
4	♂ ad. <i>Thomomys</i>	do	"
5	♂ ad. "	do	"
6	♂ ad. "	do	"
7	♂ ad. "	(Attitude 4500 ft.) do	April 13
8	♂ ad. "	(") do	"
9	♂ ad. <i>Chalcophaps</i>	" do	"
21240	♂ ad. "	" do	"
1	♀ ad. "	" do	"
2	♂ ad. "	" do	"
3	♂ ad. <i>Chalcophaps</i>	" do	"
4	♂ ad. <i>Pygocentrus</i>	" do	"
5	♂ ad. <i>Chalcophaps</i>	" do	"
6	♂ ad. "	" do	"
7	♂ ad. <i>Accipiter</i>	" do	"
8	♂ ad. <i>Woodf.</i>	" do	"
9	♂ ad. <i>Barbut</i> red-headed	" do	"
21250	♂ ad. <i>Melospiza</i>	" do	"
1	♂ ad. <i>Chalcophaps</i>	" do	"
2	♂ ad. <i>Chalcophaps</i>	" do	"
3	♀ <i>Chalcophaps</i>	" do	"
4	♀ "	" do	"
5	♀ "	" do	"

} Pair killed at the same place, at nest. Iris yellowish brown. Bill plumbeous-black.
 Feet bluish gray; claws pale brown.
 In the female the soft parts are colored like the male, but with bill and feet slightly paler.

Iris dark brown. Bill dark slate color. Feet greenish gray; claws black.
 Killed with arrow (21226). Colors the same except that the iris is reddish brown.
 Iris dark brown. Bill, feet, and claws glossy black. Intestines covered with minute pinkish
 flesh color.
 Campophaga
 Iris dark red. Bill uniform light brown. Feet plumbeous; claws black.

Iris dark brown. Bill space around eye slate color. Bill uniform slate, darker
 Feet pale brownish gray anteriorly, flesh color posteriorly, claws black.
 Killed with arrow. Soft parts the same color.
 Iris brown. Entire bill brownish yellow. Feet and claws pale yellowish brown.

Iris brown. Bill anteriorly yellow. Feet and claws very pale yellowish brown.

Found 1 nest with 3 young (presumably all shot by) preserved.
 One had 2 white feathers one of which fell out on skinning.
 Found 1 nest with 3 eggs (presumably all shot by) preserved. One of the eggs was broken.

Africa

1912.

21256 ♂ ad. *Conoplectes*

7 ♂ ad. *Spizella socialis*

8 ♀ ad. *Musula*

9 ♀ ad. "

21260 ♂ ad. *Passer*

1 ♀ ad. *Chrysomitris*

2 ♂ ad. *Amphispiza*

3 ♂ ad. *Amphispiza*

4 ♀ ad. *Amphispiza*

5 ♂ ad. *Amphispiza*

6 ♂ ad. "

7 ♂ ad. "

8 ♀ ad. "

9 ♂ ad. "

21270 ♂ ad. *Loxia*

1 ♂ ad. *Nectarinia*

2 ♂ ad. *Batis*

3 ♂ ad. *Tchitrea*

4 ♀ ad. *Melospiza*

5 ♂ ad. *Chlorophanes*

6 ♂ ad. "

7 ♂ ad. *Chlorophanes*

8 ♀ ad. *Chlorophanes*

9 ♀ ad. *Chlorophanes*

21280 ♀ ad. *Monticola*

1 ♀ ad. *Monticola*

2 ♂ ad. *Indicator*

3 ♀ ad. *Indicator*

4 ♂ ad. "

5 ♂ ad. "

6 ♀ ad. *Phainopepla*

7 ♂ ad. *Phainopepla*

8 ♀ ad. *Phainopepla*

9 ♀ ad. *Phainopepla*

21290 ♀ ad. *Phainopepla*

{ Kato River (4500 feet), near
Gardula, Abyssinia.
Kato River (4900 feet), near
Gardula, Abyssinia.

April 13

April 14

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Set near three nests hanging over a stream. These nests may have belonged to the same species.

Inside of mouth black

April 15

"

"

"

"

"

"

Africa

1912.

{ Gate River (4000 feet), near
Gardula, Abyssinia

April 15

21291 ♂ ad. Thrush? plain

1 ♂ ad. "

3 ♂ ad. Apalis?

4 ♂ ad. Thrush, spotted

5 ♂ ad. Green Tailorbird

6 ♂ ad. "

7 ♂ ad. " " "

8 ♂ ad. Woodf.

9 ♂ ad. "

21300 ? Honey-Sucker, small

1 ♂ ad. " " "

2 ♂ ad. Biter

3 ♂ ad. Wood Hoopoe

4 ♀ ad. Rhinopomastus catonensis

5 ♂ ad. Nectarinia

6 ♀ ad. Ploceus

7 ♀ ad. " " "

8 ♂ ad. Granatina

9 ♂ ad. Zonotrichia

21310 ♂ ad. Weaver

1 ♀ ad. Bush-Srike

2 ♂ ad. Laniarius

3 ♂ ad. " " "

4 ♀ ad. Oriolus

5 ♂ ad. "

6 ♂ ad. Plover, sp. small & mottled

7 ♀ ad. "

8 ♂ ad. Biter, larger

9 ♂ ad. Scops umbrellata

21320 ♀ ad. " " "

1 ♂ ad. Zosterops

2 ♀ ad. "

3 ♂ ad. Oryzopsis tricolor

4 ♀ ad. " " "

5 ♂ ad. Sylvestris

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

April 16

"

"

"

"

"

"

"

"

"

"

Bill orange, becoming brown at tip. Shot in company with No. 21303.

Iris white, slightly bluish next to the pupil. Soft parts colored as noted on the label of the following specimen. A mated pair - the only one seen here to date.

Iris white, slightly bluish. Bill yellow, red externally on upper mandible. Eye-rim yellow. Bill yellow, with maxilla black at tip. Legs and feet greenish-yellow; claws black.

Cere, commissural margin, and feet yellow. Bill bluish gray at base, residue black; claws black.

Iris hazel. Bill, legs, feet, and claws black.

Bill orange on basal two-thirds, white in middle, reddish brown on commissural line and at tip of both mandibles. Mated with No. 21322; both killed at one shot.

Bill entirely black. Feet black anteriorly, flesh color (or white) posteriorly. Mated with above.

Flew freely about during the day, in bright sunlight. Eyelid black. Cere and bill greenish yellow. Bare chin and throat yellow.

Africa

{ Gato River (upper part), near
Kororua, Abyssinia

1912.

April 16

Loaded with fruit

Tree fruit orange. Entire bill black. Feet and claws pale brown.

} Parents of nest, 1 egg and 2 young preserved.
Female was sitting closely on nest

- 21326 ♂ ad. Pratincola
- 7 ♀ Melittophaga
- 8 ♂ ad. Weaver
- 9 ♂ ad. Shrike, large, long-tailed.

- 21330 ♀ ad. "
- 1 ♀ ad. Chlorophanes
- 2 ♂ ad. Eremophila
- 3 ♂ ad. "
- 4 ♀ ad. "
- 5 ad. Zosterops
- 6 ♀ ad. Robin, large.
- 7 ♂ ad. " blue
- 8 ♂ ad. "
- 9 ♀ ad. "

- 21340 ♀ ad. Euphorbia longicauda
- 1 ♂ juv. Euphorbia annulata
- 2 ♀ ad. Cisticola
- 3 ♀ ad. Euphorbia
- 4 ♂ ad. Lanius longicauda
- 5 ♀ juv. Bubo
- 6 ♀ ad. Trichiloma
- 7 ♂ ad. Ceryle
- 8 ♀ ad. "
- 9 ♀ ad. Cisticola

- 21350 ♀ ad. Green Tailed bird
- 1 ♂ ad. Weaver
- 2 ♂ ad. Weaver
- 3 ♂ ad. Pycnonotus
- 4 ♂ ad. Argus
- 5 ♀ ad. "
- 6 ♀ Shrike
- 7 ♂ ad. Hairy-shrike
- 8 ♂ ad. Robin, large, black.
- 9 ♂ ad. Crested Eagle

- 21360 ♂ ad. Police

April 17

Chased out of a big tree in an opening by a Drongo-Shrike (C. ...)

} Mated pair.

April 18.

Africa

1912.

{ Gato Park (4000 feet), near
Lordsburg, New Mexico.

April 18.

21361

- 1 ♂ ad. *Phainopepla nitens*
- 2 ♂ ad. *Thryothorus occidentalis*
- 3 ♂ ad. *Helminthophila*
- 4 ♂ ad. *Columba*
- 5 ♂ ad. *Thryothorus*
- 6 ♂ ad. *Ceryle alcyon*
- 7 ♂ ad. *Green-backed*
- 8 ♂ ad. *Halcyon*
- 9 ♂ ad. *Nectarinia*

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

21370

- 1 ♂ ad. *Thryothorus*
- 2 ♂ ad. *Thryothorus*
- 3 ♂ ad. *Woodhouse*
- 4 ♂ ad. *Thryothorus*
- 5 ♂ ad. *Thryothorus*
- 6 ♂ ad. *Thryothorus*
- 7 ♂ ad. *Thryothorus*
- 8 ♂ ad. *Petroica*
- 9 ♂ ad. *Thryothorus*

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

21380

- 1 ♂ ad. *Buphaga*
- 2 ♂ ad. *Thryothorus*
- 3 ♂ ad. *Thryothorus*
- 4 ♂ ad. *Thryothorus*
- 5 ♂ ad. *Thryothorus*
- 6 ♂ ad. *Thryothorus*
- 7 ♂ ad. *Thryothorus*
- 8 ♂ ad. *Thryothorus*
- 9 ♂ ad. *Thryothorus*

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

do

"

21390

- 1 ♂ ad. *Thryothorus*
- 2 ♂ ad. *Thryothorus*
- 3 ♂ ad. *Thryothorus*
- 4 ♂ ad. *Thryothorus*
- 5 ♂ ad. *Thryothorus*

do

"

do

"

do

"

do

"

do

"

do

"

Parent, sitting on nest with 2 eggs (flesh blue) about to hatch.

Parent of nest and 2 eggs preserved.

} Killed at one shot.

April 19

One of a mated pair. The other escaped; was appreciably larger when the 2 were together on a tree.

Africa

1912.

{ Gato River (4000 feet), near
Gardula, Abyssinia.

April 19

- 21396 ♀ ad. Woodpecker, long-tailed
7 ♀ ad. Woodpecker, small
8 ♀ ad. Indicator
9 ♂ ad. Woodhoopoe

do
do
do
do

"
"
"
"

21400 ♂ ad. Honeycreeper

do

"

1 ♀ ad. Puffin

do

"

2 ♂ ad. Noddy

do

"

3 ♀ ad.

do

"

4 ♀ ad. Puffin

do

"

5 ♂ ad. Shrike, blue-headed

do

"

6 ♀ ad. Murre

do

"

7 ♂ ad. Tropicbird

do

"

8 ♂ ad. Green Tanager

do

"

9 ♀ ad. Puffin

do

"

21410 ♂ ad.

do

"

1 ♂ ad. Puffin

do

"

2 ♂ ad.

do

April 20

3 ♀ ad.

do

"

4 ♂ ad. Woodhoopoe

do

"

5 ♂ ad. Bubo

do

"

6 ad. Shrike, spotted wings

do

"

7 ad. Corvula crassirostris

do

"

8 ♂ ad. Eucalyptus

do

"

9 ♀ ad. Campoplex

do

"

21420 ♂ ad.

do

"

1 ♂ ad. Bristle

do

"

2 ♂ ad. Argas

do

"

3 ♂ ad.

do

"

4 ♂ ad. Geophila

do

"

5 ♂ ad.

do

"

6 ♀ ad. Tanager

do

"

7 ♂ ad. Puffin

do

"

8 ♀ ad. Bush-shrike

do

"

9 ♂ ad. Chlorophanes

do

"

21430 ♂ ad.

do

"

Near Gardula, Abyssinia, 7000 feet

{ Gato River (4000 feet), near
Gardula, Abyssinia.

} A mated pair.

Iris hazel. Cere greenish gray. Bill greenish white, base pale greenish gray; claws
greenish brown, black at tip.
Shot by Alfred J. Woodley.
do

Africa

Sept. 18th. 4000 ft., near
L. Gardula, Abyssinia.

1912.

April 20

21431 ♂ ad. Wren

2 ♀ ad. "

3 ♀ ad. Ploceiformis

4 ♂ ad. Lagonosticta

5 ♂ ad. Pyromelana

6 ♂ ad. "

7 ♂ ad. "

8 ♂ ad. "

9 ♂ ad. "

31440 ♂ ad. "

1 ♂ ad. "

2 ad. Oriolus

3 ♂ ad. "

4 ♂ im. Goshawk, large

5 ♀ juv. " ?

6 ♀ juv. Roller, blue

7 ♀ juv. "

8 ♂ ad. Melittophaga

9 ♂ ad. "

21450 ♂ ad. Chlorophanes

1 ♂ ad. Bush-Sparrow

2 ♀ ad. Chalofolia sp.

3 ad. Cuckoo, small

4 ♂ ad. Melanocorypha

5 ♂ ad. "

6 ♂ ad. Passer

7 ♂ juv. "

8 ♂ ad. Turdus

9 ♀ ad. "

31460 ad. Lamprocolius

1 ♂ ad. Cisticola

2 ♂ ad. Thrush

3 ♂ ad. P. thalassidroma

4 ♂ ad. Green Tailor

5 ♂ ad. Lagonosticta

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

April 21

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Iris pale yellow suffused with brown. A small patch of white on the inner angle of the eye.
Extraciliary of bill, and claws, black.
Feet pale yellow. Tarsus black.

Content of nest and 3 eggs preserved.

} Mated pair

Africa

{ *Agave* (young fruit), near
Havdula, Abyssinia

1912.

April 21

21466 ♂ ad. Weaver

7 ♂ ad. "

8 ♂ ad. *Pyromelasma*

9 ♂ ad. "

21470 ♂ ad. "

1 ♂ ad. "

2 ♂ ad. "

3 ♂ ad. "

4 ♂ ad. "

5 ♂ ad. "

6 ♂ ad. "

7 ♂ ad. "

8 ♂ ad. *Pyromelasma*

9 ♂ ad. *Pyromelasma*

31480 ♂ ad. "

1 ♂ ad. *Lagonosticta*

2 ♀ ad. "

3 ♂ ad. *Lagonosticta*

4 ♀ ad. Weaver

5 ♀ ad. *Rollulus*, blue

6 ♂ ad. *Nectarinia*

7 ♂ ad. *Tricholoma*

8 ♀ ad. Woodp.

9 ♂ ad. *Lophoceros*

21490 ♂ ad. *Lophoceros*

1 ♂ ad. *Picurus*

2 ♂ ad. "

3 ♀ ad. "

4 ♀ ad. *Melanerpes*

5 ♀ ad. "

6 ♀ ad. *Ichitica*

7 ♂ ad. Thrush?

8 ♀ ad. *Brithopygia*

9 ♂ ad. *Cisticola*

21500 ♂ ad. *Pyromelasma*

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

It was building a hanging nest of green grass when shot

Shot on a tree, the first one seen. Feet and claws darker brown than the above species

{ mated pair, killed same shot.

iris brown, eye-ring pink, Bill plumbeous tipped with black. Feet and claws plumbeous

{ One of a mated pair (Nos. 21481-2).

{ Mated with No. 21481. Contained a large egg. Iris brown. Bill plumbeous tipped with

{ black, feet plumbeous.

Bill red with a line black line above and below. Feet and claws brown.

anteriorly, feet posteriorly, claws long.

Iris hazel brown. Bill black, with a white area on sides of mandible at base, and narrow, oblique, white line, directed downwards and forwards, on back portion of mandible. Bill blackish.

This is the female of the orange and white billed species.

{ mated pair, killed by the same shot.

Ofria

1912.

{ Lago Lina (4000 feet), near
Laredo, Coahuila.

April 23

21501 ♂ ad Tricholaema

2 ♂ ad

3 ♂ ad

4 ♂ ad

5 ♂ ad

6 ♂ ad

7 ♂ ad

8 ♀

9 ♂ ad

21510 ♂ ad Pyromela

1 ♂ ad

2 ♂ ad

3 ♀ ad

4 ♂ ad

5 ♂ ad

6 ♂ ad

7 ♂ ad

8 ♂ ad

9 ♂ ad

21520 ♂ ad

1 ♂ ad

2 ♂ ad

3 ♂ ad

4 ♂ ad

5 ♂ ad

6 ♀

7 ♂ ad

8 ♂ ad

9 ♀ ad

21530 ♂ juv

1 ♀ ad

2 ♀

3 ♀

4 ♂ ad

5 ♂ ad

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

April 24

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Inside of mouth flesh color.

Bill blue, tipped with black. Feet and claws plumbeous-black. [Two seen.]

Feet and claws dark brown. Frequent. Taller than the smaller species.

Bill black. Feet and claws dark brown.

Mated with No. 21513; killed same shot. Bill black. Feet and claws light brown.

" " " 21512; " "

Taken with partly-finished nest ("X⁴").

Weight 9 lbs. 10 oz. Color of soft parts in male birds.
{ Iris hazel brown. Legs, base of bill below and claws of commensurate orange; remainder of bill blue-black.
{ Feet orange; claws black. Mated with No. 21527.
{ Iris hazel brown. Core, base of bill below, maxilla and lower mandible orange; remainder of bill blue-black.
{ Feet orange; claws black. Mated with No. 21528.

Iris pale gray. Core, maxilla and lower olive. Bill plumbeous-black. Feet yellow; claws black.

Inside of mouth black.

Africa

1912

St. Peter River (4000 feet), near
Gardula, Abyssinia.

April 24.

- 21536 ♂ ad. *Colinus* " do
7 ♂ ad. *Colinus* " do
8 ♀ ad. *Roller*, blue do
9 ♂ ad. *Wood Hoopoe* do

- 21540 ♂ ad. " do
1 ♀ ad. " do
2 ♂ ad. *Wood Hoopoe* do
3 ♀ ad. " do
4 ♂ ad. *Wood Hoopoe* do
5 ♂ ad. " do
6 ♀ ad. " do
7 ♂ ad. *Trichoceros* do
8 ♀ ad. *Chlorophaps* do
9 ♂ ad. *Bush-Quail* do

- 21550 ♂ ad. *Nitatus* do
1 ♀ ad. " do
2 ♂ ad. *Francolinus* do
3 ♀ ad. " do
4 ♂ ad. *Spizella* do
5 ♂ ad. *Passer* do
6 ♂ ad. *Urogonatops* do
7 ♂ ad. *Warbler* do
8 ♂ ad. *Pyromelana*, black. do
9 ♂ ad. *Pyromelana*, red. do

- 21560 ♂ ad. " do
1 ♂ ad. " do
2 ♂ ad. " do
3 ♂ ad. *Pyromelana*, black. do
4 ♂ ad. *Graminia* do
5 ♂ ad. " do
6 ♂ ad. " do
7 ♀ ad. *Warbler* do
8 ♀ ad. *Warbler* do
9 ♂ ad. *Sorella* do

- 21570 ♂ ad. *Bisticola* do

{ Iris bluish black. Bill with mandible black with a large gray spot at base above and small white spot near base on sides; mandible white; black at base.
{ Iris hazel brown. Bill red broadly tipped with black. Flared sides of feet rufous. Feet unaccus; claws black.

{ Iris very dark brown. Bill black, yellow on mandibular border at base and on base of mandible. Feet and claws black.

{ Iris grayish brown. Bill cinnamon-black, paler at base. Feet and claws greenish-ash gray.

{ Iris dark reddish brown. Bill plumbeous-black, paler at base of mandible. Feet greenish gray. Mated with No. 21543.

{ Iris dark reddish brown. Bill plumbeous-black, paler at base of mandible. Feet greenish gray; claws dusky. Mated with No. 21542.

{ Two killed, killed same shot.

{ A mated pair.

April 25.

{ A mated pair, moved on nest; 3 eggs preserved.

Parent of set eggs, taken on nest.

April 26.

Bill and eye-ring red.

do.

Flour of 3 seen.

Africa

1912.

2157	1 ♂	Sylville	{ <i>Sylville</i> (4000 feet), near <i>Sylville</i> , <i>Sylville</i>	April 26
	2 ♂	Green Tanager	do	"
	3 ♂	<i>Chlorophanes</i>	do	"
	4 ♀	"	do	"
	5 ♂	<i>Symnischizochus personata</i>	do	"
	6 ♀	"	do	"
	7 ♀	<i>Centropus superciliosus</i>	do	April 27
	8 ♂	<i>Zosterornis</i>	do	"
	9 ♂	<i>Muscivora</i>	do	"
2158	0 ♀	<i>Cyanocotus</i>	do	"
	1 ♂	Parrot	do	"
	2 ♂	"	do	"
	3 ♂	<i>Quercus</i>	do	"
	4 ♂	Wren	do	"
	5 ♂	<i>Arremonops</i>	do	"
	6 ♂	<i>Pyromelana blatta</i>	do	"
	7 ♀	"	do	"
	8 ♂	"	do	"
	9 ♂	"	do	"
2159	0 ♂	"	do	"
	1 ♂	<i>Pyromelana red. th.</i>	do	"
	2 ♂	"	do	"
	3 ♂	"	do	"
	4 ♂	"	do	"
	5 ♂	"	do	"
	6 ♂	"	do	"
	7 ♂	"	do	"
	8 ♂	Green Tanager	do	"
	9 ♂	<i>Pesticola</i>	do	"
2160	0 ♂	"	do	"
	1 ♂	"	do	April 28
	2 ♀	<i>Phainopepla</i>	do	"
	3 ♂	<i>Bubo lacteus</i>	do	"
	4 ♂	Parrot, red-chested	do	"
	5 "1"	<i>Cuckoo</i>	do	"

} A mated pair.

} A mated pair. Naked face and throat, bill and feet slate-black.

Female of the larger Bishopbird.

Inside of mouth black.

Iris hazel brown.

21606 ♀ ad Woodf. song
 7 ♂ Woodf. song
 8 ♂ ad Eurycorymbus
 9 juv. Eurycorymbus superciliosus

21610 juv. " "

1 ♂ ad Green Tailorbird
 2 ♀ ad Wagtail
 3 ♂ ad Wagtail
 4 ♂ ad Wagtail
 5 ♂ ad Wagtail
 6 ♂ ad Wagtail, with H.
 7 ♂ ad Wagtail, with H.
 8 ♂ ad Wagtail, with H.
 9 ♀

21620 ♀ ad Trichostema

1 ♂ ad Trichostema, with H.
 2 ♂ ad Trichostema, with H.
 3 ♂ ad Trichostema, with H.
 4 ♂ ad Trichostema, with H.
 5 ♂ ad " "
 6 ♀ ad Trichostema, with H.
 7 ♂ ad Trichostema, with H.
 8 ♂ ad " "
 9 ♀ ad Trichostema, with H.

21630 ♀ Outhersopus?

1 ♂ ad Outhersopus
 2 ♂ ad Outhersopus
 3 ♀ ad " "
 4 ♂ ad Outhersopus
 5 ♂ ad Outhersopus, with H.
 6 ♂ ad " "
 7 ♂ ad " "
 8 ♂ ad " "
 9 ♂ ad " "

21640 ♂ ad " "

Africa.
 Koto River (4000 feet), near
 Harar, Abyssinia.

1912.

April 28.

"

"

"

"

"

"

April 29

"

"

"

"

"

"

"

"

"

"

April 30

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Stomach contained an entire rat with some hair on it.

Inside of mouth black.

Parent of nest with 3 young, the latter from one or several.

Africa
Lata Red (1500 feet) near
Gardula, Abyssinia.

1912.

April 30.

21641 ♂ ad. *Emmottia*

2 ♂ ad. *Emmottia*

3 ♂ ad. *Emmottia*

4 ♂ ad. *Syrrhaptes*, white

5 ♂ ad. "

6 ♂ ad. "

7 ♂ ad. "

8 ♂ ad. "

9 ♂ ad. "

21650 ♂ ad. *Syrrhaptes*, white

1 ♂ ad. "

2 ♂ ad. "

3 ♂ ad. "

4 ♂ ad. "

5 ♂ ad. "

6 ♂ ad. *Cathartus* or *Syrrhaptes*

7 ♂ ad. "

8 ♂ ad. "

9 ♂ ad. "

21660 ♂ juv.

1 ♂ ad. "

2 ♂ ad. "

3 ♂ ad. "

4 ♂ juv. *Afrus*

5 ♂ ad. "

6 ♂ juv. *Colinus*, brown

7 ♂ juv. "

8 ♂ juv. *Chitrea*

9 ♂ ad. *Schizothraupis* *lucengaster*

21670 ♂ ad. *Syrrhaptes*

1 ♂ ad. *Emmottia*

2 ♂ ad. *Emmottia*

3 ♂ ad. *Emmottia*

4 ♂ ad. *Cathartus* *minutus*

5 ♂ ad. *Syrrhaptes*

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Larger red tail? - *Syrrhaptes*?

Young male!

May 1.

{ 2 young taken from a nest by a *Lata* boy.

Nesting.

"

"

May 2.

Two seen together.

{ Irid yellow iris reddish brown. Bill red with black line above and below.
 Feet purplish brown.

Ogessa

1912.

{ Egg Bird (4000 feet), near
Bardonia, Abyssinia.

May 2.

21676 ♂ ad. *Caliopterus squamatus*

7 ♀ ad. " "

8 ♂ ad. " "

9 ♀ ad. " "

21680 ♂ ad. " "

1 ♂ ad. " "

2 ♂ ad. " "

3 ♂ ad. " "

4 ♂ ad. " "

5 ♂ ad. *Pyramulidus* sp. H.

6 ♂ ad. *Pyramulidus* sp. H.

7 ♂ ad. *Caliopterus squamatus*

8 ♀ ad. *Pyramulidus*

9 ♂ ad. Weaver

21690 ♀ ad. Weaver

1 ♀ ad. " "

2 ♀ ad. " "

3 ♂ ad. *Pyramulidus*

4 ♂ ad. Weaver

5 ♀ ad. Weaver

6 ♀ ad. *Caliopterus squamatus*

7 ♂ ad. *Pyramulidus* sp. H.

8 ♂ ad. *Pyramulidus*

9 ♂ ad. Weaver

21700 ♀ ad. Weaver

1 ♀ ad. Weaver

2 ♂ ad. *Caliopterus*

3 ♂ ad. Weaver

4 ♀ ad. *Pyramulidus*

5 ♂ ad. *Caliopterus*

6 ♂ ad. *Pyramulidus*

7 ♀ ad. " "

8 ♂ ad. *Pyramulidus* sp. H.

9 ♂ ad. " "

21710 ♂ ad. *Pyramulidus*

} Mated pair killed at the same shot.

} Mated pair killed at the same shot.

Killed same shot with 2 of above males.

Bill brownish black above and below, with some white.

} Killed by the same shot.

Eyes red yellow. Iris reddish brown. Bill red with a narrow black line above and below.

Feet and claws purplish brown.

Iris orange. Entire bill black. Feet and claws pale brown.

Seen from a large tree which was preserved.

Killed from a large flock of 50, containing both sexes of *Pyramulidus* species, which I did not find it with that species.

May 4

"

"

"

"

"

"

"

"

"

"

"

"

"

"

} A mated pair, taken together.

May 6

"

"

Feeding in tree drove this bird from nest, made of dark materials, shaped like this: D.

Colima

1912.

Agua River (4000 feet), near
Laguna de San Marcos

May 6

21711 ♂ ad. *Lagonosticta*

2 ♂ ad. " do

3 ♂ ad. " do

4 ♂ ad. " do

5 ♂ ad. *Lagonosticta* do

6 ♀ ad. *Lagonosticta* (lin 21711-14) do

7 ♂ ad. *Myiarchus hypanthus* do

8 ♀ ad. " do

9 ♀ ad. " do

21720 ♂ ad. " do

1 ♀ ad. " do

2 ♀ ad. *Colinus pectoratus* do

3 ♀ ad. " do

4 ♀ ad. " do

5 ♂ im. " do

6 ♀ " do

7 ♂ ad. *Batis* do

8 ♀ ad. " do

9 ♂ ad. " do

21730 ♂ ad. *Centropus superciliosus*

1 ♂ ad. " do

2 ♂ ad. " do

3 ♀ ad. " do

4 ♂ ad. " do

5 ♂ ad. " do

6 ♀ ad. " do

7 ♀ ad. *Lagonosticta* do

8 ♂ ad. " do

9 ♂ ad. *Tolites* do

21740 ♂ ad. *Nectarinia*

1 ♂ ad. " do

2 ♂ ad. " do

3 ♀ ad. *Woodpecker* do

4 ♀ ad. " do

5 ♂ im. *Vireo* do

May 8

May 9

Eye-red yellow.
Eye-ring (lid) yellow. Iris reddish brown. Bill red with a line of black above and below.
Feet and claws dark brown.

Excluded.
Bill plumbeous tipped with black. Feet and claws plumbeous.

Eggs pale yellow than male. Iris reddish brown. Bill red on sides, black above and below.
Broader black stripe on maxilla than in female. Feet pale brown than in the male.
Shot in the place where 2 males, 4 females, and three nests were taken. Some eggs had blue other white ground color.

Shot inside of nest, which contained 2 blue eggs spotted with reddish brown (one egg smashed by shot).
Another nest on same small tree contained 2 eggs, blue, much smaller and more plainly spotted.
Iris brown. Feet and claws pale brown. Bill with maxilla dusky olive, mandible horn color.

Shot inside of nest. Eggs 2, smashed by shot, fragments of shells left in nest.
Eggs white, spotted with reddish brown. A male was shot close by.
Shot beside an unfinished nest. Another nest on same small tree contained white eggs spotted with reddish brown. Contained a perfectly formed egg which was preserved.

Iris brown. Bill with maxilla and extreme tip of mandible olive-brown; rest of mandible flesh color. Feet and claws brown.

Iris brown. Bill olive-brown above, horn color below. Feet and claws fleshy brown.

Iris brown. Bill olive-brown on all of maxilla and extreme tip of mandible; rest of mandible flesh color. Feet and claws brown.

Iris red. Bill black. Feet plumbeous, with black claws.

"May 11" 18.

Bill black, slightly tipped with white. Feet salmon; claws brown.

Africa

1912.

St. Kitts (Lancaster), near
Lardula, Abyssinia

May 9

21746 ♂ ad. *Promastus*

7 ad. "

8 ad. "

9 ad. "

21750 ♂ ad. *Promastus*

1 ad. "

2 ad. "

3 ad. *Promastus*

4 ad. "

5 ad. *Promastus*

6 ad. *Promastus*

7 ad. "

8 ad. *Woodh.*

9 ad. *Woodh.*

21760 ♂ ad. *Promastus*

1 ad. *Promastus*

2 ad. *Haleyon*

3 ad. *Promastus*

4 ad. "

5 ad. *Promastus*

6 ad. *Promastus*

7 ad. *Promastus*

8 ad. *Promastus*

9 ad. *Argya*

21770 ♂ ad. *Argya*

1 ad. *Promastus*

2 ad. *Promastus*

3 ad. *Promastus*

4 ad. *Promastus*

5 ad. "

6 ad. "

7 ad. *Promastus*

8 ad. "

9 ad. "

21780 ♂ ad. "

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

} Taken with their nest and 2 eggs.

Contained an egg, fully formed, but without hard shell.

May 11

} Killed at one shot

Parent of nest and 2 eggs, *Promastus*

(1) See nest + eggs
No. 2. Mated pair. Nest and 2 eggs taken. See nest + eggs.

No. 3. Parent of nest and 4 eggs, plain blue.

No. 4. Mated pair, killed by the same shot; taken with nest and 4 eggs.

No. 6. Parent of nest and 3 eggs taken.

Shot near nest. "6" and "7". See nest labels.

Africa
 Cape River, near
 Gambia, Abyssinia

1912

21781	♀ ad. <i>Pipilo</i>	do	May 11
21782	♂ juv. <i>Pipilo</i> ?	do	"
3	♂ ad. <i>Lanius</i> <i>fuscus</i>	do	"
4	♀ ad. " "	do	"
5	♂ ad. <i>Monticola</i>	do	May 12
6	♂ ad. <i>Lophoceros</i>	do	May 13
7	♂ juv. " "	do	"
8	♂ ad. <i>Lophoceros</i>	do	"
9	♀ ad. " "	do	"
21790	♀ ad. <i>Sitta</i>	do	"
1	ad. " "	do	"
2	-juv. <i>Melospiza</i>	do	"
3	♀ ad. <i>Melospiza</i>	do	"
4	♂ ad. <i>Melospiza</i>	do	"
5	♂ juv. <i>Melospiza</i>	do	"
6	♂ ad. <i>Melospiza</i>	do	"
7	♂ ad. " "	do	"
8	♂ ad. <i>Parus</i> , red-bellied	do	May 14
9	♀ ad. " "	do	"
21800	♀ ad. <i>Eurostocheus</i>	do	"
1	-ad. <i>Melospiza</i>	do	"
2	-juv. " "	do	"
3	♀ ad. <i>Melospiza</i> <i>caerulea</i>	do	"
4	♀ ad. <i>Melospiza</i> ?	do	"
5	♀ ad. <i>Sitta</i>	do	"
6	ad. <i>Pagrus</i>	do	"
7	♂ ad. <i>Urocyon</i>	do	"
8	♂ ad. " "	do	"
9	♂ ad. <i>H. thomasi capensis</i>	do	May 15
21810	♂ juv. <i>Pipilo</i>	do	"
1	♀ juv. " "	do	"
2	♂ juv. <i>H. thomasi</i>	do	"
3	♂ ad. <i>Vidua</i>	do	May 17
4	♂ ad. <i>W. thomasi</i>	do	"
5	♂ ad. <i>Petroica</i>	do	"

{ Cape River crossing, E., Abyssinia
 { 3500 feet

Shot near nests "6" and "7". See nest and eggs register.
 Two young in tree, attended by one parent.
 } Mated pair, taken with nest and 2 eggs.

Brought me by a Galla native man.

Male, but doubtless immature.
 } Mated pair, shot beside their nesting burrow. The burrow was dug out but found to be empty.
 A colony of about a dozen pairs are nesting in a sand bluff. I saw several emerge from holes.
 A colony of about 12 pairs are nesting in a high bluff.

Parent of nest and 2 eggs.

} Killed by the same shot

Parent of nest and 2 eggs preserved. See register of nests and eggs.

Iris brown. Bill plumbeous-black, longitudinally streaked on top and sides of maxilla (and on sides of mandible near end with horn color; rest of naked parts as noted below) (No. 21811).
 { *Colinus* & *Puffinus*. Iris brown. Bill all plumbeous-black. Naked skin around eye and rami of jaws fleshy yellowish brown. Feet plumbeous-black anteriorly, yellowish white posteriorly.
 Iris and cere yellow. Bill black, yellow at base below. Feet yellow; claws black.

		Asiatica		1912
		border of Gumpu, S. of		
		Village, 500 ft. Abyssinia		May 18
21816	♀	<i>Ptychorotis</i>	do	"
7	♀	<i>Caprimulgus</i>	do	"
8	♂	"	do	"
9	♂	<i>Leucotis</i> , dark.	do	"
21820	♂	<i>Onychoprion</i>	do	"
1	♂	"	do	"
2	♂	<i>Oryzopsis</i>	do	"
3	♂	<i>Euphonia</i>	do	"
4	♂	"	do	"
5	♂	"	do	"
6	♀	"	do	"
7	♂	<i>Phoenicurus</i>	do	"
8	♂	<i>Alcedo</i>	do	"
9	♂	<i>Caprimulgus</i>	do	"
21830	♂	<i>Passer</i>	Market place, north of Kormali Village, Abyssinia	"
1	♂	<i>Alcedo</i>	do	"
2	♂	<i>Alcedo</i>	Market place, south of Kormali Village, Abyss.	May 19
3	♂	"	do	"
4	♀	"	do	"
5	♀	"	do	"
6	♂	<i>Alcedo</i>	Sagon River, north side, Abyssinia	"
7	♂	<i>Caprimulgus</i>	do	"
8	♀	<i>Alcedo</i>	do	"
9	♂	<i>Alcedo</i>	do	"
21840	♂	<i>Petrochelidon</i>	do	"
1	♂	<i>Alcedo</i>	do	"
2	♀	<i>Alcedo</i>	do	"
3	♂	<i>Alcedo</i>	do	"
4	♂	<i>Alcedo</i>	do	"
5	♂	<i>Alcedo</i>	Sagon River, north side, Abyssinia	"
6	♂	<i>Alcedo</i>	do	"
7	♂	<i>Alcedo</i>	do	"
8	♀	<i>Alcedo</i>	do	"
9	♀	<i>Alcedo</i>	do	"
21850	♂	<i>Alcedo</i>	do	"

Sides of head and feet yellow. Cere, and base of bill all round, fleshy, white. Bill and claws black.

Killed in a mimosa-tree, same shot.

Nothing material in bird's bill when shot; nest in bush against trunk of large tree.

Four killed at one shot, on roof, at market-place.

Song sweetly.

Rattled its wings in high flight, then descended and sang sweetly in a bush.

Made a loud, monotonous click.

Eyes-whites yellow. Bill black. Feet orange. Length of about 12.

Parent and progeny.

Africa

1912.

21851 ♂ ad. *Bodessa*!

Bodessa, Abyssinia

May 20

- 2 ♂ ad. "
- 3 ♂ juv. "
- 4 ♂ juv. "
- 5 ♂ ad. *Pogonocherus* *sticturus*
- 6 ♂ juv. " "
- 7 ♂ ad. *Corvinus*
- 8 ♂ juv. "
- 9 ♀ *Centropus*

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

21860 ♂ ad. *Anthracoceros*?

- 1 ♂ ad. *Petrochelidon*
- 2 ♀ ad. *Granatina*
- 3 ♂ ad. *Acridotheres*
- 4 ♂ ad. "
- 5 ♀ ad. *Pollia* *longa*
- 6 ♀ ad. *Ammodramus*
- 7 ♂ ad. *Crinops*
- 8 ♂ ad. "
- 9 ♀ ad. "

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

21870 ♀ ad. "

- 1 ♀ ad. "
- 2 ♀ ad. "
- 3 ♂ ad. *Rufous-Whiskered*
- 4 ♀ ad. "
- 5 ♀ ad. *Thalassidroma*
- 6 ♂ ad. *Cryptorhynchus*
- 7 ♀ ad. "
- 8 ♂ juv. "
- 9 ♂ ad. *Micropus*

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

21880 ♀ ad. "

- 1 ♀ ad. *Basileia*
- 2 ♂ ad. *Petrochelidon*
- 3 ♀ *Corvinus*
- 4 ♂ ad. *Psittacula*
- 5 ♀ ad. "

do
do
do
do
do

"
"
"
"
"

May 22

B. is a large nest, grass in mouth. Bill entirely red. Feet and claws pale brown.

May 21

3 in flock
Iris grayish blue with an outer ring of yellow.

Iris bluish gray with an outer ring of yellow.

Africa.

1912.

21886	♂ ad. <i>Caprimulgus</i>	Boudoua, Abyssinia	May 22
7	♂ ad. <i>Caprimulgus</i>	do	"
8	♂ juv. "	do	"
9	♂ ad. <i>Caprimulgus daddoni</i>	do	"
21890	♀ ad. "	do	"
1	♀ ad. "	do	"
2	♀ ad. <i>Caprimulgus</i>	do	"
3	♂ ad. <i>Caprimulgus</i>	do	"
4	♀ juv. "	do	"
5	♀ juv. "	do	"
6	♀ ad. <i>Caprimulgus</i> , black-brown sides	do	"
7	♂ ad. <i>Caprimulgus</i> ?	do	"
8	♂ ad. <i>Caprimulgus</i>	do	"
9	♀ ad. "	do	"
21900	♂ ad. <i>Caprimulgus</i>	do	"
1	♂ ad. <i>Caprimulgus</i>	do	"
2	♀ ad. <i>Caprimulgus</i>	do	"
3	♂ ad. <i>Caprimulgus</i>	do	"
4	♂ ad. <i>Caprimulgus capensis</i>	do	"
5	♀ ad. "	do	"
6	♂ ad. <i>Caprimulgus</i>	do	"
7	♀ ad. "	do	"
8	♀ ad. <i>Caprimulgus</i>	do	"
9	♀ ad. <i>Caprimulgus</i> , like No. 21886	Lake Abaya, S.E.	March 22
21910	♀ ad. "	do	May 23
1	♂ ad. "	do	"
2	♂ ad. <i>Caprimulgus</i> , large, long, dark	do	"
3	♂ ad. <i>Caprimulgus</i> , large, long, dark	do	"
4	♂ juv. <i>Caprimulgus</i>	do	"
5	♀ ad. <i>Caprimulgus</i>	do	"
6	♀ ad. <i>Caprimulgus</i> ?	do	"
7	♀ juv. <i>Caprimulgus</i>	do	"
8	♂ ad. <i>Caprimulgus</i>	do	"
9	♂ ad. <i>Caprimulgus</i>	do	"
21920	♂ ad. <i>Caprimulgus</i>	do	"

} Parent and progeny.
 } Mated pair, killed by the same shot.

With 2 young collected.
 } Young accompanied by parents. Eye-wattles black!

{ Iris brown. Bill brownish black, flesh color at base on sides and below, grayish on middle of mandible. Feet and claws flesh color.

} Mated pair, killed by the same shot.

{ Iris dark brown. Bill black. Bare skin around eye lead color. Feet vinaceous; claws blackish.
 } Mated with the following (No. 21907), and killed by the same shot.

Mated with No. 21906, and killed by the same shot. Soft parts colored like the male (its mate).
 { Middle of chin, wattles, sides of face, and nape blue. Neck slate color. Helmet brown, its horn tipped with horn color. Feet and claws olivaceous black.
 { Iris yellow. Bill brownish black on maxilla and extreme tip of mandible; rest of mandible and commissure black.
 { Margin of maxilla grayish horn color. Bare tibiae and feet grayish white tinged with olive on the toes; claws brownish.

do!
 { Iris grayish white finely dotted with brown next to the pupil. Bill mainly flesh color, horn color at tip of maxilla, pale brown at base of maxilla, and brownish black subterminally above. Bare tibiae and feet flesh color, tinged with gray on feet; claws pale brown.

Iris hazel brown. Distal half of bill, and claws, black. Proximal half of bill, bare tibiae, and feet, red.

Africa

1912.

Bodessa, Abyssinia

May 23

21921 ♂ ad. Green Tailed bird

2 ♀ *Springillaria*

3 ♂ ad. *Anaplecta*

4 ♀ juv. *Mirafra*

5 ♂ ad. *Cinnyris*

6 ♂ ad. Bustard, larger, gray tint

7 ♀ ad. *Francolinus*

8 ♂ ad. *Chalcophaps indica*

9 ♂ ad. *Colinus*, blue

21930 ♂ ad. *Starling*

1 ♂ ad. *Petronia*

2 juv. *Emberiza*

3 ♂ ad. *Fringillaria*

4 ♂ juv. "

5 ♂ ad. *Pyrenonotus dodsoni*

6 ♂ ad. Bush-Shrike

7 ♂ ad. *Cinnyris*

8 ♂ juv. " ?

9 ♂ juv. *Cinnyris*

21940 ♂ ad. " ?

1 ♂ ad. *Francolinus grantii*

2 ♀ ad. " "

3 ♂ juv. " "

4 ♀ ad. *Rhodophoneus*

5 ♀ juv. "

6 ♂ juv. Bush-Shrike

7 ♂ ad. *Oriolus*

8 ♂ ad. *Pyrenonotus dodsoni*

9 ♀ ad. " "

21950 ♂ juv. *Colinus*, blue

1 ♀ ad. *Fringillaria*

2 ♂ ad. *Mirafra*

3 ♂ ad. *Brachodroma*

4 ♀ ad. *Batis*

5 ♂ ad. *Argya*

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

May 24

May 25.

Soft parts colored the same as No. 21912.
Iris hazel brown. Bill black, dull yellow at base of mandible and on sides of maxilla at base. Feet
dull yellow; claws brown.

Two were together on a small tree in grassy country.

"P"

} Parents and progeny. Only this one family seen here in 9 days' collecting.

} Parent and progeny, killed by the same shot.

Iris red. Bill pale, reddish brown. Feet and claws plumbeous.

Bill green. Feet dull red.

Africa

1912.

Bodessa, Abyssinia

May 25

21956 ♂ ad. Cisticola

7 ♂ ad. "

8 ♀ ad. "

9 ♀ juv. "

21960 ♀ ad. Cisticola

1 ♂ juv. "

2 ? Lagonosticta

3 ♂ ad. Pytilia

4 ♀ ad. "

5 ♂ ad. Iroria

6 ♂ ad. Melittophagus

7 ♂ ad. Bush-Shrike

8 ♀ ad. "

9 ♀ ad. Barbetula

21970 ♀ ad. Bradornis

1 ♂ ad. Cisticola

2 ♀ ad. Mirafra

3 ♂ juv. Fringillaria

4 ♂ ad. Lanius

5 ♂ ad. "

6 ♂ juv. "

7 ♂ ad. Chalcornis

8 ♀ juv. Lanius

9 ♂ ad. Halcyon

21980 ♂ ad. "

1 ♀ juv. Dierurus

2 ♀ ad. Dierurus

3 ♂ ad. Pytilia

4 ♂ ad. Halcyon

5 ♀ ad. "

6 ♂ ad. Cisticola

7 ♂ ad. "

8 ♂ ad. Cisticola

9 ♂ ad. "

21990 ♂ juv. "

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

May 26

May 27

Inside of mouth yellow.
do

Mated with No. 21964, and killed by the same shot. Bill red. Feet and claws brown.
Mated with No. 21963, Bill red, shading to black at base above
[In the male the bill is all red]. Feet and claws brown.
Iris dark brown. Bill black, red inside, at angle of mouth and inferior point at base of mandible. Feet red; claws black.

Parents of nest and 1 egg (Set No 98).

Inside of mouth black.

Inside of mouth black

Africa

1912.

Bodessa, Abyssinia

May 27

- 21991 ♀ ad. *Cisticola*
 2 ♀ *Batis*
 3 ♀ ad. *Pycnonotus dodsoni*
 4 ♂ im. *Argya*
 5 ♂ ad. *Roller*
 6 ♂ ad. *Francolinus*
 7 ♀ ad. "
 8 ♀ im. "
 9 ♂ ad. "

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

May 28

- 22000 ♀ ad. *Pseudogyps africanus*
 1 ♀ ad. "
 2 ♀ ad. *Lophogyps occipitalis*
 3 ♂ ad. *Necrosyrtes monachus*
 4 ♀ ad. *Pringillaria*
 5 ♀ juv. "
 6 ♂ ad. *Urocinthus*
 7 ♂ ad. *Lagonosticta*
 8 ♂ ad. "
 9 ♂ ad. *Pycnonotus dodsoni*

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

May 29

- 22010 ♀ ad. "
 1 ♀ juv. *Serurus*
 2 ♂ juv. *Chitrea*
 3 ♂ ad. *Rhodophoniis*
 4 ♂ ad. *Barbutula*
 5 ♂ ad. *Barbet, long-tailed*
 6 ♀ ad. "
 7 ♂ ad. "
 8 ♀ ad. *Leimyrus*
 9 ♂ ad. *Leianurus fumeus*

do
do
do
do
do
do
do
do
do

"
"
"
"
"
"
"
"
"

May 30

- 22020 ♂ ad. *Bush-Shrike*
 1 ♀ ad. "
 2 ♀ ad. *Pycnonotus dodsoni*
 3 ♀ ad. *Anthus*
 4 ♀ ad. *Mirafra*
 5 ♂ ad. *Lesser Bustard, bek. bel.*

do
do
do
do
do

"
"
"
"
"

Inside of mouth yellow.

Iris brown. Bill olivaceous black, yellow on basal half of mandible and on sides of base of maxilla. Feet yellowish olive; claws brown.

Soft parts colored like above male except that there is less blackish on terminal portion of mandible.

Entire skin (No. 7). See description in field note-book (p. 38).
 Shank and foot only, (No. 5). See table of measurements in field note-book.
 Iris hazel brown. (No. 8). See field note-book, p. 38.
 No. 9, field note-book, p. 38.

Iris brownish yellow.

Africa			1912.
21	22026	♀ juv. Trogon	May 30
	7	♂ imm. "	"
	8	♀ ad. Bustard, smallest, blk. bel.	May 31
	9	♀ juv. "	"
	22030	♀ ad. Trogon	"
	1	♂ Centropus superciliosus	"
	2	♀ ad. Shrike	"
	3	♂ ad. Bush-Shrike	"
	4	♂ ad. Tchitrea	"
22	5	♂ ad. Bradornis	"
	6	♀ juv. Oriolus	"
	7	♀ ad. Pycnonotus dodsoni	"
	8	♂ ad. Pringillaria	"
	9	♀ juv. Anaplectes	"
	22040	♀ ad. Chalcornitha?	"
	1	♀ Cinneryia	"
	2	♂ Eremomela?	"
	3	♀ ad. Numida	June 1
	4	♀ ad. Lophoceros, large	"
22	5	♀ ad. Lophoceros	"
	6	♂ ad. Tchitrea	"
	7	♂ ad. Indicator	"
	8	♂ ad. Thrush?	"
	9	♀ Emberiza	"
	22050	♂ Green Tailorbird	"
	1	♂ ad. Eremomela?	"
	2	♀ ad. Schizochus leucogaster	June 3
	3	♀ juv. " "	"
	4	♂ ad. Lophoceros	"
2	5	♀ ad. "	"
	6	♂ imm. Hawk	"
	7	♂ ad. Dierornis	"
	8	♂ ad. Starling	"
	9	♂ ad. Pycnonotus dodsoni	"
	22060	♀ ad. Copsychus	"
		Badessa, Abyssinia	

base. Feet and claws brownish flesh color.
 Iris brown. Bill green, yellow on basal half of mandible and on sides of maxilla at base.
 { Iris brown. Bill olivaceous black, tipped on both mandibles with horn color. This and No. 22026 were killed by the same shot.

Iris brownish yellow.
 { Iris brownish yellow. Bill olivaceous black above, yellowish green below and along commissure. Feet gray; claws olivaceous brown.
 Soft parts colored like No. 22026.

{ Parent of nest and 2 eggs preserved. Shot when it flew from nest and alighted on a tree.
 Nest identification positive. Iris bluish gray.

Iris hazel. Cere and basal half of mandible yellow; maxilla and distal half of mandible black. Feet orange-red; claws black. Crop filled with Guinea-Fowl meat - no bones or feathers.

Bill and feet blue.

{ Killed by the same shot.

{ Iris, cere, and base of bill below, yellow. Maxilla, end of mandible, and claws black. Feet yellow.
 Iris red. Bill, feet and claws black. Noisy and active at night, when shot.

Iris dark brown. Entire bill black. Feet and claws grayish black.
 When shot, at daybreak, it was making high flights in the air.