EDGAR A. MEARN'S PAPERS
1872-1913

Box 18

Folder 9

Division of Birds

Birds

Collected by the Childs Frick Expedition to Africa.

No. 22061 to 24219.

June 3, 1912 to Oct. 11, 1912.

Sagou River, Abyssinia to Escarpment, British East Africa
and the Mediterranean.

Edgar A. Mearns.

Vol. II.

22061 ♂ imm. *Chlorophanes*

2 ♂ ad. Bush-Shrike

3 ♂ Shrike

4 ♂ ad. Thrush?

5 ♂ ad. Ploceiformes

6 ♀ ad. *Uregrinthus*7 ♀ ad. *Argya*8 ♂ ad. *Melospiza*

9 ♀ imm. "

22070 ♂ Flyc.

1 ♀ *Erythropygus*2 ad. *Cisticola*3 ♂ ad. *Cinnyris*

4 ♀ " ?

5 ♀ ad. Warb.

6 ♀ ad. Parrot, red-chested

7 ♂ ad. *Centropus superciliosus*8 ♂ ad. *Helotarsus scandatus*9 ♂ ad. *Edicnemus*22080 ♂ ad. *Pternister*1 ♂ ad. *Tranquillina grantii*2 ♀ ad. *Luscinia lugens*3 ♀ ad. *Silviphila leucogaster*4 ♂ ad. *Irisson*

5 ♂ ad. Crested Black Duck

6 ♀ Woodf. large, dark

7 ♂ ad. Woodf. small

8 ♀ ad. Woodf. large, pale

9 ♂ ad. *Cossypha*

22090 ♂ "

1 ♂ ad. Thrush?, plain

2 ♀ ad. "

3 ♀ ad. "

4 ♀ juv. "

5 ♀ juv. "

June 3

" Iris bluish gray. Bill entirely black. Feet pale gray; claws black.
 " { Iris grayish brown. Bill olivaceous-black, paler on basal half below.
 " { Feet plumbeous; claws grayish black.

" Iris dark brownish red. Bill olivaceous black, paler below at base. Feet and claws plumbeous.

" Iris dark red. Bill all black. Feet light brown; claws dark grayish brown.

" { Iris light yellowish brown. Bill reddish brown, pale at base, black at tip.
 " { Feet brownish flesh color; claws brown.

" { Iris pale greenish yellow. Bill horn color, fleshy at base of mandible. Feet
 " and claws pale grayish brown.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Bill and claws plumbeous-black, Feet plumbeous

From a tree-top on a ridge it sang: "Kee'-ah'-kee'-wit."

{ Iris light reddish brown. Bill brownish black, plumbeous on basal half of
 { mandible. Feet brownish flesh color; claws dark brown.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

} Female parent and 3 young shot together (only 2 young saved).

June 4

Colors of soft parts entered in field note-book.

{ Iris yellow. Bill black, greenish yellow at base except along commissure and on ridge
 { of maxilla at base. Feet greenish yellow; claws black.

Colors of soft parts exactly like those from Gato River.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Africa

Sagou River, Abyssinia.

22096	♀ ad.	Thrush? plain	do
7	♂	Thrush? spotted chest	do
8	♀	Argya	do
9	♂	Psittophagus	do
22100	♀ ad.	Laniarius funebis	do
1	♀ ad.	Glossyflaser	do
2	♂ ad.	Granatina	do
3	♀ ad.	"	do
4	♂ ad.	Quelua	do
5	♀ ad.	"	do
6	♂ ad.	Parrot, red-chested	do
7	♂ ad.	"	do
8	♂ ad.	"	do
9	♂ ad.	Streptopelia	do
22110	♀ ad.	"	do
1	♂ ad.	Pterocles	do
2	♂ im.	Lophoceros	do
3	♀ ad.	"	do
4	♀ ad.	Centropus superciliosus	do
5	♂ ad.	Merula	do
6	♂ ad.	Turdus? plain	do
7	♂ ad.	Cisticola	do
8	♂ im.	"	do
9	♂ juv.	"	do
22120	♀	Weaver	do
1	♀	"	do
2	♂ ad.	Zonogastres	do
3	♂ ad.	Coccyus, brown	do
4	♀ ad.	Starling	do
5	♀ ad.	Sturmer	do
6	♀ ad.	"	do
7	♂	Lophoceros	do
8	♀	"	do
9	♂ ad.	Rhodophanes	do
22130	♀	Erythropygia	do

1912

June 4

"

"

"

4

"

"

"

"

"

"

June 5

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 6

"

"

"

"

"

Iris red. Bill black. Feet and claws purplish brown.

Iris dark brown. Bill, feet, and claws black.

Bill all red. Mated with No. 22103.

Bill red, purplish black at base of maxilla. Mated with No. 22102.

Iris brown. Eye-rim red. Bill all purplish red. Feet and claws brownish orange.

Iris brown. Bill paler purplish red than the above male, and with a dusky tip to the maxilla. Feet and claws brownish flesh color.

Iris orange. Bill and claws olivaceous-black. Cere and naked are surrounding eye slaty black.

Mated with No. 22110 and killed by the same shot. Iris orange-red. Bill plumbeous-black. Naked area surrounding eye gray mixed with vinaceous. Feet vinaceous; claws vinaceous at base, grayish brown at end.

Mated with No. 22109. Colors of soft parts the same.

Iris rich brown. Naked skin surrounding eye greenish yellow. Toes and naked back of tarsus yellow; claws fleshy brown.

Young male! Bill dusky brown, with slight horn-colored tip, and base shading to yellowish.

Iris hazel. Bill and feet orange. Naked are surrounding eye orange-yellow; claws brown.

Parent of Nos. 22118-9. Iris reddish brown. Bill entirely black. Feet and claws brown.

Progeny of No. 22117. Iris brown. Bill black, yellow at angle of mouth. Feet and claws darker brown than in adult (No. 22117).

do

Iris dark brown. Bill dusky olive above, flesh color below. Feet pale grayish brown; claws light brown.

Iris brown. Bill olive-brown above, flesh color below. Feet and claws fleshy brown.

Iris orange-red. Bill red with a dark brown spot at base of maxilla. Feet and claws grayish brown.

Iris light yellow. Bill, feet, and claws black.

Iris brown. Bill brownish black. Feet and claws blackish. Upper edge of nostril, naked sides of face, chin and upper throat red; lower throat yellow.

These have a little more red on throat than those from the Abaya lakes.

Mated with No. 22128 and killed by the same shot.

Bill red, lower half of mandible black.

Mated with No. 22129 and killed by the same shot.

Bill vinaceous-red all round, dusky at tip, and yellowish at base.

Africa

Sagou River Abyssinia

- 22131 ♂ ad. *Barbatula*
 2 ♀ ad. "
 3 ♂ ad. Weaver
 4 ♀ *Lagonosticta*
 5 ad. *Streptopelia*
 6 ♂ ad. *Nnumida*
 7 ♀ *Lophoceros*
 8 ♀ "
 9 ♀ "

1 Bodessa, Abyssinia,
 Near (S.) " "
 Tertale, Abyssinia.

- 22140 ♀ "
 1 ♀ ad. Roller, large
 2 ♂ ad. *Dinemellia dinemelli*
 3 ♀ ad. Barbet, long-tailed
 4 ♀ ad. "
 5 ♂ ad. Shrike, chestnut-sided
 6 ♂ ad. "
 7 ♀ *Cisticola*
 8 ♀ ad. *Brachornis*
 9 ♂ ad. *Cinnyris*

- 22150 ♂ ad. "
 1 ♂ ad. "
 2 ♂ ad. *Pratincola*
 3 ♀ ad. Plover, *Stiphamys coronata*
 4 ♂ juv. *Pternistes*
 5 ♂ ad. *Francolinus grantii*
 6 ♂ ad. *Coturnix dulagorguei*
 7 ♂ ad. "
 8 ♂ ad. *Stigmatopelia*
 9 ♀ ad. *Spreo*

- 22160 ad. *Syliretta*
 1 ♂ *Brachornis*
 2 ♀ juv. *Meropis*
 3 ♂ ad. *Dendropicos guineensis albicans* Erlanger,
 4 ♂ ad. *Emberiza*
 5 ♂ ad. "

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912.

June 6. } a mated pair,

"

"

"

"

"

June 7

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 8

"

"

"

"

"

"

"

"

"

"

"

"

"

Colors of soft parts the same as pair collected June 5, on Sagou River.
 Sides of face and wattles, blue. Naked neck and throat slate color. Bill greenish horn
 color. Feet grayish black; scutes edged with horn color; claws blackish, widely tipped with horn color.

Bill differs from male in being red instead of black on lower half
 of mandible. Colors of soft parts as before noted.

Bill brownish red, tipped with plumbeous-black of which there is a lighter border to
 lower edge of maxilla. Feet and claws plumbeous-olive.

Iris hazel brown. Bill black, greenish yellow on basal half of mandible and on sides of basal
 half of maxilla. Naked tibiae and feet flesh color tinged with greenish yellow; claws brownish black.

Iris brown. Bill plumbeous black, tipped with horn color. Tarsi slightly reddish brown;
 feet and claws olive-brown. Shot on the wing.

Iris hazel brown. Bill grayish olive-brown, slightly yellowish at base below.
 Feet and claws brownish flesh color.

Iris brown. Bill olivaceous-black. Feet vinaceous; claws vinaceous-black.

Iris very pale yellow, almost white. Bill, feet, and claws black.
 Iris yellowish brown. Bill olivaceous brown above, pale reddish brown below. Feet
 and claws light brown.

Africa
Tertale, Abyssinia

22166 1 ♂ Hyphantornis?

7 ♂ "

8 ♂ "

9 ♂ "

22170 1 ♂ "

1 ♀ "

2 ♀ "

3 ♀ "

4 ♀ "

5 ♀ "

6 ♂ juv. Granatina

7 ♂ juv. "

8 ♀ juv. "

9 ♀ juv. "

22180 1 ♂ Quelia

1 ♂ "

2 ♀ "

3 ♀ "

4 ♀ "

5 ♀ "

6 ♂ ad. Whydah, white-tailed

7 ♀ ad. " ?

8 ♂ ad. Whydah, black-tailed

9 ♂ ad. Whydah, big-tailed

22190 1 ♂ ad. "

1 ♂ ad. "

2 ♂ ad. Tricholamna?

3 ♂ ad. "

4 ♂ ad. "

5 ♂ ad. Pternestes

6 ♀ ad. Lophoceros

7 ♀ ad. Turtur lugens

8 ♂ "

9 ♂ "

22200 ♀ "

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912.

June 8

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 9

"

"

"

"

"

"

"

"

"

Iris grayish brown. Bill, feet, and claws orange-red.

Iris brown. Bill grayish fleshy brown at base, becoming dusky at tip. Feet pale grayish brown.

Iris dark brown. Bill entirely black. Feet and claws dusky olive-brown.

Naked skin of chin and throat yellow, a little red on chin.

22201	♂	Bush-Shrike
2	♂	Hyphantornis
3	♂ ad.	Barbet, long-tailed
4	♀	Bush-Shrike
5	♀	Bush-Shrike
6	♂ ad.	Shrike
7	♂ ad.	Eurocephalus
8	♂ ad.	Pyrenestes dodsoni
9	♂ ad.	Anthus
22210	♂ ad.	Mirafra
1	♀ ad.	Bradyornis
2	♂ juv.	Cinnyris?
3	♂ juv.	"
4	♂ ad.	Dinemellia dinemelli
5	♂ ad.	" "
6	♂ ad.	" "
7	♂	Luscin
8	♂	Whydah, small sp.
9	♀	"
22220	♂ ad.	Colinus, blue
1	♀ ad.	"
2	♂ ad.	Schizothraupis leucogaster
3	♂ juv.	Dioneris
4	♂ ad.	Whydah, long, straw-col. tail
5	♂ ad.	"
6	♂ juv.	"
7	♀ ad.	"
8	♂ ad.	Whydah, black
9	♂ ad.	"
22230	♂ ad.	"
1	♂ ad.	"
2	♀ ad.	"?
3	♂ " boy	Lagonosticta
4	♂ ad.	Coturnix
5	♀ ad.	"

Africa
 { Altitude 4000 feet
 { Tertale, Abyssinia.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

June 9

"

June 10

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 11

"

"

Molting into next tail plumage

do

do

do

Africa
 { Tertaile, Abyssinia
 Altitude 4000 feet.

22236	♀ ad.	Barbet, long-tailed	do
7	♂ ad.	Geopelia, small	do
8	♂ ad.	Rhodophanes	do
9	♀ ad.	"	do
22240	♂ ad.	Rush-Skinner	do
1	♀ ad.	Dendropicos yunnanensis albicans Erlanger.	do
2	♂ ad.	Cophoceros	do
3	♀	"	do
4	♀ ad.	Argya	do
5	♂ ad.	Erythrocygia	do
6	♂ ad.	Thurberia, spotted chest	do
7	♂	Anthracoceros	do
8	♀ ad.	Tchitrea	do
9	♂ ad.	Passer	do
22250	♀ ad.	"	do
1	—?	Serinus, yell. rump	do
2	♂ ad.	Quelia	do
3	♂ ad.	"	do
4	♂	"	do
5	♂	"	do
6	♀	"	do
7	♀	"	do
8	♀	"	do
9	♀	"	do
22260	♀	"	do
1	♀	"	do
2	♀	"	do
3	♀	"	do
4	♀	"	do
5	♀	"	do
6	♀	"	do
7	♂	Cinnyris	do
8	♂	Francolinus grantii	do
9	♀	"	do
22270	♂	Cinnyris	do

El Ade, Abyssinia
 do
 do
 do

1912

June 11

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 12

June 13

"

"

} A mated pair, killed by the same shot.

Bill red, with a black bar along lower border of mandible.

- 22271 ♂ ad. Barbetula
 2 ♀ Lanius
 3 ♂ Green Tanager
 4 ♂ ad. Pterocarpus
 5 ♀ ad. Colaptes auratus
 6 ♀ Schizothraupis leucogaster
 7 ♂ Lophoceros
 8 ♀ "
 9 ♀ ad. Streptopelia
 22280 ♂ ad. Barbet long-tailed
 1 ♂ ad. "
 2 ♂ ad. "
 3 ♂ ad. "
 4 ♀ ad. "
 5 ♂ ad. Hypochaeris
 6 ♂ "
 7 ♂ "
 8 ♂ "
 9 ♂ "
 22290 ♂ ad. "
 1 ♂ ad. "
 2 ♂ ad. "
 3 ♂ ad. "
 4 ♂ ad. "
 5 ♂ ad. "
 6 ♂ ad. "
 7 ♂ ad. "
 8 ♂ ad. "
 9 ♀ "
 32300 ♀ "
 1 ♀ "
 2 ♀ "
 3 ♀ "
 4 ♀ "
 5 ♀ "

Africa

El Ade, Abyssinia

do

do

Mar Mora, Abyssinia

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

June 13

"

"

June 14

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

22	2230	6	♀	Hyphantornis
		7	♀	"
		8	♀	"
		9	♀	"
	22310	10	♀	"
		1	♀	"
		2	♀	"
		3	♀	"
		4	♀	"
		5	♀	"
		6	♀	Lucia
		7	♀	"
		8	♀	"
		9	♂ ad.	"
	22320	10	♂	"
		1	♂	"
		2	♂ ad.	Ureignathus
		3	♂	Weaver
		4	♀	"
		5	♀	whydah
		6	♂ ad.	Lanius fuscus
		7	♂ ad.	Shrike
		8	♂ ad.	Shrike
		9	♂ ad.	Shrike?
	22330	10	♂ juv.	Passer
		1	♂ ad.	Petroica
		2	♂ ad.	Pyrrochulanda
		3	♂	Barbet
		4	♂	Swift
		5	♂ ad.	Roller, violet-throated
		6	♂ ad.	"
		7	♂ ad.	Roller, large, streaked
		8	♂ ad.	Cathartes delgorguei
		9	♂ juv.	"
	22340	10	♂	Ephraea

Mar Mora, Abyssinia

Turturo, Abyssinia

June 14

June 15

Africa

Turturo, Abyssinia

22341 ♂ ad. Accipiter black

2 ♂ Lathraea

3 ♀ juv. Sideroxys

4 ♀ ad. Prionops

5 ♂ juv. "

6 ♂ ad. "

7 ♀ ad. Bush-Shrike

8 ♀ ad. Oriolus

9 ♂ W. Wood Peewee

22350 ♀ "

1 ♂ ad. Spree

2 ♂ ad. Black-collared Warbler

3 ♀ Silverbill

4 ♀ "

5 ♀ "

6 ♀ ad. P. ...

7 ♂ ad. Taffier

8 - ad. Calamoneister simplex

9 ♀ Anthus

22360 ♂ Erythropygia

1 ♂ juv. Campophaga

2 ♂ juv. "

3 ♂ Hyphantornis

4 ♂ ad. Zulea

5 ♀ ad. Lethrinus longirostris

6 ♀ ad. "

7 ♂ ad. "

8 ♀ ad. Francolinus grantii

9 ♂ Pternestes

22370 ♂ Cisticola argentea

1 ♂ "

2 ♂ Cisticola, small

3 ♂ Besser

4 ♀ "

5 ♂ ad. Soralla mini

Bideron, Abyssinia

Mar Mora, Abyssinia

Turturo, Abyssinia

do

do

do

do

do

do

do

do

do

do

1912

June 15 { Iris hazel brown. Bill and cere all black. Feet yellow blotched with black. Claws black. Melanistic.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 16

"

"

"

"

"

"

"

"

"

"

{ Bill dark brown on ridge of maxilla, flesh color on sides and below. Inside of mouth yellow. Feet and claws flesh color.

22376	♂	<i>Myiagra</i>
7	♂	"
8	♂ ad.	<i>Chalcornithra</i>
9	♀	"
22380	♀	<i>Cinnurus?</i>
1	♂	<i>Fluvial, spotted chest</i>
2	♂	<i>Cuckoo</i>
3	♂	<i>Cuckoo, green</i>
4	♀	" boy. (= <i>C. ...</i>)
5	♀ ad.	"
6	♀	<i>Cisticola</i>
7	♂ ad.	"
8	♂ ad.	"
9	♂ ad.	"
22390	♂ ad.	"
1	♂	<i>Cisticola, small.</i>
2	♀	<i>Pternistes</i>
3	♂, im	<i>Tutor</i>
4	♂ ad.	<i>Luscia</i>
5	♂ ad.	"
6	♂ ad.	"
7	♀	"
8	♀	<i>Hypphantornis</i>
9	♀	<i>Weaver</i>
22400	♀ ad.	<i>Dusk-Shrike</i>
1	♀ ad.	<i>Calamornastes siniflex</i>
2	♂ ad.	<i>Cinnurus</i>
3	♀ ad.	<i>Anthracoceros orientalis</i>
4	♂	<i>Startling? ...</i>
5	♂ ad.	<i>Bustard, medium</i>
6	♂ ad.	<i>Stigmatopelia</i>
7	♂ ad.	"
8	♂ ad.	"
9	♂ ad.	"
22410	♂ ad.	"

Africa

Turturo, Abyssinia.

do

do

do

do

do

do

do

do

do

Anole, Abyssinia

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

Wobok, Abyssinia.

do

do

do

do

do

1912

June 16

"

"

"

"

"

"

"

"

"

June 17

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 18

"

"

"

"

"

Bill blackish above, flesh color on sides and below. Feet and claws flesh color
 Inside of mouth yellow.

Bill and inside of mouth entirely black. Iris brownish yellow. Feet
 pale brown; claws darker brown.

Bill orange, black at base of mandible. Feet bluish gray; claws light brown.

Wobok, Abyssinia.

22411	♂	Polio, named round eye
2	♀	<i>Leisticola</i>
3	♂ ad.	<i>Serivius</i>
4	♂ ad.	Woodp. large, dark
5	♂	<i>Calamonestes simplex</i>
6	♂ ad.	<i>Sorella smini</i>
7	♂ ad.	" "
8	♂	" "
9	♂	" "
22420	♂	" "
1	♀	" "
2	♀	" "
3	♀	" "
4	♀	" "
5	♂ ad.	<i>Quelia</i>
6	♂ ad.	"
7	♂ ad.	"
8	♂ ad.	"
9	♂ ad.	"
22430	♂ ad.	"
1	♂ ad.	"
2	♂ ad.	"
3	♂ ad.	"
4	♂ ad.	"
5	♂ ad.	"
6	♂ ad.	"
7	♂ ad.	"
8	♂ ad.	"
9	♂ ad.	"
22440	♂ ad.	"
1	♂ ad.	"
2	♂ ad.	"
3	♂ ad.	"
4	♂ ad.	"
5	♂ ad.	"

June 18

Iris garnet. Bill and feet red. Naked skin on sides of face yellow.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

22446	♂ ad.	Quail
7	♂ ad.	"
8	♂ (ad?)	"
9	♂	"
22450	♂ ad.	"
1	♂	"
2	♂	"
3	♂ juv.	"
4	♂ juv.	"
5	♂ juv.	"
6	♂ juv.	"
7	♀ ad.	"
8	♀ ad.	"
9	♀ juv.	"
22460	♀ juv.	"
1	♀ juv.	"
2	♀ juv.	"
3	♂	Hyphantornis
4	♂	Granatuna
5	♂ ad.	Whydah, long straw-colored tail
6	♀ (=♂ ad.)	Quail
7	♂ juv.	"
8	♀ ad.	"
9	♀ juv.	"
22470	♀ juv.	"
1	♂	Weaver
2	♀	"
3	♂ ad.	Emberiza
4	♂ juv.	Hawk, small
5	♂	Lophoceros
6	♂	Lark
7	- juv.	Calamanestes simplex
8	♀ juv.	Quail
9	?	Weaver
22480	?	"

Africa.
Wobok, Abyssinia.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

Near Sarn, Abyssinia

do

do

do

do

do

1912

June 18

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 19

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Bill becoming reddish, blackish at tip of maxilla.

Bill paler and more yellowish red than that of adult male.

Feet and claws fleshy brown instead of salmon, as in adult male.

Bill pinkish, dusky at tip.

Bill flesh color

Bill, feet, and claws, entirely red.

- 22481 ♂ ad. *Amadina fasciata* Near Sarn, Abyssinia
 2 ♂ ad. " " Sarn, Abyssinia
 3 ♂ ad. *Emberiza* do
 4 ♀ juv. *Starling*, long-tailed, yellow-bellied do
 5 ♂ ad. Weaver do
 6 ♂ ad. " do
 7 ♂ ad. *Linamellia denimelli* do
 8 ♀ ad. " " do
 9 ♀ ad. " " Yebo, Abyssinia
 22490 ♂ ad. *Pycnonotus dodsoni* do
 1 ♀ ad. *Dendropicos guineensis albicans* Erl. do
 2 ♂ ad. *Sternistes* do
 3 ♂ ad. " do
 4 ♂ ad. " do
 5 ♂ juv. *Francolinus grantii* do
 6 ♂ ad. *Corvus edithae* do
 7 ♂ *Lophoceros* do
 8 ♀ " do
 9 ♀ juv. *Loxia*, small do
 22500 ♂ *Upupa africana* do
 1 ♂ " do
 2 ♂ " do
 3 ♀ ad. *Glaucidium* do
 4 ♂ ad. *Struthio*, chestnut-sided do
 5 ♀ ? *Passer* do
 6 ♂ *Emberiza* do
 7 ♂ juv. *Turdus* do
 8 ♀ ad. *Ploceus* do
 9 ♀ *Urogaster* do
 22510 ♀ juv. *Lucia* do
 1 ♀ juv. " do
 2 ♀ juv. *Sternistes* Malata, Abyssinia
 3 ♂ juv. " do
 4 ? *Bittern* do
 5 ♀ *Cisticola* do

June 19

"

"

"

"

"

"

"

June 20

"

"

June 21

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 22

"

"

"

Core and bill black, gape margined with yellow; claws black; feet yellow.

{ Iris yellow. Bill dusky olive above, greenish on sides and below.
 Feet green, yellow posteriorly. In rocky creek-bed when shot.

Africa

Malata, Abyssinia.

- 22516 ♀ ad. Pratincola
 7 ♂ ad. Ardea
 8 ♂ juv. Lanius
 9 ♂ ad. C. capensis
 22520 ♀ Swift
 1 ♂ juv. C. orientalis
 2 ♂ ad. M. l.
 3 ♀ ad. B. l.
 4 ♂ juv. P. l.
 5 ♀ Passer
 6 ♂ ad. H. l.
 7 ♂ juv. "
 8 ♀ "
 9 ♂ ad. H. l.
 22530 ♂ "
 1 ♀ "
 2 ♂ P. l.
 3 ♂ "
 4 ♂ "
 5 ♂ "
 6 ♂ "
 7 ♂ "
 8 ♀ "
 9 ♀ "
 22540 ♀ "
 1 ♀ "
 2 ♂ P. l.
 3 ♂ "
 4 ♀ "
 5 ♀ "
 6 ♀ "
 7 ♂ Starling, waller
 8 ♂ "
 9 ♀ "
 22550 ♀ juv. L. l.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

Chaffa, upper village, Abyssinia

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

June 22

One of a mated pair that arose from under thorn bushes. One escaped. These make five, ^{only, seen on this journey.}

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 23

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

22551	♀	Merops	Chaffa upper village, Abyssinia
2	♂	Thalassidroma	do
3	♂	Puffin	do
4	♂	Pterodroma	Chaffa, lower village, Abyssinia
5	♂	"	do
6	♂	"	do
7	♂	"	do
8	♂	"	do
9	♂	"	do
22560	♂	"	do
1	♂	"	do
2	♂	"	do
3	♀	"	do
4	♀	"	do
5	♀	"	do
6	♀	"	do
7	♀	"	do
8	♂	Blotchin	do
9	♂	"	do
22570	♂	"	do
1	♂	"	do
2	♀	"	do
3	♂ ad.	Ena capensis	do
4	♂ ad.	Protonotus	do
5	♀ ad.	Amadina fasciata	do
6	♀	Silver-bill	do
7	♀	"	do
8	?	"	do
9	♂ ad.	Luscin	do
22580	♂ ad.	"	do
1	♂ ad.	Pyrocephalus dodsoni	do
2	♂ ad.	Pyrocephalus	do
3	♀ ad.	"	do
4	♂	Pyrocephalus	do
5	♂	"	do

1912.

June 23

"

"

June 24

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Iris dark brown. Bare skin around eye greenish gray. Bill bluish gray. Feet and claws light gray. Eleven males colored as above."

Iris dark brown. Bill entirely bluish gray. Naked area surrounding eye greenish gray. Feet and claws light gray. "5 Females as above."

Iris dark brown. Bill black, red at base on sides and below. Feet brownish gray; claws black. Three seen to-day.

22586	♂ ad	<i>Pyrrhuloxia</i>
7	♂	<i>Passer, yellow</i>
8	♂	"
9	♂	<i>Soralla cinerea?</i>
22590	♂	<i>Passer, large</i>
1	♀	"
2	♂	<i>Spizella</i>
3	?	"
4	♂	"
5	♂ ad.	"
6	♂	"
7	♂	"
8	♂	"
9	♂	"
22600	♂	"
1	♀	"
2	♂	<i>Silverbill</i>
3	♂	"
4	♂	"
5	♀	"
6	♀	"
7	♂	<i>Chondestes</i>
8	♂	<i>Lucia</i>
9	♀ ad.	"
22610	♀ im.	"
1	♀ juv.	"
2	♀ juv.	"
3	♂	<i>Pyrrhuloxia</i>
4	♀	"
5	♂	<i>Soralla cinerea?</i>
6	♂	<i>Passer, yellow</i>
7	♂	<i>Passer, large</i>
8	♀ ad.	<i>Halcyon leucocoma</i>
9	♀ im.	<i>Goshawk, small</i>
22620	♂ ad.	<i>Corvus edithae</i>

Africa

Chappa, lower village, Chaposine

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

June 24

"

"

"

"

"

"

"

June 25

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

{ Iris pale reddish brown. Bill slaty black, palest at base of mandible.
 Feet pale grayish olive; claws black.
 Bill and feet entirely red.

22621 ♂ ad. *Corvus edithae*

2 ♂ ad. " "

3 ♀ ad. " "

4 ♂ ad. " "

5 ♂ ad. *Oena capensis*6 ♂ ad. *Pyrrochaula*7 ♂ ad. *Cerastes*

8 ♂ ad. " "

9 ♀ ad. " "

22630 ?

1 ♂ ad. *Pratincola*

2 ♂ juv. " "

3 ♀ juv. " "

4 ♂ ad. *Lullula*5 ♂ ad. *Plover, small*

6 ♀ ad. " "

7 ♂ juv. " "

8 ♂ ad. *Oxyechus tricolor*

9 ♀ ad. " "

22640 ♂ ad. *Plover, large, spurred*

1 ♀ ad. " "

2 ♀ ad. *Plover, small*3 juv. *Oxyechus aegyptiacus*4 ♂ juv. *Pterocles*

5 ♂ juv. " "

6 ♂ ad. *Merops*7 ♂ ad. *Oena capensis*

8 ♂ ad. " "

9 ♂ ad. " "

22650 ♂ ad. " "

1 ♂ ad. " "

2 ♂ ad. " "

3 ♀ ad. " "

4 ♀ ad. " "

5 ♀ juv. " "

Africa

Chappa, lower village, Abyssinia

do

{ Lat 3° 19' N. do

{ Hor. British East Africa Co.

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

June 25

"

"

June 26

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 27

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Iris brown. Bill & feet black.

Iris brown. Bill grayish olive. Feet & claws pale gray.

Iris dark brown. Bill black. Feet gray, yellowish on anterior aspect of upper half of tarsus; claws black. Parents of No. 22630.

Iris dark brown. Bill black. Feet gray, yellowish on upper half of anterior aspect of tarsus; claws black.

Iris hazel brown. Naked eye-rim red. Bill with basal half vinaceous, distal half black. Feet pale, fleshy brown; claws black.

June 27

11

11

11

14

14

18

1

1

10

1

21

44

41

4

49

24

June 28

41

11

11

11

り

41

11

11

11

Killed same shot with old. ♂ + ♀ - perhaps all of same family.

22691	♂ juv.	<i>Pluvius longi</i>	do
2	♀ juv.	"	do
3	♂ ad.	<i>Oenanthe isabellina</i>	do
4	♂ ad.	"	do
5	♀ ad.	"	do
6	♀ ad.	<i>Colinus bairdii</i>	do
7	♂ ad.	<i>Anthus orientalis</i>	do
8	♂ ad.	<i>Pyrenestes dohrnii</i>	do
9	♂	<i>Quercus</i>	do
22700	♂	"	do
1	♂	"	do
2	♀	"	do
3	♀	"	do
4	♂ ad.	<i>Pyrrhuloxia</i>	do
5	♂ ad.	"	do
6	♀	"	do
7	♂ ad.	<i>Corvus corax</i>	do
8	♀ ad.	"	do
9	♀ ad.	"	do
22710	♂ ad.	"	do
1	♂ ad.	<i>Pterocles</i>	do
2	♂ ad.	"	do
3	♀ ad.	"	do
4	♀ ad.	<i>Dinornis dinornis</i>	do
5	♀ juv.	<i>Quercus</i>	do
6	♀ juv.	"	do
7	♀ juv.	"	do
8	♀ juv.	"	do
9	♂ ad.	<i>Passer yellow</i>	do
22720	♂ juv.	"	do
1	♀	"	do
2	♀	"	do
3	♀	"	do
4	♀	<i>Dinornis dinornis</i>	do
5	♂	<i>Merops</i>	do

Hot, Vertue, East Africa
Latitude 3° 19' N.

1912

June 28

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

June 30

} Pair killed by the same shot
Iris brown. Bill & feet black.

Iris yellow. Bill yellow with a reddish brown commissural band. ^{up to tip of posteriorly} Feet black ^{anteriorly}
Wounded same shot as above; found next day. Soft parts colored as above.

1912

June 30
" "

11

U

6

11

11

11

14

47

4

July 1

1

11

1

10

/

1

11

24

11

12

1

{ Iris brown. Bill bright red at base below and on sides. Feet grayish brown; claws black.
Bill plumbeous-black, dull red around angle of mouth.
Bill black, reddish at base below and on sides.
Bill black, slightly reddish at base below and on sides.
Bill black, with a slight tinge of red around angle of mouth.

} Mated pair killed same shot

Iris yellow. Bill yellow - with a brownish-yellow commissural line. Feet black anteriorly, whitish posteriorly.

22761 ♂ ad. *Pyrenestes dodsoni* 18 Miles S.W. of Har, British East Africa

2 ♂ ad. " " do

3 ♂ ad. " " do

4 ♂ ad. " " do

5 ♂ ad. " " do

6 ♀ ad. " " do

7 ♀ ad. " " do

8 ♀ ad. " " do

9 ♂ ad. *Pyrrhuloxia* do

22770 ♂ ad. " do

1 ♂ ad. " do

2 ♀ ad. " do

3 ♂ juv. *Zulia* do

4 ♂ ad. *Silver-bell* do

5 ♂ ad. " do

6 ♀ ad. *Prinia* do

7 ♀ ad. " do

8 ♀ juv. *Bubulcus* do

9 ♀ Plover, large do

22780 ♀ ad. *Streptopelia* do

1 ♀ *Lophus*, blue do

2 ♀ juv. *Oena capensis* do

3 ♀ juv. " do

4 ♀ juv. *Pyrrhuloxia* do

5 ♂ ad. *Pyrenestes dodsoni* do

6 ♂ ad. " do

7 ♀ ad. " do

8 ♀ ad. " do

9 ♀ juv. *Certhia lark* do

22790 ♂ ad. " do

1 ♂ *Passer* do

2 ♀ " do

3 ♀ *Dinemellia dinemelli* do

4 ♀ " do

5 ♀ *Zonogastria* do

1912

July 1

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 2

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

22796	♂	<i>Ploceipasser</i>	18 miles S.W. of Hor, British East Africa
7	♂	"	{ Latitude 3° N. do
8	♂	"	{ Russia, British East Africa
9	♀	"	do
22800	♀	<i>Zuelia</i>	18 miles S.W. of Hor, British East Africa
1	♀	"	do
2	♂ ad.	<i>Amadina fasciata</i>	do
3	♂ ad.	" "	do
4	♀ ad.	" "	do
5	♂ ad.	<i>Pycechus tricoloris</i>	{ Latitude 3° N. do
6	♂ ad.	<i>Oena capensis</i>	{ Russia, British East Africa.
7	♂	<i>Fringillaria</i>	do
8	♂	"	do
9	♂ ad.	<i>Pycnonotus dodsoni</i>	do
22810	♂ ad.	<i>Pyrrhuloxia</i>	do
1	♂ juv.	"	do
2	♀ ad.	"	do
3	♀	"	do
4	♀	"	do
5	♂ ad.	<i>Ploceipasser</i>	do
6	♂ ad.	"	do
7	♂ ad.	<i>Crested Lark</i>	do
8	♂ ad.	"	do
9	♂ ad.	"	do
22820	♂ ad.	"	do
1	♂	"	do
2	♂ im.	"	do
3	♂ im.	"	do
4	♂ im.	"	do
5	♂ im.	"	do
6	♂ im.	"	do
7	♀ ad.	"	do
8	♀ ad.	"	do
9	♀ ad.	"	do
22830	♀ im.	"	do

July 2

"

"

"

"

"

"

"

"

July 3

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

} Mated pair, killed by the same shot.

22831 ♀ juv. Crested Parakeet.

2 ♂ ad. "

3 ♂ ad. "

4 ♂ ad. "

5 ♂ ad. "

6 ♂ im. "

7 ♂ im. "

8 ♀ ad. "

9 ♀ ad. "

22840 ♀ ad. "

1 ♀ im. "

2 ♂ ad. *Pyrrhuloxia*

3 ♂ ad. "

4 ♂ ad. "

5 ♂ ad. "

6 ♂ im. "

7 ♂ im. "

8 ♂ ad. "

9 ♀ ad. "

22850 ♂ juv. *Quelia*1 ♂ ad. *Ploceipasser*

2 ♂ ad. "

3 ♀ ad. "

4 ♀ ad. "

5 ♀ ad. "

6 ♂ ad. *Pyrrhuloxia*

7 ♂ ad. "

8 ♂ im. "

9 ♂ im. "

22860 ♂ juv. "

1 ♂ juv. "

2 ♀ ad. "

3 ♀ ad. "

4 ♀ ad. "

5 ♀ ad. "

{ Latitude 3° N.
Dussia, British East Africa

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

July 3
July 4

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

22866 ♀ *Pyrhuloxia*
 7 ♂ juv. "
 8 ♂ juv. "
 9 ♀ "

22870 ♂ *Tringillaria*
 1 ? "

2 ♀ juv. Crested Lark

3 ♂ *Ploceipasser*

4 ♂ ad. *Pratincole*

5 ♂ ad. "

6 ♀ ad. "

7 ♀ juv. "

8 ♂ ad. White Egret

9 ♀ ad. *Dendrocygna*

22880 ♂ ad. *Larus*

1 ♀ ad. "

2 ♀ ad. "

3 ♀ *Pteronectes*

4 ♀ "

5 ♀ "

6 ♂ ad. *Pterocles*

7 ♂ ad. *Rhinoceros affinis*

8 ♂ ad. *Larus*

9 ♀ ad. "

22890 ♂ ad. *Colinus blue*

1 ♂ ad. *Oxyechus tricoloris*

2 ♂ ad. Plover, small

3 ♀ ad. "

4 ♀ ad. *Actitis hypoleucos*

5 ♀ ad. Great White Egret

6 ♀ ad. *Larus*

7 ♂ ad. *Corvus edithae*

8 ♀ ad. "

9 ♂ ad. *Stercorarius*

22900 ♀ ad. Plover, small

{ Latitude 3° N
 { Russia, British East Africa
 Lake Rudolf, E. British East Africa

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

18 miles S.W. of Hor, British East Africa

do

do

do

Lake Rudolf, 12 m. S. of British Boma,

do

do

do

do

do

South end of Lake Rudolf, British East Africa

do

do

do

do

do

do

do

do

1912

July 4

July 5

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 2

"

"

"

July 1
 July 6

"

"

"

"

"

"

July 7

"

"

"

"

"

"

July 8

"

} Iris white, Bill and feet red. Eye-ring red.

Iris brown. Bill entirely black. Legs and feet dark gray; claws black.

} Iris yellowish white. Legs + feet black, yellow on under side of toes, and yellow spots on tops of toes; claws brownish horn color. Bare skin of face and bill dusky grayish, paler at base of mandible. Iris white. Bill and feet red. Eye-ring red. Claws dark brown.

4 Killed at one shot.

British East Africa22901 ♂ ad. *Tmetathylacrus*2 ♀ ad. *Pyrrhuloxia*3 ♂ *Bradyornis*

4 ♂ "

5 ♂ "

6 ♂ *Lophoceros*7 ♂ *Scartus* ^{salicifera} ~~salicifera~~ *salicifera*8 ♂ *Bradyornis*9 ♂ *Mirafra*22910 ♂ im. *Spotted Lark*

1 ♂ ad. "

2 ♀ *Sig. small*3 ♀ *Tring. alba*4 ♂ *Bradyornis*5 ♂ ad. *Cyanospiza*

6 ♀ ad. "

7 ♀ ad. *Pterocles*

8 ♀ ad. "

9 ♂ *Bradyornis*22920 ♂ ad. *Tring. alba*1 ♂ ad. *Quail*2 ♂ ad. *Hyp. antonius*

3 ♂ ad. "

4 ♂ ad. *Tring. alba*5 ♀ ad. *Erythropygia*

6 ♀ ad. "

7 ♂ ad. "

8 ♂ ad. *Calamornis simplex*

9 ♀ "

22930 ? Waxbill, black-checked

1 ♀ ad. "

2 ♂ ad. "

3 ♀ *Anthreptes orientalis*

4 ♀ "

5 ♂ im. *Chalcophaps indica*

South end of Lake Rudolf.

do

10 miles south of Lake Rudolf.

1 do

do

Lake Rudolf, southeast.

do

Lake Rudolf, south end.

do

do

Lake Rudolf, southeast

do

do

do

do

2.5 miles southeast of Lake Rudolf

10 miles southeast of Lake Rudolf

do

do

do

do

do

do

15 miles southeast of Lake Rudolf.

25 miles southeast of Lake Rudolf.

do

do

do

do

do

do

do

do

do

do

do

1912.

July 8

{Iris brown. Bill black above, pale gray below. Feet dusky alive;
claws black. Two seen on trees.
Contained on egg.

July 9

"

"

July 10

Bill yellow, with reddish-brown bands along commissure and gonyx.
Iris light brown. Bill, feet, and claws black. From flock of 12.

"

"

"

"

"

July 11

"

"

"

"

"

July 12

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

One feather of ostrich killed and eaten by a lion and lioness.

British East Africa,

25 Miles southeast of Lake Rudolph.

- 22936 ♂ *Cinnyris*
 7 ♂ "
 8 ♂ "
 9 ♂ "
 22940 ♂ *Melittophagus revoili*
 1 ♂ ad. *Coccyz*
 2 ♂ ad. *Coturnix delgorguei* Nyero Mountains, south of Lake Rudolph
 3 ♂ ad. " "
 4 ♂ "
 5 ♂ *Cinnyris*
 6 ♂ *Melittophagus*
 7 ♂ "
 8 ♂ ad. *Barbat, long-tailed*
 9 ♂ *Ptil. ...*
 22950 ♂ *Araya*
 1 ♂ *Emberiza*
 2 ♂ *Cinnyris* 25 Miles southeast of Lake Rudolph.
 3 ♀ *Prinia* Nyero Mountains, south of Lake Rudolph.
 4 ♂ " Indumunara Mountains, south of Lake Rudolph.
 5 ♂ ad. *Parus* do
 6 ♀ *Cinnyris* do
 7 ♂ *Emberiza* do
 8 ♂ ad. " do
 9 ♂ ad. " do
 22960 ♂ im. " do
 1 ♂ im. " do
 2 ♂ im. *Turdus* do
 3 ? *Hyphantornis* do
 4 ♀ " do
 5 ♂ *Black-coral Warbler* do
 6 ♂ " do
 7 ♂ " do
 8 ♂ " do
 9 ♂ juv. *Cinnyris* do
 22970 ♀ " do

1912

July 12

"

"

"

"

"

July 13

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 14

"

"

"

"

"

"

"

"

"

"

"

"

{ Nyeri group
Indumumara Mountains, south of Lake Rudolf.

22971 ♂ ad. *Chalcospiza*
2 ♂ *Prunella*
3 ♂ "
4 ♂ "
5 ♂ "
6 ♂ "
7 ♀ "
8 ♂ *Melospiza revoili*
9 ? " "

22980 ♀ ad. *Lophoceros*
1 ♂ ad. *Stigmatopelia*
2 ♂ *Calamonesia simplex*
3 ♀ (2 ♂!). *Brachyotus*
4 ♀ "
5 ♀ ad. *Barbetta*
6 ♀ ad. *Bush-Shrike*
7 ♀ ad. *Rhodophoneus*
8 ♂ *Imitathylacus*
9 ♂ "

22990 ♂ "
1 ♂ "
2 ♀ "
3 ♀ "
4 ♂ *Passer*
5 ♂ *Mirafra*
6 ♂ *Mirafra*
7 ♂ "
8 ♂ *Passer*
9 ♂ "

23000 ♂ "
1 ♂ ad. *Amadina fasciata* Swainson
2 ♂ ad. " "
3 ♂ ad. " "
4 ♂ ad. " "
5 ♂ ad. " "

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

July 14

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 15

"

"

"

"

"

"

"

23006	♂ ad.	<i>Amadina fasciata</i> Swainson	Indumunara Mountain Nyero group, South of Lake Rudolph.
7	♂ ad.	"	do
8	♂ ad.	"	do
9	♂ ad.	"	do
23010	♂ ad.	"	do
1	♂ ad.	"	do
2	♂ ad.	"	do
3	♂ ad.	"	do
4	♂ ad.	"	do
5	♀ ad.	"	do
6	♀	"	do
7	♀	"	do
8	♀	"	do
9	♀	"	do
23020	♀	"	do
1	♀	"	do
2	♀	"	do
3	♂ ad.	<i>Quelia</i>	do
4	♂ ad.	"	do
5	♂ ad.	"	do
6	♂ ad.	"	do
7	♂ ad.	"	do
8	♂ ad.	"	do
9	♂ ad.	"	do
23030	♂ ad.	"	do
1	♂ ad.	"	do
2	♂ ad.	"	do
3	?	"	do
4	♂	"	do
5	♂	"	do
6	♀	"?	do
7	♀ ad.	<i>Micropus</i>	do
8	♀	"	do
9	♂ ad.	<i>Streptopelia</i>	do
23040	♀ ad.	"	do

1912.

July 15-

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

British East Africa.

23041	♂	Silver-bill	{ Indumunaga Mountain Nyeru range South of Lake Rudolf
2	♂	"	do
3	♀	"	do
4	♀	"	do
5	♀	"	do
6	♂	"	do
7	♂	"	do
8	♂	"	do
9	♂	"	do
23050	♂	"	do
1	♀	"	do
2	♀	"	do
3	♀	Lusua	do
4	♂ juv	"?	do
5	♀	"	do
6	♀	"	do
7	♀	"	do
8	♀	"	do
9	♂	Emberiza	do
23060	♀	"	do
1	♂ ad.	Passer	do
2	♂ juv	"	do
3	♂	"?	do
4	♀	"	do
5	♂	Bradyornis	do
6	♂	"	do
7	♂ ad.	Stigmatopelia	do
8	♂ ad.	Melitophagus revoile	do
9	♀	Argya	do
23070	♀	"	do
1	♂ ad.	Bush-Srike	do
2	♂ ad.	"	do
3	♂ juv	Antheptes orientalis	do
4	♂ juv	"	do
5	♂	Prinia?	do

1912.

July 15

"

"

"

"

July 16

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

British East Africa.

23076	♂	Prinia?	{ Indumunara Mountain, Nyero Range, south of Lake Rudolph }
7	♀	"	do
8	♀	"	do
9	♀	"	do
23080	♀	"	do
1	♀	Prinia	do
2	♀	Lophoceros	do
3	♂ ad.	Lark, rufescent	do
4	♂ ad.	Batis	do
5	♂ boy	Anthreptes orientalis	do
6	♂	Erythropygia	do
7	♂ ad.	Emberiza	do
8	♂	Weaver	do
9	♀	"	do
23090	♂ ad.	Bulbo	do
1	♂ ad.	Emberiza	do
2	♂	Parus	Plain north of Eendoto Mountain.
3	♂	"	do
4	♂ ad.	Chalcomitra	Camp near (north of) Eendoto Mountain
5	♂	"	do
6	♂	Bradyornis	do
7	♂ ad.	Bush-Quaker	do
8	♂	Erythropygia	do
9	♀	"	do
23100	♂ ad.	Lark, rufescent	do
1	♀ juv.	"	do
2	♂ ad.	Undulatus Linnæa-bird	North base of Eendoto Mountain
3	♂ ad.	"	do
4	♀ ad.	"	do
5	♀ ad.	"	do
6	♀ juv.	Francolinus grantii	do
7	♂ ad.	Pterocles	do
8	♂ juv.	Lophoceros	do
9	♀	Lophoceros	do
23110	♂ ad.	Bulbul, green	do

1912

July 16

"

"

"

"

July 17

"

"

"

"

"

"

"

"

July 18

Stomach contained very large beetles, only.

"

July 19

"

"

"

"

"

"

"

"

"

July 20

"

"

"

"

"

"

"

"

Still attended by parents

British East Africa.
North base of Endoto Mountain.

23111	♂	Parus	
2	?	"	do
3	♀	"	do
4	♀	Anthreptes orientalis	do
5	♂	Bulbul, short-tailed	do
6	♀ (= ♂?)	" long "	do
7	♂ ad.	Black-headed Warbler	do
8	♂ ad.	Scaly-headed Seed-eater	do
9	♂ ad.	Ploceus	do
23120	♂ ad.	Emberiza	do
1	♀ ad.	Petronia	do
2	♀	Calamanestes	do
3	?	Mirafra	do
4	♂ ad.	Lark, rufescent	do
5	♂ ad.	Melittophagus	do
6	♂ im.	Robin, marked side of head	do
7	♂ ad.	Fumida	do
8	♀	"	do
9	♂ ad.	Francolinus gratia	do
23130	♀ ad.	" "	do
1	♂ ad.	Pratincole	do
2	♀ ad.	"	do
3	♂ ad.	Schizorhis leucogaster	do
4	♀ ad.	"	do
5	♂	Coccyzus superciliosus	do
6	♀	Lophoceros	do
7	♂	Zosterops	do
8	♀ ad.	Laniarius	do
9	♀ ad.	"	do
23140	♂	Prionops	do
1	♀	"	do
2	♀	"	do
3	♀ ad.	Spreo	do
4	♂ ad.	Argya	do
5	♀ ad.	"	do

South base of Endoto Mountain

1912

July 20

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 21

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

} Pair killed, same shot.

Mated with female following
contained a nearly mature egg.

} Pair killed by the same shot.

Eye-wattles yellow. Bill black. Feet orange-red.

Bill black. Eye-wattles pale yellow. Feet orange; claws olive-brown.

} Pair killed by same shot.

British East Africa.
South base of Endoto Mountains

23146	♂ ad.	Argya
7	♀ (= ♂?)	19. Oct. Long-tailed
8	♂	Melospiza
9	♂ ad.	Sundevia, brown
23150	♂	Hyphantornis
1	♂	"
2	♀	"
3	♀	"
4	♀	"
5	♀	"
6	♀	"
7	♂ ad.	Nannida
8	♀ ad.	Lophoceros
9	♀ ad.	Lophoceros
23160	♀	"
1	♂ ad.	Lophoceros
2	♂ juv.	"
3	♀ ad.	"
4	♀ ad.	Pternestes
5	♀ ad.	Francolinus grantii
6	♂ ad.	Rhinoceros affinis
7	♀ ad.	" "
8	♂ juv.	Leolus, blue
9	♂ ad.	Chalcopteryx alba
23170	♂ ad.	Trogon, red bill
1	♀ ad.	Ichitrea
2	♂ ad.	Melanornis
3	♂ ad.	Thrush, plain, brown.
4	♂ im.	Thrush, spotted chest
5	♂	Calamoceros simplex
6	♀	" "
7	♂ ad.	Barbetula
8	♀ ad.	Pyrenocotus
9	♂ juv.	Urogonistis
23180	♀	"

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912

July 22

"

"

"

"

"

"

"

"

"

"

"

July 23

Bill red, darkest terminally, pale at base below and on sides.
Killed same shot as above, perhaps young.

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Bill entirely black

Breeding on cliff.

Iris dark brown.

Iris dark brown. Bill and feet black.

British East Africa.
South base of Tendata Mountain

23181	1 ad.	<i>Pythia?</i>	
	2 ad.	<i>Ploceipasser</i>	
	3 ad.	Bush-Shrike	do
	4 ad.	"	do
	5 ad.	<i>Eurocephalus ruepelli</i>	do
	6 juv.	<i>Prionops</i>	do
	7 ad.	"	do
	8 ad.	"	do
	9 ad.	White-wing, orange breast	do

23190	1 ad.	<i>Sierurus</i>	do
	2 ad.	<i>Melospiza</i>	do
	3 ad.	Thrush-like plain	do
	4 ad.	<i>Trachyphonus</i>	do
	5 ad.	Woodf. bayer	do
	6 ad.	<i>Melittophagus</i>	do
	7 ad.	<i>Tophoceros</i>	do
	8 ad.	"	do
	9 ad.	"	do

Errere (Er-re-re) Villages.

23200	1 ad.	Starling, chestnut wing, nasal light	do
	2 ad.	"	do
	3 juv.	"	do
	4 ad.	"	do
	5 ad.	"	do
	6 ad.	"	do
	7 ad.	<i>Ploceipasser</i>	do
	8 ad.	Warbler	do
	9 ad.	<i>Hyphantornis</i>	do
23210	1 ad.	"	do
	2 ad.	"	do
	3 ad.	"	do
	4 ad.	Parrot	do
	5 ad.	Woodf.	do

1912

July 23

"

"

"

July 24

"

"

"

"

"

"

"

"

"

"

July 25

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Iris and eye-wattles yellow. Bill black. Feet orange; claws grayish, dark brown.

Mated pair collected.

do

This ♀ came back to its wounded mate.

Mated pair. Iris brown, slightly reddish.

Nubia East Africa.

Er-ra-hi Villages
Le-le-dun.

23216	♂ ad.	Barbet
7	♂ im.	Hawk
8	♀	Lophoceros
9	♀	Woodp., small
23220	♂ ad.	Lark, rufescent
1	♀ ad.	"
2	♂ ad.	Starling, golden-bellied
3	♂ ad.	"
4	♂ ad.	"
5	♀ ad.	Pycnonotus
6	♀ ad.	Anthracoceros
7	♂	Bradyornis
8	♀	"
9	♂	Petroica
23230	♀	"
1	♂	Ceryle
2	♂ juv.	"
3	♀	"
4	♀ ad.	Linemellia dinsdelli
5	♂ ad.	Ploceipasser
6	♂ ad.	Ploceipasser
7	?	Zuleia
8	♀	Hyphantornis
9	♀	Silver-bill
23240	♀	Woodp., small
1	♀ ad.	Columba
2	♀ ad.	Plover, coronata
3	♂ ad.	Lophoceros
4	♀ ad.	Starling, chestnut wing
5	♀ im.	Starling, golden-yellow belly
6	♂ juv.	Sporco
7	♂ ad.	Ploceipasser
8	♀ ad.	"
9	♀ ad.	Ploceipasser
23250	♂ ad.	Social Weaver

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

Malele (Indian Store).

do

do

do

do

do

do

do

do

do

do

1912

July 25
July 26

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 37

"

"

"

"

"

"

"

"

"

"

Iris yellowish white. Bill, feet, and claws black.

Iris yellowish white. Bill, feet, and claws black.

23251	♂ ad.	Social Weaver
2	♂ juv.	"
3	♂ ad.	Emberiza
4	♂	"
5	?	Serinus
6	♂ ad.	Tringa
7	♂	Anthracoceros
8	♂ ad.	Shrike, chestnut-sided
9	♂ ad.	Lark, rufous-cant

23260	♀	"
1	♀	"
2	♂ ad.	"
3	♀ ad.	"
4	♂ ad.	Social Weaver
5	♀ ad.	"
6	♂ ad.	"
7	♂ juv.	"
8	♀	"
9	♀	"

23270	♀	"
1	♀	Plover, common
2	♂	Caprimulgus
3	♀ ad.	Serinus
4	♀ ad.	Erythropygus
5	♂ ad.	Chalcophaps
6	♂	Cinnyris
7	♂	Anthracoceros
8	♀	"

9	♀ ad.	Dryocopus
23280	♀	Francolinus grantii
1	♀ juv.	"
2	♀	Schizothorax leucogaster
3	♀ juv.	Goshawk, small
4	♀ (♂!)	"
5	♂	Bradyornis

Malele at Indian Store.

do

do

do

do

do

do

do

do

do

do

18 Miles south of Malele

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

do

1912.

July 27

"

"

"

"

"

"

"

"

"

"

July 28

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 29

"

"

"

"

"

"

"

British East Africa.

18 Miles south of Malele

23286	♂	Passer	
7	♀	"	do
8	♂ ad.	Social Weaver	do
9	♀	Hyphantornis	do
23290	♀	Hyphantornis	do
1	♂	Hyphantornis	do
2	♀	Woodp. small	do
3	?	Loriculus fuscus	do
4	♀	"	do
5	♂	Colinus, cross-barred	do
6	♂	"	do
7	♂	"	do
8	♂	"	do
9	♀	"	do

23300 ♂ ad. " Long river, 24 miles south of Malele.

1	♀ ad.	"	do
2	♂	Lark, rufescent	do
3	♂ ad.	Chalcophaps	do
4	♂	Cinnyris	do
5	♀	Antheptes orientalis	do
6	♀	Barbet	do
7	♂ ad.	Pyrenestes	do
8	♀ ad.	"	do
9	♂ ad.	Planesticus	do
23310	♂	Passer	do
1	♀	Amberiza	do
2	♂	Calamanestes simplex	do
3	♂	"	do
4	♂ ad.	Social Weaver	do
5	♀ ad.	"	do
6	♀ ad.	"	do
7	♀ ad.	"	do
8	♀ juv	"	do
9	♂ ad.	Arremonops, blk-eared.	do
23320	♀	Urogastrophys	do

1912

July 29

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Iris grayish brown. Bill, feet, and region around eye orange; claws yellowish brown.

Bill grayish white. Feet flesh color; claws brown.

British East Africa.

23321 ♂ ad. Melano. mis 35 Miles north of the Guaso Nyero River

2 ♂ ad. Pternistes do

3 ♂ ad. Lark, rufescent do

4 ♂ ad. Sorella emini do

5 ♀ " " do

6 ♀ " " do

7 ♀ " " do

8 ♂ " " do

9 ♂ ad. Batis 40 miles south of Malele.

23330 ♂ Lophoceros 25 Miles north of the Northern Guaso Nyero River.

1 ♂ Erythropygia do

2 ♂ Eurocephalus rufelli do

3 ♀ Prinia do

4 ♀ Anthracoceros do

5 ♀ Sorella emini do

6 ♀ " " do

7 ♂ Ploceipasser do

8 ♂ ad. Social Weaver do

9 ♂ ad. " do

23340 ♀ juv. " do

1 ♀ juv. " do

2 ♀ juv. " do

3 ♂ Ploceipasser do

4 ♂ ad. Lark, rufescent 18 Miles south of Malele. ^{some} 10 miles east of Archer's?

5 ♀ Yellow Pipit do 15 " do

6 ♀ Poliohierax Guaso Nyero River

7 ♀ Campe-hera "

8 ♂ Ploceipasser "

9 ♀ " "

23350 ♂ " "

1 ♂ " "

2 ♀ Hyphantornis "

3 ♀ " "

4 ♀ " "

5 " "

Vidua "

1912

July 29

July 30

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

July 28

August 1

Feet orange; claws black; bill blue, black tipped.

"

"

"

"

"

"

"

"

"

"

"

British East Africa
Quaso Nyero River,

23356	♀	Vidua
7	♀	Small weaver
8	♀	Lark
9	♂	Imetathylacus
23360	♀	"
1	♀	"
2	♂	Sylvietta
3	♀	Anthoscopus
4	♂	Poliohierax
5	♀	Gorisor
6	♀ juv.	"
7	♂	Campethera
8	♀	Thripia
9	♀	Tachornis
23370	♂	Melittophagus
1	♂	Lark
2	♀	Lark?
3	♂	Dinemellia
4	♀	Hyphantornis
5	♂	"
6	♀	Passer
7	♂	"
8	♀	Argya
9	♂	"
23380	♂	Numida
1	♀ juv.	"
2	♀	Pternistes
3	♂ juv.	Gorisor
4	♂	Lark
5	♂	"
6	♂	"
7	♂	"
8	♂	Dinemellia
9	♀	Ixos
23390	♀	Plocepasser

10 mi. E. Archer's Camp

1912

August 1

" "

" "

" "

" "

" "

" "

" "

August 2

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

August 3

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

One of a mated pair collected

Red-billed species

One of a mated pair killed at same shot
ditto

One of a mated pair collected
ditto

Bill brownish orange slightly overlapping at tip.

British East Africa

Guaso Nyero River

23391	♂	Fringillaria
2	♀	Passer
3	♀	"
4	♂	Rhodophoneus
5	♂	Pomatohynchus
6	♀	Imetathylacus
7	♂	"
8	♂	"
9	♂	"
23400	♀	"
1	♂ imm.	"
2	♂	"
3	♀	Batis
4	♀	Cisticola
5	♂	Sylvietta
6	♀	Pternistes "351"
7	♀	"
8	♀	"
9	♀	Columba
23410	♀	Accipiter
1	♂	Centropus
2	♂	Upupa
3	♀	Tarisor
4	♀	Colius
5	♂	"
6	♀	"
7	♀	Cosmophas
8	♂ imm.	Spreo
9	♀	"
23420	♂	"
1	♂ imm.	Dicurus
2	♀	Nilaus
3	♂	Eurocephalus
4	♂	Taxtor
5	♂	"

1912

August 3

"

"

"

"

"

"

"

"

"

"

"

"

"

August 4

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Iris dark brown

23426	♀	Ixoptor
7	♀	Plocepasser
8	♂	"
9	♀	Passer
23430	♀ im.	Pternistes
1	♀	"
2	♀	"
3	♀ juv.	Francolinus?
4	♂ juv.	Oena
5	♀	Centropus
6	♀	Dendropicos
7	♀	"
8	♂	Lophoceros
9	♀	Creatophora
23440	♀	"
1	♀ juv.	Rhodophoneus
2	♂	Pomatorhynchus
3	♂	Nilans
4	♀	"
5	♀	Imitathylacus
6	♀	Passer
7	♂	Serinus
8	♂	Cinnyris?
9	♀	"
23450	♀	Muscicapa?
1	♀	"
2	♂	"
3		"
4	♂	"
5	♂	"
6		Ixoptor
7	♂	Plocepasser
8	♀	"
9	♂	"
23460	♀	"

1912

Aug. 4

"

"

"

August 5

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Lakimundu River

23461	♂	Cisticola
2	♂	"
3	♀	"
4	♀	"
5	♂	Cisticola
6	♂	"
7	♀	Sylvietta
8	♂	Anthoscopus?
9	♂	Trogon
23470	♂	"
1	♂	Melittophagus
2	♀	Halcyon
3	♀	"
4	♀	Serinus
5	♂	Nilaus
6	♀ juv.	Dicrurus
7	♀	Muscicapa
8	♂	"
9	♀	"
23480	♀	Cisticola
1	♂	Parus
2	♂	"
3	♂	"
4	♀	Anthoscopus
5	♂	Scopus
6	♂	Butorides
7	♂	Small Bustard
8	♂	"
9	♂	Dendroica
23490	♂	Upupa
1	♂	"
2	♂	Lark
3	♀	Dicrurus
4	♂	Nilaus
5	♀	Hirundo

1912
August 5

"

"

"

"

"

"

August 6

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

August 7

"

"

"

"

"

"

"

"

"

"

"

Shot with another

Bill black, red on basal half of mandible
" " " " " " "Iris brown
Iris yellow

23531	♂	Psalidoprocne
2	♂	Passer
3	♂	Hyphantornis
4	♂	Bleda?
5	♂	Cisticola
6	♀	Tympanistria?
7	♀	Brown pigeon
8	♂	Lophoceros
9	♂ ♀?	"
23540	♂	"
1	♂	Cinnyricincha
2	♀	"
3	♀	"
4	♂	Graculus?
5	?	"
6	♂	Bleda?
7	♂	Pycnonotus
8	♂	Camareptera
9	♀	Batis?
23550	♂	Prinia?
1	♀	Antheptes
2	♂	Bessonornis
3	♂	"
4	♂	Colinus passer
5	♂	"
6	♀	"
7	♀	"
8	♂	"
9	♀	"
23560	♂	Lagonosticta
1	♂	Spermestes?
2	♂	Amblyospiza
3	♂	Melochichla
4	♂	Lanius
5	♀ juv.	Tachornis

British East Africa

Meru Forest
Quaso Mara River
"
Equator, Meru Forest
Quaso Mara River
Meru Forest, near Kenia
" near Mt. Kenia
" "
" Equator
"
"
" Equator
" "
" "
" "
" "
" "
" "
" "
" "
" Equator
" "
" "
" Equator
"
"
"
"
"
" Equator
20 mi. East of Meru on trail to Jara River
15 " " " "
Kilindini, Meru district
Iharaka District, Gov't trail

1912

August 9

"

"

"

"

August 10

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

August 11

"

"

August 12

Bill black. Feet vinaceous; claws dark brown. Third known specimen?

Iris yellow in three specimens

Three specimens colored alike

Bill brownish red, slightly dusky along commissure; yellow on sides at extreme base

Iris dark brown, bill black, feet dark gray, claws black

British East Africa

Tharaka District, Govt Trail

23566	♂	<i>Dicrurus</i>
7	♀	<i>Pycnonotus</i>
8	♂	"
9	♂	<i>Andropadus?</i>
23570	♀	<i>Prinia?</i>
1	♂	<i>Cisticola</i>
2	♂	"
3	♂	<i>Idiunda</i>
4	♀	<i>Macronyx</i>
5	♀	<i>Pomatorhynchus</i>
6	♂im	<i>Dryoscopus</i>
7		<i>Laniarius</i>
8	♂	<i>Colinus passer</i>
9	♀	"
23580	♀	"
1		<i>Pyromelana</i>
2	♂	<i>Zonogastis</i>
3	♂	"
4	♂	<i>Estrilda</i>
5	♂	<i>Estrilda?</i>
6	♀	"
7	♂	<i>Bessonornis</i>
8	♂im	<i>Poicephalus</i>
9	♀	<i>Campethera?</i>
23590	♀	<i>Tachornis</i>
1	♀	"
2	♂	<i>Urocolius</i>
3	♀	<i>Irisor</i>
4	♀	<i>Coraciura</i>
5	♂	<i>Lophoceros</i>
6	♂	<i>Oriolus</i>
7	♂?	<i>Melaenornis</i>
8	♂	"
9	♀	"
23600	♂	<i>Argya</i>

1912

89

1 Aug. 12

2000 ft.

August 13

23601	♀	<i>Argya</i>
2	♂	<i>Pycnonotus</i>
3	♂	<i>Cisticola</i>
4	♂	"
5	♀	"
6	♀	"
7	♂	<i>Helionympha</i>
8	♀	<i>Estilda</i>
9	♀	<i>Estilda?</i>
23610	♂	<i>Small Weaver</i>
1	♀?	<i>Sitagra?</i>
2	♂	<i>Nunida</i>
3	♂	<i>Gymnogenys?</i>
4	♀	<i>Turtur?</i>
5	♂	<i>Chizaerhis</i>
6	♂	<i>Coraciura</i>
7		<i>Trachyphonus</i>
8	♂	"
9	♂	<i>Spreo</i>
23620	♂	<i>Sark</i>
1		<i>Melaenornis</i>
2	♂	"
3	♀	<i>Eurocephalus</i>
4	♂	<i>Dryoscopus</i>
5	♀	"
6	♂	<i>Dryoscopus?</i>
7	♀	<i>Nilaus</i>
8	♀	<i>Chichladusa</i>
9	♀	<i>Pycnonotus</i>
23630	♂	<i>Prinia?</i>
1	♀	"
2	♂	"
3	♂	<i>Cisticola</i>
4	♂	"
5	♂	<i>Cinnypis?</i>

British East Africa

Tharaka District	2000 ft.
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
Jana River	1200 ft.
Tharaka District	2000 ft.
Jana River	1200 ft.
Tharaka District	2000 ft.
"	"
"	"
"	"
Jana River	1200 ft.
"	"
"	"
"	"
"	"
Tharaka District	2000 ft.
Jana River	1200 ft.
"	"
Tharaka District	2000 ft.
Jana River	1200 ft.
"	"
Tharaka District	2000 ft.
"	"
"	"

1912

August 13

August 14

Sides of face in front and wattles red. Neck, sides of face and orbital region blue. Helment reddish brown.
23613 cont. - Bill dark brownish red at base above, bright red at base tipped with greenish olive.

One of a mated pair killed by same shot.

23671	♂	Vidua
2	♀	Pternistes
3	♂	Turtur?
4		Poicephalus
5	♂	Trachyphonus
6	♂	"
7	♀	"
8	♂ im.	Lophoceros
9	♀	"
23680	♀	"
1	♂ im	"
2	♀	Pycnonotus
3	♀	"
4		Andropadus
5	♀	Camaroptera
6	♂	"
7	♂	Prinia
8	♀	Cisticola
9	♀	Eurocephalus
23690	♂	"
1	?	Prionops
2	♀	Dryocopus?
3	♂	Nicator
4	♂	Petronia
5	♀	Dinemellia
6	♂	"
7	♂	Sitta?
8	♂	Zonogastis
9	♂	Granatina
23700	♀	"
1	♂	"
2	♀	"
3	♂	"
4	♀	Estrilda
5	♂	Helionympha?

British East Africa

1912

Aug. 15

Aug. 16

22

24

80

14

1

Bill brownish yellow on basal half of mandible, then whitish, and dusky at tip and along ^{commissure} _n.
Iris yellowish brown. Bill black.

Iris and eyelid yellow

Mated pair collected

23741	♀	Hyphantornis
2	♂	Hyphantornis?
3	♀	Estrilda
4	♀	Cinnyris
5	♀	"
6	♂	Vinago
7	♂	Elanus
8	♂	Melittophagus
9	♀	"
23750	♂	Lamprocolinus
1	♂	Petronia
2	♂	Lanius
3	♂	Pomatorhynchus
4	♀	Bradornis?
5	♀	Cisticola
6	♂	"
7	♀	Hyphantornis?
8	♂	Francolinus
9	♀	Vinago
23760	♂	Sylvius
1	♂	Rophoceros
2	♂	"
3	♂	Lamprocolinus
4	♀	Spreo
5	♂	Melaenornis
6	♀	Plocepasser
7	♂	"
8	♀	Francolinus
9	♀	Lurtur?
23770	♀	Centropus
1	♂	Torisor
2	♂	"
3	♂	Halcyon
4	♂	Urocolinus
5	♀	"

British East Africa

Tana River - Above Camp No. 4

" " Camp No. 4
" " Above Camp 4

" " Camp No. 5

" " "

" " "

" " "

" " "

" " "

" " "

" " Between Camps 5+6

" " Camp No. 5

" " "

" " Below Camp No. 6

" " "

" " Camp No. 6

" " "

" " "

" " "

" " "

1912

August 18

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

Iris blue with an outer ring of brownish red. Bill yellow on basal half, greenish white on distal half. Feet red, claws pale blue.
Iris red. Cere, basal three fifths of commissural line, and extreme base of mandible pale yellow. Maxilla and nearly all of mandible bluish black. Feet pale yellow, claws black.

Bill black with and ivory-white mark at sides of base of maxilla.
Feeding on fruit - size of pea - of a large (fig?) tree.
Bill black with a whitish triangular mark at sides of base of maxilla.
Feeding on fruits of a large tree (fig?) the size of large pears.

Iris yellow

Iris orange-yellow

Iris brown. Bill, feet and claws black

Two collected same shot

Ditto

August 21

Iris red

23846	♂	Prionops	Jana River at mouth of Thika River
7	♀	Linarius	" " "
8	♂	"	" " "
9	♂	Terpsiphone	" " "
23850	♀	Fringillaria	" " "
1	♀	"	" " "
2	♀	Estrilda	" " "
3	♂	Hyphantornis?	" " "
4	♂	Hoplopterus	" " "
5	♀	Pternistis	" " "
6	♀	Francolinus	" " "
7	♂	Torisor	" " "
8	♂	Caprimulgus	" " "
9	♂	Lophoceros	" " "
23860	♀	"	" " "
1	♀	Oriolus	" " "
2	♀	"	" " "
3	♀	Melocichla	" " "
4	♀	Argya	" " "
5	♀	"	" " "
6	♂	Zosterops	" " "
7	♂	Estrilda?	" " "
8	♀	Estrilda	" " "
9	♂	"	" " "
23870	♂	Ploceopasser	" " "
1	♀	Hyphantornis?	" " "
2	♀	"	" " "
3	♀	Muscicapa?	" " "
4	♂	Numida	" " "
5	♂	"	" " "
6	♀	Prodotiscus	" " "
7	♀	Halcyon	" " "
8	♂ im	Sigmodes	" " "
9	♂ ad	"	" " "
23880	♂ im	"	" " "

1912

August 24

Aug. 25

August 26

Camp No. 7 - mouth of Thika R.
mouth of

23881	♀	Dicrurus	Jana River at mouth of Thika River	1912
2	♂	Pseudonigrita	near Jana River east of the Ithanga Hills	August 26
3	♂	"	"	"
4	♀	"	"	"
5	♂	"	"	"
6	♀	"	"	"
7	♀	Prinia	" mouth of Thika River	"
8	♂	Anthuscopus	" east of Ithanga Hills	"
9	♀	Indicator	Camp No. 2. Boulder Hill - 20 mi. above mouth Thika	August 27
23890	♂	Coracias	"	"
1	♀	Idolcyon	Camp No. 1 - nine mi. up Thika River	"
2	♂	"	Camp No. 2 - 20 mi. above mouth	"
3	♀	Pomatorhinus	"	"
4	♂	"	"	"
5	♀ im	Laniarius	Camp No. 1 - 9 mi. above	"
6	♀	"	Camp No. 2 - 20 mi.	"
7	♀	"	Boulder Hill, "	"
8	♂	Nilous	"	"
9	♂	Campephaga	"	"
23900	♂	Crateropus	Camp No. 1 - 9 mi.	"
1	♂	Melocichla	Camp No. 2 - 20 mi.	"
2	♂	Cisticola	"	"
3	♂	"	"	"
4	♂	"	"	"
5	♀	Cisticola	"	"
6	♂	Cisticola	"	"
7	♂	Prinia	"	"
8	♂	Iridoprocne	"	"
9	♂	Iridoprocne	"	"
23910	♂	"	"	"
1	♂	Batis	"	"
2	♂	Cinnyris	"	"
3	♂	Pternistia	Thika River, S.W. of Big Bend	August 28
4	♀	"	"	"
5	♀	Coracias	" Boulder Hill	"

Bill and feet entirely red. Claws brown

Pair killed by same shot. Chin and sides of face red, throat yellow, Iri's brown. Bill olive brown, reddish at edge of nostril, red above. Feet and claws black.
Pair killed by same shot on rocky hilltop. Colors of soft parts as in the male.

23916	♂ im	Lophoceros	Thika River, Boulder Hill
7	?	"	"
8	♀	Indicator	"
9	♀	Halcyon	"
23920	♂	"	"
1	♀	Halcyon	"
2	♀	"	"
3	♂	Goriscor	"
4	♂	"	"
5	♀	Sybilus	"
6	♀	Prionops	"
7	♂?	"	"
8	♂	Pomatorhynchus	"
9	♂	Craterops	"
23930	♂	Melocichla	Big Bend Hill
1	♂	Pycnonotus	Boulder Hill
2	♂	Bradypterus?	"
3	♀	Cisticola	"
4	♂	Antheptes	"
5	♂	Zosterops	"
6	♂	"	"
7	♀	"	"
8	♂	Plocepasser	"
9	♀	Stephanibys inornatus?	west of Big Bend
23940	♀	Francolinus africanus	Between Thika and Athi Rivers
1	♀	Centropus	Thika River at Big W. Bend
2	♀	Indicator	Between Thika and Athi Rivers
3	♀	Goriscor	"
4	♂	"	"
5	♀	Buphagus	"
6	♂	Melaenornis	"
7	♀	Pomatorhynchus	Between Thika and
8	♂	Crateropus	"
9	♂	Argya	"
23950	♀	"	"

1912

August 28

August 29

Iris yellow. Bill, legs, feet and claws purplish black.
 Iris brown, bill brownish black, dirty yellow at base, on sides and below.
 Feet brownish yellow, claws brown.

Iris red

Iris brown. Bill, feet and claws black.

mated pair collected.

23951	♂	Melocichla
2	♀	Cisticola
3	♂	Prinia
4	♀	Muscicapa
5	♂	Terpsiphone
6	♀	Plocepasser
7	♀	Campethera
8		Colinus
9	♂	Oriolus
23960	♂	Eurocephalus
1	♂	"
2	♂	Melocichla
3	♀	Cisticola
4	♂	Cisticola
5	♀	Stephanibyz
6	♂	Actitis
7	♀	Anthus
8	♀	Macronyx
9	♂	"
23970	♀	Motacilla
1	♀	"
2	♀	Laniarius
3	♀	Dryoscopus?
4	♀	"
5	♂	Dioptornis
6	♂	Batis
7	♂	Cameroptera
8	♂	Sylvietta
9	♀	"
23980	♂	Cisticola
1	♂	Cisticola
2	♀	Pseudonigrita
3	♂	"
4	♂	Pterocles
5	♀	"

British East Africa

1912

August 29

11

22

21

August 30

41

1.

August 3

2

4

1

14

40

M

4

Sept. 1

2

Iris brown. Bill black, Legs and feet vinaceous, claws black.

23986	♀	Ceryle
7	♂	Lark
8	♂	"
9	♂	Camaropectera
23990	♂	"
1	♂	Muscicapa
2	♀	Cisticola
3	♂	"
4	♂	"
5	♂	"
6	♂	Cisticola
7	♂	"
8	♂	Prinia
9	♀	Pseudonigrita
24000	♂	Passer
1	♂	Colinus
2	♂	"
3	♂	"
4	♀	"
5	♀	Pycnonotus
6	♀	"
7	♀	"
8	♀	"
9	♀	Cisticola
24010	♂	"
1	♀	"
2	♂	"
3	♂	"
4	♀	"
5	♀	"
6	♀	"
7	♂	Parus
8	♀	Dioptrornis
9	♂	Nectarinia
24020	♀	Cinnyris?

Athi Station, Uganda Railway

Athi River, "

Athi Station, "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

Escarpment

" "

" "

" 7390 ft.

" "

" "

" "

" "

" "

" "

" "

" "

" "

" 7390 ft.

" "

" "

" "

" 7390 ft.

" "

" 7390 ft.

1912

Sept. 1

"

"

"

"

"

"

"

"

"

"

"

"

"

Sept. 4

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

24021	♀	Pratincola
2	♀	"
3	♀	"
4	♂	"
5	♂	Poliospiza
6	♂	Euplectes
7	♂	"
8	♀	"
9	♂	"
24030	♀	"
1	♀	"
2	♂	"
3	♂	"
4	♂ im	Lanius
5	♂	Lanius
6	♂	Turdus
7	♂	"
8	♀	"
9	♀	"
24040	♀	"
1	♂	Starling
2	♂	"
3	♂	"
4	♀	"
5	♀	Pycnonotus
6	♀	Cisticola
7	♂ im	Lanius
8	♂	Cinnyris
9	♀	Poliospiza
24050	♀	Pratincola
1	♂	"
2	♂	"
3	♂	"
4	♂	Drepanoplectes?
5	♂	"

British East Africa

Escarpment, alt. 7390 ft

" "

" "

" "

" "

" "

" "

" 7390 ft.

" "

" 7390 ft.

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

" "

1912

Sept. 4

"

"

"

"

"

"

"

"

"

"

"

"

"

Sept. 5

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

24056	♂	Drepanoplectes?
7	♂	Euplectes
8	♂	Woodpecker
9	♂	Starling
24060	♀	Arizelocichla
1	♂	Stelgidocichla
2	♀	Pycnonotus
3	♀	Cisticola
4	♀	"
5	♀	Prinia?
6	♂	Nectarinia
7	♂	"
8	♂	"
9	♀	"
24070	♀	"
1	♂ ^{im}	"
2	♂	Drepanorhynchus
3	♂	"
4	♀	"
5	♀	"
6	♂	Cinnyris
7	♂	"
8	♂	"
9	♂	Lanius
24080	♂	"
1	♂ ^{im}	"
2	♂	"
3	♂	Dryoscopus
4	♂	Polioptila
5	♀	"
6	♂	"
7	♂	Pratincola
8	♂	"
9	♀	"
24090	♂	Parus

British East Africa

Escarpment

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

1912

Sept. 5

"

Sept. 6

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Escarpment

24091	♀	Parus
2	♀	Estrilda?
3	♀	Francolinus
4	♂	"
5	♂	Turacus
6	♀	"
7	♀	"
8	♀	Viridibucco
9	♀	Lanius
24100	♂	Planesticus
1	♀	Cisticola
2	♀ (= ♂)	"
3	♂	"
4	♀	"
5	♂	"
6	♀	Bradypterus
7	♂	Cryptolopha
8	♂	Estrilda?
9	♀	"
24110	♂	Othophantes reichenowi.
1	♀	Euplectes
2	♂	"
3	♂	"
4	♂	Cinnyris
5	♀	Poicephalus
6	♂	Turacus
7	♀	"
8	♀	"
9	♀ im	Planesticus
24120	♂	"
1	♂	"
2	♂	"
3	♂	"
4	♂	Bessonornis
5	♂	Laniarius dohertyi

7390 ft.

7390 ft.

7390 ft.

7390 ft.

1912

Sept. 6

"

Sept. 7

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Sept. 8

"

"

"

"

"

"

"

"

"

"

Bill black. Feet and claws gray.

Escarpment, 7390 ft.

24126	♀	<i>Pyrenotus</i>
7	♂	<i>Bleda?</i>
8	♀	<i>Cisticola</i>
9	♂	"
24130	♂	"
1	♀	<i>Prinia?</i>
2	♀	<i>Pogonochila</i>
3	♀	"
4	♂	<i>Dioptrornis</i>
5	♀	"
6	♂	<i>Drepanorhynchus</i>
7	♂	"
8	♂	<i>Cinnyris</i>
9	♂	<i>Cinnyris</i>
24140	♂	"
1	♂	"
2	♂	"
3	♂	<i>Zosterops</i>
4	♂	<i>Colinus passer?</i>
5	♀	"
6	♂	"
7	♂	"
8	♀	<i>Vinago</i>
9	♀	<i>Turtur</i>
24150	♂	<i>Turacus</i>
1	♂	<i>Colinus</i>
2	♂	"
3	♂	"
4	♂	"
5	♂	<i>Pyrenotus</i>
6	♀	"
7	♂	<i>Griseolochila</i>
8	♀	"
9	♂	<i>Stelgidocichla</i>
24160	♀	<i>Cisticola</i>

1912

Sept. 8

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

"

Sept. 9

"

"

"

"

"

"

"

"

"

"

"

"

1912

Sept. 9

Bill orange a base, black at tip. Feet yellowish brown, claws dark brown.

Sept. 10

$$\begin{array}{r} 5 \overline{) 173.8} \\ \underline{34.76} \\ 173.80 \end{array}$$

$$\begin{array}{r} 5 \overline{) 184.5} \\ \underline{36.90} \\ 184.50 \end{array}$$

15.

34.76

36.90

1125

20.

107.91

102.06

209.97

$$\begin{array}{r} 3 \overline{) 64.50} \\ \underline{21.50} \end{array}$$

4.00

21.50

100.

650

125.50