Species of European Birds
recd. from E. A. Mearns, Mar. 13/78.
Chert. Mexican

Columba palumbus ♂
Picus viridis ♀
Cornus monedula ♂
" *corone* ♂
" *frugiliger* ♂
Pica candata ♀
Garrulus glandarius ♂
Lurdus viscinosus ♂
Hirundo ulica ♀
" *riparia* 2 spec.
" *rustica* ♂
Erythra rubecula ♀
Parus major ♂
Accentor modularis ♂ 2 spec.
Litta europaea
Lasicola oenanthe ♂
Emberiza citrinella ♀
Coccothraustes chloris ♂
Tringilla caelebs ♂
Curruca cinerea ♂
20 species. — 22 skins.

Birds sent to C. Hart Merriam, M. D.

521	<i>Turdus merula</i> ♂ [nearly adult].
484	" <i>viscivorus</i> ♂ ad.
494.	" <i>musculus</i> ♂ ad.
507	" <i>ilicinus</i> ♂ ad.
511	" " ♀ ad.
474	<i>Circus aquaticus</i> ♂ ad.
798	<i>Emberiza miliaria</i> ♂ ad.
888	<i>Coccothraustes chloris</i> ♂ ad.
859	<i>Tringilla Coelebs</i> ♂ ad.
1,129.	<i>Hirundo riparia</i> ♂ ad.
1,094.	<i>Ceryle aspera</i> ♂ ad.
958.	<i>Sturnus vulgaris</i> ♀ ad.
952	" " ♂ ad.
1,289.520h.	<i>Turdus merula</i> ♂ ad. <i>Tringa canutus</i> ♀.
423. 1,289	<i>Falco tinnunculus</i> ♀ ad.
1,011	<i>Pica caudata</i> ♂ ad.
1,329.	<i>Gallinula chloropus</i> ♂ ad.
1,203 juv.	<i>Charadrius hiaticula</i> . juv.
1,211 ♀.	<i>Calidris arenaria</i> . ♀.
1,224.	<i>Streptopelia interpres</i> [—?]
1,319.	<i>Colinus aquaticus</i> ♂ ad.
1,278	<i>Scolopax gallinago</i> ♀ ad.
1,302.	<i>Tringa variabilis</i> ♂ ad.
1,306	" " juv.
1,312.	<i>Crex pratensis</i> ♂ ad.
458	<i>Syrnium stridula</i> ♀ ad.
1,029.	<i>Picus viridis</i> ♂ ad.
1,388.	<i>Larus ridibundus</i> ♂
437	<i>Accipiter nisus</i> ♀ juv

"Sittacus pratensis.

774 ♀ ad. "490 ♀. March 15, 1877. Coombe Lane, K. B.

" $6\frac{6}{16}$, $7\frac{2}{16}$, 3, $2\frac{4}{16}$.

Wing, 2.95; tail, 2.25; bill from nostril, .54; tarsus, .89.

"Hirundo rustica.

1,102 [—?] "No number: no sex. August 19, 1878. K. B.

" $6\frac{6}{16}$, $12\frac{6}{16}$, $4\frac{10}{16}$, $2\frac{12}{16}$,

Wing, 4.55; tail, 2.73; bill from nostril, .22; tarsus,

"Parus major.

693 ♂ ad. "489, ♂. March 15, 1877. Dorken Lane, K. B.

$5\frac{13}{16}$, $7\frac{3}{16}$, $3\frac{1}{16}$, $2\frac{8}{16}$. Iris, dark.

Bill, black. Legs, lead-color.

Wing, 2.90; tail, 2.50; bill from nostril, .35; culmen, .45; tarsus, .82.

"Parus caeruleus.

701 ♂ ad. "456. ♂ March 6, 1877. Ficketwood, K. B.

" $4\frac{14}{16}$, $7\frac{10}{16}$, $2\frac{2}{16}$, $2\frac{1}{16}$. Iris, dark. Legs, bluish lead-color. Bill, dark.

Wing, 2.50; tail, 2.06; bill from nostril, .28; culmen, .32; tarsus, .67.

"Certhia familiaris.

1,048 ♀ ad. "790. ♀ ad March 11, 1878. K. B. $5\frac{2}{16}$, $7\frac{12}{16}$, $2\frac{10}{16}$, $2\frac{4}{16}$.

Wing, 2.45; tail, 2.25; culmen, .63; bill from nostril, .44; tarsus, .57.

"Troglodytes vulgaris.

1,057. ♂ ad. "517 ♂ ad March 20, 1877. Wallingford K. B. 4, $6\frac{1}{16}$, $1\frac{14}{16}$, $1\frac{4}{16}$.

Wing, 1.83; tail, 1.25; bill from nostril, .31; tarsus, .68.

"Regulus cristatus.

680 ♂ ad. "No 471. ♂ ad. March 9, 1877. Ficketwood, K. B. $3\frac{8}{16}$, $6\frac{1}{16}$, $2\frac{1}{16}$, $1\frac{8}{16}$.

Wing, 2.00; tail, 1.50; bill from nostril, .25; tarsus, .68.

607 ♂ ad.

"Philomela lusciniæ."

"Male Nightingale, Norwich, April, 1872."

Wing, 3.27; tail, 2.75. Bill from nostril .37; tarsus, 1.12.

"Accentor modularis."

1403 ♂ ad.

"448. ♂ ad March 5, 1877. Licketwood, K. B.

" $6\frac{1}{16}$, $8\frac{8}{16}$, $2\frac{10}{16}$, $2\frac{6}{16}$. Iris, light hazel. Legs, reddish brown.

Wing, 2.62; tail, 2.37; bill from nostril, .32; tarsus, .85.

"Emberiza citrinella."

818. ♂ ad.

"862. ♂ ad May 6, 1878. $6\frac{12}{16}$, $10\frac{10}{16}$, $3\frac{8}{16}$, $2\frac{14}{16}$.

Wing, 3.38; tail, 2.88; culmen, .44; tarsus, .78.

"Emberiza cirrus."

839 ♂ ad.

"553. ♂. April 20, 1877. Licketwood, K. B.

" $6\frac{8}{16}$, $9\frac{14}{16}$, $3\frac{1}{16}$, $2\frac{14}{16}$. Wing, ~~3~~ 3.03; tail, 2.87; culmen, .40; tarsus, .73.

"Linota cannabina."

918 ♂ ad.

"875 ♂ ad May 16, 1878. K. B. $5\frac{8}{16}$, 10 , $3\frac{5}{16}$, $2\frac{2}{16}$.

Wing, 3.23; tail, 2.13; culmen, .39; tarsus, .63.

930. ♀ ad.

"477. ♀ ad March 13, 1877 Licketwood K. B.

" $5\frac{6}{16}$, $9\frac{4}{16}$, $3\frac{3}{16}$, $2\frac{1}{16}$. Iris, hazel. Legs, brown.

Wing, 3.03; tail, 2.06; culmen, .37; tarsus,

"Carduelis elegans."

904 ♂ ad.

"787. ♂ March 14, 1878. K. B."

Wing, 2.96; tail, 2.08; culmen, .50; tarsus, .58.

"Taxicola oenanthe.

591 ♀ ad. "701 ♀. Oct 3, 1877, K. B. $7\frac{2}{16}$, $12\frac{8}{16}$, $4\frac{2}{16}$, $2\frac{7}{16}$."

Wing, 4.02; tail, 2.46; bill from nostril, .38;
~~gape~~, tarsus, 1.11

582 ♂ ad. "851 ♂ April 26, 1878. K. B. $6\frac{14}{16}$, 12, $4\frac{3}{16}$, $2\frac{6}{16}$."

Wing, 4.02; tail, 2.46; bill from nostril, .39;
tarsus, 1.08.

581. ♂ ad. "583 ♂ May 1, 1877. Thurlstone Sands, K. B.

$6\frac{10}{16}$, 12, 4, $2\frac{2}{16}$.

Wing, 4.00; tail, 2.14; bill from nostril, .38;
tarsus, 1.15.

"Motacilla yarrellii

735 ♂ ad. "560 ♂ May 1, 1877. Thurlstone Sands, K. B.

8, $11\frac{1}{16}$, $3\frac{10}{16}$, $3\frac{2}{16}$.

Wing, 3.50; tail, 3.57; bill from nostril, .38;
tarsus, .95.

"Alauda arvensis

791 ♀ ad. "565 ♀ ad May 1, 1877. Thurlstone Sands, K. B.

$7\frac{5}{16}$, 13, $4\frac{1}{16}$, $2\frac{9}{16}$. Iris, hazel. Legs & toes, yellowish brown.

"Loxia pyrrhula

942 ♂ ad No label. Wing, 3.18; tail, 2.52; culmen, .40;
tarsus, .70.

"Erythraea rubecula.

554 ♂ ad. "506 ♂. March 19, 1877. Wallingford, K. B.

$5\frac{12}{16}$, $8\frac{8}{16}$, $2\frac{13}{16}$, $2\frac{14}{16}$.

Wing, 2.70; tail, 2.25; bill from nostril, .30;
tarsus, 1.04.

"Alcedo isipida."

1,091 ♂ ad. "No. 784. ♂ ad. March 8, 1878.

" $7\frac{9}{16}$, $11\frac{8}{16}$, $3\frac{1}{16}$, $1\frac{8}{16}$. Iris, hazel. Legs, red-orange. Bill, reddish orange at base; lower mandible, blackish at tip.

Measurements.—

Wing, 3.06; tail, 1.50; culmen, 1.65; gape, 1.95; tarsus, .36; middle toe, .50; its claw, 21.

"Tyriga variabilis."

1,301. ♂ ad. " $7\frac{10}{12}$, 14, $4\frac{6}{12}$, 2." No. 904. ♂ Aug 6, 1878, K. B.

Measurements.— Wing, 4.25; tail, 2; culmen, 1.20; tarsus, .95; middle toe, .72; its claw, .16.

"Sturnus vulgaris."

961. ♀ ad. "739. ♀ ad. Dec. 26, 1877. King's Bridge.

Measurements.—

Wing, 4.87; tail, 2.65; culmen, .98; bill from nostril, .68; tarsus, 1.10. gape, 1.30.

787 ♂ ad

"Alanda arvensis"

"562. ♂. May 1, 1877. Thurlstone Sands.

789 ♂ ad.

$7\frac{13}{16}$, $14\frac{2}{16}$, $4\frac{8}{16}$, $2\frac{10}{16}$. Iris, hazel. Legs and toes, yellowish brown. Measurements.—

Wing, 4.37; tail, 3.15; culmen, .49; bill from nostril, .38; tarsus, .97; middle toe, .60; its claw, .25; hind claw, .52.

1275.

~~731~~ ♀ ad.

"
Scolopax rusticola

" No. 731. ♀ ad. December 31, 1877.

" 14, $25\frac{10}{16}$, $8\frac{1}{16}$, $3\frac{8}{16}$.

Measurements. —

~~Length~~ ^{Wing}, 7.65; tail, 3.50; culmen, 2.82; tarsus, 1.41; Kings Bridge, Devon, England.

1274. ♂.

" No. 730. ♂ December 8, 1877.

" 14, $23\frac{8}{16}$, $7\frac{8}{16}$, $3\frac{2}{16}$.

Measurements. —

Wing, 7.25; tail, 3.13; culmen, 2.94; tarsus, 1.45. Kings Bridge, Devon, England.

1276. ♀ ad.

" 729. ♀ December 8, 1877.

" 15, $24\frac{12}{16}$, 8; $3\frac{8}{16}$.

Measurements. —

Wing, 7.85; tail, 3.50; culmen, 3.10; tarsus, 1.47. Kings Bridge, Devon, England.

1272. ♀ ad.

" No. 131. ♀. December, 1875.

" $13\frac{8}{16}$, 24, $7\frac{10}{16}$, $3\frac{4}{16}$. Bill and legs, brownish white.

" Iris, dark. Shingler, K. B., England.

Measurements. —

Wing, 7.22; tail, 3.25; culmen, 2.79; tarsus, 1.50.

1273. ♂ ad.

" 167. ♂ ad. January 7, 1876. Plymouth

Market. $14\frac{3}{16}$, $25\frac{4}{16}$, $7\frac{10}{16}$, $3\frac{4}{16}$. Iris, dark.

Legs, light brown. "

Measurements. —

Wing, 7.60; tail, 3.25; culmen, 2.98; tarsus, 1.51.

"Crex pratensis"

1,312. ♂ ad. "702 ♂ Oct. 2, 1877. Kellaton, Stokeham, K. B.
Iris, hazel. Legs, cinereous brown.

Measurements. -

Wing, 5.40; tail, 2.23; culmen, .86; gape, 1.08;
tarsus, 1.53.

1,313. ♂ ad. "700. ♂ Sep. 28, 1877. Plymouth Market,
 $11\frac{2}{16}$, $19\frac{8}{16}$, $8\frac{14}{16}$, $1\frac{14}{16}$.

Measurements. -

Wing, 5.65; tail, 2.00; culmen, .90; gape, 1.10;
tarsus, 1.62; middle toe & claw, 1.57; toe alone, 1.38;
claw, .23.

1,314. ♀ ad. "687 ♀ Sept. 22, 1877. $10\frac{12}{16}$, 18, $5\frac{6}{16}$, 2. " K. B.
Wing, 5.20; tail, 2.00; culmen, .80; gape, 1.00;
tarsus, 1.58; ~~tarsus~~, middle toe & claw, 1.54;
toe alone, 1.28; claw, .26.

1,316. ♂ ad. "939. ♂ Sept. 20, 1878. K. B.

Wing, 5.40; tail, 2.05; culmen, .77; gape, 1.08;
tarsus, 1.63; middle toe & claw, 1.58; middle
toe, 1.35; claw, .25.

1,315. ♀ ad. "938 ♀ Sept. 20, 1878. $10\frac{8}{16}$, $18\frac{8}{16}$, $5\frac{10}{16}$, 2. K. B.
Wing, 5.46; tail, 2.00; culmen, .83; gape, 1.04;
tarsus, 1.54; middle toe & claw, 1.47; toe alone,
1.33; claw, .25.

Crex pratensis (Continued)

1311. ♀ ad "324 ♀ May 15, 1876, Anna Mouth, K. B.
"10 $\frac{12}{11}$, 17 $\frac{13}{12}$, 5 $\frac{6}{16}$, 2. Iris, hazel. Bill and
legs, light brown. Measurements: —
Wing, 5.25; tail, 2.00; culmen, .88;
gape, 1.04; tarsus, 1.50; middle toe & claw,
1.45; middle toe, 1.20; claw, .27.

Syrnium stridula.

458 ♀ ad. "714. ♀ Nov. 15, 1877. K. B. 15 $\frac{12}{16}$, 34 $\frac{4}{16}$, 10 $\frac{4}{16}$, 7."
Wing, 10.10; tail, 7.00; culmen, from cere, .75; from
nostril, .61. tarsus, 1.75.

Picus viridis.

1029 ♂ ad. "895. ♂ ad. July 13, 1878, K. B."
Wing, 7.25; tail, 4.15; culmen, 1.57; gape,
1.74; tarsus, 1.10; middle toe, .93; claw, .53.

Larus ridibundus

1388 ♂ "711 ♂ Nov 7, 1877. K. B.
Wing, 11.35; tail, 4.86; culmen, 1.53; gape,
tarsus, 1.96; middle toe & claw, 1.65; toe, 1.38;
claw, .29.

Accipiter nisus.

437 ♀ juv. —? "♀ Nov. 18, 1878. Buckland, Fort Saints, K. B.
"15 $\frac{2}{16}$, 30, 9 $\frac{4}{16}$, 7 $\frac{7}{16}$. Iris and legs, lemon-yellow."
Wing, 9.12; tail, 7.45; culmen, .55; gape, 92; 4;
tarsus, 2.50;

"Falco turniculus.

423 ♀ ad. 946 ♀ ad. Sept 5, 1878. K. B. $13\frac{14}{16}$, $29\frac{8}{16}$, 10, $6\frac{14}{16}$.

Wing, 9.70; tail, 6.85; culmen, .58; gape, .90; tarsus, 1.54; middle toe, 1.05; its claw, .46.

"Pica caudata.

1,011 ♂ ad. 550 ♂ ad. April 17, 1877. Harra Bridge, K. B.
 $18\frac{2}{16}$, $23\frac{2}{16}$, $7\frac{8}{16}$, $9\frac{8}{16}$.

Wing, 7.40; tail, 9.50; culmen, 1.30; gape, 1.68; tarsus, 1.85.

"Sturnella chloropus.

1,329 ♂ ad. 427 ♂ Jan 23, 1877. K. B.

$13\frac{8}{16}$, $21\frac{4}{16}$, $6\frac{12}{16}$, $3\frac{2}{16}$. Bill, scarlet; tip, yellow. Irides, reddish hazel. Legs, greenish yellow in front; toes, green; joints, dusky.

Wing, 6.75; tail, 3.12; culmen, 1.40; tarsus, 1.85.

"Charadrius hiaticula

1,203 juv. 683 juv. Sept 21, 1877. Hurlstone Sands, K. B.

"Legs, yellowish green.

Wing, 4.90; tail, 2.20; culmen, .55; tarsus, .95; middle toe & claw, .82; toe, .62; claw, .20.

"Calidris arenaria.

1,211 ♀. 680 ♀ Sept 10, 1877. Hurlstone Sands, K. B.

" $7\frac{14}{16}$ 15, 5, $1\frac{14}{16}$. Irides, black. Bill and legs, black.

Wing, 4.85; tail 1.85; culmen, 1.05; tarsus, .96.

"Streptopelia interpres."

1,224 [—?] "688 —? Sept 22, 1877. $9\frac{8}{16}$, $18\frac{10}{16}$, 6, $2\frac{6}{16}$.
Wing, 5.70; tail, 2.37; culmen, .85; tarsus, 1.00;

"Rallus aquaticus."

1,319 ♂ ad. "727 ♂ ad. Jan. 15, 1878, K. B.
Wing, 4.62; tail, 2.20; culmen, 1.68; tarsus, 1.50.

"Tringa canutus."

1,289 ♀. "936. ♀ Sept 18, 1878. K. B.
"10 $\frac{6}{16}$, 20 $\frac{4}{16}$, 6 $\frac{8}{16}$, 2 $\frac{8}{16}$.
Wing, 6.12; tail, 2.50; culmen, 1.27; tarsus, 1.25.

"Scolopax gallinago."

1,278 ♀ ad. "148 ♀ ad Dec. 14, 1875. Plymouth Market.
"11, 16 $\frac{12}{16}$, 5 $\frac{4}{16}$, 2 $\frac{8}{16}$. Iris, dusky.
Wing, 5.10; tail, 2.50; ~~bill from nostril~~, culmen, .63; tarsus, 1.25; middle toe & claw, 1.45; toe, 1.20; claw, .25.

"Tringa variabilis."

1,302 ♂ ad. "906. ♂ ad August 6, 1878. K. B. $7\frac{10}{16}$, 14, $4\frac{8}{16}$, $1\frac{14}{16}$.
Wing, 4.12; tail, 1.85; culmen, 1.16; tarsus, .98; middle toe & claw, .92; toe, .77; claw .16.

1,306 juv. "682. juv. Sept. 21, 1877. Thurlstone Sands, K. B.
Wing, 4.56; tail, 1.86; culmen, 1.31; tarsus, 1.02; middle toe & claw, .91; toe, .76; claw .15.

"Ceeryle ispida.

1,094 ♂ ad. — ? " ♂ Nov. 6, 1878. K. B.

" $7\frac{10}{16}$, $10\frac{8}{16}$, $3\frac{2}{16}$, $1\frac{8}{16}$.

Wing, 2.92; tail 1.50; culmen, 1.68; gape, 2; tarsus, .45.

"Sturnus vulgaris.

958 ♀ ad. " 734. ♀ ad Nov. 24, 1877. K. B.

Wing 4.92; tail, 2.80; culmen, .98; bill from nostril, .68; gape, tarsus 1.12.

952 ♂ ad, " 740 ♂ ad Dec. 26, 1877, K. B.

" $8\frac{10}{16}$, $15\frac{4}{16}$, $5\frac{4}{16}$, $2\frac{9}{16}$.

Wing, 5.10; tail, 2.72 culmen, 1.05; bill from nostril, .74; tarsus, 1.16; middle toe & claw, 1.18.

"Turdus merula.

521 ♂ ad. " 467. ♂. March 8, 1877. Licketwood Kings Bridge

" 10, $14\frac{12}{16}$, 5, $4\frac{2}{16}$. Iris, dark. Bill, and eyelid, orange-yellow.

Wing, 4.75; tail, 4.12; max bill from nostril, .61; gape, 1.18; tarsus, 1.30.

"Turdus viscivorus.

484 ♂ ad. " 230. ♂. April 7, 1876. Licketwood, K. B.

" $10\frac{7}{16}$, 18, $6\frac{1}{16}$, $4\frac{6}{16}$. Iris, hazel. Lys, light brown.

Wing, 5.85; tail, 4.37; bill from nostril, .58; gape, 1.14; tarsus, 1.25.

"Turdus musicus.

494 ♂ ad. " 722 ♂ ad Dec. 26, 1877. K. B. $9\frac{6}{16}$, 14, $4\frac{10}{16}$, $3\frac{6}{16}$.

Wing, 4.62; tail, 3.37; bill from nostril, .50; tarsus, 1.32.

"O"
Ourdus ileiacus.

507 ♂ ad. "758 ♂ ad February 20, 1878. K.B.

" $8 \frac{14}{16}$, $14 \frac{4}{16}$, $4 \frac{12}{16}$, $3 \frac{6}{16}$.

Wing, 4.50; tail, 3.37; ^{bill}~~culmen~~ from nostril, .50; tarsus, 1.12.

511 ♀ ad. "776. ♀ ad March 6, 1878. K.B.

" $8 \frac{8}{16}$, 14, $4 \frac{10}{16}$, $3 \frac{2}{16}$.

Wing, 4.50; tail 3.23; bill from nostril .50; tarsus, 1.17.

"C"
Ardeus aquaticus.

474 ♂ [ad?] "647. ♂ ad August 7, 1877. River Avon, K. Bridge

$7 \frac{12}{16}$, $11 \frac{8}{16}$, $3 \frac{8}{16}$, $2 \frac{2}{16}$.

Wing, 3.40; Tail, 2.13; ~~culmen~~, bill from nostril, .50; tarsus, 1.19.

"E"
Emberiza miliaria.

798 ♂ ad. "912 ♂ ad K.B. August 7, 1878. $7 \frac{10}{16}$, $12 \frac{2}{16}$, $3 \frac{14}{16}$, $2 \frac{11}{16}$.

Wing, 3.62; tail, 2.69; culmen, .57; tarsus, .96.

"C"
Coccothraustes chloris.

888 ♂ ad. "498. ♂ ad March 16, 1877. Coombe Lane, K.B.

" 6, $10 \frac{6}{16}$, $3 \frac{5}{16}$, $2 \frac{3}{16}$. Wing, 3.27; Tail, 2.29; culmen, .48; tarsus, .69.

"F"
Fringilla coelebs.

859 ♂ ad. "494 ♂ March 15, 1877. Licketwood, K.B.

" 6, $9 \frac{14}{16}$, $3 \frac{5}{16}$, $2 \frac{4}{16}$. Wing, 3.15;

tail, 2.25; culmen, .47; tarsus, .70.

"H"
Hirundo riparia.

1129 ♂. "918. ♂ Aug. 26, 1878. K.B.

Wing, 4.08; tail, 2.04; bill from nostril, .17; tarsus, .40.

- 1275 ♀ ad. *Scolopax rusticola* ♀ ad.
 1276 ♀ ad. " " ♀ ad. [To A. K. Fisher]
 1091 ♂ ad. *Alcedo isipida* ♂ ad.
 1301 *Tringa variabilis* ♂ ad.
 961 *Sturnus vulgaris* ♀ ad. [To A. K. Fisher]
 789 *Alauda arvensis* ♂ ad. [To A. K. Fisher]
 607 *Philomela luscinia* ♂ ad.
 1403. *Accentor modularis* ♂ ad.
 818 *Emberiza citrinella* ♂ ad.
 839. " *cirlus* ♂ ad.
 918. *Linota cannabina* ♂ ad.
 930 " " ♀ ad.
 904 *Carduelis elegans* ♂ ad.
 591 *Saxicola orlante* ♀ ad.
 582 " " ♂ ad. [To A. K. Fisher]
 581 " " ♂ ad.
 735 *Motacilla garrellii* ♂ ad.
 791 *Alauda arvensis* ♀ ad.
 942 *Toxia pyrrhula* ♂ ad.
 554 *Erythaca rubecula* ♂ ad.
 774 *Anthus pratensis* ♀ ad.
 1102 *Hirundo rustica* [—?]
 693 *Parus major* ♂ ad.
 701 *Parus caeruleus* ♂ ad.
 1048. *Certhia familiaris* ♀ ad.
 1057. *Troglodytes vulgaris* ♂ ad.
 680. *Regulus cristatus* ♂ ad.