Erik G. Larsen
1804

Icones Insectorum.

Indicem systematicum

addidit

F. C. Kielsen,

qvondam in schola metropolitana magister primarius.

Hafniae 1835.

Sumptibus *Christiani Steen*, bibliopolae et chartopratis hafniensis;
typis *Bianco Luno & Schneider*.

In hoc Insectorum indice systematico immortalem *Linnaeum* (editionem XIII^{am} ejus Systematis Naturae compara) omnino sumus secuti. Species, parenthesi inclusae, in Systemate Linn. desiderantur, quare eas servavimus, quibus usus est auctor in textu danico, aeneas hujus operis tabulas illustraturo. Has etiam adjecimus, ubi differunt a Linneanis.

Classis V. *Insecta.*

Ordo I. *Coleoptera.*

		Tab.	Fig.
1.	<i>Scarabaeus</i> Hercules	13.	1.
—	Actaeon	67.	2.
—	lunaris	—	1.
—	nasicornis <i>Nasicornis</i>	14.	1.
—	funetarius	67.	3.
—	stercorarius <i>Stercorarius</i>	—	4.
—	vernalis	—	5.
—	sacer	—	2.
—	pillularius	14.	4. 5.
—	Horticola	67.	6.
—	Melolontha <i>Melolontha</i>	14.	2.
—	solstitialis	67.	7.
—	auratus <i>Gylobella</i>	—	8.
—	sinensis (chincensis)	14.	3.
2.	<i>Lucanus</i> Cervus	15.	1-4.
5.	<i>Dermestes</i> lardarius	68.	1.
—	Pellio <i>Pellio</i>	—	2.
4.	<i>Bostrichus</i> typographus (<i>Dermestes typographi</i>)	—	3.
—	piniperda (<i>Derm. pinip.</i>)	—	4.
5.	<i>Ptinus</i> pertinax	75.	1.
—	Fur	68.	5.
6.	<i>Hister</i> unicolor	—	6.
7.	<i>Gyrinus</i> Natator <i>Gyrinus</i>	70.	1.
8.	<i>Byrrhus</i> muscorum	—	2.
9.	<i>Silpha</i> Vespillo <i>Silpha</i>	—	3.
10.	<i>Cassida</i> viridis	49.	1.
—	Murraca	73.	1.
11.	<i>Coccinella</i> bipunctata	—	2.
—	bipustulata <i>Coccinella</i>	—	3.
12.	<i>Chrysomela</i> goettingensis	49.	2.
—	cerealis <i>Chrysomela</i>	73.	4.
—	oleracea	—	5.
15.	<i>Cryptocephalus</i> merdiger	—	6.

		Tab.	Fig.
14.	<i>Hispa atra</i>	73.	7.
15.	<i>Bruchus pisi</i>	70.	4.
16.	<i>Curculio palmarum</i>	73.	8.
	— <i>granarius</i>	74.	1.
	— <i>frumentarius</i>	73.	9.
	— <i>paraplecticus</i>	74.	2.
	— <i>Bacchus</i>	—	3.
	— <i>nucum</i>	65.	1-6.
	— <i>imperialis</i>	74.	5.
	— <i>Anchorago</i>	—	4.
17.	<i>Attelabus coryli</i>	—	6.
	— <i>apiarius</i>	70.	5.
18.	<i>Cerambyx longimamis</i>	49.	3.
	— <i>cervicornis</i>	69.	1.
	— <i>moschatus</i>	—	2.
	— <i>acdilis</i>	—	3.
19.	<i>Leptura aquatica</i>	—	4.
20.	<i>Necydalis minor</i> (<i>Elater Necydalis minor</i>)	71.	5.
21.	<i>Lampyrus noctiluea</i> alm. St. Henssen	72.	1.
22.	<i>Cantharis fusca</i>	71.	1.
	— <i>navalis</i>	—	2.
23.	<i>Elater noctilucus</i>	—	3.
	— <i>niger</i>	—	4.
24.	<i>Cicindela danica</i>	77.	1.
25.	<i>Buprestis gigantea</i>	71.	6.
	— <i>chrysostigma</i>	—	7.
26.	<i>Hydrophilus piccus</i> (<i>Dytiscus piccus</i>)	—	8.
27.	<i>Dytiscus semistriatus</i>	75.	2.
28.	<i>Carabus coriaceus</i>	72.	2.
	— <i>auratus</i>	—	3.
	— <i>Sychophanta</i>	—	4.
	— <i>crepitans</i>	75.	3.
29.	<i>Tenebrio Molitor</i>	72.	5.
30.	<i>Pimelia mortisaga</i> (<i>Tenebrio mortis.</i>)	—	6.
31.	<i>Lytta vesicatoria</i>	44.	3.
32.	<i>Meloë Proscarabacus</i>	72.	7.
33.	<i>Mordella aculeata</i>	—	8.
34.	<i>Staphylinus maxillosus</i>	—	9.
35.	<i>Forficula auricularia</i>	75.	4.

Ordo II. Hemiptera.

		Tab.	Fig.
36.	<i>Blatta americana</i>	12.	1.
	— <i>orientalis</i>	—	2.
	— <i>lapponica</i>	—	4.
	— <i>germanica</i>	—	3.
	— <i>Heteroclitia</i>	75.	5.
37.	<i>Mantis Gigas</i>	51.	1.
	— <i>Gongylodes</i>	50.	3.
	— <i>religiosa</i>	15.	5.
	— <i>strumaria</i>	5.	1.
38.	<i>Gryllus Gryllotalpa</i>	8.	2.
	— <i>domesticus</i>	7.	2.3.
	— <i>campestris</i>	76.	1.
	— <i>viridissimus</i>	50.	1.
	— <i>verrucivorus</i>	53.	1.
	— <i>cristatus</i>	7.	1.
	— <i>morbillosus</i>	16.	1.
	— <i>migratorius</i>	76.	2.
	— <i>stridulus</i>	50.	2.
39.	<i>Fulgora laternaria</i>	52.	2.
	— <i>candelaria</i>	5.	2.
	— <i>europaea</i>	—	3.
40.	<i>Cicada cornuta</i>	77.	2.
	— <i>plebeja</i>	51.	2.
	— <i>orni</i>	—	3.
	— <i>sanguinolenta</i>	77.	3.
	— <i>spumaria</i>	—	4.
41.	<i>Notonecta glauca</i>	78.	1.
42.	<i>Nepa cinerea</i>	—	2.
	— <i>cimicoides</i>	—	3.
	— (<i>plana</i>)	—	4.
43.	<i>Cimex lectularius</i>	16.	2.3.
	— <i>corticalis</i>	79.	1.
	— <i>baccarum</i>	—	2.
	— <i>personatus</i>	—	3.
44.	<i>Aphis ribis</i>	97.	1.
	— <i>ulmi</i>	—	2.
	— <i>sambuci</i>	—	3.
	— <i>bursaria</i>	79.	4.

		Tab.	Fig.
44.	<i>Aphis rosae</i> . . . <i>Blaufl.</i>	17.	1-4.
45.	<i>Chermes buxi</i>	80.	1.
—	— <i>alni</i>	—	2.
46.	<i>Coccus Hesperidum</i>	—	3.
—	— <i>ilicis</i>	18.	1-5
—	— <i>ficus</i> (C. <i>Lacca</i>) <i>Goldfl.</i>	98.	1.
—	— <i>polonicus</i>	97.	4.
—	— <i>cacti</i> <i>Cochinillee</i>	19.	1-5.
47.	<i>Thrips Physapus</i>	91.	1.

Ordo III. *Lepidoptera*. *Sommerfugl*

48.	<i>Papilio Priamus</i>	81.	1.
—	<i>Sarpedon</i>	2.	1.
—	<i>Ulysses</i>	82.	1.
—	<i>Machaon</i> <i>Svalskaben</i>	20.	1-3.
—	<i>Podalirius</i>	—	4-6.
—	<i>Melpomene</i>	4.	2.
—	<i>Apollo</i> (<i>Heliconius</i>)	21.	1-4.
—	<i>crataegi</i>	1.	1-3.
—	<i>brassicae</i>	6.	1.
—	<i>rapae</i>	—	2.
—	<i>napi</i> <i>Kaal-sommerfugl</i>	83.	1.
—	<i>cardamines</i>	21.	5-7.
—	<i>Philea</i>	4.	1.
—	<i>rhamni</i> <i>Citron-sommerfugl</i>	54.	1 a. b.
—	<i>Hyperanthus</i>	83.	2.
—	<i>Jo</i> <i>Dag-paar-fugl</i>	22.	1-3.
—	<i>Galathea</i>	55.	1.
—	<i>cardui</i>	22.	4-6.
—	<i>Iris</i>	23.	4-6.
—	<i>Antiopa</i> <i>Sorg-kaalen</i>	—	1-3.
—	<i>Polychloros</i>	56.	1-3.
—	<i>urticae</i> <i>Klode-sommerfugl</i>	24.	1-3.
—	<i>C album</i>	—	4-6.
—	<i>Atalanta</i> <i>Admiralen</i>	—	7-10.
—	<i>Paphia</i>	57.	1-3.
—	<i>Aglaia</i>	58.	1-4.
—	<i>pruni</i>	59.	1.
—	<i>Cyllarus</i>	55.	1-6.
—	<i>Adonis</i>	41.	5-6.

VII

		Tab.	Fig.
48.	<i>Papilio</i> Hippothoë	55.	1. c.
—	malvae	59.	2.
49.	<i>Sphinx</i> ocellata	25.	1-3.
—	Nerei	—	4-6.
—	corymbuli	26.	1-4.
—	ligustri . <i>Ligustersphinx</i>	27.	1-3.
—	Atropos	28.	1-3.
—	Celerio	60.	1-3.
—	Elpenor	27.	4-6.
—	Porcellus	59.	3.
—	euphorbiae	29.	1-3.
—	stellatarum	59.	4.
—	fuciformis	38.	3.
—	filipendulae	61.	7-9.
—	Phegea	84.	1.
50.	<i>Phalaena</i> Atlas	37.	2.
—	Paphia	3.	2.
—	Pavonia minor	39.	4-6.
—	— major	30.	1-3.
—	militaris	2.	2.
—	pyraeifolia	56.	4-6.
—	Vinula	61.	4-6.
—	versicolor	38.	2.
—	mori . <i>Lithocarpus</i>	31. 32.	2.
—	Neustria	61.	1-3.
—	Bucephala	40.	7-9.
—	Caja	29.	4-6.
—	Hebe	38.	4.
—	Monacha	41.	2.
—	dispar foemina	57.	4-6.
—	— mas	84.	2.
—	chrysorrhoea	62.	4.
—	coeruleocephala	—	2.
—	Cossus	39.	1-3.
—	purpurea	40.	4-6.
—	matronula (Ph. matronella)	38.	1.
—	aesculi	85.	1-4.
—	antiqva	62.	3.
—	dominula	40.	1-3.
—	Hera	42.	2-4.

		Tab.	Fig.
50.	<i>Phalaena alniaria</i>	41.	1-4.
—	Wawaria	63.	5.
—	grossulariata	—	1.
—	viridana	—	2.
—	farinalis	98.	2.
—	sponsa	42.	5-7.
—	Pacta	62.	1.
—	Paranympha	4.	3.
—	fraxini	42.	1.
—	meticulosa	58.	5-7.
—	mellonella	63.	4.
—	Geodartella	98.	3.
—	Linneella	—	4.
—	granella	63.	3.
—	sarcitella	99.	1.
—	hexadaetyla	98.	5.
—	humuli	86.	1-4.

Ordo IV. Neuroptera. *Kiefvingede*

51.	<i>Libellula depressa</i>	64.	1.
—	Virgo	—	2.
—	Puella	—	3.
52.	<i>Ephemera vulgata</i>	87.	1.
53.	<i>Phryganea bicaudata</i>	—	2.
—	striata	98.	6.
—	rhombica	49.	4.
54.	<i>Hemerobius Perla</i>	55.	3.
—	pulsatorius (Termiculus pulsat.)	96.	2.
55.	<i>Myrmeleon formicarius</i>	33.	1.2.
56.	<i>Panorpa communis</i>	87.	3.
57.	<i>Raphidia Ophiopsis</i>	54.	2.

Ordo V. Hymenoptera. *Aarevingede*

58.	<i>Cynips rosae</i>	37.	4.
—	quereus folii	33.	a-d.
59.	<i>Tenthredo lutea</i>	38.	1.
—	capreae	—	2.
60.	<i>Sirex Gigas</i>	53.	2.
61.	<i>Ichneumon persvasorius</i>	33.	3.
—	luteus	39.	1.
—	aphidum	—	2.
—	comitator	38.	4.
62.	<i>Sphex sabulosa</i>	39.	3.
—	cribraria	—	4.
63.	<i>Chrysis ignita</i>	—	5.
64.	<i>Vespa Crabro</i>	90.	1.
—	vulgaris	—	2.
65.	<i>Apis centuncularis</i>	91.	2.
—	mellifica	34.	2.

IX

		Tab.	Fig.
65.	<i>Apis</i> violacea	91.	3.
—	terrestris	—	4.
—	muscorum	—	5.
—	cementaria	98.	7.
66.	<i>Formica</i> herculeana	92.	1.
—	rufa	—	2.
—	rubra	—	3.
—	caespitum	93.	2.
—	cephalotes	—	3.
—	nigra	—	1.
—	(villosa coccinea)	35.	1.
67.	<i>Termes</i> fatalis	9.	2.
68.	<i>Mutilla</i> occidentalis	98.	3.

Ordo VI. *Diptera.* = *Tvingede*

69.	<i>Oestrus</i> bovis	10.	1.
—	tarandi	—	2.
—	nasalis	—	3.
—	haemorrhoidalis	—	4. 5.
—	ovis	—	6.
70.	<i>Tidula</i> oleracea	99.	2.
—	plumosa	—	3.
—	phalaenoides	—	4.
71.	<i>Musca</i> vomitoria	93.	4.
—	earnaria	94.	1.
—	domestica	35.	2. 3.
—	cellaris	98.	9.
—	meteorica	94.	2.
—	putris	100.	1.
72.	<i>Tabanus</i> bovinus	94.	3.
73.	<i>Culex</i> pipiens	11.	1.
—	reptans	94.	4.
74.	<i>Empis</i> pennipes	95.	1.
75.	<i>Stomoxys</i> calcitrans (Conops calc.)	—	2.
76.	<i>Asilus</i> crabroniformis	—	3.
77.	<i>Bombylius</i> major	—	4.
78.	<i>Hippobosca</i> equina	—	5.
—	ovina	—	6.

Ordo VII. *Aptera.* = *Uvingede*

79.	<i>Lepisma</i> saccharinum	96.	1.
80.	<i>Podura</i> fimetaria	98.	10.
81.	<i>Pediculus</i> humanus	35.	4. 5.
—	pubis	96.	3.
82.	<i>Pulex</i> irritans	36.	a-h.
—	penetrans	—	k.
—	seignis	—	i.
85.	<i>Acarus</i> Ricinus	96.	4.
—	Siro	17.	5. 6.

		Tab.	Fig.
83.	<i>Acarus</i> (chelopus)	48.	3.
84.	(<i>Trombidium</i> phalangioides)	—	1.
85.	(<i>Rhynchoprion</i> columbae)	—	4.
86.	(<i>Argulus</i> Delphinus)	—	5.
87.	<i>Hydrachna</i> despiciens	96.	5.
	— (histrionica)	48.	2.
88.	<i>Phalangium</i> balaenarum	105.	1.
	— <i>Opilio</i>	100.	2.
	— caneroides (<i>Chelifer</i> caner.)	48.	6.
	— (rufum)	43.	4.
89.	<i>Aranea</i> <i>Diadema</i>	65.	7. 8.
	— domestica	100.	3.
	— saccata	—	5.
	— <i>Tarantula</i>	43.	2.
	— scenica	100.	4.
	— avicularia	43.	1.
	— spithamea	99.	5.
	— eurassavica	44.	3.
90.	<i>Scorpio</i> afer	44.	1.
	— americanus	—	2.
	— europaeus	43.	3.
91.	<i>Cancer</i> <i>Pinnothera</i>	103.	1.
	— ruricola	46.	1.
	— vocans	101.	1.
	— <i>Moenas</i>	102.	1.
	— <i>Pagurus</i>	45.	1.
	— ursus major	47.	2.
	— <i>Maja</i>	102.	2.
	— <i>Bernhardus</i>	45.	2.
	— <i>Eremita</i>	46.	2.
	— <i>Gammarus</i>	8.	1.
	— <i>Astacus</i>	66.	1.
	— <i>Elephas</i>	47.	3.
	— <i>Squilla</i>	104.	1.
	— norvegicus	47.	1.
	— <i>Mantis</i>	103.	2.
	— <i>Pulex</i>	66.	2.
92.	<i>Monoculus</i> quadricornis	104.	4.
	— <i>Pulex</i>	—	3.
	— <i>Polyphemus</i>	105.	2.
	— <i>Apus</i>	104.	2.
93.	<i>Oniscus</i> ceti	106.	2.
	— <i>Asellus</i>	—	1.
94.	<i>Scolopendra</i> lagura	105.	3.
	— morsitans	106.	3.
	— electrica	105.	4.
95.	<i>Julus</i> terrestris	106.	4.

Pl. II.

Pl. III.

Pl. IV.

3

4

2c

2b

1a

1b

Pl. II.

2a

1d

2d

1c

PL. X.

Pl. XI.

PLXII.

PL. XIX

Pl. XXII.

PLXXXIII.

PLXXXV.

PLXLVI.

XLIX.

I.

III.

LIII.

LIV.

LV.

LVI.

LVII.

LVIII.

LIX.

LXI.

LXII.

LXIV.

LXVII.

2a

2b

1

LXVII.

LXVIII.

LXIX.

4a

4b

2

1

3

LXX.

3

LXXII.

Pl. LXXIII.

Pl. LXXV.

Pl. LXXVII.

Pl. LXXVII.

2

3

4

f

Pl. LXXY.

Pl LXXXIV.

1

2

Pl. LXXIV.

Pl. LXXVI.

1

3

4

Pl. LXXXVIII.

Pl. XCI.

Pl. XCII.

PL. XCIV.

Pl. XCVI.

Pl. Ic.

Pl. C.

1

a

b

2

3

4

5

Pl. cl.

1

2

Pl. CIII.

Pl. CVI.