CASPARI BAVHINI
Basil. Archiatri
CATALOGVS
PLANTARVM

CIRCA BASILEAM
spontè nascentium

cum earundem Synonymiis & locis
in quibus reperiuntur:

in usum Scholæ Medicæ, quæ Basileæ est.

GALENUS 1. de Antidot. 5.

Medicus, omnium STIRPIVM, si fieri potest, peritiam habeat, consulo: sin minùs, plurimum saltem, quibus frequenter utimur.

1 6

2 2.

Mo. Bot. Garden,
1893

BASILEÆ,
Typis JOHAN. JACOBI GENATHII,
Academiæ Typographi.

Ad Medicinæ Studiosos.

EN, usibus vestris ut inserviam, Catalogum plantarum circa urbem nostram ad miliaris circuitum nascentium, exhibeo, non solum locis natalitiis additis, verum etiam nominibus eorum authorum, quos communiter manibus teritis, Tragi videlicet, Matthioli, Fuchsii, Dodonæi, Lobelii & Tabernamontani. At ubi plantarum, quas proponimus, aliqua apud illos non extat, alterius authoris nomen, ut Cordi, Clusii, Lugdun. historiae & Columnæ &c. addidimus: plura nomina qui desiderat, ea in Pinace nostro, qui ad sex millia plantarum exhibet, inveniet: in quo præter Dioscoridis, Theophrasti, & Plinii, omnium authorum, qui à seculo scripserunt, plantæ methodicè digestæ, cum Synonymiis & earum differentiis proponuntur: qui liber, non solum Theatri nostri Botanici, quod præ manibus habemus, verum etiam in omnes Herbarios Index esse potest: & quia frequenter in montem Wasserfall (licet aliquot miliaribus ab urbe distet) exspatiari soletis, & ejus montis plantas hîc notare placuit. His feliciter valete, & authori favete. Cal. April. M. DC. XXII.

FERNELIUS in sua Methodo medendi.

Simplicium cognitio, collectio, delectus, expurgatio, conservatio, præparatio, correctio & miscendi industria, seorsum ad Pharmacopæos referuntur ac pertinent: quorum tamen imprimis & Medicum gnarum peritumque esse oportet, siquidem apud artis ministros auctoritatem, dignitatemque suam retinere ac tueri velit, quas docere hæc ipsa debet.

C A T A L O G U S
C I R C A B A S I L E A M
N A S C E N T I U M
Plantarum.

PLANTARUM circa Basileam nascentium Catalogum proposituri, quâ in Pinace, Prodromo & Theatro Methodo usi sumus, eandem & hic observabimus, & à GRAMINIBUS initium faciemus.

GRAMEN caninū arvense, quod Gramen *Gramina.* Dioscoridi: Gramen, Dod. Gra. canarium medicatum, Lob. caninum, Tab. Passim in agris.

Gramen caninum vineale: quod primum in Prodromo describitur: in vinearum viis, solo aliquantulum duriore.

Gramen caninum supinum minus: caninū supinum, Lob. secundum, Tab. In areolis horretorum, & passim in viis: ad mœnia; ad parietes.

Gramen murorum radice repente: quod 5. in Prodromo. In muris fossarum interiorum urbis: aliquando in tectis.

Gramen nodosum avenaceâ paniculâ: bulbosum, nodosum, Lob. bulbosum, Tab. Agro-

steos alterum genus, Dod. In agris ad patibulum Crentzacense, & ~~paris montans~~ circa Wasserfall.

Gramen tremulum majus: Lolium 10/Trag. Gramen leporinum, Tab. Phalaris pratensis minor, Lob. Variat paniculae colore viridi, spadiceo. In pratis.

Gramen tremulum minus, panicula parva: quod 9. in Prod. In pratis montosis & ericetis.

Gramen pratense paniculatum molle: lanatum, Lugd. In pratis aridioribus, & montibus.

Gramen pratense paniculatum majus latiore folio: Gramen vulgo cognitum, Trag: pratense vulgatius, Lob. pratense i. Dod. alterum & vulgare, Tab.

Gramen pratense paniculatum majus angustiore folio: quod 10. in Prod. Variat panicula & glumis longioribus. In pratis & dumetis ad ripam Wieselae fluminis.

Gramen pratense paniculatum medium: minus, Lob. Tab. pratense secundum, Dod. Variat latiore & angustiore folio: est majus & minus. In pratis aridioribus.

Gramen arvense panicula crispâ: Gramen, Matth. minimum Xerampelinum, Lob. Passim in agris, locis siccioribus: ad ripam Rheni, Wieselae & circa Mönchenstein.

Gramen segetum altissimum panicula sparsâ: segetum, panicula speciosa latiore, Lob. segetale sive arvense paniculatum, Tab. Inter segetes passim: & in dumetis circa Kliben.

Gramen

Gramen segetum paniculâ arundinaceâ:
Gramen loliaceum 8. Trag. pratenſe 3. Dod. A-
grorû venti ſpica, Lob. Gra. harundinaceum
arvenſe, Tab. Inter ſegetes, & Michelfeldæ
in pratis paludofis. Paniculâ flavente & ſpa-
diceâ variat.

Gramen montanum panicula ſpadicea, de-
licatiore majus & minus: quod 12. in Prod. ma-
jus in Crentzachi montis ſaxofis: minus in
monte Waſſerfall.

Gramen paluſtre paniculatum altiffimum:
aquaticum harundinaceum paniculatû, Tab.
Michelfeldæ & Crentzachi.

Gramen paluſtre paniculatum minus: quod
16. in Prod. in dumetis humidis circa montem
Crentzacenſem provenit: & in udjs Michel-
feldenſibus altius exſurgit.

Gramen aquaticum paniculatû latifolium:
Lolii 9. genus, Trag. Gramen majus aquati-
cum, Lob. harundinaceum paniculatum, Tab.
Ad ripam Wieſæ.

Gramen aquaticû fluitans multiplici ſpicâ:
Gra. anatum, Trag. aquis innatans, Lob. flu-
viale, Tab. In aquis ſtagnantibus.

Gramen pratenſe criſtatû, ſive ſpicâ criſtatâ
læve: quod 18. in Prod. Crescit in pratis infra
patibulû: aliquando ad mœnia: in monte Waſ-
ſerfall ſpicâ elegantiore & denſiore reperitur.

Gramen ſpicâ criſtatâ ſubhirsutum: quod
19. in Prod. In dumetis circa Cliben copioſè
provenit: & in ripa Wieſæ prope pontem.

Gramen pratenſe ſpicâ flavefcente: antho-
xanthon, Lugd. In pratis ſiccioribus.

Gramen ſpicatum folio aſpero: ſpicatum,
Lugd. Variat, folio nonnunquam articulato,
& floribus, qui apud nos pallidè lutei, in pratis
montium frigidorum, ſubrubei ſunt.

Gramen caryophyllatæ foliis ſpicâ divulſâ:
ſpicatum foliis Veronicæ caryophyllatæ, Lob.
caryophyllatum, Tab. Communiter ſpicâ di-
vulſâ, rarius ſimplici. Reperitur majus in pra-
tis humidis, minus in ſiccis.

Gramen ſpicatum anguſtifolium monta-
num: quod 20. in Prod. In montofis Majo
menſe floret.

Gramen ſylvaticum anguſtifolium ſpicâ
albâ: quod 21. in Prod. In ſylvis humidis Hün-
ningenſium.

Gramen caryophyllatum nemoroſum ſpicâ
multiplici: quod 22. in Prod. In dumetis um-
broſis & humidis ad Birſam & Wiefam. Huic
non multum diſſimile, ſed radice magis geni-
culatâ, in via Riehana ad ſepes.

Gramen caryophyllatum montanum ſpicâ
variâ, quod 23. in Prod. In vicinis collibus &
montibus, præſertim in Muteto, locis ſaxoſis.

Gramen ſpicatum foliis & ſpicis hirsutis
mollibus: 24. in Prod. In dumetis quibusdam
ad agros Hünningenſium, & in ſaliceris Mi-
chelfeldæ Hüniningam verſus copioſè.

Gramen typhoides maximum ſpica longiſ-
ſima; quod 25. in Prodromo. In dumetis qui-
busdam

busdam ad agros Hünningensium: & in salicetis Michelfeldæ Hünningam versus copiosè.

Gramen typhoides molle: alopecuroides, Lob. alopecurinum 1. Tab.

Gramen typhoides asperum primum: typhinum 1. Tab. In arenosis: non rarò in vineis.

Gramen typhoides asperum alterum; typhinum, Lob. typhinum 2. Tab. pratense 7. Dod. In montosis.

Gramen typhoides spicâ angustiore & longiore: alopecuroides minus alterum, Lob. alopecurinum 2. Tab. In agris uliginosis circa pagum Bencken prope Landskron.

Gramen typhoides cålmo reclinato: alopecuroides minus, Lob. alopecur. 3. Tab.

Gramen typhoides spicâ multiplici: Calamogrostis prima, Trag. typhinum 3. Tab. In humidis.

Gramen tomentosum paniculâ sparsâ, Gnaphalium Diosc. Trag. Juncus bombycinus, Lob. Gra. eriophorum, Dod. Gra. tomentosum, Tab. In pratis paludosis Michelfeldæ.

Gramen sparteum Basileense capillaceo folio: quod 29. in Prod. In paludibus Michelfeldæ ad cespites.

Gramen foliolis junceis brevibus majus radice nigra: quod 34. in Prod. Ad mœnia: & passim in muris: Michelfeldæ in pratis.

Gramen foliolis junceis brevibus minus: exile durius, Lob. minus duriusculum, Tab. Ad ripam Rheni versus Crentzachum.

Gramen junceum polystachion: junceum 2. vel junceum aquaticum majus, Tab. In paludosis.

Gramen junceum folio articulato sylvaticum: junceum 1. vel junceum nemorosum, Tab. Ad Birsam in arenosis.

Gramen junceum folio articulato aquaticum: aquaticum alterum, Lob. aquaticum, Tab. Habetur majus & minus, Thallio monete: in majore, post scenisecium caulis novus palmaris excrefcit, cui non amplius capitula corymbacea insident, sed utriculi unciales paleacei in capillameta filsi, modo virides, modo purpurascences: rarissime cum corymbis utriculi reperiuntur. In arenosis ad Birsam & Rhenum circa Hünningen: & Michelfeldæ in pratis.

Gramen junceum foliis & spicâ junci minus: junceum marinum dense stipatum, Lob. junceum 5. vel aquaticum minus, Tab. In umbrosis & humidis montis Crentzacensis.

Gramen junceum spicatum seu triglochin: Calamagrostis 2. quoad icon. Trag. Gra. marinum spicatum 2. Lob. junceum 4. vel spicatum, Tab. In palustribus Michelfeldens.

Gramen cyperoides latifolium spicâ ruffâ, sive caule triangulo: Graminis 4. genus, Trag. cyperoides, Lob. Tab. In aquosis passim; præsertim in palustribus Michelfeldens.

Gramen cyperoides angustifolium spicâ spadiceo-viridi minus; quod 41. in Prod. In arenosis ad Birsam.

Gramen cyperoides angustifolium spicis longis erectis: palustre majus, Lob. In paludosis ad Birsam circa D. Jacobũ & Briglingen.

Gramen cyperoides spicâ pendula brevior. Pseudocyperus, Lob. Dod. Majus & minus habetur.

Gramen cyperoides palustre majus spicâ compactâ: palustre cyperoides, Lob. cyperinũ palustre, Tab. In paludibus Michelfeldens.

Gramen cyperoides spicis minoribus, minus compactis: quod 43. in Prod. Ad rivulum molendinarium trans Rhenum, quod latioribus & longioribus foliis, spicis majoribus: & non procul Riehâ in via ad sepes, à priore spicis rarioribus & minoribus differens.

Gramen cyperoides palustre majus spicâ divisâ: cyperoides parvum aquaticum, Lob. cyperinum palustre minus, Tab. In palud. Michelfeld.

Gramen cyperoides minus paniculâ sparsâ subflavescente: Calamagrostis 3. Träg. quoad icon.

Gramen cyperoides minus paniculâ sparsâ nigricante. Utrumque in paludosis pratis Michelfeldæ.

Gramen cyperoides miliaceum: Cyperus graminea sive miliacea, Lob. In pratis humidis ad rivulos.

Gramen arundinaceum spicâ multiplici: Calamagrostis vel arundinaceũ, Lob. arundinaceum majus, Tab. In arenosis ad Birsam

reperitur spicâ crassiore : in dumetis humidis montis Muteti spicâ tenuiore.

Gramen arundinaceum paniculâ molli spadicâ : tomentosum & acerosum, vulgi Gra. plumosum, Lob. In aquis circa Michelfelden & monte Crentzach.

Gramen arundinaceum enode minus sylvaticum : Scirpi alterum genus, Trag. In monte Wasserfall: & sylva Wilensi.

Gramen nemorosum paniculis albis capillaceo folio: quod 45. in Prod. In Querceto non longè Michelfelden.

Gramen nemorosum spicâ rufescēte molli: sylvaticum, sive nemorosum 1. Tab. In paludosis Michelfeldens. ad ipsos cespites.

Gramen nemorosum spicis parvis asperis: sylvaticum 3. Tab. Variat latiore folio, in dumetis circa Hüningam: angustiore, in pratis Michelfeldens.

Gramen nemorosum caliculis paleaceis: Holostium Matthioli, Lob. Gramen junceum 6. vel bufonium, Tab. Repens & erectum circa Mönchenstein & Michelfelden.

Gramen hirsutum latifolium minus junceâ paniculâ. Majus & minus: in montibus Mutero & Crentzacho.

Gramen hirsutum capitulis Psyllii: hirsutum cyperoides, Lob. cyperinum pilosum, Tab. In monte Crentzach & Mutero.

Gramen hirsutum capitulo globoso: lucidum, Tab. In Crentzacho.

Gramen

Gramen hirsutum angustifolium majus: quod 27. in Prod. In paludosis pratis Michelfeldensibus & monte Muteto.

Gramen palustre aculeatum Germanicum, vel minus: palustre echinatum, Lob. Variat spicis longioribus, rotundioribus, sæpè in eadem planta. Locis aquosis & arenosis ad Birsam: & Michelfeldæ.

Gramen dactylon folio arundinaceo majus Germanicum: In arenosis ad Rhenum.

Gramen dactylon folio latiore: Sanguinaria, Tragi: Ischæmon vulgare, Lob. Ischæmon & Gramen sanguinariū, Tab. In areolis hor-
torum: fimetis & agris passim.

Gramen dactylon angustifolium spicis vil-
lofis: Ischæmon 2. Tab. Locis incultis passim: in via versus Crentzachum ad Rhenum.

Gramen dactylon esculentū: manne, Matth. primum, Dod. & Tab. mannæ esculentum, Lob. In vineis quibusdam.

Gramen paniceum spicâ divisâ: Panicum fyl. Matth. Lob. Tab. Gramen mannæ alterū, Dod. Locis incultis & fimetis.

Gramen paniceum spicâ aristis longis ar-
matâ: Panici effigie gramen aristis circumval-
latum, Lob. paniceum 2. Tab. Iisdem, quibus prius, locis.

Gramen paniceū spicâ simplici: ἐλυμαίνουσι:
Lolium 6. Trag. Panici effigie gramen simpli-
ci spicâ, Lob. Gra. paniceum 1. Tab. In agris
& locis incultis.

Gramen paniceum spicâ asperâ: Lolium 7. Trag. Gram. geniculatum, Tab. Circa Mönchenstein & in agro prope montem Dornacensem.

Gramen montanū paniculâ miliaceâ sparsâ: quod 50. in Prod. In monte Crentzach.

Gramen Sorghi paniculâ erectum: Gramen pratenſe 5. Dod. Sorghi effigie, Lob. Sorghinum, Tab. In agris circa Hünningen.

Gramen latifolium spicâ triticeâ latiore compactâ; quod 53. in Prod. Variat latiore & angustiore folio. Ad agrorum margines.

Gramen angustifolium spicâ triticeâ compactâ: quod 55. in Prod. Ad ſepes locis aridioribus extra portam Blasianam.

Gramen angustifolium spicâ tritici muticæ ſimili: quod 56. in Prod.

Gramen spicâ ſecalinâ: quod 57. in Prod. In agris frumentaceis.

Gramen spicâ brizæ majus: quod 58. in Prod. Locis acclivibus ad Rheni ripam: & montis Crentzacēſis aſcenſum: & prope Cliben in dumeris.

Gramen hordeaceum montanum ſive majus: Gram. loliacei tertium genus majus, Thal. In monte Waſſerfall.

Gramen hordeaceū minus & vulgare: Lolium 3. Trag. Hordeum ſive Triticum murinū, Dod. Hordeum ſpontaneum ſpurium, Lob. Tab. Paſſim ad parietes & vias.

Gramen loliaceum spicâ longiore: Lolium, Matth.

Matth. Dod. Tab. & *Triticum temulentum*,
Lob. Inter segetes.

Gramen loliaceum latifolium spicâ angustiore: quod 60. in Prod. Variat foliis longioribus & brevioribus. Circa Cliben.

Gramen loliaceum angustiore folio & spicâ:
Lolium 4. Trag. Phœnix, Dod. *Hordeum murinum*, Lob. Tab. In viis solo duriore passim.

Festuca graminea glumis hirsutis: *Lolium* 1. Trag. quoad icon. at 2. desc. *Bromos sterilis* altera, Lob. *Festuca altera*, Dod. *Symphonium*, *Bromos herba*, Tab. Variat spicis aliquando in fasciculum compactis: aliquando dispersis: sic aliquando glabris, aliquando hirsutis.

Festuca graminea glumis vacuis: quod 64. in Prod. Ultraque inter segetes: hæc non raro etiam in muris & tectis.

Festuca avenacea sterilis elatior: *Lolii* 1. genus, Trag. desc. *Ægilops prima*, Matth. *Bromos herba*, Dod. *Bromos sterilis*, Lob. *Ægilops* 1. & *Avena fatua*, Tab. In pratis.

Festuca avenacea sterilis humilior: *Lolii* 5. genus, Trag.

Festuca pratensis lanuginosa: 68. in Prod. Passim in pratis.

Festuca dumetorum: 69. in Prod. In dumetis circa Birsam & alibi in vepribus locis siccioribus.

Festuca dumetorum angustissimis & pilosis foliis: 79. in Prod. In dumetis circa Cliben.

Gramen montanum avenaceum locustis rubris: quod 71. in Prod. In monte Muteto & Crentzacensi: in dumetis etiam ad Birlam & Wieselam.

Gramen glumis variis, quod 73. in Prod. In valle montis Muteti ad radicē primæ arcis.

Juncus.

JUNCUS maximus, sive Scirpus major, vel Mariscus Plinii: Juncus aquaticus maximus, Lob. Juncus palustris major, Trag. & Tab. In paludib. ad Rhenum infra Hünningen.

Juncus levis paniculâ sparsâ major: Juncus vulgaris alter, Trag. Juncus lævis, Dod. lævis vulgatus paniculâ sparsâ, Lob. Michelfeldæ: & ad Birlam: & Birsecum.

Juncus lævis paniculâ non sparsâ: Juncus, Matth. lævis glomerato flore, Lob. Juncus pal. minor, Tab. Ad Birsecum extra portam lapideam.

Juncus acumine reflexo major: Juncus lævis, Tab. In paludosis Michelfeldæ.

Juncus capitulis Equiseti major: Juncus aquaticus minor capitulis Equiseti, Lob. In aquis stagnantibus ad Birlam, ubi latiore est folio: ut in pratis palustribus Michelfeldæ, angustiore est folio.

Juncus floridus major: Calamagrostis 2. Trag. Juncus floridus, Matth. cyperoides floridus paludosus, Lob. Tab. Gladiolus aquatilis, Dod. In paludosis Michelfeldæ.

CYPERUS longus inodorus sylvaticus: *Cyperus.*
qui in Prod. describitur. In humidis montis
Muteti.

SPARGANIUM ramosum: Sparganiū, *Sparganiū.*
Trag. Matth. Lob. Tab. Platanaria, Dod. In
paludosis Michelfeldæ: & aquis stagnantibus
ad Wiefam, & Novam domum.

EQUISETUM palustre, Linaria scopariae folio: quod 1. in Prod. In paludibus Michelfeldæ. *Equisetum.*

Equisetum palustre longioribus setis: Equisetum 1. Matth. 2. Tab. Hippuris, Lob. major, Dod. Hippuris 1. Diosc. Tab. Michelfeldæ.

Equisetum palustre brevioribus setis: Equis. palustre, Lob. Michelfeldæ.

Equisetum palustre brevioribus foliis polyspermon: Polygonon fœmina, Matth. Dod. Tab. semine vidua, Lob. Michelfeldæ.

Equisetum palustre minus polystachion: quod 2. in Prod. Michelfeldæ.

Equisetum palustre tenuissimis & longissimis setis: quod 3. in Prod. Michelfeldæ.

Equisetum pratense longissimis setis: Hippuris altera, Trag. Equisetum Fuch. alterum, Matth. Hippuris fontalis & Equisetū 2. Diosc. Lob. Equis. palustre majus, Tab. In pratis uliginosis Mutetæ, & aliis passim.

Equisetum arvense longioribus setis: Hippuris

puris minor, Trag. Dod. Polygonum fœmina, Fuch. Equif. alterum, Lob. Hippuris arvensis major, Tab. In agris cœnosis & uliginosis ad pratum Sclopetariorum.

Equisetum foliis nudum nō ramosum: Hippuris major, Trag. Hippuris sine foliis & nuda, Tab. Michelfeldæ & ad Birsam.

Equisetum foliis nudum ramosum: Equisetum 3. Matth. Hippuris minor, Lob. & Dod. Iisdem cum priore locis.

Equisetum nudum minus variegatū Basileense: quod 4. in Prod. Ad Rhenū bey der Baar.

Equisetum fœtidum sub aqua repens: quod 5. in Prod. Equiseti 5. genus minimum, Lugd. Cis pontem Birsæ, Michelfeldæ, & Hünigæ in fossis.

Arundo. A R U N D O vulgaris, sive *φραγμίτης* Dioscoridis: Harund. 5. genus, Trag. vallatoria, Lob. palustris, Matth. Tab. In aquis, præsertim Michelfeldæ, & piscinis.

Typha. T Y P H A palustris major: Typha, Matth. Fuch. Lob. Tab. aquatica, Trag. & Dod. In paludibus Michelfeldæ, & piscinis.

I N T E R F R U M E N T A , quæ seri communi-
ter in quotidianos usus consue-
vère, sunt:

Triticum. T R I T I C U M hibernum aristis carens: Tritici 1. genus, Trag. Siligo, spica mutica (quasi

(quasi mutila, cum aristis careat) Lob. Triticum, Dod. Tab.

ZE A, Briza dicta, vel Monococcus Germanica: Spelta 1. Trag. icon. Zea simplex, Matth. altera, Fuch. Zea monococcus, Lob. Tab. Zea.

Zea dicoccus, vel major: Spelta 2. Trag. icon. Zea, Dod. dicoccus, Matth. Zeæ primum genus, Fuch. Zea ador, Tab.

Zea Amylæa, vel Zeopyrum Amylæum: Triticum 2. Trag. Fuch. Frumentum vel Triticum Amylæum, Dod. Tab. Hoc in pago Riehen unus vel alter ferit; quod Emmeren & Emmerforn vocant.

HORDEUM polystichon hybernum: Hordeum, Matth. Dod. Lob. majus, Trag. polystichum, Tab. Hordeum.

Hordeum polystichon vernum: & Lob. Hord. polyst. æstivum, Tab.

Hordeum distichon: Hordeum minus: Trag. distichum, Fuch. Dod. Lob. Tab.

SECALE hybernum vel majus: Siligo veterum, Trag. Secale, Matth. Fuch. Lob. Tab. Rogga sive Secale, Dod. Secale.

Secale vernum vel minus: Siligo æstiva, Trag. Rogga sive Secale æstivum, Dod.

Secale luxurians: Clavi Siliginis, Lon. Secales mater, Thal.

Avena. A V E N A vulgaris seu alba: Avena, Matth. Fuch. Dod. Tab. sativa, Trag. vesca, Lob.

Ustilago. U S T I L A G O Secales: Ustilago, Trag. Dod. Lob. Secalina, Tab.

Ustilago Hordei; Ustilago polystichi & distichi, Lob.

Ustilago Avenæ: & Lob. Tab.

Milium. M I L I U M semine luteo vel albo: Milium, Trag. Matth. Fuch. Dod. Lob. Tab.

Panicum. P A N I C U M Germanicum, sive paniculâ minore: Milium exiguum, Trag. Panicum, Fuch. Dod. Lob. Tab. Hæc duo Hüningæ potissimum feri solent.

Erysimum Theoph. E R Y S I M U M Theophrasti folio hederaceo: Ocymum veterum, Trag. Frumentum Saracenicum, Matth. Fegopyrum, Dod. Erysimum Theoph. Lob. Ocymum cereale, Tab. In agris ad Otlingen, & Riehen.

Asphodelus. P S E U D O - A S P H O D E L U S alpinus: Pseudoasph. pumilio foliis Iridis, Clus. In monte Crentzach.

Phalangium. P H A L A N G I U M parvo flore non ramosum: Phalangium non ramosum, Lob. Dod. Tab. Michelsfeldæ: & in monte Crentzacensi, & Wasserfall.

Phalangium parvo flore ramofum : Phalangium ramofum, Dod. Lob. Tab. Michelfeldæ & Crenzachi.

I R I S vulgaris Germanica five fylveftris: *Iris*.
Gladiolus cæruleus major, Trag. Iris fyl.
Matth. Tab. Iris Germanica, Fuch. cærulea,
Dod. Mönchenftein ad muros.

Iris pratensis anguftifolia humilior : Xi-
phion feu Gladiolus cæruleus minor, Trag.
Iris minor, feu tenuifolia, Dod. Michelfeldæ
in pratis paluftribus.

A C O R U S adulterinus : & Trag. Acorum *Acorus*.
falſum, Matth. officin. Fuch. Acorus noſtras
paluftris, Lob. Pſeudoiris, Dod. Iris paluftris
lutea, Tab. In aquoſis paſſim, & Michelfeldæ.

H Y A C I N T H U S racemofus cæruleus *Hyacinthus*.
minor juncifolius : Hyacinthus 1. Trag. race-
mofus, Dod. botryoides vulgaris, Lob. Hya-
cinthus cæruleus minor, Tab. In agris ad
pontem Wieſæ: & agris Hornburg dictis pro-
pe portam S. Blafii: & vineis Wilenſibus.

Hyacinthus ſtellaris bifolius Germanicus:
Narcifſus cæruleus, Trag. Hyacinthus cæru-
leus minor mas, Fuch. In ſylvis circa Novam
domum.

Hyacinthus ſtellaris trifolius : Hyacinthus
cæruleus minor ſcæmina, Fuch. ico. Germani-
cus liliflorus ſtellaris, Lob.

Hyacinthus stellaris albus: Narcissus candidus, Trag. Hyacinthus niveus, Fuch. Circa Hiltelingen, & in sylva Wilensi.

Leucoion.

LEUCOION bulbosum vulgare: Viola alba Theoph. Trag. Fuch. Narcissus 7. Matth. Leuconarcissolirion pauciorib. floribus, Lob. Leucoion bulbosum hexaphyllum, Dod. Leucoion bulbosum 1. Tab. In monte Mutero.

Colchicum.

COLCHICUM commune: Colchicum, Trag. Matth. Fuch. Dod. Colchicum sive strangulatorium & Ephemerum crocifolium, Lob. Colchicum masculinum & foemininum, Tab. Paissim in pratis.

Ornithogalum.

ORNITHOGALON umbellatum album angustifolium. Ornith. Lob. secundum, Matth. Bulbus leucanthemos minor, Dod. Bulbus folsequius, Tab. In agris minoris Basileæ & vineis montis Crenzacensis circa pagum Bettingen.

Ornithogalum luteum: Bulbus, Trag. syl. Fuch. Dod. Ornithogalon luteum, Lob. Tab. In agris ad S. Jacobum.

Porrum.

PORRUM commune capitatum: Porrum, Dod. Tab. commune, Matth. capitatum, Fuch. vulgare, Lob. In vineis Wilensibus, & ad Rhenum litis.

Allium.

ALLIUM sylvestre latifolium; Allium Ursi.

Ursinum, Matth. Fuch. Lob. Allium syl. latioris folii, Dod. In sylvis montis Muteti: & Mönchenstein: & dumetis humidis ad Birsam & Michelfelden.

Allium sphærico capite folio latiore: Ampeloprasum 1. Dod. Scorodoprasum, Lob. In agris circa Wieselam.

Allium syl. latifolium capitatum purpurascens: Allium caninū 1. Trag. Alli. syl. 1. Fuch. In saxosis ad ripam Rheni.

Allium sylvestre latifolium capitatum purpurascens majus: Allium syl. tenuifoliū, Lob. Dod. In agris minoris Basileæ circa Wieselam.

Allium sylvestre capitatum purpurascens minus: quod à priore potissimum magnitudine differt, cum palmaris sit & foliis juncis: eodemq; ad Rhenum loco utrumq; reperitur.

Allium montanum bicornis angustifolium, flore purpurascens: Ampeloprasum proliferū, Lob. In dumetis circa Cliben.

L I L I U M floribus reflexis montanum: *Lilium.* Hyacinthus Poëtarum, Trag. Asphodelus fœmina, Fuch. Martagon, Matth. Lilium syl. Dod. montanum, Lob. In monte Muteto & Crentzach.

C Y N O S O R C H I S latifolia hiantes cu- *Orchis.* cullo major: Satyrium mas, Trag. Orchis mas latifolia, Fuch. Testiculus 5. Matth. Testiculus latifolius & Satyrion triphyllon, Tab. Locis herbidis ad Birsam.

Cynosorchis latifolia hiantе cucullo minor: Cynosorchis alter, Dod. Tab. Cynof. majoris 2. species, Lob. In pratis Michelfeldensib.

Cynosorchis angustifolia hiantе cucullo: quæ 1. est in Prod. In montis Muteti pratis.

Cynosorchis militaris major: Cynosorchis 4. Dod. Orchis strateumatica, sive stratiotes major, Lob. Testiculus 5. militaris, Tab. In Muteto.

Cynosorchis militaris minor: Orchis strateumatica minor, Lob. Testiculus strateumaticus minor, Tab. In Muteto.

Cynosorchis militaris mōtana spicâ rubente conglomerata: 2. in Prod. In pratis montosis Mutetæ.

Cynosorchis militaris pratensis elatior, floribus variegatis: quæ 3. in Prod. In pratis Michelfeldensibus & trans Rhenum.

Orchis morio mas foliis maculatis: Testiculus 1. Matth. ico. Orchis mas angustifolia, Fuch. Testiculus morionis mas, Dod. Cynosorchis morio, Lob. morio mas, Tab. In pratis Mutetæ.

Orchis foliis sessilibus non maculatis: Orchis colore vario, vel 5. Clus. descript.

Orchis morio fœmina: Testiculi species 3. Matth. Orchis angustifolia fœmina altera, Fuch. ico. Testiculus morionis fœmina, Dod. Cynosorchis morio fœmina, Lob. morio 3. Tab. In pratis Mutetæ.

Orchis odore hirci breviorе latiorеque folio:

lio: Testiculus hirci, Dod. Lob. primus, Tab.

Orchis odore hirci longiore angustioreque folio: Testiculus hircinus vulgaris, Lob. hircinus 2. Tab. Uterque in pratis montosis Mutetæ: & ad Rhenum bey der Baar.

Orchis bifolia altera: Orchis psychodes diphylla, Lob. Testiculus vulpinus Hermaphroditicus, Tab. in monte Crentzach.

Orchis fucum referens colore rubiginoso: Testiculus vulpinus 2. sphegodes, Lob. In Muteto.

Orchis fucum referens foliolis superioribus candidis & purpurascens: Orchis 6. Trag. Testiculi species 2. Matth. Triorchis foemina, Fuch. Orchis serapias foemina, Dod. Testiculus vulpinus major, Lob. Testiculus 7. sphegodes, Tab. In pratis montosis.

Orchis muscam referens major: Orchis myodes altera, Lob. Testic. muscarius 4. Tab. In monte Muteto.

Orchis muscam referens minor, vel galea & alis herbidis: Orchis angustifolia foemina 3. Fuch. ico, Orchis serapias 3. Dod. In Muteto.

Triorchis lutea folio glabro: Triorch. lutea, Lob. lutea 2. Tab. In colle circa Birsecam arcem.

Triorchis lutea altera: Orchis minor Leodiensis, Lob. Triorchis lutea 1. Tab. In monte Wasserfall.

Triorchis alba odorata minor: Testiculus odoratus, sive Orch. spiralis minor, Lob. Testi-

culus odoratus minor, Dod. Tab. In ericetis circa Michelfelden.

Pseudorchis: Orchis minor radice repente, Cam. In monte Wasserfall.

Orchis palmata pratensis latifolia: Palma Christi major, Matth. desc. Palma Christi & Serapias mas lævi folio, Lob. Palma Christi mas 1. Tab. Satyriū basilic. mas, Dod. In pratis.

Orchis palmata pratensis angustifolia major: 6. in Prod. Michelfeldæ in pratis.

Orchis palmata pratensis maculata: Orchis fœmina altera, Trag. Satyrium basilicum fœmina, Dod. Palma Christi, Serapias fœmina pratensis, Lob. Palma Christi maculata, Tab. Aliquando foliis est non maculatis. In pratis trans Rhenum & supra Briglingen.

Orchis palmata minor calcaribus oblongis: Serapias minor, Lob. Palma Christi minor mas, Tab.

Orchis palmata angustifolia minor: Orchis fœmina, Trag. ico. Palma Christi major, Matth. ico. fœmina, Tab. Satyrium basilicum mas, Fuch. Utraque in pratis Mutetæ.

Orchis palmata angustifolia minor odoratissima: 7. in Prod. In pratis Michelfeldæ, Autumno florens.

Orchis palmata montana maxima: 9. in Prod. In Muteto.

Orchis abortiva: Satyrium 9. Trag. Neotia, Dod. Nidus avis, & Satyrium abortivum, Lob. In monte Crentzacho.

O P H R I S bifolia : Satyrium 10. & Bifo- *Ophris.*
lium, Trag. Ophris, Matth. Fuch. Tab. Pseu-
doorchis, Dod. Bifolium, Lob. Major & minor
in monte Mureto.

Ophris trifolia ; & Tab. Perfoliata fyl. fœ-
mina , Brunf. Major & minor circa arcem
Landskron.

O R O B A N C H E major Caryophyllum o- *Orobanche.*
lens : Orobanche, Matth. Lob. altera , Tab.
Limodoron five Orobanche , Dod. In ripa
Rheni.

Orobanche ramosa : Orobanche quinta,
Lob. Inter cannabim, Michelfeldę præsertim.

R A P U N C U L U S esculentus : Rapunculū *Rapuncu-*
vulgare, Trag. Rapunculus, Matth. Dod. Tab. *lus.*
Rapum fyl. Fuch. Rapuntium parvum & pes
locustæ Avicennæ, Lob. Palsim in pratis : in
dumetis circa Cliben, & in via Riehana hirsu-
tis foliis.

Rapunculus spicatus albus : Rapunculum
fyl. Trag. Rapunculum alopecuron, Dod. Ra-
pontium majus alopecuri comoso flore, Lob.
Rapunculus nemorosus 1. Tab. Foliis macu-
latis & non maculatis: in sylvis montis Mure-
tæ : & Michelfeldæ.

Rapunculus folio oblongo spicâ orbicula-
ri : Rapunculus alopecuroides orbiculari spi-
câ, Clus. in pratis Michelfeld.

Rapunculus Scabiosæ capitulo cæruleo :

Scabiosa minor, Dod. media, Lob. minor 5. Tab. Ad ripam Wiefæ: & inter Riechen & Lö-rach ad margines agrorum.

Rapunculus persicifolius magno flore: Phyteuma, Matth. Campanula media, Dod. persicifolia, Lob. angustifolia, Tab. In dumetis circa Hünningen & monte Crentzach.

Rapunculus nemorosus angustifolius magno flore major: Rapunculus nemorosus 2. Tab. In Crentzacho.

Rapunculus nemorosus angustifolius parvo flore: Rapunculus nemorosus 3. Tab. In collibus & fissuris murorum passim.

Campanula.

CAMPANULA alpina linifolia cærulea: 4. in Prod. in monte Wasserfall.

Campanula minor rotundifolia vulgaris: Campanula syl. minima, Dod. Camp. minor rotundifolia, Lob. Rapunculus syl. minor, Tab. In collibus circa Bünningen & ad Birsam copiosè.

Campanula minor rotundifolia alpina: Campanula alpina minor, Clus. In monte Wasserfall & circa castrum Ramstein Basileensium.

Campanula vulgatiores foliis Urticæ, vel major & asperior: Ulvularia major, Trag. Campanula major, Fuch. Cervicaria major, Dod. Trachelium sive Cervicaria, Lob. In dumetis: & circa Michelfelden: Hünningen, Mönchenstein, &c.

Campanula pratensis flore majore: Ulularia exigua, Trag. Trachelium minus, Lob. Cervicaria 4. Dod. minor, Tab. In pratis passim.

R A P I S T R U M flore luteo: Sinapi agreste *Rapistrum.*
4. Trag. Irion, Fuch. Lamplana, Matth. flore melino, Tab. Rapistrum, Dod. arborum, Lob. Hoc, ut & sequens, passim in agris & vinetis.

Rapistrum flore albo filiquâ articulata: Sinapi agreste 3. Trag. Rapistrum flore albo Erucæ foliis, Lob. Armoracia quibusdam Rapistrum album & purpureum, Tab.

Rapistrum monospermon: 2. in Prod. Circa domum Rubrâ; & in agris ad sylvâ Hünningæ.

R A P H A N U S aquaticus foliis in profundas lacinias divisis: Radicula syl. Dod. Raphanus syl. officinarum aquaticus, Lob. Raph. aquat. Tab. In arenosis ad Birlam & Wieselam.

D R A C U N C U L U S pratensis serrato folio: *Dracunculus.*
Tanacetum album seu acutum, Trag. Tab. *lus.*
Ptarmica, Matth. Fuch. Ptarmica folio Taronis, seu Sternutamentoria, Lob. In pratis humidis ad rivulos.

E R U C A syl. major lutea, caule aspero: *ErUCA.*
eruca syl. Matth. Lob. Dod. Tab. In arenosis ad Wieselam.

ErUCA syl. minor luteo parvoque flore: Sinapi 1. genus syl. Fuch. ico. ErUCA palustris minor, Tab. In pratis humidis ad rivulos.

ErUCA

Eruca lutea latifolia sive *Barbarea*: *Herba S. Barbaræ*, Trag. Fuch. cui & *Scopa regia*, in ico. *Barbarea*, Dod. Lob. Tab. In arenosis humidis ad *Birsam* & *Wiesam*.

Eruca cærulea in arenosis crescens; quæ *Eruca* 5. in Prod. Ad *Birsam*, ut ad pontem, circa *D. Jacobum* & *Münchenstein*.

Sinapi. S I N A P I *Apii folio*: *Sinapi luteum sativum* alterum, Trag. Dod. *Sinapi* 1. Fuch. 2. Matth. *Sinapi agreste apii*, aut potius *laveris folio*, Lob. *Eruca palustris major*, Tab.

Reseda. R E S E D A vulgaris: *Rheseda* *Plinii* *neotericorum*, *Eruca peregrina Italica*, vel *Cantabrica*, Lob. *Reseda latifolia*, Tab. Ludit foliis simplicioribus & in unoquoq; pediculo plurimis: major & minor est. In agris ac muris, locisque arenosis ad *Birsam*.

Luteola. L U T E O L A *herba salicis folio*: *Antirrion*, Trag. *Pseudostruthium*, Matth. *Lutum herba*, Dod. *Luteola*, Lob. *Catanance*, Tab. In arenosis circa *Michelfelden*, & ad *Birsam*.

Erysimum. E R Y S I M U M vulgare: *Verbena fœmina*, Trag. *recta* sive *mas*, Fuch. cui in icon. *Sinapi alterum genus syl.* *Irio* sive *Erysimum*, Dod. Lob. *Erysimum* 1. Tab. Passim in viis, & muris quoque.

Erysimi similis *hirsuta* non *laciniata* floribus albis: *Barbarea muralis*, Joh. Bauhini. In

rude-

rueribus arcis Wartēburg: circa Mönchenstein, & in agris saxosis prope patibulum Novæ domus.

P E R S I C A R I A mitis, maculosa & non *Persicaria*. maculosa: Persicaria, Fuch. Dod. altera, Trag. Matth. Tab. Persicaria mitis maculosa, Lob.

Persicaria urens seu Hydropiper: Hydropiper, Matth. Fuch. Dod. Persicar. urens, Lob. Persic. i genus, Trag. Tab. Utraque ad rivulos passim.

Persicaria angustifolia: in Prod. descripta: Michelfeldæ in humidis.

Persicaria minor: Pulicaria pusilla repens, Lob. Persicar. pumila, Tab. In agris Halktingensibus, & Hüningensibus.

N A S T U R T I U M pratense magno flore: *Nasturtium*. Nasturtium pratense, Trag. agreste, Fuch. at in icon. Hiberis: Flos cuculi, Dod. Cardamine altera, Lob. Sisymbrium aquaticum alterum, Matth. Tab. In humidis pratis.

Nasturtium pratense folio rotundiore, flore majore: Cardamine sive Sisymbrium alterum Diosc. Lob. Cardamine 2. Tab. In vinetis Wilensibus & ad Wiesam.

Nasturtium aquaticum supinum: Nasturtium aquaticum, Trag. Dod. Sisymbrium aquaticum, Matth. primum, Tab. Sisymb. Cardamine, Fuch. Sion Cratevæ Erucæfolium, Lob. In aquis palustribus fluitat.

Nastur.

Nasturtium aquaticum erectum folio longiore: Sion vulgare, Matth. Sion Matth. & Italorum, Lob. Hoc non in aquis, sed arenosis aquarum marginibus reperitur.

Nasturtium aquaticum minus: Sisymbrium aquaticum alterū, vel minus, Cam. ad Matth. Cardamine 4. Dalechampii, Lugd. In alnetis ad Wiefam majus est: in vineis Wilensibus, minus. Sic in arenosis prope Wiefam caule erecto est, & penè aphylo.

Nasturtium syl. Oxyridis folio: Thlaspidii genus, Trag. Thlaspi angustifolium, Fuch. minus, Dod. minus hortense vulgare, Lob. Thl. minus Germanicum, Tab. In arenosis ad D. Jacobum, Michelfeldæ: & ad parietes fossarum interiorū urbis circa portam lapideam: & in monte Carbonario.

Nasturtium syl. tenuissimè divisum: Seriphium Germa. Trag. Nasturt. syl. Fuch. Thaliarum, Tab. Sophia Chirurgorum, Dod. Lob. Ad templum D. Jacobi.

Thlaspi.

THLASPI arvense filiquis latis: Nasturtium 4. Trag. Thlaspi 2. Matth. latius, Dod. Drabæ folio, Lob. Thlaspi majus, Tab.

Thlaspi arvense Vaccariæ incano folio majus: Thlaspi, Trag. 1. Matth. alterum, Dod. latifolium, Fuch. Thlaspi vulgatissimum Vaccariæ folio, Lob. Utrumque in agris.

Thlaspi arvense perfoliatū majus: Thlaspi oleraceum, Tab.

Thla-

Thlaspi perfoliatum minus: Thla. minimū,
Tab. Utraque in agris: item & pratis, & col-
libus ficciore solo.

Thlaspi umbellatum arvense Iberidis folio:
Thlaspidii aliud genus vel 3. Trag. Thl. ama-
rum, Tab. In agris inter segetes.

Thlaspi alpinum bellidis cæruleæ folio:
Thlaspi album supinum, Lob. Tab. In monte
Wasserfall, & circa Dornacū: atq; in Muteto.

Thlaspi alpinum minus capitulo rotundo:
6. in Prod. In monte Wasserfall.

Thlaspi alpinum majus capitulis rotundis:
Thla. 3. Matth. Lugd. In Wasserfall.

Thlaspi montanum incanum luteum ser-
pilli folio majus: Thlaspi supinum luteum,
Lob. circa Dornacum.

Thlaspi Alysson dictum campestre majus:
Alysson, Matth. Thla. Græcum, Lob. Græcum
polygonati folio, Tab. Passim in campestris.

Thlaspi Alysson dictum campestre minus:
Thl. minus clypeatum, Tab. Iisdem cum
priori locis.

BURSA PASTORIS major folio non *Bursa pasto-*
sinuato: in Phytopinace & Prod. descripta. *ris.*

Bursa pastoris major folio sinuato: Bursa
past. Matth. Lob. major, Trag. Tab. pastoria
bursa, Fuch. Dod.

Bursa pastoris media: Burs. pastor. minor,
Tab. Omnes in campestris & viis.

Bursa pastoris minor foliis incis: Pastoria
bursa

bursa minor, Dod. minima, Lob. In agris ad Novam domum.

Bursa pastoris major loculo oblongo: *Draba minima muralis* Dioscoridis, Colum. in Prod. sub 2. descripta. Locis campestribus & siccioribus ad Birsam & circa D. Jacobum & supra Brüglingen in collibus; & Rheni ripa.

Bursa pastoris minor loculo oblongo: *Bursa pastoria* 6. Trag. *Paronychia vulgaris*, Dod. *allinefolia*, Lob. *Alsine minima*, Tab. Passim in arenosis & viis primo Vere.

Bursæ pastoris similis filiquosa major: *Paronychia altera*, Myagri folio, Ges. *Pilosella filiquata major*, Thal.

Bursæ pastoris similis filiquosa minor: *Pilosella filiquata minor*, Thal. In arenosis utraque: circa Cliben & ad pontem Wiefæ.

Myagræ. MYAGRUM sylvestre: *Pseudomyagræ* alterum, Cam. in Matth. *Paronychia* 2. Tab. In agris Hüningsenibus.

Myagræ foetidum: quod 1. in Prod. In arenosis ad pontem Wiefæ.

Draba. DRABA alba filiquosa repens: *Draba altera*, Lob. In monte Dornaco: & ad ponticulum D. Jacobi.

Alliaria. ALLIARIA, (quod folia trita Allium seu porrum cum Nasturtio redoleant) Trag. Matth. Fuch. Dod. Lob. Tab. Passim ad sepes,

B R A S S I C A sylvestris ramosa tota penè *Brassica.*
glabra: Turrita major, Clus. In dumetis qui-
busdam urbis Minoris: ad ripam Rheni.

I S A T I S sylvestris vel angustifolia: Isatis *Isatidis.*
syl. Trag. Matth. Fuch. Dod. Lob. Tab. Ad ri-
pam Rheni.

A C E T O S A pratensis: Oxalis, Trag. Matth. *Acetosa.*
Fuch. Dod. Lob. Tab. In pratis.

Acetosa arvensis lanceolata: Oxalis mini-
ma, Trag. Dod. minor, Matth. vervecina te-
nuifolia sinuata, Lob. Oxalis ovina, Tab.

Acetosa arvensis minima non lanceolata:
Oxalis minima 2. Tab. Ultraque in agris.

L A P A T H U M folio acuto plano: Lapa- *Lapathum.*
thum acutum, Trag. Dod. Lob. Oxylapathum,
Matth. Fuch. Ad sepes, & in ruderibus.

Lapathum folio acuto crispo: Lapathum
acutum crispum, Tab. In aquosis passim.

Lapathum minimum: Lapathum acutum
minimum, Lob. Lapathum minimum, Tab.
In sylva Augustam versùs.

Lapathum unctuosum: Bonus Henricus,
Trag. Matth. Tab. Rumicis 3. genus, Fuch.
Tota bona, Lob. Dod. In fimeris.

Lapathum aquaticum minus: Hydrolapa-
thum minus, Lob. Tab.

Blitum. BLITUM album minus: Blitum, Trag. Fuch. minus, Dod. In fimetis.

Blitum polyspermon: Polyspermon Cas-
siani Bassi, Lob. Polyspermon, Tab. In areno-
sis circa Cliben, Michelfelden, & Riehen: in
pratis quibusdam Minoris urbis, sed folio la-
tiore.

Blitum rubrum minus: Blitum nigrum,
Trag. Blitum rubrum supinū, Lob. In fimetis.

Atriplex. ATRIPLEX sylvestris folio sinuato can-
dicante: Atriplex syl. 2. Matth. syl. vulgatio-
sinuata, Lob. Atriplex syl. Tab.

Atriplex sylvestris altera: Atriplex agrestis,
Trag. sylv. Fuch. Dod. syl. 1. Matth.

Atriplex sylvestris latifolia: Blitū 4. Trag.
Atriplex syl. 3. Matth. syl. latifolia, Lob. Pes
anserinus, Fuch. Dod. Chenopodium 1. Tab.

Atriplex sylvestris latifolia acutiore folio:
Blitum 5. Trag. Chenopodium 2. Tab. In fime-
tis & ruderibus, omnes reperire licet.

Atriplex foetida: Atriplex canina, Trag.
olida, Lob. Garosimum, Dod. Vulvaria, Tab.
In fimetis, sed potissimum ad muros.

Atriplex angusto oblongo folio: Atriplex
syl. humilima, Dod. syl. polygoni aut Helxi-
nes folio, Lob. In ruderibus.

Parietaria. PARIETARIA Officinarum & Diosco-
ridis; Helxine, Matth. Fuch. Lob. Parietaria,
Tab.

Tab. vulgaris & major, Trag. In ruderibus & cœmiteriis.

M E R C U R I A L I S testiculata, five mas *Mercurialis.*
Dioscor. & Plinii: Mercur. Trag. mas, Matth.
Fuch. Dod. Lob. Tab.

Mercurialis spicata, five fœmina Diosc. &
Plinii: Mercur. vulgaris, Trag. fœmina, Matth.
Fuch. Dod. Lob. Tab. In vinetis utraque.

Mercurialis montana testiculata: Mercur.
fyl. Trag. Cynocrambe, Matth. Fuch. Dod.
Lob.

Mercurialis montana spicata: Cynocrambe
five Mercurialis fœmina fyl. Cam. In monte
Muteto utraque.

L A C T U C A sylvestris costâ spinosâ: La- *Lactuca.*
ctuca fyl. Matth. Fuch. Dod. prior, Trag. Seris
domestica, Lob. Ad patibulum, & ripam
Rheni.

Lactuca montana purpureocærulea major:
Libanotis Theoph. sterilis, Tab. In montibus
Muteto & Wasserfall.

S O N C H U S asper non laciniatus: Inty- *Sonchus.*
bus fyl. Trag. Sonchus 3. asperior, Dod. Son-
chus tenerior aculeis asperior, Lob. In agris &
vinetis.

Sonchus asper laciniatus & non laciniatus:
Sonchus aspera, Matth. Fuch. Lob. Sonchus
asper, Dod. Tab. In agris & vinetis.

Sonchus lævis laciniatus latifolius; Inty-

bus syl. seu erratica 3. Trag. Sonchus lævis, Matth. Dod. Sonchus non aspera, Fuch. Sonchus lævis vulgaris foliis laciniatis Dentis leonis, Lob. Sonch. lævis alter flore luteo, & 3. fl. niveo, Tab.

Sonchus lævis laciniatus muralis parvis floribus: Sonchus lævis alter, Matth. alter foliis profundis laciniis sinuato hederaceo, Lob. Sonchus sylvaticus 4. Tab. Major & minor: in muris & tectis.

Sonchus lævis minor paucioribus laciniis: Sonch. lævis latifolius, Tab. Est angustioribus foliis, in incultis; latioribus, in vinetis.

Lampfana. Soncho affinis, LAMPFANA domestica: Lampfana, Lob. Dod. Sonchus sylvaticus 1. Tab. In hortorum areolis & vinetis.

Soncho affinis, Lampfana sylvatica: Sonchus sylvaticus 2. Tab. In sylva circa Hünningen.

Cichorium. CICHORIUM sylvestre sive officinarum: Cichorea, Trag. syl. Matth. Seris picris, Lob. Intybum syl. Fuch. Cichorium, Tab. syl. Dod. Passim in viis.

Cichorium pratense luteum hirsutiae asperum: Cichorea 3. sive lutea, Trag. Cichorium luteum, Tab. In pratis.

Cichorium montanum angustifolium hirsutiae asperum: Hieracium Intybaceum asperum, vel 9. Tab. In monte Muteto.

D E N S L E O N I S latiore folio: Hieraciū *Dens Leonis.*
majus, Trag. Hedypnois major, Fuch. Dens
Leonis, Matth. Dod. Lob. (& corona & caput
Monachi) Tab.

Dens Leonis angustiore folio: Aphaca an-
gustioris folii, Cæf. Passim in pratis & viis.

H I E R A C I U M majus folio Sonchi, vel *Hieracium.*
Hieraciū Sonchites: Hieracium majus, Matth.
Fuch. Lob. Inter segetes, ubi aliquando aspe-
riore folio reperitur: communiter erectum, ali-
quando reclinatum.

Hieracium Dentis Leonis folio monoclo-
non: Hieracium intubaceum, vel 6. Tab. Va-
riat culmo unico nudo ex radice: aliquando
pluribus, iis tamen singulis exsurgentibus: ra-
rissimè culmo bipedali, ramoso, subaspero, cu-
jusmodi in Italia reperitur.

Hieracium minus glabrum foliis eleganter
virentibus: hoc 2. est in Prod. In agris circa
Autumnus floret.

Hieracium Dentis Leonis folio obtuso mi-
nus: 3. in Prod. In pratis extra minorē urbem.

Hieracium Chondrillæ folio hirsutum:
Hierac. foliis & facie Chondrillæ, Lob. Hiera-
cium 11. Tab. Variat; in Germania, hirsutius &
minus, quàm in Gallia: In Wasserfall.

Hieracium Chondrillæ folio glabrum: Hie-
racium 5. five aphacoides, Tab.

Hieracium Chondrillæ folio glabro, radice

succisâ, majus : Hierac. minus, Trag. Matth. Fuch. Tab. minus præmorfa radice, Lob. Hieracium 4. Dod. Variat foliorum incisuris profundioribus, & hoc Hieracium, Tab. (quod Hieracium foliis Coronopi dici posset) nominat: vel minus profundis.

Hieracium Chondrillæ folio glabro, radice succisâ minus: Lagopus 3. vel Lactuca leporina, Trag. Hieracium 5. Dod. In agris & pratis.

Hieracium montanum rapifolium; 12. in Prod. In monte Wasserfall.

Hieracium montanum hirsutum ramosum parvis floribus. In monte Muteto.

Hieracium montanum latifolium glabrum majus: Hier. montanum majus latifoliū, Tab. In monte Wasserfall.

Hieracium murorum folio pilosissimo: Auricula muris major, Trag. Pulmonaria Gallo- rum flore Hieracii, Lob. Pulm. Gallica, five aurea, Tab. In antiquis maceriis Mutetæ montis.

Hieracium murorum laciniatum, minus pilosum: Pulmonaria Gallica fœmina, Tab. Hęc folio est modò latiore, modò angustiore: & hæc, Pulmonaria Gall. tenuifolia, Tab.

Hieracium murorum angustifolium, non sinuatum: quod 10. in Prod. In muris: in saxosis, in montibus Muteto & Crentzacho.

Hieracium profundè sinuatum pubescens: 21. in Prod. In pratis Michelfelden sib. siccioribus, ad dumeta, & in dumetis in der Hart.

Hieracium pratense latifolium non sinuatum majus: Intybus ἀφύλλον αὐλὸν & major, Thal. In pratis circa Mönchenstein : & montis Crentzach humidis.

Hieracium pratense latifolium non sinuatum minus: Intybus ἀφύλλον αὐλὸν & minor, Thal. In pratis Michelfeldens. palustribus.

Hieracium fruticosum latifolium hirsutum: Erinus, Matth. Basilicū aquaticum, Duranti. Rariùs invenitur.

Hieracium fruticosum angustifolium majus: Hieracium 1. Dod. Sabaudum vel alterum grandius, Lob. Hieracium montanum angustifolium 1. Tab. In monte Mutero & Crenzacho.

CHONDRILLA juncea viscosa arvensis: quæ 1. Diosc. Cichorea procera vel 5. Trag. Cichorium syl. luteum, Dod. Chondrilla viminea viscosa vinearum, Lob. Chondrilla juncea, Tab. In agris quibusdā circa Hünningen, & copiosè ad ripam Rheni.

Chondrilla viscosa humilis: 2. in Prod. In agris ad pontem Birsæ, Autumno florens.

SENECIO minor vulgaris: Senecio, Matth. Fuch. Lob. vulgaris, Trag. 1. Tab. Erygeron minus, Dod. Passim in agris & vinetis.

Senecio minor latiore folio, sive montana: Senec. 2. vel montana, Tab. In pratis circa Cliben.

Senecio incanus pinguis: Erygeron majus, Dod. tomentosum alterum, Lob. In arenosis circa Cliben: ad ripam Wiefæ.

Jacobæa.

J A C O B Æ A vulgaris laciniata: Flos S. Jacobi, Trag. Senecio major, Matth. Herba S. Jacobi, Fuch. Jacobæa, Dod. Lob. Herba Jacobæa, Tab. Passim in arenosis & dumetis. Variat foliis modò Erucæ, modò Raphani, modò Quercus instar, in lacinias divisis.

Tanacetum.

T A N A C E T U M vulgare luteum: Tanacetum, Matth. Dod. vulgare, Trag. millefolii foliis, Lob. Artemisia tenuifolia, sive monoclona, Fuch. Artemisia Diosc. Tab. Michelfeldæ: & in arenosis ad aquas.

Tanacetum minus album odore Camphoræ: Millefolium nobile, Trag. Tanacetum minus, Dod. candidis floribus, Lob. Achillea, Matth. sive Millefolium nobile, Tab. Versus Häfingen ad margines agrorū: & ad pontem Wiefæ in arenosis.

Tanacetum montanum inodorum minore flore: Sideritis 3. Matth. quoad folia: Tanacetum non odorum. Dod. Lob. Tanacet. leucanthemum, Tab. In Mutero aliisque collibus: & inter campum sclopetariorum & portam Lapideam, in dumetis.

Matricaria.

M A T R I C A R I A vulgaris: Matricaria, Trag. Dod. nostras, Lob. Parthenium, Matth. Arte-

Artemisia tenuifolia, Fuch. Tab. Aliquando in muris reperitur.

BUPHTHALMUM Diosc. Buphth. Trag. *Buphthalmum.*
 Matth. Lob. Tab. *Chamaemelum chrysanthemum.*
 Fuch. *Cotula lutea*, Dod. Supra Augustā in dumetis, versus Rheinfelden.

CHAMÆMELUM vulgare, *Leucanthemum* Diosc. *Chamomilla* 3. Trag. *Chamaemelum.*
 Chamæmelum, Tab. *Leucanthemum*, Fuch. vulgare,
 Dod. *Anthemis*, Matth. vulgarior, Lob. Passim in agris.

Chamaemelum inodorum: *Chamomilla fatua* & 4. Trag. *Buphthalmum*, Fuch. *Cotula*, Tab. alba non foetida, Dod. In agris.

Chamaemelum foetidum: *Chamomilla* 2. & syl Trag. *Cotula alba*, Dod. foetida, Lob. *Parthenium*, Fuch. Tab. In agris & viis.

ABROTANUM campestre: *Abrotanum* *Abrota-*
 syl. vel 4. Trag. *Ambrosia altera*, Matth. *tertia*, *num.*
 Tab. *tenuifolia*, Lob. Ad ripam Rheni.

ARTEMISIA vulgaris major: *Artemis.* *Artemisia.*
 Trag. Matth. *latifolia*, Fuch. Dod. mater herbarum, Lob. *Artemisia rubra* & alba, Tab. Passim locis campestribus.

AMBROSIA campestris repens: *Ambrosia.*
Ambrosia, Matth. spontanea strigosior, Lob. Coro-

nopus repens, Lob. Tab. Cornu cervi alterum repens, Dod. In agris.

Botrys. BOTRYS Chamædryoides: Chamæcy-parissus agrestis, Trag. Chamædrys altera, Matth. vera fœmina, Fuch. laciniatis foliis, Lob. Chamæpitys altera, Dod. Iva moschata, Tab. Passim in agris.

Absinthiū. ABSINTHIUM Ponticum seu Romanū officinarum, seu Diosc. Absinth. Matth. vulgare, Trag. Fuch. Lob. Tab. latifolium, Dod. Michelfeldæ in via.

Millefoliū. MILLEFOLIUM vulgare album: Millefolium vulgare, Trag. terrestre majus, Tab. Stratiotes millefolia, Fuch. Millefolium sive Achillea, Dod. In pratis.

Millefolium vulgare purpureum minus: Millef. vulgare fl. diluti ruboris, Trag. minus, Matth. terrestre purpureis floribus, Lob. Millefol. purp. Dod. Tab. Passim locis campestribus, & ad sepes.

Millefolium aquaticum umbellatū capillaceo breviq̃ue folio: Myriophyllum, Matth. Millefolium aquatile, Dod. Myriophyllū aut Maratriphyllon palustre, Lob. Millefolium & Fœniculum aquaticum, Tab.

Millefolium aquaticum, seu Viola aquatica caule nudo: Myriophyllum alterum, Matth. Myriophyllum equisetifoliū fluviatile, Lob.

Viola

Viola aquatilis, Dod. Fœniculum aquaticū 2.
Tab. Utrumque in Michelfelden.

Millefolium aquaticū equisetifolium caule
nudo: Myriophyllum equisetifolium palustre,
Lob.

Millefolium aquaticum foliis Fœniculi,
Ranunculi flore & capitulo: Myriophyllum
Maratriphyllum palustre alterum, Lob. Peu-
cedanum aquaticum, Tab.

Millefolium aquaticum cornutum majus:
5. in Prod. Circa Hiltelingen.

Millefolium aquaticum cornutum minus,
nondum descriptum. Michelfeldæ in aquarū
fundo, unde M. Spörlinus Med. Candidatus
mihi Anno 1621. attulit.

Millefolium aquaticum lenticulatum: Mil-
lefol. aquat. flore luteo, galericulato, Lob. Fœ-
niculum aquaticum galericulatum, Tab. In
Michelfelden.

STELLARIA aquatica: & Lob. Fœni- *Stellaria*
culum aquaticum stellatum, Tab. Passim in
rivulis.

CONSOLIDA REGALIS arvensis: *Consolida*
Consolida regalis, Trag. Fuch. Flos regius 2. *reg.*
vel syl. Dod. Segerum consolida regia, strigo-
fior tota, Lob. Consol. regal. arvensis, Tab.
Passim inter segetes, flore cæruleo, incarnato,
albo.

FUMARIA Officin. & Diosc. Fumaria, *Fumaria*,
Trag.

Trag. Matth. Fuch. Dod. Capnos, Lob. Fumar. 1. & 2. flore albo, Tab. Passim in agris.

Fumaria bulbosa radice cavâ major: Aristolochia rotunda vulgaris, Trag. Fuch. Fumaria altera, Matth. Radix cava major, Dod. Radix cava Herbariorum, Lob. Hujus apud Tab. figuræ octo, sub Fumaria bulbosa purpureo & albo flore. In dumetis Minoris urbis: & copiosè in alneto ad Wiesam.

Fumaria bulbosa radice non cavâ major: Aristolochia rotunda vulgaris radice solida, Trag. In sepibus ad prata, & in Mönchestein. In sylvula ad Novam domum.

Fumaria bulbosa radice non cavâ minor: Fabacea radice capnos altera, Lob. Radix cava minor, Dod. Fumar. bulbosa, seu tuberosa minor, Tab. In dumetis circa Riehen.

Chelidoniæ.

CHELIDONIUM majus vulgare: Chelidonium majus, Trag. Matth. Fuch. Dod. Lob. Tab. Passim in ruderibus, & muris.

Aquilegia.

AQUILEGIA sylvestris: Aquilegia, Trag. Fuch. Dod. Aquilina, Matth. Lob. Tab. Flore est cæruleo; & vix alterius quàm punicei coloris in sylvestrib. reperitur. In sylva Hünningensi, & in montibus vicinis copiosè.

Nigella.

NIGELLA arvensis cornuta: Nigella syl. & 2. Trag. Melanthium syl. Dod. alterum, Matth. Cuminum syl. alterum, Fuch. Melanthium
thium

thium capitulis reflexis Aquilegiæ, Lob. Melanthium agreste, Tab. Passim inter segetes.

DAUCUS alpinus multifido longoque folio, sive montanus umbella candida: Daucus Creticus, Gesn. Clus. In monte Wasserfall. *Daucus.*

Daucus montanus Apii folio major: Daucus 2. Trag. Matth. Sefeli Peloponense, Fuch. Daucus Selinoides 2. Lob. Libanotis Theoph. nigra, Tab. In monte Muteto.

Daucus montanus Apii folio minor: Dauci secundi, Selinoidis varietas, sive Selinoides Cordi, Lob. Circa arcem Reichenstein, & in monte Crentzach.

Daucus palustris Apii folio: qui 2. in Prod. In pratis Michelsfeldæ.

PASTINACA tenuifolia sylvestris Dioscoridis, vel Daucus officin. Staphylinus syl. Trag. Pastinaca syl. Matth. syl. tenuifolia, Dod. erratica, Fuch. Tab. genuina syl. Pastinaca Diosc. Lob. Passim in pratis: in agris minor, palmaris & sesquipalmaris reperitur. *Pastinaca.*

CHÆROPHYLLUM sylvestre: Anthriscus Plinii, Lugd. Cerefolium syl. Tab. Passim ad sepes & parietes. *Chærophyl- lum.*

Chærophyllo nonnihil similis: Perchepier (i.e. Saxifraga) Anglorum, Lob. Scandix minor, Tab. Passim in agris.

SCANDIX semine rostrato vulgaris: Pe- *Scandix.*
sten

eten Veneris, Matth. Lob. Scandix, Dod. Tab. Inter segetes, potissimum versùs Michelfelden, & circa patibulum.

Caucalis.

C A U C A L I S arvensis echinata magno flore: Lappa agrestis, Trag. **Cauc.** albis florib. vulgaris, Lob. **Caucalis**, Dod. Tab. Inter segetes.

Caucalis arvensis echinata parvo flore & fructu: **Caucal.** flore minuto, Cam. Rarius inter segetes: communiter in vineis montis Muteti.

Caucalis semine aspero flosculis rubentibus: **Daucoides** minor, Cord. Thal. In agris & secus vias ad sepes.

Apium.

A P I U M montanum folio ampliore: **Orecselinum**, Dod. Lob. primum, Tab. In monte Mutero & Crentzacho: foliis tenuius divisis in pratis Michelfeldensibus reperitur.

Sion.

S I O N sive **Apium** palustre foliis oblongis: **Sion** odoratum, Trag. **Sium**, Dod. verū, Matth. i. minus, Tab. **Apium** palustre, Fuch. **Sium** sive **Laver** Diosc. **Olusatri** folio, Lob. In rivulis passim & Michelfeldæ.

Sium **Erucae** folio: **Sium** alterum, Dod. **Olusatri** facie, Lob. **Sium** majus angustifolium, Tab. Michelfeldæ in palustribus.

*Pastinaca
latifolia.*

P A S T I N A C A fyl. latifolia: **Pastinaca** fyl. Trag. latifolia, Dod. **Sifer** fyl. Fuch. **Elaphobolcum**,

boscum, Matth. erraticum, Tab. In montosis & asperis, & arenosis ad Wiesam.

ANGELICA syl. major: Angel. syl. Trag. *Angelica*
Matth. Fuch. Dod. Lob. Tab. In aquosis pas-
sim: copiosè Michelfeldæ.

Angelica syl. minor sive erratica: Ange-
licæ vitium, Trag. Herba Gerardi, Dod. Po-
dagraria, Lob. Aegopodium, Tab. Passim ad
sepes.

Angelica aquatica: Archangelica, Dod.
Lob. In pratis humidis.

SPHONDYLIIUM vulgare hirsutum: *Sphondylium*
Branca ursina, Trag. Sphondylium, Matth.
Dod. Lob. Tab. Acanthus vulgaris, Fuch. Va-
riat ratione loci, prout in montosis & planis
provenit: aliàs in pratis: & ad sepes, & cœmi-
teriis vulgare.

Sphondylium alpinum glabrum: in Prod.
sub 3. describitur. In monte Wasserfall.

LIBANOTIS latifolia altera sive vulga- *Libanotis*
rior: Sefeli 1. Trag. Sefeli Aethiopicum, Matth.
Fuch. herba, Dod. Libanotis Theoph. Lob. al-
ba, Tab. In monte Muteto.

CUMINUM pratense, Carui officinarum: *Carui*
Caros, Trag. Careum, Fuch. Carum, Matth.
Dod. Lob. Passim in pratis.

Caruifolia: Cyminum equinū & syl. Trag.
In arenosis ad pontem Mönchenstein.

Pimpinella.

PIMPINELLA Saxifraga major umbellâ candidâ : Pimpinella major, Trag. Fuch. Pimpinella Saxifraga, Matth. Saxifraga magna, Dod. Lob. Tragofelinum majus, Tab. In cœmiteriis passim: ad sepes pratorum Mutensium: in monte Crentzach.

Pimpinella Saxifraga minor: Pimp. 3. Trag. minor, Fuch. Saxifraga hircina minor, Lob. Saxifr. parva, Dod. Tragofelinum petræum, Tab. Locis asperis & solo duriore, ad sepes secus vias: potissimum in collibus & montibus.

Pimpinella Sanguisorba minor hirsuta: Pimpinella Sanguisorba, Dod. minor, Matth. Pimpin. Lob. Italica, Trag. Sanguisorba minor, Fuch. Tab. In pratis.

Cicuta.

CICUTA major: Cicuta, Trag. Matth. Fuch. Dod. Lob. Tab. Michelfeldæ ad ædes: & intra mœnia urbis prope portam Lapideam, uti etiam ad parietes hortorum inter suburbium novum & D. Johannis: nec non in via versus Cliben.

Cicuta minor Petroselino similis: Petroselini vitium, Trag. Cicutaria fatua, Lob. Petroselinum caninum, Tab. Passim in areolis hortorum: & sepibus circa vineas.

Cicutaria.

CICUTARIA latifolia foetida: Sefeli Pe-loponense, Matth. Cicutar. latifolia foetidiss. Lob. Cicutaria foetida, Tab. In fimeris.

Cicuta-

Cicutaria palustris tenuifolia: *Ligusticum*
fyl. Trag. *Cicutar. palustris*, Lob. Tab. Mi-
chelfeldæ.

S E S E L I montanum *Cicutæ* folio subhir- *Seseli.*
futum: quod in Prod. descriptum. In monte
Wasserfalli in rupibus.

Seseli Massiliense fœniculi folio, quod Dio-
scoridis cēsetur: *Seseli* Mass. Dod. folio Fœnic.
crassiore, Lob. Fœniculum petræum, Tab. In
saxosis herbidis montis Crentzach: in sylvis
Hünningenf. circa Michelfelden.

Seseli pratense, Silaus forte Plinii: *Seseli*
pratense Monspeliensium, Lob. *Siler* alterum
pratense, Dod. *Hippomarathrum* 1. Tab. In
pratis montis Mutetæ, & aliis.

Seseli pratense tenuifolium, sive *Daucus*
pratēsis tenuifolius: pro 2. in Prod. descriptus.
In pratis Michelfeldæ.

O E N A N T H E aquatica: & Lob. *Oenan-* *Oenanshe.*
the 4. Matth. *Juncus odoratus aquatilis*, Dod.
Filipendula aquatica vel *palustris*, Tab. In
pratis paludosis Michelfeldæ.

F I L I P E N D U L A vulgaris, an *Molon* *Filipendula.*
Plinii? *Filipendula* Trag. Matth. Dod. Tab. &
Saxifraga rubra. *Oenanthe*, Fuch. Lob. In pra-
tis montis Muteti versus Mönchenstein.

P E D I C U L A R I S pratensis purpurea: *Pedicularis.*
Pedicularia cāpestris prior, Trag. *Pedic.* Lob.

D

Mo. Bot. Garden,

1893

Tab. cui & Ruta pedicularis: Fiftularia, Dod.
In pratis paludosis Michelfeldæ.

Pedicularis pratensis lutea, vel Crista Galli:
Crista Galli herbariorum, Lob. Pedicularia
lutea, Tab. Passim in pratis, potissimum sic-
cioribus.

*Barbaca-
præ.*

BARBA CAPRÆ floribus oblongis: Barbula
capræ, Trag. Barba capri, Fuch. Drymopo-
gon 1. Tab. Circa Rubram domum ad Rhenū.

Barba capræ floribus compactis: Barbula
caprina prior, Trag. Barbicapra, Lob. Regina
prati, Dod. Ulmaria, Tab. In pratis humidis
ad rivulos: & Michelfeldæ.

Valeriana.

VALERIANA sylvestris major: Val. vul-
garis, Trag. syl. Dod. Lob. Phu vulgare, Fuch.
Tab. In sylvis humidioribus, & dumetis.

Valeriana syl. major montana: Val. 3. Trag.
montana, & 3. Tab. In sylvis cæduis.

Valeriana palustris minor: Valer. exigua
vel 4. Trag. minor syl. Lob. minima, Dod.
Phu minus, Tab. minimum, Matth. In pra-
tis Michelfeldæ.

Valeriana palustris media parum lacinia-
ta: 2. in Prod. In pratis udis Michelfeldæ.

Valeriana alpina prima: quæ pro 3. in Prod.
describitur. In montis Wasserfall saxosis.

Valeriana alpina scrophulariæ folio, quæ
4. in Prod. In monte Wasserfall.

Valeriana campestris inodora major: Lo-
custa

cuſta quibusdam, Gef. Album olus, Dod. Phu-
minimum alterũ, Lob. Lactuca agnina, Tab.
Paſſim in vineis.

SOLANUM officin. Solatrum vulgare, *Solanum*.
Trag. Solanum hortense, Matth. Fuch. Dod.
Lob. ſativum, Tab. Paſſim in ſimietis: foliis
magis minũsve laciniatis: in arenofis Michel-
feldæ vix palmum excedit.

Solanum veſicarium: & Dod. Sola. Hali-
cacabum, Trag. Matth. Lob. Halicacabum
vulgare, Fuch. Alkekengi, officin. Intra mœ-
nia ad D. Albanum: in dumetis circa Brüglin-
gen: & vineis montis Muteti.

Solanum *μελανοκέραιος*: Solanum hortense
nigrum, Trag. Mandragora Theoph. morion,
Fuch. Sol. majus, Matth. ſomniferum, Lob. le-
thale, Dod. Circa Auguſtam Rauracorum.

Solanum quadrifolium bacciferũ: Aſter, ſed
non Atticus, Trag. Herba Paris, Matth. Dod.
Aconitum Pardalianches, Fuch. Solanum te-
traphyllon, Lob. Aconitum ſalutiferum, Tab.
In montis Muteti: & Mönchenſtein, & Rei-
chenſtein umbroſis provenit: & cùm primò
prodit, folia tria, poſtmodum quatuor, quan-
doque quinque habet.

Solanum ſcandens ſeu Dulcamara: Dulcis
amara, Trag. Vitis ſyl. Matth. Dulcamara,
Dod. Amara dulcis, Lob. Tab. Hinc inde ad
rivulos in pratis: & Michelfeldæ in aquis.

SOLANIFOLIA Circaea dicta major:

Lappa syl. Trag. Circæa Lutetiana, Lob. Herba D. Stephani, Tab. In alnero ad Wiefam copiosè: & aliis locis uliginosis, atq; cœmiteriis.

Hyoscyamus.

HYOSCYAMUS vulgaris vel niger: Hyoscyamus, Matth. niger, Dod. Lob. flavus, Fuch. Hyosc. 2. Galeni, Trag. primus, Tab. In fime-tis extra portam S. Johannis copiosè: & Michelfeldæ ad casas.

Papaver.

PAPAVER erraticum majus: *ρῳίας* Diosc. Theoph. Plin. Papaver errat. Matth. Dod. Tab. erraticū 1. Fuch. Rhœas vel flore caduco phœniceo, Lob.

Papaver erraticum minus: Papaver erraticum alterū, Fuch. Dod. erraticum minus, Tab. Argemone exigua & 2. Trag. Utrumque inter segetes passim.

Anemone.

ANEMONE nemorosa: Ranunculus candidus, Trag. quarta species, Fuch. Anemone 5. Dod. Ranunculus nemorosus, Lob. Tab. Flore est candido, aut ex purpura rubente, modò dilutiore, modò intensiore colore, subcæruleo, carneo, roseo. Passim in sylvis, ut in nemore Wilensi ad Novam domum: & alnero ad Wiefam.

Pulsatilla.

PULSATILLA folio crassiore & majore flore: Herba venti, Trag. Pulsatilla, Matth. Dod. Tab. vulgaris, Lob. Anemone syl. Fuch. In monte Crentzach primo Vere.

Pul-

Pulsatilla folio tenuius inciso & flore minore, sive palustris: in Prod. primo loco descripta. In pratis Michelfeldæ.

RANUNCULUS nemorosus luteus: & *Ranunc.*
 Lob. Tab. Ranunc. syl. alterum genus, Trag. *lur.*
 4. species lutea, Fuch. Anemone 6. Dod. In nemore circa Novam domum: & alneto prope Wiefam.

Ranunculus nemorosus vel sylvaticus folio rotundo: Ranunculus dulcis, Trag. Ranunculi 1. species, Fuch. auricomus, Lob. Ranunc. dulcis nemorum, Tab. In dumetis & sylvis humidiorib. ad Wiefam, Novam domū, & alibi.

Ranunculus nemorosus Muscatellina dictus: Aristolochiæ rotundæ concavæ similis, Trag. Moschatella, Cordo. Ran. minimus Septentrionalium herbido muscoso flore, Lob. Fumaria bulbosa tuberosa minima, Tab. In dumetis ad Novam domum copiosè: & versus Riehen.

Ranunculus pratensis erectus acris: Ran. luteus, Trag. pratensis surrectis cauliculis, Lob. Ran. hortensis 2. Dod. syl. & 2. Tab. In pratis humidis: sic in pratis circa patibulum Novæ domus foliis in umbilico maculatis: & hic, Ran. altera species maculis notata, Trago.

Ranunculus pratensis repens hirsutus: Ran. pratensis reptante cauliculo, Lob. Ran. hortensis 1. Dod. vinealis, Tab. Passim in pratis: aliquando in agris & vineis.

Ranunculus pratensis radice verticilli modo rotundâ: Ran. exiguus & 1. Trag. 5. Matth. minor, Fuch. Tab. bulbosus, Lob. tuberosus, Dod. In pratis & cœmiteriis: in saxosis vix duarum triumve unciam reperiatur.

Ranunculus arvensis echinatus: Ran. hortensis altera species, Fuch. syl. 3. Dod. arvorum, Lob. arvensis, Tab. Inter segetes.

Ranunculus palustris Apii folio lævis: Apiū aquaticū, Trag. Ran. 1. Matth. aquaticus, Fuch. Ran. palustris rotundiore folio, Lob. palustris, Tab. In humidis Michelfeldæ.

Ranunculus longifolius palustris major: Lingua Plinii, Lugd. Ran. lanceolatus major, Tab. In paludibus Michelfeldensibus.

Ranunculus palustris ferratus: Flammula ranunculus folio ferrato, Dod. Ran. aquaticus angustifolius ferratus, Lob. Ran. lanceatus ferratus, Tab. In alneto: & Michelfeldæ in pratis.

Aconitum.

ACONITUM lycoctonum albis pallidisque floribus: Aconit. sextum, Cam. an Acon. 6. 3. Matth. Lugd. Tab. In montis Muteti umbrosis humidis.

Aconitum racemosum: an Actæa Plinii? Christophoriana, Dod. Lob. Tab. In monte Muteto.

Helleborus.

HELLEBORUS niger foetidus: Elleborus niger syl. adulterinus, Trag. Fuch. Veratrū nigrum

nigrum 3. Dod. Sesamoides magnum, Cordi, Lob. Helleboraster maximus, Lob. Tab. Passim in dumeris circa Birsam & Wieselam.

HELLEBORINE latifolia montana: *Helleborine.* Satyrium 8. Trag. Helleborine sive Epipactis recentiorum, Lob. Helleborine, Dod. prima, Tab. In monte Muteto.

Helleborine altera atrorubente flore: Alisma botryoides seu racemosum, Thal. In Muteto.

Helleborine angustifolia palustris sive pratensis: Elleborine 2. Clus. In pratis paludosis Michelfeldæ.

Helleborine flore albo, vel Damafonium montanum latifoliū: Helleb. albo flore, Tab. In syl. montosis Mönchenstein.

Helleborine montana angustifolia purpurascens: Damafoniū tenuifolium, Cord. Helleb. angustifolia, Tab. In monte Muteto, & versus Mönchenstein.

GENTIANA major lutea: Gentianæ 1. *Gentiana.* species, Trag. Gentiana, Matth. Fuch. Dod. major, Lob. In monte Wasserfall.

Gentiana cruciata: Crucjata, Trag. Fuch. Dod. Genti. minor, Matth. Lob. Tab. In pratis aridis: & locis saxosis herbidis montis Crenzach: & sylvâ Hünningen.

Gentiana autumnalis ramosa: Gentiana 7. Tab. In pratis montis Muteti: sylvâ Hünningen copiosè.

Gentiana angustifolia autumnalis: *Pneumonáthe Cordi*, Lob. *Campanula autumnalis*, Dod. In pratis collium.

Gentiana palustris angustifolia: *Gentiana minima*, Matth. *Calathiana viola* in pratis udis, Dod. *Pneumonanthe*, (in humentibus ericetis) Lob. Tab. In pratis Michelfeldæ.

Plantago. *P L A N T A G O* latifolia sinuata: *Plantago rubea*, Trag. major, Matth. Fuch. Dod. Tab. latifolia lævis, Lob. In agrorum marginibus: & viarum femitis. Reperitur etiam aliquando caule foliato extra portam S. Blasii in viâ, quâ itur ad molendinas cuprarias.

Plantago latifolia incana: *Plantago latifolia*, Trag. major, Matth. incana, Lob. media, Fuch. Dod. minor Diosc. Tab. In pratis.

Plantago angustifolia major: *Plantago lanceolata*, Trag. Tab. longa, Matth. quinquenervia, Lob. In pratis & ad parietes passim.

Plantago trinervia angustissimo folio: quæ 3. in Prod. In viis, ut & sequens.

Plantago angustifolia minor; & Tab.

Plantago aquatica latifolia: *Plantago aquatica*, Trag. Matth. Fuch. Dod. Tab. aquat. foliis *Betæ* aut *Plantaginis*, flore *Gallii albi*, Lob. In aquis cænosis: potissimum Michelfeldæ.

Pyrola. *P Y R O L A* rotundifolia major: *Pyrola*, Matth. Dod. Lob. Tab. *Limonium*, Fuch. syl. & *Betæ* syl. species, Trag. In monte Mutero circa Mönchenstein. Py-

Pyrola folio mucronato serrato: Ambrosia Dalechampii in Diosc. Pyrola 2. & tenerior, Clusii. In monte Crentzacho: Mönchenstein: & Wasserfall.

BISTORTA major radice minùs intor- *Bistorta.*
tâ: Bistorta, Matth. Dod. major, Trag. Tab. Bistorta Britannica, Lob. Serpentaria fœmina, Fuch. In pratis humidis circa molendinas cuprarias.

POTAMOGETON rotundifoliũ, quod *Potamogeton.*
Diosc. Potam. Trag. Matth. Fuch. Tab. In piscinis infra Michelfelden versus Hünningen copiosè.

Potamogeton foliis latis splendentibus: Potam. altera, Dod. In rivulis molendinariis.

Potamogeton foliis crispis: Alga 2. Trag. Pusillum fontilapathum, Lob. Iisdem locis.

NYMPHÆA alba major: Nymphæa candida, Trag. Fuch. alba, Matth. Dod. Lob. Tab. In stagnis Michelfeld. *Nymphæa.*

Nymphæa alba minor, seu Morsus ranæ: Morsus ranæ, Dod. Lob. Tab.

Nymphæa alba minor: Nymphæa parva, Matth. alba minor, Tab. Michelfeldæ utraque.

SAGITTA aquatica major: Sag. major, *Sagitta.* Matth. Dod. Tab. Pistana Magonis, sive Sagittaria aquatica Plinii, Lob. Michelfeldæ.

Arum. A R U M vulgare non maculatum: Arum, Fuch. Tab. Arum 1. & vulgare, Trag. Passim in dumetis humidioribus, præsertim circa Novam domum: Wiesam & Birsam.

Arum maculatum nigrum: Arum offic. Lob. ico. maculatum, Tab. In dumetis ad S. Jacobum: & circa Novam domum.

Asarum. A S A R U M: & Trag. Matth. Fuch. Dod. Tab. Asarum, Baccharis, sive Baccatus, Lob. In monte Muteto, & Mönchenstein.

Tussilago. T U S S I L A G O vulgaris: Ungula cabalina, Trag. Tussilago, Matth. Fuch. Dod. & Farfara, Lob. Passim in arenosis ad aquas.

Petasites. P E T A S I T E S major & vulgaris: Petasites, Trag. Fuch. Dod. Lob. Tab. Tussilago major, Matth. In pratis uliginosis eorumque fossis: ad rivulum ad S. Jacobum copiosè.

Cacalia. C A C A L I A foliis crassis & hirsutis: Cacalia 1. & vulgaris incano folio, Clus. in monte Wasserfall: & sylvâ Langenbruck.

Lappa. L A P P A major, Arcium Diosc. Lappa major, Trag. Personata, Fuch. Lob. major, Matth. Bardana, Dod.

Lappa minor, Xanthium Diosc. Lappa minor, Trag. Xanthium, Matth. Fuch. Dod. Tab. sive Strumaria, Lob. Ultraque passim in
fime-

fimeris, præsertim extra portam S. Johannis,
& Cineream.

V I O L A Martia odora simplex: Viol. præ- *Viola,*
cox purpurea & alba, hortensis & campestris
odora simplici flore, Lob. Passim ad sepes: in
sylva Augustana, & Hünningen si prope Mi-
chelfelden, flore albo reperitur.

Viola Martia inodora syl. Viola purpurea
syl. sive canina, Trag. Viola inodora, Dod.
canina, Tab. cærulea inodora syl. serotina,
Lob. Passim in sylvis circa Hünningen: in
monte Crentzach: & Muteto.

Viola bicolor arvensis: Herba trinitatis syl.
Trag. Jacea altera, Matth. Viola syl. Lob.
Viola trinitatis minor petræa, Tab. Passim
in agris.

L E U C O I U M luteum foliis virentibus: *Leucoium,*
Viola lutea, Trag. Fuch. Viola petræa lutea,
Tab. Leucoium luteum, Dod. & Keyri, Lob.
Ad muros fossarum interiorum urbis.

L Y C H N I S syl. alba simplex, vel Sapo- *Lychnis,*
naria hirsuta: Rosæ Marianæ similis 3. Trag.
Ocymastrum sive Ocymoides, Matth. Tab.
Passim ad sepes.

Lychnis aquatica purpurea simplex: Rosæ
Marianæ similis 4. Trag. Lychnis syl. rubello
flore, Lob. Ocymastrum rubrum, Tab. In pra-
tis ad rivulos, & alibi ad aquas.

Lychnis segetum major: Githago, Trag.
Lo-

Lolium, Fuch. Pseudomelanthiū, Matth. Lob. Nigellastrum, Dod. Lychnis arvensis, Tab. Hinc inde inter segetes.

Lychnis segetum rubra foliis perfoliatæ: Polygonaton, Trag. ico. Vaccaria, Dod. Isatis fyl. Vaccaria dicta, Lob. Myagrum, Vaccaria quorundam, Tab. Inter segetes passim, potissimum versùs Michelfelden.

Lychnis fyl. quæ Been album: Rosa Mariana 5. Trag. Been album, Dod. Papaver spumeum, Lob. Herba articularis, Tab. Latiore & angustiore folio, pro ratione foli. Passim in agris.

Lychnis fyl. latifolia caliculis turgidis striatis: Lychnis fyl. 3. Clus. caliculis striatis, Lob. Tab. In agris Hüningsensibus.

Lychnis montana viscosa alba latifolia: Floris cuculi fyl. genus, Trag. hoher Steimbrech/ i.e. Saxifraga elatior, Lon. Lychnis fyl. Tab. In monte Muteto & Crentzach.

SAPONARIA major lævis: Saponaria, Trag. Dod. Lob. Tab. Struthium sativū, Fuch. Ad sepes: & in ripa Rheni.

Caryophyl-
lus.

CARYOPHYLLUS barbatus sylvestris: Armeria fyl. altera, Lob. In collibus circa Crentzach.

Caryophyllus fyl. prolifer: Armeria prolifera, Lob. Caryoph. fyl. minimus, Tab. Passim locis asperis: non rarò in muris.

Caryophyllus fyl. vulgaris: Caryophyllea
fyl.

fyl. Trag. Matth. Betonica fyl. 1. Fuch. Armerius flos 1. Dod. Armeria five Caryophyllus fyl. minor, Lob. Caryoph. montanus 1. Tab. Passim locis asperis: & pratis aridioribus.

Caryophyllus flore tenuissimè dissecto: Superba, Trag. alba, Lob. Betonica fyl. altera, Fuch. Caryophyllæus minor, Dod. Caryophyllus plumarius albus, Tab. In der Hart: & pratis paludosis circa Michelfelden.

Caryophyllus pratensis flore laciniato simplici: Flos cuculi pratensis, Trag. Armerius fyl. Dod. Armeria pratensis fyl. Lob. Caryophyllus pratensis, Tab. Passim in pratis.

Caryophyllus arvensis hirsutus flore majore: Caryoph. holostius, Lob. Holostium caryophylleum, Tab. Passim ad sepes.

Caryophyllus arvensis umbellatus folio glabro: Holostium caryophylleum arvense, Tab. In agris.

Caryophyllus arvensis glaber flore majore: Euphrasia gramen, Trag. Gramen, Fuch. alterum, Matth. Leucanthemum, Dod. Gra. floridum majus, Tab. Holostium Ruellii, Lob. Ad sepes, potissimum viâ Richanâ: & in nemore retro Novam domum.

Caryophyllus fyl. flore minimo: Saxifragia five Saxifraga antiquorum, Lob. In agris.

ANTIRRHINUM arvense majus: Antirrhinum 1. Matth. fyl. five Phyteuma, Dod. Antirrhinum minus, Tab. minimum, Lob. Passim in agris.

Antir.

Antirrhinum arvense minus: Antirrhinum
3. Matth. alterum minimum repens, Lob. In
agris, etiam tectis.

Linaria. LINARIA vulgaris lutea flore majore:
Linaria vulgaris, Trag. 1. Dod. Oxyris, Matth.
Fuch. Lob. major, Tab. Passim in agris.

Linaria montana flosculis albicantibus: Li-
naria adulterina, Tab. In monte Reichenstein,
& Michelfeldæ.

Linum. LINUM arvense: sylvestre, Trag. In agris
avenaceis.

Linum syl. angustifolium flore minore: Li-
naria 4. Trag. Linum syl. tenuifolium, Lob.
Tab.

Linum pratense flosculis exiguis: Linocar-
pos, Thal. Passim in pratis maxime mon-
tosis.

Polygala. POLYGALA vulgaris purpurea, cærulea,
alba: Polygalon, Trag. Polygala, Tab. re-
centiorum, Lob. Flos ambervalis, Dod. Pas-
sim in pratis: & circa Michelfeldam acutio-
ribus foliis.

*Campanula
arvensis.* CAMPANULA arvensis erecta: Campa-
nula arvensis minima, Dod. Onobrychis al-
tera Belgarum, Lob. Viola arvensis & Viola
pentagonia, Tab. Passim inter segetes.

Hyssopifolia. HYSSOPIFOLIA: Gratiola minor,
Ges.

Gef. Hyssopoides, Cam. In humidis ad prata
viæ Riehanæ.

CUSCUTA major: Androsaces, Trag. Cu- *Cuscuta.*
scuta, Matth. Cassytha, Dod. Lob. Tab. Cas-
sutha, Fuch. Dod. Ad sepes supra Urticam: in
agris circa Linum.

SERPILLUM foliis citri odore: Serpillū *Serpillum.*
citratum, Matth. Tab. In pratis montosis circa
Landskron: ad patibulum.

Serpillum vulgare minus: Serpillum, Trag.
Fuch. Lob. Serpillum vulgare, Dod. syl. Matth.
Serp. minus flore albo & purpureo, Tab. Pas-
sim in pratis.

Serpillum angustifolium hirsutū, vel mon-
tanum repens hirsutum: Serpillum Pannoni-
cum 3. Clusii. In monte Wasserfall.

POLIUM Lavandulæ folio: Polium alte- *Polium.*
rum, Matth. recentiorum scemina lavandulæ
folio, Lob. Polium scemina, & Polium cam-
pestre, Tab. Circa Birsam in arenosis: & ad
pontem Wiefæ: & in arenosis circa Michel-
felden.

ORIGANUM sylvestre: Origanum vul- *Origanum.*
gare, Trag. syl. Fuch. Dod. Tab. Agrioriganum,
sive Onitis major, Lob. Passim ad sepes, cujus
triplex varietas.

CLINOPODIUM origano simile: Ori- *Clinopodium.*
ganum

ganum 4. Trag. Acinos, Lob. Clinopodium, Tab. vulgare, Matth. Passim ad sepes.

Clinopodium arvense ocimi folio: Basilicum 3. Trag. Pseudoclinopodium, Matth. Acinos, Fuch. Ocimum syl. Dod. Clinopodium vulgare, Lob. alterum, Tab. Passim in agris frumentaceis.

Mentha.

M E N T H A syl. rotundiore folio: Mentastrum, Tab. In agris humidioribus.

Mentha syl. longiore folio: Mentastrum, Trag. Matth. Fuch. Dod. Lob. Iisdem locis, & pratis humidis.

Mentha rotundifolia palustris: Balsamita agrestis, Trag. Sisymbrium, Fuch. Dod. syl. Matth. Mentha aquatica, Lob. Calamintha aquatica, Tab. Major est & minor, in aquosis Michelfeldæ.

Mentha cattaria vulgaris & major: Nepeta vulgaris, Trag. Herba gattaria, Matth. Calaminthæ 1. genus, Fuch. Cattaria herba, Dod. Mentha cattaria, Lob. felina, Tab. Ad sepes hortorum extra portam S. Johannis.

Calamētha.

C A L A M E N T H A pulegii odore: Calamintha altera, Matth. odore gravi pulegii, Lob. Pulegium syl. Dod. Calamintha arvensis 2. Tab. Michelfeldæ.

Calamentha vulgaris, vel officinarum Germaniæ: Calamintha 2. Matth. montana, Dod. vulgaris, Lob. Tab. Passim ad sepes, & in montosis.

Calamentha arvensis verticillata: Nepeta agreftis, vel 4. Trag. Calamentha altera, Fuch. Calamintha aquatica, Matth. Lob. arvensis, Tab. Passim in agris, potissimum humidioribus.

MARRUBIUM Cardiaca dictum: Me- *Marrubium.* lissa syl. Trag. Cardiaca, Matth. Fuch. Lob. Tab. Ad sepes circa S. Jacobum.

Marrubium palustre glabrum: Marrubium aquaticum, Trag. Dod. Lob. Sideritis 1. Matth. Locis palustribus Michelfeldæ: ad Birsam, & Wiesam.

Marrubium nigrum foetidum: Marrubium majus vel 1. Trag. Ballote, Matth. Fuch. Dod. Lob. Marrubiastrum, Tab. Ad sepes passim.

Marrubium album vulgare: Marrubium candidum, Trag. album, Lob. Tab. Marrubium, Matth. Fuch. Dod. Nonnunquam ad sepes.

LAMIUM purpureum foetidum folio sub- *Lamium.* rotundo, sive Galeopsis Diosc. Lamium, Trag. Fuch. Urtica iners altera, Dod. Urtica non mordax vulgaris foetens purpurea, Lob. Galeopsis 2. Tab. purpurea, Lob.

Lamium purpureum vel album non foetens folio oblongo: Galeopsis, Trag. Matth. Lamium sive Archangelica, Lob. Lamium purpureum & album, Tab. Urtica iners, sive Lamium 1. Dod.

Lamium folio oblongo luteum: Urtica 6.

Trag. Urtica iners 3. Dod. Lamium luteum, Lob. Tab. In montosis humidis.

Lamium albâ lineâ notatum, five Milzarella: Urtica lactea, Matth. In ruderibus.

Lamium foliis caulem ambientibus majus & minus: Morfus gallinæ folio hederulæ alterum, Lob. Alfinæ species, Tab. In agris frumentaceis.

Lamium maximum sylvaticum foetidum: Heraclea vel Urtica 11. Trag. Urtica herculea, Tab. In sylvis montosis: & ad sepes circa molendinum ærarium.

Lamium montanum Melissæ folio: Melissa 1. Trag. ico. Melissophyllum verum, Fuch. Melissa Fuchsi, Lob. In montosis Mutetæ, & aliis.

Urtica.

U R T I C A urens maxima: Urtica major, Fuch. Tab. vulgaris urens 1. Trag. urens altera, Dod. syl. asperior, Lob. Urtica 2. Matth. Ad antiquas maceries & sepes.

Urtica urens minor: Urtica 3. Trag. Matth. urens minima, Dod. minor, Fuch. Tab. minor acerior, Lob. Passim, etiâ in hortorû areolis.

Urtica aculeata foliis serratis: Cannabis syl. Trag. spuria altera, Lob. Cannabina alba, Tab. In agris.

Urtica fatua aculeata foliis non serratis: Cannabis spuria facie Urticæ, Lob. Ad sepes.

Sideritis.

S I D E R I T I S vulgaris hirsuta: Sideritis 1. Fuch.

Fuch. Sideritis Heraclea, Tab. Sideritis five ferruminatrix, Lob. Passim ad sepes.

Sideritis arvësis latifolia glabra: Sideritis 2. Matth. Alyssum majus, Tab. In agris ad Wiesam: item Hüningæ & Michelfeldæ.

Sideritis arvensis angustifolia rubra: Ladanium segetum Plinii, & Tetrahit angustifoliū aliis, Lugd. Alyssum Galeni flore purpureo, Tab. Passim in agris, frugibus demersis.

EUPHRASIA officinarum: Euphrasia 2. *Euphrasia.* & 6. Trag. Eufragia, Matth. Euphrasia & Eufrafia, Fuch. Dod. Lob. Tab. In pratis Michelfeldæ & ad Wiesam copiosè.

Euphrasia pratensis rubra: Eufrafia altera, Dod. Lob. Odontites, Tab. Iisdem locis.

Euphrasia pratensis lutea: Odontites 2. flore luteo, Tab. In dumeris ad patibulum.

MELAMPYRUM purpurascente comâ: *Melampyrum.* Triticum vaccinum, Trag. Dod. Melampyrū, Lob. Tab. Inter segetes.

Melampyrum luteum latifolium: Cratægonon, Lob. Milium sylvaticum 1. & 2. (solo colore floris differunt) Tab.

Melampyrum luteum angustifolium: quod pro Melampyro luteo linariæ folio, in Prod. describitur. Utrumque in Muteto monte, & Wasserfall.

BETONICA purpurea: & Fuch. Betonica, *Betonica.*

Trag. Matth. Dod. Lob. Tab. Michelfeldæ: in monte Crentzacho & Muteto.

Serratula. SERRATULA: & Matth. Dod. Lob. tinctoria, Tab. In salicetis Michelfeldæ, differentiæ tres reperiuntur.

Scrophularia. SCROPHULARIA nodosa foetida: Ocymastrum alterū, Trag. Galeopsis minor, Fuch. Scrophularia, Matth. Dod. major, Lob. Tab. Michelfeldæ & alibi locis humidis: ut & sequentes.

Scrophularia palustris non foetida, sive aquatica minor: Betonica aquatica Septentrionalium species minor, Lob. obs.

Scrophularia aquatica major: Ocymastrū majus, Trag. Betonica aquatica, Dod. Lob. Tab.

Scrophularia Ruta canina dicta vulgaris: Sideritis 3. Matth. Ruta canina, Lob. Tab. In ripa Rheni versus Crentzachum.

Stachys. STACHYS major Germanica: Marrubiū agreste vel 3. Trag. Stachys, Fuch. Tab. Dioscoridis, Lob. Pseudostachys, Matth. In arvis & ad segetes.

Pseudostachys alpina: Salvia alpina, Tab. Hujus altera species gravi odore carens: utraque sub Pseudostachyde 2. in Prod. descripta. In monte Wasserfall.

Stachys palustris foetida: Clymenum minus,

nus, Lugd. Michelfeldæ: & in agris humidis circa Dornacum.

H O R M I N U M luteū glutinosum: Orva- *Horminum.*
la 3. Dod. Colus Jovis, Lob. In monte Mureto.

Horminum pratense foliis ferratis: Salvia
fyl. vera, Trag. Horminum fyl. Fuch. Lob.
Orvalæ fyl. species 4. Dod. Sclarea fyl. Tab.
Flore albo, cæruleo, incarnato. In pratis ari-
dioribus.

V E R B A S C U M mas latifolium luteum: *Verbascum.*
Verbasc. 1. Matth. Verbasc. mas, Tab. aut phlo-
mos vulgaris mas, Lob.

Verbascum foemina flore luteo magno: Ver-
bascum, (sive candela regia) Trag. nigrum,
Fuch. luteum, Tab. Verbasc. maximum album
foemina flore subpallido, Lob. Utrumque in
arenosis ad Wiefam.

Verbascum lychnites flore albo parvo: Ver-
basc. lychnite, Matth. Tab. candidum foemi-
na, Fuch. Phlomos mas alter, Lob. Ad Wie-
sam: & in ruderibus.

Verbascum nigrum flore ex luteo purpura-
scente: Verbasc. nigrum, Trag. Dod. Lob. Tab.
Verb. 3. Matth. fyl. Fuch. Verb. nigrum salvifo-
lium purpureo flore, Lob. Locis arenosis ad
Wiefam, nonnunquam in fimeriis.

B L A T T A R I A lutea folio oblongo laci- *Blattaria.*
niato: Blattaria, Trag. Matth. Fuch. Dod. Tab.
Blattaria Plinii, Lob. Nō longè Michelfeldæ.

Verbasculū.

VERBASCULUM pratense odoratum: Herba Paralysis vulgaris, Trag. Primula Veris, Matth. Tab. major fl. luteis odoratis, Dod. Verbasculum odoratum, Fuch. Primula hortensis, Lob. Passim in pratis.

Verbasculum pratense, vel sylvaticum inodorum. Herba paralysis syl. Trag. Primula Veris altera, Matth. major, floribus albidis inodoris, Dod. Verbasculū non odoratum, Fuch. Primula pratensis inodora luteo pallida, Lob. Primula syl. 3. Tab. In nemorib. circa Novam domum: ad Wiefam & Rhenum circa Hünningam.

Digitalis.

DIGITALIS lutea magno flore: Campanula syl. lutea, Trag. Digitalis lutea, Fuch. Tab. Digital. 3. Dod. In monte Muteto.

Digitalis major lutea vel pallida parvo flore: Digitalis 4. Dod. lutea parva, Lob. Circa Mönchenstein: & ad patibulum in dumetis.

Lyfimachia.

LYSIMACHIA lutea major: quę Diosc. Lyfimachia, Matth. lutea, Trag. Fuch. Lob. Tab. Lyfimachium legitimum, Dod. Foliis nunc ternis, nunc quaternis, nunc binis reperitur: Ad rivulos: & Michelfeldæ, ut & sequens.

Lyfimachia filiquosa hirsuta magno flore: Lyfimachia, seu Salicaria altera, Trag. purpurea 1, Fuch. Lyf. filiquosa 1. Tab.

Lyfima-

Lyfimachia filiquosa hirsuta parvo flore:
Lyfimachia filiquosa 2. Tab. Major est & minor, utraque in Prod. descripta. In arenosis ad Wiefam.

Lyfimachia filiquosa glabra major: *Lyfimachia filiquosa*, Lob. flore albo, Tab. *Pseudolyfimachium purpureum* 1. Dod. In aquosis.

Lyfimachia filiquosa glabra minor: *Lyfimachia minor* & 3. Tab. In saxosis.

Lyfimachia Chamænerion dicta latifolia:
Antoniana sive *S. Antonii herba maxima*,
 Ges. hor. *Onagra*, Lugd. Circa Gundeldingen.

Lyfimachia Chamænerion dicta angustifolia: *Pseudolyfimachium purpureum minus*,
 Dod. *Chamænerium Gesneri*, seu *Delphiniū baccinum* Diosc. Lob. In arenosis circa Cliben: & circa Hüningam minorem.

Lyfimachia spicata purpurea, forte *Plinii:*
Solidaginis Saracenice alia species, Trag. *Lyfimachia altera*, Matth. *Lyfimachia purpurea*,
 Lob. Tab. *Pseudolyfim. purpureum alterum*,
 Dod. Passim ad rivulos.

Lyfimachia cærulea galericulata: vel Gratiola cærulea: *Lyfimachia galericulata*, Lob.
Tertianaria, Tab. Michelfeldæ in palustribus, & circa parvam Hüningam.

VERONICA mas supina & vulgatissima: *Teucrium*, Trag. *Veronica mas*, Fuch. *serpens*, Dod. *Veronica*, Tab. vera & major, Lob. In sylvis. *Veronica.*

Veronica spicata minor: Veronica recta minima, Lob. minor, Tab. In arvis circa Michelfelden.

Veronica pratensis serpillifolia: Teucrium alterum, Trag. Veronica pratensis, Dod. Veron. minor, Tab. minor serpillifolia, Lob. In pratis, aliisque locis herbidis.

Scordium. SCORDIUM alterum, sive Salvia sylvestris: Salvia syl. Trag. Tab. agrestis sive Sphacelus, Dod. Scordium alterum Plinii, Lob. In sylvis: & nemoribus circa Novam domum: in dumetis ad Birsam.

Chamædrys. CHAMÆDRYS minor repens: & Dod. Chamædrys vera, Trag. mas, Fuch. Cham. Tab. major, Lob. In dumetis circa Michelfelden, & ad ripam Rheni.

Chamædrys spuria major angustifolia: Chamædrys altera, Trag. vulgaris mas, Fuch. Cham. syl. Dod. Teucrium 1. Matth. 2. Tab. Veronica supina facie Teucrii pratensis, Lob. Passim in pratis, præsertim aridioribus.

Chamædrys spuria minor rotundifolia: Chamædrys vulgaris foemina, Fuch. Teucrium pratense & Teucrium spurium Chamædryoides, Lob. Teucr. 3. minus, Tab. In dumetis circa Mutetum & Mönchenstein.

Chamædrys spuria minor angustifolia: pro 5. in Prod. descripta. Circa Briglingen, & alibi in viis.

C H A M Æ P I T Y S lutea vulgaris five fo- *Chamæpi-*
 liotrifido: Chamæpitys 3. Trag. Fuch. 1. Matth. *lys.*
 Dod. major, Tab. Ajuga five Chamæpitys
 mas Diosc. Lob. In arvis ad Wiefam, & circa
 Rieham.

A L S I N E hederulæ folio: Alsine 4. genus, *Alsine.*
 Fuch. spuria prior, Dod. Morsus gallinæ folio
 hederulæ, Lob. Alsine hederacea, Tab. In vi-
 neis, fimeteriis & agris.

Alsine Veronicæ foliis flosculis cauliculis
 adhærentibus. Alsine folio Veronicæ, Tab.
 Passim in vineis primo Vere.

Alsine Chamædryfolia flosculis pediculis
 oblongis infidētibus: Morsus gallinæ 3. Trag.
 Alsines alterum genus, Fuch. Alf. spuria alte-
 ra, Dod. Alf. foliis Triflaginis, Lob. Tab. In
 vineis & ad sepes.

Alsine triphyllos cærulea: Hendelsfraut cæ-
 ruleis flosculis, Trag. Alsine recta, Tab. parva
 recta, Lob. In arvis circa Novam domum.

Alsine altissima nemorum: Morsus gallinæ
 2. genus, Trag. Alsine major, Dod. Tab. ma-
 xima, Lob. Locis uliginosis, præsertim in al-
 neto ad Wiefam.

Alsine major: Alsine marina, Dod. Tab. Al-
 sine five Hippia major, Lob. Locis humidis
 in alneto: & fimeteriis quibusdam.

Alsine media: Morsus gallinæ 1. ge-
 nus, Trag. Alsine, Matth. 1. genus, Fuch. Al-

fine media, Tab. minor, Dod. Lob. In vineis.

Alfine minor multicaulis: Morsus gallinæ
4. species, Trag. Alfine 3. genus, Fuch. minor,
Tab. minima, Dod. Lob. In arenosis, & ru-
deribus, muris ac tectis.

Alfine Spergula dicta major: Spergula, Dod.
Sagine Spergula, Lob. In arenosis ad Wiefam.

Alfine Spergulæ facie minor: sive Spergula
minor flosculo subcæruleo: quæ sub Alfine 9.
in Prod. describitur. In viis, præsertim inter
Novam domum, & Otlingen arcem.

Alfine palustris minor serpillifolia: quæ 1.
in Prod. In palustribus alneti circa telonium
Wiefæ.

Alfine hirsuta magno flore: Alfine spuria 3.
Dod. Passim in arvis solo arenoso.

Anagallis.

ANAGALLIS phæniceo flore: Anagal-
lis, Trag. Matth. Fuch. Dod. Anagall. phæ-
nicea, Tab. mas phænicea, Lob.

Anagallis cæruleo flore: Anagallis fœmina,
Trag. Matth. Fuch. Dod. Anagallis cærulea,
Tab. fœmina cærulea, Lob. Ultraque in agris:
etiam hortorum areolis.

Anagallis lutea nemorum: Anagallis lutea,
Lob. Tab. In sylva Wilensi & ad Wiefam in
alneto.

Anagallis aquatica major folio subrotundo:
Berula sive Anagallis aquatica, Tab.

Anagallis aquatica major folio oblongo:
Berula major, Tab.

Ana-

Anagallis aquatica minor folio subrotundo: Sion non odoratum 1. Trag. Sii alterum genus, Fuch. Anagallis aquatica, Lob. minor 1. Tab.

Anagallis aquatica minor folio oblongo: aquatica minor 2. Tab. Singulæ in aquaticis.

E L A T I N E folio subrotundo: Veronica *Elatine.* fœmina, Matth. Fuch. Dod. Elatine Dioscoridis, Lob. prima, Tab. In agris.

Elatine folio acuminato flore luteo: Elatine, Matth. altera, Dod. Lob. In agris circa Hünningen & Haltingen.

H E L I O T R O P I U M majus Dioscoridis: *Heliotropiū.* Heliotropium majus, Matth. Dod. Lob. Tab. In agris ad Kliben, & ad S. Jacobum.

E C H I U M Scorpioides arvense: Auricula *Echium.* muris minor 3. Trag. Alsine myosotis, Lob. Scorpioides 3. Dod. Auricula muris cærulea, Tab. Passim in agris.

Echium Scorpioides palustre: Euphrasia cærulea, Trag. Tab. Myosotis Scorpioides, Lob. In palustribus.

Echium vulgare: Echium, Matth. Dod. Lob. Passim ad sepes, & in agris.

B U G L O S S U M latifolium: Borrago, *Buglossum.* Trag. Fuch. Dod. Tab. Buglossum, Matth. latifolium, Lob. Ad hortorū margines in fimetis.

Buglossum syl. asperius: Borrago syl. Trag.
 Echium

Echium Germanicum spinosum, Fuch. Bugloss. syl. Dod. In agris, & dumetis viæ Riehanæ.

Cynogloss. CYNOGLOSSUM majus vulgare: Cynogloss. Dod. Tab. vulgare, Matth. Lob. Ad agrorum margines.

Lithosperm. LITHOSPERMUM majus erectum: Milium Solis sativum, Trag. Lithospermon sativum, Fuch. arvense, Tab. minus, Matth. Dod. Lob. In sylva Augustana, Wilensi & Hüningsensi.

Lithospermum minus repens latifolium: Lithospermum majus, Dod. Lob. In sylvosis & humectis.

Lithospermum arvense radice rubra: Lithospermum syl. Trag. Fuch. Anchusa degener facie milii Solis, Lob. Anchusa arvensis minor, Tab. In agris.

Lithospermum linariæ foliis Germanicum: Passerina, Trag. Lithospermon 4. exiguum, Dod. Lingua passerina, Tab. Passim in agris demessa segete.

Symphyt. SYMPHYTUM, Consolida major mas & fœmina: Consolida major, Trag. Symphytum majus, Matth. Tab. magnum, Fuch. Dod. Symph. Alum, Lob. In pratis humidis Michelfeldensib. & Muttensibus.

Symphytum maculosum, seu Pulmonaria lati-

latifolia : Pulmonaria altera, Matth. maculosa, Lob. Tab. Symphytū maculosum, Dod. In sylvosis humidis.

Pulmonaria angustifolia fl. cæruleo rubente : Consolida major syl. Trag. Pulmonaria foliis Echii, Lob. Pulmonar. 4. Plinii angustifolia, Tab. Circa rivulum Novæ domus & alibi primo Vere florens.

Consolida media pratensis cærulea & purpurea : Brunella cærulea, Trag. Consolida media, Matth. Fuch. Tab. Bugula, Dod. & Lob. Passim in pratis, licet purpurea non ita frequens sit.

B R U N E L L A major folio non dissecto : *Brunella.* Consolida minor, Matth. Brunella, Fuch. Tab. vulgaris & 6. Trag. Brunella, Dod. Symphytum petræum, Lob. Locis aridioribus.

Brunella folio laciniato : Symphytum petræum, Lob. Brunella altera, Lob. tertia, Tab.

Brunella minor alba : Brunella fœmina, Trag. Ad pontem Wiesæ.

B E L L I S syl. caule folioso major : Bellis *Bellis.* major, Trag. Matth. Fuch. Dod. Lob. major syl. Fuch. Bellium majus, Tab. Passim in pratis, & ad agrorum herbidos margines.

Bellis syl. media caule carens : Bellis media, Matth. Tab. Bellis syl. Dod. major syl. Lob. In sylvosis.

Bellis syl. minor ; Bellis minor, Matth. minor

nor fyl. Fuch. Tab. Passim in pratis, aliisque locis herbidis.

Bellis cærulea caule folioso: Bellis cærulea five Globularia, Lob. Tab. In sylva Hünningensi: circa Dornacum, & ad patibulum.

Pilosella. P I L O S E L L A major repens hirsuta: Auricula muris major, Trag. Pilosella, Matth. Lob. Tab. major, Fuch. Dod. Passim locis campestribus siccioribus.

Pilosella major repens minus hirsuta: Auricula muris major 2. Trag. In graminosis.

Pilosella major erecta: Pilosella major altera, Tab. In monte Crentzacensi & ad mœnia.

Gnaphalium. G N A P H A L I U M vulgare majus: Heliochrysos fyl. Trag. Gnaphal. Fuch. vulgare, Matth. Lob. Tab. Filago, Dod.

Gnaphalium medium: Filago minor, Dod. & Lob. Gnaph. medium, Tab.

Gnaphalium minus repens: Gnaph. minus, Tab. minimum, Lob. Hæ tres in agris frumentaceis reperiuntur.

Gnaphalium montanum flore rotundiore album, purpureum: Lagopus 2. Trag. Pilosella minor, Fuch. Dod. Gnaphal. montanum, Lob. Tab. In monte Crentzacensi: rarius in sylva, quâ Augustam itur.

Conyza. C O N Y Z A major vulgaris: Conyza major, Trag. Matth. major altera, Dod. Baccharis,

ris, Matth. Tab. Baccharis Monspel. Lob. In dumetis Michelfeldæ.

Conyza cærulea: & Tab. Tinctorius flos alter, Trag. Erygeron 4. Dod. Ad mœnia: etiam in agris ficcioribus.

Conyza media Asteris flore luteo, vel 3. Diosc. Conyza media, Matth. Dod. Lob. Calaminthæ 3. genus, Fuch. In humidis, & Michelfeldæ.

Conyza minor flore globoso: Conyza minor, Trag. Matth. Tab. minima, Lob. Dod. In fossis humidis ad agros.

Conyza palustris ferratifolia: Conyza aquatica, Ges. Consolida palustris, Tab. In paludibus Michelfeldensibus.

A S T E R Atticus cæruleus vulgaris: Tin- *Aster*
ctorius flos 1. Trag. After Atticus, Matth.
1. Dod. purpureus, Fuch. In ericetis, in monte
Muteto, & collibus ad patibulum Autumno
florens.

After montanus luteus folio salicis glabro:
After Atticus 2. Clus. Bubonium luteum, Tab.
In monte Muteto.

V I R G A A U R E A latifolia ferrata: Virga *Virga aurea*
aurea ferratis foliis, Tab. altera ferrato folio, *rea.*
Lob. Virga aur. margine crenato, Dod. In
monte Muteto, & sylva Hüningsensi.

Virga aurea angustifolia: Virga aurea,
Matth. Dod. Villanovani, Lob. Symphytum
perræum 3. Tab. In Muteto & Hünigen.

Verbena. VERBENA communis cæruleo flore: Verbena recta, Trag. Verbena communis & sacra, Lob. Verbenaca, Matth. supina, Fuch. recta, Dod. Tab. Passim in ruderibus.

Succisa. SUCCISA glabra: Succisa, Matth. Fuch. Dod. Morsus diaboli, Trag. Lob. Tab. Aliquando foliis laciniatis (in Muteto monte) reperitur. In pratis & montosis herbidis.

Succisa hirsuta: Morsus diaboli hirsuta rarior, Ges. hor. In pratis udis Michelfeldensium.

Scabiosa. SCABIOSA pratensis hirsuta, quæ officinarum: Scabiosa 1. Trag. vulgaris, Fuch. arvensis, Tab. altera campestris sive segetum, Lob. In pratis, aliquando in agris.

Scabiosa major capitulis squamatis: Scabiosa 5. Trag. major, Matth. flore purpureo, Tab. Hæc, ut & sequens, in Muteto provenit.

Scabiosa montana latifolia non laciniata rubra: Scabiosa latifolia 4. Clus.

Scabiosa capitulo globoso major: Scabiosa 5. & 6. Trag. Scabiosa minor, Matth. Lob. media, Dod. Scabiosa fœmina herbariorum, Tab. In montosis & dumetis.

Scabiosa capitulo globoso minor: Scabiosa minor 1. 2. 3. & 5. Tab. quia foliis variè ludit. Ad agrorum scrobes & margines.

Iacea. JACEA nigra pratensis latifolia: Scabiosa pra-

pratensis vel 4. Trag. Jacea nigra, Tab. In omnibus pratis.

Jacea nigra angustifolia, quæ i. in Prodro-
mo. Locis aridioribus.

STÆBE major calyculis non splendenti- *Stæbe.*
bus: Centaurium majus in muris, Ges. hor.
Jacea five Stæbe Gallica, Clus. In muris no-
stris, & etiam quibusdam agris siccioribus.

CYANUS montanus latifolius: Verba- *Cyanus.*
sculū, Trag. Cyanus major, Matth. Dod. Lob.
montanus, Tab. In monte Wasserfall.

Cyanus segetum: Baptifecula, Trag. Cya-
nus minor, Matth. syl. Fuch. vulgaris, Lob.
Cyanus flos, Dod. Flore cōmuniter cæruleo
inter segetes: flore albo circa Hūningam.

TRAGOPOGON pratense luteum ma- *Tragopogō.*
jus: Barbula hirci, Trag. Matth. Tragopogon,
Fuch. Dod. luteum, Lob. Tab. In pratis, ra-
rius in agris.

CALTHA palustris flore simplici: Caltha *Caltha.*
Virgilii, Trag. Tussilago altera, Matth. Cal-
tha palustris, Dod. Lob. In pratis udis, & ad
rivulos.

BUPLEURON angustifolium: & Dod. *Bupleurum.*
Lob. Tab. Herba vulneraria, Trag. Locis her-
bidis ad sepes ad S. Jacobum: in monte Mu-
reto & aliis.

*Centaurium
minus.*

CENTAUURIUM minus:& Trag. Matth. Fuch. Dod. Tab. parvum, Lob. In pratis Michelfeldæ, rarius in sylvis.

Centaurium luteum perfoliatum: Centaurium floribus luteis, five citreis pallidis Mesuæi, Lob. Centaur. minus luteo fl. perfoliatum, Tab. In pratis udis Michelfeldæ.

Hypericum.

HYPERICUM vulgare: Herba perforata, Trag. Hypericum, Matth. Fuch. Dod. Lob. Tab. In sylvis herbidis.

Hypericum supinum glabrum: Hyperic. exiguum, Trag. minus, Dod. minimum supinum Septentrionalium, Lob. In agris ad Novam domum.

Ascyrum.

ASCYRUM five Hypericum bifoliū glabrum: Hypericum in dumetis 1. Trag. Androsæmon, Matth. Fuch. In montosis circa Crenzachum.

Androsæmon.

ANDROSÆMON hirsutum: Hypericum in dumetis 2. Trag. Ascyrum, Matth. Fuch. Dod. Lob. In herbosis montis Mutetæ.

Polygonum.

POLYGONUM latifolium: Polygonum masculum, Trag. mas, Matth. Fuch. Dod. Polygonum mas vulgare, Lob. Polyg. majus, Tab. Passim in urbis arcis.

Polygonum angustissimo gramineo folio: Polygonon, Germanis Knawel/Trag. Polyg. exi-

exiguum, Dod. minus polycarpon, Tab. Saxifraga Anglica, Lob. In agris post messem.

Polygonum littoreum minus flosculis spadiceo albicantibus, quod 3. in Prodromo. In sabulosis ad fluvium Wiefam.

Polygonum minus five Millegrana major: Empetrum, Trag. Polygonum minus, Matth. Herba turca, Lob. Herniaria, Dod. Tab. Duplex, glabrum & hirsutum, in agris, & ad Novam domum.

S E D U M minus teretifolium albū: Sedum *Sedum* minus 1. Trag. foemina, Fuch. Sempervivum minus, Matth. Vermicularis & Illecebra major, Lob. Sedum minus hæmarodes 2. Tab. In tectis.

Sedum minus luteum ramulis reflexis: Aizoon Scorpioides, Lob. In agris, & mœnibus.

Sedum arvense flore rubente. In agris circa Hünningen.

Sempervivum minus repens: Vermicularis, Trag. Sempervivum minimum, Matth. Lob. Sedi 3. genus, Fuch. Illecebra, Dod. Sedum minimum, Tab. In agris & tectis: acre aliud, aliud insipidum.

Sedum alpinum gramineo folio lacteo flore: Sedum alpinum 5. Clus. In monte Wafferfall.

Sedum alpinum hirsutum luteum: Sedum petræum montanum, Lob. In monte Reichenstein.

Sedum tridactylites tectorum: *Hendelstraut*/Trag. *Paronychia altera*, Dod. rutaceo folio, Lob. *Alfine petraea rubra* & *Paronychia* 3. Tab. In tectis & agris versus telonium.

Telephium. **TELEPHIUM** vulgare: *Fabaria*, Matth. *Telephium*, Lob. Tab. alterum, Dod. *Acetabulum alterum*, Fuch. *Faba inversa*, Lob. In agris ad Rheni ripam.

Telephium purpureum majus five floribus purpureis, Lob. Tab. *Scrophularia major*, Trag. *Acetabulum alterum purpureum*, Fuch. In vinetis ad Rheni ripam supra urbem.

Portulaca. **PORTULACA** angustifolia five sylvestris: *Portulaca syl.* Trag. Matth. Fuch. Dod. Lob. *arvensis*, Tab. In agris.

Tithymalus. **TITHYMALUS** syl. lunato flore: *Tithymalus lunato flore*, Colum. In dumetis & sylvis.

Tithymalus myrsinites fructu verrucæ simili: *Esula multicaulis* & 4. Trag. *Tithymalus verrucosus*, Lugd. In montosis Murtæ & S. Christianæ.

Tithymalus linariæ folio: *Tithymalus amygdaloides angustifolius*, Tab. In sylva inter Hünningen & Michelfelden.

Tithymalus arvensis latifolius Germanicus: *Tithymal. platyphyllos*, Fuch. In agris, præsertim rapiciis.

Tithy-

Tithymalus helioscopius : & Matth. Fuch. Dod. Lob. Esula vulgaris & 3. Trag. Passim in agris.

Tithymalus cyparissias foliis punctis croceis notatis : Esula scabiosa, Ges. de col. stirp. Tithymalus *γινώσκου*, Thal. Hæc & sequēs passim ad agrorum margines.

Tithymalus cyparissias : & Matth. Fuch. Dod. Tab. Tithym. cupressinus five humipinus, Lob.

Tithymalus seu Esula exigua : Esula exigua, Trag. Lob. Tithymalus leptophyllos, Matth. minimus, Tab. Passim in agris, segetibus demersis.

Tithymalus palustris fruticosus : Esula major, Trag. Dod. major Germanica, Lob. In humidis, & Michelfeldæ.

Tithymalus montanus non acris : Esula dulcis, Trag. Pityusa five Esula minor altera, Lob. Flore est viridi, aliquando rubro. In monte Muteto.

Peplus five Esula rotunda : Peplus, Matth. Fuch. Dod. Lob. Tab. In agris.

CONVOLVULUS major albus : Volubilis major, Trag. Tab. Smilax lævis, Matth. Fuch. major, Dod. levis major, Lob. Ad sepes. Convolutus.

Convolvulus minor arvensis : Volubilis minor, Trag. arvensis, Tab. Helxine cispampelos, Matth. Fuch. Smilax lævis minor, Dod. Convolvulus minor, Lob. In agris.

Convulvulus minor semine triangulo: Orobanche, Trag. **Convulvulus** niger, Dod. **Helxine cissampelos** altera atriplicis effigie, Lob. **Volubilis** nigra, Tab. Inter segetes iis se circumvolens.

Bryonia. **BRYONIA** aspera alba baccis rubris: **Bryonia**, Trag. Tab. alba, Dod. **Vitis** alba, Matth. Fuch. Lob.

Bryonia lævis, sive nigra racemosa: **Vitis** nigra, Matth. 1. Tab. **Vitis** syl. sive sigillū Mariæ, Dod. **Vitis** vel **Bryonia** syl. Lob. In monte Muteto.

Bryonia lævis sive nigra baccifera, quæ sub **Bryonia** syl. baccifera, in Prodromo describitur. In sylva Hüningsensi arbores scandens.

Lupulus. **LUPULUS**: & Trag. Matth. Dod. Tab. **Lupulus** salictarius, Fuch. Lob. Passim ad sepes.

Vitis sylvestris. **VITIS** sylvestris, Labrusca: Labrusca, Trag. & aliis: Ad sepes locis diversis.

Clematis. **CLEMATIS** syl. latifolia: **Vitis** syl. Trag. **Vitis** nigra, Fuch. nigra 2. Tab. **Vitalba**, Dod. **Clematis** 3. Matth. **Viorna**, Lob. Hinc inde ad sepes arbores scandens.

Clematis daphnoides minor: **Pervinca**, Trag. **Clematis**, Matth. daphnoides, Fuch. Dod. Lob. Tab. Ad sepes per terram repens, & Vere florens.

PERICLYMENUM Germanicum non perfoliatum: *Periclymenum*, Trag. Fuch. Tab. non perfoliatum Septentrionalium, Lob. Caprifolium Germanicum, Dod. In sylvarum sepibus.

ASCLEPIAS albo flore: Hirundinaria, *Asclepias*, Trag. Vincetoxicum, Matth. Dod. Asclepias, Fuch. Lob. Tab. In herbidis montosis Mutetæ, & alibi.

POLYGONATUM latifolium vulgare: *Polygonatum*, Sigillum Salomonis latifolium, Trag. Polygonatum, Matth. latifolium, Fuch. Dod. Lob. Tab. In sepibus non longè Mönchensteinio.

Polygonatum latifolium minus flore majore, quod i. in Prodromo. In saxosis montis Mutetæ & Crentzaci.

Polygonatum angustifolium non ramosum: Sigillum Salomonis angustifolium, Trag. Polygonatum angustifolium, Fuch. i. Tab. Polygonum alterum, Dod. Polyg. minus foliis rubiæ, Lob. In monte Wasserfall.

LILIUM convallium majus: Liliium con- *Lilium con-* vallium, Trag. Matth. Dod. Lob. Ephemerum *vallium*, non lethale, Fuch. In monte Muteto & Mönchenstein.

Lilium convallium minus: Coryledon syl. Trag. Gramen Parnassii, Matth. Tab. Monophyllon, Lob. In monte Crentzacensi.

Hedera.

HEDERA arborea : & Matth. Hedera, Trag. Dod. nigra, Fuch. corymbosa, Lob. Tab. Ad muros & arbores, foliis mirè ludens.

Hedera major sterilis: Hedera helix, Matth. Fuch. Dod. Tab. five provoluta sterilis hedera, Lob. Passim in sylvis.

Hedera terrestris vulgaris : Chamæcissos, Trag. Fuch. Hedera terrestris, Matth. Dod. Tab. Humilis hedera, corona terræ, Lob. Ad hortorum sepes.

Hedera terrestris montana: & Cam. in Matthiolo. In montosis Mutetæ.

Balsamina.

BALSAMINA lutea : Mercurialis fyl. altera, Trag. Impatiens herba, Dod. Persicaria filiquosa, Lob. Noli me tangere, Tab. Locis humidis uliginosis in nemore Wilensi.

Gramen Parnassi.

GRAMEN PARNASSI albo simplici flore: Gramen Parnassi, Dod. hederaceo folio, Lob. Gramen hederaceum, flos hepaticus, Tab. In pratis Michelfeldæ Autumno florens.

Saxifraga.

SAXIFRAGA rotundifolia alba : Saxifraga alba, Trag. Fuch. Dod. Tab. Saxifr. 4. Matth. Saxifr. chelidonides, Lob. In arenosis retro Novam domum.

Saxifraga rotundifolia aurea: Saxifraga aurea, Dod. Lichenis facie & natalitiis, Lob. Chrysosplenium, Tab. In dumetis humidis non longè à domo Nova.

CHELIDONIA rotundifolia minor: *Chelidonia minor.*
 Chelidonium minus, Trag. Matth. Fuch. Dod. Lob. Tab. Malacocissus minor, Fuch. Passim in humidis uliginosis.

NUMULARIA major lutea: Numularia, *Numularia.*
 Trag. Matth. Fuch. Dod. & Lob. Hirundinaria minor, Tab. In sylva Wilensi & Mönchensteinensi.

MALVA sylvestris folio rotundo: Malva, *Malva.*
 Matth. vulgarissima, Trag. Malva syl. pumila, Fuch. Dod. syl. repens pumila, Lob. syl. minor, Tab. In ruderibus.

Malva syl. folio sinuato: Malva vulgaris altera, Trag. procerior, Lob. Malva syl. elatior, Fuch. syl. procerior, Dod. major, Tab. Ultraque ad sepes hortorum.

ALCEA vulgaris major: Alcea, Trag. *Alcea.*
 Matth. Fuch. Tab. vulgaris, Dod. Lob. Viâ, quâ Rieham itur.

Alcea vulgaris minor foliis in longas lacinias divisis: Dens leonis, & Malva querna, Lonicero. Ad agros infra Hüningam.

GERANIUM batrachiodes, sive Gratia *Geranium.*
 Dei Germanorum: Geranium 4. Trag. Matth. 5. Fuch. Batrachiodes, Dod. Geranium sanguinarium, Tab. In montosis.

Geranium batrachiodes, collum gruis Ger-

manorū: Geranium 4. Fuch. Gruinalis, Dod. In pratis siccis & collibus.

Geranium folio malvæ rotundo: Geranium 2. Trag. Matth. Fuch. Geranium columbinum, Tab. Pes columbinus, Dod. Lob.

Geranium folio rotundo minus profundè laciniato. Utrumque ad sepes reperitur.

Geranium cicutæ folio majus inodorum: Geranium, Trag. 1. Fuch. 3. Matth. supinum, Dod. Geranium myrrhinum, Tab. Myrrhida Plinii, rostrū ciconiæ, Lob. Hæc, ut & sequēs, in agris & fossis gramineis, ut in fossis circa telonium trans Rhenum, reperitur.

Geranium cicutæ folio minus & supinum: Geranium minus, Trag. vel arvense, Tab. Myrrhida Plinii & rostrum ciconiæ inodorū vulgatum, Lob. Geran. 7. sive Gruinum, Dod.

Geranium Robertianum primum: Gratia Dei, Trag. Geranium 3. Matth. Fuch. Geraniū Robertianum, Dod. Lob. Tab. In uliginosis, & antiquis maceriis.

Sanicula.

SANICULA Officinarū: Sanicula, Trag. Dod. Lob. Tab. cui & Consolida quinquefolia: Sanicula mas, Fuch. Diapensia, Matth. In monte Mureto & Crentzacensi.

Alchimilla.

ALCHIMILLA vulgaris: Alchimilla, Trag. Dod. Lob. Tab. Pes leonis, Fuch. Stellaria, Matth. In umbrosis & humidis potissimum pratis.

EUPATORIUM cannabinum : Herba *Eupatoria.*
S.Kunigundis, Trag. 1. Tab. Eupatorium vul-
gare, Matth. Dod. adulterinum, Fuch. Cannabina aquatica, Lob. Passim ad rivulos & in humidis Michelfeldæ.

Cannabina aquatica folio tripartito diviso: Verbena supina, Trag. Hepatorium aquatile, Dod. Eupatorium cannabinum fœmina Septentrionalium, Lob. Hæc, ut & sequens, in humidis Michelfeldæ.

Cannabina aquatica folio non diviso: Eupatorium cannabinum chrysanthemum, Tab.

Eupatorium Veterum sive Agrimonia: Eupatorium, Matth. Fuch. Tab. vulgare, Trag. Eupatorium Diosc. & Græcorum, Lob. Agrimonia, Dod. In herbosis ad sepes: aliquando in sylvis.

POTENTILLA: & Matth. Argemone *Potentilla.*
altera, Fuch. Anserina, Trag. Tab. Argentina, Dod. Lob. Passim in areis.

CARYOPHYLLATA vulgaris: & Lob. *Caryophyl-*
Caryophyllata, Trag. Matth. Fuch. Tab. Ad *lata.*
sepes.

DENTARIA heptaphyllos & penta- *Dentaria.*
phyllos: Viola dentaria 1. & 2. Dod. Alabastrites nemoralis alpina 1. & 2. Lob. Dentaria minor, Matth. major 2. & corallina altera, Tab. In monte Muteto, & prope Richenstein.

Q U I N

*Quinquefo-
lium.*

QUINQUEFOLIUM majus repēs: Pentaphyllum vulgare, Trag. Pentaphyllū Dioscoridis, Tab. Quinquefolium, Matth. Lob. majus, Dod. luteum majus, Fuch. Passim ad sepes.

Quinquefolium minus repens luteū: Quinquefolii minimum genus, vel 1. Trag. Primo Vere in herbosis fossis, ut ad telonium.

Quinquefolium folio argēteo: Pentaphyllon exiguum alterum, Trag. Pentaphyllum album, Matth. Quinquefolium luteum minus, Fuch. petræum majus, Tab.

Quinquefolium montanum erectum hirsutum luteum, quod 3. in Prodromo. In monte Crentzacensi.

Quinquefolio affinis Tormentilla: Tormentilla, Trag. Matth. Dod. Lob. Tab. cui & Consolida rubra. Heptaphyllum, Fuch. In pratis montosis & dumetis Michelfeldæ.

Fragaria.

FRAGARIA vulgaris: Fragaria, Trag. Matth. Fuch. Dod. Lob. Fragum, & Trifolium fragiferum, Tab. In montibus.

Trifolium.

TRIFOLIUM palustre: & Dod. paludosum, Lob. Limonium pratense, Trag. Trifolium majus & fibrinum, Tab. In palustribus Michelfeldæ.

Trifolium pratense purpureum: & Trag. Fuch. pratense, Matth. Dod. Lob. Tab. Passim in pratis.

Tri-

Trifolium pratense album: & Fuch. pratense alterum, Trag. Matth.

Trifolium pratense luteum capitulo lupuli: Melilorus 8. vel Lotus campestris, Trag. Trifolium agrorum, Dod. luteum minimū, Lob. In agris potissimū.

Trifolium pratense luteū capitulo breviorē: Meliloti exiguae species 1. Trag. Trifolium pratense luteū, Fuch. Trifolium arvense, Tab. In agris & hortis.

Trifolium montanum purpureum: Trifolium majus 2. Clus. In monte Crenztacensi.

Trifolium montanum spicā longissimā rubente: Cytisus, Trag. Lagopus altera folio pinnato, Lob. Lagopus major alter, Dod. In Crenztacho.

Trifolium arvense humile spicarum: Lagopus, Trag. Matth. Fuch. Dod. Lob. Lagopodium, Tab. In omnibus agris.

Trifolium capitulo spumoso aspero majus, quod 5. in Prodromo. Hoc in falicetis Michelfeldæ Hünningam versus, iis se suffulciens reperitur.

Trifolium capitulo spumoso aspero minus, quod 6. in Prod. Ad Rheni ripam herbido & arenoso loco juxta Baar.

Trifolium echinatum arvense fructu minore: Tribulus minor rectus, Lugd. In agris extra portam S. Johannis.

Trifolium acetosum vulgare: acetosum, Matth. Dod. Oxytriphylon, Trag. Oxys, Fuch.

Fuch. alba, Tab. Oxys Pliniana, Lob. In humidis sylvosis, etiam ad annosarum arborum radices, primo Vere.

Melilotus

& *Lotus.*

M E L I L O T U S officinarum Germaniæ: Melilotus major vulgaris, Trag. Lotus urbana, Matth. syl. Tab. Lotus syl. Fuch. Trifoliū odoratum & 2. Dod. Melilotus Germanica, Lob. In sylvosis Michelfeldæ, & alibi.

Lotus sive Melilotus pentaphyllos corniculata: Lagopus 1. Trag. Melilotus Germanica, Fuch. coronata, Lob. Trifolium corniculatū 1. Dod. Trifol. siliquosum minus, Tab. Passim ad agrorum margines.

Lotus pentaphyllos fruticosus: Meliloti majoris 4. species, Trag. Trifol. corniculatum 3. Dod. In sepibus.

Lotus affinis
Vulneraria.

L O T O affinis Vulneraria pratensis: Anthyllis leguminosa, Lob. lenti similis, Dod. Lagopodium, fl. albo & fl. luteo, Tab. In plerisque pratis, præsertim montosis.

Rubia.

R U B I A sylvestris lævis: Rubia syl. Matth. Fuch. Lob. Tab. Passim in sepibus.

Rubia cynanchica: synanchica, Lugd. Passim ad agrorum margines.

Rubeola arvensis repens cærulea: quæ 5. in Prod. Rubeola arvensis, Camer. In agris Autumno reperitur.

APARINE vulgaris: Aparine, Trag. Matth. *Aparine.*
Fuch. Dod. Lob. Ad sepes.

ASPERULA sive Rubeola montana odo- *Asperula.*
ra: Matrifylva, Trag. Asperula, Lob. odorata,
Dod. Hepatica stellata, Tab. In monte Mute-
ro & aliis.

Asperula cærulea arvensis: Asperula cæru-
lea, Dod. Lob. In agris ad Birsam.

MOLLUGO montana latifolia ramosa: *Mollugo.*
Matrifylva 2. Trag. Mollugo montana, Dod.
Tab. Mollugo Belgarum, Lob. In monte Mu-
tero.

GALLIUM luteum: Gallium, Fuch. *Gallium.*
1. Trag. primum luteum, Tab. Galliū, Matth.
luteum, Lob. Passim in pratis, & ad agrorum
margines.

Gallium palustre album, Gallium palustre,
Dod. Gall. album, Tab. In palustribus Mi-
chelfeldensibus.

CRUCIATA hirsuta: Gallium 2. Trag. *Cruciata.*
Cruciata, Dod. minor, Lob. Ad sepes: at in
montibus exilior.

THALICTRUM majus filiquâ striatâ: *Thalictro.*
Ruta pratensis, Lob. Thaliſtrum magnum,
Dod. Ad rivulum retro Novam domum.

Thaliſtrum pratense angustissimo folio,
quod

quod i. in Prodomo in pratis Michelfelden-
sibus.

Lathyrus.

L A T H Y R U S major sylvestris: Ervum
fyl.Fuch. Lathyrus fyl. Dod. Ad rivulos in
Bünningen.

Lathyrus major sylvestris alter. In dumetis
ad Cliben.

Lathyrus latifolius: Clymenum, Matth.
Lathyrus fyl. Dod. Lathyrus Narbonensis la-
tiore folio, Lob. Cicercula fyl. Tab. In monte
Muteto.

Lathyrus fyl. minor: Ervum fyl. Dod. her-
bariorum, Lob. Inter segetes Wilenses.

Lathyrus fyl. luteus foliis Viciæ: Pisum
Græcorum fyl. Trag. Legumen terræ glandi-
bus simile, Dod. Vicia, Tab. Locis humidis
circa Briglingen, Michelfeldæ & alibi.

Lathyrus arvensis repens tuberosus: Apios,
Trag. Fuch. Pseudoapios, Matth. Chamæba-
lanus, Tab. Terræ glandes, Dod. Lob. Inter
segetes.

Vicia.

V I C I A maxima dumetorum: Vicia fyl.
altera, Trag. Cracca major, Tab. In sylva
Hünningenli.

Vicia sepium folio rotundiore acuto: Oro-
bus fyl. Trag. Aphaca, Matth. Aphace, Fuch.
Vicia, Dod. & Lob. Ad sepes.

Vicia vulgaris acutiore folio: Vicia, Matth.
Ad sepes.

Vicia

Vicia fyl.spicata: Vicia fyl.secunda, Clus.
Ad sepes locis montosis.

Vicia lutea foliis convolvuli minoris: A-
phace, Dod. Aphaca, Lob. Elatine 3. Tab.
In agris.

Vicia semine rotundo nigro: Vicia minor,
vel 3. Trag. Cracçe primum genus, Dod. Ara-
cus, Lob.

Vicia segetum cum filiquis plurimis hirsu-
tis: Vicia minima, vel 4. Trag. Aracus five
Cracca minima, Lob. Craccae aliud genus,
Dod. Cracca minor, Tab.

Vicia segetum singularibus filiquis glabris.
Utraque frugibus se circumvolvens.

S E C U R I D A C A dumetorum major flore *Securidaca.*
vario filiquis articulatis: Melilotus 5. Trag.
Ornithopodium 2. Dod. Hedyfarum purpu-
reum, Tab. In dumetis.

Securidaca dumetorum minor pallide cæ-
rulea: Securidacæ secundæ altera species,
Clusio. In dumetis & monte Crentzacho.

F E R R U M equinum Germanicum: He- *Ferrum*
dysfarum minus, Tab. In monte Mureto. *equinum.*

O R N I T H O P O D I U M majus: Orni- *Orni-*
thopodium, Dod. Lob. In agris inter Novam *tho-*
domum & Otlingen. *podium.*

O R O B U S sylvaticus purpureus vernus: *Orobis.*
Orobis pannonicus 1. Clus. Arachus latifo-

lius alter, Dod. In monte Muteto, Crentza-
cho & Mönchenstein.

Orobus sylvaticus Viciæ foliis: Astragaloi-
des, Dod. altera herbariorum, Lob. In Mute-
to & Mönchenstein.

*Glycyrrhi-
za.*

GLYCYRRHIZA syl. floribus luteo palle-
scentibus: Fœnugræcum syl. Trag. primum,
Dod. Glaux vulgaris, Lob. In sylva Augusta-
na & Michelfeldensi.

*Lingua cer-
vina.*

LINGUA cervina officinarum: Scolopen-
dria vulgaris, Trag. Phyllitis, Matth. Dod.
Lob. Hemionitis, Fuch. In saxosis Mutetæ.

Ophioglossū.

OPHIOGLOSSUM: & Trag. Matth. Fuch.
Dod. Lob. Tab. In pratis montis Mutetæ,
Mönchenstein & Michelfelden.

*Trichoma-
nes.*

TRICHOMANES sive Polytrichum offici-
narū: Trichomanes, Trag. Matth. Fuch. Dod.
Lob. mas, Tab. In saxosis montis Mutetæ, &
antiquis maceriis.

*Ruta mura-
ria.*

RUTA muraria: Capillus Veneris, Trag.
Saxifraga, Fuch. Paronychia, Matth. Ruta
muraria, Dod. Salvia vita, Lob. Adiantum
album, Tab. Passim in muris.

Polytrichū.

POLYTRICHUM aureum majus: Polytri-
chum majus, Trag. Fuch. Adiantum aureum,
Tab. In sylva Wilensi.

Poly-

Polytrichum aureum minus: Polytrichum minus, Trag. Fuch. Musci capillaris altera species, Dod. In muris.

FILIX ramosa major pinnulis obtusis non *Filix*, dentatis: Filicis majoris primum genus, Trag. Filix foemina, Matth. Fuch. Dod. Tab. In sylva Augustana, & alibi.

Filix ramosa minor pinnulis dentatis: Filix petraea foemina 4. Tab.

Filix non ramosa pinnulis tenuissimis & tenuissimè dentatis: Filix petraea 1. Tab. In dumetis ad Wiefam.

Filix non ramosa dentata: Filix vulgaris, Trag. mas, Matth. Fuch. Dod. Lob. Tab. In Muteto.

Filix querna: Filix arborea, Trag. Dryopteris, Matth. Filicula petraea foemina 2. Tab. Ad arborum truncos, & in monte Wasserfall.

Filicula fontana major, sive Adiantum album filicis folio: Dryopteris candida, Dod. Adiantum album Plinii, Lob.

Filicula fontana minor: Filicula fontana, Tab.

Filix aculeata major & minor: Utraque in Prodromo descripta. In monte Wasserfall provenit.

LONCHITIS aspera: major, Matth. *Lonchitis*. Lonchitis altera mas, Tab. In monte Reichenstein.

Polypodiis. **P O L Y P O D I U M** vulgare: Polypodium, Trag. Matth. Fuch. Lob. Tab. majus, Dod. In quercetis; etiam saxosis montis Mutetæ.

Muscus. **M u s c u s** vulgatissimus: Muscus horrensis, Trag. terrestris vulgaris, Lob. Dod.

Muscus vulgaris pennatus major & minor, uterque in Prodromo sub primo describitur, & locis uliginosis in sylva Wilensi provenit.

Muscus terrestris clavatus: Muscus terrestris, Trag. Matth. Dod. clavatus, Lob. Lycopodium, Tab. In sylva Augustana.

Muscus ramosus repens spicatus, & Muscus ramosus repens apicibus candicantibus sub 4. in Prodromo. Uterque ad arborum radices in monte Crenzacho.

Muscus ramosus erectus major, qui 5. in Prod. Eodem quo prior loco: at elegantior & viridior, in dumetis ad Birsam fluvium.

Muscus ramosus erectus minor, qui 6. in Prod. In Crenzacensi monte.

Muscus saxatilis ericoides, 7. in Prodromo. Ad Wiesam fluvium saxis adnascitur.

Muscus polytrichoides, qui 10. in Prod. & triplex est, quorum primus in sylva Wilensi: duo posteriores muris insident.

Muscus parvus stellaris: Muscus in ericeris proveniens, Lob. In montis Mutetæ herbosis, quâ ad arcem primam itur.

Muscus pyxioides terrestris: muscus terrestris

restris pyxidatus alabastriculos imitatus,
Lob. In montosis.

Muscus terrestris coralloides incanus, qui
undecimus in Prodromo: hic ad Wiefam in
sylvis occurrit.

Muscus terrestris coralloides erectus cor-
nibus rufescentibus, qui 12. in Prod. & musco
terrestri vulgari innascitur, & in Wiefæ fluvii
arenosis latè expansus reperitur.

Muscus coralloides sive cornutus monta-
nus: Muscus corallinus, Tab. In montosis
Mutetæ.

Muscus arboreus sive Ufnea officinarum:
Muscus arboreus, Trag. Matth. Dod. Tab.
quernus, Lob.

Muscus arboreus, cum & sine orbiculis:
Muscus ramosus, & Muscus ramosus floridus,
Tab. Arboribus sylvestribus adnascitur.

Muscus pulmonarius: & Lob. Pulmona-
ria, Trag. Matth. Fuch. Dod. Tab. Quercubus
adhæret.

L I C H E N petræus latifolius, sive Hepati- *Lichen.*
ca fontana: Jecoraria sive Hepatica fontana,
Trag. Lichen, Matth. Fuch. Dod. Lichen 1.
Lob. Hepatica 1. Tab. Ad fontis labra in
Brüglingen, & ad muros humidos in Carthu-
fiano cœnobio.

Muscus aquaticus folio expanso; qui 14. in
Prodromo, qui innatat rivulis ad Novam
domum.

Fungi. F U N G O S præterire lubet, cùm non facile eodem loco reperire liceat: quorum alii terrestres, alii arborum truncis adnascuntur: ut & is, qui Agarico similis.

Carduus. C A R D U U S pratensis latifolius: Carduus pratensis, Trag. Lob. In omnibus pratis humidis, & ad rivulos.

Carduus pratensis Asphodeli radice, foliis profundè & tenuiter laciniatis: Jacea aculeata seu tuberosa, Tab. In pratis Michelfeldæ.

Carduus pratensis polycephalos, qui sub sexto in Prodro-mo describitur. Iisdem, quibus prior, locis.

Carduus palustris, in Prodro-mo sub 5. descriptus. In pratis Michelfeldæ, & in arenosis herbidis ad Wiefam.

Carduus vinearum repens folio Sonchi: Ceanothus Theoph. Lugdunensi. In vinetis Muttensibus.

Carduus in avena proveniens: Carduus fyl. Trag. arvensis, Tab.

Cirsium. C I R S I U M singularibus capitulis: Cirsium, Dod. alterum, Lob. Hoc duplex in monte Wasserfall.

Cirsium angustifolium: sub Carduo 2. in Prodro-mo describitur, & ubi prior reperitur.

Cnicus. C N I C U S sylvestris spinosior: Atractylis sive Carthamus fyl. Trag. Carduus vulgaris, Matth.

Matth. Atractylis vulgaris mitior, Fuch. Car-
lina fyl. Dod. Cirsium luteum Sequanorum,
Lob. Heracantha, Tab. Ad agrorū margines.

C A R L I N A acaulos magno flore: Cha- *Carlina.*
mæleon albus, Matth. Lob. Carlina humilis,
Dod. Hæc & subsequēs in monte Wasserfall.

Carlina caulescens magno flore: Chamæ-
leon niger vulgaris, Trag. niger alter, Matth.
Chamæleon albus, Fuch. caule donatus, Lob.
Carlina sive Leucacantha, Dod.

Carlina acaulos minore purpureo flore:
Chamæleon albus sive exiguus, Trag. Car-
duus acaulis Septentrionalium, Lob. In pra-
tis circa Wasserfall.

Carduus albis maculis notatus vulgaris:
Carduus Mariæ, Trag. Fuch. Tab. lacteus,
Matth. Silybum, Lob. Carlina leucographis,
Dod. In fimetis.

S P I N A alba tomentosa latifolia fyl. Spina
alba 3. Trag. alba fyl. Fuch. Acanthiū, Matth.
Dod. Lob. vulgare, Tab. Passim ad sepes, &
in fimetis.

Carduus spinosissimus latifolius sphæro-
cephalus vulgaris: Carduus fyl. 1. Dod. sub
Carduo 3. in Prodomo descriptus. Secus vias,
& frequentius in dumetis humidis.

Carduus spinosissimus angustifolius vul-
garis: Carduus fyl. 3. Dod. Carduus spinosifs.
vulgaris, Lob. Polyacanthos Theoph. Tab.
Ad agrorum margines.

Carduus lanceatus latifolius: Card. lanceolatus, Tab. Ibidem.

Carduus lanceatus angustifolius: hic 4. in Prodromo, & flore albo variat. In nemore ad pontem Wiefæ reperitur.

Dipsacus.

DIPSACUS fyl. five Virga pastoris major: **Carduus fullonius erraticus**, Trag. Labrum Veneris, Lob. alterum, Matth. **Dipsacus**, Tab. purpureus, Fuch. **Dipsacus** fyl. Dod. Ad agrorum margines.

Dipsacus fyl. capitulo minore, vel Virga pastoris minor: **Cardui fullonii** 3. genus, Trag. Virga pastoris, Matth. Lob. **Dipsacus** 3. Dod. In dumetis humidis & cœmeteriis.

Eryngium.

ERYNGIUM vulgare: **Eryngium**, Matth. Fuch. Tab. primum, Trag. campestre, Dod. campestre mediterraneum, Lob. Ad agrorum margines.

Eryngium arvense foliis ferræ similibus: **Crithmus agrestis**, Trag. **Crithmum** 4. Matth. Tab. **Eryngium** 4. Dod. **Eryngium montanum**, Lob. In agris ad domum sclopetariorum.

Anonis.

ANONIS spinosa flore purpureo: **Resta bovis**, Trag. **Anonis** five **Ononis**, Matth. Tab. **Anonis**, Fuch. Dod. **Ononis**, Lob. Passim in arvis, etiam monte Mutero.

Genista.

GENISTA spinosa minor Germanica: **Geni-**

Genistella, Trag. Fuch. Dod. Genistella aculeata, Lob. Tab. In monte Muteto.

Genista tinctoria Germanica: Ferula, Trag. Flos tinctorius, Fuch. Genista tinctoria, Dod. Genistella infectoria vulgi, Lob. Genistella tinctoria, Tab. In arenolis & montosis.

Chamægenista sagittalis: Chamæspartium, Trag. Tab. Genistella montana, Lob. In arenolis ad Wiefam & S. Jacobum.

C O L U T E A filiquosa sive Scorpioides *Colutea.* major: Colutea Scorpioides, Lob. prima, Tab.

P I S T A C I A sylvestris: Nux vesicaria, *Pistacia.* Trag. Dod. Staphylodendron, Matth. Tab. In sepibus.

S O R B U S syl. quæ Aucuparia: Fraxinea *Sorbus.* arbor, Trag. Sorbus syl. Matth. Tab. alpina, Lob. Ornus, Dod. In monte Muteto.

F R A X I N U S excelsior: Fraxinus, Trag. *Fraxinus.* Matth. Dod. Lob. Tab. In dumetis ad Birsam, quâ ad S. Jacobum itur.

C O R Y L U S sylvestris: & Trag. Matth. *Corylus.* Lob. Nux avellana syl. Fuch. Dod. In dumetis.

F A G U S: & Trag. Matth. Dod. Lob. Tab. *Fagus.* In montibus.

Quercus. QUERCUS latifolia brevi pediculo. In monte Muteto.

Quercus cum longo pediculo : Quercus, Trag. Matth. Fuch. Tab. vulgaris, Lob. circa Michelfelden.

Ilex. ILEX aculeata baccifera folio sinuato : Aquifolia, Trag. Aquifolium, Matth. Lob. Tab. Agrifolium, Dod. In monte S. Christianæ.

Tilia. TILIA montana maximo folio : Tilia syl. five montana, Thallio. In monte Muteto, in qua hætenus nullum fructum observavi.

Tilia fœmina folio majore : Tilia fœmina, Matth. Fuch. Lob. Tab. Tilia, Dod. sativa, Trago. Hinc inde in areis.

Tilia fœmina folio minore : Tilia syl. Trag. Hæc in via Emmeldingen provenit, & versus Michelfelden.

Ulmus. ULMUS campestris : Ulmus, Trag. Matth. Dod. Lob. Ulmus 1. Tab. In montibus.

Ulmus montana : & Matth. Ulmus latifolia, Trag. Ulmus 3. Tab. In monte Wasserfall.

Ostrya. OSTRYA Ulmo similis : Ornus, Trag. Carpinus, Matth. Dod. Tab. Betulus, Lob. In sepibus Augustam versus.

Betula. BETULA vel Betulla : Betula, Trag. Matth. Dod. Lob. Tab. quæ aliquando in arborem

borem affurgit; aliquando pumila reperitur.
In Bünningen.

A L N U S rotundifolia glutinosa viridis: *Alnus.*
Alnus, Trag. Matth. Dod. Lob. Tab. Ubique
ad aquas.

Alnus folio incano: Alnus hirsuta in Mat-
thiolo nostro. In sylva Hünningenfi.

Alnus nigra baccifera: & Tab. Sausbaum/
Trag. Frangula, Matth. Dod. Alnus nigra,
Lob. In monte Muteto.

Alnus nigra polycarpus: Kreußbeer/Loni-
cero. In monte Muteto.

E V O N Y M U S vulgaris fructu rubescente: *Evonymus.*
Carpinus Theophrasti, Trag. Evonymus,
Matth. Dod. Lob. Tab. In sepibus.

V I B U R N U M: & Matth. fleiner Mäſſbaum/ *Viburnum.*
Trag. Viurna, Lob. Lantana, Dod. In dume-
tis & montibus.

P O P U L U S alba majoribus foliis: Populi *Populus.*
albę alia species, Trag. Populus alba, Matth.
Dod. Tab. latifolia, Lob. In Michelfelden.

Populus nigra: Populus alba, Trag. nigra,
Matth. Dod. Lob. Tab. Ad Birsam juxta por-
tam lapideam.

Populus tremula: Populus nigra, Trag. Ly-
bica, Matth. Dod. Lob. Tab. In monte Muteto
& aliis.

Acer. A C E R montanum candidum: Platanus, Trag. Acer major, Dod. Lob. In monte Mureteto.

Acer campestre & minus: Acer, Trag. Lob. Tab. minor, Dod. In sepibus Augustā versus.

Mala. M A L A syl. fructu majore, minore, albo & rubro: Mala sylvestria rubentia; malus syl. major albus, & syl. minor, Tab.

Pyrus. P Y R U S sylvestris fructu majore & minore: Pyra syl. majora & minima, Tab.

Prunus. P R U N U S sylvestris: & Matth. Fuch. Dod. Tab. vulgaris, Trag. cujus succus pro Acacea usurpatur: passim ad sepes.

Cornus. C O R N U S fœmina: & Lob. Tab. Hartriegel/Trag. Virga sanguinea, Matth. Dod. In dumeris & sepibus.

Cerasus. C E R A S U S syl. fructu eduli. In sylvis. Cerasus syl. racemosa fructu non eduli. Pseudoligustrum, Dod. Cerasus avium racemosa, Lob. Cerasia racemosa, Tab. In sepibus quā Rieham & Muretamitur: & non longè Mönchenstein.

Ceraso affinis: Mahaleb, Matth. Tab. Mahaleb, Lob. Prope balneum Fliehen.

Chamæcerasus dumerorum fructu gemino rubro: Halimus, Trag. Xylosteum, Dod. Pericly-

riclymenon Allobrogum, Lob. Periclym. rectum, Tab. passim in dumetis.

ALNI effigie lanato folio major : Aria *Alni effigie,*
Theoph. effigie alni, Lob. Aria Theoph. Tab. *etc.*
In monte Muteto & aliis.

Alni effigie lanato folio minor : Amelan-
chier, Lobel. Vitis Idæa 4. Tab. In Reichen-
stein & Landskron.

MESPILUS Apii folio syl. non spinosa: *Mespilus.*
Sorbi 4. genus, Trag. Sorbus torminalis,
Matth. Dod. Lob. Tab. In monte Muteto &
Reichenstein.

Mespilus Apii folio syl. spinosa: Cynosba-
ros Theophrasti, Trag. Oxyacantha, Matth.
Lob. Tab. passim in dumetis & sepibus.

BERBERIS dumetorum: Oxyacantha, *Berberis.*
Trag. Fuch. Tab. Crespinus, Matth. Spina al-
ba, Dod. Berberis, Lob. In dumetis.

GROSSULARIA spinosa syl. Ulva cri- *Grossularia.*
spa, Trag. Fuch. Dod. Lob. Tab. Ulva spina,
Matth. In dumetis & sepibus.

SAMBUCUS fructu nigro : Sambucus, *Sambucus,*
Matth. Fuch. Dod. Lob. Tab. vulgaris, Trag.
Passim.

Sambucus fructu viridi: Sambuci altera spe-
cies, Trag. Dod. Sambucus fructu albo, Lob.
In via à porta cinerea Gundeldingam.

Sam-

Sambucus racemosa rubra: *Sambucus* syl. Trag. montana, Matth. montana racemosa, Lob. *Sambucus cervina*, Tab. In monte circa Landskron.

Sambucus aquatica flore simplici: *Sambucus aquatica*, Trag. Matth. Lob. Tab. palustris, Dod. In montosis Mutetæ, in humidis Michelfeldæ.

Sambucus humilis sive Ebulus: *Ebulus*, Trag. Matth. Fuch. Dod. Lob. Tab. In agris.

Laureola. *LAUREOLA* semper virens flore viridi: *Thymelæa*, Trag. *Laureola*, Dod. *Daphnoides*, Lob. Tab. In monte versus Reichenstein.

Laureola folio deciduo flore purpureo: *Chamælea*, Trag. *Chamel. Germanica*, Dod. *Daphnoides*, Fuch. flore purpureo, Tab. *Meseræum Germanicum*, Lob. In montibus vicinis.

Chamæcistus. *CHAMÆCISTUS* vulgaris flore luteo: *Hyssopus campestris*, Trag. *Panax chironiū*, Matth. *Helianthemum*, Lob. *Flos Solis*, Dod. Passim ad agrorum margines.

Vitis Idæa. *VITIS* Idæa foliis carnosiss: *Uva ursi* Galeni, Lob. Tab. In monte S. Christianæ.

Buxus. *BUXUS* arborescens: *Buxus*, Matth. Fuch. Dod. Lob. Tab. vulgaris, Trag. In quibusdam cœmeteriis.

Buxus foliis rotundioribus: Chamæpyxos, Trag. Tab. Buxus humilis, Dod. In monte Crentzacensi.

S A L I X vulgaris alba arborefcens: Salix *Salix*. 1. vel major, Dod. Salix Dioscoridis, Lob.

Salix vulgaris rubens: Salicis 3. genus, Fuch. Salix minor, Dod.

Salix fativa lutea folio crenato: Salix 3. Trag. Salicis alterum genus, Fuch. Salix angustifolia fyl. Tab. In pratis & fossis.

Salix folio amygdalino utrinq; virente aurito: Salix, Matth. fyl. latifolia, Tab. In prato ad pontem Wiefæ.

Salix fragilis: Salix 2. Trag. In arenosis ad Birsam & S. Jacobum.

Salix humilis capitulo squamoso, cujus foliis sæpè vesiculæ subrubentes insident: Salix angustifolia, Clus. In arenosis ad Rhenum & Wiefam.

Salix oblongo incano folio, sub 2. in Prodromo. Ad molendinum ærarium in sepibus ad aquam, & Michelfeldæ.

Salix latifolia rotunda: Salix caprea rotundifolia, Tab. In palustribus Michelfeldæ & humidis montis Mutetæ.

Salix folio ex rotunditate acuminato: Salicis 4. genus, Trag. Salix aquatica, Lob. Salix caprea latifolia, Tab. Iisdem locis.

Salix humilis latifolia erecta, quæ 4. in Prod. In humidis Michelfeldæ.

Ligustrum. L I G U S T R U M Germanicū: Ligustrum, Matth. Fuch. Lob. Tab. vulgare, Trag. Phyllirea, Dod. In sepibus.

Rhamnus. R H A M N U S salicis folio fructu flavescente: Rhamnus 2. Matth. Dod. Rhamnus primus Dioscoridis creditus, Lob. In humidis Hüningsium.

Rhamnus catharticus: Rhamni alia species, Trag. Spina infectoria, Matth. Lob. Tab. Rhamnus solutivus, Dod. Communiter frutex est: in monte Muteto & dumetis Augustam versus.

Rubus. R U B U S vulgaris fructu nigro: Rubus, Matth. Fuch. Dod. Lob. grandis, Trag. arvensis, Tab. In dumetis.

Rubus repens fructu cæsius: Rubus humilis, Trag. minor, Dod. In sylvis.

Rubus Idæus spinosus: Rubus Idæus, Trag. Matth. Dod. Lob. In Landskron.

Rosa. R O S A syl. vulgaris flore odorato: Rosæ syl. 1. genus, Trag. Rosa syl. Matth. Dod. Tab. Rosa canina odorata, & syl. Lob. In dumetis, cui spongiola adnascitur.

Rosa syl. foliis odoratis: Rosa syl. altera, Trag. Rosa 10. Dod. Rosa Eglentaria, Tab. In quibusdam sepibus.

Rosa syl. pomifera major. In alnetis provenit.

Rosa arvensis candida: Rosæ fyl. 4. species,
Trag. In agris.

T A M A R I X fruticosa Germanica: My- *Tamarix,*
rica, Trag. fyl. Matth. Tamarix fyl. fœmina,
Fuch. Tamarix, Dod. Tab. Tamariscus Ger-
manica, Lob. In arenosis ad Rhenū & Birsam.

E R I C A vulgaris glabra: Erica, Tab. vul- *Erica.*
garis, Trag. Erice, Fuch. Erica 1. Matth. Erica
Myricæ folio, Lob. flore purpurascente, ali-
quando albo: in fylvis.

C A M P H O R A T A glabra: Chamæpeuce *Campho-*
& Camphorata minor, Lugd. Ad agrorum *rata.*
femitas versùs Otlingen.

J U N I P E R U S vulgaris fruticosa: Juni- *Juniperus.*
perus, Matth. Dod. Lob. Tab. vulgaris, Trag.
Juniperus minor, Fuch.

P I N U S sylvestris: Pinaster, Trag. Lob. *Pinus.*
Pinus fyl. Matth. Dod. fyl. montana, Tab.

P I N A S T E R tenuifolius julo purpura- *Pinaster,*
scente: Thæda, Tab. circa Binningen.

A B I E S alba sive fœmina: Abies, *Abies.*
Trag. Matth. Lob. Tab.
Picea, Dod.

S O L I D E O G L O R I A.

I N D E X.

A

<i>Abies</i>	113	<i>Alkekengi</i>	51
<i>Abrotanum</i>	41	<i>Alisma</i>	55
<i>Absinthium</i>	42	<i>Alliaria</i>	32
<i>Acacia</i>	108	<i>Allium syl.</i>	20.
<i>Acanthium</i>	103	<i>ursinum</i>	21
<i>Acanthus</i>	47	<i>Alnus</i>	107. 109
<i>Acer</i>	108	<i>Alfina</i>	73. minima
<i>Acetabulum</i>	84	32. <i>myosotis</i>	75.
<i>Acetosa</i>	33	<i>petrea</i>	84
<i>Achillea</i>	40. 42	<i>Alum</i>	76
<i>Acinos</i>	64	<i>Amaradulcis</i>	51
<i>Aconitum</i>	51. 54	<i>Ambrosia</i>	41. 57
<i>Acorus adulterinus</i>	19	<i>Amelanchier</i>	109
<i>Adiantum album</i>	98. 99.	<i>Ampeloprasum</i>	21
<i>aureum</i>	98	<i>Anagallis</i>	74
<i>Ægilops</i>	13	<i>Anchusa arvensis</i>	76
<i>Ægopodium</i>	47	<i>Androsaces</i>	63
<i>Agrifolium</i>	106	<i>Androsæmon</i>	82
<i>Agrimonia</i>	91	<i>Anemone nemorosa</i>	52
<i>Agrosum venti spica</i>	5	<i>Angelica syl.</i>	47
<i>Ajuga</i>	73	<i>Anonis</i>	104
<i>Aizoon</i>	83	<i>Anserina</i>	91
<i>Alabastrites</i>	91	<i>Anthemis</i>	41
<i>Album olus</i>	51	<i>Anthillis leguminosa</i>	94
<i>Alcea</i>	89	<i>Anthriscus</i>	45
<i>Alchimilla</i>	90	<i>Antirrhinum</i>	28. 61
<i>Alysson</i>	31. 67	<i>Antoniana</i>	71
<i>Alga</i>	57	<i>Aparine</i>	95
		<i>Aphaca</i>	37. 96. 97
		<i>Aphace</i>	

I N D E X

<i>Aphace</i>	96. 97	<i>Auricula muris major</i>	
<i>Apium montanum</i>	45.	38. <i>minor</i>	78.
<i>aquaticum</i>	54	<i>cerulea</i>	78
<i>Apios</i>	96	B	
<i>Aquifolium</i>	106	<i>Baccharis</i>	78
<i>Aquilegia</i>	44	<i>Ballote</i>	65
<i>Aracis</i>	97	<i>Balsamina lutea</i>	88
<i>Arachis latifolius</i>	97	<i>Balsamita agrestis</i>	64
<i>Archangelica</i>	47. 65	<i>Baptisecula</i>	81
<i>Argemone</i>	52. 91	<i>Barba capræ</i>	50
<i>Argentina</i>	91	<i>Barbarea: muralis</i>	28
<i>Aria</i>	109	<i>Barbula hirci</i>	81
<i>Aristolochia rotunda</i>	44	<i>Bardana</i>	58
<i>Armeria</i>	60. 61	<i>Basilicum</i>	64.
<i>Armoracia</i>	27	<i>aquaticum</i>	39
<i>Artemisia</i>	41.	<i>Bellis</i>	77
<i>tenuifolia</i>	40	<i>Been album</i>	60
<i>Arum</i>	58	<i>Berberis</i>	109
<i>Arundo</i>	16	<i>Berula</i>	74
<i>Asarum</i>	58	<i>Beta syl.</i>	56
<i>Ascyrum</i>	82	<i>Betonica</i> 67. <i>aqua-</i>	
<i>Asclepias</i>	87	<i>rica</i> 68. <i>syl.</i>	61
<i>Asperula</i>	95	<i>Betula & Betulus</i>	106
<i>Asphodelus</i>	18.	<i>Bisfolium</i>	25
<i>foemina</i>	21	<i>Bistorta</i>	57
<i>Aster</i>	51. 79	<i>Blattaria</i>	69
<i>Astragaloides</i>	98	<i>Blitum</i>	34
<i>Attractylis</i>	102. 103	<i>Bonus Henricus</i>	33
<i>Attriplex</i>	34	<i>Borrage</i>	78
<i>Avena</i>	18.	<i>Borrys</i>	42
<i>fatua</i>	13	<i>Branca ursina</i>	47.

I N D E X.

<i>Brassica</i>	33	<i>Caput monachi</i>	37
<i>Bryonia</i>	86	<i>Cardamine</i>	29. 30
<i>Briza</i>	17	<i>Cardiaca</i>	65
<i>Bromos</i>	13	<i>Cardui species</i>	102.
<i>Brunella</i>	77		103. 104
<i>Bubonium</i>	79	<i>Caryophyllata</i>	91
<i>Buglossum</i> 75. syl.	76	<i>Caryophyllus</i>	60. 61.
<i>Bugula</i>	77	<i>holostius</i>	61
<i>Bulbus</i> syl. <i>Solsequius</i>	20	<i>Carlina</i>	103
<i>Buphthalmum</i>	41	<i>Carpinus</i>	106. 107
<i>Bupleuron</i>	81	<i>Carui & Caruifolia</i>	47
<i>Bursa pastoris</i>	31. 32	<i>Carthamus</i> syl.	102
<i>Buxus</i>	110. 111	<i>Catanance</i>	28
C		<i>Cattaria</i>	64
<i>Cacalia</i>	58	<i>Caucalis</i>	46
<i>Calamagrostis</i> 7.8.9.14		<i>Ceanothus</i>	102
<i>Calamintha</i> 64. ter-		<i>Centaurium minus</i>	82.
<i>tia</i> 79. <i>arvensis</i>	65	<i>in muris</i>	81
<i>Calathiana viola</i>	56	<i>Cerasus</i> syl.	108
<i>Caltha</i>	81	<i>Cerefolium</i> syl.	45
<i>Campanula</i> 26. <i>ar-</i>		<i>Cervicaria</i>	26. 27
<i>vensis</i> 62. <i>au-</i>		<i>Cherophyllum</i>	45
<i>tumnalis</i> 56. syl.	70	<i>Chamebalanus</i>	96
<i>Camphorata</i>	113	<i>Chamaecerasus</i>	108
<i>Candela regia</i>	69	<i>Chamaecyparissus</i>	42
<i>Cannabina alba</i>	66.	<i>Chamaecissos</i>	88
<i>aquatica</i>	91	<i>Chamaecistus</i>	110
<i>Cannabis</i> syl.	66	<i>Chamaedrys</i> 42. <i>ejus</i>	
<i>Capillus Veneris</i>	98	<i>species</i>	72
<i>Capnos</i>	44	<i>Chamaegenista</i>	105
<i>Caprifolium</i>	87	<i>Chamelæa</i>	110

Chama-

I N D E X.

Chamæleon	103	Clinopodium	63
Chamæmelum	41	Cnicus syl.	102
Chamænerion	71	Colchicum	20
Chamæpeuce	113	Collum gruis	89
Chamæpitys	42. 73	Colus Jovis	69
Chamæpyxos	111	Colutea filiquosa	105
Chamæspartium	105	Conyzæ species	78. 79
Chelidonium majus	44.	Convolvuli species	85
minus	89	Consolida major	76.
Chenopodium	34	syl. 77. media	
Chondrilla	39	ibid. palustris	79.
Chryso splemium	88	quinquefolia	90.
Christophoriana	54	regalis 43. rubra	92
Cyanus	81	Corallina	91
Cicercula syl.	96	Corylus syl.	105
Cichorium	36. 39	Corona monachi	37.
Cicuta & Cicutaria	48	terreæ	88
Cuminum equinum	47	Cornu cervi	42
Cynocrambe	35	Cornus scemina	108
Cynoglossum	76	Cotyledon syl.	87
Cynosbatos	109	Cotula	41
Cynosorchis	21. 22	Cracca 97. major	96
Cyperus 15. graminea		Cresspinus	109
vel miliacea	9	Cratæogonon	67
Circeæ	51	Crista galli	50
Cirsium	102. 103	Crithvium	104
Cytisus	93	Cruciata	55.
Clavi filiginis	17	minor	95
Clematitis & Clema-		Cuminum pratense	47.
tis	86	syl.	44
Clymenum 96. minus	68	Cuscuta	63

I N D E X.

D

Damasonium	55
Daphnoides	110
Daucus	45
Daucoides	37.
minor	46
Delphinium baccinū	71
Dens leonis	89
Dentaria	91
Diapensia	90
Digitalis	70
Dipsacus	104
Draba	32
Dracunculus pratēsis	27
Dryopteris	99
Dulcamara	51
Drymopogon	50

E

Ebulus	110
Echium 75. 76.	scor-
pioides	75
Elaphoboscum	46
Elatine	75. 97
Empetrum	83
Ephemerum non leth-	
le 87.	croci-
folium	20
Epipactis	55
Equisetum	15. 16
Erica	113
Erygeron	39. 40.

quartum	79
Eryngium	104
Erinus Matth.	39
Erysimum 18.	vul-
gare	28
Eruca	27. 28.
cerulea	28
Ervum syl.	96
Esula 84.	exigua:
major	85
Euonymus	107
Eupatorium	91
Euphrasia 67.	ceru-
lea 75.	gramen 61

F

Fabaria	84
Faba inversa	ibid.
Fagus	105
Farfara	58
Faulbaum	107
Fegopyrum	18
Ferrum equinum	97
Ferula	105
Festuca	13
Filago	78
Filipendula	49
Filix & ejus species	99
Filicula	ibid.
Fistularia	50
Flammula	ranuncu-
lus	54
	Flos

I N D E X.

<i>Flos ambervalis</i>	62.	<i>Glaux vulgaris</i>	98
<i>cuculi</i>	29. 60. 61.	<i>Glycyrrhiza syl.</i>	ibid.
<i>hepaticus</i>	88.	<i>Globularia</i>	78
<i>S. Jacobi</i>	40. re-	<i>Gnaphalium</i>	7.
<i>gius</i>	43. Solis 110.	<i>ejus species</i>	78
<i>tinctorius</i>	79. 105	<i>Gramen aculeatum</i>	11.
<i>Fœniculum aquaticum</i>		<i>alopecuroides</i>	7.
42. 43. <i>petraeum</i>	49	<i>anatum s. antho-</i>	
<i>Fœnugracum syl.</i>	98	<i>xanthon</i>	6. <i>aquati-</i>
<i>Fontilaparhum</i>	57	<i>cum</i>	5. 8. <i>arvense</i>
<i>Fragaria</i>	92	<i>arundinaceum</i>	5. 9. 10.
<i>Frangula</i>	107	<i>avenaceum</i>	14
<i>Fraxinea arbor</i>	105	<i>Gram. bufonium</i>	10.
<i>Fraxinus</i>	ibid.	<i>bulbosum</i>	3
<i>Fru mentum Saraceni-</i>		<i>Gram. caninum</i>	ibid.
<i>cum</i>	18	<i>caule triangulo</i>	8.
<i>Fumaria</i>	43. bul-	<i>cristatum</i>	5. <i>ca-</i>
<i>bosa</i>	44. <i>minor</i>	<i>ryophyll.</i>	6. <i>cype-</i>
<i>Fungus</i>	102	<i>roides</i>	8. 9. 10
G		<i>Gram. daëtylon: echina-</i>	
<i>Galeopsis</i>	65. <i>minor</i>	<i>tum</i>	11. <i>eriopho-</i>
<i>Gallium</i>	95	<i>rum</i>	7. <i>exile</i>
<i>Garosmum</i>	34	<i>fluviale</i>	5. <i>geni-</i>
<i>Genista spinosa</i>	104.	<i>culatum</i>	12. <i>glu-</i>
<i>tinctoria</i>	105	<i>mis variis</i>	14
<i>Genistella</i>	ibid.	<i>Gram. hederaceum</i>	88.
<i>Gentiana species</i>	55. 56	<i>hirsutum</i>	10. 11. <i>hor-</i>
<i>Geranii species</i>	89. 90	<i>deaceum</i>	12. <i>junc-</i>
<i>Githago</i>	59	<i>ceum</i>	7. 8. 10. <i>la-</i>
<i>Gladiolus aquatilis</i>	14	<i>natum</i>	4. <i>lepo-</i>
<i>caruleus</i>	19	<i>rinum</i>	ibid. <i>lolia-</i>

I N D E X.

<i>ceum</i>	4. 5. 12. 13.	<i>Hartriegel</i>	<i>ibid.</i>
<i>lucidum</i>	10	<i>Hedera</i>	88
<i>Gramen mannae</i>	11.	<i>Hedypnois</i>	37
<i>montanum</i>	5. 12.	<i>Hedysarum</i>	97
<i>nemorosum</i>	8. 10.	<i>Heliotropium</i>	75
<i>nodosum</i>	3	<i>Helianthemum</i>	110
<i>Gram. palustre</i>	5. 9. 11.	<i>Heliochrysum syl.</i>	78
<i>panicum</i>	11. 12.	<i>Helleborine</i>	55
<i>plumosum</i>	10. pra-	<i>Helleborus niger</i>	54
<i>tense</i>	4. 5. 6. 7. 12.	<i>Helxine</i>	34. <i>cis-</i>
<i>Gram. sanguinarium</i>	11.	<i>sampelos</i>	85. 86
<i>segetum</i>	4. 5. sorghi-	<i>Hemionitis</i>	98
<i>num</i>	12. <i>sparteum</i>	<i>Hendelkraut</i>	73. 84
<i>spicatum</i>	6. 8. <i>spica</i>	<i>Hepatica fontana</i>	101.
<i>triticea</i>	, <i>secalina</i> ,	<i>stellata</i>	95
<i>bryza</i>	12. <i>sylva-</i>	<i>Heptaphyllum</i>	92
<i>ticum</i>	6. 10	<i>Heracantha</i>	103
<i>Gram. tomentosum</i>	7. 10.	<i>Heraclea</i>	66
<i>tremulum</i>	4. <i>tri-</i>	<i>Herba articularis</i>	60.
<i>glochin</i>	8. <i>typhi-</i>	<i>S. Barbarae</i>	28.
<i>num</i>	6. 7. <i>Xe-</i>	<i>Gerardi</i>	47.
<i>rampelinum</i>	4	<i>Jacobi</i>	40.
<i>Gramen Parnassi</i>	87. 88	<i>Kunigundis</i>	91.
<i>Gratia Dei</i>	89. 90	<i>paralysis</i>	70. <i>paris</i>
<i>Gratiola caerulea</i>	71.	<i>D. Stephani</i>	52.
<i>minor</i>	62	<i>trinitatis</i>	59.
<i>Grossularia spinosa</i>	109	<i>turca</i>	83.
<i>Gruinalis</i>	90	<i>venti</i>	52.
H		<i>vulneraria</i>	81
<i>Halimolobos</i>	51	<i>Herniaria</i>	83
<i>Halimus</i>	108	<i>Hyacinthus Poëtarum</i>	21.
		<i>racemo-</i>	

I N D E X.

<i>racemosus</i>	19.	<i>Iris</i>	19
<i>stellaris</i>	19. 20	<i>Isatis syl.</i>	33. 60
<i>Hiberis</i>	29	<i>Ischæmon</i>	11
<i>Hieracii species</i>	37. 38. 39	<i>Iva moschata</i>	42
<i>Hydrolapathum</i>	33	<i>Juncus</i> 14. <i>bombyci-</i>	
<i>Hydropiper</i>	29	<i>nus</i> 7. <i>cyperoides</i> 14.	
<i>Hyoscyamus vulgaris</i>	52	<i>floridus</i>	<i>ibid.</i>
<i>Hypericum</i>	82	<i>odoratus</i>	49
<i>Hippia major</i>	73	<i>Juniperus</i>	113
<i>Hippomarathrum</i>	49	K	
<i>Hippuris</i>	15. 16	<i>Keiri</i>	59
<i>Hirundinaria</i>	87.	<i>Kleiner Nalbaum</i>	107
<i>minor</i>	89	<i>Knawel</i>	82
<i>Hyssopus campestris</i>	110	<i>Kreinbeer</i>	107
<i>Hyssopi folia</i>	62	L	
<i>Holostium</i>	10. 61	<i>Labrum Veneris</i>	104
<i>Hoher Steimbrech</i>	60	<i>Labrusca</i>	86
<i>Hordeum</i> 17. <i>mu-</i>		<i>Lactuca</i> 35. <i>agnina</i>	51.
<i>rinum sive sponta-</i>		<i>leporina</i>	38
<i>neum</i>	12. 13	<i>Ladanum segetum</i>	67
<i>Hormini species</i>	69	<i>Lagopodium</i>	93. 94
I		<i>Lagopus</i>	38. 78.
<i>Jacea altera</i>	59.	<i>altera</i>	93. 94
<i>nigra</i>	80 .81	<i>Lamium</i>	65. 66
<i>Jacobæa</i>	40	<i>Lampsana</i>	27. 36
<i>Jecoraria</i>	101	<i>Lantana</i>	107
<i>Ilex aculeata</i>	106	<i>Lapathi species</i>	33
<i>Illecebra</i>	83	<i>Lappa major</i>	58
<i>Impatiens herba</i>	88	<i>agrestis</i> 46. <i>syl.</i>	52
<i>Intybus</i> 39. <i>syl.</i> 35. 36		<i>Lathyrus major</i>	96
<i>Iris</i>	28	<i>Layer</i>	46

Laureola	110	M	
Legumen terra	96	Mahaleb	108
Leucacantha	103	Mälbaum	107
Leucojum	59.	Malacocissus	89
bulbosum	20	Malva species	ibid.
Leuconarcissolirion	20	Malus syl.	108
Libanotis	45. 47	Mandragora Theoph.	51
sterilis	35	Maratriphyllon	42. 43
Lichen	101	Mariscus	14
Lychnis 59. viscosa	60	Marrubium	65
Lycopodium	100	agreste	68
Ligustrum	112	Marrubiastrum	65
Ligusticum syl.	49	Martagon	21
Lilium convallium	87.	Matricaria	40
montanum	21	Matrisylva	95
Limodorum	25	Melampyrum	67
Limonium	56. 92	Melanthium syl.	44
Linaria	62	Melissa 66. syl.	65
Lingua cervina 98. pas-		Melissophyllum	66
serina 76. Plinii	54	Melilotus	93. 94. 97
Linum	62	Mentha species	64
Linocarpos	ibid.	Mentastrum	ibid.
Lysimachia species	70. 71	Mercurialis 35. syl.	88
Lithospermum	76	Meseraum	Germani-
Locusta	50	cum	110
Lolium 4. 5. 11. 12. 13. 60		Mespilus	109
Lonchitis aspera	99	Myagrum	32. 60
Lotus	93. 94	Milium 18. Solis	76
Lupulus	86	sylvaticum	67
Luteola	28	Millefolium	40. 42
Lutum herba	ibid.	Millegrana	83
			Mil-

I N D E X.

Milzatella	66	Olus album	51
Myosotis scorpioides	75	Onagra	71
Myrica	113	Ononis	104
Myriophyllum	42. 43	Onobrychis altera	62
Myrrhida Plinii	90	Ophioglossum	98
Mollugo	95	Ophris	25
Monococcus	17	Orchios species	21. 22. 23
Monophyllum	87	Orchis palmata	24
Morsus diaboli	80. gal-	Oreoselinum	46
linae	66. 73. ranae	Origanum	63
Muscatellina	53	Ornithogalum	20
Musci species	100. 101	Ornithopodium	97
Muscus capillarius	99	Ornus	105. 106
N		Orobanche	25. 86
		Orob. syl.	96. 97.
Narcissus	19. 20	astragaloides	98
Nasturtium	29. 30	Orvala	69
Neottia	24	Osyris	62
Nepeta	64. 65	Ostrya	106
Nidus avis	24	Oxalis	33
Nigella	44	Oxyacantha	109
Nigellastrum	60	Oxylapathum	33
Nymphaea	57	Oxys	93
Noli me tangere	88	Oxytriphyllum	ibid.
Nux avellana syl.	105.	P	
vesicaria	ibid.		
Numularia	89	Palma Christi	24
O		Panax Chironium	110
		Panicum	18. syl. 11
Ocymastrum	59. 68	Papaver erraticum	52.
Ocimum	18. syl. 64	spumeum	60
Odontites	67	Parietaria	34
Oenanthe aquatica	49	PARO-	

I N D E X.

<i>Paronychia</i>	32. 84. 98	<i>Picea</i>	113
<i>Parthenium</i>	40. 41	<i>Piloselli 78. siliquata</i>	32
<i>Passerina</i>	76	<i>Pimpinella</i>	48
<i>Pastinaca syl.</i>	45.	<i>Pinaster</i>	113
<i>latifol.</i>	46	<i>Pinus syl.</i>	ibid.
<i>Pastoria bursa</i>	31	<i>Pyrola</i>	56. 57
<i>Pecten Veneris</i>	46	<i>Pyrus syl.</i>	108
<i>Pedicularis pratensis</i>	49	<i>Pistacia syl.</i>	105
<i>Pentaphyllum</i>	92	<i>Pistana</i>	57
<i>Peplus</i>	85	<i>Pisum syl.</i>	96
<i>Perchepier</i>	45	<i>Pityusa</i>	85
<i>Perfoliata syl.</i>	25	<i>Plantago</i>	56
<i>Periclymenū 87. rectū</i>	109	<i>Platanaria</i>	15
<i>Persicaria 29. sili-</i>		<i>Platanus</i>	108
<i>quosa</i>	88	<i>Pneumonanthe</i>	56
<i>Pervinca</i>	86	<i>Podagraria</i>	47
<i>Personata</i>	58	<i>Polyacanthos</i>	103
<i>Pes anserinus</i>	34.	<i>Polygala</i>	62
<i>columbinus</i>	90.	<i>Polygonon 15. 16. 82. 83</i>	
<i>leonis ibid. locustæ</i>	25	<i>Polygonatum</i>	60. 87
<i>Petasites</i>	58	<i>Polypodium</i>	100
<i>Petroselinum caninū</i>	48	<i>Polyspermon</i>	34
<i>Peucedanū aquaticū</i>	43	<i>Polytrichum</i>	98. 99
<i>Phalangium</i>	18. 19	<i>Polium</i>	63
<i>Phalaris pratensis</i>	4	<i>Populus & ejus species</i>	107
<i>Phyllirea</i>	112	<i>Porrum</i>	20
<i>Phyllitis</i>	98	<i>Portulaca</i>	84
<i>Phyteuma</i>	26. 61	<i>Potamogeton</i>	57
<i>Phlomos</i>	69	<i>Potentilla</i>	91
<i>Phoenix</i>	13	<i>Primula Veris</i>	70
<i>Phu</i>	50	<i>Prunus syl.</i>	108

Pseu-

I N D E X.

<i>Pseudoapios</i>	96	<i>Regina prati</i>	50
<i>Pseudoasphodelus</i>	18	<i>Reseda</i>	28
<i>Pseudocyperus</i>	9	<i>Restia bovis</i>	104
<i>Pseudoclinopodium</i>	64	<i>Rhamnus</i>	102
<i>Pseudoiris</i>	19	<i>Rogga</i>	17
<i>Pseudolysimachium</i>	71	<i>Rostrum ciconiae</i>	90
<i>Pseudoligustrum</i>	108	<i>Rosarum species</i>	112. 113
<i>Pseudomelanthium</i>	60	<i>Rosa mariana</i>	59. 60
<i>Pseudomyagrum</i>	32	<i>Rubia</i>	94
<i>Pseudorchis</i>	24. 25	<i>Rubeola</i>	ibid.
<i>Pseudostachys</i>	68	<i>Rubus</i>	112
<i>Pseudostruthium</i>	28	<i>Rumex</i>	33
<i>Ptarmica</i>	27	<i>Ruta canina</i>	68. mu-
<i>Pulegium syl.</i>	64	<i>varia</i>	98. <i>pratensis</i>
<i>Pulicaria</i>	29	<i>pedicularis</i>	50
<i>Pulmonaria maculosa</i>		S	
77. <i>muscus</i>	101.	<i>Sagitta</i>	57
<i>Gallorum</i>	38	<i>Salicaria</i>	70
<i>Pulsatilla</i>	52	<i>Salicis species</i>	111
Q		<i>Salvia alpina</i>	68.
<i>Quercus</i>	106	<i>vita</i>	98. <i>syl.</i>
<i>Quinquefolium</i>	92	<i>Sambucus</i>	109. 110
R		<i>Sanguinaria</i>	11
<i>Radicula syl.</i>	27	<i>Sanguisorba minor</i>	48
<i>Radix cava</i>	44	<i>Sanicula</i>	90
<i>Ranunculus nemorosus</i>	52	<i>Saponaria hirsuta</i>	59.
<i>Ranunculi species</i>	53. 54	<i>levis</i>	60
<i>Raphanus aquaticus</i>	27	<i>Satyrium</i>	21.
<i>Rapistrum</i>	ibid.	<i>basilicum</i>	24
<i>Rapum syl.</i>	25	<i>Saxifraga</i>	48. 98. <i>alba:</i>
<i>Rapunculi species</i>	ibid.	<i>aurea</i>	88. <i>antiquo-</i>
			<i>rums</i>

I N D E X.

<i>rum</i> 61. <i>Anglica</i> 83.	<i>Sigillum Mariæ</i> 86.
<i>rubra</i> 49	<i>Salomonis</i> 87
<i>Scabiosa species</i> 80	<i>Silaus</i> 49
<i>minor</i> 26	<i>Siler</i> <i>ibid.</i>
<i>Scandix</i> 45	<i>Silybum</i> 103
<i>Scirpus</i> 10. 14	<i>Siligo</i> 16. 17
<i>Sclarea syl.</i> 69	<i>Symphytum</i> 76.
<i>Scolopendria vulgaris</i> 98	<i>petraeum</i> 77. 79
<i>Scopa regia</i> 28	<i>Synanchica</i> 94
<i>Scordium</i> 72	<i>Sinapi agreste</i> 27.
<i>Scorodoprasum</i> 21	<i>apii folio</i> 28
<i>Scrophularia</i> 68.	<i>Sion</i> 30. 46. 75.
<i>major</i> 84	<i>Cratevæ</i> 29
<i>Scorpioides</i> 79	<i>Sifer syl.</i> 46
<i>Secale</i> 17	<i>Syphonium</i> 13
<i>Securidaca</i> 97	<i>Sisymbrium</i> 29. 30. 64
<i>Sedum</i> 83	<i>Smilax levis</i> 85
<i>Sempervivum</i> <i>ibid.</i>	<i>Solidago Saracenica</i> 71
<i>Senetio</i> 39. <i>major</i> 40	<i>Solani species</i> 51
<i>Serapias</i> 24	<i>Sonchus</i> 35. 36
<i>Seriphium</i> 30	<i>Sophia</i> 30
<i>Seris</i> 35. <i>picris</i> 36	<i>Sorbus aucuparia</i> 105.
<i>Serpentaria</i> 57	<i>torminalis</i> 109
<i>Serpillum</i> 63	<i>Sparganium</i> 15
<i>Serratula</i> 68.	<i>Spelta</i> 17
<i>Sesamoides</i> 55	<i>Spergula</i> 74
<i>Seselios species</i> 49	<i>Sphondylium</i> 47
<i>Seseli Aethiopicum</i> 47.	<i>Sphacelus</i> 72
<i>montanum</i> 49. <i>Pelopo-</i>	<i>Spina alba</i> 103. 109.
<i>nense</i> 45. 48. <i>pratense</i> 49	<i>insectoria</i> 112
<i>Sideritis</i> 40. 65. 66. 68	<i>Stachys</i> 68

I N D E X.

Staphylinus syl.	45	Trachelium	26. 27
Staphylodendron	105	Tragopogon	81
Stæbe	81	Tragoselinum	48
Stellaria 90. aquatica	43	Tribulus minor	93
Sternutamentoria	27	Trichomanes	98
Stratiotes millefolia	42	Trifolii species	92. 93
Strumaria	58	Triorchis	23
Struthium	60	Triticū 16. amylæum 17.	
Succisa	80	murinum 12. te-	
Superba	61	mulentum 13. vac-	
		cinum	67
T			
Tamarix	113	Turrita	33
Tanacetum	40.	Tussilago 58. altera	81
album	27	V	
Telephium	84	Valeriana species	50
Terræ glandes	96	Vaccaria	60
Tertianaria	71	Verbasci species	69
Testiculorum species	21.	Verbasculum	70. 81
22. 23		Verbena	28. 80.
Tetrahit angustifoliū	67	supina	91
Teucrium	71. 72	Vermicularis	83
Thæda	113	Veronica	71. 72.
Thalictrum	30. 95	fœmina	75
Thymelea	110	Vinca pervinca	86
Thlaspi species	30. 31	Vincetoxicum	87
Tilia	106	Viburnum	107
Tinctorius flos	79	Vicia	96. 97
Typha	16	Viola 59. alba	20.
Tithymali species	84. 85	aquatica 42. ar-	
Tormentilla	92	vensis 62. calathia-	
Torabona	33	na 56. dentaria	91

I N D E X.

<i>Viorna</i>	86	<i>Ufnea</i>	101
<i>Vuurna</i>	107	<i>Ustilago</i>	18
<i>Virga aurea</i>	79.	<i>Uva crispa</i>	109. urfi 110
<i>pastoris</i>	104.	<i>Vulneraria</i>	94
<i>guinea</i>	108	<i>Uvularia</i>	26. 27
<i>Vitis alba: nigra</i>	86.	<i>Vulvaria</i>	34
<i>syl.</i>	51		X
<i>Vitis Idea</i>	109. 110	<i>Xanthium</i>	58
<i>Ulmaria</i>	50	<i>Xylostium</i>	108
<i>Ulmus</i>	106	<i>Xyphion</i>	19
<i>Ungula caballina</i>	58		Z
<i>Volubilis</i>	85. 86	<i>Zea</i>	17
<i>Urtica</i>	66. <i>iners</i> 65. 66	<i>Zeopyrum</i>	ibid.

A U T H O R E S citati.

Camer. Joachimus Ca- merarius.	Lon. Adamus Lonicerus.
Clus. Carolus Clusius.	Lugd. Historia Lugdunē.
Colum. Fabius Columna.	Matth. P. Andreas Mat-
Cord. Valerius Cordus.	thiolus.
Dod. Rembert⁹ Dodone⁹.	Tab. Jacob. Theodorus
Duran. Castor Durantes.	Tabernæmontanus.
Fuch. Leonhard⁹ Fuchsi⁹.	Thal. Job. Thalius.
Fuch. ico. Idem in iconib.	Trag. Hieronym⁹ Tragus.
Gesn. hor. Cōrad. Gesner⁹	Trag. ico. Tragus quoad
lib. de hortis Germaniæ.	iconē, non descriptionē.
Lob. Matthias de Lobel.	Trag. desc. Tragus quoad
Lob. ico. Idem in iconib.	descriptionem, non
	verò iconem.

E R R A T A.

Pag. 4. lin. 2. pratis montosis. lin. 4. Lolium 10. &
Ægilops Plinii. pag. 7. lin. 14. culmo. pag. 78. lin. 7. & II.
muris minor. pag. 86. lin. 21. *Clematidis.*
lin. 25. *Clematidis.* pag. 87. lin. 20.
polygonatum.