Manuscript. 1830
SWEET'S HORTUS BRITANNICUS;

OR,

A CATALOGUE OF PLANTS,

INDIGENOUS, OR CULTIVATED IN THE GARDENS

OF

GREAT BRITAIN;

ARRANGED ACCORDING TO THEIR

NATURAL ORDERS,

WITH

REFERENCES TO THE LINNEAN CLASS AND ORDER TO WHICH EACH GENUS BELONGS;

THE WHOLE BROUGHT UP TO THE PRESENT TIME,

AND CONTAINS

Above 34,000 Plants;

By far the greatest Number ever before published in any Garden Catalogue of this or any other Country; with their Generic and Specific Names, Habitats, when introduced to this Country, Times of Flowering, Colours of the Flowers, Accentuations; and numerous other Arrangements, for the first Time introduced, with all the most useful Synonyms.

SECOND EDITION.

BY ROBERT SWEET, F.L.S.

*Author of Hortus Suburbanus Londinensis; Botanical Cultivator; Geraniaceæ; Cistineæ;
British Flower Garden; Flora Australasica; Florist's Guide; the British Warblers, &c.*

LONDON:

JAMES RIDGWAY, 169, PICCADILLY.

1830.

MISSOURI BOTANICAL
GARDEN LIBRARY

PREFACE.

THE rapid sale of the last edition, at once shows the preference given to the superiority of the Natural Arrangement, over that of the Linnean, for a Garden Catalogue, as it brings together all the plants that are nearest related to each other, and which have a general similarity by which any person, who already has a tolerable knowledge of plants, may give a good guess at first sight to what family, or Order, any plant or specimen they possess may belong to, or is related; this gives a pleasing idea, that is not to be met with by the Linnean Botanist, as he only looks at the Stamens and Styles to see what Class and Order it belongs to, without ever thinking to what else it is allied; but we still consider the addition of the Linnean Classes and Orders, of great use, as they are so readily attained by the young Botanist, though he should always keep the natural arrangement in view.

The pains we have taken with the present edition may be readily supposed, by the length of time it has taken us to get through it; and had it not been for the kindness and liberality of A. B. Lambert, Esq. who always admitted us to his Library with pleasure, we should certainly not have been able to have made it so complete; he is also so kind as to give us information of any new plants or importations that he hears or knows of, for which we now return him our sincere thanks.

To Mr. David Don, Librarian of the Linnean Society, we feel much obliged for his readiness in procuring us any books or specimens we wish to examine, and also inform us of any new publications that we may not have heard of.

The Linnean collection of specimens being now in the Linnean Society's collection, has enabled us to clear up many doubts and mistakes, by examining Linnaeus's original specimens, several of which we intend setting to rights by publishing figures of them in our British Flower Garden, many of the very common plants having been confused with others, or were considered in a doubtful state.

To Robert Barclay, Esq. of Bury Hill, we also feel greatly obliged for his kindness in sending us specimens of the numerous new plants that are continually flowering in his delightful garden, where rarities are without end; and we must not forget his gardener, Mr. D. Cameron, to whose merit may be attached the highly cultivated state of the plants, and to whom we are indebted for the names of many that have not yet flowered, and that we should not have otherwise known were in the country.

We have also to return our thanks to A. H. Haworth, Esq. for his liberality in presenting us with all his papers as soon as published, of the new and rare succulent plants and bulbs, published in Taylor's Philosophical Magazine.

To the Honourable and Reverend William Herbert we are indebted for the arrangement of the genus *Crinum*, and for the names of the hybrid species of *Amaryllideæ* raised by him, and those that he possesses, which have been raised in other collections, and the references by whom, or at what place they were raised, which is added in the column of Native, and the two parents from which they originated is given, where known: the whole of which are marked with W. H.; he has also been so kind as to furnish us with a list of many other new plants, that have flowered with him, and that had not before been known in our collections.

We also return our thanks to Mr. G. Charlwood, for his readiness in lending us any Botanical publications that we did not ourselves possess, his collection consisting of many rare and valuable botanical works.

To Mr. William Anderson, the worthy Curator of the Apothecaries' Company's Garden, at Chelsea, we are also much indebted, for his kindness in allowing us to copy his catalogues of newly introduced plants, and for his observations on their habit and culture; and to numerous other Gardeners and Nurserymen we return our best thanks, for their kindness and attention to forward our researches.

We flatter ourselves that our Subscribers will be well satisfied with the present edition, as it contains all the new arrangements and improvements up to the present time, that no other Catalogue, however new, can boast of; we have also been careful what we have inserted, not to put in thousands of plants that were never in the country, nor likely ever to be, a plan sometimes resorted to, to swell the size of the book, and to show a great number of names, but we believe there would be a difficulty to find the plants, should they be sought for. As for its being entirely free from errors, we will not assert, as we have no doubt but some may be found, but none, we believe, of much consequence. We now conclude, with our sincerest thanks to our numerous Subscribers, and hope we shall continue to merit their favour and approbation, as we shall always do our utmost endeavours to give them satisfaction.

October, 1830.

REFERENCE TO THE BOOKS,

IN WHICH THE FIGURES REFERRED TO, ARE PUBLISHED.

- Abb. ins.* The Natural History of the rarer Lepidopterous Insects of Georgia, collected from the observations of J. Abbott, by J. E. Smith, 1797. 4to.
- Act. Stock.* Kongl. Vetenskaps Academiens Handlingar. Stockholm, 1739. 8vo.
- A.DC.* Decandolle (Alphonso.) Monographie des Campanulees. Paris. 1830.
- All. auct.* Allioni (Carolus.) Auctuarium ad floram Pedemontanam. 4to. Taurini. 1789.
- All. m. taur.* Car. Allionii Miscellanea Philosophico-mathematica Societatis privatae Taurinensis.
- All. ped.* Car. Allionii Flora Pedemontana.
- Alp. Egypt.* Alpinus (Prosper.) De Plantis Egypti liber. 1 vol. 4to.
- Alp. ex.* Alpinus (Prosper.) De Plantis Exoticis, libri duo. 4to. 1629.
- Amm. ruth.* Amman (Johan.) Stirpium rariorum in imperio Rutheno sponte provenientium Icones et Descriptiones. 4to. Petropoli. 1739.
- Amoen. ac.* Caroli Linnæi Amoenitates academicae. 8vo.
- And. bot. rep.* Andrews (Henry.) The Botanist's repository for new and rare plants. 4to. 1797. et seq.
- And. geran.* Andrews (Henry.) Geraniums, or a monograph of the genus Geranium. 1805. seq. 4to.
- And. heaths.* Andrews (Henry.) Coloured engravings of Heaths, with botanical descriptions. fol. and 8vo. 1802, 1809, et seq.
- Ann. bot.* Annals of Botany, by C. König and J. Sims. 1805. 8vo.
- Ann. mus.* Annales du Museum d'Histoire naturelle, par les Professeurs de cet établissement. 1802. seq. 4to.
- Ap. to B. Field's trav.* Appendix to Baron Field's Travels. 4to.
- Ard. mem.* Memorie di osservazioni, e di sperienze sopra la coltura, e gli usi di varie piante, da P. Arduino. Padova. 1766. 4to.
- Ard. sag. pad.* Arduino (Pietro.) Saggi di Padova.
- Ard. spec.* Arduino (Pietro.) Animadversionum botanicarum Specimen. 4to. Patavii. 1759.
- Asso. arrag.* De Asso (Ignatius.) Synopsis Stirpium indigenarum Arragoniae. 4to. Marsiliae. 1779.
- Aub. Thou. obs.* Aubert Du Petit Thouars Plantes des îles de l'Afrique australe. 4to. 1804.
- Aub. gui.* Histoire des plantes de la Guiane Francoise, par M. Fusée Aublet. 1775. 4to.
- Balb. act. taur.* } Miscellanea Botanica. 4to.
Balb. misc. taur. } ex Actis Academiae Taurinensis exserta. 1804.
- Balb. h. taur.* Horti Academici Taurinensis stirpium minus cognitarum aut forte novarum icones et descriptiones. Taurini. 1811.
- Banks ic. Kämp.* Banks (Josephus.) icones selectae Plantarum quas in Japonia collegit et delineavit E. Kämpfer. fol. 1791.
- Banks. rel. Hous.* Reliquia Houstounianæ. 4to. 1781.
- Barr. ic.* } Plantæ per Galliam, Hispaniam, et Italiam, observatæ, Iconibus
Barr. rar. } æneis exhibitæ a Jac. Barreliero. 1714. fol.
- Bart. med. bot.* Barton (Benj. Smith.) Collections for an essay towards a materia medica of the United States. 1 fasc. in 8vo. Philadelphia. 1798.
- Bartr. it.* } Bartram (William.) Travels
Bartr. trav. } through North and South Carolina, Georgia, and Florida. 8vo. Philadelphia. 1791.
- Bauer. n. hol.* Bauer (Ferdinand.) Illustrationes floræ novæ Hollandiæ. fol. 1813.
- Bauh. hist.* Bauhin (Johannes.) Historia Plantarum universalis. fol. 1651.
- Bauh. prodr.* Caspar Bauhini προδρομος Theatri Botanici. Basileæ. 1671. 4to.
- Beau. fl. ow.* Palisot de Beauvois flore des royaumes d'Oware et de Benin. fol. 1805.
- Bell. act. taur.* Bellardi (Ludovico.) Memoires de l'Academie Royale des Sciences de Turin. 4to. 1782.
- Berg. act. holm.* Bergius (Pehr. Jonas.) Kongl. Vetenskaps Academiens Handlingar. 8vo. 1739.
- Berg. cap.* Petr. Jon. Bergii descriptiones Plantarum ex Capite bonæ spei. 1769. 8vo.
- Berg. phyt.* Bergeret Phytomatotechnie universelle. fol.
- Berr. in As. res.* Berry in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Besl. eyst.* Besler (Basilus.) Hortus Eystetensis. fol. 1612.
- Bieb. cent.* Bieberstein (Marshall von.) Centuriæ plantarum rariorum Rossiae meridionalis. Charkoviæ.
- Big. med. bot.* Bigelow (Jac.) American Medical Botany. 4to. 1817.
- Biv. Bern. st. rar.* Bivona Bernardi. Stirpium rariorum minusque cognitarum in Sicilia provenientium Descriptiones. 4to. 1813.
- Biv. cent. pl.* Bivona Bernardi (Antonin.) Sicularum Plantarum Centuria prima. 8vo. 1806.

- Blackw.* Blackwell (Elizabeth.) A curious Herbal, containing 500 Cuts of the useful Plants. fol. 1737.
- Blum. fl. jav.* Blume (C. L.) Flora Java, &c. fol. 1829.
- Boc. Mus.* Boccone (Paolo.) Museo di Pianta rare della Sicilia, Malta, Corsica, Italia, Piemonte e Germania. 4to. 1697.
- Boc. sic. rar.* Boccone (Paolo.) Icones et Descriptiones rariorum Plantarum Siciliae, Melitae, Galiae et Italiae. 4to. 1674.
- Boer. lugd. Herm.* Boerhaave Index alter Plantarum quae in horto Academiae Lugduno Batavae aluntur. 4to. 1720.
- Boiss. fl. eur.* De Boissieu (C. V.) Flore d'Europe. 8vo. 1805.
- Bolt. fil.* Bolton (James.) Filices Britanniae. 4to. 1785.
- Bonp. mon.* Bonpland (Aimé.) Monographie des Melastomes et autres Plantes de cet ordre. fol. 1809.
- Bonp. nav.* Bonpland (Aimé.) Description des Plantes rares cultivés a Malmaison et a Navarre. fol. 1813.
- Bory. it.* } Bory de St. Vincent (J. B. M.)
A Voyage en Espagne a tra-
Bory. voy. } vers les royaumes de Galice,
Leon, etc. 8vo.
- Bot. mag.* Curtis's Botanical Magazine, continued by J. Sims, J. Bellenden Ker, and W. J. Hooker. 8vo.
- Bot. reg.* Edwards (Sydenham.) The Botanical Register. descr. by J. Bellenden Ker. 8vo. 1815. continued by J. Lindley.
- Bot. rep.* Andrews (Henry.) The Botanist's Repository for new and rare Plants. 4to. 1797.
- Braam ic. chin.* Braam's Icones Chinensis.
- Bradl. Suc.* Bradley (Richard.) Historia Plantarum succulentarum. 4to. 1716.
- Braun. Salz.* De Braune (Franz. Ant.) Salzburgerische flora. 8vo. 1791.
- Breyn. cent.* Breynius (Jacobus.) Exoticarum Plantarum centuria. fol. 1678.
- Breyn. ic.* Breynii (J.) Icones rariorum et exoticarum Plantarum. 4to. 1739.
- Brong. rham.* Brongniart (Adolph.) Dissertatione des Rhamnees. 4to. Paris.
- Brot. phyt.* Brotero (Felix Avellar.) Phytophographia Lusitaniae selectior. fol. 1801.
- Brown. gen. rem.* Brown (Robert.) General Remarks, Geographical and Systematical, on the Botany of Terra Australis. 4to. 1814.
- Br. Jam.* } Browne (Patrick.) The Civil
and Natural History of Ja-
Brown. Jam. } maica. fol. 1756.
- Bruces. tr.* Bruce (James.) Travels to discover the source of the Nile. 4to. 1790.
- Buchoz. ic. col.* Buchoz (Pierre Joseph.) Collection des fleurs qui se cultivent tant dans les Jardins de la chine que dans ceux d'Europe. fol.
- Bull. herb.* Bulliard. Herbar de la France. fol. 1780.
- Burm. afr.* } Burmann (Johannes.) Rariorum
Africanarum Plantarum. 4to.
Burm. dec. } 1738.
- Burm. Ind. Nic. Laur.* Burmanni Flora Indica. 4to. 1768.
- Burm. zeyl.* Burmann (Johannes.) Thesaurus Zeylanicus. 4to. 1737.
- Buxb. cent.* Buxbaum (Joh. Christ.) Plantarum minus cognitarum Centuriae quinque. 4to. 1728.
- Camer. hort.* Camerarius (Alexander.) Hortus Medicus et Philosophicus. 4to. 1588.
- Cates. car.* Catesby (Mark.) The Natural History of Carolina & Florida. fol. 1741.
- Cav. diss.* Cavanilles (Ant. Jos.) Monadelphiae classis Dissertationes decem. 4to. 1785.
- Cav. ic.* Cavanilles (Ant. Jos.) Icones et Descriptiones Plantarum quae aut sponte in Hispania crescunt aut in hortis hospitantur. fol. 1791.
- Chabr. sci.* Chabrey (Dominicus.) Omnium Stirpium Sciagraphia. fol. 1677.
- Chois. p. hyp.* } Choisy (J. D.) Prodromus d'
une monographie de la fa-
Chois. m. h. } mille des Hypericinees. 4to.
1821.
- Chois. selag.* Choisy (J. D.) Memoire sur la famille des Selaginees. 4to. Geneva. 1823.
- Clus. hist.* Clusius seu l'Ecluse (Charles de.) Rariorum Plantarum Historia. fol. 1601.
- Col. ecphr.* Columna (Fabius.) Minus cognitarum stirpium Ecphrasis. 4to. 1616.
- Col. phyt.* Columna (Fabius.) Phytobasanos. 4to. 1592.
- Col. h. rip.* Colla Hortus Ripulensis. 4to.
- Com. hort.* Commelyn (Casp.) Horti Medici Amstelodamensis rariorum Plantarum descriptio et icones. fol. 1703.
- Comm. petrop.* Commelyn (Casp.) Commentarii Academiae Scientiarum imperialis Petropolitanae. 4to. 1728.
- Comm. prael.* Commelyn (Casp.) Praeludia Botanica ad publicas Plantarum demonstrationes. 4to. 1703.
- Comm. rar.* Commelyn (Casp.) Horti Medici Amstelodamensis Plantae rariores et exoticae. 4to. 1706.
- Cook. et.* Cook (J.) Voyages, 2 vols. 4to. 1777.
- Corn. can.* Cornuti (Jacob.) Canadensium Plantarum aliarumque nondum editarum historia. 4to. 1635.
- Crantz. Aust.* Crantz (Hen. Joh. Nepom.) Stirpium austriacarum. 8vo. 1762.
- Cup. pan.* Cupani (Franciscus.) Catalogus plantarum Sicularum noviter detectarum. Panormi, 1652.
- Curt. lond.* Curtis (William.) A catalogue of the plants growing wild in the environs of London. fol. 1774. et seq.
- Cyril. ic. fasc.* } Cyrilli (Dom.) Plantarum ra-
riorum regni Neapolitani
Cyr. neap. } fasciculus. 1778. fol.
- Dalech. lug.* Dalechamps (Jacques.) Historia generalis plantarum. fol. 1586.
- Dard. trait. ren.* D'ardenne (Jean Paul Rome.) Traite des Renoncules. 8vo. 1746.
- DC. an. mus.* De Candolle (Augustin Pyramus.) Annales du Museum d'histoire naturelle. 4to. 1802.

- DC. astr.* De Candolle (Augustin Pyramus.) Astragalologia. 4to. et fol. 1802.
- DC. dis. cact.* De Candolle (Aug. Pyr.) Revue de la famille des Cactees. 4to. Paris. 1829.
- DC. h. mons.* De Candolle (Augustin Pyramus.) Catalogus plantarum horti botanici Monspeliensis addito observationum circa species novas aut non satis cognitae fasciculo. 8vo. 1813.
- DC. ic. gall. rar.* De Candolle (Augustin Pyramus.) Icones plantarum Galliae rariorum. 4to. 1808.
- DC. leg. mem.* De Candolle (Augustin Pyramus.) Memoires sur la famille des Legumineuses. 4to. 1826.
- DC. mem. mus.* De Candolle (Augustin Pyramus.) Memoires du Museum d'histoire naturelle. 4to. 1815.
- DC. mem. umb.* De Candolle (Aug. Pyr.) Memoire sur la famille des Ombelliferes. 4to. Paris. 1829.
- DC. plant. grass.* De Candolle (Augustin Pyramus.) Plantarum historia succulentarum. Fasc. 28. 1799.
- Debr. flor. nov.* De Bry (Joannes Theodor.) Florilegium novum. fol. 1612.
- Delil. aegy.* } Delile (Alire Rafeneau.) Memoires botaniques extraits de la Description de l'Egypte. fol. 1813.
- Del. fl. aeg.* }
- De la Roch. dis.* De La Roche (Daniel.) Specimens botanicum inaugurale sistens descriptiones plantarum aliquot novarum. 4to. 1766.
- Deless. ic. sel.* Delessert (Benj.) Icones selectae plantarum in system. univers. descriptarum. 4to. 1820.
- Descrip. de Eryp.* Description de l'Egypte on Recueil des observations et des recherches faites pendant l'expédition de l'armée Française. 4to. et fol. 1810.
- Desf. act. par.* Desfontaines (Rene Louiche.) Memoires de l'Académie Royale des Sciences. 4to. 1666.
- Desf. atl.* Desfontaines (Rene Louiche.) Flora atlantica. 4to. 1798.
- Desv. j. bot.* Desvaux. Journal de Botanique. 8vo. 1808.
- D. et H.* Dreves et Hayne. Choix de Plantes de l'Europe. fasc. 4. 1802.
- Dill. elt.* Dillenius (Joh. Jac.) Hortus elthamensis. fol. 1732.
- Dill. musc.* Dillenius (Joh. Jac.) Historia muscorum. 4to. 1741.
- Dodart mem.* Dodart (Denys.) Memoires pour servir a l'Histoire des Plantes. fol. 1676.
- Dod. pemp.* Dodart (Denys.) Stirpium historiae pemptades. fol. 1583.
- Du Fresn. Val.* Dufresne (Pierre.) Histoire naturelle et medicale de la famille des Valerianeae. 4to. 1811.
- Duh. arb.* Duhamel du Monceau (Henry Louis.) Traite des arbres et arbustes qui cultivent en France en pleine terre. 4to. 1755.
- Duham. ed. nov.* Duhamel du Monceau (Henry Louis.) Traites des arbres et arbustes qui se cultivent en pleine terre en France. fol. 1801.
- Dun. mon.* Dunal (Michel Felix.) Monographie de la Famille des Anonaceae. 4to. 1817.
- Dunal. solan.* Dunal (Michel Felix.) Histoire naturelle medicale et economique des Solanum et des genres qui ont ete confondus avec eux. 4to. 1813.
- Ehret pict.* Ehret (Georg. Dion.) Planta et Papiliones rariores. fol. 1748.
- Eng. bot.* English Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Exot. bot.* Exotic Botany. By J. E. Smith; the Figures by J. Sowerby. 8vo.
- Ferr. hesp.* Ferrari (Joh. Bapt.) Hesperides, sive de malorum aureorum cultura et usu. fol. 1646.
- Feuil. obs.* } Feuillee (Louis.) Journal des observations Physiques, Mathématiques et Botaniques faites dans l'Amerique meridionale. 4to. 1814.
- Feuill. per.* }
- Fl. dan.* Icones plantarum sponte nascentium in regnis Daniae et Norvegiae, etc. fol. 1761.
- Fl. lap.* Linnæus s. von Linne (Carolus.) Flora Laponica. 8vo. 1737.
- Flor. græ.* Flora Græca J. E. Smith. fol. 1552.
- Flor. mex. ic. ined.* Sesse et Mocinno. Flora Mexicana Icones ineditae.
- Fl. per.* Ruiz (Hippol.) et Pavon (Jos.) Flora Peruviana et Chilensis. 8vo. 1798.
- Flugg. an. mus.* Flugge (Johan.) Annales du Museum d'Histoire naturelle. 4to.
- Fraser mon.* Fraser (John.) A short history of the Agrostis cornucopiae. fol. 1784.
- Forsk. egypt.* } Forskaol (Petrus.) Flora Ægyptiaco arabica. 4to. 1775.
- Forsk. dis.* }
- Forst. gen.* Forster (George.) Characteres generum Plantarum quas in itinere ad insulas maris australis, etc. 4to. 1776.
- Fourc. j. bot.* Fourcroy (Ant. Franc.) La Médecine eclairee par les Sciences physiques, ou Journal des Deconvertes, etc. 8vo. 1791.
- Froel. gent.* Froelich (Jos. Aloys.) De Gentiana libellus. 8vo. 1796.
- Fuchs. hist.* Fuchs (Leonhard.) De historia Stirpium commentarii insignes. fol. 1542.
- Gaert. carp.* Gaertner (Car. Frid.) Supplementum Carpologiae. 4to. 1805.
- Gaert. fr.* } Gaertner (Josephus.) De fructibus et seminibus plantarum. 4to. 1788.
- Gaert. sem.* }
- Garid. aix.* } Garidel (Pierre Joseph.) Histoire des Plantes qui naissent en Province et principalement aux Environs d'Aix. fol. 1715.
- Garid. prov.* }
- Gay dis. las.* Gay dissertatio Lasiopetalæ.
- Gerard. gal.* } Gerard (John.) Flora Gallo-provincialis. 8vo. 1761.
- Ger. prov.* }
- Ger. emac.* Gerard (John.) The Herbal, enlarged by Th. Johnson. fol. 1633.
- Ger. herb.* Gerard (John.) The Herbal, or general history of Plants. fol. 1797.
- Gilib. h. pl.* Gilibert (Joh. Em.) Histoire des plantes d'Europe, ou elemens de botanique pratique. 3 vol. in 8vo. Lyon. 1806.
- Giorn. pis.* Giornale Pisano. 8vo. 1801.
- Giseck. ic.* Giseke (Paul Dieter.) et Schulze (J. Dom.) Icones plantarum. 1777.

- Gmel. fl. bad.* Gmelin (Carol. Christ.) *Flora Badensis-Alsatia*. 8vo. 1808.
- Gmel. sib.* Gmelin (Joh. Georg.) *Flora sibirica*. 4to. 1747.
- Gou. fl. mons.* Gouan (Anton.) *Flora Mons-peliaca*. 8vo. 1765.
- Gouan. ill.* Gouan (Anton.) *Illustrationes botanicae*. fol. 1773.
- Hacq. pl. alp. car.* Hacquet (Balth.) *Plantae alpinæ Carniolicae*. 4to. 1782.
- Hall. all.* Haller (Albert.) *Allii genus naturale constitutum*. 4to. 1745.
- Hall. helv.* } Haller (Albert.) *Historia Stir-*
Hall. hist. } *pium indigenarum Helvetiae*.
 fol. 1768.
- Hayn. term. bot.* Hayne (Fried. Gottl.) et Willdenow (Carl. Ludv.) *Termini botanici iconibus illustrati*. 4to. 1799.
- Hayne in ust. an.* Hayne (Fried. Gottl.) in *Usteri Annalen der Botanik*. 8vo. 1791.
- H. et B. n. gen.* Humboldt, Bonpland et Kunth *Nova Plantarum genera et species*, etc. 4to. 1815.
- H. et B. pl. aeq.* Von Humboldt (Alexand. Fr. Henr.) et Bonpland (Amie) *Plantes equinoxiales*. fol. 1808.
- Herbert. append.* Herbert (William.) *A Botanical arrangement of bulbous roots*. 8vo. 1821.
- Herm. lugd.* Hermann (Paulus.) *Floræ Lugduno-Batavæ flores*. 8vo. 1690.
- Herm. parad.* Hermann (Paulus.) *Paradisi Batavi prodromus*. 12mo. 1689.
- Hills. veg. syst.* Hill (John.) *Outlines of a system of vegetable generation*. 8vo. 1758.
- Hoff. c. gott.* Hoffmann (Georg. Franz.) *Programma Hortus Goettingensis*. fol. 1793.
- Hoff. deut. fl.* Hoffmann (Georg. Franz.) *Deutschlands flora, ou Flore de l'Allemagne*. 12mo. 1791.
- Hoff. phyt.* Hoffmann (Georg. Franz.) *Phytographische Blätter*. 8vo.
- Hoffm. salic.* Hoffmann (Georg. Franz.) *Historia salicum iconibus illustro*. fol. 1785.
- Hoff. umb.* Hoffmann (Georg. Franz.) *Plantarum umbelliferarum genera*. 8vo. 1816.
- Hoff. et Lk. fl. lus.* } Hoffmannsegg et Link.
Hoff. f. port. } *Flore portugaise*. fol. 1806.
- Hook. ex. flor.* Hooker (W. J.) *Exotic flora*. 8vo.
- H. et G. fil.* Hooker (W. J.) and Greville (W. K.) *Icones Filicum*. fol. London. 1827. et seq.
- Hop. in. sturm. fl. fas.* Hoppe in *Sturm Deutschland flora*. 4to. 1798.
- Horn. fl. dan.* Hornemann (J. W.) *Icones Plantarum sponte nascentium in regnis Daniae et Norvegiae*, etc. fol. 1761.
- Hort. Kew.* Aiton (Willam.) *Hortus Kewensis*, editio prima. 8vo. 1789.
- Hort. trans.* *Transactions of the Horticultural Society of London*. 4to.
- Host. gram.* Host (Nicol. Thomas.) *Icones et descriptiones Graminum austriacorum*. fol. 1801.
- Hout. pflanz.* Houttuyn (Mart.) *Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks*. 8vo. 1777.
- Hout. syst.* Houttuyn (Mart.) *Des ritters von Linne Pflanzen system nach der anleitung des Houttuynschen werks*. 14 vol. 8vo. 1777—1788.
- Icon. Kæmpf.* } Kæmpfer (Engelbert.) *Ico-*
Kæmpf. Icon. } *nes selectæ plantarum*. fol.
 1791.
- Icon. Hort. Kew.* *Delineations of exotic Plants cultivated in the Royal Garden at Kew*. Published by W. T. Aiton.
- Isn. act. par.* Isnard. *Histoire de l'Academie Royale des Sciences, avec les Mémoires de Mathématique et de Physique*.
- Jacq. amer.* Jacquin (Nic. Jos.) *selectarum Stirpium Americanarum Historia*. fol. 1763.
- Jacq. am. pict.* Jacquin (N. J.) *Stirpium Americanarum Historia*.
- Jacq. aust.* Von Jacquin (Nicol. Jos.) *Floræ Austriacæ Icones*. fol. 1773.
- Jacq. coll.* Von Jacquin (Nicol. Jos.) *Collectanea ad Botanicam, etc. Spectantia*. 4to. 1786.
- Jacq. f. ecl.* Von Jacquin (Jos. Franc.) *Eclogæ Botanicæ*. fol. 1811.
- Jacq. frag.* Von Jacquin (Nicol. Jos.) *Fragmenta Botanica*. fol. 1809.
- Jacq. h. vind.* Von Jacquin (Nicol. Jos.) *Hortus Botanicus vindobonensis*. fol. 1770.
- Jacq. ic.* Von Jacquin (Nicol. Jos.) *Icones Plantarum rariorum*. fol. 1781.
- Jacq. misc.* Von Jacquin (Nicol. Jos.) *Miscellanea Austriaca ad Botanicam, etc. Spectantia*. 4to. 1778.
- Jacq. obs.* Von Jacquin (Nicol. Jos.) *Observationes botanicæ*. fol. 1764.
- Jacq. ox.* Von Jacquin (Nicol. Jos.) *Oxalis monographia iconibus illustrata*. 4to. 1792.
- Jacq. schoenb.* Von Jacquin (Nicol. Jos.) *Plantarum rariorum horti cæsari Schoenbrunnensis*. fol. 1797.
- Jacq. stap.* Von Jacquin (Nicol. Jos.) *Stapeliae cultæ*. fol. 1806.
- J. mem. ac. sci. par.* Jussieu, *Mémoires de la Société d'Histoire Naturelle de Paris*. 4to. 1799.
- Journ. sc.* Ker (J. B.) *Journal of Science and the Arts*. 8vo.
- Jung. ic. rar.* Junghans (Phil. Casp.) *Icones Plantarum ad vitam impressæ*. fol. 1787.
- Juss. an.* Jussieu, *Annales du Museum d'Histoire Naturelle*. 4to. 1802.
- Juss. rut.* Jussieu (Adrien.) *Mémoires sur les Rutacées*. Paris. 1825. 4to.
- Kæmp. am.* Kæmpfer (Engelbert.) *Amænitates exoticæ*. 4to. 1712.
- Kalm. it.* Kalm (Pehr.) *Resatil norra America*. 8vo. 1753.
- Ker's review.* Ker (J. B.) *Review of the Genera Amaryllis, Crinum, and Pancratium, in the Journal of Science and the Arts*. 8vo.
- Ker's strelitz.* Ker (H. B.) *Coloured Figures of the Genus Strelitzia*. fol.
- Knight's prot.* Knight (Joseph.) *Horticultural Essays on the natural order of Proteæ*. 4to. 1809.
- Knor. del.* Knorr (Georg. Wolfgang.) *Deliciæ naturæ selectæ oder auserlesene*. fol. 1766.
- Knorr. thes.* Knorr (Georg. Wolfgang.) *The-*

- saurus rei herbariæ hortensisque unversalis.* fol. 1770.
Kon. an. bot. Annals of Botany, by C. König and J. Sims. 2 vol. 8vo. I. 1805. II. 1806.
Krock. siles. Krock (Ant. Joh.) Flora Silesiaca renovata. 2 vol. 8vo.
Kth. mim. Kunth (Car. Sig.) Mimoses et autres plantes légumineuses du nouveau continent. fol. 1819.
Lab. nov. hol. Labillardiere (Jac. Jul.) Novæ Hollandiæ plantarum specimen. fol. 1804.
Lab. ic. pl. Syr. } Labillardiere (Jac. Jul.) Icones plantarum Syriæ rariorum. 4to. 1791.
Labil. Syr. }
Lab. voy. Labillardiere (Jac. Jul.) Relation du Voyage à la recherche de La Peyrouse. 4to. 1798.
Lamb. cinch. Lambert (Aylm. Bourk.) Description of the Cinchona. 4to. 1797.
Lamb. pin. Lambert (Aylm. Bourk.) A Description of the genus Pinus. fol. 1803.
Lam. ill. Monet De La Mark (Jean Bapt.) Illustration des Genres. 1791.
Lap. pyr. ic. ined. Picot De La Peyrouse (Philippe.) Figures de la Flore des Pyrénées. fol. 1795.
Laroch. eryng. De La Roche (François.) Eryngiorum nec non generis novi alepideæ historia. fol. 1808.
Ledeb. fl. alt. Ledebour. Flora Altaica. fol. 1829.
Leers. fl. herb. Leers (Joh. Dan.) Flora Herbornensis. 8vo. 1789.
Lehm. nicot. Lehman (Joh. Georg. Chr.) Generis Nicotianarum historia. 4to. 1818.
L. Herit. ger. L'Heritier (Charles Louis.) Geraniologia sive Erodii, etc. historia. fol. 1787.
L. Her. sert. ang. L'Heritier (Charles Louis.) Sertum anglicum seu Plantæ rariores, etc. fol. 1788.
L. Her. stirp. L'Heritier (Charles Louis.) Stirpes novæ aut minus cognitæ. fol. 1784.
Lind. als. Von Lindern (Fr. Balth.) Hortus Alsaticus Plantas in Alsatia, nobili designans. 12mo. 1747.
Lindl. coll. Lindley (John.) Collectanea Botanica. fol.
Lind. digit. Lindley (John.) Digitalium Monographia. fol.
Lindl. ros. Lindley (John.) Rosarum Monographia, or a Botanical History of Roses. 8vo. 1820.
Lin. amæn. ac. Linnæus s. Von Linne (Carolus.) Amœnitates academicæ seu diss. antehæ seorsim editæ. 8vo. 1749.
Lin. fl. lap. Linnæus (Carolus.) Flora Laponica. 1 vol. 8vo. 1737.
Linn. hort. clif. Linnæus (Carolus.) Hortus Cliffortianus. 1 vol. fol. 1737.
Lin. f. dec. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis decas 1. 1762. fol. 1763.
Linn. fil. fasc. Linnæus Filius (Carolus.) Plantarum rariorum horti Upsaliensis. fasc. 1. fol. 1767.
Linn. sup. Linnæus Filius (Carolus.) Supplementum Plantarum. 1 vol. 8vo. 1781.
Linn. trans. Transactions of the Linnean Society of London. vol. 1. to 16. 4to.
Lk. et Ott. abb. Link et Otto. Abbildungen und Beschreibungen seltener Pflanzen im Berl. Garten. Berlin. 1821 et seq.
Lk. et Ott. dis. cac. Link et Otto. Cacti et Echinocacti. icones.
Link. et Ot. h. ber. Link et Otto. Hortus Berolinensis. fol.
Lobel. adv. De Lobel seu Lobelius (Mathias.) Adversariorum altera pars. 1 vol. fol. 1605.
Lob. ic. Lobelius (Mathias.) Stirpium Icones. 1 vol. 4to. 1591.
Lodd. bot. cab. Botanical Cabinet, by Messrs. Loddiges. 4to.
Loef. it. rar. } Loeffling (Petr.) Iter Hispanicum, eller Resa til spanska, etc. 1 vol. 8vo. 1758.
Loef. hisp. }
Loes. prus. Loeselius (Joh.) Flora Prussica. 1 vol. 4to. 1703.
Loisel. gal. Loiseleur-Deslonchamps (J. L. A.) Flora Gallica. 2 vol. 12mo. I. 1806, II. 1807.
Magn. b. mons. Magnol (Petrus.) Botanicon Monspeliense. 1 vol. 12mo. 1686.
Marcg. bras. Marcgravius (Georg.) Historia rerum naturalium Brasilæ. 1 vol. fol. 1648.
Mart. cent. } Martyn (John.) Historia Plantarum rariorum centuriæ 1 decas 1-5. fol. 1728.
Mart. dec. }
Mart. fl. rust. Martyn (Thomas.) Flora rustica. 4 vol. 8vo. 1792-4.
Mart. n. pl. bras. Martius (C. F. P.) Nova Genera et Species Plantarum quas in itinere, par Brasiliam. ann. 1817-1820. 4to.
Mass. Stap. Masson (Francis.) Stapeliæ novæ fasc. fol. 1796.
Math. com. Mathiolus (P. Andr.) Commentarii in libros Dioscoridis de Medica Materia.
Meerb. ic. Meerburg (Nicol.) Plantarum selectarum Icones pictæ. fol. 1798.
Mentz. pug. Mentzel (Christ.) Pugillus Plantarum rariorum. fol. 1682.
Merian. surin. Merian (Maria Sibylla.) De metamorphosis insectorum Surinamensis. 1 vol. fol. 1726.
Mich. amer. Michaux (André.) Flora Boreali Americana. 2 vol. 8vo. 1803.
Mich. arb. Michaux fils (André Franc.) Histoire des arbres forestiers de l'Amérique septentrionale. 3 vol. 4to. 1810-1813.
Mich. querc. Michaux (André.) Histoire des chênes de l'Amérique septentrionale. 1 vol. fol. 1801.
Mich. gen. Micheli (Petr. Anto.) Nova Plantarum genera. 1 vol. fol. 1729.
Mill. ic. Figures of Plants described in the Gardener's Dictionary, by Philip Miller. 2 vol. fol. 1760.
J. Mill. ic. Seven coloured Plates of Plants, by John Miller.
J. F. Mill. ic. Sixty coloured Plates of Plants and Animals, by Joh. Fred. Miller. fol.
Miss Laur. ros. } A Collection of Roses from Nature, by Miss Lawrence (now Mrs. Kearse). 90 plates.
M. L. R. }
Moret. fl. vicent. Moretti (Gius.) Notizia

- supra diverse piante da aggiungersi alla flora Vicentina. 4to. 1813.
- Moris. hist.* } Morison (Robert J.) Plantarum
Moris. s. } historia universalis Oxoniensis.
Moris. ox. } 2 vol. fol. 1680.
- Moris. umb.* Morison (Robert.) Plantarum umbelliferarum distributio nova. 1 vol. fol. 1672.
- Munt. phyt. cur.* Munting (Abrah.) Phytographia curiosa. 1 vol. fol. 1702, 1713, 1727.
- Murr. com.* } Murray (Joh. Andr.) Com-
Mur. c. got. } mentarii Societatis regiae
 Scientiarum Gœttingensis. 4to.
- Nectoux voy.* Nectoux (H.) Voyage dans la haute Egypte, avec des observations sur les diverses espèces de sené. fol. 1808.
- N. et Mart. ac. b.* Nees et Martius, in Mémoires de l'Académie royale des Sciences de Berlin. 4to. ab ann. 1770 ad 1816.
- Nees. hor. her.* Nees von Esembeck (G. G.) Horæ physicae Berolinensis collectæ ex symbolis virorum doctorum Link, Rudolphi, etc. 1 vol. fol. 1820.
- Niss. act. par.* Nissolle in Histoire de l'Académie Royale des Sciences, avec les Mémoires de Mathématique et de Physique. 4to.
- Nois. jard. fr.* Noisette (Louis.) Le Jardin fruitier. 2 fasc. in 4to. Paris. 1813.
- Nov. act. pet.* Nova Acta Academiae Scientiarum Imperialis Petropolitanae.
- Nov. com. pet.* Novi Commentarii Academiae Scientiarum Imperialis Petropolitanae.
- Oed. fl. dan.* Von Oeder (Georg. Christ.) Icones plantarum sponte nascentium in regnis Daniae et Norvegiae, etc. fol.
- Ort. dec.* De Ortega (Cas Gomez.) Novarum aut rariorum Plantarum Horti Reg. Botan. Matrit. Descriptionum Decades. 4to.
- Osbeck. it.* Osbeck (Pehr.) Dagbock æf'er en ostendyck resa. 1 vol. 8vo.
- Palisot d'owar.* } Palisot de Beauvois. Flore
Pal. fl. d'ow. } des royaumes d'Oware et
 de Benin. fol. 1805 et seq.
- Pall. act. pet.* Pallas (Peter Simon.) In Acta Academiae scientiarum imperialis Petropolitanae. 4to.
- Pall. it. ed. gal.* Voyage dans l'Empire Russe. 8 vol. 8vo.
- Pall. it. ed. germ.* Pallas (P. S.) Reise durch verschiedene provinzen des Russischen Reichs. 3 vol. 4to. 1771—1776.
- Pall. ross.* Pallas (P. S.) Flora Rossica. fol. 2 vol. 1784, 1788.
- Par. lond.* } Salisbury (Rich. Anth.) Para-
Sal. par. lond. } disus Londinensis. 2 vol. 4to.
- Park. par.* Parkinson (John.) Paradisi in sole paradisi terrestri, or a garden of flowers. 1 vol. fol. 1629.
- Park. theat.* Parkinson (John.) Theatrum botanicum. 1 vol. fol. 1640.
- Patters. iter.* A Narrative of four journeys into the country of the Hottentots and Caffraria. By Will. Patterson. 4to. 1789.
- Pet. eng. herb.* } Petiver (James.) Herbarii
Pet. h. brit. } Britannici Catalogus. fol.
- Pet. gaz.* Petiver (James.) Gazophylacium naturæ et artis. fol. 1702, 1704.
- Pet. Th. veg. afr.* Aubert du Petit Thouars. Plantes des îles de l'Afrique australe. 3 fasc. in 4to. Paris. 1804—6.
- Pio viol.* Pio (Joh. Bapt.) De Viola specimen. 4to. 1813.
- Pis. bras.* Piso (Guil.) Historia naturalis Brasiliæ. 1 vol. fol. 1648.
- Piso. lib.* Pisonis (Guil.) De Indiæ utriusque re naturali et medica libri 14. fol. 1658.
- Plenck. ic.* Plenck (Jos. Jac.) Icones plantarum medicinalium. fasc. fol. 1803 et seq.
- Pl. rar. hung.* } Waldstein (Franc.) et Kitai-
W. et K. hung. } bel (Paul.) Descriptiones et
 Icones plantarum rariorum Hungariæ. 3 vol. fol.
- Pluk. alm.* Plukenett (Leonard.) Almagestum botanicum sive phyt. onomasticon. 1 vol. 4to. 1796.
- Pluk. am.* Plukenett (L.) Amaltheum botanicum. 1 vol. 4to. 1705.
- Pluk. mant.* Plukenett (L.) Almagesti botanici Mantissa. 1 vol. 4to. 1700.
- Pluk. phyt.* Plukenett (L.) Phytographia sive Stirpium illustriorum, etc. 4 vol. 4to. 1691.
- Plum. amer.* Plumier (Charles.) Description des Plantes de l'Amerique. 1 vol. fol. 1693 et 1713.
- Plum. ed. B.* } Plantæ Americanæ à C. Plu-
Pl. ed. Burm. } mier detectæ et à J. Bur-
 manno editæ. 5 fasc. fol. 1755.
- Plum. fil.* Plumier (C.) Traité des fougères de l'Amerique. 1 vol. fol. 1705.
- Plum. gen.* Plumier (C.) Nova plantarum Americanarum genera. 1 vol. 4to. 1703.
- Plum. ic.* Plumier (C.) Plantarum Americanarum fasc. 10, continentes plantas quas olim C. Plumierius detexit et depinxit, Edidit Jo. Burmannus.
- Pohl. pl. bras.* Pohl Plantæ Brasiliæ. 4to. 1830.
- Pollich Palat.* Pollich (Joh. Adam.) Historia plantarum in Palatinatu spontè nascentium. 3 vol. 8vo. 1776.
- Poit. et T. fl.* Poiteau et Turpin. Flore Parisienne. 6 livr. fol. 1808.
- Pursh amer.* Flora Americae Septentrionalis; or a systematic arrangement and description of the plants of North America. By Frederick Pursh. 2 vol. 8vo.
- Quer. hisp.* Query Martinier (Joseph.) Flora Espanola. 4 vol. 4to. 1762—1764.
- Raii syn.* } Ray (Joh.) Synopsis Stirpium Bri-
Ray. syn. } tannicarum. 1 vol. 8vo.
- Rauw. it.* Rauwolf (Leonh.) Etlicher Schoner Aussländischer Kreuter, deren in Seiner Rayss, in die Morgenländer Gethon, Gedacht wirt, lebendige Contrafactur.
- Red. lil.* } Redoute (P. J.) Les Liliacées.
Redoute lil. } 8 vol. fol. 1802—1816.
- Redout. ros.* Redoute (P. J.) Les Roses. 4to. et fol. 1817 et seq.
- Reich. ac.* Reichenbach (Ludov.) Monographia generis Aconiti et Delphinii. Lipsiæ. 1820. fol.
- Reich. ic.* Reichenbach (Ludov.) Icones et descriptiones plantarum. 4to. Lipsiæ. 1822 et seq.
- Reliq. Houst.* Reliquiæ Houstounianæ, in Bibliotheca Jos. Banks asservatis. 4to. 1781.

- Renealm. spec.* Pauli Renealmi Specimen Historiæ Plantarum. 1 vol. 4to. 1611.
- Retz. obs.* Retzius (And. Joh.) Observationes Botanicae. 6 fasc. fol. 1774—1791.
- Rheed. mal.* } Van Rhee (Henricus.) Hortus Indicus Malabaricus. 12
Rhe. hort. mal. } vol. fol.
- Rivin. monop.* Rivinus (Aug. Quirinus.) Ordo Plantarum flore irregulari monopetalo. 1 vol. fol. 1690.
- Riv. tetr.* Rivinus (A. Q.) Ordo Plantarum flore irregulari tetrapetalo. 1 vol. fol. 1691.
- Riv. pent.* Rivinus (A. Q.) Ordo Plantarum flore irregulari pentapetalo. 1 vol. fol. 1699.
- Rob. ic.* Three hundred and nineteen plates of plants; engraved by Nic. Robert. A. Bosse, and Lud. de Chatillon. fol.
- Rod. Scub. cer.* Scubler (Gust.) Diss. sistens descriptiones cerealium cultorum. Tubing. 1818. 4to.
- Rœm. arch.* Rœmer (Joh. Jac.) Archiv für de Botanik. 3 vol. 4to. 1796, 1799, 1805.
- Rœm. script.* Rœmer (J. J.) Scriptorum de Plantis Hispanicis, Lusitanicis, et Brasiliensis. 1 vol. 8vo. 1796.
- Rœm. et Ust. mag.* Rœmer (Joh. Jac.) et Usteri (Paul.) Magazin für die Botanik. 4to. 1789—1790. Zurich.
- Rosc. scitam.* Roscoe's Figures of the order of Scitamineæ. fol.
- Rosc. fl. ill. sea.* Roscoe (Mrs. M.) Floral Illustrations of the Seasons. Liverpool. Royal 4to. 1829 et seq.
- Roth. abh.* Roth (Alb. Wilh.) Botanische abhandlungen und beobachtungen. 4to. 1787.
- Rottb. gram.* } Descriptiones et Icones
Rottb. desc. rar. } Plantarum rariorum, etc.
1 vol. fol. 1773.
- Roxb. corom.* Roxburgh (William.) Plants of the coast of Coromandel, published under the direction of Sir Joseph Banks. fol.
- Rudg. gui.* Rudge (Edward.) Plantarum Guianæ rariorum Icones et desc. fol. 1805.
- Ruiz. et P. prod.* Ruiz (Hippol.) et Pavon (Jos.) Floræ Peruvianæ et Chilensis prodromus. fol.
- Rumph. amb.* Rumphius (Georg. Everh.) Herbarium Amboinense. 6 vol. fol. 1750-1755.
- Russ. alep.* Russell (Alex.) Natural History of Aleppo. 1 vol. 4to. 1756. ed. 2. 1794.
- Sabb. hort.* } Sabbati (Liberatus.) Hortus
Sabb. h. rom. } Romanus. fol. vol. 3. 8vo.
1772, 1774, 1805.
- Sal. stirp. rar.* Salisbury (R. A.) Icones stirpium rariorum. 1 fasc. fol. 1791.
- San. viag.* Santi (Georg.) Viaggi al mont Amiata. 1 vol. 8vo. 1795. II. 1798. III. 1806.
- Savi fl. pis.* Savi (Gaetano.) Flora Pisana. 2 vol. 8vo. 1798.
- Scheuch. gram.* Scheuchzer (Johan.) Agrostographia, sive Graminum, Juncorum, Cyperorum, iisque affinium historia.
- Scheuch. it.* Scheuchzer (Joh. Jac.) Itinera Alpina. 4to. ed. 1. 1702—1708. Ed. 2; 1 vol. 4to. 1723.
- Schk. caric.* Schkuhr (Christ.) Histoire des Carex ou Laiches. 1 vol. 8vo. 1802.
- Schkuhr filic.* Schkuhr (Christ.) Abbildungen der Farrnkräuter. 4to.
- Schk. hand.* Schkuhr (C.) Botanisches handbuch. 3 vol. 8vo.
- Schm. arb.* } Schmidt (Franz.) Oesterreichs
Schmid. arb. } allegemeine Baumzucht 2
Band. fol. 1792—1794.
- Schm. ic.* Schmiedel (Cas. Christ.) Icones Plantarum. 1 vol. fol. 1762.
- Schousb. maroc.* Schousboe (P. K. A.) Iagttagelser over voextriget i Marocco. 1 vol. 4to. 1800.
- Schrad. d. hal.* Schrader (Henr. Adolph.) De Halophytis Pallasii. 4to. 1810.
- Schrad. gen. nov.* Schrader (H. A.) Nova Plantarum genera. 1 fasc. fol. 1797.
- Schrad. germ.* Schrader (H. A.) Flora Germanica. 8vo. 1806.
- Schr. s. han.* Schrader (H. A.) Sertum Hannoveranum. 4 fasc. fol. 1795, 1796.
- Schrad. verb.* Schrader (H. A.) Monographia generis verbasci. 4to. 1813.
- Schrad. ver.* Schrader (H. A.) Commentatis de Veronicis spicatis. 8vo. 1803.
- Schrank h. mon.* } Schrank (Fr. von Paula.)
Schrank pl. rar. } Plantæ rariores horti Monacensis. 1817, 1818, 1819.
- Schreb. a. ups.* Von Schreber (Joh. Christ. Dan.) Acta litteraria et scientiarum Upsaliæ aut ab academia Upsaliensi publicata. 2 vol. 1720, 1816.
- Sch. gram.* Schreber (J. C. D.) Beschreibung der Gräser. fol. 1769—1779.
- Scop. carn.* Scopoli (Joh. Ant.) Flora Carniolica. 8vo. 1760. ed. 2. 2 vol. 8vo. 1772.
- Scop. del.* } Scopoli (J. A.) Deliciæ floræ Insu-
Scop. ins. } bricæ. 3 vol. fol. 1786, 1788.
- Seb. mus.* } Seba (Alb.) Locupletissimi Rerum
Seb. thes. } naturalium Thesauri Descriptio.
4 vol. fol. 1734—1765.
- Second. d. chen.* De Secondat (M.) Mémoires sur l'Histoire naturelle du Chêne. 1785. fol.
- Segu. ver.* Seguiet (Joh. Franc.) Plantæ Veronenses. 3 vol. 8vo. 1745.
- Ser. m. helv.* Seringe (N. C.) Musée Helvétique d'histoire naturelle. 4to. 1818, 1820.
- Shaw afric.* } Shaw (Thomas.) Travels in Bar-
Shaw barb. } bary and the Levant. 1 vol.
fol. 1738.—Supplement.
1746.
- Sinc. gr. wob.* Sinclair (George.) Hortus gramineus Woburnensis. 1 vol. 8vo. 1825.
- Slo. hist.* } Sloane (Hans.) A Voyage to the
Sloan. j. } Islands Madeira, Barbadoes,
Nieves, St. Christopher's, and
Jamaica; with the Natural His-
tory of the last of those Islands.
2 vol. fol. 1707.
- Sm. exot. bot.* Smith (J. Edward.) Exotic Botany. 8vo. 1804—1808.
- Sm. ic. ined.* Smith (J. E.) Plantarum Icones hactenus ineditæ. fasc. 1-3. 1789, 1791. fol.
- Smith ic. pict.* Smith (J. E.) Icones pictæ Plantarum rariorum. 3 fasc. fol. 1790—1793.
- Sm. nov. hol.* Smith (J. E.) A specimen of the Botany of New Holland. 1 vol. 4to. 1793.

- Smith spic.* Smith (J. E.) *Spicilegium Botanicum*. 2 fasc. fol. 1791, 1792.
- Smith. tracts.* Smith (J. E.) *Tracts relating to Natural History*. 1 vol. 8vo. 1798.
- Sole's mints.* Sole (William.) *Menthæ Britannicæ*; being a new botanical arrangement of all the British Mints hitherto discovered. 1 vol. fol. 1798.
- Sonner. it.* Sonnerat (P.) *Voyage aux Indes orientales et à la Chine*. 2 vol. 4to.
- Sonner. n. guin.* *Voyage à la nouvelle Guinée*. 1 vol. 4to. 1776.
- Sparm. a. st.* Sparrman (Andr.) *Kongl. Vetenskaps Academiens Handlingar*. Stockholm. 1739. seq. 8vo.
- Spr. anl.* Sprengel (Kurt.) *Anleitung zur Kentniss der Gewächse*. 2 theil. 8vo. 1817, 1818.
- Spreng. crypt.* Sprengel (K.) *Introduction to the study of Cryptogamous Plants*, translated from the German. 8vo. 1813.
- Spr. fl. hall.* Sprengel (K.) *Floræ halensis Tentamen novum*. 1 vol. 8vo. 1806.
- Spreng. umb.* Sprengel (K.) *Species umbelliferarum minus cognitarum illustratæ*. 1 vol. 4to. 1818.
- Sternb. saxif.* Sternberg (Graf. Casp.) *Revisio Saxifragarum Iconibus illustrata*. 1 vol. fol. 1810.
- Stær. lib. de. stram.* Stærck (Ant.) *Libellus de Stramonio, Hyosciamo. Aconito*. 8vo. 1763.
- Sturm. deut.* Sturm (Jacob.) *Deutschland flora*. 4to.
- Swartz ic.* Swartz (Olof.) *Icones Plantarum Indiæ occidentalis*. 1 fasc. fol. 1794.
- Swart. obs.* Swartz (O.) *Observationes botanicæ*. 1 vol. 8vo. 1791.
- Sw. syn. fil.* Swartz (O.) *Synopsis filicum earum genera et species compl.* 1 vol. 8vo. 1806.
- Swt. br. fl. gar.* Sweet (Robert.) *The British Flower Garden*, published in monthly numbers, containing full and accurate coloured figures and descriptions, with the best mode of cultivation, of the most choice and curious plants, that may be cultivated in the open air of Great Britain. 3 vol. royal 8vo.
- Swt. br. fl. gar. s. 2.* Sweet (R.) *British Flower Garden*, series 2, number 1 to 17, et seq.
- Swt. cist.* Sweet (R.) *Cistineæ*. The natural Order of Cistus, or Rock-Rose, complete in one volume, containing 112 beautifully coloured figures of the different species and varieties of this handsome family of plants.
- Swt. flor. aust.* Sweet (R.) *Flora Australasica*, or a selection of the most beautiful and interesting plants, natives of New Holland, and the South Sea Islands, containing 56 beautifully coloured figures from the living plants. 1 vol. royal 8vo. London, 1827-1828.
- Swt. flor. guid.* Sweet (R.) *The Florist's Guide, or Cultivator's Directory*, containing elegantly coloured figures of the choicest flowers cultivated by Florists, including Tulips, Hyacinths, Ranunculus', Carnations, Pinks, Auriculas, Polyanthus's, Georgina's, and Roses. 1827 et seq. royal 8vo. London.
- Sweet ger.* Sweet (R.) *Geraniaceæ*, or the natural Order of Geraniums, published in monthly parts, with accurate coloured figures and descriptions of the different kinds, and their mode of culture. royal 8vo. Five volumes complete.
- Swert. flor.* Swertius (Eman.) *Florilegium tractans de variis floribus*. 1 vol. fol. 1612.
- Tab. ic.* Tabernæmontanus (Jac. Theod.) *Eicones Plantarum cur N. Bassæo*. 4to. 1590.
- Tabern. kraut.* Tabernæmontanus (Jac. Theod.) *Kräuterbuch*. fol. 1588.
- Ten. flor. med.* Tenore (Michel.) *Saggio sulle qualità medicinali delle piante Napolitanæ*. 8vo. Napoli. 1808.
- Tenor. fl. nap.* Tenore (Michel.) *Flora Napolitana*. fol. 1811.
- Ten. mem. croc.* Tenore (M.) *Memoires sui Crochi*. Naples.
- Thunb. eric.* Thunberg (Car. Petr.) *de Erica*. 4to.
- Thunb. ir.* Thunberg (Car. Petr.) *Dissertatis de Iris*. 4to. 1782.
- Thunb. jap.* Thunberg (Car. Petr.) *Flora Japonica*. 8vo. 1784.
- Thunb. voy.* Thunberg (Car. Petr.) *Voyage au Japon, etc.* 8vo. 1796.
- Till. pis.* Tilli (Mich. Ang.) *Catalogus horti Pisani*. fol. 1723.
- Tourn. voy.* Pitton De Tournefort (Joseph.) *Relation d'un voyage du Levant*. 4to. 1717.
- Trat. arch.* Trattinick (Leop.) *Archiv der Gewächskunde*. 4to. 1811.
- Trattin. fl. aust.* Trattinick (Leop.) *Flora Austriaca sicca*. fol. 1792.
- Tratt. tab.* Trattinick (Leop.) *Observationes botanicæ Tabularium rei herbariæ illustrates*. 4to. 1811.
- Tratt. thes. bot.* Trattinick (Leop.) *Thesaurus Botanicus*. fol. 1819.
- Trev. delph.* Treviranus (Lud. Christ.) *De Delphinio et Aquilegia observationes*. 4to. 1817.
- Trew. ehret.* Trew (Christ. Jac.) *Plantæ selectæ ab Ehret pictæ*. fol. 1750.
- Trew. pl. rar.* Trew (Christ. Jac.) *Plantæ rariores*, ed. J. C. Keller. fol. 1763.
- Trin. ic. gram.* Trinius (Car. Bern.) *Icones Graminæ*.
- Triumf. obs.* Triumfetti (Joh. Bapt.) *Observationes de ortu et vegetatione Plantarum*. 4to. 1635.
- Ust. N. ann.* Usteri (Paul.) *Neue annalen der Botanik*. 8vo. 1794.
- Vahl. ecl.* Vahl (Martinus.) *Eclogæ Americane*. fol. 1796.
- Vahl. ic. rar.* Vahl (Martinus.) *Icones Plantarum in eclogis descriptarum*. fol. 1798.
- Vahl. symb.* Vahl (Martinus.) *Symbolæ botanicæ*. fol. 1790.
- Vail. par.* Vaillant (Sebastien.) *Botanicon Parisiense*. fol. 1727.

- Vent. cels.* Ventenat (Etienne Pierre.) Description des plantes nouvelles ou peu connues du jardin de J. M. Cels. fol. 1800.
- Vent. choix.* Ventenat (Etienne Pierre.) Choix des plantes. fol. 1803.
- Vent. malm.* Ventenat (Etienne Pierre.) Jardin de la Malmaison. fol. 1803.
- Vill. c. stras.* Villars (D.) Catalogue methodique du jardin de Strasbourg. 8vo. 1807.
- Vill. dauph.* } Villars (D.) Histoire des Plantes
Vill. delph. } du Dauphine. 8vo. 1786.
- Viv. frag.* } Viviani (Dom.) Floræ Ita-
Vivian. fr. fl. it. } licæ fragmenta. 4to. 1808.
- Volk. norib.* Volkamer (Jo. Georg.) Flora Noribergensis. 4to. 1700.
- Wahl. helv.* Wahlenberg (Georg.) De vegetatione et clymate Helvetiæ septentrionalis specimen. 8vo. 1813.
- Wahl. lap.* Wahlenberg (Georg.) Flora Lapponica. 8vo. 1812.
- Wal. as. res.* Wallich in Asiatic Researches, or Transactions of the Society instituted in Bengal. 4to. 1788.
- Wall. pl. as.* } Wallich (Nathanael.) Plantæ
— *ind. pl.* } asiaticæ rariores, ou description et figures d'un choix de plantes inédites de l'Inde orientale. fol. 1829 et seq.
- Walth. hort.* Walther (Aug. Frid.) Designatio plantarum horti ejus. 8vo. 1735.
- Wang. amer.* Von Wangenheim (Fried Ad. Jul.) Anpflanzung North Amerikanischer Holzarten.
- Wats. dend. brit.* Watson (W.) Dendrologia Britannica. 2 vol. 8vo.
- Weig. obs.* Weigel (Christ. Ehret.) Observationes Botanicae. 4to. 1772.
- Wei. et N. rub.* Weihe (Aug.) et Nees (C. G.) Rubi germanici.
- Weinm. phyt.* Weinmann (Joh. Guil.) Phytanthoza Iconographica. fol. 1737.
- Wend. ac.* Wendland (H. Lud.) Commentatis de Acaciis aphyllis. 4to. 1820.
- Wendl. col.* Wendland (H. Lud.) Collectio Plantarum tum exoticarum quam indigenarum. 4to. 1805.
- Wendl. er.* Wendland (Joh. Christ.) Ericarum Icones et descriptiones. 4to. 1798.
- Wend. h. herr.* Wendland (Joh. Christ.) Hortus Herrenhusanus. fol. 1798.
- Wend. s. han.* Wendland. (J. C.) Sertum Hanoveranum. 4 fasc. fol.
- Willd. arb.* Willdenow (Car. Lud.) Berlinische Baumzucht. 8vo. 1797.
- W. ber. mag.* Willdenow (Car. Lud.) Berlinischer magazin oder gesammlete schriften, etc. 4to. 1765.
- Willd. hort. ber.* Willdenow (Car. Lud.) Hortus Berolinensis. fol. 1806.
- Woodv. med. bot.* Woodville (William.) Medical Botany. 3 vol. 4to. 1790.
- Zanon. hist.* Zanoni (Jacobus.) Rariorum stirpium historia. Ed. C. Monti. 1 vol. fol. 1742.
- Zorn. ic.* Zorn (Joh.) Icones Plantarum medicinalium. 8vo. 1779.

ABBREVIATIONS.

- A. B. Annals of Botany.
A. DC. Alphonso De Candolle. Monographie des Campanulees.
Afz. Afzelius, a Swedish Professor.
A. G. Andrews's Geraniums.
A. H. Andrews's Heaths.
A. R. Andrews's Botanist's Repository.
All. Allioni, an Italian Botanist.
Aub. Aublet, a French Traveller in Guiana.
B. Mr. Robert Brown, a celebrated English Botanist.
B. A. Barton's Flora Boreali Americana. 2 vol. 4to.
Bal. Balbis, a French Botanist.
Bau. Baumgarten.
B. C. Loddiges's Botanical Cabinet.
B. D. Bartling. Diosmeæ descriptæ et illustrate. 1824. 8vo.
Be. Bertoloni, an Italian Botanist.
Bes. Besser, a Russian Botanist.
BF. Bancroft.
B. F. G. Sweet's British Flower Garden.
Bhi. Bernhardt, a German Botanist.
B. M. Curtis's Botanical Magazine.
B. O. Beauvois. Flora d'Oware et de Benin.
Boj. Bojer, Professor of Botany in the Isle of France.
B. P. Brown's Prodromus Floræ novæ Hollandiæ.
B. R. Botanical Register.
Bro. Brogniart's Rhamneæ.
B. T. Burchell's Travels in Africa.
C. (Cav.) Cavanille's, a Spanish Botanist.
C. C. Colvill's Catalogue.
C. I. Cavanille's Icones.
C. L. T. Colebrooke, in Linnean Transactions.
C. S. Choisy. Memoire sur la Famille des Selaginees.
Cyr. Cyrilli, an Italian Botanist.
D. David Douglas, on the Plants of the West Coast of America.
DC. Decandolle (Augustin Pyramus.)
D. D. David Don, Librarian of the Linnean Society, Soho Square.
Desf. Desfontaines, a French Botanist.
Desv. (Dv.) Desvaux, a French Botanist.
DF. Dufresne's Valerianees.
D. L. (Lht.) David Lockhart, Botanical Gardener at Trinidad.
Dod. Dodonaeus, a Dutch Botanist.
D. P. David Don's Prodromus Floræ Nepalensis.
E. Ehrenberg, a Traveller in Egypt, &c.
E. B. Smith's English Botany.
E. C. Elliott's Flora of Carolina.
E. F. Smith's English Flora.
Ex. B. Smith's Exotic Botany.
F. Fischer, Curator of the Botanic Garden at St. Petersburg.
F. D. Flora Danica.
F. E. Forskaol Flora Egyptiaco-Arabica.
F. G. Flora Græca.
F. I. Flora Indica.
G. Gærtner, a celebrated German Carpolo-gist.
G. B. Gray's Flora Britannica.
G. D. George Don, an English Botanist.
Gm. Gmelin, a Russian Botanist.
Gr. Graham, Regius Professor of Botany at Edinburgh.
G. R. Georgi, Geographische, etc. Beschreibung des Russichen Reichs.
H. Hornemann, a Danish Botanist.
H. A. Hooker's Flora Boreali Americana.
H. B. Hortus Bengalensis.
H. E. Hortus Epsomensis.
H. E. F. Hooker's Exotic Flora.
H. F. Hooker and Greville's Ferns.
H. G. Hoare's Geraniaceæ.
H. K. Hortus Kewensis.
H. M. Hooker's Miscellany.
H. M. N. Haworth's Miscellanea Naturalia.
H. P. Idem, in Taylor's Philosophical Magazine.
H. R. Idem, Saxifrages and Revisions of Succulent Plants.
H. S. Idem, Synopsis Plantarum Succulentarum.
H. S. S. Idem, Supplementum Plantarum Succulentarum.
H. S. L. Hortus Suburbanus Londinensis.
H. T. Transactions of the Horticultural Society.
H. U. Hoffman's Umbelliferæ.
J. Jussieu.
Jac. Jacquin.
J. E. (J. F.) Jacquin (Filius) Eclogæ Botanicae.
J. I. Jacquin's Icones.
J. S. Jacquin's Stapeliae.
K. F. Kaulfuss. Filices.
K. S. Kunth's Synopsis Plantarum.
L. Linnæus.
L. A. Lehman's Asperifoliæ.
L. A. Ledebour's Flora Altaica.
Lam. Lamarck.
L. C. Loddiges's Catalogue.
L. col. Lindley's Collectanea Botanica.
Led. Ledebour, a Russian Botanist.
L. en. Link's Enumeratio Plantarum.
LG. et Lag. Lagasca, a Spanish Botanist.
L'H. L'Heritier.
L. O. Link et Otto, Abbildungen et Beschreibungen seltener Pflanzen in Berlin Garten.
L. P. Lehman's Potentillæ.
L. R. Lindley, Rosarum Monographia.
L. T. Transactions of the Linnean Society.
M. Michaux. Flora Boreali Americana.
M. B. Marschall de Bieberstein, Flora Taurico-Caucasica.
M. C. Mackay's Catalogue.
Med. Medicus, a German Botanist of the last Century.
Mh. Mench, a German Botanist.

Mil. Miller, an English Gardener and Botanist.
M. N. Martius. Flora of Brazil.
M. P. Martius. Genera et Species Palmarum.
N. Nuttall's Genera of North American Plants.
N. A. Nee's Asters.
N. L. F. News of Literature and Fashion.
N. P. Nestler's Potentillæ.
Ot. Otto, Curator of the Botanic Garden at Berlin.
P. B. Pohl's Flora Brasiliana.
Ph. Pursh. Flora Americana Septentrionalis.
P. L. Salisbury in Paradisus Londinensis.
Poir. Poiret, a French Botanist.
Pr. Presl, a Bohemian Botanist.
P. S. Persoon's Synopsis Plantarum.
R. (Rox.) Roxburgh.
R. A. Reichenbach. Monographie Generis Aconiti et Delphinii.
Raf. Rafinesque Schmalz.
R. B. Roth's neue Beitrage zur Botanik.
R. C. Roxburgh's Plants of the Coast of Comandul.
R. O. Richard's Orchidæ.
R. P. Ruiz et Pavon. Flora Peruviana.
R. S. Roemer et Schultes Systema Vegetabilium.
R. U. (Rech.) Reichenbach Ubersicht der gattung Aconitum.
S. Schulte's Systema Vegetabilium.
S. C. Sweet's Cistineæ.
Sch. (Schl.) Schleicher, a Swiss Collector.
Sch. Schrank, a Bavarian Botanist.
Scop. Scopoli, an Italian Botanist.
Ser. Schrader, a German Botanist.
Set. Schott, a Traveller in Brazil.
S. F. A. Sweet's Flora Australasica.
S. F. G. Sweet's Florist's Guide.
S. G. Sweet's Geraniaceæ.
Sie. Sieber, a Botanical Collector.
S. M. Sole's Mints.
S. O. Seidl et Opiz.
S. P. Salisbury's Prodromus.
S. S. Sprengel's Systema Vegetabilium.
S. T. Savi. Observationes in varias Trifoliorum Species.
Sw. Swartz, a Swedish Botanist.
T. C. Tenore. Catalogus Plantarum Horti Regii Neapolitani.
T. N. Idem, Flora Neapolitana.
T. P. Idem, Floræ Neapolitanæ Prodromi.
T. S. Idem Synopsis Floræ Neapolitanæ.
Th. Thunberg, a Swedish Botanical Traveller.
Tv. Treviranus, a German Botanist.
V. Ventenat, a French Botanist.
V. M. Ventenat's Jardin de Malmaison.
Viv. Viviani, an Italian Botanist.
W. Willdenow. Species Plantarum.
W. A. Idem, Historia Amaranthorum.
W. en. Idem, Enumeratio Plantarum Horti Bot. Berolinensis.
Wall. Wallich, Curator of the Botanic Garden at Calcutta.
W. C. Wendland. Collectio Plantarum.
W. D. Watson's Dendrologia Britannica.
W. H. William Herbert. Observations on the Amaryllideæ, &c.
W. K. Waldstein and Kitaibel. Descriptiones et icones plantarum rariorum Hungariæ.

1. 2. Flowering the first and second month of the year.
3. 6. Flowering from the third to the sixth month, and so on according to the different figures.
1. 12. Flowering all the year round, or at various seasons of the year, not having any settled period.
— Denotes the same as the line above it.
.... Uncertain, or not properly known.
H. 5. Hardy large tree.
H. h. Hardy Shrub, or small tree.
H. h. Hardy Evergreen Shrub.
F. h. Frame Shrub, or requiring the protection of a Frame or Mats in severe frosty weather, but to be exposed when the weather is mild.
G. h. Greenhouse Shrub, requiring the protection of a Greenhouse in Winter.
S. h. Shrubs requiring to be kept in the Stove or Hothouse in Winter, but may be removed to the Greenhouse in Summer.
D. S. h. Dry Stove Shrub, a plant requiring very little water.
D. G. h. Dry Greenhouse Shrub, or a plant that requires but little water in Winter; many of which will succeed well in a good frame or pit, with the covering of a mat or two on the lights in severe frost, but to be continually exposed to the air in mild weather.
h. Suffrutescent, a dwarf Shrub, or a soft wooded Shrub.
4. Herbaceous, perennial, dying down in Winter, and shooting up afresh the following Spring.
h. — Climbing Shrub, a Shrub that requires support, either with a trellis, stick, or line, or any other convenient support.
4. — Climbing, perennial, herbaceous plant, requiring the same sort of support as the last.
w. h. Water Shrub, or one that prefers growing in water, or in moist situations.
w. 4. Perennial herbaceous plant, requiring to be grown in water, or in a moist situation.
♂. Biennial, seldom surviving more than two years.
⊙. Annual, requiring to be sown yearly.
b. Bulbous-rooted.
H. Hardy, surviving through the Winter without protection.
F. Frame, not quite hardy, but requiring the protection of a frame or mats in severe weather.
G. Greenhouse, requiring the protection of a Greenhouse in Winter, but to be well supplied with air in mild weather.
I. Intermediate between Stove and Greenhouse.
S. Stove, those require the protection of a Stove or Hothouse in Winter; the temperature should never be allowed to get below 60 degrees of Fahrenheit's Thermometer.
C. B. S. Cape of Good Hope.
N. S. W. New South Wales.
N. Holl. New Holland.
V. Diem. Isl. Van Dieman's Island.

THE BRITISH FLOWER GARDEN, & ORNAMENTAL SHRUBBERY.

Series the Second.

Publishing, in Monthly Numbers, at *Three Shillings* each; and each Number containing Four full and highly coloured Figures, with Dissections of the most essential parts, of the most beautiful, rare, curious, or interesting Herbaceous Plants, or Flowering Shrubs, that may be cultivated in the open Borders, Shrubberies, or by the side of Walls, or Fences, in the Gardens of this Country; with a full account of the best and most successful mode of Management in Culture and Propagation; the Soils and Situations most suitable for them; the Protection necessary, if any be required in Winter; their Scientific and English Names, with full Descriptions; Natural and Linnean Classes and Orders; Derivations of the Generic Names; and all other information that may be considered of importance to the Botanist, Cultivator, or Amateur; and the most beautiful and interesting subjects are chosen. Twenty-five Numbers form each Volume, and Three Volumes complete each Series.

Sets of the First Series of SWEET'S BRITISH FLOWER GARDEN, complete, in Three Volumes, may still be obtained, each Volume containing One Hundred elegantly coloured Figures; with a Systematical, Alphabetical, and English Index to each, List of Books quoted, &c. Price 3*l.* 16*s.* each. Single Numbers, at 3*s.* each; any back Numbers may be obtained to complete Sets.

The First Series is published by W. SIMPKIN and R. MARSHALL, Stationers'-hall-court, Ludgate Street; and may be procured, by Order, from all Booksellers.

"The British Flower Garden ought to be in the hands of all Cultivators of Hardy Flowering Plants." *Loudon's Gardener's Magazine.*

"The Figures, drawn and coloured from living specimens, by E. D. Smith, under the Author's inspection, are correct portraits of the subjects intended, and the plates are full and well executed. At the bottom of the plates are given coloured dissections of the different parts of the flower, so that, by that means, the parts of fructification are well explained."—"We recommend the British Flower Garden to the Cultivators and admirers of hardy Flowering plants; and we have no doubt but they will feel themselves much interested by its perusal." *News of Literature and Fashion.*

SWEET'S GERANIACEÆ.

Now complete, in Five Volumes, each containing One Hundred beautifully coloured Figures of the choicest and most distinct Species and Hybrid Productions of this greatly admired Tribe. From this Work may be selected a collection of the sorts most suited to the taste of any Lady or Gentleman, who wishes to make a collection of this beautiful Family.

SWEET'S CISTINEÆ.

An Account of the Family of CISTUS, or ROCK-ROSE; illustrated with handsomely coloured Figures; now complete, in Twenty-eight Numbers, at 3*s.* each; containing One Hundred and Twelve Figures and Descriptions of this handsome and generally admired Tribe of Plants, with Descriptions of the other Species that could not be obtained; with a full account of the best Method for their Cultivation and Propagation; or any thing else belonging to them, considered of importance.

THE FLORIST'S GUIDE; or CULTIVATOR'S DIRECTORY.

Publishing, in Monthly Numbers, at 3*s.* each; and Two Volumes will complete the Work. Each Number contains Four highly finished coloured Figures, drawn from the living Plants of the Flowers most esteemed by Florists—as Tulips, Ranunculus', Auriculas, Hyacinths, Carnations, Pinks, Roses, &c.; with the most approved Methods of Cultivation, Directions for raising new Varieties from Seeds, &c.

FLORA AUSTRALASICA.

Published in one handsome Royal Octavo Volume; containing Fifty-six elegantly coloured Figures, of the most beautiful and curious Plants, Natives of New Holland, and the South Sea Islands, (generally called Botany Bay Plants.) They are well adapted for a Greenhouse, or Conservatory; and many will survive the Winters, in the open ground, with a very little protection. Price 2*l.* 2*s.* 6*d.* in Fourteen Numbers, Index, &c.; or single Numbers, at 3*s.* each.

In the Press, and soon will be published, a New Edition of

SWEET'S HOTHOUSE AND GREENHOUSE MANUAL;
Or BOTANICAL CULTIVATOR.

Containing numerous Genera not before enumerated in any former edition; with Directions for their Treatment in Cultivation and Propagation; Treatment of Plants in Rooms, and all those grown in the Hothouses, Greenhouses, Frames, or in the open Ground of the Gardens, or Plantations in this Country; with a full account of the Management of Bulbs, and the Parasitical and other Orchideous Plants.

SWEET'S BRITISH WARBLERS;

Or an Account of the Summer Birds of Passage belonging to the Family of Sylvia; illustrated with beautiful coloured Figures of the natural size, chiefly taken from living Birds in the Author's collection; with full Directions for their Treatment, as practised by the Author, showing how all the fine singing Birds belonging to this tribe, may be kept in confinement in as good health as any common birds whatever, and will continue in full song nearly all the year; with an account of the best Method of catching them, or rearing them from the nest; and numerous other observations concerning their migration, food, habit when wild, or any thing relating to their history, that may be considered of importance. Published in Three Parts, and containing Sixteen Figures. Part 1, containing Six Figures, 6*s.* 6*d.*; Part 2, Five Figures, 5*s.*; and Part 3, Five Figures, 5*s.* The Figures are of the Nightingale, Blackcap, Larger and Lesser Whitethroats, Greater Pettychaps, or Garden Warbler; Willow and Wood Wrens; Dartford, Reed, and Sedge Warblers; Winchat, Stonechat, Wheatear, Redstart, &c.

CLASSIS 1.

DICOTYLEDONEÆ seu EXOGENÆ.

* SUBCLASSIS 1. THALAMIFLORÆ.

ORDO I.

RANUNCULACEÆ. DC. syst. nat. 127.

Tribus 1. CLEMATIDÆ.

Syst. Name.	Color.	Eng. Name.	Native.	Introd.	Flower.	Habit.	Ref. to Figures.
CLEMATIS. W.		VIRGIN'S BOWER.	Polyandria Polygynia. L.				
1 erecta. DC.	(wh.)	upright.	Austria.	1597.	6. 8. H.	♀.	Jacq. aust. 3. t. 291.
γ hispànica.	(wh.)	Spanish.					
2 flammula. DC.	(wh.)	sweet-scented.	S. Europe.	1596.	7. 10. H.	h. ∪.	Lob. ic. 627. f. 1.
α rotundifolia.	(wh.)	round-leaved.	_____	_____	_____	H. h. ∪.	Ten. fl. neap. v. 1. t. 48.
β vulgaris.	(wh.)	oblong-leaved.	_____	_____	_____	H. h. ∪.	
γ maritima.	(wh.)	narrow-leaved.	_____	_____	_____	H. h. ∪.	Zanic. ist. 69. t. 129.
3 Massoniàna. DC.	(wh.)	Masson's.	C. B. S.			G. h. ∪.	
4 orientàlis. DC.	(ye.)	oriental.	Levant.	1731.	7. 10. H.	h. ∪.	Dill. elt. t. 119. f. 145.
5 glauca. W.	(ye.)	glaucous.	Siberia.		7. 8. H.	h. ∪.	Willd. arb. 65. t. 4. f. 1.
6 paniculàta. DC.	(wh.)	panicled.	Japan.	1789.	6. 8. H.	h. ∪.	Houtt. pflanz. 7. f. 2.
7 chinénsis. DC.	(wh.)	Chinese.	China.	1820.		H. h. ∪.	Retz. obs. 2. n. 53. t. 2.
8 terniflòra. DC.	(wh.)	three-flowered.	_____	1826.		H. h. ∪.	
9 Vitálba. DC.	(wh.)	Traveller's Joy.	England.		7. 9. H.	h. ∪.	Eng. bot. 612.
10 virginiana. DC.	(wh.)	Virginian.	N. America.	1767.	6. 8. H.	h. ∪.	Wats. dend. brit. t. 74.
11 brasiliàna. DC.	(wh.)	Brazilian.	Brazil.	1820.		S. h. ∪.	Deless. ic. sel. 1. t. 1.
12 dioica. DC.	(wh.)	Jamaica.	Jamaica.	1733.	5. 6. S.	h. ∪.	Slo. hist. 1. t. 128. f. 1.
13 americàna. DC.	(wh.)	West-Indian.	W. Indies.			S. h. ∪.	
14 coriàcea. DC.	(wh.)	leathery-ld.	N. S. W.	1821.		G. h. ∪.	
15 stenosepala. DC.	(wh.)	narrow-sepaled.	_____	1826.	5. 8. G.	h. ∪.	
16 aristàta. DC.	(wh.)	awned-anther'd.	_____	1812.	5. 8. G.	h. ∪.	Bot. reg. 238.
17 hedsaritòlia. DC.	(wh.)	Hedysarum-ld.	Nepaul.	1819.	7. 2. G.	h. ∪.	Bot. reg. 599.
18 biternàta. DC.	(wh.)	biternate.	Japan.	1825.	7. 9. H.	h. ∪.	
19 triternàta. DC.	(wh.)	triternate-ld.		1806.		H. h. ∪.	
20 domínica. DC.	(wh.)	St. Domingo.	St. Domingo.			S. h. ∪.	Jac. am.p.2.t.261.f.244.
21 brachiàta. DC.	(wh.)	armed.	C. B. S.	1804.	10. 12. G.	h. ∪.	Bot. reg. 97.
22 grandiflòra. DC.	(wh.)	great-flowered.	Sierra Leon.	1822.		S. h. ∪.	
23 dahùrica. DC.	(pu.)	Dahurian.	Dahuria.	1822.	6. 8. H.	h. ∪.	
24 zanzibàrica.	(wh.)	Zanzibar.	Africa.	1826.		S. h. ∪.	
25 angustifolia. DC.	(wh.)	narrow-leaved.	Siberia.	1787.	5. 9. H.	4.	Jacq. ic. 1. t. 104.
26 diversifolia. DC.	(pu.)	various-leaved.			9. 10. H.	h. ∪.	Deless. ic. sel. 1. t. 4.
27 Viórna. DC.	(pu.)	leathery-flow'd.	N. America.	1730.	6. 9. H.	h. ∪.	Jacq. ecl. 1. t. 32.
28 cylindrica. DC.	(bl.)	long-flowered.	_____	1802.	7. 9. H.	h. ∪.	Bot. mag. 1160.
Viórna. A. R. 71.	nec aliorum.						
29 Simsii.	(pu.)	Sims's.	_____	1812.	6. 9. H.	h. ∪.	Bot. mag. 1816.
cordàta. B. M. nec aliorum.							
30 reticu àta. DC.	(pu.)	netted.	_____	_____	_____	H. h. ∪.	Wats. dend. brit. t. 72.
31 japónica. DC.	(pu.)	Japan.	Japan.	1826.		H. h. ∪.	
32 integrifolia. DC.	(bl.)	entire-leaved.	Hungary.	1596.	6. 8. H.	4.	Bot. mag. 65.
33 ? angustifolia.	(bl.)	narrow entire l ^d .	Siberia.		_____	H. 4.	
34 ? elongàta. DC.	(bl.)	long-leaved.	_____	1823.	_____	H. 4.	Tratt. tab. 4. t. 178.

33	<i>ochroleuca</i> . DC.	(st.) silky.	N. America.	1767.	6. 7.	H. 2.	Bot. mag. 1175.
34	<i>gentianoides</i> . DC.	(wh.) gentian-like.	V. Diem. Isl.	1825.		G. 2.	Deless. ic. sel. 1. t. 5.
35	<i>florida</i> . DC.	(wh.) large-flowered.	Japan.	1776.	4. 9.	H. 2.	Bot. mag. 834.
	<i>β flore pleno</i>	(wh.) double-flowered.	—	—	—	H. 2.	—
36	<i>Viticella</i> . DC.	(pu.) smooth-seeded.	Spain.	1569.	6. 9.	H. 2.	Bot. mag. 565.
	<i>α purpurea</i> .	(pu.) purple-flowered.	—	—	—	—	—
	<i>β carulea</i> .	(bl.) blue-flowered.	—	—	—	—	—
	<i>γ pulchella</i> . P.S.	(bl.) double-flowered.	—	—	—	H. 2.	Chabr. sci. p. 117. f. 5.
37	<i>crispa</i> . B.M.	(pu.) curled-flower'd.	N. America.	1726.	7. 9.	H. 2.	Bot. mag. 1892.
38	<i>parviflora</i> . DC.	(wh.) small-flowered.		1822.	6. 8.	H. 2.	De. pl. rar. gen. t. 12.
	<i>campaniflora</i> . Lodd. bot. cab. 987.	non DC.	—	—	—	—	—
39	<i>cirrhusa</i> . DC.	(pu.) tendriled.	S. Europe.	1596.	3. 4.	H. 2.	Flor. græc. t. 517.
40	<i>pedicellata</i> .	(st.) pedicled.	Majorea.		—	H. 2.	Bot. mag. 1070.
	<i>cirrhusa</i> . B.M. nec aliorum.	<i>cirrhusa β. pedicellata</i> . DC.	—	—	—	—	—
41	<i>semitriloba</i> . DC.	(st.) three-lobed.	Spain.		9. 11.	H. 2.	—
42	<i>calycina</i> . H.K.	(st.) evergreen.	Minorea.	1783.	4. 6.	H. 2.	Bot. mag. 959.
	<i>bulgarica</i> . DC.	—	—	—	—	—	—
ATRAG'ENE. W.		ATRAG'ENE.	Polyandria Polygynia. L.	—	—	—	—
1	<i>austriaca</i> . B.M.	(bl.) Austrian.	Austria.	1792.	5. 7.	H. 2.	Bot. rep. 180.
	<i>alpina</i> . s.s. <i>Clématis alpina</i> . DC.	—	—	—	—	—	—
2	<i>sibirica</i> . B.M.	(wh.) Siberian.	Siberia.	1753.	3. 5.	H. 2.	Bot. mag. 1951.
	<i>Clématis sibirica</i> . DC.	—	—	—	—	—	—
3	<i>ochotensis</i> . s.s.	(wh.) linear-petaled.	—	1822.	—	H. 2.	—
	<i>Clématis ochotensis</i> . DC.	—	—	—	—	—	—
4	<i>americana</i> . B.M.	(pu.) American.	N. America.	1797.	5. 6.	H. 2.	Bot. mag. 887.
	<i>Clématis verticillaris</i> . DC.	—	—	—	—	—	—
5	<i>occidentalis</i> . s.s.	shining-leaved.		1824.		H. 2.	—
NARAV'ELIA. DC.		NARAV'ELIA.	Polyandria Polygynia. L.	—	—	—	—
	<i>zeylanica</i> . DC.	 Ceylon.	Ceylon.	1796.		S. 2.	—
	<i>β Roxburghii</i> . DC. (ye.)	Roxburgh's.	Coromandel.	—		S. 2.	Roxb cor. 2. t. 188.

Tribus II. ANEMONEÆ.

THALI'CTRUM. DC.		MEADOW-RUE.	Polyandria Polygynia. L.	—	—	—	—
1	<i>contortum</i> . DC.	(wh.) crook-seeded.	Siberia.	1796.	6. 7.	H. 2.	—
2	<i>aquilegifolium</i> . DC.	.. Columbine-ld.	Europe.	1731.	5. 7.	H. 2.	—
	<i>α album</i> .	(wh.) white-stamened.	—	—	—	H. 2.	Jacq. aust. t. 318.
	<i>β atropurpureum</i> .	(pu.) purple.	—	—	—	H. 2.	Bot. mag. 1818.
	<i>γ formosum</i> . B.M.	(pu.) Sabine's.	—	—	—	H. 2.	Bot. mag. 2025.
3	<i>clavatum</i> . DC.	(wh.) club-stamened.	N. America.	1812.	6. 8.	H. 2.	—
4	<i>mexicanum</i> . DC.	(gr.) Mexican.	Mexico.	1826.	7. 9.	H. 2.	Hern. mex. 236. ic.
5	<i>corynellum</i> . DC.	(wh.) purple-stemm'd.	N. America.		—	H. 2.	—
6	<i>polygamum</i> . s.s.	(ye.) polygamous.	—		5. 7.	H. 2.	—
7	<i>revolutum</i> . DC.	(ye.) revolute	—	1806.	6. 7.	H. 2.	—
	<i>pubescens</i> . Ph. non. DC.	—	—	—	—	—	—
8	<i>dioicum</i> . DC.	(ye.) dioecious.	—	1759.	—	H. 2.	Deles. ic. sel. 1. t. 8.
9	<i>carolinianum</i> . DC.	(ye.) Carolina.	—		—	H. 2.	—
10	<i>purpurascens</i> . DC.	(pu.) dwarf purple.	—	1699.	—	H. 2.	—
11	<i>petaloideum</i> . DC.	(wh.) Dahurian.	Dahuria.	1799.	—	H. 2.	Deles. ic. sel. 1. t. 9.
12	<i>alpinum</i> . DC.	(gr.) Alpine.	Britain.		5. 7.	H. 2.	Eng. bot. 262.
13	<i>foetidum</i> . DC.	(wh.) foetid.	Europe.	1640.	—	H. 2.	W. et K. hung. 2. t. 174.
14	<i>pubescens</i> . DC.	(ye.) pubescent.	—	—	—	H. 2.	—
15	<i>acutilobum</i> . DC.	(ye.) acute-lobed.	Siberia.		—	H. 2.	Deles. ic. sel. 1. t. 10.
16	<i>divergens</i> . s.s.	(gr.) divergent.	—	1820.	6. 7.	H. 2.	—
17	<i>Schweiggeri</i> . s.s.	(ye.) Schweigger's.		1826.	—	H. 2.	—
18	<i>calabricum</i> . s.s.	(ye.) Calabrian.	Sici'y.	1802.	6. 8.	H. 2.	Moris. 1. s. 9. t. 20. f. 16.
19	<i>squarrosum</i> . DC.	(ye.) squarrose	Siberia.	1806.	—	H. 2.	—
20	<i>sibiricum</i> . DC.	(ye.) Siberian.	—	1775.	—	H. 2.	Gært. fruct. 1. t. 74.
21	<i>minus</i> . DC.	(ye.) lesser.	Britain.		6. 7.	H. 2.	Eng. bot. t. 11.
22	<i>collinum</i> . DC.	(ye.) hill.	Germany.	1823.	—	H. 2.	—
23	<i>saxatile</i> . DC.	(ye.) rock.	Europe.		5. 7.	H. 2.	—
24	<i>ambiguum</i> . s.s.	(ye.) ambiguous.	Switzerland.	1820.	—	H. 2.	—
25	<i>elatum</i> . DC.	(ye.) tall.	Hungary.	1794.	6. 8.	H. 2.	Jacq. vind. 3. t. 95.
26	<i>majus</i> . DC.	(ye.) greater.	Eng. and.		—	H. 2.	Eng. bot. 611.
27	<i>nuttans</i> . DC.	(ye.) nodding.	Italy.		—	H. 2.	—
28	<i>medium</i> . DC.	(ye.) middle.	Hungary.	1789.	—	H. 2.	Jacq. vind. 3. t. 96.

1	<i>concinnum</i> . DC.	(wh.) neat.			6.	H. 2.	
2	<i>flexuosum</i> . Jac.	(ye.) flexuose.			6. 8.	H. 2.	
3	<i>trigynum</i> . DC.	(ye.) three-styled.	Dahuria.	1823.	—	H. 2.	
4	<i>glaucescens</i> . DC.	(pu.) loose-flowered.	Russia.	—	6.	H. 2.	
5	<i>galioides</i> . DC.	(ye.) Galium-leaved.	Europe.	1816.	5. 7.	H. 2.	Deles. ic. sel. 1. t. 11.
6	<i>angustifolium</i> . DC.	(ye.) narrow-leaved.	Germany.	1739.	6. 7.	H. 2.	Jacq. vind. 3. t. 43.
7	<i>divaricatum</i> . S.S.	(ye.) spreading.		—	—	H. 2.	
8	<i>cynapiifolium</i> . F.	(ye.) Fool's-parsley'd	Siberia.	1821.	—	H. 2.	
9	<i>digospermum</i> . F.	(ye.) few-seeded.	—	—	—	H. 2.	
10	<i>diffusum</i> . Sch.	(ye.) diffuse.		—	—	H. 2.	
11	<i>lucidum</i> . DC.	(ye.) shining.	Spain.	1739.	5. 7.	H. 2.	Pluk. alm. t. 65. f. 5.
12	<i>rosmarinifolium</i> . S.S.	(ye.) Rosemary-1'd	Italy.	1826.	6. 7.	H. 2.	
13	<i>nigricans</i> . DC.	(ye.) black.	Austria.	1798.	5. 7.	H. 2.	Jacq. aust. 5. t. 421.
14	<i>flavum</i> . DC.	(ye.) common.	Britain.		—	H. 2.	Eng. bot. 367.
15	<i>vaginatum</i> . Desf.	(ye.) sheathed.	Europe.		—	H. 2.	
16	<i>simplex</i> . DC.	(ye.) simple-stalked.	Sweden.	1778.	5. 6.	H. 2.	Flor. dan. t. 244.
17	<i>cinereum</i> . DC.	(ye.) ash-coloured.			—	H. 2.	
18	<i>glaucum</i> . DC.	(ye.) glaucous	S. Europe.	1798.	6. 7.	H. 2.	
19	<i>rugosum</i> . DC.	(ye.) rugged.	N. America.	1774.	7.	H. 2.	
20	<i>ranunculinum</i> . DC.	(ye.) Ranunculus-ld.	—	1806.	6. 7.	H. 2.	
21	<i>tuberosum</i> . DC.	(wh.) tuberous-rooted.	Spain.	1713.	6.	H. 2.	Mill. ic. t. 265. f. 2.
22	<i>anemonoides</i> . DC.	(wh.) Anemone-like.	N. America.	1768.	4. 5.	H. 2.	Bot. mag. 866.
<i>Anemone thalictroides</i> . W.							
3	<i>flöre pleno</i> .	double-flowered.	—	1822.	—	H. 2.	
PULSATILLA . W.en. PASQUE-FLOWER . Polyandria Polygynia.							
1	<i>vernalis</i> . S.S.	(pu.) spring.	N. Europe.	1752.	4.	H. 2.	Swt. br. fl. gar. 205.
2	<i>Halleri</i> . S.S.	(bl.) Haller's.	Switzerland.	1816.	4. 5.	H. 2.	All. ped. t. 80. f. 2.
3	<i>cernua</i> . S.S.	(bl.) drooping.	Japan.	1806.	4. 6.	H. 2.	
4	<i>patens</i> . S.S.	(ra.) spreading.	Siberia.	1752.	6. 7.	H. 2.	Breyn. ic. t. 61.
5	<i>ochroleuca</i> .	(st.) straw-coloured.	—	—	5. 7.	H. 2.	Bot. mag. 1994.
6	<i>vulgaris</i> . S.S.	(bl.) common.	England.		—	H. 2.	Eng. bot. 51.
7	<i>rubra</i> . DC.	(re.) red-flowered.	Europe.		—	H. 2.	Lob. ic. 282. f. 1.
8	<i>intermedia</i> .	(bl.) long-petal'd.	Switzerland.	1820.	—	H. 2.	
<i>Anemone intermedia</i> . Schult. <i>longipetala</i> . Schleich.							
9	<i>pratensis</i> . S.S.	(pu.) meadow.	Germany.	1731.	5.	H. 2.	Flor. dan. t. 611.
10	<i>obsoluta</i> .	(bl.) pale-flowered.	—	—	—	H. 2.	Bot. mag. 1863.
11	<i>albana</i> . S.S.	(wh.) white-flowered.	Caucasus.	1827.	—	H. 2.	
12	<i>dahurica</i> . DC.	(fl.) Dahurian.	Dahuria.	1823.		H. 2.	
13	<i>alpina</i> . S.S.	(wh.) Alpine.	Europe.	1658.	7.	H. 2.	Bot. mag. 2097.
14	<i>micrantha</i> .	(wh.) small-flowered.	—	1827.	—	H. 2.	Jacq. aust. t. 85.
<i>Anemone alpina</i> . Jacq. <i>alpina</i> & <i>micrantha</i> . DC.							
15	<i>apiifolia</i> .	(ye.) Parsley-leaved.	—		—	H. 2.	Jacq. misc. 2. t. 4.
<i>Anemone alpina</i> & <i>flavescens</i> . DC.							
16	<i>sulphurea</i> .	(st.) sulphur-coloured.	—		—	H. 2.	Cam. epit. 393. ic.
<i>Anemone sulphurea</i> . L. <i>apiifolia</i> . W.							
ANEMONE . W.en. ANEMONE . Polyandria Polygynia. L.							
1	<i>capensis</i> . DC.	(pu.) Cape.	C. B. S.	1795.	3. 7.	G. 2.	Bot. mag. 716.
<i>Atragene capensis</i> . W.							
2	<i>coronaria</i> . DC.	(ra.) Poppy.	Levant.	1596.	1. 12.	H. 2.	Bot. mag. 841.
3	<i>flöre-pleno</i> .	(ra.) double-flowered.	—	—	—	—	
4	<i>pavonia</i> . DC.	(re.) acute-petaled.	—		4. 5.	H. 2.	
5	<i>coccinea</i> .	(sc.) scarlet.	—		—	H. 2.	
6	<i>lilacina</i> .	(li.) lilac.	—		—	H. 2.	
7	<i>flöre-pleno</i> .	(sc.) double scarlet.	—		—	H. 2.	Clus. hist. 1. p. 261. ic.
8	<i>stellata</i> . DC.	(pu.) star.	Italy.	1597.	—	H. 2.	Chabr. sciagr. 461. f. 3.
<i>Anemone stellata</i> . B.M. 123.							
9	<i>versicolor</i> .	(v.) various-coloured.	—	—	—	H. 2.	Bot. mag. 123.
10	<i>purpurea</i> .	(pu.) purple.	—	—	—	H. 2.	Swt. br. fl. gar. 112.
11	<i>palmata</i> . DC.	(ye.) palmated.	Portugal.	1597.	5. 6.	H. 2.	Bot. reg. 200.
12	<i>flöre-pleno</i> .	(ye.) double-flowered.	—	—	—	H. 2.	Chabr. sciagr. 461. f. 2.
13	<i>parviflora</i> . DC.	(wh.) small-flowered.	Labrador.	1823.	3. 5.	H. 2.	Juss. ann. mus. 3. t. 21. f. 1.
<i>Anemone parviflora</i> . Ph.							
14	<i>caroliniana</i> . DC.	(pu.) slender.	Carolina.	—	5.	H. 2.	
<i>Anemone caroliniana</i> . Ph.							
15	<i>montana</i> . DC.	(bl.) blue mountain.	England.		3. 4.	H. 2.	Eng. bot. 1062.
16	<i>arctica</i> . DC.	(bl.) blue.	Siberia.	1827.	—	H. 2.	Deless. ic. sel. 1. t. 14.
17	<i>uralensis</i> . DC.	(bl.) Uralian.	—	—	—	H. 2.	
18	<i>fragifera</i> . Jacq.	(wh.) Strawberry-like.	Switzerland.	1792.	5.	H. 2.	Jacq. ic. 1. t. 103.

12	nemorosa. DC.	(wh.) wood.	Britain.		3. 5.	H. 4.	Eng. bot. 355.
	β flore-pleno.	(wh.) double-flowered.	—		—	H. 4.	Debry. fl. nov. t. 29 et 56.
	γ quinquefolia. DC.	(w.) five-leaved.	N. America.	1812.	—	H. 4.	
13	Fischeriana. DC.	(wh.) Fischer's.	Siberia.	1827.	4. 5.	H. 4.	
14	lanceifolia. DC.	(wh.) lance-leaved.	N. America.	1823.	5. 7.	H. 4.	
15	trifolia. DC.	(wh.) three-leaved.	France.	1597.	4. 5.	H. 4.	Lob. ic. 281. f. 1.
16	ranunculoïdes. DC.	(ye.) yellow wood.	England.		3. 4.	H. 4.	Eng. bot. 1484.
17	reflexa. DC.	(wh.) reflex-flowered.	Siberia.	1824.	4. 5.	H. 4.	Deless. ic. sel. 1. t. 15.
18	sylvêtris. DC.	(wh.) Snowdrop.	Europe.	1596.	4. 5.	H. 4.	Bot. mag. 54.
19	alba. DC.	(wh.) five-sepaled.	Dahuria.	1818.	4. 5.	H. 4.	— 2167.
	ochelensis. F.						
20	virginiana. DC.	(wh.) Virginian.	N. America.	1722.	5. 6.	H. 4.	Herm. par. t. 18.
21	pennsylvanica. DC.	(wh.) Pennsylvanian.	—	1766.	—	H. 4.	
22	dichotoma. DC.	(wh.) forked.	—	1768.	—	H. 4.	Lin. f. dec. 29. t. 15.
23	narcissiflora. DC.	(wh.) Narcissus-fl'd.	Europe.	1773.	5.	H. 4.	Bot. mag. 1120.
24	umbellata. DC.	(wh.) umbel flower'd.	Levant.	1824.	—	H. 4.	Deless. ic. sel. 1. t. 18.
25	sibirica. DC.	(wh.) Siberian.	Siberia.	1804.	6.	H. 4.	
HEPATICA. DC.		HEPATICA. Polyandria Polygynia. L.					
1	acutiloba. DC.	(bl.) acute-lobed.	N. America.	1826.	3. 4.	H. 4.	
2	americana. DC.	(bl.) American.	—	1819.	3. 4.	H. 4.	Bot. reg 387.
3	triloba. DC.	(va.) three-lobed.	Europe.	1573.	2. 4.	H. 4.	Eng. bot. t. 51.
	α carulea.	(bl.) blue.					
	β caruleo-plena.	(bl.) double-blue.					
	γ rubra.	(re.) red.	—	—	—	—	Bot. mag. 10.
	δ rubro-plena.	(re.) double-red.					
	ϵ alba.	(wh.) red-anthered white.					
	ζ nivea.	(wh.) snowy-white.					
HYDRASTIS. DC.		YELLOW-ROOT. Polyandria Polygynia. L.					
	canadensis. DC.	(wh.) Canadian.	Canada.	1759.	5. 6.	H. 4.	Piet. hort. par. 37. t. 17.
KNOWLTONIA. DC.		KNOWLTONIA. Polyandria Polygynia. L.					
1	rigida. DC.	(gr.) thick-leaved.	C. B. S.	1780.	3. 5.	G. 4.	Vent. malm. p. 22. t. 22.
2	vesicatoria. DC.	(gr.) blistering.	—	1691.	2. 4.	G. 4.	Bot. mag. 775.
3	gracilis. DC.	(gr.) slender.	—	1820.	—	G. 4.	Deles. ic. sel. 1. t. 19.
4	hirsuta. DC.	(gr.) hairy-leaved.	—	—	—	G. 4.	Burm. afr. t. 51.
5	dancifolia. DC.	(gr.) Carrot-leaved.	—	1822.		G. 4.	
ADONIS. DC.		ADONIS. Polyandria Polygynia. L.					
1	autumnalis. DC.	(sc.) Pheasant's-eye.	Britain.		5. 10.	H. $\odot$.	Eng. bot. 308.
2	flava. DC.	(ye.) yellow.	France.		6. 7.	H. $\odot$.	Tab. ic. 790. f. 1.
3	micrantha. DC.	(ye.) small-flowered.	S. France.	1826.	5. 6.	H. $\odot$.	
4	citrina. DC.	(st.) Citron-colour'd.	—	1822.	5. 6.	H. $\odot$.	
5	flammea. DC.	(fl.) flame-coloured.	Austria.	1800.	6. 7.	H. $\odot$.	Jac. aust. 4. t. 355.
6	æstivalis. DC.	(sc.) tall.	S. Europe.	1629.	—	H. $\odot$.	Weinm. phyt. t. 27.
	miniata. Jac. aust. t. 354.						
7	vernalis. DC.	(ye.) vernal.	Europe.	1629.	3. 4.	H. 4.	Bot. mag. 134.
8	apennina. w. en.	(ye.) Apennine.	—		—	H. 4.	Mentz. pag. t. 3. f. 1.
	vernalis β Mentzelii. DC.						
9	pyrenæica. DC.	(ye.) Pyrenean.	Pyrenees.	1820.	6. 7.	H. 4.	Deless. ic. sel. 1. t. 21.
10	sibirica. s.s.	(ye.) Siberian.	Siberia.	1827.	4. 5.	H. 4.	
11	davurica. s.s.	(ye.) Davurian.	—	—	—	H. 4.	Reich. ic. t. 321.
12	distorta. T.P.	(ye.) distorted.	Naples.	—	—	H. 4.	Ten. fl. med. p. 448. t. 1.

Tribus III. RANUNCULÆÆ.

MYOSURUS. DC.		MOUSE-TAIL. Pentandria Polygynia. L.					
	minimus. DC.	(gr.) small.	Britain.		4. 5.	H. $\odot$.	Eng. bot. 435.
CERATOCEPHALUS. DC.		CERATOCEPHALUS. Pentandria Polygynia.					
1	falcatus. DC.	(ye.) sickle-seeded.	S. Europe.	1739.	5.	H. $\odot$.	Jac. aust. t. 48.
2	orthoceras. DC.	(ye.) straight-seeded.	Siberia.	1823.	—	H. $\odot$.	Deles. ic. sel. 1. t. 23.
RANUNCULUS. DC.		CROW-FOOT. Polyandria Polygynia. L.					
1	hederaceus. DC.	(wh.) Ivy-leaved.	Britain.		5. 8.	H. w. 4.	Eng. bot. 2003.
2	tripartitus. DC.	(wh.) three-parted.	—		—	H. w. 4.	DC. ic. g. rar. 1. t. 49.
	β obtusiflorus. DC.	(w.) blunt-flowered.	—		—	H. w. 4.	Pet. eng. herb. t. 39. f. 1.
3	aquatilis. DC.	(wh.) water.	—		4. 8.	H. w. 4.	Eng. bot. 101.
	α heterophyllus. DC.	(w.) various-leaved.	—		—	H. w. 4.	Tab. ic. 54. f. 2.
	β peltatus. DC.	(wh.) peltate-leaved.	—		—	H. w. 4.	Lob. ic. 2. p. 35. f. 2.

RANUNCULACEÆ.

4	pantothrix. DC. (wh.)	divided-leaved.	Britain.		4. 8.	H.w. 2.	Lob. ic 791. f. 1.
	a capillaceus. DC. (wh.)	fine-leaved.	-----		-----	H.w. 2.	Pet. eng. herb. t. 39. f. 4.
	β caspitosus. DC. (wh.)	tufted.	-----		-----	H.w. 2.	----- t. 39. f. 3.
	γ peucedanifolius. DC. (wh.)	Fennel-ld.	-----		-----	H.w. 2.	----- t. 39. f. 2.
	fluriatilis. w.						
5	rutæfolius. DC. (wh.)	Rue-leaved.	Austria.	1759.	5. 7.	H. 2.	Jac. coll. 1. t. 6 et 7.
6	glaciælis. DC. (wh.)	two-flowered.	Lapland.	1775.	6. 8.	H. 2.	Flor. dan. t. 19.
7	Seguieri. DC. (wh.)	Seguier's.	Switzerland.	1820.	-----	H. 2.	Vill. dauph. 4. t. 49.
8	alpestris. DC. (wh.)	Alpine.	Scotland.		-----	H. 2.	Eug. bot. 2390.
9	crenatus. DC. (wh.)	crenate-leaved.	Hungary.	1822.	-----	H. 2.	W. et K. hung. 1. t. 10.
10	aconitifolius. DC. (wh.)	Aconite-leaved.	Europe.	1596.	5. 6.	H. 2.	J. Ger. hist. 951. f. 4.
	a humilis. DC. (wh.)	dwarf.	-----		-----	H. 2.	Lob. adv. 300. f. 2.
	β crassicaulis. DC. (w.)	thick-stalked.	-----		-----	H. 2.	
11	platanifolius. w. (wh.)	Plane-tree-ld.	Germany.	1769.	6. 7.	H. 2.	Flor. dan. t. 111.
	β flore-pleno. (wh.)	double-flowered.	-----	-----	-----	H. 2.	Bot. mag. 204.
	aconitifolius. B.M.						204.
12	læcerus. DC. (wh.)	torn-leaved.	Piedmont.		-----	H. 2.	Bell. act. taur. 5. t. 8.
13	pallidus. DC. (st.)	pale-yellow.	Hybrid.		-----	H. 2.	Schrank. hort. mon. t. 57.
14	pyrenæus. DC. (wh.)	Pyrenean.	Pyrenees.		4. 6.	H. 2.	Deles. ic. sel. 1. t. 27. f. B.
	β bupleurifolius. DC. (w.)	one-flowered.	-----		-----	H. 2.	Jac. misc. 1. t. 18. f. 1.
	γ plantagineus. DC. (wh.)	many-flowered.	-----		-----	H. 2.	All ped n. 1445. t. 76 f. 1.
15	angustifolius. DC. (wh.)	narrow-leaved.	-----	1822.	-----	H. 2.	Deles. ic. sel. 1. t. 27. f. C.
16	amplexicaulis. DC. (w.)	Plantain-leav'd.	-----	1633.	4. 5.	H. 2.	Bot. mag. 266.
17	parnassifolius. DC. (w.)	Parnassia-leav'd.	-----	1769.	6. 7.	H. 2.	----- 386.
18	gramineus. DC. (ye.)	grass-leaved.	Wales.		4. 6.	H. 2.	Eng. bot. 2306.
	β flore-pleno. (ye.)	double-flowered.			-----	H. 2.	Lob. ic. 671. f. 2.
19	bupleuroides. DC. (ye.)	Hare's-ear-ld.	Portugal.	1826.	-----	H. 2.	
20	Lingua. DC. (ye.)	greatspear-wort.	Britain.		6. 8.	H.w. 2.	Eng. bot. 100.
21	Flammula. DC. (ye.)	less. spear-wort.	-----		6. 9.	H.w. 2.	----- 387.
	β serrata. DC. (ye.)	saw-leaved.	-----		-----	H.w. 2.	Lob. ic. 670. f. 2.
	γ ovata. DC. (ye.)	oval-leaved.	-----		-----	H.w. 2.	
22	réptans. DC. (ye.)	least-spear-wort.	-----		-----	H.w. 2.	Flor. dan. t. 108.
23	filiformis. M. (ye.)	filiform.	N. America.	1816.	-----	H.w. 2.	
24	uliginosus. DC. (ye.)	marsh.	Teneriffe.	1826.	6. 7.	H.w. 2.	
25	bonariensis. DC. (ye.)	Buenos Ayres.	S. America.	1819.	-----	H.w. 2.	Deles. ic. sel. 1. t. 29.
26	polyphyllus. DC. (ye.)	many-leaved.	Hungary.	-----	5. 6.	H.w. 2.	W. et K. pl. hung. 1. t. 45.
27	ophioglossifolius. (ye.)	fistulous-stalk'd.	S. Europe.	1822.	6.	H.w. 2.	Vill. dauph. 4. t. 49.
28	nodiflorus. DC. (ye.)	knot-flowered.	France.	1714.	5. 7.	H.w. 2.	
	β dentatus. DC. (ye.)	toothed.	Hungary.	-----	-----	H.w. 2.	Bot. mag. 2171.
29	salsuginosus. DC. (ye.)	Russian.	Russia.	1821.	-----	H. 2.	Jac. vind. 3. t. 31.
	ruthenicus. Jac. vind.						3. t. 31.
30	Cymbalaria. Ph. (ye.)	Ivy-like.	N. America.	1823.	-----	H.w. 2.	
31	bullatus. DC. (ye.)	blistered.	S. Europe.	1640.	5. 8.	H. 2.	
	a parviflorus. DC. (ye.)	small-flowered.	-----	-----	-----	H. 2.	Clus. hist. 1. f. 2.
	β grandiflorus. DC. (ye.)	large-flowered.	-----	-----	-----	H. 2.	----- 1. f. 1.
	γ flore-pleno. (ye.)	double-flowered.	-----	-----	-----	H. 2.	Corn. can. 95. ic.
32	chærophyllus. DC. (ye.)	Chervil-leaved.	-----		4. 6.	H. 2.	Barr. ic. t. 581.
	a vulgaris. DC. (ye.)	common.	-----		-----	H. 2.	
	β gregarius. DC. (ye.)	villous.	-----		-----	H. 2.	
33	adscendens. DC. (ye.)	ascending.	Portugal.	1826.	5. 6.	H. 2.	
34	millefoliatus. DC. (ye.)	numerous-ld.	Sicily.	1824.	4. 7.	H. 2.	Flor. græc. t. 521.
35	fumariæfolius. DC. (ye.)	Fumitory-leav'd.			-----	H. 2.	Desf. ic. pict. h. par. t. 74.
36	oxyspermus. DC. (ye.)	awned-seeded.	Tauria.	1822.	5. 6.	H. 2.	
37	pedatus. DC. (ye.)	pedate.	Hungary.	1806.	5. 6.	H. 2.	Bot. mag. 2229.
38	illyricus. DC. (ye.)	Illyrian.	Europe.	1596.	-----	H. 2.	Jacq. aust. t. 222.
39	montpelicius. DC. (ye.)	Montpelier.	Montpelier.	1816.	-----	H. 2.	Swt. br fl. gar. 94.
	a angustilobus. DC. (y.)	narrow-lobed.	-----		-----	H. 2.	Besl. eyst. 1. t. 13. f. 1.
	β cuneatus. DC. (ye.)	wedge-lobed.	-----		-----	H. 2.	DC. ic. gall. rar. t. 50.
	γ rotundifolius. DC. (y.)	round-leaved.	-----		-----	H. 2.	
40	asiaticus. DC. (va.)	garden.	Levant.	1596.	-----	H. 2.	Dard. trait. ren. 1. t. 6.
	a vulgaris. DC. (va.)	common.	-----	-----	-----	H. 2.	Mill. ic. t. 216.
	a pictus. S.F.G. (r.w.)	Quillafla.			-----	H. 2.	Swt. flor. guid. 61.
	β incomparabilis. (r.w.)	Rose incomparable.			-----	H. 2.	----- 54.
	γ Victoriæus. (bh.)	Princess Alexandrina Victoria.			-----	H. 2.	----- 12.
	δ mixtus. (r.y.)	Melange des beautés.			-----	H. 2.	----- 28.
	ε Juliusianus. (p.y.)	Julius.			-----	H. 2.	----- 68.
	ζ Galitzini. (p.y.)	Prince Galitzin.			-----	H. 2.	----- 6.
	η Douglasii. (p.y.)	Gadwin Douglas.			-----	H. 2.	----- 34.
	θ aureus. (ye.)	Berth.			-----	H. 2.	----- 37.
	ι Burnsii. (p.w.)	Burns the Poet.			-----	H. 2.	----- 18.

κ <i>ater</i> .	(d.p.)	<i>Vereatre</i> .			5. 6.	H. 4.	Swt. flor. guid. 43.
λ <i>hamanthus</i> .	(cr.)	<i>Xanthus</i> .			—	H. 4.	— 78.
μ <i>Agricoli</i> .	(s.p.)	<i>Agricola</i> .			—	H. 4.	— 73.
ν <i>Clarenceanus</i> .	(s.p.)	<i>Duke of Clarence</i> .			—	H. 4.	— 83.
ξ <i>Carlosianus</i> .	(s.p.)	<i>Carlos</i> .			—	H. 4.	— 90.
$\mathbf{B}$ <i>sanguineus</i> . DC.	(va.)	<i>Turban</i> .	Levant.	1596.	—	H. 4.	Lob. ic. 672. f. 2.
$\mathbf{C}$ <i>tenuilobus</i> . DC.	(va.)	<i>slender-lobed</i> .	—	—	—	H. 4.	Debr. flor. nov. t. 31.
α <i>aterrimus</i> .	(da.)	<i>Viola le vrai noir</i> .			—	H. 4.	Swt. flor. guid. 60.
β <i>Nomias</i> .	(pu.)	<i>Nomias</i> .			—	H. 4.	— 24.
γ <i>variegatus</i> .	(w.r.)	<i>Oeillet parfait</i> .			—	H. 4.	— 40.
δ <i>cirrus</i> .	(w.r.)	<i>Cara</i> .			—	H. 4.	— 86.
41 <i>creticus</i> . DC.	(ye.)	<i>Cretan</i> .	Candia.	1659.	4. 5.	H. 4.	Clus. hist. 1. p. 239. f. 1.
42 <i>cortusæfolius</i> . DC.	(ye.)	<i>Cortusa-leaved</i> .	Canaries.	1826.	4. 6.	H. 4.	Deless. ic. sel. 1. t. 36.
43 <i>Thora</i> . DC.	(ye.)	<i>kidney-leaved</i> .	Alps Europe.	1710.	5. 6.	H. 4.	Jacq. aust. 5. t. 412.
44 <i>scutatus</i> . DC.	(ye.)	<i>shield-leaved</i> .	Hungary.	1822.	4. 5.	H. 4.	Pl. rar. hung. 2. t. 187.
45 <i>brevifolius</i> . DC.	(ye.)	<i>short-leaved</i> .	Naples.	1826.	—	H. 4.	—
46 <i>hybridus</i> . DC.	(ye.)	<i>hybrid</i> .	Austria.	1822.	6. 7.	H. 4.	Sturm. deutsch. fl. ic.
47 <i>aureomus</i> . DC.	(ye.)	<i>Goldilocks</i> .	Britain.		3. 5.	H. 4.	Eng. bot. 624.
48 <i>cassubicus</i> . DC.	(ye.)	<i>Cassubian</i> .	Siberia.	1794.	6. 7.	H. 4.	Bot. mag. 2267.
49 <i>abortivus</i> . DC.	(ye.)	<i>three-flowered</i> .	N. America.	1713.	5. 8.	H. 4.	—
50 <i>secleratus</i> . DC.	(ye.)	<i>Celery-leaved</i> .	Britain.		—	H.w. ☉.	Eng. bot. 681.
51 <i>lapponeus</i> . DC.	(ye.)	<i>Lapland</i> .	Lapland.	1827.	4. 6.	H. 4.	Sm. fl. lapp. ed. 2. t. 3. f. 5.
52 <i>hyperboreus</i> . DC.	(ye.)	<i>northern</i> .	Siberia.	1822.	6. 8.	H. 4.	Flor. dan. t. 31.
53 <i>frigidus</i> . DC.	(ye.)	<i>frigid</i> .	—	1826.	—	H. 4.	Lax. n. c. ac. pet. v. 18. t. 8.
54 <i>nivalis</i> . DC.	(ye.)	<i>snowy</i> .	Lapland.	1775.	—	H. 4.	Fl. lap. ed. 1. t. 3. f. 2.
55 <i>Sabini</i> . s.s.	(ye.)	<i>Sabine's</i> .	N. America.	1827.	—	H. 4.	—
56 <i>arcticus</i> . s.s.	(ye.)	<i>arctic</i> .	—	—	—	H. 4.	—
57 <i>Purshii</i> . s.s.	(ye.)	<i>Pursh's</i> .	—	—	—	H. 4.	—
58 <i>affinis</i> . s.s.	(ye.)	<i>likened</i> .	—	—	—	H. 4.	—
59 <i>montanus</i> . DC.	(ye.)	<i>mountain</i> .	Austria.	—	—	H. 4.	Jacq. aust. t. 325 et 6.
60 <i>Villarsii</i> . DC.	(ye.)	<i>Villars's</i> .	France.		5. 7.	H. 4.	Crantz. aust. 2. t. 4. f. 2?
61 <i>Gouani</i> . DC.	(ye.)	<i>Gowan's</i> .	Pyrenees.	1818.	—	H. 4.	Gouan ill. t. 17. f. 1. 2.
62 <i>æris</i> . DC.	(ye.)	<i>upright</i> .	Britain.		6. 7.	H. 4.	Eng. bot. 652.
β <i>fløre pleno</i> .	(ye.)	<i>double-flowered</i> .	—		—	H. 4.	Bot. mag. 215.
γ <i>sylvaticus</i> . DC.	(ye.)	<i>wood</i> .	—		—	H. 4.	—
δ <i>multifidus</i> . DC.	(ye.)	<i>multifid</i> .	—		—	H. 4.	—
63 <i>Brutius</i> . DC.	(ye.)	<i>Neapolitan</i> .	Naples.	1828.	—	H. 4.	Ten. fl. nap. 1. t. 50.
64 <i>Stevèni</i> . DC.	(ye.)	<i>Steven's</i> .	Poland.	1825.	—	H. 4.	—
65 <i>caucasicus</i> . DC.	(ye.)	<i>Caucasian</i> .	Caucasus.	—	6. 8.	H. 4.	—
66 <i>rufulus</i> . DC.	(ye.)	<i>rustous-haired</i> .	Portugal.	—	—	H. 4.	—
67 <i>polyanthemos</i> . DC.	(ye.)	<i>many-flowered</i> .	N. Europe.	1596.	5. 6.	H. 4.	Cran. aus. 2. t. 4. f. 1. s.
68 <i>nemorosus</i> . DC.	(ye.)	<i>wood</i> .	Switzerland.	1818.	5. 7.	H. 4.	—
69 <i>Breynianus</i> . s.s.	(ye.)	<i>Breynius's</i> .	—	—	—	H. 4.	—
<i>âureus</i> . Schl.	<i>villosus</i> . St. Am. fl. ag.	227. bon. t. 5.	—	—	—	—	—
70 <i>lanuginosus</i> . DC.	(ye.)	<i>woolly-leaved</i> .	S. Europe.	1683.	6. 7.	H. 4.	Flor. dan. t. 397.
71 <i>obtusifolius</i> . DC.	(ye.)	<i>blunt-leaved</i> .	Spain.	1825.	—	H. 4.	—
72 <i>tuberosus</i> . DC.	(ye.)	<i>tuberous</i> .	Pyrenees.	1824.	5. 7.	H. 4.	—
73 <i>napellifolius</i> . DC.	(ye.)	<i>Napellus-leav'd</i> .	Greece.	1825.	—	H. 4.	—
74 <i>platyspermus</i> . DC.	(ye.)	<i>flat-seeded</i> .	Siberia.	1827.	—	H. 4.	—
75 <i>dissectus</i> . DC.	(ye.)	<i>cut-leaved</i> .	—	1823.	—	H. 4.	—
76 <i>repens</i> . DC.	(ye.)	<i>creeping</i> .	Britain.		5. 9.	H. 4.	Eng. bot. 516.
β <i>fløre pleno</i> .	(ye.)	<i>double-flowered</i> .	—		—	H. 4.	Tab. ic. 53. f. 1.
γ <i>glabratus</i> . DC.	(ye.)	<i>shining-leaved</i> .	—		—	H.w. 4.	—
77 <i>lappaceus</i> . DC.	(ye.)	<i>New Holland</i> .	N. S. W.	1822.	—	G. 4.	—
78 <i>plebeius</i> . DC.	(ye.)	<i>plebeian</i> .	—	1823.	5. 7.	G. 4.	—
79 <i>hirtus</i> . DC.	(ye.)	<i>hairy</i> .	N. Zealand.	—	—	H. 4.	—
80 <i>pensylvanicus</i> . DC.	(ye.)	<i>Pennsylvanian</i> .	N. America.	1785.	6. 7.	H. 4.	Jacq. ic. 1. t. 105.
<i>canadensis</i> . Jac.	—	—	—	—	—	—	—
81 <i>fasciculâris</i> . DC.	(ye.)	<i>fascieled</i> .	—	1823.	4. 5.	H. 4.	—
82 <i>marylandicus</i> . DC.	(ye.)	<i>Maryland</i> .	—	1814.	5. 7.	H. 4.	—
83 <i>carolinianus</i> . DC.	(ye.)	<i>Carolina</i> .	—	1826.	5. 7.	H. 4.	—
84 <i>tomentosus</i> . DC.	(ye.)	<i>tomentose</i> .	—	1820.	—	H. 4.	—
85 <i>bulbosus</i> . DC.	(ye.)	<i>bulbous</i> .	Britain.		4. 6.	H. ☉.	Eng. bot. 515.
β <i>fløre pleno</i> .	(ye.)	<i>double-flowered</i> .	—		—	H. 4.	Lob. ic. 666. f. 2.
86 <i>bracteatus</i> . Schl.	(ye.)	<i>bracted</i> .	Switzerland	1817.	—	H. 4.	—
87 <i>Philonotis</i> . DC.	(ye.)	<i>pale hairy</i> .	Britain.		6. 10.	H. ☉.	Curt. lond. 2. t. 40.
α <i>hirsutus</i> . E.B.	(ye.)	<i>hairy upright</i> .	—		—	H. ☉.	Eng. bot. t. 1504.
β <i>intermedius</i> . DC.	(ye.)	<i>intermediate</i> .	France.		—	H. ☉.	—
γ <i>parvulus</i> . DC.	(ye.)	<i>little upright</i> .	England.		—	H. ☉.	Col. cephr. t. 316.
88 <i>tuberculatus</i> . DC.	(ye.)	<i>tuberled</i> .		1821.	5. 6.	H. 4.	—

89	Hornemánni. DC. (ye.)	Hornemann's.	N. America.	1820.	5. 7. H. 4.	
	tuberôsus. Horn. non.	Lapeyr.				
90	arvensis. DC. (ye.)	corn.	Britain.		— H. 4.	Eng. bot. 135.
91	muricatus. DC. (ye.)	prickly seeded.	S. Europe.	1683.	7. 8. H. 4.	Lam. ill. t. 498.
92	echinatus. V. (ye.)	American.	N. America.		6. 7. H. 4.	Vent. cels. t. 73.
93	parviflorus. DC. (ye.)	small-flowered.	England.		5. 6. H. 4.	Eng. bot. 120.
94	trilobus. DC. (ye.)	three-lobed.	S. Europe.	1821.	5. 7. H. 4.	Desf. atl. 1. t. 113.
95	sessiliflorus. DC. (ye.)	sessile-flowered.	N. S. W.	1822.	— H. 4.	
96	laciniatus. DC. (ye.)	jagged.	Transylvania.	1826.	6. 7. H. 4.	
97	crassicaulis. H. (ye.)	thick-stemmed.		—	— H. 4.	
FICARIA. DC. PILEWORT. Polyandria Polygynia. L.						
	ranunculoides. DC. (ye.)	vernal.	Britain.		3. 5. H. 4.	Eng. bot. 584.
	véna. P. S. Ranunculus	Ficaria. W.				
	β flore-pleno. (ye.)	double-flowered.	—		— H. 4.	

Tribus IV. HELLEBOREÆ.

CALTHA. DC. MARSH-MARYGOLD. Polyandria Polygynia L.						
1	palustris. DC. (ye.)	common.	Britain.		3. 5. H. w. 4.	Eng. bot. 506.
	β flore-pleno. (ye.)	double-flowered.	—		— H. w. 4.	Tab. ic. 751. f. 1.
2	minor. Mill. (ye.)	small.	—		— H. w. 4.	— 750. f. 2.
3	radicans. DC. (ye.)	creeping.	Scotland.		— H. w. 4.	Linn. trans. 8. t. 17.
4	integerrima. DC. (ye.)	entire-leaved.	N. America.	1827.	5. 7. H. w. 4.	
5	parnassifolia. DC. (ye.)	Parnassia-leaved.	—	1825.	— H. w. 4.	
	ficarioides. Ph.					
6	arctica. s. s. (ye.)	northern.	—	1827.	— H. w. 4.	
7	flabellifolia. DC. (ye.)	fan-leaved.		1818.	7. 8. H. w. 4.	Pur. fl. am. sept. 2. t. 17.
8	nátans. DC. (wh.)	floating.	Siberia.	1823.	4. 5. H. w. 4.	Gmel. sib. 4. t. 82.
TROLLIUS. DC. GLOBE-FLOWER. Polyandria Polygynia. L.						
1	europæus. DC. (ye.)	European.	Britain.		5. 6. H. 4.	Eng. bot. t. 28.
	α altissimus. DC. (ye.)	tall.	—		— H. 4.	
	β humilis. DC. (ye.)	dwarf.	—		— H. 4.	
2	napellifolius. DC. (ye.)	intermediate.			— H. 4.	
3	caucasicus. DC. (ye.)	Caucasian.	Caucasus.		— H. 4.	
4	pátulus. DC. (ye.)	spreading.	Siberia.		5. 7. H. 4.	Deless. ic. sel. 1. t. 44.
5	Ledebourii. s. s. (ye.)	Ledebour's.	—	1827.	— H. 4.	Reich. ic. t. 272.
6	asiaticus. DC. (ye.)	Asiatic.	—	1759.	— H. 4.	Bot. mag. 235.
7	americanus. DC. (ye.)	American.	N. America.	1805.	5. 7. H. 4.	— 1988.
	lævis. Ph. Gaissénia	véna. Raf.				
ERANTHIS. DC. WINTER-ACONITE. Polyandria Polygynia. L.						
1	hyemalis. DC. (ye.)	common.	Europe.	1596.	1. 3. H. 4.	Bot. mag. 3.
2	sibirica. DC. (ye.)	Siberian.	Siberia.	1824.	2. 4. H. 4.	
HELLEBORUS. DC. HELLEBORE. Polyandria Polygynia. L.						
1	niger. DC. (wh.)	Christmas-Rose.	Europe.	1596.	1. 3. H. 4.	
	α latifolius. (wh.)	broad-leaved.	—	—	— H. 4.	Bot. mag. 8.
	β angustifolius. (wh.)	narrow-leaved.	—	—	— H. 4.	
2	purpurascens. (pu.)	purplish.	Hungary.	1817.	3. 4. H. 4.	Pl. rar. hung. 2. t. 101.
3	Boccòni. T. P. (gr.)	Bocccone's.	Sicily.	1826.	— H. 4.	Bocc. mus. 2. t. 11. f. 2.
4	odoratus. DC. (gr.)	sweet-scented.	Hungary.	—	— H. 4.	
5	viridis. DC. (gr.)	green-flowered.	Britain.		4. 6. H. 4.	Eng. bot. 200.
6	atrorubens. DC. (pu.)	dark-red.	Hungary.	1822.	1. 3. H. 4.	Pl. rar. hung. 3. t. 271.
7	dumetorum. DC. (gr.)	bush.	—	1817.	3. 4. H. 4.	Swt. br. fl. gar. 109.
8	fœtidus. DC. (gr.)	Bear's-foot.	England.		2. 4. H. 4.	Eng. bot. 613.
9	lividus. DC. (br.)	three-leaved.	Corsica.	1710.	1. 5. H. 4.	Bot. mag. 72.
	β integrilobus. DC. (br.)	entire-lobed.	—	—	— H. 4.	
COPTIS. DC. COPTIS. Polyandria Polygynia. L.						
	trifolia. DC. (wh.)	three-leaved.	N. America.	1782.	6. 7. H. 4.	Lodd. bot. cab. t. 173.
ISOPYRUM. DC. ISOPYRUM. Polyandria Polygynia. L.						
1	thalictroides. DC. (wh.)	Meadow-Rue.	Italy.	1759.	3. 4. H. 4.	Jac. aust. 2. t. 105.
2	fumarioides. DC. (wh.)	Fumitory-ld.	Siberia.	1741.	6. 7. H. 4.	Sebkuhr hand. 2. t. 153.
3	grandiflorum. F. (wh.)	large-flowered.	Altay.	1804.	— H. 4.	

GARIDE'LLA. DC.		GARIDE'LLA. Decandria Trigynia. L.					
Nigellástrum. DC. (wh.)		Nigella-leaved.	S. Europe.	1736.	6. 7.	H. ☉	Bot. mag. 1266.
NIGE'LLA. DC.		FENNEL-FLOWER. Polyandria Pentagynia. L.					
1	corniculàta. DC. (st.)	horned.		1822.	6. 9.	H. ☉.	Bot. mag. 1264.
2	orientàlis. DC. (ye.)	yellow.	Syria.	1699.	—	H. ☉.	— 1265.
3	hispànica. DC. (bl.)	Spanish.	Spain.	1629.	—	H. ☉.	Bull. herb. t. 126.
4	arvénsis. DC. (wh.)	field.	Europe.	1683.	—	H. ☉.	Flor. græc. t. 511.
5	sativa. DC. (wh.)	small.	Egypt.	1548.	—	H. ☉.	Math. com. 581. f. iv.
	β crètica. DC. (wh.)	Cretan.	Crete.	—	—	H. ☉.	Lob. ic. 741. f. 1.
	γ citrìna. DC. (wh.)	yellow-seeded.		—	—	H. ☉.	Bot. mag. 22.
6	damascèna. DC. (wh.)	common.	S. Europe.	1570.	—	H. ☉.	Clus. hist. 2. p. 208. f. 1.
	β flòre-plèno. (wh.)	double-flowered.	—	—	—	H. ☉.	
7	coaretàta. DC. (wh.)	dwarf.		1793.	—	H. ☉.	
AQUILE'GIA. DC.		COLUMBINE. Polyandria Pentagynia. L.					
1	vulgàris. DC. (va.)	common.	Britain.		5. 7.	H. 4.	Eng. bot. 297.
	β corniculàta. DC. (va.)	downward-spur'd			—	H. 4.	Barr. ic. 614. 615. 616. &c.
	γ invérsa. DC. (va.)	upward-spurred.			—	H. 4.	— 613.
	δ stellàta. DC. (va.)	starry.			—	H. 4.	— 619. 620. &c.
	ε degéner. DC. (gr.)	green-flowered.			—	H. 4.	— 608.
2	viscòsa. DC. (bl.)	clammy.	S. Europe.	1752.	5. 6.	H. 4.	Gouan. ill. t. 19.
3	sibírica. DC. (bl.)	Siberian.	Siberia.		—	H. 4.	Deles. ic. sel. 1. t. 47.
4	glandulòsa. F. (bl.)	glandulous.	Altay.	1818.	—	H. 4.	
	α discolor. DC. (b.w.)	two-coloured.	—	—	—	H. 4.	
	β cóncolor. DC. (bl.)	one-coloured.	—	—	—	H. 4.	
5	alpina. DC. (bl.)	Alpine.	Switzerland.	1731.	—	H. 4.	Swt. br. fl. gar. 3. t. 218.
6	pyrenaica. DC. (bl.)	Pyrenean.	Pyrenees.	1821.	—	H. 4.	Trev. delph. 23. t. 2.
7	canadénsis. DC. (re.)	Canadian.	N. America.	1640.	4. 5.	H. 4.	Bot. mag. 246.
8	formòsa. F. (re.)	handsome.	Kamtschatka.	1824.	—	H. 4.	
9	viridiflòra. DC. (gr.)	green-flowered.	Siberia.	1780.	5. 6.	H. 4.	Jac. ic. 1. t. 102.
10	dahùrica. DC. (pu.)	Dahurian.	Dahuria.	1821.	—	H. 4.	Deless. ic. sel. 1. t. 49.
11	Fischeriàna. DC. (pu.)	Fischer's.	—	—	—	H. 4.	
12	atropurpùrea. DC. (pu.)	dark-purple.	Siberia.		5. 6.	H. 4.	Botan. regist. 922.
13	hy'brida. DC. (p.y.)	hybrid.			—	H. 4.	Bot. mag. 1221.
DELPHI'NIUM. DC.		LARKSPUR. Polyandria Trigynia. L.					
1	Ajácis. DC. (va.)	Rocket.	Tauria.	1573.	6. 9.	H. ☉.	Spreng. geh. 1. t. 24. f. 1. 5
	β flòre-plèno. (va.)	double-flowered.	—	—	—	H. ☉.	Clus. hist. 2. f. 2.
2	Consólida. DC. (va.)	field.	England.		—	H. ☉.	Eng. bot. 1839.
	β flòre-plèno. (va.)	double-flowered.	—		—	H. ☉.	Besl. eyst. 2. t. 14. f. 1.
3	pubéscens. DC. (bl.)	pubescent	S. France.		—	H. ☉.	Flor. græc. t. 504.
4	Aconiti. DC. (pu.)	Aconite-like.	Levant.	1801.	—	H. ☉.	Vahl symb. 1. 40. t. 13.
5	ambíguum. DC. (bl.)	doubtful.	Barbary.	1759.	7. 9.	H. ☉.	
6	júnceum. DC. (bl.)	Rush-like.	Italy.	1629.	—	H. ☉.	Flor. græc. t. 506.
	peregrinum. Lin. non	Lam.	—	—	—	—	
7	grácile. DC. (re.)	slender.	Spain.	1826.	—	H. ☉.	
8	cardiopètalum. DC. (bl.)	heart-petaled.	Pyrenees.	1822.	—	H. ☉.	Math. com. 557. ic.
	peregrinum. Lam. non	Lin.	—	—	—	—	
9	vírgatum. DC. (bl.)	twiggy.	Syria.	1824.	6. 9.	H. ☉.	Deless. ic. sel. 1. t. 55.
10	grandiflòrum. DC. (bl.)	great-flowered.	Siberia.	1741.	6. 9.	H. 4.	Bot. mag. 1686.
	β chinénse. F. (bl.)	Chinese.	China.	1816.	—	H. 4.	Bot. reg. 472.
	γ álbum. (wh.)	white-flowered.	—	—	—	H. 4.	
	δ flòre-plèno. (bl.)	double-flowered.	—	—	—	H. 4.	
11	cheilánthum. DC. (bl.)	hairy-leaved.	Dahuria.	1818.	—	H. 4.	Bot. reg. 473.
12	viréscens. N. (wh.)	greenish.	N. America.	1827.	—	H. 4.	
13	puníceum. DC. (pu.)	dark-purple.	Tartary.	1785.	7. 9.	H. 4.	
14	albitlòrum. DC. (wh.)	white-flowered.	Armenia.	1823.	—	H. 4.	Deless. ic. sel. 1. t. 58.
15	ochroleúcum. DC. (st.)	sulphur-colour'd.	Iberia.	1817.	—	H. 4.	
16	hy'bridum. DC. (bl.)	hairy.	Siberia.	1794.	6. 9.	H. 4.	
17	fissum. P. S. (bl.)	cloven.	Hungary.	1816.	—	H. 4.	Pl. rar. hung. 1. t. 81.
18	velutinum. DC. (bl.)	velvetty.	Italy.	1824.	—	H. 4.	
19	pentágynum. DC. (bl.)	five-styled.	Portugal.	1820.	—	H. 4.	Pic. hort. par. t. 30.
20	Menziesii. DC. (bl.)	Menzies'.	N. America.	1826.	6. 8.	H. 4.	Bot. reg. 1192.
21	élegans. DC. (bl.)	elegant.	—	1741.	—	H. 4.	
	β multipléx. (bl.)	common-double.	—	—	—	H. 4.	
22	tricórne. DC. (bl.)	three-horned.	—	1806.	4. 6.	H. 4.	Lodd. bot. cab. 306.
23	amœ'num. DC. (bl.)	pretty.	Siberia.		—	H. 4.	Gmel. sib. 4. t. 77.
24	azùreum. DC. (bl.)	azure.	Carolina.	1805.	5. 7.	H. 4.	Deless. ic. sel. 1. t. 60.
25	exaltàtum. DC. (bl.)	tall.	N. America.	1758.	7. 8.	H. 4.	Mill. ic. t. 250. f. 2?
26	urceolàtum. DC. (bl.)	hollow-leaved.	—	1806.	6. 7.	H. 4.	Jac. ic. 1. t. 101.

17	revolutum. DC.	(bl.)	revolute.			7. 9.	H. 2.	
28	mesoleucum. DC.	(bl.)	white-lipped.		1824.	—	H. 2.	Swt. br. fl. gar. ic.
29	palmatifidum. DC.	(bl.)	palmate.	Siberia.		6. 9.	H. 2.	
	α hispidum. DC.	(bl.)	hispid.	—		—	H. 2.	Gmel. sib. 4. t. 79?
	β glabellum. DC.	(bl.)	smooth.	—		—	H. 2.	— 4. t. 75?
30	intermedium. DC.	(bl.)	intermediate.	Europe.	1710	7. 8.	H. 2.	
	α pilosissimum. DC.	(bl.)	villous.	—		—	H. 2.	Gmel. sib. 4. t. 80?
	β alpinum. DC.	(bl.)	Alpine.	—	1819.	—	H. 2.	Pl. rar. hung. 3. t. 246.
	γ leptostachyum. DC.	(bl.)	slender-spiked.	—		—	H. 2.	
	δ ranunculifolium. DC.		Ranunculus-l.	—		—	H. 2.	
	ε laxum. DC.	(bl.)	loose-flowered.	—		—	H. 2.	Mill. ic. t. 119?
31	cuneatum. DC.	(bl.)	wedge-leaved.	Siberia.	1815.	—	H. 2.	Bot. reg. 327.
32	villosum. DC.	(bl.)	villous.		1819.	—	H. 2.	
33	dactiocarpum. DC.	(bl.)	netted-capsuled.	Siberia.	—	—	H. 2.	
34	laxiflorum. DC.	(bl.)	loose-flowered.	—	—	6. 8.	H. 2.	
35	montanum. DC.	(bl.)	mountain.	Pyrenees.	—	—	H. 2.	
	β bracteosum. DC.	(bl.)	large-bracted.	Switzerland.	—	—	H. 2.	
36	dasy carpum. DC.	(bl.)	thick-capsuled.	Caucasus.	1821.	—	H. 2.	
37	speciosum. DC.	(bl.)	large-flowered.	—	1817.	8. 10.	H. 2.	Deless. ic. sel. 1. t. 62.
38	spuriū. F.	(bl.)	spurious.	Siberia.	1817.	6. 9.	H. 2.	
39	ucranicum. Bes.	(bl.)	Ucranian.	—	1818.	—	H. 2.	
40	pseudoperegrinum. F.	(bl.)	Fischer's.	—	—	—	H. 2.	
41	crassicaule. Gm.	(bl.)	thick-stemmed.		1822.	—	H. 2.	
42	pallidum. F.	(pa.)	pale-flowered.	Siberia.	1818.	—	H. 2.	
43	flexuosum. DC.	(bl.)	flexuose.	Caucasus.	1817.	7. 9.	H. 2.	Trev. delph. t. 1. et 2.
44	discolor. F.	(v.)	two-coloured.	Siberia.	1819.	6. 8.	H. 2.	
45	triste. DC.	(da.)	dark-flowered.	—	1822.	—	H. 2.	
46	Requienii. DC.	(pa.)	Requien's.	S. Europe.	1819.	6. 7.	F. ♂.	Deles. ic. sel. 1 t 63.
47	pictum. DC.	(pa.)	painted.	—	1816.	—	H. ♂.	Swt. br. fl. gar. 2. 123.
48	Stasphysagria. DC.	(bl.)	Stavesacre.	—	1596.	5. 6.	F. ♂.	Flor. græc. t. 508.
ACONITUM. DC. MONKSHOOD. Polyandria Trigynia.								
1	A'nthora. L.	(st.)	wholesome.	Pyrenees.	1596.	6. 8.	H. 2.	Rch. ac. p. 61. t. 1. f. A.
	β grandiflorum. R.U.	(st.)	large-flower'd.	—		—	H. 2.	— p. 63. t. 1. f. B.
	γ glabriflorum. R.U.	(st.)	smooth-flow'd.	—		—	H. 2.	
2	eulophum. R.U.	(st.)	eatable.	Switzerland.	1824.	—	H. 2.	Rch. ac. p. 69. t. 5.
	anthoroidium. DC.	non R.U.						
3	nemorosum. R.U.	(ye.)	wood.	Caucasus.	1822.	—	H. 2.	— p. 71. t. 6.
4	Decandollii. R.U.	(ye.)	Decandolle's.	Pyrenees.	—	—	H. 2.	— p. 67. t. 3.
5	Jacquini. R.U.	(ye.)	Jacquin's.	Austria.		—	H. 2.	— p. 65. t. 2.
	A'nthora. Jacq.	aust. t. 3 & 2.						
6	Pallasii. R.U.	(st.)	Pallas's.	Siberia.	1821.	—	H. 2.	— p. 72. t. 6. f. A. B.
7	inclinatum.	(st.)	inclined.	—		—	H. 2.	Ser. m. helv. 1. t. 15. f. 2.
	anthoroidium. Rch.	ac. 68. t. 4. non DC.						
8	Koelleianum. R.U.	(bl.)	Koelle's.	Germany.		5. 7.	H. 2.	Rch. ac. t. 11. f. 1.
9	tauricum. R.U.	(bl.)	Taurian.	Tauria.	1752.	6. 8.	H. 2.	— t. 12. f. 2—3.
10	firmum. R.U.	(bl.)	firm.	Germany.	1822.	—	H. 2.	— t. 14. f. 2.
11	acutum. R.U.	(bl.)	acute.	—	—	—	H. 2.	— t. 14. f. 1.
12	latum. R.U.	(bl.)	great-flowered.	Sweden.	1823.	—	H. 2.	— t. 13. f. 2.
13	Clusii. R.U.	(bl.)	Clusius's.	Austria.		6. 7.	H. 2.	Mor. his. 3. s. 12. t. 3. f. 17.
14	amœnum. R.U.	(bl.)	delightful.	Sweden.	1824.	6. 8.	H. 2.	Rch. ac. 93. t. 14. f. 1.
15	Höppii. R.U.	(bl.)	Hoppe's.	Carinthia.	—	—	H. 2.	
16	oligocarpum. R.U.	(bl.)	two-podded.	Styria.	1823.	—	H. 2.	
17	calibotrys. R.U.	(bl.)	long-spiked.	Moravia.	1824.	6. 7.	H. 2.	Rch. ac. 98. t. 16. f. 1.
18	tenuifolium. R.U.	(bl.)	slender-leaved.	Styria.	—	—	H. 2.	
19	angustifolium. R.U.	(bl.)	narrow-leaved.	Siberia.	—	—	H. 2.	Rch. ac. 95. t. 15. f. 2.
20	eustachyum. R.U.	(bl.)	loose-spiked.	M. Baldo.	—	—	H. 2.	— t. 15. f. 3.
21	Napellus. R.U.	(bl.)	common.	Europe.		5. 7.	H. 2.	Lob. ic. 679. f. 1.
22	compactum. R.U.	(bl.)	compact.	Switzerland.	1823.	—	H. 2.	
	β rubellum. R.U.	(re.)	red-flowered.	—	—	—	H. 2.	
23	Halleri. R.U.	(bl.)	Haller's.	—	1824.	6. 7.	H. 2.	Chabr. sci. p. 531. f. 2.
	β humile. R.U.	(bl.)	dwarf.	—	—	—	H. 2.	
	γ ramosum. R.U.	(bl.)	branching.	—	1822.	—	H. 2.	
	ε bicolor. R.U.	(w. b.)	two-coloured.	—	—	—	H. 2.	
24	virgatum. R.U.	(bl.)	slender-branch'd.	—	1824.	—	H. 2.	
25	venustum. R.U.	(bl.)	beautiful.	—	1823.	6. 8.	H. 2.	
26	laxiflorum. R.U.	(bl.)	loose-flowered.	—	1824.	—	H. 2.	
27	Funckii. R.U.	(bl.)	Funck's.	Germany	—	—	H. 2.	
28	Braunii. R.U.	(bl.)	Braune's	—	—	6. 7.	H. 2.	
29	trichocarpum. R.U.	(bl.)	three-podded.	—	—	—	H. 2.	

30	pubescens. R.U.	(bl.) pubescent.	Switzerland.		5. 7.	H. 2.	
31	Mielichhoferi. R.U.	(bl.) Mielichhofer's.	Germany.	1823.	6. 8.	H. 2.	
32	plicatum. R.U.	(bl.) plaited.	Sweden.	1824.	—	H. 2.	
33	Kochleri. R.U.	(bl.) Kochler's	—	1823.	—	H. 2.	
34	elatum. R.U.	(bl.) tall.	Germany.		—	H. 2.	
35	albidum. R.U.	(wh.) whitish.		1824.	—	H. 2.	
36	neubergense. R.U.	(bl.) Styrian.	Styria.		—	H. 2.	Clus. hist. 2. p. 96. f. 1.
	Napellus. Jacq. aust.	4. t. 381.					
37	Meyeri. R.U.	(bl.) Meyer's.	Germany.	1824.	—	H. 2.	
38	Bernhardianum. (bl.)	Bernhardi's.		1823.	—	H. 2.	
39	strictum. R.U.	(bl.) straight.	Siberia.		—	H. 2.	Rech. ac. t. 17. f. 1.
	spicatum. Donn. h. cant.	ed. 10. p. 209.					
40	Sprengelii. R.U.	(bl.) Sprengel's.		1823.	6. 8.	H. 2.	
41	Willdenowii. R.U.	(bl.) Willdenow's.	Carniola.	—	—	H. 2.	
42	eminens. R.U.	(bl.) eminent.		1822.	—	H. 2.	
43	Schleicheri. R.U.	(bl.) Schleicher's.	Switzerland.		5. 6.	H. 2.	
	β comosum. R.U.	(bl.) tufted.	—		—	H. 2.	Mor. his. 3. s. 12. t. 3. f. 19.
44	microstachyum. R.U.	(b.) small-spiked.	Hungary.	1822.	6. 8.	H. 2.	
45	formosum. R.U.	(bl.) handsome.	Germany.	1824.	—	H. 2.	Rech. ac. t. 18. f. 2.
46	rigidum. R.U.	(bl.) rigid.	Sweden.	—	—	H. 2.	
47	commutatum. R.U.	(bl.) changed.	Switzerland.	—	—	H. 2.	Rech. ac. t. 18. f. 3.
48	laxum. R.A.	(bl.) loose.	Germany.	1823.	6. 8.	H. 2.	Rech. ac. 97. t. 15. f. 4.
49	autumnale. R.A.	(bl.) autumnal.	—	—	—	H. 2.	— t. 17. f. 2.
50	ampliflorum. R.U.	(bl.) large-flowered.	Austria.	1823.	—	H. 2.	
51	maximum. DC.	(bl.) large.	Kamtschatka.	—	7. 8.	H. 2.	Ser. mus. 1. t. 15. f. 31. 32.
52	biflorum. DC.	(va.) two-flowered.	Altay.	1826.	6. 8.	H. ♂.	— 1. t. 15. f. 45. 46.
	α luteo-caruleum (y.b.)	blue and yellow.	—	—	—	H. ♂.	
	β caruleum. (bl.)	blue-flowered.	—	—	—	H. ♂.	Rech. ac. 74. t. 7. f. 1. 2.
53	ferox. DC.	(pu.) poison-rooted.	Nepaul.	1820.	—	H. 2.	Ser. mus. 1. t. 15. f. 43. 44.
	viridum. D.P.						
54	productum. R.U.	(bl.) long-lipped.	Siberia.	1824.	7. 8.	H. 2.	Rech. ac. 75. t. 7. f. 3.
55	semigaleatum. R.U.	(bl.) half-helmeted.	Kamtschatka.	—	—	H. 2.	— 77. t. 8.
56	uncinatum. DC.	(pu.) American.	N. America.	1768.	—	H. 2.	
	β Michauxianum. (pu.)	Michaux's	—	—	—	H. 2.	Bot. mag. 1119.
57	villosum. R.U.	(bl.) villous.	Siberia.	1825.	—	H. 2.	
58	flaccidum. R.U.	(bl.) flaccid.	—		—	H. 2.	Deles. ic. sel. 1. t. 65.
	ciliare β polytrichum. DC.						
59	volubile. R.U.	(bl.) twining.	—	1799.	—	H. 2.	
60	tortuosum. DC.	(bl.) twisting.		1812.	—	H. 2.	Ser. mus. 1. t. 15. f. 28. 29.
61	eristemon. DC.	(bl.) woolly-stamen'd.	Siberia.	1824.	6. 8.	H. 2.	
62	recognitum. R.U.	(bl.) recognised.		—	—	H. 2.	
63	ambiguum. R.U.	(bl.) ambiguous.	Siberia.	1826.	—	H. 2.	
64	toxicum. R.U.	(bl.) poisonous.	Germany.	—	—	H. 2.	
65	reflexum. R.U.	(bl.) reflexed.	Carniola.	1826.	6. 8.	H. 2.	
66	cernuum. R.U.	(bl.) drooping-flow'd.	Germany.	1824.	6. 7.	H. 2.	Chabr. sci. 531. f. 6.
67	acuminatum. R.U.	(bl.) acuminate.	M. Baldo.	1824.	—	H. 2.	
68	parviflorum. R.U.	(bl.) small-flowered.	Switzerland.	—	—	H. 2.	
69	hebegynum. DC.	(bl.) downy-podded.	—	—	—	H. 2.	
70	paniculatum. R.U.	(bl.) panicled.	—		5. 7.	H. 2.	Chabr. sci. 531. f. 3.
71	laciniatum. Sch.	(bl.) jagged.	—	1822.	—	H. 2.	
72	molle. R.U.	(bl.) soft.	—	1824.	—	H. 2.	Ser. m. 1. t. 15. f. 35. 36.
73	gibbosum. DC.	(bl.) gibbous.	Caucasus.	1823.	—	H. 2.	— 1. t. 15. f. 14. 15.
74	hamatum. R.U.	(bl.) hooked.	Sweden.	1804.	6. 8.	H. 2.	
75	palmatifidum. R.U.	(bl.) palmatifid.	M. Carpathian.	1819.	—	H. 2.	
76	pyramidale. R.U.	(bl.) pyramidal.	Bohemia.	1596.	—	H. 2.	
	α densiflorum. R.U.	(bl.) close-flowered.	—	—	—	H. 2.	
	β elongatum. R.U.	(bl.) elongated.	—		—	H. 2.	
	γ bicolor. R.U.	(w.b.) two-coloured.	—		—	H. 2.	
77	Stœrkianum. R.U.	(bl.) Stœrk's.	S. Europe.	1824.	—	H. 2.	Stor. lib. ac. 69. ic.
	β laxiflorum. R.U.	(bl.) loose-flowered.		—	—	H. 2.	Blackw. ic. 561.
	γ bicolor. R.U.	(w.b.) variegated.		—	—	H. 2.	
78	versicolor. R.U.	(va.) various-colored.	Switzerland.		—	H. 2.	
	β bicolor. R.U.	(w.b.) white and blue.	—		—	H. 2.	Lodd. bot. cab. 794.
79	decorum. R.U.	(bl.) neat.	Pyrenees.	1824.	—	H. 2.	
80	exaltatum. R.U.	(bl.) lofty.		—	—	H. 2.	Ser. m. 1. t. 15. f. 37. 38.
81	macranthum. R.U.	(bl.) large-blossom'd.	Germany.	1826.	—	H. 2.	
82	Camarum. R.U.	(pu.) purple.	Europe.	1752.	—	H. 2.	Jacq. aust. 5. t. 424.
83	illinitum. R.U.	(bl.) besmeared.	Switzerland.	1822.	—	H. 2.	
84	Breiterianum. R.U.	(bl.) Breiter's.		1821.	—	H. 2.	

85	Ottonianum. R. U. (bl.)	Otto's.		1823.	6. 8.	H. 2.	
86	speciosum. R. U. (bl.)	specious.		1804.	7. 8.	H. 2.	Ser. m. 1. t. 15. f. 26. 27.
87	bulbiferum. R. U. (bl.)	bulb-bearing.		1824.	6. 8.	H. 2.	
88	leucanthum. R. U. (w.)	white-flowered.				H. 2.	
89	lasiocarpum. R. U. (bl.)	woolly-podded.	Hungary.	1822.		H. 2.	
90	gracile. R. U. (bl.)	slender.	Germany.	1824.	6. 7.	H. 2.	
91	rhynchanthum. R. U.	beaked.	Hungary.	1804.	6. 8.	H. 2.	
	β bicolor. R. U. (w. b.)	two-coloured.				H. 2.	
92	n. sūtum. R. U. (bl.)	large-nosed.	Caucasus.	1823.		H. 2.	
93	rostratum. R. U. (pu.)	beaked.	Switzerland.			H. 2.	Lodd. bot. cab. 203.
94	variegatum. DC. (p. w.)	variegated.	S. Europe.	1597.		H. 2.	Clus. hist. 2. p. 98. f. 1.
95	mixtum. R. U. (p. w.)	mixed.				H. 2.	Rivin. pentap. ic.
96	album. R. U. (wh.)	white.	Levant.	1752.	7. 8.	H. 2.	
97	japonicum. DC. (ra.)	Japan.	Japan.	1790.	6. 9.	H. 2.	Ser. m. 1. t. 15. f. 22. 23.
	α carneum. (fl.)	flesh-coloured.				H. 2.	
	β cœruleum. (bl.)	blue-flowered.				H. 2.	
98	boreale. R. U. (st.)	Siberian.	Siberia.		6. 8.	H. 2.	
99	barbatum. DC. (st.)	bearded.		1807.		H. 2.	Swt. br. fl. gar. v. 2. 164.
100	hispidum. DC. (st.)	hispid.		1826.		H. 2.	Gmel. sib. 4. t. 81.
	Gmelini. R. U.						
101	squarrosum. DC. (st.)	squarrose.		1823.		H. 2.	
102	pallidum. R. U. (st.)	pale-flowered.		1823.		H. 2.	
103	zoöctonum. R. U. (st.)	beast-bane.	Germany.	1824.		H. 2.	
104	melöctonum. R. U. (st.)	Badger-bane.	Piedmont.	1823.		H. 2.	Chabr. sci. p. 531. f. 1.
105	pyrenaicum. DC. (st.)	Pyrenean.	Pyrenees.	1739.		H. 2.	Cam. epit. 831. ic.
106	galæctonum. R. U. (st.)	Weasel-bane.	Hungary.	1823.		H. 2.	
107	moldávicum. R. U. (pu.)	Moldavian.	Bohemia.			H. 2.	
108	ochroleucum. R. U. (st.)	pale-white.	Caucasus.	1794.		H. 2.	
109	ægöphonum. R. U. (st.)	Goat-poison.		1822.		H. 2.	
110	perniciösum. R. U. (st.)	pernicious.	France.			H. 2.	Bois. fl. eur. 2. t. 369.
111	myöctonum. R. U. (st.)	Mouse-bane.	Thuringia.			H. 2.	
112	strictissimum. R. U. (st.)	straight.	Baruth.			H. 2.	
113	altissimum. R. U. (st.)	tallest.	Germany.			H. 2.	Tabern. ic. 583. f. 1.
114	rectum. R. U. (st.)	upright.	Italy.			H. 2.	Barrel. ic. 599.
115	vulpäria. R. U. (st.)	Fox-bane.	Germany.	1824.		H. 2.	
	β latifolium. R. U. (st.)	broad-leaved.	Bavaria.			H. 2.	
116	tragöctonum. R. U. (st.)	Goat-bane.	Carinthia.			H. 2.	
117	lupicida. R. U. (st.)	Wolf-bane.	Switzerland.	1824.		H. 2.	
118	aretöphonum. R. U. (st.)	Bear-bane.	Styria.	1826.		H. 2.	
119	lagöctonum. R. U. (st.)	Hare-bane.	Bavaria.			H. 2.	
120	Plithöra. R. U. (st.)	destructive.	Hungary.			H. 2.	
121	australe. R. U. (pu.)	Carpathian.	M. Carpathian.	1815.		H. 2.	Bot. mag. 2196.
	septentrionale β carpaticum. B. M.						
122	rubicundum. F. (pu.)	rubicund.	Russia.	1822.		H. 2.	
123	cynöctonum. R. U. (st.)	Dog-bane.	Germany.	1824.		H. 2.	Blackw. ic. 563.
124	thely'phonum. R. U. (st.)	Elwert's.	Switzerland.			H. 2.	
125	theriöphonum. R. U. (st.)	park-bane.	Italy.		6. 7.	H. 2.	Barrel. ic. 600.
126	lycöctonum. R. U. (st.)	great-yellow.	Germany.	1596.	7. 8.	H. 2.	Clus. hist. 5. p. 94. ic.
127	lupäria. R. U. (st.)	Wolf-wort.				H. 2.	Trag. stirp. 247. ic.
128	septentrionale. R. U. (bl.)	northern.	N. Europe.	1800.		H. 2.	Flor. dan. t. 123.

Tribus V. PÆONIACEÆ. DC. prodr. 1. 64.

CIMICIFUGA. L.	BUG-WORT. Polyandria Pentagynia. L.					
1 foëtida. w. (wh.)	stinking.	Siberia.	1777.	6. 7.	H. 2.	Linn. amœn. ac. 8. t. 4.
2 podocarpa. (wh.)	American.	Carolina.	1822.	8. 9.	H. 2.	
	americana. M. Actæa podocarpa. DC.					
3 palmata. Ph. (wh.)	palmated.		1812.	7. 8.	H. 2.	Bot. mag. 1630.
4 cordifolia. Ph. (wh.)	heart-leaved.			6. 7.	H. 2.	 2069.
MACROTYS. Raf.	SNAKEROOT. Polyandria Monogynia. L.					
racemosa. (wh.)	black-rooted.	N. America.	1732.	6. 7.	H. 2.	Dill. elth. 79. t. 67. f. 78.
Actæa racemosa. w.	Cimicifuga serpentaria. Ph.					
ACTÆA. Ph.	BANE-BERRIES. Polyandria Monogynia. L.					
1 spicata. DC. (wh.)	common.	Britain.		4. 6.	H. 2.	Eng. bot. 918.
2 rubra. W. en. (wh.)	red-berried.	N. America.			H. 2.	
	brachypetala. β rubra. DC.					

3	<i>álba</i> . Mill.	(wh.) white-berried.	N. America.		4. 6.	H. 4.	Corn. canad. t. 77.
	<i>brachypétala</i> . & <i>álba</i> . DC.						
ZANTHORHIZA. DC. YELLOW-ROOT. Pentandria Polygynia. L.							
	<i>apiifolia</i> . DC.	(pu.) Parsley-leaved.	N. America.	1766.	2. 4.	H. 4.	Bot. mag. 1736.
PÆONIA. DC. PÆONY. Polyandria Digynia. L.							
1	<i>Moután</i> . H.K.	Chinese-tree.	China.	1789.	4. 6.	H. 4.	
	<i>α papaveracea</i> . L.T.	(w.) Poppy-flowered.		1806.		H. 4.	Bot. rep. 463.
	<i>β Banksii</i> . L.T.	(bl.) common.		1789.		H. 4.	 448.
	<i>γ rosea</i> . L.T.	(ro.) rose-coloured.		1791.		H. 4.	 373.
2	<i>edulis</i> . P.L.	(ra.) eatable-rooted.			5. 6.	H. 4.	
	<i>albiflora</i> . L.T.						
	<i>α réstalis</i> . L.T.	(wh.) virgin.	Siberia.	1781.		H. 4.	Andr. rep. 61.
	<i>β cándida</i> . L.T.	(wh.) pale-flowered.				H. 4.	
	<i>γ tatárica</i> . L.T.	(bh.) Tartarian.	Tartary.			H. 4.	Bot. reg. 42.
	<i>δ sibírica</i> . L.T.	(wh.) Siberian.	Siberia.			H. 4.	
	<i>ε rubescens</i> . L.T.	(bh.) pale-red.				H. 4.	
	<i>ζ uniflora</i> . L.T.	(wh.) one-flowered.				H. 4.	Bot. mag. 1756.
	<i>η Whittljii</i> . L.T.	(wh.) double-white.	China.	1808.	6. 7.	H. 4.	Bot. reg. 630.
	<i>θ Hàmei</i> . L.T.	(re.) double-crimson.		1810.		H. 4.	Bot. mag. 1768.
	<i>ι frágrens</i> . L.T.	(re.) Rose-scented.		1805.		H. 4.	Bot. reg. 485.
3	<i>anómala</i> . L.T.	(re.) jagged-leaved.	Siberia.	1788.	5. 6.	H. 4.	Bot. mag. 1754.
	<i>laciniata</i> . Pall. ross. 2. t. 85.						
4	<i>hybrida</i> . DC.	(re.) intermediate.	Caucasus.	1822.		H. 4.	
5	<i>tenuifolia</i> . L.T.	(cr.) slender-leaved.	Siberia.	1765.	5. 6.	H. 4.	Bot. mag. 926.
6	<i>officinális</i> . L.T.	(ra.) officinal.	Europe.	1518.	5. 6.	H. 4.	
	<i>α Sabini</i> . L.T.	(se.) Sabine's.				H. 4.	Bot. mag. 1784.
	<i>β ròsea</i> . L.T.	(ro.) rose-coloured.				H. 4.	
	<i>γ blánda</i> . L.T.	(bh.) blush-flowered.				H. 4.	
	<i>δ rubra</i> . L.T.	(cr.) double-red.				H. 4.	Lob. ic. 684.
	<i>ε carnescens</i> . L.T.	(fl.) flesh-coloured.				H. 4.	
	<i>ζ albicans</i> . L.T.	(bh.) double-blush.				H. 4.	Park. par. f. 4.
7	<i>corállina</i> . L.T.	(cr.) English.	England.			H. 4.	Eng. bot. 1513.
8	<i>daúrica</i> . L.T.	(fl.) Daurian.	Dauria.	1790.		H. 4.	Bot. mag. 1441.
	<i>triternàta</i> . DC. prodr.						
9	<i>lobàta</i> . DC.	(se.) lobed-leaved.	Portugal.	1821.		H. 4.	Swt. br. fl. gar. 70.
10	<i>Rússi</i> . DC.	(cr.) crimson.	Sicily.			H. 4.	 v. 2. t. 122.
11	<i>púbens</i> . B.M.	(re.) pubescent.		1821.		H. 4.	Bot. mag. 2264.
12	<i>húmilis</i> . L.T.	(re.) dwarf.	Spain.	1633.	5.	H. 4.	 1422.
13	<i>decòra</i> . L.T.	(re.) comely.	Turkey.			H. 4.	
	<i>α Pallàsii</i> . L.T.	(re.) Pallas's.				H. 4.	
	<i>β elàtior</i> . L.T.	(re.) tall.				H. 4.	
14	<i>arietina</i> . L.T.	(re.) rams-horned.				H. 4.	
15	<i>crètica</i> . B.R.	(bh.) Cretan.	Crete.			H. 4.	Bot. reg. 819.
16	<i>peregrina</i> . L.T.	(re.) Turkish.	Levant.	1588.	5. 6.	H. 4.	
	<i>α byzantina</i> . L.T.	(re.) Levant.				H. 4.	Bot. mag. 1050.
	<i>β compácta</i> . L.T.	(re.) compact.	France ?			H. 4.	
	<i>γ Grevillii</i> . L.T.	(re.) Greville's.				H. 4.	
17	<i>paradóxa</i> . L.T.	(re.) paradoxical.	Levant.			H. 4.	
	<i>α simpliciflora</i> . (re.) single-flowered.					H. 4.	
	<i>β fimbriàta</i> . L.T.	(cr.) double-flowered.				H. 4.	Swt. br. fl. gar. 19.
18	<i>móllis</i> . L.T.	(re.) soft-leaved.	Siberia ?			H. 4.	Bot. reg. 474.
19	<i>villòsa</i> . B.F.G.	(wh.) villous.		1822.		H. 4.	Swt. br. fl. gar. 113.
	<i>sessiliflora</i> . B.M. 2648.						

ORDO II.

DILLENiaceÆ. DC. syst. nat. 1. p. 395.

Tribus I. DELIMACEÆ. DC.

TETRA'CERA. DC. TETRA'CERA. Polygamia Diœcia.							
1	<i>volùbilis</i> . DC.	(ye.) climbing.	Barbadoes.			S. 4. ∞.	Pluk. alm. 48. t. 146. f. 1.
2	<i>jamaicénsis</i> . DC.	(ye.) Jamaica.	Jamaica.	1826.		S. 4. ∞.	
3	<i>obovàta</i> . DC.	(ye.) obovate-leaved.	Senegal	1822.		S. 4. ∞.	
4	<i>alnifolia</i> . DC.	(ye.) Alder-leaved.	Sierra Leone.			S. 4. ∞.	
5	<i>potatòria</i> . Afz.	(ye.) water-bearing.				S. 4. ∞.	
DOLIOCA'RPUS. DC. DOLIOCA'RPUS. Polyandria Monogynia.							
1	<i>Calínea</i> . DC.	(wh.) climbing.	Guiana.	1822.		S. 4. ∞.	Aub. Guian. 1. t. 221.
	<i>Tetrácerà calínea</i> . w. <i>Calínea scándens</i> . Aub.						

DEL'IMA. DC.	DEL'IMA.	Polyandria Monogynia.			
sarmentosa. DC.	sarmentose.	Ceylon.	1822.		S. h. ∪. Lam. ill. t. 475.
<i>Tetracera sarmentosa</i> , w.					
CURATE'LLA. DC.	CURATE'LLA.	Polyandria Digynia.			
1 americana. DC. (wh.)	American.	Guiana.			S. h. ∪. Aub. guian. 1. t. 232.
2? alata. v.	wing-petioled.	—			S. h. ∪. Venten. choix. t. 49.

Tribus II. *DILLENEÆ*. DC.

PLEURA'NDRA. DC.	PLEURA'NDRA.	Polyandria Monogynia.			
1 bracteata. DC.	(ye.) elegant.	N. S. W.	1822.	4. 8.	G. h. Deles. ic. sel. 1. t. 78.
2 nitida. DC.	(ye.) shining.	—	—	—	G. h.
3 cneorum. DC.	(ye.) blunt-leaved.	—	1824.	5. 7.	G. h.
4 scabra. DC.	(ye.) rough-leaved.	—	—	—	G. h.
5 acicularis. DC.	(ye.) needle-leaved.	—	—	4. 7.	G. h. Labill. nov. holl. 2. t. 144.
6 stricta. DC.	(ye.) upright.	—	1822.	—	G. h.
7 calycina. DC.	(ye.) linear-leaved.	—	—	—	G. h.
CANDO'LLA.	CANDO'LLA.	Polyadelphia Polyandria.			
cuneiformis. DC. (ye.)	wedge-leaved.	N. Holland.	1823.	5. 8.	G. h. Bot. mag. 2711.
HIBBERTIA. DC.	HIBBERTIA.	Polyandria Mono-Pentagynia.			
1 grossulariaefolia. DC. (y.)	Gooseberry-ld.	N. Holland.	1803.	3. 8.	G. h. ∪. Bot. mag. 1218.
<i>crenata</i> . A. R. t. 472.					
2 volubilis. DC.	(ye.) twining.	N. S. W.	1796.	5. 10.	G. h. ∪. Andr. rep. t. 126.
3 dentata. DC.	(ye.) tooth-leaved.	N. Holland.	1814.	1. 8.	G. h. ∪. Bot. reg. 282.
4 saligna DC.	(ye.) Willow-leaved.	N. S. W.	1824.	5. 8.	G. h.
5 virgata DC.	(ye.) twiggy.	—	1822.		G. h.
6 fasciculata. DC.	(ye.) bushy.	—	1826.	5. 8.	G. h.
7 linearis. DC.	(ye.) linear-leaved.	—	—		G. h.
8 monogyna. DC.	(ye.) one-styled.	—	—	5. 8.	G. h.
9 pedunculata. DC. (ye.)	long-pedicled.	—	—	4. 9.	G. h. Bot. reg. 1001.
<i>coriolia</i> . Bot. mag. 2672.					
WORMIA. DC.	WORMIA.	Polyandria Pentagynia.			
dentata. DC. (ye.)	tooth-leaved.	Ceylon.	1821.		S. h. Thunb. linn. tr. 1. t. 20.
<i>Dillenia dentata</i> , w.					
COLBERTIA. DC.	COLBERTIA.	Polyandria Pentagynia.			
1 coromandeliana. DC. (y.)	Coromandel.	E. Indies.	1803.		S. h. Roxb. cor. 1. t. 20.
<i>Dillenia pentagynia</i> . Roxb.					
2 scabrilla. D. P.	rough.	Nepaul.	1826.		S. h.
DILLE'NIA. DC.	DILLE'NIA.	Polyandria Monogynia. L.			
1 speciosa. DC. (wh.)	large-flowered.	E. Indies.	1800.		S. h. Exot. bot. t. 2. 3.
2 integra. DC.	entire-leaved.	Ceylon.	1826.		S. h. Thunb. linn. tr. 1. t. 18.

ORDO III.

WINTEREÆ. *Brown in DC. syst. 1. add. p. 548.*

ILICIIUM. DC.	ANISEED-TREE.	Polyandria Polygynia. L.			
1 floridanum. DC. (cr.)	red-flowered.	Florida.	1766.	4. 6.	F. h. Bot. mag. 439.
2 anisatum. DC. (ye.)	Chinese.	China.		—	F. h. Lam. ill. t. 493. f. 2.
3 parviflorum. DC. (ye.)	small-flowered.	Florida.	1790.	—	F. h. Vent. cels. t. 22.
DRIMYS. DC.	DRIMYS.	Polyandria Tetra-Octogynia.			
Winteri. DC.	Winter-bark.	Magellan.	1825.		G. h. Forst. gen. p. 84. t. 42.
<i>Wintera aromatica</i> , w.	<i>Winterana aromatica</i> .	Sol. med. obs.	5. p. 46.	t. 1.	
TASMA'NNIA. DC.	TASMA'NNIA.	Diœcia Polyandria.			
dipetala. B.	two-petaled.	N. Holland.	1824.	5. 8.	G. h.

ORDO IV.

MAGNOLIACEÆ. *DC. syst. nat. v. 1. p. 439.*

MICHELIA. DC.	MICHELIA.	Polyandria Polygynia. L.			
Champaca. DC. (ye.)	sweet-scented.	E. Indies.	1779.		S. h. Lam. ill. t. 493.

MAGN'OLIA. DC.	MAGN'OLIA.	Polyandria	Polygynia.	L.		
1 grandiflora. DC. (wh.)	Laurel-leaved.	Carolina.	1731.	6. 10.	H. h.	
α rotundifolia. (wh.)	round-leaved.	-----		-----	H. h.	
β obovata. H.K. (wh.)	obovate-leaved.	-----		-----	H. h.	
γ elliptica. H.K. (wh.)	elliptic-leaved.	-----		-----	H. h.	Mill. ic. v. 2. t. 172.
δ ferruginea. B.M. (w.)	ferruginous.	-----		-----	H. h.	Tr. Eh. p. 8. t. 33-35.
ε lanceolata. H.K. (wh.)	Ermouth.	-----		-----	H. h.	Bot. mag. 1952.
2 glauca. DC. (wh.)	glaucous-leaved.	N. America.	1688.	6. 9.	H. h.	Mich. arb. t. 2.
3 longifolia. (wh.)	narrow-leaved.	-----		-----	H. h.	
glauca, β longifolia. Ph.						
4 Thompsoniana. (wh.)	hybrid.	Hybrid.	1818.	-----	H. h.	
5 umbrellæ. DC. (wh.)	Umbrella.	N. America.	1752.	5. 6.	H. h.	Mich. arb. t. 5.
tripetala. w.						
6 acuminata. DC. (pa.)	bluish-flowered.	-----	1736.	5. 7.	H. h.	Bot. mag. 2127.
β Candollii. (st.)	De Candolle's.	-----		-----	H. h.	Sav. bi. ital. 1819. n. 47. ic.
7 auriculata. DC. (wh.)	ear-leaved.	-----	1786.	4. 5.	H. h.	Bot. mag. 1206.
8 pyramidata. DC. (wh.)	small ear-leaved.	-----	1811.	-----	H. h.	Bot. reg. 407.
9 macrophylla. DC. (wh.)	large-leaved.	-----	1800.	6. 7.	H. h.	Bot. mag. 2189.
10 cordata. DC. (st.)	heart-leaved.	-----	1801.	-----	H. h.	Bot. reg. 325.
11 conspicua. P.L. (wh.)	Youlan.	China.	1789.	2. 5.	H. h.	Bot. mag. 1621.
Yulan. DC. Bonpl. nav. t. 20.						
12 Soulangiana. (p.w.)	Soulang's.	Hybrid.	1826.	-----	H. h.	Swt. br. fl. gar. 260.
13 Kobus. DC. (p.w.)	slender.	China.	1804.	3. 4.	H. h.	Par. lond. 87.
tomentosa. w. gracilis. P.L.						
14 obovata. DC. (p.w.)	obovate-leaved.	-----	1790.	4. 6.	H. h.	Bot. mag. 390.
purpurea. B.M. discolor. V.						
15 fuscata. DC. (br.)	brown-stalked.	-----	1789.	-----	G. h.	----- 1008.
16 annoniifolia. P.L. (br.)	small-flowered.	-----	1804.	-----	G. h.	Par. lond. 5.
17 pumila. DC. (wh.)	dwarf.	-----	1786.	1. 12.	G. h.	Bot. mag. 977.
LIRIODENDRON. W. TULIP-TREE.						
tulipifera. w. (yc.)	common.	N. America.	1663.	6. 7.	H. 5.	Bot. mag. 275.
α acutiloba. M. (yc.)	acute-lobed.	-----	-----	-----	H. 5.	
β obtusiloba. M. (yc.)	blunt-lobed.	-----		-----	H. 5.	

ORDO V.

ANONACEÆ. DC. syst. nat. 1. p. 463.

ANONA. DC.	CUSTARD-APPLE.	Polyandria	Polygynia.	L.		
1 muricata. DC. (st.)	Soursop.	W. Indies.	1656.	6. 8.	S. h.	Jacq. obs. 1. t. 5.
2 purpurea. DC. (pu.)	purple.	Mexico.	1826.		S. h.	Dunal. mon. p. 64. t. 2.
3 Humboldtii. DC. (yc.)	Humboldt's.	Cumana.	-----		S. h.	----- p. 64. t. 3.
4 laurifolia. DC. (wh.)	laurel-leaved.	W. Indies.	1824.	6. 8.	S. h.	Catesb. car. 2. t. 67.
5 palustris. DC. (yc.)	shining-leaved.	-----	1731.	-----	S. h.	Sloan. hist. 2. t. 228. f. 1.
6 longifolia. DC. (pu.)	long-leaved.	Guiana.	1829.	-----	S. h.	Aub. gui. 1. t. 248.
7 punctata. DC. (st.)	spotted-fruited.	Cayenne.	1822.	-----	S. h.	----- 1. t. 247.
8 paludosa. DC. (gr.)	marsh.	Guiana.	1803.	6. 8.	S. h.	----- 1. t. 246.
9 squamosa. DC. (st.)	Sweet-op.	S. America.	1731.	-----	S. h.	Jacq. obs. 1. t. 6. f. 1.
10 cinerea. DC. (st.)	cinereous.	St. Thomas.	1823.		S. h.	
11 Cherimolia. DC. (wh.)	Cherimelli.	S. America.	1739.	7. 8.	S. h.	Bot. mag. 2011.
tripetala. w. B.M.						
12 reticulata. DC. (st.)	netted.	-----	1690.	5. 7.	S. h.	Catesb. car. 2. t. 86.
13 mucosa. DC. (st.)	narrow-leaved.	Guiana.			S. h.	Rumph. amb. 1. t. 45.
14 glabra. DC. (st.)	smooth-fruited.	Carolina.	1774.	7. 8.	S. h.	Catesb. car. 2. t. 64.
15 grandiflora. DC. (wh.)	great-flowered.	Mauritius.	1825.		S. h.	Dunal. mon. p. 75. t. 6.
16 amplexicaulis. DC. (pu.)	stem-clasping.	-----	1824.		S. h.	----- p. 76. t. 7.
17 asiatica. DC.	Ceylon.	Ceylon.			S. h.	
18 senegalensis. DC. (st.)	Senegal.	Senegal.	1822.		S. h.	Deles. ic. sel. 1. t. 86.
MONODORA. DC. MONODORA.						
myristica. DC. (wh.)	Nutmeg.	Jamaica.			S. h.	Gært. fr. 2. t. 125. f. 1.
ASTMINA. DC. ASTMINA.						
1 parviflora. DC. (pu.)	small-flowered.	N. America.	1806.	4. 5.	H. h.	Dun. mon. t. 9.
2 triloba. DC. (pu.)	trifid-fruited.	-----	1736.	-----	H. h.	Duh. arb. ed. 2. v. 2. t. 25.
Annona triloba. w. Porcellia triloba. Ph.						
3 pygmaea. DC. (wh.)	dwarf.	-----	1812.	-----	H. h.	Dun. mon. t. 10.
Orchidocarpum pygmaeum. M.						
4 grandiflora. DC. (wh.)	large-flowered.	Florida.	1820.	-----	H. h.	Dun. mon. t. 11.
Porcellia grandiflora. P.S.						

VARIA. DC.		UV'ARIA. Polyandria Polygynia. L.				
1 zeylanica. DC.	(pu.)	Ceylon.	E. Indies.	1794.		S. h. Lam. ill. t. 495. f. 2.
2 Gartneri. DC.		Gartner's.				S. h. ——— t. 495. f. 3.
3 lutea. DC.	(st.)	yellow-fruited.		1822.		S. h. Roxb. cor. 1. t. 36.
4 tomentosa. DC.	(br.)	woolly.				S. h. ——— 1. t. 35.
5 velutina. DC.	(br.)	velvetty.	E. Indies.	1825.		S. h.
6 lucida. Boj.		shining.	E. Africa.			S. h.
UN'ONA. DC.		UN'ONA. Polyandria Polygynia. L.				
1 Narum. DC.	(re.)	Rheede's.	E. Indies.			S. h. Rheed. mal. 2. t. 9.
2 fuscata. DC.	(br.)	brown-flower'd.	Guiana.	1820.		S. h.
3 acuminata. DC.	(br.)	taper-pointed.				S. h.
4 odorata. DC.	(st.)	sweet-scented.	Java.	1804.	5. 7.	S. h. Lam. ill. t. 495. f. 1.
5 longifolia. DC.	(ye.)	long-leaved.	E. Indies.	1820.		S. h. Sonn. voy. 4. t. 131.
6 aromatica. DC.	(pu.)	aromatic.	Guiana.			S. h. Aub. gui. 2. t. 213.
7 aethiopica. DC.	(wh.)	Ethiopian.	Sierra Leone.	1822.		S. h. Math. com. 1. p. 434. ic.
8 oxypetala. DC.	(br.)	sharp-petaled.				S. h.
ARTAB'OTRYS. Br.		ARTAB'OTRYS. Polyandria Polygynia. L.				
odoratissimus. B.R. (b.)		sweet-scented.	China.	1758.	6. 7.	S. h. Bot. reg. 423.
<i>Annona hexapetala. w. Uraria odoratissima. H.B.</i>						
XYLOPIA. DC.		BITTER-WOOD. Polyandria Polygynia. L.				
1 muricata. DC.	(br.)	rough-fruited.	W. Indies.	1793.		S. h. Brown. jam. 250. t. 5. f. 2.
2 frutescens. DC.	(br.)	shrubby.	Guiana.	1823.		S. h. Aub. gui. 1. t. 292.
3 glabra. DC.	(br.)	smooth-fruited.	W. Indies.			S. h. Dun. mon. t. 19.
GUATTERIA. DC.		GUATTERIA. Polyandria Polygynia. L.				
1 cerasoides. DC.	(br.)	Cherry-fruited.	E. Indies.	1820.		S. h. Roxb. cor. 1. t. 33.
2 suberosa. DC.	(wh.)	cork-barked.				S. h. ——— 1. t. 34.
3 rufa. DC.	(br.)	rufous.	India.		4. 8.	S. h. Bot. reg. 836.
4 virgata. DC.	(wh.)	Lance-wood.	Jamaica.	1793.		S. h. Dun. mon. t. 31.
<i>Uraria lanceolata. w.</i>						
5 laurifolia. DC.	(wh.)	Laurel-leaved.		1820.		S. h. ——— t. 32.
<i>Uraria laurifolia. Sw.</i>						

ORDO VI.

MENISPERMACEÆ. DC. prodr. 1. p. 95.

Tribus II. MENISPERMEÆ. DC.

CO'CCULUS. DC.		Co'cculus. Diccia Hexandria.				
1 rotundifolius. DC.	(gr.)	round-leaved.		1820.		S. h. Rheed. mal. 7. t. 21.
2 cordifolius. DC.	(gr.)	heart-leaved.	E. Indies.	1822.		S. h. Gart. fr. 1. t. 70. f. 7.
3 suberosus. DC.	(gr.)	cork-barked.		1790.		S. h. Pluk. man. 52. t. 345. f. 2.
4 Plukenetii. DC.	(gr.)	Plukenet's.				S. h.
5 incanus. L.T.	(gr.)	hoary.		1820.		S. h.
6 tomentosus. L.T.	(gr.)	woolly-leaved.				S. h.
7 crispus. L.T.	(gr.)	curled.		1822.		S. h. Rumph. amb. 5 t. 44. f. 1.
8 palmatus. DC.	(gr.)	palmated.				S. h. Berr. in As. res. 10. t. 5.
9 orbiculatus. DC.	(gr.)	orbicular-leaved.		1790.		S. h. Rheed. mal. 11. t. 62.
10 laurifolius. DC.	(gr.)	Laurel-leaved.		1820.		S. h.
COSCI'NIUM. C.L.T.		Cosci'niun. Diccia Hexandria.				
fenestratum. L.T. (gr.)		knotted.	Ceylon.	1820.		S. h. Gart. fr. 1. t. 46. f. 5.
TILIAC'ORA. C.L.T.		Tiliac'ora. Diccia Hexandria.				
racemosa. L.T. (gr.)		racemed.	E. Indies.			S. h.
WENDLA'NDIA. W.		Wendla'ndia. Heptandria Polygynia. W.				
populifolia. w. (wh.)		Poplar-leaved.	Carolina.	1759.	6. 7.	H. h. Wend. h. herr. 3. t. 16.
<i>Menispermum Carolinum. L. Cœculus Carolinus. DC.</i>						
CISAMPELOS. DC.		Cissampeelos. Diccia Monadelphina. L.				
1 Parçira. DC.	(gr.)	velvet-leaf.	S. America.	1733.	7. 8.	S. h. Lam. ill. t. 830.
2 microcarpa. DC.	(gr.)	small-fruited.	W. Indies.	1823.		S. h.
3 hirsuta. DC.	(gr.)	hairy.	Nepaul.	1820.		G. h.
4 Mauritiana. DC.	(gr.)	hispid-branch'd.	Mauritius.			S. h.
5 Cuspida. DC.	(gr.)	nerved-leaved.	S. America.	1733.	7. 8.	S. h. Plam. ic. 67. f. 2.
6 capensis. DC.	(gr.)	Cape.	C. B. S.	1775.		G. h.
MENISPERMUM. DC.		MOON-SEED. Diccia Dodecandria. L.				
1 canadense. DC.	(st.)	Canadian.	N. America.	1691.	6. 7.	H. h. Bot. mag. 1910.

2	dauricum. DC.	(st.) Daurian.	Dahuria.	1823.		H. h. ∞.	Deles. ic. sel. 1. t. 100.
3	smilacinum. DC.	(st.) Smilax-leaved.	Carolina.	1776.		G. h. ∞.	Jacq. ic. 3. t. 629.
	<i>Cissampelos smilacina.</i> w.						
4	Lyoni. Ph.	(st.) Lyon's.	N. America.	1812.	6. 7.	H. 2 ∞.	
	AB'UTA. DC.	AB'UTA.	<i>Menisperm</i> sp. w.				
	rufescens. DC.	(pu.) brown-leaved.	Guiana.	1822.		S. h. ∞.	Aub. gui. 1. t. 250.

Tribus III. *SCHIZANDREÆ*. DC. *prodr.* 1. p. 104.

SCHIZA'NDRA. DC.	SCHIZA'NDRA.	Monœcia Pentandria.					
coccinea. DC.	(sc.) scarlet-flower'd.	Carolina.	1806.	6. 7.	G. h. ∞.	Bot mag.	1413.

ORDO VII.

BERBERIDEÆ. DC. *syst. nat.* v. 2. p. 1.

BERBERIS. W.		BARBERRY. Hexandria Monogynia. L.					
1	vulgâris. DC.	(ye.) common.	England.		4. 5.	H. h.	Eng. bot. 49.
	<i>α rubra.</i>	(ye.) red-fruited.	—		—	H. h.	
	<i>β lutea.</i> DC.	(ye.) yellow fruited.			—	H. h.	
	<i>γ violacea.</i> DC.	(ye.) violet-fruited.			—	H. h.	
	<i>δ purpurea.</i> DC.	(ye.) purple-fruited.			—	H. h.	
	<i>ε nigra.</i> DC.	(ye.) black-fruited.	Levant.		—	H. h.	
	<i>ζ alba.</i> DC.	(ye.) white-fruited.			—	H. h.	
	<i>ξ asperma.</i> DC.	(ye.) stoneless.			—	H. h.	
2	ibérica.	(ye.) Iberian.	Iberia.	1790.	—	H. h.	
	<i>vulgâris β ibérica.</i> DC.						
3	emarginâta. DC.	(ye.) emarginate.	Siberia.	1820.	—	H. h.	
4	canadensis. DC.	(ye.) Canadian.	Canada.	1750.	4. 6.	H. h.	
5	sinensis. DC.	(ye.) China.	China.	1800.	—	H. h.	Wats. dend. brit. t. 26.
6	aristâta DC.	(ye.) awned.	Nepaul.	1820.	6. 8.	H. h.	Bot. mag. 2549.
	<i>Chitria.</i> Bot. reg. 729.						
7	crética. DC.	(ye.) Cretan.	Crete.	1759.	5. 6.	H. h.	Flor. græc. t. 342.
8	ilicifolia. DC.	(ye.) Holly-leaved.	Terra del Fuego. }	1791.	7. 8.	H. h.	
9	asiatica. DC.	(ye.) Asiatic.	Nepaul.	1820.	6. 8.	H. h.	Deles. ic. sel. 2. t. 1.
10	Wallichiana. DC.	(ye.) Wallich's.	—	—	6. 7.	H. h.	
11	buxifolia. DC.	(ye.) Box-leaved.	Magellan.	1827.		G. h.	Lam. ill. t. 253. f. 3.
12	empetrifolia. DC.	(ye.) Empetrum-ld.	—	—		G. h.	
13	heterophylla. DC.	(ye.) various-leaved.	—		5. 6.	H. h.	Hook. exot. fl. t. 14.
14	sibirica. DC.	(ye.) Siberian.	Siberia.	1790.	6. 7.	H. h.	Bot. reg. 487.
15	inermis. DC.	(ye.) spineless.	Magellan.	1827.		G. h.	
16	pinnata. B.R.	(ye.) pinnate-leaved.	America.	1820.	3. 5.	G. h.	Bot. reg. 702.
	<i>Mahonia fasciculâris.</i> DC.						
17	repens. B.R.	(ye.) creeping-rooted.	N. America.	1822.	4. 6.	H. h.	Bot. reg. 1176.
18	nervosa. P.	(ye.) nerved-leaved.	—	1823.		H. h.	Pursh. fl. am. sept. 1. t. 5.
	NAND'INA. DC.	NAND'INA.	Hexandria Monogynia.				
	doméstica. DC.	(wh.) garden.	China.	1804.	6. 7.	G. h.	Bot. mag. 1109.
	LEO'NTICE. DC.	LEO'NTICE.	Hexandria Monogynia. L.				
1	Chrysogonum. DC.	(ye.) Oak-leaved.	Levant.	1740.	3. 6.	H. 2.	Barrel. ic. 1113.
2	Leontopetalum. DC.	(y.) Lion's-leaf.	—	1597.	4. 5.	H. 2.	Lam. ill. t. 254. f. 1.
3	vesicaria. DC.	(ye.) bladder-capsul'd.	Siberia.	1822.	—	H. 2.	Pal. a. p. 1779. 2. t. 9. f. 4.
4	altaica. DC.	(ye.) Altay.	—	—	—	H. 2.	— p. 257. t. 8. f. 1. 2. 3.
5	thalictroides. DC.	(ye.) Columbine-ld.	N. America.	1755.	5.	H. 2.	Mich. amer. 1. t. 21.
	<i>Caulophyllum thalictroides.</i> M.						
	EPIMEDIUM. DC.	BARRENWORT.	Tetrandria Monogynia. L.				
	alpinum. DC.	(pu.) Alpine.	England.		4. 5.	H. 2.	Eng. bot. 438.
	DIPHYLL'EIA. DC.	DIPHYLL'EIA.	Hexandria Monogynia. L.				
	cymosa. DC.	(wh.) blue-berried.	N. America.	1812.	5. 6.	H. 2.	Bot. mag. 1666.

ORDO VIII.

PODOPHYLLÆ. DC. *syst. nat.* 2. p. 31.

Tribus I. PODOPHYLLÆ.

PODOPHYLLUM. DC. DUCK'S-FOOT. Polyandria Monogynia. L.			
peltatum. DC. (wh.) May-apple. N. America. 1661. 5. H. 2.			Bot. mag. 1819.
JEFFERSONIA. DC. JEFFERSONIA. Octandria Monogynia.			
diphylla. DC. (wh.) two-leaved. N. America. 1792. 5. H. 2.			Bot. mag. 1513.
Podophyllum diphyllum. w.			

Tribus II. HYDROPELTIDÆ.

CABOMBA. DC. CABOMBA. Hexandria Digynia. W.			
aquatica. DC. (ye.) water. Carolina. 1823. S.w. 2.			Aubl. gui. 1. t. 124.
Nectris peltata. Ph.			
HYDROPELTIS. DC. HYDROPELTIS. Polyandria Polygynia.			
purpurea. DC. (pu.) purple. N. America. 1798. 7. 8. F.w. 2.			Bot. mag. 1147.
Brasenia peltata. Ph.			

ORDO IX.

NYMPHÆACEÆ. DC. *syst. nat.* 2. p. 34.

Tribus I. NELUMBONÆ.

NELUMBium. DC. SACRED-BEAN. Polyandria Polygynia. L.			
1 speciosum. DC. (bh.) Indian. India. 1787. 6. 8. S.w. 2.			Bot. mag. 903.
Cyamus Nelumbo. Sm. Exot. bot. 1. t. 31. 32.			
2 Tamara. (ro.) Rheede's. — S.w. 2.			Rheed. mal. xi. t. 30.
3 aspicum. F. (ro.) Fischer's. Volga. 1821. S.w. 2.			
4 lateum. DC. (ye.) yellow. N. America. 1810. F.w. 2.			Poit. a. m. 13. t. 29. f. 42.
5 jamaicense. DC. Jamaica. W. Indies. 1823. S.w. 2.			

Tribus II. NYMPHÆÆ.

EURYALE. DC. EURYALE. Polyandria Monogynia. L.			
ferox. DC. (re.) prickly. India. 1809. 7. 9. S.w. 2.			Bot. mag. 1447.
Annelæa spinosa. And. bot. rep. 618.			
NYMPHÆA. DC. WATER-LILY. Polyandria Monogynia. L.			
1 scutifolia. DC. (bl.) Cape blue. C. B. S. 1792. 6. 9. S.w. 2.			Bot. mag. 552.
carulea. Bot. rep. 197. (bl.) Egyptian blue. Egypt. 1812. — S.w. 2.			Vent. malm. t. 6.
2 carulea. DC. (bl.) Indian-blue. E. Indies. 1809. — S.w. 2.			
stellata. var. Bot. mag. 2058. (bl.) star-flowered. — 1803. — S.w. 2.			Andr. rep. 330.
3 cyanea. H.B. (wh.) eatable. — — S.w. 2.			
Cahlara. Donn. cant. ed. 7. (re.) red-flowered. — 1803. 7. 8. S.w. 2.			Bot. mag. 1280.
4 stellata. DC. (ro.) rose-coloured. — — S.w. 2.			1364.
5 edulis. DC. (wh.) eatable. — — S.w. 2.			
caulenta. H.B. (wh.) Indian Lotus. — 5. 8. S.w. 2.			Rheed. h. mal. xi. t. 26.
6 rubra. DC. (wh.) Egyptian. Egypt. 1802. 6. 9. S.w. 2.			Del. fl. egypt. ill. t. 60. f. 1.
7 rosea. (wh.) Hungarian. Hungary. — — S.w. 2.			Bot. mag. 797.
rubra. β rosea. DC. (wh.) Hungarian. Hungary. — — S.w. 2.			
8 pubescens. DC. (wh.) Indian Lotus. — 5. 8. S.w. 2.			Rheed. h. mal. xi. t. 26.
9 Lotus. DC. (wh.) Egyptian. Egypt. 1802. 6. 9. S.w. 2.			Del. fl. egypt. ill. t. 60. f. 1.
10 thermalis. DC. (wh.) Hungarian. Hungary. — — S.w. 2.			Bot. mag. 797.
11 Lotus. And. bot. rep. 391.			

11	àmpla. DC.	(wh.)	West-Indian.	W. Indies.		6. 9.	S.w. 2.	Plum. mss. 123. t. 4.
12	versicolor. DC.	(bh.)	changeable	E. Indies.	1807.	—	S.w. 2.	Bot. mag. 1189.
13	renifórmis. DC.	(wh.)	kidney-leaved.	Carolina.	1823.	7.	G.w. 2.	Deles. ic. sel. 2. t. 5.
14	álba. DC.	(wh.)	white.	Britain.		6. 7.	H.w. 2.	Eng. bot. 160.
15	odoràta. DC.	(wh.)	sweet-scented.	N. America.	1786.	7.	H.w. 2.	Bot. mag. 819.
16	mìnor. DC.	(wh.)	smaller	—	1812.	—	H.w. 2.	— 1652.
	odoràta. β mìnor. B.M.							
17	nítida. DC.	(wh.)	cup-flowered.	Siberia.	1809.	7. 8.	H.w. 2.	Bot. mag. 1359.
18	pygmæ'a. DC.	(wh.)	pigmy.	China.	1805	5. 9.	H.w. 2.	— 1525.
	Castàlia pygmæ'a. Sal.		par. lond. 68.					
19	blánda. DC.	(wh.)	handsome.	W. Indies.	1827.		S.w. 2.	
N'UPHAR. DC.				Polyandria Monogynia. L.				
1	lútea. DC.	(ye.)	common.	Britain.		6. 7.	H.w. 2.	Eng. bot. 159.
	Nymph'æa lútea. w.							
2	pùmila. DC.	(ye.)	small-yellow.	Scotland		—	H.w. 2.	— 2292.
	mínima. E.B.							
3	Kalmiàna. DC.	(ye.)	Canadian.	N. America.	1807.	7. 8.	H.w. 2.	Bot. mag. 1213.
4	ádvena. DC.	(ye.)	stripe-flowered.	—	1772.	—	H.w. 2.	Bot. mag. 684.
	Nymph'æa ádvena. w.							

ORDO X.

SARRACENIÆ.

SARRACENIA. W. SIDE-SADDLE-FLOWER. Polyandria Monogynia. L.

1	purpùrea. w.	(pu.)	purple.	N. America.	1640.	6. 7.	H. 2.	Bot. mag. 849.
2	rùbra. w.	(re.)	red-flowered.	—	1786.	—	H. 2.	Hook. ex. flor. 13.
	psittácinæ. M?							
3	variolaris. w.	(st.)	hook-leaved.	—	1803.	—	H. 2.	Bot. mag. 1710.
	adúnca. Ex. bot. t. 53.		mìnor w.					
4	flàva. w.	(ye.)	yellow.	—	1752.	—	H. 2.	— 780.

ORDO XI.

PAPAVERACEÆ. DC. syst. nat. 2. p. 67.

PAP' AVER. DC. POPPY. Polyandria Monogynia.

1	nudicáule. DC.	(ye.)	naked-stalked.	Siberia.	1730.	6. 8.	H. 2.	Bot. mag. 1633.
	β glábratum. DC.	(ye.)	smooth-stalked.	—		—	H. 2.	
	γ radicàtum. DC.	(ye.)	small hairy.	Norway.		—	H. 2.	
2	rùbro-aurantiàcum. F.		red orange.	Dahuria.	1822.	—	H. 2.	Bot. mag. t. 2344.
3	microcárpum. DC.	(br.)	small-capsuled.	Kamtschatka.	—	—	H. 2.	
4	pyrenáicum DC.	(ye.)	Pyrenean.	Pyrenees.		—	H. 2.	Seg. ver. 1. t. 4. f. 4.
	aurantiàcum. Lois.							
	α lúteum. DC.	(ye.)	yellow-flowered.	—		—	H. 2.	Barr. ic. t. 764.
	β puníceum. DC.	(re.)	red-flowered.	—		—	H. 2.	
5	alpìnum. DC.	(wh.)	Alpine.	Austria.	1759.	—	H. 2.	Swt. br. fl. gar. 247.
6	hy'bridum. DC.	(re.)	mongrel.	England.		6. 7.	H. ⊙.	Eng. bot. 43.
7	Argemòne. DC.	(re.)	rough.	Britain.		—	H. ⊙.	— 643.
	β marítimum. With.		one-flowered.	—		—	H. ⊙.	
8	dùbium. DC.	(re.)	smooth.	—		—	H. ⊙.	Eng. bot. 644.
9	Rh'æas. DC.	(re.)	common-corn.	—		—	H. ⊙.	— 645.
	α maculàtum.	(re.)	spot-petaled.	—		—	H. ⊙.	Curt. lond. t. 32.
	β coccíncum.	(sc.)	scarlet-flowered.	—		—	H. ⊙.	Tab. ic. f. 1.
	γ cárneum.	(fl.)	flesh-coloured.	—		—	H. ⊙.	Barr. obs. ic. t. 763.
	δ álbum.	(wh.)	white-flowered.	—		—	H. ⊙.	Wein. phyt. t. 788. f. d.
	ε álbo-marginàtum.		white-edged.	—		—	H. ⊙.	— t. 790. f. e.
	ζ coccíneo-marginàtum.		scarlet-edged.	—		—	H. ⊙.	— t. 790. f. b.

10 lævigatum. DC.	(re.) slender.	Caucasus.	1823.	6. 7.	H. ☉.	
11 arenarium. DC.	(re.) sand.	Siberia.	1825.	6. 8.	H. ☉.	
12 Roubi'ei. DC.	(re.) Roubieu's.	Montpelier.	1823.	—	H. ☉.	Vig. diss. 39. n. 4. t. 1. f. 1.
13 floribundum. DC.	(re.) many-flowered.	Levant.	1815.	6. 7.	H. ♂.	Bot. reg. 134.
14 horridum. DC.	(co.) prickly-stalk'd.	N. S. W.	1825.	6. 8.	H. ☉.	Swt. br. fl. gar. 173.
15 orientale. DC.	(re.) oriental.	—	1714.	5. 6.	H. ♀.	Bot. mag. 57.
16 bracteatum. DC.	(re.) bracted.	Caucasus.	1821.	5. 8.	H. ♀.	Lind. coll. t. 23.
17 setigerum. DC.	(wh.) bristle-pointed.	Italy.	1824.	—	H. ☉.	Swt. br. fl. gar. 172.
18 somniferum. DC.	(ra.) garden.	England.		7. 8.	H. ☉.	Lam. ill. t. 451.
* nigrum. DC.	(ra.) black-seeded.			—	H. ☉.	Lob. ic. t. 274. f. 1.
β flore-pleno.	(re.) double-red.			—	H. ☉.	Swert. flor. 2. t. 22. f. 1.
γ fimbriatum.	(ra.) fringed-flowered.			—	H. ☉.	Wein. phyt. t. 795. f. c.
** album. DC.	(wh.) white-seeded.	England.		—	H. ☉.	Eng. bot. 2145.
β flore-pleno.	(wh.) double-white.	—		—	H. ☉.	Swert. flor. 2. t. 22. f. 2.
γ variegatum.	(v.) variegated.	—		—	H. ☉.	
19 caucasicum. DC.	(re.) Caucasian.	Caucasus.	1813.	6. 7.	H. ☉.	Bot. mag. 1675.
20 armeniacum. DC.	(re.) Armenian.	Armenia.	1815.	—	H. ☉.	
<i>Argemone armeniaca.</i> w.						
ARGEMONE. DC.	ARGEMONE.	Polyandria Monogynia.				
1 mexicana. DC.	(ye.) Mexican.	Mexico.	1592.	7. 8.	H. ☉.	Bot. mag. 243.
2 ochroleuca. B.F.G. (st.)	straw-coloured.	—	1827.	7. 10.	H. ☉.	Swt. br. fl. gar. 242.
3 albiflora. B.M. (wh.)	white-flowered.	Louisiana.	1820.	—	H. ♀.	Bot. mag. 2342.
4 grandiflora. B.F.G. (w.)	large-flowered.	Mexico.	1827.	7. 10.	H. ♀.	Swt. br. fl. gar. 226.
MECONO'PSIS. DC.	MECONO'PSIS.	Polyandria Monogynia.				
cámbrica. DC. (st.)	Welsh.	Wales.		5. 8.	H. ♀.	Eng. bot. 66.
<i>Papaver cámbricum.</i> w.						
SANGUINARIA. DC.	Puccoon.	Polyandria Monogynia.				
canadensis. DC. (wh.)	Bloodwort.	N. America.	1680.	3. 4.	H. ♀.	Bot. mag. 162.
MACLEA'YA. B.	MACLEA'YA.	Polyandria Monogynia.				
cordata. B. (bh.)	heart-leaved.	China.	1795.	5. 8.	H. ♀.	Bot. mag. 1905.
<i>Bocconia cordata.</i> DC.						
BOCC'ONIA. DC.	BOCC'ONIA.	Dodecandria Monogynia.				
1 frutescens. DC. (gr.)	Tree Celandine.	W. Indies.	1739.	1. 4.	S. ♀.	Lodd. bot. cab. t. 83.
2 integrifolia. DC. (gr.)	entire-leaved.	Peru.	1822.		S. ♀.	H. et B. nov. pl. 1. t. 35.
ESCHSCHO'LTZIA. D.	ESCHSCHO'LTZIA.	Polyandria Monogynia.				
californica. DC. (ye.)	Menzies'.	California.	1826.	7. 10.	H. ♀.	Swt. br. fl. gar. 265.
HUNNEMA'NNIA. B.F.G.	HUNNEMA'NNIA.	Polyandria Monogynia.				
fumaria-folia. B.F.G. (y.)	Fumitory-leav'd	Mexico.	1827.	7. 10.	H. ♀?	Swt. br. fl. gar. 276.
RÆMERIA. DC.	RÆMERIA.	Polyandria Monogynia.				
1 hybrida. DC. (re.)	violet-flowered.	England.		5. 7.	H. ☉.	Eng. bot. 201.
<i>Glaucium violaceum.</i> H.K.						
2 refracta. DC. (re.)	pendulous-fruit.	Tauria.	1823.	—	H. ☉.	Deles. ic. sel. 2. t. 8.
GLAUCIUM. DC.	HORN-POPPY.	Polyandria Monogynia.				
1 flavum. DC. (ye.)	yellow.	Britain.		6. 10.	H. ♂.	Eng. bot. t. 8.
<i>Chelidonium glaucium.</i> L.						
2 flavum. DC. (or.)	orange.	S. Europe.	1802.	8. 9.	H. ♀.	Swt. br. fl. gar. 35.
3 tricolor. S.S. (v.)	three-coloured.	Poland.	1828.	6. 9.	H. ☉.	
4 corniculatum. DC. (re.)	various-colour'd	Europe.		6. 7.	H. ☉.	
a phaniceum. DC. (re.)	red-flowered.	England.		—	H. ☉.	Eng. bot. 1433.
3 flaviflorum. DC. (ye.)	yellow-flowered.	Tauria.	1823.	—	H. ☉.	
CHELIDONIUM. DC.	CELANDINE.	Polyandria Monogynia. L.				
1 majus. DC. (ye.)	common.	Britain.		4. 10.	H. ♀.	Eng. bot. 1551.
2 grandiflorum. DC. (ye.)	large-flowered.	Dahuria.	1823.	—	H. ♀.	
3 laciniatum. DC. (ye.)	jagged.	S. Europe.		—	H. ♀.	Mill. ic. 1. t. 92. f. 2.
HYPE'COUM. DC.	HYPE'COUM.	Tetrandria Digynia. L.				
1 procumbens. DC. (ye.)	procumbent.	S. Europe.	1596.	6. 7.	H. ☉.	Swt. br. fl. gar. 3. t. 217.
2 pendulum. DC. (ye.)	pendulous.	S. France.	1640.	—	H. ☉.	Mill. ic. t. 250. f. 1.
3 erectum. DC. (ye.)	erect.	Siberia.	1759.	5. 6.	H. ♂.	Amm. ruth. 58. t. 9.

ORDO XII.

FUMARIACEÆ. DC. *syst. nat.* 2. p. 105.

DICLYTRA. DC.		DICLYTRA.	Diadelphia Hexandria.	L.			
1 cucullària. DC.	(wh.)	naked stalked.	N. America.	1731.	6. 7.	H. 4.	Bot. mag. 1127.
		<i>Fumària cucullària</i> . B.M.					
β divaricàta. DC.	(wh.)	spreading-spur'd.	N. America.	—	—	H. 4.	
2 bracteòsa. DC.	(wh.)	leafy-bracted.	—	1823.	—	H. 4.	
3 formòsa. DC.	(re.)	blush.	—	1796.	—	H. 4.	Bot. mag. 1335.
4 exímia. DC.	(re.)	choice.	—	1812.	—	H. 4.	Bot. reg. 51.
		<i>Fumària exímia</i> . B.R.					
5 tenuifòlia. DC.	(bh.)	slender-leav'd.	Kamtschatka.	1824.	5. 7.	H. 4.	Deles. ic. sel. 2. t. 9. f. B.
6 canadénsis. DC.	(pu.)	Canadian.	Canada.	1823.	—	H. 4.	
7 lachenaliæflòra. DC.	(p.)	Lachenalia-fl ^d .	Siberia.	1824.		H. 4.	Rudol. m. sc. pet. 1. t. 19.
ADLUMIA. DC.		ADLUMIA.	Diadelphia Hexandria.	L.			
cirrhòsa. DC.	(bh.)	tendrilled.	N. America.	1778.	6. 9.	H. 8.	Vent. choix. t. 19.
		<i>Fumària fungòsa</i> . W.					
CYSTICA'PNOS. DC.		CYSTICA'PNOS.	Diadelphia Hexandria.	L.			
africàna. DC.	(bh.)	African.	C. B. S.	1696.	6. 8.	H. ☉.	Wein. phyt. t. 521. f. c.
		<i>Fumària resicària</i> . W.					
CORY'DALIS. DC.		CORY'DALIS.	Diadelphia Hexandria.	L.			
1 pauciflòra. DC.	(pu.)	few-flowered.	Siberia.	1823.		H. 4.	
2 Marschalliàna. DC.	(st.)	Marschall's.	Tauria.	—	4. 5.	H. 4.	
3 tuberòsa. DC.	(pu.)	hollow-rooted.	Europe.	1596.	2. 4.	H. 4.	Bot. mag. 232.
β albiflòra.	(wh.)	white-flowered.	—	—	—	H. 4.	— 2340.
		<i>Fumària càra. albiflòra</i> . B.M.					
4 fabàcea. DC.	(pu.)	Bean-leaved.	Germany.	1815.	—	H. 4.	Horn. fl. dan. t. 1394.
5 caucásica. DC.	(pu.)	Caucasean.	Caucasus.	1823.	—	H. 4.	
6 bulbòsa. DC.	(pu.)	solid-rooted.	Britain.		—	H. 4.	Eng. bot. 1171.
		<i>Fumària sólida</i> . E. B. <i>Cory'dalis Halleri</i> . W. en.					
7 angustifòlia. DC.	(pu.)	narrow-leaved.	Iberia.	1823.	—	H. 4.	
8 bracteàta. DC.	(st.)	large-bracted.	Siberia.	1822.	—	H. 4.	
9 nòbilis. DC.	(st.)	great-flowered.	—	1783.	5.	H. 4.	Bot. reg. 395.
10 Gebleri. F.	(bh.)	Altay.	Altay.	1827.	5. 6.	H. 4?	
11 pæoniæfòlia. DC.	(pu.)	Pæony-leaved.	Siberia.	1823.	—	H. 4.	Gmel. sib. 4. t. 34.
12 glàuca. DC.	(bh.)	glaucous.	N. America.	1683.	7. 8.	H. ☉.	Bot. mag. 179.
		<i>Fumària sempervirens</i> . W.					
13 strícta. DC.	(pu.)	upright.	Siberia.	1825.	5. 7.	H. 4.	
14 sibírica. DC.	(ye.)	Siberian.	—	—	—	H. 4.	Amm. ruth. n. 173. t. 20.
15 impàtiens. DC.	(ye.)	impatient.	Dahuria.	1823.	—	H. ☉.	
16 àurea. DC.	(ye.)	golden.	N. America.	1812.	5. 7.	H. 8.	Bot. reg. 66.
		<i>Fumària àurea</i> . B.R.					
17 lùtea. P.S.	(ye.)	yellow.	England.		4. 10.	H. 4.	Eng. bot. 588.
18 capnoídes. P.S.	(wh.)	white-flowered.	S. Europe.	1596.	5. 10.	H. 8.	Pluk. alm. t. 90. f. 2.
19 acáulis. DC.	(st.)	stalkless.	Germany.	1825.	7. 9.	H. ☉.	Jacq. ic. 3. t. 554.
20 uralénsis. DC.	(ye.)	Fischer's.	Siberia.	1823.		H. 4.	
21 breviflòra. DC.	(st.)	short-flowered.	Kamtschatka.	—	5. 10.	H. ☉.	
22 claviculàta. DC.	(wh.)	climbing.	Britain.		—	H. ☉.	Eng. bot. 103.
SARCOCA'PNOS. DC.		SARCOCA'PNOS.	Diadelphia Hexandria.	L.			
enneaphy'lla. DC.	(bh.)	nine-leaved.	Spain.	1714.	5. 7.	H. 4.	Barr. ic. t. 42.
		<i>Fumària enneaphy'lla</i> . W.					
FUMARIA. DC.		FUMITORY.	Diadelphia Hexandria.	L.			
1 spicàta. DC.	(re.)	narrow-leaved.	S. Europe.	1714.	4. 6.	H. ☉.	Lob. ic. t. 757. f. 2.
2 capreolàta. DC.	(wh.)	climbing.	Europe.		5. 9.	H. ☉.	DC. ic. rar. 1. t. 34.
β Burchèllii. DC.	(wh.)	Burchell's.	C. B. S.	1812.	—	H. ☉.	
3 mèdia. DC.	(pu.)	intermediate.	Britain.		—	H. ☉.	Eng. bot. 943.
		<i>capreolàta</i> . E.B.					
4 prehénsibilis. K.	(pu.)	short-leaved.	Hungary.	1821.	6. 9.	H. ☉.	
5 alexandrina. E.		Egyptian.	Egypt.	1826.	—	H. ☉.	
6 officinàlis. DC.	(re.)	common.	—		—	H. ☉.	Eng. bot. 5-9.
β grandiflòra DC.	(re.)	large-flowered.	C. B. S.	1818.	—	H. ☉.	
7 micrantha. DC.	(wh.)	small-blossom'd.	Spain.	1824.	4. 8.	H. ☉.	
8 parviflòra. DC.	(wh.)	small-flowered.	England.		8. 9.	H. ☉.	Eng. bot. 590.
9 Vaillantii. DC.	(pu.)	Vaillant's.	France.		5. 6.	H. ☉.	Vail. bot. par. t. 10. f. 6.
10 densiflòra. DC.	(pu.)	close-flowered.	Montpelier.	1823.	—	H. ☉.	
β albida. DC.	(wh.)	white-flowered.	—	—	—	H. ☉.	

ORDO XIII.

CRUCIFERÆ. DC. *syst. nat.* 2. p. 139.

SUBORDO I. PLEURORHIZEÆ. DC.

Tribus I. *ARABIDEÆ* seu *Pleurorhizeæ* *Siliquosæ*. DC.

MATHIOLA. DC.		Stock. Tetradynamia Siliquosa. L.					
1 simplicicaulis.	(sc.)	Brompton.		5. 8.	H. ♂.		
<i>a coccinea.</i>	(sc.)	scarlet.		—	H. ♂.	Besl. cyst. 2. t. 3. f. 3.	
β <i>alba.</i>	(wh.)	white.		—	H. ♂.	— 2. t. 3. f. 2.	
2 incana. DC.	(va.)	queen.	England.	5. 11.	H. ♀.	Eng. bot. 1935.	
<i>a coccinea.</i>	(sc.)	scarlet.		—	H. ♀.		
β <i>purpurea.</i>	(pu.)	purple.		—	H. ♀.	Wein. phyt. t. 642. f. 9.	
γ <i>alba.</i>	(wh.)	white.		—	H. ♀.	Besl. cyst. 2. t. 3. f. 2.	
δ <i>multiplēx.</i>	(va.)	double-flowered.		—	H. ♀.	— 2. t. 3. f. 1.	
3 annua. DC.	(va.)	ten-week.	S. Europe.	1731. 5 11.	H. ⊙.		
<i>a coccinea.</i>	(sc.)	scarlet.		—	H. ⊙.		
β <i>purpurea.</i>	(pu.)	purple.		—	H. ⊙.	J. Bauh. hist. 2. f. 1.	
δ <i>rubra.</i>	(re.)	red.		—	H. ⊙.		
ε <i>rosea.</i>	(ro.)	rose-coloured.		—	H. ⊙.		
ζ <i>carnea.</i>	(fl.)	flesh-coloured.		—	H. ⊙.		
η <i>fusca.</i>	(br.)	brown.		—	H. ⊙.		
θ <i>fulva.</i>	(br.)	tawny.		—	H. ⊙.		
ι <i>lilacina.</i>	(li.)	lilac.		—	H. ⊙.		
κ <i>alba.</i>	(wh.)	white.		—	H. ⊙.	Dalech. lug. 802. f. 1.	
λ <i>variegata.</i>	(v.)	variegated.		—	H. ⊙.		
μ <i>flōre plēno.</i>	(va.)	double-flowered.		—	H. ⊙.		
4 glabra. DC.	(va.)	Wall-flower-ld.		—	H. ♀.	Wein. phyt. t. 642. f. 2.	
<i>a alba.</i>	(wh.)	white-flowered.		—	H. ♀.	Moris. ox. s. 3. t. 8. f. 2.	
β <i>purpurea.</i>	(pu.)	purple.		—	H. ♀.		
γ <i>coccinea.</i>	(sc.)	scarlet.		—	H. ♀.		
δ <i>flōre plēno.</i>	(va.)	double-flowered.		—	H. ♀.		
5 græca. DC.	(wh.)	smooth-leaved.	Greece.		H. ⊙.		
6 fenestralis. DC.	(re.)	window.	Crete.	1759. 7. 8.	F. ♀.	Jacq. vind. 2. t. 179.	
7 sinuata. DC.	(pu.)	great sea.	England.	5. 8.	H. ♂.	Eng. bot. 462.	
8 acaulis. DC.	(pu.)	stalkless.	Egypt.	1823.	H. ⊙.		
9 torulosa. DC.	(pu.)	twisted-podded.	C. B. S.	1816.	G. ♀.		
10 tatarica. DC.	(br.)	Tartarian.	Tartary.	1826.	H. ♀.	Pall. it. 1. app. 117. t. O.	
11 odoratissima. DC.	(br.)	sweet-scented.	Tauria.	1797. 6. 7.	G. ♀.	Bot. mag. 1711.	
β <i>tanaicensis.</i> DC.	(br.)	fragrant.	Tanaim.	1822.	G. ♀.		
12 varia. DC.	(br.)	entire-leaved.	Greece.	5. 7.	G. ♀.	Fl. græc. t. 636.	
13 tristis. DC.	(br.)	various-leaved.	S. Europe.	1768.	G. ♀.	Barr. ic. t. 803.	
14 coronopifolia. DC.	(pu.)	Buckshorn-ld.		1825.	H. ♀.	Flor. græc. t. 637.	
15 livida. DC.	(br.)	livid.	Egypt.	1828.	H. ⊙.	Deles. ic. sel. 2. t. 12.	
16 longipetala. DC.	(br.)	long-petaled.	Bagdad.	1819.	H. ⊙.	Vent. cels. t. 93.	
17 trienspidata. DC.	(pu.)	three-forked.	Barbary.	1739. 7. 10.	H. ⊙.	Swt. br. fl. gar. 46.	
18 parviflora. DC.	(pu.)	small-flowered.	Morocco.	1799.	H. ⊙.		
CHEIRANTHUS. DC.		WALL-FLOWER. Tetradynamia Siliquosa. L.					
1 Chiri. DC.	(ye.)	garden.	S. Europe.	1573. 4. 7.	H. ♀.	Schkuhr hand. 2. t. 184.	
<i>a vulgaris.</i>	(ye.)	common.		—	H. ♀.	Besl. cyst. 2. t. 5. f. 3.	
β <i>flōre plēno.</i>	(ye.)	double-yellow.		—	H. ♀.	— 2. t. 4. f. 2. 3.	
γ <i>grandiflorus.</i>	(ye.)	large-flowered.		—	H. ♀.	— 2. t. 5. f. 2.	
δ <i>maximus.</i>	(ye.)	largest.		—	H. ♀.	— 2. t. 5. f. 1.	
ε <i>serratus.</i>	(ye.)	saw-leaved.		—	H. ♀.		
ζ <i>pitulus.</i>	(ye.)	double-spreading.		—	H. ♀.		
ι <i>ferrugineus.</i>	(p.y.)	rusty-flowered.		—	H. ♀.		
κ <i>viridis.</i>	(p.y.)	various-coloured.		—	H. ♀.		
λ <i>sanguineus.</i>	(p.y.)	bloody.		—	H. ♀.		
μ <i>hamanthus.</i>	(p.y.)	double-bloody.		—	H. ♀.		
ν <i>flavescens.</i>	(ye.)	pale-yellow.		—	H. ♀.		
ξ <i>thyrsoides.</i>	(ye.)	bunch-flowered.		—	H. ♀.		

2	fruticulòsus. E.B.	(ye.) common.	England.		4. 7.	H. ½.	Eng. bot. 1934.
3	alpinus. DC.	(ye.) Alpine.	Norway.	1823.	—	H. ¼.	Wahl. fl. lap. t. 12. f. 1.
4	ochroleucus. DC.	(st.) pale yellow.	Switzerland.	1820.	6. 8.	H. ¼.	
	<i>decumbens.</i> W. en.						
5	tenuifolius. DC.	(ye.) fine-leaved.	Madeira.	1777.	5. 6.	F. ½.	
6	mutabilis. DC.	(li.) changeable.	—	—	3. 5.	F. ½.	Bot. mag. 195.
7	longifolius. v.	(li.) long-leaved.	—	1815.	9. 12.	F. ½.	Vent. malm. t. 83.
8	scoparius. DC.	(ra.) rock.	Teneriffe.	—	3. 8.	F. ½.	
	<i>α purpurascens.</i> DC. (p.)	purplish.	—	—	—	F. ½.	
	<i>β æruginosus.</i> DC. (br.)	rusty.	—	—	—	F. ½.	
	<i>γ chamæleo.</i> DC. (p.y.)	Chameleon.	—	—	—	F. ½.	Bot. reg. 219.
	<i>Cheiri</i> , var. <i>Chamæleon.</i> B.R.						
9	semperflòrens. DC. (w.)	ever-blowing.	Barbary.	—	1. 12.	F. ½.	
10	frutescens. P.S.	(wh.) frutescent.	—	—	3. 7.	F. ½.	
11	linifolius. DC.	(pu.) flax-leaved.	Spain.	—	3. 8.	F. ½.	
12	arborescens. Sie.	(pu.) arborescent.	Levant.	1827.	4. 8.	G. ½.	
	NASTURTIUM. DC.	NASTURTIUM.	Tetradynamia Siliquosa. L.				
	officinale. DC. (wh.)	Water Cress.	Britain.		5. 7.	H.w. ¼.	Eng. bot. 855.
	<i>Sisymbrium Nasturtium.</i> w.						
	<i>β præcòcius.</i> DC. (wh.)	early.	—	—	—	H.w. ¼.	Pet. h. brit. t. 47. f. 3.
2	sylvestre. DC.	(ye.) creeping.	—		6. 9.	H.w. ¼.	Eng. bot. 2321.
3	ancéps. DC.	(ye.) flat-edged.	N. Europe.	1826.	—	H.w. ¼.	Flor. dan. t. 984.
4	palustre. DC.	(ye.) marsh.	Britain.		—	H.w. ⊙.	Eng. bot. 1747.
	<i>Sisymbrium terrestre.</i> E.B.						
5	sagittatum. DC.	(ye.) arrow-leaved.	Siberia.	1780.	5. 6.	H. ¼.	Jacq. ic. 1. t. 122.
6	lippizense. DC.	(ye.) Carinthian.	Carinthia.	1823.	—	H. ¼.	— 3. t. 505.
7	pyrenæicum. DC.	(ye.) Pyrenean.	Pyrenees.	1775.	—	H. ¼.	All. fl. ped. t. 18. f. 1.
8	amphibium. DC.	(ye.) amphibious.	Britain.		6. 8.	H.w. ¼.	Eng. bot. 1840.
	<i>α indivisum.</i> DC. (ye.)	brd. wat.-radish.	—		—	H.w. ¼.	Pet. h. brit. t. 49. f. 8.
	<i>β variifolium.</i> DC. (ye.)	jag. wat.-radish.	—		—	H.w. ¼.	— t. 49. f. 10.
9	benghalense. DC. (wh.)	Bengal.	Bengal.		6. 10.	H. ⊙.	
10	clandestinum. DC. (wh.)	small-flowered.	Brazil.	1821.	—	H. ⊙.	
11	indicum. DC.	(gr.) Indian.	E. Indies.	—	—	H. ⊙.	
12	atrovirens. H.	(ye.) dark green.	China.	1826.	—	H. ⊙.	
	LEPTOCA'RPÆA. DC.	LEPTOCA'RPÆA.	Tetradynamia Siliquosa. L.				
	Loeselii. DC. (ye.)	Loeselius's.	Germany.	1683.	5. 8.	H. ⊙.	Jacq. aust. t. 324.
	<i>Sisymbrium Loeselii.</i> w.	<i>Turrilis Loeselii.</i> H. K.					
	NOTO'CERAS. DC.	NOTO'CERAS.	Tetradynamia Siliquosa. L.				
1	canariense. DC. (ye.)	Canary.	Canaries.	1779.	8. 9.	H. ⊙.	Jacq. fil. eclog. t. 111.
	<i>Erysimum bicorne.</i> w.						
2	hispanicum. DC. (ye.)	Spanish.	Spain.	1822.	3. 10.	H. ⊙.	Deles. ic. sel. 2. t. 17.
3	quadricorne. DC. (ye.)	four-horned.	Siberia.	1824.	5. 10.	H. ⊙.	— 2. t. 16.
	BARBAR'EA. DC.	WINTER-CRESS.	Tetradynamia Siliquosa. L.				
1	vulgaris. DC. (ye.)	common.	Britain.		5. 8.	H. ¼.	Eng. bot. 443.
	<i>Erysimum Barbaræa.</i> w.						
2	præcox. DC. (ye.)	early.	England.		4. 10.	H. ¼.	— 1129.
3	taurica. DC. (ye.)	Taurian.	Tauria.	1825.	7. 9.	H. ¼.	
4	ibérica. DC. (ye.)	Iberian.	Iberia.	1816.	5. 8.	H. ¼.	
	<i>Cheiranthus ibericus.</i> W. en.						
5	plantaginea. DC.	Plaintain-leav'd.	Levant.	1823.	—	H. ¼.	Deles. ic. sel. 2. t. 19.
	STEVE'NIA. DC.	STEVE'NIA.	Tetradynamia Siliquosa. L.				
1	alyssoides. DC. (wh.)	Alyssum-like.	Siberia.	1823.	6. 8.	H. ⊙.	Deles. ic. sel. 2. t. 20.
2	cheiranthoides. DC. (pu.)	Wall-flow.-like.	—	—	—	H. ¼.	— 2. t. 21.
	BRA'YA. DC.	BRA'YA.	Tetradynamia Siliquosa. DC.				
1	alpina. DC. (pu.)	Alpine.	Carinthia.	1821.	4. 5.	H. ¼.	Deles. ic. sel. 2. t. 22.
2	glabella. DC. (pu.)	smooth.	Arctic R.	1827.	—	H. ¼.	
	TURRITIS. DC.	TOWER-MUSTARD.	Tetradynamia Siliquosa. L.				
1	glabra. DC. (wh.)	long-podded.	England.		5. 6.	H. ⊙.	Eng. bot. 777.
	<i>β ramosa.</i> DC. (wh.)	branching.	—	—	—	H. ⊙.	Clus. hist. 2. p. 126. f. 2.
2	salsuginosa. DC. (wh.)	shorter-podded.	Siberia.	1822.	—	H. ⊙.	Pal. it. 2. app. n. 114. t. V.
	A'RABIS. DC.	WALL-CRESS.	Tetradynamia Siliquosa. L.				
1	vérna. DC. (pu.)	vernal.	S. Europe.	1710.	4. 5.	H. ⊙.	Flor. græc. t. 641.
	<i>Hesperis vérna.</i> w.						
2	rosæa. DC. (ro.)	rose-coloured.	Calabria.	1827.	—	H. ♂.	Deles. ic. sel. 2. t. 23.
3	alpina. DC. (wh.)	Alpine.	Pyrenees.	1596.	3. 5.	H. ¼.	Bot. mag. 226.
	<i>β Clusiàna.</i> DC. (wh.)	Clusius's.	—	—	—	H. ¼.	Clus. hist. 2. p. 125. f. 2.
	<i>γ nana.</i> DC. (wh.)	dwarf.	Hungary.		—	H. ¼.	
4	albida. DC. (wh.)	early-flowered.	Tauria.	1798.	1. 5.	H. ¼.	Jacq. f. ecl. 1. t. 71.
	<i>caucàsica.</i> B.M. 2016.						

5 undulata. L. en. (wh.) wave-leaved.	S. Europe.	1823.	5. 8.	H. ☉.	
6 thyrsoides. DC. (wh.) bunch-flowered.	Levant.	1826.	—	H. 4.	Flor. græc. t. 642.
7 longifolia. DC. (wh.) long-leaved.	Persia.	1820.	—	H. 4.	Deles. ic. sel. 2. t. 25.
8 mollis. DC. (wh.) soft.	Caucasus.	1825.	5. 7.	H. ♂.	
9 toxophylla. DC. (wh.) bow-leaved.	Volga.	1828.	—	H. ♂.	
10 auriculata. DC. (wh.) ear-leaved.	S. Europe.	1805.	5. 6.	H. ☉.	
<i>aspera</i> . All. ped. t. 2. f. 2.					
11 saxatilis. DC. (wh.) rock.	—	—	—	H. ♂.	Vill. dauph. 3. t. 37.
12 crispata. DC. (wh.) curled-leaved.	Carniola.	1816.	3. 4.	H. 4.	
13 sagittata. DC. (wh.) arrow-leaved.	Europe.		5. 7.	H. ♂.	
14 hirsuta. DC. (wh.) hairy.	Britain.		—	H. ♂.	Eng. bot. 587.
15 stenopetala. W. en. (w.) narrow-petal'd.		1822.	6. 8.	H. ☉.	
16 curtisiliqua. DC. (wh.) short-podded.	Scania.	1825.	5. 7.	H. ♂.	
17 Allionii. DC. (wh.) Allioni's.	Italy.		5. 7.	H. 4.	
18 muralis. DC. (wh.) dwarf.	Switzerland.	1824.	5. 6.	H. 4.	
19 stricta. DC. (wh.) Bristol.	England.		—	H. 4.	Eng. bot. 614.
20 ciliata. DC. (wh.) ciliated.	Ireland.		6. 7.	H. ♂.	— 1746.
<i>Turrilis alpina</i> . E. B.					
21 incana. DC. (wh.) hoary.	Switzerland.	1816.	5. 6.	H. ♂.	
22 Thaliana. DC. (wh.) common.	Britain.		4. 6.	H. ☉.	Eng. bot. 901.
23 serpyllifolia. DC. (wh.) Thyme-leaved.	Pyrenees.	1824.	6. 7.	H. ♂.	
24 procurrens. DC. (wh.) procurrent.	Hungary.	—	5. 6.	H. 4.	W. et. Kit. hun. 2. t. 111.
25 præcox. DC. (wh.) early-flowering.	—	1822.	4. 6.	H. 4.	
26 Schivereckiana. DC. (w.) Schivereck's.	Austria.	1827.	—	H. 4.	
27 petræa. DC. (wh.) short-podded.	Europe.		5. 7.	H. 4.	
<i>a</i> Crantziæna. DC. (w.) Crantz's.	Germany.		—	H. 4.	Crantz. aust. t. 3. f. 2.
<i>β</i> hispida. DC. (wh.) hispid.	Wales.		—	H. 4.	Flor. dan. t. 386.
<i>γ</i> hastulata. DC. (wh.) hastulate.	Britain.		—	H. 4.	Eng. bot. 409.
28 ambigua. DC. (wh.) ambiguous.	Siberia.	1824.	5. 7.	H. 4.	
29 lyrata. DC. (wh.) lyre-leaved.	N. America.	1823.	5. 6.	H. 4.	
30 arenosa. DC. (ro.) purple.	Europe.	1798.	6. 7.	H. 4.	Schranck. m. 3. t. 256.
31 Halleri. DC. (wh.) Haller's.	—	1820.	5.	H. ♂.	W. et Kit. hun. 2. t. 120.
32 stolonifera. DC. (wh.) stoloniferous.	Carniola.	1824.	—	H. 4.	Scop. carn. ed. 2. t. 39.
33 ovirensis. DC. (ro.) reddish.	Carinthia.	—	5. 6.	H. 4.	Jacq. ic. 1. t. 125
34 cebennensis. DC. (re.) pale-violet.	S. France.	1821.	5. 7.	H. ♂.	Deles. ic. sel. 2. t. 26.
35 lasioloba. DC. (wh.) woolly-podded.	Mexico.	—	—	H. ♂.	
36 Turrita. DC. (wh.) tower.	England.		4. 5.	H. ♂.	Eng. bot. 178.
37 pendula. DC. (wh.) pendulous.	Siberia.	1752.	5. 6.	H. ☉.	Jacq. vind. 3. t. 34.
38 Patriniæna. DC. (wh.) Patrin's.	—	1826.	—	H. ♂.	Deles. ic. sel. 2. t. 27.
39 oxyota. DC. (wh.) sharp-eared.	—	—	—	H. ♂.	
40 lucida. DC. (wh.) shining-leaved.	Hungary.	1790.	6. 7.	H. 4.	
41 canadensis. DC. (wh.) sickle-podded.	N. America.	1768.	5. 7.	H. 4.	Deles. ic. sel. 2. t. 28.
42 pumila. DC. (wh.) nodding.	Switzerland.	1658.	4. 7.	H. 4.	Jacq. fl. aust. t. 281.
<i>nitans</i> . B. M. 2219. <i>ciliaris</i> . W. en.					
43 bellidifolia. DC. (wh.) Daisy-leaved.	Pyrenees.	1773.	5. 6.	H. 4.	— 3. t. 280.
44 cerulea. DC. (bl.) blue.	—	1793.	6. 7.	H. 4.	Sturm. deut. fl. ic.
45 collina. DC. (wh.) hill.	Naples.	1823.	—	H. 4.	
46 dasycarpa. DC. (wh.) thick-podded.	Poland.	1826.	5. 7.	H. 4.	
MACROPODIUM. DC. MACROPODIUM. Tetradymania Siliquosa. L.					
nivale. DC. (wh.) Siberian.	Siberia.	1796.	6. 9.	H. 4.	Pall. it. 2. ap. n. 113. t. v.
<i>Cardamine nivælis</i> . Pall.					
CARDAMINE. DC. LADY'S SMOCK. Tetradymania Siliquosa. L.					
1 rhomboidea. DC. (wh.) rhomboid.	N. America.	1825.	5. 7.	H. w. 4.	Pluk. amal. t. 435. t. 6.
2 rotundifolia. DC. (wh.) round-leaved.	—	1823.	5. 6.	H. w. 4.	
3 asarifolia. DC. (wh.) kidney-leaved.	Italy.	1710.	6. 7.	H. w. 4.	Bot. mag. 1735.
4 bellidifolia. DC. (wh.) Daisy-leaved.	Scotland.		4. 6.	H. 4.	
<i>a</i> petiolaris. DC. (wh.) long-petioled.	Lapland.		—	H. 4.	Æd. fl. Dan. t. 20.
<i>β</i> alpina. DC. (wh.) Alpine.	Scotland.		—	H. 4.	Eng. bot. 2355.
5 resedifolia. DC. (wh.) Rocket-leaved.	Germany.	1658.	7.	H. ☉.	Sturm. fl. germ. ic.
6 microphylla. DC. (wh.) small-leaved.	Siberia.	1828.	5. 7.	H. 4.	
7 africana. DC. (wh.) African.	C. B. S.	1691.	5. 6.	G. 4.	Pluk. alm. t. 101. f. 5.
8 trifolia. DC. (wh.) three-leaved.	Europe.	1629.	3. 6.	H. w. 4.	Bot. mag. 452.
9 amara. DC. (wh.) bitter.	Britain.		4. 5.	H. w. 4.	Eng. bot. 1000.
10 prorepens. DC. (wh.) creeping.	Siberia.	1825.	4. 6.	H. w. 4.	
11 pratensis. DC. (li.) Cuckoo-flower.	Britain.		—	H. w. 4.	Eng. bot. 776.
<i>β</i> flore pleno.	—		—	H. w. 4.	Clus. hist. 2. p. 129. f. 1.
12 dentata. DC. (wh.) toothed.	Poland.	1823.	—	H. w. 4.	
13 hirsuta. DC. (wh.) hairy.	Britain.		1. 12.	H. ☉.	Eng. bot. 492.
14 sylvatica. DC. (wh.) wood.	Europe.		5. 6.	H. ☉.	Flor. dan. t. 735.

15	umbròsa. DC.	(wh.) smooth.	Europe.		4. 6.	H. ☉.	
16	parviflòra. DC.	(wh.) small-flowered.	—	1822.	4. 5.	H. ☉.	Gmel. fl. sib. 3. t. 64.
17	impàtiens. DC.	(wh.) impatient.	Britain.		4. 6.	H. ☉.	Eng. bot. 80.
18	latifòlia. DC.	(pu.) broad-leaved.	Spain.	1710.	6. 8.	H. w. 4.	Herm. par. p. 203. t. 69.
19	macrophy'lla. DC.	(li.) large-leaved.	Siberia.	1824.	—	H. 4.	
20	chelidònia. DC.	(pu.) Celandine-ld.	Italy.	1739.	3. 5.	H. 4.	W. et Kit. hung. 2. t. 140.
21	thalictróides. DC.	(wh.) Thalictrum-ld.	Switzerland.	1824.	6. 7.	H. ♂.	All. ped. n. 951. t. 57. f. 1.
22	glauca. DC.	(wh.) glaucous.	Calabria.	1824.	5. 7.	H. 4.	Deles. ic. sel. 2. t. 31.
23	occùlta. DC.	(gr.) hidden-flower'd.	China.	—	5. 9.	H. ☉.	
PTERONEURUM. DC. PTERONEURUM. Tetradynamia Siliquosa. L.							
1	caròsum. DC.	(wh.) fleshy.	Dalmatia.	1824.	6. 8.	H. 4.	W. et Kit. hung. 2. t. 129.
2	græcum. DC.	(wh.) Grecian.	S. Europe.	1710.	—	H. ☉.	Flor. græc. t. 631.
<i>Cardamine græca</i> . w.							
DENTARIA. DC. TOOTH-WORT. Tetradynamia Siliquosa. L.							
1	polyphy'lla. DC.	(st.) many-leaved.	Hungary.	1817.	5. 6.	H. 4.	W. et Kit. hung. 2. t. 160.
2	enneaphy'lla. DC.	(wh.) nine-leaved.	Austria.	1656.	—	H. 4.	Jacq. fl. aust. t. 316.
3	glandulòsa. DC.	(pu.) glandular.	Hungary.	1815.	—	H. 4.	W. et Kit. hung. 3. t. 272.
4	laciniàta. DC.	(wh.) laciniate.	N. America.	1823.	4. 6.	H. 4.	
5	diphy'lla. DC.	(wh.) two-leaved.	—	1810.	5. 6.	H. 4.	Bot. mag. 1465.
6	trifòlia. DC.	(wh.) three-leaved.	Hungary.	1824.	—	H. 4.	W. et K. hung. 2. t. 139.
7	digitàta. DC.	(w.p.) fingered.	Switzerland.	1656.	—	H. 4.	Bot. mag. 2202.
<i>pentaphy'lla</i> . B.M. <i>Cardamine pentaphy'lla</i> . H. K. ed. 2.							
8	pinnàta. DC.	(wh.) seven-leaved.	—	1683.	—	H. 4.	Boiss. fl. eur. t. 449.
9	quinguefòlia. DC.	(wh.) five-leaved.	Caucasus.	1823.	4. 5.	H. 4.	Deles. ic. sel. 2. t. 33.
10	bulbifera. DC.	(bh.) bulbiferous.	England.		—	H. 4.	Eng. bot. 309.
<i>Cardamine bulbifera</i> . H. K. ed. 2.							
11	tenuifòlia. DC.	(pu.) slender-leaved.	Siberia.	1825.	5. 6.	H. 4.	Gmel. sib. 3. n. 41. t. 65.
<i>trifida</i> . Lam. ill. t. 562. f. 2.							
PA'RRYA. B. PA'RRYA. Tetradynamia Siliquosa.							
1	àrtica. B.	(pu.) arctic.	Melvill Isl.	1827.	5. 6.	H. 4.	
2	arabidiflòra.	(pu.) Arabis-flower'd.	Siberia.	1798.	—	H. 4.	Linn. am. ac. 2. t. L. f. 20.
<i>Arabis grandiflòra</i> . L. <i>Neurolòma arabidiflòrum</i> . DC.							
PLATYPE'TALUM. B. PLATYPE'TALUM. Tetradynamia Siliquosa.							
	purpuràscens. B.	(pu.) purplish.	Melvill Isl.	1827.	5. 6.	H. 4.	

Tribus II. *ALYSSINEÆ* seu *Pleurorhizeæ* Latisepatæ. DC.

LUN'ARIA. DC. HONESTY. Tetradynamia Siliculosa. L.							
1	rediviva. DC.	(li.) perennial.	Germany.	1596.	4. 6.	H. 4.	Hill veg. syst. t. 38. f. 1.
2	biennis. DC.	(w.p.) biennial.	—	1570.	—	H. ♂.	— t. 38. f. 2.
<i>ànnua</i> . w.							
	<i>α violàcea</i> .	(pu.) violet-flowered.	—	—	—	H. ♂.	
	<i>β albiflòra</i> .	(wh.) white-flowered.	—	—	—	H. ♂.	
RIC'OTIA. DC. RIC'OTIA. Tetradynamia Siliculosa. L.							
	Lunària. DC.	Syrian.	Syria.	1757.	6. 7.	H. ☉.	Lam. ill. t. 561.
<i>ægyptiaca</i> . Bot. Reg. 49.							
FARS'ETIA. DC. FARS'ETIA. Tetradynamia Siliculosa. L.							
1	ægyptiaca. DC.	(br.) Stock-like.	Levant.	1788.	6. 7.	G. ½.	Desf. atl. 2. t. 160.
<i>cheiranthóides</i> . H. K. <i>Cheiranthus Farsètia</i> . L.							
FIB'IGIA. Med. FIB'IGIA. Tetradynamia Siliculosa.							
1	suffruticòsa.	(pu.) suffrutescent.	Persia.	1820.	4. 5.	G. ½.	Vent. cels. t. 19.
<i>Lunària suffruticòsa</i> . Vent. <i>Farsètia suffruticòsa</i> . DC.							
2	lunarióides.	(ye.) oriental.	Greece.	1731.	6. 7.	H. 4.	Tourn. ic. ed. ger. 1. t. 30.
3	clypeàta. Med.	(ye.) buckler-podded.	S. Europe.	1596.	—	H. ♂.	Schkuhr. han. 2. t. 181.
<i>Aly'ssum clypeàtum</i> . L. <i>Farsètia clypeàta</i> . DC.							
BERTER'OA. DC. BERTER'OA. Tetradynamia Siliculosa. L.							
1	incàna. DC.	(wh.) hoary.	Europe.	1640.	7. 9.	H. ♂.	Horn. fl. dan. 1461.
<i>Aly'ssum incànum</i> . w.							
2	mutàbilis. DC.	(bh.) changeable.	Levant.	1802.	7. 8.	H. 4.	Vent. cels. t. 85.
3	obliqua. DC.	(wh.) oblique-podded.	Naples.	1824.	—	H. ½.	Flor. græc. t. 623.
AUBRI'ETIA. DC. AUBRI'ETIA. Tetradynamia Siliculosa. L.							
1	deltoídea. DC.	(pu.) spreading.	Levant.	1710.	3. 5.	H. 4.	Bot. mag. 126.
<i>Farsètia deltoídea</i> . H. K. <i>Aly'ssum deltoídeum</i> . L.							
2	purpurea. DC.	(pu.) tufted.	—	1821.	—	H. 4.	Swt. br. fl. gar. 207.
VESIC'ARIA. VESIC'ARIA. Tetradynamia Siliculosa. L.							
1	utriculàta. DC.	(ye.) smooth.	Levant.	1739.	4. 6.	H. 4.	Bot. mag. 130.
<i>Aly'ssum utriculàtum</i> . B. M.							
2	reticulàta. DC.	(ye.) veined podded.	—		6.	H. 4.	Tour. voy. 2. p. 252. ic.

3	Ludoviciàna. DC. (ye.)	Missouri.	Missouri.	1825.	5. 6.	H. 4.	
4	sinuàta. DC.	sinuate-leaved.	Spain.	1596.	4. 6.	H. ♂.	Schkuhr. han. 2. t. 181.
5	crética. DC.	Cretan.	Crete.	1739.	5. 8.	H. 4.	Alp. ex. p. 117 et 118. ic.
	<i>Aly'ssum créticum</i> . w.						
6	àrtica. DC. (ye.)	arctic.	Greenland.	1826.	5. 6.	H. 4.	Horn. fl. dan. t. 1520.
7	arenòsa. DC. (ye.)	sand.	Arctic Reg.	—	6. 8.	H. 4.	
	SCHIVERE'CKIA. DC. SCHIVERE'CKIA. Tetradynamia Siliculosa. L.						
	podòlica. DC. (wh.)	canescent.	Podolia.	1821.	5. 7.	H. 4.	Swt. br. fl. gar. t. 77.
	KO'NIGA. B. KO'NIGA. Tetradynamia Siliculosa.						
1	marítima. DC. (wh.)	sweet-scented.	S. Europe.		5. 10.	H. 4.	Eng. bot. 1729.
	<i>Aly'ssum maritimum</i> . E. B. <i>halimifolium</i> . B.M. 101.						
2	canariénsis. (wh.)	Canary.	Canaries.	1812.	—	G. ½.	
	<i>Aly'ssum maritimum</i> . β <i>canariense</i> . DC.						
	3 variegàta. (wh.)	striped-leaved.	—		—	G. ½.	
	ADYS'ETON. Scop. ADYS'ETON. Tetradynamia Siliculosa.						
1	saxátile. (ye.)	rock.	Russia.	1710.	4. 5.	H. ½.	Bot. mag. 159.
	<i>Aly'ssum saxatile</i> . D. <i>Aurinia saxatilis</i> . Dv.						
2	gemonénse. (ye.)	canescent.	Germany.	—	—	H. ½.	Jacq. ic. 3. t. 503.
3	orientàle. (ye.)	oriental.	Crete.		—	H. ½.	Flor. græc. t. 625.
4	spathulàtum. (ye.)	spathulate.	Siberia.	1821.	4. 6.	H. ½.	Deles. ic. sel. 2. t. 37.
5	argénteum. (ye.)	silvery.	Switzerland.	—	5. 6.	H. ½.	All. ped. t. 54. f. 3.
6	Bertolòni. (ye.)	Bertoloni's.	Italy.	1825.	—	H. ½.	
7	muràle. (ye.)	wall.	Europe.	1801.	6. 8.	H. ½.	W. et Kit. hung. 1. t. 6.
8	obtusifolium. (ye.)	blunt-leaved.	Siberia.	1812.	—	H. ½.	Deles. ic. sel. 2. t. 38.
9	serpyllifolium. (ye.)	Thyme-leaved.	S. Europe.	1823.	5. 7.	H. ½.	
10	rèpens. (ye.)	creeping.	Transylvania.	1827.	—	H. 4.	
11	vernàle. (ye.)	vernal.		1823.	4. 5.	H. 4.	Schrank hort. mon. t. 96.
12	tortuòsum. (ye.)	twisted.	Hungary.	1804.	6. 7.	H. 4.	W. et Kit. hung. 1. t. 91.
13	alpèstre. (ye.)	Italian.	Italy.	1777.	6. 10.	H. ½.	Flor. græc. t. 624.
14	nebrodénse. (ye.)	Sicilian.	Sicily.	1827.	5. 6.	H. ½.	
15	Marschalliànnum. (ye.)	Marschall's.	Caucasus.	—	—	H. ½.	
16	montànnum. sc. (ye.)	mountain.	Germany.	1713.	5. 8.	H. 4.	Bot. mag. 419.
	<i>Aly'ssum montanum</i> . B.M.						
17	cuneifolium. (ye.)	wedge-leaved.	Naples.	1825.	5. 8.	H. 4.	
18	diffùsum. (ye.)	spreading.	—	—	—	H. 4.	
19	Wulfeniànnum. (ye.)	Wulfen's.	Carinthia.	1821.	—	H. 4.	
20	Fischeriànnum. (ye.)	Fischer's.	Siberia.	1828.	—	H. 4.	
	<i>Aly'ssum Fischerianum</i> . DC.						
	ALY'SSUM. B. MADWORT. Tetradynamia Siliculosa. L.						
1	umbellàtum. DC. (ye.)	umbelled.	Tauria.	1828.	5. 8.	H. ⊙.	
2	rostràtum. DC. (ye.)	beaked.	—	1824.	6. 9.	H. ⊙.	Stev. m. ac. P. 3. t. 15. f. 1.
3	micropètalum. DC. (ye.)	small-petaled.	Iberia.	—	5. 8.	H. ⊙.	Deles. ic. sel. 2. t. 39.
4	hirsùtum. DC. (ye.)	hairy.	—	—	—	H. ⊙.	— 2. t. 40.
5	campèstre. DC. (ye.)	field.	Europe.	1768.	6. 8.	H. ⊙.	Flor. græc. t. 626.
6	calycinum. DC. (ye.)	persistent-cal'd.	—	1740.	—	H. ⊙.	Jacq. aust. t. 338.
7	minimum. DC. (ye.)	small.	—	1791.	—	H. ⊙.	Tratt. thes. bot. t. 35.
	ANODO'NTEA. DC. ANODO'NTEA. Tetradynamia Siliculosa.						
1	edéntula. (ye.)	toothless.	Hungary.	1821.	5. 6.	H. ♂.	W. et K. hung. 1. t. 92.
	<i>Aly'ssum edentulum</i> . DC. <i>Adyseton edentulum</i> . L. enum.						
2	dasycárpa. (ye.)	thick-podded.	Siberia.	1827.	6. 10.	H. ⊙.	Trev. ber. mag. 1816. t. 2.
3	rupèstris. (wh.)	silvery rock.	Italy.	1824.	5. 10.	H. 4.	Tenor. fl. nap. t. 60.
4	halimifolia. (wh.)	Halimus-leaved.	—	—	—	H. ½.	All. ped. n. 900. t. 54. f. 1.
	<i>Aly'ssum halimifolium</i> . DC.						
5	spinòsa. (wh.)	thorny.	S. Europe.	1683.	6. 8.	H. ½.	Barrel. ic. t. 808.
6	macrocárpa. (wh.)	large-podded.	—	1825.	—	H. ½.	Deles. ic. sel. 2. t. 41.
7	canéscens. (wh.)	hoary.	Siberia.	1828.	4. 9.	H. ½.	
	MENTOCUS. DC. MENTOCUS. Tetradynamia Siliculosa. L.						
	linifolius. DC. (ye.)	Flax-leaved.	Levant.	1822.	5. 6.	H. ⊙.	Deles. ic. sel. 2. t. 42.
	<i>Aly'ssum linifolium</i> . w.						
	CLYPE'OLA. DC. TREACLE-MUSTARD. Tetradynamia Siliculosa. L.						
1	Jonthlâspi. DC. (ye.)	common.	S. Europe.	1710.	5. 7.	H. ⊙.	Desv. j. bot. 3. t. 25. f. 7.
2	eriphora. DC. (wh.)	woolly-podded.	Spain.	1820.	—	H. ⊙.	— 3. t. 25. f. 10.
	PELTARIA. DC. PELTARIA. Tetradynamia Siliculosa. L.						
	alliàcea. DC. (wh.)	garlic-scented.	Austria.	1601.	5. 7.	H. 4.	Jacq. aust. 2. t. 123.
	PETROCA'LLIS. DC. PETROCA'LLIS. Tetradynamia Siliculosa. L.						
	pyrenàica. DC. (ro.)	Pyrenean.	Pyrenees.	1759.	5. 6.	H. 4.	Lodd. bot. cab. 835.
	<i>Draba pyrenàica</i> . B.M. 713.						
	WABA. DC. WHITLOW-GRASS. Tetradynamia Siliculosa. L.						
1	aizóides. DC. (ye.)	sen-green.	Wales.		2. 4.	H. 4.	Eng. bot. 1271.

2	brachystemon. DC. (ye.) short-stamened.	1731.	2. 4.	H. 4.	Bot. mag. 170.
	<i>aizoides</i> . B.M. <i>ciliaris</i> . H.K.				
3	aizoon. DC. (ye.) hairy-podded. Hungary.	1821.	—	H. 4.	
4	cuspidata. DC. (ye.) sharp-pointed. Tauria.	—	4. 5.	H. 4.	
5	bryoides. DC. (ye.) Bryum-like. Caucasus.	—	3. 4.	H. 4.	
6	bruniæfolia. DC. (ye.) Brunia-leaved. —	1826.	5. 6.	H. 4.	
7	ericæfolia. DC. (ye.) Heath-leaved. —	1823.	—	H. 4.	
8	pilosa. DC. (ye.) pilose. Siberia.	1825.	—	H. 4.	
9	alpina. DC. (ye.) Alpine. Norway.	1823.	4. 5.	H. 4.	Flor. dan. t. 56.
10	glacialis. DC. (ye.) starry-haired. Siberia.	1825.	5. 6.	H. 4.	
11	repens. DC. (ye.) creeping. Caucasus.	1823.	—	H. 4.	
12	Gmelini. DC. (ye.) Gmelin's. Siberia.	—	—	H. 4.	Gmel. sib. 3. t. 56. f. 2.
13	tridentata. DC. (ye.) three-toothed. Caucasus.	1828.	—	H. 4.	
14	muricella. DC. (wh.) tufted. Norway.	—	—	H. 4.	Wahl. fl. lap. t. 11. f. 2.
15	incompta. DC. (ye.) straggling. Caucasus.	—	6.	H. 4.	Deles. ic. sel. 2. t. 44.
16	oblongata. DC. (wh.) oblong-leaved. Baffin's-bay.	1820.	5. 6.	H. 4.	
17	corymbosa. DC. (wh.) corymbose. —	—	—	H. 4.	
18	hirta. DC. (wh.) hairy. Lapland.		5. 7.	H. 4.	Wahl. f. lap. t. 11. f. 3.
19	rupëstris. DC. (wh.) rock. Scotland.		—	H. 4.	Eng. bot. 1338.
	<i>hirta</i> . E.B. non Linn.				
20	nivalis. DC. (wh.) snowy. Norway.	1824.	5. 6.	H. 4.	Flor. dan. t. 142.
	<i>stellata</i> . F.D. nec aliorum.				
21	lapponica. DC. (wh.) Lapland. Lapland.	—	—	H. 4.	Wahl. fl. lap. t. 11. f. 3.
22	helvetica. DC. (wh.) Swiss. Switzerland.	1824.	—	H. 4.	
23	fladnizensis. DC. (wh.) fringe-leaved. —	—	6. 8.	H. 4.	Jacq. misc. 1. t. 17. f. 1.
24	tomentosa. DC. (wh.) woolly-leaved. —	—	5. 7.	H. 4.	Wahl. helv. p. 123. t. 3.
25	stellata. DC. (wh.) starry. —	1820.	—	H. 4.	Jacq. obs. t. 4. f. 3.
	<i>hirta</i> . Jacq. aust. t. 432.				
26	contorta. DC. (wh.) twisted-podded. Britain.		5. 6.	H. ♂.	Eng. bot. t. 388.
	<i>incana</i> . E.B.				
27	confusa. DC. (wh.) confused. N. Europe.		—	H. ♂.	Flor. dan. t. 130.
	<i>incana</i> . F.D.				
28	arabisans. DC. (wh.) Arabis-like. N. America.	1827.	—	H. ♂.	
29	daurica. DC. (wh.) Daurian. Dahuria.	1824.	—	H. ♂.	
30	aurea. DC. (ye.) golden. Greenland.	—	—	H. ♂.	Flor. dan. t. 1460.
31	lutea. DC. (ye.) yellow. Caucasus.	1825.	5. 8.	H. ♂.	
32	gracilis. GR. (ye.) slender. N. America.	1827.	—	H. ♂.	
33	nemorâlis. DC. (ye.) wood. Europe, &c.	1759.	—	H. ♂.	Houtt. syst. 4. t. 60. f. 1.
34	murâlis. DC. (wh.) wall. England.		4. 5.	H. ♂.	Eng. bot. 912.
ERO'PHILA. DC. ERO'PHILA. Tetradynamia Siliculosa. L.					
1	americana. DC. (wh.) American. N. America.	1823.	3. 4.	H. ♂.	
2	vulgaris. DC. (wh.) common. Britain.		—	H. ♂.	Flor. dan. t. 983.
	<i>Draba verna</i> . Eng. bot. 586.				
3	præcox. DC. (wh.) round-podded. Caucasus.	1824.	2. 4.	H. ♂.	
KE'RNA. Med. KE'RNA. Tetradynamia Siliculosa.					
1	saxatilis. (wh.) rock. Europe.	1775.	5. 7.	H. 4.	Jacq. aust. 2. t. 128.
	<i>myagrôides</i> . Med. <i>Cochlearia saxatilis</i> . DC. <i>Myagrum saxatile</i> . L.				
	<i>β incisa</i> . (wh.) cut-leaved. —	—	—	H. 4.	Mori. ox. 2. s. 3. t. 17. f. ult.
2	auriculata. (wh.) eared. Pyrenees.	1824.	—	H. 4.	Berg. phyt. 3. p. 140. ic.
	<i>Cochlearia auriculata</i> . DC.				
ARMOR'ACIA. Plin. HORSE-RADISH. Tetradynamia Siliculosa.					
1	rusticana. Bau. (wh.) common. England.		5. 6.	H. 4.	Eng. bot. 2223.
	<i>Cochlearia Armoracia</i> . E.B.				
2	macrocarpa. Bau. (wh.) large-fruited. Hungary.	1806.	6. 8.	H. 4.	W. et K. hung. 2. t. 184.
COCHLE'ARIA. DC. SCURVY-GRASS. Tetradynamia Siliculosa. L.					
1	glastifolia. DC. (wh.) Woad-leaved. S. Europe.	1648.	5. 7.	H. ♂.	Schuh. hand. 2. t. 181.
2	anglica. DC. (wh.) English. England.		5.	H. ♂.	Eng. bot. 552.
3	officinâlis. DC. (wh.) common. Britain.		4. 5.	H. ♂.	— 551.
	<i>β minor</i> . DC. lesser. —		—	H. ♂.	
	<i>γ rotundifolia</i> . DC. round-leaved. —		—	H. ♂.	
	<i>granlandica</i> . With. brit. 573. non. Lin.				
4	pyrenaica. DC. (wh.) Pyrenean. Pyrenees.		6. 8.	H. ♂.	Deles. ic. sel. 2. t. 48.
5	groenlandica. DC. (wh.) Greenland. Scotland.		5. 6.	H. 4.	Eng. bot. 2403.
6	danica. DC. (wh.) Danish. Britain.		—	H. ♂.	— 696.
7	alpina. (wh.) Alpine. Ireland.		5. 6.	H. 4.	
8	fenestrata. DC. (wh.) fenestrate. Baffin's Bay.	1820.	4. 5.	H. 4.	
9	grandiflora. DC. (wh.) large-flowered. Siberia.	1826.	5. 6.	H. 4.	
10	integrifolia. DC. (wh.) entire-leaved. Altay.	1827.	—	H. 4.	
11	acaulis. DC. (li.) stalkless. Portugal.	1823.	3. 4.	H. 4.	Jacq. ech. t. 132.

Tribus III. *THLASPIDEÆ* seu *Pleurorhizeæ* *Angustiseptæ*. DC.

THLASPI. DC.		BASTARD-CRESS. <i>Tetradynamia Siliculosa</i> . L.					
1	<i>latifolium</i> . DC. (<i>wh.</i>)	broad-leaved.	Caucasus.	1828.	4. 5.	H. 4.	Deles. ic. sel. 2. t. 51.
2	<i>ceratocarpon</i> . DC. (<i>wh.</i>)	horn-podded.	Siberia.	1779.	7.	H. ☉.	Scop. insub. 1. t. 4.
3	<i>arvense</i> . DC. (<i>wh.</i>)	Penny-cress.	Britain.		6. 7.	H. ☉.	Eng. bot. 1659.
4	<i>collinum</i> . DC. (<i>wh.</i>)	hill.	Iberia.	1824.	4. 9.	H. ☉.	
5	<i>alliaceum</i> . DC. (<i>wh.</i>)	Garlic-scented.	S. Europe.	1714.	5. 7.	H. ☉.	Jacq. ic. 1. t. 121.
6	<i>strictum</i> . (<i>wh.</i>)	upright.	Persia.	1827.	4. 9.	H. ☉.	
7	<i>perfoliatum</i> . DC. (<i>wh.</i>)	perfoliate.	England.		4. 7.	H. ☉.	Eng. bot. 2354.
8	<i>montanum</i> . DC. (<i>wh.</i>)	mountain.	Europe.		5. 6.	H. 4.	Jacq. aust. 3. t. 237.
9	<i>alpêtre</i> . DC. (<i>wh.</i>)	Alpine.	England.		5. 7.	H. 4.	Eng. bot. t. 81.
10	<i>cochleariförme</i> . DC. (<i>w.</i>)	Scurvy-grass.	Dahuria.	1827.	6. 7.	H. 4.	
CAPSELLA. DC.		SHEPHERD'S-PURSE. <i>Tetradynamia Siliculosa</i> . L.					
1	<i>Bursa-pastoris</i> . DC. (<i>w.</i>)	common.	Britain.		1. 12.	H. ☉.	Eng. bot. 1485.
	<i>Thlaspi Bursa-pastoris</i> . L.						
β	<i>minor</i> . DC. (<i>wh.</i>)	small.	—		—	H. ☉.	Tabern. ic. 199.
γ	<i>integrifolia</i> . DC. (<i>w.</i>)	entire-leaved.	—		—	H. ☉.	Moris. ox. 2. t. 20. f. 1.
δ	<i>coronifolia</i> . DC. (<i>w.</i>)	Buck's-horn-ld.	—		—	H. ☉.	
2	<i>procumbens</i> . B. (<i>wh.</i>)	procumbent.	Europe.	1823.	3. 5	H. ☉.	Hill. veg. sys. 11. t. 42. f. 1.
	<i>Lepidium procumbens</i> . L. <i>Hutchinsia procumbens</i> . DC.						
HUTCHINSIA. DC.		HUTCHINSIA. <i>Tetradynamia Siliculosa</i> . L.					
1	<i>rotundifolia</i> . DC. (<i>bh.</i>)	round-leaved.	Switzerland.	1759.	5. 7.	H. 4.	Scop. carn. n. 805. t. 37.
	<i>Iberis rotundifolia</i> . L.						
2	<i>cepeafolia</i> . DC. (<i>pu.</i>)	toothed-leaved.	Carinthia.	1824.	4. 5.	H. 4.	Jacq. misc. 2. p. 28. t. 1.
3	<i>stylösa</i> . DC. (<i>ro.</i>)	long-styled.	Naples.	1826.	3. 5.	H. 4.	Bot. mag. 2772.
4	<i>hastulata</i> . DC. (<i>bh.</i>)	halbert-leaved.	Siberia.	1827.	—	H. 4.	Gmel. sib. 3. t. 5.
5	<i>calycina</i> . DC. (<i>wh.</i>)	persistent-cal'd.	—	—	4. 5.	H. 4.	
6	<i>alpina</i> . DC. (<i>wh.</i>)	Alpine.	Pyrenees.	1775.	4. 6.	H. 4.	Jacq. aust. 2. t. 137.
	<i>Lepidium alpinum</i> . L.						
7	<i>petræa</i> . DC.	rock.	England.		3. 5.	H. ♂.	Eng. bot. 111.
	<i>Lepidium petræum</i> . L.						
TEESDALIA. DC.		TEESDALIA. <i>Tetradynamia Siliculosa</i> . L.					
1	<i>Iberis</i> . DC.	Shepherd's-cress.	England.		5. 7.	H. ☉.	Eng. bot. 327
	<i>nudicaulis</i> . H.K. <i>Iberis nudicaulis</i> . L. <i>Guepinia Iberis</i> . DC.						
2	<i>Lepidium</i> . DC. (<i>wh.</i>)	equal-petal'd.	S. Europe.		5. 8.	H. ☉.	Magn. ic. n. car. 247.
	<i>Lepidium nudicaule</i> . L. <i>Teesdalia regularis</i> . L.T. <i>Guepinia Lepidium</i> . Dv.						
IBERIS. DC.		CANDY-TUFT. <i>Tetradynamia Siliculosa</i> . L.					
1	<i>semperflörens</i> . DC. (<i>w.</i>)	broad-leaved.	Sicily.	1679.	1. 12.	G. ♀.	Moris. ox. 2. t. 25. f. 5.
2	<i>gibraltárica</i> . DC. (<i>bh.</i>)	Gibraltar.	Gibraltar.	1732.	5. 6.	G. ♀.	Bot. mag. 124.
3	<i>saxátilis</i> . DC. (<i>wh.</i>)	rock.	S. Europe.	1739.	4. 6.	H. ♀.	Gou. fl. mons. 177. t. 1.
4	<i>corifolia</i> . (<i>wh.</i>)	Coris-leaved.	—	—	—	H. ♀.	Clus. hist. 2. p. 132. ic.
	<i>saxátilis β corifolia</i> . Bot. mag. 1642.						
5	<i>pubescens</i> . DC. (<i>wh.</i>)	pubescent.		1821.	—	H. ♀.	
6	<i>subvelutina</i> . DC. (<i>wh.</i>)	velvetty.	Spain.	1821.	—	H. ♀.	
7	<i>sempervirens</i> . DC. (<i>wh.</i>)	evergreen.	Crete.	1731.	—	H. ♀.	Flor. græc. t. 620.
8	<i>Garrexiána</i> . DC. (<i>wh.</i>)	Allioni's.	Pyrenees.		6. 8.	H. ♀.	All. ped. n. 920. t. 40. f. 3.
9	<i>conférta</i> . DC. (<i>wh.</i>)	crowded-leaved.	Spain.	1824.	—	H. ♀.	
10	<i>amára</i> . DC. (<i>wh.</i>)	bitter.	England.		—	H. ☉.	Eng. bot. 52.
11	<i>pinnáta</i> . DC. (<i>wh.</i>)	wing-leaved.	S. Europe.	1596.	—	H. ☉.	Lob. ic. t. 217. f. 2.
12	<i>odoráta</i> . DC. (<i>wh.</i>)	sweet-scented.	Crete.	1806.	—	H. ☉.	Swt. br. fl. gar. 50.
13	<i>Lagascána</i> . DC. (<i>wh.</i>)	Lagasca's.	Spain.	1824.	—	H. ☉.	
14	<i>umbelláta</i> . DC. (<i>pu.</i>)	purple.	S. Europe.	1596.	—	H. ☉.	Bot. mag. 106.
15	<i>linifolia</i> . DC. (<i>pu.</i>)	Flax-leaved.	—	1759.	—	H. ♂.	Garid. aix. t. 105.
16	<i>ciliáta</i> . DC. (<i>wh.</i>)	fringed.	—		6. 7.	H. ♂.	
17	<i>táurica</i> . DC. (<i>wh.</i>)	Taurian.	Tauria.	1802.	5. 7.	H. ♂.	
18	<i>violácea</i> . DC. (<i>pu.</i>)	blunt-leaved.		1782.	6. 7.	H. ☉.	
19	<i>nána</i> . DC. (<i>pu.</i>)	dwarf.	S. Europe.	1822.	5. 7.	H. ♂.	All. auct. p. 15. t. 2. f. 1.
20	<i>spathuláta</i> . DC. (<i>pu.</i>)	spathulate.	Pyrenees.	1826.	6. 8.	H. ☉.	Berg. phyt. ic.
21	<i>Tenoreána</i> . DC. (<i>wh.</i>)	Tenore's.	Naples.	—	5. 7.	H. ♀.	Swt. br. fl. gar. 88.
22	<i>Pruiti</i> . DC. (<i>wh.</i>)	Sicilian.	Sicily.	1828.	—	H. ♀.	
23	<i>contrácta</i> . DC. (<i>wh.</i>)	contracted.	Spain.	1824.	4. 6.	H. ♀.	
BISCUTELLA. DC.		BUCKLER-MUSTARD. <i>Tetradynamia Siliculosa</i> . L.					
1	<i>auriculáta</i> . DC. (<i>ye.</i>)	ear-podded.	S. Europe.	1683.	6. 7.	H. ☉.	DC. diss. n. 1. t. 1. f. 2.
2	<i>erigerifolia</i> . DC. (<i>ye.</i>)	Erigeron-leav'd.	Spain.	1824.	—	H. ☉.	Deles. ic. sel. 2. t. 55.
3	<i>hispida</i> . DC. (<i>ye.</i>)	hispid.	S. France.	1822.	—	H. ☉.	Bot. mag. 2444.
4	<i>cichoriifolia</i> . DC. (<i>ye.</i>)	Succory-leaved.	Pyrenees.	—	—	H. 4.	DC. diss. n. 4. t. 2.

5	lyràta. DC.	(ye.) lyre-leaved.	Spain.	1799.	6. 7.	H. ☉.	Bocc. sic. 45. t. 23.
6	raphanifolia. DC.	(ye.) Radish-leaved.	Sicily.	1824.	—	H. ☉.	
7	marítima. DC.	(ye.) sea.	Naples.	—	—	H. ☉.	Tenor. fl. nap. t. 61.
8	ciliàta. DC.	(ye.) fringe-podded.	Italy.	1790.	—	H. ☉.	DC. ic. gal. rar. 1. t. 39.
	coronopifolia. W.	non. Lin.					
9	depréssa. DC.	(ye.) dwarf.	Egypt.	1823.	—	H. ☉.	
10	microcarpa. DC.	(ye.) small-podded.	Gibraltar.	—	5. 6.	H. ☉.	
11	eriocarpa. DC.	(ye.) woolly-podded.	Spain.	1826.	5. 7.	H. ☉.	DC. diss. n. 12. t. 9. f. 2.
12	Colúmnæ. DC.	(ye.) Columna's.	Apulia.	1824.	6. 7.	H. ☉.	Col. ecphr. 1. t. 284. f. 1.
13	ápula. DC.	(ye.) spear-leaved.	Italy.	1710.	—	H. ☉.	Fl. græc. t. 629.
14	leiocarpa. DC.	(ye.) smooth-capsul'd.	Levant.	1824.	—	H. ☉.	Gært. fruct. 2. t. 141.
15	obovàta. DC.	(ye.) obovate-leaved.			—	H. ☉.	
16	montàna. DC.	(ye.) mountain.	Spain.	1824.	3. 4.	H. ☉.	Cavan. ic. 2. t. 177.
17	lævigàta. DC.	(ye.) smooth-podded.	Europe.	1777.	—	H. ☿.	DC. ic. rar. 11. t. 38.
	β alpéstris. W. en.	(ye.) Hungarian.	Hungary.	1816.	—	H. ☿.	W. et Kit. hung. 3. t. 228.
18	lúcida. DC.	(ye.) glossy.	Italy.	1827.	4. 6.	H. ☿.	DC. diss. n. 20. t. 7.
19	coronopifolia. DC.	(ye.) Buck's-horn-l'd.	S. Europe.	1790.	—	H. ☿.	DC. diss. n. 22. t. 18.
20	ambigua. DC.	(ye.) ambiguous.	—		—	H. ☿.	— n. 23. t. 11. f. 1.
21	saxátilis. DC.	(ye.) rock.	—	1824.	—	H. ☿.	— n. 24. t. 10.
22	sempervirens. DC.	(ye.) downy-leaved.	Spain.	1784.	—	F. ♀.	Barr. ic. t. 841.
MEGACARPÆA. DC. MEGACARPÆA. Tetradynamia Siliculosa. L.							
	laciniàta. DC.	(ye.) jagged-leaved.	Volga.	1821.	6. 7.	H. ☿.	DC. diss. bise. n. 5. t. 3.
	<i>Biscutella megalocarpa</i> . F.						

Tribus IV. *EUCLIDIEÆ* seu Pleurorhizæ Nucamentacæ. DC.

EUCLIDIUM. DC. EUCLIDIUM. Tetradynamia Siliculosa. L.							
1	syriacum. DC.	(wh.) Syrian.	Levant.	1778.	7. 8.	H. ☉.	Jacq. aust. 1. t. 6.
	<i>Bànias syriaca</i> . W.	<i>Anastatica syriaca</i> .	Jacq.				
2	tatàricum. DC.	(wh.) Tartarian.	Tartary.	1823.	4. 5.	H. ☉.	Pall. it. 3. ap. t. v. f. 2.
	<i>Bànias tatàrica</i> . W.						
OCHTHODIUM. DC. OCHTHODIUM. Tetradynamia Siliculosa. L.							
	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1787.	8.	H. ☉.	Jacq. vind. t. 145.
	<i>Rapistrum ægyptiacum</i> . H. K. <i>Bànias ægyptiaca</i> . L.						

Tribus V. *ANASTATICEÆ* seu Pleurorhizæ Septulatae. DC.

ANASTATICA. DC. ROSE OF JERICHO. Tetradynamia Siliculosa. L.							
	<i>Hierochúntina</i> . DC. (w.) common.		Levant.	1597.	5. 8.	H. ☉.	Jacq. vind. 1. t. 58.

Tribus VI. *CAKILINEÆ* seu Pleurorhizæ Lomentacæ. DC.

CAKILE. DC. CAKILE. Tetradynamia Siliculosa. L.							
1	marítima. DC.	(pu.) Sea Rocket.	Britain.		6. 9.	H. ☉.	Eng. bot. 231.
	β sinuatifolia. DC.	(p.) sinuate-leaved.	—		—	H. ☉.	Horn. fl. dan. t. 1583.
2	americàna. DC.	(li.) American.	America.		—	H. ☉.	Tussac fl. ant. 1. f. 17.
CHORISPORÀ. DC. CHORISPORÀ. Tetradynamia Siliquosa. L.							
1	tenélla. DC.	(pu.) purple.	Tauria.	1780.	6. 7.	H. ☉.	Pall. it. 3. ap. t. L. f. 3.
2	strieta. DC.	(pu.) upright.	Siberia.	1825.	5. 7.	H. ☉.	
3	sibírica. DC.	(ye.) Siberian.	Siberia.	1822.	—	H. ☉.	Murr. com. gætt. t. 11.
4	ibérica. DC.	(ye.) strong-scented.	Iberia.	—	—	H. ☉.	Deles. ic. sel. 2. t. 582.

Subordo II. NOTORHIZEÆ. DC. syst. 2. p. 438.

Tribus VII. *SISYMBREÆ* seu Notorhizæ Siliquosæ. DC.

MALC'OMIA. DC. MALC'OMIA. Tetradynamia Siliquosa. L.							
1	africàna. DC.	(pu.) African.	Africa.	1747.	6. 7.	H. ☉.	Buxb. cent. 4. t. 41.
2	taraxacifolia. DC.	(pu.) Dandelion-l'd.		1795.	—	H. ☉.	
3	lâxa. DC.	(pu.) loose-branched.	Siberia.	1822.	—	H. ☉.	

4	Clua. DC.	(pu.) dwf.-branching.	Chio.	1732.	5. 6.	H. ☉.	Swt. br. fl. gar. 40.
5	maritima. DC.	(p.w.) dwarf annual.	S. Europe.	1713.	—	H. ☉.	Bot. mag. 166.
	<i>Cheiranthus maritimus</i> . B.M.						
6	arenaria. DC.	(pu.) sand.	Barbary.	1804.	—	H. ☉.	Desf. fl. atl. 2. t. 162.
	<i>Hesperis arenaria</i> . Desf.						
7	parviflora. DC.	(pu.) small-flowered.	S. Europe.	1822.	6. 8.	H. ☉.	DC. ic. gall. rar. t. 35.
8	lyrata. DC.	(pu.) rigid.	Levant.	1824.	5. 8.	H. ☉.	Flor. græc. t. 635.
9	littorea. DC.	(li.) sea.	S. Europe.	1683.	6 11.	H. ♂.	Swt. br. fl. gar. 54.
10	patula. DC.	(pu.) spreading.	Spain.	1825.	5. 7.	H. ♀.	
11	lacera. DC.	(pu.) cut-leaved.	S. Europe.	—	—	H. ☉.	Desf. ann. mus. 11. t. 34.
	<i>Hesperis pinnatifida</i> . Desf.						
HESPERIS. DC. ROCKET. Tetrodynamia Siliquosa. L.							
1	tristis. DC.	(br.) night-smelling.	Europe.	1622.	4. 6.	H. ♂.	Bot. mag. 730.
	β major.	(st.) larger.	—	1827.	4. 7.	H. ♂.	
2	fragrans. F.	(pu.) evening-scentd.	Siberia?	1821.	—	H. ♂.	Swt. br. fl. gar. 61.
3	laciniata. DC.	(pu.) laciniated.	Italy.	1820.	5. 6.	H. ♂.	All. ped. n. 985. t. 82. f. 1.
4	villosa. DC.	(pu.) villous.	Italy.	1827.	—	H. ♂.	
5	grandiflora. B.M.	(pu.) large-flowered.		1818.	5. 8.	H. ♂.	Bot. mag. 2683.
6	elata. H.	(pu.) tall.		1825.	—	H. ♂.	
7	runcinata. DC.	(bh.) runcinate.	Hungary.	1804.	5. 7.	H. ♂.	W. et Kit. hung. 2. t. 200.
8	bituminosa. W. en.	(bh.) clammy.		1816.	—	H. ♂.	
9	matronalis. L.	(va.) common.	Europe.	1597.	5. 8.	H. ♀.	Lob. ic. t. 323. f. 2.
	α albiflora. DC.	(wh.) single-white.	—	—	—	H. ♀.	Tabern. kraut. 692. f. 1.
	β albo-plena.	(wh.) double-white.	—	—	—	H. ♀.	
	γ purpurea. DC.	(pu.) single-purple.	—	—	—	H. ♀.	Tabern. kraut. 692 f. 2.
	δ purpureo-plena.	(pu.) double-purple.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. c.
	ε variegata. DC.	(v.) dble.-variegated.	—	—	—	H. ♀.	Munt. phyt. cur. t. 186.
	ζ foliiflora. DC.	(gr.) green-flowered.	—	—	—	H. ♀.	Wein. phyt. t. 572. f. a.
10	inodora. L.	(pu.) scentless.	Britain.		—	H. ♀.	Eng. bot. 731.
11	sibirica. L.	(pu.) Siberian.	Siberia.		—	H. ♀.	
12	heterophylla. DC.	(pu.) various-leaved.	Naples.	1825.	5. 7.	H. ♀.	
13	aprica. DC.	(pu.) sun.	Siberia.	1823.	5. 6.	H. ♀.	Deles. ic. sel. 2. t. 62.
14	ramosissima. DC.	(pu.) branched.	Barbary.	1827.	—	H. ☉.	Desf. atl. 2. t. 161.
ANDREO'SKIA. DC. ANDREO'SKIA. Tetrodynamia Siliquosa. L.							
1	integrifolia. DC.	(wh.) entire-leaved.	Siberia.	1824.	6. 7.	H. ☉.	
	<i>Sisymbrium integrifolium</i> . W. <i>Hesperis glandulosa</i> . P.S.						
2	pectinata. DC.	(wh.) pectinated.	Dahuria.	1827.	5. 6.	H. ♂.	
SISYMBRIUM. DC. SISYMBRIUM. Tetrodynamia Siliquosa. L.							
1	officinale. DC.	(ye.) Hedge-mustard.	Britain.		5. 7.	H. ☉.	Eng. bot. 725.
	<i>Erysimum officinale</i> . E.B.						
2	strictissimum. DC.	(ye.) spear-leaved.	Europe.	1658.	6. 8.	H. ♀.	Jacq. aust. 2. t. 194.
	<i>Cheirinia strictissima</i> . L. en.						
3	juncum. DC.	(ye.) rushy.	Hungary.	1804.	7.	H. ♀.	W. et Kit. hung. 3. t. 234.
	<i>Erysimum juncum</i> . W. <i>Cheirinia juncea</i> . L. en.						
4	hispanicum. DC.	(ye.) Spanish.	Spain.	1820.	5. 6.	H. ♂.	Jacq. ic. rar. 1. t. 124.
5	pumilum. DC.	(ye.) dwarf.	Caucasus.	—	4. 5.	H. ☉.	
6	obtusangulum. DC.	(ye.) blunt-angled.	Switzerland.		5. 8.	H. ☉.	Moris. ox. 2. s. 3. t. 5. f. 10.
7	acutangulum. DC.	(ye.) acute-angled.	Pyrenees.	1791.	6. 7.	H. ♂.	Jacq. vind. 3. t. 97.
	<i>sinapoides</i> . H.K. <i>Sinapis pyrenaica</i> . Jacq.						
8	taraxacifolium. DC.	(y.) Dandelion-ld.	France.	1823.	5. 6.	H. ♂.	DC. ic. rar. p. 11. t. 37.
9	contortum. W. en.	(ye.) twisted.	Spain.	1824.	—	H. ♂.	
10	affine. W. en.	(ye.) related.		1823.	5. 8.	H. ♂.	
11	austriacum. DC.	(ye.) Austrian.	Austria.	1799.	6. 8.	H. ☉.	Jacq. aust. 3. t. 262.
12	eckartsbergense. W.	(y.) bending-podd'd.	—	—	—	H. ♂.	
13	Tillieri. W.	(ye.) Tillier's.	Switzerland.	1824.	6. 8.	H. ☉.	
14	Trio. DC.	(ye.) London Rocket.	England.		5. 8.	H. ☉.	Eng. bot. 1631.
15	glabrum. W. en.	(ye.) smooth.		1823.	—	H. ☉.	
16	gallicum. W. en.	(ye.) French.	France.	—	—	H. ☉.	
17	nitidum. DC.	(ye.) glossy.			6. 8.	H. ☉.	
18	subhastatum. DC.	(ye.) halbert-leaved.	Archipelago.	1822.	4. 5.	H. ☉.	
19	Columnæ. W.	(ye.) Columna's.	Italy.	1796.	6. 7.	H. ☉.	Jacq. aust. t. 323.
20	atissimum. L.	(ye.) tall.	Siberia.	1759.	8.	H. ☉.	Walth. hort. t. 122.
21	orientale. L.	(ye.) oriental.	Levant.	1739.	7. 8.	H. ☉.	
22	pannonicum. DC.	(st.) Hungarian.	Hungary.	1787.	—	H. ☉.	Jacq. ic. rar. 1. t. 123.
23	lyratum. DC.	(ye.) lyrate.	C. B. S.		5. 8.	G. ♀.	Deles. ic. sel. 2. t. 64.
24	asperum. DC.	(ye.) rough-podded.	S. Europe.	1778.	5. 6.	H. ☉.	J. Bauh. hist. 2. f. 3.
25	fugax. DC.	(ye.) fugacious.	Spain.	1820.	7. 8.	H. ♀.	
26	Sophia. DC.	(ye.) Flix-weed.	Britain.		7. 8.	H. ☉.	Eng. bot. 963.

27	pérscium. DC.	(ye.) Persian.	Persia.	1820.	7. 8.	H. ⊙.	
28	Richardsòni.	(ye.) Richardson's.	N. America.	1828.	6. 7.	H. ⊙.	
	<i>canescens</i> . Richardson.	<i>non</i> Nutt.					
29	brachycarpum. DC.	short-podded.	————	————	————	H. ⊙.	
30	tripinnàtum. DC.	(ye.) tripinnate.	C. B. S.	1817.	————	H. ⊙.	
31	millefòlium. DC.	(ye.) Milfoil-leaved.	Canaries.	1779.	5. 9.	G. ♀.	Jacq. ic. rar. 1. t. 127.
32	tanacetifòlium. DC.	(ye.) Tansy-leaved.	Italy.	1731.	6. 7.	H. ♀.	Mor. his. 2. s. 3. t. 6. f. 19.
33	supinum. DC.	(wh.) trailing.	S. Europe.	1778.	————	H. ⊙.	Isn. act. Par. 1724. t. 18.
	<i>Erysimum supinum</i> .	L. en.					
34	hirsùtum. DC.	(ye.) hairy-podded.	————	1822.	————	H. ⊙.	
	<i>Erysimum hirsutum</i> .	L. en.					
35	polyceràtium. DC.	(ye.) sinuate-leaved.	————	1633.	6. 8.	H. ⊙.	Jacq. vind. t. 79.
	<i>Erysimum polyceratum</i> .	L. en.					
36	rigidum. DC.	(wh.) rigid.	Tauria.	1824.	6. 8.	H. ⊙.	Pall. it. 3. ap. t. Mm. f. 1.
37	bursifòlium. DC.	(wh.) various-leaved.	————	1732.	————	H. ⊙.	Dill. elt. t. 148. f. 177.
38	pinnatifidum. DC.	(wh.) pinnatifid.	————	1822.	5. 8.	H. ♀.	All. ped. t. 57. f. 3.
39	erysimóides. DC.	(wh.) Erysimum-like.	Spain.	1827.	10. 12.	H. ♀.	Desf. alt. 2. t. 158.
40	contortuplicàtum. (bh.)	twisted-podded.	Cumana.	————	6. 8.	H. ⊙.	Deles. ic. sel. 2. t. 63. B.
	<i>Hesperis contortuplicatus</i> .	Bieb. <i>Cheiranthus contortuplicatus</i> .	w.				
ALLIARIA. DC. ALLIARIA. Tetrodynamia Siliquosa. L.							
1	officinàlis. DC.	(wh.) garlick-scented.	Britain.		5. 6.	H. ♀.	Eng. bot. 796.
	<i>Erysimum Alliaria</i> .	E. B. <i>Hesperis Alliaria</i> .	Lam.				
2	brachycarpa. DC.	(wh.) short-podded.	Iberia.	1827.	5. 7.	H. ♀.	
ERYSIMUM. DC. ERYSIMUM. Tetrodynamia Siliquosa. L.							
1	siliulòsum. DC.	(ye.) siliculose.	Tauria.	1824.	5. 6.	H. ♂.	Deles. ic. sel. 2. t. 65.
2	siculum. DC.	(ye.) Sicilian.	Sicily.	1821.	6. 7.	H. ♂.	
3	sessiliflorum. DC.	(ye.) sessile-flower'd.	Siberia.	1794.	————	H. ♀.	L. Her. strirp. 1. t. 44.
	<i>Cheiranthus quadrangulus</i> .	w. <i>Cheirinia sessiliflora</i> .	L. en. <i>Syrènia Lamàrckii</i> .	Andrz.			
4	angustifolium. DC.	narrow-leaved.	Hungary.	1800.	7. 8.	H. ♂.	W. et Kit. hung. 1. t. 93.
	<i>Cheirinia angustifolia</i> .	L. en. <i>Syrènia Ehrarti</i> .	Andrz.				
5	cuspidatum. DC.	(ye.) sharp-pointed.	Caucasus.	1800.	5. 6.	H. ♂.	Buxb. cent. 2. t. 33. f. 1.
	<i>Syrènia Biebersteinii</i> .	Andrz. <i>Cheiranthus cuspidatus</i> .	w.				
6	leptostylum. DC.	(ye.) slender-styled.	Caucasus.	1825.	————	H. ♂.	
7	exaltatum. DC.	(ye.) tall.	Poland.	————	————	H. ♂.	
8	suffruticosum. DC.	(st.) suffruticose.		1822.	4. 5.	H. ♀.	
9	strictum. DC.	(ye.) upright.	Austria.	1795.	6. 8.	H. ♂.	Jacq. aust. 1. t. 73.
	<i>odoratum</i> .	w. <i>hieracifolium</i> .	Jacq. <i>Cheirinia stricta</i> .	L. en.			
10	virgatum. DC.	(ye.) twiggy.	Portugal.	1807.	6. 7.	H. ♂.	Fl. Dan. t. 923?
11	longisiliquosum. DC.	(y.) long-podded.	Switzerland.	1823.	————	H. ♂.	DC. ic. gal. rar. t. 36.
12	hieracifolium. DC.	(ye.) Hawkweed-ld.	Europe.	————	5. 6.	H. ♂.	J. Bauh. his. 2. t. 2.
13	Marschalliànum. (ye.)	Marschall's.	Poland.	1827.	————	H. ♂.	
14	pátulum. H.	(ye.) spreading.		1824.	————	H. ♂.	
15	pùnilum. H.	(ye.) dwarf.	Switzerland.	————	————	H. ♂.	
16	áureum. DC.	(ye.) golden.	Caucasus.	1824.	————	H. ♂.	Deles. ic. sel. 2. t. 66.
17	ibéricum. DC.	(ye.) Iberian.	Iberia.	1803.	5. 8.	H. ♂.	Bot. mag. 835.
	<i>Cheiranthus armeniacus</i> .	E. M. <i>Cheiranthus ibericus</i> .	Bieb.				
18	cheiranthóides. DC.	(y.) treacle.	Britain.		6. 8.	H. ⊙.	Eng. bot. 942.
19	repandum. DC.	(ye.) small-flowered.	S. Europe.	1772.	5. 6.	H. ⊙.	Jacq. aust. 1. t. 22.
20	helvéticum. DC.	(ye.) Swiss.	Switzerland.	1793.	————	H. ♂.	Jacq. vind. t. 9.
	<i>Cheiranthus helveticus</i> .	Jacq. <i>Cheirinia helvetica</i> .	L. en.				
21	canescens. DC.	(ye.) canescent.	S. Europe.	1731.	5. 7.	H. ♂.	Barr. ic. t. 884.
	<i>diffusum</i> .	w. <i>Cheiranthus alpinus</i> .	Jacq. aust. 1. t. 75.				
22	Andrzejowskiànum. (y.)	Andrzejowski's.	Tauria.	1828.	————	H. ♂.	
23	collinum. DC.	(ye.) hill.	Caucasus.	————	————	H. ♂.	
24	leptophyllum. DC.	(ye.) slender-leaved.	Iberia.	1827.	————	H. ♂.	
25	versicolor. DC.	(ra.) various-color'd.	Persia.	1823.	5. 7.	H. ♂.	
	<i>Cheiranthus versicolor</i> .	M. B.					
26	lanceolatum. DC.	(ye.) spear-leaved.	————	1597.	————	H. ♂.	Jacq. aust. t. 74.
	<i>Cheiranthus erysimoides</i> .	Jacq.					
27	fírmum.	(ye.) hoary-podded.	Switzerland.	1824.	————	H. ♂.	
	<i>Cheirinia firma</i> .	L. en. <i>Cheiranthus firmus</i> .	W. en.				
28	rhætium. DC.	(ye.) Rhætian.	Rhætia.	————	————	H. ♂.	
29	dùbium. DC.	(ye.) doubtful.		————	————	H. ♂.	
30	longifolium. DC.	(ye.) long-leaved.	Algiers.	1822.	————	H. ♀.	
31	grácile. DC.	(ye.) slender.	Caucasus.	1824.	6. 8.	H. ♂.	
32	ásperum. DC.	(ye.) rough.	Missouri.	————	————	H. ♂.	
33	strigòsum. DC.	(ye.) strigose.	Siberia.	1828.	————	H. ♂.	
34	Redòwskii. DC.	(ye.) Redowski's.	————	1825.	————	H. ♂.	

5 altissimum. DC. (ye.) tallest.	Limbourg.	1822.	6. 7	H. ♂.	
<i>Cherinia altissima</i> . L.en.					
6 sabulosum. F. (ye.) gravel.	Siberia.	1823.	—	H. ♂.	
7 bicolor. DC. (v.) two-coloured.	Switzerland.	1827.	—	H. ♂.	
CONRINGIA. L. en. CONRINGIA. Tetrodynamia Siliquosa. L.					
1 alpina. L. en. (wh.) Alpine.	Europe.	1793.	5. 6.	H. ♀.	Vill. dauph. 3. t. 36.
<i>Brassica alpina</i> . L. <i>Erysimum alpinum</i> . DC.					
2 perfoliata. L. en. (wh.) perfoliate.	England.		—	H. ⊙.	Eng. bot. 1801.
<i>Brassica orientalis</i> . E.B. <i>Erysimum perfoliatum</i> . DC.					
3 austriaca. (st.) Austrian.	Austria.		—	H. ⊙.	Jacq. aust. t. 283.
<i>Brassica austriaca</i> . Jacq. <i>Erysimum austriacum</i> . DC.					
STANLEYA. DC. STANLEYA. Tetrodynamia Siliquosa.					
pinnatifida. DC. pinnatifid.	Missouri.	1812.	5. 6.	H. ♀.	
<i>Cleome pinnata</i> . Ph.					

Tribus VIII. *CAMELINEÆ* seu Notorhizeæ Latiseptæ. DC.

CAMELINA. DC. CAMELINA. Tetrodynamia Siliculosa. L.					
1 sativa. DC. (ye.) Gold of pleasure. Britain.		5. 7.	H. ⊙.	Eng. bot. 1254.	
<i>Alyssum sativum</i> . E.B. <i>Myagrum sativum</i> . L.					
2 pilosa. DC. (ye.) hairy.		—	H. ⊙.	Moris.ox.2.s.3.t.21.f.2.	
3 glabrata. DC. (ye.) smooth.			—	H. ⊙.	Lind. als. 91. t. 1.
2 dentata. DC. (ye.) tooth-leaved.	Europe.	1806.	6. 7.	H. ⊙.	J. Bauh.hist.2.p.893.ic.
3 pinnatifida. H. (ye.) pinnatifid.	Spain.	—	—	H. ⊙.	
4 microcarpa. DC. (ye.) small-podded.	Poland.	1827.	—	H. ⊙.	Deles. ic. sel. 2. t. 69.
5 barbarea-folia. DC. (ye.) Barbarea-ld.	Siberia.	1824.	5. 7.	H. ♀.	— 2. t. 70.
6 austriaca. DC. (ye.) Austrian.	Austria.	1795.	6. 7.	H. ⊙.	Jacq. aust. 2. t. 111.
NESLIA. DC. NESLIA. Tetrodynamia Siliculosa.					
paniculata. DC. (ye.) paniced.	Europe.	1683.	6. 8.	H. ⊙.	Flor. dan. t. 204.
<i>Rapistrum paniculatum</i> . Gært. <i>Myagrum paniculatum</i> . L.					

Tribus IX. *LEPIDINEÆ* seu Notorhizeæ Angustiseptæ. DC.

SENEBIE'RA. DC. SENEBIE'RA. Tetrodynamia Siliculosa. L.					
1 pinnatifida. DC. (wh.) pinnatifid.	England.		7. 8.	H. ⊙.	Eng. bot. 248.
<i>Coronopus didyma</i> . E.B. <i>Lepidium didymum</i> . L.					
2 incisa. W.en. (wh.) cut-leaved.	America.	1817.	—	H. ⊙.	Eng. bot. 1660.
2 Coronopus. DC. (wh.) common.	Britain.		6. 10.	H. ⊙.	
<i>Coronopus Ruellii</i> . E.B. <i>Cochlearia Coronopus</i> . L.					
LEPIDIUM. DC. PEPPERWORT. Tetrodynamia Siliculosa. L.					
1 Draba DC. (wh.) Whitlow-grass.	Europe.	1596.	5. 6.	H. ♀.	Jacq. fl. aust. 4. t. 315.
<i>Cochlearia Draba</i> . Jacq.					
2 chalepense. DC. (wh.) Aleppo.	Aleppo.	1798.	5. 7.	H. ⊙.	Moris. ox. 2. s. 3. t. 25.
3 coronopifolium. DC. (w.) Buckshorn-ld.	Volga.	1823.	—	H. ♀.	
4 sativum. DC. (wh.) common Cress.	Persia.	1518.	5. 10.	H. ⊙.	Fl. græc. t. 616.
β crispum. DC. (wh.) curled Cress.	—		—	H. ⊙.	Chabr. sci. 289. f. 2.
γ latifolium. DC. (wh.) broad-leaved.	—		—	H. ⊙.	Moris.ox.2.s.3.t.19.f.2.
5 campestre. DC. (wh.) hoary field.	Britain.		6. 7.	H. ⊙.	Eng. bot. 1385.
<i>Thlaspi campestre</i> . E.B.					
6 hirtum. DC. (wh.) hairy.	—		—	H. ♂.	— 1503.
<i>Thlaspi hirtum</i> . E.B.					
7 spinosum. DC. (wh.) prickly.	Levant.	1787.	4. 9.	H. ⊙.	Ard. spec. 2. t. 16.
8 virginicum. DC. (wh.) Virginian.	America.	1713.	6. 7.	H. ⊙.	Schkuhr.hand.2.t.180.
9 subulatum. DC. (wh.) awl-leaved.	Spain.	1739.	7. 8.	F. ♀.	Asso syn. arr. t. 6. f. 3.
10 rudérale. DC. (wh.) narrow-leaved.	Britain.		6. 7.	H. ⊙.	Eng. bot. 1595.
11 incisum. DC. (wh.) cut-leaved.	Tauria.	1821.	5. 6.	H. ⊙.	
12 vesicarium. DC. (wh.) bladdered.	Iberia.	1821.	4. 8.	H. ⊙.	Hil.veg.syst.11.t.41.f.3.
13 angulosum. DC. (wh.) angular-stalk'd.	Hungary.	1825.	—	H. ⊙.	
14 perfoliatum. DC. (wh.) various-leaved.	Austria.	1640.	4. 6.	H. ⊙.	Jacq. aust. 4. t. 346.
15 Cardamines. DC. (wh.) Spanish Cress.	Spain.	1789.	6. 7.	F. ♂.	Ard. spec. 1. t. 19.
16 divaricatum. DC. (wh.) close-spiked.	C. B. S.	1774.	5. 8.	G. ♀.	
17 bonariense. DC. (wh.) Buenos Ayres.	S. America.	1732.	5. 6.	H. ⊙.	Dill. elt. t. 286. f. 370.
18 pubescens. DC. (wh.) pubescent.	Para.	1820.	5. 8.	H. ⊙.	
19 cuneifolium. DC. (wh.) wedge-leaved.	N. S. W.	1820.	6. 8.	H. ⊙.	

CRUCIFERÆ.

20	piscidium. DC.	(wh.)	South Sea.	Society Isles.	1779.	9.	H. ☉.	Mont. n. a. n. c. 6. t. 5. a.
21	desertorum. Led.	(wh.)	desert.	Siberia.	1827.	—	H. ☉.	
22	decumbens. DC.	(wh.)	decumbent.		1820.	5. 8.	H. ☉.	
23	oleraceum. DC.	(wh.)	eatable.	New Zealand.		—	H. ☉.	
24	lyratum. DC.	(wh.)	lyre-leaved.	Levant.	1759.	6. 7.	H. ☉.	Tourn. it. 2. t. 389.
25	latifolium. DC.	(wh.)	broad-leaved.	Britain.		—	H. ♀.	Eng. bot. 182.
26	affine. DC.	(wh.)	saw-leaved.	Siberia.	1823.	7. 8.	H. ♀.	
27	crassifolium. DC.	(wh.)	thick-leaved.	Hungary.	—	5. 6.	H. ♀.	W. et Kit. hung. 1. t. 4.
28	suffruticosum. DC.	(w.)	shrubby.	Spain.	1790.	7. 8.	F. ♀.	Cav. ic. 2. t. 161. f. 2.
	graminifolium. Cav.							
29	lineare. DC.	(wh.)	linear-leaved.	Spain.		—	F. ♀.	
30	Iberis. DC.	(wh.)	grass-leaved.	S. Europe.	1683.	6. 9.	H. ♀.	Moris. his. 2. s. 3. t. 21. f. 1.
	graminifolia. H. K.							
31	capense. DC.	(wh.)	Cape.	C. B. S.	1818.	6. 7.	G. ♀.	
BIVONÆA. DC.				BIVONÆA. Tetrodynamia Siliculosa. L.				
	lutea. DC.	(ye.)	yellow.	Sicily.	1823.	4. 5.	H. ☉.	Cup. pan. sic. 2. t. 256.
	Thlaspi luteum. Biv.							
ÆTHIONÆMA. DC.				ÆTHIONÆMA. Tetrodynamia Siliculosa. L.				
1	saxatile. DC.	(w.p.)	rock.	S. Europe.	1759.	6. 7.	H. ☉.	Jacq. aust 3. t. 236.
2	gracile. DC.	(wh.)	slender.	Carniola.	1822.	—	H. ♀.	Boc. mus. p. 79. t. 70.
3	Buxbaumii. DC.	(pu.)	Buxbaum's.	Iberia.	1820.	—	H. ☉.	Buxb. cent. 1. t. 5. f. 1.
4	monospermum DC.	(p.)	one-seeded.	Spain.	1778.	7. 8.	H. ♂.	

Tribus X. ISATIDEÆ seu Notorhizæ Nucamentacæ. DC.

TAUSCHERIA. DC.				TAUSCHERIA. Tetrodynamia Siliculosa. L.				
1	lasiocarpa. DC.	(wh.)	villous-podded.	Siberia.	1821.	6. 7.	H. ☉.	
2	gymnocarpa. DC.	(wh.)	smooth-podded.	—	—	5. 6.	H. ☉.	
ISATIS. DC.				WOAD. Tetrodynamia Siliculosa. L.				
1	armena. DC.	(ye.)	Armenian.	Armenia.	1824.	6. 7.	H. ☉.	Desv. j. 3. t. 25. f. 6.
2	latisiliqua. DC.	(ye.)	broad-podded.	Iberia.	1827.	5. 7.	H. ♂.	
3	lusitanea. DC.	(ye.)	Portugal.	Portugal.	1739.	—	H. ☉.	
4	alpina. DC.	(ye.)	Alpine.	Italy.	1800.	—	H. ♀.	All. ped. t. 86. f. 2.
5	præcox. DC.	(ye.)	early-flowering.	Hungary.	1820.	4. 6.	H. ♂.	Trat. arch. 2. t. 68.
6	littoralis. DC.	(ye.)	sea-side.	Tauria.	—	6. 7.	H. ☉.	Deles. ic. sel. 2. t. 78.
7	hebecarpa. DC.	(ye.)	pubescent-podded.	Tauria.	1827.	—	H. ☉.	— 2. t. 79.
8	dasycarpa. Led.	(ye.)	thick-podded.	Siberia.	—	5. 7.	H. ♂.	
9	tinctoria. DC.	(ye.)	common.	England.		5. 7.	H. ♂.	Eng. bot. 97.
	β sativa. DC.	(ye.)	smooth-leaved.			—	H. ♂.	Blackw. herb. t. 246.
	γ hirsuta. DC.	(ye.)	hairy-leaved.			—	H. ♂.	
	δ microcarpa. DC.	(ye.)	small-podded.			—	H. ♂.	
10	campéstris. DC.	(ye.)	field.	Podolia.	1823.	—	H. ☉.	
11	bannatica. DC.	(ye.)	Bannatic.	Hungary.	—	—	H. ☉.	
12	taurica. DC.	(ye.)	Taurian.	Tauria.	1827.	—	H. ♂.	
13	oblongata. DC.	(ye.)	oblong-podded.	Siberia.	—	—	H. ♂.	
14	orientalis. DC.	(ye.)	oriental.	Levant.		—	H. ☉.	
15	canescens. DC.	(ye.)	canescent.	S. Europe.	1825.	—	H. ♂.	Buxb. cent. 1. p. 4. t. 5.
16	aléppica. DC.	(ye.)	Aleppo.	Levant.	1739.	6. 7.	H. ☉.	Scop. d. ins. 2. t. 16.
17	variegata. Led.	(ye.)	variegated.	Siberia.	1827.	—	H. ♂.	
MYAGRUM. DC.				MYAGRUM. Tetrodynamia Siliculosa. L.				
	perfoliatum. DC.	(ye.)	perfoliate.	Europe.	1648.	6. 7.	H. ☉.	Schkuhr. han. 2. t. 178.
SOBOLEWSKIA. DC.				SOBOLEWSKIA. Tetrodynamia Siliculosa. L.				
	lithophila. DC.	(wh.)	large-fruited.	Iberia.	1823.	5. 8.	H. ♂.	Deles. ic. sel. 2. t. 80.

Tribus XI. ANCHONIEÆ seu Notorhizæ Lomentacæ. DC.

GOLDBACHIA. DC.				GOLDBACHIA. Tetrodynamia Siliquosa.				
1	lævigata. DC.	(li.)	smooth.	Astracan.	1823.	5. 6.	H. ☉.	Deles. ic. sel. 2. t. 81.
2	torulosa. DC.	(li.)	twisted-podded	Levant.		—	H. ☉.	
3	tetragona. Led.	(li.)	four-sided.	—	1825.	—	H. ☉.	
STERIGMA. DC.				STERIGMA. Tetrodynamia Siliquosa.				
1	tomentosum. DC.	(ye.)	tomentose.	Caspia.	1823.	4. 5.	H. ♂.	Pall. it. 2. ap. t. K. f. 2.
	Cheiranthus tomentosus. w.							
2	torulosum. DC.	(ye.)	twisted-podded.	Iberia.	—	—	H. ♂.	Buxb. cent. 5. t. 52. f. 2.

Subordo III. ORTHOPLOCEÆ. DC. syst. 2. p. 581.

Tribus XII. BRASSICÆ seu Orthoploceæ Siliquosæ. DC.

BRASSICA. DC.		CABBAGE.	Tetradynamia Siliquosa. L.			
1	oleracea. DC.	(va.) common.	England.		4. 6.	H. ♂.
	A. SYLVESTRIS. DC.	(st.) WILD.	-----		-----	H. ♂.
	B. ACEPHALA. DC.	(st.) CAVALIER.			-----	H. ♂.
a	ramosa. DC.	(st.) thousand-headed.			-----	H. ♂.
β	vulgaris. DC.	(st.) upright.			-----	H. ♂.
*	viridis. DC.	(st.) green.			-----	H. ♂.
**	purpurascens. DC.	(st.) purple.			-----	H. ♂.
γ	quercifolia. DC.	(st.) oak-leaved.			-----	H. ♂.
δ	sabellica. DC.	(st.) BORECOLE.			-----	H. ♂.
*	pinnata. DC.	(st.) winged-leaved.			-----	H. ♂.
**	purpurascens. DC.	(st.) purple.			-----	H. ♂.
***	versicolor. DC.	(st.) variegated.			-----	H. ♂.
ε	palmifolia. DC.	(st.) palm-leaved.			-----	H. ♂.
ζ	costata. DC.	(wh.) thick-ribbed.			-----	H. ♂.
*	nepenthiformis. DC.	(wh.) tubular-lt.			-----	H. ♂.
C.	BULLATA. DC.	(st.) SAVOY.			-----	H. ♂.
a	vulgaris. DC.	(st.) common.			-----	H. ♂.
*	præcox. DC.	(st.) early.			-----	H. ♂.
**	humilis. DC.	(st.) dwarf.			-----	H. ♂.
***	turonensis. DC.	(st.) Tourraine.			-----	H. ♂.
****	aurata. DC.	(st.) yellow.			-----	H. ♂.
β	oblonga. DC.	(st.) winter.			-----	H. ♂.
γ	major. DC.	(st.) large.			-----	H. ♂.
δ	gemmifera. DC.	(st.) Brussel's-sprouts.			-----	H. ♂.
D.	CAPITATA. DC.	(st.) HEADED.			-----	H. ♂.
a	depressa. DC.	(st.) drum-head.			-----	H. ♂.
β	sphaerica. DC.	(st.) common.			-----	H. ♂.
*	alba. DC.	(st.) white.			-----	H. ♂.
**	rubra. DC.	(st.) red.			-----	H. ♂.
γ	obovata. DC.	(st.) Sugarloaf.			-----	H. ♂.
δ	elliptica. DC.	(st.) early york.			-----	H. ♂.
ε	subacuta.	(st.) Battersea.			-----	H. ♂.
ζ	conica. DC.	(st.) heart.			-----	H. ♂.
E.	CAULO-RAPA. DC.	TURNEP-CABBAGE.			-----	H. ♂.
a	communis. DC.	(st.) flat-leaved.			4. 6.	H. ♂.
*	alba. DC.	(st.) white-stemmed.			-----	H. ♂.
**	purpurascens. DC.	(st.) violet-stem'd.			-----	H. ♂.
β?	crispa. DC.	(st.) curl-leaved.			-----	H. ♂.
F.	BOTRYTIS. DC.	(st.) BROCCOLI.			-----	H. ♂.
a	cauliflora. DC.	(st.) Cauliflower.			-----	H. ♂.
β	asparagoides. DC.	(st.) Broccoli.			-----	H. ♂.
*	communis. DC.	(st.) white.			-----	H. ♂.
**	violacea. DC.	(w.s.) violet.			-----	H. ♂.
***	viridis.	(w.s.) green.			-----	H. ♂.
****	ramosa.	(w.s.) branching.			-----	H. ♂.
*****	autumnalis.	(st.) Cape.			-----	H. ♂.
2	campéstris. DC.	(ye.) field.	England.		6.	H. ♂.
A.	OLEIFERA. DC.	(ye.) COLE-SEED.	-----		-----	H. ♂.
*	autumnalis. DC.	(ye.) autumnal.	-----		-----	H. ♂.
**	præcox. DC.	(ye.) early.	-----		-----	H. ♂.
B.	PA'BULARIA. DC.	(ye.) SHEEP'S.			-----	H. ♂.
C.	NAPO-BRASSICA.	NAVEW.			-----	H. ♂.
a	communis. DC.	(ye.) common.			-----	H. ♂.
*	alba. DC.	(ye.) white-rooted.			-----	H. ♂.
**	purpurascens. DC.	(ye.) purple-rooted.			-----	H. ♂.
β	Rutabaga. DC.	(st.) Swedish Turnep			-----	H. ♂.
3	Rapa. DC.	(ye.) Turnep.	Britain.		4. 6.	H. ♂.
A.	DEPRE'SSA. DC.	FLAT-ROOTED.	-----		-----	H. ♂.
*	alba. DC.	(ye.) white-round.	-----		-----	H. ♂.
**	flavescens. DC.	(ye.) yellow-round.	-----		-----	H. ♂.
***	nigricans. DC.	(ye.) dark-round.	-----		-----	H. ♂.
****	punicea. DC.	(ye.) red-round.	-----		-----	H. ♂.
*****	viridis. DC.	(ye.) green-round.	-----		-----	H. ♂.
*****	præcox. (ye.)	early Dutch.	-----		-----	H. ♂.

Eng. bot. t. 637.

Moris. ox. s. 3. t. 1. f. 6.

Lob. ic. 243. f. 1.

Chabr. sciag. 270. f. 6.

----- 270. f. 1.

----- 271. f. 1.

Lob. ic. 246. f. 2.

Hort. trans. 5. p. 13. t. 1.

Weinm. phyt. t. 261.

Lob. ic. t. 244. f. 1.

Lob. ic. t. 244. f. 2.

Lob. ic. 243. f. 2.

Dod. pempt. 621. f. 2.

Dalech. lugd. 522. f. 3.

Lob. ic. 246. f. 1.

Weinm. phyt. t. 264.

Lob. ic. 245. f. 1.

Weinm. phyt. t. 256.

Dalech. lugd. 522. f. 1.

Chabr. sciagr. 269. f. 3.

Eng. bot. 2224.

Dod. pempt. 623. f. 1.

Eng. bot. 2176.

Mart. fl. rust. t. 49. 50.

B. OBLO'NGA. DC. (ye.)	OBLONG-ROOTED.	Britain.		4. 6.	H. ♂.	Lob. ic. t. 197. f. 2.
C. OLEI'FERA. DC. (y.)	OIL-BEARING.	Dauphiny.		—	H. ♂.	— t. 298. f. 1.
4 Nāpus. DC. (ye.)	Rape.	Britain.		5.	H. ♂.	Eng. bot. 2146.
A. OLEI'FERA. DC. (ye.)	wild.	—		—	H. ♂.	Lob. ic. t. 200. f. 2.
B. ESCULE'NTA. DC. (ye.)	esculent.	—		—	H. ♂.	— 200. f. 1.
α alba. DC. (ye.)	white-rooted.	—		—	H. ♂.	Blackw. herb. t. 410.
β flava. DC. (ye.)	yellow-rooted.	—		—	H. ♂.	
γ nigricans. DC. (ye.)	black-rooted.	—		—	H. ♂.	
5 pr'æcox. DC. (st.)	early.	S. Europe.		5. 6.	H. ⊙.	
6 chinénsis. DC. (ye.)	Chinese.	China.	1770.	7.	H. ♂.	
7 violàcea. DC. (li.)	violet-flowered.	—		—	H. ♂.	
8 incàna. DC. (st.)	hoary.	Naples.	1824.	4. 5.	H. ♀.	Cup. panph. 1. t. 132.
9 baleàrica. DC. (st.)	oak-leaved.	Minorca.	—	5. 7.	H. ♀.	Deles. ic. sel. 2. t. 86.
10 hy'brida. T.C. (st.)	hybrid.	Naples.	—	—	H. ♂.	
11 Gravinae. DC. (ye.)	pubescent.	Abrutia.	—	5. 6.	H. ♀.	Ten. fl. nap. t. 62.
12 pinnatifida. DC. (st.)	pinnatifid.	Spain.	—	9. 10.	H. ♀.	Desf. fl. atl. 2. t. 165.
13 hūmilis. DC. (ye.)	dwarf.	S. France.	—	4. 5.	H. ♀.	
14 repānda. DC. (ye.)	wavy.	S. Europe.	1818.	6. 8.	H. ♀.	Vill. dauph. 3. t. 39.
15 Richerii. DC. (ye.)	alpine.	—	1825.	5. 8.	H. ♀.	— 3. t. 36.
16 monénsis. DC. (st.)	Isle of Man.	Britain.		—	H. ⊙.	Eng. bot. 962.
17 Erucāstrum. DC. (ye.)	runcinate.	S. Europe.	1790.	—	H. ⊙.	Bull. herb. t. 331.
18 cheirānthos. DC. (ye.)	Stock-like.	—		—	H. ♀.	Vill. dauph. 3. t. 36.
19 cheiranthiflōra. DC. (y.)	Wall-flowered.	—	1820.	—	H. ⊙.	Willd. hort. ber. t. 19.
20 Tournefortii. DC. (st.)	Tournefort's.	Spain.	—	6. 7.	H. ⊙.	Gou. ill. p. 44. t. 20. f. A.
21 lavigāta. DC. (wh.)	smooth.	—	1825.	—	H. ♂.	
22 valentina. DC. (wh.)	Spanish.	—	—	4. 5.	H. ⊙.	Barr. ic. t. 195. f. 1.
23 fruticulōsa. DC. (st.)	frutescent.	S. Europe.	1820.	2. 4.	H. ♀.	Cyr. pl. rar. 2. t. 1.
24 elongāta. DC. (ye.)	stalk-leaved.	Hungary.	1801.	5. 10.	H. ♂.	W. et K. hung. 1. t. 28.
25 sabulāria. DC. (ye.)	gravel.	Portugal.	1818.	—	H. ⊙.	Brot. phyt. p. 97. t. 43.
26 odorāta. Sck. (ye.)	sweet-scented.		1826.	—	H. ⊙.	
SIN'APIS. DC.	MUSTARD. Tetradynamia Siliquosa.	L.				
1 nigra. DC. (ye.)	common.	Britain.		4. 8.	H. ⊙.	Eng. bot. 969.
β torulōsa. DC. (ye.)	twisted-podded.	—		—	H. ⊙.	
γ turgida. DC. (ye.)	turgid-podded.	—		—	H. ⊙.	
δ villōsa. DC. (ye.)	villous-podded.	—		—	H. ⊙.	
2 geniculāta. DC. (ye.)	jointed.	Barbary.	1824.	—	H. ⊙.	
3 lavigāta. DC. (ye.)	smooth.	Spain.	1769.	6. 7.	H. ♂.	
4 auriculāta. DC. (ye.)	eared.			—	H. ⊙.	
5 integrifolia. DC. (ye.)	entire-leaved.	E. Indies.	1804.	7. 8.	H. ⊙.	W. hort. ber. t. 14.
6 jūncea. DC. (ye.)	fine-leaved.	China.	1710.	6. 7.	H. ⊙.	Jacq. h. vind. t. 171.
7 chinénsis. DC. (ye.)	Chinese.	—	1782.	—	H. ⊙.	Ard. spec. 1. t. 10.
8 brassicāta. DC. (ye.)	Cabbage-leav'd.	—	1801.	—	H. ⊙.	
9 cernua. DC. (wh.)	drooping.	China.	1824.	7. 9.	H. ⊙.	
10 pubescens. DC. (ye.)	downy.	Sicily.	1789.	—	H. ♀.	Ard. spec. 1. t. 9.
11 arvénsis. DC. (ye.)	Charlock.	Britain.		4. 8.	H. ⊙.	Eng. bot. 1748.
β incisa. (ye.)	cut-leaved.	Europe.		—	H. ⊙.	Lob. ic. 198. f. 2.
12 orientālis. DC. (ye.)	oriental.	Levant.	1778.	6. 7.	H. ⊙.	Schk. hand. 1. t. 186.
13 táurica. DC. (ye.)	Taurian.	Tauria.	1823.	4. 8.	H. ⊙.	
14 subbipinnatifida. DC. (ye.)	subbipinnatifid.	Spain.	—	6. 7.	H. ⊙.	
15 Kāber. DC. (ye.)	Persian.	Persia.	—	—	H. ⊙.	
16 Allionii. DC. (ye.)	Allioni's.	Egypt.	1789.	—	H. ⊙.	Jacq. h. vind. 2. t. 168.
17 turgida. DC. (ye.)	turgid-podded.	—		—	H. ⊙.	
18 incàna. DC. (ye.)	hoary-jointed.	S. Europe.	1771.	7.	H. ♂.	Jacq. h. vind. 2. t. 169.
19 heterophylla. DC. (ye.)	various-leaved.	Spain.	1820.	5. 6.	H. ♂.	
20 alba. DC. (ye.)	white-seeded.	Britain.		4. 10.	H. ⊙.	Eng. bot. 1677.
21 hispida. DC. (ye.)	hispid.	Spain.	1804.	6. 7.	H. ⊙.	
22 dissécta. DC. (ye.)	cut-leaved.	—	—	4. 6.	H. ⊙.	
23 hastāta. DC. (ye.)	hastate-leaved.	N. Holland.	1824.	7. 9.	H. ⊙.	
24 foliōsa. DC. (ye.)	leafy.	Levant.	1804.	5. 6.	H. ⊙.	
25 ápula. DC. (ye.)	Apulian.	Italy.	1824.	6. 8.	H. ⊙.	
26 ramōsa. H.B. (ye.)	branching.	E. Indies.	1804.	7. 9.	H. ⊙.	
27 virgāta. H. (ye.)	twiggy.		1827.	6. 8.	H. ⊙.	
28 subulāria. (ye.)	awl-shaped.		—	—	H. ⊙.	
29 frutescens. DC. (st.)	frutescent.	Madeira.	1777.	12. 6.	G. ♀.	
MORICA'NDIA. DC.	MORICA'NDIA. Tetradynamia Siliquosa.	L.				
arvénsis. DC. (pu.)	field.	S. Europe.	1739.	6.	H. ♀.	Swt. br. fl. gar. 278.
Brássica arvénsis. L.	Tárritis arvénsis. H.K.					
DIPLOTA'XIS. DC.	DIPLOTA'XIS. Tetradynamia Siliquosa.	L.				
1 crassifolia. DC. (ye.)	thick-leaved.	Sicily.	1824.	5. 8.	H. ♀.	

2 erucóides. DC. (ye.) dwarf. <i>Sinàpis erucóides</i> . L.	S. Europe.	1736.	6. 7.	H. ☉.	Jacq. vind. 2. t. 170.
3 vírgata. DC. (ye.) slender.	Spain.	1820.	—	H. ☉.	
4 cathólica. DC. (ye.) Spanish. <i>Sisy'mbrium cathólicum</i> . L.	—	—	4. 5.	H. ☉.	
5 tenuifolia. DC. (ye.) Wall rocket. <i>Sisy'mbrium tenuifólium</i> . E.B. <i>Sinàpis tenuifolia</i> . H.K.	England.		7. 10.	H. ☉.	Eng. bot. 525.
6 muràlis. DC. (ye.) sand. <i>Sisy'mbrium muràle</i> . L. <i>Sinàpis muràlis</i> . H.K.	England.		7. 9.	H. ☉.	Eng. bot. 1090.
7 vimínea. DC. (ye.) twiggy.	S. Europe.		5. 6.	H. ☉.	Mor. his. ox. 2. t. 5. f. 8.
8 saxátilis. DC. (ye.) rock.	—		—	H. 4.	
9 ramosíssima. DC. (ye.) branching.		1822.	—	H. 4.	
ER'UCA. DC. ER'UCA. <i>Tetradynamia Siliculosa</i> . L.					
1 satíva. DC. (wh.) stripe-flowered. <i>Brássica Erúca</i> . L. <i>Euzòmum sativum</i> . L.en.	S. Europe.	1573.	7.	H. ☉.	Fl. græc. t. 646. et 647.
2 hispida. DC. (wh.) hispid.	Naples.	1824.	—	H. ☉.	
3 vesicària. DC. (wh.) bladdered. <i>β flaviflòra</i> . DC. (ye.) yellow.	Spain.	1820.	—	H. ☉.	Asso. syn. arrag. 88. t. 4.
	—	—	—	H. ☉.	

Tribus XIII. *VELLEÆ* seu Orthoploceæ Latiseptæ. DC.

VELLA. DC. CRESS-ROCKET. <i>Tetradynamia Siliculosa</i> . L.					
pseudocy'tisus. DC. (y.) shrubby.	Spain.	1759.	4. 5.	H. ½.	Bot. reg. 293.
CARRICHT'ERA. DC. CARRICHT'ERA. <i>Tetradynamia Siliculosa</i> . L.					
Vélla. DC. (st.) annual.	England.		6. 7.	H. ☉.	Eng. bot. 1441.
<i>Vélla ánnua</i> . E.B.					
SUCCO'WIA. DC. SUCCO'WIA. <i>Tetradynamia Siliculosa</i> . L.					
baleàrica. DC. (ye.) Minorca.	Minorca.	1781.	6. 7.	H. ☉.	Jacq. vind. 2. t. 144.
<i>Búnias baleàrica</i> . L.					

Tribus XIV. *PSYCHINEÆ* seu Orthoploceæ Angustiseptæ. DC.

PSYCH'INE. DC. PSYCH'INE. <i>Tetradynamia Siliculosa</i> . L.					
stylòsa. DC. (wh.) striped-flower'd. Barbary.		1822.	4. 5.	H. ☉.	Desf. fl. atl. 2. t. 148.

Tribus XV. *ZILLEÆ* seu Orthoploceæ Nucamentaceæ. DC.

ZI'LLA. DC. ZI'LLA. <i>Tetradynamia Siliculosa</i> . L.					
myagroídes. DC. (li.) spiny.	Egypt.		4. 5.	H. ½.	Vent. malm. t. 16.
<i>Búnias spinòsa</i> . Vent.					
CALEP'INA. DC. CALEP'INA. <i>Tetradynamia Siliculosa</i> . L.					
Corvini. DC. (wh.) annual.	S. Europe.	1820.	4. 6.	H. ☉.	W. et Kit. hung. 2. t. 107.
<i>Búnias cochleariòides</i> . w.					

Tribus XVI. *RAPHANEÆ* seu Orthoploceæ Lomentaceæ. DC.

CRA'MBE. DC. COLEWORT. <i>Tetradynamia Siliculosa</i> . L.					
1 marítima. DC. (wh.) Sea Kale.	Britain.		5. 6.	H. 4.	Eng. bot. 924.
2 pinnatífida. DC. (wh.) smooth-winged.	Siberia.	1759.	6. 7.	H. 4.	Jacq. ic. 1. t. 128.
3 orientàlis. DC. (wh.) oriental.	Levant.	1752.	6. 7.	H. 4.	
4 tatárica. DC. (wh.) Tartarian.	Hungary.	1789.	—	H. 4.	Jacq. ic. 1. t. 129.
5 áspera. DC. (wh.) rough.	Tauria.	1823.	5. 6.	H. 4.	Deles. ic. sel. 2. t. 91.
6 júncea. DC. (wh.) rushy.	Iberia.	1828.	—	H. 4.	
7 cordifolia. DC. (wh.) heart-leaved.	Caucasus.	—	6. 7.	H. 4.	
8 hispánica. DC. (wh.) Spanish.	Spain.	1683.	—	H. ☉.	Jacq. obs. 2. t. 41.
9 filifórmis. DC. (wh.) Patagonian.	Patagonia.	1796.	7. 8.	H. ☉.	Jacq. ic. 3. t. 504.
10 fruticòsa. DC. (wh.) Madeira.	Madeira.	1777.	5. 11.	G. ½.	
11 strigòsa. DC. (wh.) strigose shrubb.	Canaries.	1779.	5. 6.	G. ½.	L'. her. stirp. 1. t. 72.

RAPI'STRUM. DC.		RAPI'STRUM. Tetradynamia Siliculosa. L.					
1	perénne. DC. (ye.)	perennial.	Europe.	1789.	7.	H. 4.	Jacq. aust. 5. t. 414.
	<i>Myâgrum perénne.</i> L. <i>Cakile perénne.</i> H.K.						
2	rugòsum. DC. (ye.)	wrinkled.	—	1739.	6. 7.	H. ☉.	All. ped. 1. t. 78.
	<i>Myâgrum rugòsum.</i> L. <i>Cakile rugosa.</i> H.K.						
3	orientàle. DC. (ye.)	oriental.	Levant.	1795.	—	H. ☉.	Flor. græc. t. 612.
ENARTHROCA'RPUS		ENARTHROCA'RPUS. Tetradynamia Siliquosa.					
1	lyrátus. DC. (ye.)	yellow-strip'd.	Egypt.	1826.	6. 8.	H. ☉.	Delil. fl. æg. 105. t. 36 f. 1.
2	pterocárpus. DC.	wing-podded.	—	1828.		H. ☉.	Deles. ic. sel. 2. t. 93.
RA'PHANUS. DC.		RADISH. Tetradynamia Siliquosa. L.					
1	satívus. Mil. (li.)	common.	China.	1548.	5. 6.	H. ☉.	Fuchs. hist. 659. ic.
	<i>α pr'æcor.</i> (li.)	early Salmon.	—	—	—	H. ☉.	
	<i>β macrorhizus.</i> (li.)	long Salmon.	—	—	—	H. ☉.	
	<i>γ purpureus.</i> (li.)	purple-rooted.	—	—	—	H. ☉.	
2	rotúndus. Mil. (li.)	Turnep-rooted.	—	—	—	H. ☉.	Lob. ic. t. 201. f. 1.
3	chinénsis. Mil. (li.)	oil-seeded.	—	—	—	H. ☉.	
4	nìger. DC. (li.)	black Spanish.	—	—	—	H. ☉.	Lob. ic. 202. f. 1.
	<i>α vulgàris.</i> DC. (li.)	long-rooted.	—	—	—	H. ☉.	Wein. phyt. t. 860. f. c.
	<i>β rotúndus.</i> DC. (li.)	round-rooted.	—	—	—	H. ☉.	— t. 860. f. b.
	<i>γ griseus.</i> DC. (li.)	grey.	—	—	—	H. ☉.	
5	orbiculàris. Mil. (li.)	white Spanish.	—	—	—	H. ☉.	
6	caudátus. DC. (pu.)	long-podded.	Java.	1815.	5. 8.	H. ☉.	Lin. f. dec. 1. t. 10.
7	Raphanístum. DC. (va.)	wild.	Britain.		4. 8.	H. ☉.	Eng. bot. 856.
	<i>α álbum.</i> (wh.)	white-flowered.	—		—	H. ☉.	Wein. phyt. t. 862. f. a.
	<i>β purpuráscens.</i> (pu.)	purple-flowered.	—		—	H. ☉.	— t. 862. f. b.
	<i>ζ flàrum.</i> (ye.)	yellow-flowered.	—		—	H. ☉.	J. Bauh. h. 2. p. 844. ic.
8	Landra. DC. (ye.)	Italian.	Italy.	1827.	4. 6.	H. ♂.	Deles. ic. sel. 2. t. 94.
9	marítimus. DC. (ye.)	sea-side.	Britain.		5. 7.	H. ♂.	Eng. bot. 1643.

Subordo IV. SPIROLOBEÆ. DC. syst. 2. p. 670.

Tribus XVII. BUNIADEÆ seu Spirolobeæ Nucamentaceæ. DC.

B'UNIAS. DC.		B'UNIAS. Tetradynamia Siliculosa. L.					
1	Erucàgo. DC. (ye.)	prickly-podded.	S. Europe.	1640.	6. 7.	H. ☉.	Jacq. aust. 4. t. 340.
2	áspera. DC. (ye.)	rough.	Portugal.	1823.	6. 7.	H. ☉.	
3	orientàlis. DC. (ye.)	oriental.	Levant.	1795.	5. 7.	H. 4.	Schk. han. 2. t. 189.

Tribus XVIII. ERUCARIEÆ seu Spirolobeæ Lomentaceæ. DC.

ERUC'ARIA. DC.		ERUC'ARIA. Tetradynamia Siliquosa. L.					
1	aléppica. DC. (pu.)	Aleppo.	Levant.	1680.	7. 8.	H. ☉.	Vent. h. cels. t. 64.
	<i>Cordylocárpus lævigátus.</i> w.						
2	crassifòlia. DC. (pu.)	thick-leaved.	Egypt.	1828.	7. 9.	H. ☉.	Delil. pl. bot. t. 34. f. 1.

Subordo V. DIPLECOLOBEÆ. DC. syst. 2. p. 676.

Tribus XIX. HELIOPHILEÆ seu Diplecolobeæ Siliquosæ. L.

HELIO'PHILA. DC.		HELIO'PHILA. Tetradynamia Siliquosa. L.					
1	filifórmis. DC. (pu.)	awl-podded.	C. B. S.	1786.	7. 9.	H. ☉.	Lam. ill. t. 563. f. 3. ?.
2	dissécta. DC. (bl.)	cut-leaved.	—	1822.	6. 8.	H. ☉.	
3	tenuisíliqua. DC. (bh.)	slender-podded.	—	—	—	H. ☉.	Deles. ic. sel. 2. t. 96.
4	amplexicáulis. DC. (bh.)	stem-clasping.	—	1774.	6. 9.	H. ☉.	Jacq. frag. t. 64. f. 2.
5	rivalis. DC. (wh.)	rivulet.	—	1819.	—	H. ☉.	
6	péndula. DC. (wh.)	pendulous	—	1792.	—	H. ☉.	Lam. ill. t. 562. f. 2.
	<i>pinnàta.</i> Vent. malm. t. 113. non. L.						

7 trifida. DC.	(pu.) trifid-leaved.	C. B. S.	1819.	6. 9.	H. ☉.	
pinnata. L. non. Vent.						
8 pusilla. DC.	(wh.) small.	————	1824.	—	H. ☉.	Pluk, mant. t. 432. f. 2.
9 lepidioides. L. en	(wh.) Cress-like.	————	—	—	H. ☉.	
10 diffusa. DC.	(wh.) spreading.	————	1820.	—	H. ☉.	
11 Peltaria. DC.	(wh.) small-white.	————	—	—	H. ☉.	
12 pilosa DC.	(bl.) hairy.	————	1768.	—	H. ☉.	
α integrifolia. DC.	(bl.) entire-leaved.	————	—	—	H. ☉.	Jacq. ic. 3. t. 506.
β incisa. DC.	(bl.) cut-leaved.	————	—	—	H. ☉.	Bot. mag. 496.
arabioides. B.M.						
13 stricta. B.M.	(bl.) upright.	————	1824.	—	H. ☉.	Bot. mag. 2526.
14 digitata. DC.	(bl.) fingered.	————	1819.	—	H. ☉.	Bot. reg. 838.
15 coronopifolia. DC.	(bl.) Buck's-horn-ld.	————	1778.	6. 7.	H. ☉.	Herm. lugd. t. 367.
16 pectinata. DC.	(wh.) pectinated.	————	1819.	—	H. ☉.	
17 feniculacea. DC.	(pu.) Fennel-leaved.	————	1774.	6. 9.	H. ☉.	
18 crithmifolia. DC.	(bh.) Samphire-ld.	————	1816.	—	H. ☉.	Deles. ic. sel. 2. t. 97.
19 platysliqua. DC.	(bh.) flat-podded.	————	1774.	7. 8.	G. ☿.	
20 linearifolia. DC.	(bl.) linear-leaved.	————	1819.	—	G. ☿.	
21 scoparia. DC.	(bh.) Broom-like.	————	1802.	—	G. ☿.	Deles. ic. sel. 2. t. 98.
22 incana. DC.	(pu.) hoary.	————	1774.	5. 8.	G. ☿.	
23 cleomoides. DC.	(wh.) Cleome-like.	————	1802.	1. 12.	G. ☿.	Deles. ic. sel. 2. t. 99.
Cheiranthus strictus. W.						

Tribus XX. *SUBULARIÆ* seu *Diplocolobeæ* *Latiseptæ*. DC.

SUBULARIA. DC.	AWLWORT.	Tetradynamia	Siliculosa. L.			
aquatica. DC.	(wh.) water.	Britain.		7.	H.w. ☉.	Eng. bot. 732.

Subordo VI. *SCHIZOPETALEÆ*.

SCHIZOPETALUM. B.M.	SCHIZOPE'TALUM.	Tetradynamia	Siliquosa. L.			
Walkeri. B.M.	(wh.) Walker's.	Chili.	1822.	7. 9.	H. ☉.	Brown bot. reg. 752.

ORDO XIV.

CAPPARIDEÆ. DC. *prodr.* 1. p. 237.

Tribus I. *CLEOMEÆ*. DC.

PERITOMA. DC.	PERI'TOMA.	Monadelphia	Hexandria.			
serrulatum. DC.	(pu.) saw-leaved.	Missouri.	1823.	6. 8.	H. ☉.	
Cleome serrulata. Ph.						
GYNANDRO'PSIS. DC.	GYNANDRO'PSIS.	Monadelphia	Hexandria.			
1 sessilifolia. DC.	(wh.) sessile-leaved.	W. Indies.	1820.	6. 8.	H. ☉.	
2 triphy'lla. DC.	(wh.) three-leaved.	—	—	—	H. ☉.	Herm. lugd. 565. ic
Cleome triphy'lla. L.?						
3 pentaphy'lla. DC.	(wh.) five-leaved.	India.	1640.	—	H. ☉.	Jacq. vind. 1. t. 21.
Cleome pentaphy'lla. B.M. 1681.						
4 candelabrum. (wh.) chandelier.		W. Indies.	1824.	7. 9.	H. ☉.	Bot. mag. 2656.
Cleome candelabrum. B.M.						
5 muricata. Scr.	(wh.) bristly.		1828.	—	S. ☉.	
6 heterotricha. DC.	(wh.) various-haired.	C. B. S.	1822.	—	H. ☉.	
CLE'OME. DC.	CLE'OME.	Tetradynamia	Siliquosa. L.			
1 gigantea. DC.	(gr.) gigantic.	S. America.	1774.	6. 8.	S. ♀.	Jacq. obs. 4. t. 76.
2 heptaphy'lla. DC.	(wh.) seven-leaved.	W. Indies.	1820.	—	H. ☉.	
3 spinosa. DC.	(wh.) white-flowered.	—	1731.	5. 10.	S. ♀.	Marc. bras. t. 31.
4 pungens. DC.	(bh.) pink-flowered.	S. America.	1812.	7. 8.	S. ☉.	W. hort. ber. 1. t. 18.
spinosa. B.M. 1640. nec aliorum.						
5 pubescens. B.M. (wh.) pubescent.			1815.	7. 8.	H. ☉.	Bot. mag. 1857.

6	ròsea. DC.	(ro.)	rose-coloured.	Brazil.	1825.	5. 8.	S. ☉.	Bot. reg. 960.
7	monophy'lla. DC.	(ye.)	simple-leaved.	E. Indies.	1759.	—	H. ☉.	Rheed. mal. 9. t. 34.
	β zeylànica. DC.	(ye.)	Ceylon.	—	—	—	H. ☉.	Burm. zeyl. t. 100. f. 2.
8	procumbens. DC.	(wh.)	procumbent.	W. Indies.	1798.	—	S. 4.	Jacq. amer. t. 120.
9	violàcea. DC.	(vi.)	violet-coloured.	Portugal.	1776.	6. 7.	H. ☉.	Schk. han. 2. t. 189. f. 1.
10	Dilleniàna. DC.	(ye.)	Dillenius's.	Levant.	1732.	—	H. ☉.	Dill. elt. t. 266. f. 345.
	ornithopodióides. W.							
11	ibérica. DC.	(ye.)	Iberian.	Iberia.	1820.	—	H. ☉.	
12	virgàta. DC.	(ye.)	twiggy.	Persia.		—	H. ☉.	Buxb. cent. 1. t. 9. f. 2.
13	arábica. DC.	(ye.)	Arabian.	Arabia.	1794.	—	H. ☉.	Lin. f. dec. t. 8.
14	flàva. DC.	(ye.)	yellow.	N. Holland.	1825.	7. 10.	H. ☉.	
15	polygàma. DC.	(wh.)	polygamous.	W. Indies.	1822.	6. 7.	H. ☉.	Slo. jam. t. 124. f. 1.
16	aculeata. DC.	(wh.)	prickly.	S. America.	—	—	H. ☉.	
17	Houstòni. DC.	(fl.)	Houstoun's.	W. Indies.	1730.	—	S. ☉.	Mart. dec. t. 45.
18	diffùsa. DC.	(wh.)	spreading.	Brazil.	1823.	—	H. ☉.	
19	micrántha. DC.	(wh.)	small-flowered.		1821.	6. 10.	S. ½.	
	POLANÍSIA. DC.		POLANÍSIA.	Dodecandria Monogynia. L.				
1	Chelidònii. DC.	(ro.)	Celandine-fla.	E. Indies.	1790.	7. 10.	S. ☉.	
	Cleòme Chelidònii. L.							
2	gravèolens. DC.	(pu.)	strong-scented.	N. America.		—	H. ☉.	Corn. can. 131. ic.
3	viscòsa. DC.	(ye.)	viscid.	Ceylon.	1730.	—	S. ☉.	Rheed. mal. 9. t. 23.
4	dodecándra. DC.	(pu.)	three-leaved.	—	1795.	—	S. ☉.	Burm. zeyl. t. 100. f. 1.
	Cleòme dodecándra. L.							
5	uniglandulòsa. DC.	(w.)	one-glanded.	S. America.	1823.	—	H. ☉.	Cav. ic. 4. t. 306.

Tribus II. CAPPAREÆ. DC.

CRATÆVA. DC.	CRATÆVA.	Dodecandria Monogynia. L.					
1 gynándra. DC.	(wh.) thin-leaved.	Jamaica.	1789.		S. ½.	Pluk. alm. t. 147. f. 6.	
2 Tàpia. DC.	(wh.) Garlick Pear.	S. America.	1752.		S. ½.	Plum. gen. t. 21.	
3 Roxbúrgii. B.	(wh.) Roxburgh's.	E. Indies.	1822.		S. ½.		
	Cápparis trifoliàta. H.B.						
RITCHIÆA. B.	RITCHIÆA.	Dodecandria Monogynia.					
fràgrans.	(wh.) fragrant.	Sierra Leon.	1795.	6. 7.	S. ½. ∪.	Bot. mag. 596.	
	Crat'æva fragans. B.M.	capparoides. A.R.	t. 176.				
NIEB'UHRIA. DC.	NIEB'UHRIA.	Polyandria Monogynia. L.					
1 cáfra. DC.	(wh.) Caffrarian.	C. B. S.	1820.		G. ½.		
2 madagascariénsis. DC.	(w.) Madagascar.	Madagascar.	1822.		S. ½.		
3 oblongifòlia. DC.	(wh.) oblong-leaved.	E. Indies.	1823.		S. ½. ∪.		
	Cápparis heteroclita. H.B.						
BO'SCIA. DC.	BO'SCIA.	Dodecandria Monogynia. L.					
senegalénsis. DC.	(wh.) Senegal.	Senegal.	1822.		S. ½.	Lam. ill. t. 395. f. 2.	
CA'PPARIS. DC.	CAPER-TREE.	Polyandria Monogynia. L.					
1 mariàna. DC.	(wh.) heart-leaved.	Timor.	1822.		S. ½.	Jacq. Schoenb. t. 109.	
2 rupéstris. DC.	(wh.) rock.	Crete.		7. 10.	F. ½. ∪.	Flor. græc. t. 487.	
	spinòsa. B.M. 291. nec aliorum.						
3 spinòsa. DC.	(wh.) common.	S. Europe.	1596.	5. 8.	G. ½. ∪.	Flor. græc. t. 486.	
4 ovàta. W.	(wh.) oval-leaved.	Mauritania.		—	G. ½. ∪.	Boc. sic. t. 42. f. 3.	
	Fontanèsii. DC.						
5 herbàcea. DC.	(wh.) herbaceous.	Tauria.	1819.	—	H. 4.		
6 ægy'ptia. DC.	(wh.) Egyptian.	Egypt.	1822.		G. ½.	Delil. fl. eg. t. 31. f. 3.	
7 aphy'lla. DC.	(wh.) leafless.	E. Indies.	—		S. ½.		
8 zeylànica. DC.	(wh.) Ceylon.	Ceylon.	—		S. ½. ∪.		
9 acuminàta. DC.	(wh.) acuminate.	E. Indies.	1821.		S. ½. ∪.	Braam ic. chin. t. 29.?	
10 frondòsa. DC.	(g.p.) large-leaved.	Carthagena.	1800.		S. ½.	Jacq. amer. t. 104.	
11 triflòra. DC.	(wh.) three-flowered.	S. America.			S. ½.		
12 cynophallóphora. DC.	(wh.) Bay-leaved.	W. Indies.	1752.		S. ½.	Jacq. amer. t. 98.	
13 eustachiàna. DC.	(pu.) purple-flower'd.	—	1822.		S. ½.	— ed. pict. t. 146.	
14 saligna. DC.	Willow-leaved.	S. Cruz.	1807.		S. ½.		
15 lineàris. DC.	(wh.) linear-leaved.	W. Indies.	1793.		S. ½.	Jacq. amer. t. 102.	
16 verrucòsa. DC.	(wh.) wart-podded.	Carthagena.	1823.		S. ½.	— t. 99.	
17 pulchérriima. DC.	(st.) handsome.	—			S. ½.	Jacq. amer. t. 106.	
	arboréscens. Mil.						
18 amygdalina. DC.	(wh.) Almond-leaved.	S. America.	1819.		G. ½.	Plum. gen. 40. t. 16.	

10	odoratissima. DC. (pu.)	sweet-scented.	Caracas.	1814.		S. h.	Jacq. schœn. t. 110.
20	tenuisiliqua. DC. (wh.)	slender-podded.	Carthageria.	1822.		S. h.	Jacq. amer. t. 105.
21	ferruginea. DC. (wh.)	ferruginous.	Jamaica.			S. h.	————— t. 100.
	octandra. Jacq.						
22	Bréynia. DC. (wh.)	Oleaster-leav'd.	W. Indies.	1752.		G. h. ∪.	Jacq. amer. t. 103.?
23	jamaicensis. DC. (wh.)	Jamaica.	—————	1793.		S. h. ∪.	————— t. 101.
24	torulosa. DC. (wh.)	twisting.	—————	1819.		S. h. ∪.	
STEPHA'NIA. DC. STEPHIA'NIA. Hexandria Monogynia.							
	cleomoides. DC. (o.y.)	Cleome-like.	Caracas.	1823.		S. h.	Jacq. schœn. t. 111.
	Capparis paradoxa. Jacq.	Steriphoma cleomoides. s.s.					
MORIS'ONIA. DC. MORIS'ONIA. Monadelphia Polyandria. L.							
	americana. DC. (wh.)	American.	Caribees.	1824.		S. h.	Jacq. amer. t. 97.

ORDO XV.

RESEDACEÆ. DC. theor. ed. 1. p. 214.

RESEDA. W.	RESEDA. Dodecandria Trigynia. L.					
1 Luteola. W.	(st.) Dyers weed.	Britain.		6. 7.	H. ⊙.	Eng. bot. 320.
2 crispata. L. en.	(st.) curled-leaved.	S. Europe.	1820.	—	H. ⊙.	
3 virescens. s.s.	(st.) greenish.	Spain.	—	—	H. ⊙.	
4 canescens. s.s.	(wh.) hoary.	Egypt.	1597.	5. 7.	H. 4.	Clus. hist. 1. t. 295.
5 glauca. s.s.	(wh.) glaucous.	S. Europe.	1700.	—	F. 4.	Pluk. alm. t. 107. f. 2.
6 scoparia. s.s.	(wh.) Broom-like.	Teneriffe.	1815.	8. 9.	G. h.	
7 dipetala. s.s.	(wh.) two-petaled.	C. B. S.	1774.	8.	G. ♂.	
8 linifolia. s.s.	(wh.) flax-leaved.	S. Europe.	1820.	7. 8.	F. ♂.	
9 subulata. Del.	(wh.) awl-leaved.	Egypt.	1827.	6. 8.	H. ♂.	
10 chinensis. s.s.	(wh.) Chinese.	China.	1824.	—	H. ♂.	
11 sesamoides. s.s.	(wh.) spear-leaved.	France.	1787.	—	H. ⊙.	All. ped. 2. t. 88. f. 3.
12 mediterranea. s.s.	(w.) Mediterranean.	Palestine.	1791.	6. 9.	H. ⊙.	Jacq. ic. 3. t. 475.
13 odorata. s.s.	(st.) Mignonette.	Egypt.	1752.	6. 10.	H. ⊙.	Bot. mag. 29.
	β frutescens. B.R. (st.)	tree mignonette.	—	—	G. h.	Bot. reg. 227.
14 Phyteuma. s.s.	(wh.) trifid.	S. Europe.	—	6. 9.	H. ⊙.	Jacq. aust. 2. t. 132.
15 incisa. T.C.	(wh.) cut-leaved.	Italy.	1825.	—	H. ⊙.	
16 ramosissima. s.s.	(wh.) branching.	Spain.	1816.	—	H. 4.	
17 saxatilis. s.s.	(wh.) rock.	—	—	—	H. 4.	
	stricta. P.S.					
18 pruinosa. s.s.	(wh.) papillose-ld.	Egypt.	1823.	—	H. 4.	
19 lutea. s.s.	(st.) Base-rocket.	Britain.		7. 8.	H. ♂.	Eng. bot. 321.
20 undata. s.s.	(wh.) wave-leaved.	Spain.	1739.	6. 8.	H. 4.	Barrel. rar. t. 587.
21 alba. s.s.	(wh.) upright-white.	S. Europe.	1596.	5. 10.	H. ♂.	Lobel. ic. 222.
22 fruticulosa. s.s.	(wh.) frutescent.	Spain.	1791.	9.	G. h.	Jacq. ic. 3. t. 474.
23 bipinnata. s.s.	(wh.) bipinnate.	—	1816.	6. 8.	G. h.	
24 myriophylla. T.C. (st.)	numerous-ld.	Italy.	1825.	—	H. 4.	

ORDO XVI.

DATISCEÆ. Brown in app. to Denham and Clap. trav. p. 25.

DATISCA. L.	DATISCA. Diccia Dodecandria. L.					
1 cannabina. L.	(ye.) Hemp-like.	Levant.	1610.	7. 9.	H. 4.	Schkuhr han. 3. t. 336.
2 hirta. W.	(ye.) hairy.	Pensylvania.	1826.	9. 10.	H. 4.	

ORDO XVII.

FLACOURTIANEÆ. *DC. prodr.* 1. p. 255.Tribus I. *PATRISIEÆ. DC.*

RYAN'ÆA. DC.	RYAN'ÆA. Polyandria Monogynia.				
speciosa. DC.	(re.) beautiful.	Trinidad.	1822.	 S. h.	Vahl. ecl. 1. p. 51. t. 9.
<i>Patrisia pyrifera.</i> P.S.					

Tribus II. *FLACOURTIEÆ. DC.*

FLACOURTIA. DC.	FLACOURTIA. Diœcia Polyandria. L.				
1 Ramóntchi. DC.	(wh.) shining-leaved.	Madagascar.	1775.	6. 7. S. h.	L. Her. strip. 59. t. 30.
2 sávida. DC.	(wh.) esculent.	E. Indies.	1800.	 S. h.	Roxb. cor. 1. t. 69.
3 inermis. DC.	(wh.) unarmed.	Moluccas.	1814.	10. 2. S. h.	Bot. reg. ined.
4 sepiària. DC.	(wh.) obovate-leaved.	Coromandel.	1820.	 S. h.	Roxb. cor. 1. t. 68.
5 cataphrácta. DC.	(wh.) many-spined.	E. Indies.	1801.	 S. h.	
6 rotundifolia. H.B.	(wh.) round-leaved.	—	1823.	 S. h.	
7 flavescens. DC.	(st.) yellow-flower'd.	Guinea.	1780.	 S. h.	
8 rhamnóides. DC.	(wh.) Rhamnus like.	C. B. S.	1819.	 G. h.	

Tribus III. *KIGGELARIEÆ. DC.*

KIGGELARIA. DC.	KIGGELARIA. Diœcia Decandria. L.				
1 africàna. DC.	(wh.) African.	C. B. S.	1683.	5. 6. G. h.	Lam. ill. t. 821.
2 integrifolia. DC.	(wh.) entire-leaved.	—	1819.	— G. h.	Jacq. ic. rar. t. 628.
MELICYTUS. DC.	MELICYTUS. Diœcia Pentandria.				
ramiflorus. DC.	 branch-flow'rd.	N. Zealand.	1822.	 G. h.	Lam. ill. t. 812. f. 1.

ORDO XVIII.

BIXINEÆ. *DC. prodr.* 1. p. 259.

BIXA. DC.	ANOTTA. Polyandria Monogynia. L.				
1 purpurea.	(pu.) purple.	E. Indies.	1820.	 S. h.	
2 Orellàna. DC.	(ro.) heart-leaved.	S. America.	1690.	5. 8. S. h.	Bot. mag. 1456.
3 Urucuràna. W.	(ro.) white-leaved.	Brazil.	1823.	 S. h.	
LÆTIA. DC.	LÆTIA. Polyandria Monogynia. L.				
Thánnia. DC.	 shining-leaved.	Jamaica		 S. h.	Browne jam. t. 25. f. 2.
PROCKIA. DC.	PROCKIA. Polyandria Monogynia. L.				
1 Crùeis. DC.	(gr.) oval-leaved.	Santa Cruz.		 S. h.	Vahl symb. 3. t. 64.
2 serràta. DC.	(gr.) saw-leaved.	Montserrat.	1822.	 S. h.	
3 theafórmis. DC.	(gr.) Tea-leaved.	Bourbon.	—	 S. h.	Bory voy. 2. t. 21.
	<i>Ludia heterophylla.</i> Bory. non. Lam.				
LUDIA. DC.	LUDIA. Polyandria Monogynia. L.				
1 heterophylla. DC.	(gr.) various-leaved.	Mauritius.	1822.	 S. h.	Lam. ill. t. 466. f. 1. 2.
2 sessiliflora. DC.	(bl.) sessile-flower'd.	—	—	 S. h.	Jacq. schoenb. 1. t. 112.
	<i>tuberculata.</i> Jacq.				

ORDO XIX.

CISTINEÆ. *DC. prodr.* 1. p. 263.

CISTUS. DC.	Rock-Rose. Polyandria Monogynia. L.				
1 candidissimus. DC.	(ro.) Canary Island.	Canaries.	1817.	6. 9. F. h.	Swt. Cist. t. 3.
2 vaginatus. DC.	(ro.) oblong-leaved.	Teneriffe.	1779.	4. 8. F. h.	— t. 9.

3	albidus. DC.	(ro.) white-leaved.	S. Europe.	1640.	5. 9.	H. $\frac{1}{2}$.	Swt. cist. t. 31.
4	incanus. DC.	(li.) hoary-leaved.	————	1596.	5. 8.	F. $\frac{1}{2}$.	———— t. 44.
5	canescens. s.c.	(pu.) narrow hoary.	————		—	F. $\frac{1}{2}$.	———— t. 45.
6	villosus. DC.	(pu.) villous.	————	1640.	—	F. $\frac{1}{2}$.	———— t. 35.
7	rotundifolius. s.c.	(pu.) round-leaved.	————		—	F. $\frac{1}{2}$.	———— t. 75.
8	undulatus. DC.	(pu.) wave-leaved.	————		—	H. $\frac{1}{2}$.	———— t. 63.
9	heterophyllus. DC.	(p.) various-leaved.	Algiers.		—	F. $\frac{1}{2}$.	———— t. 6.
10	crispus. DC.	(pu.) curled-leaved.	S. Europe.	1656.	—	F. $\frac{1}{2}$.	———— t. 22.
11	creticus. DC.	(pu.) Cretan.	Levant.	1731.	—	F. $\frac{1}{2}$.	Flor. græc. t. 495.
12	purpureus. DC.	(pu.) purple.	————		6. 8.	F. $\frac{1}{2}$.	Swt. cist. t. 17.
13	cymosus. DC.	(li.) cyme-flowered.	————		—	F. $\frac{1}{2}$.	———— t. 90.
<i>incanus</i> . Flor. græc. t. 494. <i>nec aliorum</i> .							
14	parviflorus. DC.	(li.) small-flowered.	————	1821.	—	F. $\frac{1}{2}$.	Swt. cist. t. 14.
15	Cupaniæus. s.s.	(wh.) heart-leaved.	Sicily.		6. 10.	H. $\frac{1}{2}$.	———— t. 70.
16	asperifolius. s.c.	(wh.) rough-leaved.			—	H. $\frac{1}{2}$.	———— t. 87.
17	acutifolius. s.c.	(wh.) acute-leaved.	S. Europe.		5. 8.	H. $\frac{1}{2}$.	———— t. 78.
18	salvifolius. DC.	(wh.) Sage leaved.	Europe.	1548.	5. 9.	H. $\frac{1}{2}$.	———— t. 54.
19	obtusifolius. s.c.	(wh.) blunt-leaved.	Levant.		—	F. $\frac{1}{2}$.	———— t. 42.
20	oblongifolius. s.c.	(wh.) oblong-leaved.			6. 10.	H. $\frac{1}{2}$.	———— t. 67.
21	corbariensis. DC.	(wh.) mountain.	S. France.		5. 6.	H. $\frac{1}{2}$.	———— t. 8.
22	platysépalus. s.c.	(wh.) broad-sepaled.	Levant.		6. 8.	F. $\frac{1}{2}$.	———— t. 47.
23	florentinus. DC.	(wh.) Florentine.	Italy.		6. 7.	H. $\frac{1}{2}$.	———— t. 59.
24	monspeliensis. DC.	(w.) Montpellier.	S. Europe.	1656.	—	F. $\frac{1}{2}$.	———— t. 27.
25	Lèdon. DC.	(wh.) many-fl. gum.	S. France.	1730.	6. 8.	H. $\frac{1}{2}$.	Duham. arb. 1. t. 66.
26	hirsutus. DC.	(wh.) hairy.	Spain.	1656.	—	H. $\frac{1}{2}$.	Swt. cist. t. 19.
27	psilosépalus. s.c.	(wh.) smooth-calyxed.			—	H. $\frac{1}{2}$.	———— t. 33.
28	laxus. DC.	(wh.) waved-leaved.	Spain.	1656.	—	H. $\frac{1}{2}$.	———— t. 12.
29	populifolius. s.c.	(wh.) Poplar-leaved.	————	—	5. 6.	H. $\frac{1}{2}$.	———— t. 23.
30	latifolius. s.c.	(wh.) broad-leaved.	Barbary.		—	F. $\frac{1}{2}$.	———— t. 15.
31	laurifolius. DC.	(wh.) Laurel-leaved.	S. Europe.	1731.	6. 8.	H. $\frac{1}{2}$.	———— t. 52.
32	cyprius. DC.	(wh.) common-gum.	Cyprus.		—	H. $\frac{1}{2}$.	———— t. 39.
<i>ladaniferus</i> . Bot. mag. 112. <i>nec aliorum</i> . <i>C. undulatus</i> . L. en?							
33	ladaniferus. DC.	(wh.) flat-leaved gum.	Spain.	1629.	—	F. $\frac{1}{2}$.	—
	α albiflorus. DC.	(wh.) white-flowered.	————	—	—	F. $\frac{1}{2}$.	Swt. cist. t. 84.
	β maculatus. DC.	(w.p.) spot-flowered.	————	—	—	F. $\frac{1}{2}$.	———— t. 1.
34	Clusii. DC.	(wh.) Clusius's.	Spain.		—	H. $\frac{1}{2}$.	———— t. 32.
HELIA NTHEMUM. DC. SUN-ROSE. Polyandria Monogynia. L.							
1	Libanotis. DC.	(wh.) Rosemary-like.	Spain.	1752.	6.	F. $\frac{1}{2}$.	Barr. ic. 294.
2	umbellatum. DC.	(wh.) umbel-flowered.	S. Europe.	1731.	6. 8.	F. $\frac{1}{2}$.	Swt. cist. t. 5.
3	ocymoides. DC.	(ye.) Basil-like.	————		—	F. $\frac{1}{2}$.	———— t. 13.
<i>Cistus sampsucifolius</i> . Cav. ic. 1. t. 96.							
4	alyssoides. DC.	(ye.) Alyssum-like.	————		—	F. $\frac{1}{2}$.	Vent. choix. t. 20.
5	rugosum. DC.	(ye.) rugose.	Portugal.		—	F. $\frac{1}{2}$.	Swt. cist. t. 65.
6	scabrosum. DC.	(ye.) rough.	Italy.	1775.	—	F. $\frac{1}{2}$.	———— t. 81.
7	algarvense. DC.	(ye.) Algarvian.	Portugal.	1800.	7. 8.	F. $\frac{1}{2}$.	———— t. 40.
<i>Cistus algarvensis</i> . B.M. 627.							
8	formosum. DC.	(ye.) beautiful.	————	1780.	5. 7.	F. $\frac{1}{2}$.	Swt. cist. t. 50.
<i>Cistus formosus</i> . B.M. 264.							
9	atriplicifolium. DC.	(y.) Orach-leaved.	Spain.	1656.	6. 7.	F. $\frac{1}{2}$.	Barr. ic. t. 292.
10	microphyllum. s.c.	(y.) small-leaved.	S. Europe.		6. 10.	F. $\frac{1}{2}$.	Swt. cist. t. 96.
11	lasianthum. DC.	(ye.) downy.	Portugal.	1822.	7. 9.	F. $\frac{1}{2}$.	—
12	involucratum. DC.	(ye.) short-pedicled.	S. Europe.	1826.	6. 8.	F. $\frac{1}{2}$.	—
13	candidum. s.c.	(ye.) white-leaved.	Spain.	1822.	—	F. $\frac{1}{2}$.	Swt. cist. t. 25.
14	cheiranthoides. DC.	(y.) Stock-like.	————	1800.	7. 8.	F. $\frac{1}{2}$.	———— t. 107.
15	halimifolium. s.c.	(ye.) Sea-Purslane-ld	————	1656.	—	F. $\frac{1}{2}$.	———— t. 4.
16	rosmarinifolium. DC.	(y.) Rosemary-ld.	N. America.	1823.	—	H. $\frac{1}{2}$.	—
17	glomeratum. DC.	(ye.) cluster-flower'd.	New Spain.	—	6. 9.	F. $\frac{1}{2}$.	Swt. cist. t.
18	ramuliflorum. DC.	(ye.) branch-flower'd.	Carolina.	1823.	—	H. $\frac{1}{2}$.	—
19	canadense. DC.	(ye.) Canadian.	Canada.	1799.	—	H. $\frac{1}{2}$.	Swt. cist. t. 21.
20	carolinianum. DC.	(ye.) Carolina.	Carolina.	1823.	—	F. $\frac{1}{2}$.	———— t. 99.
21	brasiliense. DC.	(st.) Brazilian.	Brazil.	—	6. 8.	F. $\frac{1}{2}$.	———— t. 43.
22	polygalæfolium. s.c.	(ye.) Milkwort-leaved.	————	—	—	F. $\frac{1}{2}$.	———— t. 11.
23	lignosum. s.c.	(ye.) woody-stemm'd.	S. Europe.	1810.	—	F. $\frac{1}{2}$.	———— t. 46.
24	Tuberaria. DC.	(ye.) Plantain-leav'd.	————	1752.	—	F. $\frac{1}{2}$.	———— t. 18.
25	plantagineum. DC.	(ye.) Plantain like.	————	1823.	—	H. $\odot$.	—
26	guttatum. DC.	(ye.) spotted-flower'd.	England.		6. 8.	H. $\odot$.	Eng. bot. 544.
27	eriocaulon. DC.	(ye.) woolly-stalked.	Spain.	1823.	—	H. $\odot$.	Swt. cist. t. 30.
28	punctatum. DC.	(ye.) punctated.	France.	1816.	—	H. $\odot$.	———— t. 61.
29	lunulatum. DC.	(ye.) lunulate-mark'd.	Piedmont.		—	H. $\frac{1}{2}$.	All. auct. p. 30. t. 2. f. 3.

30	villòsum. DC.	(st.) villous.	Spain.	1823.	—	H. ☉.	
31	nilòticum. DC.	(st.) Nile.	Egypt.		—	H. ☉.	
32	ledifòlium. DC.	(st.) Ledum-leaved.	England.		—	H. ☉.	Swt. cist. t. 41.
33	intermèdium. DC.	(ye.) intermediate.	Spain.	1759.	—	H. ☉.	Cav. ic. t. 144.
	salicifòlium. Cav.						
34	denticulàtum. DC.	(ye.) tooth-leaved.	S. France.	1828.	—	H. ☉.	
35	salicifòlium. DC.	(ye.) Willow-leaved.	—	—	—	H. ☉.	Swt. cist. t. 71.
36	sanguineum. DC.	(ye.) bloody-stalked.	—	1823.	—	H. ☉.	
	retrofràctum. P.S.						
37	ægyptiacum. DC.	(ye.) Egyptian.	Egypt.	1764.	—	H. ☉.	Jacq. obs. 3. t. 68.
38	Lippii. DC.	(ye.) small-petaled.	—	1820.	—	F. h̄.	
39	ellipticum. DC.	(st.) elliptic-leaved.	Levant.	1827.	—	F. h̄.	Swt. cist. t. 108.
40	confertum. DC.	(ye.) close-flowered.	Teneriffe.		6. 7.	F. h̄.	
41	canariense. DC.	(ye.) Canary.	Canaries.	1790.	—	F. h̄.	Jacq. ic. 1. t. 97.
42	ericoides. DC.	(ye.) Heath-leaved.	S. Europe.		6. 8.	F. h̄.	Cav. ic. 2. t. 172.
43	Fumana. DC.	(ye.) Heath-like.	—	1752.	—	F. h̄.	Swt. cist. t. 16.
44	procumbens. DC.	(ye.) procumbent.	—		—	F. h̄.	— t. 68.
45	arabicum. DC.	(sc.) Arabian.	Levant.	1826.	—	F. h̄.	— t. 97.
46	lævipes. DC.	(ye.) cluster-leaved.	—	1690.	—	G. h̄.	— t. 24.
47	viride. DC.	(ye.) green-leaved.	Sicily.	1828.	—	F. h̄.	
48	juniperinum. DC.	(ye.) Juniper-leaved.	—		—	G. h̄.	Barr. ic. t. 443.
49	Barrelieri. DC.	(ye.) Barrelier's.	Italy.	1822.	—	F. h̄.	— t. 416.
50	thymifolium. DC.	(ye.) Thyme-leaved.	Spain.	1658.	—	F. h̄.	Swt. cist. t. 102.
51	glutinòsum. DC.	(ye.) clammy.	—	1790.	—	F. h̄.	— t. 83.
52	molle. DC.	(ye.) soft.	—		—	F. h̄.	Cav. ic. 3. t. 262. f. 2.
53	origanifolium. DC.	(ye.) Marjoram-ld.	—	1795.	—	F. h̄.	— 3. t. 262. f. 1.
54	dichotomum. DC.	(ye.) forked.	—		—	F. h̄.	— 3. t. 263. f. 1.
55	œlândicum. DC.	(ye.) smooth-leaved.	Europe.	1816.	—	H. h̄.	Swt. cist. t. 85.
56	alpêtre. DC.	(ye.) alpine.	—	—	—	H. h̄.	— t. 2.
57	penicillatum. DC.	(ye.) pencilled.	S. Europe.		—	H. h̄.	
58	obovatum. DC.	(ye.) obovate-leaved.	Spain.	1826.	—	F. h̄.	
59	italicum. DC.	(ye.) Italian.	Italy.	1779.	7. 9.	H. h̄.	Barr. rar. t. 366.
60	vineale. DC.	(ye.) slender-trailing.	Europe.	1823.	—	H. h̄.	Swt. cist. t. 77.
61	cànum. DC.	(ye.) hoary.	—	1772.	6. 7.	F. h̄.	— t. 56.
62	marifolium. DC.	(ye.) Marum-leaved	—		—	F. h̄.	Barr. rar. t. 441.
63	pulchellum. s.c.	(ye.) neat.	S. Europe.		—	H. h̄.	Swt. cist. t. 71.
64	rotundifolium. DC.	(ye.) round-leaved.	Spain.	1826.	—	F. h̄.	Cav. ic. 2. t. 142.
	Cistus nummulàrius. Cav. non L.						
65	crassifolium. DC.	(ye.) thick-leaved.	—	—	—	F. h̄.	
66	cinereum. DC.	(ye.) gray.	Spain.		—	F. h̄.	Cav. ic. 2. t. 141.
67	squammatum. DC.	(ye.) scaly.	—	1815.	—	F. h̄.	— 2. t. 139.
68	lavandulæfolium. DC.	(ye.) Lavender-ld.	Levant.	1739.	—	F. h̄.	Barr. ic. t. 288.
	β syriacum. DC.	(ye.) Syrian.	Syria.	—	—	F. h̄.	Jacq. ic. 1. t. 96.
69	stœchadifolium. DC.	(y.) woolly-leaved.	Portugal.	1819.	—	F. h̄.	
70	crœceum. DC.	(ye.) Saffron-coloured.	Spain.		—	F. h̄.	Swt. cist. t. 53.
71	nudicaule. DC.	(ye.) naked-stalked.	—	1826.	—	F. h̄.	
72	glaucum. DC.	(ye.) glaucous-leaved.	—	1815.	6. 8.	F. h̄.	Cav. ic. 3. t. 261.
73	leptophyllum. DC.	(ye.) narrow-leaved.	—		7. 8.	F. h̄.	Swt. cist. t. 20.
74	serpyllifolium. DC.	(ye.) Serpyllum-ld.	England.		5. 9.	H. h̄.	— t. 60.
75	vulgare. DC.	(ye.) common.	Britain.		—	H. h̄.	— t. 31.
	β flore pleno.	(ye.) double-flowered.	—		—	H. h̄.	— t. 64.
76	surrejanum. DC.	(ye.) dotted-leaved.	England.		7. 10.	H. h̄.	— t. 28.
	β tomentòsum.	(ye.) woolly-leaved.	—		—	H. h̄.	— t. 34. f. 3.
77	ovatum. DC.	(ye.) ovate-leaved.	Geneva.		6. 8.	H. h̄.	Viv. frag. 1. t. 8. f. 2.
78	lucidum. H.	(ye.) glossy-leaved.		1827.	—	H. h̄.	
79	tauricum. s.c.	(p.y.) Taurian.	Tauria.	1824.	—	H. h̄.	Swt. cist. t. 105.
80	Andersoni. s.c.	(ye.) Anderson's.	Hybrid.	1827.	5. 10.	H. h̄.	— t. 89.
81	grandiflorum. DC.	(ye.) large-flowered.	Pyrenees.	1800.	—	H. h̄.	— t. 69.
82	sampsucifolium. (p.y.)	rough dwarf.	Montpelier.		—	H. h̄.	Bot. mag. 1803.
	Cistus sampsucifolius. B.M. non Cav.						
83	nummularium. DC.	(ye.) Money-wort.	—	1752.	—	H. h̄.	Swt. cist. t. 80.
84	angustifolium. DC.	(ye.) distinct-petaled.		1800.	—	H. h̄.	Jacq. vind. 3. t. 53.
85	hirtum. DC.	(ye.) bristly-calyxed.	Spain.	1759.	—	F. h̄.	Swt. cist. t. 109.
86	barbatum. P.S.	(ye.) bearded.	S. Europe.	1820.	—	H. h̄.	— t. 73.
87	eriosépalon. s.c.	(p.y.) woolly-sepaled.	—		—	H. h̄.	— t. 76.
88	rotatum.	rotate.		1828.		F. h̄.	
89	racemòsum. DC.	(wh.) long-racemed.	S. Europe.		—	F. h̄.	Swt. cist. t. 82.
90	pilòsum. DC.	(wh.) hairy.	—	1731.	—	F. h̄.	— t. 49.
91	lineare. DC.	(wh.) linear-leaved.	—	1824.	6. 8.	F. h̄.	— t. 48.

92	virgatum. DC. (p.r.)	slender.	Barbary.	—	—	F. ½.	Swt. cist. t. 79.
93	apenninum. DC. (wh.)	Apennine.	Europe.	—	—	H. ½.	— t. 62.
94	hispidum. DC. (wh.)	hispid.	S. France.	—	—	H. ½.	—
95	pulverulentum. DC. (w.)	powdered.	—		—	H. ½.	Swt. cist. t. 29.
96	canescens. s.c. (cr.)	canescent.	—		—	H. ½.	— t. 51.
97	rhodanthum. DC. (ro.)	rose-flowered.	Spain.		—	H. ½.	— t. 7.
98	diversifolium. s.c. (re.)	various-leaved.	—		5. 9.	F. ½.	— t. 95.
	β multipléx. s.c. (re.)	full-flowered.	—		—	F. ½.	— t. 98.
99	cupreum. s.c. (co.)	copper-colour'd.	Hybrid.		—	F. ½.	— t. 66.
100	versicolor. s.c. (p.r.)	various-colour'd.	—		—	H. ½.	— t. 26.
101	venustum. s.c. (sc.)	charming.	—		—	H. ½.	— t. 10.
	β flore pleno. (sc.)	double-flowered.	—		—	H. ½.	—
102	variegatum. s.c. (r.w.)	striped-flower'd.	Hybrid.		—	F. ½.	Swt. cist. t. 38.
103	lanceolatum. s.c. (w.)	spear-leaved.	—		—	H. ½.	— t. 100.
104	polifolium. DC. (wh.)	white-mountain.	England.		5. 7.	H. ½.	— t. 88.
105	confusum. s.c. (wh.)	confused.	Europe.		—	H. ½.	— t. 91.
106	macranthum. s.c. (w.)	great-flowered.	—		—	H. ½.	— t. 103.
	β multipléx. s.c. (wh.)	full-flowered.	—		—	H. ½.	— t. 104.
107	mutabile. DC. (p.r.)	changeable.	Spain.	1795.	6. 7.	H. ½.	— t. 106.
108	roseum. DC. (ro.)	rosy.	S. Europe.		—	H. ½.	— t. 55.
	β multipléx. s.c. (ro.)	double-rose.	—		—	H. ½.	— t. 86.
109	Milléri. s.c. (sa.)	Miller's.	—		—	H. ½.	— t. 101.
110	hyssopifolium. DC. (v.)	Hyssop-leaved.	Italy.		—	F. ½.	—
	α crocatum. s.c. (sa.)	saffron-colour'd.	—		—	F. ½.	Swt. cist. t. 92.
	β cupreum. s.c. (co.)	copper-coloured.	—		—	F. ½.	— t. 58.
	γ multipléx. s.c. (co.)	full-flowered.	—		—	F. ½.	— t. 72.
111	foetidum. DC. (wh.)	Bryony-scented.	—		—	H. ½.	Jacq. ic. 1. t. 98.
112	sulphureum. DC. (st.)	sulphur-color'd.	Spain.	1815.	—	H. ½.	Swt. cist. t. 37.
113	stramineum. s.c. (st.)	straw-coloured.	—		—	H. ½.	— t. 93.
	β multipléx. s.c. (st.)	full-flowered.	—		—	H. ½.	— t. 94.
HUDS'ONIA. DC. HUDS'ONIA. Dodecandria Monogynia. L.							
1	ericoides. DC. (ye.)	Heath-like.	N. America.	1805.	5. 7.	F. ½.	Swt. cist. t. 36.
2	tomentosa. N. (ye.)	tomentose.	—	1826.	6. 8.	F. ½.	— t. 57.
LECH'EA. DC. LECH'EA. Tri-Dodecandria Trigynia.							
1	villosa. DC. (ye.)	villous.	Canada.	1780.	7. 8.	H. ¼.	Lam. ill. t. 52. f. 2.
	major. Ph. non Lin.	minor L. non Ph.	—	—	—	—	—
2	minor. DC. (ye.)	lesser.	—	1802.	—	H. ¼.	Lam. ill. t. 52. f. 1.
3	thymifolia. DC. (ye.)	Thyme-leaved.	N. America.	1823.	—	H. ¼.	—

ORDO XX.

VIOLARIEÆ. DC. prodr. 1. p. 287.

Tribus I. VIOLEÆ. DC.

CALYPTRION. DC. CALYPTRION. Pentandria Monogynia.							
	Aublétii. DC.	(wh.) Aublet's.	S. America.	1820.		S. ½. ∪.	Aub. gui. 2. t. 319.
	<i>Viola Hybanthus</i> . Aub. <i>Jonidium Aublétii</i> . R. S.						
NOISE'TTIA. DC. NOISE'TTIA. Pentandria Monogynia.							
1	longifolia. DC.	(wh.) long-leaved.	Cayenne.	1822.		S. ½.	Nov. g. am. t. 409. b. f. 2.
	<i>Jonidium longifolium</i> . R. S.						
2	pyrifolia. Mart.	(wh.) Pear-leaved.	Brazil.	1822.		S. ½. ∪.	Mart. n. pl. bras. ic.
VIOLA. DC. VIOLET. Pentandria Monogynia.							
1	pedata. DC.	(bl.) cut-leaved.	N. America.	1759.	5. 8.	H. ¼.	Swt. br. fl. gar. t. 69.
2	flabellifolia. B. C.	(b. p.) fan-leaved.	—	1822.	—	H. ¼.	Lod. bot. cab. 777.
	<i>pedata</i> β <i>atropurpurea</i> . DC. <i>pedata</i> var. <i>bicolor</i> . Ph.						
3	digitata. Ph.	(bl.) finger-leaved.	Virginia.	1824.	—	H. ¼.	
4	palmata. DC.	(bl.) palmated.	—	1752.	5. 6.	H. ¼.	Bot. mag. 535.
5	asarifolia. DC.	(bl.) Asarum-leaved.	—	1823.	—	H. ¼.	
6	papilionacea. DC.	(bl.) variegated.	—	1800.	—	H. ¼.	
7	obliqua. Ph.	(bl.) oblique-flower'd.	—	1762.	—	H. ¼.	
8	cucullata. Ph.	(bl.) hollow-leaved.	—	1772.	5. 7.	H. ¼.	Bot. mag. 1795.
9	pinnata. R. S.	(pu.) winged-leaved.	Europe.	1752.	5. 6.	H. ¼.	All. m. taur. 3. t. 5. f. 2.
10	multifida. R. S.	(pu.) multifid.	Siberia.	—	—	H. ¼.	Gmel. sib. 4. t. 48. f. 4.

11	variegàta. DC.	(pu.)	variegated-ld.	Dahuria.	1818.	5. 6.	H. 4.	
12	primulæfòlia. DC.	(bl.)	Primrose-ld.	N. America.	1783.	4. 6.	H. 4.	
13	lanceolàta. DC.	(wh.)	spear-leaved.	—————	1759.	6. 7.	F. 4.	Swt. br. fl. gar. 2. t. 171.
14	Patrinii. DC.	(bl.)	Siberian.	Siberia.		—	H. 4.	
15	cæspitòsa. D.P.	(pu.)	tufted.	Nepaul.	1825.	5. 8.	F. 4.	
	<i>Patrinii</i> γ <i>napaulensis</i> . DC. <i>primulæfolia</i> . Buch. non L.							
16	palmàris. D.P.	(ye.)	long-petioled.	—————	—	—	F. 4.	
17	ovàta. DC.	(bl.)	oval-leaved.	N. America.	1822.	—	H. 4.	
18	sagittàta. DC.	(b.w.)	arrow-leaved.	—————	1775.	—	H. 4.	
19	dentàta. Ph.	(bl.)	large-toothed.	Pensylvania.	1828.	—	H. 4.	
20	betonicæfòlia. DC.	(pu.)	Betony-leaved.	N. S. W.	1823.	—	F. 4.	
21	Fischèri.	(pu.)	Fischer's.	Siberia.	1823.	5. 7.	H. 4.	
	<i>suavis</i> . F. non. M.B.							
22	palústris. DC.	(pa.)	marsh.	Britain.		5. 6.	H. 4.	Eng. bot. 444.
23	blànda. DC.	(wh.)	white-flowered.	N. America.	1802.	5. 7.	H. 4.	W. hort. ber. 1. t. 24.
24	rotundifòlia. DC.	(ye.)	round-leaved.	—————	1800.	—	H. 4.	
25	soròria. W.	(pu.)	white-rooted.	—————	1802.	4. 6.	H. 4.	W. hort. ber. 1. t. 72.
26	áspera. DC.	(wh.)	rough.	Nepaul.	1825.	5. 8.	F. 4.	
27	hírta. E.B.	(bl.)	hairy.	England.		—	H. 4.	Eng. bot. 894.
28	ambígua. R.S.	(pu.)	ambiguous.	Danube.	1822.	—	H. 4.	W. et K. hung. t. 190.
29	campéstris. M.B.	(pu.)	field.	Tauria.	1824.	—	H. 4.	
30	hirsùta. R.S.	(bl.)	hairy-stalked.	Russia.	1824.	1. 12.	H. 4.	
31	collina. R.S.	(li.)	hill.	Volhynia.	—	5. 8.	H. 4.	
32	cordàta. S.S.	(bl.)	heart-leaved.	N. America.	—	5. 7.	H. 4.	
33	suávis. M.B.	(p.b.)	fragrant.	Siberia.	1823.	3. 5.	H. 4.	
34	odoràta. DC.	(vi.)	sweet-scented.	Britain.		3. 10.	H. 4.	Eng. bot. t. 619.
	α violàcea.	(vi.)	violet-coloured.	—————		—	H. 4.	
	β rosea.	(ro.)	rose-coloured.	—————		—	H. 4.	
	γ alba.	(wh.)	white-flowered.	—————		—	H. 4.	
	δ carùlea.	(bl.)	blue-flowered.	—————		—	H. 4.	
	ε purpùreo-plèna.	(pu.)	double-purple.	—————		—	H. 4.	
	ζ álbo-plèna.	(wh.)	double-white.	—————		—	H. 4.	
	η carùleo-plèna.	(bl.)	double-blue.	—————		—	H. 4.	
	θ pállido-plèna.	(p.b.)	Neapolitan.	Naples.		—	H. 4.	
35	uliginòsa. DC.	(pu.)	fen.	Carniola.	1822.	4. 5.	H. 4.	
36	mirábilis. DC.	(w.l.)	broad-leaved.	Europe.	1732.	6. 8.	H. 4.	Jacq. fl. aust. t. 19.
37	striàta. DC.	(st.)	streaked.	N. America.	1772.	—	H. 4.	
38	ochroleùca. DC.	(st.)	sulphur-color'd.	—————		—	H. 4.	
39	canìna. DC.	(bl.)	dog's.	Britain.		4. 6.	H. 4.	Eng. bot. 620.
40	sylvéstris. R.S.	(p.b.)	wood.	Hungary.	1823.	—	H. 4.	
41	Riviniàna. S.S.	(bl.)	Rivini's.	Europe.		4. 6.	H. 4.	
42	ericetòrum. L.en.	(bl.)	heath.	Germany.	1826.	—	H. 4.	
43	neglécta. R.S.	(p.b.)	neglected.	Bohemia.	1824.	—	H. 4.	
44	débilis. DC.	(p.b.)	weak.	N. America.	1820.	—	H. 4.	
45	arenària. DC.	(bl.)	sand.	Europe.	—	—	H. 4.	Pio viol. p. 20. t. 1. f. 2.
	<i>Alliòni</i> . R.S. <i>nummularifolia</i> . Schl.							
46	gláuca. M.B.	(pu.)	glaucous.	Russia.	1820.	—	H. 4.	
47	pùmila. DC.	(p.b.)	small.	Europe.	—	—	H. 4.	Vill. c. stras. t. 5.
48	flavicórnis. E.F.	(bl.)	yellow-spurred.	Britain.		5. 7.	H. 4.	Raii synops. t. 24. f. 1.
49	montàna. S.S.	(bl.)	mountain.	Europe.	1683.	5. 6.	H. 4.	Bot. mag. 1595.
50	stricta. H.	(p.b.)	upright.	—————	1822.	—	H. 4.	
	<i>Hornemanniana</i> . R.S.							
51	persicifòlia. S.S.	(bl.)	Peach-leaved.	S. Europe.	1818.	—	H. 4.	Schkuhr hand. 3. t. 269.
52	lacteà. R.S.	(pu.)	cream-coloured.	England.		—	H. 4.	Eng. bot. 445.
53	Rúppii. S.S.	(pa.)	Piedmont.	Piedmont.	1820.	—	H. 4.	Lodd. bot. cab. 686.
54	Broussonetiàna. R.S.		Broussonet's.	Teneriffe.	1825.	—	G. ½.	
55	arboréseens. DC.	(pa.)	shrubby.	S. Europe.	1779.	4. 5.	G. ½.	Barr. ic. 568.
56	epípsila. S.S.	(p.b.)	creeping.	Siberia.	1821.	4. 6.	H. 4.	
57	fennica. F.	(bl.)	Siberian.	—————	1827.	—	H. 4.	
58	Selkirkii. DC.		Selkirk's.	Montreal.	1823.	—	H. 4.	
59	py'gmæa. DC.	(p.b.)	pigmy.	Andes.	1822.	7. 11.	H. 4.	
60	biflòra. DC.	(ye.)	two-flowered.	Europe.	1752.	—	H. 4.	Flor. dan. 46.
61	Nuttállii. DC.	(ye.)	Nuttal's.	N. America.	1812.	5. 6.	H. 4.	
62	hastàta. DC.	(ye.)	hastate.	—————	1823.	5. 7.	H. 4.	
63	albiflòra. L. en.	(wh.)	white-flowered.	—————		—	H. 4.	
64	canadénsis. DC.	(w.r.)	Canadian.	—————	1783.	—	H. 4.	
65	pubéscens. DC.	(ye.)	downy.	—————	1772.	6. 7.	H. 4.	Swt. br. fl. gar. 223.
66	eriocárpa. DC.	(ye.)	woolly-capsul'd.	—————	1820.	—	H. 4.	102.
67	uniflòra. DC.	(ye.)	Siberian.	Siberia.	1774.	—	H. 4.	Gmel. sib. 4. t. 48. f. 5.

68	chrysántha. Scr. (ye.)	golden-flowered.		1823.	5. 8.	H. 4.	
69	nummularifolia. DC. (b.)	money-wort.	Piedmont.	—	—	H. 4.	All. ped. n. 1640. t. 9. f. 4.
70	alpina. DC. (pu.)	alpine.	Austria.	1826.	—	H. 4.	Jacq. obs. 1. t. 11.
71	cornúta. DC. (bl.)	horned.	Pyrenees.	1776.	5. 6.	H. 4.	Bot. mag. 791.
72	cenisia. DC. (bl.)	Mount-Cenis.	Switzerland.	1759.	6. 7.	H. 4.	All. ped. 2. t. 22. f. 6.
73	valéria. R. S. (pu.)	fringed-leaved.	—	1805.	5. 6.	H. 4.	— 2. t. 24. f. 3.
74	calcarata. R. S. (bl.)	spurred.	Europe.	1752.	3. 6.	H. 4.	
75	Villarsiana. R. S. (bl.)	Villars's.	S. France.		—	H. 4.	Vill. cat. arg. t. 5.
76	Zóysii. R. S. (ye.)	crenated.	Europe.		7. 9.	H. 4.	Jacq. coll. 4. t. 11. f. 1.
77	amœ'na. DC. (pu.)	purple.	Scotland.		5. 8.	H. 4.	
78	altáica. DC. (ye.)	Tartarian.	Altay.	1805.	3. 6.	H. 4.	Bot. reg. 54.
<i>grandiflora</i> . L. non DC.							
β	purpurea. DC. (pu.)	purple-flowered.	Altay.		3. 6.	H. 4.	Swt. br. fl. gar. ic.
79	prostrata. R. S. (st.)	prostrate.	Teneriffe.	1824.	—	H. ⊙.	
80	sudética. W. en. (ye.)	large-flowered.	Europe.		5. 8.	H. 4.	
<i>grandiflora</i> . DC. fl. fr. 5. p. 620.							
81	lútea. E. B. (ye.)	large yellow.	Britain.		5. 8.	H. 4.	Eng. bot. 721.
82	saxatilis. R. S. (st.)	rock.	Bohemia.	1824.	—	H. 4.	Swt. br. fl. gar. t.
83	rothomagensis. DC. (b.)	Rouen.	France.	1783.	—	H. 4.	Bot. mag. 1498.
84	tricolor. R. S. (b. y.)	Heart's-ease.	Britain.		4. 11.	H. ♂.	Ced. fl. dan. t. 623.
85	bannática. R. S. (st.)	intermediate.	Hungary.		5. 8.	H. ⊙.	
86	arvensis. R. S. (st.)	corn.	Britain.		—	H. ⊙.	
87	declinata. R. S. (bl.)	declined.	Hungary.	1820.	—	H. ♂.	W. et K. hung. 3. t. 223.
88	Kitaibeliána. R. S. (st.)	Kitaibel's.	Switzerland.	1824.	4. 6.	H. ⊙.	
ER'ETION B. F. G. SPURLESS VIOLET. Pentandria Monogynia.							
1	hederaceum. (b. w.)	Ivy-leaved.	V. Diem. Isl.	1825.	5. 9.	F. 4.	Lab. nov. holl. 1. t. 91.
<i>Viola hederacea</i> . Lab.							
2	renifórme. B. F. G. (b. w.)	kidney-leaved.	N. S. W.	1823.	—	F. 4.	Swt. br. fl. gar. 170.
<i>Viola reniformis</i> . B.							
SOLEA. DC. S'OLEA. Pentandria Monogynia.							
	cóncolor. DC. (gr.)	green-flowered.	N. America.	1788.	6. 7.	H. 4.	Linn. trans. 6. t. 28.
POMB'ALIA. DC. POMB'ALIA. Pentandria Monogynia.							
	'Itubu. DC. (wh.)	white Ipecacuanha.	Brazil.	1822.	7. 8.	S. 4.	H. et. B. 5. t. 496. f. 2.
	β calceolária. (wh.)	villous-stemmed.	—	—	—	S. 4.	Bot. mag. 2453
<i>Jonidium Ipecacuánha</i> . β. B. M. 2453.							
JON'IDIUM. DC. JON'IDIUM. Pentandria Monogynia.							
1	strictum. DC. (wh.)	upright.	St. Domingo.	1820.		S. 4.	
2	polygalæfólium. DC. (st.)	Milkwort-l ^d .	S. America.	1797.	4. 8.	G. 4.	Vent. malm. 27.
3	verbenaceum. DC. (p. b.)	Vervain-like.	—	1822.	6. 8.	H. ⊙.	H. et B. V. 379. t. 497.

Tribus II. ALSODINEÆ. DC.

ALSODE'IA. DC. ALSODE'IA. Pentandria Monogynia.							
1	arborea. DC. (wh.)	tree.	Madagascar.	1823.		S. h.	
2	latifolia. DC. (wh.)	broad-leaved.	—	—		S. h.	Pet. Th. veg. af. t. 18. f. 2.
CERA'NTHERA. DC. CERA'NTHERA. Pentandria Monogynia.							
	dentata. DC. (wh.)	toothed.	Sierra Leone.	1822.		S. h.	Beauv. fl. d'ow. 2. t. 65.

Tribus III. SAUVAGEÆ. DC.

SAUVAG'ESIA. DC. SAUVAG'ESIA. Pentandria Monogynia.							
1	erecta. DC. (wh.)	upright.	S. America.	1823.	7. 9.	S. ⊙.	Jacq. am. pict. t. 77.
2	nútans. DC. (wh.)	nodding.	Madagascar.	—	—	S. ⊙.	

ORDO XXI.

DROSERACEÆ. DC. *prodr.* 1. p. 317.

DROSE'RA. DC. SUNDEW. Pentandria Pentagynia. L.							
1	acaulis. DC. (wh.)	stalkless.	C. B. S.	1821.	7. 8.	G. w. 4.	
2	pauciflora. DC. (wh.)	few-flowered.	—	—	—	G. w. 4.	

3	cuneifolia. DC.	(w.r.) wedge-leaved.	C. B. S.	1824.	6. 8.	G.w. 4.	
	α alba.	(wh.) white-flowered.	————	————	————	G.w. 4.	
	β rubra.	(re.) red-flowered.	————	————	————	G.w. 4.	
4	rotundifolia. DC.	(wh.) round-leaved.	Britain.		7. 8.	H.w. 4.	Eng. bot. 867.
5	longifolia. L.	(wh.) intermediate.	England.		————	H.w. 4.	———— 868.
	intermedia. DC.						
6	americana. W.en.	(wh.) American.	N. America.	1824.	————	H.w. 4.	
7	anglica. DC.	(wh.) great.	————		————	H.w. 4.	Eng. bot. 869.
	longifolia. D. et H. 3. t. 75. A.						
8	linearis. DC.	(wh.) linear-leaved.	N. America.	1822.	5. 6.	H.w. 4.	
9	filiformis. Ph.	(pu.) thready-leaved.	————	1811.	————	H.w. 4.	
ALDROVA'NDA. DC. ALDROVA'NDA. Pentandria Pentagynia. L.							
	vesiculosa. DC.	(wh.) whorl-leaved.	S. Europe.	1826.	6. 8.	H.w. $\odot$.	Lam. ill. t. 220.
B'YBLIS. DC. B'YBLIS. Pentandria Monogynia.							
	liniflora. DC.	(bl.) blue-flowered.	N. S. W.	1803.	5. 6.	G.w. 4.?	Salisb. par. 95.
DION'ÆA. DC. DION'ÆA. Decandria Monogynia. L.							
	Muscipula. DC.	(wh.) Venus Flytrap.	Carolina.	1768.	7. 8.	G. 4.	Bot. mag. 785.
PARNA'SSIA. DC. PARNA'SSIA. Pentandria Tetragynia. L.							
1	palustris. DC.	(wh.) marsh.	Britain.		7. 8.	H.w. 4.	Eng. bot. 82.
2	parviflora. DC.	(wh.) small-flowered.	N. America.		5. 6.	H.w. 4.	
3	caroliniana. DC.	(wh.) Carolina.	Carolina.	1802.	5. 8.	H.w. 4.	Bot. mag. 1459.
4	asarifolia. DC.	(wh.) Asarum-leaved.	N. America.	1812.	7. 8.	H.w. 4.	Vent. malm. t. 39.

ORDO XXII.

POLYGALEÆ. DC. *prodr.* 1. p. 231.

POLY'GALA. DC. MILKWORT. Diadelphia Octandria. L.							
1	oppositifolia. DC.	(pu.) opposite-leav'd.	C. B. S.	1790.	1. 12.	G. h_2 .	Bot. reg. 636.
2	cordifolia. DC.	(pu.) heart-leaved.	————	1791.	————	G. h_2 .	
3	tetragona. DC.	(pu.) square-stalked.	————	1820.	————	G. h_2 .	
	attenuata. Lod. bot. cab. 1000.	oppositifolia β major.	B.R.	1146.			
4	nummularia. DC.	(pu.) Moneywort-ld.	C. B. S.	1812.	————	G. h_2 .	
5	latifolia. B.R.	(pu.) broad-leaved.	————	1820.	————	G. h_2 .	Bot. reg. 645.
	cordifolia. B.M. non DC.						
6	borboniæfolia. DC.	(p.) Borbonia-leav'd.	————	1790.	————	G. h_2 .	
	oppositifolia. B.M. non DC.						
7	grandiflora. B.C.	(pu.) large-flowered.	————	1825.	4. 9.	G. h_2 .	Lodd. bot. cab. 1227.
8	myrtifolia. DC.	(pu.) Myrtle-leaved.	————	1707.	5. 8.	G. h_2 .	Bot. reg. 669.
9	ligularis. DC.	(pu.) ligulate-leaved.	————	1820.	————	G. h_2 .	———— 637.
10	intermedia. DC.	(pu.) intermediate.	————		5. 10.	G. h_2 .	
11	bracteolata. DC.	(pu.) spear-leaved.	————	1713.	————	G. h_2 .	Bot. mag. 345.
12	Linkiana.	(pu.) slender-leaved.	————	1820.	————	G. h_2 .	
	tenuifolia. L. en. non w.						
13	umbellata.	(pu.) hispid-stalked.	————	————	————	G. h_2 .	Burm. afr. t. 73. f. 5.
14	Burmanni. DC.	(pu.) Burman's.	————		————	G. h_2 .	———— t. 73. f. 4.
15	simplèx. DC.	(pu.) simple-stalked.	————	1820.	————	G. h_2 .	
16	affinis. DC.	(pu.) blunt-leaved.	————	1825.	6. 9.	G. h_2 .	
17	speciosa. DC.	(pu.) showy.	————	1814.	————	G. h_2 .	Bot. reg. 150.
18	teretifolia. DC.	(pu.) columnar-ld.	————	1791.	5. 8.	G. h_2 .	Andr. rep. 370.
19	Garcini. DC.	(pu.) slender-branch'd	————		5. 10.	G. h_2 .	Burm. afr. t. 73. f. 3.
20	major. DC.	(pu.) large Austrian.	Austria.	1739.	7. 8.	H. 4.	Jacq. aust. 5. t. 413.
21	vulgaris. DC.	(ra.) common.	Britain.		5. 7.	H. 4.	Eng. bot. 76.
	α vera. DC.	(r.b.) true.	————		————	H. 4.	Flor. dan. t. 516.
	β pubescens. DC.	(r.b.) pubescent.	————		————	H. 4.	
	γ elata. DC.	(r.b.) tall.	————		————	H. 4.	Schk. handb. t. 191.
	δ Verriana. DC.	(wh.) white-flowered.	————		————	H. 4.	
	ϵ acutifolia. DC.	(bl.) blue-flowered.	————		————	H. 4.	
	ζ angustifolia. DC.	(ro.) rose-coloured.	————		————	H. 4.	
	η grandiflora. DC.	(re.) red-flowered.	————		————	H. 4.	
22	amara. DC.	(bl.) bitter.	Europe.	1775.	————	H. 4.	Bot. mag. 2437.
23	monspeliaca. DC.	(fl.) Montpellier.	Montpellier.	1823.	6. 9.	H. $\odot$.	DC. ic. rar. 1. t. 9.
24	incarnata. DC.	(fl.) flesh-coloured.	N. America.	1812.	6. 7.	H. $\odot$.	
25	cruciata. DC.	(ro.) four-leaved.	————	1739.	————	H. $\odot$.	
26	brevifolia. DC.	(re.) short-leaved.	————	1824.	————	H. $\odot$.	
27	fastigiata. DC.	(re.) close-branched.	————	————	————	H. $\odot$.	

28 lutea. DC.	(ye.) golden.	N. America.	1739.	6. 7.	H. ☉.	Pluk. am. t. 438. f. 6.
29 nana. DC.	(gr.) dwarf.	————	1815.	7. 8.	H. ☉.	
30 purpurea. DC.	(ro.) purple.	————	1739.	7. 9.	H. ☉.	
<i>sanguinea. Mich.</i>						
31 sanguinea. DC.	(cr.) bloody.	————	————	————	H. ☉.	
32 ambigua. DC.	(pu.) ambiguous.	————	1824.	6. 7.	H. ☉.	
33 verticillata. DC.	(w.r.) whorl-leaved.	————	1739.	————	H. ☉.	Pluk. am. t. 438. f. 4.
34 paniculata. DC.	(pu.) paniced.	S. America.	1822.	7. 10.	S. ☉.	Bot. reg. 761.
35 graminifolia. DC.	(st.) grass-leaved.	N. America.	————	6. 7.	F. 4.	
36 alba. N.	(wh.) white-flowered.	Louisiana.	1827.	6. 7.	H. 4.	
37 rubella. DC.	(re.) reddish.	N. America.	1828.	————	H. 4.	
38 Senega. DC.	(bh.) Rattlesnake-rt.	————	1739.	————	H. 4.	Bot. mag. 1051.
39 paucifolia. DC.	(pu.) naked-stalked.	————	1791.	5. 6.	H. 4.	———— 2852.
40 commutata.	(pu.) frutescent.	————	————	————	H. 4.	
<i>purpurea. H.K. nec aliorum.</i>						
41 Chamabuxus. DC.	(w.) Box-leaved.	Europe.	1658.	————	H. 4.	Bot. mag. 316.
<i>SALOMONIA. DC. SALOMONIA.</i>						
<i>cantonensis. DC. (wh.) Canton.</i>						
<i>China. 1821. 6. 8. H. ☉.</i>						
<i>COMESPERMA. DC. COMESPERMA. Monadelphina Octandria.</i>						
1 ericina. DC.	(pu.) Heath-like.	N. S. W.	1822.	5. 8.	G. 4.	
2 virgata. DC.	(pu.) twiggy.	————	1826.	————	G. 4.	Lab. nov. holl. 2. t. 159.
3 coridifolia. F.T.	(pu.) Coris-leaved.	————	1822.	————	G. 4.	
<i>MURALTIA. DC. MURALTIA. Diadelphina Octandria. L.</i>						
1 Heisteria. DC.	(pu.) Furze-leaved.	C. B. S.	1787.	1. 12.	G. 4.	Bot. mag. 340.
<i>Polygala Heisteria. B.M.</i>						
2 alopecuroides. DC.	(p.) Fox-tail.	————	1800.	5. 8.	G. 4.	Bot. mag. 1006.
<i>Polygala alopecuroides. B.M.</i>						
3 squarrosa. DC.	(li.) squarrose.	————	1821.	————	G. 4.	
4 stipulacea. DC.	(pu.) stipuled.	————	1801.	4. 9.	G. 4.	Bot. mag. 1715.
5 juniperifolia. DC.	(re.) Juniper-leaved.	————		————	G. 4.	
6 diffusa. DC.	(li.) diffuse.	————	1800.	1. 12.	G. 4.	
7 virgata. DC.	(pu.) twiggy.	————	————	————	G. 4.	
8 linophylla. DC.	(pu.) Flax leaved.	————	1812.	5. 8.	G. 4.	
9 macroceras. DC.	(pu.) long-horned.	————	————	————	G. 4.	
10 mixta. DC.	(li.) Heath-leaved.	————	1791.	1. 12.	G. 4.	Bot. mag. 1714.
<i>Polygala mixta. B.M.</i>						
<i>α rubra. (li.) pale red.</i>						
<i>β alba. (wh.) white-flowered.</i>						
11 ciliaris. DC.	(li.) ciliated.	————	1822.	5. 7.	G. 4.	
12 humilis. DC.	(pu.) humble.	————	1817.	5. 8.	G. 4.	Lodd. bot. cab. 420.
<i>Polygala humilis. B.C.</i>						
13 pubescens. DC.	(li.) pubescent.	————	1823.	————	G. 4.	
<i>MUNDIA. DC. MUNDIA. Diadelphina Octandria. L.</i>						
spinosa. DC.	(li.) spiny.	C. B. S.	1780.	1. 5.	G. 4.	
α latifolia. DC.	(li.) broad-leaved.	————	————	————	G. 4.	
β angustifolia. DC.	(li.) narrow-leaved.	————	————	————	G. 4.	
<i>SECURIDACA. DC. SECURIDACA. Diadelphina Octandria. L.</i>						
1 virgata. DC.	(r.) slender.	Jamaica.	1822.		S. 4. —.	Plum. ed. Bur. t. 248. f. 1
2 volubilis. DC.	(re.) climbing.	W. Indies.	1739.		S. 4. —.	Jacq. amer. t. 183. f. 38.
3 erecta. DC.	(pu.) upright.	————	1824.		S. 4.	———— t. 183. f. 39.
4 paniculata. DC.	(st.) paniced.	Cayenne.	1820.		S. 4.	Lam. ill. t. 599. f. 2.

ORDO XXIII.

TREMANDREÆ. DC. prodr. 1. p. 343.

<i>TETRATHECA. DC. TETRATHECA. Octandria Monogynia.</i>						
1 juncea. DC.	(w.p.) rushy.	N. S. W.	1803.	7. 8.	G. 4.	Sm. nov. hol. 1. t. 2.
2 glandulosa. DC.	(re.) glandular.	V. Diemen.	1822.	————	G. 4.	Lab. nov. hol. 1. t. 123.
3 pilosa. DC.	(re.) hairy.	————	————	————	G. 4.	———— 1. t. 122.
<i>glandulosa. Ex. bot. 21.</i>						
4 ericifolia. DC.	(r.w.) Heath-leaved.	N. S. W.	————	————	G. 4.	Sm. exot. bot. t. 20.
5 rubicoides. F.T.	(ro.) Rubia-like.	————	1823.	6. 8.	G. 4.	

ORDO XXIV.

PITTOSPOREÆ. *DC. prodr. 1. p. 345.*

BILLARDIE'RA. DC. APPLE-BERRY. Pentandria Monogynia. L.									
1 scândens. DC.	(st.)	downy-fruited.	N. S. W.	1790.	6. 8.	G. h.	∩.	Swt. fl. aust. t. 54.	
2 mutâbilis. DC.	(p.s.)	changeable.	—	1795.	5. 9.	G. h.	∩.	Bot. mag. 1313.	
3 longiflôra. DC.	(st.)	blue-fruited.	V. Diemen.	1810.	—	G. h.	∩.	—	1507.
4 fusifôrmi. DC.	(bl.)	long-fruited.	—	1822.	—	G. h.	∩.	Lab. nov. holl. t. 90.	
5 angustifôlia. DC.	(st.)	narrow-leaved.	N. S. W.	—	—	G. h.	∩.	—	
PITTO'SPORUM. DC. PITTO'SPORUM. Pentandria Monogynia. L.									
1 coriâceum. DC.	(wh.)	thick-leaved.	Madeira.	1787.	5. 6.	G. h.		Andr. rep. 151.	
2 viridiflôrum. DC.	(gr.)	green-flowered.	C. B. S.	1806.	—	G. h.		Bot. mag. 1684.	
3 Tobîra. DC.	(wh.)	glossy-leaved.	China.	1804.	3. 8.	G. h.		—	1396.
4 undulâtum. DC.	(wh.)	wave-leaved.	N. S. W.	1789.	2. 6.	G. h.		Bot. reg. 16.	
5 revolutum. DC.	(st.)	revolute-leaved.	—	1795.	6. 7.	G. h.		—	186.
6 tomentôsum. DC.	(st.)	woolly-leaved.	N. Holland.	1825.	6. 7.	G. h.		Swt. fl. aust. t. 33.	
7 fûlvum. DC.	(st.)	tawny.	N. S. W.	1824.	1. 5.	G. h.		—	t. 25.
8 tenuifôlium. G.	(st.)	Willow-leaved.	—	1818.	—	G. h.		Gært. fr. 1. t. 59.	
9 ferrugîneum. DC.	(st.)	rusty-leaved.	Guinea.	1787.	2. 5.	S. h.		Bot. mag. 2075.	
BURS'ARIA. DC. BURS'ARIA. Pentandria Monogynia. L.									
spinôsa. DC.	(wh.)	thorny.	N. S. W.	1793.	8. 12.	G. h.		Bot. mag. 1767.	
<i>Itea spinosa</i> . And. rep. t. 314.									
SEN'ACIA. DC. SEN'ACIA. Pentandria Monogynia. L.									
1 undulâta. DC.	(wh.)	wave-leaved.	Mauritius.	1785.		S. h.			
2 nepalênsis. DC.	(wh.)	flat-leaved.	Nepaul.	1826.		G. h.			

ORDO XXV.

FRANKENIACEÆ. *DC. prodr. 1. p. 349.*

FRANK'ENIA. DC. SEA HEATH. Hexandria Monogynia. L.									
1 pulverulênta. DC.	(re.)	powdery.	England.		7.	H. 4.		Eng. bot. 2222.	
2 nodiflôra. DC.	(re.)	knotted-flow'r'd.	C. B. S.	1818.	6. 8.	G. 4.		Lam. ill. t. 262. f. 4.	
3 Nôthria. DC.	(re.)	Cape.	—	1816.	—	G. 4.		Berg. cap. 171. t. 1. f. 2.	
<i>Nôthria repens</i> . Berg.									
4 læ'vis. DC.	(re.)	smooth.	England.		7. 8.	H. 4.		Eng. bot. 205.	
5 intermèdia. DC.	(re.)	sea-side.	S. Europe.	1820.	6. 8.	H. 4.		Mich. gen. t. 22. f. 2.	
<i>hirsûta</i> . var. <i>calâbrica</i> . L.									
6 hîspida. DC.	(re.)	hairy.	Siberia.	1789.	—	H. 4.		Flor. græc. t. 313.	
<i>hirsûta</i> . var. <i>crética</i> . L.									
7 ericifôlia. DC.	(re.)	Heath-leaved.	Canaries.	1815.	—	G. h.			
8 pauciflôra. DC.	(ro.)	few-flowered.	N. Holland.	1825.	8. 10.	G. h.			

ORDO XXVI.

CARYOPHYLLLEÆ. *DC. prodr. 1. p. 351.*Tribus I. *SILENEÆ*. DC.

GYPSO'PHILA. DC. GYPSO'PHILA. Decandria Digynia. L.									
1 Struthium. DC.	(wh.)	fleshy-leaved.	Spain.	1729.	7. 8.	H. 4.		Barr. ic. 64. t. 119.	
2 fastigiâta. DC.	(wh.)	angular-leaved.	Europe.	1759.	6. 7.	H. 4.		Gmel. sib. 4. t. 61. f. 1.	
3 dichôtoma. DC.	(wh.)	forked.	Galicia.	1826.	6. 8.	H. 4.			
4 arenâria. DC.	(wh.)	sand.	Hungary.	1801.	7. 8.	H. 4.		W. et. K. hung. t. 41.	
5 viscôsa. DC.	(bh.)	clammy.	Levant.	1773.	6. 8.	H. 4.		Mur. c. got. 1783. t. 3.	
6 altîssima. DC.	(wh.)	upright.	Siberia.	1759.	7. 8.	H. 4.		Gmel. sib. 4. t. 60.	
7 latifôlia. F.	(wh.)	broad-leaved.	—	1824.	6. 9.	H. 4.			

8 perfoliata. DC.	(wh.)	perfoliate.	Spain.	1732.	6. 9.	H. 4.	Dill. elt. t. 276.
β tomentosa. DC.	(wh.)	woolly.	Tauria.	—	—	H. 4.	Barr. ic. t. 1002.
9 scorzonifolia. DC.	(w.)	Scorzonera-lf.	—	1823.	—	H. 4.	
10 acutifolia. DC.	(wh.)	sharp-leaved.	Caucasus.	1821.	—	H. 4.	
11 paniculata. DC.	(wh.)	panicked.	Siberia.	1759.	6. 7.	H. 4.	Jacq. aust. 5. t. app. 1
12 adscendens. DC.	(wh.)	ascending.	Levant.	1819.	—	H. 4.	Jacq. h. vind. 2. t. 138.
13 elegans. DC.	(bh.)	elegant.	Tauria.	1820.	6. 8.	H. ⊙.	Swt. br. fl. gar.
14 Steveni. DC.	(wh.)	Steven's.	Iberia.	1817.	—	H. 4.	
15 tenuifolia. DC.	(ro.)	slender-leaved.	Caucasus.	1821.	—	H. 4.	
16 repens. DC.	(wh.)	creeping.	Pyrenees.	1774.	7. 9.	H. 4.	Bot. mag. 1448.
17 dubia. DC.	(wh.)	doubtful.		1815.	5. 9.	H. 4.	
18 prostrata. DC.	(bh.)	trailing.	Siberia.	1759.	7. 9.	H. 4.	Bot. mag. 1281.
19 muralis. DC.	(li.)	wall.	Europe.	1739.	6. 10.	H. ⊙.	Flor. græc. t. 381.
20 serotina. W. en.	(wh.)	late-flowering.	Magdeburg.	1816.	—	H. ⊙.	
21 glomerata. DC.	(wh.)	round-headed.	Tauria.	1804.	6. 7.	H. 4.	
22 saxifraga. DC.	(bh.)	small.	Germany.	1774.	7. 8.	H. 4.	Exot. bot. 2. t. 90.
23 rigida. L.	(li.)	rigid.	France.	1769.	6. 8.	H. 4.	Flor. græc. t. 382.
DIANTHUS. DC. PINK. Decandria Digynia. L.							
1 prolifer. DC.	(ro.)	proliferous.	England.		7. 8.	H. ⊙.	Eng. bot. 956.
2 diminutus. W.	(ro.)	small-flowered.	S. Europe.	1771.	—	H. ⊙.	
3 Armèria. DC.	(re.)	Deptford.	England.		7. 9.	H. ⊙.	Eng. bot. 317.
4 pseudo-armèria.	(re.)	canescent.	Tauria.	1820.	—	H. 4.	Bot. mag. 2288.
5 armerioides. DC.	(re.)	Thrift-like.	New Jersey.	—	—	H. ⊙.	
6 barbatus. DC.	(va.)	Sweet-William.	Germany.	1573.	6. 7.	H. 4.	Bot. mag. 207.
β flore pleno.	(va.)	double.	—	—	—	H. 4.	
7 latifolius. DC.	(cr.)	broad-leaved.			5. 11.	H. 4.	Swt. br. fl. gar. t. 2.
8 aggregatus. DC.	(re.)	clustered.		1820.	6. 8.	H. 4.	
9 japonicus. DC.	(re.)	Japanese.	China.	1804.	6. 10.	F. 4.	Thunb. jap. t. 23.
10 cephalotes. DC.	(re.)	close-headed.			6. 9.	H. 4.	
11 capitatus. DC.	(re.)	headed.	Tauria.	1794.	6. 7.	H. 4.	
12 polymorphus. DC.	(re.)	variable.	—	1820.	6. 8.	H. 4.	
13 diutinus. L. en.	(re.)	pedicled.	Hungary.	—	—	H. 4.	Swt. br. fl. gar.
14 Balbisii. DC.	(re.)	Balbis's.	Genoa.	1827.	7. 10.	H. 4.	Swt. br. fl. gar.
glaucophyllus. H.							
15 giganteus. DC.	(re.)	gigantic.	Bulgaria.	—	6. 10.	H. 4.	Swt. br. fl. gar. 288.
16 ferrugineus. DC.	(st.)	rusty.	Pyrenees.	1756.	7. 9.	H. 4.	Barr. ic. t. 497.
17 Carthusianorum. DC.	(re.)	Carthusian.	Europe.	1573.	—	H. 4.	Flor. græc. t. 392.
18 atrorubens. All.	(re.)	dark-red.	Italy.	1802	—	H. 4.	Jacq. ic. 3. t. 467.
19 nanus.	(cr.)	dwarf.	Switzerland.	1820.	—	H. 4.	
Carthusianorum γ nanus. DC.							
20 arboreus. DC.	(re.)	arborescent.	Crete.	—	—	F. 1/2.	Flor. græc. t. 406.
21 juniperinus. DC.	(re.)	Juniper-leaved.	Greece.	1825.	—	F. 1/2.	
22 fruticosus. DC.	(re.)	frutescent.	Crete.	1815.	6. 9.	F. 1/2.	Flor. græc. t. 407.
23 suffruticosus. DC.	(re.)	shrubby.		1804.	6. 7.	F. 1/2.	
24 rupicola. DC.	(ro.)	Sicilian.	Sicily.	1825.	6. 8.	H. 4.	Ten. fl. napol. t. 39.
Bisignani. T.							
25 carolinianus. DC.	(re.)	Carolina.	N. America.	1811.	6. 9.	F. 4.	
26 caryophylloides. DC.	(re.)	Clove-like.		1827.	—	H. 4.	
27 asper. W. en.	(re.)	rough-stalked.	Switzerland.	1802.	7. 8.	H. 4.	
28 collinus. W. en.	(re.)	hill.	Hungary.	1800.	7. 9.	H. 4.	Parad. lond. 62.
29 umbellatus. DC.	(re.)	umbelled.		1825.	—	H. 4.	
30 campestris. DC.	(re.)	field.	Tauria.	1815.	7. 8.	H. 4.	Bot. mag. 1876.
31 alpestris. DC.	(re.)	pasture.	—	1820.	—	H. 4.	Balb. act. taur. 7. t. 1.
32 nitidus. DC.	(re.)	glossy.	Hungary.	1821.	6. 8.	H. 4.	W. et K. hung. 2. t. 191.
33 hirtus. DC.	(re.)	hairy.	Dauphiny.	—	—	H. 4.	Vill. delph. 3. t. 46.
34 guttatus. DC.	(pu.)	spotted.	Caucasus.	1816.	7. 9.	H. 4.	
35 versicolor. DC.	(s.r.)	various-colour'd	Russia.	1821.	—	H. 4.	
36 pratensis. DC.	(st.)	meadow.	Tauria.	—	6. 8.	H. 4.	
ochroleucus. L. en. non P. s. tataricus. F.							
37 chinensis. DC.	(va.)	China.	China.	1713.	7. 9.	H. ♂.	Bot. mag. 28.
β flore-pleno.	(va.)	double-flowered.	—		—	H. ♂.	
38 montanus. DC.	(pu.)	mountain.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. t. 1162.
discolor. B.M.							
39 ochroleucus. DC.	(st.)	straw-coloured.	Levant.	1821.	—	H. 4.	
40 Caryophyllus. DC.	(va.)	Clove.	England.		6. 8.	H. 4.	Eng. bot. 214.
ε multipléx.	(cr.)	double Clove.			—	H. 4.	
γ rubro-cinctus.	(wh.)	Hogg's Beauty of Middlesex Picotee.	—	—	—	H. 4.	Swt. flor. guid. 70.
δ inimitabilis.	(w.c.)	Hird's Inimitable Picotee.		—	—	H. 4.	— t. 80.
ε striatulus.	(y.r.)	Rosalie de Rohan Picotee.		—	—	H. 4.	— t. 25.

ζ	purpureo-cinctus.	(y.p.)	Erasmus Picotee.		6. 8.	H. 4.	Swt. flor. guid. 59.
η	Clintoniæ.	(r.w.)	Huston's Dutchess of Newcastle Carnation.			H. 4.	 t. 14.
θ	triumphans.	(p.w.)	Pardoe's Ace of Trumps Carnation.			H. 4.	 t. 36.
ι	caruleo-purpureus.	(p.w.)	Cordon Bleu Carnation.			H. 4.	 t. 64.
κ	Franklini.	(r.p.w.)	Franklin's Queen of Hearts Carnation.			H. 4.	 t. 20.
λ	puellulus.	(c.r.w.)	Pucelle de Gand Carnation.			H. 4.	 t. 67.
μ	Leopoldi.	(c.p.w.)	Ives's Prince Leopold Carnation.	..		H. 4.	 t. 31.
ν	iricolor.	(c.p.w.)	Cartwright's Rainbow Carnation...			H. 4.	 t. 9.
ξ	Bacchus.	(s.p.w.)	Davey's Bacchus Carnation.			H. 4.	 t. 41.
ο	Tarrara.	(s.p.w.)	Hall's Tarrara Carnation.			H. 4.	 t. 21.
π	pulchella.	(s.p.w.)	Franklin's Tartar Carnation.			H. 4.	Bot. mag. 39.
ρ	fruticosus.	(ra.)	tree-Carnation.			H. 4.	
ς	imbricatus.	(d.r.)	Wheat-ear.			H. 4.	Bot. mag. 1622.
41	sylvêstris.	(re.)	short-scaled.	Jurassa.	 6. 7.	H. 4.	Jacq. ic. rar. t. 82.
	virgineus.	B.M. 1740.	non L.				
42	longicaulis.	DC. (re.)	long-stalked.	Naples.	1824.	 H. 4.	
43	monadelphus.	DC. (wh.)	procumbent.	Levant.		H. 4.	Vent. h. cels. t. 39.
	procumbens.	P.S.					
44	suavéolens.	DC. (sp.)	sweet-scented.		1823.	 H. 4.	
45	Poiretiani.	DC. (pu.)	Poiret's.			H. 4.	
	β flore-pleno.	(pu.)	double-flowering.			H. 4.	
46	Liboschitziani.	DC.	Armenian.	Armenia.	1823. 6. 8.	H. 4.	
	petræus.	M.B.	non DC.				
47	sylvaticus.	DC. (cr.)	wood.	Ratisbon.	1815.	 H. 4.	
48	arbuscula.	B.R. (re.)	China tree.	China.	1824. 7. 10.	H. 4.	Bot. reg. 1086.
49	pomeridianus.	DC. (st.)	afternoon.	Palestine.	1804.	 H. 4.	Parad. lond. 57.
50	leptopetalus.	DC. (wh.)	narrow-petaled.	Caucasus.	1814.	 H. 4.	Bot. mag. 1739.
51	pungens.	DC. (wh.)	pungent.	Spain.	1781. 8. 10.	H. 4.	
52	bicolor.	DC. (w.p.)	two-coloured.	Tauria.	1818. 6. 8.	H. 4.	
53	furcatus.	DC. (fl.)	forked.	Piedmont.	1820.	 H. 4.	Balb. act taur. 7. f. 2
54	virgineus.	DC. (re.)	virgin.	Montpelier.	1732.	 H. 4.	Dill. elt. 401. t. 385?
55	deltoides.	DC. (re.)	maiden.	Britain.	 6. 10	H. 4.	Eng. bot. 61.
56	glaucus.	L. (wh.)	glaucous.			H. 4.	
57	crenatus.	B.R. (wh.)	long-cupped.	C. B. S.	1817. 8.	G. 4.	Bot. reg. 256.
58	rigidus.	DC. (pa.)	rigid.	Tauria.	1802. 6. 10.	H. 4.	
59	clavatus.	DC. (fl.)	clubbed.		1824. 6. 8.	H. 4.	
60	suavis.	DC. (fl.)	sweet.		1820. 6. 7.	H. 4.	
61	repens.	DC. (re.)	creeping.	Siberia.	1825.	 H. 4.	
62	cæsius.	DC. (fl.)	tufted.	Britain.		H. 4.	Eng. bot. 62.
63	alpinus.	DC. (re.)	Alpine.	Austria.	1759.	 H. 4.	Bot. mag. 1205.
64	glaciâlis.	DC. (re.)	acute-leaved.	France.	1820.	 H. 4.	
65	élegans.	DC. (re.)	elegant.	Levant.	1825.	 F. 4.	
66	multipunctatus.	DC. (sp.)	spotted.		 6. 9.	F. 4.	
67	Hornemanni.	DC. (fl.)	Horneman's.	Italy.	1822. 6. 7.	H. 4.	
68	Sternbergii.	DC. (re.)	Sternberg's.		1825.	 F. 4.	
69	petræus.	DC. (wh.)	rock.	Hungary.	1804. 7. 8.	H. 4.	W. et. K. hung. 3. t. 22.
	β Simsii.	(wh.)	Sims's.			H. 4.	Bot. mag. 1204.
70	ibericus.	DC. (pu.)	Iberian.	Iberia.	1820. 6. 8.	H. 4.	
	Willdenowii.	L. en.					
71	ruthenicus.	DC. (re.)	Russian.	Russia.		H. 4.	
72	dentosus.	F. (re.)	toothed.	Siberia.	1826.	 H. 4.	
73	Buchtormensis.	F. (re.)	Buchtormian.	Russia.		H. 4.	
74	gallicus.	DC. (wh.)	French.	France.		H. 4.	DC. ic. gall. rar. t. 41.
75	albens.	DC. (wh.)	white Cape.	C. B. S.	1787. 8.	G. 4.	
76	serrulatus.	DC. (ro.)	serrulate.	Tunis.	1826.	 H. 4.	
77	pulchellus.	P.S. (re.)	pretty.			H. 4.	
78	dubius.	H. (w.p.)	doubtful.		 5. 6.	H. 4.	
	præcox.	W. en.					
79	plumarius.	DC. (wh.)	common.	Europe.	1629. 6. 8.	H. 4.	Swt. flor. guid. 17.
	β herodicus.	(w.p.)	Styles's Hero Pink.			H. 4.	 t. 13.
	γ Cheeseanus.	(w.p.)	Cheese's Miss Cheese.			H. 4.	 t. 47.
	δ Houseanus.	(w.p.)	House's Woodland Beauty			H. 4.	 t. 55.
	ε Uxbridgeanus.	(w.r.)	Dry's Earl of Uxbridge ..			H. 4.	 t. 40.
	ζ Aclandæ.	(w.p.)	Knight's Lady Acland.			H. 4.	 t. 27.
	η inclutus.	(w.p.)	Smith's Champion			H. 4.	 t. 32.
	θ Barratti.	(w.p.)	Barratt's Conqueror.			H. 4.	 t. 33.
	ι regalis.	(w.p.)	Davey's Roi de pourpre ..			H. 4.	
80	adulterinus.	(f.p.)	hybrid.	Hybrid.		H. 4.	
	β Juliéti.	(f.p.)	Davey's Juliet.			H. 4.	Swt. flor. guid. 8.

81 Penry'næ.	(pu.) Lady Penryn's.	Hybrid.		6. 8.	H. 4.	
β purpureus.	(pu.) Davey's Lady Penryn.	—		—	H. 4.	Swt. flor. guid. 41.
82 hortensis. W.en.	(wh.) garden.	Europe.	1805.	6. 8.	H. 4.	
83 caucæus. DC.	(re.) Caucasian.	Caucasus.	1803.	6. 9.	H. 4.	Bot. mag. 795.
84 saxatilis. DC.	(wh.) rock.	France.		—	H. 4.	
85 squarrosus. DC.	(wh.) squarrose.	Tauria.	1823.	6. 8.	H. 4.	Bieb. cent. 1. t. 33.
86 Mussini. DC.	(wh.) Mussin's.	Caucasus.	1825.	—	H. 4.	
87 fragrans. B.M.	(wh.) fragrant.	—	1804.	6. 7.	H. 4.	Bot. mag. 2067.
88 punctatus. DC.	(sp.) spot-flowered.		1825.	—	H. 4.	Lodd. bot. cab. 896.
89 serotinus. DC.	(wh.) late-flowering.	Hungary.	1804.	7. 8.	H. 4.	W. et. K. hung. 2. t. 172.
90 arenarius. DC.	(wh.) sand.	N. Europe.		8.	H. 4.	Bot. mag. 2038.
91 prostratus. DC.	(re.) prostrate.	C. B. S.		8. 9.	G. 4.	Jacq. schœnb. 3. t. 271.
92 fimbriatus. DC.	(re.) fringed.	Iberia.	1802.	6. 8.	H. 4.	Bot. mag. 1069.
93 monspessulanus. DC.	(re.) Montpelier.	Pyrenees.	1764.	7. 8.	H. 4.	
94 erubescens. Tr.	(bh.) blush-flowered.		1825.	—	H. 4.	
95 superbus. DC.	(re.) superb.	Europe.	1596.	7. 9.	H. 4.	Bot. mag. 297.
96 Fischèri. DC.	(re.) Fischer's.	Russia.	1826.	6. 8.	H. 4.	Swt. br. fl. gar. 245.
VACCARIA. Dod.	VACCARIA.	Decandria Digynia.				
1 sessilifolia.	(re.) sessile-leaved.	Europe.	1596.	7. 8.	H. ☉.	Flor. græc. t. 380.
Saponaria Vaccaria.	B.M. 2290.	Gypsophila Vaccaria.	F.G.			
2 perfoliata.	(re.) perfoliate.	E. Indies.	1820.	—	H. ☉.	
Saponaria perfoliata.	DC.					
SAPONARIA. DC.	SOAPWORT.	Decandria Digynia.	L.			
1 officinalis. DC.	(bh.) common.	England.		7. 10.	H. 4.	Eng. bot. t. 1060.
β flore pleno.	(bh.) double-flowered.			—	H. 4.	
2 oeymoïdes. DC.	(ro.) Basil-leaved.	Europe.	1768.	5. 7.	H. 4.	Bot. mag. 154.
3 glutinosa. DC.	(re.) small-flowered.	Tauria.	1823.	—	H. 4.	— 2855.
4 porrigena. DC.	(bh.) hairy.	Levant.	1680.	7. 8.	H. ☉.	Jacq. vind. 2. t. 109.
5 orientalis. DC.	(re.) small annual.	—	1732.	6. 8.	H. ☉.	Dill. elt. t. 167. f. 204.
6 depræssa. DC.	(ro.) depressed.	Sicily.	1828.	—	H. 4.	Biv. Bon. t. 163. f. 1.
7 cæspitosa. DC.	(ro.) tufted.	Pyrenees.	1827.	—	H. 4.	
8 Smithii. DC.	(re.) Smith's.	Levant.	1828.	—	F. 4.	Flor. græc. t. 389.
cæspitosa. F.G. non DC.						
9 lutea. DC.	(ye.) yellow.	Switzerland.	1804.	—	H. 4.	All. ped. t. 23. f. 1.
10 bellidifolia. DC.	(ye.) Daisy-leaved.	Italy.		—	H. 4.	Smith spic. t. 5.
CUCUBALUS. DC.	CAMPION.	Decandria Trigynia.	L.			
1 bacciferus. DC.	(gr.) berry-bearing.	England.		6. 7.	H. 4.	Eng. bot. 1577.
SILENE. DC.	CATCHFLY.	Decandria Trigynia.	L.			
1 acaulis. DC.	(re.) stemless.	Britain.		6. 8.	H. 4.	Eng. bot. 1081.
2 alba. DC.	(wh.) white-flowered.	—		—	H. 4.	
3 pumilio. DC.	(pu.) dense.	Germany.	1823.	—	H. 4.	Stur. deut. 1. fas. 22. t. 11.
4 fimbriata. DC.	(wh.) fringe-flower'd.	Crete.	1803.	5. 8.	H. 4.	Bot. mag. 908.
5 lacera. DC.	(wh.) jagged-flower'd.	Caucasus.	1818.	—	H. 4.	— 2255.
6 stellata. DC.	(wh.) four-leaved.	N. America.	1696.	6. 8.	H. 4.	— 1107.
7 inflata. DC.	(wh.) bladder.	Britain.		5. 9.	H. 4.	Eng. bot. 164.
Cucubalus Bèhen. E.B.						
7 linearis.	(wh.) linear-leaved.	Naples.	1820.	—	H. 4.	Ten. flor. nap. t. 37.
Cucubalus angustifolius. T.N.						
8 Willdenowii.	(wh.) Willdenow's.	S. Europe.	—	—	H. 4.	
Cucubalus glaucus. W. en. supp.						
9 maritima. E.B.	(wh.) sea.	Britain.		8. 9.	H. 4.	Eng. bot. 957.
10 fabaria. H.K.	(wh.) thick-leaved.	Sicily.	1731.	6. 8.	F. 4.	Flor. græc. t. 415.
11 Bèhen. DC.	(bh.) Cretan.	Crete.	1713.	6. 7.	H. ☉.	— t. 416.
12 indica. DC.	(pu.) Indian.	Nepaul.	1824.	—	F. 4.	
13 viscaginoïdes. DC.	(w.) Viscago-like.	Dahuria.	1826.	—	H. 4.	
14 procumbens. DC.	(wh.) procumbent.	Siberia.	1820.	—	H. 4.	Murr. c. goet. p. 83. t. 2.
15 rubella. DC.	(re.) small red.	Portugal.	1732.	5. 6.	H. ☉.	Flor. græc. t. 426.
16 apétala. DC.	(gr.) petalless.	Spain.	1801.	6. 7.	H. ☉.	
17 spergulifolia. DC.	(wh.) Spurry-like.	Armenia.	1824.	—	F. 4.	Desf. cor. Tourn. t. 55.
18 Gypsophila. DC.	(wh.) Gypsophila-like.			—	H. 4.	
19 angustifolia. DC.	(wh.) narrow-leaved.	Caucasus.	1824.	—	H. 4.	
20 Otites. DC.	(st.) Spanish.	England.		7. 8.	H. 4.	Eng. bot. 85.
Cucubalus Otites. E.B.						
21 wolgensis. DC.	(wh.) Wolga.	Wolga.	1821.	6. 8.	H. 4.	
22 parviflora. DC.	(st.) small-flowered.	Hungary.	1796.	—	H. 4.	
23 effusa. DC.	(st.) spreading.	Wolga.	1821.	—	H. 4.	
24 sibirica. DC.	(wh.) Siberian.	Siberia.	1773.	—	H. 4.	Hall. g. 1. p. 150. ic.
25 multiflora. DC.	(wh.) many-flowered.	Hungary.	1794.	—	H. 4.	W. et K. hung. 1. t. 50
26 ruthénica. DC.	(wh.) Russian.	Russia.	1827.	—	H. 4.	

27	staticifolia. DC.	(wh.) Statice-leaved.	Levant.	1828.	6. 8.	H. 4.	Flor. græc. t. 434.
28	tatarica. DC.	(wh.) Tartarian.	Tartary.	1769.	—	H. 4.	
29	gigantea. DC.	(wh.) gigantic.	Africa.	1738.	—	G. 4.	Flor. græc. t. 432.
30	viscosa. DC.	(wh.) clammy.	Levant.	1739.	7.	H. ♂.	Tourn. it. 2. p. 361. ic.
31	conica. DC.	(fl.) corn	England.		6. 7.	H. ⊙.	Eng. bot. 922.
32	conóidea. DC.	(pu.) conoid.	S. Europe.	1683.	—	H. ⊙.	Clus. his. 1. p. 283. f. 2.
33	undulata. DC.	(re.) wave-leaved.	C. B. S.	1775.	8.	G. ♂.	
34	anglica. DC.	(wh.) English.	England.		6. 7.	H. ⊙.	Eng. bot. 1178.
35	lusitânica. DC.	(fl.) Portugal.	Portugal.	1732.	—	H. ⊙.	Dill. elt. t. 311. f. 401.
36	tridentata. DC.	(ro.) three-toothed.	Spain.	1824.	—	H. ⊙.	
37	gallica. DC.	(fl.) French.	France.	1683.	5. 6.	H. ⊙.	Vail. par. t. 16. f. 12.
38	ocymoides. DC.	(pu.) Basil-like.		1819.	6. 7.	H. ⊙.	
39	disticha. DC.	(ro.) two-ranked.		1817.	—	H. ⊙.	Schrank. pl. rar. t. 39.
40	cerastoides. DC.	(re.) Cerastium-like.	S. Europe.	1732.	7. 8.	H. ⊙.	Flor. græc. t. 412.
41	quinquevulnera. DC.	(p.w.) variegated.	England.		6. 8.	H. ⊙.	Eng. bot. 86.
42	nocturna. DC.	(w.re.) spiked.	S. Europe.	1683.	—	H. ⊙.	Flor. græc. t. 408.
43	reflexa. H.K.	(wh.) reflexed.	—	1726.	—	H. ⊙.	Magn. h. mons. 171. ic.
44	mutabilis. H.K.	(bh.) changeable.	—	1638.	—	H. ⊙.	
45	micropétala. DC.	(re.) small-petaled.	Chili.	1822.	6. 7.	H. ⊙.	
46	micrantha. DC.	(re.) small-blossomed.	Portugal.	1825.	—	H. ⊙.	
47	hirsuta. Lag.	(re.) hairy.	—	1824.	—	H. ⊙.	
	subulorum. Lk. hirsutissimum. DC.						
48	canescens. DC.	(re.) canescent.	Naples.	1823.	6. 8.	H. 4.	Ten. fl. nap. 1. t. 39.
49	decumbens. DC.	(wh.) decumbent.	S. Europe.	1828.	—	H. ⊙.	
50	diffusa. DC.	(fl.) diffuse.	Italy.	1825.	—	H. 4.	
51	divaricata. F.G.	(wh.) divaricate.	Levant.	1827.	—	H. ♂.	Flor. græc. t. 414.
	racemosa. DC.						
52	dichotoma. DC.	(wh.) dichotomous.	Hungary.	1791.	—	H. ⊙.	Flor. græc. t. 413.
53	nyctantha. DC.	(st.) various-leaved.		1815.	6. 8.	H. ⊙.	
54	trinervia. DC.	(re.) three-nerved.	Rome.	1821.	—	H. ⊙.	
55	bellidifolia. DC.	(re.) Daisy-leaved.		1791.	—	H. ⊙.	Jacq. vind. 3. t. 81.
56	vespertina. DC.	(re.) evening.	Barbary.	1796.	7. 8.	H. ⊙.	Swt. br. fl. gar. 58.
	bipartita. Desf. atl. 1. t. 100.						
57	obtusifolia. DC.	(re.) blunt-leaved.	—	1823.	6. 8.	H. ⊙.	
58	colorata. DC.	(fl.) coloured.	—	1804.	—	H. ⊙.	
59	crassifolia. DC.	(br.) thick-leaved.	C. B. S.	1774.	7. 8.	G. ♂.	
60	gracilis. DC.	(wh.) slender.		1823.	6. 8.	H. ⊙.	
61	jeniseénsis. DC.	(st.) two-coloured.	Siberia.	1817.	6. 7.	H. 4.	
62	ciliata. DC.	(pu.) ciliated.	Crete.	1804.	—	H. ⊙.	
63	pendula. DC.	(re.) pendulous.	Sicily.	1731.	5. 7.	H. ⊙.	Bot. mag. 114.
64	longicaulis. DC.	(wh.) long-stalked.	Spain.	1818.	6. 7.	H. ⊙.	
65	secundiflora. DC.	(wh.) side-flowered.		—	—	H. ⊙.	
66	viscosissima. DC.	(wh.) viscous.	Naples.	1822.	—	H. ⊙.	
67	quadridentata. DC.	(w.) four-toothed.	Italy.	1783.	5. 6.	H. ⊙.	Jacq. aust. 2. t. 120.
	Lychnis quadridentata. W.						
68	pusilla. W.en.	(wh.) dwarf.	Hungary.	1804.	6. 7.	H. 4.	W. et K. hung. 3. t. 212.
69	alpéstris. DC.	(wh.) Austrian.	Austria.	1774.	5. 7.	H. 4.	Jacq. aust. 1. t. 96.
70	rupéstris. DC.	(re.) rock.	Switzerland.	—	—	H. 4.	Flor. dan. 4.
71	glaucifolia. DC.	(bh.) glaucous-leav'd.	Spain.	1823.	—	H. 4.	
72	inaperta. DC.	(st.) unopen-flow'r'd.	S. Europe.	1732.	6. 7.	H. 4.	Flor. græc. t. 420.
73	clandestina. DC.	(w.p.) hidden-flower'd.	C. B. S.	1801.	—	H. ⊙.	Jacq. col. sup. t. 3. f. 3.
74	porténsis. W.	(pu.) Oporto.	Portugal.	1759.	7. 8.	H. ⊙.	
75	antirrhina. DC.	(wh.) Snap-dragon.	Virginia.	1732.	6. 7.	H. ⊙.	Dill. elt. t. 313. f. 403.
76	geminiflora. DC.	(pu.) twin-flowered.		1816.		H. ⊙.	
77	flavescens. DC.	(st.) yellowish.	Hungary.	1804.	—	H. 4.	W. et K. hung. 2. t. 175.
78	linoides.	(st.) Flax-like.		1817.	7. 8.	H. ⊙.	
	linifolia. DC. non Flor. græc.						
79	linifolia. F.G.	(fl.) Flax-leaved.	Levant.	1828.	6. 8.	H. 4.	Flor. græc. t. 433.
80	crética. DC.	(re.) Candian.	Candia.	1732.	5. 8.	H. ⊙.	— t. 422.
81	sedóides. DC.	(re.) Sedum-like.	Crete.	1804.	6. 8.	H. ⊙.	— t. 425.
82	sícula. Cyr.	(ro.) Sicilian.	S. Europe.	1825.	—	H. ⊙.	
	divaricata. DC. non Flor. græc.						
83	saxifraga. DC.	(w.br.) Saxifrage.	S. Europe.	1640.	—	H. 4.	Lodd. bot. cab. 454.
84	petraea. DC.	(wh.) fine-toothed.	Hungary.	1806.	—	H. 4.	W. et K. hung. 2. t. 164.
85	campánula. DC.	(wh.) bell-flowered.	Piedmont.	1822.	—	H. 4.	All. auct. p. 28. t. 1. f. 3.
86	longipétala. DC.	(g.st.) long-petaled.	Aleppo.	—	—	H. ⊙.	Flor. græc. t. 419.
87	nôtans. E.B.	(wh.) Nottingham.	England.		6. 7.	H. 4.	Eng. bot. 465.
88	infrácta. W.K.	(wh.) smooth.	Hungary.	1816.	—	H. 4.	W. et K. hung. 3. t. 213.
89	latifolia. H.	(wh.) broad-leaved.	Europe.	1825.	—	H. 4.	

90 saxatilis. B.M.	(st.) stone.	Siberia.	1800.	6. 7.	H. 4.	Bot. mag. 689.
91 livida. W. en. (w.br.)	livid.	Carniola.	1816.	—	H. 4.	
92 tenuis. DC.	(st.) slender.	Siberia.	—	—	H. 4.	
93 quadrifida. DC.	(wh.) four-cleft.	Italy.	1820.	—	H. 4.	
94 viridiflora. DC.	(gr.) green-flowered.	Portugal.	1739.	—	H. ♂.	Herm. parad. t. 199.
95 chlorantha. DC.	(st.) pale-flowered.	Germany.	1732.	6. 8.	H. 4.	Dill. elt. t. 316. f. 408.
96 psammitis. DC.	(st.) sulphur-colour'd.	—	1820.	—	H. 4.	
97 nicaensis. DC.	(w.p.) villous-clammy.	S. Europe.	—	—	H. ⊙.	All. ped. t. 44. f. 2.
98 catholica. DC.	(wh.) paniced.	Italy.	1711.	7. 9.	H. 4.	Jacq. vind. 1. t. 59.
99 Mussini. H.	(wh.) Mussin's.	Russia.	1824.	—	H. 4.	
100 diversifolia. DC.	(wh.) various-leaved.	—	1820.	—	H. ⊙.	
101 repens. DC.	(wh.) creeping.	Siberia.	1806.	7. 8.	H. 4.	
102 glauca. DC.	(pu.) glaucous-leav'd.	—	1824.	—	H. ⊙.	
103 tenuifolia. DC.	(pu.) slender-leaved.	Dahuria.	1820.	—	H. ⊙.	
104 virginica. DC.	(re.) Virginian.	Virginia.	1783.	5. 8.	H. 4.	Pluk. alm. t. 203. f. 1.
105 Catesbæi. DC.	(cr.) Catesby's.	Carolina.		—	H. 4.	Catesb. car. 54. ic.
106 stricta. DC.	(re.) upright.	Spain.	1802.	6. 7.	H. ⊙.	
107 Muscipula. DC.	(re.) Spanish.	—	1596.	7. 8.	H. ⊙.	Clus. hist. 1. p. 289. f. 1.
108 noctiflora. DC.	(fl.) night-flowering.	England.		7.	H. ⊙.	Eng. bot. 291.
109 ornata. DC.	(cr.) dark-coloured.	C. B. S.	1775.	5. 9.	G. ♂.	Bot. mag. 382.
110 còrsica. DC.	(st.) Corsican.	Corsica.	1825.	6. 8.	H. 4.	Bocc. mus. t. 54.
111 aegyptiaca. DC.	(fl.) Egyptian.	Egypt.	1800.	7. 8.	G. ♂.	
112 sericea. DC.	(fl.) silky.	Corsica.	1801.	6. 8.	H. ⊙.	All. ped. t. 79. f. 3.
113 picta. DC.	(w.p.) painted.	Mt. Carmel.	1818.	7. 9.	H. ⊙.	Swt. br. fl. gar. 92.
114 bicolor. DC.	(w.p.) two-coloured.	France.	—	6. 8.	H. ⊙.	DC. ic. gall. rar. t. 42.
115 levigata. F.G.	(re.) smooth.	Greece.	1828.	7. 9.	H. ⊙.	Flor. græc. t. 418.
116 reticulata. DC.	(re.) netted-flow'r'd.	Barbary.	1804.	7. 8.	H. ⊙.	Desf. atl. 1. t. 99.
117 pensylvanica. DC.	(re.) Pensylvanian.	N. America.	1806.	6. 9.	H. 4.	Bot. reg. 247.
<i>incarnata. Bot. cab. 41.</i>						
118 vailèsia. DC.	(pu.) hard-rooted.	Switzerland.	1765.	6. 8.	H. 4.	All. ped. t. 23. f. 2.
119 fruticosa. DC.	(fl.) shrubby.	Sicily.	1629.	6. 7.	F. ♀.	Flor. græc. t. 428.
120 caspica. DC.	(st.) Caspian.	Caucasus.	1823.	—	H. ♀.	
121 amœna. DC.	(wh.) Tartarian.	Tartary.	1779.	7.	H. 4.	
122 supina. DC.	(wh.) trailing.	Caucasus.	1804.	6. 8.	H. 4.	Bot. mag. 1997.
123 depressa. DC.	(wh.) depressed.	Iberia.	1823.	—	H. 4.	
124 paradoxa. DC.	(wh.) Dover.	England.		7.	H. 4.	Jacq. vind. 3. t. 84.
125 chloræfolia. DC.	(wh.) Armenian.	Armenia.	1796.	8. 9.	H. 4.	Bot. mag. 807.
126 itálica. DC.	(wh.) Italian.	Italy.	1759.	5. 6.	H. ♂.	Jacq. obs. 4. t. 79.
<i>Cucubalus itálicus. L.</i>						
127 polyphylla. DC.	(w.p.) many-leaved.	Austria.		6. 7.	H. 4.	Clus. hist. 1. t. 290.
128 nemoralis. DC.	(wh.) wood.	Hungary.	1823.	—	H. 4.	W. et K. hung. 3. t. 249.
129 longiflora. DC.	(wh.) long-flowered.	—	1793.	7. 9.	H. 4.	— 1. p. 7. t. 8.
130 bupleuroides. DC.	(fl.) spear-leaved.	Persia.	1801.	6. 7.	H. 4.	Tourn. it. t. 154.
131 pilosa. s.s.	(wh.) pilose.	Hungary.	1825.	6. 9.	H. 4.	W. et K. hung. 3. t. 248.
<i>mollissima. W.K.</i>						
132 mollissima. s.s. (wh.)	velvet.	Italy.	1739.	7. 9.	H. 4.	
<i>Cucubalus mollissimus. L.</i>						
133 inclusa. H.	(wh.) included.	—	1828.	6. 9.	H. ⊙.	
134 pinguis. H.	(wh.) fleshy-leaved.	C. Spartel.	1825.	—	H. ⊙.	
135 taurica. F.	(wh.) Taurian.	Tauria.	1828.	—	H. 4.	
136 dahurica. F.	(wh.) Dahurian.	Dahuria.	1827.	—	H. 4.	
137 scabra. F.	(wh.) rough.	Siberia.	—	—	H. 4.	
138 marginata. Sct.	(wh.) margined.	—	1825.	—	H. 4.	
139 stenopetala. Led.	(re.) narrow-petaled.	Siberia.	1827.	—	H. ⊙.	
140 saponariæfolia. Sct.	(re.) Soapwort-ld.	—	1822.	—	H. ⊙.	
141 Persoonii. Sct.	(wh.) Persoon's.	Europe.	—	—	H. 4.	
142 vesicaria.	(pu.) bladdered.	Siberia.	1822.	6. 9.	H. ⊙.	
143 regia. DC.	(cr.) splendid.	N. America.	1811.	5. 8.	G. ♂.	Bot. mag. 1724.
144 Atòcion. DC.	(pu.) Orchis-flow'r'd.	Levant.	1781.	5. 7.	H. ⊙.	Jacq. vind. 3. t. 32.
<i>orchidea. H.K. Flor. græc. t. 427.</i>						
145 pseudo-Atòcion. DC.	(pu.) Atlantic.	Atlantic.	1818.	—	H. ⊙.	
146 Arméria. DC.	(re.) Lobel's.	England.		7. 9.	H. ⊙.	Eng. bot. 1398.
<i>a rubra. (re.) red-flowered.</i>						
<i>β álba. (wh.) white-flowered.</i>						
147 congesta. DC.	(re.) close-flowered.	Greece.	1816.	—	H. ⊙.	
148 compácta. DC.	(re.) compact.	Russia.	1816.	—	H. ♂.	
<i>VISCARIA. Rœhl.</i>						
1 valgaris. Rœhl.	(re.) common.	Decandria Pentagynia.	L.	—	—	
<i>Lychnis viscària. L.</i>		Britain.		5. 7.	H. 4.	Eng. bot. 788.
<i>2 flore-pleno. (re.) double-red.</i>						
.... — H. 4.						

2 albiflora.	(wh.) white-flowered.			5. 7.	H. 4.	
LY'CHNIS. DC.	LY'CHNIS.	Decandria	Pentagynia.	L.		
1 chalcedonica. DC.	(sc.) scarlet.	Japan.	1596.	6. 7.	H. 4.	Bot. mag. 257.
β albiflora.	(wh.) white-flowered.			—	H. 4.	
γ flore pleno.	(sc.) double-flowered.			—	H. 4.	
2 Flös-jövis. DC.	(re.) umbelled.	Piedmont.	1726.	7.	H. 4.	Bot. mag. 398.
Agrostemma Flös-jövis. B.M.						
3 coronata. W.	(sc.) Chinese.	China.	1774.	6. 9.	H. 4.	Bot. mag. 223.
grandiflora. Jacq. ic. rar. t. 84.						
4 fulgens. DC.	(sc.) brilliant.	Siberia.	1819.	7. 9.	H. 4.	Bot. mag. 2104.
5 Cœli-rösa. DC.	(fl.) smooth-leaved.	Levant.	1713.	7. 8.	H. ⊙.	Bot. mag. 295.
Agrostemma Cœli-rösa. L.						
AGROSTEMMA.	AGROSTEMMA.	Decandria	Pentagynia.	L.		
1 apétala. DC.	(wh.) petalless.	Lapland.	1819.	6. 8.	H. 4.	Lin. fl. lap. t. 12. f. 1.
Lychnis apétala. L.						
2 brachypétala. L. en.	(wh.) short-petal'd.		—	—	H. 4.	
3 sylvestris. DC.	(re.) red-flowered.	Britain.		6. 9.	H. 4.	Eng. bot. 1579.
Lychnis dióica rubra. E. B.						
β flore-pleno.	double-flowered.			—	H. 4.	
4 dióica. DC.	(wh.) white-flowered.	Britain.		—	H. 4.	Eng. bot. 1580.
Lychnis dióica álba. E.B. vespertina. Sibthorp.						
β flore-pleno.	(wh.) double-white.			—	H. 4.	
γ viridiflora.	(gr.) double-green.			—	H. 4.	
5 diclinis. DC.	(ro.) long-pedicled.	Spain.	1824.	—	H. 4.	
6 læta. DC.	(re.) small.	Portugal.	1778.	7.	H. ⊙.	
7 córsica. DC.	(re.) Corsican.	Corsica.	1824.	6. 8.	H. ⊙.	
8 pyrenæica. DC.	(re.) Pyrenean.	Pyrenees.	1820.	4. 6.	H. 4.	
9 suécica. L.C.	(re.) Swedish.	Sweden.		6. 9.	H. 4.	Lodd. bot. cab. 881.
10 alpina. DC.	(re.) Alpine.	Scotland.		4. 5.	H. 4.	Eng. bot. 2254.
Lychnis alpina. E.B.						
11 Flóscùculi. DC.	(re.) Ragged Robin.	Britain.		6. 9.	H. 4.	Eng. bot. 573.
Lychnis Flóscùculi. L.						
β flore-pleno.	(re.) double.			—	H. 4.	
12 coronaria. DC.	(ro.) Rose Champion.	Italy.	1596.	—	H. 4.	
α rubra.	(ro.) red-flowered.		—	—	H. 4.	Bot. mag. 24.
β álba.	(wh.) white-flowered.		—	—	H. 4.	
γ plena.	(ro.) double-flowered.			—	H. 4.	
GITH'AGO. Desf.	CORN-COCKLE.	Decandria	Pentagynia.	L.		
1 segetum. Desf.	(re.) common.	Britain.		6. 8.	H. ⊙.	Eng. bot. 741.
Agrostemma Githago. L.						
2 nicænsis.	(wh.) long-calyxed.	Italy.	1794.	—	H. ⊙.	
VEL'EZIA. DC.	VEL'EZIA.	Pentandria	Digynia.	L.		
1 rígida. DC.	(re.) rigid.	Spain.	1683.	7.	H. ⊙.	Flor. græc. t. 390.
2 quadridentata. F.G.	(r.) four-toothed.	Levant.	1826.	—	F. 4.	— t. 391.
DR'YPIS. DC.	DR'YPIS.	Pentandria	Trigynia.	L.		
spinosa. DC.	(bh.) prickly.	Italy.	1775.	6. 7.	H. 4.	Bot. mag. 2216.

Tribus II. ALSINÆÆ. DC.

ORTEGIA. DC.	ORTEGIA.	Triandria	Monogynia.	L.		
1 hispánica. DC.	(gr.) Spanish.	Spain.	1768.	6. 7.	H. 4.	
2 dichótoma. DC.	(gr.) forked.	Italy.	1781.	8. 9.	H. 4.	All ped. t. 4. f. 1.
hispánica. Cav. ic. 1. t. 47.						
BUFF'ONIA. DC.	BUFF'ONIA.	Tetrandria	Digynia.	L.		
1 annua. DC.	(wh.) annual.	England.		6.	H. ⊙.	Eng. bot. 1313.
tenuifolia. E.B.						
2 perennis. DC.	(wh.) perennial.	France.	1820.	6. 7.	H. 4.	Lam. ill. t. 87. f. 2.
SAG'INA. DC.	PEARL-WORT.	Tetrandria	Tetragynia.	L.		
1 procumbens. DC.	(gr.) procumbent.	Britain.		5. 9.	H. ⊙.	Eng. bot. 880.
β multipléx.	(wh.) double-flowered.			—	H. 4.	
2 cerastoides. DC.	(wh.) Cerastium like.			6. 7.	H. ⊙.	Eng. bot. 166.
Cerastium tetrandrum H. K.						
3 filitormis. DC.	(wh.) filiform.	Pyrenees.	1824.	—	H. ⊙.	
4 marítima. E.B.	(wh.) sea-side.	Ireland.		5. 8.	H. ⊙.	Eng. bot. 2195.
5 stricta. DC.	(wh.) straight.	N. Europe.	1828.	—	H. ⊙.	
6 apétala. DC.	(wh.) small-flowered.	Britain.		5. 6.	H. ⊙.	Eng. bot. 881.

MÆ'NCHIA. P.S.		MÆ'NCHIA. Tetrandria Tetragynia. L.							
glauca. P.S.	(wh.)	glaucous.	Britain.		4. 5.	H. ☉.		Eng. bot. 609.	
quaternella. L. en. Sagina erecta. E.B.									
MÆHRI'NGIA. DC.		MÆHRI'NGIA. Octandria Digynia. L.							
1 muscosa. DC.	(wh.)	mossy.	S. Europe.	1775.	6. 7.	H. 4.		Lam. ill. t. 314.	
2 sedifolia. DC.	(wh.)	Stonecrop-ld.	—	1823.	—	H. 4.		W.ber.m.1818.t.3.f.23.	
ELATINE. DC.		WATERWORT. Octandria Tetragynia. L.							
1 Hydropiper. DC.	(wh.)	small.	Britain.		7. 8.	H. 4.		Eng. bot. 955.	
2 hexandra. DC.	(wh.)	hexandrous.	France.		—	H. 4.		DC. ic. rar. 1. t. 43. f. 1.	
BERGIA. DC.		BERGIA. Decandria Pentagynia. L.							
verticillata. DC.	(wh.)	whorl-leaved.	E. Indies.	1826.	7. 10.	H. ☉.		Delil. fl. æg. t. 26. f. 1.	
MOLL'UGO. W.		MOLL'UGO. Triandria Trigynia. L.							
1 verticillata. DC.	(wh.)	whorled.	Virginia.	1748.	6. 8.	H. ☉.		Ehret pict. t. 6.	
2 Schrankii. DC.	(wh.)	Schrank's.	Brazil.	1821.	7. 9.	H. ☉.		Schrank pl. rar. 64. ic.	
dichotoma. Schk.									
3 Linkii. DC.	(wh.)	Link's.	—	—	—	H. ☉.			
triphy'lla. L. en. non Lour.									
PHARN'ACEUM. W		PHARN'ACEUM. Pentandria Trigynia. L.							
1 Mollugo. R.S.	(wh.)	LadiesBedstraw.	E. Indies.	1752.	7. 8.	S. ☉.		Burm. ind. t. 5. f. 4.	
Mollugo Spérgula. DC.									
2 cordifolium. R.S.	(wh.)	heart-leaved.	C. B. S.	1820.	—	H. ☉.		Jacq. h. schœn. t. 349.	
3 dichotomum. R.S.	(wh.)	forked.	—	1783.	—	H. ☉.			
4 Cerviana. R.S.	(wh.)	umbelled.	Russia.	1771.	6. 7.	H. ☉.		Lam. ill. t. 214. f. 1.	
5 bellidifolium. R.S.	(w.)	Daisy-leaved.	W. Indies.	1826.	—	H. ☉.		Plum. amer. t. 21. f. 1.	
HOLO'STEUM. DC.		HOLO'STEUM. Triandria Trigynia. L.							
1 umbellatum. DC.	(wh.)	umbelled.	England.		7. 8.	H. ☉.		Flor. dan. t. 1204.	
β roseum.	(ro.)	rose-coloured.	—		—	H. ☉.		Eng. bot. 27.	
2 diandrum. DC.	(wh.)	diandrous.	Jamaica	1822.	6. 8.	S. ☉.		Swartz ic. t. 7.	
SPERG'ULA. DC.		SPURREY. Decandria Pentagynia. L.							
1 arvensis. DC.	(wh.)	rough-seeded.	Britain.		7. 8.	H. ☉.		Eng. bot. 1535.	
2 pentandra. DC.	(wh.)	smooth-seeded.	England.		6. 7.	H. ☉.		— 1536.	
3 pallida. DC.	(pa.)	pale.	C. B. S.		7. 9.	G. 4.			
4 nodosa. DC.	(wh.)	knotted.	Britain.		7. 8.	H. 4.		Eng. bot. 694	
5 larinina. DC.	(wh.)	Larch-leaved.	Siberia.	1823.	6. 8.	H. 4.		Sm. ic. ined. 1. t. 18.	
6 saginoides. DC.	(wh.)	Sagina like	Scotland.		—	H. 4.		Eng. bot. 2105.	
7 subulata. DC.	(wh.)	awl-leaved.	Britain.		6. 7.	H. 4.		— 1082.	
8 glabra. DC.	(wh.)	smooth.	Europe.	1824.	—	H. 4.		All. ped. t. 64. f. 1.	
L'ARBREA. DC.		L'ARBREA. Decandria Trigynia. L.							
aquatica. DC.	(wh.)	water.	Britain.		7. 8.	H.w. 4.		Eng. bot. t. 1074.	
Stellaria aquatica. Poll. pal. n. 422.		uliginosa. E.B. alsine Hoff. germ. 1. t. 5.							
DRYMARIA. DC.		DRYMARIA. Pentandria Trigynia. L.							
1 cordata. DC.	(wh.)	heart-leaved.	W. Indies.	1814.	7. 9.	H. ☉.		Lam. ill. t. 51. f. 2.	
Holosteum cordatum. L.									
2 divaricata. DC.	(wh.)	divaricate.	Lima.	1823.	—	H. ☉.			
STELLARIA. DC.		STICHWORT. Decandria Trigynia. L.							
1 nemorum. DC.	(wh.)	wood.	Britain.		4. 6.	H. 4.		Eng. bot. 92.	
2 latifolia. DC.	(wh.)	broad-leaved.	Germany.	1816.	6. 8.	H. ☉.			
3 media. DC.	(wh.)	Chickweed.	Britain.		1. 12.	H. ☉.		Eng. bot. 537.	
Alsine media. L.									
4 dichotoma. DC.	(wh.)	forked.	Siberia.	1774.	6. 8.	H. 4.		Smith ic. ined. 1. t. 14.	
5 bulbosa. DC.	(wh.)	bulbiferous.	Carinthia.	1820.	—	H. 4.		Jacq. ic. rar. 3. t. 463.	
6 viscida. DC.	(wh.)	viscous.	Tauria.	1804.	—	H. ☉.		W. et K. hung. 1. t. 22.	
Cerastium anomalum. W.									
7 sabulosa. DC.	(wh.)	gravel.	Persia.	1828.	—	H. ☉.			
8 Holosteum. DC.	(wh.)	greater.	Britain.		4. 6.	H. 4.		Eng. bot. 511.	
9 Laxmanni. DC.	(wh.)	Laxmann's.	Siberia.	1827.	—	H. 4.			
10 velutina. DC.	(wh.)	velvetty.	Siberia.	1824.	6. 8.	H. 4.			
11 graminea. DC.	(wh.)	grass-leaved.	Britain.		5. 8.	H. 4.		Eng. bot. 803.	
12 glauca. DC.	(wh.)	glaucous marsh.	—		—	H. 4.		— 825.	
13 cerastoides. DC.	(wh.)	Alpine.	Scotland.		—	H. 4.		Eng. bot. 911.	
14 multicaulis. W.	(wh.)	many-stalked.	Carinthia.	1815.	6. 8.	H. 4.		Jacq. coll. 1. t. 19.	
cerastoides. Jacq. coll.									
15 arenaria. DC.	(wh.)	sand.	Spain.	1799.	6. 8.	H. ☉.			
16 scapigera. DC.	(wh.)	naked-stalked.	Scotland.		6. 7.	H. 4.		Eng. bot. 1269.	
17 Fischeriana. DC.	(wh.)	Fischer's.	Siberia.	1825.	—	H. 4.			
18 Edwardsii. B.	(wh.)	Edwards's.	N. America.	1827.	—	H. 4.			
nitida. Hook.									
19 humifusa. DC.	(wh.)	trailing.	N. Europe.	1825.	—	H. ☉.		Flor. dan. t. 978.	
20 læta. S.S.	(wh.)	short-petaled.	N. America.	1827.	—	H. ☉.			

21	gracilis. s.s.	(wh.) slender.	N. America.	1827.	6. 7.	H. ☉.
22	murâlis. DC.	(wh.) wall.	Crete.	1821.	—	H. ☉.
23	élegans. DC.	(wh.) elegant.	Siberia.	1823.	—	H. 4.
24	longipes. DC.	(wh.) long pedicled.	N. America.	1821.	—	H. 4.
25	molluginea.	(wh.) Mollugo-like.	New Spain.	1825.	7. 9.	H. ☉.

Alsine molluginea. Lag. *Arenaria?* *molluginea.* DC.

ARENARIA. DC. SANDWORT. Decandria Trigynia. L.

1	segetâlis. DC.	(wh.) hedge.	France.	1805.	6. 10.	H. ☉.	Vail. par. t. 3. f. 3.
<i>Alsine segetâlis.</i> L.							
2	rûbra. DC.	(re.) purple.	Britain.		6. 8.	H. ☉.	Eng. bot. 852.
3	marina. L.	(re.) sea-side.	—		—	H. 4.	
4	salina. DC.	(re.) salt marsh.	Bohemia.	1820.	—	H. ☉.	
5	rubella. F.L.	(re.) red-flowered.	England.		—	H. ☉.	Flor. lond. t.
6	glutinosa. DC.	(pu.) glutinous.	Astracan.	1828.	—	H. ☉.	
7	mèdia. DC.	(re.) marine.	Britain.		—	H. 4.	Eng. bot. 958.
<i>marina.</i> E.B. non L.							
8	glandulosa. Jac.	(wh.) glandular.	Europe.	1820.	6. 7.	H. ☉.	Jacq. Schœnb. 3. t. 355.
9	canadensis. DC.	(re.) Canadian.	N. America.	1812.	—	H. ☉.	
10	graminifolia. DC.	(wh.) grass-leaved.	Caucasus.	1815.	—	H. 4.	Schrad. h. goett. t. 5.
	β glaberrima. DC.	(w.) smooth.	—	—	—	H. 4.	
11	longifolia. DC.	(wh.) long-leaved.	Volga.	1820.	—	H. 4.	Gmel. sib. 4. t. 63. f. 2.
12	dahurica. DC.	(wh.) Dahurian.	Dahuria.	1824.	—	H. 4.	
13	nardifolia. F.	(wh.) Nardus-leaved.	Siberia.	1827.	—	H. 4.	
14	otitoides. DC.	(wh.) dense-flowered.	—	—	—	H. 4.	
15	rigida. DC.	(wh.) rigid.	—	—	—	H. 4.	
16	formosa. DC.	(wh.) handsome.	Dahuria.	—	—	H. 4.	
17	Gmelini. DC.	(wh.) Gmelin's.	—	1827.	—	H. 4.	Gmel. sib. 4. t. 61. f. 1.
18	cephalotes. DC.	(wh.) close-headed.	Tauria.	1820.	—	H. 4.	
19	imbricata. DC.	(wh.) imbricate.	Caucasus.	1821.	—	H. 4.	
20	juniperina. DC.	(wh.) Juniper-leaved.	Armenia.	1800.	—	H. 4.	Sm. ic. ined. t. 35.
21	stricta. DC.	(wh.) upright.	N. America.	1812.	5. 6.	H. 4.	
22	procera. DC.	(wh.) tall.		1827.	—	H. 4.	
23	laricifolia. L.	(wh.) Larch-leaved.	Switzerland.		8.	H. 4.	Jacq. aust. 3. t. 272.
24	rostrata. W. en.	(wh.) beaked.	Hungary.	1816.	6. 7.	H. 4.	
25	striata. W.	(wh.) striated.	Switzerland.	1683.	—	H. 4.	Vill. dauph. 4. t. 47. f. 6.
26	arctica. DC.	(wh.) small.	Siberia.	1807.	—	H. 4.	
27	austriaca. DC.	(wh.) Austrian.	Austria.	1793.	6. 9.	H. 4.	Jacq. aust. 3. t. 270.
28	Villarsii. P.s.	(wh.) Villars's.	Dauphiny.	1826.	—	H. 4.	Vill. de ph. 3. t. 47.
29	grandiflora. DC.	(wh.) great-flowered.	Switzerland.	1783.	—	H. 4.	All ped.n.1711.t.10.f.1.
30	triflora. L.	(wh.) three-flowered.	—	1816.	—	H. 4.	Cav. ic. 3. t. 249. f. 2.
31	Helmii. DC.	(wh.) long-peduncled.	Siberia.	1824.	—	H. 4.	
32	macrocarpa. DC.	(wh.) large-capsuled.	N. America.	1828.	—	H. 4.	
33	hirta. DC.	(re.) hairy.	Greenland.	1827.	—	H. 4.	Flor. dan. t. 1646.
34	verna. DC.	(wh.) vernal.	Britain.		5 8.	H. 4.	Eng. bot. 512.
35	cæspitosa. DC.	(wh.) tufted.	S. Europe.	1824.	—	H. 4.	
36	ramosissima. DC.	(wh.) branching.	Hungary.	1820.	—	H. 4.	
37	saxatilis. DC.	(wh.) rock.	Germany.	1732.	7 8.	H. 4.	Barr. ic. t. 580.
38	pendula. DC.	(wh.) pendulous.	Hungary.	1816.	6. 7.	H. 4.	W. et K. hung. 1. t. 87.
39	tenuifolia. DC.	(wh.) fine-leaved.	England.		—	H. ☉.	Eng. bot. 219.
40	villosa. DC.	(wh.) villous.	Siberia.	1828.	—	H. 4.	
41	calycina. DC.	(wh.) large-calyned.	Barbary.	1824.	—	H. ☉.	
42	triandra. DC.	(wh.) triandrous.		—	—	H. ☉.	Schrank. h. mon. t. 30.
43	mediterranea. DC.	(w.) Mediterranean.	S. Europe.	1821.	—	H. ☉.	
44	recurva. DC.	(wh.) recurved-leav'd.	—	—	—	H. 4.	Jacq. coll. 2. t. 16. f. 1.
45	hirsuta. DC.	(wh.) hairy.	Tauria.	1824.	—	H. 4.	
46	setacea. DC.	(wh.) bristly.	France.	1820.	—	H. 4.	
47	fasciculata. DC.	(wh.) dense-flowered.	S. Europe.	1815.	—	H. ☉.	Flor. græc. t. 442.
48	fastigiata. E.B.	(wh.) fastigiate.	Scotland.		6. 7.	H. ☉.	Eng. bot. 1744.
49	filifolia. DC.	(wh.) thread-leaved.	Arabia.		—	H. 4.	Vahl. symb. 1. t. 12.
50	mucronata. DC.	(wh.) mucronate.	—	1777.	—	H. ☉.	
51	uliginosa. DC.	(wh.) marsh.	Switzerland.	1824.	—	H. 4.	DC. ic. gall. t. 46.
52	polygonoides. DC.	(wh.) procumbent.	—	—	—	H. 4.	Jacq. coll. 1. t. 15.
53	marginata. DC.	(wh.) margined.	Siberia.	1824.	—	H. 4.	
54	canescens. DC.	(wh.) canescent.		1828.	—	H. 4.	
<i>macrocarpa.</i> H. non Ph.							
55	tetraquetra. DC.	(wh.) square-stalked.	S. France.	1731.	8.	H. 4.	All. ped. 2 t. 89. f. 1.
56	Giesekii. DC.	(wh.) Gieseke's.	Greenland.	1827.	—	H. 4.	Horn. fl. dan t. 1518.
57	lanceolata. DC.	(wh.) lanceolate.	Piedmont.	1820.	—	H. 4.	All. fl. ped. t. 26. f. 5.
58	cherlerioides. P.s.	(wh.) cherleria-leav'd.	S. France.		7. 8.	H. 4.	Vill. delph. 4. t. 47. f. 1.

59 montana. DC.	(wh.) mountain.	Spain.	1800.	4. 7.	H. 4.	Bot. mag. 1118.
60 serpyllifolia. DC.	(wh.) Thyme-leaved.	Britain.		6. 7.	H. ⊙.	Eng. bot. 923.
61 ciliata. DC.	(wh.) fringed.	Ireland.		3. 8.	H. 4.	———— 1745.
62 multicaulis. W.	(wh.) many-stalked.	Europe.	1794.	7. 8.	H. 4.	Jacq. coll. 1. t. 17. f. 1.
63 trinervia. DC.	(wh.) three-nerved.	Britain.		5. 7.	H. ⊙.	Eng. bot. 1483.
64 norvegica. DC.	(wh.) Norway.	Norway.	1828.	6. 7.	H. 4.	Flor. dan. t. 1269.
65 baleàrica. DC.	(wh.) Majorca.	Majorca.	1787.	3. 8.	H. 4.	L. Her. stirp. 1. t. 15.
66 biflora. DC.	(wh.) two-flowered.	S. Europe.	1823.	—	H. 4.	All. ped. t. 64. f. 3.
67 procumbens. DC.	(re.) procumbent.	Egypt.	1801.	6. 8.	F. 4.	Vahl. symb. 1. t. 33.
ADENARIUM. DC. SEA CHICKWEED. Decandria Tri-Pentagynia.						
peploides. DC.	(wh.) common.	Britain.		6. 7.	H. 4.	Eng. bot. 189.
Arenaria peploides. E.B.						
CERASTIUM. DC. MOUSE-EAR CHICKWEED. Decandria Pentagynia. L.						
1 nemorale. DC.	(wh.) wood.	Caucasus.	1823.	5. 6.	H. ⊙.	
2 perfoliatum. DC.	(wh.) perfoliate.	Greece.	1725.	6. 7.	H. ⊙.	Dill. elt. t. 217. f. 284.
3 caucasicum. DC.	(wh.) Caucasian.	Caucasus.	1825.	—	H. ⊙.	
4 dahuricum. DC.	(wh.) glaucous.	Dahuria.	1815.	5. 9.	H. 4.	Schrank. h. mon. t. 75.
amplexicaule. B.M. 1789.						
5 maximum. DC.	(wh.) greatest.	Siberia.	1792.	6. 7.	H. ⊙.	Gmel. sib. 4. t. 62. f. 2.
6 dichotomum. DC.	(wh.) forked.	Spain.	1725.	—	H. ⊙.	
7 ruderale. DC.	(wh.) pendulous-fruit.	Caucasus.	1824.	—	H. ⊙.	
8 tauricum. DC.	(wh.) Taurian.	Tauria.	—	—	H. ⊙.	
9 vulgatum. DC.	(wh.) common.	Britain.		4. 6.	H. ⊙.	Eng. bot. 789.
10 viscosum. DC.	(wh.) clammy.	—		4. 9.	H. 4.	———— 790.
11 barbatum. L. en.	(wh.) bearded.	S. Europe.	1821.	—	H. ⊙.	
12 holosteoides. DC.	(wh.) Ho'osteum like.	Sweden.	—	—	H. 4.	
13 pentandrum. DC.	(wh.) five-stamened.	Spain.	1820.	—	H. ⊙.	
14 semidecandrum. DC.	(wh.) least.	Britain.		3. 4.	H. ⊙.	Eng. bot. 1630.
15 brachypetalum. DC.	(wh.) small-flowered.	France.	1816.	4. 5.	H. 4.	DC. ic. gall. t. 44.
16 diffusum. DC.	(wh.) spreading.			4. 9.	H. 4.	
17 serpyllifolium. W. en.	(wh.) Thyme-ld.	S. Europe.	1821.	5. 6.	H. 4.	
18 manticum. DC.	(wh.) long peduncul'd.	Hungary.	1801.	6. 7.	H. ⊙.	W. et K. hung. 1. t. 96.
19 campanulatum. DC.	(wh.) early-flow'd.	Italy.	1826.	4. 6.	H. ⊙.	Viv. ann bot. 1. p. 2. t. 1.
pr'æcox. T.N.						
20 grandiflorum. DC.	(wh.) large-flowered.	—	1820.	6. 7.	H. 4.	W. et K. hung. 2. t. 168.
21 argenteum. M.B.	(wh.) silvery-leaved.	Iberia.	1821.	—	H. 4.	
22 tomentosum. DC.	(wh.) white-leaved.	S. Europe.	1648.	—	H. 4.	Col. phyt. ed. 1744. t. 31.
23 Biebersteinii. DC.	(wh.) Bieberstein's.	Tauria.	1820.	—	H. 4.	DC. pl. rar. gen. t. 11.
24 lanatum. DC.	(wh.) woolly.	Pyrenees.	—	—	H. 4.	
25 alpinum. DC.	(wh.) Alpine.	Britain.		—	H. 4.	Eng. bot. 472.
26 ovatum. DC.	(wh.) oval-leaved.	Carinthia.	1816.	—	H. 4.	
27 latifolium. DC.	(wh.) broad-leaved.	Britain.		—	H. 4.	Eng. bot. 473.
28 aquaticum. E.B.	(wh.) water.	—		—	H. w. 4.	———— 538.
29 sylvaticum. DC.	(wh.) wood.	Hungary.	1826.	—	H. 4.	W. et K. hung. 1. t. 97.
30 arvense. DC.	(wh.) field.	—		5. 8.	H. 4.	Eng. bot. 93.
31 repens. W.	(wh.) creeping.	S. Europe.	1759.	5. 7.	H. 4.	Lam. ill. t. 392. f. 2.
32 strictum. W.	(wh.) upright.	Austria.	1793.	—	H. 4.	Scop. carn. t. 19. f. 1.
33 suffruticosum. W.	(wh.) suffruticose.	S. Europe.	1796.	—	H. 4.	
34 pensylvanicum. DC.	(wh.) Pennsylvanian.	N. America.	1823.	—	H. 4.	
35 pubescens. DC.	(wh.) pubescent.	—	1822.	—	H. 4.	
36 matrense. L. en.	(wh.) Matram.	Hungary.	1823.	—	H. 4.	
37 dioticum. H.K.	(wh.) Spanish.	Spain.	1766.	6. 7.	H. 4.	
38 pilosum. L. en.	(wh.) hairy-leaved.		1823.	—	H. 4.	
39 Sprengelii. DC.	(wh.) Sprengel's.		—	—	H. ♂.	
40 Tenoreanum. DC.	(wh.) Tenore's.	Italy.	1825.	—	H. ⊙.	
41 Samnianum. DC.	(wh.) Samnian.	—	—	—	H. 4.	
42 hirsutum. DC.	(wh.) hairy.	—	—	—	H. 4.	
43 glandulosum. Lk.	(wh.) glandular.		1827.	—	H. 4.	
44 inflatum. Lk.	(wh.) inflated.		—	—	H. ⊙.	
CHERLERIA. DC. CHERLERIA. Decandria Trigynia. L.						
sedoides. DC.	(wh.) dwarf.	Scotland.		7. 8.	H. 4.	Eng. bot. 1212.

ORDO XXVII.

LINEÆ. DC. *prodr.* 1. p. 423.

LINUM. DC.		FLAX. Pentandria Pentagynia. L.					
1	gállicum. DC.	(ye.) annual yellow.	France.	1777.	7. 8.	H. ☉.	Flor. græc. t. 303.
2	áureum. DC.	(ye.) golden.	Hungary.	1823.	—	H. ☉.	W. et K. hung. 2. t. 177.
3	tènue. DC.	(ye.) slender.	Barbary.	1826.	—	H. ☉.	
4	lutèolum. DC.	(ye.) yellowish.	Tauria.	—	—	H. ☉.	Buxb. cent. 5. t. 59.
5	nodiflòrum. DC.	(ye.) knotted.	Italy.	1759.	—	H. 4.	Flor. græc. t. 307.
6	strictum. DC.	(ye.) upright.	S. Europe.	—	5. 7.	H. ♂.	— t. 304.
7	rigidum. DC.	(st.) stiff-leaved.	Missouri.	1807.	7.	H. ☉.	
8	virginiànum. DC.	(ye.) Virginian.	N. America.	—	—	H. ♂.	
9	mexicànum. DC.	(ye.) Mexican.	Mexico.	1827.	8. 11.	F. 4.	
10	dahùricum. DC.	(ye.) Dahurian.	Dahuria.	1822.	6. 8.	H. 4.	
11	maritimum. DC.	(ye.) sea.	S. Europe.	1596.	7. 8.	H. 4.	Jacq. vind. 2. t. 154.
12	arbòreum. R.S.	(ye.) shrubby.	Candia.	1788.	5. 8.	G. ½.	Flor. græc. t. 305.
13	campanulàtum. R.S.	(y.) glaucous-leav'd.	S. Europe.	1795.	—	H. ½.	Lob. ic. 414.
14	capitatum. R.S.	(ye.) headed.	Hungary.	1826.	6. 10.	H. 4.	
15	flàvum. W.	(ye.) yellow.	S. Europe.	1793.	—	H. 4.	Bot. mag. 312.
16	trig'ynum. DC.	(ye.) three-styled.	E. Indies.	1799.	10. 3.	G. ½.	— 1100.
17	africànum. DC.	(ye.) African.	C. B. S.	1771.	6. 7.	G. ½.	— 403.
18	quadrifòlium. DC.	(ye.) four-leaved.	—	1787.	5. 6.	G. ½.	— 431.
19	viscòsum. DC.	(pi.) viscous.	S. Europe.	1821.	6. 8.	H. 4.	Scop. carn. n. 383. t. 11.
20	hypericifòlium. P.L.	(pi.) Mallow-flow'r'd	Caucasus.	1807.	6. 7.	H. 4.	Bot. mag. 1048.
	renústum. A.R.	477.					
21	hirsùtum. W.	(bl.) hairy.	Austria.	1759.	7. 8.	H. 4.	Jacq. aust. 1. t. 31.
22	ascyri-fòlium. B.M.	(w. b.) blue and white.	Portugal.	1800.	—	H. 4.	Bot. mag. 1087.
23	nervòsum. DC.	(bl.) nervose.	Hungary.	1820.	—	H. 4.	W. et K. hung. 2. t. 105.
24	narbonénse. DC.	(bl.) Narbonne.	S. France.	1759.	5. 7.	F. 4.	Barr. ic. t. 1007.
25	usitatissimum. DC.	(bl.) common.	Britain.		6. 7.	H. ☉.	Eng. bot. 1357.
26	marginàtum. DC.	(bl.) white-margin'd.		1823.	—	H. 4.	
	angustifòlium. W.	en. non E.B.					
27	reflèxum. DC.	(bl.) reflexed-leav'd.	S. Europe.	1777.	7.	H. 4.	
28	squamulòsum. DC.	(bl.) scaly.	Tauria.	1821.	6. 8.	H. 4.	
29	diffùsum. DC.	(bl.) spreading.		1823.	—	H. 4.	
30	angustifòlium. DC.	(bl.) narrow-leaved.	England.		7.	H. 4.	Eng. bot. 381.
31	sibìricum. DC.	(bl.) Siberian.	Siberia.	1775.	6. 7.	H. 4.	Mill. ic. t. 166. f. 2.
	austriacum. B.M.	1086.					
32	Lewisii. Ph.	(bl.) Lewis's.	N. America.	1824.	—	H. 4.	Bot. reg. 1163.
33	ánglicum. DC.	(bl.) English.	England.		6. 8.	H. 4.	Eng. bot. 40.
	perénne. E.B.						
	β procumbens. DC.	(bl.) procumbent.	—		—	H. 4.	
34	austriacum. DC.	(bl.) Austrian.	Austria.	1775.	6. 7.	H. 4.	Jacq. aust. t. 418.
35	montànum. DC.	(bl.) mountain.	Switzerland.		7. 8.	H. 4.	Scop. carn. ed. 2. t. 11.
36	alpìnum. DC.	(bl.) Alpine.	Austria.	1739.	—	H. 4.	Swt. br. fl. gar. t. 17.
37	tenuifòlium. DC.	(li.) slender-leaved.	Europe.	1759.	6. 7.	H. 4.	Jacq. aust. 3. t. 215.
38	salsolòides. DC.	(fl.) Salt-wort-like.	S. France.	1823.	7. 8.	H. ½.	
39	suffruticòsum. DC.	(fl.) Spanish.	Spain.	1759.	8.	F. ½.	Cav. ic. 2. t. 108.
40	cathárticum. DC.	(wh.) purging.	Britain.		6. 8.	H. ☉.	Eng. bot. 382.
RAD'IOIA. DC.		RAD'IOIA. Tetrandria Tetragynia.					
	linòides. DC.	(wh.) All-seed.	Britain.		7. 8.	H. ☉.	Eng. bot. 893.
	millegràna. E.B.	Linum Radiola. L.					

ORDO XXVIII.

MALVACEÆ. DC. *prodr.* 1. p. 429.

MA'LOPE. DC.		MA'LOPE. Monadelphia Polyandria. L.					
1	malacoídes. DC.	(pu.) Barbary.	Barbary.	1710.	6. 7.	G. ♂.	Cav. diss. 2. t. 27. f. 1.
2	trífida. DC.	(pu.) trifid.	—	1808.	7. 8.	H. ☉.	Swt. br. fl. gar. t. 153.

MALVA. DC.	MALLOW.	Monadelphia	Polyandria.	L.		
1 tricuspidata. DC. (ye.)	Jamaica.	W. Indies.	1726.	7. 8.	S. ♂.	Cav. diss. 2. t. 22. f. 2.
<i>coromandeliàna</i> . W. americana. Cav.						
2 americana. DC. (ye.)	American.	————	1756.	6. 7.	H. ☉.	
3 scabra. DC. (ye.)	rough-stemmed.	Peru.	1798.	——	G. h.	Cav. diss. 5. t. 138. f. 1.
<i>scopària</i> . Jacq. ic. 139.						
4 scopària. DC. (ye.)	Birch-leaved.	————	1782.	8. 9.	G. h.	L. her. stirp. t. 27.
5 borbonica. DC. (ye.)	Bourbon.	Mauritius.	1816.	7. 8.	S. h.	
6 polystachya. DC. (ye.)	many-spiked.	Peru.	1798.	——	G. h.	Cav. dis. 5. t. 138. f. 3.
7 spicata. DC. (ye.)	simple-spiked.	Jamaica.	1726.	9. 10.	S. h.	———— 2. t. 20. f. 4.
8 ovata. L. en. (ye.)	oval-leaved.	Brazil.		——	S. h.	———— 2. t. 20. f. 2.
9 subhastata. DC. (ye.)	subhastate.	S. America.	1821.	7. 10.	S. h.	———— 2. t. 21. f. 3.
10 tomentosa. DC. (ye.)	tomentose.	India.	1820.	——	S. h.	Pluk. alm. t. 356. f. 1. ?
11 waltherifolia. DC. (ye.)	Waltheria-ld.	Java.	1824.		S. 4.	
12 trachelifolia. DC. (ye.)	Trachelium-ld.		——	7. 8.	H. ☉.	
13 gangética. DC. (ye.)	Indian.	E. Indies.	——	——	H. ☉.	Pluk. t. 74. f. 6.
14 leprosa. DC. (wh.)	leprous.	Cuba.	1815.	5. 7.	S. 4.	
15 Sherardiàna. DC. (re.)	Sherard's.	Bithynia.		——	S. 4.	Cav. dis. 2. t. 26. f. 4.
16 erética. DC. (fl.)	Cretan.	Crete.	1828.	——	H. ☉.	———— 5. t. 138. f. 2.
17 hispànica. DC. (ro.)	Spanish.	Spain.	1710.	7.	H. ☉.	Desf. atl. 2. t. 170.
18 stipulacea. DC. (pu.)	long-stipuled.	————	1815.	6. 8.	H. ☉.	Cav. dis. 2. t. 15. f. 2.
19 agyptia. DC. (bh.)	Egyptian.	Egypt.	1739.	6. 7.	H. ☉.	———— 2. t. 17. f. 1.
20 trifida. DC. (bl.)	large-flowered.	Spain.	1815.	——	H. ☉.	———— 5. t. 137. f. 2.
21 Tournefortiàna. DC. (r.)	Tournefort's.	————	1759.	7. 8.	H. ☉.	———— 2. t. 17. f. 3.
22 Alcea. DC. (pi.)	Vervain.	Europe.	1597.	7. 10.	H. 4.	Bot. mag. 2297.
23 Morenii. s.s. (pi.)	Moreni's.	Italy.	1824.	——	H. 4.	———— 2793.
<i>alceoides</i> . Ten. fl. nap. t. 64.						
21 moschata. DC. (pi.)	musk.	Britain.		7. 8.	H. 4.	Eng. bot. 754.
β laciniata. DC. (wh.)	white-flowered.			——	H. 4.	Bot. mag. 2298.
25 hirsuta. T. (pi.)	hairy.	Sicily.	1825.	——	H. ☉.	
26 fastigiata. DC. (re.)	fastigate.	Spain.	1828.	6. 8.	H. ♂.	Cav. dis. 2. t. 23. f. 2.
27 mauritiàna. DC. (pu.)	Ivy-leaved.	S. Europe.	1768.	6. 7.	H. ☉.	Swt. br. fl. gar. 81.
28 excelsa. Pr. (pu.)	tall.	Sicily.	1828.	——	H. 4.	
29 sylvestris. DC. (pu.)	common.	Britain.		5. 10.	H. 4.	Eng. bot. 671.
30 vulgaris. T. (pu.)	prostrate.	Italy.	1827.	——	H. ♂.	
31 Henningii. DC. (pu.)	Henning's.	Moscow.	1823.	6. 8.	H. 4.	
32 retundifolia. DC. (wh.)	round-leaved.	Britain.		6. 9.	H. ☉.	Eng. bot. 1092.
β pusilla. E.B. (wh.)	dwarf.	————		——	H. ☉.	———— 241
33 brasiliensis. DC.	Brazilian.	Brazil.	1820.	——	S. 4.	
34 nicaensis. DC. (w.p.)	Italian.	Italy.	1823.	——	H. ☉.	Cav. dis. 2. t. 23. f. 1.
35 microcarpa. DC. (fl.)	small-fruited.	Egypt.	——	——	H. 4.	
36 parviflora. DC. (ro.)	small-flowered.	Barbary.	1779.	6. 7.	H. 4.	Cav. dis. 2. t. 23. f. 1.
37 verticillata. DC. (w.p.)	whorl-flowered.	China.	1683.	——	H. ☉.	Jacq. vind. 1. t. 40.
38 mareotica. DC. (fl.)	headed.	Egypt.	1828.	6. 10.	H. ☉.	
39 crispa. DC. (bh.)	curled.	Syria.	1573.	6. 8.	H. ☉.	Cav. dis. 2. t. 23. f. 1.
40 flexuosa. DC. (re.)	flexuose.		1823.	——	H. ☉.	
41 amœna. DC. (pi.)	lobe-leaved.	C. B. S.	1796.	4. 8.	G. h.	Bot. mag. 1998.
<i>calycina</i> . B.R. 297.						
42 calycina. DC. (pi.)	large-calyxed.	————	1812.	——	G. h.	Cav. dis. 2. t. 23. f. 4.
43 virgata. DC. (fl.)	twiggy.	————	1727.	5. 7.	G. h.	———— 2. t. 18. f. 2.
44 capensis. DC. (w.r.)	Cape.	————	1713.	1. 12.	G. h.	Bot. reg. 295.
45 balsàmica. DC. (re.)	balsamic.	————	1800.	5. 9.	G. h.	Jacq. ic. 1. t. 140.
46 oxyacanthoides. DC. (w.r.)	Hawthorn-ld.	————	1825.	——	G. h.	
47 tridactylites. DC. (wh.)	reflex-flowered.	————	1791.	6. 8.	G. h.	Cav. dis. 2. t. 21. f. 2.
<i>refléra</i> . A.R. t. 135.						
48 divaricata. DC. (wh.)	straddling.	————	1792.	6. 9.	G. h.	And. bot. rep. 182.
49 retusa. DC. (y.bh.)	blunt-leaved.	————	1803.	3. 5.	G. h.	Cav. dis. 2. t. 21. f. 1.
50 fràgrans. DC. (pu.)	fragrant.	————	1759.	5. 7.	G. h.	Bot. reg. 296.
51 stricta. DC. (w.r.)	upright.	————	1805.	5. 8.	G. h.	Jacq. schœnb. 3. t. 294.
52 bryonifolia. DC. (re.)	Bryony-leaved.	————	1731.	7. 8.	G. h.	Wend. h. her. 1. t. 4.
53 grossulariæfolia. DC. (r.)	Gooseberry-ld.	————	1732.	5. 9.	G. h.	Bot. reg. 561.
54 asperrima. DC. (wh.)	roughest.	————	1796.	——	G. h.	Jacq. schœnb. 2. t. 139.
55 lactea. DC. (wh.)	panicled white.	Mexico.	1780.	1. 2.	G. h.	Cav. ic. 1. t. 30.
<i>ritifolia</i> . Cav.						
56 capitata. DC. (pu.)	various-leaved.	Peru.	1798.	11. 12.	G. h.	Cav. dis. 5. t. 137. f. 1.
57 miniata. DC. (re.)	painted.	S. America.	——	4. 5.	G. h.	Cav. ic. 3. t. 278.
58 operculata. DC. (pu.)	lid capsuled.	Peru.	1795.	7. 8.	G. h.	Cav. dis. 2. t. 35. f. 1.
59 peruviana. DC. (pu.)	Peruvian.	————	1759.	6. 8.	H. ☉.	Jacq. vind. 2. t. 156.
60 limensis. DC. (bl.)	blue-flowered.	————	1768.	——	H. ☉.	———— 2. t. 140.

61	itálica. DC.	(re.)	Italian.	Italy.	1826.	6. 8.	H. 4.	
62	anómala. L. en.	(re.)	anomalous.	C. B. S.	—	—	G. 4.	Pl. sel. hort. ber. t. 22.
63	umbellàta. DC.	(cr.)	umbelled.	S. America.	1814.	1. 3.	G. ½.	Lod. Bot. cab. 222.
64	ròsea. DC.	(ro.)	rose-coloured.	Mexico.	1828.	—	F. ½.	Flor. mex. ic. ined.
65	abutilóides. DC.	(pu.)	Bahama.	Bahama Isl.	1725.	6. 9.	G. ½.	Jacq. schœnb. 3. t. 293.
66	obtusilòba. B.M.	(pu.)	blunt-lobed.	Chili.	1824.	7. 8.	F. ½.	Bot. mag. 2787.
67	élegans. DC.	(y.re.)	elegant.	C. B. S.	1791.	5. 8.	G. ½.	Cav. dis. 2. t. 16. f. 1.
68	angustifòlia. DC.	(li.)	narrow-leaved.	Mexico.	1780.	8.	G. ½.	Bot. mag. 2839.
69	caroliniàna. DC.	(re.)	Carolina.	Carolina.	1723.	6. 7.	H. ⊙.	Cav. dis. 2. t. 15. f. 1.
70	prostràta. DC.	(sc.)	trailing.	Brazil.	1806.	5. 7.	G. 4.	Bot. mag. 2515.
71	decúmbens. DC.	(re.)	decumbent.	S. America.	1815.	6. 8.	G. 4.	
KITAIB'ELIA. DC. KITAIB'ELIA. Monadelphia Polyandria. L.								
	vitifòlia. DC.	(wh.)	Vine-leaved.	Hungary.	1801.	7. 9.	H. 4.	Bot. mag. 821.
ALTH'ÆA. DC. ALTH'ÆA. Monadelphia Polyandria. L.								
1	officinàlis. DC.	(fl.)	Marsh-Mallow.	Britain.		7. 9.	H. 4.	Eng. bot. 147.
2	taurinénsis. DC.	(pu.)	intermediate.	S. Europe.	1823.	—	H. 4.	
3	narbonénsis. DC.	(pu.)	Narbonne.	—	1780.	8. 9.	H. 4.	Jacq. ic. 1. t. 138.
4	cannabina. DC.	(ro.)	Hemp-leaved.	—	1597.	6. 7.	H. 4.	Jacq. aust. 2. t. 101.
5	hirsùta. DC.	(bh.)	hairy.	England.	1683.	—	H. ⊙.	— 2. t. 170.
6	Ludwígii. DC.	(wh.)	Ludwig's.	Sicily.	1791.	—	H. ⊙.	Cav. ic. 5. t. 423.
7	leucántha. OT.	(wh.)	white-flowered.	Mt. Sinai.	1826.	6. 8.	H. ♂.	
8	nudiflòra. F.	(ro.)	naked-flowered.	Altay.	1824.	6. 10.	H. ♂.	
9	Froloviàna. F.	(pu.)	Siberian.	Siberia.	1826.	6. 8.	H. ♂.	
10	glabrifòlia. Led.	(pu.)	smooth-leaved.	—	1827.	—	H. ♂.	
11	acáulis. DC.	(p.ye.)	stemless.	Aleppo.	1680.	—	H. ⊙.	Cav. dis. 2. t. 27. f. 3.
12	carib'æa. DC.	(ro.)	West Indian.	W. Indies.	1816.	3. 4.	S. ♂.	Bot. mag. 1916.
13	striàta. DC.	(li.)	streaked.		1820.	6. 8.	H. ♂.	
14	pállida. DC.	(li.)	pale-flowered.	Hungary.	1805.	—	H. ♂.	
15	ròsea. DC.	(ra.)	Hollyhock.	China.	1573.	7. 9.	H. ♂.	Cav. dis. 2. t. 28. f. 1.
	β bilòba. DC.	(ra.)	two-lobed.			—	H. ♂.	
16	sinénsis. DC.	(v.)	China.	—		—	H. ⊙.	Cav. dis. 2. t. 29. f. 3.
17	flexuòsa. DC.	(pu.)	flexuose.	E. Indies.	1803.	6. 8.	S. 4.	Bot. mag. 892.
18	ficifòlia. DC.	(ye.)	Fig leaved.	Levant.	1597.	6. 9.	H. ♂.	Cav. dis. 2. t. 28. f. 2.
LAVATERA. DC. LAVATERA. Monadelphia Polyandria. L.								
1	triméstris. DC.	(li.w.)	common annual.	S. Europe.	1633.	7. 9.	H. ⊙.	Bot. mag. 109.
2	phœnicea. DC.	(cr.)	scarlet.	Madeira.	1823.	6. 9.	G. ½.	Vent. malm. t. 120.
3	acerifòlia. DC.	(li.)	Map'e-leaved.	Teneriffe.	—	—	G. ½.	Lois. h. amat. t. 322.
4	hispida. DC.	(ro.)	hispid.	Algiers.	1804.	6. 7.	G. ½.	Desf. atl. 2. t. 171.
5	O'lbia. DC.	(pu.)	downy-leaved.	France.	1570.	6. 10.	G. ½.	Cav. dis. 2. t. 32. f. 2.
6	unguiculàta. DC.	(pu.)	clawed.	Greece.	1807.	7. 9.	G. ½.	
7	micans. DC.	(pu.)	glittering.	Spain.	1796.	6. 7.	G. ½.	Moris. ox. t. 17. f. 9.
8	lusitànica. DC.	(pu.)	Portugal.	Portugal.	1731.	8. 9.	G. ½.	
9	flàva. DC.	(ye.)	yellow.	Sicily.	1823.	6. 8.	H. 4.	Desf. atl. 2. t. 172.
10	plebéia. B.M.	(li.)	vulgar.	N. S. W.	1820.	—	G. 4.	Bot. mag. 2269.
Weinmanniàna. Bes.								
11	thuringiaca. DC.	(pu.)	large-flowered.	Germany.	1731.	7. 9.	H. 4.	Bot. mag. 517.
12	biénnis. DC.	(pu.)	biennial.	Caucasus.	1823.	5. 8.	H. ♂.	
13	punctàta. DC.	(bh.)	spotted-stalked.	Italy.	1800.	7. 9.	H. ⊙.	
14	marítima. DC.	(wh.)	sea side.	S. Europe.	1597.	4. 6.	G. ½.	Cav. dis. 2. t. 32. f. 3.
15	trilòba. DC.	(li.)	three lobed.	Spain.	1759.	6. 7.	G. ½.	Bot. mag. 2226.
16	arbòrea. DC.	(li.)	Tree Mallow.	Britain.		7. 10.	H. ♂.	Eng. bot. 1841.
17	neapolitana. DC.	(pu.)	Neapolitan.	Naples.	1823.	—	H. 4.	
18	crética. DC.	(pu.)	Cretan.	Crete.	1723.	7. 9.	H. ⊙.	Cav. dis. 2. t. 32. f. 1.
19	lanceolàta. W.en.	(pu.)	spear-leaved.		1823.	—	H. ⊙.	
20	sylvéstris. DC.	(pu.)	wood.	Portugal.	—	—	H. ⊙.	
21	ambígua. DC.	(pu.)	ambiguous.	Naples.	1824.	—	H. ⊙.	
22	móllis. Ehr.	(pu.)	soft.	Egypt.	1825.	7. 10.	H. ⊙.	
MALA'CHRA. DC. MALA'CHRA. Monadelphia Polyandria. L.								
1	rotundifòlia. DC.	(ro.)	round-leaved.	Brazil.	1823.	6. 9.	S. ⊙.	Schrank. h. mon. t. 56
2	capitàta. DC.	(ye.)	headed.	W. Indies.	1759.	8. 9.	S. ⊙.	Cav. dis. 2. t. 33. f. 1. 2.
3	fasciàta. DC.	(ro.)	fasciate.	Caracas.	1820.	—	S. ⊙.	Jacq. ic. 3. t. 548.
4	trilòba. DC.	(wh.)	three-lobed.		—	—	S. ⊙.	
5	radiàta. DC.	(pu.)	rayed.	St. Domingo.	1791.	7. 9.	S. ♂.	Cav. dis. 2. t. 33. f. 3.
6	alceæfòlia. DC.	(ye.)	Hollyhock-ld.	Caracas.	1805.	8. 9.	S. ⊙.	Jacq. ic. 3. t. 549.
7	heptaphýlla. DC.	(ro.)	many-flower'd.	Brazil.	1820.	6. 10.	S. 4.	
	fasciàta. B. reg. 467.		non DC.					
8	palmàta. DC.	(ye.)	palmate.		1825.	—	S. ⊙.	
UR'ENA. DC. UR'ENA. Monadelphia Polyandria. L.								
1	lobàta. DC.	(ro.)	angular-leav'd.	China.	1731.	6. 7.	S. ½.	Dill. elt. t. 319. f. 412.

2	<i>scabriuscula</i> . DC.	(ro.) roughish.	India.	1820.	6. 7.	S. h.	Cav. dis. 6. t. 185. f. 1.
3	<i>repanda</i> . DC.	(ro.) netted-leaved.	—	—	—	S. h.	—
4	<i>multifida</i> . DC.	(ye.) multitud.	Mauritius.	1817.	10. 1.	S. h.	Cav. dis. 6. t. 184. f. 2.
5	<i>tricuspis</i> . DC.	(ye.) three-pointed.	—	1820.	6. 9.	S. h.	— 6. t. 183. f. 1.
6	<i>reticulata</i> . DC.	(ye.) netted.	St. Domingo.	1816.	—	S. h.	— 6. t. 183. f. 2.
	<i>americana</i> . L. non Sm.						
7	<i>subtriloba</i> . DC.	(re.) various-leaved.	Brazil.	1823.	—	S. ☉.	Schrank. h. mon. t. 79.
8	<i>Swartzii</i> . DC.	(re.) Swartz's.	Surinam.		—	S. h.	—
	<i>sinuata</i> . Sw. <i>americana</i> . Sm.						
9	<i>sinuata</i> . DC.	(re.) cut-leaved.	E. Indies.	1759.	7. 8.	S. h.	Cav. dis. 6. t. 185. f. 2.
10	<i>muricata</i> . DC.	(re.) muricate-fruit'd	—	1823.	—	S. h.	—
PAVONIA. DC. PAVONIA. Monadelphia Polyandria. L.							
1	<i>spinifex</i> . DC.	(ye.) prickly-seeded.	W. Indies.	1778.	7. 8.	S. h.	Bot. reg. 339.
2	<i>Typhalea</i> . DC.	(wh.) globular-headed.	—	1823.	—	S. h.	Cav. dis. 2. t. 197.
3	<i>urens</i> . DC.	(ro.) stinging.	Mauritius.	1801.	—	S. h.	Jacq. ic. 3. t. 522.
4	<i>coccinea</i> . DC.	(sc.) scarlet.	St. Domingo.	1816.	—	S. h.	Cav. dis. 3. t. 47. f. 1.
5	<i>Columella</i> . DC.	(pu.) angular-leaved.	Bourbon.	1807.	—	S. h.	— 3. t. 48. f. 3.
6	<i>parviflora</i> . DC.	(st.) small-flowered.		1820.	—	S. h.	—
7	<i>racemosa</i> . DC.	(ye.) naked-racemed.	Jamaica.	—	—	S. h.	Cav. dis. 3. t. 46. f. 1.
	<i>spicata</i> . Cav.						
8	<i>præmorsa</i> . DC.	(ye.) bitten-leaved.	C. B. S.	1774.	6. 8.	G. h.	Bot. mag. 436.
9	<i>paniculata</i> . DC.	(ye.) panicked.	Caracas.	1823.	—	S. h.	Cav. dis. 3. t. 46. f. 2.
10	<i>odorata</i> . DC.	(re.) fragrant.	E. Indies.	1807.	—	S. h.	—
11	<i>sidoïdes</i> . DC.	(re.) Sida like.	—	1820.	—	S. ♂.	—
12	<i>zeylanica</i> . DC.	(bh.) Ceylon.	—	1790.	7. 9.	S. ☉.	Burm. ind. t. 48. f. 2.
13	<i>cancellata</i> . DC.	(re.) arrow-leaved	Surinam.	1823.	—	S. ☉.	Lin. sup. t. 311.
MALVAVISCUS. DC. ACHANIA. Monadelphia Polyandria. L.							
1	<i>arboreus</i> . DC.	(sc.) smooth-leaved.	Jamaica.	1714.	1. 12.	S. h.	Cav. dis. 3. t. 48. f. 1.
	<i>Achania malvariscus</i> . W.						
2	<i>mollis</i> . DC.	(sc.) soft-leaved.	Mexico.	1780.	—	S. h.	Bot. reg. 11.
	<i>Achania mollis</i> . B.R.						
3	<i>pilosa</i> . DC.	(sc.) hairy.	Jamaica.	1780.	10. 11.	S. h.	Lodd. bot. cab. 829.
LEBRETONIA. DC. LEBRETONIA. Monadelphia Polyandria. L.							
	<i>coccinea</i> . DC.	(sc.) scarlet.	Brazil.	1823.	6. 8.	S. h.	Schrank. h. mon. t. 90.
HIBISCUS. DC. HIBISCUS. Monadelphia Polyandria. L.							
1	<i>liliiflorus</i> . DC.	(ra.) Lily-flowered.	Bourbon.	1822.	8. 12.	S. h.	Cav. dis. 3. t. 57. f. 1.
2	<i>Boryanus</i> . DC.	(wh.) Bory St. Vincent's.	—	1826.	6. 10.	S. h.	—
3	<i>pedunculatus</i> . DC.	(pi.) long-peduncled.	C. B. S.	1812.	5. 12.	S. h.	Bot. reg. 231.
4	<i>Lampas</i> . DC.	(st.) three-pointed.	E. Indies.	1806.	10. 2.	S. h.	Cav. dis. 3. t. 56. f. 2.
5	<i>membranaceus</i> . DC.	(y.) leafy-calyxed.		1816.		S. h.	— 3. t. 57. f. 2.
6	<i>spiralis</i> . DC.	(y.fl.) spiral.	Mexico.	1826.	6. 9.	G. h.	Cavan. ic. 2. t. 162.
7	<i>tubulosus</i> . DC.	(y.p.) tubular.	E. Indies.	1796.	7. 10.	S. ♂.	Cav. dis. 3. t. 68. f. 2.
8	<i>pentacarpus</i> . DC.	(bh.) angular-fruited.	Venice.	1752.	—	G. 4.	Jacq. ic. 1. t. 143.
9	<i>virginicus</i> . DC.	(ro.) Virginian.	Virginia.	1798.	—	H. 4.	— 1. t. 142.
10	<i>pentaspermus</i> . DC.	(ye.) five-seeded.	Jamaica.	1825.	—	S. h.	—
11	<i>Manihot</i> . DC.	(y.p.) palmated.	E. Indies.	1712.	7. 9.	S. h.	Bot. mag. 1702.
12	<i>palmatus</i> . C.	(ye.p.) palmate-leav'd.	S. America.		—	S. h.	Cav. dis. 3. t. 63. f. 1.
13	<i>ficulneus</i> . DC.	(wh.) Fig-leaved.	Ceylon.	1732.	6. 7.	S. h.	— 3. t. 52. f. 2.
	<i>sinuatus</i> . C.						
14	<i>ficulneoides</i> . B.R.	(st.) Fig-like.	S. America.	1824.	6. 8.	S. h.	Bot. reg. 938.
15	<i>tetraphyllus</i> . DC.	(ye.) four-leaved.	E. Indies.	1807.	7. 10.	S. ☉.	—
16	<i>platanifolius</i> .	(ye.) Plane-leaved.	W. Indies.	1820.	—	S. h.	Pl. sel. h. ber. t. 1.
	<i>acerifolius</i> . DC. non P.L. <i>Paronia platanifolia</i> . L. en.						
17	<i>Rosa-sinensis</i> . DC.	(sc.) China Rose.	E. Indies.	1731.	1. 12.	S. h.	Bot. mag. 158.
	β <i>rubro-plenus</i> .	(sc.) double-red.	—	—	—	S. h.	Lod. bot. cab. 995.
	γ <i>carneo-plenus</i> .	(sa.) double-salmon.	—	—	—	S. h.	—
	ϵ <i>variegatus</i> .	(sc.w.) double-striped.	—	—	—	S. h.	Lod. bot. cab. 963.
	ϵ <i>flavo-plenus</i> .	(co.) double-buff.	—	—	—	S. h.	— 513.
	ζ <i>luteo-plenus</i> .	(ye.) double-yellow.	—	1822.	—	S. h.	— 932.
18	<i>acerifolius</i> . P.L.	(ra.) Maple-leaved.	China.	1798.	3. 6.	G. h.	Sal. par. lond. 22.
19	<i>syriacus</i> . DC.	(ra.) Althaea frutex.	Syria.	1596.	8. 9.	H. h.	Bot. mag. 83.
	α <i>purpureus</i> .	(pu.) purple-flowered.	—	—	—	H. h.	—
	β <i>ruber</i> .	(re.) red-flowered.	—	—	—	H. h.	—
	γ <i>albus</i> .	(wh.) white-flowered.	—	—	—	H. h.	—
	δ <i>variegatus</i> .	(w.p.) striped-flowered.	—	—	—	H. h.	—
	ϵ <i>marginatus</i> .	(pu.) variegated.	—	—	—	H. h.	—
	ζ <i>albo-plenus</i> .	(wh.) double-white.	—	—	—	H. h.	—
	η <i>purpureo-plenus</i> .	(p.) double-purple.	—	—	—	H. h.	—
20	<i>pruriens</i> . DC.	(y.pu.) stinging.	E. Indies.	1804.	7. 9.	S. ♂.	Andr. reposit. 498.

21	surattensis. DC.	(y.p.)	prickly-stalk'd.	E. Indies.	1731.	7. 9.	S. ☉.	Bot. mag. 1356.
22	radiatus. DC.	(st.p.)	rayed.	—————	1790.	6. 8.	S. ☉.	————— 1911.
23	furcatus. DC.	(ye.p.)	forked.	—————	1816.	7. 9.	S. ☉.	
24	unidens. B.R.	(y.p.)	one-toothed.	Brazil.	1824.	11. 4.	S. h.	Bot. reg. 878.
25	scaber. DC.	(st.)	scabrous.	Carolina.	1810.	7. 9.	G.w. 2.	
26	strigosus. B.R.	(ro.)	strigose.	S. America.	1822.	1. 12.	S. h.	Bot. reg. 860.
27	bifurcatus. DC.	(pu.)	two-forked.	Brazil.	1826.	—	S. h.	Cav. dis. 3. t. 51. f. 1.
28	trilobus. DC.	(co.)	three-lobed.	W. Indies.	1824.	—	S. h.	————— 3. t. 53. f. 2.
29	diversifolius. DC.	(y.p.)	different-leav'd.	E. Indies.	1798.	6. 7.	S. h.	Jacq. ic. 3. t. 551.
30	heterophyllus. DC.	(w.p.)	various-leaved.	N. S. W.	1808.	8. 9.	G. h.	Bot. reg. 29.
31	cannabinus. DC.	(y.p.)	Hemp-leaved.	E. Indies.	1759.	6. 7.	S. ♂.	Roxb. cor. 2. t. 190.
32	vitifolius. DC.	(y.p.)	Vine-leaved.	—————	1690.	7. 10.	S. ♂.	Rheed. mal. 6. t. 46.
33	obtusifolius. DC.	(y.p.)	blunt-leaved.	—————	1820.	—	S. ♂.	
34	Bammia. L.en.	(y.p.)	Egyptian.	Egypt.		6. 7.	S. ☉.	Tozz. mus. d. fir. 2. t. 7.
35	esculentus. L.en.	(y.p.)	eatable.	India.	1692.	—	S. ☉.	
36	longifolius. DC.	(ye.)	long-leaved.	E. Indies.	1820.	7. 9.	S. ♂.	
37	moscheutos. DC.	(w.p.)	swamp.	N. America.		8. 10.	H.w. 2.	Swt. br. fl. gar. 286.
38	palustris. DC.	(pu.)	marsh.	—————	1759.	7. 9.	H.w. 2.	Cav. dis. 3. t. 65. f. 2.
39	roseus. DC.	(ro.)	rose-colour'd.	S. Europe.	1824.	8. 10.	H.w. 2.	Swt. br. fl. gar. 277.
40	aquaticus. DC.	(wh.)	water.	Etruria.	1820.	7. 9.	H.w. 2.	
41	incanus. DC.	(st.)	hoary.	Carolina.	1806.	9.	G.w. 2.	Wend. h. her. 4. t. 21.
42	militaris. DC.	(pu.)	smooth.	Louisiana.	1804.	8. 9.	G.w. 2.	Bot. mag. 2385.
43	speciosus. DC.	(cr.)	superb.	Carolina.	1778.	6. 9.	G.w. 2.	————— 360.
44	grandiflorus. DC.	(fl.)	great-flower'd.	Georgia.	1823.	—	G.w. 2.	
45	ferrugineus. DC.	(re.)	rusty	Madagascar.	1820.	—	S. h.	Cav. dis. 3. t. 60. f. 1.
46	lunarifolius. DC.	(st.p.)	Lunaria-leav'd.	E. Indies.		—	S. h.	
47	æthiopicus. DC.	(ye.)	dwf. wedge-l'd.	C. B. S.	1774.	8.	G. 2.	Cav. dis. 3. t. 61. f. 1.
48	mutabilis. DC.	(va.)	changeable.	E. Indies.	1690.	10. 12.	S. h.	Bot. reg. 589.
	β flore-pleno.	(va.)	double-flowered.	—————		—	S. h.	
49	clypeatus. DC.	(r.y.)	shield-capsuled.	Jamaica.	1759.	7. 8.	S. h.	Cav. dis. 3. t. 58. f. 1.
50	Abelmöschus. DC.	(ye.)	Musk Okro.	India.	1640.	7. 9.	S. h.	————— 3. t. 62. f. 2.
51	eriocarpus. DC.	(ye.)	woolly-capsul'd.	E. Indies.	1820.	—	S. h.	
52	phœniceus. B.R.	(cr.)	crimson-flow'd.	S. America.	1796.	—	S. h.	Bot. reg. 230.
53	hirtus. L.	(se.)	hairy.	E. Indies.		2. 10.	S. h.	Cav. dis. 3. t. 67. f. 3.
54	Rosa malabarica.	(se.)	Malabar Rose.	— — —	1818.	8. 10.	S. h.	Bot. reg. 337.
55	rhombifolius. DC.	(wh.)	rhomb-leaved.	—————	1823.	—	S. h.	Cav. dis. 3. t. 69. f. 3.
56	gossypinus. DC.	(re.)	cottony.	C. B. S.	1818.	—	G. h.	
57	micranthus. DC.	(ye.)	small-flowered.	E. Indies.	1794.	—	S. h.	Cav. dis. 3. t. 66. f. 1.
58	Trionum. DC.	(st.p.)	BladderKetmia.	Italy.	1596.	6. 9.	H. ☉.	Bot. mag. 209.
59	hispidus. B.R.	(y.p.)	hispid.	C. B. S.		—	G. h.	Bot. reg. 806.
60	africanus. R.B.	(st.p.)	African.	Africa.	1826.	6. 10.	H. ☉.	
61	Richardsoni.	(st.)	Richardson's.	N. S. W.	1822.	—	G. h.	Bot. reg. 875.
62	vesicarius. DC.	(st.p.)	African.	Africa.	1713.	7. 8.	H. ☉.	Cav. dis. 3. t. 62. f. 2.
63	Sabdariffa. DC.	(y.ro.)	Indian.	E. Indies.	1596.	6. 9.	S. ♂.	Bonp. nav. t. 29.
64	digitatus. DC.	(y.r.)	fingered.	Brazil.	1818.	—	S. ☉.	Cav. dis. 3. t. 70. f. 2.
	β Kerrianus. DC.	(w.r.)	Ker's.	Rio Janeiro.	—	—	S. ☉.	Bot. reg. 608.
65	tricuspis. DC.	(ye.)	sharp-pointed.	Society Isl.	1820.	—	S. h.	Cav. dis. 3. t. 55. f. 2.
66	racemosus. B.R.	(y.p.)	racemed.	Nepaul.	1824.	8. 2.	G. h.	Bot. reg. 917.
67	tiliaceus. DC.	(ye.p.)	Lime-tree-l'd.	E. Indies.	1739.	7. 8.	S. h.	————— 232.
68	elatus. DC.	(y.p.)	tall.	Jamaica.	1790.	—	S. h.	
69	abutiloides. DC.	(y.p.)	smooth-leaved.	S. America.	1820.		S. h.	Sloan. jam. 1. t. 234. f. 4.
70	flavescens.	(ye.)	flavescant.	Brazil.	1822.	6. 9.	S. h.	Cav. dis. 3. t. 70. f. 3.
71	borbonicus. DC.	(ye.)	Bourbon.	I. Bourbon.	1826.	—	S. h.	
72	Macleanus. BF.	(ye.)	Macleay's.	W. Indies.	1827.	8. 9.	S. h.	
73	macrophyllus. DC.	(ye.)	large-leaved.	E. Indies.	1820.		S. h.	
74	collinus. H.B.	(ye.)	hill.	—————	1822.		S. h.	
75	cancellatus. H.B.	(ye.)	netted.	Nepaul.	1823.	10. 2.	S. ♂.	
76	truncatus. H.B.	(ye.)	truncate.	E. Indies.	—	8. 10.	S. ☉.	
77	scandens. H.B.	(ye.)	climbing.	—————	1822.		S. h. ~.	
78	strictus. H.B.	(ye.)	upright.	—————	1809.	8. 10.	S. ☉.	
79	gargeticus. L.en.	(ye.)	dwarf.	—————	1804.	5. 10.	S. h.	
80	setosus. H.B.	(ye.)	bristly.	—————	1820.		S. h.	
81	tortuosus. H.B.	(ye.)	twisted.	—————	1808.	6. 9.	S. h.	
82	pentaphyllus. H.B.	(y.)	five-leaved.	China.	1825.	7. 9.	S. ♂.	
83	pungens. H.B.	(ye.)	pungent.	Nepaul.	—		G. 2.	
84	fragrans. H.B.	(ye.)	fragrant.	E. Indies.	1826.		S. h.	
85	Patersonii. DC.	(fl.)	Norfolk Island.	Norfolk Isl.	1792.	6. 8.	G. h.	Andr. rep. 286.
	Laguna Patersonia.		Bot. mag. 769.	squamea. Vent. malm.	t. 42.			

THESPESIA. DC.		THESPESIA. Monadelphia Polyandria. L.					
populnea. DC. (y.p.)	Poplar-leaved.	E. Indies.	1770.		S. h.	Cav. dis. 3. t. 56. f. 1.	
<i>Hibiscus populneus. W.</i>							
GOSSYPIUM. DC.		COTTON-TREE. Monadelphia Polyandria. L.					
1 herbaceum. DC. (y.p.)	common.	E. Indies.	1594.	7.	S. ♂.	Roxb. corom. t. 269.	
2 indicum. DC. (y.p.)	Indian.	—		—	S. ♂.	Cav. dis. 6. t. 169.	
3 arboreum. DC. (y.p.)	tree.	—	1694.	7. 8.	S. h.	— 6. t. 195.	
4 vitifolium. DC. (y.p.)	Vine-leaved.	—	1805.	—	S. h.	— 6. t. 166.	
5 hirsutum. DC. (ye.)	hairy.	S. America.	1731.	—	S. ♂.	— 6. t. 167.	
6 eglandulosum. DC. (ye.)	glandless.			—	S. ♂.		
7 religiosum. DC. (bh.)	spotted-bark'd.	E. Indies.	1777.	—	S. h.	Cav. dis. 6. t. 164. f. 1.	
8 latifolium. DC. (ye.p.)	broad-leaved.			—	S. h.	Murr. c. goet. p. 32. t. 1.	
9 barbadense. DC. (y.p.)	Barbadoes.	Barbadoes.	1759.	8. 10.	S. ♂.	Bot. reg. 84.	
10 obtusifolium. H.B. (y.p.)	blunt-leaved.	E. Indies.	1822.	7. 8.	S. h.		
REDO'UTEA. DC.		REDO'UTEA. Monadelphia Polyandria. L.					
heterophylla. DC. (st.p.)	various-leaved.	St. Thomas.	1824.	7. 9.	S. ☉.	Vent. cels. t. 11.	
LOP'IMIA. DC.		LOP'IMIA. Monadelphia Polyandria. L.					
malacophylla. DC. (sc.)	Mallow-leaved.	Brazil.	1824.		S. h.	Pl. sel. h. ber. t. 30.	
<i>Sida malacophylla. L. en.</i>							
PALAVIA. DC.		PALAVIA. Monadelphia Polyandria. L.					
1 malvaefolia. DC. (pu.)	Mallow-leaved.	Lima.	1794.	6. 8.	H. ☉.	Cav. dis. 1. t. 11. f. 4.	
2 moschata. DC. (pu.)	musk-scented.	—	1822.	—	H. ☉.	— 1. t. 11. f. 5.	
CRISTARIA. Ph.		CRISTARIA. Monadelphia Polyandria. L.					
? coccinea. Ph. (sc.)	scarlet.	Missouri.	1811.	7. 9.	H. ♀.	Bot. mag. 1673.	
<i>Malva coccinea. Nut. Sida? coccinea. DC.</i>							
AN'ODA. DC.		AN'ODA. Monadelphia Polyandria. L.					
1 hastata. DC. (bl.wh.)	halberd-leav'd.	Mexico.	1799.	6. 7.	S. ☉.	Bot. rep. 588.	
2 triloba. DC. (pu.)	three-lobed.	—	1720.	7. 9.	G. ☉.	Cav. dis. 1. t. 10. f. 3.	
<i>Sida cristata. W. non B.M.</i>							
3 Dilleniana. DC. (ro.)	Dillenius's.	—	1725.	6. 11.	G. ☉.	Cav. dis. 1. t. 11. f. 1.	
<i>Sida cristata. B.M. 330. non W.</i>							
4 triangularis. DC. (pu.)	triangular-ld.	—	1824.	7. 9.	G. ☉.		
5 incarnata. DC. (fl.)	flesh-color'd.	—	1825.	—	G. ♂.		
6 acerifolia. DC. (bl.)	Maple-leaved.	—	1809.	1. 12.	S. ♂.	Bot. mag. 1541.	
<i>Sida hastata. B.M. non W. centrota. s.s.</i>							
7 parviflora. DC. (st.)	small-flowered.	New Spain.	1823.	6. 10.	G. ☉.	Cav. ic. 5. t. 431.	
PERIPTERA. DC.		PERIPTERA. Monadelphia Polyandria. L.					
punicea. DC. (cr.)	crimson.	New Spain.	1813.	6. 9.	S. h.	Bot. mag. 1644.	
<i>Sida periptera. B.M. Anoda punicea. Lag.</i>							
NUTTALLIA. B.A.		NUTTALLIA. Monadelphia Polyandria.					
1 digitata. B.A. (d.p.)	digitate-leaved.	N. America.	1824.	7. 10.	H. ♀.	Swt. br. fl. gar. 129.	
2 pedata. B.A. (d.pu.)	pedate-leaved.	—	—	—	H. ♀.	Hook. ex. flor. 172.	
SIDA. Kth.		SIDA. Monadelphia Polyandria. L.					
1 linifolia. DC. (wh.)	Flax-leaved.	S. America.	1822.	6. 9.	S. h.	Cav. dis. 1. t. 2. f. 1.	
2 angustifolia. DC. (ye.)	narrow-leaved.	Bourbon.	1726.	7. 9.	S. h.	— 1. t. 2. f. 2.	
3 linearis. DC. (ye.)	linear-leaved.	New Spain.	1820.	6. 10.	G. h.	Cav. ic. 4. t. 312. f. 1.	
4 viminea. L. en. (ye.)	slender.	Brazil.	1823.	—	S. h.		
5 spinosa. DC. (ye.)	prickly.	E. Indies.	1680.	—	S. ♂.	Cav. dis. 1. t. 1. f. 9.	
6 acuta. DC. (ye.)	acute-leaved.	—	1827.	—	S. h.	— 1. t. 2. f. 3.	
7 alba. DC. (wh.)	white-flowered.	—	1732.	6. 7.	S. ☉.	Dill. elt. 2. t. 171. f. 210.	
8 stipulata. DC. (ye.)	large-stipuled.	Mauritius.	1820.		S. h.	Cav. dis. 1. t. 3. f. 10.	
9 jamaicensis. DC. (ye.)	Jamaica.	Jamaica.	1818.	6. 9.	S. h.	— 1. t. 2. f. 5.	
10 bracteolata. DC. (ye.)	bracteolate.	S. America.	—	—	S. h.		
11 carpinifolia. DC. (ye.)	Hornbeam-ld.	Canaries.	1774.	7. 9.	G. h.	Cav. dis. 5. t. 134. f. 1.	
12 carpinoides. DC. (ye.)	Hornbeam-like.			—	S. h.		
13 semicrenata. L. en. (y.)	semicrenate.	Manila.	1826.	—	S. ♀.		
14 acrantha. L. en. (ye.)	close-flower'd.	Brazil.	—	—	S. h.		
15 spiræifolia. L. en. (ye.)	Spiræa-leaved.			—	S. h.		
16 Schrankii. DC. (ye.)	Schrank's.	Brazil.	1824.	—	S. ♀.		
<i>brasila. L. en.</i>							
17 betulina. H. (ye.)	Birch-leaved.	S. America.	1823.	—	S. h.		
18 erosa. DC. (ye.)	jagged.	Brazil.	—	—	S. ♀.		
19 ciliaris. DC. (cr.)	ciliated.	St. Domingo.	1798.	—	S. h.	Cav. dis. 1. t. 3. f. 9.	
20 alnitolia. DC. (ye.)	Alder-leaved.	E. Indies.	1732.	—	S. ♂.	Dill. elt. t. 172. f. 211.	
21 sessiliflora. B.M. (ye.)	sessile-flower'd.	S. America.	1826.	11. 2.	S. h.	Bot. mag. 2857.	
22 frutescens. DC. (ye.)	frutescent.	Mauritius.	1824.	6. 9.	S. h.	Cav. dis. 1. t. 10. f. 1.	
23 bicolor. DC. (r.y.)	two-colour'd.	New Spain.	1826.	—	S. h.	Cav. ic. 4. t. 311.	
24 canariensis. DC. (wh.)	Canary Tea.	Canaries.		—	S. h.	Cav. dis. 1. t. 3. f. 8.	
<i>alba. Cav. non L.</i>							

25	rhombifolia. DC. (ye.)	rhomboid-ld.	Brazil.	1732.	6. 8.	S. h.	Cav. dis. 1. t. 3. f. 12.
26	rhombóidea. DC. (ye.)	rhomboid.	E. Indies.	1818.	—	S. h.	
27	retusa. DC. (ye.)	retuse-leaved.	—	—	—	S. h.	Cav. dis. 1. t. 3. f. 4.
28	recisa. DC. (ye.)	notched.	Brazil.	1823.	—	S. 2.	
29	calyxhymenia. DC. (st.)	New Holland.	N. Holland.	1820.	—	G. h.	
30	globiflora. B.M. (st.)	globe-flowered.	Mauritius.	1825.	10. 12.	S. h.	Bot. mag. 2821.
31	maculata. DC. (ye.r.)	corky.	St. Domingo.	1798.		S. h.	Cav. dis. 1. t. 3. f. 7.
	suberosa. L. her. stirp. t. 54.						
32	acuminata. DC. (ye.)	acuminate.	St. Domingo.	1805.	7. 9.	S. h.	
33	pilosa. DC. (ye.)	pilose.	W. Indies.	1793.	—	S. ♂.	Cav. dis. 1. p. 9. t. 8.
34	humilis. DC. (ye.)	dwarf.	E. Indies.	1800.	7. 8.	S. ♂.	Cav. dis. 5. t. 134. f. 2.
	unilocularis. L'Herit. stirp. 1. t. 53. bis.						
35	rotundifolia. DC. (pu.)	round-leaved.	Bourbon.	1826.	—	S. ⊙.	Cav. dis. 1. t. 3. f. 6.
36	cordifolia. DC. (ye.)	heart-leaved.	E. Indies.	1732.	6. 9.	S. ⊙.	— 1. t. 3. f. 2.
37	multiflora. DC. (ye.)	many-flowered.	Brazil.	1825.	—	S. h.	— 1. t. 3. f. 3.
38	arguta. DC. (ye.)	sharp-leaved.	W. Indies.	1732.	7. 8.	S. h.	
39	althæifolia. DC. (co.)	Althæa-leaved.	—	1818.	—	S. h.	Sloan. his. 1. t. 136. f. 2.
40	urens. DC. (ye.)	stinging.	—	1781.	—	S. h.	Cav. dis. 1. t. 2. f. 7.
41	verticillata. DC. (ye.)	whorl-flowered.	Brazil.	1823.	—	S. h.	— 1. t. 1. f. 12.
42	paniculata. DC. (d.pu.)	dark purple.	S. America.	1795.	7. 9.	S. h.	— 1. t. 12. f. 5.
	atrosanguinea. Jacq. ic. 1. t. 136.						
43	fruticosa. DC. (wh.)	shrubby.	Jamaica.		6. 10.	S. h.	
44	villosa. DC. (ye.)	villous.	S. America.		—	S. h.	
45	verruculata. DC. (ye.)	wart-stem'd.	Brazil.	1827.	5. 9.	S. h.	
	arguta. F. in L. en. non Swartz.						
46	gravæolens. DC. (ye.)	strong-scented.	E. Indies.	1820.	6. 9.	S. 2.	
47	purpurascens. DC. (pu.)	purplish.	Brazil.	—	7. 9.	S. h.	
48	pätens. DC. (pu.)	spreading.	Abyssinia.	1806.	—	S. ♂.	Andr. rep. 571.
49	conferta. DC. (st.)	close-flowered.	Brazil.	1826.	—	S. h.	
50	hirsuta. DC. (wh.)	hairy.			—	S. h.	
51	lasiostega. DC. (ye.)	woolly.	Brazil.	1823.	—	S. h.	
52	pentacarpus. DC. (ye.)	five-capsuled.	E. Indies.	1823.	8. 10.	S. ⊙.	
53	triloba. DC. (wh.)	three-lobed.	C. B. S.	1794.	—	G. ♂.	Jacq. schœn. 2. t. 142.
54	ricinoides. DC. (bh.)	Ricinus-like.	Peru.	1826.	7. 10.	H. ⊙.	L'Her. stirp. 1. t. 56.
	palmata. Cav. dis. 1. t. 3. f. 3.						
55	jatrophioides. DC. (vi.)	Jatropha-like.	Peru.	1787.	8.	S. ♂.	L. Her. stirp. 1. t. 56.
	palmata. Jacq. ic. rar. 3. t. 547.						
56	malvæflora. B.R. (bh.)	Mallow-flow'd.	Columbia.	1826.	9. 11.	H. 2.	Bot. reg. 1036.
57	Nap'æa. DC. (wh.)	smooth.	Virginia.	1748.	8. 9.	H. 2.	Bot. mag. 2193.
	Nap'æa læ'vis. L.						
58	dioica. DC. (wh.)	rough.	Virginia.	1759.	8. 9.	H. 2.	Cav. dis. 5. t. 132. f. 2.
BASTA'RDIA. Kth. BASTA'RDIA.		Monadelphia	Polyandria. L.				
1	viscosa. K.S. (ye.)	viscous.	S. America.	1822.	7. 8.	S. h.	Sloan. his. 1. t. 139. f. 4.
	Sida viscosa. DC.						
2	foetida. (ye.)	stinking.	Peru.	1795.	7. 8.	S. ⊙.	L. Her. stirp. 1. t. 53.
	Sida foetida. DC. Sida viscosa. L.H.						
GA'YA. Kth. GA'YA.		Monadelphia	Polyandria. L.				
1	occidentalis. H.S. (vi.)	downy.	America.	1732.	7. 8.	S. ⊙.	Cav. dis. 1. t. 4. f. 3.
	Sida occidentalis. DC.						
2	hermannioides. K.S. (y.)	Hermannia-like.	Mexico.	1826.	4. 9.	G. h.	H. et B. n. gen. 5. t. 475.
3	disticha. (ye.)	two-ranked.	New Spain.	1820.	6. 9.	G. h.	Cav. ic. 5. t. 432.
	Sida disticha. Cav.						
4	nütans. (ye.)	nodding.	Peru.	1825.	—	G. h.	L. Her. stirp. 1. t. 57.
	Sida nütans. DC. calyptrata. Cav.						
AB'UTILON. Kth. AB'UTILON.		Monadelphia	Polyandria. L.				
1	periplocifolium. (st.)	Periploca-ld.	India.	1691.	7. 8.	S. ♂.	Cav. dis. 1. t. 5. f. 2.
	Sida periplocifolia. DC.						
2	ferrugineum. K.S. (ye.)	ferruginous.	Peru.	1822.	7. 8.	S. h.	
3	hernandioides. (ye.)	Hernandia-ld.	Hispaniola.	1798.		S. h.	L. Her. stirp. 1. t. 58.
4	luciànum. (wh.)	St. Lucian.	St. Lucia.	1822.		S. h.	
	Sida luciàna. DC.						
5	Lechenaultianum. (ye.)	Lechenault's.	E. Indies.	1820.		S. h.	
	Sida Lechenaultiana. DC.						
6	nudiflorum. (ye.)	naked-flower'd.	Peru.	1731.	5. 6.	S. h.	L. Her. stirp. 1. t. 59.
7	polyánton. (ye.)	many-flowered.		1822.	—	S. h.	
	Sida polyántha. DC.						
8	contractum. (ye.)	contracted.	Madagascar.	1826.	5. 7.	S. h.	
	Sida contracta. L. en.						
9	auritum. (co.)	eared-stipuled.	Java.	1820.	12. 3.	S. h.	Bot. mag. 2495.
	Sida aurita. B.M.						

10 triquetrum.	(ye.) triangular.	W. Indies.	1775.	7. 8.	S. h.	Jacq. vind. 2. t. 118.
11 incanum.	(ye.) hoary.	Sandwich Isl.	1821.	—	S. h.	
<i>Sida incana</i> . L. en.						
12 pulchellum.	(wh.) neat.	N. Holland.	—	—	S. h.	Bonpl. nav. t. 2.
13 umbellatum.	(ye.) umbelled.	Jamaica.	1788.	7. 9.	S. ♂.	Jacq. vind. t. 56.
14 giganteum.	(ye.) gigantic.	Caracas.	1823.		S. h.	Jacq. schoenb. 2. t. 141.
15 reflexum.	(re.) reflex-flowered.	Peru.	1799.	7. 8.	S. h.	Cav. dis. 1. t. 7.
16 crispum.	(wh.) curled.	America.	1726.	—	H. ☉.	— 1. t. 7. f. 1.
17 virgatum.	(ye.) twiggy.	Peru.	1820.	—	S. h.	Cav. ic. 1. t. 73.
18 arboreum.	(pu.) great-flowered.	—	1772.	—	S. h.	L. her. stirp. 1. t. 63.
19 Mauritianum.	(ye.) hairy-capsuled.	Mauritius.	1789.	7. 9.	S. h.	Jacq. ic. 1. t. 137.
<i>Sida planiflora</i> . Cav. dis. 1. t. 7. f. 4.						
20 tiliaefolium.	(ye.) Lime-tree-ld.	China.	1820.	—	S. ☉.	Jacq. f. ecl. 1. t. 35.
21 muticum.	awnless.	Egypt.	1825.	8. 10.	H. ☉.	
<i>Sida mutica</i> . DC.						
22 Avicennæ. G.	(ye.) broad-leaved.	S. France.	1596.	6. 8.	H. ☉.	Houtt. syst. 8. t. 61.
<i>Sida Abutilon</i> . DC.						
23 americanum.	(ye.) American.	Jamaica.	1730.	6. 8.	S. ☉.	
<i>Sida americana</i> . DC.						
24 asiaticum.	(ye.) small-flowered.	E. Indies.	1768.	7. 8.	S. ☉.	Cav. dis. 1. t. 7. f. 2.
25 populifolium.	(ye.) Poplar-leaved.	—	1796.	—	S. ☉.	— 1. t. 7. f. 9.
26 hirtum.	(ye.) hairy.	—	1820.	—	S. ☉.	Rumph. amb. 4. t. 10?
<i>Sida hirta</i> . DC.						
27 melle.	(ye.) large-leaved.	Peru.	1817.	10. 12.	S. h.	Bot. mag. 2759.
<i>Sida mollis</i> . DC. <i>grandifolia</i> . Bot. reg. 360.						
28 mollicimum.	(st.) soft-leaved.	Peru.	1789.	6. 7.	S. ♂.	Cav. dis. 2. t. 14. f. 1.
29 permolle.	(ye.) woolly-leaved.	—	1818.	—	S. h.	
<i>Sida permollis</i> . DC.						
30 cornutum.	(ye.) horned.	S. America.	1827.	—	S. h.	
<i>Sida cornuta</i> . W. enum.						
31 indicum.	(ye.) Indian.	E. Indies.	1731.	7. 8.	S. ☉.	Cav. dis. 1. t. 7. f. 10.
32 vesicarium.	(st.) bladdered.	Mexico.	1796.	—	S. h.	— 2. t. 14. f. 3.
33 glaucum.	(ye.) glaucous.	Senegal.	1822.	—	S. h.	Cav. ic. 1. t. 11.
34 albidum.	(ye.) white-leaved.	Canaries.	—	—	G. h.	
<i>Sida albidula</i> . DC.						
35 mollicomum.	(ye.) soft.		1801.	7. 9.	S. h.	
<i>Sida sericea</i> . Cav? <i>Sida mollicoma</i> . DC.						
36 Sonneratiænum.	(ye.) Sonnerat's.	C. B. S.	1806.	6. 7.	G. ♂.	Cav. dis. 1. t. 6. f. 4.
LAGUN'EA. DC. LAGUN'EA. Monadelphia Polyandria. L.						
1 lobata. DC.	(wh.) Maple-leaved.	Bourbon.	1787.	7. 8.	S. ☉.	Cav. dis. 5. t. 136. f. 1.
2 sinuata. DC.	(wh.) sinuate.			—	S. ☉.	

ORDO XXIX.

BOMBACEÆ. DC. *prodr.* 1. p. 475.

HELICTERES. DC. SCREW-TREE. Monadelphia Dodecandria. L.						
1 Isora. DC.	(re.) great-fruited.	E. Indies.	1733.	6. 7.	S. h.	Bot. mag. 2061.
2 baruensis. DC.	(wh.) small-fruited.	W. Indies.	1739.	9. 10.	S. h.	Jacq. amer. t. 149.
3 jamaicensis. DC.	(wh.) broad-leaved.	—	—	6. 7.	S. h.	Jacq. vind. 2. t. 143.
4 guazumæfolia. DC.	(pu.) Guazuma-ld.	S. America.	1820.	6. 8.	S. h.	
5 verbascifolia. DC.	(re.) Verbascum-ld.	Brazil.	—	—	S. h.	Lodd. bot. cab. 504.
6 ferruginata. DC.	(ye.) yellow-flow'r d.	—	—	—	S. h.	
7 lanceolata. DC.	(pu.) spear-leaved.	E. Indies.	1823.		S. h.	
8 spicata. H. B.	(pu.) spike-flowered.	—	—		S. h.	
MYR'ODIA. DC. MYR'ODIA. Monadelphia Dodecandria. L.						
turbinata. DC.	(wh.) short-flowered.	W. Indies.	1793.		S. h.	Fl. mex. ic. ined.
PLAGIA'NTHUS. DC. PLAGIA'NTHUS. Monadelphia Dodecandria.						
divaricatus. DC.	 small-leaved.	New Zealand.	1821.		G. h.	Forst. gen. t. 43.
ADANSONIA. DC. SOUR-GOURD. Monadelphia Polyandria. L.						
digitata. DC.	(wh.) palmate.	Senegal.	1724.		S. 5.	Bot. mag. 2791-2792.

CAROLINEA. DC.	CAROLINEA.	Monadelphia	Polyandria.	L.	
1 princeps. DC. (re.) digitated.	W Indies.	1787.		S. h.	Aub. gui. 2. t. 291-2.
<i>Pachira aquatica.</i> A.					
2 insignis. DC. (sc.) great-flowered.	—————	1796.		S. h.	Lodd. bot. cab. 1001.
3 robusta. L.C. (re.) robust.	S. America.	1825.		S. h.	
4 fastuosa. DC. (cr.) crimson.	New Spain.	————		S. h.	Hern. mex. 68. ic.
5 minor. DC. (re.) lesser.	Guiana.	1798.	7. 8.	S. h.	Bot. mag. 1412.
6 alba. B.C. (wh.) white-flowered.	Brazil.		————	S. h.	Lod. bot. cab. 752.
BOOMBAX. DC.	SILK-COTTON-TREE.	Monadelphia	Polyandria.		
1 Céiba. DC. (ro.) five-leaved.	S. America.	1692.		S. h.	Jacq. am. t. 176. f. 1.
<i>quinatum.</i> Jacq.					
2 septenatum. DC. seven-leaved.	—————	1699.		S. h.	
<i>heptaphyllum.</i> L. non Cav.					
3 malabáricum. DC. (sc.) Malabar.	E. Indies.			S. h.	Roxb. cor. 3. t. 247.
<i>heptaphyllum.</i> Roxb. non L.					
4 globosum. DC. (pa.) globe-fruited.	Guiana.	1824.		S. h.	Aubl. guian. 2. t. 281.
5 buonopozense. DC. (cr.) African.	Africa.	1822.		S. h.	Beauv. fl. ow. 2. t. 83.
ERIODE'NDRON. DC.	ERIODE'NDRON.	Monadelphia	Dodecandria.		
1 leianthèrum. DC. (wh.) Brazilian.	Brazil.	1822.		S. h.	Cav. dis. 5. t. 152. f. 1.
<i>Bombax eriánthos.</i> Cav.					
2 anfractuòsum. DC. (st.) twisted-anther'd		1739.		S. h.	Cav. dis. 5. t. 151.
<i>Bombax pentándrum.</i> L.					
α indicum. DC. (ye.) East Indian.	E. Indies.	————		S. h.	Rheed. mal. 3. t. 49. 51.
β caribæum. DC. (ro.) West Indian.	W. Indies.	————		S. h.	Jacq. am. t. 176. f. 70.
γ africanum. DC. (cr.) African.	Africa.	1823.		S. h.	
OCHR'OMA. DC.	OCHR'OMA.	Monadelphia	Pentandria.	L.	
1 Lagòpus. DC. (wh.) downy-leaved.	Jamaica.	1802.		S. h.	Sw. fl. 2 t. 23.
2 tomentosa. DC. (wh.) woolly-leaved.	S. America.	1816.		S. h.	
CHEIROSTEMON. DC.	CHEIROSTEMON.	Monadelphia	Decandria.		
platanoídes. DC. (wh.) plane-leaved.	New Spain.	1820.	11. 1.	S. h.	H. et B. pl. æq. 1. t. 24.
<i>Chiranthodéndron.</i> Larr. dis. ic.					

ORDO XXX.

BUTTNERIACEÆ. Kunth Synops. 3. p. 266.

Tribus I. STERCULIÆ. DC. prodr. 1. p. 481.

STERCULIA. DC.	STERCULIA.	Monœcia	Monadelphia.	L.	
1 Balánghas. DC. (st.) many-seeded.	E. Indies.	1787.	6. 9.	S. h.	Rheed. mal. 1. t. 49.
2 nòbilis. DC. (st.) few-seeded.	China.	————	————	S. h.	Bot. reg. 185.
<i>Balánghas.</i> B.R. <i>Southwellia nòbilis.</i> Par. Lond. 69.					
3 acuminàta. DC. (ye.) taper-pointed.	Africa.	1822.		S. h.	Beau. fl. ow. 1. t. 24.
4 grandiflòra. DC. (ye.) large-flowered.	E. Indies.	1820.		S. h.	
5 coccinea. DC. (re.) scarlet-fruited.	—————	————	————	S. h.	
6 angustifòlia. DC. (ye.) narrow-leaved.	Nepaul.	1823.		S. h.	
7 guttata. DC. (fl.) spotted.	E. Indies.	1819.		S. h.	Rheed. mal. 4. t. 61.
8 heterophy'lla. DC. (ye.) various-leaved.	Africa.	1824.		S. h.	Beauv. fl. ow. 1. t. 40.
9 Ivira. DC. (fl.) hairy capsuled.	W. Indies.	1723.		S. h.	Aub. gui. 2. t. 279.
<i>crinita.</i> Cav. dis. 5. t. 162.					
10 macrophy'lla. DC. (ye.) large-leaved.	E. Indies.	1822.		S. h.	
11 platanifòlia. DC. (gr.) Plane-leaved.	China.	1757.	7.	G. h.	Cav. dis. 5. t. 145.
12 coloràta. DC. (re.) scarlet.	E. Indies.	1818.		S. h.	Roxb. cor. 1. t. 25.
13 ùrens. DC. (gr.) stinging.	—————	1793.	6. 9.	S. h.	————— 1. t. 24.
14 villòsa. DC. vilous-leaved.	—————	1818.		S. h.	
15 fœ'tida. DC. (fl.) fetid.	—————	1690.		S. h.	Cav. dis. 5. t. 145.
HERITIE'RA. DC.	LOOKING-GLASS PLANT.	Dicœcia	Monadelphia.		
1 littoràlis. DC. (re.) large-leaved.	E. Indies.	1780.		S. h.	Rheed. mal. 6. t. 21.
2 mìnor. DC. small-leaved.	—————	1816.		S. h.	Gært. fr. 2. t. 98. f. 2.

Tribus II. *BUTTNERIÆ*.

THEOBROMA. DC.		CHOCOLATE-NUT. Polyadelphia Decandria. L.						
1	Cacão. DC.	(ye.)	smooth-leaved.	S. America.	1739.	6. 9.	S. h.	Lodd. bot. cab. 545.
2	guianensis. DC.	(ye.)	woolly-leaved.	Guiana.	1803.		S. h.	Aub. gui. 2. t. 275.
3	caribæa.	(ye.)	Caribbean.	W. Indies.	1821.		S. h.	
4	bicolor. DC.	(re.)	two-coloured.	S. America.	1820.		S. h.	H. et B. pl. eq. 1. t. 30.
ABR'OMA. DC.		ABR'OMA. Polyadelphia Dodecandria. L.						
1	augusta. DC.	(d. pu.)	smooth-stalked.	E. Indies.	1770.	6. 9.	S. h.	Bot. reg. 518.
2	fastuosa. DC.	(d. pu.)	rough-stalked.	N. Holland.	1800.	—	S. h.	Sal. par. lond. 102.
3	mollis. DC.	(d. pu.)	soft.	Moluccas.		—	S. h.	
GUAZUMA. DC.		BASTARD CEDAR. Polyadelphia Dodecandria. L.						
1	ulmifolia. DC.	(ye.)	Elm-leaved.	W. Indies.	1739.	8. 9.	S. h.	Trew ehret. t. 76.
	Bubroma Guazuma. W.							
2	tomentosa. DC.	(ye.)	tomentose.	S. America.		—	S. h.	
3	polybotrya. DC.	(ye.)	velvetty.	W. Indies.		—	S. h.	Cav. ic. 3. t. 299.
COMMERS'ONIA. DC.		COMMERS'ONIA. Pentandria Pentagynia. L.						
1	echinata. DC.	(wh.)	oval-leaved.	Moluccas.	1806.	6. 7.	S. h.	Rumph. amb. 3. t. 119.
2	platyphylla. DC.	(wh.)	broad-leaved.	—	—	—	S. h.	And. bot. rep. 519.
RULINGIA. Br.		RULINGIA. Pentandria Pentagynia. L.						
1	dasyphylla.	(wh.)	hairy-leaved.	N. Holland.	1808.	4. 7.	G. h.	Bot. rep. 603.
	Commersonia dasyphylla. A.R. Byttneria dasyphylla. DC.							
2	pannosa. B.M.	(wh.)	cloth-leaved.	N. Holland.	1819.	4. 7.	G. h.	Bot. mag. 2191.
3	hermanniaefolia. DC.	(w.)	Hermannia-ld.	—	—	—	G. h.	
BUTTNERIA. L.		BUTTNERIA. Pentandria Monogynia. L.						
1	herbacea. DC.	(wh.)	herbaceous.	E. Indies.	1820.	4. 7.	S. 2.	Roxb. cor. 1. t. 29.
2	grandifolia. DC.	(wh.)	large-leaved.	—	—	—	S. h.	
3	catalpaefolia. DC.	(wh.)	Catalpa-leav'd.	Caracas.	1823.		S. h.	Jacq. schoenb. 1. t. 46.
4	cordata. DC.	(wh.)	heart-leaved.	Peru.	—		S. h.	Cav. dis. 5. t. 150.
5	microphylla. DC.	(va.)	small-leaved.	S. America.	1816.		S. h.	— 5. t. 148. f. 2.
6	scabra. DC.	(wh.)	rough.	—	1793.	7. 8.	S. h.	— 5. t. 148. f. 1.
AYENIA. DC.		AYENIA. Pentandria Monogynia.						
1	pusilla. DC.	(pu.)	small.	Jamaica.	1756.	7. 9.	S. 8.	Mill. ic. t. 118.
2	lævigata. DC.	(cr.)	smooth.	—		—	S. h.	
KLEINH'OVIA. DC.		KLEINH'OVIA. Monadelphia Dodecandria.						
	Hospita. DC.	(pu.)	purple-flower'd.	Moluccas.	1800.	7. 9.	S. h.	Cav. dis. 5. t. 146.

Tribus III. *LASIOPETALEÆ. DC.*

SERINGIA. DC.		SERINGIA. Pentandria Monogynia.						
	platyphylla. DC.	(wh.)	broad-leaved.	N. Holland.	1802.	4. 7.	G. h.	Gay dis. p. 13. t. 1. 2.
	<i>Lasiopetalum arborescens. H.K.</i>							
LASIOPE'TALUM. DC.		LASIOPE'TALUM. Pentandria Monogynia.						
1	ferrugineum. DC.	(wh.)	rusty.	N. Holland.	1791.	4. 7.	G. h.	Bot. mag. 1766.
2	parviflorum. DC.	(wh.)	small-flowered.	—	1810.	—	G. h.	Linn. trans. 10. t. 19. f. 2.
THOMASIA. DC.		THOMASIA. Pentandria Monogynia.						
1	purpurea. DC.	(pu.)	purple.	N. Holland.	1803.	4. 7.	G. h.	Bot. mag. 1755.
	<i>Lasiopetalum purpureum. H.K. coccineum. Donn. cant.</i>							
2	foliosa. DC.	(wh.)	leafy.	N. Holland.	1822.	—	G. h.	Gay dis. p. 24. t. 7.
3	solanacea. DC.	(wh.)	Solanum-like.	—	1803.	—	G. h.	— p. 26. t. 6.
	<i>Lasiopetalum solanaceum. B.M. 1486.</i>							
4	quercifolia. DC.	(pu.)	Oak-leaved.	—	—	—	G. h.	Bot. m g. 1485.

Tribus IV. *HERMANNIÆ. DC.*

MEL'UCHIA. DC.		MEL'UCHIA. Monadelphina Pentandria. DC.						
1	pyramidata. DC.	(vi.)	pyramidal.	Brazil.	1768.	7. 8.	S. h.	Jacq. vind. 1. t. 30.
2	tomentosa. DC.	(vi.)	downy.	W. Indies.	—	5. 6.	S. h.	Cav. dis. 6. t. 172. f. 2
3	pervifolia. DC.	(wh.)	small-leaved.	Caracas.	1823.		S. h.	

RIEDLE'IA. DC.		RIEDLE'IA. Monadelphica Pentandria. L.					
1	velutina. DC.	soft-leaved.	E. Indies.	1820.	6. 8.	S. h.	
2	depressa. DC.	(st.) depressed.	Havannah.	—	—	S. h.	
3	supina. DC.	procumbent.	E. Indies.	1823.	—	S. ♂.	Pluk. alm. t. 232. f. 4.
4	corchorifolia. DC. (bh.)	Corchorus-ld.	—	1732.	7. 8.	S. ☉.	Dill. elt. t. 176. f. 217
	<i>Melochia corchorifolia</i> . L.						
5	nodiflora. DC.	(wh.) knot flowered.	S. America.	1823.	—	S. h.	Sloan. his. t. 135. f. 2.
	<i>Mougeotia nodiflora</i> . Kth.	<i>Melochia nodiflora</i> . Sw.					
6	caracasana. DC.	(wh.) Caracas.	Caracas.	1823.	—	S. h.	Jacq. ic. 3. t. 507.
	<i>Mougeotia caracasana</i> . Kth.	<i>Melochia caracasana</i> . Jacq.					
7	serrata. DC.	(pu.) saw-leaved.	St. Domingo.	1827.	6. 8.	S. 4.	Vent. choix. t. 37.
WALTH'ERIA. DC.		WALTH'ERIA. Monadelphica Pentandria. L.					
1	americana. DC.	(ye.) American.	S. America.	1691.	5. 10.	S. h.	Jacq. ic. 1. t. 130.
2	glabra. DC.	(ye.) smooth.	W. Indies.	1823.	—	S. 4.	Schrank. h. mon. t. 55.
	<i>lavis</i> . L. en.						
3	indica. DC.	(ye.) Indian.	E. Indies.	1759.	6. 8.	S. h.	Burm. zeyl. t. 68.
4	elliptica. DC.	(ye.) woolly-leaved.	—	1812.	—	S. h.	Cav. dis. 6. t. 171. f. 2.
5	microphylla. DC.	(ye.) small-leaved.	—	1823.	—	S. h.	— 6. t. 170. f. 2.
HERMA'NNIA. DC.		HERMA'NNIA. Monadelphica Pentandria. L.					
1	multifida. DC.	(ye.) multifid-leaved.	C. B. S.	1825.	5. 8.	G. h.	
2	halicacaba. DC.	(ye.) bladder-calyx'd.	—	1820.	—	G. h.	
3	comosa. DC.	(ye.) tufted.	—	—	1. 12.	G. h.	
4	althæifolia. DC.	(ye.) Althæa-leaved.	—	1728.	3. 7.	G. h.	Bot. mag. 307.
5	althæoides. L. en.	(ye.) Althæa-like	—	—	—	G. h.	
6	plicata. DC.	(ye.) plaited-leaved.	—	1774.	11. 12.	G. h.	Jacq. schœnb. 2. t. 213.
7	candicans. DC.	(ye.) white-leaved.	—	—	4. 6.	G. h.	— 1. t. 117.
8	mollis. DC.	(ye.) soft-leaved.	—	1818.	—	G. h.	
9	decumbens. DC.	(ye.) decumbent.	—	—	—	G. h.	
10	hyssopifolia. DC.	(ye.) Hyssop-leaved.	—	1725.	—	G. h.	Cav. dis. 6. t. 181. f. 3.
11	trifoliata. DC.	(ye.) three-leaved.	—	1752.	5. 8.	G. h.	— 6. t. 182. f. 2.
12	triphylla. DC.	(st.) three-parted.	—	1820.	—	G. h.	— 6. t. 178. f. 3.
13	glandulosa. DC.	(ye.) glandular.	—	—	—	G. h.	
14	fragrans. DC.	(ye.) fragrant.	—	—	—	G. h.	
15	disermæfolia. DC.	(ye.) simple-flow'r'd.	—	1795.	3. 4.	G. h.	Jacq. schœnb. 1. t. 121
16	disticha. DC.	(ye.) round-leaved.	—	1789.	5. 8.	G. h.	S. et Wend. sert. h. t. 10.
	<i>rotundifolia</i> . Jacq. schœn.	3. t. 121.					
17	melochioides. DC.	(ye.) Melochia-like.	—	1818.	—	G. h.	
18	bryonifolia. DC.	(ye.) Bryony-leaved.	—	—	—	G. h.	
19	salvifolia. DC.	(ye.) Sage-leaved.	—	1795.	4. 6.	G. h.	Cav. dis. 6. t. 180. f. 2.
20	micans. DC.	(y.or.) glittering.	—	1790.	5. 8.	G. h.	S. et Wend. s. han. t. 5.
	<i>latifolia</i> . Jacq. schœn.	3. t. 119.					
21	involverata. DC.	(st.) involucred.	—	1794.	5. 6.	G. h.	Cav. dis. 6. t. 177. f. 1.
22	scordifolia. DC.	(or.y.) Germander-ld.	—	—	4. 11.	G. h.	Jacq. schœn. 1. t. 120.
23	denudata. DC.	(ye.) smooth.	—	1774.	5. 7.	G. h.	— 1. t. 122.
24	alnifolia. DC.	(ye.) Alder-leaved.	—	1728.	2. 5.	G. h.	Bot. mag. 299.
25	cuneifolia. DC.	(ye.) wedge-leaved.	—	1791.	8. 9.	G. h.	Jacq. schœn. 1. t. 121.
26	holosericea. DC.	(ye.) velvet-leaved.	—	1792.	5. 6.	G. h.	— 3. t. 292.
27	hirsuta. DC.	(ye.) hairy-branch'd.	—	1790.	—	G. h.	S. et Wend. s. h. 1. t. 4.
28	scabra. DC.	(ye.) rough-leaved.	—	1789.	3. 4.	G. h.	Jacq. schœn. 1. t. 127.
29	multiflora. DC.	(ye.) many-flowered.	—	1791.	3. 5.	G. h.	— 1. t. 128.
30	flammea. DC.	(re.) flame-flowered.	—	1794.	1. 12.	G. h.	Bot. mag. 1349.
31	angularis. DC.	(or.) angular-calyx'd.	—	1791.	4. 5.	G. h.	Jacq. schœn. 1. t. 126.
32	trifurcata. DC.	(re.) three-forked.	—	1789.	4. 7.	G. h.	— 1. t. 125.
33	odorata. DC.	(re.) sweet-scented.	—	1780.	2. 10.	G. h.	
34	lavandulæfolia. DC.	(y.) Lavender-ld.	—	1732.	5. 9.	G. h.	Bot. mag. 304.
35	velutina. DC.	(ye.) mucronate.	—	1818.	—	G. h.	
36	filiifolia. DC.	(or.) thread-leaved.	—	1816.	5. 8.	G. h.	Jacq. schœn. 1. t. 123.
37	procumbens. DC.	(st.) procumbent.	—	1792.	5. 6.	G. h.	Cav. dis. 6. t. 177. f. 2.
38	tenuifolia. DC.	(ye.) slender-leaved.	—	—	6. 7.	G. h.	Bot. mag. 1348.
39	incisa. DC.	(ye.) cut-leaved.	—	1806.	—	G. h.	
40	pulverata. DC.	(or.) powdered.	—	1800.	5. 8.	G. h.	And. bot. rep. 161.
41	argentea. DC.	(or.) silvery-leaved.	—	1818.	—	G. h.	
42	coronopifolia. DC.	(ye.) Buckshorn-ld.	—	—	6. 8.	G. h.	
43	hispidula. s.s.	(ye.) bristly.	—	1823.	3. 8.	G. h.	
MAHE'RNIA. DC.		MAHE'RNIA. Monadelphica Pentandria.					
1	verticillata. DC.	(ye.) whorl-leaved.	C. B. S.	1820.	6. 8.	G. h.	Cav. dis. 6. t. 176. f. 1.
2	resedæfolia. DC.	(re.) Reseda-leaved.	—	1818.	—	G. h.	
3	bipinnata. DC.	(re.) winged-leaved.	—	1752.	—	G. h.	Bot. mag. 277.
	<i>pinnata</i> . B.M.						

4	incisa. DC.	(st.)	cut-leaved.	C. B. S.	1792.	7. 9.	G. h.	Bot. mag. 353.
5	diffusa. DC.	(ye.)	diffuse.	————	1774.	6. 8.	G. h.	Lodd. bot. cab. 187.
6	heterophylla. DC.	(ye.)	various-leaved.	————	1731.	4. 5.	G. h.	Cav. dis. 6. t. 178. f. 1.
	<i>Hermánia grossulariæfolia. L.</i>							
7	seselifolia. DC.	(ye.)	Seseli-leaved.	————	1818.	6. 8.	G. h.	
8	pulehella. DC.	(re.)	neat.	————	1792.	7. 9.	G. h.	Cav. dis. 6. t. 177. f. 3.
9	glabrata. DC.	(ye.)	sweet-scented.	————	1789.	4. 5.	G. h.	Jacq. schœnb. 1. t. 53.
	<i>odorata. A.R. 85.</i>							
10	vesicaria. DC.	(ye.)	inflated.	————	1818.	—	G. h.	Cav. dis. 6. t. 181. f. 2.
11	grandiflora.	(sc.)	great-flowered.	————	1791.	5. 8.	G. h.	
	<i>Hermánia grandiflora. H.K.</i>							
12	Burchellii.	(sc.)	Burchell's.	————	1818.	—	G. h.	Bot. reg. 221.
	<i>grandiflora. B.R. non H.K.</i>							
13	biserrata. DC.	(ye.)	double-tooth'd.	————	1825.	—	G. h.	Cav. dis. 6. t. 200. f. 2.

Tribus V. *DOMBEYACEÆ.* DC.

RUI'ZIA. DC.		RUI'ZIA. Monadelphia Polyandria. L.						
1	lobata. DC.	(ye.)	lobed-leaved.	Bourbon.	1820.		S. h.	Cav. dis. 3. t. 36. f. 1.
2	variabilis. DC.	(bh.)	various-leaved.	————	1792.	5.	S. h.	Jacq. schœn. 3. t. 295.
PENTAP'ETES. DC.		PENTAP'ETES. Monadelphia Dodecandria. L.						
1	phœnicea. DC.	(cr.)	scarlet-flower'd.	India.	1690.	7. 8.	S. ♂.	Bot. reg. 575.
2	ovata. DC.	(sn.)	oval-leaved.	New Spain.	1805.	6. 9.	S. ♂.	Cav. ic. 5. t. 433.
	<i>Brotia ovata. Cav.</i>							
ASS'ONIA. DC.		ASS'ONIA. Monadelphia Dodecandria.						
1	populnea. DC.	(wh.)	Poplar-leaved.	Bourbon.	1822.		S. h.	Cav. dis. 3. t. 42. f. 3.
2	viburnoides. DC.	(wh.)	Viburnum-ld.	————	—		S. h.	
DOMB'EYA. DC.		DOMB'EYA. Monadelphia Dodecandria.						
1	cordifolia. DC.	(wh.)	heart-leaved.	E. Indies.	1820.		S. h.	
2	ferruginea. DC.	(wh.)	rusty.	Mauritius.	1815.		S. h.	Cav. dis. 3. t. 42. f. 2.
3	ovata. DC.	(wh.)	oval-leaved.	Bourbon.	1822.		S. h.	———— 3. t. 41. f. 2.
MELH'ANIA. DC.		MELH'ANIA. Monadelphia Pentandria.						
1	Erythroxylon. DC.	(wh.)	red-wood.	St. Helena.	1722.	5. 8.	S. h.	Bot. mag. 1000.
2	Melanoxylon. DC.	(wh.)	black-wood.	————	1800.	7. 8.	S. h.	Pluk. mant. 6. t. 333. f. 5.
3	Burchellii. DC.	(wh.)	Burchell's.	C. B. S.	1818.	—	S. h.	
PTEROSPE'RMUM. DC.		PTEROSPE'RMUM. Monadelphia Dodecandria.						
1	acerifolium. DC.	(wh.)	Maple-leaved.	E. Indies.	1790.	7. 9.	S. h.	Bot. mag. 620.
2	suberifolium. DC.	(wh.)	various-leaved.	————	1783.	9. 10.	S. h.	———— 1525.
3	lanceafolium. DC.	(w.)	lance-leaved.	————	1818.	—	S. h.	
4	canescens. H.B.	(wh.)	canescent.	Ceylon.	—	—	S. h.	
5	semisagittatum. DC.	(w.)	fringe-bracted.	E. Indies.	—	—	S. h.	
ASTRAP'ÆA. DC.		ASTRAP'ÆA. Monadelphia Dodecandria.						
1	Wallichii. DC.	(sc.)	Wallich's.	Mauritius.	1820.	12. 1.	S. h.	Bot. reg. 691.
2	viscosa.		viscous.	Madagascar.	1823.		S. h.	
3	tiliaefolia.	(wh.)	Lime-leaved.	Bourbon.	1824.		S. h.	
KY'DIA. DC.		KY'DIA. Monadelphia Dodecandria.						
1	calycina. DC.	(wh.)	calycine.	E. Indies.	1818.		S. h.	Roxb. cor. 3. t. 215.
2	fraterna. DC.	(wh.)	long-stamen'd.	————	1823.		S. h.	———— 3. t. 216.

Tribus VI. *WALLICHIEÆ.* DC.

ERIOLE'NA. DC.		ERIOLE'NA. Monadelphia Polyandria.						
	Wallichii. DC.		Wallich's.	E. Indies.	1823.		S. h.	DC. m. mus. 10. p. 102. ic.

ORDO XXXI.

TILIACEÆ. DC. prodr. 1. p. 503.

ENTELEA. B.M.	CORK-TREE. Polyandria Monogynia.					
arboréscens. B.M. (wh.)	New Zealand. N. Zealand.	1821.	5. 6.	G. h.	Bot. mag. 2180.	
SPARRMA'NNIA. DC.	SPARRMA'NNIA. Polyandria Monogynia. L.					
1 africàna. DC. (wh.)	African. C. B. S.	1790.	3. 7.	G. h.	Bot. mag. 516.	
2 rugòsa. Bhi. (wh.)	rugged-leaved. ———	1825.	3. 6.	G. h.		
HELIOCA'RPUS. DC.	HELIOCA'RPUS. Dodecandria Monogynia.					
americàna. DC. (wh.)	American. Vera Cruz.	1733.		S. h.	Trew ehret. t. 45.	
CO'RCHORUS. DC.	CO'RCHORUS. Polyandria Monogynia. L.					
1 siliquòsus. DC. (ye.)	Germader-ld. S. America.	1732.	6. 8.	S. 4.	Jacq. vind. 3. t. 59.	
2 foliosus. s.s. (ye.)	leafy. Cuba.	1827.	—	S. 4.		
3 hirtus. DC. (ye.)	hairy. S. America.	1820.	—	S. 4.	Plum. ed. B. t. 103. f. 2.	
4 pilolòbus. DC. (ye.)	hairy-podded. ———	—	—	S. 4.		
5 americànus. Sek. (ye.)	American. S. America.	1825.	—	S. h.		
6 triloclàris. DC. (ye.)	three-celled. Arabia.	1790.	7. 8.	S. ⊙.	Jacq. vind. 2. t. 173.	
7 olitòrius. DC. (ye.)	bristly-leaved. India.	1640.	6. 8.	S. ⊙.	Bot. mag. 2810.	
8 æ'stuans. DC. (ye.)	Hornbeam-ld. S. America.	1731.	6. 7.	S. ⊙.	Jacq. vind. 1. t. 85.	
9 acutángulus. DC. (ye.)	acute-angled. India.	1816.	—	S. h.	Pluk. phyt. t. 44. f. 1.	
10 capsulàris. DC. (ye.)	heart-leaved. E. Indies.	1725.	—	S. ⊙.	Jacq. f. eclog. 2. t. 120.	
11 hirsutus. DC. (ye.)	woolly-capsul'd. S. America.	1752.	—	S. h.	Jacq. vind. 3. t. 59.	
TRIUMFETTA. DC.	TRIUMFETTA. Dodecandria Monogynia. L.					
1 Láppula. DC. (ye.)	prickly-seeded. W. Indies.	1739.	7. 8.	S. h.	Plum. ic. t. 255.	
2 heterophy'lla. DC. (ye.)	various-leaved. ———	1823.	—	S. h.	Pluk. t. 425. f. 3.	
3 rubricàulis. DC. (ye.)	red-stem'd. Caracas.	1826.	—	S. h.		
4 suborbiculàta. DC. (ye.)	subrotund. E. Indies.		—	S. h.		
5 glandulòsa. DC. (ye.)	gland-toothed. Mauritius.		—	S. h.	Lam. ill. t. 400. f. 1.	
6 trichoclàda. DC. (ye.)	oval-leaved. Nepaul.	1823.	—	S. ♂.		
7 oblongàta. DC. (ye.)	oblong-leaved. ———	—	—	S. ♂.		
8 ànnua. DC. (ye.)	annual. Java.	1760.	8. 9.	S. ⊙.	Bot. mag. 2296.	
9 angulàta. DC. (ye.)	angular-leaved. E. Indies.	1739.	6. 7.	S. h.	Lam. ill. t. 400. f. 2.	
10 semitrilòba. DC. (ye.)	Mallow-leaved. W. Indies.	1773.	—	S. h.	Jacq. vind. 3. t. 76.	
11 havanénsis. DC. (ye.)	Havannah. Cuba.	1825.	—	S. h.		
12 micropétala. B.R. (ye.)	small-petal'd. E. Indies.	—	4. 8.	S. h.	Bot. reg. 1058.	
13 petiolàris. B.R. (ye.)	petiolate. Peru.	1819.	5. 6.	S. h.	Lindl. collect. t. 20.	
<i>rhomboídea. L. col. non Jacq.</i>						
14 rhomboídea. DC. (ye.)	rhomboid. S. America.	1819.	5. 6.	S. h.	Jacq. amer. t. 90.	
15 althæoides. DC. (ye.)	Althæa-leaved. Cayenne.	—	—	S. h.		
<i>macrophy'lla. Vahl. ecl. 2. p. 34.</i>						
16 grandiflòra. DC. (ye.)	large-flowered. W. Indies.	1810.	—	S. h.		
17 triloclàris. DC. (ye.)	three-celled. E. Indies.	1817.	10. 4.	S. h.		
GRE'WIA. DC.	GRE'WIA. Polyandria Monogynia. L.					
1 tomentòsa. DC.	tomentose. Java.	1818.		S. h.	Juss. an. 2. t. 49. f. 1.	
2 hirsuta. DC.	hairy. ———	1816.	7. 9.	S. h.		
3 bracteàta. DC. (gr.)	bracted. E. Indies.	1818.	—	S. h.		
4 Mallocócça. DC.	rough-fruited. Tongatabu.	1792.	8. 9.	S. h.	Forst. gen. t. 39.	
<i>Mallocócça crenàta. Forst.</i>						
5 oppositifòlia. DC.	sharp-leaved. Nepaul.	1818.		S. h.		
6 umbellàta. DC.	umbel-flowered. E. Indies.	—		S. h.		
7 bicolor. DC.	two-coloured. Senegal.	1822.		S. h.	Juss. ann. t. 50. f. 2.	
8 Róthii. DC.	Roth's. E. Indies.	1819.		S. h.		
9 salvifòlia. DC. (ye.)	Sage-leaved. ———	—		S. h.		
10 flàva. DC. (ye.)	yellow. C. B. S.	1818.	—	G. h.		
11 ovalifòlia. DC.	oval-leaved. E. Indies.	—		S. h.		
12 Micròcos. DC. (st.)	panicled. ———	1779.	—	S. h.	Rheed. mal. 1. t. 56.	
<i>Micròcos paniculàta. L.</i>						
13 paniculàta. DC.	villous-leaved. ———	1820.		S. h.		
14 orientàlis. DC. (wh.)	oriental. ———	1767.	7. 8.	S. h.	Rheed. mal. 5. t. 46.	
15 pilòsa. DC. (wh.)	pilose. ———	1804.	—	S. h.		
16 glandulòsa. DC.	glandular. Mauritius.	1827.		S. h.	Juss. an. 2. t. 48. f. 1.	
17 serrulàta. DC.	serrulate. E. Indies.	1818.		S. h.		
18 occidentàlis. DC. (pu.)	Elm-leaved. C. B. S.	1690.	7. 9.	G. h.	Bot. mag. 422.	
19 asiàtica. (li.)	Asiatic. E. Indies.	1792.	7. 8.	S. h.	Sonn. voy. 2. t. 138.	

20	subinæqualis. DC.	oblique-leaved.	E. Indies.	1816.		S. h.	
21	villifera.	wool-bearing.	————	1826.		S. h.	
	villôsa. Roth. nec aliorum.						
22	âpera. DC.	rough-leaved.	————	1818.		S. h.	
23	tiliatolia. DC.	Lime-leaved.	————	1812.		S. h.	
24	villôsa. DC.	villous.	————	1816.		S. h.	
25	therebinthinæca. DC.	strong-scented.		——		S. h.	
26	obtusifolia. DC.	blunt-leaved.	C. B. S.	1818.		G. h.	
27	ulmitolia. H.B.	Chinese.	China.	——		G. h.	
28	carpinifolia. DC. (pu.)	Hornbeam-ld.	Africa.	1822.		S. h.	Beauv. fl. ow. 2. t.
29	megalcârpa. B.O. (re)	black-fruited.	————	——		S. h.	———— 2. t. 102.
BROWNLO'WIA. R. BROWNLO'WIA. Polyandria Monogynia.							
	clata. R. (ye.)	tall.	E. Indies.	1812.		S. h.	Roxb. cor. 3. t. 265.
TILIA. DC. LIME-TREE. Polyandria Monogynia. L.							
1	microphylla. DC. (wh.)	small-leaved.	Britain.		8. 9.	H. 5.	Eng. bot. 1705.
	parvifolia. E.B.						
2	intermedia. DC. (wh.)	intermediate.	————		——	H. 5.	Hayn. et Sv. bot. t. 40.
	europæa. Eng. bot. 610.						
	laciniata. (wh.)	jagged-leaved.	————		6. 8.	H. 5.	
3	corallina. E.F. (wh.)	coral-twigg'd.	Britain.		7.	H. 5.	
4	rubra. DC. (wh.)	red-twigged.	Europe.		6. 8.	H. 5.	
5	platyphylla. DC. (wh.)	broad-leav'd.	Britain.		——	H. 5.	Vent. dis. p. 6. t. 1. f. 2.
	grandifolia. E.F.						
6	glabra. DC. (wh.)	broad-leaved.	N. America.	1752.	6. 7.	H. 5.	Vent. dis. p. 9. t. 2.
	americana. L.						
7	laxiflora. DC. (wh.)	loose-flowered.	————	1820.	——	H. 5.	
8	pubescens. DC. (wh.)	pubescent.	————	1726.	7. 8.	H. 5.	Vent. dis. p. 10. t. 3.
	leptophylla. DC. (w.)	narrow-leaved.	————	——	——	H. 5.	
9	heterophylla. DC. (wh.)	white-leaved.	————		6. 8.	H. 5.	Vent. dis. p. 16. t. 5.
	alba. Mich. arb. 3. t. 2.						
10	argentea. DC. (wh.)	silver-leaved.	Hungary.	1767.	——	H. 5.	Vent. dis. p. 13. t. 4.
	alba. W. et K. hung. 1. t. 3.	rotundifolia. Vent.					
11	petiolaris. DC. (wh.)	long-petioled.		1824.		H. 5.	
MUNTINGIA. DC. MUNTINGIA. Polyandria Monogynia. L.							
	Calabura. DC. (wh.)	Jamaica.	Jamaica.	1690.	6. 7.	S. h.	Jacq. amer. t. 107.
APETIBA. DC. APE'IBA. Polyandria Monogynia. L.							
1	Tibourbou. DC. (ye.)	hairy.	S. America.	1756.		S. h.	Aub. gui. 1. t. 213.
	Aublétia Tibourbou. W.						
2	Petoumo. DC. (ye.)	hoary.	————	1817.		S. h.	Aub. gui. 1. t. 215.
3	âpera. DC. (ye.)	prickly-capsul'd.	Cayenne.	1792.		S. h.	———— 1. t. 216.
	Aublétia âpera. W.						
4	glabra. DC. (gr.)	smooth.	————	1817.		S. h.	Aub. gui. 1. t. 214.
	Aublétia l'ævis. W.						
SLOANEA. DC. SLOANEA. Polyandria Monogynia. L.							
1	dentata. DC. (ye.)	Chestnut-leav'd.	S. America.	1752.		S. h.	Plum. ic. 244.
2	sinemariensis. DC. (ye.)	round-leaved.	W. Indies.	1820.		S. h.	Aub. gui. 1. t. 212.
GYROSTEMON. DC. GYROSTEMON. Diœcia Polyandria.							
	ramulosum. DC.	branching.	N. Holland.	1820.		G. h.	Desf. m. mus. 6. t. 6.
BERRYIA. R.C. BERRYIA. Polyandria Monogynia.							
	ammonilla. R.C. (st.)	Ceylon.	Ceylon.	1818.		S. h.	Roxb. corom. 3. t. 264.

ORDO XXXII.

ELÆOCARPEÆ. DC. prodr. 1. p. 519.

ELÆOCA'RPUS. DC. ELÆOCA'RPUS. Dodecandria Monogynia.							
1	serratus. DC. (pu.)	saw-leaved.	E. Indies.	1774.		S. h.	Burm. zeyl. t. 40.
2	cyaneus. DC. (wh.)	blue-fruited.	N. Holland.	1803.	6. 8.	G. h.	Bot. mag. 1737.
	reticulatus. B.R. 657.						
ACERATIUM. DC. ACERATIUM. Dodecandria Monogynia.							
	oppositifolium. DC.	opposite-leaved.	Amboyna.	1818.		S. h.	

DIC'ERA. DC.	DIC'ERA. Dodecandria Monogynia.					
dentata. DC.	(wh.) tooth-leaved.	N. Zealand.	1820.	6. 8.	G. h.	Forst. gen. t. 40.
FRIE'SIA. DC.	FRIE'SIA. Dodecandria Monogynia.					
pedunculàris. DC.	(wh.) peduncled.	Van Diem.	1818.		G. h.	Lab. n. holl. 2. t. 155.
<i>Elæocárpus pedunculàris.</i> Lab.						

ORDO XXXIII.

CHLENACEÆ. DC. *prodr.* 1. p. 521.

† *Genus Chlenaceis affine.*

HUG'ONIA. DC.	HUG'ONIA. Monadelphia Decandria.					
1 My'stax. DC.	(ye.) entire-leaved.	E. Indies.	1818.	6. 9.	S. h.	Rheed. mal. 2. t. 29.
2 serrata. DC.	(ye.) saw-leaved.	Mauritius.	1820.	—	S. h.	Cav. dis. 3. t. 73. f. 1.

ORDO XXXIV.

TERNSTRÆMIACEÆ. DC. *prodr.* 1. p. 523.

Tribus I. *TERNSTRÆMIEÆ.* DC.

TERNSTR'ÆMIA. DC.	TERNSTR'ÆMIA. Polyandria Monogynia.					
1 pedunculàris. DC.	(w.) long-peduncled.	W. Indies.	1818.	6. 8.	S. h.	
2 punctata. DC.	(wh.) spotted-leaved.	Guiana.	1824.		S. h.	Aubl. gui. 1. t. 228.
3 dentata. DC.	(ye.) toothed.	—	1826.		S. h.	— 1. t. 227.
4 venosa. DC.	(wh.) veined-leaved.	Brazil.	1820.	6. 8.	S. h.	
5 serrata. H. B.	(wh.) saw-leaved.	Silhet.	—		S. h.	

Tribus II. *FREZIEREÆ.* DC.

CL'EYERA. DC.	CL'EYERA. Polyandria Monogynia.					
japonica. DC.	(wh.) Japan.	Japan.	1822.		S. h.	Kæmp. am. 5. p. 774. ic.
FREZIE'RA. DC.	FREZIE'RA. Polyandria Monogynia.					
thæoïdes. DC.	(wh.) Tea-like.	Jamaica.	1818.		S. h.	
E'URYA. DC.	E'URYA. Polygamia Monœcia.					
1 chinensis. DC.	(wh.) China.	China.	1818.	1. 3.	G. h.	Lodd. bot. cab. 1213.
2 multiflora. DC.	(wh.) many-flowered.	Nepaul.	1823.		S. h.	
LETT'SOMIA. DC.	LETT'SOMIA. Polyandria Monogynia.					
tomentosa. DC.	 tomentose.	Peru.	1823.		S. h.	Ruiz et P. prod. t. 14.

Tribus III. *SAURAUJEÆ.* DC.

SAURA'UJA. DC.	SAURA'UJA. Polyandria Pentagynia.					
1 excelsa. DC.	(wh.) tall.	Caracas.	1824.		S. h.	Willd. n. act. ber. 3. t. 4.
2 napaulensis. DC.	(wh.) Nepaul.	Nepaul.	—		S. h.	

Tribus IV. *LAPLACEÆ*. DC.

WITTELSBA'CHIA. M.N. WITTELSBA'CHIA. Polyandria Monogynia.

- 1 Gossy'pium. M.N. (ye.) large-flowered. E. Indies. 1822. S. h. Sonn. voy. 2. t. 133.
Cochlospermum Gossy'pium. DC. *Bombax Gossy'pium*. Cav. dis. 5. t. 157.
 2 vitifolia. M.N. (ye.) Vine-leaved S. America. 1820. S. h. Fl. mex. ic. ined.
Cochlospermum serratifolium. DC. *hibiscoïdes*. K.S. *Bombax vitifolium*. W.en.
 3 insignis. M.N. (ye.) spot-flowered. Brazil. 1821. S. h. Mart. nov. gen. 1. t. 55.

Tribus V? *GORDONIEÆ*. DC.

MALACHODE'NDRON. DC. MALACHODE'NDRON. Monadelphia Polyandria. L.

- ovatum. DC. (wh.) oval-leaved. N. America. 1785. 8. 9. H. h. Bot. reg. 1104.
Stuàrtia pentagy'nia. Ex. bot. t. 101.

STUA'RTIA. W. STUA'RTIA. Monadelphia Polyandria. L.

- virginica. DC. (wh.) Virginian. N. America. 1742. 5. 8. H. h. Cav. dis. 5. t. 159. f. 2.
Malachodéndron. L. *marylándica*. A.R. t. 73.

GORD'ONIA. DC. GORD'ONIA. Monadelphia Polyandria. L.

- 1 Lasianthus. DC. (wh.) smooth. N. America. 1739. 8. 11. F. h. Bot. mag. 668.
 2 hæmatóxylon. DC. (w.) red-wooded. Jamaica. 1820. S. h.
 3 pubescens. DC. (wh.) pubescent. N. America. 1774. 8. 11. F. h. Vent. malm. t. 1.
 4 Franklini. L'Her. (w.) Franklin's. ———— F. h.

POLYSP'ORA. N.L.F. POLYSP'ORA. Monadelphia Polyandria.

- axillàris. N.L.F. (wh.) axillary-flow'r'd E. Indies. 1816. 11. 3. S. h. Bot. reg. 349.
Caméllia axillàris. B.R. et B.M. 2047.

ORDO XXXV.

CAMELLIEÆ. DC. *prodr.* 1. p. 529.

CAME'LLIA. Ker. CAME'LLIA. Monadelphia Polyandria. L.

- 1 Thèa. L. en. (wh.) Bohea Tea. China. 1768. 11. 2. G. h. Lob. bot. cab. 226.
 2 viridis. L. en. (wh.) green Tea. ———— 10. 12. G. h. ———— 227.
Thèa chinénsis. B.M. 998.
 3 euryoides. B.R. (wh.) small-flower'd. ———— 1824. 1. 5. G. h. Bot. reg. 983.
 4 oleifera. B.R. (wh.) oleiferous. ———— 1819. 1. 3. G. h. ———— 942.
 5 Sesánqua. DC. (wh.) Lady Banks's. ———— 1811. 11. 1. G. h. Thunb. fl. jap. t. 30.
β semiduplex. (wh.) semidouble. ———— G. h. Bot. reg. 12.
γ flore-plèno. (wh.) double-flowered. ———— 1823. ———— G. h. ———— 1091.
 6 maliflora. B.R. (ro.) pink-flowered. ———— 1819. 1. 4. G. h. ———— 547.
Sesánqua β rosea. Bot. reg. 547.
 7 Kissi. DC. (wh.) Nepaul. Nepaul. 1823. G. h.
 8 reticulata. B.R. (sc.) Captain Rawes'. China. 1822. 2. 4. G. h. Bot. reg. 1078.
 9 japónica. DC. (va.) common. ———— 1739. 12. 5. G. h. Cav. dis. 6. t. 160.
 1 rubra. (sc.) single-red. ———— G. h. Bot. mag. 42.
 2 álba. (wh.) single-white. ———— G. h. Bot. reg. 353.
 3 semidùplex. (re.) semidouble red. ———— G. h. Andr. rep. 559.
 4 rubro-plèna. (re.) double red. ———— G. h. ———— 199.
 5 càrnea. (pi.) Middlemist's. ———— G. h. Lod. bot. cab. 455.
 6 myrtifolia. (pi.) Myrtle-leaved. ———— G. h. Bot. mag. 1670.
involuta. Bot. reg. 633.
 7 hexangulàris. (re.) six sided. ———— G. h.
 8 atrorubens. (sc.) Loddiges' red. ———— G. h. Lod. bot. cab. 170.
 9 anemoniflora. (cr.) red Waratah. ———— G. h. Bot. mag. 1654.
 10 dianthiflora. (v.) Carnation War. Knights. ———— G. h. ———— 2577.
 11 blànda. (bh.) blush Waratah. China. G. h.
 12 pompònia. (bh.) Kew-blush. ———— G. h. Bot. reg. 22.

13	<i>pæoniiflora</i> .	(pi.)	<i>Pæony-flowered</i> .	China.		12. 5.	G. h.	Lod. bot. cab. 238.
14	<i>Welbánkii</i> .	(wh.)	<i>Welbank's</i> .	_____		—	G. h.	_____ 1198.
15	<i>luteo-álba</i> .	(st.)	<i>pale yellow</i> .	_____		—	G. h.	Bot. reg. 708.
16	<i>flavescens</i> .	(st.)	<i>buff</i> .	_____		—	G. h.	_____ 112.
17	<i>álbo-plèna</i> .	(wh.)	<i>double white</i> .	_____	..	—	G. h.	Andr. rep. 25.
18	<i>flmbriàta</i> .	(wh.)	<i>fringed white</i> .	_____		1. 4.	G. h.	
19	<i>imbricàta</i> .	(re.)	<i>imbricate-petal'd</i> .	_____		—	G. h.	
20	<i>variegàta</i> .	(v.)	<i>double striped</i> .	_____		—	G. h.	Andr. rep. 91.
21	<i>crassinèrvis</i> .	(re.)	<i>thick-nerved</i> .	_____		—	G. h.	
22	<i>expànsa</i> .	(re.)	<i>expanded</i> .	_____		—	G. h.	
23	<i>conchiflora</i> .	(re.)	<i>shell-flowered</i> .	_____		—	G. h.	
24	<i>rubricàulis</i> .	(sc.)	<i>Lady Ad'l. Campbell's</i>	_____		—	G. h.	
25	<i>longifolia</i> .	(re.)	<i>long-leaved</i> .	Malcolm's.		—	G. h.	
26	<i>Chandleri</i> .	(v.)	<i>striped Waratah</i> .	Chandler's.	1822.	12. 5.	G. h.	Chandl. camel. t. 1. 2.
	<i>versicolor</i> .							Bot. reg. 887.
27	<i>Aitòni</i> .	(sc.)	<i>large single-red</i> .	_____	—	—	G. h.	Chandl. camel. t. 3.
28	<i>althæiflora</i> .	(re.)	<i>Hollyhock-fl'd</i> .	_____	—	—	G. h.	_____ t. 4.
29	<i>corallina</i> .	(re.)	<i>coral-flowered</i> .	_____	—	—	G. h.	_____ t. 5.
30	<i>insignis</i> .	(re.)	<i>splendid</i> .	_____	—	—	G. h.	_____ t. 6.
31	<i>flòrida</i> .	(re.)	<i>cluster-flowered</i> .	_____	—	—	G. h.	_____ t. 7.
32	<i>anemonæflora</i> .	(w.)	<i>white Anemone-fl'd</i> .	_____	—	—	G. h.	_____ t. 8.
33	<i>Róssii</i> .	(re.)	<i>Ross's</i> .	Ross's.	—	—	G. h.	
34	<i>Wiltòniæ</i> .	(va.)	<i>Mrs. Wilton's</i> .	Knight's.	—	—	G. h.	
35	<i>Elphinstoniàna</i> .	(re.)	<i>Miss Elphinstone's</i> .	_____	—	—	G. h.	
36	<i>rosæflora</i> .	(re.)	<i>Rose-flowered</i> .	_____	—	—	G. h.	
37	<i>Cliveàna</i> .	(re.)	<i>Lady H. Clive's</i> .	_____	—	—	G. h.	
38	<i>heterophy'lla</i> .	(re.)	<i>various-leaved</i> .	_____	—	—	G. h.	
39	<i>Egertòniæ</i> .	(re.)	<i>Mrs. Egerton's</i> .	_____	—	—	G. h.	
40	<i>Goussòniæ</i> .	(ro.)	<i>Mrs. Goussone's</i> .	_____	—	—	G. h.	
41	<i>Barnabliæ</i> .	(pi.)	<i>Mrs. Barnaby's</i> .	_____	—	—	G. h.	
42	<i>radiàta</i> .	(re.)	<i>rayed single</i> .	_____	—	—	G. h.	
43	<i>supina</i> .	(re.)	<i>supine</i> .	_____	—	—	G. h.	
44	<i>Hibbértii</i> .	(re.)	<i>Mr. Hibbert's</i> .	_____	—	—	G. h.	
45	<i>Perèyæ</i> .	(re.)	<i>D's. of Northumberland's</i>	_____	—	—	G. h.	
46	<i>Woodsii</i> .	(ro.)	<i>Mr. Woods's</i> .	Chandler's.	—	—	G. h.	
47	<i>argénteà</i> .	(re.w.)	<i>silvery-cup'd</i> .	_____	—	—	G. h.	
48	<i>basilica</i> .	(re.)	<i>princely</i> .	_____	—	—	G. h.	
49	<i>princéps</i> .	(sc.)	<i>double-carmine</i> .	_____	—	—	G. h.	
50	<i>sanguínea</i> .	(cr.)	<i>single-crimson</i> .	_____	—	—	G. h.	
51	<i>seríceà</i> .	(ro.)	<i>double-silky</i> .	_____	—	—	G. h.	
52	<i>Byrónii</i> .	(ro.)	<i>Lord Byron's</i> .	_____	—	—	G. h.	
53	<i>carnéscens</i> .	(fl.)	<i>single pale-red</i> .	_____	—	—	G. h.	
54	<i>exímia</i> .	(re.)	<i>fine double-red</i> .	_____	—	—	G. h.	
55	<i>bicolor</i> .	(ro.w.)	<i>single rosy & white</i> .	_____	—	—	G. h.	
56	<i>purpuráscens</i> .	(re.)	<i>single dark-red</i> .	_____	—	—	G. h.	
57	<i>gigánteà</i> .	(ro.)	<i>large double</i> .	_____	—	—	G. h.	
58	<i>lúcida</i> .	(re.)	<i>double bright-red</i> .	_____	—	—	G. h.	
59	<i>ornàta</i> .	(pi.)	<i>pink Waratah</i> .	_____	—	—	G. h.	
60	<i>papaveràcea</i> .	(re.)	<i>Poppy-flower'd</i> .	Loddiges.	—	—	G. h.	
61	<i>rotundifolia</i> .	(re.)	<i>round-leaved</i> .	_____	—	—	G. h.	
62	<i>Spofforthiàna</i> .	(wh.)	<i>red-lined white</i> .	Spofforth.	—	—	G. h.	
63	<i>Herbérti</i> .	(ro.)	<i>Mr. Herbert's</i> .	_____	—	—	G. h.	
	<i>Spofforthiàna</i> .		<i>rosea</i> .	Herbert Mss.	—	—	G. h.	
64	<i>Haylòckii</i> .	(wh.)	<i>Haylock's</i> .	_____	—	—	G. h.	
65	<i>reflexa</i> .	(cr.)	<i>single reflex-petaled</i> .	_____	—	—	G. h.	

ORDO XXXVI.

OLACINEÆ. DC. *prodr.* 1. p. 531.

OLA'X. DC.

OLA'X. Triandria Monogynia. L.

- 1 scandens. DC. (wh.) climbing. E. Indies. 1820. 1. 12. S. h. ∪. Roxb. cor. 2. t. 102.
 2 imbricàta. DC. (wh.) imbricate. — — — — — S. h. ∪.

SPERMAXYRUM. DC. SPERMAXYRUM. Triandria Monogynia.

strictum. DC.	(wh.) upright.	N. S. W.	1820.		G. h.	
XIMENIA. DC.	XIMENIA.	Octandria Monogynia.	L.			
1 americana. DC.	(wh.) spring.	W. Indies.	1759.	6. 9.	S. h.	Jacq. am. pict. t. 107.
2 inermis. DC.	(wh.) unarmed.	—————	1820.		S. h.	

ORDO XXXVII.

AURANTIACEÆ. DC. prodr. 1. p. 535.

ATALA'NTIA. DC.	ATALA'NTIA.	Monadelphia Octandria.				
monophylla. DC.	(wh.) simple-leaved.	E. Indies.	1777.	6. 8.	S. h.	Roxb. cor. 2. t. 83.
	<i>Limonia monophylla</i> . R.					
TRIPH'ASIA. DC.	TRIPH'ASIA.	Hexandria Monogynia.				
trifoliata. DC.	(wh.) three-leaved.	China.	1787.	7. 8.	S. h.	Jacq. ic. rar. t. 463.
	<i>Limonia trifoliata</i> . And. rep. 143.					
LIM'ONIA. DC.	LIM'ONIA.	Decandria Monogynia. L.				
1 acidissima. DC.	(wh.) sour-fruited.	E. Indies.	1824.	4. 8.	S. h.	Rumph. amb. 2. t. 43.
2 crenulata. DC.	(wh.) crenulate.	—————	1808.	5. 7.	S. h.	Roxb. cor. 1. t. 86.
3 ambigua. DC.	(wh.) ambiguous.			—	S. h.	
4 scandens. H.B.	(wh.) climbing.	E. Indies.	1820.		S. h. ∪.	
CO'OKIA. DC.	CO'OKIA.	Decandria Monogynia. L.				
punctata. DC.	(wh.) Wampee tree.	China.	1795.	5. 7.	S. h.	Jacq. schœnb. 1. t. 101.
MURRA'YA. DC.	MURRA'YA.	Decandria Monogynia. L.				
1 exotica. DC.	(wh.) Ash-leaved.	E. Indies.	1771.	8. 9.	S. h.	Bot. reg. 434.
2 paniculata. DC.	(wh.) panicled.	—————	1821.	4. 5.	S. h.	Hook. ex. flor. 134.
AGLA'IA. DC.	AGLA'IA.	Pentandria Monogynia.				
odorata. DC.	(st.) sweet-scented.	China.	1810.	2. 5.	S. h.	Rumph. amb. 5. t. 18.
BERGERA. DC.	BERGERA.	Decandria Monogynia. L.				
1 Kœnigii. DC.	(gr.) Kœnig's.	E. Indies.	1818.	3. 6.	S. h.	Lodd. bot. cab. 1019.
2 integerrima. DC.	(gr.) entire-leaved.	—————	1820.		S. h.	
CLAUSE'NIA. DC.	CLAUSE'NIA.	Octandria Monogynia.				
pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1823.		S. h.	
GLYCO'SMIS. DC.	GLYCO'SMIS.	Decandria Monogynia.				
1 arborea. DC.	(wh.) tree.	E. Indies.	1796.	5. 8.	S. h.	Roxb. cor. 1. t. 85.
	<i>Limonia arborea</i> . R.C.					
2 citrifolia. H.T.	(wh.) Citron-leaved.	China.	1820.	2. 6.	G. h.	Bot. mag. 2416.
	<i>Limonia citrifolia</i> . DC. <i>parviflora</i> . B.M.					
3 pentaphylla. DC.	(wh.) five-leaved.	E. Indies.	1790.	6. 7.	S. h.	Roxb. cor. 1. t. 84.
	<i>Limonia pentaphylla</i> . R.C.					
FERONIA. DC.	ELEPHANT APPLE.	Decandria Monogynia.				
elephantum. DC.	(bh.) Indian.	E. Indies.	1804.		S. h.	Roxb. cor. 2. t. 141.
EGLE. DC.	BENGAL QUINCE.	Polyandria Monogynia.				
1 Marmelos. DC.	(wh.) thorny.	E. Indies.	1759.		S. h.	Roxb. cor. 2. t. 143.
CITRUS. DC.	ORANGE-TREE.	Polyadelphia Polyandria. L.				
1 Médica. DC.	(wh.) Lemon-tree.	Asia.	1648.	5. 7.	G. h.	Ris. an. mus. 20. t. 2. f. 2.
2 Limetta. DC.	(wh.) Bergamotte.	—————		—	G. h.	————— 20. t. 2. f. 1.
3 Limonum. DC.	(wh.) Citron.	—————		—	G. h.	Ferr. hesp. t. 247. &c.
4 ácida. H.B.	(wh.) Lime.	—————		—	G. h.	
5 Aurantium. DC.	(wh.) common.	—————	1595.	—	G. h.	Ris. an. mus. 20. t. 1. f. 1. 2.
6 vulgâris. DC.	(wh.) Myrtle-leaved.	—————		—	G. h.	Bot. reg. t. 346.
7 decumana. DC.	(wh.) Shaddock.	India.	1724.	—	G. h.	Rumph. am. 2. t. 24. f. 2.
8 hy'strix. DC.	(wh.) very spiny.	—————		—	G. h.	————— 2. t. 28?
9 japónica. DC.	(wh.) small-fruited.	Japan.	1815.	—	G. h.	Th. ic. jap. t. 15.
10 nobilis. DC.	(wh.) Mandarin.	China.	1805.	—	G. h.	Andr. rep. 608.
	<i>β minor</i> .	—————	—	—	G. h.	Bot. reg. 211.
11 Margarita. DC.	(wh.) sweet Lemon.	—————	1820.	—	G. h.	
12 madurensis. DC.	(wh.) spineless.	China.	1816.	—	G. h.	Rumph. amb. 2. t. 31.
13 angulata. DC.	(wh.) angular-fruited.	E. Indies.		—	G. h.	————— 2. t. 32.
14 buxifolia. DC.	(wh.) retuse-leaved.	China.		—	G. h.	

ORDO XXXVIII.

HYPERICINEÆ. DC. *prodr.* 1. p. 541.

Subordo I. HYPERICINEÆ VERÆ. DC.

Tribus I. *VISMIEÆ*. DC.

HARO'NGA. DC.		HARO'NGA. Polyadelphia Dodecandria.				
1	madagascariensis. DC.	(y.) Madagascar.	Madagascar. 1824.		S. h.	Lam. ill. t. 645.
	<i>Arungana paniculata.</i> P.S.					
VI'SMIA. DC.		VI'SMIA. Polyadelphia Polyandria.				
1	sessilifolia. DC.	(ye.) sessile-leaved.	Guiana. 1826.		S. h.	Aubl. guian. 2. t. 312. f. 2.
2	guianensis. DC.	(ye.) Guiana.	1828.		S. h.	— 2. t. 311.
3	brasiliensis. DC.	(ye.) Brazilian.	Brazil. 1822.	5. 6.	S. h.	Chois. p. hyp. 35. t. 2.
4	guineensis. DC.	(ye.) African.	Sierra Leon. 1823.	—	S. h.	Lin. amœn. 8. t. 8. f. 1.

Tribus II. *HYPERICEÆ*. DC.

ANDROSÆMUM. DC.		TUTSAN. Monadelphia Polyandria.				
	officinale. DC.	(ye.) common.	Britain.	7. 9.	H. h.	Eng. bot. 1225.
HYPERICUM. DC.		ST. JOHN'S WORT. Polyadelphia Polyandria. L.				
1	elatum. DC.	(ye.) tall.	N. America. 1762.	7. 8.	H. h.	Wats. dend. brit. t. 85.
2	frondosum. DC.	(ye.) green.	1806.	—	H. h.	
3	amœnum. DC.	(ye.) pretty.	Carolina. 1812.	—	H. h.	
4	grandifolium. DC.	(ye.) great-leaved.	Teneriffe. 1818.	—	G. h.	Chois. pr. hyp. t. 3.
5	hircinum. DC.	(ye.) stinking.	S. Europe. 1640.	7. 9.	H. h.	Wats. dend. brit. t. 86.
	<i>β minus.</i> W.D.	(ye.) smaller.	—	—	H. h.	— t. 87.
6	foliosum. DC.	(ye.) shining.	Azores. 1778.	8.	G. h.	
7	floribundum. DC.	(ye.) many-flowered.	Madeira. 1779.	—	G. h.	Com. hort. 2. t. 68.
8	olympicum. DC.	(ye.) Olympic.	Levant. 1706.	7. 9.	H. h.	Exot. bot. 2. t. 96.
9	canariense. DC.	(ye.) Canary.	Canaries. 1699.	—	G. h.	
10	chinense. DC.	(ye.) Chinese.	China. 1753.	3. 9.	G. h.	Bot. mag. 334.
	<i>monogynum.</i> B.M.					
11	cordifolium. DC.	(ye.) heart-leaved.	Nepaul. 1822.	6. 9.	G. h.	
12	pyramidatum. DC.	(ye.) pyramidal.	Canada. 1759.	7. 8.	H. 4.	Vent. malm. t. 118.
13	A'scyron. DC.	(ye.) Siberian.	Siberia. 1774.	6. 9.	H. 4.	Gmel. sib. 4. t. 69.
14	ascyroides. DC.	(ye.) large-capsuled.	N. America. 1812.	6. 7.	H. 4.	
15	pátulum. DC.	(ye.) spreading.	Japan. 1820.	7. 9.	G. h.	Thunb. jap. ic. 17.
16	Uràlum. D.P.	(ye.) Nepaul.	Nepaul. —	—	F. h.	Bot. mag. 2375.
17	Kalmianum. DC.	(ye.) Kalmia-leaved.	Virginia. 1759.	6. 7.	H. h.	
18	calycinum. DC.	(ye.) large-flowered.	Ireland.	6. 9.	H. h.	Eng. bot. 2017.
19	baleàricum. DC.	(ye.) warted.	Majorca. 1714.	3. 9.	G. h.	Bot. mag. 137.
20	virginicum. DC.	(re.) Virginian.	N. America. 1800.	7. 9.	H. 4.	Andr. rep. 552.
	<i>Elodea campanulata.</i> Ph.					
21	angulosum. DC.	(ye.) tooth'd-flow'r'd.	N. America. 1812.	6. 7.	H. 4.	
22	punctatum. DC.	(ye.) spotted.	— 1789.	7. 9.	F. 4.	
	<i>carymbosum.</i> W. <i>maculatum.</i> Walt.					
23	dolabriforme. DC.	(ye.) hatchet-like.	— 1818.	—	H. 4.	
24	densiflorum. DC.	(ye.) dense-flowered.	Virginia. 1812.	6. 8.	F. h.	
25	rosmarinifolium. DC.	(y.) Rosemary-ld.	Carolina. —	—	F. h.	
26	virgatum. DC.	(ye.) twiggy.	N. America. 1823.	6. 8.	H. 4.	
27	prolificum. DC.	(ye.) prolific.	— 1758.	—	H. h.	Wats. dend. brit. t. 88.
	<i>Kalmianum.</i> Maund. bot. gard. 194. t. 49. <i>nec aliorum. foliosum.</i> Jacq. schœnb. 3. t. 299. <i>non</i> Ait.					
28	glaucum. DC.	(ye.) glaucous.	N. America. 1812.	7. 8.	H. 4.	
29	lævigatum. H.K.	(ye.) smooth.	— 1772.	—	H. 4.	
30	nudiflorum. DC.	(ye.) naked-panicled.	— 1811.	8. 10.	H. h.	
31	sphærocàrpon. DC.	(y.) round-capsuled.	— 1827.	6. 8.	H. 4.	

32	quadrángulum. w. (ye.)	square-stalked.	Britain.		7. 8.	H. 4.	Eng. bot. 370.
33	dúbium. E.B. (ye.)	imperforate.	—		—	H. 4.	— 296.
34	maculátum. All. (ye.)	spot-flowered.	Europe.		—	H. 4.	All. ped. t. 83. f. 1.
35	undulátum. W.en. (y.)	wave-leaved.	Barbary.	1802.	—	F. 4.	Chois. pr. hyp. p. 47. t. 6.
36	attenuátum. DC. (ye.)	attenuated.	Dahuria.	1828.	—	H. 4.	Thunb. jap. t. 31.
37	repens. DC. (ye.)	creeping.	S. Europe.	1827.	—	H. 4.	Bocc. mus. 2. t. 12.
38	japonicum. DC. (ye.)	Japan.	Japan.	1820.	—	G. 4.	Pluk. alm. t. 215. f. 6.
39	crispum. DC. (ye.)	curl-leaved.	Greece.	1688.	—	F. 4.	Pluk. alm. t. 421. f. 3.
40	pilòsum. DC. (ye.)	pilose.	N. America.	1818.	—	H. 4.	Vent. cels. t. 68.
	setòsum. H.K.	—	—	—	—	—	Bot. reg. 196.
41	simplex. DC. (ye.)	simple-stalked.	—	—	—	H. 4.	Eng. bot. 1226.
42	heterophyllum. DC. (y.)	various-leaved.	Persia.	1812.	—	G. 4.	Lab. nov. holl. 2. t. 175.
43	egyptiacum. DC. (ye.)	Egyptian.	Egypt.	1787.	6. 7.	G. 4.	— 2. t. 174.
44	humifusum. DC. (ye.)	trailing.	Britain.		7. 8.	H. 4.	Eng. bot. 295.
45	pusillum. DC. (ye.)	small.	N. S. W.	1818.	—	G. 4.	—
46	involutum. DC. (ye.)	involute-fl.	—	1822.	—	G. 4.	—
47	perforátum. DC. (ye.)	perforate.	Britain.		—	H. 4.	—
48	veronense. Sck. (ye.)	Verona.	Italy.	1820.	—	H. 4.	—
49	quinquenervium. DC. (ye.)	small-fl.	N. America.	1759.	6. 9.	F. 4.	—
	mùtilum. w.	—	—	—	—	—	—
50	canadense. DC. (wh.)	Canadian.	Canada.	1770.	7. 9.	H. 4.	—
51	perfoliatum. w. (wh.)	perfoliate.	Italy.	1785.	5. 6.	F. 4.	—
52	axillare. DC. (ye.)	clustered.	N. America.	1806.	7.	F. 4.	—
	fasciculátum. w.	—	—	—	—	—	—
53	Elodes. DC. (ye.)	marsh.	Britain.		7. 8.	H. 4.	Eng. bot. 109.
54	tomentosum. DC. (ye.)	woolly.	S. Europe.	1648.	7. 9.	F. 4.	Moris. his. 2. s. 5. t. 6. n. 5.
55	lanuginosum. DC. (ye.)	downy.	Levant.	1822.	—	F. 4.	—
56	hirsutum. DC. (ye.)	hairy.	Britain.		6. 7.	H. 4.	Eng. bot. 1156.
57	nummularium. DC. (ye.)	Money-wort.	S. Europe.	1818.	—	H. 4.	Lam. ill. t. 613.
58	elegans. DC. (ye.)	elegant.	Siberia.	—	7. 9.	H. 4.	Spr. fl. hal. n. 864. t. 9.
	Kohliànium. Spr.	—	—	—	—	—	—
59	glandulosum. DC. (ye.)	glandular.	Madeira.	1777.	5. 8.	G. 4.	—
60	reflexum. DC. (ye.)	reflex-leaved.	Teneriffe.	1778.	6. 9.	G. 4.	—
61	pulehrum. DC. (ye.)	small upright.	Britain.		7. 8.	H. 4.	Eng. bot. 1227.
62	clodeoides. DC. (ye.)	close panicked.	Nepaul.	1823.		G. 4.	—
	nervosum. D.P.	—	—	—	—	—	—
63	barbatum. DC. (ye.)	bearded.	Scotland.		6. 10.	H. 4.	Eng. bot. 1985.
64	montanum. DC. (ye.)	mountain.	Britain.		7. 8.	H. 4.	— 371.
65	fimbriatum. DC. (ye.)	fimbriate.	Pyrenees.	1818.	—	H. 4.	Vill. delph. 3. t. 44.
	Richèri. Vill.	—	—	—	—	—	—
66	æthiopicum. DC. (ye.)	Ethiopian.	C. B. S.	1817.	—	G. 4.	—
67	ciliatum. DC. (ye.)	fringed.	S. Europe.	1739.	7.	F. 4.	Boc. mus. 2. t. 127.
68	serpyllifolium. DC. (ye.)	Thyme-leaved.	Levant.	1688.	7. 8.	F. 4.	Mor. his. 2. s. 5. t. 6. f. 2.
69	tripplinerve. DC. (ye.)	triply-nerved.	N. America.	1823.	7. 9.	H. 4.	Vent. cels. t. 58.
70	empetrifolium. DC. (y.)	Crowberry-ld.	S. Europe.		6. 8.	H. 4.	Wats. dend. brit. 141.
71	Coris. DC. (ye.)	Coris-leaved.	Levant.	1640.	5. 9.	G. 4.	Bot. mag. 178.
72	ericoides. DC. (ye.)	Heath-leaved.	S. Europe.	1818.	—	G. 4.	Cav. ic. 2. t. 122.
73	mexicanum. DC. (ye.)	Mexican.	Mexico.	1826.		G. 4.	Linn. amœn. 8. t. 8. f. 2.
74	fasciculatum. DC. (ye.)	Aspalathus-like.	N. America.	1811.	6. 8.	F. 4.	—
	aspalathoides. w.	—	—	—	—	—	—
75	verticillatum. DC. (ye.)	whorl-leaved.	C. B. S.	1784.	—	G. 4.	—
76	cochinehinense. DC. (sc.)	Cochinchina.	Cochinchina.	1822.	6. 8.	G. 4.	—
	ASCYRUM. DC.	ASCYRUM. Monadelphica Polyandria.	—	—	—	—	—
1	pumilum. DC. (ye.)	dwarf.	Georgia.	1806.	6. 8.	G. 4.	Burm. am. 146. t. 152.
2	Crux Andreæ. DC. (y.)	St. Andrew's-cr.	N. America.	1759.	7.	G. 4.	— t. 152. f. 1.
3	hypericoides. DC. (ye.)	Hypericum-like.	—	—	7. 9.	G. 4.	—
4	stans. DC. (ye.)	large-flowered.	—	1806.	—	G. 4.	—
5	amplexicaule. DC. (ye.)	stem-clasping.	—	—	—	G. 4.	—
	SAR'OTHA. W.	SAR'OTHA. Pentandria Trigynia.	—	—	—	—	—
	gentianoïdes. w. (ye.)	Gentian-like.	N. America.	1768.	6. 10.	H. 4.	Pluk. mant. t. 342. f. 2.
	hypericoides. N.	Hypericum Sarothra. M.	—	—	—	—	—

Subordo II. *HYPERICINEÆ ANOMALÆ*. DC.

CARPODO'NTOS. DC.	CARPODO'NTOS. Polyandria Pentagynia.	—	—	—	—	—	Lab. voy. 2. t. 18.
lucida. DC. (wh.)	shining.	V. Diem. Is.	1820.		G. 4.	—	—

ORDO XXXIX.

GUTTIFERÆ. DC. prodr. 1. p. 557.

Tribus I. CLUSIÆ. DC.

MAH'UREA. DC.	MAH'UREA. Polyandria Monogynia.				
palústris. DC. (pu.)	marsh. Trinidad.	1820.		S. h.	Aubl. guian. 1. t. 222.
M'ARILA. DC.	M'ARILA. Monadelphia Polyandria.				
racemòsa. DC.	clustered. W. Indies.	1827.		S. h.	
GODO'YA. DC.	GODO'YA. Polyandria Monogynia.				
gemmiflòra. M.N. (ye.)	gem-flowered. Brazil.	1824.		S. h.	Mart. nov. gen. 3. t. 74.
CL'USIA. DC.	BALSAM-TREE. Polygamia Monœcia. L.				
1 ròsea. DC. (ro.)	Rose-coloured. America.	1692.	7. 8.	S. h.	Cates. car. 2. t. 99.
2 álba. DC. (wh.)	white-flowered. S. America.	1752.	—	S. h.	Jacq. amer. t. 166.
3 flàva. (ye.)	yellow-flowered. Jamaica.	1759.	9.	S. h.	Bot. rep. 223.
4 venòsa. DC. (wh.)	veiny-leaved. S. America.	1733.		S. h.	Plum. ic. 87. f. 2.
5 nemoròsa. DC. (w.pu.)	wood. W. Indies.	1826.		S. h.	
HAV'ETIA. Kth.	HAV'ETIA. Diœcia Tetrandria.				
laurifòlia. Kth. (wh.)	Laurel-leaved. S. America.	1820.		S. h.	H. et B. n. g. am. 5. t. 462.
Clusia tetráandra. W.					

Tribus II. GARCINIEÆ. DC.

MARIA'LVA. DC.	MARIA'LVA. Monadelphia Polyandria.				
guianénsis. DC. (gr.)	Guiana. Guiana.	1827.		S. h.	Aubl. guian. 2. t. 364.
MICRA'NTHERA. DC.	MICRA'NTHERA. Diœcia Polyandria.				
clusiæfòlia. DC.	Clusia-leaved. Cayenne.	1823.		S. h.	Chois. m. h. P. 1. t. 11. 12.
GARCÍ'NIA. DC.	GARCÍ'NIA. Polyandria Monogynia.				
1 Mangostana. DC. (ro.)	Mangosteen. Java.	1789.		S. h.	Lod. bot. cab. 845.
2 cornea. DC. (ye.)	nodding-flow'd. E. Indies.	1817.		S. h.	Rumph. amb. 3. t. 30.
3 Cambogia. DC. (ye.)	yellow-flower'd. ———	1822.		S. h.	Rheed. mal. 1. t. 24.
4 Cowa. DC. (ye.)	polygamous. ———	—		S. h.	

Tribus III. CALOPHYLLÆ. DC.

MAMM'EA. DC.	MAMMEE-TREE. Polyandria Monogynia. L.				
1 americana. DC. (wh.)	America. S. America.	1737.		S. h.	Jacq. amer. t. 182. f. 32.
2 africàna. G.D. (wh.)	African. Sierra Leon.	1820.		S. h.	
XANTHOCH'YMUS. DC.	XANTHOCH'YMUS. Polyadelphia Polyandria.				
1 pictòrius. H.B. (wh.)	painters. E. Indies.	1796.		S. h.	Roxb. cor. 2. t. 196.
2 dúlcis. H.B. (st.)	sweet. ———	1820.		S. h.	— 3. t. 270.
3 ovalifòlius. H.B.	oval-leaved. ———	—		S. h.	
4 lùteus. L.C. (ye.)	yellow. E. Indies.	1823.		S. h.	
5 macrophy'llus. L.C. ..	large leaved. ———	—		S. h.	
6 purpùreus. L.C. (pu.)	purple. ———	—		S. h.	
CALOPHY'LLUM. DC.	CALOPHY'LLUM. Polyandria Monogynia. L.				
1 Inophy'llum. DC. (wh.)	sweet-scented. E. Indies.	1793.		S. h.	Rheed. mal. 4. t. 38.
2 Tacamaháca. DC. (wh.)	acute-leaved. Bourbon.	1822.		S. h.	Pluk. alm. t. 147. f. 3.
3 Cálaba. DC. (wh.)	Calaba-tree. W. Indies.	1780.		S. h.	Jacq. amer. t. 165.
4 spùrium. DC. (wh.)	spurious. E. Indies.	—		S. h.	Rheed. mal. 4. t. 39.
Cálaba. L.					
PENTADE'SMA. H.T.	BUTTER-TREE. Polyandria Monogynia.				
butyràcea. H.T. (ye.)	African. Sierra Leon.	1821.		S. h.	

Tribus IV. *SYMPHONIEÆ*. DC.

CANELLA. DC.	CANELLA. Dodecandria Monogynia.				
1 alba. DC.	(pu.) broad-leaved.	W. Indies.	1735.		S. h. Linn. trans. 1. t. 8.
2 laurifolia. L.C.	(pu.) narrow-leaved.	—			S. h.
MORONOB'EA. DC.	MORONOB'EA. Monadelphia Pentandria.				
coccinea. DC.	(sc.) scarlet.	Guiana.	1825.		S. h. Aubl. guian. 2. t. 313.
<i>Symphonia globulifera</i> . L.					
SING'ANA. DC.	SING'ANA. Polyandria Monogynia.				
guianensis. DC.	(wh.) Guiana.	Guiana.	1827.		S. h. ∪. Aubl. guian. sup. 2. t. 230.
<i>Sternbéckia lateriflora</i> . W.					

ORDO XL.

MARCGRAVIACEÆ. DC. *prodr.* 1. p. 565.Subordo I. *MARCGRAVIÆ*. DC.

ANTHOL'OMA. DC.	ANTHOL'OMA. Polyandria Monogynia.				
montana. DC.	(ye.) mountain.	N. Caledonia.	1820.		S. h. Labill. voy. t. 41.
MARCGR'AVIA. DC.	MARCGR'AVIA. Polyandria Monogynia. L.				
1 umbellata. DC.	(gr.) umbelled.	W. Indies.	1792.	6. 8.	S. h. Hook. exot. flor. 160.
2 coriacea. DC.	(gr.) leathery-leav'd.	Guiana.	1820.	—	S. h.
3 picta. DC.	(gr.) painted-leav'd.		1827.		S. h.

Subordo II. *NORANTEÆ*. DC.

NORA'NTEA. DC.	NORA'NTEA. Polyandria Monogynia. L.				
1 guianensis. DC.	(pu.) Guiana.	Guiana.	1827.		S. h. Aubl. guian. 1. t. 220.
2 brasiliensis. DC.	 Brazilian.	Brazil.	1820.		S. h.
3 indica.	Indian.	Mauritius.	1822.		S. h.
RUY'SCHIA. DC.	RUY'SCHIA. Pentandria Monogynia.				
1 Souroubèa. DC.	(st.) Guiana.	Guiana.	1826.		S. h. Aubl. guian. 1. t. 97.
2 clusiæfolia. DC.	(pu.) Clusia-leaved.	W. Indies.	1823.		S. h. Jacq. amer. t. 51. f. 2.

ORDO XLI.

HIPPOCRATEACEÆ. DC. *prodr.* 1. p. 567.

HIPPOCR'ATEA. DC.	HIPPOCR'ATEA. Triandria Monogynia. L.				
1 obcordata. DC.	(st.) obcordate.	W. Indies.	1819.		S. h. ∪. Lam. ill. 1. t. 28. f. 1.
<i>scandens</i> . Jacq. amer. t. 9.					
2 ovata. DC.	(ye.) oval-leaved.	S. America.	1739.		S. h. ∪. Lam. ill. 1. t. 28. f. 2.
<i>volubilis</i> . L.					
3 indica. DC.	(ye.) Indian.	E. Indies.	1818.		S. h. ∪. Roxb. cor. 2. t. 130.
4 obtusifolia. DC.	(st.) blunt-leaved.	—	1820.		S. h. ∪.
5 arborea. DC.	(st.) tree.	—	1822.		S. h. ∪. Roxb. cor. 3. t. 205.
ANTHODON. DC.	ANTHODON. Triandria Monogynia.				
1 paniculatum. DC.	 paniced.	Rio Janeiro.	1818.		S. h. ∪.
2 ellipticum. DC.	 elliptic-leaved.	—	—		S. h. ∪.
TONSE'LLA. DC.	TONSE'LLA. Triandria Monogynia.				
1 pyritiformis. H.T.	(gr.) pear-fruited.	Sierra Leon.	1822.		S. h.
2 scabra. R.S.	(gr.) rough.	Trinidad.	1824		S. h. ∪. Aubl. guian. 1. t. 10.
<i>Tentileia scandens</i> . Aub.					

JO'HNIA. F.I.		Jo'HNIA. Triandria Monogynia. F.I.			
1	salacioïdes. F.I. (or.)	entire-leaved.	E. Indies.	1822.	S. h. ∪.
2	coromandeliàna. F.I.	saw-leaved.	—		S. h. ∪.
TRIG'ONIA. DC.		TRIG'ONIA. Monadelphia Pent-Decandria.			
1	villòsa. DC. (y.re.)	villous.	Cayenne.	1820.	S. h. Aub. gui. 1. t. 149.
2	móllis. DC.	soft-leaved.	Brazil.	1823.	S. h.
3	lævis. DC. (wh.)	smooth.	Guiana.	1826.	S. h. Aub. gui. 1. t. 150.

ORDO XLII.

ERYTHROXYLEÆ. DC. prodr. 1. p. 573.

ERYTHRO'XYLUM. DC.		ERYTHRO'XYLUM. Decandria Trigynia. L.			
1	hypericifòlium. DC. (w.)	Hypericum-ld.	Mauritius.	1818.	S. h. Cav. dis. 8. t. 230.
2	havanense. DC. (wh.)	Havannah.	W. Indies.	1822.	S. h. Jacq. amer. t. 87. f. 2.
3	laurifolium. DC. (wh.)	Laurel-leaved.	Mauritius.		S. h. Cav. dis. 8. t. 226.
4	areolàtum. DC. (wh.)	Carthagera.	Carthagera.	1826.	S. h. Jacq. amer. t. 187. f. 1.
<i>carthagenénse. Jacq.</i>					
S'ETHIA. Kth.		S'ETHIA. Decandria Monogynia.			
	índica. DC. (ye.)	Indian.	E. Indies.	1823.	S. h. Roxb. cor. 1. t. 88.
<i>Erythróxylon monog'ynum. R.C.</i>					

ORDO XLIII.

MALPIGHIACEÆ. DC. prodr. 1. p. 577.

Tribus I. MALPIGHIEÆ. DC.

MALPI'GHIA. DC.		MALPI'GHIA. Decandria Trigynia. L.			
1	fucàta. DC. (li.)	painted.	W. Indies.	1814. 1. 12.	S. h. Bot. reg. 189.
<i>macrophy'lla. Colla hort. ripul. t. 11. non Juss.</i>					
2	ùrens. DC. (li.)	stinging.	S. America.	1737. 7. 10.	S. h. Bot. reg. 96.
3	angustifòlia. DC. (li.)	narrow-leaved.	W. Indies.	7. 8.	S. h. Lod. bot. cab. 321.
4	aquitòlia. DC. (li.)	Holly-leaved.	S. America.	1759. 8. 9.	S. h. 1079.
5	coccífera. DC. (li.)	kermes-oak-ld.	—	1733. —	S. h. Bot. reg. 568.
6	glábra. DC. (pu.)	smooth-leaved.	—	1757. 3. 7.	S. h. Bot. mag. 813.
7	biflòra. DC. (ye.)	two-flowered.	—	 —	S. h. Cav. dis. 8. t. 234. f. 2.
<i>punicifolia. Cav.</i>					
8	punicifolia. DC. (pu.)	Punica-leaved.	—	1690. —	S. h. Plum. ic. t. 166. f. 2.
9	nitida. DC. (pu.)	glossy-leaved.	S. America.	1733. 3. 8.	S. h.
10	incàna. DC. (ro.)	hoary.	Campeachy.	—	S. h.
11?	faginea. DC. (ye.)	Beech-leaved.	S. America.	1822.	S. h.
12?	dùbia. DC. (ye.)	doubtful.	W. Indies.	1824.	S. h. Cav. dis. 8. t. 242.
BYRSON'IMA. DC.		BYRSON'IMA. Decandria Trigynia. L.			
1	verbascifòlia. DC. (ye.)	Mullein-leaved.	Guiana.	1818. 3. 8.	S. h. Aub. gui. 1. t. 184.
2	nervòsa. DC. (ye.)	prominent-nd.	Brazil.	—	S. h.
3	altíssima. DC. (wh.)	tall.	Guiana.	1820.	S. h. Aub. gui. 1. t. 181.
4	crassifòlia. DC. (ye.)	thick-leaved.	—	1793. 8.	S. h. 1. t. 182.
<i>Malpíghia crassifolia. w.</i>					
5	chrysophy'lla. DC. (ye.)	golden-leaved.	S. America.	1822.	S. h.
6	spicàta. DC. (ye.)	spiked.	Brazil.	1818. 5. 8.	S. h. Cav. dis. 8. t. 237.
7	lúcida. DC. (re.)	wedge-leaved.	W. Indies.	1759. —	S. h. Bot. mag. 2462.
<i>Malpíghia lúcida. w.</i>					
8	lævigàta. DC. (st.)	smooth.	Cayenne.	1826.	S. h.
9	élegans. DC. (li.)	elegant.	Guiana.	1827.	S. h.
10	dénsa. DC. (re.)	dense-flower'd.	—	1825.	S. h.
11	coriàcea. DC. (wh.)	leathery-leaved.	Jamaica.	1814. —	S. h. Sloan. his. 2. t. 163. f. 1.

12	pálida. DC.	(ye.) pale-leaved.	W. Indies.	1820.	5. 8.	S. h.	
13?	volùbilis. DC.	(ye.) twining.	—————	1793.	8. 9.	S. h.~.	Bot. mag. 809.
<i>Malpighia volùbilis</i> . B.M.							
BUNCH'OSIA. DC.		BUNCH'OSIA.	Decandria Monogynia.				
1	glandulòsa. DC.	(ye.) 2-glanded.	Antilles.	1804.	3. 5.	S. h.	Cav. dis. 8. t. 239. f. 2.
<i>Malpighia glandulòsa</i> . Cav.							
2	glandulífera. DC.	(ye.) 4-glanded.	Caracas.	1806.	—	S. h.	Jacq. coll. 5. f. 3.
<i>Malpighia glandulòsa</i> . Jacq. ic. 3. t. 469.							
3	cornifolia. DC.	(wh.) Cornus-leaved.	S. America.	1824.		S. h.	
4	polystàchya. DC.	(ye.) many-spiked.	W. Indies.	1806.	3. 5.	S. h.	And. bot. rep. 604.
5	mèdia. DC.	(ye.) intermediate.	—————	1790.	—	S. h.	
<i>Malpighia mèdia</i> . H.K.							
6	tuberculàta. DC.	(ye.) tuberculate.	Caracas.	1823.		S. h.	Jacq. schœn. 1. t. 104.
7	argétea. DC.	(ye.) silvery.	—————	1820.		S. h.	Jacq. frag. t. 83.
8	nítida. DC.	(ye.) glossy-leaved.	W. Indies.	1733.	3. 8.	S. h.	Cav. dis. 8. t. 239. f. 1.
9	canéscens. DC.	 downy-leaved.	—————	1742.		S. h.	
10?	paniculàta. DC.	(pu.) paniced.	—————	1733.		S. h.	
GALPH'IMIA. DC.		GALPH'IMIA.	Decandria Trigynia.				
1	hirsùta. DC.	(ye.) hairy.	Mexico.	1824.	3. 6.	S. h.	
2	gláuca. DC.	(ye.) glaucous-leav'd.	—————	1826.		S. h.	Cav. ic. 5. t. 489.
3	glandulòsa. DC.	(ye.) glandular.	—————	1824.	4. 6.	S. h.	————— 6. t. 563.
THRYA'LLIS. L.		THRYA'LLIS.	Decandria Trigynia.				
!	brachystachys. B.R.	(y.) short-spiked.	Brazil.	1823.	9. 11.	S. h.~.	Bot. reg. 1162.

Tribus II. *HYPTAGEÆ*. DC.

HIPTAGE. DC.		HIPTAGE.	Decandria Monogynia.				
1	Madablòta. DC.	(wh.) clustered.	E. Indies.	1796.	3. 4.	S. h.~.	Roxb. cor. 1. t. 18.
<i>Gærtnera racemòsa</i> . A.R. 600.							
2	obtusifolia. DC.	(wh.) blunt-leaved.	China.	1822.		S. h.~.	
<i>Gærtnera obtusifolia</i> . H.B.							
GAUDICHA'UDIA. DC.		GAUDICHA'UDIA.	Pentandria Monogynia.				
	cynanchoides. DC.	(ye.) Cynanchum-like.	Mexico.	1824.		S. h.~.	H.etB.n.g.am. 5. t. 445.

Tribus III. *BANISTERIEÆ*. DC.

HIR'ÆA. DC.		HIR'ÆA.	Decandria Trigynia. L.				
1	odoràta. DC.	 sweet-scented.	Guinea.	1822.		S. h.~.	
2	glaucéscens. L.C.	 glaucescent.				S. h.~.	
3	nùtans. DC.	 nodding.	E. Indies.	1818.	5. 8.	S. h.~.	
4	índica. DC.	(wh.) Indian.	—————	—	—	S. h.~.	Roxb. cor. 2. t. 160.
TRIO'PTERIS. DC.		TRIO'PTERIS.	Decandria Trigynia. L.				
1	serícea. L.C.	 silky.	S. America.	1820.		S. h.~.	
2	jamaicénsis. DC.	(ye.) Jamaica.	Jamaica.	1818.	5. 9.	S. h.~.	
3	lúcida. K.s.	(pi.) glossy.	Cuba.	1822.		S. h.~.	H.etB.n.g.am. 5. t. 451.
TETRA'PTERIS. DC.		TETRA'PTERIS.	Decandria Trigynia. L.				
1	buxifolia. DC.	(ye.) Box-leaved.	St. Domingo.		5. 8.	S. h.~.	Cav. dis. 9. t. 262. f. 1.
2	acapulcénsis. K.s.	(ye.) Acapulco.	Mexico.	1824.		S. h.~.	
3	acutifolia. DC.	(ye.) acute-leaved.	Cayenne.	1826.		S. h.~.	Cav. dis. 9. t. 261.
4	citrifolia. DC.	(ye.) Citron-leaved.	Jamaica.	1819.	—	S. h.	————— 9. t. 260.
5	discolor. DC.	(ye.) two-coloured.	Guiana.	1827.		S. h.~.	
BANISTERIA. DC.		BANISTERIA.	Decandria Trigynia. L.				
1	auriculàta. DC.	(ye.) eared.	Brazil.	1818.		S. h.~.	Cav. dis. 9. t. 255.
2	ciliàta. DC.	(or.) ciliated.	—————	1796.		S. h.~.	————— 9. t. 254.
3	spléndens. DC.	(ye.) shining.	S. America.	1812.		S. h.~.	————— 9. t. 253.
<i>heterophy'lla</i> . w. <i>fulgens</i> . Cav.							
4	dichótoma. DC.	(ye.) forked.	S. America.			S. h.~.	Cav. dis. 9. t. 256.
5	emarginàta. DC.	(ye.) emarginate.	W. Indies.	1826.		S. h.~.	————— 9. t. 249.
6	serícea. DC.	(ye.) silky.	Brazil.	1810.		S. h.~.	————— 9. t. 258.
7	tomentòsa. DC.	(ye.) woolly-leaved.	Antilles.	1818.	5. 8.	S. h.~.	
8	tiliæfolia. DC.	(pu.) Lime-leaved.	Java.	1820.		S. h.~.	Vent. choix. t. 50.

ORDO XLIV.

ACER. DC.		MAPLE. Polygamia Monœcia. L.						
1	oblóngum. (gr.)	oblóng-leaved.	Nepaul.	1820.		H. 5.		
2	tatáricum. DC. (gr.)	Tartarian.	Tartary.	1759.	5. 6.	H. 5.	Pall. fl. ros. t. 3.	
3	striátum. DC. (st.)	striped-barked.	N. America.	1755.	—	H. 5.	Mich. f. arb. 2. t. 17.	
	<i>pensylvánicum. L.</i>							
4	Pseùdo-Plátanus. (st.)	Sycamore.	Britain.		4. 5.	H. 5.	Eng. bot. 303.	
	β variegátum. (st.)	variegated.	—		—	H. 5.	Duham. arb. 1. t. 36.	
	γ subobtusum. DC. (st.)	blunt-leaved.	—		—	H. 5.		
5	spicátum. DC. (st.)	mountain.	N. America.	1750.	—	H. 5.	Schm. arb. 1. t. 11.	
	<i>montánum. H.K.</i>							
6	hy'bridum. DC. (gr.)	hybrid.	Hybrid.		—	H. 5.	Lodd. bot. cab. 1221.	
7	macrophy'llum. DC. (st.)	large-leaved.	Columbia.	1827.		H. 5.		
8	campéstre. DC. (gr.)	common.	Britain.		5. 6.	H. 5.	Eng. bot. 304.	
9	austriacum. L. en. (gr.)	Austrian.	Austria.		—	H. 5.	Tratt. arch. 1. n. 6. ic.	
10	Opálus. w. (st.)	Italian.	Italy.	1752.	—	H. 5.		
11	opalifólium. L. en. (st.)	Opalus-leaved.	S. Europe.		—	H. 5.	Tratt. arch. 1. n. 13. ic.	
12	obtusátum. DC. (st.)	Hungarian.	Hungary.	1818.	—	H. 5.	— 1. n. 14. ic.	
13	neapolitánum. T.S. (st.)	Neapolitan.	Naples.	1820.	5. 6.	H. 5.	Ten. at. ac. neap. 1819. ic.	
14	eréticum. DC. (gr.)	Cretan.	Levant.	1752.	—	H. 5.	Tratt. arch. 1. n. 19. ic.	
15	monspessulánum. DC. (gr.)	Montpelier.	France.	1739.	5.	H. 5.	— 1. n. 20. ic.	
16	ibéricum. DC. (gr.)	Iberian.	Iberia.	1826.		H. 5.		
17	heterophy'llum. DC. (gr.)	evergreen.	Levant.	1759.	5. 6.	H. 5.	Willd. arb. 10. t. 1. f. 1.	
	<i>sempervirens. L.</i>							
18	barbátum. DC. (gr.)	bearded.	N. America.	1812.	4. 5.	H. 5.		
19	Lobèlii. T.S. (st.)	Lobel's.	Italy.	1826.		H. 5.		
20	platanóides. DC. (st.)	Norway.	Europe.	1683.	5. 7.	H. 5.	Schm. arb. 1. t. 3. 4.	
	β laciniátum. (st.)	cut-leaved.	—	—	—	H. 5.	— 1. t. 5.	
21	saccharinum. DC. (st.)	Sugar.	N. America.	1735.	4. 5.	H. 5.	Mich. f. arb. 2. t. 15.	
22	nigrum. DC. (st.)	black-sugar.	—	1812.	—	H. 5.	— 2. t. 16.	
23	circinnátum. DC.	round-leaved.	Columbia.	1827.		H. 5.		
24	eriocárpum. DC. (st.)	Sir C. Wager's.	N. America.	1725.	—	H. 5.	Mich. f. arb. 2. t. 13.	
	<i>dasycárpum. w.</i>							
25	rùbrum. DC. (re.)	red-flowered.	—	1656.	—	H. ½.	Mich. f. arb. 2. t. 14.	
26	palmátum. DC. (st.)	palmate.	China.	1820.		H. ½.	Tratt. arch. 1. n. 17. ic.	
	NEGU'NDO. DC. Diœcia Pentandria.							
	fraxinitólium. DC. (st.)	Ash-leaved.	N. America.	1683.	4.	H. 5.	Mich. f. arb. 2. t. 16.	
	<i>Acer Negúndo. L.</i>							

ORDO XLV.

HIPPOCASTANEÆ. *DC. prodr.* 1. p. 597.

ÆSCULUS. DC.	HORSE-CHESTNUT.	Heptandria Monogynia. L.	
1 Hippocástanum. DC. (<i>wh.</i>) common.	Asia.	1629. 4. 5. H. 5.	Schm. arb. 1. t. 38.
β variegata. (<i>wh.</i>) striped-leaved.	————	 ——— H. 5.	
γ flore pleno. (<i>wh.</i>) double-flowered.		 ——— H. 5.	
2 rubicúnda. DC. (<i>re.</i>) red-flowered.		 5. 6. H. 5.	Lod. bot. cab. 1242.
carnea. W.D. 121 non B. reg.			
3 carnea. B.R. (<i>fl.</i>) flesh-coloured.		 5. 6. H. 5.	Bot. reg. 993.
4 glábra. DC. (<i>st.</i>) smooth-leaved.	N. America.	1812. ——— H. 5.	
5 ohioénsis. DC. (<i>wh.</i>) Ohio.	————	1818. ——— H. 5.	
6 pállida. DC. (<i>st.</i>) pale-flowered.	————	1812. 6. H. 5.	
PAVIA.	BUCK'S-EYE-TREE.	Heptandria Monogynia.	
1 macrostàchya. DC. (<i>w.</i>) long-spiked.	N. America.	1786. 7. 8. H. h.	Jacq. ecl. 1. t. 9.
Æsculus parviflora. H.K.			
2 rubra. DC. (<i>re.</i>) red-flowered.	N. America.	1711. 5. 6. H. 5.	Duham. arb. 2. t. 19.
Æsculus Pària. Lod. bot. cab. 1257.			
β arguta. B.R. (<i>fl.</i>) sharp-toothed.	————	 ——— H. 5.	Bot. reg. 993.
γ sublaciniata. W.D. (<i>re.</i>) deep-toothed.	————	 ——— H. 5.	Wats. dend. brit. 120.
3 hy'brida. DC. (<i>fl.</i>) variegated-fl.	————	1812. ——— H. 5.	
4 discolor. (<i>fl.</i>) dwarf.	————	——— ——— H. h.	Bot. reg. 310.
Æsculus discolor. Ph. non hy'brida. DC.			
5 hùmilis. B.R. (<i>re.</i>) dwarf.	————	 ——— H. h.	Bot. reg. 1018.
6 neglécta. B.R. (<i>st.</i>) neglected.	————	 ——— H. 5.	———— 1009.
7 fláva. DC. (<i>st.</i>) yellow-flowered.	————	1764. ——— H. 5.	Lod. bot. cab. 1280.

ORDO XLVI.

RHIZOBOLEÆ. *DC. prodr.* 1. p. 599.

CARYOCAR. DC.	BUTTER-NUT.	Polyandria Tetragynia.	
1 nucíferum. DC. (<i>re.</i>) nut-bearing.	S. America.	1826. S. h.	Bot. mag. 2728.
2 glábrum. DC. smooth-leaved.	Guiana.	1820. S. h.	Aub. gui. 2. t. 240.
3 tomentòsum. DC. (<i>wh.</i>) woolly-leaved.	————	 S. h.	———— 1. t. 239.

ORDO XLVII.

SAPINDACEÆ. *DC. prodr.* 1. p. 601.

Tribus I. PAULLINIEÆ. DC.

CARDIOSPERMUM. L.	HEART-SEED.	Octandria Trigynia. L.	
1 Halicácabum. DC. (<i>w.</i>) smooth-leaved.	India.	1594. 6. 8. S. ⊙. —.	Bot. mag. 1049.
2 grandiflòrum. DC. (<i>wh.</i>) large-flowered.	Jamaica.	1823. S. h. —.	
3 coluteoides. DC. (<i>wh.</i>) Colutea-like.	Caracas.	——— S. 2. —.	
4 Coríndum. L. (<i>wh.</i>) Parsley-leaved.	Brazil.	1750. 7. 8. S. ⊙. —.	
5 pubéscens. DC. (<i>wh.</i>) pubescent.	N. Spain.	1820. ——— S. h. —.	
URVILL'ÆA. Kth.	URVILL'ÆA.	Octandria Monogynia.	
ulmácea. Kth. (<i>wh.</i>) Elm-leaved.	Caracas.	1823. S. h. —.	H. et B. n. gen. 5. t. 440.
SER'IANA. Kth.	SER'IANA.	Octandria Trigynia. L.	
1 sinuàta. DC. (<i>wh.</i>) sinuate-leaved.	S. America.	 7. 9. S. h. —.	Sch. ac. hafn. 3. t. 12. f. 1.

2	divaricàta. DC.	(wh.)	divaricate	W. Indies.	1823.		S. h. ∪	Sch. ac. hafn. 3. t. 12. f. 2.
3	caracasàna. DC.	(wh.)	tooth-leaved.	Caracas.	1816.	7. 9.	S. h. ∪	Jacq. schœn. 1. t. 99.
4	mexicàna. DC.	(wh.)	Mexican.	Mexico.	1825.		S. h. ∪	Sch. ac. hafn. 3. t. 11. f. 3.
5	triternàta. DC.	(wh.)	Supple-Jack.	W. Indies.	1739.		S. h. ∪	Plum. ed. Burm. t. 112.
<i>Paullinia polyphylla</i> . L.								
PAULLINIA. DC. PAULLINIA. Octandria Trigynia. L.								
1	pinnàta. DC.	(wh.)	winged-leaved.	S. America.	1752.	7. 9.	S. h. ∪	Jacq. obs. 3. t. 62. f. 12.
2	Vespertilio. DC.	(wh.)	Bat-winged.	W. Indies.	1823.	—	S. h. ∪	Sch. act. hafn. 3. t. 11. f. 1.
3	meliaefolia. DC.	(wh.)	Melia-leaved.	Brazil.	1818.	—	S. h. ∪	Hook. ex. flor. 110.
4	curassávica. DC.	(wh.)	shining-leaved.	S. America.	1739.	6. 8.	S. h. ∪	Jacq. obs. 3. t. 61. f. 1.
5	barbadénsis. DC.	(wh.)	Barbadoes.	W. Indies.	1786.		S. h. ∪	— 3. t. 61. f. 9.
6	polyphylla. DC.	(wh.)	many-leaved.	S. America.	1739.	6. 8.	S. h. ∪	Pluk. alm. t. 108. f. 5?
7	carthagenénsis. DC.	(wh.)	bitermate.	Trinidad.	1821.	—	S. h. ∪	Jacq. obs. 3. t. 61. f. 6.
8	caribæa. DC.	(wh.)	Caribbean.	Caribees.			S. h. ∪	Jacq. obs. 3. t. 62. f. 7.
9	hispida. DC.	(wh.)	hispid.	Caracas.	1823.		S. h. ∪	Jacq. schœn. 3. t. 268.
10	cauliflora. DC.	(wh.)	stem-flowering.	—	1821.	6. 8.	S. h. ∪	Jacq. ic. rar. 3. t. 450.

Tribus II. SAPINDEÆ. DC.

SAPINDUS. DC. SOAP BERRY. Octandria Trigynia. L.								
1	Saponària. DC.	(wh.)	common	W. Indies.	1697.	7. 9.	S. h.	Comm. hort. 1. t. 94.
2	marginatus. DC.	(wh.)	marginated.	Carolina.		—	G. h.	—
3	rigidus. DC.	(wh.)	Ash-leaved.	S. America.	1759.	—	S. h.	Pluk. alm. t. 217. f. 7.
4	senegalénsis. DC.	(wh.)	Senegal.	Senegal.	1823.		S. h.	—
5	laurifolius. DC.	(wh.)	Laurel-leaved.	E. Indies.	1818.		S. h.	Rheed mal. 4. t. 19.
6	longifolius. DC.	(wh.)	long-leaved.	—	—		S. h.	—
7	emarginatus. DC.	(wh.)	emarginate.	—	1820.		S. h.	—
8	rubiginosus. DC.	(wh.)	rusty-leaved.	—	—		S. h.	Roxb. cor. 1. t. 62.
9?	indicus. DC.	(wh.)	various-leaved.	—	—		S. h.	—
BLIGHIA. DC. AKEE-TREE. Octandria Monogynia.								
	sápida. DC.	(wh.)	Ash-leaved.	Africa.	1723.		S. h.	Kon. an. bot. 2. t. 16. 17.
MATA'YBA. DC. MATA'YBA. Octandria Monogynia.								
	guianénsis. DC.	(wh.)	Ash-leaved.	Guiana.	1803.	7. 9.	S. h.	Aub. gui. 1. t. 128.
<i>Ephedlis fraxinea</i> . W.								
SCHMIDELIA. DC. SCHMIDELIA. Octandria Monogynia. L.								
1	serrata. DC.	(wh.)	saw-leaved.	E. Indies.	1804.	6. 8.	S. h.	Roxb. cor. 1. t. 61.
<i>Ornítrophe serrata</i> . W.								
2	racemosa. DC.	(wh.)	clustered.	—	1818.		S. h.	Burm. ind. t. 32. f. 1.
3	Cominia. DC.	(wh.)	yellow-berried.	Jamaica.	1759.	6. 9.	S. h.	Sloan. h. 2. t. 208 f. 1.
<i>Ornítrophe Cominia</i> . W. Rhûs Cominia. L.								
EUPHORIA. DC. EUPHORIA. Octandria Monogynia. L.								
1	Litchi. DC.	(wh.)	Lee-Chee.	China.	1786.	5. 6.	S. h.	Lam. ill. t. 306.
<i>Dimocarpus Litchi</i> . W. <i>Scytalia chinensis</i> . G. fr. t. 42. f. 3.								
2	Longana. DC.	(wh.)	loose-paniced.	China.	—	—	S. h.	Buchoz. ic. col. t. 99.
3	verticillata. B.R.	(bh.)	whorl-flowered.	Moluccas.	1822.	2. 3.	S. h.	Bot. reg. 1059.
4	Nephelium. DC.	(wh.)	Rambootan.	E. Indies.	1809.		S. h.	Lam. ill. t. 764.
<i>Nephelium lappaceum</i> . W. <i>Scytalia Rambootan</i> . H.B.								
CUPANIA. DC. CUPANIA. Octandria Monogynia.								
1	tomentosa. DC.	(wh.)	woolly-leaved.	W. Indies.	1818.	5. 7.	S. h.	—
<i>Trigonis tomentosa</i> . Jacq. am. 102.								
2	glabra. DC.	(wh.)	smooth-leaved.	—	—	—	S. h.	—
3	Saponaria. DC.	(wh.)	Soap-wort-ld.	—	1820.		S. h.	—
MOLINÆA. J. MOLINÆA. Octandria Monogynia.								
	canescens. H.B.	(wh.)	canescent.	E. Indies.	1817.	5. 6.	S. h.	—
COSSIGNIA. DC. COSSIGNIA. Hexandria Monogynia.								
	borbônica. DC.	(wh.)	golden-leaved.	Bourbon.	1811.		S. h.	Lam. ill. t. 256.
<i>pinnata</i> . Lam. <i>Ruizia aurea</i> . Hort.								
MELICocca. DC. HONEY-BERRY. Octandria Monogynia. L.								
1	hijuga. DC.	(wh.)	winged-leaved.	Jamaica.	1778.		S. h.	Jacq. amer. 103. t. 72.
2	olivæformis. DC.	(wh.)	large-leaved.	S. America.	1818.		S. h.	—

Tribus III. *DODONÆACEÆ*. DC.

KOELREUTERIA. DC. KOELREUTERIA. Octandria Monogynia. L.						
paniculata. DC. (ye.)	panicled.	China.	1763.	7. 8.	H. h.	Bot. reg. 320.
DODONÆA. DC. DODONÆA. Octandria Monogynia. L.						
1 viscosa. DC. (gr.)	clammy.	S. America.	1690.	6. 7.	S. h.	Plum. ic. t. 247. f. 2.
2 jamaicensis. DC. (gr.)	Jamaica.	Jamaica.	—	—	S. h.	Cav. ic. t. 327.
viscosa. Cav. angustifolia. Sw.						
3 Burmanniana. DC. (gr.)	Burman's.	E. Indies.	1758.	5. 8.	S. h.	Burm. zeyl. t. 23.
angustifolia. H.B.						
4 microcarpa. DC. (gr.)	small-fruited.	Bourbon.	1818.	—	S. h.	Lam. ill. t. 304. f. 2.
5 attenuata. F.T. (gr.)	attenuated.	N. S. W.	1824.	2. 6.	G. h.	Bot. mag. 2860.
6 salicifolia. DC. (gr.)	Willow-leaved.	C. B. S.	1758.	—	G. h.	
angustifolia. Lam.						
7 dioica. DC. (gr.)	diœcious.	E. Indies.		—	S. h.	
8 triquetra. DC. (gr.)	three-sided.	N. S. W.	1790.	6. 8.	G. h.	Andr. rep. 230.
9 oblongifolia. L.en. (gr.)	oblong-leaved.	—	1816.	—	G. h.	Bot. reg. 1051.
10 cuneata. DC. (gr.)	wedge-leaved.	—	—	—	G. h.	Linn. trans. 11. t. 19.
11 asplenifolia. DC. (gr.)	Asplenium-ld.	—	—	—	G. h.	— 11. t. 20.
12 filiformis. DC. (gr.)	slender-leaved.	—	1820.	—	G. h.	
13 angustissima. DC. (gr.)	narrow-leaved.	—	—	—	G. h.	
14 cheagnoides. DC. (gr.)	scaly leaved.	W. Indies.	1819.		S. h.	
15? pinnata. DC. (gr.)	winged-leaved.	N. S. W.	1810.		G. h.	

ORDO XLVIII.

MELIACEÆ. DC. *prodr.* 1. p. 619.Tribus I. *MELIÆÆ*. DC.

AITONIA. W. AITONIA. Monadelphia Octandria.						
capensis. W. (pi.)	Cape.	C. B. S.	1774.	5. 9.	G. h.	Bot. mag. 173.
TURRÆA. DC. TURRÆA. Decandria Monogynia. L.						
1 virens. DC. (ye.)	green.	E. Indies.	1822.		S. h.	Sm. ic. ined. 1. t. 10.
2 rigida. DC. (li.)	rigid.	Mauritius.	1820.		S. h.	Vent. choix. t. 48.
QUIVISIA. DC. QUIVISIA. Octandria Monogynia.						
heterophylla. DC. (bh.)	various-leaved.	Mauritius.	1821.		S. h.	Cav. dis. 7. t. 213.
SANDORICUM. DC. SANDORICUM. Decandria Monogynia.						
indicum. DC. (st.)	Indian.	E. Indies.	1818.		S. h.	Roxb. corom. 3. t. 261.
MELIA. DC. BEAD-TREE. Decandria Monogynia. L.						
1 Azedarach. DC. (li.)	common.	Syria.	1656.	6. 8.	G. h.	Bot. mag. 1066.
2 superba. H.B. (li.)	superb.	E. Indies.	1821.	1. 2.	S. h.	
3 robusta. H.B. (li.)	robust.	—	—		S. h.	
4 sempervirens. DC. (li.)	evergreen.	Jamaica.	1656.	6. 9.	S. h.	Bot. reg. 643.
5 composita. DC. (li.)	compound-ld.	E. Indies.	1818.	1. 3.	S. h.	
6 Azadirachta. DC. (li.)	Ash-leaved.	—	1759.	6. 8.	S. h.	Cav. dis. 7. t. 208.
7 australis. (li.)	New Holland.	N. S. W.	1824.		G. h.	

Tribus II. *TRICHILIEÆ*. DC.

TRICHILIA. DC. TRICHILIA. Decandria Monogynia. L.						
1 hirta. DC. (wh.)	hairy.	Jamaica.	1820.	6. 7.	S. h.	Sloan. h. 2. t. 220. f. 1.
2 spondioides. DC. (st.)	Spondias-like.	—	—	—	S. h.	Jacq. schœn. 1. t. 102.
3 havanensis. DC. (st.)	smooth.	W. Indies.	1794.	—	S. h.	Jacq. amer. t. 175. f. 38.
glabra. L.						
4 odorata. A.R. (gr.)	sweet-scented.	—	1801.	—	S. h.	Andr. rep. 637.
5 terminalis. DC. (wh.)	terminal.	Jamaica.	1825.		S. h.	
6 glandulosa. DC. (gr.)	glandular.	N. S. W.	1821.		G. h.	
7 trifoliata. DC. (wh.)	three-leaved.	S. America.	1828.		S. h.	Jacq. amer. 129. t. 82.

EKEBE'RGIA. DC.		EKEBE'RGIA.		Decandria Monogynia.			
1 capénsis. DC.	(wh.)	Cape.	C. B. S.	1789.	7. 8.	G. h.	Lam. ill. t. 358.
2 índica. H.B.	(wh.)	Indian.	E. Indies.	1826.		S. h.	
GUA'REA. DC.		GUA'REA.		Octandria Monogynia. L.			
1 trichilioídes. L.	(wh.)	Ash-leaved.	S. America.	1752.	5. 6.	S. h.	Jacq. am. t. 176. f. 37.
grandifolia. DC.	Melia	Guára. Jacq.					
2 Swártzii.	(wh.)	Swartz's.	W. Indies.	1822.		S. h.	Sloan. h. 2. t. 170. f. 1.
trichilioídes. Sw.							
3 ramiflora. DC.	(li.)	branch-flow'r'd.	Porto Rico.	—		S. h.	Vent. choix. t. 41.
HE'YNEA. DC.		HE'YNEA.		Decandria Monogynia.			
1 tríjuga. DC.	(wh.)	Walnut-like.	Nepaul.	1812.	9. 10.	S. h.	Bot. mag. 1738.
2 quínquejuga. H.B.	(w.)	five-paired.	Moluccas.	1821.		S. h.	
AMOO'RA. R.C.		AMOO'RA.		Hexandria Monogynia.			
cucullàta. R.C.	(ye.)	hooded.	E. Indies.	1824.		S. h.	Roxb. corom. 3. t. 258.

ORDO XLIX.

CEDRELEÆ. Brown gen. rem. 64.

CEDR'ELA. DC.		BASTARD CEDAR.		Pentandria Monogynia. L.			
1 odoràta. DC.	(st.)	fragrant.	W. Indies.	1739.	7. 9.	S. h.	Lam. ill. t. 137.
2 Toóna. DC.	(st.)	Nepaul.	Nepaul.	1821.		S. h.	Roxb. cor. 3. t. 238.
3 velutina. DC.		velvetty.				S. h.	
SWIET'ENIA. DC.		MAHOGANY-TREE.		Decandria Monogynia. L.			
1 Mahógoni. DC.	(wh.)	common.	W. Indies.	1734.		S. h.	Cav. dis. 7. t. 209.
2 febrifuga. DC.	(wh.)	Febrifuge.	E. Indies.	1796.		S. h.	Roxb. cor. 1. t. 17.
CHLORO'XYLON. DC.		CHLORO'XYLON.		Decandria Monogynia.			
Swietènia. DC.	(ye.)	Satin-wood.	E. Indies.	1822.		S. h.	Roxb. cor. 1. t. 64.
Swietènia chloróxylon. R.C.							
FLINDE'RSIA. DC.		FLINDE'RSIA.		Decandria Monogynia.			
austràlis. DC.	(wh.)	New Holland.	N. Holland.	1821.		G. h.	Brown gen. rem. t. 1.
CARA'PA. DC.		CARA'PA.		Decandria Monogynia.			
1 pròcera. DC.	(st.)	tall.	W. Indies.			S. h.	
2 guineénsis.	(st.)	glossy-leaved.	Sierra Leon.	1793.		S. h.	
Afzèlia spléndens. Hort.							
3 guianénsis. DC.	(st.)	Guiana.	Guiana.	1820.		S. h.	Aubl. guian. 2. s. t. 387.

ORDO L.

AMPELIDEÆ. DC. prodr. 1. p. 627.

Tribus I. VINIFERÆ seu SARMENTACEÆ. DC.

CI'SSUS. DC.		Ci'ssus.		Tetrandria Monogynia. L.			
1 vitigínea. DC.	(re.)	vine-leaved.	India.	1772.	7. 8.	S. h. ∪.	Pluk. mant. t. 337. f. 4.
2 adnàta. DC.	(gr.)	pointed-leaved.	E. Indies.	1818.	—	S. h. ∪.	
3 gláuca. DC.	(gr.)	glaucous.	—	—	—	S. h. ∪.	
4 c'æsia. DC.	(gr.)	grey.	Guinea.	1822.	5. 6.	S. h. ∪.	
5 rèpens. DC.	(pu.)	creeping.	E. Indies.	1821.	—	S. h. ∪.	Rheed. mal. 7. t. 48.
6 puncticulòsa DC.	(gr.)	strumous.	Cayenne.	1818.		S. h. ∪.	
7 uvífera. DC.	(gr.)	berry-bearing.	Guinea.	1822.	5. 6.	S. h. ∪.	
8 tiliàcea. DC.	(gr.)	Lime-leaved.	Mexico.	1825.		G. h. ∪.	
9 quadrangulàris. DC.	(w.)	square-stalked.	E. Indies.	1790.		S. h. ∪.	Rumph. amb. 5. t. 44. f. 2.
10 sieyoídes. DC.	(gr.)	naked-leaved.	Jamaica.	1768.	7. 8.	S. h. ∪.	Jacq. amer. 22. t. 15.
11 smilacina. DC.	(gr.)	Smilax-like.	S. America.	1826.		S. h. ∪.	
12 ovàta. DC.	(gr.)	oval-leaved.	—	1822.		S. h. ∪.	Brown. jam. t. 4. f. 1. 2.
13 antàretica. DC.	(gr.)	Kanguru-Vine.	N. S. W.	1790.	6. 8.	G. h. ∪.	Bot. mag. 2488.

14	glandulosa. DC.	(gr.) glandular.	Arabia.	1824.	6. 7.	G. 4. ∪.	
15	capensis. DC.	(gr.) Cape.	C. B. S.	1792.	—	G. h. ∪.	
16	acida. DC.	(gr.) acid.	Jamaica.	1692.	—	S. h. ∪.	Jacq. schœn. 1. t. 33.
17	canosa. DC.	(wh.) flat-stemmed.	E. Indies.	1818.		S. h. ∪.	Rheed. mal. 7. t. 9.
18	trifoliata. DC.	(re.) three-leaved.	Jamaica.	1739.	6. 8.	S. h. ∪.	Sloan. jam. t. 142. f. 5. 6. ?
19	pauciflora. DC.	(gr.) few-flowered.	C. B. S.	1818.	5. 6.	G. h. ∪.	
20	alata. DC.	(re.) winged-stalked.	Jamaica.	—	—	S. h. ∪.	Sloan. jam. 1. t. 144.
21	angustifolia. DC.	(st.) narrow-leaved.	E. Indies.	1818.		S. h. ∪.	
22	cirròsa. DC.	(gr.) tendrilled.	C. B. S.	1822.	5. 6.	G. h. ∪.	
23	quinata. DC.	(gr.) wedge-leaved.	—	1790.	7.	G. h. ∪.	
24	pentaphylla. DC.	(gr.) Japan.	Japan.	—	4. 9.	G. h. ∪.	
25	quinquefolia. B.M.	(gr.) five-leaved.	Brazil.	—	8. 9.	S. h. ∪.	Bot. mag. 2443.
26	diversifolia. DC.	(gr.) various-leaved.		—		S. h. ∪.	
	heterophylla. L. en. non DC.						
27	elongata. DC.	(gr.) long-branched.	E. Indies.	1818.		S. h. ∪.	
28	auriculata. DC.	(gr.) ear-stipuled.	—	—		S. h. ∪.	
29	orientalis. DC.	(gr.) oriental.	Levant.	—	6. 8.	G. h. ∪.	Lam. ill. t. 84. f. 2.
	AMPELOPSIS. DC.	AMPELOPSIS.	Pentandria Monogynia. L.				
1	cordata. DC.	(gr.) heart-leaved.	N. America.	1803.	6. 8.	H. h. ∪.	
	Cissus Ampelopsis. P.S.						
2	hederacea. DC.	(gr.) Virginian creeper.	—	1629.	—	H. h. ∪.	Corn. canad. t. 100.
	Hedera quinquefolia. L.	Cissus hederacea. P.S.					
3	hirsuta. DC.	(gr.) hairy.	—	1806.	—	H. h. ∪.	
4	bipinnata. DC.	(gr.) Pepper Vine.	—	1700.	7. 9.	H. h. ∪.	Pluk. mant. t. 412. f. 2.
	Vitis arborea. W.	Cissus stans. P.S.					
	VITIS. DC.	VINE. Pentandria Monogynia. L.					
1	vinifera. DC.	(gr.) common Grape.	Asia.		6. 7.	H. h. ∪.	Jacq. ic. 1. t. 50.
2	laciniosa. DC.	(gr.) Parsley-leaved.		1648.	—	H. h. ∪.	Schm. ic. 34. t. 8.
3	dentata. DC.	(gr.) toothed.		1818.		H. h. ∪.	
4	Wallichii. DC.	(gr.) Wallich's.	Nepaul.	—		H. h. ∪.	
5	indica. DC.	(g. pu.) Indian.	E. Indies.	1692.		S. h. ∪.	Rheed. mal. 7. t. 6.
6	lanata. F.I.	(gr.) woolly.	—	1824.		S. h. ∪.	
7	latifolia. F.I.	(br.) broad-leaved.	—	—		S. h. ∪.	Rheed. mal. 7. t. 7.
8	caribæa. DC.	(st.) West Indian.	W. Indies.			S. h. ∪.	Sloan. his. 2. t. 210. f. 4.
9	Labrusca. DC.	(gr.) downy-leaved.	N. America.	1656.	5. 6.	H. h. ∪.	Jacq. schœn. t. 426.
10	blanda.	(gr.) white-berried.	—	—	—	H. h. ∪.	
11	æstivalis. DC.	(gr.) Fox Grape.	—	—	—	H. h. ∪.	Jacq. schœn. t. 425.
	europæa. W.						
12	cordifolia. DC.	(gr.) Winter Grape.	—	1806.		H. h. ∪.	
13	riparia. DC.	(gr.) sweet-scented.	—	—	5. 6.	H. h. ∪.	Bot. mag. 2429.
14	rotundifolia. DC.	(gr.) Bullet Grape.	—	—	—	H. h. ∪.	
15	palmata. DC.	(gr.) palmate-leaved.	—	1820.	—	H. h. ∪.	

Tribus II. LEEACEÆ. DC.

LEEÆ. DC.	LE'ÆA. Pentandria Monogynia. L.						
1 sambucina. DC.	(st.) Elder-leaved.	E. Indies.	1790.		S. h.		Cav. dis. 7. t. 218.
2 crispa. DC.	(wh.) fringe-stalked.	C. B. S.	1676.	8. 10.	S. 4.		Bot. rep. t. 355.
	pinnata. A.R.						
3 aquata. DC.	(gr.) round-stalked.	E. Indies.	1777.		S. h.		
4 hirta. DC.	(gr.) hairy.	—	1816.		S. h.		
5 robusta. F.I.	(gr.) robust.	—	1820.		S. h.		
6 macrophylla. DC.	(wh.) large-leaved.	—	1806.		S. 4.		

ORDO LI.

GERANIACEÆ. DC. *prodr.* 1. p. 637.

Tribus I. GERANIEÆ. S.G. 1. p. vii.

SARCOCA'ULON. DC. SARCOCA'ULON. Monadelphía Dodecandria.

1 L'Heritieri. (ye.) L. Heritier's. C. B. S. 1790. 5. 6. G. $\frac{1}{2}$. L. Herit. ger. t. 42.*Monsônia L'Heritieri.* DC. *Monsonia spinosa.* L. Her.2 Burmanni. DC. (ye.) Burman's. C. B. S. 1790. 7. G. $\frac{1}{2}$. Burm. afr. t. 31.*Geranium spinosum.* Cav. dis. 4. t. 75. f. 2.

MONS'ONIA. S.G. MONS'ONIA. Monadelphía Dodecandria.

1 ovata. DC. (st.) oval-leaved. C. B. S. 1774. 8. G. $\frac{1}{2}$. Cav. dis. 4. t. 113. f. 1.2 lobata. DC. (st. bh.) broad-leaved. ———— 4. 5. G. $\frac{1}{2}$. Sweet ger. 3. t. 273.3 pilosa. W. en. (bh.) hairy. ———— 1778. 7. 8. G. $\frac{1}{2}$. ———— 2. t. 199.*filia.* A.R. 276. *nec aliorum.*4 speciosa. L. (va.) large-flowered. ———— 1774. 4. 5. G. $\frac{1}{2}$.*a rubra.* (ro.) red-flowered. ———— 12. 2. G. $\frac{1}{2}$. *β pallida.* (st.) pale-flowered. ———— 4. 5. G. $\frac{1}{2}$. Bot. mag. 73.

GER'ANIUM. DC. CRANES-BILL. Monadelphía Decandria.

1 sibiricum. DC. (wh.) Siberian. Siberia. 1758. 6. 7. H. $\frac{1}{2}$. Jacq. vind. 1. t. 19.2 sanguineum. DC. (cr.) bloody. Britain. 6. 9. H. $\frac{1}{2}$. Eng. bot. 272.3 prostratum. L. en. (std.) Lancashire. ———— H. $\frac{1}{2}$. Cav. dis. 4. t. 76. f. 3.4 multifidum. S.G. (li.) multifid. C. B. S. 1817. ———— G. $\frac{1}{2}$. Sweet ger. 3. t. 245.5 incanum. DC. (li.) hoary. ———— 1701. 5. 7. G. $\frac{1}{2}$. Cav. dis. 4. t. 82. f. 2.6 canescens. DC. (li.) silky-leaved. ———— 1787. ———— G. $\frac{1}{2}$. L. Herit. ger. t. 38.7 argenteum. DC. (bh.) silvery-leaved. S. Europe. 1699. 6. 7. H. $\frac{1}{2}$. Sweet ger. 1. t. 59.8 cinereum. DC. (vi.) grey. Pyrenees. 6. 8. H. $\frac{1}{2}$. Cav. dis. 4. t. 89. f. 1.*varium.* L'Her. ger. t. 37.9 anemonefolium. DC. (p.) Anemone-ld. Canaries. 1778. 5. 8. G. $\frac{1}{2}$. Sweet ger. 3. t. 244.10 macrorhizon. DC. (re.) long-rooted. Italy. 1576. 5. 6. H. $\frac{1}{2}$. ———— 3. t. 271.11 tuberosum. DC. (re.) tuberous-rooted. ———— 1596. 5. 8. H. $\frac{1}{2}$. ———— 2. t. 155.12 ibericum. DC. (bl.) Iberian. Iberia. 1802. 6. 9. H. $\frac{1}{2}$. ———— 1. t. 84.13 nodosum. DC. (std.) knotted. England. 5. 10. H. $\frac{1}{2}$. Eng. bot. 1091.14 angulatum. DC. (std.) angular-stalk'd. 1789. 5. 6. H. $\frac{1}{2}$. Bot. mag. 203.15 Lamberti. S.G. (li.) Mr. Lambert's. Nepaul. 1825. 8. 10. H. $\frac{1}{2}$. Sweet ger. 4. t. 338.16 Wallichianum. S.G. (p.) Wallich's. ———— 1820. 6. 10. H. $\frac{1}{2}$. ———— 1. t. 90.17 Vlassovianum. DC. (st.) Vlassof's. Siberia. ———— 5. 8. H. $\frac{1}{2}$. ———— 3. t. 228.18 striatum. DC. (std.) streaked. Italy. 1629. 5. 10. H. $\frac{1}{2}$. Bot. mag. 55.19 reflexum. DC. (re.) reflex-flowered. ———— 1758. 5. 6. H. $\frac{1}{2}$. Cav. dis. 4. t. 81. f. 1.20 phæum. DC. (br.) dusky. England. 4. 6. H. $\frac{1}{2}$. Eng. bot. 322.21 fuscum. W. (da.) brown. S. Europe. 1759. 7. H. $\frac{1}{2}$.22 lividum. W. (li.) wrinkle-leaved. Switzerland. 1775. 6. 7. H. $\frac{1}{2}$. Sweet ger. 3. t. 268.23 eriostemon. DC. (bl.) woolly-stamen'd Dahuria. 1822. 7. 9. H. $\frac{1}{2}$. ———— 2. t. 197.*a cæruleum.* S.G. (bl.) bright blue. ———— H. $\frac{1}{2}$. ———— 2. t. 197. f. a. *β pallidum.* S.G. (pa.) pale blue. ———— H. $\frac{1}{2}$. ———— 2. t. 197. f. b.24 sylvaticum. DC. (pu.) wood. Nepaul. ———— H. $\frac{1}{2}$.25 batrachioides. L. en. (b.) hairy. Britain. 5. 6. H. $\frac{1}{2}$. Eng. bot. 121.26 pratense. DC. (bl.) Crowfoot-leav'd Europe. H. $\frac{1}{2}$. Cav. dis. 4. t. 85. f. 1.*a cæruleum.* (bl.) blue-flowered. Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. 404. *β variegatum.* (v.) variegated. ———— H. $\frac{1}{2}$. *γ album.* (wh.) white-flowered. ———— H. $\frac{1}{2}$. *δ flore pleno.* (bl.) double-blue. ———— H. $\frac{1}{2}$.27 longipes. DC. (li.) long-peduncled. 1824. ———— H. $\frac{1}{2}$.*Londesii.* L. en.28 maculatum. DC. (bh.) spotted. N. America. 1732. 5. 8. H. $\frac{1}{2}$. Sweet ger. 4. t. 332.29 collinum. DC. (re.) bill. Tauria. 1815. ———— H. $\frac{1}{2}$.30 palustre. DC. (re.) marsh. Europe. 1732. ———— H. $\frac{1}{2}$.31 aconitifolium. DC. (wh.) Aconite-leaved. Switzerland. 1775. 5. 6. H. $\frac{1}{2}$. Sweet ger. 1. t. 3.32 pilosum. DC. (li.) pointed anth'r'd N. Zealand. 1821. 5. 8. F. $\frac{1}{2}$. L. Herit. ger. t. 40.33 parviflorum. DC. (li.) small-flowered. Van Diem. 1816. ———— G. $\frac{1}{2}$. Sweet ger. 2. t. 119.34 nepalense. S.G. (li.) Nepaul. Nepaul. 1819. ———— H. $\frac{1}{2}$.35 cristatum. DC. (li.) crested. Iberia. 1823. ———— H. $\frac{1}{2}$. Sweet ger. 1. t. 12.*album.* M.B. ———— H. $\frac{1}{2}$. Stev. m. mosc. 4. t. 5.

36	pyrenæicum. DC.	(li.)	mountain.	Britain.		5. 8.	H. 4.	Eng. bot. 405.
37	umbròsum. P.S.	(li.)	naked-stalked.	Hungary.	1804.	6. 9.	H. 4.	W. et Kit. hung. 2. t. 124.
38	mólle. DC.	(li.)	Dove's-foot.	Britain.		4. 8.	H. ⊙.	Eng. bot. 778.
39	pusillum. DC.	(li.)	small-flowered.	England.		6. 9.	H. ⊙.	— 385.
40	rotundifolium. DC.	(li.)	round-leaved.	—		6. 7.	H. ⊙.	— 157.
41	columbinum. DC.	(li.)	long-stalked.	Britain.		—	H. ⊙.	— 259.
42	disséctum. DC.	(li.)	jagged-leaved.	—		5. 7.	H. ⊙.	— 753.
43	carolinianum. DC.	(st.)	veined petaled.	N. America.	1725.	7. 8.	H. ⊙.	Cav. dis. 4. t. 84. f. 1.
44	lanuginosum. W. en. (p.)		woolly.	—		—	H. ⊙.	Jacq. schœn. 2. t. 140.
45	villosum. DC.	(li.)	villous.	Naples.	1824.	—	H. ⊙.	
46	bohemicum. DC.	(bl.)	Bohemian.	Bohemia.	1683.	6. 8.	H. ⊙.	Sweet ger. ser. 2. t.
47	divaricatum. DC.	(li.)	straddling.	Hungary.	1799.	7. 8.	H. ⊙.	W. et Kit. hung. 2. t. 123.
48	lucidum. DC.	(li.)	shining.	Britain.		5. 8.	H. ⊙.	Eng. bot. 75.
49	Briceanum.	(wh.)	Miss Brice's.	Bristol.		4. 10.	H. ⊙.	
50	Robertianum. DC.	(pu.)	Herb-Robert.	Britain.		—	H. ⊙.	Eng. bot. 1486.
51	purpureum. W.	(pu.)	purple.	—		—	H. ⊙.	Vill. dauph. 3. t. 40.
ERODIUM. DC. HERON'S-BILL. Monadelphia Pentandria.								
1	petraeum. DC.	(pu.)	rock.	S. Europe.	1640.	6. 7.	H. 4.	Gouan. ill. t. 21. f. 1.
2	glandulosum. DC.	(pu.)	glandulous.	Spain.	1798.	—	H. 4.	Cav. dis. 5. t. 125. f. 2.
3	Stephanianum. D.C.	(bl.)	multifid.	Dahuria.	1820.	—	H. 4.	
4	alpinum. DC.	(bl.)	Alpine.	Italy.	1814.	5. 8.	H. 4.	L'Herit. ger. t. 3.
5	crassifolium. DC.	(li.)	thick-leaved.	Cyprus.	1788.	3. 8.	G. ½.	Sweet ger. 2. t. 111.
6	laciniatum. DC.	(li.)	laciniated.	Crete.	1794.	5. 8.	G. 4.	Cav. dis. 4. t. 113. f. 3.
7	hirtum. DC.	(li.)	hairy.	Egypt.	1823.	—	G. 4.	Jacq. f. ecl. 1. t. 58.
8	Ciconium. DC.	(li.)	long-beaked.	S. Europe.	1711.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 18.
9	cicutarium. E.B.	(pi.)	Hemlock-leav'd	Britain.		4. 9.	H. ⊙.	Eng. bot. 1768.
10	pimpinellæfolium.	(pi.)	Pimpinella-ld.	Europe.	1823.	—	H. ⊙.	Cav. dis. 4. t. 95. f. 2.
11	bipinnatum. W.	(pi.)	Numidian.	Numidia.	1803.	5. 6.	H. ½.	— 5. t. 126. f. 3.
12	romænum. W.	(pi.)	Roman.	Rome.	1724.	—	H. 4.	Bot. mag. 377.
13	caucalisfolium. S.G.	(pi.)	Caucalis-leaved.	S. Europe.	1816.	6. 8.	H. 4.	Sweet ger. t. 6.
14	moschatum. DC.	(li.)	musky.	England.		5. 7.	H. ⊙.	Eng. bot. 902.
15	bòtrys. DC.	(bl.)	large-blue.	Italy.	1819.	—	H. ⊙.	Cav. dis. 4. t. 90. f. 2.
16	múrceium. DC.	(bl.)	small-blue.	Murcia.	—	—	H. ⊙.	— 5. t. 126. f. 1.
17	gruinum. DC.	(bl.)	broad-leaved.	Crete.	1596.	6. 7.	H. ⊙.	— 4. t. 88. f. 2.
18	serotinum. DC.	(bl.)	late-flowering.	Tyre.	1816.	6. 9.	H. 4.	Stev. m. ac. P. 3. t. 15. f. 2.
<i>multicaule. S.G. t. 137.</i>								
19	chium. DC.	(bl.)	Levant.	Levant	1724.	6. 7.	H. ⊙.	Cav. dis. 4. t. 92. f. 1.
20	hymenodes. DC.	(li.)	three-leaved.	Barbary.	1789.	1. 12.	H. 4.	Sweet ger. 1. t. 23.
21	Gussónii. S.G.	(li.)	Gussone's.	Naples.	1822.	5. 8.	H. 4.	— 2. t. 200.
22	malachoïdes. DC.	(pu.)	Mallow-leaved.	S. Europe.	1596.	5. 7.	H. ⊙.	Cav. dis. 4. t. 91. f. 1.
23	ribifolium. W.	(pu.)	Currant-leaved.	C. B. S.		6. 8.	H. ⊙.	Jacq. ic. rar. 3. t. 509.
24	incarnatum. DC.	(fl.)	flesh-coloured.	—	1787.	5. 7.	G. ½.	Sweet ger. 1. t. 94.
25	glaucophyllum. DC.	(li.)	glaucous-leav'd.	Egypt.	1732.	7. 8.	H. 4.	— 3. t. 283.
26	malopoïdes. DC.	(li.)	velvetty-leaved.	Sicily.	1818.	5. 8.	H. 4.	Cav. dis. 4. t. 90. f. 1.
27	littòreum. DC.	(li.)	smooth.	Narbonne.	—	—	H. 4.	
28	maritimum. DC.	(li.)	sea-side.	England.		5. 9.	H. 4.	Eng. bot. 646.
29	Reichárdi. DC.	(wh.)	dwarf.	Minorca.	1783.	4. 9.	H. 4.	Bot. mag. 18.
<i>chamædryoides. W. Geranium Reichárdi. B.M.</i>								

Tribus II. *GRIELEÆ.* S.G. p. VII.

GRIELUM. W. GRI'ELUM. Decandria Pentagynia.								
1	tenuifolium. W.	(ye.)	large-flowered.	C. B. S.	1790.	4. 6.	G. ½.	Sweet ger. 2. t. 171.
2	laciniatum. G.	(ye.)	jagged-leaved.	—	1825.	—	G. ½.	— 4. t. 306.

Tribus III. *PELARGONIEÆ.* S.G. p. VIII.

PHYMATA'NTHUS. S.G. WART-FLOWER. Monadelphia Pentandria.								
1	tricolor. S.G.	(w.pu.)	three-coloured.	C. B. S.	1791.	6. 10.	G. ½.	Sweet ger. 1. t. 43.
<i>Pelargonium tricolor. B.M. 240.</i>								
2	elatus. S.G.	(w.pu.)	tall.	—	1795.	—	G. ½.	Sweet ger. 1. t. 96.

3 villòsus.	(w.pu.) villous.	Hybrid.	1823.	6. 10.	G. ½.	
4 grandiflòrus.	(w.pu.) large-flowered.	_____	_____	_____	G. ½.	
5 latifolius. c.c.	(w.pu.) broad-leaved.	_____	_____	_____	G. ½.	
CAMP'YLIA. S.G. CAMP'YLIA. Monadelphica Pentandria.						
1 carinata. s.g.	(w.pu.) keeled-stipuled.	C. B. S.	1810.	4. 9.	G. ½.	Sweet ger. 1. t. 21.
2 variegata. s.g.	(v.) variegated-fl'd.	Hybrid.	1823.	_____	G. ½.	_____ 3. t. 206.
3 holosericea. s.g.	(da.) silky-leaved.	_____	1820.	_____	G. ½.	_____ 1. t. 75.
4 blattaria. s.g.	(li.) downy-leaved.	C. B. S.	1790.	6. 9.	G. ½.	_____ 1. t. 88.
5 elegans. s.g.	(bh.) elegant.	Hybrid.	1822.	_____	G. ½.	_____ 3. t. 222.
6 verbasciflora. s.g.	(li.) Mullein-fl'd.	C. B. S.	1811.	_____	G. ½.	_____ 2. t. 157.
7 cana. s.g.	(li.) hoary-leaved.	_____	1794.	7. 12.	G. ½.	_____ 2. t. 114.
8 eriostemon. s.g.	(wh.) velvet-leaved.	_____	_____	3. 6.	G. ½.	Jacq. schœn. 2. t. 132.
<i>Pelargonium eriostemon.</i> Jacq.						
9 laciniata. s.g.	(d.re.) jagged-leaved.	Hybrid.	1827.	4. 10.	G. ½.	Swt. ger. ser. 2. t. 1.
10 coronopifolia.	(li.) Buck's-horn-ld.	C. B. S.	1791.	6. 10.	G. ½.	Jacq. ic. rar. 3. t. 526.
11? œnothæra.	(li.) œnothæra-like.	_____	1812.	4. 8.	G. ¼.	_____ 3. t. 525.
<i>Pelargonium œnothæra.</i> Jacq.						
OTI'DIA. S.G. OTI'DIA. Monadelphica Pentandria.						
1 carnosa. s.g.	(wh.) fleshy-stalked.	C. B. S.	1724.	6. 8.	G. ½.	Swt. ger. 1. t. 93.
2 ceratophylla. s.g.	(wh.) horn-leaved.	Africa.	1786.	5. 7.	G. ½.	Bot. mag. 315.
<i>Pelargonium ceratophyllum.</i> B.M.						
3 dasycaulon. s.g.	(wh.) thick-stemmed.	Africa.	1795.	7. 12.	G. ½.	Bot. mag. 2029.
4 laxa. s.g.	(wh.) loose-panicled.	C. B. S.	1821.	6. 9.	G. ½.	Sweet ger. 2. t. 196.
5 crithmifolia. s.g.	(wh.) Samphire-ld.	_____	1790.	4. 9.	G. ½.	_____ 4. t. 354.
6 alternans. s.g.	(wh.) Parsley-leaved.	_____	1791.	5. 8.	G. ½.	_____ 3. t. 286.
GRENVILLEA. S.G. GRENVILLEA. Monadelphica Tetrandria.						
conspicua. s.g.	conspicuous.	Africa.	1810.	7. 11.	G. ¼.	Sweet ger. 3. t. 262. f. 2.
<i>Geranium Grenvillia.</i> A. G. c. ic.						
H'OAREA. S.G. H'OAREA. Monadelphica Pentandria.						
1 violæflora. s.g.	(wh.) white violet-fl'd.	C. B. S.	1821.	5. 8.	G. ¼.	Sweet ger 2. t. 123.
2 nivea. s.g.	(wh.) snowy white.	_____	_____	_____	G. ¼.	_____ 2. t. 182.
3 bubonifolia.†	(wh.) Bubon-leaved.	_____	1800.	3. 7.	G. ¼.	And. bot. rep. 323.
4 Leeana. s.g.	(wh.) Mr. Lee's.	_____	1823.	6. 8.	G. ¼.	Sweet ger. 3. t. 323.
5 laciniata.†	(v.) jag-leaved.	_____	1800.	5. 6.	G. ¼.	And bot. rep. 131.
6 penniformis.†	(ye.) winged.	_____	_____	_____	G. ¼.	_____ 269.
7 purpurascens.†	(pu.) purplish.	_____	_____	_____	G. ¼.	_____ 204.
8 incrassata.†	(std.) fleshy-leaved.	_____	1801.	6. 7.	G. ¼.	Bot. mag. 761.
9 carinata. s.g.	(ye.) boat-flowered.	_____	1812.	5. 8.	G. ¼.	Sweet ger. 2. t. 135.
10 corydaliflora. s.g.	(ye.) Fumitory-fl'd.	_____	_____	_____	G. ¼.	_____ 1. t. 18.
11 rapacea.	(pi.) Turnep-rooted.	_____	1788.	4. 6.	G. ¼.	And. rep. 239.
<i>Geranium Selinum.</i> A. R.						
12 setosa. s.g.	(bh.) bristle-pointed.	_____	1818.	4. 8.	G. ¼.	Sweet ger. 1. t. 38.
13 pilosa.	(pu.) hairy.	_____	1801.	5. 7.	G. ¼.	And. bot. rep. 259.
<i>Geranium pilosum.</i> var. 1. A. G. ic.						
14 bicolor.	two-coloured.	_____	_____	3. 8.	G. ¼.	Andr. geran. c. ic.
<i>Geranium pilosum.</i> var. 2. A. G. ic.						
15 blanda.	(bh.) blush-flowered.	_____	_____	_____	G. ¼.	Andr. geran. c. ic.
<i>Geranium pilosum.</i> var. 3. A. G. ic.						
16 congesta. s.g.	(sp.) crowded-fl'd.	_____	1820.	5. 10.	G. ¼.	Sweet ger. 3. t. 202.
17 retusa. s.g.	(da.) notched-petal'd.	Hybrid.	1824.	_____	G. ¼.	_____ 4. t. 307.
18 selinifolia. s.g.	(d.pu.) Milk-parsley-ld.	_____	1821.	3. 8.	G. ¼.	_____ 2. t. 159.
19 radicata. s.g.	(ye.) fleshy-fringed-ld.	C. B. S.	1802.	5. 8.	G. ¼.	_____ 1. t. 174.
20 ciliata.	(wh.) ciliated.	_____	1795.	4. 6.	G. ¼.	L'Herit. ger. t. 7.
21 ovalifolia. s.g.	(wh.) oval-leaved.	_____	1820.	4. 8.	G. ¼.	Sweet ger. 2. t. 106.
22 reticulata. s.g.	(std.) netted-petaled.	_____	_____	_____	G. ¼.	_____ 1. t. 91.
23 nervifolia.	(wh.) nerved-leaved.	_____	_____	_____	G. ¼.	Jacq. ic. rar. 3. t. 517.
24 triphylla.	(fl.cr.) three-leaved.	_____	_____	_____	G. ¼.	_____ 3. t. 515.
25 lutea.†	(ye.) small-yellow.	_____	1800.	_____	G. ¼.	And. bot. rep. t. 123.
26 nummularifolia.	(ye.) money-wort-ld.	_____	1801.	_____	G. ¼.	Sal. par. lond. t. 23.
27 integrifolia. c.c.	(w.r.) entire-leaved.	Hybrid.	1821.	4. 8.	G. ¼.	
28 fuscata. c.c.	(br.) brown-flowered.	_____	_____	_____	G. ¼.	
29 nigricans. c.c.	(bl.) blackish.	_____	1822.	_____	G. ¼.	
30 magica. c.c.	(bl.) dark-flowered.	_____	_____	_____	G. ¼.	
31 atra. s.g.	(da.) dark brown.	C. B. S.	1793.	_____	G. ¼.	Sweet ger. 1. t. 72.
32 dioica. c.c.	(bl.) diœcious.	_____	1795.	6. 8.	G. ¼.	And. bot. rep. 209.
<i>Geranium melananthum.</i> A. R.						

Those marked thus (†) are only known to us by Andrews's Figures.

33 undulæfôra. s.g.	(da.)	waved-petaled.	C. B. S.	1821.	4. 8.	G. 4.	Sweet ger. 3. t. 263.
34 melanántha. s.g.	(bl.)	black-flowered.	_____	1790.	_____	G. 4.	_____ 1. t. 73.
35 varia. s.g.	(da.)	various-leaved.	Hybrid.	1821.	_____	G. 4.	_____ 2. t. 166.
36 Colvillii. s.g.	(cr.)	Colvill's.	_____	1823.	_____	G. 4.	_____ 3. t. 260.
37 Jenkinsôni. c.c.	(sc.)	Jenkinson's.	_____	_____	_____	G. 4.	_____
38 dilûta	(bh.)	diluted.	_____	1821.	_____	G. 4.	_____
39 replicâta.	(re.)	replicate.	_____	_____	_____	G. 4.	_____
40 rubescens.	(re.)	reddish.	_____	_____	_____	G. 4.	_____
41 intermîxta.	(re.)	intermixed.	_____	1822.	_____	G. 4.	_____
42 capitâta.	(bh.)	headed.	_____	_____	_____	G. 4.	_____
43 supérba.	(sc.)	superb.	_____	_____	_____	G. 4.	_____
44 villôsa.	(sc.)	villous.	_____	1821.	_____	G. 4.	_____
45 unguiculâta.	(re.)	clawed.	_____	_____	5. 8.	G. 4.	_____
46 tenuifôlia.	(bh.)	slender-leaved.	_____	_____	_____	G. 4.	_____
47 marginâta.	(bh.)	marginated.	_____	1823.	_____	G. 4.	_____
48 atrosanguínea. s.g.	(cr.)	dark-crimson.	_____	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 151.
49 elegans. s.g.	(cr.)	elegant.	_____	_____	_____	G. 4.	_____ 2. t. 152.
<i>Pelargônium Sweetiânum</i> . DC.							
50 coluteafôlia. s.g.	(cr.)	BladderSenna-ld.	_____	1823.	_____	G. 4.	Sweet ger. 4. t. 311.
51 orobifôlia. s.g.	(st.pu.)	Orobus-leav'd.	_____	_____	_____	G. 4.	_____ 4. t. 301.
52 coccínea. s.g.	(sc.)	scarlet.	_____	_____	_____	G. 4.	_____ 4. t. 398.
53 recurviflôra.	(sc.)	recurv'd-petal'd.	_____	1821.	_____	G. 4.	_____
54 sanguinolénta.	(cr.)	bloody-flower'd.	_____	1823.	_____	G. 4.	_____
55 pulchélla.	(re.)	neat.	_____	_____	_____	G. 4.	_____
56 am'ena.	(re.)	delightful.	_____	_____	_____	G. 4.	_____
57 pátens.	(re.)	spreading.	_____	1822.	_____	G. 4.	_____
58 lilacína.	(li.)	Lilac-coloured.	_____	_____	_____	G. 4.	_____
59 venôsa. s.g.	(std.)	veined-petaled.	_____	1823.	_____	G. 4.	Sweet ger. 3. t. 209.
60 literâta.	(std.)	lettered.	_____	_____	_____	G. 4.	_____
61 labyrinthica. s.g.	(std.)	labyrinth-fl'd.	_____	_____	_____	G. 4.	Sweet ger. 3. t. 276.
62 rôsea. s.g.	(ro.)	rose-coloured.	C. B. S.	1792.	_____	G. 4.	_____ 3. t. 262. f. 1.
<i>Gerânium rôseum</i> . A.R. 173. <i>Pelargônium condensâtum</i> . P.S.							
63 hedysarifôlia. s.g.	(cr.)	Hedysarum-ld.	Hybrid.	1823.	_____	G. 4.	Sweet ger. 4. t. 355.
64 galegifôlia.	(cr.)	Galega-leaved.	_____	_____	_____	G. 4.	_____
65 sisymbriifôlia. s.g.	(cr.)	Water-rocket-ld.	_____	_____	_____	G. 4.	Sweet ger. 3. t. 292.
66 hirsûta.	(bh.)	various-ld. hairy.	C. B. S.	1788.	3. 5.	G. 4.	Cav. dis. 4. t. 101. f. 2.
<i>DIMA'CRIA</i> . S.G. <i>DIMA'CRIA</i> . Monadelphia Pentandria.							
1 pinnâta. s.g.	(bh.)	wing-leaved.	C. B. S.	1779.	4. 6.	G. 4.	Sweet ger. 1. t. 46.
<i>Pelargônium viciâfolium</i> . DC.							
2 bipartita. s.g.	(st.)	forked-leaved.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 142.
3 foliolôsa. s.g.	(st.)	leafy.	C. B. S.	1800.	_____	G. 4.	And. bot. rep. 311.
<i>Gerânium pinnâtum</i> . A.R.							
4 astragalifôlia. s.g.	(st.)	Astragalus-ld.	_____	1788.	6. 8.	G. 4.	Sweet ger. 2. t. 103.
5 Smithiâna. s.g.	(re.)	Mr. E. D. Smith's.	Hybrid.	1823.	4. 8.	G. 4.	_____ 4. t. 358.
6 tenélla. †	(bh.)	tender.	_____	1802.	_____	G. 4.	Andr. geran. c. ic.
<i>Gerânium tenéllum</i> . A.G.							
7 imbûta.	(bh.)	stained-petaled.	Hybrid.	1822.	4. 8.	G. 4.	_____
8 fulgens. c.c.	(cr.)	shining-scarlet.	_____	1821.	_____	G. 4.	_____
9 Andrêwsii. †	(bh.p.)	Andrews's.	C. B. S.	1802.	_____	G. 4.	Andr. geran. c. ic.
<i>Gerânium heterophyllum</i> . A.G. non Jacq.							
10 elegans. s.g.	(sc.)	elegant.	Hybrid.	1822.	_____	G. 4.	Sweet ger. 3. t. 202.
11 coronillæfôlia. †	(co.)	Coronilla-leav'd.	C. B. S.	1795.	6. 7.	G. 4.	And. bot. rep. 305.
12 apiifôlia. †	(bh.)	Parsley-leaved.	_____	1802.	4. 8.	G. 4.	Andr. geran. c. ic.
<i>Gerânium apiifolium</i> . A.G. non Jacq.							
13 auriculâta. s.g.	(w.pu.)	eared-leaved.	C. B. S.		5. 8.	G. 4.	Sweet ger. 4. t. 395.
<i>Pelargônium ciliâtum</i> . Jacq. ic. 3. t. 519.							
14 sulphurea. s.g.	(st.)	sulphur-color'd.	Hybrid.	1821.	_____	G. 4.	Sweet ger. 2. t. 163.
15 carnea.	(fl.)	flesh-coloured.	C. B. S.	1812.	4. 6.	G. 4.	Jacq. ic. rar. 3. t. 512.
16 floribûnda. †	(v.)	many-flowered.	_____	1795.	3. 5.	G. 4.	And. bot. rep. 420.
17 fissifôlia. †	(bh.)	cloven-leaved.	_____	_____	4. 8.	G. 4.	_____ 378.
18 barbâta. s.g.	(fl.)	bearded.	_____	1790.	5. 8.	G. 4.	Sweet ger. 4. t. 391.
19 recurvâta. s.g.	(wh.)	recurved.	_____	_____	_____	G. 4.	And. rep. 323.
<i>Gerânium barbâtum</i> . v. minor. A.R.							
20 aristâta. s.g.	(wh.)	awned.	_____	_____	_____	G. 4.	Andr. rep. 366.
<i>Gerânium barbâtum</i> . v. undulâtum. A.R.							
21 setigera. s.g.	(wh.)	bristle-bearing.	_____	_____	_____	G. 4.	Andr. bot. rep. 303.
<i>Gerânium barbâtum</i> . A.R. nec aliorum.							
22 revoluta. †	(pu.)	revolute.	_____	1800.	7. 8.	G. 4.	Andr. rep. 354.
23 oxalidifôlia. †	(st.)	Oxalis-leaved.	_____	1801.	5. 8.	G. 4.	_____ 300.

24	refléxa.†	(wh.)	reflex-leaved.	C. B. S.	1800.	6. 7.	G. 4.	Andr. rep. 224.
25	rumicifolia. s.G.	(ye.)	Dock-leaved.	—	1825.	5. 8.	G. 4.	Sweet ger. 4. t. 318.
26	depressa. s.G.	(st.)	depressed.	—	1812.	—	G. 4.	— 3. t. 290.
27	longiflora. s.G.	(st.)	long-flowered.	—	—	—	G. 4.	Jacq. ic. rar. 3. t. 521.
28	longifolia. s.G.	(ro.)	long-leaved.	—	—	—	G. 4.	— 3. t. 518.
29	lanceolata. s.G.	(bh.)	spear-leaved.	—	1826.	—	G. 4.	Sweet ger. 4. t. 387.
30	undulata.†	(wh.)	wave-flowered.	—	1795.	5. 7.	G. 4.	Andr. rep. 292.
31	spathulata.†	(wh.)	spatula-leaved.	—	—	4. 6.	G. 4.	— 152.
32	affinis.†	(wh.)	fring'd-spat.-ld.	—	—	—	G. 4.	— 282.
33	virginea.†	(wh.)	virgin.	—	—	5. 7.	G. 4.	— 317.
34	radiata.†	(ye.)	ray-leaved.	—	1801.	6. 8.	G. 4.	— 222.
35	linearis.†	(st.)	linear-petaled.	—	1800.	—	G. 4.	— 193.
36	punctata.†	(st.)	dotted-flowered.	—	1794.	4. 6.	G. 4.	— 60.
SEYMO'URIA. S.G. SEYMO'URIA. Monadelphia Pentandria.								
1	asarifolia. s.G.	(da.)	Asarum-leaved.	C. B. S.	1821.	11. 2.	G. 4.	Sweet ger. 3. t. 206.
2	L'Heritiéri. s.G.	(pu.)	L'Heritier's.	—	1795.	4. 5.	G. 4.	L'Herit. ger. t. 43.
<i>Pelargonium dipetalum</i> . L'Her.								
PELARG'ONIUM. S.G. STORK'S-BILL. MonadelphiaHeptandria.								
1	amœnum. s.G.	(sa.)	delightful.	Hybrid.	1821.	4. 8.	G. 4.	Sweet ger. 2. t. 121.
2	dimacriæflorum. s.G.	(sc.)	Dimacria-fl'd.	—	1822.	—	G. 4.	— 3. t. 220.
3	mündulum. s.G.	(sc.)	spruce.	—	1823.	3. 10.	G. 4.	— 3. t. 288.
4	ringens. s.G.	(sc.)	ringent-flow'rd.	—	—	—	G. 4.	— 3. t. 256.
5	concavum. s.G.	(re.)	concave-petaled.	—	—	—	G. 4.	— 3. t. 237.
6	conclausum. s.G.	(d.re.)	shut-petaled.	—	—	4. 10.	G. 4.	— 4. t. 305.
7	hoareæflorum. s.G.	(sa.)	Hoarea-flow'r'd.	—	1821.	—	G. 4.	— 2. t. 133.
8	clausum. c.c.	(re.)	closed petaled.	—	1822.	—	G. 4.	—
9	pâtens. s.G.	(sc.)	spreading-fl'd.	—	1820.	—	G. 4.	Sweet ger. 2. t. 125.
10	cruentum. s.G.	(cr.)	blood-red.	—	1822.	—	G. 4.	— 2. t. 170.
11	aulicum.	(cr.)	courtly.	—	1823.	5. 10.	G. 4.	—
12	Avronianum. s.G.	(sc.)	Avron's.	—	—	—	G. 4.	Sweet ger. 3. t. 394.
13	ligulatum. s.G.	(sc.)	ligulate-petaled.	—	1823.	4. 9.	G. 4.	— 4. t. 301.
14	puniceum. c.c.	(cr.)	puniceous.	—	—	—	G. 4.	—
15	pusillum. c.c.	(sc.)	dwarf.	—	—	—	G. 4.	—
16	pygmæum. c.c.	(sc.)	small.	—	—	5. 8.	G. 4.	—
17	venulosum.	(sc.)	veined-petaled.	—	1821.	—	G. 4.	—
18	intertextum. s.G.	(sc.)	interwoven.	—	1822.	4. 8.	G. 4.	Sweet ger. 2. t. 185.
19	acidum. s.G.	(cr.)	sour-leaved.	—	1823.	5. 9.	G. 4.	— 3. t. 261.
20	pallens. s.G.	(st.)	cream coloured.	C. B. S.	1800.	—	G. 4.	— 2. t. 148.
21	caryophyllaceum.	(bh.)	Clove-scented.	Hybrid.	1822.	—	G. 4.	— 4. t. 347.
22	paradoxum.	(wh.)	paradoxical.	—	—	—	G. 4.	—
23	multiradiatum. s.G.	(da.)	many-rayed.	C. B. S.	1818.	6. 10.	G. 4.	Sweet ger. 2. t. 145.
24	rutaceum. s.G.	(da.)	Rue-like.	Hybrid.	1823.	5. 10.	G. 4.	— 3. t. 279.
25	pedunculatum. s.G.	(da.)	long-peduncled.	—	—	—	G. 4.	— 4. t. 346.
26	œnanthifolium. s.G.	(d.cr.)	Dropwort-ld.	—	—	6. 10.	G. 4.	— ser. 2. t. 13.
27	sphondyliifolium.	(d.cr.)	Sphondylium-ld.	Hybrid.	1822.	4. 8.	G. 4.	— 3. t. 246.
28	chærophyllum. s.G.	(cr.)	Cow-Parsley-ld.	—	—	—	G. 4.	— 3. t. 257.
29	nitidum. s.G.	(sc.)	glossy.	—	—	—	G. 4.	— 3. t. 298.
30	sanguineum. s.G.	(cr.)	crimson.	C. B. S?	1819.	—	G. 4.	— 1. t. 76.
31	ardens. s.G.	(sc.)	glowing.	Hybrid.	1810.	3. 8.	G. 4.	— 1. t. 45.
32	confertifolium.	(sc.)	close-leaved.	—	—	—	G. 4.	— 3. t. 297.
<i>Geranium ardens minor</i> . A.G.								
33	pulchellum. B.M.	(r.)	nonesuch.	C. B. S.	1795.	3. 5.	G. 4.	Sweet ger. 1. t. 31.
34	jonquillinum. s.G.	(pi.)	Jonquil-scent'd.	Hybrid.	1822.	5. 10.	G. 4.	— 3. t. 241.
35	selectum. s.G.	(d.pu.)	select.	—	—	—	G. 4.	— 2. t. 190.
36	imbricatum. s.G.	(r.)	imbricate-pet'd.	C. B. S?	1800.	5. 8.	G. 4.	— 1. t. 65.
37	bicolor. s.G.	(da.)	two-coloured.		1778.	7. 8.	G. 4.	Bot. mag. 201.
	α atrum. s.G.	(da.)	dark-edged.		—	—	G. 4.	Sweet ger. 1. t. 97. f. 1.
	β pallidum. s.G.	(pu.)	pale-edged.		—	—	G. 4.	— 1. t. 97. f. 2.
38	quinqvulnerum.	(da.)	dark-flower'd.	Hybrid.	1796.	5. 10.	G. 4.	— 2. t. 161.
39	Blandfordianum.	(bh.)	hoary-leaved.	—	1812.	1. 12.	G. 4.	— 2. t. 101.
40	millefoliatum. s.G.	(r.)	Milfoil-leaved.	C. B. S.	1819.	6. 10.	G. 4.	— 3. t. 230.
41	flavum. DC.	(st.)	pale yellow.	—	1724.	7. 9.	G. 4.	— 3. t. 254.
42	scabridum. c.c.	(br.)	rough-edged.	—	1822.	—	G. 4.	—
43	triste. DC.	(da.)	night-smelling.	—	1632.	5. 10.	G. 4.	Delaun. h. am. t. 27.
44	filipendulifolium.	(br.)	Dropwort-ld.	—	1812.	—	G. 4.	Sweet ger. 1. t. 85.
45	pentastictum.	(bh.)	five-marked.	Hybrid.	1824.	—	G. 4.	— ser. 2. t. 25.
46	heracleifolium. s.G.	(br.)	Heracleum-ld.	C. B. S.	1820.	—	G. 4.	— 3. t. 211.
47	lobatum. DC.	(da.)	Cow-parsnep-ld.	—	1710.	—	G. 4.	— 1. t. 51.
48	salebrosum. s.G.	(d.pu.)	rugged-leaved.	Hybrid.	1821.	—	G. 4.	— 4. t. 309.

40	Lawranceanum. s.G. (d. pu.) Mrs. Kearse's.	1824.	5. 10.	G. 4.	Swt. ger. ser. 2. t. 23.
41	orbiculatum. (da.) orbicular-ld. Hybrid	1823.	—	G. 4.	
42	pulverulentum. s.G. (sp.) powdered-ld C. B. S.	1822.	—	G. 4.	Sweet ger. 3. t. 218.
43	pedicellatum. s.G. (v.) long-pedicled.	—	—	G. 4.	— 3. t. 250.
44	luridum. s.G. (co.) lurid.	1811.	7. 12.	G. 4.	— 3. t. 281.
<i>Geranium luridum. A.G. ic.</i>					
45	rapifolium. (da) Turnep-leaved. Hybrid.	1821.	5. 10.	G. 4.	
46	glaucofolium. s.G. (da.) Glaucium-ld.	—	—	G. 4.	Sweet ger. 2. t. 179.
47	gibbosum. DC. (st.) knotted-stalk'd C. B. S.	1712.	—	G. 4.	— 1. t. 61.
48	mutabile. s.G. (bh.) changeable-cold Hybrid.	1822.	7. 10.	G. 4.	— 3. t. 213.
49	vespertinum. s.G. (pu.) evening-scent'd	—	8. 12.	G. 4.	— 3. t. 239.
50	sinapifolium. (pi.) Mustard-leav'd. Hybrid.	—	6. 10.	G. 4.	
51	brassicatum. (st.) Cabbage-leav'd.	—	—	G. 4.	
52	ascendens. (pa.) ascending.	—	—	G. 4.	
53	circumflexum. (pa.) bending.	—	—	G. 4.	
54	campyliflorum. s.G. (li.) Campylia-fl'd	1823.	—	G. 4.	Sweet ger. 3. t. 251.
55	reniforme. DC. (pu.) kidney-leaved. C. B. S.	1791.	1. 12.	G. 4.	— 1. t. 48.
56	flexuosum. s.G. (sc.) bent-stalked. Hybrid.	1821.	3. 10.	G. 4.	— 2. t. 180.
57	sapetiflorum. s.G. (pi.) frequent-flow'rg	1801.	—	G. 4.	— 1. t. 58.
58	comptum. s.G. (pi.) decked.	1821.	—	G. 4.	— 3. t. 255.
59	echinatum. DC. (wh.) prickly-stalked. C. B. S.	1789.	6. 10.	G. 4.	— 1. t. 54.
60	armatum. s.G. (d. pu.) long-spined.	—	3. 6.	G. 4.	— 3. t. 214.
61	intermedium. c.c. (li.) intermediate. Hybrid.	1821.	6. 10.	G. 4.	
62	particeps. s.G. (li.) participant.	1806.	5. 10.	G. 4.	Sweet ger. 1. t. 49.
63	cortusifolium. DC. (wh.) Cortusa-leav'd Africa.	1786.	6. 10.	G. 4.	— 1. t. 14.
64	erectum. s.G. (pu.) upright. Hybrid.	1822.	—	G. 4.	— 2. t. 187.
65	Stapletoni. s.G. (pu.) Miss Stapleton's.	—	—	G. 4.	— 2. t. 212.
66	crassicaule. s.G. (wh.) Cowslip-scent'd. Africa.	1786.	—	G. 4.	L'Herit. ger. t. 26.
67	α album. s.G. (wh.) white-flowered.	—	—	G. 4.	Sweet ger. 2. t. 192. f.a.
68	β maculatum. s.G. (sp.) spotted-flowered	—	—	G. 4.	— 2. t. 192. f.b.
69	Victoriana. s.G. (sc.) Princess Victoria's. Hybrid.	1826.	—	G. 4.	— ser. 2. t. 7.
70	anomalous. s.G. (pi.) anomalous.	1822.	4. 8.	G. 4.	— 4. t. 315.
71	tenuifolium. DC. (pi.) slender-leaved. C. B. S.	1768.	5. 7.	G. 4.	L'Herit. ger. t. 12.
72	hirtum. DC. (pi.) hairy.	—	3. 9.	G. 4.	Sweet ger. 2. t. 113.
73	anthriscifolium. s.G. (sc.) Anthriscus-ld. Hybrid.	1823.	7. 9.	G. 4.	— 3. t. 233.
74	magnistipulatum. (sc.) large-stipuled.	1825.	5. 10.	G. 4.	— 4. t. 313.
75	fulgidum. DC. (sc.) Celandine-ld. C. B. S.	1723.	3. 10.	G. 4.	— 1. t. 69.
76	aurantiacum. s.G. (or.) orange-colour'd. Hybrid.	1821.	4. 8.	G. 4.	— 2. t. 198.
77	α undulatum. s.G. (or.) wave-leaved.	—	—	G. 4.	— 2. t. 198. f.a.
78	β planifolium. s.G. (or.) flat-leaved.	—	—	G. 4.	— 2. t. 198. f.b.
79	ardescens. s.G. (cr.) burnished.	1822.	—	G. 4.	— 3. t. 231.
80	torrefactum. s.G. (da.) burnt-petaled.	—	—	G. 4.	— 3. t. 243.
81	Potteri. s.G. (st.) Potter's.	—	6. 9.	G. 4.	— 2. t. 147.
82	luculentum. (sc.) bright-flowered.	—	—	G. 4.	
83	dilectum. (sc. da.) chosen.	—	4. 9.	G. 4.	
84	Loudonianum. s.G. (d. sc.) Mr. Loudon's.	1827.	5. 9.	G. 4.	Sweet ger. ser. 2. t. 17.
85	eratinum. s.G. (sc.) lovely.	—	—	G. 4.	— ser. 2. t. 30.
86	nānum. s.G. (sc.) pigmy.	1820.	—	G. 4.	— 2. t. 102.
87	incurvum. s.G. (sc.) incurved-petal'd	1821.	—	G. 4.	— 3. t. 249.
88	ignescens. s.G. (sc.) fiery-flowered.	1812.	—	G. 4.	— 1. t. 2. & 55.
89	α major. (sc.) large-flowered.	1818.	—	G. 4.	— 1. t. 2.
90	β coccineum. (sc.) scarlet-flowered.	1822.	—	G. 4.	
91	γ splendens. (sc.) splendid.	—	—	G. 4.	
92	δ superbum. (sc.) superb.	—	—	G. 4.	
93	ε sterile. s.G. (sc.) barren-anthered.	1812.	—	G. 4.	Sweet ger. 1. t. 55.
94	laxiflorum. s.G. (sc.) spreading-umb'd.	1822.	—	G. 4.	— 3. t. 216.
95	coneretum. s.G. (sc.) compounded.	1827.	4. 9.	G. 4.	— ser. 2. t. 24.
96	Leghkeckæ. s.G. (sc.) Mrs. Legh Keck's	1826.	—	G. 4.	— 4. t. 377.
97	Charlwoodii. s.G. (d. sc.) Charlwood's.	—	—	G. 4.	— 4. t. 380.
98	incomparabile. (d. sc.) incomparable.	1822.	—	G. 4.	
99	ericaulon. s.G. (sc.) woolly-stalked.	1824.	—	G. 4.	Sweet ger. 4. t. 357.
100	quadriflorum. s.G. (or.) four-flowered.	—	—	G. 4.	— 4. t. 321.
101	chelidoniifolium. s.G. (or.) Chelidonium-ld	1825.	—	G. 4.	— 4. t. 341.
102	chenopodiifolium. s.G. (sc.) Goosefoot-ld	—	—	G. 4.	— 4. t. 323.
103	latidentatum. s.G. (sc.) broad-toothed.	1827.	—	G. 4.	— ser. 2. t. 28.
104	variifolium. s.G. (sc.) various-leaved.	1823.	—	G. 4.	— 3. t. 280.
105	liversilobum. s.G. (re.) various-lobed.	1825.	—	G. 4.	— 4. t. 361.
106	Southcoteanum. s.G. (sc.) Miss Southcote's	1826.	—	G. 4.	— 4. t. 348.
107	insignitum. s.G. (d. sc.) marked-flower'd.	1823.	—	G. 4.	— 3. t. 300.

108	plectophyllum. s.G. (d.sc.)	plaited-leaved. Hybrid.	1826.	4. 9.	G. h.	Sweet ger. ser. 2. t. 41.
109	floccosum. s.G. (cr.)	nappy.	1821.	—	G. h.	— 2. t. 129.
110	rubicundum. (re.)	rubicund.	1822.	—	G. h.	—
111	hamanthion. (cr.)	blood-coloured.	1823.	—	G. h.	—
112	multiflorum. (sc.)	many-flowered.	—	—	G. h.	Sweet ger. 4. t. 396.
113	exile. (sc.)	thin-branched.	1822.	—	G. h.	—
114	graciliscens. (sc.)	slender-stalked.	—	—	G. h.	—
115	splendidum. (cr.)	splendid.	—	—	G. h.	—
116	consimile. (sc.)	likened.	1822.	—	G. h.	—
117	Broughtonia. s.G. (sc.)	Lady Broughton's	—	—	G. h.	Sweet ger. 2. t. 181.
118	Bakerianum. s.G. (sc.)	Mrs. Jenkinson's	—	—	G. h.	— 3. t. 240.
119	altum. s.G. (re.)	tall upright.	1827.	—	G. h.	— ser. 2. t. 26.
120	Deburghæ. s.G. (sc.)	Mrs. De Burgh's	—	—	G. h.	— ser. 2. t. 21.
121	Cummingia. s.G. (re.)	Ly. Gordon Cumming's	—	—	G. h.	— ser. 2. t. 35.
122	rubescens. s.G. (re.)	Lady Liverpool's	1819.	—	G. h.	— 1. t. 30.
123	Boscawenia. c.c. (re.)	Mrs. Boscawen's.	—	—	G. h.	—
124	pavoninum. s.G. (re.)	peacock-spott'd	—	—	G. h.	Sweet ger. 1. t. 40.
125	carnescens. s.G. (sa.)	pale red.	1822.	—	G. h.	— 4. t. 388.
126	ramigerum. s.G. (sc.)	branching-veined	1826.	1. 12.	G. h.	— 4. t. 352.
127	flaccidum. s.G. (d.re.)	flaccid-petal'd.	—	4. 9.	G. h.	— 4. t. 337.
128	Smithii. s.G. (re.)	Smith's.	1819.	—	G. h.	— 2. t. 110.
129	spectabile. s.G. (sc.)	showy.	1821.	—	G. h.	— 2. t. 136.
	<i>α</i> maculatum. s.G. (sc.)	spot-flowered.	—	—	G. h.	— 2. t. 136. f. 1.
	<i>β</i> atrorubens. s.G. (d.re.)	dark-red.	—	—	G. h.	—
	<i>γ</i> striatum. s.G. (sc.)	streak-flowered.	—	—	G. h.	Sweet ger. 2. t. 136. f. 2.
	<i>δ</i> recurvum. s.G. (sc.)	recurved-petaled.	—	—	G. h.	— 2. t. 136. f. 3.
	<i>ε</i> purpurascens. (pu.)	purplish.	—	—	G. h.	—
130	Tibbitsianum. s.G. (sc.)	Mr. Tibbits'.	—	—	G. h.	Sweet ger. 2. t. 158.
131	flagrans. s.G. (sc.)	burning.	1827.	—	G. h.	— ser. 2. t. 16.
132	malachrafolium. s.G. (re.)	Malachra-ld.	—	—	G. h.	— ser. 2. t. 2.
133	magnifolium. s.G. (re.)	very large-ld.	—	—	G. h.	— ser. 2. t. 10.
134	Laconia. s.G. (d.sc.)	Lady Lacon's.	1826.	—	G. h.	— 4. t. 374.
135	Francisii. s.G. (re.)	Mr. Francis's.	1821.	5. 10.	G. h.	— 4. t. 349.
136	cartilagineum. s.G. (re.)	horny-toothed.	1824.	—	G. h.	— 4. t. 382.
137	dilatatum. s.G. (re.)	stained-petal'd.	1823.	5. 9.	G. h.	— 3. t. 293.
138	basilicum. s.G. (sc.)	princely.	1824.	—	G. h.	— 4. t. 360.
139	Humei. (d.re.)	Sir A. Hume's.	—	4. 10.	G. h.	— 4. t. 324.
140	eriophorum. (sc.)	wool-bearing.	1823.	—	G. h.	—
141	irregulare. (sc.)	irregular-ld.	—	—	G. h.	—
142	flammeum. c.c. (sc.)	flame-coloured.	1822.	—	G. h.	—
143	affine. s.G. (sc.)	related.	—	—	G. h.	Sweet ger. 3. t. 277.
144	Colvillii. s.G. (sc.)	Colvill's.	1820.	—	G. h.	— 1. t. 86.
145	Vallèti. c.c. (sc.)	Vallet's.	1822.	—	G. h.	—
146	heteromallum. s.G. (re.)	soft-leaved.	1823.	—	G. h.	Sweet ger. ser. 2. t. 32
147	hibiscifolium. (re.)	Hibiscus-ld.	—	—	G. h.	—
148	atrorubens. c.c. (re.)	dark-red.	1822.	—	G. h.	—
149	Allèni. s.G. (d.re.)	Allen's.	1823.	—	G. h.	Sweet ger. 3. t. 229.
150	melancholicum. (d.re.)	melancholy.	1827.	—	G. h.	—
151	Daveyanum. s.G. (d.re.)	Davey's.	1819.	—	G. h.	Sweet ger. 1. t. 32.
152	phœniceum. s.G. (d.re.)	reddish purple.	1824.	4. 12.	G. h.	— 3. t. 207.
153	heterotrichum. s.G. (d.re.)	various-haired.	1823.	4. 10	G. h.	— 4. t. 303.
154	Burnettianum. s.G. (d.re.)	Miss Burnett's.	1826.	—	G. h.	— 4. t. 369.
155	imperiale. s.G. (d.re.)	imperial.	—	—	G. h.	— 4. t. 365.
156	saturatum. s.G. (d.re.)	saturated.	1827.	—	G. h.	— ser. 2. t. 37.
157	regium. s.G. (sc.)	kingly.	1826.	—	G. h.	— 4. t. 368.
158	Hesilrigæ. s.G. (pu.)	Lady Hesilrige's.	1824.	—	G. h.	— 4. t. 319.
159	acetabulosum. s.G. (sa.)	saucer-leaved.	1827.	—	G. h.	— ser. 2. t. 44.
160	Knipeæ. s.G. (li.)	Mrs. Knipe's	1826.	—	G. h.	— 4. t. 372.
161	calycinum. s.G. (li.)	large-calyxed.	1815.	—	G. h.	— 1. t. 81.
	<i>α</i> verum. s.G. (li.)	true.	—	—	G. h.	— 1. t. 81. f. a.
	<i>β</i> maculatum. s.G. (li.)	large-spotted.	1820.	—	G. h.	— 1. t. 81. f. b.
	<i>γ</i> angulatum. s.G. (li.)	angular-leaved.	—	—	G. h.	— 1. t. 81. f. c.
162	planiflorum. c.c. (li.)	flat-flowered.	—	—	G. h.	—
163	Dennisianum. s.G. (pu.)	Dennis's.	1819.	—	G. h.	Sweet ger. 1. t. 20.
164	Barringtonii. dc. (pu.)	Barrington's	C. B. S.	—	G. h.	—
165	elatum. c.c. (pu.)	tall purple.	Hybrid.	—	G. h.	—
166	Tormanii. L.en. (pu.)	Torman's.	1812.	—	G. h.	—
167	Chandleri. c.c. (pu.)	Chandler's.	1821.	—	G. h.	—
168	crenulatum. s.G. (pu.)	crenulate-leav'd.	1814.	—	G. h.	—
			1821.	—	G. h.	Sweet ger. 2. t. 102.

160	megalostictum. s.G. (d. pu.) large-marked. Hybrid.	1824.	4. 10.	G. h.	Sweet ger. ser. 2. t. 8.
170	peculiifolium. s.G. (pu.) cup-leaved.	1826.	—	G. h.	— ser. 2. t. 31.
171	Foljambeæ. s.G. (r. pu.) Mrs. Foljambe's	1825.	—	G. h.	— 4. t. 312.
172	Robinsoni. s.G. (bh.) Robinson's.	1822.	—	G. h.	— 2. t. 150.
173	Mostynæ. s.G. (pu.) Mrs. Mostyn's.	1816.	—	G. h.	— 1. t. 10.
174	cucullatum. DC. (pu.) hooded-leaved. C. B. S.	1690.	—	G. h.	Cav. dis. 4. t. 106. f. 1.
	β striatiflorum. (pu.) Prince Regent.	1810.	—	G. h.	
	γ majus. c.C. (pu.) Royal George.	1812.	—	G. h.	
	δ grandiflorum. c.C. (pu.) great-flowered.	1818.	—	G. h.	
	ε parvifolium. c.C. (pu.) smaller-leaved.	—	—	G. h.	
175	cochleatum. W. en. (wh.) concave-l'd.		—	G. h.	Wendl. col. 2. t. 64.
	concarifolium. Wendl.				
176	rubens. W. en. (re.) red-flowered.		—	G. h.	Wendl. col. 2. t. 54.
177	robustum. c.C. (pu.) robust. Hybrid.	1821.	—	G. h.	
178	incarnatum. s.G. (fl.) pale flesh-cold.	—	—	G. h.	Sweet ger. 4. t. 308.
179	lasiocaulon. s.G. (bh.) villous-stalked.	1826.	—	G. h.	— 4. t. 361.
180	veniferum. s.G. (std.) veined-petal'd.	1825.	—	G. h.	— 4. t. 322.
181	foliosum. s.G. (r. pu.) leafy.	1826.	—	G. h.	— 4. t. 340.
182	anisodonton. s.G. (pu.) unequal-toothed.	1825.	—	G. h.	— 4. t. 399.
183	malacophyllum. s.G. (pu.) soft-leaved.	—	—	G. h.	— 4. t. 397.
184	angulosum. DC. (pu.) Marshmallow-l. C. B. S.	1724.	7. 9.	G. h.	Cav. dis. 4. t. 112. f. 2.
185	cardiifolium. s.G. (pu.) Cockle-shell-l'd.	1816.	4. 9.	G. h.	Sweet ger. 1. t. 15.
186	fasciculatum. c.C. (pu.) Banbury. Hybrid.	1803.	5. 10.	G. h.	Andr. geran. c. ic.
	Geranium speciosum var. flore purpureo. A.G.				
187	rugosum. c.C. (fl.) wrinkled-leav'd. C. B. S.		—	G. h.	Andr. geran. c. ic.
188	speciosum. DC. (wh.) specious.	1794.	—	G. h.	
189	formosum. s.G. (li.) variegated-fl'd. Hybrid.		—	G. h.	Sweet ger. 2. t. 120.
190	solubile. s.G. (pu.) dissolvable-col'd.	1818.	—	G. h.	— 1. t. 24.
191	multinerve. s.G. (pu.) many-nerved.	—	—	G. h.	— 1. t. 17.
192	tyrianthinum. s.G. (pu.) royal purple.	1820.	—	G. h.	— 2. t. 183.
193	albinotatum. s.G. (pu.) white-marked.	1824.	—	G. h.	— 4. t. 359.
194	æmulum. s.G. (pu.) rival.	—	—	G. h.	— 2. t. 160.
195	accedens. c.C. (pu.) approached.	—	—	G. h.	
196	villosum. s.G. (pu.) villous.	—	—	G. h.	Sweet ger. 1. t. 160.
197	floridum. s.G. (li.) abundant-fl'd.	1816.	6. 10.	G. h.	— 1. t. 41.
198	pulchrum. s.G. (pu.) gay.	1820.	5. 10.	G. h.	— 2. t. 107.
199	Watsoni. s.G. (pu.) Watson's.	1812.	7. 11.	G. h.	— 2. t. 130.
200	fusculorum. s.G. (pu.) brown-marked.	1822.	4. 10.	G. h.	— 3. t. 210.
	fuscatum. s.G. errata.				
201	coarctatum. s.G. (pu.) close-leaved.	1814.	6. 10.	G. h.	— 1. t. 70.
202	paucidentatum. s.G. (pu.) distant-tooth'd.	1821.	5. 10.	G. h.	— 2. t. 186.
203	nervosum. s.G. (pu.) prominent-nerv'd.	1818.	—	G. h.	— 1. t. 47.
204	exornatum. (pu.) adorned.	1823.	—	G. h.	— 4. t. 381.
205	Youngii. s.G. (wh.) Young's.	1820.	—	G. h.	— 2. t. 131.
206	Jenkinsoni. s.G. (d. bh.) Mr. Jenkinson's.	—	—	G. h.	— 2. t. 154.
207	nubilum. s.G. (d. bh.) clouded.	1827.	—	G. h.	— ser. 2. t. 20.
208	Brownii. s.G. (d. bh.) Brown's.	—	—	G. h.	— 2. t. 146.
209	difforme. s.G. (bh.) various-leaved.	—	—	G. h.	— 2. t. 105.
210	Obrienianum. s.G. (bh.) Miss O'Brien's.	—	—	G. h.	— ser. 2. t. 11.
211	melanostictum. s.G. (li.) dark-spotted.	—	—	G. h.	— ser. 2. t. 6.
212	vestitum. s.G. (wh.) clothed.	—	—	G. h.	— ser. 2. t. 27.
213	purum. s.G. (wh.) pure white.	1824.	—	G. h.	— 4. t. 334.
214	scitulum. s.G. (wh.) neat white.	1826.	—	G. h.	— 4. t. 390.
215	involveratum. s.G. (ra.) large-bracted.		—	G. h.	
	α maximum. s.G. (w.) largest-flowered.	1818.	—	G. h.	Sweet ger. 1. t. 33.
	β albidum. s.G. (wh.) white-flowered.	1817.	—	G. h.	
	γ incarnatum. s.G. (fl.) commander in chief.	1815.	—	G. h.	
	δ intermedium. s.G. (bh.) high-admiral.	1817.	—	G. h.	
	ε lilacinum. s.G. (li.) Lilac-coloured.	—	—	G. h.	
	ζ roseum. s.G. (ro.) rosy-coloured.	—	—	G. h.	
	η coriaceum. c.C. (w.) leathery.	1820.	—	G. h.	
	θ maculatum. c.C. (wh.) coronation.	—	—	G. h.	
216	polychrismum. s.G. (w.) many-haired.	1823.	—	G. h.	Sweet ger. 3. t. 274.
217	Baileyæ. s.G. (w.) Bailey's.	1819.	—	G. h.	— 1. t. 87.
218	Josephinæ. Lee. (wh.) Josephine's.	1822.	—	G. h.	
219	firmosissimum. s.G. (w.) superb-white. C. B. S.	1794.	—	G. h.	Sweet ger. 3. t. 215.
	α album. s.G. (wh.) white-flowered.	—	—	G. h.	— 3. t. 215. f. a.
	β lineatum. s.G. (wh.) lined-flowered.	—	—	G. h.	— 3. t. 215. f. b.
220	Boyleæ. s.G. (wh.) Countess of Cork's. Hybrid.	1818.	—	G. h.	— 1. t. 50.

221	pannifolium. s. G. (w.)	cloth-leaved.	Hybrid.	1818.	5. 10.	G. h.	Sweet ger. 1. t. 9.
222	biflorum. s. G. (wh.)	two-flowered.	—	1822.	—	G. h.	— 3. t. 287.
223	candidum. s. G. (wh.)	fair-flowered.	—	1818.	4. 9.	G. h.	— 2. t. 128.
224	blandum. s. G. (bh.)	blush-flowered.	—	1816.	—	G. h.	— 1. t. 4.
225	aceroides. s. G. (fl.)	Acer-leaved.	—	1822.	—	G. h.	— 3. t. 242.
226	Gardneriæ. c. C. (wh.)	Lady Gardner's.	—	1817.	—	G. h.	—
227	ramulosum. s. G. (d. w.)	small-branch'd.	—	1820.	—	G. h.	Sweet ger. 2. t. 177.
228	maculatum. (d. bh.)	spot-flowered.	C. B. S.	1805.	—	G. h.	Andr. ger. c. ic.
229	Hammersleyiæ. s. G. (b.)	Mrs. Hammersley's.	Hybrid.	1822.	—	G. h.	Sweet ger. 3. t. 225.
230	pulcherrimum. s. G. (pu.)	beautiful.	—	1819.	5. 10.	G. h.	— 2. t. 134.
231	Rollisoni. s. G. (d. ro.)	Rollison's.	—	1826.	—	G. h.	— 4. t. 371.
232	eriosépalon. s. G. (bh.)	woolly-calyxed.	—	—	—	G. h.	— 4. t. 375.
233	veniflorum. s. G. (std.)	veined-flowered.	—	1822.	—	G. h.	— 3. t. 258.
234	sidæfolium. W. en. (li.)	Sida-leaved.	—		4. 8.	G. h.	—
235	acerifolium. DC. (li.)	Maple-leaved.	C. B. S.	1784.	4. 6.	G. h.	L'Herit. ger. t. 21.
236	cuneatum. DC. (pu.)	wedge-leaved.	Hybrid.		5. 8.	G. h.	—
237	Balbisianum. DC. (pu.)	Balbis's.	—		—	G. h.	—
238	gloriosum. L. en. (pu.)	renowned.	—		—	G. h.	—
239	Beaufortianum. s. G. (li.)	Beaufort's.	C. B. S. ?		—	G. h.	Sweet ger. 2. t. 138.
240	principissæ. s. G. (pu.)	P's. Charlotte's.	—	1810.	5. 10.	G. h.	— 2. t. 139.
241	purpureum. (pu.)	purple-flowered.	—	1800.	—	G. h.	Andr. geran. c. ic.
242	versicolor. s. G. (pu.)	various-colour'd	Hybrid.	1819.	—	G. h.	Sweet ger. 1. t. 78.
243	pectinifolium. s. G. (li.)	Scallop-shell'd.	—	1820.	—	G. h.	— 1. t. 66.
244	Thynnæ. s. G. (pu.)	Lady Bath's.	—	1815.	—	G. h.	— 1. t. 74.
245	obtusifolium. s. G. (li.)	blunt-leaved.	—	—	—	G. h.	— 1. t. 25.
246	Beadoniæ. s. G. (pu.)	Mrs. Beadon's.	—	—	—	G. h.	— 2. t. 191.
247	adulterinum. DC. (pu.)	hoary-trifid'd.	—	1785.	4. 6.	G. h.	— 1. t. 22.
248	dilatilobum. s. G. (bh.)	dilated-lobed.	—	1826.	—	G. h.	— 4. t. 378.
249	grâphicum. s. G. (pu.)	written-petal'd.	—	—	—	G. h.	— ser. 2. t. 12.
250	obtusilobum. s. G. (pu.)	blunt-lobed.	—	1806.	5. 10.	G. h.	— 1. t. 8.
251	Comptoniæ. s. G. (li.)	Ly. Northampton's	—	1818.	—	G. h.	— 2. t. 122.
252	affluens. s. G. (li.)	numerous-fl'd.	—	1821.	—	G. h.	— 2. t. 194.
253	Saundersii. s. G. (pu.)	Saunders's.	—	—	—	G. h.	— 3. t. 205.
254	atropurpureum. s. G. (pu.)	dark purple.	—	1822.	—	G. h.	— 2. t. 152.
255	coruscans. s. G. (d. re.)	glittering.	—	1821.	—	G. h.	— 2. t. 173.
256	concinnum. s. G. (re.)	comely.	—	1819.	—	G. h.	— 2. t. 108.
257	Seymouriæ. s. G. (pu.)	Mrs. Seymour's.	—	—	—	G. h.	— 1. t. 37.
258	Lousadiæ. s. G. (bh.)	Miss Lousada's.	—	—	—	G. h.	— 1. t. 44.
259	lépidum. s. G. (li.)	pretty.	—	1822.	—	G. h.	— 2. t. 156.
260	inscriptum. s. G. (std.)	scribbled.	—	—	—	G. h.	— 2. t. 193.
261	labyrinthicum. (std.)	labyrinth-mark'd.	—	—	—	G. h.	—
262	planifolium. s. G. (li. d.)	flat-leaved.	—	1823.	—	G. h.	Sweet ger. 3. t. 219.
263	incanescens. s. G. (pu.)	whitish-leaved.	—	—	6. 12.	G. h.	— 3. t. 203.
264	notatum. s. G. (pu.)	marked-petal'd.	—	1821.	5. 10.	G. h.	— 3. t. 208.
265	undulæflorum. s. G. (bh.)	waved-flower'd	—	1824.	—	G. h.	— 4. t. 329.
266	lineatum. s. G. (st. d.)	striped-flower'd.	—	1810.	—	G. h.	— 1. t. 16.
267	dumosum. s. G. (pu.)	bushy.	—	1816.	—	G. h.	— 1. t. 19.
268	Scarboroviæ. s. G. (d. li.)	L. Scarborough's	—	1817.	—	G. h.	— 2. t. 117.
269	pustulosum. s. G. (bh.)	blistered-leav'd.	—	1816.	5. 10.	G. h.	— 1. t. 11.
270	bellulum. s. G. (pu.)	neat.	—	—	—	G. h.	— 1. t. 60.
	moschatum. A. G. c. ic.	—	—	—	—	—	—
271	Fairliæ. s. G. (ro.)	Mrs. Fairlie's.	—	1821.	—	G. h.	Sweet ger. 2. t. 178.
272	scintillans. s. G. (sa.)	sparkling.	—	1812.	—	G. h.	— 1. t. 28.
273	platypetalon. s. G. (w.)	broad-petaled.	—	—	—	G. h.	— 2. t. 116.
	α rigidum. s. G. (wh.)	rigid.	—	—	—	G. h.	— 2. t. 116. f. a.
	β hirsutum. s. G. (w.)	hairy.	—	—	—	G. h.	— 2. t. 116. f. b.
274	optabile. s. G. (wh.)	desirable.	—	—	—	G. h.	— 1. t. 62.
275	ornatum. s. G. (wh.)	ornate.	—	1817.	—	G. h.	— 1. t. 39.
276	modestum. s. G. (bh.)	modest.	—	1822.	—	G. h.	— 3. t. 204.
277	rhodoléntum. s. G. (bh.)	rose-smelling.	—	1824.	—	G. h.	— 3. t. 291.
278	picturatum. s. G. (d. bh.)	pictured.	—	1827.	—	G. h.	— ser. 2. t. 34.
279	papyraceum. s. G. (w.)	paper-white.	—	—	—	G. h.	— ser. 2. t. 22.
280	Newshamiæ. s. G. (bh.)	Miss Newsham's.	—	1821.	—	G. h.	— 2. t. 144.
281	Cosmiæ. s. G. (w.)	perfumed.	—	—	—	G. h.	— 2. t. 189.
282	Brightiæ. s. G. (w.)	Miss Bright's.	—	1823.	—	G. h.	— 3. t. 227.
283	dependens. s. G. (wh.)	pendent-petal'd.	—	—	—	G. h.	— 2. t. 195.
284	Mattocksianum. s. G. (wh.)	Mrs. Sweet's.	—	—	—	G. h.	— 3. t. 234.
285	venustum. s. G. (bh.)	comely-flower'd.	—	1822.	—	G. h.	— 2. t. 167.
286	tinctum. s. G. (w. pu.)	stained	—	1826.	—	G. h.	— ser. 2. t. 29.

287	obscurum. s. G. (wh. d.) darkened-pet'd.	1818.	—	G. h.	Sweet ger. 1. t. 89.
288	atrofusum. s. G. (d. pu.) dark-brown.	—	—	G. h.	— 1. t. 82.
289	acutilobum. s. G. (wh.) acute-lobed.	1822.	—	G. h.	— 2. t. 184.
290	compár. c. C. (wh. p.) partner.	1818.	—	G. h.	—
291	Hoareanum. s. G. (bh. p.) fair Rosamond.	—	—	G. h.	Sweet ger. 1. t. 80.
292	Lamberti. s. G. (pu.)) Lambert's.	—	—	G. h.	— 2. t. 104.
293	recurvatum. s. G. (li.) recurved-pet'd.	—	—	G. h.	— 3. t. 223.
294	divergens. s. G. (li.) spreading-petal'd.	1826.	—	G. h.	— ser. 2. t. 39.
295	penicillatum. W. en. (wh.) pencilled.	1794.	—	G. h.	Willd. h. ber. 1. t. 37.
296	dentatum. A. G. (re.) toothed.		—	G. h.	Andr. geran. c. ic.
297	florescens. H. G. (wh.) triangular-l'd.	1818.	—	G. h.	—
298	Sabini. H. S. (pu.) Sabine's.	1821.	—	G. h.	—
299	betulinum. DC. (pu.) Birch-leaved. C. B. S.	1759.	—	G. h.	Bot. mag. 148.
300	alnifolium. W. en. (fl.) Alder-leaved. Hybrid.		—	G. h.	—
301	betulaefolium. Sch. (bh.) Birch-like.		—	G. h.	—
302	Willdenowii. s. (bh.) Willdenow's.		—	G. h.	—
303	hermannifolium. DC. (bh.) Hermannia-l'd. C. B. S.		4. 6.	G. h.	Jacq. ic. rar. 3. t. 545.
304	rigidum. DC. (wh.) rigid.	1790.	5. 8.	G. h.	—
305	ribifolium. DC. (wh.) Currant-leaved	1798.	—	G. h.	Jacq. ic. rar. 3. t. 538.
306	odoriferum. (wh.) odoriferous.		—	G. h.	Andr. geran. c. ic.
<i>Geranium scabrum. A. G. nec aliorum.</i>					
307	jocundum. H. G. (li.) pleasant. Hybrid.	1818.	—	G. h.	—
308	Broadleia. c. C. (pu.) Mrs. Broadley's.	—	—	G. h.	Andr. geran. c. ic.
309	propinquum. c. C. (li.) neighbouring.	1818.	—	G. h.	—
310	decorum. s. G. (li.) neat-flowered.	—	—	G. h.	Sweet ger. ser. 2. t. 15.
311	delicatum. H. G. (li.) delicate.	—	—	G. h.	— 3. t. 267.
312	semitrilobum. DC. (fl.) three-lobed. C. B. S.	1800.	4. 7.	G. h.	Jacq. schoen. 2. t. 139.
313	Irbyanum. c. C. (ro.) Irby's. Hybrid.		—	G. h.	Andr. geran. c. ic.
314	zingiberinum. s. G. (bh.) Ginger-scented.	1826.	—	G. h.	Sweet ger. ser. 2. t. 42.
315	mixtum. s. G. (bh.) mixed.	1819.	5. 8.	G. h.	— 1. t. 71.
316	myrtillum. H. S. (pu.) Myrtle-scented.	1820.	—	G. h.	—
317	rubidum. (pu.) red-purple. C. B. S.	1805.	—	G. h.	Andr. geran. c. ic.
<i>Geranium rubens. A. G. non Wendl.</i>					
318	spurium. W. en. (pu.) spurious. Hybrid.		—	G. h.	—
319	nothum. W. en. (pu.) mungrel.		—	G. h.	—
320	crispum. DC. (li.) curl-leaved. C. B. S.	1774.	6. 11.	G. h.	Sweet ger. 4. t. 383.
321	gratum. W. en. (bh.) grateful-scent'd. Hybrid.		4. 8.	G. h.	—
322	consanguineum. W. en. (pu.) kindred.		—	G. h.	—
323	pallidum. W. en. (pa.) pale-flowered.		—	G. h.	—
324	citriodorum. (wh.) Citron-scented. C. B. S.		—	G. h.	Andr. geran. c. ic.
325	uniflorum. DC. (fl.) one-flowered.		—	G. h.	—
326	limonium. s. G. (pu.) Lemon-scented. Hybrid.	1823.	—	G. h.	Sweet ger. 3. t. 278.
327	notabile. H. G. (li.) Hoare's Harlequin.	1822.	—	G. h.	—
328	scabrum. DC. (li.) rough wedge-l'd. C. B. S.	1775.	—	G. h.	L'Herit. ger. t. 31.
329	tricuspidatum. DC. (wh.) three-point'd.	1780.	—	G. h.	— t. 30.
330	Perryanum. c. C. (wh.) Perry's. Hybrid.	1816.	—	G. h.	—
331	glaucoides. W. C. (wh.) glaucum-like.	—	—	G. h.	Wendl. coll. ic.
332	glaucum. DC. (wh.) glaucous-leaved. C. B. S.	1775.	6. 8.	G. h.	Sweet ger. 1. t. 57.
333	lanceolatum. (wh.) lance-leaved.	—	—	G. h.	Andr. geran. c. ic.
334	diversifolium. W. C. (wh.) different-l'd.	1794.	—	G. h.	Wendl. coll. ic.
335	cuspidatum. DC. (wh.) sharp-pointed.		—	G. h.	—
336	sororium. DC. (wh.) sister. Hybrid.		—	G. h.	—
337	Tankervillea. H. G. (wh.) Lady Tankerville's		—	G. h.	—
338	acutifolium. (wh.) acute-leaved.	1821.	—	G. h.	—
339	trifurcatum. c. C. (wh.) three-forked.		—	G. h.	—
340	lavigatum. DC. (wh.) glaucous trifid-l. C. B. S.		—	G. h.	Cav. dis. 4. t. 121. f. 1.
341	trifoliatum. s. G. (wh.) trifoliate-leaved.	1799.	—	G. h.	Sweet ger. 3. t. 294.
<i>oryphyllum. DC. Geranium trifoliatum. A. G. ic.</i>					
342	patulum. DC. (ro.) spreading.	1812.	4. 7.	G. h.	Jacq. ic. rar. 3. t. 541.
343	hepaticifolium. DC. (li.) Hepatica-l'd.	1791.	5. 8.	G. h.	—
344	mitellaefolium. (wh.) Mitella-leaved.	1791.	5. 10.	G. h.	Andr. geran. c. ic.
<i>Geranium hepaticifolium. A. G. nec aliorum.</i>					
345	fuscatum. DC. (ro.) dark-marked.	1812.	—	G. h.	Jacq. ic. rar. 3. t. 540.
346	saniculaefolium. DC. (pu.) Sanicle-leav'd	1806.	6. 9.	G. h.	— 3. t. 539.
<i>ortusae folium. Jacq. non L. Her.</i>					
347	crenaeflorum c. C. (w.) notch'd-petaled. Hybrid.	1817.	—	G. h.	—
348	sceleratum. c. C. (wh.) Celery-leaved.	1819.	—	G. h.	—
349	viridifolium. s. G. (sa.) bright-green-l'd.	1825.	5. 9.	G. h.	Sweet ger. 4. t. 331.
350	expansum. (re.) expanded.	1823.	5. 10.	G. h.	—

351	multidentatum. (re.) many-toothed.	Hybrid.	1823.	5. 10.	G. h.	
352	grandidentatum. s.g. large-toothed.	_____	_____	_____	G. h.	Sweet ger. 3. t. 217.
353	Belladonna. s.g. (bh.) painted-lady.	_____	_____	_____	G. h.	_____ 3. t. 270.
354	triumphans. c.c. (bh.) triumphant.	_____	1818.	_____	G. h.	
355	serratifolium. s.g. (bh.) saw-leaved.	_____	1822.	_____	G. h.	Sweet ger. 3. t. 221.
356	variegatum. dc. (wh.) variegated-fl'd.	C. B. S.	1812.	_____	G. h.	Cav. dis. 4. t. 118. f. 3.
357	amplissimum. w.c. (wh.) stately.	Hybrid.	1796.	_____	G. h.	Wendl. coll. ic.
	<i>Geranium grandiflorum</i> . var. A.G. c. ic. <i>Formanni</i> . Hort.					
358	grandiflorum. dc. (wh.) great-flower'd.	C. B. S.	1794.	_____	G. h.	Sweet ger. 1. t. 29.
359	Parmentieri. c.c. (wh.) Parmentier's.	Hybrid.	1822.	_____	G. h.	
360	delphinifolium. dc. (vi.) Larkspur-l'd.	_____		_____	G. h.	
361	gossypifolium. (li.) Cotton-tree-l'd.	_____	1805.	5. 10.	G. h.	Andr. ger. c. ic.
	<i>Geranium grandiflorum</i> . var. <i>carnea</i> . A.G.					
362	electum. s.g. (wh.) elect.	Hybrid.	1804.	_____	G. h.	Sweet ger. 3. t. 238.
363	asperifolium. s.g. (re.) rough-leaved.	_____	1807.	_____	G. h.	_____ 2. t. 169.
364	Curtisianum. dc. (wh.) Curtis's.	_____		_____	G. h.	
365	nobile. dc. (li.) noble.	_____	1822.	_____	G. h.	
366	opulifolium. s.g. (sa.) Guelder-Rose-l'd.	_____	1819.	_____	G. h.	Sweet ger. 1. t. 53.
367	malvaceum. (bh.) Mallow-like.	_____		_____	G. h.	
368	hamastictum. s.g. (bh.) blood-spotted.	_____	1827.	_____	G. h.	Sweet ger. ser. 2. t. 15.
369	psilophyllum. s.g. (re.) smooth-leaved.	_____	1825.	_____	G. h.	_____ 4. t. 356.
370	lucidum. s.g. (bh.) glossy-leaved.	_____	1826.	_____	G. h.	_____ 4. t. 373.
371	Princeanum. s.g. (wh.) Prince's.	_____	1827.	_____	G. h.	_____ 4. t. 386.
372	clarum. s.g. (wh.) clear white.	_____	1826.	_____	G. h.	_____ 4. t. 366.
373	recurvifolium. s.g. (wh.) recurve-leav'd.	_____	1825.	_____	G. h.	_____ 4. t. 343.
374	bryoniaefolium. s.g. (bh.) Bryony-leav'd.	_____	1824.	_____	G. h.	_____ 4. t. 320.
375	Richianum. s.g. (bh.) Miss Rich's.	_____	1826.	_____	G. h.	_____ 4. t. 370.
376	platanifolium. s.g. (li.) Plane-leaved.	_____	1824.	_____	G. h.	_____ 4. t. 326.
377	verecundum. s.g. (pi.) blushing.	_____	_____	_____	G. h.	_____ 4. t. 316.
378	macranthos. s.g. (wh.) large-flowered.	_____	1821.	_____	G. h.	Sweet ger. 1. t. 83.
379	Couttsia. s.g. (sa.) Mrs. Coutts's.	_____	1822.	_____	G. h.	_____ 3. t. 269.
380	rutilum. c.c. (sa.) light red.	_____	1821.	_____	G. h.	
381	schizophyllum. s.g. (sa.) jagged.	_____	1822.	_____	G. h.	Sweet ger. 3. t. 280.
382	Barnardianum. s.g. (sa.) Mr. Barnard's.	_____	1820.	_____	G. h.	_____ 2. t. 127.
383	mucronatum. s.g. (d.re.) mucronate.	_____	1823.	_____	G. h.	_____ 3. t. 275.
384	Gurneyanum. s.g. (d.re.) Mr. Gurney's.	_____	1826.	_____	G. h.	_____ 4. t. 393.
385	argutum. s.g. (sc.) sharp-toothed.	_____	1824.	_____	G. h.	_____ 4. t. 344.
386	latifolium. s.g. (re.) broad-leaved.	_____	_____	_____	G. h.	_____ 4. t. 335.
387	megalanthum. s.g. (re.) grand-flowered.	_____	1826.	_____	G. h.	_____ ser. 2. t. 4.
388	megaleion. s.g. (sc.) magnificent.	_____	_____	_____	G. h.	_____ ser. 2. t. 5.
389	crataegifolium. s.g. (re.) Hawthorn-l'd.	_____	1824.	_____	G. h.	_____ ser. 2. t. 19.
390	coilophyllum. (re.) hollow-leaved.	_____	1827.	_____	G. h.	_____ ser. 2. t. 33.
391	Clintonia. s.g. (re.) Ds. of Newcastle's.	_____	_____	_____	G. h.	_____ 4. t. 392.
392	campylosépalon. s.g. (pu.) reflex-calyc'd.	_____	1826.	_____	G. h.	_____ 4. t. 379.
393	Nairnii. s.g. (d.re.) Nairn's.	_____	1825.	_____	G. h.	_____ 4. t. 376.
394	rhodanthum. s.g. (ro.) rose-colour'd.	_____	1824.	_____	G. h.	_____ 3. t. 282.
395	rhodopétalon. s.g. (ro.) rosy-petal'd.	_____	1826.	_____	G. h.	_____ ser. 2. t. 14.
396	acutidentatum. s.g. (sa.) acute-toothed.	_____	1827.	_____	G. h.	_____ ser. 2. t. 40.
397	Milleri. (re.) Mr. Miller's.	_____	1824.	_____	G. h.	
398	conchifolium. (li.) shell-leaved.	_____	1820.	_____	G. h.	
399	striatum. s.g. (bh.) streak-flowered.	_____	1818.	3. 8.	G. h.	Sweet ger. 1. t. 1.
400	rigescens. s.g. (li.) stiff-leaved.	_____	_____	4. 9.	G. h.	_____ 2. t. 112.
401	eriphyllum. s.g. (pu.) woolly round-l'd.	_____	_____	5. 10.	G. h.	_____ 2. t. 141.
402	intermixtum. (li.) intermixed.	_____	_____	4. 8.	G. h.	
403	abutiloides. s.g. (pu.) Abutilon-like.	_____	1820.	4. 9.	G. h.	Sweet ger. ser. 2. t. 3.
404	cordatum. dc. (pu.) heart-leaved.	C. B. S.	1774.	3. 8.	G. h.	_____ 1. t. 67.
405	conduplicatum. dc. (pu.) curl'd-heart-l'd.	Hybrid.		_____	G. h.	
406	rubro-cinctum. dc. (pu.) red-edged.	_____		_____	G. h.	
407	Góweri. s.g. (pi.) Mr. Levison Gower's.	_____	1825.	5. 8.	G. h.	Sweet ger. 4. t. 333.
408	papilionaceum. dc. (pu.) Butterfly.	C. B. S.	1724.	4. 7.	G. h.	_____ 1. t. 27.
409	tomentosum. dc. (wh.) Pennyroyal.	_____	1790.	_____	G. h.	_____ 2. t. 168.
410	vitifolium. dc. (li.) Vine-leaved.	_____	1724.	4. 8.	G. h.	Cav. dis. 4. t. 111. f. 2.
411	capitatum. dc. (li.) Rose-scented.	_____	1690.	_____	G. h.	_____ 4. t. 105. f. 1.
412	concolor. s.g. (re.) self-coloured.	Hybrid.	1820.	_____	G. h.	Sweet ger. 2. t. 140.
	β major. s.g. (cr.) larger.	_____	_____	_____	G. h.	_____ 2. t. 140. f. b.
413	congestum. s.g. (pu.) close-headed.	_____	1825.	_____	G. h.	_____ 4. t. 325.
414	calamistratum. s.g. (pu.) curled-lobed.	_____	1828.	_____	G. h.	_____ ser. 2. t. 36.
415	graveolens. dc. (li.) Odour of Rose.	C. B. S.	1774.	3. 7.	G. h.	L'Herit. ger. t. 17.
	β variegatum. (li.) striped-leaved.	_____		_____	G. h.	Andr. geran. c. ic.
	<i>Geranium capitatum</i> . var. A.G.					

416	<i>asperum</i> . DC.	(fl.) rough multifid.	C. B. S.	1795.	5. 9.	G. h.	Roth. abh. p. 51. t. 10.
417	<i>radula</i> . DC.	(li.) rasp-leaved.	————	1774.	3. 7.	G. h.	L'Herit. ger. t. 16.
418	<i>balsameum</i> . DC.	(fl.) balsamic.	————	1790.	5. 9.	G. h.	Jacq. ic. rar. 3. t. 53.
419	<i>vandesiæ</i> . s.G.	(bh.) Comtesse de Vandes'. Hybrid.	————	1818.	—	G. h.	Sweet ger. 1. t. 7.
420	<i>hispidum</i> . DC.	(wh.) hispid.	C. B. S.	1790.	—	G. h.	Cav. dis. 4. t. 110. f. 1.
421	<i>calistum</i> . s.G.	(sa.) graceful.	————	1827.	—	G. h.	Sweet ger. ser. 2. t. 9.
422	<i>anthemifolium</i> . (re.)	Anthemis-ld.	Hybrid.	1822.	—	G. h.	—
423	<i>pyrethriifolium</i> . s.G.	(sc.) Feverfew-ld.	————	1821.	—	G. h.	Sweet ger. 2. t. 153.
424	<i>tanacetifolium</i> . s.G.	(re.) Tansy-leaved.	————	1824.	—	G. h.	— 4. t. 336.
425	<i>sphærocéphalon</i> . s.G.	(sc.) round-headed.	————	—	—	G. h.	— 4. t. 317.
426	<i>moreanum</i> . s.G.	(sc.) More's victory.	————	1823.	—	G. h.	— 3. t. 285.
427	<i>obcordatum</i> . s.G.	(sc.) obcordate-petal'd.	————	—	—	G. h.	— 4. t. 310.
428	<i>cancillorum</i> . s.G.	(sc.) wedge-petal'd.	————	1825.	—	G. h.	— 4. t. 330.
429	<i>chrysanthemifolium</i> . (sc.)	Chrysanthm.-ld.	————	1821.	4. 10.	G. h.	— 2. t. 124.
430	<i>debrecanum</i> . s.G.	(sc.) Mrs. Dobree's.	————	1818.	—	G. h.	— 3. t. 253.
431	<i>bisshoppæ</i> . s.G.	(sc.) Mrs. Bisshopp's.	————	1822.	—	G. h.	— 3. t. 272.
432	<i>signatum</i> . s.G.	(re.) marked-leaved.	————	—	—	G. h.	— 3. t. 265.
433	<i>spinii</i> . C.R.	(bh.d.) Spin's.	————		—	G. h.	— 4. t. 362.
434	<i>quercifolium</i> . DC.	(bh.) Oak-leaved.	C. B. S.	1774.	3. 8.	G. h.	L'Herit. ger. t. 14.
	<i>bipinnatifidum</i> . (bh.)	bipinnatifid.	————	—	—	G. h.	— t. 15.
435	<i>tortuosum</i> . s.G.	(li.) twisted-petal'd.	————	1826.	—	G. h.	Sweet ger. ser. 2. t. 43.
436	<i>eximium</i> . s.G.	(pi.) select.	Hybrid.	1818.	4. 8.	G. h.	— 1. t. 26.
437	<i>essexiæ</i> . C.C.	(pi.) Lady Essex's.	————	—	—	G. h.	—
438	<i>oblatum</i> . s.G.	(pi.) oblate-leaved.	————	—	—	G. h.	Sweet ger. 1. t. 35.
439	<i>murrayanum</i> . s.G.	(bh.) Ld. Jas. Murray's.	————	—	—	G. h.	— 2. t. 161.
440	<i>calocéphalon</i> . s.G.	(bh.) pretty-headed.	————	1820.	—	G. h.	— 3. t. 201.
441	<i>obovatum</i> . s.G.	(li.) obovate-petal'd.	————	1825.	—	G. h.	— 4. t. 367.
442	<i>dilatatum</i> . s.G.	(li.) dilated-leav'd.	————	1821.	—	G. h.	— 4. t. 314.
443	<i>angustum</i> . DC.	(bh.) august.	————	1809.	—	G. h.	Andr. geran. c. ic.
	<i>brucei</i> . C.C.	(bh.) Bruce's.	————		—	G. h.	—
444	<i>breesianum</i> . s.G.	(pi.) Breese's.	————	1818.	—	G. h.	Sweet ger. 1. t. 64.
445	<i>husseyanum</i> . s.G.	(pu.) Lady Hussey's.	————	—	—	G. h.	— 1. t. 92.
446	<i>wellsianum</i> . s.G.	(sc.) Mr. Wells's.	————	1822.	3. 8.	G. h.	— 1. t. 175.
447	<i>kingii</i> . s.G.	(sc.) Mr. King's.	————	—	3. 12.	G. h.	— 3. t. 248.
448	<i>scottii</i> . s.G.	(sc.) Sir. C. Scott's.	————	—	3. 9.	G. h.	— 3. t. 261.
449	<i>palkii</i> . s.G.	(cr.) Mr. Palk's.	————	—	1. 12.	G. h.	— 3. t. 224.
450	<i>rotundilobum</i> . s.G.	(sc.) round-lobed.	————	1823.	3. 9.	G. h.	— 3. t. 252.
451	<i>latilobum</i> . s.G.	(sc.) broad-lobed.	————	—	—	G. h.	— 3. t. 236.
452	<i>russellianum</i> . s.G.	(sc.) Russell's.	————	1826.	4. 9.	G. h.	— 4. t. 385.
453	<i>translucens</i> . s.G.	(sc.) transparent.	————	1824.	—	G. h.	— 4. t. 400.
454	<i>barclayanum</i> . s.G.	(sc.) Mr. Barclay's.	————	—	—	G. h.	— 4. t. 384.
455	<i>harewoodiæ</i> . s.G.	(d.re.) Lady Harewood's.	————	1826.	—	G. h.	— 4. t. 389.
456	<i>stewartii</i> . s.G.	(da.sc.) Mr. Stewart's.	————	1825.	—	G. h.	— 4. t. 353.
457	<i>lasiophyllum</i> . s.G.	(sa.) woolly-divided-ld.	————	—	—	G. h.	— 3. t. 296.
458	<i>lechiæ</i> . DC.	(bh.) acute-notched.	————	1820.	—	G. h.	—
459	<i>jatrophaefolium</i> . DC.	(fl.) Jatropha-ld.	————	—	—	G. h.	—
460	<i>denticulatum</i> . DC.	(li.) tooth-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 109.
461	<i>viscosissimum</i> . s.G.	(bh.) viscous.	————	1820.	3. 8.	G. h.	— 2. t. 118.
	<i>album</i> . (wh.)	white-flowered.	————	—	—	G. h.	—
	<i>carneum</i> . (fl.)	flesh-coloured.	————	—	—	G. h.	—
462	<i>carbasinum</i> . s.G.	(sa.) linen-flower'd.	Hybrid.	1827.	—	G. h.	Sweet ger. ser. 2. t. 38.
463	<i>glutinösium</i> . DC.	(fl.) clammy.	C. B. S.	1777.	5. 6.	G. h.	L'Herit. ger. t. 20.
	<i>nigræscens</i> . (fl.)	black-marked.	————	—	—	G. h.	Bot. mag. 143.
464	<i>cynosbatifolium</i> . DC.	(li.) Cynosbati-ld.	Hybrid.		4. 8.	G. h.	Sweet ger. 3. t. 259.
	<i>geranium oxoniense</i> . A.G.	ic.	————	—	—	—	—
465	<i>verbenæfolium</i> . s.G.	(li.) Vervain-ld.	Hybrid.	1818.	—	G. h.	Sweet ger. 2. t. 149.
	<i>piperatum</i> . DC?	————	————	—	—	—	—
466	<i>melissinum</i> . s.G.	(da.) Balm-scented.	Hybrid.	—	—	G. h.	Sweet ger. 1. t. 5.
467	<i>volatiflorum</i> . s.G.	(sc.) flying-flower'd.	————	1823.	—	G. h.	— 3. t. 284.
468	<i>brèvesipes</i> . (sc.)	short-peduncled.	————	1824.	—	G. h.	—
469	<i>ternatum</i> . DC.	(li.) ternate-leaved.	C. B. S.	1789.	5. 8.	G. h.	Sweet ger. 2. t. 165.
470	<i>patentissimum</i> . W.C.	(li.) most-spreading.	————	1822.	—	G. h.	Wendl. coll. ic.
471	<i>spinösium</i> . DC.	(st.) thorny.	————	1795.	5. 6.	G. h.	Paters. it. t. ad. p. 67.
472	<i>tripartitum</i> . s.G.	(st.) brittle-stalked.	————	1789.	5. 8.	G. h.	Sweet ger. 2. t. 115.
	<i>geranium fragile</i> . A.R.	37.	————	—	—	—	—
473	<i>incisum</i> . DC.	(st.) cut-leaved.	————	1791.	—	G. h.	Sweet ger. 1. t. 93.
474	<i>canescens</i> . s.G.	(bh.) canescent.	————		—	G. h.	—
475	<i>abrotanifolium</i> . DC.	(bh.) Southernwood-ld.	————	1791.	—	G. h.	Jacq. schœn. 2. t. 136.
476	<i>artemisiæfolium</i> . DC.	Wormwood-ld.	————	1817.	—	G. h.	—

477	fràgrans. DC. (wh.) Nutmeg-scent'd. Hybrid.		5. 10.	G. $\frac{1}{2}$.	Sweet ger. 2. t. 172.
478	odoratissimum. DC. (wh.) sweet-scent'd. C. B. S.	1724.	—	G. $\frac{1}{2}$.	— 3. t. 299.
479	exstipulatum. DC. (bh.) soft trifid-ld.	1779.	—	G. $\frac{1}{2}$.	L'Herit. ger. t. 35.
<i>Geranium suaveolens</i> . A. G. ic.					
480	dissèctum. s. G. (wh.) dissected-ld. Hybrid.	1822.	5. 11.	G. $\frac{1}{2}$.	Sweet ger. 3. t. 247.
481	glomeratum. DC. (w.) close-headed. N. S. W.	1792.	5. 8.	G. $\frac{1}{2}$.	Jacq. fl. ecl. 1. t. 98.
<i>australe</i> . s. G. 68. non DC.					
482	australe. DC. (wh.) New Holland.	—	—	G. $\frac{1}{2}$.	Jacq. fl. ecl. 1. t. 100.
483	inodorum. DC. (w. pu.) scentless.	1796.	3. 8.	G. $\frac{1}{2}$.	Sweet ger. 1. t. 56.
484	columbinum. DC. (pu.) Doves-foot. C. B. S.	1795.	6. 10.	G. $\frac{1}{2}$.	Jacq. schœn. 2. t. 133.
485	procumbens. DC. (bh.) procumbent.	1801.	4. 5.	G. $\frac{1}{2}$.	Andr. bot. rep. 234.
486	humifusum. DC. (bh.) trailing. Canaries.	—	4. 10.	H. $\odot$.	Sweet ger. 1. t. 42.
487	chamædryfolium. DC. (wh.) Chamædrys-ld. C. B. S.	1812.	5. 6.	G. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 523.
488	althæoides. DC. (wh.) Althæa-leaved.	1724.	4. 6.	G. $\frac{1}{2}$.	L'Herit. ger. t. 10.
489	grossularioides. DC. (fl.) Gooseberry-ld.	1731.	4. 8.	G. $\frac{1}{2}$.	Cav. dis. 4. t. 119. f. 2.
490	anceps. DC. (pu.) flat-stalked.	1788.	5. 7.	G. $\frac{1}{2}$.	Jacq. col. 4. t. 22. f. 3.
491	parviflorum. A. G. (pu.) small-flowered.	1800.	—	G. $\frac{1}{2}$.	Andr. geran. c. ic.
492	acugnaticum. L. T. (re.) Tristan d'Acunna. T. d'Acunna.	1818.	—	G. $\frac{1}{2}$.	—
493	senecioides. DC. (wh.) Groundsel-ld. C. B. S.	1775.	6. 7.	G. $\odot$.	Sweet ger. 4. t. 327.
494	alchimilloides. DC. (wh.) mantle-leaved.	1693.	5. 10.	G. $\frac{1}{2}$.	Cav. dis. 4. t. 98. f. 1.
495	Heritièri. Jacq. (wh.) L'Heritier's.	1820.	—	G. $\frac{1}{2}$.	—
496	tabulare. DC. (wh.) rough-stalked.	1775.	5. 8.	G. $\frac{1}{2}$.	L'Herit. ger. t. 9.
497	ovale. DC. (ro.) oval-leaved.	1774.	—	G. $\frac{1}{2}$.	Sweet ger. 3. t. 235.
498	élegans. DC. (wh. pu.) elegant.	1795.	—	G. $\frac{1}{2}$.	And. repos. 98.
<i>a major</i> . s. G. (wh.) smaller-flowered.					
<i>b minor</i> . s. G. (v.) larger-flowered.					
499	schizopetalum. s. G. (y. br.) divided-petal'd.	1821.	6. 10.	G. $\frac{1}{2}$.	— 3. t. 232.
500	pinguifolium. s. G. (bh.) greasy leaved. Hybrid?		5. 10.	G. $\frac{1}{2}$.	— 1. t. 52.
501	latèripes. DC. (va.) Ivy-leaved. C. B. S.	1787.	—	G. $\frac{1}{2}$.	L'Herit. ger. t. 24.
<i>a viridifolium</i> . (li.) green-leaved.					
<i>b zonatum</i> . (li.) Horseshoe-mark'd.					
<i>c roseum</i> . (ro.) rose-coloured.					
<i>d albomarginatum</i> . DC. white-margined.					
502	peltatum. DC. (li.) peltate-leaved.	1701.	—	G. $\frac{1}{2}$.	Bot. mag. 20.
<i>b variegatum</i> . A. G. (li.) variegated-ld.					
503	scutatum. s. G. (wh.) shield-leaved.	1819.	—	G. $\frac{1}{2}$.	Andr. geran. c. ic.
<i>JENKINS'ONIA</i> . S. G. <i>JENKINS'ONIA</i> . Monadelphia Heptandria.					
1	tetragona. s. G. (li.) square-stalked. C. B. S.	1774.	5. 8.	G. $\frac{1}{2}$.	Sweet ger. 1. t. 99.
<i>b variegata</i> . (li.) variegated.					
2	quinata. s. G. (st.) quinate-leaved.	1793.	—	G. $\frac{1}{2}$.	— 1. t. 79.
<i>Pelargonium quinatum</i> . B. M. 547. <i>Geranium præmorsum</i> . A. R. 150.					
3	pendula. s. G. (pu.) pendulous-branch'd.		5. 8.	G. $\frac{1}{2}$.	Sweet ger. 2. t. 188.
4	longicaulis. s. G. (bh.) long-stalked.		—	G. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 533.
<i>Pelargonium longicaule</i> . Jacq.					
5	anemonefolia. s. G. (re.) Anemone-ld.		—	G. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 535.
6	caucalifolia. s. G. (bh.) Caulalus-leav'd.	1812.	3. 9.	G. $\frac{1}{2}$.	— 3. t. 529.
7	multicaulis. s. G. (vi.) many-stalked.	1802.	6. 8.	G. $\frac{1}{2}$.	— 3. t. 534.
8	lâcera. s. G. (bh.) torn-leaved.	1731.	—	G. $\frac{1}{2}$.	— 3. t. 532.
9	Synnòti. s. G. (pu.) Synnot's.	1825.	—	G. $\frac{1}{2}$.	Sweet ger. 4. t. 342.
10	coriandrifolia. s. G. (bh.) Coriander-ld.	1724.	3. 9.	G. $\frac{1}{2}$.	— 1. t. 34.
<i>Pelargonium coriandrifolium</i> . s. G.					
11	myrrhifolia. s. G. (li.) Myrrh-leaved.	1696.	5. 8.	G. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 531.
<i>Pelargonium betonicum</i> . Jacq.					
12	bullata. s. G. (wh.) blistered.		—	G. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 530.
13	canariensis. (wh.) Canary. Canaries.	1802.	5. 9.	G. $\frac{1}{2}$.	Willd. hort. ber. t. 17.
<i>Pelargonium canariense</i> . w.					
<i>CIC'ONIUM</i> . S. G. <i>CIC'ONIUM</i> . Monadelphia Heptandria.					
1	acetosum. s. G. (sa.) Sorrel-leaved. C. B. S.	1710.	5. 9.	G. $\frac{1}{2}$.	Andr. geran. c. ic.
2	scandens. s. G. (ro.) climbing.	1800.	—	G. $\frac{1}{2}$.	—
3	stenopetalum. s. G. (se.) narrow-petal'd.	—	—	G. $\frac{1}{2}$.	—
4	leptopetalum. (se.) slender-petal'd.	—	—	G. $\frac{1}{2}$.	Andr. geran. c. ic.
<i>Geranium stenopetalum</i> . A. G. nec aliorum.					
5	pumilum. s. G. (se.) dwarf. C. B. S.	—	—	G. $\frac{1}{2}$.	Andr. geran. c. ic.
<i>Geranium zonale minima</i> . A. G.					
6	lateritium. s. G. (se.) brick-coloured.	—	—	G. $\frac{1}{2}$.	Jacq. ecl. 1. t. 97. f. ult.
7	malvafolium. (li.) Mallow-leaved.	1812.	—	G. $\frac{1}{2}$.	— 1. t. 97.
<i>Pelargonium malvafolium</i> . Jacq.					
8	heterogamum. s. G. (li.) six-stamened. Hybrid.	1786.	—	G. $\frac{1}{2}$.	L'Herit. geran. t. 18.
9	albidum. c. c. (wh.) white-flowered. C. B. S.		—	G. $\frac{1}{2}$.	—

10 zonale. s.G.	(ra.) horse-shoe.	C. B. S.	1710.	4. 12.	G. h.	Cav. dis. 4. t. 98. f. 2.
α lilacinum.	(li.) lilac-coloured.	————	————	————	G. h.	
β coccineum.	(sc.) scarlet.	————	————	————	G. h.	
γ crystallinum.	(sc.) coral-stalked.	————	————	————	G. h.	
δ marginatum.	(sc.) white-edged.	————	————	————	G. h.	
11 reticulatum. s.G.	(sc.) netted-veined.	Hybrid.	1810.	5. 10.	G. h.	Sweet ger. 2. t. 143.
12 Fothergillii. s.G.	(sc.) Fothergill's.	C. B. S.		————	G. h.	———— 3. t. 226.
α coccineum.	(sc.) scarlet.	————	————	————	G. h.	———— 3. t. 226. a.
β purpureum.	(pu.) purple.	————	————	————	G. h.	———— 3. t. 226. b.
13 monstrum. s.G.	(pu.) cluster-leaved.	Hybrid	1784.	7. 8.	G. h.	———— 1. t. 13.
14 aqualiflorum. c.c.	(sc.) victory.	————	1819.	5. 10.	G. h.	
15 hybridum. s.G.	(sc.) hybrid.	C. B. S.	1732.	————	G. h.	Sweet ger. 1. t. 63.
16 oxyphyllum. c.c.	(wh.) sour-leaved.	Hybrid.		————	G. h.	Andr. geran. c. ic.
<i>Geranium miniatum</i> . r. album. A.G.						
17 humile.	(sc.) low-spreading.	C. B. S.		————	G. h.	
18 crenatum. s.G.	(sc.) scalloped-ld.	————		————	G. h.	Sweet ger. 4. t. 345.
19 bracteosum.	(sc.) large-bracted.	Hybrid.		————	G. h.	
<i>Pelargonium bracteosum</i> . DC.						
20 Bentinckianum.	(sc.) Bentinck's.	C. B. S.		————	G. h.	Sweet ger. 4. t. 350.
<i>Pelargonium Bentinckianum</i> . DC. <i>Geranium crenatum</i> ; var. <i>mollifoliata</i> . A.G. c. ic.						
21 fulgens. s.G.	(sc.) Basilisk.	Hybrid.	1823.	————	G. h.	Sweet ger. 4. t. 339.
22 glabrifolium. s.G.	(sc.) smooth-leaved.	————	1825.	————	G. h.	———— 4. t. 363.
23 cerinum. s.G.	(pi.) wax-flowered.	Hybrid?		————	G. h.	———— 2. t. 176.
24 inquinans. s.G.	(sc.) staining-gland'd.	C. B. S.	1714.	5. 9.	G. h.	Andr. Geran. c. ic.
25 micranthum. s.G.	(sc.) small-flowered.	————		————	G. h.	Sweet ger. 3. t. 295.
ISOPE'TALUM. S.G. ISOPE'TALUM. Monadelphica Pentandria.						
1 Cotyledonis. s.G.	(wh.) Hollyhock-ld.	St. Helena.	1765.	5. 8.	G. h.	Sweet ger. 2. t. 126.
<i>Pelargonium Cotyledonis</i> . w.						
2? discipes. c.c.	 central-stalked.	————	1808.		G. h.	

ORDO LII.

TROPÆOLEÆ. DC. *prodr.* 1. p. 683.

TROPÆOLUM. DC. INDIAN-CRESS. Octandria Monogynia. L.						
1 minus. DC.	(ye.) small.	Peru.	1596.	6. 10.	H. ⊙.	Bot. mag. 98.
β flore pleno.	(ye.) double-flowered.	————	————	————	G. 4.	
2 majus. DC.	(ye.) great.	————	1686.	————	H. ⊙.	Bot. mag. 23.
β flore pleno.	(ye.) double-flowered.	————	————	————	G. 4.	
3 hybridum. DC.	(ye.) hybrid.	Hybrid.		————	G. 4.	Berg. act. holm. 32. t. 1.
4 aduncum. DC.	(ye.) fringe-flower'd.	Peru.	1775.	————	G. ⊙.	Bot. reg. t. 718.
<i>peregrinum</i> . B.R. non L.						
5 pinnatum. DC.	(ye.) pinnate-flower'd.	————		————	G. 4.	Andr. reposit. t. 535.
6 tricolorum. B.F.G.	(or.) three-coloured.	Chile.	1828.	————	H. 4.	Sweet br. fl. gar. 3. t. 270.

ORDO LIII.

BALSAMINEÆ. DC. *prodr.* 1. p. 685.

BALSAMINA. DC. BALSAM. Pentandria Pentagynia.						
1 hortensis. DC.	(r.) garden.	E. Indies.	1596.	7. 10.	S. ⊙.	Blackw. t. 583.
<i>Impatiens Balsamina</i> . L.						
2 coccinea. DC.	(sc.) glandular-ld.	————	1808.	6. 9.	S. ⊙.	Bot. mag. 1256.
3 mysorensis. DC.	(re.) Mysore.	————	1823.	————	S. ⊙.	
4 bifida. DC.	(re.) bifid-spurred.	C. B. S.	1818.	7. 10.	H. ⊙.	
5 capensis. DC.	(re.) Cape.	————	————	————	H. ⊙.	

6 cochleata. DC.	(sc.) shell-spurred.	China.	1826.	—	H. ☉.	
7 chinensis. DC.	(pu.) Chinese.	China.	1823.	—	H. ☉.	
IMPATIENS. DC.	TOUCH ME NOT.	Pentandria Monogynia.	L.			
1 natans. DC.	(ye.) floating.	E. Indies.	1823.	6. 10.	S.w. ☉.	
2 biflora. W.	(or.) two-flowered.	N. America.		—	H. ☉.	Sweet br. fl. gar. t. 43.
fúlva. DC.						
3 pallida. DC.	(ye.) pale-flowered.	—	1812.	—	H. ☉.	
4 Nòli-tàngere. DC.	(ye.) common.	England.		—	H. ☉.	Eng. bot. 937.
5 parviflora. DC.	(ye.) small-flowered.	Russia.	1828.	—	H. ☉.	
6 tripétala. DC.	(ye.) three-petaled.	E. Indies.	1823.	—	S. ☉.	

ORDO LIV.

OXALIDEÆ. DC. prodr. 1. p. 689.

AVERRH'OA. DC.	AVERRH'OA.	Pent-Decandria Pentagynia.	L.			
1 Carambòla. DC.	(st.) Carambola-tree.	E. Indies.	1793.		S. ½.	Rumph. amb. 1. t. 35.
2 Bilímbi. DC.	(st.) Bilimbi-tree.	—	1791.	5. 7.	S. ½.	— 1. t. 36.
BIO'PHYTUM. DC.	BIO'PHYTUM.	Decandria Pentagynia.				
sensitivum. DC.	(ye.) sensitive.	E. Indies.	1824.	5. 7.	S. ¼.	Jacq. ox. n. 21. t. 78. f. 1.
O'xalis sensitiva. L.						
O'XALIS. DC.	WOOD-SORREL.	Decandria Pentagynia.	L.			
1 Plumieri. DC.	(ye.) Plumier's.	S. America.	1822.	4. 6.	S. ½.	Bot. reg. 810.
2 Barrelieri. DC.	(bh.) Barrelier's.	—	—	—	S. ½.	Jacq. ox. n. 4. t. 3.
3 fruticosa. DC.	(ye.) frutescent.	Rio Janeiro.	—	—	S. ½.	
4 perennans. DC.	(br.y.) perennial.	N. S. W.		5. 9.	G. ¼.	
5 Dillèni. DC.	(ye.) Dillenius's.	America.	1798.	—	H. ☉.	Dill. elth. 2. t. 221.
6 flòrida. S.P.	(ye.) prostrate.	—		—	H. ☉.	
7 stricta. DC.	(ye.) upright.	N. America.	1658.	6. 10.	H. ¼.	Jacq. ox. n. 9. t. 4.
8 corniculata. DC.	(ye.) procumbent.	Britain.		5. 10.	H. ¼.	Eng. bot. 1726.
9 Lyòni. DC.	(ye.) Lyons'.	N. America.	1812.	—	H. ¼.	
10 microphy'lla. DC.	(ye.) small-leaved.	N. Holland.		—	H. ☉.	
rùbens. H.M.						
11 rèpens. DC.	(ye.) creeping-stalk'd.	C. B. S.	1793.	3. 4.	G. ¼.	Jacq. ox. n. 11. t. 78. f. 1.
12 ròsea. DC.	(ro.) rose-coloured.	Chile.	1826.	3. 6.	G. ¼.	Bot. mag. 2830.
floribunda. B.R. 1123.						
13 Símsii.	(cr.) Sims's.	—	1822.	4. 6.	G. ¼.	Bot. mag. 2415.
ròsea. Sims Bot. mag.	nec aliorum.					
14 lateriflora. DC.	(pu.) side-flowering.	C. B. S.	1826.	3. 6.	G. ¼.	Jacq. Schœnb. 2. t. 201.
15 macróstylis. DC.	(pu.) long-styled.	—	1793.	10. 11.	G. b.	Jacq. ox. n. 22. t. 9.
16 tubiflora. DC.	(vi.) tube-flowered.	—	1790.	—	G. b.	— n. 23. t. 10.
17 canescens. DC.	(li.) canescent.	—	1822.	—	G. b.	— n. 24. t. 11.
18 secunda. DC.	(li.) secund.	—	1790.	—	G. b.	— n. 28. t. 12.
19 hirta. DC.	(vi.) hairy-stalked.	—	1787.	1. 3.	G. b.	— n. 26. t. 13.
20 hirtèlla. DC.	(li.) tooth-stamen'd.	—	1820.	—	G. b.	— n. 27. t. 14.
21 multiflora. DC.	(vi.) many-flowered.	—	1789.	2. 3.	G. b.	— n. 28. t. 15.
22 fùlgida. B.R.	(cr.) crimson.	—		—	G. b.	Bot. reg. 1073.
23 rubèlla. DC.	(vi.) branching red.	—	1791.	9. 11.	G. b.	Bot. mag. 1031.
24 rosàcea. DC.	(vi.) rose-coloured.	—	1793.	10. 2.	G. b.	— 1698.
25 virgínea. DC.	(wh.) virgin.	—	1822.	11. 12.	G. b.	Jacq. schœnb. 3. t. 275.
26 reptatrix. DC.	(li.) creeping-rooted.	—	1795.	—	G. ¼.	Jacq. ox. n. 33. t. 20.
27 incarnata. DC.	(bh.) flesh-coloured.	—	1739.	4. 6.	G. b.	Jacq. vind. t. 71.
28 disticha. DC.	(ye.) distichous.	—	1822.	—	G. b.	Jacq. ox. n. 31. t. 18.
29 venòsa. DC.	(vi.) veined-flower'd.	—	1821.	—	G. b.	
30 cùprea. B.C.	(co.) copper-colour'd.	—	1822.	—	G. b.	Lodd. bot. cab. 824.
31 tetraphy'lla. DC.	(pu.) four-leaved.	Mexico.	—	—	H. b.	— t. 790.
32 seríceea. DC.	(ye.) silky-leaved.	C. B. S.	1794.	—	G. b.	Jacq. ox. n. 13. t. 77. f. 1.
33 carnosa. B.R.	(ye.) fleshy.	Chile.	1825.	4. 9.	H. ¼.	Bot. reg. 1063.
34 bipunctata. Gr.	(li.) two-spotted.	Brazil.	—	4. 6.	G. ¼.	Bot. mag. 2781.
35 violacea. DC.	(vi.) violet-coloured.	N. America.	1772.	5. 6.	H. b.	Jacq. vind. t. 180.
36 Déppii.	(li.) Depp's.	Mexico.	1827.	6. 8.	G. b.	
37 Martiàna. Zuc.	(li.) Martius's.	Brazil.	1828.	5. 9.	S. ¼.	
38 palústris. S.S.	(li.) marsh.	—	—	5. 12.	S. ¼.	
papilionacea. Zuc.						

30 caprina DC.	(vi.) goats-foot.	C. B. S.	1757.	3. 6.	G. b.	Jacq. ox. t. 76. f. 1.
40 cœrua. DC.	(ye.) drooping-yellow.	—	—	2. 5.	G. b.	— n. 16. t. 6.
<i>caprina</i> , B.M. 237. <i>nec aliorum</i> .						
β flore pleno.	(ye.) double-flowered.	—	—	—	G. b.	—
41 compressa. DC.	(ye.) compressed.	—	1794.	12. 1.	G. b.	Jacq. ox. n. 19. t. 78. f. 3.
42 dentata. DC.	(li.) toothed.	—	1793.	11. 12.	G. b.	— n. 17. t. 7.
43 livida. DC.	(fl.) livid.	—	—	10. 11.	G. b.	— n. 18. t. 8.
44 purpurata. DC.	(bh.) purplish-leav'd.	—	1820.	—	G. b.	Jacq. schœnb. t. 356.
45 macrophylla. DC.	(vi.) large-leaved.	—	—	—	G. b.	—
46 lobata. DC.	(ye.) lobed.	Chile.	1821.	4. 6.	H. b.	Bot. mag. 2386.
47 tenera. B.R.	(li.) tender.	Brazil.	1826.	5. 6.	S. 4.	Bot. reg. 1046.
48 monophylla. DC.	(bh.) simple-leaved.	C. B. S.	1774.	10. 11.	G. b.	Jacq. ox. n. 35. t. 79. f. 3.
49 lepida. DC.	(wh.) pretty.	—	1822.	10. 2.	G. b.	— n. 34. t. 21.
50 rostrata. DC.	(bh.) beaked.	—	1795.	—	G. b.	— n. 36. t. 22.
51 crispa. DC.	(wh.) curled.	—	1793.	—	G. b.	— n. 37. t. 23.
52 leporina. DC.	(std.) Hare's-eared.	—	1795.	10. 11.	G. b.	— n. 30. t. 25.
53 asina. DC.	(ye.) asses-eared.	—	1792.	11. 12.	G. b.	— n. 38. t. 24.
54 lanceafolia. DC.	(ye.) spear-leaved.	—	1795.	10. 11.	G. b.	— n. 40. t. 26.
55 fabafolia. DC.	(ye.) Bean-leaved.	—	1791.	—	G. b.	— n. 41. t. 27.
56 laburnifolia. DC.	(ye.) Laburnum. l'd.	—	1793.	9. 10.	G. b.	— n. 42. t. 28.
57 sanguinea. DC.	(ye.) bloody-leaved.	—	1795.	10. 12.	G. b.	— n. 43. t. 29.
58 tricolor. DC.	(std.) three-coloured.	—	1794.	—	G. b.	— n. 63. t. 47.
59 ciliaris. DC.	(pu.) ciliated.	—	1793.	—	G. b.	— n. 45. t. 30.
60 arcuata. DC.	(vi.) gland-covered.	—	1795.	—	G. b.	— n. 46. t. 31.
61 flaccida. DC.	(re. wh.) flaccid.	—	1812.	—	G. b.	— n. 66. t. 51.
62 ferruginata. DC.	(wh.) rust-spotted.	—	1822.	—	G. b.	Jacq. schœnb. 3. t. 274.
63 ambigua. DC.	(v.) ambiguous.	—	1790.	9. 12.	G. b.	Jacq. ox. n. 59. t. 43.
64 undulata. DC.	(wh.) wave-leaved.	—	1795.	10. 11.	G. b.	— n. 60. t. 44.
65 glandulosa. DC.	(wh.) glandulous.	—	1822.	—	G. b.	— n. 62. t. 46.
66 fuscata. DC.	(wh.) brown-spotted.	—	1795.	5. 6.	G. b.	— n. 61. t. 45.
67 sulphurea. DC.	(st.) sulphur-colour'd.	—	—	10. 11.	G. b.	— n. 77. t. 63.
68 breviscapa. DC.	(wh.) short-stalked.	—	1823.	9. 2.	G. b.	— n. 72. t. 58.
69 speciosa. DC.	(pu.) specious.	—	1690.	9. 11.	G. b.	— n. 74. t. 60.
70 rigidula. Jac.	(wh.) rigid.	—	1822.	—	G. b.	— n. 73. t. 59.
71 variabilis. DC.	(v.) variable.	—	1795.	10. 12.	G. b.	— n. 67.
α longiscapa. DC.	(wh.) white-flowered.	—	—	—	G. b.	— t. 52.
β rubra. DC.	(re.) red-flowered.	—	—	—	G. b.	— t. 53.
72 grandiflora. W.	(wh.) great-flowered.	—	1810.	—	G. b.	— n. 68. t. 54.
β Simsii. DC.	(wh.) Sims's.	—	—	—	G. b.	Bot. mag. 1683.
73 laxula. Jac.	(wh.) loose.	—	1820.	—	G. b.	Jacq. ox. n. 71. t. 57.
74 purpurea. DC.	(pu.) purple.	—	1812.	—	G. b.	— n. 70. t. 56.
75 convexula. DC.	(or.) convex-leaved.	—	1789.	11. 1.	G. b.	— n. 69. t. 55.
76 levigata. DC.	(pu.) smooth.		1818.	6. 8.	H. ☉.	—
77 punctata. DC.	(bh.) spot-leaved.	C. B. S.	1823.	10. 2.	G. b.	Jacq. ox. n. 82. t. 66.
78 strumosa. DC.	(wh.) swollen-styled.	—	1821.	—	G. b.	— n. 79. t. 64.
79 marginata. DC.	(wh.) green-margin'd.	—	1812.	9. 12.	G. b.	— n. 85. t. 68.
80 pulchella. DC.	(bh.) beautiful.	—	1795.	10. 11.	G. b.	— n. 86. t. 69.
81 obtusa. DC.	(re.) blunt-leaved.	—	1812.	—	G. b.	— n. 83. t. 79. f. 1.
82 lanata. DC.	(wh.) woolly-leaved.	—	1791.	—	G. b.	— n. 81. t. 77. f. 2.
83 luteola. DC.	(ye.) yellowish.	—	1822.	—	G. b.	— n. 80. t. 65.
84 fallax. DC.	(ye.) related.	—	1825.	—	G. b.	— n. 84. t. 67.
85 Acetosella. DC.	(wh.) common.	Britain.		4. 6.	H. 4.	Eng. bot. 762.
86 americana. DC.	(wh.) American.	N. America.		—	H. 4.	—
87 tenella. DC.	(vi.) slender.	C. B. S.	1793.	—	G. b.	Jacq. ox. n. 82. t. 19.
88 natans. DC.	(wh.) floating.	—	1795.	9. 12.	G. & b.	— n. 78. t. 79. f. 2.
89 cruentata. DC.	(pu.) bloody.	—	1826.	—	G. b.	Jacq. f. ecl. 1. t. 45.
90 filiculis. DC.	(vi.) bilobed-leaved.	—	1815.	9. 10.	G. b.	Jacq. schœnb. 2. t. 205.
91 lafida. DC.	(vi.) cloven-leaved.	—	1791.	—	G. b.	Jacq. ox. n. 89. t. 79. f. 4.
92 bifurca. B.C.	(re.) forked-leaved.	—	1825.	6. 9.	G. b.	Lodd. bot. cab. 1056.
93 cuneata. DC.	(wh.) wedge-leaved.	—	1818.	—	G. b.	Jacq. ox. n. 55. t. 40.
94 cuneifolia. DC.	(wh.) wedge-shaped.	—	1793.	4. 5.	G. b.	— n. 56. t. 41.
95 pusilla. DC.	(bh.) small.	—	1826.	—	G. b.	— n. 57. t. 42.
96 linearis. DC.	(vi.) linear-leaved.	—	1795.	9. 11.	G. b.	— n. 47. t. 32.
97 reclinata. DC.	(se.) reclining.	—	—	—	G. b.	— n. 49. t. 34.
98 gracilis. DC.	(re.) slender-stalked.	—		—	G. b.	— n. 48. t. 33.
99 miniata. DC.	(re.) miniated.	—	1818.	—	G. b.	— n. 50. t. 35.
100 glabra. DC.	(pu.) smooth.	—	1795.	5. 6.	G. b.	— n. 58. t. 76. f. 3.
101 versicolor. DC.	(std.) striped-flower'd.	—	1774.	1. 3.	G. b.	Bot. mag. 155.
102 elongata. DC.	(std.) elongated.	—	1791.	9. 10.	G. b.	Jacq. ox. n. 52. t. 37.

103	amœna. L.en.	(ro.)	handsome.	C. B. S.	1791.	9. 10.	G. b.	Jacq. schœnb. t. 205.
104	tenuifolia. DC.	(std.)	fine-leaved.	————	1790.	10. 11.	G. b.	Lodd. bot. cab. t. 712.
105	polyphylla. DC.	(ro.)	many-leaved.	————	1791.	9. 1.	G. b.	Jacq. ox. n. 59. t. 39.
106	filifolia. DC.	(ro.)	slender-leaved.	————	1818.	——	G. b.	Jacq. schœn. 3. t. 273.
107	pentaphylla. DC.	(li.)	five-leaved.	————	1800.	11. 2.	G. b.	Bot. mag. 1549.
108	lupinifolia. DC.	(ye.)	Lupine-leaved.	————	1791.	10. 11.	G. b.	Jacq. ox. n. 92. t. 72.
109	flava. DC.	(ye.)	narrow-leaved.	————	1775.	3. 4.	G. b.	Bot. reg. 117.
110	pectinata. DC.	(ye.)	pectinated.	————	1790.	9. 11.	G. b.	Jacq. ox. n. 95. t. 75.
111	flabellifolia. DC.	(ye.)	fan-leaved.	————	1789.	——	G. b.	———— n. 94. t. 74.
112	tomentosa. DC.	(wh.)	downy-leaved.	————	1791.	4. 5.	G. b.	———— n. 96. t. 81.

ORDO LV.

ZYGOPHYLLÆ. DC. *prodr.* 1. p. 703.

TRIBULUS. DC.		CALTROPS. Decandria Monogynia. L.						
1	cistoides. DC.	(ye.)	Cistus-like.	S. America.	1752.	7.	S. 4.	Bot. reg. 791.
2	terrestris. DC.	(ye.)	small.	S. Europe.	1596.	6. 7.	H. ☉.	Lam. ill. t. 346. f. 1.
3	subinermis. F.	(ye.)	hairy.	Thibet.	1824.	6. 9.	H. ☉.	
4	maximus. DC.	(st.)	great.	Jamaica.	1728.	6. 7.	S. ☉.	Jacq. ic. rar. t. 462.
5	trijugatus. DC.	(ye.)	Nuttall's.	America.	1823.	—	H. ☉.	
FAG'ONIA. DC.		FAG'ONIA. Decandria Monogynia. L.						
1	erética. DC.	(pu.)	Cretan.	Candia.	1739.	6. 8.	H. ☉.	Bot. mag. 241.
2	arabica. DC.	(pu.)	Arabian.	Arabia.	1759.	—	G. ♀.	
LA'RREA. DC.		LA'RREA. Decandria Monogynia.						
	nitida. DC.	(ye.)	glossy-leaved.	Buenos Ayres.	1823.	6. 8.	G. ♀.	Cav. ic. 6. t. 559.
ROEP'ERIA. J.R.		ROEP'ERIA. Decandria Monogynia.						
	fabagifolia. J.R.	(ye.)	Fabago-leaved.	N. Holland.	1822.	6. 8.	G. ♀.	Juss. Rut. t. 2. f. 3.
ZYGOPHYLLUM. DC.		BEAN-CAPER. Decandria Monogynia. L.						
1	cordifolium. DC.	(ye.)	heart-leaved.	C. B. S.	1774.	10.	G. ♀.	
2	macrópterum. Led.	(ye.)	large-winged.	Siberia.	1827.	7. 9.	H. 4.	
3	Fabago. DC.	(st.)	common.	Syria.	1596.	—	H. 4.	Lam. ill. t. 345. f. 1.
4	fœtidum. DC.	(ye.)	fœtid.	C. B. S.	1790.	6. 8.	G. ♀.	Schr. s. han. p. 17. t. 9.
	β insuare. B.M.	(ye.)	unpleasant.	—	—	—	G. ♀.	Bot. mag. 372.
5	maculatum. DC.	(ye.)	spotted.	C. B. S.	1782.	10. 11.	G. ♀.	
6	microphyllum. DC.	(ye.)	small-leaved.	—	1820.	—	G. ♀.	
7	Morgsana. DC.	(ye.)	four-leaved.	—	1732.	5. 9.	G. ♀.	Dill. elth. t. 116. f. 141.
8	sessilifolium. DC.	(ye.)	sessile-leaved.	—	1713.	7. 8.	G. ♀.	— t. 116. f. 142.
9	spinosum. DC.	(ye.)	spiny.	—	1818.	—	G. ♀.	
10	coccineum. DC.	(sc.)	scarlet.	Egypt.	—	—	G. ♀.	Forsk. des. 87. ic. t. 11.
11	album. DC.	(wh.)	white.	—	1770.	10. 11.	G. ♀.	DC. pl. gras. t. 154.
12	prostratum. DC.	(ye.)	hairy-jointed.	C. B. S.	1818.	—	G. 4.	
13	tridentatum. DC.	(ye.)	three-toothed.	Mexico.	1827.	9. 11.	G. ♀.	Flor. mex. ic. ined.
GUA'IACUM. DC.		LIGNUM VITÆ. Decandria Monogynia. L.						
1	officinale. DC.	(bl.)	common.	W. Indies.	1694.	7. 9.	S. ♀.	Lam. ill. t. 342.
2	verticale. DC.	(bl.)	vertical-petal'd.	New Spain.	1823.		S. ♀.	
3	arboresum. DC.	(ye.)	tree.	S. America.	—		S. ♀.	Jacq. amer. 130. t. 83.
Zygophyllum arboresum. Jac.								
PORLIE'RA. DC.		PORLIE'RA. Octandria Monogynia.						
	hygrométrica. DC.	(st.)	pinnate-leaved.	Peru.	1820.		S. ♀.	Fl. per. v. 4. ined. t. 343.

§ 2. ZYGOPHYLLÆ SPURIE ALTERNIFOLIÆ. DC.

MELIANTHUS. DC.		HONEY-FLOWER. Didynamia Angiospermia. L.						
1	major. DC.	(br.)	great.	C. B. S.	1688.	5. 7.	G. h.	Bot. reg. 45.
2	minor. DC.	(br.)	small.	_____	1696.	8.	G. h.	Bot. mag. 301.
3	comosus. DC.	(br.)	tufted.	_____	1818.	—	G. h.	Comm. rar. t. 4.
BALAN'ITES. DC.		BALAN'ITES. Decandria Monogynia.						
	ægyptiaca. DC. (wh.)		Egyptian.	Africa.	1822.		S. h.	Del. fl. eg. t. 28. f. 1.
Ximènia ægyptiaca. L.								

ORDO LVI.

RUTACEÆ. DC. *prodr.* 1. p. 709.

Tribus I. DIOSMEÆ. DC.

RUTA. DC.		RUE. Decandria Monogynia. L.					
1	pinnàta. DC.	(ye.)	winged-leaved. Canaries.	1780.	3. 8.	G. h.	Bot. reg. 307.
2	montàna. DC.	(ye.)	mountain. S. Europe.	1596.	8. 9.	H. 4.	Jacq. ic. rar. 1. t. 76.
3	gravèolens. DC.	(ye.)	common. ———	1562.	6. 9.	H. h.	Duham. arb. 2. t. 61.
4	bracteòsa. DC.	(ye.)	large-bracted. Sicily.	1823.	——	H. h.	
5	divaricàta. DC.	(ye.)	spreading. Italy.	——	——	H. h.	Ten. fl. nap. 1. t. 36.
6	angustifolia. DC.	(ye.)	narrow-leaved. S. France.	1722.	——	G. h.	Bot. mag. 2311.
7	macrophylla. DC.	(ye.)	long-leaved. Africa.	——	——	G. h.	—— 2018.
8	albiflora. D.P.	(wh.)	white-flowered. Nepaul.	1820.	9. 10.	G. h.	Hook. ex. fl. t. 79.
APLOPHY'LLUM. J.R.		APLOPHY'LLUM. Decandria Monogynia.					
1	patavina. J.R.	(ye.)	Italian. Italy.	1820.	6. 9.	H. 4.	Mich. gen. t. 19.
2	pubescens. J.R.	(ye.)	pubescent. Spain.	1816.	5. 8.	H. 4.	
3	tuberculàta. J.R.	(ye.)	tubercled. Egypt.	1824.	6. 8.	H. 4.	
4	villòsa. J.R.	(ye.)	villous. Caucasus.	1828.		H. 4.	Buxb. cent. 2. t. 28. f. 2.
5	linifolia. J.R.	(ye.)	Flax leaved. Spain.	1752.	6. 9.	H. h.	Andr. rep. 565.
6	snaveolens. J.R.	(ye.)	Primrose-scentd. Tauria.		——	H. h.	Bot. mag. 2254.
7	thesioides. F.	(ye.)	Thesium-like. Caspia.	1828.		H. 4.	
8	dahùrica. J.R.	(st.)	Milk-wort-ld. Dahuria.	1816.	7. 8.	H. 4.	Gmel. sib. 4. t. 68. f. 2.
Péganum daùricum. B.		L. Ruta dahùrica. DC.					
PE'GANUM. DC.		SYRIAN-RUE. Dodecandria Monogynia. L.					
	Hármala. DC.	(wh.)	common. Levant.	1570.	7. 8.	H. 4.	Lam. ill. t. 401.
DICTA'MNUS. DC.		FRAXINE'LLA. Decandria Monogynia. L.					
1	Fraxinèlla. L.en. (re.)		red-flowered. S. Europe.	1596.	5. 7.	H. 4.	
2	álbus. L.en. (wh.)		white-flowered. ———	——	——	H. 4.	Jacq. aust. 5. t. 428.
CALODE'NDRON. DC.		CALODE'NDRON. Pentandria Monogynia.					
	capense. DC.	(bh.)	Cape. C. B. S.	1789.		G. h.	Lam. j. h. nat. 56. t. 3.
ADENA'NDRA. W.en.		ADENA'NDRA. Pentandria Monogynia. L.					
1	uniflora. W.en. (wh.)		one-flowered. C. B. S.	1775.	4. 7.	G. h.	Bot. mag. 273.
2	acuminàta. (wh.)		acute-leaved. ———	1812.	——	G. h.	Lodd. bot. cab. 493.
Diosma acuminàta. B.C. non DC.							
3	am'æna. (bh.)		charming. ———	1798.	——	G. h.	Bot. reg. 553.
Diosma am'æna. B.C. 161.							
4	speciosa. (wh.)		umbel-flower'd. ———	1790.	——	G. h.	Bot. mag. 1271.
umbellàta. W.en. Diosma speciosa. B.M.							
5	fràgrans. R.S. (re.)		red-flowered. ———	1812.	5. 7.	G. h.	Bot. mag. 1519.
6	villòsa. R.S. (bh.)		villous. ———	——	——	G. h.	
Diosma villòsa. DC. non Hort. tomentosa. Hort.							
7	marginàta. R.S. (bh.)		marginate. ———	1806.	4. 6.	G. h.	
8	linearis. B.D. (wh.)		linear-leaved. ———	1800.	3. 7.	G. h.	
BARO'SMA. W.en.		BARO'SMA. Pentandria Monogynia. L.					
1	serratifolia. W.en. (wh.)		saw-leaved. C. B. S.	1789.	3. 6.	G. h.	Bot. mag. 456.
2	odoràta. R.S. (wh.)		odoriferous. ———	1790.	3. 5.	G. h.	Wend. coll. 1. t. 15.
Diosma latifolia. B.C. 290.							
3	latifolia. R.S. (wh.)		broad-leaved. ———	——	——	G. h.	Andr. rep. t. 33?
4	crenàta. B.D. (wh.)		crenated. ———	1774.	1. 5.	G. h.	Lodd. bot. cab. t. 404.
5	betulina. B.D. (wh.)		wedge-leaved. ———	1790.	5. 7.	G. h.	
orbiculàris. Hort. Diosma betulina. DC.							
6	ovàta. B.D. (wh.)		oval-leaved. ———	——	2. 9.	G. h.	Bot. mag. 1616.
Diosma ovàta. B.M.							
7	pulchèlla B.D. (pu.)		blunt-leaved. ———	1787.	2. 9.	G. h.	Bot. mag. 1357.
Diosma pulchèlla. B.M. Bucco pulchèlla. R.S.							
8	oblóna. B.D. (wh.)		oblong-leaved. ———	1821.	4. 8.	G. h.	
9	dioica. B.D. (pi.)		dioecious. ———	1816.	——	G. h.	Bot. reg. 502.
Diosma dioica. B.R. linifolia. B.C. 400.							
10	angustifolia. B.D. (bh.)		narrow-leaved. ———	1820.	——	G. h.	
11	foetidissima. B.D. (bh.)		strong-scented. ———	1818.	——	G. h.	

MACRO'STYLIS. B.D. MACRO'STYLIS. Pentandria Monogynia.

- 1 lanceolata. B.D. (li.) spear-leaved. C. B. S. 1824. 4. 6. G. h.
Diósma barbata. s.s.
 2 barbígera. B.D. (li.) beard-bearing. ——— 1826. ——— G. h.
 3 obtusa. B.D. (li.) blunt-leaved. ——— 1821. ——— G. h.
 4 squarrosa. B.D. (li.) squarrose. ——— 1821. ——— G. h.

EUCHÆTIS. B.D. EUCHÆTIS. Pentandria Monogynia.

- glomerata. B.D. (wh.) close-flowered. C. B. S. 1821. 4. 6. G. h. B. et Wend. dios. t. A. f. 1.

ACMAD'ENIA. B.D. ACMAD'ENIA. Pentandria Monogynia.

- 1 juniperina. B.D. (wh.) Juniper-leaved. C. B. S. 1818. 4. 6. G. h.
 2 obtusata. B.D. (re.) blunt-leaved. ——— ——— G. h.
Diósma obtusata. R.S.

- 3 lævigata. B.D. (wh.) smooth. ——— ——— G. h. Thunb. voy. 4. t. 5.
Diósma tetragona. Th. non L.

- 4 pungens. B.D. (wh.) pungent. ——— 1823. ——— G. h.

- 5 tetragona. B.D. (bh.) four-sided. ——— 1720. 6. 8. G. h.

COLEON'EMA. B.D. COLEON'EMA. Pentandria Monogynia.

- álba. B.D. (wh.) white-flowered. C. B. S. 1800. 3. 6. G. h.

Diósma álba. DC. *Adenandra álba*. R.S.

DIO'SMA. W.en. DIO'SMA. Pentandria Monogynia. L.

- 1 oppositifolia. DC. (wh.) opposite-leav'd. C. B. S. 1752. 3. 7. G. h.

- 2 succulenta. DC. (wh.) succulent-ld. ——— 4. 6. G. h. Wendl. coll. 1. t. 1.

- 3 cupressina. DC. (wh.) Cypress-like. ——— 1790. 6. 7. G. h. Lodd. bot. cab. t. 303.

- 4 ramosissima. B.D. (wh.) branching. ——— 4. 8. G. h.

cupressina. Lam.

- 5 Meyeriana. s.s. (wh.) Meyer's. ——— 1826. ——— G. h.

- 6 teretifolia. L.en. (wh.) round-leaved. ——— 1818. ——— G. h.

- 7 pectinata. DC. (wh.) pectinated. ——— 1812. 4. 6. G. h.

- 8 subulata. DC. (wh.) awl-leaved. ——— 3. 6. G. h. Wendl. coll. 1. t. 8.

- 9 rubra. DC. (bh.) Heath-leaved. ——— 1752. 2. 5. G. h. Bot. reg. 563.

ericifolia. Andr. rep. t. 451.

- 10 hirsuta. DC. (wh.) hairy-leaved. ——— 1731. ——— G. h. Wendl. coll. 1. t. 27.

- 11 ambigua. B.D. (wh.) ambiguous. ——— 1824. ——— G. h.

- 12 ericoides. DC. (wh.) Heath-like. ——— 1756. 3. 7. G. h. Mill. ic. t. 124. f. 2.

- 13 longifolia. DC. (wh.) long-leaved. ——— G. h. Wendl. coll. 1. t. 19.

AGATHO'SMA. W.en. AGATHO'SMA. Pentandria Monogynia.

- 1 hispida. s.s. (wh.) rough-leaved. C. B. S. 1786. 6. 8. G. h.

- 2 patula. s.s. (li.) spreading. ——— 1821. ——— G. h.

- 3 brevifolia. s.s. (li.) short-leaved. ——— 1816. ——— G. h.

- 4 tenuissima. s.s. (li.) slender-leaved. ——— 2. 5. G. h.

- 5 virgata. s.s. (wh.) twiggy. ——— 1816. 4. 6. G. h.

- 6 erecta. B.D. (wh.) upright. ——— ——— G. h. Wendl. coll. p. 17. t. 13.

- 7 bruniades. s.s. (li.) Brunia-like. ——— 6. 8. G. h.

- 8 Thunbergiana. s.s. (li.) Thunberg's. ——— 4. 6. G. h.

Diósma ciliata. Th. non L.

- 9 linifolia. s.s. (li.) Flax-leaved. ——— 1821. ——— G. h.

- 10 prolifera. s.s. (wh.) proliferous. ——— 4. 8. G. h. Wendl. coll. 3. t. 77.

- 11 ciliata. s.s. (bh.) ciliated. ——— 1774. ——— G. h. Bot. reg. 366.

- 12 Cerefolium. s.s. (wh.) Chervil-scented. ——— 1790. ——— G. h. Vent. malm. t. 93.

- 13 reflexa. L.en. (li.) reflexed. ——— 1816. 6. 8. G. h.

- 14 hirta. B.R. (pu.) hairy. ——— 1794. 5. 7. G. h. Bot. reg. 369.

Diósma Ventenatiana. s.s. *Búcco Ventenatiana*. R.S.

- 15 laxa. s.s. (li.) loose-branched. ——— 1816. ——— G. h.

- 16 villosa. W.en. (li.) villous. ——— 1786. 6. 8. G. h. Wendl. coll. 1. t. 2.

Búcco villosa. R.S. *Diósma Wendlandiana*. DC.

- 17 glabrata. B.D. (li.) smooth. ——— 1821. ——— G. h.

- 18 hybrida. s.s. (li.) hybrid. ——— ——— G. h.

- 19 rugosa. L.en. (wh.) rugged-leaved. ——— 1790. 4. 8. G. h.

- 20 mollis. B.D. (wh.) soft. ——— 1821. ——— G. h.

- 21 obtusa. DC. (li.) blunt-leaved. ——— 1774. ——— G. h. Lodd. bot. cab. 210.

Diósma ciliata. B.C. non L.

- α ovata. (li.) oval-leaved. ——— ——— G. h. Wendl. coll. 1. t. 13.

- β oblōnga. (li.) oblong-leaved. ——— ——— G. h. ——— 1. t. 14.

- 22 lanceolata. (li.) lance-leaved. ——— ——— G. h. Bot. reg. 366.

- 23 orbiculāris. s.s. (wh.) round-leaved. ——— 1790. ——— G. h.

- 24 ambigua. DC. (wh.) doubtful. ——— G. h. Lodd. bot. cab. 461.

- 25 imbricata. W.en. (li.) imbricated. ——— 1774. ——— G. h. Wendl. coll. 1. t. 9.

- 26 acuminata. W.en. (pa.) taper-pointed. ——— 1812. ——— G. h. ——— 1. t. 28.

Diósma cordata. Hort.

- 27 obtusata. (li.) obtuse-leaved. ——— 1816. ——— G. h. Wendl. coll. 3. p. 7. t. 76.

EMPLE'URUM. DC.	EMPLE'URUM.	Monœcia Tetrandria.					
serrulatum. DC. (st.)	saw-leaved.	C. B. S.	1774.	6. 7.	G. h.	Sm. exot. bot. 2. t. 63.	
CORR'EA. DC.	CORR'EA.	Octandria Monogynia.					
1 alba. DC. (wh.)	white.	N. S. W.	1793.	4. 7.	G. h.	Andr. bot. rep. 18.	
2 rufa. DC. (wh.)	rusty-leaved.	—	1819.	—	G. h.	Labill. voy. 2. t. 17.	
3 pulchella. S.F.A. (pi.)	pretty.	N. Holland.	1824.	11. 5.	G. h.	Sweet fl. aust. t. 1.	
4 speciosa. DC. (re.)	red-flowered.	N. S. W.	1806.	—	G. h.	Bot. reg. 26.	
5 virens. DC. (gr.)	green-flowered.	—	1800.	—	G. h.	Sm. exot. bot. 2. t. 72.	
PHEB'ALIUM. DC.	PHEB'ALIUM.	Decandria Monogynia.					
1 squammulosum. DC. (wh.)	scaly.	N. S. W.	1820.	4. 6.	G. h.	Vent. malm. t. 102.	
2 elatum. F.T. (wh.)	tall.	—	1823.	4. 8.	G. h.		
3 aureum. F.T. (ye.)	golden.	—	—	—	G. h.		
4 lachnoides. F.T. (wh.)	Lachnæa-like.	—	—	—	G. h.		
5 lineare. ψ. (wh.)	linear-leaved.	N. Holland.	1825.		G. h.		
6 salicifolium. ψ. (wh.)	Willow-leaved.	—	—		G. h.		
CR'OWEA. DC.	CR'OWEA.	Decandria Monogynia.					
saligna. DC. (pi.)	Willow-leaved.	N. S. W.	1790.	7. 12.	G. h.	Bot. mag. 989.	
ERIO'STEMON. DC.	ERIO'STEMON.	Decandria Monogynia.					
1 buxifolium. DC. (li.)	Box-leaved.	N. S. W.	1822.	4. 6.	G. h.		
2 salicifolium. DC. (re.)	Willow-leaved.	—	—	—	G. h.	Bot. mag. 2854.	
3 cuspidatum. F.T. (wh.)	sharp-pointed.	—	1823.	4. 8.	G. h.	Lodd. bot. cab. 1247.	
4 obovale. F.T. (li.)	oboval-leaved.	—	—	—	G. h.		
5 lanceolatum. DC. (li.)	spear-leaved.	—	—	—	G. h.		
6 linearifolium. DC. (wh.)	linear-leaved.	—	—	—	G. h.		
7 squameum. DC. (wh.)	scaly.	N. Holland.	1822.	—	G. h.	Lab. nov. hol. 1. t. 141.	
8 ericæfolium. M.C. (li.)	Heath-leaved.	—	1825.	—	G. h.		
PHILOTH'ECA. L.T.	PHILOTH'ECA.	Monadelphia Decandria.					
australis. L.T. (bh.)	Salsola-leaved.	N. S. W.	1822.	—	G. h.	Linn. trans. 11. t. 21.	
BOR'ONIA. DC.	BOR'ONIA.	Octandria Monogynia.					
1 pinnata. DC. (re.)	Hawthorn-scent'd.	N. S. W.	1794.	2. 5.	G. h.	Bot. mag. 1763.	
2 tetrandra. DC. (re.)	tetrandrous.	N. Holland.	1824.		G. h.	Lab. nov. hol. 1. t. 125.	
3 anemonæfolia. F.T. (re.)	Anemone-leav'd.	N. S. W.	—	5. 8.	G. h.		
4 alata. DC. (re.)	winged-leaved.	N. Holland.	—	4. 8.	G. h.	Sweet fl. aust. t. 48.	
5 serrulata. DC. (ro.)	Rose-scented.	N. S. W.	1816.	2. 5.	G. h.	Bot. reg. 842.	
6 denticulata. DC. (re.)	tooth-leaved.	N. Holland.	1823.	4. 8.	G. h.	— 1000.	
7 parviflora. DC. (re.)	small-flowered.	N. S. W.	1826.	—	G. h.	Smith's tracts. t. 6.	
8 polygalæfolia. DC. (re.)	Polygala-ld.	—	1824.		G. h.	— t. 7.	
9 ledifolia. DC. (re.)	Ledum-leaved.	—	—		G. h.		
CYMINO'SMA. DC.	CYMINO'SMA.	Octandria Monogynia.					
1 pedunculata. DC. (wh.)	peduncled.	E. Indies.	1800.		G. h.	Vahl. symb. 3. t. 61.	
<i>Jambolifera pedunculata. W.</i>							
2 odorata. DC. (wh.)	sweet-scented.	China.	1818.		G. h.		
ZIE'RIA. DC.	ZIE'RIA.	Tetrandria Monogynia.					
1 lanceolata. DC. (wh.)	spear-leaved.	N. S. W.	1808.	4. 7.	G. h.	Bot. mag. 1395.	
<i>Smithii. Bot. rep. 606.</i>							
2 macrophylla. DC. (wh.)	large-leaved.	—	1820.	—	G. h.		
3 lævigata. DC. (wh.)	smooth-leaved.	—	1822.	—	G. h.		
4 octandra. (gr.)	octandrous.	—	1825.	4. 6.	G. h.		
5 obcordata. F.T. (wh.)	obcordate.	—	1824.	—	G. h.		
6 revoluta. F.T. (wh.)	revolute.	—	—	3. 5.	G. h.		
7 microphylla. DC. (wh.)	small-leaved.	—	—	—	G. h.		
8 pilosa. DC. (wh.)	hairy.	—	—	—	G. h.	Linn. trans. 10. t. 17. f. 2.	
9 hirsuta. DC. (wh.)	hirsute.	—	—	—	G. h.		
MELIC'OPE. DC.	MELIC'OPE.	Octandria Monogynia.					
ternata. DC.	ternate-leaved.	N. Zealand.	1822.		G. h.	Lam. ill. t. 294.	
EV'ODIA. DC.	EV'ODIA.	Tetrandria Monogynia.					
triphylla. DC. (wh.)	three-leaved.	Pulo Penang.	1820.		S. h.	Rumph. amb. 2. t. 62.	
<i>Fagara triphylla. F.I.</i>							
ZANTHO'XYLUM. DC.	ZANTHO'XYLUM.	Tetrandria Monogynia et Diœcia Pentandria.					
1 tragodes. DC. (wh.)	prickly-leaved.	St. Domingo.	1759.	8. 9.	S. h.	Jacq. amer. 21. t. 14.	
<i>Fagara tragodes. W.</i>							
2 affine. K.S. (wh.)	related.	Mexico.	1826.		G. h.		
3 Pterota. DC. (wh.)	Lentiscus-ld.	W. Indies.	1768.	—	S. h.	Br. jam. 146. t. 5. f. 1.	
<i>Fagara lentiscifolia. W. en.</i>							
4 piperitum. DC. (wh.)	Ash-leaved.	Japan.	1773.	9.	G. h.	Kæmpf. am. t. 893.	
5 Avicennæ. DC. (wh.)	short-panicled.	China.	1823.		G. h.	Lob. ic. 2. t. 133. f. 2.	
6 heterophyllum. DC. (wh.)	various-leav'd.	Bourbon.	—		S. h.		
7 emarginatum. DC. (wh.)	notch-leaved.	Jamaica.	1739.		S. h.	Slean. j. 2. t. 168. f. 4.	
8 acuminatum. DC. (wh.)	taper-pointed.	—	1818.		S. h.		

RUTACEÆ.

9 spinosum. DC.	(wh.) spiny.	Jamaica.	1824.		S. h.	
10 tricarpum. DC.	(gr.) Ash-leaved.	N. America.	1806.		H. h.	Cat. car. 1. t. 26.
11 fraxineum. DC.	(gr.) common.	————	1759.	3. 4.	H. h.	Duham. arb. 1. t. 97.
12 mite. DC.	(gr.) soft-leaved.	————	1812.	—	H. h.	
13 hermaphroditum. DC.	(wh.) hermaphrodite.	Guiana.	1823.		S. h.	Aubl. gui. 1. t. 30.
14 juglandifolium. DC.	(wh.) Walnut-leaved.	W. Indies.	1822.		S. h.	Pluk. t. 239. f. 6.
15 Clava Hercules. L.	(wh.) clubbed.	————	1739.	4. 5.	S. h.	— t. 239. f. 4.
16 aromaticum. DC.	(wh.) aromatic.	St. Domingo.	1823.		S. h.	Jacq. f. ecl. 1. t. 70.
17 armatum. DC.	(wh.) armed.	E. Indies.	1816.		S. h.	
18 nitidum. DC.	(wh.) shining-leaved.	China.	1822.	2. 3.	G. h.	Bot. mag. 2558.
19 sapindoides. DC.	(wh.) Licca-tree.	Jamaica.			G. h.	Br. jam. 207. t. 20. f. 2.
<i>Sapindus spinosus. L.</i>						
SPIRANTHERA. DC. SPIRANTHERA. Pentandria Monogynia.						
odoratissima. DC.	(bh.) Jasmine-scent'd.	Brazil.	1823.		S. h.	N. et Mart. ac. b. xi. t. 31.
<i>Terpinanthus jasminodorus. Nees.</i>						

Tribus II. CUSPARIÆ. DC.

MONNIE'RA. DC. MONNIE'RA. Monadelphia Diandria.						
trifolia. DC.	(wh.) three-leaved.	Guiana.	1792.	7. 8.	S. ☉.	Aub. gui. 2. t. 293.
TICOREA. DC. TICO'REA. Pentandria Monogynia.						
1 foetida. DC.	(wh.) strong-scented.	Guiana.	1825.		S. h.	Aubl. gui. 2. t. 277.
2 jasminiflora. DC.	(wh.) Jasmine-fl'd.	Brazil.	1827.		S. h.	N. et Ma. n. ac. b. 11. t. 18.
GALIP'EA. DC. GALIP'EA. Diandria Monogynia.						
trifoliata. DC.	(gr.) three-leaved.	Guiana.	1803.		S. h.	Aub. gui. 2. t. 269.

ORDO LVII.

SIMARUBEÆ. DC. prodr. 1. p. 733.

QUA'SSIA. DC. QU'A'SSIA. Decandria Monogynia. L.						
amara. DC.	(re.) bitter.	Guiana.	1790.	6. 7.	S. h.	Bot. mag. 497.
SIMAR'UBA. DC. SIMAR'UBA. Monœcia Decandria.						
1 officinalis. DC.	(wh.) officinal.	Guiana.	1787.		S. h.	Aub. gui. 2. t. 331-2.
<i>Quassia Simaruba. L. Simaruba amara. Aub.</i>						
2 glauca. DC.	(wh.) glaucous-leav'd.	Cuba.	1824.		S. h.	
3 excelsa. DC.	(wh.) tall.	Jamaica.	1822.		S. h.	Sw. act. holm. 1788. t. 8.
<i>Quassia excelsa. Sw.</i>						
SIM'ABA. DC. SIM'ABA. Decandria Monogynia.						
guianensis. DC.	(wh.) Guiana.	Guiana.	1822.		S. h.	Aub. gui. 1. t. 153.
<i>Zingera amara. W.</i>						

ORDO LVIII.

OCHNACEÆ. DC. prodr. 1. p. 735.

O'CHNA. DC. O'CHNA. Polyandria Monogynia. L.						
1 squarrosa. R. C.	(ye.) blunt-leaved.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 89.
2 lucida. DC.	(pu.) acute-leaved.	————	1818.	—	S. h.	Lam. ill. t. 472. f. 1.
3 nitida. DC.	(wh.) shining.	C. B. S.	1816.		S. h.	DC. ann. m. 17. n. 3. t. 2.
4 multiflora. DC.	(ye.) many-flowered.	Sierra Leon.	1822.		S. h.	— n. 4. t. 3.
5 mauritiana. DC.	(ye.) Mauritius.	Mauritius.	—		S. h.	— n. 8. t. 5.
6 atropurpurea. DC.	(ye.) purple-calyxed.	C. B. S.	1816.		S. h.	Pluk. alm. t. 263. f. 1. 2.

GO'MPHIA. DC.	GO'MPHIA.	Decandria Monogynia.	W.			
1 obtusifolia. DC. (ye.)	blunt-leaved.	Madagascar.	1803.		S. h.	DC. ann. mus. n. 4. t. 8.
<i>Ochna lævigata</i> . Vahl.						
2 guianensis. DC. (ye.)	Guiana.	Guiana.	1825.		S. h.	DC. ann. mus. n. 7. t. 9.
3 Jabotapita. DC. (ye.)	spear-leaved.	W. Indies.	1818.		S. h.	Lam. ill. 472. f. 2.
4 nitida. DC. (ye.)	glossy-leaved.	————	1803.		S. h.	DC. an. mus. n. 13. t. 13.
5 laurifolia. DC. (ye.)	laurel-leaved.	————	1822.	...	S. h.	———— n. 15. t. 15.
6 mexicana. DC. (ye.)	Mexican.	Mexico.	1825.		G. h.	H. et B. pl. æq. 2. t. 74.
WALK'ERA. DC.	WALK'ERA.	Pentandria Monogynia.				
serrata. DC. (ye.)	saw-leaved.	E. Indies.	1824.		S. h.	Rheed. mal. 5. t. 48.

ORDO LIX.

CORIARIEÆ. DC. prodr. 1. p. 739.

CORFARIA. DC.	CORFARIA.	Mono-Diœcia Decandria.				
1 myrtifolia. DC. (gr.)	Myrtle-leaved.	S. Europe.	1629.	5. 8.	H. h.	Duham. arb. 1. t. 73.
2 sarmentosa. DC. (gr.)	sarmentose.	N. Zealand.	1820.	7. 9.	G. 4.	Bot. mag. 2470.

** SUBCLASSIS II. CALYCIFLORÆ.

ORDO LX.

CELASTRINEÆ. Brown gen. rem. p. 22.

Tribus I. STAPHYLEACEÆ. DC. prodr. 2. p. 2.

STAPHYLEA. DC.	BLADDER-NUT.	Pentandria Trigynia.	L.			
1 trifolia. DC. (wh.)	three-leaved.	N. America.	1640.	5. 6.	H. h.	Schmidt. arb. t. 80.
2 Bumalda. DC. (wh.)	Japan.	Japan.	1804.	6. 9.	G. h.	
<i>Bumalda trifolia</i> . Th.						
3 pinnata. DC. (wh.)	five-leaved.	England.		4. 6.	H. h.	Eng. bot. 1560.
TURPINIA. DC.	TURPINIA.	Polygamia Diœcia.	DC.			
paniculata. DC. (wh.)	panicled.	W. Indies.	1826.		S. h.	Vent. choix. t. 31.
<i>Dalrymplea domingensis</i> . s.s.						
DALRYMPLEA. R.C.	DALRYMPLEA.	Pentandria Monogynia.	F.I.			
ponifera. R.C. (wh.)	Apple-bearing.	E. Indies.	1823.		S. h.	Roxb. corom. 3. t. 279.
<i>Turpinia ponifera</i> . DC.						

Tribus II. EUONYMEÆ. DC.

EUONYMUS. DC.	SPINDLE-TREE.	Pentandria Monogynia.	L.			
1 japonicus. DC. (wh.)	Japan	Japan.	1804.	6. 8.	G. h.	Kæmpf. ic. t. 8.
2 europæus. DC. (wh.)	common.	Britain.		5. 7.	H. h.	Eng. bot. 362.
3 verrucosus. DC. (pu.)	warted.	Austria.	1763.	5. 6.	H. h.	Schmidt arb. t. 72.
4 latifolius. DC. (gr.)	broad-leaved.	S. Europe.	1730.	5. 7.	H. h.	———— t. 74.
5 atropurpureus. DC. (d. pu.)	dark-purple.	N. America.	1756.	—	H. h.	Jacq. vind. 2. t. 120.
6 americanus. DC. (st.)	evergreen.	————	1683.	6. 7.	H. h.	Schmidt arb. t. 75.
7 sarmentosus. N. (st.)	sarmentose.	————	1823.	—	H. h.	
8 obovatus. N. (gr.)	obovate-leaved.	————	—	—	H. h.	

9	angustifolius. DC. (st.)	narrow-leaved.	Georgia.	1806.	—	H. h.	
10	lucidus. D.P. (wh.)	shining-leaved.	Nepaul.	1820.	6. 7.	H. h.	
11	micranthus. D.P. (wh.)	small-flowered.	—	—	...	H. h.	
12	chinensis. DC. (wh.)	Chinese.	China.	1822.	5. 6.	H. h. ∪.	
13	lacerus. D.P. (wh.)	torn.	Nepaul.	1820.	6. 7.	H. h.	
14	grandiflorus. F.I. (wh.)	large-flowered.	—	1823.	—	H. h.	
15	echinatus. F.I. (st.)	spinous-fruited.	—	—	4. 5.	H. h. ∪.	Bot. mag. 2767.
CELASTRUS. DC. STAFF-TREE. Pentandria Monogynia. L.							
1	oleoides. DC. (wh.)	Olive-leaved.	C. B. S.	1823.	5. 6.	G. h.	
2	pterocarpus. DC. (wh.)	wing-capsuled.	—	1816.	5. 8.	G. h.	Burm. afr. t. 97. f. 1.
3	rostratus. DC. (wh.)	beaked.	—	1821.	—	G. h.	
4	tricuspidatus. DC. (wh.)	three-pointed.	—	1816.	5. 6.	G. h.	Buchoz. dec. 6. t. 3.
<i>Cassine lævigata</i> . Lam. 'Olea capensis. Buchoz.							
5	lucidus. DC. (wh.)	shining.	C. B. S.	1722.	4. 9.	G. h.	L'Her. stirp. 1. t. 25.
6	macrocarpus. DC. (wh.)	large-capsuled.	Peru.	1826.	...	G. h.	Flor. per. 3. t. 230. f. 1.
7	bullatus. DC. (wh.)	scarlet-fruited.	Virginia.	1759.	7.	H. h. ∪.	Pluk. alm. t. 28. f. 5.
8	scandens. DC. (wh.)	climbing.	N. America.	1736.	5. 6.	H. h. ∪.	Duham. arb. 1. t. 95.
9	punctatus. DC. (wh.)	spotted-stalked.	Japan.	1816.	...	G. h. ∪.	
10	nutans. F.I. (wh.)	drooping-fl.	E. Indies.	1824.	...	S. h. ∪.	
11	cassinoïdes. DC. (wh.)	crenated.	Canaries.	1779.	8. 9.	G. h.	L'Her. sert. ang. t. 11.
12	lycioïdes. DC. (wh.)	Box-thorn-like.	—	1821.	—	G. h.	
13	cernuus. DC. (wh.)	drooping.	C. B. S.	1815.	5. 6.	G. h.	
14	myrtifolius. DC. (wh.)	Myrtle-leaved.	Jamaica.	...	6. 8.	S. h.	Sloan. jam. 2. t. 193. f. 1.
15	tetragonus. DC. (wh.)	four-sided.	C. B. S.	1816.	—	G. h.	
16	ilicifolius. DC. (wh.)	Holly-leaved.	Brazil.	1824.	...	S. h.	
17	ilicinus. DC. (wh.)	Ilex-like.	C. B. S.	1816.	5. 8.	G. h.	
18	retusus. DC. (wh.)	notched.	Peru.	1823.	—	G. h.	Flor. per. 3. t. 229. f. 1.
<i>emarginatus</i> . F.P. non w.							
19	linearis. DC. (wh.)	linear-leaved.	C. B. S.	1823.	5. 8.	G. h.	
20	emarginatus. DC. (st.)	emarginate.	E. Indies.	1820.	...	S. h.	
21	buxifolius. DC. (wh.)	Box-leaved.	C. B. S.	1752.	5. 8.	G. h.	Bot. mag. 2114.
22	cymosus. B.M. (wh.)	cyme-flowered.	—	1815.	6. 8.	G. h.	— t. 2070.
23	multiflorus. DC. (wh.)	many-flowered.	—	1816.	5. 8.	G. h.	
24	pyracanthus. DC. (wh.)	red-fruited.	—	1752.	—	G. h.	Bot. mag. 1167.
25	flexuosus. DC. (wh.)	flexuose.	—	1816.	—	G. h.	
26	montanus. DC. (wh.)	mountain.	E. Indies.	1824.	...	S. h.	
PLECTRONIA. W. PLECTRONIA. Pentandria Monogynia.							
	ventosa. W. (wh.)	corymbed.	C. B. S.	1816.	...	G. h.	Burm. afr. t. 91?
<i>corymbosa</i> . P.S. <i>Celastrus?</i> <i>Plectronia</i> . DC.							
MAYTENUS. DC. MAYTENUS. Pentandria Monogynia.							
1	octogonus. DC. (gr.)	angular-leaved.	Peru.	1786.	10. 11.	G. h.	
<i>Celastrus octogonus</i> . W. <i>Senecia octogona</i> . Lam.							
2	chilensis. DC. (re.)	Chile.	Chile.	1824.	...	G. h.	Feuill. obs. 3. t. 27.
3	verticillatus. DC. (gr.)	whorled.	Peru.	1823.	9. 11.	G. h.	Flor. per. 3. t. 229. B.
ELÆODENDRON. DC. OLIVE-WOOD. Pentandria Monogynia.							
1	orientale. DC. (wh.)	taper-leaved.	Madagascar.	1771.	...	S. h.	Jacq. ic. 1. t. 48.
<i>indicum</i> . Gært. fruct. 1. t. 57. <i>Rubéntia olivina</i> . J.							
2	glaucum. DC. (st.)	glaucous.	Ceylon.	1823.	...	S. h.	Rottb. n. a. hav. 2. t. 4. f. 1.
3	xylocarpum. DC. (wh.)	leathery-leaved.	Antilles.	1816.	7. 8.	S. h.	Vent. choix. t. 23.
<i>Cassine xylocarpa</i> . Vent.							
4	australe. DC. (wh.)	thick-leaved.	N. S. W.	1796.	6. 8.	G. h.	Vent. malm. t. 117.
<i>Portenschlágia australis</i> . Tratt. arch. t. 250. <i>Lamarckia dentata</i> . Hort.							
5	integrifolium. (wh.)	entire-leaved.	N. S. W.	—	—	G. h.	Tratt. arch. t. 284.
<i>Portenschlágia integrifolia</i> . Tratt.							
6?	crœceum. DC. (wh.)	Cape Holly.	C. B. S.	1794.	5. 6.	G. h.	
<i>Ilex crœcea</i> . W.							
PTELIDIMUM. DC. PTELIDIMUM. Tetrandria Monogynia.							
	ovatum. DC. (gr.)	oval-leaved.	Madagascar.	1825.	...	S. h.	Pet. Th. veg. afr. 1. t. 2.

Tribus III. AQUIFOLIACEÆ. DC. prod. 2. p. 11.

CASSINE. DC. CASSINE. Pentandria Trigynia. L.							
1	Maurocœnia. DC. (wh.)	Hottentot-cherry.	C. B. S.	1690.	7. 8.	G. h.	Dill. elt. t. 121. f. 147.
2	capensis. DC. (wh.)	Cape Phillyrea.	—	1629.	—	G. h.	— t. 236. f. 305.
3	Colpoön. W. (wh.)	Colpoön-tree.	—	1791.	—	G. h.	Burm. afr. t. 86.

4	Barbara. R.S.	(wh.)	quadrangular.	C. B. S.	1816.	—	G.	h.	
5	æthiopia. R.S.	(wh.)	Ethiopian.	—		—	G.	h.	
6	oppositifolia. DC.	(wh.)	opposite-leaved.				S.	h.	
7	excelsa. F.L.	(wh.)	tall.	Nepaul.	1823.		G.	h.	
HARTOGIA. DC. HARTOGIA. Tetrandria Monogynia.									
	capensis. DC.	(wh.)	Cape.	C. B. S.	1816.		G.	h.	Thunb. n. gen. 5. p. 55. ic.
	<i>Schrebera schinoides.</i> Th. prodr. t. 2. <i>Elæodendron schinoides.</i> s.s.								
CURTISIA. DC. CURTISIA. Tetrandria Monogynia.									
	regina. DC.	(wh.)	Hassagay-tree.	C. B. S.	1775.		G.	h.	Burm. afr. 235. t. 82.
MYGINDA. DC. MYGINDA. Tetrandria Tetragynia.									
1	Uragoga. DC.	(pu.)	saw-leaved.	S. America.	1790.	8. 9.	S.	h.	Jacq. amer. 24. t. 16.
2	myrtifolia. DC.	(wh.)	Myrtle-leaved.	N. America.	1818.	5. 8.	H.	h.	
	<i>Ilex myrsinites.</i> Ph.								
3	Rhacoma. DC.	(re.)	blunt-leaved.	Jamaica.	1798.		S.	h.	Jacq. ic. 2. t. 311.
4	latifolia. DC.	(wh.)	broad-leaved.	W. Indies.	1795.	4. 5.	S.	h.	
ILEX. DC. HOLLY. Tetrandria Tetragynia. L.									
1	Aquifolium. DC.	(wh.)	common.	Britain.		4. 6.	H.	h.	Eng. bot. 496.
5	heterophylla.	(wh.)	various-leaved.	—		—	H.	h.	
7	crassifolia.	(wh.)	thick-leaved.	—		—	H.	h.	
8	ferox.	(wh.)	hedgehog.	—		—	H.	h.	
8	echinata.	(wh.)	striped hedgehog.	—		—	H.	h.	
2	flava.	(wh.)	yellow-berried.	—		—	H.	h.	
9	senescens.	(wh.)	spineless.	—		—	H.	h.	
5	albo-marginata.	(w.)	white-edged.	—		—	H.	h.	
1	aurco-marginata.	(w.)	gold-edged.	—		—	H.	h.	
8	picta.	(wh.)	painted.	—		—	H.	h.	
2	recurva. L. en.	(wh.)	recurved-spined.			—	H.	h.	
3	baleàrica. DC.	(wh.)	Minorca.	Minorca.	1815.	5. 6.	H.	h.	
4	Perado. DC.	(bh.)	thick-leaved.	Madeira.	1760.	4. 5.	F.	h.	Lodd. bot. cab. 549.
3	obtusa. DC.	(bh.)	blunt-leaved.	—		—	F.	h.	Duham. ed. nov. 1. t. 2.
5	canariensis. DC.	(wh.)	Canary.	Canaries.	1818.	5. 6.	F.	h.	
6	opaca. DC.	(wh.)	Carolina.	Carolina.	1744.	—	F.	h.	Wats. dend. brit. t. 3.
7	laxiflora. DC.	(wh.)	loose-flowered.	—	1811.	—	F.	h.	
8	chinensis. DC.	(wh.)	Chinese.	China.	1810.	4. 5.	F.	h.	Bot. mag. 2013.
9	Dahoon. DC.	(wh.)	Dahoon.	Carolina.	1726.	5. 6.	F.	h.	Willd. hort. ber. 1. t. 31.
2	laurifolia. DC.	(wh.)	large-leaved.	—		—	F.	h.	Wats. dend. brit. t. 114.
10	Cassine. DC.	(wh.)	Cassine-like.	—	1726.	8.	F.	h.	Catesb. car. 1. t. 31.
11	angustifolia. DC.	(wh.)	narrow-leaved.	N. America.	1806.	5. 6.	F.	h.	Wats. dend. brit. t. 4.
12	venitoria. DC.	(wh.)	South-sea Tea.	Florida.	1700.	6. 7.	F.	h.	Jacq. ic. 2. t. 310.
13	latifolia. DC.	(wh.)	broad-leaved.	Japan.	1824.		F.	h.	
14	serrata. DC.	(wh.)	saw-leaved.	—	—		F.	h.	
15	myrtifolia. DC.	(wh.)	Myrtle-leaved.	W. Indies.	1806.	7. 8.	S.	h.	
16	salicifolia. DC.	(wh.)	Willow-leaved.	Mauritius.	1818.	4. 5.	S.	h.	Jacq. col. 5. t. 2. f. 2.
	<i>Burglaria lucida.</i> Wendl.								
17	Maeoucoua. DC.	(wh.)	acuminate.	Trinidad.	1826.		S.	h.	Aubl. gui. 1. t. 34.
18	paraguariensis. DC.	(w.)	Paraguay Tea.	Brazil.	1823.		S.	h.	Lamb. pin. ic.
PRINOS. DC. WINTER BERRY. Hexandria Monogynia. L.									
1	deciduus. DC.	(wh.)	deciduous.	N. America.	1760.	6. 7.	H.	h.	Wats. dend. brit. 115.
	<i>Ilex prinoïdes.</i> R.S.								
2	ambiguus. DC.	(wh.)	Carolina.	—	1812.	7. 8.	H.	h.	Wats. dend. t. 29.

ORDO LXI.

RHAMNEÆ. DC. prodr. 2. p. 19.

ZIZYPHUS. R.S.		ZIZYPHUS. Pentandria Monogynia. R.S.					
1	Lôtus. R.S. (st.)	Barbary.	Africa.	1731.		G. h.	Desf. act. ac. 1788. t. 21.
2	mucronâta. W.en. (st.)	mucronate.	C. B. S.	1820.		G. h.	
	bubalina. R.S.						
3	sinénsis. R.S. (wh.)	Chinese.	China.	1818.	5. 6.	H. h.	
4	Oenóplia. R.S. (st.)	oblique-leaved.	Ceylon.			S. h.	Burm. zeyl. 131. t. 61.
5	Jujûba. R.S. (st.)	blunt-leaved.	E. Indies.	1759.	4. 5.	S. h.	Rheed mal. 4. t. 41.
6	sorôria. R.S. (ye.)	sister.	— — —	1823.		S. h.	
7	álbens. F.I. (wh.)	white-fruited.	China.	1822.		G. h.	
8	Spîna Christi. R.S. (st.)	Christ's-thorn.	Egypt.		4. 5.	G. h.	Pluk. alm. t. 197. f. 3.
9	Napêca. R.S. (wh.)	spotted-fruited.	Ceylon.	1816.		S. h.	— t. 216. f. 6.
10	vulgâris. R.S. (ye.)	common.	S. Europe.	1640.	8. 9.	H. h.	Pall. ross. 2. t. 59.
11	nítida. F.I. (ye.)	shining.	China.	1822.		G. h.	
12	Xylop'yrus. R.S. (ye.)	cork-barked.	E. Indies.	—		S. h.	
13	Caracútta. F.I. (ye.)	villous-branch'd.	—	1820.		S. h.	
14	microphy'lla. F.I. (ye.)	small-leaved.	—	1824.		S. h.	Pluk. alm. t. 197. f. 2.
15	incúrva. F.I. (gr.)	incurved.	Nepaul.	1820.	5. 6.	F. h.	
16	flexuôsa. F.I. (ye.)	flexuose.	—	—		F. h.	
PALFURUS. DC.		CHRIST'S-THORN. Pentandria Trigynia.					
1	aculeâtus. DC. (ye.)	common.	S. Europe.	1596.	6. 7.	H. h.	Bot. mag. 1893.
	austrâlis. R.S. vulgâris. D.P.	Zizyphus Paliurus. B.M.					
2	virgâtus. DC. (ye.)	twiggy.	Nepaul.	1819.	8. 9.	H. h.	Bot. mag. t. 2535.
COND'ALIA.		COND'ALIA. Pentandria Monogynia.					
	microphy'lla. DC. (gr.)	small-leaved.	Chili.	1824.		G. h.	Cav. ic. 6. t. 525.
BERCH'EMIA. DC.		BERCH'EMIA. Pentandria Monogynia.					
1	volûbilis. DC. (gr.)	climbing.	Carolina.	1714.	6. 7.	H. h. —	Jacq. ic. 2. t. 336.
	Rhâmnus volûbilis. L.	Zizyphus volûbilis. W. Oenophia volubilis. R.S.					
2	lineâta. DC. (wh.)	lined.	China.	1804.		G. h.	Osborn. it. 219. t. 7.
3	floribûnda. Bro. (wh.)	many-flowered.	Nepaul.	1827.		G. h. —	Brong. m. ram. pl. 2. f. 1.
SAGER'ETIA. Bro.		SAGER'ETIA. Pentandria Monogynia.					
1	theèzans. Bro. (gr.)	Tea-like.	China.		9. 12.	G. h.	
	Rhâmnus theèzans. L.						
2	hamôsa. Bro. (gr.)	hook-thorned.	Nepaul.	1826.		G. h. —	
	Zizyphus hamôsa. F.I.						
RHA'MNUS. DC.		BUCKTHORN. Pentandria Monogynia. L.					
1	Alatérnus. DC. (ye.)	Alaternus.	S. Europe.	1629.	4. 6.	H. h.	Duham. ed. nov. 3. t. 14.
	a latifôlius. (ye.)	broad-leaved.	—		—	H. h.	
	β baleàricus. DC. (ye.)	round-leaved.	—		—	H. h.	
	γ hispânicus. DC. (ye.)	Spanish.	—		—	H. h.	
	δ vulgâris. DC. (ye.)	oval saw-leaved.	—		—	H. h.	
	ε glâber. (ye.)	smooth-leaved.	—		—	H. h.	
	ζ integrifôlius. (ye.)	entire-leaved.	—		—	H. h.	
	η maculâtus. (ye.)	spot-leaved.	—		—	H. h.	
	ξ âureus. (ye.)	gold-striped.	—		—	H. h.	
	ι argénteus. (ye.)	silver-striped.	—		—	H. h.	
2	Clûsii. W.en. (gr.)	narrow-leaved.	—	1629.	—	H. h.	Clus. hist. 1. p. 50.
3	hy'bridus. DC. (gr.)	hybrid.	Hybrid.		5. 6.	H. h.	L'Her. sert. t. 5.
4	glandulôsa. DC. (gr.)	Madeira.	Canaries.	1785.	6. 7.	G. h.	Vent. malm. t. 34.
5	integrifôlius. DC. (gr.)	Teneriffe.	—	1820.	—	G. h.	Nees hor. phys. t. 22.
	coriâceus. Nees.						
6	longifôlius. DC. (gr.)	long-leaved.	N. America?	1822.	5. 6.	H. h.	
7	prinoîdes. DC. (gr.)	Prinos-leaved.	C. B. S.	1778.	8. 9.	G. h.	L'Her. sert. ang. t. 9.
8	celtifôlius. DC. (gr.)	Celtis-leaved.	—		—	G. h.	Burm. afr. 242. t. 88.
9	cathárticus. DC. (gr.)	purging.	England.		5. 6.	H. h.	Eng. bot. 1629.
10	virgâtus. DC. (ye.)	slender.	Nepaul.	1819.	4. 5.	H. h.	
11	tinctôrius. DC. (st.)	dying.	Hungary.	1823.	5. 6.	H. h.	Pl. rar. hung. 3. t. 255.
12	infectôrius. DC. (ye.)	yellow-berried.	S. Europe.	1683.	6. 7.	H. h.	Clus. hist. 1. p. 111. ic.
13	saxátilis. DC. (gr.)	rock.	—	1752.	5. 6.	H. h.	Jacq. aust. 1. t. 53.
14	oleoîdes. DC. (gr.)	Olive-leaved.	Spain.	—	6. 7.	H. h.	
15	buxifôlius. DC. (gr.)	Box-leaved.	S. Europe.	1820.	—	H. h.	
16	pubéscens. DC. (gr.)	pubescent.	S. France.	1820.	6. 7.	H. h.	
17	crenulâtus. DC. (gr.)	crenulate.	Teneriffe.	1778.	3. 4.	G. h.	

18	lycioides. DC.	(gr.)	Box-thorn-like.	Spain.	1752.	9. 12.	H. h.	Cavan. ic. 2. t. 182.
	latifolius.	(gr.)	broader-leaved.	—	—	—	H. h.	
19	erythroxylon. DC.	(ye.)	red-wooded.	Siberia.	1822.	4. 5.	H. h.	Pall. ross. 2. t. 62.
20	microphyllus. DC.	(ye.)	small-leaved.	Mexico.	—	—	G. h.	H. et B. n. gen. a. 7. t. 616.
21	pumilus. L.	(bh.)	dwarf.	Europe.	1752.	7.	H. h.	Scop. carn. ed. 2. t. 5.
	rupiæstris. Vill.	(bh.)	small.	Dauphiny.	—	—	H. h.	
22	pusillus. T. P.	(gr.)	little.	Naples.	1825.	—	H. h.	
23	valentinus. W.	(ye.)	Spanish.	Spain.	—	6. 7.	H. h.	Cavan. ic. 2. t. 181.
	pumilus. C. non W.							
24	Wulfenii. s. s.	(ye.)	Wulfen's.	Tergestum.	—	—	H. h.	Jacq. coll. 2. t. 11.
	pumilus. Wulf. non L.							
25	dahuricus. DC.	(gr.)	Dahurian.	Dahuria.	1826.		H. h.	Pall. ross. 2. t. 61.
26	alnifolius. DC.	(gr.)	Alder-leaved.	N. America.	1778.	5. 6.	H. h.	
27	franguloides. R. s.	(gr.)	Frangula-like.	—	—	—	H. h.	
28	Purshianus. DC.	(gr.)	Pursh's.	—	1826.	—	H. h.	
	alnifolius. Ph. nec aliorum.							
29	alpinus. DC.	(ye. pu.)	Alpine.	Switzerland.	1752.	—	H. h.	Lodd. bot. cab. 1077.
30	carolinianus. DC.	(gr.)	Carolina.	N. America.	1824.	5. 7.	H. h.	
31	Frangula. DC.	(gr.)	berry-bearing Alder.	Britain.		4. 5.	H. h.	Eng. bot. 250.
32	latifolius. DC.	(ye.)	broad-leaved.	Azores.	1778.	6. 7.	H. h.	Wats. dend. brit. t. 11.
33	lanceolatus. Ph.	(gr.)	spear-leaved.	N. America.	1812.	4. 5.	H. h.	
34	mystacinus. R. s.	(gr.)	wiry.	Abyssinia.	1775.	11.	S. h.	
35	tetragonus. DC.	(gr.)	square-branch'd.	C. B. S.	1816.	6. 8.	G. h.	Th. act. gor. 1812. c. ic.
SCUTIA. Bro. SCUTIA. Pentandria Monogynia.								
1	indica. Bro.	(wh.)	Indian.	E. Indies.	1824.		S. h.	Gært. fruct. 2. t. 106.
	Rhamnus circumscissus. L.		Ceanothus circumscissus. DC.					
RETANIA. Bro. RETANIA. Pentandria Monogynia.								
	obcordata. Bro.	(ye.)	obcordate-ld.	Peru.	1822.	5. 7.	G. h.	Vent. hort. cels. t. 92.
	Collitia obcordata. V.							
COLLE'TIA. Bro. COLLE'TIA. Pentandria Monogynia.								
1	spinosa. DC.	(ye.)	spiny.	Peru.	1823.		G. h.	Lam. ill. 2. t. 129.
2	serratifolia. DC.	(ye.)	saw-leaved.	—	—	5. 8.	G. h.	Vent. choix. t. 15.
3	pubescens. Bro.	(ye.)	pubescent.	N. Holland.	1824.		G. h.	
HOVENIA. DC. HOVENIA. Pentandria Monogynia.								
1	dulcis. DC.	(gr.)	smooth-leaved.	China.	1812.	4. 6.	G. h.	Lam. ill. t. 131.
	æérba. Bot. reg. 501.							
2	inaequalis. DC.	(gr.)	pubescent-ld.	Nepaul.	1823.		G. h.	
	dulcis. D. P. et F. I. nec aliorum.							
COLUBR'INA. Bro. COLUBR'INA. Pentandria Monogynia.								
1	ferruginosa. Bro.	(st.)	Bahama red-wood.	Bahama.	1726.	6.	S. h.	Jacq. vind. 3. t. 50.
	Rhamnus colubrinus. L.		Ceanothus colubrinus. DC.					
2	reclinata. Bro.	(wh.)	oval-leaved.	Jamaica.	1758.	8.	S. h.	Brown jam. t. 20. f. 2.
	Ceanothus reclinatus. DC.		Rhamnus ellipticus. H. K.					
3	triflora. Bro.	(st.)	three-flowered.	Mexico.	1826.		G. h.	
4	cubensis. Bro.	(st.)	Cuba.	Cuba.	1824.		S. h.	Jacq. vind. 3. t. 49.
5	asiatica. Bro.	(st.)	Asiatic.	Asia.	1691.	7. 8.	S. h.	Cavan. ic. 5. t. 440. f. 1.
	Ceanothus asiaticus. DC.							
CEAN'OTHUS. Bro. CEAN'OTHUS. Pentandria Monogynia. L.								
1	azureus. DC.	(bl.)	blue.	New Spain.	1818.	4. 5.	G. h.	Bot. reg. 291.
	caruleus. Lod. bot. cab. 110. bicolor.			R. s.				
2	tardiflorus. DC.	(wh.)	late-flowering.	N. America.	1812.	9. 10.	H. h.	
3	americanus. DC.	(wh.)	New Jersey Tea.	—	1713.	7. 8.	H. h.	Bot. mag. 1479.
4	ovatus. DC.	(wh.)	smooth-leaved.	—	—	—	H. h.	
5	perennis. DC.	(wh.)	perennial.	—	1822.	6. 7.	H. h.	
6	intermedius. DC.	(wh.)	intermediate.	—	1812.	—	H. h.	
7	collinus. D.	(wh.)	hill.	—	1827.	—	H. h.	
8	sanguineus. DC.	(wh.)	bloody twigged.	—	1812.	5. 7.	H. h.	
9	microphyllus. DC.	(wh.)	small-leaved.	—	1806.	6. 7.	H. h.	
10	buxifolius. DC.	(wh.)	Box-leaved.	Mexico.	1824.	4. 6.	G. h.	H. et B. n. gen. a. 7. t. 615.
11	macrocarpus. DC.	(st.)	large-fruited.	New Spain.	1823.	6. 7.	G. h.	Cavan. ic. 3. t. 276.
12	nepalensis. F. I.	(st.)	Nepaul.	Nepaul.	—	—	H. h.	
WILLEM'ETIA. Bro. WILLEM'ETIA. Pentandria Monogynia.								
	africana. Bro.	(st.)	African.	C. B. S.	1712.	3. 4.	G. h.	Pluk. phyt. 126. f. 1.
	Ceanothus africanus. DC.							
POMADE'RRIS. DC. POMADE'RRIS. Pentandria Monogynia.								
1	globulosa. Bro.	(st.)	round-headed.	N. Holland.	1803.	4. 5.	G. h.	Lab. nov. hol. 1. t. 85.
	Ceanothus globulosus. Lab.							
2	spathulata. Bro.	(st.)	spathulate-leav'd.	—	1824.	—	G. h.	Lab. nov. 1. t. 84.
3	discolor. DC.	(ye.)	two-coloured.	—	1803.	—	G. h.	Swt. fl. auct. t. 41.
	Ceanothus discolor. Vent. malm. t. 58.							

4	intermèdia. DC.	(st.) intermediate.	N. S. W.	1818.	4. 6.	G. h.	
5	acuminàta. L.en.	(wh.) loose-flowered.	N. Holland.	1816.	4. 7.	G. h.	
6	ellíptica. DC.	(ye.) elliptic-leaved.	————	1805.	——	G. h.	Lab. nov. holl. 1. t. 8.
7	lanigera.	(ye.) ferruginous.	————	1806.	——	G. h.	Andr. rep. 569.
	<i>Ceanòthus laniger.</i> A.R.						
8	Símsii.	(st.) Sims's.	N. S. W.	1821.	——	G. h.	Bot. mag. 1823.
	<i>lanigera.</i> Sims bot. mag. non Andr.						
9	viridirúfa. Sieb.	(st.) brown green.	N. S. W.	——	——	G. h.	
10	ledifòlia. F.T.	(ye.) Ledum-leaved.	————	1824.	——	G. h.	
11	andromedafòlia. F.T.	(ye.) Andromeda-ld	————	——	——	G. h.	
12	phylliræoïdes. DC.	(ye.) Phyllirea-leaved.	————	1803.	——	G. h.	
13	apétala. DC.	(br.) petalless.	N. Holland.	——	5. 6.	G. h.	Lab. nov. holl. 1. t. 5.
14	áspera. DC.	(br.) rough.	N. S. W.	1818.	6. 7.	G. h.	
15	ligustrina. DC.	(wh.) Privet-like.	————	1826.	——	G. h.	
16	phylicifòlia. DC.	(wh.) Phyllica-leaved.	N. Holland.	1810.	3. 5.	G. h.	Lodd. bot. cab. 120.
	CRYPTA'NDRA. DC.	CRYPTA'NDRA. Pentandria Monogynia. R.S.					
1	ericifòlia. DC.	(pa.) Heath-leaved.	N. S. W.	1823.	5. 7.	G. h.	Linn. trans. 10 t. 18. f. 1.
2	amàra. DC.	(pa.) bitter.	————	——	4. 6.	G. h.	—— 10. t. 18. f. 1.
3	spinéseens. DC.	(pa.) spiny.	————	1824.	——	G. h.	
	VENTIL'AGO. DC.	VENTIL'AGO. Pentandria Monogynia. R.S.					
	<i>maderaspatàna.</i> DC. (gr.) Madras.	E. Indies.	1822.		S. h. ∪.		Roxb. corom. 1. t. 76.
	GOUA'NIA. DC.	GOUA'NIA. Polygamia Monœcia. L.					
1	integrifòlia. DC.	 entire-leaved.	S. America?	1824.		S. h. ∪.	
2	domingénsis. DC.	(gr.) Chaw-stick.	W. Indies.	1739.		S. h. ∪.	Jacq. amer. t. 179. f. 4.
3	cordifòlia. DC.	(ye.) heart-leaved.	Brazil.	1822.		S. h. ∪.	
4	tomentosa. DC.	(ye.) woolly-leaved.	W. Indies.	1823.		S. h. ∪.	Gært. f. carp. 3. t. 183. f. 1.
5	mauritiàna. DC.	(br.) rusty.	Mauritius.	——		S. h. ∪.	
6	tiliafòlia. DC.	(gr.) Lime-leaved.	Bourbon.	1810.	4. 6.	S. h. ∪.	
7	leptostàchya. DC.	(gr.) slender-spiked.	E. Indies.	——	——	S. h. ∪.	Roxb. corom. 1. t. 98.
	<i>tiliafòlia.</i> R.C. non Lam.						
8	Retinària. DC.	(gr.) oval-leaved.	Mauritius.	1824.		S. h. ∪.	Gært. fruct. 2. t. 120. f. 4.
	TRICHOCE'PHALUS. Bro.	TRICHOCE'PHALUS. Pentandria Monogynia.					
1	stipulàris. Bro.	(wh.) stipuled.	C. B. S.	1786.	5. 9.	G. h.	Wendl. coll. t. 32.
	<i>Phy'lica stipulàris.</i> DC.						
2	spicàta. Bro.	(wh.) spiked.	—— —	1774.	11. 12.	G. h.	Lam. ill. t. 127. f. 3.
	<i>Phy'lica spicàta.</i> L. non B.M.						
	PHY'LICA. Bro.	PHY'LICA. Pentandria Monogynia. L.					
1	parviflòra. R.S.	(wh.) small-flower'd.	C. B. S.	1790.	4. 7.	G. h.	
2	ericoides. R.S.	(wh.) Heath-leaved.	————	——	9. 4.	G. h.	Bot. mag. 221.
3	glábrata. R.S.	(wh.) smooth-leaved.	————	1820.	3. 5.	G. h.	
4	acerosa. R.S.	(wh.) needle-leaved.	————	1819.	4. 7.	G. h.	Spr. ber. mag. 8. t. 8 f. 2.
5	lanceolata. R.S.	(wh.) spear-leaved.	————	1790.	4. 5.	G. h.	
6	erióphora. R.S.	(wh.) pale-flowered.	————	1774.	11. 3.	G. h.	
7	callòsa. R.S.	(wh.) callous-leaved.	————	——	3. 4.	G. h.	
8	imbérbis. R.S.	(wh.) beardless.	————	1823.	5. 9.	G. h.	Breyn. cent. 18. t. 7.
9	secúnda. R.S.	(wh.) secund.	————	1812.	——	G. h.	
10	? austràlis. L.en.	(wh.) southern.	————	——	3. 5.	G. h.	
11	pùmila. DC.	(wh.) dwarf.	————	1820.	4. 6.	G. h.	
12	bícolor. R.S.	(wh.) two-coloured.	————	1823.	4. 5.	G. h.	
13	spicàta. B.M.	(wh.) close-spiked.	————	——	8. 12.	G. h.	Bot. mag. 2701.
14	hirsùta. R.S.	(wh.) hairy.	————	1820.	5. 9.	G. h.	
15	pínea. R.S.	(wh.) Pine-like.	————	1824.	——	G. h.	
16	villòsa. R.S.	(wh.) villous.	————	1790.	——	G. h.	
17	papillòsa. R.S.	(wh.) papillose.	————	1820.	3. 5.	G. h.	
18	rosmarinifòlia. R.S.	(w.) Rosemary-ld.	————	1815.	5. 8.	G. h.	Lodd. bot. cab. 849.
19	cylíndrica. R.S.	(wh.) cylindrical.	————		4. 8.	G. h.	Wendl. coll. 1. t. 7.
20	excélsa. R.S.	(wh.) tall.	————	1820.	3. 5.	G. h.	—— 3. t. 4.
21	horizontalis. DC.	(wh.) spreading.	————	1800.	6. 8.	G. h.	Spr. ber. mag. 8. f. 7.
	<i>plumòsa.</i> Spr. non L.						
22	squarròsa. DC.	(wh.) squarrose.	————	1820.	3. 5.	G. h.	Lodd. bot. cab. 36.
23	Commelini. R.S.	(wh.) Commelin's.	————	1800.	5. 8.	G. h.	Comm. præl. 63. t. 18.
24	plumòsa. R.S.	(wh.) feathered.	————	1752.	3. 5.	G. h.	Lam. ill. t. 127. f. 4.
25	capitata. R.S.	(wh.) headed.	————	1771.	——	G. h.	Bot. reg. 711.
26	reclinàta. R.S.	(wh.) reclined.	————	1820.	——	G. h.	Wendl. coll. 2. t. 56.
27	pedicellàta. DC.	(wh.) pedicled.	————	——	——	G. h.	
28	atràta. R.S.	(wh.) dark-haired.	————	——	3. 5.	G. h.	
	SOULA'NGIA. Bro.	SOULA'NGIA. Pentandria Monogynia.					
1	axillàris. Bro.	(wh.) axillary-flower'd.	C. B. S.	1812.	5. 6.	G. h.	Spr. ber. mag. 8. t. 8. f. 4.
2	thymifòlia. Bro.	(wh.) Thyme-leaved.	Antarctic.	1824.	——	S. h.	Vent. malm. t. 57.

3	oleifolia. Bro. (wh.) Olive-leaved. C. B. S. 1. 4. G. h. Lodd. bot. cab. t. 323.
	<i>Phytica spicata</i> . Lod. bot. cab. <i>nec aliorum</i> .
4	paniculata. Bro. (wh.) panicle. ——— 1812. 4. 6. G. h.
	<i>Phytica paniculata</i> . DC. <i>myrtifolia</i> . Poir.
5	buxifolia. Bro. (wh.) Box-leaved. ——— 1759. 5. 9. G. h. Lodd. bot. cab. 848.
	<i>Phytica buxifolia</i> . Wend. coll. 1. t. 26.
6	cordata. Bro. (wh.) heart-leaved. ——— 1789. 5. 6. G. h. Comm. præl. 62. t. 12.
7	orientalis. (wh.) oriental. ——— 1820. ——— G. h. Herb. amat. t. 283.
	<i>Phytica orientalis</i> . Herb. amat. t. 283.

† Genera ad Rhamneas accedentia.

SCHÆFFERIA. DC. SCHÆFFERIA. Diœcia Tetrandria.	
frutescens. DC. (wh.) white-flowered. W. Indies. 1793. S. h. Swartz. fl. ind. 1. t. 7. f. A.	
3 buxifolia. DC. (wh.) Box-leaved. ——— S. h. Sloan. hist. 2. t. 209. f. 1.	
OLINIA. DC. OLINIA. Pentandria Monogynia.	
cymosa. DC. (wh.) sweet-scented. C. B. S. 1812. 4. 6. G. h.	
<i>Sideroxylum cymosum</i> . L.	

ORDO LXII.

BRUNIACEÆ. DC. prodr. 2. p. 43.

BERZELIA. Bro. BERZELIA. Pentandria Monogynia.	
1 abrotanoïdes. Bro. (w.) Southernwood-like. C. B. S. 1787. 5. 7. G. h. Wendl. coll. t. 45.	
<i>Brunia abrotanoïdes</i> . Lodd. bot. cab. 355.	
2 lanuginosa. Bro. (wh.) woolly. ——— 1774. 6. 8. G. h. Wendl. coll. 1. t. 11.	
<i>Brunia lanuginosa</i> . DC.	
BRUNIA. R.S. BRUNIA. Pentandria Monogynia. L.	
1 lævis. R.S. (wh.) smooth. C. B. S. 1823. 5. 7. G. h.	
2 nodiflora. R.S. (wh.) imbricated. ——— 1786. 7. 8. G. h. Breyn. cent. 22. t. 10.	
3 densa. R.S. (wh.) black-tipped. ——— 1804. 6. 8. G. h.	
4 comosa. R.S. (wh.) tufted. ——— 1823. ——— G. h.	
5 verticillata. R.S. (wh.) whorled. ——— 1794. ——— G. h.	
6 virgata. Bro. (wh.) twiggy. ——— G. h.	
7 squarrosa. R.S. (wh.) squarrose. ——— 1818. ——— G. h.	
8 alopecuroïdes. R.S. (w.) Fox-tail. ——— 1816. 5. 7. G. h.	
9 laxa. R.S. (wh.) loose-branched. ——— ——— G. h.	
10 plumosa. R.S. (wh.) feathered. ——— 1822. ——— G. h.	
11 superba. R.S. (wh.) superb. ——— 1791. ——— G. h.	
12 fragarioïdes. R.S. (wh.) Strawberry-like. ——— 1794. 5. 7. G. h.	
13 ciliata. R.S. (wh.) fringed. ——— 1812. ——— G. h.	
14 ericoides. R.S. (wh.) Heath-leaved. ——— ——— G. h. Wendl. coll. II. t. 57.	
15 arachnoïdea. R.S. (wh.) cobweb. ——— 1810. ——— G. h. ——— t. 62.	
16 formosa. R.S. (wh.) handsome. ——— 1812. ——— G. h.	
17 macrocéphala. s.s. (w.) large-headed. ——— ——— G. h.	
18 racemosa. Bro. (wh.) clustered. ——— 1790. 5. 9. G. h.	
<i>Phytica racemosa</i> . L.	
19 pinifolia. Bro. (wh.) Pine-leaved. ——— 1789. 5. 6. G. h. Brong. brun. t. 1. f. 2.	
<i>Phytica pinifolia</i> . L.	
20 imbricata. (wh.) imbricated. ——— 1801. 8. 11. G. h.	
<i>Phytica imbricata</i> . Th.	
RASPALIA. Bro. RASPALIA. Pentandria Digynia.	
microphylla. Bro. (w.) small-leaved. C. B. S. 1804. 6. 8. G. h. Brong. brun. t. 3. f. 1.	
<i>Brunia microphylla</i> . Th.	
STA'AVIA. DC. STA'AVIA. Pentandria Monogynia.	
1 radiata. DC. (wh.) rayed. C. B. S. 1787. 5. 6. G. h. Brong. brun. t. 2. f. 2.	
2 glutinosa. DC. (wh.) clammy. ——— 1793. 4. 5. G. h. Lodd. bot. cab. 852.	

3	nûda. Bro.	(wh.)	naked.	C. B. S.	1821.	4. 5.	G. h.	
4	ciliàta. Bro.	(wh.)	fringed.	————	1812.	5. 7.	G. h.	
NEB'ELIA. Neck. NEB'ELIA. Pentandria Digynia.								
1	paleàcea.	(wh.)	chaffy.	C. B. S.	1791.	6. 8.	G. h.	Wendl. coll. t. 21.
	Berárdia. Bro. non p.s.		Brùnia paleàcea. R.S.					
2	aff'inis.	(wh.)	related.	C. B. S.	1816.	——	G. h.	
	Berárdia aff'inis. Bro.							
3	phylicoides.	(wh.)	Phylica-leaved.	————	1822.	——	G. h.	
	Berá'dia phylicoides. Bro.		Brùnia phylicoides. Th.					
LINC'ONIA. L. LINC'ONIA. Pentandria Digynia.								
1	alopeuroídea. L.	(wh.)	Fox-tail.	C. B. S.	1824.	6. 8.	G. h.	Swa.in. ber.m.1810.t.4.
2	thymifòlia. DC.	(wh.)	Thyme-leaved.	————	1825.	——	G. h.	———— p. 86. t. 4.
3	cuspidàta. DC.	(wh.)	cuspidate.	————	——	——	G. h.	—— 1811.p.284.t.7.f.1.
AUDOUINIA. Bro. AUDOUINIA. Pentandria Monogynia.								
	capitàta. Bro.	(wh.)	headed.	C. B. S.	1790.	4. 6.	G. h.	
	Diósma capitàta. DC.							
TITTMANNIA. Bro. TITTMANNIA. Pentandria Monogynia.								
	lateriflòra. Bro.	(wh.)	side-flowering.	C. B. S.	1812.	4. 6.	G. h.	Brong. brun. t. 4. f. 2.
THAMNEA. Bro. THAMNEA. Pentandria Monogynia.								
	uniflòra. Bro.	(wh.)	one-flowered.	C. B. S.	1810.	4. 6.	G. h.	Brong. brun. t. 4. f. 3.

ORDO LXIII.

SAMYDEÆ. DC. prodr. 2. p. 47.

SAMYDA. DC.		SAM'YDA.	Decandria Monogynia.	S.S.		
1	glábrata. DC.	(wh.)	smooth.	Jamaica.	1818.	5. 8. S. h.
2	villòsa. DC.	(wh.)	villous.	————	——	S. h.
3	decúrrens. s.s.	(wh.)	decurrent.	Brazil.	1822.	—— S. h.
4	pubéscens. s.s.	(wh.)	pubescent.	W. Indies.	1793.	—— S. h.
5	serrulàta. DC.	(wh.)	saw-leaved.	————	1723.	7. 8. S. h.
6	spinulòsa. DC.	(wh.)	spiny.	St. Thomas.	1826.	 S. h.
7	macrocárpa. DC.	(wh.)	large-fruited.	Mexico.	——	 S. h.
8	ròsea. B.M.	(ro.)	rose-coloured.	W. Indies.	1793.	6. 7. S. h.
	serrulàta. A.R. 202. nec aliorum.					
9	nítida. DC.	(wh.)	glossy-leaved.	Jamaica.	——	—— S. h.
10	macrophy'lla. DC.	(gr.)	large-leaved.	E. Indies.	1823.	 S. h.
CASE'ARIA. DC.		CASE'ARIA.	Decandria Monogynia.	S.S.		
1	glomeràta. DC.	(wh.)	cluster-flower'd.	E. Indies.	1824.	5. 7. S. h.
2	ovàta. DC.	(gr.)	oval-leaved.	————	——	S. h.
3	ramiflòra. DC.	(wh.)	branch-flower'd.	Guiana.	——	S. h.
4	nítida. DC.	(wh.)	shining.	Carthagena.	——	S. h.
5	sylvéstris. DC.	(wh.)	wood.	Jamaica.	1823.	 S. h.
6	parviflòra. DC.	(wh.)	small-flowered.	W. Indies.	1818.	5. 7. S. h.
7	serrulàta. DC.	(wh.)	serrulate.	————	——	S. h.
8	glábra. H.B.	(wh.)	smooth.	E. Indies.	1820.	—— S. h.
9	hirsùta. DC.	(wh.)	hairy.	W. Indies.	——	 S. h.
10	zizyphoides. K.S.	(wh.)	Zizyphus-like.	Caracas.	1824.	 S. h.
11	argùta. K.S.		sharp-toothed.	Mexico.	——	 S. h.

ORDO LXIV.

HOMALINEÆ. DC. prodr. 2. p. 53.

HOMALIUM. DC.		HOM'ALIUM.	Polyadelphia Polyandria.			
	racemòsum. DC.	(wh.)	racemed.	W. Indies.	1818.	5. 7. S. h.
BLACKWELLIA. DC.		BLACKWE'LLIA.	Dodecandria Pentagynia.			
1	paniculàta. DC.	(wh.)	panicled.	Bourbon.	1818.	5. 7. S. h.

2 glauca. DC.	(wh.) glaucous.	Mauritius.	1823.		S. h.	Vent. choix. t. 55.
3 nepalensis. DC.	(wh.) Nepaul.	Nepaul.	1821.		S. h.	
4 axillaris. DC.	(wh.) axillary-flower'd.	Madagascar.	1823.		S. h.	Lam. ill. t. 412. f. 1.
5 spiralis. DC.	(wh.) spiral.	Pegu.	1820.		S. h.	
6 sagifolia.	(wh.) Beech-leaved.	China.	1824.	5.	G. h.	
ASTRANTHUS. DC.	STAR-FLOWER.	Heptandria Tetragynia.				
cochinensis. (wh.)	Chinese.	China.	1821.	6. 7.	S. h.	Bot. mag. 2659.
ARISTOTELIA. DC.	ARISTOTELIA.	Dodecandria Monogynia.	L.			
Maqui. DC.	(wh.) shining-leaved.	Chile.	1773.	4. 5.	H. h.	Wats. dend. brit. t. 44.

ORDO LXV.

CHAILLETIACEÆ. DC. prodr. 2. p. 57.

CHAILLETIA. DC.	CHAILLETIA.	Pentandria Di-Trigynia.				
1 toxicaria. D.D.	(wh.) poisonous.	Sierra Leone.	1822.		S. h.	
2 erecta. D.D.	(wh.) upright.	—	—		S. h.	

ORDO LXVI.

AQUILARINEÆ. DC. prodr. 2. p. 59.

AQUILARIA. DC.	AQUILARIA.	Decandria Monogynia.				
Agallocha. H.B.	 Aloe-wood.	E. Indies.	1824.		S. h.	

ORDO LXVII.

CASSUVIÆ. R. Brown cong. p. 12.

ANACARDIUM. DC.	CASHEW-NUT.	Enneandria Monogynia.	L.			
1 occidentale. DC. (y.gr.)	common.	India.	1599.		S. h.	Catesb. car. 3. t. 9.
	Cassarium pomiferum.	Lam. ill. 3. t. 322.				
2 dubium. H.B.	(gr.) doubtful.	E. Indies.	1821.		S. h.	
SEMECARPUS. DC.	SEMECARPUS.	Pentandria Trigynia.	L.			
	Anacardium. DC. (y.gr.)	common.	E. Indies.	1820.		S. h.
	a angustifolium. DC. (y.gr.)	long-leaved.	—		S. h.	Rumph. amb. 1. t. 70.
	β cuneifolium. DC. (y.gr.)	wedge-leaved.	—		S. h.	
	γ obtusiusculum. DC. (y.gr.)	broad-leaved.	—		S. h.	Roxb. corom. 1. t. 12.
MANGIFERA. DC.	MANGO-TREE.	Pentandria Monogynia.				
1 indica. DC.	(ye.) common.	E. Indies.	1690.	6. 9.	S. h.	Andr. rep. 425.
2 oppositifolia. F.I.	(ye.) opposite-leaved.	—	1823.		S. h.	
BUCHANANIA. R.C.	BUCHANANIA.	Decandria Monogynia.				
1 latifolia. DC.	(wh.) broad-leaved.	E. Indies.	1820.		S. h.	
2 angustifolia. DC. (wh.)	narrow-leaved.	—	—		S. h.	Roxb. corom. 3. t. 262.
	Mangifera axillaris.	Lam. Cambessèdea. K.S.				
RHUS. R.S.	SUMA'CH.	Pentandria Trigynia.	L.			
1 Coriaria. R.S.	(gr.) Elm-leaved.	S. Europe.	1596.	7.	H. h.	Flor. græc. t. 290.
2 typhina. R.S.	(pu.) Virginian.	N. America.	1629.	7. 8.	H. h.	Wats. dend. t. 17. mas.
	a arborescens. R.S. (pu.)	arborescent.	—	—	H. h.	— t. 18. fem.
	β frutescens. R.S. (pu.)	frutescent.	—	—	H. h.	

3	javànica. R.S.	(wh.)	Java.	Java.	1799.	7. 9.	S. h.	
4	semialàta. R.S.	(wh.)	Service-leaved.	Macao.	1780.	—	G. h.	Murr. com. got. vi. t. 1.
5	viridiflòra. R.S.	(gr.)	green-flowered.	N. America.		7.	H. h.	
6	glàbra. R.S.	(gr.)	smooth.	—	1726.	7. 9.	H. h.	Wats. dend. t. 15.
	<i>a hermaphrodita.</i> DC.	(gr.)	hermaphrodite.	—	—	—	H. h.	Dill. elt. t. 243.
	<i>β dioica.</i> DC.	(gr.)	dioecious.	—	—	—	H. h.	Lam. ill. t. 207. f. 1.
7	élegans. R.S.	(sc.)	scarlet-flowered.	—	—	—	H. h.	Wats. dend. t. 16.
8	Vérnix. R.S.	(gr.)	varnish.	—	1713.	—	H. h.	— t. 19.
9	vernícifera. DC.	(gr.)	Chinese varnish.	China.		—	G. h.	Kæmp. amœn. t. 722.
	<i>Rhus Vernix.</i> Th. non Ph.							
10	A'mela. D.P.	(gr.)	large-leaved.	Nepaul.	1823.		G. h.	
11	Wallichii.	(gr.)	Wallich's.	—	—		G. h.	
	<i>juglandifolia.</i> D.P. non Kth.							
12	fraxinifolia. D.P.	(gr.)	Ash-leaved.	—	—	—	G. h.	
13	acuminàta. DC.	(gr.)	pointed-leaved.	—	—		G. h.	
14	succedànea. R.S.	(gr.)	red Lac.	China.	1768.	6.	G. h.	Kæmp. amœn. t. 795.
15	juglandifolia. K.S.	(gr.)	Walnut-leaved.	S. America.	1826.		G. h.	H. et B. n. ge. a. 7. t. 603. 4.
16	copallina. R.S.	(gr.)	Lentiscus-lea'd.	N. America.	1688.	8. 9.	H. h.	Jacq. schœn. 3. t. 34.
17	alàta. R.S.	(gr.)	winged-leaved.	C. B. S.	1818.		G. h.	
18	pauciflòra. R.S.	(gr.)	few-flowered.	—	—		G. h.	
19	pùmila. R.S.	(gr.)	dwarf poisonous.	N. America.	1806.	7.	H. h.	
20	digitàta. R.S.	(gr.)	fingered.	C. B. S.	1818.		G. h. ~.	
21	oblíqua. R.S.	(gr.)	oblique-leaved.	—	—		G. h.	
22	schinoídes. R.S.	(gr.)	Schinus-like.	Brazil.	1825.		S. h.	
23	pentaphýlla. R.S.	(ye.)	various-leaved.	Barbary.	1816.		G. h.	Desf. atl. 1. t. 77.
24	chinénsis. Mill.	(gr.)	Chinese.	China.	1740.		G. h.	
25	rádicans. DC.	(wh.)	rooting poison-oak.	N. America.	1724.	6. 7.	H. h. ~.	Bot. mag. 1806.
26	Toxicodéndron. DC.	(w.)	poison-oak.	—	1640.	—	H. h. ~.	Schkuhr. hand. 1. t. 82.
27	cirrhiflòra. R.S.	(gr.)	tendrill-flower'd.	C. B. S.	1825.		G. h. ~.	
28	Thunbergiana. R.S.	(gr.)	Thunberg's.	—	1697.	7. 8.	G. h.	
29	gláuca. R.S.	(gr.)	glaucous.	—	1818.	—	G. h.	
30	tridentàta. R.S.	(gr.)	three-toothed.	—	—		G. h. ~.	
31	crenàta. R.S.	(gr.)	crenated.	—		6. 7.	G. h.	
32	dentàta. R.S.	(gr.)	rough-stalked.	—	1798.	—	G. h.	
33	sinuàta. R.S.	(gr.)	sinuated.	—	1818.	—	G. h.	
34	cuneifolia. R.S.	(gr.)	wedge-leaved.	—	1816.	—	G. h.	
35	dimidiàta. R.S.	(gr.)	variable-leaved.	—	—	—	G. h.	
36	dissécta. R.S.	(gr.)	dissected-leaved.	—	—	—	G. h.	
37	incísa. R.S.	(gr.)	cut-leaved.	—	1789.	—	G. h.	
38	tomentòsa. R.S.	(gr.)	woolly-leaved.	—	1691.	—	G. h.	Comm. hort. ams. 1. t. 92.
39	álbida. R.S.	(gr.)	white-barked.	Barbary.	1824.		F. h.	
40	villòsa. R.S.	(gr.)	villous-leaved.	C. B. S.	1714.	7.	G. h.	Pluk. alm. t. 219. f. 8.
41	spicàta. R.S.	(gr.)	spiked.	—	1816.	—	G. h.	
42	pubescens. R.S.	(gr.)	pubescent.	—	—	—	G. h.	
43	atomària. DC.	(gr.)	velvety.	—	1820.	6. 8.	G. h.	Jacq. schœnb. 3. t. 343.
44	parviflòra. DC.	(gr.)	small-flowered.	Nepaul.	1824.		G. h.	
45	mucronàta. R.S.	(gr.)	mucronate.	C. B. S.	1825.		G. h.	
46	viminàlis. R.S.	(gr.)	Willow-leaved.	—	1774.	6. 7.	G. h.	Jacq. schœn. 3. t. 344.
47	eròsa. R.S.	(gr.)	erose-leaved.	—	1816.	—	G. h.	
48	lancea. R.S.	(gr.)	lance-leaved.	—	—	—	G. h.	
49	angustifolia. R.S.	(wh.)	narrow-leaved.	—	1714.	—	G. h.	Pluk. alm. t. 219. f. 6.
50	rosmarinifolia. R.S.	(gr.)	Rosemary-leaved.	—	1800.	—	G. h.	Burm. afr. t. 91. f. 1.
51	undulàta. R.S.	(gr.)	wave-leaved.	—	1818.	—	G. h.	Jacq. schœn. 3. t. 345.
52	lævigàta. R.S.	(gr.)	polished-leaved.	—	1758.	—	G. h.	— 3. t. 345.
	<i>elongata.</i> Jacq.							
53	ellíptica. R.S.	(gr.)	elliptic-leaved.	—	1816.	—	G. h.	
54	pendulina. R.S.	(gr.)	pendulous.	—	—	—	G. h.	
55	lúcida. DC.	(gr.)	shining-leaved.	—	1697.	7. 8.	G. h.	Comm. hort. 1. t. 93.
56	Cavanillesii. DC.	(wh.)	Cavanilles'.	Mexico.		—	G. h.	Cavan. ic. 2. t. 132.
	<i>lucidum.</i> C. I. non DC.							
57	Burmánni. DC.	(gr.)	Burman's.	C. B. S.	1697.	7. 8.	G. h.	Burm. afr. t. 91. f. 2.
	<i>lucidum.</i> a. H. K.							
58	concinna. B.T.	(gr.)	pretty.	—	1816.	—	G. h.	
59	nervosa. R.S.	(gr.)	nerved-leaved.	—		—	G. h.	
60	pyróides. B.T.	(gr.)	Pyrus-like.	—	1816.	—	G. h.	
61	rigida. DC.	(gr.)	rigid.	—		—	G. h.	
62	tridáctylis. B.T.	(gr.)	three-fingered.	—	1816.		G. h.	
63	serráfolia. B.T.	(gr.)	saw-leaved.	—	—	—	G. h.	
64	dioica. DC.	(ye.)	dioecious.	Mogador	1823.	—	F. h.	
	<i>oxyacanthoides.</i> P. S.							

65 oxyacantha. DC.	(ye.) Hawthorn-like.	Magador.	1823.		F. h.	
66 lobata. DC.	(gr.) lobed-leaved.	Teneriffe.	1824.		F. h.	
67 heterophylla. DC.	(gr.) various-leaved.		1816.	6. 8.	F. h.	
68 zizyphina. R.S.	(gr.) Zizyphus-like.	Sicily.	—		G. h.	
69 Cotinus. R.S.	(gr.) Venice.	S. Europe.	1656.	6. 7.	H. h.	Jacq. aust. 3. t. 210.
LOBADIUM. Raf.	LOBADIUM.	Pentandria Trigynia.				
1 aromaticum.	(gr.) aromatic.	N. America.	1772.	5.	H. h.	Turp. ann. mus. 5. t. 30.
	<i>Rhus aromatica</i> . R.S. <i>Schmaltzia aromatica</i> . Desv.					
2 suaveolens.	(gr.) sweet.	N. America.	1759.	—	H. h.	
	<i>Schmaltzia suaveolens</i> . Desv. <i>Rhus suaveolens</i> . R.S.					

ORDO LXVIII.

TEREBINTHACEÆ. *Brown.*

PISTACIA. DC.	PISTACHIA-TREE. Diœcia Pentandria. L.					
1 vera. DC.	(st.) true.	Levant.	1570.	4. 5	H. h.	Duham. ed. nov. 4. t. 17.
Mas. P. trifolia. W.	(st.) male-flowered.	—	—	—	H. h.	Bocc. mus. t. 93.
Fem. P. vera. W.	(gr.) female.	—	—	—	H. h.	Rauw. it. 72. t. 9.
2 reticulata. W.	(st.) netted-leaved.	—	1752.	—	H. h.	
3 Terebinthus. DC.	(st.) turpentine-tree.	S. Europe.	1656.	6. 7.	H. h.	Duham. arb. v. 2. t. 87.
β sphærocarpa. DC.	(st.) round-fruited.	Levant.	—	—	H. h.	J. Bauh. hist. 1. p. 278. ic.
4 atlantica. DC.	(st.) Atlantic.	Barbary.	1790.		G. h.	
5 mexicana. DC.	(st.) Mexican.	Mexico.	1825.		G. h.	H. et B. n. ge. am. 7. t. 608.
6 fagaroides. DC.	(st.) Fagara-like.		—		G. h.	
7 Lentiscus. DC.	(st.) Mastick-tree.	S. Europe.	1664.	5. 6.	H. h.	Bot. mag. 1967.
β massiliensis. Mill.	(st.) narrow-leaved.	—	—	—	H. h.	
ASTRONIUM. DC.	ASTRONIUM. Diœcia Pentandria.					
gravæolens. DC.	(re.) strong-scented.	S. America.	1826.		S. h.	Jacq. amer. t. 181. f. 96.
COMOCLA'DIA. DC.	MAIDEN-PLUM. Triandria Monogynia. L.					
1 ilicifolia. DC.	(pu.) Holly-leaved.	Caribees.	1789.	7. 9.	S. h.	Lam. ill. t. 27. f. 2.
2 dentata. DC.	(pu.) tooth-leaved.	W. Indies.	1790.	—	S. h.	Jacq. amer. t. 173. f. 4.
3 propinqua. DC.	(pu.) related.	Cuba.	1826.	—	S. h.	
4 integrifolia. DC.	(pu.) entire-leaved.	Jamaica.	1778.	—	S. h.	Sloan. his. 2. t. 222. f. 1.
PICRAMNIA. DC.	PICRAMNIA. Diœcia Pentandria. L.					
1 Antidesma. DC.	(st.) Ash-leaved.	Jamaica.	1793.	6. 8.	S. h.	Sloan. his. 2. t. 208. f. 2.
2 pentandra. DC.	(st.) pentandrous.	W. Indies.	1822.	—	S. h.	
SCHINUS. DC.	SCHINUS. Diœcia Decandria. L.					
1 Môle. DC.	(wh.) Mastick-tree.	Peru.	1597.	7. 8.	G. h.	Mill. ic. 2. t. 246.
2 terebinthifolius. DC.	(w.) Terebinthus-ld.	Brazil.	1822.		S. h.	
DUVA'UA. DC.	DUVA'UA. Monœcia Octandria.					
1 dépendens. DC.	(wh.) simple-leaved.	Chile.	1790.	6. 7.	H. h.	Cavan. ic. 3. t. 239.
	<i>Am'gris polygama</i> . S.S. <i>Schinus dépendens</i> . R.K.					
2? dentata. DC.	(wh.) tooth-leaved.	Owhyhee.	1795.	5. 7.	G. h.	Andr. rep. 620.
	<i>Schinus dentata</i> . A.R.					
MA'URIA. K.S.	MA'URIA. Octo-Decandria Monogynia.					
1 simplicifolia. K.S.	(bh.) simple-leaved.	Peru.	1822.		G. h.	H. et B. n. gen. a. 7. t. 695.
2 heterophylla. K.S.	(bh.) various-leaved.	—	—		G. h.	— 7. t. 606.

ORDO LXIX.

AMYRIDEÆ. *Kth. gen. tereb. p. 21.*

A'MYRIS. W.	A'MYRIS. Octandria Monogynia. L.					
1 maritima. DC.	(wh.) sea-side.	Jamaica.	1824.	6. 7.	S. h.	
2 floridana. DC.	(wh.) Florida.	Florida.	1826.	—	G. h.	
3 brasiliensis. S.S.	(wh.) Brazilian.	Brazil.	1822.	—	S. h.	

AMYRIDEÆ.

4	sylvática. DC.	(wh.) wood.	Carthagena.	1793.	6. 7.	S. h.	Jacq. amer. pict. t. 188.
5	Plumiéri. DC.	(wh.) Plumier's.	Antilles.		—	S. h.	Plum. ed. Burm. t. 100.
6	toxífera. DC.	(wh.) poisonous.	W. Indies.	1800.	—	S. h.	Catesb. car. 1. t. 40.
	balsamífera. L.						
7	pinnàta. DC.	(wh.) pinnate.	S. America.	1824.	—	S. h.	H. et B. n.gen. 7. t. 610.
8	Agallòcha. H. B.	(wh.) hill.	E. Indies.	1820.		S. h.	
9	acuminàta. H. B.	(wh.) acuminate.	—	1822.		S. h.	
10	heptaphy'lla. H. B.	(wh.) seven-leaved.	—	—		S. h.	
11	nàna. H. B.	(wh.) dwarf.	—	1824.		S. h.	
12	punctàta. H. B.	(wh.) dotted.	—	1818.		S. h.	

ORDO LXX.

SPONDIACEÆ. Kth. gen. tereb. p. 30.

SPO'NDIAS. DC.	HOG-PLUM.	Decandria	Pentagynia.	L.			
1	Mómbin. L.	(re.) purple-fruited.	W. Indies.	1817.	6. 8.	S. h.	Jacq. amer. t. 88.
	purphæa. DC.	Myrobálanus.	Jacq. non L.				
2	Myrobálanus. L.	(wh.) yellow-fruited.	W. Indies.	1739.	—	S. h.	Sloan. hist. t. 219. f. 1. 2.
	lutea. DC.	Mómbin.	Jacq. non L.				
3	mangífera. DC.		Mango-bearing.	E. Indies.	1818.		S. h.
	Mangífera pinnàta. L.						
4	dúlcis. DC.		Otaheite-apple.	Society Isles.	1793.	6. 8.	S. h.
5	axillàris. H. B.		axillary.	Nepaul.	1824.		S. h.
6	acuminàta. H. B.		taper-pointed.	Malabar.	—		S. h.
POUPA'RTIA. DC.	POUPA'RTIA.	Decandria	Pentagynia.				
	borbònica. DC.	(pu.) Bourbon.	Bourbon.	1824.		S. h.	

ORDO LXXI.

BURSERACEÆ. Kth. gen. tereb. p. 14.

BOSWE'LLIA. DC.	BOSWE'LLIA.	Decandria	Monogynia.				
1	glábra. DC.	(wh.) smooth.	Coromandel.	1824.		S. h.	Roxb. corom. 3. t. 207.
2	hirsùta. DC.	(wh.) hairy.	Amboyna.	—		S. h.	Rumph. amb. 2. t. 51.
3	serràta. DC.	(wh.) Olibanum-tree.	E. Indies.	1816.		S. h.	Asiat. res. 9. p. 377. ic.
ELA'PHRIUM. K. S.	ELA'PHRIUM.	Octandria	Monogynia.				
1	glábrum.	(st.) smooth.	Carthagena.	1818.		S. h.	Jacq. amer. t. 71. f. 4.
	Fagàra Eláphrium. W.						
2	copalliferum. DC.	(st.) pubescent.	Mexico.	1824.		S. h.	Hern. mex. 45. f. 1.
BALSAMODE'NDRON. DC.	BALSAM-TREE.	Octandria	Monogynia.				
	gileadense. DC.	(gr.) blunt-leaved.	Arabia.	1827.		S. h.	Vahl. symb. 1. t. 11.
BURS'ERA. DC.	BURS'ERA.	Polygamia	Diœcia. L.				
1	gummífera. DC.	(wh.) Jamaica Birch.	W. Indies.	1690.		S. h.	Jacq. amer. t. 65.
2	serràta. Rox.	(wh.) saw-leaved.	E. Indies.	1818.		S. h.	
3	simplicifòlia. DC.	(wh.) simple-leaved.	Jamaica.	1824.		S. h.	
COLOPH'ONIA. DC.	COLOPH'ONIA.	Hexandria	Monogynia.				
	mauritiàna. DC.	(pu.) paniced.	Mauritius.	1826.		S. h.	
CAN'ARIUM. DC.	CAN'ARIUM.	Diœcia	Hexandria.				
1	commùne. DC.	(wh.) common.	Moluccas.	1821.		S. h.	Rumph. amb. 2. t. 47.
2	microcárpum. DC.	(w.) small-fruited.	—	1826.		S. h.	— 2. t. 51.
3	Pimèla. DC.	(wh.) Chinese.	China.	1823.		S. h.	Ann. bot. 1. t. 7. f. 2.
GAR'UGA. DC.	GAR'UGA.	Decandria	Monogynia.				
1	pinnàta. DC.	(ye.) winged-leaved.	E. Indies.	1808.		S. h.	Roxb. cor. 3. t. 208.
2	madagascariensis. DC.	(ye.) Madagascar.	Madagascar.	1824.		S. h.	

ORDO LXXII.

PTELEACEÆ. *Kth. gen. tereb. p. 22.*

PTELEA. DC.	SHRUBBY TREFOIL. Tetrandria Monogynia. L.				
trifoliata. DC. (wh.)	three-leaved. N. America. 1704.	6. 7.	H. h.		Schmidt arb. 2. t. 76.
TODD'ALIA. DC.	TODD'ALIA. Pentandria Monogynia. L.				
1 aculeata. DC. (wh.)	prickly. E. Indies. 1790.	6. 8.	S. h.		Rheed. mal. 5. t. 41.
asiatica. R.S. Scopolia aculeata. W.					
2 paniculata. DC. (wh.)	panicled. Mauritius. 1821.		S. h.		Lam. ill. t. 139. f. 2.
inermis. P.S. Scopolia paniculata. S.S.					
CNEORUM. DC.	WIDOW-WAIL. Triandria Monogynia. L.				
1 tricoceum. DC. (ye.)	smooth. S. Europe. 1793.	4. 9.	F. h.		Lam. ill. t. 27.
2 pulverulentum. DC. (y.)	powdered. Teneriffe. 1820.	—	F. h.		Vent. cels. t. 77.
SPATH'ELIA. DC.	SPATH'ELIA. Pentandria Trigynia. L.				
simpléx. DC. (re.)	Sumach-leaved. Jamaica. 1778.	4. 6.	S. h.		Bot. reg. 670.

ORDO LXXIII.

CONNARACEÆ. *R. Brown cong. p. 12.*

CO'NNARUS. L.	CO'NNARUS. Monadelphica Decandria.				
1 paniculatus. H.B. (wh.)	panicled. Chittagong. 1821.		S. h.		
2 nitidus. H.B. (wh.)	glossy. Silhet. —		S. h.		
ROU'REA. Aub.	ROU'REA. Monadelphica Decandria.				
frutescens. Aub. (wh.)	pubescent. Guiana. 1820.		S. h.		Aub. gui. 1. t. 187.
OMPHAL'OBIUM. DC.	OMPHAL'OBIUM. Monadelphica Decandria.				
1 indicum. DC. (wh.)	Indian. E. Indies.		S. h.		Gært. fruct. 1. t. 46.
2 africanum. DC. (wh.)	African. Sierra Leon. 1822.		S. h.		Cav. dis. 7. t. 221.
EURYC'OMA. DC.	EURYC'OMA. Pentandria Monogynia.				
longifolia. DC. (pu.)	long-leaved. E. Indies. 1826.		S. h.		
CNE'STIS. DC.	CNE'STIS. Decandria Monogynia.				
1 glabra. DC. (pu.)	smooth. Mauritius. 1824.		S. h.		Lam. ill. t. 387. f. 1.
2 polyphylla. DC. (pu.)	many-leaved. Madagascar. —		S. h.		— t. 387. f. 2.
3 monadelpa. DC.	monadelphous. E. Indies. 1826.		S. h.		
BRUNE'LLIA. DC.	BRUNE'LLIA. Dodecandria Monogynia.				
inermis. DC.	various-leaved. Peru. 1823.		S. h.		
BRUCEA. DC.	BRUCEA. Diœcia Tetrandria.				
1 ferruginea. W. (st.)	ferruginous. Abyssinia. 1775.	4. 5.	S. h.		Bruce's tr. 5. p. 69. ic.
antidysenterica. DC.					
2 gracilis. DC. (st.)	slender. E. Indies.		S. h.		
3 sumatrana. DC. (pu.)	Sumatra. Sumatra. 1822.	4. 6.	S. h.		
TETRA'DIUM. DC.	TETRA'DIUM. Tetrandria Monogynia.				
trichotomum. DC.	trichotomous. China. 1822.		S. h.		
Brœca trichotoma. S.S.					
AILA'NTHUS. DC.	AILA'NTHUS. Polygamia Monœcia.				
1 glandulosa. DC. (st.)	Chinese. China. 1751.	8.	H. 5.		Wats. dend. brit. t. 101.
2 excelsa. DC. (st.)	Indian. E. Indies. 1800.		S. 5.		Roxb. corom. 1. t. 23.

ORDO LXXIV.

LEGUMINOSÆ. DC. *prodr.* 2. p. 93.

Subordo I. PAPILIONACEÆ. DC. l. c. p. 94.

Tribus I. SOPHOREÆ. DC. l. c. p. 94.

MYROSPE'RMUM. K.S. BALSAM-SEED. Decandria Monogynia.

frutēscens. K.S. (*bh.*) shrubby. Caracas. 1824. S. h₂. H. et B. n. g. 6. t. 570-71

MYROXYLUM. K.S. BALSAM-WOOD. Decandria Monogynia.

1 pubēscens. K.S. (*wh.*) pubescent. Carthageria. 1820. S. h₂. Lamb. cinch. 92. t. 1.2 peruiferum. K.S. (*wh.*) Balsam of Peru. Peru. 1824. S. h₂. Lam. ill. t. 341. f. 1.3 toluiferum. K.S. (*wh.*) Balsam of Tolu. S. America. S. h₂. Woodv. m. bot. 3. t. 193.

S'OPHORA. DC. S'OPHORA. Decandria Monogynia. L.

1 japōnica. DC. (*wh.*) Japanese. Japan. 1753. 8. 9. H. 5. Andr. reposit. 585.β pendula. L.C. (*wh.*) pendulous. H. 5.γ variegata. L.C. (*wh.*) striped-leaved. H. 5.2 chinēnsis. L.C. (*wh.*) Chinese. China. H. 5.3 glāuca. DC. (*pu.*) glaucous. E. Indies. 1818. S. h₂.4 tomentōsa. DC. (*ye.*) downy. 1690. S. h₂. Lam. ill. t. 325. f. 2.5 occidentālis. W. (*ye.*) West Indian. W. Indies. S. h₂. Trew. ehr. t. 59.6 crassifolia. DC. (*ye.*) thick-leaved. Senegal. 1824. S. h₂.7 secundiflōra. DC. (*bl.*) side-flowering. New Spain. 1818. G. h₂. Cavan. ic. 5. t. 401.

Virgilia secundiflōra. C.I. Broussonetia secundiflōra. Ort. dec. 5. t. 7.

8 macrocarpa. DC. (*ye.*) large-podded. Chile. 1822. 4. 5. F. h₂. Lodd. bot. cab. 1125.9 littoralis. DC. (*ye.*) sea-side. Brazil. 1824. S. h₂. Pluk. alm. t. 104. f. 3.10 robūsta. H.B. robust. Silhet. 1820. S. h₂.11 velutina. B.R. velvety. Nepaul. 1824. 6. 7. G. h₂. Bot. reg. 1185.12 flavēscens. DC. (*ye.*) pale-yellow. Siberia. 1785. 5. 7. H. 4.

PSEUDOS'OPHORA. PSEUDOS'OPHORA. Diadelphia Decandria.

1 alopecuroides. DC. (*wh.*) Fox-tail. Levant. 1731. 7. 8. H. 4. Dill. elth. f. 136.2 sericea. N. (*wh.*) silky. Missouri. 1811. 6. 7. H. 4.

Astragalus carndesus. Ph.

EDWA'RDSIA. DC. EDWA'RDSIA. Decandria Monogynia.

1 grandiflōra. DC. (*ye.*) large-flowered. N. Zealand. 1772. 3. 6. F. h₂. Bot. mag. 167.

Sophora tetraptera. B.M.

2 chrysophylla. DC. (*ye.*) golden-leaved. F. h₂. Bot. reg. 738.3 microphylla. DC. (*ye.*) small-leaved. 1772. F. h₂. Bot. mag. 1442.4 minima. L.C. (*ye.*) smallest. 1816. F. h₂.

ORM'OSIA. DC. ORM'OSIA. Decandria Monogynia.

1 dasycarpa. DC. (*pu.*) smooth-leaved. W. Indies. 1793. 6. 7. S. h₂. Linn. trans. 10. t. 26.

Sophora monosperma. Swartz.

2 coccinea. DC. (*pu.*) scarlet-seeded. Guiana. 1826. S. h₂. Linn. trans. 10. t. 25.

VIRG'ILIA. DC. VIRG'ILIA. Decandria Monogynia.

1 capēnsis. DC. (*bh.*) Cape. C. B. S. 1767. 7. 8. G. h₂. Bot. mag. 1590.2 intrusa. H.K. (*ye.*) small-flowered. 1790. 5. 8. G. h₂. t. 2617.

Sophora sylvatica. Burchell.

3 aurea. DC. (*ye.*) golden. Abyssinia. 1777. 7. G. h₂. L'Herit. st. nov. 1. t. 75.4 lutea. DC. (*ye.*) American. N. America. 1812. 6. 7. G. h₂. Mich. fil. arb. 3. t. 3.

MACROTR'OPIS. DC. MACROTR'OPIS. Decandria Monogynia.

1 fœtida. DC. (*wh.*) strong-scented. China. 1822. 4. 5. F. h₂.2 inodora. DC. (*wh.*) scentless. 1824. F. h₂.

ANAG'YRIS. DC. BEAN TREFOIL. Decandria Monogynia. L.

1 fœtida. DC. (*ye.*) strong-scented. Spain. 1570. 4. 5. F. h₂. Lodd. bot. cab. t. 749.β glāuca. DC. (*ye.*) glaucous-leaved. S. Europe. 1824. F. h₂.2 latifolia. DC. (*ye.*) broad-leaved. Teneriffe. 1815. F. h₂.

PIPTA'NTHUS. B.F.G. PIPTA'NTHUS. Decandria Monogynia.

nepalēnsis. B.F.G. (*ye.*) Laburnum ld. Nepaul. 1819. 5. 6. H. h₂. Swt. br. fl. gar. 261.

Thermopsis napaulēnsis. DC. laburnifolia. D.P. Baptisia nepalēnsis. Hook. ex. flor. 131.

THERMO'PSIS. DC. THERMO'PSIS. Decandria Monogynia.

- 1 rhombifolia. DC. (ye.) rhomb-leaved. Louisiana. 1811. 6. 7. H. 4.
Cytisus rhombifolius. Ph.
 2 fabacea. DC. (ye.) Bean-leaved. Kamtschatka. 1824. — H. 4.
 3 lanceolata. DC. (ye.) spear-leaved. Siberia. 1776. — H. 4.
Sophora lupinoides. Pall. astr. t. 89. *Podalyria lupinoides*. B.M.
 4 corgonensis. DC. (ye.) alpine. Altay. 1824. — H. 4.
Sophora alpina. Pall. *Podalyria alpina*. W. enum.

BAPTISIA. DC. BAPTISIA. Decandria Monogynia.

- 1 perfoliata. DC. (ye.) perfoliate. Carolina. 1732. 8. F. 4. Lodd. bot. cab. 1104.
Crotalaria perfoliata. L. *Rafnia perfoliata*. W.
 2 exaltata. B.F.G. (bl.) tall upright. N. America. 1812. 6. 7. H. 4. Swt. br. fl. gar. 97.
 3 auriculata. (bl.) eared. — — — — H. 4.
 4 australis. DC. (bl.) common. — — — — 1758. — H. 4. Bot. mag. 509.
Sophora australis. B.M. *Podalyria australis*. Vent. cels. t. 56.
 5 confusa. (bl.) persistent-bract'd. N. America. 1812. — H. 4.
 6 villosa. DC. (st.) villous. — — — — 1811. — H. 4.
 7 versicolor. B.C. (va.) various-colour'd. — — — — 1824. 6. 8. H. 4. Lodd. bot. cab. 1144.
 8 alba. DC. (wh.) white-flowered. — — — — 1724. 6. 7. H. 4. Bot. mag. 1177.
 9 tinctoria. DC. (ye.) dyer's. — — — — 1759. 7. 8. H. 4. — t. 1099.
Sophora tinctoria. L. *Podalyria tinctoria*. B.M.

CYCLOPIA. DC. CYCLOPIA. Decandria Monogynia.

- 1 genistoides. DC. (ye.) Genista like. C. B. S. 1787. 7. 8. G. 1/2. Bot. mag. 1259.
Ibbetsonia genistoides. B.M. *Gompholobium maculatum*. A.R. 427.
 2 galioides. DC. (ye.) Galium-like. C. B. S. 1818. 7. 8. G. 1/2. Pluk. alm. t. 413. f. 4.
 3 latifolia. DC. (ye.) broad-leaved. — — — — G. 1/2.

PODALY'RIA. DC. PODALY'RIA. Decandria Monogynia.

- 1 Burchellii. DC. (pu.) Burchell's. C. B. S. 1818. 5. 7. G. 1/2.
 2 hirsuta. DC. (pu.) hairy. — — — — 1774. 7. 8. G. 1/2.
 3 cuneifolia. DC. (wh.) wedge-leaved. — — — — 1804. 5. 8. G. 1/2. Vent. cels. t. 99.
 4 oleafolia. P.L. (pu.) Olive-leaved. — — — — G. 1/2. Sal. par. lond. 114.
 5 sericea. DC. (pu.) silky. — — — — 1778. 10. 1. G. 1/2. Bot. mag. 1923.
 6 myrtillifolia. DC. (pu.) Myrtle-leaved. — — — — 1795. 4. 7. G. 1/2.
 7 buxifolia. DC. (pu.) Box-leaved. — — — — 1790. 5. 10. G. 1/2. Bot. reg. 869.
 8 styracifolia. DC. (pu.) Storax-leaved. — — — — 1792. 5. 7. G. 1/2. Bot. mag. 1580.
 9 calyptrata. W. (pu.) one-flowered. — — — — 4. 5. G. 1/2.
 10 coruscans. Rich. (pu.) glittering. — — — — 1822. — G. 1/2.
 11 glauca. DC. (pu.) glaucous-leaved. — — — — G. 1/2. Lam. ill. t. 327. f. 4.
 12 argentea. DC. (li.) silvery-leaved. — — — — 1780. 2. 6. G. 1/2. Sal. par. lond. t. 7.
biflora. Bot. mag. t. 753.
 13 liparioides. DC. (li.) Liparia-like. — — — — 1824. 4. 6. G. 1/2.
 14 subbiflora. DC. (pu.) netted-leaved. — — — — G. 1/2.
 15 cordata. DC. (pu.) heart-leaved. — — — — 1794. 5. 7. G. 1/2.

CHORIZEMA. DC. CHORIZEMA. Decandria Monogynia.

- 1 ilicifolia. DC. (sc.) Holly-leaved. N. Holland. 1803. 3. 10. G. 1/2. Labill. voy. 1. t. 21.
 2 nana. DC. (sc.) dwarf prickly. — — — — G. 1/2. Bot. mag. 1032.
 3 rhombea. DC. (sc.) various-leaved. — — — — 4. 6. G. 1/2. Swt. flor. aust. t. 40.
 4 Henchmanni. B.R. (sc.) Henchmann's. — — — — 1825. 5. 9. G. 1/2. Bot. reg. 986.
 5 platylobioides. DC. (ye.) Platylobium-like. — — — — G. 1/2.

PODOL'OBIMUM. DC. PODOL'OBIMUM. Decandria Monogynia.

- 1 trilobatum. DC. (ye.) three-lobed. N. S. W. 1791. 4. 7. G. 1/2. Bot. mag. 1477.
Chorozema trilobatum. L.T. *Pultenæa ilicifolia* A.R. 320.
 2 staurophyllum. DC. (y.) spiny-leaved. N. S. W. 1821. 3. 5. G. 1/2. Bot. reg. 959.
 3 scandens. DC. (ye.) climbing. — — — — 1825. 4. 6. G. 1/2. —.
Chorozema scandens. L.T.

OXYLOBIMUM. DC. OXYLOBIMUM. Decandria Monogynia.

- 1 obtusifolium. S.F.A. (sc.) blunt-leaved. N. Holland. 1825. 4. 6. G. 1/2. Swt. flor. aust. t. 5.
 2 arborescens. DC. (ye.) arborescent. V. Diem. Isl. 1805. 5. 9. G. 1/2. Bot. reg. 392.
 3 retusum. B.R. (or.) retuse-leaved. N. Holland. 1822. 4. 6. G. 1/2. — t. 913.
 4 ellipticum. DC. (ye.) elliptic-leaved. V. Diem. Isl. 1805. 5. 9. G. 1/2. Lab. nov. hol. 1. t. 135.
 5 cordifolium. DC. (sc.) heart-leaved. N. S. W. 1807. 4. 9. G. 1/2. Andr. rep. 492.
 6 spinosum. DC. (ye.) spiny. N. Holland. 1823. 5. 8. G. 1/2.
 7 Pultenææ. DC. (ye.) wood. N. S. W. — 4. 6. G. 1/2.

CALLISTACHYS. DC. CALLISTACHYS. Decandria Monogynia.

- 1 lanceolata. DC. (ye.) spear-leaved. N. Holland. 1815. 5. 8. G. 1/2. Bot. reg. 216.
 2 ovata. DC. (ye.) oval-leaved. — — — — G. 1/2. Bot. mag. 1925.

BRACHYSEMA. DC. BRACHYSEMA. Decandria Monogynia.

- 1 latifolium. DC. (sc.) broad-leaved. N. Holland. 1803. 4. 7. G. 1/2. — Bot. reg. 118.
 2 undulatum. DC. (ye.) wave-leaved. — — — — 1820. 2. 7. G. 1/2. — t. 642.

GOMPHOL'OBIIUM, DC. GOMPHOL'OBIIUM. Decandria Monogynia.

1	barbigerum. DC.	(ye.)	bearded-flow'd.	N. S. W.	1824.	5. 8.	G. ♀.	
2	grandiflorum. DC.	(ye.)	large-flowered.	————	1803.	3. 9.	G. ♀.	Bot. reg. 484.
3	virgatum. DC.	(ye.)	twiggy.	————	1824.	5. 8.	G. ♀.	
4	latifolium. DC.	(ye.)	broad-leaved.	————	1803.	3. 9.	G. ♀.	Labill. nov. hol. t. 133.
<i>fimbriatum</i> . Sm. ex. bot. t. 58. <i>psoraleæfolium</i> . Sal. par. lond. t. 6.								
5	glaucescens. F.T.	(ye.)	glaucous.	N. S. W.	1821.	4. 6.	G. ♀.	
6	marginatum. DC.	(ye.)	small-flower'd.	N. Holland.	1803.	3. 9.	G. ♀.	
7	pedunculare. DC.	(ye.)	long-stalk'd.	N. S. W.	1825.	4. 7.	G. ♀.	
8	tetrathecoïdes. DC.	(ye.)	Tetratheca-like.	————	————	————	G. ♀.	
9	polymorphum. DC.	(sc.)	variable.	N. Holland.	1803.	3. 8.	G. ♀.	Bot. mag. 1533.
10	tomentosum. DC.	(ye.)	tomentose.	————	————	4. 7.	G. ♀.	Labill. nov. hol. t. 131.
11	glabratum. DC.	(ye.)	smooth.	————	1824.	————	G. ♀.	
12	venustum. DC.	(pu.)	purple-flowered.	————	1803.	————	G. ♀.	
13	pinnatum. DC.	(ye.)	wing-leaved.	N. S. W.	1822.	5. 6.	G. ♂.	

BURTONIA, DC. BURTONIA. Decandria Monogynia.

1	scabra. DC.	(pu.)	rough-leaved.	N. Holland.	1803.	5. 7.	G. ♀.	
2	minor. DC.	(ye.)	hairy-stalked.	N. S. W.	1812.	3. 8.	G. ♀.	
3	sessilifolia. DC.	(ye.)	sessile-leaved.	————	1825.	————	G. ♀.	

JACKSONIA, DC. JACKSONIA. Decandria Monogynia.

1	scoparia. DC.	(ye.)	Broom-like.	N. S. W.	1803.	6. 8.	G. ♀.	Lodd. bot. cab. 427.
2	spinosa. DC.	(ye.)	spiny.	N. Holland.	————	4. 9.	G. ♀.	Labill. nov. hol. t. 130.
3	horrida. DC.	(ye.)	horrid.	————	1825.	————	G. ♀.	
4	furcellata. DC.	(ye.)	forked.	N. S. W.	1822.	4. 6.	G. ♀.	Bonpl. nav. t. 11.
5	reticulata. DC.	(ye.)	netted.	————	————	————	G. ♀.	

Daviesia reticulata. L.T.**VIMINARIA, DC. VIMINARIA. Decandria Monogynia.**

	denudata. DC.	(ye.)	half-naked.	N. S. W.	1789.	6. 9.	G. ♀.	Bot. mag. 1190.
--	---------------	-------	-------------	----------	-------	-------	-------	-----------------

SPHÆROL'OBIIUM, DC. SPHÆROL'OBIIUM. Decandria Monogynia.

1	vimineum. DC.	(ye.)	yellow-flower'd.	N. S. W.	1802.	5. 8.	G. ♀.	Bot. mag. 969.
2	medium. DC.	(re.)	red-flowered.	N. Holland.	1803.	6. 8.	G. ♀.	

AOTUS, DC. AOTUS. Decandria Monogynia.

1	villosa. DC.	(ye.)	villous.	V. Diem. Isl.	1790.	4. 6.	G. ♀.	Bot. mag. 949.
2	virgata. DC.	(ye.)	slender.	N. Holland.	1820.	4. 8.	G. ♀.	

DILLWYNIA, DC. DILLWYNIA. Decandria Monogynia.

1	floribunda. DC.	(ye.)	close-flowered.	N. S. W.	1791.	4. 7.	G. ♀.	Sm. exot. bot. t. 26.
<i>ericifolia</i> . Bot. mag. 1545. <i>nec aliorum</i> .								

2	ericifolia. DC.	(ye.)	Heath-leaved.	————	————	3. 7.	G. ♀.	———— t. 25.
3	juniperina. B.C.	(ye.)	Juniper-leaved.	————	1818.	6. 7.	G. ♀.	Lodd. bot. cab. 401.
4	glaberrima. DC.	(ye.)	smooth.	————	1800.	3. 7.	G. ♀.	Bot. mag. 944.
5	parvifolia. DC.	(ye.)	small-leaved.	————	————	————	G. ♀.	———— t. 1527.
6	acicularis. DC.	(ye.)	needle-leaved.	————	1822.	5. 7.	G. ♀.	
7	rudis. DC.	(ye.)	villous-branched.	————	1812.	————	G. ♀.	
8	teretifolia. Sie.	(ye.)	round-leaved.	————	1825.	————	G. ♀.	
9	hispida. Sie.	(ye.)	hispid.	————	————	————	G. ♀.	
10	tenuifolia. DC.	(ye.)	slender-leaved.	————	1820.	————	G. ♀.	
11	phylicoïdes. F.T.	(ye.)	Phylla-leaved.	————	1824.	5. 8.	G. ♀.	
12	sericea. F.T.	(ye.)	silky.	————	————	————	G. ♀.	
13	cinerascens. DC.	(ye.)	ash-coloured.	V. Diem. Isl.	1818.	6. 7.	G. ♀.	Bot. mag. 2247.

EUTAXIA, DC. EUTAXIA. Decandria Monogynia.

1	myrtifolia. DC.	(ye.)	Myrtle-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Bot. mag. 1274.
---	-----------------	-------	----------------	-------------	-------	-------	-------	-----------------

Dillwynia obovata. B.M.

2	pungens. S.F.A.	(ye.)	pungent-leaved.	————	1825.	6. 8.	G. ♀.	Swt. flor. aust. t. 28.
---	-----------------	-------	-----------------	------	-------	-------	-------	-------------------------

SCLEROTHA'MNUS, DC. SCLEROTHA'MNUS. Decandria Monogynia.

	microphyllus. DC.	(ye.)	small-leaved.	N. Holland.	1803.	5. 6.	G. ♀.	
--	-------------------	-------	---------------	-------------	-------	-------	-------	--

GASTROL'OBIIUM, DC. GASTROL'OBIIUM. Decandria Monogynia.

	bilobum. DC.	(ye.)	two-lobed.	N. Holland.	1803.	3. 5.	G. ♀.	Bot. reg. 411.
--	--------------	-------	------------	-------------	-------	-------	-------	----------------

EUCHILUS, DC. EUCHILUS. Decandria Monogynia.

	obcordatus. DC.	(ye.)	heart-leaved.	N. Holland.	1803.	3. 6.	G. ♀.	Bot. reg. 403.
--	-----------------	-------	---------------	-------------	-------	-------	-------	----------------

PULTEN'ÆA, DC. PULTEN'ÆA. Decandria Monogynia.

1	daphnoïdes. DC.	(ye.)	Daphne-leaved.	N. S. W.	1792.	6. 7.	G. ♀.	Bot. mag. 1394.
2	obcordata. DC.	(ye.)	heart-leaved.	V. Diem. Isl.	1808.	5. 7.	G. ♀.	Andr. rep. t. 574.
3	biloba. DC.	(ye.)	two-lobed.	N. Holland.	1818.	————	G. ♀.	Bot. mag. t. 2091.
4	scabra. H.K.	(y.pu.)	rough-leaved.	N. S. W.	1803.	————	G. ♀.	
5	incurvata. F.T.	(ye.)	incurved-lf.	————	1825.	————	G. ♀.	
6	canescens. F.T.	(ye.)	canescent	————	1821.	4. 7.	G. ♀.	
7	polifolia. F.T.	(ye.)	Poley-leaved.	————	————	————	G. ♀.	
8	argentea. F.T.	(ye.)	silvery.	————	1826.	————	G. ♀.	
9	ferruginea. DC.	(ye.)	ferruginous.	————	1818.	————	G. ♀.	Linn. trans. 11. t. 23.

10	racemulosa. DC.	(ye.) racemed.	N. S. W.	1821.	4. 7.	G. h.	
11	parviflora. DC.	(ye.) small-flowered.	————	1824.	5. 7.	G. h.	
12	procumbens. F.T.	(ye.) procumbent.	————	————	————	G. h.	
13	striata. DC.	(ye.) upright.	————	1803.	4. 6.	G. h.	Bot. mag. 1588.
14	elliptica. DC.	(ye.) elliptic-leaved.	————	1818.	4. 7.	G. h.	Linn. trans. 11. t. 24.
15	plumosa. DC.	(ye.) feathered.	————	1822.	5. 7.	G. h.	
16	thymifolia. DC.	(ye.) Thyme-leaved.	————	————	————	G. h.	
17	hypolampra. DC.	(ye.) whorl-branched.	————	————	————	G. h.	
18	vilifera. DC.	(ye.) wool-bearing.	————	1824.	————	G. h.	
19	polygalifolia. DC.	(ye.) Milkwort-ld.	————	1818.	4. 7.	G. h.	Swt. flor. aust. t. 37.
20	flexilis. DC.	(ye.) fragrant.	————	1801.	4. 6.	G. h.	———— t. 35.
21	euchila. DC.	(ye.) wedge-leaved.	————	1824.	5. 7.	G. h.	
22	retusa. DC.	(ye.) blunt.	————	1789.	4. 5.	G. h.	Bot. reg. 378.
23	capitellata. DC.	(ye.) small-headed.	————	1825.	————	G. h.	
24	linophylla. DC.	(ye.) Flax-leaved.	————	1789.	5. 7.	G. h.	Schrad. s. han. 3. t. 18.
25	microphylla. DC.	(ye.) small-leaved.	————	1823.	————	G. h.	
26	stipularis. DC.	(ye.) scaly.	————	1792.	4. 6.	G. h.	Bot. mag. 475.
27	paleacea. DC.	(ye.) chaffy.	————	1789.	5. 7.	G. h.	Lodd. bot. cab. t. 291.
28	aristata. DC.	(ye.) awned-calyxed.	————	1823.	————	G. h.	
29	echinula. DC.	(ye.) harsh-leaved.	————	————	————	G. h.	
30	vestita. DC.	(ye.) awned.	N. Holland.	1803.	4. 7.	G. h.	
31	candida. B.C.	(ye.) white-leaved.	————	1824.	————	G. h.	Lod. bot. cab. 1236.
32	tenuifolia. DC.	(ye.) slender-leaved.	————	1818.	————	G. h.	Bot. mag. 2086.
33	villosa. DC.	(ye.) villous.	N. S. W.	1790.	4. 5.	G. h.	———— t. 967.
34	pedunculata. B.M.	(ye.) pedunculated.	————	1824.	5. 6.	G. h.	Bot. mag. 2859.
35	eniophora. L.C.	(ye.) wool-bearing.	————	1794.	4. 7.	G. h.	
36	incarnata. M.C.	(fl.) flesh-coloured.	N. Holland.	1824.	————	G. h.	
37	rosmarinifolia. ψ.	(ye.) Rosemary-leav'd.	————	————	————	G. h.	
38	aspera. DC.	(ye.) rough.	N. S. W.	————	5. 8.	G. h.	
39	comosa. DC.	(ye.) tufted.	————	————	————	G. h.	
40	squarrosa. DC.	(ye.) squarrose.	————	————	————	G. h.	
41	phylicoides. DC.	(ye.) Phyllis-like.	————	————	————	G. h.	
DAVIESIA. DC. DAVIESIA. Decandria Monogynia.							
1	latifolia. DC.	(ye.) broad-leaved.	N. S. W.	1803.	5. 8.	G. h.	Bot. mag. 1757.
2	corymbosa. DC.	(ye.) corymb-flower'd.	————	1804.	————	G. h.	
3	mimosoides. H.K.	(ye.) green-leaved.	————	1800.	————	G. h.	Andr. reposit. 526.
	corymbosa. A.R. non Smith.						
4	glauca. B.C.	(ye.) glaucous-leaved.	————	1812.	————	G. h.	Lodd bot. cab. 43.
	mimosoides. Bot. mag. 1957. non H.K.						
5	umbellulata. DC.	(ye.) small-umbelled.	————	1822.	4. 8.	G. h.	
6	incrassata. DC.	(ye.) thick-leaved.	————	1820.	5. 8.	G. h.	
7	acicularis. DC.	(ye.) needle-leaved.	————	1801.	6. 7.	G. h.	
8	ulicina. DC.	(ye.) Furze-like.	N. S. W.	1792.	4. 8.	G. h.	Andr. reposit. 304.
9	pungens. M.C.	(ye.) pungent.	N. Holland.	1825.	————	G. h.	
10	squarrosa. DC.	(ye.) squarrose.	N. S. W.	1822.	5. 7.	G. h.	
11	cordata. DC.	(ye.) heart-leaved.	N. Holland.	1824.	————	G. h.	Bot. reg. 1005.
12	alata. DC.	(ye.) winged.	————	1820.	4. 6.	G. h.	———— t. 728.
MIRBELIA. DC. MIRBELIA. Decandria Monogynia.							
1	reticulata. DC.	(pu.) netted-leaved.	N. S. W.	1792.	5. 8.	G. h.	Bot. mag. 1211.
2	pungens. M.C.	(pu.) pungent-leav'd.	N. Holland.	1824.	————	G. h.	
3	speciosa. DC.	(pu.) beautiful.	N. S. W.	————	————	G. h.	Swt. flor. aust. t. 34.
4	grandiflora. B.M.	(y.re.) large-flowered.	————	1823.	————	G. h.	Bot. mag. 2771.
5	Baxteri. M.C.	 Baxter's.	N. Holland.	1824.		G. h.	
6	dilatata. DC.	(pu.) lobed-leaved.	————	1803.	5. 8.	G. h.	Bot. reg. 1041.

Tribus II. *LOTEÆ*. DC. prodr. 2. p. 115.Subtribus I. *GENISTEÆ*. DC. l. c. 115.

HOVEA. DC. HOVEA. Monadelphia Decandria.							
1	rosmarinifolia. F.T.	(bl.) Rosemary-ld.	N. S. W.	1824.	3. 6.	G. h.	
2	longifolia. DC.	(bl.) long-leaved.	————	1805.	3. 7.	G. h.	Bot. reg. 614.
3	linearis. DC.	(bl.) linear-leaved.	————	1796.	————	G. h.	———— t. 463.
4	lanceolata. DC.	(bl.) spear-leaved.	————	1805.	————	G. h.	Bot. mag. 1624.

5	elliptica. DC.	(bl.) elliptic-leaved.	N. S. W.	1817.	3. 7.	G. h.	
	<i>Poirétia elliptica.</i>	L.T.					
6	purpurea. S.F.A.	(pu.) purple-flowered.	————	1821.	2. 5.	G. h.	Swt. flor. aust. t. 13.
7	latifolia. DC.	(bl.) broad-leaved.	————	1817.	3. 6.	G. h.	Lodd. bot. cab. 39.
8	Celsi. DC.	(bl.) Cels's.	N. Holland.	1818.	3. 7.	G. h.	Bot. reg. 280.
PLAGIOL'OBIIUM. S.F.A. PLAGIOL'OBIIUM. Diadelphia Decandria.							
1	chorizemæfolium. S.F.A.	(bl.) Chorizema-ld.	N. Holland.	1824.	2. 5.	G. h.	Swt. flor. aust. t. 2.
2	ilicifolium. S.F.A.	(bl.) Holly-leaved.	————	1827.	—	G. h.	———— t. 2. f. 10-11.
PLATYLOBIUM. DC. FLAT-PEA. Monadelphia Decandria.							
1	formosum. DC.	(ye.) large-flowered.	N. S. W.	1790.	6. 8.	G. h.	Bot. mag. 469.
2	parviflorum. DC.	(ye.) smaller-flower'd.	————	1792.	5. 9.	G. h.	———— t. 1520.
3	ovatum. DC.	(ye.) oval-leaved.	————	1820.	5. 7.	G. h.	
4	triangulare. DC.	(ye.) triangular-ld.	V. Diem. Isl.	1805.	5. 9.	G. h.	Bot. mag. 1508.
BOSSIÆA. DC. BOSSIÆA. Monadelphia Decandria.							
1	scolopendria. DC.	(ye.) Plank-plant.	N. S. W.	1792.	5. 7.	G. h.	Vent. malm. 55.
	<i>Platylòbium Scolopendrium.</i>	Andr. rep. 191.					
2	ensata. DC.	(ye.) sword-stemmed.	N. S. W.	1822.	—	G. h.	Swt. flor. aust. t. 51.
	<i>rufa.</i>	Lod. bot. cab. 1119. non DC.					
3	rufa. DC.	(re.) red-flowered.	N. Holland.	1803.	6. 9.	G. h.	
4	linophylla. DC.	(ye.) narrow-leaved.	————	—	7. 9.	G. h.	Bot. mag. 2491.
5	heterophylla. DC.	(ye.) various-leaved.	N. S. W.	1792.	4. 12.	G. h.	Vent. cels. t. 7.
	<i>lanceolata.</i>	B.M. 1144. <i>Platylòbium lanceolatum et ovatum.</i>	A.R. 205 et 276.				
6	rotundifolia. DC.	(ye.) round-leaved.	N. S. W.	1822.	5. 7.	G. h.	
7	rhombifolia. DC.	(ye.) rhomb-leaved.	————	—	4. 6.	G. h.	Swt. flor. aust. t. 9.
	<i>lenticularis.</i>	Lod. bot. cab. 1238. non DC.					
8	microphylla. DC.	(ye.) small-leaved.	————	1803.	5. 7.	G. h.	Lodd. bot. cab. t. 656.
9	lenticularis. DC.	(ye.) orbicular-leaved.	————	1822.	—	G. h.	
10	foliosa. F.T.	(ye.) leafy.	————	1823.	4. 7.	G. h.	
11	buxifolia. F.T.	(ye.) Box-leaved.	————	—	—	G. h.	
12	prostrata. DC.	(ye.) prostrate.	————	1803.	—	G. h.	Bot. mag. 1493.
13	cordifolia. S.F.A.	(y.pu.) heart-leaved.	N. Holland.	1821.	—	G. h.	Swt. flor. aust. t. 20.
14	cinerea. DC.	(y.pu.) sharp-leaved.	V. Diem. Isl.	1803.	5. 7.	G. h.	Bot. reg. 306.
GO'ODIA. DC. GO'ODIA. Monadelphia Decandria.							
1	lotifolia. DC.	(ye.) Lotus-leaved.	V. Diem. Isl.	1793.	4. 7.	G. h.	Sal. par. lond. 41.
2	subpubescens.	(ye.) hairy-leaved.	————	1812.	—	G. h.	
3	pubescens. DC.	(y.pu.) downy.	————	1805.	—	G. h.	Bot. mag. 1310.
4	retusa. M.C.	(ye.) retuse-leaved.	N. Holland.	1824.	—	G. h.	
TEPHROTHA'MNUS. TEPHROTHA'MNUS. Monadelphia Decandria.							
	tomentosus.	(ye.) woolly.	C. B. S.	1798.	7. 8.	G. h.	And. rep. 237.
	<i>Cytisus tomentosus.</i>	A.R. <i>Goodia? polysperma.</i>	DC.				
SCO'TTIA. H.K. SCO'TTIA. Monadelphia Decandria.							
1	dentata. DC.	(sc.) broad-leaved.	N. Holland.	1803.	1. 6.	G. h.	
2	trapeziformis. M.C.	trapeziform.	————	1825.		G. h.	
3	angustifolia. M.C.	(br.) narrow-leaved.	————	—	1. 6.	G. h.	
TEMPLET'ONIA. DC. TEMPLET'ONIA. Monadelphia Decandria.							
1	retusa. DC.	(sc.) green-leaved.	N. Holland.	1803.	3. 7.	G. h.	Bot. reg. 383.
2	glauca. DC.	(sc.) glaucous-leaved.	————	—	—	G. h.	Bot. mag. 2088.
RA'FNIA. DC. RA'FNIA. Monadelphia Decandria.							
1	cordata. DC.	(ye.) heart-leaved.	C. B. S.	1821.	5. 7.	G. h.	
2	elliptica. DC.	(ye.) elliptic-leaved.	————	1816.	—	G. h.	
3	cuneifolia. DC.	(y.pu.) wedge-leaved.	————	1820.	—	G. h.	
4	triflora. DC.	(ye.) three-flowered.	————	1786.	—	G. h.	Bot. mag. 482.
	<i>Crotalaria triflora.</i>	L. <i>Borbônia cordata.</i>	And. rep. t. 31. nec aliorum.				
5	lancea. DC.	(ye.) lance-leaved.	C. B. S.	1816.	5. 7.	G. h.	Th. ac. holm. 1800. t. 4.
	<i>Edmánnia lancea.</i>	Th.					
6	opposita. DC.	(ye.) opposite-leaved.	————	1825.	—	G. h.	
7	angulata. DC.	(ye.) angular-stalked.	————	1816.	—	G. h.	
8	filifolia. DC.	(ye.) narrow-leaved.	————	—	—	G. h.	
VASC'OA. DC. VASC'OA. Monadelphia Decandria.							
1	amplexicaulis. DC.	(ye.) stem-clasping.	C. B. S.	1812.	6. 7.	G. h.	
	<i>Crotalaria amplexicaulis.</i>	L. <i>Ráfnia amplexicaulis.</i>	Th.				
2	perfoliata. DC.	(ye.) perfoliate.	C. B. S.	1812.	7. 8.	G. h.	Seba. thes. 1. t. 24. f. 5.
	<i>Borbônia perfoliata.</i>	Th. <i>Crotalaria amplexicaulis.</i>	Lam.				
BORB'ONIA. DC. BORB'ONIA. Monadelphia Decandria.							
1	barbata. DC.	(ye.) bearded.	C. B. S.	1816.	6. 8.	G. h.	Lam. ill. t. 610. f. 2.
2	trinervia. DC.	(ye.) three-nerved.	————	1759.	—	G. h.	Pluk. alm. t. 257. f. 4.
3	lanceolata. DC.	(ye.) many-nerved.	————	1752.	—	G. h.	Jacq. schœnb. 2. t. 217.
4	cordata. DC.	(ye.) heart-leaved.	————	1759.	—	G. h.	———— 2. t. 218.
5	ruscifolia. DC.	(ye.) Ruscus-leaved.	————	1816.	—	G. h.	Bot. mag. 2128.

6 parviflora. DC.	(ye.) small-flowered.	C. B. S.	1821.	6. 8.	G. $\frac{1}{2}$.	
7 crenata. DC.	(ye.) notch-leaved.	————	1774.	————	G. $\frac{1}{2}$.	Bot. mag. 274.
8 ciliata. DC.	(ye.) fringed.	————	1816.	————	G. $\frac{1}{2}$.	Houtt. syst. 8. t. 62 f. 2.
ACHYRONIA. DC.	ACHYRONIA.	Diadelphia Decandria.				
villosa. DC.	(ye.) villous.	N. Holland.	1810.	5. 8.	G. $\frac{1}{2}$.	Wendl. hort. her. 1. t. 12.
LIPARIA. DC.	LIPARIA.	Diadelphia Decandria.				
spherica. DC.	(ye.) globe-headed.	C. B. S.	1794.	7. 8.	G. $\frac{1}{2}$.	Bot. mag. 1241.
PRIESTLEYA. DC.	PRIESTLEYA.	Diadelphia Decandria.				
1 myrtifolia. DC.	(ye.) Myrtle-leaved.	C. B. S.	1825.	4. 7.	G. $\frac{1}{2}$.	DC. Leg. mem. t. 29.
2 hirsuta. DC.	(ye.) shaggy-stemmed.	————	1792.	12. 4.	G. $\frac{1}{2}$.	Bot. reg. 8.
Liparia hirsuta. B. R.						
3 lavigata. DC.	(ye.) polished.	————	1799.	7. 8.	G. $\frac{1}{2}$.	DC. Leg. mem. t. 30.
Barbonia lavigata. Lod.	bot. cab. 247.					
4 capitata. DC.	(ye.) headed.	————	1812.	3. 6.	G. $\frac{1}{2}$.	
5 graminifolia. DC.	(ye.) narrow-leaved.	————	1800.	4. 7.	G. $\frac{1}{2}$.	
6 teres. DC.	(ye.) smooth-stalked.	————	1816.	————	G. $\frac{1}{2}$.	
7 ericifolia. DC. (w. pu.)	Heath-leaved.	————	1812.	4. 8.	G. $\frac{1}{2}$.	DC. Leg. mem. t. 31.
8 sericea. DC.	(ye.) silky-leaved.	————	1794.	————	G. $\frac{1}{2}$.	Pluk. t. 388. f. 3.
9 axillaris. DC.	(ye.) axillary-flower'd.	————	1824.	————	G. $\frac{1}{2}$.	DC. Leg. mem. t. 32.
10 elliptica. DC.	(ye.) elliptic-leaved.	————	1816.	————	G. $\frac{1}{2}$.	———— t. 33.
11 villosa. DC.	(ye.) villous-leaved.	————	1774.	————	G. $\frac{1}{2}$.	Seb. thes. 1. t. 24. f. 2.
12 vestita. DC.	(ye.) concave-leaved.	————	1800.	5. 6.	G. $\frac{1}{2}$.	Bot. mag. 2223.
Liparia vestita. B. M.	Liparia villosa. A. R. 382. nec aliorum.					
13 tomentosa. DC.	(ye.) downy.	C. B. S.	1812.	5. 8.	G. $\frac{1}{2}$.	
14 umbellifera. DC.	(ye.) umbel-flowered.	————	1825.	6. 7.	G. $\frac{1}{2}$.	
HA'LLIA. DC.	HA'LLIA.	Monadelphia Decandria.				
1 alata. DC.	(pu.) wing-stalked.	C. B. S.	1818.	6. 8.	G. $\frac{1}{2}$.	
2 filacida. DC.	(pu.) long-leaved.	————	1789.	6. 9.	G. $\frac{1}{2}$.	
3 angustifolia. DC.	(pu.) narrow-leaved.	————	1816.	————	G. $\frac{1}{2}$.	
4 cordata. DC.	(pu.) heart-leaved.	————	1787.	————	G. $\frac{1}{2}$.	Jacq. schœnb. 3. t. 296.
Glycine monophylla. Jacq.	Hedy'sarum cordatum. Th. n. ac. ups.			6. t. 1.		
5 Asarina. DC.	(pu.) Asarum-like.	C. B. S.	1816.	6. 9.	G. $\frac{1}{2}$.	
6 imbricata. DC.	(pu.) imbricated.	————	1812.	————	G. $\frac{1}{2}$.	Bot. mag. 1850. et 2596.
HEYLANDIA. DC.	HEYLANDIA.	Monadelphia Decandria.				
hebecarpa. DC.	(ye.) hairy-podded.	Ceylon.	1820.	6. 8.	S. $\frac{1}{2}$.	DC. Leg. mem. t. 34.
CROTALARIA. DC.	CROTALARIA.	Monadelphia Decandria.				
1 alata. DC.	(st.) winged-stalked.	Nepaul.	1818.	4. 8.	S. $\frac{1}{2}$.	
2 platycarpa. DC.	(ye.) flat-podded.	N. America.	1824.	7. 9.	H. $\odot$.	
3 Purshii. DC.	(ye.) Pursh's.	————	1827.	————	H. $\odot$.	Pluk. alm. t. 277. f. 2.
lavigata. Ph. non Lam.						
4 parviflora. DC.	(ye.) small-flowered.	————	1823.	6. 9.	H. $\odot$.	Pluk. alm. t. 169. f. 6?
5 sagittalis. DC.	(ye.) Virginian.	————	1731.	————	H. $\odot$.	Herm. lugd. p. 203. ic.
6 ovalis. DC.	(ye.) oval-leaved.	————	1827.	————	H. $\odot$.	
7 rubiginosa. DC.	(ye.) rusty.	E. Indies.	1807.	————	S. $\odot$.	
8 verrucosa. DC.	(bl.) blue-flowered.	————	1731.	————	S. $\odot$.	Andr. reposit. 308.
carulea. Jacq. ic. t. 144.	angulosa. Cav. ic. 4. t. 321.					
9 semperflorans. DC.	(ye.) ever-blowing.	E. Indies.	1816.	3. 9.	S. $\frac{1}{2}$.	Vent. hort. cels. t. 17.
10 retusa. DC.	(ye.) wedge-leaved.	————	1731.	5. 9.	S. $\odot$.	Bot. reg. 253.
11 Lechenaultii. DC.	(ye.) Lechenault's.	————	1826.	————	S. $\odot$.	
12 spectabilis. DC.	(pu.) showy.	————	1824.	————	S. $\odot$.	
13 pulcherrima. DC.	(ye.) Mysore.	————	1814.	————	S. $\frac{1}{2}$.	Bot. mag. 2027.
14 bengalensis. DC.	(ye.) Bengal.	————	1806.	————	S. $\odot$.	Pluk. alm. t. 169. f. 5.
15 juncea. DC.	(ye.) rush-stalked.	————	1700.	6. 9.	S. $\odot$.	Bot. mag. 490.
16 tenuifolia. DC.	(ye.) slender-leaved.	————	1818.	————	S. $\odot$.	
17 fenestrata. DC.	(ye.) window-calyxed.	————	1816.	————	S. $\odot$.	Bot. mag. 1933.
18 sericea. DC.	(ye.) silky.	————	1807.	————	S. $\odot$.	
19 tecta. DC.	(ye.) striped-flower'd.	————	1824.	6. 10.	S. $\odot$.	
20 Burmanni. DC.	(ye.) Burmann's.	————	————	————	S. $\odot$.	Burm. ind. t. 48. f. 1.
21 hirsuta. DC.	(ye.) hairy-podded.	————	1823.	————	S. $\odot$.	
22 mysorensis. DC.	(ye.) Mysore.	————	1826.	————	S. $\odot$.	
23 montana. DC.	(ye.) mountain.	————	1816.	————	S. $\frac{1}{2}$.	
24 albida. DC.	(wh.) white-flowered.	————	1824.	————	S. $\odot$.	
25 paniculata. DC.	(ye.) panicled.	————	1807.	6. 8.	S. $\frac{1}{2}$.	
26 pulchra. DC.	(ye.) short-podded.	————	1800.	3. 5.	S. $\frac{1}{2}$.	Andr. reposit. t. 601.
27 Novæ-Hollandiæ. DC.	(pu.) New Holland.	N. Holland.	1820.	6. 8.	S. $\frac{1}{2}$.	Schr. pl. rar. h. mon. t. 88.
28 paulina. DC.	(ye.) St. Paul.	Brazil.	————	7. 9.	S. $\frac{1}{2}$.	
29 breviflora. DC.	(ye.) short-flowered.	————	1824.	————	S. $\frac{1}{2}$.	
30 bifaria. DC.	(ye.) two-ranked.	E. Indies.	————	————	S. $\frac{1}{2}$.	
31 dichotoma. DC.	(ye.) forked.	————	————	————	S. $\frac{1}{2}$.	

32	diffûsa. DC.	(ye) diffuse.		1818.	6. 8.	S. 4.	
33	biflôra. DC.	(ye.) two-flowered.	E. Indies.	1790.	—	S. ⊙.	Petiv. gaz. t. 30. f. 12.
34	nâna. DC.	(ye.) dwarf.	—	—	—	S. ⊙.	Burm. ind. t. 48. f. 2.
35	bialâta. DC.	(ye.) two-winged.	—	1818.	—	S. ⊙.	
36	tetragôna. DC.	(ye.) square-stalked.	Nepaul.	1806.	8. 9.	S. ♂.	Andr. rep. t. 593.
37	linifôlia. DC.	(ye.) Flax-leaved.	E. Indies.	1823.	6. 7.	S. ⊙.	
38	pellîta. DC.	(ye.) villous-podded.	Jamaica.	1822.	7. 9.	S. h.	
39	virgûltalis.	(ye.) twiggy.	C. B. S.	1816.	—	G. h.	
40	acuminâta. DC.	(ye.) taper-pointed.	—	—	—	G. h.	
41	spartioides. DC.	(ye.) Broom-like.	—	—	—	G. h.	
42	thebaïca. DC.	(ye.) stripe-flowered.	Egypt.	1828.	7. 8.	G. h.	Delil. fl. eg. t. 37. f. 1.
43	nummulâria. DC.	(ye.) money-wort-ld.	E. Indies.	—	—	S. 4.	
44	tuberôsa. DC.	(pu.) tuberous-rooted.	Nepaul.	1816.	6. 7.	S. 4.	
45	anthylloïdes. DC.	(ye.) large-calyxed.	Java.	1789.	8. 9.	S. h.	
46	calycina. DC.	(st.) hispid-calyxed.	E. Indies.	1818.	7. 9.	S. 4.	Schr. pl. rar. mon. t. 12.
47	nepalensis. L.en.	(bl.) Nepaul.	Nepaul.	1821.	6. 8.	S. ⊙.	
48	Roxburghiâna. DC.	(ye.) Roxburgh's.	E. Indies.	1823.	7. 9.	S. 4.	
49	chinensis. DC.	(ye.) Chinese.	China.	1820.	6. 7.	S. h.	
50	hîrta. DC.	(ye.) hairy.	E. Indies.	1816.	6. 8.	S. ⊙.	Mart. acad. mun. 6. t. F.
51	prostrâta. DC.	(wh.) prostrate.	—	1804.	—	S. 4.	— t. E.
52	stipulâcea. H.B.	(ye.) large-stipuled.	—	1823.	—	S. 4.	
53	arborëscens. DC.	(ye.) spreading.	C. B. S.	1774.	6. 10.	G. h.	Jacq. vind. 3. t. 64.
	incanëscens. W. capensis. Th.						
54	tûrgida. DC.	(ye.) turgid-podded.		1820.	—	G. h.	Herb. amat. t. 238.
55	laburnifôlia. DC.	(ye.) Laburnum-ld.	E. Indies.	1739.	7. 9.	S. ♂.	Rheed. mal. 9. t. 27.
56	pëndula. DC.	(ye.) pendulous-pod'd.	W. Indies.	1820.	—	S. h.	
57	Brôwnei. DC.	(ye.) Browne's.	Jamaica.	—	—	S. h.	
58	bracteâta. DC.	(ye.) large-bracted.	E. Indies.	1818.	5. 9.	S. h.	
59	cytisoides. DC.	(ye.) Cytisus-like.	Nepaul.	1823.	6. 8.	S. h.	
60	foliôsa. DC.	(ye.) leafy.	E. Indies.	1826.	—	S. h.	
61	orixensis. DC.	(ye.) minute-flower'd.	—	1816.	7. 8.	S. ⊙.	Mart. acad. mun. 6. t. H.
62	virgâta. DC.	(ye.) slender.	—	1824.	—	S. ⊙.	— 6. t. G.
63	purpurâscens. DC.	(pu.) purplish.	Mauritius.	1823.	8. 10.	S. ⊙.	
64	incâna. DC.	(ye.) hoary.	W. Indies.	1714.	6. 7.	S. ⊙.	Bot. reg. 377.
65	micans. DC.	(ye.) glittering.	E. Indies.	1823.	—	S. 4.	
66	curtâta. DC.	(ye.) short-keeled.		1820.	—	S. ⊙.	
67	vitellina. DC.	(ye.) yellow-twigged.	Brazil.	1819.	5. 7.	S. h.	Bot. reg. 447.
68	medicagînea. DC.	(ye.) Trefoil-leaved.	E. Indies.	1818.	6. 7.	S. h.	Rott. n. act. nat. c. 4. t. 5.
69	Grahâmi.	(ye.) Graham's.	Mexico.	1824.	9. 12.	S. h.	Bot. mag. 2714.
	dichôtoma B.M. non DC						
70	Bojêri.	(ye.) Bojer's.	Madagascar.	1828.		S. h.	
	dichôtoma. Bojer. nec aliorum.						
71	trichôtoma. Boj.	(ye.) three-forked	—	—		S. h.	
72	strieta. DC.	(ye.) upright.	E. Indies.	1826.	8. 10.	S. ⊙.	
73	purpûrea. DC.	(pu.) purple-flowered.	C. B. S.	1790.	3. 5.	G. h.	Bot. reg. 128.
74	microphy'lla. DC.	(ye.) small-leaved.	Arabia.	1823.	8. 10.	H. ⊙.	
75	mierántha. DC.	(ye.) small-blossom'd.	Ceylon.	1820.	6. 7.	S. ⊙.	
76	pállida. DC.	(st.) pale-flowered.	Africa.	1775.	—	S. ⊙.	
77	argénteâ. DC.	(ye.) silvery-leaved.	C. B. S.	1823.	—	G. h.	Jacq. schoenb. 2. t. 229.
78	pulchélla. DC.	(ye.) large-flowered.	—	1800.	—	G. h.	Bot. mag. 1699.
79	Saltiâna. A.R.	(ye.) Salt's.	Abyssinia.	1810.	6. 7.	S. h.	Andr. reposit. 648.
80	angustifôlia. DC.	(st.) narrow-leaved.	C. B. S.	1815.	5. 9.	G. h.	Jacq. schoenb. 2. t. 219.
81	villôsa. DC.	(ye.) villous.	—	1823.	—	G. 4.	
82	latifôlia.	(ye.) broad-leaved.	E. Indies.	1825.	—	S. h.	
83	elliptica. H.B.	(ye.) elliptic-leaved.	China.	1823.	7. 9.	G. h.	
84	lanceolâta. H.B.	(ye.) spear-leaved.	W. Indies.	1806.	—	S. h.	
85	lotifôlia. DC.	(ye.) Lotus-leaved.	—	1732.	6. 7.	S. h.	Dill. elth. t. 102. f. 131.
86	axillâris. DC.	(ye.) axillary-fl'd.	Guinea.	1781.	7. 8.	S. ⊙.	Rheed. mal. 9. t. 28.
87	quinquesfôlia. DC.	(ye.) five-leaved.	E. Indies.	1792.	6. 7.	S. ⊙.	
	HYPOCALYPTUS. DC.	HYPOCALYPTUS. Monadelphia Decandria.					
	obcordâtus. DC.	(pu.) obcordate-leav'd.	C. B. S.	1790.	4. 6.	G. h.	Lodd. bot. cab. 1158.
	Crotalâria cordifôlia. B.C.						
	VIBO'RGIA. DC.	VIBO'RGIA. Monadelphia Decandria.					
1	obcordâta. DC.	(ye.) many-flower'd.	C. B. S.	1812.	7. 9.	G. h.	Lodd. bot. cab. 509.
	Crotalâria floribûnda. B.C.	Anthyllis cuneata. Hort.					
2	sericea. DC.	(ye.) silky.	C. B. S.	1780.	—	G. h.	
	LODDIG'ESIA. DC.	LODDIG'ESIA. Monadelphia Decandria.					
	oxalidifôlia. DC.	(ro.) Oxalis-leaved.	C. B. S.	1802.	5. 9.	G. h.	Bot. mag. 965.
	DICH'ILUS. DC.	DICH'ILUS. Monadelphia Decandria.					
	lebeckoides. DC.	(st.) Lebeckia-like.	C. B. S.	1816.	6. 8.	G. h.	DC. leg. mem. 6. t. 31.

LEBECKIA. DC.		LEBECKIA. Monadelphica Decandria.					
1 subnuda. DC.	(ye.)	few-leaved.	C. B. S.	1823.	4. 6.	G. h.	
2 contaminata. DC.	(ye.)	narrow-leaved.	————	1787.	——	G. h.	
3 spiraria. DC.	(ye.)	filiform-leaved.	————	1816.	——	G. h.	Pluk. alm. t. 424. f. 1.
4 subternata. DC.	(ye.)	various-leaved.	————	——	——	G. h.	
5 sericea. DC.	(ye.)	silky-leaved.	————	1774.	——	G. h.	
6 cytisoides. DC.	(ye.)	Cytisus-like.	————	——	——	G. h.	Com hort. amst. 2. t. 107.
SARCOPHYLLUM. DC.		SARCOPHYLLUM. Monadelphica Decandria.					
carnosum. DC.	(ye.)	fleshy-leaved.	C. B. S.	1812.	5. 8.	G. h.	Bot. mag. 2502.
ASPALATHUS. DC.		ASPALATHUS. Monadelphica Decandria.					
1 spinosa. DC.	(ye.)	spiny.	C. B. S.	1823.	5. 8.	G. h.	Breyn. cent. t. 26.
2 aculeata. DC.	(ye.)	yellow-spined.	————	——	——	G. h.	
3 acuminata. DC.	(ye.)	taper-pointed.	————	1816.	——	G. h.	Lam. ill. t. 620. f. 4.
4 laticifolia. DC.	(ye.)	Larch-leaved.	————	1825.	——	G. h.	
5 capitata. DC.	(ye.)	headed.	————	1823.	6. 7.	G. h.	Lam. ill. t. 620. f. 2.
6 astroites. DC.	(ye.)	spiny-bracted.	————	1825.	5. 8.	G. h.	Seba. thes. t. 24. f. 6.
7 clenopoda. DC.	(or.)	cluster-leaved.	————	1759.	7. 8.	G. h.	Bot. mag. 2225.
8 albens. DC.	(wh.)	white-leaved.	————	1774.	——	G. h.	
9 argyrea. DC.	(wh.)	silvery.	————	1818.	——	G. h.	
10 hystrix. DC.	(wh.)	silky-spined.	————	1824.	——	G. h.	Lam. ill. t. 620. f. 1.
11 thymifolia. DC.	(ye.)	Thyme-leaved.	————	1825.	5. 8.	G. h.	Pluk. alm. t. 413. f. 1.
12 ericifolia. DC.	(ye.)	Heath-leaved.	————	1780.	7. 8.	G. h.	—— t. 413. f. 6.
13 laspida. DC.	(ye.)	hispid.	————	1823.	——	G. h.	
14 asparagoides. DC.	(ye.)	Asparagus-like.	————	1812.	——	G. h.	
15 multiflora. DC.	(ye.)	many-flowered.	————	1818.	——	G. h.	
16 uniflora. DC.	(ye.)	one-flowered.	————	1812.	——	G. h.	Pluk. mant. t. 444 f. 7.
17 carnea. DC.	(ye.)	fleshy-leaved.	————	1795.	5. 8.	G. h.	Bot. mag. 1289.
18 pinguis. DC.	(ye.)	succulent-leaved.	————	1818.	7. 8.	G. h.	
19 crassifolia. DC.	(ye.)	thick-leaved.	————	1800.	——	G. h.	Andr. reposit. t. 351.
20 affinis. DC.	(ye.)	likened.	————	1816.	——	G. h.	
21 genistoides. DC.	(ye.)	Genista-like.	————	1825.	6. 8.	G. h.	
22 squarrosa. DC.	(ye.)	squarrose.	————	——	——	G. h.	
23 galioides. DC.	(ye.)	Galium-like.	————	1816.	7. 8.	G. h.	
24 pinca. DC.	(ye.)	Pine-leaved.	————	——	——	G. h.	
25 abietina. DC.	(ye.)	Fir-leaved.	————	1826.	——	G. h.	
26 araneosa. DC.	(pa.)	cobweb.	————	1795.	6. 7.	G. h.	Bot. mag. 829.
27 globosa. A.R.	(ye.)	globe-headed.	————	1802.	——	G. h.	Andr. reposit. 302.
28 ciliaris. DC.	(ye.)	ciliated.	————	1790.	7. 8.	G. h.	Bot. mag. 2233.
29 quinquefolia. DC.	(br.)	five-leaved.	————	1816.	——	G. h.	
30 candicans. DC.	(ye.)	white.	————	1774.	——	G. h.	
31 heterophylla. DC.	(ye.)	various-leaved.	————	1828.	——	G. h.	
32 argentea. DC.	(ye.)	silvery-leaved.	————	1759.	——	G. h.	
33 subulata. DC.	(ye.)	awl-leaved.	————	1789.	——	G. h.	
34 sericea. DC.	(ye.)	silky.	————	1816.	——	G. h.	
35 callosa. DC.	(ye.)	oval-spiked.	————	1812.	——	G. h.	Bot. mag. 2329.
36 fusca. DC.	(ye.)	brown.	————	1816.	——	G. h.	
37 mucronata. DC.	(ye.)	thorny-branch'd.	————	1796.	6. 7.	G. h.	
38 pedunculata. DC.	(ye.)	small-leaved.	————	1775.	7. 8.	G. h.	Bot. mag. 244.
39 bracteata. DC.	(ye.)	bracteate.	————	1816.	——	G. h.	
ULEX. DC.		FURZE. Monadelphica Decandria.					
1 europæus. DC.	(ye.)	common.	Britain.		3. 7.	H. h.	Eng. bot. 742.
2 nanus. DC.	(ye.)	dwarf.	————		1. 12.	H. h.	—— t. 743.
3 provincialis. DC.	(ye.)	Provence.	S. Europe.	1815.	6. 8.	H. h.	Loisel. net. 105. t. 6. f. 2.
STEURACANTHUS. DC.		STEURACANTHUS. Monadelphica Decandria.					
aphyllus. DC.	(ye.)	leafless.	Portugal.	1815.	6. 8.	H. h.	
SPARTIUM. DC.		SPANISH BROOM. Monadelphica Decandria.					
juncum. DC.	(ye.)	common.	S. Europe.	1548.	7. 9.	H. h.	Bot. mag. 85.
<i>Spartianthus junceus</i> . L. en.							
2 flore pleno.	(ye.)	double-flowered.	————		——	H. h.	
GENISTA. DC.		GENISTA. Monadelphica Decandria.					
1 parviflora. DC.	(ye.)	small-flowered.	Levant.	1739.	5. 7.	H. h.	Venten. cels. t. 87.
<i>Spartium parviflorum</i> . Vent.							
2 clavata. DC.	(ye.)	clavate.	Barbary.	1812.	5. 8.	F. h.	Venten. hort. cels. t. 17.
<i>Spartium sericeum</i> . Vent. non Ait.							
3 canariensis. DC.	(ye.)	Canary.	Canaries.	1656.	5. 9.	F. h.	Bot. reg. t. 217.
4 candicans. DC.	(ye.)	hoary.	Spain.	1725.	4. 7.	H. h.	Wats. dend. brit. t. 80.
5 patens. DC.	(ye.)	spreading.	————	1825.	5. 7.	H. h.	Cavan. ic. 2. t. 176.
6 linifolia. DC.	(ye.)	Flax-leaved.	————	1739.	1. 6.	F. h.	Bot. mag. 442.
<i>Spartium linifolium</i> . Desf. atl. 2. t. 181.							

7	triquètra. DC.	(ye.) triangular.	Corsica.	1770.	5. 6.	H. $\frac{1}{2}$.	Wats. dend. brit. t. 7.
8	bracteolàta. DC.	(ye.) bracteolate.		1826.	—	H. $\frac{1}{2}$.	
9	microphy'lla. DC.	(ye.) small-leaved.	Canaries.	1824.	—	F. $\frac{1}{2}$.	
10	umbellàta. DC.	(ye.) umbelled.	Barbary.	1799.	4. 6.	F. $\frac{1}{2}$.	Desf. atl. 2. t. 190.
	<i>Spártium umbellatum</i> . Desf.						
11	radiàta. DC.	(ye.) rayed.	Italy.	1758.	5. 7.	H. $\frac{1}{2}$.	Bot. mag. 2260.
	<i>Spártium radiatum</i> . B.M. Mill. ic. t. 249. f. 1.						
12	hórrida. DC.	(ye.) large-spined.	Pyrenees.	1826.	5. 7.	H. $\frac{1}{2}$.	Gilib. b. prat. 2. p. 23.
13	lusitànica. DC.	(ye.) Portugal.	Portugal.	1771.	3. 5.	H. $\frac{1}{2}$.	Andr. reposit. t. 112.
14	Lobèlii. DC.	(ye.) Lobel's.	S. Europe.	1826.	4. 6.	H. $\frac{1}{2}$.	Lob. adv. p. 199. ic.
15	fèrox. DC.	(ye.) sharp-spined.	Barbary.	1800.	6. 7.	F. $\frac{1}{2}$.	Desf. atl. 2. t. 182.
16	Cupàni. DC.	(ye.) Cupani's.	Naples.	1826.	—	H. $\frac{1}{2}$.	Cup pan. ed. 1. v. 2. t. 2.
17	triacánthos. DC.	(ye.) three-spined.	Portugal.	1821.	5. 6.	H. $\frac{1}{2}$.	Brot. phyt. 130. t. 34.
18	cuspidòsa. DC.	(ye.) sharp-pointed.	C. B. S.	1816.	—	G. $\frac{1}{2}$.	
19	tricuspidàta. DC.	(ye.) three-pointed.	Algiers.	1826.	—	F. $\frac{1}{2}$.	Desf. atl. 2. t. 183.
20	gibraltàrica. DC.	(ye.) Gibraltar.	Gibraltar.	—	—	F. $\frac{1}{2}$.	
21	sylvéstris. DC.	(ye.) wood.	Hungary.	1824.	6. 8.	H. $\frac{1}{2}$.	Jacq. ic. rar. t. 557.
	<i>hispanica</i> . Jacq. non L.						
22	ægyptiaca. DC.	(ye.) Egyptian.	Egypt.	1828.	—	H. $\frac{1}{2}$.	
23	falcàta. DC.	(ye.) falcate-podded.	Portugal.	1821.	5. 7.	H. $\frac{1}{2}$.	Brot. phyt. 133. t. 5.
24	córsica. DC.	(ye.) Corsican.	Corsica.	1826.	—	H. $\frac{1}{2}$.	
25	Scórpius. DC.	(ye.) Scorpion.	S. Europe.	1570.	3. 4.	H. $\frac{1}{2}$.	Wats. dend. brit. t. 7.
26	hispanica. DC.	(ye.) dwarf prickly.	Spain.	1759.	6. 8.	H. $\frac{1}{2}$.	Cavan. ic. 3. t. 211.
27	ánglica. DC.	(ye.) petty whin.	Britain.		5. 8.	H. $\frac{1}{2}$.	Eng. bot. 132.
28	germànica. DC.	(ye.) German.	Germany.	1773.	6. 8.	H. $\frac{1}{2}$.	Fuchs. hist. 220. ic.
29	púrgans. DC.	(ye.) purging.	S. France.	1768.	6. 7.	H. $\frac{1}{2}$.	Bull. herb. t. 115.
30	cinèrea. DC.	(ye.) ash-coloured.	—	1818.	5. 7.	H. $\frac{1}{2}$.	Wats. dend. brit. t. 7.
31	virgàta. DC.	(ye.) long-twigged.	Madeira.	1777.	3. 6.	F. $\frac{1}{2}$.	Bot. mag. 2265.
32	congèsta. DC.	(ye.) close-branched.	Teneriffe.		4. 7.	F. $\frac{1}{2}$.	
33	seríceea. DC.	(ye.) silky-leaved.	Austria.	1812.	5. 6.	H. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 55.
34	aphy'lla. DC.	(vi.) violet-coloured.	Volga.	1818.	6. 7.	H. $\frac{1}{2}$.	Pall. it. 3. app. t. 5. f. 1.
	<i>Spártium aphy'llum</i> . L. en.						
35	monospérma. DC.	(wh.) single-seeded.	S. Europe.	1690.	—	F. $\frac{1}{2}$.	Bot. mag. 683.
	<i>Spártium monospermum</i> . B.M.						
36	sphærocárpa. DC.	(ye.) round-podded.	—	1731.	—	F. $\frac{1}{2}$.	Renealm. spec. t. 33.
37	ætánensis. DC.	(ye.) three-seeded.	Mt. Ætna.	1822.	6. 8.	F. $\frac{1}{2}$.	Bot. mag. 2674.
	<i>Spartium ætnense</i> . B.M.						
38	tetragòna. DC.	(ye.) four-sided.	Poland.	1826.	—	H. $\frac{1}{2}$.	
39	depréssa. DC.	(ye.) depressed.	Tauria.	1828.		H. $\frac{1}{2}$.	
40	scariòsa. DC.	(ye.) scariose.	Italy.	1820.	6. 8.	H. $\frac{1}{2}$.	Viv. frag. ital. 1. t. 8.
41	anxántica. DC.	(ye.) smooth.	—	—	—	H. $\frac{1}{2}$.	
42	tinctòria. DC.	(ye.) Dyer's green-weed.	Britain.		—	H. $\frac{1}{2}$.	Eng. bot. 44.
	β latifolia. DC.	(ye.) broad-leaved.	Switzerland.	1824.	—	H. $\frac{1}{2}$.	
	γ hirsùta. DC.	(ye.) villous.	—		—	H. $\frac{1}{2}$.	
	δ praténsis. DC.	(ye.) meadow.	Italy.		—	H. $\frac{1}{2}$.	
43	sibírica. DC.	(ye.) Siberian.	Siberia.	1785.	6. 8.	H. $\frac{1}{2}$.	Jacq. vind. 2. t. 190.
44	polygalæfòlia. DC.	(ye.) Milkwort-leav'd.	Portugal.	1826.	—	H. $\frac{1}{2}$.	
45	flòrida. DC.	(ye.) Spanish.	Spain.	1752.	—	H. $\frac{1}{2}$.	
46	mántica. DC.	(ye.) prostrate.	Italy.	1824.	—	H. $\frac{1}{2}$.	Poll. fl. veron. 2. t. 4.
47	ovàta. DC.	(ye.) oval-leaved.	Hungary.	1816.	—	H. $\frac{1}{2}$.	Wats. dend. brit. t. 7.
48	pátula. DC.	(ye.) spreading.	Siberia.	1828.		H. $\frac{1}{2}$.	
49	triangulàris. DC.	(ye.) three-sided.	Hungary.	1815.	5. 6.	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 1.
50	sagittàlis. DC.	(ye.) jointed.	Germany.	1570.	—	H. $\frac{1}{2}$.	Jacq. aust. 3. t. 200.
51	diffùsa. DC.	(ye.) diffuse.	Italy.	1816.	—	H. $\frac{1}{2}$.	Jacq. ic. rar. 3. t. 55.
	<i>Spártium decumbens</i> . Jacq. non Ait.						
52	prostràta. DC.	(ye.) trailing.	Italy.	1826.	—	H. $\frac{1}{2}$.	Reyn. mem. 1. p. 211.
53	procumbens. DC.	(ye.) proenbent.	Hungary.	1816.	6. 8.	H. $\frac{1}{2}$.	Bot. reg. 1150.
54	pilòsa. DC.	(ye.) hairy green-weed.	England.		5. 6.	H. $\frac{1}{2}$.	Eng. bot. 44.
55	micrántha. DC.	(ye.) small-blossom'd.	Spain.	1824.	—	H. $\frac{1}{2}$.	Orteg. dec. 6. t. 10. f.
56	pilocárpa. DC.	(ye.) hairy-podded.		1820.	5. 7.	H. $\frac{1}{2}$.	
	CYTISUS. DC. CYTISUS. Monadelphia Decandria.						
1	nubigènus. DC.	(wh.) cluster-flower'd.	Teneriffe.	1779.	5. 8.	H. $\frac{1}{2}$.	
2	álbus. DC.	(wh.) white-flower'd.	Portugal.	1752.	6. 7.	H. $\frac{1}{2}$.	Duham. arb. t. 23.
	<i>Spártium multiflorum</i> . W.						
	β incarnátus B.C.	flesh-coloured.	—	1823.	—	H. $\frac{1}{2}$.	Lodd. bot. cab. 1632.
3	Laburnum. DC.	(ye.) Laburnum.	Europe.	1596.	5. 6.	H. $\frac{1}{2}$.	Bot. mag. 176.
4	alpinus. DC.	(ye.) Scotch Laburnum.	Hungary.		6. 7.	H. $\frac{1}{2}$.	W. et K. hung. 3. t. 1.
5	nèricans. DC.	(ye.) black-rooted.	Austria.	1730.	—	H. $\frac{1}{2}$.	Bot. reg. 802.
6	sessilifòlia. DC.	(ye.) common.	Italy.	1629.	5. 6.	H. $\frac{1}{2}$.	Bot. mag. 255.

7	triflorus. DC.	(ye.) three-flowered.	Spain.	1640.	6. 7.	H. $\frac{1}{2}$.	Clus. hist. 1. p. 94. f. 3.
8	mollis. DC.	(ye.) soft-leaved.		1820.	—	H. $\frac{1}{2}$.	
9	patens. DC.	(ye.) woolly-podded.	Portugal.	1752.	—	H. $\frac{1}{2}$.	
10	grandiflorus. DC.	(ye.) great-flowered.	—	1816.	—	H. $\frac{1}{2}$.	
11	scoparius. DC.	(ye.) common Broom.	Britain.		4. 6.	H. $\frac{1}{2}$.	Eng. bot. 1330.
	<i>Spartium scoparium</i> . E.B.						
12	spinosus. DC.	(ye.) prickly.	S. Europe.	1596.	6. 7.	F. $\frac{1}{2}$.	Lobel. ic. 2. t. 95.
13	lanigerus. DC.	(ye.) villous.	—	1822.	—	F. $\frac{1}{2}$.	
	<i>Spartium lanigerum</i> . Df. <i>Calycotome villosa</i> . L.en.						
14	proliferus. DC.	(wh.) silky.	Canaries.	1779.	4. 5.	G. $\frac{1}{2}$.	Bot. reg. 121.
15	leucanthus. DC.	(wh.) cream-colour'd.	Hungary.	1806.	6. 7.	H. $\frac{1}{2}$.	Bot. mag. 1438.
16	albidus. DC.	(wh.) whitish.	S. Europe.	1824.	—	F. $\frac{1}{2}$.	
17	purpureus. DC.	(pu.) purple-flower'd.	Austria.	1792.	5. 8.	H. $\frac{1}{2}$.	Bot. mag. 1176.
	β albus. DC.	(wh.) white-flowered.	—	—	—	H. $\frac{1}{2}$.	
18	biflorus. DC.	(ye.) two-flowered.	Hungary.	1760.	5. 7.	H. $\frac{1}{2}$.	Bot. reg. 308.
19	longatus. DC.	(ye.) long-branched.	—	1801.	—	H. $\frac{1}{2}$.	Wats. cond. brit. 82.
20	multiflorus. B.R.	(ye.) many-flowered.	—	1821.	—	H. $\frac{1}{2}$.	Bot. reg. 1191.
21	falcatus. DC.	(ye.) sickle-shaped.	—	1816.	6. 8.	H. $\frac{1}{2}$.	W. et K. hung. 3. t. 238.
22	austriacus. DC.	(ye.) Austrian.	Austria.	1741.	6. 9.	H. $\frac{1}{2}$.	Jacq. aust. 1. t. 21.
23	supinus. DC.	(ye.) trailing.	S. Europe.	1755.	5. 8.	H. $\frac{1}{2}$.	— 1. t. 20.
24	hirsutus. DC.	(ye.) hairy.	—	1739.	6. 8.	H. $\frac{1}{2}$.	Jacq. obs. 4. t. 96.
25	serotinus. DC.	(ye.) late-flowering.	Hungary.	1826.	—	H. $\frac{1}{2}$.	
26	capitatus. DC.	(ye.) cluster-flower'd.	Austria.	1774.	6. 7.	H. $\frac{1}{2}$.	Jacq. aust. t. 33.
27	ciliatus. DC.	(ye.) fringed.	Mt. Carpathian.	1824.	—	H. $\frac{1}{2}$.	
28	polytrichus. DC.	(ye.) many-haired.	Tauria.	1822.	—	H. $\frac{1}{2}$.	
29	argenteus. DC.	(ye.) silver-leaved.	France.	1739.	7. 9.	H. $\frac{1}{2}$.	Lobel. ic. 2. p. 41. f. 2.
30	calycinus. DC.	(ye.) dwarf.	Levant.	1816.	6. 8.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 673.
	<i>anrus</i> . Wats. dend. brit. t. 81.						
31	orientalis. DC.	(ye.) oriental.	—		5. 7.	G. $\frac{1}{2}$.	
32	canescens. DC.	(ye.) hoary.		1826.	—	H. $\frac{1}{2}$.	
33	procerus. DC.	(ye.) tall.	Portugal.	1816.	6. 7.	H. $\frac{1}{2}$.	
ADENOCARPUS. DC. ADENOCARPUS. Monadelphica Decandria.							
1	hispanicus. DC.	(ye.) Spanish.	Spain.	1824.	5. 7.	F. $\frac{1}{2}$.	Clus. hist. 1. p. 94. f. 1.
2	intermedius. DC.	(ye.) intermediate.	S. Europe.		7. 8.	H. $\frac{1}{2}$.	
3	parvifolius. DC.	(ye.) small-leaved.	France.		4. 7.	H. $\frac{1}{2}$.	
4	telonensis. DC.	(ye.) loose-flowered.	S. Europe.	1824.	5. 7.	H. $\frac{1}{2}$.	Du. arb. ed. n. 5. t. 47. f. 2.
	<i>Cytisus divaricatus</i> . β . Bot. mag. 1387?						
5	frankenioides. DC.	(ye.) Frankenia-like.	Teneriffe.	1815.	—	G. $\frac{1}{2}$.	
	<i>Genista viscosa</i> . W. <i>Adenocarpus anagyris</i> . s.s.						
6	foliolosus. DC.	(ye.) leafy.	Canaries.	1770.	7. 8.	F. $\frac{1}{2}$.	Bot. mag. 426.
ONONIS. DC. REST-HARROW. Monadelphica Decandria.							
1	crispa. DC.	(ye.) curl-leaved.	Spain.	1739.	6. 8.	F. $\frac{1}{2}$.	Reem. arch. 1. p. 3. t. 1.
2	hispanica. DC.	(ye.) Spanish.	—	1799.	5. 9.	F. $\frac{1}{2}$.	Bot. mag. 2459.
3	vaginalis. DC.	(ye.) sheathed.	Egypt.	1815.	6. 8.	F. $\frac{1}{2}$.	Vent. cels. t. 32.
4	Natrix. DC.	(ye.) yellow-shrubby.	S. Europe.	1683.	5. 9.	F. $\frac{1}{2}$.	Bot. mag. 329.
5	pecta. DC.	(std.) painted-flower'd.	Barbary.	1825.	6. 8.	H. $\frac{1}{2}$.	Desf. atl. 2. t. 137.
6	pinguis. W.	(ye.) greasy.	—	1739.	7. 8.	F. $\frac{1}{2}$.	
7	longifolia. DC.	(ye.) long-leaved.	Canaries.	1816.	5. 6.	F. $\frac{1}{2}$.	
8	ramosissima. DC.	(ye.) branching.	Barbary.	1825.	7. 8.	H. $\frac{1}{2}$.	Desf. atl. 2. t. 186.
9	arenaria. DC.	(ye.) sand.	S. France.	—	—	H. $\frac{1}{2}$.	
10	biflora. DC.	(ye.) two-flowered.	Barbary.	1824.	—	H. $\odot$.	
11	viscosa. DC.	(ye.) clammy.	S. France.	1750.	—	H. $\odot$.	Barrel. ic. t. 1239.
12	brachycarpa. DC.	(ye.) short-podded.	Spain.	1824.	—	H. $\odot$.	
13	brevifolia. DC.	(ye.) short-leaved.	S. Europe.		—	H. $\odot$.	
14	sicula. DC.	(ye.) Sicilian.	Sicily.	1822.	6. 8.	H. $\odot$.	
15	pubescens. DC.	(ye.) downy.	S. Europe.	1680.	—	H. $\odot$.	Brot. phyt. 140. t. 58.
	<i>arthropodia</i> . Brot.						
16	ornithopodioides. DC.	(ye.) Bird's-foot.	Sicily.	1713.	—	H. $\odot$.	Cavan. ic. 2. t. 192.
17	rotundifolia. DC.	(re.) round-leaved.	Switzerland.	1570.	5. 7.	H. $\frac{1}{2}$.	Bot. mag. 335.
18	fruticosa. DC.	(re.) shrubby.	S. Europe.	1680.	5. 7.	H. $\frac{1}{2}$.	— t. 317.
19	trilentata. DC.	(re.) three-toothed.	Spain.	1752.	6. 8.	F. $\frac{1}{2}$.	Cavan. ic. 2. t. 152.
20	angustissima. DC.	(re.) narrow-leaved.	—	1826.	—	F. $\frac{1}{2}$.	
21	ensis. DC.	(re.) crested.	Italy.	1759.	—	H. $\frac{1}{2}$.	Barrel. ic. t. 1104.
22	fatida. DC.	(re.) strong-scented.	Barbary.	1801.	7. 10.	H. $\odot$.	
23	geminiflora. DC.	(re.) twin-flowered.	Spain.	1825.	8. 10.	H. $\odot$.	
24	Schouwii. DC.	(re.) Schouw's.	Italy.	1823.	7. 10.	H. $\odot$.	
25	reclinata. DC.	(re.) reclined.	S. Europe.	1800.	6. 8.	H. $\odot$.	Barrel. ic. t. 761.
26	mollis. DC.	(re.) soft.	Spain.	1824.	—	H. $\odot$.	
27	Cherleri. DC.	(re.) dwarf.	S. Europe.	1771.	6. 7.	H. $\odot$.	Bauh. hist. 2. p. 394. f. 2.

Subtribus II. *TRIFOLIEÆ*. DC. prodr. 2. p. 171.

MEDICAGO. DC. MEDICK. Diadelphia Decandria.
 1 circinnàta DC. (ye) kidney-podded. Italy. 1640. 7. 8. H. ☉.
Hymenocárpos circinnàtus. L. en.

2	nummulària. DC. (ye.) money-wort.	S. Europe.		—	H. ☉.	Gært. sem. 2. t. 155. f. 7.
	<i>circinnàta</i> . G. <i>Hymenocárpos nummulàrius</i> . L. en.					
3	radiàta. DC. (ye.) ray-podded.	Italy.	1629.	6. 7.	H. ☉.	Moris. his. s. 2. t. 15. f. 3.
4	rupèstris. DC. (ye.) rock.	Tauria.	1827.	6. 8.	H. 4.	
5	brachycarpa. DC. (ye.) short-podded.	Tiflin.	1818.	7. 8.	H. ☉.	
6	lupulina. DC. (ye.) nonesuch.	Britain.		5. 8.	H. ♂.	Eng. bot. 971.
7	cretacea. DC. (ye.) suffrutescent.	Tauria.	1805.	7. 8.	H. ♀.	
8	falcàta. DC. (ye.) sickle-podded.	Britain.		—	H. 4.	Eng. bot. 1016.
9	procumbens. DC. (ye.) procumbent.	Poland.	1827.	—	H. 4.	
10	cancellàta. DC. (ye.) netted-podded.	Caucasus.	1828.	—	H. 4.	
11	suffruticosa. DC. (vi. ye.) frutescent.	Pyrenees.	1818.	6. 8.	H. ♀.	
12	arborea. DC. (ye.) moon trefoil.	Italy.	1596.	5. 11.	H. ♀.	Flor græc. 767.
13	sibirica. DC. (ye.) Siberian.	Siberia.	1824.	6. 9.	H. ☉.	
14	mèdia. DC. (bl. ye.) pale-flowered.	Europe.		6. 7.	H. 4.	
15	sativa. DC. (bl.) Lucerne.	Britain.		—	H. 4.	Eng. bot. 1749.
	<i>β versicolor</i> . DC. (bl. y.) various-colour'd.	—		—	H. 4.	
16	mexicana. (bl.) Mexican.	Mexico.	1824.	5. 8.	F. ♀.	
17	prostrata. DC. (ye.) prostrate.	Hungary.	1793.	7. 8.	H. 4.	Jacq. vind. 1. t. 89.
18	glomerata. DC. (ye.) clustered.	Italy.	1818.	—	H. 4.	
19	glutinosa. DC. (vi.) glutinous.	Caucasus.	—	—	H. 4.	
20	obscura. DC. (ye.) doubtful.	S. France.	1731.	—	H. ☉.	Retz. obs. fasc. 1. t. 1.
21	lævis. DC. (ye.) smooth.	Tunis.	1816.	6. 8.	H. ☉.	
	<i>Hélix</i> . W.					
22	orbiculàris. DC. (ye.) flat-podded.	S. Europe.	1688.	7. 8.	H. ☉.	Gært. sem. 2. t. 155.
23	marginata. DC. (ye.) margined.	—	1816.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 2.
24	applanata. DC. (ye.) obovate-leaved.		1824.	7. 9.	H. ☉.	
25	scutellata. DC. (ye.) snail-podded.	S. Europe.	1562.	6. 8.	H. ☉.	Gært. sem. 2. t. 155. f. 7.
26	rugosa. DC. (ye.) elegant.	—	1680.	7. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 4.
	<i>elegans</i> . W.					
27	saxatilis. DC. (ye.) stone.	Tauria.	1828.	6. 8.	H. 4.	
28	tornata. DC. (ye.) smooth-podded.	S. Europe.	1658.	—	H. ☉.	
29	turbinata. DC. (ye.) Turban.	—	1680.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 5.
30	tuberculata. DC. (ye.) wart-podded.	—	1658.	—	H. ☉.	Bauh. hist. 2. f. 1.
31	striata. DC. (std.) stripe-podded.	—	1828.	—	H. ☉.	
32	apiculata. DC. (ye.) tufted.	Italy.	1800.	—	H. ☉.	
33	coronata. DC. (ye.) crowned.	S. Europe.	1660.	—	H. ☉.	Moris. his. s. 2. t. 15. f. 16.
34	catalonica. DC. (ye.) Catalanian.	Catalonia.	1816.	—	H. ☉.	Schrank. h. mon. t. 28.
35	denticulata. DC. (ye.) toothed.	S. France.	1800.	—	H. ☉.	
36	flexuosa. DC. (ye.) flexuose.	Naples.	1824.	—	H. ☉.	
37	spinulosa. DC. (ye.) prickly-podded.	S. Europe.	1820.	—	H. ☉.	
38	pubescens. DC. (ye.) pubescent.	Montpelier.	1823.	—	H. ☉.	
39	terebellum. DC. (ye.) short-spined.	S. Europe.	1798.	—	H. ☉.	
40	marina. DC. (ye.) sea-side.	—	1596.	—	H. ☉.	Cavan. ic. 2. t. 130.
41	tentaculata. DC. (ye.) distichous-spin'd.	—	1824.	—	H. ☉.	Gært. sem. 2. t. 155. f. 7?
42	Hornemanniana. DC. (ye.) Hornemann's.	Morocco.	1823.	—	H. ☉.	
43	littoralis. DC. (ye.) shore.	S. Europe.	1827.	—	H. 4.	J. Bauh. his. 2. p. 385. ic.
44	lappacea. DC. (ye.) bur-podded.	—	—	—	H. ☉.	
45	pentacycla. DC. (ye.) five-whorled.	—		—	H. ☉.	
46	histris. DC. (ye.) porcupine.	Naples.	1824.	—	H. ☉.	
47	disciformis. DC. (ye.) hook-spined.	Montpelier.	1826.	—	H. ☉.	
48	carstiensis. DC. (ye.) creeping-rooted.	Carinthia.	1789.	6. 9.	H. 4.	Bot. mag. 909.
49	nigra. DC. (ye.) black.	France.	—	6. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 19.
50	tribuloides. DC. (ye.) Caltrops-like.	S. Europe.	1739.	—	H. ☉.	
51	cylindræa. DC. (ye.) cylinder-podded.		1824.	—	H. ☉.	
52	græca. DC. (ye.) Grecian.	Greece.	1804.	—	H. ☉.	
53	minima. DC. (ye.) least.	England.		—	H. ☉.	Flor. dan. t. 211.
54	arenaria. DC. (ye.) sand.	Italy.	1824.	—	H. ☉.	
55	muricoléptis. DC. (ye.) arch-spined.	Sicily.	—	—	H. ☉.	
56	uncinata. DC. (ye.) hooked.	S. Europe.	1820.	—	H. ☉.	
57	distans. DC. (ye.) distant.	—	—	—	H. ☉.	Moris. his. s. 2. t. 15. f. 21.
58	aculeata. DC. (ye.) prickly.		1802.	—	H. ☉.	
59	maculata. DC. (ye.) heart.	England.		5. 6.	H. ☉.	Eng. bot. 1616.
	<i>polymórpha</i> . E. B.					
60	Gerardi. DC. (ye.) Gerard's.	Hungary.	1816.	6. 8.	H. ☉.	Moris. his. s. 2. t. 15. f. 18.
	<i>villosa</i> . DC. fl. fr. 4. p. 545.					
61	agrèstis. DC. (ye.) field.	Italy.	1824.	—	H. ☉.	
62	rigidula. DC. (ye.) thorny-podded.	S. Europe.	1730.	—	H. ☉.	
63	muricata. DC. (ye.) prickly.	England.		5. 8.	H. ☉.	Vaill. par. t. 33. f. 7.
64	sphaerocarpos. DC. (ye.) round-podded.	Italy.	1826.	6. 8.	H. ☉.	Sebast. pl. rom. p. 15 t. 3.

65	màrex. DC.	(ye.) Burdock-podded.		1802.	6. 8.	H. ⊙.	
66	laciniàta. DC.	(ye.) cut-leaved.	S. Europe.	1683.	—	H. ⊙.	Breyn. cent. 81. t. 34.
67	Tenoreàna. DC.	(ye.) Tenore's.	Naples.	1827.	—	H. ⊙.	
68	granaténsis. DC.	(ye.) Spanish.	Spain.	1816.	—	H. ⊙.	Jacq. coll. sup. t. 15. f. 2.
69	intertèxta. DC.	(ye.) hedgehog.	S. Europe.	1629.	—	H. ⊙.	Moris. his. s. 2. t. 15. f. 2.
70	ciliàris. DC.	(ye.) fringed.	France.	1686.	7. 8.	H. ⊙.	— s. 2. t. 15. f. 7.
71	èchinus. DC.	(ye.) Sea-egg.	S. Europe.	1820.	6. 8.	H. ⊙.	— s. 2. t. 15. f. 2.
72	agagróphila. DC.	(ye.) goats.		1824.	7. 9.	H. ⊙.	
73	cáspica. L. en.	(ye.) Caspian.	Caucasus.	1820.	6. 8.	H. ⊙.	
74	ovàta. H. E.	(ye.) oval-leaved.	S. Europe.	1818.	—	H. ⊙.	
75	strumària. H. E.	(ye.) strumous.	—	—	—	H. ⊙.	
76	mícrodon. E.	(ye.) small-toothed.	Egypt.	1826.	—	H. ⊙.	
77	pedunculàta. E.	(ye.) peduncled.	—	—	—	H. ⊙.	
TRIGONE'LLA. DC. FENUGREEK. Diadelphia Decandria.							
1	cœrùlea. DC.	(bl.) blue.	Switzerland.	1562.	7. 9.	H. ⊙.	Bot. mag. 2283.
<i>Trifolium cœrùleum. B. M. Melilotus cœrùlea. Lam.</i>							
2	Besseriàna. DC.	(bl.) Besser's.	Poland.		—	H. ⊙.	
3	marítima. DC.	(ye.) sea-side.	Egypt.	1827.	—	H. ⊙.	
4	uncinàta. DC.	(st.) hooked.	Iberia.	1823.	6. 9.	H. ⊙.	
<i>Melilotus hamòsum. M. B. uncinàta. Bess.</i>							
5	littoràlis. DC.	(ye.) shore.	Sicily.	1826.	—	H. ⊙.	
6	callicêras. DC.	(ye.) restrate.	Iberia.	1821.	—	H. ⊙.	DC. hort. gen. 2. ic.
<i>oxyrhy'nchus. F.</i>							
7	prostràta. DC.	(ye.) prostrate.	S. France.		—	H. ⊙.	J. Bauh. his. 2. p. 365. f. 2.
8	gladiàta. DC.	(wh.) sword-podded.	Tauria.	1829.	—	H. ⊙.	
9	Fœnum-gr'æcum. DC.	(st.) common.	S. France.	1597.	—	H. ⊙.	Schk. s. han. 2. t. 211.
10	spinòsa. DC.	(ye.) thorny.	Candia.	1710.	7. 9.	H. ⊙.	Breyn. cent. 79. t. 33. f. 1.
11	striàta. DC.	(ye.) streaked.	Abyssinia?	1824.	6. 9.	H. ⊙.	
12	hamòsa. DC.	(ye.) hook-podded.	Egypt.	1640.	7. 8.	H. ⊙.	Alp. ægypt. t. 124.
13	flexuòsa. DC.	(st.) flexuose.	—	1818.	6. 8.	H. ⊙.	
14	Fischeriàna. DC.	(ye.) Fischer's.	Tiflin.	—	—	H. ⊙.	
<i>flexuòsa. M. B. non Delil.</i>							
15	anguìna. DC.	(ye.) snake-podded.	Egypt.	1828.	—	H. ⊙.	Delil. fl. ægypt. t. 110. f. 2.
16	ténuis. DC.	(ye.) slender.	Tiflin.	1818.	—	H. ⊙.	
17	elongàta. W. en.	(ye.) elongated.		1823.	—	H. ⊙.	
18	cancellàta. DC.	(ye.) netted-podded.		1818.	—	H. ⊙.	
19	monspeliàca. DC.	(ye.) Montpellier.	Montpelier.	1710.	—	H. ⊙.	W. et K. hung. 2. t. 142.
20	parviflòra. DC.	(ye.) small-flowered.	Switzerland.	1824.	—	H. ⊙.	
21	pinnatífida. DC.	(ye.) pinnatifid.	Spain.	1801.	—	H. ⊙.	Cavan. ic. 1. t. 38.
<i>mèdia. Delil.</i>							
22	polycêrata. DC.	(ye.) broad-leaved.	S. Europe.	1640.	7. 9.	H. ⊙.	
23	ægyptiàca. DC.	(ye.) Egyptian.	Egypt.	1823.	6. 8.	H. ⊙.	
24	ornithory'nchos. DC.	(ye.) beak-podded.	Russia.	1825.	6. 9.	H. ⊙.	
25	crassifòlia. DC.	(ye.) thick-leaved.	Egypt.	1828.	6. 8.	H. ⊙.	
26	ruthènica. DC.	(ye.) small.	Siberia.	1741.	5. 7.	H. 4.	Lodd. bot. cab. 1391.
27	laciniàta. DC.	(ye.) laciniate.	Egypt.	1823.	7. 9.	H. ⊙.	
28	platycárpos. DC.	(ye.) round-leaved.	Siberia.	1741.	6. 9.	H. 4.	Gmel. sib. 4. t. 9.
29	hy'brida. DC.	(ye.) hybrid.	France.	1806.	—	H. 4.	DC. ic. rar. 1. t. 29.
30	ornithopodioides. DC.	(re.) Bird's-foot.	Britain.		—	H. ⊙.	Eng. bot. t. 1047.
<i>Trifolium ornithopodioides. E. B. Melilotus ornithopodioides. P. S.</i>							
31	corniculàta. DC.	(ye.) horse-shoe.	S. Europe.	1597.	6. 7.	H. ⊙.	Moris. his. s. 2. t. 16. f. 11.
32	esculénta. DC.	(ye.) esculent.	E. Indies	1815.	6. 9.	S. ⊙.	
POCO'CKIA. DC. Poco'CKIA. Diadelphia Decandria.							
	crética. DC.	(ye.) Cretan.	Candia.	1713.	6. 9.	H. ⊙.	Moris. his. s. 2. t. 14. f. 3.
<i>Trifolium créticum. L. Melilotus crética. P. S.</i>							
MELIL'OTUS. DC. MELILOT. Diadelphia Decandria.							
1	Kochiàna. DC.	(ye.) Koch's.	Germany.	1816.	6. 9.	H. 4.	
2	dentàta. DC.	(ye.) toothed.	Hungary.	1802.	6. 8.	H. 4.	W. et K. hung. 1. t. 42.
3	lineàris. DC.	(ye.) linear-leaved.	Spain.	1816.	—	H. ⊙.	
4	ruthènica. DC.	(wh.) Russian.	Sarepta.	1828.	—	H. ⊙.	
5	melanospérma. DC.	(ye.) black-seeded.	Tauria.	1825.	—	H. 4.	
6	officinàlis. DC.	(ye.) common.	Britain.		6. 9.	H. ⊙.	Eng. bot. 1349.
7	palústris. DC.	(ye.) marsh.	Hungary.	1824.	—	H. 4.	W. et K. hung. 3. t. 20.
8	altíssima. DC.	(wh.) tallest.	S. Europe.	1818.	—	H. ⊙.	
9	leucántha. DC.	(wh.) white-flowered.	Europe.		—	H. 4.	Sturm. deuts. 1. f. K.
<i>vulgàris. W. en.</i>							
10	macrorhiza. DC.	(ye.) long-rooted.	Hungary.	1801.	7. 9.	H. 4.	W. et K. hung. 1. t. 20.
11	parviflòra. DC.	(ye.) small-flowered.	S. Europe.	1810.	6. 8.	H. ⊙.	
12	rugulòsa. W. en.	(wh.) rugged-podded.	E. Indies.	—	—	H. ⊙.	

13	<i>indica</i> . W.en.	(ye.) Indian.	E. Indies.	1680.	6. 8.	H. ☉.	Pluk. alm. t. 45. f. 4.
14	<i>Bamaeti</i> . H.	(ye.) one-seeded.		1818.	—	H. ☉.	
15	<i>minima</i> . DC.	(wh.) small-flowered.	E. Indies.	1810.	8. 10.	H. ☉.	
16	<i>segetalis</i> . DC.	(ye.) hedge.	Spain.	1824.	6. 8.	H. ☉.	
17	<i>polonica</i> . DC.	(ye.) Polish.	Poland.	1778.	—	H. ☉.	
18	<i>taurica</i> . DC.	(wh.) Taurian.	Tauria.	1823.	6. 9.	H. ☉.	
19	<i>italica</i> . DC.	(ye.) Italian.	Italy.	1596.	—	H. ☉.	Camer. hort. t. 29.
20	<i>rotundifolia</i> . T.N.	(ye.) round-leaved.	—	1824.	—	H. ☉.	
21	<i>gracilis</i> . DC.	(ye.) slender.	France.	—	6. 8.	H. ☉.	
22	<i>neapolitana</i> . T.P.	(ye.) Neapolitan.	Naples.	1827.	—	H. ☉.	
23	<i>pallida</i> . DC.	(ye.) pale-podded.	Poland.	1828.	—	H. ♂.	
24	<i>suavcolens</i> . DC.	(ye.) sweet-scented.	Dahuria.	1826.	—	H. ♀.	
25	<i>hirsuta</i> . Bal.	(ye.) hairy.		—	—	H. ☉.	
26	<i>procumbens</i> . H.Pr.	(y.) procumbent.		1829.	—	H. ☉.	
27	<i>arvensis</i> . DC.	(ye.) corn-field.	Germany.	1822.	6. 9.	H. ☉.	
28	<i>petitpierreana</i> . W.	(wh.) rough-podded.	—	1816.	—	H. ♂.	
29	<i>Besseriàna</i> . DC.	(ye.) Besser's.	Tauria.	1826.	6. 8.	H. ♂.	
	<i>imbricata</i> . Bes.						
30	<i>plicata</i> . F.	(ye.) plaited.	—	1823.	—	H. ☉.	
31	<i>messanensis</i> . DC.	(ye.) Sicilian.	Sicily.	1680.	—	H. ☉.	
32	<i>sulcata</i> . DC.	(ye.) furrowed.	Barbary.	1798.	—	H. ☉.	
	<i>mauritànica</i> . W.enum.						
TRIFOLIUM. DC. TREFOIL. Diadelphia Decandria. L.							
1	<i>angustifolium</i> . DC.	(ro.) narrow-leaved.	S. Europe.	1640.	6. 8.	H. ☉.	Barrel. ic. t. 698.
2	<i>intermedium</i> . DC.	(wh.) intermediate.	Italy.	1829.	—	H. ☉.	
3	<i>purpureum</i> . DC.	(pu.) purple.	Montpelier.	1826.	—	H. ☉.	Leisel. fl. gall. t. 14.
4	<i>rubens</i> . DC.	(re.) long-spiked.	S. Europe.	1633.	6. 9.	H. ♀.	Jacq. aust. 4. t. 385.
5	<i>caerulescens</i> . DC.	(pu.) bluish.	Tauria.	1827.	—	H. ☉.	
6	<i>incarnatum</i> . DC.	(sc.) scarlet.	Italy.	1596.	7. 9.	H. ☉.	Bot. mag. 328.
7	<i>Molineri</i> . W.	(bh.) blush-flowered.	—	1823.	—	H. ☉.	
8	<i>arvense</i> . DC.	(wh.) Hare's-foot.	Britain.		7. 8.	H. ☉.	Engl. bot. v. 14. t. 944.
9	<i>gracile</i> . P.S.	(re.) slender.	France.	1818.	—	H. ☉.	Barrel. ic. 901.
10	<i>ligusticum</i> . DC.	(re.) awned.	Portugal.	1820.	6. 8.	H. ☉.	Balb. act. ac. it. 1. f. 2.
	<i>arrectisetum</i> . Brot. phyt. t. 63. f. 1.	<i>aristatum</i> . H.					
11	<i>divaricatum</i> . DC.	(wh.) spreading.		1827.	—	H. ☉.	
12	<i>gemellum</i> . DC.	(wh.) double-headed.	Spain.	1825.	—	H. ☉.	
13	<i>phleoides</i> . DC.	(re.) Phleum-spiked.	—	—	—	H. ☉.	
14	<i>lappaceum</i> . DC.	(st.) burr-spiked.	S. Europe.	1787.	—	H. ☉.	Barrel. ic. 871.
15	<i>echinatum</i> . DC.	(wh.) bristly.	Caucasus.	1823.	—	H. ☉.	
16	<i>erinaceum</i> . DC.	(wh.) villous-leaved.	Iberia.	1827.	—	H. ☉.	
17	<i>malacanthum</i> . DC.	(wh.) soft-headed.		1824.	—	H. ☉.	
18	<i>sylvaticum</i> . DC.	(pu.) wood.	S. France.	1826.	—	H. ♀.	
19	<i>Bocconi</i> . DC.	(re.) Boccone's.	S. Europe.	1825.	7. 8.	H. ☉.	Brot. phyt. t. 63. f. 2.
	<i>semiglabrum</i> . Brot. collinum. Poir.						
20	<i>striatum</i> . DC.	(pu.) soft-knotted.	Britain.		6. 7.	H. ☉.	Eng. bot. v. 26. t. 1843.
21	<i>tenuiflorum</i> . DC.	(pu.) slender-flower'd.	Naples.	1824.	6. 8.	H. ☉.	
22	<i>scabrum</i> . DC.	(wh.) rough.	Britain.		5. 7.	H. ☉.	Eng. bot. v. 13. t. 903.
23	<i>maritimum</i> . DC.	(li.) sea-shore.	—		6. 8.	H. ☉.	— v. 4. t. 220.
	<i>rigidum</i> . Savi. fl. pis. 2. p. 159. t. 1. f. 1.						
24	<i>supinum</i> . DC.	(bh.) spreading-branch'd.	S. Europe.	1827.	—	H. ☉.	Savi. obs. trif. p. 46. f. 2.
25	<i>constantinopolitanum</i> . DC.	(ye.) Turkish.	Constantinople.	—	—	H. ☉.	
26	<i>cinctum</i> . DC.	(st.) girded.	Montpelier.	1820.	—	H. ☉.	
27	<i>alexandrinum</i> . DC.	(st.) Egyptian.	Egypt.	1798.	—	H. ☉.	
28	<i>ochroleucum</i> . DC.	(st.) sulphur-color'd.	Britain.		—	H. ♀.	Eng. bot. v. 17. t. 1224.
29	<i>tricocéphalum</i> . DC.	(st.) hairy-headed.	Caucasus.	1829.	—	H. ♀.	
30	<i>canescens</i> . DC.	(wh.) gray.	—	1803.	5. 7.	H. ♀.	Bot. mag. 1168.
31	<i>pannonicum</i> . DC.	(wh.) Hungarian.	Hungary.	1752.	6. 8.	H. ♀.	Jacq. obs. 2. t. 42.
32	<i>barbatum</i> . DC.	(ye.) bearded.	Montpelier.	1827.	—	H. ♀.	
33	<i>olympicum</i> . B.M.	(st.) long-flowered.	Levant.	1810.	—	H. ♀.	Bot. mag. 2790.
34	<i>armenium</i> . DC.	(st.) Armenian.	Armenia.	1816.	5. 7.	H. ♀.	
35	<i>squarrosum</i> . DC.	(wh.) various-leaved.	Spain.	1640.	7. 8.	H. ☉.	Moris. his. s. 2. t. 13. f. 1.
	<i>flavicans</i> . DC.	(st.) yellowish.	—		—	H. ☉.	Savi. obs. trif. p. 65. t. 3.
36	<i>albidum</i> . DC.	(st.) whitish.		1796.	—	H. ☉.	
37	<i>conicum</i> . DC.	(st.) conical.		1823.	6. 8.	H. ☉.	
38	<i>Kitaibelianum</i> . DC.	(st.) Kitaibel's.	Hungary.	1828.	—	H. ☉.	
39	<i>elongatum</i> . DC.	(re.) long-flowered.	Galatia.	1810.	—	H. ♀.	
40	<i>alpestre</i> . DC.	(pu.) oval-spiked.	Europe.	1789.	—	H. ♀.	Bot. mag. 2779.
41	<i>medium</i> . DC.	(pu.) Cow-grass.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 3. t. 190.
42	<i>bracteatum</i> . DC.	(pu.) large-bracted.	Morocco.	1804.	6. 8.	H. ♂.	

43	expansum. DC.	(pu.) expanded.		1804.	6. 7.	H. 4.	
44	pratense. DC.	(pu.) common clover.	Britain.		5. 9.	H. 4.	Eng. bot. v. 25. t. 177.
	<i>a perenne.</i>	(pu.) perennial.			—	H. 4.	Sincl. gr. web. 221.
	<i>β sativum.</i>	(pu.) cultivated.			—	H. 4.	
45	vaginatum. Schl.	(ye.) sheathed.	Switzerland.	1824.	—	H. 4.	
	<i>pratense β flavicans.</i> Ser. in DC. prodr. 2. p. 195. <i>ochroleucum.</i> γ. DC.						
46	microphyllum. DC.	(p.) small-leaved.	France.	1821.	5. 9.	H. 4.	
47	roricum. DC.	(st.) shaggy.	Carinthia.	1823.	6. 7.	H. 4.	Sturm deuts. 1. fasc. 1.
48	pensylvanicum. DC.	(p.) Buffalo-clover.	N. America.	1811.	6. 9.	H. 4.	
49	pallidum. DC.	(wh.) pale.	Hungary.	1803.	6. 8.	H. 4.	W. et K. hung. 1. t. 36.
50	diffusum. DC.	(pu.) diffuse.		1801.	—	H. 4.	— 1. t. 1.
51	hirtum. DC.	(pu.) hairy.	S. Europe.	1806.	—	H. 4.	Desf. atl. 2. t. 209. f. 1.
	<i>hispidum.</i> Desf.						
52	pictum. W.	(pu.) painted-leaved.		—	—	H. 4.	
53	pauciflorum. DC.	(pu.) few-flowered.	Archipelago.	1828.	—	H. 4.	
54	Cherleri. DC.	(st.) hispid-headed.	S. Europe.	1750.	5. 7.	H. 4.	Barrel. ic. 859.
55	globosum. DC.	(wh.) globular-headed.	Levant.	1713.	6. 8.	H. 4.	
56	clypeatum. DC.	(wh.) oriental.		1711.	—	H. 4.	Alpin. exot. t. 36.
57	stellatum. DC.	(ro.) star-headed.	England.		7. 8.	H. 4.	Eng. bot. v. 22. t. 1.
58	leucanthum. DC.	(wh.) white-flowered.	Tauria.	1823.	6. 8.	H. 4.	
59	Waldsteiniæ. DC.	(pu.) Waldstein's.	Hungary.	1826.	—	H. 4.	W. et K. hung. 3. t. 1.
	<i>reflexum.</i> W. K. non L.						
60	saxatile. DC.	(wh.) rock.	Switzerland.	1816.	6. 8.	H. 4.	All ped. t. 59. f. 3.
61	suffocatum. DC.	(wh.) suffocated.	England.		—	H. 4.	Eng. bot. v. 15. t. 104.
62	glomeratum. DC.	(ro.) round-headed.			6. 7.	H. 4.	— v. 15. t. 1.
63	parviflorum. DC.	(li.) small-flowered.	Hungary.	1805.	7. 8.	H. 4.	Sturm deuts. 1. fasc. 15.
	<i>strictum.</i> Sturm.						
64	strictum. DC.	(bh.) upright.	S. Europe.	—	—	H. 4.	W. et K. hung. 1. t. 1.
65	repens. DC.	(wh.) white clover.	Britain.		5. 9.	H. 4.	Eng. bot. v. 25. t. 177.
	<i>β pentaphyllum.</i> P. S. (w.) purple 5-leaved.				—	H. 4.	
66	anomalum. DC.	(wh.) anomalous.		1827.	—	H. 4.	Schrank pl. rar. t. 4.
67	pallens. DC.	(st.) pale.	Hungary.	1804.	6. 8.	H. 4.	Sturm deuts. fl. 1. fasc. 1.
68	caespitosum. DC.	(wh.) turf.	Switzerland.	1815.	—	H. 4.	Vill. delph. 3. t. 41.
69	angulatum. DC.	(bh.) angular.	Hungary.	1803.	—	H. 4.	W. et K. hung. 1. t. 1.
70	suaveolens. DC.	(pu.) sweet-scented.	S. Europe.	1818.	—	H. 4.	W. hort. berol. t. 1.
71	hybridum. DC.	(wh.) hybrid.		1805.	—	H. 4.	Sturm deuts. fl. 1. fasc. 1.
72	Micheliæ. DC.	(st.) Michel's.	Italy.	1815.	—	H. 4.	Mich. n. gen. t. 25. f. 1.
73	elegans. DC.	(li.) elegant.	S. Europe.	1818.	—	H. 4.	Savi. fl. pi. 2. t. 1. f. 2.
	<i>formosum.</i> Savi. Vail. par. t. 22. f. 1.						
74	reflexum. DC.	(pu.) reflexed.	Virginia.	1794.	—	H. 4.	
75	montanum. DC.	(wh.) mountain.	Europe.	1786.	7. 8.	H. 4.	Flor. dan. t. 1172.
76	rupestre. DC.	(wh.) flat-headed.	Italy.	1824.	—	H. 4.	
77	Prutetiæ. DC.	(re.) soft hairy.		1828.	—	H. 4.	
78	subterraneum. DC.	(w.) subterranean.	England.		5. 6.	H. 4.	Eng. bot. v. 15. t. 104.
79	vesiculosum. DC.	(re.) recurved.	Hungary.	1805.	6. 8.	H. 4.	W. et K. hung. 2. t. 1.
	<i>recurvum.</i> W. K.						
80	spumosum. DC.	(pu.) bladdered.	France.	1771.	—	H. 4.	Cupan. panp. t. 60. f. 1.
81	resupinatum. DC.	(pu.) resupinate.	Germany.	1713.	—	H. 4.	Sturm deuts. fl. 1. fasc. 1.
82	fragiferum. DC.	(li.) Strawberry.	England.		7. 8.	H. 4.	Eng. bot. v. 15. t. 104.
83	tomentosum. DC.	(ye.) woolly.	S. Europe.	1640.	6. 8.	H. 4.	Barrel. ic. 864.
84	physodes. DC.	(li.) swollen-calyx'd.	Iberia.	1829.	—	H. 4.	
85	alatum. DC.	(li.) netted-calyx'd.	Sicily.	1820.	7. 8.	H. 4.	Cupan. panp. t. 97. f. 1.
	<i>Cupani.</i> Tineo.						
86	uniflorum. DC.	(re.) one-flowered.	S. Europe.	1822.	6. 8.	H. 4.	Buxb. cent. 3. t. 31. f. 1.
	<i>β Sternbergiæ.</i> DC. (wh.) Sternberg's.			—	—	H. 4.	— 3. p. 18. t. 31. f. 1.
87	eximium. DC.	(pu.) choice.	Dahuria.	1828.	—	H. 4.	
	<i>β albiflorum.</i> DC. (wh.) white-flowered.	Altay.		—	—	H. 4.	
88	alpinum. DC.	(re. wh.) alpine.	Italy.	1775.	—	H. 4.	Sturm deuts. fl. 1. fasc. 1.
89	involutum. DC.	(re.) involucred.	Mexico.	1825.	—	H. 4.	Kth. pl. legum. t. 53.
90	Gussoni. DC.	(pu.) Gussone's.	Sicily.	1822.	—	H. 4.	Bonan. sic. t. 245.
91	fimbriatum. B. R.	(re.) fringed.	N. America.	1826.	9. 10.	H. 4.	Bot. reg. 1070.
92	tridentatum. B. R.	(re.) three-toothed.		—	8. 10.	H. 4.	
93	cyathiferum. B. R.	(re.) cup-like.		—	—	H. 4.	
94	badium. DC.	(br.) villous-stalked.	Pyrenees.		6. 8.	H. 4.	Sturm deuts. fl. 1. fasc. 1.
95	agrarium. DC.	(ye.) golden.	Europe.	1815.	—	H. 4.	— fl. 1. fasc. 16.
96	spadiceum. DC.	(ye.) bay-coloured.		1778.	—	H. 4.	Bot. mag. 557.
97	decipiens. DC.	(ye.) decipient.		1827.	6. 8.	H. 4.	
98	speciosum. DC.	(br.) large-flowered.	Candia.	1752.	—	H. 4.	Labil. dec. 5. t. 10.
	<i>comosum.</i> Labil.						

99	procumbens. DC. (st.)	Hop.	Britain.		6. 7.	H. ☉.	Eng. bot. v. 14. t. 945.
100	parisiense. DC.	Paris.	France.		—	H. ☉.	Sturm deuts. 1. fas. 16.
<i>patens</i> . Sturm.							
101	Sebastiani. DC. (ye.)	Sebastian's.	Italy.	1823.	—	H. ☉.	Sebas. pl. rom. fas. 2. t. 4.
102	flavescens. DC. (ye.)	yellowish.	Sicily.	1828.	6. 8.	H. ☉.	
103	minus. E.B. (ye.)	lesser yellow.	Britain.		—	H. ☉.	Eng. bot. v. 18. t. 1256.
104	filiforme. E.B. (ye.)	slender yellow.	—		—	H. ☉.	— v. 18. t. 1257.
105	crinosum. W. (wh.)	tufted.	N. America.	1798.	—	H. 4.	
106	tennifolium. DC. (wh.)	slender-leaved.	Naples.	1824.	—	H. ☉.	
107	capense. DC. (st.)	Cape.	C. B. S.	1825.	—	G. 4.	
108	conditum. DC. (wh.)	close-headed.	Sicily.	1829.	—	H. ☉.	
109	firmosum. DC. (pi.)	handsome.	Isl. Melo.	1828.	—	H. ♂.	
110	hirsutophalum. DC. (w.)	woolly-headed.	C. B. S.	1825.	—	H. ☉.	
111	villosum. Pr. (wh.)	villous.	Sicily.	1818.	5. 7.	H. ☉.	
112	plicatum. Pr. (br.)	plaited.	—	1824.	6. 8.	H. ☉.	
113	Ehrenbergii. H. ber. (w.)	Ehrenberg's.	Egypt.	1826.	—	H. ☉.	
114	libanaticum. E. (wh.)	Lebanon.	Mt. Lebanon.	1827.	—	H. ☉.	
115	albiceps. E. (wh.)	white-headed.	Egypt.	1829.	—	H. ☉.	
LUPINASTER. Mh. LUPINASTER. Diadelphia Decandria.							
1	pentaphyllus. Mh. (re.)	five-leaved.	Siberia.	1741.	7. 8.	H. 4.	Bot. mag. 879.
<i>Trifolium Lupinaster</i> . B.M. <i>Pentaphy'llon Lupinaster</i> . P.S.							
2	albus. F. (wh.)	white-flowered.	Volga.	1827.	—	H. 4.	
3	purpureus. F. (pu.)	purple.	—	1821.	6. 8.	H. 4.	
4	caeruleus. F. (pu.)	blue purple.	—	1826.	—	H. 4.	
DORYCNIUM. DC. DORYCNIUM. Diadelphia Decandria.							
1	rectum. DC. (ro.)	upright.	S. Europe.	1640.	6. 8.	H. 4.	Barrel. ic. t. 541.
<i>L. rectus</i> . W.							
2	latifolium. DC. (wh.)	broad-leaved.	Iberia.	1818.	6. 9.	H. 4.	
3	hirsutum. DC. (ro.)	hairy.	S. Europe.	1683.	—	H. 4.	Bot. mag. 336.
<i>L. hirsutus</i> . B.M.							
4	sericeum. (bh.)	silky.	—	1820.	—	H. 4.	
<i>L. sericeus</i> . DC. cat. h. monsp. p. 122.							
5	argenteum. DC. (ye.)	silvery.	Egypt.	1825.	—	H. 4.	Delil. fl. arg. 113. t. 40.
6	parviflorum. DC. (ye.)	small-flowered.	S. Europe.	1824.	7. 8.	H. ☉.	Desf. atl. 2. t. 211.
7	subbiflorum. DC. (ye.)	two-flowered.	Spain.	1820.	6. 8.	H. ☉.	
8	herbaceum. DC. (wh.)	herbaceous.	S. Europe.	1802.	6. 9.	H. 4.	Vill. dauph. 3. t. 41.
9	suffruticosum. DC. (wh.)	suffrutescent.	—	1640.	7. 9.	F. 4.	Lobel. ic. 2. p. 51. f. 1. 2.
10	microphyllum. (ro.)	small-leaved.	C. B. S.	1826.	—	G. 4.	Bot. mag. 2808.
<i>L. microphyllum</i> . B.M. 2808.							
LOTUS. DC. BIRD'S-FOOT TREFOIL. Diadelphia Decandria.							
1	edulis. DC. (ye.)	esculent.	S. Europe.	1710.	7. 8.	H. ☉.	Cavan. ic. 2. t. 157.
2	ornithopodioides. (ye.)	claw-podded.	—	1683.	6. 8.	H. ☉.	— 2. t. 163.
3	peregrinus. DC. (ye.)	flat-podded.	—	1713.	7. 8.	H. ☉.	
4	indicus. DC. (ye.)	Indian.	E. Indies.		—	H. ☉.	Pluk. phyt. t. 200. f. 7.
5	tetraphyllum. DC. (ye.)	four-leaved.	Archipelago.	1828.	—	H. ☉.	Viv. fl. lib. t. 17. f. 13.
6	flexuosus. DC. (ye.)	flexuose.		1820.	6. 8.	H. ☉.	
7	glaucus. DC. (ye.)	glaucous.	Madeira.	1777.	—	G. ♂.	
8	sessilifolius. DC. (ye.)	sessile leaved.	Canaries.	1816.	6. 9.	G. 4.	
9	anthylloides. DC. (ye.)	Anthyllis-like.	C. B. S.	1812.	—	G. 4.	Venten. malm. t. 92.
10	atropurpureus. DC. (da.)	dark-purple.	Cap. Verd Isl.	1823.	3. 9.	G. 4.	
11	jacobaeus. DC. (da.)	dark-flowered.	—	1714.	1. 12.	G. 4.	Bot. mag. 79.
12	arenarius. DC. (ye.)	sand.	Portugal.	1824.	6. 8.	H. ☉.	
13	creticus. DC. (ye.)	silver-leaved.	Levant.	1680.	6. 9.	G. 4.	Cavan. ic. 2. t. 156.
<i>3 varians</i> . DC. (ye.) variable.							
14	cytisoides. DC. (ye.)	downy.	S. Europe.	1752.	7. 8.	H. 4.	Barrel. ic. t. 1031.
15	Dioscoridis. DC. (ye.)	Dioscorides's.	Crete.	1658.	6. 8.	H. ☉.	All. ped. 1. t. 59. f. 1.
16	Gebelia. DC. (ro.)	Aleppo.	Aleppo.	1823.	5. 9.	F. 4.	Vent. h. cels. t. 57.
17	arabicus. DC. (re.)	red-flowered.	Arabia.	1773.	7. 9.	F. 4.	Jacq. vind. t. 155.
18	australis. DC. (re.)	New Holland.	N. S. W.	1803.	5. 9.	G. 4.	Bot. mag. 1365.
19	Candolleanus. ed. 1. (re.)	De Candolle's.	—	1812.	6. 9.	G. 4.	
<i>australis 2 angustifoliola</i> . DC.							
20	albidus. B.C. (wh.)	white-flowered.	—	1823.	—	G. 4.	Lodd. bot. cab. 1063
21	obovatus. ed. 1. (ye.)	glaucous obovate.	—	1803.	4. 9.	G. 4.	
22	decumbens. DC. (ye.)	decumbent.	France.	1820.	5. 7.	H. 4.	
23	Forsteri. (ye.)	Forster's.	Britain.		—	H. 4.	
<i>decumbens</i> . E.F. non DC.							
24	pilosissimus. DC. (ye.)	hairy.	S. France.	1826.	6. 8.	H. ☉.	
25	hispidus. DC. (ye.)	hispid.	S. Europe.	1820.	—	H. ☉.	Leisel. fl. gal. t. 16
26	staveolens. DC. (ye.)	fragrant.	—	1804.	—	H. 4.	

27	angustissimus. DC. (ye.)	narrow-podded. S. Europe.		5. 7.	H. ♂.	Bauh. hist. 2. p. 35. t. 1.
28	diffusus. DC. (ye.)	slender-podded. England.		—	H. ☉.	Eng. bot. v. 13. t. 121.
29	ciliatus. DC. (ye.)	ciliated. Italy.	1820.	6. 8.	H. ☉.	W. et K. hung. 3. t. 1.
30	gracilis. DC. (ye.)	slender. Hungary.	1818.	5. 7.	H. ☉.	W. et K. hung. 3. t. 1.
31	lanuginosus. DC. (ro.)	drooping-fl'd. Levant.	1818.	7. 8.	G. ♀.	
32	conimbricensis. DC. (bh.)	Portuguese. Portugal.	1800.	6. 8.	H. ☉.	Brot. phyt. t. 53.
33	glaberrimus. DC. (bh.)	smooth.	1820.	—	H. ☉.	
34	odoratus. DC. (ye.)	sweet-scented. Barbary.	1804.	—	H. ♀.	Bot. mag. 1233.
35	corniculatus. E.B. (ye.)	common. Britain.		—	H. ♀.	Eng. bot. v. 30. t. 2.
36	major. E.B. (ye.)	large hairy. —		—	H. ♀.	— v. 30. t. 2.
37	tenuis. W.K. (ye.)	slender. Hungary.	1816.	—	H. ♀.	
<i>depressus. W. enum. humifusus. W. en. ex. Link enum.</i>						
38	pedunculatus. DC. (ye.)	long-peduncled. Spain.	1814.	—	H. ♀.	Cavan. ic. 2. t. 161.
39	palustris. DC. (ye.)	marsh. Levant.	1824.	—	H. ♀.	
TETRAGONOLOBUS. DC. WINGED PEA. Diadelphia Decandria.						
1	purpureus. DC. (pu.)	purple-flower'd. S. Europe.	1596.	6. 8.	H. ☉.	Bot. mag. 151.
<i>Lotus tetragonolobus. B.M.</i>						
2	biflorus. DC. (ye.)	two-flowered. Sicily.	1754.	—	H. ☉.	Desf. atl. t. 210.
3	conjugatus. DC. (pu.)	twin-podded. Montpelier.	1759.	—	H. ☉.	
4	siliquosus. L.en. (ye.)	square-podded. S. Europe.	1683.	7. 8.	H. ♀.	Jacq. aust. 4. t. 361.
5	maritimus. L. en. (ye.)	sea-side. —	—	—	H. ♀.	Flor. dan. 800.

Subtribus III. CLITORIÆ. DC. prodr. p. 216.

PSOR'ALEA. DC.		PSOR'ALEA. Diadelphia Decandria. L.				
1	odoratissima. DC. (bl.)	sweet-scented. C. B. S.	1795.	5. 10.	G. ♀.	Jacq. schœnb. 2. t. 225.
<i>pinnata. Andr. rep. 474. nec aliorum.</i>						
2	arborea. B.M. (bl.)	tree. —	1814.	—	G. ♀.	Bot. mag. 2090.
3	pinnata. DC. (bl.)	winged-leaved. —	1690.	5. 7.	G. ♀.	Herm. lugd. 273. ic.
4	laevigata. DC. (pu.)	smooth. —	1824.	—	G. ♀.	
5	verrucosa. DC. (bl.)	warted. —	1774.	5. 8.	G. ♀.	Jacq. schœnb. 2. t. 225.
<i>angustifolia. Jacq.</i>						
6	filiformis. DC. (bl.)	slender. —	1821.	—	G. ♀.	
7	axillaris. DC. (bl.)	axillary-flower'd. —	1816.	6. 7.	G. ♀.	
8	tenuifolia. DC. (bl.)	slender-leaved. —	1793.	—	G. ♀.	Jacq. schœnb. 2. t. 225.
9	fascicularis. DC. (bl.)	fascicle-flowered. —	1816.	—	G. ♀.	
10	multicaulis. DC. (v.)	many-stalked. —	1793.	8. 10.	G. ♀.	Jacq. schœnb. 2. t. 230.
11	aphylla. DC. (bl.)	leafless. —	1790.	6. 8.	G. ♀.	Bot. mag. 1727.
12	lathyrifolia. DC. (bl.)	Lathyrus-leaved. —	1823.	—	G. ♀.	Balb. h. taur. p. 25. ic.
13	decumbens. DC. (bl.)	decumbent. —	1774.	4. 6.	G. ♀.	Lodd. bot. cab. 3. t. 252.
14	repens. DC. (bl.)	creeping. —	—	7. 8.	G. ♀.	
15	hirta. DC. (bl.)	hairy. —	1713.	5. 9.	G. ♀.	
16	Jacquiniæna. (bl.)	Jacquin's. —	—	—	G. ♀.	Jacq. schœnb. 2. t. 225.
<i>hirta. Jacq. nec aliorum.</i>						
17	aculeata. DC. (bl.)	prickle-leaved. —	1774.	—	G. ♀.	Andr. reposit. 146.
18	bracteata. DC. (bl.)	oval-spiked. —	1731.	6. 8.	G. ♀.	Bot. mag. 446.
19	involuta. DC. (bl.)	large-bracted. —	1824.	7. 8.	G. ♀.	
20	spicata. DC. (bl. wh.)	long-spiked. —	1774.	—	G. ♀.	Andr. reposit. 411.
21	Stachydis. DC. (bl.)	Stachy's-like. —	1793.	4. 6.	G. ♀.	
22	striata. DC. (bl.)	streaked. —	1816.	6. 8.	G. ♀.	
23	argentea. DC. (bl.)	silvery. —	—	—	G. ♀.	
24	tomentosa. DC. (bl.)	woolly. —	1825.	—	G. ♀.	
25	capitata. DC. (bl.)	headed. —	1793.	—	G. ♀.	
26	corylifolia. DC. (vi.)	Hazel-leaved. Arabia.	1739.	6. 7.	S. ♂.	Bot. mag. 665.
27	virgata. DC. (bl.)	twiggy. Florida.	1826.	6. 8.	H. ♀.	
28	arenaria. DC. (bl.)	sand. Missouri.	1823.	—	H. ♀.	
<i>lanceolata et elliptica. Ph. ex Nutt.</i>						
29	palestina. DC. (bl.)	Palestine. Levant.	1771.	4. 9.	F. ♀.	Jacq. vind. 2. t. 184.
30	lituminosa. DC. (pu.)	bituminous. Italy.	1570.	—	F. ♀.	Schkuhr hand. 2. t. 210.
31	sericea. DC. (pu.)	long-peduncled. C. B. S.	1815.	1. 12.	G. ♀.	Bot. reg. 223.
<i>pedunculata. E.R.</i>						
32	Mutisii. DC. (pu.)	Mutis's. Mexico.	1828.	6. 8.	G. ♀.	Kth. pl. legum. t. 54.
33	esculenta. DC. (bl.)	Bread-root. Missouri.	1814.	—	H. ♀.	Pursh. amer. 2. t. 22.

31	<i>caespitata</i> . DC. (bl.) large-rooted.	Louisiana.	1811.	6. 8.	H. 2.	
	<i>macrorrhiza</i> . Fraser.					
32	<i>incana</i> . DC. (bl.) silky.	Missouri.	1813.	—	H. 2.	
	<i>argophylla</i> . Ph.					
33	<i>leptocla</i> . DC. (pu.) narrow-leaved.	Carolina.	1812.	—	H. 2.	
34	<i>tenatiflora</i> . DC. (pu.) slender-flower'd.	Missouri.	1826.	—	H. 2.	
35	<i>longifolia</i> . DC. (wh.) long-leaved.	Louisiana.	1811.	—	H. 2.	
36	<i>melilotoides</i> . DC. (bl.) Melilot-like.	Carolina.	1814.	—	F. 2.	Bot. reg. 454.
37	<i>Onobrychis</i> . DC. (pu.) rough-podded.	Louisiana.	1812.	—	H. 2.	— t. 453.
38	<i>glandulosa</i> . DC. (v.) glandular.	Peru.	1770.	5. 9.	H. 2.	Swt. br. il. gar. 3. t. 236.
39	<i>pubescens</i> . DC. (bl.) pubescent.	Lima.	1823.	—	G. 3.	Bot. reg. 908.
40	<i>canescens</i> . DC. (bl.) canescent.	Carolina.	—	6. 8.	F. 2.	
41	<i>divaricata</i> . DC. (bl.) divaricate.	Peru.	1820.	5. 9.	G. 2.	
42	<i>dentata</i> . DC. (wh. pu.) tooth-leaved.	Madeira.	1816.	—	F. 2.	Lobel. ic. 2. t. 31. f. 1.
	<i>americana</i> . Jacq. schœnb. t. 227.					
CARMICHELIA. B.R. CARMICHELIA. Diadelphia Decandria.						
	<i>australis</i> . B.R. (li.) New Zealand.	New Zealand.	1822.	3. 5.	G. 2.	Bot. reg. 912.
	<i>latus arboreus</i> . Forster.					
INDIGO'FERA. DC. INDIGO. Diadelphia Decandria. L.						
1	<i>linifolia</i> . DC. (wh.) Flax-leaved.	E. Indies.	1792.	7. 8.	S. ☉.	Roxb. cor. 2. t. 194.
2	<i>paniculata</i> . DC. (re.) paniced.	Sierra Leon.	1824.	—	S. 2.	
3	<i>filifolia</i> . DC. (re.) filiform-leaved.	C. B. S.	1812.	7. 10.	G. 2.	
4	<i>echinata</i> . DC. (re.) prickly-podded.	E. Indies.	1824.	6. 9.	S. 2.	
5	<i>cordifolia</i> . DC. (pu.) heart-leaved.	—	1826.	—	S. 2.	
6	<i>monophylla</i> . DC. (pu.) simple-leaved.	N. S. W.	—	—	G. 2.	
7	<i>diphylla</i> . DC. (ro.) two-leaved.	Africa.	1821.	7. 10.	S. ☉.	
8	<i>subulata</i> . DC. (li.) awl-stipuled.	W. Indies.	—	—	S. ☉.	
9	<i>Lechenaultii</i> . DC. (pu.) Lechenault's.	Bengal.	1826.	7. 10.	S. ☉.	
10	<i>trifoliata</i> . DC. (re.) trifoliate.	E. Indies.	1818.	7. 8.	S. 2.	
11	<i>multicaulis</i> . DC. (re.) many-stalked.	Nepaul.	1821.	7. 10.	S. ☉.	
12	<i>glandulosa</i> . DC. (re.) glandular.	E. Indies.	1818.	5. 7.	S. 2.	
13	<i>biflora</i> . DC. (pu.) two-flowered.	—	1826.	—	S. 2.	
14	<i>denudata</i> . DC. (pu.) smooth-leaved.	C. B. S.	1790.	—	G. 2.	Jacq. schœnb. 2. t. 233.
15	<i>amœna</i> . DC. (sc.) scarlet-flowered.	—	1774.	3. 5.	G. 2.	Bot. reg. 300.
16	<i>rigida</i> . DC. (re.) rigid.	E. Indies.	1820.	5. 8.	S. 2.	
17	<i>virgata</i> . DC. (re.) twiggy.	Nepaul.	1823.	7. 8.	S. 2.	
18	<i>argentea</i> . DC. (re.) silvery.	Egypt.	1776.	—	S. 2.	L'Herit. strip. t. 79.
19	<i>tinctoria</i> . DC. (re.) East Indian.	E. Indies.	1731.	—	S. 2.	Rheed. mal. 1. t. 54.
20	<i>brachycarpa</i> . DC. (re.) short-podded.	W. Indies.		—	S. 2.	
21	<i>A'nil</i> . DC. (re.) West Indian.	—	1731.	—	S. 2.	Lam. ill. t. 626. f. 2.
22	<i>coerulea</i> . H.B. (pu.) blue-flowered.	E. Indies.	1820.	6. 7.	S. 2.	
23	<i>leptostachya</i> . DC. (pu.) slender-spiked.	—	1827.	6. 8.	S. 2.	
24	<i>atropurpurea</i> . DC. (pu.) dark-purple.	Nepaul.	1820.	7. 8.	S. 2.	
25	<i>cylindrica</i> . DC. (ro.) cylindric-podd'd.	C. B. S.	1822.	6. 8.	G. 2.	
26	<i>juncœa</i> . DC. (ro.) rushy.	—		7. 10.	G. 2.	Herb. amat. t. 227.
	<i>aphylla</i> . L. enum. <i>Lebeckia contaminata</i> . B.R. 104. <i>nuda</i> . B.M. 2214.					
27	<i>australis</i> . DC. (li.) round-stemm'd.	N. S. W.	1790.	3. 6.	G. 2.	Bot. reg. 386.
28	<i>angulata</i> . B.R. (li.) angular-stalked.	—	1824.	—	G. 2.	— t. 991.
29	<i>macrostachya</i> . DC. (ro.) long-spiked.	China.	1822.	4. 6.	G. 2.	Vent. malin. t. 44.
30	<i>frutescens</i> . DC. (ro.) frutescent.	C. B. S.	1823.	7. 9.	G. 2.	
31	<i>divaricata</i> . DC. (ru.) spreading.		1821.	—	G. 2.	Jacq. schœnb. t. 365.
32	<i>mucronata</i> . DC. (re.) mucronate.	Jamaica.	—	—	S. 2.	
33	<i>elliptica</i> . H.B. (re.) elliptic-leaved.	Bengal.	1820.	7. 8.	S. 2.	
34	<i>pulchella</i> . H.B. (re.) pretty.	E. Indies.	1823.	—	S. 2.	
35	<i>arborea</i> . H.B. (re.) tree.	—	—		S. 2.	
36	<i>purpurascens</i> . H.B. (p.) purplish.	—	1827.	7. 8.	S. 2.	
37	<i>violacea</i> . H.B. (vi.) violet-coloured.	—	1825.	—	S. 2.	
38	<i>uncinata</i> . H.B. (re.) hooked.	—	—	—	S. 2.	
39	<i>circinnata</i> . Rox. (re.) rounded.	—	1822.	—	S. 2.	
40	<i>lateritia</i> . DC. (re.) brick-coloured.	Guinea.	—	—	S. ☉.	Jacq. ic. t. 359.
	<i>hirsuta</i> . Jacq. non Linn.					
41	<i>viscosa</i> . DC. (re.) clammy.	E. Indies.	1806.	6. 8.	S. ☉.	Wend. sert. han. 2. t. 12.
42	<i>dendroïdes</i> . DC. (ro.) tree-like.	Guinea.	1822.	—	S. ☉.	Jacq. ic. 3. t. 571.
43	<i>polyphylla</i> . DC. (re.) many-flowered.	Nepaul.	1825.	4. 8.	G. 2.	
44	<i>heterotricha</i> . DC. (ro.) various-haired.	C. B. S.	1816.	—	G. 2.	
45	<i>hirsuta</i> . DC. (pu.) hairy-leaved.	E. Indies.	1739.	7. 9.	S. 2.	Burm. zeyl. 37. t. 14.
46	<i>endecaphylla</i> . DC. (re.) eleven-leaved.	Guinea.	1822.	—	S. ☉.	Bot. reg. 759.
47	<i>alternans</i> . DC. (re.) alternate-leav'd.	C. B. S.	1816.	—	G. 2.	
48	<i>fragrans</i> . DC. (re.) fragrant.	E. Indies.	1822.	—	S. 2.	

49	pusilla. DC.	(re.)	small.	Madagascar.	1822.	7. 9.	S. h.	
50	glabra. DC.	(re.)	smooth.	E. Indies.	1821.	—	S. ⊙.	Pluk. alm. t. 166. f. 1.
51	enneaphylla. DC.	(pu.)	trailing.	—	1776.	—	S. ⊙.	— t. 166. f. 2.
52	cytisoides. DC.	(ro.)	angular-stem'd.	C. B. S.	1774.	—	G. h.	Bot. mag. 742.
53	lotoïdes. DC.	(ro.)	Lotus-like.	—	1816.	—	G. h.	Comm. hort. 2. t. 8.
54	angustifolia. DC.	(pu.)	narrow-leaved.	—	1774.	6. 10.	G. h.	Bot. mag. 465.
55	aspalathoides. DC.	(re.)	Aspalathus-like.	Ceylon.	1823.	4. 6.	S. h.	
56	filiformis. DC.	(ro.)	filiform.	C. B. S.	1816.	—	G. h.	
57	alopecuroides. DC.	(ro.)	Fox-tail.	—	1825.	—	G. h.	
58	coriacea. DC.	(ro.)	leathery-leaved.	—	1774.	7. 8.	G. h.	
59	sarmentosa. DC.	(ro.)	dwarf.	—	1786.	6. 8.	G. h.	
60	microphylla. P.S.	(ro.)	small-leaved.	—	1812.	1. 12.	G. h.	
61	digitata. DC.	(ro.)	finger-leaved.	—	1820.	4. 8.	G. h.	
62	sessilifolia. DC.	(ro.)	sessile-leaved.	—	1816.	—	G. h.	
63	spinosa. DC.	(re.)	spiny.	Arabia.	1822.	—	S. h.	
64	candicans. DC.	(ro.)	white-leaved.	C. B. S.	1774.	5. 9.	G. h.	Bot. mag. 198.
65	psoraloides. DC.	(ro.)	Psoralea-like.	—	1758.	7. 8.	G. h.	— t. 476.
66	stipularis. DC.	(ro.)	stipuled.	—	1816.	6. 7.	G. h.	
67	incana. DC.	(ro.)	hoary.	—	1812.	5. 7.	G. h.	Bot. reg. 957.
68	trita. DC.	(re.)	oval-leaved.	E. Indies.	1802.	6. 8.	S. δ.	
69	procumbens. DC.	(re.)	procumbent.	C. B. S.	1816.	5. 7.	G. h.	
70	prostrata. DC.	(re.)	prostrate.	E. Indies.	1828.	8. 10.	S. ⊙.	
CLITORIA. DC. CLITORIA. Diadelphia Decandria. L.								
1	lascivia. Boj.		Madagascar.	Madagascar.	1826.		S. h. ∞.	
2	heterophylla. DC.	(bl.)	various-leaved.	E. Indies.	1812.	7. 8.	S. ⊙. ∞.	Bot. mag. 2111.
3	Ternatea. DC.	(bl.wh.)	wing-leaved.	—	1739.	5. 9.	S. h. ∞.	Rheed. mal. 8. t. 33.
	α carulea.	(bl.)	blue-flowered.	—	—	—	S. h. ∞.	Bot. mag. 1542.
	β alba.	(wh.)	white-flowered.	—		—	S. h. ∞.	
4	mariana. DC.	(bl.)	Maryland.	N. America.	1759.	8. 9.	H. 4. ∞.	
5	mexicana. DC.	(pu.)	Mexican.	Mexico.	1823.	6. 8.	G. 4. ∞.	
6	virginiana. DC.	(pu.)	Virginian.	America.	1732.	7. 8.	G. 4. ∞.	Dill. elt. t. 76.
	calcarigera. Sal.	par. lond. t. 51.						
7	occidentalis.	(pu.)	West Indian.	Trinidad.	1824.	6. 8.	S. h. ∞.	Bot. reg. 1047.
	virginiana. B.R.	1047. non Linn.						
8	brasiliensis. DC.	(bl.)	Brazilian.	Brazil.	1759.	—	S. 4. ∞.	Breyn. cent. t. 32.
9	Plumieri. DC.	(pu.)	Plumier's.	W. Indies.	1815.	8. 11.	S. h. ∞.	Bot. reg. 268.
10	erecta. H.B.		erect.	S. America.	1822.		S. h.	
11	Berteriensis. DC.	(ye.)	Bertero's.	St. Domingo.	1824.	6. 8.	S. 4. ∞.	
12	arborescens. DC.		tree.	Trinidad.	1804.		S. h.	
NEUROCARPUM. DC. NEUROCARPUM. Diadelphia Decandria.								
1	guianensis. DC.	(pu.)	Guiana.	Guiana.	1826.	6. 8.	S. 4.	Aubl. guian. 2. t. 305.
2	falcatum. DC.	(pu.)	sickle-podded.	St. Domingo.	—	—	S. h. ∞.	Plum. spec. 8. t. 55.
COLOGANIA. DC. COLOGANIA. Diadelphia Decandria.								
1	intermedia. DC.	(fl.)	intermediate.	Mexico.	1824.	6. 8.	G. 4. ∞.	
2	angustifolia. DC.	(vi.)	narrow-leaved.	—	—	—	G. 4. ∞.	Kth. mim. 209. t. 3.
3	Broussonetii. DC.	(vi.)	Broussonet's.	—	1820.	—	S. 4. ∞.	
GALACTIA. DC. GALACTIA. Diadelphia Decandria.								
1	pendula. DC.	(ro.)	pendulous.	Jamaica.	1794.	7. 8.	S. h. ∞.	Bot. reg. 269.
2	sericea. DC.	(pu.)	silky.	Isl. Bourbon.	1824.	—	S. h. ∞.	
3	cubensis. DC.	(ro.)	Cuba.	Cuba.	1826.	—	S. 4. ∞.	
4	mollis. DC.	(pu.)	soft.	Carolina.		—	G. 4. ∞.	Dill. elth. 1. f. 170.
5	glabella. DC.	(re.)	smooth.	—	1826.	6. 8.	G. 4. ∞.	
VILMORINIA. DC. VILMORINIA. Diadelphia Decandria.								
	multiflora. DC.	(pu.)	many-flowered.	W. Indies.	1823.	7. 8.	S. h.	
	Clitoria multiflora. Swartz.							
COLLEA. DC. COLLEA. Monadelphia Pent-Decandria.								
1	speciosa. DC.	(pu.)	pentandrous.	Peru.	1821.	6. 8.	G. h.	DC. leg. me. p. 245. t. 4.
2	trinervia. DC.	(pu.)	decandrous.	E. Indies.	1826.	—	S. h.	— p. 247. t. 41.
OTOPTERA. DC. OTOPTERA. Monadelphia Decandria.								
	Burchellii. DC.	(pu.)	Burchell's.	C. B. S.	1816.	5. 7.	G. h. ∞.	DC. leg. mem. 250. t. 42.
PUERARIA. DC. PUERARIA. Monadelphia Decandria.								
1	tuberosa. DC.	(ye.)	tuberous-root'd.	E. Indies.	1806.	6. 8.	S. h. ∞.	
	Hedy sarum tuberosum. W.							
2	Wallichii. DC.	(ye.)	Wallich's.	Nepaul.	1826.	4. 6.	G. h. ∞.	DC. leg. mem. 254. t. 43.
DUMASIA. DC. DUMASIA. Diadelphia Decandria.								
1	villosa. DC.	(ye.)	villous.	Nepaul.	1821.	8. 12.	G. h. ∞.	DC. leg. mem. 257. t. 44.
2	pubescens. DC.	(ye.)	pubescent.	—	—	—	G. h. ∞.	Bot. reg. 962.
GLYCINE. DC. GLYCINE. Diadelphia Decandria. L.								
1	clandestina. DC.	(bl.)	hidden-flower'd.	N. S. W.	1810.	4. 8.	G. h. ∞.	

2 debilis. DC.	(ye.) hairy.	E. Indies.	1778.	6. 7.	S. 2. ∞.	
3 minima. DC.	(bl.) small.	N. S. W.	1812.	4. 10.	G. 2. ∞.	
4 striata. DC.	(li.) streaked.	S. America.	1823.	7. 9.	S. 1. ∞.	Jacq. vind. 1. t. 76.
5 parviflora. DC.	(re.) small-flowered.	E. Indies.	1812.	7. 8.	S. 3. ∞.	
6 senegalensis. DC.	(ye.) Senegal.	Senegal.	1822.	—	S. 2. ∞.	
7 heterophylla. DC.	(ye.) various-leaved.	C. B. S.	1816.	6. 8.	G. 2. ∞.	
8 argentea. DC.	(ye.) silvery-leaved.	—	—	—	G. 2. ∞.	
9 secunda. DC.	(ye.) side-flowering.	—	1825.	6. 9.	G. 2. ∞.	
CHÆTOCALYX. DC. CHÆTOCALYX. Diadelphia Decandria.						
vincentina. DC.	(ye.) St. Vincent.	W. Indies.	1823.	6. 8.	S. 1. ∞.	Bot. reg. 799.
<i>Glycine vincentina</i> . B.R. 799.						

Subtribus IV. *GALEGEÆ*. DC. prodr. 2. p. 243.

PETALOSTEMUM. DC. PETALOSTEMUM. Monadelphia Pentandria.						
1 candidum. DC.	(wh.) white.	N. America.	1811.	7. 8.	H. 2.	Mich. amer. 2. t. 37. f. 1.
2 carneum. DC.	(li.) flesh-coloured.	Florida.	—	—	H. 2.	
3 violaceum. DC.	(pu.) purple-flower'd.	Missouri.	—	7. 9.	H. 2.	Bot. mag. 1707.
4 villosum. DC.	(ro.) villous.	—	1826.	—	H. 2.	
5 corymbosum. DC.	(wh.) corymbose.	Carolina.	1806.	—	H. 2.	
<i>Dilea Kuhnistera</i> . W. <i>Kuhnistera carolinensis</i> . Lam. <i>Cylipogon virgatum</i> . Rafin.						
DALEA. DC. D'ALEA. Monadelphia Decandria.						
1 laxiflora. DC.	(wh.) loose-flowered.	Louisiana.	1811.	7. 8.	H. 2.	
2 aurea. DC.	(ye.) golden.	—	—	—	H. 2.	
3 alpeceuroides. DC.	(w.) Fox-tail.	—	1812.	—	H. ⊙.	Mich. amer. 2. t. 38.
<i>Dilea Linnæi</i> . Mich.						
4 Cliffortiæna. W.	(bl.) Vera Cruz.	Vera Cruz.	1737.	7. 8.	H. ⊙.	Linn. h. cliff. t. 22.
5 Lagopus. DC.	(vi.) downy-spiked.	Mexico.	1780.	10. 11.	G. ⊙.	Cavan. ic. 1. t. 86.
6 sericea. DC.	(d.vi.) silky.	—	1825.	9. 11.	G. 2.	Kth. mim. 166. t. 48.
<i>gracilis</i> . Kth.						
7 tuberculata. DC.	(pu.) tubercled.	—	—	—	G. 1.	
8 citriodora. DC.	(v.) leafy.	New Spain.	1780.	10. 11.	G. ⊙.	Cavan. ic. 3. t. 271.
<i>Psoralea citriodora</i> . Cav. <i>foliolosa</i> . H.K.						
9 lutea. DC.	(ye.) yellow.	Mexico.	1823.	7. 9.	G. 2.	Cavan. ic. 4. t. 325.
10 mutabilis. DC.	(r.) changeable.	—	1821.	9. 10.	G. 1.	Bot. mag. 2486.
<i>bicolor</i> . Hook. ex. flor. 43.						
11 nutans. DC.	(vi.) nodding.	—	1824.	7. 9.	G. 2.	Cavan. ic. 3. t. 201.
12 reclinata. DC.	(vi.) reclining.	—	—	5. 8.	G. 2.	
13 tomentosa. DC.	(vi.) woolly.	—	1823.	7. 9.	G. 2.	Cavan. ic. 3. t. 210.
14 prostrata. DC.	(ye.) prostrate.	—	1826.	—	G. 2.	
15 mucronata. DC.	(wh.) mucronate.	—	—	—	G. 2.	
16 Thouini. DC.	(vi.) Thouin's.	—	1824.	6. 9.	H. ⊙.	Schrank hort. mon. t. 9.
17 phymatodes. DC.	(vi.) obovate-leaved.	Caracas.	—	7. 9.	G. 1.	Jacq. ic. 3. t. 563.
18 enneaphylla. DC.	(re.) nine-leaved.	W. Indies.	1772.	—	S. 1.	
GLYCYRRHIZA. DC. LIQUORICE. Diadelphia Decandria. L.						
1 glabra. DC.	(pu.) common.	S. Europe.	1562.	7. 9.	H. 2.	Lam. ill. t. 625. f. 2.
2 glandulifera. DC.	(pu.) glandular.	Hungary.	1805.	6. 8.	H. 2.	W. et K. hung. 1. t. 21.
3 lepidota. DC.	(wh.) scaly.	Missouri.	1811.	7. 8.	H. 2.	Bot. mag. 2150.
4 fetida. DC.	(ye.) strong-scented.	Barbary.	1823.	6. 9.	H. 2.	Desf. atl. 2. t. 199.
5 echinata. DC.	(pu.) prickly-headed.	Italy.	1596.	—	H. 2.	Bot. mag. 2151.
6 asperima. DC.	(li.) rough.	Siberia.	1795.	7. 8.	H. 2.	Pall. it. app. t. M. f. 3.
7 uralensis. DC.	(li.) Siberian.	—	1826.	—	H. 2.	
8 hirsuta. DC.	(li.) hairy.	Levant.	1739.	—	H. 2.	
GALÉGA. DC. GOAT'S-RUE. Monadelphia Decandria.						
1 officinalis. DC.	(pu.) officinal.	Spain.	1568.	6. 9.	H. 2.	Schk. hand. 2. t. 208.
2 purpurea.	(pu.) purple-flowered.	—	—	—	H. 2.	
3 alba.	(wh.) white-flowered.	—	—	—	H. 2.	
4 persica. DC.	(wh.) Persian.	Persia.	1816.	—	H. 2.	Swt. br. fl. gar. 3. t. 211.
5 biloba. B.F.G.	(pu.) two-lobed.	—	1823.	—	H. 2.	— 2. t. 159.
6 orientalis. DC.	(bl.) oriental.	Levant.	1801.	—	H. 2.	Bot. reg. 326.
TEPHROSIA. DC. TEPHROSIA. Mono-Diadelphia Decandria.						
1 suberosa. DC.	(ro.) cork-barked.	E. Indies.	1818.	5. 8.	S. 1.	
<i>Robinia suberosa</i> . H.B.						
2 fruticosa. DC.	(ro.) frutescent.	—	1820.	—	S. 1. ∞.	

3	sophoroïdes. DC. (wh.)	Sophora-like.	Nepaul.	1826.		G. h.	
4	brachystachya. DC. (ro.)	short-spiked.	—	—		G. h.	
5	cándida. DC. (ro.)	white-leaved.	E. Indies.	1810.	5. 8.	S. h.	
	<i>Robinia cándida</i> . H.B.						
6	toxicària. DC. (bh.)	Fish poison.	S. America.	1791.	—	S. h.	Plum. ic. t. 135.
7	virginiàna. DC. (re.)	Virginian.	Virginia.	1765.	6. 8.	H. 4.	Pluk. alm. t. 23. f. 1.
8	hispídula. DC. (li.)	bristle-podded.	—	1826.	—	H. 4.	
9	ochroleuca. DC. (st.)	straw-colour'd.	W. Indies.	1799.	—	S. h.	Jacq. ic. t. 150.
10	carib'ea. DC. (re. wh.)	various-colour'd.	Caribees.	1786.	—	S. h.	Jacq. amer. t. 126.
11	grandiflora. DC. (re.)	large-flowered.	C. B. S.	1774.	6. 9.	I. h.	Bot. reg. 769.
	<i>Galèga grandiflora</i> . B.R. <i>Galèga ròsea</i> . Lam.						
12	villòsa. DC. (pu.)	villous.	E. Indies.	1779.	6. 8.	S. 4.	Burm. zeyl. t. 33.
13	purpurea. DC. (pu.)	purple.	—	1768.	7. 8.	S. 4.	— t. 32.
	<i>Galèga purpurea</i> . L.						
14	lanceafolia. DC. (st.)	lance-leaved.	—	1824.	—	S. h.	
15	argentea. DC. (pu.)	silvery.	—	1826.		S. 4.	Pluk. alm. t. 52. f. 1.
16	piscatória. DC. (pu.)	woolly.	—	1778.	6. 8.	S. h.	
17	leucantha. DC. (wh.)	white-flowered.	Mexico.	1826.	6. 10.	G. h.	H. et B.n. gen. a. 6. t. 33.
18	coronillafolia. DC. (st.)	Coronilla-leav'd.	Bourbon.	—		S. h.	
19	capensis. DC. (re.)	Cape.	C. B. S.	1823.	5. 9.	G. h.	Jacq. ic. t. 574.
20	cinerea. DC. (vi.)	cinereous.	W. Indies.	1821.	6. 9.	S. ①.	— t. 575.
21	hypargy'rea. DC. (pu.)	various-leaved.	E. Indies.	1825.	—	S. h.	
	<i>heterophy'lla</i> . F.						
22	stricta. DC. (pu.)	straight-podded.	C. B. S.	1774.	5. 6.	I. h.	Jacq. schœnb. t. 23.
23	linearis. DC. (pu.)	linear-leaved.	Guinea.	1822.		S. h.	
24	pallens. DC. (li.)	pale-flowered.	C. B. S.	1787.	6. 8.	I. h.	
25	apollinea. DC. (bl.)	Egyptian.	Egypt.	1822.	6. 7.	F. 4.	Delil. fl. eg. t. 53. f. 1.
26	tricolor. (bl.)	three-coloured.	N. Holland.	1824.	7. 9.	G. 4.	Hook. ex. flor. t. 13.
	<i>Galèga tricolor</i> . H.E.F.						
27	Barclayana. (pu.)	Mr. Barclay's.	Madagascar.	1823.	5. 10.	S. h. ∪.	Hook. ex. flor. t. 13.
	<i>Dalbergia Barclayii</i> . H.E.F.						
28	Telfairii. (pu.)	Mr. Telfair's.	—	—	—	S. h. ∪.	
29	Colonila. L.T. (pu.)	Colonil.	E. Indies.	1818.	6. 8.	S. h.	
30	racemosa. (pu.)	racemed.	—	1822.	—	S. h. ∪.	
	<i>Robinia racemosa</i> . H.B.						
31	pentaphy'lla. (pu.)	five-leaved.	—	1824.	—	S. h.	
	<i>Galèga pentaphy'lla</i> . H.B.						
32	biflora. DC. (pu.)	two-flowered.		1826.	6. 9.	G. h.	
33	capitulata. DC. (pu.)	headed.	Owyhee.	—	—	S. 4.	
34	incana. (pu.)	hoary.	E. Indies.	1820.	—	S. h.	
	<i>Galèga incana</i> . H.B.						
35	Heyniàna. (bl.)	Heyne's.	—	1807.	7. 9.	S. h.	
	<i>Galèga Heyniàna</i> . H.B.						
36	sericea. DC. (pu.)	silky.	C. B. S.	1824.	—	I. h.	
37	filifolia. DC. (re.)	filiform-leaved.	—	—	—	I. h.	
	AMORPHA. DC.	BASTARD INDIGO. Monadelphica Decandria.					
1	fruticosa. DC. (bl.)	shrubby.	Carolina.	1724.	6. 8.	H. h.	Bot. reg. 427.
2	croceolanata. W.D. (pu.)	yellow-haired.	—	1812.	—	H. h.	Wats. dend. brit. t. 10.
3	fràgrans. B.F.G. (pu.)	fragrant.	—	—	—	H. h.	Swt. br. fl. gar. t. 241.
	nana. Bot. mag. t. 2112. nec aliorum.						
4	emarginata. L.C. (bl.)	emarginate.	—	—	—	H. h.	
	<i>fruticosa</i> β <i>emarginata</i> . Ph.						
5	Lewisii. L.C. (bl.)	Lewis's.	—	—	—	H. h.	
	<i>fruticosa</i> γ <i>angustifolia</i> . Ph.						
6	glabra. DC. (pu.)	smooth.	—	—	—	H. h.	
7	nana. DC. (pu.)	dwarf.	Missouri.	1811.	7. 8.	H. h.	
	<i>microphy'lla</i> . Ph.						
8	herbacea. DC. (pu.)	pubescent.	Carolina.	1803.	6. 8.	H. h.	Lodd. bot. cab. 659
	<i>pubescens</i> . Ph.						
9	canescens. DC. (bl.)	canescent.	Missouri.	1812.	7. 8.	H. h.	
	NISS'OLIA. DC.	NISS'OLIA. Mono-Diadelphica Decandria.					
1	fruticosa. DC. (st.)	shrubby.	S. America.	1766.	7. 11.	S. h. ∪.	Jacq. vind. t. 167.
2	racemosa. DC. (st.)	racemed.	W. Indies.		6. 8.	S. h. ∪.	
3	glabrata. DC. (wh.)	smooth-leaved.	S. America.	1818.	7. 11.	S. h.	
4	robiniafolia. DC.	Robinia-leaved.	St. Vincent.	1821.		S. h.	
5	micróptera. DC. (ye.)	small-winged.		—	5. 8.	S. h.	
6	retusa. DC. (ye.)	retuse-leaved.	S. America.	1823.		S. h. ∪.	
	MULLERA. DC.	MULLERA. Monadelphica Octo-Decandria.					
	moniliformis. DC.	bracelet.	Guiana.	1792.		S. h.	Anbl. guian. 1. t. 32.

LONCHOCARPUS. DC. LONCHOCARPUS. Mono-Diadelphia Decandria.

1	domingensis. DC. (re.) oval-leaved.	St. Domingo. 1759.		S. h.	
2	violaceus. DC. (vi.) violet.	W. Indies. —	5. 8.	S. h.	Jacq. amer. t. 177. f. 49.
	<i>Rodolia violacea.</i> Jacq.				
3	formosianus. DC. (vi.) Formosa.	Africa. 1822.		S. h.	Beauv. fl. ovar. 2 t. 76.
4	sericeus. DC. (pu.) silky.	W. Indies. 1823.		S. h.	
5	pyxidarius. DC. (pu.) Cuba.	Cuba. 1822.		S. h.	
6	latifolius. DC. (pu.) broad-leaved.	S. America. 1814.		S. h.	
	<i>Acerimnum latifolium.</i> W.				
7	palescens. DC. (pu.) pubescent.	Caracas. 1820.		S. h.	
8	roseus. DC. (ro.) rose-coloured.	S. America.		S. h.	
9	sepium. DC. (ro.) hedge.	W. Indies. 1820.		S. h.	Jacq. amer. t. 129. f. 101.
10	Swartzii. DC. (ro.) Swartz's.	—		S. h.	
	<i>Robinia sepium.</i> Sw.				
11	Nicou. DC. (pu.) climbing.	Guiana. 1826.		S. h.	Aubl. guian. 2. t. 308.
	<i>Robinia Nicou.</i> Aubl. <i>scandens.</i> W.				

ROBINIA. DC. ROBINIA. Diadelphia Decandria. L.

1	Pseudacacia. DC. (wh.) com. or Locust Tree. N. Amer.	1640.	5. 6.	H. 5.	Schmidt arb. 1. t. 32.
2	inermis. DC. (wh.) spineless.			H. 5.	
	<i>spectabilis.</i> L.C.				
3	macrophylla. L.C. (ro.) long-leaved.	Siberia. 1797.	6. 7.	H. 5.	
4	sophoraefolia. L.C. (wh.) Sophora-leaved.	Hybrid. 1811.	—	H. 5.	
5	amorphaeolia. L.en. (w.) Amorpha-leav'd.	—	1820.	—	H. 5.
6	umbraculifera. DC. (w.) Parasol.	—	1811.		H. 5.
	<i>Robinia inermis.</i> Dum. Cours. non DC.				
7	dubia. DC. (bh.) doubtful.	—		H. 5.	
8	striata. L.C. (wh.) upright.	—		H. 5.	
9	tortuosa. DC. (wh.) twisting.	—		6. 7.	H. 5.
10	monstrosa. L.C. (wh.) monstrous.	—		—	H. 5.
11	pendula. L.en. (wh.) pendulous.	—		—	H. 5.
12	viscosa. DC. (bh.) clammy.	N. America. 1797.	6. 8.	H. 5.	Venten. cels. t. 4.
	<i>glutinosa.</i> Bot. mag. 580.				
13	hispida. DC. (ro.) Rose Acacia.	Carolina. 1743.	5. 9.	H. h.	Bot. mag. 311.
14	rosea. Ell. (ro.) smooth-branch'd.	—	1812.	—	H. h.
15	guineensis. W.en. (ro.) Guinea.	Guinea. 1821.		S. h.	
	<i>Cytisus hispidus.</i> W.				

16	purpurea. L.en. (pu.) purple.		1816.	4. 6.	S. h.
----	-------------------------------	-------	-------	-------	-------

POITÆA. DC. POITÆA. Diadelphia Decandria.

galegoïdes. DC. (ro.) Galega-like.	St. Domingo. 1826.		S. h.	Venten. choix. t. 36.
------------------------------------	--------------------	------	-------	-----------------------

COURS'ETIA. DC. COURS'ETIA. Diadelphia Decandria.

1	tomentosa. DC. (ye.) woolly.	Pern. 1824.	6. 8.	G. h.	Cavan. ic. t. 84.
---	------------------------------	-------------	-------	-------	-------------------

Lithyrus fruticosus. Cav. *O'robis tomentosus.* Df. *Vicia fruticosa.* W.

2	virgata. DC. (ye.) slender.	Trinidad. 1820.	—	S. h.	Cavan. ic. t. 293.
---	-----------------------------	-----------------	---	-------	--------------------

Eschynomene virgata. Cav.

SESBA'NIA. DC. SESBA'NIA. Diadelphia Decandria.

1	egyptiaca. DC. (ye.) Egyptian.	Egypt. 1680.	7. 8.	S. ♂.	Alp. ægypt. 81. t. 82.
2	occidentalis. DC. (ye.) West Indian.	W. Indies. 1823.	6. 8.	S. h.	Plum. ed Bur. t. 125. f. 1.
3	aculeata. DC. (ye.) prickly.	E. Indies. 1690.	7. 10.	S. ♂.	Jacq. ic. t. 564.
4	cannabina. DC. (ye.) Hemp-like.	—	1800.	—	S. ♂.
5	affinis. DC. (ye.) likened.	—	1822.	5. 8.	S. ♂.
6	pieta. DC. (std.) painted.	W. Indies. —	4. 9.	S. h.	Bot. reg. 873.
7	macrocarpa. DC. (st.) long-podded.	Louisiana. —	7. 10.	H. ♂.	Bart. fl. amer. 1. t. 28.
8	paludosa. DC. (ye.) marsh.	E. Indies. 1810.	—	S. ♂.	
9	gracilis. DC. (ye.) slender.		1824.	—	S. ♂.
10	sericea. DC. (ye.) silky.	E. Indies. 1818.	—	S. ♂.	
11	procumbens. H.B. (ye.) procumbent.	—	—	S. ♂.	
12	uliginosa. (ye.) swamp.	—	—	S. ♂.	

Eschynomene uliginosa. H.B.

AGATI. DC. AGATI. Diadelphia Decandria.

1	grandiflora. DC. (bh.) great-flowered.	E. Indies. 1768.	7. 8.	S. h.	Rheed. mal. 1. t. 51.
---	--	------------------	-------	-------	-----------------------

Sesbania grandiflora. P.S. *Eschynomene grandiflora.* L. *Coronilla grandiflora.* W.

2	coccinea. DC. (sc.) red-flowered.	E. Indies. 1824.	7. 8.	S. h.	Rumph. amb. 1. t. 77.
---	-----------------------------------	------------------	-------	-------	-----------------------

GLOTTIDIUM. DC. GLOTTIDIUM. Diadelphia Decandria.

floridanum. DC. (ye.) flat-podded.	Florida. 1822.	7. 8.	S. ♂.	Jacq. ic. 1. t. 148.
------------------------------------	----------------	-------	-------	----------------------

Sesbania platycarpa. P.S. *Robinia vesicaria.* Jacq. *Phaca floridana.* W.

PISCIDIA. DC. JAMAICA DOGWOOD. Monadelphina Decandria.

1	Erythrina. DC. (r.) oval-leaved.	W. Indies. 1690.		S. h.	Sloan. jam. 2. t. 176. f. 4-5.
2	carthagenensis. DC. (r.) obovate-leaved.	—		S. h.	Plum. ed Bur. t. 133. f. 2.

DAUBENT'ONIA. DC. DAUBENT'ONIA. Diadelphia Decandria.									
1	punicea. DC.	(pu.) red-flowered.	Mexico.	1824.		S. h.	Cavan. ic. 4. t. 311.		
2	longifolia. DC.	(ye.) long-leaved.	New Spain.	1828.		S. h.	— 4. t. 315.		
CORYNE'LLA. DC. CORYNE'LLA. Diadelphia Decandria.									
	polyantha. DC.	(pu.) many-flowered.	W. Indies	1824.		S. h.			
Robinia polyantha. Swartz.									
CARAG'ANA. DC. CARAG'ANA. Diadelphia Decandria.									
1	Altagana. DC.	(ye.) flat-podded.	Dahuria.	1789.	4. 6.	H. h.	L'Herit. stirp. t. 72.		
2	microphylla. DC.	(ye.) small-leaved.	Siberia.	1816.	—	H. h.	Pall. ross. t. 42. f. 112.		
3	arenaria. L.C.	(ye.) sand.	—	1802.	6. 7.	H. h.	Bot. mag. 1806.		
Robinia Caragana. β. arenaria. B.M.									
4	arborescens. DC.	(ye.) common.	—	1752.	4. 6.	H. h.	Schmidt arb. 1. t. 10.		
Robinia Caragana. L.									
5	Chamlagu. DC.	(ye.) shining.	China.	1773.	5. 6.	H. h.	L'Herit. stirp. t. 77.		
6	frutescens. DC.	(ye.) shrubby.	Siberia.	1752.	4. 6.	H. h.	Swt. br. fl. gar. 3. t. 227.		
7	mollis. M.B.	(ye.) soft-leaved.	Tauria.	1822.	—	H. h.			
8	grandiflora. DC.	(ye.) large-flowered.	Iberia.	—	—	H. h.			
9	pygmæa. DC.	(ye.) pigmy.	Siberia.	1751.	—	H. h.	Bot. reg. 1021.		
10	mongolica F.	(ye.) Mongolian.	Tartary.	1826.	—	H. h.			
11	Redóvskii. F.	(ye.) Redowski's.	Siberia.	1822.	—	H. h.	DC. leg. mem. t. 11. f. 14.		
12	spinosa. DC.	(ye.) thorny.	—	1775.	—	H. h.	Pall. ross. 1. t. 41.		
13	tragacanthoides. DC.	(y.) Goat's-thorn-like.	—	1816.	—	H. h.	Pall. astr. t. 86.		
14	jubata. DC.	(bh.) bearded.	—	1796.	—	H. h.	— p. 113. t. 8.		
HALIMODE'NDRON. DC. SALT-TREE. Diadelphia Decandria.									
1	argenteum. DC.	(pu.) silvery-leaved.	Iberia.	1779.	5. 6.	H. h.	Bot. mag. 1016.		
2	triflorum.	(pu.) smooth-leaved.	—		—	H. h.	L'Herit. stirp. n. 102.		
Robinia triflora. L'Herit.									
CALOPHA'CA. DC. CALOPHA'CA. Diadelphia Decandria.									
	wolgatica. DC.	(ye.) wing-leaved.	Siberia.	1786.	5. 6.	H. h.	Wats. dend. brit. 53.		
Cytisus wolgaticus. L. pinnatus. Pall. ross. 1. t. 47.									
COLUTEA. DC. BLADDER SENNA. Diadelphia Decandria.									
1	arborescens. DC.	(ye.) common.	S. Europe.	1568.	6. 8.	H. h.	Bot. mag. 81.		
2	eruenta. DC.	(re.) red-flowered.	Levant.	1710.	—	H. h.	Schmidt arb. t. 119.		
3	Haléppica. DC.	(ye.) Pocock's.	—	1752.	5. 10.	H. h.	— t. 120.		
Pocockii. H.K. Istria. Mill. ic. t. 100.									
4	mèdia. DC.	(ye.) smaller.			6. 8.	H. h.	Wats. dend. brit. t. 14.		
5	nepalensis. DC.	(ye.) Nepaul.	Nepaul.	1822.	8. 9.	H. h.	Bot. mag. 2622.		
SPHÆROPH'YSA. DC. SPHÆROPH'YSA. Diadelphia Decandria.									
1	Salsula. DC.	(re.) salt-field.	Dahuria.	1829.		H. h.	Pall. itin. 4. t. 9. f. 1.		
2	cáspica. DC.	(pu.) Caspian.	Caucasus.	—		H. h.			
Colutèa cáspica. M.B. Phaca Salsula. Bieb. casp. 210.									
SWAINS'ONA. DC. SWAINS'ONA. Diadelphia Decandria.									
1	galegifolia. DC.	(sc.) red-flowered.	N. S. W.	1800.	7. 8.	G. h.	Bot. mag. 792.		
2	coronillæfolia. DC.	(pu.) purple-flowered.	—	1802.	—	G. h.	— t. 1725.		
3	lessertiæfolia. DC.	(pu.) small-flowered.	N. Holland.	1822.	—	G. h.			
4	astragalifolia. C.C.	(wh.) white-flowered.	N. S. W.	1802.	—	G. h.	Bot. reg. 994.		
galegifolia. var. albiflora. B.R.									
LESSE'RTIA. DC. LESSE'RTIA. Diadelphia Decandria.									
1	ánnuia. DC.	(pu.) annual.	C. B. S.	1731.	6. 7.	G. ☉.	Hook. exot. flor. t. 51.		
2	diffusa. DC.	(pu.) procumbent.	—	1792.	7. 8.	G. ☉.	Jacq. ic. 3. t. 576.		
Galéga dubia. Jacq.									
3	fruticosa. B.R.	(pu.) frutescent.	—	1826.	—	G. ☉.	Bot. reg. 970.		
4	perénnans. DC.	(ro.) perennial.	—	1753.	—	G. 4.	Jacq. vind. 3. t. 3.		
Colutèa perénnans. Jacq. fistulosa. Hort.									
5	púlchra. DC.	(ro.) pretty.	—	1817.	5. 8.	G. ☉.	Bot. mag. 2064.		
6	faleifórmis. DC.	(pu.) sickle-podded.	—	1825.	—	G. ♂.	DC. leg. mem. t. 46.		
7	annulàris. DC.	(pu.) ring-podded.	—	1816.	—	G. ☉.			
8	brachystachya. DC.	(pu.) short-spiked.	—	—	—	G. h.			
9	prostrata. DC.	(pu.) prostrate.	—	1820.	—	G. ☉.			
10	virgata. L.O.	(pu.) slender.	—	1828.	6. 8.	G. ☉.			
11	vesicaria. DC.	(pu.) bladder-podded.	—	1825.	—	G. ♂.			
12	tomentosa. DC.	(pu.) woolly.	—	1822.	—	G. 4.			
13	procumbens. DC.	(pu.) procumbent.	—		—	G. h.			
SUTHERLA'NDIA. DC. SUTHERLA'NDIA. Diadelphia Decandria.									
1	frutescens. DC.	(sc.) frutescent.	C. B. S.	1683.	6. 9.	F. h.	Bot. mag. 181.		
Colutèa frutescens. B.M.									
3	canéscens.	(sc.) hoary-l ^d . dwarf.	—	1816.	—	F. h.			
2	microphylla. DC.	(sc.) small-leaved.	—	—	—	F. h.			

Subtribus V. *ASTRAGALEÆ*. DC. prodr. 2. p. 273.

PHACA. DC.		BASTARD VETCH. Diadelphia Decandria.					
1	batica. DC.	(wh.) hairy.	Spain.	1640.	7. 8.	H. 4.	Moris. his. s. 2. t. 8. f. 1.
2	frigida. DC.	(st.) small.	Austria.	1795.	—	H. 4.	Jacq. aust. t. 166.
3	alpina. DC.	(st.) Alpine.	—	1759.	—	H. 4.	Jacq. ic. 1. t. 151.
4	membranacea. F.	(st.) membranous.	Dahuria.	1823.	—	H. 4.	
5	lutea. Led.	(ye.) yellow.	Siberia.	1827.	—	H. 4.	
6	caespitosa. DC.	(st.) tufted.	Missouri.	1826.	—	H. 4.	
<i>Astragalus triphyllus</i> . Ph.							
7	densifolia. DC.	(re.) dense-leaved.	California.	1822.	—	H. 4.	
8	glabra. DC.	(r.) smooth.	S. Europe.	—	—	H. 4.	
9	australis. DC.	(pu.) trailing.	—	1779.	5. 6.	H. 4.	Lodd. bot. cab. 490.
10	astragalina. DC.	(r.) procumbent.	Europe.	1771.	6. 7.	H. 4.	— t. 429.
11	lapponica. DC.	(r.) Lapland.	Lapland.	1824.	7. 8.	H. 4.	Flor. dan. t. 51.
12	oroboides. DC.	(bl.) Orobus-like.	N. Europe.	1826.	—	H. 4.	— 8. t. 1396.
13	triangularis. F.	(bl.) triangular.	Siberia.	1824.	—	H. 4.	
14	exaltata. F.	 tall.	Altay.	1828.		H. 4.	
15	arenaria. DC.	(pu.) sand.	Siberia.	1796.	7. 8.	H. 4.	Pall. it. 4. t. 19. f. 3-4.
OXYTROPIS. DC.		OXYTROPIS. Diadelphia Decandria.					
1	montana. DC.	(bl.) mountain.	Europe.	1531.	7. 8.	H. 4.	Bot. mag. 843.
<i>Astragalus montanus</i> . B.M.							
2	cyanea. DC.	(bl.) bright blue.	Iberia.	1826.	—	H. 4.	
3	sordida. DC.	(pa.) sordid.	N. Europe.		5. 8.	H. 4.	Flor. dan. t. 1041.
4	argyrea. DC.	(pu.) silvery.	Altay.	1828.	—	H. 4.	
5	uralensis. DC.	(pu.) villous.	Siberia.	1800.	6. 8.	H. 4.	Pall. ast. t. 42. f. A.
6	sericea. DC.	(pu.) hairy mountain.	Scotland.		5. 8.	H. 4.	Eng. bot. t. 466.
7	caerulea. DC.	(bl.) blue-flowered.	Siberia.	1827.	6. 8.	H. 4.	Pall. ast. t. 52.
8	arctica. DC.	(pu.) northern.	Melville Isl.	—	—	H. 4.	
9	argentata. DC.	(pa.) silver-leaved.	Siberia.	—	—	H. 4.	Pall. ast. t. 48.
10	ambigua. DC.	(pu.) ambiguous.	—	1824.	5. 8.	H. 4.	— t. 43.
11	setosa. DC.	(pu.) pointed-calyxed.	—	1828.	6. 8.	H. 4.	— t. 44.
12	Lamberti. DC.	(pu.) Mr. Lambert's.	Missouri.	1811.	8. 9.	H. 4.	Bot. mag. 2147.
13	grandiflora. DC.	(ro.) large-flowered.	Siberia.	1824.	5. 8.	H. 4.	Pall. astr. t. 46.
14	candicans. DC.	(pa.) hoary.	—	1827.	6. 8.	H. 4.	— t. 49.
15	sengaria. DC.	(vi.) spear-podded.	—	1824.	5. 8.	H. 4.	— t. 51.
16	sylvatica. DC.	(pu.) wood.	—	1820.	—	H. 4.	— t. 78.
17	longirostra. DC.	(pu.) long-beaked.	—	1824.	6. 8.	H. 4.	DC. astr. n. 17. t. 5.
<i>Gmelini</i> . F.							
18	brevirostra. DC.	(pu.) short-beaked.	Altay.	1802.	7. 9.	H. 4.	DC. astr. n. 19. t. 6.
<i>Astragalus altaicus</i> . Pall. astr. t. 45.							
19	filiformis. DC.	(bl.) filiform.	Dahuria.	1824.	7. 8.	H. 4.	DC. astr. n. 16. t. 4.
20	nigrescens. DC.	(bl.) black-haired.	Siberia.	1828.	—	H. 4.	Pall. astr. t. 53.
21	campéstris. DC.	(st.) field.	Scotland.		—	H. 4.	Eng. bot. v. 36. t. 2522.
<i>Astragalus campéstris</i> . E.B.							
22	sulphurea. F.	(st.) sulphur-color'd.	Siberia.	1827.	7. 8.	H. 4.	
23	microphylla. DC.	(pu.) small-leaved.	—	1823.	—	H. 4.	Pall. ast. t. 76.
24	parviflora. DC.	(bl.) small.	—	1828.	—	H. 4.	
25	verticillaris. DC.	(pu.) whorl-leaved.	—	1824.	—	H. 4.	Amm. ruth. t. 19. f. 1.
26	myriophylla. DC.	(va.) many-leaved.	—	—	—	H. 4.	Pall. astr. t. 71.
27	oxyphylla. DC.	(pu.) sharp-leaved.	—	1823.	7. 9.	H. 4.	— t. 74.
28	prostrata. DC.	(pu.) prostrate.	—	1820.	6. 9.	H. 4.	— t. 72.
<i>Astragalus dahuricus</i> . Pall. ast. <i>Phaca prostrata</i> . L.							
29	hirsuta. DC.	(st.) hairy.	Siberia.	1732.	6. 8.	H. 4.	Bot. mag. 2183.
30	umbellata. DC.	(pu.) many-flowered.	—	1827.	5. 8.	H. 4.	Pall. astr. t. 37.
31	glabra. DC.	(vi.) smooth.	Dahuria.	—	—	H. 4.	DC. astr. n. 31. t. 8.
32	flexa. DC.	(vi.) small-flowered.	Siberia.	1800.	6. 8.	H. 4.	L'Herit. stirp. t. 80.
<i>Astragalus retroflexus</i> . Pall. astr. t. 27. <i>hians</i> . Jacq. ic. t. 252. <i>parviflorus</i> . Lam.							
33	Fischeri. DC.	(bl.) Fischer's.	Siberia.	1828.	—	H. 4.	
34	vaginata. DC.	(bl.) sheathed.	—	—	—	H. 4.	
35	tenuiflora. DC.	(bl.) slender.	—	—	—	H. 4.	
36	diplotera. DC.	(bl.) pubescent.	—	1815.	—	H. 4.	
37	longicaulis. Led.	(pu.) long-pointed.	—	1827.	—	H. 4.	
ASTRAGALUS. DC.		MILK-VETCH. Diadelphia Decandria. L.					
1	hypoglottis. DC.	(pu.) purple mountain.	Britain.		6. 7.	H. 4.	Eng. bot. v. 4. t. 274.
2	dauglottis. DC.	(pu.) creeping-root'd.	Siberia.	1828.	—	H. 4.	

3	<i>purpureus</i> . DC. (pu.) purple.	S. France.	1824.	6. 7.	H. 4.	DC. astr. n. 17. t. 12.
4	<i>sincicus</i> . L. (ro.) Chinese annual.	China.	1763.	7. 9.	H. ☉.	Bot. mag. 1350.
	<i>lotoïdes</i> . DC.					
5	<i>onobrychioides</i> . DC. (pu.) Saintfoin-like.	Persia.	1829.	—	H. 4.	DC. astr. n. 39. t. 16.
	<i>canescens</i> . DC. ast. <i>cephalotes</i> . Pall. astr. t. 21.					
6	<i>leontinus</i> . DC. (pu.) Lion's-tail.	Austria.	1816.	5. 7.	H. 4.	Lodd. bot. cab. 132.
7	<i>Donianus</i> . DC. (pu.) Mr. D. Don's.	Nepaul.	1821.	8. 9.	H. 4.	
	<i>macrorrhizus</i> . D.P. non Cav.					
8	<i>arenarius</i> . DC. (bl.) sand.	N. Europe.	1798.	6. 7.	H. 4.	Retz. obs. 3. t. 3.
9	<i>bayonensis</i> . DC. (pu.) woolly-podded.	S. France.	1828.	—	H. 4.	
10	<i>macropterus</i> . DC. (pu.) large-winged.	Siberia.	1827.	—	H. 4.	
11	<i>tauricus</i> . DC. (pu.) Taurian.	Tauria.	1824.	7. 8.	H. 4.	Pall. astr. t. 38.
12	<i>austriacus</i> . DC. (pu.) Austrian.	Austria.	1640.	6. 7.	H. 4.	Jacq. aust. 2. t. 135.
13	<i>olopterus</i> . DC. (pa.) long-racemed.	Altay.	1827.	—	H. 4.	
14	<i>melilotoïdes</i> . DC. (pu.) Melilot-like.	Siberia.	1785.	—	H. 4.	Pall. astr. t. 41.
15	<i>sulcatus</i> . DC. (pu.) furrowed.	—	—	7. 8.	H. 4.	Jacq. vind. 3. t. 4.
16	<i>gracilis</i> . DC. (li.) slender.	Missouri.	1812.	6. 7.	H. 4.	
17	<i>subulatus</i> . DC. (pu.) awl-podded.	Tauria.	1806.	5. 8.	H. 4.	Pall. astr. t. 20.
18	<i>ceratoïdes</i> . DC. (pu.) triangular-pod'd.	Altay.	1827.	—	H. 4.	— t. 20. A.
19	<i>virgatus</i> . DC. (pu.) twiggy.	Siberia.	1806.	—	H. 4.	— t. 18.
	<i>rarius</i> . Gmel. itin. 2. t. 17.					
20	<i>brachylobus</i> . DC. (pu.) short-podded.	—	1827.	—	H. 4.	
21	<i>dahuricus</i> . DC. (pu.) Dahurian.	Dahuria.	1824.	—	H. 4.	Pall. it. 3. ap. t. w. f.
22	<i>Stevenianus</i> . DC. (pu.) Steven's.	Iberia.	1829.	...	H. 4.	
23	<i>tenuifolius</i> . W. (pu.) fine-leaved.	Siberia.	1780.	7. 8.	H. 4.	Swt. br. fl. gar. t. 53.
	<i>linearifolius</i> . DC.					
24	<i>Onobrychis</i> . DC. (pu.) purple-spiked.	Europe.	1640.	6. 8.	H. 4.	Jacq. aust. 1. t. 38.
25	<i>flaccidus</i> . DC. (wh.) flaccid.	Iberia.	1826.	—	H. 4.	
26	<i>vimineus</i> . DC. (pu.) twiggy.	Siberia.	1824.	7. 8.	H. 4.	Pall. astr. t. 21.
27	<i>fruticosus</i> . DC. (pu.) woody.	—	1801.	6. 8.	H. 4.	— t. 19.
28	<i>adsurgens</i> . DC. (bl.) assurgent.	—	1824.	—	H. 4.	— t. 31.
29	<i>Laxmanni</i> . DC. (pu.) Laxmann's.	—	1804.	—	H. 4.	Jacq. vind. 3. t. 37.
30	<i>missouriensis</i> . DC. (pu.) Missouri.	Missouri.	1826.	6. 8.	H. 4.	
31	<i>caryocarpus</i> . DC. (vi.) swelled-podded.	Louisiana.	1811.	—	H. 4.	Bot. reg. 176.
32	<i>pentaglottis</i> . DC. (pu.) rough Spanish.	Spain.	1739.	6. 7.	H. ☉.	Cavan. ic. 2. t. 188.
33	<i>Glaux</i> . DC. (pu.) small Spanish.	—	1596.	—	H. ☉.	Clus. hist. 2. p. 242.
34	<i>oxyglottis</i> . DC. (pu.) sharp-podded.	Tauria.	1824.	6. 9.	H. ☉.	
35	<i>psiloglottis</i> . DC. (pu.) smooth-podded.	Astracan.	1829.	—	H. ☉.	
36	<i>cruciatus</i> . DC. (pu.) oblong-leaved.	Iberia.	1823.	—	H. ☉.	
37	<i>Stella</i> . DC. (pu.) star-podded.	S. Europe.	1658.	—	H. ☉.	Lobel. ic. 2. t. 83.
38	<i>tribuloïdes</i> . DC. (pu.) Caltrops-like.	Egypt.	1828.	—	H. ☉.	
39	<i>sesameus</i> . DC. (pu.) Sesama.	S. Europe.	1616.	—	H. ☉.	Garid. prov. t. 12.
40	<i>vesicarius</i> . DC. (pa.) white Italian.	Europe.	1737.	7. 8.	H. 4.	Vill. dauph. t. 42. f. 1.
	<i>albidus</i> . W. et K. hung. 1. t. 40. <i>dealbatus</i> . Pall. astr. t. 23. f. 1.					
41	<i>albicaulis</i> . DC. (wh.) white-stalked.	Caucasus.	1803.	7. 8.	H. 4.	DC. astr. n. 59. t. 2.
	<i>dealbatus</i> Pall. ast. t. 23. f. 2 et 3. <i>Oxytropis dealbata</i> . p.s.					
42	<i>Nuttallianus</i> . DC. (bl.) Nuttall's.	N. America.	1826.	6. 8.	H. 4.	
	<i>micranthus</i> . N. non Desv.					
43	<i>cymbacarpus</i> . DC. (pa.) boat-podded.	Portugal.	1800.	—	H. ☉.	Brot. phyt. t. 59.
44	<i>striatellus</i> . DC. (bl.) striated.	Tauria.	1829.	—	H. ☉.	Bieb. cent. 1. t. 20.
45	<i>annularis</i> . DC. (ro.) ring-podded.	Egypt.	1800.	—	H. ☉.	DC. astr. app. n. 6. f. 1.
46	<i>hispidulus</i> . DC. (pa.) rough-podded.	—	1828.	—	H. ☉.	
47	<i>scorpioides</i> . DC. (bl.) blue-flowered.	Spain.	1816.	6. 9.	H. ☉.	
	<i>canaliculatus</i> . W. enum. ex Link enum. 2. p. 254.					
48	<i>mareoticus</i> . DC. (li.) Alexandrian.	Egypt.	1828.	—	H. ☉.	Delil. fl. eg. t. 39. f. 1.
49	<i>corrugatus</i> . DC. (pu.) rugged-podded.	—	—	—	H. ☉.	
50	<i>reticulatus</i> . DC. (pu.) netted.	Volga.	—	—	H. ☉.	
51	<i>contortuplicatus</i> . DC. (st.) wave-pod'd.	Siberia.	1764.	7. 8.	H. ☉.	Pall. astr. t. 79.
52	<i>trimestris</i> . DC. (st.) Egyptian.	Egypt.	1739.	—	H. ☉.	Jacq. vind. 2. t. 174.
53	<i>ægiceras</i> . DC. (st.) Goat's-horn.		1816.	6. 8.	H. ☉.	
54	<i>brachyceras</i> . DC. (st.) short-podded.	Persia.	1828.	—	H. ☉.	
55	<i>hamosus</i> . DC. (st.) hook-podded.	Spain.	1633.	—	H. ☉.	Moris. ox. s. 2. t. 9. f. 1.
	<i>buceras</i> . W. enum. ex Link enum.					
56	<i>epiglottis</i> . DC. (st.) heart-podded.	S. Europe.	1737.	—	H. ☉.	Herm. lugd. t. 77.
57	<i>triangularis</i> . DC. (st.) triangular.		1828.	—	H. ☉.	
58	<i>bæticus</i> . DC. (st.) slender-podded.	S. Europe.	1759.	—	H. ☉.	Munt. phyt. t. 118.
59	<i>capitatus</i> . W. (st.) headed.	Levant.	—	7. 8.	H. 4.	
60	<i>microphyllus</i> . DC. (st.) small-leaved.	Siberia.	1773.	6. 7.	H. 4.	
61	<i>semibilocularis</i> . DC. (st.) semibilocular.	—	1804.	6. 8.	H. 4.	DC. astr. n. 64. t. 2.

62 réptans. DC.	(wh.) creeping.	Mexico.	1829.	6. 8.	F. 4.	Willd. hort. ber. 2. t. 88.
63 odoratus. DC.	(st.) sweet-scented.	Levant.	1816.	—	H. 4.	DC. astr. n. 67. t. 21.
64 stipulatus. DC.	(st.) large-stipuled.	Nepaul.	1821.	8. 9.	H. 4.	Bot. mag. 2380.
65 glycyphyllos. DC.	(st.) sweet-leaved.	Britain.		6. 7.	H. 4.	Eng. bot. 3. t. 203.
66 depressus. DC.	(st.) depressed.	Europe.	1772.	5. 6.	H. 4.	Lodd. bot. cab. 680.
67 leucophæus. DC.	(wh.) dwarf-white.		1776.	5. 8.	H. 4.	— t. 111.
68 Cicer. DC.	(st.) bladder-podd'd.	Europe.	1570.	6. 7.	H. 4.	Jacq. aust. t. 251.
69 uliginosus. DC.	(st.) marsh.	Siberia.	1752.	6. 8.	H. 4.	Pall. astr. t. 26.
70 micranthus. DC.	(st.) small-blossom'd.		1821.	—	H. 4.	
71 canadensis. DC.	(st.) woolly.	N. America.	1732.	6. 7.	H. 4.	Lodd. bot. cab. 372.
72 carolinianus. DC.	(st.) Carolina.	—	—	—	H. 4.	Dill. elth. t. 39. f. 45.
73 falcatus. DC.	(st.) sickle-podded.	Siberia.	1737.	—	H. 4.	DC. astr. n. 70. t. 26.
<i>viréscens. H.K.</i>						
74 falciformis. DC.	(st.) sickle-like.	Barbary.		—	H. 4.	Desf. atl. 2. t. 207.
75 asper. DC.	(st.) rough	Astracan. Siberia.	1796.	7. 8.	H. 4.	Jacq. ic. 1. t. 33.
<i>chloranthus. Pall. astr. t. 25.</i>						
76 chinensis. DC.	(st.) upright.	Chinese.	1795.	6. 8.	H. 4.	Linn. f. decad. 1. t. 3.
77 galegiformis. DC.	(st.) Goat's-rue-like.	Siberia.	1729.	—	H. 4.	Pall. astr. t. 29.
78 racemosus. DC.	(wh.) racemed.	Louisiana.	1827.	6. 8.	H. 4.	
<i>galegoides. N.</i>						
79 alopecias. DC.	(ye.) axillary-headed.	Siberia.	1823.	—	H. 4.	Pall. astr. p. 12. t. 9.
80 alopecuroides. DC.	(ye.) Foxtail-like.	—	1737.	—	H. 4.	— t. 8.
81 narbonensis. DC.	(ye.) French.	S. Europe.	1780.	—	H. 4.	— t. 10.
82 ponticus. DC.	(ye.) villous-calyxed.	Tauria.	1824.	—	H. 4.	— t. 11.
83 vulpinus. DC.	(ye.) Fox-tail.	Siberia.	1815.	—	H. 4.	— t. 7.
<i>alopecuroides. Pall. astr. t. 7.</i>						
84 macrocephalus. DC.	(ye.) large-headed.	Persia.	1829.	—	H. 4.	
85 christianus. DC.	(st.) great-yellow.	Armenia.	1737.	7. 8.	H. 4.	Tourn. it. 2. t. 254.
86 tomentosus. DC.	(st.) downy-leaved.	Egypt.	1800.	—	H. 4.	DC. astr. n. 80. t. 29.
87 Sieberi. DC.	(st.) Sieber's.	—	1828.	—	H. 4.	
88 Bárba-Jòvis. DC.	(pu.) silvery-leaved.	Armenia.		—	H. 4.	
<i>Tragacantha argentea. Mill.</i>						
89 caucasicus. DC.	(wh.) Caucasian.	Caucasus.	1822.	—	H. 4.	Pall. astr. p. 2. t. 2.
90 breviflorus. DC.	(pu.) short-flowered.	Armenia.	1826.	6. 8.	H. 4.	Lodd. bot. cab. 1388.
91 amacantha. DC.	(li.) prickly-leaved.	Tauria.	1640.	—	H. 4.	Pall. astr. p. 1. t. 1.
<i>Potèrium. Pall. astr. nec aliorum.</i>						
92 siculus. DC.	(bh.) Sicilian.	Sicily.	1827.	—	H. 4.	
93 Potèrium. DC.	(wh.) small goat's-thorn.	S. Europe.	1640.	—	H. 4.	Morris. ox. s. 2. t. 13. f. 2.
94 massiliensis. DC.	(wh.) sea-side.	—	1827.	—	H. 4.	Duham. arb. 2. t. 100.
<i>Tragacantha. Pall. astr. t. 4. f. 1. 2.</i>						
95 aristatus. DC.	(wh.) awned.	Pyrenees.	1791.	5. 7.	H. 4.	Garid. aix. t. 104.
96 lagurus. DC.	(ye.) hare's-tail'd.	Armenia.	1829.	—	H. 4.	DC. astr. n. 104. t. 36.
97 armatus. W.	(ye.) armed.	Barbary.		6. 7.	H. 4.	Desf. atl. 2. t. 194.
<i>Anthy'llis tragacanthoides. Desf.</i>						
98 halicacabus. DC.	(ye.) bladdered.	Armenia.	1806.	—	H. 4.	Schreb. dec. p. 5. t. 3.
<i>Phaca vesicaria. Schreb.</i>						
99 laguroides. DC.	(pu.) Hare's-tail-like.	Siberia.	1829.		H. 4.	Pall. astr. t. 16.
100 ammodytes. DC.	(wh.) silky-leaved.	—	1823.	6. 7.	H. 4.	— p. 7. t. 5.
101 dasyanthus. DC.	(ye.) woolly-headed.	—	1828.	—	H. 4.	— p. 79. t. 65.
<i>ericephalus. W. et K. hung. 1. t. 46.</i>						
102 caprinus. DC.	(ye.) scented.	Barbary.	1683.	—	H. 4.	Moris. ox. s. 2. t. 24. f. 3.
103 longiflorus. DC.	(ye.) long-flowered.	Tartary.	—	—	H. 4.	Pall. astr. t. 60.
104 utriger. DC.	(ye.) turgid-podded.	—	1825.	—	H. 4.	— t. 61.
105 exscapus. DC.	(ye.) hairy-podded.	Hungary.	1787.	5. 7.	H. 4.	Jacq. ic. 3. t. 561.
106 diffusus. DC.	(st.) diffuse.	Tauria.	1824.	6. 7.	H. 4.	Pall. astr. t. 68.
107 buchtormensis. DC.	(y.) pointed-podd'd.	Siberia.	1826.	—	H. 4.	— t. 62. f. A.
108 monspessulanus. DC.	(pu.) Montpelier.	S. Europe.	1710.	7. 8.	H. 4.	Bot. mag. 375.
109 incanus. DC.	(pu.) hoary.	—	1759.	6. 7.	H. 4.	Magn. mon-p. p. 32. ic.
110 macrorhizus. DC.	(pu.) long-rooted.	Spain.	1821.	6. 8.	H. 4.	Cavan. ic. 2. t. 133.
111 brachycarpus. DC.	(pu.) short-podded.	Siberia.	1820.	—	H. 4.	Bot. mag. 2335.
112 physodes. DC.	(pu.) inflated	—	1759.	—	H. 4.	DC. astr. n. 127. t. 48.
113 Pallasii. DC.	(pu.) Pallas's.	Caucasus.	1828.	—	H. 4.	Pall. astr. t. 59.
114 testiculatus. DC.	(bh.) woolly-podded.	—	1824.	—	H. 4.	— t. 67.
115 rupifragus. DC.	(pu.) dry rock.	Tauria.	1828.	—	H. 4.	— t. 70.
116 reduncus. DC.	(pu.) crook-podded.	Volga.	—	—	H. 4.	— p. 109. t. 82.
117 chlorostachys. H.C.	(st.) straw-colour'd.	N. America.	1826.	9. 10.	H. 4.	
118 uncatus. DC.	(wh.) hooked.	Aleppo.	1768.	7. 8.	H. 4.	
119 radicans. DC.	(pu.) rooting-branch'd.		1828.	—	H. 4.	

BISE'RRULA. DC. **HATCHET-VETCH.** *Diadelphia Decandria. L.*
Pelecînus. DC. (bl.) common. S. Europe. 1640. 7. 9. H. ☉. Tourn. inst. 417. t. 2.

Tribus III. HEDYSAREÆ. DC. prodr. 2. p. 307.

Subtribus I. CORONILLEÆ. DC. loc. cit. p. 308.

SCORPIURUS. DC. CATERPILLAR. Diadelphia Decandria. L.
 1 *lævigata. DC. (ye.) smooth.* Levant. 1820. 6. 8. H. ☉. Flor. græc. t. 718.
 2 *muricata. DC. (ye.) two-flowered.* S. Europe. 1640. — H. ☉. Moris. ox. s. 2. t. 11. f. 1.
 3 *sulcata. DC. (ye.) three-flowered.* — 1596. — H. ☉. Desf. atl. 2. f. 4.
 4 *acutifolia. DC. (ye.) acute-leaved.* Corsica. 1828. — H. ☉. Viv. fl. lyb. t. 19. f. 1.
 5 *vermiculata. DC. (ye.) common.* S. Europe. 1621. — H. ☉. Moris. ox. s. 2. t. 11. f. 3.
CORONILLA. DC. CORONILLA. Diadelphia Decandria. L.
 1 *E'merus. DC. (ye.) Scorpion Senna. France.* 1596. 4. 6. H. h. Bot. mag. 445.
 2 *junceæ. DC. (ye.) rush-like.* — 1656. 6. 8. F. h. Bot. reg. 820.
 3 *valentina. L. (ye.) nine-leaved.* S. Europe. 1596. 2. 6. F. h. Bot. mag. 185.
 stipularis. Lam.
 4 *pentaphylla. DC. (ye.) five-leaved.* Algiers. 3. 6. F. h. Mill. ic. t. 289. f. 2.
 5 *argentea. DC. (ye.) silvery-leaved.* Crete. 1664. 5. 6. F. h. — 2. t. 289. f. 3.
 6 *glauca. DC. (ye.) seven-leaved.* France. 1722. 9. 5. F. h. Bot. mag. t. 13.
 7 *viminâlis. DC. (bh.) slender.* Mogador. 1798. 5. 11. G. h. Sal. par. lond. t. 13.
 8 *mînima. DC. (ye.) least.* S. Europe. 1658. 7. 8. H. 4. Bot. mag. 2179.
 9 *coronata. DC. (ye.) large-headed.* — 1776. 6. 8. H. 4. Clus. hist. 1. p. 98. f. 1.
 10 *montana. DC. (ye.) mountain.* Europe. 1816. 6. 9. H. 4. Scop. carn. ed. 2. t. 4.
 coronata. B.M. 907. non L.
 11 *ibérica. DC. (ye.) Iberian.* Iberia. 1818. 7. 10. H. 4. Swt. br. fl. gar. t. 2.
 12 *parviflora. DC. (ye.) small-flowered.* Crete. 1828. — F. 4.
 13 *crética. DC. (v.) Cretan.* — 1731. 6. 8. H. ☉. Jacq. vind. 1. t. 25.
 14 *vària. DC. (pu.) purple.* Europe. 1597. 6. 11. H. 4. Bot. mag. 258.
ASTROL'OBIMUM. DC. ASTROL'OBIMUM. Diadelphia Decandria.
 1 *ebracteatum. DC. (ye.) round-podded.* Portugal. 5. 6. H. ☉. Dalech. his. 1. 487. f. 1.
 Ornithopus lævigatus. Sm. nudiflorus. Lag. ebracteatus. Brot.
 2 *dûrum. DC. (ye.) perennial.* S. Europe. 1805. 6. 7. H. 4. Cavan. ic. 1. t. 41.
 3 *repandum. DC. (ye.) repand.* Barbary. — — H. ☉. Lam. ill. t. 631. f. 4.
 4 *scorpioides. DC. (ye.) Purslane-leav'd.* S. Europe. 1596. — H. ☉. Cavan. ic. 1. t. 37.
 Ornithopus scorpioides. L. trifoliatus. Lam.
ORNITHOPUS. DC. BIRD'S-FOOT. Diadelphia Decandria. L.
 1 *compréssus. DC. (ye.) hairy.* S. Europe. 1730. 6. 7. H. ☉. Berg. phyt. t. 191.
 2 *intermedius. RO. (ro.) intermediate.* Portugal. 1816. — H. ☉.
 sativus. Brot. fl. lus. 2. p. 160.
 3 *perpusillus. DC. (v.) common.* Britain. 5. 6. H. ☉. Eng. bot. v. 6. t. 2.
HIPPOCREPIS. DC. HORSESHOE-VETCH. Diadelphia Decandria. L.
 1 *baleàrica. DC. (ye.) shrubby.* Minorca. 1776. 5. 6. F. h. Bot. mag. 427.
 2 *helvética. (ye.) Swiss.* Switzerland. 1822. 5. 8. H. 4.
 3 *comosa. DC. (ye.) tufted.* England. 4. 8. H. 4. Eng. bot. 1. t. 31.
 4 *glauca. DC. (ye.) glaucous.* Naples. 1825. 5. 8. H. 4. Ten. fl. neap. 2. t. 1.
 5 *syriaca. E. (ye.) Syrian.* Syria. 1826. 6. 8. H. ☉.
 6 *scabra. DC. (ye.) rough.* Spain. — — H. ☉.
 7 *multisiliquosa. DC. (ye.) many-podded.* S. Europe. 1683. — H. ☉. Schkuhr hand. 2. t. 2.
 8 *monocarpa. DC. (ye.) one-podded.* Caucasus. 1825. — H. ☉.
 9 *unisiliquosa. DC. (ye.) single-podded.* Italy. 1570. 6. 7. H. ☉. Lam. ill. t. 630. f. 3.
 10 *ciliata. DC. (ye.) ciliated.* Spain. 1823. 6. 8. H. ☉.
 11 *biflora. DC. (ye.) two-flowered.* — 1824. — H. ☉.
SECURIGERA. DC. HATCHET-VETCH. Diadelphia Decandria.
 Corenilla. DC. (ye.) common. S. Europe. 1562. 7. 8. . ☉. Lam. ill. t. 629.

Subtribus II. EUHEDISAREÆ. DC. prodr. 2. p. 313.

PICTETIA. DC. PICTETIA. Diadelphia Decandria.
aristata. DC. (ye.) awned. St. Domingo. 1820. 4. 6. S. h. DC. leg. mem. t. 47.
Æschynomene aristata. Jacq. schoenb. 2. t. 237.

ORMOCARPUM. DC. ORMOCA'RPUM. Diadelphia Decandria.									
sennoides. DC.	(ye.)	Senna-like.	E. Indies.	1818.	6.7.	S. h.			
<i>Hedy'sarum sennoides</i> . W.									
POIRETIA. DC. POIR'ETIA. Monadelphia Decandria.									
scandens. DC.	(ye.)	climbing.	St. Domingo.	1826.		S. h.	✓	Venten. choix. t. 42.	
<i>Tarpinia punctata</i> . P.S. <i>Glycine punctata</i> . Lam. ill. t. 609.									
TETRANEMA. TETRAN'EMA. Monadelphia Decandria.									
nitans.	(li.)	drooping-fl'd.	E. Indies.	1823.	5.8.	S. h.		Bot. mag. 2867.	
<i>Hedy'sarum nitans</i> . Gr. <i>Desmodium nitans</i> . B.M.									
ZORNIA. DC. ZO'RNIA. Monadelphia Decandria.									
1 angustifolia. DC.	(ye.)	narrow-leaved.	E. Indies.	1733.	7.8.	S. ☉.		Rheed. mal. 9. t. 82.	
<i>diphylla</i> . P.S. <i>Hedy'sarum diphyllum</i> . L.									
2 reticulata. DC.	(ye.)	netted-bracted.	W. Indies.		—	S. ☉.			
3 thymifolia. DC.	(ye.)	Thyme-leaved.	Mexico.	1826.	—	G. h.			
4 zeylanensis. DC.	(ye.)	Ceylon.	Ceylon.	1733.	—	S. ☉.		Burm. zeyl. t. 50. f. 1.	
<i>conjugata</i> . Sm. <i>Hedy'sarum conjugatum</i> . W.									
5 dyctiocarpa. DC.	(ye.)	netted-podded.	N. Holland.	1824.	—	H. ☉.			
6 tetraphylla. DC.	(ye.)	four-leaved.	Carolina.	1823.	—	H. 4.		Mich. amer. 2. t. 41.	
7 capensis. DC.	(ye.)	Cape.	C. B. S.	1824.	5.6.	G. 4.		Thunb. n. ac. ups. 6. t. 3.	
STYLOSANTHES. DC. STYLOSA'NTHES. Monadelphia Decandria.									
1 procumbens. DC.	(ye.)	procumbent.	Jamaica.	1820.	6.8.	S. h.		Swar. ac. h. 1789. t. 11. f. 1	
2 viscosa. DC.	(ye.)	viscous.	—	—	—	S. h.		— t. 9. f. 2.	
3 mucronata. DC.	(ye.)	mucronate.	E. Indies.	1818.	—	S. h.		Burm. zeyl. t. 106. f. 2.	
<i>Hedy'sarum hamatum</i> . Burm. <i>Arachis fruticosa</i> . Retz.									
4 elatior. DC.	(ye.)	tall.	Carolina.	1823.	7.8.	H. 4.		Pluk. alm. t. 447. f. 7.	
5 guianensis. DC.	(ye.)	Guiana.	Guiana.	1826.	—	S. ☉.		Aubl. guian. 2. t. 309.	
ADESMIA. DC. ADE'SMIA. Decandria Monogynia.									
1 muricata. DC.	(ye.)	prickly-podded.	Patagonia.	1793.	6.7.	G. 4.		Jacq. ic. 3. t. 568.	
<i>Hedy'sarum muricatum</i> . Jacq. <i>Patagonium Hedy'saroides</i> . Schk.									
2 hispidula. DC.	(ye.)	hispid.	Peru.	1826.	6.8.	G. 4.		DC. leg. mem. t. 48.	
3 papposa. DC.	(ye.)	feathery-podd'd.	Chili.	1823.	—	G. 4.			
ÆSCHYNO'MENE. DC. ÆSCHYNO'MENE. Diadelphia Decandria. L.									
1 aspera. DC.	(ye.)	rough-stemm'd.	E. Indies.	1759.	6.7.	S. ☉.		Breyn. cent. 51. t. 52.	
2 sensitiva. DC.	(wh.)	sensitive.	W. Indies.	1733.	5.8.	S. h.		Plum. ic. t. 139.	
3 indica. DC.	(ye.)	Indian.	E. Indies.	1799.	6.7.	S. ☉.		Rheed. mal. 9. t. 18.	
4 americana. DC.	(ye.)	hairy.	Jamaica.	1732.	7.8.	S. ☉.		Sloan. jam. 1. t. 118. f. 3.	
5 patula. DC.	(ye.)	spreading.	Mauritius.	1826.	6.8.	S. h.			
6 subviscosa. DC.	(v.)	glandular.	E. Indies.	1820.	9.10.	S. ☉.			
7 hispida. DC.	(ye.)	hispid.	N. America.	1803.	8.9.	H. ☉.		Bart. fl. amer. t. 29.	
8 micrantha. DC.	(ye.)	small-flowered.	Madagascar.	1826.	6.8.	S. 4.			
9 viscidula. DC.	(ye.)	viscous.	N. America.	1818.	7.8.	H. ☉.			
10 falcata. DC.	(ye.)	sickle-podded.	Brazil.	1825.	—	S. ☉.			
11 pendula. Boj.	(ye.)	pendulous.	Madagascar.	—	—	S. ☉.			
SMITHIA. DC. SMITHIA. Diadelphia Decandria.									
1 sensitiva. DC.	(ye.)	sensitive.	E. Indies.	1785.	7.10.	S. ☉.		Sal. par. lond. t. 92.	
2 conferta. DC.	(ye.)	close-flowered.	N. Holland.	1825.	—	S. ☉.			
3 aspera. H.B.	(ye.)	rough.	E. Indies.	1812.	—	S. ☉.			
LOUREA. DC. LO'UREA. Diadelphia Decandria.									
1 Vespertilionis. DC.	(w.)	bat-winged.	Cochinchina.	1780.	7.8.	S. ♂.		Jacq. ic. 3. t. 566.	
<i>Hedy'sarum Vespertilionis</i> . Jacq. <i>Christia lunata</i> . Moench.									
2 reniformis. DC.	(pu.)	kidney-leaved.	China.	1826.	—	S. ♂.			
URARIA. DC. UR'ARIA. Diadelphia Decandria.									
1 picta. DC.	(pu.)	painted-leaved.	Guinea.	1788.	6.8.	S. ♂.		Jacq. ic. 3. t. 567.	
<i>Hedy'sarum pictum</i> . Jacq.									
2 crotata. DC.	(br.)	crook-podded.	E. Indies.	1780.	7.9.	S. h.		Burm. ind. t. 56.	
3 lagopoides. DC.	(wh.)	Harefoot-like.	—	1790.	—	S. h.		— t. 53. f. 2.	
<i>Hedy'sarum lagopodioides</i> . L. <i>Lespedeza lagopodioides</i> . P.S.									
4 Lagopus. DC.	(pu.)	Hare's-foot.	Nepaul.	1823.	6.8.	S. h.			
5 hamosa.	(wh.)	hooked.	E. Indies.	—	6.7.	S. 4.			
<i>Dedia hamosa et Hedy'sarum hamosum</i> . H.B.									
6 alopecuroides.	(wh.)	Fox-tail.	E. Indies.	—	—	S. 4.			
<i>Dedia alopecuroides et Hedy'sarum alopecuroides</i> . H.B.									
7 lagoecephala. DC.	(ye.)	hairy.	Brazil.	—	7.9.	S. 4.			
NICOLSONIA. DC. NICOLS'ONIA. Diadelphia Decandria.									
1 barbata. DC.	(pu.)	bearded.	W. Indies.	1826.	6.8.	S. 4.			
DESMODIUM. DC. DESM'ODIUM. Diadelphia Decandria.									
1 dubium. B.R.		doubtful.	Nepaul.	1823.	7.8.	S. h.		Bot. reg. 967.	
2 umbellatum. DC.	(wh.)	umbel-flower'd.	E. Indies.	1801.	6.7.	S. h.		Jacq. schoenb. 3. t. 297.	
3 auriculatum. DC.	(pu.)	eared.	Timor.	1825.	—	S. h.			

4	triquètrum. DC. (pu.) triangular.	E. Indies.	1802.	7. 8.	S. ♂.	Burm. ind. t. 52. f. 2.
5	pseudotriquètrum. DC. (pu.) three-sided.	Nepaul.	1818.	—	S. ♂.	
6	alatum. DC. (pu.) winged-stalked.	E. Indies.	1809.	—	S. h.	
7	gyrans. DC. (re.) moving plant.	—	1775.	7. 9.	S. ♂.	Jacq. ic. t. 565.
8	gyroïdes. DC. (li.) gyrans-like.	—	1818.	—	S. h.	
9	gangéticum. DC. (li.) oval-leaved.	—	1762.	—	S. h.	Burm. zeyl. t. 40.
10	maculatum. DC. (li.) spotted.	—	1732.	6. 8.	S. ☉.	Dill. elth. l. t. 141. f. 1.
<i>Hedy'sarum maculatum</i> . L. <i>Æschynomene maculata</i> . Poir.						
11	sagittatum. DC. (re.) arrow-leaved.	—	1807.	—	S. 4.	
12	angustifolium. DC. (pu.) narrow-leaved.	Mexico.	1825.	—	S. h.	
13	latifolium. DC. (bl.) broad-leaved.	E. Indies.	1800.	7. 8.	S. h.	Bot. reg. t. 356.
<i>Hedy'sarum latifolium</i> . B.R.						
14	velutinum. DC. (vi.) velvety.	Trinidad.	1820.	—	S. h.	
15	lasiocarpum. DC. (ro.) woolly-podded.	Guinea.	1822.	7. 9.	S. h.	Beauv. fl. ow. l. t. 1.
16	canadense. DC. (pu.) Canadian.	N. America.	1640.	—	H. 4.	Corn. canad. t. 45.
17	canescens. DC. (pu.) canescent.	—	1733.	—	H. 4.	
18	marylandicum. DC. (p.) Maryland.	—	1725.	7. 10.	H. 4.	Dill. elth. t. 144. f. 17.
19	obtusum. DC. (vi.) obtuse.	—	1805.	7. 8.	H. 4.	
20	ciliare. DC. (vi.) fringed.	—	1823.	—	H. 4.	
21	viridiflorum. DC. (pu.) green-flower'd.	—	1787.	7. 9.	H. 4.	Pluk. alm. t. 308. f. 3.
22	lævigatum. DC. (pu.) smooth-stalk'd.	—	1826.	—	H. 4.	
23	bracteosum. DC. (pu.) bracted.	—	1806.	7. 8.	H. 4.	
24	cuspidatum. DC. (pu.) sharp-pointed.	—	—	—	H. 4.	
25	glabellum. DC. (pu.) smooth.	—	1824.	7. 9.	H. 4.	
26	paniculatum. DC. (pu.) paniced.	—	1781.	7. 8.	H. 4.	Pluk. alm. t. 432. f. 6.
27	acuminatum. DC. (pu.) glutinous.	—	1805.	—	H. 4.	
<i>Hedy'sarum glutinosum</i> . W. <i>acuminatum</i> . Ph.						
28	nudiflorum. DC. (pu.) naked-flowered.	—	1823.	—	H. 4.	
29	pauciflorum. DC. (wh.) small-flowered.	—	1828.	—	H. 4.	
30	rotundifolium. DC. (pu.) round-leaved.	—	1733.	—	H. 4.	
31	Aparines. DC. (li.) hairy-stalked.	Mexico.	1820.	7. 9.	S. h.	
32	cinereum. DC. (pu.) white-branched.	—	1826.	—	S. h.	H. et B. n. pl. am. 6. t. 1.
33	uncinatum. DC. (vi.) uncinat.	Caracas.	1823.	6. 7.	S. h.	Jacq. schœnb. 3. t. 2.
34	incanum. DC. (pu.) hoary.	W. Indies.	1820.	7. 8.	S. h.	Plum. ed. Bur. t. 149. f. 1.
35	erythrinaefolium. DC. (wh.) Erythrina-ld.	Trinidad.	—	—	S. h.	
36	supinum. DC. (pu.) trailing.	Jamaica.	—	—	S. h.	Sloan. jam. l. t. 118. f. 2.
37	tortuosum. DC. (pu.) twisted-podded.	—	1781.	—	S. h.	— 1. t. 116. f. 2.
38	adscendens. DC. (pu.) ascending.	—	1820.	7. 9.	S. h.	H. et B. n. pl. am. 6. t. 5.
39	mexicanum. (bl.) Mexican.	Mexico.	1820.	11. 5.	S. h.	Bot. reg. 815.
<i>Hedy'sarum adscendens</i> β? <i>caruleum</i> . DC.						
40	trigonum. DC. (li.) trigonal.	Jamaica.	1733.	7. 9.	S. h.	
41	spirale. DC. (wh.) spiral-podded.	—		—	S. h. ~.	
42	asperum. DC. (pa.) harsh.	—	1820.	6. 8.	S. h.	
43	cæspitosum. DC. (bh.) tufted.	Mauritius.	—	—	S. 4.	
44	mauritianum. DC. (wh.) creeping-rooted.	—	1822.	7. 9.	S. 4.	
45	Scalpe. DC. (pu.) repand-leaved.	Madagascar.	1823.	7. 8.	S. h.	
<i>Hedy'sarum repandum</i> . Poir. non Vahl.						
46	diversifolium. DC. (li.) different-leav'd.	—	1820.	—	S. h.	
47	spectabile. (pu.) showy.	Zanzibar.	1825.		S. h.	
<i>Hedy'sarum spectabile</i> . Boj.						
48	triflorum. DC. (pu.) three-flowered.	India.	1796.	6. 7.	S. 4.	Burm. ind. t. 54. f. 2.
49	heterophyllum. DC. (pu.) various-leav'd.	Ceylon.	1820.	—	S. 4.	Burm. zeyl. t. 54. f. 1.
50	parvifolium. DC. (pu.) slender.	Nepaul.	1823.	7. 9.	S. h.	
<i>Hedy'sarum tenellum</i> . D.P. non Kth.						
51	Roxburghii. (pu.) Roxburgh's.	E. Indies.	1825.	—	S. h.	
<i>diffusum</i> . DC. p. 335. non p. 336.						
52	floribundum. D.P. (pu.) abundant-fl'd.	Nepaul.	1823.	—	S. h.	
53	retusum. D.P. (pu.) retuse-leaved.	—	—	—	S. h.	
54	confertum. DC. (li.) close-flowered.	—	1826.	—	S. h.	
55	sambuense. D.P. (li.) villous-leaved.	—	—	—	S. h.	
56	concinnum. DC. (li.) neat.	—	1823.	—	S. h.	
57	trichocaulum. DC. (vi.) hairy-stalked.	—	1827.	—	S. h.	
58	Leschenaultii. DC. (li.) Leschenault's.	E. Indies.	—	—	S. h.	
59	capitatum. DC. (pu.) headed.	Ceylon.		7. 8.	S. h.	Burm. ind. t. 54. f. 1.
<i>Hedy'sarum conicum</i> . Poir.						
60	laxum. DC. (li.) loose.	Nepaul.	1828.	—	S. h. ~.	
61	tomentosum. DC. (wh.) woolly.	China.	1782.	6. 7.	G. 4.	
62	repens. DC. (pu.) creeping.	W. Indies.	1820.	—	S. h.	
63	malacophyllum. DC. (li.) soft-leaved.	Manila.	1822.	—	S. 4.	

64	grandifolium. DC. (li.)	large-leaved.	E. Indies.	1822.	6. 7.	S. h.	
65	serotinum. DC. (pu.)	late-flowering.	N. America.	1806.	8. 10.	H. 4.	
66	cephalotes. H.B. (li.)	close-headed.	E. Indies.	1825.	6. 8.	S. h.	
67	altissimum. (pa.)	tallest.	—	—		S. h.	
68	heptaphyllum. (li.)	seven-leaved.	—	1820.	6. 8.	S. h.	
69	abyssinicum. DC. (li.)	Abyssinian.	Abyssinia.	1802.	7.	S. 4.	
70	bracteatum. H.B. (li.)	bracted.	E. Indies.	1820.	7. 8.	S. h.	
71	rhomboideum. (pa.)	rhomboid.	—	—	7. 9.	S. h.	
<i>Hedy'sarum rhombifolium. H.B. non Elliot.</i>							
72	orbiculatum. H.B. (li.)	round-leaved.	—	1818.	—	S. h.	—
73	recurvatum. H.B. (li.)	recurved.	—	1824.	—	S. h.	
74	divergens. H.B. (pa.)	divergent.	—	—	—	S. h.	
75	purpureum. H.B. (pu.)	purple-flowered.	—	1818.	6. 8.	S. 4.	
76	patens. H.B. (li.)	spreading	—	1824.	—	S. 4.	
77	arborescens.	tree.	—	1818.		S. h.	
<i>Hedy'sarum arborescens. H.B.</i>							
78	lacteum. Boj. (st.)	milk-coloured.	Zanzibar.	1825.	10. 11.	S. 8.	
79	Helsinbergii. Boj.	Helsinberg's.	Madagascar.	—		S. h.	
DICE'RMA. DC. DICE'RMA. Diadelphia Decandria.							
1	pulchellum. DC. (ye.)	neat.	E. Indies.	1799.	7. 8.	S. h.	Burm. zeyl. t. 52.
<i>Hedy'sarum pulchellum. W. Zornia pulchella. P.S. Phyllodium pulchellum. Desv.</i>							
2	elegans. DC. (ye.)	elegant.	China.	1826.	7. 8.	G. h.	
3	biarticulatum. DC. (ye.)	two-jointed.	E. Indies.	1808.	—	S. h.	Burm. zeyl. t. 50. f. 2.
<i>Hedy'sarum biarticulatum. L.</i>							
HEDY'SARUM. DC. HEDY'SARUM. Diadelphia Decandria. L.							
1	grandiflorum. DC. (st.)	large-flowered.	Iberia.	1820.	6. 8.	H. 4.	Pall. itin. 2. p. 743. t. Y.
<i>sericeum. M.B. Astragalus grandiflorus. L.</i>							
2	argenteum. DC. (pu.)	silvery.	Siberia.	1827.	—	H. 4.	Gmel. sib. 4. t. 13.
3	candidum. DC. (pu.)	silver-leaved.	—	1796.	7. 8.	H. 4.	
4	splendens. DC. (pa.)	glossy-leaved.	—	1828.	—	H. 4.	
5	pallidum. DC. (pa.)	pale-flowered.	Barbary.	1811.	—	H. 4.	
6	coronarium. DC. (sc.)	F. Honeysuckle.	Italy.	1596.	6. 8.	H. 8.	Gært. fruct. 2. t. 155.
<i>a coecineum. (sc.) scarlet-flowered. — — — — — H. 8.</i>							
<i>album. (wh.) white-flowered. — — — — — H. 8.</i>							
7	humile. DC. (pu.)	dwarf.	Spain.	1640.	7. 8.	H. 4.	J. Bauh. his. 2. p. 336. f. 1.
8	spinosissimum. DC. (pu.)	thorny.	—	1731.	—	H. 4.	Pluk. alm. t. 50. f. 2.
9	capitatum. DC. (ro.)	headed.	Barbary.		—	H. 4.	Bot. mag. 1251.
10	flexuosum. DC. (pu.)	wave-podded.	Asia.	1680.	—	H. 4.	Schk. hand. 2. t. 207.
11	carneum. DC. (fl.)	flesh-coloured.	Siberia.	1818.	—	H. 4.	Lodd. bot. cab. 312.
12	elongatum. F. (pu.)	long-stalked.	Russia.	1823.	6. 8.	H. 4.	— t. 1401.
13	lasiocarpum. DC. (pu.)	woolly-podded.	Altay.	1824.	—	H. 4.	
14	tauricum. DC. (ro.)	Taurian.	Tauria.	1804.	7. 8.	H. 4.	Bieb. cent. 2. t. 85.
<i>roseum. Bot. mag. t. 996. non DC.</i>							
15	roseum. DC. (ro.)	rose-coloured.	Siberia.	1803.	—	H. 4.	
16	altaicum. DC. (pu.)	Altay.	—	1828.	—	H. 4.	
17	venustum. DC. (pu.)	handsome.	Altay.	—	—	H. 4.	
18	fruticosum. DC. (li.)	shrubby.	Siberia.	1782.	6. 7.	H. h.	Pall. it. 3. . 5. f. 1.
19	ibericum. DC. (li.)	Iberian.	Iberia.	1824.	6. 8.	H. 4.	
20	Razoumowianum. DC. (li.)	net-podded.	Scythia.	1828.	—	H. 4.	
21	cretaceum. DC. (pu.)	slender-spiked.	Volga.	1818.	—	H. 4.	
22	consanguineum. DC. (pu.)	related.	Altay.	—	—	H. 4.	
23	obscurum. DC. (pu.)	creeping-rooted.	Europe.	1640.	7. 8.	H. 4.	Bot. mag. 282.
24	brachisema. DC. (pu.)	short-lipped.	Altay.	1820.	—	H. 4.	Gmel. sib. 4. t. 10.
25	sibiricum. DC. (pu.)	Siberian.	Siberia.	1798.	6. 7.	H. 4.	Lam. ill. t. 628. f. 3.
26	alpinum. W. (pu.)	Alpine.	—	—	—	H. 4.	Bot. mag. 2213.
27	caucasicum. DC. (pu.)	Caucasean.	Caucasus.	1824.	6. 8.	H. 4.	
28	argyrophyllum. F. (pu.)	silvery-leaved.	Altay.	1827.	—	H. 4.	
ONOBRY'CHIS. DC. SAINTFOIN. Diadelphia Decandria.							
1	sativa. DC. (ro.)	common.	Britain.		6. 7.	H. 4.	Eng. bot. v. 2. t. 96.
<i>Hedy'sarum Onobry'chis. Jacq. aust. t. 352.</i>							
2	lanatica. F. (ro.)	spreading.	Siberia.	1823.	—	H. 4.	
3	carpathica. DC. (ro.)	Carpathian.	Carp. Mount.	1818.	—	H. 4.	
4	incurvata. DC. (ro.)	incurved.		1826.	—	H. 4.	
5	montana. DC. (pu.)	mountain.	Pyrenees.	1816.	—	H. 4.	
6	conferta. DC. (pu.)	close-flowered.	Caucasus.	1827.	6. 8.	H. 4.	
7	procumbens. DC. (ro.)	procumbent.	Iberia.	1823.	—	H. 4.	
8	supina. DC. (ro.)	trailing.	S. Europe.	1816.	—	H. 4.	
9	glabra. DC. (ro.)	smooth.	Tauria.	1829.	—	H. 4.	
10	arenaria. DC. (ro.)	sand.	Hungary.	1818.	—	H. 4.	

Subtribus III. *ALHAGEÆ*. DC. *prodr.* 2. p. 352.

ALH'AGI. DC.		ALH'AGI. Diadelphia Decandria.					
1	maurorum. DC. (re.)	Levant.	1714.	7. 8.	G. $\frac{1}{2}$.	Tourn. cor. 54. t. 459.	
	<i>Hedysarum</i> Alhâgi. L.	Levant.					
2	canellorum. DC. (re.)	Caſpian.	1824.	—	H. 4.		
ALSICA'RPUS. DC.		Caucasus.					
1	bupleurifolius. DC. (li.)	Diadelphia Decandria.					
	<i>Hedysarum bupleurifolium</i> . Roxb.	E. Indies.	1793.	7. 8.	S. ♂.	Bot. mag. 1722.	
	corom. 2. t. 194.						

2	vaginàlis. DC.	(pu.) sheathed.	E. Indies.	1790.	7. 8.	S. ☉.	Burm. zeyl. t. 49. f. 1.
3	nummularifolius. DC.	(pu.) moneywort.	————	1777.	7. 9.	S. ☉.	Petiv. gaz. t. 26 f. 1.
4	monilifer. DC.	(pu.) neck-lace.	————	1824.	—	S. 4.	Burm. ind. t. 52. f. 3.
5	glumaceus. DC.	(vi.) rugged-podded.	Arabia.	—	—	G. 4.	
6	styracifolius. DC.	(pu.) Storax-leaved.	E. Indies.	1796.	—	S. 7.	
<i>Hedy'sarum styracifolium. L.</i>							

Tribus IV. VICIÆ. DC. prodr. 2. p. 353.

CICER. DC.		CHICK-PEA.	Diadelphia Decandria. L.				
1	arietinum. DC.	common.	S. Europe.	1548.	7. 8.	H. ☉.	Bot. mag. 2274.
2	sangaricum. DC.	large-flowered.	Persia.	1828.	—	H. ☉.	DC. leg. mem. t. 54.
FABA. DC.		BEAN.	Diadelphia Decandria.				
	ulgàris. DC.	(wh. bk.) common.	Egypt.		5. 8.	H. ☉.	Tourn. inst. t. 222.
	equina. (wh. bk.)	Horse.	—		—	H. ☉.	
	præcox. (wh. bk.)	Mazagon.	—		—	H. ☉.	
	ensiformis. (wh. bk.)	long-pod.	—		—	H. ☉.	
	albiflora. (wh.)	white-blossomed.	—		—	H. ☉.	
	purpurea. (pu.)	purple-flowered.	—		—	H. ☉.	
	macrospërma. (wh. bk.)	broad Windsor.	—		—	H. ☉.	
	chlorospërma. (wh. bk.)	green Windsor.	—		—	H. ☉.	
VICIA. DC.		VETCH.	Diadelphia Decandria.				
1	pisiformis. DC.	(st.) Pea-shaped.	S. Europe.	1739.	7. 8.	H. 4.	Jacq. aust. 4. t. 364.
2	amœna. DC.	(pu.) beautiful.	Siberia.	1829.	—	H. 4.	Gmel. sib. 4. n. 11. t. 3?
3	caroliniàna. DC.	(wh.) Carolina.	Carolina.	—	—	H. 4.	
4	dumetorum. DC.	(vi.) great wood.	France.	1752.	5. 7.	H. 4.	Sturm deuts. 1. fas. 31.
5	dentata. F.	(vi.) toothed.	Russia.	1818.	6. 7.	H. 4.	
6	sylvatica. DC.	(wh. vi.) wood.	Britain.		7. 8.	H. 4.	Eng. bot. 2. t. 79.
7	américana. DC.	(vi.) American.	N. America.	1818.	—	H. 4.	
8	variegata. DC.	(v.) variegated.	Caucasus.	1829.	—	H. 4.	Desf. cor. p. 86. t. 66.
9	purpurea. DC.	(pu.) purple.	Tauria.	1827.	—	H. 4.	
10	alpestris. DC.	(pu.) alpine.	—	1828.	—	H. 4.	
11	cassubica. DC.	(vi.) Cassubian.	Germany.	1711.	6. 7.	H. 4.	Sturm deuts. 1. fas. 31.
12	abbreviata. DC.	(vi.) abbreviated.	Caucasus.	1818.	—	H. 4.	
13	cinèrea. DC.	(pa. bl.) ash-coloured.	Tauria.	1829.	—	H. 4.	
14	Cræca. DC.	(vi.) tufted.	Britain.		7. 9.	H. 4.	Eng. bot. 17. t. 1168.
15	Bivònea. DC.	(ro.) Bivoni's.	Sicily.	1828.	—	H. 4.	
16	Gerardi. DC.	(vi.) Gerard's.	S. Europe.	1711.	6. 7.	H. 4.	Jacq. aust. t. 229.
17	pseudocræca. DC.	(vi.) slender-leaved.	Italy.	1821.	7. 9.	H. ☉.	
<i>tenuifolia. Tenore, non Roth.</i>							
18	microphylla. DC.	(li.) small-leaved.	Archipelago.	1828.	6. 8.	H. 4.	
19	polyphylla. DC.	(li.) many-leaved.	Algiers.	1823.	—	H. 4.	
20	tenuifolia. DC.	(vi.) slender-leaved.	Germany.	1799.	6. 7.	H. 4.	Sturm deuts. 1. fas. 31.
21	consentina. DC.	(st.) straw-coloured.	Naples.	1824.	—	H. 4.	
22	capensis. DC.	(pu.) Cape.	C. B. S.	1802.	6. 8.	G. 4.	
23	canescens. DC.	(bl.) hoary.	Libanus.	1800.	—	H. ☉.	Labil. dec. syr. 1. t. 7.
24	ochroleuca. DC.	(st.) sulphur-color'd.	Italy.	1824.	—	H. 4.	
25	punctata. DC.	(pu.) spot-leaved.	Switzerland.	1826.	—	H. ☉.	
26	onobrychioïdes. DC.	(pu.) Saintfoin-like.	Europe.	1789.	—	H. ☉.	Sturm deuts. 1. fas. 31.
27	atropurpurea. DC.	(d. pu.) dark-purple.	Algiers.	1815.	—	H. ☉.	Bot. reg. t. 871.
28	benghalensis. DC.	(sc.) Bengal.	E. Indies.	1792.	7. 9.	H. ☉.	Herm. lugd. t. 625.
29	perennis. DC.	(pu.) perennial.	S. Europe.	1820.	6. 8.	H. 4.	
30	longifolia. DC.	(st.) long-leaved.	Syria.	1824.	—	H. 4.	
31	argentea. DC.	(ro.) silvery.	Pyrenees.	1829.	—	H. 4.	
32	villosa. DC.	(pu.) villous.	Germany.	1815.	—	H. ☉.	Sturm deuts. 1. fas. 31.
33	disperma. DC.	(li.) two-seeded.	S. France.	1826.	—	H. ☉.	
34	biennis. DC.	(vi.) biennial.	Siberia.	1753.	7. 9.	H. ♂.	Gmel. sib. 4. t. 2.
35	Nissoliàna. DC.	(re.) red-flowered.	Levant.	1773.	6. 7.	H. ☉.	
36	pellucida. DC.	(pu.) pellucid.	C. B. S.	1812.	6. 8.	G. 4.	Jacq. schoenb. 2. t. 222.
37	lilora. DC.	(bl.) two-flower'd.	Algiers.	1801.	—	H. ☉.	Desf. atl. 2. t. 197.
38	calcarata. DC.	(pu.) spurred.	—	1790.	7. 9.	H. ☉.	
<i>membrana. W.</i>							
39	syriaca. DC.	(vi.) Syrian.	Syria.	1822.	—	H. ☉.	
40	pimpinelloides. DC.	(pu.) Pimpinella-like.	Rome.	—	6. 9.	H. ☉.	

41	<i>sativa</i> . DC.	(<i>pu.</i>) common.	Britain.		5. 7.	H. ☉.	Eng. bot. 5. t. 334.
	<i>a nemoralis</i> . P.S.	(<i>pu.</i>) wood.	—		—	H. ☉.	Sturm deuts. 1. fas. 31.
	<i>β segetalis</i> . DC.	(<i>pu.</i>) hedge.	—		—	H. ☉.	Eng. bot. 5. t. 334.
42	<i>leucosperma</i> . L.en.	(<i>wh</i>) white-seeded.			—	H. ☉.	
43	<i>angustifolia</i> . W.en.	(<i>pu.</i>) narrow-leaved.	Europe.		—	H. ☉.	Sturm deuts. 1. fas. 31.
44	<i>megalosperma</i> . W.en.	(<i>pu.</i>) large-seeded.	Tauria.	1798.	6. 8.	H. ☉.	
45	<i>ineisa</i> . DC.	(<i>pu.</i>) cut-leaved.	—	1829.	—	H. ☉.	
46	<i>repens</i> . DC.	(<i>pu.</i>) creeping.	Archipelago.	1828.	—	H. 4.	
47	<i>canadensis</i> . DC.	(<i>li.</i>) Canadian.	Canada.	—	—	H. ☉.	
48	<i>globosa</i> . DC.	(<i>bl.</i>) globular.		1804.	—	H. ☉.	
49	<i>cordata</i> . DC.	(<i>pu.</i>) heart-leaved.	Germany.	1828.	—	H. ☉.	Sturm deuts. 1. fas. 32.
50	<i>pilosa</i> . DC.	(<i>pu.</i>) pilose.	Tauria.	1820.	—	H. ☉.	
51	<i>peregrina</i> . DC.	(<i>pu.</i>) broad-podded.	S. Europe.	1779.	7. 8.	H. ☉.	Sturm deuts. 1. fas. 32.
52	<i>Michauxii</i> . DC.	(<i>wh.</i>) Michaux's.		1803.	—	H. ☉.	
53	<i>amphicarpa</i> . DC.	(<i>pu.</i>) subterraneous.	S. France.	1815.	—	H. ☉.	Ger. m. an. 6. v. 3. p. 311.
54	<i>lathyroides</i> . DC.	(<i>pu.</i>) spring.	Britain.		4. 6.	H. ☉.	Eng. bot. 1. t. 30.
55	<i>lævigata</i> . DC.	(<i>br.</i>) smooth-podded.	England.		7. 9.	H. 4.	— 7. t. 483.
56	<i>dubia</i> . DC.	(<i>pu.</i>) doubtful.		1827.	—	H. 4.	
57	<i>lutea</i> . DC.	(<i>ye.</i>) yellow-flowered.	Britain.		6. 8.	H. 4.	Eng. bot 7. t. 481.
58	<i>hirta</i> . P.S.	(<i>wh.</i>) hairy.	France.	1820.	—	H. 4.	
59	<i>hybrida</i> . DC.	(<i>st.</i>) hairy-flower'd.	England.		—	H. 4.	Eng. bot. 7. t. 482.
60	<i>spuria</i> . DC.	(<i>st.</i>) spurious.	Sicily.	1826.	—	H. 4.	
61	<i>grandiflora</i> . DC.	(<i>ye.</i>) large-flowered.	Switzerland.	1823.	—	H. ♂.	Scop. fl. carn. 2. t. 42.
62	<i>sordida</i> . DC.	(<i>ye.</i>) large-yellow.	Hungary.	1802.	—	H. ☉.	W. et K. hung. 2. t. 134.
63	<i>Biebersteinii</i> . DC.	(<i>ye.</i>) Bieberstein's.	Poland.	1823.	—	H. 4.	
64	<i>tricolor</i> . DC.	(<i>ye. pu.</i>) three-coloured.	Naples.	1827.	—	H. ☉.	Seb. et Maur. pr. rom. t. 4.
65	<i>sèpium</i> . DC.	(<i>pu.</i>) bush.	Britain.		5. 6.	H. 4.	Eng. bot. 22. t. 1515.
66	<i>pannonica</i> . DC.	(<i>wh.</i>) Hungarian.	Hungary.	1658.	6. 7.	H. ☉.	Jacq. aust. 1. t. 34.
67	<i>pyrenaica</i> . DC.	(<i>pu.</i>) Pyrenean.	Pyrenees.	1828.	—	H. ☉.	DC. ic. rar. 1. t. 33.
68	<i>striata</i> . M.B.	(<i>std.</i>) striped.	Tauria.	1824.	—	H. ☉.	
69	<i>truncatula</i> . DC.	(<i>st.</i>) truncate-leav'd.	Caucasus.	1828.	6. 8.	H. ☉.	
70	<i>marbonensis</i> . DC.	(<i>d. pu.</i>) broad-leaved.	France.	1596.	—	H. ☉.	Roth. abhand. 10. t. 2.
71	<i>serratifolia</i> . W.	(<i>pu.</i>) saw-leaved.	Hungary.	1723.	—	H. ☉.	Sturm fl. germ. 1. fas. 32.
72	<i>platycarpus</i> . DC.	(<i>pu.</i>) flat-podded.	Germany.	—	—	H. ☉.	Roth. abhand. 10. t. 1.
73	<i>bicolor</i> . DC.	(<i>v.</i>) two-coloured.		1818.	—	H. 4.	
ERVUM. DC. TARE. Diadelphia Decandria. L.							
1	<i>Lens</i> . DC.	(<i>pa.</i>) Lentil.	France.	1548.	5. 7.	H. ☉.	Sturm fl. germ. 1. fas. 32.
	<i>Cicer Lens</i> . W.	<i>Lens esculenta</i> . Moench.					
2	<i>nigricans</i> . DC.	(<i>pa.</i>) dark-seeded.	Tauria.	1823.	6. 7.	H. ☉.	
	<i>lentoides</i> . T.P.						
3	<i>lenticula</i> . DC.	(<i>bl.</i>) one-flowered.	Carinthia.	1824.	6. 8.	H. ☉.	Sturm fl. germ. 1. fas. 32.
	<i>soloniense</i> . Schrank pl. rar. t. 48.	<i>uniflorum</i> . Seb. rom. pl. fas. 2. t. 4.					
4	<i>hirsutum</i> . DC.	(<i>pu. wh.</i>) hairy.	Britain.		6. 7.	H. ☉.	Eng. bot. 14. t. 970.
5	<i>dispermum</i> . S.S.	(<i>li.</i>) two-seeded.	E. Indies.	1824.	6. 8.	H. ☉.	
6	<i>camelorum</i> . S.S.	(<i>li.</i>) broad-podded.		—	—	H. ☉.	
7	<i>pendulum</i> . S.S.	(<i>li.</i>) pendulous-podd'd.	E. Indies.	1828.	—	H. ☉.	
8	<i>Ervillea</i> . DC.	(<i>pu.</i>) officinal.	S. Europe.	1596.	6. 8.	H. ☉.	Sturm fl. germ. 1. fas. 32.
	<i>Ervillea sativa</i> . L. en.	<i>Vicia Ervillea</i> . W.					
9	<i>monanthos</i> . DC.	(<i>li.</i>) single-flowered.	—	1790.	7. 8.	H. ☉.	Sturm fl. ge. 1. fas. 32. ic.
	<i>Vicia articulata</i> . W.	<i>Lathyrus monanthos</i> . W. en.					
10	<i>agrigeninum</i> . DC.	(<i>li.</i>) Sicilian.	Sicily.	1827.	—	H. ☉.	
11	<i>tetraspermum</i> . DC.	(<i>li.</i>) four-seeded.	Britain.		6. 8.	H. ☉.	Eng. bot. 17. t. 1223.
12	<i>gracile</i> . DC.	(<i>li.</i>) slender.	S. Europe.	1823.	—	H. ☉.	Lois. fl. gal. t. 12.
	<i>tenuissimum</i> . P.S.	<i>longifolium</i> T.N.	<i>Vicia laxiflora</i> . Brot. phyt. t. 54.				
13	<i>pubescens</i> . DC.	(<i>li.</i>) pubescent.	S. Europe.	1828.	6. 8.	H. ☉.	
14	<i>Loiseleurii</i> . DC.	(<i>li.</i>) Loiseleur's.	Tauria.	—	—	H. ☉.	
15	<i>diphyllum</i> . DC.	(<i>li.</i>) two-leaved.		—	—	H. ☉.	
PISUM. DC. PEA. Diadelphia Decandria. L.							
1	<i>sativum</i> . DC.	(<i>wh.</i>) cultivated.	S. Europe.		5. 10.	H. ☉.	Lam. ill. t. 633.
	<i>a saccharatum</i> . DC.	(<i>wh.</i>) sugar.					Tourn. inst. t. 215.
	<i>β macrocarpon</i> . DC.	(<i>wh.</i>) marrowfat.					
	<i>γ viride</i> .	(<i>wh.</i>) green marrowfat.					
	<i>δ rugosum</i> .	(<i>wh.</i>) Knight's marrowfat.					
	<i>ε chlorospermum</i> .	(<i>wh.</i>) green rouncival.					
	<i>ζ caeruleum</i> .	(<i>wh.</i>) blue Prussian.					
	<i>η prolificum</i> .	(<i>wh.</i>) prolific.					
	<i>θ præcox</i> .	(<i>wh.</i>) early Charlton.					
	<i>i uniflorum</i> .	(<i>wh.</i>) early frame.					

<i>κ kalmile.</i>	(wh.) dwarf.	S. Europe.		—	H. ⊙.	
<i>λ umbellatum.</i> DC. (pi.)	rose or crown.	—		—	H. ⊙.	Tabern. icon. t. 495.
<i>μ quadratum.</i> DC. (pu.)	grey or swine's.	—		—	H. ⊙.	
<i>2 elatum.</i> DC. (pa. pu.)	upright.	Iberia.	1827.	6. 10.	H. ⊙.	
<i>3 arvense.</i> DC. (pu.)	field.	Europe.		6. 9.	H. ⊙.	Moris. his. 2. s. 2 t. 1. f. 4.
<i>4 maritimum.</i> DC. (pu.)	sea.	England.		7. 8.	H. 4.	Eng. bot. 15. t. 1046.
<i>5 americanum.</i> DC. (pu.)	American.	America.		—	H. ⊙.	
<i>6 Jomardi.</i> DC. (wh.)	angular-stalk'd.	Egypt.	1818.	6. 9.	H. ⊙.	
<i>7 thebaicum.</i> DC. (wh.)	short-peduncled.	—	—	—	H. ⊙.	
LATHYRUS. DC. LATHYRUS. Diadelphia Decandria. L.						
<i>1 sylvestris.</i> DC. (pu.)	wood.	Britain.		7. 8.	H. 4.	Eng. bot. v. 12. t. 805.
<i>2 intermedius.</i> DC. (ro.)	intermediate.	N. Europe.	1818.	7. 8.	H. 4.	Flor. dan. t. 785.
<i>3 magellanicus.</i> DC. (pu.)	Lord Anson's Pea.	Cape Horn.	1744.	—	H. 4.	
<i>4 latifolius.</i> DC. (ro.)	everlasting Pea.	England.		7. 9.	H. 4.	Eng. bot. v. 16. t. 1108.
<i>3 albiflorus.</i> (wh.)	white-flowered.	—		—	H. 4.	
<i>5 rotundifolius.</i> DC. (ro.)	round-leaved.	Tauria.	1822.	—	H. 4.	Bieb. cent. 1. t. 22.
<i>6 pratensis.</i> DC. (ye.)	meadow.	Britain.		6. 8.	H. 4.	Eng. bot. v. 10. t. 670.
<i>7 tuberosus.</i> DC. (ro.)	tuberous-rooted.	Europe.	1596.	7. 8.	H. 4.	Bot. mag. 111.
<i>8 roseus.</i> DC. (ro.)	rose-coloured.	Iberia.	1828.	—	H. 4.	
<i>9 pisiformis.</i> DC. (std.)	Siberian.	Siberia.	1759.	6. 8.	H. 4.	Linn. fil. dec. t. 20.
<i>10 mutabilis.</i> B.F.G. (std.)	changeable.	—	1825.	—	H. 4.	Swt. br. fl. gar. t. 194.
<i>11 venosus.</i> DC. (pu.)	veined.	N. America.	1823.	7. 8.	H. 4.	
<i>12 californicus.</i> B.R. (pu.)	Californian.	California.	1827.	6. 10.	H. 4.	Bot. reg. 1144.
<i>13 palustris.</i> DC. (pu.)	marsh.	Britain.		7. 8.	H. 4.	Eng. bot. v. 3. t. 169.
<i>14 myrtifolius.</i> DC. (pu.)	Myrtle-leaved.	N. America.	1823.	—	H. 4.	
<i>15 polymorphus.</i> DC. (pu.)	variable.	Missouri.	—	—	H. 4.	
<i>16 heterophyllus.</i> DC. (li.)	various-leaved.	Europe.	1731.	7. 9.	H. 4.	J. Bauh. his. 2. p. 304. f. 1.
<i>17 stipulaceus.</i> DC. (pu.)	large-stipuled.	N. America.	1827.	—	H. 4.	
<i>18 Aphaca.</i> DC. (st.)	yellow vetchling.	England.		6. 7.	H. ⊙.	Eng. bot. v. 17. t. 1167.
<i>19 Nissolia.</i> DC. (cr.)	crimson.	—		5. 6.	H. ⊙.	— v. 2. t. 112.
<i>20 inconspicuus.</i> DC. (pa.)	small-flowered.	Levant.	1739.	7. 8.	H. ⊙.	
<i>21 sphaericus.</i> DC. (sc.)	scarlet.	S. Europe.	1800.	6. 7.	H. ⊙.	DC. ic. rar. 1. t. 32.
<i>22 coccineus.</i> P.S. axillaris. Lam.	inconspicuus. Jacq.	vind. t. 86.	O'robis coccineus. Lodd.	b. cab. t. 883.		
<i>23 micranthus.</i> DC. (pu.)	small-blossom'd.	S. France.		6. 7.	H. ⊙.	
<i>24 angulatus.</i> DC. (pu.)	angular-seeded.	S. Europe.	1683.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 2.
<i>25 longepedunculatus.</i> DC. (pu.)	long-stalked.	—	1824.	6. 9.	H. ⊙.	
<i>26 leptophyllus.</i> DC. (pu.)	slender-leaved.	Caucasus.	1828.	—	H. ⊙.	
<i>27 setifolius.</i> DC. (ro.)	bristle-leaved.	S. Europe.	1739.	6. 7.	H. ⊙.	J. Bauh. 2. p. 308. ic.
<i>28 amphicarpos.</i> DC. (li.)	Earth Pea.	Levant.	1680.	6. 9.	H. ⊙.	Swt. br. fl. gar. 3. t. 236.
<i>29 sativus.</i> DC. (bl. wh.)	chickling vetch.	S. Europe.	1640.	6. 8.	H. ⊙.	Jacq. f. eclog. t. 116.
<i>α caruleus.</i> (bl.)	blue-flowered.	—	—	—	H. ⊙.	Bot. mag. 115.
<i>β albus.</i> (wh.)	white-flowered.	—	—	—	H. ⊙.	
<i>30 Cicera.</i> DC. (pu.)	flat-podded.	—	1633.	—	H. ⊙.	Jacq. f. eclog. t. 115.
<i>31 annuus.</i> DC. (ye.)	yellow annual.	—	1621.	—	H. ⊙.	Buxb. cent. 3. t. 42. f. 1.
<i>32 hirsutus.</i> DC. (pu.)	rough-podded.	England.		7. 8.	H. ⊙.	Eng. bot. v. 18. t. 1255.
<i>33 hirtus.</i> DC. (pu.)	hairy.	—	1824.	7. 9.	H. ⊙.	
<i>34 odoratus.</i> DC. (ra.)	Sweet Pea.	Sicily.	1700.	6. 9.	H. ⊙.	Bot. mag. t. 60.
<i>α purpureus.</i> DC. (pu.)	dark-purple.	—	—	—	H. ⊙.	— t. 60.
<i>β ruber.</i> (re.)	red-flowered.	—	—	—	H. ⊙.	
<i>γ roseus.</i> DC. (ro.)	painted lady.	Ceylon.	—	—	H. ⊙.	
<i>δ albus.</i> (wh.)	white-flowered.	—	—	—	H. ⊙.	
<i>35 grandiflorus.</i> DC. (pu.)	large-flowered.	Italy.	1814.	—	H. 4.	Bot. mag. t. 1938.
<i>36 tingitanus.</i> DC. (pu.)	Tangier Pea.	Barbary.	1680.	—	H. ⊙.	— t. 100.
<i>37 bithynicus.</i> DC. (vi.)	tumid-podded.	S. Europe.	1816.	6. 8.	H. ⊙.	All. ped. 1. t. 26. f. 2.
<i>38 tumidus.</i> W. turgidus. Lam.	Vicia bithynica. L.	—	—	—	—	
<i>39 incurvus.</i> DC. (pu.)	curve-podded.	Siberia.	1802.	7. 8.	H. 4.	Roth abh. 13. t. 4.
<i>40 alatus.</i> DC. (pu.)	wing-stalked.	Italy.	1829.	—	H. ⊙.	
<i>41 Clymenum.</i> DC. (re. bl.)	various-flower'd.	Levant.	1713.	6. 7.	H. ⊙.	Pluk. alm. t. 114. f. 6.
<i>42 articulatus.</i> DC. (ro. wh.)	joint-podded.	S. Europe.	1640.	7. 9.	H. ⊙.	Bot. mag. 258.
<i>43 auriculatus.</i> Bert. (pu.)	eared.	Italy.	1820.	6. 8.	H. ⊙.	
<i>44 spurius.</i> DC. (pu.)	bastard.	—	1815.	—	H. ⊙.	
<i>45 tenuifolius.</i> DC. (bl.)	slender-leaved.	Algiers.	1824.	6. 7.	H. ⊙.	
<i>46 Ochrus.</i> DC. (ye.)	pale-yellow.	S. Europe.	1633.	—	H. ⊙.	Schk. hand. 2. t. 280.
<i>47 Ochrus pallida.</i> P.S. Pisum Ochrus. L.	—	—	—	—	—	
<i>48 purpureus.</i> DC. (pu.)	purple-flower'd.	Levant.	1826.	6. 8.	H. 4.	Desf. cor. p. 81. t. 61.
<i>49 cornutus.</i> DC. (pu.)	horned.	—	1824.	—	H. ⊙.	
<i>50 aphyllus.</i> (pu.)	leafless.	Smyrna.	1828.	7. 8.	H. ⊙.	
PLATYSTYLIS. B.F.G. PLATYSTYLIS. Diadelphia Decandria.						
<i>1 cyanea.</i> B.F.G. (bl.)	blue-flowered.	Iberia.	1826.	7. 8.	H. 4.	Swt. br. fl. gar. 3. t. 239.

2	sessilifolius. B.F.G. (pu.) sessile-leaved.	Levant.	1824.	6. 8.	H. 4.	Buxb. cent. 2. t. 38.
	<i>Orobis sessilifolius</i> . Bot. Mag. 2796. <i>digitatus</i> . M.B.					
O'ROBUS. DC. BITTER VETCH. Diadelphia Decandria. L.						
1	hirsutus. DC. (li.) hairy.	Levant.	1818.	5. 6.	H. 4.	Bot. mag. t. 2345.
2	formosus. DC. (pu.) handsome.	Caucasus.	1824.	—	H. 4.	
3	lathyroides. DC. (bl.) upright.	Siberia.	1758.	6. 7.	H. 4.	Bot. mag. t. 2008.
4	vernus. DC. (pu.) spring.	Europe.	1629.	3. 4.	H. 4.	— t. 521.
5	venosus. DC. (bl.) veined.	Siberia.	1818.	5. 6.	H. 4.	Gmel. fl. sib. 4. t. 5.
6	alpestris. DC. (pu.) alpine.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 123.
7	multiflorus. DC. (li.) many-flowered.	Italy.	1824.	5. 7.	H. 4.	
8	variegatus. DC. (pu.) variegated.	Naples.	1818.	5. 6.	H. 4.	Ten. fl. nap. t. 68.
9	vicioides. DC. (pu.) Vetch-like.	Hungary.	—	6. 8.	H. 4.	W. et K. hung. 3. t. 242.
	<i>Vicia oroboides</i> . W.K.					
10	luteus. DC. (ye.) yellow.	Siberia.	1759.	6. 7.	H. 4.	Lodd. bot. cab. 783.
11	lavigatus. DC. (ye.) smooth.	Hungary.	1818.	—	H. 4.	W. et K. hung. 3. t. 243.
12	aurantius. DC. (ye.) orange-color'd.	Iberia.	1824.	6. 8.	H. 4.	
13	sylvaticus. DC. (std.) wood.	Britain.		6. 7.	H. 4.	Eng. bot. v. 8 t. 518.
14	ochroleucus. DC. (st.) straw-colour'd.	Hungary.	1816.	—	H. 4.	W. et K. hung. 2. t. 118.
15	niger. DC. (pu.) black-rooted.	Europe.	1596.	5. 7.	H. 4.	Bot. mag. t. 2261.
16	erectus. DC. (pu.) upright.		1820.	6. 7.	H. 4.	
17	tuberosus. DC. (pu.) tuberous-rooted.	Britain.		5. 6.	H. 4.	Eng. bot. v. 17. t. 1153.
18	pyrenæicus. L. (pu.) Pyrenean.	Pyrenees.	1699.	—	H. 4.	Pluk. alm. t. 210. f. 2.
19	tenuifolius. Roth. (pu.) slender-leaved.	Germany.	1818.	5. 6.	H. 4.	
20	varius. DC. (v.) parti-coloured.	Italy.	1759.	—	H. 4.	Bot. mag. t. 675.
21	angustifolius. DC. (v.) narrow-leaved.	Siberia.	1766.	—	H. 4.	Gmel. sib. 4. p. 14. t. 5.
22	canescens. DC. (bl.wh.) canescent.	S. Europe.	1823.	—	H. 4.	
23	pallidus. M.B. (wh.) pale-flowered.	Tauria.	1824.	—	H. 4.	
24	albus. DC. (wh.) white-flowered.	Austria.	1794.	—	H. 4.	Swt. br. fl. gar. 1. t. 22.
	<i>pannonicus</i> . Jacq. aust. 1. t. 39.					
25	atropurpureus. DC. (d.pu.) dark-purple.	Algiers.	1826.	6. 7.	H. 4.	Desf. atl. 2. t. 196.
26	Fischeri. B.F.G. (d.pu.) Fischer's.	Siberia?	1827.	—	H. 4.	Swt. br. fl. gar. 3. t. 289.
27	saxatilis. DC. (pu.) rock.	S. France.	1823.	6. 8.	H. ⊙.	Venten. cels. t. 94.
28	longifolius. N. (li.) long-leaved.	Missouri.	1827.	—	H. 4.	

Tribus V. PHASEOLEÆ. DC. prodr. 2. p. 381.

ABRUS. DC. WILD LIQUORICE. Monadelphia Enneandria.						
	precatorius. DC. (ro.) common.	India.	1680.	3. 5.	S. h. ∩.	Rheed. mal. 3. t. 39.
	α erythrosperma. (ro.) red-seeded.	—	—	—	S. h. ∩.	Rumph. amb. 5. t. 32.
	β melanosperma. (ro.) black-seeded.	—	—	—	S. h. ∩.	
SWEETIA. DC. SWE'ETIA. Diadelphia Decandria.						
1	longifolia. DC. (pu.) long-leaved.	S. America.	1824.	6. 7.	S. h. ∩.	Jacq. ic. 3. t. 572.
	<i>Galga longifolia</i> . Jacq. <i>Tephrosia longifolia</i> . P.S.					
2	filiformis. DC. (pu.) slender.	—	—	—	—	—
3	lignosa. DC. (pu.) woody.	Trinidad.	1826.	—	S. h. ∩.	Jacq. ic. 3. t. 573.
	<i>Glycine lignosa</i> . P.S.		1820.		S. h. ∩.	
MACRA'NTHUS. DC. MACRA'NTHUS. Diadelphia Decandria.						
	cochinchinensis. DC. (wh.) eatable-podd'd.	Cochinchina.	1826.	6. 9.	H. ⊙. ∩.	
WESTONIA. S.S. WEST'ONIA. Monadelphia Decandria.						
	trifoliata. S.S. (st.re) trifoliate.		1820.	6. 8.	S. ⊙.	
	<i>Rothia trifoliata</i> . DC. <i>Glycine humifusa</i> . W.en.					
TERA'MNUS. DC. TERA'MNUS. Monadelphia Pentandria.						
1	volubilis. DC. (re.) twining.	Jamaica.	1822.	7. 8.	S. h. ∩.	
2	uncinatus. DC. (re.) hooked.	—	—	—	S. h. ∩.	Plum. ed. Burm. t. 221.
AMPHICARP'ÆA. DC. AMPHICARP'ÆA. Diadelphia Decandria.						
1	monoica. DC. (pu.) pale-flowered.	N. America.	1781.	8. 10.	H. ⊙. ∩.	Rœm. arch. 1. p. 3. t. 2.
2	comosa. (bl.) tufted.	—	1812.	7. 9.	H. 4. ∩.	
	<i>Glycine comosa</i> . Ph.					
3	sarmentosa. DC. (pu.) sarmentose.	—	1805.	—	H. ⊙. ∩.	Schk. bot. an. 12. t. 2.
	<i>Glycine sarmentosa</i> . Ph. <i>monoica</i> . Schkuhr.					
KENN'EDYA. DC. KENN'EDYA. Diadelphia Decandria.						
1	rubicunda. DC. (cr.) dingy-flowered.	N. S. W.	1788.	3. 8.	G. h. ∩.	Bot. mag. 208.
2	prostrata. DC. (sc.) scarlet one-fl.	—	1790.	—	G. h. ∩.	— t. 270.
	<i>Glycine coccinea</i> . B.M.					
3	coccinea. DC. (sc.) many-flowered.	N. Holland.	1803.	5. 8.	G. h. ∩.	Swt. fl. aust. t. 23.
4	Comptoniana. DC. (pu.) Comptonian.	—	—	3. 6.	G. h. ∩.	Bot. reg. 298.
	<i>Glycine Comptoniana</i> . B.R.					

5 heterophylla. ψ . (pu.) various-leaved.	H. Holland.	1826.		G. h_2 . $\smile$.
6 inophylla. ψ . (pu.) few-leaved.	————	1825.		G. h_2 . $\smile$.
7 dilatata. ψ . (pu.) dilated-leaved.	————	————		G. h_2 . $\smile$.
8 monophylla. (pu.) simple-leaved.	N. S. W.	1790.	3. 8.	G. h_2 . $\smile$. Vent. malm. t. 106.
<i>Glycine bimaculata</i> . Bot. mag. t. 263.				
9 ovata. DC. (pu.) oval-leaved.	————	1820.	—	G. h_2 . $\smile$. Bot. mag. 2169.
<i>cordata</i> . Bot. reg. 944.				
RHYNCHOSIA. DC. RHYNCHOSIA. Diadelphia Decandria.				
1 reniformis. DC. (ye.) kidney-leaved.	Carolina.	1806.	7. 8.	F. γ .
2 difformis. DC. (ye.) downy climbing.	————	1732.	6. 9.	F. γ . $\smile$. Dill. elth. t. 26. f. 29.
<i>Glycine tomentosa</i> β <i>volubilis</i> . M.				
3 erecta. DC. (br.) upright.	————		—	F. γ .
4 caribæa. DC. (ye.) trailing.	W. Indies.	1742.	9. 10.	S. h_2 . $\smile$. Bot. reg. t. 275.
<i>Glycine caribæa</i> . B.R.				
5 mollis. DC. (ye.) soft-leaved.	Guinea.	1823.	6. 7.	S. h_2 . $\smile$. Hook. ex. flor. 201.
<i>Glycine mollis</i> . H.E.F.				
6 minima. DC. (ye.) slender-stalked.	W. Indies.	—	—	S. h_2 . $\smile$. Jacq. obs. 1. t. 22.
7 volubilis. DC. (ye.) black-podded.	China.	1826.	—	S. h_2 . $\smile$.
8 phaseoloides. DC. (ye.) Abrus-seeded.	W. Indies.	1820.	—	S. h_2 . $\smile$. Bot. mag. t. 2284.
9 precatòria. DC. (ye.) Abrus-like.	S. America.	—	—	S. h_2 . $\smile$.
10 macrophylla. DC. (ye.) large-leaved.	Cuba.	1826.	—	S. h_2 . $\smile$.
11 reticulata. DC. (ye.) netted.	Jamaica.	1779.	7. 9.	S. h_2 . $\smile$.
12 rhombifolia. DC. (ye.) rhomb-leaved.	E. Indies.	1815.	5. 8.	S. h_2 . $\smile$.
13 medicaginea. DC. (ye.) Medick-like.	Ceylon.	1826.	—	S. h_2 . $\smile$. Burm. zeyl. 188. t. 88.
14 suavèolens. DC. (ye.) sweet-scented.	E. Indies.	1816.	—	S. h_2 .
15 viscida. DC. (ye.) viscous.	————	1823.	6. 7.	S. h_2 . $\smile$.
16 viscosa. DC. (ye.) clammy.	————	1824.	—	S. h_2 . $\smile$.
17 Fridericiàna. DC. (ye.) blunt-leaved.	Manilla.	1826.	—	S. h_2 . $\smile$.
18 scarabœoides. DC. (ye.) rough-stemmed.	E. Indies.	—	—	S. $\odot$. $\smile$. Pluk. alm. t. 52. f. 3.
19 biflora. DC. (ye.) two-flowered.	E. Indies.	1827.	6. 8.	S. $\odot$. $\smile$.
20 angustifolia. DC. (ye.) narrow-leaved.	C. B. S.	1795.	—	G. h_2 . $\smile$. Jacq. schœn. 2. t. 231.
21 Totta. DC. (ye.) smooth-stemm'd.	————	1819.	—	G. h_2 . $\smile$.
FAG'ELIA. DC. FAG'ELIA. Diadelphia Decandria.				
bituminosa. DC. (ye.) clammy.	C. B. S.	1774.	4. 9.	G. h_2 . $\smile$. Bot. reg. t. 261.
<i>Glycine bituminosa</i> . B.R.				
WISTERIA. DC. WISTERIA. Diadelphia Decandria.				
1 frutescens. DC. (bl.) hand-ome.	N. America.	1724.	6. 9.	H. h_2 . $\smile$. Bot. mag. t. 2103.
<i>speciosa</i> . N. <i>Glycine frutescens</i> . B.M. <i>Apios frutescens</i> . Ph.				
2 chinensis. DC. (p.bl.) Chinese.	China.	1818.	5. 7.	H. h_2 . $\smile$. Swt. br. fl. gar. 3. t. 211.
<i>Glycine chinensis</i> . Bot. mag. 2083. <i>sinensis</i> . Bot. reg. 650.				
'APIOS. DC. 'APIOS. Diadelphia Decandria.				
tuberosa. DC. (ro.) tuberous-rooted.	N. America.	1640.	8. 9.	H. γ . $\smile$. Bot. mag. t. 1198.
<i>Glycine 'Apios</i> . B.M.				
AMPH'ODUS. B.R. AMPH'ODUS. Diadelphia Decandria.				
ovatus. B.R. (pu.) oval-leaved.	Trinidad.	1824.	4. 6.	S. h_2 . $\smile$. Bot. reg. t. 1101.
PHASEOLUS. DC. KIDNEY BEAN. Diadelphia Decandria. L.				
1 Caracalla. DC. (pu.) Snail-flower.	E. Indies.	1690.	8. 9.	S. γ . $\smile$. Bot. reg. t. 341.
2 tuberosus. DC. (ye.) tuberous-rooted.	China.	1825.	—	S. γ . $\smile$.
3 perennis. DC. (pu.) perennial.	Carolina.	1823.	7. 9.	F. γ . $\smile$.
4 macrostachyus. DC. (pu.) long-spiked.	N. America.	1824.	—	H. γ . $\smile$.
5 alatus. DC. (pu.) winged.	Carolina.	1732.	7. 8.	H. $\odot$. Dill. elth. t. 235. f. 303.
6 multilòrus. DC. (sc.) scarlet-runner.	S. America.	1633.	6. 10.	H. γ . $\smile$. Schk. hand. 2. t. 199. a.
<i>a coccineus</i> . DC. (sc.) scarlet-flowered.				
<i>β albiflorus</i> . DC. (wh.) white-flowered.				
7 vulgàris. DC. (wh.li.) common.	E. Indies.	1597.	5. 9.	H. $\odot$. $\smile$. Lobel. ic. 2. p. 59. ic.
8 compressus. DC. (wh.) white-runner.			6. 9.	H. $\odot$. $\smile$. Savi. mem. 3. t. 10. f. 20.
9 oblongus. DC. (li.) oblong-seeded.			—	H. $\odot$. $\smile$. — 3. p. 17. t. 10. f. 14.
10 saponaceus. DC. (wh.) spotted-white.			—	H. $\odot$. $\smile$. — 3. p. 19. t. 10. f. 15.
11 timidus. DC. (wh.) thick-seeded.			—	H. $\odot$. $\smile$. — 3. p. 19. t. 10. f. 16.
12 hæmatocarpus. DC. (li.) red-podded.			—	H. $\odot$. $\smile$. — 3. p. 20. t. 10. f. 17.
13 sphæricus. DC. (li.) roundish-seeded.			—	H. $\odot$. $\smile$. — 3. p. 20. t. 10. f. 18.
14 gonospermus. DC. (wh.) angular-seeded.			—	H. $\odot$. $\smile$. — 3. p. 21. t. 10. f. 19.
15 derâs-. DC. (gr.wh.) narrow-podded.	Brazil.	1823.	—	H. $\odot$. $\smile$. Schk. h. mon. 1. t. 89.
16 lunatus. DC. (gr.) cimeter-podded.	E. Indies.	1779.	—	S. $\odot$. $\smile$. Hout. syst. 8. t. 63. f. 1.
17 inamatus. DC. (gr.wh.) various-colour'd.	Africa.	1794.	7. 8.	H. $\odot$. $\smile$. Jacq. vind. t. 66.
18 Xuarèsii. DC. (gr.wh.) pointed-leaved.		1823.	6. 9.	H. $\odot$. $\smile$.
19 adenanthus. DC. (wh.bl.) painted-flower'd.	Guiana.	1821.	—	S. $\odot$. $\smile$.
20 macrocarpus. DC. (wh.) long-podded.			—	H. $\odot$. $\smile$.
21 calcaratus. H.E. (li.) spurred.	E. Indies.	1820.	7. 8.	S. δ . $\smile$.

22	dolichoïdes. H.B. (pu.)	Dolichos-like.	E. Indies.	1820.	7. 8.	S. 4. ∞.	
23	minimus. H.B. (li.)	small.	China.	1823.	—	H. ∞. ∞.	
24	angustifolius. H.B. (li.)	narrow-leaved.	—	1818.	6. 8.	H. ∞. ∞.	
25	microspérmus. DC. (pu.)	small-seeded.	Cuba.	1821.	6. 9.	S. ∞.	
26	heterophyllus. DC. (re.)	different-leaved.	Mexico.	1818.	7. 8.	H. ∞. ∞.	
27	aconitifolius. DC. (ye.)	Aconite-leaved.	E. Indies.	1731.	6. 8.	S. ∞. ∞.	Jacq. obs. 3. t. 52.
28	sublobatus. H.B. (li.)	lobed-leaved.	—	1820.	—	S. ∞. ∞.	
29	subtrilobus. L.en. (ye.)	acute-lobed.	Brazil.	1818.	—	S. ∞. ∞.	
30	diversifolius. DC. (pu.)	various-leaved.	N. America.	1806.	6. 8.	H. ∞.	
31	trilobus. DC. (pu.)	three-lobed.	E. Indies.	1777.	7. 8.	S. ∞.	Burm. ind. t. 50. f. 1.
32	angulosus. DC. (bh.)	angular-stalked.	S. America.	1818.	7. 8.	S. ∞. ∞.	
33	farinosus. DC. (re.)	mealy.	E. Indies.	1759.	—	S. 4. ∞.	Niss. act. par. 1730. t. 42.
34	stipularis. DC. (ye.)	large-stipuled.	Peru.	1805.	—	H. ∞.	
35	mesoleucus. L.en. (wh.)	Brazilian.	Brazil.	1818.	—	H. ∞. ∞.	
36	helvolus. DC. (ro.)	pale red.	Carolina.	1732.	—	H. ∞. ∞.	Dill. elth. t. 233. f. 300.
37	vexillatus. DC. (bh.)	sweet-scented.	—	—	—	H. ∞. ∞.	Jacq. vind. 2. t. 102.
38	Mungo. DC. (ye.)	small-fruited.	E. Indies.	1790.	6. 7.	H. ∞.	
39	hirtus. W. (ye.)	hairy.	C. B. S.	1818.	7. 8.	H. ∞. ∞.	
40	Hernandésii. DC. (ye.)	Hernandez.	Mexico.	1824.	—	H. ∞.	Hern. mex. 867. ic.
41	chrysanthos. DC. (ye.)	golden-flowered.			—	H. ∞.	
42	radiatus. DC. (bh.)	rayed.	China.	1732.	6. 7.	H. ∞.	Dill. elth. t. 235. f. 305.
43	scaber. DC. (st.)	rough-podded.			6. 9.	H. ∞.	Moris. ox. s. 2. t. 5. f. 8.
44	lathyroides. DC. (re.)	Lathyrus-like.	Jamaica.	1786.	7. 8.	S. ∞.	Sloan. hist. 1. t. 116. f. 1.
45	semierectus. DC. (re.)	dark-red.	S. America.	1732.	—	S. ∞. ∞.	Bot. reg. t. 743.
46	violaceus. DC. (ri wh.)	violet-flowered.	Africa?		6. 9.	H. ∞.	
47	Max. DC. (re.)	hairy-podded.	E. Indies.	1758.	6. 7.	S. ∞.	Rumph. amb. 5. t. 140.
48	glaber. H.B. (li.)	smooth.	Mauritius.	1823.	7. 8.	S. ∞.	
49	torosus. H.B. (li.)	twisted-podded.	Nepaul.	—	—	H. ∞.	
SOJA. DC. Soy. Diadelphia Decandria.							
	hispida. DC. (ri.)	hispid.	E. Indies.	1790.	7. 8.	S. ∞.	Jacq. ic. 1. t. 145.
	Dolichos Soja. Jacq. Soja japonica. Savi.						
	5 pallida. DC. (ye.)	pale-flowered.			—	S. ∞.	
DO'LICHOS. DC. Do'LICHOS. Diadelphia Decandria. L.							
1	lignosus. DC. (ro.)	woody.	E. Indies.	1776.	7. 8.	S. 1/2. ∞.	Smith spicil. t. 21.
	3? falciformis. (ro.)	falcate-podded.	C. B. S.	—	—	G. 1/2. ∞.	Bot. mag. t. 382.
2	Jacquini. DC. (wh.)	Jacquin's.	W. Indies.	1822.	7. 9.	S. 1/2. ∞.	
3	spurius. DC. (pu.)	spurious.	Guiana.	1826.	—	S. 1/2. ∞.	
4	tuberosus. DC. (li.)	tuberous-rooted.	Martinica.	—	—	S. 1/2. ∞.	Plum. ed. Burm. t. 220.
5	articulatus. DC. (pu.)	jointed.	St. Domingo.	1828.	—	S. 1/2. ∞.	
6	hirsutus. DC. (pu.)	hirsute.	China.	1802.	6. 7.	G. 1/2. ∞.	Kämpf. ic. t. 41.
7	pubescens. DC. (st.)	pubescent.	S. America.	1826.	7. 9.	G. ∞. ∞.	
8	pilosus. DC. (li.)	hairy-podded.	E. Indies.	1790.	7. 8.	S. ∞. ∞.	
9	tetraspérmus. DC. (li.)	four-seeded.	—	1816.	5. 8.	S. 1/2. ∞.	
10	capensis. DC. (ye.)	Cape.	C. B. S.	1818.	—	G. 4. ∞.	
11	falcatus. DC. (li.)	falcate-podded.	E. Indies.	1820.	7. 8.	S. 4. ∞.	
12	heterophyllus. DC. (pu.)	various-leaved.	Canaries.	1827.	6. 9.	H. ∞. ∞.	
13	luteus. DC. (ye.)	yellow-flowered.	Jamaica.	1812.	7. 8.	S. 4. ∞.	
14	biflorus. DC. (li.)	two-flowered.	E. Indies.	1776.	—	S. ∞.	Pluk. alm. t. 213. f. 4.
15	Catiang. DC. (pu.)	small-podded.	—	1793.	—	S. ∞.	
16	monachalis. DC. (pu.)	hybrid.	Portugal.	1826.	—	H. ∞.	
17	sinensis. DC. (fl.)	Chinese.	China.	1776.	—	H. ∞. ∞.	Rumph. amb. 5. t. 134.
18	niloticus. DC. (st.)	Egyptian.	Egypt.	1828.	—	H. ∞. ∞.	Delil. fl. eg. t. 38. f. 1.
19	Lubia. DC. (hl. wh.)	cultivated.	—	—	—	H. ∞.	
20	vexillatus. DC. (st.)	hispid.	S. America.		—	H. ∞. ∞.	Dill. elt. 2. f. 302.
21	lobatus. DC. (li.)	lobe-leaved.	C. B. S.	1818.	6. 7.	G. 4. ∞.	Hout. syst. 8. t. 64. f. 1.
22	virosus. H.B. (li.)	virose.	E. Indies.	—	5. 8.	S. 1/2. ∞.	Rheed. mal. 8. t. 45.
23	gangeticus. H.B. (pu.)	Ganges.	Bengal.	1824.	6. 7.	S. 4. ∞.	
24	glutinösus. H.B. (pu.)	glutinous.	E. Indies.	1820.	—	S. 4. ∞.	
25	unguiculatus. DC. (li.)	Bird's-foot.	W. Indies.	1780.	—	S. ∞. ∞.	Jacq. vind. 1. t. 23.
26	tranquebaricus. DC. (ri.)	Tranquebar.	E. Indies.	1801.	6. 7.	S. ∞. ∞.	Jacq. vind. 3. t. 70.
27	melanophthalmus. DC. (ri.)	black-circled.		1822.	7. 9.	H. ∞. ∞.	
28	sesquipedalis. DC. (wh.)	long-podded.	W. Indies.	1781.	8. 9.	S. ∞. ∞.	Jacq. vind. 1. t. 67.
29	Brunelli. DC. (wh.)	branching.		1826.	6. 9.	S. ∞.	
30	sphaerospérmos. DC. (st.)	round-seeded.	S. America.	1823.	7. 8.	S. ∞.	Sloan. jam. 1. t. 117.
31	reticulatus. DC. (li.)	netted-leaved.	N. S. W.	1781.	6. 7.	G. 1/2. ∞.	
32	phaseoloides. H.B. (li.)	Kidney Bean-like.	China.	1823.	7. 8.	G. 4. ∞.	
33	frutescens. D.P. (pu.)	frutescent.	Nepaul.	1824.	—	G. 1/2.	
34	incanus. Wal. (pu.)	hoary.	E. Indies.	1825.	—	S. ∞.	

VIGNA. DC.		VIGNA. Diadelphia Decandria.				
1 glabra. DC.	(ye.) smooth.	America.	1805.	7. 8.	H. ☉. ∞.	Jacq. vind. 1. t. 90.
<i>Delichos latifolius</i> . Jacq.						
2 villosa. DC.	(ye.) villous.	Chile.	1826.	—	H. ☉. ∞.	
LABLAB. DC.		LABLAB. Diadelphia Decandria.				
1 vulgaris. DC.	(pu.) common.	Egypt.	1691.	6. 7.	S. ☉.	Bot. mag. t. 896.
<i>Delichos Lablab</i> . B.M.						
2 purpureus.	(pu.) purple.	E. Indies.	1790.	5. 10.	S. 4. ∞.	Exot. bot. 2. t. 71.
<i>Delichos purpureus</i> . Bot. reg. t. 830.						
3 benghalensis.	(wh.) Bengal.	Bengal.	1820.	7. 8.	S. 4. ∞.	Jacq. vind. 2. t. 121.
4 nankinensis. DC.	(wh.) Chinese.	China.	1821.	—	H. ☉. ∞.	Savi. dis. 1821. f. 8. d-g.
5 leucocarpus. DC.	(wh.) white-podded.	E. Indies.	—	—	S. ☉. ∞.	— f. 9. a-d.
6 altratus. DC.	(wh.) sharp-edged.	Japan.	1818.	6. 7.	H. ☉. ∞.	Banks ic. kampf. t. 25.
7 microcarpus. DC.	(pu.) short-podded.	E. Indies.	1824.	—	S. ☉. ∞.	Rumph. am. 5. t. 141. f. 1.
8 perennans. DC.	(wh.) perennial.	China.	1823.	7. 8.	H. ☉. ∞.	— 5. t. 137.
<i>Delichos albus</i> . W.						
PACHYRHIZUS. DC.		PACHYRHIZUS. Diadelphia Decandria.				
1 angulatus. DC.	(vi.) angular-leaved.	E. Indies.	1781.	7. 8.	S. 2. ∞.	Rumph. amb. 5. t. 132.
<i>Delichos bulbosus</i> . L.						
2 trilobus. DC.	(pu.) three-lobed.	China.	1825.	6. 8.	S. 2. ∞.	
PAROCHETUS. D.P.		PAROCHETUS. Diadelphia Decandria.				
1 communis. D.P.	(li.) common.	Nepaul.	1827.	6. 8.	G. 4.	
2 major. D.P.	(li.) larger.	—	—	—	G. 4.	
DIOCLEA. DC.		DIOCLEA. Diadelphia Decandria.				
Jacquiniana. DC.	(re.) Jacquin's.	Martinica.	1826.	6. 9.	S. 2. ∞.	Jacq. amer. t. 123.
<i>Delichos ruber</i> . Jacq.						
PSOPHOCA'RPUS. DC.		PSOPHOCA'RPUS. Diadelphia Decandria.				
tetragonolobus. DC.	(bl.) square-podded.	Mauritius.	1816.	9. 11.	S. ☉.	Rumph. amb. 5. t. 133.
<i>Delichos tetragonolobus</i> . L.						
CANAV'ALIA. DC.		CANAV'ALIA. Monadelphia Decandria.				
1 obtusifolia. DC.	(pu.) blunt-leaved.	E. Indies.	1818.	7. 8.	S. 2. ∞.	Rheed. mal. 8. t. 43.
<i>Delichos rotundifolius</i> . Vahl.						
2 emarginata. DC.	(pu.) emarginate.	—		—	S. 2. ∞.	Jacq. schœn. 2. t. 221.
3 gladiata. DC.	(bh.) sabre-podded.	—	1801.	6. 7.	S. 2. ∞.	Jacq. ic. 3. t. 560.
<i>Delichos gladiatus</i> . W. <i>Malocchia gladiata</i> . Savi.						
4 ensiformis. DC.	(pu.) cimeter-podded.	E. Indies.	1778.	7. 8.	S. ☉.	Jacq. ic. 3. t. 559.
5 rosea. DC.	(ro.) rose-colour'd.	Jamaica.	1812.	—	S. 2.	
6 bonariensis. B.R.	(pu.) Buenos Ayres.	Buenos Ayres.	1826.	6. 10.	G. 2. ∞.	Bot. reg. t. 1199.
MUC'UNA. DC.		Cow-ITCH. Diadelphia Decandria.				
1 urens. DC.	(st.) broad-podded.	W. Indies.	1691.	6. 7.	S. 2. ∞.	Jacq. amer. t. 182. f. 81.
<i>Delichos urens</i> . L. <i>Stizolobium urens</i> . P.S.						
2 altissima. DC.	(li.) tallest.	Martinica.	1779.	6. 8.	S. 2. ∞.	Jacq. amer. t. 182. f. 85.
3 pruriens. DC.	(vi.) common.	India.	1680.	—	S. 2. ∞.	Rheed. mal. 8. t. 85.
<i>Delichos pruriens</i> . L. <i>Stizolobium pruriens</i> . P.S. <i>Carpopogon pruriens</i> . H.B.						
4 gigantea. DC.	(pa.) gigantic.	E. Indies.	1815.	7. 9.	S. 2. ∞.	Rheed. mal. 8. t. 36.
5 elliptica. DC.	(li.) elliptic-leaved.	Peru.	1828.		G. 2. ∞.	
6 mitis. DC.	(li.) oblique-leaved.	—	1823.	7. 9.	G. 2. ∞.	
<i>Negritia mitis</i> . R.P.						
7 comosa. DC.	(wh.) tufted.	Guiana.	1827.	—	S. 2. ∞.	
8 monosperma. DC.	(li.) one-seeded.	E. Indies.	1818.	—	S. 2. ∞.	
<i>Carpopogon monospermum</i> . H.B.						
9 atropurpurea. DC.	(d.pu.) dark-purple.	—	1820.	—	S. 2. ∞.	
10 anguinea.	(pu.) snake-like.	—	1822.		S. 2. ∞.	
<i>Carpopogon anguineum</i> . Roxb.						
11 nivea. DC.	(wh.) snowy-white.	—	1820.	7. 9.	S. ☉. ∞.	
12 imbricata. DC.	(pu.) imbricated.	—	1815.	—	S. 2. ∞.	
13 bracteata. DC.	(pu.) bracteate.	—	1822.	—	S. 2. ∞.	
14 capitata.	(pu.) headed.	—	—	8. 11.	S. ☉. ∞.	
<i>Carpopogon capitatum</i> . H.B.						
PHYLLOLOBIUM. DC.		PHYLLOLOBIUM. Diadelphia Decandria. S.S.				
1 chinense. DC.	(wh.) Chinese.	China.	1818.	6. 8.	G. 4.	
2 zanzibarense. Boj.	.. Zanzibar.	Zanzibar.	1825.		S. 2.	
CAJANUS. DC.		PIGEON PEA. Diadelphia Decandria.				
1 bicolor. DC.	(ye.pu.) two-coloured.	E. Indies.	1687.	7. 8.	S. 2.	Jacq. vind. 2. t. 119.
<i>Cytisus pseudo-cajan</i> . Jacq.						
2 flavus. DC.	(ye.) yellow-flowered.	—	—	—	S. 2.	Jacq. obs. 1. t. 1.
<i>Cytisus Cajan</i> . L.						
LUPINUS. DC.		LUPINE. Monadelphia Decandria.				
1 albus. DC.	(wh.) white.	Levant.	1596.	7. 8.	H. ☉.	Blackw. herb. t. 282.

2	Térnis. DC.	(wh.bl.)	Egyptian.	Egypt.	1802.	6. 7.	H. ☉.	
3	vàrius. DC.	(bl.)	variable.	S. Europe.	1596.	7. 9.	H. ☉.	J. Bauh. his. 2. p. 289. ic.
4	hirsùtus. DC.	(bl.)	blue-flowered.	—	1629.	—	H. ☉.	
5	bracteolàris. DC.	(bl.)	bracteolate.	Monte Video.	1828.	—	H. ☉.	
6	pilòsus. DC.	(ro.)	rose.	S. Europe.	1710.	—	H. ☉.	
7	angustifòlius. DC.	(bl.)	narrow-leaved.	—	1686.	—	H. ☉.	Knor. del. 2. t. L. 7.
8	linifòlius. DC.	(bl.)	Flax-leaved.		1790.	—	H. ☉.	Roth. abhand. 14. t. 5.
9	lùteus. DC.	(ye.)	yellow.	S. Europe.	1596.	—	H. ☉.	Bot. mag. t. 140.
	β sulphùreus.	(st.)	straw-coloured.	—	—	—	H. ☉.	
10	microcàrpus. DC.	(bl.)	small-podded.	Chile.	1822.	4. 6.	H. ☉.	Bot. mag. t. 2413.
11	micrànthus. B.R.	(pu.)	small-flowered.	Columbia.	1827.	5. 7.	H. ☉.	Bot. reg. t. 1251.
12	áridus. B.R.	(bl.pu.)	arid.	—	—	6. 9.	H. ♂.	— t. 1242.
13	bícolor. B.R.	(bl.wh.)	two-coloured.	—	—	5. 10.	H. ♀.	— t. 1109.
14	lépidus. B.R.	(bl.li.)	lively.	—	—	7. 10.	H. ♀.	— t. 1149.
15	laxiflòrus. B.R.	(bl.pi.)	lax-flowered.	—	—	8. 10.	H. ♀.	— t. 1140.
16	littoràlis. B.R.	(pu.bl.)	shore.	—	—	6. 10.	H. ♀.	— t. 1198.
17	ornàtus. B.R.	(bl.)	adorned.	—	—	5. 11.	H. ♀.	— t. 1216.
18	plumòsus. B.R.	(bl.)	feathered.	—	—	—	H. ♀.	— t. 1217.
19	Sabini. D.	(bl.)	Sabine's.	—	—	6. 10.	H. ♀.	
20	mexicanus. DC.	(bl.)	Mexican.	Mexico.	1819.	7. 9.	F. ♀.	Bot. reg. t. 457.
21	perénis. DC.	(bl.)	smooth perenial.	N. America.	1658.	5. 8.	F. ♀.	Bot. mag. t. 202.
	β albiflòrus.	(wh.)	white-flowered.	—	1817.	—	F. ♀.	
22	polyphy'llus. B.R.	(bl.)	many-leaved.	Columbia.	1827.	—	H. ♀.	Bot. reg. t. 1096.
23	leucophy'llus. B.R.	(pu.)	white-leaved.	—	—	6. 8.	H. ♀.	— t. 1124.
24	nootkaténsis. DC.	(bl.)	hairy perennial.	Nootka sound.	1794.	—	H. ♀.	— t. 1311.
	β variàbilis.	(va.)	variable coloured.	—	—	—	H. ♀.	— t. 2136.
25	variegàtus. F.	(v.)	variegated.	Silka.	1828.	—	H. ♀.	
26	argyràus. DC.	(bl.)	silvery-leaved.		—	—	F. ♀.	
27	arbùstus. B.R.	(pu.)	half-shrubby.	California.	1827.	6. 9.	F. ♀.	Bot. reg. 1230.
28	canaliculàtus. B.F.G.	(bl.)	channel-ld.	Buenos Ayres.	1828.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 283.
29	versicolor. B.F.G.	(v.)	various-colour'd.	Mexico.	1828.	—	H. ♀.	— ser. 2. t. 12.
30	tomentòsus. DC.	(va.)	woolly.	Peru.	1826.	6. 10.	H. ♀.	Swt. br. fl. gar. t. 261.
31	arbòreus. DC.	(ye.)	tree.	S. America.	1793.	7. 9.	H. ♀.	Bot. mag. t. 682.
32	mutàbilis. B.F.G.	(wh.y.)	changeable.	Begota.	1825.	—	F. ♀.	Swt. br. fl. gar. t. 130.
33	villòsus. DC.	(pu.)	simple-leaved.	Carolina.	1787.	—	F. ♀.	Pursh. fl. amer. 2. t. 21.
CYLISTA. DC. CYLISTA. Diadelphia Decandria.								
1	scariòsa. DC.	(bh.)	rough.	E. Indies.	1806.	4. 6.	S. ♀. ∪.	Roxb. corom. 1. t. 92.
2	tomentòsa. DC.	(ye.)	tomentose.	—	1818.	—	S. ♀. ∪.	— t. 221.
3	albiflòra. DC.	(wh.)	white-flowered.	Mauritius.		4. 5.	S. ♀. ∪.	Bot. mag. t. 1859.
4	villòsa. DC.	(wh.)	hairy.	C. B. S.	1776.	4. 6.	G. ♀. ∪.	Andr. rep. t. 446.
<i>Dolichos hirtus</i> . A. R.								
ERYTHRINA. DC. CORAL-TREE. Diadelphia Decandria. L.								
1	herbàcea. DC.	(sc.)	herbaceous.	Carolina.	1724.	6. 9.	G. ♀.	Bot. mag. t. 877.
2	càrnea. DC.	(fl.)	flesh-coloured.	Vera Cruz.	1733.	5. 6.	G. ♀.	Trew. ehr. 2. t. 8.
	β pubescens.	(fl.)	pubescent-leaved.	—	—	—	G. ♀.	Bot. reg. t. 389.
3	Corallodéndron. DC.	(sc.)	common.	W. Indies.	1690.	—	S. ♀.	Comm. h. ams. 1. t. 108.
4	euneandra. DC.	(sc.)	nine-anthered.			—	S. ♀.	Jacq. schœn. 4. t. 466.
	<i>velutina</i> . Jacq. non W.							
5	macrophy'lla. DC.	(sc.)	large-leaved.		1816.	—	S. ♀.	
6	mitis. DC.	(sc.)	smooth-stem'd.	Caracas.	1818.	6. 8.	S. ♀.	Jacq. schœn. 2. t. 216.
7	poianthes. DC.	(sc.)	crowded-flower'd.		1826.	4. 6.	S. ♀.	Bot. reg. t. 1246.
8	secundiflòra. DC.	(sc.)	side-flowering.	Brazil.	1818.	—	S. ♀.	Linn. trans. 14. t. 12.
9	speciòsa. DC.	(sc.)	large-flowered.	W. Indies.	1805.	5. 10.	S. ♀.	Andr. rep. t. 413.
10	umbrosa. DC.	(sc.)	deltoid-leaved.	Caracas.	1824.		S. ♀.	
11	Humeana. s.s.	(sc.)	Sir A. Hume's.	C. B. S.	1818.	5. 6.	S. ♀.	Bot. mag. t. 2131.
	<i>cafra</i> . Bot. reg. t. 736. non Thunb.							
12	cafra. Th.	(pu.)	Cape-tree.	—	1816.		S. 5.	
13	fulgens. DC.	(sc.)	fulgent.	E. Indies.	1801.	5. 10.	S. ♀.	
14	arborescens. DC.	(cr.)	arborescent.	Nepaul.	1818.		S. ♀.	Roxb. corom. 3. t. 219.
15	indica. DC.	(sc.)	Indian.	E. Indies.	1814.	5. 6.	S. ♀.	Rheed. mal. 6. t. 7.
16	pieta. DC.	(cr.)	prickly-leaved.	—	1696.	5. 10.	S. ♀.	Rumph. amb. 2. t. 77.
17	aculeatissima. Df.	(sc.)	very prickly.		1816.	—	S. ♀.	
18	velutina. DC.	(sc.)	velvety.	Caracas.	1824.		S. ♀.	
19	fusca. DC.	(br.re.)	red-brown.	China.	1800.		S. ♀.	Rumph. amb. 2. t. 78.
20	laurifolia. Jacq.	(sc.)	Laurel-leaved.	Brazil.		5. 10.	H. ♀.	Swt. br. fl. gar. t. 142.
21	crista-galli. DC.	(sc.)	Cockscorb.	—	1771.	6. 10.	H. ♀.	— t. 1214.
22	nervosa. DC.	(sc.)	nerved-leaved.	—	1824.	—	S. ♀.	
23	glauca. DC.	(sn.)	glaucous.	Caracas.	—		S. ♀.	
24	piscidioides. DC.	(sc.)	Piscidia-leaved.	E. Indies.	1800.		S. ♀.	

25	incana. W.	(sc.) hoary.		1820.	6. 8.	S. h.	
26	lithosperma. W.H.	 stony-seeded.	N. Holland.	1824.		S. h.	
27	arborea. D.L.	 tree.	Trinidad.	1822.		S. h.	
28	stricta. H.B.	(sc.) upright.	E. Indies.	1816.	4. 6.	S. h.	
29	ovalifolia. H.B.	 oval-leaved.				S. h.	
30	suberosa. H.B.	 cork-barked.		1818.		S. h.	
31	resupinata. H.B.	 resupinate.		1822.		S. h.	
32	abyssinica. DC.	 Abyssinian.	Africa.	1820.		S. h.	
RUDOLPHIA. DC. RUDOLPHIA. Diadelphia Decandria.							
1	volubilis. DC.	(sc.) twining.	Portorico.	1820.		S. h.~.	Vahl ecl. 3. t. 30.
2	portoricensis.	(sc.) Portorico.		1820.		S. h.~.	
	<i>Erythrina portoricensis. Df.</i>						
3	dabia. DC.	(sc.) doubtful.	S. America.	1815.		S. h.~.	H. et B. n. gen. 6. t. 591.
BUTEA. DC. BUTEA. Diadelphia Decandria.							
1	frondosa. DC.	(sc.) downy-branch'd.	E. Indies.	1796.		S. h.	Roxb. corom. 1. t. 21.
2	superba. DC.	(sc.) smooth-branch'd.		1798.		S. h.	 v. 1. t. 22.
3	parviflora. DC.	(sc.) small-flowered.	Coromandel.	1820.		S. h.	

Tribus VI. *DALBERGIEÆ*. DC. prod. 2. p. 415.

DERRIS. DC.		DE'RRIS. Monadelphia Decandria.						
	trifoliata. DC.	(wh.)	three-leaved.	China.	1826.	4. 6.	G. h.~.	
PONG'AMIA. DC.		PONG'AMIA. Monadelphia Decandria.						
1	glabra. DC.	(wh.)	smooth-leaved.	E. Indies.	1699.	6. 8.	S. h.	Vent. malm. t. 28.
2	elliptica.	(wh.)	elliptic-leaved.	_____	1820.	_____	S. h.~.	
<i>Galedupa elliptica. H.B.</i>								
3	chinensis. DC.	(ye.)	Chinese.	China.	1827.	_____	S. h.	
4	uliginosa. DC.		marsh.	E. Indies.	_____		S. h.~.	
5	piscidia.		Piscidia-leaved.	_____	1816.		S. h.	
<i>Galedupa piscidia. H.B.</i>								
6	marginata. H.B.		margined.	_____	1824.		S. h.~.	
DALBERGIA. DC.		DALBERGIA. Mono-Diadelphia Decandria.						
1	eugeniensis. DC.	(wh.)	Hindoo.	E. Indies.	1828.		S. h.	
2	latifolia. DC.	(wh.)	broad-leaved.	_____	1811.		S. h.	Roxb. corom. 2. t. 113.
3	Sissoë. DC.	(wh.)	large.	_____	1823.		S. h.	
4	rubiginosa. DC.	(wh.)	rusty.	_____	1811.	6. 8.	S. h.~.	Roxb. corom. 2. t. 115.
5	robusta. DC.	(wh.)	robust.	_____	_____		S. h.	
6	scandens. DC.	(ro.)	scandent.	_____	_____	5. 7.	S. h.~.	Roxb. corom. 2. t. 192.
7	volubilis. DC.	(wh.)	twining.	_____	1820.	_____	S. h.~.	_____. v. 2. t. 191.
8	frondosa. DC.	(wh.)	frondose.	_____	1818.		S. h.	
9	paniculata. DC.	(wh.)	panicked.	_____	1811.		S. h.	Roxb. corom. 2. t. 114.
10	emarginata. H.B.	(wh.)	emarginate.	_____	1823.		S. h.	
11	zylanica. H.B.	(wh.)	Ceylon.	Ceylon.	1816.		S. h.	
12	marginata. H.B.	(wh.)	margined.	E. Indies.	1820.	5. 7.	S. h.~.	
13	tamarindifolia. H.B.	(wh.)	Tamarind-leav'd.	_____	_____		S. h.~.	
14	stipulacea. H.B.	(wh.)	stipuled.	_____	_____	6. 8.	S. h.	
15	rimosa. H.B.	(wh.)	rimose.	_____	1824.		S. h.	
16	alata. H.B.	(wh.)	winged.	_____	1823.		S. h.	
17	Crówei. DC.	(wh.)	Silhet.	_____	_____		S. h.	
PTEROCA'RPUS. DC.		PTEROCA'RPUS. Mono-Diadelphia Decandria.						
1	Dráco. DC.	(ye.)	officinal.	S. America.	1818.		S. h.	Jacq. amer. t. 183. f. 92.
<i>hemiptera. Gært.</i>								
2	suberosus. DC.	(ye.)	corky.	Guiana.	1826.		S. h.	Aubl. guian. 2. t. 299.
3	Marsèpium. DC.	(st.)	leathery-leaved.	E. Indies.	1811.		S. h.	Roxb. corom. 2. t. 116.
4	dalbergioides. DC.	(ye.)	Andaman red-wood.	_____	1820.		S. h.	
5	indicus. DC.	(ye.)	Indian.	_____	1818.		S. h.	
6	santalinus. DC.	(ye.)	red sandal wood.	_____	1800.		S. h.	
7	santalinoïdes. DC.	(ye.)	African.	Sierra Leon.	1826.		S. h.	
8	flavus. DC.	(ye.)	yellow-barked.	China.	_____		S. h.	Rumph. amb. 3. t. 117.
9	scandens. DC.	(vi.)	climbing.	Caracas.	1822.	6. 8.	S. h.~.	
<i>Amerimnum scandens. W.</i>								
DREPANOCA'RPUS.		DREPANOCA'RPUS. Monadelphia Decandria.						
	lunatus. DC.	(wh.)	crescent-podded.	S. America.	1792.		S. h.	Plu. ed. Burm. t. 201. f. 2.
<i>Pterocarpus lunatus. L. Pterocarpus apterus. Gært. fruct. t. 156.</i>								

ECASTAPHYLLUM. DC. ECASTAPHYLLUM. Diadelphia Octo-Decandria.									
Bróunei. DC.	(wh.)	Browne's.	W. Indies.	1733.	6. 8.	S. h.	~.	Brown. jam. t. 32. f. 1.	
<i>Pterocárpus Ecastaphyllum</i> . L.									
AMERIMNUM. DC. AMERIMNUM. Monadelphia Decandria.									
Bróunei. DC.	(wh.)	Browne's.	W. Indies.	1793.	6. 8.	S. h.		Brown. jam. 288. t. 32. f. 3.	
BR'YA. DC. BR'YA. Monadelphia Decandria.									
Ebenus. DC.	(ye.)	Jamaica Ebony.	W. Indies.	1713.	7. 8.	S. h.		Brown. jam. t. 31. f. 2.	

Subordo II.—*Tribus VII. SWARTZIEÆ. DC. prodr. 2. p. 422.*

SWA'RTZIA. DC. SWA'RTZIA Monadelphia Dec-Polyandria.									
1 simplicifolia. DC.	(ye.)	simple-leaved.	W. Indies.	1822.		S. h.			
<i>Rittera simplex</i> . Vahl. <i>Póssira simplex</i> . Swartz.									
2 grandiflora. DC.	(ye.)	great-flowered.	Trinidad.	1822.		S. h.		Vahl. pl. am. dec. 1. t. 9.	
3 pinnata. DC.	(ye.)	wing-leaved.	—	1820.		S. h.		Corr. an. mus. 9. t. 24. f. 2.	
4 tomentosa. DC.	(ye.)	woolly.	Cayenne.	1826.		S. h.		Aubl. guian. 2. t. 307.	
BA'PHIA. DC. BA'PHIA. Decandria Monogynia.									
nítida. DC.	(wh.)	glossy.	Sierra Leone.		5. 9.	S. h.		Lodd. bot. cab. t. 367.	

Subordo III.—*Tribus VIII. MIMOSEÆ. DC. prodr. 2. p. 424.*

ENTADA. DC. ENTADA. Polygamia Monœcia.									
1 Gigalóbium. DC.	(wh.)	West Indian.	W. Indies.	1780.	4. 6.	S. h.	~.		
2 Purs'ætha. DC.	(wh.)	East Indian.	E. Indies.	—	—	S. h.	~.	Rumph. amb. 5. t. 4.	
<i>Parrana</i> . s.s. <i>Acácia scândens</i> . W. <i>Mimosa scândens</i> . L.									
3 monostachya. DC.	(wh.)	single-spiked.	—	—	—	S. h.	~.	Rheed. mal. 9. t. 77.	
<i>Rheidi</i> . s.s. <i>Mimosa Entada</i> . W.									
4 polystachya. DC.	(wh.)	many-spiked.	W. Indies.	1816.	4. 9.	S. h.	~.	DC. leg. mem. t. 61—62.	
MIMOSA. DC. SENSITIVE-PLANT. Polygamia Monœcia. L.									
1 sensitiva. DC.	(ro.)	true.	Brazil.	1648.	4. 9.	S. h.		Botan. regist. t. 25.	
2 obtusifolia. DC.	(ro.)	blunt-leaved.	—	1816.	—	S. h.			
3 strigosa. DC.	(ro.)	strigose.	S. America.	1822.	—	S. h.			
4 floribunda. DC.	(ro.)	many-flowered.	Cumana.	1821.	6. 7.	S. h.			
5 viva. DC.	(ro.)	lively.	Jamaica.	1739.	7. 9.	S. 4.		Sloan. his. 2. t. 182. f. 7.	
6 polycarpa. DC.	(ro.)	many-podded.	Peru.	1816.	—	S. h.		Kth. mim. p. 8. t. 3.	
7 pudica. DC.	(ro.)	humble-plant.	Brazil.	1638.	4. 9.	S. h.		Bot. reg. v. 11. t. 941.	
8 pudibunda. DC.	(ro.)	fringe-stipuled.	—	1822.	—	S. h.			
9 polydactyla. DC.	(ro.)	many-fingered.	Demerara.	1824.	—	S. h.		Kth. mim. p. 14. t. 5.	
10 hamata. DC.	(ro.)	hooked.	E. Indies.	1820.	4. 9.	S. h.			
11 intermedia. DC.	(ro.)	intermediate.	Caracas.	1825.	—	S. h.		Kth. mim. p. 16. t. 6.	
12 viscida. DC.	(ro.)	viscid.	Brazil.	—	—	S. h.			
13 canescens. DC.	(wh.)	canescent.	Guinea.	1826.	—	S. h.			
14 hispida. DC.	(wh.)	hispid.	Caracas.	1824.	6. 9.	S. h.			
15 ciliata. DC.	(wh.)	ciliated.	Brazil.	—	—	S. h.			
16 polyacantha. DC.	(wh.)	many-spined.	Africa.	1828.	—	S. h.		Bruce itin. 5. t. 7.	
17 asperata. DC.	(wh.)	various spined.	W. Indies.	1822.	6. 7.	S. h.		DC. leg. mem. t. 63.	
18 pigra. L.	(wh.)	straight-spined.	Vera Cruz.	1733.	—	S. h.		Mill. ic. 2. t. 182. f. 3.	
19 Sicaria. DC.	(wh.)	subulate-spined.	Brazil.	1828.	—	S. h.			
20 rubicaulis. DC.	(st.)	Bramble-stalk'd.	E. Indies.	1799.	6. 7.	S. h.		Roxb. corom. 2. t. 200.	
<i>Cetandra</i> . R.C. <i>spinosa</i> . Rottler. <i>Rottleri</i> . S.S.									
21 Ceratonia. DC.	(wh.)	round-leaved.	St. Domingo.	1800.		S. h.		Plum. ed. Burma. 17. t. 8.	
<i>Acácia Ceratonia</i> . W.									
22 casta. DC.	(wh.)	chaste.	E. Indies.	1741.	6. 8.	S. h.		Comm. hort. 1. t. 23.	
23 angulata. s.s.	(wh.)	angular-stalked.	Brazil.	1826.	—	S. h.			
24 latispinosa. s.s.	(ye.)	broad-spined.	Madagascar.	1822.	—	S. h.			
25 Barclayana.		Mr. Barclay's.	—	—	—	S. h.			
26 brasiliensis. s.s.	(wh.)	Brazilian.	Brazil.	1824.	6. 8.	S. h.			
27 abstergens. s.s.	(ro.)	spotted-stalked.	E. Indies.	1818.	—	S. h.			
28 ferruginea. s.s.	(ro.)	ferruginous.	—	—	—	S. h.			

GAGNEB'INA. DC. GAGNEB'INA. Decandria Monogynia.						
1 tamariscina. DC. (st.) Tamarisk-like. Mauritius. 1824. S. h.	DC. leg. mem. t. 64. f. B.					
<i>Acacia tamariscina</i> . W. <i>Mimosa tamariscina</i> . Lam. Pluk. t. 329. f. 3.						
2 axillaris. DC. (st.) axillary-spiked. Mauritius. 1822. S. h.	DC. leg. mem. t. 64. f. A.					
ERYTHROPHLEUM. B. RED-WATER-TREE. Decandria Monogynia.						
leonense. G.D. Sierra Leone. Sierra Leone. 1822. S. h.						
PARKIA. B. PARKIA. Monadelphia Decandria.						
aficana. B. (cr.) African. Africa. 1822. 6. 8. S. h.	Beauv. fl. ow. 2. t. 90.					
<i>Inga biglobosa</i> . DC. <i>Mimosa biglobosa</i> . Jacq. amer. t. 179. f. 87.						
INGA. DC. INGA. Polygamia Monœcia.						
1 quassiafolia. DC. (wh.) Quassia-leaved. Brazil. 1820. S. h.						
2 pilosiuscula. DC. (wh.) glossy-leaved. Cayenne. 1827. S. h.	Vahl. ecl. 3. t. 24.					
<i>Mimosa lucida</i> . Vahl.						
3 setifera. DC. (wh.) setiferous. Guiana. 1824. S. h.						
4 alba. DC. (wh.) white. Cayenne. 1804. 7. 8. S. h.						
5 Feuillèi. DC. (wh.) Feuillèe's. Peru. 1824. — S. h.	Feuil. obs. 3. p. 2. t. 19.					
6 fastuosa. DC. (re.) villous-flower'd. Caracas. 1820. S. h.	Jacq. fragm. t. 10.					
<i>Mimosa fastuosa</i> . Jacq.						
7 sapindoides. DC. (wh.) Soap-berry-like. — 1826. S. h.						
8 spuria. DC. (wh.) spurious. Cumana. 1823. 7. 8. S. h.	Kth. mim. 39. t. 12.					
9 vera. DC. (wh.) sweet-fruited. S. America. 1739. — S. h.	Sloan. his. t. 183. f. 1.					
<i>Mimosa Inga</i> . L.						
10 rhoifolia. DC. (wh.) Rhus-leaved. Brazil. 1815. — S. h.						
11 Bourgoni. DC. (st.) Beech-leaved. W. Indies. 1752. — S. h.	Aubl. guian. 2. t. 358.					
<i>marginata</i> . W. <i>Mimosa fagifolia</i> . L. non Jacq.						
12 marginata. DC. margined. Caracas. — — S. h.						
13 laurina. DC. (wh.) Laurel-leaved. — 1768. 3. 5. S. h.						
14 punctata. DC. (wh.) white-spotted. — 1818. — S. h.	Jacq. amer. t. 164.					
<i>Mimosa fagifolia</i> . Jacq. non L.						
15 splendens. DC. (wh.) shining-leaved. — 1825. S. h.						
16 nodosa. DC. (wh.) knobbed. Ceylon. 1690. 4. 6. S. h.	Pluk. alm. t. 211. f. 5.					
17 microphylla. DC. (wh.) small-leaved. Cumana. 1815. S. h.						
18 daleis. DC. (wh.) Sappan fruit. E. Indies. 1800. 5. 7. S. h.	Roxb. corom. 1. t. 99.					
19 Unguis-cati. DC. (wh.) four-leaved. W. Indies. 1690. 4. 6. S. h.	Jacq. schœn. 2. t. 34.					
20 mellifera. DC. (wh.) honey-bearing. Arabia. 1826. S. h.						
21 laustrina. DC. (wh.) Privet-leaved. Caracas. — S. h.	Jacq. frag. t. 32. f. 5.					
22 fetida. DC. (wh.) strong-smelling. W. Indies. 1818. S. h.	Jacq. schœn. 3. t. 390.					
23 tergemina. DC. (pu.) trifoliolate. Martinica. — 4. 6. S. h.	Jacq. amer. t. 177. f. 81.					
24 emarginata. DC. (ro.) emarginate. Mexico. 1825. S. h.	Kth. mim. 54. t. 17.					
25 latifolia. DC. (ro.) broad-leaved. — 1768. 3. 5. S. h.	Plum. ed. Burm. t. 9.					
26 circialis. DC. (sc.) spiral-podded. W. Indies. 1726. 4. 6. S. h.	Catesb. car. 2. t. 97.					
27 purpurea. DC. (pu.) Soldier-wood. — 1733. 3. 5. S. h.	Bot. reg. t. 129.					
<i>Mimosa purpurea</i> . Andr. reposit. t. 372.						
28 xylocarpa. DC. (wh.) woody-podded. E. Indies. 1822. 4. 7. S. h.	Roxb. corom. 1. t. 100.					
29 bigemina. DC. (wh.) two-paired. — 1823. — S. h.	Rheed mal. 6. t. 12.					
30 Jilinga. DC. (wh.) twisted-podded. — 1828. S. h.						
31 comosa. DC. (wh.) tufted. Jamaica. 1820. 4. 6. S. h.						
32 cyclocarpa. DC. (wh.) shell-podded. Caracas. 1826. S. h.	Jacq. fragm. t. 34. f. 1.					
33 Samao. DC. linear-podded. Jamaica. — S. h.	— t. 9.					
34 corcondiana. DC. (wh.) Coromandel. E. Indies. 1818. S. h.						
35 pulcherrima. Cerv. (pu.) handsome. Mexico. 1822. S. h.						
ANNESLE'IA. P.L. ANNESLE'IA. Monadelphia Polyandria.						
1 grandiflora. (cr.) large-flowered. Mexico. 1769. 6. 9. S. h.	Andr. reposit. t. 592.					
<i>Mimosa grandiflora</i> . A.R. <i>Acacia grandiflora</i> . W. <i>Inga anomala</i> . Kth. mim. t. 22.						
2 Houstoni. (cr.) Houston's. Vera Cruz. 1729. 9. 11. S. h.	Bot. reg. t. 98.					
<i>falcifolia</i> . Sal. par. lond. 64. <i>Acacia Houstoni</i> . W. <i>Inga? Houstoni</i> . DC.						
SCHRA'NKIA. DC. SCHRA'NKIA. Polygamia Monœcia.						
1 aculeata. DC. (ro.) prickly. Vera Cruz. 1733. 7. 8. S. 4.	Mill. ic. 1. t. 182. f. 1.					
2 leptocarpa. DC. (ro.) slender-podd'd. St. Domingo. 1827. — S. 4.						
3 uncinata. DC. (ro.) hooked. N. America. 1789. — H. 4.	Vent. choix. t. 28.					
DARLINGTONIA. DC. DARLINGTONIA. Pentandria Monogynia.						
1 brachyloba. DC. (wh.) short-podded. N. America. 1803. 9. 10. H. 4.	DC. leg. mem. t. 66.					
2 glandulosa. DC. (wh.) glandular. — 1806. — F. h.	Vent. choix. t. 27.					
<i>Mimosa glandulosa</i> . M.						
DESMA'NTHUS. DC. DESMA'NTHUS. Polygamia Monœcia.						
1 lacustris. DC. (st.) marsh. S. America. 1823. 6. 8. S.w. ⊙.	H. et B. pl. æq. 1. t. 16.					
2 natans. DC. (ye.) floating. China. 1800. 7. 9. S.w. ⊙.	Andr. reposit. t. 629.					
3 polyphyllus. DC. (wh.) many-leaved. 1826. — S.w. ⊙.						
4 triquetrus. DC. (wh.) triquetrous. E. Indies. 1823. — S.w. ⊙.						

5	plenus. DC.	(ye.) double-yellow.	Vera Cruz.	1733.	7. 9.	S. w. ☉.	Mill. ic. t. 182. f. 2.
6	depressus. DC.	(wh.) depressed.	W. Indies.	1828.		S. h.	Kth. mim. p. 115. t. 35.
7	diffusus. DC.	(wh.) prostrate.	—	1731.	7. 9.	S. h.	Pluk. alm. t. 307. f. 3.
8	virgatus. DC.	(wh.) twiggy.	E. Indies.	1774.	—	S. h.	Jacq. vind. 1. t. 80.
9	strictus. DC.	(wh.) upright.	Caribees.	1827.	—	S. h.	—
10	punctatus. DC.	(wh.) spotted-stalked.	Jamaica.	1636.	—	S. ♂.	Comm. hort. 1. t. 31.
11	divergens. DC.	(ye.) prickly.	Abyssinia.	1816.	6. 7.	S. h.	Bruce itin. 5. t. 6.
12	callistachys. DC.	(ro. ye.) pretty-spiked.		1820.	—	S. h.	—
13	cinereus. DC.	(ro. ye.) ash-coloured.	E. Indies.	1739.	—	S. h.	Roxb. corom. 2. t. 174.
<i>Mimosa cinerea</i> . R.C.							
14	nutans. DC.	(ro. ye.) nodding.	Senegal.	1826.	—	S. h.	—
ADENANTHERA. DC. BASTARD FLOWER-FENCE. Decandria Monogynia.							
1	pavonina. DC.	(st.) pale-pellow.	E. Indies.	1759.	5. 8.	S. h.	Rumph. amb. 3. t. 100.
2	falcata. DC.	(ye.) woolly-leaved.	—	1812.	—	S. h.	— 3. t. 111.
PROSOPIS. DC. PROSOPIS. Polygamia Monœcia.							
1	spicigera. DC.	(ye.) eatable-podded.	E. Indies.	1812.	6. 7.	S. h.	Roxb. corom. 1. t. 63.
2	Adenanthera. DC.	(ye.) prickly.	Coromandel.	1821.		S. h.	—
<i>Adenanthera aculeata</i> . H.B.							
3	horrída. DC.	(wh.) long-spined.	S. America.	1826.		S. h.	Kth. mim. p. 106. t. 33.
4	dulcis. DC.	(wh.) sweet-podded.	New Spain.	1824.		S. h.	— p. 110. t. 34.
5	siliquastrum. DC.	(wh.) falcate-podded.	Chile.	1827.		S. h.	—
6	cumanensis. DC.	(wh.) Cumana.	Cumana.	1824.		S. h.	—
7	domingensis. DC.	(wh.) St. Domingo.	St. Domingo.	1826.		S. h.	—
8	juliflora. DC.	(ye.) long-spiked.	Jamaica.	1793.	5. 6.	S. h.	—
<i>Acacia juliflora</i> . W. <i>Mimosa juliflora</i> . Swartz.							
LAGONYCHIUM. DC. LAGONYCHIUM. Decandria Monogynia.							
<i>Stephaniolum</i> . DC. Stephan's. Levant. 1821. H. h.							
ACACIA. DC. ACACIA. Polygamia Monœcia.							
1	alata. DC.	(ye.) wing-stalked.	N. Holland.	1803.	4. 7.	G. h.	Bot. reg. 396.
2	dolabriformis. DC.	(ye.) hatchet-leaved.	—	1818.	4. 6.	G. h.	—
3	decipiens. DC.	(ye.) paradoxical.	—	1803.	3. 6.	G. h.	Bot. mag. t. 1745.
4	biflora. DC.	(ye.) two-flowered.	—	—	—	G. h.	Wendl. dis. n. 3. t. 2.
5	hastulata. DC.	(ye.) hastulate.	—	1824.	4. 6.	G. h.	—
6	nervosa. DC.	(ye.) nervose.	—	—	—	G. h.	—
7	paradoxa. DC.	(ye.) wave-leaved.	—	1818.	3. 6.	G. h.	Wendl. dis. n. 4. t. 3.
<i>undulata</i> . Bot. reg. t. 843.							
8	ornithophora. S.F.A.	(ye.) Bird-leaved.	—	1825.	4. 6.	G. h.	Swt. fl. aust. t. 24.
9	armata. DC.	(ye.) armed.	—	1803.	—	G. h.	Bot. mag. t. 1653.
10	hybrida.	(ye.) Whitley's mule.	Hybrid.	1822.	3. 6.	G. h.	Lodd. bot. cab. 1342.
11	genistifolia. DC.	(ye.) Genista-leaved.	N. Holland.	1820.	—	G. h.	—
12	juniperina. DC.	(st.) Juniper-leaved.	N. S. W.	1790.	—	G. h.	Vent. malm. t. 64.
<i>ulicifolia</i> . Wendl. coll. 2. t. 6. <i>Mimosa ulicina</i> . Sal. prodr.							
13	Brownii. DC.	(st.) Brown's.	N. S. W.	1796.	—	G. h.	—
<i>acicularis</i> . H.K. non w.							
14	echinula. DC.	(st.) pungent.	—	1824.	—	G. h.	—
15	pugioniformis. DC.	(st.) needle-leaved.	—	1803.	—	G. h.	Wendl. dis. 26. t. 9.
16	asparagoides. F.T.	(st.) Asparagus-like.	—	1824.	—	G. h.	—
17	Cunninghamii.	(ye.) Cunningham's.	—	1825.	—	G. h.	—
<i>taxifolia</i> . F.T. non w.							
18	diffusa. DC.	(ye.) spreading.	—	1822.	3. 6.	G. h.	Bot. reg. t. 631.
<i>prostrata</i> . Lodd. bot. cab. 631.							
19	sulcata. DC.	(ye.) furrowed-leaved.	N. Holland.	1803.	4. 8.	G. h.	Bot. reg. v. 11. t. 925.
20	canaliculata.	(ye.) glaucous-furrow'd.	—	1823.	5. 8.	I. h.	—
21	saligna. DC.	(ye.) Willow-leaved.	—	1820.	3. 6.	G. h.	Labil. n. hol. 2. t. 235.
22	emarginata. DC.	(st.) emarginate.	—	1816.	—	G. h.	—
23	stricta. DC.	(ye.) upright.	N. S. W.	1790.	2. 5.	G. h.	Bot. mag. t. 1121.
24	leprosa. DC.	(ye.) leprous.	—	1824.	3. 6.	G. h.	—
25	deducta-folia. DC.	(ye.) clammy.	—	1818.	4. 6.	G. h.	Wendl. dis. n. 19. t. 7.
<i>viscosa</i> . Wendl.							
26	verniciifolia. F.T.	(ye.) varnished.	—	1819.	3. 6.	G. h.	—
27	lanigera. F.T.	(ye.) woolly-stem'd.	—	1824.	—	G. h.	Bot. mag. t. 2922.
<i>virgata</i> . Lodd. bot. cab. 1246.							
28	multinervia. DC.	(ye.) many-nerved.	N. Holland.	—	—	G. h.	—
29	eglandulosa. DC.	(ye.) glandless.	—	—	—	G. h.	—
30	hispidula. DC.	(ye.) little harsh.	N. S. W.	1794.	4. 5.	G. h.	Sm. nov. holl. t. 16.
31	cochleatis. DC.	(ye.) spoon-leaved.	N. Holland.	1820.	3. 6.	G. h.	Labill. n. holl. 2. t. 234.
32	coriacea. DC.	(ye.) leathery.	—	1824.	—	G. h.	—
33	atropis. DC.	(ye.) flat-edged.	—	—	—	G. h.	—
34	laurifolia. DC.	(ye.) Laurel-leaved.	S. Sea Isl.	1775.	—	G. h.	—

35 elongata. DC.	(ye.) elongated.	N. S. W.	1824.	3. 6.	G. h.	
36 trinervata. DC.	(ye.) three-nerved.	————	1823.	4. 6.	G. h.	
37 calamifolia. DC.	(ye.) quill-leaved.	————	1822.	1. 12.	G. h.	Bot. reg. t. 839.
38 quadrilateralis. DC.	(ye.) tetragonal-leav'd	————	————	4. 6.	G. h.	
39 sickata. DC.	(st.) sickle-leaved.	————	1790.	5. 6.	G. h.	Lodd. bot. cab. 1115.
40 sickiformis. DC.	(st.) sickle-shaped.	————	1824.	4. 6.	G. h.	
41 penninervis. DC.	(wh.) feather-nerved.	————	1822.	————	G. h.	Bot. mag. t. 2754.
—pressa. Bot. reg. v. 13. t. 1115! Lodd. bot. cab. 1319.						
42 platyphylla. (st.) broad-leaved.	N. Holland.	————	————	————	I. h.	
43 melanoxylon. DC.	(wh.) black-wooded.	V. Diem. Isl.	1808.	————	G. h.	Bot. mag. t. 1659.
44 heterophylla. DC.	(ye.) various-leaved.	Bourbon.	1820.		S. h.	
45 amena. DC.	(st.) handsome.	N. S. W.	1824.	4. 6.	G. h.	Wendl. dis. 16. t. 4.
46 myrtifolia. DC.	(st.) Myrtle-leaved.	————	1789.	2. 5.	G. h.	Swt. flor. aust. t. 49.
47 vestita. DC.	(ye.) clothed.	N. Holland.	1820.	3. 6.	G. h.	Bot. reg. t. 698.
48 marginata. DC.	(ye.) thick margined.	N. S. W.	1803.	4. 6.	G. h.	Wendl. dis. 19. t. 5. A.
49 parifolia. DC.	(ye.) Pear-leaved.	————	1824.	————	G. h.	
50 binervata. DC.	(ye.) two-nerved.	————	————	————	G. h.	
51 bi-venosa. DC.	(ye.) two-veined.	————	————	————	G. h.	
52 boxifolia. F.T.	(ye.) Box-leaved.	————	————	3. 5.	G. h.	
53 lunata. DC.	(ye.) lunate-leaved.	V. Diem. Isl.	1816.	3. 6.	G. h.	Swt. flor. aust. t. 42.
54 brevifolia. B.C.	(ye.) short-leaved.	————	————	————	G. h.	Lodd. bot. cab. t. 1235.
55 obtusata. DC.	(ye.) obtuse.	N. S. W.	1824.	4. 6.	G. h.	
56 crassiuscula. DC.	(st.) thick-leaved.	————	1803.	2. 6.	G. h.	Wendl. dis. 20. t. 8.
57 suaveolens. DC.	(st.) sweet-scented.	————	1790.	————	G. h.	Lodd. bot. cab. t. 730.
58 platycarpa. DC.	(st.) flat-podded.	————	————	————	G. h.	
59 angustifolia. DC.	(st.) narrow-leaved.	————	————	————	G. h.	Lodd. bot. cab. t. 768.
Mimosa angustifolia. Jacq. schœnb. 3. t. 391.						
60 linifolia. DC.	(wh.) Flax-leaved	————	————	————	G. h.	Bot. mag. t. 2168.
61 abietina. DC.	(wh.) Fir-leaved.	————	————	3. 6.	G. h.	
62 subulata. DC.	(ye.) awl-leaved.	N. Holland.	1824.	4. 6.	G. h.	Bonpl. nav. t. 45.
63 spinulosa.	(ye.) small-spined.	————	1822.	3. 6.	I. h.	
64 cordifolia. ψ.	(ye.) heart-leaved.	————	1824.	4. 6.	I. h.	
65 dillwyniaefolia. ψ.	(st.) Dillwynia-leaved.	————	————	————	G. h.	
66 thegonocarpa. ψ.	(ye.) angular-podded.	————	————	————	G. h.	
67 rigens. ψ.	(ye.) stiff.	————	————	————	G. h.	
68 cyclopis. ψ.	(ye.) Cyclopia-like.	————	————	————	G. h.	
69 mucronulata. ψ.	(ye.) sharp-pointed.	————	————	————	G. h.	
70 oleifolia. ψ.	(ye.) Olive-leaved.	————	————	————	G. h.	
71 pendula. ψ.	(wh.) pendulous.	————	————	————	G. h.	
72 leucophylla. C.C.	(ye.) white-leaved.	————	1820.	3. 6.	I. h.	
73 taxifolia. DC.	(ye.) Yew-leaved.	China.	————	————	G. h.	
74 oxycedrus. DC.	(ye.) sharp-leaved.	N. S. W.	1824.	4. 6.	G. h.	Swt. flor. aust. t. 6.
taxifolia. Lodd. bot. cab. t. 1225. non w.						
75 verticillata. DC.	(ye.) whorl-leaved.	V. Diem. Isl.	1780.	3. 5.	G. h.	Bot. mag. t. 110.
76 glabra. DC.	(ye.) smooth-leaved.	————	————	————	G. h.	
77 angusta. DC.	(ye.) narrow-leaved.	————	————	————	G. h.	Vent. malm. t. 63.
78 latifolia. DC.	(ye.) broad-leaved.	————	————	————	G. h.	Wendl. coll. 1. t. 30.
79 linearis. B.M.	(wh.) linear-leaved.	N. S. W.	1812.	8. 12.	G. h.	Bot. mag. t. 2156.
80 longissima. W.A.	(ye.) long-linear-l'd.	————	————	————	G. h.	Wendl. dis. 31. t. 11.
81 uncinata. C.C.	(ye.) hooked-leaved.	N. Holland.	1823.	9. 1.	G. h.	
82 mucronata. DC.	(wh.) mucronate.	N. S. W.	1812.	————	G. h.	Bot. mag. t. 2747.
83 floribunda. DC.	(wh.) many-flowered.	————	1796.	5. 6.	G. h.	Vent. choix. t. 13.
84 dratexylon. F.T.	(ye.) spear-wood.	————	1824.	3. 6.	G. h.	
85 obtusifolia. F.T.	(ye.) blunt-leaved.	————	————	4. 6.	G. h.	
86 lanomalla. DC.	(ye.) downy-leaved.	————	————	————	G. h.	Wendl. dis. 34. t. 13.
87 longifolia. DC.	(ye.) long-leaved.	————	1792.	3. 6.	G. h.	Bot. mag. t. 1827.
88 latifolia.	(ye.) broader-leaved.	————	————	————	G. h.	———— t. 2166.
89 intertexta. DC.	(ye.) netted-veined.	————	1824.	4. 6.	G. h.	
90 glaucescens. DC.	(ye.) glaucescent.	————	1790.	2. 6.	G. h.	Willd. hort. ber. t. 101.
91 leucolobia.	(ye.) white-podded.	————	1824.	3. 6.	G. h.	
dentata. F.T. non Link.						
92 cinerascens. DC.	(ye.) greyish.	————	————	————	G. h.	
93 subcœrulea. B.R.	(ye.) bluish-leaved.	N. Holland.	————	4. 6.	I. h.	Bot. reg. t. 1075.
94 rubida. F.T.	(st.) red-margined.	N. S. W.	1824.	————	G. h.	
95 sophora. DC.	(ye.) Sophora-podd'd.	V. Diem. Isl.	1805.	————	G. h.	Labil. n. holl. 2. t. 237.
96 heteromalla. C.C.	(ye.) broad woolly-l'd.	N. Holland.	1822.	————	I. h.	
97 coronilla-folia. DC.	(ye.) Coronilla-leaved.	Mogador.	1826.	4. 5.	G. h.	
98 strumbulifera. DC.	(ye.) twisted-podded.	Peru.	1823.	4. 7.	G. h.	
99 reticulata. DC.	(ye.) netted.	C. B. S.	1816.	4. 6.	G. h.	Pluk. alm. t. 123. f. 2.

94	pulchella. DC.	(ye.) zigzag spiny.	N. Holland.	1803.	4. 7.	G. h.	Lodd. bot. cab. t. 212.
95	hispidissima. DC.	(ye.) hispid.	————	1824.	4. 6.	G. h.	
96	detinens. DC.	(ye.) detaining.	C. B. S.	1816.	6. 10.	I. h.	
97	viridiramis. DC.	(ye.) green-branched.	————	————	4. 6.	I. h.	
98	cassioïdes. DC.	(ye.) Cassia-like.	S. America.	1822.	————	S. h.	
99	diptera. DC.	(ye.) two-winged.	————	————		S. h.	
100	lophanthoïdes. DC.	(st.) crested.	Jamaica.	1826.	5. 6.	S. h.	
101	lophantha. DC.	(st.) two-spiked.	N. Holland.	1803.	11. 4.	G. h.	Bot. reg. t. 361.
	<i>Mimosa elegans</i> . Andr. reposit. 563.						
102	guianensis. DC.	(wh.) Guiana.	Guiana.	1803.		S. h.	Aubl. guian. 2. t. 357.
103	elephantina. B.T.	(ye.) Elephant.	C. B. S.	1816.		I. h.	
104	pulcherrima. DC.	(re.) beautiful.	Brazil.	1826.		S. h.	
105	aspidioïdes. DC.	(wh.) Aspidium-leav'd.	Guiana.	1827.		S. h.	
106	dealbata. DC.	(ye.) white-leaved.	V. Diem. Isl.	1818.	3. 6.	G. h.	Bot. reg. t. 371.
	<i>decurrens</i> β <i>mollis</i> . B.R.						
107	Wallichiana. DC.	(ye.) Wallich's.	E. Indies.	1827.		S. h.	
108	adenanthera. H.B.	... perennial.	————	1825.		S. 4.	
109	ferruginea. DC.	(wh.) ferruginous.	————	————		S. h.	
110	Sundra. DC.	(ye.) hook-spined.	————	1789.	5. 6.	S. h.	Roxb. corom. 3. t. 225.
111	Sûma. H.B.	(ye.) Shumee-tree.	————	1822.	————	S. h.	
112	Catèchu. DC.	(ye.) medicinal.	————	1790.	————	S. h.	Roxb. corom. 2. t. 175.
113	fasciculata. DC.	(wh.) fascicled.	Mexico.	1828.		S. h.	Kth. mim. 75. t. 23.
114	cáffra. DC.	(ye.) Hottentot.	C. B. S.	1816.	5. 6.	I. h.	
115	Senegal. DC.	(wh.) Senegal.	Africa.	1823.		S. h.	
116	cornigera. DC.	(ye.) Cuckold-tree.	S. America.	1692.	5. 6.	S. h.	
	<i>a americana</i> . DC.	(ye.) brown-spined.	————	————	————	S. h.	Comm. hort. 1. t. 107.
	β <i>indica</i> . DC.	(ye.) yellow-spined.	E. Indies.	————	————	S. h.	Sebathes. 1. t. 70. f. 13.
117	latrònum. DC.	(wh.) white-spined.	————	1824.	————	S. h.	
118	Séyal. DC.	(ye.) Egyptian.	Egypt.	1828.		G. h.	Delil. fl. eg. t. 52. f. 2.
119	hórrida. DC.	(ye.) common-cape.	C. B. S.	1823.	3. 5.	I. h.	Pluk. t. 121. f. 4.
	<i>Mimosa leucacantha</i> . Jacq. <i>capensis</i> . B.T.						
120	ebúrnea. DC.	(ye.) ivory-thorned.	E. Indies.	1792.	4. 6.	S. h.	Roxb. corom. 2. t. 199.
121	tortuosa. DC.	(st.) twisted.	Jamaica.	1822.		S. h.	
122	Burmanniana. DC.	(ye.) Burmann's.	E. Indies.	1824.		S. h.	
123	vèra. DC.	(ye.) Egyptian-thorn.	Egypt.	1596.	7. 8.	I. h.	Vest egypt. t. 8.
	<i>Mimosa nilotica</i> . L.						
124	arábica. DC.	(ye.) Gum Arabic.	Arabia.		6. 8.	S. h.	Roxb. corom. 2. t. 149.
125	hebeclada. DC.	(ye.) stoloniferous.	C. B. S.	1816.	4. 6.	I. h.	
	<i>stolonifera</i> . B.T.						
126	mauroceana. DC.	(wh.) Marocca.	Marocca.		————	G. h.	
127	farnesiana. DC.	(ye.) Sponge-tree.	St. Domingo.	1656.	6. 8.	I. h.	Duham. ar. ed. n. 2. t. 28.
128	álba. DC.	(wh.) white.	E. Indies.	1828.		S. h.	
129	albicans. DC.	(wh.) whitish.	Mexico.	1827.		S. h.	Kth. mim. 87. t. 27.
130	leucophæa. DC.	(st.) panicled.	E. Indies.	1812.	4. 6.	S. h.	Roxb. corom. 2. t. 150.
131	hæmatóxylon. DC.	(ye.) hoary.	C. B. S.	1816.		S. h.	
	<i>atomiphylla</i> . B.T.						
132	tomentosa. DC.	(st.) tomentose.	E. Indies.	————	5. 7.	S. h.	
133	indica. DC.	(ye.) Indian.	————	1824.		S. h.	
134	flexuosa. DC.	(ye.) flexuose.	Cumana.	1822.		S. h.	
135	peruviana. DC.	(ye.) Peruvian.	Peru.	————		S. h.	
136	brachyacantha. DC.	... short-spined.	S. America.	1816.		S. h.	
137	ciliata. DC.	 fringed.	————	1823.		S. h.	
138	acicularis. DC.	 needle-spined.	————	————		S. h.	
139	Giraffæ. DC.	(ye.) Camelopard's.	C. B. S.	1816.		I. h.	
140	rhodacantha. DC.	(ye.) red-spined.		————		S. h.	
141	heteracantha. DC.	(ye.) various-spined.	C. B. S.	————		I. h.	
142	Bancroftiana. DC.	(st.) Bancroft's.	Jamaica.	1826.		S. h.	
143	polycéphala. DC.	(wh.) many-headed.	Mauritius.	————		S. h.	
144	subinermis. DC.	(ye.) scarcely spiny.	Jamaica.	————		S. h.	
145	édulis. W. en.	 eatable.	S. America.	1822.		S. h.	
146	acanthocárpa. DC.	(bh.) prickly-podd'd.	New Spain.	1818.	4. 7.	F. h.	
	<i>Mimosa aculeaticarpa</i> . P.S.						
147	acantholoba. DC.	(st.) prickly-fruited.	S. America.	1822.		S. h.	
148	conciuna. DC.	(bh.) neat.	E. Indies.	1794.	6. 8.	S. h.	
149	tamarindifolia. DC.	(wh.) Tamarind-ld.	W. Indies.	1774.		S. h.	Jacq. schœnb. 3. t. 396.
150	I'ntsia. DC.	(st.) angular-stalked.	E. Indies.	1778.	6. 8.	S. h.	Rheed. mal. 6. t. 4.
151	pennata. DC.	(ye.) fine-leaved.	————	1773.	————	S. h.	Burm. zeyl. 2. t. 1.
152	c'asia. DC.	(wh.) gray.	————	————	————	S. h.	Pluk. mant. 1. t. 330. f. 3.
153	centrophylla. DC.	(wh.) prickly-leaved.	Jamaica.	1826.	————	S. h.	

154	Courantiàna. DC. (wh.)	Courant's.		1824.	6. 8.	S. h.	
155	arróphula. DC. (wh.)	Nepaul.	Nepaul.	1823.		G. h.	
156	scándens. DC.	climbing.	Brazil.	1826.		S. h. ∪.	
157	sarmentosa. DC.	trailing.				S. h.	
158	trichòdes. DC. (wh.)	warted-stalked.	Caracas.	1824.	6. 8.	S. h.	Jacq. schœnb. 3. t. 394.
159	formosa. DC. (wh.)	handsome.	Mexico.	1826.		S. h.	Kth. mim. t. 32.
160	nigricans. DC. (st.)	unequal-winged.	N. Holland.	1803.	5. 7.	G. h.	Bot. mag. t. 2188.
161	strigosa. DC. (ye.)	ciliate-winged.			3. 6.	G. h.	
<i>ciliata. H.K. nec aliorum.</i>							
162	vaga. DC. (st.)	Brazilian.	Brazil.	1823.		S. h.	Mareg. bras. p. 111. f. 1.
163	Löbbeck. DC. (pa.)	Egyptian.	Egypt.		4. 6.	G. h.	Pluk. mant. 2. t. 331. f. 1.
164	procera. DC. (pa.)	lofty.	Coromandel.	1824.		S. h.	Roxb. corom. 2. t. 121.
165	odoratissima. DC. (pa.)	fragrant.		1790.	4. 6.	S. h.	 2. t. 120.
166	speciosa. DC. (wh.)	splendid.	E. Indies.	1742.	8. 9.	S. h.	Jacq. ic. 1. t. 198.
167	glauca. DC. (wh.)	glaucous.	S. America.	1690.	6. 9.	S. h.	Trew ehret. t. 46.
168	leucocéphala. DC. (wh.)	white-headed.		1818.	4. 6.	S. h.	
169	latisiliqua. DC. (wh.)	broad-podded.	W. Indies.	1777.	3. 6.	S. h.	Plum. ed. Burm. t. 6.
170	portoricensis. DC. (wh.)	Porto Rico.	Porto Rico.	1820.		S. h.	Jacq. ic. 3. t. 633.
171	caracasana. DC. (pu.)	Caracas.	Caracas.	1823.		S. h.	 3. t. 632.
172	Lambertiàna. DC. (pu.)	Mr. Lambert's.	Mexico.	1820.	7. 9.	G. h.	Bot. reg. t. 721.
173	tetragona. DC. (wh.)	square-stalked.	Caracas.	1822.		S. h.	
174	quadrangulàris. DC. (wh.)	quadrangular.		1816.	5. 7.	S. h.	Bot. mag. t. 2651.
175	discolor. DC. (ye.)	two-coloured.	N. S. W.	1788.	3. 6.	G. h.	 t. 1750.
<i>Mimosa discolor. Andr. reposit. t. 235. Mimosa botrycéphala. Vent. cels. t. 1.</i>							
176	angulata. DC. (ye.)	angular.	N. Holland.	1821.	4. 6.	G. h.	
177	pubescens. DC. (ye.)	hairy-stemmed.	N. S. W.	1790.	3. 6.	G. h.	Bot. mag. t. 1263.
178	filicina. DC. (wh.)	fern-leaved.	Mexico.	1825.	4. 6.	G. h.	Cavan. ic. 1. t. 78.
179	villosa. DC. (wh.)	villous.	Jamaica.	1826.		S. h.	
180	frondosa. DC. (wh.)	frondose.	E. Indies.	1816.		S. h.	
181	venusta. W. en. (ye.)	charming.	S. America.			S. h.	
182	stipulata. DC. (wh.)	stipuled.	Bengal.	1820.	5. 6.	S. h.	
183	divaricata. DC. (wh.)	straddling.	E. Indies.			S. h.	Jacq. schœnb. t. 395.
184	umbellulifera. DC. (wh.)	small-umbell'd.	Mexico.	1825.		G. h.	Kth. mim. t. 31.
185	arborea. DC. (bh.)	tree.	Jamaica.	1768.		S. h.	Sloan. his. 2. t. 182. f. 1. 2.
186	amara. DC. (wh.)	bitter.	Coromandel.	1823.	4. 6.	S. h.	Roxb. corom. 2. t. 122.
187	Nemù. DC. (bh.)	Japan tree.	Japan.			G. h.	Banks ic. Kämpf. t. 19.
188	Julibrissin. DC. (bh.)	smooth tree.	Levant.	1745.	8. 9.	H. h.	Scop. insub. 1. t. 8.
189	polyphylla. DC. (wh.)	many-leaved.	St. Martha.	1826.	6. 9.	S. h.	
190	decurrens. DC. (ye.)	decurrent.	N. S. W.	1790.	5. 7.	G. h.	Vent. malm. t. 61.
191	mollissima. DC. (ye.)	soft-leaved.		1818.	4. 6.	G. h.	Swt. flor. aust. t. 12.
192	esculenta. DC. (wh.)	eatable.	New Spain.	1829.		S. h.	Flor. mexic. ic. ined.
193	peregrina. DC. (wh.)	white-flowered.	S. America.	1780.	7. 8.	S. h.	Kth. mim t. 30.
194	grata. DC. (wh.)	grateful.	Brazil.	1828.		S. h.	
195	microphylla. DC. (wh.)	small-leaved.	Caracas.	1826.		S. h.	
196	chrysostachys. (ye.)	golden-spiked.	Mauritius.	1823.		S. h.	
197	lucida. H. B.	glossy.	E. Indies.	1816.		S. h.	
198	Sirissa. H. B. (wh.)	Shireesh.				S. h.	
199	elata. H. B. (wh.)	tall.		1820.		S. h.	
200	Kalkora. H. B. (wh.)	large.				S. h.	
201	Smithiana. H. B.	Smith's.	Silhet.	1823.		S. h.	
202	semicordata. H. B. (wh.)	semicordate.	E. Indies.			S. h.	
203	fruticosa. H. B. (wh.)	frutescent.	China.	1820.	5. 6.	G. h.	
204	pedunculata. H. B. (wh.)	peduncled.	E. Indies.	1822.		S. h.	
205	triquetra. H. B. (wh.)	triquetrous.	Coromandel.	1824.		S. h.	
206	robusta. B. T. (ye.)	robust.	C. B. S.	1816.		I. h.	
207	litakunensis. B. T. (ye.)	Litakun.				I. h.	
208	guilandinaefolia. (gr.)	Guilandina-ld.	N. Holland.	1818.	7. 9.	I. h.	

Subordo IV. CÆSALPINEÆ.

Tribus V. GEOFFREÆ. DC. prodr. 2. p. 473.

ARACHIS. DC.		EARTH-NUT.	Diadelphia Decandria. L			
1 hypogæa. DC.	(ye.)	American.	S. America.	1712.	5. 6.	H. ⊙.
2 africana. W.	(ye.)	African.	Africa.	1824.		H. ⊙.

Trew ehret. t. 3. f. 3.

VOANDZE'IA. DC.	VOANDZE'IA. Diadelphia Decandria.				
subterranea. DC. (ye.)	subterraneous. Madagascar. 1820.	6. 8.	S. ☉.	DC. leg. me. t. 20. f. 106.	
<i>Glycine subterranea</i> . Linn. dec. 37. t. 17.					
PERA'LTEA. DC.	PERA'LTEA. Diadelphia Decandria.				
lupinoïdes. DC. (pu.)	Lupine-like. New Spain. 1827.	9. 11.	F. h.	H. et B. n. gen. 6. t. 589.	
BRONGNIA'RTIA. DC.	BRONGNIA'RTIA. Diadelphia Decandria.				
podalyrioides. DC. (fl.)	Podalyria-like. New Spain. 1827.	9. 11.	F. h.	H. et B. n. gen. 6. t. 588.	
AND'IRA. DC.	AND'IRA. Diadelphia Decandria.				
1 racemosa. DC. (pu.)	racemed. Brazil. 1824.		S. h.	Aubl. gui. sup. t. 373.	
2 infimis. DC. (pu.)	bastard cabbage-tree. Jamaica. 1778.		S. h.	Phil. trans. 1777. t. 10.	
GEOFFRO'YA. DC.	GEOFFRO'YA. Diadelphia Decandria.				
1 spinosa. DC. (st.)	spiny. S. America. 1823.		S. h.	Jacq. amer. t. 180. f. 62.	
2 Bredemeyeri. DC. (ye.)	striated. Caracas. 1824.		S. h.		
<i>Robinia striata</i> . W.					
3 violacea. DC. (vi.)	violet. Guiana. 1827.		S. h.	Aubl. guian. t. 301.	
BRO'WNEA. DC.	BRO'WNEA. Monadelphia Dec-Dodecandria.				
1 Rosa. DC. (ro.)	mountain Rose. Trinidad. 1816.		S. h.	Ber. act. ang. 1771. t. 8-9.	
<i>speciosa</i> . Sieber.					
2 coccinea. DC. (sc.)	scarlet-flower'd. W. Indies. 1793.	7. 9.	S. h.	Jacq. amer. t. 121.	
3 latifolia. DC. (ro.)	broad-leaved. Caracas. 1826.		S. h.	Jacq. fragm. t. 17.	
4 racemosa. DC. (ro.)	racemed. ————		S. h.	————— t. 18-19.	
5 grandiceps. DC. (ro.)	close-headed. ————	1828.	S. h.	————— t. 22-23.	
DIPTERIX. DC.	TONQUIN BEAN. Monadelphia Octo-Decandria.				
odorata. DC. (pu.)	sweet-scented. Guiana. 1793.		S. h.	Aubl. guian. 3. t. 296.	
<i>Coumarouna odorata</i> . Aubl. <i>Baryosma Tonga</i> . Gært. fruct. 2. t. 93.					

Tribus X. *CASSIÆ*. DC. prodr. 2. p. 478.

MORINGA. DC.	HORSE-RADISH-TREE. Decandria Monogynia.				
1 pterigosperma. DC. (st.)	wing-seeded. E. Indies. 1759.		S. h.	Jacq. ic. 3. t. 461.	
<i>oleifera</i> . Lam. <i>Zeylanica</i> . P.S. <i>Hyperanthera Moringa</i> . Vahl. <i>Guilandina Moringa</i> . L.					
2 polygona. DC. (st.)	many-sided. ————	1822.	S. h.		
GLEDITSCHIA. DC.	GLEDITSCHIA. Polygamia Diœcia. L.				
1 triacanthos. DC. (gr.)	three-thorned. N. America. 1700.	6. 8.	H. 5.	Wats. dend. brit. 2. t. 138.	
3 inermis. DC. (gr.)	spineless. ————	—	H. 5.	DC. leg. mem. t. 22. f. 109.	
2 brachycarpa. DC. (gr.)	curved-spined. ————	—	H. 5.		
3 monosperma. DC. (gr.)	single-seeded. ————	—	H. 5.	Mich. f. arb. 3. t. 10.	
4 sinensis. DC. (gr.)	Chinese. China. 1774.	—	H. 5.	DC. leg. mem. 1. t. 1.	
<i>horrida</i> . W.					
5 macracantha. DC. (gr.)	large-spined. ————	—	H. 5.		
6 ferox. DC. (gr.)	flat-spined. ————	—	H. 5.		
<i>orientalis</i> . Bosc.					
7 caspica. DC. (gr.)	Caspian. Caucasus. 1822.	—	H. h.		
8 micracantha. L.C. (gr.)	small-spined. ————	—	H. h.		
9 indica. DC. (gr.)	Indian. E. Indies. 1812.		S. h.		
10 lavis. L.C. (gr.)	smooth. ————	—	H. h.		
11 latistiqua. L.C. (gr.)	broad-podded. ————	—	H. 5.		
GYMNOCLADUS. DC.	KENTUCKY COFFEE-TREE. Diœcia Decandria.				
canadensis. DC. (wh.)	Canadian. N. America. 1748.	5. 6.	H. 5.	Mich. amer. 2. t. 51.	
<i>Guilandina dioica</i> . L.					
GUILANDINA. DC.	NICKER-TREE. Decandria Monogynia. L.				
1 Bonduc. L.T. (ye.)	Sumatra. Sumatra. 1640.		S. h.	Rumph. amb. 5. t. 48.	
2 Bonducella. L.T. (ye.)	common. E. Indies. ————	—	S. h.	Schrank. h. mon. t. 68.	
3 microphylla. DC.	small-leaved. ————	—	S. h.	Rumph. amb. 5. t. 49. f. 2?	
COULTERIA. DC.	COULTERIA. Decandria Monogynia.				
1 tinctoria. DC. (ye.)	dyer's. Peru. 1818.		S. h.	H. et B. n. ge. am. 6. t. 569.	
<i>Poinciana Tara</i> . R.P. <i>Cassipinia pectinata</i> . Cavan.					
2 mexicana. DC. (ye.)	Mexican. New Spain. 1826.		S. h.	Flor. mexic. ic. ined.	
CESALPINIA. DC.	BRASILETTO. Decandria Monogynia. L.				
1 Nuga. DC. (ye.)	acute-leaved. Amboyna. 1801.	4. 6.	S. h.	Rumph. amb. 5. t. 50.	
2 paniculata. DC. (ye.)	panicled. E. Indies. 1812.		S. h.	Rheed. mal. 6. t. 19.	
3 brasiliensis. DC. (ye.)	Brazilian. Brazil. 1818.	4. 6.	S. h.		
4 Sappan. DC. (ye.)	narrow-leaved. E. Indies. 1773.	—	S. h.	Roxb. corom. 1. t. 16.	

5 dig'yna. DC.	(ye.) digynous.	E. Indies.	1828.		S. h.	Will.n.ac.1803.v.4.t.3.
6 mimosoides. DC.	(ye.) Mimosa-leaved.	—	1806.	5. 7.	S. h.	Rheed. mal. 6. t. 8.
7 bijuga. DC.	(ye.) broad-leaved.	Jamaica.	1770.	6. 9.	S. h.	Sloan. j. 2. t. 181. f. 2. 3.
8 bahamensis. DC.	(ch.) emarginate.	Bahama.	1823.		S. h.	Catesb. car. 2. t. 51.
9 Crista. DC.	(ye.) oval-leaved.	Jamaica.		4. 6.	S. h.	Plum. gen. 28. t. 9.
10 glandulosa. DC.	(ye.) glandular.	St. Domingo.	1828.		S. h.	
11 Cacalaco. DC.	(ye.) round-leaved.	Mexico.	1826.		S. h.	H. et B. pl. æq. 2. t. 137.
12 coriaria. DC.	(ye.) leathery.	W. Indies.	—		S. h.	Kth. mim. t. 45.
13 lebbekkoïdes. DC.	(ye.) Lebbek-podd'd.	China.	1812.		S. h.	
14 punctata. DC.	(ye.) dotted-leaved.	Brazil.	1818.		S. h.	
15 procera. s.s.	(ye.) tall.	Cuba.	1822.		S. h.	
16 cassioides. DC.	(ye.) Cassia-like.	S. America.	1823.		S. h.	
17 mucronata. DC.	(ye.) mucronate.	Brazil.	—		S. h.	
18 oleosperma. H.B.	(ye.) oil-seeded.	E. Indies.	1800.	5. 6.	S. h. ∪.	
19 cucullata. H.B.	(ye.) hooded.	—	1822.		S. h. ∪.	
20 spiraria. H.B.	(ye.) Mysore-thorn.	—	1806.	6. 9.	S. h. ∪.	
21 resupinata. H.B.	(ye.) resupinate.	—	1828.		S. h. ∪.	
22 enneaphylla. H.B.	(ye.) nine-leaved.	—	1812.		S. h. ∪.	
23 chinensis. H.B.	(ye.) Chinese.	China.	—		S. h. ∪.	
24 tortuosa. H.B.	(ye.) twisting.	E. Indies.	1822.		S. h. ∪.	
25 sumatrana. H.B.	(ye.) Sumatra.	—	—		S. h. ∪.	
POINCIANA. DC.	FLOWER FENCE.	Decandria Monogynia.	L.			
1 regia. B.M.	(sc.) superb.	Madagascar.	1827.		S. h.	Bot. mag. t. 2884.
2 pulcherrima. DC.	(or.) Barbadoes.	E. Indies.	1691.	6. 9.	S. h.	— t. 995.
3 elata. DC.	(ye.) fringe-petal'd.	—	1778.	—	S. h.	
<i>Casulpinia elata. s.s.</i>						
HOFFMANSE'GGIA. DC.	HOFFMANSE'GGIA.	Decandria Monogynia.				
1 falcaria. DC.	(ye.) sickle-podded.	Chile.	1806.	7. 8.	F. 4.	Cavan. ic. t. 392.
2 prostrata. DC.	(ye.) prostrate.	Lima.	1824.	—	F. 4.	
MELANOSTICTA. DC.	MELANOSTICTA.	Decandria Monogynia.				
Burchellii. DC.	(ye.) Burchell's.	C. B. S.	1816.		G. h.	DC. leg. mem. t. 69.
POMARIA. DC.	POMARIA.	Decandria Monogynia.				
glandulosa. DC.	(ye.) glandular.	New Spain.	1826.	5. 6.	G. h.	Cavan. ic. 5. t. 402.
HEMATOXYLON. D.	LOGWOOD.	Decandria Monogynia.	L.			
campechianum. DC.	(ye.) common.	S. America.	1724.		S. h.	Catesb. car. 2. t. 66.
PARKINSONIA. DC.	PARKINSONIA.	Decandria Monogynia.	L.			
aculeata. DC.	(ye.) prickly.	W. Indies.	1739.	6. 9.	S. h.	Jacq. amer. t. 80.
CADIA. DC.	CADIA.	Decandria Monogynia.				
varia. DC.	(bh.) various-colour'd.	Arabia.	1755.	7. 10.	S. h.	Picc. hort. pan. 9. ic.
<i>perpura. w. Spandonea tanzanidifolia. Desf.</i>						
CERATONIA. DC.	CAROB-TREE.	Polygamia Diœcia.				
Siliqua. DC.	(gr.) St. John's bread.	Levant.	1570.	9. 10.	G. h.	Andr. reposit. 567.
HARDWICKIA. DC.	HARDWICKIA.	Oct-Decandria Monogynia.				
1 binata. DC.	(ye.) binate-leaved.	E. Indies.	1824.		S. h.	Roxb. corom. t. 209.
2 pinnata. DC.	(ye.) pinnate-leaved.	—	1826.		S. h.	
JONESIA. DC.	JONESIA.	Octandria Monogynia.				
Asoca. DC.	(or.) winged-leaved.	E. Indies.	1796.	4. 6.	S. h.	Rheed. mal. 5. t. 59.
<i>pinnata. w. Saraca indica. L.</i>						
TACHIGALIA. DC.	TACHIGALIA.	Decandria Monogynia.				
paniculata. DC.	(ye.) panicled.	Guiana.	1827.		S. h.	Aubl. guian. 1. t. 143. f 1.
MOLDENHAWERA. DC.	MOLDENHAWERA.	Decandria Monogynia.				
floribunda. DC.	(ye.) many-flowered.	Brazil.	1828.		S. h.	Neuw. reis. v. 2. ic.
TAMARINDUS. DC.	TAMARIND-TREE.	Monadelphia Triandria.				
1 indica. DC.	(ye.) East Indian.	E. Indies.	1633.	6. 7.	S. h.	Rheed. mal. 1. t. 23.
2 occidentalis. DC.	(ye.) West Indian.	W. Indies.	—	—	S. h.	Jacq. amer. t. 10.
CASSIA. DC.	CASSIA.	Decandria Monogynia.	L.			
1 brasiliæna. DC.	(ye.) large.	Brazil.	1822.		S. h.	Breyn. cent. t. 21.
<i>grandis. L. mollis. Vahl. Cathartocarpus grandis. P.S.</i>						
2 ferruginea. DC.	(ye.) ferruginous.	Brazil.	1828.		S. h.	
3 Roxburghii. DC.	(ye.) Roxburgh's.	Coromandel.	1823.	6. 7.	S. h.	
<i>marginatus. H.B. non w.</i>						
4 trinitatis. DC.	(ye.) Trinidad.	Trinidad.	1824.		S. h.	
5 javanica. DC.	(fl.) Java.	Java.	1779.	6. 7.	S. h.	Rumph. amb. 2. t. 22.
6 Fistula. DC.	(ye.) purging.	E. Indies.	1731.	—	S. h.	Woodv. med. bot. t. 163.
7 rhombifolia. H.B.	(ye.) rhomb-leaved.	—	1820.	—	S. h.	
8 nodosa. H.B.	(ye.) knotted.	—	1824.	—	S. h.	
9 conspicua. G.D.	(ye.) drumstick-tree.	Sierra Leon.	1822.		S. h.	
10 bacillaris. DC.	(ye.) smooth.	Surinam.	1818.	—	S. h.	Houst. rel. t. 17.
<i>Cathartocarpus Bacillus. Bot. Reg. t. 881.</i>						

11	<i>speciosa</i> . DC.	(ye.) handsome.	Brazil.	1828.	6. 8.	S. h.	
12	<i>melanocarpa</i> . DC.	(ye.) black-podded.	Jamaica.	1825.	—	S. h.	
13	<i>corymbosa</i> . DC.	(ye.) corymbose.	Buenos Ayres.	1796.	7. 8.	S. h.	Bot. mag. t. 633.
14	<i>floribunda</i> . DC.	(ye.) many-flowered.	New Spain.	1822.	5. 8.	S. h.	
15	<i>lævigata</i> . DC.	(ye.) smooth.	—	1811.	—	S. h.	
16	<i>pendula</i> . DC.	(ye.) pendulous.	S. America.	1820.	...	S. h.	
17	<i>torosa</i> . DC.	(ye.) twisted.	China.	1807.	5. 7.	G. h.	Jacq. ic. 1. t. 73.
	<i>chinensis</i> . Jacq. non Lam.						
18	<i>chinensis</i> . DC.	(ye.) Chinese.	—	—	—	G. h.	
19	<i>gigantea</i> . DC.	(ye.) gigantic.	Jamaica.	1825.	...	S. h.	
20	<i>coromandeliana</i> . DC. (or.)	Coromandel.	Coromandel.	1822.	5. 7.	S. h.	Jacq. fragm. t. 100.
21	<i>Sôphera</i> . DC.	(ye.) round-podded.	E. Indies.	1653.	7. 9.	S. h.	Burm. zeyl. t. 98.
22	<i>alata</i> . DC.	(ye.) winged-podded.	S. America.	1731.	...	S. h.	Jacq. obs. 2. t. 45. f. 2.
23	<i>Rumphiana</i> . DC.	(ye.) Rumphius's.	E. Indies.	1822.	...	S. h.	Rumph. amb. 7. t. 18.
24	<i>bracteata</i> . DC.	(ye.) bracteate.	Surinam.	—	...	S. h.	
25	<i>obovata</i> . DC.	(ye.) obovate-leaved.	Egypt.	1640.	7. 9.	G. ⊙.	Jacq. f. ecl. 1. t. 87.
	<i>Senna</i> . Lam. ill. t. 332. f. 2.						
26	<i>lanceolata</i> . DC.	(ye.) spear-leaved.	—	1759.	6. 8.	G. ⊙.	Tabern. ic. 507.
	<i>orientalis</i> . P.S. <i>acutifolia</i> . Delil. ill. eg. 75. t. 27. f. 1.						
27	<i>ligustrinoides</i> . DC.	(ye.) Privet-like.	Arabia.	1829.	—	G. h.	
28	<i>Browniana</i> . DC.	(ye.) Brown's.	Mexico.	1828.	...	S. h.	Kth. mim. t. 41.
29	<i>cuspidata</i> . W.en.	(ye.) sharp-pointed.	S. America.	1820.	5. 7.	S. h.	
30	<i>sericea</i> . DC.	(ye.) silky-leaved.	—	1731.	5. 8.	S. ⊙.	Jacq. ic. 3. t. 459.
	<i>sensitiva</i> . Jacq.						
31	<i>obtusifolia</i> . DC.	(ye.) blunt-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Dill. elth. t. 62. f. 72.
32	<i>humilis</i> . DC.	(ye.) dwarf.	S. America.		—	S. ⊙.	Plum. ed. Burm. t. 76. f. 2.
33	<i>Tora</i> . DC.	(st.) oval-leaved.	E. Indies.	1693.	—	S. ⊙.	Dill. elth. t. 63. f. 73.
34	<i>toroides</i> . H.B.	(st.) Mysore.	—	1812.	—	S. ⊙.	
35	<i>ciliaris</i> . DC.	(ye.) fringe-stipuled.	—	—	—	S. ♂.	
36	<i>Tageva</i> . DC.	(ye.) long-podded.	—	1803.	—	S. ♂.	Rheed. mal. 2. t. 53.
37	<i>venustula</i> . DC.	(ye.) pretty.	Cumana.	1825.	—	S. h.	
38	<i>aversiflora</i> . B.M.	(ye.) contrary-flower'd.	Brazil.	1823.	4. 12.	S. h.	Bot. mag. t. 2638.
39	<i>viminea</i> . DC.	(ye.) twiggy.	W. Indies.	1786.	6. 7.	S. h.	Sloan. jam. 2. t. 180. f. 67.
40	<i>chrysotricha</i> . DC.	(ye.) golden-podded.	Guiana.	1828.	—	S. h.	Coll. mon. p. 99. t. 13.
41	<i>Apoucouita</i> . DC.	(ye.) acuminate.	—	1823.	—	S. h.	Aubl. gui. 1. t. 146.
	<i>acuminata</i> . W. non Moench.						
42	<i>sennoides</i> . DC.	(ye.) Senna-leaved.	E. Indies.	1808.	7. 8.	S. h.	Jacq. ic. 1. t. 70.
43	<i>bicapsularis</i> . DC.	(ye.) six-leaved.	W. Indies.	1730.	5. 6.	S. h.	Bot. mag. t. 633.
44	<i>mollissima</i> . DC.	(ye.) soft-leaved.	S. America.	1816.	7. 8.	S. h.	
45	<i>artemisioides</i> . DC.	(ye.) Wormwood-like.	N. S. W.	1823.	4. 7.	G. h.	
46	<i>glutinosa</i> . DC.	(ye.) glutinous.	N. Holland.	—	—	G. h.	
47	<i>oxyadena</i> . DC.	(ye.) acute-glanded.	Jamaica.	1820.	—	S. h.	
48	<i>dispar</i> . DC.	(ye.) various-leaved.	S. America.	1822.	5. 8.	S. h.	
49	<i>acapulcensis</i> . DC.	(ye.) Acapulco.	Mexico.	1824.	—	S. h.	
50	<i>sulfurea</i> . DC.	(st.) straw-coloured.	E. Indies.	1800.	—	S. h.	Rheed. mal. 6. t. 9-10.
	<i>arborescens</i> . Vahl. non Miller.						
51	<i>coluteoides</i> . DC.	(ye.) Colutea-like.			—	S. h.	Coll. mon. 102. t. 12.
52	<i>Barclayana</i> . S.F.A.	(ye.) Mr. Barclay's.	N. Holland.	1824.	6. 10.	G. h.	Swt. flor. aust. t. 32.
53	<i>biflora</i> . DC.	(ye.) two-flowered.	W. Indies.	1766.	12. 4.	S. h.	Bot. mag. t. 810.
54	<i>tomentosa</i> . DC.	(st.) tomentose.	S. America.	1822.	6. 8.	S. h.	Jacq. ic. 1. t. 72.
	<i>multiglandulosa</i> . Jacq.						
55	<i>mexicana</i> . DC.	(ye.) Mexican.	Mexico.	1824.	—	S. h.	Jacq. schœnb. t. 203.
56	<i>stipulacea</i> . DC.	(ye.) large-stipuled.	Chile.	1786.	—	S. h.	Feuill. per. 3. t. 42.
57	<i>auriculata</i> . DC.	(ye.) eared.	E. Indies.	1777.	7. 9.	S. h.	Pluk. alm. t. 314. f. 4.
58	<i>frondosa</i> . DC.	(ye.) smooth shrubby.	W. Indies.	1769.	3. 4.	S. h.	Jacq. ic. 1. t. 74.
59	<i>australis</i> . B.M.	(ye.) New Holland.	N. Holland.	1820.	5. 12.	I. h.	Bot. mag. t. 2676.
60	<i>polyphylla</i> . DC.	(ye.) many-leaved.	Portorico.	1828.	6. 9.	S. h.	Jacq. ic. t. 460.
61	<i>marginata</i> . DC.	(ye.) white-edged.	Surinam.	1822.	—	S. h.	
62	<i>ægyptiaca</i> . DC.	(ye.) Egyptian.	Egypt.	1823.	7. 9.	G. ⊙.	
63	<i>esculenta</i> . H.B.	(ye.) esculent.	E. Indies.	—	—	S. ⊙.	
64	<i>occidentalis</i> . DC.	(ye.) occidental.	W. Indies.	1759.	3. 8.	S. h.	Bot. reg. t. 83.
65	<i>purpurea</i> . DC.	(ye.) purple-stalked.	E. Indies.	1823.	6. 11.	S. h.	— t. 856.
66	<i>hirsuta</i> . DC.	(ye.) hairy.	S. America.	1778.	7. 9.	S. h.	Jacq. schœnb. t. 270.
	<i>caracasana</i> . Jacq.						
67	<i>linearis</i> . DC.	(ye.) linear-podded.	Carolina.	1828.	5. 7.	F. 4.	
68	<i>patala</i> . DC.	(ye.) shining.	W. Indies.	1778.	8. 9.	S. h.	
69	<i>pubescens</i> . DC.	(ye.) pubescent.		1818.	5. 8.	S. h.	Jacq. fragm. t. 57.
70	<i>sulcata</i> . DC.	(ye.) furrowed.	S. America.	1826.	6. 8.	S. h.	Coll. mon. p. 110. t. 6.
71	<i>ruscifolia</i> . DC.	(ye.) Ruscus-leaved.	Caracas.	1816.	5. 7.	G. h.	Jacq. ic. 1. t. 71.

72	ligustrina. DC.	(ye.) Privet-leaved.	America.	1726.	6. 8.	S. h.	Bot. reg. t. 109.
73	robinioïdes. DC.	(ye.) Robinia-like.	S. America.	1820.	—	S. h.	
74	marylândica. DC.	(ye.) Maryland.	N. America.	1723.	8. 10.	H. 4.	Schkuhr hand. 1. t. 113.
75	latifolia. DC.	(ye.) broad-leaved.	Trinidad.	1826.	6. 8.	S. h.	
76	arborescens. DC.	(ye.) arborescent.	New Spain.		—	S. h.	
77	opæa. Gr.	(or.) dull-leaved.	S. America.	1825.	8. 12.	S. h.	
78	pulchella. Boj.	(ye.) pretty.	Zanzibar.	1825.	7. 9.	S. h.	
79	Millèri. DC.	(ye.) Miller's.	Jamaica.		6. 8.	S. h.	
80	Houstoniàna. DC.	(ye.) Houstoun's.	—		7. 10.	S. ⊙.	
81	Plumieri. DC.	(ye.) Plumier's.	Guadaloupe.	1822.	—	S. h.	Plum. ed. Burm. t. 77.
	planisiliqua. Lam.	non Linn.					
82	hirsuta. DC.	(ye.) hairy-branched.	S. America.	1822.	6. 9.	S. h.	
83	sumatrana. DC.	(ye.) Sumatra.	Sumatra.	1823.	—	S. h.	
84	formosa.	(ye.) beautiful.	E. Indies.	—	—	S. h.	
	speciosa. H.B.	non Schrader.					
85	emarginata. DC.	(ye.) notch-leaved.	Jamaica.	1759.	5. 6.	S. h.	Sloan. his. 2. t. 180. f. 1-4.
86	atomaria. DC.	(ye.) woolly-leaved.	S. America.	1822.	3. 8.	S. h.	
87	reticulata. DC.	(ye.) netted-leaved.	Brazil.	—	4. 6.	S. h.	
88	spectabilis. DC.	(ye.) showy.	Caracas.	1823.	5. 7.	S. h.	Coll. mon. p. 115. t. 7.
89	setigera. DC.	(ye.) seta-bearing.	E. Indies.	1826.	—	S. h.	
90	montana. DC.	(ye.) mountain.	—	1822.	—	S. h.	
91	A'bsus. DC.	(sn.) four-leaved.	Ceylon.	1777.	6. 7.	S. ⊙.	Burm. zeyl. t. 97.
92	hispida. DC.	(ye.) hispid.	Cayenne.	1826.	—	S. ⊙.	
93	diphy'lla. DC.	(ye.) two-leaved.	W. Indies.	1781.	5. 7.	S. ♂.	Cavan. ic. 5. t. 600. f. 1.
94	bilobiolata. DC.	(ye.) two-leafleted.	Brazil.	1825.	—	S. h.	Coll. mon. 120. t. 9. f. B.
95	exigua. H.B.	(ye.) dwarf.	Bengal.	1820.	8. 10.	S. ⊙.	
96	gracilis. DC.	(ye.) slender.	S. America.	1816.	6. 8.	S. h.	Kth. mim. t. 36.
97	uniflora. DC.	(re.) one-flowered.	Brazil.	1824.	—	S. h.	
98	lineata. DC.	(ye.) lined.	Jamaica.	1820.	5. 7.	S. h.	
99	prostrata. DC.	(ye.) prostrate.	S. America.	1823.	7. 9.	S. h.	
100	triflora. DC.	(ye.) three-flowered.		1825.	—	S. ⊙.	Jacq. schœnb. t. 480.
101	Burmânni. DC.	(ye.) Burmann's.	C. B. S.	1816.	—	G. h.	
102	virgata. DC.	(ye.) slender-twigg'd.	Jamaica.	1820.	5. 8.	S. h.	
103	nictitans. DC.	(ye.) Virginian.	N. America.	1800.	7.	G. ♂.	Linn. hort. cliff. t. 36.
104	chamæcrista. DC.	(ye.) dwarf.	America.	1699.	6. 9.	G. ♂.	Bot. mag. t. 157.
105	chamæcristoïdes. DC.	(ye.) large-flow'd.	Vera Cruz.		—	S. h.	
106	stricta. Sek.	(ye.) straight.	Jamaica.		—	S. ♂.	Schk. hort. mon. t. 34.
107	glandulosa. DC.	(ye.) glandular.	W. Indies.	1822.	—	S. ♂.	
108	mimosoïdes. DC.	(ye.) Mimosa-leaved.	E. Indies.	1806.	—	S. ⊙.	
109	capensis. DC.	(ye.) Cape.	C. B. S.	1816.	4. 6.	G. h.	Coll. mon. 124. t. 19.
110	pumila. DC.	(ye.) small.	E. Indies.	1820.	7. 10.	S. ⊙.	Pluk. alm. t. 120. f. 1.
111	procumbens. DC.	(ye.) procumbent.	N. America.	1806.	6. 9.	H. ⊙.	Comm. petrop. t. 11.
112	Wallichiana. DC.	(ye.) fine-leaved.	Nepaul.	1812.	—	S. ⊙.	
	dimidiata. D.P.						
113	tenera.	(ye.) small-branched.	E. Indies.	1818.	—	S. ♂.	
	tenella. H.B.	non Kth.					
114	microphy'lla. DC.	(ye.) small-leaved.	W. Indies.	1822.	—	S. ⊙.	
115	Hornemanni. DC.	(ye.) Hornemann's.		1827.	—	S. ⊙.	
	renosa. Horn.	non Zucc.					
	AFZELIA. DC.	AFZ'ELIA. Octandria Monogynia.					
	aficana. DC.	(cr.) African.	Sierra Leone.	1821.		S. h.	
	SCHOTIA. DC.	SCHO'TIA. Decandria Monogynia.					
1	speciosa. DC.	(cr.) superb.	C. B. S.	1759.	7. 12.	I. h.	Andr. reposit. t. 348.
2	tamarindifolia. DC.	(cr.) Tamarind-leav'd.	—	1795.	5. 9.	I. h.	Bot. mag. t. 1153.
3	stipulata. DC.	(cr.) falcate-stipuled.	—	1794.	—	I. h.	
4	alata. DC.	(re.) winged.	—	1816.	6. 7.	I. h.	
5	simplicifolia. DC.	(re.) simple-leaved.	—	—	—	I. h.	
6	latifolia. DC.	(re.) broad-leaved.	—	—	5. 8.	I. h.	Hook. ex. flor. t. 159.
	Omphalobium Schotia.	s.s. Jacq. ecl. ic.					
	COPAIFERA. DC.	BALSAM OF CAPEVI. Decandria Monogynia. L.					
1	officinalis. DC.	(st.) officinal.	S. America.	1774.		S. h.	H. et B. n. gen. 7. t. 659.
2	guianensis. DC.	(st.) Guiana.	Guiana.	1826.		S. h.	
3	coriacea. DC.	(st.) leathery-leaved.	Brazil.	1824.		S. h.	
	CYNOMETRA. DC.	CYNOM'ETRA. Decandria Monogynia. L.					
1	cauliflora. DC.	(re.) stem-flowered.	E. Indies.	1801.		S. h.	Rumph. amb. 1. t. 62.
2	ramiflora. DC.	(re.) branch-flowered.	—	1826.		S. h.	— 1. t. 63.
3	polyandra. DC.	(re.) many stamen'd.	—	1822.		S. h.	Roxb. corom. t. 286.
	PARIV'OA. DC.	PARIV'OA. Diadelphia Decandria.					
	grandiflora. DC.	(pu.) large-flowered.	Cayenne.	1816.		S. h.	Aubl. guian. 2. t. 303
	Dimorpha grandiflora.	Linn. trans. 9. t. 20.					

O'UTEA. DC.		O'UTEA. Tri-Tetrandria Monogynia.					
1	guianensis. DC. (wh.)	Guiana.	Guiana.	1827.		S. h.	Aubl. guian. 1. t. 9.
2	bijuga. DC. (wh.)	two-paired.	E. Indies.	1823.		S. h.	Linn. trans. 12. t. 17.
	<i>Macrolobium bijugum</i> . Linn. trans.						
VOU'APA. DC.		VOU'APA. Triandria Monogynia.					
	bifolia. DC.	two-leaved.	Guiana.	1823.		S. h.	Aubl. guian. 1. t. 7.
HYMEN'ÆA. DC.		LOCUST-TREE. Decandria Monogynia.					
1	Courbaril. DC. (wh.)	leathery-leaved.	S. America.	1688.	6. 8.	S. h.	Lam. ill. t. 330. f. 1.
2	Candolleana. DC. (wh.)	Decandolle's.	Mexico.	1825.		S. h.	H. et B. n. gen. 6. t. 566.
3	verrucosa. DC. (wh.)	wart-podded.	Madagascar.	1808.	6. 7.	S. h.	Lam. ill. t. 330. f. 2.
BAUHI'NIA. DC.		BAUHI'NIA. Monadelphia v. Decandria Monogynia.					
1	divaricata. DC. (wh.)	dwarf.	W. Indies.	1742.	6. 9.	S. h.	Linn. hort. cliff. t. 15.
2	Lamarekiana. DC. (wh.)	Lamarck's.	S. America.		—	S. h.	
3	spathacea. DC. (wh.)	spathaceous.	New Spain.	1825.	—	S. h.	
4	subrotundifolia. DC. (w.)	round-leaved.	S. America.	1816.	4. 6.	S. h.	Cavan. ic. 5. t. 406.
5	aurita. DC. (wh.)	long-eared.	Jamaica.	1756.	9. 10.	S. h.	Miller ic. t. 61.
6	porrecta. DC. (wh.)	smooth-leaved.	W. Indies.	1737.	7. 8.	S. h.	Bot. mag. t. 1708.
7	latifolia. DC. (wh.)	broad-leaved.	New Spain.	1825.		S. h.	Cavan. ic. t. 405.
8	candida. DC. (wh.)	white-flowered.	E. Indies.	1777.	5. 6.	S. h.	
9	acuminata. DC. (wh.)	acute-leaved.	—	1808.	7. 8.	S. h.	Rheed. mal. 1. t. 34.
10	grandiflora. DC. (wh.)	large-flowered.	Peru.	1824.		S. h.	
11	aculeata. DC. (wh.)	prickly-stalked.	W. Indies.	1737.	6. 8.	S. h.	Plum. ed. Bur. t. 44. f. 1.
12	forcicata. DC. (wh.)	forked.	Brazil.	1824.	—	S. h.	
13	emarginata. DC. (wh.)	emarginate.	Carthagera.		—	S. h.	
14	rufescens. DC.	rufous.	Africa.	1816.		S. h.	
15	parviflora. DC. (wh.)	small-flowered.	E. Indies.	1808.		S. h.	
16	U'ngula. DC. (wh.)	villous-leaved.	Caracas.	1827.		S. h.	Jacq. fragm. t. 15. f. 1.
	<i>aculeata</i> . Jacq. amer. t. 177. f. 2.						
17	variegata. DC. (v.)	variegated-fl.	E. Indies.	1690.	6. 7.	S. h.	Rheed. mal. 1. t. 32.
18	tomentosa. DC. (st.)	tomentose.	—	1808.		S. h.	Burm. zeyl. t. 18.
19	pubescens. DC. (wh.)	pubescent.	W. Indies.	1824.		S. h.	
20	multinervia. DC. (wh.)	many-nerved.	Caracas.	1825.		S. h.	
21	racemosa. DC.	large-leaved.	E. Indies.	1790.		S. h.	Vahl. symb. 3. t. 62.
22	purpurea. DC. (pu.)	purple.	—	1778.		S. h.	Rheed. mal. 1. t. 33.
23	retusa. DC. (wh.)	retuse-leaved.	—	1822.		S. h.	
24	corymbosa. DC. (wh.)	corymbose.	China.	1816.		S. h.	DC. leg. mem. t. 70.
25	anguina. DC. (wh.)	snake.	E. Indies.	1818.		S. h.	Roxb. corom. 3. t. 285.
	<i>scandens</i> . L. excl. synonym. Rumph. Rheed. mal. 8. t. 30-31.						
26	Lingua. DC. (st.)	tongue-leaved.	E. Indies.	1799.		S. h.	Rumph. amb. 5. t. 1.
	<i>scandens</i> . L. excl. syn. Rheed.						
27	coccinea. DC. (sc.)	scarlet-flowered.	China.	1826.		S. h.	
28	guianensis. DC. (wh.)	Guiana.	Guiana.	1824.		S. h.	Aubl. guian. 1. t. 145.
29	heterophylla. DC. (wh.)	various-leaved.	Caracas.	1824.		S. h.	Kth. mim. t. 46.
30	cumanensis. DC. (wh.)	Cumana.	Cumana.	—	7. 8.	S. h.	Bot. reg. t. 1133.
31	anatomica. L. en.	jagged-leaved.	S. America.	1816.		S. h.	
32	triandra. H.B. (wh.)	triandrous.	E. Indies.	1823.		S. h.	
33	semibifida. H.B. (wh.)	half-cleft.	—	1818.		S. h.	
34	malabaria. H.B.	Malabar.	Malabar.	1823.		S. h.	
35	ferruginea. H.B.	ferruginous.	E. Indies.	1822.		S. h.	
36	cordifolia. H.B.	heart-leaved.	—	1828.		S. h.	
37	spicata.	spiked.	—	1820.		S. h.	
38	speciosa. L.C.	handsome.	—			S. h.	
39	microphylla. L.C.	small-leaved.	—			S. h.	
40	esculenta. B.T. (wh.)	edible-rooted.	C. B. S.	1816.	—	I. 4.	
CERCIS. DC.		JUDAS-TREE. Decandria Monogynia. L.					
1	Siliquastrum. DC. (ro.)	European.	S. Europe.	1596.	5. 6.	H. h.	Bot. mag. t. 1138.
2	canadensis. DC. (ro.)	American.	N. America.	1730.	—	H. h.	Miller ic. t. 2.
CRUDYA. DC.		CRUDYA. Octo-Decandria Monogynia.					
1	spicata. DC. (wh.)	spiked.	Guiana.	1825.		S. h.	Aubl. guian. 1. t. 147.
	<i>Apulatia spicata</i> . Aubl.						
2	aromatica. DC. (gr.)	aromatic.	—	1828.		S. h.	Aubl. guian. 1. t. 148.
	<i>Touchiroa aromatica</i> . Aubl.						
COD'ARIUM. DC.		VELVET TAMARIND. Diandria Monogynia.					
1	acutifolium. DC. (re.)	acute-leaved.	Sierra Leone.	1800.		S. h.	Rœm. arch. 1. t. 6.
	<i>nitidum</i> . Vahl. <i>Dialium guineense</i> . W.						
2	obtusifolium. DC. (re.)	blunt-leaved.	—	—		S. h.	

Tribus X. *DETARIEÆ*. DC. prodr. 2. p. 521.

DETARIUM. DC. DETARIUM. Decandria Monogynia.
 senegalensis. DC. (gr.) Senegal. Senegal. 1822. S. h.

ORDO LXXV.

CHRYSOBALANÆ. *Brown cong. p. 14.*

CHRYSOBALANUS. DC. COCOA PLUM. Icosandria Monogynia. L.
 1 Icáco. DC. (wh.) West Indian. W. Indies. 1752. 4. 6. S. h. Jacq. amer. t. 94.
 2 ellipticus. DC. (wh.) Pigeon plum. Sierra Leone. 1822. S. h.
 3 oblongifolius. DC. (wh.) American. Georgia. 1812. 4. 5. G. h.
 PARINARIUM. DC. PARINARIUM. Dodecandria Monogynia.
 1 excelsum. G.D. (wh.) rough plum. Sierra Leone. 1822. S. h. Loud. encycl. pl. f. 5072.
 2 macrophyllum. G.D. (w.) gingerbread plum. ———— S. h.
 GRANGERIA. DC. GRANGERIA. Dodecandria Monogynia.
 borbónica. DC. (wh.) Bourbon. Bourbon. 1822. S. h. Lam. ill. t. 427.
 HIRTELLA. DC. HIRTELLA. Tri-Dodecandria Monogynia.
 1 triandra. DC. (wh.) triandrous. W. Indies. 1782. S. h. Jacq. amer. t. 8.
americana. Jacq. non Aubl. *paniculata*. R.S.
 2 glandulosa. DC. (wh.) glandular. Brazil. 1827. S. h. Spreng. anl. t. 7. f. 1-4.
 3 racemosa. DC. (bl.) racemed. Guiana. 1782. S. h. Aubl. guian. 1. t. 98.
americana. Aubl. non Jacq.
 4 oblongifolia. DC. (ro.) oblong-leaved. New Spain. 1826. S. h.
 5 nemorosa. DC. (ye.) wood. Brazil. 1825. S. h.

ORDO LXXVI.

AMYGDALINÆ. *D. Don prodr. flor. nepal. p. 239.*

AMYGDALUS. K.S. ALMOND. Icosandria Monogynia. L.
 1 nana. w. (pi.) common dwarf. Russia. 1683. 3. 4. H. h. Bot. mag. t. 161.
 2 georgica. Df. (pi.) Georgian. Georgia. 1820. ——— H. h.
 3 campestris. Bes. (pi.) Besser's. Poland. 1829. ——— H. h.
Besseriána. Schott.
 4 orientalis. w. (ro.) silvery-leaved. Levant. 1756. ——— F. h.
argentea. Lam.
 5 incana. w. (ro.) woolly. Caucasus. ——— H. h. Pall. ross. 1. t. 7.
 6 prostrata. K.S. (pi.) prostrate. Crete. 1802. 5. H. h. Bot. reg. t. 136.
Prunus prostrata. B.R.
 7 pumila. w. (pi.) double dwarf. Africa. 1683. 5. 6. H. h. Bot. mag. t. 2176.
Prunus sinensis. P.S. *Prunus japonica*, B.R. is a very different plant, and a true *Cerasus*.
 8 sibirica. L.C. (pi.) Siberian. Siberia. 1820. 3. 4. H. h.
 9 communis. DC. (pi.) common. Barbary. 1548. ——— H. 5.
a amara. DC. (pi.) bitter. ———— ——— H. 5.
β dulcis. DC. (bh.) sweet. ———— ——— H. 5. Lam. ill. t. 430. f. 2.
γ fragilis. DC. (bh.) tender. ———— H. 5. Nois. jard. fr. t. 3. f. 2.
δ macrocarpa. DC. (pi.) large-fruited. H. 5. Bot. reg. t. 1160.
ε persicoïdes. DC. (pi.) Almond Peach. Hybrid. H. 5. Nois. jard. fr. t. 3. f. 1.
 10 cochinchinensis. DC. (pi.) Chinese. Cochinchina. 1825. ——— H. 5.
 11 Persica. w. (pi.) common Peach. Persia. 1562. 4. 5. H. 5. Nois. j. fr. 1-16. 22-35. ic.
β flore pleno. (pi.) double-blossomed. H. 5.
δ nana. (pi.) dwarf. China. 1826. ——— H. h.
ε nectarina. (pi.) Nectarine. Persia. 1562. ——— H. 5. Nois. jard. fr. t. 20-21.

ARMENIACA. DC. APRICOT. Icosandria Monogynia.

1	vulgaris. DC.	(wh.) common.	Levant.	1548.	2. 4.	H. 5.	Lam. ill. t. 431.
	<i>a ovalifolia</i> . DC.	(wh.) oval-leaved.	—	—	—	H. 5.	Nois. jar. fr. t. 1-2. f. 1-2.
	<i>β cordifolia</i> . DC.	(wh.) heart-leaved.	—	—	—	H. 5.	— t. 1. f. 3. t. 2. f. 3.
2	dasycarpa. DC.	(wh.) black-fruited.			3. 4.	H. 5.	Bot. reg. t. 1243.
	<i>Prunus dasycarpa</i> . B.R.						
	<i>β persicifolia</i> . DC.	(wh.) Peach-leaved.			—	H. ½.	Du. ar. ed. no. 5. t. 52. f. 1.
3	sibirica. DC.	(pi.) Siberian.	Siberia.	1788.	4.	H. ½.	Pall. ross. 1. t. 8.
4	brigiatica. DC.	(wh.) spiny.	S. Europe.		—	H. ½.	Duh. arb. ed. n. 5. t. 59.

PRUNUS. DC. PLUM-TREE. Icosandria Monogynia. L.

1	spinosa. DC.	(wh.) Sloe-tree.	Britain.		3. 4.	H. ½.	Eng. bot. v. 12. t. 842.
	<i>a vulgaris</i> . DC.	(wh.) common.	—		—	H. ½.	Duham. ed. n. 5. t. 54. f. 1.
	<i>β microcarpa</i> . DC.	(wh.) small-fruited.	—		—	H. ½.	
	<i>γ macrocarpa</i> . DC.	(wh.) large-fruited.	—		—	H. ½.	
	<i>δ ovata</i> . DC.	(wh.) oval-leaved.	—		—	H. ½.	Blackw. herb. t. 491.
2	insititia. DC.	(wh.) Bullace-tree.	Britain.		4.	H. ½.	Eng. bot. v. 12. t. 841.
3	candicans. DC.	(wh.) snowy.		1818.	4. 5.	H. ½.	Bot. reg. t. 1135.
4	Cocconilia. DC.	(wh.) twin-flowered.	Calabria.	1826.	—	H. ½.	
5	maritima. DC.	(wh.) sea-side.	N. America.	1800.	—	H. ½.	
6	pubescens. DC.	(wh.) pubescent.		1819.	—	H. ½.	
7	divaricata. DC.	(wh.) spreading.	Caucasus.	1828.		H. ½.	
8	cerasifera. S.S.	(wh.) Myrobalan.	N. America.	1629.	4. 5.	H. 5.	Duham. arb. 2. t. 2. f. 15.
9	pyramidalis. DC.	(wh.) pyramidal.	Europe.		4.	H. 5.	— 2. t. 15—20.
10	domestica. DC.	(wh.) common.	England.		—	H. 5.	Eng. bot. v. 25. t. 1783.
	<i>a armenioides</i> . DC.	(wh.) Apricot-like.			—	H. 5.	Duham. arb. 2. t. 13—14.
	<i>β claudiana</i> . DC.	(wh.) Reine Claude.			—	H. 5.	— 2. t. 11—12.
	<i>γ damascena</i> . DC.	(wh.) Damson.			—	H. 5.	— 2. n. 13. t. 5.
	<i>δ turanensis</i> . DC.	(wh.) Monsieur hotif, &c.			—	H. 5.	— 2. n. 16. t. 20. f. 1.
	<i>ε juliana</i> . DC.	(wh.) Saint Julien.			—	H. 5.	Duh. ed. nov. 5. t. 54. f. 2.
	<i>ζ cathartica</i> . DC.	(wh.) Saint Catherine.			—	H. 5.	Duham. arb. 2. f. 1.
	<i>η aubertiana</i> . DC.	(wh.) Imperatrice.			—	H. 5.	Nois. jar. fr. t. 57-58. f. 4.

CERASUS. DC. CHERRY TREE. Icosandria Monogynia.

1	avium. DC.	(wh.) small-fruited.	Britain.		4. 5.	H. 5.	Blackw. t. 425.
	<i>a sylvestris</i> . DC.	(wh.) wood.	—		—	H. 5.	
	<i>β macrocarpa</i> . DC.	(wh.) large-fruited.			—	H. 5.	Du. ed. no. 1. n. 2. t. 4. f. D.
	<i>γ pallida</i> . DC.	(wh.) pale-fruited.			—	H. 5.	— 5. n. 3. t. 4. f. B. C.
	<i>δ multiplax</i> . DC.	(wh.) double-blossomed.			—	H. 5.	
2	duracina. DC.	(wh.) hard-fruited.	Europe.		—	H. 5.	
	<i>a cordigera</i> . DC.	(wh.) Bigarreaux.			—	H. 5.	Nois. jard. fr. t. 6. f. 1.
	<i>β obtusata</i> . DC.	(wh.) blunt-fruited.			—	H. 5.	Duh. ed. no. 5. t. 18. f. B.
	<i>γ mamillaris</i> . DC.	(wh.) large-leaved.			—	H. 5.	— 5. n. 12. t. 16. f. A.
3	juliana. DC.	(wh.) early.	S. Europe.		—	H. 5.	— 5. n. 5. t. 15. f. A.
	<i>β heaumiæna</i> . DC.	(wh.) long-leaved.	—		—	H. 5.	— n. 29. t. 19.
	<i>γ pendula</i> . DC.	(wh.) pendulous-branch'd.	—		—	H. 5.	
4	Caproniana. DC.	(wh.) common.	—		—	H. 5.	
	<i>a Montmorencyana</i> . DC.	May Duke, &c.	—		—	H. 5.	Duh. ed. no. 5. n. 14. t. 7.
	<i>β pallidescens</i> . DC.	(wh.) pale-fruited.	—		—	H. 5.	— n. 18. t. 11.
	<i>γ globosa</i> . DC.	(wh.) Kenish.	—		—	H. 5.	— t. 12. f. A.
	<i>δ polygyra</i> . DC.	(wh.) polygynous.	—		—	H. 5.	Duham. arb. 4. t. 3.
	<i>ε multiplax</i> . DC.	(wh.) semi-double.			—	H. 5.	— p. 173. t. 5.
	<i>ζ persiciflora</i> . DC.	(wh.) double-flowered.			—	H. 5.	
	<i>κ variegata</i> . DC.	(wh.) striped-leaved.			—	H. 5.	
	<i>θ griotta</i> . DC.	(wh.) globular-fruited.			—	H. 5.	
	<i>i cordigera</i> . DC.	(wh.) red-heart.			—	H. 5.	Duh. ed. nov. n. 21. t. 14.
5	semperflorens. DC.	(wh.) late-fruited.	N. America.		5. 6.	H. ½.	Duham. arb. 4. t. 16. f. 1.
6	chamaecerasus. DC.	(wh.) bastard.	Germany.	1597.	5.	H. ½.	Wats. dend. brit. 131.
7	persicifolia. DC.	(wh.) Peach-leaved.	N. America.	1818.	4. 5.	H. ½.	Jacq. ic. 1. t. 90.
8	pumila. DC.	(wh.) dwarf.	—	1756.	5.	H. ½.	Mill. ic. t. 89. f. 2.
9	pygmæa. DC.	(wh.) small.	—	1818.	—	H. ½.	
10	nigra. DC.	(wh.) black-fruited.	Canada.	1773.	5. 6.	H. ½.	Bot. mag. t. 1117.
11	borealis. DC.	(wh.) northern.	N. America.	1818.	—	H. ½.	
12	depressa. DC.	(wh.) depressed.	—	1805.	5.	H. ½.	
13	Susquehannæ. W. en.	(wh.) glaucous-ld.	N. America.	1800.	—	H. ½.	
14	hyemalis. DC.	(wh.) mountain.	—	1805.	—	H. ½.	
15	Chicasa. DC.	(wh.) Chicasaw.	—	1806.	4. 5.	H. ½.	
16	pubescens. DC.	(wh.) pubescent.	—	1822.	5.	H. ½.	
17	japonica. DC.	(pi.) Japan.	Japan.	1810.	3. 5.	H. ½.	Bot. reg. t. 27.
18	serrulata. H.C.	(bh.) saw-leaved.	China.	1822.	4. 5.	H. ½.	
19	salicina. H.C.	(bh.) Willow-like.	—	—	—	H. ½.	

1 pseudo-cerasus. DC. (wh.) Chinese.	China.	1820.	4. 5.	F. $\frac{1}{2}$.	Bot. reg. t. 800.
2 paniculata. B.R. non Thunb.					
3 pennsylvanica. DC. (wh.) Pensylvanian.	N. America.	1773.	5.	H. $\frac{1}{2}$.	Willd. arb. t. 3. f. 3.
4 Malaleb. DC. (wh.) perfumed.	S. Europe.	1714.	4. 5.	H. $\frac{1}{2}$.	Jacq. aust. 3. t. 227.
5 Padus. DC. (wh.) Bird.	Britain.		—	H. $\frac{1}{2}$.	Eug. bot. v. 20 t. 1383.
6 rubra. W. (wh.) red-fruited.	England.		—	H. $\frac{1}{2}$.	Willd. arb. t. 4. f. 2.
7 virginiana. DC. (wh.) Virginian.	N. America.	1724.	5. 6.	H. $\frac{1}{2}$.	— t. 5. f. 1.
8 serotina. DC. (wh.) American Bird.	—	1629.	—	H. $\frac{1}{2}$.	Wats. dend. brit. 48.
9 occidentalis. DC. (wh.) West Indian.	Jamaica.	1784.	12. 1.	S. $\frac{1}{2}$.	Catesb. car. 2. t. 91?
10 lusitânica. DC. (wh.) Portugal Laurel.	Portugal.	1648.	6.	H. $\frac{1}{2}$.	Mill. ic. t. 196. f. 1.
11 Hixa. W. en. (wh.) Teneriffe.	Teneriffe.	1824.	—	F. $\frac{1}{2}$.	
12 Laurocerasus. DC. (wh.) Laurel.	Levant.	1629.	4. 5.	H. $\frac{1}{2}$.	Blackw. herb. t. 512.
13 caroliniana. DC. (wh.) evergreen.	Carolina.	1759.	5.	H. $\frac{1}{2}$.	

ORDO LXXVII.

POMACEÆ. *D. Don prodr. flor. nepal. p. 236.*

ME'SPILUS. K.S.	ME'SPILUS. Icosandria Di-Pentagynia.				
1 germanica. DC. (wh.) Medlar.	England.		5. 7.	H. 5.	Eng. bot. v. 22. t. 1523.
2 sylvestris. DC. (wh.) wild.	—		—	H. 5.	
3 stricta. DC. (wh.) upright.			—	H. 5.	
4 diffusa. DC. (wh.) Dutch.			—	H. 5.	Duham. arb. fr. 1. t. 3.
5 grandiflora. s.s. (wh.) large-flow red.	S. Europe.	1800.	5. 6.	H. 5.	Exot. bot. 1. t. 18.
6 Smithii. DC.					
7 Pyracantha. s.s. (wh.) evergreen thorn.	—	1629.	5.	H. $\frac{1}{2}$.	Schmidt arb. t. 90.
8 crenulata. D.P. (wh.) crenulate.	Nepaul.	1818.	6. 7.	H. $\frac{1}{2}$.	
9 mexicana. DC. (wh.) Mexican.	Mexico.	1824.	5. 6.	F. $\frac{1}{2}$.	
10 Crus-galli. L. (wh.) Cockspur-thorn.	N. America.	1691.	5. 6.	H. 5.	Wats. dend. brit. t. 56.
11 pyracanthifolia. (wh.) Pyracantha-leaved.	—	—	—	H. 5.	
12 lucida. Dum-Cours. bot. cult. ed. 2. v. 5. p. 418. non Miller.					
13 salicifolia. L.C. (wh.) Willow-leaved.	—	—	—	H. 5.	
14 linearis. DF. (wh.) linear-leaved.	—	—	—	H. 5.	
15 nana. Dum-C. (wh.) dwarf.	—	1826.	—	H. $\frac{1}{2}$.	
16 spinosissima. L.C. (wh.) long-spined.	S. Europe.		—	H. $\frac{1}{2}$.	Lodd. bot. cab. 1100.
17 punctata. W. en. (wh.) spotted-fruited.	N. America.	1746.	—	H. 5.	Wats. dend. brit. t. 57.
18 rubra. Ph. (wh.) red-fruited.	—	—	—	H. $\frac{1}{2}$.	
19 aurea. Ph. (wh.) yellow-fruited.	—	—	—	H. $\frac{1}{2}$.	
20 elliptica. W. en. (wh.) oval-leaved.	—	1765.	5.	H. 5.	
21 prunifolia. s.s. (wh.) Plum-leaved.	—	1812.	5. 6.	H. 5.	
22 prunellifolia. DC. (wh.) Sloe-leaved.	—	1824.	—	H. $\frac{1}{2}$.	
23 latifolia. Poir. (wh.) broad-leaved.	N. America.		—	H. 5.	
24 parvifolia. W. en. (wh.) Gooseberry-leav'd.	—	1704.	—	H. $\frac{1}{2}$.	Wats. dend. brit. 65.
25 anthocarpus. s.s. Crataegus parvifolia. DC. tomentosa. L.	Trew.	ehr. t. 17.			
26 ovalifolia. DC. (wh.) oval-leaved.	—		—	H. $\frac{1}{2}$.	
27 viridis. DC. (wh.) smooth green.	—		—	H. $\frac{1}{2}$.	
28 pauciflora. Poir. (wh.) few-flowered.	Switzerland.	1818.	—	H. $\frac{1}{2}$.	
29 lucida. DC. (wh.) glossy-leaved.	—		—	H. $\frac{1}{2}$.	
30 apifolia. s.s. (wh.) Parsley-leaved.	—	1812.	—	H. $\frac{1}{2}$.	
31 pyrifolia. s.s. (wh.) Pear-leaved.	—	1765.	6.	H. 5.	Wats. dend. brit. t. 61.
32 glandulosa. s.s. (wh.) hollow-leaved.	N. America.	1750.	5. 6.	H. 5.	— brit. t. 58.
33 Crataegus sanguinea. Pall. ross. 1. t. 11.					
34 spatulata. s.s. (wh.) spatula-leaved.	—	1806.	—	H. 5.	Lodd. bot. cab. t. 1261.
35 coccinea. s.s. (wh.) scarlet-fruited.	—	1683.	4. 5.	H. 5.	Wats. dend. brit. t. 62.
36 purpurea. W.D. (wh.) purple-branch'd.	—		—	H. 5.	— t. 60.
37 cordata. s.s. (wh.) Maple-leaved.	—	1738.	5. 6.	H. 5.	— t. 63.
38 Crataegus cordata. Bot. reg. t. 1151.					
39 lobata. Poir. (wh.) lobed-leaved.	—	1818.	—	H. 5.	
40 florentina. Be. (wh.) Florentine.	Florence.	1824.	—	H. 5.	
41 nigra. s.s. (wh.) black-fruited.	Hungary.	1818.	—	H. 5.	Lodd. bot. cab. t. 1021.

32	pentágyna. s.s. (wh.) five-styled.	Hungary.	1818.	5. 6.	H. 5.	
33	fláva. W. en. (wh.) yellow-berried.	N. America.	1724.	—	H. 5.	Wats. dend. brit. t. 50.
34	físsa. Poir. (wh.) cloven-leaved.	—	1818.	—	H. 5.	
35	Oliveriàna. DC. (wh.) Oliver's.	Levant.	—	—	H. 5.	
36	Poiretiàna. DC. (wh.) Poiret's.	N. America.		—	H. 5.	
	lineàris. Poir. non p.s.					
37	dissécta. Dum. (wh.) cut-leaved.	Persia.	1828.		H. 5.	
38	Oxyacántha. s.s. (wh.) Hawthorn.	Britain.		5. 6.	H. 5.	Eng. bot. v. 35. t. 2504.
	<i>Cratægus Oxyacántha</i> . DC.					
	β major. (wh.) great-fruited.	—		—	H. 5.	
	γ àurea. (wh.) yellow-berried.	—		—	H. 5.	
39	præcox. (wh.) Glastonbury.			3. 5.	H. 5.	
40	oxyacanthoïdes. B.R. Hawthorn-like.	S. Europe.		5. 6.	H. 5.	Bot. reg. t. 1128.
	β multipléx. (wh.) double-flowered.	—		—	H. 5.	
41	élegans. Poir. (ro.) rose-coloured.	—		—	H. 5.	Blackw. herb. t. 149.
	β rubérrima. (re.) dark-red.	—	1827.	—	H. 5.	
42	eriocárpa. Lind. (wh.) woolly-fruited.	Britain.		—	H. 5.	
43	monógyna. Pal. (wh.) one-styled.	Siberia.		—	H. 5.	Pall. ross. 1. t. 12.
44	heterophýlla. DC. (wh.) various-leaved.	Levant?	1818.	—	H. 5.	Bot. reg. t. 1161.
45	Azaròlus. s.s. (wh.) Azarole.	S. Europe.	1640.	—	H. 5.	Andr. reposit. t. 579.
46	Arònia. W. en. (wh.) Aronian.	Levant.		—	H. 5.	Pocock tr. t. 85.
47	orientàlis. Poir. (wh.) oriental.	—	1824.	—	H. 5.	
48	tanacetifòlia. A.R. (wh.) Tansy-leaved.	—	1789.	—	H. $\frac{1}{2}$.	Andr. reposit. t. 591.
49	odoratíssima. A.R. (wh.) sweet-scented.	Crimea.		—	H. $\frac{1}{2}$.	— t. 590.
50	Celsiàna. W. en. (wh.) Cels's.	Levant.	1822.	—	H. $\frac{1}{2}$.	
51	laciniàta. DC. (wh.) jagged.	Sicily.	—	—	H. $\frac{1}{2}$.	
52	melanocárpa. s.s. (wh.) black-berried.	Tauria.	1818.	—	H. $\frac{1}{2}$.	
53	pectinàta. L. en. (wh.) pectinated.	Persia.	1824.	—	H. $\frac{1}{2}$.	
54	flabellàta. L.C. (wh.) fan-leaved.		1823.	—	H. $\frac{1}{2}$.	
55	pruinòsa. Lk. (wh.) frosted		1826.	—	H. $\frac{1}{2}$.	
56	succulénta. Ser. (wh.) succulent.		—	—	H. $\frac{1}{2}$.	
57	subvillòsa. Ser. (wh.) villous.		1827.	—	H. $\frac{1}{2}$.	
58	punícea. F. crimson.	Dahuria.	—		H. $\frac{1}{2}$.	
RAPHIOL'EPIS. DC. RAPHIOL'EPIS. Icosandria Digynia.						
1	índica. DC. (wh.) Indian.	China.	1806.	5. 8.	G. $\frac{1}{2}$.	Bot. mag. t. 1726.
	<i>Cratægus índica</i> . B.M.					
2	phæostémon. DC. (wh.) red-stamen'd.	—	1818.	—	G. $\frac{1}{2}$.	Bot. reg. t. 468.
	índica. Bot. reg. non Bot. mag.					
3	rùbra. DC. (wh.) red-stemmed.	—	1806.	—	G. $\frac{1}{2}$.	Lindl. coll. t. 3.
4	salicifòlia. DC. (wh.) Willow-leaved.	—	1820.	—	G. $\frac{1}{2}$.	Bot. reg. t. 652.
PHOTINIA. DC. PHOTINIA. Icosandria Digynia.						
1	serrulàta. DC. (wh.) smooth-leaved.	China.	1804.	4. 7.	H. $\frac{1}{2}$.	Bot. mag. t. 2105.
	<i>Cratægus glabra</i> . B.M.					
2	arbutifòlia. DC. (wh.) Arbutus-leaved.	California.	1796.	6. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 491.
3	integrifòlia. DC. (wh.) entire-leaved.	Nepaul.	1820.	5. 6.	H. $\frac{1}{2}$.	
	<i>Pyrus integerrima</i> . D.P.					
4	dùbia. DC. (wh.) doubtful.	—	1822.	—	H. $\frac{1}{2}$.	Linn. trans. 13. t. 10.
	<i>Mespilus tinctoria</i> . D.P. <i>Mespilus bengalénsis</i> . Roxb.					
ERIOBOTRYA. DC. LOQUAT. Icosandria Pentagynia.						
1	japónica. DC. (wh.) Japan.	Japan.	1787.	9. 10.	H. $\frac{1}{2}$.	Bot. reg. t. 365.
	<i>Mespilus japónica</i> . Vent. malm. t. 19.					
2	elliptica. DC. (wh.) elliptic-leaved.	Nepaul.	1822.		H. $\frac{1}{2}$.	
	<i>Mespilus Cuila</i> . D.P.					
COTONEASTER. DC. COTONEASTER. Icosandria Di-Pentagynia.						
1	vulgàris. DC. (wh.) common.	Europe.	1656.	4. 5.	H. $\frac{1}{2}$.	Flor. dan. t. 112.
	<i>Mespilus Cotoneaster</i> . L.					
2	affinis. DC. (bh.) likened.	Nepaul.	1820.	6. 7.	H. $\frac{1}{2}$.	
3	tomentòsa. DC. (wh.) Quince-leaved.	Europe.	1759.	4. 5.	H. $\frac{1}{2}$.	Wats. dend. brit. t. 55.
	<i>Mespilus eriocarpa</i> . W.D.					
4	denticulàta. K.S. (wh.) tooth-leaved.	Mexico.	1826.		F. $\frac{1}{2}$.	H. et B. n. ge. am. 6. t. 556.
5	laxiflòra. J.F. (wh.) loose-flowered.	Nepaul.	1820.	5. 7.	H. $\frac{1}{2}$.	
6	frígida. B.R. (wh.) mountain.	—	1823.	4. 5.	H. $\frac{1}{2}$.	Bot. reg. t. 1229.
7	acuminàta. DC. (bh.) pointed-leaved.	—	1820.	4. 6.	H. $\frac{1}{2}$.	Linn. trans. v. 13. t. 9.
	<i>Mespilus acuminata</i> . Lodd. bot. cab. t. 919.					
8	rotundifòlia. B.R. (wh.) round-leaved.	—	—	—	H. $\frac{1}{2}$.	Bot. reg. t. 1187.
	<i>microphylla</i> β <i>Uva ursi</i> . B.R.					
9	microphylla. B.R. (wh.) small-leaved.	—	—	—	H. $\frac{1}{2}$.	Bot. reg. t. 1114.
10	buxifòlia. B.R. (wh.) Box-leaved.	—	1824.	—	H. $\frac{1}{2}$.	

AMELA'NCHIER. DC. AMELA'NCHIER. Icosandria Pentagynia.

1	vulgaris. DC. (wh.) common.	S. Europe.	1596.	4. 5.	H. h.	Schmidt. arb. t. 85.
	<i>Mespilus Amelanchier</i> . Jacq. aust. t. 300. <i>Pyrus Amelanchier</i> . W.					
2	Botryapium. DC. (wh.) snowy.	N. America.	1746.	—	H. h.	Schmidt. arb. t. 84.
	<i>Mespilus canadensis</i> . L. <i>Pyrus Botryapium</i> . w. <i>Aronia Botryapium</i> . P.S.					
3	ovalis. DC. (wh.) oval-leaved.	—	1800.	—	H. h.	
4	sanguinea. DC. (wh.) red-branched.	—	1812.	—	H. h.	Bot. reg. t. 1171.
ARONIA. P.S. ARONIA. Icosandria. Di-Pentagynia.						
1	arbutifolia. N. (wh.) red-berried.	N. America.	1700.	5. 6.	H. h.	Mill. ic. t. 109.
	<i>pyrifolia</i> . P.S. <i>Pyrus arbutifolia</i> . Ph.					
2	grandifolia. (wh.) large-leaved.	—		—	H. h.	Bot. reg. t. 1154.
	<i>Pyrus grandifolia</i> . B.R.					
3	floribunda. (wh.) many-flowered.	—		—	H. h.	Bot. reg. t. 1006.
4	xanthocarpa. L.C. (wh.) yellow-fruited.	—	1820.	—	H. h.	
5	melanocarpa. N. (wh.) black-fruited.	—	1700.	—	H. h.	Schmidt. arb. t. 86.
6	chamæmispilus. P.S. (wh.) Bastard Quince. Pyrenees.	1683.	—	—	H. h.	— t. 87.
	<i>Mespilus chamæmispilus</i> . L. <i>Cratægus chamæmispilus</i> . Jacq. aust. t. 231.					
PYRUS. DC. PEAR & APPLE. Icosandria Di-Pentagynia.						
1	communis. DC. (wh.) common Pear.	England.		4.	H. 5.	Eng. bot. v. 25. t. 1784.
	<i>a' Achras</i> . DC. (wh.) pointed-leaved.	—		—	H. 5.	
	<i>β pyraster</i> . DC. (wh.) round-leaved.	—		—	H. 5.	Gært. fr. t. 87. f. 2.
	<i>γ sativa</i> . DC. (wh.) cultivated.	—		—	H. 5.	
2	Bollwylleriàna. DC. (wh.) woolly-leaved.	Germany.	1786.	4. 5.	H. 5.	Lodd. bot. cab. t. 1009.
3	salvifolia. DC. (wh.) Sage-leaved.	France.	1824.	—	H. 5.	
4	amygdaliformis. DC. (wh.) Almond-like.	—	1820.	—	H. 5.	
5	elæagnifolia. DC. (wh.) Oleaster-leaved.	Tauria.	1818.	—	H. 5.	
6	salicifolia. DC. (wh.) Willow-leaved.	Siberia.	1780.	5. 6.	H. 5.	Bot. reg. t. 514.
7	crenata. D.P. (wh.) crenated.	Nepaul.	1820.	—	H. 5.	
8	sinaica. DC. (wh.) Mount Sinai.	Levant.	—	5.	H. 5.	Wats. dend. brit. t. 49.
	<i>persica</i> . P.S.					
9	nivalis. DC. (wh.) white-leaved.	Austria.		—	H. 5.	Jacq. aust. 2. t. 107.
10	Pashia. D.P. (wh.) rough-fruited.	Nepaul.	1825.	5. 6.	H. 5.	
11	Nussia. D.P. (wh.) small-fruited.	—	1823.	—	H. 5.	
12	sinensis. B.R. (wh.) Chinese.	China.	—	—	H. 5.	Bot. reg. t. 1248.
13	acerba. DC. (bh.) sour.	Europe.		4. 5.	H. 5.	Flor. dan. t. 1101.
14	Malus. DC. (bh.) common Apple.	Britain.		—	H. 5.	Eng. bot. v. 3. t. 179.
15	præcox. (bh.) Paradise.	Russia.	1784.	4.	H. 5.	
16	dioica. DC. (st.) linear petal'd.			4. 5.	H. 5.	
17	astracànica. DC. (bh.) Astracan.	Astracan.	1824.	—	H. 5.	
18	spectabilis. DC. (pi.) Chinese Apple.	China.	1780.	5.	H. 5.	Bot. mag. t. 267.
19	prunifolia. DC. (bh.) Siberian Crab.	Siberia.	1758.	4. 5.	H. 5.	Mill. ic. 2. t. 269.
20	tomentosa. DC. (bh.) woolly.	—	1824.	—	H. 5.	
21	rubicunda. DC. (bh.) red-fruited.		1820.	—	H. 5.	
22	baccata. DC. (bh.) small Crab.	Siberia.	1784.	—	H. 5.	Pall. fl. ross. t. 10.
23	coronaria. DC. (pi.) sweet-scented.	Virginia.	1724.	5.	H. 5.	Bot. reg. t. 651.
24	angustifolia. DC. (bh.) narrow-leaved.	N. America.	1750.	—	H. h.	Wats. dend. brit. 132.
25	pumila. Mil. (bh.) dwarf evergreen.			4. 5.	H. h.	
26	Aria. DC. (wh.) white-beam.	Britain.		5. 6.	H. 5.	Eng. bot. v. 26. t. 1858.
27	alpina. W. en. (wh.) Alpine.	Europe.	1820.	—	H. 5.	Duham. ed. nov. 4. t. 34.
	<i>longifolia</i> . Duham.					
28	intermedia. DC. (wh.) Swedish.	Sweden.	1789.	4. 5.	H. 5.	Flor. dan. 301.
29	latifolia. P.S. (wh.) broad-leaved.	France.		5. 6.	H. 5.	Duham. arb. 1. t. 80.
30	edulis. W. en. (wh.) eatable-fruited.	Europe.	1816.	—	H. 5.	Wats. dend. brit. t. 52.
31	lanata. D.P. (wh.) woolly.	Nepaul.	1820.	—	H. 5.	
32	terminalis. DC. (wh.) Wild Service.	England.		4. 5.	H. 5.	Eng. bot. v. 5. t. 298.
33	auriculata. DC. (wh.) eared-leaved.	Egypt.	1828.		H. 5.	
34	pinnatifida. DC. (wh.) pinnatifid.	England.		5. 6.	H. 5.	Eng. bot. v. 33. t. 23-31.
35	arbuscula. Poir. (wh.) little tree.	Germany.		—	H. 5.	
36	microcarpa. DC. (wh.) small-berried.	N. America.		—	H. 5.	
37	aucuparia. DC. (wh.) Mountain Ash.	Britain.		—	H. 5.	Eng. bot. v. 5. t. 337.
38	americana. DC. (wh.) purple-berried.	Canada.	1782.	—	H. 5.	Wats. dend. brit. t. 54.
39	serbifolia. W.D. (wh.) Service-leaved.			5.	H. 5.	— t. 53
40	Sorbus. DC. (wh.) Service-tree.	England.		5. 6.	H. 5.	Eng. bot. v. 5. t. 350.
	<i>domestica</i> . E.B. <i>Sorbus domestica</i> . L.					
41	lanuginosa. DC. (wh.) woolly-leaved.	Hungary.	1820.	—	H. 5.	
42	spuria. DC. (bh.) spurious.	Hybrid.		—	H. 5.	Bot. reg. t. 1196.
	<i>hybrida</i> . Moench. Weis. t. 6. <i>Sorbus spuria</i> . P.S.					

CYD'ONIA. DC.		QUINCE. Icosandria Pentagynia.					
1	vulgàris. DC.	(wh.) common.	S. Europe.	1573.	5. 6.	H. 5.	Jacq. aust. 4. t. 312.
	<i>a maliformis</i> . DC.	(wh.) Apple-fruited.	————	————	————	H. 5.	
	β lusitànica. DC.	(wh.) large-fruited.	————	————	————	H. 5.	Duha. arb. fr. 1. p. 195. in.
	γ oblònga. DC.	(wh.) oblong-fruited.	————	————	————	H. 5.	Blackw. herb. t. 137.
2	sinénsis. DC.	(wh.) Chinese.	China.	1815.	4. 5.	H. 5.	Bot. reg. t. 905.
3	japónica. DC.	(sc.) Japan.	Japan.	1796.	1. 12.	H. $\frac{1}{2}$.	Bot. mag. t. 692.
	<i>a rubra</i> .	(sc.) red-flowered.	————	————	————	H. $\frac{1}{2}$.	
	<i>Pyrus japónica</i> .	B.M. <i>Malus japónica</i> .	A.R. 462.				
	β álba.	(wh.) white-flowered.	————	1812.	————	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 511.

ORDO LXXVIII.

ROSACEÆ. D. Don prodr. fl. nepal. p. 229.

Tribus I. ROSEÆ. DC. prodr. 2. p. 596.

ROSA. DC.		ROSE. Icosandria Polygynia. L.							
1	berberifolia. W. (ye.)	Berberry-ld.	Persia.	1790.	6. 8.	H. h.		Redout. ros. 1. 27. t. 2.	
	simplicifolia. P.L. 101.	Lo'wea berberifolia.	Bot. reg.	1261.					
2	ferox. L.R. (pu.)	hedgehog.	Caucasus.	1796.	6. 8.	H. h.		Bot. reg. t. 420.	
3	kamchatka. L.R. (pu.)	Kamtschatka.	Kamtschatka.	1802.	7. 8.	H. h.		_____ t. 419.	
	β nitens. B.R. (pu.)	glossy.	_____	1820.	_____	H. h.		_____ t. 824.	
4	involuerata. L.R. (wh.)	floral-leaved.	China.	1814.	5. 10.	H. h. ∪.		_____ t 739.	
5	clinophylla. R.R. (wh.)	naked-flowered.	_____	1820.	_____	H. h. ∪.		Redout. ros. 1. t. 10.	
6	bracteata. L.R. (wh.)	Macartney.	_____	1795.	6. 10.	H. h. ∪.		_____ 1. t. 6.	
	β scabriuscula. L.R. (w.)	rough Macartney.	_____	_____	_____	H. h. ∪.		Bot. mag. 1377.	
7	nitida. W.en. (ro.)	dwarf Labrador.	N. America.	1773.	7. 8.	H. h. ∪.		Lindl. ros. t. 2.	
8	vapa. R.R. (ro.)	double Burnet.	_____	1726.	_____	H. h.		Redout. ros. 1. 7. t. 2.	
9	lucida. W. (re.)	single Burnet.	_____	1773.	_____	H. h.		Miss Lawr. ros. t. 24.	
10	Lindleyi. S.S. (ro.)	spreading.	_____	1726.	_____	H. h.		Lindl. ros. t. 3.	
	laxa. L.R. non Retz.								
11	parviflora. W. (bh.)	small-flowered.	_____	1724.	_____	H. h.			
	a Single Pennsylvanian (bh.)		_____	_____	_____	H. h.		Miss Lawr. ros. t. 68.	
	β Double Pennsylvanian (bh.)		_____	_____	_____	H. h.		_____ t. 66.	
12	Woodsii. L.R. (pi.)	Woods's.	_____	1815.	6. 7.	H. h.			
13	gemella. S.S. (re.)	twin-flowering.	_____	1800.	7. 8.	H. h.			
14	Lyonii S.S. (ro.)	Lyon's.	Tennessee.	1812.	_____	H. h.			
15	florida. L.C. (re.)	flowering.	N. America.	_____	6. 7.	H. h.			
16	carolina. L.R. (re.)	Carolina.	_____	1726.	_____	H. h.		Lindl. ros. t. 4.	
17	pennsylvanica. L.en. (re.)	Pennsylvanian.	_____	_____	_____	H. h.			
18	blanda. L.R. (re.)	Hudson's Bay.	_____	1773.	5. 8.	H. h.		Miss Lawr. ros. t. 27.	
19	fraxinifolia. L.R. (re.)	Ash-leaved.	Newfoundland.	_____	4. 6.	H. h.		Bot. reg. 458.	
	β Red Alpine Rose. (re.)		_____	_____	_____	H. h.		Miss Lawr. ros. t. 75.	
20	cinnamomea. E.B. (ro.)	Single Cinnamon.	England.		5.	H. h.		Eng. bot. v. 34. t. 2388.	
	β flore semiplena. (ro.)	semidouble.	_____		_____	H. h.			
	γ facundissima. (ro.)	double Cinnamon.	Europe.		4. 5.	H. h.		Lindl. ros. t. 5.	
21	majalis. L.R. (ro.)	dwarf Cinnamon.	S. Europe.		_____	H. h.		Flor. dan. t. 688.	
22	frutetorum. S.S. (bh.)	short peduncul'd.	Volhynia.	1820.	5. 6.	H. h.			
23	ambigua. S.S. (bh.)	ambiguous.	_____	_____	_____	H. h.			
24	macrophylla. L.R. (ro.)	long-leaved.	Nepaul.	1822.		H. h.		Lindl. ros. t. 6.	
25	americana. L.en. (ro.)	American.	America.	_____		H. h.			
26	alpina. L.R. (re.)	Alpine.	Europe.	1683.	6. 7.	H. h.		Bot. reg. 424.	
	a Alpine Rose. (re.)	common.	_____	_____	_____	H. h.		Miss Lawr. ros. t. 30.	
	β pyrenæica. L.R. (re.)	Pyrenean.	_____	_____	_____	H. h.		Jacq. schœnb. 4. t. 416.	
	γ pendulina. L.R. (re.)	pendulous.	_____	1726.	_____	H. h.		Miss Lawr. ros. t. 9.	
27	pygmæa. S.S. (ro.)	pigmy.	Tauria.		_____	H. h.			
28	rubella. E.B. (re.)	long-fruited.	England.		7.	H. h.		Eng. bot. v. 36. t. 2521.	
	β melanocarpa. L.R. (re.)	black-fruited.	_____		_____	H. h.			

29	muricata. L.en.	(ro.) muricate.		1823.	6. 7.	H. h.	
30	balsamica. S.S.	(ro.) balsamic.		—	—	H. h.	
31	stricta. L.R.	(ro.) upright.	N. America.	1726.	—	H. h.	Lindl. ros. t. 7.
	Upright Carolina. (ro.)	—	—	—	—	H. h.	Miss Lawr. ros. t. 36.
32	suavis. S.S.	(ro.) sweet.		1817.	—	H. h.	
33	acicularis. L.R.	(ro.) grey Siberian.	Siberia.		3. 4.	H. h.	Lindl. ros. t. 8.
34	parviflora. Ly.	(ro.) few-flowered.	—		—	H. h.	
35	sulphurea. W.	(st.) double yellow.	Levant.	1629.	7.	H. h.	Bot. reg. 46.
36	lutescens. Ph.	(st.) yellowish.	Siberia.	1780.	5. 6.	H. h.	Lindl. ros. t. 9.
	hispida. Bot. mag. t. 1570.	—	—	—	—	—	—
37	virinea. L.R.	(ro.) twiggy.	Russia.	1826.	5. 6.	H. h.	
38	spinosissima. E.B.	(wh.) Scotch.	Britain.		6. 7.	H. h.	Eng. bot. v. 3. t. 187.
	reversa. L.R.	(wh.) reversed prickles.	—		—	H. h.	Bot. reg. 431.
	striped-flowered Scotch. (std.)	—	—		—	H. h.	Miss Lawr. ros. t. 15.
	Red Scotch. (re.)	—	—		—	H. h.	— t. 62.
	Double Scotch. (wh.)	—	—		—	H. h.	— t. 63.
	Tall Scotch. (wh.)	—	—		—	H. h.	— t. 19.
	Marbled Scotch. (pu.) (wh.)	—	—		—	H. h.	— t. 78.
	sanguisorbifolia. L.R.	(wh.) Sanguisorba-ld.			—	H. h.	
39	altaica. W.en.	(wh.) Pallas's.	Siberia.		—	H. h.	Pall. ros. 2. t. 75.
40	ochroleuca. L.en.	(st.) sulphur-color'd.	—	1814.	—	H. h.	
41	melanocarpa. S.S.	(wh.) small black fruited.	S. Europe.	1823.	—	H. h.	
42	grandiflora. L.R.	(wh.) large flowered.	Siberia.		5. 6.	H. h.	Bot. reg. 888.
43	myriacantha. DC.	(wh.) numerous-spin'd.	S. France.	1820.	—	H. h.	Lindl. ros. t. 10.
44	involuta. E.B.	(bh.) Dr. Walker's.	Hebrides.		6. 7.	H. h.	Eng. bot. v. 29. t. 2068.
45	reversa. L.R.	(bh.) reversed.	Hungary.	1817.	—	H. h.	W. et K. hung. 3. t. 264.
46	Biebersteinii. Ly.	(ro.) Bieberstein's.	Caucasus.	1821.	5.	H. h.	
47	Doriana. L.T.	(wh.) Mr. Don's.	Britain.		6. 7.	H. h.	
48	gracilis. L.T.	(ro.) slender.	—		7 8.	H. h.	Eng. bot. v. 9. t. 583.
	villosa. E.B. non L.	—	—	—	—	—	—
49	Sabini. L.T.	(ro.) Mr. Sabine's.	—		—	H. h.	
50	marginata. L.R.	(ro.) margined.	Germany.	1823.	—	H. h.	
51	ecruscans. L.en.	(ro.) glittering.		—	—	H. h.	
52	dama-cena. L.R.	(re.) red damask.	Syria?	1575.	6. 7.	H. h.	Miss Lawr. ros. t. 38.
53	centifolia. L.R.	(ro.) Provins.	Caucasus.	1596.	—	H. h.	— t. 8.
	muscosa. L.R.	(ro.) single moss.		1724.	—	H. h.	Bot. reg. 53.
	multipléx.	(ro.) double moss.		—	—	H. h.	Bot. mag. t. 69.
	albiflora.	(wh.) white moss.		—	—	H. h.	Bot. reg. t. 102.
	pomponia. L.R.	(pi.) Pomponé.			—	H. h.	Redout. ros. 1. 65. t. 21.
	bipinnata. L.R.	(pi.) bipinnate.	Caucasus.		—	H. h.	— 2. 11. t. 4.
54	gallica. L.R.	(re.) officinal.	Europe.	1596.	—	H. h.	Bot. reg. 448.
	pumila. L.R.	(re.) dwarf.	Austria.	1773.	—	H. h.	Jacq. aust. 2. t. 198.
55	palehella. S.S.	(re.) neat.	France.		—	H. h.	
56	parvifolia. L.R.	(pu.) Burgundy.	Europe.		—	H. h.	Bot. reg. t. 452.
57	tubinata. L.R.	(ro.) Frankfort.	—	1629.	—	H. h.	Miss Lawr. ros. t. 69.
58	villosa. L.T.	(bh.) villous.	Britain.		6.	H. h.	Eng. bot. v. 35. t. 2459.
	molles. E.B.	—	—	—	—	—	—
	single apple bearing. (bh.)	—	—		—	H. h.	Miss Lawr. ros. t. 33.
	carulea. L.T.	(bh.) blue-stalked.	—		—	H. h.	
	concauifolia. L.T.	(bh.) concave-leaved.	Scotland.		—	H. h.	
	suberecta. L.T.	(bh.) suberect.	Yorkshire.		—	H. h.	
	double apple bearing. (pi.)	—	—		—	H. h.	Miss Lawr. ros. t. 29.
59	scabriuscula. L.T.	(bh.) roughish.	Britain.		—	H. h.	Eng. bot. t. 1896.
60	heterophylla. L.T.	(bh.) various-leaved.	Scotland.		—	H. h.	
61	tomentosa. L.T.	(bh.) downy-ld. dog.	Britain.		—	H. h.	Eng. bot. v. 14. t. 990.
	sylvestris. L.T.	(bh.) wood.	—		—	H. h.	
	canescens. L.T.	(bh.) canescent.	—		—	H. h.	
	incana. L.T.	(bh.) hoary.	—		—	H. h.	
	resinosa. L.R.	(re.) resinous.	Ireland.		—	H. h.	
62	nuda. L.T.	(bh.) naked.	Westmoreland.	..	—	H. h.	
63	alba. L.R.	(wh.) single white.	Europe.	1597.	6. 7.	H. h.	Miss Lawr. ros. t. 37.
64	montana. S.S.	(bh.) mountain.	Tauria.	1820.	—	H. h.	
65	hibernica. L.T.	(pi.) Irish.	Ireland.		6. 11.	H. h.	Eng. bot. v. 31. t. 2196.
66	latea. L.R.	(ye.) yellow.	Germany.	1596.	6.	H. h.	Bot. mag. 363.
67	panicca. Mil.	(re. ye.) red and yellow.	Persia.	—	—	H. h.	— t. 1077.
68	Sherardi. Sm.	(bh.) Sherard's.	Britain.		6. 7.	H. h.	
69	Dicksoniana. L.B.	(bh.) Dickson's.	Ireland.		—	H. h.	
70	rubiginosa. E.B.	(ro.) sweet briar.	Britain.		—	H. h.	Eng. bot. v. 14. t. 991.
71	micrantha. L.T.	(ro.) small.	England.		—	H. h.	— v. 35. t. 2190.

72	sèpium. DC.	(bh.) hedge.	France.		—	H. h.	
73	Borreri. L.T.	(bh.) Borrer's.	Britain.		—	H. h.	Eng. bot. v. 36. t. 2579.
	dumetorum. E.B.	nec aliorum.					
74	umbellata. DC.	(ro.) umbel-flowered.	—		—	H. h.	
75	adenophylla. s.s.	(bh.) glandulous.		1816.	—	H. h.	
76	pruinosa. L.C.	(ro.) frosted.		1817.	5. 6.	H. h.	
	pulverulenta. L.R.	non M.B.					
77	glutinosa. L.R.	(bh.) glutinous.	Levant.	1821.	6. 7.	H. h.	Cupan. panp.ed.1.t.61
	rubiginosa crética. Red.	ros. 125. t. 47.					
78	Montezumæ. K.S.	(ro.) Mexican.	Mexico.	1823.		H. h.	Redout. ros. 1. t. 16.
79	repens. Scop.	(bh.) creeping.		1825.	6. 7.	H. h.	
80	uncinata. Bes.	(bh.) hooked.	Poland.	1826.	—	H. h.	
81	Boreykiana. Bes.	(bh.) Boreyki's.		1827.	—	H. h.	
82	Fischeriana. Bes.	(bh.) Fischer's.	Russia.	1825.	—	H. h.	
83	gorenkensis. Bes.	(bh.) Gorenki.	—	—	—	H. h.	
84	guttensteiniensis. Bes.	(bh.) Guttenstein.	Poland.	1822.	—	H. h.	
85	Kosinskiana. Bes.	(bh.) Koscinski.	Europe.	1825.	—	H. h.	
86	polyphylla. Bes.	(bh.) many-leaved.		1827.	—	H. h.	
87	terebinthinacea. Bes.	(bh.) Turpentine.	Germany.	1825.	—	H. h.	
88	Redowskiæ. Bes.	(bh.) Redowski's.		1828.	—	H. h.	
89	uncinella. Bes.	(bh.) small-hooked.	Europe.	1825.	—	H. h.	
90	dimorpha. Bes.	(bh.) variable.	Volhynia.	1821.	—	H. h.	
91	caryophyllacea. Bes.	(bh.) Clove-scent'd.	Poland.	1825.	—	H. h.	
92	glauca. Bes.	(bh.) glaucous.	—	—	—	H. h.	
93	nitidula. Bes.	(bh.) glossy.	Europe.	—	—	H. h.	
94	floribunda. Bes.	(bh.) abundant-fl'd.	—	1828.	—	H. h.	
95	solstitialis. Bes.	(bh.) summer.	Poland.	1821.	—	H. h.	
96	acuta. F.	(bh.) acute-leaved.	Caucasus.	—	—	H. h.	
97	purpurascens. F.	(pu.) purplish.	Tanaim.	—	—	H. h.	
98	rupicola. F.	(bh.) rocky.	Altay.	—	—	H. h.	
99	saxatilis. M.B.	(bh.) rock.	Tauria.	1825.	—	H. h.	
100	caucasica. M.B.	(bh.) Caucasian.	Caucasus.	1793.	5. 6.	H. h.	Lindl. ros. t. 11.
101	cæsia. L.T.	(bh.) grey-leaved.	Scotland.		7.	H. h.	Eng. bot. v. 33. t. 2367.
102	sarmentacea. L.T.	(ro.) sarmentose.	Britain.		6. 7.	H. h.	
	β nitens. L.T.	(ro.) glossy-leaved.	—		—	H. h.	
103	bractescens. L.T.	(bh.) long-bracted.	Lancashire.		—	H. h.	
104	dumetorum. L.T.	(bh.) bushy.	England.		6.	H. h.	
105	Forsteri. Sm.	(bh.) Forster's.	—		—	H. h.	
106	collina. L.T.	(bh.) hill.	—		—	H. h.	
107	canina. L.T.	(bh.) dog or hep.	Britain.		6. 7.	H. h.	Jacq. aust. 2. t. 197.
	β cæra. L.T.	(bh.) wary.	—		—	H. h.	Eng. bot. v. 14. t. 912.
	γ glandulifera. L.T.	(bh.) glandular.	—		—	H. h.	
	δ simpliciuscula. L.T.	(bh.) simple-calyxed.	—		—	H. h.	
108	sarculosa. L.T.	(bh.) sarculose.	—		—	H. h.	
109	leucantha. L.en.	(wh.) white-flowered.	Siberia.	1821.		H. h.	
110	rubrifolia. L.R.	(re.) reddish-leaved.	S. Europe.		5. 6.	H. h.	Bot. reg. t. 430.
111	sericea. L.R.	(bh.) silky-leaved.	Nepaul.	1823.		H. h.	Lindl. ros. t. 12.
112	microphylla. L.R.	(re.) small-leaved.	China.	1822.	6. 8.	H. h.	Bot. reg. t. 919.
113	longifolia. W.	(bh.) Willow-leaved.	—		2. 10.	F. h.	Redout. ros. 2. 27. t. 12.
114	indica. W.	(ro.) common China.	—	1789.	1. 12.	H. h.	Miss Lawr. ros. t. 26.
	β centifolia.	(ro.) large-double.	—		—	H. h.	
	γ purpurea.	(pu.) purple China.	—		—	H. h.	
	δ subalba.	(bh.) whitish China.	—		—	H. h.	
	ε media.	(ro.) middle China.	—		—	H. h.	
	ζ minor.	(ro.) small China.	—		—	H. h.	
	η fragrans.	(pu.) animating.	—		—	H. h.	Andr. ros. ic.
115	odorata.	(pu.) sweet-scented.	—		—	H. h.	
	indica odorata. A.R.	indica fragrans.	R.R. 1. 115. t. 42.	1810.	2. 12.	H. h.	Bot. reg. 804.
	β flavescens.	(st.) yellow China.	China.	1823.	—	H. h.	
116	semperflorens. L.R.	(cr.) red China.	—	1789.	1. 12.	F. h.	Exot. bot. 2. t. 91.
	α diversifolia. V.	(re.) single.	—		—	F. h.	Vent. cels. t. 35.
	β atrovirens.	(cr.) double red.	—	1789.		F. h.	Bot. mag. 284.
	γ resplendens.	(cr.) resplendent.	—		—	F. h.	
	δ fragrans.	(re.) fragrant.	—	1820.	—	F. h.	
	ε Ternauxi.	(re.) Ternaux's.	—	—	—	F. h.	
	ζ Bichonii.	(re.) Bichon's.	—	—	—	F. h.	
117	Lawranceana. L.R.	(bh.) Miss Lawrance's.	—	1810.	—	F. h.	Bot. reg. t. 538.
	β flemingiana.	(bh.) double-flowered.	—	1821.	—	F. h.	

118	<i>syst'yla</i> . L.T.	(bh.) clustered dog.	Britain.		6. 7.	H. h.	Eng. bot. v. 27. t. 1895.
	<i>β lanceolata</i> . L.R.	(bh.) spear-leaved.	Ireland.		—	H. h.	
	<i>γ Monsoniæ</i> . L.R.	(bh.) Lady Monson's.	England.		—	H. h.	
119	<i>arvensis</i> . L.T.	(wh.) field.	Britain.		—	H. h.	Eng. bot. v. 3. t. 188.
	<i>β scandens</i> .	(wh.) Ayrshire.	—		—	H. h. ∪.	Bot. mag. 2054.
120	<i>geminata</i> . Rau.	(bh.) Swiss.	Switzerland.		—	H. h.	
121	<i>sempervirens</i> . W.	(wh.) evergreen.	S. Europe.	1629.	6. 8.	H. h. ∪.	Bot. reg. t. 465.
122	<i>Boursoultii</i> .	(ro.) Boursoult's.	Hybrid.	1821.	4. 7.	H. h. ∪.	
123	<i>hyacinthina</i> .	(ro.) Hyacinth-scented.	—	—	—	H. h. ∪.	
124	<i>Grevillii</i> .	(ro. bh.) Greville's.	China.		—	H. h. ∪.	
125	<i>Roxburghii</i> .	(ro.) Roxburgh's.	—		—	H. h. ∪.	
126	<i>multiflora</i> . W.	(va.) many-flowered.	—	1804.	6. 8.	H. h. ∪.	Bot. reg. 425.
	<i>α rosea</i> .	(ro.) common.	—	—	—	H. h. ∪.	Bot. mag. t. 1059.
	<i>β albiflora</i> .	(wh.) white-flowered.	—	1825.	—	H. h. ∪.	
127	<i>Brunonii</i> . L.R.	(wh.) Mr. Brown's.	Nepaul.	1820.	—	H. h.	Lindl. ros. t. 14.
128	<i>moschata</i> . L.R.	(wh.) musk-scented.	Africa.	1596.	7. 9.	H. h.	Miss Lawr. ros. t. 64.
	<i>β flore pleno</i> .	(wh.) double musk.	—	—	—	H. h.	t. 53.
129	<i>nivea</i> . Dup.	(wh.) snow white.	Hybrid.	1823.	—	H. h.	Bot. reg. 861.
130	<i>Noisettiana</i> . R.R.	(bh.) Noisette's.	—	1816.	5. 11.	H. h.	
	<i>β grandiflora</i> .	(bh.) large-flowered.	—	1827.	—	H. h.	
	<i>γ Fraseri</i> .	(bh.) Fraser's.	—	1815.	—	H. h.	
	<i>δ purpurea</i> .	(pu.) purple.	—	1823.	—	H. h.	
131	<i>rubifolia</i> . L.R.	(re.) bramble-leav'd.	N. America.	1800.	7. 9.	H. h.	
	<i>β fenestralis</i> . L.R.	(re.) thin-leaved.	—	—	—	H. h.	Lindl. ros. t. 15.
132	<i>lavigata</i> . L.R.	(wh.) smooth.	Georgia.	1826.	—	H. h. ∪.	Bot. mag. t. 2847.
133	<i>sinica</i> . L.R.	(wh.) shining-leaved.	China.	1759.	6. 8.	F. h.	Lindl. ros. t. 16.
134	<i>Banksiæ</i> . L.R.	(wh.) Lady Banks's.	—	1807.	—	H. h. ∪.	Bot. reg. t. 397.
	<i>α albiflora</i> .	(wh.) white-flowered.	—	—	—	H. h. ∪.	Bot. mag. t. 1954.
	<i>β lutea</i> .	(ye.) yellow-flowered.	—	1823.	—	H. h. ∪.	v. 13. t. 1105.

GARDEN VARIETIES.

I. spinosissima.

- 1 Aberdeen.
- 2 Aberfoil.
- 3 alba.
- 4 Alloa.
- 5 Ancram.
- 6 Anderson's double lady's
[blush.
- 7 Arbroath.
- 8 Argyll.
- 9 Arrochar.
- 10 Aurora borealis.
- 11 Balloch.
- 12 Banff.
- 13 Bannochburn.
- 14 Borisdale.
- 15 Bass.
- 16 Bengloe.
- 17 Ben Lomond.
- 18 Ben More.
- 19 Berwick.
- 20 bicolor.
- 21 Biggar.
- 22 Birnam.
- 23 Blair Athol.
- 24 Boharm.
- 25 Berthwick.
- 26 Bachan.
- 27 Bute.
- 28 Caithness.
- 29 Calder.
- 30 Callender.
- 31 Campsie.
- 32 carnescens.
- 33 Carron.
- 34 Cheviot.
- 35 ciphieri.

GARDEN VARIETIES.

- 36 Clydesdale.
- 37 Cromarty.
- 38 Dalkeith.
- 39 Dalrymple.
- 40 Dornock.
- 41 double blush Princess.
- 42 double blush Provins.
- 43 double crimson.
- 44 double crimson mottled.
- 45 double dark marbled.
- 46 double dark red.
- 47 double lady's blush.
- 48 double light marbled.
- 49 double light purple.
- 50 double pink.
- 51 double purple.
- 52 double rose blush.
- 53 Douglas.
- 54 Dumbarton.
- 55 Dumblane.
- 56 Dumfrynline.
- 57 Dumfries.
- 58 Dunbar.
- 59 Duncriff.
- 60 Dundee.
- 61 Dunglass.
- 62 Dunkeld.
- 63 Dunlop.
- 64 Dunmore.
- 65 Dutch double blush.
- 66 dwarf bicolor.
- 67 Dysart.
- 68 Eden.
- 69 Elgin.
- 70 Etterick.
- 71 Fairy.
- 72 Falkirk.

GARDEN VARIETIES.

- 73 Falkland.
- 74 Falla.
- 75 Fife.
- 76 flavescens.
- 77 Forfar.
- 78 Forth.
- 79 Fort William.
- 80 fulgens.
- 81 Furness.
- 82 Galloway.
- 83 Glasgow.
- 84 Glenco.
- 85 Glenfallach.
- 86 Glengarry.
- 87 Gourrock.
- 88 Grahamston.
- 89 Grampian.
- 90 Greenock.
- 91 Haddington.
- 92 Halkirk.
- 93 Hamilton.
- 94 Hawick.
- 95 Hawthorndean.
- 96 Hector.
- 97 humilis.
- 98 Huntly.
- 99 incarnata.
- 100 Inverary.
- 101 Inverness.
- 102 Invermay.
- 103 Janus.
- 104 Jedburgh.
- 105 Jura.
- 106 Keith.
- 107 Kelso.
- 108 Kilmarnock.
- 109 Kincardine.

GARDEN VARIETIES.

- 110 Kinnaird.
- 111 Kinross.
- 112 Kircaldy.
- 113 Kirkwall.
- 114 Lanark.
- 115 Laxford.
- 116 Leith.
- 117 Leslie.
- 118 Lismore.
- 119 Lochaber.
- 120 Lochaird.
- 121 Loch fine.
- 122 Lochleven.
- 123 Lochlomond.
- 124 Lothian.
- 125 Maidenkirk.
- 126 Melrose.
- 127 Moncrieff.
- 128 Monteith.
- 129 Montgomery.
- 130 Montrose.
- 131 Mount Stuart.
- 132 Mull.
- 133 Moray.
- 134 mutabilis.
- 135 Nevis.
- 136 Northumberland.
- 137 Paisley.
- 138 penicillata.
- 139 Pentland.
- 140 perpetual.
- 141 picta. L.B.C. 687.
- 142 Proteus.
- 143 red, double light.
- 144 Robertson.
- 145 Rosslyn.
- 146 Rothsay.
- 147 rubicunda.
- 148 Selkirk.
- 149 Shetland.
- 150 Sky.
- 151 small double light purple.
- 152 small double white.
- 153 small double yellow.
- 154 Staffa.
- 155 Stirling.
- 156 Strathmore.
- 157 striata.
- 158 Stronsa.
- 159 Sutherland.
- 160 Tiviotdale.
- 161 Tarbet.
- 162 Thornhill.
- 163 Thurso.
- 164 Tranent.
- 165 true double red.
- 166 two-coloured large double.
- 167 two-coloured small double.
- 168 variegata.
- 169 venulosa glabra.
- 170 venulosa hispida.
- 171 white, large double.
- 172 white, large semidouble.
- 173 white, small double.
- 174 Whitley's double white.
- 175 yellow, globe double.
- 176 yellow, large double.
- 177 yellow, pale double.

GARDEN VARIETIES.

II. *gallica*.

- 178 admirable.
- 179 aigle noir.
- 180 aimable beaute.
- 181 albanian.
- 182 Amaranth.
- 183 Antwerp.
- 184 atlas.
- 185 beaute rouge.
- 186 beaute supreme.
- 187 belle aurore.
- 188 belle cramoisie.
- 189 belle herminie.
- 190 belle pourpre.
- 191 belle violette.
- 192 Bijou.
- 193 Bishop. M.L.R. 20.
- 194 black frizzled.
- 195 blue.
- 196 blue and purple.
- 197 blush hundred-leaved.
- 198 bouquet rouge royale.
- 199 bright purple.
- 200 Brunette.
- 201 Brussels.
- 202 Buonaparte.
- 203 burning coal.
- 204 cardinal M.L.R. 59.
- 205 carmine.
- 206 carmine, brillante.
- 207 carmine, proliferous.
- 208 carnation.
- 209 Catalonian.
- 210 champion.
- 211 chancellor.
- 212 changeable.
- 213 cherry.
- 214 Clementine.
- 215 coquette.
- 216 couleur de fen.
- 217 cramoisie, grand.
- 218 crown.
- 219 Cupid.
- 220 damask black.
- 221 dark marbled.
- 222 dark violet.
- 223 delicious.
- 224 dingy.
- 225 double velvet.
- 226 double marbled. M.L.R. 57.
- 227 Duc de Guiche.
- 228 Duchess d'Orleans.
- 229 dutch crimson.
- 230 dutch tree.
- 231 dutch 100 leaved.
- 232 early Ranunculus.
- 233 enchanter.
- 234 enfant de France.
- 235 Eucharis.
- 236 Fanny Bias.
- 237 favourite purple.
- 238 fiery.
- 239 Flanders.
- 240 Flemish.
- 241 formidable.
- 242 fringed. M.L.R. 82.
- 243 garnet.
- 244 gay.

GARDEN VARIETIES.

- 245 giant. M.L.R. 49.
- 246 gloria mundi.
- 247 gloria mundi flore pallido.
- 248 gloria mundi pourpre.
- 249 granaat appel.
- 250 grand monarque.
- 251 grand purple.
- 252 grand Sultan.
- 253 Henry IV.
- 254 Hervy.
- 255 imperatrice.
- 256 incomparable.
- 257 infernal.
- 258 invincible.
- 259 Italian.
- 260 Josephine.
- 261 Junon.
- 262 king.
- 263 La Dauphine.
- 264 la grand belle pourpre.
- 265 Leyden.
- 266 light purple.
- 267 Lisbon. M.L.R. 67.
- 268 lively.
- 269 L'ombre agreable.
- 270 L'ombre superbe.
- 271 lurid.
- 272 maiden.
- 273 Majorca.
- 274 Malabar.
- 275 Malta.
- 276 manteau royal.
- 277 marbled.
- 278 marbled, grand.
- 279 Margaret.
- 280 matchless.
- 281 Mauve.
- 282 mignonne.
- 283 mignonne, blush.
- 284 mignonne, dark.
- 285 mignonne, favorite.
- 286 mignonne, incised.
- 287 mignonne, red.
- 288 mignonne, semidouble.
- 289 mignonne, striped.
- 290 mirabelle.
- 291 Mogul.
- 292 Montaubon.
- 293 Morocco.
- 294 mottled, black.
- 295 mundi. M.L.R. 13.
- 296 natalie.
- 297 negrette.
- 298 negro.
- 299 ninon de l'Enclos.
- 300 nonpareil.
- 301 nonsuch.
- 302 noir de Hollande.
- 303 Normandy.
- 304 officinal.
- 305 officinal blush.
- 306 officinal carmine.
- 307 Orleans.
- 308 ornement de parade.
- 309 Pastana.
- 310 paradise.
- 311 paragon.
- 312 pavot.

GARDEN VARIETIES.

- 313 perruque.
 314 petite 100 leav'd. M.L.R. 55.
 315 petite panachée.
 316 phoenix.
 317 plicate. M.L.R. t. 87.
 318 Pluto. M.L.R. 32.
 319 Pomona.
 320 pompadour.
 321 pompone bizard.
 322 Poniatowsky.
 323 poppy.
 324 porcelaine.
 325 Portland.
 326 pourpre bouquet.
 327 pourpre charmante.
 328 pourpre de Tyr.
 329 pourprée, grand belle.
 330 pourprée, point.
 331 pourpre velours.
 332 prince.
 333 princess.
 334 prince William V.
 335 prolific.
 336 Pronville.
 337 Proserpine.
 338 Provins pulmonaire.
 339 purple blue.
 340 purple crimson.
 341 pyramidal.
 342 queen.
 343 Ranunculus.
 344 red and violet.
 345 Roi de France.
 346 Roi de pourpres.
 347 royal crimson.
 348 royal red.
 349 royal purple.
 350 royal virgin. M.L.R. 7.
 351 sable.
 352 Saint John's.
 353 Sanspareil.
 354 sceptre.
 355 semidouble velvet.
 356 shell. M.L.R. 89.
 357 single velvet.—51.
 358 Singleton's 100 leaved.—85.
 359 Spanish.
 360 stadtholder.
 361 Stepney. M.L.R. 46.
 362 striped nosegay.
 363 striped velvet.
 364 superb red.
 365 Sultan. M.L.R. 35.
 366 Trafalgar.
 367 triumphant.
 368 Tuscany. B.R. v. 6. t. 418.
 369 two-colored.
 370 Venetian.
 371 victory.
 372 violette and rouge.

III. *centifolia*.

- 373 aurora.
 374 Belle d'Aunay.
 375 Blandford, M.L.R. 21.
 376 black mottled.
 377 blush royal. M.L.R. 47.

GARDEN VARIETIES.

- 378 blush cabbage.
 379 Bourbon.
 380 bright crumpled.
 381 carmine.
 382 Centfeuilles Anemone.
 383 Centfeuilles de Bruxelles.
 384 Centfeuilles de Hesse.
 385 Centfeuilles gaufrée.
 386 chamois.
 387 cluster.
 388 Constance.
 389 Cumberland.
 390 dragon.
 391 Duchesse d'Angoulême.
 392 Duchesse de Berri.
 393 early 100 leaved.
 394 Elysian.
 395 emperor.
 396 grand chamois.
 397 grand marbled.
 398 grand Provins.
 399 Louis XVIII.
 400 Malta.
 401 mère gryone.
 402 mignonne, scarlet.
 403 mignonne, crimson.
 404 mignonne, purple.
 405 mottled purple.
 406 Neapolitan.
 407 one-sided.
 408 Œillet.
 409 pencilled.
 410 petite Hollande.
 411 Persian.
 412 pompone, gros.
 413 pourprée aimable.
 414 pourprée favorite.
 415 pourprée violette.
 416 Provins, single. R.R. 1. t. 1.
 417 Provins, common. M.L.R. 8.
 418 Provins, cabbage.
 419 Provins, blush cabbage.
 420 Provins, scarlet, M.L.R. 22.
 421 Provins, Childings.—43.
 422 Provins, blush.—1.
 423 Provins, white.—4.
 424 Provins, Shailer's.—76.
 425 Provins, Colvill's.
 426 Provins, damask.
 427 Provins, dwarf.
 428 Provins, invincible.
 429 Provins, Dutch.
 430 Provins, imperial.
 431 Provins, royal.
 432 Provins, early.
 433 Provins, semidouble.
 434 red Belgic.
 435 rouge superbe.
 436 sans petales.
 437 souchet.
 438 Spong's.
 439 superb carmine.
 440 surpassante.
 441 Syren.
 442 Trianon, Belle de
 443 Versailles.
 444 Vilmorin.

GARDEN VARIETIES.

- * *centifolia muscosa*.
 445 single moss.
 446 common moss.
 447 blush moss.
 448 dark moss.
 449 mottled moss.
 450 prolific moss.
 451 royal moss.
 452 scarlet moss.
 453 semidouble moss.
 454 striped moss.
 455 Shailer's white moss.
 456 Bristol white moss.
 † *centifolia pomponia*.
 457 de Meax. M.L.R. 31.
 458 de Rheims.—71.
 459 dwarf Bagshot.
 460 mignonne charmante.
 461 mossy de Meaux.
 462 mossy Pompone.
 463 Pompone. M.L.R. 50.
 464 proliferous Pompone.
 465 St. Francis. M.L.R. 88.
 466 small provins.
 IV. *damascena*.
 467 argentea.
 468 Aurora.
 469 bifera carnea.
 470 bifera de Naples.
 471 bifera grandiflora.
 472 Belgique carnée.
 473 Belgique violette.
 474 belle couronnée.
 475 blush Belgic. M.L.R. 70.
 476 blush monthly.—18.
 477 blush damask.—52.
 478 Brunswick.
 479 couronnée petite.
 480 damas argente.
 481 damas pourpre.
 482 early blush.
 483 Egyptian.
 484 Emperor.
 485 favorite mignonne.
 486 félicité.
 487 Goliath. M.L.R. t. 80.
 488 gracieuse.
 489 grande monarque.
 490 great royal. M.L.R. 58.
 491 imperial blush. M.L.R. 90.
 492 incomparable.
 493 lesser Belgic.
 494 pale cluster.
 495 paragon.
 496 Parnassus.
 497 Pastana.
 498 petite 100-leaved.
 499 perpetual.
 500 prolific.
 501 quatre saisons.
 502 quatre saisons blanche.
 503 quatre saisons, flesh-colored.
 504 quatre saisons Francois.
 505 quatre saisons panaché.
 506 quatre saisons pompone.
 507 quatre saisons sans épines.
 508 quatre saisons, semidouble.

GARDEN VARIETIES.

- 629 aurelia.
630 Baden.
631 Balbec.
632 beaute frappante.
633 beaute insurmontable.
634 beaute panache.
635 beaute renommee.
636 beaute sanspareille.
637 beaute tendre.
638 belladonna.

VII. *indica et semperflorens.*

- 639 belle actrise.
640 belle aimable.
641 belle aurore descemet.
642 belle brune.
643 belle cataline.
644 belle cerisie.
645 belle d'aunay.
646 belle du jour.
647 belle flamande.
648 belle forme.
649 belle galathee.
650 belle hative.
651 belle incarnate.
652 belle inconnue.
653 belle matilde.
654 belle mahæca.
655 belle parade.
656 belle Tigridia.
657 belle zulme.
658 belle rouge.
659 belle sans flatterie.

VIII. various garden Roses.

- 660 belle sanspareille.
661 belle therese.
662 belle vue.
663 bellona.
664 Berkshire.
665 bizard royal.
666 black purple.
667 blanche superbe.
668 blondine.
669 blush Italian.
670 blush velvet.
671 bold.
672 Bonifacius.
673 bouquet blanc.
674 bouquet panache.
675 bouquet parfait.
676 bouquet superb.
677 Bourbon.
678 Brabant.
679 bracelet d'amour.
680 brigitte.
681 brilliant.
682 brune brillante.
683 brunette aimable.
684 brunette superbe.
685 bucephalus.
686 bullata.
687 cabinet.
688 Calypso.
689 camellote.
690 cannabina.
691 canopus.
692 Carthaginian.
693 Castile.
694 Cecropia.
695 Ceres.

VI. *rubiginosa*.

- 555 Clementine sweet briar.
556 cluster blush sweet briar.
557 double mossy sweet briar.
[M.L.R. 72.
558 double red sweet briar.—61.
559 double rosy sweet briar.
560 double tree sweet briar.
561 eglantine sweet briar.
562 eglanteria alba.
563 evergreen sweet briar.
564 large blush sweet briar.
565 maiden sweet briar.
566 Manning's sweet briar.
[M.L.R. 41.
567 monstrous sweet briar.

GARDEN VARIETIES.

666 cervalis.
 667 chance.
 668 charmante pourpre.
 669 chausse.
 700 eliron.
 701 eicris pale rose.
 702 Cleopatra.
 703 comtesse de Genlis.
 704 cornelian.
 705 cossack.
 706 couleur a la mode.
 707 couleur de cendre.
 708 couleur de cerise.
 709 couleur excellent.
 710 coupee.
 711 couronne.
 712 couronne des roses.
 713 couronne imperiale.
 714 cramoisie eblouissant.
 715 cramoisie elegant.
 716 cramoisie fonce.
 717 cramoisie imperial.
 718 cramoisie incomparable.
 719 cramoisie minor.
 720 cramoisie nouveau.
 721 cramoisie panache.
 722 cramoisie sanspareil.
 723 cramoisie triomphant.
 724 crimson.
 725 crimson perpetual.
 726 crown imperial.
 727 crown purple.
 728 cybele.
 729 danae.
 730 Danish.
 731 dark mignonne.
 732 dark mottled.
 733 dark shell.
 734 darling.
 735 de bengal gros violet
 736 Dejanira.
 737 delicate.
 738 Derby.
 739 descemets.
 740 diadem.
 741 dianthiflora.
 742 Dickson's duchess.
 743 Dido.
 744 don des dames.
 745 Dione.
 746 discolor.
 747 Dorothee.
 748 double apple bearing.
 749 double dog.—60.
 750 double mimms.
 751 double Pæony.
 752 double purple.
 753 double red thornless.
 754 double white thornless.
 755 duc de Brabant.
 756 Duchess.
 757 duchess d'Oldenburgh.
 758 duke of Clarence.
 759 Durham.
 760 Dutch Cinnamon.
 761 Dutch velvet.

GARDEN VARIETIES.

762 dwarf burnet-leaved.
 763 dwarf Chester.
 764 dwarf prolific.
 765 early red.
 766 erato.
 767 Etna.
 768 euphrosyne.
 769 evratina.
 770 ex alba rosea.
 771 fair maid.
 772 favonius.
 773 favorite.
 774 favorite des dames.
 775 fausse unique.
 776 felicie.
 777 felicite.
 778 Felix.
 779 feu amoureux.
 780 feuille chiffonnee.
 781 feuille crenulee.
 782 feuille de chene.
 783 feuille de frene.
 784 few-spined.
 785 fine panachee.
 786 fine crimson.
 787 fine purple.
 688 flavia pourpre.
 789 flesh-coloured.
 790 flesh-coloured four seasons.
 791 fleur de parade.
 792 fleur de pomme.
 793 fleur et feuille marbree.
 794 fleur panachee.
 795 flora.
 796 flore nigricante.
 797 florentine.
 798 flore rubra.
 799 floribunda.
 800 florio.
 801 flos puniceus.
 802 folie de corse.
 803 four seasons semidouble.
 804 franconian.
 805 Frankfort.
 806 Frankfort agate.
 807 freckled.
 808 frilled.
 809 frizzled.
 810 gallica foliacea.
 811 garnett.
 812 Gascony.
 813 Genoese.
 814 Genoese velvet.
 815 gienvieve.
 816 globe.
 817 gloomy.
 818 gloria rubrorum.
 819 gloriosa.
 820 glowing.
 821 grand Alexandre.
 822 grande Anglaise.
 823 grand Cesar.
 824 grand centifolia.
 825 grande chausse.
 826 grand cramoisi.
 827 grande foncee.
 828 grand Mogul.

GARDEN VARIETIES.

829 grand pivoine.
 830 grande pompadour.
 831 grand pyramidal.
 832 grand rouge.
 833 grand triumphant.
 834 grandesse royale.
 835 grandeur royal.
 836 great Mogul.
 837 grey.
 838 grisdeline.
 839 grisdeline sans epines.
 840 Hainault.
 841 Haarlem.
 842 harpagus.
 843 Helena.
 844 Hebe.
 845 hero.
 846 Hertford.
 847 Hildesheim.
 848 Hollandia magniflora.
 849 hortulanus.
 850 hundred leaved mignonne.
 851 hyacinth.
 852 hybrida perfecta.
 853 hybride nouvelle.
 854 iconium.
 855 idumea.
 856 illustrious.
 857 imperatrice.
 858 imperatrice de France.
 859 Indian queen.
 860 inermis.
 861 iris noir.
 862 Isabelle.
 863 Isis.
 864 jaqueline.
 865 jeanne d'arc.
 866 Jersey.
 867 jessica.
 868 jolie.
 869 Julian.
 870 king Agrippa.
 871 king of Mexico.
 872 la belle elise.
 873 la belle rosine.
 874 l'abondance.
 875 la constance.
 876 la coquette.
 877 la Diane.
 878 l'admirable.
 879 la fidele.
 880 la gracieuse.
 881 la grandesse.
 882 l'aimable de Stors.
 883 lake.
 884 la maculee.
 885 la magnifique.
 886 la majesteuse.
 887 la mignarde.
 888 l'amitie.
 889 la moderne.
 890 Lancaster.
 891 lanckman.
 892 la negresse.
 893 la parfaite.
 894 la Parisienne.
 895 la petite lisette.

[M.L.R. 29.]

GARDEN VARIETIES.

- 896 la plus belle.
 897 la plus rouge.
 898 la pomme grenade.
 899 la precieuse pourpre.
 900 la reine.
 901 la reine des roses.
 902 large platter.
 903 large perfect.
 904 la rose de Medicis.
 905 la rose d'Ispahan.
 906 la royale.
 907 la superbe.
 908 la superbe en brun.
 909 la tendresse.
 910 la victorieuse.
 911 la virginité.
 912 leafy.
 913 Leander.
 914 le dauphin.
 915 Lee's perpetua.^l.
 916 le grandeur.
 917 le grand lowendael.
 918 le grand suwarrow.
 919 le grand visir.
 920 Leipsick.
 921 les alliées.
 922 le violet triomphant.
 923 light 100 leaved.
 924 l'impayable.
 925 l'importante.
 926 l'obscurité.
 927 Lodona.
 928 Lodoiska.
 929 l'ombre panaché.
 930 l'ombre sanspareille.
 931 London pride.
 932 Louis 18th.
 933 Lubeck.
 934 Ludolph.
 935 Ludovicus.
 936 Luxemburg.
 937 Lyonnoise.
 938 lystra.
 939 madder.
 940 magdalen.
 941 maiden blush.
 942 mantle.
 943 marble apple bearing.
 944 Margaretta.
 945 Marie anne.
 946 marquis de la Romana.
 947 Marseilles.
 948 maxima.
 949 mere gigon.
 950 merveilleuse.
 951 Mexican.
 952 Milanese.
 953 Minerva.
 954 miroir des dames.
 955 mon bijou.
 956 monstrosa.
 957 monstrous cluster.
 958 monstrous 100 ld. M.L.R. 73.
 959 Montpellier.
 960 morin.
 961 morning star.
 962 mottled.

GARDEN VARIETIES.

- 963 mourning.
 964 multiplex.
 965 Napoleon.
 966 Napoli di romana.
 967 Narbonne.
 968 Nassau.
 969 negre panaché.
 970 Neptune.
 971 new mottled.
 972 new Provins.
 973 nigritienne.
 974 Niobe.
 975 noblesse.
 976 noir foncé.
 977 non plus ultra.
 978 nouvelle favorite.
 979 nouvelle de Provins.
 980 nouvelle pivoine.
 981 Oldenburg.
 982 Oliver.
 983 Olympic.
 984 omphale.
 985 orient.
 986 orion.
 987 ornement de park.
 988 ornement de violet.
 989 oublie des François.
 990 painted.
 991 painted Belgic.
 992 Palestine.
 993 panachée admirable.
 994 panachée nouvelle.
 995 panachée sanspareille.
 996 panachée superbe.
 997 Pannonian.
 998 paradise.
 999 Paris 100-leaved.
 1000 Parnassus.
 1001 parson.
 1002 party coloured.
 1003 Patmos.
 1004 Palmyra.
 1005 Paulina.
 1006 Pearson's gigantic.
 1007 Pegasus.
 1008 pencilled mignonne.
 1009 pencilled Provins.
 1010 Penelope.
 1011 perfecta.
 1012 perle de l'orient.
 1013 perpetuelle rouge.
 1014 Peruvian.
 1015 petit Cæsar.
 1016 petit cramoisi.
 1017 petit favorite.
 1018 petit mignon.
 1019 pierian.
 1020 pilgrim.
 1021 pink velvet.
 1022 plicata purpurea.
 1023 Pomeranian.
 1024 pomegranate.
 1025 pomona.
 1026 pompone.
 1027 pompone blanc.
 1028 pompone bifera.
 1029 pompone quatre saisons.

GARDEN VARIETIES.

- 1030 pompone varin.
 1031 Pope's cluster.
 1032 portlandica grandiflora.
 1033 portlandica perpetua.
 1034 Portobella.
 1035 Portugal.
 1036 pourpre agreable.
 1037 pourpre de Paris.
 1038 pourpre sans epines.
 1039 pourpre de Vienne.
 1040 pourpre imperial.
 1041 pourpre incomparable.
 1042 pourpre obscur.
 1043 pourpre sans defect.
 1044 pourpre sanspareil.
 1045 pourpre superb.
 1046 predominant.
 1047 Presburg.
 1048 prince.
 1049 prince d'Aremberg.
 1050 princely.
 1051 prince regent.
 1052 princess Charlotte.
 1053 princesse noble.
 1054 professor.
 1055 purple crown.
 1056 purple imperial.
 1057 purple velvet.
 1058 pyramide pourpre.
 1059 quatre saisons blanche.
 1060 quatre saisons François.
 1061 quatre saisons panaché.
 1062 quatre saisons sans epines.
 1063 queen's Provins.
 1064 ragged robin.
 1065 Raphael.
 1066 Ratisbon.
 1067 ravenna.
 1068 red cluster.
 1069 red crown.
 1070 red Provins.
 1071 red velvet.
 1072 refulgent.
 1073 regina florum.
 1074 reine Caroline.
 1075 reine d'Hongrie.
 1076 renoncule nouvelle.
 1077 rex rubrorum.
 1078 riche en fleurs.
 1079 roi des negres.
 1080 roi de Rome.
 1081 roi de Maroc.
 1082 roi des pays bas.
 1083 Roman.
 1084 Rosabel.
 1085 Rosanna.
 1086 rose agreable.
 1087 rose bouquet.
 1088 rose de Ceres.
 1089 rose des dames.
 1090 rose du roi.
 1091 rose d'Orleans.
 1092 rose du prince.
 1093 rose la mode.
 1094 rose lee.
 1095 rose pivoine.
 1096 rose prolifere.

GARDEN VARIETIES.

1097 rouge agreable.
1098 rouge bien vif.
1099 rouge eclatant.
1100 rouge formidable.
1101 rouge frappant.
1102 rouge luisant.
1103 rouge panaché.
1104 rouge sans epines.
1105 rouge semidouble.
1106 rouge vegetable.
1107 royal bouquet.
1108 royal carmine.
1109 royal gabina.
1110 royal mantle.
1111 royal viscons.
1112 rubripina.
1113 rubiginosa umbellata.
1114 ruby.
1115 sable.
1116 St. Antoine.
1117 St. Catharine.
1118 St. George.
1119 St. Germain.
1120 St. Gothard.
1121 St. Jago.
1122 St. Mark.
1123 St. Patrick.
1124 sans defect.
1125 sans petales.
1126 Sarmatian.
1127 scarlet Brabant.
1128 sceptre.
1129 scone purple.
1130 semidouble hep.
1131 semidouble mignonne.
1132 semidouble monthly.
1133 semidouble new.
1134 seigneur d'Ærtzelaar.
1135 septum cerise.
1136 Seville.
1137 Sheffield.
1138 Shylock.
1139 Silenus.
1140 Silesian.
1141 shining semidouble.
1142 simplicité.
1143 singuliere agate.

GARDEN VARIETIES.

1144 Sirius.
1145 soliditas.
1146 Southampton.
1147 Spartan.
1148 spineless red.
1149 spiral.
1150 stæbon.
1151 standard.
1152 state.
1153 Stephanus.
1154 striped monthly.
1155 striped Provins.
1156 sugar loaf.
1157 sulphurea.
1158 sulphurea minor.
1159 superb.
1160 superb amaranth.
1161 superbe brune.
1162 superbe pyramide.
1163 surpasse Singleton.
1164 surpasse tout.
1165 Swiss.
1166 Syrian.
1167 Tangiers.
1168 ten-leaved.
1169 temple d'Apollon.
1170 tête de mort.
1171 Theseus.
1172 Tigris.
1173 tricolor.
1174 tomentosa alba.
1175 toujours.
1176 tous les mois gris.
1177 transparent.
1178 transparent nouvelle.
1179 Trebonius.
1180 tree burnet-leav'd.
1181 tree pæony.
1182 tresorier.
1183 triomphe.
1184 triomphe des dames.
1185 triomphe royale.
1186 Triton.
1187 turban.
1188 two-coloured 100-leaved.
1189 two-coloured mignonne.
1190 vacuna.

GARDEN VARIETIES.

1191 vagrant.
1192 velours cramoisie.
1193 veloute.
1194 venerable.
1195 venetatus.
1196 ventome noir.
1197 Venus.
1198 venusta.
1199 veritas.
1200 vermillion.
1201 vesta.
1202 Vesuvius.
1203 Victoria.
1204 Vidua.
1205 villosa nouvelle.
1206 Vilmorin.
1207 violette.
1208 violette agreable.
1209 violette aimable.
1210 violette brillante.
1211 violette curieuse.
1212 violette foncée.
1213 violette maculée.
1214 violette nouvelle.
1215 violette sanspareille.
1216 violette superbe.
1217 violette superieure.
1218 virgin's.
1219 virginale.
1220 virbilia.
1221 virgo cramoisie.
1222 ulterio.
1223 ultramarine.
1224 umbrella.
1225 unique rouge.
1226 Waterloo.
1227 Watson's blush.
1228 Watson's white.
1229 Wellington.
1230 woolly-leaved.
1231 white damask.
1232 white Pomponne.
1233 York.
1234 Yorkshire blush.
1235 Yorkshire Provins.
1236 zatre.
1237 Zenobia.

Subordo II. *POTENTILLÆ*. Juss. gen. 337.

RUBUS. L.		BRAMBLE. Icosandria Polygynia. L.					
1	rosæfolius. DC.	(wh.)	Rose-leaved.	Mauritius.	1811.	10. 4. G. h.	Smith ic. 3. t. 60.
2	eglantéria. DC.	(wh.)	Eglantine.	N. Holland.	1824.	5. 6. G. h.	Bot. mag. t. 1783.
3	coronarius.	(wh.)	double-flowered.	China.	1811.	10. 4. H. h.	
<i>rosæfolius</i> β <i>coronarius</i> . B.M.							
4	pinnatus. DC.	(wh.)	pinnate.	St. Helena.	1789.	6. 7. G. h.	Bot. reg. t. 854.
5	gracilis. DC.	(wh.)	slender.	E. Indies.	1826.	— S. h.	
6	micranthus. D.P.	(re.)	small-flowered.	Nepaul.	1818.	6. 8. H. h.	
<i>pauciflorus</i> . B.R.							
7	distans. D.P.	(re.)	distant-leaved.	—	—	— H. h.	
8	apétalus. DC.	(gr.)	petalless.	Mauritius.	1823.	— S. h.	
9	macropòdus. DC.	(wh.)	large-footed.	N. Holland.	1822.	— G. h.	
10	strigòsus. DC.	(wh.)	strigose.	N. America		6. 7. H. h.	

11	pedunculòsus. D.P.	(wh.) long-peduncled.	Nepaul.	1820.	7. 8.	H. h.	
12	occidentàlis. DC.	(wh.) American raspberry.	N.Amer.	1696.	5. 6.	H. h.	Dill. elth. t. 247. f. 319.
13	ásper. DC.	(wh.) rough.	Nepaul.	1822.	6. 8.	H. h.	
14	Idæus. DC.	(wh.) Raspberry.	Britain.		5. 6.	H. h.	Eng. bot. v. 34. t. 2442.
15	laciniátus. DC.	(bh.) jagged-leaved.			6. 9.	H. h.	Willd. hort. ber. t. 82.
16	cæsius. DC.	(wh.) Dewberry.	Britain.		6. 8.	H. h.	Eng. bot. v. 12. t. 826.
17	foliolòsus. D.P.	(li.) leafy.	Nepaul.	1823.	7. 8.	H. h.	
18	flagellàris. DC.	(wh.) shining-leaved.	N. America.	1789.	6. 7.	H. h.	
19	inermis. W.en.	(wh.) smooth.		1805.	—	H. h.	
20	corylifolius. E.B.	(wh.) Hazel-leaved.	Britain.		7.	H. h.	Eng. bot. v. 12. t. 827.
21	agrèstis. DC.	(wh.) field.	Hungary.	1818.	7. 8.	H. h.	W. et K. hung. 3. t. 268.
22	spectàbilis. DC.	(pu.) showy.	Columbia.	1827.	6. 8.	H. h.	Ph. fl. amer. 1. t. 16.
23	plicátus. W.N.	(wh.) plaited-leaved.	Britain.		7. 8.	H. h.	Wei. et N. rub. germ. t. 1.
24	affinis. W.N.	(wh.) related.			6. 9.	H. h.	— p. 22. t. 3 et 36.
25	ulmifolius. DC.	(ro.) Elm-leaved.	Gibraltar.	1824.	7. 8.	H. h.	
26	Linkiànus. DC.	(wh.) double-flowered.			6. 9.	H. h.	
27	albicans. DC.	(wh.) white-leaved.	Hungary.	1818.	—	H. h.	
28	fruticòsus. DC.	(fl.) Blackberry.	Britain.		—	H. h.	Eng. bot. v. 10. t. 715.
	β pomponius. DC.	(bh.) semidouble.			—	H. h.	
	γ leucocarpus. DC.	(bh.) white-berried.			—	H. h.	
	δ inermis. DC.	(bh.) smooth-stemm'd.			—	H. h.	
29	tomentòsus. W.N.	(wh.) woolly-leaved.	Germany.	1816.	6. 8.	H. h.	Wei. et N. rub. germ. t. 8.
30	sànetus. DC.	(pk.) holy.	Levant.	1823.	—	H. h.	Schreb. dec. t. 8.
31	canescens. DC.	(bh.) canescent.	Piedmont.	1826.	—	H. h.	
32	collinus. DC.	(bh.) hill.	Montpelier.	1820.	7. 8.	H. h.	Noc. et Balb. fl. tic. t. 9.
33	fastigiátus. W.N.	(wh.) close-flowered.	Britain.		—	H. h.	Wei. et N. rub. germ. t. 2.
34	suberèctus. E.B.	(wh.) upright.			6. 9.	H. h.	Eng. bot. v. 36. t. 2572.
35	cordifolius. W.N.	(wh.) heart-leaved.			7. 8.	H. h.	Wei. et N. rub. germ. t. 5.
36	Ménkii. s.s.	(wh.) velvety.	Germany.	1816.	—	H. h.	
37	Schlechtendàlii. s.s.	(w.) Schlechtendale's.		—	—	H. h.	
38	tiliafolius. s.s.	(wh.) Lime-tree-ld.		—	—	H. h.	
39	Schleichèri. s.s.	(wh.) Schleicher's.		1824.	—	H. h.	
40	hórridus. s.s.	(wh.) very prickly.		—	—	H. h.	
41	leucostàchys. s.s.	(wh.) white-spiked.	Britain.		—	H. h.	
42	rhamnifolius. W.N.	(wh.) Rhamnus-leaved.			—	H. h.	Wei. et N. rub. germ. t. 6.
43	abruptus. L.B.	(wh.) abrupt.			—	H. h.	
44	nítidus. W.N.	(bh.) glossy-leaved.	Britain.		7. 8.	H. h.	Wei. et N. rub. germ. t. 4.
45	argútus. DC.	(wh.) sharp-toothed.	N. America.	1824.	6. 7.	H. h.	
46	cuneifolius. DC.	(wh.) wedge-leaved.		1811.	6. 8.	H. h.	
47	sanguinoléntus. DC.	(w.) red-wooded.	Mauritius.	1823.	—	S. h.	
48	villòsus. DC.	(wh.) shaggy.	N. America.	1777.	7. 8.	H. h.	
49	hírtus. W.K.	(wh.) hairy.	Britain.		—	H. h.	W. et K. hung. 2. t. 141.
50	vulpinus. Df.	(re.) fox-tail.	Germany.	1816.	—	H. h.	Flor. dan. t. 1165.
	Sprengèlii. W.N.						
51	jamaicènsis. DC.	(wh.) Jamaica.	Jamaica.	1820.	—	S. h.	Sloan. jam. 2. t. 213. f. 1.
52	hispidus. DC.	(wh.) bristly.	Canada.	1768.	—	H. h.	
53	trivialis. Ph.	(bh.) American dewberry.	N.Amer.	1789.	6. 7.	H. h.	
54	macrophyllus. W.N.	(w.) large-leaved.	Wales.		7. 8.	H. h.	
55	vulgàris. W.N.	(bh.) common.	Britain.		—	H. h.	
56	diversifolius. L.B.	(bh.) different-leaved.			—	H. h.	
57	discolor. W.N.	(bh.) two-coloured.			—	H. h.	
58	fusco-ater. W.N.	(bh.) dark-brown.			—	H. h.	
59	pàllidus. W.N.	(bh.) pale-leaved.			—	H. h.	
60	Kœhlèri. W.N.	(bh.) Kœhler's.			—	H. h.	
61	rùdis. W.N.	(bh.) way-side.			—	H. h.	
62	rubricaulis. W.N.	(bh.) red-stalked.	Germany.	1816.	—	H. h.	
63	echinátus. L.B.	(bh.) hedgehog.	Britain.		—	H. h.	
64	dumetòrum. W.N.	(wh.) bushy.			—	H. h.	
65	tetraphyllum. W.en.	(w.) four-leaved.	N. America.	1812.	6. 7.	H. h.	
66	parvifolius. DC.	(pu.) small-leaved.	China.	1818.	6. 8.	H. h.	Bot. reg. t. 496.
67	canadènsis. DC.	(wh.) purple-stalked.	N. America.	1811.	6. 7.	H. h.	
68	saxatilis. DC.	(wh.) stone.	Britain.		—	H. h.	Eng. bot. v. 32. t. 2233.
69	triflorus. Rich.	(wh.) three-flowered.	N. America.		—	H. 4.	
70	àrcticus. DC.	(cr.) dwarf crimson.	Scotland.		5. 8.	H. 4.	Eng. bot. v. 23. t. 1585.
71	pistillátus. Ph.	(ro.) close-styled.	Labrador.	1802.	6. 7.	H. 4.	Sm. exot. bot. 2. t. 86.
	acaulis. DC.						
72	obovalis. DC.	(wh.) oboval-leaved.	N. America.	1823.	5. 7.	H. 4.	
73	parviflorus. DC.	(wh.) Vine-leaved.		1824.	—	H. 4.	
74	stellátus. DC.	(ro.) star-flowered.		1823.	6. 7.	H. 4.	Sm. ic. fasc. 3. t. 64.

75	<i>Chamaemorus</i> , DC. (wh.)	Cloud-berry.	Britain.		6. 7.	H. 2.	Eng. bot. v. 10. t. 716.
76	<i>floridus</i> , DC. (wh.)	large-flowered.	N. America.	1827.	6. 8.	H. 2.	
77	<i>odoratus</i> , DC. (re.)	flowering raspberry.	—	1700.	6. 9.	H. 2.	Bot. mag. t. 323.
78	<i>reflexus</i> , DC. (wh.)	reflexed.	China.	1818.	6. 7.	G. 2.	Bot. reg. t. 461.
79	<i>Hamiltonianus</i> , DC. (wh.)	Hamilton's.	Nepaul.	—	—	H. 2.	
	<i>rugosus</i> , D.P. non Smith.						
80	<i>moluccanus</i> , DC. (wh.)	Moluccas.	Amboyna.	1810.	—	S. 2.	Rumph. amb. 5. t. 47. f. 2.
81	<i>rugosus</i> , DC. (wh.)	rugose.	S. America.	1824.	—	S. 2.	
82	<i>tiliaceus</i> , DC. (wh.)	Lime-tree-ld.	Nepaul.	—	—	H. 2.	
83	<i>paniculatus</i> , DC. (wh.)	panicled.	—	1826.	7. 9.	H. 2.	
84	<i>betulinus</i> , DC. (wh.)	Birch-leaved.	—	1825.	—	H. 2.	
	DALIBA'RDA, DC.	DALIBA'RDA.	Icosandria Pent-Decagynia.				
1	<i>repens</i> , DC. (wh.)	Violet-leaved.	N. America.	1768.	5. 6.	H. 2.	Mich. amer. 1. t. 27.
	<i>violæoides</i> , M.						
	FRAG'ARIA, DC.	STRAWBERRY.	Icosandria Polygynia.				
1	<i>monophylla</i> , s.s.	simple-leaved.	—	1773.	5. 6.	H. 2.	Bot. mag. t. 63.
2	<i>vesca</i> , DC. (wh.)	wood.	Britain.		4. 6.	H. 2.	Eng. bot. v. 22. t. 1524.
	<i>a sylvestris</i> , DC. (wh.)	wild.	—		—	H. 2.	
2	<i>semperflorens</i> , DC. (wh.)	ever-bearing.	—		4. 12.	H. 2.	Nois. jard. fr. t. 11. f. 2.
3	<i>alba</i> , (wh.)	white-fruited.	—		—	H. 2.	
4	<i>minor</i> , DC. (wh.)	small English.	Britain.		—	H. 2.	
5	<i>hortensis</i> , DC. (wh.)	garden.	—		—	H. 2.	
6	<i>efflagellis</i> , DC. (wh.)	short-shooted.	—		—	H. 2.	
7	<i>multiplæx</i> , DC. (wh.)	double-blossomed.	—		4. 6.	H. 2.	Blackw. herb. t. 77. f. 3.
8	<i>botryiformis</i> , DC. (wh.)	crown-flowered.	—		—	H. 2.	
9	<i>muricata</i> , DC. (gr.)	monstrous.	—		—	H. 2.	
3	<i>calycina</i> , DC. (wh.)	large-calyced.	Britain.		—	H. 2.	
4	<i>collina</i> , DC. (wh.)	Alpine.	Germany.	1768.	4. 11.	H. 2.	
	<i>a rubra</i> , (wh.)	red Alpine.	—	—	—	H. 2.	
	<i>β alba</i> , (wh.)	white Alpine.	—	—	—	H. 2.	
5	<i>platanoïdes</i> , DC. (bh.)	Plane-leaved.	N. America.		4. 6.	H. 2.	
6	<i>Majauffea</i> , DC. (wh.)	plaited-leaved.	France.		—	H. 2.	
	<i>a bifera</i> , DC. (wh.)	double-bearing.	—		—	H. 2.	
	<i>β dubia</i> , DC. (wh.)	flat-fruited.	—		—	H. 2.	
7	<i>Breslingea</i> , DC. (wh.)	leathery-leaved.	—		—	H. 2.	
	<i>a abortiva</i> , DC. (wh.)	sterile.	—		—	H. 2.	
	<i>β nigra</i> , DC. (wh.)	black-fruited.	—		—	H. 2.	
	<i>γ pendula</i> , DC. (wh.)	pear-fruited.	—		—	H. 2.	
	<i>δ hispida</i> , DC. (wh.)	Longchamp.	France.		—	H. 2.	
	<i>ε viridis</i> , DC. (wh.)	green-fruited.	—		—	H. 2.	Nois. jard. fr. t. 13. f. 2.
	<i>ζ pratensis</i> , DC. (wh.)	field.	France.		—	H. 2.	
8	<i>elatior</i> , DC. (wh.)	tall.	Europe.		—	H. 2.	
9	<i>moschata</i> , Ehr. (wh.)	Hautboy.	England.		5. 6.	H. 2.	Eng. bot. v. 31. t. 2197.
	<i>elatior</i> , E.B.						
	<i>β discica</i> , DC. (wh.)	diœcious.	—		—	H. 2.	
10	<i>virginiana</i> , DC. (wh.)	scarlet.	N. America.	1629.	4. 6.	H. 2.	Nois. jard. fr. t. 12. f. 2.
	<i>β hybrida</i> , DC. (wh.)	Keen's seedling.	Hybrid.		—	H. 2.	
11	<i>chilensis</i> , DC. (wh.)	Chile.	S. America.	1727.	5. 6.	H. 2.	Dill. elth. t. 20. f. 140.
12	<i>grandiflora</i> , DC. (wh.)	Pine.	Surinam.	1759.	—	H. 2.	Mill. ic. t. 288.
	<i>β ananassa</i> , DC. (wh.)	Pine apple.	—		—	H. 2.	Nois. jard. fr. t. 14. f. 2.
	<i>γ calyculata</i> , DC. (wh.)	Bath scarlet	—		—	H. 2.	— t. 11. f. 1. t. 14. f. 1.
	<i>δ tineta</i> , DC. (wh.)	red-fleshed.	—		—	H. 2.	
13	<i>canadensis</i> , DC. (wh.)	Canadian.	Canada.		—	H. 2.	
14	<i>indica</i> , DC. (ye.)	yellow-flower'd.	Nepaul.	1805.	5. 10.	H. 2.	Bot. reg. t. 61.
	<i>Duchesnea fragarioides</i> , Smith	Linn. trans. 10. p. 373.					
	COMARO'PSIS, DC.	COMARO'PSIS.	Icosandria Pent-Octagynia.				
1	<i>fragarioides</i> , DC. (ye.)	strawberry-like.	N. America.	1803.	5. 6.	H. 2.	Mich. amer. 1. t. 28.
	<i>Dalibarda fragarioides</i> , M.						
2	<i>Doniana</i> , DC. (ye.)	Don's.	—	—	—	H. 2.	Bot. mag. t. 1567.
	<i>Dalibarda fragarioides</i> , B.M. non Mich.	Waldsteinia Doniana.	Tratt.				
3	<i>pedata</i> , DC. (wh.)	pedate.	—	1827.	—	H. 2.	Smith. ic. ined. t. 63.
	<i>Rubus pedatus</i> , Sm.	<i>Dalibarda pedata</i> , s.s.					
	HORK'ELIA, B.M.	HORK'ELIA.	Decandria Polygynia.				
	<i>congesta</i> , B.M. (wh.)	tufted-flowered.	N. America.	1827.	7. 9.	H. 2.	Bot. mag. t. 2880.
	WALDSTEINIA, DC.	WALDSTEINIA.	Icosandria Digynia.				
	<i>geoides</i> , DC. (ye.)	Avens-leaved.	Hungary.	1804.	6. 7.	H. 2.	Lodd. bot. cab. 402.
	COL'URIA, B.	COL'URIA.	Icosandria Polygynia.				
	<i>potentilloides</i> , B. (or.)	Siberian.	Siberia.	1780.	6. 7.	H. 2.	Jacq. vind. 3. t. 68.
	<i>Geum potentilloides</i> , W.	<i>Dr'yas geoides</i> , Pall.	<i>Sic'ersia geoides</i> , s.s.				

SIEVE'RSIA. B.		SIEVE'RSIA. Icosandria Polygynia.				
1	Péckii. B.M.	(ye.) Peck's.	N. America.	1827.	6. 7. H. 4.	Bot. mag. t. 2863.
2	radiata.	(ye.) radiate.	————	1822.	— — H. 4.	
	Geum radiatum. Ph.					
3	triflora. B.M.	(ye.bh.) three-flowered.	————	1827.	— — H. 4.	Bot. mag. t. 2858.
4	montana. s.s.	(ye.) mountain.	Austria.	1597.	5. 9. H. 4.	Jacq. aust. 4. t. 373.
	β minor.	(ye.) smaller mountain.	Alps.	— —	— — H. 4.	Barrel. rar. t. 399.
5	glacialis. s.s.	(ye.) arctic.	Siberia.	1827.	— — H. 4.	
6	Rossii. B.	(ye.) Ross's.	Melville Isl.	— —	— — H. 4.	Brown ch.mel.p.18.t.C.
7	anemonoïdes. s.s.	(wh.) Anemone-like.	Kamtschatka.	1824.	— — H. 4.	
8	réptans. s.s.	(ye.) creeping.	Switzerland.	1775.	6. 8. H. 4.	Jacq. aust. 5. ap. t. 22.
GEUM. B.		AVENS. Icosandria Polygynia. L.				
1	agrimonoïdes. Ph.	(wh.) Agrimony-leaved.	N. America.	1811.	6. 7. H. 4.	Murr. com. goet. 5. t. 2.
2	hispidum. s.s.	(wh.) hispid.	Sweden.	1828.	— — H. 4.	Reich. ic. cent. t. 3.
3	strictum. w.	(ye.) upright.	N. America.	1778.	5. 7. H. 4.	Jacq. ic. 1. t. 93.
	aléppicum. Jacq.					
4	intermedium. w.	(ye.) intermediate.	Europe.	1794.	5. 8. H. 4.	W. hort. ber. 1. t. 69.
5	hy'bridum. Jacq.	(ye.) hybrid.	————		— — H. 4.	Jacq. ic. 1. t. 94.
6	rivale. w.	(ye.bh.) water.	Britain.		5. 9. H. 4.	Eng. bot. 2. t. 106.
7	pyrenæicum. DC.	(ye.) Pyrenean.	Pyrenees.	1804.	6. 7. H. 4.	Lam. ill. t. 44.
8	brachypétalum. DC.	(ye.bh.) short-petal'd.		1826.	5. 8. H. 4.	
9	sylvaticum. DC.	(ye.) wood.	S. Europe.	1820.	6. 7. H. 4.	
	atlanticum. Desf. atl. 1. p. 401. biflorum. Brot.					
10	Thomasiænum. DC.	(ye.) Thomas's.	Pyrenees.	1828.	— — H. 4.	
11	Quéllyon. B.F.G.	(sc.) scarlet Chile.	Chile.	1826.	5. 10. H. 4.	Swt. br. fl. gar. t. 292.
	coccineum. Bot. reg. t. 1088. non Flor. græc.					
	β grandiflorum.	(sc.) large-flowered.	————	1829.	— — H. 4.	
12	macrophyllum. DC.	(ye.) large-leaved.	Kamtschatka.	1804.	6. 7. H. 4.	
13	canadense. DC.	(ye.) Canadian.	Canada.	1778.	5. 8. H. 4.	Murr. com goet. 5. t. 4.
14	heterophyllum. DC.	(wh.) various-leaved.			— — H. 4.	
15	Besseiænum.	(ye.) Besser's.	Volhynia.	1828.	— — H. 4.	
	intermedium. Besser non Willd.					
16	hirsutum. L.en.	(st.) hairy.	N. America.	1818.	5. 7. H. 4.	
17	virginianum. DC.	(wh.) Virginian.	————		7. 8. H. 4.	Herm. parad. t. 111.
18	album. DC.	(wh.) white-flowered.	————	1730.	— — H. 4.	Jacq. vind. 2. t. 175.
	canadense. Jacq. non Murr.					
19	urbanum. DC.	(ye.) common.	Britain.		5. 8. H. 4.	Eng. bot. v. 20. t. 1400.
20	ranunculoïdes. DC.	(ye.) Ranunculus-like.		1827.	— — H. 4.	
DR'YAS. DC.		DR'YAS. Icosandria Polygynia. L.				
1	octopétala. DC.	(wh.) mountain.	Britain.		7. 8. H. 4.	Eng. bot. v. 7. t. 451.
2	integrifolia. DC.	(wh.) entire-leaved.	Greenland.	1824.	4. 8. H. 4.	Hook. ex. flor. t. 220.
POTENTILLA. DC.		CINQUEFOIL. Icosandria Polygynia. L.				
1	nivea. DC.	(ye.) snowy-leaved.	N. Europe.	1816.	6. 8. H. 4.	Lodd. bot. cab. 460.
2	angustifolia. DC.	(ye.) narrow-leaved.	Siberia.	1826.	— — H. 4.	Lehm. pot. t. 19.
3	macrantha. DC.	(ye.) great-flowered.	————	1829.	5. 8. H. 4.	
4	uniflora. DC.	(ye.) single-flowered.	Dahuria.	1827.	— — H. 4.	Lehm. pot. t. 18.
5	minima. DC.	(ye.) small.	Switzerland.	1816.	4. 6. H. 4.	Lodd. bot. cab. 480.
6	Brauneana. N.P.	(ye.) Braune's.	————	— —	— — H. 4.	Nestl. pot. t. 10. f. 4.
7	glacialis. DC.	(ye.) very hairy.	————	— —	5. 7. H. 4.	Ser. mus. helv. 1. t. 7.
8	frigida. DC.	(ye.) frigid.	Dauphiny.	— —	— — H. 4.	Nestl. pot. t. 10. f. 3.
9	grandiflora. DC.	(ye.) large-flowered.	Siberia.	1640.	6. 7. H. 4.	Bot. mag. t. 75.
10	villosa. DC.	(ye.) villous.	N. America.	1827.	— — H. 4.	Lehm. pot. t. 16.
11	norvegica. DC.	(ye.) Norwegian.	N. Europe.	1764.	6. 8. H. 4.	Flor. dan. t. 171.
12	Morisoni. DC.	(wh.) Morison's.	N. America.	1680.	7. 8. H. 4.	Nestl. pot. t. 9. f. 1.
	monspeliensis. L. Moris. his. s. 2. t. 20. f. 2. hirsuta. M.					
13	hirsuta. DC.	(ye.) hairy-leaved.	Greenland.	1820.	6. 8. H. 4.	Flor. dan. t. 1390.
14	subacaulis. DC.	(ye.) short-stalked.	S. France.	— —	5. 7. H. 4.	Scop. carn. 1. t. 22.
	relutina. L.P.					
15	Tormentilla DC.	(ye.) Septfoil.	Britain.		5. 10. H. 4.	Eng. bot. v. 12. t. 863.
	Tormentilla officinalis. E.B. erecta. w.					
16	nemorialis. N.P.	(ye.) creeping-wood.	————		6. 8. H. 4.	Eng. bot. v. 12. t. 864.
	Tormentilla réptans. E.B.					
17	umbrosa. DC.	(go.) shaded.	Tauria.	1821.	— — H. 4.	
18	réptans. DC.	(ye.) common.	Britain.		— — H. 4.	Eng. bot. v. 12. t. 862.
19	bithynica. DC.	(ye.) Bithynian.	Bithynia.	1822.	— — H. 4.	
20	simplex. DC.	(ye.) sarmentose.	N. America.	1804.	5. 8. H. 4.	
	sarmentosa. W.en. caroliniæna. Poiret.					
21	canadensis. DC.	(ye.) Canadian.	Canada.	1818.	— — H. 4.	Nestl. pot. t. 10. f. 1.
22	vérna. E.B.	(ye.) spring.	Britain.		3. 5. H. 4.	Eng. bot. v. 1. t. 37.

3 cinerea. DC.	(ye.) ash-coloured.	S. Europe.	1820.	4. 6. H. 4.	Jacq. ic. 3. t. 491.
subacaulis. Jacq.	non. L.				
4 patula. DC.	(ye.) spreading.	Hungary.	1806.	6. 8. H. 4.	W. et K. hung. 2. t. 199.
5 opaca. DC.	(ye.) opaque-leaved.	Scotland.		— H. 4.	Ser. mus. helv. 1. t. 4. f. 1.
6 alpestris. E. F.	(ye.) alpine.	—		— H. 4.	— v. 8. t. 561.
area. E. B. nec aliorum.					
7 aurea. DC.	(go.) golden.	Alps Europe.		— H. 4.	Ser. mus. helv. t. 8. f. a. b.
8 salisburgensis. Jac.	(ye.) broad-lobed.	Switzerland.	1825.	— H. 4.	Jacq. ic. 3. t. 490.
9 Halleri. DC.	(ye.) Haller's.	—		— H. 4.	Hall. hist. t. 21. f. 4.
10 Thomæsii. DC.	(ye.) silky-haired.	Italy.	1825.	— H. 4.	Ten. fl. nap. 1. t. 44.
11 calabra. T. N.	(ye.) Calabrian.	—	—	— H. 4.	— 1. p. 287. t. 45.
12 impolita. Wah.	(ye.) unpolished.	Carpathian.	1818.	— H. 4.	
13 Guntheri. L. P.	(ye.) Gunther's.	Bohemia.	1823.	— H. 4.	Lehm. pot. 97. t. 10.
14 argentea. E. B.	(ye.) silvery-leaved.	Britain.		— H. 4.	Eng. bot. v. 2. t. 89.
15 collina. DC.	(ye.) hill.	Germany.	1823.	— H. 4.	
16 intermedia. DC.	(ye.) intermediate.	Scotland.		— H. 4.	Eng. bot. v. 35. t. 2419.
opaca. E. B. non L.					
17 elongata. Bes.	(ye.) long-stalked.	Russia.	1827.	— H. 4.	
18 incis. DC.	(ye.) jagged-leaved.		1818.	5. 8. H. 4.	
19 canescens. DC.	(ye.) canescent.	S. Europe.	1822.	6. 8. H. 4.	Tausch. h. can. 1. t. 10.
20 thuringiaca. DC.	(ye.) decumbent.	Germany.	—	— H. 4.	
21 stipularis. DC.	(ye.) large-stipuled.	Siberia.	1807.	— H. 4.	Gmel. fl. bad. 3. n. 38. f. 2.
22 hirta. DC.	(ye.) hairy.	S. Europe.	1725.	5. 9. H. 4.	Lehm. pot. t. 8.
23 pedata. N. P.	(ye.) pedate-leaved.	Italy.	1818.	— H. 4.	Nestl. pot. 44. t. 7.
24 astracànica. s. s.	(ye.) Astracan.	Levant.	1787.	6. 8. H. 4.	Jacq. ic. 1. t. 92.
25 taurica. s. s.	(ye.) Taurian.	Tauria.	1824.	— H. 4.	Lehm. pot. 90. t. 9.
26 recta. s. s.	(ye.) upright.	S. Europe.	1648.	— H. 4.	Nestl. pot. 42. t. 6.
27 obscura. s. s.	(ye.) obscure.	Siberia.	1816.	6. 7. H. 4.	Noc. et Balb. fl. tic. t. 10.
28 laciniòsa. s. s.	(ye.) jagged.	Hungary.	1818.	— H. 4.	Lehm. pot. 86. t. 9.
29 atrosanguinea. DC.	(cr.) dark crimson.	Nepaul.	1820.	6. 9. H. 4.	Swt. br. fl. gar. t. 124.
30 Russelliana. B. F. G.	(sc.) Russell's.	Hybrid.	1827.	— H. 4.	— v. 3. t. 279.
31 fermòsa. D. P.	(ro.) handsome.	Nepaul.	1820.	5. 9. H. 4.	— v. 2. t. 136.
nepalensis. Hook.	ex. flor. t. 88.				
32 rathènica. DC.	(ye.) Russian.	Siberia.	1799.	5. 7. H. 4.	Moris. his. s. 2. t. 20. f. 2.
33 diffusa. DC.	(ye.) diffuse.	—	1825.	— H. 4.	
34 chrysántha. L. en.	(go.) golden-flowered.		1821.	— H. 4.	
35 declinata. H. H.	(ye.) declining.		1827.	6. 8. H. 4.	
36 pàmila. s. s.	(ye.) dwarf.	N. America.	1818.	5. 6. H. 4.	
37 Weinmannii. L. C.	(ye.) Weinmann's.	Thuringia.	1822.	6. 8. H. 4.	Lodd. bot. cab. t. 706.
38 ornithopodioides.	(ye.) Bird's-foot.		1827.	— H. 4.	
39 lanuginòsa. F.	(ye.) woolly.	Caucasus.	1821.	— H. 4.	
40 Sieversiana. Ot.	(ye.) Sievers's.		1829.	— H. 4.	
41 normalis. F.	(ye.) normal.	Siberia.	1827.	— H. 4.	
42 divaricata. s. s.	(ye.) divaricate.	Corsica.	1824.	— H. 4.	
43 fruticòsa. DC.	(ye.) shrubby.	England.		6. 8. H. 4.	Eng. bot. 2. t. 88.
44 dahùrica. N. P.	(ye.) Dahurian.	Dahuria.	1824.	— H. 4.	Nestl. pot. 31. t. 1.
45 floribúnda. Ph.	(ye.) cluster-flower'd.	N. America.	1811.	5. 9. H. 4.	Wats. dend. brit. t. 70.
46 bifurca. DC.	(ye.) bifid-leaved.	Siberia.	1773.	6. 7. H. 4.	Gmel. it. 1. t. 37. f. 1.
47 sepina. DC.	(ye.) trailing.	Europe.	1696.	7. 8. H. 4.	Jacq. aust. 5. t. 406.
48 pimpinelloides. DC.	(ye.) Burnet-leaved.	Levant.	1758.	6. 8. H. 4.	Buxb. cent. 1. t. 48.
49 geoides. DC.	(ye.) Avens-like.	Tauria.	1820.	— H. 4.	
50 Sprengeliana. DC.	(ye.) Sprengel's.	Siberia.	1824.	— H. 4.	Lehm. pot. 49. t. 3.
51 viscòsa. DC.	(ye.) clammy.	—	1797.	7. 8. H. 4.	Nestl. pot. t. 36.
hispida. N. P. non W.					
52 pensylvànica. DC.	(ye.) Pennsylvanian.	N. America.	1725.	6. 8. H. 4.	Jacq. vind. 2. t. 189.
53 pectinata. F.	(ye.) pectinated.	Siberia.	1824.	— H. 4.	
54 arguta. Ph.	(ye.) sharp-toothed.	N. America.	1818.	5. 7. H. 4.	
55 multifida. DC.	(ye.) cut-leaved.	Siberia.	1759.	— H. 4.	Ser. mus. helv. 1. t. 8.
56 agrimonioides. s. s.	(ye.) Agrimony-ld.	Caucasus.	1823.	6. 8. H. 4.	
57 verticillaris. DC.	(ye.) whorled.	Dahuria.	—	— H. 4.	
58 sericea. DC.	(ye.) silky.	Siberia.	1780.	5. 6. H. 4.	Lehm. pot. 66. t. 6.
59 pulchella. DC.	(ye.) neat.	Melville Isl.	1827.	5. 7. H. 4.	
60 Egèdii. DC.	(ye.) smooth-leaved.	Greenland.	—	— H. 4.	Flor. dan. t. 1578.
61 anserina. DC.	(ye.) wild Tansy.	Britain.		5. 9. H. 4.	Eng. bot. 12. t. 861.
62 geminiflora. DC.	(ye.) twin-flowered.	—		— H. 4.	Moris. his. s. 2. t. 20. f. 4.
63 còncolor. DC.	(ye.) silky-leaved.	—		— H. 4.	
64 cándicans. DC.	(ye.) hoary-leaved.	America.	1826.	— H. 4.	Nestl. pot. 34. t. 3. f. 2.
65 splendens. DC.	(ye.) glossy-leaved.	Nepaul.	1818.	7. 9. H. 4.	Swt. br. fl. gar. 2. t. 150.
66 striata. s. s.					

84	<i>Còmarum</i> . DC. (pu.) marsh.	Britain.		6. 8. H. 4.	Eng. bot. v. 3. t. 172.
	<i>Còmarum palùstre</i> . E.B.				
85	<i>Salesòvii</i> . DC. (ye.) white shrubby.	Siberia.	1823.	— H. 7.	Lehm. pot. 35. t. 1.
86	<i>glàbra</i> . DC. (wh.) smooth white.	—	1818.	6. 10. H. 7.	Lodd. bot. cab. t. 914.
87	<i>rupèstris</i> . DC. (wh.) rock.	England.		6. 8. H. 4.	Eng. bot. v. 29. t. 2058.
88	<i>fragarioides</i> . DC. (wh.) Strawberry-like.	Siberia.	1773.	5. 7. H. 4.	Lehm. pot. 50. t. 4.
89	<i>álba</i> . DC. (wh.) white-flowered.	Wales.		6. 9. H. 4.	Eng. bot. v. 20. t. 1384.
90	<i>caulescens</i> . DC. (wh.) caulescent.	Austria.	1759.	5. 7. H. 4.	Jacq. aust. t. 220.
91	<i>Clusiàna</i> . s.s. (wh.) Clusius's.	S. Europe.	1806.	7. 8. H. 4.	Bot. mag. t. 1327.
92	<i>lupinoides</i> . s.s. (wh.) close-flowered.	Pyrenees.	1739.	6. 7. H. 4.	Lodd. bot. cab. t. 654.
93	<i>valdèria</i> . DC. (st.) crowded-flower'd.	S. Europe.	1818.	6. 8. H. 4.	All. fl. ped. t. 24. f. 1.
94	<i>nítida</i> . DC. (bh.) glossy.	—	1798.	— H. 4.	Jacq. aust. ap. t. 25.
95	<i>apennina</i> . DC. (wh.) Apennine.	Italy.	1825.	— H. 4.	Ten. fl. nap. 1. t. 46.
96	<i>tridentàta</i> . DC. (wh.) trifid-leaved.	Scotland.		5. 7. H. 4.	Eng. bot. v. 34. t. 2389.
97	<i>micràntha</i> . DC. (wh.) small-blossom'd.	S. Europe.	1816.	6. 8. H. 4.	Ser. mus. helv. 1. t. 5.
98	<i>Fragària</i> . DC. (wh.) sterile strawberry.	Britain.		3. 6. H. 4.	Eng. bot. v. 25. t. 1765.
	<i>Fragària stérilis</i> . E.B. <i>Còmarum fragarioides</i> . W. enum.				
99	<i>emarginàta</i> . Ph. (wh.) emarginate.	Labrador.	1828.	— H. 4.	
100	<i>Jamesoniàna</i> . DC. (ye.) Jameson's.	Greenland.	1822.	6. 7. H. 4.	
	SIBBA'LDIA . DC. SIBBA'LDIA . Pentandria Pentagynia.				
1	<i>procumbens</i> . DC. (ye.) procumbent.	Britain.		6. 8. H. 4.	Eng. bot. v. 13. t. 857.
2	<i>parviflòra</i> . DC. (ye.) small-flowered.	Levant.		— H. 4.	
3	<i>erècta</i> . DC. (ye.) upright.	Siberia.	1806.	— H. 4.	Amm. ruth. 112. t. 15.
4	<i>grandiflòra</i> . DC. (ye.) large-flowered.	Dahuria.	1828.	— H. 4.	
5	<i>polygyna</i> . DC. (ye.) many-styled.	Siberia.	1824.	— H. 4.	
	AGRIMONIA . DC. AGRIMONY . Dodecandria Digynia. L.				
1	<i>Eupatòria</i> . DC. (ye.) common.	Britain.		6. 8. H. 4.	Eng. bot. v. 19. t. 1335.
2	<i>nepalensis</i> . DC. (ye.) Nepaul.	Nepaul.	1820.	— H. 4.	
3	<i>odoràta</i> . DC. (ye.) sweet-scented.	Italy.	1640.	7. 8. H. 4.	
4	<i>dahùrica</i> . DC. (ye.) Dahurian.	Dahuria.	1824.	6. 8. H. 4.	
5	<i>pilòsa</i> . DC. (ye.) hairy.	Siberia.	1820.	— H. 4.	
6	<i>parviflòra</i> . DC. (ye.) small-flowered.	N. America.	1766.	6. 7. H. 4.	
7	<i>suavèolens</i> . DC. (st.) fragrant.	—	1820.	— H. 4.	
8	<i>striàta</i> . DC. (wh.) striped-flowered.	—	1812.	6. 8. H. 4.	
9	<i>rèpens</i> . DC. (ye.) creeping-rooted.	Levant.	1737.	7. 9. H. 4.	
	AREMONIA . DC. AREMONIA . Pent-Decandria Digynia.				
	<i>agrimonoides</i> . DC. (ye.) Agrimony-like.	Italy.	1739.	6. 8. H. 4.	Col. ecphr. 1. t. 144.
	<i>Spallanzània agrimonoides</i> . s.s. <i>Agrimònia agrimonoides</i> . L.				

Subordo III. **SANGUISORBEÆ**. DC. prodr. v. 2. p. 588.

ALCHIMILLA . DC.	LADIES MANTLE . Di-Tetrandria Monogynia. L.				
1	<i>capensis</i> . DC. (gr.) Cape.	C. B. S.	1818.	4. 6. G. 4.	Lam. ill. t. 86. f. 2.
2	<i>vulgàris</i> . DC. (gr.) common.	Britain.		6. 8. H. 4.	Eng. bot. v. 9. t. 597.
	<i>β variegàta</i> . (gr.) variegated-leaf'd.	—		— H. 4.	
	<i>γ glàbra</i> . DC. (gr.) smooth.	Pyrenees.		— H. 4.	
3	<i>hybrida</i> . DC. (gr.) mountain.	Saxony.		— H. 4.	Pluk. t. 240. f. 2.
	<i>montàna</i> . W. en.				
4	<i>pubescens</i> . DC. (gr.) pubescent.	Caucasus.	1813.	— H. 4.	Willd. hort. ber. 2. t. 79.
5	<i>alpina</i> . DC. (gr.) silvery.	Britain.		7. H. 4.	Eng. bot. v. 4. t. 214.
6	<i>sericea</i> . DC. (gr.) silky.	Caucasus.	1813.	6. 8. H. 4.	
7	<i>pentaphylla</i> . DC. (gr.) five-leaved.	Switzerland.	1784.	7. H. 4.	Bocc. mus. p. 18. t. 1.
8	<i>sibbaldiaefolia</i> . DC. (gr.) Sibbaldia-ld.	Mexico.	1823.	— F. 4.	H. et B. n. g. am. 6. t. 561.
9	<i>arvensis</i> . DC. (gr.) Parsley piert.	Britain.		4. 6. H. 4.	Eng. bot. v. 15. t. 1011.
	<i>Aphànes</i> . W. <i>Aphànes arvensis</i> . L.				
10	<i>cornucopioides</i> . DC. (gr.) Spanish.	Spain.	1825.	4. 7. H. 4.	
	CEPHALOTUS . DC. CEPHALOTUS . Dodecandria Hexagynia.				
	<i>folliculàris</i> . DC. (wh.) pitcher-plant.	N. Holland.	1822.	4. 6. G. w. 4.	Lab. nov. holl. 2. t. 145.
	MARGYRICARPUS . DC. MARGYRICARPUS . Diandria Monogynia.				
	<i>setosus</i> . DC. (gr.) bristle-pointed.	S. America.	1829.	 F. 7.	Flor. peruv. 1. t. 8. f. d.
	AC'ENA . Kth. AC'ENA . Tri-Pentandria Monogynia.				
1	<i>elongàta</i> . DC. (gr.) long-spiked.	Mexico.	1827.	4. 8. F. 7.	
2	<i>latebròsa</i> . DC. (gr.) hairy.	C. B. S.	1774.	4. 6. G. 4.	Gart. fruct. 1. t. 32.

1 pinnatifida. DC.	(gr.) pinnatifid.	Chili.	1823.	4. 6.	G. 4.	Fl. per. 1. t. 104. f. 1. b.
2 sericea. DC.	(gr.) silky.	Port Desire.		—	G. 4.	Jacq. f. ecl. 1. t. 55.
ANCISTRUM. Kth. ANCISTRUM. Di-Pentandria Monogynia.						
1 sanguisorbæ. L.	(gr.) Burnet-leaved.	N. Zealand.	1796.	6.	F. 4.	Gært. fruct. t. 32.
2 ovalifolium. DC.	(gr.) oval-leaved.	Peru.	1802.	5. 6.	F. 4.	Vent. h. cels. t. 5.
3 argenteum. K.S.	(gr.) silvery-leaved.	S. America.	1823.	—	F. 4.	Fl. per. 1. t. 103. f. b.
4 ascendens. DC.	(gr.) ascending.	Magellan.	—	—	H. 4.	
5 lavigatum. DC.	(gr.) smooth	—	1790.	6. 8.	H. 4.	
6 magellanicum. DC.	(gr.) Magellan.	—		—	H. 4.	Lam. ill. t. 22. f. 2.
7 lucidum. Lam.	(gr.) shining.	Falkland Isl.	1777.	5. 6.	H. 4.	— t. 22. f. 3.
SANGUISORBA. DC. GREAT-BURNET. Tetrandria Monogynia. L.						
1 officinalis. DC.	(pu.) officinal.	Britain.		6. 8.	H. 4.	Eng. bot. v. 19. t. 1312.
2 auriculata. DC.	(pu.) eared.	Italy.		—	H. 4.	Bocc. mus. 19. t. 9.
3 carnea. DC.	(pi.) flesh-coloured.		1818.	—	H. 4.	
4 rubra. Sck.	(re.) red-spiked.	Dahuria.	1824.	—	H. 4.	Schrank. h. mon. t. 69.
5 præcox. Bes.	(pi.) early-flowered.	Siberia.	1827.	5. 7.	H. 4.	
6 angustifolia. F.	(pi.) narrow-leaved.	—	1820.	6. 8.	H. 4.	
7 tenuifolia. DC.	(re.) slender-leaved.	Dahuria.	—	—	H. 4.	
8 nigricæ.	(wh.) glossy-leaved.		1829.	—	H. 4.	
9 mauritanica. DC.	(gr.) Barbary.	Algiers.		—	H. 4.	Moris. ox. s. 8. t. 18. f. 4.
10 media. DC.	(wh.) short-spiked.	Canada.	1785.	—	H. 4.	— s. 8. t. 18. f. 8.
11 canadensis. DC.	(wh.) Canadian.	—	1633.	—	H. 4.	— s. 8. t. 18. f. 12.
FOTHERIUM. DC. BURNET. Monœcia Polyandria. L.						
1 spinosum. DC.	(wh.) prickly shrubby.	Levant.	1595.	4. 8.	G. 4.	Moris. ox. s. 8. t. 18. f. 5.
2 crispum. DC.	(wh.) curled-leaved.	—		—	G. 4.	
3 inerme. DC.	(wh.) spineless.	—		—	G. 4.	
4 caudatum. DC.	(wh.) shrubby.	Canaries.	1779.	1. 4.	G. 4.	Bot. mag. 2341.
5 sanguisorba. DC.	(pu.) common.	England.		7.	H. 4.	Eng. bot. v. 12. t. 860.
6 agrimonifolium. DC.	(pu.) Agrimony-ld.	Spain.	1818.	6. 7.	H. 4.	
7 hybridum. W.	(pu.) sweet.	France.	1683.	—	H. 4.	Barrel. ic. t. 632.
8 polygamum. DC.	(pu.) Hungarian.	Hungary.	1803.	7. 8.	H. 4.	W. et K. hung. 2. t. 198.
9 villosum. DC.	(pu.) villous.	Levant.	1829.	—	H. 4.	Flor. græc. t. 942.
10 verrucosum. E.	(pu.) warted.	Egypt.	1827.	—	H. 4.	
CERCOCARPUS. DC. CERCOCARPUS. Icosandria Monogynia.						
1 fothergilloides. DC.	(pu.) Fothergilla-like.	Mexico.	1828.		G. 4.	H. et B. n. gen. 6. t. 559.
CLIFFORTIA. DC. CLIFFORTIA. Dioecia Polyandria. L.						
1 ilicifolia. DC.	(st.) Holly-leaved.	C. B. S.	1714.	5. 9.	G. 4.	Linn. hort. cliff. t. 30.
2 cordifolia. DC.	(st.) heart-leaved.	—	1816.	—	G. 4.	
3 tridentata. DC.	(st.) three-toothed.	—	1752.	6. 7.	G. 4.	
4 ruscifolia. DC.	(st.) Ruscus-leaved.	—	—	—	G. 4.	Linn. hort. cliff. t. 31.
5 crachnoideu. B.C.	260.	—	—	—	—	
6 graminea. DC.	(st.) grass-leaved.	—	1825.	—	G. 4.	
7 ferruginea. DC.	(st.) ferruginous.	—	1823.	—	G. 4.	
8 cuneata. DC.	(st.) wedge-leaved.	—	1787.	4.	G. 4.	
9 struthifera. DC.	(st.) cone-bearing.	—	1816.	5. 7.	G. 4.	Pluk. alm. t. 275. f. 2.
10 ericaefolia. DC.	(st.) heath-leaved.	—	1799.	7. 9.	G. 4.	
11 tomentosa. DC.	(st.) twiggy.	—	1795.	6. 8.	G. 4.	
12 falcata. DC.	(st.) falcate-leaved.	—	1816.	—	G. 4.	
13 ternata. DC.	(st.) ternate-leaved.	—	—	—	G. 4.	Linn. hort. cliff. t. 32.
14 trifoliata. DC.	(st.) three-leaved.	—	1752.	4. 7.	G. 4.	Pluk. alm. t. 319. f. 4.
15 obcordata. DC.	(st.) obcordate.	—	1790.	6. 8.	G. 4.	
16 obliqua. DC.	(st.) oblique-leaved.	—	1816.	—	G. 4.	
17 dentata. DC.	(st.) toothed.	—	—	—	G. 4.	
18 crenata. DC.	(st.) notched-leaved.	—	1791.	7. 8.	G. 4.	
19 pulchella. DC.	(st.) beautiful.	—	1795.	4. 5.	G. 4.	
20 cinerea. DC.	(st.) cinereous.	—	1800.	6. 7.	G. 4.	

ORDO LXXIX.

SPIRÆACEÆ. D. Don prodr. flor. nepal. p. 227.

PURSHIA. DC.	PURSHIA. Icosandria Monogynia.					
1 tridentata. DC.	(ye.) three-toothed.	Columbia.	1827.		H. 4.	Pursh. fl. amer. 1. t. 15.
2 Tiquet tridentata. Ph.						

KE'RRIA. DC.

KE'RRIA. Icosandria Pent-Octagynia.

japónica. DC.	(ye.) Japanese.	Japan.	1804.	4. 9.	H. 1 ₂ .	
β flore pleno.	(ye.) double-flowered.	—	—	—	H. 1 ₂ .	

Córchorus japonicus. Bot. mag. t. 1296.

Andr. reposit. t. 587.

SPIRÆA. DC.

SPIRÆA. Icosandria Pentagynia. L.

1 opulifolia. DC.	(wh.) Guelder-rose-ld.	N. America.	1690.	6. 7.	H. 1 ₂ .	Schmidt arb. 1. t. 52.
2 capitata. DC.	(wh.) headed.	Columbia.	1827.	—	H. 1 ₂ .	
3 ulmitolia. DC.	(wh.) Elm-leaved.	Siberia.	1790.	—	H. 1 ₂ .	Jacq. vind. 2. t. 140.
4 flexuosa. DC.	(wh.) flexuose.	—	1820.	—	H. 1 ₂ .	Camb. mon. spir. t. 26.
5 bella. DC.	(ro.) red-flowered.	Nepaul.	1818.	6. 9.	H. 1 ₂ .	Bot. mag. t. 2426.
6 chamaedrifolia. DC.	(wh.) Germander-ld.	Siberia.	1780.	6. 7.	H. 1 ₂ .	Bot. reg. t. 1222.
7 media. Ph.	(wh.) middle.	Canada.	1827.	—	H. 1 ₂ .	
8 oblongifolia. W.K.	(wh.) oblong-leaved.	Hungary.	1815.	5. 7.	H. 1 ₂ .	W. et K. hung. 3. t. 25.
9 cana. DC.	(wh.) hoary-leaved.	—	1824.	6. 7.	H. 1 ₂ .	— 3. t. 25.
10 trilobata. DC.	(wh.) three-lobed.	Siberia.	1801.	5. 6.	H. 1 ₂ .	Pall. ross. 1. t. 17.
11 alpina. DC.	(wh.) Alpine.	—	1806.	6. 7.	H. 1 ₂ .	— 1. t. 20.
12 thalictroides. DC.	(wh.) meadow-rue-ld.	—	1790.	5. 6.	H. 1 ₂ .	— 1. t. 18.
13 pikowiensis. DC.	(wh.) Pikow.	Poland.	1824.	—	H. 1 ₂ .	
14 hypericifolia. W.	(wh.) Hypericum-ld.	N. America.	1640.	4. 5.	H. 1 ₂ .	Schmidt arb. 1. t. 21.
15 uralensis.	(wh.) Fischer's.	Siberia.	1822.	—	H. 1 ₂ .	
crenata. F. non W. hypericifolia β uralensis. DC.						
16 acutifolia. W.en.	(wh.) acute-leaved.	Siberia.	—	—	H. 1 ₂ .	
17 crenata. L.	(wh.) crenated.	—	1739.	—	H. 1 ₂ .	
18 crataegifolia. L.en.	(wh.) Hawthorn-leav'd.	—	1824.	5. 6.	H. 1 ₂ .	
19 obovata. W.K.	(wh.) obovate leaved.	Hungary.	1816.	—	H. 1 ₂ .	
20 savranica. Bes.	(wh.) small-flowered.	Poland.	1826.	—	H. 1 ₂ .	
21 Besseriàna.	(wh.) Besser's.	—	—	—	H. 1 ₂ .	
crenata. Bes. non L.						
22 canescens. DC.	(wh.) canescent.	Nepaul.	1825.	6. 8.	H. 1 ₂ .	
23 ceanothifolia. DC.	(wh.) Ceanothus-ld.	—	1820.	5. 6.	H. 1 ₂ .	
24 corymbosa. DC.	(wh.) corymbose.	Virginia.	1812.	—	H. 1 ₂ .	Lodd. bot. cab. t. 671.
25 vacciniifolia. D.P.	(wh.) Vaccinium-ld.	Nepaul.	1824.	6. 8.	H. 1 ₂ .	— t. 113.
26 betulafolia. DC.	(wh.) Birch-leaved.	Siberia.	1812.	6. 7.	H. 1 ₂ .	Pall. ross. 1. t. 16.
27 lævigata. DC.	(wh.) smooth-leaved.	—	1774.	4. 6.	H. 1 ₂ .	Schmidt arb. 1. t. 10.
28 salicifolia. DC.	(ro.) Willow-leaved.	Britain.	—	6. 8.	H. 1 ₂ .	Eng. bot. v. 21. t. 142.
29 alba. W.D.	(wh.) white-flowered.	—	—	—	H. 1 ₂ .	Wats. dend. brit. t. 133.
30 carpiniifolia. W.en.	(bh.) broad-leaved.	N. America.	—	7. 8.	H. 1 ₂ .	— t. 66.
31 tomentosa. DC.	(ro.) tomentose.	—	1736.	7. 9.	H. 1 ₂ .	Schmidt arb. 1. t. 51.
32 ariaifolia. DC.	(ro.) Aria-leaved.	—	1827.	6. 8.	H. 1 ₂ .	
33 discolor. DC.	(wh.) two-coloured.	—	—	—	H. 1 ₂ .	
34 sorbitolia. DC.	(wh.) Service-leaved.	Siberia.	1759.	7. 9.	H. 1 ₂ .	Schmidt arb. 1. t. 53.
35 grandiflora.	(wh.) large-flowered.	Kamtschatka.	1817.	7. 8.	H. 1 ₂ .	Pall. ros. 1. t. 25.
sorbitolia β alpina. DC.						
36 Aruncus. DC.	(wh.) Goat's-beard.	Siberia.	1633.	6. 7.	H. 2 ₄ .	Pall. ros. 1. t. 26.
37 americana.	(wh.) glossy-leaved.	N. America.	1825.	—	H. 2 ₄ .	
38 Ulmaria. DC.	(wh.) Meadow-sweet.	Britain.	—	6. 10.	H. 2 ₄ .	Eng. bot. v. 14. t. 900.
a tomentosa. DC. (wh.) tomentose.						
β multiplex. DC. (wh.) double-flowered.						
γ variegata. DC. (wh.) variegated-leav'd.						
39 lobata. DC.	(ro.) lobed-leaved.	N. America.	1765.	7. 8.	H. 2 ₄ .	Jacq. vind. 1. t. 88.
40 palmata. DC.	(wh.) palmated.	China.	1823.	—	H. 2 ₄ .	
41 digitata. DC.	(ro.) digitate.	Siberia.	—	—	H. 2 ₄ .	Pall. ros. 1. t. 27.
42 Filipendula. DC.	(wh.) Dropwort.	Britain.	—	6. 10.	H. 2 ₄ .	Eng. bot. v. 4. t. 284.
β multiplex. DC. (wh.) double-flower'd.						
GILLENIA. DC. GILLENIA. Dodecandria Pentagynia.						
1 trifoliata. DC.	(bh.) three-leaved.	N. America.	1713.	6. 7.	H. 2 ₄ .	Bot. mag. t. 489.
Spiræa trifoliata. B.M.						
2 stipulacea. DC.	(bh.) large-stipuled.	—	1805.	—	H. 2 ₄ .	Bart. med. bot. t. 6.

ORDO LXXX.

CALYCANTHÆ. DC. prodr. 3. p. 1.

CALYCAN'THUS. DC. ALLSPICE-TREE. Icosandria Polygynia. L.

1 floridus. DC.	(d. pu.) Carolina.	Carolina.	1726.	5. 8.	H. 1 ₂ .	Bot. mag. t. 503.
-----------------	--------------------	-----------	-------	-------	---------------------	-------------------

1 <i>paniculatus</i> . (d.pu.) Plum-leaved. Carolina. 1822. 5. 8. H. h ₂ .	
2 <i>glauca</i> . DC. (d.pu.) glaucous-leaved. ——— 1806. ——— H. h ₂ .	Guimp. ab. holz. t. 5.
3 <i>pitilis</i> . Bot. reg. t. 404.	
4 <i>longifolius</i> . N. (d.pu.) oblong-leaved. ——— 1812. ——— H. h ₂ .	
5 <i>lanceolatus</i> . DC. (d.pu.) smooth-leaved. ——— 1806. ——— H. h ₂ .	Bot. reg. t. 481.
CINONANTHUS. DC. JAPAN ALLSPICE. Icosandria Polygynia.	
1 <i>fragrans</i> . DC. (ye.) fragrant. Japan. 1766. 12. 3. H. h ₂ .	Bot. mag. t. 466.
2 <i>calycanthus præcox</i> . B.M.	
3 <i>communis</i> . (ye.pu.) common. ——— ——— ——— H. h ₂ .	Hort. Kew. v. 2. t. 10.
4 <i>luteus</i> . (ye.) yellow-flowered. ——— 1814. ——— H. h ₂ .	
5 <i>grandiflorus</i> . B.R. (ye.) large-flowered. ——— 1812. ——— H. h ₂ .	Bot. reg. t. 451.

ORDO LXXXI.

GRANATEÆ. D. Don in Jameson Edinb. phil. journ. jul. 1826. p. 134.

CUNICUS. DC. POMEGRANATE. Icosandria Monogynia. L.	
1 <i>Granatum</i> . DC. (or.) common. S. Europe. 1548. 6. 9. H. h ₂ .	Bot. mag. t. 1832.
2 <i>rubrum</i> . DC. (or.) red-flowered. ——— ——— ——— H. h ₂ .	Schkuhr handb. t. 131.
3 <i>flavescens</i> . DC. (or.) double red. ——— ——— 6. 8. H. h ₂ .	Trew ehret. t. 71. f. 2.
4 <i>flavescens</i> . (ye.) yellow-flowered. China. 1810. ——— F. h ₂ .	
5 <i>albescens</i> . (wh.) white-flowered. ——— ——— ——— F. h ₂ .	Andr. reposit. t. 96.
6 <i>multiflorus</i> . (wh.) double white. ——— ——— ——— F. h ₂ .	
7 <i>nana</i> . DC. (or.) dwarf. S. America. 1723. 7. 9. F. h ₂ .	Bot. mag. t. 634.

ORDO LXXXII.

MEMECYLEÆ. DC. prodr. 3. p. 5.

MEMECYLON. DC. MEM'ECYLON. Octandria Monogynia. L.	
1 <i>angulatum</i> . DC. (pu.) square-stalked. Mauritius. 1826. 5. 7. S. h ₂ .	
2 <i>capitellatum</i> . DC. (pu.) headed. Ceylon. 1796. 7. 8. S. h ₂ .	Burm. zeyl. t. 30.
3 <i>edule</i> . DC. (pu.) eatable-fruited. E. Indies. 1823. ——— S. h ₂ .	Roxb. corom. 1. t. 82.
4 <i>grande</i> . DC. (bl.) tree. ——— 1824. S. h ₂ .	Rheed. mal. 2. t. 14.
MOURIRIA. DC. MOURIRIA. Decandria Monogynia.	
1 <i>myrtilloides</i> . DC. (wh.) sessile-leaved. Jamaica. 1818. 6. 8. S. h ₂ .	Sloan. his. 2. t. 87. f. 3.
2 <i>Petaluma myrtilloides</i> . Swartz fl. ind. occ. 2. p. 833. t. 14.	
3 <i>guianensis</i> . DC. (ye.) Guiana. Guiana. 1825. ——— S. h ₂ .	Aubl. guian. 1. t. 180.
4 <i>grandiflora</i> . DC. (wh.) great flowered. Brazil. 1822. S. h ₂ .	
5 <i>alternifolia</i> . H.B. alternate-leav'd. E. Indies. 1823. S. h ₂ .	

ORDO LXXXIII.

COMBRETACEÆ. DC. prodr. 3. p. 9.

Tribus I. TERMINALIEÆ. DC. prodr. 3. p. 9.

EUCIDA. DC. OLIVE-BARK-TREE. Decandria Monogynia. L.	
1 <i>Baccharis</i> . DC. (wh.) Jamaica. Jamaica. 1793. 7. 10. S. h ₂ .	Bot. reg. t. 907.
2 <i>capitata</i> . DC. (wh.) headed. W. Indies. 1826. S. h ₂ .	Vahl. ecl. 1. t. 8.
TERMINALIA. DC. TERMIN'ALIA. Polygamia Monœcia. L.	
1 <i>Tanibœica</i> . DC. (wh.) Guiana. Guiana. 1826. S. h ₂ .	Aubl. guian. 1. t. 178.
2 <i>angustifolia</i> . DC. (wh.) narrow-leaved. E. Indies. 1692. 5. 7. S. h ₂ .	Jacq. vind. 3. t. 100.
Cappia Benzoin. Gært. fruct. 2. p. 206. t. 127.	

3	mauritiàna. DC.	(wh.) Mauritius.	Mauritius.	1822.		S. h.	Lam. ill. t. 848. f. 2.
4	Catappa. DC.	(wh.) large-leaved.	E. Indies.	1778.	5. 7.	S. h.	Jacq. ic. 1. t. 197.
5	subcordata. K.S.	(wh.) heart-leaved.	W. Indies.	1816.		S. h.	
6	moluccana. DC.	(wh.) smooth-leaved.	Moluccas.	—		S. h.	Rumph. amb. 1. t. 68.
7	glabrata. DC.	(wh.) smooth-leaved.	Society Isles.	1822.		S. h.	Spreng. antiq. bot. t. 2.
8	latifolia. DC.	(wh.) broad-leaved.	W. Indies.	1778.	6. 8.	S. h.	
9	bengalensis. DC.	(wh.) Bengal.	E. Indies.	1826.		S. h.	
10	Bellerica. DC.	(wh.) fetid-flowered.	—	1818.		S. h.	Roxb. corom. 2. t. 185.
11	Chébula. DC.	(wh.) oval-leaved.	—	1796.	6. 8.	S. h.	— 2. t. 185.
12	citrina. DC.	(st.) Citron-leaved.	—	1823.		S. h.	Gart. fruct. 2. t. 97.
13	procera. DC.	(wh.) lofty.	—	1816.		S. h.	Roxb. corom. 3. t. 224.
14	gangética. H.B.	(wh.) Ganges.	—	1823.		S. h.	
15	biticaria. H.B.	(wh.) Silhet.	—	1824.		S. h.	
16	arbúscula. DC.	(wh.) small tree.	Jamaica.	1822.		S. h.	
17	sericea. DC.	(wh.) silky-leaved.	C. B. S.	1816.		I. h.	
18	Fatrára. DC.	(wh.) Madagascar.	Madagascar.	1826.		S. h.	
PENTA'PTERA. DC. PENTA'PTERA. Polygamia Monœcia.							
1	tomentosa. DC.	(wh.) woolly.	E. Indies.	1824.		S. h.	DC. diss. t. 1.
2	paniculata. DC.	(wh.) paniced.	—	1826.		S. h.	
3	Arjuna. DC.	(wh.) glaucous-leaved.	—	1825.		S. h.	DC. diss. t. 2.
4	bialata. H.B.	(wh.) two-winged.	—	—		S. h.	
GETONIA. DC. GETONIA. Decandria Monogynia.							
1	floribunda. DC.	(wh.) many-flowered.	E. Indies.	1815.	5. 7.	S. h.	Roxb. corom. 1. t. 87.
2	nutans. DC.	(wh.) nodding.	—	1823.	—	S. h.	
CONOCARPUS. DC. BUTTON-TREE. Pent-Decandria Monogynia.							
1	erecta. W.	(wh.) upright.	Jamaica.	1752.	6. 8.	S. h.	Jacq. amer. t. 52. f. 1.
2	procumbens. W.	(wh.) procumbent.	Cuba.	1730.	—	S. h.	— t. 52. f. 2.
3	acuminata. DC.	(wh.) pointed-leaved.	E. Indies.	1822.		S. h.	
4	latifolia. DC.	(wh.) broad-leaved.	—	1816.		S. h.	
LAGUNCULARIA. DC. LAGUNCULARIA. Decandria Monogynia.							
	racemosa. DC.	(gr.) racemed.	W. Indies.	1825.		S. h.	Jacq. amer. t. 53.
POIVREA. DC. POIVREA. Decandria Monogynia.							
1	comosa.	(cr.) tufted.	Sierra Leone.	1821.	5. 8.	S. h.	Bot. reg. t. 1165.
	<i>Combrétum comosum</i> . Bot. reg.						
2	intermedia. G.D.	(cr.) intermediate.	—	—		S. h.	
3	alternifolia. DC.	(wh.) alternate-leav'd.	S. America.	1826.		S. h.	Jacq. am. pic. t. 260. f. 27.
	<i>Combrétum decandrum</i> . Jacq.						
4	coccinea. DC.	(sc.) scarlet-flower'd.	Madagascar.	1818.	3. 10.	S. h.	Lam. ill. t. 282. f. 2.
	<i>Combrétum purpureum</i> . Bot. reg. 429. <i>Cristaria coccinea</i> . Sonn. itin. 2. t. 140. non Pursh.						
5	Roxburghii. DC.	(wh.) Roxburgh's.	E. Indies.	1822.		S. h.	Roxb. corom. 1. t. 59.
	<i>Combrétum decandrum</i> . Roxb. non Jacq.						

Tribus II. COMBRETEÆ. DC. prodr. 3. p. 18.

COMBR'ETUM. DC.		COMBR'ETUM.	Octandria Monogynia. L.				
1	secundum. G.D. (ye. sc.)	side-flowering.	W. Indies.	1822.		S. h. —.	Jacq. am. pic. t. 260. f. 25.
2	elegans. DC.	(re.) elegant.	S. America.	1823.		S. h. —.	Aubl. gui. 1. t. 137.
3	formosum. G.D. (ye. re.)	beautiful.	Brazil.	1824.		S. h. —.	
4	grandiflorum. G.D. (sc.)	large-flowered.	Sierra Leone.	1821.		S. h. —.	
5	farinosum. G.D. (or.)	mealy-leaved.	Mexico.	1823.		G. h. —.	
6	laxum. G.D. (wh.)	loose-racemed.	S. America.	1822.		S. h. —.	Lam. ill. t. 282. f. 1.
7	pulchellum. G.D. (se.)	pretty.	Brazil.	1823.		S. h. —.	
8	nanum. G.D. (wh.)	dwarf.	Nepaul.	1826.		G. h. —.	
9	micranthum. G.D. (se.)	small-flowered.	Sierra Leone.	1823.		S. h. —.	
		<i>parviflorum</i> . Reichenb. hort. bot. t. 62.					
CACO'UCIA. DC.		CACO'UCIA.	Dodecandria Monogynia.				
	coccinea. DC.	(se.) scarlet.	Guiana.	1815.		S. h. —.	Aubl. guian. 1. t. 179.
		<i>Schombia coccinea</i> . W.					
QUISQU'ALIS. DC.		QUISQU'ALIS.	Decandria Monogynia. L.				
1	indica. DC.	(cr.) Indian.	China.	1815.	5. 8.	S. h. —.	Bot. reg. t. 492.
2	glabra. DC.	(cr.) smooth.	E. Indies.	1825.	—	S. h. —.	Burm. ind. t. 28. f. 2.
3	pubescens. S.S.	 pubescent.	China.	1815.		S. h. —.	
4	villosa. S.S.	 villous.	Pegu.	1818.		S. h. —.	

ORDO LXXXIV.

VOCHYSIÆ. DC. *prodr.* 3. p. 25.

VOCHYSIA. DC.	VOCHY'SIA.	Monandria Monogynia.			
1 <i>guianensis</i> . DC. (ye.)	Guiana.	Guiana.	1822.	 S. h.	Aubl. guian. 1. 1. 6.
2 <i>Cuculària excelsa</i> . W.					
3 <i>tomentosa</i> . DC. (ye.)	woolly.	————	1825.	 S. h.	

ORDO LXXXV.

RHIZOPHOREÆ. DC. *prodr.* 3. p. 31.

OLISBEA. DC.	OLISBEA.	Decandria Monogynia.			
1 <i>rhizophoræfolia</i> . DC. . .	Rhizophora-ld.	W. Indies.	1825.	 S. h.	
RHIZOPHORA. DC.	RHIZO'PHORA.	Octandria Monogynia.			
1 <i>Mangle</i> . DC. (ye.)	common.	India.	1818.	 S. h.	Jacq. amer. t. 89.
CARALLIA. DC.	CARA'LLIA.	Dodecandria Monogynia.			
1 <i>lucida</i> . DC. (ye.)	glossy.	E. Indies.	1826.	 S. h.	Roxb. corom. 3. t. 211.

ORDO LXXXVI.

ONAGRARIÆ. DC. *prodr.* v. 3. p. 35.Tribus I. MONTINIEÆ. DC. *prodr.* loc. cit.

MONTINIA. DC.	MONTI'NIA.	Dicecia Tetrandria. L.			
1 <i>lævis</i> . DC. (wh.)	Sea purslane-ld.	C. B. S.	1774.	7. 8. G. h.	Smith spicil. t. 15.
2 <i>caryophyllæa</i> . Thunb.					

Tribus II. FUCHSIEÆ. DC. *prod.* v. 3. p. 36.

FUCHSIA. DC.	FUCHSIA.	Octandria Monogynia. L.			
1 <i>microphylla</i> . DC. (re.)	small-leaved.	Mexico.	1827.	6. 9. F. h.	Swt. br. fl. gar. s. 2. t. 16.
2 <i>lycidæa</i> . DC. (re.)	Box-thorn-ld.	Chile.	1796.	4. 10. G. h.	Bot. mag. t. 1024.
3 <i>parviflora</i> . DC. (re.)	small-flowered.	Mexico.	1824.	6. 9. F. h.	Bot. reg. t. 1048.
4 <i>arborescens</i> . DC. (ro.)	arborescent.	————	1823.	6. 10. G. h.	———— t. 913.
5 <i>gracilis</i> . DC. (sc.)	slender.	————	1822.	5. 10. F. h.	———— t. 847.
6 <i>multiflora</i> . DC. (sc.)	many-flowered.	————	1824.	—— F. h.	———— t. 1052.
7 <i>macrostemma</i> . DC. (sc.)	large-crowned.	Chile.	1823.	—— G. h.	Flor. per. 3. t. 324. f. b.
8 <i>tenella</i> . DC. (sc.)	weak.	————	1822.	—— G. h.	
9 <i>conica</i> . B.R. (sc.)	conical-tubed.	————	1824.	—— F. h.	Bot. reg. t. 1062.
10 <i>virgata</i> . (sc.)	Colvill's.	Mexico.	1825.	—— F. h.	Bot. mag. t. 97.
11 <i>carolina</i> . DC. (sc.)	scarlet.	Chile.	1788.	—— F. h.	Bot. reg. t. 857.
12 <i>excorticata</i> . DC. (gr. re.)	changeable.	N. Zealand.	1821.	—— G. h.	

Tribus III. ONAGREÆ. DC. *prodr.* v. 3. p. 40.

CHAMÆNERION. Tourn.	CHAMÆN'ERION.	Octandria Monogynia.			
1 <i>spicatum</i> . G.B. (re.)	spiked.	England.		7. 8. H. 4.	Eng. bot. v. 28. t. 1947.
2 <i>Epithium angustifolium</i> . E.B.					
3 <i>albiflorum</i> . (wh.)	white-flowered.	————		—— H. 4.	

2	speciosum, L.C.	(re.) handsome.	Europe.		7. 8.	H. 4.	
	<i>Epilobium angustifolium</i> β <i>latum</i> , DC. <i>latifolium</i> , Schmidt.						
3	americanum.	(re.) American.	N. America.	1825.	—	H. 4.	
4	rosmarinifolium, DC.	(re.) Rosemary-ld.	Europe.	1775.	6. 8.	H. 4.	Reich, ic. 4. t. 341.
	<i>Epilobium angustissimum</i> , Bot. mag. t. 76.						
5	Halleri, Retz.	(re.) Haller's.	Switzerland.	1798.	—	H. 4.	— 4. t. 342.
	<i>Epilobium Dodonæi</i> , Allioni. <i>rosmarinifolium</i> β <i>alpinum</i> , DC.						
6	latifolium.	(li.) broad-leaved.	Europe.	1779.	7. 8.	H. 4.	Sal. par. lond. t. 38.
	<i>halimifolium</i> , P.L.						
EPILOBIUM, DC. WILLOW-HERB. Octandria Monogynia. L.							
1	alpinum, DC.	(ro.) alpine.	Britain.		6. 7.	H. 4.	Eng. bot. v. 28. t. 2001.
2	origanifolium, DC.	(ro.) Marjoram-leav'd.	—		7. 8.	H. 4.	— v. 28. t. 2001.
	<i>alsinifolium</i> , E.B.						
3	roseum, E.B.	(ro.) rose-coloured.	—		—	H. 4.	— v. 10. t. 693.
4	alpestre, s.s.	(ro.) simple-stalked.	Switzerland.		—	H. 4.	
5	montanum, DC.	(li.) mountain.	Britain.		—	H. 4.	Eng. bot. v. 17. t. 1177.
6	nudans, DC.	(bh.) nodding.	Bohemia.	1827.	—	H. 4.	Reich, ic. 2. t. 197.
7	Hornemanni, DC.	(li.) Hornemann's.	Finland.	—	—	H. 4.	— p. 73. t. 180.
	<i>nudans</i> , Horn. nec aliorum.						
8	coloratum, DC.	(ro.) pink-flowered.	N. America.	1805.	—	H. 4.	
9	dahuricum, DC.	(wh.) Dahurian.	Dahuria.	1816.	—	H. 4.	
10	hirsutum, DC.	(pu.) Codlins & cream.	Britain.		—	H. 4.	Eng. bot. v. 12. t. 838.
11	tomentosum, DC.	(pu.) woolly.	Levant.	1821.	—	H. 4.	Vent. hort. cels. t. 90.
12	villosum, DC.	(pu.) villous.	C. B. S.	1799.	—	G. 4.	
13	cylindricum, DC.	(ro.) round-stemmed.	Nepaul.	1827.	—	H. 4.	
14	palustre, DC.	(ro.) round-stalked.	Britain.		—	H. 4.	Eng. bot. v. 5. t. 346.
15	rivulare, DC.	(ro.) rivulet.	N. Europe.	1828.	—	H. 4.	Reich, ic. 2. t. 170.
16	parviflorum, DC.	(pu.) small-flowered.	Britain.		—	H. 4.	Eng. bot. v. 12. t. 795.
17	tetragonum, DC.	(pu.) square-stemmed.	—		—	H. 4.	— v. 28. t. 1918.
18	obscurum, P.S.	(pu.) obscure.	Europe.	1820.	—	H. 4.	Reich, ic. 2. t. 199.
19	canescens, H.H.	(ro.) canescent.	—	1826.	—	H. 4.	
GAURA, DC. GAURA, Octandria Monogynia. L.							
1	biennis, DC.	(bh.) biennial.	N. America.	1762.	8. 10.	H. ♂.	Bot. mag. t. 389.
2	angustifolia, DC.	(fl.) narrow-leaved.	Carolina.	1816.	7. 9.	F. ♂.	Jacq. ic. 3. t. 457.
	<i>fruticosa</i> , Jacq. ex DC. prodr.						
3	sinuata, DC.	(fl.) sinuate-leaved.	Arkansa.	1826.	—	H. ♂.	
4	tripetala, DC.	(bh.) three-petaled.	Mexico.	1804.	8. 10.	H. 4.	Cavan. ic. 4. t. 396. f. 1.
5	linifolia, DC.	(wh.) Flax-leaved.	Arkansa.	1826.	7. 9.	H. ♂.	
6	coccinea, DC.	(ro.) pale-scarlet.	Louisiana.	1811.	8. 10.	H. 4.	
7	mutabilis, DC.	(ye.) changeable-col'd.	N. Spain.	1795.	7. 9.	F. ♂.	Bot. mag. t. 383.
8	œnothiflora, DC.	(ye.) canescent.	—	1816.	—	F. ♂.	
ÆNOTHERA, DC. EVENING PRIMROSE, Octandria Monogynia. L.							
1	dentata, DC.	(ye.) toothed.	Chile.	1818.	6. 9.	H. 4.	Lindl. coll. t. 10.
2	micrantha, s.s.	(ye.) small-blossom'd.	California.	1820.	—	H. 4.	
	<i>hirta</i> , L. enum.						
3	cheiranthifolia, DC.	(ye.) Wallflower-ld.	Chile.	—	—	F. 4.	Bot. reg. t. 1040.
4	biennis, DC.	(ye.) common.	N. America.	1629.	—	H. ♂.	Eng. bot. v. 22. t. 1534.
5	clata, DC.	(ye.) tall upright.	Mexico.	1827.	7. 10.	F. ♂.	
6	grandiflora, DC.	(ye.) large-flowered.	N. America.	1778.	6. 8.	H. 4.	Bot. mag. t. 2068.
7	suavcolens, DC.	(ye.) fragrant.	—		—	H. ♂.	
8	Simsiana, DC.	(ye.) Sims's.	Mexico.	1816.	7. 10.	F. ♂.	Bot. mag. t. 1974.
	<i>corymbosa</i> , B.M. non Lamarck.						
9	macracarpa, DC.	(ye.) broad-leaved.	N. America.	1811.	6. 8.	H. 4.	Swt. br. fl. gar. t. 5.
10	missouriensis, B.M.	(ye.) narrow-leaved.	—	—	—	H. 4.	Bot. mag. t. 1592.
	<i>alata</i> , N. non Rafin.						
11	salicifolia, DC.	(ye.) Willow-leaved.	—	1818.	6. 9.	H. 4.	
12	parviflora, DC.	(ye.) small-flowered.	N. America.	1757.	6. 8.	H. ♂.	Meerb. ic. 1. t. 31.
13	cruciata, N.	(st.) cross-petaled.	—	1821.	6. 10.	H. ♂.	
14	muricata, DC.	(ye.) prickly-stalked.	N. America.	1789.	7. 9.	H. ♂.	Murr. com. goet. 6. t. 1.
15	nocturna, DC.	(ye.) night-smelling.	C. B. S.	1790.	4. 8.	G. ♂.	Jacq. ic. 3. t. 455.
16	longiflora, DC.	(ye.) long-flowered.	Buenos Ayres.	1776.	7. 9.	H. ♂.	Bot. mag. t. 365.
17	villosa, DC.	(ye.) villous.	C. B. S.	1791.	—	G. ♂.	
18	mollissima, DC.	(ye.) soft wave-ld.	Buenos Ayres.	1732.	6. 10.	H. ♂.	Schkuhr hand. 1. t. 105.
19	odorata, DC.	(ye.) sweet-scented.	Patagonia.	1790.	4. 8.	H. 4.	Bot. mag. t. 2403.
	<i>a glaucescens</i> , DC. (ye.) glaucescent.						
	<i>æ rirescens</i> , DC. (ye.) purple-stalked.						
20	striata, DC.	(ye.) striped-seeded.	—	—	—	H. 4.	Jacq. ic. 3. t. 456.
21	sinuata, DC.	(ye.) scallop-leaved.	N. America.	1816.	6. 9.	H. 4.	Bot. reg. t. 147.
22	tenella, DC.	(pu.) slender.	Chile.	1770.	7. 8.	H. 4.	Murr. com. goet. 5. t. 9.
				1822.	6. 9.	H. 4.	Swt. br. fl. gar. t. 167.

23 tenuifolia. DC.	(pu.) slender-leaved.	Chile.	1829.	6. 9.	H. ☉.	Cavan. ic. 4. t. 397.
24 viminea. B.M.	(pu.) twiggy.	N. America.	1827.	—	H. ☉.	Bot. reg. t. 1220.
25 decumbens. D.	(pu.) decumbent.	—	—	—	H. ☉.	— t. 1221.
26 quadrivulnera. D.	(pu.) four-spotted.	—	—	—	H. ☉.	— t. 1119.
27 Lindleyana. D.	(pu.) Lindley's.	—	—	—	H. ☉.	Swt. br. fl. gar. s. 2. t. 19.
28 roseo-alba. DC.	(wh.ro.) rosy and white.	America.	1826.	—	H. ☉.	— t. 268.
29 purpurea. DC.	(pu.) purple-flower'd.	N. America.	1794.	5. 9.	H. ☉.	Bot. mag. t. 352.
30 Romanzovii. DC.	(pu.) Romanzoff's.	—	1819.	—	H. ☉.	Bot. reg. t. 662.
31 corymbosa. DC.	(ye.) corymbose.		1826.	6. 9.	H. ♂.	—
32 spectabilis. H.H.	(ye.) showy.	Mexico.	1822.	—	F. ♂.	—
33 gaurioides. DC.	(ye.) Gaura-like.	Baltimore.	1816.	7. 9.	H. ♂.	—
34 media. DC.	(ye.) intermediate.	N. America.	1821.	6. 9.	H. ♀.	—
35 serrulata. DC.	(ye.) saw-leaved.	—	—	6. 10.	H. ♀.	Swt. br. fl. gar. t. 133.
36 stricta. Led.	(ye.) straight.		1822.	—	H. ☉.	—
37 amœna. Leh.	(ye.) delicate.		1826.	—	H. ☉.	—
38 nervosa. H.H.	(ye.) nerved-leaved.		—	—	H. ♂.	—
39 caspitosa. DC.	(wh.) tufted.	N. America.	1811.	6. 9.	H. ♀.	Bot. mag. t. 1593.
40 acaulis. DC.	(wh.) short-stalked.	Chile.	1822.	—	H. ♀.	Bot. reg. t. 763.
41 taraxacifolia. B.F.G.	(w.) Dandelion-ld.	—	1823.	—	H. ♀.	Swt. br. fl. gar. t. 294.
grandiflora. Flor. peruv. 3. t. 318. f. 6. nec aliorum.						
42 triloba. DC.	(st.) root-flowering.	N. America.	1821.	6. 10.	H. ☉.	Bot. mag. t. 2566.
rhizocarpa. s.s.						
43 virgata. DC.	(pu.) slender-twigg'd.	Peru.	1823.	6. 9.	H. ☉.	Flor. per. 29. t. 315.
44 pinnatifida. DC.	(ye.) pinnatifid.	Mexico.	1825.	—	F. ♀.	—
45 tetraptera. DC.	(wh.) four-winged.	—	1796.	—	H. ☉.	Bot. mag. t. 468.
46 latiflora. DC.	(wh.) broad-flowered.	—	1826.	—	H. ♀.	Flor. mex. ined. t. 376.
47 glauca. DC.	(ye.) glaucous-leav'd.	N. America.	1812.	5. 10.	H. ♀.	Bot. mag. t. 1606.
48 fruticosa. DC.	(ye.) frutescent.	—	1737.	6. 8.	H. ♀.	— t. 332.
49 ambigua. DC.	(ye.) ambiguous.	—			H. ♀.	—
50 serotina. B.F.G.	(ye.) late-flowered.	—	1820.	7. 10.	H. ♀.	Swt. br. fl. gar. t. 184.
51 tetragona. DC.	(ye.) blunt-leaved.	—		6. 8.	H. ♀.	—
52 Fraseri. DC.	(ye.) Fraser's.	—	1811.	5. 10.	H. ♀.	Bot. mag. t. 1674.
53 pumila. DC.	(ye.) dwarf.	—	1757.	5. 9.	H. ♀.	— t. 355.
54 rosea. DC.	(ro.) rose-coloured.	Peru.	1783.	—	F. ♀.	— t. 347.
55 linearis. DC.	(ye.) linear-leaved.	N. America.		6. 8.	H. ♀.	—
56 speciosa. DC.	(wh.) handsome.	Louisiana.	1821.	—	H. ♀.	Swt. br. fl. gar. t. 253.
57 pallida. B.R.	(bh.) pale.	N. America.	1827.	—	H. ♀.	Bot. reg. t. 1142.
58 albicaulis. DC.	(wh.) white-stalked.	—	1811.	5. 9.	H. ☉.	—
pinnatifida. N. non Kth.						
59 Nuttallii.	(wh.) Nuttall's.	N. America.	—	5. 8.	H. ♀.	—
albicaulis. N. non Pursh.						
60 canadensis. DC.	(ye.) Canadian.	Canada.	1825.	6. 9.	H. ☉.	—
CLARKIA. Ph. CLA'RKIA. Octandria Monogynia.						
palehella. Ph.	(ro.) beautiful.	N. America.	1827.	5. 10.	H. ☉.	Bot. reg. t. 1100.
β albiflora.	(wh.) white-flowered.	—	—	—	H. ☉.	—
γ integriloba.	(ro.) entire-lobed.	—	—	—	H. ☉.	—

Tribus IV. JUSSIEÆ. DC. prodr. v. 3. p. 52.

JUSSIEÆ. DC.	JUSSIEÆ. Octo-Dec-Dodecandria Monogynia.					
1 variabilis. DC.	(ye.) variable.	Guiana.	1820.	7. 9.	S.w. ♀.	—
2 leptocarpa. DC.	(ye.) narrow-podded.	Mississippi.	1824.	—	H. ☉.	—
3 pilosa. DC.	(ye.) hairy.	Caracas.	1829.	—	S.w. ♀.	H. et B. n. gen. 6. t. 532.
4 grandiflora. DC.	(ye.) great-flowered.	Carolina.	1812.	7. 10.	G.w. ♀.	Bot. mag. t. 2122.
5 repens. DC.	(ye.) creeping.	E. Indies.	1816.	—	S.w. ♀.	Rheed. mal. 2. t. 51.
6 Swartziana. DC.	(ye.) Swartz's.	W. Indies.	1826.	—	S.w. ♀.	—
7 inclinata. DC.	(ye.) inclined.	Surinam.	1820.	—	S.w. ☉.	—
8 acuminata. DC.	(ye.) acuminate.	Jamaica.	—	—	S. ☉.	—
9 linifolia. DC.	(ye.) Flax-leaved.	W. Indies.	—	—	S. ☉.	—
10 erecta. DC.	(ye.) upright.	S. America.	1739.	—	S.w. ♂.	Gært. fruct. t. 31.
11 frutescens. DC.	(ye.) frutescent.		1829.	4. 6.	S.w. ♀.	—
12 longifolia. DC.	(ye.) long-leaved.	Brazil.	1828.	6. 9.	S.w. ♀.	DC. pl. rar. gen. 1. t. 4.
13 decurrens. DC.	(ye.) decurrent.	N. America.	—	—	H.w. ♀.	Abb. ins. t. 40.
14 ovalifolia. DC.	(ye.) oval-leaved.	Madagascár.	1823.	7. 9.	S.w. ♀.	Bot. mag. t. 2530.
15 Burmanni. DC.	(ye.) Burmann's.	E. Indies.	1808.	8. 9.	S.w. ♀.	Andr. reposit. 621.
suffruticosa. A.R.						

16 villôsa. DC.	(ye.) villous.	E. Indies.	1826.	8. 9.	S.w. ½.	Rheed. mal. 2. t. 50.
17 octonervia. DC.	(ye.) eight-nerved.	S. America.		7. 9.	S.w. ¼.	Lam. ill. t. 280. f. 1.
<i>Oenothera octovalvis</i> . Jacq. amer. t. 70.						
18 octofila. DC.	(ye.) eight-veined.	Caribees.		—	S.w. ¼.	Plum.edBur.t.173.f.1.
19 scâbra. DC.	(ye.) rough.	Brazil.	1816.	—	S.w. ¼.	
20 hirta. DC.	(ye.) hairy.	S. America.	1823.	—	S.w. ½.	Plum.edBur.t.174.f.2.
LUDWIGIA. DC.	LUDWIGIA. Tetrandria Monogynia.	L.				
1 jussiaoides. DC.	(ye.) Jussiaea-like.	Mauritias.	1826.	7. 9.	S.w. ¼.	
2 parviflora. DC.	(ye.) small-flowered.	E. Indies.	1812.	—	S. ☉.	
ISNARDIA. DC.	ISNARDIA. Tetrandria Monogynia.	L.				
1 alternifolia. DC.	(ye.) alternate-leav'd.	N. America.	1752.	6. 7.	H.w. ¼.	Lam. ill. t. 77.
<i>Ludwigia alternifolia</i> . L. <i>macrocarpa</i> . M.						
2 hirsuta. DC.	(ye.) hairy.	—	1812.	6. 8.	H.w. ¼.	
3 palustris. DC.	(gr.) marsh.	Europe.	1776.	7. 8.	H.w. ¼.	Schk. handb. 1. t. 25.
4 nitida.	(gr.) American.	America.		—	H.w. ¼.	
<i>Ludwigia nitida</i> . M. <i>apétala</i> . Walter. <i>palustris</i> . Torrey.						

Tribus V. CIRCÆEÆ. DC. prodr. v. 3. p. 61.

LOPEZIA. DC.	LOPEZIA. Monandria Monogynia.					
1 racemosa. DC.	(pu.) smooth.	Mexico.	1792.	8. 10.	G. ♂.	Bot. mag. t. 251.
2 cordata. DC.	(pu.) heart-leaved.	—	1826.	7. 10.	H. ☉.	
3 coronata. DC.	(pu.) coronet-flower'd.	—	1805.	—	H. ☉.	Swt. br. fl. gar. t. 108.
4 oppositifolia. DC.	(pu.) opposite-leaved.	—	1825.	—	H. ☉.	
5 integrifolia. DC.	(pu.) entire-leaved.	—	—	—	H. ☉.	
6 miniata. DC.	(pu.) frutescent.	—	1824.	9. 11.	G. ½.	Jacq. f. ecl. t. 109.
7 hirsuta. DC.	(pu.) hairy.	—	1796.	—	G. ♂.	Jacq. coll. 5. t. 15. f. 4.
8 pumila. DC.	(pu.) dwarf.	—	1825.	7. 9.	H. ☉.	
CIRCÆA. DC.	ENCHANTER'S NIGHTSHADE. Diandria Monogynia.					
1 lutetiana. DC.	(wh.) common.	Britain.		6. 8.	H. ¼.	Eng. bot. v. 15. t. 1056.
2 canadensis. L.	(wh.) smooth-stalked.	N. America.		—	H. ¼.	
3 alpina. DC.	(wh.) mountain.	Britain.		6. 9.	H. ¼.	Eng. bot. v. 15. t. 1057.

Tribus VI. HYDROCARYEÆ. DC. prodr. v. 3. p. 63.

TRAPA. DC.	WATER-CALTROPS. Tetrandria Monogynia. L.					
1 natans. DC.	(wh.) floating.	S. Europe.	1781.	6. 8.	H.w. ☉.	Bot. reg. t. 259.
2 quadrispinosa. DC.	(wh.) four-spined.	E. Indies.	1823.	—	S.w. ☉.	
3 bispinosa. DC.	(wh.) two-spined.	—	1822.	6. 9.	S.w. ☉.	Roxb. corom. t. 234.
4 bicornis. DC.	(wh.) two-horned.	China.	1790.	—	G.w. ¼.	Braam ic. chin. t. 22.

ORDO LXXXVII.

HALORAGEÆ. DC. prodr. v. 3. p. 65.

Tribus I. CERCODIANÆ. DC. prodr. v. 3. p. 65.

SERPICULA. DC.	SERPICULA. Monœcia Tetrandria. L.					
repens. DC.	(gr.) creeping.	C. B. S.	1789.	7. 8.	G. ¼.	Berg. cap. t. 5. f. 10.
GONIOCARPUS. DC.	GONIOCARPUS. Octandria Tetragynia.					
1 mieranthus. DC.	(wh.) small-flowered.	Japan.	1805.	6. 9.	H. ☉.	Thunb. fl. jap. t. 15.
2 scaber. DC.	(wh.) rough-leaved.	China.	1820.	—	H. ☉.	Ann. bot. 1. t. 12. f. 6.
3 teucrioides. DC.	(wh.) Teucrium-like.	N. S. W.	1826.	—	H. ☉.	
HALORAGIS. DC.	HALORAGIS. Octandria Di-Tetragynia.					
1 prostrata. DC.	(gr.) prostrate.	N. S. W.	1818.	4. 9.	G. ½.	
2 digyna. DC.	(gr.) two-styled.	N. Holland.	1826.	—	G. ½.	Labil. n. holl. 1. t. 129.

CERCODIA. DC.		CERCODIA. Octandria Tetragynia.			
1 erecta. DC.	(gr.) upright.	N. Zealand.	1772.	4. 9. G. $\frac{1}{2}$.	Jacq. ic. 1. t. 69.
<i>Haloragis alata</i> . Jacq. <i>Cercodia</i> . H.K. <i>Tetragonia ivafolia</i> . L.					
PROSERPINACA. DC.		PROSERPINACA. Triandria Trigynia.			
1 palustris. DC.	(wh.) marsh.	N. America.	1822.	7. 8. H.w. $\odot$.	Jus. an. mus. 3. t. 30. f. 1.
2 pectinata. DC.	(wh.) pectinated.	—	—	H.w. $\odot$.	Lam. ill. 1. t. 50. f. 1.
MYRIOPHYLLUM. WATER MILFOIL.		Monœcia Tetr-Octandria.			
1 spicatum. DC.	(ro.) spiked.	Britain.		7. 8. H.w. $\frac{1}{2}$.	Eng. bot. v. 2. t. 83.
2 pectinatum. DC.	(ro.) pectinated.	Europe.	1828.	— H.w. $\frac{1}{2}$.	Flor. dan. t. 1046.
<i>verticillatum</i> . F.D.					
3 verticillatum. DC.	(ro.) verticillate.	England.		— H.w. $\frac{1}{2}$.	Eng. bot. v. 4. t. 218.

Tribus II. *CALLITRICHINÆ*. DC. prodr. v. 3. p. 70.

CALLITRICHE. DC.		WATER STARWORT. Monandria Digynia. L.			
1 verna. DC.	(wh.) vernal.	Britain.		4. 10. H.w. $\odot$.	Eng. bot. v. 11. t. 722.
2 autumnalis. DC.	(wh.) autumnal.	—		6. 10. H.w. $\odot$.	Gmel. sib. 3. t. 1.

Tribus III. *HIPPURIDÆ*. DC. prodr. v. 3. p. 71.

HIPURIS. DC.		MARE'S-TAIL. Monandria Monogynia. L.			
vulgaris. DC.	(gr.) common.	Britain.		5. H.w. $\frac{1}{2}$.	Eng. bot. v. 11. t. 763.

ORDO LXXXVIII.

CERATOPHYLLÆ. Gray brit. pl. arr. 2. p. 554.

CERATOPHYLLUM. DC.		HORNWORT. Monœcia Polyandria. L.			
1 demersum. DC.	(gr.) spiny-fruited.	Britain.		7. 9. H.w. $\frac{1}{2}$.	Eng. bot. v. 14. t. 947.
2 submersum. DC.	(gr.) naked-fruited.	—		9. H.w. $\frac{1}{2}$.	— v. 10. t. 679.

ORDO LXXXIX.

LYTHRARIÆ. DC. prodr. v. 3. p. 75.

Tribus I. *SALICARIÆ*. DC. prodr. v. 3. p. 75.

PEPLIS. DC.		WATER PURSLANE. Hexandria Monogynia. L.			
Portula. DC.	(re.) common.	Britain.		7. 9. H. $\odot$.	Eng. bot. v. 17. t. 1211.
AMMA'NNIA. DC.		AMMA'NNIA. Tetr-Heptandria Monogynia.			
1 ægyptiaca. DC.	(gr.) Egyptian.	Egypt.	1818.	7. 8. H.w. $\odot$.	Willd. hort. ber. t. 6.
2 vesicatoria. DC.	(ye.) bladdered.	E. Indies.	1825.	— S.w. $\odot$.	Pluk. alm. t. 135. f. 22.
3 occidentalis. DC.	(gr.) occidental.	Portorico.	1829.	— S.w. $\odot$.	
4 caspica. DC.	(gr.) Caspian.	Astracan.	1818.	— H.w. $\odot$.	
5 ramosior. DC.	(pu.) branching.	Virginia.	1759.	— H.w. $\odot$.	Bocc. mus. t. 101.
6 latifolia. DC.	(wh.) broad-leaved.	W. Indies.	1733.	— S.w. $\odot$.	Sloan. his. 1. t. 7. f. 4.
7 humilis. DC.	(ro.) small.	N. America.	1823.	— H.w. $\odot$.	
8 baccifera. R.S.	(ye.) berry-bearing.	China.	1820.	— H.w. $\odot$.	Burm. ind. t. 15. f. 3.
9 verticillata. DC.	(pu.) whorled.	—	—	— H.w. $\odot$.	Lam. ill. t. 77. f. 3.
10 multiflora. DC.	(re.) many-flowered.	E. Indies.	1818.	— S.w. $\odot$.	
11 densa. DC.	(li.) cluster-flower'd.	—	1778.	— S.w. $\odot$.	
12 diffusa. DC.	(wh.) spreading.	—	1818.	— S.w. $\odot$.	
13 rotundifolia. DC.	(fl.) round-leaved.	Nepaul.	—	— H.w. $\odot$.	
14 pentandra. DC.	(wh.) pentandrous.	E. Indies.	1823.	— S.w. $\odot$.	

15	sanguinolenta. DC.	(cr.) bloody.	Jamaica.	1803.	7. 8.	S.w. ⊙.	
16	octandra. DC.	(cr.) octandrous.	E. Indies.	1818.	—	S.w. ⊙.	Roxb. corom. 2. t. 132.
17	auriculata. DC.	(pu.) eared.	Egypt.	1820.	—	H.w. ⊙.	Willd. h. ber. 1. t. 7.
18	rubra. DC.	(re.) red-flowered.	Nepaul.	1822.	—	H.w. ⊙.	
19	pallida. DC.	(pu.) pale-flowered.		1828.	—	H.w. ⊙.	
20	viridis. DC.	(gr.) green.		1818.	—	H.w. ⊙.	
21	Wormskiöldii. F.		Wormskiöld's. Siberia.	1828.		H.w. ⊙.	
LYTHRUM. DC. LYTHRUM. Di-Dodecandria Monogynia.							
1	thymifolium. DC.	(li.) Thyme-leaved.	S. Europe.	1820.	7. 9.	H. ⊙.	Barrel. ic. 773. f. 2.
2	thesioides. DC.	(li.) Thesium-like.	Caucasus.	1828.	—	H. ⊙.	
3	lineare. DC.	(wh.) linear-leaved.	N. America.	1812.	7. 8.	H. 4.	
4	alatum. DC.	(pu.) winged-stalked.	—	1812.	5. 11.	F. 4.	Bot. mag. t. 1812.
5	hyssopifolium. DC.	(li.) Hyssop-leaved.	England.		8. 9.	H. ⊙.	Eng. bot. v. 5. t. 292.
6	lanceolatum. DC.	(pu.) spear-leaved.	Carolina.	1822.	7. 9.	H. 4.	
7	album. DC.	(wh.) white-flowered.	Mexico.	1827.	—	H. 7.	
8	Græfferi. DC.	(pu.) Græffer's.	S. Europe.	1825.	—	H. ⊙.	
9	Salicaria. DC.	(pu.) common.	Britain.		7. 9.	H.w. 4.	Eng. bot. v. 15. t. 1061.
10	pubescens.	(pu.) pubescent.	N. America.		7. 8.	H. 4.	
<i>Salicaria</i> β <i>pubescens</i> . Ph.							
11	diffusum. B.F.G.	(pu.) spreading.	—	1822.	7. 9.	H. 4.	Swt. br. fl. gar. t. 149.
12	virgatum. DC.	(ro.) slender-branch'd.	Europe.	1776.	6. 9.	H. 4.	Bot. mag. t. 1003.
CUPHEA. DC. CUPHEA. Dodecandria Monogynia.							
1	circaoides. DC.	(ri.) Circaea-like.	S. America.	1819.	8. 10.	H. ⊙.	Bot. mag. t. 2201.
2	spicata. DC.	(ro.) spiked.	Peru.	—	—	H. ⊙.	Cavan. icon. 4. t. 381.
3	Melvilla. DC.	(sc.gr.) scarlet & green.	Guiana.	1822.	6. 10.	S. 7.	Bot. reg. t. 852.
4	viscosissima. DC.	(li.) clammy.	America.	1776.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 60.
5	procumbens. DC.	(li.) procumbent.	Mexico.	1816.	6. 9.	H. ⊙.	Bot. reg. t. 182.
6	lanceolata. DC.	(li.) spear-leaved.	—	1796.	5. 8.	G. 3.	
7	æquipetala. DC.	(ri.) equal-flowered.	—	1828.	6. 9.	H. ⊙.	Cavan. ic. 4. t. 382. f. 2.
8	virgata. DC.	(ri.) twiggy.	—	—	—	H. ⊙.	— t. 382. f. 1.
9	decandra. DC.	(pu.) ten-stamened.	Jamaica.	1789.	6. 10.	S. 7.	
10	parviflora. DC.	(ro.) small-flowered.	Demerara.	1824.	10. 12.	S. 7.	Hook. ex. flor. t. 161.
11	Simsii. ed. 1.	(li.) Sims's.	Trinidad.	1823.	8. 10.	S. 7.	Bot. mag. t. 2580.
<i>serpullifolia</i> . B.M. non Kth. <i>Trinitatis</i> . DC.							
12	multiflora. DC.	(ri.) many-flowered.	—	1822.	—	S. 7.	Lodd. bot. cab. t. 808.
ACISANTHERA. DC. ACISANTHERA. Decandria Monogynia.							
	quadrata. DC.	(pi.) four-sided.	Jamaica.	1804.		S. 4.	Brown. jam. t. 22. f. 1.
HEIMIA. DC. HEIMIA. Dodecandria Monogynia.							
1	salicifolia. DC.	(ye.) Willow-leaved.	Mexico.	1821.	6. 9.	F. 7.	Swt. br. fl. gar. t. 281.
2	myrtifolia. Ot.	(ye.) Myrtle-leaved.	—	1827.	—	F. 7.	
DECODON. DC. DECODON. Decandria Monogynia.							
	verticillatum. DC.	(pu.) whorl-flowered.	N. America.	1759.	7. 9.	H.w. 4.	
<i>Lythrum verticillatum</i> . L. <i>Nesaea verticillata</i> . Kth.							
NESÆA. DC. NESÆA. Oct-Dodecandria Monogynia.							
	triflora. DC.	(bl.) three-flowered.	Mauritius.	1802.	8. 9.	S.w. 4.	
<i>Lythrum triflorum</i> . L.							
LAWSONIA. DC. LAWSONIA. Octandria Monogynia. L.							
1	spinosa. W.	(wh.) prickly.	E. Indies.	1759.	6. 9.	S. 7.	Rheed. mal. 1. t. 40.
2	inermis. W.	(wh.) smooth.	Egypt.	—	—	G. 7.	Rauw. ic. 60. t. 7.
GINORIA. DC. GINORIA. Dodecandria Monogynia.							
	americana. DC.	(bl.) American.	Cuba.	1827.		S. 7.	Jacq. amer. t. 91.
GRISLEA. DC. GRISLEA. Oct-Dodecandria Monogynia.							
1	secunda. DC.	(re.) secund.	Caracas.	1824.	6. 8.	S. 7.	
2	tomentosa. DC.	(sc.) downy.	E. Indies.	1804.	5. 12.	S. 7.	Bot. reg. t. 30.
<i>Woodfordia floribunda</i> . Sal. par. lond. t. 42. <i>Lythrum fruticosum</i> . L.							

Tribus II. LAGERSTRÆMIÆ. DC. prodr. v. 3. p. 92.

LAGERSTRÆMIA. DC. LAGERSTRÆMIA. Icosandria Monogynia.							
1	indica. DC.	(re.) Indian.	China.	1759.	8. 10.	F. 7.	Bot. mag. t. 405.
	3 <i>carnea</i> .	(fl.) flesh-coloured.	—	1816.	—	F. 7.	
	7 <i>alba</i> .	(wh.) white-flowered.	—	—	—	F. 7.	
2	parviflora. DC.	(wh.) small-flowered.	E. Indies.	—	—	S. 7.	Roxb. corom. 1. t. 66.
3	speciosa. DC.	(ro.) beautiful.	China.	1826.		S. 7.	Munch. haus. 5. t. 356.
4	grandiflora. DC.	(ro.) large-flowered.	E. Indies.	1809.		S. 7.	
5	regina. DC.	(ro.) oblong-leaved.	—	1792.		S. 7.	Roxb. corom. 1. t. 651.

ORDO XC.

TAMARISCINEÆ. *DC. prodr. v. 3. p. 95.*

TAMARIX. DC.	TAMARISK. Tetr-Pentandria Trigynia.					
1 gallica. DC.	(fl.) red-wooded.	England.		7. 8.	H. h.	Eng. bot. v. 19. t. 1318.
2 Pallasii. DC.	(fl.) Pallas's.	Caucasus.	1827.	—	H. h.	Pall. fl. ross. t. 77.
	pentandra. Pall.	gallica. M.B. nec aliorum.				
3 indica. DC.	(bh.) Indian.	E. Indies.		6. 8.	S. h.	
4 dioica. DC.	(bh.) dioecious.	—	1812.	—	S. h.	
5 articulata. DC.	(pi.) jointed.	—	1816.		S. h.	Vahl. symb. 2. t. 32.
6 tetrandra. DC.	(wh.) tetrandrous.	Tauria.	1821.	7. 8.	H. h.	
MYRICARIA. DC.	MYRIC'ARIA. Monadelphica Decandria.					
1 germanica. DC.	(pi.) green-wooded.	Germany.	1582.	6. 9.	H. h.	Flor. dan. t. 231.
	Tamarix germanica. L.					
2 dahurica. DC.	(pi.) Dahurian.	Dahuria.	1827.		H. h.	

ORDO XCI.

MELASTOMACEÆ. *DC. prodr. v. 3. p. 99.*

Subordo I. *MELASTOMEÆ.—Tribus I. LAVOISIEREÆ. DC. loc. cit. 100.*

MERIANIA. DC.	MERIANIA. Decandria Monogynia.					
1 leucantha. DC.	(wh.) white-flowered.	Jamaica.	1825.	6. 8.	S. h.	
2 rosea. DC.	(ro.) mountain rose.	—	—	—	S. h.	Tussac fl. ant. t. 6.
3 purpurea. DC.	(pu.) purple.	—	—	—	S. h.	Swart. fl. ind. oc. 2. t. 15.

Tribus II. *RHEXIEÆ. DC. prodr. 3. p. 114.*

SPENNERA. DC.	SPENN'ERA. Octo-Decandria Monogynia.					
1 paludosa. DC.	(ro.) marsh.	Brazil.	1825.	6. 8.	S. 4.	
2 fragilis. DC.	(wh.) brittle.	Trinidad.	1822.	—	S. h.	
3 aquatica. DC.	(ro.) marsh.	S. America.	1793.	3. 9.	S. h.	Aubl. guian. 1. t. 169.
	Rhexia aquatica. Bonpl. rhex. t. 40.	Melastoma aquatica. Aubl.				
4 pendulifolia. DC.	(ro.) hanging-leaved.	Guiana.	1826.	—	S. h.	Bonpl. nav. t. 26.
5 glandulosa. DC.	(wh.) glandulous.	—	1824.	—	S. h.	— 70. t. 27.
MICROLICIA. DC.	MICROLICIA. Decandria Monogynia.					
1 brevifolia. DC.	(pu.) short-leaved.	Guiana.	1823.	7. 10.	S. ☉.	Aubl. guian. 1. t. 155. f. b.
	Melastoma trivalvis. Aubl. Rhexia trivalvis. Vahl.					
2 bivalvis. DC.	(pu.) two-valved.	Trinidad.	1822.	6. 8.	S. ☉.	Aubl. guian. 1. t. 155. f. a.
3 recurva. DC.	(pu.) recurved-leav'd.	—	1820.	—	S. 4.	
RHEXIA. DC.	RHEXIA. Octandria Monogynia. L.					
1 mariana. DC.	(li.) Maryland.	N. America.	1759.	7. 9.	H. 4.	Pluk. mant. t. 428. f. 1.
2 purpurea. DC.	(li.) purplish.	—	—	—	H. 4.	
3 rubella. DC.	(re.) reddish.	—	—	—	H. 4.	Swt. br. fl. gar. t. 41.
4 virginica. DC.	(pu.) Virginian.	—	—	6. 8.	H. 4.	Bot. mag. t. 968.
5 ciliata. DC.	(pu.) ciliated.	—	1812.	8. 10.	H. 4.	Swt. br. fl. gar. t. 298.
6 angustifolia. DC.	(wh.) narrow-leaved.	—	—	7. 9.	H. 4.	
OXYSPORA. DC.	OXYSP'ORA. Octandria Monogynia.					
1 paniculata. DC.	(wh.) paniced.	Nepaul.	1826.	6. 8.	S. h.	
	Arthrostemma paniculatum. D.P.					

Tribus III. OSBECKIÆ. DC. prodr. 3. p. 127.

LASIA'NDRA. DC.		LASIA'NDRA.	Decandria Monogynia.				
1	Fontanesiâna. DC. (pu.)	rough-leaved.	Brazil.	1818.	4. 8.	S. h.	Bonpl. rhex. t. 36.
	<i>Melástoma granulosa</i> . B. reg. 671. <i>Rhéxia Fontanèsii</i> . Bonpl.						
2	Langsdorfiâna. DC. (pu.)	Langsdorf's.	Brazil.	1821.	—	S. h.	Bonpl. rhex. t. 51.
3	argentea. DC. (bl.)	silvery-leaved.	—	1816.	—	S. h.	— t. 12.
	<i>Rhéxia holosericea</i> . Bot. reg. t. 323. <i>Pleroma holosericeum</i> . Don.						
CHLETOGA'STRA. DC.		CHLETOGA'STRA.	Decandria Monogynia.				
1	lanceolata. DC. (wh.)	spear-leaved.	Trinidad.	1827.	1. 5.	S. h.	Bot. mag. t. 2836.
2	hypericoides. DC. (wh.)	Hypericum-like.	—	1820.	8. 12.	S. ☉.	Aubl. guian. 1. t. 168.
	<i>Rhéxia villosissima</i> . Bonpl. rhex. t. 31. <i>Melástoma villosa</i> . Aubl.						
3	ciliaris. DC. (pu.)	fringed.	S. America.	1822.	4. 7.	S. 4.	Vent. choix. t. 34.
	<i>Meriania ciliaris</i> . Vent.						
4	gracilis. DC. (ro.)	slender.	Brazil.	1824.	—	S. 4.	Bonpl. rhex. t. 52.
ARTHROSTE'MMA. DC.		ARTHROSTE'MMA.	Octandria Monogynia.				
1	ladanoïdes. DC. (li.)	bristly-stalked.	Trinidad.	1820.	6. 9.	S. ☉.	Bonpl. rhex. t. 27.
	<i>Rhéxia ladanoïdes</i> . Bonpl. <i>Melástoma trichótoma</i> . W.						
2	villosum. DC. (vi.)	villous.	Trinidad.	—	—	S. h.	Aubl. guian. 1. t. 129. f. 1.
3	versicolor. DC. (bh.)	changeable-col'd.	Brazil.	1825.	5. 9.	S. h.	Bot. reg. t. 1066.
	<i>Rhéxia versicolor</i> . B. R.						
OSBE'CKIA. DC.		OSBE'CKIA.	Octo-Decandria Monogynia.				
1	urceolaris. DC. (pu.)	urceolate.	Brazil.	1825.	4. 9.	S. h.	
2	Simsii. DC. (pu.)	Sims's.	Mauritius.	1820.	—	S. h.	Bot. mag. t. 2235.
	<i>Melástoma osbeckioides</i> . B. M.						
3	glomerata. DC. (ro.)	cluster-flower'd.	S. America.	1821.	12. 4.	S. h.	Bot. mag. t. 2838.
	β albiflora DC. (wh.)	white-flowered.	Brazil.	—	—	S. h.	Lodd. bot. cab. t. 331.
	<i>Rhéxia glomerata</i> . B. C.						
4	chinensis. DC. (ro.)	Chinese.	China.	1816.	3. 10.	S. h.	Bot. reg. t. 542.
5	zeylanica. DC. (wh.)	Ceylon.	Ceylon.	1749.	5. 9.	S. h.	— t. 565.
6	angustifolia. DC. (ro.)	narrow-leaved.	Nepaul.	1826.	—	S. h.	
7	nepalensis. H. E. F. (ro.)	handsome.	—	1820.	—	S. h.	Hook. ex. flor. t. 31.
	<i>speciosa</i> . D. P.						
8	stellata. DC. (li.)	starry-haired.	—	1818.	—	S. h.	Bot. reg. t. 674.
9	ternifolia. DC. (li.)	whorl-leaved.	—	1825.	—	S. h.	
10	octandra. DC. (ro.)	octandrous.	Ceylon.	1815.	4. 8.	S. h.	
	<i>Melástoma octandra</i> . L.						
11	decumbens. DC. (ro.)	decumbent.	Africa.	1821.	—	S. 4.	Beauv. fl. ow. t. 41.
	<i>Melástoma decumbens</i> . Beauv.						
TIBOUCH'INA. DC.		TIBOUCH'INA.	Decandria Monogynia.				
	áspera. DC. (pu.)	rough.	Guiana.	1820.	4. 6.	S. h.	Aubl. guian. 1. t. 177.
MELASTOMA. DC.		MELASTOMA.	Decandria Monogynia. L.				
1	affine. DC. (ro.)	scaly-stalked.	E. Indies.	1816.	1. 8.	S. h.	
2	malabathricum. DC. (ro.)	Malabar.	—	1793.	—	S. h.	Bot. reg. t. 672.
3	ásperum. DC. (ro.)	rough.	—	1815.	8. 11.	S. h.	Rheed. mal. 4. t. 13.
4	macrocarpum. DC. (ro.)	large-fruited.	—	1793.	1. 8.	S. h.	Bot. mag. t. 529.
	<i>malabathrica</i> . B. M. nec aliorum.						
5	sanguineum. DC. (li.)	red-veined.	Sunda. St.	1818.	4. 12.	S. h.	Bot. mag. t. 2241.
6	rubrolimbatum. DC. (wh.)	red-limbed.	E. Indies.	1823.	—	S. h.	
7	candidum. DC. (li.)	white-leaved.	China.	1820.	4. 8.	S. h.	
8	normale. DC. (li.)	Nepaul.	Nepaul.	1819.	2. 6.	S. h.	Lodd. bot. cab. t. 707.
	<i>nepalensis</i> . B. C.						
9	Wallichii. DC. (li.)	Wallich's.	—	1824.	—	S. h.	
10	decemfidum. DC. (pu.)	ten-cleft.	E. Indies.	1826.	1. 8.	S. h.	
11	cymosum. DC. (li.)	cymose.	Sierra Leone.	1792.	4. 8.	S. h.	Vent. h. malm. t. 14.
	<i>corymbosum</i> . Bot. mag. t. 984.						
12	elongatum. DC. (li.)	tuberous-rooted.	—	1822.		S. 4.	
13	pulverulentum. DC. (re.)	powdered.	Sumatra.	—		S. h.	
PLER'OMA. DC.		PLER'OMA.	Decandria Monogynia.				
1	vimineum. DC. (ri.)	slender.	Brazil.	1820.	4. 8.	S. h.	Bot. reg. t. 664.
	<i>Rhéxia viminea</i> . B. R.						
2	heteromallum. DC. (bl.)	woolly-leaved.	—	—	—	S. h.	Bot. reg. t. 644.
	<i>Melástoma heteromalla</i> .						
DIPLOSTEGIUM. DC.		DIPLOSTEGIUM.	Decandria Monogynia.				
	canescens. DC. (ro.)	hoary-stem'd.	Brazil.	1820.	4. 8.	S. h.	
ACIOTIS. DC.		ACIOTIS.	Octandria Monogynia.				
	disecler. DC. (bh.)	two-coloured.	W. Indies.	1793.	3. 9.	S. 4.	

MELASTOMACEÆ.

10	Acinodéndron. (wh.) oval-leaved.	Jamaica.	1804.	5. 8.	S. h.	Plum. ic. 142. f. 2.
	<i>Melástoma Acinodéndron</i> . L.					
11	lævigàta. DC. (wh.) smooth.	Caribees.	1815.	4. 8.	S. h.	Bot. reg. t. 363.
12	prasina. DC. (wh.) green.	Jamaica.	1824.	—	S. h.	
13?	ecostàta. (pu.) ribless.	—	1793.	5. 6.	S. h.	
	<i>Melástoma ecostata</i> . H. K.					
BLAKEA. DC. BLAKEA. Dodecandria Monogynia. L.						
1	trinèrvia. DC. (ro.) three-ribbed.	Jamaica.	1789.	6. 7.	S. h.	Bot. mag. t. 451.
2	quinquenèrvis. DC. (fl.) five-nerved.	Guiana.	1820.	—	S. h.	Aubl. guian. 1. t. 219.
	<i>triplinèrvia</i> . L.					

ORDO XCII.

ALANGIEÆ. DC. prodr. 3. p. 203.

ALANGIUM. DC. ALANGIUM. Icosandria Monogynia.						
1	decapètalum. DC. (wh.) Sage-leaved.	E. Indies.	1779.	5. 8.	S. h.	Rheed. mal. 4. t. 17.
	<i>Grèwia salrifolia</i> . L.					
2	hexapètalum. DC. (wh.) six-petaled.	—	1822.	—	S. h.	Rheed. mal. 4. t. 26.

ORDO XCIII.

PHILADELPHEÆ. DC. prodr. v. 3. p. 205.

PHILADELPHUS. DC. SYRINGA. Icosandria Monogynia. L.						
1	coronàrius. DC. (wh.) common.	S. Europe.	1596.	5. 6.	H. h.	Bot. mag. t. 391.
	β variegàtus. (wh.) striped-leaved.	—		—	H. h.	
	γ multipléz. (wh.) double-flowered.	—		—	H. h.	
2	nànus. Mil. (wh.) dwarf.			6. 7.	H. h.	
3	Zeyhèri. DC. (wh.) Zeyher's.	N. America.	1812.	—	H. h.	Schrad. diss. c. ic.
4	floribúndus. DC. (wh.) many-flowered.	—	1816.	—	H. h.	— c. ic.
5	verrucòsus. DC. (wh.) warted.	—	1812.	—	H. h.	— c. ic.
	<i>grandiflorus</i> . Bot. reg. t. 570. non w.					
6	latifolius. DC. (wh.) broad-leaved.	—	1820.	—	H. h.	Lois. herb. amat. t. 208.
7	grandiflorus. DC. (wh.) large-flowered.	—	1816.	—	H. h.	Swt. br. fl. gar. s. 2. t. 8.
8	speciòsus. DC. (wh.) beautiful.	—	1820.	—	H. h.	Schrad. diss. c. ic.
9	laxus. DC. (wh.) loose-branched.	—	1816.	—	H. h.	— c. ic.
10	hirsùtus. DC. (wh.) slender hairy.	—	—	—	H. h.	Wats. dend. brit. t. 47.
11	inodòrus. DC. (wh.) entire-leaved.	Carolina.	1738.	—	H. h.	Bot. mag. t. 1478.
DECUMARIA. DC. DECUMARIA. Dodecandria Monogynia. L.						
1	bàrbara. Ph. (wh.) smaller.	Carolina.	1785.	7. 8.	H. h. ∪.	
2	sarmentòsa. Ph. (wh.) larger.	—	1758.	—	H. h. ∪.	Bosc. act. par. 1. t. 13.

ORDO XCIV.

MYRTACEÆ. DC. prodr. v. 3. p. 207.

Tribus I. CHAMÆLAUCIEÆ. DC. prodr. 3. p. 208.

CALYTHRIX. DC. CALYTHRIX. Icosandria Monogynia.						
1	glàbra. DC. (wh.) smooth.	N. S. W.	1818.	4. 6.	G. h.	Bot. reg. t. 409.
2	ericoídes. F. T. (wh.) Heath-like.	—	1823.	—	G. h.	
3	scàbra. DC. (wh.) rough-leaved.	—	1824.	—	G. h.	

DARWINIA, L.T.	DARWINIA, Decandria Monogynia.					
1 fascicularis, L.T. (wh.)	fascicled.	N. S. W.	1826.	4. 6.	G. h.	Linn. trans. v. 11. t. 22.
2 taxifolia, F.T. (wh.)	Yew-leaved.	————	1827.	—	G. h.	
VERTICORDIA, DC.	VERTICORDIA, Decandria Monogynia.					
1 Fontanèsii, DC. (wh.)	Desfontaines'.	N. Holland.	1826.	4. 6.	G. h.	Desf. mem. mus. 5. t. 4.
	<i>Chamelaucium plumosum</i> , Df.					
2 Brownii, DC. (wh.)	Brown's.	————	—	—	G. h.	Desf. mem. mus. 5. t. 19.
CHAMELAUCIUM, DC.	CHAMELAUCIUM, Decandria Monogynia.					
1 ciliatum, DC. (wh.)	fringed.	N. Holland.	1825.	4. 6.	G. h.	Df. mem. mus. 5. t. 3. f. B.
GENETYLLIS, DC.	GENETYLLIS, Icosandria Monogynia.					
1 diosmoides, DC. (wh.)	Diosma-like.	N. Holland.	1827.	4. 6.	G. h.	DC. dict. cl. v. 11. c. ic.
PILEANTHUS, DC.	PILEANTHUS, Icosandria Monogynia.					
1 Limacis, DC. (wh.)	clubbed-leaved.	N. Holland.	1824.	4. 7.	G. h.	Lab. n. holl. 2. t. 149.

Tribus II. *LEPTOSPERMEÆ*. DC. prodr. 3. p. 209.Subtribus I. *MELALEUCEÆ*. Stamina polyadelpa. DC. loc. cit. p. 210.

ASTARTEA, DC.	ASTARTEA, Polyadelpia Icosandria.					
1 fascicularis, DC. (wh.)	fascicled.	V. Diem. Isl.	1824.	4. 6.	G. h.	Lab. n. holl. 2. t. 170.
	<i>Melaleuca fascicularis</i> , Labill.					
TRISTANIA, DC.	TRISTANIA, Polyadelpia Icosandria.					
1 neriifolia, DC. (ye.)	Oleander-leav'd.	N. S. W.	1804.	7. 9.	G. h.	Bot. mag. t. 1058.
	<i>Melaleuca neriifolia</i> , B.M. <i>salicifolia</i> , Andr. reposit. t. 485.					
2 persicæfolia, F.T. (ye.)	Peach-leaved.	N. S. W.	1824.	—	G. h.	
3 laurina, DC. (ye.)	Laurel-leaved.	————	1798.	—	G. h.	
4 depræssa, DC. (ye.)	depressed.	————	1820.	—	G. h.	
5 albens, DC. (ye.)	white-leaved.	————	1822.	—	G. h.	
6 conferta, DC. (ye.)	Pittosporum-ld.	————	1805.	—	G. h.	
7 suavæolens, DC. (ye.)	sweet-scented.	N. Holland.	1826.		G. h.	Gært. fruct. 1. t. 35.
BEAUFORTIA, DC.	BEAUFORTIA, Polyadelpia Icosandria.					
1 decussata, DC. (sc.)	splendid.	N. Holland.	1803.	3. 8.	G. h.	Bot. reg. t. 18.
2 sparsa, DC. (sc.)	alternate-leav'd.	————	—	—	G. h.	
CALOTHAMNUS, DC.	CALOTHAMNUS, Polyadelpia Icosandria.					
1 quadrifida, DC. (sc.)	four-cleft.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1506.
2 clavata, M.C. (sc.)	club-leaved.	————	1826.	—	G. h.	Lodd. bot. cab. t. 1447.
3 villosa, DC. (sc.)	hairy 5-cleft.	————	1803.	—	G. h.	Bot. reg. t. 1099.
4 gracilis, DC. (sc.)	long-leaved.	————	—	—	G. h.	
MELALEUCA, DC.	MELALEUCA, Polyadelpia Icosandria.					
1 Leucadendron, DC. (wh.)	aromatic.	E. Indies.	1796.		S. h.	Rumph. amb. 2. t. 16.
2 minor, DC. (wh.)	Cajuputi-tree.	————	1816.		S. h.	Rumph. amb. 2. t. 17. f. 1.
3 viridiflora, DC. (gr.)	green-flowered.	N. S. W.	1798.	4. 6.	G. h.	Cavan. ic. t. 333.
	<i>Metrosideros quinquerria</i> , Cavan.					
4 paludosa, DC. (re.)	long-leaved red.	N. Holland.	1803.	7. 9.	G. h.	
5 globifera, DC. (wh.)	globe-fruited.	————	—	—	G. h.	
6 diosmifolia, DC. (gr.)	Diosma-leaved.	————	1794.	6. 7.	G. h.	Andr. reposit. t. 476.
7 styphelioides, DC. (wh.)	Styphelia-leav'd.	N. S. W.	1793.	4. 6.	G. h.	
8 genistifolia, DC. (wh.)	Genista-leaved.	————	—	—	G. h.	Sm. exot. bot. 1. t. 55.
9 lanceolata, DC. (st.)	spear-leaved.	N. Holland.	1812.	5. 6.	G. h.	Otto hort. ber. 36.
10 striata, DC. (wh.)	rigid-leaved.	————	1803.	—	G. h.	Lab. n. holl. 2. t. 165.
11 thymoides, DC. (ye.)	yellow-spear leav'd.	————	—	—	G. h.	— 2. t. 167.
12 squamea, DC. (pu.)	scaly-branched.	V. Diem. Isl.	1805.	6. 8.	G. h.	Bot. reg. t. 477.
13 nodosa, DC. (wh.)	Whin-leaved.	N. S. W.	1790.	—	G. h.	Sm. exot. bot. 1. t. 35.
14 tenuifolia, DC. (wh.)	slender-leaved.	————	1824.	—	G. h.	
15 ericifolia, DC. (wh.)	Heath-leaved.	————	1788.	7. 9.	G. h.	Sm. exot. bot. 1. t. 34.
16 erubescens, DC. (li.)	Lilac-coloured.	————	1820.	—	G. h.	Otto hort. ber. 37.
17 armillaris, DC. (wh.)	pale-flowered.	————	1788.	6. 8.	G. h.	Vent. malm. t. 76.
	<i>ericifolia</i> , Andr. rep. t. 175. non Sm. <i>Metrosideros armillaris</i> , G.					Cav. ic. t. 335.
18 uncinata, DC. (re.)	hook-leaved.	N. Holland.	1803.	—	G. h.	
19 scabra, DC. (pu.)	rough-leaved.	————	—	—	G. h.	Swt. flor. aust. t. 10.
20 juniperoides, DC. (st.)	Juniper-like.	N. S. W.	1826.	—	G. h.	
21 pulchella, DC. (li.)	pendulous.	N. Holland.	1803.	6. 9.	G. h.	Lodd. bot. cab. t. 200.
22 thymifolia, DC. (pu.)	Thyme-leaved.	N. S. W.	1792.	—	G. h.	Sm. exot. bot. 1. t. 36.
	<i>coronata</i> , Andr. rep. t. 278. <i>gnidifolia</i> , Vent. malm. t. 7.					
23 decussata, DC. (li.)	cross-leaved.	N. Holland.	1803.	6. 9.	G. h.	Bot. mag. t. 2268.
24 tetragona, DC. (li.)	four-sided.	————	1824.	—	G. h.	

25	cuticulâris. DC.	(pu.) solitary-flower'd.	N. Holland.	1824.	6. 9.	G. h.	Lab. n. holl. 2. t. 171.
26	fûlgens. DC.	(sc.) splendid.	————	1803.	6. 8.	G. h.	Bot. reg. t. 103.
27	linariifolia. DC.	(wh.) Toad-flax-leav'd.	N. S. W.	1793.	5. 7.	G. h.	Sm. exot. bot. 1. t. 56.
28	abietina. DC.	(wh.) Fir-leaved.	N. Holland.	1824.	——	G. h.	
29	hypericifolia. DC.	(sc.) Hypericum-ld.	N. S. W.	1792.	7. 9.	G. h.	Andr. reposit. t. 200.
30	elliptica. DC.	(cr.) elliptic-leaved.	N. Holland.	1824.	——	G. h.	Lab. n. holl. 2. t. 173.
31	squarrôsa. DC.	(wh.) Myrtle-leaved.	N. S. W.	1792.	——	G. h.	Bot. mag. t. 1935.
	<i>myrtifolia</i> . Vent. malm. t. 47.						
32	gibbosa. DC.	(li.) gibbous.	V. Diem. Isl.	1822.	6. 8.	G. h.	Lab. n. holl. 2. t. 172.
33	imbricatâ. L. en.	(wh.) imbricated.	N. Holland.	1803.	5. 6.	G. h.	
34	sprengelioides. DC.	(wh.) Sprengelia-like.	N. S. W.	1824.	——	G. h.	
35	calycina. DC.	(wh.) permanent-cup'd.	N. Holland.	1803.	6. 8.	G. h.	
36	densa. DC.	(pu.) dense-leaved.	————	——	——	G. h.	
37	incana. DC.	(st.) hoary.	N. S. W.	1812.	——	G. h.	Bot. reg. t. 410.
	<i>canescens</i> . Otto hort. ber. p. 87. Abbild. t. 81.						
EUDESMIA. DC. EUDESMIA. Polyadelphia Icosandria.							
	tetragona. DC.	(wh.) square-stemm'd.	N. Holland.	1824.	6. 8.	G. h.	Swt. flor. aust. t. 21.

Subtribus II. EULEPTOSPERMEÆ. Stamina libera. DC. prodr. 3. p. 216.

EUCALYPTUS. DC.		EUCALYPTUS. Icosandria Monogynia.					
1	cornûta. DC.	(wh.) horned.	N. Holland.	1803.	3. 6.	G. h.	Lab. voy. 1. t. 20.
2	tereticornis. DC.	(wh.) long-horned.	N. S. W.	1804.	4. 7.	G. h.	
3	resinifera. DC.	(wh.) red gum-tree.	————	1788.	——	G. h.	Andr. reposit. t. 400.
4	longifolia. DC.	(wh.) long-leaved.	————	1818.	——	G. h.	Link et Ot. abb. t. 45.
5	robûsta. DC.	(wh.) brown gum-tree.	————	1794.	8. 9.	G. h.	Smith nov. holl. t. 13.
6	rostrata. Cav.	(wh.) beaked.	————	1804.	——	G. h.	Cavan. ic. 4. t. 342.
7	marginata. DC.	(wh.) thick-edged.	————	1794.	4. 7.	G. h.	
8	incrassata. DC.	(wh.) thick-leaved.	N. Holland.	1820.	——	G. h.	Lab. nov. holl. 2. t. 150.
9	persicifolia. DC.	(wh.) Peach-leaved.	N. S. W.	1812.	——	G. h.	Lodd. bot. cab. t. 501.
10	punctata. DC.	(wh.) black-dotted.	————	1810.	——	G. h.	
11	acervula. DC.	(wh.) flat-peduncled.	————	1818.	——	G. h.	
12	virgata. DC.	(wh.) slender-twigged.	————	1820.	5. 8.	G. h.	
13	micrantha. DC.	(wh.) small-flowered.	————	1824.	——	G. h.	
14	stellulata. DC.	(wh.) starry.	————	1816.	——	G. h.	
15	oblônga. DC.	(wh.) oblong-leaved.	————	1819.	6. 8.	G. h.	
16	viminâlis. DC.	(wh.) slender.	N. Holland.	1816.	——	G. h.	Lab. nov. holl. 2. t. 151.
17	capitellata. DC.	(wh.) small-headed.	N. S. W.	1804.	4. 7.	G. h.	White's voy. 22, ic.
18	triantha. L. en.	(wh.) three-flowered.	————	1820.	4. 6.	G. h.	
19	saligna. DC.	(wh.) Willow-like.	————	1804.	4. 7.	G. h.	
20	angustifolia. L. en.	(wh.) narrow-leaved.	————	1816.	——	G. h.	
21	microphylla. DC.	(wh.) small-leaved.	————	——	——	G. h.	
22	stenophylla. DC.	(wh.) slender-leaved.	————	——	——	G. h.	
23	myrtifolia. DC.	(wh.) Myrtle-leaved.	————	——	——	G. h.	
24	elongata. DC.	(wh.) taper-pointed.	————	1812.	4. 6.	G. h.	
25	mediâ. DC.	(wh.) acuminate.	————	1820.	——	G. h.	
26	reticulata. DC.	(wh.) netted-leaved.	————	——	——	G. h.	
27	umbellata. DC.	(wh.) umbel-flowered.	————	1816.		G. h.	
28	ovata. DC.	(wh.) oval-leaved.	N. Holland.	1820.	5. 8.	G. h.	
	<i>mucronata</i> . L. enum.						
29	scabra. DC.	(wh.) rough-leaved.	N. S. W.	1803.	——	G. h.	Lab. nov. holl. 2. t. 153.
30	pilularis. DC.	(wh.) small-fruited.	————	1804.	2. 5.	G. h.	
31	radiata. DC.	(wh.) rayed.	————	1824.	3. 6.	G. h.	
32	stricta. DC.	(wh.) straight.	————	——		G. h.	
33	hæmastomma. DC.	(wh.) red-mouthed.	————	1803.	4. 7.	G. h.	White's voy. 226. c. ic.
	<i>racemosa</i> . Cavan. ic. 4. n. 377.						
34	ligustrina. DC.	(wh.) Privet-like.	N. S. W.	1824.		G. h.	
35	amygdalina. DC.	(wh.) Almond-leaved.	N. Holland.	1822.		G. h.	Lab. nov. holl. 2. t. 154.
36	ambigua. DC.	(wh.) ambiguous.	————	1824.		G. h.	
37	Lindleyana. DC.	(wh.) Lindley's.	N. S. W.	1816.	4. 6.	G. h.	Bot. reg. t. 947.
	<i>longifolia</i> . B. R. nom Link.						
38	botryoides. DC.	(wh.) clustered.	————	1803.	4. 7.	G. h.	Cavan. ic. 4. t. 341.
	<i>platyphyllos</i> . Cavan.						
39	piperita. DC.	(wh.) Peppermint-tree.	————	1788.	——	G. h.	Reich. gart. mag. t. 42.
40	pallens. DC.	(wh.) white-leaved.	————	1822.	——	G. h.	
41	obliqua. DC.	(wh.) oblique-leaved.	V. Diem. Isl.	1774.	4. 8.	G. h.	Sal. par. lond. t. 15.

42	corymbosa. DC. (wh.) corymbose-fl'd.	N. S. W.	1788.	4. 8.	G. h.	Cavan. ic. 4. t. 340.
43	paniculata. DC. (wh.) panicled.	————	1801.	6. 8.	G. h.	
44	cneorifolia. DC. (wh.) Willow-wail'd.	————	1824.	—	G. h.	
45	obtusifolia. DC. (wh.) blunt-leaved.	————	—		G. h.	
46	Cunninghami. (wh.) Cunningham's.	————	1825.		G. h.	
	microphylla. F.T. non Link.					
47	gymphocéphala. DC. (w.) persistent-headed.	————	1824.		G. h.	
48	Globulus. DC. (wh.) large tree.	V. Diem. Isl.	1804.	5. 6.	G. h.	Lab. voy. 1. t. 13.
	glauca. L. enum. non B.M. glauca. DC.					
49	diversifolia. DC. (wh.) various-leaved.	N. S. W.	1810.	5. 8.	G. h.	Bonpl. nav. 1. t. 13.
50	perfoliata. C.C. (wh.) perfoliate glaucous.	N. Holland.	1803.	4. 6.	G. h.	
51	cordata. DC. (wh.) heart-leaved.	V. Diem. Isl.	1816.	11. 3.	G. h.	Lab. nov. holl. 2. t. 152.
52	pulverulenta. DC. (wh.) powdered.	N. S. W.	—	—	G. h.	Bot. mag. t. 2087.
53	purpurascens. DC. (wh.) purple-branch'd.	————	1804.		G. h.	
54	tuberculata. DC. (wh.) warted-branch'd.	————	1816.		G. h.	
55	rigida. DC. (wh.) rigid-leaved.	————	—		G. h.	
56	hypericifolia. (wh.) Hypericum-leaved.	————	1804.		G. h.	
ANGOPHORA. DC. ANGOPHORA. Icosandria Monogynia.						
1	cordifolia. DC. (wh.) hispid.	N. S. W.	1789.	5. 8.	G. h.	Bot. mag. t. 1960.
	Metrosideros hispida. Sm. exot. bot. 1. t. 42.					
2	floribunda. (wh.) many-flowered.	N. S. W.	1788.	—	G. h.	
	Metrosideros floribunda. L.T. non Vent.					
3	intermedia. DC. (wh.) intermediate.	————	1820.	—	G. h.	
4	lanceolata. DC. (wh.) ribbed.	————	1816.	—	G. h.	Cavan. ic. 4. t. 337.
	Metrosideros costata. Gaert. fruct. 1. t. 34. f. 2.					
CALLISTEMON. DC. CALLISTEMON. Icosandria Monogynia.						
1	pinitolium. DC. (gr.) Pine-tree-leav'd.	N. S. W.	1806.	6. 8.	G. h.	Wendl. coll. 1. t. 16.
2	viridiflorum. DC. (gr.) green-flowered.	————	1820.	—	G. h.	Bot. mag. t. 2602.
	ruscifolium. C.C. Metrosideros viridiflora. B.M.					
3	lphanthum. S.F.A. (st.) crested.	————	1816.	—	G. h.	Swt. flor. aust. t. 29.
4	leptostachyum. S.F.A. (st.) slender-spik'd.	————	—	—	G. h.	
5	salignum. DC. (st.) Willow-leaved.	————	1788.	5. 7.	G. h.	Bonpl. nav. t. 4.
	Metrosideros saligna. Vent. cels. t. 70. non Bot. mag.					
6	pallidum. DC. (st.) pale-leaved.	N. S. W.	1816.	—	G. h.	Bonpl. nav. p. 101. t. 41.
7	Sieberi. DC. (st.) Sieber's.	————	1820.	—	G. h.	
8	rigidum. DC. (sc.) rigid-leaved.	————	1800.	3. 8.	G. h.	Bot. reg. t. 393.
9	lineare. DC. (sc.) linear.	————	1788.	6. 7.	G. h.	Sert. hann. t. 11.
10	tuberculatum. DC. (sc.) tubercle-leaved.	————	1820.	—	G. h.	
11	seabrum. B.C. (sc.) rough-leaved.	N. Holland.	1824.	—	G. h.	Lodd. bot. cab. t. 1288.
12	linearifolium. DC. (sc.) linear-leaved.	————	1820.	—	G. h.	
13	microphyllum. M.C. (sc.) small-leaved.	————	1825.	—	G. h.	
14	firmosum. M.C. (sc.) handsome.	————	—	—	G. h.	
15	lanceolatum. DC. (sc.) spear-leaved.	N. S. W.	1788.	11. 6.	G. h.	Bot. mag. t. 260.
	Metrosideros citrina. B.M. lanceolata. L.T.					
16	semperflorens. B.C. (sc.) ever-blowing.	————	—	—	G. h.	Lodd. bot. cab. t. 523.
17	marginatum. DC. (sc.) thick-margined.	————	1816.	6. 8.	G. h.	Cavan. ic. 4. t. 332.
	glauca. (sc.) splendid.	N. Holland.	1803.	3. 6.	G. h.	Bonpl. nav. t. 34.
	Metrosideros glauca. Bonp. speciosa. Bot. mag. t. 1761.					
18	hybridum. DC. (sc.) hybrid.	N. S. W.	1824.	4. 6.	G. h.	
METROSID'EROS. DC. METROSID'EROS. Icosandria Monogynia.						
1	vira. DC. (gr.) Ironwood.	E. Indies.	1815.	5. 8.	S. h.	Lindl. coll. t. 18.
2	florida. DC. (st.) many-flowered.	N. Zealand.	1820.	—	G. h.	
3	clavulifera. DC. (st.) cluster-flower'd.	N. S. W.	1805.	—	G. h.	
4	umbellata. DC. (re.) umbel-flowered.	————	1822.	—	G. h.	Cavan. ic. 4. t. 337.
5	angustifolia. DC. (wh.) narrow-leaved.	C. B. S.	1787.	—	G. h.	Hout. pfl. sys. 3. t. 25. f. 2.
STENOSPE'RMUM. STENOSPE'RMUM. Icosandria Monogynia.						
1	capitatum. (li.) headed.	N. S. W.	1824.	4. 6.	G. h.	Reich. hort. bot. 1. t. 84.
	Metrosideros capitata. DC.					
2	corifolium. (wh.) Coris-leaved.	————	1791.	6. 7.	G. h.	Vent. malm. t. 46.
	Leptospermum ambiguum. Sm. exot. bot. t. 59. Metrosideros corifolia. Vent.					
AGONIS. DC. AGONIS. Icosandria Monogynia.						
1	marginata. DC. (wh.) white margined.	N. Holland.	1816.	6. 7.	G. h.	Lab. nov. holl. 2. t. 148.
	Leptospermum marginatum. Labill.					
2	flexuosa. DC. (wh.) flexuose.	————	1812.	—	G. h.	Colla h. rip. ap. 1. t. 2.
	Leptospermum flexuosum. L. enum. Metrosideros flexuosa. W. enum.					
3	saligna. (wh.) Willow-like.	N. S. W.	1812.	6. 7.	G. h.	
4	ovatifolia. (wh.) oval-leaved.	N. Holland.	—	—	G. h.	
5	Fabricia myrtifolia. Hort. nec aliorum.					
6	linearifolia. DC. linear-leaved.	————	1824.		G. h.	

6 elliptica.	(wh.) elliptic-leaved.	N. Holland.	1824.		G. h.	
<i>Billottia elliptica</i> . M.C.						
LEPTOSPERMUM. DC. SOUTH SEA MYRTLE. Icosandria Monogynia.						
1 emarginatum. DC.	emarginate.	N. S. W.	1816.	6. 7.	G. h.	
2 sericeum. DC.	(wh.) silky-leaved.	V. Diem. Isl.	1820.	—	G. h.	Lab. nov. holl. 2. t. 117.
3 tuberculatum. DC.	(wh.) tuberculate.	N. S. W.	1816.	—	G. h.	Cavan. ic. 4. t. 330.
<i>stellatum</i> . Cavan.						
4 grandifolium. DC.	(wh.) large-leaved.	—	1803.	—	G. h.	Bot. mag. t. 1810.
5 lanigerum. DC.	(wh.) woolly-leaved.	—	1774.	—	G. h.	Lodd. bot. cab. t. 1192.
6 pubescens. W.	(wh.) hoary-leaved.	—	—	—	G. h.	
7 trinerve. DC.	(wh.) three-nerved.	—	1812.	—	G. h.	White itin. 229. c. ic.
8 grandiflorum. B.C.	(wh.) large-flowered.	—	1816.	—	G. h.	Lodd. bot. cab. t. 514.
9 scoparium. DC.	(wh.) N. Zealand Tea.	N. Zealand.	1772.	—	G. h.	Andr. rep. t. 622.
10 squarrosum. G.	(wh.) squarrose.	N. S. W.	—	—	G. h.	Forst. itin. 1. t. 22.
11 floribundum.	(wh.) many-flowered.	—	—	—	G. h.	Rœm. et Ust. mag. 7. t. 2.
12 rubricaulis. L. en.	(wh.) red-stemmed.	—	1812.	—	G. h.	
13 flavescens. DC.	(wh.) yellowish.	—	1787.	5. 7.	G. h.	Bot. mag. t. 2695.
<i>Macaleuca Thia</i> . Wendl. sert. han. 1. t. 14.						
14 gnidifolium. DC.	(wh.) Gnidia-leaved.	—	1824.	—	G. h.	
15 thymifolium. F.T.	(wh.) Thyme-leaved.	—	1823.	—	G. h.	
16 multicaule. F.T.	(wh.) many-branched.	—	—	—	G. h.	
17 porophyllum. DC.	(wh.) dotted-leaved.	—	—	—	G. h.	Cav. ic. 4. t. 330. f. 2.
18 parvifolium. DC.	(wh.) small-leaved.	—	1795.	—	G. h.	
19 myrtifolium. DC.	(wh.) Myrtle-leaved.	—	1824.	6. 8.	G. h.	
20 obovatum. S.F.A.	(wh.) obovate-leaved.	—	1823.	—	G. h.	Swt. flor. aust. t. 36.
21 attenuatum. DC.	(wh.) fine-branched.	—	1795.	—	G. h.	
22 multiflorum. DC.	(wh.) abundant-flower'd.	—	1820.	—	G. h.	Cav. ic. 4. t. 331. f. 1.
23 juniperinum. DC.	(wh.) Juniper-leaved.	—	1790.	—	G. h.	Vent. malm. 89.
24 baccatum. DC.	(wh.) berry-fruited.	—	1790.	6. 7.	G. h.	Cavan. ic. 4. t. 331. f. 2.
25 arachnoideum. DC.	(w.) cobweb.	—	1795.	5. 7.	G. h.	Gært. fruct. 1. t. 35. f. 3.
26 triloculare. DC.	(wh.) trilocular.	—	1816.	—	G. h.	Vent. malm. t. 84.
27 dubium. DC.	(wh.) doubtful.	—	1824.	6. 7.	G. h.	
28 pendulum. DC.	(wh.) pendulous.	—	—	—	G. h.	
FABRICIA. DC. FABRICIA. Icosandria Monogynia.						
1 myrtifolia. DC.	(wh.) Myrtle-leaved.	N. S. W.	1803.	5. 6.	G. h.	Gært. fruct. 1. t. 35. f. 4.
2 laevigata. DC.	(wh.) smooth-leaved.	—	1788.	—	G. h.	Bot. mag. t. 1304.
3 sericea.	(wh.) silky-leaved.	N. Holland.	1803.		G. h.	
4 stricta. B.C.	(wh.) upright.	N. S. W.	1822.	5. 7.	G. h.	Lodd. bot. cab. t. 1219.
BÆCKEA. DC. BÆCKEA. Pent-Dodecandria Monogynia.						
1 frutescens. DC.	(wh.) Chinese.	China.	1806.	9. 1.	G. h.	Bot. mag. t. 2802.
2 gracilis. F.T.	(wh.) slender-branch'd.	N. S. W.	1824.	6. 9.	G. h.	
3 virgata. DC.	(wh.) slender-twiggy.	—	1806.	8. 10.	G. h.	Bot. mag. t. 2127.
4 linifolia. DC.	(wh.) Flax-leaved.	—	1820.	6. 8.	G. h.	Linn. trans. 8. t. 12.
5 diffusa. DC.	(wh.) spreading.	—	1824.	—	G. h.	
6 densifolia. DC.	(wh.) close-leaved.	—	1812.	—	G. h.	
7 pulchella. DC.	(wh.) neat.	—	1825.	—	G. h.	
8 diosmifolia. DC.	(wh.) Diosma-leaved.	—	1823.	—	G. h.	
9 camphorata. DC.	(wh.) Camphor-scented.	—	1803.	8. 10.	G. h.	Bot. mag. t. 2694.
10 microphylla. DC.	(wh.) small-leaved.	—	1812.	—	G. h.	
11 brevifolia. DC.	(wh.) short-leaved.	—	1824.	—	G. h.	
12 ramosissima. DC.	(wh.) branching.	—	1825.	7. 9.	G. h.	
13 crenulata. DC.	(wh.) notch leaved.	—	1822.	—	G. h.	
14 diosmoides. DC.	(wh.) Diosma-like.	—	1825.	—	G. h.	

Tribus III. MYRTEÆ. DC. prodr. v. 3. p. 230.

SONNERATIA. DC. SONNERATIA. Icosandria Monogynia. L.							
1	acida. DC.	(re.) acid-fruited.	E. Indies.	1822.		S. h.	Rheed. mal. 3. t. 40.
2	alba. DC.	(wh.) white-flowered.	—	1824.		S. h.	Rumph. amb. 3. t. 73.
3	apetala. DC.	(gr.) petalless.	—	1826.		S. h.	Sym. emb. to Ava. 3. t. 25.
NELITRIS. DC. NELITRIS. Icosandria Monogynia.							
	paniculata. DC.	(wh.) panicle.	Moluccas.	1820.		S. h.	
CAMPOMANESIA. DC. CAMPOMANESIA. Icosandria Monogynia.							
	lineatifolia. DC.	(wh.) yellow-fruited.	Peru.	1824.	4. 6.	G. h.	Flor. per. prod. t. 13.
PSIDIUM. DC. GUAVA. Icosandria Monogynia. L.							
1	pumilum. DC.	(wh.) dwarf.	E. Indies.	1824.	—	S. h.	Rumph. amb. 1. t. 49.
2	aromaticum. DC.	(wh.) aromatic.	W. Indies.	1779.	6. 8.	S. h.	Aubl. guian. 1. t. 191.

3 montanum. DC.	(wh.) mountain.	W. Indies.	1779.	5. 7.	S. h.	
4 pyrifera. DC.	(wh.) Pear-fruited.	————	1656.	6. 8.	S. h.	Trew. chr. t. 43.
5 pomifera. DC.	(wh.) Apple-fruited.	————	1692.	————	S. h.	Rumph. amb. 1. t. 48.
6 sapidissimum. S.S.	(wh.) pleasant.	————	1823.	————	S. h.	Jacq. schœnb. 3. t. 366.
7 guineense. DC.	(wh.) Guinea.	Guinea.	————	————	S. h.	
8 polycarpon. DC.	(wh.) many-fruited.	Trinidad.	1809.	4. 8.	S. h.	Linn. trans. 11. t. 17.
9 Arica. DC.	(wh.) egg-fruited.	Brazil.	1820.	5. 7.	S. h.	Raddi mem. 1821. t. 1.
10 flavifolia. DC.	(wh.) Guiana.	Guiana.	1823.	————	S. h.	
guianense. P.S.						
11 oligospermum. DC.	(wh.) few-seeded.	Brazil.	————	————	S. h.	
12 Cattleianum. DC.	(wh.) Mr. Cattley's.	————	1816.	1. 12.	S. h.	Lindl. coll. t. 16.
13 cordatum. DC.	(wh.) spice.	W. Indies.	1811.	5. 7.	S. h.	Bot. mag. t. 1779.
14 nigrum. DC.	(wh.) black-fruited.	China.	————	————	S. h.	
15 rubrum. DC.	(wh.) red-fruited.	————	1820.	————	S. h.	
16 chinense. L.C.	(wh.) yellow Chinese.	————	1818.	————	S. h.	
17 fragrans. L.C.	(wh.) fragrant.	————	————	4. 8.	S. h.	
18 myrtifolia. L.C.	(wh.) Myrtle-leaved.	————	————	————	S. h.	
19 latifolium. DC.	(wh.) broad-leaved.	————	1820.	6. 8.	S. h.	
20 indicum. DC.	(wh.) Indian.	E. Indies.	1824.	————	S. h.	
JOSSINIA. DC. JOSSINIA. Icosandria Monogynia.						
1 mespiloides. DC.	(wh.) Mespilus-like.	Isl. Bourbon.	1826.	————	S. h.	
2 elliptica. DC.	(wh.) elliptic-leaved.	Mauritius.	1824.	————	S. h.	
Eugenia elliptica. Lam. non Smith.						
3 buxifolia. DC.	(wh.) Box-leaved.	Isl. Bourbon.	1822.	————	S. h.	
MYRTUS. DC. MYRTLE. Icosandria Monogynia. L.						
1 communis. DC.	(wh.) common.	S. Europe.	1597.	7. 8.	F. h.	Lam. ill. t. 410.
A. melanocarpa. DC.	(w.) black-berried.	————	————	————	F. h.	
a romana. DC.	(wh.) broad-leaved.	————	————	————	F. h.	Mill. ic. t. 184. f. 1.
3 multiplax.	(wh.) double-blossomed.	————	————	————	F. h.	
B. leucocarpa. DC.	(wh.) white-fruited.	Levant.	————	————	F. h.	
2 tarentina.	(wh.) Box-leaved.	S. Europe.	1597.	————	F. h.	
3 italica.	(wh.) upright Italian.	————	————	————	F. h.	
5 variegata.	(wh.) striped-leaved.	————	————	————	F. h.	
7 maculata.	(wh.) blotch-leaved.	————	————	————	F. h.	
4 batica.	(wh.) Orange-leaved.	————	1597.	————	F. h.	Blackw. t. 114.
5 lusitanica.	(wh.) Portugal.	Portugal.	————	————	F. h.	Clus. hist. 1. p. 66. f. 1.
6 belgica.	(wh.) sharp-leaved.	S. Europe.	————	————	F. h.	
7 mucronata.	(wh.) small-leaved.	————	————	————	F. h.	
8 tomentosa. DC.	(ro.) woolly-leaved.	China.	1776.	5. 9.	S. h.	Bot. mag. t. 250.
9 tenuifolia. DC.	(wh.) slender-leaved.	N. S. W.	1824.	————	G. h.	
10 lucida. DC.	(wh.) shining.	Surinam.	1793.	4. 8.	S. h.	
MYRCIA. DC. MYRCIA. Icosandria Monogynia.						
1 punctata. DC.	(wh.) punctated.	Santa Cruz.	1825.	————	S. h.	
2 coriacea. DC.	(wh.) Sumach-leaved.	Hispaniola.	1759.	5. 7.	S. h.	Plum. ic. t. 208. f. 2.
3 teris. DC.	(wh.) broad-ld. Allspice.	W. Indies.	————	————	S. h.	Pluk. alm. t. 155. f. 3.
4 pimentoides. DC.	(wh.) Allspice-like.	————	————	————	S. h.	Lodd. bot. cab. t. 178.
Myrtus Pimenta. β latifolia. Lodd. bot. cab. t. 178.						
5 divaricata. DC.	(wh.) spreading-flow'd.	W. Indies.	1820.	————	S. h.	Plum. ic. t. 208. f. 1.
6 sororia. DC.	(wh.) sister.	Trinidad.	1822.	————	S. h.	
7 splendens. DC.	(wh.) glossy-leaved.	Hispaniola.	————	————	S. h.	Jacq. coll. 2. t. 4.
Eugenia periplocafolia. Jacq.						
8 Mini.	(wh.) small-fruited.	Guiana.	1803.	————	S. h.	Aubl. guian. 1. t. 197.
Eugenia Mini. Aubl.						
9 crassinervia. DC.	(wh.) thick-nerved.	————	1780.	————	S. h.	
10 bracteata. DC.	(wh.) leafy-bracted.	Brazil.	1824.	————	S. h.	
11 pseudo-Mini. DC.	(wh.) Brazilian.	————	1822.	————	S. h.	
CALYPTRA'NTHE. DC. CALYPTRA'NTHE. Icosandria Monogynia.						
1 rigida. DC.	(wh.) rigid-leaved.	Jamaica.	1822.	————	S. h.	
2 Chytraculia. DC.	(wh.) forked-paniced.	————	1778.	3. 5.	S. h.	Brown. jam. t. 37. f. 2.
3 Zizygium. DC.	(wh.) oval-leaved.	————	————	5. 7.	S. h.	———— 210. t. 7. f. 2.
SYZYGIUM. DC. SYZYGIUM. Icosandria Monogynia.						
1 obovatum. DC.	(wh.) obovate-leaved.	Mauritius.	1822.	————	S. h.	
2 paniculatum. DC.	(wh.) paniced.	————	1821.	4. 6.	S. h.	
Eugenia paniculata. Lam.						
3 clancratum. DC.	(wh.) cluster-flowered.	————	1824.	————	S. h.	
4 Jambolana. DC.	(wh.) Jambolana-tree.	E. Indies.	1796.	5. 7.	S. h.	Rumph. amb. 1. t. 42.
Calyptranthes Jambolana. w. Eugenia Jambolana. Lam.						
5 isophyllum. DC.	(wh.) equal-leaved.	E. Indies.	1826.	————	S. h.	

6	caryophyllifolium, DC. (wh.)	Clove-leav'd. E. Indies.	1822.	5. 7.	S. h.	Rumph. amb. 1. t. 41.
	<i>Eugenia caryophyllifolia</i> , Lam.	<i>Calyptranthes caryophyllifolia</i> , W.				
7	venosum, DC. (wh.)	veined-leaved. Nepaul.	1824.		S. h.	
8	fruticosum, DC. (wh.)	shrubby. E. Indies.	—		S. h.	
9	zeylanicum, DC. (wh.)	Ceylon.	1798.	6. 7.	S. h.	Herm. zeyl. 435. ic.
CARYOPHYLLUS, DC. CLOVE-TREE. Icosandria Monogynia. L.						
	aromaticus, DC. (wh.)	aromatic. Moluccas.	1797.		S. h.	Bot. mag. t. 2749-2750.
ACMENA, DC. ACM'EMA. Icosandria Monogynia.						
	elliptica, DC. (wh.)	elliptic-leaved. N. S. W.	1790.	5. 9.	G. h.	Bot. mag. t. 1872.
	<i>Eugenia elliptica</i> , B.M.	<i>Myrtus Smithii</i> , s.s. <i>Metrosideros floribunda</i> , Vent.				malm. t. 75.
EUGENIA, DC. EUG'ENIA. Icosandria Monogynia.						
1	Michellii, DC. (wh.)	one-flowered. Brazil.	1759.	1. 3.	S. h.	Bot. mag. t. 473.
	<i>uniflora</i> , W. <i>Plinia pedunculata</i> , B.M.					
2	ligustrina, DC. (wh.)	Privet-leaved. Caribees.	1798.	8. 9.	S. h.	
3	balsamica, DC. (wh.)	balsamic. W. Indies.	1816.	6. 7.	S. h.	Jacq. frag. t. 45. f. 2.
4	angustifolia, DC. (wh.)	narrow-leaved. St. Domingo.	1825.		S. h.	Plum. ed Bur. t. 207. f. 2.
5	obscura, DC. (wh.)	obscure. Brazil.	1824.	10. 11.	S. h.	Bot. reg. t. 1044.
	<i>Myrtus obscura</i> , B.R.					
6	alpina, DC. (wh.)	alpine. Jamaica.	1827.	6. 8.	S. h.	
7	latifolia, DC. (wh.)	broad-leaved. Guiana.	1793.	—	S. h.	Aubl. guian. 1. t. 190.
8	Lambertiana, DC. (wh.)	Mr. Lambert's. W. Indies.	1794.		S. h.	
9	Parkeriana, DC. (wh.)	Parker's. Trinidad.	—		S. h.	
10	Roxburghii, DC. (wh.)	Roxburgh's. E. Indies.	1798.	6. 7.	S. h.	Andr. reposit. t. 619?
	<i>zeylanica</i> , Roxb. non W.					
11	disticha, DC. (wh.)	globe-berried. Jamaica.	1793.	4. 7.	S. h.	Lindl. coll. t. 19.
	<i>Myrtus disticha</i> , L. coll.					
12	glabrata, DC. (wh.)	smooth. W. Indies.	1825.	—	S. h.	
13	axillaris, DC. (wh.)	axillary. Jamaica.	1793.	9. 10.	S. h.	
14	floribunda, DC. (wh.)	many-flowered. Santa Cruz.	1822.	4. 6.	S. h.	
15	buxifolia, DC. (wh.)	Box-leaved. W. Indies.	—	—	S. h.	
16	baruensis, DC. (wh.)	many-flowered. —		—	S. h.	Jacq. ic. 3. t. 486.
17	dumosa, DC. (wh.)	bushy. —	1793.	6. 7.	S. h.	
18	biflora, DC. (wh.)	two-flowered. Jamaica.	1759.	4. 5.	S. h.	Brown jam. t. 25. f. 3.
	<i>Myrtus biflora</i> , W.					
19	Sieberiana, DC. (wh.)	Sieber's. Trinidad.	1824.	—	S. h.	
20	trinervia, DC. (wh.)	three-nerved. N. S. W.	1823.		G. h.	
	<i>Myrtus trinervia</i> , L.T.					
21	trinitatis, DC. (wh.)	Trinidad. Trinidad.	—		S. h.	
22	Grégii, DC. (wh.)	Greg's. Dominica.	1776.	6. 7.	S. h.	Gært. fruct. 1. t. 33.
	<i>Grégia aromatica</i> , G. <i>Myrtus Grégii</i> , W.					
23	fragrans, DC. (wh.)	sweet-scented. Jamaica.	1790.	4. 5.	S. h.	Bot. mag. t. 1242.
24	virgultosa, DC. (wh.)	twiggy. W. Indies.	1787.	7. 8.	S. h.	
	<i>Myrtus virgultosa</i> , W.					
25	corymbosa, DC. (wh.)	corymbose. E. Indies.	1824.		S. h.	Rheed. mal. 5. t. 27.
26	pulchella, H.B. (wh.)	pretty. —	1822.		S. h.	
27	glandulifera, H.B. (wh.)	glandular. —	1823.		S. h.	
28	obtusifolia, H.B. (wh.)	blunt-leaved. —	—		S. h.	
29	cerasoides, H.B. (wh.)	Cherry-fruited. —	—		S. h.	
30	Pimenta, DC. (wh.)	All-pice. W. Indies.	1723.	5. 7.	S. h.	Bot. mag. t. 1236.
	<i>Myrtus Pimenta</i> , W.					
JAMB'OSA, DC. JAMB'OSA. Icosandria Monogynia.						
1	vulgaris, DC. (st.)	narrow-leaved. E. Indies.	1768.	2. 7.	S. h.	Bot. mag. t. 1696.
	<i>Eugenia Jambos</i> , B.M.					
2	venosa, DC. (bh.)	veined-leaved. Madagascar.	1824.		S. h.	
3	macrophylla, DC. (wh.)	large-leaved. E. Indies.	1822.		S. h.	
4	macrocarpa, (wh.)	large-fruited. —	—		S. h.	
	<i>Eugenia macrocarpa</i> , H.B.					
5	purpurascens, DC. (pu.)	purple-flower'd. W. Indies.	1768.	5. 8.	S. h.	Andr. reposit. t. 458.
	<i>Eugenia malaccensis</i> , Smith exot. bot. t. 61.					
6	malaccensis, DC. (wh.)	Malay Apple. E. Indies.	—	—	S. h.	Rheed. mal. 1. t. 18.
7	amplexicaulis, DC. (gr.)	stem-clasping. Sumatra.	1820.	3. 6.	S. h.	Bot. reg. t. 1033.
8	aquea, DC. (ro.)	watery. Moluccas.	1819.	—	S. h.	Rumph. amb. 1. t. 38. f. 2.
	<i>Eugenia aquea</i> , H.B.					
9	acuminata, (gr.)	taper-pointed. Amboyna.	1816.	5. 6.	S. h.	
	<i>Eugenia acuminata</i> , H.B.					
10	laurifolia, DC. (wh.)	Laurel-leaved. E. Indies.	1824.		S. h.	
11	ternifolia, (wh.)	three-leaved. —	1822.	—	S. h.	
	<i>Eugenia ternifolia</i> , H.B.					

- 12 *austrâlis*. DC. (*wh.*) Myrtle-leaved. N. Holland. 1812. 5. 9. G. h. Bot. mag. t. 2230.
Eugenia austrâlis. Colla hort. rip. app. t. 8. *Eugenia myrtifolia*. Bot. reg. t. 627.

Tribus IV. *BARRINGTONIÆ*. DC. prodr. v. 3. p. 288.

- BARRINGTONIA**. DC. **BARRINGTONIA**. Monadelphia Polyandria. L.
 1 *speciosa*. DC. (*pu.wh.*) beautiful. E. Indies. 1786. S. h. Rumph. amb. 3. t. 111.
 2 *racemosa*. DC. (*wh.*) racemed. Malabar. 1822. S. h. Rheed. mal. 4. t. 6.
Eugenia racemosa. L.
STRAVADIUM. DC. **STRAVADIUM**. Monadelphia Polyandria.
 1 *album*. DC. (*wh.*) white-flowered. Moluccas. 1822. S. h. Rumph. amb. 3. t. 116.
 2 *rubrum*. DC. (*re.*) red-flowered. ———— 1822. S. h. ———— 3. t. 115.
Barringtonia acutangula. G. *Eugenia acutangula*. L.
GUSTAVIA. DC. **GUSTAVIA**. Monadelphia Polyandria. L.
 1 *augusta*. DC. (*wh.*) large-flowered. Guiana. 1794. S. h. Aubl. guian. 1. t. 192.
 2 *fastuosa*. DC. (*wh.*) six-petaled. ———— 1824. S. h. ———— 1. t. 193.

Tribus V. *LECYTHIDEÆ*. DC. prodr. v. 3. p. 290.

- LECYTHIS**. DC. **LEC'YTHIS**. Monadelphia Polyandria.
 1 *Ollaria*. DC. (*wh.*) sessile-leaved. Brazil. 1820. S. h.
 2 *minor*. DC. (*wh.*) smaller. Carthagenâ. 1823. S. h. Jacq. amer. t. 109.
 3 *grandiflora*. DC. (*ro.*) large-flowered. Cayenne. 1822. S. h. Au. gu. 2. t. 283. 284. 285.
 4 *latimona*. DC. (*fl.*) flesh-coloured. Guiana. ———— 1822. S. h. ———— 2. t. 289.
 5 *amara*. DC. (*ye.*) bitter-seeded. ———— ———— 1822. S. h. ———— 2. t. 286 et t. 285. f. 1.
 6 *parviflora*. DC. (*st.*) small-flowered. ———— ———— 1822. S. h. ———— 2. t. 287.
BERTHOLLETIA. DC. **BERTHOLLETIA**. Monadelphia Polyandria.
 1 *excelsa*. DC. (*st.*) lofty. Brazil. 1821. S. h. H. et B. pl. equ. 1. t. 36.
COUROUPITA. DC. **COUROUPITA**. Monadelphia Polyandria.
 1 *guianensis*. DC. (*bh.*) Guiana. Guiana. 1820. S. h. Aubl. guian. 2. t. 282.
Lecythis bracteata. W. *Pekia Couroupita*. Juss.

MYRTACEÆ DUBIÆ. DC. prodr. v. 3. p. 394.

- CAREYA**. R.C. **CAREYA**. Monadelphia Polyandria.
 1 *sphaerica*. H.B. (*wh.*) sphaerical. E. Indies. 1823. S. h.
 2 *arborescens*. R.C. (*gr.bh.*) tree. ———— ———— 1823. S. h. Roxb. corom. 3. t. 218.
 3 *herbacea*. R.C. (*re.*) herbaceous. ———— 1808. 7. 8. S. 4. ———— 3. t. 217.
GRIAS. DC. **ANCHOVY PEAR**. Polyandria Monogynia.
 1 *cauliflora*. DC. (*wh.*) stem-flowering. Jamaica. S. h. Sloan. his. 2. t. 217. f. 1. 2.
MARLEA. R.C. **MARLEA**. Icosandria Monogynia.
 1 *legonifolia*. R.C. (*wh.*) Begonia-leaved. E. Indies. 1821. S. h. Roxb. corom. 3. t. 283.

ORDO XCV.

CUCURBITACEÆ. DC. prodr. v. 3. p. 297.

Tribus II. *CUCURBITEÆ*. DC. prodr. 3. p. 299.

- LAGENARIA**. DC. **GOURD**. Monoclea Monadelphia.
 1 *vulgaris*. DC. (*wh.*) bottle. India. 1597. 7. 9. H. C. C. Moris. his. s. 1. t. 5. f. 1.
 2 *Gourda*. DC. (*wh.*) common. ———— ———— ———— H. C. C. Rumph. amb. 3. t. 144.
 3 *Cucurda*. DC. (*wh.*) Cow-gourd. China. ———— ———— H. C. C. ———— Moris. his. s. 1. t. 5. f. 2.
 4 *depressa*. DC. (*wh.*) flat-fruited. India. ———— ———— H. C. C. ———— ———— sect. 1. t. 5. f. 3.
 5 *terlinata*. DC. (*wh.*) top-fruited. ———— ———— ———— ———— ————
 6 *clavata*. DC. (*wh.*) club-fruited. ———— ———— ———— ———— ————

2	vittata. DC.	(wh.) ribbon.	E. Indies.		7. 9.	H. ⊙. ∞.	
3	idolatrica. DC.	(wh.) Pear-fruited.			—	H. ⊙. ∞.	
CUCUMIS. DC. CUCUMBER. Monœcia Monadelphia. L.							
1	Melo. DC.	(st.) Melon.	Tartary.	1570.	5. 9.	F. ⊙.	Blackw. herb. t. 329.
2	deliciosus. DC.	(st.) delicious.	E. Indies.	1818.	—	F. ⊙.	
3	sativus. DC.	(ye.) common.		1573.	7. 9.	H. ⊙.	Blackw. herb. t. 4.
	α viridis. DC.	(ye.) green-fruited.		—	—	H. ⊙.	
	β flavus. DC.	(ye.) pale-fruited.		—	—	H. ⊙.	
	γ albus. DC.	(ye.) white Turkey.		—	—	H. ⊙.	
	δ variegatus. DC.	(ye.) striped-fruited.		—	—	H. ⊙.	
	ε fastigiatus. DC.	(ye.) clustered.		—	—	H. ⊙.	
4	flexuosus. DC.	(ye.) flexuous snake.		1597.	5. 9.	F. ⊙.	Lob. stirp. p. 203. f. 1.
	β reflexus. DC.	(ye.) angular-leaved.			—	F. ⊙.	
5	angulus. W.	(ye.) snake-fruited.		1820.	7. 9.	F. ⊙.	
6	jamaicensis. DC.	(ye.) round-fruited.	Jamaica.	1818.	—	F. ⊙.	
7	Châte. DC.	(ye.) hairy.	Levant.	1759.	6. 7.	H. ⊙.	Alp. aegypt. t. 117.
8	Dudaim. DC.	(ye.) Apple-fruited.		1705.	7. 8.	H. ⊙.	Andr. reposit. t. 548.
9	prophetarum. DC.	(ye.) globe-fruited.		1777.	6. 9.	F. ⊙.	Jacq. vind. 1. t. 9.
10	africanus. DC.	(ye.) African.	C. B. S.	1816.	—	G. 4. ∞.	Herm. pæd. t. 134.
11	Anguria. DC.	(ye.) round prickly.	Jamaica.	1692.	7. 9.	H. ⊙.	Mill. ic. 1. t. 33.
12	Citrullus. DC.	(ye.) Water Melon.	Africa.	1597.	5. 9.	F. ⊙.	Rumph. amb. 5. t. 14.
	α Pasteca. DC.	(ye.) firm-fruited.		—	—	F. ⊙.	
	β Jice. DC.	(ye.) juicy-fruited.		—	—	F. ⊙.	
13	pubescens. DC.	(ye.) pubescent.		1815.	6. 9.	F. ⊙.	
14	maculatus. DC.	(ye.) spotted-fruited.			—	F. ⊙.	Ser. dis. t. 3.
15	Colocynthis. DC.	(ye.) bitter.	Japan.	1551.	5. 8.	F. ⊙.	Blackw. herb. t. 441.
16	perennis. DC.	(ye.) perennial.	N. America.	1824.	6. 8.	F. ⊙.	
17	coronarius.	(ye.) crowned.		1827.	—	F. ⊙.	
18	Momordica. H.B.	(ye.) Momordica-like.	E. Indies.	1812.	7. 9.	F. ⊙.	
19	utilitissimus. H.B.	(ye.) useful.		1820.	—	F. ⊙.	
20	turbinatus. H.B.	(ye.) top-shaped.		—	—	F. ⊙.	
21	maderaspatanus. W.	(ye.) Madras.		1805.	7. 8.	F. ⊙.	Pluk. alm. t. 170. f. 2.
	<i>Bryonia maderaspatana. DC.</i>						
22	integrifolius. H.B.	(ye.) entire-leaved.		1825.	—	F. ⊙. ∞.	
LUFFA. DC. LUFFA. Pentandria Monogynia.							
1	fetida. DC.	(ye.) strong-scented.	E. Indies.	1812.	6. 10.	F. ⊙. ∞.	Bot. mag. t. 1638.
2	acutangula. DC.	(ye.) acute-angled.		1692.	6. 9.	F. ⊙. ∞.	Jacq. vind. 3. t. 73-74.
	<i>Cucumis acutangulus. Jacq.</i>						
3	Plukenetiana. DC.	(ye.) Plukenet's.			—	F. ⊙. ∞.	Pluk. alm. t. 172. f. 1.
4	clavata. H.B.	(ye.) erect.		1820.	6. 10.	F. ⊙.	
5	amara. H.B.	(ye.) bitter.		—	—	F. ⊙. ∞.	
6	gracilens. H.B.	(ye.) strong-smelling.		1823.	—	F. ⊙. ∞.	
7	racemosa. H.B.	(ye.) racemed.		—	—	F. ⊙. ∞.	
8	egyptiaca. DC.	(ye.) Egyptian.	Egypt.	1739.	7. 8.	F. ⊙.	Alp. aegypt. t. 58.
	<i>Momordica Luffa. L.</i>						
BENINCASA. DC. BENINC'ASA. Polygamia Monœcia.							
	cerifera. DC.	(ye.) musky.	E. Indies.		7. 9.	F. ⊙.	Savi. mem. c. 1518 p. 4.
BRYONIA. DC. BRYONY. Monœcia Monadelphia. W.							
1	restrata. DC.	(st.) restrate.	E. Indies.	1825.	7. 9.	S. ⊙. ∞.	
2	sabra. DC.	(st.) globe-fruited.	C. B. S.	1774.	9. 10.	G. 4. ∞.	
3	verrucosa. DC.	(st.) warted.	Canaries.	1779.	6. 10.	G. 4. ∞.	
4	scabrata. DC.	(st.) roughish.	E. Indies.	1826.	—	S. 4. ∞.	
5	punctata. DC.	(st.) dotted.	C. B. S.	1816.	—	G. 4. ∞.	
6	cordata. DC.	(st.) cordate.		—	—	G. 4. ∞.	
7	grandis. DC.	(re.) great-flowered.	E. Indies.	1782.	5. 8.	S. 4. ∞.	Rump. amb. 5. t. 163. f. 1.
8	umbellata. DC.	(st.) umbel-flowered.		1825.	—	S. 4. ∞.	Rheed. mal. 8. t. 207.
9	hederifolia. DC.	(st.) Ivy-leaved.	Teneriffe.	—	—	G. 4. ∞.	Jacq. fragm. 73. t. 113.
10	epigæa. DC.	(st.) leathery-leaved.	E. Indies.	1815.	—	G. 4. ∞.	
11	scabrella. DC.	(st.) rough-seeded.		1781.	6. 8.	S. ⊙. ∞.	
12	hirsutosa. DC.	(st.) hairy.	Canaries.	1779.	—	G. 4. ∞.	
13	trilobata. DC.	(st.) three-lobed.	C. B. S.	1816.	—	G. ⊙. ∞.	
14	alba. DC.	(wh.) black-fruited.	Europe.	1807.	—	H. 4. ∞.	Lam. ill. t. 796.
15	disca. DC.	(st.) red-fruited.	Britain.		5. 9.	H. 4. ∞.	Eng. bot. v. 7. t. 100.
16	nitida. DC.	(st.) glossy.		1824.	—	S. 4. ∞.	
17	cretica. DC.	(st.) Cretan.	Candia.	1759.	7. 9.	G. 4. ∞.	Desf. an. mus. 12. t. 15.
18	gibbosa. DC.	(st.) five-lobed.	C. B. S.		6. 10.	G. 4. ∞.	Bot. reg. t. 82.
19	foliolata. DC.	(st.) Fig-leaved.	Buenos Ayres.	1726.	—	G. 4. ∞.	Dill. elth. t. 50. f. 22.
20	variegata. DC.	(st.) variegated.	America.		—	S. 4. ∞.	
21	racemosa. DC.	(st.) racemed.	Trinidad.	1820.	—	S. 4. ∞.	Plum. amer. 83. t. 57.

<i>pinnatifida</i> , DC.	(st.) pinnatifid.	C. B. S.	1816.	7. 8.	G. 2. ∞.	
<i>divisa</i> , W. en.	(st.) divided-leaved.		1818.	6. 10.	G. 2. ∞.	
<i>palmata</i> , DC.	(st.) palmated.	Ceylon.	1778.	7. 8.	S. 2. ∞.	
<i>rotunda</i> , DC.	(st.) round-lobed.		1818.	—	S. 2. ∞.	Burm. ind. t. 57. f. 3.
<i>laciniata</i> , DC.	(st.) laciniated.	E. Indies.	1710.	—	S. 2. ∞.	Herm. lugd. 95. t. 97.
<i>aficana</i> , DC.	(st.) African.	C. B. S.	1759.	7. 8.	G. 2. ∞.	Herm. parad. t. 708.
<i>laevigata</i> , DC.	(st.) smooth-leaved.		1710.	—	G. 2. ∞.	
<i>slendera</i> , H. B.	(st.) slender.	E. Indies.	1820.	—	S. 2. ∞.	
<i>filiformis</i> , DC.	(st.) filiform.	Nepaul.	—	—	S. 2. ∞.	
<i>hirsuta</i> , H. B.						
MONOCOS , DC.	SINGLE-SEEDED CUCUMBER. Monœcia Monadelphica. W.					
<i>angulata</i> , DC.	(ye.) angular-leaved.	N. America.	1710.	7. 9.	H. ☉. ∞.	Dill. elth. t. 51. f. 59.
<i>microcarpa</i> , DC.	(ye.) small-flowered.	Quito.	1823.	—	H. ☉. ∞.	
<i>microphylla</i> , DC.	(ye.) small-leaved.	Mexico.	—	—	H. ☉. ∞.	
<i>cordata</i> , DC.	(ye.) Vine-leaved.		—	—	H. ☉. ∞.	
<i>sinuata</i> , DC.	(ye.) jagged-leaved.	S. America.	1827.	—	F. ☉. ∞.	Plum. ed Burma. t. 243.
ELATERIUM , DC.	ELATERIUM. Monœcia Monadelphica.					
<i>quadrata</i> , DC.	(wh.) twin-tendrilled.	Mexico.	1826.	6. 9.	H. ☉. ∞.	
<i>carthagenense</i> , DC.	(wh.) Carthaginian.	Caracas.	1824.	—	F. ☉. ∞.	Jacq. am. pict. t. 232.
<i>tanacetifolia</i> , DC.	(st.) Tamus-like.	Mexico.	1818.	—	H. ☉. ∞.	
MOMORDICA , DC.	MOMORDICA. Monœcia Monadelphica. W.					
<i>balsamifera</i> , DC.	(ye.) Balsam Apple.	E. Indies.	1568.	6. 7.	F. ☉. ∞.	Blackw. herb. 6. t. 539.
<i>tuberculata</i> , DC.	(ye.) tubercled.			—	F. ☉. ∞.	Rheed. mal. 8. t. 10.
<i>hirsuta</i> , DC.	(ye.) hairy.		1710.	—	F. ☉. ∞.	Bot. mag. t. 2455.
<i>brevis</i> , DC.	(ye.) short-fruited.		—	—	F. ☉. ∞.	
<i>cylindrica</i> , DC.	(ye.) cylindrical.	China.	1816.	—	F. ☉. ∞.	
<i>reticulata</i> , DC.	(ye.) rough-fruited.	W. Indies.	1731.	6. 9.	F. ☉. ∞.	Comm. rar. t. 22.
<i>elaterium</i> , DC.	(st.) squirting cucumber.	S. Europe.	1548.	—	H. 2. ∞.	Bot. mag. t. 1911.
<i>diœcia</i> , DC.	(ye.) diœcious.	E. Indies.	1820.	7. 8.	S. 2. ∞.	Rheed. mal. 8. t. 18.
<i>monodelpha</i> , H. B.	(ye.) monadelphous.		1812.	—	S. 2. ∞.	
<i>mixta</i> , H. B.	(ye.) mixed.		1820.	—	S. 2. ∞.	
<i>umbellifera</i> , H. B.	(ye.) umbel-flowered.		1818.	—	S. 2. ∞.	
<i>tubiflora</i> , H. B.	(ye.) tube-flowered.		1824.	7. 10.	F. ☉. ∞.	
CHOCNO , DC.	CHOCNO. Monœcia Monadelphica.					
<i>edule</i> , DC.	(ye.) eatable.	W. Indies.	1823.	7. 9.	F. ☉. ∞.	Jacq. amer. t. 163.
<i>americanum</i> , DC.	(ye.) American.	Jamaica.	1825.	—	F. ☉. ∞.	
<i>palmatum</i> , DC.	(st.) palmated.	Mexico.	1827.	9. 11.	F. ☉. ∞.	Moc. et Ses. fl. mex. ic.
MELOTHRIA , DC.	MELOTHRIA. Monœcia Triandria.					
<i>pendula</i> , DC.	(ye.) pendulous.	America.	1752.	6. 7.	H. ☉. ∞.	Plum. ic. t. 66. f. 2.
<i>strong-scented</i> , DC.	(ye.) strong-scented.	Guinea.	1825.	—	S. 2. ∞.	Jacq. ic. 3. t. 624.
<i>Trichosanthes foetidissima</i> , Jacq.						
TRICHOSANTHES , DC.	SNAKE-GOURD. Monœcia Monadelphica. W.					
<i>communis</i> , DC.	(wh.) common.	China.	1755.	5. 8.	F. ☉. ∞.	Bot. mag. t. 722.
<i>paniculata</i> , DC.	(wh.) panicled.		1820.	—	F. ☉. ∞.	Jacq. f. eclog. t. 128.
<i>diœcia</i> , H. B.	(wh.) diœcious.	E. Indies.	—	5. 6.	S. 2. ∞.	
<i>cucurbitaria</i> , DC.	(wh.) Cucumber-like.		1804.	6. 8.	F. ☉. ∞.	Rheed. mal. 8. t. 15.
<i>lobata</i> , H. B.	(wh.) lobed-leaved.		1812.	—	F. ☉. ∞.	
<i>cordata</i> , H. B.	(wh.) heart-leaved.		1823.	—	S. 2. ∞.	
<i>palmata</i> , H. B.	(wh.) palmated.		1825.	—	S. 2. ∞.	
<i>corniculata</i> , DC.	(wh.) horn-gourd.	W. Indies.	1810.	6. 7.	S. 2. ∞.	Bot. mag. t. 2703.
<i>Ceratosanthes tuberosa</i> , S. S.						
JOLIFFIA , DC.	JOLIFFIA. Diœcia Monadelphica.					
<i>aficana</i> , DC.	(pu.) African.	Zanzibar.	1825.	6. 8.	S. 2. ∞.	Bot. mag. t. 2681.
<i>foetida</i> , DC.	(pu.) female.		—	—	S. 2. ∞.	t. 2681.
<i>pedata</i> , B. M.						
<i>foetida</i> , DC.	(pu.) male.		1827.	—	S. 2. ∞.	Bot. mag. t. 2751 et 2752.
<i>Tigaria pedata</i> , Hook.						bot. mag. t. 2751.
CUCURBITA , DC.	PUMPKIN. Monœcia Monadelphica. W.					
<i>maxima</i> , DC.	(ye.) Elephant.			7. 10.	H. ☉. ∞.	Tourn. inst. n. 2. t. 34.
<i>pepo</i> , DC.	(ye.) yellow-fruited.			—	H. ☉. ∞.	
<i>maritima</i> , DC.	(ye.) green-fruited.			—	H. ☉. ∞.	
<i>congeria</i> , DC.	(ye.) small-fruited.			—	H. ☉. ∞.	
<i>pepo</i> , DC.	(ye.) Squash.		1597.	5. 9.	H. ☉. ∞.	Meris. hist. 1. s. 1. t. 8.
<i>muskmelon</i> , DC.	(ye.) musk Melon.	W. Indies.	—	6. 9.	F. ☉. ∞.	Dalech. hist. 616. f. 3.
<i>hirsuta</i> , DC.	(ye.) woolly-fruited.	E. Indies.	1818.	—	F. ☉. ∞.	
<i>pepo</i> , DC.	(ye.) common.	Levant.	1570.	—	H. ☉. ∞.	
<i>subrotunda</i> , DC.	(ye.) round-fruited.		—	—	H. ☉. ∞.	
<i>longa</i> , DC.	(ye.) oblong-fruited.		—	—	H. ☉. ∞.	
<i>mealy-fruited</i> , DC.	(ye.) mealy-fruited.	E. Indies.	1822.	—	F. ☉. ∞.	

7	verrucosa. DC.	(ye.) warted.		1658.	6. 9.	H. ☉. ∪.	Bauh. hist. 2. p. 222. ic.
8	subverrucosa. DC.	(ye.) oblong-fruited.			—	H. ☉. ∪.	
9	aurantia. DC.	(ye.) orange-gourd.			—	H. ☉. ∪.	
	α orangina. DC.	(ye.) true orange.			—	H. ☉. ∪.	
	β colocynthoides. DC.	(ye.) variegated-fruit'd.			—	H. ☉. ∪.	
10	ovifera. DC.	(ye.) egg-shaped.	Astracan.		—	H. ☉. ∪.	Dod. pempt. 670. f. 1.
	α pyriformis. DC.	(ye.) pear-fruited.	—		—	H. ☉. ∪.	Ser. diss. t. 1.
	β subglobosa. DC.	(ye.) white-striped.	—		—	H. ☉. ∪.	
	γ grisea. DC.	(ye.) white-spotted.	—		—	H. ☉. ∪.	
11	foetidissima. DC.	(ye.) strong-scented.	Mexico.	1825.	—	H. ☉. ∪.	
12	marsupialis. Jacq.	(ye.) bag-bearing.		1821.	—	H. ☉. ∪.	
13	dipsacea. E.	(ye.) Teasel-like.	Egypt.	1827.	—	H. ☉. ∪.	
ANG'URIA. DC.		ANG'URIA. Monœcia Diandria. W.					
1	trilobata. DC.	(re.) three-lobed.	Martinico.	1793.	6. 7.	S. 4. ∪.	Jacq. am. pict. t. 231.
2	pedatisecta. DC.	(re.) cut-leaved.	Peru.	1827.	7. 10.	H. ☉. ∪.	Feuil. per. 1. t. 41.
3	pedata. DC.	(re.) pedate-leaved.	St. Domingo.	—	6. 8.	S. 4. ∪.	Jacq. am. pict. t. 155.

GENERA CUCURBITACEIS AFFINIA.

GRONOVIA. DC.		GRONOVIA. Pentandria Monogynia. L.					
	scandens. DC.	(st.) climbing.	Jamaica.	1731.	6. 7.	S. 4. ∪.	Jacq. ic. 2. t. 338.
CA'RICA. S.S.		PAPAW-TREE. Dioecia Decandria. L.					
1	Papaya. s.s.	(st.) common.	India.	1690.	7. 8.	S. h.	Bot. reg. t. 459.
2	pyriformis. s.s.	(ro.) Pear-fruited.	Peru.	1825.		S. h.	Feuil. journ. 3. t. 39.
3	citriiformis. s.s.	(st.) Citron-fruited.	Guinea.	—		S. h.	
4	cauliflora. s.s.	(st.) stem-flowering.	Caracas.	1806.	6. 8.	S. h.	Jacq. schœnb. 3. t. 311.
5	microcarpa. s.s.	(st.) small-fruited.	—	—	—	S. h.	— 3. t. 309. 310.
6	monoica. Df.	(st.) monœcious.	—	1816.	—	S. h.	
7	digitata. s.s.	(st.) spiny.	Guiana.	1822.		S. h.	Aubl. guian. 2. t. 216.
	spindsa. W.						

ORDO XCVI.

PASSIFLOREÆ. DC. prodr. v. 3. p. 321.

Tribus I. PAROPSIÆ. DC. prodr. v. 3. p. 322.

SMEATHMA'NNIA. L.T. SMEATHMA'NNIA. Polyandria Pentagynia.						
lævigata. L.T.	(wh.) smooth.	Sierra Leone.	1822.		S. h.	

Tribus II. PASSIFLOREÆ VERÆ. DC. prodr. v. 3. p. 322.

PASSIFL'ORA. DC.		PASSION-FLOWER. Monadelphia Pentandria.						
1	holosericea. DC.	(st.)	silky-leaved.	Vera Cruz.	1733.	5. 8.	S. h. ∪.	Bot. reg. t. 59.
2	pallida. DC.	(gr.)	pale-flowered.	W. Indies.	1820.	5. 10.	S. h. ∪.	_____ t. 660.
3	cuprea. DC.	(co.)	copper-colour'd.	Bahama Isl.	1724.	7. 8.	S. h. ∪.	Jacq. ic. 3. t. 606.
4	multiflora. DC.	(wh.)	many-flowered.	Vera Cruz.	1731.	6. 9.	S. h. ∪.	Cavan. diss. 10. t. 272.
5	pubescens. DC.	(wh.)	pubescent.	Caracas.	1825.	—	S. h. ∪.	
6	mexicana. DC.	(wh.)	Mexican.	Mexico.	1812.	—	S. h. ∪.	Jus. an. mus. 6. t. 38. f. 2.
7	normalis. DC.	(cr.)	linear-lobed.	Jamaica.	1771.	5. 7.	S. h. ∪.	
8	angustifolia. DC.	(gr.)	narrow-leaved.	W. Indies.	1773.	6. 9.	S. h. ∪.	Bot. reg. t. 188.
	<i>heterophylla</i> . Jacq. schœn. 2. t. 181.							
9	maculata. DC.	(wh.)	painted-leaved.	N. America.	1812.	—	G. h. ∪.	Pluk. t. 210. f. 3.
10	gracilis. DC.	(wh.)	slender.	—	1823.	6. 10.	S. ⊙. ∪.	Bot. reg. t. 870.
11	lutea. DC.	(st.)	pale yellow.	—	1714.	5. 8.	F. 4. ∪.	_____ t. 79.
12	minima. DC.	(gr.)	small.	S. America.	1690.	7. 9.	S. h. ∪.	_____ t. 144.
13	hirsuta. DC.	(gr.)	hairy-stalked.	W. Indies.	1778.	8. 10.	S. h. ∪.	Plum. amer. t. 88.
14	suberosa. DC.	(wh.)	cork-barked.	—	1759.	6. 9.	S. h. ∪.	Sm. exot. bot. 1. t. 28.

15	peltata. DC.	(st.) peltate.	W. Indies.	1778.	8. 10.	S. h. ∪.	Bot. reg. t. 507.
16	hederacea. DC.	(wh.) Ivy-leaved.	Antilles.		6. 7.	S. h. ∪.	Plum. amer. t. 84.
17	pannosa. DC.	(fl.) cloth-leaved.	W. Indies.	1824.	6. 9.	S. h. ∪.	
18	cuneata. W.en.	(wh.) wedge-leaved.	S. America.	1820.	6. 10.	S. h. ∪.	
19	multiformis. DC.	(wh.) multiform.	Caracas.	1825.	—	S. h. ∪.	Jacq. frag. t. 67. f. 1.
	caracasana. W. en.						
20	heterophylla. DC.	(wh.) various-leaved.	St. Domingo.	1817.	—	S. h. ∪.	Plum. ed. Bur. t. 139. f. 1.
21	rubricaulis. Jac.	(re.) red-stalked.	S. America.	1821.	6. 8.	S. h. ∪.	
22	perfoliata. DC.	(pu.) perfoliate.	W. Indies.	1806.	7. 9.	S. h. ∪.	Bot. reg. t. 78.
23	rubra. DC.	(fl.) red-fruited.	—	1731.	4. 9.	S. h. ∪.	— t. 95.
24	capsularis. DC.	(wh.) angular-fruited.	—	1826.	—	S. h. ∪.	Bot. mag. t. 2868?
25	biflora. DC.	(wh.) crescent-leaved.	—	1733.	—	S. h. ∪.	Sm. ic. pict. 1. t. 1.
	lunata. Sm. non Juss.	Vespertilio. Miss Lawr. pass. t. 8. nec aliorum.					
	β? acutiloba. (wh.)	acute-lobed.	W. Indies.	—	—	S. h. ∪.	Bot. reg. t. 577.
26	Vespertilio. DC.	(wh.) bat-winged.	—	1732.	5. 6.	S. h. ∪.	Dill. elth. t. 137. f. 164.
27	Maximiliana. DC.	(wh.) two-coloured.	Brazil.	1820.	6. 10.	S. h. ∪.	Bot. reg. t. 597.
	Vespertilio. B.R.	nec aliorum. discolor. Lodd. bot. cab. t. 565.					
28	oblongata. DC.	(wh.) oblong-leaved.	Jamaica.	1822.	—	S. h. ∪.	
29	tuberosa. DC.	(pa.) tuberous-root'd.	S. America.	1784.	—	S. h. ∪.	Bot. reg. t. 432.
	punctata. Lodd.	bot. cab. t. 101.					
30	rotundifolia. DC.	(wh.) round-leaved.	W. Indies.	1779.	5. 8.	S. h. ∪.	Cavan. dis. t. 290.
31	punctata. DC.	(st.) dotted-leaved.	Peru.	1784.	5. 6.	S. h. ∪.	— 6. t. 269.
32	serratifolia. DC.	(pu.) notch-leaved.	W. Indies.	1731.	5. 10.	S. h. ∪.	Bot. mag. t. 651.
33	coccinea. DC.	(sc.) scarlet-flower'd.	Guiana.	1823.		S. h. ∪.	Aubl. guian. 3. t. 324.
34	mucronata. DC.	(v.) mucronate.	Brazil.	1822.		S. h. ∪.	Cavan. diss. t. 282.
35	maliformis. DC.	(v.) Apple-fruited.	W. Indies.	1731.	7. 11.	S. h. ∪.	Bot. reg. t. 94.
36	tiliaefolia. DC.	(wh.) Lime-tree-ld.	Peru.	1822.		S. h. ∪.	Feuill. obs. 2. t. 12.
37	ligularis. DC.	(v.) taper-pointed.	—	—	4. 8.	S. h. ∪.	Juss. an. mus. 6. t. 40.
38	quadrangularis. DC.	(v.) square-stalked.	Jamaica.	1768.	8. 10.	S. h. ∪.	Bot. reg. t. 14.
39	alata. DC.	(v.) wing-stalked.	W. Indies.	1772.	4. 8.	S. h. ∪.	Bot. mag. t. 66.
40	albida. DC.	(wh.) white-flowered.	Brazil.	1816.	7. 11.	S. h. ∪.	Bot. reg. t. 677.
41	angulata. Cerv.	(wh.) angular-stalked.	Mexico.	1823.	—	G. h. ∪.	
42	laurifolia. DC.	(v.) Laurel-leaved.	W. Indies.	1690.	6. 8.	S. h. ∪.	Bot. reg. t. 13.
43	tinifolia. DC.	(v.) Tinus-leaved.	—	1822.	—	S. h. ∪.	Juss. an. mus. 6. t. 41. f. 2.
44	racemosa. DC.	(sc.) racemed.	Brazil.	1816.	1. 12.	S. h. ∪.	Bot. reg. t. 285.
45	sanguinea. DC.	(cr.) crimson.	Hybrid.	1820.	—	G. h. ∪.	
46	cœruleo-racemosa. (pu.)	Whitley's mule.	—	—	—	G. h. ∪.	Lodd. bot. cab. t. 573.
	α quinquelobata. H.T.	(pu.) five-lobed.	—	—	—	G. h. ∪.	Hort. trans. 4. t. 9.
	β trilobata. H.T.	(pu.) three-lobed.	—	—	—	G. h. ∪.	
	γ racemifera. (pu.)	raceme-bearing.	—	—	—	G. h. ∪.	
47	alato-cœrulea. DC.	(ro.) Masters's mule.	Hybrid.	1823.	4. 8.	G. h. ∪.	Bot. reg. t. 848.
48	stipulata. DC.	(wh.) glaucous-leaved.	Cayenne.	1779.	8. 9.	S. h. ∪.	Aubl. guian. 2. t. 325.
	glauc. Bot. reg. t. 88.	non Humb.					
49	incarnata. DC.	(bh.) flesh-coloured.	N. America.	1629.	7. 9.	H. h. ∪.	Miss Lawr. pass. ic.
	β? integriloba. DC.	(bh.) entire-lobed.	—	1812.	—	H. h. ∪.	Bot. reg. t. 332.
50	edulis. DC.	(bh.) eatable-fruited.	Brazil.	1816.	6. 10.	G. h. ∪.	Bot. mag. t. 1989.
	incarnata. β.	Bot. reg. t. 152.					
51	vitifolia. DC.	(wh.) Vine-leaved.	S. America.	1821.		S. h. ∪.	
52	filamentosa. DC.	(v.) filamentose.	—	1819.	7. 10.	G. h. ∪.	Cavan. diss. 10. t. 294.
53	palmata. DC.	(v.) palmate-leaved.	Brazil.	—	—	F. h. ∪.	Lodd. bot. cab. t. 97.
54	Colvillii. DC.	(v.) Colvill's mule.	Hybrid.	1823.	—	H. h. ∪.	Swt. br. fl. gar. t. 126.
55	cœrulea. DC.	(wh. bl.) common.	Brazil.	1699.	—	H. h. ∪.	Bot. reg. t. 488.
	β glaucophylla. (wh. bl.)	glaucous-leaved.	—		—	H. h. ∪.	
	γ angustifolia. (wh. bl.)	narrow long-l'd.	—		—	H. h. ∪.	
56	chinensis. (wh. bl.)	Chinese.	China.	1819.	6. 10.	G. h. ∪.	
	cœrulea Lour.	nec aliorum.					
57	serrata. DC.	(pa.) saw-leaved.	Martinica.	1800.		S. h. ∪.	Cavan. diss. 10. t. 296.
58	digitata. R.P.	(pa.) digitate.	Peru.	1824.		S. h. ∪.	
59	pedata. DC.	(pa.) curl-flowered.	W. Indies.	1781.		S. h. ∪.	Plum. am. t. 81.
60	picturata. DC.	(v.) pictured.	Brazil.	1823.	6. 9.	S. h. ∪.	Bot. reg. t. 673.
61	hibiscifolia. (wh. bl.)	Hibiscus-leav'd.	Caribees.	1825.	—	S. h. ∪.	Plum. am. t. 86.
62	fœtida. (wh. bl.)	stinking.	W. Indies.	1731.	7. 9.	S. h. ∪.	Bot. mag. t. 2619.
63	hircina. ed. 1.	(wh. bl.) strong-scented.	Brazil.		5. 10.	S. h. ∪.	Bot. reg. t. 321.
	fœtida. Bot. reg. nec aliorum.	hirsuta. Bot. cab. 138. nec aliorum.					
64	ciliata. DC.	(wh. ro.) ciliated.	Jamaica.	1783.	7. 9.	S. h. ∪.	Bot. mag. t. 288.
	DISE'MMA. DC.	DISE'MMA. Monadelphia Pentandria.					
1	Herbertiana. DC.	(st.) L'd. Caernarvon's.	N. Holland.	1822.	6. 10.	G. h. ∪.	Bot. reg. t. 737.
	Passiflora Herbertiana. B.R.						
2	adanthifolia. DC.	(or.) Adiantum-l'd.	Norfolk Isl.	1792.	—	G. h. ∪.	Bot. reg. t. 233.
	Passiflora aurantia. Andr.	reposit. t. 295. Passiflora glabra. Wendl.	coll. 1. t. 17.				

MURUC'UIA. DC.	MURUC'UIA. Monadelphia Pentandria.				
ocellàta. DC.	(cr.) ocellated.	W. Indies.	1739.	7. 8.	S. $\frac{1}{2}$. Bot. reg. t. 574.
<i>Passiflora Murucuja</i> . B.R. Lin. am. 1. t. 10. f. 10.					
TACS'ONIA. DC.	TACS'ONIA. Monadelphia Pentandria.				
1 pinnatistipula. DC.	(ro.) feather-stipuled.	Chile.	1826.		S. $\frac{1}{2}$. Cavan. ic. 5. t. 428.
2 pedunculàris. DC.	(ro.) long-peduncled.	Peru.	1815.		S. $\frac{1}{2}$. ——— 5. t. 426.
<i>Passiflora pedunculàris</i> . Cav.					
MODE'CCA. DC.	MODE'CCA. Diœcia Monadelphia.				
1 lobàta. DC.	(gr.) lobe-leaved.	Sierra Leone.	1816.	6. 9.	S. $\frac{1}{2}$. Bot. reg. t. 433.
2 trilobàta. H.B.	(gr.) three-lobed.	E. Indies.	1823.	—	S. $\frac{1}{2}$. Roxb. corom. 3. ic.
3 tuberòsa. H.B.	(gr.) tuberous-rooted.	—	1822.	—	S. $\frac{1}{2}$. Rumph. amb. 8. t. 20.

ORDO XCVII.

LOASEÆ. DC. prodr. v. 3. p. 339.

BARTONIA. DC.	BARTONIA. Polyandria Monogynia.				
1 ornàta. DC.	(wh.) naked-seeded.	Missouri.	1811.	7. 9.	F. ♂. Bot. mag. t. 1487.
<i>decapétala</i> . B.M.					
2 nuda. DC.	(wh.) winged-seeded.	—	—	—	F. ♀.
BLUMENBA'CHIA. DC.	BLUMENBA'CHIA. Polyandria Monogynia.				
insignis. DC.	(wh.) elegant.	Chile.	1826.	7. 10.	H. ☉. Swt. br. fl. gar. t. 171.
<i>Loasa palmàta</i> . Treviranus. <i>pátula</i> . Gr.					
SCYPHA'NTHUS. B.F.G.	CUP-FLOWER. Polyandria Monogynia.				
élegans. B.F.G.	(ye.) elegant.	Chile.	1824.	5. 9.	F. $\frac{1}{2}$. Swt. br. fl. gar. t. 238.
LO'ASA. DC.	LO'ASA. Polyandria Monogynia.				
1 bryoniæfòlia. DC.	(ye.) Bryony-leaved.	Chile.	1828.	6. 9.	H. ☉. Schrad. pl. rar. get. ic.
2 tricolor. DC.	(ye.) three-coloured.	—	1822.	8. 10.	H. ☉. Bot. reg. t. 667.
3 nítida. DC.	(ye.) glossy-leaved.	Peru.	—	7. 10.	H. ☉. Hook. exot. bot. t. 83.
4 Plàcei. H.T.	(ye.) Place's.	Chile.	—	—	H. ☉. Bot. reg. t. 785.
<i>acanthifòlia</i> . B.R. non Lamarck.					
5 grandiflòra. DC.	(ye.) large-flowered.	Peru.	1825.	—	H. ☉. Juss. an. mus. 5. t. 1. f. 2.
MENTZ'ELIA. DC.	MENTZ'ELIA. Polyandria Monogynia.				
1 áspera. DC.	(or.) rough.	W. Indies.	1773.	7. 9.	S. ☉. Plum. ed. Bur. t. 174. f. 1.
2 oligosérma. DC.	(or.) few-seeded.	Louisiana.	1812.	5. 7.	F. ♀. Bot. mag. t. 1760.
3 hispida. DC.	(or.) hispid.	Mexico.	1824.	6. 9.	F. ♀. Cavan. ic. 1. t. 70.

ORDO XCVIII.

TURNERACEÆ. DC. prodr. v. 3. p. 345.

TURN'ERA. DC.	TURN'ERA. Pentandria Trigynia. L.				
1 ulmifòlia. DC.	(ye.) Elm-leaved.	Jamaica.	1733.	6. 9.	S. $\frac{1}{2}$. Linn. h. cliff. t. 10.
2 angustifòlia. B.M.	(ye.) narrow-leaved.	—	—	4. 9.	S. $\frac{1}{2}$. Bot. mag. t. 281.
3 cuneifórmis. DC.	(ye.) wedge-leaved.	Brazil.	1821.	—	S. $\frac{1}{2}$.
4 trioniflòra. DC.	(ye.) Ketmia-flow'd.	Trinidad.	1812.	—	S. $\frac{1}{2}$. Bot. mag. t. 2106.
<i>élegans</i> . R.S.					
5 acúta. DC.	(ye.) acute-leaved.	Jamaica.	1826.	—	S. $\frac{1}{2}$.
6 Pumílea. DC.	(ye.) nettle-leaved.	—	1796.	8. 9.	S. ☉. Sloan. hist. t. 127. f. 6.
7 rupéstris. DC.	(ye.) rock.	Guiana.	1826.	6. 9.	S. $\frac{1}{2}$. Aubl. guian. 1. t. 113. f. 1.
8 guianénsis. DC.	(ye.) Guiana.	—	—	—	S. ☉. ——— 1. t. 114.
9 cistoides. DC.	(ye.) Cistus-like.	America.	1774.	6. 10.	H. ☉. Plum. ic. t. 150. f. 1.
10 racemòsa. DC.	(ye.) raceme-flower'd.	St. Domingo.	1789.	7. 10.	S. ☉. Jacq. vind. 3. t. 94.
PIRIQU'ETA. DC.	PIRIQU'ETA. Pentandria Trigynia.				
villòsa. DC.	(ye.) villous.	Guiana.	1826.	7. 10.	S. ☉. Aubl. guian. 1. t. 117.

ORDO XCIX.

PORTULACEÆ. *DC. prodr. v. 3. p. 351.*

TRIA'NTHEMA. DC.		TRIA'NTHEMA. Pent-Decandria Mono-Trigynia.					
1	decandra. DC.	(gr.) trailing.	E. Indies.	1762.	7. 8.	S. ☉.	Burm. ind. t. 31. f. 3.
2	triquetra. DC.	(gr.) triquetrous.	————	1826.	——	S. ☉.	
3	obcordata. H.B.	(gr.) obcordate.	————	1820.	——	S. ☉.	
4	monogyna. DC.	(gr.) Purslane-leav'd.	Jamaica.	1716.	——	S. ☉.	DC. plant. gras. t. 109.
PORTULACA. DC.		PURSLANE. Oct-Dodecandria Monogynia.					
1	cleracea. H.S.	(ye.) small.	Europe.	1562.	6. 8.	H. ☉.	DC. plant. gras. t. 123.
2	sativa. H.S.	(ye.) garden.	America.	1652.	6. 9.	H. ☉.	
	<i> aurea.</i> H.S.	(ye.) golden.	————	——	——	H. ☉.	
3	parvifolia. H.S.	(ye.) small-leaved.	Jamaica.	1799.	8. 10.	H. ☉.	
4	foliosa. DC.	(ye.) leafy.	Guinea.	1822.	6. 8.	S. ½.	Bot. reg. t. 793.
5	involucrata. H.R.	(ye.) leafy-flowered.		1819.	8. 9.	S. ½.	
6	marginata. DC.	(ye.) red-margined.	Caracas.	1822.	6. 10.	H. ☉.	
7	halimoides. DC.	(ye.) Halimus-leaved.	Jamaica.	1823.	8. 9.	S. ☉.	Sloan. hist. 1. t. 129. f. 3.
8	mucronata. DC.	(ye.) mucronate.		1827.	6. 9.	S. ☉.	
9	quadrifida. DC.	(ye.) quadrifid.	Asia.	1773.	8. 9.	S. ☉.	Jacq. coll. 2. t. 17. f. 4.
10	meridiana. H.S.	(ye.) noon-day.	E. Indies.	1791.	5. 6.	S. ☉.	Rheed. mal. 10. t. 31.
11	grandiflora. B.M.	(va.) large-flowered.	Chile.	1828.	6. 8.	F. ¼.	Bot. mag. t. 2885.
	<i> purpurea.</i>	(pu.) purple-flowered.	————	——	——	F. ¼.	———— t. 2885. f. 2.
	<i> aurantiaca.</i>	(or.) orange-coloured.	————	——	——	F. ¼.	———— t. 2885. f. 1.
12	pilosa. DC.	(pu.) hairy.	W. Indies.	1690.	——	S. ½.	Bot. reg. t. 792.
13	setacea. H.S.	(pu.) bristly.	————	——	——	S. ☉.	Pluk. phyt. t. 246. f. 6.
ANACAMPSEROS. DC.		ANACAMPSEROS. Dodecandria Monogynia.					
1	telephiastrum. DC.	(re.) round-leaved.	C. B. S.	1732.	7. 9.	D.I. ½.	DC. plant. gras. t. 3.
	<i>Portulaca Anacampseros.</i> L. <i>Talinum Anacampseros.</i> W. <i>Rulingia Anacampseros.</i> H.S.						
2	arachnoides. DC.	(bh.) cobweb.	C. B. S.	1790.	7. 9.	D.I. ½.	Bot. mag. t. 1368.
3	varians.	(re.) various-leaved.	————	1812.	——	D.I. ½.	
	<i>Rulingia varians.</i> H.S.S.						
4	rubens. DC.	(re.) red-leaved.	————	1796.	——	D.I. ½.	
5	filamentosa. DC.	(ro.) thready.	————	1795.	——	D.I. ½.	Bot. mag. t. 1367.
6	lanceolata. DC.	(ro.) spear-leaved.	————	1796.	——	D.I. ¼.	
7	angustifolia. DC.	(ro.) narrow-leaved.	————	1819.	——	D.I. ½.	
8	rufescens. DC.	(bh.) rufescent.	————	1818.	——	D.I. ½.	
9	trigona. DC.	(bh.) trigonal-leaved.	————	——	——	D.I. ½.	Burm. afr. t. 30. f. 2.
10	lanigera. DC.	(ro.) woolly.	————	——	——	D.I. ½.	
11	intermedia. H.P.	(ro.) intermediate.	————	1823.	——	D.I. ½.	
12	polyphylla. DC.	(ro.) many-leaved.	————	——	——	D.I. ½.	
	<i>Rulingia polyphylla.</i> H.S.S.						
TALINUM. DC.		TALINUM. Dodecandria Monogynia.					
1	teretifolium. DC.	(ro.) round-leaved.	N. America.	1820.	7. 8.	H. ¼.	Lodd. bot. cab. t. 819.
2	crassifolium. DC.	(ro.) thick-leaved.	Caribees.	1800.	8. 9.	S. ½.	Jacq. vind. 3. t. 52.
3	frutescens. W.	(wh.) white-flowered.	S. America.		——	S. ½.	Comm. hort. 1. t. 4.
4	triangulare. DC.	(ye.) triangular.	W. Indies.	1739.	——	S. ½.	Jacq. obs. 1. t. 23.
5	patens. DC.	(re.) spreading-fl'd.	S. America.	1776.	8. 10.	S. ♂.	Jacq. vind. 2. t. 151.
	<i>paniculatum.</i> Gært. fruct. 2. t. 128. <i>Portulaca paniculata.</i> Jacq. amer. non R.P.						
6	reflexum. DC.	(ye.) reflex-flowered.	S. America.	1800.	8. 10.	S. ♂.	Bot. mag. t. 1543.
7	cuneifolium. DC.	(re.) wedge-leaved.	Arabia.	1823.	——	S. ½.	
8	lineare. K.S.	(ye.) linear-leaved.	Mexico.	1827.	——	H. ☉.	
9	purpureum. F.	(pu.) purple.		——	——	H. ☉.	
CALANDRINIA. DC.		CALANDRINIA. Dodecandria Monogynia.					
1	paniculata. DC.	(ro.) panicked.	S. America.	1812.	8. 10.	H. ☉.	
2	piliolosa. DC.	(ro.) ciliated.	Chile.	1823.	——	H. ☉.	Hook. ex. flor. 1. t. 82.
	<i>Talinum ciliatum.</i> Hooker non R.P. ex DC.						
3	Phacosperma. DC.	(ro.) Peruvian.	Peru.	1827.	——	G. ♂.	
4	caulescens. DC.	(ro.) caulescent.	Mexico.	——	——	H. ☉.	H. et B. n. ge. am. 6. t. 526.
5	compressa. DC.	(ro.) compressed.	Chile.	1826.	——	H. ☉.	
	<i> ascendens.</i> Otto.	(ro.) ascending	————	——	——	H. ☉.	
6	glauca. DC.	(ro.) glaucous-leaved.	————	1827.	——	D.G. ½.	
7	grandiflora. B.R.	(ro.) large-flowered.	————	1826.	6. 10.	D.G. ½.	Bot. reg. t. 1194.
8	Andre'wsii.	(ro.) Andrews's.	W. Indies.	1812.	8. 10.	D.G. ½.	Andr. rep. t. 253.
	<i>Talinum patens.</i> A.R. nec aliorum.						
9	Lockharti.	(ro.) Lockhart's.	Trinidad.	1825.	6. 9.	D.G. ½.	
	<i>Talinum grandiflorum.</i> Lockhart.						

PORTULAC'ARIA. DC. PURSLANE-TREE. Pentandria Trigynia.									
A'fra. DC.	(ro.)	African.	Africa.	1732.	6. 9.	D.G. ½.	DC. plant. gras. t. 132.		
CLAYTONIA. DC. CLAYTONIA. Pentandria Monogynia. L.									
1 perfoliata. DC.	(wh.)	small-flowered.	N. America.	1794.	5. 8.	H. ☉.	Bot. mag. t. 1336.		
<i>cubensis</i> of Bonp.an.mus.7.t.6. is a very different species, according to G. Don, who saw it growing wild.									
2 alsinoides. DC.	(wh.)	chickweed-like.	Nootka-sound.	1794.	3. 6.	H. ☉.	Bot. mag. t. 1309.		
3 lanceolata. DC.	(wh.)	spear-leaved.	N. America.	1812.	3. 5.	H. ¼.	Pursh. fl. amer. 1. t. 3.		
4 sibirica. DC.	(ro.)	Siberian.	Siberia.	1768.	5. 8.	H. ☉.	Swt. br. fl. gar. t. 10.		
5 acutifolia. DC.	(wh.)	acute-leaved.	—————	1827.		H. ¼.			
6 Vestiana. F.	(ro.)	Vest's.	Altay.	—————		H. ¼.			
7 unalaschkensis. R. S.	(wh.)	Unalaschka.	Unalaschka.	1824.	3. 6.	H. ☉.			
8 virginiana. L.	(wh.)	notch-petal'd.	N. America.	1748.	3. 8.	H. ¼.	Pluk. alm. t. 102. f. 3.		
9 acutiflora.	(wh.)	acute-petal'd.	—————		——	H. ¼.	Bot. mag. t. 941.		
<i>virginica. B.M. non L. virginiana a. acutiflora. DC.</i>									
10 grandiflora. B.F.G.	(pi.)	large-flowered.	N. America.		——	H. ¼.	Swt. br. fl. gar. t. 216.		
11 caroliniana. M.	(pi.)	spatula-leaved.	—————	1789.	——	H. ¼.	————— v. 3. t. 208.		
MO'NTIA. DC. WATER CHICKWEED. Triandria Trigynia. L.									
fontana. DC.	(wh.)	common.	Britain.		4. 6.	H. ☉.	Eng. bot. v. 17. t. 1206.		
GINGI'NSIA. DC. GINGI'NSIA. Pentandria Trigynia.									
1 brevicaulis. DC.	(pi.)	short-stalked.	C. B. S.	1816.	5. 6.	G. ½.	DC. m.s. his. n. pa. v. 4. ic.		
2 elongata. DC.	(pi.)	long-peduncled.	—————	1795.	——	G. ½.	Andr. rep. t. 329?		
<i>Pharnaceum incanum. L. lineare. Andr. non alior.</i>									
3 aurantia. DC.	(or.)	orange-flowered.	C. B. S.	——	——	G. ½.	Andr. rep. t. 326.		
4 albens. DC.	(wh.)	white-flowered.	—————	——	——	G. ½.	————— t. 329?		
5 conferta. DC.	(wh.)	close-leaved.	—————	1782.	5. 10.	G. ½.	Bot. mag. t. 1883.		
<i>Pharnaceum incanum. B.M. non L.</i>									
L'IMEUM. W. L'IMEUM. Heptandria Digynia. L.									
africanum. W.	(wh.)	African.	C. B. S.	1774.	6. 7.	G. ¼.			

ORDO C.

PARONYCHIEÆ. DC. prodr. v. 3. p. 365.

Tribus I. TELEPHIEÆ. DC. prodr. v. 3. p. 366.

TELEPHIUM. DC. ORPINE. Pentandria Trigynia. L.									
Imperati. DC.		(wh.)	true.	S. Europe.	1658.	6. 8.	H. 4.	Schkuhr. handb. 1. t. 85.	
CORRIGIOLA. DC. STRAPWORT. Pentandria Trigynia. L.									
1 telephiifolia. DC.		(wh.)	Orpine-leaved.	Spain.	1822.	6. 8.	H. 4.		
2 littoralis. DC.		(wh.)	sand.	England.		7. 8.	H. 4.	Eng. bot. v. 10. t. 668.	

Tribus II. ILLECEBREÆ. DC. prodr. v. 3. p. 367.

HERN'ARIA. DC.		RUPTURE-WORT. Pentandria Digynia. L.					
1 cinerea. DC.	(gr.)	cinereous.	Montpelier.	1816.	7. 8.	H. ☉.	
2 glabra. DC.	(gr.)	smooth.	England.		—	H. 4.	Eng. bot. v. 3. t. 206.
3 hirsuta. DC.	(gr.)	hairy.	—		—	H. 4.	— v. 20. t. 1379.
4 incana. DC.	(gr.wh.)	hoary.	S. Europe.	1816.	5. 8.	H. 4.	Pluk. alm. t. 53. f. 3.
5 Besseri. DC.	(gr.)	Besser's.	Tauria.	1824.	—	H. 4.	
6 alpina. DC.	(gr.)	alpine.	S. Europe.	1816.	7. 8.	H. 4.	
7 fruticosa. DC.	(gr.)	frutescent.	Spain.	1814.	5. 8.	H. ½.	
8 polygonoides. DC.	(gr.)	Knot-grass-like.	S. Europe.	1752.	—	F. ½.	Cavan. ic. 2. t. 137.
ANY'CHIA. DC.		ANY'CHIA. Pentandria Monogynia.					
1 dichotoma. DC.	(gr.)	forked.	N. America.	1806.	5. 8.	H. ♂.	Ort. dec. t. 15. f. 2.
<i>Queria canadensis. L.</i>							
2 capillacea. DC.		smooth-stalked.	—	1824.	—	H. ♂.	
ILLE'CEBRUM. DC.		KNOT-GRASS. Pentandria Monogynia. L.					
verticillatum. DC.	(wh.)	whorled.	England.		7. 8.	H. 4.	Eng. bot. v. 13. t. 895.
CH'ETONY'CHIA. DC.		CH'ETONY'CHIA. Pentandria Monogynia.					
cymosa. DC.	(wh.)	cymose.	S. Europe.	1817.	6. 7.	H. 4.	Flor. Græc. t. 245.
<i>Illecëbrum cymosum. L.</i>							
PARONY'CHIA. DC.		PARONY'CHIA. Pentandria Monogynia.					
1 echinata. DC.	(wh.)	bristly.	S. Europe.	1817.	6. 7.	H. 4.	Schrad. journ. 1801. t. 4.

2	bonariënsis. DC. (wh.)	Buenos Ayres.	Buenos Ayres.	1826.	8. 10.	H. ☉.	
	brasiliëna. Lam. dict. 5. p. 23.						
3	arabica. DC. (wh.)	Arabian.	Arabia.	1828.	7. 10.	H. ☉.	Descr. de l'Egyp. t. 18.
4	polygonifolia. DC. (wh.)	Polygonum-ld.	Dauphiny.	1816.	5. 8.	H. 4.	Vill. delph. 2. t. 16.
5	argentea. DC. (wh.)	silvery.	S. Europe.	1610.	—	H. 4.	Flor. græc. t. 216.
	hispanica. s.s. <i>Illecebrum Paronychia</i> .	L.					
6	italica. R.S. (wh.)	Italian.	Italy.	1816.	—	H. 4.	Vill. delph. 2. p. 410. ic.
7	capitata. DC. (wh.)	capitate.	Spain.	1683.	6. 8.	H. 4.	Flor. græc. t. 217.
8	serpyllifolia. DC. (wh.)	Thyme-leaved.	S. Europe.	1820.	—	H. 4.	Schrad. journ 1801. t. 4.
9	nvea. DC. (wh.)	villous-leaved.	—	1812.	—	H. 4.	Barrel. ic. t. 687.
10	tenuifolia. L. en. (wh.)	slender-leaved.		1822.	—	H. ☉.	
11	alsinefolia. R.S. (wh.)	Chickweed-leav'd.	Spain.		—	H. ☉.	Scop. del. ins. t. 13.
11	pubescens. R.S. (wh.)	pubescent.	S. France.	1818.	—	H. 4.	Schra. jour. 1801. p. 412.

Tribus III. *POLYCARPÆÆ*. DC. prodr. v. 3. p. 373.

POLYCARPÆA. DC. *POLYCARPÆA*. Pentandria Monogynia.

1	gnaphalodes. DC. (wh.)	woolly-leaved.	Canaries.	1818.	6. 8.	F. ½.	
	<i>Hægea gnaphalodes</i> . P.S. <i>Mollia gnaphalodes</i> . s.s. <i>Lahaya gnaphalodes</i> . R.S.						
2	latifolia. DC. (wh.)	broad-leaved.	Teneriffe.	1816.	7. 8.	F. ½.	Schrank pl. rar. t. 29.
3	Teneriffæ. DC. (wh.)	forked.	—	1779.	—	H. ☉.	W. hort. ber. 1. t. 11.
	<i>Mollia diffusa</i> . W. <i>Lahaya diffusa</i> . Schult. syst.						
4	aristata. DC. (wh.)	bearded.	Canaries.	1780.	6. 7.	F. ½.	
5	memphitica. DC. (wh.)	Egyptian.	Egypt.	1828.	7. 9.	H. ☉.	Delil. fl. æg. t. 21. f. 2.
6	carnea. DC. (wh.)	fleshy-leaved.	Canaries.	1816.	6. 8.	F. ½.	
7	Smithii. DC. (wh.)	Smith's.	—	—	—	F. ½.	
	<i>ORTEGIA</i> . DC. <i>ORTEGIA</i> . Triandria Monogynia. L.						
1	hispanica. DC. (gr.)	Spanish.	Spain.	1768.	6. 7.	H. 4.	Cavan. ic. 1. t. 47.
2	dichotoma. DC. (gr.)	forked.	Italy.	1781.	8. 9.	H. 4.	All. ac. taur. 3. t. 4. f. 1.
	<i>POLYCARPON</i> . DC. ALL-SEED. Tri-Pentandria Trigynia.						
1	tetraphyllum. DC. (wh.)	four-leaved.	England		5. 8.	H. ☉.	Eng. bot. v. 15. t. 1031.
2	alsinefolium. DC. (wh.)	Chickweed-ld.	S. Europe.		—	H. ☉.	Bocc. sic. p. 71. t. 38.
	<i>Lahaya alsinefolia</i> . s.						
3	peplodes. DC. (wh.)	Peplis-like.	Sicily.	1818.	6. 8.	H. 4.	
	<i>Lahaya polycarpodes</i> . s. <i>Mollia polycarpon</i> . s.s.						

Tribus IV. *POLLICHIEÆ*. DC. prodr. v. 3. p. 377.

POLLICHIA. DC. *POLLICHIA*. Monandria Monogynia.

campëstris. DC. (wh.)	whorl-leaved.	C. B. S.	1780.	8. 10.	G. ♂.	Smith spicil. 1. t. 1.
-----------------------	---------------	----------	-------	--------	-------	------------------------

Tribus V. *SCLERANTHEÆ*. DC. prodr. v. 3. p. 377.

MINIARUM. DC. *MINIARUM*. Monandria Digynia.

1	bidrum. DC. (gr.)	two-flowered.	N. Holland.	1818.	5. 7.	G. 4.	Forst. gen. 1. t. 1.
	<i>SCLERANTHUS</i> . DC. KNAWEI. Decandria Digynia. L.						
1	annuus. DC. (gr.)	annual.	Britain.		7. 8.	H. ☉.	Eng. bot. v. 5. t. 351.
2	perennis. DC. (gr.)	perennial.	—		8. 9.	H. 4.	— v. 5. t. 352.

Tribus VI. *QUERIACEÆ*. DC. prodr. v. 3. p. 379.

<i>QUERIA</i> . DC.	<i>QUERIA</i> . Triandria Trigynia. L.						
hispanica. DC. (gr.)	Spanish.	Spain.	1800.	5. 9.	H. ☉.	Quer. fl. esp. 6. t. 13. f. 2.	

Tribus VII. *MINUARTIEÆ*. DC. prodr. v. 3. p. 379.

MINUARTIA. DC. *MINUARTIA*. Tri-Decandria Trigynia.

1	dichotoma. DC. (wh.)	forked.	Spain.	1771.	6. 7.	H. ☉.	Leff. it. p. 121. t. 1. f. 3.
---	----------------------	---------	--------	-------	-------	-------	-------------------------------

2 montàna. DC.	(wh.) mountain.	Spain.	1806.	6. 7. H. ☉.	Lœfl. it. p. 122. t. 1. f. 4.
3 campéstris. DC.	(wh.) field.	—	—	— H. ☉.	Act. stock. 1758. t. 1. f. 3.
LÆFLI'NGIA. DC.	LÆFLI'NGIA.	Triandria Monogynia.	L.		
hispanica. DC.	(wh.) Spanish.	Spain.	1770.	6. 7. H. ☉.	Cavan. ic. 1. t. 94.

ORDO CI.

CRASSULACEÆ. DC. prodr. v. 3. p. 381.

Tribus I. CRASSULEÆ. DC. prodr. v. 3. p. 381.

TILL'ÆA. DC.	TILL'ÆA. Tetrandria Tetragynia.	L.			
1 muscosa. DC.	(wh.) mossy.	England.		5. 7. H. ☉.	Eng. bot. v. 2. t. 116.
2 moschata. DC.	(wh.) musk-scented.	Magellan.	1794.	5. 11. H. ☉.	
	Crassula moschata. Forster.				
3 verticillaris. DC.	(wh.) whorled.	N. S. W.	1823.	6. 9. H. ☉.	
BULLIA'RDA. DC.	BULLIA'RDA. Tetrandria Tetragynia.				
1 Vaillantii. DC.	(wh.) Vaillant's.	France.	1825.	6. 8. H.w. ☉.	DC. plant. gras. t. 71.
2 aquatica. DC.	(wh.) water.	N. Europe.	1816.	— H.w. ☉.	
DASYSTEMON. DC.	DASYSTEMON. Pentandria Pentagynia.				
calycinum. DC.	(wh.) leafy-calyxed.	N. Holland.	1823.	6. 9. H. ☉.	
SE'PTAS. DC.	SE'PTAS. Heptandria Heptagynia.	L.			
1 capensis. DC.	(wh.) Cape.	C. B. S.	1774.	8. 9. D.G. 4.	Andr. rep. t. 98.
2 globifera. B.M.	(wh.) globe-flowering.	—	1809.	3. 5. D.G. 4.	Bot. mag. t. 1472.
3 Umbella. DC.	(wh.) skreen.	—	1800.	7. 8. D.G. 4.	Jacq. ic. t. 352.
	Crassula Umbella. Jacq.				
CRA'SSULA. H.R.	CRA'SSULA. Pentandria Pentagynia.	L.			
1 arborescens. DC.	(pi.) arborescent.	C. B. S.	1730.	5. 6. D.G. ½.	Bot. mag. t. 384.
	Cotyledon. B.M.				
2 portulacea. DC.	(ro.) oblique-leaved.	—	1759.	4. 5. D.G. ½.	DC. plant. gras. t. 79.
	obliqua. H.S.				
3 lactea. H.S.	(wh.) milk white.	—	1774.	9. 2. D.G. ½.	Bot. mag. t. 1771.
4 telephioides. H.R.	(ro.) Orpine-like.	—	1820.	7. 8. D.G. ½.	
5 ramosa. H.S.	(ro.) branching.	—	1774.	— D.G. ½.	
6 revolvens. H.P.	(wh.) recurved-leaved.	—	1820.	8. 10. D.G. ½.	
7 tetragona. H.S.	(wh.) square-leaved.	—	1711.	— D.G. ½.	DC. plant. gras. t. 19.
8 biplanata. H.P.	(wh.) flat-leaved.	—	1820.	— D.G. ½.	
9 acutifolia. H.S.	(wh.) acute-leaved.	—	1795.	9. 11. D.G. ½.	DC. plant. gras. t. 2.
10 bibracteata. H.P.	(wh.) double-bracted.	—	1820.	8. 10. D.G. ½.	
	α minor. H.P.	(wh.) smaller.	—	— D.G. ½.	
	β major. H.P.	(wh.) larger.	—	— D.G. ½.	
11 filicaulis. H.P.	(wh.) thready-stem'd.	—	—	— D.G. ½.	
12 scabra. H.R.	(wh.) rough-leaved.	—	1730.	6. 7. D.G. ½.	Dill. elth. t. 99. f. 117.
13 scabrella. H.R.	(wh.) patent-leaved.	—	1820.	6. 9. D.G. ½.	
14 squamulosa. H.R.	(wh.) small-sealy.	—	1817.	— D.G. ½.	
15 bullulata. H.S.	(ye.) rough yellow.	—	1800.	6. 7. D.G. ½.	Mart. cent. t. 24.
16 pruinosa. DC.	(wh.) frosted.	—	1821.	— D.G. ½.	
17 columnaris. H.S.	(wh.) columnar.	—	1789.	7. 10. D.G. ½.	Burm. afr. t. 9. f. 2.
18 lycopodioides. DC.	(wh. pu.) whip-cord.	—	1760.	6. 7. D.G. ½.	
	imbricata. H.K.				
19 ericoides. H.P.	(wh.) large whip-cord.	—	1820.	9. 10. D.G. ½.	
20 vestita. DC.	(ye.) powdered-leav'd.	—		6. 10. D.G. ½.	
21 argentea. H.S.	(wh.) silvery-leaved.	—	1820.	7. 9. D.G. ½.	
22 perfossa. DC.	(wh.) threaded.	—	1785.	8. 9. D.G. ½.	DC. plant. gras. t. 25.
	perfilata. H.S. Scop. del. ins. 3. t. 6. c.				
23 perforata. DC.	(wh.) perfoliate.	—	—	— D.G. ½.	
24 marginalis. DC.	(wh.) red-margined.	—	1774.	7. 8. D.G. ½.	Jacq. schoenb. 4. t. 471.
25 pellucida. H.S.	(bh.) pellucid.	—	1732.	6. 9. D.G. ½.	Dill. elth. t. 100. f. 119.
26 centauroides. DC.	(ro.) Centaury-flow'd.	—	1774.	5. 7. D.G. ½.	Bot. mag. t. 1765.
27 cordata. DC.	(ro.) heart-leaved.	—	—	5. 8. D.G. ½.	DC. plant. gras. 2. t. 121.
28 spathulata. DC.	(ro.) notch-leaved.	—	—	7. 9. D.G. ½.	— 1. t. 49.
29 orbicularis. H.S.	(bh.) starry.	—	1731.	— D.G. 4.	— 1. t. 43.
30 rosularis. H.R.	(wh.) great starry.	—	1819.	— D.G. 4.	
31 glomerata. H.S.	(wh.) rough clustered.	—	1774.	8. 10. H. ☉.	DC. plant. gras. 1. t. 57.

32 glabra. H.R.	(wh.) smooth-cluster'd. C. B. S.	1774.	6. 10.	H. ☉.	
33 expansa. H.S.	(wh.) awl-leaved. ———	——	6. 8.	H. ☉.	
34 diffusa. H.S.	(wh.) diffuse. ———	——	——	H. ☉.	
35 subulata. H.S.	(wh.) awl-leaved. ———	1820.	——	H. ☉.	Petiv. gaz. t. 89. f. 8.
36 lineolata. H.S.	(wh.) channelled. ———	1774.	——	D.G. ♂.	
37 biconvexa. H.S.	(wh.) doubly convex. ———	1800.	8. 9.	D.G. ♀.	
38 pulchella. H.R.	(ye.) pretty. ———	1778.	7. 8.	H. ☉.	
39 sparsa. H.S.	(st.) alternate-leaved. ———	1774.	6. 9.	H. ☉.	
PURGOSEA. H.P. PURGOSEA. Pentandria Pentagynia.					
1 linguafolia. H.R.	(wh.) tongue-leaved. C. B. S.	1803.	8. 9.	D.G. ♀.	
2 ciliata. DC.	(st.) ciliated. ———	1732.	7. 8.	D.G. ♀.	DC. plant. gras. t. 7.
3 concinna. (wh.) small neat. ———		1820.	——	D.G. ♀.	
<i>Crassula concinna</i> . H.R.					
4 ligulifolia. (wh.) latchet-leaved. ———		——	——	D.G. ♀.	
<i>Crassula ligulifolia</i> . H.R.					
5 concinnella. DC.	elegant. ———	1822.	——	D.G. ♀.	
6 tomentosa. H.R.	(wh.) tomentose. ———	1790.	4. 5.	D.G. ♀.	
7 cotyledonis. DC.	(wh.) Cotyledon-like. ———	1800.	7. 9.	D.G. ♀.	
8 conspicua. (wh.) conspicuous. ———		1820.	——	D.G. ♀.	
<i>Crassula conspicua</i> . H.R.					
9 corymbulosa. DC.	(wh.) impress-dotted. ———	1818.	9. 11.	D.G. ♀.	Ot. et Lk. abb. t. 16.
<i>Crassula corymbulosa</i> . L.en.					
10 pertusula. H.P.	(wh.) small impress-dot'd. ———	1822.	——	D.G. ♀.	
11 capitellata. H.R.	(wh.) square-spiked. ———	1774.	7. 8.	D.G. ♂.	
12 thyrsiflora. H.R.	(wh.) thyse-flowered. ———	1824.	——	D.G. ♂.	
13 obovata. H.R.	(wh.) obovate-leaved. ———	1818.	——	D.G. ♂.	
14 alides. H.R.	(bh.) Aloe-like. ———	1774.	6. 8.	D.G. ♂.	
15 punctata. DC.	(wh.) dotted. ———	1759.	4. 8.	D.G. ♀.	
16 ramuliflora. DC.	(wh.) branch-flowered. ———	1821.	6. 7.	D.G. ♀.	Ot. et Lk. abb. t. 17.
17 turrita. H.R.	(bh.) tower-like. ———	1818.	9. 11.	D.G. ♂.	Jacq. schœnb. 1. t. 52.
a alba. (wh.) white-flowered. ———		——	——	D.G. ♂.	
b rosea. H.S.S.	rose-coloured. ———	——	——	D.G. ♂.	
GLOBULEA. DC. GLOBULEA. Pentandria Pentagynia.					
1 cultrata. DC.	(wh.) sharp-leaved. C. B. S.	1732.	7. 8.	D.G. ♀.	Bot. mag. t. 1940.
2 radicans. DC.	(wh.) rooting-branch'd. ———	1823.	12. 3.	D.G. ♀.	
3 atropurpurea. DC.	(wh.) purple-leaved. ———	1823.	7. 8.	D.G. ♀.	
4 lingua. DC.	(wh.) tongue-leaved. ———	——	5. 6.	D.G. ♀.	
5 lingula. DC.	(wh.) lesser-tongue. ———	——	——	D.G. ♀.	
6 capitata. DC.	(wh.) large grey-leav'd. ———	1819.	7. 8.	D.G. ♀.	
7 obvallata. DC.	(wh.) Houseleek-leav'd. ———	1795.	——	D.G. ♀.	DC. plant. gras. t. 61.
<i>Crassula obvallata</i> . L. Trew. pl. rar. 1. t. 11.					
8 canescens. DC.	(wh.) canescent. ———	1800.	——	D.G. ♀.	
9 nalicaulis. DC.	(wh.) naked-stalked. ———	1732.	5. 9.	D.G. ♀.	DC. plant. gras. t. 133.
10 sulcata. DC.	(wh.) sulcate. ———	1820.	——	D.G. ♀.	
11 impressa. DC.	(wh.) impressed. ———	1822.	7. 8.	D.G. ♀.	Comm. præl. t. 29.
b minor. H.P.	(wh.) lesser. ———	——	——	D.G. ♀.	
12 paniculata. DC.	(wh.) panicked. ———	1823.	——	D.G. ♀.	
13 hispida. DC.	(wh.) hispid. ———	——	10. 11.	D.G. ♀.	
14 mesembryanthoides. DC.	(wh.) hedgehog. ———	1822.	7. 9.	D.G. ♀.	
b altior. (wh.) taller. ———		——	——	D.G. ♀.	
15 mollis. DC.	(wh.) soft. ———	1774.	——	D.G. ♀.	
16 salicaria. DC.	(wh.) hoary frutescent. ———	1822.	——	D.G. ♀.	
a decumbens. H.P.	(wh.) decumbent. ———	——	——	D.G. ♀.	
b erecta. H.P.	(wh.) erect. ———	——	——	D.G. ♀.	
CURTOGYNE. H.R. CURTOGYNE. Pentandria Pentagynia.					
1 dejecta. DC.	(wh.) twisted-branch'd. C. B. S.	1821.	6. 7.	D.G. ♀.	Jacq. schœnb. t. 423.
<i>Crassula dejecta</i> . Jacq.					
2 undulata. H.R.	(wh.) lesser-waved. ———	1797.	8. 11.	D.G. ♀.	Lodd. bot. cab. t. 584.
3 undulata. H.R.	(wh.) greater-waved. ———	1818.	——	D.G. ♀.	
GRAMMANTHES. DC. GRAMMANTHES. Pentandria Pentagynia.					
1 chloriflora. DC.	(ye.) Chloro-flower'd. C. B. S.	1774.	6. 8.	H. ☉.	Herm. lugd. t. 553.
<i>Crassula dichotoma</i> . L. <i>Vauanthes chloræflora</i> . H.R.					
2 retroflexa. (or.) orange-flower'd. ———		1788.	——	H. ☉.	
<i>Crassula retroflexa</i> . H.S.					
3 gentianoides. DC.	(ye.) Gentian-flower'd. ———	1816.	——	H. ☉.	Pluk. mant. t. 415. f. 6.
ROCHEA. DC. ROCHEA. Pentandria Pentagynia.					
1 falcata. DC.	(or.) falcated. C. B. S.	1785.	6. 9.	D.G. ♀.	DC. plant. gras. t. 103.
<i>Crassula falcata</i> . Bot. mag. t. 2035. <i>obliqua</i> . Andr. reposit. t. 414.					
b minor. H.P.	(se.) smaller. C. B. S.	1821.	6. 9.	D.G. ♀.	

2	perfoliàta. DC.	(ra.) great perfoliate.	C. B. S.	1725.	7. 8.	D.G. $\frac{1}{2}$.	Mill. ic. t. 108.
	<i>a coccínea</i> . DC.	(sc.) scarlet.	————	————	————	D.G. $\frac{1}{2}$.	————
	<i>β álba</i> . DC.	(wh.) white-flowered.	————	————	————	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 13.
3	albiflòra. DC.	(wh.) white-flowered.	————	1820.	7. 9.	D.G. $\frac{1}{2}$.	Bot. mag. t. 2391.
	<i>Crássula albiflòra</i> . B.M.						
KALOSA'NTHE. H.R. KALOSA'NTHE. Pentandria Pentagynia.							
1	coccínea. H.R.	(sc.) scarlet.	C. B. S.	1710.	6. 8.	D.G. $\frac{1}{2}$.	Bot. mag. t. 495.
	<i>Crássula coccínea</i> . B.M.	<i>Ròchea coccínea</i> . DC.	plant. gras. t. 1.				
	<i>β álba</i> . H.R.	(wh.) white-flowered.	C. B. S.	1710.	6. 8.	D.G. $\frac{1}{2}$.	Bratl. succ. t. 50.
2	mèdia. H.R.	(std.) great changeable.	————	1820.	————	D.G. $\frac{1}{2}$.	————
3	versícolor. H.R.	(sid.) various-coloured.	————	1816.	————	D.G. $\frac{1}{2}$.	Bot. reg. t. 320.
	<i>Crássula versícolor</i> . B.R.						
4	bícolor. H.R.	(ye.sc.) two-coloured.	————	1820.	————	D.G. $\frac{1}{2}$.	————
5	capitàta.	(wh.) headed.	————	1822.	————	D.G. $\frac{1}{2}$.	Lodd. bot. cab. t. 1020.
	<i>Crássula capitàta</i> . L.C.	<i>nec aliorum</i> .					
6	odoratíssima. H.R.	(st.) sweet-scented.	————	1793.	6. 7.	D.G. $\frac{1}{2}$.	Andr. rep. t. 26.
	<i>Crássula odoratíssima</i> . Jacq.	<i>schœnb. t. 431.</i>	<i>Dietrichia odoratíssima</i> . Tratt.				
7	flàva. H.S.	(ye.) yellow-flower'd.	C. B. S.	1802.	6. 9.	D.G. $\frac{1}{2}$.	Burm. afr. t. 23. f. 3.
8	cymòsa. H.R.	(wh.) cymose.	————	1800.	————	D.G. $\frac{1}{2}$.	————
9	biconvexa. H.P.	(wh.) convex-leaved.	————	1822.	————	D.G. $\frac{1}{2}$.	————
10	jasmínea. H.R.	(wh.) Jasmine-flower'd.	————	1812.	6. 8.	D.G. $\frac{1}{2}$.	Bot. mag. t. 2178.
	<i>Crássula jasmínea</i> . B.M.	<i>Ròchea jasmínea</i> . DC.					
KALANCH'OE. DC. KALANCH'OE. Octandria Tetragynia.							
1	spathulàta. DC.	(ye.) spathulate.	China.	1820.	7. 9.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 65.
2	ægyptiaca. DC.	(or.) Egyptian.	Egypt.	1820.	7. 9.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 64.
3	rotundifòlia. H.P.	(ye.) round-leaved.	C. B. S.	————	————	D.G. $\frac{1}{2}$.	————
4	acutiflòra. H.P.	(wh.) white-flowered.	E. Indies.	1806.	————	D.S. $\frac{1}{2}$.	Andr. reposit. t. 500.
	<i>Vèria acutiflòra</i> . A.R.						
5	crenàta. DC.	(ye.) great notched.	Sierra Leone.	1793.	————	D.S. $\frac{1}{2}$.	Andr. reposit. t. 21.
	<i>Cotylèdon crenàtum</i> . Bot. mag. t. 1436.	<i>Vèria crenàta</i> . A.R.					
6	laciniàta. DC.	(ye.) cut-leaved.	E. Indies.	1731.	————	D.S. $\frac{1}{2}$.	DC. plant. gras. t. 100.
7	ceratophy'lla. DC.	(st.) buck's-horn-l'd.	China.	1820.	9. 1.	D.G. $\frac{1}{2}$.	————
BRYOPHY'LLUM. DC. BRYOPHY'LLUM. Octandria Tetragynia.							
	<i>calycinum</i> . DC.	(br.) large-cupped.	Mauritius.	1800.	4. 7.	D.G. $\frac{1}{2}$.	Bot. mag. t. 1409.
COTYLEDON. DC. NAVELWORT. Decandria Pentagynia. L.							
1	undulàta. H.S.S.	(ye.) wave-leaved.	C. B. S.	1818.	7. 8.	D.G. $\frac{1}{2}$.	————
2	orbiculàta. H.S.	(ye.bh.) round-leaved.	————	1789.	————	D.G. $\frac{1}{2}$.	————
3	ovàta. H.S.	(ye.bh.) ovate-leaved.	————	————	————	D.G. $\frac{1}{2}$.	Bot. mag. t. 321.
	<i>orbiculàta</i> . B.M.	<i>orbiculàta β obovàta</i> . DC.	pl. gras. t. 76.				
4	oblóna. H.S.	(ye.bh.) oblong-leaved.	C. B. S.	1690.	7. 10.	D.G. $\frac{1}{2}$.	————
5	elàta. H.S.S.	(ye.bl.) tall powdered.	————	1816.	6. 8.	D.G. $\frac{1}{2}$.	————
6	crassifòlia. H.P.	 thick-leaved.	————	1823.		D.G. $\frac{1}{2}$.	————
7	víridis. H.P.	 green-leaved.	————	————		D.G. $\frac{1}{2}$.	————
8	ramòsa. H.S.S.	(ye.bh.) branching.	————	1768.	7. 10.	D.G. $\frac{1}{2}$.	Moris. his. s. 12. t. 7. f. 30.
9	ramosíssima. H.S.S.	(ye.) cluster-branch'd.	————	1816.	————	D.G. $\frac{1}{2}$.	————
10	corúseans. H.S.S.	(or.) sparkling.	————	1818.	3. 5.	D.G. $\frac{1}{2}$.	Bot. mag. t. 2601.
	<i>canalifolia</i> . H.P.						
11	ungulàta. DC.	(pu.) ungulate.	————	1822.	5. 8.	D.G. $\frac{1}{2}$.	Bur. afr. dec. 3. t. 22. f. 1.
12	papillàris. DC.	(or.) cross-leaved.	————	1813.	————	D.G. $\frac{1}{2}$.	Bot. reg. t. 915.
	<i>decussàta</i> . Bot. mag. t. 2518.						
13	tricuspidàta. H.P.	(or.) trident-leaved.	————	1820.	————	D.G. $\frac{1}{2}$.	————
14	purpùrea. DC.	(pu.) purple.	————	1813.	7. 8.	D.G. $\frac{1}{2}$.	Burm. afr. t. 20. f. 1.
15	rotundifòlia. H.P.	(ye.bh.) round-leav'd.	————	1826.	————	D.G. $\frac{1}{2}$.	————
16	crístata. H.P.	(pu.) Coxcomb-leaved.	————	1825.	8. 10.	D.G. $\frac{1}{2}$.	————
17	clavifòlia. H.P.	(pu.) club-leaved.	————	————	————	D.G. $\frac{1}{2}$.	————
18	curviflòra. DC.	(ye.bh.) curve-flower'd.	————	————	————	D.G. $\frac{1}{2}$.	Bot. mag. t. 2011.
19	tuberculòsa. DC.	(or.) tubercled.	————	1822.	————	D.G. $\frac{1}{2}$.	DC. plant. gras. 1. t. 85.
20	cacalioides. DC.	(ye.) Cacalia-like.	————	1820.	5. 6.	D.G. $\frac{1}{2}$.	————
21	ventricòsa. DC.	(gr.) bellied-tubed.	————	1825.	6. 8.	D.G. $\frac{1}{2}$.	Burm. afr. d. 3. t. 21. f. 1.
22	spùria. DC.	(ye.) narrow-leaved.	————	1731.	7. 8.	D.G. $\frac{1}{2}$.	———— t. 19. f. 1.
23	fasciculàris. DC.	(gr.re.) clustered.	————	1759.	7. 9.	D.G. $\frac{1}{2}$.	———— t. 18.
	<i>tardiflorum</i> . Bonpl. nav. t. 37.						
24	triflòra. DC.	(wh.pu.) three-flowered.	————	1821.	7. 10.	D.G. $\frac{1}{2}$.	————
25	maculàta. DC.	(r.) spotted-leaved.	————	1818.	5. 7.	D.G. $\frac{1}{2}$.	————
26	rhombifòlia. H.P.	(ye.) rhomb-leaved.	————	1823.	————	D.G. $\frac{1}{2}$.	————
27	jasminiflòra. DC.	(r.) Jasmine-flower'd.	————	1818.	6. 8.	D.G. $\frac{1}{2}$.	————
28	hemisph'arica. DC.	(r.) thick-leaved.	————	1731.	————	D.G. $\frac{1}{2}$.	DC. plant. gras. 1. t. 87.
29	mamillàris. DC.	(r.) mamillary.	————	1818.	5. 7.	D.G. $\frac{1}{2}$.	————
30	cuneàta. DC.	(ye.) large pubescent.	————	1813.	6. 8.	D.G. $\frac{1}{2}$.	————

1	caryophyllæa. DC. (re.)	Clove-flowered.	C. B. S.	1826.	6. 8.	D.G. $\frac{1}{2}$.	Burm. dec. 2. t. 17.
2	mucronata. DC. (ye.)	mucronate.	—	1818.	—	D.G. $\frac{1}{2}$.	Burm. afr. t. 19. f. 2.
3	canaliculata. H.S.S. (v.)	channel-leav'd.	—	1817.	—	D.G. $\frac{1}{2}$.	—
4	gracilis. H.S.S. (ye.)	slender.	—	1800.	5. 8.	D.G. $\frac{1}{2}$.	—
5	dichotoma. H.R. (gr.)	fork-spined.	—	1818.	—	D.G. $\frac{1}{2}$.	—
6	cuneiformis. H.P.	wedge-leaved.	C. B. S.	1823.		D.G. $\frac{1}{2}$.	—
7	interjecta. H.P.	fleshy-stemmed.	—	—		D.G. $\frac{1}{2}$.	—
PISTORINIA. DC. PISTORINIA. Decandria Pentagynia.							
1	hispanica. DC. (re.)	Spanish.	Spain.	1796.	6. 7.	H. $\frac{1}{2}$.	DC. plant. grass. t. 122.
	Cotyledon hispanica.	—	—	—	—	—	—
	Cotyledon hispanica.	—	—	—	—	—	—
UMBILICUS. DC. PENNYWORT. Decandria Pentagynia.							
1	pendulinus. DC. (gr.)	drooping-flower'd.	Britain.		6. 9.	H. $\frac{1}{2}$.	Eng. bot. v. 5. t. 325.
	Cotyledon Umbilicus.	—	—	—	—	—	—
2	erectus. DC. (ye.)	upright-flower'd.	England.		—	H. $\frac{1}{2}$.	Eng. bot. v. 22. t. 1. 22.
	Cotyledon luteum.	—	—	—	—	—	—
3	horizontalis. DC. (st.)	horizontal.	Sicily.	1828.	—	H. $\frac{1}{2}$.	—
OROSTACHYS. F. OROSTACHYS. Decandria Pentagynia.							
1	serrata. (pu.)	notch-leaved.	Crete.	1732.	6. 7.	F. $\frac{1}{2}$.	Dill. elth. t. 95. f. 112.
	Cotyledon serrata.	—	—	—	—	—	—
2	spinosa. (ye.)	spiny.	Siberia.		—	F. $\frac{1}{2}$.	Murr. com. gæt. 7. t. 5.
	Cotyledon spinosum.	—	—	—	—	—	—
3	malachophylla. F. (wh.)	soft-leaved.	Dahuria.	1815.	—	H. $\odot$.	Pall. it. 3. ap. t. G. f. 1.
4	thyrsoflora. F. (bh.)	thyse-flowered.	—	1820.	—	H. $\odot$.	—
ECHEVERIA. DC. ECHEVERIA. Decandria Pentagynia.							
1	coccinea. DC. (sc.)	scarlet.	Mexico.	1816.	8. 10.	D.G. $\frac{1}{2}$.	Bot. mag. t. 2572.
	Cotyledon coccinea.	—	—	—	—	—	—
2	grandifolia. H.P. (or.)	large-leaved.	—	1826.	—	D.G. $\frac{1}{2}$.	Swt. br. fl. gar. t. 275.
3	gibbiflora. DC. (or.)	gibbous-flower'd.	—	—	—	D.G. $\frac{1}{2}$.	Bot. reg. t. 1247.
4	caespitosa. DC. (ye.)	tongue-leaved.	California.	1796.	6. 8.	D.F. $\frac{1}{2}$.	Jacq. f. ecl. 1. t. 17.
	Cotyledon linguiformis.	—	—	—	—	—	—
RHODIOLA. L. ROSE-ROOT. Diœcia Octandria. L.							
1	rosea. L. (ye.)	common.	Britain.		5. 7.	H. $\frac{1}{2}$.	Eng. bot. v. 8. t. 508.
	Sedum Rhodiola.	—	—	—	—	—	—
2	sibirica. F. (ye.)	Siberian.	Siberia.	1826.	—	H. $\frac{1}{2}$.	—
SEDUM. DC. STONECROP. Decandria Pentagynia.							
1	Aizoon. DC. (ye.)	yellow Orpine.	Siberia.	1757.	7. 9.	H. $\frac{1}{2}$.	DC. plant. gras. t. 101.
2	hybridum. DC. (st.)	Germander-leaved.	—	1766.	5. 7.	H. $\frac{1}{2}$.	Murr. com. gæt. 6. t. 5.
3	involveratum. DC. (wh.)	involvered.	Caucasus.	1822.	—	H. $\frac{1}{2}$.	—
4	verticillatum. DC. (pu.)	whorl-leaved.	Kamtschatka.		7. 9.	H. $\frac{1}{2}$.	Linn. amœn. 2. t. 1. f. 11.
5	latifolium. DC. (st.)	broad-leaved.	Europe.	1794.	—	H. $\frac{1}{2}$.	Clus. hist. 2. p. 66. f. 1.
6	maximum. H.S. (pu.)	great purple.	Spain.	—	—	H. $\frac{1}{2}$.	—
7	albicans. H.S. (wh.)	great white.	Europe.	—	—	H. $\frac{1}{2}$.	—
8	angustum. H.R. (pu.)	lance-toothed.	M. Carpathian.	1820.	—	H. $\frac{1}{2}$.	—
9	paucident. H.R. (wh.)	few-toothed.	Europe.	—	—	H. $\frac{1}{2}$.	—
10	Telephium. E.B. (pu.)	common Orpine.	Britain.		—	H. $\frac{1}{2}$.	Eng. bot. v. 19. t. 1319.
11	triphyllum. (pu.)	three-leaved.	Portugal.	1794.	—	H. $\frac{1}{2}$.	—
	Anacampseros triphylla.	—	—	—	—	—	—
12	purpureum. H.S. (pu.)	purple-stalked.	—	—	—	H. $\frac{1}{2}$.	DC. plant. gras. t. 92.
13	telephioides. DC. (pu.)	Rhodiola-like.	N. America.	1810.	7. 8.	H. $\frac{1}{2}$.	—
14	spicatum. DC. (pu.)	greater-fringed.	Caucasus.	—	7. 9.	H. $\frac{1}{2}$.	Bot. mag. t. 2370.
15	roseum. DC. (ro.)	rose-coloured.	—	1827.	—	H. $\frac{1}{2}$.	—
16	dentatum. DC. (li.)	large-toothed.	—	1810.	—	H. $\frac{1}{2}$.	—
17	pectinatum. DC. (wh.)	pectinated.	—	1819.	—	H. $\frac{1}{2}$.	—
18	lividum. DC. (wh.)	livid-leaved.	—	1820.	—	H. $\frac{1}{2}$.	—
19	cruciatum. DC. (wh.)	cross leaved.	S. Europe.	1816.	6. 7.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 464.
	argentea. Balb. misc. p. 23. t. 6.	—	—	—	—	—	—
20	fringed. (wh.)	—	Caucasus.	1810.	7. 9.	H. $\frac{1}{2}$.	Bot. mag. t. 1807.
	Anacampseros ciliaris.	—	—	—	—	—	—
21	erectum. DC. (bh.)	dwarf 3-leaved.	N. America.	1789.	7. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 112.
22	pretium. DC. (pu.)	pretty.	—	1824.	—	H. $\frac{1}{2}$.	—
23	populeum. DC. (wh.)	Poplar-leaved.	Siberia.	1780.	—	H. $\frac{1}{2}$.	Bot. mag. t. 211.
24	marjanni. DC. (wh.)	few-flowered.	Naples.	1824.	—	H. $\frac{1}{2}$.	Ten. flor. nap. 1. t. 40.
25	anacampseros. DC. (pu.)	evergreen.	France.	1596.	7. 8.	H. $\frac{1}{2}$.	Bot. mag. t. 118.
	Anacampseros sempervirens.	—	—	—	—	—	—
26	panicatum. W. (li.)	spreading.	Madeira.	1777.	6. 7.	G. $\frac{1}{2}$.	—
27	sempervivum. DC. (re.)	houseleek-leav'd.	Iberia.	1823.	6. 8.	H. $\frac{1}{2}$.	Bot. mag. t. 2474.
28	deltoideum. DC. (pu.)	deltoid-leaved.	Naples.	1826.	—	H. $\odot$.	—
29	starry. (bh.)	—	S. Europe.	1640.	6. 7.	H. $\odot$.	Cambr. hort. 7. t. 2.
30	paniculatum. DC. (wh.)	panicled.	France.	—	7. 8.	H. $\frac{1}{2}$.	Clus. hist. 2. p. 62. ic.
31	spathulatum. W. K. (wh.)	spathulate.	Hungary.	1820.	—	H. $\frac{1}{2}$.	W. et K. hung. 2. t. 104.

32	tetraphyllum. F.G. (wh.) four-leaved.	Levant.		7. 8.	H. ♂.	
33	cæruleum. DC. (pu.) blue pubescent.	Tunis.	1821.	7. 9.	H. ♀.	Bot. reg. t. 520.
34	anglicum. DC. (wh.re.) English.	England.		7. 8.	H. ♀.	Eng. bot. v. 3. t. 171.
	β microphyllum. H.R. (wh.) small-leaved.	-----		-----	H. ♀.	
35	oblongum. H.R. (wh.) oblong-leaved.	-----		-----	H. ♀.	
36	atratum. DC. (wh.) dark annual.	Italy.	1795.	7. 9.	H. ☉.	DC. plant. gras. t. 120.
37	glaucum. DC. (wh.) glaucous.	Hungary.	1816.	-----	H. ♂.	W. et K. hung. 2. t. 181.
38	sexfidum. DC. (wh.) six-cleft.	Caucasus.	1818.	-----	H. ☉.	
39	pallens. H.R. (wh.) annual glaucous.			7. 9.	H. ☉.	
40	villosum. DC. (ro.) hairy.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 6. t. 304.
41	pallidum. M.B. (ro.) pale red.	Tauria.	1820.	7. 9.	H. ☉.	
42	rubens. DC. (re.) annual red.	S. Europe.	1759.	5. 8.	H. ☉.	DC. plant. gras. t. 55.
	Crassula rubens. DC.					
43	cæspitosum. DC. (re.) tufted.	-----	1788.	7. 8.	H. ☉.	Cavan. ic. t. 69. f. 2.
	Crassula cæspitosa. Cav. Crassula Magnoliæ. DC. verticillaris. L?					
44	dasyphyllum. DC. (wh.) thick-leaved.	England.		6. 7.	H. ♀.	Eng. bot. v. 10. t. 656.
45	hispanicum. DC. (wh.) Spanish.	Spain.	1732.	-----	H. ♀.	Jacq. aust. 5. ap. t. 47.
46	album. DC. (wh.) white.	England.		6. 8.	H. ♀.	Eng. bot. v. 22. t. 157.
47	altaicum. F. Altay.	Altay.	1827.		H. ♀.	
48	quinquefidum. H.R. (gr.wh.) five-cleft.			6. 8.	H. ♀.	
49	hexapetalum. H.R. (ye.) six-petal'd.			-----	H. ♀.	
50	quadrifidum. DC. (ye.) four-cleft.	Dahuria.	1800.	7. 8.	H. ♀.	Pall. it. 3. a. t. P. f. 1.
51	nudum. DC. (ye.) naked-branch'd.	Madeira.	1777.	-----	G. ♀.	
52	ochroleucum. H.P. (st.) tall sharp-cup'd.	Greece.		-----	F. ♀.	
53	altissimum. DC. (st.) tall blunt-cup'd.	Italy.	1769.	-----	H. ♀.	DC. plant. gras. t. 114.
	Jacquini. H.P. Sempervivum sedifforme. Jacq. vind. 1. t. 81.					
54	cærulescens. H.P. (st.) great-straw-color'd.			-----	H. ♀.	
55	reflexum. H.P. (ye.) reflex-leaved.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 10. t. 695.
56	septangulare. H.P. (ye.) seven-angled.	Europe.		7. 8.	H. ♀.	
57	albescens. H.R. (ye.) white-leaved.	England.		6. 7.	H. ♀.	Eng. bot. v. 35. t. 247.
	glaucum. E.B. non W.K.					
58	minus. H.P. (ye.) lesser short-leaved.			-----	H. ♀.	DC. plant. gras. t. 114.
	reflexum. DC.					
59	spirale. H.P. (ye.) spiral-leaved.	Europe.		-----	H. ♀.	
60	sexangulare. DC. (ye.) insipid.	England.		-----	H. ♀.	Eng. bot. v. 28. t. 194.
61	acre. DC. (ye.) biting.	Britain.		-----	H. ♀.	----- v. 12. t. 889.
62	recurvatum. H.P. (ye.) slender recurv'd.		1820.	-----	H. ♀.	
63	anopetalum. DC. (st.) broader-leaved.	S. France.	1815.	-----	H. ♀.	Bauh. icon. 3. 428.
	β aurantiacum. H.P. (or.) orange-colour'd.	-----	-----	-----	H. ♀.	
64	virens. H.P. (ye.) deep green.	Portugal.	1774.	-----	H. ♀.	
65	viridulum. H.P. (ye.) small-green.		1826.	6. 8.	H. ♀.	
66	rupestre. H.P. (ye.) expanding glaucous.	England.		-----	H. ♀.	Eng. bot. v. 3. t. 170.
67	Forsterianum. H.P. (ye.) Forster's.	Wales.		7. 8.	H. ♀.	----- v. 26. t. 1802.
68	saxatile. DC. (ye.) rock.	S. Europe.	1739.	7. 9.	H. ☉.	DC. plant. gras. t. 114.
69	repens. DC. (ye.) creeping.	Pyrenees.	1829.	-----	H. ☉.	Vill. dauph. 3. t. 45.
	Guetiardi. Villars.					
70	magellense. DC. (ye.) Neapolitan.	Naples.	1826.	-----	H. ☉.	
	MONANTHES. H.R. MONANTHES.	Dodecandria Heptagynia.				
	polyphylla. H.R. (pu.) many-leaved.	Canaries.	1777.	7. 9.	D.G. ♀.	Bot. mag. t. 93.
	Sempervivum monanthes. B.M.					
	SEMPERVIVUM. DC. HOUSELEEK.	Dodecandria Dodecagynia. L.				
1	tortuosum. DC. (ye.) twisted.	Canaries.	1779.	7. 8.	D.G. ♀.	Bot. mag. t. 296.
2	villosum. DC. (ye.) small villous.	Madeira.	1777.	6. 7.	D.G. ♀.	
3	ciliatum. DC. (wh.) ciliated.	Teneriffe.	1815.	-----	D.G. ♀.	
4	glandulosum. DC. (ye.) gland-edged.	Madeira.	1777.	3. 5.	D.G. ♀.	
5	glutinösium. DC. (ye.) glutinous.	-----	-----	7. 8.	D.G. ♀.	Bot. reg. t. 278.
6	trihicum. DC. (ye.) wedge-leaved.	Canaries.	1824.	-----	D.G. ♀.	
7	retusum. H.P. (ye.) retuse-leaved.	Teneriffe.	-----	-----	D.G. ♀.	
8	arboresum. DC. (ye.) tree.	Levant.	1640.	12. 3.	D.G. ♀.	Bot. reg. t. 99.
	β variegatum. H.R. (ye.) variegated.	-----		-----	D.G. ♀.	
	γ atropurpureum. H.R. (ye.) dark purple-leaf'd.	-----		-----	D.G. ♀.	
9	frutescens. H.P. (ye.) frutescent.	Teneriffe.	1824.	3. 5.	D.G. ♀.	
10	tabulæforme. DC. (ye.) table-shaped.	Madeira.	1815.	7. 9.	D.G. ♀.	Lodd. bot. cab. t. 1325.
11	canariense. DC. (wh.) Canary Island.	Canaries.	1699.	6. 7.	D.G. ♀.	DC. plant. gras. t. 141.
12	Smithii. DC. (ye.) Smidt's.	-----	1815.	8. 10.	D.G. ♀.	Bot. mag. t. 1980.
13	barbatum. DC. (ye.) bearded.	Madeira.	-----	6. 7.	D.G. ♀.	
	lincolare. H.S.S. spathulatum. Horn.					
14	hybridum. H.R. (ye.) hybrid.	Hybrid.		-----	D.G. ♀.	
15	cæspitosum. DC. (ye.) latchet-leaved.	Canaries.	1815.	9. 4.	D.G. ♀.	Bot. mag. t. 1975.
	ciliatum. B.M. non W. barbatum. H.R. non Smith. ciliare. H.S.S.					

16 laxum. H.R.	(ye.) loose-flowered.	Canaries.	1820.	7. 10.	D.G. ♂.	
17 dolabratale. DC.	(st.) smooth-leaved.	————	1815.	7. 8.	D.G. ♂.	
18 aureum. DC.	(ye.) chalice-form.	Teneriffe.	—	6. 7.	D.G. ♀.	Bot. reg. t. 892.
<i>edgelförme. B.R. Lodd. bot. cab. 1368.</i>						
19 punctatum. DC.	(ye.) dotted-leaved.	Canaries.	1824.	7. 9.	D.G. ♂.	
20 stellatum. DC.	(ye.) annual villous.	Madeira.	1790.	7. 10.	H. ☉.	Bot. mag. t. 1809.
<i>villosum. B.M. non H.S.</i>						
21 dichotomum. DC.	(ye.) forked.	Canaries.	1824.	6. 8.	D.G. ♂.	DC. jard. gen. t. 21.
22 africanum. DC.	(ye.) African.	C. B. S.	1768.		D.G. ♀.	
23 lirtum. DC.	(st.) hairy.	Italy.		6. 7.	H. ♀.	DC. plant. gras. t. 107.
<i>globiferum. B.M. t. 1457 ex DC. globiferum. H.R. non DC.</i>						
24 globiferum. DC.	(ye.) great-flowered.	Germany.	1731.	—	H. ♀.	Bot. mag. t. 507 et 2115.
25 tetrum. DC.	(pu.) common.	Britain.		6. 9.	H. ♀.	Eng. bot. v. 19. t. 1320.
26 flagelliforme. DC.	(re.) whip-lash.	Siberia.	1818.	6. 8.	H. ♀.	
27 montanum. DC.	(re.) mountain.	Switzerland.	1752.	—	H. ♀.	DC. plant. gras. t. 105.
28 arachnoideum. DC.	(pu.) Cobweb.	Italy.	1699.	—	F. ♀.	Bot. mag. t. 68.

Tribus II. *PENTHOREÆ*.

PENTHORUM. DC.	PENTHORUM. Decandria Pentagynia. L.					
edides. DC.	(st.) American.	Virginia.	1768.	7. 8.	H. ♀.	Act. ups. 1744. t. 2.
LEWISIA. Ph.	LEWISIA. Dodecandria Trigynia.					
rediviva. Ph.	(wh.) white-flowered.	N. America.	1827.	7. 8.	H. ♀.	

ORDO CII.

FICOIDEÆ. *DC. prodr. v. 3. p. 415.*Tribus I. *MESEMBRYANTHEMEÆ*.

MESEMBRYANTHEMUM. FIG-MARYGOLD. Icosandria Pentagynia. L.						
1 minutum. H.R.	(re.) small-white.	C. B. S.	1795.	9. 11.	D.I. ♀.	Bot. mag. t. 1376.
2 minimum. H.R.	(st.) small chequer'd.	————	1766.	9. 12.	D.I. ♀.	Pet. gaz. t. 39. f. 3.
3 perpusillum. H.R.	(st.) small exserted.	————	1819.	—	D.I. ♀.	
4 cheordellum. H.R.	(wh.) glaucous chequer'd.	————	1776.	10. 2.	D.I. ♀.	Bot. mag. t. 1647.
5 cheornellum. H.R.	(wh.) green chequer'd.	————	1794.	—	D.I. ♀.	
6 ficiforme. H.R.	 fig-shaped.	————	1819.		D.I. ♀.	
7 truncatellum. H.R.	(st.) large dotted.	————	1795.	10. 2.	D.I. ♀.	
8 fluliforme. H.R.	 cloth button.	————	—	11.	D.I. ♀.	
9 uva forme. H.R.	 Grape-like.	————	1820.		D.I. ♀.	Burm. dec. t. 10. f. 2?
10 nuciforme. H.R.	 nut-shaped.	————	1790.		D.I. ♀.	
11 testiculare. H.R.	(wh.) broad short white.	————	1774.	11.	D.I. ♀.	
12 octophyllum. H.R.	(ye.) narrow short white.	————	—	—	D.I. ♀.	Bot. mag. t. 1573.
<i>testiculare. B.M.</i>						
13 longiusculum. (ye.) longer-leaved.	————	—	—	—	D.I. ♀.	
14 testiculatum. DC.	(ro.) rosy.	————	—	—	D.I. ♀.	Jacq. frag. 73. t. 12. f. 2.
15 obtusum. H.R.	(re.) obtuse cloven.	————	1792.	3. 4.	D.I. ♀.	
16 fissum. H.R.	 cloven white.	————	1776.		D.I. ♀.	
17 digitiforme. H.R.	(wh.) finger-formed.	————	1775.	4. 6.	D.I. ♀.	
<i>digitatum. H.K?</i>						
18 multipunctum. H.R.	(ye.) great dotted club.	————	1816.	9. 11.	D.I. ♀.	
19 squiniunciale. H.R.	(ye.) thickest-leaved.	————	—	—	D.I. ♀.	
20 meide. H.R.	(ye.) thinner-leaved.	————	—	—	D.I. ♀.	
21 noble. H.P.	(ye.) noble.	————	—	11.	D.I. ♀.	
22 hoary. H.R.	(ye.) hoary club-leav'd.	————	1795.		D.I. ♀.	
23 aloeciforme. H.R.	(ye.) Aloe-like.	————	1816.	9. 11.	D.I. ♀.	
24 dog-chop. H.R.	(ye.) dog-chop.	————	1717.	8. 10.	D.G. ♀.	DC. plant. gras. t. 95.
25 fox-chop. H.R.	(ye.) fox-chop.	————	1795.	—	D.G. ♀.	
26 hybrid. H.R.	(ye.) hybrid.	Hybrid.		—	D.G. ♀.	
27 white. H.R.	(ye.) white.	C. B. S.	1714.	7. 8.	D.G. ♀.	Bot. mag. t. 1824.

25	albinotum. H.P.	(ye.) keeled white dott'd. C.B.S.	1824.	7. 9.	D.G. 4.	
26	albipunctum. H.P.	(ye.) white-spotted.	—	8. 9.	D.G. 4.	
27	tigrinum. H.P.	(ye.) tiger-chop.	1790.	9. 11.	D.G. 4.	Bot. reg. t. 260.
28	felinum. H.P.	(ye.) cat-chop.	1730.	8. 11.	D.G. 4.	DC. plant. gras. t. 152.
29	lupinum. H.P.	(ye.) wolf's chop.	1822.	6. 8.	D.G. 4.	
30	agninum. H.P.	(ye.) lamb's chop.	—	5. 6.	D.G. 4.	
31	mustelinum. H.P.	(ye.) weasel-chop.	1818.	8. 11.	D.G. 4.	
32	musculinum. H.P.	(ye.) small trailing.	—	6. 8.	D.G. 4.	
33	ermininum. H.P.	(ye.) Ermine-chop.	1823.	5. 6.	D.G. 4.	
	β majus. H.P.	(ye.) red-tipped.	—	—	D.G. 4.	
34	murinum. H.P.	(ye.) mouse-chop.	1790.	9.	D.G. 4.	
35	dolabriforme. H.R.	(ye.) hatchet-leaved.	1705.	5. 11.	D.G. ½.	Bot. mag. t. 32.
36	carinans. H.R.	(ye.) scymetar-leav'd.	1820.		D.G. 4.	
37	scapiger. H.P.	(ye.) great-scaped.	1822.	8. 9.	D.G. 4.	
38	denticulatum. H.R.	(st.) toothed-beak'd.	1793.	4.	D.G. 4.	
	α canum. H.R.	(st.) white-leaved.	—	—	D.G. 4.	
	β glaucum. H.R.	(st.) glaucous-leaved.	—	—	D.G. 4.	
	γ candidissimum. H.R.	(st.) whitest.	—	—	D.G. 4.	
39	robustum. H.R.	(ye.) robust-beaked.	1795.		D.G. 4.	
40	compactum. H.R.	(ye.) compact.	1780.	11.	D.G. ½.	
41	quadrifidum. H.R.	(ye.) quadrifid.	1795.	—	D.G. ½.	
42	bifidum. H.R.	(ye.) bifid beaked.	—	—	D.G. 4.	
43	bibracteatum. H.R.	(ye.) double-bracted.	1803.	4. 11.	D.G. ½.	
44	purpurascens. DC.	(ye.) purple-bracted.	1826.	—	D.G. 4.	
45	rostratum. H.R.	(ye.) heron-beaked.	1732.	4. 5.	D.G. 4.	Dill. elth. f. 229.
	tuberculatum. H.R.	(ye.) tuberculate.		—	D.G. 4.	
46	ramulosum. H.R.	(ye.) small-beaked.	1803.	3. 11.	D.G. ½.	
47	pisiforme. H.R.	 pea-shaped.	1796.		D.I. 4.	
48	moniliforme. H.R.	(wh.) necklace.	1791.	3. 4.	D.I. 4.	
49	scalpratum. H.R.	(ye.) great tongue.	1714.	8. 10.	D.G. 4.	Dill. elth. t. 183. f. 224.
50	fragrans. H.R.	(ye.) sweet-scented.	1820.	—	D.G. 4.	Ott. et Lk. abb. t. 43.
51	grandiflorum. H.P.	(ye.) great-blistered.	1824.	—	D.G. 4.	
52	præpingue. H.R.	(ye.) soft-tongue.	1792.	—	D.G. 4.	
53	medium. H.R.	(ye.) large-tongue.	1816.	—	D.G. 4.	
54	cultratum. H.R.	(ye.) long cultrated.	1820.	—	D.G. 4.	
55	lucidum. H.R.	(ye.) high-polished.	1768.	—	D.G. 4.	Dill. elth. f. 227.
56	adscendens. H.R.	(ye.) long-peduncled.	1805.	8. 11.	D.G. 4.	
57	pustulatum. H.R.	(ye.) blistered tongue.	1816.	—	D.G. 4.	
58	longum. H.R.	(ye.) long-thin-leaved.	1725.	8. 10.	D.G. 4.	
	α flaccidum. H.R.	(ye.) long-flaccid.	—	—	D.G. 4.	Bot. mag. t. 1866.
	depressum. B.M. nec aliorum.					
	β declive. H.R.	(ye.) lesser erect-edged.	—	—	D.G. 4.	
	γ angustius. H.R.	(ye.) narrow-leaved.	—	—	D.G. 4.	
	δ purpurascens. H.R.	(ye.) purple green.	—	—	D.G. 4.	
	ε uncatum. H.R.	(ye.) leaden green.	—	—	D.G. 4.	
	ζ attollens. H.R.	(ye.) narrow dark.	1819.	—	D.G. 4.	
59	linguiforme. H.R.	(ye.) common tongue.	—	—	D.G. 4.	
	β rufescens. H.R.	(ye.) reddish green.	1732.	11. 3.	D.G. 4.	Dill. elth. f. 226.
	γ suberuciatum. H.R.	(ye.) suberuciate.	1804.		D.G. 4.	
	δ prostratum. H.R.	(ye.) prostrate.	1820.	8. 11.	D.G. 4.	
	ε assurgens. H.R.	(ye.) assurgent.	—	—	D.G. 4.	
60	latum. H.R.	(ye.) broad tongue.	1819.	—	D.G. 4.	
	β breve. H.R.	(ye.) short flat.	1732.	—	D.G. 4.	Dill. elth. f. 225.
61	depressum. H.R.	(ye.) small recurving-ld.	1802.	—	D.G. 4.	
	α pallens. H.R.	(ye.) light green.	1795.	9. 11.	D.G. 4.	Dill. elth. f. 226?
	β lividum. H.R.	(ye.) rufous green.	—	—	D.G. 4.	
62	cruciatum. H.R.	(ye.) soft cruciate.	1819.	—	D.G. 4.	
63	taurinum. H.R.	(ye.) Bull's-horn.	1792.	5. 11.	D.G. ½.	
64	Salmii. H.R.	(ye.) Prince de Salm's.	1795.	9. 11.	D.G. ½.	
	α decussatum. H.R.	(ye.) decussate.	1818.	—	D.G. 4.	
	β semicruciatum. H.R.	(ye.) semicruciate.	—	—	D.G. 4.	
	γ angustifolium. H.R.	(ye.) narrow-leaved.	1820.	—	D.G. 4.	
65	surrectum. H.R.	(ye.) thick acute tongue.	—	—	D.G. 4.	
66	heterophyllum. H.R.	(ye.) various-leaved.	1819.	—	D.G. 4.	
67	angustum. H.R.	(ye.) narrow tongue.	1795.	—	D.G. 4.	
	β pallidum. H.R.	(ye.) paler-leaved.	1790.	3. 10.	D.G. 4.	
	γ heterophyllum. H.R.	(ye.) semicylindric-ld.	1819.		D.G. 4.	
68	difforme. H.R.	(ye.) difformed.		8. 10.	D.G. 4.	Andr. reposit. 540.
	β brevicaule. H.R.	(ye.) short-stalked.	1732.	—	D.G. 4.	Dill. elth. f. 242.
			—	—	D.G. ½.	

10 bidentatum. H.R. (ye.) double-toothed. C. B. S.	1816.	8. 10.	D.G. 2.	
2 minus. H.R. (ye.) smaller.	—	—	D.G. 2.	
3 majus. H.R. (ye.) larger.	—	—	D.G. 2.	
11 gibberatum. H.P. (ye.) lesser difformed.	1824.	—	D.G. 2.	
12 semicylindricum. H.R. (ye.) small difformed.	1732.	3. 11.	D.G. 2.	Dill. elth. t. 194. f. 241.
13 gibbosum. H.R. (re.) great pale gibbous.	1780.	1. 4.	D.G. 2.	
14 luteo-viride. H.R. (re.) long pale gibbous.	1795.	—	D.G. 2.	
15 perviride. H.R. (re.) dark green gibbous.	1792.	1. 5.	D.G. 2.	
16 pubescens. H.R. (re.) hoary gibbous.	—	—	D.G. 2.	
17 calamiforme. H.R. (wh.) white fld. quill.	1717.	7. 9.	D.G. 2.	DC. plant. gras. t. 5.
18 subulatum. H.R. ... reversed quill.	1796.		D.G. 2.	
19 cylindricum. H.R. (re.) cylindric quill.	1792.	9. 2.	D.G. 2.	
20 teretifolium. H.R. (re.) round quill.	1794.	—	D.G. 2.	
21 teretiunculum. H.R. (re.) roundish quill.	—	—	D.G. 2.	
22 bellidiflorum. H.R. (re.) daisy-flowered.	1717.	6. 8.	D.G. 2.	Dill. elth. t. 221. f. 233.
23 a glaucescens. H.R. (re.) small glaucous.	—	—	D.G. 2.	
24 3 viride. H.R. (ro.) pea green.	1822.	—	D.G. 2.	
25 subulatum. DC. (std.) great green.	1768.	6. 8.	D.G. 2.	DC. plant. gras. t. 41.
26 acutum. H.R. (pu.) great awl-leaved.	1793.	11. 4.	D.G. 2.	
27 punctatum. H.R. (pu.) middle-spotted.			D.G. 2.	
28 diminutum. H.R. (pu.) small awl-leaved.	1789.	4.	D.G. 2.	
29 3 cauliculatum. H.R. (pu.) stalked.	1817.	—	D.G. 2.	
30 leucom. H.R. (st.) leathery-stalk'd.	1732.	9.	D.G. 2.	Dill. elth. t. 200. f. 255.
31 3 congestum. H.R. (st.) crowded-leaved.	1805.		D.G. 2.	
32 diversifolium. H.R. (st.) short horn-leav'd.	1726.	3. 10.	D.G. 2.	Dill. elth. t. 198. f. 252.
33 2 majus. H.R. (std.) larger.	1819.	—	D.G. 2.	
34 3 glaucius. H.R. (st.) glaucescent.	1726.	—	D.G. 2.	
35 7 brevifolium. H.R. (st.) short-leaved.	1819.	8.	D.G. 2.	
36 1 late-virens. H.R. (st.) pale green.	—	—	D.G. 2.	
37 1 atro-virens. H.R. (st.) dark green.	—	8. 9.	D.G. 2.	
38 decipiens. H.R. (st.) middle horn-ld.	1820.		D.G. 2.	
39 10 dabilem. H.R. (st.or.) round stalked.	1800.	11. 5.	D.G. 2.	Bradl. succ. d. 4. t. 40.
40 1 corniculatum. H.R. (std.) long-horn-leav'd.	1732.	3. 5.	D.G. 2.	DC. plant. gras. t. 108.
41 1 purpureo-album. H.P. (std.) purple & white.	1824.	7. 10.	D.G. 2.	
42 2 procumbens. H.R. (v.) purple-jointed.	1820.	..	D.G. 2.	
43 3 tricolorum. H.R. (st.re.) three-coloured.	1794.	10.	D.G. 2.	
44 1 pagoniforme. H.R. (ye.) great dagger-ld.	1714.	7. 9.	D.G. 2.	DC. plant. gras. t. 82.
45 3 carneum. H.R. (ye.) flesh-coloured.		—	D.G. 2.	
46 7 purpureum. H.R. (pu.) purple.		—	D.G. 2.	
47 1 bienn. H.R. (ye.) biennial.		—	D.G. 2.	
48 5 capitatum. H.R. (ye.) lesser dagger-ld.	1717.	7. 9.	D.G. 2.	Bot. reg. t. 494.
49 3 ramigerum. H.R. (ye.) branching.	1816.	—	D.G. 2.	
50 1 brevicaulis. H.R. (ye.) dwarf dagger-ld.	—	—	D.G. 2.	
51 17 ceriseus. H.R. (ye.) glittering dagger.	1813.	—	D.G. 2.	
52 1 elongatum. H.R. (ye.) tuberous long-ld.	1793.	5.	D.G. 2.	DC. plant. gras. t. 72.
53 1 grandiflorum. (ye.) large-flowered.	—	—	D.G. 2.	
54 3 minus. H.R. (ye.) lesser.	—	—	D.G. 2.	Bot. reg. t. 493.
55 7 fusiforme. H.R. (ye.) fusiform.	—	—	D.G. 2.	Breyn. cent. t. 80.
56 10 validum. H.P. (ro.) robust light green.	1823.	—	D.G. 2.	
57 10 geminiflorum. H.R. (ro.) small pale.	1819.	—	D.G. 2.	
58 11 simile. H.R. (ro.) short-jointed.	—	5. 7.	D.G. 2.	
59 12 lixum. H.R. (ro.) long-jointed.	—	—	D.G. 2.	
60 13 sarmentosum. H.R. (ro.) sarmentose.	1805.	4. 5.	D.G. 2.	
61 14 rigidicaule. H.R. (ro.) stiff-stemmed.	1819.	—	D.G. 2.	
62 15 Schollii. H.R. (ro.) Scholl's.	1818.	—	D.G. 2.	Jacq. frag. t. 51. f. 2.
63 16 1 lancum. Jacq. non H. recurrum. H.S.S.	—	—	—	
64 17 filamentosum. H.R. (ro.) thready.	1732.	3. 4.	D.G. 2.	Dill. elth. t. 212. f. 273.
65 18 serrulatum. H.R. (ro.) rosy-stalked.	1793.	11. 12.	D.G. 2.	
66 19 1 glaucum. H.R. (ro.) glaucous.	—	—	D.G. 2.	
67 20 2 viridius. H.R. (ro.) greenish.	—	—	D.G. 2.	
68 21 3 rubricaulis. H.R. (ro.) deep red-stalk'd.	1802.	12. 2.	D.G. 2.	
69 22 2 gracilius. H.R. (ro.) slenderest.	—	—	D.G. 2.	
70 23 3 densius. H.R. (ro.) crowded.		—	D.G. 2.	
71 24 1 subvirens. H.R. (ro.) tall-green.		—	D.G. 2.	
72 25 10 acinaciforme. H.R. (ro.) great scymetar-ld.	1714.	8. 9.	D.G. 2.	Dill. elth. f. 270. 271.
73 26 1 breve. H.R. (ro.) short-branched.	—	—	D.G. 2.	Andr. reposit. 508.
74 27 2 longum. H.R. (ro.) longer-branched.	—	—	D.G. 2.	
75 28 10 laevigatum. H.R. (ro.) smooth scymetar.	1802.	—	D.G. 2.	

111	rùbro-cinctum. H.R. (ro.) red-edged.	C. B. S.	1811.	8. 9.	D.G. $\frac{1}{2}$.	
	α crassum. H.R. (ro.) thick-leaved.	—	—		D.G. $\frac{1}{2}$.	
	β compressum. H.R. (ro.) compressed.	—			D.G. $\frac{1}{2}$.	
	γ tenerum. H.R. (ro.) tender.	—			D.I. $\frac{1}{2}$.	
112	subalatum. H.R. (ro.) wing-stalked.	—	1802.		D.G. $\frac{1}{2}$.	
113	edule. H.R. (ye.) Hottentot's-fig.	—	1690.	7. 8.	D.G. $\frac{1}{2}$.	Dill. elth. t. 212. f. 272.
114	dimidiatum. H.R. (ro.) lesser eatable.	—	1811.	—	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 89.
115	glaucescens. H.R. (ro.) glaucescent.	N. Holland.	1804.	7.	D.G. $\frac{1}{2}$.	
116	abbreviatum. H.P. short-jointed.	N. S. W.	1825.		D.G. $\frac{1}{2}$.	
117	Róssi. H.R. (ro.) Ross's.	V. Diem. Isl.	1821.		D.G. $\frac{1}{2}$.	
118	virescens. H.R. (ro.) virescent.	N. Holland.	1804.	6. 8.	D.G. $\frac{1}{2}$.	
119	æquilatérale. H.R. (ro.) equal angled.	—	1791.	—	D.G. $\frac{1}{2}$.	
	β decagynum. DC. (ro.) ten-styled.	—	—	—	D.G. $\frac{1}{2}$.	
120	virens. H.R. (ro.) smooth-edged green.	C. B. S.	1821.	7. 8.	D.G. $\frac{1}{2}$.	
121	réptans. H.R. (ro.) creeping.	—	1774.	6. 8.	D.G. $\frac{1}{2}$.	
122	débile. H.P. (ro.) smooth weak.	—	1821.	—	D.G. $\frac{1}{2}$.	
123	australe. H.R. (bh.) New Zealand.	N. Zealand.	1773.	—	D.G. $\frac{1}{2}$.	
124	crassifolium. H.R. (ro.) thick-leaved.	C. B. S.	1727.	5. 8.	D.G. $\frac{1}{2}$.	Dill. elth. t. 208. f. 257.
125	clavellatum. H.R. (re.) club-l'd. creeping.	N. Holland.	1803.	6. 7.	D.G. $\frac{1}{2}$.	
	β aggregatum. H.R. (re.) cluster branched.	—	—	—	D.G. $\frac{1}{2}$.	
	γ minus. H.R. (re.) shorter-branched.	—	—	—	D.G. $\frac{1}{2}$.	
126	forficatum. H.R. (re.) scissors-leaved.	C. B. S.	1758.	9. 10.	D.G. $\frac{1}{2}$.	Jacq. vind. 1. t. 26.
127	geminatum. H.R. (re.) white twin-shoot'd.	—	1792.		D.G. $\frac{1}{2}$.	
128	marginatum. H.R. (re.) white-edged.	—	1793.		D.G. $\frac{1}{2}$.	
129	rostellum. H.R. (wh. re.) little prostrate beak.	—	1820.	8. 10.	D.G. $\frac{1}{2}$.	
130	perfoliatum. H.R. (ro.) great-hooked.	—	1714.	6. 8.	D.G. $\frac{1}{2}$.	Dill. elth. t. 192. f. 240.
	α tricanthum. H.R. (ro.) three-thorned.	—	—	—	D.G. $\frac{1}{2}$.	Bradl. suc. 5. t. 46.
	β monacanthum. H.R. (ro.) one-thorned.	—	—	—	D.G. $\frac{1}{2}$.	Bradl. suc. dec. 3. f. 26.
131	uncinellum. H.R. (li.) small-hooked.	—	1819.	—	D.G. $\frac{1}{2}$.	Dill. elth. f. 239.
132	uncinatum. H.R. (ro.) greenish-hooked.	—	1725.	8.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 51.
133	semidentatum. H.R. (ro.) slender-hooked.	—	1818.	6. 8.	D.G. $\frac{1}{2}$.	
134	unidens. H.P. (li.) dwarf uncinata.	—	1824.	—	D.G. $\frac{1}{2}$.	
135	viride. H.R. (li.) deep green.	—	1792.	7.	D.G. $\frac{1}{2}$.	
136	acutangulum. H.P. (wh.) sharp-angled.	—	1820.	6. 8.	D.G. $\frac{1}{2}$.	
137	curtum. H.R. (wh.) short-sheathed.	—	1811.	—	D.G. $\frac{1}{2}$.	
	β majus. H.R. (wh.) larger.	—	—	—	D.G. $\frac{1}{2}$.	
138	hamatum. W. (wh.) hook'd sheathing.	—	—	—	D.G. $\frac{1}{2}$.	
139	vaginatum. H.R. (wh.) rough sheathing.	—	1802.	7. 8.	D.G. $\frac{1}{2}$.	
	β parviflorum. H.R. (wh.) smaller-flowered.	—	—	—	D.G. $\frac{1}{2}$.	
140	parviflorum. H.R. (wh.) small-flowered.	—	1800.	8.	D.G. $\frac{1}{2}$.	
141	rigidum. H.R. (wh.) rigid.	—	1793.	—	D.G. $\frac{1}{2}$.	
142	tenellum. H.R. (wh.) least perfoliate.	—	1792.	—	D.G. $\frac{1}{2}$.	
143	imbricatum. H.R. (wh.) imbricated.	—	—	7.	D.G. $\frac{1}{2}$.	
	α minus. H.R. (wh.) smallest.	—	—	—	D.G. $\frac{1}{2}$.	
	β majus. H.R. (wh.) blunt crowded.	—	—	—	D.G. $\frac{1}{2}$.	
	γ viride. H.R. (wh.) dull green.	—	—	—	D.G. $\frac{1}{2}$.	
144	multiflorum. H.R. (wh.) many-flowered.	—	—	7. 9.	D.G. $\frac{1}{2}$.	Pluk. phyt. t. 117. f. 1.
	α majus. H.R. (wh.) larger white.	—	—	—	D.G. $\frac{1}{2}$.	
	β minus. H.R. (wh.) lesser white.	—	—	—	D.G. $\frac{1}{2}$.	
	γ rubrum. H.R. (re.) red-flowered.	—	—	—	D.G. $\frac{1}{2}$.	
	δ patens. H.R. (wh.) single flowered.	—	1816.	—	D.G. $\frac{1}{2}$.	
	ϵ nitens. H.R. (wh.) bright-green.	—		—	D.G. $\frac{1}{2}$.	
145	umbellatum. H.R. (wh.) umbel-flowered.	—	1727.	6. 9.	D.G. $\frac{1}{2}$.	Dill. elth. t. 208. f. 266.
	ϵ apetalum. H.R. (wh.) petalless.	—	—	—	D.G. $\frac{1}{2}$.	
146	tumidulum. H.R. (re.) tumid.	—	1802.	3.	D.G. $\frac{1}{2}$.	
	β minus. H.R. (re.) lesser.	—	—	—	D.G. $\frac{1}{2}$.	
147	foliosum. H.R. (re.) many-leaved.	—	—	9.	D.G. $\frac{1}{2}$.	
148	lineolatum. H.R. (re.) tumid sheathed.	—	1819.	6. 8.	D.G. $\frac{1}{2}$.	
	β minus. H.R. (re.) lesser.	—	—	—	D.G. $\frac{1}{2}$.	
	γ nitens. H.R. (re.) glittering.	—	—	—	D.G. $\frac{1}{2}$.	
149	serratum. H.R. (ye.) saw-keeled.	—	—	—	D.G. $\frac{1}{2}$.	
150	lacerum. H.R. (re.) ragged-keeled.	—	1707.	6. 7.	D.G. $\frac{1}{2}$.	Dill. elth. t. 192. f. 268.
151	heteropetalum. H.R. (ye.) various-petal'd.	—	1792.	6.	D.G. $\frac{1}{2}$.	
	α albiflorum. (wh.) white-flowered.	—	1794.	5. 8.	D.G. $\frac{1}{2}$.	
	β roseum. (ro.) rose-coloured.	—	—	—	D.G. $\frac{1}{2}$.	
152	glaucinum. H.R. (li.) glaucine.	—	—	—	D.G. $\frac{1}{2}$.	
	α angustum. H.R. (li.) slenderest-leaved.	—	1818.	—	D.G. $\frac{1}{2}$.	
	β crassum. H.R. (li.) thicker-leaved.	—	—	—	D.G. $\frac{1}{2}$.	

153 mutabile. H.R. (wh.ro.) changeable.	C. B. S.	1792.	7. 9.	D.G. h.	DC. plant. gras. t. 60.
filamentosum. DC.					
154 inclaudens. H.R. (pu.) open-flowered.	_____	1805.	6. 9.	D.G. h.	Andr. reposit. 388.
155 caulescens. H.R. (li.) smooth delta-ld.	_____	1731.	5. 7.	D.G. h.	Dill. elth. f. 243-4.
156 deltoïdes. H.R. (li.) great delta-leaved.	_____	_____	5.	D.G. h.	DC. plant. gras. 53.
157 muricatum. H.R. (li.) small delta-leaved.	_____	_____	_____	D.G. h.	Dill. elth. t. 195. f. 27.
β minus. H.R. (li.) smaller-leaved.	_____		_____	D.G. h.	
158 microphyllum. H.R. (ro.) small-green-leav'd.	_____	1795.	_____	D.G. h.	
159 mucronatum. H.R. (ro.) bristle-pointed.	_____	1794.	6. 7.	D.G. h.	
160 pygmæum. H.R. (ro.) pigmy connate.	_____	1820.	_____	D.G. h.	
161 pulchellum. DC. (ro.) small grey-leaved.	_____	1793.	4.	D.G. h.	
canescens. H.R.					
β revolutum. H.R. (ro.) revolving-branched.	_____	1819.	_____	D.G. h.	
162 maximum. H.R. (ro.) great crescent-ld.	_____	1787.	3. 8.	D.G. h.	
163 lunatum. H.R. (ro.) small crescent-ld.	_____		4. 6.	D.G. h.	
164 falcatum. H.R. (ro.) small sickle-leav'd.	_____	1727.	6. 8.	D.G. h.	Dill. elth. f. 275-6.
165 decumbens. H.R. (li.) dwarf decumbent.	_____	1759.	5. 10.	D.G. h.	
166 incurvum. H.R. (li.) incurved.	_____	1802.	6.	D.G. h.	
β dilatans. H.R. (li.) dilated.	_____	1805.	9. 10.	D.G. h.	
γ pallidius. H.R. (li.) pale flowering.	_____	_____	_____	D.G. h.	
δ densifolium. H.R. (li.) dense lesser-leav'd.	_____	1819.	_____	D.G. h.	
ε roseum. H.R. (ro.) rosy.	_____	_____	_____	D.G. h.	
167 confertum. H.R. (li.) crowded-leaved.	_____	1805.	_____	D.G. h.	
168 falciforme. H.R. (li.) sickle-shaped.	_____	_____	7. 8.	D.G. h.	
169 glomeratum. H.R. (re.) clustered.	_____	1732.	6. 8.	D.G. h.	Dill. elth. t. 213. f. 274.
170 inflexum. H.R. (re.) inflex-leaved.	_____	1818.	_____	D.G. h.	
171 scabrum. H.R. (re.) rough.	_____	1731.	7.	D.G. h.	Dill. elth. t. 197. f. 251.
α pallidum. H.R. (li.) pale-bloomed.	_____	_____	_____	D.G. h.	
β purpureum. H.R. (pu.) purple.	_____	_____	_____	D.G. h.	
172 versicolor. H.R. (wh.re.) changeable rough.	_____	1795.	5. 8.	D.G. h.	
173 retroflexum. H.R. (re.) reflex-flowered.	_____	1794.	5. 10.	D.G. h.	
174 imbricans. H.R. (re.) imbricate-leaved.	_____	1818.	_____	D.G. h.	
175 deflexum. H.R. (re.) smooth deflexed.	_____	1774.	7. 10.	D.G. h.	
176 polyanthum. H.R. (pu.) copious-flowered.	_____	1803.	8.	D.G. h.	
177 polyphyllum. H.R. (re.) crowded-leaved.	_____	1819.	6. 10.	D.G. h.	
178 violaceum. H.R. (vi.) deep violaceous.	_____	1820.	10.	D.G. h.	DC. plant. gras. t. 81.
179 emarginatum. H.R. (vi.) notch-petaled.	_____	1732.	6. 8.	D.G. h.	Dill. elth. t. 197. f. 250.
180 dilatatum. H.R. (wh.) gibbous-keeled.	_____	1795.	7.	D.G. h.	
181 virgatum. H.R. (li.) slender-twigged.	_____	1793.	2. 4.	D.G. h.	
182 bracteatum. H.R. (re.) double-bracted.	_____	1774.	7. 10.	D.G. h.	
183 anceps. H.R. (li.) broad-bracted.	_____	1811.	9. 10.	D.G. h.	
β pallidum. H.R. (li.) paler-flowered.	_____	_____	_____	D.G. h.	
184 gracile. H.R. (li.) slender bracteate.	_____	1794.	8. 11.	D.G. h.	
stellatum. H.S. non DC.					
β gracilius. H.R. (li.) pale flat-bracted.	_____		_____	D.G. h.	
185 radiatum. H.R. (re.) radiate.	_____	1732.	_____	D.G. h.	Dill. elth. t. 197. f. 249.
186 compressum. H.R. (re.) rough compressed.	_____	1792.	7. 9.	D.G. h.	
187 patulum. H.R. (li.) paler-flowered.	_____	1811.	10. 11.	D.G. h.	
188 asperum. H.R. (ro.) large rough-leav'd.	_____	1818.	7. 9.	D.G. h.	
α majus. H.R. (ro.) broader-leaved.	_____	_____	_____	D.G. h.	
β carulescens. H.R. (ro.) bluish-leaved.	_____	1820.	_____	D.G. h.	
189 formosum. H.R. (re.) white-eyed red.	_____	_____	8. 9.	D.G. h.	
190 amœna. DC. (re.) beautiful.	_____	1825.	_____	D.G. h.	
191 spectabile. H.R. (pu.) glaucous showy.	_____	1787.	5. 8.	D.G. h.	Bot. mag. t. 396.
192 conspicuum. H.R. (re.) dark-red showy.	_____	1806.	9. 10.	D.G. h.	
193 turbinatum. DC. (re.) top-shaped.	_____	1826.	_____	D.G. h.	Jacq. vind. t. 476.
194 blandum. H.R. (bh.) fair-flowered.	_____	1816.	6. 12.	D.G. h.	Bot. reg. t. 582.
195 curviflorum. H.R. (bh.) incurving white.	_____	1818.	_____	D.G. h.	
196 aureum. H.R. (or.) great orange.	_____	1750.	3. 10.	D.G. h.	Bot. mag. t. 262.
197 aurantium. H.R. (or.) glaucous orange.	_____	1793.	6. 8.	D.G. h.	
198 glaucum. H.R. (ye.) great gold-flower'd.	_____	1696.	6. 7.	D.G. h.	DC. plant. gras. t. 116.
199 cymbifolium. H.P. (ye.) greater boat-ld.	_____	1823.		D.G. h.	
200 strictum. H.R. (ye.) upright boat-ld.	_____	1795.		D.G. h.	
201 mucroniferum. H.P. (ye.) mucronate boat-ld.	_____	1823.		D.G. h.	
202 cymbiforme. H.R. (re.) small boat-leav'd.	_____	1793.		D.G. h.	
203 graniforme. H.R. (ye.) grain-leaved.	_____	1727.	9. 10.	D.G. h.	Bratl. succ. 2. t. 20.
204 molle. H.R. (re.) soft.	_____	1774.	10.	D.G. h.	

205	coccineum. H.R. (sc.) scarlet-flower'd. C. B. S.	1696.	5. 9.	D.G. $\frac{1}{2}$.	Bot. mag. t. 59.
	α obtusum. H.R. (sc.) blunt-calyxed.	—	—	D.G. $\frac{1}{2}$.	DC. plant. grass. t. 83.
	β acutius. H.R. (sc. pu.) acute-calyxed.		—	D.G. $\frac{1}{2}$.	
	γ minus. H.R. (sc.) lesser.		—	D.G. $\frac{1}{2}$.	
206	bicolorum. H.R. (sc. ye.) two-coloured.	1732.	—	D.G. $\frac{1}{2}$.	
	α erectum. H.R. (sc. ye.) tall upright.	—	—	D.G. $\frac{1}{2}$.	Dill. elth. t. 202. f. 258.
	β patulum. H.R. (sc. ye.) spreading.		—	D.G. $\frac{1}{2}$.	
	γ minus. H.R. (sc. ye.) dwarf spreading.		—	D.G. $\frac{1}{2}$.	
207	inaequale. H.R. (ye.) unequal-cupped.	1716.	—	D.G. $\frac{1}{2}$.	Bradl. succ. 1. t. 7.
208	tenuifolium. H.R. (sc.) slender-leaved.	1700.	6. 9.	D.G. $\frac{1}{2}$.	Dill. elth. t. 201. f. 256.
	β erectum. H.R. (sc.) upright slender-ld.		—	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 82.
209	variabile. H.R. (ye.) changeable-fl'd.	1796.	6. 8.	D.G. $\frac{1}{2}$.	
	α densius. H.R. (ye.) rough close-leaved.	—	—	D.G. $\frac{1}{2}$.	
	β laxius. H.R. (ye.) smoother distant-ld.	—	—	D.G. $\frac{1}{2}$.	
210	spinifforme. H.R. (li.) thorn-shaped.	1793.	9. 10.	D.G. $\frac{1}{2}$.	
	β subaduncum. H.R. (li.) greater hook-ld.	1810.	10. 11.	D.G. $\frac{1}{2}$.	
211	curvifolium. H.R. (li.) great curve-ld.	1799.	10.	D.G. $\frac{1}{2}$.	
212	flexifolium. H.R. (li.) lesser curve-ld.	1818.	—	D.G. $\frac{1}{2}$.	
	α perrivide. H.R. (li.) dark-green.	—	—	D.G. $\frac{1}{2}$.	
	β late virens. H.R. (li.) apple-green.	—	—	D.G. $\frac{1}{2}$.	
213	inconspicuum. H.P. (li.) inconspicuous.	1824.	6. 9.	D.G. $\frac{1}{2}$.	
214	aduncum. H.R. (li.) small curve-leav'd.	1795.	2. 3.	D.G. $\frac{1}{2}$.	
215	filicaule. H.R. (li.) thready-stemmed.	1800.	9.	D.G. $\frac{1}{2}$.	
216	spinosum. H.R. (pu.) thorny.	1714.	6. 9.	D.G. $\frac{1}{2}$.	Dill. elth. t. 208. f. 265.
217	productum. H.P. (ro.) great-cupped.	1820.	6. 8.	D.G. $\frac{1}{2}$.	
218	lepidum. H.P. (wh.) pretty.	1824.	7. 9.	D.G. $\frac{1}{2}$.	
219	stipulaceum. H.R. (re.) tall, stipuled.	1723.	5. 8.	D.G. $\frac{1}{2}$.	Dill. elth. f. 267 & 268.
220	corallinum. H.R. (ro.) coral-stemmed.	1819.	—	D.G. $\frac{1}{2}$.	
221	Haworthii. H.R. (ro.) Haworth's.	1793.	6. 1.	D.G. $\frac{1}{2}$.	
222	læve. H.R. (pu.) blunt white-leav'd.	1774.	7. 9.	D.G. $\frac{1}{2}$.	
223	veruculatum. H.R. (ye.) long spit-leaved.	1731.	5. 6.	D.G. $\frac{1}{2}$.	
	α Dillenii. H.R. (ye.) Dillenius's.	—	—	D.G. $\frac{1}{2}$.	Dill. elth. f. 259.
	β Candollii. H.R. (ye.) cluster spit-leaved.	—	—	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 36.
224	purpureo-crœceum. H.R. purple saffron-fl'd.	1780.	8. 10.	D.G. $\frac{1}{2}$.	
225	flavo-crœceum. H.P. yellow and saffron.	1816.	5. 9.	D.G. $\frac{1}{2}$.	
226	luteum. H.P. (ye.) upright yellow.	1822.	6. 8.	D.G. $\frac{1}{2}$.	
227	luteolum. H.P. (ye.) small yellow.	—	—	D.G. $\frac{1}{2}$.	
228	crœceum. H.R. (sn.) saffron-flowered.	1816.	10. 11.	D.G. $\frac{1}{2}$.	Jacq. frag. p. 17. t. 11. f. 2.
229	crystallinum. H.R. (wh.) diamond.	1727.	5. 8.	D.G. $\frac{1}{2}$.	DC. plant. gras. 128.
230	glaciæ. H.R. (wh.) Ice-plant. Greece.	1787.	—	G. $\odot$.	
231	pinnatifidum. H.R. (ye.) jagged-leaved. C. B. S.	1774.	5. 10.	G. $\odot$.	Bot. mag. t. 67.
232	sessiliflorum. H.R. (ye.) small ice-plant.	—	7. 8.	G. $\odot$.	
	α luteum. H.R. (ye.) yellow-flowered.	—	—	G. $\odot$.	
	β album. H.R. (wh.) white-flowered.	1816.	—	G. $\odot$.	
233	humifusum. H.R. (wh.) narrow-ld. ice-plant.	1774.	—	D.G. $\frac{1}{2}$.	
234	clandestinum. H.P. (wh.) minute-flower'd.	1823.	5. 8.	D.G. $\frac{1}{2}$.	
235	Aitoni. H.R. (ro.) Aiton's.	—	6. 10.	D.G. $\frac{1}{2}$.	Jacq. vind. 3. t. 7.
236	lanceolatum. H.R. (wh.) spear-leaved.	1795.	5. 8.	G. $\odot$.	
	α album. H.R. (wh.) white-flowered.	—	—	G. $\odot$.	
	β roseum. H.R. (ro.) rosy.	1812.	—	G. $\odot$.	
237	cordifolium. H.R. (re.) heart-leaved.	1774.	5. 9.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 102.
238	pomeridianum. H.R. (ye.) great yellow.	—	7. 9.	G. $\odot$.	Bot. mag. t. 540.
	β Andre'wsii. H.R. (ye.) Andrews's.		—	G. $\odot$.	Andr. reposit. t. 57.
239	Candollii. H.R. (ye.) Decandolle's.		—	G. $\odot$.	DC. plant. gras. t. 135.
	helianthoides. DC. nec aliorum.	—	—	G. $\odot$.	
240	pilosum. H.R. (ye.) hairy-yellow.	1800.	6. 8.	G. $\odot$.	Breyn. cent. t. 79.
241	calendulaceum. H.R. (y.) hispid narrow-cup'd.	1819.	8.	G. $\odot$.	
242	flaccidum. DC. (ye.) flaccid.	1826.	—	D.G. $\frac{1}{2}$.	
243	helianthoides. H.R. (ye.) spatula-leaved.	1774.	8. 10.	G. $\odot$.	Jacq. ic. 3. t. 288.
244	euneifolium. DC. (pu.) transparent.	—	7.	G. $\odot$.	
	limpidum. H.R.	—	—	G. $\odot$.	
245	pyropæum. H.S.S. (v.) annual 3-colour'd.	1820.	4. 7.	G. $\odot$.	
	α rubidum. (pu.) the ruby.	—	—	G. $\odot$.	Bot. mag. t. 2114.
	tricolor. W. hort. ber. t. 22.	—	—	G. $\odot$.	
	β roseum. H.R. (ro.) the rosy.	—	—	G. $\odot$.	
	γ album. H.R. (bh.) blush white.	—	—	G. $\odot$.	
246	villosum. H.R. (bh.) villous.	1819.	—	G. $\odot$.	
		1759.	7.	D.G. $\frac{1}{2}$.	

247	caducum. H.R. (wh.) deciduous.	C. B. S.	1774.	7. 8.	G. ☉.	
248	apetalum. H.R. (wh.) dwarf spreading.	————	————	————	G. ☉.	Jacq. vind. 3. t. 6.
249	nodiflorum. H.R. (wh.) knot-flowered.	Egypt.	1739.	8. 10.	G. ☉.	DC. plant. gras. t. 88.
250	ciliatum. H.R. (wh.) ciliated.	C. B. S.	1774.		D.G. $\frac{1}{2}$.	
251	geniculiflorum. H.R. (ye.) joint-flower'd.	Egypt.	1727.	7. 9.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 17.
252	Tipolium. H.R. (wh.) Aster-leaved.	C. B. S.	1700.	6. 10.	D.G. $\frac{1}{2}$.	Dill. elth. t. 179. f. 220.
253	expansum. H.R. (st.) houseleek-leav'd.	————	1705.	7. 8.	D.G. $\frac{1}{2}$.	———— f. 223.
	tortuosum. DC. plant. gras. t. 94. non L.					
254	varians. H.R. (wh. st.) varying.	————	1706.	7. 10.	D.G. $\frac{1}{2}$.	Pet. gaz. t. 78. f. 10.
255	tortuosum. H.R. (st.) twisting-leaved.	————	1705.	6. 10.	D.G. $\frac{1}{2}$.	Dill. elth. t. 181. f. 222.
256	pallens. H.R. (wh.) pale-flowered.	————	1774.	7. 8.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 47.
	expansum. DC. non L.					
257	crassicaule. H.P. (ye.) thick-stalked.	————	1822.	5.	D.G. $\frac{1}{2}$.	
258	loratum. H.R. (wh.) glaucous strap-l'd.	————	1819.	————	D.G. $\frac{1}{2}$.	
259	relaxatum. H.R. (re.) livid strap-leav'd.	————		————	D.G. $\frac{1}{2}$.	
260	anatomicum. H.R. (wh.) skeleton-leav'd.	————	1803.	7. 8.	D.G. $\frac{1}{2}$.	
	β fragile. H.R. (wh.) brittle.	————	————	————	D.G. $\frac{1}{2}$.	
261	rectum. H.R. (wh.) upright egg-leav'd.	————	1819.	————	D.G. $\frac{1}{2}$.	
262	crassuloïdes. H.R. (bh.) Crassula-like.	————	————	7. 8.	D.G. $\frac{1}{2}$.	
263	incomptum. H.R. (wh.) persistent cup'd.	————	1816.	————	D.G. $\frac{1}{2}$.	
264	splendens. H.R. (wh.) shining white fld.	————	1716.	6. 8.	D.G. $\frac{1}{2}$.	DC. plant. gras t. 35.
265	flexuosum. H.R. (bh.) flexuose-leaved.	————	1795.	7. 8.	D.G. $\frac{1}{2}$.	
266	acuminatum. H.P. (wh.) long-cupped.	————	1820.	8. 9.	D.G. $\frac{1}{2}$.	
267	albicaule. H.P. (wh.) white-twigg'd.	————	1823.	8. 10.	D.G. $\frac{1}{2}$.	
268	sulcatum. H.R. (wh.) acute-cupped.	————	1819.	————	D.G. $\frac{1}{2}$.	
269	fastigiatum. H.R. (bi.) level-topped.	————	1794.	7. 9.	D.G. $\frac{1}{2}$.	
	β reflexum. H.R. (br.) reflex-leaved.	————	1792.	8. 9.	D.G. $\frac{1}{2}$.	
270	umbelliflorum. H.R. ... umbel-flowered.	————	1825.	————	D.G. $\frac{1}{2}$.	
271	longistylum. DC. (bh.) long-styled.	————	1822.	————	D.G. $\frac{1}{2}$.	
	pallens. Jacq. schœnb. 3. t. 279. non Ait. pallescens. H.R.					
	β purpurascens. DC. (pu.) purplish.	C. B. S.	————	————	D.G. $\frac{1}{2}$.	
272	micranthum. H.R. (wh.) small-blossom'd.	————	1804.	————	D.G. $\frac{1}{2}$.	Jacq. schœnb. 3. t. 278.
	parviflorum. Jacq. non H.R.					
273	juncum. H.R. (ro.) rushy.	————	1800.	8. 10.	D.G. $\frac{1}{2}$.	
274	granulicaule. H.P. (ro.) shagreen-stem'd.	————	1821.	6. 8.	D.G. $\frac{1}{2}$.	
275	tenu. H.R. (wh.) slender rushy.	————	1819.	————	D.G. $\frac{1}{2}$.	
276	spinuliferum. H.R. (st.) spinulescent.	————	1794.	6. 10.	D.G. $\frac{1}{2}$.	
277	grossum. H.R. (bh.) gouty.	————	1774.	8. 10.	D.G. $\frac{1}{2}$.	
278	salmonium. H.R. (ro.) salmon-colour'd.	————	1819.	————	D.G. $\frac{1}{2}$.	
279	canaliculatum. H.R. (ye.) channel-leav'd.	————	1794.	7. 10.	D.G. $\frac{1}{2}$.	
280	viridiflorum. H.R. (gr.) green-flowered.	————	1774.	7. 11.	D.G. $\frac{1}{2}$.	Bot. mag. t. 326.
281	tenuiflorum. H.R. (re.) slender-flower'd.	————	1824.		D.G. $\frac{1}{2}$.	Jacq. frag. 52. f. 3.
282	longispinulum. H.P. (st.) rosy-cupp'd yellow.	————	1821.	8. 11.	D.G. $\frac{1}{2}$.	
283	nitidum. H.R. (ye.) shrubby crystalline.	————	1790.	7. 10.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 129.
	brachiatum. DC. nec aliorum.					
284	subincanum. H.P. (wh.) soft-leav'd white.	————	1821.	8. 9.	D.G. $\frac{1}{2}$.	
285	brachiatum. H.R. (ye.) three-forked.	————	1774.	6. 8.	D.G. $\frac{1}{2}$.	
286	testaceum. H.R. (sn.) tile-coloured.	————	1816.	————	D.G. $\frac{1}{2}$.	
287	macrorrhizum. H.P. (wh.) large-rooted.	————	1823.	6. 9.	D.G. $\frac{1}{2}$.	
288	tuberosum. H.R. (co.) tuberous shrubby.	————	1714.	6. 10.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 78.
	β minus. H.R. (bl.) lesser-leaved.	————	————	————	D.G. $\frac{1}{2}$.	
289	noctiflorum. H.R. (ro. wh.) night-flowering.	————	————	6. 8.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 10.
	α phœniceum. H.R. (ro.) deep rosy.	————	————	————	D.G. $\frac{1}{2}$.	Dill. elth. f. 262.
	β stramineum. H.R. (st.) straw-coloured.	————	————	————	D.G. $\frac{1}{2}$.	———— f. 263.
	γ elatum. H.R. (wh. ro.) tall-rosy.	————	1819.	————	D.G. $\frac{1}{2}$.	
290	fulvum. H.R. (br. wh.) grey-barked.	————	1732.	————	D.G. $\frac{1}{2}$.	
291	clavatum. DC. (wh.) clubbed.	————		————	D.G. $\frac{1}{2}$.	Jacq. schœnb. t. 108.
	defoliatum. H.R.					
292	horizontale. H.R. (st.) spreading-leav'd.	————	1795.	————	D.G. $\frac{1}{2}$.	
293	speciosum. H.R. (cr.) glittering orange.	————	1793.	5. 10.	D.G. $\frac{1}{2}$.	
294	micans. H.R. (sc.) dark orange.	————	1704.	5. 8.	D.G. $\frac{1}{2}$.	Bot. mag. t. 448.
295	maculatum. H.R. (sc.) spotted-stalked.	————	1792.	————	D.G. $\frac{1}{2}$.	
296	flavum. H.R. (go.) small-glittering.	————	1820.	8.	D.G. $\frac{1}{2}$.	
297	obliquum. H.R. (re.) bright afternoon flz.	————	1819.	————	D.G. $\frac{1}{2}$.	
298	parvifolium. H.R. (pu.) small triquetrous.	————	————	6. 10.	D.G. $\frac{1}{2}$.	
299	brevifolium. H.R. (re.) short-leaved.	————	1777.	————	D.G. $\frac{1}{2}$.	Jacq. vind. t. 477.
	erigerifolium. Jacq.					
300	subglobosum. H.R. (re.) globular.	————	1795.	————	D.G. $\frac{1}{2}$.	
301	pulverulentum. H.R. (re.) powdered.	————	1792.	5.	D.G. $\frac{1}{2}$.	

302	hispidum. H.R. (pu.) hispid-stalked.	C. B. S.	1704.	5. 10.	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 66.
	<i>a</i> Dillèni. H.R. (pu.) the bushy.	_____	_____	_____	D.G. $\frac{1}{2}$.	Dill. elth. f. 278.
	<i>β</i> platypetalum. H.R. tall.	_____	1820.	_____	D.G. $\frac{1}{2}$.	
303	hirtellum. H.R. (re.) dwarf bristly.	_____	1792.	5. 11.	D.G. $\frac{1}{2}$.	
304	candens. H.R. (wh.) trailing hispid.	_____	1820.	_____	D.G. $\frac{1}{2}$.	
305	subcompressum. H.P. (vi.) upright twiggy.	_____	1824.	6. 8.	D.G. $\frac{1}{2}$.	
	<i>β</i> minus. H.P. (vi.) lesser.	_____	_____	_____	D.G. $\frac{1}{2}$.	
306	floribundum. H.R. (fl.) crowded-flower'd.	_____	1704.	5. 10.	D.G. $\frac{1}{2}$.	Dill. elth. t. 214. f. 280.
307	calycinum. H.R. (wh.) hispid long-cup'd.	_____	1819.	_____	D.G. $\frac{1}{2}$.	
308	striatum. H.R. (std.) striped bristly.	_____	1727.	_____	D.G. $\frac{1}{2}$.	Dill. elth. t. 215. f. 281.
	<i>a</i> roseum. H.R. (std.) rosy.	_____	_____	_____	D.G. $\frac{1}{2}$.	_____ t. 215. f. 281.
	<i>β</i> pallens. H.R. (std.) pale-flowered.	_____	_____	_____	D.G. $\frac{1}{2}$.	DC. plant. gras. t. 132.
309	attenuatum. H.R. (v.) slender hispid.	_____	1820.	_____	G. $\frac{1}{2}$.	
310	tuberculatum. DC. (v.) hispid-leaved.	_____	1814.	_____	G. $\frac{1}{2}$.	
	hispidolium. H.R.					
	<i>a</i> fastigiatum. H.R. (v.) level-topped.	_____	_____	_____	G. $\frac{1}{2}$.	
	<i>β</i> roseum. H.R. (ro.) rosy-flowered.	_____	_____	_____	G. $\frac{1}{2}$.	
311	echinatum. H.R. (ye.) hedge-hog.	_____	1774.	7. 10.	G. $\frac{1}{2}$.	DC. plant. gras. t. 21.
	<i>a</i> luteum. (ye.) yellow.	_____	_____	_____	G. $\frac{1}{2}$.	
	<i>β</i> album. (wh.) white-flowered.	_____	_____	_____	G. $\frac{1}{2}$.	
312	strumosum. H.R. (st.) tuberous hedge-hog.	_____	1820.	_____	G. $\frac{1}{2}$.	
313	barbatum. H.P. (pu.) bearded bushy.	_____	1793.	5. 10.	G. $\frac{1}{2}$.	Bot. mag. t. 70.
314	stelligerum. H.P. (pu.) procumbent bearded.	_____	1705.	6. 8.	G. $\frac{1}{2}$.	
315	bulbosum. H.P. (re.) bearded tuberous.	_____	1820.	_____	G. $\frac{1}{2}$.	
316	intonsum. H.P. (re.) black bearded.	_____	_____	7.	G. $\frac{1}{2}$.	
	<i>a</i> rubicundum. H.P. (re.) red-flowered.	_____	_____	_____	G. $\frac{1}{2}$.	
	<i>β</i> album. H.P. (bh.) white-flowered.	_____	_____	_____	G. $\frac{1}{2}$.	
317	stellatum. H.P. (pu.) small-bearded.	_____	1716.	9. 10.	G. $\frac{1}{2}$.	DC. plant. gras. t. 29.
318	densum. H.P. (pu.) dwarf-bearded.	_____	1732.	5. 8.	G. $\frac{1}{2}$.	Bot. mag. t. 1220.
HYMENO'GYNE. H.R. HYMENO'GYNE. Icosandria Dodecagynia.						
	glabra. H.R. (st.) smooth.	C. B. S.	1787.	7. 8.	G. $\odot$.	
	Mesembryanthemum glabrum. H.S. non A.R.					
TETRAG'ONIA. W. TETRAG'ONIA. Icosandria Pentagynia. L.						
1	expansa. H.S. (gr.) horned.	N. Zealand.	1772.	8. 9.	H. $\odot$.	DC. plant. gras. t. 114.
2	crystallina. H.S. (gr.) diamond.	Peru.	1788.	6. 12.	H. $\odot$.	_____ t. 34.
3	echinata. H.S. (gr.) hedgehog.	C. B. S.	1774.	5. 8.	G. δ .	_____ t. 113.
4	hirsuta. DC. (gr.) hairy.	_____	1823.	_____	G. δ .	
5	fruticosa. H.S. (gr.) shrubby.	_____	1712.	7. 9.	G. $\frac{1}{2}$.	Mill. ic. 2. t. 263. f. 2.
6	linearis. H.R. (gr.) linear-leaved.	_____	1819.	9.	G. $\frac{1}{2}$.	
7	obovata. H.R. (gr.) obovate-leaved.	_____	_____		G. $\frac{1}{2}$.	
8	decumbens. H.S. (gr.) trailing.	_____	1758.	7. 9.	G. $\frac{1}{2}$.	DC. plant. gras. t. 23.
9	Tetrapteris. H.S. (gr.) wing-seeded.	_____	1795.	_____	G. $\frac{1}{2}$.	
10	spicata. H.S. (gr.) spiked.	_____	_____	_____	G. $\frac{1}{4}$.	
11	herbacea. H.S. (gr.) tuberous-rooted.	_____	1752.	6. 7.	G. $\frac{1}{4}$.	Comm. hort. 2. t. 102.
12	purpurea. Ot. (pu.) purple.		1825.	_____	H. $\odot$.	
SES'UVIUM. DC. SES'UVIUM. Icosandria Tri-Pentagynia.						
1	pedunculatum. P.S. (pu.) peduncled.	W. Indies.	1692.	6. 8.	D.S. $\frac{1}{4}$.	Pluk. phyt. t. 216. f. 1.
2	sessile. P.S. (pu.) sessile-flowered.	_____	_____	_____	D.S. $\frac{1}{4}$.	DC. plant. gras. t. 9.
	Aizoon canariense. Andr. rep. t. 201. nec aliorum.					
3	longifolium. DC. (pu.) long-leaved.	S. America.	1816.	7. 8.	D.S. $\frac{1}{4}$.	
4	revolutifolium. DC. (pu.) revolute-leaved.	Cuba.		_____	D.S. $\frac{1}{4}$.	Bot. mag. t. 1701.
5	repens. DC. (pu.) creeping.	E. Indies.	1816.	_____	S. $\odot$.	Rumph. amb. 5. t. 72. f. 1.
6	microphyllum. DC. (pu.) small-leaved.	Havannah.	1823.	_____	D.S. $\frac{1}{4}$.	
AIZO'ON. DC. AIZO'ON. Icosandria Pentagynia. L.						
1	canariense. DC. (ye.) Purslane-leav'd.	Canaries.	1731.	7. 8.	D.G. $\frac{1}{4}$.	DC. plant. gras. t. 136.
2	glinoides. DC. (ro.) hairy.	C. B. S.	1774.	6. 8.	D.G. $\frac{1}{4}$.	
3	hispanicum. DC. (wh.) Spanish.	Spain.	1728.	7. 8.	H. $\odot$.	DC. plant. gras. t. 30.
4	tomentosum. DC. (ye.) woolly.	C. B. S.	1824.	_____	D.G. $\frac{1}{2}$.	
5	stellatum. DC. (ye.) starry.	_____	_____	_____	D.G. $\frac{1}{2}$.	
6	perfoliatum. DC. (ye.) perfoliate.	_____	1816.	6. 8.	D.G. $\frac{1}{2}$.	
7	sarmentosum. DC. (ye.) trailing.	_____	_____	_____	D.G. $\frac{1}{2}$.	Burm. afr. t. 26. f. 2.
8	lanceolatum. W. (ye.) spear-leaved.	_____	1752.	8.	D.G. δ .	
GL'INUS. DC. GL'INUS. Dodecandria Pentagynia. L.						
	lotoïdes. DC. (ye.) hairy.	S. Europe.	1788.	7. 8.	H. $\odot$.	Bocc. sic. 21. t. 11.

Tribus II. REAUMURIEÆ.

REAUMURIA. DC.	REAUM'URIA. Icosandria Pentagynia.					
1	vermiculata. DC. (wh.) white-flowered.	Persia.	1829.		G. $\frac{1}{2}$.	Lob. ic. t. 380.

2 hypericoides. DC. (pu.) purple-flowered. Syria.	1800.	7. 10.	G. h.	Bot. mag. t. 2057.
linifolia. Sal. par. lond. t. 18.				
NITR'ARIA. DC. NITR'ARIA. Dodecandria Trigynia.				
1 Schobéri. L. (wh.) thick-leaved. Siberia.	1778.	5. 8.	H. h.	Andr. rep. t. 529.
2 sibirica. F. (wh.) Siberian. ———	1826.		H. h.	Gmel. sib. 2. t. 98.
3 caspica. W.en. (wh.) Caspian. Caspia.	1822.	5. 8.	H. h.	Pall. ross. t. 50. f. B.
4 tridentata. DC. (wh.) tridentate. Africa.	—	—	H. h.	

ORDO CIII.

CACTEÆ. DC. prodr. v. 3. p. 457.

Tribus I. OPUNTIACEÆ. DC. prodr. v. 3. p. 458.

MAMMILL'ARIA. H.S. MAMMILL'ARIA. Icosandria Monogynia.				
1 magnimamma. DC. (re.) large-beaded. Mexico.	1823.	6. 8.	D.S. h.	
2 coronaria. DC. (sc.) the great. ———	1820.	—	D.S. h.	Orteg. dec. t. 16.
3 discolor. DC. (wh.re.) two-coloured. S. America.	1800.	—	D.S. h.	DC. diss. t. 2. f. 2.
Cactus Spini. Colla. depressus. DC. cat. h. monsp. p. 84. pseudo-mammillaris.				Salm Dyck.
4 lanifera. DC. (re.) wool-bearing. Mexico.	1823.	6. 8.	D.S. h.	DC. diss. t. 4.
5 flavescens. DC. (re.) yellow-spined. S. America.	1811.	—	D.S. h.	
6 straminea. H.S.S. (re.) straw-coloured. ———	—	—	D.S. h.	
7 prolifera. DC. (wh.) white-spined. ———	1688.	7. 8.	D.S. h.	
8 simplex. DC. (wh.) small red-spin'd. W. Indies.	—	—	D.S. h.	DC. plant. gras. t. 3.
Cactus mammillaris. L.				
9 missouriensis. L.C. (wh.) Missouri. Missouri.	1813.	6. 8.	D.G. h.	
Cactus mammillaris. Nuttall. nec aliorum.				
10 vivipara. DC. (re.) viviparous. ———	—	—	D.G. h.	
11 parvimamma. DC. small-beaded. S. America.	1817.		D.S. h.	
Cactus microthèle. S.S.				
12 geminispina. DC. (re.) twin-spined. Mexico.	1823.	6. 8.	D.S. h.	DC. diss. t. 3.
13 glomerata. DC. (re.) tufted. St. Domingo.	1825.		D.S. h.	Plum. ed Bur. t. 201. f. 1.
14 pusilla. DC. (bh.) hoary starry. S. America.	1816.	6. 9.	D.S. h.	DC. diss. t. 2. f. 1.
Cactus stellatus. Lodd. bot. cab. t. 79.				
15 Helicteres. DC. (ro.) simple obovate. Mexico.	1827.	—	D.S. h.	DC. diss. t. 5.
16 conica. H.S.S. cone-beaded.	1808.		D.S. h.	
17 coccinea. Gil. (sc.) scarlet-flower'd. Chile.	1827.		D.S. h.	
18 speciosa. Gil. (re.) handsome. ———	—		D.S. h.	
19 fuscata. Ot. brown. S. America.	—		D.S. h.	
20 canescens. Ot. canescent. ———	—		D.S. h.	
21 caespitosa. Ot. tufted. ———	—		D.S. h.	
22 chrysantha. Ot. (ye.) yellow-flowered. ———	—		D.S. h.	
MELOCA'CTUS. DC. MELON THISTLE. Icosandria Monogynia.				
1 communis. DC. (re.) Turk's-cap. W. Indies.	1688.	7. 8.	D.S. h.	DC. plant. gras. t. 112.
2 oblongus. DC. (re.) oblong. ———	—	—	D.S. h.	
3 macrocephalus. large-beaded. ———	—	—	D.S. h.	
4 macracanthus. DC. (re.) large-spined. S. America.	1820.	—	D.S. h.	Lk. et Ot. dis. t. 12.
5 pyramidalis. DC. pyramidal. Curassao.	1824.		D.S. h.	— p. 10. t. 25.
6 placentiformis. DC. (re.) black-spined. Brazil.	—	7. 9.	D.S. h.	Besl. h. eyst. 4. ord. f. 1.
Cactus Melocactus. Besl. non L. Melocactus Beslèri. Lk. et Ot. dis. p. 11. t. 21.				
7 Langsdorffii. DC. (ye.) Langsdorf's. Brazil.	1826.	7. 9.	D.S. h.	
8 Sellowii. DC. Sellow's. Monte Video.	—		D.S. h.	Lk. et Ot. dis. t. 22.
9 polyacanthus. DC. many-spined. Brazil.	—		D.S. h.	— p. 13. t. 16. f. 1.
ECHINOCA'CTUS. DC. ECHINOCA'CTUS. Icosandria Monogynia.				
1 gibbosus. DC. (wh.) gibbous. Jamaica.	1808.	6. 8.	D.S. h.	Bot. reg. t. 137.
Cactus gibbosus. B.R.				
2 latispinus. H.P. (pu.) flat-spined. Mexico.	1823.		D.S. h.	Lk. et Ot. dis. t. 14.
3 cornigerus. DC. dis. t. 7 ?				
4 crispatus. DC. (pu.) curl-ribbed. ———	1826.		D.S. h.	DC. diss. t. 8.
5 obvallatus. DC. (pu.) guarded. ———	—		D.S. h.	— t. 9
6 tenuispinus. DC. (ye.) slender-spined. Brazil.	—	6. 8.	D.S. h.	Lk. et Ot. dis. t. 19. f. 1.
7 melocactiformis. DC. (bh.) Melocactus-like. Mexico.	—		D.S. h.	DC. diss. t. 10.
8 tephacanthus. DC. ashy-spined. Brazil.	1825.		D.S. h.	Lk. et Ot. dis. t. 14. f. 2.
9 recurvus. DC. recurve-spined. Mexico.	1768.		D.S. h.	
Cactus nobilis. L.				

9	intortus. DC.	 twisted.	Antigua.	1768.		D.S. $\frac{1}{2}$.	
10	Salmianus. DC.	 Salm-Dyck's.	Curassao.	1824.		D.S. $\frac{1}{2}$.	
11	tuberculatus. DC.	 tubercled.	Mexico.	1826.		D.S. $\frac{1}{2}$.	Lk. et Ot. dis. t. 26.
12	gladiatus. DC.	 sword-spined.	—	—		D.S. $\frac{1}{2}$.	— p. 17. t. 17.
13	subuliferus. DC.	 awl-spined.	—	1824.		D.S. $\frac{1}{2}$.	— p. 16. t. 27.
14	depressus. DC.	 depressed.	S. America.	1780.		D.S. $\frac{1}{2}$.	
15	orthacanthus. DC.	 straight-spined.	Monte Video.	1828.		D.G. $\frac{1}{2}$.	Lk. et Ot. dis. t. 18.
16	acutatus. DC.	 sharp-ribbed.	—	—		D.G. $\frac{1}{2}$.	— p. 15. t. 23.
17	parvispinus. DC.	 small-spined.	S. America.	1815.		D.S. $\frac{1}{2}$.	
18	intricatus. DC.	 intricate.	Monte Video.	1828.		D.S. $\frac{1}{2}$.	Lk. et Ot. dis. t. 24.
19	meonacanthus. DC.	 oblong.	Jamaica.			D.S. $\frac{1}{2}$.	— p. 19. t. 15.
20	inflatus. Gil.	 inflated.	Chile.	1828.		D.S. $\frac{1}{2}$.	
21	erinaceus.	 Hedgehog.		1818.		D.S. $\frac{1}{2}$.	
<i>Cactus erinaceus.</i> H.S.S.							
C'EREUS. DC. C'EREUS. Icosandria Monogynia.							
1	multangularis. DC.	 many angled.	S. America.	1815.		D.S. $\frac{1}{2}$.	
2	reductus. DC.	 removed.	Mexico.	1796.		D.S. $\frac{1}{2}$.	
<i>Cactus nobilis.</i> H.S.							
3	Scopa. DC.	 setaceous.	Brazil.	1826.		D.S. $\frac{1}{2}$.	
4	senilis. DC.	 grey-headed.	Mexico.	1823.		D.S. $\frac{1}{2}$.	
<i>Cactus senilis.</i> H.P.							
5	peruvianus. DC.	(re.wh.) great Peruvian.	Peru.	1728.	8. 10.	D.S. $\frac{1}{2}$.	DC. plant. gras. t. 58.
6	monstruosus. DC.	(re.wh.) irregular.	S. America.	1816.	—	D.S. $\frac{1}{2}$.	DC. diss. t. 11.
<i>Cactus abnormis.</i> W.enum. sup. 31.							
7	monoclonus. DC.	(ro.wh.) obcordate-petal'd.	Caribees.		6. 8.	D.S. $\frac{1}{2}$.	Plum. ed. Burm. t. 191.
8	fimbriatus. DC.	(ro.) fringe-petal'd.	St. Domingo.	1826.	—	D.S. $\frac{1}{2}$.	— t. 195. f. 1.
9	hexagonus. H.S.	(ro.wh.) great 6-angled.	Surinam.	1690.	7. 8.	D.S. $\frac{1}{2}$.	Bradl. succ. t. 1.
10	heptagonus. H.S.	(wh.) great 7-angled.	W. Indies.	1728.	—	D.S. $\frac{1}{2}$.	
11	Histrix. DC.	 Porcupine.		1818.		D.S. $\frac{1}{2}$.	
12	eburneus. DC.	 ivory-thorned.	Curassao.	—		D.S. $\frac{1}{2}$.	Bradl. succ. t. 10.
β monstruosus. DC. monstrous.							
13	griseus. H.S.	(wh.) grey-spined.	Hybrid.			D.S. $\frac{1}{2}$.	
14	crenulatus. DC.	 crenulate.	S. America.	1809.	9. 10.	D.S. $\frac{1}{2}$.	
15	albispinus. DC.	 white-spined.	—	1822.		D.S. $\frac{1}{2}$.	
16	regalis. DC.	 the royal.	—	—		D.S. $\frac{1}{2}$.	
17	strictus. DC.	 straight.	—	1816.		D.S. $\frac{1}{2}$.	
18	Haworthii. DC.	 Haworth's.	—	1822.		D.S. $\frac{1}{2}$.	
<i>Cactus Haworthii.</i> s.s. <i>Cereus nobilis.</i> H.S.							
19	aureus. DC.	 gold-spined.	Caribees.	1811.		D.S. $\frac{1}{2}$.	
20	niger. DC.	(wh.) black.	S. America.	1825.		D.S. $\frac{1}{2}$.	
21	fulvispinosus. DC.	 tawny-spined.	—	1820.		D.S. $\frac{1}{2}$.	
22	flavispinus. DC.	 yellow-spined.	—	1795.		D.S. $\frac{1}{2}$.	
23	chiloensis. DC.	 ten-angled.	—	1822.		D.S. $\frac{1}{2}$.	
24	euphorbioides. DC.	 Euphorbia-like.	Chile.	1825.		D.S. $\frac{1}{2}$.	
25	Royeni. DC.	(wh.) Royen's 9-angled.	S. America.	1815.		D.S. $\frac{1}{2}$.	
26	lanuginosus. DC.	(wh.) woolly.	W. Indies.	1728.	6. 9.	D.S. $\frac{1}{2}$.	DC. plant. gras. t. 143.
27	repandus. DC.	(wh.) waved short-spin'd.	—	1690.	7. 8.	D.S. $\frac{1}{2}$.	Herm. parad. t. 115.
28	subrepandus. DC.	(wh.) waved long-spin'd.	—	1728.	8. 10.	D.S. $\frac{1}{2}$.	Bot. reg. t. 336.
29	polygonus. DC.	(wh.) many-sided.	—	1817.	—	D.S. $\frac{1}{2}$.	
30	rosaceus. Ot.	(ro.) rosy.	St. Domingo.	1826.		D.S. $\frac{1}{2}$.	Plum. ed. Burm. t. 196.
31	Deppii. Ot.	 Deppi's.		1826.		D.S. $\frac{1}{2}$.	
32	incrustatus. Ot.	 incrusted.		—		D.S. $\frac{1}{2}$.	
33	grandis. DC.	 straddling-spin'd.		—		D.S. $\frac{1}{2}$.	
34	tetragonus. DC.	(wh.) great 4-angled.	—	1816.		D.S. $\frac{1}{2}$.	
35	paniculatus. DC.	(wh.re.) panicled.	S. America.	1710.	7. 8.	D.S. $\frac{1}{2}$.	
36	obtusus. DC.	 blunt 3-angled.	St. Domingo.	1827.		D.S. $\frac{1}{2}$.	Plum. ed. Burm. t. 192.
37	serpentinus. DC.	(pu.wh.) white-spined.	Brazil.	1819.		D.S. $\frac{1}{2}$.	
38	ambiguus. DC.	(pu.wh.) ambiguous.	S. America.	1817.	7. 8.	D.S. $\frac{1}{2}$.	Lk. et Ott. abb. t. 91.
39	flagelliformis. DC.	(ro.) creeping.		1827.	—	D.S. $\frac{1}{2}$.	
40	caudatus. Gil.	 tailed.	Peru.	1690.	3. 6.	D.G. $\frac{1}{2}$.	Bot. mag. t. 17.
41	horizontalis. Gil.	 horizontal.	Chile.	1828.		D.G. $\frac{1}{2}$.	
42	grandiflorus. DC.	(ye.wh.) night-flowered.	—	—		D.G. $\frac{1}{2}$.	
43	Colvillii.	 Colvill's hybrid.	Jamaica.	1700.	6. 8.	D.S. $\frac{1}{2}$.	Andr. reposit. t. 508.
44	pentagonus. DC.	(wh.) five-angled.	Hybrid.	1825.		D.S. $\frac{1}{2}$.	
45	reptans. H.S.S.	 creeping.	S. America.	1769.	7. 8.	D.S. $\frac{1}{2}$.	
46	albisetosus. H.S.S.	 white-spin'd trails.	—	1813.		D.S. $\frac{1}{2}$.	
47	radicans. DC.	 rooting-branch'd.	St. Domingo.	1816.		D.S. $\frac{1}{2}$.	
48	humilis. DC.	 slender dwarf.	S. America.	1827.		D.S. $\frac{1}{2}$.	
49	quadrangularis. DC.	(wh.) quadrangular.	—	—		D.S. $\frac{1}{2}$.	
			S. America.	1809.	7. 9.	D.S. $\frac{1}{2}$.	Plum. ed. Bur. t. 199. f. 1.

50	tripteris. DC.	 broad-lobed.		1827.		D.S. $\frac{1}{2}$.	
51	hiróns. H.S.S	 rooting 4-angular.	St. Domingo.	1818.		D.S. $\frac{1}{2}$.	
52	speciosissimus. DC. (sc. pu.)	beautiful.	Mexico.	1816.	6. 9.	D.G. $\frac{1}{2}$.	Bot. reg. t. 486.
	<i>Cactus speciosissimus.</i>	B.R. <i>speciosus.</i>	Colla hort. rip. t. 10.				
53	triangularis. DC. (wh.)	great triangular.	W. Indies.	1690.	7. 8.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1884.
54	trigonus. DC. (wh.)	small triangular.		1809.	—	D.S. $\frac{1}{2}$.	Plum. ed. Bnr. t. 200. f. 2.
55	triqueter. DC.	 least triangular.	S. America.	1791.		D.S. $\frac{1}{2}$.	
56	coccineus. DC. (sc.)	scarlet-flowered.	Brazil.	1828.		D.S. $\frac{1}{2}$.	
57	Smithianus. (sc.)	Smith's hybrid.	Hybrid.	1824.	6. 9.	D.G. $\frac{1}{2}$.	
58	extensus. DC.	 extended.		1826.		D.S. $\frac{1}{2}$.	
59	squamulosus. DC. (ye.)	scaly.	Brazil.	—		D.S. $\frac{1}{2}$.	
60	prismaticus. DC.	 prismatic.		—		D.S. $\frac{1}{2}$.	
61	setaceus. DC.	 bristly.	Brazil.	1828.		D.S. $\frac{1}{2}$.	
62	myosurus. DC.	 mouse-tail.		—		D.S. $\frac{1}{2}$.	
63	tenuis. DC. (ro.)	slender-branched.		1826.		D.S. $\frac{1}{2}$.	
64	tenuispinus. H.P.	 slender-spined.	Mexico.	—		D.S. $\frac{1}{2}$.	
65	phyllanthoides. DC. (pi.)	rosy-flowered.		1816.	5. 8.	D.G. $\frac{1}{2}$.	Bot. mag. t. 2092.
	<i>Cactus speciosus.</i>	Bot. reg. t. 304.	<i>Epiphyllum phyllanthoides.</i>	H.R.			
66	Jenkinsoni. (sc.)	Mr. Jenkinson's.	Hybrid.	1824.	6. 9.	D.G. $\frac{1}{2}$.	
67	Ackermanni. H.R. (sc.)	Ackermann's.	Mexico.	1824.	5. 7.	D.G. $\frac{1}{2}$.	
68	truncatus. DC. (cr.)	truncated.	Brazil.	1818.	7. 11.	D.S. $\frac{1}{2}$.	Bot. reg. t. 696.
	<i>Cactus truncatus.</i>	Bot. mag. t. 2092.	<i>Epiphyllum truncatum.</i>	H.P.			
69	alatus. DC. (gr. wh.)	wing-stemmed.	Jamaica.	1818.	8. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 2820.
70	Hookeri. H.P. (wh.)	Hooker's.	S. America.		7. 8.	D.S. $\frac{1}{2}$.	— t. 2692.
	<i>Cactus Phyllanthus.</i>	B.M. nec aliorum.	<i>Epiphyllum Hookeri.</i>	H.P.			
71	Phyllanthus. DC. (wh.)	long-tubed.	S. America.	1710.	6. 7.	D.S. $\frac{1}{2}$.	DC. plant. gras. t. 145.
72	gracilis. DC.	 slender.		1826.		D.S. $\frac{1}{2}$.	
73	imbricatus. H.R.	 imbricated.		1820.		D.S. $\frac{1}{2}$.	
74	cylindricus. H.S.	 cylindrical.	Peru.	1799.		D.G. $\frac{1}{2}$.	
OPUNTIA. DC. INDIAN-FIG. Icosandria Monogynia.							
1	foliosa. DC. (ye.)	greater Pin-pillow.	S. America.	1805.	6. 7.	D.S. $\frac{1}{2}$.	
	<i>pusilla.</i>	H.S. non DC.					
2	curassavica. DC. (ye.)	Pin-pillow.	Curassao.	1690.	—	D.S. $\frac{1}{2}$.	Bradl. succ. t. 4.
	α major. H.S. (ye.)	larger.		—	—	D.S. $\frac{1}{2}$.	
	β media. H.S. (ye.)	middle.		—	—	D.S. $\frac{1}{2}$.	
	γ minor. H.S. (ye.)	smaller.		—	—	D.S. $\frac{1}{2}$.	
	δ longa. H.R. (ye.)	longer.	Brazil.	1820.	—	D.S. $\frac{1}{2}$.	
3	fragilis. DC. (ye.)	brittle Pin-pillow.	Missouri.	1814.		D.F. $\frac{1}{2}$.	
4	pusilla. DC. (ye.)	small Pin-pillow.	S. America.	1826.		D.S. $\frac{1}{2}$.	
5	polyacantha. H.S.S. (st.)	many-spined.	Missouri.	1814.	7. 9.	D.F. $\frac{1}{2}$.	
	<i>missouriensis.</i>	DC. <i>Cactus feróx.</i>	N.				
6	media. H.S.S. (ye.)	lesser many-spined.		—	—	D.F. $\frac{1}{2}$.	
7	ferox. DC. (ye.)	ferocious.	S. America.	1817.		D.S. $\frac{1}{2}$.	
8	spinosissima. DC.	 cluster-spined.	Jamaica.	1732.	7.	D.S. $\frac{1}{2}$.	
9	humilis. H.S. (ye.)	humble.	W. Indies.	1795.	7. 8.	D.S. $\frac{1}{2}$.	
	<i>horrida.</i>	DC.					
10	Dillenii. DC. (ye.)	Dillenius's.	S. America.	1731.	9. 10.	D.S. $\frac{1}{2}$.	Bot. reg. t. 255.
	<i>Cactus Dillenii.</i>	B.R. Dill. elth. 2. t. 296. f. 382.					
11	Tuna. DC. (ye.)	yellow-spined.		—	—	D.S. $\frac{1}{2}$.	Dill. elth. t. 295. f. 380.
12	polyantha. DC. (ye.)	many-flowered.		1811.	7. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 2691.
13	monacantha. DC. (ye.)	one-spined.		1816.	—	D.S. $\frac{1}{2}$.	DC. pla. gras. n. 137. t. 2.
14	clatior. DC. (ye.)	great black-spin'd.		1731.	7. 8.	D.S. $\frac{1}{2}$.	Dill. elth. t. 204. f. 379.
15	nigricans. DC. (ye.)	lesser black-spined.		1795.	—	D.S. $\frac{1}{2}$.	Bot. mag. t. 1557.
	<i>Cactus Tuna</i>	γ <i>nigricans.</i>	B.M.				
16	maxima. DC. (ye.)	great oblong.	S. America.	1768.	7. 9.	D.S. $\frac{1}{2}$.	
17	triacantha. DC. (ye.)	three-spined.		1796.	—	D.S. $\frac{1}{2}$.	
18	decumana. H.R.	 great.		1820.		D.S. $\frac{1}{2}$.	
19	elongata. H.S.S.	 various-spined.		1816.		D.S. $\frac{1}{2}$.	
20	cochinillifera. DC. (re.)	Cochineal-fig.		1688.	7. 9.	D.S. $\frac{1}{2}$.	Andr. rep. t. 523.
	<i>Cactus cochinillifer.</i>	Bot. mag. t. 2711-2712.					
21	Ficus-Indica. DC. (ye.)	Indian Fig.		1731.	7. 8.	D.S. $\frac{1}{2}$.	
22	pseudo-Tuna. DC. (ye.)	bastard.			—	D.S. $\frac{1}{2}$.	
23	tomentosa. DC.	 woolly-branch'd.		1824.		D.S. $\frac{1}{2}$.	
24	sericea. Gil.	 silky.	Chile.	1827.		D.S. $\frac{1}{2}$.	
25	lanceolata. DC. (ye.)	spear-shaped.		1796.	7. 9.	D.S. $\frac{1}{2}$.	
26	tuberculata. DC. (ye.)	tubercled.		1818.	—	D.S. $\frac{1}{2}$.	
27	inermis. DC. (ye.)	upright spineless.		1796.	—	D.S. $\frac{1}{2}$.	DC. plant. gras. n. 138. ic.
	<i>tristis.</i>	H.S.					
28	Ameylæa. DC. (ye.)	Neapolitan.	Naples.	1825.	—	D.F. $\frac{1}{2}$.	

29	subinermis. L.en. (ye.)	nearly smooth	S. America.	1824.	7. 9.	D.S. h̄.	
30	rubescens. DC.	 red-stemmed.	Brazil.	1828.		D.S. h̄.	
31	crassa. DC.	(ye.) thick-lobed.	Mexico.	1817.	6. 9.	D.G. h̄.	
32	longispina. Ot.	(ye.) long-spined.	S. America.	1824.		D.S. h̄.	
33	leucantha. Ot.	(wh.) white-flowered.	—————	—————		D.S. h̄.	
34	pulvinata. DC.	 pulvinate.	Mexico.	1827.		D.S. h̄.	
35	Hernandèsii. DC.	(re.) Hernandez's.	—————	—————		D.G. h̄.	Hern. mex. 78. ic.
36	vulgaris. DC.	(ye.) common.	America.	1596.	7. 9.	D.F. h̄.	Mill. dict. t. 191.
	Cactus Opuntia. Bot. mag.	t. 2393.					
	β minor.	(ye.) lesser.	N. America.	1814.	—	D.F. h̄.	
	Cactus Opuntia. N.						
37	brasiliensis. DC.	(gr.) round-stemm'd.	Brazil.	1817.		D.S. h̄.	Pis. bras. p. 100. f. 2.
PERE'SKIA. DC. PERE'SKIA. Icosandria Monogynia.							
1	aculeata. DC.	(wh.) Barbadoes Gooseby.	W. Indies.	1696.	10. 11.	S. h̄.	Dill. elth. t. 227. f. 294.
	Cactus Pereskia. L.						
2	longispina. H.s.s.	(wh.) long-spined.	S. America.	1808.		S. h̄.	
3	portulacæfolia. DC.	(pu.) Purslane-leav'd.	W. Indies.	1820.		S. h̄.	Plum. ed Bur. t. 197. f. 1.
4	grandifolia. DC.	 great-leaved.	Brazil.	1818.		S. h̄.	

Tribus II. RHIPSALIDEÆ. DC. prodr. v. 3. p. 475.

RHIPS'ALIS. DC. RHIPS'ALIS. Dodecandria Monogynia.							
1	Cass'ylha. DC.	(wh.) pendulous.	W. Indies.	1758.	7. 10.	S. h̄.	Gært. sem. 1. t. 28. f. 1.
2	Hookeriàna. DC.	(wh.) four-petal'd.	—————		—	S. h̄.	Hook. ex. flor. t. 2.
3	fasciculata. DC.	(wh.) cluster-branch'd.	S. America.	1800.	—	S. h̄.	
4	parasitica. DC.	(wh.) parasitical.	W. Indies.	—	—	S. h̄.	Plum. ed Bur. t. 197. f. 2.
5	funàlis. DC.	(wh.) great-flowered.	S. America.	1816.	7. 8.	S. h̄.	Bot. mag. t. 2740.
	grandiflorus. B.M.	Cactus funàlis. s.s.					
6	salicornioïdes. DC.	(ye.) Glass-wort-like.	W. Indies.	1818.	5. 8.	D.S. h̄.	Bot. mag. t. 2461.
7	mesembryanthoïdes. DC.	Fig Marygold-like.	—————	—	—	D.S. h̄.	

ORDO CIV.

GROSSULARIÆ. DC. prodr. v. 3. p. 477.

R'IBES. DC. CURRANT. Pentandria Monogynia. L.							
1	oxyacanthoïdes. DC.	(st.) Hawthorn-leav'd.	N. America.	1705.	4. 5.	H. h̄.	Dill. elth. t. 139. f. 166.
2	ferox. DC.	(st.) ferocious.	California.	1827.	—	H. h̄.	
3	lacustre. DC.	(br.) swamp.	N. America.	1812.	—	H. h̄.	Lodd. bot. cab. t. 884.
4	Menzièsii. DC.	(cr.) Menzies'.	—————	1827.	—	H. h̄.	
5	speciosum. DC.	(pu.) beautiful.	—————	—	—	H. h̄.	
6	uva-crispa. R.s.	(st.) smooth Gooseberry.	England.		—	H. h̄.	Eng. bot. v. 29. t. 2057.
7	reclinatum. R.s.	(st.) procumbent.	Germany.	1683.	—	H. h̄.	
8	Grossulària. R.s.	(st.) rough Gooseberry.	England.		—	H. h̄.	Eng. bot. v. 12. t. 1232.
9	caucasicum. DC.	(st.) Caucasian.	Caucasus.	1820.	—	H. h̄.	
10	setosum. B.R.	(st.) bristly.	Missouri.	1827.	5.	H. h̄.	Bot. reg. t. 1237.
11	hirtellum. DC.	(st.) hairy.	N. America.	1812.	4. 5.	H. h̄.	
12	gracile. DC.	(st.) slender.	—————	—	—	H. h̄.	
13	Cynòsbatì. DC.	(gr.) prickly-fruited.	Canada.	1759.	4.	H. h̄.	Schmidt arb. t. 98.
14	triflorum. DC.	(br.) three-flowered.	N. America.	1812.	4. 5.	H. h̄.	Lodd. bot. cab. t. 1094.
15	Dikúscha. F.	(st.) Fischer's.	Siberia.	1821.	—	H. h̄.	
16	Stakòri. F.	(st.) Siberian.	—————	—	—	H. h̄.	
17	orientale. DC.	(st.) oriental.	Syria.	1820.	—	H. h̄.	
18	saxatile. DC.	(br.) rock.	Siberia.	1828.	—	H. h̄.	
19	diacantha. DC.	(st.) two-spined.	—————	1781.	5. 6.	H. h̄.	Pall. ross. 2. t. 66.
20	alpinum. DC.	(st.) Alpine.	Britain.		4. 5.	H. h̄.	Eng. bot. v. 10. t. 704.
	α stérile. DC.	(st.) barren.	—————		—	H. h̄.	
	β bacciferum. DC.	(st.) berry-bearing.	—————		—	H. h̄.	
21	resinosum. DC.	(st.) clammy.	N. America.	1800.	—	H. h̄.	Bot. mag. t. 1583.
22	procumbens. DC.	(br.) trailing.	Dahuria.	1804.	5. 6.	H. h̄.	Pall. ross. 2. t. 65.
23	multiflorum. DC.	(st.) many-flowered.	Hungary.	1818.	5.	H. h̄.	Bot. mag. t. 2368.
24	spicatum. DC.	(br.) acid.	England.		—	H. h̄.	Eng. bot. v. 18. t. 1290.

25	rùbrum. DC.	(st.) common red.	Britain.		4. 5.	H. h.	Eng. bot. v. 18. t. 1289.
	<i>α sylvestre</i> . DC.	(st.) wild.	————		—	H. h.	
	<i>β hortense</i> . DC.	(st.) cultivated.			—	H. h.	
	<i>γ carneum</i> . DC.	(st.) pale-fruited.			—	H. h.	
	<i>δ variegatum</i> . DC.	(st.) stripe-fruited.			—	H. h.	
	<i>ε album</i> . DC.	(st.) white-fruited.			—	H. h.	Berl. mem. t. 2. f. 15.
26	petræum. DC.	(re.) rock.	England.		5. 6.	H. h.	Eng. bot. v. 10. t. 705.
27	cereum. B.R.	(wh.) waxy.	Columbia.	1827.	4. 5.	H. h.	Bot. reg. t. 1263.
28	atropurpureum. Led.	dark-purple.	Siberia.	—		H. h.	
29	carpathicum. R.S.	(st.) Carpathian.	Carpathian.M.	1816.	4. 5.	H. h.	
30	triste. DC.	(re. ye.) dark-coloured.	Siberia.	1818.	—	H. h.	
31	nigrum. DC.	(wh.) black-fruited.	Britain.		—	H. h.	Eng. bot. v. 18. t. 1291.
32	trifidum. DC.	(pu.) trifid-calyxed.	N. America.	1828.	—	H. h.	
33	glandulosum. DC.	(st.) glandular.	Chile.	1820.	5. 6.	H. h.	Flor. per. t. 232. f. b.
34	prostratum. DC.	(pu.) prostrate.	N. America.	1777.	4. 5.	H. h.	L'Herit. stirp. 1. t. 2.
	<i>glandulosum</i> . H.K. non R.P.						
35	Biebersteinii. DC.	(st.) Bieberstein's.	Caucasus.	1820.	—	H. h.	
	<i>caucasicum</i> . M.B. nec aliorum.						
36	rigens. DC.	(st.) rigid.	N. America.	1812.	—	H. h.	
37	albinervium. DC.	(st.) white-nerved.	Canada.	1828.	—	H. h.	
38	laxiflorum. DC.	(st.) loose-flowered.	N. America.	1812.	—	H. h.	
39	viscosissimum. DC.	(ye.) viscous.	————	1827.	—	H. h.	
40	sanguineum. DC.	(cr.) crimson.	————	1820.	5. 6.	H. h.	
41	floridum. DC.	(st.) Pensylvanian.	————	1729.	4. 5.	H. h.	Dill. elth. t. 244. f. 315.
42	aureum. DC.	(ye.) golden.	Missouri.	1812.	4. 6.	H. h.	Bot. reg. t. 125.
43	longiflorum. L.C.	(ye.) long-flowered.	N. America.	1818.	—	H. h.	
44	tenuiflorum. B.R.	(ye.) slender-flower'd.	————	1824.	—	H. h.	Bot. reg. t. 1274.
	<i>α melanocarpa</i> . (ye.) black-fruited.		————	—	—	H. h.	
	<i>β chrysocarpa</i> . (ye.) yellow-fruited.		————	—	—	H. h.	

ORDO CV.

ESCALLONEÆ. *Kth. synops. v. 3. p. 364.*

ESCALL'ONIA. L.		ESCALL'ONIA. Pentandria Monogynia. L.				
1 rùbra. R.S.	(re.) red-flowered.	Chile.	1826.	8. 10.	G. h.	Bot. mag. t. 2890.
<i>Stereóxylon rùbrum</i> . Flor. per. v. 3. t. 236. f. b.						
2 glandulòsa. B.C.	(wh.) glandular.	Chile.	—	—	G. h.	Lodd. bot. cab. t. 1291.
3 floribúnda. K.S.	(wh.) many-flowered.	New Granada.	1827.		G. h.	
4 caracasàna. K.S.	(wh.) Caracas.	Caracas.	—		S. h.	
ANO'PTERUS. B.P.		ANO'PTERUS. Hexandria Monogynia.				
glandulòsa. B.P.	(wh.) glandular.	V. Diem. Isl.	1823.		G. h.	Lab. nov. holl. 1. t. 112.

ORDO CVI.

SAXIFRAGEÆ. *Juss. gen. 308.*

SAXIFRAGA. L.		SAXIFRAGE. Decandria Digynia. L.				
1	crassifolia. L.T. (ro.) thick-leaved.	Siberia.	1765.	3. 5.	H. 4.	Bot. mag. t. 126.
	<i>Bergenia crassifolia</i> . Mœn. <i>Megasea crassifolia</i> . H.R.					
2	cordifolia. L.T. (ro.) heart-leaved.	————	1779.	—	H. 4.	
3	media. (ro.) intermediate.	————	1819.	—	H. 4.	
	<i>Megasea media</i> . H.R.					
4	ligulata. L.T. (wh.) fringed-leaved.	Nepaul.	1818.	—	H. 4.	Swt. br. fl. gar. 59.
	<i>Megasea ciliata</i> . H.R.					
5	Geum. L.T. (sp.) kidney-leaved.	Ireland.		6. 7.	H. 4.	Eng. bot. v. 22. t. 1561.
6	hirsuta. L.T. (sp.) hirsute.	————		5. 6.	H. 4.	———— v. 33. t. 2322.
7	polita. L.en. (sp.) polished.	————		—	H. 4.	
	<i>R. tertsonia polita</i> . H.S.					

8	dentata. L.en. (sp.) toothed.	Ireland.		5. 6.	H. 4.	
	<i>Robertsònia dentata</i> . H.S.					
9	crenata. (sp.) crenated.		1790.	—	H. 4.	
	<i>Robertsònia crenata</i> . H.S.					
10	sphæroidea. (sp.) sphæroid.	Pyrenees?	1800.	—	H. 4.	
	<i>Robertsònia sphæroidea</i> . H.S.					
11	punctata. L. (sp.) dotted-flower'd.	Siberia.	1699.	—	H. 4.	
12	serrata. L.en. (sp.) sawed-leaved.	Ireland.		—	H. 4.	
	<i>Robertsònia serrata</i> . H.S.					
13	umbròsa. L.T. (sp.) London pride.	Britain.		4. 6.	H. 4.	Eng. bot. v. 10. t. 633.
14	cuneifolia. L.T. (sp.) wedge-leaved.	Switzerland.	1768.	5. 6.	H. 4.	W. et K. hung. 1. t. 41.
15	hybrida. L.en. (sp.) hybrid.		1820.	—	H. 4.	Sternb. sax. 17. t. 8. f. 3.
16	stellaris. L.T. (wh.) starry.	Britain.		6. 7.	H. 4.	Eng. bot. v. 3. t. 167.
	δ <i>Schleichèri</i> . L.T. (wh.) <i>Schleicher's</i> .	Switzerland.	1819.	—	H. 4.	
	<i>Spatularia stellaris</i> . γ <i>dépilata</i> . H.R.					
17	leucanthemifolia. (wh.) Stock-leav'd.	N. America.	1812.	—	H. 4.	Lap. pyr. sax. t. 25.
18	sarmentosa. L.T. (wh.) sarmentose.	China.	1771.	—	F. 4.	Bot. mag. t. 92.
	<i>Diptera sarmentosa</i> . Bork. <i>Ligularia sarmentosa</i> . H.R.					
19	cuscutæfòrmis. B.C. (wh.) dodder-like.	China.	1815.	2. 7.	F. 4.	Lodd. bot. cab. t. 186.
	<i>Ligularia minor</i> . H.R.					
20	erosa. L.T. (wh.) jagged-leaved.	N. America.	1812.	5. 6.	H. 4.	
	<i>Aulaxis nuda</i> . H.R.					
	β <i>hirsuta</i> . L.T. (wh.) hairy.	—	—	—	H. 4.	
	<i>Aulaxis micranthifolia</i> . H.R.					
21	rotundifolia. L.T. (wh.) round-leaved.	Austria.	1596.	—	H. 4.	Bot. mag. t. 421.
	<i>Miscopetalum rotundifolium</i> . H.R.					
	β <i>repanda</i> . L.T. (wh.) repand.	—		—	H. 4.	Sternb. saxif. t. 5.
22	granulata. L.T. (wh.) grain-rooted.	Britain.		5.	H. 4.	Eng. bot. v. 7. t. 500.
	β <i>multiplèx</i> . (wh.) double-flowered.	—		—	H. 4.	
23	bulbifera. L.T. (wh.) bulbiferous.	S. Europe.		6. 7.	H. 4.	Sternb. sax. t. 12. f. 1.
24	cérnua. L.T. (wh.) drooping.	Scotland.		7.	H. 4.	Eng. bot. v. 10. t. 664.
	<i>Lobaria cérnua</i> . H.R.					
25	sibírica. L.T. (wh.) Siberian.	Siberia.	1802.	5. 6.	H. 4.	Sternb. sax. p. 23. t. 25.
26	rivularis. L.T. (wh.) Alpine brook.	Scotland.		6. 7.	H. ☉.	Eng. bot. v. 32. t. 2275.
	<i>Lobaria rivularis</i> . H.R.					
27	hederacea. L.T. (wh.) Ivy-leaved.	Levant.	1752.	7.	H. ☉.	Flor. græc. t. 379.
28	Hirculus. L.T. (ye.) yellow marsh.	England.		8.	H. 4.	Eng. bot. v. 15. t. 1000.
	<i>Hirculus ranunculoides</i> . H.R.					
29	flagellaris. L.T. (ye.) flagelliferous.	Baffin's Bay.	1820.	—	H. 4.	Sternb. sax. p. 25. t. 6.
30	aizoides. L.T. (ye.) smaller mountain.	Britain.		7. 8.	H. 4.	— t. 8. f. 1.
	β <i>autumnalis</i> . (ye.) larger mountain.	—		—	H. 4.	Eng. bot. v. 1. t. 39.
	<i>Leptasca aizoides</i> . H.R.					
31	bronchialis. L.T. (st.) spiny-fringed,	Siberia.	1819.	—	H. 4.	Gmel. sib. 4. t. 65. f. 2.
32	tenella. L.T. (wh.) slender.	Carinthia.	1824.	—	H. 4.	Jacq. coll. 3. t. 17.
33	juniperina. L.T. (ye.) Juniper-like.	Caucasus.	1826.	—	H. 4.	Sternb. sax. p. 31. t. 10.
34	áspera. L.T. (st.) rough.	Switzerland.	1752.	8.	H. 4.	Jacq. aust. 5. t. 31.
	<i>Ciliaria áspera</i> . H.R.					
35	bryoides. L.T. (st.) thread-moss like.	—	—	6. 7.	H. 4.	Jacq. misc. 2. t. 5. f. 1.
36	hieracifolia. L.T. (br.) Hawkweed-ld.	Hungary.	1789.	5. 6.	H. 4.	W. et K. hung. 1. t. 18.
37	pensylvanica. L.T. (gr.) Pennsylvanian.	N. America.	1732.	—	H. 4.	Dill. elt. t. 253. f. 328.
	β <i>glabra</i> . (gr.) smoother-leaved.	—	—	—	H. 4.	
38	semipubescens. L.T. (st.) semipubescent.	—		—	H. 4.	
	<i>Micranthes semipubescens</i> . H.S.					
39	virginiensis. L.T. (wh.) Virginian.	—	1790.	5. 7.	H. 4.	Bot. mag. t. 1061.
	<i>Dermasa pilosa</i> . H.R.					
40	congesta. H.S.L. (wh.) close-headed.	—	1812.	—	H. 4.	
	<i>nivalis</i> . Ph. nec aliorum.					
41	nivalis. L.T. (wh.) clustered Alpine.	Britain.		6. 7.	H. 4.	Eng. bot. v. 7. t. 413.
	<i>Dermasa nivalis</i> . H.R.					
42	melaleuca. S.S. (wh.) Fischer's.	Siberia.	1826.	—	H. 4.	
43	longiscapa. L.T. (wh.) long-scaped.	—	1824.	5. 7.	H. 4.	
44	davurica. L.T. (wh.) Davurian.	Davuria.	—	—	H. 4.	
45	Cotyledon. L.T. (wh.) pyramidal.	Alps Europe.	1596.	5. 7.	H. 4.	Flor. dan. t. 241.
	<i>Chondrøsea pyramidalis</i> . H.R.					
46	intermedia. (wh.) related.		1808.	7.	H. 4.	
	<i>Chondrøsea intermedia</i> . H.R.					
47	lingulata. L.T. (sp.) tongue-leaved.	Pyrenees.		5. 7.	H. 4.	
	<i>longifolia</i> . S.S.					
	β <i>media</i> . L.T. (sp.) middle.	—		—	H. 4.	Sternb. sax. p. 1. t. 1. 2.

48	<i>crustata</i> . L.en.	(sp.) crusted.	Pyrenees.		5. 7.	H. 4.	Sternb. sax. t. 1. b.
49	<i>Aizoën</i> . L.T.	(sp.) large margined.	—	1731.	—	H. 4.	Jacq. aust. t. 438.
50	<i>recta</i> . P.S.	(sp.) straight-leaved.	Alps Europe.		—	H. 4.	Lap. pyr. sax. t. 15.
	<i>intacta</i> . L.T. W. hort. ber. 2. t. 75.	<i>Chondrøsea Aizoën</i> . H.R.					
	<i>minor</i> . H.R.	(sp.) lesser.	Alps Europe.		—	H. 4.	
	<i>puriflòs</i> . H.R.	(sp.) smaller-flowered.	—		—	H. 4.	
51	<i>luteata</i> . L.T.	(ye.) saffron-colour'd.	Switzerland.	1779.	6. 7.	H. 4.	Bot. mag. t. 351.
52	<i>aretioides</i> . L.T.	(ye.) Aretia-like.	—	1825.	—	H. 4.	Lap. pyr. sax. t. 13.
53	<i>Burseriana</i> . L.T.	(st.) Burser's.	Italy.	—	5. 6.	H. 4.	Jacq. misc. 1. t. 17. f. 3.
54	<i>retusa</i> . L.T.	(ro.) purple-flower'd.	Pyrenees.		3. 4.	H. 4.	Lap. pyr. sax. t. 18.
55	<i>oppositifolia</i> . L.T.	(re.) opposite-leaved.	Britain.		—	H. 4.	Eng. bot. v. 1. t. 9.
	<i>Antiphy'lla cærùlea</i> . H.R.						
56	<i>lilòra</i> . L.T.	(re.) two-fl'd purple.	Switzerland.	1825.	—	H. 4.	Lap. pyr. sax. t. 17.
57	<i>casia</i> . L.T.	(st.) grey.	—	1752.	5. 6.	H. 4.	Jacq. aust. 4. t. 374.
58	<i>diapensioides</i> . L.T.	(wh.) Diapensia-like.	—	1828.	—	H. 4.	Flor. ped. app. p. 21. t. 3.
59	<i>compacta</i> . S.S.	(wh.) compact.	—	—	—	H. 4.	
60	<i>androsæcea</i> . L.T.	(wh.) Androsace-leav'd.	—	1792.	—	H. 4.	Jacq. aust. 4. t. 389.
61	<i>sedoides</i> . L.T.	(st.) Stonecrop-like.	Europe.	1825.	—	H. 4.	Jacq. misc. 2. t. 21. f. 22.
62	<i>tenera</i> . L.T.	(st.) flat-leaved.	Switzerland.	—	5. 6.	H. 4.	Sternb. sax. t. 9. f. 4.
	<i>planifolia</i> . S.S.						
63	<i>geranioides</i> . L.S.	(wh.) cranesbill-leav'd.	Pyrenees.	1770.	4. 5.	H. 4.	Lap. pyr. sax. t. 43.
64	<i>irrigua</i> . L.T.	(wh.) crowfoot-leav'd.	Siberia.	1820.	—	H. 4.	M.B. cent. pl. rar. t. 73.
65	<i>pedatifida</i> . L.T.	(wh.) pedatifid.	Scotland.		5. 6.	H. 4.	Eng. bot. v. 32. t. 2278.
	<i>minor</i> . H.R.	(wh.) smaller villous.	—		—	H. 4.	
	<i>ladanifera</i> . L.T.	(wh.) ladaniferous.	Pyrenees.		—	H. 4.	Lap. sax. pyr. t. 42.
66	<i>quinquefida</i> . H.R.	(wh.) quinquefid.	Scotland.		—	H. 4.	
67	<i>ceratophy'lla</i> . L.T.	(wh.) shining-calyx'd.	Spain.	1804.	—	H. 4.	Bot. mag. t. 1651.
68	<i>ajugifolia</i> . L.T.	(wh.) Bugle-leaved.	Pyrenees.	1770.	6. 7.	H. 4.	Lap. pyr. sax. t. 31.
69	<i>affinis</i> . L.T.	(wh.) affined.	Ireland.		—	H. 4.	
70	<i>pentadactyla</i> . L.T.	(wh.) five-fingered.	Pyrenees.	1815.	5. 6.	H. 4.	Lap. pyr. sax. t. 40.
71	<i>latifida</i> . L.T.	(wh.) broad-cleft.	Spain.	1826.	—	H. 4.	
72	<i>decipiens</i> . L.T.	(wh.) palmate.	Wales.		—	H. 4.	Sternb. sax. p. 55. t. 23.
	<i>palmata</i> . Eng. bot. v. 7. t. 455.	<i>cæspitosa</i> . Flor. dan. t. 71.					
73	<i>hirta</i> . L.T.	(wh.) hairy.	Ireland.		—	H. 4.	Eng. bot. v. 32. t. 2291.
74	<i>platypetala</i> . L.T.	(wh.) broad-petaled.	Scotland.		6.	H. 4.	— v. 32. t. 2276.
75	<i>Schradèri</i> . S.S.	(wh.) Schrader's.	Siberia.	1826.	—	H. 4.	
76	<i>incurvifolia</i> . L.T.	(wh.) incurved-leav'd.	Ireland.		—	H. 4.	
77	<i>denudata</i> . L.T.	(wh.) half-naked.	Scotland.		—	H. 4.	
78	<i>Sternbergii</i> . L.T.	(wh.) Sternberg's.	Germany.		5. 6.	H. 4.	Sternb. sax. t. 24.
79	<i>pulehiella</i> . L.T.	(st.) pretty.	—	1818.	—	H. 4.	
80	<i>tridentata</i> . L.T.	(wh.) three-toothed.			—	H. 4.	
81	<i>cæspitosa</i> . L.T.	(st.) tufted.	Wales.		—	H. 4.	Eng. bot. v. 12. t. 794.
82	<i>exarata</i> . L.T.	(wh.) furrowed.	Pyrenees.	1818.	—	H. 4.	Vill. delph. 4. t. 45.
	<i>erròsa</i> . Lap. pyr. sax. t. 39.						
83	<i>pedemontana</i> . L.T.	(wh.) Piedmont.	Piedmont.	1824.	—	H. 4.	All. ped. t. 21. f. 6.
	<i>caudata</i> . Pl. rar. hung. t. 88.	<i>heterophy'lla</i> . Sternb. sax. t. 20. f. 1-2.					
84	<i>muschata</i> . L.T.	(ye.) musky.	Piedmont.		5. 6.	H. 4.	Jacq. misc. 2. t. 21. f. 2.
85	<i>muscoïdes</i> . L.T.	(st.) Moss-like.	England.		—	H. 4.	Lap. pyr. sax. t. 35.
	<i>Muscària muscoïdes</i> . H.R.						
86	<i>pygmæa</i> . L.T.	(st.) pigmy.	Scotland.		—	H. 4.	Eng. bot. v. 33. t. 2214.
	<i>muschata</i> . E.B. non Jacq.	<i>Muscària cæspitosa</i> . H.R.					
87	<i>trilactylites</i> . E.B.	(bh.) Rue-leaved.	Britain.		3. 5.	H. ☉.	Eng. bot. v. 7. t. 501.
	<i>Trilactylites annua</i> . H.R.						
88	<i>controversa</i> . S.S.	(wh.) confused.	N. Europe.		—	H. ☉.	Sternb. sax. t. 16.
89	<i>petraea</i> . L.T.	(wh.) rock.	Carinthia.	1752.	4. 5.	H. ☉.	Jacq. ic. 1. t. 81.
90	<i>ascendens</i> . L.T.	(wh.) ascending.	Pyrenees.	—	5. 6.	H. 4.	Sternb. sax. t. 19. f. 1. 2.
	<i>apatica</i> . Lap. pyr. sax. t. 28.						
91	<i>lymnoides</i> . L.T.	(wh.) mossy.	Britain.		4. 6.	H. 4.	Eng. bot. v. 7. t. 454.
92	<i>viscosa</i> . L.T.	(wh.) viscous.	—		—	H. 4.	
93	<i>angustifolia</i> . L.T.	(wh.) narrow-leaved.	—		—	H. 4.	
94	<i>muscosa</i> . L.T.	(wh.) tufted.	—		—	H. 4.	
95	<i>pulehiella</i> . L.T.	(wh.) larger.	—		—	H. 4.	
96	<i>spatulata</i> . H.R.	(wh.) spatulate.	—		—	H. 4.	
97	<i>latifida</i> . H.R.	(wh.) broad-cleft.	—		—	H. 4.	
98	<i>rhodopetala</i> . H.R.	(bh.) rosy-petaled.	—		—	H. 4.	
99	<i>recurvula</i> . H.R.	(wh.) recurring-cup'd.	—		—	H. 4.	
100	<i>aristata</i> . H.R.	(wh.) awned.	—		—	H. 4.	
101	<i>septifida</i> . H.R.	(wh.) seven-cleft.	—		—	H. 4.	
102	<i>condensata</i> . L.T.	(wh.) close.	Scotland.		—	H. 4.	Gmel. fl. bad. t. 3.

93	<i>elongella</i> . L.T. (wh.) long peduncled.	Scotland.		5. 6.	H. 2.	Eng. bot. v. 32. t. 2277.
94	<i>leptophylla</i> . L.T. (wh.) narrow-leaved.	Wales.		—	H. 2.	
	<i>β angustifida</i> . L.T. (wh.) narrow-lobed.	—		—	H. 2.	
95	<i>laetevirens</i> . L.T. (wh.) light-green.	Scotland.		—	H. 2.	
96	<i>lanceolata</i> . H.R. (wh.) spear-leaved.	Europe.	1808.	—	H. 2.	
	<i>obtusa</i> . H.R. (wh.) blunt-leaved.	—	1820.	—	H. 2.	
97	<i>altifida</i> . H.R. (wh.) deep-cleft.	—		—	H. 2.	
98	<i>viscosa</i> . H.R. (wh.) viscous.	—		—	H. 2.	
99	<i>quinquedens</i> . H.R. (wh.) five-toothed.	—		—	H. 2.	
100	<i>Haworthii</i> . H.S. L. (wh.) Haworth's.	—		—	H. 2.	
	<i>hirta</i> . H.R. non E.B.	—	—	—	—	
101	<i>æstivalis</i> . F. (wh.) summer.	Altay.	1821.	5. 7.	H. 2.	
HEUCHERA . L. ALLUM-ROOT . Pentandria Digynia. L.						
1	<i>americana</i> . L. (gr.) viscid.	N. America.	1656.	5. 7.	H. 2.	Schkuhr hand. t. 58.
	<i>viscida</i> . Ph.	—	—	—	—	
2	<i>pubescens</i> . Ph. (bh.) pubescent.	—	1812.	—	H. 2.	
3	<i>hispida</i> . Ph. (gr.) hispid.	—	1820.	—	H. 2.	
4	<i>villosa</i> . M. (gr.) villous.	—	1812.	—	H. 2.	
5	<i>caulescens</i> . Ph. (wh.) caulescent.	—		—	H. 2.	
6	<i>glabra</i> . R.S. (gr.) smooth.	Altay.	1827.	—	H. 2.	
TIARELLA . L. TIARELLA . Decandria Digynia. L.						
1	<i>cordifolia</i> . Ph. (wh.) heart-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. mag. t. 1589.
2	<i>Menziessii</i> . Ph. (wh.) leafy-stemmed.	—	1812.	—	H. 2.	
3	<i>trifoliata</i> . Ph. (wh.) three-leaved.	N. America.	1826.	—	H. 2.	
4	<i>polyphylla</i> . D.P. (wh.) many-leaved.	Nepaul.	1818.	—	H. 2.	
ASTILBE . D.P. ASTILBE . Oct-Decandria Digynia.						
1	<i>decandra</i> . D.P. (st.) decandrous.	Carolina.	1812.	5. 6.	F. 2.	Vent. malm. t. 54.
	<i>Tiarëlla biternata</i> . v.	—	—	—	—	
2	<i>rivularis</i> . D.P. (st.) rivulet.	Nepaul.	1825.	—	H. 2.	
TELLIMA . B. TELLIMA . Decandria Digynia.						
	<i>grandiflora</i> . B.R. (st. re.) large-flowered.	N. America.	1826.	4. 5.	H. 2.	Bot. reg. t. 1178.
	<i>Mitella grandiflora</i> . Ph.	—	—	—	—	
MITELLA . L. MITELLA . Decandria Digynia. L.						
1	<i>diphylla</i> . w. (wh.) two-leaved.	N. America.	1731.	4. 5.	H. 2.	Bot. reg. t. 166
2	<i>cordifolia</i> . w. (wh.) heart-leaved.	—	1812.	—	H. 2.	Lam. ill. t. 373. f. 3.
3	<i>reniformis</i> . Ph. (wh.) kidney-leaved.	—	1758.	6. 8.	H. 2.	— t. 373. f. 2.
	<i>nuda</i> . w.	—	—	—	—	
4	<i>prostrata</i> . M. (wh.) prostrate.	—	1812.	5. 6.	H. 2.	
5	<i>pentandra</i> . B.M. (wh.) pentandrous.	—	1827.	6. 7.	H. 2.	Bot. mag. t. 2933.
CHRYSOSPLENIUM . L. GOLDEN SAXIFRAGE . Oct-Decandria Digynia.						
1	<i>alternifolium</i> . w. (ye.) alternate-leav'd.	Britain.		4. 5.	H. 2.	Eng. bot. v. 1. t. 54.
2	<i>oppositifolium</i> . w. (ye.) opposite-leaved.	—		—	H. 2.	— v. 7. t. 490.
3	<i>nepalense</i> . D.P. (ye.) Nepaul.	Nepaul.	1824.	—	H. 2.	
ADOXA . L. MOSCHATEL . Oct-Decandria Tetragynia.						
	<i>Moschatellina</i> . E.B. (st.) tuberous.	Britain.		3. 5.	H. 2.	Eng. bot. v. 7. t. 453.
HYDRANGEA . L. HYDRANGEA . Decandria Digynia. L.						
1	<i>arborescens</i> . w. (wh.) shrubby.	Virginia.	1736.	7. 8.	H. 2.	Bot. mag. t. 437.
	<i>vulgaris</i> . Ph.	—	—	—	—	
2	<i>cordata</i> . Ph. (wh.) heart-leaved.	Carolina.	1806.	—	H. 2.	Wats. dend. brit. t. 42.
3	<i>radiata</i> . w. (wh.) white-leaved.	—	1786.	—	H. 2.	Lam. ill. t. 370. f. 2.
	<i>nirca</i> . Wats. dend. brit. t. 43.	—	—	—	—	
4	<i>heteromalla</i> . D.P. (wh.) woolly-leaved.	Nepaul.	1823.		H. 2.	
5	<i>quercifolia</i> . w. (wh.) Oak-leaved.	Florida.	1803.	6. 9.	H. 2.	Bot. mag. t. 975.
6	<i>hortensis</i> . w. (pi.) changeable.	China.	1788.	4. 9.	H. 2.	— t. 438.
	<i>β cærulea</i> . (bl.) blue-flowered.	—	—	—	H. 2.	

ORDO CVII.

CUNONIACEÆ. *Brown.*

WEINMANNIA . L. WEINMANNIA . Octandria Digynia. L.						
1	<i>glabra</i> . L. (wh.) smooth.	W. Indies.	1818.	5. 7.	S. 2.	Lam. ill. t. 313. f. 1.
2	<i>hirta</i> . w. (wh.) hairy.	—	—	—	S. 2.	
3	<i>elliptica</i> . K.S. (wh.) elliptic-leaved.	Peru.	1823.		G. 2.	
4	<i>ovata</i> . K.S. (wh.) oval-leaved.	—	—		G. 2.	Cav. ic. 6. t. 566.

CUNONIA. L.	CUN'ONIA. Decandria Digynia. L.				
capensis. W.	(wh.) Cape.	C. B. S.	1816.	5. 7. G. $\frac{1}{2}$.	Bot. reg. t. 828.
CALLICOMA. A.R.	CALLIC'OMA. Dodecandria Digynia.				
serratifolia. A.R.	(st.) saw-leaved.	N. S. W.	1793.	5. 8. G. $\frac{1}{2}$.	Andr. reposit. t. 566.
ERATOP'ETALUM. Sm.	CERATOP'ETALUM. Decandria Monogynia.				
gummiferum. Sm.	(ye.) gum-bearing.	N. Holland.	1820.	 G. $\frac{1}{2}$.	Sm. n. holl. 1. t. 3.
BAU'ERA. Sal.	BAU'ERA. Polyandria Digynia. H.K.				
1 rubrifolia. Sal.	(re.) Madder-leaved.	N. S. W.	1793.	7. 12. G. $\frac{1}{2}$.	Sal. ann. bot. 1. t. 10.
rubroides. A.R.	198. B.M. 715.				
2 humilis. L.en.	(re.) dwarf.	————	1804.	—— G. $\frac{1}{2}$.	Lodd. bot. cab. t. 1197.

ORDO CVIII.

UMBELLIFERÆ. *Juss. gen.* 218.Subordo I. *ORTHOSPERMÆ.* DC.Tribus I. *HYDROCOTYLINÆ.*—Subtribus I. *Hydrocotyleæ.* DC.

HYDROCO'TYLE. S.S.	MARSH-PENNYWORT. Pentandria Digynia. L.				
1 vulgaris. s.s.	(bh.) common.	Britain.		5. 6. H.w. $\frac{1}{4}$.	Eng. bot. v. 11. t. 751.
2 umbellata. s.s.	(wh.) umbelled.	N. America.	1795.	7. 8. H.w. $\frac{1}{4}$.	Spreng. umb. 1. t. 1.
3 canariensis. s.s.	(ye.) Buenos Ayres.	Buenos Ayres.	1828.	—— F.w. $\frac{1}{4}$.	Cavan. icon. 5. t. 488.
4 americana. s.s.	(gr.) American.	N. America.	1799.	5. 8. H.w. $\frac{1}{4}$.	Spreng. umb. p. 3. t. 2. f. 3.
5 villosa. s.s.	(gr.) villous.	C. B. S.	1795.	8. G.w. $\frac{1}{4}$.	
6 nepalensis. H.E.F.	(gr.) Nepaul.	Nepaul.	1818.	2. 6. G.w. $\frac{1}{4}$.	Hook. ex. flor. t. 30.
hispida. D.P.					
7 nitidula. s.s.	(gr.) glossy.	Java.	1821.	—— S.w. $\frac{1}{4}$.	Hook. ex. flor. t. 25.
8 canariensis.	(gr.) Canary.	Canaries.	1828.	4. 6. G.w. $\frac{1}{4}$.	
9 prolifera. Ot.	(gr.) proliferous.	Brazil.	1821.	—— S.w. $\frac{1}{4}$.	
10 repanda. s.s.	(wh.) Pilewort-leav'd.	N. America.	1806.	6. 7. G.w. $\frac{1}{4}$.	Spreng. umb. t. 2. f. 4.
11 asiatica. s.s.	(wh.) thick-leaved.	Asia.	1690.	7. 8. G.w. $\frac{1}{4}$.	Rheed. mal. 10. t. 46.
12 sibthorpioides. s.s.	(wh.) Sibthorpia-like.	Mauritius.	1818.	—— S.w. $\frac{1}{4}$.	
ERIGENIA. N.	ERIG'ENIA. Pentandria Digynia.				
1 bulbosa. N.	(wh.) bulbous.	N. America.	1825.	3. 5. H. $\frac{1}{4}$.	
DISCUS. DC.	DIDI'SCUS. Pentandria Digynia.				
1 incisus. DC.	(wh.) cut-leaved.	N. S. W.	1820.	6. 8. H. $\odot$.	Linn. trans. 10. t. 21. f. 2.
Trachymene incisus. L.T.					
2 azureus. DC.	(bl.) blue-flowered.	————	1827.	7. 9. H. $\odot$.	Bot. mag. t. 2875.
caruleus. B.M.	Trachymene carulea. Bot. reg. t. 1225.				
TRACHYMENE. DC.	TRACHYM'ENE. Pentandria Digynia.				
1 compressa. s.s.	(st.) flat-stalked.	N. Holland.	1824.	5. 6. G. $\frac{1}{4}$.	Lab. n. holl. 1. t. 101.
2 linearis. s.s.	(ye.) linear-leaved.	N. S. W.	——	—— G. $\frac{1}{2}$.	Cavan. icon. 5. t. 485.
Azorella linearifolia. Cav.					
3 ovata. s.s.	(st.) oval-leaved.	————	1827.	—— G. $\frac{1}{2}$.	Lab. n. holl. 1. t. 100.
Azorella ovata. Labill.					
ASTROTRI'CHA. DC.	ASTROTRI'CHA. Pentandria Digynia.				
1 tomentosa. DC.	(wh.) woolly.	N. S. W.	1825.	5. 7. G. $\frac{1}{2}$.	
XANTHOSIA. DC.	XANTH'OSIA. Pentandria Digynia.				
1 pilosa. L.T.	(wh.) hairy.	N. S. W.	1826.	—— G. $\frac{1}{4}$.	Linn. trans. 10. t. 22. f. 1.
BOWLESIA. S.S.	BOWL'ESIA. Pentandria Digynia.				
1 tenera. s.s.	(wh.) slender.	Monte Video.	1827.	6. 8. H. $\odot$.	

Subtribus II. *Mulineæ.* DC.

SPANANTHE. S.S.	SPANANTHE. Pentandria Digynia. S.S.				
1 paniculata. s.s.	(wh.) panicled.	Caracas.	1795.	7. 8. S. δ .	Jacq. ic. 2. t. 350.
Hydrocotyle Spananthe. W.					
POZ'OA.	POZ'OA. Pentandria Digynia.				
1 coriacea. s.s.	(wh.) leathery-leaved.	Peru.	1827.	7. 9. F. $\frac{1}{4}$.	

Tribus II. *SANICULÆ.* DC.

ACTINOTUS. Lab.	ACTIN'OTUS. Pentandria Digynia.				
1 Helianthi. Lab.	(wh.) larger.	N. S. W.	1821.	6. 12. G. $\frac{1}{2}$.	Bot. reg. t. 654.
Ersealia major. Ex. bot. t. 80.					

SANICULA. S.S.		SANICLE. Pentandria Digynia. L.					
1 europæa. s.s.	(wh.) wood.	Britain.		6. 7.	H. 4.	Eng. bot. v. 2. t. 98.	
2 canadensis. s.s.	(wh.) Canadian.	Canada.	1800.	—	H. 4.		
3 marilandica. s.s.	(wh.) Maryland.	N. America.	1765.	—	H. 4.	Jacq. ic. 2. t. 348.	
HACQUETIA. DC.		HACQUETIA. Pentandria Digynia.					
Epipactis. DC.	(ye.) dwarf.	S. Europe.	1818.	5. 7.	H. 4.	Jacq. aust. 5. t. 11.	
Astrantia Epipactis. w. Dondia Epipactis. s.s.							
ASTRANTIA. S.S.		ASTRANTIA. Pentandria Digynia. L.					
1 major. w.	(bh.) great black.	Alps Europe.	1596.	5. 9.	H. 4.	Exot. bot. 2. t. 76.	
2 carniolica. w.	(bh.) Carniolian.	Carniola.	1812.	5. 6.	H. 4.	Jacq. aust. 5. app. t. 10.	
3 caucasia. R.S.	(bh.) Caucasian.	Caucasus.	1824.	—	H. 4.		
intermedia. M.B.							
4 maxima. Pall.	(bh.) Hellebore-leav'd.	—	1804.	6. 7.	H. 4.	Bot. mag. t. 1553.	
helleborifolia. P.L. 60. heterophylla. M.B.							
5 minor. w.	(wh.) small.	Switzerland.	1686.	5. 6.	H. 4.	Sm. exot. bot. 2. t. 77.	
ERYNGIUM. S.S.		ERYNGO. Pentandria Digynia. L.					
1 aquaticum. s.s.	(wh.) marsh.	N. America.	1699.	7. 9.	H. 4.	Bot. reg. t. 372.	
2 longifolium. s.s.	(wh.) long-leaved.	Mexico.	1812.	—	F. 4.	Cav. ic. 6. t. 555.	
3 gramineum. s.s.	(bl.) grass-leaved.	New Spain.	1825.	7. 10.	F. 4.	Laroch. eryng. t. 20.	
4 bromelifolium. s.s.	(st.) Bromelia-leav'd.	—	1822.	—	F. 4.	— t. 28.	
5 monocepalum. s.s.	(pu.) one-headed.	Mexico.	1824.	—	F. 4.	Cavan. icon. 6. t. 553.	
6 ebracteatum. s.s.	(wh.) bractless.	Monte Video.	1810.	7. 9.	F. 4.	Laroch. eryng. t. 32.	
7 ternatum. s.s.	(pu.) ternate-leaved.	Crete.		—	F. 4.	Moris. his. s. 7. t. 36. f. 24.	
8 planum. s.s.	(bl.) flat-leaved.	Europe.	1596.	—	H. 4.	Jacq. aust. 4. t. 391.	
9 tricuspidatum. s.s.	(pu.) trifid.	Spain.	1699.	9.	H. 4.	Laroch. eryng. t. 9.	
10 asperifolium. s.s.	(wh.) rough-leaved.	—	1824.	6. 8.	H. 4.	— t. 11.	
11 dichotomum. s.s.	(bl.) forked.	S. Europe.	—	7. 9.	H. 4.	Desf. atl. 1. t. 55.	
12 cœruleum. M.B.	(bl.) blue.	Caucasus.	1816.	—	H. 4.		
13 giganteum. s.s.	(bl.) gigantic.	Armenia.	1823.	—	H. 4.		
14 alpinum. s.s.	(bl.) Alpine.	Switzerland.	1597.	—	H. 4.	Bot. mag. t. 922.	
15 spina-alba. DC.	(wh.) white-spined.	S. Europe.	1816.	—	H. 4.	Vill. delph. t. 17.	
16 virgatum. s.s.	(bl.) oval-leaved.	N. America.	1810.	6. 7.	H. 4.	Laroch. eryng. t. 20.	
17 gracile. s.s.	(ye.) slender.	New Spain.	1818.	7. 9.	F. 4.	— t. 24.	
18 Baldwini. s.s.	(bl.) small-headed.	Carolina.	1824.	—	H. 4.		
19 aquifolium. s.s.	(bl.) holly-leaved.	Spain.	1827.	—	H. 4.	Laroch. eryng. t. 10.	
20 corniculatum. s.s.	(bl.) horned.	Portugal.	1803.	6. 8.	H. 4.	Bot. mag. t. 1427.	
21 tenue. s.s.	(bl.) slender annual.	—		—	H. 4.	Moris. sect. 7. t. 35. f. 15.	
22 pusillum. s.s.	(bl.) dwarf.	Spain.	1640.	—	H. 4.	Laroch. eryng. t. 16.	
23 virginianum. s.s.	(pa.) Virginian.	Virginia.		7. 9.	H. 4.	— t. 19.	
24 serratum. s.s.	(wh.) serrated.	New Spain.	1823.	8. 10.	F. 4.	Cav. ic. 6. t. 55.	
25 Carlinae. s.s.	(bl.) Carlina-like.	—	1827.	—	F. 4.	Laroch. eryng. t. 23.	
26 foetidum. s.s.	(wh.) stinking.	W. Indies.	1714.	—	S. 4.	Sloan. jam. t. 156. f. 34.	
27 maritimum. s.s.	(bl.) sea Holly.	Britain.		7. 10.	H. 4.	Eng. bot. v. 10. t. 71.	
28 triquetrum. s.s.	(bl.) triquetrous.	Sicily.	1827.	—	H. 4.	Desf. atl. 1. t. 54.	
29 campêtre. s.s.	(wh.) field.	Britain.		7. 8.	H. 4.	Eng. bot. v. 1. t. 57.	
30 Bourgati. s.s.	(bl.) cut-leaved.	S. France.	1731.	6. 8.	H. 4.	Gouan. ill. 7. t. 3.	
31 amethystinum. s.s.	(bl.) amethystine.	Styria.	1648.	7. 8.	H. 4.	W. et K. hung. 3. t. 2.	
32 dilatatum. s.s.	(bl.) dilated.	Portugal.		—	H. 4.	Laroch. eryng. t. 4.	
33 crinitum. s.s.	(bl.) fringe-leaved.	Spain.	1826.	—	H. 4.		
34 comosum. s.s.	(pu.) tufted.	New Spain.	1818.	—	F. 4.	Laroch. eryng. t. 7.	
35 azureum. R.S.	(bl.) azure blue.	—		—	H. 4.		

Tribus III. AMMINEÆ. DC.

RUMIA. H.U.		RUMIA. Pentandria Digynia.					
1 taurica. H.U.	(wh.) Taurian.	Tauria.	1820.	7. 8.	H. 4.	Hoff. umb. p. 173. f. 17.	
Cachrys taurica. s.s.							
2 sibirica. F.	(wh.) Siberian.	Siberia.	1826.	—	H. 4.		
3 microcarpa. H.U.	(wh.) small-fruited.	Caucasus.	1827.	—	H. 4.	Moris. his. s. 9. t. 1. f. 3.	
4 athamantoïdes. H.U.	(wh.) Athamanta-like.	Siberia.	—	—	H. 4.		
5 seseloides. H.U.	(wh.) Seseli-like.	Tauria.	—	—	H. 4.	Hoff. umb. ed. 2. t. 21. f. 4.	
CICUTA. S.S.		COWBANE. Pentandria Digynia. L.					
1 virosa. s.s.	(wh.) long-leaved.	Britain.		7.	H. 4.	Eng. bot. v. 7. t. 47.	
2 davurica. s.s.	(wh.) Daurian.	Siberia.	1824.	—	H. 4.	Gmel. sib. 1. t. 47.	
3 maculata. s.s.	(wh.) spotted.	N. America.	1759.	7. 8.	H. 4.	Pluk. alm. t. 76. f. 1.	
4 bulbifera. s.s.	(wh.) bulb-bearing.	—	1823.	—	H. 4.		
5 sinensis. R.S.	(wh.) Chinese.	China.	1826.	—	H. 4.		

ZIZIA. DC.	Z'IZIA. Pentandria Digynia.					
aurea. DC.	(ye.) golden.	N. America.	1699.	5. 6.	H. 4.	
<i>Smyrniolum aureum</i> . W. <i>Thaspium aureum</i> . N. <i>Sison aureus</i> . s.s.						
APIUM. DC.	CELERY. Pentandria Digynia. L.					
1 graveolens. s.s.	(wh.) common.	Britain.		6. 8.	H. ♂.	Eng. bot. v. 17. t. 1210.
a fistulosum.	(wh.) hollow-stalked.	—		—	H. ♂.	
β solidum.	(wh.) solid-stalked.	—		—	H. ♂.	
γ rubrum.	(wh.) red-stalked.	—		—	H. ♂.	
δ napæcum. Mill.	(wh.) Turnep-rooted.	—		—	H. ♂.	
PETROSEL'INUM. DC.	PAS'LEY. Pentandria Digynia. L.					
1 sativum. K.U.	(gr.) common.	Sardinia.	1548.	6. 7.	H. ♂.	Moris. sect. 9. t. 8. f. 2.
β crispum.	(gr.) curled-leaved.	—		—	H. ♂.	— 9. t. 8. f. 3.
2 romanum. Zuc.	(gr.) large.	Greece.		—	H. ♂.	
3 fractophyllum. Lag.	(st.) broken-leaved.	—	1825.	—	H. ♂.	
4 prostratum. s.s.	(gr.) prostrate.	V. Diem. Isl.	1818.	—	G. ♂.	Vent. malm. t. 81.
5 peregrinum. K.U.	(wh.) Lovage-like.	Portugal.	1633.	6. 7.	H. ♂.	Jacq. vind. 3. t. 18.
<i>Ligusticum peregrinum</i> . Jacq. <i>Sison peregrinum</i> . R.S.						
6 segetum. K.U.	(bh.) corn.	England.		8.	H. ⊙.	Eng. bot. v. 4. t. 228.
<i>Sison segetum</i> . E.B.						
TRINIA. H.U.	TR'INIA. Pentandria Digynia. L.en.					
1 Hoffmanni. M.B.	(wh.) Hoffman's.	England.		5. 6.	H. 4.	Eng. bot. v. 17. t. 1209.
<i>Pimpinella dioica</i> . E.B.						
2 Henningii. M.B.	(wh.) Henning's.	Hungary.	1803.	6. 8.	H. 4.	
<i>Pimpinella glauca</i> . W.						
3 Kitaibelii. M.B.	(wh.) Kitaibel's.	—	1827.	—	H. 4.	W. et K. hung. 1. t. 72.
4 ramosissima. F.	(wh.) branching.	Siberia.	—	—	H. 4.	
HELOSC'ADIUM. K.U.	HELOSC'ADIUM. Pentandria Digynia.					
1 lateriflorum. K.U.	(wh.) narrow-leaved.	S. Europe.	1824.	7. 8.	H. ⊙.	Jacq. vind. t. 200.
<i>Sison Ammi</i> . Jacq. <i>Pimpinella lateriflora</i> . L. enum.						
2 inundatum. K.U.	(wh.) inundated.	Britain.		5. 6.	H.w. ⊙.	Eng. bot. v. 4. t. 227.
<i>Sison inundatum</i> . E.B. <i>Siùm inundatum</i> . E.F. <i>Mèum inundatum</i> . s.s.						
3 nodiflorum. K.U.	(wh.) procumbent.	Britain.		7. 8.	H.w. 4.	Eng. bot. v. 9. t. 639.
<i>Siùm nodiflorum</i> . E.B.						
4 repens. K.U.	(wh.) creeping.	—		6.	H.w. 4.	Eng. bot. v. 20. t. 1431.
5 bulbosum. K.U.	(wh.) bulb-bearing.	Switzerland.	1826.	6. 8.	H.w. 4.	Thor. jo. bot. 1. t. 7. f. 1-2.
DISCOPL'URA. DC.	DISCOPL'URA. Pentandria Digynia.					
Nuttallii. DC.	(wh.) slender-leaved.	N. America.	1812.	7. 8.	H. ⊙.	
<i>A'mmi capillaceum</i> . M. <i>Sison capillaceus</i> . s.s.						
LEPTOCA'ULIS. DC.	LEPTOCA'ULIS. Pentandria Digynia.					
divaricatus. DC.	(ro.wh.) spreading.	N. America.	1812.	6. 8.	H. ⊙.	
<i>Ethusa divaricata</i> . N. <i>A'mmi divaricatum</i> . P.S.						
PTYCH'OTIS. K.U.	PTYCH'OTIS. Pentandria Digynia.					
1 heterophyllum. K.U.	(wh.) Coriander-leav'd.	Pyrenees.	1778.	7. 8.	H. ♂.	Jacq. vind. 2. t. 198.
<i>Mèum heterophyllum</i> . s.s. <i>Ethusa Banius</i> . W.						
2 ammoïdes. K.U.	(wh.) Milfoil-leaved.	S. Europe.	1759.	6. 7.	H. ⊙.	Jacq. vind. 1. t. 52.
<i>Seseli ammoïdes</i> . s.s.						
3 verticillata. DC.	(wh.) whorled.	—	1825.	—	H. ⊙.	
4 coptica. DC.	(wh.) Egyptian.	Egypt.	1773.	—	H. ⊙.	Jacq. vind. 2. t. 196.
<i>Trachyspermum copticum</i> . L. enum. <i>A'mmi copticum</i> . L. <i>Banium copticum</i> . R.S.						
FALC'ARIA. DC.	FALC'ARIA. Pentandria Digynia.					
agræstis.	(wh.) decurrent.	Europe.	1726.	7. 8.	H. 4.	Jacq. aust. 3. t. 257.
<i>Siùm Falcària</i> . R.S. <i>Drepanophyllum agræste</i> . K.U.						
SISON. S.S.	S'ISON. Pentandria Pentagynia. L.					
1 Amomum. E.B.	(wh.) hedge.	Britain.		7. 8.	H. ⊙.	Eng. bot. v. 14. t. 951.
SCHU'LTZIA. S.S.	SCHU'LTZIA. Pentandria Digynia.					
crinita. s.s.	(wh.) slender-leaved.	Altay.	1828.	6. 7.	H. ♂.	Pall. act. pet. 1779. 2. t. 7.
A'MMI. S.S.	BISHOP'S WEED. Pentandria Digynia. L.					
1 majus. s.s.	(wh.) great.	S. Europe.	1551.	6. 7.	H. ⊙.	Flor. græc. t. 273.
2 Bœberi. L.en.	(wh.) Bœber's.	Crete.	1818.	7. 8.	H. 4.	
<i>cicutafolium</i> . R.S.						
3 Visnaga. s.s.	(wh.) Toothpick.	S. Europe.	1596.	6. 8.	H. ⊙.	Gært. fr. 1. t. 107.
<i>Visnaga daucoïdes</i> . G.						
4 glaucifolium. s.s.	(wh.) glaucous-leav'd.	France.	1816.	—	H. ♂.	Lapeyr. pyr. t. 75.
EGOPODIUM. L.	GOUT-WEED. Pentandria Digynia. L.					
Podagraria. E.B.	(wh.) common.	Britain.		5. 7.	H. 4.	Eng. bot. v. 14. t. 910.
<i>Sison Podagraria</i> . s.s.						
CARUM. K.U.	CARAWAY. Pentandria Digynia. L.					
1 Carvi. s.s.	(wh.) common.	Britain.		6.	H. ♂.	Eng. bot. v. 21. t. 1503.
<i>Feniculum Carvi</i> . L.en.						

2	Bulbocástanum. K.U. (wh.) Earth-nut.	Europe.	1797.	6. 7.	H. 4.	Flor. dan. t. 229.
	<i>Bunium Bulbocástanum</i> . w. <i>Myrrhis Bunium</i> . R.S.					
3	flexuosum. (wh.) common.	Britain.		5. 6.	H. 4.	Eng. bot. v. 14. t. 1.
	<i>Bunium flexuosum</i> . E.B.					
4	verticillatum. K.U. (wh.) whorl-leaved.	—		7. 8.	H. 4.	Eng. bot. v. 6. t. 3.
	<i>Sium verticillatum</i> . E. B.					
B'UNIUM. DC.		B'UNIUM. Pentandria Digynia. L.				
1	peucedanoïdes. M.B. (st.) Sulphur-wort.	Caucasus.	1823.	7. 8.	H. 4.	
2	luteum. M.B. (ye.) yellow.	Velga.	1827.	—	H. 4.	
3	virescens. DC. (gr.) greenish-flower'd.	Europe.	1826.	—	H. 4.	
	<i>Sium virescens</i> . R.S.					
4	acaule. M.B. (ye.) stalkless.	Caucasus.	1821.	6. 8.	H. ♂.	
	<i>Ammi acaule</i> . s.s.					
CRYPTOTÆNIA. DC. CRYPTOTÆNIA. Pentandria Digynia.						
1	canadense. DC. (wh.) Canadian.	N. America.	1699.	7. 8.	H. 4.	Moris. his. s. 9. t. 11.
	<i>Sison canadense</i> . w. <i>Myrrhis canadensis</i> . s.s.					
2	Thomasi. DC. (wh.) Thomas's.	Italy.	1827.	—	H. 4.	
PIMPINELLA. K.U. BURNET SAXIFRAGE. Pentandria Digynia. L.						
1	magna. s.s. (wh.) great.	England.		6. 8.	H. 4.	Eng. bot. v. 6. t. 4.
2	media. P.S. (wh.) middle.	Germany.		—	H. 4.	Hoff. deut. fl. t. 397.
	<i>orientalis</i> . Jacq. aust. t. 397.					
3	dissecta. w. (wh.) cut-leaved.	France.		—	H. 4.	Retz. obs. 3. t. 2.
4	rotundifolia. M.B. (wh.) round-leaved.	Caucasus.	1816.	—	H. ♂.	Spr. Anl. ed. 2. t. 4. f. 1. 4.
	<i>Sison rotundifolius</i> . s.s.					
5	Saxifraga. w. (wh.) common.	Britain.		—	H. 4.	Eng. bot. v. 6. t. 407.
6	Tragium. DC. (wh.) Columna's.	S. Europe.	1824.	6. 8.	H. 4.	Column. phyt. t. 17.
	<i>Tragium Columnæ</i> . s.s.					
7	peregrina. w. (wh.) nodding.	Italy.	1610.	—	H. 4.	Jacq. vind. 2. t. 131.
8	aromatica. M.B. (wh.) aromatic.	Caucasus.	1824.	—	H. ♂.	
9	bubonoïdes. P.S. (wh.) Bubon-like.	Portugal.	1814.	6. 8.	H. 4.	
	<i>Tragium Brotieri</i> . R.S.					
10	villosa. Scho. (wh.) villous.	Barbary.	1824.	—	H. 4.	
	<i>Tragium Schousboei</i> . R.S.					
11	taurica. DC. (wh.) Taurian.	Tauria.	1824.	6. 8.	H. 4.	
	<i>Ledeburia taurica</i> . L. en. <i>Tragium tauricum</i> . s.s.					
12	nigra. W. en. (wh.) black-rooted.	Germany.	1683.	—	H. 4.	Moris. sect. 9. t. 5.
13	lateriflora. L. en. (wh.) side-flowering.	Hungary.	1816.	—	H. 4.	
14	dichotoma. w. (wh.) dichotomous.	Spain.	1798.	—	H. 4.	
15	Anisum. L. (wh.) Anise.	Egypt.	1551.	6. 8.	H. ⊙.	Moris. his. s. 9. t. 9.
	<i>Sison Anisum</i> . R.S. <i>Anisum vulgare</i> . Gaert.					
SIUM. K.U. WATER-PARSNIP. Pentandria Digynia. L.						
1	latifolium. s.s. (wh.) broad-leaved.	Britain.		7. 8.	H. w. 2.	Eng. bot. v. 3. t. 201.
2	lanceolatum. s.s. (wh.) spear-leaved.	Siberia.	1823.	—	H. w. 2.	Gmel. sib. 1. t. 47.
3	angustifolium. s.s. (wh.) narrow-leaved.	Britain.		—	H. w. 2.	Eng. bot. v. 2. t. 130.
4	Sisarrum. s.s. (wh.) Skirret.	China.	1518.	—	H. 2.	Schkuhr. hand. 1. t. 6.
BUPTURUM. S.S. HARE'S-EAR. Pentandria Digynia. L.						
1	coriaceum. s.s. (st.) thick-leaved.	Gibraltar.	1784.	7. 8.	G. 1/2.	L'Herit. st. nov. t. 67.
2	fruticosum. s.s. (st.) shrubby.	S. Europe.	1596.	—	H. 1/2.	Flor. græc. t. 263.
3	frutescens. s.s. (st.) frutescent.	Spain.	1752.	8. 9.	H. 1/2.	Cav. ic. 2. t. 106.
4	plantagineum. s.s. (st.) plantain-leaved.	Barbary.	1809.	—	G. 1/2.	Desf. atl. 1. t. 57.
	<i>β canescens</i> . P.S. (st.) hoary.					
5	spinosum. s.s. (st.) thorny.	Spain.	1752.	—	G. 1/2.	Gouan. ill. 8. t. 2. f. 3.
6	difforme. s.s. (st.) various-leaved.	C. B. S.	—	—	F. 1/2.	Burm. afr. t. 71. f. 1.
7	rotundifolium. s.s. (ye.) round-leaved.	England.		6. 7.	H. ⊙.	Eng. bot. v. 2. t. 40.
8	protractum. s.s. (st.) protracted.	Portugal.	1824.	—	H. ⊙.	
9	heterophyllum. s.s. (st.) various-leaved.	Egypt.	—	—	H. ⊙.	
10	aureum. s.s. (ye.) golden.	Siberia.	—	—	H. 4.	
11	longifolium. s.s. (st.) long-leaved.	Switzerland.	1713.	5. 7.	H. 4.	Moris. sect. 9. t. 11.
12	pyrenæicum. s.s. (st.) Pyrenean.	Pyrenees.	1814.	—	H. 4.	Gouan. ill. t. 4.
13	angulosum. w. (st.) angular-leaved.	Switzerland.	1759.	—	H. 4.	Moris. sect. 9. t. 12.
14	ranunculoides. w. (st.) Crowfoot-like.	Pyrenees.	1790.	7. 8.	H. 4.	Park. theatr. f. 7.
15	caricifolium. w. (st.) Carex-leaved.	S. France.	1824.	—	H. 4.	
16	Burserianum. W. en. (st.) Burser's.	—	1820.	—	H. 4.	
17	petraeum. s.s. (st.) alpine.	S. Europe.	1823.	—	H. 4.	Rich. de Bellev. t. 2.
18	sibiricum. M.B. (st.) Siberian.	Siberia.	1826.	—	H. 4.	
19	graminifolium. s.s. (st.) Grass-leaved.	Switzerland.	1768.	5. 7.	H. 4.	Jacq. ic. 1. t. 56.
20	stellatum. s.s. (st.) starry.	—	1775.	—	H. 4.	Hall. helv. t. 18.
21	falcatum. s.s. (st.) twisted-stalk'd.	Germany.	1739.	5. 9.	H. 4.	Jacq. aust. 2. t. 178.

22	scorzoneraefolium. W.en.(st.)	Scorzonera-ld.	Germany.	1818.	6. 8.	H. 4.	
23	rigidum. R.S.	(st.) rigid.	S. France.	1739.	5. 9.	H. 4.	Moris. sect. 9. t. 12.
24	nudum. s.s.	(st.) naked-stalked.	C. B. S.	1778.	10.	G. 4.	
25	gibraltaricum. Lag.	(st.) Gibraltar.	Gibraltar.	1825.	—	G. 4.	
26	glaucom. DC.	(ye.) glaucous.	S. France.	1828.	—	H. 4.	
27	Odontites. s.s.	(bh.) narrow-leaved.	England.		—	H. 4.	Eng. bot. v. 35. t. 2468.
	Odontites luteola. R.S.						
28	juncum. s.s.	(ye.) linear-leaved.	S. Europe.	1722.	7. 8.	H. 4.	Moris. sect. 9. t. 12.
29	Gerardi. R.S.	(ye.) Gerard's.	—	1804.	—	H. 4.	Jacq. aust. t. 256.
30	baldense. R.S.	(ye.) channel-leav'd.	M. Baldo.	1818.	—	H. 4.	W. et K. hung. 3. t. 257.
	exaltatum. P.S.						
31	lanceifolium. H.H.	(ye.) lance-leaved.		1824.	6. 9.	H. 4.	
32	semicompòsitum. s.s.	(ye.) dwarf.	Spain.	1778.	—	H. 4.	Flor. græc. t. 261.
	Odontites semicompòsita. R.S.						
33	gracile. M.B.	(ye.) slender-twigg'd.	Tauria.	1827	—	H. 4.	
34	tenuissimum. s.s.	(ye.) slender.	England.		7. 8.	H. 4.	Eng. bot. v. 7. t. 478.
35	trifidum. s.s.	(ye.) trifid-umbel'd.	Italy.	1824.	5. 9.	H. 4.	
HETEROMORPHA. DC. HETEROMORPHA. Pentandria Digynia.							
	arborescens. DC.	(st.) arborescent.	C. B. S.	1816.	7. 8.	G. 4.	
	Bupleurum arborescens. s.s.	Tendria arborescens. R.S.					

Tribus IV. SESELINEÆ. DC.

LICHTENSTEINIA. DC. LICHTENSTEINIA. Pentandria Digynia.							
	inèbrians. DC.	(wh.) various-leaved.	C. B. S.	1816.	8. 9.	G. 4.	
	Enánthe inèbrians. s.s.						
ENANTHE. S.S. WATER-DROPWORT. Pentandria Digynia. L.							
1	fistulosa. s.s.	(bh.) common.	Britain.		6. 8.	H. 4.	Eng. bot. v. 6. t. 363.
2	tenuifolia. s.s.	(wh.) slender-leaved.	C. B. S.	1816.	6. 8.	G. 4.	
3	peucedanifolia. s.s.	(wh.) round-rooted.	S. Europe.		—	H.w. 4.	Pollich. palat. t. 3.
4	silaifolia. s.s.	(wh.) oblong-rooted.	England.		—	H.w. 4.	Eng. bot. v. 5. t. 348.
	peucedanifolia. E.B. non. s.s.						
5	gymnorhiza. s.s.	(wh.) naked rooted.	N. Europe.	1824.	—	H.w. 4.	
6	pimpinelloides. s.s.	(bh.) Burnet Saxifrage.	England.		—	H.w. 4.	Eng. bot. v. 5. t. 347.
7	prolifera. s.s.	(wh.) proliferous.	S. Europe.	1739.	—	H.w. 4.	Jacq. vind. 3. t. 62.
8	globulosa. s.s.	(wh.) globe-headed.	Portugal.	1710.	—	H. 4.	Gouan. ill. 18. t. 9.
9	crocata. s.s.	(wh.) poisonous.	Britain.		—	H.w. 4.	Eng. bot. v. 33. t. 2313.
10	Phellandrium. s.s.	(wh.) water Hemlock.	—		6. 7.	H.w. 4.	— v. 10. t. 684.
	Phellandrium aquaticum. E.B.						
11	apiifolia. s.s.	(wh.) Parsley-leaved.	Portugal.	1806.	6. 8.	H. 4.	
12	australis. R.S.	(wh.) southern.	S. Europe.	1824.	—	H. 4.	
13	involuta. Cav.	(wh.) involucred.	Spain.	1820.	—	H. 4.	
14	am'ena. Leh.	(wh.) handsome.		1827.	—	H. 4.	
ANESORHIZA. DC. ANESORHIZA. Pentandria Digynia.							
	interrupta. (wh.)	interrupted.	C. B. S.	1816.	6. 8.	G. 4.	
	Enánthe interrupta. s.s.						
SCLEROSCIADIUM. DC. SCLEROSCIADIUM. Pentandria Digynia.							
	rigens. DC.	(wh.) rigid-stalked.	C. B. S.	1787.	6. 8.	G. 4.	
	Conium rigens. W.	Banum rigens. s.s.					
ETHUSA. R.S. FOOLS-PARSLEY. Pentandria Digynia. L.							
1	Cynapium. W.	(wh.) common.	Britain.		7. 9.	H. 4.	Eng. bot. v. 17. t. 1192.
2	cynapioides. M.B.	(wh.) Caucasian.	Caucasus.	1820.	—	H. 4.	Hoff. umb. ed. 2. t. tit. f. 9.
3	clata. L.en.	(wh.) tall.	Siberia.	—	—	H. 4.	
4	fatua. R.S.	(wh.) fine-leaved.		1781.	—	H. 4.	
FENICULUM. G. FENNEL. Pentandria Digynia.							
1	vulgare. G.	(ye.) common.	Britain.		7. 8.	H. 4.	Eng. bot. v. 17. t. 1208.
	Anethum Fœniculum. E.B.	Mèum Fœniculum. s.s.					
2	dulce. DC.	(ye.) sweet.	S. Europe.	1824.	—	H. 4.	DC. hort. m. ined. t. 96.
3	piperitum.	(ye.) peppery.	Italy.	—	—	H. 4.	
	Mèum piperitum. R.S.	Anethum piperitum. Bert.					
4	lateum. F.	(ye.) yellow.	Persia.	1829.	—	H. 4.	
KUNDMA'NNIA. DC. KUNDMA'NNIA. Pentandria Digynia.							
	pastinacifolia. (ye.)	Parsnep-leaved.	Sicily.	1686.	7. 8.	H. 4.	Jacq. vind. 2. t. 133.
	Brignolia pastinacifolia. K.U.	Sium siculum. R.S.					
DEVERRA. DC. DEVERRA. Pentandria Digynia.							
1	tortuosa. DC.	(wh.) twisting.	Levant.	1828.		G. 4.	Desf. atl. 1. t. 73.
	Babon tortuosum. Df.						

2	aphylla. DC.	(wh.) leafless.	C. B. S.	1816.		G. ♀.	
	<i>Bubon aphyllus</i> . Schlecht.						
SE'SELI. S.S. MEADOW SAXIFRAGE. Pentandria Digynia. S.S.							
1	elatum. s.s.	(wh.) tall.	Austria.	1710.	7. 8.	H. 4.	Gouan. ill. 16. t. 8.
2	varium. s.s.	(wh.) variable.		1818.	—	H. 4.	
3	glaucum. s.s. (pu.wh.)	glaucous.	France.	1759.	—	H. 4.	Jacq. aust. 2. t. 141.
4	tauricum. s.s.	(wh.) Taurian.	Tauria.	1818.	6. 8.	H. 4.	
5	montanum. s.s.	(wh.) mountain.	Italy.	1658.	6. 7.	H. 4.	Jacq. vind. 2. t. 129.
6	annuum. s.s.	(bh.) annual.	Europe.	1816.	7. 8.	H. ♂.	Jacq. aust. t. 55.
	<i>Càrum simplex</i> . W.						
7	campêtre. s.s.	(wh.) field.	Poland.	1827.	—	H. 4.	
8	pimpinelloïdes. s.s. (wh.)	nodding-flower'd.	S. Europe.	1796.	—	H. 4.	
9	Hippomarathrum. s.s. (bh.)	various-leav'd.	Austria.	1656.	—	H. 4.	Jacq. aust. 2. t. 143.
10	tortuosum. s.s.	(wh.) crooked.	S. Europe.	1597.	10.	H. 4.	Moris. sect. 9. t. 6.
11	leucospermum. s.s. (wh.)	white-seeded.	Hungary.	1805.	7.	H. 4.	W. et K. hung. t. 89.
12	proliferum. s.s.	(wh.) prolific.		1823.	5. 8.	H. 4.	
13	chærophyloïdes. s.s. (wh.)	Chervil-like.	C. B. S.	1816.	—	G. 4.	
14	Bocconi. s.s.	(wh.) Boccone's.	Sicily.	1826.	—	H. 4.	Bocc. sic. s. 27. 28.
15	divaricatum. s.s. (ye.)	shining-leaved.	N. America.	1812.	6. 7.	H. 4.	Bot. mag. t. 1742.
16	striatum. s.s.	(wh.) striped-stalked.	C. B. S.	1816.	7. 8.	G. 4.	
17	gracile. s.s.	(ye.) slender.	Hungary.	1805.	6. 7.	H. 4.	W. et K. hung. 2. t. 117.
18	peucedanifolium. K. U. (wh.)	smooth-stalk'd.	Hungary.	1826.	7. 9.	H. 4.	— t. 146.
19	petraeum. K. U. (wh.)	glaucous.	Tauria.	1824.	7. 8.	H. 4.	
	<i>Bubon glaucus</i> . s.s.						
20	cuneifolium. M. B. (wh.)	wedge-leaved.	Sicily.	1823.	7. 9.	H. 4.	Moris. his. s. 9. t. 7.
21	gummiferum. K. U. (bh.)	gum-bearing.	Crimea.	1710.	—	H. ♂.	Sm. exot. bot. t. 20.
22	dichotomum. M. B. (wh.)	forked.	Tauria.	1816.	—	H. ♂.	Bot. mag. t. 2073.
23	ericephalum. (wh.)	woolly-headed.	Siberia.	1827.	—	H. ♂.	
24	corsicum. L. en. (wh.)	dwarf annual.	Corsica.	1825.	—	H. ♂.	
25	Pallasii. Bess. (wh.)	Pallas's.	Siberia.	1823.	—	H. 4.	
26	Lobelianum. Bess. (wh.)	Lobel's.		—	—	H. 4.	
LIBAN'OTIS. DC. LIBAN'OTIS. Pentandria Digynia.							
1	buchtormensis. DC. (wh.)	Siberian.	Siberia.	1822.	7. 8.	H. 4.	
	<i>Bubon buchtormensis</i> . R. S. <i>Athamanta rigida</i> . Horn.						
2	vulgaris. DC. (wh.)	mountain.	England.		—	H. 4.	Eng. bot. v. 2. t. 138.
	<i>Athamanta Libanotis</i> . E. B.						
CENOL'OPHIUM. DC. CENOL'OPHIUM. Pentandria Digynia.							
	Fischèri. DC. (wh.)	Fischer's.	Siberia.	1820.	6. 8.	H. 4.	
	<i>Cnidium Fischèri</i> . s.s. <i>Angélica Fischèri</i> . R. S. <i>Ligusticum Fischèri</i> . L. enum.						
CNI'DIUM. S.S. CNI'DIUM. Pentandria Digynia. S.S.							
1	Monniéri. s.s. (wh.)	annual.	S. Europe.	1771.	7. 8.	H. ♂.	Jacq. vind. 1. t. 62.
	<i>Selinum Monniéri</i> . Jacq.						
2	apioides. H. U. (wh.)	Parsley-leaved.	Europe.	1791.	6. 7.	H. 4.	Jacq. aust. 5. ap. t. 44.
	<i>Ligusticum apioides</i> . R. S. <i>silaifolium</i> . Jacq.						
3	venosum. DC. (wh.)	veined.	Europe.	1818.	7. 8.	H. 4.	
	<i>Séseli dubium</i> . R. S.						
THA'SPIUM. N. THA'SPIUM. Pentandria Digynia.							
1	actæifolium. N. (ye.)	Actæa-leaved.	N. America.	1824.	7. 8.	H. 4.	
	<i>Ligusticum actæifolium</i> . M.						
2	barbinode. N. (ye.)	bearded-jointed.	—	1759.	6. 7.	H. 4.	
	<i>Thapsia trifoliata</i> . R. S.						
TROCHISCA'NTHE. K. U. TROCHISCA'NTHE. Pentandria Digynia.							
	nodiflorus. K. U. (bh.)	knut-flowered.	Apennines.	1818.	6. 7.	H. 4.	All. ped. t. 72.
	<i>Ligusticum nodiflorum</i> . s.s. <i>verticillatum</i> . W. et K. hung. 2. t. 171.						
ATHAMA'NTA. S.S. SPIGNELL. Pentandria Digynia. L.							
1	macedonica. s.s. (wh.)	Macedonian.	Greece.	1596.	6. 8.	G. ♂.	Lobel. hist. 406. ic. 708.
	<i>Bubon macedonicum</i> . L.						
2	condensata. W. (wh.)	close-headed.	Siberia.	1773.	7. 9.	H. 4.	Gmel. sib. 1. t. 44.
3	sibirica. W. (st.)	Siberian.	—	1771.	7. 8.	H. 4.	Lam. ill. t. 194. f. 1.
4	sicula. s.s. (wh.)	Flixweed-leav'd.	Sicily.	1686.	6. 7.	H. 4.	Ten. fl. nap. 1. t. 25.
5	Matthioli. s.s. (wh.)	fine-leaved.	Carniola.	1802.	—	H. 4.	Jacq. ic. rar. 1. t. 57.
6	stricta. Led. (wh.)	upright.	Siberia.	1827.	—	H. 4.	
7	cretensis. s.s. (wh.)	candy-carrot.	Austria.	1596.	—	H. 4.	Jacq. aust. 1. t. 62.
8	incana. s.s. (wh.)	hoary.	Siberia.	1802.	7. 8.	H. 4.	
9	annua. W. (wh.)	annual.	Candia.	1731.	6. 7.	H. ♂.	
LIGUSTICUM. S.S. LIGUSTICUM. Pentandria Digynia. L.							
1	scoticum. s.s. (bh.)	Scotch.	Britain.		—	H. 4.	Eng. bot. v. 17. t. 1207.
2	obtusifolium. s.s. (wh.)	blunt-leaved.	Tangiers.	1824.	7. 8.	H. 4.	
3	athamantoides. s.s. (st.)	Carrot-leaved.	Pyrenees.	1734.	—	H. 4.	Scop. carn. t. 10.
	<i>Ammi daucifolium</i> . W. <i>Athamanta pyrenaica</i> . Jacq. vind. 2. t. 197.						

4	alatum. s.s. (ro.wh.) winged-stalked. Caucasus.	1823.	7. 8.	H. 2.	
5	simplex. s.s. (wh.pu.) shining. Switzerland.	1775.	7.	H. ♂.	Jacq. misc. 2. t. 2.
	<i>Laserpitium simplex</i> . Jacq. <i>lucidum</i> . H.K.				
6	ferulaceum. s.s. (wh.) Fennel-leaved. Levant.	1752.	6.	H. 2.	Allion. ped. t. 60.
	<i>Laserpitium dauricum</i> . Jacq. vind. 3. t. 38.				
7	candicans. s.s. (wh.) pale.	1780.	7. 8.	H. 2.	
8	pyrenæicum. K.U. (wh.) Pyrenean. Pyrenees.	1739.	6. 7.	H. 2.	Gouan. ill. t. 7. f. 2.
	<i>Cnidium pyrenæum</i> . s.s. <i>Séseli aristatum</i> . H.K.				
9	Seguiérii. K.U. (wh.) Fennel-leaved. Italy.	1774.	7. 8.	H. 2.	Jacq. vind. 1. t. 61.
	<i>Selinum Seguiérii</i> . Jacq. <i>Imperatoria Seguiérii</i> . s.s.				
10	Fontanèsii. s.s. (wh.) fine-leaved. Algiers.		6. 7.	H. 2.	Desf. atl. 1. t. 71.
	<i>Laserpitium peucedanoïdes</i> . Desf.				
11	cuneifolium. Led. (wh.) wedge-leaved. Siberia.	1827.	—	H. 2.	
	SIL'AUS. K.U. SIL'AUS. Pentandria Digynia.				
1	pratensis. K.U. (st.) meadow. England.		6. 8.	H. 2.	Eng. bot. v. 30. t. 2142.
	<i>Peucedanum Silâus</i> . E.B. <i>Cnidium Silâus</i> . s.s.				
2	Matthioli. K.U. (ye.) late-flowering. Italy.	1824.	7. 8.	H. 2.	
	<i>Peucedanum Matthioli</i> . s.s.				
3	alpêstris. K.U. (st.) Alpine. France.	1739.	6. 7.	H. 2.	
	WALLRO'THIA. DC. WALLRO'THIA. Pentandria Digynia.				
1	alpina. DC. (wh.) alpine. Hungary.	1827.	6. 8.	H. 2.	W. et K. hung. 2. t. 182.
	<i>tuberosa</i> . R.S. <i>Bunium alpinum</i> . W.K.				
2	tenuifolia. DC. (wh.) slender-leaved. Pyrenees.	1826.	—	H. 2.	DC. mem. umb. t. 1. f. A.
	MEUM. S.S. BAWD-MONEY. Pentandria Digynia. S.S.				
1	athamanticum. s.s. (wh.) common. Britain.		4. 6.	H. 2.	Eng. bot. v. 32. t. 2249.
2	Mutellina. s.s. (re.) Alpine. Austria.	1774.	7. 8.	H. 2.	Jacq. aust. t. 56.
	<i>Phellandrium Mutellina</i> . L.				
3	sibiricum. s.s. (ye.) Siberian. Siberia.	1820.	—	H. 2.	
	CONIOSEL'INUM. H.U. CONIOSEL'INUM. Pentandria Digynia.				
1	ingricum. F. (wh.) Ingrian. Russia.	1827.	7. 8.	H. 2.	
2	tataricum. F. (wh.) Tartarian. Tartary.	1825.	—	H. 2.	
	<i>Angelica Fischèri</i> . R.S.				
	CRITHMUM. L.en. SAMPHIRE. Pentandria Digynia. L.				
1	Libanòtis. L.en. (ye.) smooth-seeded. Sicily.	1570.	7. 8.	H. 2.	Schk. handb. 1. t. 65.
	<i>Cachrys Libanòtis</i> . s.s.				
2	maritimum. W. (st.) sea-side. Britain.		7. 9.	H. 2.	Eng. bot. v. 12. t. 819.

Tribus V. ANGELICEÆ. DC.

	LEVISTICUM. K.U. LOVAGE. Pentandria Digynia.				
	officinale. K.U. (ye.) common. Italy.	1596.	6. 7.	H. 2.	Schk. handb. t. 68.
	<i>Ligusticum Levisticum</i> . s.s.				
	SELINUM. L. MILK-PARSLEY. Pentandria Digynia. L.				
1	Carvifolium. W. (bh.) Caraway-leav'd. Austria.	1774.	7. 8.	H. 2.	Jacq. aust. 1. t. 16.
	OSTERICUM. H.U. OSTE'RICUM. Pentandria Digynia.				
	pratense. H.U. (wh.) field. Galicia.	1824.	7. 8.	H. 2.	
	<i>Angelica pratensis</i> . M.B.				
	ANGELICA. K.U. ANGELICA. Pentandria Digynia. L.				
1	sylvestris. s.s. (wh.) wild. Britain.		6. 8.	H. 2.	Eng. bot. v. 16. t. 1128.
2	Razoulli. s.s. (bh.) decurrent-ld. Pyrenees.	1816.	—	H. 2.	Gouan. ill. 13. t. 6.
3	montana. K.U. (wh.) mountain. Switzerland.	—	—	H. 2.	
4	flavescens. Bess. (st.) yellowish. Pyrenees.	—	—	H. 2.	
5	pyrenæa. s.s. (wh.) Pyrenean. —	1818.	—	H. 2.	Gouan. ill. p. 11. t. 5.
6	leida. s.s. (br.) shining. Canada.	1640.	—	H. ♂.	Jacq. vind. 3. t. 24.
7	chærophylla. s.s. (wh.) Chervil-leaved. Livonia.	1827.	—	H. 2.	
8	Wormskiöldii. F. (wh.) Wormskiöld's. Kamtschatka.	—	—	H. 2.	
9	lanceifolia. s.s. (wh.) lance-leaved.	1818.	—	H. 2.	
	<i>Selinum angelicâstrum</i> . L. enum.				
	ARCHANGELICA. H.U. ARCHANGELICA. Pentandria Digynia.				
1	officinalis. H.U. (wh.) garden. England.		6. 8.	H. ♂.	Eng. bot. v. 36. t. 2561.
	<i>Angelica Archangelica</i> . E.B.				
2	atropurpurea. H.U. (pu.) dark purple. Canada.	1759.	7. 8.	H. 2.	Cornut. canad. t. 199.

Tribus VI. PEUCEDANEÆ. DC.

	OPOPANAX. K.U. OP'OPANAX. Pentandria Digynia.				
	Chironium. K.U. rough. S. Europe.	1640.	6. 7.	H. 2.	W. et K. hung. 3. t. 211.
	<i>Pastinaca Opòpanax</i> . W. <i>Ferula Opòpanax</i> . s.s.				

FER'ULA. S.S.		GIANT-FENNEL. Pentandria Digynia. L.					
1	lævigata. s.s. (ye.) smooth.	C. B. S.	1774.	12. 3.	G. ♀.		
	<i>Bibon lævigatum.</i> w.						
2	nudicaulis. s.s. (ye.) naked-stalked.	Sicily.	1825.	—	H. 4.		
3	A'sa fœtida. s.s. (st.) Asa fœtida.	Persia.	1818.	7. 8.	H. 4.		
4	communis. s.s. (ye.) common.	S. Europe.	1597.	6. 7.	H. 4.		Moris. s. 9. t. 15. f. 2.
5	glauca. s.s. (ye.) glaucous.	Italy.	1596.	—	H. 4.		
6	sylvatica. s.s. (ye.) wood.	Poland.	1827.	—	H. 4.		
7	campêstris. s.s. (ye.) field.	Tauria.	—	—	H. 4.		
8	nodiflora. s.s. (ye.) knot-flowered.	S. Europe.	1596.	—	H. 4.		Desf. atl. 1. t. 67.
	<i>sulcata.</i> Desf.						
9	Ferulago. s.s. (ye.) Fennel-leaved.	—	—	—	H. 4.		Jacq. aust. 5. ap. t. 4.
	<i>nodiflora.</i> Jacq. non s.s.						
10	thyrsiflora. s.s. (st.) thyrse-flower'd.	Crete.	1823.	—	F. 4.		Flor. græc. t. 280.
11	tingitana. s.s. (ye.) Tangier.	Barbary.	1680.	—	H. ♂.		Herm. parad. t. 165.
12	stricta. s.s. (ye.) upright.	C. B. S.	1816.	—	G. ♂.		
13	nuda. s.s. (ye.) naked.	Siberia.	1827.	—	H. 4.		
14	caspica. s.s. (ye.) Caspian.	Caspia.	1824.	—	H. 4.		Spreng. umb. t. 7. f. 14.
15	orientalis. s.s. (ye.) eastern.	Levant.	1759.	7. 8.	H. 4.		Tourn. it. 3. t. 239.
16	persica. s.s. (ye.) stinking.	Persia.	1782.	—	H. 4.		Andr. rep. t. 558.
17	tatarica. F. (ye.) Tartarian.	Tartary.	1828.	—	H. 4.		
18	capillaris. s.s. (ye.) capillary.	Portugal.	—	—	H. 4.		
19	desertorum. Led. (ye.) desert.	Siberia.	1827.	—	H. 4.		
20	songarica. R.S. (ye.) Songarian.	—	—	—	H. 4.		
ERIOSYNAPHE. DC. ERIOSYNAPHE. Pentandria Digynia.							
	longifolia. DC. (ye.) long-leaved.	Wolga.	1823.	7. 8.	H. 4.		DC. mem. umb. pl. 1. f. 1.
	<i>Ferula longifolia.</i> F.						
PÆLI'MBIA. DC. PÆLI'MBIA. Pentandria Digynia.							
	Chabr'æi. DC. (bh.) fine-leaved.	Europe.	1791.	7. 8.	H. 4.		Jacq. aust. 1. t. 72.
	<i>Selinum Chabr'æi.</i> Jacq. <i>Oreoselinum Chabr'æi.</i> M.B. <i>Imperatoria Chabr'æi.</i> R.S.						
PEUCED'ANUM. S.S. SULPHURWORT. Pentandria Digynia. L.							
1	officinale. s.s. (ye.) officinal.	England.		5. 7.	H. 4.		Eng. bot. v. 25. t. 1767.
2	paniculatum. R.S. (ye.) paniced.	Corsica.	1827.	—	H. 4.		
3	alsaticum. w. (wh.) small-headed.	Austria.	1774.	6. 8.	H. 4.		Jacq. aust. 1. t. 70.
4	gallicum. s.s. (wh.) French.	France.	1816.	—	H. 4.		Gmel. sib. 1. t. 41.
5	italicum. P.S. (ye.) yellow-flower'd.	Italy.		5. 7.	H. 4.		
6	ruthenicum. R.S. (ye.) Russian.	Russia.	1824.	6. 8.	H. 4.		
7	tauricum. R.S. (ye.) Taurian.	Tauria.	1828.	—	H. 4.		
8	longifolium. R.S. (ye.) long-leaved.	Hungary.	1826.	—	H. 4.		W. et K. hung. t. 241.
9	arenarium. s.s. (ye.) sand.	—	1816.	6. 7.	H. 4.		— 1. t. 20.
10	Morisoni. R.S. (ye.) Morison's.	—	—	—	H. 4.		Moris. his. 3. s. 9. t. 15. f. 1.
11	nodosum. s.s. (wh.) knotted-stalked.	Crete.		—	H. 4.		Moris. his. s. 9. t. 17.
12	aureum. s.s. (ye.) golden.	Canaries.	1779.	6.	G. ♂.		Bot. reg. t. 559.
13	tenuifolium. s.s. (ye.) slender-leaved.	C. B. S.	1816.	6. 8.	G. ♂.		
14	isetense. s.s. (st.) straw-coloured.	Siberia.	1828.	—	H. ♂.		Gmel. sib. 1. t. 42. f. 1.
15	sibiricum. w. (ye.) Siberian.	—	1804.	6. 7.	H. 4.		W. et K. hung. 1. t. 2.
16	palustre. K.U. (wh.) marsh.	Britain.		7. 8.	H. 4.		Eng. bot. v. 4. t. 229.
	<i>Selinum palustre.</i> E.B. <i>Thysselinum palustre.</i> H.U.						
17	baicalense. K.U. (wh.) Baical.	Siberia.	1824.	—	H. 4.		
18	Cervaria. K.U. (wh. pu.) large-leaved.	Europe.	1597.	—	H. 4.		Jacq. aust. 1. t. 69.
	<i>Athamanta Cervaria.</i> Jacq. <i>Ligusticum Cervaria.</i> s.s.						
19	Oreoselinum. K.U. (re. wh.) bending.	Europe.	1780.	7. 9.	H. 4.		Jacq. aust. 1. t. 68.
	<i>Athamanta Oreoselinum.</i> Jacq. <i>Oreoselinum legitimum.</i> M.B.						
20	montanum. K.U. (wh.) mountain.	Switzerland.	1816.	7. 8.	H. 4.		
21	involveratum. K.U. (wh.) involucred.	S. France.	1821.	—	H. 4.		
	<i>Selinum peucedanoïdes.</i> R.S. <i>Oreoselinum peucedanoïdes.</i> H.U.						
22	austriacum. K.U. (wh.) Austrian.	Austria.	1804.	—	H. 4.		Jacq. aust. 1. t. 71.
	<i>Selinum austriacum.</i> Jacq. <i>Oreoselinum austriacum.</i> H.U.						
23	rablense. K.U. (wh.) linear-leaved.	N. Europe.	1816.	7. 8.	H. 4.		Flor. dan. t. 1330.
24	latifolium. (wh.) broad-leaved.	Caucasus.	—	—	H. 4.		
	<i>Oreoselinum latifolium.</i> M.B.						
25	polymorphum. Lag. (wh.) variable.	Russia.	1821.	—	H. 4.		
26	Bellardi. Lag. (wh.) Bellardi's.	N. Europe.	—	—	H. 4.		
27	elegans. (wh.) elegant.	—	—	—	H. 4.		
	<i>Oreoselinum elegans.</i> H.U.						
28	podolicum. H.U. (wh.) Polish.	Poland.	1819.	—	H. 4.		
29	nigricans. H.U. (wh.) black-rooted.	Switzerland.	1823.	—	H. 4.		
30	caucasicum. (st.) Caucasian.	Caucasus.	1821.	—	H. 4.		
31	Ostruthium. K.U. (wh.) Masterwort.	Scotland.		5. 7.	H. 4.		Eng. bot. v. 20. t. 1331.
	<i>Imperatoria Ostruthium.</i> Eng. bot.						

12	imperatorioïdes. K.U. (wh.) narrow-leav'd. Alps, Europe. 1818. — H. 2.	Moris. his. s. 9. t. 4.
	<i>Imperatoria angustifolia</i> . s.s. <i>Selinum imperatorioïdes</i> . L.en.	
IMPERATORIA. DC. MASTERWORT. Pentandria Digynia. L.		
	verticillaris. s.s. (wh.) whorl-flowered. Italy. 1683. 7. H. 2.	Jacq. vind. 2. t. 130.
	<i>Angelica verticillaris</i> . W.	
CALLISACE. F. CALLISACE. Pentandria Digynia.		
	davurica. F. (wh.) Daurian. Dauria. 1820. 7. 8. H. 2.	
	<i>Thyselinum davuricum</i> . s.s.	
BUBON. K.U. BUBON. Pentandria Digynia.		
	Galbanum. K.U. (ye.) Lovage-leaved. C. B. S. 1696. 6. 8. G. 7.	Jacq. vind. 3. t. 36.
	<i>Selinum Galbanum</i> . R.S.	
ANETHUM. L.en. DILL. Pentandria Digynia. L.		
1	graveolens. W. (ye.) common. Spain. 1570. 6. 7. H. 8.	Hoff. umb. gen. t. 1. f. 13.
	<i>Pastinaca Anethum</i> . s.s.	
2	segetum. L.en. (ye.) Portugal. Portugal. 1796. — H. 0.	Jacq. vind. t. 132.
3	Sowa. H.B. (st.) Indian. E. Indies. 1810. — H. 0.	
CAPNOPHYLLUM. S.S. CAPNOPHYLLUM. Pentandria Digynia. S.S.		
	africanum. s.s. (wh.) Rue-leaved. C. B. S. 1759. 6. 9. H. 0.	Jacq. vind. t. 194.
	<i>Cenium africanum</i> . W. <i>Rumia capensis</i> . L.en.	
ARCHEMORA. DC. ARCHEMORA. Pentandria Digynia.		
	rigida. DC. (wh.) rigid. Virginia. 1774. 7. 8. H. 2.	Moris. dis. s. 9. t. 7. f. 1.
	<i>Sium rigidius</i> . W. <i>Cenanthus rigida</i> . N. <i>Pastinaca rigida</i> . s.s.	
PASTINACA. S.S. PARSNEP. Pentandria Digynia. L.		
1	lucida. s.s. (ye.) shining-leaved. S. Europe. 1771. 6. 7. H. 8.	Jacq. vind. 2. t. 199.
2	sativa. W.en. (ye.) cultivated. 7. H. 8.	Flor. dan. t. 1206.
3	opaca. W.en. (ye.) wild. Britain. — H. 8.	Eng. bot. v. 8. t. 556.
	<i>sativa 3 arvensis</i> . P.S.	
4	taraxacifolia. F. (ye.) Dandelion-ld. Russia. 1822. — H. 2.	
5	graveolens. s.s. (ye.) strong-scented. Tauria. 1819. 7. 8. H. 2.	Hoff. umb. t. 1. B. f. 6. c.
	<i>Mithridata graveolens</i> . H.U.	
6	panacifolia. F. (ye.) Panax-leaved. Tauria. 1826. 7. 8. H. 2.	
7	pimpinellifolia. s.s. (ye.) Burnet Saxifrage. Caucasus. 1824. — H. 8.	— p. 209. t. 1. B. f. 6. a. b.
8	umbrosa. F. (ye.) shady. — 1821. — H. 2.	
9	dissecta. s.s. (ye.) cut-leaved. Levant. 1816. 6. 7. H. 8.	Venten. cels. t. 78.
10	nudicaulis. s.s. (ye.) naked-stalked. N. America. 1816. — H. 2.	
	<i>Smyrnium nudicaule</i> . Ph.	
11	divaricata. Desf. (ye.) spreading. 1824. — H. 2.	
ASTYDAMIA. DC. ASTYDAMIA. Pentandria Digynia.		
	canariensis. DC. (ye.) cut-leaved. Canaries. 1780. 7. G. 8.	DC. dis. umb. t. 1. f. D.
	<i>Bupleurum canariense</i> . s.s. <i>Crithmum latifolium</i> . L. <i>Tenoria canariensis</i> . R.S.	
HERACLEUM. S.S. COW-PARSNEP. Pentandria Digynia. L.		
1	Sphondylium. W. (wh.) common. Britain. 5. 6. H. 2.	Eng. bot. v. 14. t. 939.
2	flavescens. W. (wh.) yellowish. Austria. 1789. 6. 7. H. 2.	Jacq. aust. 2. t. 173.
3	degens. W. (wh.) rough-leaved. — 1800. 5. 6. H. 2.	— 2. t. 175.
4	angustifolium. W. (wh.) narrow-leaved. — — H. 2.	— 2. t. 174.
5	longifolium. Jacq. (wh.) long-leaved. — — H. 2.	— 2. t. 374.
6	sibiricum. s.s. (st.) Siberian. Siberia. 1768. — H. 2.	Gmel. sib. 1. t. 50.
7	Panaces. s.s. (wh.) Fig-leaved. — 1596. 7. 8. H. 2.	Lobel. ic. 701.
8	pyrenæicum. W. (wh.) Pyrenean. Pyrenees. 1804. — H. 2.	
9	amplifolium. Lap. (wh.) large-leaved. — — H. 2.	Lap. fl. pyr. t. 79.
10	gummiferum. W. (wh.) gum-bearing. — 1816. — H. 2.	Wild. hort. ber. t. 53. 54.
11	speciosum. H.U. (wh.) handsome. — — H. 2.	
12	asperum. M.B. (wh.) rough. Caucasus. — — H. 2.	
13	cordatum. Pr. (wh.) heart-leaved. Sicily. 1825. — H. 2.	
14	villosum. s.s. (wh.) villous. Siberia. 1816. — H. 2.	
15	grandiflorum. Stev. (w.) large-flowered. Caucasus. 1818. — H. 2.	
16	decepiens. H.U. (wh.) deceiving. — — H. 2.	
17	marginatum. F. (wh.) margined. Siberia. 1816. — H. 2.	
18	pubescens. M.B. (wh.) pubescent. Caucasus. 1824. — H. 2.	
19	caucasicum. R.S. (wh.) Caucasian. — — H. 2.	
20	alpinum. s.s. (wh.) Alpine. Switzerland. 1739. 6. 7. H. 2.	Barrel. ic. 55.
21	austriacum. s.s. (wh.) Austrian. Austria. 1816. — H. 2.	Jacq. aust. t. 61.
	<i>Tordylium siifolium</i> . W.	
22	lausticifolium. s.s. (wh.) Lovage-leaved. Tauria. 1824. — H. 8.	
23	subvillosum. F. (wh.) subvillous. Siberia. 1820. — H. 2.	
24	giganteum. F. (wh.) gigantic. — — H. 2.	
25	basvium. F. (wh.) stately. — — H. 2.	
26	laciniatum. F. (wh.) jagged. — 1824. — H. 2.	
27	tauricum. F. (wh.) Taurian. Tauria. 1823. — H. 2.	

28	cáspicum. F.	(wh.) Caspian.	Caucasus.	1828.	6. 7.	H. 4.	
29	lanatum. M.	(wh.) woolly.	N. America.	—	—	H. 4.	
30	pùmilm. DC.	(wh.) dwarf.	Dauphiny.	1800.	5. 7.	H. 4.	Vill. delph. 2. t. 14.
	<i>Peucedanum Vocontiorum. s.s.</i>						
ZOSIMIA. H.U.	ZOSIMIA. Pentandria Digynia.						
	orientális. H.U.	(ye.) Wormwood-ld.	Persia.	1816.	7. 8.	H. ☉.	Vent. choix. t. 22.
	<i>Heracleum absinthifolium. s.s. Tordylium absinthifolium. p.s.</i>						

Tribus VII. TORDYLINEÆ. DC.

HASSELQUISTIA. S.S.	HASSELQUISTIA. Pentandria Digynia. L.						
1	ægyptiaca. s.s.	(wh.) Egyptian.	Egypt.	1768.	7.	H. ☉.	Jacq. vind. 1. t. 37.
2	cordata. s.s.	(wh.) heart-leaved.		1787.	—	H. ☉.	— 2. t. 193.
TORDYLIUM. K.U.	HARTWORT. Pentandria Digynia. L.						
1	syriacum. s.s.	(wh.) Syrian.	Syria.	1597.	7.	H. ☉.	Jacq. vind. 1. t. 54.
2	cordatum. E.	(wh.) heart-leaved.	—	1826.	—	H. ☉.	
3	máximum. s.s.	(wh.) great.	England.		6. 7.	H. ☉.	Eng. bot. v. 17. t. 113.
4	lusitanicum. W.en.	(wh.) Portugal.	Portugal.	1820.	—	H. ☉.	
CONDYLOCA'RPUS. K.U.	CONDYLOCA'RPUS. Pentandria Monogynia.						
1	officinális. K.U.	(bh.) officinal.	England.		7.	H. ☉.	Eng. bot. v. 34. t. 249.
	<i>Tordylium officinale. s.s.</i>						
2	ápus. K.U.	(wh.) small.	Italy.	1739.	—	H. ☉.	Jacq. vind. 1. t. 53.

Tribus VIII. SILERINEÆ. DC.

KRUB'ERA. H.U.	KRUB'ERA. Pentandria Digynia.						
	leptophylla. K.U.	slender-leaved.	Barbary.	1800.	6. 7.	H. ☉.	Desf. atl. 1. t. 66.
	<i>Conium dichotomum. Df. Cáchrys dichotoma. R.s. Tordylium peregrinum. L.</i>						
AGASY'LLIS. S.U.	AGASY'LLIS. Pentandria Digynia.						
1	caucásica. s.u.	(wh.) Caucasian.	Caucasus.	1823.	5. 7.	H. 4.	
	<i>Siler caucasicum. s.s. Cáchrys latifolia. M.B.</i>						
2	sálsa. s.u.	(st.) fine-leaved.	Siberia.	1804.	7. 8.	H. 4.	Pall. act. pet. 1779. t. 5.
	<i>Siler salsum. R.s. Sison salsum. L.</i>						
SILE'R. K.U.	SILE'R. Pentandria Digynia.						
	trilòbum. K.U.	(wh.) Columbine-leav'd.	Austria.	1796.	5. 7.	H. 4.	Jacq. aust. 2. t. 147.
	<i>aquilegifolium. R.s. Laserpitium aquilegifolium. w.</i>						

Tribus IX. CUMINEÆ. DC.

CUMINUM. S.S.	CUMIN. Pentandria Digynia. L.						
	Cy'minum. s.s.	(wh.) officinal.	Egypt.	1594.	6. 7.	H. ☉.	Cav. ic. 4. t. 360.

Tribus X. THAPSIEÆ. DC.

THA'PSIA. S.S.	DEADLY CARROT. Pentandria Digynia. L.						
1	villòsa. s.s.	(ye.) villous.	S. Europe.	1710.	6. 7.	H. 4.	Moris. s. 9. t. 18. f. 3.
2	fætida. s.s.	(ye.) stinking.	Spain.	1596.	7. 8.	H. 4.	— t. 18. f. 7.
3	gummi'fera. s.s.	(wh.) gum-bearing.	S. Europe.	1824.	—	H. 4.	Desf. atl. 1. t. 72.
	<i>Laserpitium gummi'ferum. Desf.</i>						
4	Asclèpium. s.s.	(ye.) oriental.	Levant.		—	H. 4.	Flor. græc. t. 286.
5	gargánica. s.s.	(ye.) Garganian.	Barbary.	1683.	—	H. 4.	Gouan. ill. 18. t. 10.
6	altíssima. R.s.	(ye.) tall.			—	H. 4.	
CYMO'PTERUS. DC.	CYMO'PTERUS. Pentandria Digynia.						
	glomeràta. (wh.) clustered.		N. America.	1824.	5. 6.	H. 4.	
	<i>Selinum acaule. Ph.</i>						
LASERPITIUM. DC.	LASERWORT. Pentandria Digynia. L.						
1	latifolium. s.s.	(wh.) broad-leaved.	Europe.	1610.	6. 7.	H. 4.	Jacq. aust. t. 146.
2	Libanòtis. s.s.	(pu.) pubescent.	S. Europe.	1824.	—	H. 4.	Lob. ic. 705.
3	marginàtum. s.s.	(st.) purple-margin'd.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 132.
4	Silér. s.s.	(wh.) mountain.	—	1640.	—	H. 4.	— 2. t. 145.

5 alpinum. K.U. (wh.) alpine.	S. Europe.	1610.	5. 7. H. 2.	W. et K. hung. 3. t. 253.
trilobum. s.s.				
6 angustifolium. w. (wh.) narrow-leaved.	S. Europe.	1738.	6. 7. H. 2.	Moris. s. 9. t. 19. f. 9.
7 pencedanoides. w. (wh.) fine-leaved.	Italy.		— H. 2.	Jacq. ic. 2. t. 350.
8 resinosum. s.s. (ye.) resinous.	Sicily.	1825.	— H. 2.	
9 hirsutum. s.s. (wh.) hairy.	Switzerland.	1759.	— H. 2.	Hall. stirp. t. 19.
10 Archangelica. s.s. (wh.) spotted-stalked.	Hungary.	1818.	— H. 2.	Jacq. ic. 1. t. 58.
11 pilosum. s.s. (st.) sulphur-color'd.	Caucasus.	1759.	— H. 2.	
12 pruthenicum. s.s. (wh.) Prussian.	Germany.	—	7. 8. H. 2.	Jacq. aust. 2. t. 153.
13 hispidum. M.B. (bh.) hispid.	Caucasus.	1818.	— H. 2.	
14 Athamantæ. s.s. (wh.) branching.	Siberia.	—	— H. ♂.	
15 gallicum. s.s. (wh.) French.	S. Europe.	1683.	6. 7. H. 2.	Pluk. phyt. t. 198. f. 6.
16 ferulaceum. w. (wh.) Fennel-leaved.	Levant.	1752.	— H. 2.	Tourn. it. 2. t. 121.
17 pratense. Led. (wh.) field.	Siberia.	1827.	— H. 2.	
18 laxiflorum. F. (wh.) loose-flowered.	—	1828.	— H. 2.	
LOPHOSCIADIUM. DC. LOPHOSCIADIUM. Pentandria Digynia.				
millefolium. DC. (ye.) milfoil-leaved.	Levant.	1823.	7. 8. H. 2.	DC. mem. umb. t. 2. f. P.
Perula meoides. s.s.				
MELANOSELINUM. H.U. BLACK-PARSLEY. Pentandria Digynia.				
decipiens. H.U. (wh.) shrubby.	Madeira.	1785.	6. 7. G. ♀.	Wend. s. han. 3. t. 13.

Tribus XI. DAUCINEÆ. DC.

ARTEDIA. S.S.	ARTEDIA. Pentandria Digynia. L.			
squamata. s.s. (wh.) Fennel-leaved.	Levant.	1740.	7. H. ⊙.	Lam. ill. t. 193.
ORLYA. H.U.	ORLYA. Pentandria Digynia.			
1 grandiflora. H.U. (wh.) great-flowered.	S. Europe.	1648.	7. 8. H. ⊙.	Jacq. aust. 1. t. 54.
Caucalis grandiflora. s.s.				
2 maritima. K.U. (bh.) sea-side.	—	1825.	— H. ⊙.	Cavan. icon. 2. t. 101.
Caucalis maritimus. s.s.				
3 platycarpus. K.U. (wh.) broad-seeded.	—	1800.	— H. ⊙.	Jacq. vind. 3. t. 10.
DAUCUS. S.S.	CARROT. Pentandria Digynia. L.			
1 Carota. w. (wh.) wild.	Britain.		6. 7. H. ♂.	Eng. bot. v. 17. t. 1174.
2 lutea. (wh.) yellow-rooted, garden.	—		— H. ♂.	
3 aurantia. (wh.) long-orange.	—		— H. ♂.	
4 præcox. (wh.) early horn.	—		— H. ♂.	
2 mauritanicus. w. (wh.) fine-leaved.	Spain.	1768.	— H. ♂.	All. ped. 2. t. 61. f. 1.
3 polygamus. L.en. (wh.) polygamous.	—		— H. ♂.	Jacq. vind. 3. t. 78.
4 pusillus. R.S. (wh.) small.	N. America.	1812.	— H. ♂.	
5 maritimus. E.B. (ro.) sea-side.	England.		— H. ♂.	Eng. bot. v. 36. t. 2560.
6 gummifer. s.s. (ro.) gum-bearing.	Italy.	1722.	— H. ♂.	Moris. sect. 9. t. 13.
7 prolifer. s.s. (wh.) proliferous.	Sicily.	1828.	— H. ♂.	
8 hispidus. s.s. (bh.) hispid.	Barbary.	1804.	— H. ♂.	Desf. atl. t. 63.
9 scutellus. s.s. (bh.) Sicilian.	—	—	— H. ♂.	
10 Gingidium. s.s. (ro.) shining-leaved.	France.	1722.	— H. ♂.	Moris. s. 9. t. 13. f. 4.
lucidus. w.				
11 muricatus. s.s. (bh.) prickly-seeded	Barbary.	1683.	— H. ⊙.	Moris. s. 9. t. 14. f. 4.
12 littoralis. s.s. (wh.) sea-shore.	Greece.	1823.	— H. ⊙.	Flor. græc. t. 271.
13 montevidensis. Ot. (wh.) Monte Video.	Monte Video.	1826.	— H. ⊙.	
14 parviflorus. s.s. (wh.) small-flowered.	Barbary.	1823.	— H. ♂.	Desf. atl. 1. t. 68.
15 crinitus. K.U. (wh.) whorl-leaved.	—	1804.	6. 7. H. 2.	— 1. t. 62.
Torilis crinita. s.s.				
16 pulcherrimus. DC. (wh.) beautiful.	Caucasus.	1816.	— H. ♂.	
Caucalis pulcherrima. M.B.				
17 orientalis. DC. (wh.) oriental.	—	1699.	— H. ♂.	Buxb. cent. 3. t. 28.
Caucalis orientalis. R.S.				
18 Marschallianus. DC. (wh.) Marschall's.	Odessa.	1824.	— H. ♂.	
Caucalis littoralis. M.B. Cachrys littoralis. s.s.				

Subordo II. CAMPYLOSPERMÆ. DC.

Tribus XII. CAUCALINEÆ. DC.

CAUCALIS. S.S.	BUR-PARSLEY. Pentandria Digynia. L.			
1 daucoides. s.s. (ro.) small.	England.		7. 8. H. ⊙.	Eng. bot. v. 3. t. 197.

2	mauritànica. s.s. (wh.)	Barbary.	Barbary.	1823.	7. 8.	H. ☉.	
3	leptophy'lla. s.s. (bh.)	fine-leaved.	Europe.	1739.	—	H. ☉.	Jacq. vind. t. 195.
4	pùmila. w. (bh.)	dwarf.	—	1640.	—	H. ☉.	Ger. gallop. n. 4. t. 1.
5	hispida. s.s. (st.)	hispid.	S. Europe.	1825.	—	H. ☉.	
6	hùmilis. Lag. (wh.)	low.	—	—	—	H. ☉.	
TURG'ENIA. DC.		TURG'ENIA. Pentandria Digynia.					
	latifòlia. DC. (bh.)	broad-leaved.	England.		7. 8.	H. ☉.	Eng. bot. v. 3. t. 18.
	<i>Caùcalis latifòlia. E.B.</i>						
TOR'ILIS. S.S.		TOR'ILIS. Pentandria Digynia. S.S.					
1	Anthriscus. s.s. (bh.)	upright.	Britain.		7. 8.	H. ☉.	Eng. bot. v. 14. t. 87.
2	infèsta. E.F. (wh.)	spreading.	—		—	H. ☉.	— v. 19. t. 131.
	<i>helvética. s.s. arvënsis. L.en. Caùcalis infèsta. E.B.</i>						
3	neglécta. R.S. (wh.)	confused.	Austria.		—	H. ☉.	Jacq. aust. t. 21.
4	ucrànica. s.s. (wh.)	Ukraine.	Ukraine.	1828.	—	H. ☉.	
5	nodòsa. s.s. (wh.)	knotted.	Britain.		5. 7.	H. ☉.	Eng. bot. v. 3. t. 12.
6	trichospërma. s.s. (fl.)	hairy-seeded.	Egypt.	1818.	—	H. ☉.	

Tribus XIII. SCANDICINÆ. DC.

SCANDIX. DC. CICELY. Pentandria Digynia. L.							
1	Pecten. R.S. (wh.)	Venus's-comb.	Britain.		6. 7.	H. ☉.	Eng. bot. v. 20. t. 127.
2	austràlis. R.S. (wh.)	southern.	S. Europe.	1713.	5. 7.	H. ☉.	Flor. græc. t. 285.
	<i>W'ylia australis. H.U.</i>						
3	falcata. R.S. (wh.)	radiated.	Tauria.	—	—	H. ☉.	Hoff. umb. t. 2. f. 2.
	<i>W'ylia radians. H.U.</i>						
4	grandiflora. R.S. (wh.)	large-flowered.	—	1827.	6. 7.	H. ☉.	Hoff. umb. p. 15. t. 2. f. 2.
5	brachycarpa. s.s. (wh.)	short-seeded.	Sicily.	1829.	—	H. ☉.	
6	ibèrica. R.S. (wh.)	Iberian.	Iberia.	1828.	—	H. ☉.	Hoff. umb. t. 2. f. 4.
7	pinnatifida. R.S. (wh.)	cut-leaved.	Persia.	1805.	5. 7.	H. ☉.	Venten. cels. t. 14.
8	parviflora. R.S. (wh.)	small-flowered.	Tauria.	1827.	—	H. ☉.	
ANTHRISCUS. S.S. ROUGH CHERVIL. Pentandria Digynia. S.S.							
1	vulgàris. s.s. (wh.)	common.	Britain.		5. 6.	H. ☉.	Eng. bot. v. 12. t. 81.
	<i>Scandix anthriscus. E.B.</i>						
2	trichospërma. R.S. (wh.)	hairy-seeded.	Persia.	1827.	—	H. ☉.	
3	nemorosa. s.s. (wh.)	wood.	Caucasus.	1823.	7. 8.	H. ♀.	Hoff. umb. 2. t. 1. B. f. 19.
4	fumarioïdes. s.s. (wh.)	Fumitory-like.	Hungary.	1818.	—	H. ♂.	W. et K. hung. 2. t. 221.
5	bulbosa. DC. (wh.)	bulbous-rooted.	Europe.	1726.	6. 7.	H. ♂.	Jacq. aust. 1. t. 63.
	<i>Myrrhis bulbosa. s.s. Chærophy'llum bulbosum. Jacq.</i>						
6	sylvéstris. K.U. (wh.)	smooth.	Britain.		4. 5.	H. ♀.	Eng. bot. v. 11. t. 72.
	<i>Chærophy'llum sylvestre. E.B.</i>						
7	Ceræfolium. K.U. (wh.)	true Chervil.	—		6. 7.	H. ☉.	Eng. bot. v. 18. t. 122.
	<i>Scandix ceræfolium. E.B. Chærophy'llum sativum. s.s.</i>						
8	capénsis. s.s. (wh.)	Cape.	C. B. S.	1816.	—	G. ♀.	
CHÆROPHY'LLUM. S.S. CHERVIL. Pentandria Digynia. L.							
1	aromaticum. K.U. (wh.)	aromatic.	Scotland.		6. 8.	H. ♀.	Jacq. aust. 2. t. 150.
	<i>Myrrhis aromática. s.s.</i>						
2	angelicæfolium. M.B. (wh.)	Angelica-leav'd.	Iberia.	1828.	6. 8.	H. ♀.	
3	hirsutum. w. (wh.)	hairy-leaved.	Switzerland.	1759.	6. 7.	H. ♀.	Jacq. aust. 2. t. 148.
4	cicutarium. L.en. (bh.)	Cicuta-like.	S. Europe.	1816.	—	H. ♀.	
5	aureum. L. (st.)	golden.	Scotland.		6.	H. ♀.	Eng. bot. v. 30. t. 221.
6	temulentum. E.B. (wh.)	rough.	Britain.		7. 8.	H. ♂.	— v. 22. t. 171.
7	monogonum. L.en. (wh.)	one-angled.	Hungary.	1820.	4. 6.	H. ♀.	
8	angulatum. Kit. (wh.)	angular.	—	—	—	H. ♀.	
9	humile. M.B. (wh.)	dwarf.	—	1825.	—	H. ♀.	
	<i>Anthriscus humilis. Besser. Myrrhis humilis. R.S.</i>						
10	nitidum. Wahl. (wh.)	glossy-seeded.	Carpathian-m.	1820.	—	H. ♀.	
11	Biebersteinii. Lag. (wh.)	Bieberstein's.	Caucasus.	1824.	5. 6.	H. ♀.	Jacq. vind. 3. t. 25.
12	nodosum. K.U. (wh.)	knotted.	Sicily.	1656.	5. 6.	H. ♀.	
	<i>Scandix nodosa. Jacq. Anthriscus nodosus. s.s.</i>						
13	procumbens. Ph. (wh.)	procumbent.	N. America.	1699.	7. 8.	H. ☉.	Moris. his. s. 9. t. 11. f. 1.
14	roseum. M.B. (ro.)	rose-coloured.	Iberia.	1821.	6. 7.	H. ♂.	Hoff. umb. t. 1. B. f. 19.
15	coloratum. w. (st.)	color'd-bract'd.	Illyria.	1806.	7. 8.	H. ♂.	
16	tenuifolium. Poir. (wh.)	slender-leaved.	Morocco.	—	—	F. ♂.	Jacq. vind. t. 51.

- SPHALLEROCARPUS. DC. SPHALLEROCARPUS.** Pentandria Digynia.
gracilis. DC. (wh.) slender. Siberia. 1827. 6. 8. H. ♂. DC. dis. umb. t. 2. f. N.
Myrrhis gracilis. s.s. Chærophyllum Cyminum. F.
- MOLOPOSPERMUM. K.U. MOLOPOSPERMUM.** Pentandria Digynia.
peloponesiacum. K.U.(pa.) Hemlock-l'd. Switzerland. 1596. 5. 7. H. ♀. Jacq. aust. app. t. 13.
Ligusticum peloponesiacum. s.s.
- MYRRHIS. S.S. MYRRH.** Pentandria Digynia. S.S.
clorata. s.s. (wh.) sweet-scented. Britain. 5. 6. H. ♀. Eng. bot. v. 10. t. 697.
- OSMORHIZA. DC. OSMORHIZA.** Pentandria Digynia.
Claytoni. DC. (wh.) sweet-rooted. N. America. 1806. 7. 8. H. ♀. Spreng. umb. t. 3. f. 6.
Myrrhis Claytoni. s.s. Uraspermum hirsutum. Bigelow. Claytoni. N.

Tribus XIV. SMYRNÆ. DC.

- LAGECIA. L. WILD CUMIN.** Pentandria Monogynia. L.
cuminoides. s.s.(gr.ye.) common. Levant. 1640. 6. 7. H. ☉. Flor. græc. t. 213.
- OLIVERIA. V. OLIV'ERIA.** Pentandria Digynia. S.S.
decumbens. v. (bh.) Thyme-scented. Bagdad. 1816. 5. 7. H. ☉. Venten. cels. t. 21.
- ECHINOPHORA. S.S. SEA PARSNEP.** Pentandria Digynia. L.
1 spinosa. s.s. (bh.) prickly. England. 7. H. ♀. Eng. bot. v. 34. t. 2413.
2 tenuifolia. s.s. (bh.) fine-leaved. Apulia. 1731. 7. 8. H. ♀. Flor. græc. t. 266.
3 trichophylla. s.s. (bh.) slender-leaved. Armenia. 1829. — H. ♀.
- ARCTOPUS. S.S. ARCT'OPUS.** Polygamia Diœcia. L.
echinatus. s.s. (wh.) rough. C. B. S. 1774. 6. 9. G. ♀. Bot. reg. t. 705.
- CACHRYS. L.en. CA'CHRYS.** Pentandria Digynia. L.
1 clontalgica. s.s. (ye.) Pallas's. Siberia. 1821. 7. 8. H. ♀. Pall. reis. ap. 3. t. 9.
2 Morisoni. s.s. (ye.) Morison's. S. Europe. 1710. — H. ♀. Moris. umb. t. 3. f. 1.
- PERLEBIA. DC. PERLE'BIA.** Pentandria Digynia.
triquetra. DC. (wh.) winged. Levant. 1816. 6. 7. H. ♀. Vent. cels. t. 79.
Laserpitium triquetrum. v. Cächrys triquetra. s.s.
- HIPPOMAR'ATHRUM. HIPPOMAR'ATHRUM.** Pentandria Digynia.
siculum. L.en. (ye.) hairy-seeded. Sicily. 1640. 7. 8. H. ♀. Moris. umb. t. 3. f. 2.
Cächrys sicula. s.s.
- MAGYD'ARIS. DC. MAGYD'ARIS.** Pentandria Digynia.
panacina. DC. (wh.) Parsnep-leav'd. Sicily. 1752. 7. 8. H. ♀. Bocc. sic. 1. t. 1.
Cächrys panacifolia. w. Athamanta panacifolia. R.S.
- HERMAS. S.S. HE'RMAS.** Polygamia Monœcia. W.
1 gigantea. s.s. (pu.) gigantic. C. B. S. 1791. 6. 7. G. ♀. Thunb. act. pet. 14. t. 11.
2 villosa. s.s. (bh.) villous. — 1795. — G. ♀. Burm. afr. t. 71. f. 2.
depauperata. L.
- 3 ciliata. s.s. (wh.) ciliated. — 1816. — G. ♀.* Burm. t. 72. f. 1.
4 capitata. s.s. (wh.) headed. — 6. 8. G. ♀. Thun. n. act. pet. 14. t. 12.
5 quinquedentata. s.s.(wh.) toothed. — 1821. — G. ♀. — 14. p. 533. t. 12.
- CONIUM. H.U. HEMLOCK.** Pentandria Digynia. L.
1 maculatum. s.s. (wh.) common. Britain. 6. 7. H. ♂. Eng. bot. v. 17. t. 1191.
2 creaticum. W.K. (wh.) Hungarian. Hungary. — H. ♂.
- ARRAC'ACIA. DC. ARRAC'ACIA.** Pentandria Digynia.
esculenta. DC. (wh.) esculent. S. America. 1822. 4. 5. F. ♀. Hook. ex. flor. t. 152.
Conium Arracacha. H.E.F.
- PLEUROSPE'RMUM. S.S. PLEUROSPE'RMUM.** Pentandria Digynia. S.S.
austriacum. s.s. (wh.) Austrian. Austria. 1596. 6. 8. H. ♀. Jacq. aust. 2. t. 151.
Ligusticum austriacum. w.
- SMYRNIUM. S.S. ALEXANDERS.** Pentandria Digynia. L.
1 Olusatrum. s.s. (st.) common. Britain. 5. 6. H. ♂. Eng. bot. v. 4. t. 230.
2 perfoliatum. w. (st.) perfoliate. Italy. 1596. 5. H. ♀. Lobel. ic. 709.
Dodonæi. s.s.
- 3 Dioscoridis. s.s. (ye.) Dioscorides. S. Europe. — H. ♂.* Flor. græc. t. 289.
4 apifolium. s.s. (ye.) Smallage-leav'd. Candia. 1731. 5. 7. H. ♀.
5 nudicaule. s.s. (ye.) naked-stalked. Caucasus. 1820. — H. ♀. Spreng. umb. t. 4. f. 7.
6 cicutarium. s.s. (ye.) Cicutu-like. — 1829. — H. ♀.
7 cordatum. s.s. (ye.) heart-leaved. N. America. 1759. 6. 7. H. ♀.
8 integerrimum. Ph.(ye.) entire-leaved. N. America. 1759. — H. ♀.
- PHYSOSPERMUM. S.S. PHYSOSPERMUM.** Pentandria Digynia. S.S.
cornutatum. s.s.(wh.) Cornish. England. 7. 8. H. ♀. Eng. bot. v. 10. t. 683.
Ligusticum cornubiense. E.B.

Subordo III. *CÆLOSPERMEÆ.* DC.

Tribus XV. CORIANDRÆ. DC.

BIF'ORIS. S.S.		BIF'ORIS. Pentandria Digynia. S.S.					
1 flosculosa. s.s.	(wh.) flosculose.	S. Europe.	1640.	6. 7.	H. ☉.	Moris. sect. 9. t. 11.	
<i>Còrion testiculatum. L.en. Coriándrum testiculatum. L.</i>							
2 radians. s.s.	(wh.) rayed.	Tauria.		—	H. ☉.	Hoff.umb.ed.2.t.tit.12	
ATR'EMA. DC.		ATR'EMA. Pentandria Digynia.					
americana. DC.	(wh.) American.	N. America.	1827.	6. 7.	H. ☉.	DC. mem. umb. t. 18.	
<i>Coriándrum americanum. N.</i>							
CORIA'NDRUM. S.S. CORIANDER.		Pentandria Digynia. L.					
sativum. s.s.	(bh.) common.	England.		6.	H. ☉.	Eng. bot. v. 1. t. 67.	

ORDO CIX.

ARALIACEÆ. Juss. gen. p. 217.

P'ANAX. L.		P'ANAX. Polygamia Diœcia. L.					
1 quinquefòlium. w.	(gr.) Ginseng.	N. America.	1740.	6.	H. 4.	Bot. mag. t. 1333.	
2 trifòlium. w.	(wh.) lesser.	—	1759.	5. 6.	H. 4.	— t. 1334.	
<i>pusilla. a. B.M.</i>							
3 fruticòsum. w.	(gr.) shrubby.	Ternate.	1800.	8. 9.	S. 1/2.	Andr. rep. t. 595.	
4 digitatum. H.B.	(gr.) fingered.	E. Indies.	1818.		S. 1/2.		
5 arboreum. w.	(gr.) tree.	N. Zealand.	1822.		G. 1/2.		
6 chrysophyllum. R.s.	(gr.) golden-leaved.	Guiana.	—		S. 1/2.	Aub. gui. 2. t. 360.	
7 conchitòlium. H.B.	(gr.) shell-leaved.	—	1820.		S. 1/2.	Rumph. amb. 4. t. 31	
8 attenuatum. w.	(gr.) attenuated.	W. Indies.	1825.		S. 1/2.		
9 aculeatum. w.	(gr.) prickly.	China.	1773.	11.	S. 1/2.	Jacq. ic. 3. t. 631.	
CUSS'ONIA. W.		CUSS'ONIA. Pentandria Digynia. L.					
1 thyrsiflora. w.	(gr.) thyrse-flower'd.	C. B. S.	1795.	8. 10.	G. 1/2.	Th. nov. act. ups. 3. t. 1.	
2 triptera. C.R.	(gr.) tripterous.	—	1816.		G. 1/2.	Colla hort. rip. t. 2.	
3 spicata. w.	(gr.) spike-flowered.	—	1789.	8. 10.	G. 1/2.	Th. nov. act. ups. 3. t. 1.	
SCIODAPHY'LLUM. S.S. SCIODAPHY'LLUM. Pentandria Pentagynia. S.S.							
1 pentandrum. s.s.	(bh.) pentandrous.	Peru.	1828.		G. 1/2.	Flor. peruv. t. 311.	
2 acuminatum. s.s.	(ye.) acuminate-petal'd.	—	1818.		S. 1/2.~.	— t. 310.	
<i>Actinophy'llum acuminatum. R.P.</i>							
3 conicum. s.s.	(bh.) conical-flower'd.	—	—		S. 1/2.~.	Flor. peruv. p. 75. t. 2.	
4 pedicellatum. s.s.	(bh.) pedicelled.	—	—		S. 1/2.~.	— t. 2.	
<i>Actinophy'llum pedicellatum. R.P.</i>							
5 angulatum. s.s.	(ye.) tree.	—	1824.		G. 1/2.		
6 Brównii. s.s.	(gr.) upright.	W. Indies.	1793.	6. 8.	S. 1/2.	Brown jam. t. 19. f. 12	
<i>Aràlia Sciodaphy'llum. w.</i>							
AR'ALIA. D.P.		AR'ALIA. Pentandria Pentagynia. L.					
1 pentaphy'lla. s.s.	(gr.) five-ld prickly.	China.	1822.		G. 1/2.		
2 spinosa. s.s.	(wh.) Angelica-tree.	Virginia.	1688.	9.	H. 1/2.	Comm. hort. 1. t. 47.	
3 racemosa. s.s.	(gr.) berry-bearing.	N. America.	1658.	6. 9.	H. 4.	Schkuhr. hand. 1. t. 5.	
4 nudicaulis. s.s.	(wh.) naked-stalked.	—	1731.	6. 7.	H. 4.	Pluk. alm. t. 238. f. 5.	
5 hispida. s.s.	(wh.) hispid.	—	1799.	—	H. 1/2.	Bot. mag. t. 1055.	
6 pubescens. DC.	(wh.) pubescent.	New Spain.	1819.		G. 1/2.	DC. mons. ined. t. 4.	
GAST'ONIA. J.		GAST'ONIA. Dodecandria Monogynia.					
palmata. H.B.	(wh.) palmate-leaved.	E. Indies.	1818.	3. 4.	S. 1/2.	Bot. reg. t. 891.	
HEDERA. D.P.		IVY. Pentandria Mono-Pentagynia.					
1 umbraculifera. (wh.) large.		E. Indies.	1818.	3. 4.	S. 1/2.		
<i>Aràlia umbraculifera. H.B.</i>							
2 digitata. H.B.	(wh.) fingered.	—	—	—	S. 1/2.		

3 aculeata. D.P.	(wh.) prickly Nepaul.	Nepaul.	1816.		F. h.	
4 fragrans D.P.	(wh.) fragrant.	—	—		F. h.	
5 cochleata.	(wh.) shell-leaved.	E. Indies.	1820.		S. h.	Rumph. amb. 4. t. 31.
<i>Aralia cochleata</i> . R.S.						
6 arborescens. R.S.	(wh.) tree.	Jamaica.	—		S. h.	Jacq. schoenb. t. 51.
7 capitata. R.S.	(gr.) cluster-flower'd.	W. Indies.	1777.	8.	S. h.	Smith. ic. pict. 4.
8 canariensis. R.S.	(gr.) Irish.	Canaries.	1807.	9. 10.	H. h.	Willd. ber. m. 2. t. 5. f. 1.
9 Helix. R.S.	(gr.) common.	Britain.		—	H. h.	Eng. bot. v. 18. t. 1267.
10 pectinata. R.S.	(gr.) Poet's.	—		—	H. h.	—
11 albo-variegata. (gr.)	white-variegated.	—		—	H. h.	—
12 flavo-variegata. (gr.)	yellow-variegated.	—		—	H. h.	—

ORDO CX.

CAPRIFOLIACEÆ. *Juss. gen. p. 210.*

CORNUS. L.		Dogwood. Tetrandria Monogynia. L.				
1 alternifolia. R.S.	(wh.) alternate-leav'd.	N. America.	1760.	9.	H. h.	Schm. arb. 2. t. 70.
2 paniculata. R.S.	(wh.) panicled.	—	1758.	6. 7.	H. h.	— 2. t. 68.
3 stricta. R.S.	(wh.) upright.	—	—	—	H. h.	— 2. t. 67.
4 variegata.	(wh.) variegated-leav'd.	—	—	—	H. h.	—
5 oblonga. F.I.	(bh.) oblong-leaved.	Nepaul.	1818.	7. 8.	H. h.	—
6 macrophylla. F.I.	(wh.) large-leaved.	—	1827.	—	H. h.	—
7 circinata. R.S.	(wh.) Pensylvanian.	N. America.	1784.	—	H. h.	Schm. arb. 2. t. 69.
8 alba. R.S.	(wh.) white berried.	Siberia.	1741.	6. 9.	H. h.	— 2. t. 65.
9 sibirica. L.C.	(wh.) Siberian.	—		—	H. h.	—
10 sericea. R.S.	(wh.) blue-berried.	N. America.	1683.	8.	H. h.	Schm. arb. 2. t. 64.
11 sanguinea. R.S.	(wh.) common.	Britain.		6. 7.	H. h.	Eng. bot. v. 4. t. 249.
12 variegata.	(wh.) variegated.	—		—	H. h.	—
13 mascula. R.S.	(ye.) Cornelian Cherry.	Europe.	1596.	2. 4.	H. h.	Flor. græc. t. 151.
14 variegata.	(ye.) variegated.	—	—	—	H. h.	—
15 florida. R.S.	(ye.) great-flowered.	N. America.	1731.	4. 5.	H. h.	Bot. mag. t. 526.
16 capitata. F.I.	(ye.) headed.	Nepaul.	1820.	—	H. h.	—
17 canadensis. R.S.	(wh.) Canadian.	Canada.	1774.	6. 8.	H. h.	Bot. mag. t. 880.
18 sericea. R.S.	(wh.) dwarf.	Britain.		4.	H. h.	Eng. bot. v. 5. t. 310.
SAMBUCUS. L.		ELDER. Pentandria Trigynia. L.				
1 Ebulus. R.S.	(fl.) herbaceous.	Britain.		6. 7.	H. h.	Eng. bot. v. 7. t. 475.
2 humilis. Mill.	(fl.) dwarf.	—		—	H. h.	—
3 chinensis. H.T.	(fl.) Chinese.	China.	1825.	—	H. h.	—
4 nigra. R.S.	(wh.) common.	Britain.		5. 7.	H. h.	Eng. bot. v. 7. t. 476.
5 variegata.	(wh.) variegated.	—		—	H. h.	—
6 aurea.	(wh.) golden-leaved.	—		—	H. h.	—
7 pulverulenta.	(wh.) powdered-leaved.	—		—	H. h.	—
8 monstrosa.	(wh.) deformed.	—		—	H. h.	—
9 viridescens.	(wh.) green-fruited.	—		—	H. h.	—
10 albidula.	(wh.) white-fruited.	—		—	H. h.	—
11 laciniata. L.en.	(wh.) Parsley-leaved.	—		—	H. h.	Schm. arb. t. 144.
12 hybrida. Jac.	(wh.) hybrid.	—	1826.	—	H. h.	—
13 rotundifolia. L.C.	(wh.) round-leaved.	Wiltshire.		—	H. h.	—
14 canadensis. R.S.	(wh.) Canadian.	N. America.	1761.	6. 8.	H. h.	Schm. arb. t. 142.
15 racemosa. R.S.	(st.) red-berried.	S. Europe.	1596.	5. 6.	H. h.	Jacq. ic. 1. t. 59.
16 purpurea.	(br.) purple-flowered.	—	—	—	H. h.	—
17 pubens. R.S.	(st.) pubescent.	N. America.	1812.	—	H. h.	—
VIBURNUM. L.		VIBURNUM. Pentandria Trigynia. L.				
1 molle. R.S.	(wh.) soft.	N. America.	1812.	6. 7.	H. h.	Wats. dend. brit. t. 118.
2 acerifolium. R.S.	(wh.) Maple-leaved.	—	1736.	—	H. h.	—
3 edule. R.S.	(wh.) eatable-fruited.	—	1812.	7.	H. h.	—
4 Oxyccocos. R.S.	(wh.) Cranberry-like.	—		—	H. h.	—
5 Opulus. R.S.	(wh.) Guelder Rose.	Britain.		5. 6.	H. h.	Eng. bot. v. 5. t. 332.
6 roseum. R.S.	(wh.) Snowball tree.	—		—	H. h.	Schm. arb. t. 174.
7 variegatum.	(wh.) variegated-leav'd.	—		—	H. h.	—
8 dasyrrhynchum. R.S.	(wh.) Siberian.	Dahuria.	1785.	6. 7.	H. h.	Pall. ross. 1. t. 38.
9 lantanoides. R.S.	(wh.) Lantana-like.	N. America.		5. 6.	H. h.	—
10 Lantana. R.S.	(wh.) wayfaring-tree.	Britain.		—	H. h.	Eng. bot. v. 5. t. 331.
11 nervosum. D.P.	(wh.) nerved-leaved.	Nepaul.	1826.	—	H. h.	—

10	Lentago. R.S.	(wh.) tree.	N. America.	1761.	7.	H. h.	Wats. dend. brit. t. 21.
11	squamatum. R.S.	(wh.) scaly.	—————	1812.	6. 7.	H. h.	————— t. 24.
12	pyrifolium. R.S.	(wh.) pear-leaved.	—————		5. 6.	H. h.	————— t. 22.
13	prunifolium. R.S.	(wh.) plum-leaved.	—————	1731.	—	H. h.	————— t. 23.
14	pubescens. R.S.	(wh.) pubescent.	—————	1736.	6. 7.	H. h.	—
15	dentatum. R.S.	(wh.) tooth-leaved.	—————	—	—	H. h.	Wats. dend. brit. t. 21.
16	laevigatum. R.S.	(wh.) Cassioberry bush.	—————	1724.	7. 8.	H. h.	Mill. ic. 1. t. 83. f. 1.
17	nitidum. R.S.	(wh.) shining-leaved.	—————	1758.	5. 6.	H. h.	—
18	cassinoïdes. R.S.	(wh.) thick-leaved.	—————	1761.	6. 7.	H. h.	—
19	obovatum. R.S.	(wh.) obovate-leaved.	—————	1812.	5. 6.	H. h.	—
20	odoratissimum. B.R.	(w.) sweet-scented. China.	1810.	—	G. h.	—	Bot. reg. t. 456.
	chinense. Zeyh.						
21	nudum. R.S.	(wh.) oval-leaved.	N. America.	1752.	—	H. h.	Wats. dend. brit. t. 21.
22	cylindricum. D.P.	(wh.) tube-flowered.	Nepaul.	1826.	6. 8.	H. h.	—
23	villosum. R.S.	(wh.) villous.	Jamaica.	1820.	4. 6.	S. h.	—
24	rugosum. R.S.	(wh.) rugged-leaved.	Canaries.	1796.	4. 5.	H. h.	Bot. reg. t. 376.
	rigidum. Vent.	malm. t. 98.					
25	strictum. L.en.	(wh.) upright Laurestine.	S. Europe.	1596.	3. 5.	H. h.	—
	β virgatum.	(wh.) twiggy.	—————	—	—	H. h.	—
26	Tinus. R.S.	(wh.) common Laurestine.	—	—	12. 4.	H. h.	Bot. mag. t. 38.
27	lucidum. R.S.	(bh.) shining Laurestine.	—	—	2. 5.	H. h.	Clus. hist. 1. 49. ic.
SYMPHORIA. S.S. St. PETER'S-WORT. Pentandria Monogynia.							
1	glomerata. s.s.	(bh.) common.	N. America.	1730.	8. 9.	H. h.	Schmidt arb. t. 115.
2	racemosa. s.s.	(bh.) Snowberry.	—————	1812.	7. 9.	H. h.	Wats. dend. brit. t. 7.
DIERVILLA. J. DIERVILLA. Pentandria Monogynia.							
	humilis. P.S.	(ye.) yellow-flower'd.	N. America.	1739.	6. 7.	H. h.	Bot. mag. t. 1796.
	lutea Ph. Tournefortii.	R.S. canadensis. s.s. Lonicera Diervilla. L.					
LONICERA. R.S. FLY-HONEYSUCKLE. Pentandria Monogynia. L.							
1	alpigena. s.s.	(re.) red-berried.	Switzerland.	1596.	4. 5.	H. h.	Schmidt arb. t. 112.
2	microphylla. s.s.	(re.) small-leaved.	Siberia.	1818.	5. 6.	H. h.	—
3	sibirica. R.S.	(re.) Siberian.	—————		—	H. h.	—
4	orientalis. R.S.	(wh.) oriental.	Levant.	1820.	—	H. h.	—
	caucasica. Pall.						
5	punicea. B.M.	(cr.) crimson-flower'd.		—	4. 5.	H. h.	Bot. mag. t. 2469.
6	coerulea. R.S.	(st.) blue-berried.	Switzerland.	1629.	3. 4.	H. h.	— t. 1965.
	β altaica. F.	(st.) Altay.	Altay.	1827.	—	H. h.	—
7	canadensis. R.S.	(st.) Canadian.	Canada.	1812.	4. 5.	H. h.	—
8	involucrata. s.s.	(ye.) involucred.	N. America.	1824.	5. 6.	H. h.	Bot. reg. t. 1179.
9	iberica. R.S.	(br.) Iberian.	Iberia.	1818.	5. 6.	H. h.	—
10	villosa. R.S.	(st.) villous.	Canada.	—	4. 5.	H. h.	—
	Xylosteum villosum. M.						
11	Xylosteum. R.S.	(wh.) fly.	England		6. 7.	H. h.	Eng. bot. v. 13. t. 94.
12	canescens. R.S.	(wh.) canescent.	Barbary.	1820.	—	H. h.	Desf. atl. 1. t. 52.
	biflora. Desf.						
13	ciliata. R.S.	(bh.) ciliated.	N. America.	1821.	5. 6.	H. h.	—
	β alba. R.S.	(wh.) white berried.	—————	—	—	H. h.	—
14	tatarica. R.S.	(wh.) Tartarian.	Tartary.	1752.	4. 5.	H. h.	Pall. ros. 1. t. 36.
	α alba.	(wh.) white-flowered.	—————	—	—	H. h.	—
	β rubra.	(pi.) red-flowered.	—————	—	—	H. h.	—
15	nigra. R.S.	(pu.) black-berried.	Switzerland.	1597.	3. 4.	H. h.	Bot. reg. t. 31.
16	flexuosa. R.S.	(wh.) flexuose.	China.	1806.	7. 9.	H. h.	Schmidt arb. t. 110.
17	quadrifolia. R.S.	(wh.) four-leaved.	Siberia.	1824.	—	H. h.	—
18	pyrenaica. R.S.	(wh.) Pyrenean.	Pyrenees.	1739.	5.	H. h.	Magn. hort. t. 200.
19	hispida. R.S.	(wh.) hispid-branch'd.	Dahuria.	1821.	—	H. h.	—
20	ligustrina. D.P.	(st.) Privet-leaved.	Nepaul.	1825.	4. 5.	H. h.	—
NINTO'OA. NINTO'OA. Pentandria Monogynia.							
1	longiflora.	(st.) long-flowered.	China.	1816.	5. 10.	F. h. ∪.	Bot. reg. t. 1233.
	Caprifolium longiflorum. B.R.	japonicum. D.P.					
2	confusa.	(st.) pale-flowered.	China.	1806.	7. 10.	F. h. ∪.	Andr. reposit. t. 553.
	Nin-too. Kæmpf.	amoen. 5. p. 785. Lonicera japonica.					Bot. reg. t. 70. non Thunb.
3	japonica. Th.	(re.) red-flowered.	China.	1814.	4. 11.	H. h. ∪.	Wats. dend. brit. t. 11.
	Lonicera chinensis. W.D.	Lonicera flexuosa.					Bot. reg. v. 9. t. 712. nec aliorum.
CAPRIFOLIUM. R.S. HONEYSUCKLE. Pentandria Monogynia.							
1	italicum. R.S.	(bh.) early.	England.		4. 6.	H. h. ∪.	Eng. bot. v. 12. t. 70.
	album.	(wh.) white-flowered.	—————		—	H. h. ∪.	Jacq. aust. t. 357.
	Lonicera Caprifolium. E.B.						
	β rubrum.	(re.) early red.	Italy.		—	H. h. ∪.	Schmidt arb. t. 106.
2	etruscum. R.S.	(wh. pu.) Italian.	—————	1824.	—	H. h. ∪.	San. Viag. al. m. t. 1.
3	balearicum. R.S.	(st.) red-barked.	S. Europe.	—	—	H. h. ∪.	—

- 4 dioicum. R.S. (re.) small-flowered. N. America. 1766. 6. 7. H. $\frac{1}{2}$. Bot. reg. t. 138.
purpuriflorum. Ph? *bracteosum*. M? *Lonicera media*. Murr. com. got. 1776. t. 3.
5 gratum. R.S. (re.) evergreen. N. America. 1730. 6. 8. H. $\frac{1}{2}$. Hort. angl. n. 10. t. 8.
6 flavum. B.M. (ye.) golden-flowered. ——— 1810. 5. 7. H. $\frac{1}{2}$. Bot. mag. t. 1318.
Fraseri. Ph. *Lonicera flava*. B.M.
7 Douglasii. H.T. (ye.) Douglas's. Canada. 1821. 5. 7. H. $\frac{1}{2}$.
8 pubescens. H.E.F. (ye.) pubescent. N. America. 1820. ——— H. $\frac{1}{2}$. Hook. ex. flor. t. 27.
Lonicera Góldii. S.S.
9 sempervirens. R.S. (sc.) Trumpet. ——— 1656. 5. 8. H. $\frac{1}{2}$. Bot. mag. t. 781.
10 oblongifolium. (sc.) oblong-leaved. Carolina. F. $\frac{1}{2}$. ——— t. 1753.
Lonicera sempervirens. β minor. B.M.
11 ciliosum. R.S. (ye.) fringed. N. America. 1827. ——— H. $\frac{1}{2}$.
12 implexum. R.S. (pa.) glaucous-leaved. Minorea. 1772. 6. 9. H. $\frac{1}{2}$. Bot. mag. t. 640.
13 Pericly'menum. R.S. (st.) Woodbine. Britain. 5. 7. H. $\frac{1}{2}$. Eng. bot. v. 12. t. 800.
a vulgaris. H.K. (st.) common. ——— H. $\frac{1}{2}$. Schmidt arb. t. 107.
 β serotinum. H.K. (re.) late red. ——— 6. 8. H. $\frac{1}{2}$. ——— t. 108.
 γ belgicum. H.K. (bh.) dutch. ——— 5. 7. H. $\frac{1}{2}$. Hort. angl. n. 5. t. 6.
 δ quercifolium. H.K. (st.) Oak-leaved. Britain. H. $\frac{1}{2}$.
 ϵ variegatum. H.K. (st.) variegated-leaved. ——— H. $\frac{1}{2}$.
TRIOSTEUM. R.S. FEVERWORT. Pentandria Monogynia. L.
1 perfoliatum. R.S. (pu.) perfoliate. N. America. 1730. 6. 7. H. $\frac{1}{2}$.
2 angustifolium. R.S. (ye.) narrow-leaved. ——— 1699. ——— H. $\frac{1}{2}$. Pluk. alm. t. 101. f. 2.
LINNÆA. W. LINNÆA. Didynamia Angiospermia. L.
borealis. W. (bh.) two-flowered. Britain. 5. 8. H. $\frac{1}{2}$. Eng. bot. v. 7. t. 433.

ORDO CXI.

LORANTHÆ. Juss. ann. mus. 12. p. 292.

- LORA'NTHUS. L. LORA'NTHUS. Hexandria Monogynia.
europæus. S.S. (st.) European. Europe. 1824. H. $\frac{1}{2}$. Jacq. aust. t. 30.
VISCUM. L. MISSELTOE. Dioecia Tetrandria. L.
album. E.B. (gr.) common. England. 5. H. $\frac{1}{2}$. Eng. bot. v. 21. t. 1470.

ORDO CXII.

CHLORANTHÆ. R. Brown.

- CHLORA'NTHUS. R.S. CHLORA'NTHUS. Tetrandria Monogynia. R.S.
1 inconspicuous. R.S. (st.) trailing. China. 1781. 5. 9. G. $\frac{1}{2}$. L'Her. sert. angl. t. 2.
2 erectus. H.S.L. (wh.) upright. ——— 1809. 6. 8. G. $\frac{1}{2}$.
clatior. L. enum.
3 odoriferus. (ye.) sweet-scented. ——— 1820. ——— G. $\frac{1}{2}$.
Credus odorifer. Loureiro.
4 monostachys. S.S. (st.) single-spiked. ——— 1819. 2. 6. G. $\frac{1}{2}$. Bot. mag. t. 2190.
5 monander. B. (ye.) single-stamen'd. ——— 1817. 1. 12. G. $\frac{1}{2}$.

ORDO CXIII.

LOPHIREÆ. G. Don.

- LOPHIRA. S.S. SCRUBBY OAK. Icosandria Monogynia. S.S.
alata. S.S. (gr.) winged. Sierra Leone. 1822. S. $\frac{1}{2}$.

2	obovata. R.S. (wh.) obovate-leaved.	Peru.	1818.	5. 6.	S. h.	Flor. per. 2. t. 220. f. b.
3	retandifolia. R.S. (wh.) round-leaved.	————	————	————	S. h.	————
4	parvifolia. R.S. (wh.) small-leaved.	Jamaica.	1825.	5. 7.	S. h.	Sloan. hist. 2. t. 207. f. 1.
5	macrantha. R.S. (wh.) large-flowered.	Sierra Leon.	1796.	8. 9.	S. h.	Sal. par. lond. t. 93.
<i>Longiflora</i> . P.L. non R.S.						
6	racemosa. H.B. (wh.) racemed.	E. Indies.	1818.		S. h.	————
7	longiflora. R.S. (wh.) long-flowered.	————	————		S. h.	Lam. ill. t. 156. f. 3.
<i>Gardenia multiflora</i> . W.						
8	stricta. F.I. (wh.) upright.	————	1821.	5. 7.	S. h.	————
<i>Macrocnemum strictum</i> . R.S.						
9	harrida. R.S. (wh.) large-spined.	China.	1825.	————	S. h.	————
10	sinensis. R.S. (wh.) Chinese.	————	————	————	S. h.	————
POSOQUERIA. F.I. POSOQU'ERIA. Pentandria Monogynia.						
1	rigida. F.I. (wh.) rigid.	Nepaul.	1825.		S. h.	————
2	floribunda. F.I. (wh.) many-flowered.	E. Indies.	————		S. h.	————
3	fasciculata. F.I. (wh.) fascicle-flower'd.	————	1824.	5. 6.	S. h.	————
4	fragrans. F.I. (wh.) fragrant.	————	1822.	4. 6.	S. h.	————
5	longispina. F.I. (wh.) long-spined.	————	1812.	————	S. h.	————
<i>Gardenia longispina</i> . s.s.						
6	nutans. F.I. (wh.) drooping.	————	1818.	7. 9.	S. h.	————
7	dumetorum. F.I. (wh.) bushy.	————	1779.	————	S. h.	Roxb. corom. 2. t. 136.
<i>Gardenia dumetorum</i> . W. <i>Canthium coronatum</i> . Lam.						
8	elginosa. F.I. (wh.) marsh.	E. Indies.	1802.	————	S. h.	Roxb. corom. 2. t. 135.
9	spinosa. (wh.) spiny.	China.	1804.	————	S. h.	Thunb. gar. n. 7. t. 2. f. 1.
<i>Gardenia spinosa</i> . Th. <i>Canthium chinense</i> . P.S.						
10	longiflora. R.S. (wh.) long-flowered.	Guiana.	1820.		S. h.	Aubl. guian. 1. t. 51.
GARDENIA. R.S. GARD'ENIA. Pentandria Monogynia. L.						
1	auriana. s.s. (re.wh.) crimson-tipped.	China.	1810.	6. 8.	S. h.	Bot. mag. t. 1901.
2	armata. s.s. (wh.) armed.	W. Indies.	1813.		S. h.	Jacq. amer. pict. t. 71.
<i>Massandra spinosa</i> . Jacq.						
3	tetracantha. s.s. (wh.) four-thorned.	New Spain.	1818.		S. h.	————
4	propinqua. B.R. (wh.) strong-spined.		1816.	5. 8.	S. h.	Bot. reg. t. 975.
5	montana. F.I. (wh.) mountain.	E. Indies.	1818.	6. 8.	S. h.	————
6	campanulata. F.I. (st.) bell-flowered.	————	1812.	————	S. h.	————
7	micrantha. R.S. (wh.) small-flowered.	China.	1806.	————	S. h.	Thunb. gar. n. 8. t. 1. f. 2.
8	florida. s.s. (wh.) Cape Jasmine.	————	1754.	7. 10.	S. h.	Bot. reg. t. 449.
9	flöre-pleno. (wh.) double-flowered.	————	————	————	S. h.	Ehret. pict. t. 15.
10	angustifolia. B.C. (wh.) narrow-leaved.	————	1820.	————	S. h.	Lodd. bot. cab. 512.
11	radicans. s.s. (wh.) rooting.	————	1804.	3. 6.	G. h.	Bot. reg. t. 73.
12	grandiflora. R.S. (wh.) large-flowered.	————	1816.	————	S. h.	Bot. mag. t. 2627.
<i>florida</i> var. <i>ovatifolia</i> . Bot. mag. t. 2627.						
13	costata. F.I. (wh.) ribbed.	E. Indies.	1825.		S. h.	————
14	latifolia. s.s. (wh.) broad-leaved.	————	1787.		S. h.	Roxb. cor. 2. t. 134.
15	lucida. F.I. (wh.) glossy-leaved.	————	1820.		S. h.	————
16	pubescens. R.S. (wh.) pubescent.	————	1825.	5. 7.	S. h.	————
17	Thunbergia. s.s. (wh.) starry.	C. B. S.	1773.	1. 3.	S. h.	Bot. mag. t. 1001.
18	Rethmannia. s.s. (sp.) spotted-flower'd.	————	1774.	7.	G. h.	———— t. 690.
OXYANTHUS. DC. OXYA'NTHUS. Pentandria Monogynia.						
1	speciosus. DC. (wh.) tube-flowered.	Sierra Leon.	1789.	7. 12.	S. h.	Bot. mag. t. 1992.
<i>Gardenia tubiflora</i> . A.R. 183.						
GENIPA. R.S. GENIP-TREE. Pentandria Monogynia.						
1	oblongifolia. R.S. (st.) oblong-leaved.	Peru.	1823.	4. 6.	S. h.	Flor. per. 2. t. 220. f. a.
2	americana. R.S. (wh.) American.	S. America.	1779.	5. 7.	S. h.	Plum. ic. t. 136.
3	Meriana. R.S. (wh.) hairy.	Cayenne.	1800.	————	S. h.	Merian. sur. t. 43.
<i>Darcia eriopila</i> . L.						
4	edulis. R.S. (wh.) eatable.	————	1825.	————	S. h.	————
5	esculenta. R.S. (wh.) Cherry-fruited.	China.	————	————	S. h.	————
CANTHIUM. F.I. CA'NTHIUM. Pentandria Monogynia.						
1	angustifolium. F.I. (st.) narrow-leaved.	E. Indies.	1826.	5. 7.	S. h.	————
2	parvifolium. F.I. (wh.) small-leaved.	————	1824.	————	S. h.	————
3	parviflorum. F.I. (ye.) small-flowered.	————	————	————	S. h.	Roxb. corom. 1. t. 51.
<i>Wibera tetrandra</i> . W.						
4	polymum. F.I. (wh.) cyme-flowered.	————	1811.	————	S. h.	Gart. carp. 3. t. 196.
<i>Wibera cymosa</i> . W.						
AZIMA. Lam. Az'IMA. Tetrandria Monogynia.						
1	tetracantha. P.S. (wh.) four-spined.	E. Indies.	1758.	7.	S. h.	Seb. thes. 1. t. 13. f. 1.
<i>Martia barlerioides</i> . L'Herit. stirp. nov. 1. t. 1.						
WEBERA. S.S. WEB'ERA. Pentandria Monogynia.						
1	corymbosa. s.s. (wh.) corymbose.	E. Indies.	1759.	4. 6.	S. h.	Bot. reg. t. 119.

5 cymòsa. R.S.	(wh.) Hyssop leaved. Jamaica.	1739.	6. 10.	S. ☉.	Ehret pic. t. 2. f. 1. et t. 4.
<i>Oldenlandia corymbòsa</i> . W.					
6 ramosissima. R.S.	(wh.) branching.	1816.	—	S. ☉.	
7 biflòra. R.S.	(pu.) two-flowered. E. Indies.	—	—	S. ☉.	
8 lactea. R.S.	(st.) milk-coloured. —	—	—	S. ☉.	
9 campanuliflòra. B.M.	(pu.) bell-flow'r'd. Brazil.	1825.	2. 10.	S. 4.	
MANETTIA. R.S.	MANETTIA. Tetrandria Monogynia. L.				
1 Lygistum. R.S.	(re.) veined-leaved. W. Indies.	1822.	2. 4.	S. ½. ~.	Brown. jam. t. 3. f. 2.
2 coccinea. R.S.	(sc.) scarlet. Trinidad.	1806.	12. 4.	S. ½. ~.	Bot. reg. t. 693.
BOUVA'RDIA. R.S.	BOUVA'RDIA. Tetrandria Monogynia.				
1 triphy'lla. R.S.	(sc.) blunt-leaved. Mexico.	1794.	4. 11.	G. ½.	Sal. par. lond. t. 88.
2 Jacquinii. R.S.	sharp-leaved. —	—	—	G. ½.	Jacq. schoenb. 1. t. 257.
<i>Ixora americana</i> . Jacq. <i>Bouvardia triphy'lla</i> . Bot. reg. t. 107.					
3 versicolor. s.s.	(re. ye.) various-color'd. S. America.	1814.	7. 1.	S. ½.	Bot. reg. t. 245.
DENTE'LLA. W.	DENTE'LLA. Pentandria Monogynia. W.				
repens. w.	(wh.) creeping. N. Holland.	1802.	7.	H. ☉.	Rumph. am. 6. t. 170. f. 4.
SPERMADI'CTYON. B.R.	SPERMADI'CTYON. Pentandria Monogynia.				
1 suaveolens. B.R.	(wh.) sweet-scented. E. Indies.	1816.	8. 12.	S. ½.	Bot. reg. t. 348.
<i>Hamiltònia suaveolens</i> . F.I.					
2 azureum. B.R.	(bl.) blue-flowered. Nepaul.	1827.	1. 3.	S. ½.	Bot. reg. t. 1235.

Sect. VI. CEPHALANTHEÆ. *Kth. synops.* 3. p. 37.

NAUCLEA. R.S.	NAUCLEA. Pentandria Monogynia. L.				
1 Adina. Sm.	(wh.) Myrtle-leaved. China.	1804.	7. 8.	G. ½.	Bot. reg. t. 895.
<i>Adina globiflòra</i> . Sal. par. lond. t. 115.					
2 adinoïdes. s.s.	(wh.) Adina-like. —	1825.	—	G. ½.	
3 orientàlis. R.S.	(ye.) oriental. E. Indies.	1800.		S. ½.	
4 Cadamba. F.I.	(or.) broad-leaved. —	1823.		S. ½.	Rheed. mal. 3. t. 33.
5 undulàta. F.I.	(ye.) wave-leaved. —	—		S. ½.	
6 parvifolia. F.I.	(ye.) small-leaved. —	1825.	—	S. ½.	Roxb. corm. 1. t. 52.
7 cordifolia. R.S.	(st.) heart-leaved. —	—		S. ½.	— 1. t. 53.
8 purpurea. F.I.	(pu.) purple-flowered. —	1827.		S. ½.	— 1. t. 54.
UNC'ARIA. F.I.	UNC'ARIA. Pentandria Monogynia.				
Gambier. F.I.	(pi.) Gambier-tree. E. Indies.	1826.		S. ½. ~.	Linn. trans. v. 9. t. 22.
SARCOCE'PHALUS. Afz.	SARCOCE'PHALUS. Pentandria Monogynia.				
esulentus. Afz.	(wh.) eatable-fruited. Sierra Leone.	1822.	6. 8.	S. ½.	Hort. trans. 5. t. 18.
CEPHALA'NTHUS. L.	BUTTON-WOOD. Tetrandria Monogynia. L.				
occidentàlis. L.	(wh.) American. N. America.	1735.	8.	S. ½.	Schmidt arb. 1. t. 45.
MORI'NDA. L.	MORI'NDA. Pentandria Monogynia. L.				
1 umbellàta. R.S.	(wh.) umbelled. E. Indies.	1809.	6. 8.	S. ½.	
2 citrifolia. R.S.	(wh.) broad-leaved. Otaheite.	1793.	—	S. ½.	Rheed. mal. 1. t. 52.
3 tinctoria. F.I.	(wh.) dyer's. —	1826.		S. ½.	
4 bracteàta. F.I.	(wh.) bracted. E. Indies.	1816.	5. 7.	S. ½.	
5 angustifolia. F.I.	(wh.) narrow-leaved. —	—	—	S. ½.	Roxb. corom. 3. t. 237.
6 Rôyoc. R.S.	(wh.) Laurel-leaved. W. Indies.	1793.	7. 10.	S. ½.	Jacq. vind. 1. t. 16.

Sect. VII. COFFEACEÆ. *Kth. synops.* 3. p. 20.

MITCHE'LLA. L.	MITCHE'LLA. Tetrandria Monogynia. L.				
repens. L.	(wh.) creeping. N. America.	1761.	6.	H. ½.	Cat. car. 1. t. 20.
PAVETTA. R.S.	PAVETTA. Tetrandria Monogynia. L.				
1 indica. R.S.	(wh.) Indian. E. Indies.	1791.	8. 10.	S. ½.	Burm. ind. t. 13. f. 3.
2 tomentosa. R.S.	(wh.) woolly. —	1824.	—	S. ½.	
3 caïra. R.S.	(wh.) Cape. C. B. S.	1816.	—	G. ½.	
4 pentandra. R.S.	(wh.) pentandrous. W. Indies.	1823.	—	S. ½.	Plum. ic. t. 156. f. 1.
5 arenosa. R.S.	(wh.) tubercled. China.		3. 10.	S. ½.	Bot. reg. t. 198.
<i>adica</i> . B.R. <i>nec aliorum</i> .					
IX'ORA. L.	IX'ORA. Tetrandria Monogynia. L.				
1 grandiflora. B.R.	(sc.) great-flowered. E. Indies.	1814.	7. 9.	S. ½.	Bot. reg. t. 154.
<i>coccinea</i> . L. <i>non</i> B.M.					

2	Bandhûca F.I.	(sc.) stem-clasping.	E. Indies.	1814.	1. 4.	S. h.	Bot. reg. t. 513.
3	fûlgens. F.I.	(sc.) glossy.	—	1820.		S. h.	Rumph. amb. 4. t. 46.
	longifolia. Sm.	lanceolata. Lam.					
4	flâmmea. s.p.	(or.) flame-coloured.	China.	1690.	4. 8.	S. h.	Bot. mag. t. 169.
	coccinea. B.M.	stricta. F.I.	speciosa. W.	enum.			
5	crocata. B.R.	(sn.) saffron-colour'd.	—	1820.	—	S. h.	Bot. reg. t. 782.
6	incarnata. B.C.	(fl.) flesh-coloured.	—	—	—	S. h.	Lodd. bot. cab. 1048.
7	blânda. B.R.	(bh.) charming.	—	1812.	—	S. h.	Bot. reg. t. 100.
8	âlba. w.	(wh.) white.	E. Indies.	1768.	6.	S. h.	Rheed. mal. 2. t. 11.
9	cuneifolia. F.I.	(wh.) wedge-leaved.	—	1820.	—	S. h.	Bot. reg. t. 648.
10	brachiata. F.I.	(wh.) brachiate-panicled.	—	—	—	S. h.	
11	Pavetta. A.R.	(wh.) fragrant.	—		—	S. h.	Andrews's reposit. t. 78.
12	acuminata. F.I.	(wh.) tapering-leaved.	—	1824.	3. 5.	S. h.	
13	parviflora. F.I.	(wh.) small-flowered.	—	1800.	8. 10.	S. h.	Vahl symb. 3. t. 52.
14	barbata. F.I.	(wh.) bearded.	—	1822.	6. 8.	S. h.	Bot. mag. t. 2505.
15	undulata. F.I.	(wh.) wave-leaved.	—	1818.	—	S. h.	
16	rosea. F.I.	(ro.) rose-coloured.	—	1820.	4. 8.	S. h.	Bot. reg. t. 540.
17	obovata. R.S.	(cr.) obovate-leaved.	—	1810.	—	S. h.	
	purpurea. F. ?						
CHOM'ELIA. R.S. CHOM'ELIA. Tetrandria Monogynia. W.							
1	spinosa. R.S.	(wh.) spiny.	W. Indies.	1793.		S. h.	Jacq. amer. 18. t. 13.
2	fasciculata. R.S.	(wh.) fascicled.	Jamaica.	1821.	4. 6.	S. h.	
SIDERODE'NDRON. S.S. IRON-TREE. Tetrandria Monogynia. W.							
	triflorum. s.s.	(ro.wh.) three-flowered.	W. Indies.	1793.		S. h.	Jacq. amer. 19. t. 175. f. 9.
TETRAM'ERIUM. G. TETRAM'ERIUM. Tetrandria Monogynia. S.S.							
1	odoratissimum. s.s.	(wh.) sweet-scented.	W. Indies.	1793.	4. 6.	S. h.	Jacq. amer. t. 47.
	Coffea occidentalis. w.	Ixora americana. Sw.					
2	paniculatum. s.s.	(wh.) panicled.	Guiana.	1822.		S. h.	Aubl. guian. t. 58.
COFFEA. L. COFFEE-TREE. Pentandria Monogynia. L.							
	arabica. w.	(wh.) Arabian.	Yemen.	1696.	8. 11.	S. h.	Bot. mag. t. 1303.
CEPHA'ELIS. S.S. CEPHA'ELIS. Pentandria Monogynia. L.							
1	clata. s.s.	(pu.) tall.	Jamaica.	1793.		S. h.	
2	tomentosa. R.S.	(pu.) tomentose.	Trinidad.	1820.	4. 6.	S. h.	
3	punicea. R.S.	(pu.) puniceous.	Jamaica.	1825.	—	S. h.	
4	violacea. R.S.	(vi.) violet-coloured.	W. Indies.	1824.	—	S. h.	Aubl. guian. 1. t. 60.
	Tapogomea violacea. Aubl.						
5	axillaris. s.s.	(pu.) axillary-flow'r'd.	Brazil.	1816.	4. 5.	S. h.	Lind. coll. t. 21.
	calycina. L. col.						
6	glabra. R.S.	(bl.) smooth.	Trinidad.	1820.	5. 8.	S. h.	Aubl. guian. 1. t. 63.
7	âlba. R.S.	(bh.) white.	Guiana.	1824.	—	S. h.	— 1. t. 62. f. 1.
8	involucrata. R.S.	(wh.) involucred.	—	—		S. h.	— 1. t. 64.
	Carapichea guianensis. Aubl.						
9	pedunculata. P.L.	(wh.) long-peduncled.	Sierra Leon.		2. 4.	S. h.	Sal. par. lond. t. 103.
PSYCH'OTRIA. R.S. PSYCH'OTRIA. Pentandria Monogynia. L.							
1	asiatica. R.S.	(wh.) Indian.	E. Indies.	1806.	4. 5.	S. h.	Jacq. amer. p. t. 260. f. 19.
2	glabrata. R.S.	(wh.) smooth.	Jamaica.	1822.	—	S. h.	
3	laurifolia. R.S.	(wh.) Laurel-leaved.	W. Indies.	1825.	5. 8.	S. h.	
4	fœtens. R.S.	(wh.) strong-scented.	Jamaica.	—	—	S. h.	
5	citrifolia. R.S.	(wh.) Citron-leaved.	W. Indies.	1793.	1. 12.	S. h.	
6	elliptica. B.R.	(wh.) elliptic-leaved.	Brazil.	1820.	2. 6.	S. h.	Bot. reg. t. 607.
7	myrtiphyllum. R.S.	(wh.) Myrtle-leaved.	Jamaica.	1823.	2. 5.	S. h.	Sloan. his. 2. t. 209. f. 2.
8	parasitica. R.S.	(wh.) parasitic.	W. Indies.	1802.	5. 8.	S. h.	Jacq. amer. t. 51. f. 1.
9	brachiata. R.S.	(wh.) cross-branched.	—	1793.		S. h.	
10	pubescens. R.S.	(wh.) pubescent.	Jamaica.	1812.		S. h.	
11	corymbosa. R.S.	(pu.) corymbose.	—	—	3. 4.	S. h.	
12	pedunculata. R.S.	(st.) pedunculate.	—	1824.	5. 6.	S. h.	
13	undata. R.S.	(wh.) wave-leaved.	Bahama.	1818.	4. 6.	S. h.	Jacq. schœnb. 3. t. 290.
14	Reevesii. F.I.	(gr.) Reeves's.	China.	1823.	—	G. h.	
GEO'PHILA. D.P. GEO'PHILA. Pentandria Monogynia.							
	reniformis. D.P.	(wh.) kidney-leaved.	W. Indies.	1793.	4. 6.	S. 4.	Jacq. amer. t. 46.
	Psychotria herbacea. w.						
CHIOCO'CCA. W. SNOWBERRY. Pentandria Monogynia. L.							
	racemosa. w.	(wh.) cluster-flower'd.	Jamaica.	1729.	2.	S. h.	Andr. reposit. t. 284.
ERN'ODEA. S.S. ERN'ODEA. Tetrandria Monogynia. W.							
	montana. s.s.	(pu.) mountain.	Sicily.	1820.	6. 7.	H. h.	Flor. græc. t. 143.
	Asperula calabrica. L.						
SERISSA. S.S. SERISSA. Pentandria Monogynia. W.							
	ratida. s.s.	(wh.) Japanese.	Japan.	1787.	5. 9.	G. h.	Bot. mag. t. 361.
	3 multiplex.	(wh.) double-flowered.	—	—	—	G. h.	

PLOC'AMA. W.	PLOC'AMA. Pentandria Monogynia. W.	
pendula. w. (wh.) pendulous.	Canaries. 1779. G. h.	
PÆDERIA. W.	PÆDERIA. Pentandria Monogynia. L.	
1 fœtida. w. (pu.) stinking.	China. 1806. G. h. ~. Icon. Kæmpf. 9.	
2 Lingun. Boj. tongue.	Madagascar. 1823. S. h. ~.	

Sect. VIII. SPERMACEÆ. *Kth. synops. 3. p. 14.*

RICHARDS'ONIA. Kth. RICHARDS'ONIA. Hexandria Monogynia. L.		
1 scabra. B.F.G. (wh.) rough.	S. America. 1812. 9. 10. H. ⊙.	Swt. br. fl. gar. t. 91.
2 pilosa. K.S. (wh.) hairy.	Lima. 1824. 7. 9. H. ⊙.	Flor. peruv. 3. t. 279. f. b.
PHYLLIS. W. BASTARD HARE'S-EAR. Pentandria Digynia. L.		
Nöbla. w. (br.) Canary.	Canaries. 1699. 6. 7. G. h.	Dill. elth. t. 299. f. 386.
DI'ODIA. S.S. DI'ODIA. Tetrandia Monogynia. W.		
1 virginica. s.s. (wh.) Virginian.	Virginia. 1820. 6. 8. H. 4.	Jacq. ic. 1. t. 29.
2 sarmentosa. s.s. (wh.) sarmentose.	W. Indies. 1821. — S. h.	
3 verticillata. s.s. (wh.) whorl-leaved.	Santa Cruz. — S. 4.	
BIGEL'OVIA. S.S. BIGEL'OVIA. Tetrandia Monogynia. S.S.		
1 verticillata. s.s. (wh.) whorl-flowered.	Africa. 1732. 6. 8. S. h.	Dill. elth. t. 277. f. 358.
<i>Spermaceæ verticillata. L.</i>		
2 commutata. s.s. (wh.) starry-headed.	W. Indies. 1818. — S. 4.	
3 stricta. s.s. (wh.) upright.	E. Indies. 1821. — S. ⊙.	
<i>Spermaceæ stricta. L.</i>		
SPERMACE. S.S. BUTTON-WEED. Tetrandia Monogynia. L.		
1 glabra. s.s. (wh.) smooth.	N. America. 1823. 7. 8. H. ⊙.	
2 diodina. s.s. (wh.) Diodia-like.	— 1820. — H. ⊙.	
3 hispida. s.s. (vi.) bristly.	E. Indies. 1781. 8. 9. S. ⊙.	Burm. zeyl. t. 20. f. 3.
4 spinosa. s.s. (wh.) spiny.	W. Indies. 1825. — S. ⊙.	Brown. jam. p. 141. 1.
5 latifolia. s.s. (wh.) broad-leaved.	Guiana. 1803. 7. S. ♂.	Aub. gui. t. 19. f. 1.
6 cornifolia. s.s. (wh.) Dogwood-leav'd.	Brazil. 1820. 8. 9. S. ⊙.	
7 stylosa. s.s. (wh.) long-styled.	Manila. — S. ⊙.	
8 suffruticosa. s.s. (bh.) suffruticose.	 1823. 7. 8. S. h.	Jacq. schœn. t. 322.
9 radicans. s.s. (wh.) rooting.	Guiana. 1803. — S. 4.	Aub. gui. 1. t. 20. f. 4.
10 aspera. s.s. (wh.) rough.	W. Indies. 1822. — S. ⊙.	— t. 22. f. 6.
11 tenuior. s.s. (bh.) slender.	— 1732. 6. 8. H. ⊙.	Sch. hand. 1. t. 22.
12 lanceolata. L.en. (wh.) spear-leaved.	— 1818. — H. ⊙.	
13 hirta. s.s. (wh.) hairy.	Jamaica. 1822. 7. 9. H. ⊙.	Jacq. ic. t. 308.
14 villosa. s.s. (wh.) villous.	— 1823. — S. ⊙.	
15 scabra. s.s. (wh.) rough.	E. Indies. 1816. — S. ⊙.	Rheed. mal. 9. t. 76?
16 capitata. s.s. (wh.) headed.	Peru. 1826. 6. 8. G. 4.	Flor. peruv. 1. t. 91. f. B.
17 rubra. s.s. (pi) Cross-wort.	S. America. 1769. 7. 8. S. ♂.	Jacq. schœn. 3. t. 256.
<i>strigosa. B.M. 1558.</i>		
18 Fischeri. s.s. (wh.) Fischer's.	Jamaica. 1820. — S. ⊙.	
19 sexangularis. s.s. (bl.) six-angled.	W. Indies. 1822. — S. ⊙.	Aubl. guian. 1. t. 20. f. 3.
20 involucrata. R.S. (wh.) involucred.	Carolina. 1812. — H. ⊙.	
21 Roxburghii. s.s. (wh.) Roxburgh's.	E. Indies. 1818. — S. ♂.	
<i>lavis. F.I. non Lam.</i>		
KNO'XIA. S.S. KNO'XIA. Tetrandia Monogynia. W.		
1 corymbosa. s.s. (wh.) Sumatra.	E. Indies. 1818. 4. 6. S. h.	
<i>Spermaceæ sumatrensis. F.I.</i>		
2 umbellata. s.s. (wh.) umbel-flower'd.	Nepaul. 1820. — S. h.	
<i>Spermaceæ tères. F.I.</i>		

Sect. IX. GALEÆ. *Kth. synops. 3. p. 10.*

ANTHOSPERMUM. W. AMBER-TREE. Diœcia Tetrandia. L.		
athiopium. s.s. (gr.) Ethiopian.	C. B. S. 1692. 6. 7. G. h.	Pluk. alm. t. 183. f. 1.
CRUCIANE'LLA. R.S. CROSS-WORT. Tetra-dria Monogynia. L.		
1 angustifolia. R.S. (st.) narrow-leaved.	S. Europe. 1658. 6. 7. H. ⊙.	Sm. exot. bot. 2. t. 109.
2 ciliata. R.S. (st.) ciliated.	Levant. 1805. 7. 8. H. ⊙.	
3 patula. R.S. (ye.) spreading.	Spain. 1798. 6. 7. H. ⊙.	Flor. græc. t. 139.
4 latifolia. R.S. (gr.) broad-leaved.	S. Europe. 1633. — H. ⊙.	
5 ægyptiaca. R.S. (st.) Egyptian.	Egypt. 1800. — H. ⊙.	
6 montepeliaca. R.S. (st.) Montpellier.	S. France. 1791. 7. 8. H. ⊙.	Flor. græc. t. 140.

7	marítima. R.S.	(ye.) sea-side.	S. France.	1640.	7. 8.	G. ½.	Sabb. hort. 2. t. 13.
8	americàna. R.S.	(bl.) American.	Vera Cruz.		—	S. ½.	
9	pubescens. R.S.	(pu.) pubescent.	Candia.	1799.	7. 8.	G. ¼.	
10	áspera. M.B.	(st.) rough.	Iberia.	1827.	6. 8.	H. ¼.	
11	glomeràta. M.B.	(st.) clustered.	—	1828.	—	H. ¼.	
12	molluginòides. R.S.	(wh.) Mollugo-like.	Caucasus.	1800.	—	H. ¼.	Buxb. cent. 2. t. 30. f. 1.
13	hispida. R.S.	(pu.) hispid.	Vera Cruz.		—	S. ¼.	
SHERA'RDIA. R.S. SHERA'RDIA. Tetrandria Monogynia. L.							
	arvensis. R.S.	(li.) little.	Britain.		4. 9.	H. 0.	Eng. bot. v. 13. t. 691.
R'UBIA. R.S. MADDER. Tetrandria Monogynia. L.							
1	tinctòrum. R.S.	(gr.) dyer's.	S. Europe.	1596.	6.	H. ¼.	Flor. græc. t. 141.
2	spléndens. R.S.	(ye.) glossy.	Portugal.	1812.	6. 8.	H. ½.	
3	galioídes. R.S.	(gr.) Galium-like.	Canaries.	1816.	—	F. ½.	
4	peregrina. R.S.	(ye.) wild.	England.		7.	H. ¼.	Eng. bot. v. 12. t. 851.
5	lúcida. R.S.	(ye.) shining.	Majorca.	1762.	—	F. ½.	Flor. græc. t. 142.
6	fruticòsa. R.S.	(ye.) prickly-leaved.	Canaries.	1779.	9.	F. ½.	Jacq. ic. 1. t. 25.
7	Boccòni. R.S.	(bh.) Boccone's.	Italy.	1823.	—	H. ¼.	Bocc. mus. t. 75. f. 2-3.
8	angustifòlia. R.S.	(st.) narrow-leaved.	S. Europe.	1772.	7. 8.	F. ½.	Lam. ill. t. 60. f. 2.
9	cordifòlia. R.S.	(wh.) heart-leaved.	Siberia.	1783.	7.	H. ¼.	Pall. it. 3. ap. t. L. f. 1.
ASPE'RULA. R.S. WOODRUFF. Tetrandria Monogynia. L.							
1	lævigàta. R.S.	(wh.) shining.	S. Europe.	1775.	6.	H. ¼.	Moris. his. 3. t. 21. f. 4.
2	taurina. R.S.	(li.) broad-leaved.	Italy.	1739.	4. 6.	H. ¼.	Lob. ic. 800. f. 1.
3	longiflòra. R.S.	(li.) long-flowered.	Hungary.	1818.	—	H. ¼.	W. et K. hung. 2 t. 150.
4	aristàta. R.S.	(st.) awned.	S. Europe.	1823.	—	H. ¼.	
5	supina. R.S.	(bh.) trailing.	Caucasus.	—	6. 7.	H. ¼.	
6	brevifòlia. R.S.	(li.) short-leaved.	Levant.	1818.	—	H. ½.	
7	cynánchica. R.S.	(bh.) small.	England.		7.	H. ¼.	Eng. bot. v. 1. t. 33.
8	alpina. s.s.	(bh.) Alpine.	Caucasus.	1825.	—	H. ¼.	
9	crassifòlia. R.S.	(wh.) thick-leaved.	Levant.	1775.	6.	H. ¼.	
10	scàbra. s.s.	(wh.) rough.	Italy.	1824.	—	H. ¼.	
11	tinctòria. R.S.	(bh.) narrow-leaved.	Europe.	1764.	6. 7.	H. ¼.	Tabern. ic. 151.
12	montàna. R.S.	(bh.) mountain.	Hungary.	1801.	—	H. ¼.	
13	arvensis. R.S.	(bh.) field.	Europe.	1596.	7.	H. 0.	Lobel. ic. t. 801. f. 2.
14	arcadiénsis. s.s.	(ro.) Arcadian.	Arcadia.	1819.	5.	H. ¼.	Bot. mag. t. 2146.
15	tomentòsa. T.N.	(pu.) woolly.	Italy.	1826.	—	H. ¼.	Ten. fl. nap. 1. t. 9.
16	hirta. R.S.	(pu.) thick-rooted.	Pyrenees.	—	5. 6.	H. ¼.	Ram. phil. t. 9. f. 1. 2.
17	hirsùta. R.S.	(ro.) hairy creeping.	S. Europe.	1820.	—	H. ¼.	
rèpens. Brot.							
18	incàna. R.S.	(pu.) hoary.	Crete.	1823.	6. 7.	H. ¼.	Flor. græc. t. 119.
19	galioídes. s.s.	(wh.) glaucous.	S. Europe.	1710.	6. 9.	H. ¼.	Bocc. mus. 2. t. 116.
Galium glaucum. L.							
20	humifàsa. s.s.	(wh.) spreading.	Caucasus.	1825.	—	H. ¼.	
21	longifòlia. R.S.	(wh.) long-leaved.	Greece.	1823.	—	H. ¼.	Flor. græc. t. 118.
22	Aparine. R.S.	(wh.) marsh.	Crete.	—	—	H. ¼.	— t. 117.
rivalis. Sm. Galium uliginosum. Pall.							
23	odoràta. R.S.	(wh.) sweet-scented.	Britain.		5. 6.	H. ¼.	Eng. bot. 755.
24	tyràica. Bes.	(wh.) Tyraican.	Levant.	1826.	—	H. ¼.	
VALA'NTIA. S.S. VALA'NTIA. Tetrandria Monogynia. S.S.							
1	muràlis. s.s.	(st.) wall.	S. Europe.	1739.	5. 7.	H. 0.	Colum. Ecphr. t. 297.
2	hispida. s.s.	(wh.) bristly.	—	1768.	—	H. 0.	Gært. fr. C. 2. t. 24. f. 1.
3	filitòrmis. s.s.	(wh.) least.	Canaries.	1780.	7. 9.	H. 0.	
GALIUM. S.S. BEDSTRAW. Tetrandria Monogynia. L.							
1	cruciàtum. s.s.	(ye.) Crosswort.	Britain.		5. 6.	H. ¼.	Eng. bot. v. 2. t. 143.
Valantia cruciata. W.							
2	chersonénsis. R.S.	(ye.) fringed.	Tauria.	1829.	5. 7.	H. ¼.	
3	tauricum. R.S.	(ye.) fragrant.	—	1820.	—	H. ¼.	Bot. mag. t. 2670.
Valantia taurica. B.M.							
4	pedemontànum. s.s.	(ye.) Piedmont.	Hungary.	1799.	7.	H. 0.	W. et K. hung. 1. t. 33.
5	Bauhini. s.s.	(ye.) Bauhin's.	Europe.	1731.	7. 8.	H. ¼.	— 1. t. 32.
Valantia glabra. W.							
6	Scopoliànum. R.S.	(ye.) Scopoli's.	—	—	—	H. ¼.	Scop. c. e. 2. 1. n. 144. t. 2.
cœrnum. Scop.							
7	Hallèri. R.S.	(st.) Haller's.	Switzerland.	1823.	5. 6.	H. ¼.	
8	articulàtum. s.s.	(ye.) jointed.	Egypt.	1752.	7. 8.	H. 0.	Lam. ill. t. 843. f. 3.
9	rubioídes. s.s.	(st.) Madder-leaved.	S. Europe.	1775.	7.	H. ¼.	Buxb. cent. 2. t. 29.
10	diffusum. s.s.	(st.) spreading.	—	1820.	—	H. ¼.	
11	tatàricum. s.s.	(wh.) Tartarian.	Tartary.	—	6. 8.	H. ¼.	
12	valantioídes. s.s.	(wh.) Valantia-like.	Caucasus.	1823.	—	H. ¼.	
13	palústre. s.s.	(wh.) water.	Britain.		—	H. w. ¼.	Eng. bot. v. 26. t. 1857.

14	<i>stureiaefolium</i> . s.s. (wh.)	Savory-leaved.	Caucasus.	1818.	7.	H.w. 4.	
15	<i>trifidum</i> . s.s. (wh.)	3-fid-flowered.	N. Europe.	—	—	H.w. 4.	Flor. dan. t. 48.
16	<i>fruticosum</i> . s.s. (wh.)	frutescent.	Crete.	1823.	7. 8.	F. 4.	
17	<i>liloides</i> . R.s. (wh.)	weak-branched.	Portugal.	1827.	—	H.w. 4.	
18	<i>Claytoni</i> . R.s. (wh.)	Clayton's.	N. America.	—	—	H.w. 4.	
19	<i>Witheringii</i> . s.s. (wh.)	rough.	England.		6. 7.	H. 4.	Eng. bot. v. 31. t. 2206.
20	<i>glabrum</i> . s.s. (wh.)	smooth.	C. B. S.	1816.	—	G. 4.	
21	<i>uliginosum</i> . s.s. (wh.)	marsh.	Britain.		7. 8.	H.w. 4.	Eng. bot. v. 28. t. 1972.
22	<i>divaricatum</i> . s.s. (wh.)	divaricate.	S. France.	1820.	—	H. 4.	DC. ic. gal. rar. t. 24.
23	<i>campêtre</i> . s.s. (st.)	field.	Barbary.	1818.	8. 9.	H. 4.	
24	<i>austriacum</i> . R.s. (wh.)	Austrian.	Europe.	1804.	6. 7.	H. 4.	Jacq. aust. t. 80.
25	<i>Bocconi</i> . R.s. (bh.)	Boccone's.	—	1801.	5. 6.	H. 4.	Boec. mus. t. 101.
26	<i>obliquum</i> . R.s. (wh.)	oblique-leaved.	S. France.		—	H. 4.	Vill. delph. 2. n. 9. t. 8.
27	<i>pusillum</i> . E.B. (wh.)	least.	England.		7. 8.	H. 4.	Eng. bot. v. 2. t. 74.
28	<i>alpêtre</i> . R.s. (wh.)	smooth-leaved.	S. Europe.	1824.	—	H. 4.	Vill. delph. 2. t. 7. bis.
29	<i>tenuifolium</i> . R.s. (wh.)	slender-leaved.	—	1820.	6. 7.	H. 4.	
30	<i>rubrum</i> . s.s. (re.)	red.	Italy.	1597.	—	H. 4.	Ger. herb. 967. f. 3.
31	<i>tenuissimum</i> . s.s. (br.)	slenderest.	Caucasus.	1818.	7. 9.	H. 4.	
32	<i>verum</i> . s.s. (ye.)	cheese-rennet.	Britain.		—	H. 4.	Eng. bot. v. 10. t. 660.
33	<i>mutabile</i> . R.s. (st.)	changeable-color'd.	Poland.	1828.	7. 10.	H. 4.	
34	<i>vero-simile</i> . R.s. (ye.)	large yellow.		1825.	7. 9.	H. 4.	
35	<i>caucasicum</i> . R.s. (ye.)	Caucasean.	Caucasus.	1820.	—	H. 4.	
36	<i>tyrolense</i> . R.s. (wh.)	Tyrolese.	Tyrol.	1801.	7.	H. 4.	
37	<i>Mollugo</i> . R.s. (wh.)	great hedge.	Britain.		7. 8.	H. 4.	Eng. bot. v. 24. t. 1673.
38	<i>elatum</i> . P.s. (wh.)	tall.	France.	1827.	—	H. 4.	
39	<i>campanulatum</i> . s.s. (wh.)	bell-flowered.	Europe.	1710.	6. 9.	H. 4.	Jacq. aust. 1. t. 81.
	<i>glaucum</i> . Jacq. non L.						
40	<i>erectum</i> . s.s. (wh.)	upright.	Britain.		6. 7.	H. 4.	Eng. bot. v. 29. t. 2067.
41	<i>lucidum</i> . R.s. (wh.)	glossy.	S. Europe.	1820.	—	H. 4.	All. ped. 1. t. 77. f. 2.
42	<i>linifolium</i> . s.s. (wh.)	Flax-leaved.	—	1759.	—	H. 4.	Barr. ic. t. 356 et 583.
43	<i>rigidum</i> . s.s. (wh.)	rigid.	Azores.	1778.	—	H. 4.	
44	<i>sylvaticum</i> . s.s. (wh.)	wood.	S. Europe.	1658.	7. 8.	H. 4.	
45	<i>cinereum</i> . s.s. (wh.)	cinereous.	Scotland.		8.	H. 4.	All. ped. t. 77. f. 4.
46	<i>aristatum</i> . s.s. (wh.)	awned.	—		7. 8.	H. 4.	Barr. ic. t. 356.
47	<i>purpureum</i> . s.s. (pu.)	purple.	Switzerland.	1731.	6. 7.	H. 4.	Nec. et B. fl. tie. 1. t. 3.
48	<i>saxatile</i> . s.s. (bh.)	smooth heath.	Britain.		7. 8.	H. 4.	Eng. bot. v. 12. t. 815.
49	<i>helveticum</i> . s.s. (wh.)	Swiss.	Switzerland.	1823.	—	H. 4.	J.m.ac.p.1714.t.15.f.1.
50	<i>baldense</i> . s.s. (wh.)	tufted.	Mount Baldo.	1825.	—	H. 4.	
51	<i>tricorne</i> . E.B. (st.)	three-flowered.	Britain.		7.	H. 4.	Eng. bot. v. 23. t. 1641.
52	<i>spurius</i> . E.B. (gr.)	spurious.	—		6. 7.	H. 4.	— v. 26. t. 1871.
53	<i>verrucosum</i> . E.B. (st.)	warted.	—		6. 8.	H. 4.	— v. 31. t. 2173.
	<i>steecharatum</i> . R.s. Valantia Aparine. w.						
54	<i>Cucullaria</i> . s.s. (ye.)	hooded.	Levant.	1780.	5. 6.	H. 4.	Buxb. cent. 1. t. 19. f. 2.
55	<i>lanceolata</i> . E.B. (wh.)	cross-leaved.	Britain.		7.	H. 4.	Eng. bot. v. 2. t. 105.
56	<i>septentrionale</i> . R.s. (wh.)	northern.	N. America.	1827.	—	H. 4.	
57	<i>brachyphyllum</i> . R.s. (wh.)	short-leaved.	Caucasus.	—	—	H. 4.	
58	<i>rotundifolium</i> . s.s. (wh.)	round-leaved.	Europe.		6. 7.	H. 4.	Jacq. aust. t. 94.
59	<i>clipticum</i> . s.s. (wh.)	elliptic-leaved.	Sicily.	1820.	—	H. 4.	Barr. ic. t. 21. f. 4.
60	<i>pilosum</i> . R.s. (wh.)	hairy.	N. America.	1778.	—	H. 4.	
61	<i>seavicolens</i> . R.s. (wh.)	sweet-scented.	N. Europe.	1827.	—	H. 4.	
62	<i>reflexum</i> . R.s. (wh.)	reflexed.	Tauria.	1818.	—	H. 4.	
63	<i>humifusum</i> . R.s. (wh.)	trailing.	—	1820.	—	H. 4.	
64	<i>maritimum</i> . s.s. (pu.)	sea-side.	S. Europe.	—	7. 8.	H. 4.	
65	<i>triflorum</i> . R.s. (wh.)	three-flowered.	N. America.	1827.	—	H. 4.	Willd. hort. ber. t. 66.
66	<i>anglicum</i> . E.B. (st.)	English.	England.		6. 7.	H. 4.	Eng. bot. v. 6. t. 384.
67	<i>parvifolium</i> . R.s. (wh.)	small-leaved.	Switzerland.	1825.	—	H. 4.	
68	<i>pariense</i> . R.s. (st.)	Paris.	France.	1818.	—	H. 4.	
69	<i>murale</i> . s.s. (st.)	wall.	Italy.	1805.	6. 8.	H. 4.	All. ped. 34. t. 77. f. 1.
	<i>Sherardia muralis</i> . w.						
70	<i>verticillatum</i> . R.s. (wh.)	whorled.	France.	1829.	—	H. 4.	Flor. græc. t. 116.
71	<i>gracum</i> . s.s. (pu.)	Candian.	Candia.	1798.	6. 7.	H. 4.	— t. 136.
72	<i>capillare</i> . R.s. (wh.)	woolly-fruited.	Spain.	1828.	—	H. 4.	Cavan. icon. 2. t. 191. f. 1.
73	<i>Aparine</i> . E.B. (wh.)	Cleavers.	Britain.		5. 9.	H. 4.	Eng. bot. v. 12. t. 316.
74	<i>infestum</i> . R.s. (st.)	infesting.	Europe.	1818.	—	H. 4.	W. et K. hung. 3. t. 202.
75	<i>scaberrimum</i> . R.s. (st.)	roughest.	Egypt.	—	6. 9.	H. 4.	

ORDO CXVI.

OPERCULARIÆ. *Juss. ann. mus. 4. p. 418.*

OPERCULARIA. G.		OPERCULARIA. Tetrandria Monogynia. W.			
1 umbellata. G.	(wh.) umbel-flower'd.	N. Holland.	1818.	6. 7. G. 2.	Gært. fr. 1. t. 24. f. 4.
2 Lamarckiana. R.S.	(wh.) Lamarck's.	N. S. W.	1825.	7. 9. H. ☉.	Lam. ill. t. 58. f. 1.
3 aspera. s. s.	(wh.) rough.	N. Zealand.	1790.	6. 7. G. 2.	Gært. fr. 1. t. 24. f. 4.
4 hispida. s. s.	(wh.) hispid.	N. S. W.	—	— G. 2.	Juss. an. mus. 4. t. 70. f. 1.
<i>aspera. J.</i>					
5 sessiliflora. R.S.	(wh.) sessile-flow'r'd.	—	1816.	— G. 2.	Juss. an. mus 4. t. 70. f. 2.
6 oeymifolia. R.S.	(wh.) Basil-leaved.	—	1820.	— G. 2.	
CRYPTOSPERMUM. P.S.		CRYPTOSPERMUM. Tetrandria Monogynia. P.S.			
Youngii. P.S.	(gr. re.) Young's.	N. S. W.	1793.	7. 8. G. 2.	Linn. trans. 3. t. 5.
<i>Opercularia paleata. R.S.</i>					

ORDO CXVII.

VALERIANÆ. *DC. fl. fr. ed. 3. v. 4. p. 418.*

CENTRANTHUS. DC.		CENTRANTHUS. Monandria Monogynia. R.S.			
1 ruber. DC.	(re.) common.	England.		6. 10. H. 2.	Eng. bot. v. 22. t. 1531.
<i>Valeriana rubra. E.B.</i>					
a coccineus.	(sc.) scarlet.	—		— H. 2.	
β carneus.	(fl.) flesh-coloured.	—		— H. 2.	
γ albus.	(wh.) white-flowered.	—		— H. 2.	
2 intermedius.	(re.) spear-leaved.	Europe.		— H. 2.	
3 angustifolius. DC.	(re.) narrow-leaved.	—	1731.	5. 7. H. 2.	Flor. græc. 1. t. 29.
4 Calcitrapa. R.S.	(pi.) cut-leaved.	Portugal.	1570.	— H. ☉.	— 1. t. 30.
VALERIANA. DC.		VALERIAN. Triandria Monogynia. L.			
1 dioica. E.B.	(bh.) diœcious.	Britain.		5. 7. H. 2.	Eng. bot. v. 9. t. 628.
2 Phu. R.S.	(wh.) garden.	Germany.	1597.	— H. 2.	Plenck. t. 28.
3 officinalis. E.B.	(bh.) great wild.	Britain.		6. 7. H. 2.	Eng. bot. v. 10. t. 698.
4 tenuifolia. Vahl.	(bh.) linear-leaved.	Germany.		— H. 2.	Sturm. fl. germ. fas. 9.
5 sambucifolia. R.S.	(bh.) Elder-leaved.	Sweden.	1818.	— H. 2.	
6 cardamines. M.B.	(bh.) Ladies smock-ld.	Caucasus.	1823.	6. 7. H. 2.	
7 sisymbriifolia. R.S.	(pi.) water-rocket-ld.	Levant.	1820.	— H. 2.	
8 montana. R.S.	(bh.) mountain.	Switzerland.	1748.	— H. 2.	Lodd. bot. cab. 317.
9 tripteris. R.S.	(bh.) three-leaved.	—	1752.	3. 5. H. 2.	Jacq. aust. 3. t. 268.
10 pyrenæica. E.B.	(ro.) heart-leaved.	Scotland.		5. 6. H. 2.	Eng. bot. v. 23. t. 1591.
11 alliariaefolia. R.S.	(wh.) Alliaria-leaved.	Levant.	1825.	5. 8. H. 2.	Buxb. cent. 2. t. 11.
12 tuberosa. R.S.	(ro.) tuberous-root'd.	S. Europe.	1629.	— H. 2.	Lapeyr. pyr. t. 53.
13 elongata. R.S.	(st.) elongated.	Austria.	1812.	6. 7. H. 2.	Jacq. ic. 3. t. 219.
14 supina. R.S.	(ro.) creeping-root'd.	Germany.	1818.	— H. 2.	Jacq. misc. 2. t. 17. f. 2.
15 saxatilis. R.S.	(wh.) rock.	—	1748.	7. H. 2.	Jacq. aust. 3. t. 267.
16 salianca. R.S.	(bh.) headed-flower'd.	Italy.	1824.	6. 7. H. 2.	All. ped. 1. t. 70. f. 1.
17 celtica. R.S.	(st.) raceme-flower'd.	Switzerland.	1748.	— H. 2.	Jacq. coll. 1. t. 1.
18 capensis. R.S.	(bh.) Cape.	C. B. S.	1816.	— F. 2.	
PATRINIA. J.		PATRINIA. Tetrandria Monogynia. R.S.			
1 sibirica. J.	(ye.) Siberian.	Siberia.	1759.	5. 6. H. ♂.	Bot. mag. t. 2325.
<i>Valeriana sibirica. L. ruthenica. B.M.</i>					
2 coronata. s. s.	(ye.) crowned.	Altay.	1826.	5. 7. H. ♂.	
3 rupëstris. J.	(re.) rock.	Siberia.	1801.	— H. ♂.	Bot. mag. t. 714.
<i>Valeriana sibirica. B.M.</i>					
4 intermedia. R.S.	(ye.) intermediate.	—	1823.	— H. ♂.	
5 nudiuscula. s. s.	(ye.) naked-stemm'd.	Altay.	1826.	6. 8. H. ♂.	
6 scabiosa folia. s. s.	(ye.) Scabious-leav'd.	Dahuria.	—	— H. 2.	Swt. br. fl. gar. t. 154.
7 serratulaefolia. F.	(ye.) Serratula-leav'd.	—	1826.	— H. 2.	
FEDIA. DC.		FEDIA. Diandria Monogynia.			
Cornucopiae. R.S.	(pu.) purple.	S. Europe.	1596.	5. 8. H. ☉.	Bot. reg. t. 155.
<i>Valeriana cornucopiae. B.R.</i>					

VALERIANE'LLA. DC. VALERIANE'LLA. Triandria Monogynia.

1 echinata. DC.	(li.) prickly-capsul'd.	S. Europe.	1807.	7. 8.	H. ☉.	Reich. ic. C. 1. t. 68.
2 clitoria. DC.	(bh.) Lamb's Lettuce.	Britain.		4. 8.	H. ☉.	Eng. bot. v. 12. t. 811.
<i>Valeriana locusta</i> . E.B. <i>Fedia olitoria</i> . R.S. <i>Fedia locusta</i> . Reich. ic. t. 60.						
3 carinata. DC.	(bh.) keeled.	France.		—	H. ☉.	Reich. ic. C. 1. t. 61.
4 dentata. DC.	(bh.) oval-fruited.	Britain.		—	H. ☉.	Eng. bot. v. 20. t. 1370.
<i>Valeriana dentata</i> . E.B. <i>Fedia dentata</i> . Reich. ic. 1. t. 62.						
5 discoidea. DF.	(bh.) discoid.	Italy.	1731.	4. 7.	H. ☉.	Reich. ic. C. 2. t. 116.
6 rotata. R.S.	(bh.) rotate.	—	1828.	—	H. ☉.	— 1. t. 67.
7 vesicaria. DF.	(bh.) bladdered.	Candia.	1739.	—	H. ☉.	Flor. græc. 1. t. 34.
8 lamata. DC.	(bh.) hooked.	France.	1825.	—	H. ☉.	—
9 coronata. DC.	(bh.) prickly seeded.	Portugal.	1731.	—	H. ☉.	Dufres. val. t. 3. f. 2.
10 radiata. DF.	(bh.) rayed.	N. America.	1818.	—	H. ☉.	— t. 3. n. 7.
11 auricula. DC.	(bh.) eared.	Montpelier.	—	—	H. ☉.	Reich. ic. C. 1. t. 63.
12 pumila. DC.	(re.) small.	S. Europe.	1823.	—	H. ☉.	— 2. t. 113.
13 mixta. DF.	(bh.) mixed.	—	1828.	—	H. ☉.	Dufr. val. t. 3. n. 6.
14 campanulata. Biv.	(bh.) bell-flowered.	Italy.	1829.	—	H. ☉.	—
15 eriocarpa DC.	(bh.) woolly-capsul'd.	France.	1823.	—	H. ☉.	Reich. ic. C. 1. t. 65.
16 truncata. S.S.	(bh.) truncate.	Crete.	1829.	—	H. ☉.	— 2. t. 115.
17 microcarpa. S.S.	(bh.) small-capsuled.	S. Europe.	1828.	—	H. ☉.	— 2. t. 114.
18 chenopodiifolia. R.S.	(bh.) Goosefoot-l'd.	N. America.		—	H. ☉.	—
19 uncinata. DF.	(bh.) uncinata.	Tauria.	1818.	—	H. ☉.	Reich. ic. C. 1. t. 69.
20 dasycarpa. L.en.	(bh.) thick-capsuled.	—	—	—	H. ☉.	—
21 muricata. M.B.	(bh.) muricate.	Caucasus.	1828.	—	H. ☉.	—
22 tridentata. L.en.	(bh.) three-toothed.	Tauria.	1823.	—	H. ☉.	Reich. ic. C. 1. t. 64.
23 angulosa. DC.	(bh.) angular.		1826.	—	H. ☉.	—
24 congesta. B.R.	(ro.) close-headed.	N. America.	—	5. 6.	H. ☉.	Bot. reg. t. 1094.

ORDO CXVIII.

DIPSACEÆ. Juss. gen. 194.

MOR'INA. R.S.

MOR'INA. Diandria Monogynia. L.

persica. R.S.	(re.) Persian.	Persia.	1740.	7. 8.	G. 4.	Flor. græc. 1. t. 28.
DIPSACUS. S.S.	TEASEL. Tetrandria Monogynia. L.					
1 fullonum. S.S.	(li.) manured.	Britain.		7.	H. ♂.	Eng. bot. v. 29. t. 2080.
2 sylvestris. S.S.	(li.) wild.	—		—	H. ♂.	— v. 15. t. 1032.
3 laciniatus. S.S.	(li.) cut-leaved.	Germany.	1683.	7. 8.	H. ♂.	Jacq. aust. 5. t. 403.
4 divaricatus. S.	(li.) spreading-leav'd.	Sicily.	1827.	—	H. ♂.	—
5 Gmelini. S.S.	(bl.) Gmelin's.	Caucasus.	1820.	—	H. ♂.	Jacq. f. ecl. t. 106.
6 ferox. S.S.	(bh.) fierce.	Cor-sica.	—	—	H. ♂.	— t. 107.
7 pilosus. S.S.	(wh.) small.	Britain.		8.	H. ♂.	Eng. bot. v. 13. t. 877.
8 inermis. F.I.	(st.) spineless.	Nepaul.	1820.	8. 10.	H. ♂.	—
SCABIOSA. S.S.	SCABIOUS. Tetrandria Monogynia. L.					
1 arvensis. S.S.	(li.) field.	Britain.		7. 10.	H. 4.	Eng. bot. v. 10. t. 659.
<i>Trichera arvensis</i> . R.S.						
2 campestris. Bes.	(li.) pasture.	Poland.	1824.	—	H. 4.	—
3 sylvatica. S.S.	(re.) broad-leaved.	Austria.	1633.	7.	H. 4.	Jacq. aust. 4. t. 362.
4 montana. S.S.	(bl.) mountain.	Caucasus.	1823.	—	H. 4.	Jacq. f. eclog. t. 60.
5 longifolia. S.S.	(li.) long-leaved.	Hungary.	1802.	7. 8.	H. 4.	W. et K. hung. 1. t. 5.
6 pubescens. S.S.	(st.) pubescent.	—	1820.	—	H. 4.	—
7 reversa. S.S.	(li.) reversed.	Siberia.	1829.	—	H. 4.	—
8 ciliata. S.S.	(st.) ciliated.	Hungary.	1820.	—	H. 4.	—
9 hybrida. S.S.	(li.) hybrid.	S. Europe.	—	6. 9.	H. ☉.	—
10 integrifolia. S.S.	(pu.) entire-leaved.	—	1748.	6. 8.	H. ☉.	—
11 Hornemanni. S.S.	(li.) Horneman's.		1825.	—	H. 4.	—
12 australis. S.S.	(ye.) creeping-root'd.	Italy.	1823.	—	H. 4.	—
SUCCISA. S.S.	SUCCISA. Tetrandria Monogynia. S.S.					
1 pratensis. S.S.	(bl.) Devil's-bit.	Britain.		8. 10.	H. 4.	Eng. bot. v. 13. t. 878.
<i>Scabiosa Succisa</i> . L.						
2 glabrata.	(bl.) smooth-leaved.	Austria.	1823.	7. 9.	H. 4.	—
<i>Scabiosa glabrata</i> . R.S.						
3 syriaca. S.S.	(wh.) Syrian.	Syria.	1633.	7.	H. 4.	Flor. græc. t. 105.
4 Vaillantii. R.S.	(bl.) Vaillant's.	Levant.	1826.	—	H. ☉.	—
5 transylvanica. S.S.	(li.) Transylvanian.	Hungary.	1699.	—	H. ☉.	Jacq. vind. 2. t. 111.

42 altissimus. s.s.	(li.) tall.	C. B. S.	1816.	6. 9.	G. 7.	Jacq. vind. 2. t. 185.
43 mollissimus. s.s.	(bl.) soft.	S. Europe.	—	7. 8.	H. 4.	
44 pilosus. s.s.	(bh.) hairy.	Spain.	1826.	—	H. 4.	
45 ochroleucus. s.s.	(st.) pale-flowered.	Germany.	1597.	—	H. 4.	Jacq. aust. 5. t. 439.
46 gramuntius. s.s.	(wh.li.) cut-leaved.	S. Europe.	—	—	H. 4.	Gerard herb. 582. f. 2.
47 isetensis. s.s.	(wh.li.) Siberian.	Siberia.	1801.	—	H. 4.	Gmel. sib. 2. t. 88. f. 1.
48 hannaticus. s.s.	(fl.) Hungarian.	Hungary.	1800.	—	H. 4.	W. et K. hung. 1. t. 12.
49 Columnæ. Ten.	(li.) Columna's.	Italy.	1823.	—	H. 4.	Ten. fl. nap. 1. t. 7.
50 Scopoli. R.S.	(st.) Scopoli's.	S. Europe.	1822.	—	H. 4.	
51 comosus. R.S.	(vi.) tufted.	Dahuria.	1828.	—	H. 4.	
52 agræstis. s.s.	(li.) field.	Hungary.	—	—	H. 4.	W. et K. hung. 3. t. 204.
53 simplex. s.s.	(wh.) simple-stalked.	Barbary.		—	H. 4.	Desf. atl. 1. t. 39. f. 1.
54 incanus. R.S.	(li.) hoary.		—	—	H. 4.	
55 dahuricus. F.	(li.) Dahurian.	Dahuria.	1824.	—	H. 4.	
PTEROCEPHALUS. S.S. PTEROCEPHALUS. Tetrandria Monogynia. S.S.						
1 plumosus. s.s.	(li.) feathered.	Greece.	1824.	7. 8.	H. ☉.	Flor. græc. 1. t. 3.
<i>Scabiosa plumosa</i> . Sm. <i>Knaütia plumosa</i> . L.						
2 Vaillantii. s.s.	(wh.) Vaillant's.	S. Europe.	1739.	—	H. ☉.	
<i>Scabiosa papposa</i> . L.						
KNAÛTIA. R.S. KNAÛTIA. Tetrandria Monogynia. L.						
1 orientalis. R.S.	(re.) red-flowered.	Levant.	1713.	6. 9.	H. ☉.	Schk. handb. 1. t. 22.
2 propontica. R.S.	(pu.) purple-flowered.	—	1768.	—	H. ♂.	Lam. ill. t. 58.

ORDO CXIX.

CALYCEREÆ. *Brown in Linn. trans. v. 12. p. 132.*

ACICA'RPHA. L.T.	ACICA'RPHA. Syngenesia Necessaria. P.S.					
spatulata. L.T.	(ye.) spatulate-leav'd. Brazil.	1816.	6. 9.	G. 4.		

ORDO CXX.

COMPOSITÆ. *Adanson fam. 2. 103.*Subordo I. CICHORACEÆ. *Kth. synops. 2. p. 352.*Tribus I. HIERACEÆ. *D. Don in Edinb. philos. journ.*

HIER'ACIUM. W.	HAWKWEED. Syngenesia Polygamia Æqualis.					
1 alpestre. w.	(ye.) smooth-leaved.	Austria.	1823.	5. 7.	H. 4.	Jacq. aust. 2. t. 191.
2 rupestre. w.	(ye.) rock.	Switzerland.	—	—	H. 4.	All. auct. t. 1. f. 2.
3 alpinum. w.	(ye.) Alpine.	Britain.		7. 8.	H. 4.	Eng. bot. v. 16. t. 1110.
4 pumilum. w.	(ye.) small.	Germany.	1804.	—	H. 4.	
5 glabratum. w.	(ye.) smooth.	Switzerland.	1823.	6. 8.	H. 4.	
6 bulbosum. w.	(ye.) bulbous-rooted.	S. Europe.	—	—	H. 4.	
7 Pilosella. w.	(st.) Mouse-ear.	Britain.		5. 7.	H. 4.	Eng. bot. v. 16. t. 1093.
8 dubium. w.	(st.) branching.	—		7. 8.	H. 4.	— v. 33. t. 2332.
9 Auricula. w.	(go.) umbell'd mouse-ear.	England.		—	H. 4.	— v. 33. t. 2368.
10 fallax. W.en.	(go.) hairy spear-leav'd.		1816.	—	H. 4.	
11 angustifolium. w.	(ye.) narrow-leaved.	Mt. Cenis.	1822.	—	H. 4.	
12 florentinum. w.	(ye.) Florentine.	Germany.	1796.	—	H. 4.	Bauhin pin. t. 67.
13 præaltum. s.s.	(ye.) tall.	Europe.	1824.	—	H. 4.	
14 cymosum. w.	(ye.) small-flowered.	—	1739.	5. 6.	H. 4.	Moris. s. 7. t. 8. f. 10.
15 piloselloides. P.S.	(ye.) Mouse-ear like.	France.	1823.	5. 7.	H. 4.	Vill. delph. 3. p. 100. t. 27.
16 staticifolium. w.	(ye.) thrift-leaved.	Europe.	1804.	6. 7.	H. 4.	— 3. p. 116. t. 27.
17 præmorsum. w.	(ye.) præmorse.	Siberia.	1820.	—	H. 4.	Gmel. sib. 2. t. 13.
18 succisæfolium. P.S.	(ye.) Succisa-leaved.	Piedmont.	1822.	—	H. 4.	
19 flagellare. W.en.	(ye.) creeping.		1816.	5. 7.	H. 4.	
20 bifurcum. M.B.	(ye.) two-forked.	S. Europe.	1822.	—	H. 4.	
21 bifidum. W.en.	(ye.) bifid.	Hungary.	—	6. 7.	H. 4.	

22	incarnatum. w.	(fl.) flesh-coloured.	Carniola.	1815.	6. 7.	H. 4.	Jacq. ic. t. 578.
23	aurantiacum. w.	(or.) orange-colour'd.	Scotland.		—	H. 4.	Eng. bot. v. 21. t. 142.
24	venosum. w.	(ye.) red-veined.	N. America.	1790.	—	H. 4.	
25	Gronovii. w.	(ye.) Gronovius's.	—	1798.	—	H. 4.	
26	Gmelini. w.	(ye.) Gmelin's.	Siberia.	—	—	H. 4.	Gmel. sib. 2. t. 8. f. 2.
27	Bauhini. s.s.	(ye.) Bauhin's.	Switzerland.	1820.	—	H. 4.	
28	Lawsoni. w.	(st.) Lawson's.	Britain.		—	H. 4.	Eng. bot. v. 29. t. 251.
29	collinum. w.	(ye.) hill.	Europe.	1824.	6. 8.	H. 4.	
30	Gochnatii. s.s.	(ye.) Gochnat's.	—	—	—	H. 4.	
31	paniculatum. w.	(ye.) panicled.	Canada.	1800.	—	H. 4.	
32	chondrilloides. w.	(ye.) Gum-succory.	Austria.	1640.	—	H. 4.	Jacq. aust. 5. t. 429.
33	humile. w.	(ye.) low.	S. Europe.	1816.	—	H. 4.	— t. 189.
<i>pumilum.</i> Jacq. <i>Jacquini.</i> Vill. delph. 3. t. 28.							
34	calcareum. H.H.	(ye.) spurred.	S. Europe.	1823.	7. 8.	H. 4.	
35	sonchifolium. M.B.	(ye.) Sonchus-leaved.	Caucasus.	1828.	—	H. 4.	
36	pictum. P.S.	(ye.) painted-leaved.	Switzerland.	1823.	—	H. 4.	
37	nigræscens. w.	(ye.) dark-coloured.		1801.	7. 8.	H. 4.	Willd. hort. ber. t. 10.
38	prunellæfolium. w.	(ye.) Prunella-leav'd.	Switzerland.	1823.	6. 7.	H. 4.	All. ped. t. 15. f. 2.
39	montanum. w.	(ye.) mountain.	S. Europe.	1775.	—	H. 4.	Jacq. aust. 2. t. 190.
40	hybridum. s.s.	(ye.) hybrid.	Switzerland.	1825.	—	H. 4.	
41	porrifolium. w.	(ye.) Leek-leaved.	Austria.	1640.	7. 8.	H. 4.	Jacq. aust. 3. t. 286.
42	saxatile. w.	(ye.) rock.	—	1801.	—	H. 4.	Jacq. ic. 1. t. 163.
43	glaucum. w.	(ye.) glaucous.	S. Europe.	1807.	6. 7.	H. 4.	All. ped. t. 81. f. 1.
44	molle. w.	(go.) soft-leaved.	Scotland.		7. 8.	H. 4.	Eng. bot. v. 31. t. 221.
45	croaticum. W.K.	(ye.) Hungarian.	Hungary.	1820.	—	H. 4.	
46	Sternbergii. L.en.	(ye.) Sternberg's.	—	—	—	H. 4.	
47	pallæscens. s.s.	(st.) pale.	—	1815.	6. 7.	H. 4.	W. et K. hung. 3. t. 217.
48	murorum. E.B.	(go.) wall.	Britain.		7.	H. 4.	Eng. bot. v. 29. t. 2052.
49	maculatum. E.B.	(ye.) stained-leaved.	England.		7. 8.	H. 4.	— v. 30. t. 2121.
50	ramosum. w.	(ye.) branching.	Hungary.	1805.	—	H. 4.	
51	incisum. s.s.	(ye.) cut-leaved.	—	1823.	—	H. 4.	
52	parvifolium. w.	(ye.) small-leaved.	Austria.	—	—	H. 4.	
53	cydoniæfolium. s.s.	(ye.) Quince-leaved.	France.	1816.	—	H. 4.	
54	denudatum. s.s.	(ye.) half-naked.	Pyrenees.	1828.	—	H. 4.	
55	sylvaticum. E.B.	(ye.) wood.	Britain.		8.	H. 4.	Eng. bot. v. 29. t. 231.
56	pulmonarium. E.B.	(go.) lungwort.	Scotland.		7. 8.	H. 4.	— v. 33. t. 235.
57	lapsanoides. w.	(ye.) Lapsana-like.	Pyrenees.	1812.	—	H. 4.	Gouan. ill. t. 21. f. 3.
58	lyratum. w.	(ye.) lyre-leaved.	Siberia.	1777.	—	H. 4.	Gmel. sib. 2. t. 9.
59	cerinthoides. E.B.	(ye.) honeywort.	Scotland.		8.	H. 4.	Eng. bot. v. 34. t. 2378.
60	flexuosum. w.	(ye.) bending-stalk'd.	Hungary.	1804.	7. 8.	H. 4.	
61	amplexicaule. w.	(ye.) heart-leaved.	Pyrenees.	1739.	—	H. 4.	All. ped. 1. t. 15. f. 1.
62	grandiflorum. w.	(ye.) great-flowered.	Europe.	1791.	—	H. 4.	W. et K. hung. 1. t. 91.
63	intybaecum. w.	(ye.) endive-leaved.	—	1791.	—	H. 4.	Jacq. aust. ap. t. 43.
64	Halleri. w.	(ye.) Haller's.	—	1802.	—	H. 4.	Vill. dauph. 3. t. 26.
65	eriphyllum. L.en.	(ye.) villous.	—	1816.	—	H. 4.	
66	villosum. E.B.	(st.) shaggy alpine.	Scotland.		—	H. 4.	Eng. bot. v. 34. t. 257.
67	Schradèri. DC.	(ye.) Schrader's.	Switzerland.	1823.	—	H. 4.	
68	elongatum. Lap.	(ye.) elongated.	—	1824.	—	H. 4.	
69	pilocéphalum. L.en.	(ye.) hairy-headed.	Europe.	1816.	—	H. 4.	
70	trichocéphalum. w.	(ye.) bristly-headed.	—	1823.	—	H. 4.	
71	prostratum. s.s.	(ye.) prostrate.	S. Europe.	—	—	H. 4.	
72	calyculatum. H.H.	(ye.) long-scaled.	—	1826.	—	H. 4.	
73	longifolium. H.H.	(ye.) long-leaved.		1823.	—	H. 4.	
74	speciosissimum. s.s.	(ye.) handsome.	S. Europe.	—	—	H. 4.	
<i>speciosum.</i> H.H.							
75	ciliatum. w.	(ye.) fringed.	Crete.	1823.	—	H. 4.	
76	Millèri. L.en.	(ye.) Miller's.			—	H. 4.	
77	lanatum. w.	(ye.) woolly.	Hungary.	—	—	H. 4.	W. et K. hung. 2. t. 137.
78	andryaloides. P.S.	(ye.) Andryala-like.	France.	1818.	—	H. 4.	Vill. delph. 3. t. 29.
79	echioides. w.	(ye.) viper's-bugloss.	Hungary.	1802.	—	H. 4.	W. et K. hung. 1. t. 51.
80	verruculatum. L.en.	(ye.) warted.		1823.	—	H. 4.	
81	undulatum. w.	(ye.) wave-leaved.	Spain.	1778.	—	H. 4.	
82	glutinòsum. w.	(ye.) clammy.	S. Europe.	1796.	—	H. 4.	
83	Kalmii. w.	(ye.) Kalm's.	Pensylvania.	1791.	8.	H. 4.	
84	fasciculatum. Ph.	(ye.) bundled.	Canada.		7. 8.	H. 4.	
85	racemòsum. w.	(ye.) racemed.	Hungary.	1818.	—	H. 4.	W. et K. hung. 2. t. 137.
86	foliosum. w.	(ye.) leafy.	—	1805.	—	H. 4.	— 2. t. 137.
87	corymbòsum. P.S.	(ye.) corymbose.		1820.	—	H. 4.	
88	sabaudum. w.	(go.) frutescent.	Britain.		—	H. 4.	Eng. bot. v. 5. t. 342.

80 umbellatum. W. (ye.) umbel-flowered. Britain.	8. 9. H. 4.	Eng. bot. v. 25. t. 1771.
81 prenanthoides. E.B. (ye.) rough-bordered. Scotland.	6. 9. H. 4.	—— v. 32. t. 2235.
82 latifolium. s.s. (ye.) broad-leaved. Pyrenees. 1823.	—— H. 4.	
83 denticulatum. E.B. (ye.) small-toothed. Scotland.	7. 8. H. 4.	Eng. bot. v. 30. t. 2122.
84 levigatum. W. (ye.) smooth.	1804. 8. 9. H. 4.	Willd. hort. ber. t. 16.
85 canescens. L.en. (ye.) canescent.	1820. 7. 8. H. 4.	
86 auriculatum. s.s. (ye.) ear-leaved.	1826. —— H. 4.	
87 boreale. s.s. (ye.) northern. N. Europe. 1828.	—— H. 4.	
88 bracteolatum. L.en. (ye.) bracted. S. Europe. 1823.	—— H. 4.	
89 coronopifolium. L.en. (ye.) Buckshorn-ld.	—— H. 4.	
90 parviflorum. Schl. (ye.) small-flowered. Switzerland.	—— H. 4.	
91 ochroleucum. Schl. (st.) sulphur-color'd.	1821. —— H. 4.	
92 ovatum. Schl. (ye.) oval-leaved.	1820. —— H. 4.	
93 compositum. s.s. (ye.) compound. Pyrenees. 1823.	—— H. 4.	
94 crassifolium. s. (ye.) thick-leaved.	—— H. 4.	
95 rotundatum. s.s. (ye.) round-leaved. Hungary.	—— H. 4.	
96 sudeticum. St. (ye.) Swedish. Sweden.	—— H. 4.	
97 virgatum. Ph. (ye.) twiggy. N. America. 1816.	—— H. 4.	
98 virescens. Schl. (gr.) greenish. Switzerland. 1820.	—— H. 4.	
99 stoloniferum. Viv. (ye.) stoloniferous. Levant. 1823.	—— H. 4.	
100 verbascifolium. P.s. (ye.) Mullein-leav'd. S. Europe. 1732.	5. 6. H. 4.	Mill. ic. 1. t. 146. f. 1.
<i>Andryala lanata. s.s.</i>		
HAPALOSTEPHIUM. D.P. HAPALOSTEPHIUM. Syngenesia Polygamia Æqualis.		
1 paludosum. D.P. (ye.) Succory-leaved. Britain.	7. 8. H. 4.	Eng. bot. t. 1094.
<i>Hieracium paludosum. E.B.</i>		
2 pyrenæicum. D.P. (ye.) Pyrenean. Pyrenees. 1723.	—— H. 4.	
<i>Hieracium blattarioides. P.s.</i>		
3 pilosum. D.P. (ye.) hairy.	—— H. 4.	Herm. parad. t. 184.
4 austriacum. (ye.) Austrian. Austria.	—— H. 4.	Jacq. aust. t. 441.
5 sibiricum. D.P. (ye.) Siberian. Siberia. 1755.	—— H. 4.	Gmel. sib. 2. t. 10.
<i>Crêpis sibirica. L. Hieracium sibiricum. w.</i>		
6 grandiflorum. (ye.) large-flowered. Idria. 1824.	6. 8. H. 4.	
<i>Crêpis grandiflora. L.</i>		
LAGO'SERIS. L.en. LAGO'SERIS. Syngenesia Polygamia Æqualis.		
1 bursifolia. L.en. (ye.) pinnatifid. Sicily. 1823.	7. 8. H. 4.	Bocc. m. 2. t. 106 et 112.
<i>Crêpis bursifolia. L.</i>		
2 versicolor. L.en. (ye.) various-color'd. Dauria.	—— H. 4.	
3 cernua. L.en. (ye.) nodding. Calabria.	6. 8. H. 4.	
4 nemausensis. (ye.) Palestine. S. Europe. 1794.	6. 7. H. 4.	Vill. delph. 3. t. 26.
<i>Crêpis nemausensis. w.</i>		
5 leontodontoïdes. L.en. (ye.) Dandelion-like. Italy. 1804.	7. 8. H. 4.	
6 raphanifolia. L.en. (ye.) Radish-leaved.	1816. 6. 7. H. 4.	
7 taurinensis. L.en. (ye.) bladdered. S. Europe. 1823.	5. 7. H. 4.	
8 intybacea. L.en. (ye.) Succory-leaved. Portugal. 1816.	6. 7. H. 4.	
CRÊPIS. S.S. CRÊPIS. Syngenesia Polygamia Æqualis. L.		
1 nudicaulis. s.s. (ye.) naked-stalked. Crete. 1828.	6. 8. H. 4.	
2 rigens. s.s. (ye.) bristle-leaved. Azores. 1778.	7. 8. F. 4.	
3 ramosissima. s.s. (ye.) branched. Archipelago. 1828.	—— F. 4.	
4 virens. w. (ye.) green. Switzerland. 1796.	6. 7. H. 4.	Lobel. ic. 229. f. 2.
5 bannatica. s.s. (ye.) Hungarian. Hungary. 1823.	7. 8. H. 4.	
6 parviflora. s.s. (ye.) small-flowered. Levant. 1829.	—— H. 4.	
7 rhagadioloides. s.s. (ye.) Spanish. Spain. 1818.	6. 7. H. 4.	Jacq. schoenb. 2. t. 144.
<i>Pieris Rhagadiolus. P.s.</i>		
8 aspera. s.s. (ye.) rough. Sicily. 1797.	7. 8. H. 4.	Flor. græc. t. 804.
9 Sprengeriàna. s.s. (ye.) Portugal. Portugal. 1783.	6. 7. H. 4.	Moris. his. 7. t. 5. f. 17.
<i>Pieris Sprengeriàna. P.s. Hieracium Sprengeriànum. L.</i>		
10 hieracioides. s.s. (ye.) hawkweed-like. Hungary. 1816.	7. 8. H. 4.	W. et K. hung. 1. t. 17.
11 rigida. s.s. (ye.) rigid.	1805. 5. 7. H. 4.	—— 1. t. 19.
12 palehra. s.s. (ye.) hawkweed-leav'd. Scotland.	6. 9. H. 4.	Eng. bot. v. 33. t. 2325.
13 nana. s.s. (ye.) dwarf. N. America. 1827.	—— H. 4.	
14 heterosperma. s.s. (ye.) various-seeded. Germany. 1824.	—— H. 4.	
15 Dioscoridis. s.s. (ye.) Dioscorides'. France. 1772.	6. 7. H. 4.	Flor. græc. t. 808.
16 lamiariensis. s.s. (ye.) rough-headed. Germany. 1827.	6. 9. H. 4.	
<i>Gmelini. s.</i>		
17 neglecta. s.s. (ye.) neglected.	—— H. 4.	
18 scabra. s.s. (ye.) rough. S. Europe. 1829.	—— H. 4.	
19 agræsis. s.s. (ye.) field. Hungary. 1801.	7. 8. H. 4.	
20 corymbosa. s.s. (ye.) corymbose. Italy. 1828.	—— H. 4.	
21 cernua. s.s. (ye.) nodding-flower'd. Naples. 1824.	—— H. 4.	

22	tectòrum. E.B.	(ye.) smooth.	Britain.		6. 9.	H. ☉.	Eng. bot. v. 16. t. 111.
23	Lachenàlii. DC.	(ye.) entire-leaved.	Europe.		6. 9.	H. ☉.	
24	cinèrea. P.S.	(ye.) red-stalked.	Britain.		—	H. ☉.	
25	taurinénsis. W.	(ye.) early-flowered.	Europe.		5. 6.	H. ☉.	Balb. misc. p. 37. t. 9.
26	biénis. S.S.	(ye.) biennial.	Britain.		6. 7.	H. ♂.	Eng. bot. v. 3. t. 149.
27	fœtida. E.B.	(st.) strong-scented.	—		—	H. ♂.	— v. 6. t. 406.
28	gravèolens.	(ye.) strong-smelling.	1824.	7. 9.	H. ☉.		
29	pulcherrima. F.	(ye.) elegant.	Siberia.	1823.	6. 8.	H. ☉.	
30	latifolia. P.S.	(ye.) broad-leaved.	Italy.	1816.	—	H. ☉.	
31	pinnatifida. S.S.	(ye.) pinnatifid.	S. Europe.	1820.	4. 6.	H. ☉.	
32	lâcera. S.S.	(ye.) torn-leaved.	Naples.	1826.	6. 7.	H. ☉.	
BEHRINIA. Sieb. BEHRINIA. Syngenesia Polygamia Æqualis.							
	chondrilloides. Sic.	(ye.) Chondrilla-like.	Carniola.	1829.	6. 7.	H. ☉.	
	Crêpis chondrilloides. S.S.	Wibelia chondrilloides.	Hoppe.				
PRENANTHES. D.D. PRENANTHES. Syngenesia Polygamia Æqualis. L.							
1	purpurea. W.	(pu.) purple-flower'd.	Germany.	1658.	7. 9.	H. ♀.	Jacq. aust. 4. t. 317.
2	hispida. S.S.	(ye.) hispid.	Siberia.	1823.	6. 8.	H. ♀.	
3	diversifolia. S.S.	(ye.) various-leaved.	—	1827.	—	H. ♂.	
HARPALYCE. D.D. HARPALYCE. Syngenesia Polygamia Æqualis.							
1	altissima. D.D.	(ye.) tallest.	N. America.	1696.	7. 8.	H. ♀.	Pluk. alm. t. 317. f. 2.
	Prenanthes altissima. W.						
2	cordata. D.D.	(ye.) heart-leaved.	—	1816.	—	H. ♀.	
3	virgata. D.D.	(li.) tall slender.	—	1823.	8. 9.	H. ♀.	
4	âlba. D.D.	(wh.) white-flowered.	N. America.	1762.	7. 8.	H. ♀.	Bot. mag. t. 1079.
	Prenanthes âlba. B.M.	suavis. Sal. par. lond. t. 85.					
5	rubicunda. D.D.	(fl.) rubicund.	—	1823.	8. 10.	H. ♀.	
6	serpentaria. D.D.	(pu.) Lion's-foot.	—	—	—	H. ♀.	Pursh am. sept. 2. t. 24.
7	racemosa. D.D.	(pu.) racemed.	Canada.	1822.	—	H. ♀.	
CHORISMA. D.D. CHORISMA. Syngenesia Polygamia Æqualis.							
	rèpens. D.D.	(ye.) creeping.	Siberia.	1828.	7. 9.	H. ♀.	Linn. am. ac. 2. t. 4. f. 23.
	Prenanthes rèpens. L.						
ANDRYALA. W. ANDRYALA. Syngenesia Polygamia Æqualis.							
1	cheiranthifolia. W.	(ye.) various-leaved.	Madeira.	1777.	5. 10.	F. ♀.	L'Herit. stirp. 35. t. 18.
2	nigricans. W.	(ye.) dark-headed.	Barbary.	1804.	6. 8.	H. ☉.	
3	pinnatifida. W.	(ye.) wing-leaved.	Madeira.	1778.	7. 8.	F. ♂.	
4	crithmifolia. W.	(ye.) Samphire-leav'd.	—	—	6. 8.	F. ♂.	
5	ragusina. W.	(ye.) downy.	Archipelago.	1753.	—	F. ♀.	Mill. ic. 1. t. 146. f. 1.
6	incana. DC.	(ye.) hoary.	Pyrenees.	1826.	—	H. ♀.	
ROTHIA. W. ROTHIA. Syngenesia Polygamia Æqualis.							
1	runcinata. W.	(ye.) hoary.	S. Europe.	1711.	7. 8.	H. ♂.	
2	cheiranthifolia. W.	(ye.) Stock-leaved.	Spain.	1768.	—	H. ☉.	
3	andryaloïdes. W.	(ye.) Spanish.	—	1810.	8.	H. ☉.	Gært. sem. 2. t. 174.
	Andryala Rothia. P.S.						
LAPSANA. D.D. NIPPLE-WORT. Syngenesia Polygamia Æqualis.							
1	communis. W.	(ye.) common.	Britain.		6. 9.	H. ☉.	Eng. bot. v. 12. t. 514.
2	lyrata. W.en.	(ye.) lyrate.	Caucasus.	1816.	7. 8.	H. ♀.	
	grandiflora. M.B.						
3	intermedia. M.B.	(ye.) intermediate.	—	1823.	—	H. ☉.	
4	pubescens. Zey.	(ye.) pubescent.	Europe.	1820.	—	H. ☉.	
5	crispa. W.en.	(ye.) curled.		1799.	—	H. ☉.	

Tribus II. TARAXACEÆ. D. Don.

LEONTODON. W. DANDELION. Syngenesia Polygamia Æqualis. L.							
1	Taraxacum. W.	(ye.) common.	Britain.		4. 7.	H. ♀.	Eng. bot. v. 8. t. 510.
2	corniculatus. H.H.	(ye.) horned.	Europe.	1827.	—	H. ♀.	
3	bessarabicus. F.	(ye.) small-flowered.	S. Europe.	1823.	6. 8.	H. ♀.	
4	alpinus. S.S.	(ye.) Alpine.	—	1827.	—	H. ♀.	
5	caucasicus. M.B.	(ye.) Caucasian.	Caucasus.	—	—	H. ♀.	
6	serotinus. W.	(ye.) late-flowered.	Hungary	1816.	7. 9.	H. ♀.	W. et K. hung. 2. t. 114.
7	glaucescens. S.S.	(ye.) glaucescent.	Caucasus.	1820.	4. 7.	H. ♀.	
8	obovatus. S.S.	(ye.) obovate-leaved.	Spain.	1805.	7.	H. ♀.	
9	palustris. E.B.	(ye.) marsh.	Britain.		6. 7.	H. ♀.	Eng. bot. v. 8. t. 553.
10	nigricans. W.K.	(ye.) dark-leaved.	Hungary.	1823.	7.	H. ♀.	
11	lævigatus. S.S.	(ye.) smooth.	Spain.	—	—	H. ♀.	
APARGIA. W. APARGIA. Syngenesia Polygamia Æqualis.							
1	âspera. S.S.	(ye.) hairy.	Hungary.	1805.	6. 7.	H. ♀.	W. et K. hung. 2. t. 114.
2	saxatilis. S.S.	(ye.) rock.	Naples.	1827.	—	H. ♀.	

3 hispida. s.s.	(ye.) rough.	Britain.		7.	H. 4.	Eng. bot. v. 8. t. 554.
<i>Hedy'pnois hispida</i> . E. B. <i>Leóntodon hispidum</i> . L.						
4 dubia. w.	(ye.) tooth-leaved.	Germany.	—	—	H. 4.	
5 crispa. s.s.	(ye.) curled.	France.	1803.	7. 8.	H. 4.	Vill. dauph. 3. t. 25.
6 fasciculata. s.s.	(ye.) bunch-rooted.	Naples.	1828.	—	H. 4.	
7 hispánica. s.s.	(ye.) Spanish.	Spain.	1825.	—	H. 4.	Cavan. icon. t. 149.
8 strigosa. M.B.	(ye.) strigose.	Caucasus.	1828.	—	H. 4.	
9 caucásica. M.B.	(ye.) Caucasian.	—	1823.	—	H. 4.	
10 coronopifolia. s.s.	(ye.) buck's-horn-ld.	Barbary.	1820.	—	H. 4.	Desf. atl. 2. t. 214.
11 incana. s.s.	(ye.) hoary.	Europe.	1784.	5. 6.	H. 4.	Jacq. aust. 3. t. 287.
12 alpina. s.s.	(ye.) alpine.	Austria.	1816.	6. 8.	H. 4.	— 1. t. 93.
13 Villarsii. s.s.	(ye.) Villars's.	France.	1818.	—	H. 4.	Vill. dauph. 3. p. 82. t. 25.
14 Taráxaci. s.s.	(ye.) Dandelion-like.	Britain.		7. 9.	H. 4.	Eng. bot. v. 16. t. 1109.
<i>Hedy'pnois Taráxaci</i> . E. B. <i>Hieracium Taráxaci</i> . L. <i>Pieris Taráxaci</i> . All.						
15 aurantiaca. w.	(or.) orange-colored.	Hungary.	1816.	5. 6.	H. 4.	
16 crœcea. w.	(sn.) saffron-colored.	—	1820.	—	H. 4.	
17 hastilis. s.s.	(ye.) shining-leaved.	S. Europe.	1796.	7. 8.	H. 4.	Jacq. aust. 2. t. 164.
OPORINIA. D.D. OPORINIA. Syngenesia Polygamia Æqualis.						
autumnalis. D.D.	(ye.) autumnal.	Britain.		8. 9.	H. 4.	Eng. bot. v. 12. t. 830.
<i>Hedy'pnois autumnalis</i> . E. B. <i>Apargia autumnalis</i> . w.						
THRINCIA. W. THRINCIA. Syngenesia Polygamia Æqualis.						
1 tuberosa. DC.	(ye.) tuberous-rooted.	France.	1683.	5. 7.	H. 4.	Flor. græc. t. 797.
<i>Apargia tuberosa</i> . w. <i>Leóntodon tuberosum</i> . L.						
2 glabra. Schl.	(ye.) smooth.	Switzerland.	1823.	7. 8.	H. 4.	
3 hirta. w.	(ye.) simple-haired.	Britain.		—	H. 4.	Eng. bot. v. 8. t. 555.
<i>pilocalyx</i> . Lag? <i>Hedy'pnois hirta</i> . E. B.						
4 nudicalyx. Lag.	(ye.) naked-calyxed.	Spain.	1823.	—	H. 4.	
5 hispida. s.s.	(ye.) hispid.	S. Europe.	1815.	6. 8.	H. ⊙.	Vill. dauph. 3. t. 25.
6 maroccana. P.S.	(ye.) Morocco.	Morocco.	1799.	7. 8.	H. ⊙.	
7 pygmæa. P.S.	(ye.) small.	Madeira.		—	H. ⊙.	
<i>Hyoseris pygmæa</i> . w.						
CALLIOPEA. D.D. CALLIOPEA. Syngenesia Polygamia Æqualis.						
aurea. D.D.	(go.) golden-flower'd.	Italy.	1769.	5. 7.	H. 4.	Jacq. aust. 3. t. 297.
<i>Leóntodon aureum</i> . Jacq. <i>Hieracium aureum</i> . w.						
ETHONIA. D.D. ÆTHONIA. Syngenesia Polygamia Æqualis.						
1 fruticosa. D.D.	(ye.) shrubby.	Madeira.	1785.	6. 7.	G. ♀.	
<i>Hieracium fruticosum</i> . H.K.						
2 filiformis. D.D.	(ye.) fine-leaved.	—	1777.	—	G. ♂.	
<i>Crêpis filiformis</i> . w.						
3 lagopoda. D.D.	hare's-foot.	Canaries.	1817.	—	G. ♂.	
TO'LPIS. S.S. TO'LPIS. Syngenesia Polygamia Æqualis.						
1 barbata. s.s.	(ye.) purple-eyed.	France.	1620.	6. 9.	H. ⊙.	Bot. mag. t. 35.
<i>Crêpis barbata</i> . B.M. <i>Drepània barbata</i> . DC.						
2 umbellata. s.s.	(ye.) umbelled.	Italy.	1818.	6. 7.	H. ⊙.	
3 quadriaristata. Biv.	(ye.) four-awned.	—	1824.	—	H. ⊙.	
4 virgata. s.s.	(ye.) twiggy.	S. Europe.	1826.	—	H. ⊙.	
5 altissima. s.s.	(ye.) tall.	—	1818.	—	H. ⊙.	
<i>Drepània ambigua</i> . DC. <i>Crêpis ambigua</i> . Balbis.						
6 coronopifolia. s.s.	(ye.) fleshy-leaved.	Madeira.	1777.	8. 9.	H. ⊙.	Desf. act. par. 38. t. 9.
<i>Crêpis coronopifolia</i> . w. <i>succulenta</i> . H.K.						
HEDY'PNOIS. W. HEDY'PNOIS. Syngenesia Polygamia Æqualis.						
1 monspeliensis. w.	(ye.) branching.	S. Europe.	1683.	6. 7.	H. ⊙.	
2 crética. w.	(ye.) Cretan.	Crete.	1731.	—	H. ⊙.	Flor. græc. t. 813.
3 coronopifolia. T.C.	(ye.) buck's-horn-ld.	Italy.	1823.	—	H. ⊙.	
4 tubæformis. T.C.	(ye.) thick-tubed.	—	—	—	H. ⊙.	
5 mauritànica. w.	(ye.) Barbary.	Barbary.	—	—	H. ⊙.	
6 rhagadioloides. w.	(ye.) Nipple-wort.	S. Europe.	1773.	7. 8.	H. ⊙.	
7 persica. M.B.	(ye.) Persian.		1822.	6. 9.	H. ⊙.	
8 pendula. w.	(ye.) pendulous.	Barbary.	1818.	—	H. ⊙.	
9 aculeata. Jac.	(ye.) prickly.		1829.	—	H. ⊙.	
RHAGADIOLUS. W. RHAGADIOLUS. Syngenesia Polygamia Æqualis.						
1 stellatus. w.	(ye.) starry.	S. Europe.	1633.	6. 7.	H. ⊙.	Flor. græc. t. 817.
2 èlais. w.	(ye.) heart-leaved.	Levant.	—	—	H. ⊙.	— t. 818.
<i>Lapsana Rhagadiolus</i> . L.						
KÆLPINIA. Pall. KÆLPINIA. Syngenesia Polygamia Æqualis.						
linearis. Pall.	(ye.) linear-leaved.	Levant.	1788.	7. 8.	H. ⊙.	Flor. græc. t. 819.
<i>Lapsana Kælpinia</i> . L. <i>Rhagadiolus Kælpinia</i> . w.						
ARNO'SERIS. G. ARNO'SERIS. Syngenesia Polygamia Æqualis.						
1 fœtida. L.en.	(ye.) stinking.	Italy.	1722.	7. 8.	H. 4.	W. et K. hung. 1. t. 49.
<i>Lapsana fœtida</i> . w. <i>Hyoseris fœtida</i> . P.S.						

2	mínima. L.en.	(st.) least.	Britain.		5. 7. H. ☉.	Eng. bot. v. 2. t. 95.
	<i>Hyóseris mínima.</i> E.B.	<i>Lapsàna pusilla.</i> w.				
	HYO'SERIS. W.	HYO'SERIS. Syngenesia Polygamia	Æqualis.			
1	arenària. w.	(ye.) sand.	Morocco.	1800.	7. 8. H. ☉.	
2	hispida. w.	(ye.) hispid.	————	1779.	— H. ☉.	
3	scàbra. w.	(ye.) rugged.	Sicily.	1789.	— H. ☉.	Lam. ill. t. 654. f. 1.
4	lúcida. w.	(ye.) shining.	Levant.	1770.	6. 8. H. 4.	Schm. ic. t. 39. 41.
5	radiàta. w.	(ye.) starry.	S. Europe.	1640.	— H. 4.	Pluk. alm. t. 37. f. 2.
	ZACIN'THA. W.	ZACIN'THA. Syngenesia Polygamia	Æqualis.			
	verrucòsa. w.	(ye.) warted.	S. Europe.	1633.	6. 7. H. ☉.	Gært.sem. 2. t.157. f.7.
	<i>Lapsàna Zacy'ntha.</i> L.					
	TRO'XIMON. D.D.	TRO'XIMON. Syngenesia Polygamia	Æqualis.			
1	glàucum. Ph.	(ye.) glaucous-leaved.	N. America.	1811.	7. 8. H. 4.	Bot. mag. t. 1667.
2	cuspidàtum. Ph.	(ye.) cuspidate.	————	—	4. 6. H. 4.	
	<i>marginàtum.</i> N.					
	CY'NTHIA. D.D.	CY'NTHIA. Syngenesia Polygamia	Æqualis.			
	amplexicaùlis. D.D./go.)	stem-clasping.	N. America.	1799.	7. 8. H. 4.	
	<i>Hyóseris amplexicaùlis.</i> M.	<i>Krìgia amplexicaùlis.</i> N.	<i>Tróximon virgìnicum.</i> Ph.			
	KRÌ'GIA. W.	KRÌ'GIA. Syngenesia Polygamia	Æqualis.			
	virgìnica. w.	(ye.) Virginian.	N. America.	1811.	5. 7. H. ☉.	
	P'ICRIS. W.	P'ICRIS. Syngenesia Polygamia	Æqualis.			
1	hieracioídes. w.	(ye.) hawkweed-like.	England.		7. 8. H. ☉.	Eng. bot. v. 3. t. 196.
2	strigòsa. M.B.	(ye.) strigose.	Caucasus.	1823.	— H. 4.	
3	rígida. s.s.	(ye.) rigid.	Tauria.	1829.	— H. 4.	
4	hispida. H.K.	(ye.) hispid.	Levant.	1789.	— H. 4.	
5	altíssima. s.s.	(ye.) tall.	Egypt.	1825.	— H. ☉.	
6	pauciflòra. w.	(ye.) few-flowered	S. France.	1818.	6. 8. H. ☉.	Gært. fr. 2. t. 158. f. 2.
7	pilòsa. s.s.	(ye.) hairy.	Egypt.	1829.	— H. ☉.	
8	asplenióides. w.	(ye.) Spleenwort-ld.	Barbary.	1803.	7. 8. H. ☉.	L'Herit. stirp. t. 82.
9	dahùrica. F.	(ye.) Dahurian.	Dahuria.	1820.	— H. ☉.	
10	kamtschática. Led.	(ye.) Kamtschatka.	Kamtschatka.	1823.	— H. ☉.	
	HELMINTHIA. J.	OX-TONGUE. Syngenesia Polygamia	Æqualis.			
	echiòides. w.	(ye.) bristly.	Britain.		6. 7. H. ☉.	Eng. bot. v. 14. t. 972
	<i>Picris echiòides.</i> E.B.					

Tribus III. HYPOCHÆRIDEÆ. D. Don in Edinb. phil. journ.

	HYPOCHÆRIS. S.S.	CAT'S-EAR. Syngenesia Polygamia	Æqualis. L.			
1	helvética. s.s.	(ye.) one-flowered.	Switzerland.	1799.	6. 7. H. 4.	Jacq. ic. 1. t. 165.
2	hispida. s.s.	(ye.) bristly.	S. Europe.	1804.	7. 8. H. 4.	Willd. hort. ber. 1. t. 41.
3	arachnites. Biv.	(ye.) Cobweb.	Italy.	—	— H. ☉.	
4	mínima. s.s.	(ye.) least.	Barbary.	1797.	— H. ☉.	Flor. græc. t. 816.
5	glàbra. s.s.	(st.) smooth.	Britain.		— H. ☉.	Eng. bot. v. 8. t. 575.
	ACHYRO'PHORUS. G.	ACHYRO'PHORUS. Syngenesia Polygamia	Æqualis.			
1	maculàtus. D.D.	(ye.) spotted.	England.		6. 7. H. 4.	Eng. bot. v. 4. t. 225.
2	radicàtus. D.D.	(ye.) long-rooted.	Britain.		6. 9. H. 4.	— v. 12. t. 561.
	<i>Hypoch'aris radicàta.</i> E.B.					
3	Balbisi. W.en.	(ye.) Balbis's.	S. Europe.	1822.	— H. 4.	
	ROBERTIA. DC.	ROBERTIA. Syngenesia Polygamia	Æqualis.			
1	taraxacóides. DC.	(ye.) Dandelion-like.	Corsica.	1824.	7. 8. H. 4.	Lois. gal. 530. t. 28.
2	pinnatífida. s.s.	(ye.) pinnatifid.	Naples.	1827.	— H. 4.	
	<i>Hypoch'aris pinnatífida.</i> Tenore.					
	SER'IOLO. S.S.	SER'IOLO. Syngenesia Polygamia	Æqualis. L.			
1	ùrens. s.s.	(ye.) stinging.	S. Europe.	1773.	7. 8. H. ☉.	Schmid. ic. t. 32.
2	æthnénsis. w.	(ye.) rough.	Italy.	1763.	— H. ☉.	Jacq. obs. 4. t. 79.
3	glàuca. s.s.	(ye.) glaucous.	Sicily.	1829.	— H. ☉.	
4	rubéscens. s.s.	(li.) reddish.	————	—	— H. ☉.	
5	álbicans. s.s.	(ye.) whitish.	————	—	— H. ☉.	
6	creténsis. s.s.	(ye.) Cretan.	Crete.	1820.	— H. ☉.	
7	Alliàtæ. L.en.	(ye.) wood.	Sicily.	1823.	— H. ☉.	Biv. cent. pl. 2. t. 7.
8	apargiòides. Trev.	(ye.) Apargia-like.	S. Europe.	1829.	— H. ☉.	
	AGE'NORA. D.D.	AGE'NORA. Syngenesia Polygamia	Æqualis.			
	lavigàta. D.D.	(ye.) smooth.	Candia.	1772.	7. 8. H. ☉.	Desf. atl. 2. t. 216.
	<i>Seriola lavigàta.</i> w.	<i>Rodìgia lavigàta.</i> s.s.				
	RODÌ'GIA. S.S.	RODÌ'GIA. Syngenesia Polygamia	Æqualis.			
	commutàta. s.s.	(ye.) Poppy-leaved.	Caucasus.	1823.	6. 7. H. ☉.	
	<i>Crèpis rhæadifòlia.</i> M.B.					
	SOLDEVILLA. S.S.	SOLDEVILLA. Syngenesia Polygamia	Æqualis.			
	setòsa. s.s.	(ye.) bristly.	Spain.	1826.	7. 8. H. ☉.	

Tribus IV. LACTUCEÆ. D. Don in Edinb. phil. journ.

LACTUCA. S.S.		LETTUCE. Syngenesia Polygamia Æqualis. L.			
1 sativa. w.	(ye.) garden.		1562.	6. 9. H. ☉.	Rob. ic. pl. c. ic.
2 crispa. w.	(ye.) curled.		1570.	6. 8. H. ☉.	
3 palmata. w.	(ye.) jagged-leaved.		1683.	— H. ☉.	
laciniata. Roth.					
4 intybacea. w.	(ye.) Endive-leaved.	S. America.	1781.	— H. ☉.	Jacq. ic. 1. t. 162.
5 quercina. w.	(ye.) Oak-leaved.	Europe.	1686.	5. 7. H. ☉.	
6 stricta. w.	(ye.) upright.	Hungary.	1805.	6. 7. H. ♂.	W. et K. hung. 1. t. 48.
7 elongata. w.	(st.) elongated.	Pensylvania.	—	— H. ♂.	
8 cichoriifolia. DC.	(ye.) Succory-leaved.	France.	1818.	— H. ♀.	
9 Scariola. w.	(st.) prickly.	Britain.		7. 8. H. ♂.	Eng. bot. v. 4. t. 268.
10 maculata. L.en.	(st.) spot-leaved.	Europe.		— H. ♂.	
11 virosa. E.B.	(st.) strong-scented.	Britain.		7. 9. H. ♂.	Eng. bot. v. 28. t. 1957.
12 augustana. w.	(st.) entire-leaved.	Italy.	1791.	7. 8. H. ☉.	All. ped. 1. t. 52. f. 1.
13 altissima. M.B.	(ye.) tall.	Caucasus.	1818.	— H. ♀.	
14 sagittata. W.K.	(ye.) arrow-leaved.	Hungary.	1805.	— H. ♂.	W. et K. hung. 1. t. 1.
15 saligna. w.	(ye.) least.	England.		7. 8. H. ♂.	Eng. bot. v. 10. t. 707.
16 muralis. D.D.	(st.) wall.	Britain.		— H. ♀.	— v. 7. t. 457.
Prenanthes muralis. E.B.					
17 viminea. L.en.	(st.) rushy-twiggd.	Austria.	1789.	— H. ♂.	Jacq. aust. 1. t. 9.
Prenanthes viminea. Jacq.					
18 villosa. s.s.	(bl.) villous.		1825.	— H. ♂.	Jacq. schœnb. 3. t. 367.
19 tuberosa. s.s.	(ye.) tuberous.		1820.	— H. ♀.	Jacq. vind. 1. t. 57.
20 indica. s.s.	(ye.) Indian.	E. Indies.	1784.	8. 10. H. ☉.	
21? spectabilis. F.	 showy.	Persia.	1829.	 H. ♂?	
22 pallida. D.P.	(st.) pale-flowered.	Canada.	1704.	7. 9. H. ♀.	Rob. ic. 148 et 151.
Sonchus pallidus. w.					
23 segusiàna. s.s.	(pu.) various-leaved.	Italy.	1823.	7. 8. H. ☉.	
24 tenerrima. s.s.	(pu.) purple-flower'd.	S. Europe.	1815.	— H. ♀.	
25 perennis. s.s.	(bl.) perennial.	Germany.	1596.	6. 8. H. ♀.	Mill. ic. 2. t. 157.
CHONDRILLA. W. GUM SUCCORY. Syngenesia Polygamia Æqualis. L.					
1 júncea. w.	(ye.) common.	France.	1633.	9. 10. H. ♀.	Jacq. aust. 5. t. 427.
2 graminea. M.B.	(ye.) grass-leaved.	Caucasus.	1824.	7. 9. H. ♀.	
3 latifolia. M.B.	(ye.) broad-leaved.	—	—	— H. ♂.	
AGATHYRSUS. D.D. AGATHYRSUS. Syngenesia Polygamia Æqualis.					
1 alpinus. D.D.	(bl.) Lapland.	Lapland.	1804.	7. 8. H. ♀.	Smith ic. ined. t. 21.
Sonchus lappónicus. w.					
2 cœruleus. D.D.	(bl.) blue-flowered.	Scotland.		— H. ♀.	Eng. bot. v. 34. t. 2425.
Sonchus alpinus. w. non L.					
3 Plumieri. D.D.	(bl.) Plumier's.	Pyrenees.	1794.	— H. ♀.	
4 floridanus. D.D.	(bl.) small-flowered.	N. America.	1713.	— H. ♂.	
5 acuminatus.	(bl.) taper-pointed.	—	1812.	8. 9. H. ♂.	
Sonchus acuminatus. Ph.					
6 macrophyllus.	(bl.) large-leaved.	N. America.	1820.	7. 8. H. ♀.	
Sonchus macrophyllus. Ph.					
7 spicatus. D.D.	(pa.) whitish-flower'd.	—	—	— H. ♂.	
Sonchus leucophæus. w. Prenanthes autumnalis. Walter.					
8 prenanthoides. D.D.	(bl.) Prenanthes-like.	Caucasus.	1827.	— H. ♀.	
9 cacaliaefolius. D.D.	(bl.) Cacalia-leaved.	Iberia.	1826.	— H. ♀.	
10 sibiricus. D.D.	(bl.) Siberian.	Siberia.	1759.	7. 9. H. ♀.	Gmel. sib. 2. f. 3.
Sonchus sibiricus. w. Lactuca sibirica. D.P.					
11 tatàricus. D.D.	(bl.) Tartarian.	Tartary.	1784.	6. 7. H. ♀.	
12 pulchellus. D.D.	(bl.) entire-leaved.	Missouri.	1812.	— H. ♀.	
Sonchus pulchellus. Ph. Lactuca integrifolia. N.					
13 sonchifolia.	(bl.) Sonchus-leaved.	Levant.	1824.	— H. ♂.	
Lactuca sonchifolia. w.					
LYGODESMIA. D.D. LYGODESMIA. Syngenesia Polygamia Æqualis.					
júncea. D.D.	(ro.) rush-like.	Missouri.	1827.	5. 6. H. ♀.	
Prenanthes júncea. Ph.					
ATALA'NTHUS. D.D. ATALA'NTHUS. Syngenesia Polygamia Æqualis.					
1 pinnatus. D.D.	(ye.) pinnated.	Canaries.	1823.	6. 7. F. h.	
Prenanthes pinnata. w.					
2 arboreus.	(ye.) arborescent.	—	—	6. 8. F. h.	
Prenanthes arborea. W. enum.					
3 spinosus. D.D.	(ye.) prickly.	Barbary.	1640.	3. 5. F. h.	Park. theatr. 804. f. 7.

SO'NCHUS. W.		SOW THISTLE. Syngenesia Polygamia Æqualis. L.			
1 squarròsus. DC.	(ye.) shrubby.	Madeira.	1777.	4. 7. G. $\frac{1}{2}$.	
<i>fruticòsus. L. non Jacq.</i>					
2 Jacquinì. DC.	(ye.) Jacquin's.	————	————	G. $\frac{1}{2}$.	Jacq. ic. 1. t. 161.
<i>fruticòsus. Jacq. non L.</i>					
3 lævigàtus. L.en.	(ye.) smooth.	————	1816.	———— G. $\frac{1}{2}$.	
4 lyràtus. L.en.	(ye.) lyre-leaved.	————	————	G. $\frac{1}{2}$.	
5 hyoserifòlius. H.H.	(ye.) Hyoseris-leaved.	————	1818.	———— G. $\frac{1}{2}$.	
6 radicàtus. s.s.	(ye.) long-rooted.	Canaries.	1780.	7. 8. G. $\frac{1}{2}$.	
7 gummífer. s.s.	(ye.) gummy.	————	1816.	———— G. $\frac{1}{2}$.	
8 divaricàtus. L.en.	(ye.) spiny-leaved.		1828.	4. 6. G. $\frac{1}{2}$.	
9 pinnàtus. s.s.	(ye.) wing-leaved.	Madeira.	1777.	4. 7. G. $\frac{1}{2}$.	
10 marítimus. s.s.	(ye.) sea-side.	Canaries.	1748.	7. 9. H. $\frac{1}{4}$.	All. ped. 1. t. 16. f. 2.
11 oleràceus. s.s.	(ye.) common-smooth.	Britain.		6. 12. H. $\odot$.	Eng. bot. v. 12. t. 843.
<i>lævis. L.enum. oleràceus a. lævis. W.enum.</i>					
12 lacerus. W.en.	(ye.) torn-leaved.	Britain.		———— H. $\odot$.	
13 ásper. s.s.	(ye.) rough-leaved.	————		———— H. $\odot$.	Blackw. ic. t. 30.
<i>oleràceus γ. ásper. L.</i>					
14 uliginòsus. s.s.	(ye.) marsh.	Caucasus.	1823.	7. 9. H. $\frac{1}{4}$.	
15 palústris. s.s.	(ye.) tall marsh.	Britain.		———— H. $\frac{1}{4}$.	Eng. bot. v. 13. t. 935.
16 arvénsis. s.s.	(ye.) corn-field.	————		———— H. $\frac{1}{4}$.	———— v. 10. t. 674.
17 hantoniénsis.	(ye.) smooth-headed.	Hampshire.		———— H. $\frac{1}{4}$.	
18 tenérrimus. s.s.	(ye.) clammy.	S. Europe.	1691.	7. 8. H. $\odot$.	Flor. græc. t. 790.
19 chondrilloídes. s.s.	(ye.) Chondrilla-like.	Sicily.	1826.	———— H. $\frac{1}{4}$.	
20 caucásicus. F.	(ye.) Caucasean.	Caucasus.	1820.	———— H. $\frac{1}{4}$.	
21 flexuòsus. Led.	(ye.) flexuose.	————	1822.	———— H. $\frac{1}{4}$.	
22 chinénsis. F.	(ye.) Chinese.	China.	1820.	———— H. $\frac{1}{4}$.	
23 ténax. F.	(ye.) tough.	Siberia.	1824.	———— H. $\frac{1}{4}$.	
24 longifòlius. Trev.	(ye.) long-leaved.		————	———— H. $\frac{1}{4}$.	
BARKHA'USIA. DC. BARKHA'USIA. Syngenesia Polygamia Æqualis.					
1 muricàta. s.s.	(ye.) bristly-headed.	S. Europe.	1825.	6. 8. H. δ .	
2 bellidifòlia. DC.	(ye.) Daisy leaved.	Corsica.	1826.	———— H. $\odot$.	
3 Suffreniàna. DC.	(ye.) mealy-headed.	France.	1825.	———— H. $\odot$.	
4 spathulàta. s.s.	(ye.) spathulate.	Sicily.	1829.	———— H. $\odot$.	
5 alpina. s.s.	(ye.) alpine.	Italy.	1739.	7. 8. H. $\odot$.	Gmel. sib. 2. t. 5.
<i>Crèpis alpina. W.</i>					
6 apargioídes. s.s.	(ye.) Apargia-like.	Germany.	1826.	———— H. $\frac{1}{4}$.	Jacq. aust. 3. t. 293.
7 vesicària. s.s.	(ye.) bladdered.	Crete.	1828.	———— H. $\frac{1}{4}$.	
8 hyemàlis. s.s.	(ye.) winter.	Sicily.	1829.	8. 11. H. $\frac{1}{4}$.	
9 purpùrea. s.s.	(pu.) purple.	————	1827.	7. 9. H. $\frac{1}{4}$.	
10 rùbra. s.s.	(li.) lilac.	Italy.	1632.	6. 8. H. $\odot$.	Flor. græc. t. 801.
11 nicaéensis. s.s.	(ye.) gland-headed.	S. Europe.	1824.	———— H. $\odot$.	
12 hispida. s.s.	(ye.) hispid.	————	1798.	———— H. $\odot$.	W. et K. hung. 1. t. 43
13 setosa. DC.	(ye.) setose.	Switzerland.	1824.	———— H. $\odot$.	
14 púngens. P.s.	(ye.) pungent.		1826.	———— H. $\odot$.	
MYO'SERIS. L.en. MYO'SERIS. Syngenesia Polygamia Æqualis.					
purpùrea. L.en.	(pu.) purple.	Tauria.	1823.	6. 7. H. $\odot$.	
<i>Lagòseris taùrica. M.B. Crèpis purpùrea. M.B.</i>					

Tribus V. SCORZONEREÆ. D. Don in Edinb. phil. journ.

SCORZON'ERA. W. VIPER'S-GRASS. Syngenesia Polygamia Æqualis.					
1 tomentòsa. W.	(ye.) white.	Armenia.	1789.	6. 7. H. $\frac{1}{4}$.	
2 villòsa. s.s.	(ye.) villous.	Levant.	1821.	6. 8. H. $\frac{1}{4}$.	Scop. carn. t. 46.
3 hirsùta. s.s.	(ye.) hairy.	S. Europe.	1823.	———— H. $\frac{1}{4}$.	All. ped. t. 31. f. 33.
4 hùmilis. W.	(ye.) dwarf.	Europe.	1597.	8. H. $\frac{1}{4}$.	
5 austriaca. W.en.	(ye.) Austrian.	Austria.		———— H. $\frac{1}{4}$.	Jacq. aust. 1. t. 35.
<i>hùmilis. Jacq. non W.</i>					
6 plantaginifòlia. Sch.	(ye.) Plantain-leav'd.	Switzerland.	1816.	———— H. $\frac{1}{4}$.	
7 hispànica. W.	(ye.) garden.	Spain.	1576.	6. 9. H. $\frac{1}{4}$.	Lam. ill. t. 647. f. 5.
8 glastifòlia. W.	(ye.) Woad-leaved.	Germany.	1816.	———— H. $\frac{1}{4}$.	
9 taùrica. M.B.	(ye.) Taurian.	Tauria.	1820.	———— H. $\frac{1}{4}$.	
10 rumicifòlia. L.en.	(ye.) Dock-leaved.		1822.	———— H. $\frac{1}{4}$.	
11 caricifòlia. W.	(ye.) Carex-leaved.	Siberia.	1805.	———— H. $\frac{1}{4}$.	Pall. it. 3. ap. t. J. 1. fil.
12 parviflòra. W.	(ye.) small-flowered.	Austria.	1816.	———— H. $\frac{1}{4}$.	Jacq. aust. 4. t. 305.
13 móllis. M.B.	(ye.) soft.	Volga.	1829.	———— H. $\frac{1}{4}$.	
14 stricta. s.s.	(ye.) upright.	————	1821.	———— H. $\frac{1}{4}$.	
<i>villòsa. M.B. nec Scop.</i>					

15 lanata. M.B.	(ye.) woolly.	Iberia.	1823.	6. 7. H. 4.	
16 purpurea. w.	(pu.) purple-flower'd.	Austria.	1759.	5. 6. H. 4.	Jacq. aust. 1. t. 35.
17 angustifolia. w.	(ye.) narrow-leaved.	S. Europe.	—	6. 8. H. 4.	W. et K. hung. 2. t. 122.
18 ensifolia. M.B.	(ye.) sword-leaved.	Caucasus.	1823.	— H. 4.	
19 pusilla. s.s.	(st.) small.	Volga.	1827.	— H. 4.	Pall. it. 2. ap. t. L.
20 tuberosa. s.s.	(ye.) tuberous-rooted.	—	1825.	— H. 4.	Pall. it. 3. ap. t. Y. f. 3.
21 crispa. s.s.	(ye.) curled.	Tauria.	1821.	— H. 4.	
PODOSPE'RMUM. DC. PODOSPE'RMUM. Syngenesia Polygamia Æqualis.					
1 calcitrapifolium. DC.	(y.) Calcitrapa-leav'd.	Levant.	1823.	6. 8. H. 4.	Barr. ic. 800.
2 resedifolium. DC.	(ye.) spreading.	Spain.	1729.	6. 7. H. ♂.	Bocc. sic. 13. t. 7.
3 laciniatum. DC.	(ye.) cut-leaved.	S. Europe.	1640.	— H. ♂.	Jacq. aust. 4. t. 356.
4 octangulare. DC.	(ye.) 8-angled.	—	1820.	— H. ♂.	
5 pumilum.	(ye.) small.	Spain.	1822.	7. 9. H. ⊙.	Cav. ic. 2. t. 121. f. 2.
<i>Scorzonera pumila. w.</i>					
6 asperimum.	(ye.) roughest.	Galatia.	—	8. 9. H. 4.	
<i>Scorzonera asperima. w.</i>					
7 asperum.	(ye.) rough.	Levant.	—	7. 8. H. 4.	Desf. an. mus. 1. t. 9.
<i>Scorzonera aspera. Desf. stylösa. P.S.</i>					
8 subulatum. DC.	(ye.) grass-leaved.	Portugal.	1759.	— H. 4.	Jacq. obs. 4. t. 100.
<i>Scorzonera graminifolia. F.G. 784.</i>					
9 muricatum. DC.	(ye.) bristly.	Piedmont.	1818.	— H. 4.	
10 taraxacifolium.	(ye.) Dandelion-leav'd.	Bohemia.	1801.	6. 8. H. 4.	Jacq. ic. 1. t. 106.
<i>Scorzonera taraxacifolia. w.</i>					
LASIOSPE'RMUM. F. LASIOSPE'RMUM. Syngenesia Polygamia Æqualis.					
angustifolium. F.	(ye.) narrow-leaved.	Caucasus.	1825.	6. 8. H. 4.	
<i>Scorzonera eriosperma. M.B.</i>					
PICRI'DIUM. P.S. PICRI'DIUM. Syngenesia Polygamia Æqualis.					
1 vulgare. P.S.	(ye.) various-leaved.	France.	1773.	6. 8. H. ⊙.	All. ped. 1. t. 16. f. 1.
<i>Scorzonera picroides. L. Sönchus picroides. w.</i>					
2 tingitanum. P.S.	(ye.) Tangier.	Barbary.	1713.	6. 9. H. ⊙.	Bot. mag. t. 142.
<i>Scorzonera tingitana. B.M. Sönchus tingitanus. w.</i>					
3 hispanicum. v.	(ye.) Spanish.	Spain.	1816.	— H. ⊙.	Jacq. schœnb. 2. t. 143.
4 albidum. P.S.	(ye.) pale-flowered.	France.	1781.	7. 10. H. 4.	Jacq. ic. 1. t. 164.
<i>Crepis albidula. w.</i>					
ARNOPO'GON. W. SHEEP'S-BEARD. Syngenesia Polygamia Æqualis.					
1 Dalechampii. w.	(ye.) great-flowered.	S. Europe.	1739.	6. 10. H. 4.	Bot. mag. t. 1623.
2 picroides. w.	(ye.) prickly-cupp'd.	—	1683.	7. 8. H. ⊙.	Flor. græc. t. 781.
3 asper. w.	(ye.) rough.	Montpelier.	1774.	— H. ⊙.	— t. 782.
4 capense. w.	(ye.) Cape.	C. B. S.	1824.	6. 8. G. ♂.	Jacq. ic. 3. t. 577.
TRAGOPO'GON. W. GOAT'S-BEARD. Syngenesia Polygamia Æqualis.					
1 pratensis. w.	(ye.) yellow.	Britain.		5. 6. H. ♂.	Eng. bot. v. 7. t. 434.
2 mutabilis. w.	(va.) changeable.	Siberia.	1816.	— H. ♂.	Jacq. ic. 1. t. 157.
3 undulatus. w.	(st.) wave-leaved.	Crimea.	1790.	— H. ♂.	— 1. t. 158.
4 parviflorus. L.en.	(ye.) small-flowered.		1822.	— H. ♂.	
5 orientalis. w.	(ye.) oriental.	Levant.	1787.	6. 7. H. ♂.	
6 canus. w.K.	(ye.) hoary	Hungary.	1822.	— H. ♂.	
7 major. w.	(ye.) great.	Austria.	1788.	5. 6. H. ♂.	Jacq. aust. 1. t. 29.
8 campestris. s.s.	(ye.) field.	Poland.	1828.	— H. ♂.	
9 roseus. s.s.	(ro.) red-flowered.	Volga.	1827.	— H. ♂.	
10 porrifolius. w.	(pu.) purple.	England.		— H. ♂.	Eng. bot. v. 9. p. 638.
11 floccosus. w.K.	(ye.) woolly.	Hungary.	1816.	— H. ♂.	W. et K. hung. 2. t. 112.
12 dubius. L.en.	(ye.) doubtful.		1822.	— H. ♂.	
13 crocifolius. w.	(vi.) Crocus-leaved.	Italy.	1739.	6. 7. H. ♂.	Flor. græc. t. 779.
14 angustifolius. w.	(vi.) narrow-leaved.	—	1816.	— H. ♂.	
15 villosus. w.	(ye.) hairy.	Spain.	1794.	5. 6. H. ♂.	
16 rhodanthus.	(ro.) rose-coloured.	Hungary.	1807.	7. H. 4.	W. et K. hung. 2. t. 121.
<i>Scorzonera rosea. w.K.</i>					
17 humilis. F.	 dwarf.	Caucasus.	1829.	 H. ♂.	
18 phaeopappus. F.	 glossy-chaff'd.	Persia.	—	 H. ♂.	
GEROPO'GON. W. OLD MAN'S-BEARD. Syngenesia Polygamia Æqualis.					
1 glaber. w.	(pi.) smooth.	Italy.	1704.	7. 8. H. ⊙.	Bot. mag. t. 479.
2 hirsutus. w.	(pi.) hirsute.	—	1759.	— H. ⊙.	Col. ecphr. 1. t. 231.
3 calyculatus. w.	(pi.) perennial.	—	1774.	6. 8. H. 4.	Jacq. vind. 2. t. 106.

Tribus VI. CICHOREÆ. D. Don in Edinb. phil. journ.

CICHORIUM. S.S. SUCCORY. Syngenesia Polygamia Æqualis. L.					
1 lenticulus. s.s.	(bl.) common.	Britain.		6. 10. H. 4.	Eng. bot. v. 8. t. 539.

2	divaricatum. s.s.	(bl.) branching.	Barbary.	1798.	7. 9.	H. ☉.	
3	spinosum. s.s.	(bl.) prickly.	Candia.	1633.	7. 8.	F. ♀.	Flor. græc. t. 823.
4	pumilum. s.s.	(bl.) dwarf.	Levant.	1790.	—	H. ☉.	— t. 821.
5	Endivia. s.s.	(bl.) Endive.	E. Indies.	1548.	—	H. ☉.	
	<i>α latifolia.</i>	(bl.) broad-leaved.	—	—	—	H. ☉.	
	<i>β crispa.</i>	(bl.) curled-leaved.	—	—	—	H. ☉.	
	<i>γ leucophylla.</i>	(bl.) white-leaved.	—	—	—	H. ☉.	
SCO'LYMUS. S.S. GOLDEN THISTLE. Syngenesia Polygamia Æqualis. L.							
1	maculatus. s.s.	(ye.) annual.	S. Europe.	1633.	7. 8.	H. ☉.	Flor. græc. t. 824.
2	hispanicus. s.s.	(ye.) Spanish.	—	1658.	7. 9.	H. ♀.	— t. 825.
3	grandiflorus. s.s.	(ye.) great-flowered.	Barbary.	1820.	—	H. ♀.	Desf. atl. 2. t. 218.
CATANA'NCHE. S.S. CATANA'NCHE. Syngenesia Polygamia Æqualis. L.							
1	lutea. s.s.	(ye.) yellow.	Candia.	1640.	6. 7.	H. ☉.	Flor. græc. t. 821.
2	cœrulea. s.s.	(bl.) blue-flowered.	S. Europe.	1596.	7. 10.	H. ♀.	Bot. mag. t. 293.

SUBORDO II. LABIATIFLORÆ. Lagasca et DC. in ann. mus.

L'ERIA. DC. L'ERIA. Syngenesia Polygamia Superflua.							
1	nūtans. DC.	(wh.) drooping-flower'd.	W. Indies.	1793.	6. 7.	S. ♂.	Plum. ic. t. 41. f. 1.
	<i>Tussilago nūtans.</i> w.						
2	albicans. DC.	(wh.) woolly-leaved.	Jamaica.	1821.	—	S. ☉.	
CHAPTALIA. V. CHAPTALIA. Syngenesia Polygamia Necessaria.							
	tomentosa. v.	(bh.) woolly.	N. America.	1806.	5. 6.	H. ♀.	Bot. mag. t. 2257.
	<i>Tussilago integrifolia.</i> m.						
ONO'SERIS. DC. ONO'SERIS. Syngenesia Polygamia Æqualis.							
1	purpurea. K.S.	(pu.) purple.	S. America.	1827.	7. 9.	F. ♀.	Smith. ic. ined. t. 65.
	<i>Atractylis purpurata.</i> Smith.						
2	mexicana. K.S.	(wh.) Mexican.	Mexico.	1828.		F. ♀.	Smith. ic. ined. 3. t. 66.
CHÆTANTHERA. R.P. CHÆTANTHERA. Syngenesia Polygamia Superflua.							
	ciliata. R.P.	(ye.) ciliated.	Chile.	1822.	7. 8.	F. ♀.	
MUTISIA. L. MUTISIA. Syngenesia Polygamia Æqualis. L.							
	speciosa. B.M.	(pu.) handsome.	Brazil.	1825.	9. 11.	G. ♀. ∪.	Bot. mag. t. 2705.
	<i>arachnoidea.</i> Martius.						
CHUQUIR'AGA. J. CHUQUIR'AGA. Syngenesia Polygamia Æqualis.							
	insignis. K.S.	(ye.) large-flowered.	S. America.	1824.		G. ♀.	Lam. ill. t. 691.
	<i>Johannia insignis.</i> w.						
DUMERILIA. DC. DUMERILIA. Syngenesia Polygamia Æqualis.							
	paniculata. DC.	(pu.) paniced.	Chile.	1825.	7. 9.	H. ♀.	DC. ann. mus. 19. t. 7.
BACAZIA. R.P. BACAZIA. Syngenesia Polygamia Æqualis.							
	spinosa. R.P.	(pi.) spiny.	Peru.	1825.	4. 5.	F. ♀.	
TRIPTILION. R.P. TRIPTILION. Syngenesia Polygamia Æqualis.							
	cordifolium. B.R.	(wh.) heart-leaved.	Peru.	1823.	6. 8.	H. ☉.	Bot. reg. t. 853.
LEUCERIA. Lag. LEUCERIA. Syngenesia Polygamia Superflua.							
	senecioides. D.D.	(wh.) Ragwort-like.	Chile.	1822.	8. 10.	F. ♀.	Hook. ex. flor. t. 101.
	<i>Trixis senecioides.</i> Hooker.						
GASTROCARPHA. D.D. GASTROCARPHA. Syngenesia Polygamia Æqualis.							
	runcinata. D.D.	(wh.) Turnep-leaved.	Chile.	1826.	8. 10.	F. ♂.	Swt. br. fl. gar. t. 223.
PERDICUM. DC. PERDICUM. Syngenesia Polygamia Superflua.							
1	Anandria. DC.	(wh.) Siberian.	Siberia.	1759.	8.	H. ♀.	Gmel. sib. 2. t. 68. f. 1.
2	lyratum.	(wh.) lyrate.	—	1825.	6. 8.	H. ♀.	— t. 67. f. 2.
	<i>Tussilago lyrata.</i> w. <i>Chaptalia lyrata.</i> s.s.						
TRIXIS. DC. TRIXIS. Syngenesia Polygamia Superflua.							
1	frutescens. s.s.	(wh.) frutescent.	Jamaica.	1826.	2. 4.	S. ♀.	Lam. ill. t. 677. f. 2.
	<i>Perdium radiata.</i> L.						
2	divaricata. D.D.	(wh.) divaricate.	Brazil.	1824.	4. 6.	S. ♀.	Bot. mag. t. 2765.
	<i>auriculata.</i> B.M. <i>Perdium brasiliense.</i> Gr.						

SUBORDO III. CARDUACEÆ. Don prodr. p. 166.

Div. I. CARDUACEÆ VERÆ. Kth. synops. 2. p. 363.

A'RCTIUM. L. BURDOCK. Syngenesia Polygamia Æqualis.							
1	Lappa. w.	(pu.) smooth-headed.	Britain.		7. 8.	H. ♂.	Eng. bot. v. 18. t. 1225.

2 minus. M.B.	(pu.) smaller.	Europe.		7. 8. H. ♂.	
<i>Lappa minor.</i> DC.					
3 Bardana. w.	(pu.) woolly-headed.	Britain.		— H. ♂.	Eng. bot. v. 35. t. 2478.
<i>tomentosum.</i> P.S.					
SERRATULA. D.P. SAWWORT. Syngenesia Polygamia Æqualis.					
1 pulchella. B.M.	(pu.) purple-scaled.	Siberia.	1823.	6. 7. H. ♀.	Bot. mag. t. 2589.
2 depressa. L.T.	(pu.wh.) depressed.	Caucasus.	1820.	— H. ♀.	Linn. trans. v. 11. t. 38.
3 elegans. L.T.	(ro.) elegant.	—	—	— H. ♀.	— v. 11. t. 37.
4 alpina. E.B.	(pu.) Alpine.	Britain.		7. 8. H. ♀.	Eng. bot. v. 9. t. 599.
<i>Saussurea alpina.</i> DC.					
5 angustifolia. w.	(pu.) narrow-leaved.	Siberia.	1816.	— H. ♀.	Gmel. sib. 2. t. 33.
6 discolor. w.	(pu.wh.) two-coloured.	Europe.	—	— H. ♀.	
<i>Saussurea discolor.</i> DC.					
7 lapathifolia. DC.	Dock-leaved.	—	—	— H. ♀.	Moris. s. 7. t. 22. f. 1.
7 serrata.	(pu.) saw-leaved.	—	—	— H. ♀.	
<i>Saussurea serrata.</i> DC.					
8 salicifolia. w.	(re.) Willow-leaved.	Siberia.	1796.	— H. ♀.	Gmel. sib. 2. t. 27.
9 alata.	(pu.) winged.	—	1823.	— H. ♀.	
<i>Saussurea alata.</i> DC. non <i>Serratula alata.</i> W.en.					
10 salsa. M.B.	(pu.) salt.	Caucasus.	1824.	— H. ♀.	
<i>Heterotrichum salsum.</i> M.B. <i>Saussurea salsa.</i> s.s.					
11 lyrata. F.	(pu.) lyrate-leaved.	Dahuria.	1827.	— H. ♀.	
12 Gmelini. Led.	(pu.) Gmelin's.	Siberia.	—	— H. ♀.	
13 elongata. DC.	(pu.) elongated.	—	1820.	— H. ♀.	
14 nitidula. Led.	(pu.) glossy.	—	1827.	— H. ♀.	
15 pycnocéphala. Led.	(pu.) large-headed.	—	—	— H. ♀.	
16 rigida. Led.	(pu.) rigid.	—	—	— H. ♀.	
17 pygmæa. Jac.	(pu.) pigmy.	Austria.	1816.	— H. ♀.	Jacq. aust. t. 440.
SYNCARPHA. DC. SYNCARPHA. Syngenesia Polygamia Æqualis.					
gnaphalodes. DC.	(or.) squarrose.	C. B. S.	1815.	7. 9. G. ♀.	Pluk. alm. t. 302. f. 3.
<i>Stachelina gnaphaloïdes.</i> L. <i>Leysera squarrosa.</i> Th.					
CARDUUS. D.P. THISTLE. Syngenesia Polygamia Æqualis.					
1 alatus. B.F.G.	(pu.) winged-stalked.		1812.	6. 8. H. ♂.	Swt. br. fl. gar. t. 103.
2 tinctorius. D.P.	(pu.) common.	Britain.		7. 10. H. ♀.	Eng. bot. v. 1. t. 38.
<i>Serratula tinctoria.</i> E.B.					
3 quinquefolius. D.P.	(pu.) five-leaved.	Persia.	1804.	7. 8. H. ♀.	Bot. mag. t. 1871.
<i>Serratula quinquefolia.</i> B.M.					
4 coronatus. D.P.	(pu.) lyre-leaved.	Italy.	1739.	— H. ♀.	Gmel. sib. 2. t. 20.
<i>Serratula coronata.</i> w.					
5 nitidus.	(pu.) glossy.	Siberia.	1821.	— H. ♀.	
<i>Serratula nitida.</i> F.					
6 multiflorus. L.	(pu.) Volga.	—	—	— H. ♀.	Gmel. sib. 2. t. 28.
7 linearifolius. DC.	(pu.) linear-leaved.	—	1827.	— H. ♀.	
8 Picris.	(pu.) scariose.	Caucasus.	1822.	— H. ♀.	
<i>Centaurea Picris.</i> w. <i>Serratula Picris.</i> s.s.					
9 centauroides. D.P.	(pu.) Centaury-like.	Siberia.	1804.	— H. ♀.	Gmel. sib. 2. t. 40.
10 radiatus. W.K.	(pu.) rayed.	Hungary.	1800.	— H. ♂.	W. et K. hung. 1. t. 11.
11 polyclonos. w.	(pu.) Siberian.	Siberia.	1823.	— H. ♀.	
12 argutus.	(pu.) sharply-tooth'd.	—	—	— H. ♀.	
<i>Serratula arguta.</i> L.en.					
13 cyanoïdes. w.	(pu.) blue-bottle-leav'd.	—	1778.	— H. ♀.	Gmel. sib. 2. t. 15.
14 simplex.	(pu.) one-flowered.	Caucasus.	1817.	— H. ♀.	Bot. mag. t. 2482.
<i>millis.</i> w. <i>Serratula simplex.</i> DC.					
15 xeranthemoides. (pu.)	everlasting-fl'd.	—	1804.	— H. ♀.	Gmel. sib. 2. t. 47. f. 1.
<i>Serratula xeranthemoides.</i> M.B. <i>Centaurea radiata.</i> w.					
16 lycopiifolius. w.	(pu.) horehound-leaved.	France.	1823.	— H. ♀.	Vill. delph. 3. t. 19.
17 heterophyllus. s.s.	(pu.) various-leaved.	France.	1824.	— H. ♀.	
18 stachadifolius.	(pu.) woolly-headed.	Tauria.	1820.	— H. ♀.	
<i>Serratula stachadifolia.</i> s.s.					
19 leucographus. w.	(pu.) white-spotted.	Italy.	1752.	6. 7. H. ⊙.	Jacq. vind. 3. t. 23.
20 arabicus. w.	(pu.) Arabian.	Arabia.	1789.	7. 8. H. ⊙.	Jacq. ic. 1. t. 166.
21 natans. w.	(pu.) musk.	Britain.		— H. ⊙.	Eng. bot. v. 16. t. 1112.
22 carlinoides. W.en.	(pu.) Pyrenean.	Pyrenees.	1784.	— H. ♂.	Gouan. ill. t. 23.
<i>Carlina pyrenæica.</i> L.					
23 carlinæfolius. w.	(pu.) Carline-leaved.	—	1804.	— H. ♂.	
24 acanthoides. w.	(li.) weltd.	Britain.		6. 7. H. ⊙.	Eng. bot. v. 14. t. 973.
25 hamulosus. w.	(pu.) hooked.	Hungary.	1802.	— H. ⊙.	
26 tenuiflorus. E.B.	(li.) slender-flower'd.	Britain.		— H. ⊙.	Eng. bot. v. 6. t. 412.
27 crispus. w.	(li.) curled.	Europe.	1804.	7. 8. H. ♂.	Flor. dan. t. 621.

28	cándicans. w.	(pu.) hoary.	Hungary.	1805.	7. 8.	H. ♂.	W. et K. hung. 1. t. 53.
29	personatus. w.	(pu.) cut-leaved.	Austria.	1776.	—	H. ♂.	Jacq. aust. 4. t. 348.
30	polyanthemus. w.	(pu.) many-flowered.	Rome.	1739.	6. 7.	H. ♂.	Triumf. obs. t. 103.
31	paniculatus. w.	(pu.) paniced.	S. Europe.	1781.	—	H. ♀.	
32	pynocéphalus. w.	(pu.) Italian.	—	1739.	7. 9.	H. ♀.	Jacq. vind. 1. t. 34.
33	onopordioides. M.B.	(pu.) Onopordum-like.	Iberia.	1824.	7. 8.	H. ♀.	
34	argentatus. w.	(pu.) white Egyptian.	Egypt.	1789.	6. 8.	H. ⊙.	Jacq. vind. 2. t. 192.
35	arctioides. w.	(pu.) pinnated.	Hungary.	1804.	7. 8.	H. ♀.	
36	dubius. s.s.	(pu.) doubtful.		1827.	—	H. ♀.	
37	seminudus. s.s.	(pu.) half-naked.	Caucasus.	—	—	H. ♀.	
38	uncinatus. s.s.	(pu.) crook-pointed.	Volga.	—	—	H. ♀.	
39	alpéstris. w.	(pu.) alpine.	Hungary.	1805.	7. 8.	H. ♀.	
40	defloratus. w.	(pu.) different leav'd.	Austria.	1570.	7. 9.	H. ♀.	Jacq. aust. 1. t. 89.
41	corymbosus. s.s.	(pu.) corymb-flower'd.	Naples.	1827.	—	H. ♀.	
42	cinereus. s.s.	(pu.) gray.	Caucasus.	—	—	H. ♀.	
43	collinus. s.s.	(pu.) hill.	Hungary.	1828.	—	H. ♀.	
44	Argemone. DC.	(pu.) Argemone-leav'd.	Pyrenees.	1816.	—	H. ♀.	
45	parviflorus. w.	(pu.) small-flowered.	S. Europe.	1781.	6. 7.	H. ♀.	
46	crassifolius. W.en.	(pu.) thick-leaved.		1805.	7.	H. ♀.	
47	sumanus. L.en.	(pu.) Pollini's.	Italy.	1823.	7. 8.	H. ♀.	
48	nítidus. w.	(pu.) glossy.	Hungary.	1806.	—	H. ♀.	W. et K. hung. 1. t. 52.
49	nudicaulis. P.S.	(pu.) naked-stalked.	S. Europe.	1739.	—	H. ♀.	Cav. ic. 3. t. 226.
	cerinthoides. w.	glauca. Cav. Centaurea nudicaulis.	L. Serrátula nudicaulis. DC.				
50	clavulatus. s.s.	(pu.) clubbed.	Canaries.	1827.	—	F. ♂.	
51	ábidus. s.s.	(pu.) white-leaved.	Caucasus.	1829.	—	H. ♀.	
52	argyræa. s.s.	(pu.) silvery.	Sicily.	1827.	—	H. ♀.	
53	orientalis. M.B.	(pu.) oriental.	Iberia.	1804.	7.	H. ♀.	
54	salinus. M.B.	(pu.) narrow-leaved.	Siberia.	—	—	H. ♀.	
55	volgensis. s.s.	(pu.) Volga.	Volga.	—	—	H. ♀.	
56	leucanthus. s.s.	(wh.) white-flowered.	Spain.	1825.	—	H. ⊙.	Cavan. icon. 2. t. 165.
57	atriplicifolius. s.s.	(pu.) Orach-leaved.	Russia.	1823.	—	H. ♀.	
SILYBUM. G. SILYBUM. Syngenesia Polygamia Æqualis.							
1	mariannum. G.	(pu.) milk-thistle.	Britain.		7.	H. ♂.	Eng. bot. v. 14. t. 976.
	Carduus mariannus. E.B.						
2	cérnuum. G.	(wh.) nodding.	Siberia.	1755.	6. 7.	H. ♀.	Mill. ic. 2. t. 245.
	Cnicus cérnuus. w.						
HALOCHA'RIS. F. HALOCHA'RIS. Syngenesia Polygamia Æqualis.							
1	altáica. F.	(pu.) Altay.	Altay.	1827.	7. 8.	H. ♀.	
2	carthamoides. F.	(pu.) Carthamus-like.	Siberia.	1823.	—	H. ♀.	
	Cnicus carthamoides. w.	Leuzea? carthamoides. DC.	Cnicus salinus. M.B.				
CIRSIIUM. G. HORSE-THISTLE. Syngenesia Polygamia Æqualis.							
1	palústre. DC.	(li.wh.) marsh.	Britain.		7. 8.	H. ♂.	Eng. bot. v. 14. t. 974.
	Carduus palústris. E.B.	Cnicus palústris. w.					
2	elátum. L.en.	(pu.) tall.		1823.	—	H. ♀.	
3	uliginosum. M.B.	(pu.) swamp.	Caucasus.	1820.	—	H. ♀.	
4	cánum. M.B.	(pu.) hoary.	Austria.	1633.	—	H. ♀.	Jacq. aust. 1. t. 42-43.
5	Acárna. DC.	(pu.) yellow.	Spain.	1683.	7. 9.	H. ⊙.	Cavan. ic. 1. t. 53.
6	pyrenæicum. DC.	(pu.) Pyrenean.	Pyrenees.	1818.	7. 8.	H. ♀.	Jacq. obs. 4. t. 95.
7	monspessulanum. DC.	(pu.) Montpelier.	Montpelier.	1596.	6. 7.	H. ♀.	
8	pannonicum. L.en.	(pu.) Hungarian.	Hungary.	1816.	7. 9.	H. ♀.	Jacq. aust. 3. t. 5.
9	strictum. s.s.	(pu.) straight.	Naples.	1820.	—	H. ♀.	
10	lanceolatum. DC.	(pu.) common.	Britain.		6. 9.	H. ♀.	Eng. bot. v. 2. t. 107.
	Carduus lanceolatus. E.B.	Cnicus lanceolatus. w.					
11	desertorum. L.en.	(pu.) desert.	Siberia.	1823.	7. 8.	H. ♀.	
12	cichoraceum. s.s.	(pu.) Succory-like.	Naples.	1824.	—	H. ♀.	
13	itálicum. s.s.	(pu.) Italian.	Italy.	1826.	—	H. ♀.	
14	sículum. s.s.	(pu.) Sicily.	Sicily.	1828.	—	H. ♀.	
15	neglectum. s.s.	(pu.) neglected.	Siberia.	1829.	—	H. ♀.	
16	púngens. s.s.	(pu.) pungent.	Levant.	—	—	H. ♀.	
17	paniculatum. s.s.	(pu.) paniced.	Pyrenees.	1827.	—	H. ♀.	
18	créticum. s.s.	(wh.) Cretan.	Crete.	—	—	H. ♀.	
19	ciliatum. L.en.	(pu.) fringed.	Siberia.	1787.	8.	H. ♀.	Murr. com. got. 6. t. 5.
20	serrulatum. M.B.	(pu.) serrulate.	Tauria.	1820.	7. 8.	H. ♀.	
21	laniflorum. M.B.	(pu.) woolly-flowered.	—	1823.	—	H. ♀.	
22	arachnoideum. M.B.	(pu.) cobweb.	—	—	—	H. ♀.	
23	strigosum. M.B.	(pu.) strigose.	Caucasus.	1818.	—	H. ♂.	
24	hórridum. M.B.	(pu.) very spiny.	—	1820.	—	H. ♀.	
25	munitum. M.B.	(pu.) armed.	—	1816.	—	H. ♀.	
26	obvallatum. M.B.	(pu.) crowded-flower'd.	—	—	—	H. ♀.	

27	scleranthus. M.B. (wh.) hard-flowered.	Caucasus.	1824.	7. 8. H. ♂.	
	carlinoides. F. <i>Carlina Echinus</i> . M.B.				
28	echinatum. s.s. (pu.) hedgehog.	Barbary.	—	—	H. ♀.
29	criophorum. DC. (pu.) woolly-headed.	Britain.		—	H. ♂.
	<i>Carduus criophorus</i> . E.B. <i>Cnicus criophorus</i> . w.				Eng. bot. v. 6. t. 386.
30	ferox. DC. (wh.) fierce.	S. Europe.	1683.	—	H. ♂.
31	discolor. s.s. (pu.) two-coloured.	N. America.	1803.	—	H. ♂.
32	inermis. L.en. (pu.) unarmed.	Pyrenees.	1818.	—	H. ♀.
33	cynaroides. s.s. (pu.) Artichoke-like.	Crete.	1828.	—	H. ♀.
34	altissimum. s.s. (pu.) giant.	N. America.	1726.	8. 9. H. ♀.	Dill. elth. t. 69. f. 80
35	pratense. (pu.) meadow.	Britain.		6. 7. H. ♀.	Eng. bot. v. 3. t. 177.
	anglicum. DC. <i>Carduus pratensis</i> . E.B. <i>Cnicus pratensis</i> . w.				
36	heterophyllum. DC. (pu.) melancholy.	—		7. 8. H. ♀.	— v. 10. t. 675.
37	helenioides. L.en. (pu.) Elecampane-ld.	Siberia.	1804.	—	H. ♀.
38	serratuloides. s.s. (pu.) sawwort-like.	—	1752.	6. 10. H. ♀.	Jacq. aust. 2. t. 127.
39	heteromallum. (pu.) Nepaul.	Nepaul.	1820.	—	H. ♂.
	<i>Cnicus heteromallus</i> . D.P. <i>Carduus candicans</i> . Wal.				
40	arvensis. DC. (li.) corn or way.	Britain.		7. H. ♀.	Eng. bot. v. 14. t. 975.
	<i>Serratula arvensis</i> . w. <i>Carduus arvensis</i> . E.B. <i>Cnicus arvensis</i> . Ph.				
41	rivulare. s.s. (pu.) river.	Hungary.	1804.	7. 8. H. ♀.	Jacq. aust. 1. t. 91.
	tricephalodes. DC. <i>Cnicus rivularis</i> . w.				
	β salisburgense. smaller.	—	—	—	H. ♀.
42	ambiguum. DC. (pu.) ambiguous.	S. Europe.	1823.	—	H. ♀.
43	orgyale. s.s. (pu.) tall.		—	—	H. ♀.
44	carniolicum. s.s. (wh.) Carniola.	Carniola.	1792.	—	H. ♀.
45	pauciflorum. s.s. (pu.) few-flowered.	Hungary.	1816.	—	H. ♂.
46	tataricum. s.s. (wh.) Tartarian.	Siberia.	1775.	7. 8. H. ♀.	Scop. carn. 1005. t. 51.
47	rigens. s.s. (wh.) upright alpine.	Switzerland.	—	—	H. ♀.
48	cleraceum. DC. (wh.) pale-flowered.	Europe.	1570.	—	H. ♀.
49	Erisithales. L.en. (st.) clammy.	France.	1752.	6. 8. H. ♀.	W. et K. hung. 2. t. 161.
	glutinösium. DC. <i>Cnicus Erisithales</i> . w.				Jacq. aust. 1. t. 90.
50	ochroleucum. DC. (st.) pale yellow.	Switzerland.	1801.	7. H. ♀.	La Chenal. act. h. 4. t. 16.
51	mite. s.s. (pu.) soft.	Siberia.	1818.	7. 8. H. ⊙.	Flor. dan. 860.
52	fimbriatum. s.s. (pu.) fringed.	Caucasus.	1829.	—	H. ♀.
53	medium. s.s. (pu.) middle.	Italy.	—	—	H. ♀.
54	nivenum. s.s. (pu.) snowy-leaved.	Sicily.	1828.	—	H. ♀.
55	dealbatum. s.s. (pu.) mealy-leaved.	Caucasus.	—	—	H. ♀.
56	echinocéphalum. s.s. (pu.) spiny-headed.	—	1823.	—	H. ♀.
57	lappaceum. M.B. (pu.) Burdock-like.	—	1826.	—	H. ♀.
58	pinnatifidum. s.s. (pu.) pinnatifid.	Spain.	—	—	H. ♀.
59	bulbosum. DC. (pu.) tuberous.	England.		8. 10. H. ♀.	Eng. bot. v. 36. t. 2562.
	<i>Cnicus tuberosus</i> . E.B. <i>Carduus tuberosus</i> . L.				
60	setosum. M.B. (pu.) setose.	Tauria.	1823.	7. 8. H. ♀.	
61	acaule. DC. (pu.) dwarf.	Britain.		—	H. ♀.
	<i>Carduus acaulis</i> . E.B. <i>Cnicus acaulis</i> . w.				Eng. bot. v. 3. t. 161.
	β caulescens. P.S. (pu.) stalked.	—		—	H. ♀.
62	Casabonæ. DC. (pu.) fish-bone.	S. Europe.	1714.	6. 8. F. ♂.	Schmidt ic. t. 51-52.
63	stellatum. DC. (pu.) starry.	Italy.	1665.	6. 7. H. ⊙.	Flor. græc. t. 830.
64	Diacanthus. s.s. (pu.) two-spined.	Barbary.	1800.	—	F. ♂.
65	afrum. s.s. (pu.) African.	—	1802.	—	F. ♂.
66	squarrosum. s.s. (pu.) squarrose.	Siberia.	1829.	—	H. ♀.
67	incanum. s.s. (pu.) hoary.	Caucasus.	—	—	H. ♀.
68	syriacum. L.en. (wh.) Syrian.	Levant.	1771.	7. 8. H. ⊙.	Flor. græc. t. 831.
69	spinosissimum. s.s. (wh.) feathery-headed.	Switzerland.	1759.	6. 8. H. ♀.	Bot. mag. t. 1366.
70	tataricum. s.s. (wh.) Tartarian.	Tartary.	1829.	—	H. ♀.
71	Bertolonii. s.s. (wh.) Bertoloni's.	Italy.	1828.	—	H. ♀.
72	baeticum. s.s. (wh.) Baetian.	Spain.	1825.	—	H. ♀.
73	semipectinatum. s.s. (w.) semipectinate.	Siberia.	1828.	—	H. ♀.
74	Gmelini. F. (pu.) Gmelin's.	Baical.	1829.	—	H. ♀.
75	arabicum. F. (pu.) Arabian.	Arabia.	—	—	H. ⊙.
76	pygmaeum. DC. (pu.) pigmy.	Austria.	1816.	—	H. ♀.
	<i>Serratula pygmaea</i> . w.				Jacq. aust. t. 440.
ERYTHROLÆNA. Syngenesia Polygamia Æqualis.					
	conspicua. B.F.G. (sc.) conspicuous.	Mexico.	1824.	9. 10. F. ♂.	Swt. br. fl. gar. t. 134.
ONOPORDUM. DC. COTTON-THISTLE. Syngenesia Polygamia Æqualis.					
1	Acanthium. E.B. (pu.) woolly.	Britain.		7. 8. H. ♂.	Eng. bot. v. 14. t. 977.
2	tauricum. w. (pu.) Taurian.	Tauria.	1800.	—	H. ♂.
3	virens. DC. (pu.) green.	S. Europe.	1822.	—	H. ♂.
4	macroanthum. w. (pu.) long-spined.	Barbary.	1798.	—	H. ♂.
					Schousb. maroc. t. 5.

5	illy'ricum. w.	(pu.)	Illyrian.	S. Europe.	1648.	7. 8.	H. ♂.	Jacq. vind. 2. t. 148.
6	arábicum. w.	(pu.)	Arabian.	————	1686.	7.	H. ♂.	———— 2. t. 149.
7	elátum. Sm.	(pu.)	tall.	Greece.	1818.	7. 8.	H. ♂.	
8	deltóides. w.	(pu.)	Siberian.	Siberia.	1784.	8.	H. ♀.	
9	gr'æcum. w.	(pu.)	Grecian.	Greece.	1799.	6. 7.	H. ♀.	Gouan. ill. t. 25.
10	cynaróides. L.en.	(pu.)	Cynara-like.	Caucasus.	1823.	7. 8.	H. ♀.	
	<i>Cárthamus cynaróides.</i>		M.B.					
11	viscòsum. Schr.	(pu.)	viscous.	Europe.	1821.	—	H. ♂.	
12	pyrenáicum. DC.	(pu.)	Pyrenean.	Pyrenees.	1818.	—	H. ♀.	
13	acaùlon. w.	(pu.)	dwarf.		1739.	—	H. ♂.	Jacq. ic. 1. t. 167.
	BERA'RDIA. P.S.		BERA'RDIA.	Syngenesia Polygamia Æqualis.				
	subacaùlis. P.S.	(pu.)	round-leaved.	Italy.	1791.	7. 8.	H. ♀.	Vill. dauph. 3. t. 22.
	<i>A'rtium lanuginòsum.</i>		DC. <i>Onopórdum rotundifólium.</i>	w.				
	ACIL'EPIS. D.P.		ACIL'EPIS.	Syngenesia Polygamia Æqualis.				
	squarròsa. D.P.	(pu.)	squarrose.	Nepaul.	1821.	7. 8.	H. ♀.	
	CYN'ARA. W.		ARTICHOKE.	Syngenesia Polygamia Æqualis.				
1	Cardúnculus. w.	(bl.)	Cardoon.	Candia.	1658.	8. 9.	H. ♀.	Tabern. ic. 696.
2	Scólymus. w.	(bl.)	common.	S. Europe.	1548.	—	H. ♀.	Blackw. t. 458.
3	spinosíssima. s.s.	(bl.)	very spiny.	Sicily.	1824.	—	H. ♀.	
4	hórrida. w.	(bl.)	very prickly.	Madeira.	1778.	—	G. ♀.	Flor. græc. t. 831.
5	húmilis. w.	(bl.)	dwarf.	Spain.	1613.	7. 8.	H. ♀.	Pluk. alm. t. 81. f. 2.
6	córsica. Viv.	(bl.)	Corsican.	Corsica.	1825.	—	H. ♀.	
7	py'gmæa. w.	(bl.)	small.	Spain.	1824.	—	H. ♀.	
	CESTR'INUS. Cass.		CESTR'INUS.	Syngenesia Polygamia Æqualis.				
	carthamóides. Cass.	(bl.)	Carthamus-like.	Barbary.	1799.	7.	H. ♀.	Desf. atl. 2. t. 223.
	<i>Cynàra acaùlis.</i>		w. <i>Serrátula acaùlis.</i>	DC.				
	CARL'INA. W.		CARLINE-THISTLE.	Syngenesia Polygamia Æqualis.				
1	acaùlis. w.	(wh.)	dwarf.	Italy.	1640.	6.	H. ♀.	Knorr. thes. 2. t. c. 1.
	β cauléscens. P.S.	(wh.)	stalked.	————	—	—	H. ♀.	
2	acanthifólia. w.	(wh.)	Acanthus-leav'd.	Pyrenees.	1818.	6. 7.	H. ♀.	Allion. ped. t. 51.
3	símplex. P.S.	(wh.)	single-flowered.	Hungary.	1816.	—	H. ♀.	W. et K. hung. 2. t. 142.
4	aggregàta. w.	(wh.)	clustered.	————	1804.	6. 9.	H. ♀.	
5	lyràta. w.	(wh.)	lyre-leaved.	C. B. S.	1816.	—	G. ♂.	
6	lanàta. w.	(ro.)	woolly.	S. Europe.	1683.	6. 7.	H. ⊙.	Garid. aix. t. 21.
7	corymbòsa. w.	(ye.)	corymbed.	————	1640.	7. 8.	H. ♀.	Flor. græc. t. 837.
8	vulgàris. w.	(bh.)	common.	Britain.		5. 9.	H. ♂.	Eng. bot. v. 16. t. 1144.
9	racemòsa. w.	(ye.)	racemed.	Spain.	1658.	6. 8.	H. ⊙.	
10	sícula. s.s.	(wh.)	Sicilian.	Sicily.	1828.	—	H. ♀.	
11	Biebersteínii. Ot.	(wh.)	Bieberstein's.	Caucasus.	1821.	—	H. ♀.	
	STOB'ÆA. W.		STOB'ÆA.	Syngenesia Polygamia Æqualis.				
1	pinnàta. w.	(ye.)	Carthamus-like.	C. B. S.	1812.	1. 12.	G. ♀.	Bot. mag. t. 1788.
2	glomeràta. s.s.	(ye.)	clustered.	————	1816.	7. 8.	G. ♀.	
	<i>Cynàra glomeràta.</i>		Thunberg.					
3	atractylóides. s.s.	(ye.)	Atractylis-like.	————	1823.	—	G. ♀.	
	CA'RTHAMUS. S.S.		BASTARD SAFFRON.	Syngenesia Polygamia Æqualis.				
1	tinctórius. w.	(or.)	common.	Egypt.	1551.	6. 7.	H. ⊙.	Bot. reg. t. 170.
2	oxyacántha. s.s.	(ye.)	sharp-spined.	Caucasus.	1829.	—	H. ⊙.	
	HERACA'NTHA. L.en.		HERACA'NTHA.	Syngenesia Polygamia Æqualis.				
1	lanàta. L.en.	(ye.)	woolly.	S. Europe.	1596.	7. 8.	H. ⊙.	Bot. mag. t. 2143.
	<i>Cárthamus lanàtus.</i>		B.M. <i>Centaùrea lanàta.</i>	DC.				
2	crética. L.en.	(wh.)	Cretan.	Candia.	1781.	6. 7.	H. ⊙.	
	<i>Cárthamus créticus.</i>		w.					
3	taùrica. L.en.	(ye.)	Taurian.	Tauria.	1818.	—	H. ⊙.	
4	glaùca.	(pu.)	glaucous.	Iberia.	—	—	H. ⊙.	
	<i>Cárthamus glaùcus.</i>		M.B.					
	ONOB'R'OMA. G.		ONOB'R'OMA.	Syngenesia Polygamia Æqualis.				
1	tingitàna.	(bl.)	Tangier.	Barbary.	1759.	6. 7.	H. ♀.	Cavan. ic. 2. t. 125.
	<i>Cárthamus tingitànus.</i>		w.					
2	cærùlea. L.en.	(bl.)	blue-flowered.	Spain.	1640.	—	H. ♀.	Bot. mag. t. 2293.
	<i>Cárthamus cærùleus.</i>		w.					
3	arboréscens. s.s.	(ye.)	tree.	Spain.	1731.	7. 8.	F. ♀.	
	<i>Cárthamus arboréscens.</i>		w.					
	CARDUNCE'LLUS. DC.		CARDUNCE'LLUS.	Syngenesia Polygamia Æqualis.				
1	vulgàris. DC.	(bl.)	common.	France.	1776.	5. 6.	H. ♀.	Lob. ic. 2. p. 20.
	<i>Cárthamus Carduncéllus.</i>		w.					
2	mitíssimus. DC.	(bl.)	small.	————	1734.	6. 7.	H. ♀.	
	CARLOW'IZIA. DC.		CARLOW'IZIA.	Syngenesia Polygamia Æqualis.				
	salicifólia. DC.	(st.)	Willow-leaved.	Madeira.	1784.	8.	G. ♀.	
	<i>Cárthamus salicifólius.</i>		w. <i>Onobròma salicifólium.</i>	L.en.				

ATRA'CTYLIS. W.	ATRA'CTYLIS.	Syngenesia Polygamia Æqualis.				
humilis. w. (wh.) dwarf.	Spain.	1759.	5. 7.	H. 2.		Cav. ic. 1. t. 54.
ACA'RNA. W.	ACA'RNA.	Syngenesia Polygamia Æqualis.				
1 gummifera. w. (pu.) gummy-rooted.	S. Europe.	1640.	6. 8.	H. 2.		Cavan. ic. 3. t. 228.
2 serratuloides. s.s. (pu.) Sawwort-like.	Palestine.	1827.	—	H. 2.		
3 comosa. s.s. (pu.) tufted.	—	—	—	H. 2.		
4 cancellata. w. (bl.) netted.	S. Europe.	—	6. 7.	H. 2.		Lam. ill. t. 662. f. 1.
Atractylis cancellata. P.S.						
STOK'ESIA. W.	STOK'ESIA.	Syngenesia Polygamia Æqualis.				
cyanea. w. (bl.) blue-flowered.	Carolina.	1766.	8.	G. 2.		L'Herit. sert. 27. t. 38.
STÆHEL'INA. W.	STÆHEL'INA.	Syngenesia Polygamia Æqualis.				
1 dubia. w. (pu.) Rosemary-leav'd.	S. Europe.	1640.	6. 7.	H. 2.		Lam. ill. t. 666. f. 4.
2 arboræscens. w. (re.) Storax-leaved.	Candia.	1739.	7. 9.	F. 2.		Flor. græc. t. 345.
3 chamaepeuce. w. (re.) Pine-leaved.	—	1640.	7. 11.	F. 2.		— t. 347.
PTER'ONIA. W.	PTER'ONIA.	Syngenesia Polygamia Æqualis.				
1 camphorata. w. (ye.) aromatic.	C. B. S.	1774.	6. 7.	G. 2.		Pluk. mant. t. 345. f. 2.
2 stricta. w. (ye.) cluster-flowered.	—	—	4. 6.	G. 2.		
3 echinata. w. (ye.) prickly-cupped.	—	1820.	—	G. 2.		
4 flexicaulis. w. (ye.) bending-stalk'd.	—	1812.	6. 8.	G. 2.		
5 fasciculata. w. (ye.) cluster-flowered.	—	1816.	—	G. 2.		
6 pallens. w. (pa.) pale.	—	—	—	G. 2.		
7 oppositifolia. w. (ye.) opposite-leaved.	—	1774.	7.	G. 2.		Lam. ill. t. 667. f. 2.
8 glomerata. w. (ye.) crowded.	—	1823.	6. 8.	G. 2.		
9 scariosa. w. (ye.) window-cupped.	—	1815.	—	G. 2.		
ZÆGEA. W.	ZÆGEA.	Syngenesia Polygamia Frustranea.				
Leptaurea. w. (ye.) yellow-flower'd.	Levant.	1779.	7. 8.	H. 2.		Jacq. ic. 1. t. 177.
LEU'ZEA. DC.	LE'U'ZEA.	Syngenesia Polygamia Frustranea.				
1 conifera. DC. (pu.) cone.	S. Europe.	1683.	6. 9.	H. 2.		DC. ann. mus. 16. t. 14.
Centaurea conifera. w.						
2 altaica. L.en. (pu.) large-flowered.	Altay.	1818.	—	H. 2.		
3 dahurica. F. (pu.) Dahurian.	Dahuria.	1821.	—	H. 2.		
4 australis. D.D. (pu.) New Holland.	N. Holland.	1821.	8. 9.	H. 2.		
GALA'CTITES. DC.	GALA'CTITES.	Syngenesia Polygamia Frustranea.				
tomentosa. DC. woolly.	S. Europe.	1738.	7.	H. 2.		DC. ann. mus. 16. t. 16.
Centaurea galactites. w.						
CRUP'INA. Cas.	STARRY SCABIOUS.	Syngenesia Polygamia Frustranea.				
1 vulgaris. Cas. (re.) black-seeded.	Italy.	1596.	6. 7.	H. 2.		Colum. ecph. 1. t. 34.
Centaurea Crupina. w.						
2 crupinoides. P.S. (sn.) saffron-colour'd.	Barbary.	1826.	—	H. 2.		
3 Lippii. P.S. Lippi's.	Egypt.	1739.	—	H. 2.		Isn. act. par. 1719. t. 10.
Centaurea Lippii. w.						
4 arenaria. P.S. (pu.) sand.	Volga.	1821.	—	H. 2.		
CENTA'UREA. W.	CENTAURY.	Syngenesia Polygamia Frustranea.				
1 moschata. w. (li.) sweet sultan.	Persia.	1629.	7. 10.	H. 2.		Knor. thes. 2. t. C. 4.
2 glauca. w. (pu.) glaucous.	Caucasus.	1805.	6. 7.	H. 2.		
3 suaveolens. w. (ye.) yellow sultan.	Levant.	1683.	7. 10.	H. 2.		Swt. brit. fl. gar. 1. t. 51.
4 alpina. w. (ye.) Alpine.	Italy.	1640.	7. 8.	H. 2.		Cornut. can. 69. t. 70.
5 Centaureum. w. (bl.) great.	—	1596.	—	H. 2.		
6 ruthenica. w. (st.) Russian.	Russia.	1806.	—	H. 2.		Gmel. sib. 2. t. 41.
7 p'rygia. w. (pu.) feathery-cupp'd.	Switzerland.	1633.	6. 10.	H. 2.		Flor. dan. t. 520.
8 rivularis. P.S. (br.) river-side.	Portugal.	1812.	7. 9.	H. 2.		
9 salicifolia. w. (pu.) Willow-leaved.	Caucasus.	1816.	—	H. 2.		
10 austriaca. w. (pu.) Austrian.	Austria.	1815.	6. 10.	H. 2.		
11 pectinata. w. (pu.) pectinated.	France.	1727.	7. 10.	H. 2.		
12 uniflora. w. (pu.) one-flowered.	S. Europe.	1824.	6. 8.	H. 2.		Bocc. mus. 2. t. 2.
13 flosculosa. w. (pu.) flosculose.	Italy.	1817.	—	H. 2.		
14 nervosa. w. (pu.) nerved.	S. Europe.	1815.	6. 9.	H. 2.		
15 linifolia. P.S. (pu.) Flax-leaved.	—	1826.	—	H. 2.		
16 capillata. P.S. (pu.) hairy-headed.	Volga.	1827.	—	H. 2.		
17 tricocéphala. w. (pu.) downy-cupped.	Siberia.	1805.	7. 8.	H. 2.		Gmel. sib. 2. t. 45. f. 1. 2.
18 hyssopifolia. w. (pu.) Hyssop-leaved.	Spain.	1812.	—	F. 2.		Barrel. ic. 306.
19 coronopifolia. w. (ye.) Buck's-horn-l'd.	Levant.	1739.	6. 7.	H. 2.		
20 procumbens. P.S. (pu.) procumbent.	Italy.	1821.	—	H. 2.		
21 nigra. w. (pu.) black knapweed.	Britain.		5. 8.	H. 2.		Eng. bot. v. 4. t. 278.
22 pratensis. P.S. (pu.) field.	France.	1824.	—	H. 2.		
23 nigrescens. w. (pu.) dark.	Hungary.	1805.	6. 8.	H. 2.		
24 decipiens. P.S. (pu.) deceived.	France.	1826.	—	H. 2.		
25 Triumfetti. w. (re.) Cenisian.	Mt. Cenis.	—	—	H. 2.		
26 montana. w. (bl.) mountain.	Austria.	1596.	—	H. 2.		Bot. mag. t. 77.

27	sensâna. P.s.	silvery-fringed.	S. Europe.	1816.	6. 8.	H. 4.	Barrel. ic. 389.
	axillâris. w. variegâta. Lam.						
28	stricta. w.k.	(bl.) upright.	Hungary.	1826.	—	H. 4.	
29	depressa. M.B.	(bl.) depressed.	Caucasus.	—	—	H. 4.	
30	lingulâta. s.s.	(bl.) tongue-leaved.	Spain.	1825.	—	H. 4.	
31	spathulâta. s.s.	(bl.) spathulate-leav'd.	Naples.	1827.	—	H. 4.	
32	Cyânus. w.	(bl.va.) blue-bottle.	Britain.		—	H. ☉.	Eng. bot. v. 4. t. 277.
	Cyânus ségetum. Moench.						
33	americâna. N.	(li.) American.	N. America.	1823.	7. 10.	H. ☉.	Swt. br. fl. gar. ic.
34	ochroleuca. w.	(st.) Caucasean.	Caucasus.	1801.	7. 8.	H. ☉.	Bot. mag. t. 1175.
35	africâna. w.	(ye.) African.	Africa.	1825.	—	F. 4.	
36	cheiranthifolia. w.	(ye.) Stock-leaved.	Caucasus.	1829.	—	H. 4.	
37	ovina. w.	(ye.) small-flowered.	—	1802.	7. 11.	H. 4.	
38	paniculâta. w.	(pu.) paniced.	Europe.	1640.	7. 8.	H. ♂.	Jacq. aust. 4. t. 320.
39	intybacea. P.s.	(re.) Succory-leaved.	S. Europe.	1778.	7. 9.	H. 4.	
40	leucântha. Lam.	(wh.) white-blossom'd.	—	1826.	—	H. 4.	Barrel. ic. 359.
41	spinosa. w.	(wh.) prickly-branch'd.	Candia.	1640.	—	F. ♀.	Bot. mag. t. 2493.
42	ragusina. w.	(ye.) white-leaved.	—	1710.	6. 7.	G. ♀.	— t. 491.
43	argentea. w.	(ye.) silver-leaved.	—	1739.	7. 8.	F. ♀.	Barrel. ic. t. 218.
44	Cineraria. w.	(pu.) hoary-leaved.	Italy.	1710.	—	H. 4.	Moris. s. 7. t. 26. f. 29.
45	cinerea. w.	(pu.) gray.	—	—	6. 7.	H. 4.	Jacq. vind. 1. t. 92.
46	dealbata. M.B.	(pu.) mealy.	Caucasus.	1804.	7. 8.	H. 4.	
47	cicutæfolia. H.H.	(pu.) Cicuta-leaved.	Europe.	1824.	—	H. 4.	
48	maculosa. P.s.	(pu.) spotted-cupped.	Siberia.	1816.	—	H. 4.	Gmel. sib. 2. t. 44. f. 1. 2.
49	Marschalliana. s.s.	(pu.) Marschall's.	Caucasus.	1829.	—	H. 4.	
50	declinata. M.B.	(pu.) declining.	—	1827.	—	H. 4.	
51	leucophylla. M.B.	(pu.) white-leaved.	—	1824.	—	H. 4.	
52	trinervia. w.	(pu.) three-nerved.	—	1828.	—	H. 4.	
53	dissecta. T.N.	(pu.) cut-leaved.	Italy.	1824.	—	H. 4.	
54	sempervirens. w.	(ye.) evergreen.	Spain.	1683.	—	H. 4.	Bocc. sic. t. 39. f. 3.
55	coriacea. w.	(re.) leathery-leav'd.	Hungary.	1804.	6. 7.	H. 4.	W. et K. hung. 2. t. 195.
56	Scabiôsa. w.	(pu.) greater-knapweed.	Britain.		6. 8.	H. 4.	Eng. bot. v. 1. t. 56.
57	tatarica. w.	(ye.) Tartarian.	Tartary.	1801.	7. 8.	H. 4.	
58	Stœbe. w.	(pu.) wing-leaved.	Austria?	1759.	6. 7.	H. 4.	
59	Fischeri. W.en.	(pu.) Fischer's.	Siberia.	1816.	—	H. 4.	
60	macrocephala. w.	(st.) large-headed.	Caucasus.	1805.	6. 8.	H. 4.	Bot. mag. t. 1248.
61	atropurpurea. w.	(pu.) dark purple.	Hungary.	1802.	—	H. 4.	W. et K. hung. 2. t. 116.
62	calocéphala. W.en.	(ye.) smooth-stalked.	Levant.	1816.	—	H. 4.	
63	canariensis. W.en.	(wh.) Canary.	Teneriffe.	1815.	—	G. ♀.	
64	orientalis. w.	(ye.) oriental.	Levant.	1759.	7. 8.	H. 4.	
65	pulcherrima. w.	(pu.) beautiful.	Caucasus.	1823.	—	H. 4.	
66	arachnoidea. P.s.	(ye.) cobweb.	Italy.	—	—	H. 4.	Viv. fl. it. fr. t. 8.
67	sibirica. w.	(pu.) Siberian.	Siberia.	1782.	—	H. 4.	Gmel. sib. 2. t. 42. f. 2.
68	diluta. w.	(li.) pale-flowered.	S. Europe.	1781.	—	H. 4.	
69	alata. w.	(ye.) winged-stalked.	Tartary.	—	8. 9.	H. 4.	Venten. cels. t. 80.
70	elongata. s.s.	(li.) elongated.	Barbary.	1822.	—	H. 4.	
71	Bèhen. w.	(ye.) saw-leaved.	Levant.	1797.	7. 8.	H. ☉.	
72	repens. w.	(ye.) creeping.	—	1739.	6. 8.	H. 4.	
73	Jacea. w.	(pu.) brown knapweed.	England.		7. 9.	H. 4.	Eng. bot. v. 24. t. 1678.
74	decumbens. P.s.	(pu.) decumbent.	France.	1815.	—	H. 4.	
75	amara. w.	(pu.) bitter.	Italy.		7. 8.	H. 4.	Bocc. mus. 31. t. 17.
76	alba. w.	(pu.) white.	Spain.	1597.	6. 9.	H. 4.	
77	splendens. w.	(pu.) shining.	—	—	7. 8.	H. ♂.	
78	nitens. w.	(pu.) glittering.	Caucasus.	1823.	—	H. ☉.	Buxb. cent. 2. t. 15. f. 1.
79	tagana. w.	(pu.) Portugal.	Portugal.	1640.	—	H. 4.	Brot. phyt. lus. t. 3.
80	babylonica. w.	(pu.) Babylonian.	Levant.	1710.	6. 9.	H. 4.	Alp. exot. t. 282.
81	glastifolia. w.	(ye.) woad-leaved.	Siberia.	1731.	—	H. 4.	Bot. mag. t. 62.
82	parviflora. s.s.	(pu.) small-flowered.	S. Europe.	1823.	—	H. 4.	
83	multifida. P.s.	(st.) multifid.	—	1821.	—	H. 4.	
84	sordida. s.s.	(pu.ye.) sordid.	—	1817.	—	H. 4.	
85	rigida. s.s.	(pu.) rigid.	—	1824.	—	H. 4.	
86	Barrelieri. s.s.	(pu.) Barrelier's.	Hungary.	1826.	—	H. 4.	Barrel. ic. 310.
87	stereophylla. s.s.	(pu.) variable-leaved.	Poland.	1828.	—	H. 4.	
88	spinulosa. s.s.	(pu.) small-spined.	Hungary.	1825.	—	H. 4.	
89	tenuifolia. Leh.	(pu.) slender-leaved.	Siberia.	1829.	—	H. 4.	
90	subspinosa. Leh.	(pu.) somewhat spiny.	—	—	—	H. 4.	
91	jacobæfolia. s.s.	(ye.) Jacobea-leaved.	—	—	—	H. 4.	
92	reflexa. s.s.	(ye.) crook-spined.	Iberia.	1801.	7. 8.	H. 4.	
93	centauroides. s.s.	(ye.) lyre-leaved.	S. Europe.	1739.	5. 7.	H. 4.	Column. ecphr. 1. t. 35.

94 collina. s.s.	(ye.) hill.	S. Europe.	1596.	6. 7. H. 4.	
95 pubescens. s.s.	(ye.) downy.		1804.	7. 8. H. 4.	
96 nicaensis. s.s.	(ye.) Italian.	Italy.	1827.	— H. 4.	
97 rupestris. s.s.	(ye.) rock.	—	1804.	— H. 4.	Column.ecph.1.t.et.f.2.
98 hybrida. s.s. (pu.ye.)	hybrid.	—	1821.	— H. ♂.	
99 sabulosa. s.s.	(wh.) gravel.	Siberia.	1828.	— H. 4.	
100 Crocodylium. s.s. (bh.)	blush-flowered.	Levant.	1777.	— H. ⊙.	Barrel. rar. t. 503.
101 aurea. s.s.	(go.) great golden.	S. Europe.	1758.	7. 9. H. 4.	Bot. mag. t. 421.
102 scoparia. s.s.	(pu.) broom.	Levant.	1829.	— H. 4.	
103 Verutum. s.s.	(ye.) dwarf.	—	1780.	8. 9. H. ⊙.	Jacq. ic. t. 178.
104 muricata. s.s.	(pu.) muricated.	Spain.	1621.	7. 8. H. ⊙.	
105 pubigera. P.s.	(pu.) pubescent.	S. Europe.	1828.	— H. ⊙.	
106 peregrina. s.s.	(pu.) soft-leaved.	—	1749.	— H. ⊙.	
107 cichoracea. s.s. (pu.)	Succory-like.	Italy.		7. 9. H. ♂.	Till. pis. p. 84. t. 27.
108 salmantica. s.s. (wh.pu.)	ragwort-leaved.	S. Europe.	1596.	7. 8. H. ♂.	Jacq. vind. 1. t. 64.
109 sonchifolia. s.s. (pu.)	Sow-thistle-ld.	—	1780.	8. 10. H. ⊙.	Pluk. phyt. 39. f. 1.
110 Séridis. s.s.	(pu.) purple-flower'd.	Spain.	1686.	6. 8. H. 4.	Pluk. alm. t. 38. f. 1.
111 napifolia. s.s.	(pu.) Turnep-leaved.	Candia.	1691.	7. 9. H. ⊙.	Herm. parad. t. 189.
112 Zanonii. s.s.	(pu.) Zanoni's.	—	1822.	— H. ♂.	
113 Isnardi. s.s.	(li.) Jersey.	Jersey.		7. 8. H. 4.	Eng. bot. v. 32. t. 2256.
114 aspera. s.s.	(pu.) rough.	S. Europe.	1772.	6. 10. H. ⊙.	Bocc. mus. 35. t. 26.
115 sphaerocéphala. s.s. (pu.)	globe-headed.	—	1683.	6. 8. H. ⊙.	Bot. mag. t. 2551.
116 auriculata. P.s. (pu.)	eared.	—	1816.	7. 8. H. ⊙.	
117 polyacantha. s.s. (pu.)	many-spined.	Portugal.	1804.	— H. ⊙.	
118 prolifera. P.s. (st.)	proliferous.	Egypt.	1816.	— H. ⊙.	Vent. hort. cels. t. 16.
straminea. W. hort. ber. t. 26.					
119 ibérica. s.s.	(pu.) Iberian.	Iberia.	1821.	— H. ⊙.	
120 ferox. s.s.	(ye.) hedgehog.	Barbary.	1790.	7. 9. F. 4.	Desf. atl. 2. t. 242.
121 solstitialis. s.s.	(ye.) St. Barnaby's.	England.		7. 8. H. ⊙.	Eng. bot. v. 4. t. 243.
122 melitensis. s.s.	(ye.) cluster-headed.	Malta.	1710.	— H. ⊙.	Bocc. sic. t. 35.
123 A'dami. s.s.	(ye.) Adam's.	Siberia.	1804.	— H. 4.	
124 sulphurea. W.en. (st.)	straw-coloured.		1815.	— H. ⊙.	
125 sícula. s.s.	(st.) Sicilian.	Sicily	1710.	— H. 4.	Bocc. sic. t. 8. f. 1.
126 Stevenii. s.s.	(ye.) Steven's.	Caucasus.	1826.	— H. ⊙.	
127 cruenta. W.en. (pu.)	obovate-leaved.	S. Europe.	1816.	6. 8. H. 4.	
128 romana. L.	(pu.) Roman.	Italy.	1739.	7. 9. H. ♂.	Barrel. rar. t. 504.
129 benedicta. s.s.	(st.) blessed thistle.	Spain.	1548.	6. 10. H. ⊙.	Zorn. ic. t. 122.
130 pullata. s.s.	(br.) sad-coloured.	S. Europe.	1714.	6. 7. H. ♂.	Mill. ic. 2. t. 152. f. 2.
131 eriophora. s.s.	(ye.) woolly-headed.	Portugal.	1714.	6. 10. H. ⊙.	
132 ápula. s.s.	(ye.) Apulian.	Sicily.	1829.	6. 8. H. ⊙.	Column. ecphr. 1. t. 31.
133 Calcitrapa. s.s. (li.)	Star-thistle.	Britain.		— H. ⊙.	Eng. bot. v. 2. t. 125.
134 calcitrapoides. s.s. (li.)	Phœnician.	Levant.	1683.	6. 7. H. ⊙.	
135 ægyptiaca. s.s. (wh.)	Egyptian.	Egypt.	1790.	6. 9. H. ⊙.	
136 balsamita. w.	(ye.) Balsam-scented.	Armenia.	1824.	7. 8. H. 4.	
137 lanata. DC.	(ye.) hoary.	Switzerland.	1825.	— H. ⊙.	
138 crética. s.s.	(wh.) Cretan.	Candia.	1827.	— H. ⊙.	
139 bullata. Leh.	 blistered.		1829.	 H. 4?	
140 uerànica. Ot.	 Ukraine.	Ukraine.	—	 H. 4?	
RHAPO'NTICA. DC. RHAPO'NTICA. Syngenesia Polygamia Frustranea.					
1 scariosa. DC.	(pu.) common.	Switzerland.	1640.	7. 8. H. 4.	Bot. mag. t. 1752.
Centaurea Rhapontica. B.M.					
β lyrata. DC.	(pu.) lyrate.	—		— H. 4.	
2 uniflora. DC.	one-flowered.	Siberia.	1796.	— H. 4.	Gmel. sib. 2. t. 38.
Cnicus uniflorus. w.					
3 daronicæfolia. F. (pu.)	Doronicum-leav'd.	—	1825.	6. 8. H. 4.	
4 dahurica. F.	(pu.) Dahurian.	Dahuria.	1829.	— H. 4.	
CARDOP'ATUM. J. CARDOP'ATUM. Syngenesia Polygamia Segregata.					
corymbosum. P.s. (bl.)	umbelled.	S. Europe.	1640.	6. 7. H. 4.	Moris. s. 7. t. 33. f. 17.
Bricta corymbosa. w.					

Div. II. ECHINOPSIDÆ. Kth. synops. 2. p. 364.

ROLA'NDRA. W.	ROLA'NDRA. Syngenesia Polygamia Segregata. L.			
argentea. w.	(wh.) silver-leaved.	W. Indies.	1714.	7. S. h.
ECHINO'PS. W.	GLOBE-THISTLE. Syngenesia Polygamia Segregata. L.			
1 sphaerocéphalus. w. (wh.)	great.	Austria.	1596.	7. 8. H. 4.
2 exaltatus. Schr. (wh.)	tall.	—	1820.	 H. 4.

Sloan. jam. 1. t. 7. f. 3.

L. Flor. græc. t. 923.

2 spinosus. w.	(wh.)	thorny-headed.	Egypt.	1597.	7. 8.	H. 2.	Flor. græc. t. 924.
3 paniculatus. B.R.	(bl.)	panicked.	Spain.	1815.	—	H. ♂.	Bot. reg. t. 356.
4 horridus. P.S.	(wh.)	horrid.	Persia.	1817.	—	H. 2.	
5 viscosus. M.B.	(wh.)	viscous.	Caucasus.	1823.	—	H. ♂.	
6 tauricus. W.en.	(bl.)	Taurian.	Tauria.	1816.	—	H. 2.	
7 dahuricus. F.	(bl.)	Dahurian.	Dahuria.	1827.	—	H. 2.	
8 ruthenicus. M.B.	(bl.)	Russian.	Russia.	1819.	—	H. 2.	
9 Ritro. w.	(bl.)	small.	Europe.	1570.	7. 9.	H. 2.	Bot. mag. t. 932.
10 tenuifolius. F.	(bl.)	slender-leaved.	Russia.	1823.	—	H. 2.	
11 strictus. B.M.	(bl.)	upright.	—	1822.	8. 10.	H. ♂?	Bot. mag. t. 2457.
12 persicus. F.	(wh.)	Persian.	Persia.	1821.	—	H. 2.	
13 bannaticus. W.K.	(wh.)	Hungarian.	Hungary.	1828.	—	H. 2.	
14 lanuginosus. w.	(bl.)	woolly.	Levant.	1736.	6. 7.	H. 2.	Flor. græc. t. 926.
15 humilis. M.B.	(bl.)	low.	Siberia.	1826.	6. 8.	H. 2.	
16 strigosus. w.	(wh.)	annual.	Spain.	1729.	7. 9.	H. ⊙.	Bot. mag. t. 2109.
GUND'ELIA. W.		GUND'ELIA.	Syngenesia Polygamia Segregata. L.				
Tournefortii. w.	(pu.)	Tournefort's.	Levant.	1739.	6. 8.	H. 2.	Mill. ic. t. 287.
SPHÆRA'NTHUS. W.		SPHÆRA'NTHUS.	Syngenesia Polygamia Segregata. L.				
1 mollis. H.B.	(bl.)	soft.	E. Indies.	1818.	7. 9.	S. ⊙.	
2 indicus. w.	(pu.)	Indian.	—	1699.	8. 12.	S. 2.	Burm. zeyl. t. 94. f. 3.
3 cochinchinensis. w.	(bl.)	Cochinchina.	Cochinchina.	1826.	7. 8.	H. ⊙.	
4 hirtus. w.	(bl.)	hairy.	Manila.	1823.	—	G. ⊙.	Lam. ill. t. 718. f. 1.
5 africanus. w.	(bl.)	African.	C. B. S.	1759.	7. 8.	G. ⊙.	Pluk. mant. t. 108. f. 7.
ANGIA'NTHUS. W.C.		ANGIA'NTHUS.	Syngenesia Polygamia Segregata.				
tomentosus. w.c.	(ye.)	woolly.	N. Holland.	1803.	7. 8.	G. 2.	Wendl. coll. 2. t. 48.
Cassinia aurea. H.K.		non L.T.					
BROT'ERA. P.S.		BROT'ERA.	Syngenesia Polygamia Segregata. P.S.				
trinervata. P.S.	(ye.)	three-nerved.	S. America.	1799.	7. 8.	H. ⊙.	Schr. b. jour. 180. 2. t. 5.
Contrayerva. Spr.		Nauenburgia trinervata. w.					
ÆD'ERA. W.		ÆD'ERA.	Syngenesia Polygamia Segregata. L.				
1 prolifera. w.	(ye.)	proliferous.	C. B. S.	1789.	5. 6.	G. 2.	Bot. mag. t. 1637.
2 aliena. w.	(ye.)	linear-leaved.	—	1821.	5. 7.	G. 2.	Jacq. schœnb. 2. t. 154.
ELEPHA'NTOPUS. W.		ELEPHANT'S-FOOT.	Syngenesia Polygamia Segregata. L.				
1 scaber. w.	(re.)	rough-leaved.	E. Indies.	1695.	6. 9.	S. 2.	Rheed. mal. 10. t. 7.
2 carolinianus. w.	(re.)	Carolina.	America.	1732.	7. 9.	G. 2.	Dill. elth. t. 106. f. 126.
3 tomentosus. w.	(re.)	woolly.	W. Indies.	1733.	7. 8.	S. 2.	
4 mollis. K.S.	(wh.)	soft-leaved.	Caracas.	1825.	—	S. 2.	
5 nudiflorus. w.	(re.)	naked-flower'd.	W. Indies.	1822.	—	S. 2.	
6 spicatus. w.	(re.)	spiked.	—	1821.	—	S. 2.	Sloan. hist. 1. t. 150. f. 34.
7 angustifolius. w.	(re.)	narrow-leaved.	—	1823.	—	S. 2.	— t. 148. f. 4.
ST'ÆBE. W.		ST'ÆBE.	Syngenesia Polygamia Segregata. L.				
1 æthiopica. w.	(wh.)	Juniper-leaved.	C. B. S.	1759.	8.	G. 2.	
Seriphium æthiopicum. P.S.							
2 ericoides. w.	(wh.)	Heath-like.	—	1816.	7. 9.	G. 2.	Moris. s. 7. t. 18. f. 12.
3 gomphrenoides. w.	(w.)	Gomphrena-like.	—	—	—	G. 2.	Houtt. syst. 4. t. 34. f. 1.
4 gnaphaloides. w.	(wh.)	Gnaphalium-like.	—	1824.	—	G. 2.	Burm. afr. t. 77. f. 1.
5 cinerea. w.	(wh.)	Heath-leaved.	—	1774.	—	G. 2.	Pluk. mant. t. 297. f. 1.
Seriphium cinereum. P.S.							
6 alopecuroides. w.	(wh.)	Fox-tail-like.	—	1824.	—	G. 2.	Pluk. alm. t. 445. f. 2.
7 reflexa. w.	(wh.)	reflex-leaved.	—	1816.	—	G. 2.	
CÆS'ULIA. Roxb.		CÆS'ULIA.	Syngenesia Polygamia Segregata. L.T.				
1 axillaris. w.	(wh.)	axillary-flower'd.	E. Indies.	1804.	7. 9.	S. 2.	Andr. reposit. t. 431.
2 lancifolia.	(wh.)	spear-leaved.	—	1820.	—	S. 2.	
LAGA'SCA. Cav.		LAGA'SCA.	Syngenesia Polygamia Segregata. L.T.				
mollis. w.	(wh.)	soft.	S. America.	1815.	6. 9.	G. ⊙.	Bot. mag. t. 1804.
NO'CCA. W.		NO'CCA.	Syngenesia Polygamia Segregata.				
1 rigida. C.I.	(re.)	red-flowered.	Mexico.	1823.	8. 10.	F. 2.	Swt. br. fl. gar. s. 2. t. 26.
Lagáscea rubra. H. et B.		pl. amer. 4. t. 311.					
2 suavèolens.	(wh.)	sweet-scented.	Mexico.	—		F. 2.	
Lagáscea suavèolens. K.S.							
3 latifolia. B.F.G.	(wh.)	broad-leaved.	—	—		F. 2.	Swt. br. fl. gar. t. 215.

Div. III. VERNONIACEÆ. *Kth. synops. 2. p. 367. et ASTEREÆ. l. c. p. 399.*

AMPHE'REPHIS. K.S. AMPHE'REPHIS. Syngenesia Polygamia Æqualis.
intermedia. L.en. (bl.) intermediate. Brazil. 1822. 7. 9. H. ⊙. Swt. br. fl. gar. t. 225.

ASCARI'CIDA. Cass.		ASCARI'CIDA. Syngenesia Polygamia Æqualis.			
anthelmintica. (li.)	Indian.	E. Indies.	1770.	8. 9.	S. ♂.
indica. Cass.	Vernonia anthelmintica. W.	Con'yzia anthelmintica. L.			
VERNONIA. W.		VERNONIA. Syngenesia Polygamia Æqualis. W.			
1 noveboracensis. W.	(pu.) long-leaved.	N. America.	1710.	9. 11.	H. 4.
2 praëalta. W.	(pu.) tall.	—————	1732.	————	H. 4.
3 angustifolia. Ph.	(pu.) narrow-leaved.	—————	1817.	————	H. 4.
4 glauca. W.	(pu.) glaucous-leaved.	—————	1710.	————	H. 4.
digophylla. M.					
5 altissima. N.	(pu.) tallest.	—————	1823.	————	H. 4.
6 pandurata. L. en.	(pu.) fiddle form.	—————	————	————	H. 4.
7 serratuloides. K. s.	(pu.) Sawwort-like.	Mexico.	1824.	————	H. 4.
8 axilliflora. Ot.	(pi.) axillary-flower'd.	—————	1829.	9. 10.	F. 4.
9 centriflora. Lk.	(pu.) centre-flower'd.	Brazil.	1826.	————	S. h.
10 sericea. B. R.	(li.) silky.	—————	1818.	9. 1.	S. h.
11 arborëscens. P. s.	(pu.) tree.	Jamaica.	1733.	11. 12.	S. h.
Con'yzia arborëscens. W.					
12 fruticosa. P. s.	(pu.) shrubby.	S. America.	1818.	————	S. h.
Con'yzia fruticosa. L.					
13 flexuosa. B. M.	(pu.) flexuose-branch'd.	Brazil.	1823.	9. 10.	S. h.
LIATRIS. W.		LIATRIS. Syngenesia Polygamia Æqualis. W.			
1 spicata. W.	(pu.) long-spiked.	N. America.	1732.	8. 10.	H. 4.
2 pàmila. B. C.	(pu.) dwarf.	—————		————	H. 4.
3 pycnostachya. M.	(pu.) pubescent.	—————	1732.	————	H. 4.
4 heterophylla. Ph.	(pu.) various-leaved.	—————	1790.	7. 8.	H. 4.
5 intermedia. B. R.	(pu.) intermediate.	—————	1823.	8. 9.	H. 4.
6 cylindræa. M.	(pu.) cylindrical-cup'd.	—————	1811.	10.	H. 4.
7 pilosa. Ph.	(pu.) hairy-leaved.	—————	1783.	————	H. 4.
8 gracilis. Ph.	(pu.) smooth-leaved.	—————	1812.	————	H. 4.
9 turbinata. B. F. G.	(pu.) turbinate-cup'd.	—————	1823.	————	H. 4.
10 elegans. W.	(pu.) hairy-cup'd.	—————	1787.	9. 10.	H. 4.
11 sphaeroides. M.	(pu.) globular-cup'd.	—————	1817.	8. 10.	H. 4.
12 scariosa. W.	(pu.) scariose-cup'd.	—————	1739.	9. 10.	H. 4.
13 squarrosa. W.	(pu.) rough-cup'd.	—————	1732.	————	H. 4.
14 paniculata. W.	(pu.) paniced.	—————	1826.	8. 10.	H. 4.
15 odoratissima. W.	(pu.) sweet-scented.	Carolina.	1786.	————	F. 4.
BRACHYLÆNA. L. T.		BRACHYLÆNA. Syngenesia Polygamia Superflua.			
neriifolia. L. T.	(st.) Oleander-leav'd.	C. B. S.	1752.	8. 11.	G. h.
Baccharis neriifolia. W.					
BACCHARIS. W.		PLOWMAN'S-SPIKENARD. Syngenesia Polygamia Superflua.			
1 ivæfolia. W.	(wh.) Peruvian.	America.	1696.	7. 8.	G. h.
2 angustifolia. M.	(wh.) narrow-leaved.	N. America.	1812.	7. 9.	G. h.
3 glomeruliflora. M.	(wh.) close-flowered.	—————	1817.	8. 10.	H. h.
4 halimifolia. W.	(wh.) Groundsel-tree.	—————	1683.	10. 11.	H. h.
5 Dioscoridis. W.	(wh.) Dioscorides'.	Levant.	1822.	7. 9.	G. h.
6 scoparia. P. s.	(wh.) broom.	Jamaica.	————	————	S. h.
Calea scoparia. L.					
7 mollis. K. s.	(wh.) soft.	Quito.	1824.	5. 6.	F. h.
8 genistelloides. K. s.	(w.) wing-stemmed.	Brazil.	1829.	7. 10.	G. h.
alata. Hort. Pterocladis genistelloides. Lamb. herb.					
9 parviflora. P. s.	(wh.) small-flowered.	Peru.	1822.		S. h.
10 lycopodioides. P. s.	(wh.) Club-moss-like.	Mauritius.	1828.		S. h.
Con'yzia lycopodioides. Lam.					
CONYZA. W.		FLEA-BANE. Syngenesia Polygamia Superflua. L.			
1 squarrosa. W.	(ye.) great.	Britain.		7. 8.	H. ♂.
2 marylandica. Ph.	(pu.) Maryland.	N. America.		8. 10.	H. ○.
3 camphorata. Ph.	(pu.) Camphor-scent'd.	—————	1704.	————	H. 4.
Baccharis fatida. W.					
4 patula. W.	(pu. ye.) spreading.	China.	1758.	7. 9.	H. ○.
5 axillaris. W.	(re.) axillary.	Mauritius.	1821.	————	H. ○.
6 bibrans. W.	(st.) oval-leaved.	N. America.	1739.	8. 9.	H. 4.
7 purpurascens. W.	(li.) purplish.	Jamaica.	1822.	————	S. ○.
8 candida. L.	(ye.) woolly.	Candia.	1714.	6. 7.	F. h.
verrucifolia. W.					
9 limonifolia. F. G.	(ye.) white-leaved.	—————		————	F. h.
candida. W. non L.					
10 balsamifera. W.	(re.) balsamiferous.	China.	1818.	————	S. 4.
11 chinensis. W.	(bl.) Chinese.	—————	1796.	7. 8.	S. ♂.

Rheed. mal. 2. t. 24.

Dill. elt. t. 263. f. 342.

———— t. 264. f. 343.

Dill. elt. t. 262. f. 341.

Bot. reg. t. 522.

Plum. sp. 10. t. 130. f. 2.

Plum. ic. 95. f. 1.

Bot. mag. t. 2477.

Swt. br. fl. gar. t. 49.

Lodd. bot. cab. t. 147.

Dill. elt. t. 72. f. 83.

Bot. reg. t. 948.

Bot. reg. t. 595.

Swt. br. fl. gar. ic.

Bot. reg. t. 267.

Swt. br. fl. gar. t. 87.

Bot. reg. t. 590.

Swt. br. fl. gar. t. 44.

Andr. reposit. t. 633.

Schk. handb. 3. t. 244.

Schmidt arb. t. 82.

Rauw. it. 4. t. 54.

Brown. jam. t. 34. f. 4.

Eng. bot. v. 17. t. 1195.

Dill. elt. t. 88. f. 104.

———— t. 89. f. 105.

Mill. ic. 2. t. 247.

Pluk. alm. t. 87. f. 4.

Sloan. hist. 1. t. 159. f. 1.

Flor. græc. t. 865.

Barr. ic. t. 217.

Rumph. amb. 6. t. 24. f. 1.

———— 6. t. 14. f. 2.

12 cinèrea. w.	(pu.) grey.	E. Indies.		7. 8.	S. ☉.	Rumph. amb. 6. t. 14. f. 1.
13 fastigiàta. W. en.	(pu.) clustered.	Senegal.	1820.	—	H. ☉.	
14 prolifera. w.	(wh.) proliferous.	Java.	1819.	7. 9.	S. h.	Rumph. am. 5. t. 101. f. 1.
15 hirsùta. w.	(ye. pu.) shaggy.	China.	1767.	8. 9.	G. ♂.	
16 ægyptiaca. w.	(ye.) Egyptian.	Egypt.	1778.	7. 9.	H. ☉.	Jacq. vind. 3. t. 19.
17 chilénsis. s. s.	(ye.) Chile.	Chile.	1816.	8. 10.	H. ☉.	
18 mauritiàna. Boj.	(pu.) Mauritius.	Mauritius.	1821.	—	S. ☉.	
19 Hubértii. Boj.	(pu.) Hubert's.	Madagascar.	1824.	7. 10.	S. ☉.	
20 viscòsa. Boj.	(pu.) viscous.	Mauritius.	—	8. 10.	S. ☉.	
21 pùmila. s. s.	(ye.) dwarf.	Crete.	1826.	7. 9.	H. ☉.	
22 pinnatífida. R.	(pu.) pinnatifid.	E. Indies.	1816.	—	S. h.	
23 Gouàni. w.	(ye.) Gouan's.	Canaries.	1772.	7. 8.	G. ♂.	Jacq. vind. 3. t. 79.
24 sícula. w.	(ye.) red-stalked.	Sicily.	1779.	8. 9.	H. ☉.	Bocc. sic. t. 31. f. 4.
25 àurita. w.	(wh.) eared.	E. Indies.	1818.	—	S. ☉.	
26 f'œtida. w.	(wh. re.) stinking.	Africa.	1724.	—	G. ♀.	Mill. ic. 2. t. 233.
27 am'œna. L. en.	(pu.) pretty.	—	1816.	—	S. ♀.	
28 glomeràta. L. en.	(pu.) crowded.		1824.	—	S. ♀.	
29 spatulàta. L. en.	(bl.) spatulate.		—	7. 9.	S. ♀.	
30 adnàta. K. s.	(pu.) decurrent.	Mexico.	—	—	S. h.	
<i>Baccharis adnàta. W. en.</i>						
31 thapsoídes. M. B.	(pu.) Thapsus-leav'd.	Caspian Sea.	1806.	—	H. ♀.	
32 sórdida. w.	(br.) small-flowered.	S. Europe.	1570.	—	F. h.	Barr. ic. t. 368.
33 saxátilis. w.	(br.) stone.	—	1640.	7. 8.	F. h.	Schk. handb. 3. t. 241.
34 rupéstris. w.	(ye.) rock.	Arabia.	1790.	—	G. h.	Schmidel ic. t. 36.
35 Tenòrii. L. en.	(br.) Tenore's.	S. Europe.	1824.		F. h.	
36 serícea. w.	(ye.) snowy.	Canaries.	1779.		G. h.	
37 geminiflòra. L. en.	(br.) twin-flowered.	S. Europe.	1824.		F. h.	
38 inuloídes. w.	(pu.) cluster-flower'd.	Teneriffe.	1780.	7. 8.	G. h.	Jacq. ic. 1. t. 171.
39 odoràta. w.	(pu.) sweet-scented.	India.	1759.	6. 8.	S. h.	Plum. ic. t. 97.
40 incisa. w.	(pu.) cut-leaved.	C. B. S.	1774.	—	G. h.	
41 carolinénsis. w.	(pu.) Carolina.	Carolina.	1823.	—	G. h.	Jacq. ic. 3. t. 185.
42 virgàta. w.	(pu.) wing-stalked.	America.	1783.	8. 9.	G. ♀.	Sloan. hist. 1. t. 152. f. 5.
43 rugòsa. H. K.	(br.) St. Helena.	St. Helena.	1772.	11.	G. h.	
CARPESIMUM. W. CARPESIMUM. Syngenesia Polygamia Superflua. L.						
1 cernuum. w.	(ye.) drooping.	Austria.	1739.	7. 8.	H. ♀.	Jacq. aust. 3. t. 204.
2 abrotanoídes. w.	(ye.) Southernwood like.	China.	1768.	—	H. ♀.	Osbeck it. t. 10.
3 torulòsum. F.	(ye.) twisted.	Siberia.	1823.	6. 8.	H. ♀.	
4 Wulfeniànum. Schreb.	(ye.) Wulfen's.		1829.	—	H. ♂.	
INULA. W. INULA. Syngenesia Polygamia Superflua. L.						
1 Helènum. w.	(ye.) Elecampane.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 22. t. 154.
2 O'culus-Christi. w.	(ye.) hoary.	Austria.	1759.	7. 9.	H. ♀.	Jacq. aust. 3. t. 223.
3 britànnica. w.	(ye.) creeping-rooted.	Germany.	—	—	H. ♀.	Flor. dan. t. 413.
4 undulàta. w.	(ye.) wave-leaved.	Egypt.	1739.	7. 10.	H. ☉.	
5 indica. w.	(ye.) Indian.	E. Indies.	—	—	S. ☉.	Burm. zeyl. t. 55. f. 2.
6 paludòsa. s. s.	(ye.) marsh.	Portugal.	1828.	—	H. ♀.	
7 áspera. s. s.	(ye.) rough.		—	—	H. ♀.	
8 campéstris. s. s.	(ye.) field.	Poland.	1827.	—	H. ♀.	
9 squarròsa. w.	(ye.) net-leaved.	S. Europe.	1768.	7. 9.	H. ♀.	Flor. græc. t. 875.
10 viscòsa. w.	(ye.) clammy.	Barbary.	1633.	7. 8.	G. ♀.	Jacq. vind. 2. t. 165.
<i>Erigeron viscòsum. Jacq.</i>						
11 tuberòsa. P. s.	(ye.) tubercous-root'd.	S. Europe.	1640.	—	H. ♀.	Moris. s. 7. t. 19. f. 20.
<i>Erigeron tuberòsum. w.</i>						
12 salicìna. w.	(ye.) willow leaved.	N. Europe.	1648.	8. 9.	H. ♀.	Flor. dan. t. 786.
13 Bubònium. w.	(ye.) Austrian.	Austria.	1801.	7. 9.	H. ♀.	Jacq. aust. 5. ap. t. 10.
14 hirta. w.	(ye.) hairy.	—	1759.	6. 9.	H. ♀.	— 4. t. 358.
15 glandulòsa. w.	(ye.) glandular.	Georgia.	1804.	7. 8.	H. ♀.	Bot. mag. t. 1907.
16 grandiflòra. w.	(ye.) large-flowered.	Caucasus.	1825.	—	H. ♀.	
17 móllis. L. en.	(ye.) soft.		1823.	—	H. ♀.	
18 suavèolens. w.	(ye.) woolly-leaved.	S. Europe.	1758.	6. 8.	H. ♀.	Jacq. vind. 3. t. 31.
19 Vaillantii. w.	(ye.) Vaillant's.	France.	1739.	—	H. ♀.	Hall. helv. n. 73. t. 2.
20 germànica. w.	(ye.) German.	Germany.	1759.	6. 7.	H. ♀.	Jacq. aust. 2. t. 134.
21 ensifolia. w.	(ye.) sword-leaved.	Austria.	1793.	7. 9.	H. ♀.	— 2. t. 162.
22 saxátilis. s. s.	(ye.) rock.	S. Europe.	1825.	—	H. ♀.	
<i>Erigeron glutinòsum. L.</i>						
23 crithmoídes. L.	(ye.) Samphire-leav'd.	England.		8. 9.	H. ♀.	Eng. bot. v. 1. t. 65.
24 provinciàlis. w.	(ye.) oval-leaved.	France.	1778.	7. 8.	H. ♀.	
25 montàna. w.	(ye.) mountain.	S. Europe.	1759.	—	H. ♀.	Garid. aix. t. 10.
26 litróns. w.	(ye.) Italian.	—	1713.	6. 8.	H. ♀.	Herm. parad. t. 137.
27 thapsoídes. L. en.	(ye.) Mullein-like.		1823.	—	H. ♀.	

25 verbascifolia. s.s. (ye.)	Mullein-leaved.	Caucasus.	1828.	6. 8.	H. 2.	
26 calycina. s.s. (ye.)	reflex-scaled.	Italy.	1829.	—	H. 2.	
27 satarioides. w. (ye.)	Savory-leaved.	Vera Cruz.	1733.		S. 2.	Reliq. houst. 8. t. 19.
31 foetida. w. (ye.)	stinking.	Malta.	1688.	6. 8.	H. 2.	Bocc. sic. 26. t. 13.
32 odora. w. (ye.)	sweet-scented.	S. Europe.	1824.	—	H. 2.	Moris. s. 7. t. 21. f. 6.
33 hybrida. s.s. (ye.)	hybrid.	Poland.	1828.	—	H. 2.	
34 glabra. M.B. (ye.)	smooth.	Caucasus.	1826.	—	H. 2.	
35 caspica. F. (ye.)	Caspian.	Volga.	—	—	H. 2.	
PULICARIA. G. FLEAWORT. Syngenesia Polygamia Superflua.						
1 vulgaris. G. (ye.)	small.	England.		8. 9.	H. 2.	Gært. sem. 2. t. 173. f. 7.
<i>Inula Pulicaria</i> . Eng. bot. v. 17. t. 1196.						
2 villosa. L.en. (ye.)	villous.		1821.	—	H. 2.	
3 arabica. L.en. (ye.)	Arabian.	Arabia.	1823.	—	F. 2.	Plak. alm. t. 149. f. 4.
4 dysenterica. L.en. (ye.)	meadow.	England.		—	H. 2.	Eng. bot. v. 16. t. 1115.
<i>Inula dysenterica</i> . E.B.						
CHRYSO'PSIS. N. CHRYSO'PSIS. Syngenesia Polygamia Superflua.						
1 gossypina. N. (ye.)	cottony.	N. America.	1823.	6. 8.	H. 2.	
<i>Inula gossypina</i> . M.						
2 trichophylla. N. (ye.)	hairy-leaved.	—	1827.	—	H. 2.	
3 mariana. N. (ye.)	American.	—	1742.	7. 8.	H. 2.	Mill. ic. 1. t. 57. f. 1.
IXODIA. H.K. IX'ODIA. Syngenesia Polygamia Æqualis.						
achillaeoides. H.K. (wh.)	Milfoil-like.	N. Holland.	1803.	3. 9.	G. 2.	Bot. mag. t. 1534.
HUMEA. Sm. H'UMEA. Syngenesia Polygamia Æqualis.						
elegans. H.K. (re.)	elegant.	N. S. W.	1800.	6. 10.	G. 2.	Exot. bot. 1. t. 1.
CASSINIA. L.T. CASSINIA. Syngenesia Polygamia Æqualis.						
1 spectabilis. L.T. (st.)	Humea-like.	N. Holland.	1821.	5. 10.	G. 2.	Bot. reg. t. 678.
2 affinis. L.T. (st.)	related.	N. S. W.	1823.	4. 6.	G. 2.	
3 aurea. L.T. (ye.)	golden.	—	1821.	—	G. 2.	Bot. reg. t. 764.
4 longifolia. L.T. (st.)	long-leaved.	—	—	—	G. 2.	
5 denticulata. L.T. (st.)	tooth-leaved.	—	1826.	6. 8.	G. 2.	
6 leptophylla. L.T. (wh.)	small-leaved.	N. Zealand.	1821.	4. 6.	G. 2.	
OZOTHAMNUS. L.T. OZOTHAMNUS. Syngenesia Polygamia Æqualis.						
1 cinereus. L.T. (ye.)	rusty.	V. Diem. Isl.	1820.	4. 8.	G. 2.	Lab. nov. hol. v. 2. t. 182.
<i>Chrysocoma cinerea</i> . Lab.						
2 rosmarinifolius. L.T. (ye.)	Rosemary-leav'd.	—	1822.	—	G. 2.	Lab. nov. hol. v. 2. t. 181.
<i>Eupatorium rosmarinifolium</i> . Lab.						
3 ferrugineus. L.T. (ye.)	ferruginous.	—	—	—	G. 2.	Lab. nov. hol. v. 2. t. 180.
<i>Eupatorium ferrugineum</i> . Lab.						
AMMOBIUM. Br. AMMOBIUM. Syngenesia Polygamia Æqualis.						
alatum. B.M. (wh.)	winged-stalk'd.	N. S. W.	1823.	8. 9.	F. 2.	Swt. br. fl. gar. t. 48.
ANTENNARIA. L.T. ANTENNARIA. Syngenesia Polygamia Superflua. L.						
1 dioica. L.T. (ro.)	red-flowered.	Britain.		5. 7.	H. 2.	Eng. bot. v. 4. t. 267.
<i>Gnaphalium dioicum</i> . E.B.						
2 alpina. L.T. (wh.)	Alpine.	Alps Europe.	1775.	6. 7.	H. 2.	
3 carpatica. L.T. (wh.)	Carpathian.	Carp. mount.	—	—	H. 2.	Flor. dan. t. 332.
<i>Gnaphalium alpinum</i> . w. non L.						
4 plantaginifolia. L.T. (wh.)	Plantain-leav'd.	Virginia.	1759.	6. 7.	H. 2.	Pluk. alm. t. 348. f. 9.
<i>Gnaphalium plantaginifolium</i> . w.						
5 margaritacea. L.T. (wh.)	pearly.	England.		7. 9.	H. 2.	Eng. bot. v. 29. t. 2018.
6 triplinervis. D.P. (wh.)	triple nerved.	Nepaul.	1823.	6. 9.	F. 2.	Bot. mag. t. 2468.
7 contorta. D.P. (wh.)	twisted-leaved.	—	1818.	—	F. 2.	Bot. reg. t. 695.
LEONTOP'ODIUM. L.T. LION'S-FOOT. Syngenesia Polygamia Superflua. L.						
1 alpinum. D.D. (wh.)	Swiss.	Switzerland.	1776.	6. 7.	H. 2.	Bot. mag. t. 1958.
<i>Gnaphalium Leontopodium</i> . B.M.						
2 sibiricum. D.D. (wh.)	Siberian.	Siberia.	1829.	—	H. 2.	
GNAPHALIUM. L.T. EVERLASTING. Syngenesia Polygamia Superflua. L.						
1 lateo-album. w. (st.)	Jersey.	Jersey.		7. 8.	H. 2.	Eng. bot. v. 14. t. 1002.
2 albescens. w. (wh.)	white Jamaica.	Jamaica.	1793.		S. 2.	
3 sanguineum. w. (re.)	bloody.	Egypt.	1768.	5. 7.	H. 2.	Rauw. it. 285. t. 37.
4 undulatum. w. (wh.)	wave-leaved.	Africa.	1732.	6. 9.	H. 2.	Dill. elth. t. 108. f. 120.
5 obtusifolium. w. (wh.)	blunt-leaved.	N. America.	1699.	7. 9.	H. 2.	— t. 108. f. 131.
6 purpureum. w. (pu.)	purple-flower'd.	S. America.	1732.	6. 9.	G. 2.	— t. 109. f. 132.
7 involueratum. w. (gr.)	involuered.	N. Zealand.	1823.	7. 8.	G. 2.	Bot. mag. t. 2582.
8 americanum. w. (br.)	Jamaica.	Jamaica.	1815.		S. 2.	
9 pensylvanicum. w. (st.)	American.	N. America.	—	7. 9.	H. 2.	
10 sylvaticum. w. (st.)	highland.	Britain.		8. 9.	H. 2.	Eng. bot. v. 13. t. 913.
11 rectum. w. (br.)	upright wood.	—		—	H. 2.	— v. 2. t. 124.
12 coarctatum. w. (gr.)	crowded.	Chili.	1820.	—	H. 2.	
13 polycéphalum. M. (st.)	many-headed.	N. America.	1826.	—	H. 2.	

14	stachydifolium. s.s. (br.)	Stachy's-leaved.	Monte Video.	1826.	8. 9.	H. ☉.	
15	supinum. w. (br.)	dwarf.	Scotland.		6. 7.	H. 4.	Eng. bot. v. 17. t. 1193.
16	pusillum. w. (br.)	small.	Sweden.	1818.	—	H. 4.	Krock. siles. t. 41.
17	sphæricum. W.en. (br.)	spherical.	S. Europe.	—	—	H. 4.	
18	cephaloïdeum. w. (br.)	headed.	—	—	—	H. ☉.	
19	uliginosum. w. (st.)	marsh.	Britain.		8. 9.	H. ☉.	Eng. bot. v. 17. t. 1194.
20	germanicum. w. (st.)	common.	—		6. 8.	H. ☉.	— v. 14. t. 948.
21	gallicum. w. (st.)	narrow-leaved.	England.		—	H. ☉.	— v. 33. t. 2300.
22	montanum. w. (st.)	mountain.	Europe.	1820.	—	H. ☉.	
23	pyramidatum. w. (st.)	pyramidal.	S. Europe.	1779.	—	H. ☉.	
24	minimum. w. (st.)	least.	Britain.		7. 8.	H. ☉.	Eng. bot. v. 17. t. 1157.
25	arvense. w. (st.)	corn.	Europe.	1804.	—	H. ☉.	
26	australe. F. (st.)	southern.	S. Europe.	1823.	—	H. ☉.	
27	Sellowii. Lk. (st.)	Sellow's.	Buenos Ayres.	1828.	—	H. ☉.	
28	alatum. K.s. (st.)	wing-stalked.	Quito.	1829.	—	G. 4.	
29	pompeyanum. E. (st.)	Egyptian.	Egypt.	—	—	H. ☉.	
30	Lagopus. s.s. (wh.)	Hare's-foot.	Siberia.	1820.	—	H. ☉.	
METALASIA. L.T. METALASIA. Syngenesia Polygamia Superflua.							
1	umbellata. D.D. (ro.)	umbelled.	C. B. S.	1816.	5. 7.	G. ½.	
2	muricata. D.D. (ro.)	muricate.	—	—	6. 9.	G. ½.	
3	divergens. D.D. (wh.)	spreading.	—	—	—	G. ½.	Burm. afr. t. 72. f. 2.
	<i>Gnaphalium divergens. w.</i>						
4	fastigiata. (wh.)	close-flowered.	—	1812.	5. 8.	G. ½.	Petiv. gaz. 12. t. 7. f. 3.
	<i>Gnaphalium fastigiatum. w.</i>						
5	aurea. D.D. (ye.)	golden.	—	1816.	—	G. ½.	
6	seriphioides. D.D. (wh.)	Seriphium-like.	—	1825.	—	G. ½.	
7	mucronata. L.T. (ye.)	mucronate.	—	1824.	—	G. ½.	Burm. afr. t. 66. f. 3.
8	pungens. D.D. (wh.)	pungent.	—	1815.	—	G. ½.	
9	uniflora. D.D. (wh.)	single-flowered.	—	1816.	—	G. ½.	
10	phylicoïdes. D.D. (wh.)	Phylica-leaved.	—	—	—	G. ½.	
SPIRAL'EPIS. D.D. SPIRAL'EPIS. Syngenesia Polygamia Superflua.							
1	squarrosa. D.D. (pu.wh.)	squarrose.	C. B. S.	1816.	7. 10.	G. 4.	Jacq. frag. t. 3. f. 4.
	<i>Gnaphalium squarrosum. Jacq.</i>						
2	glomerata. D.D. (wh.)	cluster-flowered.	—	1774.	3. 9.	G. 4.	
3	tineta. D.D. (bh.)	stained.	—	1816.	—	G. 4.	
4?	declinata. (wh.)	creeping.	—	1787.	7. 9.	G. 4.	
	<i>Gnaphalium declinatum. w.</i>						
PETALA'CTE. D.D. PETALA'CTE. Syngenesia Polygamia Superflua.							
1	coronata. D.D. (wh.)	crowned.	C. B. S.	1816.	5. 7.	G. ½.	Burm. afr. t. 69. f. 3.
	<i>Gnaphalium coronatum. w.</i>						
2	bicolor. D.D. (pu.wh.)	two-coloured.	—	—	—	G. ½.	
PENTATA'XIS. D.D. PENTATA'XIS. Syngenesia Polygamia Superflua.							
	micrantha. D.D. (wh.)	small-flowered.	C. B. S.	1821.	5. 7.	G. ½.	
ASTE'LMA. Br. ASTE'LMA. Syngenesia Polygamia Superflua.							
1	eximium. B.R. (re.)	giant.	C. B. S.	1793.	6. 9.	G. ½.	Bot. reg. t. 532.
	<i>Gnaphalium eximium. A.R. 654.</i>						
2	milleflorum. D.D. (wh.)	many-flowered.	—	1802.	6. 9.	G. ½.	
	<i>Gnaphalium milleflorum. w.</i>						
3	Stahelina. D.D. (ye.)	keel-leaved.	—	1801.	12. 3.	G. ½.	Andr. reposit. t. 425.
4	crassifolium. D.D. (ye.)	thick-leaved.	—	1816.	3. 5.	G. ½.	
5	proteoides. D.D. (wh.)	Protea-like.	—	1821.	—	G. ½.	
6	speciosissimum. D.D. (wh.)	showy.	—	1691.	7. 9.	G. ½.	Andr. reposit. t. 51.
	<i>Xeranthemum speciosissimum. A.R. Elichr'ysum speciosissimum. w.</i>						
7	lineare. D.D. (wh.)	linear-leaved.	C. B. S.	1816.	7. 9.	G. ½.	
8	spiralis. D.D. (re.wh.)	spiral-leaved.	—	1801.	7. 10.	G. ½.	Andr. reposit. t. 202.
	<i>Elichr'ysum spirale. w.</i>						
9	variegatum. D.D. (r.)	large globular-fl.	—	—	5. 6.	G. ½.	
10	imbricatum. D.D. (ro.)	imbricated.	—	1816.	—	G. ½.	
	<i>Elichr'ysum imbricatum. w. Xeranthemum imbricatum. L.</i>						
11	canescens. D.D. (ro.)	elegant.	C. B. S.	1794.	8. 4.	G. ½.	Bot. mag. t. 429.
12	modestum. Sie. (fl.)	modest.	—	1824.	6. 7.	G. ½.	Bot. mag. t. 2710.
	<i>Gnaphalium modestum. B.M.</i>						
HELICHR'YSUM. P.S. HELICHR'YSUM. Syngenesia Polygamia Superflua.							
1	grandiflorum. D.D. (w.)	great-flowered.	C. B. S.	1731.	6. 8.	G. ½.	Burm. afr. t. 76. f. 1.
	<i>Gnaphalium grandiflorum. w.</i>						
2	fruticans. D.D. (wh.)	frutescent.	—	1779.	—	G. ½.	Bot. mag. t. 1502.
	<i>Astelma fruticans. B.R. 726. Gnaphalium fruticans. B.M. grandiflorum. A.R. 489.</i>						
3	crispum. D.D. (re.)	curled.	C. B. S.	1809.	—	G. ½.	
4	arborescens. D.D. (re.)	shrubby.	—	1770.	2. 8.	G. ½.	

5	congestum. D.D. (fl.) close-headed.	C. B. S.	1791.	5. 6.	G. h.	Bot. reg. t. 213.
	<i>Gnaphalium congestum</i> . B.R.					
6	carneum. P.S. (fl.) flesh-coloured.	————	1816.	4. 6.	G. h.	
7	patulum. D.D. (wh.) spreading.	————	1771.	8. 1.	G. h.	
8	discolorum. D.D. (wh. fl.) two-coloured.	————	1815.	5. 8.	G. h.	Burm. afr. t. 97. f. 4.
9	cephalotes. D.D. (wh. re.) large-headed.	————	1789.	11. 1.	G. h.	Pluk. phyt. t. 410. f. 2.
10?	diosmaefolium. (wh.) Diosma-leaved.	————	1812.	3. 8.	G. h.	Vent. malm. t. 74.
	<i>Gnaphalium diosmaefolium</i> . v.					
11	ericoides. D.D. (pa.) Heath-leaved.	————	1774.	—	G. h.	Bot. mag. t. 435.
	<i>Gnaphalium ericoides</i> . B.M. non <i>Helichrysium ericoides</i> . P.S.					
12	teretifolium. D.D. (wh.) round-leaved.	C. B. S.	1812.	—	G. h.	Burm. afr. t. 77. f. 2.
13?	tephròdes. (wh.) slender-leaved.	————	1816.	—	G. h.	
	<i>Gnaphalium tephrodes</i> . L.en.					
14	acuminatum. (wh.) taper-pointed.	N. Holland.	—	—	G. h.	
	<i>Gnaphalium acuminatum</i> . L.en.					
15?	lasiocaulon. (wh.) woolly-stalked.	C. B. S.	1823.	6. 9.	G. h.	
	<i>Gnaphalium lasiocaulon</i> . L.en.					
16	Stœchas. D.D. (ye.) common shrubby.	S. Europe.	1629.	6. 10.	H. h.	Barrel. ic. 410.
17	angustifolium. (ye.) narrow-leaved.	————	1818.	—	H. h.	
	<i>Gnaphalium angustifolium</i> . P.S.					
18	conicum. (ye.) conical.	————	1824.	—	H. h.	
	<i>Gnaphalium conicum</i> . L.en.					
19	ignescens. D.D. (re.) red-flowered.	C. B. S.	1731.	6. 10.	G. h.	
20	microphyllum. D.D. (ye.) small-leaved.	Crete.	1823.	—	G. h.	
21?	dasyanthum. (ye.) hairy-flowered.	C. B. S.	1812.	—	G. h.	
	<i>Gnaphalium dasyanthum</i> . W.en.					
22	crassifolium. D.D. (ye.) thick-leaved.	S. Europe.	1774.	7. 9.	G. h.	
23	maritimum. D.D. (ye.) sea-side.	C. B. S.	1772.	6. 8.	G. h.	Burm. afr. t. 77. f. 2.
24	apiculatum. D.D. (ye.) New Holland.	V. Diem. Isl.	1801.	1. 12.	G. h.	Bot. reg. t. 240.
	<i>Gnaphalium apiculatum</i> . B.R.					
25	fœtidum. D.D. (ye.) strong-scented.	C. B. S.	1692.	6. 9.	G. ♂.	Bot. mag. t. 1987.
	<i>Gnaphalium fœtidum</i> . B.M.					
26	cylindricum. D.D. (ye.) cylindrical.	————	1780.	6. 8.	G. 4.	Pluk. phyt. 298. f. 4.
27	orientale. D.D. (ye.) eastern.	Africa.	1629.	4. 8.	G. h.	Comm. hort. 2. t. 55.
28	arenarium. D.D. (ye.) sand.	Europe.	1739.	7. 9.	H. 4.	Bot. mag. t. 2159.
29	graveolens. (ye.) strong-smelling.	Tauria.	1819.	—	H. 4.	
	<i>Gnaphalium graveolens</i> . M.B.					
30	odoratissimum. (ye.) sweet-scented.	C. B. S.	1691.	4. 8.	G. h.	Mill. ic. 1. t. 131. f. 2.
31	candidissimum. D.D. (ye.) white-leaved.	Caucasus.	1819.	7. 9.	H. 4.	
32	utilans. D.D. (re.) shining-flower'd.	C. B. S.	1731.	6. 7.	G. 4.	Dill. elt. t. 107. f. 127.
33	cymosum. D.D. (ye. wh.) branching.	Africa.	—	4. 8.	G. h.	— t. 107. f. 128.
34	helianthemifolium. D. (wh.) Sun-rose-leav'd.	C. B. S.	1774.	7. 10.	G. h.	Volck. norib. t. 194.
35	bracteatum. D.D. (ye.) wave-leaved.	N. Holland.	1799.	—	H. ☉.	Andr. reposit. 375
	<i>chrysanthum</i> . P.S. <i>Xeranthemum bracteatum</i> . v. M. t. 2. <i>lucidum</i> . Maunde.					
36	fulgidum. P.S. (ye.) great yellow.	C. B. S.	1774.	2. 10.	G. 4.	Bot. mag. t. 414.
37	dealbatum. P.S. (bh.) herbaceous.	V. Diem. Isl.	1812.	1. 12.	G. 4.	Lab. nov. hol. 2. t. 190.
38	paniculatum. P.S. (wh.) corymb-flower'd.	C. B. S.	1800.	6. 9.	G. h.	Burm. afr. t. 67. f. 1.
	<i>argenteum</i> . A.R. 552. <i>nec aliorum</i> .					
39	argenteum. P.S. (wh.) silvery.	————	—	—	G. h.	
40	fragrans. A.R. (ro.) fragrant.	————	1803.	7. 9.	G. h.	Andr. reposit. t. 313.
	<i>Elichrysium fragrans</i> . A.R.					
41	retortum. W. (wh.) trailing.	————	1732.	7. 8.	G. h.	Dill. elth. t. 322. f. 415.
42?	incanum. B.M. (ro. wh.) hoary-leaved.	V. Diem. Isl.	1828.	5. 6.	G. 4.	Bot. mag. t. 2881.
43	rigidum. A.R. (wh.) rigid-leaved.	C. B. S.	1801.	—	G. h.	Andr. reposit. t. 387.
44	herbaceum. A.R. (ye.) shining-flowered.	————	1802.	7. 9.	G. 4.	— t. 487.
	<i>splendens</i> . B.M. 1773.					
LEUCOSTE'MMA. D.D. LEUCOSTE'MMA. Syngenesia Polygamia Superflua.						
1	vestitum. D.D. (wh.) upright.	C. B. S.	1774.	7. 9.	G. h.	Burm. afr. t. 66. f. 1.
	<i>Elichrysium vestitum</i> . w.					
2	lingulatum. D.D. (wh.) tongue-leaved.	————	1812.	—	G. h.	
PHÆNO'COMA. D.D. PHÆNO'COMA. Syngenesia Polygamia Superflua.						
	prolifera. D.D. (pu.) proliferous.	C. B. S.	1789.	5. 11.	G. h.	Bot. reg. t. 21.
	<i>Elichrysium proliferum</i> . B.R. <i>Xeranthemum proliferum</i> . L.					
APHELE'XIS. D.D. APHELE'XIS. Syngenesia Polygamia Superflua.						
1	humilis. D.D. (pu.) dwarf.	C. B. S.	1812.	6. 9.	G. h.	Andr. reposit. t. 661.
	<i>Elichrysium spectabile</i> . B.C. 59. <i>pinifolium</i> . P.S.					
2	sesamoides. D.D. (pu.) superb.	C. B. S.	1739.	4. 6.	G. h.	Bot. mag. t. 425.
	<i>Elichrysium sesamoides</i> . w. <i>Xeranthemum sesamoides</i> . B.M.					

3 fasciculata. D.D.	(ca.) bundle-leaved.	C. B. S.	1799.	3. 9.	G. $\frac{1}{2}$.	Andr. reposit. t. 242.
<i>a</i> lutescens.	(st.) yellowish.	_____	_____	_____	G. $\frac{1}{2}$.	_____
β versicolor. (pu.wh.)	variegated-flower'd.	_____	_____	_____	G. $\frac{1}{2}$.	Breyn. ic. t. 16. f. 2.
γ alba.	(wh.) white-flowered.	_____	_____	_____	G. $\frac{1}{2}$.	Andr. reposit. t. 272.
δ rubra.	(sc.) red-flowered.	_____	_____	_____	G. $\frac{1}{2}$.	_____ t. 650.
4 ericoides.	(bh.) filiform.	_____	1796.	_____	G. $\frac{1}{2}$.	Lam. ill. t. 693. f. 2.
<i>filiformis</i> . D.D. <i>Helichrysium ericoides</i> . P.S.						
XERA'NTHEMUM. D.D. XERA'NTHEMUM. Syngenesia Polygamia Superflua. L.						
1 annuum. D.D.	(pu.wh.) common annual.	S. Europe.	1570.	7. 8.	H. $\odot$.	Jacq. aust. 4. t. 388.
<i>a</i> roseum.	(ro.) rose-coloured.	_____	_____	_____	H. $\odot$.	_____
β album.	(wh.) white-flowered.	_____	_____	_____	H. $\odot$.	_____
2 inapertum. D.D.	(pu.) small-flowered.	_____	1620.	_____	H. $\odot$.	Meris. his. s. 6. t. 12. f. 1.
CHARDI'NIA. D.D. CHARDI'NIA. Syngenesia Polygamia Superflua.						
<i>orientalis</i> . D.D.	(wh.) oriental.	Levant.	1713.	7. 8.	H. $\odot$.	_____
<i>xeranthemoides</i> . Desf.	<i>Xeranthemum orientale</i> . w.	_____	_____	_____	_____	_____
FIL'AGO. W. COTTON-ROSE. Syngenesia Polygamia Necessaria. W.						
1 pygmæa. w.	(br.) pigmy.	S. Europe.	1629.	7. 8.	H. $\odot$.	Cavan. ic. 1. t. 36.
<i>Erax pygmæa</i> . G.	_____	_____	_____	_____	_____	_____
2 asterisciflora.	(br.) simple-stalked.	Spain.	1824.	_____	H. $\odot$.	Lam. ill. t. 694. f. 2.
<i>Erax asterisciflora</i> . P.S.	_____	_____	_____	_____	_____	_____
MICR'OPUS. W. MICR'OPUS. Syngenesia Polygamia Necessaria. W.						
1 supinus. w.	(pa.) trailing.	S. Europe.	1710.	6. 9.	H. $\odot$.	Schk. hand. 3. t. 267.
2 erectus. w.	(pa.) upright.	_____	1683.	_____	H. $\odot$.	Loefl. hisp. t. 1. f. 3.
ERIGERON. W. ERIGERON. Syngenesia Polygamia Superflua. L.						
1 graveolens. w.	(ye.) strong-smelling.	S. Europe.	1633.	7. 8.	H. $\odot$.	Ger. emac. 481. f. 2.
2 compositum. Ph.	(li.) daisy-flowered.	N. America.	1811.	_____	H. $\frac{1}{2}$.	_____
3 carolinianum. w.	(ye.) Hyssop-leaved.	_____	1727.	_____	H. $\frac{1}{2}$.	Dill. elt. t. 306. f. 334.
4 canadense. w.	(wh.) Canada.	England.	_____	8. 9.	H. $\odot$.	Eng. bot. v. 29. t. 2019.
5 bonariense. w.	(wh.) buck's-horn.	S. America.	1732.	7. 8.	H. $\odot$.	Dill. elt. t. 257. f. 334.
6 linifolium. w.	(wh.) flax-leaved.	_____	_____	_____	H. $\odot$.	_____
7 lævigatum. L.en.	(wh.) smooth.	Cayenne.	1823.	_____	S. $\frac{1}{2}$.	_____
8 delphinifolium. w.	(wh.) Larkspur-leav'd.	S. America.	1816.	_____	S. $\frac{1}{2}$.	_____
9 strigosum. w.	(wh.) strigose.	N. America.	1818.	_____	H. $\frac{1}{2}$.	_____
10 heterophyllum. w.	(wh.) various-leaved.	_____	1640.	7. 9.	H. $\frac{1}{2}$.	Flor. græc. t. 486.
<i>Aster annuus</i> . L.	<i>Diplopappus dubius</i> . Cas.	_____	_____	_____	_____	_____
11 chinense. w.	(wh.) Chinese.	China.	1818.	_____	H. $\odot$.	Jacq. schœnb. 3. t. 303.
12 jamaicense. w.	(li.) Jamaica.	Jamaica.	1820.	_____	S. $\odot$.	Swartz obs. t. 8. f. 2.
13 pubescens. K.S.	(wh.) pubescent.	Mexico.	1827.	7. 11.	H. $\frac{1}{2}$.	_____
14 involueratum. Lk.	 involucred.	Brazil.	1828.	_____	S. $\frac{1}{2}$.	_____
15 armerifolium. F.	(pu.) Thrift-leaved.	Baical.	1829.	6. 8.	H. $\frac{1}{2}$.	_____
16 nudicaule. M.	(wh.) naked-stalked.	N. America.	1812.	7.	H. $\frac{1}{2}$.	_____
17 philadelphicum. w.	(pu.) spreading.	_____	1778.	7. 8.	H. $\frac{1}{2}$.	_____
18 purpureum. w.	(pu.) purple.	Hudson's Bay.	1776.	_____	H. $\frac{1}{2}$.	_____
19 bellidifolium. w.	(li.) Plantain-leav'd.	N. America.	1790.	_____	H. $\frac{1}{2}$.	_____
<i>serpentarium</i> . Hort.	_____	_____	_____	_____	_____	_____
20 glabellum. N.	(pu.) smoothish.	_____	1827.	8. 12.	H. $\frac{1}{2}$.	Bot. mag. t. 2923.
21 podolicum. S.S.	(pu.) Polish.	Poland.	_____	7. 9.	H. $\frac{1}{2}$.	_____
22 Lehmanni. S.S.	(li.) Lehman's.	_____	1828.	_____	H. $\frac{1}{2}$.	_____
23 glaucum. B.R.	(li.) glaucous-leav'd.	S. America.	1812.	1. 12.	G. $\frac{1}{2}$.	Bot. reg. t. 10.
24 chilense. D.P.	(wh.) Chili.	Chili.	1816.	7. 9.	H. $\odot$.	_____
<i>Conyza chilensis</i> . L.en.	_____	_____	_____	_____	_____	_____
25 rivulare. S.S.	(bh.) rivulet.	Trinidad.	1821.	_____	S. $\odot$.	_____
26 Villarsii. w.	(pu.) Villars's.	Piedmont.	1801.	7. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 583.
<i>atticum</i> . Vil.	_____	_____	_____	_____	_____	_____
27 rupestre. Schl.	(li.) rock.	Switzerland.	1818.	_____	H. $\frac{1}{2}$.	_____
28 ære. w.	(li.) common.	Britain.	_____	_____	H. $\frac{1}{2}$.	Eng. bot. v. 17. t. 118.
29 alpinum. w.	(li.) Alpine.	Scotland.	_____	7.	H. $\frac{1}{2}$.	_____ v. 7. t. 404.
30 uniflorum. w.	(li.) dwarf.	_____	_____	8. 9.	H. $\frac{1}{2}$.	_____ v. 34. t. 2410.
31 pumilum. N.	(wh.) dwarf.	N. America.	1827.	_____	H. $\frac{1}{2}$.	_____
32 humile. Gr.	(wh.) low.	_____	_____	9. 10.	H. $\frac{1}{2}$.	_____
33 asperum. N.	(wh.) rough.	_____	_____	8. 9.	H. $\frac{1}{2}$.	_____
34 graminum. w.	(pu.) grass-leaved.	Siberia.	1821.	_____	H. $\frac{1}{2}$.	Gmel. sib. 2. t. 76. f. 2.
35 caucasicum. M.B.	(pu.) Caucasian.	Caucasus.	_____	7. 8.	H. $\frac{1}{2}$.	_____
36 asteroides. L.en.	(wh.) Starwort-like.	_____	1812.	_____	H. $\frac{1}{2}$.	_____
JAS'ONIA. Cas. JAS'ONIA. Syngenesia Polygamia Superflua.						
<i>longifolia</i> . Cas.	(ye.) long-leaved.	N. America.	1818.	7. 8.	H. $\frac{1}{2}$.	_____
<i>Erigeron longifolium</i> . P.S.	_____	_____	_____	_____	_____	_____
CAL'OTIS. B.R. CAL'OTIS. Syngenesia Polygamia Superflua.						
<i>cuneifolia</i> . B.R.	(bl.) wedge-leaved.	N. Holland.	1819.	7. 8.	G. $\frac{1}{2}$.	Bot. reg. t. 304.

DIPLOSTEPHIUM. K.S. DIPLOSTEPHIUM. Syngenesia Polygamia Superflua.

- 1 *linariifolium*. (pu.) toad-flax-leav'd. N. America. 1699. 9. 10. H. ½. Lodd. bot. cab. t. 6.
Aster pulcherrimus. L.B.C. *linariifolius*. w. *Chrysopsis linariifolia*. n.
2 *rigidum*. (vi.) stiff-leaved. ——— 1759. 8. 10. H. ¼. Pluk. alm. t. 14. f. 7.
Aster rigidus. Ph. *nemorâlis*. w. non H.K.
3 *linifolium*. (wh.) Flax-leaved. N. America. 1739. 7. 8. H. ½.
Chrysopsis linifolia. n. *Aster linifolius*. w.
4 *album*. n. (wh.) white-flowered. Missouri. 1824. 8. 9. H. ¼.
5 *humile*. (wh.) low. N. America. 1699. 8. 10. H. ¼. Willd. hort. ber. t. 67.
Aster humilis. w. *Chrysopsis humilis*. n.
6 *cornifolium*. w. (wh.) Dogwood-leaved. ——— 1811. — H. ¼.
7 *amygdalinum*. (wh.) Almond-leaved. ——— 1759. 7. 9. H. ¼. Hoff. phyt. blat. t. 8. f. 2.
Aster umbellatus. w. *Chrysopsis umbellata*. n.

ASTER. W. STARWORT. Syngenesia Polygamia Superflua. L.

- 1 *reflexus*. w. (re.wh.) reflexed-leav'd. C. B. S. 1759. 2. 9. G. ½. Bot. mag. t. 884.
2 *tomentosus*. w. (wh.) tooth-leaved. N. S. W. 1793. 5. 7. G. ½. Wend. s. han. p. 8. t. 24.
dentatus. Andr. rep. t. 61.
3 *stellatus*. p.s. starry-haired. V. Diem. Isl. 1823. — G. ½. Lab. nov. hol. 2. t. 196.
4 *phlogopappus*. p.s. (vi.) glossy-haired. ——— 1827. — G. ½. ——— 2. t. 195.
5 *myrsinoides*. p.s. (wh.) Myrsine-leaved. ——— 1824. — G. ½. ——— p. 53. t. 202.
6 *crubescens*. s.s. (bh.) blush-flowered. N. S. W. 1826. — G. ½.
7 *argophyllus*. p.s. (wh.) musk-scented. V. Diem. Isl. 1804. — G. ½. Bot. mag. t. 1563.
8 *fratus*. B.M. (wh.) fluted-stemm'd. N. S. W. 1812. — G. ½. ——— t. 1509.
9 *sericeus*. w. (bl.) silky-leaved. Missouri. 1802. 5. 11. G. ½. Venten. c. ls. t. 33.
10 *Cymbalariae*. w. (wh.) Ivy-leaved. C. B. S. 1786. — G. ½. Venten. malm. t. 95.
11 *papposus*. s.s. (vi.) cluster-leaved. ——— 1812. — G. ½.
12 *taxifolius*. s.s. (li.) Yew-leaved. ——— 1824. — G. ½.
13 *angustifolius*. w. (bl.) narrow-leaved. ——— 1804. 5. 7. G. ½. Jacq. schœnb. 3. t. 370.
14 *villosus*. w. (li.) villous. ——— 1812. — G. ½.
15 *obtusatus*. w. (li.) obtuse-leaved. ——— 1793. — G. ½.
16 *fraticulosus*. w. (li.) shrubby. ——— 1759. 3. 7. G. ½. Jacq. frag. 9. t. 5. f. 4.
17 *filifolius*. v. (wh.) thread-leaved. ——— 1812. — G. ½. Venten. malm. t. 82.
18 *aculeatus*. p.s. (wh.) prickly-leaved. V. Diem. Isl. 1818. — G. ½. Lab. nov. hol. 2. t. 200.
asperatus. L. enum.
19 *tenuis*. w. (vi.) slender. C. B. S. 1769. 4. 10. H. ①. Bot. mag. t. 33.
20 *alpinus*. w. (pu.) Alpine. Alps Europe. 1658. 5. 8. H. ¼. ——— t. 199.
21 *lasiotus*. s.s. (pu.) Portugal. Portugal. 1820. 8. 10. H. ¼.
22 *salsuginosus*. s.s. (vi.) salt plain. N. America. 1827. 5. 6. H. ¼. Bot. mag. t. 2342.
23 *puchellus*. w. (re.) narrow-rayed. Armenia. 1818. — H. ¼.
24 *caucasicus*. w. (pu.) Caucasian. Caucasus. 1804. 7. 8. H. ¼.
25 *alwartensis*. B.M. (pu.) large-flowered. ——— — H. ¼. Bot. mag. t. 2321.
26 *diversifolius*. m. (li.) various-leaved. N. America. 1811. 7. 9. H. ¼.
27 *macrophyllus*. w. (bl.) large-leaved. ——— 1739. — H. ¼.
28 *corymbosus*. w. (wh.) corymbed. ——— 1765. 9. H. ¼.
29 *cordifolius*. w. (bh.) heart-leaved. ——— 1759. 7. 8. H. ¼.
30 *paniculatus*. w. (li.) paniced. ——— 1640. 9. 10. H. ¼. Corn. canad. t. 65.
31 *sagittifolius*. w. (bl.) arrow-leaved. ——— 1818. 7. 9. H. ¼.
32 *undulatus*. w. (pu.) wave-leaved. ——— 1699. 8. 10. H. ¼. Herm. parad. t. 96.
33 *præcox*. W.en. (li.) early-flowering. ——— 1800. 7. 8. H. ¼.
34 *pallens*. W.en. (li.) pale-flowered. ——— 9. 10. H. ¼.
35 *conyzoides*. w. (wh.) Conyza-like. ——— 1778. 8. 9. H. ¼.
36 *alticus*. W.en. (pu.) dwarf. Siberia. 1804. 5. 8. H. ¼.
pemilus. F.
37 *nemorâlis*. H.K. (li.) wood. N. America. 1778. 8. 9. H. ¼.
latifolius. Ph.
38 *hyssopifolius*. w. (bh.) Hyssop-leaved. ——— 1683. 9. 10. H. ¼. Dodart. mem. t. 60.
39 *punctatus*. w. (vi.) dotted. Hungary. 1815. 8. 9. H. ¼. W. et K. hung. 2. t. 109.
40 *acris*. w. (bl.) acrid. S. Europe. 1731. — H. ¼. Pluk. alm. t. 271. f. 3.
41 *canus*. w. (bl.) hoary-leaved. Hungary. 1816. — H. ¼. W. et K. hung. 1. t. 30.
42 *solidaginoides*. w. (wh.) Solidago-like. N. America. 1699. — H. ¼. Pluk. alm. t. 79. f. 2.
43 *sebelatus*. n. (li.) awl-leaved. ——— 1823. 8. 10. H. ①.
44 *hirsutus*. w. (wh.) hairy. ——— 1812. — H. ¼.
45 *foliosus*. w. (wh.) leafy. ——— 1732. 10. H. ¼. Dill. elth. t. 35. f. 39.
46 *tenuifolius*. w. (wh.) slender-leaved. ——— 1725. 9. 10. H. ¼. Pluk. alm. t. 78. f. 5.
47 *umbosus*. w. (wh.) bushy. ——— 1734. — H. ¼. Herm. parad. 95.
aridicus. H.K. (vi.) violet-flowered. ——— — H. ¼.
albus. H.K. (wh.) white-flowered. ——— — H. ¼.
48 *ericoides*. w. (wh.) heath-leaved. ——— 1758. 9. H. ¼.
49 *multiflorus*. w. (wh.) many-flowered. ——— 1732. 9. 10. H. ¼. Dill. elth. t. 36. f. 40.
50 *ciliatus*. w. (wh.) ciliated. ——— — H. ¼.

51	canescens. Ph.	(li.) canescent.	N. America.	1812.	—	H. 8.	
	biennis. N.						
52	pauciflorus. N.	(wh.) few-flowered.	N. America.	1825.	8. 9.	H. 4.	
53	sparsiflorus. w.	(wh.) scattered-flower'd.	—	1798.	9. 11.	H. 4.	
54	coridifolius. w.	(bl.) Coris leaved.	—		8. 11.	H. 4.	
55	squarrosus. w.	(bl.) ragged.	—	1801.	—	H. 4.	
56	argenteus. H.K.	(bl.) silver-leaved.	—	—	7. 9.	H. 4.	
57	concolor. w.	(pu.) self-coloured.	—	1759.	8. 11.	H. 4.	
58	reticulatus. Ph.	(wh.) netted-leaved.	—	1812.	—	H. 4.	
59	salicifolius. w.	(pu.) Willow-leaved.	—	1760.	9. 10.	H. 4.	Rob. ic. 307.
60	æstivus. w.	(bl.) summer.	—	1776.	7. 8.	H. 4.	
61	pannonicus. w.	(vi.) Hungarian.	Hungary.	1815.	—	H. 4.	Jacq. vind. 1. t. 8.
62	Amellus. w.	(bl.) Italian.	Italy.	1596.	7. 9.	H. 4.	Bot. reg. t. 340.
	a latifolius.	(bl.) broad-leaved.	—	—	—	H. 4.	
	β angustifolius.	(bl.) narrow-leaved.	—	—	—	H. 4.	
63	ibericus. M.B.	(bl.) Iberian.	Iberia.	1827.	7. 9.	H. 4.	
64	novæ anglæ. w.	(bl.) New England.	N. America.	1710.	9. 10.	H. 4.	Herm. parad. 98.
	β rubra.	(re.) red-flowered.	—	1812.	—	H. 4.	Bot. reg. 183. f. inf.
65	cyaneus. N.	(bl.) bright-blue.	—	1789.	—	H. 4.	Hoff. phyt. 1. t. B. f. 1.
66	glaucus. N.A.	(bl.) glaucous-leaved.		1823.	8. 10.	H. 4.	
67	paludosus. w.	(bl.) marsh.	N. America.	1784.	—	H. 4.	
68	grandiflorus. w.	(bl.) great-flowered.	—	1720.	10. 11.	H. 4.	Bot. reg. t. 273.
69	carolinianus. w.	(pu.) tall.	Carolina.		8. 9.	H. 4.	
70	oblongifolius. N.	(li.) oblong-leaved.	Missouri.	1823.	—	H. 4.	
71	phlogifolius. w.	(vi.) Phlox-leaved.	N. America.	1797.	7. 10.	H. 4.	
72	pátens. w.	(bl.) spreading.	—	1773.	9. 11.	H. 4.	Swt. brit. fl. gar. t. 294.
73	Tripolium. w.	(bl.) sea-side.	Britain.		8. 9.	H. 4.	Eng. bot. v. 2. t. 57.
74	Schrebéri. N.A.	(wh.) Schreber's.		1827.	8. 10.	H. 4.	
75	salignus. w.	(wh.) Sallow-leaved.	Germany.	1815.	—	H. 4.	
76	graveolens. N.	(bl.) strong-scented.	Arkansa.	1825.	10. 11.	H. 4.	
77	puniceus. w.	(re.) red-stalked.	N. America.	1710.	7. 10.	H. 4.	Herm. lugd. t. 651.
78	hispidus. w.	(wh.) rough-stalked.	China.	1804.	9. 10.	H. 4.	Kæmpf. ic. t. 29.
79	dentatus. Th.	(bl.) tooth-leaved.	C. B. S.	1825.	7. 9.	G. 4.	
80	serratus. Th.	(bl.) saw-leaved.	—	—	—	G. 4.	
81	tataricus. w.	(bl.) Tartarian.	Siberia.	1818.	—	H. 4.	
82	pyrenæus. s.s.	(vi.) Pyrenean.	Pyrenees.	1768.	6. 9.	H. 4.	
83	sibiricus. w.	(pu.) Siberian.	Siberia.	1768.	—	H. 4.	Gmel. sib. 2. t. 80. f. 1.
84	incisus. F.	(li.) cut-leaved.	—	1816.	6. 9.	H. 4.	
85	amelloides. Bes.	(vi.) Amellus-like.	Poland.	1827.	7. 9.	H. 4.	
86	élegans. w.	(bl.) elegant.		1790.	8. 10.	H. 4.	
87	amplexicaulis. w.	(bl.) stem-clasping.	N. America.		9. 11.	H. 4.	
88	adulterinus. w.	(re.) bastard.	—		8. 10.	H. 4.	
89	lævigatus. w.	(li.) smooth-stem'd.	—	1794.	9. 11.	H. 4.	
90	longifolius. P.s.	(bl.) long-leaved.	—	1798.	10.	H. 4.	Moris. s. 7. t. 22. f. 1.
91	versicolor. w.	(wh, re.) various-color'd.	—	1790.	8. 9.	H. 4.	
92	mutabilis. w.	(pu.) changeable.	—	1710.	9. 10.	H. 4.	Herm. lugd. t. 67.
93	lævis. w.	(li.) smooth.	—	1753.	—	H. 4.	
94	concinus. W.en.	(li.) neat.	—	1800.	—	H. 4.	
95	floribundus. w.	(li.) abundant-flower'd.	—		—	H. 4.	
96	novi belgii. w.	(li.) New-York.	—	1710.	—	H. 4.	Herm. lugd. t. 69.
97	fírmus. L.en.	(li.) firm.	—	1818.	—	H. 4.	
98	bellidiflorus. W.en.	(li.) daisy-flowered.	—		—	H. 4.	
99	spectabilis. w.	(bl.) showy.	—	1777.	8. 9.	H. 4.	
100	serotinus. w.	(bl.) late-flowering.	—		9. 11.	H. 4.	
101	tardiflorus. w.	(li.) spear-leaved.	—	1775.	7. 9.	H. 4.	
102	blándus. Ph.	(bh.) charming.	—	1800.	10. 11.	H. 4.	
103	acuminatus. Ph.	(wh.) acuminate.	—	1806.	8. 10.	H. 4.	Bot. mag. t. 266.
104	éminens. W.en.	(re.) eminent.	—		9. 11.	H. 4.	
105	pubescens. N.A.	(re.) pubescent.	—	1827.	—	H. 4.	
106	Rádula. w.	(wh.) rasp-leaved.	—	1785.	—	H. 4.	
107	prenanthoides. w.	(bl.) hairy-branch'd.	—	1817.	—	H. 4.	
108	strictus. Ph.	(vi.) upright dwarf.	—	1806.	—	H. 4.	
109	Tradescánti. w.	(wh.) Michaelmas daisy.	—	1633.	7. 9.	H. 4.	Moris. s. 7. t. 21. f. 1.
110	vimineus. w.	(bl.) slender.	—	1818.	—	H. 4.	
111	recurvatus. w.	(li.) recurved.	—	1800.	8. 9.	H. 4.	
112	expansus. N.A.	(bl.) expanded.	—	1827.	—	H. 4.	
113	fastigiatus. Led.	(bl.) clustered.	Siberia.	—	—	H. 4.	
114	laxus. W.en.	(wh.) loose-stalked.	N. America.		9. 11.	H. 4.	
115	simplex. W.en.	(wh.) simple-stalked.	—		8. 10.	H. 4.	

116	virgineus. N.A.	(wh.) virgin.	N. America.	1826.	8. 10.	H. 4.	
117	polyphyllus. W.en.	(w.) many-leaved.	-----	-----	-----	H. 4.	
118	juncus. w.	(fl.) slender-stalked.	-----	1758.	9. 10.	H. 4.	
119	lanceolatus. w.	(wh.) lanceolate.	-----	1811.	8. 11.	H. 4.	
120	dracunculoides. w.	(w.) Tarragon-like.	-----	-----	9. 11.	H. 4.	
121	fragilis. w.	(wh.) brittle.	-----	1800.	9.	H. 4.	
122	carneus. N.A.	(fl.) flesh-coloured.	-----	1827.	-----	H. 4.	
123	pinifolius. L.en.	(wh.) Pine-leaved.	-----	1823.	-----	H. 4.	
124	laxiflorus. L.en.	(li.) loose-flowered.	-----	-----	8. 10.	H. 4.	
125	miser. w.	(wh.) meagre-flower'd.	-----	1759.	9. 10.	H. 4.	
126	divergens. w.	(wh.) spreading downy.	-----	1758.	-----	H. 4.	
127	diffusus. w.	(wh.) diffuse.	-----	1777.	-----	H. 4.	
128	scoparius. N.A.	(wh.) broom-like.	-----	1827.	-----	H. 4.	
129	pendulus. w.	(wh.) pendulous.	-----	1758.	-----	H. 4.	
130	parviflorus. L.en.	(w.) small-flowered.	-----	1822.	-----	H. 4.	
131	rigidulus. L.en.	(re.) stiffish.	-----	-----	-----	H. 4.	
132	myrtifolius. L.en.	(w.) Myrtle-leaved.	-----	1819.	8. 9.	H. 4.	
133	abbreviatus. N.A.	(bl.) short-rayed.	-----	1827.	-----	H. 4.	
134	robustus. N.A.	(bl.) robust.	-----	-----	-----	H. 4.	
CALLISTEMA. Cas. CHINA ASTER. Syngenesia Polygamia Superflua.							
	hortensis. Cas.	(va.) garden.	China.	1731.	7. 9.	H. 4.	Dill. elth. t. 34. f. 38.
	α carulea.	(bl.) blue-flowered.	-----	-----	-----	H. 4.	
	β rubra.	(re.) red-flowered.	-----	-----	-----	H. 4.	
	γ alba.	(wh.) white-flowered.	-----	-----	-----	H. 4.	
	δ variegata.	(bl.wh.) variegated.	-----	-----	-----	H. 4.	
	ε versicolor.	(re.wh.) red and white.	-----	-----	-----	H. 4.	
	ζ multiplēx.	(va.) double-flowered.	-----	-----	-----	H. 4.	
	η brachyantha.	(va.) bonnet.	-----	-----	-----	H. 4.	
SOLIDAGO. W. GOLDEN-ROD. Syngenesia Polygamia Superflua. L.							
1	canadensis. w.	(ye.) Canadian.	N. America.	1648.	7. 9.	H. 4.	Schk. hand. 3. f. 216.
2	procera. w.	(ye.) great.	-----	1758.	9. 10.	H. 4.	
3	serotina. w.	(ye.) upright smooth.	-----	-----	7. 8.	H. 4.	
4	gigantea. w.	(ye.) gigantic.	-----	-----	8. 9.	H. 4.	
5	ciliaris. w.	(ye.) ciliated.	-----	1811.	-----	H. 4.	
6	reflexa. w.	(ye.) hanging-leaved.	-----	1758.	8. 9.	H. 4.	
7	fragrans. W.en.	(ye.) fragrant.	-----	-----	7. 9.	H. 4.	
8	lateriflora. w.	(ye.) lateral-flowered.	-----	1758.	8. 9.	H. 4.	
9	glabra. s.s.	(ye.) smooth.	-----	-----	-----	H. 4.	
10	aspera. w.	(ye.) rough-leaved.	-----	1732.	9.	H. 4.	Dill. elth. t. 305. f. 392.
11	altissima. w.	(ye.) tall.	-----	1686.	8. 9.	H. 4.	Mart. cent. 14.
12	recurvata. W.en.	(ye.) recurved.	-----	1814.	-----	H. 4.	
13	rugosa. Ph.	(ye.) wrinkle-leaved.	-----	1732.	-----	H. 4.	Dill. elth. t. 308. f. 396.
14	villosa. Ph.	(ye.) villous.	-----	-----	-----	H. 4.	
15	scabra. w.	(ye.) rough.	-----	1811.	-----	H. 4.	
16	pyramidata. Ph.	(ye.) pyramidal.	-----	1812.	8. 9.	H. 4.	
17	nemorâlis. w.	(ye.) woolly-stalked.	-----	1769.	9.	H. 4.	
18	patula. w.	(ye.) spreading.	-----	1805.	9. 10.	H. 4.	
19	ulmifolia. w.	(ye.) Elm-leaved.	-----	-----	8. 10.	H. 4.	
20	arguta. w.	(ye.) sharp-notched.	-----	1758.	7. 8.	H. 4.	
21	juncæa. w.	(ye.) rush-stalked.	-----	1769.	8. 9.	H. 4.	
22	elliptica. w.	(ye.) oval-leaved.	-----	1759.	-----	H. 4.	
23	asperata. Ph.	(ye.) roughish-leaved.	Canada.	1825.	-----	H. 4.	
24	odora. w.	(ye.) sweet-smelling.	N. America.	1699.	8. 10.	H. 4.	Pluk. alm. t. 116. f. 6.
25	retrorsa. M.	(ye.) reflex-leaved.	-----	1824.	-----	H. 4.	
26	lavigata. N.	(ye.) fleshy-leaved.	-----	-----	10. 11.	H. 4.	
27	mexicana. w.	(ye.) Mexican.	America.	1683.	7. 10.	H. 4.	Dodart. act 4. t. 219.
28	sempervirens. N.	(ye.) evergreen.	N. America.	1699.	9. 10.	H. 4.	Corn. canad. t. 169.
29	speciosa. N.	(ye.) handsome.	-----	1812.	-----	H. 4.	
30	multiflora. P.S.	(ye.) many-flowered.	-----	-----	-----	H. 4.	
31	pauciflosculosa. M.	(ye.) slender-flower'd.	-----	1811.	8. 10.	H. 4.	
32	bicolor. w.	(wh.ye.) two-coloured.	-----	1759.	8. 9.	H. 4.	Pluk. alm. t. 114. f. 8.
Aster bicolor. Nees.							
33	petiolâris. w.	(ye.) late-flowered.	-----	1758.	10. 12.	H. 4.	
34	stricta. w.	(ye.) Willow-leaved.	-----	-----	9.	H. 4.	
35	humilis. Ph.	(ye.) dwarf.	-----	1811.	7. 8.	H. 4.	
36	virgata. M.	(ye.) slender.	-----	1827.	-----	H. 4.	
37	livida. W.en.	(ye.) purple-stemmed.	-----	1812.	-----	H. 4.	
38	hirta. W.en.	(ye.) hairy.	-----	-----	9. 10.	H. 4.	
39	lithospermifolia. Ph.	(ye.) Gromwell-leav'd.	-----	1811.	8. 10.	H. 4.	

40 hispida. w.	(ye.) hispid.	N. America.	1820.	8. 10.	H. 4.	
41 cæsia. w.	(ye.) Maryland.	————	1732.	9. 10.	H. 4.	
42 flexicaulis. w.	(ye.) crook-stalked.	————	1725.	9.	H. 4.	Pluk. alm. t. 235. f. 2
43 latifolia. L.	(ye.) broad-leaved.	————	————	————	H. 4.	———— t. 235. f. 4
44 ambigua. w.	(ye.) angular-stalked.		1759.	7. 8.	H. 4.	
45 macrophylla. Ph.	(ye.) large-leaved.	N. America.		8. 10.	H. 4.	
46 glomerata. M.	(ye.) close-flowered.	————	1820.	————	H. 4.	
47 squarrosa. N.	(ye.) squarrose-cup'd.	————	1827.	————	H. 4.	
48 alpestris. w. K.	(ye.) Alpine.	Europe.	————	7. 9.	H. 4.	
49 Virgaurea. w.	(ye.) common.	Britain.		————	H. 4.	Eng. bot. v. 5. t. 301
50 cambrica. w.	(ye.) Welsh.	Wales.		7. 8.	H. 4.	Dill. elth. t. 306. f. 30
51 asiatica. F.	(ye.) Asiatic.	N. Asia.	1824.	————	H. 4.	
52 axillaris. Ph.	(ye.) axillary.	N. America.	1811.	8. 10.	H. 4.	
53 erecta. Ph.	(ye.) upright.	————		————	H. 4.	
54 viminea. w.	(ye.) twiggy.	————	1759.	9.	H. 4.	
55 angustifolia. N.	(ye.) narrow-leaved.	————	1824.	————	H. 4.	
56 littoralis. s.s.	(ye.) sea-side.	Italy.	1827.	7. 9.	H. 4.	
57 decurrens. s.s.	(ye.) decurrent.	China.	1823.	8. 10.	H. 4.	
58 puberula. N.	(ye.) pubescent.	N. America.	————	————	H. 4.	
59 minuta. w.	(ye.) least.	Pyrenees.	1772.	7. 8.	H. 4.	Lodd. bot. cab. t. 18
60 multiradiata. w.	(ye.) Labrador.	Labrador.	1776.	————	H. 4.	
61 elata. Ph.	(ye.) tall hairy.	N. America.	1811.	8. 10.	H. 4.	
62 rigida. w.	(ye.) hard-leaved.	————	1710.	9.	H. 4.	Herm. parad. 243.
EUTHAMIA. N.	EUTHAMIA.	Syngenesia Polygamia Superflua.				
1 graminifolia. N.	(ye.) grass-leaved.	N. America.	1758.	8. 10.	H. 4.	Bot. mag. t. 2546.
<i>Chrysocoma graminifolia. L. Solidago lanceolata. w.</i>						
2 tenuifolia. N.	(ye.) slender-leaved.	N. America.	————	9. 10.	H. 4.	
BRACHYRIS. N.	BRACHYRIS.	Syngenesia Polygamia Superflua.				
Euthamia. N.	(ye.) strong-scented.	Missouri.	1827.	8. 10.	H. 4.	
<i>Solidago Sarothrae. Ph. Brachyachyris Euthamiae. s.s.</i>						
CHRYSO'COMA. W.	GOLDY-LOCKS.	Syngenesia Polygamia Equalis. L.				
1 comaurea. w.	(ye.) great shrubby.	C. B. S.	1731.	6. 8.	G. h.	Bot. mag. t. 1972.
2 patula. w.	(ye.) spreading.	————	1816.	————	G. h.	
3 cernua. w.	(ye.) small shrubby.	————	1712.	5. 9.	G. h.	Comm. hort. 2. t. 41
4 ciliaris. w.	(ye.) Heath-leaved.	————	1759.	7. 10.	G. h.	———— 2. t. 48
5 nivea. w.	(ye.) woolly-leaved.	————	1820.	5. 9.	G. h.	Jacq. schœn. 2. t. 146
<i>tomentosa. Jacq. non L.</i>						
6 scabra. w.	(ye.) rugged.	————	1732.	8. 9.	G. h.	Dill. elth. t. 98. f. 10
7 denticulata. w.	(ye.) toothed.			————	G. h.	Jacq. schœn. 3. t. 10
8 Linosyris. w.	(ye.) flax-leaved.	Europe.		9. 10.	H. 2.	Eng. bot. v. 35. t. 2
9 dracunculoides. w.	(ye.) Siberian.	Siberia.		————	H. 2.	
10 biflora. w.	(ye.) two-flowered.	————	1741.	8. 9.	H. 4.	Gmel. sib. 2. t. 82. f. 1
11 graveolens. N.	(ye.) Rue-scented.	Missouri.	1822.	————	H. 4.	
12 nudata. M.	(ye.) naked.	N. America.	1819.	————	H. 4.	
13 virgata. N.	(ye.) slender.	————	————	————	H. 4.	
14 villosa. w.	(ye.) villous.	Hungary.	1799.	————	H. 2.	W. et K. hanz. 1. t. 1
BOLTONIA. W.	BOLTONIA.	Syngenesia Polygamia Superflua. L.				
1 asteroides. w.	(wh.) Starwort-flower'd.	N. America.	1758.	8. 10.	H. 4.	Bot. mag. t. 2551.
2 glastifolia. w.	(pu.) glaucous-leaved.	————	————	9.	H. 4.	———— t. 2551.
AMELLUS. W.	AMELLUS.	Syngenesia Polygamia Superflua.				
Lychnitis. w.	(bl.) Cape.	C. B. S.	1768.	6. 7.	G. h.	Bot. reg. t. 586.
SIDERA'NTHUS. Fras.	SIDERA'NTHUS.	Syngenesia Polygamia Superflua.				
1 villosus.	(ye.) villous.	Missouri.	1811.	8. 9.	H. 4.	
<i>Sideranthus integrifolius. Fras. Amellus villosus. Ph.</i>						
2 spinulosus.	(ye.) spiny.	————	————	————	H. 4.	
<i>Amellus spinulosus. Ph. Sideranthus pinnatifidus. Fras.</i>						
STARKEA. W.	STARKEA.	Syngenesia Polygamia Superflua.				
1 umbellata. w.	(ye.) umbel-flower'd.	Jamaica.	1768.	6. 7.	S. 4.	Lam. ill. t. 62. f. 11
2 igniaria. D.D.	(ye.) close-flowered.	S. America.	1823.	6. 8.	F. 4.	H. et B. pl. aqu. 2. t. 10
<i>Hierba de Santa Maria. incolarum. Andromachia igniaria. s.s.</i>						
GRIND'ELIA. W.en.	GRIND'ELIA.	Syngenesia Polygamia Superflua. W.				
1 glutinosa. Dun.	(ye.) glutinous.	Mexico.	1803.	1. 12.	F. h.	Bot. reg. t. 185
<i>Donia glutinosa. B.R. Daronicum glutinosum. w.</i>						
2 inuloides. W.en.	(ye.) Inula-like.	Mexico.	1815.	6. 9.	F. h.	Bot. reg. t. 225
3 pulchella. s.s.	(ye.) pretty.	Chile.	1827.	————	F. h.	
4 nitida. Bern.	(ye.) glossy.	Mexico.	1825.	————	F. h.	
5 coronopifolia. Leh.	(ye.) Buck-horn-leav'd.	————	1826.	————	F. h.	
6 angustifolia. B.R.	(ye.) narrow-leaved.	————	1822.	————	F. h.	Bot. reg. t. 731
7 spatulata. L.en.	(ye.) spatulate-leav'd.	————	————	————	F. h.	

1 squarrosa. Dun. (ye.) Snake-headed.	Missouri.	1811.	7. 9.	F. 2.	Bot. mag. t. 1706.
2 ciliata. s.s. (ye.) ciliated.	Arkansa.	1821.	9. 10.	H. 2.	Hook. ex. flor. t. 45.
<i>Denia ciliata</i> . H.E.F.					
3 villosa. D. (ye.) villous.	Columbia.	1827.	8. 10.	H. 2.	
PODOLEPIS. Lab. PODOL'EPIS. Syngenesia Polygamia Superflua.					
1 rugata. H.K. (ye.) wrinkle-scaled.	N. Holland.	1803.	7. 8.	G. 2.	Lab. nov. holl. 2. t. 208.
2 crenata. H.K. (ye.) sharp-scaled.	N. S. W.	—	5. 8.	G. 2.	Bot. mag. t. 956.
<i>Stellia jaccoides</i> . B.M.					
3 gracilis. B.F.G. (li.) slender.	N. Holland.	1827.	8. 10.	H. 2.	Swt. br. fl. gar. t. 285.
GERBERIA. Cass. GERB'ERIA. Syngenesia Polygamia Superflua.					
1 crenata. B.R. (li.) crenated.	C. B. S.	1820.	4. 8.	G. 2.	Bot. reg. t. 855.
2 asplenifolia. s.s. (ye. pu.) Spleenwort-leaved.	—	1822.	4. 6.	G. 2.	Burm. afr. 155. t. 26. f. 1.
<i>Arnica Gerbera</i> . L. <i>Doronicum asplenifolium</i> . Lam.					
ARNICA. W. A'RNICA. Syngenesia Polygamia Superflua.					
1 montana. w. (ye.) mountain.	Europe.	1731.	7. 8.	H. 2.	Bot. mag. t. 1749.
2 angustifolia. s.s. (ye.) narrow-leaved.	Greenland.	1827.	6. 8.	H. 2.	
3 fulgens. Ph. (ye.) glossy-flowered.	Missouri.	1826.	—	H. 2.	
4 scarpoides. w. (ye.) alternate-leaved.	Austria.	1710.	—	H. 2.	Jacq. aust. 4. t. 319.
5 glacialis. w. (ye.) alpine.	Germany.	1816.	7. 8.	H. 2.	Jacq. ic. 3. t. 586.
6 Doronicum. w. (ye.) Clusius's.	Austria.	—	—	H. 2.	Jacq. aust. 1. t. 92.
<i>Clusii</i> . All. t. 17. f. 1. 2.					
7 lanigera. T.N. (ye.) woolly.	Italy.	1827.	—	H. 2.	
8 maritima. L. (ye.) sea-side.	Kamtschatka.	1821.	—	H. 2.	
BELLIDIA'STRUM. Cas. BELLIDIA'STRUM. Syngenesia Polygamia Superflua.					
1 Micheli. Cas. (wh. ro.) Micheli's.	Austria.	1570.	6. 8.	H. 2.	Bot. mag. t. 1196.
<i>Arnica Bellidiástrum</i> . B.M. <i>Doronicum Bellidiástrum</i> . L.					
DIPLO'COMA. D.D. DIPLO'COMA. Syngenesia Polygamia Superflua.					
1 villosa. D.D. (ye.) villous.	Mexico.	1827.	8. 10.	F. 2.	Swt. br. fl. gar. t. 246.
NEJA. D.D. N'EJA. Syngenesia Polygamia Superflua.					
1 gracilis. D.D. (ye.) slender.	Mexico.	1828.	9. 10.	F. 2.	Swt. br. fl. gar. ser. 2.
DORONICUM. W. LEOPARD'S-BANE. Syngenesia Polygamia Superflua.					
1 Pardalianches. w. (ye.) great.	Britain.		5.	H. 2.	Eng. bot. v. 9. t. 630.
2 macrophyllum. s.s. (ye.) large-leaved.	Europe.	1821.	—	H. 2.	
3 scarpoides. w. (ye.) mountain.	Germany.	—	4. 6.	H. 2.	
4 Columna. T.S. (ye.) Columna's.	Naples.	1826.	—	H. 2.	Column. cephr. 2. t. 46.
5 caucasicum. M.B. (ye.) Caucasian.	Caucasus.	1815.	—	H. 2.	
<i>orientale</i> . W.en.					
6 altaicum. w. (ye.) Siberian.	Siberia.	1783.	6. 8.	H. 2.	Pall. a. pet. 1779. t. 16.
7 dentatum. L.en. (ye.) toothed.		1825.	5. 6.	H. 2.	
8 plantagineum. w. (ye.) Plantain-leav'd.	S. Europe.	1570.	—	H. 2.	
9 austriacum. w. (ye.) Austrian.	Austria.	1816.	—	H. 2.	Jacq. aust. t. 130.
LEPTOSTE'LMA. D.D. LEPTOSTE'LMA. Syngenesia Polygamia Superflua.					
1 maxima. D.D. (wh.) gigantic.	Mexico.	1828.	8. 9.	H. 2.	Swt. br. fl. gar. s. 2. t. 38.
BELLIS. W. DAISY. Syngenesia Polygamia Superflua. L.					
1 sylvestris. w. (wh.) large Portugal.	Portugal.	1797.	5. 7.	H. 2.	Bot. mag. t. 2511.
2 perennis. w. (wh.) common.	Britain.		3. 8.	H. 2.	Eng. bot. v. 6. t. 424.
3 hortensis. (wh.) large double.			—	H. 2.	Bot. mag. t. 228.
4 fistulosa. (re.) red quilled.			—	H. 2.	
5 tubulosa. (wh.) white quilled.			—	H. 2.	
6 prolifera. (wh. re.) Hen & Chicken.			—	H. 2.	
7 hybrida. Ten. (wh.) Italian.	Italy.	1824.	4. 8.	H. 2.	
8 annua. w. (wh.) annual.	S. Europe.	1759.	3. 7.	H. 2.	Bot. mag. t. 2174.
BELLIUM. W. BE'LLIUM. Syngenesia Polygamia Superflua. L.					
1 bellidioides. w. (wh.) small.	Italy.	1796.	6. 9.	H. 2.	Lam. ill. t. 684.
2 minutum. w. (wh.) dwarf.	Levant.	1772.	6. 10.	H. 2.	Schreb. a. ups. 1. t. 5. f. 2.
PSIADIA. W. PSI'ADIA. Syngenesia Polygamia Necessaria. W.					
1 glutinosa. w. (ye.) glutinous.	Mauritius.	1796.	6. 8.	S. 2.	Jacq. schœn. 2. t. 152.

Subordo IV. *EUPATOREÆ*. *Kth. synops.* 2. p. 408.

KUHNIÆ. W. K'UHNIÆ. Syngenesia Polygamia Æqualis.					
1 eupatorioides. w. (wh.) Eupatorium-like.	N. America.	1812.	6. 8.	H. 2.	Linn. fl. dec. t. 11.
<i>Critonia eupatorioides</i> . G.					
2 Critonia. w. (st.) glandular-leaved.	—	1816.	—	H. 2.	Gært. carp. 2. t. 174. f. 7.
<i>Critonia Kuhnii</i> . G.					
3 rosmarinifolia. s.s. Rosemary-leaved.	Cuba.	1827.		S. 2.	

EUPATORIUM. W.		EUPATORIUM. Syngenesia Polygamia Æqualis. L.					
1	Dàlea. w. (wh.) shrubby.	Jamaica.	1773.	8.	S. h.	Jacq. schœn. 2. t. 146.	
2	parviflorum. w. (wh.) small-flowered.	—	1823.	—	S. h.		
3	triflorum. w. (wh.) three-flowered.	Trinidad.	1821.	7. 8.	S. h.	Aub. gui. 2. t. 314.	
4	macrophyllum. w. (li.) large-leaved.	S. America.	1824.		S. 2.	Plum. spec. 10. t. 129.	
5	populifolium. k.s. (wh.) Poplar-leaved.	Mexico.	—		S. h.		
6	canescens. w. (wh.) canescent.	S. America.	1822.	6. 8.	S. h.	Vahl symb. 3. t. 73.	
7	veronicæfolium. k.s. (w.) Speedwell-leav'd.	Mexico.	1825.		S. h.	H. et B. v. 4. t. 341.	
8	fœniculaceum. w. (st.) Fennel-leaved.	N. America.	1807.	6. 9.	H. 2.		
9	coronopifolium. w. (wh.) buckshorn-leaved.	—	1819.	8. 9.	H. 2.		
10	hyssopifolium. w. (wh.) Hyssop-leaved.	—	1699.	—	H. 2.	Dill. elth. t. 115. f. 110.	
11	sessilifolium. w. (wh.) sessile-leaved.	—	1777.	9. 10.	H. 2.		
12	truncatum. w. (wh.) truncate-leaved.	—	1822.	8. 10.	H. 2.		
13	album. w. (wh.) white-flowered.	—	—	—	H. 2.		
14	lanceolatum. w. (wh.) spear-leaved.	—	1819.	8. 11.	H. 2.		
15	teucrifolium. w. (wh.) Teucrium-leav'd.	—	1816.	—	H. 2.	Willd. hort. ber. t. 32.	
16	rotundifolium. w. (wh.) round-leaved.	—	1699.	7. 8.	H. 2.	Pluk. alm. t. 88. f. 4.	
17	pubescens. w. (wh.) pubescent.	—	1816.	8. 10.	H. 2.		
18	ceanothifolium. w. (w.) Ceanothus-like.	—	1812.	8. 11.	H. 2.		
19	altissimum. w. (wh.) tall.	—	1699.	9. 10.	H. 2.	Jacq. vind. 2. t. 164.	
20	trifoliatum. w. (wh.) three-leaved.	—	1768.	8. 10.	H. 2.		
21	cannabinum. w. (pu.) Hempagrimony.	Britain.		7. 10.	H. 2.	Eng. bot. v. 6. t. 428.	
22	syriacum. w. (ro.) Syrian.	Syria.	1807.	7. 9.	H. 2.	Jacq. ic. 1. t. 170.	
23	diffusum. s.s. (wh.) spreading.	S. America.	1821.	6. 8.	S. 2.		
24	purpureum. w. (pu.) purple-stalked.	N. America.	1640.	9. 10.	H. 2.	Corn. canad. t. 72.	
25	maculatum. w. (pu.) spotted-stalked.	—	1656.	8. 9.	H. 2.	Herm. parad. t. 158.	
26	punctatum. Ph. (pu.) punctated.	—	1815.	—	H. 2.		
27	verticillatum. w. (pu.) whorl-leaved.	—	1811.	—	H. 2.		
28	perfoliatum. w. (wh.) Feverwort.	—	1699.	8. 10.	H. 2.	Pluk. alm. t. 87. f. 6.	
29	salviæfolium. B.M. (wh.) Sage-leaved.	—	1812.	—	H. 2.	Bot. mag. t. 2010.	
30	lamiifolium. L.en. (wh.) Lamium-leaved.	—	1818.	—	H. 2.		
31	paniculatum. Mil. (wh.) paniced.	—		—	H. 2.		
32	melissoïdes. w. (wh.) Balm-leaved.	—	1821.	8. 10.	H. 2.		
33	aromaticum. w. (wh.) aromatic.	—	1739.	7. 8.	H. 2.	Pluk. alm. t. 88. f. 3.	
34	urticæfolium. w. (wh.) Nettle-leaved.	S. America.	1803.	—	G. 2.	Smith ined. t. 68.	
35	ageratoïdes. w. (wh.) Ageratum-like.	N. America.	1640.	8. 10.	H. 2.	Corn. canad. t. 21.	
36	deltoidæum. w. (pi.) deltoid-leaved.		1818.	—	S. 2.	Jacq. schœn. 3. t. 360.	
37	scandens. L.en. (ye.) climbing.	S. America.	1822.	6. 8.	S. h.		
38	squarrosu. w. (st.) squarrose.	Mexico.	1824.	—	S. 2.	Cavan. ic. 1. t. 98.	
39	atriplicifolium. w. (li.) Orache-leaved.	W. Indies.	1820.		S. h.		
40	sinuatum. P.s. (wh.) sinuate.	—	1824.	6. 8.	S. h.	Plum. sp. 10. ic. 128. f. 1.	
41	odoratum. w. (wh.) sweet-scented.	Jamaica.	1752.	8. 10.	S. h.	Pluk. alm. t. 177. f. 3.	
42	Ayapana. v. (pu.) medicinal.	Brazil.	1821.	—	S. h.	Vent. malm. p. 3. t. 3.	
43	triplinerve. P.s. triply-nerved.	Santa Cruz.	—	—	S. h.		
44	ivæfolium. w. (wh.) Iva-leaved.	Jamaica.	1794.	6. 7.	S. 2.		
45	stœchadifolium. L. (ri.) Stœchas-leav'd.	New Granada.	1826.		S. h.	Sm. ic. ined. t. 69.	
46	myosotifolium. w. (bl.) Myosotis-leav'd.	S. America.	1824.	6. 8.	S. 2.	Jacq. ic. 3. t. 282.	
47	iresinoïdes. k.s. (wh.) Iresine-like.	—	—	—	S. 2.	H. et B. v. 4. t. 340.	
48	pulchellum. k.s. (ri.) pretty.	Mexico.	—	—	S. h.	— v. 4. t. 345.	
49	xalapense. k.s. (wh.) six-angled.	—	—	—	S. h.		
50	repandum. w. (wh.) repand-leaved.	Antilles.	1822.	—	S. h.	Plum. ic. 130. f. 1.	
51	asperum. H.B. (wh.) rough.	E. Indies.	1820.	6. 8.	S. h.		
MIK'ANIA. W.		MIK'ANIA. Syngenesia Polygamia Æqualis. W.					
1	Houstoni. w. (wh.) Houston's.	Jamaica.	1733.	7. 8.	S. h.		
2	hastata. w. (wh.) halbert-leaved.	—		—	S. h.	Brown jam. t. 34. f. 3.	
3	scandens. w. (wh.) climbing.	N. America.	1714.	8. 9.	H. 2.	Jacq. ic. 1. t. 169.	
4	Guaco. k.s. (wh.) medicinal.	S. America.	1823.		S. 2.	H. et B. pl. 2. t. 105.	
5	amara. w. (wh.) bitter.	Trinidad.	1824.		S. h.	Aubl. gui. 2. t. 315.	
6	opifera. Mart. (wh.) snakewort.	Brazil.	1822.		S. h.		
7	nummularia. D.D. (wh.) moneywort.	Mexico.	1826.	6. 8.	S. 2.		
STEVIA. W.		STEVIA. Syngenesia Polygamia Æqualis. W.					
1	connata. L.G. (wh.) connate-leaved.	New Spain.	1825.	8. 10.	F. h.		
2	subpubescens. L.G. (w.) downy-branch'd.	—	—	—	F. h.		
3	coriacea. L.G. (wh.) leather-leaved.	Peru.	1826.	—	F. h.		
4	lucida. L.G. (wh.) glossy-leaved.	New Spain.	1822.	—	F. h.		
5	salicifolia. w. (wh.) Willow-leaved.	Mexico.	1803.	—	F. h.	Cavan. ic. 4. t. 351.	
6	angustifolia. k.s. (wh.) narrow-leaved.	—	—	—	F. h.		
7	trifida. L.G. (wh.) trifid-leaved.	New Spain.	1828.	—	F. 2.		
8	micrantha. L.G. (wh.) small-flowered.	—	1825.	8. 10.	F. 2.		

9	incanescens. L.G. (wh.)	flous-stalked.	New Spain.	1825.	8. 10.	F. 2.	
10	pubescens. L.G. (pu.)	pubescent.	Mexico.	1823.	—	F. 2.	
11	tomentosa. K.S. (ro.)	tomentose.	—	1825.	—	F. 2.	
12	monardæfolia. K.S. (ro.)	Monarda-leav'd.	—	—	8. 9.	F. 2.	
13	fastigiata. K.S. (wh.)	crowded-flower'd.	New Spain.	1828.	—	F. 2.	
14	adenophora. L.G. (wh.)	glandular.	Chile.	1822.	—	F. 2.	
15	cnarthrotricha. L.G. (w.)	jointed haired.	New Spain.	1828.	—	F. 2.	
16	ovata. L.G. (wh.)	oval-leaved.	Mexico.	1816.	8. 9.	F. 2.	
17	subcortaristata. L.G. (w.)	8-awned.	Peru.	1824.	—	F. 2.	
18	paniculata. L.G. (wh.)	panicled.	New Spain.	—	—	F. 2.	
19	suaveolens. L.G. (wh.)	sweet-scented.	—	1827.	—	F. 2.	
20	rhombifolia. K.S. (wh.)	rhomb-leaved.	Mexico.	1826.	8. 10.	F. 2.	
21	nepetæfolia. K.S. (wh.)	catmint-leaved.	—	—	—	F. 2.	
22	Eupatoria. w. (ro.wh.)	entire-leaved.	—	1798.	7. 9.	F. 2.	Bot. mag. t. 1819.
23	lanceolata. L.G. (bh.)	spear-leaved.	—	1824.	—	F. 2.	
24	hyssopifolia. B.M. (wh.)	Hyssop-leaved.	—		—	F. 2.	Bot. mag. t. 1861.
25	ivæfolia. W.en. (wh.)	Iva-leaved.	—	1816.	7. 9.	F. 2.	
26	serrata. w. (wh.)	saw-leaved.	—	1799.	—	F. 2.	Jacq. schœn. 3. t. 300
27	virgata. K.S. (wh.)	slender.	—	1824.	—	F. 2.	
28	purpurea. W.en. (pu.)	purple-flowered.	—	1812.	8. 9.	H. 2.	Bot. reg. t. 93.
<i>Eupatoria. B.R. nec aliorum.</i>							
29	viscida. K.S. (ro.)	rose-coloured.	—	1824.	9. 10.	F. 2.	
30	pilosa. L.G. (ro.)	hairy.	New Spain.	1825.	8. 10.	F. 2.	
31	microphylla. K.S. (bh.)	small-leaved.	Mexico.	1828.	—	F. 2.	
PALAFO'XIA. Lag. PALAFO'XIA. Syngenesia Polygamia Æqualis.							
1	linearis. L.G. (wh.)	linear-leaved.	Mexico.	1816.	8. 10.	F. 2.	Bot. mag. t. 2132.
<i>Steria linearis. w. Ageratum lineare. Cav. ic. 3. t. 205.</i>							
2	callosa. D.D. (wh.)	callous.	Arkansa.	1824.	6. 8.	H. 0.	
<i>Steria callosa. N.</i>							
AGER'ATUM. W. AGER'ATUM. Syngenesia Polygamia Æqualis. L.							
1	strictum. B.M. (wh.)	upright.	Nepaul.	1820.	9. 11.	H. 0.	Bot. mag. t. 2410.
2	conyzoides. w. (bl.)	hairy.	America.	1714.	7. 8.	H. 0.	Schk. hand. 3. t. 238.
3	cæruleum. P.S. (bl.)	blue-flowered.	S. America.	1820.	—	H. 0.	
4	mexicanum. B.M. (bl.)	Mexican.	Mexico.	1823.	8. 10.	H. 0.	Swt. br. fl. gar. t. 89.
5	latifolium. w. (wh.)	broad-leaved.	Peru.	1800.	7. 8.	H. 0.	Cavan. ic. 4. t. 357.
6	Houstonianum. Mil. (bl.)	Houstoun's.	S. America.		6. 8.	S. 0.	
7	paniculatum. Ser. (bl.)	panicled.	—	1827.	9. 10.	H. 0.	
8	album. w. (wh.)	white-flowered.	—	1822.	6. 9.	H. 0.	
<i>hirtum. Lam.</i>							
9	maritimum. K.S. (bl.)	sea-side.	Cuba.	1826.	—	S. 2.	
10	cordifolium. H.B. (wh.)	heart-leaved.	Bengal.	1820.	8. 10.	S. 0.	
11	aquaticum. H.B. (wh.)	water.	E. Indies.	—	—	S. 0.	
CÆLESTINA. Cas. CÆLEST'INA. Syngenesia Polygamia Æqualis.							
1	suffruticosa. (bl.)	suffruticose.	S. America.		7. 10.	G. ½.	Bot. mag. t. 1730.
<i>Ageratum caelestinum. B.M.</i>							
2	ageratoides. K.S. (bl.)	Ageratum-like.	New Spain.	1824.	—	G. 2.	
3	cærulea. Cas. (bl.)	blue-flowered.	N. America.	1732.	7. 11.	H. 2.	Dill. elth. t. 114. f. 139.
<i>Eupatorium caelestinum. w.</i>							
AL'OMIA. K.S. AL'OMIA. Syngenesia Polygamia Æqualis.							
	ageratoides. K.S. (wh.)	white-flowered.	New Spain.	1823.	7. 9.	G. 2.	H. et B. 4. t. 354.
PIQU'ERIA. W. PIQU'ERIA. Syngenesia Polygamia Æqualis. W.							
1	trinervia. w. (wh.)	three-nerved.	Mexico.	1798.	7. 8.	G. 2.	Cavan. ic. 3. t. 235.
2	pilosa. K.S. (wh.)	hairy.	—	1824.	—	G. 2.	
3	artemisioides. K.S. (wh.)	Wormwood-like.	Quito.	—	8. 12.	G. 2.	
SELL'OA. Spr. SELL'OA. Syngenesia Polygamia Æqualis.							
	glutinosa. B.R. (ye.)	clammy.	Brazil.	1815.	1. 5.	G. ½.	Bot. reg. t. 462.
LEYS'ERA. W. LEYS'ERA. Syngenesia Polygamia Superflua. W.							
1	ciliata. w. (ye.)	ciliated.	C. B. S.	1816.	7. 8.	G. 2.	
2	gnaphalodes. w. (or.)	woolly.	—	1774.	7. 9.	G. ½.	Jacq. ic. 3. t. 588.

SUBORDO V. JACOBÆÆ. Kth. synops. 2. p. 440.

KLEI'NIA. W. KLEI'NIA. Syngenesia Polygamia Æqualis. W.							
1	maderalis. w. (gr.ye.)	glaucous-leav'd.	S. America.	1824.	7. 10.	S. 0.	Jacq. amer. t. 127.
2	Perophyllum. w. (gr.ye.)	perforated.	—	1699.	6. 10.	S. 0.	Cavan. ic. 3. t. 222.
3	viridiflora. K.S. (gr.)	green-flowered.	Mexico.	1823.	—	S. ½.	

4	tagetoïdes. K.s.	(gr.) Tagetes-like.	Mexico.	1823.	6. 10.	H. ☉.	
5	suffruticosa. w.	(pu.) suffruticose.	S. America.	1825.	—	G. h.	Cavan. ic. 3. t. 257.
6	colorata. K.s.	(vi.) violet-colour'd.	Mexico.	—	—	H. ☉.	
CACALIA. W. CACALIA. Syngenesia Polygamia Æqualis. L.							
1	papillaris. w.	(wh.) rough-stalked.	C. B. S.	1727.		G. h.	Dill. elth. t. 55. f. 63.
2	Anteuphórbium. w.	(st.) oval-leaved.	—	1596.	2. 3.	G. h.	— t. 55. f. 23.
3	Kleinia. w.	(wh.) Oleander-leaved.	Canaries.	1732.	9. 10.	G. h.	DC. plant. gras. t. 12.
4	Ficoides. w.	(st.) flat-leaved.	C. B. S.	1710.	6. 11.	G. h.	— t. 90.
5	rèpens. w.	(st.) glaucous-leaved.	—	1759.	6. 10.	G. h.	— t. 42.
6	cylindrica. DC.	(ye.) cylindrical.	Africa.	1818.	—	G. h.	— t. ic.
7	carnosa. w.	(st.) narrow-leaved.	C. B. S.	1757.	6.	G. h.	
8	canescens. w.	(st.) woolly-leaved.	—	1795.		G. h.	
Hawóorthii. H.S.L. Kleinia tomentosa. H.S. non C. tomentosa. L.							
9	longifolia. H.R.	 long-leaved.		1820.		S. h.	
pugioniformis. L.en.							
10	articulata. w.	(wh.) jointed.	C. B. S.	1775.	9. 11.	G. h.	DC. plant. gras. t. 15.
laciniata. Jacq. ic. 1. t. 168.							
11	tomentosa. w.	(ye.) tomentose.	—	1795.	—	G. h.	
12	reticulata. w.	(ye.) netted.	Bourbon.	1823.		G. h.	
13	appendiculata. w.	(ye.) appendaged.	Teneriffe.	1815.	6. 9.	G. h.	
14	salicina. Lab.	(ye.) willow-leaved.	V. Diem. Isl.	1820.	4. 6.	G. h.	Bot. reg. t. 923.
15	bicolor. w.	(or.) two-coloured.	E. Indies.	1804.	9. 5.	S. h.	— t. 110.
16	ovalis. B.R.	(ye.) oval-leaved.	—		—	S. h.	— t. 102.
17	sonchifolia. w.	(re.) Sonchus-leaved.	—	1768.	7.	S. ☉.	Rheed. mal. 10. t. 68.
18	coccinea. B.M.	(sc.) scarlet-flower'd.	S. America.	1799.	6. 7.	H. ☉.	Bot. mag. t. 564.
19	sarracènica. w.	(st.) creeping-rooted.	France.	1772.	8. 10.	H. ☉.	
20	runcinata. K.s.	(ro.) runcinate.	Mexico.	1825.		H. ☉.	
21	hastata. w.	(wh.) spear-leaved.	Siberia.	1780.	8. 10.	H. ☉.	Gmel. sib. 2. t. 66.
22	rhombifolia. W.en.	(st.) rhomb-leaved.	—	1816.	—	H. ☉.	
23	macrophylla. M.B.	(st.) large-leaved.	Caucasus.	1828.	—	H. ☉.	
24	suavèolens. w.	(wh.) sweet-scented.	N. America.	1752.	—	H. ☉.	
25	atriplicifolia. w.	(wh.) Orache-leaved.	—	1699.	8.	H. ☉.	Pluk. alm. t. 101. f. 2.
26	cordifolia. K.s.	(ye.) heart-leaved.	Mexico.	1825.	7. 9.	F. ☉.	
27	reniformis. w.	(wh.) kidney-leaved.	N. America.	1801.	7. 8.	H. ☉.	
28	tuberosa. N.	(wh.) tuberous-rooted.	—	1812.	—	H. ☉.	
29	pinnata. W.en.	(ye.) pinnate-leaved.	Iberia.	1816.	—	H. ☉.	
30	peltata. K.s.	(gr.) peltated.	Mexico.	1825.	—	G. ☉.	H. et Bonpl. 4. t. 361.
31	scandens. w.	(pi.) climbing.	C. B. S.	1774.	4.	G. ☉.	
EMILEA. Cas. EMILEA. Syngenesia Polygamia Æqualis.							
	flammea. Cas. (or. pu.)	flame-flowered.	Java.	1823.	6. 9.	S. ☉.	
Cacalia sagittata. w.							
ADENO'STYLES. Cas. ADENO'STYLES. Syngenesia Polygamia Æqualis.							
1	candidissima. Cas.	(pu.) hoary.	S. France.	1828.	7. 9.	H. ☉.	
Cacalia tomentosa. Vill. leucophylla. w.							
2	albida. Cas.	(pi.) white-leaved.	Austria.	1739.	7. 8.	H. ☉.	Jacq. aust. 3. t. 235.
Cacalia albifrons. Jacq.							
3	viridis. Cas.	(li.) alpine.	—	—	—	H. ☉.	Jacq. aust. 3. t. 234.
Cacalia alpina. Jacq.							
TUSSILAGO. W. COLTSFOOT. Syngenesia Polygamia Superflua. L.							
1	alpina. w.	(pu.) Alpine.	Austria.	1710.	3. 5.	H. ☉.	Bot. mag. t. 84.
2	discolor. w.	(pu.) two-coloured.	—	1633.	4. 5.	H. ☉.	Jacq. aust. 3. t. 247.
3	sylvèstris. w.	(pu.) wood.	—	1816.	—	H. ☉.	— 5. app. t. 12.
4	Farfara. w.	(ye.) common.	Britain.		3. 4.	H. ☉.	Eng. bot. v. 6. t. 120.
β variegata. (ye.) variegated-leav'd.							
5	frigida. w.	(pu.) Lapland.	Lapland.	1710.	5.	H. ☉.	Flor. dan. t. 61.
6	fragrans. w.	(bh.) fragrant.	Italy.	1806.	1. 3.	H. ☉.	Bot. mag. t. 1388.
7	alba. w.	(wh.) white butter-bur.	Europe.	1683.	1. 4.	H. ☉.	Flor. dan. t. 524.
8	corymbosa. s.s.	(wh.) corymböse.	Arctic regions.	1827.	—	H. ☉.	
9	nivea. w.	(wh.) downy-leaved.	Switzerland.	1713.	4.	H. ☉.	Retz. obs. 2. t. 3.
paradoxa. Retz.							
10	Petasites. E.B.	(bh.) common butter bur.	Britain.		3. 4.	H. ☉.	Eng. bot. v. 6. t. 431.
11	hy'brida. E.B.	(bh.) large-leaved.	—		—	H. ☉.	— v. 6. t. 430.
12	spuria. w.	(wh.) lobe-leaved.	Germany.	1790.	—	H. ☉.	Retz. obs. 1. t. 2.
paradoxa. Roth.							
13	palmata. w.	(wh.) cut-leaved.	Labrador.	1778.	4.	H. ☉.	Hort. Kew. v. 3. t. 11.
SEN'ECIO. W. GROUNDSSEL. Syngenesia Polygamia Superflua. W.							
1	reclinatus. w.	(ye.) grass-leaved.	C. B. S.	1774.	6. 8.	G. ☉.	Jacq. ic. 1. t. 174.
2	hieracifolius. w.	(ye.) hawkweed-leav'd.	N. America.	1699.	8.	H. ☉.	Herm. pared. t. 226.
3	purpureus. w.	(pu.) purple.	C. B. S.	1774.	7. 9.	G. ☉.	Jacq. ic. 3. t. 580.

4 cernuus. w.	(pu.) drooping.	E. Indies.	1780.	7. 8.	H. ☉.	Jacq. vind. 3. t. 93.
5 erubescens. w.	(bh.) blush-coloured.	C. B. S.	1774.	6. 10.	G. ♂.	
6 hamatophyllus. W.en.	(ye.) purple leaved.	—	1789.	—	G. ♀.	
7 divaricatus. w.	(ye.) straddling.	China.	1801.	7.	G. ♂.	
8 croaticus. w.	(ye.) Croatian.	Hungary.	1805.	7. 8.	H. ☿.	W. et K. hung. 2. t. 143.
9 Pseudo-China. w.	(or.) Chinese.	China.	1732.	6. 8.	G. ☿.	Dill. elth. t. 258. f. 335.
10 japonicus. w.	(ye.) jagged-leaved.	Japan.	1774.	8.	H. ☿.	
11 vulgaris. w.	(ye.) common.	Britain.		1. 12.	H. ☿.	Eng. bot. v. 11. t. 747.
12 lanuginosus. s.s.	(ye.) woolly.		1827.	4. 8.	H. ☉.	
13 valerianifolius. s.s.	(ye.) Valerian-leav'd.	Brazil.	1826.	6. 10.	F. ☉.	
14 peucedanifolius. w.	(w.) Peucedanum-leav'd.	C. B. S.	1816.	6. 8.	G. ♀.	Jacq. ic. 3. t. 581.
<i>Cacalia peucedanifolia</i> . Jacq.						
15 arabicus. w.	(ye.) Arabian.	Egypt.	1804.	7. 8.	H. ♂.	
16 verbenafolius. w.	(ye.) Vervain-leav'd.	—	1803.	6. 7.	H. ☉.	Jacq. vind. 1. t. 3.
17 glomeratus. L.en.	(ye.) close-flowered.	N. Holland.	1816.	8. 10.	H. ☉.	
18 cacalioides. L.en.	(ye.) Cacalia-like.	Brazil.	1820.	—	H. ☉.	
19 triflorus. w.	(ye.) three-flowered.	Egypt.	1776.	7. 9.	H. ☉.	
20 aegyptius. w.	(ye.) Egyptian.	—	1771.	7. 8.	H. ☉.	
21 crassifolius. w.	(ye.) thick-leaved.	S. Europe.	1815.	—	H. ☉.	
22 lividus. w.	(ye.) livid.	Britain.		—	H. ☉.	Eng. bot. v. 35. t. 2515.
23 telephifolius. w.	(ye.) Telephium-leav'd.	C. B. S.	1823.	—	H. ☉.	Jacq. frag. 1. t. 1. f. 3.
24 trilobus. w.	(ye.) three-lobed.	Spain.	1728.	6. 8.	H. ☉.	
25 cinerascens. w.	(ye.) gray.	C. B. S.	1774.	5. 7.	G. ♀.	Jacq. schoen. 2. t. 150.
26 lilacinus. s.s.	(li.) lilac-coloured.	—	1826.	6. 12.	G. ♀.	Link et Ott. abb. ic.
27 viscosus. w.	(ye.) stinking.	Britain.		6. 10.	H. ☉.	Eng. bot. v. 1. t. 32.
28 sylvaticus. w.	(st.) mountain.	—		7. 8.	H. ☉.	— v. 11. t. 748.
29 coronopifolius. w.	(ye.) Buck'shorn-leav'd.	Spain.	1821.	—	H. ☉.	
30 nebrodensis. w.	(ye.) Nebrodes.	S. Europe.	1704.	6. 8.	H. ☉.	Barrel. rar. 401.
31 glaucus. w.	(ye.) sea-green.	Egypt.	1739.	—	H. ☉.	
32 Marmoræ. s.s.	(ye.) Sardinian.	Sardinia.	1829.	4. 5.	H. ♂.	
33 hastatus. w.	(ye.) halbert-leaved.	C. B. S.	1722.	5. 8.	G. ☿.	Dill. elth. t. 152. f. 184.
34 pubigerus. w.	(ye.) runcinate-leav'd.	—	1816.	—	G. ♀.	Moris. s. 7. t. 18. f. 32.
35 vernalis. w.	(ye.) spring.	Hungary.	1803.	4. 6.	H. ☉.	W. et K. hung. 1. t. 24.
36 montanus. w.	(ye.) smooth mountain.	Germany.	1819.	—	H. ☉.	
37 rupëstris. w.	(ye.) rock.	Hungary.	1805.	6. 7.	H. ☿.	W. et K. hung. 2. t. 123.
38 laciniata. Bert.	(ye.) jagged.	Italy.	1822.	5. 8.	H. ♂.	
39 dentatus. w.	(ye.) toothed-leaved.	C. B. S.	1823.	—	G. ☿.	
40 squamosus. w.	(ye.) scaly.	—	1816.	—	G. ☿.	
41 venustus. w.	(re.) wing-leaved.	—	1774.	5. 11.	G. ♀.	Bot. reg. t. 901.
42 elegans. w.	(re.wh.) elegant.	—	1700.	6. 8.	H. ☉.	
a ruber.	(re.) red-flowered.	—	—	—	H. ☉.	
b albus.	(wh.) white-flowered.	—	—	—	H. ☉.	
γ pleno-albus.	(wh.) double-white.	—	—	4. 11.	G. ♀.	
δ pleno-ruber.	(re.) double red.	—	—	—	G. ♀.	Bot. mag. t. 238.
43 speciosus. w.	(re.) red-flowered.	China.	1789.	7. 8.	G. ☿.	Bot. reg. t. 41.
44 squalidus. w.	(ye.) inelegant.	England.		6. 10.	H. ☉.	Eng. bot. v. 9. t. 600.
45 erucifolius. w.	(ye.) Eruca-leaved.	Europe.	1816.	7. 8.	H. ☿.	
46 chrysanthemifolius.	(ye.) Chrysanthemum-ld.	Sicily.	1823.	7. 9.	H. ☿.	Bocc. sic. t. 67.
47 uniflorus. w.	(ye.) one-flowered.	S. Europe.	1799.	7. 8.	H. ☿.	All. ped. t. 17. f. 8.
48 incanus. w.	(ye.) downy.	—	1759.	—	H. ☿.	Pluk. alm. t. 39. f. 6.
49 abrotanifolius. w.	(ye.) Southernwood-leav'd.	—	1640.	7. 10.	H. ☿.	Jacq. aust. 1. t. 79.
50 artemisiæfolius. P.s.	(ye.) Wormwood-leav'd.	France.	1820.	—	H. ☿.	
51 præaltus. s.s.	(ye.) lofty.	Italy.	1827.	7. 8.	H. ☿.	
52 Othonnæ. M.B.	(ye.) Othonna-like.	Caucasus.	1822.	—	H. ☿.	
53 Marschallianus. s.s.	(ye.) Bieberstein's.	Ukraine.	1826.	—	H. ☿.	
<i>arenarius</i> . M.B. non Thunb.						
54 grandiflorus. s.s.	(ye.) large-flowered.	C. B. S.	1824.	6. 8.	G. ♀.	Pluk. mant. t. 422. f. 5.
55 glaucescens. s.s.	(ye.) glaucescent.		1826.	6. 10.	H. ☉.	
56 carniolicus. s.s.	(ye.) Carniolian.	Carniola.	1827.	7. 8.	H. ☿.	
57 adonidifolius. Lois.	(ye.) Adonis-leaved.		1826.	7. 10.	H. ☿.	
58 dahuricus. F.	(ye.) Dahurian.	Dahuria.	1821.	—	H. ☿.	
59 umbellatus. s.s.	(ye.pu.) umbel-flowered.	C. B. S.	1822.	6. 8.	G. ♀.	
60 canadensis. w.	(ye.) Canadian.	N. America.	1818.	—	H. ☿.	
61 delphinifolius. w.	(ye.) Larkspur-leav'd.	Sicily.	1823.	—	H. ☿.	Vahl symb. 2. t. 43.
62 tenuifolius. w.	(ye.) slender-leaved.	Britain.		7. 8.	H. ☿.	Eng. bot. v. 8. t. 574.
63 Jacob'æa. w.	(ye.) common-ragwort.	—		—	H. ☿.	— v. 16. t. 1130.
64 erraticus. s.s.	(ye.) water.	S. Europe.	1826.	5. 7.	H. ☿.	
65 aquaticus. w.	(ye.) marsh.	—		—	H. ☿.	Eng. bot. v. 16. t. 1131.
66 aureus. w.	(ye.) golden.	N. America.	1758.	7. 8.	H. ☿.	

67	lyratifolius. s.s.	(ye.)	lyrate-leaved.	S. Europe.	1826.	5. 6.	H. 2.	
68	fragrans. s.s.	(ye.)	fragrant.	Siberia.	—	6. 8.	H. 2.	
69	Balsamitæ. w.	(ye.)	various-leaved.	N. America.	1819.	—	H. 2.	
70	obovatus. w.	(ye.)	obovate-leaved.	—	—	—	H. 2.	
71	leucophyllus. dc.	(ye.)	white-leaved.	S. Europe.	1821.	—	H. 2.	
72	rosmarinifolius. w.	(ye.)	Rosemary-leav'd.	C. B. S.		7. 8.	G. h.	Jacq. ic. 3. t. 587.
73	asper. w.	(ye.)	rough.	—	1774.	—	G. h.	
74	linifolius. w.	(ye.)	Flax-leaved.	Spain.	1817.	—	H. 2.	Barrel. rar. t. 802.
75	rigescens. w.	(ye.)	stiff-leaved.	C. B. S.	1815.	—	G. h.	Jacq. coll. 5. t. 6. f. 1.
76	nervatus. s.s.	(pu.)	nerved-leaved.	—	1824.	7. 8.	G. h.	
77	paludosus. w.	(ye.)	Bird's-tongue.	England.		6. 8.	H. 2.	Eng. bot. v. 10. t. 600.
78	persicæfolius. dc.	(ye.)	peach-leaved.	Pyrenees.	1817.	—	H. 2.	Ram. bul. phil. t. 11. f. 13.
79	nemorënsis. w.	(ye.)	branching.	Austria.	1785.	7. 8.	H. 2.	Jacq. aust. 2. t. 184.
80	sarracenicus. w.	(ye.)	creeping-root'd.	Britain.		7. 10.	H. 2.	Eng. bot. v. 31. t. 221.
81	ovatus. w.	(ye.)	oval-leaved.	Germany.	1817.	—	H. 2.	
82	coriaceous. w.	(ye.)	leathery-leaved.	Levant.	1728.	7. 8.	H. 2.	Dill. elth. t. 105. f. 120.
83	Doria. w.	(ye.)	broad-leaved.	Austria.	1570.	7. 9.	H. 2.	Jacq. aust. 2. t. 185.
84	macrophyllus. m. b.	(ye.)	large-leaved.	Caucasus.	1817.	—	H. 2.	
85	Doronicum. w.	(ye.)	Leopard's-bane.	S. Europe.	1705.	—	H. 2.	Jacq. aust. 5. t. ap. 45.
86	umbrösus. w. k.	(ye.)	ear-leaved.	Hungary.	1815.	—	H. 2.	
87	Barrelieri. w.	(ye.)	Barrelier's.	Pyrenees.	1824.	—	H. 2.	Barrel. ic. 146.
88	lanceus. w.	(ye.)	spear-leaved.	C. B. S.	1774.	7. 10.	G. h.	
89	oporinus. w.	(ye.)	Jacquin's.	—		—	G. 2.	Jacq. schœn. 3. t. 304.
90	longifolius. w.	(ye.)	long-leaved.	—	1775.	8. 11.	G. h.	Comm. hort. 2. t. 71.
91	halimifolius. w.	(ye.)	succulent-leaved.	—	1723.	7.	G. h.	Dill. elth. t. 104. f. 124.
92	ilicifolius. w.	(ye.)	Ilex-leaved.	—	1731.	6. 7.	G. h.	Comm. rar. t. 42.
93	rigidus. w.	(ye.)	hard-leaved.	—	1704.	6. 9.	G. h.	Comm. hort. 2. t. 75.
94	solidaginoïdes. w.	(ye.)	Golden-rod-like.	—	1819.	—	G. h.	Hout. syst. 4. t. 32. f. 1.
95	vernus. Biv.	(ye.)	vernal.	Italy.	—	—	H. 2.	
96	cordifolius. s.s.	(ye.)	heart-leaved.	C. B. S.	1827.	7. 9.	G. 2.	
97	arenarius. s.s.	(ye.)	sand.	—	1826.	—	G. 2.	
98	spicatus.	(ye.)	spike-flowered.		1828.	—	H. 2.	
ADENOTRICHIA. B. R. ADENOTRICHIA. Syngenesia Polygamia Superflua.								
	amplexicaulis. B. R.	(ye.)	stem-clasping.	Chile.	1826.	5. 7.	F. 2.	Bot. reg. t. 1190.
SENECI'LLIS. G. SENECI'LLIS. Syngenesia Polygamia Superflua.								
	glauca. G.	(ye.)	glaucous.	Siberia.	1790.	6. 7.	H. 2.	Gmel. sib. 2. t. 74.
CINER'ARIA. W. CINER'ARIA. Syngenesia Polygamia Superflua. L.								
1	americana. w.	(ye.)	American.	S. America.	1823.		S. h.	
2	incana. P. s.	(ye.)	hoary.	Jamaica.	—	6. 8.	S. h.	
3	discolor. P. s.	(ye.)	two-coloured.	—	1822.	—	S. h.	
4	lucida. P. s.	(ye.)	glossy.	W. Indies.	—	—	S. h.	Plum. 2. ic. 154.
5	glabrata. s. s.	(ye.)	smooth.	—	1827.	4. 7.	S. h.	
6	geifolia. w.	(ye.)	kidney-leaved.	C. B. S.	1710.	4. 8.	G. h.	Comm. hort. 2. t. 73.
7	canescens. L. en.	(ye.)	small-flowered.	—	1790.	—	G. h.	Bot. mag. t. 1990.
8	aurea. w.	(pu.)	purple-flower'd.	Madeira.	1777.	6. 7.	G. h.	— t. 1786.
9	lactea. W. en.	(wh.)	milk-coloured.		1816.	—	G. h.	
10	lanata. w.	(pu.)	woolly.	Canaries.	1780.	5. 9.	G. h.	Bot. mag. t. 53.
11	hybrida. W. en.	(ye.)	hybrid.	Hybrid.		2. 5.	G. h.	
12	elatior. L. en.	(wh.)	tall.			—	G. h.	
13	cruenta. w.	(pu.)	purple-leaved.	Canaries.	1777.	—	G. 2.	Bot. mag. t. 406.
aurea. A. R. 24. nec aliorum.								
14	pulchella.	(re.)	bright red-flower'd.	—	1818.	—	G. 2.	
15	populifolia. H. K.	(re.)	Poplar-leaved.	—	1780.	6. 9.	G. h.	Venten. malm. t. 100.
16	hypoleuca. s. s.	(pu.)	snowy-leaved.	C. B. S.	1828.	4. 7.	G. h.	
17	venusta. s. s.	(re.)	charming.	—	—	—	G. 2.	
18	lobata. w.	(ye.)	lobed.	—	1774.	6. 8.	G. h.	
19	malva folia. w.	(li.)	Mallow-leaved.	Azores.	1777.	8.	G. 2.	
20	petasites. B. M.	(ye.)	butter-bur-leav'd.	Mexico.	1812.	12. 2.	G. h.	Bot. mag. t. 1536.
21	praecox. w.	(ye.)	early-flowering.	—	1824.	2. 4.	G. h.	DC. pl. rar. gen. t. 5.
22	sibirica. w.	(ye.)	Siberian.	Siberia.	1784.	6. 8.	H. 2.	Bot. mag. t. 1869.
23	speciosa. L. en.	(ye.)	large-flowered.	—	1818.	—	H. 2.	Bot. reg. t. 812.
24	caucasica. M. B.	(ye.)	Caucasean.	Caucasus.	1820.	—	H. 2.	
25	gigantea. H. K.	(bh.)	gigantic.	Cape Horn.	1801.	7. 8.	H. 2.	Sm. exot. bot. 2. t. 66.
26	laevis. s. s.	(ye.)	smooth.	C. B. S.	1828.	4. 7.	G. 2.	
27	crenata. s. s.	(st.)	crenate.	—	—	—	G. 2.	
28	palustris. w.	(ye.)	marsh.	England.		—	H. 2.	Eng. bot. v. 3. t. 151.
29	aurantiaca. w.	(or.)	orange-colour'd.	Switzerland.	1818.	5. 7.	H. 2.	Swt. br. fl. gar. t. 200.
30	campestris. w.	(ye.)	mountain.	N. Europe.		—	H. 2.	Jacq. aust. t. 180.

31 integrifolia. E.B.	(ye.) entire-leaved.	England.		5. 7. H. 4.	Eng. bot. v. 3. t. 152.
32 longifolia. w.	(ye.) long-leaved.	Austria.	1792.	6. 8. H. 4.	Jacq. aust. 2. t. 181.
33 crispa. w.	(ye.) curled.	—	1818.	— H. 4.	— 2. t. 178.
34 cordifolia. w.	(ye.) heart-leaved.	—	1739.	7. 8. H. 4.	— 2. t. 176.
35 media. w.k.	(ye.) intermediate.	Hungary.	1818.	— H. 4.	
36 alpina. w.	(ye.) Alpine.	Austria.	1683.	6. 8. H. 4.	Jacq. aust. 2. t. 177.
37 aurea. w.	(ye.) golden.	Siberia.	1825.	— H. 4.	
38 rivularis. s.s.	(ye.) rivulet.	Hungary.	1822.	— H. 4.	
39 crassifolia. s.s.	(ye.) thick-leaved.	Carinthia.	1825.	— H. 4.	
40 alpestris. s.s.	(ye.) rough-leaved.	N. Europe.	1826.	— H. 4.	
41 spathulafolia. s.s.	(ye.) spathulate-leav'd.	Germany.	1820.	— H. 4.	
42 papposa. s.s.	(ye.) long-chaffed.	Gallicia.	1828.	— H. 4.	
43 parviflora. s.s.	(ye.) small-flowered.	Caucasus.	1827.	— H. 4.	
44 congesta. s.s.	(ye.) close-headed.	Melville Isl.	—	5. 6. H. 4.	
45 taraxacifolia. s.s.	(ye.) Dandelion-leav'd.	Caucasus.	1824.	6. 8. H. 4.	
46 exsquàmata.	(ye.) scaleless.	Portugal.	1827.	— H. ☉.	
<i>Senecio exsquàmatus.</i> Brot.					
47 frigida. s.s.	(ye.) frigid.	N. America.	1827.	5. 6. H. 4.	
48 scapiflora. s.s.	(ye.) long-peduncled.	C. B. S.	1828.	— G. 4.	
49 gibbosa. s.s.	(ye.) gibbous-headed.	Sicily.	—	6. 8. H. 4.	
50 Aitoniana. s.s.	(ye.) Aiton's.	—		— G. 4.	
51 maritima. w.	(ye.) sea ragwort.	S. Europe.	1633.	7. 9. F. 4.	Flor. græc. t. 871.
52 bicolor. w.	(ye.) shining-leaved.	—	1820.	— F. 4.	
53 acanthifolia. s.s.	(ye.) Acanthus-leav'd.	Levant.	1826.	— G. 4.	
54 thyrsoides. F.	(ye.) thyrses-flower'd.	Armenia.	1827.	— H. 4.	
55 angulata.	(ye.) angular-leaved.	Mexico.	—	12. 1. G. 4.	
56 canadensis.	(ye.) Canadian.	Canada.	1739.	6. 8. H. 4.	
57 linifolia. w.	(ye.) flax-leaved.	C. B. S.		— G. 4.	Jacq. schœn. 3. t. 308.
58 angustifolia. k.s.	(ye.) narrow-leaved.	Mexico.	1825.	 G. 4.	
59 humifusa. w.	(ye.) trailing.	C. B. S.	1704.	7. 8. G. 4.	
60 viscosa. w.	(wh.) clammy.	—	1774.	6. 8. G. 4.	Jacq. frag. 12. t. 7. f. 2
61 vestita. H.R.	(ye.) clothed.	—	1824.	5. 6. G. 4.	
AGATHÆA. Cas. AGATHÆA. Syngenesia Polygamia Superflua.					
celéstis. Cas.	(bl.) Cape-Aster.	C. B. S.	1753.	2. 9. G. 4.	Bot. mag. t. 249.
<i>Cineraria amelloides.</i> w.					
KAULFUSSIA. Nees. KAULFUSSIA. Syngenesia Polygamia Superflua.					
1 amelloides. Nees.	(bl.) blue-flowered.	C. B. S.	1819.	6. 7. H. ☉.	Bot. reg. t. 490.
2 ciliata. s.s.	(st.) fringed.	—	1822.	6. 9. H. ☉.	
TAGETES. W. TAGETES. Syngenesia Polygamia Superflua. L.					
1 lucida. w.	(ye.) sweet-scented.	Mexico.	1798.	7. 11. F. 4.	Bot. mag. t. 740.
2 florida. B.F.G.	(ye.) gay-flowering.	—	1827.	8. 11. F. 4.	Swt. br. fl. gar. s. 2. t. 35.
3 patula. w.	(pu. ye.) French Marygold.	—	1573.	7. 10. H. ☉.	Bot. mag. t. 150.
4 corymbosa. B.F.G.	(ra. corymbus-flower'd.	—	1825.	9. 11. H. ☉.	Swt. br. fl. gar. t. 151.
α purpurea.	(pu.) purple-flowered.	—	—	— H. ☉.	
β lutea.	(ye.) yellow-flowered.	—	—	— H. ☉.	
5 erecta. w.	(ye.) African Marygold.	—	1596.	6. 9. H. ☉.	Lam. ill. t. 684.
6 tenuifolia. w.	(ye.) fine-leaved.	—	1797.	7. 10. H. ☉.	Swt. br. fl. gar. t. 141.
7 subvillosa. LG.	(ye.) villous-leaved.	—	1825.	8. 11. H. ☉.	
8 minuta. w.	(ye.) small-flowered.	Chili.	1728.	8. 10. H. ☉.	Dill. elth. t. 280. f. 362.
9 clandestina. LG.	(ye.) small-rayed.	Mexico.	1822.	— H. ☉.	
<i>coronopifolia.</i> W.en.					
10 micrantha. w.	(ye.) solitary-flower'd.	—	—	— H. ☉.	Cavan. ic. 4. t. 352.
11 glandulosa. L.en.	(ye.) glandular.	—	1825.	— H. ☉.	
12 glandulifera. Sck.	(ye.) gland-bearing.	—	1826.	9. 11. H. ☉.	
BOEBERA. W. BOEBERA. Syngenesia Polygamia Superflua.					
1 glandulosa. N.	(ye.) glandular.	N. America.	1823.	8. 9. H. ☉.	Venten. cels. t. 36.
<i>chrysanthemoides.</i> W.en. <i>Tagetes papposa.</i> v. <i>Dyssodia glandulosa.</i> Cav.					
2 Porophyllum. k.s.	(ye.) Mexican.	Mexico.	—	— H. ☉.	
<i>Dyssodia Porophyllum.</i> W.en.					
3 fastigiata. k.s.	(ye.) clustered.	—	1827.	9. 11. H. ☉.	
4 divaricata.	(ye.) spreading.	—	1828.	— H. ☉.	
<i>Dyssodia divaricata.</i> Rich.					
5 pubescens. s.s.	(ye.) pubescent.	New Spain.	1826.	8. 10. H. ☉.	Cavan. icon. 3. t. 212.
<i>Dyssodia pubescens.</i> LG. <i>Aster pinnatus.</i> Cavan.					
OTHONNA. W. RAGWORT. Syngenesia Polygamia Necessaria. L.					
1 flabellifolia. B.C.	(ye.) fan-leaved.	C. B. S.	1822.	7. 9. G. 4.	Lodd. bot. cab. t. 728.
2 pinnatifida. P.S.	(ye.) pinnatifid.	—	1823.	— G. 4.	
3 pinnata. w.	(ye.) wing-leaved.	—	1759.	4. 6. G. 4.	Bot. mag. t. 768.
4 ciliata. w.	(ye.) fringed-leaved.	—	1824.	5. 6. G. 4.	
5 Tagetes. w.	(ye.) slender-stalked.	—	1823.	7. 9. H. ☉.	

6	pectinàta. w.	(ye.) Wormwood-leav'd.	C. B. S.	1731.	4. 6	G. h.	Bot. mag. t. 306.
7	Athanàsiæ. w.	(ye.) Athanasia-like.	————	1795.	11. 12.	G. h.	Jacq. schœn. 2. t. 1.
8	abrotanifolia. w.	(ye.) Southernwood-leav'd.	————	1692.	1. 5.	G. h.	Bot. reg. t. 103.
9	digitàta. w.	(ye.) finger-leaved.	————	1822.	6. 9.	G. 4.	
10	trifurcàta. w.	(ye.) three-forked.	————	————	————	G. h.	
11	trífida. w.	(ye.) trifid-leaved.	————	1823.	————	G. h.	
12	retrofràcta. w.	(ye.) axillary-flower'd.	————	1812.	————	G. h.	Jacq. schœn. 3. t. 1.
13	coronopifolia. w.	(ye.) Buckshorn-leav'd.	————	1731.	7. 9.	G. h.	Comm. hort. 2. t. 1.
14	cheirifolia. w.	(ye.) Stock-leaved.	Barbary.	1752.	4. 6.	H. h.	Bot. reg. t. 266.
15	crassifolia. w.	(ye.) thick-leaved.	C. B. S.	1710.	9. 10.	G. h.	Mill. ic. 2. t. 245. f. 1.
16	denticulàta. w.	(ye.) tooth-leaved.	————	1774.	4. 7.	G. h.	Bot. mag. t. 1979.
17	heterophy'lla. w.	(ye.) various-leaved.	————	1812.	————	G. 4.	
18	Língua. w.	(ye.) tongue-leaved.	————	1787.	5. 9.	G. 4.	Jacq. schœn. 2. t. 1.
19	filicaulis. w.	(ye.) Yam-rooted.	————	1791.	4. 5.	G. 4.	———— 2. t. 1.
20	bulbosa. w.	(ye.) bulbous.	————	1774.	5. 6.	G. 4.	Breyn. cent. t. 65.
21	capillàris. w.	(ye.) capillary-stalked.	————	1822.	6. 9.	H. ⊙.	
22	parviflora. w.	(ye.) small-flowered.	————	1704.	7. 8.	G. h.	Volk. norib. t. 226.
23	perfoliàta. H.K.	(ye.) perfoliate.	————	1789.	5. 7.	G. 4.	Jacq. schœn. t. 240.
	amplexicaulis. B.M.	1312. non Thunb.					
24	ericoídes. w.	(ye.) Heath-leaved.	————	1815.	7. 8.	G. h.	
25	linifolia. w.	(ye.) Flax-leaved.	————	1825.	————	G. h.	
26	tenuíssima. w.	(ye.) fine-leaved.	————	1759.	4. 7.	G. h.	Jacq. schœn. 2. t. 299.
27	frutescens. w.	(ye.) frutescent.	————	1816.	7. 8.	G. h.	Comm. hort. 2. t. 72.
28	arborescens. w.	(ye.) tree.	————	1723.	————	G. h.	Dill. elth. t. 103. f. 1.
29	cacalioides. w.	(ye.) tuberous.	————	1774.	5. 9.	G. h.	
30	amplexicaulis. w.	(ye.) stem-clasping.	————	1826.	————	G. h.	

Subordo VI. *HELIANTHÆÆ*. *Kth. synops. 2. p. 463.*

HYMENOPA'PPUS. J. HYMENOPA'PPUS. Syngenesia Polygamia Æqualis.									
1	pedatus. LG.	(wh.) pedate-leaved.	Mexico.	1803.	7. 9.	G. ⊙.	Cavan. ic. 4. t. 37.		
	<i>Stèria pedata</i> . B.M. 2010. <i>Florestina pedata</i> . Cas.								
2	scabiøsæus. Ph.	(wh.) Scabious-like.	Missouri.	1812.	6. 8.	H. ⊙.	Jour. de hist. nat. 1.		
3	tenuifolius. Ph.	(wh.) slender-leaved.	————	1811.	————	F. ♂.			
SCHK'UHRIA. W. SCHK'UHRIA. Syngenesia Polygamia Superflua. L.									
	abrotanoïdes. w.	(wh.) Wormwood-leav'd.	Mexico.	1798.	7. 9.	H. ⊙.	Schk. hand. 3. t. 27.		
PE'CTIS. W. PE'CTIS. Syngenesia Polygamia Superflua. L.									
1	humifusa. w.	(ye.) trailing.	W. Indies.	1822.	7. 9.	S. ⊙.	Plum. ic. t. 95. f. 2.		
2	prostrata. w.	(ye.) prostrate.	New Spain.	1824.	————	H. ⊙.	Cavan. ic. 4. t. 37.		
3	ciliàris. w.	(ye.) ciliated.	Hispaniola.	1793.	7.	S. ⊙.	Plum. ic. 151. f. 2.		
4	linifolia. w.	(ye.) Flax-leaved.	Jamaica.	1732.	7. 8.	S. ⊙.	Sloan. hist. 1. t. 14.		
5	canescens. K.S.	(ye.) canescent.	Mexico.	1827.	8. 9.	H. ⊙.	H. et B. n. gen. 4. t. 3.		
6	punctata. w.	(ye.) dotted.	Hispaniola.	1824.	6. 8.	S. ⊙.	Jacq. amer. t. 128.		
HETEROSPE'RMUM. HETEROSPE'RMUM. Syngenesia Polygamia Superflua. W.									
	pinnatum. w.	(ye.) wing-leaved.	New Spain.	1799.	8. 9.	H. ⊙.	Cavan. ic. 3. t. 207.		
MELANANTH'ERA. M. MELANANTH'ERA. Syngenesia Polygamia Æqualis. P.S.									
1	Linn'æi. K.S.	(li.) Linnæus's.	S. America.	1799.	6. 8.	S. ♂.	Jacq. ic. 3. t. 586.		
	<i>Bidens nivea</i> . L. <i>Calea áspera</i> . Jacq.								
2	hastata. M.	(wh.) hastate-leaved.	N. America.	1732.	————	G. 4.	Dill. elth. t. 47. f. 1.		
	<i>β pandurata</i> . Ph. (wh.) fiddle-leaved.								
						G. 4.	———— t. 46. f. 1.		
MARSHA'LLIA. W. MARSHA'LLIA. Syngenesia Polygamia Æqualis. W.									
1	lanceolata. Ph.	(li.) spear-leaved.	Carolina.	1812.	6. 7.	F. 4.			
2	latifolia. Ph.	(li.) broad-leaved.	————	1806.	————	F. 4.	Mich. amer. 2. t. 4.		
	<i>Persônia latifolia</i> . M. <i>Trattenickia latifolia</i> . P.S.								
PLATY'PTERIS. K.S. PLATY'PTERIS. Syngenesia Polygamia Æqualis.									
	crocata. K.S.	(sn.) saffron-colour'd.	Mexico.	1812.	1. 3.	S. 4.	Bot. mag. t. 125.		
	<i>Spilánthes crocata</i> . B.M.								
SPILA'NTHES. W. SPILA'NTHES. Syngenesia Polygamia Æqualis. L.									
1	tenella. K.S.	(st.) slender.	Caracas.	1823.	8. 10.	G. ⊙.			
2	Pseùdo-Acmella. w.	(ye.) spear-leaved.	Ceylon.	1768.	7.	S. ⊙.	Pluk. aka. t. 152. f. 1.		
3	uliginosa. w.	(ye.) marsh.	Jamaica.	1820.	7. 9.	S. ⊙.			
4	exasperata. w.	(wh.) rough-stalked.	Caracas.	1825.	————	S. ⊙.	Jacq. ic. 3. t. 584.		
5	álba. w.	(wh.) white-flowered.	Peru.	1783.	6. 7.	H. ⊙.	L'Herit. stirp. 7. t. 4.		
6	oleracea. w.	(ye.) esculent.	E. Indies.	1770.	7. 9.	S. ♂.	Jacq. vind. 2. t. 10.		
7	pállida. F.	(st.) pale-flowered.	Jamaica.	1821.	————	S. ⊙.			
8	multiflora. Ot.	(ye.) many-flowered.		1829.	————	S. ⊙.			

ACME'LLA. P.S.		ACME'LLA. Syngenesia Polygamia Superflua. P.S.			
1 mauritiāna. P.S. (ye.)	Balm-leaved.	Mauritius.	1768.	7. 8. S. ☉.	Rumph. amb. 6. t. 65.
<i>Spilanthes Acmélla</i> . W.					
2 repens. P.S. (ye.)	creeping.	N. America.	1819.	— H. ☉.	
3 occidentālis. P.S. (ye.)	oval-leaved.	S. America.	1825.	— H. ☉.	
4 buphthalmoides. P.S. (ye.)	Ox-eye-leaved.	—	1798.	7. 9. H. ☉.	Jacq. schœnb. 2. t. 151.
<i>Anthemis buphthalmoides</i> . Jacq.					
LAVENIA. W.		LAV'ENIA. Syngenesia Polygamia Æqualis.			
erecta. w. (ye.)	upright.	E. Indies.	1739.	7. 9. S. ☉.	Burm. zeyl. t. 42.
SALMEA. DC.		SA'LMEA. Syngenesia Polygamia Æqualis.			
1 scandens. DC. (wh.)	climbing.	S. America.	1815.	4. 6. S. ♀. ∪.	Bot. mag. t. 2062.
<i>Calea Améllus</i> . L.					
2 hirsuta. DC. (wh.)	hairy.	—	—	— S. ♀. ∪.	
PETROBIUM. L.T.		PETR'OBIMUM. Syngenesia Polygamia Æqualis.			
arborescens. (st.)	tree.	St. Helena.	1816.	 S. ♀.	
<i>Spilanthes arborescens</i> . Forst.					
CALEA. L.T.		C'ALEA. Syngenesia Polygamia Æqualis. L.			
1 jamaicensis. L.L. (li.)	purple-flower'd.	W. Indies.	1739.	6. 7. S. ♀.	Sloan. jam. 1. t. 151. f. 3.
2 martinicensis. (li.)	Martinico.	Martinico.	1821.	 S. ♀.	
3 cordifolia. L.T. (ye. li.)	heart-leaved.	Jamaica.	1822.	6. 7. S. ♀.	
CALEA'CTE. L.T.		CALEA'CTE. Syngenesia Polygamia Æqualis.			
1 urticifolia. L.T. (ye.)	Nettle-leaved.	Vera Cruz.		 S. ♀.	
<i>Solidago urticifolia</i> . Mill.					
2 pinnatifida. L.T. (ye.)	pinnatifid.	Brazil.	1816.	6. 8. S. ♀.	
ISOCA'RPHA. L.T.		ISOCA'RPHA. Syngenesia Polygamia Æqualis.			
oppositifolia. (wh.)	opposite-leaved.	W. Indies.	1739.	7. 8. S. ♂.	
<i>Calea oppositifolia</i> . W.					
NEUROL'ÆNA. L.T.		NEUROL'ÆNA. Syngenesia Polygamia Æqualis.			
lobata. (ye.)	halberd-weed.	W. Indies.	1733.	6. 7. S. ♀.	Bot. mag. t. 1734.
<i>Calea lobata</i> . B.M.					
MADIA. W.		M'ADIA. Syngenesia Polygamia Superflua. W.			
1 viscosa. w. (ye.)	viscous.	Chili.	1794.	7. 8. H. ☉.	Bot. mag. t. 2574.
2 mellosa. w. (ye.)	stem-clasping.	—	1824.	— H. ☉.	
TETRAGONOTH'ECA. TETRAGONOTH'ECA.		Syngenesia Polygamia Superflua. W.			
helianthoides. w. (ye.)	Sunflower-like.	Virginia.	1726.	8. 10. H. ♀.	Schk. hand. 3. t. 263.
XIMEN'ESIA. W.		XIMEN'ESIA. Syngenesia Polygamia Superflua. W.			
1 heterophylla. K.S. (ye.)	various-leaved.	Mexico.	1827.	8. 10. F. ♀.	
2 encelioides. w. (ye.)	oval-leaved.	—	1795.	6. 11. G. ♂.	Cavan. ic. 2. t. 178.
3 foetida. K.S. (ye.)	foetid.	—	1799.	7. 8. H. ☉.	— 1. t. 77.
<i>Corópsis foetida</i> . Cav. <i>Simsia ficifolia</i> . P.S.					
4 cordata. K.S. (ye.)	heart-leaved.	Mexico.	—	— F. ♀.	
HELEN'IUM. W.		HEL'ENIUM. Syngenesia Polygamia Superflua. W.			
1 autumnale. w. (ye.)	smooth.	N. America.	1729.	8. 10. H. ♀.	Schk. hand. 3. t. 250.
2 pubescens. w. (ye.)	downy.	—	1776.	8. 9. H. ♀.	
3 quadripartitum. L.en. (ye.)	four-cleft.	—	1825.	— G. ♂.	
4 quadridentatum. w. (ye.)	four-toothed.	Louisiana.	1790.	5. 10. H. ♀.	Bot. reg. t. 598.
<i>Redbäckia alata</i> . Jacq. ic. t. 193.					
5 paniculatum. W.en. (ye.)	dwarf.	N. America.	1819.	— H. ♀.	
6 mexicanum. K.S. (ye.)	Mexican.	Mexico.	1823.	8. 10. H. ♀.	
ZINNIA. W.		ZI'NNIA. Syngenesia Polygamia Superflua. W.			
1 pauciflora. w. (ye.)	yellow-flower'd.	Peru.	1753.	7. 8. H. ☉.	Mill. ic. 1. t. 64.
2 multiflora. w. (re.)	red-flowered.	N. America.	1770.	6. 10. H. ☉.	Bot. mag. t. 149.
3 hybrida. B.M. (sc.)	hybrid.	Mexico.	1818.	6. 9. H. ☉.	— t. 2123.
4 verticillata. w. (re.)	whorl-leaved.	—	1789.	7. 8. H. ☉.	Andr. repos. t. 189.
5 violacea. C.I. (pu.)	purple-flowered.	—	1796.	7. 10. H. ☉.	— t. 55.
<i>Regans</i> . Bot. mag. t. 527.					
6 coccinea. B.R. (sc.)	scarlet-flowered.	—	1829.	— H. ☉.	Bot. reg. t. 1294.
7 tenuiflora. w. (re.)	slender-flower'd.	—	1799.	7. 8. H. ☉.	Bot. mag. t. 555.
8 angustifolia. K.S. (re.)	narrow-leaved.	—	1825.	— H. ☉.	
RELH'ANIA. W.		RELH'ANIA. Syngenesia Polygamia Superflua. W.			
1 squarrosa. w. (ye.)	cross-leaved.	C. B. S.	1774.	5. 6. G. ♀.	
2 genistæfolia. w. (ye.)	Genista-leaved.	—	1823.	5. 7. G. ♀.	
3 lateriflora. w. (ye.)	side-flowering.	—	—	— G. ♀.	
4 pungens. w. (ye.)	pungent-leaved.	—	1820.	6. 8. G. ♀.	Bot. reg. t. 587.
5 pedunculata. w. (ye.)	dwarf.	—	1824.	5. 8. G. ♀.	
6 paleacea. w. (ye.)	chaffy.	—	1825.	— G. ♀.	Gært. fruct. 2. t. 173. f. 9.
<i>Leysera paleacea</i> . Gært.					
ATHRI'XIA. B.R.		ATHRI'XIA. Syngenesia Polygamia Superflua.			
capensis. B.R. (li.)	Cape.	C. B. S.	1823.	6. 8. G. ♀.	Bot. reg. t. 681.

- MATA'XA. S.S.** **MATA'XA.** Syngenesia Polygamia Superflua.
capensis. s.s. (ye.) fleshy-leaved. C. B. S. 1824. 6. 8. G. ♀.
Lasiospermum radiatum. Treviranus.
- LONGCHA'MPIA. W.** **LONGCHA'MPIA.** Syngenesia Polygamia Superflua. W.
capillifolia. w. (st.) Leysera-like. Africa. 1824. 6. 8. H. ☉.
Gnaphalium leyseroides. Df. *Pectis discoidea.* H.H. *Leysera capillifolia.* Spr.
- SANVITALIA. W.** **SANVITALIA.** Syngenesia Polygamia Superflua. W.
procumbens. w. (ye.) trailing. Mexico. 1798. 7. 8. H. ☉. Bot. reg. t. 707.
- TRIDAX. L.** **TRIDAX.** Syngenesia Polygamia Superflua. L.
procumbens. l. (st.) procumbent. Mexico. 1804. 7. 8. H. ☉.
Balbisia elongata. w.
- COLUME'LLIA. W.** **COLUME'LLIA.** Syngenesia Polygamia Superflua. W.
biennis. w. (ye.) biennial. C. B. S. 1820. 7. 9. G. ♂. Jacq. schœn. 3. t. 1.
- MEY'ERA. L.T.** **MEY'ERA.** Syngenesia Polygamia Superflua.
sessilis s.s. (ye.) sessile-flowered. W. Indies. 7. 8. S. ♀.
- ECLI'PTA. W.** **ECLI'PTA.** Syngenesia Polygamia Superflua. L.
1 erecta. w. (wh.) upright. S. America. 1690. 7. 9. H. ☉. Dill. elth. t. 113. f. 1.
2 punctata. w. (wh.) dotted. W. Indies. 1822. — S. ☉. Jacq. amer. piet. t. 1.
3 prostrata. w. (wh.) trailing. E. Indies. 1732. — S. ☉. Dill. elth. t. 113. f. 1.
4 procumbens. m. (wh.) procumbent. Carolina. 1819. — H. ☉.
5 linearis. Ot. (wh.) linear-leaved. 1825. — S. ☉.
- CHRYSANTHE'LLUM.** **CHRYSANTHE'LLUM.** Syngenesia Polygamia Superflua. P.S.
procumbens. p.s. (ye.) procumbent. W. Indies. 1768. 6. 7. S. ☉. Swartz obs. 314. t. 2.
- Verbesina mûtica.* w.
- SIEGESBE'CKIA. W.** **SIEGESBE'CKIA.** Syngenesia Polygamia Superflua. L.
1 orientalis. w. (ye.) oriental. E. Indies. 1730. 8. 10. H. ☉. Schk. hand. 3. t. 2.
2 triangularis. c.l. (ye.) triangular-leav'd. Mexico. — H. ☉. Cav. ic. 3. t. 253.
3 ibérica. w. (ye.) Iberian. Iberia. 1823. — H. ☉. Buxb. cent. 3. t. 12.
4 droseroides. B.F.G. (ye.) Sundew-like. Mexico. 1825. — F. ♀. Swt. br. fl. gar. t. 1.
5 flosculosa. w. (ye.) small-flowered. Peru. 1784. 6. 7. H. ☉. L'Herit. stirp. t. 1.
- VERBES'INA. W.** **VERBES'INA.** Syngenesia Polygamia Superflua. L.
1 alata. w. (or.) wing-stalked. S. America. 1699. 5. 10. G. ♀. Bot. mag. t. 1716.
2 chinensis. w. (or.) Chinese. China. 1814. — G. ♀.
3 virginica. w. (wh.) white-flowered. N. America. 1812. 7. 9. H. ♀.
4 virgata. w. (ye.) slender. Mexico. 1825. — H. ♀. Cav. ic. 3. t. 275.
5 gigantea. w. (wh.) tree. W. Indies. 1758. — S. ♀. Jacq. ic. 1. t. 173.
6 Boswellia. l. (ye.) catable. E. Indies. 1818. — S. ☉.
7 salicifolia. k.s. (ye.) Willow-leaved. Mexico. 1824. 10. 11. G. ♀.
8 tridentata. s.s. (ye.) three-toothed. W. Indies. 1759. 6. 8. S. ♀.
9 atriplicifolia. s.s. (st.) Atriplex-leav'd. Trinidad. 1822. 9. 11. S. ♀. Colla hort. rip. t. 1.
10 buphthalmoides. s.s. (ye.) procumbent. Monte Video. 1827. 6. 8. F. ♀. Link et Ott. tab. 1.
11 serrata. w. (ye.) saw-leaved. Mexico. 1803. 7. 10. G. ♀. Cav. ic. 3. t. 214.
12 Siegesbeckia. w. (ye.) American. Virginia. 1731. 10. 11. H. ♀.
13 dichotoma. w. (ye.) forked. E. Indies. 1789. 6. 7. S. ☉. Murr. c. got. 1773.
14 sativa. B.M. (ye.) oil-seed. — 1806. 8. 9. S. ☉. Bot. mag. t. 1015.
15 biflora. w. (ye.) two-flowered. — 1818. 7. 9. S. ☉. Rheed. mal. 19. t. 1.
16 calendulacea. w. (ye.) Marygold-flower'd. Ceylon. 1739. — S. ☉. Burm. zeyl. t. 22.
17 fruticosa. w. (ye.) shrubby. W. Indies. 1759. 6. 8. S. ♀. Plum. ic. t. 52.
18 pinnatifida. w. (st.) pinnatifid. Mexico. 1824. 8. 10. F. ♀. Jacq. schœn. 3. t. 1.
- SYNEDRE'LLA. P.S.** **SYNEDRE'LLA.** Syngenesia Polygamia Superflua. P.S.
nodiflora. p.s. (ye.) sessile-flowered. W. Indies. 1726. 6. 7. S. ☉. Dill. elth. t. 45. f. 1.
- ENC'ELIA. J.** **ENC'ELIA.** Syngenesia Polygamia Superflua. P.S.
1 canescens. p.s. (ye.) canescent. Mexico. 1786. 7. 9. G. ♀. Bot. reg. t. 929.
Pallasia halimifolia. w. *Coreopsis limensis.* Jacq. ic. 3. t. 594.
2 halimifolia. p.s. (ye.) great-flowered. Mexico. 1825. — G. ♀. Cavan. ic. 3. t. 253.
- Pallasia grandiflora.* w.
- GALINS'OGEA. K.S.** **GALINS'OGEA.** Syngenesia Polygamia Superflua. W.
1 trilobata. w. (ye.) three-lobed. Peru. 1797. 8. 11. H. ☉. Swt. br. fl. gar. t. 1.
2 balbisoides. k.s. (ye.) Mexican. Mexico. 1825. — H. ☉. H. et B. 4. t. 3.
- PTILOSTE'PHIUM. K.S.** **PTILOSTE'PHIUM.** Syngenesia Polygamia Superflua.
1 coronopifolium. k.s. (ye.) Buckshorn-leav'd. Mexico. 1823. 8. 10. H. ☉. H. et B. 4. t. 157.
2 trifidum. k.s. (ye.) trifid-leaved. — H. ☉. — 4. t. 253.
- WIBO'RGIA. K.S.** **WIBO'RGIA.** Syngenesia Polygamia Superflua.
parviflora. k.s. (wh.) small-flowered. S. America. 1796. 6. 8. H. ☉. Cavan. ic. 3. t. 253.
Galinsøgea parviflora. w. *Wiborgia Acnella.* Roth.
- PASCALIA. W.** **PASCALIA.** Syngenesia Polygamia Superflua. W.
glauca. w. (ye.) glaucous-leav'd. Chili. 1799. 6. 8. H. ♀. Andr. rep. t. 1.

HELIO'PSIS. P.S.		HELIO'PSIS. Syngenesia Polygamia Superflua. P.S.			
1 canescens. K.S.	(ye.) hoary-leaved.	S. America.	1820.	8. 10. H. 4.	Bot. reg. t. 592.
2 lavis. P.S.	(ye.) smooth.	Mexico.	1714.	7. 10. H. 4.	
3 helianthoides.	(ye.) roughish.	N. America.	—	— H. 4.	L'Herit. stirp. t. 45.
<i>Bupthalmum helianthoides. L.</i>					
4 scabra. s.s.	(ye.) rough-leaved.	—	—	— H. 4.	
DIOMEDEA. Cas.		DIOMEDEA. Syngenesia Polygamia Superflua.			
1 glabrata. K.S.	(ye.) smooth.	S. America.	1699.	5. 9. G. 1/2.	Dill. elth. t. 3. f. 13.
<i>Bupthalmum arborescens. W.</i>					
2 bidentata. s.s.	(ye.) two-toothed.	Carolina.	1696.	6. 8. G. 1/2.	Catesb. carol. 1. t. 94.
<i>Bupthalmum frutescens. Ph.—Dill. elth. t. 28. f. 4.</i>					
3 argentea. K.S.	(ye.) silvery-leaved.	Cuba.	1823.	— G. 1/2.	
EUPHATHALMUM. OX-EYE.		Syngenesia Polygamia Superflua. L.			
1 stenophyllum. s.s.	(ye.) linear-leaved.	Canaries.	1816.	5. 7. G. 1/2.	
2 elegans. s.s.	(ye.) elegant.	—	—	— G. 1/2.	
3 lavigatum. s.s.	(ye.) smooth-leaved.	Teneriffe.	1824.	— G. 1/2.	
4 flosculosum. s.s.	(ye.) rayless.	Mesopotamia.	1827.	— G. 1/2.	Vent. h. cels. t. 25.
5 sericeum. w.	(ye.) silky.	Canaries.	1779.	5. 7. G. 1/2.	Bot. mag. t. 1836.
6 spinosum. w.	(ye.) prickly.	Spain.	1570.	6. 9. H. 4.	Barrel. icon. 551.
7 aquaticum. w.	(ye.) sweet-scented.	S. Europe.	1731.	7. 8. H. 4.	Breyn. cent. t. 77.
8 maritimum. w.	(ye.) sea.	Sicily.	1640.	7. 9. H. 4.	Bocc. mus. t. 129.
9 salicifolium. w.	(ye.) Willow-leaved.	Austria.	1759.	6. 10. H. 4.	Jacq. aust. 4. t. 370.
10 grandiflorum. w.	(ye.) great-flowered.	—	1722.	— H. 4.	Moris. s. 6. t. 7. f. 52.
11 speciosissimum. s.s.	(ye.) handsome.	Italy.	1828.	— H. 4.	Arduin. spec. 1. t. 12.
12 cordifolium. w.	(ye.) heart-leaved.	Hungary.	1739.	6. 8. H. 4.	Wet K. hung. 2. t. 113.
13 procumbens. Df.	(ye.) procumbent.	—	1820.	— H. 4.	
ZEXMENIA. D.D.		ZEXMENIA. Syngenesia Polygamia Necessaria.			
tagetiflora. D.D.	(ye.) Tagetes-flowered.	Mexico.	1828.	8. 10. F. 1/2.	
WED'ELIA. K.S.		WED'ELIA. Syngenesia Polygamia Necessaria. W.			
1 acapulcensis. K.S.	(ye.) Acapulco.	Mexico.	1823.	6. 8. S. 1/2.	
2 hispida. K.S.	(ye.) hispid.	New Spain.	1819.	— S. 1/2.	Bot. reg. t. 543.
3 aurea. D.D.	(ye.) golden-flower'd.	Mexico.	1828.	8. 10. F. 1/2.	
4 radiosa. B.R.	(ye.) rayed.	S. America.	1822.	— S. 1/2.	Bot. reg. t. 610.
GYMNOLOMA. K.S.		GYMNOLOMA. Syngenesia Polygamia Necessaria.			
1 triplinerve. K.S.	(ye.) triple-nerved.	S. America.	1825.	6. 9. S. 1/2.	
2 maculatum. B.R.	(ye.) spotted-stalked.	—	1822.	— S. 1/2.	Bot. reg. t. 662.
ACTINOMERIS. N.		ACTINOMERIS. Syngenesia Polygamia Frustranea.			
1 squarrosa. N.	(ye.) squarrose.	N. America.	1640.	9. 11. H. 4.	Jacq. vind. 2. t. 110.
<i>Coreopsis alternifolia. Jacq. Verbesina Coreopsis. Ph.</i>					
2 procera. N.	(ye.) tall.	N. America.	1765.	9. 10. H. 4.	
<i>Coreopsis procera. H.K.</i>					
3 alba. N.	(wh.) white-flowered.	—	—	— H. 4.	
3 helianthoides. N.	(ye.) Sunflower-like.	Louisiana.	1825.	— H. 4.	
4 alata. N.	(ye.) wing-stalked.	Mexico.	1803.	9. 11. H. 4.	Cavan. ic. 3. t. 260.
<i>Coreopsis alata. W.</i>					
5 ovata. N.	(ye.) oval-leaved.	—	1829.	— H. 4.	Cavan. ic. 3. t. 280.
HELIANTHUS. W.		SUNFLOWER. Syngenesia Polygamia Frustranea. L.			
1 annuus. W.	(ye.) annual.	S. America.	1596.	6. 10. H. 4.	
2 iniliens. W.	(ye.) dwarf annual.	Egypt.	1785.	— H. 4.	Tabern. ic. 764.
3 lenticularis. B.R.	(ye.) freckled.	N. America.	1827.	8. 9. H. 4.	Bot. reg. t. 1265.
4 petiolaris. N.	(ye.) long-petioled.	Arkansa.	1826.	7. 11. H. 4.	Swt. br. fl. gar. ser. 2.
<i>asper. Roth.</i>					
5 dentatus. W.	(ye.) tooth-leaved.	Mexico.	1798.	9. 11. F. 4.	Cavan. ic. 3. t. 220.
6 multiflorus. W.	(ye.) many-flowered.	N. America.	1597.	8. 10. H. 4.	Bot. mag. t. 227.
3 plinus.	(ye.) double-flowered.	—	—	— H. 4.	
7 tuberosus. W.	(ye.) Jerusalem Artichoke.	Brazil.	1617.	9. 10. H. 4.	Jacq. vind. 2. t. 161.
8 pubescens. B.R.	(ye.) pubescent.	N. America.	1795.	7. 10. H. 4.	Bot. reg. t. 524.
9 atrorubens. W.	(ye.) dark eyed.	—	1732.	— H. 4.	Dill. elth. t. 94. f. 110.
10 diffusus. B.M.	(ye.) spreading.	—	1812.	— H. 4.	Bot. mag. t. 2020.
11 latiflorus. P.S.	(ye.) pale-flowered.	—	—	— H. 4.	
12 divaricatus. W.	(ye.) divaricate.	—	1759.	8. 10. H. 4.	Moris. s. 6. t. 7. f. 66.
13 trachelifolius. W.	(ye.) Trachelium-leav'd.	—	1818.	— H. 4.	
14 longifolius. Ph.	(ye.) long-leaved.	Georgia.	1812.	— H. 4.	
15 pauciflorus. N.	(ye.) few-flowered.	Louisiana.	1823.	— H. 4.	
16 giganteus. W.	(ye.) gigantic.	N. America.	1714.	9. 10. H. 4.	
17 altissimus. W.	(ye.) tallest.	—	1731.	7. 9. H. 4.	Jacq. vind. 2. t. 160.
18 strumosus. W.	(ye.) Carrot-rooted.	—	1710.	— H. 4.	Bocc. sic. t. 27. f. 4.
19 prostratus. W.	(ye.) rough.	—	1800.	— H. 4.	
20 decapetalus. W.	(ye.) ten-rayed.	—	1759.	8. 11. H. 4.	Rob. ic. 235.

21	mollis. w.	(ye.) soft.	N. America.	1805.	7. 10.	H. 4.	
22	macrophyllus. w.	(ye.) large-leaved.	—	1800.	8. 10.	H. 4.	Willd. hort. ber. t. 70.
23	angustifolius. w.	(ye.) narrow-leaved.	—	1789.	9. 10.	H. 4.	Bot. mag. t. 2051.
24	excelsus. w.	(ye.) lofty.	Mexico.	1824.	—	H. 4.	Cav. ic. 3. t. 219.
	<i>giganteus</i> . Cav. non w.						
25	linearis. w.	(ye.) linear-leaved	—	1818.	8. 10.	H. 4.	Bot. reg. t. 523.
26	parviflorus. k.s.	(ye.) small-flowered.	—	1824.	—	H. 4.	H. et B. 4. t. 378.
27	cornifolius. k.s.	(ye.) Dogwood-leaved.	—	—	—	H. 4.	
28	trilobatus. L.en.	(ye.) three-lobed.	—	1823.	—	H. 4.	
VIGUIERA. K.S. VIGUIERA. Syngenesia Polygamia Frustranea.							
	helianthoides. k.s.	(ye.) Sunflower-like. Cuba.	—	1825.	6. 9.	S. 4.	H. et B. 4. t. 379.
GAILLARDIA. W. GAILLARDIA. Syngenesia Polygamia Frustranea. W.							
1	bicolor. w.	(ye. re.) two-coloured.	Carolina.	1787.	7. 10.	H. 4.	Bot. mag. t. 1602.
2	aristata. Ph.	(ye.) long-awned.	N. America.	1812.	—	H. 4.	Bot. reg. t. 1186.
RUDBECKIA. D.D. RUDBECKIA. Syngenesia Polygamia Frustranea. L.							
1	pinnata. Ph.	(ye.) fragrant.	N. America.	1803.	8. 9.	H. 4.	Swt. br. fl. gar. t. 144.
2	digitata. Ph.	(ye.) narrow-jagged-leav'd.	—	1759.	—	H. 4.	Moris. s. 6. t. 6. f. 51.
3	laciniata. Ph.	(ye.) broad jagged-leav'd.	—	1640.	7. 9.	H. 4.	— s. 6. t. 6. f. 44.
4	columnaris. Ph.	(ye.) high-crowned.	—	1811.	8. 9.	H. 4.	Bot. mag. t. 1601.
5	laevigata. Ph.	(ye.) smooth.	Georgia.	1812.	7. 8.	H. 4.	
6	amplexifolia. Ph.	(ye.) stem-clasping.	Louisiana.	1793.	7. 9.	H. 4.	Jacq. icon. 3. t. 592.
CENTROCARPHA. D.D. CENTROCARPHA. Syngenesia Polygamia Frustranea.							
1	subtomentosa. Ph.	(ye.) downy-lobed.	N. America.	1802.	8. 9.	H. 4.	
2	triloba. D.D.	(ye.) three-lobed.	—	1699.	7. 10.	H. 4.	Bot. reg. t. 525.
	<i>Rudbeckia triloba</i> . B.R.						
3	hirta. D.D.	(ye.) great hairy.	—	1714.	6. 11.	H. 4.	Swt. br. fl. gar. t. 82.
	<i>Rudbeckia hirta</i> . B.F.G.						
4	fulgida. D.D.	(ye.) small hairy.	—	1760.	7. 8.	H. 4.	Bot. mag. t. 1996.
5	acutifolia. B.F.G.	(ye.) pointed-leaved.	—	1822.	7. 11.	H. 4.	Swt. br. fl. gar. s. 2.
6	spathulata. w.	(ye.) spathulate-leav'd.	—	1825.	8. 11.	H. 4.	
7	gracilis. N.	(ye.) slender hairy.	—	—	—	H. 4.	
ECHINACEA. D.D. ECHINACEA. Syngenesia Polygamia Frustranea.							
1	purpurea. D.D.	(pu.) reflexed-rayed.	N. America.	1699.	7. 10.	H. 4.	Bot. mag. t. 2.
	<i>Rudbeckia purpurea</i> . B.M.						
2	serotina. D.D.	(li.) hispid-stalked.	—	1816.	8. 10.	H. 4.	Swt. br. fl. gar. t. 4.
	<i>Rudbeckia serotina</i> . B.F.G.						
3	napifolia.	(ro.) Rape-leaved.	New Spain.	1824.	7. 10.	F. 4.	
	<i>Rudbeckia napifolia</i> . K.S.						
4	heterophylla. D.D.	(li.) various-leaved.	Mexico.	1828.	9. 11.	H. 4.	Swt. br. fl. gar. s. 2. t. 1.
COSMOS. C.I. COSMOS. Syngenesia Polygamia Frustranea. W.							
1	sulphureus.	(st.) Southernwood-leav'd.	Mexico.	1799.	7. 8.	H. 4.	Jacq. ic. 3. t. 595.
2	tenellus. K.S.	(ro.) slender.	Mexico.	1825.	10. 11.	G. 4.	Bot. mag. t. 1535.
3	bipinnatus. C.I.	(pu.) purple-flower'd.	—	1799.	—	G. 4.	
4	crithmifolius. K.S.	(ro.) Samphire-leav'd.	—	1825.	—	G. 4.	
5	parviflorus. w.	(wh.) white-flowered.	—	1800.	—	H. 4.	Jacq. schœn. 3. t. 574.
GEORGINA. W. GEORGINA. Syngenesia Polygamia Superfluo—Frustranea.							
1	Cervantesii. LG.	(sc.) Cervantes'.	Mexico.	1820.	8. 10.	H. 4.	Swt. br. fl. gar. s. 2. t. 1.
	β Aurora. S.F.G.	(sc.) double-flowered.	—	1828.	—	H. 4.	Swt. flor. guid. t. 117.
2	crocata. LG.	(sc.) saffron-coloured.	—	1818.	—	H. 4.	Swt. br. fl. gar. t. 23.
3	coccinea. w.	(sc.) scarlet-flowered.	—	1802.	—	H. 4.	Cavan. icon. t. 266.
4	rosea. C.I.	(ro.) bipinnate-leaved.	—	—	7. 10.	H. 4.	— t. 265.
5	astrantiaeflora.	(pu.) Astrantia-flower'd.	—	1812.	—	H. 4.	
6	variabilis. w.	(va.) variable.	—	1789.	6. 11.	H. 4.	Cavan. icon. 1. t. 8.
	<i>Dahlia pinnata</i> . C.I. superflua. H.K.						
	α purpurea.	(pu.) purple-flowered.	—	—	—	H. 4.	Ann. mus. 3. t. 37. f. 1.
	β lilacina.	(li.) lilac-coloured.	—	—	—	H. 4.	Sal. par. lond. t. 16.
	γ pallida.	(bh.) blush-flowered.	—	—	—	H. 4.	
	δ alba.	(wh.) white-flowered.	—	—	—	H. 4.	
	ε flava.	(ye.) yellow-flowered.	—	—	—	H. 4.	
	ζ cuprea.	(co.) copper-coloured.	—	—	—	H. 4.	
	η rubra.	(re.) red-flowered.	—	—	—	H. 4.	Bot. mag. t. 1835. A.
	θ coccinea.	(sc.) scarlet-flowered.	—	—	—	H. 4.	
	ι punicea.	(cr.) crimson-flowered.	—	—	—	H. 4.	Bot. reg. t. 55.
	κ atrosanguinea.	(d.cr.) dark crimson.	—	—	—	H. 4.	
	λ atropurpurea.	(d.pu.) dark purple.	—	—	—	H. 4.	
	μ nigra.	(da.) dark-coloured.	—	—	—	H. 4.	
	ν variegata.	(v.) variegated-flower'd.	—	—	—	H. 4.	
	ξ nana.	(li.) double dwarf lilac.	—	—	—	H. 4.	Andr. reposit. t. 153.
	ο superba.	(pu.) double purple.	—	—	—	H. 4.	Bot. mag. t. 1835. B.
						H. 4.	

π <i>Junoniàna</i> . (d.pu.) <i>Juno</i> . Mexico. 6. 11. H. 4.	Swt. flor. guid. t. 102.
ρ <i>imperiòsa</i> . (d.pu.) <i>Dennis's imperial</i> . ——— 1827. ——— H. 4.	———— v. 1. t. 71.
σ <i>stellàris</i> . (sc.) <i>morning star</i> . ——— 1826. ——— H. 4.	———— v. 1. t. 65.
τ <i>spharocéphala</i> . (d.cr.) <i>globe-flowered</i> . ——— 1827. ——— H. 4.	———— v. 2. t. 115.
ν <i>Belladónna</i> . (pi.) <i>painted Lady</i> . ——— ——— H. 4.	———— v. 2. t. 110.

The varieties of the present species are almost endless.

CALLIO'PSIS. S.S. CALLIO'PSIS. Syngenesia Polygamia Frustranea.

1 <i>tinctòria</i> . N. (ye.pu.) two-coloured. Arkansa. 1823. 6. 10. H. ☉.	Swt. br. fl. gar. t. 72.
--	--------------------------

bicolor. s.s. *Coreòpsis tinctòria*. N.

2 <i>palmàta</i> . s.s. (ye.) palmate-leaved. Louisiana. ——— 8. 10. H. ☉.	
---	--

3 <i>rosea</i> . s.s. (ro.) rose-coloured. N. America. ——— ——— H. 4.	
--	--

Coreòpsis rosea. N.

COREO'PSIS. W. COREO'PSIS. Syngenesia Polygamia Frustranea. L.

1 <i>grandiflòra</i> . N. (ye.) large-flowered. N. America. 1826. 8. 9. H. 4.	Swt. br. fl. gar. t. 175.
---	---------------------------

2 <i>verticillàta</i> . W. (ye.) whorl-leaved. ——— 1759. 7. 10. H. 4.	Bot. mag. t. 156.
---	-------------------

3 <i>tenuifolia</i> . W. (ye.) slender-leaved. ——— 1780. 7. 8. H. 4.	Pluk. man. t. 344. f. 4.
--	--------------------------

4 <i>trichospérma</i> . M. (ye.) pinnate leaved. Carolina. 1822. 8. 10. G. ♂.	
---	--

5 <i>chrysántha</i> . W. (ye.) Angelica-leav'd. W. Indies. 1752. 7. 9. S. ♂.	Plum. ic. 53. f. 1.
--	---------------------

6 <i>aurea</i> . W. (ye.) Hemp-leaved. N. America. 1785. 8. 9. H. 4.	Bot. reg. t. 1228.
--	--------------------

7 <i>tripteris</i> . Ph. (ye.) three-leaved. ——— 1737. 8. 10. H. 4.	Moris. s. 6. t. 3. f. 41.
---	---------------------------

8 <i>discolor</i> . L.en. (ye.) two-coloured. ——— 1818. ——— H. 4.	
---	--

9 <i>senifolia</i> . Ph. (ye.) sessile-leaved. ——— 1812. ——— H. 4.	
--	--

10 <i>amplexicaulis</i> . K.s. (ye.) stem-clasping. 1806. 7. 8. H. 4.	
--	--

Simsia amplexicaulis. P.s.

11 <i>alba</i> . W. (wh.) climbing. Jamaica. 1699. 6. 7. S. 4. —.	Herm. parad. 124.
---	-------------------

12 <i>incisa</i> . B.R. (ye.) jagged-leaved. W. Indies. 9. 12. S. 4. —.	Bot. reg. t. 7.
--	-----------------

13 <i>réptans</i> . W. (ye.) trailing. ——— 1792. 7. 9. S. ☉.	Smith spic. t. 22.
--	--------------------

14 <i>auriculàta</i> . W. (ye.) ear-leaved. N. America. 1699. 8. 10. H. 4.	Schk. hand. 3. t. 260.
--	------------------------

15 <i>latifolia</i> . W. (ye.) broad-leaved. ——— 1786. 8. 9. H. 4.	
--	--

16 <i>arguta</i> . Ph. (ye.) sharp-notched. Carolina. ——— H. 4.	
--	--

17 <i>lanceolata</i> . W. (ye.) spear-leaved. ——— 1724. 7. 9. H. 4.	Swt. br. fl. gar. t. 10.
---	--------------------------

18 <i>crassifolia</i> . W. (ye.) thick-leaved. ——— 1786. 8. 10. H. 4.	
---	--

19 <i>angustifolia</i> . W. (ye.) narrow-leaved. N. America. 1778. 6. 8. H. 4.	
--	--

BIDENS. K.S. B'IDENS. Syngenesia Polygamia Frustranea.

1 <i>nodiflora</i> . W. (ye.) sessile-flowered. E. Indies. 1732. 7. 8. S. ☉.	Dill. elth. t. 44. f. 52.
--	---------------------------

2 <i>tripartita</i> . W. (ye.) trifid. Britain. 7. 9. H. ☉.	Eng. bot. t. 1113.
--	--------------------

3 <i>cérnua</i> . W. (ye.) nodding. ——— ——— H. ☉.	———— t. 1114.
--	---------------

4 <i>chrysanthemoïdes</i> . W. (ye.) large yellow. N. America. 1827. 8. 10. H. ☉.	
---	--

5 <i>arguta</i> . K.s. (ye.) sharp-toothed. Mexico. 1825. ——— H. 4.	
---	--

6 <i>triplinervia</i> . K.s. (ye.) triply-nerved. ——— ——— H. 4.	
---	--

7 <i>heterophylla</i> . W. (ye.) various-leaved. ——— 1803. 8. 9. F. 4.	Orteg. dec. 8. t. 12.
--	-----------------------

8 <i>luxùrians</i> . W.en. (ye.) luxuriant. ——— 1823. ——— F. 4.	
---	--

9 <i>frondosa</i> . W. (ye.) smooth-stalked. N. America. 1710. 7. 8. H. ☉.	Moris. his. s. 6. t. 5. f. 21.
--	--------------------------------

10 <i>foliosa</i> . W.en. (ye.) leafy. 1823. ——— H. ☉.	
---	--

11 <i>connata</i> . W. (ye.) connate. N. America. ——— ——— H. ☉.	
---	--

12 <i>leucántha</i> . W. (wh.) white-flowered. S. America. ——— H. ☉.	
---	--

13 <i>striata</i> . B.F.G. (std.) stripe-flowered. Mexico. 1827. 8. 11. H. ☉.	Swt. br. fl. gar. t. 237.
---	---------------------------

14 <i>chinensis</i> . W. (wh.) Chinese. China. 1801. 6. 7. H. ☉.	Rumph. amb. 6. t. 15. f. 2.
--	-----------------------------

15 <i>diversifolia</i> . W. (ye.) different-leav'd. S. America. 1811. 9. 10. H. ☉.	Bot. mag. t. 1689.
--	--------------------

Cosmea lutea. B.M. *Coreòpsis diversifolia*. Jacq.

16 <i>pilosa</i> . W. (wh.) hairy. N. America. 1732. 7. ——— H. ☉.	Dill. elth. t. 43. f. 51.
---	---------------------------

17 <i>sambucifolia</i> . W. (sc.) Elder-leaved. S. America. 1801. 7. 8. H. 4.	Cavan. ic. 3. t. 229.
---	-----------------------

18 <i>odorata</i> . W. (wh.) sweet-scented. Mexico. 1823. ——— H. ☉.	———— 1. t. 13.
---	----------------

19 <i>grandiflora</i> . S.s. (wh.) large-flowered. S. America. 1825. 8. 11. H. ☉.	
---	--

20 <i>bipinnata</i> . W. (ye.) Hemlock-leav'd. N. America. 1687. ——— H. ☉.	Herm. parad. t. 123.
--	----------------------

21 <i>parviflora</i> . S.s. (ye.) small-flowered. Siberia. 1823. ——— H. ☉.	
--	--

22 <i>bullata</i> . W. (ye.) rough-leaved. Italy. 1759. ——— H. ☉.	Arduin. spec. 2. t. 18.
---	-------------------------

23 <i>reflexa</i> . L.en. (ye.) reflexed. Mexico. 1824. ——— G. 4.	
---	--

24 <i>critamifolia</i> . K.s. (ye.) Samphire-leav'd. Quito. ——— 9. 10. F. 4.	
--	--

25 <i>angustifolia</i> . K.s. (or.) narrow-leaved. New Spain. ——— ——— H. 4.	
---	--

26 <i>procera</i> . B.R. (ye.) tall. S. America. 1818. ——— H. 4.	Bot. reg. t. 684.
--	-------------------

27 <i>ferulaefolia</i> . (ye.) Fennel-leaved. Mexico. 1799. 10. 11. F. 4.	Jacq. schoenb. 3. t. 373.
---	---------------------------

Coreòpsis ferulaefolia. Jacq.

28 <i>ciliata</i> . (ye.) fringed. Mexico. 1827. 8. 10. H. ☉.	
---	--

29 <i>chrysántha</i> . Ort. (ye.) golden-flowered. ——— ——— H. ☉.	
--	--

30 <i>coronata</i> . F. (ye.) crowned. 1829. ——— H. ☉.	
---	--

31 <i>serrulata</i> . Df. (ye.) serrulate. ——— H. ☉.	
---	--

OSM'ITES. W. OSM'ITES. Syngenesia Polygamia Frustranea. W.

1 <i>bellidiá-trum</i> . W. (wh.) Daisy-like. C. B. S. 1816. 4. 8. G. $\frac{1}{2}$.	
---	--

2 <i>asteriscoides</i> . W. (wh.) starry. ——— 1823. 4. 7. G. $\frac{1}{2}$.	Burm. afr. t. 58. f. 1.
--	-------------------------

3	camphorina. w. (wh.)	Camphor-scent'd. C. B. S.	1794.	4. 7.	G. h.	Seb. mus. 1. t. 90. f. 2.
4	dentata. w. (wh.)	tooth-leaved. ———	1820.	——	G. h.	
SCLEROCA'RPUS. W. SCLEROCA'RPUS. Syngenesia Polygamia Frustranea. W.						
	africanus. w. (ye.)	African. Guinea. 1812.	7. 8.	G. ○.		Jacq. ic. 1. t. 176.
CULL'UMIA. H.K. CULL'UMIA. Syngenesia Polygamia Frustranea. H.K.						
1	ciliaris. H.K. (ye.)	ciliated. C. B. S.	1774.	5. 6.	G. h.	Burm. afr. t. 51. f. 1.
2	setosa. H.K. (ye.)	recurved smooth-leav'd. —	1780.	6. 8.	G. h.	Comm. hort. 2. t. 28.
3	squarrosa. H.K. (ye.)	recurved-awl-leaved. —	1786.	——	G. h.	Th. act. hafn. 3. t. 5.
BERCKH'EYA. H.K. BERCKH'EYA. Syngenesia Polygamia Frustranea. H.K.						
1	cynaroides. w. (ye.)	Artichoke-cup'd. C. B. S.	1789.	6.	G. 4.	
2	obovata. w. (ye.)	smooth shrubby. ———	1794.	6. 8.	G. h.	Hout. n. h. 6. t. 34. f. 2.
3	incana. w. (ye.)	hoary. ———	1739.	7. 8.	G. h.	Jacq. ic. 3. t. 591.
4	cuneata. w. (ye.)	wedge-leaved. ———	1812.	6. 8.	G. h.	Th. act. hafn. 3. t. 10.
5	palmata. w. (ye.)	palmated. ———	1800.	——	G. h.	—— 3. t. 13.
6	grandiflora. w. (ye.)	large-flowered. ———	1812.	——	G. h.	Bot. mag. t. 1814.
7	uniflora. w. (ye.)	single-flowered. ———	1815.	——	G. h.	Th. act. hafn. 3. t. 7.
8	cernua. H.K. (ye.)	drooping-flower'd. ———	1774.	5. 7.	G. ♂.	Meerb. ic. 1. t. 40.
DIDE'LTA. H.K. DIDE'LTA. Syngenesia Polygamia Frustranea. H.K.						
1	carnosum. H.K. (ye.)	alternate-leav'd. C. B. S.	1774.	6. 7.	G. h.	L'Her. stirp. t. 28.
2	spinosum. H.K. (ye.)	opposite-leaved. ———	——	——	G. h.	Wendl. obs. t. 4. f. 32.
GORT'ERIA. H.K. GORT'ERIA. Syngenesia Polygamia Frustranea. H.K.						
	personata. H.K. (ye.)	procumbent. C. B. S.	1774.	7. 8.	G. ○.	Jacq. coll. 4. t. 21. f. 1.
GAZ'ANIA. H.K. GAZ'ANIA. Syngenesia Polygamia Frustranea. H.K.						
1	uniflora. B.M. (ye.)	golden. C. B. S.	1816.	7. 8.	G. h.	Bot. mag. t. 2270.
2	rigens. H.K. (ye.ve.)	great-flowered. ———	1755.	5. 9.	G. h.	—— t. 90.
3	heterophylla. w. (ye.ve.)	various-leaved. ———	1812.	——	G. 4.	Willd. hort. ber. t. 97.
4	Pavonia. H.K. (ye.ve.)	Peacock. ———	1804.	6. 7.	G. 4.	Bot. reg. t. 35.
5	subulata. H.K. (ye.)	awl-leaved. ———	1792.	7. 8.	G. 4.	
CRYPTOSTE'MMA. H.K. CRYPTOSTE'MMA. Syngenesia Polygamia Frustranea.						
1	calendulaceum. H.K. (ye.)	Marygold-flow'r'd. C. B. S.	1752.	6. 8.	H. ○.	Bot. mag. t. 2252.
2	hypochondriacum. H.K. (ye.)	divided-rayed. ———	1731.	7. 8.	H. ○.	
3	runcinatum. H.K. (ye.)	Dandelion-leaved. ———	1791.	——	H. ○.	
ARCTOTH'ECA. W. ARCTOTH'ECA. Syngenesia Polygamia Frustranea. H.K.						
1	repens. w. (ye.)	creeping. C. B. S.	1793.	7. 8.	G. 4.	Jacq. schœn. 3. t. 300.
2	hirta. L.en. (ye.)	hairy. ———	1818.	7. 9.	G. 4.	
SPHENO'GYNE. H.K. SPHENO'GYNE. Syngenesia Polygamia Frustranea. H.K.						
1	anthemoides. H.K. (ye.)	white-crowned. C. B. S.	1774.	7. 9.	H. ○.	Bot. mag. t. 544.
2	crithmifolia. H.K. (ye.)	Samphire-leav'd. ———	1768.	4. 8.	G. h.	Burm. afr. t. 65. f. 1.
3	scariosa. H.K. (ye.)	scaly-cupped. ———	1774.	——	G. h.	
4	abrotanifolia. H.K. (ye.)	Southernwood-leav'd. —	1789.	5. 8.	G. h.	
5	dentata. H.K. (ye.)	small-leaved. ———	1787.	6. 7.	G. h.	Burm. afr. t. 64.
6	pilifera. B.R. (ye.)	hair toothed. ———	1820.	——	G. h.	Bot. reg. t. 601.
7	serrata. s.s. (ye.)	saw-leaved. ———	1826.	——	G. h.	
8	fœniculacea. (ye.)	Fennel-leaved. ———	1825.	5. 9.	H. ○.	Jacq. schœn. 2. t. 17.
	Arctotis fœniculacea. Jacq.					
9	leucanthemoides. (ye.)	Ox-eye Daisy-leav'd. —	——	——	H. ○.	—— 2. t. 164.
	Arctotis leucanthemoides. Jacq.					
10	odorata. H.K. (ye.)	smooth-seeded. ———	1774.	4. 6.	G. h.	
TITH'ONIA. W. TITH'ONIA. Syngenesia Polygamia Frustranea. W.						
1	tagetiflora. w. (or.)	Tagetes-flower'd. W. Indies.	1821.	8. 9.	S. 4.	Bot. reg. t. 591.
2	tubæformis. D.D. (ye.)	tube-flowered. Mexico.	1799.	9. 11.	H. ○.	Jacq. schœn. 3. t. 300.
	Heliæanthus tubæformis. Jacq.					
ARCTOTIS. H.K. ARCTOTIS. Syngenesia Polygamia Necessaria. L.						
1	acaulis. w. (ye.)	dwarf. C. B. S.	1759.	4. 7.	G. 4.	Bot. reg. t. 122.
2	tricolor. w. (pu.wh.)	three-coloured. ———	1794.	5. 7.	G. 4.	—— t. 131.
3	undulata. w. (or.)	wave-leaved. ———	1795.	4. 6.	G. 4.	Jacq. schœn. 2. t. 17.
4	grandiflora. w. (or.cr.)	great-flowered. ———	1771.	3. 5.	G. h.	—— 3. t. 300.
5	Massoniæna. s.s. (st.re.)	Masson's. ———	——	——	G. ♂.	
	grandiflora. H.K. non Jacq.					
6	speciosa. w. (pu.ye.)	showy. ———	1812.	6. 8.	G. 4.	Bot. mag. t. 2182.
7	glaucophylla. w. (or.pi.)	Sea-green-leav'd. ———	1791.	5. 8.	G. 4.	Jacq. schœn. 2. t. 17.
8	plantaginea. w. (ye.pu.)	Plantain-leaved. ———	1768.	6. 8.	G. 4.	
9	argentea. w. (v.)	silver-leaved. ———	1774.	8.	G. ♂.	
10	rosea. w. (ro.)	Rose. ———	1793.	7. 9.	G. 4.	Jacq. schœn. 2. t. 17.
11	decumbens. w. (wh.pi.)	decumbent. ———	1790.	——	G. 4.	—— 3. t. 300.
12	angustifolia. w. (or.)	narrow-leaved. ———	1739.	——	G. 4.	
13	flaccida. w. (wh.re.)	bending-stalked. ———	1791.	5. 7.	G. ○.	Jacq. schœn. 2. t. 17.
14	virgata. w. (ye.pu.)	slender-twigged. ———	1816.	7. 9.	H. ○.	—— 3. t. 300.
15	flammea. J.F. (or.)	flame-coloured. ———	1822.	——	G. 4.	Jacq. frag. t. 47. f. 1.

16 amœna. J.F. (wh.pu.) handsome.	C. B. S.	1822.	7. 9. G. 4.	Jacq. frag. t. 118.
17 paniculata. w. (wh.cr.) paniced.	_____	_____	_____ G. h.	Jacq. schœn. 3. t. 380.
18 decurrens. w. (wh.pi.) decurrent.	_____	_____	6. 7. G. h.	_____ 2. t. 165.
19 melanocicla. w. (wh.re.) various-colour'd.	_____	1812.	_____ G. h.	_____
20 reptans. w. (st.br.) creeping.	_____	1795.	7. 9. G. 4.	Jacq. schœn. 3. t. 382.
21 auriculata. w. (ye.pu.) ear-leaved.	_____	_____	6. 8. G. h.	_____ 2. t. 169.
22 fastuosa. w. (or.cr.) Orange-flower'd.	_____	_____	5. 7. G. ♂.	_____ 2. t. 166.
23 spinulosa. w. (or.bk.) thorny-leaved.	_____	_____	5. 8. G. ⊙.	_____ 2. t. 167.
24 maculata. w. (st.pu.) spotted.	_____	1812.	_____ G. h.	Bot. reg. t. 130.
25 aspera. B.R. (wh.ro.) broad rough-leav'd.	_____	1710.	7. 9. G. h.	_____ t. 34.
26 elatior. w. (ye.pu.) tall.	_____	1816.	_____ G. h.	Jacq. schœn. 2. t. 172.
27 arborescens. w. (wh.pi.) arborescent.	_____	_____	_____ G. h.	_____ 2. t. 171.
28 aurèola. B.R. (or.) narrow rough-leav'd.	_____	1710.	_____ G. h.	Bot. reg. t. 32.
29 revoluta. w. (ye.bk.) revolute-leaved.	_____	1824.	8. 10. H. ⊙.	Jacq. schœn. 2. t. 173.
30 cuprea. w. (co.pu.) copper-coloured.	_____	_____	7. 8. G. h.	_____ 2. t. 176.
31 squarrosa. w. (or.pu.) squarrose.	_____	1825.	_____ G. h.	_____ 2. t. 177.
32 cineraria. w. (ye.or.) black-eyed.	_____	_____	_____ G. 4.	_____ 2. t. 174.
33 bicolor. W.en. (wh.re.) two-coloured.	_____	1812.	_____ G. 4.	_____
34 glabrata. w. (ye.pu.) smooth-leaved.	_____	1816.	7. 9. G. h.	Jacq. schœn. 2. t. 175.
35 purpurea. W.en. (pu.) purple.	_____	1827.	_____ G. h.	_____
CALENDULA. W. MARYGOLD. Syngenesia Polygamia Necessaria. L.				
1 arvensis. w. (ye.) field.	Europe.	1597.	6. 9. H. ⊙.	Ger. herb. 603. f. 10.
2 sicula. W.en. (ye.) Sicilian.	Sicily.	1816.	_____ H. ⊙.	_____
3 stellata. w. (ye.) starry.	Barbary.	1795.	_____ H. ⊙.	Schk. hand 3. t. 265.
4 officinalis. w. (ye.) common.	S. Europe.	1573.	_____ H. ⊙.	_____
β plena. (ye.) double-flowered.	_____	_____	_____ H. ⊙.	_____
5 ægyptiaca. P.S. (ye.) Egyptian.	Egypt.	1820.	_____ H. ⊙.	_____
6 suffruticosa. w. (ye.) suffrutescent.	S. Europe.	1823.	_____ G. h.	_____
7 denticulata. s.s. (ye.) toothed.	Barbary.	1821.	6. 8. F. h.	_____
8 sancta. w. (st.) pale-flowered.	Levant.	1731.	5. 9. H. ⊙.	_____
9 incana. w. (ye.) hoary.	Barbary.	1796.	6. 8. H. ⊙.	Desf. atl. 2. t. 245.
tomentosa. Df. non L.				
10 pluvialis. w. (wh.pu.) small Cape.	C. B. S.	1699.	_____ H. ⊙.	Mill. ic. t. 75. f. 2.
11 hybrida. w. (wh.pu.) great Cape.	_____	1752.	6. 7. H. ⊙.	Swt. br. fl. gar. t. 39.
12 nudicaulis. w. (wh.) naked-stalked.	_____	1731.	6. 8. H. ⊙.	Comm. hort. 2. t. 33.
13 graminifolia. w. (wh.pu.) Grass-leaved.	_____	_____	5. 9. G. 4.	Bot. reg. t. 289.
14 Tragus. w. (pu.wh.) bending-stalked.	_____	1774.	5. 6. G. h.	Bot. mag. t. 408.
β flaccida. v. (or.) flaccid.	_____	_____	_____ G. h.	Bot. reg. t. 28.
15 viscosa. H.K. (or.) viscous.	_____	1790.	6. 9. G. h.	Andr. reposit. t. 412.
Arctotis glutinosa. B.M. 1343.				
16 dentata. A.R. (wh.) tooth-leaved.	_____	1790.	5. 6. G. h.	Andr. reposit. c. ic.
17 oppositifolia. w. (ye.) glaucous-leaved.	_____	1774.	8. G. h.	_____
18 fruticosa. w. (wh.) shrubby.	_____	1752.	6. 7. G. h.	Mill. ic. 2. t. 283.
19 chrysanthemifolia. v. (ye.) large-flower'd.	_____	1790.	3. 8. G. h.	Bot. reg. t. 40.
20 arborescens. w. (ye.) rough-leaved.	_____	1774.	12. G. h.	Jacq. ic. 3. t. 596.
21 muricata. w. (ye.) muricate.	_____	1816.	_____ G. h.	_____
POLYMNIA. W. POLYMNIA. Syngenesia Polygamia Necessaria. L.				
1 canadensis. w. (ye.) Canadian.	N. America.	1768.	7. 8. H. 4.	Lin. am. ac. 3. t. 1. f. 5.
2 Uvedalia. w. (ye.) broad-leaved.	_____	1699.	8. 10. H. 4.	Moris. s. 6. t. 7. f. 55.
3 maculata. C.I. (ye.) spotted-stalked.	Mexico.	1823.	9. 11. H. 4.	Cav. ic. 3. t. 227.
4 abyssinica. w. (ye.) upright.	Africa.	1775.	4. 5. S. ♂.	_____
MELAMPEDIUM. W. MELAMPEDIUM. Syngenesia Polygamia Necessaria. W.				
1 americanum. w. (ye.) American.	Vera Cruz.	1733.	8. 10. S. ⊙.	Reliq. Houst. 9. t. 21.
2 humile. w. (ye.) dwarf.	Jamaica.	1782.	6. 10. S. ⊙.	_____
3 hispidum. K.S. (ye.) hispid.	New Spain.	1825.	9. 11. H. ⊙.	H. et B. 4. t. 399.
4 perfoliatum. K.S. (ye.) perfoliate.	_____	1796.	8. 10. H. ⊙.	Cavan. ic. 1. t. 15.
Aleina perfoliata. Cav. Wedelia perfoliata. w.				
5 longifolium. W.en. (ye.) long-leaved.	_____	1820.	_____ H. ⊙.	_____
6 ovatifolium. R.I. (ye.) oval-leaved.	S. America.	1828.	_____ H. ⊙.	_____
Wedelia ovatifolium. w. Aleina ovalifolia. LG.				
7 sericeum. s.s. (ye.) silky-leaved.	New Spain.	1825.	_____ H. ⊙.	_____
MILLERIA. L. MILLERIA. Syngenesia Polygamia Necessaria. L.				
1 quinqueflora. w. (ye.) five flowered.	Vera Cruz.	1731.	7. 10. H. ⊙.	Cavan. ic. 1. t. 82.
2 biflora. w. (ye.) two-flowered.	S. America.	1730.	_____ H. ⊙.	Mart. dec. 47. f. 1.
FLAVERIA. J. FLAVERIA. Syngenesia Polygamia Necessaria. P.S.				
1 repanda. LG. (ye.) repand.	S. America.	1799.	7. 9. H. ⊙.	_____
2 Contrayerva. K.S. (ye.) Peruvian.	Peru.	1794.	8. 10. S. ♂.	Cavan. ic. 1. t. 4.
3 angustifolia. K.S. (ye.) narrow-leaved.	Mexico.	1825.	_____ H. 4.	_____ 3. t. 223.

4 lineàris. LG.	(ye.) linear-leaved.	S. America.	1825.	8. 10.	S. ☉.	
5 marítima. K.S.	(ye.) sea-side.	Cuba.	1822.	—	S. ☉.	
BALTIM'ORA. W.	BALTIM'ORA.	Syngenesia Polygamia Necessaria.	L.			
1 recta. w.	(ye.) upright.	Vera Cruz.	1699.	6. 7.	H. ☉.	Schk. ha. 3. t. 261. C.
2 álba. P.S.	(wh.) white.		1824.	—	H. ☉.	
ERIO'COMA. K.S.	ERIO'COMA.	Syngenesia Polygamia Frustranea.				
1 floribúnda. K.S.	(wh.) many-flowered.	Mexico.	1828.	9. 11.	F. ♀.	H. et B. 4. t. 396.
2 fràgrans. D.D.	(wh.) sweet-scented.	—	—	—	F. ♀.	Swt. br. fl. gar. s. 2.
SÍLPHIUM. W.	SÍLPHIUM.	Syngenesia Polygamia Necessaria.	L.			
1 laciniàtum. w.	(ye.) jagged-leaved.	N. America.	1781.	7. 9.	H. ☉.	Lin. fil. fas. 1. t. 3.
2 compósitum. w.	(ye.) scollop-leaved.	—	1789.	—	H. ♀.	
3 therebinthinàceum.	(ye.) broad-leaved.	—	1765.	8. 9.	H. ♀.	Jacq. vind. 1. t. 43.
4 perfoliàtum. w.	(ye.) perfoliate.	—	1766.	7. 10.	H. ♀.	
5 conjúctum. W.en.	(ye.) conjoined.	—		—	H. ♀.	
6 connàtum. w.	(ye.) round-stalked.	—	1765.	—	H. ♀.	
7 Asteriscus. w.	(ye.) hairy-stalked.	—	1732.	7. 9.	H. ♀.	Dill. elth. t. 37. f. 42.
8 scábrum. N.	(ye.) rough-leaved.	—	1823.	—	H. ♀.	
9 pùmilum. w.	(ye.) dwarf woolly.	—	—	—	H. ♀.	
10 trifoliàtum. w.	(ye.) three-leaved.	—	1755.	7. 10.	H. ♀.	Moris. s. 6. t. 3. f. 62.
11 ternàtum. w.	(ye.) various-leaved.	—	1806.	—	H. ♀.	
12 atropurpùreum. w.	(ye.) purple-stalked.	—	1812.	—	H. ♀.	
OSTEOSPE'RMUM.	OSTEOSPE'RMUM.	Syngenesia Polygamia Necessaria.	L.			
1 spinòsum. H.K.	(ye.) rough-leaved.	C. B. S.	1700.	2. 10.	G. ♀.	Com. hort. 2. t. 43.
2 spinèscens. H.K.	(ye.) smooth-leaved.	—	1793.	3. 6.	G. ♀.	Jacq. schœn. 3. t. 377.
3 pisíferum. w.	(ye.) smooth.	—	1757.	3. 5.	G. ♀.	Mill. ic. 2. t. 194. f. 1.
4 monilíferum. w.	(ye.) Poplar-leaved.	—	1714.	7. 8.	G. ♀.	Dill. elth. t. 68. f. 79.
5 hirsùtum. w.	(ye.) hairy.	—	1822.	—	G. ♀.	
6 ciliàtum. w.	(ye.) fringed.	—	1818.	—	G. ♀.	
7 imbricàtum. w.	(ye.) imbricated.	—	1824.	—	G. ♀.	
8 calendulàceum. w.	(ye.) Marygold-like.	—	1823.	—	G. ♀.	
9 ilicifolium. w.	(ye.) Holly-leaved.	—	1816.	—	G. ♀.	Burm. afr. 172. t. 62.
10 rigidum. w.	(ye.) rigid.	—	1774.	4. 7.	G. ♀.	
11 cœrùleum. w.	(bl.) blue-flowered.	—	—	6. 9.	G. ♀.	Jacq. ic. 1. t. 179.
12 perfoliàtum. w.	(ye.) perfoliate.	—	1816.	5. 8.	G. ♀.	
13 niveum. w.	(ye.) white-leaved.	—	1820.	—	G. ♀.	
14 corymbòsum. w.	(ye.) corymbed.	—	—	—	G. ♀.	
15 incànum. w.	(ye.) hoary-leaved.	—	1816.	7. 8.	G. ♀.	
16 polygalòides. w.	(ye.) Milkwort-leaved.	—	1759.	—	G. ♀.	Pluk. mant. t. 382.

Subordo VII. *AMBROSIACEÆ*. Link enum. 2. p. 366.

PARTH'ENIUM. W.	PARTH'ENIUM.	Syngenesia Polygamia Necessaria.	L.			
1 integrifolium. w.	(wh.) entire-leaved.	Virginia.	1661.	6. 10.	H. ♀.	Willd. hort. ber. t. 4.
2 incànum. K.S.	(wh.) hoary.	Mexico.	1824.	—	H. ☉.	H. et B. 4. t. 3. 1.
3 Hysteróphorus. w.	(wh.) cut-leaved.	W. Indies.	1728.	7. 10.	H. ☉.	Bot. mag. t. 2275.
<i>Argyroch'ata bipinnatifida</i> . Cavan. icon. 4. t. 378.						
'IVA. W.	'IVA.	Syngenesia Polygamia Necessaria.	L.			
1 ciliàta. w.	(ye.) ciliated.	N. America.	1820.	7. 8.	H. ☉.	
2 ánnua. w.	(ye.) annual.	S. America.	1768.	—	H. ☉.	Schmidel ic. t. 16.
3 xanthiifolia. N.	(ye.) Xanthium-leaved.	Missouri.	1827.	—	H. ☉.	
4 axillàris. Ph.	(ye.) axillary-flowered.	—	—	5. 6.	H. ♀.	
5 frutèscens. w.	(ye.) shrubby.	N. America.	1711.	8.	H. ♀.	Pluk. alm. t. 27. f. 1.
AMBR'OSIA. W.	AMBR'OSIA.	Monœcia Pentandria.	L.			
1 integrifolia. w.	(gr.) entire-leaved.	N. America.	1816.	7. 9.	H. ☉.	
2 trifida. w.	(gr.) trifid-leaved.	—	1699.	—	H. ☉.	Moris. s. 6. t. 1. f. 4.
3 elàtior. w.	(gr.) tall.	—	1696.	7. 8.	H. ☉.	Herm. lugdb. t. 35.
4 artemisiæfolia. w.	(gr.) Mugwort-leaved.	—	1759.	—	H. ☉.	
5 paniculàta. w.	(gr.) paniced.	—	1811.	7. 9.	H. ☉.	Pluk. alm. t. 10. f. 5.
6 marítima. w.	(gr.) sea.	Italy.	1570.	7. 8.	H. ☉.	Schk. hand. 3. t. 222.
7 cumanénsis. K.S.	(gr.) Cumana.	S. America.	1823.	9. 11.	G. ♀.	
8 peruviàna. w.	(gr.) Peruvian.	Peru.	1821.	—	G. ♀.	
XA'NTHIUM. W.	XA'NTHIUM.	Monœcia Pentandria.	L.			
1 Strumàrium. w.	(gr.) small burdock.	England.		7. 9.	H. ☉.	Eng. bot. v. 36. t. 254.
2 orientàle. w.	(gr.) oriental.	China.	1685.	—	H. ☉.	Linn. dec. 33. t. 17.
3 canadèse. s.s.	(gr.) Canadian.	Canada.	—	—	H. ☉.	
4 echinàtum. w.	(gr.) hedgehog.		1818.	—	H. ☉.	

5 catharticum. K.s. (gr.)	divided-leaved.	S. America.	1825.	9. 10.	H. ☉.	
6 spinosum. w. (gr.)	spiny.	S. Europe.	1713.	7. 9.	H. ☉.	Herm. parad. 246.
FRANS'ERIA. W.	FRANS'ERIA.	Monœcia Pentandria.	W.			
1 artemisioides. w. (gr.)	Mugwort-leaved.	Peru.	1759.	7. 9.	G. h.	Willd. hort. ber. t. 2.
2 ambrosioides. w. (gr.)	Ambrosia-leaved.	Mexico.	1796.	—	G. h.	Cavan. ic. 2. t. 200.

Subordo VIII. *ANTHEMIDEÆ*. *Kth. synops. 2. p. 513.*

CEPHALO'PHORA. W.	CEPHALO'PHORA.	Syngenesia Polygamia Æqualis.	W.			
glauca. w. (wh.)	glaucous.	Chili.	1798.	7. 8.	H. ☉.	Cavan. ic. 6. t. 599.
<i>Gr'emia aromática</i> . Hook. ex. flor. 189.						
ETH'ULIA. W.	ETH'ULIA.	Syngenesia Polygamia Æqualis.	W.			
1 conyzoides. w. (li.)	panicled.	India.	1776.	7. 8.	S. ☉.	Linn. fil. dec. t. 1.
2 divaricata. w. (pu.)	spreading.	—	1815.	—	S. ☉.	Lam. ill. t. 699.
<i>Epáltes divaricata</i> . Cas.						
3 ramosa. H.B. (pu.)	branching.	—	1818.	—	S. ☉.	
4 brasiliensis. L.en. (pu.)	Brazilian.	Brazil.	1822.	—	S. 4.	
SPARGANO'PHORUS. G.	SPARGANO'PHORUS.	Syngenesia Polygamia Æqualis.				
1 Vaillantii. P.s. (pu.)	Vaillant's.	E. Indies.	1824.	6. 8.	S. 4.	Gart. fr. 2. t. 165. f. 4.
<i>Ethulia Sparganophorus</i> . L.						
2 Struchium. P.s. (pu.)	axillary-flower'd.	W. Indies.	1826.	—	S. 4.	Brown. jam. t. 34. f. 2.
3 verticillatus. M. (pu.)	whorl-leaved.	N. America.	1827.	8. 10.	H. w. 4.	
TARCHONA'NTHUS. W.	AFRICAN FLEABANE.	Syngenesia Polygamia Æqualis.	L.			
1 camphoratus. w. (ye.)	strong-scented.	C. B. S.	1690.	6. 10.	G. h.	Lam. ill. t. 671.
2 dentatus. P.s. (ye.)	scentless.	—	1816.	—	G. h.	
3 ellipticus. P.s. (ye.)	elliptic-leaved.	—	1823.	—	G. h.	
PODA'NTHUS. LG.	PODA'NTHUS.	Syngenesia Polygamia Æqualis.				
1 miliqui. H.C. (ye.)	Chilian.	Chile.	1826.	7. 9.	F. h.	
2 gratus. D.D. (ye.)	grateful.	—	1825.	—	F. h.	Hor. phys. ber. 75. t. 16.
<i>Euxenia grata</i> . S.S.						
OTA'NTHUS. L.en.	OTA'NTHUS.	Syngenesia Polygamia Æqualis.				
maritimus. L.en. (ye.)	sea-side.	England.		7. 9.	H. h.	Eng. bot. v. 2. t. 141.
<i>Santolina maritima</i> . E.B.						
SANTOL'INA. W.	LAVENDER-COTTON.	Syngenesia Polygamia Æqualis.	L.			
1 Chamae-Cyparissus. w. (ye.)	common.	S. Europe.	1573.	7.	H. h.	Lam. ill. t. 671. f. 3.
2 ericoides. P.s. (ye.)	Heath-like.	—	1827.	7. 9.	H. h.	
3 squarrosa. w. (ye.)	hoary.	—	1570.	7. 8.	H. h.	Moris. s. 6. t. 3. f. 17.
4 viridis. w. (ye.)	dark-green.	—	1727.	7.	H. h.	
5 rosmarinifolia. w. (ye.)	Rosemary-leaved.	—	1683.	7. 9.	H. h.	Sm. exot. bot. 2. t. 62.
6 pectinata. S.S. (ye.)	pectinate.	Spain.	1825.	—	H. h.	
7 viscosa. S.S. (ye.)	viscous.	—	—	—	H. h.	
8 crithmifolia. W.en. (ye.)	Samphire-leaved.	S. Europe.	1823.	—	H. 4.	
9 pinnata. Viv. (wh.)	wing-leaved.	—	1791.	—	F. h.	
10 anthemoides. w. (ye.)	Chamomile-leaved.	—	1727.	7. 8.	H. 4.	Flor. græc. t. 854.
11 alpina. L. (ye.)	alpine.	—	1798.	7. 9.	H. 4.	Barr. rar. t. 522.
ATHAN'ASIA. W.	ATHAN'ASIA.	Syngenesia Polygamia Æqualis.	L.			
1 crenata. w. (ye.)	crenated.	C. B. S.	1816.	6. 8.	G. h.	
2 punctata. w. (ye.)	punctated.	—	1822.	5. 7.	G. h.	Petiv. gaz. t. 81. f. 6.
3 capitata. w. (ye.)	hairy.	—	1774.	1. 3.	G. h.	Moris. s. 6. t. 3. f. 48.
4 pubescens. w. (ye.)	villous-leaved.	—	1768.	6. 8.	G. h.	Comm. hort. 2. t. 47.
5 canescens. w. (ye.)	canescent.	—	1822.	—	G. h.	Cavan. ic. 1. t. 3.
<i>lanuginosa</i> . Cav.						
6 cuneifolia. P.s. (ye.)	wedge-leaved.	—	1816.	7. 9.	G. h.	Lam. ill. t. 670. f. 3.
7 annua. w. (ye.)	annual.	Barbary.	1686.	7. 8.	H. ☉.	Bot. mag. t. 2276.
8 dentata. w. (ye.)	tooth-leaved.	C. B. S.	1759.	—	G. h.	Comm. rar. t. 41.
9 trifurcata. w. (ye.)	trifid-leaved.	—	1710.	—	G. h.	Comm. hort. 2. t. 49.
10 virgata. w. (ye.)	twiggy.	—	1815.	—	G. h.	Jacq. schoen. 2. t. 148.
11 tomentosa. w. (ye.)	Lavender-leaved.	—	1774.	5. 6.	G. h.	Lam. ill. t. 670. f. 1.
<i>cinerea</i> . L.						
12 filitormis. w. (ye.)	fine-leaved.	—	1787.	8.	G. h.	
13 crithmifolia. w. (ye.)	Samphire-leav'd.	—	1723.	7. 8.	G. h.	Comm. hort. 2. t. 50.
14 parviflora. w. (ye.)	small-flowered.	—	1731.	4.	G. h.	Jacq. schoen. 2. t. 149.
15 tricuspis. P.s. (ye.)	three-pointed.	—	1816.	—	G. h.	
16 pectinata. w. (ye.)	pectinated.	—	1774.	5. 6.	G. h.	
17 pinnata. w. (ye.)	pinnated.	—	1821.	6. 8.	G. h.	Lam. ill. t. 670. f. 4.
BALSAM'ITA. W.	COSTMARY.	Syngenesia Polygamia Æqualis.	W.			
1 virgata. w. (ye.)	twiggy.	Italy.	1791.	6. 7.	H. 4.	Jacq. obs. 4. t. 81.

2	ageratifolia. w.	(ye.)	Ageratum-leav'd.	Candia.	1605.	6. 10.	G. h.	Alp. exot. t. 325.
3	vulgaris. w.	(ye.)	common.	Italy.	1568.	8. 9.	H. 4.	Schk. hand. 3. t. 242.
4	annua. DC.	(ye.)	annual.	S. Europe.	1629.	7. 8.	H. ☉.	Mill. ic. 2. t. 227. f. 1.
<i>Tanacetum annuum. w.</i>								
PE'NTZIA. Th. PE'NTZIA. Syngenesia Polygamia Æqualis. W.								
	flabelliformis. w.	(ye.)	fan-leaved.	C. B. S.	1774.	5. 8.	G. h.	Bot. mag. t. 212.
<i>Tanacetum flabelliforme. B.M.</i>								
TANACETUM. W. TANSY. Syngenesia Polygamia Superflua. L.								
1	vestitum. w.	(ye.)	imbricated.	C. B. S.	1816.	8. 9.	G. h.	
2	linifolium. w.	(ye.)	Flax-leaved.	————	1774.	8.	G. h.	
3	suffruticosum. w.	(ye.)	shrubby.	————	1751.	5. 9.	G. h.	Comm. hort. 2. t. 100.
4	canariense. DC.	(ye.)	Canary.	Canaries.	1816.	————	G. h.	
5	incanum. s.s.	(ye.)	hoary.	Levant.	1827.	————	H. 4.	
6	sibiricum. w.	(ye.)	Siberian.	Siberia.	1823.	————	H. 4.	Gmel. sib. 2. t. 65. f. 2.
7	argenteum. w.	(ye.)	silvery.	Levant.	1812.	————	H. 4.	
8	grandiflorum. w.	(ye.)	great-flowered.	C. B. S.	1825.	————	G. 4.	
9	myriophyllum. w.	(ye.)	many-leaved.	Levant.	1818.	————	H. 4.	
<i>Achillea bipinnata. L.</i>								
10	pauciflorum. s.s.	(ye.)	few-flowered.	N. America.	1827.	————	H. 4.	
11	vulgare. w.	(ye.)	common.	Britain.		————	H. 4.	Eng. bot. v. 18. t. 122.
	3 crispum.	(ye.)	curled.			————	H. 4.	
ARTEMISIA. W. WORMWOOD. Syngenesia Polygamia Superflua. L.								
1	judæica. w.	(ye.)	Judean.	Levant.	1688.	8.	G. h.	Pluk. alm. t. 73. f. 2.
2	valentina. w.	(ye.gr.)	Spanish.	Spain.	1739.	7. 8.	F. h.	Barr. ic. t. 485.
3	arragonensis. w.	(ye.gr.)	snowy-white.	————	1816.	————	F. h.	Asso arrag. t. 8. f. 1.
4	salsoloides. s.s.	(ye.gr.)	saltwort-like.	Siberia.	1827.	————	F. h.	
5	subcanescens. w.	(ye.gr.)	hoary-leav'd.	S. Europe.		————	F. h.	
6	Abrotanum. w.	(ye.gr.)	Southernwood.	————	1548.	8. 10.	H. h.	Blackw. t. 555.
7	viridifolia. s.s.	(ye.gr.)	green-leaved.	Siberia.	1828.	————	H. h.	
8	procera. w.	(ye.gr.)	tall.	S. Europe.	1816.	————	F. h.	Lobel. ic. 768.
<i>paniculata. Lam.</i>								
9	tenuifolia. w.	(ye.gr.)	slender-leaved.		1732.	9. 12.	G. h.	Dill. elth. t. 33. f. 37.
10	afra. w.	(wh.gr.)	Cape.	C. B. S.	1816.	————	G. h.	
11	arborescens. w.	(ye.gr.)	tree.	Levant.	1640.	6. 8.	H. h.	Flor. græc. t. 856.
12	argentea. w.	(ye.)	silvery.	Madeira.	1777.	6. 7.	G. h.	
13	lednicensis. s.s.	(ye.gr.)	linear-lobed.	Hungary.	1829.	————	H. h.	
14	pauciflora. s.s.	(ye.)	few-flowered.	Siberia.	1824.	————	H. h.	
15	glaciâlis. w.	(ye.gr.)	silky.	Switzerland.	1739.	7. 8.	H. 4.	Jacq. aust. 5. t. ap. 35.
16	rupëstris. w.	(br.)	stone.	N. Europe.		————	H. h.	All. ped. t. 9. f. 1.
17	mutellina. w.	(ye.gr.)	Alpine.	Alps of Europ.	1815.	————	H. 4.	Vill. daup. 3. t. 35.
18	splendens. s.s.	(ye.)	glossy.	Caucasus.	1827.	————	H. 4.	
19	fureata. s.s.	(br.)	forked.	Siberia.	1829.	————	H. 4.	
20	lanata. s.s.	(wh.ye.)	woolly.	S. Europe.	1827.	————	H. 4.	
21	alpina. M.B.	(ye.gr.)	alpine.	Caucasus.	————	————	H. 4.	
22	jeniseensis. s.s.	(ye.gr.)	leafy-panicled.	Siberia.	1824.	————	H. 4.	
23	pedemontana. L. en.	(br.)	Swiss.	Switzerland.	1823.	————	H. 4.	
24	caucasica. w.	(ye.gr.)	Caucasian.	Caucasus.	1804.	6. 7.	H. 4.	
25	spicata. w.	(br.)	spiked.	Switzerland.	1790.	————	H. 4.	Jacq. aust. 5. t. ap. 34.
26	norvegica. s.s.	(br.)	Norwegian.	Norway.	1823.	————	H. 4.	Flor. dan. t. 801.
<i>rupëstris. Flor. dan. nec aliorum.</i>								
27	greenlandica. s.s.	(br.)	Greenland.	Greenland.	1827.	————	H. 4.	
28	ludoviciana. N.	(br.)	St. Louis.	Missouri.	————	————	H. 4.	
29	desertorum. s.s.	(br.)	desert.	Tartary.	1817.	7. 9.	H. 4.	
<i>leucanthemifolia. Hort.</i>								
30	pectinata. w.	(br.)	comb-leaved.	Dauria.	1806.	————	H. ☉.	Pall. it. 3. t. Hh. f. 2.
31	tanacetifolia. w.	(br.)	Tansy-leaved.	Siberia.	1768.	7. 8.	H. ♂.	All. ped. 1. t. 10. f. 3.
32	laciniata. w.	(gr.)	jagged.	Dauria.	1823.	————	H. 4.	
33	insipida. w.	(br.)	insipid.	S. Europe.	————	————	H. 4.	Vill. delph. 3. t. 35.
34	mollissima. D.P.	(ye.)	soft-leaved.	Nepaul.	————	8. 11.	H. 4.	
35	potentillæfolia. s.s.	(gr.st.)	Cinquefoil-leav'd.	Siberia.	1827.	7. 9.	H. 4.	
36	armeniaca. s.s.	(gr.ye.)	Armenian.	Armenia.	1828.	————	H. 4.	
37	canescens. s.s.	(gr.ye.)	canescent.	————	————	————	H. 4.	
38	Santonica. w.	(wh.gr.)	Tartarian.	Siberia.	1596.	9. 11.	H. h.	Gmel. sib. 2. t. 51.
39	scoparia. w.	(wh.gr.)	besom.	Hungary.	1796.	7. 9.	H. ☉.	W. et K. hung. 1. t. 6.
40	campëstris. w.	(br.)	field.	England.		8.	H. 4.	Eng. bot. v. 5. t. 35.
41	herbacea. w.	(ye.gr.)	herbaceous.	Siberia.	1817.	————	H. 4.	
42	Marschalliana. s.s.	(gr.ye.)	M. Bieberstein's.	————	1800.	8. 9.	H. 4.	
<i>inodora. M.B. pauciflora. w.</i>								
43	virgata. s.s.	(br.)	twiggy.	N. America.	1827.	7. 9.	H. 4.	

44 palustris w. (ye.) marsh.	Siberia.	1801.	7. 8.	H. ☉.	Gmel. sib. 2. t. 55.
45 neglecta. W.en. (gr.ye.) neglected.	—	1815.	—	H. ☉.	
46 camphorata. w. (ye.gr.) Camphor-scent'd.	S. Europe.	1820.	—	H. ☉.	Lob. ic. t. 769. f. 1.
47 albida. W.en. (st.) white-leaved.	Siberia.	—	—	H. ☉.	
48 humilis. W.en. (ye.gr.) dwarfish.	Carniola.		8. 10.	H. ☉.	
49 crithmifolia. w. (br.) Samphire-leav'd.	Portugal.	1739.	—	H. ☉.	
50 saxatilis. w. (wh.) rock.	Hungary.	1816.	6. 8.	H. ☉.	
51 glauca. w. (gr.) glaucous.	Siberia.	1806.	—	H. ☉.	
52 nutans. w. (br.gr.) nodding.	Tartary.	1819.	7. 9.	H. ☉.	
53 monogyna. w. (ye.) one-styled.	Hungary.	1816.	—	H. ☉.	W. et K. hung. 1. t. 75.
54 palmata. w. (gr.ye.) palmated.	S. Europe.	1739.	6. 7.	G. ☉.	
55 nivea. W.en. (gr.ye.) snowy.	Siberia.	1815.	—	H. ☉.	
56 maritima. w. (br.) drooping-flower'd.	Britain.		8. 9.	H. ☉.	Eng. bot. v. 21. t. 1706.
57 gallica. w. (br.) upright-flower'd.	—		—	H. ☉.	— t. 1001.
58 salina. w. (wh.gr.) sea-side.	Germany.	1817.	—	H. ☉.	Spreng. halens. t. 12.
59 fragrans. w. (st.) Lavender-leav'd.	Armenia.	1739.	6. 7.	H. ☉.	
60 austriaca. w. (br.) Austrian.	Austria.	1597.	8. 10.	H. ☉.	Jacq. aust. 1. t. 100.
61 frigida. s.s. (gr.ye.) frigid.	Siberia.	—	—	H. ☉.	
62 vallesiaca. w. (st.) downy.	Italy.	1739.	7. 8.	H. ☉.	
63 taurica. w. (wh.gr.) Taurian.	Tauria.	1824.	—	H. ☉.	
64 orientalis. w. (br.) oriental.	Armenia.		8. 10.	H. ☉.	
65 sericea. w. (wh.) silky-leaved.	—	1796.	6. 7.	H. ☉.	Gmel. sib. t. 64. f. 1.
66 repens. w. (br.) creeping.	—	1805.	—	H. ☉.	
67 ramosa. s.s. (st.) branching.	Canaries.	1816.	6. 8.	G. ☉.	
68 balsamita. W.en. (ye.) Balsam-scented.		—	—	H. ☉.	
69 pontica. w. (ye.) Roman.	Austria.	1570.	9.	H. ☉.	Jacq. aust. 1. t. 99.
70 chama-melifolia. w. (br.) Chamomile-leav'd.	S. Europe.	1739.	7. 8.	F. ☉.	Vill. dauph. 3. t. 35.
71 annua. w. (wh.gr.) annual.	Siberia.	1741.	—	H. ☉.	Am. ruth. t. 196. f. 23.
72 biennis. Ph. (ye.gr.) biennial.	Missouri.	1801.	—	H. ☉.	Bot. mag. t. 2472.
73 Absinthium. w. (ye.) common.	Britain.		7. 10.	H. ☉.	Eng. bot. v. 18. t. 1230.
74 Sieversiana. w. (tr.gr.) Sievers's.	Siberia.	1800.	7. 8.	H. ☉.	
75 vulgaris. w. (pu.) Mugwort.	Britain.		8. 9.	H. ☉.	Eng. bot. v. 14. t. 978.
76 procumbens. DC. (ye.gr.) procumbent.	Siberia.	1823.	—	H. ☉.	
77 incisa. W.en. (ye.pu.) cut-leaved.		—	—	H. ☉.	
78 fasciculata. M.B. (ye.pu.) fascicled.	Iberia.	1820.	—	H. ☉.	
79 elegans. F. (ye.) elegant.	China.	—	7. 9.	H. ☉.	
80 camtschatica. F. (gr.st.) Kamtschatka.	Kamtschatka.	1827.	8. 10.	H. ☉.	
81 sacerorum. Led. (gr.st.) sacred.	Siberia.	1828.	7. 9.	H. ☉.	
82 Mertensiana. Wh. (gr.st.) Mertens's.	Hungary.	1826.	—	H. ☉.	
83 indica. w. (ye.gr.) Indian.	E. Indies.	1796.	9. 10.	F. ☉.	Rheed. mal. 10. t. 45.
84 integrifolia. w. (ye.gr.) entire-leaved.	Siberia.	1759.	7. 8.	H. ☉.	Gm. sib. 2. t. 48. f. 1.2.
85 japonica. w. (wh.) Japanese.	Japan.	1804.	10. 11.	H. ☉.	
86 dracunculoides. Ph. (gr.) Tarragon-like.	N. America.	1811.	8. 10.	H. ☉.	
cernua. N. nutans. Fraser.					
87 serrata. N. (gr.) saw-leaved.	Missouri.	1827.	—	H. ☉.	
88 gnaphalioides. N. (br.) Cudweed-like.	—	—	—	H. ☉.	
89 carulescens. w. (ye.) blueish.	England.		8. 10.	H. ☉.	Eng. bot. v. 31. t. 2426.
90 inodora. w. (ye.) inodorous.	Siberia.	1548.	7. 8.	H. ☉.	Gm. sib. 2. t. 52860. f. 1.
91 Dracunculus. w. (wh.gr.) Tarragon.	S. Europe.	—	—	H. ☉.	
92 chinensis. w. (ye.gr.) Moxa.	China.	1816.	—	H. ☉.	Gmel. sib. 2. t. 61. f. 1.2.
ERIOCEPHALUS. W. WOOLHEAD. Syngenesia Polygamia Necessaria. L.					
1 africanus. w. (ye.) cluster-leaved.	C. B. S.	1732.	1. 4.	G. ☉.	Bot. mag. t. 833.
frutescens. H.K.					
2 decussatus. B.T. (ye.) cross-leaved.	—	1816.	3. 6.	G. ☉.	
3 purpureus. B.T. (pu.) purple.	—	—	—	G. ☉.	
4 racemosus. w. (ye.) silver-leaved.	—	1739.	3. 4.	G. ☉.	
5 spinescens. B.T. (ye.) spiny.	—	1816.	—	G. ☉.	
HIPPIA. W. HIPPIA. Syngenesia Polygamia Necessaria. L.					
1 frutescens. w. (ye.) shrubby.	C. B. S.	1710.	2. 8.	G. ☉.	Bot. mag. t. 1855.
2 integrifolia. w. (ye.) annual.	E. Indies.	1777.	7. 8.	S. ☉.	Hout. n. hist. t. 67. f. 2.
SOLIVA. L.T. SOLIVA. Syngenesia Polygamia Necessaria.					
1 anthemifolia. (gr.) Chamomile-leav'd.	S. America.	1812.	4. 12.	H. ☉.	J. ann. mus. t. 61. f. 1.
Gymnostyles anthemifolia. P.S.					
2 pterosperma. J. (gr.) wing-seeded.	Brazil.	1827.	5. 9.	H. ☉.	
3 stolonifera. L.T. (gr.) stoloniferous.	Portugal?	1818.	4. 12.	H. ☉.	
Hippia stolonifera. P.S. Gymnostyles lusitânica. s.s.					
4 minuta. (ye.) fringe-leaved.	S. America.	1825.	—	H. ☉.	
Hippia minuta. L. Gymnostyles minuta. s.s.					
5 pedicellata. P.S. (gr.) pedicelled.	S. America.	—	—	H. ☉.	

LIDBE'CKIA. W.		LIDBE'CKIA. Syngenesia Polygamia Superflua. W.			
1 lobàta. w.	(ye.) lobe-leaved.	C. B. S.	1816.	5. 6. G. h.	Lam. ill. t. 701. f. 3.
<i>Lancisia lobata. P.S.</i>		<i>Còtula quinqueloba. L.</i>			
2 pectinàta. w.	(ye.) silver-leaved.	C. B. S.	1774.	5. 6. G. h.	Berg. cap. 306. t. 5. f. 1.
C'ENIA. J.		C'ENIA. Syngenesia Polygamia Superflua.			
turbinàta. P.S.	(wh.re.) turbinated.	C. B. S.	1713.	7. 8. H. ⊙.	Lam. ill. t. 701. f. 1.
<i>Lidbeckia turbinata. w.</i>		<i>Còtula turbinata. L.</i>			
C'OTULA. W.		C'OTULA. Syngenesia Polygamia Superflua. W.			
1 anthemoides. w.	(ye.) Anthemis-like.	St. Helena.	1696.	7. 8. S. ⊙.	Dill. elth. t. 23. f. 25.
2 àurea. w.	(ye.) golden.	S. Europe.	1823.	7. 9. H. ⊙.	
3 nudicaulis. w.	(ye.) naked-stalked.	C. B. S.	1816.	— G. 4.	Houtt. syst. t. 69. f. 4.
4 coronopifolia. w.	(ye.) Buck's Horn.	—	1683.	— G. ⊙.	Lam. ill. t. 700. f. 1.
5 umbellata. w.	(ye.) umbel-flowered.	—	1822.	— H. ⊙.	
6 viscosa. w.	(wh.) clammy.	Vera Cruz.	1739.	8. S. 4.	
7 tanacetifolia. w.	(ye.) Tansy-leaved.	C. B. S.	1780.	6. 8. H. ⊙.	Pluk. man. t. 430. f. 7.
8 sericea. w.	(ye.) silky.	—	1816.	— G. 4.	
9 sphæranthus. L. en.	(ye.) round-headed.	Congo.	1820.	— S. 4.	
GRA'NGEA. J.		GRA'NGEA. Syngenesia Polygamia Superflua.			
1 cuneifolia. Lk.	(br.ye.) wedge-leaved.	China.	1816.	7. 9. H. ⊙.	Lam. ill. t. 699. f. 2.
2 minima. w.	(ye.) least.	—	1768.	— H. ⊙.	Burm. ind. t. 58. f. 3.
3 decumbens. Df.	(ye.) decumbent.	N. Holland.	1815.	— H. ⊙.	
4 maderaspatana. J.	(ye.) Madras.	E. Indies.	1780.	7. 8. S. ⊙.	Lam. ill. t. 699. f. 3.
<i>Còtula maderaspatana. w.</i>					
5 bicolor. Df.	(ye.) two-coloured.	—	1804.	— S. ⊙.	Lam. ill. t. 699. f. 1.
<i>Còtula bicolor. w. latifolia. P.S.</i>					
6 cinerea. L. en.	(ye.) grey.	Egypt.	1825.	— H. ⊙.	
ANAC'YCLUS. W.		ANAC'YCLUS. Syngenesia Polygamia Superflua. W.			
1 creticus. w.	(wh.) trailing.	Candia.	1759.	6. 8. H. ⊙.	Ann. mus. 11. t. 22.
2 orientalis. w.	(wh.) oriental.	Levant.	1731.	— H. ⊙.	Boer. lugd. 1. t. 110.
3 aureus. w.	(ye.) golden-flower'd.	—	1570.	— H. ⊙.	Lam. ill. t. 700. f. 2.
4 radiatus. L. en.	(ye.) rayed.	—	1823.	— H. ⊙.	
5 alexandrinus. w.	(wh.) Egyptian.	Egypt.	1828.	— H. ⊙.	
6 clavatus. P.S.	(wh.) clavate.	Barbary.	1823.	— H. ⊙.	
7 Pyrèthrum. L. en.	(w.) Pellitory of Spain.	S. Europe.	1570.	6. 7. H. 4.	Bot. mag. t. 462.
<i>A'nthemis Pyrèthrum. w.</i>					
8 valentinus. w.	(ye.) fine-leaved.	Spain.	1656.	— H. ⊙.	Schk. han. 3. t. 254. b.
9 purpurascens. P.S.	(ye.cr.) two-coloured.	S. Europe.	1829.	— H. ⊙.	
10 officinarum. Hayn.	(wh.) officinal.		1828.	— H. ⊙.	
11 inflatus. Leh.	(wh.) inflated.	Siberia.	1829.	— H. ⊙.	
12 tomentosus. Leh.	(wh.) woolly.	—	—	— H. ⊙.	
13 divaricatus. Cav.	(wh.) spreading.	—	1824.	— H. ⊙.	
ZALUZ'ANIA. P.S.		ZALUZ'ANIA. Syngenesia Polygamia Superflua.			
triloba. P.S.	(ye.) three-lobed.	Mexico.	1798.	7. 9. F. h.	
<i>A'nthemis triloba. w.</i>					
FERDINA'NDIA. LG.		FERDINA'NDIA. Syngenesia Polygamia Superflua.			
1 augusta. LG.	(ye.) august.	Mexico.	1816.	8. 10. F. h.	
2 integrifolia. D.D.	(ye.) entire-leaved.	—	1828.	— F. h.	
A'NTHEMIS. W.		CHAMOMILE. Syngenesia Polygamia Superflua. L.			
1 rigescens. W. en.	(wh.) rigid.	Caucasus.	1805.	7. 9. H. 4.	W. hort. ber. 1. t. 62.
<i>nigricans. Hort.</i>					
2 Cota. w.	(wh.) Venetian.	Italy.	1714.	7. 8. H. ⊙.	Pluk. alm. t. 17. f. 5.
3 altissima. w.	(wh.) tall.	S. Europe.	1731.	8. H. ⊙.	Flor. grac. t. 881.
4 punctata. w.	(wh.) dotted.	Levant.	1825.	7. 9. G. h.	Desf. atl. 2. t. 139.
5 maritima. w.	(wh.) sea.	England.		7. 8. H. ⊙.	Eng. bot. v. 33. t. 2370.
6 tomentosa. w.	(wh.) downy.	Levant.	1795.	7. 10. H. 4.	
7 ruthénica. M.B.	(wh.) Russian.	Tauria.	1823.	— H. ⊙.	
8 fruticulosa. M.B.	(wh.) frutescent.	—	—	— H. h.	Barrel. ic. t. 451.
9 pubescens. w.	(wh.) pubescent.	S. Europe.	1803.	7. 8. H. 4.	
10 biaristata. s.s.	(wh.) two-awned.	S. France.	1822.	— H. 4.	
11 revoluta. s.s.	(wh.) revolute.	Canaries.	1816.	8. 10. G. h.	
13 mixta. w.	(wh.) simple-leaved.	Sicily.	1824.	7. 9. H. ⊙.	
14 Kitaibèlii.	(wh.) Kitaibel's.	France.	1731.	7. 8. H. ⊙.	Mich. gen. t. 30. f. 1.
15 coronopifolia. w.	(wh.) Buckshorn-leav'd.	Hungary.	1807.	— H. 4.	
16 australis. w.	(wh.) procumbent.	Spain.	—	— H. 4.	
17 ibérica. M.B.	(wh.) Iberian.	S. France.	1818.	— H. 4.	
18 Barrelièri. s.s.	(wh.) Barrelier's.	Iberia.	1829.	— H. 4.	
19 saxatilis. DC.	(wh.) rock.	Naples.	—	8. 10. H. ⊙.	
20 alpina. w.	(wh.) Alpine.	S. France.	1807.	7. 8. H. 4.	Jacq. aust. 6. ap. t. 30.
		Europe.	—	— H. 4.	

21	carpática. w.	(wh.) Carpathian.	Carpathian-m.	1818.	7. 8.	H. 2.	
22	corymbosa. w.	(wh.) corymbose.	Austria.	1821.	—	H. 2.	
23	retusa. s.s.	(wh.) retuse.		1824.	—	H. 2.	
24	ramosa. s.s.	(wh.) branching.		—	9. 11.	H. 2.	
25	mucronulata. s.s.	(wh.) mucronulate.	Italy.	1829.	8. 10.	H. 2.	
26	Chamomilla. W.	(wh.) various-leaved.	S. Europe.	—	—	H. 2.	
27	chia. w.	(wh.) cut-leaved.	Chio.	1731.	6. 10.	H. 2.	
28	nobilis. w.	(wh.) common.	Britain.		7. 9.	H. 2.	Eng. bot. v. 14. t. 908.
29	arvensis. w.	(wh.) corn.	—		6. 8.	H. 2.	— v. 9. t. 602.
30	austriaca. w.	(wh.) Austrian.	Austria.	1759.	5. 8.	H. 2.	Jacq. aust. 5. t. 411.
31	Cotula. w.	(wh.) stinking.	Britain.		6. 9.	H. 2.	Eng. bot. v. 25. t. 1772.
32	fallax. W.en.	(wh.) false Chamomile.	—	—	—	H. 2.	
33	fuscata. w.	(wh.) brown-scaled.	Portugal.	1805.	7. 8.	H. 2.	
34	peregrina. w.	(wh.) close-branched.	Piedmont.	1817.	—	H. 2.	
35	candidissima. s.s.	(w.) silvery-leaved.	Caucasus.	1812.	—	H. 2.	
36	montana. w.	(wh.) mountain.	Italy.	1759.	7. 10.	H. 2.	Ger. prov. t. 8.
37	incrassata. s.s.	(wh.) thick-stalked.	S. France.	1823.	—	H. 2.	
38	pedunculata. s.s.	(wh.) large-stalked.	Portugal.	—	8. 10.	H. 2.	
39	petraea. L.en.	(wh.) long-stalked.	Naples.	—	—	H. 2.	
40	apiifolia. B.R.	(wh.) Parsley-leaved.		1764.	8. 9.	H. 2.	Bot. reg. t. 527.
41	minuta. Leh.	(wh.) minute.		1829.	—	H. 2.	
42	suffruticosa. Leh.	(wh.) suffrutescent.		—	6. 9.	H. 2.	
43	globosa. w.	(ye.) globe.	Naples.	—	8. 9.	G. 2.	Jacq. schorn. 3. t. 371.
44	valentina. w.	(ye.) purple-stalked.	S. Europe.	1596.	7. 8.	H. 2.	Breyn. cent. t. 15.
45	tinctoria. w.	(ye.) Ox Eye.	Britain.		6. 11.	H. 2.	Eng. bot. v. 21. t. 1472.
46	discoidea. w.	(ye.) saw-leaved.	Italy.	1800.	7. 8.	H. 2.	
47	Marschalliana. w.	(ye.) M. Bieberstein's.	Caucasus.	1828.	—	H. 2.	
48	Rudolphiana. M.B.	(ye.) Rudolph's.	—	—	—	H. 2.	
CLADA'NTHUS. Cas. CLADA'NTHUS. Syngenesia Polygamia Superflua.							
	arabicus. Cas.	(ye.) Arabian.	Barbary.	1759.	7. 8.	H. 2.	Smith spic. 9. t. 10.
Anthemis arabica. w.							
MATRIC'ARIA. W. MATRIC'ARIA. Syngenesia Polygamia Superflua. L.							
1	suaveolens. w.	(wh.) sweet.	Europe.	1781.	6. 8.	H. 2.	
2	Chamomilla. w.	(wh.) Wild Chamomile.	Britain.		5. 7.	H. 2.	Eng. bot. v. 18. t. 1232.
3	capensis. w.	(wh.) Cape.	C. B. S.	1699.	7. 9.	G. 2.	Seb. thes. 1. t. 16. f. 2.
4	pusilla. W.en.	(wh.) small.			—	H. 2.	
ACHILLEA. W. MILFOIL. Syngenesia Polygamia Superflua. L.							
1	lingulata. w.	(wh.) tongue-leaved.	Hungary.	1815.	7. 8.	H. 2.	W. et K. hung. 1. t. 2.
2	Herba-rota. w.	(wh.) Herbarota.	France.	1640.	6. 7.	H. 2.	All. ped. 1. t. 9. f. 3.
3	grandiflora. M.B.	(wh.) great-flowered.	Caucasus.	1815.	7. 8.	H. 2.	
4	Ptarmica. w.	(wh.) Sneezewort.	Britain.		7. 11.	H. 2.	Eng. bot. v. 11. t. 757.
	β flore pleno.	(wh.) double-flowered.	—		—	H. 2.	
5	cristata. w.	(wh.) slender-branch'd.	Italy.	1784.	7. 8.	H. 2.	
6	Ageratum. w.	(ye.) Sweet Maudlin.	S. Europe.	1570.	8. 10.	H. 2.	
7	decolorans. W.en.	(st.) pale yellow.	England.	1798.	6. 8.	H. 2.	Eng. bot. v. 36. t. 2531.
	serrata. E.B. nec aliorum.						
8	speciosa. W.en.	(wh.) spear-leaved.		1804.	7. 9.	H. 2.	
9	biserrata. M.B.	(wh.) two-toothed.	Iberia.	1825.	—	H. 2.	
10	salicifolia. F.	(wh.) Willow-leaved.	Siberia.	1827.	—	H. 2.	
11	dentifera. Jac.	(wh.) tooth-leaved.		1824.	—	H. 2.	
12	alpina. w.	(wh.) Alpine.	Siberia.	1731.	7. 11.	H. 2.	Bocc. mus. 144. t. 101.
13	serrata. w.	(wh.) saw-leaved.	Switzerland.	1686.	8. 9.	H. 2.	
14	coronopifolia. w.	(st.) buckshorn-leav'd.	Levant.	1816.	—	H. 2.	
15	Clavennæ. w.	(wh.) silver-leaved.	Austria.	1656.	6. 7.	H. 2.	Bot. mag. t. 1287.
16	Thomasiana. DC.	(wh.) Thomas's.	S. France.	1828.	—	H. 2.	
17	impatiens. w.	(wh.) impatient.	Siberia.	1759.	6. 9.	H. 2.	Gmel. sib. 2. t. 83. f. 1.
18	pectinata. w.	(st.) comb-leaved.	Hungary.	1801.	8. 9.	H. 2.	W. et K. hung. 1. t. 34.
Achroica. w. K. non w.							
19	Gerberi. w.	(ye.) various-leaved.	Siberia.	1816.	—	H. 2.	Gmel. sib. 2. t. 83. f. 2.
20	pilosa. w.	(ye.) hairy.		1826.	—	H. 2.	
21	squarrosa. w.	(wh.) rough-headed.		1775.	7. 8.	H. 2.	
22	racemata. w.	(wh.) sickle-leaved.	Levant.	1739.	6. 9.	H. 2.	Lam. ill. t. 683. f. 3.
23	santolinoïdes. LG.	(w.) Santolina-like.	Spain.	1824.	—	H. 2.	
24	tenuifolia. w.	(ye.) slender-leaved.	Levant.	1733.	6. 8.	H. 2.	
25	Santolina. w.	(ye.) Lavender-cotton-leav'd.—	—	1759.	—	H. 2.	Flor. græc. t. 891.
26	albida. s.s.	(st.) white woolly.		1819.	6. 10.	H. 2.	
27	anthemoïdes. w.	(ye.) Chamomile-like.			—	H. 2.	
28	decumbens. s.s.	(ye.) decumbent.	Kamtschatka.	1800.	6. 8.	H. 2.	
29	atrata. w.	(wh.) black-cupped.	Austria.	1596.	7. 9.	H. 2.	Jacq. aust. 1. t. 77.

30	moschâta. w.	(wh.) musk.	Italy.	1775.	6. 7.	H. 2.	Jacq. aust. 5. t. ap. 2.
31	nâna. w.	(wh.) dwarf.	—	1759.	6. 8.	H. 2.	All. ped. 1. t. 9. f. 3.
32	crética. w.	(wh.) Cretan.	Candia.	1739.	7. 8.	H. 2.	Bocc. mus. t. 34.
33	egyptiaca. w.	(ye.) Egyptian.	Levant.	1610.	7. 9.	G. 2.	Flor. græc. t. 892.
34	macrophy'lla. w.	(wh.) large-leaved.	Italy.	1710.	7. 8.	H. 2.	Triumf. obs. t. 23.
35	holosericea. F.G.	(wh.) silky-leaved.	Greece.	1823.	7. 9.	H. 2.	
36	punctâta. T.N.	(st.) dotted.	Naples.	1828.	—	H. 2.	
37	leptophy'lla. M.B.	(ye.) narrow-leaved.	Tauria.	1823.	—	H. 2.	
38	taurica. M.B.	(st.) Taurian.	—	1829.	—	H. 2.	
39	aurea. w.	(go.) golden-flower'd.	Levant.	1739.	6. 9.	H. 2.	
40	Eupatorium. w.	(go.) Caspian.	Caspian Shores.	1803.	7. 8.	H. 2.	Buxb. cent. 2. t. 12.
41	filipendulina. s.s.	(go.) short-rayed.	—	1812.	—	H. 2.	
42	compacta. w.	(ye.) compact.	—	—	—	H. 2.	
43	pubescens. w.	(st.) downy.	Levant.	1739.	6. 9.	H. 2.	
44	crithmifolia. w.	(wh.) Samphire-leav'd.	Hungary.	1804.	7. 8.	H. 2.	W. et K. hung. 1. t. 1.
45	tanacetifolia. w.	(ro.) Tansy-leaved.	Switzerland.	1658.	—	H. 2.	Moris. s. 6. t. 11. f. 11.
46	distans. w.	(wh.) branching.	Italy.	1804.	—	H. 2.	All. ped. t. 53. f. 1.
47	lanata. W.en.	(wh.) woolly.	—	—	—	H. 2.	
48	magna. w.	(wh.) great.	S. Europe.	1683.	6. 11.	H. 2.	Flor. græc. t. 896.
49	Millefolium. w.	(wh.) Yarrow.	Britain.		6. 10.	H. 2.	Eng. bot. v. 758.
	β rubra.	(re.) red-flowered.	—		—	H. 2.	
50	asplenifolia. P.s.	(ro.) Rose-coloured.	N. America.	1803.	6. 8.	H. 2.	Vent. cels. t. 93.
51	micrantha. w.	(st.) small-flowered.	Levant.	1805.	6. 10.	H. 2.	
52	tomentosa. w.	(ye.) tomentose.	S. Europe.	1648.	5. 10.	H. 2.	Bot. mag. t. 498.
53	ochroleuca. w.	(st.) cream-coloured.	—	1804.	7. 9.	H. 2.	
54	montana. L.en.	(wh.) mountain.	Switzerland.	1798.	—	H. 2.	
55	bannatica. w.k.	(wh.) Hungarian.	Hungary.	1823.	—	H. 2.	
56	microphy'lla. w.	(wh.) small-leaved.	Spain.	1800.	—	H. 2.	Barr. ic. 1114.
57	ligustica. w.	(wh.) Ligurian.	Italy.	1791.	6. 8.	H. 2.	Flor. græc. t. 897.
58	nobilis. w.	(wh.) showy.	Germany.	1610.	—	H. 2.	Schk. hand. 3. t. 255.
59	myriophy'lla. s.s.	(wh.) many-leaved.	—	1798.	7. 9.	H. 2.	
60	odorata. w.	(wh.) sweet-scented.	Spain.	1729.	6. 8.	H. 2.	Jacq. col. 1. t. 21.
61	setacea. w.	(wh.) bristly.	Hungary.	1805.	5. 6.	H. 2.	W. et K. hung. 7. t. 8.
62	abrotanifolia. w.	(ye.) Southernwood-leav'd.	Levant.	1739.	6. 8.	H. 2.	
63	chamaemelifolia. DC.	(wh.) Chamomile-ld.	Pyrenees.	1820.	—	H. 2.	
64	mongolica. F.	(wh.) Mongolic.	Tartary.	1823.	—	H. 2.	
65	sibirica. Df.	(wh.) Siberian.	Siberia.	1800.	—	H. 2.	
66	rosea. W.K.	(ro.) rosy.	Hungary.	1803.	—	H. 2.	
67	dubia. F.	(wh.) doubtful.	Siberia.	1800.	—	H. 2.	
68	heterophy'lla. s.	(wh.) different-leaved.	—	1804.	7. 9.	H. 2.	
69	intermedia. s.	(wh.) intermediate.	—	1824.	—	H. 2.	
70	paradoxa. L.C.	(wh.) uncertain.	—	1822.	—	H. 2.	
CHRYSA'NTHEMUM. W. CHRYSA'NTHEMUM. Syngenesia Polygamia Superflua. L.							
1	atratum. w.	(wh.) fleshy-leaved.	Austria.	1731.	7. 8.	H. 2.	
2	Leucanthemum. w.	Ox-eye Daisy.	Britain.		6. 7.	H. 2.	Eng. bot. v. 9. t. 601.
3	montanum. w.	(wh.) mountain.	France.	1759.	—	H. 2.	Jacq. obs. 4. t. 91.
4	heterophy'llum. w.	(wh.) various-leaved.	Switzerland.	1806.	7. 8.	H. 2.	
5	sylvestre. W.en.	(wh.) wood.	Portugal.	1804.	6. 7.	H. 2.	
6	hy'bridum. Gus.	(st.) hybrid.	Sicily.	1827.	—	H. 2.	
7	paludosum. w.	(wh.) marsh.	Barbary.	1817.	8. 9.	H. 2.	Desf. atl. 2. t. 238.
8	rotundifolium. w.	(wh.) round-leaved.	Hungary.	1819.	7. 8.	H. 2.	
9	mexicanum. K.s.	(wh.) Mexican.	Mexico.	1827.	8. 11.	H. 2.	
10	graminifolium. w.	(wh.) Grass-leaved.	Montpelier.	1739.	5. 7.	H. 2.	Jacq. obs. 4. t. 92.
11	integrifolium. s.s.	(wh.) entire-leaved.	N. America.	1827.	6. 8.	H. 2.	
12	perpusillum. s.s.	(wh.) small.	Corsica.	—	—	H. 2.	
13	anomalum. P.s.	(wh.) anomalous.	Spain.	1824.	7. 9.	H. 2.	
14	daucifolium. P.s.	(wh.) carrot-leaved.	—	—	—	H. 2.	
15	monspeliense. w.	(wh. pu.) Montpelier.	—	1739.	6. 9.	H. 2.	Jacq. obs. 4. t. 93.
16	Achille'æ. w.	(wh.) Milfoil-leaved.	Italy.	1775.	6. 8.	H. 2.	Mich. gen. 34. t. 29.
17	argenteum. w.	(wh.) silver-leaved.	Levant.	1731.	7. 8.	H. 2.	
18	arcticum. w.	(bh.) northern.	Kamtschatka.	1801.	6. 8.	H. 2.	Willd. hort. ber. t. 33.
19	carinatum. w.	(wh. pu.) three-coloured.	Barbary.	1796.	7. 10.	H. 2.	Bot. mag. t. 508.
20	pumilum. W.en.	(wh.) small.	C. B. S.	1806.	—	H. 2.	
21	coronarium. w.	(wh. ye.) garden.	Sicily.	1629.	—	H. 2.	Lam. ill. t. 678. f. 6.
	α album.	(wh.) white-flowered.	—	—	—	H. 2.	
	β aureum.	(ye.) golden.	—	—	—	H. 2.	
22	segetum. w.	(ye.) corn.	—	—	—	H. 2.	
23	Mycònis. w.	(ye.) tongue-leaved.	Britain.		6. 8.	H. 2.	Eng. bot. v. 8. t. 540.
24	italicum. w.	(ye.) Italian.	Italy.	1775.	7. 8.	H. 2.	Jacq. obs. 4. t. 94.
			—	1796.	6. 7.	H. 2.	

25 tripartitum. B.F.G. (ye.) three-parted.	China.	1820.	10. 12.	F. 4.	Swt. br. fl. gar. t. 193.
26 indicum. P.S. (ye.) Indian.	————	1819.	————	G. h.	Hort. trans. v. 4. pl. 12.
27 sinense. L.T. (va.) variable chinese.	————	1790.	————	H. h.	
<i>Anthemis artemisiaefolia</i> . W. <i>Chrysanthemum indicum</i> . B.M. non L.					
β purpureum. (pu.) old purple.	————	————	————	H. h.	Bot. mag. t. 327.
γ variabile. (wh.) changeable white.	————	1802?	————	H. h.	———— t. 2012.
δ tubulosum album. (wh.) quilled white.	————	1808.	————	H. h.	Bot. reg. t. 4.
ε superbum. (wh.) superb white.	————	1817.	————	H. h.	———— t. 455.
ζ tessellatum. (wh.) tasselled white.	————	1816.	————	H. h.	
η tubulosum luteum. (ye.) quilled yellow.	————	1802.	————	H. h.	
θ sulphureum. (st.) straw-coloured.	————	————	————	H. h.	
ι aureum. (go.) golden yellow.	————	————	————	H. h.	Bot. reg. t. 4. f. sup.
κ discolor. (li.) large lilac.	————	1808.	————	H. h.	
λ lilacinum. (pi.) pink or lilac.	————	1798.	————	H. h.	
μ cupreum. (co.) buff or copper-colour'd.	————	————	————	H. h.	
ν fulrum. (br.) Spanish brown.	————	1806.	————	H. h.	
ξ flammeum. (ye.) quilled flame yellow.	————	1819.	————	H. h.	Hort. trans. v. 4. pl. 14.
ο tubulosum roseum. (li.) quilled pink.	————	————	————	H. h.	Bot. reg. t. 616.
π atropurpureum. (cr.) early crimson.	————	1820.	————	H. h.	Hort. trans. v. 5. pl. 3. inf.
ρ aurantiacum. (or.) large quilled orange.	————	————	————	H. h.	———— v. 5. pl. 3. f. sup.
σ expansum. (li.) expanded light purple.	————	————	————	H. h.	Bot. mag. t. 2556.
τ purpurascens. (li.) quilled light purple.	————	————	————	H. h.	
υ involutum. (li.) curled lilac.	————	————	————	H. h.	Swt. br. fl. gar. t. 7.
φ fasciculatum. (ye.) superb clustered yellow.	————	————	————	H. h.	———— t. 14.
χ tubulosum carneum. semidouble quilled pink.	————	————	————	H. h.	Hort. tr. v. 5. pl. 17*. inf.
ψ album semiduplex. semidouble quilled white.	————	————	————	H. h.	
ω tubulosum aurantium. semidouble quilled orange.	————	————	————	H. h.	Hort. tr. v. 5. pl. 17**. inf.
αα serotinum. (p. pu.) late pale purple.	————	————	————	H. h.	
ββ salmonium. (sa.) quilled salmon-colour'd.	————	————	————	H. h.	Hort. t. v. 5. pl. 17**. sup.
γγ parvulum. (ye.) small yellow.	————	————	————	H. h.	Hort. t. 5. pl. 17**. f. sup.
δδ papyraceum. (wh.) paper white.	————	1821.	————	H. h.	
εε pallidum. (li.) late pale pink.	————	1822.	————	H. h.	
ζζ chrysocomum. (ye.) tasselled yellow.	————	1824.	————	H. 4.	
ηη Waratah. (ye.) yellow Waratah.	————	————	————	H. 4.	
θθ Sabini. (ye.) golden Lotus.	————	————	————	H. 4.	
ιι chryseides. (ye.) double Indian yellow.	————	————	————	H. 4.	
κκ Parkii. (ye.) Park's small yellow.	————	————	————	H. 4.	
λλ pallens. (p. or.) semidouble quilled pale orange.	————	————	————	H. 4.	
μμ stramineum. (st.) pale buff.	————	————	————	H. 4.	
νν mutabile. (st.) changeable pale buff.	————	————	————	H. 4.	
ξξ bicolor. (c.) two-coloured incurved.	————	————	————	H. 4.	
οο versicolor. (re.) two-coloured red.	————	————	————	H. 4.	
ππ stellatum. (pu.) starry purple.	————	————	————	H. 4.	
ρρ ornatum. (li.) tasselled lilac.	————	————	————	H. 4.	
σσ fulrescens. (pu.) brown purple.	————	————	————	H. 4.	
ττ verecundum. (bh.) early blush.	————	————	————	H. 4.	
υυ blandum. (bh.) blush.	————	————	————	H. 4.	
φφ leucanthum. (wh.) double Indian white.	————	————	————	H. 4.	
CENTROSPERMUM. S.S. CENTROSPERMUM. Syngenesia Polygamia Superflua.					
chrysanthemum. s.s. (ye.) yellow-flower'd. Spain.	————	1821.	8. 10.	H. ☉.	
<i>Heteranthemis hirta</i> . Schot.					
PYRETHRUM. W. FEVERFEW. Syngenesia Polygamia Superflua. W.					
1 faniculaceum. W. en. (wh.) Fennel-leav'd. Teneriffe.	1815.	1. 12.	G. h.	Bot. reg. t. 272.	
2 crithmifolium. W. en. (wh.) Samphire-leav'd.	————	————	G. h.		
3 anethifolium. W. en. (wh.) Dill-leaved.	————	————	G. h.		
4 frutescens. W. en. (wh.) shrubby.	Canaries.	1699.	G. h.		
5 coronopifolium. W. en. (wh.) Buckshorn-leav'd.	————		G. h.		
6 grandiflorum. W. en. (wh.) great-flowered.	————	1815.	G. h.		
7 speciosum. W. en. (wh.) large-flowered.	————	————	G. h.		
8 Broussonetii. s.s. (wh.) Broussonet's.	————	1829.	7. 10.	G. h.	
9 pinnatifidum. L. en. (wh.) cut-leaved.	Madeira.	1778.	5. 8.	G. h.	
<i>Chrysanthemum pinnatifidum</i> . s.s.					
10 ptarmicæfolium. w. (wh.) Sneezewort-leav'd. Caucasus.	1803.	7. 8.	H. 4.		
11 serotinum. w. (wh.) creeping-rooted. N. America.	1731.	9. 10.	H. 4.	Jacq. obs. 4. t. 90.	
12 uliginosum. w. (wh.) marsh.	Hungary.	1816.	7. 9.	H. 4.	
13 alpinum. w. (wh.) Alpine.	Switzerland.	1759.	7. 8.	H. 4.	
14 saxatile. B.C. (wh.) rock.	————	1816.	————	H. 4.	
15 Barrelieri. Lk. (wh.) Barrelier's.	Alps Europe.		————	H. 4.	
16 Halleri. W. en. (wh.) Haller's.	Switzerland.	1820.	————	H. 4.	
Lodd. bot. cab. t. 126.					
Barrel. ic. 458. f. 2.					

17	ceratophylloides. w. (wh.)	Stags-horn-ld. Piedmont.	1808.	6. 7.	H. 4.	All. ped. t. 37. f. 1.
	<i>Chrysanthemum ceratophylloides</i> . All.					
18	simplicifolium. w. (wh.)	simple-leaved. S. America.	1825.	8. 10.	H. 4.	
19	máximum. Dc. (wh.)	broad-leaved. Pyrenees.	1816.	5. 8.	H. 4.	
	<i>latifolium</i> . w.					
20	Balsamita. w. (wh.)	various-leaved. Levant.	1779.	—	H. 4.	Jacq. obs. 4. t. 89.
21	oppositifolium. s.s. (wh.)	opposite-leaved. Portugal.	1828.	7. 9.	H. 4.	
22	tomentosum. s.s. (wh.)	woolly. Corsica.	1829.	—	H. 4.	
23	palustre. w. (wh.)	marshy. Armenia.	1824.	7. 10.	H. 4.	
24	macrophyllum. w. (wh.)	large-leaved. Hungary.	1803.	—	H. 4.	W. et K. hung. 1. t. 94.
25	corymbosum. w. (wh.)	mountain. Germany.	1596.	6. 8.	H. 4.	Jacq. aust. 4. t. 379.
26	pulverulentum. W.en. (wh.)	powdered. Iberia.	1806.	—	H. 4.	
27	cinerarifolium. s.s. (wh.)	Ragwort-leav'd. Dalmatia.	1824.	—	H. 4.	
28	Parthenium. w. (wh.)	common. Britain.		6. 9.	H. 4.	Eng. bot. v. 18. t. 123.
	<i>β flore pleno</i> . (wh.)	double-flowered. —		—	H. 4.	
29	parthenifolium. w. (wh.)	Parthenium-leav'd. Caucasus.	1804.	6. 7.	H. 4.	Vent. cels. t. 43.
30	caucasicum. w. (wh.)	Caucasian. —	—	7. 8.	H. 4.	
31	tenuifolium. T.N. (wh.)	slender-leaved. Naples.	1806.	—	H. 4.	
32	sericeum. M.B. (wh.)	silky. Iberia.	1824.	—	H. 4.	
33	inodorum. w. (wh.)	scentless. Britain.		8. 9.	H. 4.	Eng. bot. v. 10. t. 67.
34	maritimum. w. (wh.)	sea. —		6. 10.	H. 4.	— v. 14. t. 919.
35	parviflorum. w. (wh.)	small-flowered. Caucasus.	—	6. 7.	H. 4.	
36	præcox. M.B. (wh.)	early-flowered. —	1827.	5. 7.	H. 4.	
37	incanum. Led. (wh.)	hoary. Siberia.	—	7. 8.	H. 4.	
38	glabrum. LG. (wh.)	smooth. Spain.	1825.	—	H. 4.	
39	leptophyllum. s.s. (wh.)	narrow-leaved. Caucasus.	1829.	—	H. 4.	
40	diversifolium. H.E.F. (wh.)	different-leaved. N. Holland.	1824.	5. 7.	G. 4.	Hook. ex. flor. t. 215.
41	carneum. M.B. (pi.)	flesh-coloured. Caucasus.	1804.	8. 9.	H. 4.	Bot. mag. t. 1080.
	<i>Chrysanthemum coccineum</i> . B.M.					
42	roseum. M.B. (ro.)	rose-coloured. —	1818.	—	H. 4.	
	<i>Chrysanthemum coccineum</i> . w.					
43	achillæifolium. M.B. (ye.)	Milfoil-like. Cumana.	1824.	6. 7.	H. 4.	
44	millefoliatum. w. (ye.)	Milfoil-leaved. Siberia.	1731.	5. 9.	H. 4.	Mill. ic. 1. t. 9.
45	bipinnatum. w. (ye.)	wing-leaved. —	1796.	6. 7.	H. 4.	Gmel. sib. 2. t. 85. f. 1.
46	indicum. H.K. (ye.)	Indian. E. Indies.	1810.	6. 9.	H. 4.	Bot. mag. t. 1521.
ERIOPHYLLUM. LG. ERIOPHYLLUM. Syngenesia Polygamia Superflua.						
1	lanatum. (ye.)	woolly. N. America.	1827.	6. 8.	H. 4.	Bot. reg. t. 1167.
	<i>cæspitosum</i> . B.R. <i>Actinella lanata</i> . Ph. <i>Trichophyllum lanatum</i> . N. <i>Helonium lanatum</i> . s.s.					
2	oppositifolium. N. (ye.)	opposite-leaved. N. America.	1826.	—	H. 4.	
3	trolliifolium. LG. (ye.)	Trollius-leaved. New Spain.	1828.	8. 10.	F. 4.	

ORDO CXXI.

LOBELIACEÆ. Juss. ann. mus. 18. p. 1.

LOB'ELIA. R.S.		LOB'ELIA. Pentandria Monogynia. R.S.			
1 linearis. R.S.	(bl.) linear-leaved.	C. B. S.	1791.	5. 8.	G. ♀.
2 setacea. R.S.	(bl.) bristle-leaved.	_____	1816.	_____	G. ♀.
3 commutata. R.S.	(bl.) notch-leaved.	_____	_____	_____	G. ♀.
4 simplex. R.S.	(bl.) simple-stalked.	_____	1794.	_____	G. ♂.
5 unidentata. R.S. (d. pu.)	single-toothed.	_____	_____	_____	G. ♀.
6 pinifolia. R.S.	(bl.) Pine-leaved.	_____	1752.	_____	G. ♀.
7 Dortmanna. R.S.	(bl.) water.	Britain.		7. 8.	H. w. ♀.
8 paludosa. R.S.	(bl.) marsh.	N. America.	1823.	_____	H. w. ♀.
9 Tupa. R.S.	(sc.) Mullein-leav'd.	Peru.	1824.	8. 10.	F. ♀.
10 salicifolia. H.S.L.	(or.) Willow-leaved.	Chili.	1794.	6. 8.	G. ♀.
<i>Tupa</i> . H.K. non L. <i>gigantea</i> . B.M. non Cav. <i>arguta</i> . B.R. t. 973.					
11 Kalmii. R.S.	(bl.) Kalm's.	N. America.	1820.	7. 9.	H. ♂.
12 Nuttalli. R.S.	(bl.) Nuttall's.	_____	_____	_____	H. ♀.
<i>gracilis</i> . N. nec aliorum.					
13 pauciflora. K.S.	(bl.) few-flowered.	Mexico.	1824.	_____	F. ♀.
14 chinensis. R.S.	(p. bl.) Chinese.	China.	1822.	_____	H. ☉.
15 bellidifolia. R.S.	(bl.) Daisy-leaved.	C. B. S.	1790.	5. 8.	G. ♀.
16 rhizophytia. R.S. (wh.)	reering branched.	_____	1814.	_____	G. ♀.

Act. Gorenk. 1811. f. 11

Bot. mag. t. 1484.

Andr. reposit. t. 240.

Eng. bot. v. 2. t. 140.

Swt. br. fl. gar. t. 244

Bot. mag. t. 1325.

Bot. mag. t. 2235.

Bot. mag. t. 2510.

17	decumbens. B.M.	(bl.) decumbent.	C. B. S.	1820.	5. 8.	G. 4.	Bot. mag t. 2277.
18	triangula. R.S.	(bl.) triangular.	————	1774.	————	G. 4.	
19	cinerea. R.S.	(wh.) gray.	————	1824.	6. 10.	H. ⊙.	
20	fenestrata. R.S.	(bl.) windowed.	Mexico.	1826.	9. 11.	H. ⊙.	Cavan. icon. 6. t. 512. f. 1.
21	gigantea. R.S.	(or.) gigantic.	S. America.	1828.	8. 11.	S. 4.	———— 6. t. 513.
22	longiflora. R.S.	(wh.) long-flowered.	Jamaica.	1752.	5. 8.	S. 4.	Bot. mag. t. 2563.
23	tomentosa. R.S.	(bl.) tomentose.	C. B. S.	1816.	————	G. 4.	
24	secunda. R.S.	(wh.) side-flowering.	————	1790.	————	G. 4.	
25	trialata. D.P.	(bl.) three-winged.	Nepaul.	1820.	————	G. 4.	Hook. ex. flor. t. 41.
<i>micrantha</i> . H.E.F. non K.S.							
26	alata. B.P.	(bl.) winged-stalked.	N. S. W.	1804.	————	G. 4.	Lab. nov. hel. 1. t. 72.
27	acuminata. R.S.	(st.) taper-pointed.	Jamaica.	1822.	6. 9.	S. 4.	Sloan. his. 1. t. 95. f. 2.
28	nicotianæfolia. R.S.	(st.) Tobacco-leaved.	E. Indies.	————	————	S. 4.	
29	cirsifolia. R.S.	(st.) Cirsium-leaved.	W. Indies.	1825.	8. 10.	S. 4.	Plum. sp. v. 4. t. 116.
30	persicifolia. R.S.	(pu.) Peach-leaved.	————	1818.	6. 9.	S. 4.	
31	Cavanillesiana. R.S.	(re.) Cavanilles'.	New Spain.	1825.	————	S. 4.	Cavan. ic. 6. t. 518.
<i>persicifolia</i> . Cav. non Lam.							
32	Claytoniana. R.S.	(p.bl.) Clayton's.	N. America.	1799.	6. 8.	H. 4.	Willd. hort. ber. t. 30.
<i>goudenioides</i> . w. <i>pallida</i> . Roth.							
33	assurgens. R.S.	(pu.) purple.	W. Indies.	1787.	6. 10.	S. 4.	Andr. reposit. t. 553.
34	pyramidalis. D.P.	(pu.) pyramidal.	Nepaul.	1819.	7. 10.	G. 4.	Bot. mag. t. 2387.
35	fulgens. R.S.	(cr.) fulgent.	Mexico.	1809.	5. 9.	F. 4.	Bot. reg. t. 165.
36	splendens. R.S.	(sc.) splendid.	————	1814.	————	F. 4.	———— t. 60.
37	cardinalis. R.S.	(sc.) Cardinal flower.	Virginia.	1629.	————	F. 4.	Bot. mag. t. 320.
38	syphilitica. R.S.	(bl.) blue cardinal.	————	1665.	8. 10.	H. 4.	Bot. reg. t. 537.
39	debilis. R.S.	(bl.) feeble.	C. B. S.	1774.	4. 8.	H. ⊙.	
40	gracilis. B.P.	(bl.) slender.	N. S. W.	1801.	7. 10.	G. ⊙.	Bot. mag. t. 741.
41	purpurascens. B.P.	(pu.) purplish.	————	1809.	6. 8.	G. 4.	
42	surinamensis. R.S.	(bh.) Surinam.	W. Indies.	1786.	1. 7.	S. 4.	Bot. mag. t. 225.
<i>3 rubra</i> . (re.) red-flowered. Brazil. 1820. 12. 4. S. 4. Lodd. bot. cab. t. 749.							
43	Cliffortiæna. S.S.	(pu.) purple-flowered.	S. America.	1733.	7. 8.	H. ⊙.	Lin. h. clif. 426. t. 26.
44	Michauxii. N.	(pu.) Michaux's.	N. America.		————	H. ⊙.	
<i>Cliffortiæna</i> . M. non L.							
45	inflata. R.S.	(bl.) bladder-podded.	————	1759.	————	H. ⊙.	Swt. br. fl. gar. t. 99.
46	urens. R.S.	(bl.) acrid.	England.		6. 7.	H. 4.	Eng. bot. v. 14. t. 953.
47	puberula. R.S.	(bl.) downy.	N. America.	1819.	————	H. 4.	
48	amœna. R.S.	(bl.) bright blue.	————	1812.	6. 8.	H. 4.	Ann. mus. 18. t. 1. n. 1.
49	minuta. R.S.	(bh.) small.	C. B. S.	1772.	6. 9.	G. 4.	Bot. mag. t. 2590.
50	minima. B.M.	(wh.) least.	————		6. 10.	G. 4.	———— t. 2077.
51	Laurentia. R.S.	(bl.) Italian.	Italy.	1778.	7. 8.	H. ⊙.	Mich. gen. 18. t. 14.
52	tenella. R.S.	(vi.) slender-leaved.	Sicily.	1820.	6. 8.	H. ⊙.	
53	campanuloides. R.S.	(bl.) campanulate.	Japan.	1819.	7. 9.	G. 4.	Bot. reg. t. 733.
54	Erinus. R.S.	(bl.) ascending.	C. B. S.	1752.	6. 9.	H. 4.	Bot. mag. t. 901.
55	Breynii. R.S.	(bl.) Breynius's.	————	1823.	————	G. 4.	Breyn. cent. t. 89.
56	erinoïdes. R.S.	(bl.) trailing.	————	1759.	6. 8.	G. 4.	Herm. lugd. t. 109.
57	bicolor. R.S.	(bl.wh.) spotted.	————	1795.	————	H. ⊙.	Bot. mag. t. 514.
58	Schränkii.	(bl.) Schrank's.	————	1824.	————	G. 4.	Schrank. h. mon. t. 31.
<i>secunda</i> . Sck. non Thunb. <i>decumbens</i> . L. enum. non B.M.							
59	corymbosa. B.M.	(wh.pu.) corymbose.	C. B. S.	1825.	————	G. 4.	Bot. mag. t. 2693.
60	ilicifolia. B.M.	(wh.pu.) Holly-leaved.	————	1815.	5. 9.	G. 4.	———— t. 1896.
61	anceps. R.S.	(bl.) flat-edged.	————	1824.	7. 10.	H. ⊙.	
62	pubescens. R.S.	(wh.) downy-leaved.	————	1780.	6. 8.	G. 4.	Jacq. schœrn. 2. t. 178.
63	hirsuta. R.S.	(bl.) blue-flower'd hairy.	————	1759.	5. 9.	G. 4.	Burm. afr. t. 40. f. 2.
64	zeylanica. R.S.	(pu.) Ceylon.	E. Indies.	1820.	————	S. 4.	
65	lutea. R.S.	(ye.) yellow.	C. B. S.	1774.	6. 7.	G. 4.	Bot. mag. t. 1319.
66	variifolia. B.M.	(ye.) various-leaved.	————	1812.	————	G. 4.	———— t. 1642.
67	coronopifolia. R.S.	(bl.) Buckshorn-leaved.	————	1752.	7. 8.	G. 4.	———— t. 644.
68	caerulea. B.M.	(bl.) blue-flowered.	————	1823.	5. 8.	G. 4.	———— t. 2701.
69	Thunbergii.	(bl.) upright-raceme-flower'd.	————	1812.	7. 10.	G. 4.	
<i>coronopifolia</i> . Th. non B.M.							
70	crenata. R.S.	(bl.) notched-leaved.	————	1794.	4. 5.	G. 4.	
71	Simsii.	(bl.) long-peduncled.	————	1819.	8. 11.	G. 4.	Bot. mag. t. 2251.
<i>pedunculata</i> . B.M. non B.P.							
72	verbascifolia. Sm.	(pu.) Mullein-leaved.	Nepaul.	1822.	5. 7.	G. 4.	
73	racemosa. B.M.	(gr.) racemed.	W. Indies.	1818.	7. 9.	S. 4.	Bot. mag. t. 2137.
74	crispa. Gr.	(bl.) curled-leaved.	Mexico.	1825.	5. 6.	F. 4.	
75	heteromalla. Jac.	(bl.) woolly-leaved.		1829.		G. 4.	
76	mollis. Gr.	(pu.) soft.	Dominica.	1828.	5. 8.	S. 4.	
77	rugulosa. Gr.	(wh.) rugged.	New Zealand.	————	————	G. 4.	

78	cóncolor. B.P.	(bl.) self-coloured.	N. S. W.	1828.	5. 6.	G. 4.	
79	inundàta. B.P.	(bl.) inundated.	————	1822.	5. 8.	G.w. 4.	
80	pedunculàta. B.P.	(bl.) long-stalked.	————	————	————	G. 4.	
81	dentàta. B.P.	(bl.) toothed.	————	1819.	————	G. 4.	Cavan. ic. 6. t. 522.
82	gibbòsa. B.P.	(bl.) gibbous.	————	1824.	————	G. 4.	Lab. nov. hol. 1. t. 71.
83	senecioídes. B.M.	(bl.) Groundsel-like.	————	————	7. 10.	G. ½.	Bot. mag. t. 2702.
<i>Isotòma axillàris</i> . Bot. reg. t. 964.							
MONO'PSIS. Sal. MONO'PSIS. Pentandria Monogynia.							
1	conspícua. H.T.	(bl.) conspicuous.	C. B. S.	1812.	7. 8.	H. ⊙.	Bot. mag. t. 1499.
<i>Lobelia spéculum</i> . B.M.							
2	inconspícua. H.T.	(bl.) inconspicuous.	————		————	H. ⊙.	
CLINTONIA. B.R. CLINTONIA. Pentandria Monogynia.							
	élegans. B.R.	(bl.) elegant.	Columbia.	1827.	6. 9.	H. ⊙.	Bot. reg. t. 1241.
CYPHIA. R.S. CYPHIA. Pentandria Monogynia. W.							
1	volùbilis. R.S.	(pi.) climbing.	C. B. S.	1795.	6. 8.	S. 4. ~.	
2	digitàta. R.S.	(li.) finger-leaved.	————	1820.	7. 10.	G. 4.	
3	incìsa. R.S.	(bh.) cut-leaved.	————	————	————	G. 4.	
4	bulbòsa. R.S.	(pi.) bulb-bearing.	————	1791.	8. 9.	S. 4.	Burm. afr. t. 38. f. 2.
5	Phyteùma. R.S.	(pi.) Phyteuma-leav'd.	————	1820.	2. 5.	S. 4.	Bot. reg. t. 625.
6	Cardámines. R.S.	(bh.) Cardamine-leaved.	————	————	————	S. 4.	

ORDO CXXII.

STYLIDEÆ. *Brown prodr. 1. p. 565.*

STYLI'DIUM. B.P. STYLI'DIUM. Gynandria Diandria.							
1	graminifòlium. B.P.	(ro.) grass-leaved.	N. S. W.	1803.	4. 8.	G. 4.	Bot. reg. t. 90.
2	lineàre. B.P.	(li.) linear-leaved.	————	1820.	————	G. 4.	Sm. exot. bot. 2. t. 67.
<i>Ventenàtia minor</i> . Ex. b.							
3	scándens. B.P.	(wh.) climbing.	N. Holland.	1803.	7. 8.	G. 4. ~.	
4	fruticòsum. B.P.	(wh.) frutescent.	————	————	5. 10.	G. ½.	Sal. par. lond. t. 77.
<i>glandulòsum</i> . P.L.							
5	laricifòlium. B.R.	(ro.) Larch-leaved.	N. S. W.	1818.	————	G. ½.	Bot. reg. t. 550.
<i>tenuifòlium</i> . B.M. 2249.							
6	adnàtum. B.P.	(bh.) adnate.	N. Holland.	1824.	————	G. ½.	Bot. reg. t. 914.

ORDO CXXIII.

GOODENOVIEÆ. *Brown prodr. 1. p. 573.*

GOOD'ENIA. B.P. GOOD'ENIA. Pentandria Monogynia. W.							
1	bellidifòlia. B.P.	(ye.) Daisy-leaved.	N. S. W.	1823.	6. 9.	G. 4.	
2	stellígera. B.P.	(ye.) starry-haired.	————	1825.	————	G. 4.	
3	paniculàta. B.P.	(ye.) panicle.	————	————	————	G. 4.	Cavan. ic. 6. t. 507.
4	grácilis. B.P.	(ye.) slender.	N. Holland.	1824.	5. 8.	G. 4.	Lodd. bot. cab. t. 1002.
5	decúrrens. B.P.	(ye.) decurrent.	N. S. W.	1825.	————	G. 4.	
6	ovàta. B.P.	(ye.) oval-leaved.	————	1793.	6. 10.	G. ½.	Andr. reposit. t. 68.
7	grandiflòra. B.P.	(ye.) large-flowered.	————	1802.	6. 8.	G. ½.	Bot. mag. t. 890.
8	hederàcea. B.P.	(ye.) Ivy-leaved.	————	1823.	————	G. 4.	
EUTHALES. B.P. EUTHALES. Pentandria Monogynia. R.S.							
	trinérvis. B.P.	(ye. pa.) three-nerved.	N. Holland.	1803.	5. 9.	G. 4.	Bot. mag. t. 1137.
<i>Goodenia tenélla</i> . A.R. 466. <i>Velleia trinérvis</i> . Lab. n. hol. t. 77.							
VELLE'IA. B.P. VELLE'IA. Pentandria Monogynia. R.S.							
1	paradóxa. B.P.	(ye.) paradoxical.	N. S. W.	1823.	6. 8.	G. 4.	Bot. reg. t. 971.
2	lyràta. B.P.	(ye.) lyrate-leaved.	————	1819.	4. 6.	G. 4.	———— t. 551.
3	spathulàta. B.P.	(ye.) spathulate.	————	1823.	————	G. 4.	
LECHENA'ULTIA. B.P. LECHENA'ULTIA. Pentandria Monogynia. R.S.							
1	formòsa. B.P.	(sc.) handsome.	N. Holland.	1823.	6. 9.	G. ½.	Swt. flor. aust. t. 26.
2	oblàta. S.F.A.	(ye.) oblate-petaled.	————	————	————	G. ½.	———— t. 46.
SC'EVOLA. B.P. SC'EVOLA. Pentandria Monogynia. R.S.							
1	Koenigii. R.S.	(wh.) König's.	E. Indies.	1818.	8. 10.	S. ½.	Bot. mag. t. 2732.

2 Plumieri. R s. (wh.) Plumier's.	W. Indies.	1724.	8. 10.	S. h.	Jacq. amer. t. 179. f. 88.
Lobelia Plumieri. Jacq.					
3 ivæfolia. Lht. (wh.) Iva-leaved.	Trinidad.	1820.	—	S. h.	
4 Taccada. F.I. (wh.) Indian.	E. Indies.	1818.	—	S. h.	Gart. fruct. 1. t. 25.
5 crassifolia. B.P. (bl.) thick-leaved.	N. Holland.	1805.	8. 10.	G. h.	Lab. nov. hol. 1. t. 79.
6 cuneiformis. B.P. (bl.) wedge-leaved.	V. Diem. Isl.	1823.	—	G. 4.	— 1. t. 80.
7 microcarpa. B.P. (bl.) small-fruited.	N. S. W.	1790.	5. 9.	G. 4.	Cavan. ic. 6. t. 509.
Goodenia laevigata. B.M. 287.					
8 suavæolens. B.P. (bl.) sweet-scented.	—	1798.	—	G. 4.	Andr. reposit. t. 22.
Goodenia calendulacea. A.R.					
9 hispida. B.P. (li.) branching.	N. S. W.	1820.	5. 8.	G. 4.	Cavan. ic. 6. t. 510.
Goodenia ramosissima. Sm. new holl. 15. t. 5.					
DAMPIERA. B.P.	DAMPIERA.	Pentandria Monogynia.	R.S.		
1 undulata. B.P. (bl.) wave-leaved.	N. S. W.	1824.	5. 8.	G. h.	
2 ovalifolia. B.P. (pu.) oval leaved.	—	1823.	5. 9.	G. h.	
3 purpurea. B.P. (pu.) purple-flowered.	—	1825.	—	G. h.	
4 stricta. B.P. (bl.) upright.	N. S. W.	1814.	6. 8.	G. 4.	

ORDO CXXIV.

CAMPANULACEÆ. Juss. gen. 163.

CANARINA. W.	CANARINA.	Hexandria Monogynia.	W.		
Campánula. w. (or.)	Canary.	Canaries.	1696.	1. 3.	G. 4. Bot. mag. t. 441.
MICHAUXIA. W.	MICHAUXIA.	Octandria Monogynia.	W.		
1 campanuloides. w. (li.)	rough-leaved.	Levant.	1787.	6. 8.	G. h. Bot. mag. t. 219.
2 decandra. F.	decandrous.	Persia.	1829.	—	H. h?
LIGHTFOOTIA. R.S.	LIGHTFOOTIA.	Pentandria Monogynia.	R.S.		
1 oxycoccoides. R.S. (pa.)	lance-leaved.	C. B. S.	1787.	7.	G. h. Sm. exot. bot. 2. t. 69.
2 tenella. B.C. (pa.)	slender.	—	1824.	6. 8.	H. h. Lodd bot. cab. t. 1038.
3 lanceolata. L.en. (w. bl.)	spear-leaved.	—	1826.	—	G. 4.
4 muscosa. L.en. (wh. bl.)	moss-like.	—	—	—	G. 4.
5 subulata. R.S. (bl.)	awl-leaved.	—	—	—	G. 4. L'Herit. s. angl. 4. t. 5.
ADENOPIHORA. F.	ADENOPIHORA.	Pentandria Monogynia.			
1 verticillata. F. (bl.)	whorled.	Dahuria.	1783.	6. 8.	H. 4. Pall. it. 3. t. G. f. 1.
2 marsupiflora. F. (bl.)	bellied.	—	1815.	7. 8.	H. 4. Bot. reg. t. 149.
Campánula coronata. B.R.					
3 Gmelini. F. (bl.)	Gmelin's.	—	1823.	5. 8.	H. 4. Gmel. sib. 3. t. 33.
4 coronopifolia. F. (bl.)	buckshorn-leav'd.	—	1822.	—	H. 4. Swt. br. fl. gar. t. 104.
5 denticulata. F. (bl.)	toothed.	—	—	5. 7.	H. 4. — t. 116.
Campánula tricuspidata. R.S.					
6 latifolia. F. (bl.)	broad-leaved.	Siberia.	1827.	—	H. 4.
Campánula pereskiaefolia. R.S.					
7 Lamarekii. F. (bl.)	Lamarek's.	—	1826.	—	H. 4. Gmel. sib. 3. n. 18. t. 26.
8 styløsa. F. (bl.)	long-styled.	—	1820.	—	H. 4. — 3. n. 20. t. 27.
9 reticulata. F. (bl.)	netted.	—	1829.	—	H. 4.
10 communis. F. (p. bl.)	common.	—	1784.	5. 9.	H. 4. Jacq. schœnb. 3. t. 335.
Campánula liliifolia. B.R.					
β suavæolens. R.S. (p. bl.)	sweet-scented.	Hungary.	1818.	—	H. 4. Bot. reg. t. 236.
γ hybrida. R.S. (p. bl.)	upright-flower'd.	—	—	—	H. 4.
11 intermedia. (p. bl.)	intermediate.	Siberia.	1820.	—	H. 4.
Campánula intermedia. R.S.					
WAHLENBERGIA. Sc.	WAHLENBERGIA.	Pentandria Monogynia.			
1 grandiflora. Sc. (bl.)	great-flowered.	Siberia.	1782.	6. 8.	H. 4. Bot. mag. t. 252.
Campánula grandiflora. B.M.					
2 pendula. Sc. (bh.)	pendulous.	Canaries.	1777.	7. 8.	H. 4.
Campánula lobelioides. R.S.					
3 elongata. Sc. (p. bl.)	elongated.	—	1816.	—	H. 4.
CAMPANULA. R.S.	BELL-FLOWER.	Pentandria Monogynia.	L.		
1 cœnisia. R.S. (bl.)	ciliated.	Switzerland.	1775.	6. 7.	H. 4. All. ped. 1. t. 6. f. 2.
2 uniflora. R.S. (bl.)	single-flowered.	Lapland.	1827.	—	H. 4. Linn. fl. lap. t. 9. f. 5. 6.
3 Kitaibeliana. R.S. (bl.)	Kitaibel's.	Hungary.	1828.	—	H. 4.
4 Bellardi. R.S. (bl.)	Bellardi's.	Italy.	1813.	—	H. 4. All. ped. t. 85. f. 5.
5 Stevenii. M.B. (bl.)	Steven's.	Siberia.	1828.	—	H. 4.
6 pulla. R.S. (d. pu.)	dark-flowered.	Austria.	1779.	—	H. 4. Bot. mag. t. 2492.

7	Z6ysii. R.S.	(bl.) blunt-leaved.	Carniola.	1813.	6. 8.	H. 4.	Jacq. ic. 2. t. 334.
8	diffusa. R.S.	(bl.) diffuse.	Italy.	1818.	—	H. 4.	
	β fragilis. L.en.	(bl.) brittle.	—	—	—	H. 4.	Cyr. pl. rar. n. t. 11. f. 2.
9	carpathica. R.S.	(bl.) Carpathian.	Carp. Alps.	1774.	—	H. 4.	Bot. mag. t. 117.
10	dasycarpa. R.S.	(bl.) fleshy-podded.	Hungary.	1827.	—	H. 4.	
11	rotundifolia. R.S.	(bl.) round-leaved.	Britain.		—	H. 4.	Eng. bot. v. 13. t. 866.
	α cærulea.	(bl.) blue-flowered.	—		—	H. 4.	
	β albiflora.	(wh.) white-flowered.	—		—	H. 4.	
12	excisa. R.S.	(bl.) cut-flowered.	Switzerland.	1816.	—	H. 4.	Lodd. bot. cab. t. 561.
13	pusilla. R.S.	(bl.wh.) small.	Europe Alps.		—	H. 4.	Scheuch. it. 4. f. 4.
14	pumila. R.S.	(bl.wh.) dwarf.	Switzerland.		—	H. 4.	Bot. mag. t. 512.
	α cærulea.	(bl.) blue-flowered.	—		—	H. 4.	
	β alba.	(wh.) white-flowered.	—		—	H. 4.	
15	cæspitosa. R.S.	(bl.) tufted.	Carniola.	1818.	—	H. 4.	Scop. carn. ed. 2. t. 4.
16	pubescens. R.S.	(bl.) pubescent.	Bohemia.	1813.	—	H. 4.	
17	gracilis. B.M.	(bl.) slender.	N. S. W.	1794.	4. 8.	G. ♂.	Bot. mag. t. 691.
18	erecta.	(bl.) upright.	—	—	—	G. ♂.	Sm. exot. bot. t. 45.
	stricta. Sm. non L.						
19	littoralis. Lab.	(bl.) sea-side.	V. Diem. Isl.	1820.	—	G. ♂.	Lab. nov. hol. 1. t. 70.
20	capillaris. B.C.	(bl.) capillary.	N. Holland.	1824.	—	G. ♂.	Lodd. bot. cab. t. 1406.
21	quadrifida. B.P.	(bl.) quadrifid.	N. S. W.	1822.	—	G. ♂.	
22	saxicola. B.P.	(bl.) small rock.	V. Diem. Isl.	1825.	5. 10.	G. ♂.	
23	Waldsteiniæna. R.S. (vi.)	Waldstein's.	Hungary.	—	6. 8.	H. 4.	W. et K. hung. t. 136.
24	lanceolata. R.S.	(bl.) spear-leaved.	Pyrenees.	1827.	—	H. 4.	All. ped. t. 47. f. 2.
25	divaricata. R.S.	(bl.) divaricate.	N. America.	—	—	H. 4.	
26	virgata. R.S.	(bl.) twiggy.	—	1823.	—	H. 4.	
27	linifolia. R.S.	(bl.) Flax-leaved.	Sweden.	1816.	—	H. 4.	Vill. delph. 1. t. 10.
28	Scheuchzeri. s.s.	(bl.) Scheuchzer's.	Alps Europe.	1813.	—	H. 4.	Lodd. bot. cab. t. 485.
29	pátula. R.S.	(bl.) spreading.	Britain.		7. 8.	H. ♂.	Eng. bot. v. 1. t. 42.
30	neglecta. R.S.	(bl.) neglected.	Europe.	1818.	—	H. 4.	
	crenata. L.en. ucrànica. Hort.						
31	Rapunculus. R.S.	(bl.) Rampion.	Britain.		—	H. 4.	Eng. bot. v. 4. t. 283.
32	persicifolia. R.S. (va.)	Peach-leaved.	Europe.	1596.	7. 9.	H. 4.	Flor. dan. t. 1087.
	α cærulea.	(bl.) blue-flowered.	Scotland.		—	H. 4.	Flor. græc. t. 205.
	β alba.	(wh.) white-flowered.	Europe.		—	H. 4.	
	γ máxima. B.M.	(bl.) large-flowered.	—		—	H. 4.	Bot. mag. t. 397.
	δ albo-plèna.	(wh.) double white.	—		—	H. 4.	
	ε cæruleo-plèna.	(bl.) double blue.	—		—	H. 4.	
33	pyramidalis. R.S.	(bl.) pyramidal.	Carniola.	1596.	—	H. 4.	
	α cærulea.	(bl.) common blue.	—	—	—	H. 4.	
	β albiflora.	(wh.) white flowered.	—	1816.	—	H. 4.	
34	versicolor. R.S.	(bl.) various-color'd.	Greece.	1788.	—	H. 4.	Andr. reposit. t. 396.
	planiflora. W.en. non Lam. Willdenowiæna. R.S.						
35	obliqua. R.S.	(bl.) oblique-flower'd.	N. Europe.	1813.	6. 7.	H. ♂.	Jacq. schœn. 3. t. 336.
36	americana. R.S.	(bl.) American.	N. America.	1763.	7.	H. ♂.	
37	nítida. H.K.	(bl.wh.) glossy.	—	1731.	7. 8.	H. 4.	Dodart. mem. 4. t. 113.
	α cærulea.	(bl.) blue-flowered.	—	—	—	H. 4.	
	β alba.	(wh.) white-flowered.	—	—	—	H. 4.	
38	aurea. R.S.	(ye.) golden-flower'd.	Madeira.	1777.	7. 9.	G. h.	Bot. reg. t. 57.
	α latifolia. R.S.	(ye.) broad-leaved.	—	—	—	G. h.	Duham. ed. nov. t. 41.
	β angustifolia. R.S.	(ye.) narrow-leaved.	—	—	—	G. h.	Jacq. schœn. 4. t. 472.
39	rhomboidæa. R.S.	(bl.) Germander-ld.	Switzerland.	1775.	7.	H. 4.	Barrel. ic. 567.
40	asteroides. R.S.	(bl.) star-flowered.		1824.	—	H. 4.	
41	Alpini. R.S.	(bl.) Alpinus'.	Italy.	1823.	7. 9.	H. 4.	
42	Ottoniæna. R.S.	(bl.) Otto's.	C. B. S.	1822.	5. 7.	G. h.	
43	undulata. R.S.	(bl.) waved.	—	—	—	G. 4.	
44	latifolia. R.S.	(bl.) giant.	Britain.		7.	H. 4.	Eng. bot. v. 5. t. 302.
	α cærulea.	(bl.) blue-flowered.	—		—	H. 4.	
	β alba.	(wh.) white-flowered.	—		—	H. 4.	
45	macrantha. L.en.	(bl.) great-flowered.	Russia.	1822.	6. 7.	H. 4.	Flor. dan. t. 85.
46	eriocarpa. R.S.	(bl.) woolly-capsul'd.	Caucasus.	1824.	—	H. 4.	Bot. mag. t. 2553.
47	urticifolia. R.S.	(bl.) Nettle-leaved.	Germany.	1800.	8.	H. 4.	
	β flore plèno.	(wh.) double white.	—		—	H. 4.	
48	Trachelium. R.S.	(bl.) throatwort.	Britain.		6. 8.	H. 4.	Eng. bot. v. 1. t. 12.
	α cærulea.	(bl.) blue-flowered.	—		—	H. 4.	
	β alba.	(wh.) white-flowered.	—		—	H. 4.	
	γ multiplex.	(bl.wh.) double-flowered.	—		—	H. 4.	
49	rapunculoides. R.S.	(bl.) creeping.	England.		6. 7.	H. 4.	Eng. bot. v. 20. t. 1340.
	infundibuliformis. Bot. mag. t. 2632.						

50	ucrànica. R.S.	(bl.) Ukraine.	Ukraine.	1819.	6. 7.	H. 4.	
51	trachelioïdes. R.S.	(bl.) throatwort-like.	Caucasus.	1818.	—	H. 4.	
52	bononiënsis. R.S.	(bl.) panicled.	Italy.	1773.	8. 9.	H. 4.	Moris. s. 5. t. 4. f. 38.
53	simplex. DC.	(bl.) simple-stalked.	—	1823.	7. 8.	H. 4.	
54	lychnitis. H.H.	(bl.) Lychnis-like.		—	—	H. 4.	
55	obliquifolia. R.S.	(bl.) oblique-leaved.	Italy.	1820.	—	H. 4.	Ten. fl. neap. t. 17.
56	trichocalycina. R.S.	(bl.) long-pointed-calyx'd.	—	1824.	—	H. 4.	— t. 16.
57	ruthénica. R.S.	(bl.) Russian.	Russia.	1815.	6. 8.	H. 4.	Bot. mag. t. 2653.
58	graminifolia. R.S.	(vi.) grass-leaved.	Hungary.	1823.	—	H. 4.	W. et K. hung. 2. t. 154.
59	tenuifolia. R.S.	(vi.) slender-leaved.	—	1820.	5. 9.	H. 4.	— t. 155.
60	glomerata. R.S.	(bl.) clustered.	Britain.		—	H. 4.	Eng. bot. v. 2. t. 90.
	β albiflora.	(wh.) white-flowered.	—		—	H. 4.	
61	elliptica. R.S.	(bl.) elliptic-leaved.	Hungary.	1819.	—	H. 4.	Bocc. mus. 70. t. 58.
62	cephalantha. F.	(p.bl.) pale-flowered.	Siberia.	1824.	—	H. 4.	
63	farinosa. Bes.	(bl.) mealy.	Poland.	—	—	H. 4.	
64	aggregata. R.S.	(bl.) crowded-flower'd.	Bavaria.	—	—	H. 4.	
65	speciosa. R.S.	(bl.) specious.	Siberia.	—	—	H. 4.	Bot. mag. t. 2649.
	glomerata β dahùrica.	Bot. reg. 620.					
66	nicaënsis. R.S.	(bl.) Nice.	Italy.	1820.	—	H. 4.	All. ped. t. 39. f. 1.
67	foliosa. R.S.	(bl.) leafy.	—	—	6. 9.	H. 4.	Ten. fl. neap. t. 18.
68	petræa. R.S.	(bl.) woolly-leaved.	Mt. Baldo.	1818.	—	H. 4.	
69	Rainèri. R.S.	(bl.) Rainer's.	Italy.	1825.	—	H. 4.	
70	Cervicària. R.S.	(bl.) wave-leaved.	Germany.	1768.	7.	H. ♂.	Flor. dan. t. 787.
71	cervicarioides. R.S.	(bl.) intermediate.	Italy.	1819.	—	H. 4.	
72	multiflora. R.S.	(vi.) many-flowered.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 263.
	macrostachya. W.en.						
73	collina. R.S.	(bl.) Sage-leaved.	Caucasus.	1803.	7. 8.	H. 4.	Bot. mag. t. 927.
74	azùrea. R.S.	(bl.) azure.	Switzerland.	1778.	6. 7.	H. 4.	— t. 551.
75	Lòrei. R.S.	(bl.) Pollini's.	Mt. Baldo.	1819.	6. 9.	H. ⊙.	— t. 2581.
76	lactiflora. R.S.	(st.) milk-coloured.	Caucasus.	1814.	7. 9.	H. 4.	Bot. reg. t. 241.
77	thyrsoides. R.S.	(st.) long-spiked.	Switzerland.	1785.	6. 8.	H. ♂.	Bot. mag. t. 1290.
78	peregrina. R.S.	(bl.) rough-leaved.	C. B. S.	1794.	—	G. ♂.	— t. 1257.
79	tomentosa. R.S.	(wh.) tomentose.	Levant.	1820.	6. 9.	H. 4.	
80	aparinoïdes. R.S.	(p.bl.) Aparine-like.	N. America.	1825.	7. 9.	H. ⊙.	
81	cérnua. R.S.	(wh.) nodding-flower'd.	C. B. S.	1804.	—	G. ♂.	
82	capensis. R.S.	(vi.) Cape.	—	1803.	—	G. ⊙.	Bot. mag. t. 782.
	Roëlla decurrens. And. rep. t. 238.						
83	paniculata. R.S.	(wh.) panicled.	C. B. S.	1822.	6. 8.	G. ♀.	
84	spathulata. F.G.	(bl.) spathulate.	Greece.	1824.	—	G. 4.	Flor. græc. t. 203.
85	velutina. R.S.	(p.bl.) velvety.	Gibraltar.	—	—	F. 4.	Desf. atl. 1. t. 51.
86	microphylla. R.S.	(p.bl.) small-leaved.	Spain.	1820.	—	H. 4.	
87	Alliòni. R.S.	(p.bl.) Allioni's.	S. Europe.	1818.	—	H. 4.	All. ped. n. 418. t. 6. f. 3.
88	ligularis. R.S.	(bl.) strap-leaved.	Alps.	1825.	—	H. 4.	
89	barbata. R.S.	(p.bl.) bearded.	Italy.	1752.	—	H. 4.	Bot. mag. t. 1258.
90	punctata. R.S.	(wh.) dotted-flower'd.	Siberia.	1813.	5. 6.	H. 4.	— t. 1723.
91	Mèdium. R.S.	(bl.) Canterbury-bell.	Germany.	1597.	6. 9.	H. ♂.	Knor. delic. 1. t. 9.
	β albida.	(wh.) white-flowered.	—		—	H. ♂.	Garid. aix. p. 76. t. 18.
92	longifolia. R.S.	(bl.) long-leaved.	Pyrenees.	1824.	—	H. ♂.	Lapeyr. pyren. t. 6.
93	betonicifolia. R.S.	(bl.) Betony-leaved.	Olympus.	1823.	—	H. ♂.	Flor. græc. t. 210.
94	dichótoma. R.S.	(bl.) forked.	Levant.	1827.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 280.
95	spicata. R.S.	(bl.) spiked.	Switzerland.	1786.	7.	H. ♂.	All. ped. 1. t. 46. f. 2.
96	alpina. R.S.	(pa.bl.) Alpine.	—	1779.	—	H. 4.	Bot. mag. t. 957.
97	móllis. R.S.	(bl.) soft.	Syria.	1788.	5. 8.	G. 4.	— t. 404.
98	saxatilis. R.S.	(bl.) rock.	Candia.	1768.	—	G. 4.	Barrel. ic. t. 813.
99	alliarifolia. R.S.	(wh.) Alliaria-leaved.	Caucasus.	1803.	8. 9.	H. 4.	Sal. par. lond. t. 26.
	macrophylla. B.M. t. 912.						
100	sarmatica. B.R.	(pa.bl.) gum-bearing.	Siberia.	—	6. 8.	H. 4.	Bot. reg. t. 237.
	gummifera. R.S. betonicifolia. M.B.						
101	lamiifolia. R.S.	(st.) Lamium-leaved.	Caucasus.	1818.	—	H. 4.	Buxb. cent. 5. t. 18.
102	péndula. R.S.	(st.) pendulous.	—	1824.	—	H. 4.	
103	sibírica. R.S.	(bl.) Siberian.	Siberia.	1783.	7. 9.	H. 4.	Bot. mag. t. 659.
104	divérgens. R.S.	(bl.) divergent.	Hungary.	1814.	6. 7.	H. ♂.	W. et K. hung. t. 258.
	spathulata. W.K.						
105	violæfolia. R.S.	(wh.) Violet-leaved.	Siberia.	1827.	6. 8.	H. 4.	
106	A'dami. R.S.	(bl.) Adam's.	Caucasus.	1829.	—	H. 4.	
107	Pallasiana. R.S.	(bl.) Pallas's.	Siberia.	1827.	—	H. 4.	
108	lingulata. R.S.	(vi.) tongue-leaved.	Hungary.	1804.	7. 8.	H. 4.	W. et K. hung. 1. t. 64.
109	caucásica. R.S.	(bl.) Caucasian.	Caucasus.	—	—	H. 4.	
110	laciniata. R.S.	(bl.) jagged-leaved.	Greece.	1788.	5. 8.	G. 4.	Andr. reposit. t. 385.

111	lyrata. R.S.	(bl.) lyre-leaved.	Levant.		6. 8.	H. 2.	Moris. 2. v. 5. t. 3. f. 51.
112	rupëstris. R.S.	(bl.) various-leaved.	—	1827.	—	H. 3.	Flor. græc. t. 213.
113	stricta. R.S.	(bl.) straight.	Egypt.	—	—	H. 2.	Tour. an. mu. p. 137. t. 13.
114	cichoræcea. R.S.	(bl.) Succory-leaved.	Greece.	1824.	—	F. 3.	Flor. græc. t. 209.
115	capitata. R.S.	(bl.) headed.	—	1768.	6. 7.	H. 2.	Bot. mag. t. 811.
116	lanuginosa. R.S.	(bl.) woolly.		1824.	—	H. 3.	
117	Erinus. R.S.	(pa.bl.) forked.	S. Europe.	1768.	7. 8.	H. 3.	Moris. s. 5. t. 3. f. 25.
118	drabifolia. R.S.	(bl.) Draba-leaved.	Athens.	1823.	—	H. 3.	Flor. græc. t. 215.
119	erinoïdes. R.S.	(bl.) Erinus-like.	Africa.	—	—	H. 3.	Herm. lugd. t. 111?
120	Elátines. R.S.	(pa.pu.) trailing-stalked.	S. Europe.	—	7. 9.	H. 2.	All. ped. n. 422. t. 7. f. 1.
121	hederæcea. R.S.	(pa.bl.) Ivy-leaved.	England.		5. 6.	H. 2.	Eng. bot. v. 2. t. 73.
122	arvática. R.S.	(bl.) Spanish.	Spain.	1825.	—	H. 2.	Pluk. phyt. t. 23. f. 1.
123	hispídula. R.S.	(bl.wh.) hispid-calyxed.	C. B. S.	1816.	7. 9.	H. 3.	Comm. hort. 2. t. 37.
PRISMATOCARPUS. L'H. VENUS-LOOKING-GLASS. Pentandria Monogynia.							
1	fruticòsus. L'H.	(bl.) shrubby.	C. B. S.	1787.	8.	G. 2.	
2	Hookeri.	(wh.) Hooker's.	—	1823.	—	G. 2.	Bot mag. t. 2733.
<i>Campánula Prismatocarpus</i> . B.M. nec L'Her.							
3	nítidus. L'H.	(bl.) shining.	—	—	6. 8.	H. 3.	L'Her. sert. ang. 2. t. 3.
<i>Campánula Prismatocarpus</i> . w.							
4	hispídula. R.S.	(bl.wh.) bristly.	—	1822.	—	G. 3.	Comm. hort. 2. t. 37.
5	interrúptus. L'H.	(bl.) interrupted.	—	1820.	—	G. 3.	
6	Spéculum. L'H.	(bl.) common.	S. Europe.	1596.	5. 8.	H. 3.	Bot. mag. t. 102.
<i>β álbus.</i>		(wh.) white-flowered.	—	—	—	H. 3.	
7	hirsútus. T.N.	(bl.) hairy.	Italy.	1822.	—	H. 3.	Ten. fl. neap. t. 19.
8	falcátus. T.N.	(bl.) falcate.	—	—	—	H. 3.	— t. 20.
9	hy'bridus. L'H.	(bl.) corn.	England.		—	H. 3.	Eng. bot. v. 6. t. 375.
10	pentagónius. L'H.	(bl.) five-angled.	Turkey.	1686.	—	H. 3.	Bot. reg. t. 56.
11	perfoliátus.	(bl.) perfoliate.	N. America.	1680.	—	H. 3.	Moris. s. 5. t. 2. f. 23.
<i>Campánula perfoliata</i> . R.S. <i>amplexicaulis</i> . M.							
ROE'LLA. R.S. ROE'LLA. Pentandria Monogynia. L.							
1	ciliàta. R.S.	(bl.wh.) ciliate.	C. B. S.	1774.	6. 9.	G. 2.	Bot. mag. t. 378.
2	pedunculàta. R.S.	(bl.) peduncled.	—	1827.	—	G. 2.	
3	filifórmis. R.S.	(bl.) filiform.	—	1816.	—	G. 2.	Lam. ill. t. 123. f. 2.
4	decúrrens. R.S.	(bl.) decurrent.	—	1787.	7. 9.	H. 3.	L'Her. sert. ang. 4. t. 6.
5	squarròsa. R.S.	(bl.) trailing.	—	—	7. 8.	G. 2.	
6	muscòsa. R.S.	(bl.) moss-like.	—	1802.	8. 10.	H. 3.	
7	spicàta. R.S.	(wh.) spiked.	—	1824.	—	G. 2.	
PHYTE'UMA. R.S. PHYTE'UMA. Pentandria Monogynia. L.							
1	pauciflòrum. R.S.	(bl.) few-flowered.	Germany.	1823.	6. 8.	H. 2.	
2	globulariæfólium. R.S.	(bl.) Globularia-leav'd.	S. Europe.	—	—	H. 2.	
3	Scheuchzèri. R.S.	(bl.) Scheuchzer's.	Switzerland.	1813.	5. 6.	H. 2.	Bot. mag. t. 1797.
4	scorzonerifólium. R.S.	(bl.) Scorzonera-leav'd.	Europe.	1817.	—	H. 2.	— t. 2271.
5	Michèlii. R.S.	(bl.) Micheli's.	Pyrenees.	1822.	6. 7.	H. 2.	All. ped. n. 427. t. 7. f. 3.
6	hemisph'æricum. R.S.	(bl.) linear-leaved.	Switzerland.	1752.	7.	H. 2.	Jacq. ic. 2. t. 333.
7	comòsum. R.S.	(da.bl.) tufted.	Austria.	—	6. 7.	H. 2.	Jacq. aust. ap. t. 50.
8	orbiculàre. R.S.	(bl.) round-headed.	England.		6. 8.	H. 2.	Eng. bot. v. 2. t. 142.
9	Charmèlii. R.S.	(bl.) long-bracted.	Pyrenees.	1819.	—	H. 2.	Vill. delph. 2. t. 11. f. 3. A.
10	Siebèrii. s.s.	(bl.) Sieber's.	Levant.	1827.	7. 8.	H. 2.	
11	inæquàtum. R.S.	(bl.) unequal-leaved.	Hungary.	1826.	6. 7.	H. 2.	
12	cordàtum. B.M.	(bl.) heart-leaved.	S. Europe.	1804.	7. 8.	H. 2.	Bot. mag. t. 1466.
13	ellipticum. R.S.	(bl.) elliptic-leaved.	Switzerland.	1820.	—	H. 2.	Vill. delph. 2. t. 11. f. 2.
14	nigrum. R.S.	(da.pu.) black-flowered.	Bohemia.	—	—	H. 2.	
15	betonicifólium. R.S.	(pa.) Betony-leaved.	Switzerland.	1816.	6. 8.	H. 2.	Bot. mag. t. 2066.
16	spicàtum. R.S.	(st.) spiked.	Europe.	1597.	—	H. 2.	Flor. dan. t. 362.
17	Hallèri. R.S.	(pa.vi.) Haller's.	Switzerland.	1819.	—	H. 2.	
<i>β oràtum.</i>		(pa.) oral-spiked.	—	1814.	—	H. 2.	
18	stylòsum. Bes.	(bl.) long-styled.	Poland.	1827.	—	H. 2.	
19	strictum. B.M.	(bl.) upright.	S. Europe.	1819.	—	H. 2.	Bot. mag. t. 2145.
20	virgàtum. R.S.	(bl.) slender-branched.	Levant.	1823.	7. 9.	H. 2.	Lab. syr. 2. p. 11. t. 6.
21	campanuloïdes. R.S.	(bl.) Campanula-like.	Caucasus.	1804.	6. 8.	H. 2.	Bot. mag. t. 1015.
22	canéscens. R.S.	(li.) canescent.	Hungary.	—	—	H. 2.	W. et K. hung. 1. t. 14.
23	pinnàtum. R.S.	(bl.) winged-leaved.	Candia.	1640.	—	G. 2.	Venten. cels. t. 52.
TRACHELIUM. R.S. THROATWORT. Pentandria Monogynia. L.							
1	corùleum. R.S.	(bl.) blue.	Italy.	1640.	7. 9.	H. 3.	Bot. reg. t. 72.
2	diffùsum. R.S.	(bl.) shrubby.	C. B.S.	1787.	—	G. 2.	
JASIONE. R.S. SHEEP'S SCABIOUS. Pentandria Monogynia. W.							
1	montàna. R.S.	(bl.) mountain.	Britain.		6. 7.	H. 2.	Eng. bot. v. 13. t. 882.
2	perénis. R.S.	(bl.) perennial.	France.	1787.	—	H. 2.	Bot. reg. t. 505.
3	foliòsa. s.s.	(bl.) leafy.	S. Spain.	1826.	—	H. 2.	

ORDO CXXV.

GESNEREÆ. *Rich. et Juss. ann. mus. 5. p. 428.*

GLOXINIA. S.S.		GLOXINIA. Didynamia Angiospermia. L.					
1	hirsuta. B.R.	(bl.) hairy.	Brazil.	1825.	6. 8.	S. 2.	Bot. reg. t. 1001.
2	speciosa. B.R.	(bl.) many-flowered.	————	1815.	6. 11.	S. 2.	———— t. 213.
	<i>β alba.</i>	(wh.) white-flowered.	————	1822.	————	S. 2.	
3	caulescens. B.R.	(ri.) caulescent.	Pernambuca.	1820.	8. 10.	S. 2.	Bot. reg. t. 1127.
4	maculata. s.s.	(pu.) spotted-stalked.	S. America.	1739.	7. 10.	S. 2.	Bot. mag t. 1191.
SINNINGIA. Nees.		SINNINGIA. Didynamia Angiospermia.					
1	guttata. B.R.	(gr.ye.) spotted-throated.	Brazil.	1825.	6. 8.	S. 2.	Bot. reg. t. 1134.
2	Helleri. B.R.	(gr.ye.) Heller's.	————	1821.	————	S. 2.	———— t. 997.
3	velutina. B.R.	(gr.ye.) velvety.	————	————	————	S. 2.	Lodd. bot. cab. t. 1398.
4	villosa. B.R.	(gr.ye.) shaggy.	————	1826.	————	S. 2.	Bot. reg. t. 1134.
CODONOPHORA. B.R.		CODONOPHORA. Didynamia Angiospermia.					
1	grandiflora. B.R.	(gr.) large-flowered.	Brazil.	1816.	5. 6.	S. 2.	Bot. reg. t. 428.
	<i>Gesneria prasinata.</i> Bot. reg.						
2	lanceolata. B.R.	(gr.) spear-leaved.	————	1826.	————	S. 2.	
GESNERIA. L.		GESNERIA. Didynamia Angiospermia. L.					
1	tomentosa. s.s.	(gr.pu.) woolly.	S. America.	1752.	11. 6.	S. 2.	Bot. mag. t. 1023.
2	scabra. s.s.	(pu.) rough.	Jamaica.	1822.	6. 8.	S. 2.	
3	corymbosa. s.s.	(ye.) corymbose.	————	————	————	S. 2.	
4	Douglasii. B.R.	(sp.) Douglas's.	Brazil.	1825.	5. 8.	S. 2.	Bot. reg. t. 1110.
	<i>verticillata.</i> Bot. mag. t. 2776. non Cavan.						
5	aggregata. s.s.	(sc.) clustered.	————	1816.	6. 10.	S. 2.	Bot. reg. t. 329.
6	pendulina. B.R.	(sc.) drooping-flowered.	————	1825.	6. 9.	S. 2.	———— t. 1032.
7	nitida. B.R.	(sc.) brilliant.	————	1826.	6. 10.	S. 2.	———— t. 1158.
	<i>β atrosanguinea.</i> B.R.	(cr.) dark-crimson.	————	————	————	S. 2.	———— t. 1279.
8	latifolia. M.N.	(sc.) long-spiked.	————	1825.	7. 10.	S. 2.	———— t. 1202.
	<i>microstachya.</i> B.R.						
9	tubiflora. C.I.	(sc.) tube-flowered.	S. America.	1815.	2. 6.	S. 2.	Cavan. ic. 6. t. 584.
10	bulbosa. s.s.	(sc.) bulbous-rooted.	Brazil.	1816.	5. 8.	S. 2.	Bot. reg. t. 343.
11	acaulis. s.s.	(sc.) stemless.	Jamaica.	1793.	————	S. 2.	Sloan. jam. 1. t. 102. f. 1.
BESLERIA. L.		BESLERIA. Didynamia Angiospermia. L.					
1	cristata. s.s.	(ye.) crested.	W. Indies.	1739.	6. 8.	S. 2.	Jacq. amer. t. 119.
2	coccinea. s.s.	(ye.) scarlet-calyxed.	Guiana.	1824.	5. 8.	S. 2.	Aub. gui. 2. t. 255.
3	dichrus. s.s.	(ye.re.) two-coloured.	Brazil.	1823.	————	S. 2.	
4	pulchella. s.s.	(or.) large-flowered.	W. Indies.	1806.	————	S. 2.	Bot. mag. t. 1146.
5	melittifolia. s.s.	(pu.) Balm-leaved.	Guiana.	1739.	6. 7.	S. 2.	Sm. exot. bot. 1. t. 54.
6	serrulata. s.s.	(st.) saw-leaved.	W. Indies.	1806.	————	S. 2.	Jacq. schœn. 3. t. 290.
7	lutea. s.s.	(ye.) yellow-flowered.	Guiana.	1739.	7. 8.	S. 2.	Plum. ic. 49. f. 1.
8	grandifolia. s.s.	(ye.) large-leaved.	Brazil.	1823.	————	S. 2.	
9	hirtella. s.s.	(ye.) hairy-leaved.	————	————	————	S. 2.	
10	incarnata. s.s.	(fl.) flesh-coloured.	Guiana.	————	————	S. 2.	Aub. gui. 2. t. 256.

ORDO CXXVI.

VACCINIEÆ. *DC. theor. ed. 1. p. 216.*

VACCINIUM. W.		WHORTLE-BERRY. Oct-Decandria Monogynia.					
1	Myrtillus. w.	(bh.) Blea-berry.	Britain.		4. 6.	H. 2.	Eng. bot. 7. t. 456.
2	stamineum. Ph.	(wh.) long-stamened.	N. America.	1772.	5. 6.	H. 2.	Pluk. alm. t. 339. f. 3.
3	album. Ph.	(wh.) white-flowered.	————	————	————	H. 2.	Andr. reposit. t. 263.
	<i>stamineum.</i> A.R. non Ph.						
4	pallidum. w.	(wh.) pale.	————	————	————	H. 2.	
5	uliginosum. w.	(ro.) great Bilberry.	Britain.		4. 5.	H. 2.	Eng. bot. v. 9. t. 581.
6	diffusum. w.	(bh.) tree.	N. America.	1765.	5. 11.	H. 2.	Bot. mag. t. 1607.
	<i>arborescens.</i> M.						
7	damosum. B.M.	(bh.) bushy.	————	1774.	5. 6.	H. 2.	Bot. mag. t. 1106.
	<i>hirtellum.</i> H.K.						
	<i>β humile.</i> W.D.	(wh.) dwarf.	————	————	————	H. 2.	Wats. dend. brit. t. 32.

8 frondosum. w.	(wh.) blunt-leaved.	N. America.	1761.	5. 6.	H. h.	Andr. reposit. t. 140.
9 venustum. H.K.	(wh.) red-twigged.	————	1770.	—	H. h.	—
10 resinosum. w.	(st.) clammy.	————	1772.	—	H. h.	Wang. am. t. 30. f. 60.
β rubescens.	(re.) red-flowered.	————	—	—	H. h.	Bot. mag. t. 1288.
11 parviflorum. A.R.	(re.) small-flowered.	————	1804.	—	H. h.	Andr. reposit. t. 125.
12 corymbosum. w.	(wh.) corymbose.	————	1806.	6. 7.	H. h.	Wats. dend. brit. t. 125.
13 amœnum. w.	(wh.) broad-leaved.	————	1765.	5. 6.	H. h.	Bot. reg. t. 400.
14 canadense. s.s.	(wh.) Canadian.	————	1827.	5. 7.	H. h.	—
15 virgatum. w.	(pa.re.) twiggy.	————	1767.	4. 5.	H. h.	Andr. reposit. t. 181.
16 Watsoni.	(bh.) Watson's.	————	1812.	—	H. h.	Wats. dend. brit. t. 125.
virgatum β angustifolium. w.D.	—	—	—	—	—	—
17 mariannum. w.D.	(wh.) Maryland.	————	—	5. 6.	H. h.	Wats. dend. brit. t. 125.
18 grandiflorum. w.D.	(wh.) great-flowered.	————	—	7. 8.	H. h.	— t. 125.
19 elongatum. w.D.	(bh.) elongated.	————	—	—	H. h.	— t. 125.
20 minutiflorum. w.D.	(bh.) minute-flowered.	————	—	—	H. h.	— t. 125.
21 glabrum. w.D.	(re.) smooth.	————	—	—	H. h.	— t. 125.
22 mucronatum. L.	(wh.) mucronate.	————		5. 6.	H. h.	—
23 fuscatum. w.	(re.) cluster-flowered.	————	1770.	—	H. h.	Bot. reg. t. 302.
formosum. A.R. 97.	—	—	—	—	—	—
β angustifolium. Ph.	(re.) narrow-leaved.	————	—	—	H. h.	—
24 galèzans. M.	(st.) Gale-leaved.	————	1806.	—	H. h.	—
25 ligustrinum. w.	(pu.re.) Privet-leaved.	————		—	H. h.	—
26 tenellum. w.	(ro.) Pensylvanian.	————	1772.	—	H. h.	Wats. dend. brit. t. 125.
pensylvanicum. M.	—	—	—	—	—	—
27 angustifolium. w.	(wh.) narrow-leaved.	————	1776.	4. 5.	H. h.	—
myrtilloides. M.	—	—	—	—	—	—
28 Arctostaphylos. w.	(re.) oriental.	Levant.	1777.	6. 8.	H. h.	Bot. mag. t. 974.
29 maderense. s.s.	(re.) Madeira.	Madeira.	1810.	7. 2.	H. h.	Andr. reposit. t. 32.
Arctostaphylos. A.R.	—	—	—	—	—	—
30 meridionale. w.	(re.) Jamaica.	Jamaica.	1778.	3. 6.	G. h.	—
31 salicinum. s.s.	(bh.) Willow-like.	N. America.	1827.	6. 8.	H. h.	—
32 crassifolium. s.s.	(pi.) thick-leaved.	Carolina.	1787.	6. 7.	F. h.	Bot. mag. t. 1152.
33 myrtifolium. M.	(pi.) Myrtle-leaved.	————	1812.	5. 7.	F. h.	—
34 nitidum. s.s.	(pi.) glossy-leaved.	————	1794.	5. 6.	F. h.	Andr. rep. t. 480.
35 decumbens. B.M.	(pi.) decumbent.	————	—	—	F. h.	Bot. mag. t. 1550.
36 myrsinites. M.	(pu.) Myrsine-leaved.	————		—	F. h.	—
37 buxifolium. s.s.	(bh.) Box-leaved.	N. America.	1794.	—	H. h.	Bot. mag. t. 928.
38 Vitis Idæa. w.	(bh.) Cow-berry.	Britain.		4. 6.	H. h.	Eng. bot. v. 9. t. 50.
α minor.	(bh.) smaller.	————		—	H. h.	Lodd. bot. cab. t. 100.
β major.	(ro.) larger.	N. America.		—	H. h.	— t. 615.
39 ovatum. Ph.	(bh.) oval-leaved.	————	1827.	5. 7.	H. h.	—
40 obtusum. Ph.	(bh.) blunt-creeping.	————	—	—	H. h.	—
41 halleriæfolium. L.C.	(wh.) Halleria-leaved.	————		5. 6.	H. h.	—
OXYCOCCUS. P.S.	CRANBERRY.	Octandria Monogynia.	—	—	—	—
1 palustris. P.S.	(pi.) common.	Britain.		5. 6.	H. h.	Eng. bot. v. 5. t. 310.
Vaccinium Oxycoccus. E.B.	Schöllera Oxycoccus. Roth.	—	—	—	—	—
2 macrocarpus. Ph.	(pi.) large-fruited.	N. America.	1760.	5. 8.	H. h.	Wats. dend. brit. t. 125.
3 erectus. Ph.	(ro.) upright.	————	1806.	6. 8.	H. h.	— t. 125.
Vaccinium erythrocarpum. M.	—	—	—	—	—	—
4 hispidulus. P.S.	(pi.) Thyme-leaved.	————	1776.	5. 7.	H. h.	Mich. amer. 1. t. 23.
Vaccinium hispidulum. w.	Arbutus thymifolia. Ait.	Gaulthèria serpyllifolia. Ph.	—	—	—	—

ORDO CXXVII.

ERICEÆ. Don Prodr. p. 148.

Sect. I. ERICEÆ VERÆ.

ARCTOSTA'PHYLOS. K.S. ARCTOSTA'PHYLOS. Decandria Monogynia.

1 'Uva-ursi. s.s. (bh.) Bear-berry. Britain. 4. 6. H. h. Eng. bot. v. 10. t. 70.

2 alpina. s.s. (pi.) Alpine. Scotland. 4. 5. H. h. Eng. bot. v. 20. t. 200.

ARBUTUS. K.S.		STRAWBERRY-TREE.		Decandria	Monogynia.	L.	
1	Unedo. s.s. (wh.re.)	common.	Ireland.		9. 12.	H. h.	Eng. bot. v. 34. t. 2377.
2	rubra. (re.)	red-flowered.	-----		-----	H. h.	Lodd. bot. cab. t. 123.
3	flöre pleno. (wh.)	double-flowered.	-----		-----	H. h.	
4	schizopétala. (wh.)	jagged-petaled.	-----		-----	H. h.	
5	integrifolia. (wh.)	entire-leaved.	-----		-----	H. h.	
6	crispa. (wh.)	curled-leaved.	-----		-----	H. h.	
7	salicifolia. (wh.)	Willow-leaved.	-----		-----	H. h.	
8	canariensis. s.s. (ro.)	long-leaved.	Canaries.	1796.	5. 6.	G. h.	Bot. mag. t. 1577.
9	hybrida. s.s. (wh.)	hybrid.	Hybrid.		-----	H. h.	Bot. reg. t. 619.
10	serratifolia. B.C. 580.	andrachnoides. L.en.	-----	-----	-----	-----	
11	Milleri.	Miller's.	-----	1825.		H. h.	
12	Andrachne. s.s. (wh.)	oriental.	Levant.	1724.	3. 4.	F. h.	Bot. reg. t. 113.
13	procera. D. (wh.)	tall.	N. America.	1827.		H. h.	
14	Menziesii. Ph. (wh.)	Mr. Menzies's.	-----	-----		H. h.	
15	tomentosa. Ph. (wh.)	woolly.	-----	-----		H. h.	
16	laurifolia. s.s. (wh.)	Laurel-leaved.	Mexico.	1825.		F. h.	
17	phillyreæfolia. s.s. (wh.)	Phillyrea-leaved.	Peru.	1812.		G. h.	
18	? pumila. s.s. (wh.)	dwarf.	Magellan.	1824.		G. h.	
GAULTHERIA. S.S.		GAULTHERIA.		Decandria	Monogynia.	L.	
19	procumbens. s.s. (bh.)	trailing.	N. America.	1762.	7. 9.	H. h.	Andr. reposit. t. 116.
20	fragrantissima. s.s. (wh.)	fragrant.	Nepaul.	1824.		H. h.	Wal.as.res.13.p.297.ic.
21	Shallon. Ph. (bh.)	Shallon.	N. America.	1827.	5. 6.	H. h.	Lodd. bot. cab. t. 1732.
ENKIA'NTHUS. B.M.		ENKIA'NTHUS.		Decandria	Monogynia.		
22	quinqueflorus. B.R. (pi.)	Canton.	China.	1812.	10. 2.	G. h.	Bot. reg. t. 884.
23	reticulatus. B.R. (bh.)	netted-leaved.	-----	1820.	-----	G. h.	----- t. 885.
ANDRO'MEDA. N.		ANDRO'MEDA.		Decandria	Monogynia.	L.	
24	hypnoides. w. (wh.)	Moss-like.	Lapland.	1798.	6. 7.	H. h.	Bot. mag. t. 2936.
25	polifolia. w. (ro.)	wild rosemary.	Britain.		-----	H. h.	Eng. bot. v. 10. t. 713.
26	glaucophylla. L.en. (wh.)	glaucous-leaved.	N. America.		5. 9.	H. h.	
27	rosmarinifolia. Ph. (bh.)	Rosemary-leaved.	-----		-----	H. h.	Pall. ross. 2. t. 70. f. B.
28	subulata. P.S. (ro.)	awl-leaved.	Europe.		-----	H. h.	
29	angustifolia. Ph. (wh.)	narrow-leaved.	N. America.		2. 4.	H. h.	
30	crispa. Link enum.						
31	calyculata. w. (wh.)	various-leaved.	Russia.	1748.	2. 4.	H. h.	Pall. ross. 2. t. 72. f. 1.
32	a ventricosa. H.K. (wh.)	globe-flowered.	-----	-----	-----	H. h.	Bot. mag. t. 1286.
33	β nana. B.C. (wh.)	dwarf.	-----		-----	H. h.	Lodd. bot. cab. t. 862.
34	γ latifolia. H.K. (wh.)	broad-leaved.	Newfoundland.		-----	H. h.	----- t. 530.
35	japonica. w. (wh.)	Japan.	Japan.	1806.	5. 6.	H. h.	Thunb. jap. 181. t. 22.
36	ovalifolia. D.P. (bh.)	oval-leaved.	Nepaul.	1823.	-----	G. h.	Wall.as.res.13.p.39.ic.
37	buxifolia. P.S. (cr.)	Box-leaved.	Mauritius.	1822.	4. 6.	G. h.	Bot. mag. t. 2660.
38	fasciculata. w. (wh.)	bundle-flower'd.	Jamaica.	-----	-----	G. h.	
39	jamaicensis. w. (wh.)	Jamaica.	-----	1793.	-----	G. h.	
40	mariàna. w. (bh.)	Maryland.	N. America.	1736.	6. 7.	H. h.	Pluk. mant. t. 448. f. 6.
41	a oralis. (bh.)	oval-leaved.	-----	-----	-----	H. h.	Bot. mag. t. 1579.
42	β oblōnga. (bh.)	oblong-leaved.	-----	-----	-----	H. h.	
43	speciosa. Ph. (wh.)	large-flowered.	Carolina.	1800.	6. 9.	H. h.	
44	a nitida. Ph. (wh.)	smooth-leaved.	-----	-----	-----	H. h.	Bot. mag. t. 970.
45	cassinæfolia. B.M.						
46	β glauca. W.D. (wh.)	glaucous-leaved.	-----	-----	-----	H. h.	Wats. dend. brit. t. 26.
47	Andrōmeda dealbata. Bot. reg. t. 1010.						
48	γ pulverulenta. Ph. (wh.)	mealy-leaved.	-----	-----	-----	H. h.	Bot. mag. t. 667.
49	coriacea. w. (pi.)	thick-leaved.	N. America.	1765.	6. 8.	H. h.	----- t. 1095.
50	nitida. M. lucida. Lam. mariàna. Jacq. ic. 3. t. 79. nec aliorum.						
51	acuminata. w. (wh.)	acute-leaved.	N. America.	-----	8.	H. h.	Sm. exot. bot. 2. t. 89.
52	Catesbæi. w. (wh.)	spiny-leaved.	-----	1793.	6. 7.	H. h.	Bot. mag. t. 1955.
53	spinulosa. Ph.						
54	axillaris. w. (wh.)	axil-flowering.	-----	1765.	5. 8.	H. h.	Duham. ar.ed. nov. t. 39.
55	β longifolia. (wh.)	long-leaved.	-----	-----	-----	H. h.	Bot. mag. t. 2357.
56	floribunda. Ph. (wh.)	many-flowered.	Georgia.	1812.	5. 6.	H. h.	----- t. 1566.
57	racemosa. w. (wh.)	branching.	N. America.	1736.	7.	H. h.	
58	spicata. W.D. (wh.)	spiked.	-----		6. 7.	H. h.	Wats. dend. brit. t. 36.
59	arborea. w. (wh.)	Sorrel-tree.	-----	1752.	7. 9.	H. h.	Bot. mag. t. 905.
LYONIA. N.		LYONIA.		Decandria	Monogynia.	N.	
60	ferruginea. N. (wh.)	rusty-leaved.	Georgia.	1784.	6. 7.	G. h.	Venten. malm. t. 80.
61	Andrōmeda ferruginea. w.						
62	rigida. N. (wh.)	rigid.	-----	1774.	4. 5.	G. h.	Lodd. bot. cab. t. 430.
63	salicifolia. W.D. (wh.)	Willow-leaved.	N. America.		6. 7.	H. h.	Wats. dend. brit. t. 38.
64	paniculata. N. (wh.)	panicled.	-----	1748.	5. 6.	H. h.	----- t. 37.

5	capreæfòlia. W.D. (wh.)	tendril-leaved.	N. America.	1812.	7.	H. h.	Wats. dend. brit. t. 127.
6	multiflòra. W.D. (wh.)	many-flowered.	—	—	—	H. h.	— t. 128.
7	frondòsa. N. (wh.)	bristly-flowered.	—	1806.	5. 6.	H. h.	—
MYLOC'ARYUM. W.en. BUCKWHEAT-TREE. Decandria Monogynia. W.							
	ligustrinum. Ph. (wh.)	Privet-leaved.	Georgia.	1786.	5. 6.	G. h.	Bot. mag. t. 1625.
Cliftònia ligustrina. s.s.							
CLE'THRA. W. CLE'THRA. Decandria Monogynia. W.							
1	alnifòlia. s.s. (wh.)	Alder-leaved.	N. America.	1731.	8. 10.	H. h.	Lam. ill. t. 369.
2	tomentòsa. s.s. (wh.)	woolly-leaved.	—	—	—	H. h.	Wats. dend. brit. t. 39.
3	scábra. s.s. (wh.)	rough-leaved.	Georgia.	1806.	—	H. h.	—
4	acuminàta. s.s. (wh.)	acute-leaved.	Carolina.	—	—	H. h.	—
5	paniculàta. s.s. (wh.)	panicked.	N. America.	1770.	—	H. h.	—
6	arbòrea. s.s. (wh.)	tree.	Madeira.	1784.	—	G. h.	Bot. mag. t. 1057.
	β variegàta. (wh.)	variegated.	—	—	—	G. h.	—
	γ mìnor. (wh.)	dwarf.	—		—	G. h.	—
7	ferrugìnea. L.en. (wh.)	ferruginous.	S. America.	1818.	—	G. h.	—
CYRÍLLA. L. CYRÍLLA. Pentandria Monogynia. L.							
	racemiflòra. L. (wh.)	Carolina.	Carolina.	1765.	6. 8.	F. h.	Bot. mag. t. 2456.
	caroliniàna. P.S. Itea	Cyrilla. W.	—	—	—	—	—
BROSS'ÆA. L. BROSS'ÆA. Pentandria Monogynia. L.							
	coccínea. L. (sc.)	scarlet.	S. America.			S. h.	Lam. ill. t. 111. f. 3.
BL'ÆRIA. W. BL'ÆRIA. Tetrandria Monogynia. W.							
1	ericóides. s.s. (pu.)	heath-leaved.	C. B. S.	1774.	8. 10.	G. h.	Wendl. coll. 1. t. 25.
2	muscòsa. s.s. (wh.)	Moss-leaved.	—	—	6. 8.	G. h.	—
3	fasciculàta. s.s. (wh.)	close-headed.	—	1812.	—	G. h.	—
4	paucifòlia. s.s. (fl.)	few-leaved.	—	—	—	G. h.	Wendl. coll. 2. t. 43.
5	articulàta. s.s. (bh.)	jointed.	—	1795.	5. 6.	G. h.	— 2. t. 44.
6	scábra. s.s. (wh.)	rough.	—	1806.	—	G. h.	— 1. t. 31.
7	depréssa. R.s. (pu.)	depressed.	—	1816.	—	G. h.	—
8	purpùrea. s.s. (pu.)	purple-flowered.	—	1791.	—	G. h.	—
9	dumòsa. s.s. (ro.)	bushy.	—	1806.	6. 8.	G. h.	Wendl. coll. 2. t. 38.
10	glabélla. s.s. (wh.)	smooth.	—	1816.	—	G. h.	Seb. thes. 1. t. 20. f. 2.
11	ciliàris. s.s. (wh.)	fringed.	—	1795.	—	G. h.	Wendl. coll. 2. t. 49.
SYMPÍ'EZA. R.S. SYMPÍ'EZA. Tetrandria Monogynia. R.S.							
	capitellàta. R.s. (pu.)	headed.	C. B. S.	1812.	6. 8.	G. h.	Wendl. coll. 2. t. 37.
	Blæria bracteàta. Wendl.						
CALL'UNA. Sal. CALL'UNA. Octandria Monogynia.							
	vulgàris. W.en. (pi.)	common.	Britain.		6. 8.	H. h.	Eng. bot. v. 15. t. 1613.
	Erica vulgàris. E.B.						
	α cárnea. (pi.)	flesh-coloured.	—		—	H. h.	—
	β álba. (wh.)	white-flowered.	—		—	H. h.	—
	γ múltiplex. (pi.)	double-flowered.	—		—	H. h.	—
ER'ICA. W. HEATH. Octandria Monogynia. L.							
1	absinthóides. H.K. (pu.)	Wormwood-like.	C. B. S.	1792.	3. 6.	G. h.	—
2	act'æa. L.en. (wh.)	cluster-leaved.	—	1810.	—	G. h.	—
3	acuminàta. A.H. (pi.)	pointed-leaved.	—	1798.	5. 6.	G. h.	Andr. heath. v. 3.
	β pállida. (pa.)	pale-flowered.	—	—	—	G. h.	—
4	acùta. A.H. (re.)	pointed-cupped.	—	1799.	5. 8.	G. h.	Andr. heath. v. 2.
5	acutangulàris. L.C. (re.)	acute-angled.	—	1823.	—	G. h.	—
6	adenóphora. s.s. (wh.)	gland-haired.	—	1810.	—	G. h.	—
7	aggregàta. s.s. (li.)	clustered.	—	—	—	G. h.	Wendl. er. f. 13. n. 5.
8	Aitoniàna. H.K. (wh. re.)	Aiton's.	—	1790.	6. 9.	G. h.	Bot. mag. t. 429.
9	álbens. H.K. (wh.)	pallid.	—	1789.	3. 8.	G. h.	— t. 440.
10	álbida. L.C. (wh.)	white-flowered.	—	1823.	5. 8.	G. h.	—
11	alopécuroídes. s.s. (li.)	fox-tail.	—	1812.	—	G. h.	Lodd. bot. cab. t. 871.
12	ambigua. s.s. (pi.)	ambiguous.	—	1798.	—	G. h.	Andr. heath. v. 1.
	cylíndrica. A.H. non Thunb. hybrida. Hort.						
13	am'œna. H.K. (pu.)	feathery.	C. B. S.	1795.	3. 7.	G. h.	Wendl. eric. 17. p. 73. n.
	plumòsa. A.H.						
14	ampullàcea. H.K. (lh.)	flask.	—	1790.	6. 8.	G. h.	Bot. mag. t. 303.
15	andromedæflòra. H.K. (pi.)	Andromeda-fl'd.	—	1803.	3. 6.	G. h.	— t. 1250.
16	anthina. s.s. (pu.)	full-flowering.	—	1811.	—	G. h.	—
	flòrida. Hort. non W.						
17	apérta. s.s. (re.)	open-flowered.	—	—	—	G. h.	—
18	Aphànes. s.s. (wh.)	Parsley-plant.	—	1820.	—	G. h.	—
19	arbòrea. s.s. (wh.)	tree.	S. Europe.	1658.	2. 6.	G. h.	—
	β stylòsa. P.S. (wh.)	long-styled.	—	—	—	G. h.	—
20	arbuscula. B.C. (re.)	little-tree.	C. B. S.	1818.	4. 8.	G. h.	Lodd. bot. cab. t. 871.
21	aretàta. L.C. (wh.)	arched.	—	—	—	G. h.	—

22	Archeriàna. H.K.	(re.)	Lady Archer's.	C. B. S.	1796.	8. 11.	G. h.	Andr. heath. v. 2.
23	árdens. H.K.	(sc)	ardent.	—	1800.	4. 6.	G. h.	Bot. reg. t. 115.
24	argentiflòra. s.s.	(wh.)	silvery-flowered.	—	1816.	—	G. h.	Andr. heath. v. 4.
25	aristàta. H.K.	(cr.)	awned.	—	1801.	3. 8.	G. h.	Bot. mag. t. 1249.
26	assúrgens. L.en.	(wh.)	assurgent.	—	1810.	5. 8.	G. h.	
27	aùrea. H.K.	(ye.)	golden.	—	1799.	7. 9.	G. h.	Andr. heath. v. 2.
28	auriculàris. L.T.	(re.)	eared.	—	1810.	3. 7.	G. h.	
29	austràlis. H.K.	(re.)	Spanish.	Spain.	1769.	4. 7.	H. h.	Andr. heath. v. 3.
30	axillàris. W.	(pu.)	axillary.	C. B. S.	1798.	5. 7.	G. h.	
31	azaleafòlia. L.T.	(li.)	Azalea-leaved.	—	—	5. 8.	G. h.	
32	báccans. H.K.	(li.)	Arbutus-flower'd.	—	1774.	4. 7.	G. h.	Bot. mag. t. 358.
33	Bandoniàna. L.C.	(bh.)	Lord Bandon's.	—	1816.	5. 8.	G. h.	Andr. heath. v. 4.
34	Bánskii. H.K.	(st.)	Banks's.	—	1787.	2. 7.	G. h.	— v. 1.
35	barbàta. H.K.	(wh.)	bearded.	—	1799.	5. 8.	G. h.	— v. 2.
36	Beaumóntiæ. A.H.	(wh.)	Mrs. Beaumont's.	—	1820.	6. 8.	G. h.	— v. 4.
37	bélla. s.s.	(pu.)	pretty.	—	—	—	G. h.	
38	Bergiàna. H.K.	(re.)	Bergius's.	—	1787.	4. 8.	G. h.	Lodd. bot. cab. t. 939.
	quadriflòra. A.H.	v. 2.						
39	bícolor. W.	(re.gr.)	two-coloured.	—	1790.	8. 3.	G. h.	
	calatkiflòra. L.T.							
40	biflòra. B.C.	(wh.)	two-flowered.	—	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 683.
41	blánda. H.K.	(pi.)	charming.	—	1800.	4. 9.	G. h.	Andr. heath. v. 3.
42	Blandfordiàna. H.K.	(ye.)	Blandford's.	—	1803.	3. 6.	G. h.	Bot. mag. t. 1793.
43	Bonplandiàna. B.M.	(wh.)	Bonpland's.	—	1816.	—	G. h.	— t. 2126.
44	borboniæfòlia. L.T.	(wh.)	Borbonia-leaved.	—	—	—	G. h.	
45	Bowieàna. B.C.	(wh.)	Bowie's.	—	—	3. 9.	G. h.	Lodd. bot. cab. t. 842.
	Bauèria. Andr.	heath. v. 4.						
46	brachiàlis. L.T.	(re.)	armed.	—	1792.	—	G. h.	
47	bracteàta. W.	(re.)	red-bracted.	—	1800.	5. 7.	G. h.	
48	bracteolàris. P.S.	(wh.)	bracteate.	—	—	3. 7.	G. h.	
49	brevifòlia. L.T.	(wh.)	short-leaved.	—		8. 1.	G. h.	
50	Broadleyàna. A.H.	(pi.)	Broadley's.	—	1810.	5. 7.	G. h.	Andr. heath. v. 3.
51	bruniàdes. W.	(wh.)	Brunia-like.	—	1790.	4. 7.	G. h.	
52	bucciniflòra. B.M.	(li.wh.)	trumpet-flowered.	—	1816.	5. 9.	G. h.	Bot. mag. t. 2465.
53	càsia. L.T.	(wh.)	grey.	—	1795.	2. 5.	G. h.	
54	cáffra. A.H.	(wh.)	sweet-scented.	—	1774.	8. 10.	G. h.	Lodd. bot. cab. t. 196.
55	caledònica. s.s.	(ro.)	Caledonian.	—	1816.	5. 9.	G. h.	
56	callòsa. s.s.	(li.)	callous-leaved.	—	1799.	6. 9.	G. h.	Andr. heath. v. 3.
	canaliculàta β minor. A.H.							
57	calycina. W.	(pi.)	calycine.	—	—	—	G. h.	
58	calyculàta. P.S.	(br.)	rusty-flowered.	—	1800.	5. 7.	G. h.	
59	campanulàta. H.K.	(ye.)	bell-flowered.	—	1791.	4. 8.	G. h.	Andr. heath. v. 1.
60	campylophy'lla. s.s.	(li.)	hook-leaved.	—	1802.	3. 5.	G. h.	
	incúrea. A.H.							
61	canaliculàta. H.K.	(li.)	channelled.	—	1799.	8. 2.	G. h.	Andr. heath. v. 3.
62	canescens. H.K.	(li.)	canescent.	—	1790.	5. 8.	G. h.	— v. 2.
	eriocéphala. A.H.	non Lam.						
63	càpax. L.T.	(re.wh.)	capacious.	—	1806.	—	G. h.	
64	capitàta. H.K.	(st.)	downy-headed.	—	1774.	3. 7.	G. h.	Andr. heath. v. 1.
65	carduifòlia. L.T.	(li.)	Carduus-leaved.	—	1806.	5. 7.	G. h.	
66	carinàta. B.C.	(pi.)	keeled.	—	—	6. 9.	G. h.	Lodd. bot. cab. t. 1071.
67	cárnea. L.	(pi.)	early dwarf.	Germany.	1763.	1. 8.	G. h.	Jacq. aust. t. 32.
68	carniula. B.C.	(fl.)	flesh-coloured.	C. B. S.	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 926.
69	catervæfòlia. L.T.	(li.)	huddled-leaved.	—	1790.	4. 7.	G. h.	
70	Celsiàna. L.C.	(re.)	Cels's.	—		—	G. h.	
71	cephalòtes. W.	(pu.)	purple-headed.	—	1812.	3. 7.	G. h.	
72	cerinthoïdes. H.K.	(sc.)	honeywort-flower'd.	—	1774.	5. 9.	G. h.	Bot. mag. t. 220.
	α glabriúscula.	(sc.)	smoothish.	—	—	—	G. h.	
	β hispida.	(sc.)	bristly.	—	—	—	G. h.	
73	cérnua. H.K.	(bh.)	drooping-flowered.	—	1791.	8. 12.	G. h.	Mont. ac. ups. 2. t. 9. f. 3.
74	cerviciflòra. L.T.	(ye.)	Stag's-horn-flower'd.	—		3. 7.	G. h.	
	inapértu. Hort.							
75	chlamydiflòra. L.T.	(re.)	cloaked-flower'd.	—	1801.	5. 9.	G. h.	
76	ciliàris. W.	(pi.)	ciliated.	Portugal.	1759.	7. 9.	H. h.	Bot. mag. t. 484.
77	ciliciflòra. L.T.	(wh.)	fringe-flower'd.	C. B. S.		5. 8.	G. h.	
78	cineráscens. W.	(pu.)	greyish.	—		—	G. h.	
79	cinèrea. W.	(pu.)	fine-leaved.	Britain.		6. 9.	H. h.	Eng. bot. v. 15. t. 1015.
	α atropurpurea.	(d.pu.)	dark-purple.	—		—	H. h.	Lodd. bot. cab. t. 1409.
	β ràtra.	(re.)	red-flowered.	—		—	H. h.	

<i>γ carnea.</i>	(<i>fl.</i>) <i>flesh-coloured.</i>	Britain.		6. 9.	H. h.	
<i>δ álba.</i>	(<i>wh.</i>) <i>white-flowered.</i>	————		—	H. h.	
80 <i>cistifolia.</i> L.en.	(<i>wh.</i>) <i>Cistus-leaved.</i>	C. B. S.	1799.	5. 8.	G. h.	Andr. heath. v. 2.
<i>barbata β minor.</i> A.H.						
81 <i>clavæflora.</i> H.K.	(<i>gr.</i>) <i>club-flowered.</i>	————	1779.	8. 10.	G. h.	Andr. heath. v. 2.
<i>sessiliflora.</i> A.H. non L.						
82 <i>clavata.</i> s.s.	(<i>gr.</i>) <i>clubbed.</i>	————	1812.	—	G. h.	Andr. heath. ic.
83 <i>Clintoniæ.</i> Lee.	(<i>ro.</i>) <i>Lady Clinton's.</i>	————	1816.	5. 8.	G. h.	
84 <i>coarctata.</i> s.s.	(<i>li.</i>) <i>close.</i>	————		—	G. h.	Wendl. eric. f. 19. n. 1.
85 <i>coccinea.</i> H.K.	(<i>sc.</i>) <i>scarlet-flowered.</i>	————	1783.	1. 12.	G. h.	Andr. heath. v. 1.
86 <i>cólorans.</i> B.R.	(<i>wh.</i>) <i>changing-coloured.</i>	————	1812.	1. 6.	G. h.	Bot. reg. t. 601.
87 <i>comosa.</i> H.K.	(<i>re.wh.</i>) <i>tufted.</i>	————	1787.	4. 8.	G. h.	Ic. hort. kew. t. 18.
<i>α rubra.</i>	(<i>re.</i>) <i>red-flowered.</i>	————	—	—	G. h.	Wendl. eric. 12. p. 7. ic.
<i>β álba.</i>	(<i>wh.</i>) <i>white-flowered.</i>	————	—	—	G. h.	Andr. heath. v. 2.
88 <i>complanata.</i> s.s.	(<i>re.</i>) <i>flattened.</i>	————		—	G. h.	
89 <i>Comptoniana.</i> s.s.	(<i>re.</i>) <i>Lady Northampton's.</i>	————	1820.	—	G. h.	Andr. heath. v. 4.
90 <i>concava.</i> B.C.	(<i>pu.</i>) <i>concave-flowered.</i>	————	1808.	2. 5.	G. h.	Lodd. bot. cab. t. 134.
91 <i>concinna.</i> H.K.	(<i>bh.</i>) <i>blush.</i>	————	1773.	7. 10.	G. h.	Andr. heath. v. 2.
92 <i>cóncolor.</i> L.C.	(<i>wh.</i>) <i>self-coloured.</i>	————		3. 6.	G. h.	
93 <i>conferta.</i> H.K.	(<i>wh.</i>) <i>crowded-flowered.</i>	————	1800.	10. 2.	G. h.	Andr. heath. v. 2.
94 <i>confertifolia.</i> s.s.	(<i>re.</i>) <i>crowded-leaved.</i>	————		5. 8.	G. h.	
95 <i>congèsta.</i> s.s.	(<i>wh.</i>) <i>close-headed.</i>	————	1812.	—	G. h.	Wendl. eric. f. 17. n. 5.
96 <i>cónica.</i> L.C.	(<i>re.</i>) <i>conical.</i>	————	1820.	—	G. h.	Lodd. bot. cab. t. 1179.
97 <i>conspícua.</i> H.K.	(<i>ye.</i>) <i>conspicuous.</i>	————	1774.	—	G. h.	Andr. heath. v. 2.
98 <i>constántia.</i> Lee.	(<i>re.</i>) <i>constant-flowered.</i>	————	1810.	—	G. h.	
99 <i>cordata.</i> H.K.	(<i>wh.</i>) <i>heart-leaved.</i>	————	1799.	4. 7.	G. h.	Andr. heath. v. 3.
100 <i>corifolia.</i> H.K.	(<i>bh.</i>) <i>Coris-leaved.</i>	————	1774.	8. 12.	G. h.	Bot. mag. t. 422.
<i>articulàris.</i> B.M. <i>calycina.</i> A.H.						
101 <i>corydalis.</i> L.T.	(<i>re.</i>) <i>winged anthered.</i>	————	1812.	2. 5.	G. h.	
102 <i>costata.</i> H.K.	(<i>re.</i>) <i>ribbed-flowered.</i>	————	1795.	2. 6.	G. h.	Andr. heath. v. 1.
<i>β supérba.</i> A.H.	(<i>bh.</i>) <i>superb.</i>	————	1820.	4. 5.	G. h.	———— v. 4.
103 <i>Coventryana.</i> B.C.	(<i>ro.</i>) <i>Lord Coventry's.</i>	————	1808.	5. 6.	G. h.	Lodd. bot. cab. t. 423.
104 <i>crassifolia.</i> A.H.	(<i>li.</i>) <i>thick-leaved.</i>	————	1826.	—	G. h.	Andr. heath. v. 4.
105 <i>crinita.</i> B.C.	(<i>wh.</i>) <i>long-haired.</i>	————	1825.	—	G. h.	Bot. cab. t. 1432.
106 <i>cristæflora.</i> L.T.	(<i>li.</i>) <i>crested.</i>	————	1803.	—	G. h.	
107 <i>crossota.</i> s.s.	(<i>wh.</i>) <i>fringed-calyxed.</i>	————	1820.	—	G. h.	
108 <i>crucifórmis.</i> s.s.	(<i>ye.</i>) <i>cross-like.</i>	————	1818.	—	G. h.	Andr. heath. v. 4.
109 <i>cruénta.</i> H.K.	(<i>cr.</i>) <i>bloody-flowered.</i>	————	1774.	9. 5.	G. h.	———— v. 1.
110 <i>cùbica.</i> H.K.	(<i>pu.</i>) <i>cube-flowered.</i>	————	1790.	4. 7.	G. h.	———— v. 1.
<i>β minor.</i> B.C.	(<i>pu.</i>) <i>lesser cube-flowered.</i>	————	—	—	G. h.	Lodd. bot. cab. t. 972.
111 <i>cumuliflora.</i> L.T.	(<i>wh.</i>) <i>heap-flowered.</i>	————	1801.	5. 9.	G. h.	
112 <i>curviflora.</i> H.K.	(<i>ye.</i>) <i>curve-flowered.</i>	————	1774.	7. 10.	G. h.	Andr. heath. v. 1.
113 <i>curviróstris.</i> L.T.	(<i>li.</i>) <i>curve-styled.</i>	————	1790.	—	G. h.	
<i>declinàta.</i> Hort.						
114 <i>Cushiniàna.</i> Lee.	(<i>re.</i>) <i>Cushin's.</i>	————	1816.	—	G. h.	
115 <i>cuspidigera.</i> L.T.	(<i>li.</i>) <i>cuspidate.</i>	————	—	2. 5.	G. h.	
116 <i>cylíndrica.</i> Th.	(<i>wh.</i>) <i>white cylindrical.</i>	————	1810.	3. 5.	G. h.	
117 <i>cyrillæflora.</i> L.T.	(<i>li.</i>) <i>Cyrilla-flowered.</i>	————	1800.	2. 8.	G. h.	
118 <i>daphnæflora.</i> B.C.	(<i>bh.</i>) <i>Daphne-flowered.</i>	————	1791.	4. 5.	G. h.	Lodd. bot. cab. t. 543.
119 <i>daphnoides.</i> B.C.	(<i>ro.</i>) <i>Daphne-like.</i>	————	—	—	G. h.	———— t. 154.
120 <i>decípiens.</i> s.s.	(<i>fl.</i>) <i>slender woolly.</i>	————	1822.	—	G. h.	
121 <i>decólorans.</i> W.	(<i>ro.wh.</i>) <i>discoloured.</i>	————	1812.	—	G. h.	
122 <i>decòra.</i> H.K.	(<i>li.</i>) <i>graceful.</i>	————	1790.	11. 1.	G. h.	Andr. heath. v. 3.
123 <i>defléxa.</i> L.C.	(<i>wh.</i>) <i>deflexed.</i>	————	1812.	5. 8.	G. h.	
124 <i>demíssa.</i> L.C.	(<i>re.</i>) <i>low.</i>	————	1810.	—	G. h.	
125 <i>dénsa.</i> s.s.	(<i>bh.</i>) <i>dense.</i>	————	—	—	G. h.	Andr. heath. ic.
126 <i>densifolia.</i> W.	(<i>re.</i>) <i>dense-leaved.</i>	————	1811.	3. 8.	G. h.	
127 <i>denticulàta.</i> W.	(<i>wh.</i>) <i>tooth-calyxed.</i>	————	—	—	G. h.	Lodd. bot. cab. t. 1000.
<i>fastigiàta.</i> A.H. <i>nec aliorum.</i>						
128 <i>depréssa.</i> H.K.	(<i>wh.</i>) <i>depressed.</i>	————	1789.	6. 8.	G. h.	Andr. heath. v. 2.
<i>rupéstris.</i> A.H.						
129 <i>dianthifolia.</i> L.T.	(<i>re.</i>) <i>pink-leaved.</i>	————	1796.	3. 8.	G. h.	
130 <i>diaphàna.</i> s.s.	(<i>fl.</i>) <i>transparent.</i>	————	1800.	5. 8.	G. h.	Andr. heath. v. 4.
<i>transpàrens.</i> B.C. 177. non Th.						
131 <i>dichrus.</i> s.s.	(<i>re.gr.</i>) <i>Andrew's 2-color'd.</i>	————	1790.	8. 5.	G. h.	Andr. heath. v. 4.
<i>bícolor.</i> A.H. non W.						
132 <i>Dickensoniàna.</i> L.C.	(<i>va.</i>) <i>Mr. Dickenson's.</i>	————	1809.	—	G. h.	
<i>α álba.</i>	(<i>wh.</i>) <i>white-flowered.</i>	————	—	—	G. h.	
<i>β rubra.</i>	(<i>re.</i>) <i>red-flowered.</i>	————	—	—	G. h.	

133	diosmæfòlia. L.T. (li.)	Diosma-leaved. C. B. S.	1792.	3. 7.	G. h.	
134	diotæfòra. L.T. (wh.)	Diotis-flowered. ———	1795.	3. 8.	G. h.	
135	discolor. H.K. (bh.)	different-coloured. ———	1788.	10. 3.	G. h.	Andr. heath. v. 1.
136	distsans. s.s. (vi.)	distant. ———	1816.	—	G. h.	
137	Donniàna. Lee. (re.)	Donn's. ———	1812.	5. 9.	G. h.	
138	droseroïdes. A.H. (pu.)	Sundew-like. ———	—	7. 10.	G. h.	Andr. heath. v. 4.
	<i>droseroïdes</i> β <i>mìnor</i> . A.H.					
139	dumòsa. A.H. (re.)	bushy. ———	—	—	G. h.	Andr. heath. v. 4.
140	echiiflòra. H.K. (pi.)	Echium-flowered. ———	1798.	2. 7.	G. h.	— v. 3.
	β <i>purpurea</i> . A.H. (pu.)	purple-flowered. ———	1812.	—	G. h.	— v. 4.
141	elàta. H.K. (ye.)	tall. ———	1790.	7. 9.	G. h.	— v. 2.
142	elegans. H.K. (pi.)	elegant. ———	1799.	11. 5.	G. h.	Bot. mag. t. 960.
143	elongàta. B.C. (wh.)	elongated. ———	1820.	3. 6.	G. h.	Lodd. bot. cab. t. 738.
144	emarginàta. A.H. (wh.)	hairy cupped. ———	1800.	6. 10.	G. h.	Andr. heath. ic.
145	embothriifòlia. L.T. (re.)	Embothrium-leav'd. ———	—	2. 5.	G. h.	
146	empetrifòlia. H.K. (re.)	crowberry-leaved. ———	1774.	4. 7.	G. h.	Bot. mag. t. 447.
147	empetroïdes. H.K. (pu.)	close-flowered. ———	1788.	5. 8.	G. h.	Andr. heath. v. 2.
148	epistòmia. L.C. (wh.)	spiggot. ———	1800.	—	G. h.	Lodd. bot. cab. t. 1186.
149	equisetifòlia. L.T. (re.)	Equisetum-leaved. ———	—	—	G. h.	
	<i>articulàris</i> . Hort.					
150	eriocéphala. B.C. (wh.)	woolly-headed. ———	1816.	6. 8.	G. h.	Lodd. bot. cab. t. 1270.
151	eròsa. B.C. (bh.)	gnawed-petal'd. ———	—	—	G. h.	— t. 133.
152	erubescens. H.K. (bh.)	reddish-flowered. ———	1800.	3. 8.	G. h.	Andr. heath. v. 3.
153	Eweràna. H.K. (cr.)	Ewer's. ———	1793.	7. 11.	G. h.	— v. 2.
	α <i>glàbra</i> . (cr.)	smooth-leaved. ———	—	—	G. h.	
	β <i>longiflòra</i> . (cr.)	long-flowered. ———	—	—	G. h.	
	γ <i>pilòsa</i> . (cr.)	hairy-leaved. ———	—	—	G. h.	
154	exigua. L.T. (pu.)	small downy. ———	1790.	3. 9.	G. h.	
155	exímia. L.C. (ro.)	choice. ———	1811.	—	G. h.	Lodd. bot. cab. t. 1105.
156	exsérta. L.C. (wh.)	exserted. ———	1820.	—	G. h.	
157	expànsa. L.C. (re.)	expanded. ———	1811.	—	G. h.	
158	exprómta. s.s. (re.)	woolly-branched. ———	—	—	G. h.	
159	exsùdans. B.C. (pi.)	sweating. ———	1810.	8. 10.	G. h.	Lodd. bot. cab. t. 287.
160	exsurgens. H.K. (or. re.)	quiver-formed. ———	1792.	1. 12.	G. h.	Andr. heath. v. 1.
161	fàbrilis. L.T. (re.)	tiled-leaved. ———	1791.	4. 8.	G. h.	
162	fàllax. L.T. (wh.)	viscous-flower'd. ———	—	11. 3.	G. h.	
163	fasciculàris. H.K. (ro. gr.)	cluster-flower'd. ———	1787.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>coronàta</i> . A.H. <i>radiiflòra</i> . L.T.					
164	fastigiàta. W. (bh.)	crowded. ———	1792.	2. 7.	G. h.	Andr. heath. v. 1.
	<i>Walkèri</i> . A.H. v. 1. <i>nec</i> v. 4.					
165	faústa. L.T. (re.)	bristly-leaved. ———	1795.	4. 6.	G. h.	
166	ferrugìnea. H.K. (cr. bh.)	rusty. ———	1798.	5. 7.	G. h.	Andr. heath. v. 3.
167	fèsta. L.T. (bh.)	angular-stalked. ———		3. 5.	G. h.	
168	fibula. L.en. (li.)	button. ———	1812.	5. 6.	G. h.	
169	filamentòsa. H.K. (re.)	long-peduncled. ———	1800.	1. 12.	G. h.	Bot. reg. t. 6.
170	filifórmis. L.T. (re.)	filiform. ———		2. 5.	G. h.	
171	fimbriàta. A.H. (re.)	fringed. ———	1800.	3. 7.	G. h.	Andr. heath. ic.
172	finitìma. L.C. (pu.)	related. ———		—	G. h.	
173	fistulæflòra. L.T. (wh.)	white slender-flower'd. —	1800.	7. 11.	G. h.	Andr. heath. v. 3.
	<i>tenuiflòra</i> β <i>álba</i> . A.H. <i>Cliffordiàna</i> . B.C. 34.					
174	flaccida. L.en. (wh.)	flaccid. ———	1810.	—	G. h.	
175	flagellàris. L.en. (st.)	whipcord. ———	—	—	G. h.	
176	flagellifórmis. A.H. (re.)	whipcord-like. ———	1812.	—	G. h.	Andr. heath. v. 4.
177	flàmmea. H.K. (ye.)	flame-flowered. ———	1798.	10. 5.	G. h.	— v. 2.
	<i>bibax</i> . L.T.					
178	flàva. H.K. (ye.)	3-leaved yellow. ———	1795.	9. 4.	G. h.	Andr. heath. v. 2.
	β <i>imbricàta</i> . B.M. (ye.)	imbricated. ———	—	—	G. h.	Bot. mag. t. 1815.
179	flexicaùlis. H.K. (re.)	crook-stalked. ———	1800.	5. 1.	G. h.	Andr. heath. v. 2.
	<i>glandulòsa</i> . A.H. <i>nec aliorum</i> .					
180	flexuòsa. H.K. (wh.)	zigzag. ———	1792.	4. 7.	G. h.	Andr. heath. v. 1.
181	floribúnda. B.C. (li.)	many-flowered. ———	1800.	11. 3.	G. h.	Lodd. bot. cab. t. 176.
182	flòrida. H.K. (pu.)	florid. ———	1803.	5. 8.	G. h.	Thunb. eric. n. 64. t. 6.
183	foliàcea. A.H. (ye.)	foliaceous. ———	1822.	5. 7.	G. h.	Andr. heath. v. 4.
184	folliculàris. H.K. (ye.)	yellow pencilled. ———	1794.	2. 7.	G. h.	— v. 1.
	<i>Petiveriàna</i> . A.H.					
185	formòsa. W. (va.)	handsome. ———	1795.	3. 8.	G. h.	Thunb. eric. n. 82. t. 3.
	α <i>álba</i> . (wh.)	white-flowered. <i>reflexa álba</i> . Hort. —	—	—	G. h.	Andr. heath. v. 4.
	β <i>rubra</i> . (re.)	red-flowered. <i>reflexa rubra</i> . Hort. —	—	—	G. h.	— v. 4.
186	fràgrans. H.K. (pu.)	fragrant. C. B. S.	1803.	3. 7.	G. h.	Bot. mag. t. 2181.

187	fùgax. L.T.	(pu.) fugacious.	C. B. S.	1800.	3. 5.	G. h.	
188	furfuròsa. H.K.	(re.) columnar-threaded.	—	1789.	8. 12.	G. h.	Andr. heath. v. 1.
	monadélpha. A.H.	non B.M.					
189	gélida. H.K.	(gr.) green verticillate.	—	1790.	4. 7.	G. h.	Andr. heath. v. 2.
	gílva. w.	alveiflòra. L.T.					
190	gemmaífera. B.M.	(or.) jewel.	—	1802.	7. 10.	G. h.	Bot. mag. t. 2266.
191	genistafòlia. L.T.	(re.) Genista-leaved.	—		10. 5.	G. h.	
192	glábra. L.en.	(wh.) glabrous.	—	1802.	5. 8.	G. h.	
193	glandulòsa. Th.	(cr.) glandular-haired.	—	1801.	—	G. h.	
194	glaùca. H.K.	(pu.) glaucous-leaved.	—	1792.	—	G. h.	Bot. mag. t. 580.
195	globòsa. w.	(bh.) globular-flowered.	—	1789.	7. 9.	G. h.	Andr. heath. v. 4.
196	glomeràta. s.s.	(li.) glomerate.	—	1812.	—	G. h.	— v. 4.
197	glomiflòra. L.T.	(wh.) round-flowered.	—		4. 9.	G. h.	
198	glutinòsa. H.K.	(pu.) glutinous.	—	1787.	7. 10.	G. h.	Icon. hort. kew. t. 1.
	droseròides. A.H.						
199	gnaphalódes. w.	(wh.) cudweed-like.	—	1812.	2. 4.	G. h.	Pluk. m. 68. t. 346. f. 1.
200	grácilis. H.K.	(re.) gracile.	—	1794.	2. 6.	G. h.	Wend. eric. 8. p. 9.
201	grandiflòra. H.K.	(ye.) great-flowered.	—	1775.	5. 9.	G. h.	Bot. mag. t. 189.
202	grandinòsa. B.C.	(wh.) hail-flowered.	—	1820.	—	G. h.	Lodd. bot. cab. t. 6.
203	halicácaba. H.K.	(wh.) bladder-flowered.	—	1780.	5. 8.	G. h.	Andr. heath. v. 2.
204	helianthemifòlia. L.T.	plain-leaved.	—	1796.	6. 9.	G. h.	
205	herbàcea. L.	(fl.) trailing.	S. Europe.	1763.	1. 8.	H. h.	Bot. mag. t. 471.
206	Hibbertiàna. H.K.	(cr. gr.) Hibbert's.	C. B. S.	1800.	6. 9.	G. h.	Andr. heath. v. 3.
207	hirsùta. B.C.	(wh. pu.) hairy.	—	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 7.
208	hírta. w.	(re.) hairy-leaved.	—	1795.	4. 7.	G. h.	Thunb. eric. n. 56. t. 2.
209	hirtiflòra. B.M.	(li.) hairy-flowered.	—	1790.	—	G. h.	Bot. mag. t. 481.
210	hispida. s.s.	(re.) hispid.	—	1791.	7. 9.	G. h.	Andr. heath. ic.
211	hispídula. w.	(pu.) bristly-stemmed.	—	—	6. 8.	G. h.	
212	holosericea. L.T.	(wh.) velvety.	—		2. 7.	G. h.	
213	horizontalis. H.K.	(wh.) horizontal-leaved.	—	1800.	7. 9.	G. h.	Andr. heath. v. 2.
214	Humeàna. B.C.	(pi.) Sir A. Hume's.	—	1808.	5. 7.	G. h.	Lodd. bot. cab. t. 8.
215	humifusa. L.T.	(pi.) low.	—		6. 7.	G. h.	
216	hyacinthóides. H.K.	(pi.) Hyacinth-flower'd.	—	1798.	6. 8.	G. h.	Andr. heath. v. 3.
217	hyssopifòlia. L.T.	(re.) Hyssop-leaved.	—	1800.	5. 9.	G. h.	
218	ignéscens. H.K.	(or. sc.) fiery.	—	1792.	3. 7.	G. h.	Andr. heath. v. 2.
219	imbecilla. (re.) feeble.	—	—	1793.	6. 7.	G. h.	
	grácilis. L.T.	nec aliorum.					
220	imbricàta. w.	(pu.) imbricated.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. t. 1.
221	imperialis. s.s.	(ro.) imperial.	—	1816.	—	G. h.	Andr. heath. v. 4.
222	incàna. s.s.	(wh. re.) hoary.	—	—	—	G. h.	Wend. er. f. 18. n. 4.
223	incarnàta. w.	(fl.) flesh-coloured.	—	1791.	—	G. h.	Andr. heath. v. 1.
224	incúrva. w.	(wh.) incurved.	—	—	—	G. h.	
225	inflàta. w.	(ro.) inflated.	—	1800.	5. 9.	G. h.	Thunb. dis. n. 67. t. 2.
226	infundibulifórmis. (ro. wh.)	funnel-flower'd.	—	1812.	—	G. h.	Lodd. bot. cab. t. 5.
227	intertéxta. B.C.	(wh.) interwoven.	—	1810.	—	G. h.	— t. 1.
228	intervallàris. L.T.	(bh.) distant-leaved.	—	—	5. 11.	G. h.	
229	Irbyàna. A.H.	(bh.) Irby's.	—	1800.	6. 10.	G. h.	Andr. heath. v. 3.
230	jasminiflòra. H.K.	(wh.) Jasmine-flower'd.	—	1794.	—	G. h.	— v. 1.
231	jubàta. s.s.	(re.) crest-flowered.	—	1816.	—	G. h.	
232	Juliàna. s.s.	(re.) Julian's.	—	1812.	5. 10.	G. h.	Lodd. bot. cab. t. 7.
233	labiàlis. L.T.	(pi.) lipped.	—	—	—	G. h.	
234	lachneafòlia. H.K.	(pu.) Lachnea-leaved.	—	1793.	5. 7.	G. h.	Andr. heath. v. 3.
235	lactiflòra. B.C.	(st.) milk-coloured.	—	1816.	—	G. h.	Lodd. bot. cab. t. 9.
	trícòlor. s.s.						
236	l'avis. A.H.	(wh.) smooth.	—	1790.	3. 6.	G. h.	Andr. heath. v. 3.
237	Lambertiàna. H.K.	(wh.) Lambert's.	—	1800.	5. 8.	G. h.	— v. 2.
238	lanàta. w.	(sn.) woolly.	—	1775.	2. 5.	G. h.	Wend. eric. f. 5. n. 2.
239	lanceolàta. P.S.	(wh.) spear-leaved.	—	1791.	6. 12.	G. h.	— fasc. 8. p. 13.
240	lanuginòsa. H.K.	(br.) large brown-flower'd.	—	1803.	9. 1.	G. h.	Andr. heath. v. 3.
241	laricina. s.s.	(pi.) Larch-leaved.	—	1824.	6. 8.	G. h.	
242	lasiophylla. s.s.	(li.) downy-leaved.	—	1816.	5. 8.	G. h.	
243	lateràlis. H.K.	(fl.) side-flowered.	—	1791.	3. 7.	G. h.	Andr. heath. v. 1.
244	latifòlia. H.K.	(re.) broad-leaved.	—	1800.	5. 8.	G. h.	— v. 2.
245	lavandulæfòlia. L.T.	(re.) Lavender-leaved.	—	1795.	—	G. h.	
246	Lawsòni. B.M.	(re.) red slender-flower'd.	—	1802.	4. 7.	G. h.	Bot. mag. t. 1720.
247	laxa. H.K.	(li.) loose-flowered.	—	1800.	9. 2.	G. h.	Andr. heath. v. 3.
248	Leeàna. H.K.	(ye.) Lee's.	—	1788.	8. 1.	G. h.	— v. 1.
249	leptocárpha. s.s.	(re.) slender chaffed.	—	1824.	4. 7.	G. h.	
250	leucántha. L.en.	(wh.) white-blossomed.	—	1803.	1. 5.	G. h.	Andr. heath. v. 2.
	leucanthera. A.H.	non L.					

251 leucanthèra. w. (wh.) white-tipped.	C. B. S.	1803.	2. 6.	G. h.	
252 Linnæana. H. K. (pu. wh.) Linnaeus's.	—	1790.	1. 5.	G. h.	Andr. heath. v. 2.
<i>Linnæoides</i> . A. H.					
<i>ε superba</i> . A. H. (pu. wh.) superb.	—	1822.	—	G. h.	Andr. heath. v. 4.
253 longiflora. B. C. (ye.) long-flowered.	—		4. 8.	G. h.	Lodd. bot. cab. t. 983.
254 longifolia. w. (re.) long-leaved.	—	1787.	2. 7.	G. h.	Wend. eric. t. 3.
<i>pinca</i> . Wend.					
255 longipedunculata. (li.) long-stalked.	—	1818.	3. 8.	G. h.	Lodd. bot. cab. t. 103.
256 lucida. H. K. (pi.) lucid.	—	1800.	4. 1.	G. h.	Andr. heath. v. 2.
257 lutea. H. K. (ye.) yellow.	—	1774.	2. 5.	G. h.	— v. 1.
258 lyrigera. L. T. (re.) lyre-bearing.	—	1790.	—	G. h.	
259 magnifica. s. s. (ro.) magnificent.	—	1816.	4. 8.	G. h.	Andr. heath. v. 4.
260 mammosa. w. (pu.) nipple.	—	1762.	7. 10.	G. h.	— v. 1.
<i>α purpurea</i> . (pu.) purple-flowered.	—	—	—	G. h.	Lodd. bot. cab. t. 125.
<i>β pallida</i> . (li.) pale-flowered.	—	—	—	G. h.	— t. 951.
261 margaritacea. H. K. (wh.) pearl-flowered.	—	1775.	5. 9.	G. h.	Andr. heath. v. 1.
262 marifolia. H. K. (wh.) Marum-leaved.	—	1773.	5. 7.	G. h.	— v. 1.
263 Massoni. H. K. (or. gr.) Masson's.	—	1787.	7. 10.	G. h.	Bot. mag. t. 336.
264 mediterranea. w. (re.) Mediterranean. Portugal.	—	1648.	3. 5.	H. h.	— t. 471.
265 melanthèra. w. (li.) dark-anthered.	C. B. S.	1803.	6. 8.	G. h.	Lodd. bot. cab. t. 867.
266 melastoma. A. H. (ye.) black-anthered.	—	1795.	4. 7.	G. h.	— t. 333.
267 mellifera. s. s. (pu.) honey-bearing.	—	1816.	—	G. h.	
268 metulæflora. H. K. (re.) nine-pin.	—	1798.	6. 8.	G. h.	Bot. mag. t. 612.
269 microphylla. L. C. (re.) small-leaved.	—		—	G. h.	
270 microstoma. s. s. (re.) aggregate-flower'd.	—	1816.	—	G. h.	
271 minutæflora. A. R. (pu.) minute-flowered.	—	1822.	5. 7.	G. h.	Andr. heath. v. 4.
272 mirabilis. A. H. (pu.) wonderful.	—	—	3. 8.	G. h.	— v. 4.
273 modesta. L. T. (bh.) modest.	—		—	G. h.	
274 molleâris. P. S. (pu.) soft-leaved.	—	1803.	4. 10.	G. h.	
275 mollis. s. s. (pu.) soft.	—	1816.	—	G. h.	Andr. heath. v. 4.
276 mollissima. L. C. (wh.) softest.	—		—	G. h.	
277 monadelphæ. B. M. (wh.) monadelphous.	—	1789.	5. 7.	G. h.	Bot. mag. t. 1370.
<i>Banksia β purpurea</i> . A. H.					
278 Monsoniæ. H. K. (wh.) Lady Monson's.	—	1787.	4. 9.	G. h.	Bot. mag. t. 1915.
279 montana. L. C. (li.) mountain.	—	1816.	—	G. h.	
280 moschata. A. H. (li.) musky.	—	1805.	5. 7.	G. h.	Andr. heath. v. 4.
281 mucosa. H. K. (pu.) mucous.	—	1787.	2. 4.	G. h.	— v. 1.
282 mucosoides. L. C. (li.) mucous-like.	—	1800.	3. 4.	G. h.	Lodd. bot. cab. t. 1212.
283 mucronata. s. s. (re.) mucronate.	—	1812.	4. 8.	G. h.	Andr. heath. v. 4.
284 multiflora. H. K. (bh.) many-flowered.	France.	1731.	6. 11.	G. h.	— v. 2.
285 munda. L. T. (bh.) neat-flowered.	C. B. S.		5. 7.	G. h.	
286 mundula. B. C. (pi.) neat.	—	1816.	3. 8.	G. h.	Lodd. bot. cab. t. 114.
287 Muscari. H. K. (st.) musk.	—	1790.	—	G. h.	Andr. heath. v. 1.
288 mutabilis. H. K. (pu.) mutable.	—	1798.	2. 10.	G. h.	— v. 3.
289 nana. L. T. (ye.) dwarf.	—	1792.	5. 8.	G. h.	— v. 2.
<i>depressa</i> . A. H.					
290 nidiflora. L. T. (bh.) nest-flowered.	—		10. 5.	G. h.	
291 nidularia. B. C. (pi.) nest-like.	—	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 764.
292 nigricans. s. s. (wh.) black-stamened.	—	—	—	G. h.	
293 nigrita. H. K. (wh.) black-tipped.	—	1790.	3. 7.	G. h.	Andr. heath. v. 1.
294 nitida. H. K. (wh.) shining.	—	1800.	7. 10.	G. h.	— v. 3.
295 nivâlis. A. H. (wh.) snowy-flowered.	—	1820.	5. 6.	G. h.	— v. 4.
296 nivea. s. s. (wh.) snowy.	—	1816.	5. 9.	G. h.	
297 Niveni. H. K. (re.) Niven's.	—	1799.	2. 7.	G. h.	Andr. heath. v. 2.
298 nolæflora. L. T. (re.) bell-shaped.	—		2. 5.	G. h.	
299 notabilis. s. s. (re.) notable.	—	1816.	3. 8.	G. h.	
300 nudiflora. w. (ye.) small-bracted.	—	1783.	7. 8.	G. h.	
301 obbata. H. K. (re. wh.) bottle.	—	1796.	4. 7.	G. h.	Andr. heath. v. 2.
302 obcordata. s. s. (wh.) obcordate.	—	1812.	—	G. h.	
303 obliqua. H. K. (pu.) oblique-leaved.	—	1789.	8. 10.	G. h.	Andr. heath. v. 1.
304 obtusa. B. C. (re.) obtuse.	—	1816.	5. 8.	G. h.	Lodd. bot. cab. t. 1027.
305 octogona. L. C. (re.) eight-angled.	—	—	—	G. h.	
306 odorata. H. K. (wh.) perfumed.	—	1804.	4. 7.	G. h.	Andr. heath. v. 3.
307 oliala. s. s. (ro.) close smooth-leav'd.	—	1812.	—	G. h.	— v. 4.
308 onosmaeflora. L. T. (ye.) Onosma-flowered.	—	1789.	9. 5.	G. h.	— v. 1.
<i>glutinosa</i> . A. H. <i>viscosa</i> . Wend.					
309 oppositifolia. A. H. (wh.) opposite-leaved.	—	1804.	3. 5.	G. h.	Andr. heath. c. ic.
<i>α alba</i> . (wh.) white-flowered.	—	—	—	G. h.	Lodd. bot. cab. t. 1343.
<i>β rubra</i> . B. C. (re.) red-flowered.	—	—	—	G. h.	— t. 1060.

310	ostrina. B.C.	(sc.) scarlet-flowered. C. B. S.	1824.	3. 6.	G. h.	Lodd. bot. cab. t. 12.
311	ovata. B.C.	(re.) ovate.	1791.	2. 5.	G. h.	— t. 417.
312	oxycoccifolia. L.T.	(bh.) Cranberry-leaved.	—	—	G. h.	—
313	pallens. s.s.	(st.) pale.	1812.	3. 8.	G. h.	Andr. heath. v. 4.
314	pallida. B.C.	(pu.) pallid.	—	—	G. h.	Lodd. bot. cab. t. 13.
315	palliflora. L.T.	(pa.) pale-flowered.		2. 8.	G. h.	—
316	palustris. H.K.	(bh.) marsh.	1799.	5. 10.	G. h.	Andr. heath. v. 2.
317	paniculata. w.	(pu.) paniced.	1774.	2. 8.	G. h.	Lodd. bot. cab. t. 13.
318	pannosa. L.T.	(wh.) cloth-flowered.		2. 6.	G. h.	—
319	parilis. L.T.	(re.) matched.	1789.	5. 8.	G. h.	—
320	Parmentieri. B.C.	(wh.) Parmentier's.	1816.	—	G. h.	Lodd. bot. cab. t. 13.
	β rosea. L.C.	(ro.) rose-coloured.	—	—	G. h.	—
321	parviflora. L.T.	(pu.) small-fl. downy.	1790.	3. 9.	G. h.	—
322	Passerina. w.	(wh.) sparrow-wort.	1800.	11. 5.	G. h.	Petiv. gaz. t. 3. f. 7.
323	pátens. A.H.	(pu.) spreading.	—	3. 6.	G. h.	Andr. heath. v. 3.
324	Patersoni. H.K.	(ye.) Paterson's.	1791.	3. 8.	G. h.	— v. 1.
325	pavettaflora. L.T.	(wh.) Pavetta-flowered.		5. 8.	G. h.	—
326	pectinifolia. L.T.	(bh.) pectinated.	1800.	11. 6.	G. h.	—
327	pedunculata. s.s.	(re.) peduncled.	1810.	5. 9.	G. h.	—
328	pellucida. A.H.	(wh.) pellucid.	1800.	10. 6.	G. h.	Andr. heath. v. 3.
	β rubra. A.H.	(re.) red-flowered.	1806.	—	G. h.	— v. 4.
329	peltata. A.H.	(gr.pu.) peltate-stigma'd.	1804.	4. 8.	G. h.	— v. 4.
330	pendula. w.	(pu.) pendulous.	1791.	7. 8.	G. h.	Lodd. bot. cab. t. 13.
331	penicillata. A.H.	(re.) pencilled.	1774.	4. 7.	G. h.	Andr. heath. v. 2.
332	penicilliflora. L.T.	(wh.) white-pencilled.	1792.	5. 8.	G. h.	Wend. eric. 4. p. 5.
333	periplocæfolia. L.T.	(li.) Periploca-leaved.	—	8. 12.	G. h.	—
334	persoluta. H.K.	(re.) garland.	1774.	2. 5.	G. h.	Bot. mag. t. 342.
335	perspicua. H.K.	(wh.) clear-flowered.	1790.	3. 6.	G. h.	Wend. eric. 1. p. 7.
	β Linnæa. A.H.	v. 2.	—	—	—	—
336	petiolata. H.K.	(wh.) rosemary-leaved.	1774.	3. 7.	G. h.	Andr. heath. v. 3.
337	Petiveriana. H.K.	(ye.) Petiver's.	—	—	G. h.	Lam. ill. t. 288. f. 3.
338	Peziza. B.C.	(wh.) button-flowered.		5. 8.	G. h.	Lodd. bot. cab. t. 13.
339	phylicoides. w.	(pu.) Phylica-like.	1800.	4. 7.	G. h.	—
340	physodes. H.K.	(wh.) sticky.	1788.	3. 7.	G. h.	Bot. mag. t. 443.
341	picta. L.C.	(wh.ye.) painted.	1800.	—	G. h.	—
342	pilosa. s.s.	(gr.) pilose.	—	—	G. h.	Lodd. bot. cab. t. 13.
343	pilulifera. w.	(pu.) ball-bearing.	1789.	4. 5.	G. h.	—
344	pinea. s.s.	(wh.) Pine-like.	1790.	8. 12.	G. h.	—
	β purpurea. L.C.	(pu.) purple.	—	—	G. h.	Lodd. bot. cab. t. 13.
345	pinifolia. A.H.	(re.) Pine-leaved.	1790.	6. 12.	G. h.	Andr. heath. v. 1.
	pityophylla. s.s.	—	—	—	—	—
	α coccinea. A.H.	(sc.) scarlet.	—	—	G. h.	Andr. heath. v. 1.
	β discolor. A.H.	(wh.pu.) two-coloured.	1820.	—	G. h.	— v. 4.
346	planifolia. A.H.	(re.) flat-leaved.	—	—	G. h.	— v. 3.
347	Plukenetiana. H.K.	(sc.) Plukenet's.	1774.	4. 7.	G. h.	— v. 1.
	β pallida. L.C.	(pa.) pale-flowered.	—	—	G. h.	—
	γ albens. A.H.	(wh.) white-flowered.	—	—	G. h.	—
348	polytricha. (sc.gr.)	many-haired.	1804.	7. 10.	G. h.	Andr. heath. v. 4.
	hirta. Lod. bot. cab.	nec aliorum pilosa. Hort.	—	—	—	Lodd. bot. cab. t. 13.
349	præcox. L.C.	(li.) early-dwarf.	1805.	2. 5.	G. h.	Lodd. bot. cab. t. 13.
350	prægnans. A.H.	(bh.) swelled.	1796.	5. 7.	G. h.	Andr. heath. v. 3.
	β coccinea.	(sc.) scarlet-flowered.	—	—	G. h.	— v. 4.
351	præstans. s.s.	(bh.) excelling.	—	—	G. h.	— v. 4.
352	primuloides. A.H.	(re.wh.) Cowslip-flower'd.	1802.	4. 7.	G. h.	Bot. mag. t. 154.
353	princeps. H.K.	(pi.) fine red.	1800.	—	G. h.	Andr. heath. v. 2.
354	procera. s.s.	(ye.) lofty.	1791.	—	G. h.	—
355	procumbens. s.s.	(re.) procumbent.	1816.	—	G. h.	—
356	propendens. H.K.	(pu.) pendent.	1800.	7. 8.	G. h.	Bot. mag. t. 214.
357	protrudens. L.en.	(wh.) protruding.	1816.	5. 8.	G. h.	—
358	pubescens. H.K.	(li.) pale downy.	1790.	2. 12.	G. h.	—
359	pubigera. L.T.	(li.) pubescent-flowered.	1792.	1. 5.	G. h.	—
360	pudibunda. L.T.	(bh.) nodding.	1812.	3. 8.	G. h.	Wend. eric. f. 3. p. 1.
	nütans. Wendland.	—	—	—	—	—
361	pulchella. w.	(re.) neat.	—	—	G. h.	Thunb. dis. n. 24. t. 14.
362	pulcherrima. (ro.wh.)	beautiful.	1820.	7. 10.	G. h.	Andr. heath. v. 4.
	jasmiflora β minor. A.H.	v. 4. Irbyana. Hort. non	—	—	—	—
363	pulverulenta. L.C.	(wh.) powdered.	—	3. 8.	G. h.	—
364	pulviniformis. L.T.	(bh.) cushion.		2. 5.	G. h.	—
365	pumila. s.s.	(li.) short.	1812.	3. 8.	G. h.	Andr. heath. v. 4.

366	pàra. B.C.	(wh.) clear.	C. B. S.	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 72.
367	purpùrea. H.K.	(pu.) purple-flowered.	_____	1789.	1. 12.	G. h.	Andr. heath. v. 2.
368	pusilla. L.T.	(bh.) low.	_____		6. 7.	G. h.	
369	pyramidàlis. H.K.	(bh.) pyramidal.	_____	1787.	2. 5.	G. h.	Bot. mag. t. 366.
370	pyramidifórmis. s.s.	(bh.) pyramid-formed.	_____	1818.	—	G. h.	
371	pyrolæflòra. L.T.	(wh.) Pyrola-flowered.	_____	1790.	5. 7.	G. h.	Andr. heath. v. 4.
	andromedæflòra	β álba. A.H.	v. 4.				
372	quadraflòra. L.T.	(re.) four-flowered.	_____	—	3. 8.	G. h.	
373	quadrangulàris. A.H.	(fl.wh.) square-tubed.	_____	1812.	5. 8.	G. h.	Andr. heath. v. 4.
374	radiàta. H.K.	(re.) rayed.	_____	1798.	8. 11.	G. h.	_____ v. 1.
	β discolor. A.H.	(re.wh.) two-coloured.	_____	1820.	—	G. h.	_____ v. 4.
375	racemòsa. w.	(fl.) racemed.	_____	1795.	4. 5.	G. h.	
376	racemífera. H.K.	(re.) compact-flowered.	_____	1803.	4. 6.	G. h.	Andr. heath. v. 2.
377	ramentàcea. H.K.	(pu.) slender-branched.	_____	1786.	7. 12.	G. h.	_____ v. 1.
378	ramulòsa. Viv.	(li.) Italian.	Italy.	1826.	5. 8.	H. h.	
379	recurvata. B.C.	(wh.) recurved.	C. B. S.	1812.	—	G. h.	Lodd. bot. cab. t. 1093.
380	refléxa. s.s.	(pu.wh.) reflexed.	_____		—	G. h.	
381	refúlgens. A.H.	(ro.gr.) refulgent.	_____	1816.	5. 9.	G. h.	Andr. heath. v. 4.
382	regérminans. w.	(li.) clustered-flower'd.	_____	1791.	5. 8.	G. h.	
383	resinòsa. H.K.	(or.) varnished.	_____	1803.	—	G. h.	Bot. mag. t. 1139.
	vernix. A.H.	v. 3.					
384	retórtà. H.K.	(ro.) recurved-leaved.	_____	1787.	—	G. h.	Bot. mag. t. 362.
385	retrofléxa. H.K.	(re.) jointed.	_____	—	7. 9.	G. h.	Andr. heath. v. 1.
	pulchélla. A.H.	non Th. articulàris. Th. non L.					
386	rigida. B.C.	(re.) rigid.	_____	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 1286.
387	rigidifòlia. s.s.	(re.) rigid-leaved.	_____	1816.	6. 8.	G. h.	
388	Rollisoni.	(bh.) Rollison's.	_____	1823.	5. 8.	G. h.	Andr. heath. v. 4.
	exsurgens	β hy'brida. A.H.	v. 4.				
389	rosea. H.K.	(ro.) rose-coloured.	_____	1798.	6. 10.	G. h.	Andr. heath. v. 2.
390	rubélla. B.M.	(re.) reddish.	_____	1812.	5. 8.	G. h.	Bot. mag. t. 2165.
391	rùbens. H.K.	(re.) red-flowered.	_____	1798.	6. 9.	G. h.	
392	rùbida. B.C.	(re.) ruby.	_____	1820.	—	G. h.	Lodd. bot. cab. t. 1166.
393	rubrosépala. (re.wh.)	red-calyxed.	_____	1825.	—	G. h.	Andr. heath. v. 4.
	rùber-càlyx. A.H.	v. 4.					
394	rugòsa. s.s.	(ye.pi.) wrinkled.	_____	1812.	—	G. h.	Andr. heath. v. 4.
395	Russeliàna. B.C.	(ro.) Duke of Bedford's.	_____	1824.	—	G. h.	Lodd. bot. cab. t. 1013.
396	Sainsburyàna. s.s.	(ro.) Sainsbury's.	_____	1804.	7. 9.	G. h.	Andr. heath. v. 4.
397	sàlax. L.T.	(re.) broad-stigma'd.	_____	1796.	5. 9.	G. h.	
398	Salisburyàna. s.s.	(ro.) Salisbury's.	_____	1815.	—	G. h.	Andr. heath. v. 4.
399	sanguínea. B.C.	(cr.) bloody.	_____		3. 8.	G. h.	Lodd. bot. cab. t. 36.
400	sanguinolénta. B.M.	(pu.) dark-flowered.	_____	1810.	—	G. h.	Bot. mag. t. 2263.
	pigm'aa. Andr.	heath. v. 4.					
401	Savileàna.	(re.) Savile's.	_____	1800.	6. 7.	G. h.	Lodd. bot. cab. t. 96.
402	scabriúscula. B.C.	(wh.) roughish.	_____	—	—	G. h.	_____ t. 517.
403	scariòsa. B.C.	(li.) scariose.	_____	—	—	G. h.	_____ t. 477.
404	Schóllii. B.C.	(pu.) Scholl's.	_____	1790.	5. 9.	G. h.	_____ t. 538.
405	scopària. w.	(gr.) small green-fl'd.	S. Europe.	1770.	4. 5.	F. h.	Linn. eric. n. 14. f. fl.
406	Sebàna. H.K.	(re.) Seba's.	C. B. S.	1774.	3. 6.	G. h.	Andr. heath. v. 1.
	α fúsea. Lod.	(br.) brown-flowered.	_____	—	—	G. h.	
	β lùtea. Lod.	(ye.) yellow-flowered.	_____	—	—	G. h.	Lodd. bot. cab. t. 266.
	γ minor. Lod.	(or.) smaller.	_____	—	—	G. h.	
407	selaginifòlia. L.T.	(re.) Selago-leaved.	_____	1801.	2. 6.	G. h.	
408	serpyllifòlia. B.C.	(li.) Serpyllum-leaved.	_____	1812.	5. 8.	G. h.	Lodd. bot. cab. t. 744.
409	serratifòlia. H.K.	(ye.) saw-leaved.	_____	1790.	8. 12.	G. h.	Andr. heath. v. 1.
410	serrulàta. L.C.	(ye.) sawed.	_____	1814.	6. 8.	G. h.	
411	setàcea. A.H.	(bh.) bristly-leaved.	_____	1796.	2. 8.	G. h.	Andr. heath. v. 1.
412	sexfària. H.K.	(wh.) six-angled.	_____	1774.	5. 8.	G. h.	_____ v. 2.
413	Shannoniàna. A.H.	(bh.) Earl Shannon's.	_____	1800.	6. 7.	G. h.	Lodd. bot. cab. t. 168.
414	sicafòlia. L.T.	(re.) dagger-leaved.	_____	1791.	2. 7.	G. h.	
415	simpliciflòra. H.K.	(y.re.) single-flowered.	_____	1774.	3. 7.	G. h.	Wend. eric. 17. p. 69. ic.
416	Smithiàna. L.C.	(re.) Smith's.	_____	1810.	—	G. h.	
417	secciflòra. L.T.	(gr.) green-pencilled.	_____	1799.	4. 5.	G. h.	Andr. heath. v. 1.
	Solàna viridis. A.H.						
418	Solàndri. H.K.	(re.) Solander's.	_____	1800.	3. 9.	G. h.	Andr. heath. v. 2.
419	sórdida. H.K.	(br.) sordid.	_____	1790.	8. 5.	G. h.	_____ v. 1.
	laniflòra. Wend.						
420	Sparrmànni. H.K.	(ye.) Sparrman's.	_____	1794.	9. 3.	G. h.	Andr. heath. v. 3.
	àspèra. A.H.	hystericiflòra. L.T.					
421	spàrsa. L.C.	(li.) scattered.	_____	1800.	3. 8.	G. h.	Lodd. bot. cab. t. 1467.

422	speciosa. H.K. (or.re.) specious.	C. B. S.	1800.	6. 9.	G. h.	Andr. heath. v. 2.
423	spicata. H.K. (gr.) spiked.	—	1789.	1. 12.	G. h.	— v. 1.
424	spiralis. L.C. (wh.) spiral.	—	1816.	5. 8.	G. h.	—
425	splendens. W. (sc.) splendid.	—	1792.	4. 9.	G. h.	Wend. eric. 8. p. 5.
426	spumosa. H.K. (st.) spumous.	—	1786.	5. 8.	G. h.	Lodd. bot. cab. t. 50.
427	spuria. H.K. (pi.) spurious.	—	1796.	4. 8.	G. h.	Andr. heath. v. 1.
428	squamæflora. L.T. (pi.) scaly-flowered.	—		5. 11.	G. h.	—
429	squamosa. H.K. (li.) scaly-cupped.	—	1794.	4. 6.	G. h.	Andr. heath. v. 3.
430	squarrosa. L.T. (pu.) squarrose.	—		3. 8.	G. h.	—
431	stagnalis. L.T. (bh.) stagnant.	—	1790.	3. 6.	G. h.	—
432	staminea. A.H. (st.) reflex-stamened.	—	1799.	6. 9.	G. h.	Andr. heath. v. 3.
433	stellata. B.C. (wh.) starry.	—	1806.	—	G. h.	Lodd. bot. cab. t. 50.
	solandroïdes. Andr. heath. v. 4.					
434	stellifera. s.s. (bh.) star-bearing.	—	—	4. 8.	G. h.	Andr. heath. v. 4.
435	stenantha. (bh.) slender-blush-flower'd.	—	1820.	5. 8.	G. h.	— v. 4.
	tenuiflora γ carnea. A.H. v. 4.					
436	stricta. H.K. (li.) straight-branch'd. S. Europe.	C. B. S.	1765.	8. 11.	G. h.	Andr. heath. v. 2.
437	strigosa. H.K. (li.) dwarf downy.	C. B. S.	1775.	3. 8.	G. h.	—
438	struthiolæflora. L.C. (wh.) Struthiola-flower'd.	—	1812.	5. 8.	G. h.	—
439	stylaris. s.s. (re.) prominent-styled.	—	—	—	G. h.	—
440	stylosa. L.T. (li.) long-styled.	—	1789.	1. 8.	G. h.	—
441	suavæolens. L.C. (li.) sweet.	—	1800.	5. 11.	G. h.	Lodd. bot. cab. t. 24.
442	subulata. s.s. (re.) awl-leaved.	—	1818.	6. 8.	G. h.	—
443	sulphurea. B.M. (st.) sulphur-coloured.	—	1812.	3. 5.	G. h.	Bot. mag. t. 1984.
444	superba. (re.) superb.	—	1795.	6. 9.	G. h.	Andr. heath. c. ic.
	formosa. A.H. nec aliorum.					
	α coccinea. (sc.) scarlet.	—	—	—	G. h.	Andr. heath. v. 1.
	β rosea. (ro.) rose-coloured.	—	—	—	G. h.	— v. 2.
	γ bicolor. (ye.gr.) two-coloured.	—	—	—	G. h.	— v. 4.
445	Swainsoniana. s.s. (pi.) Swainson's.	—	1810.	6. 7.	G. h.	— v. 4.
446	tardiflora. L.T. (li.) pubescent.	—	1790.	3. 8.	G. h.	Bot. mag. t. 480.
	pubescens. B.M. non L.					
447	taxifolia. H.K. (bh.) yew-leaved.	—	1788.	7. 11.	G. h.	Andr. heath. v. 1.
448	tegulæfolia. L.T. (wh.) tiled.	—		1. 5.	G. h.	—
449	Templæ. A.H. (ro.) Lady Temple's.	—	1820.	5. 8.	G. h.	Andr. heath. v. 4.
450	tenella. H.K. (re.) delicate.	—	1791.	8. 5.	G. h.	— v. 2.
451	tenuiflora. A.H. (st.) slender yellow-flower'd.	—	1800.	4. 6.	G. h.	— v. 3.
452	tenuifolia. H.K. (re.) slender-leaved.	—	1791.	4. 8.	G. h.	Seb. mus. 1. t. 73.
453	tenuis. L.T. (wh.) slender.	—	1790.	8. 2.	G. h.	—
454	tenuissima. s.s. (re.) very-slender.	—	1803.	2. 8.	G. h.	Wend. eric. 6. p. 9.
455	tetragona. H.K. (ye.) square-flowered.	—	1789.	7. 9.	G. h.	Andr. heath. v. 3.
456	Tétralix. H.K. (li.) cross-leaved.	Britain.		6. 8.	H. h.	Eng. bot. v. 15. t. 104.
	α rubra. (re.) red-flowered.	—		—	H. h.	—
	β carnea. (li.) flesh-coloured.	—		—	H. h.	—
	γ alba. (wh.) white-flowered.	—		—	H. h.	—
457	teucriifolia. s.s. (pu.) Teucrium-leaved.	C. B. S.	1812.	5. 9.	G. h.	—
458	thalictriflora. s.s. (wh.) meadow-rue-flower'd.	—	1810.	—	G. h.	Lodd. bot. cab. t. 12.
459	Thunbergii. H.K. (or.) Thunberg's.	—	1791.	5. 8.	G. h.	Bot. mag. t. 1214.
460	thymifolia. H.K. (re.) Thyme-leaved.	—	1789.	—	G. h.	Andr. heath. v. 2.
461	tiaræflora. H.K. (re.) turban-flower'd.	—	1800.	—	G. h.	— v. 3.
462	togata. B.M. (re.) large-cupped.	—	1812.	6. 8.	G. h.	Bot. mag. t. 1026.
463	tomentosa. L.T. (wh.) woolly-flower'd.	—		2. 8.	G. h.	—
464	tortuosa. L.C. (wh.) twisted.	—	1816.	3. 6.	G. h.	—
465	totta. s.s. (wh.) bristly-branched.	—	1822.	—	G. h.	—
466	tragulifera. L.T. (li.) broad-anthered.	—		5. 8.	G. h.	—
467	translucens. Lee. (bh.) translucent.	—	1797.	—	G. h.	—
468	transparens. Th. (bh.) transparent.	—	1800.	—	G. h.	—
469	triceps. B.C. (wh.) three-headed.	—	1809.	—	G. h.	Lodd. bot. cab. t. 300.
470	tricolor. H.S.L. (or.r.gr.) three-coloured.	—	1803.	6. 9.	G. h.	Andr. heath. v. 3.
	aristata minor. A.H. non tricolor. s.s.					
471	triflora. H.K. (wh.) three-flowered.	—	1774.	3. 6.	G. h.	Wend. eric. 12. p. 1.
472	triphylla. L.en. (re.ye.) three-leaved.	—	1812.	—	G. h.	—
473	triumphans. B.C. (wh.) triumphant.	—	—	5. 10.	G. h.	Lodd. bot. cab. t. 2.
474	trössula. B.C. (wh.pi.) dapper.	—	—	—	G. h.	— t. 0.
475	tubercularis. L.T. (pu.) tubercled.	—	—	—	G. h.	—
476	tubiflora. H.K. (pi.) tube-flowered.	—	1790.	2. 8.	G. h.	Andr. heath. v. 1.
477	tubiúscula. B.C. (re.) small-tubed.	—	1775.	4. 7.	G. h.	Lodd. bot. cab. t. 11.
478	tumida. B.R. (sc.) tumid.	—	1822.	—	G. h.	Bot. reg. t. 65.
479	turbiniiflora. L.T. (wh.) top-flowered.	—	1812.	5. 9.	G. h.	—
			1793.	10. 2.	G. h.	—

480	túrgida. L.en. (pi.) turgid.	C. B. S.	1800.	3. 6.	G. h.	Andr. heath. v. 4.
	<i>taxifolia</i> β <i>màjor</i> . A.H. v. 4.					
481	turrigera. L.T. (li.) Cypress.	————	1796.	6. 9.	G. h.	
	<i>cupressina</i> . Hort.					
482	umbellàta. H.K. (re.) umbelled.	Portugal.	1782.	5. 7.	G. h.	Andr. heath. v. 2.
483	undulàta. A.H. (cr.) crumple-flower'd.	C. B. S.	1824.	5. 8.	G. h.	———— v. 4.
484	única. s.s. (bh.) one-flowered.	————	1812.	5. 7.	G. h.	———— v. 4.
	<i>pedunculàta</i> . A.H. <i>nec aliorum</i> .					
485	urceolàris. H.K. (wh.) pitcher-flowered.	————	1778.	—	G. h.	Icon. hort. kew. t. 16.
486	ursina. Lee. (wh.) shaggy.	————	1812.	4. 8.	G. h.	
487	vàgans. H.K. (bh.) Cornish.	Cornwall.		7. 8.	H. h.	Eng. bot. v. 1. t. 3.
	β <i>álba</i> . (wh.) <i>white-flowering</i> .	————		—	H. h.	
488	vària. B.C. (va.) variable.	C. B. S.	1820.	5. 8.	G. h.	Lodd. bot. cab. t. 1325.
489	velitàris. L.T. (bh.) javelin-flowered.	————	1790.	1. 6.	G. h.	
490	velleriflòra. H.K. (bh.) woolly-flowered.	————	1774.	2. 6.	G. h.	Andr. heath. v. 1.
	<i>bruniàdes</i> . A.H.					
491	ventricòsa. H.K. (bh.) porcelain.	————	1787.	4. 9.	G. h.	Bot. mag. t. 350.
492	ventròsa. (wh.) tun-bellied.	————	1822.	5. 8.	G. h.	Andr. heath. v. 4.
	<i>obbàta</i> β <i>umbellàta</i> . A.H. v. 4.					
493	verecúnda. L.T. (bh.) blushing.	————	1791.	4. 9.	G. h.	Andr. heath. v. 1.
	<i>cérnua</i> . A.H. <i>non</i> Thunb.					
494	vernicífua. L.T. (wh.) viscous-leaved.	————	1804.	3. 9.	G. h.	
495	versicolor. H.K. (sc.or.) various-colored.	————	1790.	11. 5.	G. h.	Andr. heath. v. 1.
496	verticillàta. A.H. (sc.) verticillate.	————	1774.	7. 10.	G. h.	———— v. 1.
497	vesiculàris. L.T. (bh.) bladdered.	————	1796.	2. 8.	G. h.	
498	vestífua. L.T. (re.) clothed.	————	—	3. 6.	G. h.	
499	vestita. H.K. (va.) tremulous.	————	1789.	1. 12.	G. h.	
	α <i>álba</i> . H.K. (wh.) <i>white</i> .	————	—	—	G. h.	Andr. heath. v. 1.
	β <i>incarnàta</i> . H.K. (fl.) <i>flesh-coloured</i> .	————	1789.	1. 12.	G. h.	———— v. 2.
	γ <i>purpùrea</i> . H.K. (pu.) <i>purple-flowered</i> .	————	—	—	G. h.	———— v. 1.
	δ <i>ròsea</i> . H.K. (ro.) <i>rose-coloured</i> .	————	—	—	G. h.	———— v. 2.
	ε <i>fúlgida</i> . H.K. (sc.) <i>bright red</i> .	————	—	—	G. h.	———— v. 2.
	ζ <i>coccínea</i> . H.K. (sc.) <i>scarlet</i> .	————	—	—	G. h.	———— v. 1.
	η <i>lútea</i> . H.K. (ye.) <i>yellow</i> .	————	—	—	G. h.	———— v. 3.
500	villòsa. H.K. (wh.) villous.	————	1800.	2. 6.	G. h.	———— v. 3.
501	virgàta. s.s. (wh.) twiggy.	————	1824.	—	G. h.	
502	viridescens. B.C. (gr.) greenish.	————		1. 6.	G. h.	Lodd. bot. cab. t. 233.
503	viridiflòra. A.H. (gr.) green-flowered.	————	1820.	5. 8.	G. h.	Andr. heath. v. 4.
504	viridipurpùrea. w. (gr.) green & purple.	Portugal.		5. 8.	F. h.	Linn. eric. n. 9. f. fl.
505	viridis. H.K. (gr.) green-flowered.	C. B. S.	1800.	—	G. h.	Andr. heath. v. 2.
506	viscaria. H.K. (li.) clammy-flower'd.	————	1774.	3. 7.	G. h.	Icon. hort. kew. t. 1.
507	Walkeriana. (re.) Walker's.	————	1806.	6. 8.	G. h.	Andr. heath. v. 4.
	<i>Walkèria</i> β <i>rùbra</i> . A.H. v. 4.					
508	xeranthemifolia. L.T. Xeranthemum-ld.	————	1812.	5. 8.	G. h.	
509	Zeyhèri. s.s. (li.) Zeyher's.	————	1824.	—	G. h.	
MENZIESIA Sm. MENZIESIA. Octandria Monogynia.						
1	ferrugínea. s.s. (co.) ferruginous.	N. America.	1811.	5. 6.	H. h.	Sm. ic. ined. 1. t. 56.
2	globulàris. s.s. (co.) globular-flower'd.	————	1806.	—	H. h.	Sal. par. lond. t. 44.
	<i>ferrugínea</i> β. B.M. 1571.					
3	polifolia. s.s. (pu.) Irish.	Ireland.		6. 9.	H. h.	Eng. bot. v. 1. t. 35.
	<i>Erica Daboècia</i> . E.B.					
	β <i>nàna</i> . (pu.) <i>dwarf</i> .			—	H. h.	
4	cørùlea. s.s. (pu.) yew-leaved.	Scotland.		6. 7.	H. h.	Eng. bot. v. 35. t. 2169.
PYROLA. S.S. WINTER-GREEN. Decandria Monogynia. L.						
1	uniflòra. s.s. (wh.) single-flower'd.	Britain.		6. 7.	H. 4.	Eng. bot. t. 146.
2	secúnda. s.s. (wh.) serrated.	————		—	H. 4.	———— t. 517.
3	minor. s.s. (bh.) lesser.	————		—	H. 4.	———— t. 158.
	β <i>ròsea</i> . E.B. (ro.) <i>rose-coloured</i> .	England.		7. 8.	H. 4.	———— t. 2543.
4	mèdia. s.s. (bh.) intermediate.	————		6. 7.	H. 4.	———— t. 945.
5	dentàta. D.D. (st.) toothed.	N. America.	1827.	—	H. 4.	
6	elliptica. D.D. (wh.) elliptic-leaved.	————	1826.	—	H. 4.	
7	occidentàlis. D.D. (st.) western.	————	1827.	—	H. 4.	
8	rotundifolia. s.s. (st.) round-leaved.	Britain.		—	H. 4.	Eng. bot. t. 213.
9	americàna. (wh.) American.	N. America.		—	H. 4.	
	<i>rotundifolia</i> . Ph. <i>non</i> Eng. bot.					
10	asarifolia. s.s. (st.) Asarum-leaved.	————	1822.	—	H. 4.	
11	chlorántha. s.s. (st.) cream-colour'd.	————	—	—	H. 4.	
CHIMA'PHILA. Ph. CHIMA'PHILA. Decandria Monogynia.						
1	umbellàta. s.s. (wh.re.) umbelled.	N. America.	1752.	6. 8.	H. 4.	Bot. mag. t. 778.
	<i>corymbòsa</i> . Ph. <i>P'yrola umbellàta</i> . L.			Z 3		

- 2 maculâta. s.s. (wh.) spotted-leaved. N. America. 1752. 6. 8. H. 4. Bot. mag. t. 597.
 DIAPE'NSIA. W. DIAPE'NSIA. Pentandria Monogynia. L.
 lappónica. w. (wh.) obtuse-leaved. Lapland. 1801. 2. 3. H. 4. Bot. mag. t. 1108.
 PYXIDANTH'ERA. M. PYXIDANTH'ERA. Pentandria Monogynia.
 barbulâta. m. (wh.) barbed. Carolina. 1806. 7. G. 4. Mich. amer. t. 17.
Diapénsia cuneifolia. Sal. par. lond. t. 104.

Sect. II. *MONOTROPEÆ*. Don prodr. p. 151.

- MONO'TROPA. N. YELLOW BIRD'S-NEST. Decandria Monogynia. L.
 1 uniflora. N. (st.) one-flowered. N. America. 1822. 6. 8. H. 4. Hook. ex. flor. t. 51.
 2 Hypopitys. E.B. (st.) common. Britain. 6. 7. H. 4. Eng. bot. v. 1. t. 60.
Hypopithys europæa. N.

Sect. III. *RHODORACEÆ*. Don prodr. p. 152.

- KA'LMIA. W. KA'LMIA. Decandria Monogynia. L.
 1 latifolia. w. (pi.wh.) broad-leaved. N. America. 1734. 5. 7. H. 4. Bot. mag. t. 173.
 2 angustifolia. w. (re.) narrow-leaved. 1736. H. 4. t. 331.
 β variegata. (li.) variegated.
 γ minima. (re.) least.
 δ nana. (re.) dwarf.
 ε pumila. (re.) small.
 ζ rosea. (ro.) rose-coloured.
 η rubra. B.C. (re.) red-flowered.
 θ ovata. Ph. (re.) oval-leaved. New Jersey.
 3 glauca. w. (re.) glaucous. N. America. 1767. 4. 5. H. 4. Bot. mag. t. 177.
 4 rosmarinifolia. Ph. (re.) Rosemary-leaved. 1812. H. 4.
 5 hirsuta. w. (ro.) hairy. 1786. 8. 9. H. 4. Bot. mag. t. 138.
 EPIG'ÆA. W. EPIG'ÆA. Decandria Monogynia. L.
 repens. w. (wh.) creeping. N. America. 1736. 7. 8. H. 4. Bot. reg. t. 201.
 RHODODE'NDRON. W. RHODODE'NDRON. Pent-Decandria Monogynia. L.
 1 maximum. w. (bh.) large. N. America. 1736. 6. 8. H. 4. Bot. mag. t. 951.
 2 album. Ph. (wh.) white-flowered. 1811. H. 4.
 3 purpureum. Ph. (pu.) purple-flowered.
 4 ponticum. w. (va.) common. Gibraltar. 1763. 5. 6. H. 4. Bot. mag. t. 650.
 α purpureum. (pu.) purple.
 β roseum. (ro.) rose-coloured.
 γ album. (wh.) white.
 δ variegatum. (li.) variegated.
 ε marginatum. (li.) silver-edged.
 ζ multiplex. (pu.) double-blossom'd.
 5 punctatum. w. (li.) dotted-leaved. N. America. 1786. 6. 8. H. 4. Andr. reposit. t. 30.
 α minus. W.D. (li.) smallest.
 β major. B.R. (li.) larger.
 6 obtusum. W.D. (li.) blunt-leaved. Hybrid. 1812. H. 4. Wats. dend. brit. t. 11.
 7 azaleoides. s.s. (li.) Azalea-like.
 ponticum β subdeciduum. A.R.
 8 hybridum. B.R. (li.) Herbert's hybrid.
 9 Gowenianum. B.F.G. (pu.) Mr. Gowen's. 1825. H. 4. Swt. br. fl. gar. t. 201.
 10 Smithii. Smith's. Arboreo-pont. 1826. H. 4.
 11 Carnarvoni. Lord Carnarvon's. Arb-catawb.
 12 catawbiense. M. (ro.) Catawba. N. America. 1809. 6. 8. H. 4. Bot. mag. t. 1671.
 13 arboreum. Sm. (sc.) tree. India. 1817. 4. 6. F. 4. Swt. br. fl. gar. t. 201.
 β roseum. (ro.) rose-coloured.
 γ niveum. (wh.) snowy white.
 14 campanulatum. D.P. (ro.) bell-flowered. Nepaul. 1824. F. 4.
 15 anthopogon. D.P. (ro.) bearded-flower'd.
 16 cinnamomeum. Wal. (ro.) cinnamon-color'd. 1826. G. 4.
 17 setosum. D.P. (pu.) bristly. 1820. G. 4.
 18 dauricum. w. (pu.) Daurian. Siberia. 1780. 2. 4. H. 4. Bot. mag. t. 626.
 β altaicum. F. (li.) Altay. 1824. H. 4.
 γ atrovirens. B.R. (d.pu.) dark green.

19	myrtifolium. B.C. (pu.)	Myrtle-leaved.	Hybrid.		6. 8.	H. h.	Lodd. bot. cab. t. 908.
20	ferrugineum. w. (ro.)	rusty-leaved.	Switzerland.	1752.	5. 7.	H. h.	Jacq. aust. 3. t. 255.
21	hirsutum. w. (ro.)	hairy-leaved.	—————	1656.	—	H. h.	Bot. mag. t. 1853.
22	chrysanthum. w. (ye.)	yellow.	Siberia.	1796.	6. 7.	H. h.	Sal. par. lond. t. 80.
<i>officinale. P.L.</i>							
23	caucasicum. w. (ro. wh.)	Caucasean.	Caucasus.	1803.	5. 7.	H. h.	Bot. mag. t. 1145.
24	Catesbæi. L.C. (ro.)	Catesby's.	N. America.		—	H. h.	
25	camtschaticum. w. (pi.)	Kamtschatka.	Kamtschatka.	1802.		H. h.	Pall. ros. 1. t. 33.
26	chamæcistus. w. (pi.)	Thyme-leaved.	Siberia.	1786.	5. 6.	H. h.	Bot. mag. t. 488.
27	lapponicum. s.s. (ro.)	Lapland.	Lapland.	1827.		H. h.	Flor. dan. t. 966.
<i>Azalea lappónica. L.</i>							
28	Rhodora. (pi.)	Canadian.	Canada.	1767.	4. 5.	H. h.	Bot. mag. t. 474.
<i>Rhodora canadensis. w.</i>							
29	indicum. (va.)	Indian.	China.	1808.	3. 5.	G. h.	
<i>Azalea indica. B.M.</i>							
	α puniceum. (pi.)	red-flowered.	—————	—	—	G. h.	Bot. mag. t. 1480.
	β phaniceum. (pu.)	purple-flowered.	—————	1824.	—	G. h.	————— t. 2667.
	γ Smithii. (li.)	Smith's.	Hybrid.	1826.	4. 7.	G. h.	
	δ purpureum. (pu.)	double-purple.	China.	1819.	3. 5.	G. h.	Bot. mag. t. 2509.
	ε luteum. (ye.)	double yellow.	—————	1826.	—	G. h.	
	ζ album. (wh.)	white-flowered.	—————	1819.	3. 6.	G. h.	Bot. reg. t. 811.
<i>Azalea ledifolia. Bot. mag. t. 2901.</i>							
30	sinense. B.F.G. (ye.)	Chinese.	—————	1824.	—	H. h.	
	α flammæum. B.F.G. (or.)	flame-coloured.	—————	—	—	H. h.	Lodd. bot. cab. t. 885.
	β flavescens. B.F.G. (ye.)	pale yellow.	—————	1826.	—	H. h.	Swt. br. fl. gar. t. 290.
31	luteum. (ye.)	yellow.	Turkey.	1793.	5. 6.	H. h.	Bot. mag. t. 433.
<i>Azalea pontica. B.M.</i>							
	β cupreum. (co.)	copper-coloured.	—————		—	H. h.	
	γ glaucum. (pa.)	glaucous.	—————		—	H. h.	
	δ pallidum. (pa.)	pale.	—————		—	H. h.	
	ε albiflorum. (wh.)	white-flowered.	—————		—	H. h.	Bot. mag. t. 2383.
32	tricolor. (ye. ro. wh.)	three-coloured.	Hybrid.	1816.	—	H. h.	
33	Morterii. B.F.G. (fl. ye.)	Mortier's.	—————	1828.	—	H. h.	Swt. br. fl. gar. s. 2. t. 10.
	α carneum. (fl.)	flesh-coloured.	—————	—	—	H. h.	
	β præstans. (co. bh.)	handsome.	—————	—	—	H. h.	
34	calendulaceum. (ye.)	yellow American.	N. America.	1806.	—	H. h.	
<i>Azalea calendulacea. M.</i>							
	α crœcum. (sn.)	saffron-coloured.	—————	—	—	H. h.	Bot. mag. t. 1721.
	β chrysolæctum. (go.)	golden.	—————		—	H. h.	
	γ grandiflorum. (or.)	large-flowered.	—————		—	H. h.	
	δ cupreum. (co.)	copper-coloured.	—————		—	H. h.	
	ε splendens. (co. ye.)	shining.	—————		—	H. h.	
	ζ flammæum. (co. ye.)	flame-coloured.	—————	1812.	—	H. h.	Bot. reg. t. 145.
	η triumphans. (co. ye.)	triumphant.	—————	—	—	H. h.	
	θ ignescens. (co. ye.)	fiery-flowered.	—————	—	—	H. h.	
35	canescens. M. (ro.)	canescent.	—————	1812.	—	H. h.	
36	speciosum. (va.)	large-calyxed.	—————		—	H. h.	Wats. dend. brit. t. 116.
	α major. (sc.)	large scarlet.	—————		—	H. h.	Lodd. bot. cab. 624.
	β crispum. (sc.)	curled.	—————		—	H. h.	
	γ aurantium. (or.)	orange.	—————		—	H. h.	
	δ obliquum. (re.)	oblique-leaved.	—————		—	H. h.	
	ε prunifolium. (re.)	Plum-leaved.	—————		—	H. h.	
	ζ cucullatum. (re.)	hollow-leaved.	—————		—	H. h.	
	η revolutum. (re.)	revolute.	—————		—	H. h.	
	θ ciliatum. (re.)	fringed.	—————		—	H. h.	
	ι acutifolium. (re.)	acute-leaved.	—————		—	H. h.	
	κ undulatum. (re.)	wave-leaved.	—————		—	H. h.	
	λ tortulifolium. (re.)	twisted-leaved.	—————		—	H. h.	
37	nudiflorum. (va.)	small calyxed.	—————	1734.	—	H. h.	
<i>Azalea nudiflora. w.</i>							
	α album. (wh.)	early white.	—————	—	—	H. h.	
	β albo-plenum. (wh.)	double white.	—————		—	H. h.	
	γ blandum. (bh.)	blush-flowered.	—————		—	H. h.	
	δ carneum. (fl.)	pale red.	—————	1734.	—	H. h.	Bot. reg. t. 120.
	ε carolinianum. (fl.)	Carolina.	—————		—	H. h.	
	ζ coccineum. (sc.)	scarlet.	—————		—	H. h.	Bot. mag. t. 180.
	η corymbosum. (wh.)	corymb-flowered.	—————		—	H. h.	
	θ crispum. (bh.)	curled.	—————		—	H. h.	

ι cumulatūm.	(wh.) bundled.	N.America.		5. 6.	H. h.	
κ discolor.	(re.wh.) two-coloured.	—		—	H. h.	
λ fastigiātum.	(bh.) crowded.	—		—	H. h.	
μ floridūm.	(bh.) abundant-flower'd.	—		—	H. h.	
ν globosūm.	(bh.) globose.	—		—	H. h.	
ξ glomerātum.	(bh.) clustered.	—		—	H. h.	
ο incānum.	(wh.) hoary-leaved.	—		—	H. h.	
π incarnātum.	(fl.) flesh-coloured.	—		—	H. h.	
ρ mirābile.	(re.) wonderful.	—		—	H. h.	
σ montānum.	(fl.) mountain.	—		—	H. h.	
τ pallidūm.	(li.wh.) pale-flowered.	—		—	H. h.	
υ paludosūm.	(li.wh.) marsh.	—		—	H. h.	
φ papilionaceūm.	(fl.) Butterfly.	—		—	H. h.	
χ partitūm.	(fl.wh.) five-parted.	—		—	H. h.	
ψ parviflorūm.	(bh.) small-flowered.	—		—	H. h.	
ω proliferūm.	(bh.) proliferous.	—		—	H. h.	
αα pūmilum.	(bh.) dwarf.	—		—	H. h.	
ββ purpurāscens.	(fl.) purplish.	—		—	H. h.	
γγ purpureūm.	(pu.) purple.	—		—	H. h.	
δδ purpureo-plēnum.	(pu.) double purple.	—		—	H. h.	
εε rōseum.	(ro.) rosy.	—		—	H. h.	
ζζ ruberrimūm.	(re.) dark-red.	—		—	H. h.	
ηη rubescens.	(pi.) reddish.	—		—	H. h.	
θθ rubicundūm.	(re.) rubicund.	—		—	H. h.	
α rubrum. B.C.	(re.) red-flowered.	—		—	H. h.	
κκ rubro-plēnum.	(re.) double-red.	—		—	H. h.	Lodd. bot. cab. t. 51.
λλ rufum.	(re.) rufous.	—		—	H. h.	
μμ rutilans.	(re.) deep red.	—		—	H. h.	
νν semiduplex.	(wh.) semidouble.	—		—	H. h.	
ξξ stamineūm.	(wh.) long-stamened.	—		—	H. h.	
οο stellātum.	(wh.) starry.	—		—	H. h.	
ππ tricolor.	(wh.re.) three-coloured.	—		—	H. h.	
ρρ variābile.	(re.wh.) variable.	—		—	H. h.	
σσ variegātum.	(std.) variegated.	—		—	H. h.	
ττ versicolor.	(re.wh.) various-coloured.	—		—	H. h.	
υυ violaceūm.	(vi.) violet.	—		—	H. h.	
38 bicolor.	(wh.re.) two-coloured.	—		—	H. h.	
Azālea bicolor. Ph.		1734.	—	—	H. h.	Trew. chret. t. 48.
39 viscosūm.	(wh.) viscid.	—	—	7. 8.	H. h.	Meerb. ic. 2. t. 9.
Azālea viscosa. Ph.		—	—	—	H. h.	
α odorātum.	(wh.) common white.	—	—	—	H. h.	
β crispum.	(wh.) curled.	—	—	—	H. h.	
γ dealbātum.	(wh.) powdered.	—	—	—	H. h.	
δ vittātum.	(re.wh.) striped-flowered.	—	—	—	H. h.	
ε penicillātum.	(re.wh.) pencilled.	—	—	—	H. h.	
ζ variegātum.	(re.wh.) variegated.	—	—	—	H. h.	
η rubescens.	(re.) reddish-flowered.	—	—	—	H. h.	
θ pubescens.	(re.wh.) pubescent.	—	—	—	H. h.	
ι fissum.	(re.wh.) narrow-petaled.	—	—	—	H. h.	Lodd. bot. cab. t. 44.
40 arborescens.	(re.) arborescent.	—	—	—	H. h.	
Azālea arborescens. Ph.		1818.	5. 7.	H. h.		
41 nitidūm.	(re.wh.) glossy-leaved.	—	—	—	H. h.	
Azālea nitida. B.R.		1812.	6. 8.	H. h.		Bot. reg. t. 414.
42 glaucūm.	(wh.) glaucous dwarf.	—	—	—	H. h.	
Azālea glauca. Ph.		1784.	6.	H. h.		Wats. dend. brit. t. 4.
43 hispidūm.	(wh.) tall glaucous.	—	—	—	H. h.	
Azālea hispida. Ph.		—	6. 8.	H. h.		Wats. dend. brit. t. 4.
AZALEA. D.P.						
procumbens. E.B.	(ro.) trailing.	Pentandria Monogynia. R.S.				
Loiseleuria procumbens. R.S.		Britain.		4. 5.	H. h.	Eng. bot. v. 13. t. 5.
AMMYRSINE. Ph.						
1 buxifolia. Ph.	(wh.) upright.	Decandria Monogynia. Ph.				
Lidum buxifolium. w.		N. America. 1736	4. 5.	H. h.		Bot. reg. t. 531.
2 Lyoni.	(wh.) spreading.	Carolina. 1812.	—	H. h.		
LEDUM. Ph.						
1 palustre. w.	(wh.) marsh.	Europe. 1762.	4. 5.	H. h.		Flor. dan. t. 1031.
2 decumbens. L.C.	(wh.) decumbent.	Hudson's Bay. —	—	H. h.		
3 canadense. L.C.	(wh.) dwarf.	Canada. 1824.	—	H. h.		Lodd. bot. cab. t. 1.
4 latifolium. w.	(wh.) broad-leaved.	N. America. 1763.	—	H. h.		Jacq. ic. 3. t. 464.

BEF'ARIA. L.	BEF'ARIA. Dodecandria Monogynia. L.			
racemosa. s.s. (bh.)	sweet-scented. Florida. 1810.	6. 7. G. h.	Vent. cels. t. 51.	
paniculata. M. Bejaria	racemosa. Ph.			
ITEA. L.	ITEA. Pentandria Monogynia. L.			
virginica. L. (wh.)	Virginian. N. America. 1744.	6. 8. H. h.	Wats. dend. brit. t. 12.	

ORDO CXXVIII.

GALACINEÆ. *D. Don in Edinb. phil. journ. Dec. 1828. p. 53.*

G'ALAX. W.	G'ALAX. Pentandria Monogynia. W.			
aphylla. w. (bh.)	heart-leaved. N. America. 1786.	6. 7. H. 4.	Bot. mag. t. 754.	
cordifolia. H.K.	Blandfordia cordata. Andr. rep. t. 343.			

ORDO CXXIX.

EPACRIDEÆ. *Brown prodr. 1. p. 535.*

Sect I. EPACRIDEÆ VERÆ.

DRACOPHY'LLUM. B.P.	DRACOPHY'LLUM. Pentandria Monogynia.			
1 secundum. B.P. (wh.)	side-flowering. N. S. W. 1824.	4. 6. G. h.		
2 longifolium. R.S. (wh.)	long-leaved. N. Zealand. —	G. h.	Fors. ch. gen. t. 10. f. i-m.	
SPHENO'TOMA. S.F.A.	SPHENO'TOMA. Pentandria Monogynia.			
gracilis. S.F.A. (wh.)	slender. N. Holland. 1825.	5. 10. G. h.	Swt. flor. aust. t. 41.	
SPRENG'ELIA. Sm.	SPRENG'ELIA. Pentandria Monogynia.			
incarnata. B.P. (pi.)	flesh-coloured. N. S. W. 1793.	4. 6. G. h.	Bot. mag. t. 1719.	
PONCEL'ETIA. B.P.	PONCEL'ETIA. Pentandria Monogynia.			
sprengelioides. B.P. (w.)	marsh. N. S. W. 1826.	4. 6. G. h.		
ANDERS'ONIA. B.P.	ANDERS'ONIA. Pentandria Monogynia.			
sprengelioides. B.P. (w.)	Sprengelia-like. N. Holland. 1803.	3. 7. G. h.	Bot. mag. t. 1645.	
COSM'ELIA. B.P.	COSM'ELIA. Pentandria Monogynia.			
rubra. B.P. (re.)	red-flowered. N. Holland. 1826.	4. 6. G. h.		
LYSIN'EMA. B.P.	LYSIN'EMA. Pentandria Monogynia.			
1 pentapetalum. B.P. (w.)	five-petaled. N. Holland. 1826.	4. 6. G. h.		
2 conspicuum. B.P. (wh.)	conspicuous. — 1824.	... G. h.		
3 pungens. B.P. (wh.)	pungent. N. S. W. 1804.	3. 6. G. h.	Cav. ic. 4. t. 346.	
Epacris attenuata.	Lodd. bot. cab. t. 38.			
4 roseum. B.C. (ro.)	rose-coloured. — 1804.	— G. h.	Lodd. bot. cab. t. 863.	
Epacris rosea. B.C.	pungens. Bot. mag. t. 1199.			
EPA'CRIS. B.P.	EPA'CRIS. Pentandria Monogynia.			
1 purpurascens. B.P. (li.)	rigid-leaved. N. S. W. 1803.	2. 6. G. h.	Bot. mag. t. 844.	
pungens. B.M.				
a lilacina. (li.)	pale-flowered. — — —	G. h.	Lodd. bot. cab. t. 237.	
β rubra. (re.)	red-flowered. — — —	G. h.	— t. 876.	
2 pulchella. B.P. (wh.)	sweet-scented. — 1804.	3. 6. G. h.	— t. 170.	
3 microphylla. B.P. (wh.)	small-leaved. — 1817.	— G. h.		
4 grandiflora. B.P. (cr.)	crimson. — 1803.	1. 6. G. h.	Bot. mag. t. 982.	
5 ruscifolia. B.P. (wh.)	Ruscus-leaved. V. Diem. Isl. 1824.	3. 5. G. h.		
6 impressa. B.P. (ro.)	impressed. — — —	2. 5. G. h.	Swt. flor. aust. t. 4.	
7 sparsa. B.P. (wh.)	scattered-flower'd. N. S. W. 1825.	3. 5. G. h.		
8 obtusifolia. B.P. (wh.)	blunt-leaved. — 1804.	4. 6. G. h.	Sm. exot. bot. 1. t. 40.	
9 heteronema. B.P. (wh.)	hairy-branched. V. Diem. Isl. 1824.	— G. h.	Labill. n. hol. 1. t. 56.	
10 paludosa. B.P. (wh.)	marsh. N. S. W. —	— G. h.	Lodd. bot. cab. t. 1226.	
11 apiculata. F.T. (wh.)	pointed. — 1823.	5. 8. G. h.		
12 onosmaeflora. F.T. (re.)	Onosma-flowered. — — —	— G. h.		
13 exserta. B.P. (wh.)	exserted. V. Diem. Isl. 1812.	4. 6. G. h.		
14 mucronulata. B.P. (wh.)	short-pointed. — 1824.	— G. h.		

Sect. II. STYPHELIAÆ.

TROCHOCA'RPA. B.P. TROCHOCA'RPA. Pentandria Monogynia.

laurina. B.P. (wh.) Laurel-leaved. N. S. W. 1820. G. h. Linn. trans. 8. t. 9.

Styphelia cornifolia. L.T.

ACRO'TRICHE. B.P. ACRO'TRICHE. Pentandria Monogynia.

1 cordata. B.P. (wh.) heart-leaved. N. Holland. 1825. 4. 6. G. h. Labill. n. hol. 1. t. 60.

2 ovalifolia. B.P. (wh.) oval-leaved. ——— 1824. ——— G. h.

3 serrulata. B.P. (wh.) saw-leaved. V. Diem. Isl. 1816. ——— G. h. Labill. n. hol. 1. t. 60.

Styphelia serrulata. Labill.

4 divaricata. B.P. (wh.) divaricate. N. S. W. 1822. ——— G. h.

MONO'TOCA. B.P. MONO'TOCA. Pentandria Monogynia.

1 scoparia. B.P. (wh.) broom. N. S. W. 1823. 4. 7. G. h. Smith new hol. 48.

Styphelia scoparia. Smith.

2 lineata. B.P. (wh.) lineated. V. Diem. Isl. 1804. 5. 8. G. h. Lab. nov. hol. 1. t. 61.

Styphelia glauca. Labill.

3 albens. B.P. (wh.) white-leaved. N. S. W. 1823. ——— G. h.

4 elliptica. B.P. (wh.) elliptic-leaved. ——— 1802. ——— G. h. Smith new hol. 49.

LEUCOP'OGON. B.P. LEUCOP'OGON. Pentandria Monogynia.

1 lanceolatus. B.P. (wh.) small-flowered. N. S. W. 1790. 5. 8. G. h. Swt. flor. aust. t. 47.

Styphelia parviflora. Andr. reposit. t. 287. *gnidium*. Vent. malm. t. 23.

2 Richèi. B.P. (wh.) oblong-leaved. N. S. W. 1824. ——— G. h. Lab. nov. hol. 1. t. 60.

3 muticus. B.P. (wh.) awnless. ——— 1826. ——— G. h.

4 ericoides. B.P. (wh.) heath-leaved. ——— 1815. 4. 7. G. h. Smith new hol. 48.

Epacris spuria. Cavan. ic. 4. t. 347. f. 1.

5 virgatus. B.P. (wh.) twiggy. ——— ——— G. h. Lab. nov. hol. 1. t. 61.

6 collinus. B.P. (wh.) hill. V. Diem. Isl. 1822. 5. 6. G. h. ——— 1. t. 61.

7 amplexicaulis. B.P. (w.) stem-clasping. N. S. W. 1815. 4. 8. G. h. Linn. trans. 8. t. 8.

8 microphyllus. B.P. (w.) small-leaved. ——— 1818. ——— G. h. Cavan. ic. 4. t. 349.

Perojda microphylla. Cav.

9 striatus. B.P. (wh.) striated. N. Holland. 1824. ——— G. h.

10 attenuatus. F.T. (wh.) attenuated. N. S. W. ——— G. h.

11 biflorus. B.P. (wh.) two-flowered. ——— 1826. ——— G. h.

12 setiger. B.P. (wh.) bristle-pointed. ——— 1824. ——— G. h.

13 appressus. B.P. (wh.) pressed-leaved. ——— 4. 6. G. h.

14 juniperinus. B.P. (wh.) Juniper-leaved. ——— 1804. ——— G. h. Lodd. bot. cab. t. 47.

15 interruptus. B.P. (wh.) interrupted. N. Holland. 1825. 3. 6. G. h. ——— t. 147.

16 polystachyus. B.P. (wh.) many-spiked. ——— 6. 7. G. h. ——— t. 147.

LISSA'NTHE. B.P. LISSA'NTHE. Pentandria Monogynia.

1 sapida. B.P. (wh.) recurved-flowered. N. S. W. 1823. 11. 1. G. h. Bot. reg. t. 1275.

2 subulata. B.P. (wh.) awl-leaved. ——— 4. 7. G. h.

3 strigosa. B.P. (wh.) strigose. ——— ——— G. h. Sm. new hol. 48.

4 daphnoides. B.P. (wh.) Daphne-leaved. V. Diem. Isl. 1818. 6. 7. G. h. Lodd. bot. cab. t. 47.

5 ciliata. B.P. (wh.) fringed. ——— 1823. ——— G. h.

CYATHODES. B.P. CYATHODES. Pentandria Monogynia.

1 glauca. B.P. (wh.) glaucous. V. Diem. Isl. 1818. 4. 6. G. h. Lab. nov. hol. 1. t. 61.

2 oxycedrus. B.P. (wh.) linear-leaved. ——— 1822. 5. 8. G. h. ——— 1. t. 61.

3 abietina. B.P. (wh.) Fir-like. ——— 1824. 8. 12. G. h. ——— 1. t. 61.

MELI'CHRUS. B.P. MELI'CHRUS. Pentandria Monogynia.

1 rotatus. B.P. (re.) rotate-flowered. N. S. W. 1822. 5. 8. G. h. Cavan. ic. 4. t. 349.

Ventenatia procumbens. Cav.

2 medius. F.T. (re.) intermediate. ——— 1823. ——— G. h.

STENANTHERA. B.P. STENANTHERA. Pentandria Monogynia.

pinifolia. B.P. (sc.) Pine-leaved. N. S. W. 1811. 5. 7. G. h. Bot. reg. t. 218.

ASTROL'OMA. B.P. ASTROL'OMA. Pentandria Monogynia.

1 humifusum. B.P. (sc.) Juniper-leaved. N. S. W. 1807. 5. 10. G. h. Bot. mag. t. 1439.

2 denticulatum. B.P. (re.) toothed. ——— 1825. ——— G. h.

STYPHELIA. B.P. STYPHELIA. Pentandria Monogynia.

1 tubiflora. B.P. (cr.) crimson. N. S. W. 1802. 5. 8. G. h. Sm. new hol. 45. t. 14.

2 triflora. B.P. (cr. gr.) three-flowered. ——— 1796. ——— G. h. Bot. mag. t. 1287.

3 viridiflora. B.P. (gr.) green-flowered. ——— 1791. 4. 6. G. h. Swt. flor. aust. t. 5.

4 latifolia. B.P. (gr.) broad-leaved. ——— 1823. ——— G. h.

5 adscendens. B.P. (gr.) ascending. V. Diem. Isl. 1822. ——— G. h.

6 læta. B.P. (gr.) fruitful. N. S. W. ——— G. h.

7 longifolia. B.P. (gr.) long-leaved. ——— 1807. ——— G. h. Bot. reg. t. 24.

ORDO CXXX.

PENÆACEÆ.

PEN'ÆA. R.S.		PEN'ÆA. Tetrandria Monogynia. R.S.				
1 myrtoïdes. w.	(ye.)	Myrtle-like.	C. B. S.	1816.	5. 7.	G. h.
2 fruticulosa. R.S.	(re.)	blunt-leaved.	————	1822.	—	G. h.
3 mucronata. R.S.	(re.)	sharp-pointed.	————	1787.	—	G. h.
4 squamosa. R.S.	(re.)	scaly.	————	—	—	G. h.
5 imbricata. B.M.	(re.)	imbricate.	————	1823.	4. 6.	G. h.
6 acuta. R.S.	(re.)	acute-leaved.	————	1824.	—	G. h.
7 Sarcocolla. R.S.	(ye.)	rhomb-leaved.	————	1816.	5. 7.	G. h.
8 marginata. R.S.	(wh.)	thick-edged.	————	—	—	G. h.

Vent. malm. t. 87.

Bot. reg. t. 106.

Bot. mag. t. 2809.

Th.m.n.c.ber.1.t.3.f.1.

SUBCLASSIS III. COROLLIFLORÆ. DC.

ORDO CXXXI.

SYMPLOCINEÆ. *Don Prodr. p. 144.*

SYMPLOCOS. L'H.		SY'MPLOCOS. Polyadelphia Polyandria. L.				
1 coccinea. K.S.	(sc.)	scarlet.	Mexico.	1825.		S. h.
2 tinctoria. w.	(ye.)	Laurel-leaved.	Carolina.	1780.	4. 6.	F. h.
<i>Hæpea tinctoria. Ph.</i>						
3 sinica. B.R.	(wh.)	Chinese.	China.	1822.	4. 6.	F. h.
4 cratægoides. D.P.	(wh.)	Hawthorn-like.	Nepaul.	1824.		G. h.
SCHO'EPFIA. D.P.		SCHO'EPFIA. Pentandria Monogynia.				
fràgrans. D.P.	(ye.)	fragrant.	Nepaul.	1827.		G. h.

H. et B. pl. æq. 1. t. 52.

Catesb. car. 1. t. 54.

Bot. reg. t. 710.

ORDO CXXXII.

STYRACINEÆ. *Kth. synops. 2. p. 315.*

STYRAX. W.		STORAX. Decandria Monogynia. L.				
1 officinale. w.	(wh.)	officinal.	Italy.	1597.	7.	H. h.
2 grandifolium. w.	(wh.)	great-leaved.	N. America.	1765.	—	H. h.
3 pulverulentum. M.	(wh.)	powdered.	————	1794.	6. 7.	H. h.
4 glabrum. N.	(wh.)	smooth.	————	1765.	7. 8.	H. h.
<i>larigatum. Bot. mag. t. 921.</i>						
HAL'ESIA. W.		SNOWDROP-TREE. Dodecandria Monogynia. L.				
1 tetràptera. w.	(wh.)	four-winged.	Carolina.	1756.	4. 5.	H. h.
2 parviflora. B.R.	(wh.)	small-flowered.	————	1812.	5.	H. h.
3 diptera. w.	(wh.)	two-winged.	N. America.	1758.	4. 5.	H. h.

Andr. reposit. t. 631.

Wats. dend. brit. t. 129.

— t. 41.

— t. 40.

Bot. mag. t. 910.

Bot. reg. t. 952.

Lodd. bot. cab. t. 1172.

ORDO CXXXIII.

MYRSINEÆ. *Brown prodr. 532.*

M'ÆSA. J.		M'ÆSA. Pentandria Monogynia.				
1 indica. D.P.	(wh.)	Indian.	E. Indies.	1812.	2. 6.	S. h.
<i>Bæobòtryx indica. F.I.</i>						
2 tomentosa. D.P.	(wh.)	tomentose.	Nepaul.	1818.	—	S. h.
3 argentea. F.I.	(wh.)	silvery-leaved.	E. Indies.	—	—	S. h.
4 macrophylla. F.I.	(wh.)	large-leaved.	————	1823.	—	S. h.

Bot. mag. t. 2052.

JACQUINIA. W.		JACQUINIA. Pentandria Monogynia. W.					
1 arborea. w.	(wh.)	blunt-leaved.	W. Indies.	1820.		S. h.	
2 armillaris. w.	(wh.)	armed-leaved.	—	1768.	4. 6.	S. h.	Jacq. amer. pict. t. 56.
3 aurantiaca. H.K.	(or.)	orange-color'd.	Sandwich Isl.	1796.	4. 9.	S. h.	Bot. mag. t. 1639.
4 ruscifolia. w.	(or.)	Ruscus-leaved.	S. America.	1729.	—	S. h.	Jacq. amer. pict. t. 57.
5 macrocarpa. C.I.	(or.)	large capsuled.	—	1820.	—	S. h.	Cavan. ic. 5. t. 483.
ARDISIA. W.		ARDISIA. Pentandria Monogynia. W.					
1 acuminata. w.	(pi.)	acuminate.	Guiana.	1803.	7. 8.	S. h.	Bot. mag. t. 1678.
<i>Myrsine Icacorea. R.S.</i>							
2 tinifolia. R.S.	(pi.)	Tinus-leaved.	Jamaica.	1824.	—	S. h.	Sloan. hist. 2. t. 105.
3 solanacea. w.	(ro.)	Nightshade-like.	E. Indies.	1798.	6. 9.	S. h.	Bot. mag. t. 1677.
4 paniculata. F.I.	(ro.)	panicled.	—	1818.	3. 8.	S. h.	Bot. reg. t. 638.
5 colorata. F.I.	(ro.)	red-flowered.	—	1816.	—	S. h.	Lodd. bot. cab. t. 465.
6 umbellata. F.I.	(pi.)	umbel-flowered.	—	1809.	6. 9.	S. h.	— t. 531.
<i>littoralis. Andr. repos. t. 630.</i>							
7 lanceolata. F.I.	(pi.)	leathery-leaved.	—	1818.	—	S. h.	
8 elegans. A.R.	(pi.)	elegant.	—	1809.	7. 9.	S. h.	Andr. reposit. t. 623.
<i>crenata. F.I.</i>							
9 punctata. B.R.	(pi.)	spotted-flowered.	China.	1823.	6. 9.	S. h.	Bot. reg. t. 827.
10 lentiginosa. B.R.	(wh.)	freckled.	—	1809.	3. 12.	G. h.	— t. 533.
<i>crenulata. B.C. 2. non Vent. crenata. Bot. mag. t. 1950.</i>							
11 glandulosa. F.I.	(wh.)	glandular.	E. Indies.	1827.	—	S. h.	
12 macrocarpa. F.I.	(pi.)	large-fruited.	Nepaul.	1824.	5. 9.	S. h.	
13 complanata. F.I.	(pi.)	pubescent.	Pinang.	—	—	S. h.	
14 thyrsiflora. D.P.	(pi.)	thyrses-flower'd.	Nepaul.	—	4. 8.	S. h.	
15 pyramidalis. Cav.	(pi.)	pyramidal.	Santa Cruz.	1818.	4. 9.	S. h.	Lodd. bot. cab. t. 448.
16 excelsa. w.	(gr.)	Laurel-leaved.	Madeira.	1784.	7. 8.	G. h.	Gært. sem. 1. t. 77. f. 1.
<i>Myrsine Heberdenia. R.S.</i>							
17 coriacea. R.S.	(ro.)	leathery-leaved.	W. Indies.	1822.	4. 8.	S. h.	
18 serrulata. w.	(pi.)	saw-leaved.	—	1820.	7. 8.	S. h.	Plum. ic. 80.
19 crenulata. w.	(re.)	crenulated.	—	1809.	6. 9.	S. h.	Venten. choix. t. 5.
20 lateriflora. w.	(pi.)	side-flowering.	—	1793.	—	S. h.	
21 canaliculata. w.	(pi.)	channelled.	New Granada.	1824.	4. 8.	S. h.	Lodd. bot. cab. t. 1083.
EMBELIA. L.		EMBELIA. Pentandria Monogynia. L.					
1 robusta. F.I.	(gr.wh.)	robust.	E. Indies.	1823.		S. h.	
2 floribunda. F.I.	(ye.gr.)	sweet-scented.	Nepaul.	1826.		S. h. ~.	
MYRSINE. B.P.		MYRSINE. Polygamia Dioecia. L.					
1 africana. s.s.	(gr.pu.)	African.	C. B. S.	1691.	3. 5.	G. h.	Comm. hort. 1. t. 64.
2 retusa. s.s.	(gr.pu.)	retuse-leaved.	Azores.	1778.	6.	G. h.	Venten. cels. t. 86.
3 rotundifolia. R.S.	(w.pu.)	round-leaved.	C. B. S.	1816.	—	G. h.	Link. alm. t. 18. f. 5.
4 semiserrata. F.I.	(bh.)	semiserrate.	Nepaul.	1822.		G. h.	
5 capitellata. F.I.	(gr.)	axillary headed.	—	—		G. h.	
6 bifaria. F.I.	(bh.)	bifarious.	—	—		G. h.	
7 subspinosa. D.P.	(wh.)	spiny-leaved.	—	1823.		G. h.	
8 coriacea. B.P.	(wh.)	leathery-leaved.	Jamaica.	1822.		S. h.	
<i>Samara coriacea. Sw.</i>							
9 Samara. s.s.	(wh.)	oval-leaved.	C. B. S.	1770.	11. 2.	G. h.	
<i>Samara pentandra. w.</i>							
10 melanophleos. s.s.	(wh.)	Laurel-leaved.	—	1783.	3. 6.	G. h.	Jacq. vind. 1. t. 71.
<i>Sideroxylon melanophleum. w.</i>							
11 mitis. s.s.	(wh.)	pointed-leaved.	—		6. 9.	G. h.	Bot. mag. t. 1858.
<i>Sideroxylon mite. B.M. Scleroxylum mite. W.en. Manglilla Milleriana. P.S.</i>							
12 venulosa. s.s.	(wh.)	veined-leaved.	—	1816.	—	G. h.	
13 canariense. s.s.	(wh.)	Canary.	Canaries.	—	—	G. h.	
14 variabilis. B.P.	(wh.)	variable.	N. S. W.	1820.	—	G. h.	
ÆGICERAS. G.		ÆGICERAS. Pentandria Monogynia.					
fragrans. B.P.	(wh.)	fragrant.	N. Holland.	1824.		G. h.	Kon. an. bot. 1. p. 122. f. 6.

ORDO CXXXIV.

SAPOTEÆ. *Brown prodr. 1. p. 528.*

INOCA'RPUS. W.		OTAHEITE-CHESTNUT. Decandria Monogynia. W.					
edulis. w.	(wh.)	eatable.	South-sea Isl.	1793.		S. h.	Roxb. corom. 3. t. 23.
BUMELIA. S.S.		BUMELIA. Pentandria Monogynia. W.					
1 lycioides. s.s.	(wh.)	Boxthorn-leav'd.	N. America.	1758.	8.	H. h.	Duham. arb. 2. t. 66.

2 oblongifolia. N.	(wh.) oblong-leaved.	Mississippi.	1818.	7. 8.	H. h.	
3 ténax. R.S.	(wh.) silvery-leaved.	Carolina.	1765.	—	H. h.	Wats. dend. brit. t. 10.
<i>chrysophylloides</i> . W.D. <i>Sideroxylon ténax</i> . L.						
4 lanuginosa. R.S.	(wh.) woolly-leaved.	—	—	—	H. h.	
5 reclinata. s.s.	(wh.) reclined.	—	1806.	—	H. h.	Venten. choix. t. 22.
6 strigosa. s.s.	(wh.) strigose.			—	G. h.	
<i>Sideroxylon strigosum</i> . W.en.						
7 nigra. s.s.	(wh.) black.	W. Indies.	1806.	6. 8.	S. h.	
8 salicifolia. s.s.	(wh.) Willow-leaved.	S. America.	1758.	—	S. h.	Sloan. list. 2. t. 206. f. 2.
9 fetidissima. s.s.	(wh.) fetid.	W. Indies.		5. 7.	S. h.	
10 rotundifolia. s.s.	(wh.) round-leaved.	—	1816.	—	S. h.	
SERSALISIA. B.P.	SERSALISIA.	Pentandria Monogynia.				
sericea. B.P.	(wh.) silky-leaved.	N. Holland.	1772.	5. 6.	G. h.	
<i>Sideroxylon sericeum</i> . W.						
SIDEROXYLON. W.	IRON-WOOD.	Pentandria Monogynia. L.				
1 inérme. w.	(wh.) smooth.	C. B. S.	1692.	7. 8.	G. h.	Lam. ill. 2. t. 120. f. 1.
2 tomentosum. w.	(wh.) tomentose.	E. Indies.	1818.		S. h.	Roxb. corom. 1. t. 28.
ARGANIA. R.S.	ARGANIA.	Pentandria Monogynia.				
<i>Sideroxylum</i> . R.S. (ye.)	spiny.	Morocco.	1711.	7. 8.	H. h.	Comm. hort. 1. t. 83.
<i>Sideroxylum spinosum</i> . L. <i>Elæodendron A'rgan</i> . w.						
CHRYSOPHYLLUM. W.	STAR-APPLE.	Pentandria Monogynia. L.				
1 Cainito. w.	(wh.) broad-leaved.	W. Indies.	1737.	5. 6.	S. h.	Jacq. amer. t. 37. f. 1.
β jamaicensis.	(wh.) purple-fruited.	—	—	—	S. h.	Jacq. am. pict. t. 52.
γ caruleum.	(wh.) blue-fruited.	—	—	—	S. h.	Jacq. amer. t. 37.
δ microphyllum.	(wh.) small-leaved.	—	—	—	S. h.	Jacq. amer. pict. t. 53.
2 monopyrenum. w.	(wh.) acute-leaved.	—	1816.	—	S. h.	Burm. amer. t. 69.
3 argenteum. w.	(wh.) silvery.	Martinico.	1758.	—	S. h.	Jacq. amer. pict. t. 51.
4 macrophyllum. G.D.	(wh.) large-leaved.	Sierra Leone.	1822.		S. h.	
5 obovatum. G.D.	(wh.) obovate.	—	—		S. h.	
6 glabrum. w.	(wh.) smooth-leaved.	Martinico.	1818.	4. 6.	S. h.	Jacq. amer. pict. t. 55.
NYCTERISITION. R.P.	NYCTERISITION.	Pentandria Monogynia.				
ferrugineum. R.P.	(wh.) ferruginous.	S. America.	1823.		S. h.	Flor. peruv. 2. t. 187.
A'CHRAS. J.	SAPOTA.	Hexandria Monogynia. S.S.				
1 Sapota. w.	(wh.) common.	S. America.	1731.	4. 6.	S. h.	Jacq. amer. 57. t. 41.
β Zapotilla. Jacq.	(wh.) Naseberry-tree.	—	—	—	S. h.	— 57. t. 41. b.
2 australis. B.P.	(wh.) New Holland.	N. S. W.	1823.		G. h.	
LUCUMA. J.	LUCUMA.	Pentandria Monogynia.				
1 mammosum. K.S.	(wh.) Mammee.	S. America.	1739.	5. 8.	S. h.	Jacq. amer. t. 182. f. 19.
2 Bonplandii. K.S.	(wh.) Bonpland's.	Havannah.	1822.		S. h.	
3 obovatum. K.S.	(wh.) obovate-leaved.	Peru.	—		S. h.	Flor. peruv. 3. t. 239.
4 salicifolium. K.S.	(wh.) Willow-leaved.	Mexico.	1823.		S. h.	
MIMUSOPS. W.	MIMUSOPS.	Octandria Monogynia. L.				
1 Elengi. s.s.	(wh.) pointed-leaved.	E. Indies.	1796.	5. 7.	S. h.	Roxb. cor. 1. t. 14.
2 dissecta. s.s.	(wh.) oval-leaved.	South-sea Isl.	1804.	—	S. h.	
3 hexandra. s.s.	(wh.) hexandrous.	E. Indies.	1816.	—	S. h.	Roxb. cor. 1. t. 15.
4 Kaùki. s.s.	(wh.) obtuse-leaved.	—	1796.	5. 8.	S. h.	Rumph. amb. 3. t. 8.
IMBRICARIA. J.	IMBRICARIA.	Octandria Monogynia.				
borbonica. G.	(wh.) Bourbon.	Bourbon.	1820.		S. h.	
BA'SSIA. L.	BA'SSIA.	Dodecandria Monogynia. L.				
1 longifolia. w.	(wh.) long-leaved.	E. Indies.	1811.		S. h.	Lam. ill. t. 398.
2 latifolia. w.	(wh.) broad-leaved.	—	1799.		S. h.	Roxb. cor. 1. t. 19.
3 butyracea. D.P.	(wh.) butter-tree.	Nepaul.	1823.		S. h.	

ORDO CXXXV.

EBENACEÆ. *Brown prodr.* 1. p. 524.

MABA. J.	M'ABA.	Diœcia Hexandria. W.				
buxifolia. P.S.	(wh.) Box-leaved.	E. Indies.	1810.		S. h.	Roxb. cor. 1. t. 45.
<i>Ferreola buxifolia</i> . Roxb.						
CARGILLIA. B.P.	CARGILLIA.	Polygamia Diœcia.				
australis. B.P.	(gr.) southern.	N. S. W.	1816.		G. h.	
DIO'SPYROS. S.S.	DATE PLUM.	Polygamia Diœcia. W.				
1 virginiana. s.s. (p.ye.)	Persimon.	N. America.	1629.	6. 7.	H. h.	Wats. dend. brit. t. 146.
2 pubescens. s.s. (pa.ye.)	pubescent.	—	1812.	4. 5.	H. h.	

3	reticulàta. s.s.	(wh.) netted.	Mauritius.	1823.	4. 5.	S. h.	
4	Ebenáster. s.s.	(wh.) Ebenus-like.	E. Indies.	1792.	6. 8.	S. h.	Rumph. amb. 1. t. 6.
5	melanóxylon. s.s.	(wh.) black-wooded.	————	1817.	————	S. h.	Roxb. cor. 1. t. 46.
6	E'benum. s.s.	(wh.) smooth.	————	1792.	————	S. h.	Rotb. act. hafn. 2. t. 1.
7	montàna. s.s.	(wh.) mountain.	————	1819.	————	S. h.	Roxb. cor. 1. t. 48.
8	obovàta. s.s.	(wh.) four-seeded.	W. Indies.	1796.	5. 7.	S. h.	Jacq. schœn. 3. t. 312.
9	sylvática. s.s.	(wh.) wood.	E. Indies.	1812.	————	S. h.	Roxb. cor. 1. t. 47.
10	Embryópteris. s.s. (gr.)	glutiniferous.	————	1796.	5. 8.	S. h.	Bot. reg. t. 499.
<i>Embryópteris glutinífera.</i> B.C. 1. t. 70.							
11	lobàta. s.s.	(wh.) lobed-fruited.	China.	1822.	————	G. h.	
12	vaccinióides. L.C. (wh.)	Vaccinium-like.	————	————	————	G. h.	Hook. ex. flor. t. 132.
13	èdulis. L.C.	(wh.) eatable.	E. Indies.	————	————	S. h.	
14	Lòtus. s.s.	(pa. ye.) European.	Italy.	1596.	6. 7.	H. h.	Mill. ic. t. 116.
15	Kàki. s.s.	(wh.) Japan.	Japan.	1789.	————	G. h.	Kæmp. amœn. t. 806.
16	hirsùta. s.s.	(wh.) hairy.	Ceylon.	1816.	————	S. h.	
17	chloróxylon. s.s. (wh.)	cluster-flowered.	E. Indies.	1822.		S. h.	Roxb. cor. 1. t. 49.
18	cordifòlia. s.s. (wh.)	heart-leaved.	————	1794.	5. 7.	S. h.	———— 1. t. 50.
ROY'ENA. W. ROY'ENA. Decandria Digynia. L.							
1	lúcida. w.	(wh.) shining-leaved.	C. B. S.	1690.	5. 6.	G. h.	Lam. ill. t. 370. f. 1.
2	villòsa. w.	(wh.) heart-leaved.	————	1774.	6. 7.	G. h.	
3	pállens. w.	(wh.) pale.	————	1789.	————	G. h.	
4	myrtifòlia. W.en. (wh.)	Myrtle-leaved.	————	1812.	————	G. h.	
5	glábra. w.	(wh.) smooth.	————	1731.	7. 9.	G. h.	Comm hort. 1. t. 65.
6	pubéscens. W.en. (wh.)	pubescent.	————	1752.	————	G. h.	Bot. reg. t. 500.
7	hirsùta. W.en. (wh.)	hairy-leaved.	————	————	————	G. h.	Lam. ill. t. 370. f. 2.
8	angustifòlia. w. (wh.)	willow-leaved.	————	1789.	6. 7.	G. h.	
9	latifòlia. W.en. (wh.)	broad-leaved.	————	1816.	————	G. h.	
10	ambígua. v. (wh.)	obovate-leaved.	————	1815.	6. 7.	G. h.	Vent. malm. t. 17.
11	polyándra. w. (wh.)	oval-leaved.	————	1774.		G. h.	
VISNEA. W. VISNEA. Dodecandria Trigynia. W.							
	Mocanèra. w.	(wh.) Canary.	Canaries.	1815.	8. 12.	G. h.	

ORDO CXXXVI.

OLEINÆ. *Brown prodr. 1. p. 522.*

FRA'XINUS. W.		ASH-TREE. Polygamia Diœcia. L.					
1	excélsior. w.	(gr.) common.	Britain.		4. 5.	H. 5.	Eng. bot. v. 24. t. 169.
	β argénteá.	(gr.) silver-striped.	————		————	H. 5.	
	γ péndula.	(gr.) weeping.	————		————	H. 5.	
	δ horizontális.	(gr.) horizontal.	————		————	H. 5.	
	ε jáspidea.	(gr.) coloured branch'd.	————		————	H. 5.	
	ζ eròsa.	(gr.) erose-leaved.	————		————	H. 5.	
2	aùrea. W.en.	(gr.) yellow barked.				H. 5.	
3	atrovirens. P.s.	(gr.) green curled-leav'd.				H. 5.	
4	nàna. W.en.	(gr.) dwarf.				H. h.	
5	verrucòsa. L.en.	(gr.) warted.			4. 5.	H. 5.	
6	heterophýlla. s.s. (gr.)	various-leaved.	England.		————	H. 5.	Eng. bot. v. 35. t. 245.
<i>simplicifòlia.</i> E.B.							
7	polemonifòlia. R.s. (gr.)	Polemonium-ld.	N. America.		————	H. 5.	
8	parvifòlia. s.s.	(gr.) small-leaved.	Levant.	1816.	————	H. 5.	
9	lentiscifòlia. s.s.	(gr.) Lentiscus-leaved.	Aleppo.	1710.	5. 6.	H. 5.	Pluk. alm. t. 182. f. 4.
10	argénteá. s.s.	(gr.) silver-leaved.	Corsica.	1825.		H. 5.	
11	sambucifòlia. s.s. (gr.)	Elder-leaved.	N. America.	1800.		H. 5.	
12	oxycárpa. s.s. (gr.)	sharp-leaved.	Tauria.	1815.	5. 6.	H. 5.	
<i>oxyphy'lla.</i> M.B.							
13	pállida. s.s.	(gr.) pale.	N. America.	1818.		H. 5.	
14	rùfa. s.s.	(gr.) rufous.	————	1822.		H. 5.	
15	fúsca. s.s.	(gr.) brown branched.	————	————		H. 5.	
16	nìgra. s.s.	(gr.) black-twigged.	————	1818.	4. 6.	H. 5.	
17	ellíptica. s.s.	(gr.) elliptic-leaved.	————	1824.		H. 5.	
18	ovàta. s.s.	(gr.) oval-leaved.	————	————		H. 5.	
19	Richárdi. s.s.	(gr.) Richard's.	————	————		H. 5.	
20	álba. s.s.	(gr.) grey branched.	————	1825.		H. 5.	
21	cinèrea. s.s.	(gr.) cinereous.	————	1818.		H. 5.	

22	viridis. s.s.	(gr.) green-branched.	N. America.	1816.		H.5.	
23	longifolia. s.s.	(gr.) long-leaved.	————	1825.		H.5.	
24	tamariscifolia. R.s.	(gr.) Tamarisk-leaved.	Levant.		—	H.5.	
25	mexicana.	(gr.) Mexican.	Mexico.	1825.		H.5.	
26	rubicunda. s.s.	(gr.) red-veined.	N. America.	—		H.5.	
27	pulverulenta. s.s.	(gr.) powdered.	————	—		H.5.	
28	mixta. s.s.	(gr.) mixed.	————	—		H.5.	
29	expansa. s.s.	(gr.) expanded	————	—		H.5.	
30	platycarpa. s.s.	(gr.) flat-seeded.	————	1816.	4. 6.	H.5.	Catesb. car. t. 80.
31	quadrangulata. s.s.	(gr.) four-sided.	————	1811.	—	H.5.	Mich. f. arb. ic.
32	epiptera. s.s.	(gr.) dotted-stalked.	————	—	—	H.5.	— t. 33.
	discolor. M.						
33	lancea. Bosc.	(gr.) lance-leaved.	————	1823.	—	H.5.	
34	pannosa. s.s.	(gr.) cloth-leaved.	————	1818.	—	H.5.	
35	pubescens. s.s.	(gr.) pubescent.	————	1783.	5.	H.5.	Du Roi. ed. 2. t. 1.
36	curvidens. R.s.	(gr.) curved-toothed.	Carolina.	1811.	4. 5.	H.5.	
37	caroliniàna. s.s.	(gr.) Carolina.	N. America.	—	4. 6.	H.5.	
38	juglandifolia. s.s.	(gr.) Walnut-leaved.	————	1783.	—	H.5.	
39	acuminata. s.s.	(gr.) taper-pointed.	————	1723.	—	H.5.	
40	americana. s.s.	(gr.) white.	————	—	—	H.5.	
O'RNU. P.S. FLOWERING ASH. Diandria Monogynia. P.S.							
1	americana. Ph.	(wh.) American.	N. America.	1812.	5. 6.	H.5.	
2	europæa. P.s.	(wh.) European.	Italy.	1710.	—	H.5.	Flor. græc. 1. t. 4.
	Fraxinus O'rnus. w.						
3	rotundifolia. P.s.	(wh.) manna.	————	1697.	4. 5.	H.5.	
4	striata.	(wh.) streak-barked.		1818.	—	H.5.	
	Fraxinus striata. s.s.						
5	floribunda.	(wh.) many-flowered.	Nepaul.	—		G.5.	
	Fraxinus floribunda. F.I.						
CHIONANTHUS. S.S. FRINGE-TREE. Diandria Monogynia. L.							
1	virginica. w.	(wh.) smooth-leaved.	N. America.	1736.	5. 7.	H.5.	Catesb. car. 1. t. 68.
2	maritima.	(wh.) pubescent-leaved.	————	—	—	H.5.	Wats. dend. brit. t. 1.
	virginica β maritima. Ph.	virginica β angustifolia. w.D.					
3	axillaris. B.P.	(wh.) axil-flowering.	N. Holland.	1810.		G. h.	
LINOCTERA. S.S. LINOCIERA. Diandria Monogynia. S.S.							
1	ligustrina. s.s.	(wh.) Privet-like.	W. Indies.	1820.		S. h.	
2	cotinifolia. s.s.	(wh.) Cotinus-leaved.	Ceylon.	1818.		S. h.	
3	compacta. s.s.	(wh.) Caribbean.	W. Indies.	1793.		S. h.	Jacq. coll. 2. t. 6. f. 1.
FONTANESIA. S.S. FONTAN'ESIA. Diandria Monogynia. W.							
	phillyræoides. s.s.	(wh.) Phillyrea-leaved.	Syria.	1787.	6. 8.	H. h.	Wats. dend. brit. t. 2.
NOTELÆA. B.P. NOTEL'ÆA. Diandria Monogynia. S.S.							
1	longifolia. B.P.	(wh.) long-leaved.	N. S. W.	1790.	3. 6.	G. h.	Venten. choix. t. 25.
	Olea apetala. A.R.	316.					
2	ovata. B.P.	(wh.) oval-leaved.	————	1818.	—	G. h.	
3	ligustrina. B.P.	(wh.) Privet-leaved.	V. Diem. Isl.	1807.	7. 8.	G. h.	
4	rigida. R.s.	(wh.) rigid-leaved.	————	1820.	—	G. h.	
OLEA. B.P. OLIVE. Diandria Monogynia. L.							
1	europæa. s.s.	(wh.) European.	S. Europe.	1570.	6. 8.	G. h.	
	α Oleaster. R.s.	(wh.) spiny-branched.	Portugal.		—	G. h.	Flor. græc. 1. t. 3.
	β longifolia. R.s.	(wh.) long-leaved.	S. Europe.		—	G. h.	Lodd. bot. cab. t. 456.
	γ ferruginea. R.s.	(wh.) ferruginous.	————		—	G. h.	
	δ latifolia. R.s.	(wh.) broad-leaved.	————		—	G. h.	
	ε obliqua. R.s.	(wh.) oblique-leaved.	————		—	G. h.	
	ζ buxifolia. R.s.	(wh.) Box-leaved.	————		—	G. h.	
2	verrucosa. s.s.	(wh.) warted.	C. B. S.	1814.	—	G. h.	
3	americana. s.s.	(wh.) American.	N. America.	1758.	6.	G. h.	Catesb. car. 1. t. 61.
4	fragrans. s.s.	(wh.) fragrant.	China.	1771.	6. 8.	G. h.	Bot. mag. t. 1552.
5	lancea. s.s.	(wh.) lance-leaved.	Mauritius.	1818.	—	S. h.	
6	dioica. F.I.	(wh.) dioecious.	E. Indies.	—		S. h.	
7	capensis. s.s.	(wh.) Cape.	C. B. S.	1730.	6. 9.	G. h.	Bot. reg. t. 613.
8	undulata. s.s.	(wh.) wave-leaved.	————	—	—	G. h.	Lodd. bot. cab. t. 379.
9	emarginata. R.s.	(wh.) emarginate.	Mauritius.	1816.		S. h.	
10	excelsa. s.s.	(wh.) Laurel-leaved.	Madeira.	1784.	5. 6.	G. h.	Jacq. schœn. 3. t. 251.
11	cœrnua. s.s.	(wh.) drooping-flower'd.	Mauritius.	1816.		S. h.	
12	paniculata. B.P.	(wh.) panicked.	N. S. W.	1823.	4. 6.	G. h.	
13	Roxburghii.	(wh.) Roxburgh's.	E. Indies.	1828.		S. h.	
	paniculata. F.I. non B.P.						
14	robusta.	(wh.) large Phillyrea.	————	1818.		S. h.	
	Phillyrea robusta. F.I.						

15	chinensis.	(wh.) Chinese.	China.	1820.	4. 6.	H. h.		
	<i>Phillyrèa paniculàta.</i> F.I.							
16	angustifolia.	(wh.) narrow-ld.	Phillyrea.	S. Europe.	1597.	5. 6.	H. h.	Lam. ill. t. 8. f. 3.
	<i>Phillyrèa angustifolia.</i> s.s.							
	α lanceolata.	(wh.) spear-leaved.	_____	_____	_____	H. h.		
	β rosmarinifolia.	(wh.) Rosemary-leaved.	_____	_____	_____	H. h.		
	γ brachiata.	(wh.) cross-branched.	_____	_____	_____	H. h.		
17	media. R.s.	(wh.) twiggy	Phillyrea.	_____	_____	H. h.		
	β buxifolia. R.s.	(wh.) Box-leaved.	_____	_____	_____	H. h.		
18	ligustrifolia. R.s.	(wh.) Privet-leaved.	_____	_____	_____	H. h.		
19	pendula. R.s.	(wh.) pendulous.	_____	_____	_____	H. h.		
20	oleæfolia. R.s.	(wh.) Olive-leaved	Phillyrea.	_____	_____	H. h.	Pluk. alm. t. 310. f. 1.	
21	lævis. R.s.	(wh.) smooth-leaved.	_____	_____	_____	H. h.	Duham. arb. t. 125.	
22	latifolia. R.s.	(wh.) broad-leaved	_____	_____	_____	H. h.	Flor. græc. t. 2.	
23	obliqua. R.s.	(wh.) oblique-leaved.	_____	_____	_____	H. h.		
24	spinosa. R.s.	(wh.) Holly-leaved.	_____	_____	_____	H. h.		
	<i>Phillyrèa ilicifolia.</i> W.en.							
LIGUSTRUM. W. PRIVET. Diandria Monogynia. L.								
1	vulgare. R.s.	(wh.) common.	Britain.		6. 7.	H. h.	Eng. bot. v. 11. t. 7.	
	β variegatum.	(wh.) striped-leaved.	_____		_____	H. h.		
	γ angustifolium.	(wh.) narrow-leaved.	_____		_____	H. h.		
	δ leucocarpum.	(wh.) white-berried.	_____		_____	H. h.		
	ϵ italicum. Mill.	(wh.) evergreen.	Italy.		_____	H. h.		
2	lucidum. R.s.	(wh.) Wax-tree.	China.	1794.	6. 9.	F. h.	Wats. dend. brit. t. 13.	
SYRINGA. R.S. LILAC. Diandria Monogynia. L.								
1	vulgaris. w.	(va.) common.	Persia.	1597.	5.	H. h.	Schk. hand. 1. t. 2.	
	α lilacina.	(li.) pale-flowered.	_____	_____	_____	H. h.	Bot. mag. t. 183.	
	β purpurea.	(pu.) purple-flowered.	_____	_____	_____	H. h.		
	γ violacea.	(vi.) violet.	_____	_____	_____	H. h.		
	δ alba.	(wh.) white-flowered.	_____	_____	_____	H. h.		
	ϵ variegata.	(li.) variegated-leaved.	_____	_____	_____	H. h.		
2	chinensis. w.	(pu.) Siberian.	China.	1795.	_____	H. h.		
3	persica. w.	(li.) Persian.	Persia.	1640.	_____	H. h.	Bot. mag. t. 486.	
	α lilacina.	(li.) pale-flowered.	_____	_____	_____	H. h.		
	β alba.	(wh.) white-flowered.	_____	_____	_____	H. h.		
	γ laciniata.	(wh.) cut-leaved.	_____	_____	_____	H. h.	Schmidt arb. 2. t. 7.	

ORDO CXXXVII.

JASMINEÆ. *Brown prodr. 1. p. 520.*

NYCTA'NTHE. W. NYCTA'NTHE. Diandria Monogynia. L.							
	arbor tristis. w.	(wh. ye.) square-stalked.	E. Indies.	1781.	6. 9.	S. h.	Bot. reg. t. 399.
JASMINUM. W. JASMINE. Diandria Monogynia. L.							
1	Sambac. s.s.	(wh.) single Arabian.	E. Indies.	1665.	1. 12.	S. h. ∪.	Bot. reg. t. 1.
	β multiplex.	(wh.) semidouble.	—	1700.	—	S. h. ∪.	Andr. reposit. t. 47.
	γ trifoliatum.	(wh.) Tuscan.	—	1730.	—	S. h.	Bot. mag. t. 1785.
2	undulatum. s.s.	(wh.) wave-leaved.	—	1812.	2. 6.	S. h. ∪.	Bot. reg. t. 436.
3	hirsutum. s.s.	(wh.) hairy Indian.	—	1759.	5. 12.	S. h.	Sm. ex. bot. 2. t. 11.
	<i>multiflorum</i> . And. rep. t. 436.						
4	angustifolium. F.I.	(wh.) narrow-leaved.	—	1816.	1. 12.	S. h. ∪.	Rheed. mal. 6. t. 53.
5	laurifolium. F.I.	(wh.) Laurel-leaved.	—	—	—	S. h. ∪.	Bot. reg. t. 521.
6	trinerve. s.s.	(wh.) three-nerved.	Java.	—	—	S. h. ∪.	— t. 918.
7	glaucum. s.s.	(wh.) glaucous.	C. B. S.	1804.	4. 6.	S. h. ∪.	Sal. stirp. rar. t. 5.
8	bracteatum. s.s.	(wh.) bracteate.	Sumatra.	1774.	6. 8.	S. h. ∪.	
9	latifolium. s.s.	(wh.) broad-leaved.	—	1820.	—	S. h. ∪.	
10	arborescens. s.s.	(wh.) arborescent.	E. Indies.	1817.	—	S. h. ∪.	
11	scandens. s.s.	(wh.) scandent.	—	1824.		S. h.	
12	simplicifolium. s.s.	(wh.) simple-leaved.	Society Isl.	—		S. h. ∪.	Bot. mag. t. 980.
13	elongatum. s.s.	(wh.) long-branched.	E. Indies.	1823.	3. 6.	S. h. ∪.	Berg. act. an. 1772 t. 10.
14	gracile. s.s.	(wh.) slender.	Norfolk Isl.	1791.	1. 12.	G. h. ∪.	Andr. reposit. t. 12.
15	acuminatum. s.s.	(wh.) acuminate.	N. Holland.	1820.	6. 9.	G. h. ∪.	Bot. reg. t. 1290.
16	volubile. R.s.	(wh.) twisting.	C. B. S.	1816.	4. 7.	G. h. ∪.	Jacq. schan. 3. t. 22.
17	auriculatum. s.s.	(wh.) auriculate.	E. Indies.	1790.	5. 9.	S. h. ∪.	Bot. reg. t. 264.
18	paniculatum. s.s.	(wh.) variable-leaved.	China.	1812.	2. 12.	S. h. ∪.	— t. 600.

19	flexile. s.s.	(wh.) acute 3-leaved.	E. Indies.	1820.	4. 8.	S. h. ∞.	
20	tortuosum. s.s.	(wh.) twisting.	C. B. S.	—	—	S. h. ∞.	Jacq. schœn. 1. t. 490.
	flexile. Jacq. non w.						
21	campanulatum. s.s.	(wh.) bell-shaped calyx'd.		—	—	S. h. ∞.	
22	capense. s.s.	(wh.) Cape.	C. B. S.	1816.	—	G. h.	
23	azoricum. s.s.	(wh.) white Azorian.	Madeira.	1724.	4. 11.	G. h.	Bot. reg. t. 89.
24	disperrum. s.s.	(wh.) two-seeded.	Nepaul.	1825.		G. h. ∞.	
25	fruticans. s.s.	(ye.) common yellow.	S. Europe.	1570.	4. 10.	H. h.	Bot. mag. t. 461.
26	humile. s.s.	(ye.) Italian.	—	1656.	6. 9.	H. h.	Bot. reg. t. 350.
27	odoratissimum. s.s.	(ye.) yellow Azorian.	Madeira.	—	5. 11.	G. h.	Bot. mag. t. 285.
28	revolutum. s.s.	(ye.) yellow Nepaul.	Nepaul.	1812.	3. 10.	H. h.	Bot. reg. t. 178.
	chrysanthemum. F.I.						
29	pubigerum. D.P.	(ye.) pubescent.	—	1828.	—	H. h. ∞.	
30	officinale. s.s.	(wh.) common white.	E. Indies.	1548.	6. 10.	H. h. ∞.	Bot. mag. t. 31.
	β leucophyllum. (wh.) white-edged.	—		—	—	H. h. ∞.	
	γ chrysophyllum. (wh.) yellow-edged.	—		—	—	H. h. ∞.	
	δ multiplex. (wh.) double-blossomed.	—	1823.	—	—	H. h. ∞.	
31	grandiflorum. s.s.	(wh.) Catalanian.	—	1629.	—	G. h. ∞.	Bot. reg. t. 91.

ORDO CXXXVIII.

APOCINEÆ. Brown prodr. 1. p. 465.

ALY'XIA. B.P.	ALY'XIA. Pentandria Monogynia.					
Richardsoni. (wh.) Richardson's.	N. Holland.	1823.	4. 6.	S. h.		
RAUWO'LFIA. S.S.	RAUWO'LFIA. Pentandria Monogynia. W.					
1 nitida. s.s. (wh.) shining.	S. America.	1752.	6. 9.	S. h.	Lodd. bot. cab. t. 339.	
2 ternifolia. s.s. (wh.) three-leaved.	—	1822.	—	S. h.	Bot. mag. t. 2440.	
3 canescens. s.s. (fl.) hoary.	Jamaica.	1739.	—	S. h.	Jacq. amer. pict. f. 17.	
4 tomentosa. s.s. (wh.) woolly.	S. America.	1823.	—	S. h.	— t. 46.	
5 spinosa. R.S. (st.) spiny.	Peru.	1827.	—	S. h.	Cavan. icon. 6. t. 526.	
VALL'ESIA. R.P.	VALL'ESIA. Pentandria Monogynia.					
cymbæfolia. R.S. (wh.) boat-leaved.	S. America.	1816.	6. 8.	S. h.	Cavan. ic. 3. t. 297.	
Rauwolfia glabra. w.						
OPHIO'XYLON. W.	OPHIO'XYLON. Polygamia Monœcia. W.					
serpentinum. w. (wh.) serpent-wood.	E. Indies.	1690.	5. 6.	S. h.	Bot. mag. t. 784.	
STRY'CHNOS. S.S.	STRY'CHNOS. Pentandria Monogynia. W.					
1 Nux vómica. s.s. (wh.) Poison-nut.	E. Indies.	1778.		S. h.	Roxb. cor. 1. t. 4.	
2 colubrina. s.s. (gr.ye.) muricate-fruited.	—	1818.	5. 8.	S. h.	Rheed. mal. 8. t. 24.	
3 potatorum. s.s. (wh.) clearing-nut.	—	1794.	4. 6.	S. h.	Roxb. cor. 1. t. 5.	
4 madagascariensis. s.s. (wh.) Madagascar.	Madagascar.	1818.		S. h.		
5 spinosa. s.s. (gr.ye.) spiny.	—	1824.		S. h.		
6 axillaris. s.s. (wh.) axillary-flowered.	E. Indies.	1818.	5. 7.	S. h.	Linn. trans. v. 12. t. 15.	
THEOPHRA'STA. S.S.	THEOPHRA'STA. Pentandria Monogynia.					
1 longifolia. R.S. (or.) long-leaved.	Caracas.	1827.		S. h.	Jacq. schœn. 1. t. 116.	
2 macrophylla. R.S. large-leaved.	Brazil.	—		S. h.		
3 americana. R.S. American.	S. America.	—		S. h.	Plum. icon. 126.	
4 Jussiei. s.s. (wh.) Jussieu's.	—	1818.	1. 4.	S. h.	Lindl. coll. t. 26.	
CLAVI'JA. R.P.	CLAVI'JA. Pentandria Monogynia.					
macrophylla. R.P. (wh.) long-leaved.	S. America.	1816.		S. h.	Flor. peruv. gen. t. 30.	
FAGR'ÆA. W.	FAGR'ÆA. Pentandria Monogynia.					
1 zeylanica. w. (wh.) Ceylon.	Ceylon.	1824.	4. 7.	S. h.	Thunb. ac. hol. 1782. t. 4.	
2 fragrans. F.I. (wh.) fragrant.	China.	1826.	5. 7.	S. h.		
CARI'SSA. L.	CARI'SSA. Pentandria Monogynia. L.					
1 Carandas. s.s. (wh.) Jasmine-flower'd.	E. Indies.	1790.	7. 8.	S. h.	Roxb. cor. 1. t. 77.	
2 spinarum. s.s. (wh.) Box-leaved.	—	1809.	8. 12.	S. h.	Lodd. bot. cab. t. 162.	
3 ovata. B.P. (wh.) oval-leaved.	N. Holland.	1817.	6. 9.	G. h.		
4 Xyloperon. s.s. (wh.) nerved-leaved.	Mauritius.	1820.	—	S. h.	Aub. Thou. obs. p. 24. ic.	
ARDU'INA. L.	ARDU'INA. Pentandria Monogynia. L.					
bispinosa. s.s. (wh.) two-spined.	C. B. S.	1760.	3. 8.	G. h.	Mill. ic. 2. t. 300.	
Carissa Arduina. P.S.						
GELS'EMIUM. J.	GELS'EMIUM. Pentandria Monogynia.					
sempervirens. P.S. (ye.) evergreen.	N. America.	1640.	6. 7.	G. h. ∞.	Catesb. car. 1. t. 53.	
nitidum. R.S. Bignonia sempervirens. w.						

CERBERA. W.		CERBERA. Pentandria Monogynia. L.					
1	Ahouai. s.s.	(ye.) oval-leaved.	Brazil.	1739.	6. 7.	S. h.	Bot. mag. t. 737.
2	ovata. s.s.	(ye.) ovate-leaved.	N. Spain.		—	S. h.	Cavan. ic. 3. t. 270.
3	fruticosa. s.s.	(re.) purple-flowered.	Pegu.	1817.	3. 9.	S. h.	Bot. reg. t. 391.
4	Manghas. L.T.	(wh.) blunt-leaved.	E. Indies.	1759.	4. 8.	S. h.	Burm. zeyl. t. 70. f. 1.
5	Odallam. L.T.	(wh. re.) spear-leaved.	—	—	6. 9.	S. h.	Bot. mag. t. 1845.
Manghas. B.M. non L.T.							
6	lactaria. L.T.	(wh.) Milk-tree.	—		—	S. h.	Rumph. amb. 2. t. 81.
Manghas. G. 2. t. 123 et 124. f. 1. non L.T.							
7	Tanghin. B.M.	(bh. re.) poison-nut.	Madagascar.	1826.		S. h.	Bot. mag. t. 2968.
8	laurifolia. B.C.	(wh.) Laurel-leaved.	E. Indies.	1819.	6. 9.	S. h.	Lodd. bot. cab. t. 980.
9	maculata. s.s.	(wh. re.) wave-leaved.	Bourbon.	1782.	6. 7.	S. h.	Andr. reposit. t. 130.
10	dichotoma. B.C.	(wh.) forked.	E. Indies.	1827.	—	S. h.	Lodd. bot. cab. t. 151.
11	thetevioides. s.s.	(ye.) revolute-margin'd.	N. Spain.	1820.		S. h.	
12	Thevetia. s.s.	(ye.) linear-leaved.	S. America.	1735.		S. h.	Jacq. amer. 48. t. 34.
13	cuneifolia. K.S.	(ye.) wedge-leaved.	Mexico.	1826.	4. 6.	S. h.	
OCHR'OSIA. J.		OCHR'OSIA. Pentandria Monogynia. R.S.					
	borbònica. R.S.	(st.) Bourbon.	Bourbon.	1823.		S. h.	
Cérbera borbònica. s.s. Ophióxylon Ochrosia. P.S.							
DISSOLENA. R.S.		DISSOLENA. Pentandria Monogynia. R.S.					
	verticillata. R.S.	(wh.) whorl-leaved.	China.	1812.		S. h.	
ALLAMA'NDA. S.S.		ALLAMA'NDA. Pentandria Monogynia. L.					
1	cathartica. s.s.	(ye.) Willow-leaved.	Guiana.	1785.	6. 7.	S. h.	Bot. mag. t. 338.
2?	verticillata. s.s.	 whorl-leaved.	E. Indies.	1812.		S. h.	
Nèrium tinctorium. Hort.							
VINCA. R.S.		PERIWINKLE. Pentandria Monogynia. L.					
1	herbacea. R.S.	(bl.) herbaceous.	Hungary.	1816.	6. 7.	H. 4.	Bot. reg. t. 301.
2	minor. R.S.	(bl.) lesser.	Britain.		3. 9.	H. h.	Eng. bot. v. 13. t. 97.
	α carulea.	(bl.) blue-flowered.	—		—	H. h.	
	β alba.	(wh.) white-flowered.	—		—	H. h.	
	γ atropurpurea.	(pu.) dark-purple.	—		—	H. h.	
	δ multiplex.	(pu.) double-flowered.	—		—	H. h.	
	ε variegata.	(wh.) variegated.	—		—	H. h.	
3	major. R.S.	(bl.) greater.	England.		—	H. h.	Eng. bot. v. 8. t. 514.
	β multiplex.	(bl.) double-blue.	—		—	H. h.	
4	pusilla. R.S.	(st.) small-flowered.	E. Indies.	1778.	8.	S. ☉.	Rheed. mal. 9. t. 33.
	parviflora. W.	—	—	—	—	—	
5	rosea. R.S.	(ro.) Madagascar.	—	1756.	3. 10.	S. h.	Bot. mag. t. 248.
	β alba.	(wh.) white-flowered.	—	—	—	S. h.	
	γ ocellata.	(wh. re.) red-eyed.	—	—	—	S. h.	
WRIGHTIA. S.S.		WRIGHTIA. Pentandria Monogynia. S.S.					
1	antidysenterica. s.s.	(wh.) oval-leaved.	E. Indies.	1778.		S. h.	Burm. zeyl. t. 77.
2	zeylanica. s.s.	(wh.) spear-leaved.	—			S. h.	— t. 12. f. 2.
3	dubia. s.s.	(sc.) doubtful.	—		5. 8.	S. h.	Bot. mag. t. 1646.
Cameraria dubia. B.M.							
4	coccinea. B.M.	(sc.) scarlet.	—	1820.	6. 8.	S. h.	Bot. mag. t. 2096.
Nèrium coccineum. Bot. cab. t. 894.							
5	tinctoria. s.s.	(wh.) dyer's.	—	1812.	—	S. h.	Bot. reg. t. 933.
STROPHA'NTHUS. DC.		STROPHA'NTHUS. Pentandria Monogynia. P.S.					
1	dichotomus. DC.	(ro.) forked.	E. Indies.	1816.	2. 10.	S. h.	Burm. ind. 68. t. 26.
2	divergens. Gr.	(ye.) spreading.	China.	—	—	S. h.	Bot. reg. t. 469.
dichotomus. B.R. non DC.							
3	sarmentosus. DC.	(re.) sarmentose.	Sierra Leon.	1822.		S. h.	Desf. an. mus. 1. t. 1.
NERIUM. R.S.		OLEANDER. Pentandria Monogynia. L.					
1	Oleander. R.S.	(ro.) common.	S. Europe.	1596.	6. 10.	G. h.	Flor. græc. t. 248.
	β alba.	(wh.) white-flowered.	—	—	—	G. h.	Lodd. bot. cab. t. 70.
	γ splendens.	(ro.) double-hybrid.	Hybrid.	1815.	—	G. h.	Bot. reg. t. 74.
2	odorum. R.S.	(ro.) sweet-scented.	E. Indies.	1683.	6. 8.	S. h.	Rheed. mal. 9. t. 2.
	β carnum.	(fl.) flesh-coloured.	—	1816.	—	S. h.	Bot. mag. t. 2032.
	γ flore pleno.	(ro.) double-flowered.	—	—	—	S. h.	Rheed. mal. 9. t. 1.
3	flavescens. R.S.	(st.) yellowish.	—	1816.	—	S. h.	
TABERNÆMONTANA.		TABERNÆMONTANA. Pentandria Monogynia. L.					
1	citrifolia. R.S.	(st.) Citron-leaved.	Jamaica.	1734.	5. 8.	S. h.	Plum. ic. t. 245. f. 2.
2	alba. R.S.	(wh.) white-flowered.	W. Indies.	1780.	—	S. h.	Jacq. amer. t. 175. f. 1.
citrifolia. Jacq. non L.							
3	laurifolia. R.S.	(st.) Laurel-leaved.	—	1768.	—	S. h.	Bot. reg. t. 716.
4	cymosa. R.S.	(wh.) cyme-flowered.	S. America.	1820.	—	S. h.	Jacq. amer. t. 181. f. 2.
5	amygdalifolia. R.S.	(wh.) Peach-leaved.	—	1780.	4. 8.	S. h.	Bot. reg. t. 338.
6	discolor. R.S.	(st.) two-coloured.	Jamaica.	1822.	—	S. h.	

7	<i>persicariæfolia</i> . R.S. (st.)	Persicaria-leav'd.	Mauritius.	1826.	4. 8.	S. h.	Jacq. icon. rar. t. 320.
8	<i>arcuata</i> . R.S. (st.)	arch'd follicled.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 143.
9	<i>crispa</i> . L.T. (wh.)	wave-leaved.	E. Indies.	1818.	5. 10.	S. h.	Rheed. mal. 1. t. 46.
10	<i>coronaria</i> . L.T. (wh.)	broad-leaved.	—	1710.	6. 10.	S. h.	Lodd. bot. cab. t. 406.
	<i>β flore pleno</i> . (wh.)	double-flowered.	—	—	—	S. h.	Bot. mag. t. 1865.
<i>Nerium coronarium</i> . B.M.							
11	<i>densiflora</i> . B.R. (wh.)	close-flowered.	Ceylon.	1824.	6. 7.	S. h.	Bot. reg. t. 1273.
12	<i>undulata</i> . R.S. (st.)	waved.	Trinidad.	—	—	S. h.	—
13	<i>odorata</i> . S.S. (ye.)	yellow-flowered.	Cayenne.	1793.	10. 11.	S. h.	Aub. guian. 1. t. 102.
<i>Cameraria lutea</i> . W. <i>Cameraria Tamaquarina</i> . Aublet.							
CAMERARIA. S.S. BASTARD MANGENEEL. Pentandria Monogynia. L.							
1	<i>latifolia</i> . S.S. (wh.)	broad-leaved.	Havannah.	1733.	8.	S. h.	Andr. reposit. t. 261.
2	<i>angustifolia</i> . S.S. (wh.)	narrow-leaved.	S. America.	1752.	9.	S. h.	Plum. ic. t. 72. f. 2.
AMSONIA. R.S. AMSONIA. Pentandria Monogynia. P.S.							
1	<i>latifolia</i> . R.S. (bl.)	broad-leaved.	N. America.	1759.	5. 6.	H. 4.	Bot. reg. t. 151.
2	<i>salicifolia</i> . R.S. (pa.bl.)	Willow-leaved.	—	1812.	—	H. 4.	Bot. mag. t. 1873.
3	<i>angustifolia</i> . R.S. (bl.)	hairy-stalked.	—	1774.	—	H. 4.	Venten. choix. t. 29.
PLUMERIA. S.S. PLUMERIA. Pentandria Monogynia. L.							
1	<i>rubra</i> . R.S. (re.)	red-flowered.	Jamaica.	1690.	7. 8.	S. h.	Bot. reg. t. 780.
2	<i>purpurea</i> . R.S. (pu.)	purple.	Peru.	1820.	—	S. h.	Flor. peruv. 2. t. 137.
3	<i>acuminata</i> . H.K. (wh.)	acnte-leaved.	E. Indies.	1790.	6. 9.	S. h.	Bot. reg. t. 114.
<i>acutifolia</i> . R.S.							
4	<i>obtusa</i> . R.S. (wh.)	blunt-leaved.	W. Indies.	1733.	7. 8.	S. h.	Catesb. car. 1. t. 93.
5	<i>alba</i> . R.S. (wh.)	white.	Jamaica.	—	—	S. h.	Jacq. amer. t. 174. f. 2.
6	<i>incarnata</i> . R.P. (fl.)	flesh-coloured.	Peru.		—	S. h.	Flor. peruv. t. 138.
7	<i>carinata</i> . R.P. (wh.re.)	keel-leaved.	—	1824.	—	S. h.	—
8	<i>bicolor</i> . R.P. (ye.wh.)	two-coloured.	S. America.	1815.	6. 9.	S. h.	Bot. reg. t. 480.
9	<i>tricolor</i> . R.P. (wh.re.)	three-coloured.	—	—	—	S. h.	— t. 510.
10	<i>lutea</i> . R.P. (ye.)	yellow-flowered.	—	—	—	S. h.	Flor. peruv. 2. t. 142.
11	<i>aurantia</i> . H.S.S. (or.)	orange-flowered.	—	1816.	—	S. h.	—
12	<i>pudica</i> . R.S. (st.)	wax-flowered.	—	—	7. 8.	S. h.	—
13	<i>longifolia</i> . R.S.	long-leaved.	Madagascar.	1816.		S. h.	—
14	<i>tuberculata</i> . B.C. (wh.)	tubercled.	S. America.	1820.	6. 8.	S. h.	Lodd. bot. cab. t. 681.
15	<i>tenuifolia</i> . L.C.	slender-leaved.	—			S. h.	—
16	<i>Northiana</i> . L.C.	North's.	—			S. h.	—
17	<i>mexicana</i> . B.C. (wh.)	Mexican.	Mexico.		6. 9.	S. h.	Lodd. bot. cab. t. 1021.
18	<i>Cowani</i> . D.D. (wh.)	Cowan's.	—	1824.	—	S. h.	—
19	<i>Blandfordiana</i> . L.C.	Blandford's.	S. America.			S. h.	—
20	<i>nivea</i> . L.C. (wh.)	snowy white.	—		6. 8.	S. h.	—
21	<i>conspicua</i> . L.C.	conspicuous.	—			S. h.	—
22	<i>macrophylla</i> . L.C.	large-leaved.	—			S. h.	—
23	<i>leucantha</i> . L.C. (wh.)	white-blossomed.	—			S. h.	—
24	<i>parvifolia</i> . H.S.S. (wh.)	small-leaved.	W. Indies.	1813.	7. 8.	S. h.	—
PRESTONIA. S.S. PRESTONIA. Pentandria Monogynia. S.S.							
1	<i>tomentosa</i> . S.S. (ye.)	tomentose.	Brazil.	1820.	5. 8.	S. h. ∞.	—
2	<i>glabrata</i> . S.S. (ye.)	smooth.	S. America.	1823.	—	S. h. ∞.	—
CRYPTOLEPIS. B. CRYPTOLEPIS. Pentandria Monogynia.							
	<i>elegans</i> . L.C.	elegant.	E. Indies.	1823.		S. h. ∞.	—
ALSTONIA. S.S. ALSTONIA. Pentandria Monogynia. S.S.							
1	<i>scholaris</i> . S.S. (wh.)	whorl-leaved.	E. Indies.	1816.		S. h.	Rheed. mal. 1. t. 45.
2	<i>venenata</i> . S.S. (wh.)	poisonous.	—	1823.		S. h.	—
THENARDIA. K.S. THENARDIA. Pentandria Monogynia.							
	<i>floribunda</i> . K.S. (gr.)	abundant-flowered.	Mexico.	1823.		S. h. ∞	H. et B. 3. t. 240.
ECHITES. R.S. ECHITES. Pentandria Monogynia. L.							
1	<i>longiflora</i> . S.S. (wh.)	long-flowered.	Brazil.	1816.	5. 8.	S. h. ∞.	—
2	<i>bispinosa</i> . S.S. (fl.)	two-spined.	C. B. S.	1795.	7. 11.	S. h.	—
3	<i>succulenta</i> . S.S. (re.wh.)	succulent.	—	1820.	4. 6.	S. h.	Jacq. fragm. t. 117.
<i>tuberosa</i> . H.S.S.							
4	<i>repens</i> . R.S. (re.)	creeping.	St. Domingo.	1824.	6. 8.	S. h.	Jacq. am. pict. t. 35.
5	<i>biflora</i> . S.S. (wh.)	twin-flowered.	W. Indies.	1793.	7. 8.	S. h. ∞.	Jacq. amer. 30. t. 21.
6	<i>umbellata</i> . S.S. (wh.)	umbelled.	Jamaica.	1733.	7.	S. h. ∞.	— 30. t. 22.
7	<i>torosa</i> . S.S. (ye.)	climbing.	—	1778.	6. 8.	S. h. ∞.	— 33. t. 27.
8	<i>antilysentérica</i> . S.S. (pi.)	medicinal.	E. Indies.	1821.		S. h.	—
9	<i>pubescens</i> . L.T. (wh.)	pubescent.	—	1822.		S. h.	Rheed. mal. 1. t. 49. ?
10	<i>suberecta</i> . S.S. (ye.)	Savanna-flower.	W. Indies.	1759.	6. 8.	S. h. ∞.	Bot. mag. t. 1064.
11	<i>caryophyllata</i> . S.S. (st.)	Clove-scented.	E. Indies.	1812.	9. 11.	S. h. ∞.	— t. 1919.
12	<i>difformis</i> . S.S. (ye.)	deformed.	Carolina.	1806.	6. 7.	S. h. ∞.	—
13	<i>grandiflora</i> . R.S. (pi.)	large-flowered.	E. Indies.	1823.		S. h.	—
<i>macrantha</i> . S.S.							

- 14 reticulàta. s.s. (wh.) netted-leaved. E. Indies. 1818. 6. 7. G. h. ∪.
- 15 Héynii. s.s. (wh.) Heyne's. ———— ———— ———— S. h. ∪.
- 16 frutescens. H.B. (wh.) frutescent. ———— 1816. ———— S. h. ∪.
- 17 paniculàta. H.B. (wh.) panicled. ———— ———— ———— S. h. ∪.
- BEAUMO'NTIA. B.R. BEAUMO'NTIA. Pentandria Monogynia.
- 1 grandiflòra. B.R. (wh.) oval-leaved. E. Indies. 1812. 5. 7. S. h. ∪. Bot. reg. t. 911.
- 2 longifòlia. L.C. (wh.) long-leaved. ———— 1818. S. h. ∪.
- HÆMADI'CTYON. H.T. HÆMADI'CTYON. Pentandria Monogynia.
- venòsum. H.T. (ye.) red-veined. W. Indies. 1820. 4. 8. S. h. ∪. Bot. mag. t. 2473.
- Echites nùtans*. B.M.
- VALL'ARIS. S.S. VALL'ARIS. Pentandria Monogynia. S.S.
- Pergulànus. s.s. (wh.) smooth-leaved. E. Indies. 1818. S. h. ∪. Rumph. am. 5. t. 29.
- Pergulària glàbra*. w. *Emericia Pergulària*. R.S.
- ICHNOCA'RPUS. S.S. ICHNOCA'RPUS. Pentandria Monogynia. S.S.
- frutescens. s.s. (pu.) shrubby. E. Indies. 1759. 7. 8. S. h. ∪. Burm. zeyl. t. 12. f. 1.
- PARSO'NSIA. R.S. PARSO'NSIA. Pentandria Monogynia. R.S.
- 1 corymbòsa. R.S. (re.) corymb-flowered. W. Indies. 1820. 6. 8. S. h. ∪. Jacq. amer. pict. t. 37.
- Echites corymbòsa*. Jacq.
- 2 floribúnda. R.S. (wh.) many-flowered. Jamaica. ———— ———— S. h. ∪.
- Echites floribúnda*. w.
- WILLUGHBE'IA. S.S. WILLUGHBE'IA. Pentandria Monogynia. S.S.
- èdulis. s.s. (bh.) eatable. E. Indies. 1818. 6. 8. S. h. ∪. Roxb. corom. 3. t. 280.
- LYO'NSIA. B.P. LYO'NSIA. Pentandria Monogynia. S.S.
- stramínea. B.P. (st.) climbing. N. S. W. 1820. 6. 8. S. h. ∪.
- MELOD'INUS. R.S. MELOD'INUS. Pentandria Mono-Digynia.
- 1 scándens. R.S. (wh.) climbing. N. Caledonia. 1775. S. h. ∪. Lam. ill. t. 179.
- 2 parvifòlius. L.C. (wh.) small-leaved. E. Indies. S. h. ∪.
- 3 undulàtus. L.C. (wh.) wave-leaved. ———— S. h. ∪.
- 4 monog'ynus. E.R. (wh.) one-styled. ———— 1816. 4. 8. S. h. ∪. Bot. reg. t. 834.
- CARPOD'INUS. D.D. PISHAMIN. Pentandria Digynia.
- 1 dúlcis. D.D. (wh.) sweet. Sierra Leone. 1823. S. h. ∪.
- 2 ácidus. D.D. (wh.) sour. ———— ———— S. h. ∪.
- APO'CYNUM. S.S. DOG'S-BANE. Pentandria Monogynia. R.S.
- 1 androsæmifòlium. L.C. (bh.) Tutsan-leaved. N. America. 1688. 7. 9. H. 4. Bot. mag. t. 280.
- 2 cannabínium. s.s. (gr.) Hemp-like. ———— 1699. ———— H. 4. Moris. s. 15. t. 3. f. 14.
- 3 hypericifòlium. s.s. (wh.) Hypericum-leav'd. ———— 1758. 6. 7. H. 4. Jacq. vind. 3. t. 66.
- 4 venètum. s.s. (re.) Venetian. Adriatic Isl. 1690. ———— H. 4. Lob. ic. 372. f. 1. 2.
- β álbum*. (wh.) white-flowered. ———— H. 4.

ORDO CXXXIX.

ASCLEPIADEÆ. *Brown prodr. 1. p. 458.*

- PERIPL'OCA. R.S. PERIPL'OCA. Pentandria Digynia. L.
- 1 gr'æca. R.S. (pu.) Virginian-silk. Syria. 1597. 7. 8. H. h. ∪. Bot. reg. t. 803.
- 2 mauritiàna. R.S. (pu.) long-leaved. Mauritius. 1823. S. h. ∪. Rheed. mal. 9. t. 11.
- 3 lævigàta. R.S. (ye.) smooth. Canaries. 1779. 6. 8. G. h. ∪. Cavan. ic. 3. t. 217.
- punicæfòlia*. Cav. icon.
- HEMIDE'SMUS. R.S. HEMIDE'SMUS. Pentandria Digynia. R.S.
- índicus. R.S. (gr.) Indian. Ceylon. 1796. S. h. ∪. Burm. zeyl. t. 83. f. 1.
- CRYPTOST'EGIA. B.R. CRYPTOST'EGIA. Pentandria Digynia. S.S.
- grandiflòra. B.R. (ro.) large-flowered. E. Indies. 1812. 6. 8. S. h. ∪. Bot. reg. t. 435.
- SECAM'ONE. R.S. SECAM'ONE. Pentandria Digynia. R.S.
- 1 emética. R.S. (wh.) narrow-leaved. India. 1816. S. h. ∪. Willd. phyt. 1. t. 5. f. 1.
- 2 ægyptiaca. H.K. (wh.) Egyptian. Egypt. 1752. 7. G. h. ∪. Alp. ægyp. t. 134.
- Alpini*. R.S. *Periplòca Secamòne*. w.
- DUVA'LIA. H.S. DUVA'LIA. Pentandria Digynia. H.S.
- 1 reclinàta. H.S. (pu. ye.) reclined. C. B. S. 1795. 8. 10. D.S. h. ∪. Bot. mag. t. 1397.
- 2 élegans. H.S. (d. pu.) elegant. ———— ———— ———— D.S. h. ∪. ———— t. 1184.
- Stapèlia élegans*. B.M.
- 3 hirtèlla. s.s. (d. pu.) hairy. ———— ———— ———— D.S. h. ∪. Jacq. stap. c. ic.
- Stapèlia hirtèlla*. Jacq.
- 4 cæspitòsa. H.S. (d. pu.) tufted. ———— 1790. 8. 11. D.S. h. ∪. Mass. stap. 20. t. 22.

5 radiàta. H.S. (d.pu.) radiated.	C. B. S.	1795.	9. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 619.
6 replicàta. s.s. (br.pu.) replicate. <i>Stapèlia replicàta</i> . Jacq.	————	1806.	8. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
7 mastòdes. s.s. (d.pu.) teat.	————	1821.	——	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
8 Jacquiniàna. R.S. (d.pu.) Jacquin's. <i>Stapèlia radiàta</i> . Jacq. non B.M.	————	1802.	7. 9.	D.S. $\frac{1}{2}$.	—— t. 37.
9 tuberculàta. H.S.S. (d.p.) tubercled.	————	1774.	7. 11.	D.S. $\frac{1}{2}$.	
10 lævigàta. H.S.S. (d.p.) smooth.	————	1808.	——	D.S. $\frac{1}{2}$.	
11 glomeràta. H.S.S. (d.p.) clustered.	————	——	——	D.S. $\frac{1}{2}$.	
12 compàcta. H.S.S. (d.p.) compact.	————	1800.	8. 11.	D.S. $\frac{1}{2}$.	
PECTIN'ARIA. H.S.S. PECTIN'ARIA. Pentandria Digynia. H.S.					
1 mammillàris. (br.re.) prickly. <i>Stapèlia mammillàris</i> . W.	C. B. S.	1774.	6. 8.	D.S. $\frac{1}{2}$.	Burm. afr. p. 27. t. 11.
2 articulàta. H.S.S. (d.r.) jointed. <i>Stapèlia articulàta</i> . Mas.	————	——	8. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 20. t. 30.
O'RBEA. H.S. O'RBEA. Pentandria Digynia. H.S.					
1 maculòsa. H.S. (y.r.) spotted.	C. B. S.	1804.	6. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1833.
2 mixta. H.S. (ri.ye.) mixed. <i>Stapèlia mixta</i> . Mas.	————	1795.	——	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 38.
3 quinquenèrvia. H.S. (s.p.) five-nerved.	————	1810.	10. 12.	D.S. $\frac{1}{2}$.	
4 trisúlca. J.S. (ye.pu.) trisulcate.	————	1806.	——	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
5 bisúlca. H.S. (s.p.) bisulcate.	————	——	——	D.S. $\frac{1}{2}$.	
6 variegàta. H.S. (s.p.) variegated. <i>Stapèlia variegàta</i> . L. non B.M.	————	1727.	6. 10.	D.S. $\frac{1}{2}$.	Moris. s. 15. t. 3. f. 4.
7 Curtisii. H.S. (s.p.) Curtis's. <i>Stapèlia variegàta</i> . B.M. non L.	————	1787.	——	D.S. $\frac{1}{2}$.	Bot. mag. t. 26.
8 lépida. H.S.S. (st.cr.) pretty.	————	1805.	7. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
9 orbiculàris. H.S.S. (br.) large orbcd.	————	1799.	7. 11.	D.S. $\frac{1}{2}$.	Andr. reposit. t. 448.
10 bufònia. H.S. (y.bk.) toad-like. <i>Stapèlia Bufònis</i> . B.M.	————	1806.	8. 10.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1676.
11 clypeàta. H.S.S. (y.p.) shield-flowered.	————	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
12 planiflòra. H.S.S. (ye.bk.) flat-flowered.	————	1805.	7. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 191.
13 inodòra. H.S.S. (s.p.) scentless.	————	1788.	6. 8.	D.S. $\frac{1}{2}$.	
14 rugòsa. s.s. (gr.br.) rugged.	————	1805.	5. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
15 Wendlandiàna. R.S. (s.br.) Wendland's. <i>Stapèlia rugòsa</i> . Wend. non Jacq.	————	——	6. 9.	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 52.
16 marginàta. R.S. (s.vi.) margined.	————	1805.	——	D.S. $\frac{1}{2}$.	
17 conspurcàta. R.S. (s.vi.) dirtied.	————	1795.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
18 normàlis. R.S. (s.p.) sulphur-coloured.	————	1821.	——	D.S. $\frac{1}{2}$.	Bot. reg. t. 755.
19 marmoràta. R.S. (s.da.) marbled.	————	——	——	D.S. $\frac{1}{2}$.	
20 retùsa. H.S. (s.da.) retuse.	————	1808.	9. 10.	D.S. $\frac{1}{2}$.	
21 anguinea. H.S. (y.da.) snake.	————	1806.	8. 9.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 828.
22 picta. H.S. (st.d.p.) painted.	————	1799.	6. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1169.
23 Woodfordiàna. H.S. (s.p.) Woodford's.	————	1805.	——	D.S. $\frac{1}{2}$.	
STAP'ELIA. H.S. CARRION-FLOWER. Pentandria Digynia. L.					
1 grandiflòra. R.S. (d.p.) great-flowered.	C. B. S.	1795.	9. 12.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 11.
2 spectàbilis. H.S. (d.p.) showy. <i>grandiflòra</i> . B.M. non Mas.	————	1802.	——	D.S. $\frac{1}{2}$.	Bot. mag. t. 585.
3 ambigua. R.S. (re.pu.) ambiguous.	————	1795.	6. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 13. t. 12.
β fúlva. (br.) brown-flowered. <i>ambigua varietas</i> . Jacq.	————	——	——	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
4 soròria. R.S. (re.pu.) sister.	————	1797.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 39.
5 elongàta. (br.) long-branched. <i>soròria varietas</i> . Jacq.	————	——	——	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
6 lanàta. (pu.) lunate-spotted. <i>soròria varietas alia</i> . Jacq.	————	——	——	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
7 pátula. R.S. (d.p.) spreading. <i>soròria</i> . Jacq. non Mas.	————		——	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
8 defléxa. B.M. (ye.re.) reflexed. <i>refléxa</i> . H.S. <i>Gonostimon defléxum</i> . s.s.	————	1806.	——	D.S. $\frac{1}{2}$.	Bot. mag. t. 1890.
9 lúcida. R.S. (pu.) glossy.	————	1821.	——	D.S. $\frac{1}{2}$.	
10 brevirostris. W.en. (br.) short-beaked.	————		——	D.S. $\frac{1}{2}$.	
11 Massòni. H.S. (d.p.) Masson's.	————	1808.	——	D.S. $\frac{1}{2}$.	
12 Astèrias. R.S. (d.p.ye.) Starfish.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 526.
13 stellàris. H.S.S. (br.p.) starry.	————	1804.	8. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
14 hirsùta. R.S. (s.d.vi.) hairy.	————	1710.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. misc. 1. t. 3.
β atra. B.R. (da.pu.) dark-flowered.	————	——	——	D.S. $\frac{1}{2}$.	Bot. reg. t. 756.
15 lanifera. H.S.S. (d.br.) woolly-flowered.	————	1814.	6. 9.	D.S. $\frac{1}{2}$.	

16	flavicomàta. H.s.s. (br.) yellow-haired.	C. B. S.	1814.	6. 9.	D.S. $\frac{1}{2}$.	
17	hamàta. R.s. (pu.re.) hooked.	————	1805.	————	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 242.
18	comàta. R.s. (d.p.ye.) very-hairy.	————	1821.	————	D.S. $\frac{1}{2}$.	
19	multiflòra. DC. (pu.re.) many-flowered.	————	————	————	D.S. $\frac{1}{2}$.	
20	rùfa. R.s. (bl.re.) rusty brown.	————	1795.	6. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 239.
21	pulvinàta. R.s. (r.p.) cushioned.	————	————	————	D.S. $\frac{1}{2}$.	Bot. mag. t. 1240.
22	fissiròstris. R.s. (gr.pu.) cloven-beaked.	————	1821.	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
23	concinna. R.s. (br.) spruce.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 18.
24	glandulífera. R.s. (y.br.) hairy-glanded.	————	————	————	D.S. $\frac{1}{2}$.	
25	hispídula. R.s. (br.) hispid.	————	1821.	————	D.S. $\frac{1}{2}$.	
26	glanduliflòra. R.s. (st.) gland-flowered.	————	1795.	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 16. t. 19.
27	acuminàta. R.s. (d.p.) acuminate.	————	————	7. 9.	D.S. $\frac{1}{2}$.	———— 15. t. 17.
28?	cordàta. H.s. heart-shaped.	————	1805.	6. 8.	D.S. $\frac{1}{2}$.	
29?	canescens. H.s. canescent.	————	1795.	————	D.S. $\frac{1}{2}$.	
30?	ophiúncula. H.s. serpent-like.	————	1805.	————	D.S. $\frac{1}{2}$.	
TRIDE'NTEA. H.S. TRIDE'NTEA. Pentandria Digynia. H.S.						
1	gemmiflòra. H.s. (bk.) gem-flowered.	C. B. S.	1795.	10. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 14. t. 15.
2	stygia. H.s. (bk.) Stygian.	————	1800.	8. 10.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1839.
	<i>Stapelia gemmiflora</i> . β . B.M.					
3	moschàta. H.s.s. (d.p.) musk-scented.	————	1799.	9. 11.	D.S. $\frac{1}{2}$.	Lodd. bot. cab. t. 1051.
	<i>Stapelia hircosa</i> . Jacq. stap. c. ic.					
4	vétula. H.s. (d.p.) purple smooth.	————	1793.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 15. t. 16.
5	Simsii. H.s. (d.p.) Sims's.	————	1800.	————	D.S. $\frac{1}{2}$.	Bot. mag. t. 1234.
	<i>Stapelia vétula</i> . B.M. non Mass.					
6	paniculàta. R.s. (re.) panicle.	————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
7	juvénula. s.s. (d.br.) short-flowered.	————		————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
8	depressa. R.s. (re.p.) depressed.	————		————	D.S. $\frac{1}{2}$.	———— c. ic.
TROMO'TRICHE. H.S. TROMO'TRICHE. Pentandria Digynia. H.S.						
1	fuscàta. H.s.s. (br.) brown-flowered.	C. B. S.	1814.	6. 10.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapelia fuscata</i> . Jacq.					
2	glauca. H.s.s. (cr.) large-glaucous.	————	1799.	6. 11.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
3	revoluta. H.s. (cr.) revolute-flowered.	————	1790.	6. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 724.
	<i>Stapelia revoluta</i> . B.M.					
4	pruinosa. H.s. (bh.) frosted.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 41.
5	obliqua. R.s. (ye.vi.) oblique-flowered.	————	1805.	6. 9.	D.S. $\frac{1}{2}$.	
6	mutabilis. (gr.br.) changeable.	————	1823.	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	β variabilis. (st.re.) variable.	————	————	————	D.S. $\frac{1}{2}$.	———— c. ic.
	<i>Stapelia mutabilis varietas</i> . Jacq.					
7	ciliàta. (ye.) fringed.	————	1795.	10. 12.	D.S. $\frac{1}{2}$.	Mass. stap. 9. t. 1.
	<i>Stapelia ciliata</i> . Mass.					
PODA'NTHEA. H.S. PODA'NTHEA. Pentandria Digynia. H.S.						
1	púlchra. H.s. (st.) beautiful sulphur.	C. B. S.	1800.	8. 10.	D.S. $\frac{1}{2}$.	
	β mājor. (st.d.p.) larger.	————	————	————	D.S. $\frac{1}{2}$.	Bot. mag. t. 786.
	<i>Stapelia verrucosa</i> . B.M. nec aliorum.					
2	irroràta. H.s. (st.cr.) dewy.	————	1795.	7. 9.	D.S. $\frac{1}{2}$.	Mass. stap. 12. t. 9.
3	verrucosa. H.s. (st.br.) warted.	————	————	8. 10.	D.S. $\frac{1}{2}$.	———— 11. t. 5.
4	roriflúa. R.s. (st.cr.) dew-bearing.	————	1802.	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapelia roriflua</i> . Jacq.					
5	pulchélla. H.s. (st.cr.) beautiful.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 36.
6	incarnàta. s.s. (fl.) flesh-coloured.	————	1793.	4. 8.	D.S. $\frac{1}{2}$.	———— 22. t. 34.
OB'ESIA. H.S. OB'ESIA. Pentandria Digynia. H.S.						
1	serrulàta. s.s. (st.br.) sawed.	C. B. S.	1805.	6. 8.	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapelia serrulata</i> . Jacq.					
2	geminàta. H.s. (ye.br.) twin-flowered.	————	1795.	5. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1326.
	<i>Stapelia geminata</i> . B.M.					
3	decòra. H.s. (ye.pu.) neat.	————	————	————	D.S. $\frac{1}{2}$.	Mass. stap. 19. t. 26.
4?	àrida. (ye.br.) dry.	————	1795.	8.	D.S. $\frac{1}{2}$.	———— 21. t. 33.
	<i>Stapelia àrida</i> . Mass.					
GONOSTEMON. H.S. GONOSTEMON. Pentandria Digynia. H.S.						
1	divaricàtum. H.s. (fl.) divaricated.	C. B. S.	1793.	6. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1007.
	<i>Stapelia divaricata</i> . B.M.					
2	strictum. H.s.s. (fl.) upright.	————	1819.	10. 12.	D.S. $\frac{1}{2}$.	Bot. mag. t. 2037.
	<i>Stapelia stricta</i> . B.M.					
3	pàllidum. R.s. (pa.) pale-flowered.	————	————	————	D.S. $\frac{1}{2}$.	Wendl. coll. 2. t. 51.
	<i>Stapelia pallida</i> . Wendl.					
CARUNCULARIA. H.S. CARUNCULARIA. Pentandria Digynia. H.S.						
1	Simsii. (re.bk.) Sims's.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Sims bot. mag. t. 793.
	<i>Stapelia pedunculata</i> . B.M. <i>pedunculata Simsii</i> . Jacq. stap. c. ic.					

2	Massòni.	(br.) Masson's.	C. B. S.	1790.	6. 11.	D.S. $\frac{1}{2}$.	Mass. stap. p. 17. t. 21.
	<i>Stapèlia pedunculàta</i> . Mass. <i>pedunculàta</i> Massòni. Jacq. stap. c. ic.						
3	Jacquini.	(co.) Jacquin's.	————	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapèlia pedunculàta</i> . Jacq.						
4	penduliflora.	(br.) pendulous-flower'd.	————	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
	<i>Stapèlia pedunculàta alia</i> . Jacq.						
5	apèrta.	(p.pu.) open-flowered.	————	1795.	7. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 23. t. 37.
	<i>Stapèlia apèrta</i> . Mass.						
PIARA'NTHUS. B. PIARA'NTHUS. Pentandria Digynia. H.S.							
1	punctatus. R.S.	(fl.) purple dotted.	C. B. S.	1795.	7. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 18. t. 24.
2	pùllus. R.S.	(d.p.) many-flowered.	————	1774.	8. 9.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1618.
3	ramòsus.	(bk.) branched.	————	1795.	6. 8.	D.S. $\frac{1}{2}$.	Mass. stap. 21. t. 32.
	<i>Stapèlia ramòsa</i> . Mass.						
4	parviflorus. s.s.	(pu.) small-flowered.	————	————	————	D.S. $\frac{1}{2}$.	Mass. stap. 22. t. 35.
5	piliferus.	(bk.) hairy-tubercled.	————	1799.	————	D.S. $\frac{1}{2}$.	———— 17. t. 23.
HO'ODIA. Ho'ODIA. Pentandria Digynia.							
	Gordòni.	(br.) Gordon's.	C. B. S.	1796.		D.S. $\frac{1}{2}$.	Mass. stap. 24. t. 40.
	<i>Stapèlia Gordòni</i> . Mass.						
HUE'RNIA. B. HUE'RNIA. Pentandria Digynia. R.S.							
1	reticulàta. H.S.	(d.pu.) netted.	C. B. S.	1793.	7. 8.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1662.
	<i>Stapèlia reticulàta</i> . B.M.						
	β defòrmis. J.S.	(wh.pu.) deformed.	————	————	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
2	campanulàta. H.S.	(st.pu.) bell-shaped.	————	1795.	7. 10.	D.S. $\frac{1}{2}$.	Bot. mag. t. 1227.
3	clavigera. H.S.	(st.cr.) club-haired.	————	————	————	D.S. $\frac{1}{2}$.	———— t. 1661.
	<i>Stapèlia campanulàta</i> . B.M. <i>nec aliorum</i> .						
4	venusta. H.S.	(st.re.) showy.	————	————	6. 7.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 3.
5	lentiginosa. H.S.	(st.pu.) freckled.	————	————	7. 11.	D.S. $\frac{1}{2}$.	Bot. mag. t. 506.
6	guttata. H.S.	(st.cr.) red-spotted.	————	————	8. 11.	D.S. $\frac{1}{2}$.	Mass. stap. 10. t. 4.
7	humilis. H.S.	(st.pu.) humble.	————	————	————	D.S. $\frac{1}{2}$.	———— 10. t. 5.
8	tubata. H.S.	(st.re.) tube-flowered.	————	1805.	————	D.S. $\frac{1}{2}$.	Jacq. stap. c. ic.
9	duodecimfida. J.S.	(st.re.) eleven-cleft.	————	————	————	D.S. $\frac{1}{2}$.	———— c. ic.
10	crispa. H.S.	(st.pu.) curled.	————	————	————	D.S. $\frac{1}{2}$.	————
11	barbata. H.S.	(st.pu.) bearded.	————	1795.	————	D.S. $\frac{1}{2}$.	Mass. stap. 11. t. 7.
12	ocellata. R.S.	(st.pu.) eyed.	————	1816.	————	D.S. $\frac{1}{2}$.	————
BRACHYSTE'LMA. B.R. BRACHYSTE'LMA. Pentandria Digynia. S.S.							
	tuberòsum. B.R.	(pu.) tuberous-rooted.	C. B. S.	1820.	4. 10.	S. $\frac{1}{2}$.	Bot. reg. t. 722.
CARALL'UMA. H.S. CARALL'UMA. Pentandria Digynia. S.S.							
1	adscéndens. H.S.	(pu.) ascending.	E. Indies.	1804.	7. 11.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 30.
2	umbellata. H.S.	(fl.) umbelled.	————	————	————	D.S. $\frac{1}{2}$.	———— 3. t. 241.
3	crenulata. Wa.	(ye.pu.) crenulate.	————	1824.	6. 9.	D.S. $\frac{1}{2}$.	Wall pl. as. rar. t. 7.
4	fimbriata. Wa.	(pu.) fringed.	————	————	————	D.S. $\frac{1}{2}$.	———— t. 8.
HO'YA. B.P. HO'YA. Pentandria Digynia. R.S.							
1	crassifolia. H.S.	(wh.) large-leaved.	China.	1817.	10. 1.	D.S. $\frac{1}{2}$.	————
2	carnosa. H.K.	(bh.) fleshy-leaved.	————	1802.	7. 10.	D.G. $\frac{1}{2}$.	Bot. mag. t. 788.
3	pallida. B.R.	(bh.) pale.	————	1820.	————	D.S. $\frac{1}{2}$.	Bot. reg. t. 951.
	<i>acuta</i> . H.R.						
4	Póttzii. H.T.	(bh.) Potts's.	————	1822.	————	D.S. $\frac{1}{2}$.	————
5	trinervis. H.T.	(bh.) three-nerved.	————	1824.	————	D.S. $\frac{1}{2}$.	————
6	lanceolata. D.P.	(bh.) spear-leaved.	Nepaul.	1825.	————	D.G. $\frac{1}{2}$.	————
7	viridiflora. B.P.	(gr.) green-flowered.	E. Indies.	————		S. $\frac{1}{2}$.	Rheed. mal. 9. t. 15.
FISCH'ERIA. DC. FISCH'ERIA. Pentandria Digynia.							
	scándens. DC.	(gr.ye.) climbing.	S. America.	1826.		S. $\frac{1}{2}$.	DC. hort. mon. ined. t. 67.
TYLO'PHORA. B.P. TYLO'PHORA. Pentandria Digynia. R.S.							
1	grandiflora. B.P.	(br.gr.) great-flowered.	N. S. W.	1822.	6. 8.	G. $\frac{1}{2}$.	————
2	barbata. B.P.	(gr.br.) bearded.	————	————	————	G. $\frac{1}{2}$.	————
3	exilis. L.T.	(pu.) slender.	E. Indies.	1823.	————	S. $\frac{1}{2}$.	Linn. trans. 12. t. 16.
CEROPE'GIA. R.S. CEROPE'GIA. Pentandria Digynia. R.S.							
1	aphylla. H.S.	(st.) leafless.	Canaries.	1808.		S. $\frac{1}{2}$.	————
2	stapeliæformis. H.P.	(br.) Stapelia-like.	C. B. S.	1826.	7. 8.	D.S. $\frac{1}{2}$.	————
3	torulosa. H.R.	 straddling.	————	1821.		D.S. $\frac{1}{2}$.	————
4	dichótoma. H.R.	(st.) forked.	E. Indies.	1806.	8.	D.S. $\frac{1}{2}$.	————
5	júncea. R.S.	(st.pu.) rushy.	————	1820.	4. 6.	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 10.
6	atricana. B.R.	(br.) African.	C. B. S.	1821.	4. 11.	D.S. $\frac{1}{2}$.	Bot. reg. t. 626.
7	bulbosa. R.S.	(pu.) bulbous-rooted.	E. Indies.	————	————	D.S. $\frac{1}{2}$.	Roxb. cor. 1. t. 7.
8	tuberosa. R.S.	(pu.) tuberous-rooted.	————	————	————	D.S. $\frac{1}{2}$.	———— 1. t. 9.
PERGUL'ARIA. R.S. PERGUL'ARIA. Pentandria Digynia. R.S.							
1	odoratissima. R.S.	(st.) large.	E. Indies.	1784.	6. 7.	S. $\frac{1}{2}$.	Bot. reg. t. 412.
2	minor. R.S.	(st.) smaller.	————	1790.	5. 8.	S. $\frac{1}{2}$.	Bot. mag. t. 755.
3	sanguinolenta. B.M.	(st.) bloody-juiced.	Sierra Leon.	1822.	8. 9.	S. $\frac{1}{2}$.	———— t. 2532.

MARSD'ENIA. B.P.	MARSD'ENIA.	Pentandria Digynia.	R.S.				
1 suavèolens. B.P. (wh.)	sweet-scented.	N. S. W.	1816.	3. 8.	G. h. ∪.	Bot. reg. t. 459.	
2 erècta. R.S. (wh.)	upright.	Syria.	1597.	7. 8.	G. h. ∪.	Jacq. vind. 1. t. 33.	
DISCHI'DIA. B.P.	DISCHI'DIA.	Pentandria Digynia.	S.S.				
bengalénsis. L.T. (st.)	Bengal.	E. Indies.	1818.	6. 10.	S. h. ∪.	Bot. mag. t. 2916.	
GYMN'EMA. B.P.	GYMN'EMA.	Pentandria Digynia.	R.S.				
1 sylvéstre. R.S. (wh.)	netted-leaved.	Ceylon.	1816.	6. 8.	S. h. ∪.	Willd. phyt. 1. t. 5. f. 3.	
2 tíngens. s.s. (ye.)	pointed-leaved.	E. Indies.	1823.	—	S. h. ∪.	Roxb. corom. 3. t. 2.	
<i>Asclèpias tíngens</i> . R.C.							
3 tenacíssimum. s.s. (ye.)	tough.	—	1806.		S. h. ∪.	Roxb. corom. 3. t. 240.	
SARCO'LOBUS. R.S.	SARCO'LOBUS.	Pentandria Digynia.	R.S.				
1 globòsus. R.S. (wh.)	globular-fruit'd.	E. Indies.	1823.		S. h. ∪.	Wall. as. res. 12. t. 4.	
2 carinàtus. R.S. (gr. ye.)	keeled-fruited.	—	—		S. h. ∪.	— 12. t. 1.	
GONO'LOBUS. R.S.	GONO'LOBUS.	Pentandria Digynia.	R.S.				
1 marítimus. R.S. (gr. p.)	sea-side.	Caracas.	1823.	6. 10.	S. h. ∪.	Bot. reg. t. 931.	
2 suberòsus. R.S. (pu.)	cork-barked.	America.	1732.	7. 9.	S. h. ∪.	Dill. elt. t. 229. f. 2.	
3 crispiflòrus. R.S. (wh. gr.)	curled-flower'd.	S. America.	1741.	7. 8.	S. h. ∪.	Plum. ic. t. 216. f. 1.	
4 guianénsis. s.s. (gr.)	green-flowered.	Guiana.	1826.	7. 9.	S. h. ∪.	—	
<i>viridiflòrus</i> . R.S. non Nutt. <i>Cynánchum viridiflòrum</i> . Meyr.							
5 grandiflòrus. R.S. (ye.)	large-flowered.	S. America.	1825.	8. 10.	S. h. ∪.	Bot. reg. t. 1053.	
6 rostràtus. R.S. (gr.)	beaked-petal'd.	Trinidad.	1823.	—	S. h. ∪.	—	
7 nìger. R.S. (bk.)	black-flowered.	Mexico.	1825.	9. 11.	G. 4. ∪.	Bot. mag. t. 2799.	
<i>Cynánchum nigrum</i> . Cav. ic. 2. t. 159.							
8 uniflòrus. K.S. (pu.)	solitary-flowered.	—	—	—	S. h. ∪.	H. et B. 3. t. 238.	
9 carolinénsis. R.S. (d. p.)	blunt-flowered.	N. America.	1820.	7. 9.	H. 4. ∪.	Jacq. ic. 2. t. 342.	
10 hirsùtus. R.S. (d. pu.)	hairy.	—	1806.	6. 9.	H. 4. ∪.	Swt. br. fl. gar. t. 1.	
11 macrophy'llus. N. (p. pu.)	large-leaved.	—	1822.	—	H. 4. ∪.	—	
12 discolor. R.S. (d. pu.)	Virginian.	—	1809.	7. 9.	H. 4. ∪.	Bot. mag. t. 1273.	
<i>Cynánchum discolor</i> . B.M.							
13 obliquus. R.S. (pu.)	oblique-flower'd.	Carolina.	1818.	—	H. 4. ∪.	Jacq. ic. 2. t. 341.	
14 Baldwyniànus. (st.)	Baldwyn's.	Savannah.	1822.	7. 9.	H. 4. ∪.	Lodd. bot. cab. t. 39.	
<i>hirsùtus</i> . L. bot. cab. ? <i>nec aliorum</i> . <i>carolinianus</i> . N. non Jacq.							
15 hirtus. R.S. (pu.)	hairy-leaved.	America.		—	S. h. ∪.	Moris. his. 3. s. 15. t. 34.	
16 undulàtus. R.S. (br. pu.)	wave-leaved.	S. America.	1814.	—	S. h. ∪.	Jacq. amer. 85. t. 8.	
17 viridiflòrus. N. (gr.)	Nuttall's.	Mississippi.	1822.	—	H. 4. ∪.	—	
<i>Nuttalliànus</i> . s.s.							
18 l'ævis. R.S. (d. pu.)	smooth.	—	1806.	6. 7.	H. 4. ∪.	—	
19 diademàtus. B.R. (st.)	red-crowned.	Mexico.	1812.	9. 10.	S. h. ∪.	Bot. reg. t. 252.	
20 barbàtus. R.S. (ye.)	bearded.	—	1826.	—	G. h. ∪.	H. et B. n. gen. 3. t. 23.	
21 mucronàtus. (br. re.)	sharp-pointed.	Trinidad.	1804.	7. 8.	S. h. ∪.	Andr. reposit. t. 515.	
<i>Cynánchum mucronàtum</i> . A.R. non K.S.							
ENSL'ENIA. N.	ENSL'ENIA.	Pentandria Digynia.					
álbida. N. (st.)	straw-coloured.	Virginia.	1828.	7. 9.	H. 4. ∪.	—	
ASCL'EPIAS. R.S.	SWALLOW-WORT.	Pentandria Digynia.	R.S.				
1 syriaca. Lam. (li.)	Syrian.	Astracan.	1629.	7. 8.	H. 4. ∪.	Blackw. t. 521.	
<i>Beid el Ossar</i> . Veslingius. Linn. trans. v. 14. p. 239.							
2 obovàta. E.C. (pu.)	obovate-leaved.	Carolina.	1826.	—	H. 4. ∪.	—	
3 tomentòsa. E.C. (pu.)	woolly.	—	—	—	H. 4. ∪.	—	
4 exaltàta. L.en. (pu.)	tall.	N. America.		—	H. 4. ∪.	—	
5 phytolaccoídes. R.S. (pu.)	Phytolacca-like.	—	1812.	—	H. 4. ∪.	—	
6 parviflòra. R.S. (wh.)	small flowered.	—	1774.	7. 10.	H. 4. ∪.	Jacq. f. ecl. t. 25.	
7 salicifòlia. B.C. (wh.)	Willow-leaved.	S. America.	1816.	6. 9.	G. 4. ∪.	Lodd. bot. cab. t. 2.	
8 angustifòlia. R.S. (fl.)	narrow-leaved.	Mexico.	1824.	—	F. 4. ∪.	—	
9 curassávica. R.S. (or.)	Curassavian.	S. America.	1692.	6. 10.	S. 4. ∪.	Bot. reg. t. 81.	
10 nívea. R.S. (wh.)	Almond-leaved.	N. America.	1730.	7. 9.	H. 4. ∪.	Bot. mag. t. 1151.	
11 virgàta. R.S. (li.)	slender.	Mexico.	1825.	—	F. 4. ∪.	—	
12 incarnàta. R.S. (pu.)	flesh-coloured.	N. America.	1710.	7. 8.	H. 4. ∪.	Bot. reg. t. 250.	
13 púlchra. R.S. (pu.)	hairy.	—	—	—	H. 4. ∪.	Swt. br. fl. gar. s. 2. t. 1.	
14 am'œna. R.S. (pu.)	oval-leaved.	—	1732.	—	H. 4. ∪.	Dill. elt. t. 27. f. 30.	
15 purpuráscens. R.S. (pu.)	purple.	—	—	—	H. 4. ∪.	— t. 28. f. 31.	
16 citrifòlia. R.S. (wh.)	Citron-leaved.	Florida.	1812.	—	F. 4. ∪.	Jacq. icon. t. 345.	
17 variegàta. R.S. (wh. re.)	variegated.	—	1597.	—	H. 4. ∪.	Bot. mag. t. 1152.	
18 obtusifòlia. R.S. (pu.)	blunt-leaved.	—	1823.	—	H. 4. ∪.	—	
19 amplexicaùlis. R.S. (re.)	stem-clasping.	—	1812.	—	H. 4. ∪.	—	
20 laurifòlia. M. (pu.)	Laurel-leaved.	—	1823.	—	H. 4. ∪.	Pluk. amal. t. 358. f. 2.	
<i>periplocáfolia</i> . N.							
21 acuminàta. R.S. wh pu.	taper-pointed.	—	1812.	—	H. 4. ∪.	—	
22 paupércula. R.S. (re.)	remote-leaved.	—	—	6. 7.	H. 4. ∪.	—	
23 pedicellàta. R.S. (gr. ye.)	dwarf.	—	—	—	H. 4. ∪.	—	

- 24 quadrifolia. R.S. (bh.) four-leaved. N. America. 1823. 8. 9. H. 4. Jacq. obs. 2. t. 33.
 25 verticillata. R.S. (bh.) whorl-leaved. ——— 1759. 8. 10. H. 4. Swt. br. fl. gar. t. 141.
 26 mexicana. R.S. (wh.) Mexican. Mexico. 1823. 7. 9. G. 4. Cavan. ic. 1. t. 58.
 27 rosea. R.S. (ro.) rose-coloured. ——— 1824. ——— G. 4.
 28 linifolia. R.S. (wh.) Flax-leaved. ——— ——— G. 4.
 29 Linaria. R.S. (wh.) toadflax-leaved. ——— 1802. ——— G. 4. Cavan. ic. 1. t. 57.
 30 rubra. R.S. (re.) red-flowered. N. America. ——— ——— H. 4.
 31 tuberosa. R.S. (or.) tuberous-rooted. ——— 1690. 7. 9. H. 4. Bot. reg. t. 76.
 32 decumbens. w. (or.) decumbent. ——— 1731. ——— H. 4. Swt. br. fl. gar. s. 2. t. 21.
ACER'ATES. E.C. ACER'ATES. Pentandria Digynia.
 longifolia. E.C. (p.pu.) long-leaved. N. America. 1816. 7. 8. H. 4.
Asclepius longifolia. R.S. Gomphocarpus longifolius. s.s.
ANANTH'ERIX. N. ANANTH'ERIX. Pentandria Digynia. N.
 viridis. N. (gr.) green-flowered. N. America. 1812. 8. 10. H. 4.
STYLA'NDRA. N. STYLA'NDRA. Pentandria Digynia. N.
 pumila. N. (st.) dwarf. Carolina. 1812. 7. 8. G. 4.
Podostigma pubescens. s.s. Asclepias pedicellata. Ph.
GOMPHOCA'RPUS. R.S. GOMPHOCA'RPUS. Pentandria Digynia. R.S.
 1 arborescens. R.S. (wh.) broad-leaved. C. B. S. 1714. 12. G. 4. Jacq. schœnb. 1. t. 50.
 2 crispus. R.S. (pu.) curled-leaved. ——— 1774. 7. G. 4. Comm. rar. t. 17.
 3 fruticosus. R.S. (wh.) Willow-leaved. ——— 1714. 6. 9. G. 4. Bot. mag. t. 1628.
Asclepias fruticosa. w.
OXYSTE'LMA. R.S. OXYSTE'LMA. Pentandria Digynia. R.S.
 esculentum. R.S. (wh. ro.) esculent. E. Indies. 1816. S. 4. ∪. Roxb. corom. 1. t. 11.
XYSMAL'OBIUM. R.S. XYSMAL'OBIUM. Pentandria Digynia. R.S.
 1 undulatum. R.S. (gr.) waved-leaved. C. B. S. 1783. 7. 8. G. 4. Comm. rar. t. 16.
 2 grandiflorum. R.S. (pu.) large-flowered. ——— 1823. ——— G. 4.
CALO'TROPIS. R.S. CALO'TROPIS. Pentandria Digynia. R.S.
 1 procera. R.S. (wh.) bell-flowered. Persia. 1714. 7. 9. S. 4. Andr. reposit. t. 271.
Asclepias gigantea. A.R.
 2 gigantea. R.S. (p.pu.) curled-flower'd. E. Indies. 1690. ——— S. 4. Bot. reg. t. 58.
OXYPETALUM. R.S. OXYPE'TALUM. Pentandria Digynia.
 1 appendiculatum. M.N. appendaged. Brazil. 1824. 6. 8. S. 4. ∪. Mart. n. pl. bras. t. 30.
 2 Banksii. R.S. Banks's. ——— 1826. ——— S. 4. ∪. ——— t. 29.
CYNA'NCHUM. R.S. CYNA'NCHUM. Pentandria Digynia. L.
 1 acutum. R.S. (wh.) acute-leaved. Europe. 1596. 7. H. 4. ∪. Flor. græc. t. 250.
 2 monspeliacum. R.S. (bh.) Montpellier. S. Europe. ——— 8. 9. H. 4. ∪. ——— t. 251.
 3 pauciflorum. R.S. (gr. w.) few-flowered. E. Indies. 1822. 5. 8. S. 4. ∪. Will. phy. 1. n. 23. t. 5. f. 3.
Periplœca tunicata. w.
 4 pilosum. R.S. (wh.) hairy. C. B. S. 1726. 6. 9. G. 4. ∪. Bot. reg. t. 111.
Periplœca africana. A.R. 557.
 5 crassifolium. R.S. (gr. w.) thick-leaved. ——— 1816. G. 4. ∪.
 6 capense. R.S. (wh.) Cape. ——— 1820. G. 4. ∪.
 7 roseum. R.S. (ro.) rosy. Dahuria. 1816. 7. 8. H. 4. Gmel. sib. 4. t. 42.
Asclepias darûrica. w.
 8 nigrum. R.S. (bk.) black. S. Europe. 1596. 5. 8. H. 4. ∪. Bot. mag. t. 2390.
 9 medium. R.S. (br.) middle. ——— H. 4. ∪.
 10 Vincetoxicum. R.S. (w.) officinal. Europe. 1596. ——— H. 4. Flor. dan. t. 849.
Asclepias Vincetoxicum. w.
 11 fuscatum. s.s. (st.) yellow-flowered. ——— ——— H. 4.
 12 sibiricum. R.S. (st.) Siberian. Siberia. 1775. 7. 8. H. 4. Murr. gott. 2. t. 7.
 13 foetidum. R.S. (st.) fetid. Mexico. 1823. ——— G. 4. ∪. Cavan. ic. 2. t. 158.
 14 viridiflorum. B.M. (gr. re.) green-flowered. E. Indies. 1814. 10. 12. S. 4. ∪. Bot. mag. t. 1929.
 15 undatum. A.R. (gr.) wave-leaved. ——— 1803. 7. 8. S. 4. ∪. Andr. reposit. t. 410.
HARRIS'ONIA. B.M. HARRIS'ONIA. Pentandria Digynia.
 loniceroïdes. B.M. (cr.) Honeysuckle. Brazil. 1824. 9. 10. S. 4. Bot. mag. t. 2699.
D'ÆMIA. R.S. D'ÆMIA. Pentandria Digynia. R.S.
 1 extensa. R.S. (st.) smooth-leaved. E. Indies. 1778. 7. 8. S. 4. ∪. Jacq. ic. 1. t. 54.
 2 bicolor. (gr. pu.) two-coloured. ——— 1806. ——— S. 4. ∪. Andr. reposit. t. 562.
Cynanchum bicolor. A.R.
DIPLOL'EPIS. R.S. DIPLOL'EPIS. Pentandria Digynia.
 1 vomitoria. H.T. (st.) dull-leaved. China. 1820. 6. 9. S. 4. ∪.
 2 apiculata. H.T. (st.) glossy-leaved. ——— ——— S. 4. ∪.
SARCOSTE'MMA. R.S. SARCOSTE'MMA. Pentandria Digynia. R.S.
 1 vuminale. R.S. (wh.) twisting. E. Indies. 1731. 7. S. 4. ∪.
 2 Swartzianum. R.S. (wh.) Swartz's. W. Indies. S. 4. ∪. Sloan. hist. 1. t. 131. f. 1.
EUSTEGIA. R.S. EUSTEGIA. Pentandria Digynia. R.S.
 hastata. R.S. (gr. wh.) halberd-leaved. C. B. S. 1816. 6. 8. G. 4. Spr. n. ent. t. 1. f. 5-10.
Apocynum hastatum. w.

METASTE'LMA. R.S.	METASTE'LMA.	Pentandria Digynia.			
parviflorum. R.S. (wh.)	small-flowered.	W. Indies.	1826.	5. 6.	S. h. ∩. Plum. ic. 215. f. 1.
MICROL'OMA. R.S.	MICROL'OMA.	Pentandria Digynia. R.S.			
1 sagittatum. R.S. (sc.)	arrow-leaved.	C. B. S.	1775.	7. 8.	G. h. ∩. Jacq. schœn. 1. t. 8.
2 lineare. R.S. (cr.)	linear-leaved.	—	1816.	—	G. h. ∩. Pluk. man. 17. t. 331.
ASTEPHA'NUS. R.S.	ASTEPHA'NUS.	Pentandria Digynia. R.S.			
1 triflorus. R.S. (wh.)	three-flowered.	C. B. S.	1816.	7. 9.	G. 4. ∩.
2 linearis. R.S. (wh.)	panicled.	—	—	—	G. 4. ∩.
3 lanceolatus. R.S. (wh.)	spear-leaved.	—	1822.	—	G. 4. ∩.

ORDO CXL.

GENTIANEÆ. *Brown prodr. 1. p. 449.*

GENTIA'NA. R.S.	GENTIAN.	Tetr-Pentandria Digynia.			
1 lutea. R.S. (ye.)	yellow.	Alps Europe.	1596.	6. 7.	H. 4. Mill. ic. t. 139.
2 hybrida. R.S. (ye.re.)	hybrid.	Switzerland.	1825.	—	H. 4.
3 purpurea. R.S. (pu.)	purple.	—	1768.	—	H. 4. Andr. reposit. t. 117.
4 pannonica. R.S. (pa.pu.)	round-petaled.	—		—	H. 4. Jacq. aust. 2. t. 136.
β albiflora. (wh.)	white-flowered.	—	1826.	—	H. 4.
5 punctata. R.S. (st.pu.)	dotted-flowered.	—	1775.	—	H. 4. Jacq. aust. 5. t. ap. 2.
6 campanulata. R.S. (ye.)	bell-flowered.	—	1821.	—	H. 4. — ap. t. 29.
7 septemfida. R.S. (bl.)	crested.	Levant.	1801.	—	H. 4. Bot. mag. t. 1229.
β guttata. (bl.wh.)	spotted.	—	—	—	H. 4. — t. 1410.
8 asclepiadæa. R.S. (bl.)	swallowwort-ld.	Austria.	1629.	7. 8.	H. 4. — t. 1078.
9 cruciata. R.S. (bl.)	Crosswort.	—	1596.	6. 7.	H. 4. Jacq. aust. 4. t. 372.
10 macrophylla. R.S. (bl.)	long-leaved.	Siberia.	1796.	7. 8.	H. 4. Bot. mag. t. 1414.
11 adscendens. s.s. (bl.)	ascending.	—	1799.	6. 7.	H. 4. — t. 705.
β decumbens. R.S. (bl.)	decumbent.	—	—	—	H. 4. — t. 723.
12 frigida. R.S. (wh.)	frigid.	Carpathian m.	1816.	—	H. 4. Frœl. gent. n. 13. 12.
13 algida. R.S. (st.bl.)	narrow-leaved.	Siberia.	1808.	—	H. 4. Pall. ros. 2. t. 95.
14 gelida. R.S. (st.)	cream-coloured.	Caucasus.	1816.	—	H. 4.
15 Pneumonánthe. R.S. (bl.)	Calathian violet.	England.		8. 9.	H. 4. Eng. bot. v. 1. t. 20.
β guttata. B.M. (bh.wh.)	spotted-flowered.	—		—	H. 4. Bot. mag. t. 1101.
16 pseudo-pneumonánthe. R.S. (bl.)	Canadian.	N. America.	1828.	—	H. 4.
Pneumonánthe. Ph.					
17 linearis. R.S. (bl.)	linear-leaved.	—	1816.	—	H. 4.
18 triflora. R.S. (p.bl.)	three-flowered.	Siberia.	1807.	6. 7.	H. 4. Pall. ross. 1. t. 93. f. 1.
19 Saponaria. B.M. (bl.)	barrel-flower'd.	N. America.	1776.	8. 9.	H. 4. Bot. mag. t. 1039.
20 Catesbæi. N. (bl.)	Catesby's.	—	—	6. 8.	H. 4. Andr. reposit. t. 418.
21 intermedia. B.M. (pu.)	intermediate.	—	1820.	8. 9.	H. 4. Bot. mag. t. 2303.
22 incarnata. B.M. (fl.)	flesh-coloured.	—	1812.	9. 11.	H. 4. — t. 1856.
23 ochroleuca. R.S. (st.)	pale-flowered.	—	1803.	8. 9.	H. 4. — t. 1551.
24 quinqueflora. R.S. (pu.)	five-flowered.	—	1823.	7. 9.	H. 4.
amarelloides. M.					
25 aurea. R.S. (wh.ye.)	large involucred.	Norway.	—	—	H. 4. Flor. dan. t. 344.
quinquefolia. F.D. involucreta.	Rotth. ac. havn. 10. p. 434. t. 1. f. 2. A.B.				
26 umbellata. M.B. (pa.bl.)	umbel-flowered.	Caucasus.	1823.	8. 10.	H. 4.
27 acaulis. R.S. (bl.)	dwarf.	Wales.		3. 6.	H. 4. Eng. bot. v. 23. t. 1.
28 alpina. R.S. (bl.)	Alpine.	Switzerland.	1818.	—	H. 4. Lodd. bot. cab. t. 42.
29 altaica. R.S. (bl.)	Altay.	Siberia.	1826.	—	H. 4. Pall. ross. 2. t. 97. f. 1.
30 pyrenæica. R.S. (bl.)	Pyrenean.	Pyrenees.	1825.	—	H. 4. W. et K. hung. t. 27.
31 pumila. R.S. (bl.)	small.	Switzerland.	—	—	H. 4. Jacq. obs. 2. t. 43.
32 verna. R.S. (bl.)	spring.	England.		—	H. 4. Eng. bot. v. 7. t. 103.
33 æstiva. R.S. (bl.)	summer.	Germany.	1826.	—	H. 4. Rœm. arch. 1. t. 3. f. 1.
34 bavaria. R.S. (bl.)	Bavarian.	—	1775.	7.	H. 4. Vill. delph. 2. t. 10.
35 imbricata. R.S. (bl.)	imbricated.	Switzerland.	1825.	—	H. 4. Barrel. ic. 101. f. 2.
36 angulosa. R.S. (bl.)	angular-calyx'd.	Caucasus.	1826.	4. 6.	H. 4. Marsch. cent. rar. 1. t. 4.
37 utriculosa. R.S. (bl.)	bladdered.	—	—	7. 9.	H. 4. W. et K. hung. t. 2.
38 nivâlis. R.S. (bl.)	small alpine.	Scotland.		8. 9.	H. 4. Eng. bot. v. 13. t. 2.
39 aquatica. R.S. (bl.)	water-side.	Dahuria.	1827.	7. 9.	H. 4.

40 <i>humilis</i> . R.S. (<i>pa.bl.</i>) dwarf.	Caucasus.	1827.	7. 9.	H. ♂.	Pall. ross. 2. t. 97. f. 2.
41 <i>uniflora</i> . R.S. (<i>vi.</i>) one-flowered.	M. Carpathian.	1828.	—	H. ♂.	Roem. ar. 1. p. 23. t. 2. f. 4.
42 <i>germanica</i> . R.S. (<i>vi.</i>) German.	Germany.	1825.	8. 9.	H. ♂.	Mayrh. fl. mon. t. 278.
43 <i>Americana</i> . R.S. (<i>vi.</i>) autumnal.	Britain.		8. 10.	H. ♂.	Eng. bot. v. 4. t. 236.
44 <i>uliginosa</i> . R.S. (<i>bl.</i>) marsh.	Germany.	1827.	—	H. ♂.	
45 <i>obtusifolia</i> . R.S. (<i>bl.st.</i>) blunt-leaved.	Switzerland.	1828.	—	H. ♂.	Roem. ar. 1. p. 22. t. 2. f. 3.
46 <i>pratensis</i> . R.S. (<i>vi.</i>) field.	Siberia.	1824.	—	H. ♂.	
47 <i>caucásica</i> . R.S. (<i>bl.</i>) Caucasian.	Caucasus.	1804.	7. 8.	H. ♂.	Bot. mag. t. 1038.
48 <i>campéstris</i> . R.S. (<i>vi.</i>) field.	Britain.		8. 10.	H. ♂.	Eng. bot. v. 4. t. 237.
49 <i>angustifolia</i> . R.S. (<i>bl.</i>) slender-leaved.	N. America.	1820.	8. 9.	H. ♀.	
50 <i>glaciális</i> . R.S. (<i>bl.</i>) northern.	N. Europe.	1826.		H. ♂.	Sch. rom. arc. 1. t. 2. f. 5.
51 <i>conferta</i> . F. (<i>bl.</i>) crowded.	Altay.	1827.	—	H. ♂.	
52 <i>Gebleri</i> . F. (<i>bl.</i>) Gebler's.	—	—	—	H. ♂.	Reich. ic. t. 271.
53 <i>rotata</i> . R.S. (<i>bl.</i>) rotate.	Siberia.	—	—	H. ♂.	Pall. ross. 2. t. 89. f. 3.
54 <i>ellata</i> . R.S. (<i>bl.</i>) fringe-flowered.	S. Europe.	1759.	—	H. ♀.	Jacq. aust. t. 113.
55 <i>fimbriata</i> . R.S. (<i>bl.</i>) fimbriate.	Caucasus.	1824.	7. 9.	H. ♀.	
56 <i>erecta</i> . R.S. (<i>bl.</i>) jagged-flower'd.	N. America.	1804.	7. 10.	H. ♂.	Swt. br. fl. gar. t. 139.
<i>fimbriata</i> . Andr. rep. t. 509. non w.					
57 <i>barbata</i> . R.S. (<i>bl.</i>) bearded.	Siberia.		8. 9.	H. ♂.	Bot. mag. t. 639.
<i>ciliata</i> . B.M. nec aliorum.					
SWERTIA. R.S. FELWORT. Tetr-Pentandria Digynia.					
1 <i>perennis</i> . R.S. (<i>br.pu.</i>) marsh.	England.		7. 8.	H. ♀.	Eng. bot. v. 21. t. 1441.
2 <i>Michauxiana</i> . R.S. (<i>st.</i>) American.	N. America.	1824.	—	H. ♂.	
3 <i>dichotoma</i> . R.S. (<i>gr.re.</i>) forked.	Siberia.	1827.	7. 9.	H. ♂.	Pall. ross. 2. t. 91.
CHLORA. S.S. YELLOW-WORT. Octandria Monogynia. L.					
1 <i>imperfoliata</i> . s.s. (<i>ye.</i>) sessile-leaved.	Italy.	1826.	6. 7.	H. ☉.	
2 <i>perfoliata</i> . s.s. (<i>ye.</i>) perfoliate.	Britain.		—	H. ☉.	Eng. bot. v. 1. t. 60.
FRASERA. M. FRAS'ERA. Tetrandria Monogynia. R.S.					
Walteri. M. (<i>ye.</i>) Walter's.	N. America.	1795.	7. 8.	H. ♂.	
<i>carolinensis</i> . Walt.					
ERYTHR'EA. R.S. ERYTHR'EA. Pentandria Monogynia. P.S.					
1 <i>Centaureum</i> . R.S. (<i>ro.</i>) common.	Britain.		7. 8.	H. ☉.	Eng. bot. v. 6. t. 417.
2 <i>latifolia</i> . s.s. (<i>ro.</i>) broad-leaved.	Lancashire.		—	H. ☉.	
3 <i>pulegiella</i> . R.S. (<i>ro.</i>) dwarf branching.	England.		8. 9.	H. ☉.	Eng. bot. v. 7. t. 458.
4 <i>littoralis</i> . R.S. (<i>ro.</i>) simple dwarf.	Britain.		6. 8.	H. ☉.	— v. 33. t. 2305.
5 <i>conferta</i> . R.S. (<i>ro.</i>) close-flowered.	Spain.	1818.	5. 11.	H. ♀.	
6 <i>spicata</i> . R.S. (<i>ro.</i>) spiked.	S. Europe.		—	H. ♂.	Flor. græc. t. 238.
7 <i>albiflora</i> . (<i>wh.</i>) white-flowered.	—		—	H. ♂.	Matth. comm. p. 488. f. 2.
8 <i>australis</i> . B.P. (<i>ro.</i>) New Holland.	New Holland.	1823.	5. 8.	G. ♂.	
9 <i>uliginosa</i> . R.S. (<i>ro.</i>) marsh.	Hungary.	1825.	6. 8.	H. ♂.	W. et K. pl. hung. t. 238.
10 <i>aggregata</i> . B.F.G. (<i>ro.</i>) cluster-branch'd.	Nepaul.	1824.	3. 11.	H. ♀.	Swt. br. fl. gar. t. 137.
11 <i>maritima</i> . F.G. (<i>ye.</i>) sea-side.	S. Europe.	1777.	7. 8.	H. ☉.	Flor. græc. t. 237.
12 <i>Massoni</i> . (<i>ye.</i>) Masson's.	Azores.	—	—	F. ♀.	
<i>maritima</i> . H.K. nec aliorum. vid. obs. in Flor. Græc.					
13 <i>lutea</i> . R.S. (<i>ye.</i>) yellow-flowered.	S. Europe.		—	H. ☉.	Barrel. ic. 468.
SABB'ATIA. R.S. SABB'ATIA. Pentandria Monogynia. R.S.					
1 <i>gracilis</i> . R.S. (<i>ro.</i>) slender.	N. America.		7. 9.	H. ♂.	Sal. par. lond. t. 32.
2 <i>stellaris</i> . R.S. (<i>ro.ye.</i>) starry.	—	1827.	6. 8.	H. ♂.	Bartr. ic. ined. t. 13.
3 <i>angularis</i> . R.S. (<i>pu.</i>) angular-stalked.	—	1823.	7. 8.	H. ♂.	
4 <i>calycosa</i> . R.S. (<i>ro.</i>) dichotomous.	—	1812.	6. 8.	H. ♂.	Bot. mag. t. 1600.
5 <i>chloroides</i> . R.S. (<i>ro.</i>) Chlora-like.	—	1817.	8. 9.	H. ♂.	
6 <i>paniculata</i> . R.S. (<i>wh.</i>) panicked.	—	—	—	H. ♀.	
VOH'RIA. R.S. VOH'RIA. Pentandria Monogynia.					
1 <i>rosea</i> . R.S. (<i>ro.</i>) rose-coloured.	Trinidad.	1822.	6. 8.	S. ♀.	Aubl. guian. 1. t. 83. f. 1.
<i>L. et rosea</i> . W.					
2 <i>cerulea</i> . R.S. (<i>bl.</i>) blue-flowered.	—	1821.	—	S. ♀.	Aubl. guian. 1. t. 83. f. 2.
3 <i>uniflora</i> . R.S. (<i>ye.</i>) one-flowered.	W. Indies.	—	—	S. ♀.	Jacq. amer. 87. t. 60. f. 3.
CHIRONIA. R.S. CHIR'ONIA. Pentandria Monogynia. L.					
1 <i>jasmineoides</i> . R.S. (<i>ro.</i>) Jasmine-like.	C. B. S.	1812.	4. 7.	G. ♀.	Bot. reg. t. 197.
2 <i>lychnoides</i> . R.S. (<i>pu.</i>) Lychnis-flowered.	—	1816.	—	G. ♀.	
3 <i>mediculis</i> . R.S. (<i>pu.</i>) naked-stalked.	—	—	—	G. ♀.	Linn. trans. 7. t. 12. f. 3.
4 <i>linoides</i> . R.S. (<i>pi.</i>) flax-leaved.	—	1787.	7. 9.	G. ♀.	Bot. mag. t. 511.
5 <i>trigona</i> . R.S. (<i>pu.</i>) four-sided.	—	1822.	—	G. ♀.	Linn. trans. 7. t. 12. f. 2.
6 <i>laccifera</i> . R.S. (<i>pi.</i>) berry-bearing.	—	1759.	6. 7.	G. ♀.	Bot. mag. t. 233.
7 <i>angustifolia</i> . B.M. (<i>ro.</i>) narrow-leaved.	—	1800.	6. 8.	G. ♀.	— t. 818.
8 <i>frutescens</i> . R.S. (<i>ro.</i>) frutescent.	—	1756.	6. 9.	G. ♀.	— t. 37.
9 <i>albiflora</i> . (<i>wh.</i>) white-flowered.	—		—	G. ♀.	
10 <i>decussata</i> . R.S. (<i>ro.</i>) cross-leaved.	—	1789.	—	G. ♀.	Bot. mag. t. 707.

HIPPION. S.S.	Hi'PPION.	Pentandria Monogynia. S.S.			
<i>viscòsum. s.s.</i>	(<i>ye.</i>) clammy.	Canaries.	1781.	6. 7. G. 3.	Sm. ic. fas. 3. t. 1.
<i>Exàcum viscòsum. Sm. Gentiàna viscòsa. Bot. mag. t. 2135.</i>					
SEB'ÆA. B.P.	SEB'ÆA.	Tetr-Pentandria Monogynia. S.S.			
1 ovàta. B.P.	(<i>st.</i>) oval-leaved.	N. S. W.	1820.	8. 10. G. ①.	Lab. nov. hol. 1. t. 1.
2 àlbens. B.P.	(<i>wh.</i>) white-flowered.	C. B. S.	—	— G. ①.	Burm. afr. t. 74. t. 1.
3 cordàta. B.P.	(<i>ye.</i>) heart-leaved.	—	1815.	7. 8. H. ①.	— t. 74. t. 1.
CICE'NDIA. Adans.	CICE'NDIA.	Tetrandria Monogynia.			
<i>filifórme.</i>	(<i>ye.</i>) slender-stalk'd.	Britain.		— H. ①.	Eng. bot. v. 4. t. 1.
<i>Exàcum filifórme. E.B. Microcàle filifórme. Lk.</i>					
EX'ACUM. B.P.	EX'ACUM.	Tetrandria Monogynia. L.			
<i>tetragònum. D.P.</i>	(<i>ye.</i>) square-stalked.	Nepaul.	1820.	8. 10. H. ①.	
COUTOUB'EA. P.S.	COUTOUB'EA.	Tetrandria Monogynia.			
1 ternifòlia. P.S.	(<i>wh.</i>) three-leaved.	Trinidad.	1820.	6. 10. S. ①.	Cavan. icon. 4. t. 1.
2 ramòsa. Aub.	(<i>pu.</i>) purple-flowered.	—	1823.	— S. ①.	Aubl. guian. 1. t. 1.
<i>purpùrea. Lam. ill. t. 79. Exàcum ramòsum. R.S.</i>					
MITRASA'CME. B.P.	MITRASA'CME.	Tetrandria Monogynia. R.S.			
1 polymórpha. B.P.	(<i>wh.</i>) variable.	N. S. W.	1822.	6. 8. G. 4.	
2 canéscens. B.P.	(<i>wh.</i>) canescent.	—	1820.	— G. 4.	
3 serpyllifòlia. B.P.	(<i>wh.</i>) creeping.	—	1826.	— G. 4.	
HOUSTONIA. R.S.	HOUSTONIA.	Tetrandria Monogynia. L.			
1 cœrùlea. R.S.	(<i>pa.bl.</i>) blue-flowered.	N. America.	1785.	5. 8. H. 4.	Bot. mag. t. 370.
2 serpyllifòlia. R.S.	(<i>wh.</i>) Thyme-leaved.	—	1827.	— H. 4.	— t. 282.
3 tenèlla. R.S.	(<i>pu.</i>) slender.	Carolina.	1812.	— H. 4.	
4 albiflòra. N.	(<i>wh.</i>) white-flowered.	N. America.	1828.	— H. 4.	
5 purpùrea. R.S.	(<i>li.</i>) purple-flowered.	—	1800.	— H. 4.	
SPIG'ELIA. R.S.	WORM-GRASS.	Pentandria Monogynia. L.			
1 Anthélmia. R.S.	(<i>bl.</i>) annual.	W. Indies.	1759.	7. S. ①.	Bot. mag. t. 260.
2 marylàndica. R.S.	(<i>sc.</i>) perennial.	N. America.	1694.	7. 8. H. 4.	— t. 80.
EUST'OMA. P.L.	EUST'OMA.	Pentandria Monogynia.			
<i>silenifolium. P.L.</i>	(<i>pu.</i>) Silene-leaved.	Providence Isl.	1804.	7. S. 4.	Sal. par. lond. t. 1.
<i>Lisiánthus glaucifolius. Jacq. ic. 1. t. 33.</i>					
LISIA'NTHUS. R.S.	LISIA'NTHUS.	Pentandria Monogynia. L.			
1 longifolius. R.S.	(<i>ye.</i>) long-leaved.	Jamaica.	1793.	7. 9. S. ½.	Bot. reg. t. 880.
2 grandiflorus. R.S.	(<i>st.</i>) large-flowered.	Trinidad.	1820.	— S. ①.	Aubl. guian. 1. t. 1.
3 exsértus. R.S.	(<i>st.</i>) oval-leaved.	W. Indies.	1793.	— S. ½.	
4 latifolius. R.S.	(<i>ye.</i>) broad-leaved.	—	1822.	 S. ½.	
5 umbellatus. R.S.	(<i>ye.</i>) umbel-flowered.	—	—	 S. ½.	
6 cordifolius. R.S.	(<i>ye.</i>) heart-leaved.	—	1816.	6. 8. S. ½.	Brown. jam. 2. t. 1.
7 acutángulus. R.S.	(<i>ye.</i>) acute-angled.	Peru.	1820.	— S. 4.	Flor. per. 2. t. 1.
8 angustifolius. R.S.	(<i>gr.</i>) narrow-leaved.	S. America.	1824.	7. 10. S. ①.	
LOG'ANIA. B.P.	LOG'ANIA.	Pentandria Monogynia. R.S.			
1 latifolia. B.P.	(<i>wh.</i>) broad-leaved.	N. Holland.	1816.	4. 6. G. ½.	Lab. nov. hol. 1. t. 1.
<i>Exàcum vaginàle. Lab.</i>					
2 floribúnda. B.P.	(<i>wh.</i>) many-flowered.	N. S. W.	1797.	4. 5. G. ½.	Andr. reposit. t. 1.
<i>Euósma albiflòra. A.R.</i>					
3 revolùta. B.P.	(<i>wh.</i>) revolute-leaved.	—	1822.	4. 6. G. ½.	
VILLA'RSIA. R.S.	VILLA'RSIA.	Pentandria Monogynia. R.S.			
1 nymphoides. R.S.	(<i>ye.</i>) common.	England.		6. 7. H.w. 4.	Eng. bot. v. 4. t. 1.
<i>Menyanthes nymphoides. E.B.</i>					
2 índica. R.S.	(<i>ye.</i>) Indian.	E. Indies.	1790.	6. 8. S.w. 4.	Bot. mag. t. 100.
3 sarmentòsa. R.S.	(<i>ye.</i>) sarmentose.	N. S. W.	1806.	— G.w. 4.	— t. 100.
<i>Menyanthes sarmentòsa. B.M.</i>					
4 lacunòsa. V.	(<i>wh.</i>) smooth-flowered.	N. America.	1812.	6. 7. G.w. 4.	Venten. choix. 1.
5 renifórmis. B.P.	(<i>ye.</i>) kidney-leaved.	N. S. W.	1820.	— G.w. 4.	
6 parnassifolia. B.P.	(<i>ye.</i>) tall.	—	1805.	6. 10. G.w. 4.	Bot. mag. t. 100.
<i>Menyanthes exaltàta. B.M. Swértia parnassifolia. Lab. n. hol. t. 97.</i>					
7 ovàta. R.S.	(<i>ye.</i>) oval-leaved.	C. B. S.	1786.	5. 7. G.w. 4.	Bot. mag. t. 100.
MENYA'NTHE. R.S.	BUCK-BEAN.	Pentandria Monogynia. L.			
1 trifoliàta. E.B.	(<i>li.</i>) common.	Britain.		6. 7. H.w. 4.	Eng. bot. v. 4. t. 1.
2 americàna.	(<i>li.</i>) American.	N. America.		4. 6. H.w. 4.	
<i>trifoliàta β minor. P.S.</i>					

ORDO CXLI.

BIGNONIACEÆ. *Brown prodr.* 1. p. 470.

CHILO'PSIS. D.D.	CHILO'PSIS.	Didynamia Angiospermia.			
linearis.	(ro.) linear-leaved.	Mexico.	1825.	 S. h.	Cavan. ic. 3. t. 269.
<i>Bignonia? linearis.</i> Cav.					
CATA'LPA. J.	CATA'LPA.	Diandria Monogynia. S.S.			
1 svingifolia. s.s. (wh.)	common.	N. America.	1726.	6. 8. H. h.	Bot. mag. t. 1094.
<i>Bignonia Catalpa.</i> L.					
2 longissima. s.s. (wh. pu.)	wave-leaved.	W. Indies.	1777.	 S. h.	Plum. ic. t. 57.
3 microphylla. s.s. (bh.)	small-leaved.	Hispaniola.	1820.	 S. h.	—— t. 55.
BIGNONIA. S.S.	TRUMPET-FLOWER.	Didynamia Angiospermia. L.			
1 Unguis. s.s. (ye.)	Barbadoes.	W. Indies.	1759.	 S. h. ∪.	Plum. amer. t. 94.
2 staminea. s.s. (ye. pu.)	long-stamened.	Hispaniola.	1820.	6. 9. S. h. ∪.	Plum. ic. 56. f. 2.
3 capreolata. s.s. (ye. pu.)	four-leaved.	N. America.	1710.	6. 8. H. h. ∪.	Bot. mag. t. 564.
4 pubescens. s.s. (ye.)	downy.	New Spain.	1759.	6. 7. S. h. ∪.	
5 equinoctialis. s.s. (ye.)	equinoctial.	W. Indies.	1768.	6. 8. S. h. ∪.	Plum. ic. t. 55. f. 1.
6 Chamberlaynii. B.M. (ye.)	Chamberlayne's.	S. America.	1818.	—— S. h. ∪.	Bot. mag. t. 2148.
7 chrysoleuca. s.s. (ye. wh.)	yellow & white.	——	1824.	—— S. h. ∪.	
8 alliacea. s.s.	garlick-scented.	W. Indies.	1790.	 S. h. ∪.	
9 spectabilis. s.s. (pu.)	showy.	S. America.	1820.	 S. h. ∪.	
10 picta. K.s. (wh.)	flat-stemmed.	——	——	 S. h. ∪.	
11 obliqua. K.s. (re.)	oblique-leaved.	Caracas.	1828.	—— S. h. ∪.	
12 laurifolia. s.s. (li.)	Laurel-leaved.	Guiana.	1804.	 S. h. ∪.	
13 lactiflora. s.s. (wh.)	milk-coloured.	Trinidad.	1822.	4. 6. S. h. ∪.	Vahl. symb. 3. t. 66.
14 villosa. s.s. (pu.)	villous.	S. America.	1820.	 S. h. ∪.	
15 ophthalmica. A. (ye.)	Anderson's.	St. Vincent.	1812.	 S. h. ∪.	
16 rigescens. s.s. (fl. ye.)	rigid-leaved.	S. America.	1816.	6. 8. S. h. ∪.	Jacq. schœn. 2. t. 210.
17 grandifolia. B.R. (ye.)	large-leaved.	——	——	4. 7. S. h. ∪.	Bot. reg. t. 418.
18 latifolia. s.s. (ye.)	broad-leaved.	Cayenne.	1824.	 S. h. ∪.	
19 elongata. s.s. (ye.)	long-racemed.	S. America.	1820.	 S. h. ∪.	Vahl. ecl. 2. t. 16.
20 mollissima. K.s. (pu.)	soft-leaved.	Caracas.	1812.	 S. h. ∪.	
21 diversifolia. K.s.	different-leav'd.	Mexico.	1824.	 S. h. ∪.	
22 floribunda. K.s.	abundant-flower'd.	——	——	 S. h. ∪.	
23 cándicans. s.s. (pu.)	white-leaved.	Trinidad.	1822.	9. 12. S. h. ∪.	
24 quadrangulâris. D.L.	square-stalked.	——	——	 S. h. ∪.	
25 colorata. s.s. (ye.)	coloured calyxed.	——	1824.	 S. h. ∪.	
26 crucigera. s.s. (or.)	cross-bearing.	S. America.	1759.	6. 8. S. h. ∪.	Plum. ic. t. 58.
27 Cherère. B.R. (or.)	various-leaved.	Guiana.	1820.	6. 10. S. h. ∪.	Bot. reg. t. 1301.
<i>heterophylla.</i> W.					
28 venusta. s.s. (or.)	comely.	S. America.	1816.	9. 12. S. h. ∪.	Bot. reg. t. 249.
29 incarnata. s.s. (ro.)	flesh-coloured.	Guiana.	1818.	6. 9. S. h. ∪.	Aub. gui. 3. t. 261.
30 mollis. s.s. (ye.)	soft.	——	——	 S. h. ∪.	Vahl. ecl. 2. t. 10.
<i>tomentosa.</i> Rich. non Th.					
31 littoralis. K.s. (re.)	sea-side.	Mexico.	1824.	 S. h. ∪.	
32 viridiflora. B.C. (gr.)	green-flowered.	S. America.	1820.	6. 9. S. h.	Lodd. bot. cab. t. 1026.
33 triphylla. s.s. (wh.)	three-leaved.	Mexico.	1733.	—— S. h.	
34 pallida. B.R. (li.)	pale.	S. America.	1823.	7. 8. S. h.	Bot. reg. t. 965.
35 flaviatilis. s.s. (wh.)	marsh.	——	1818.	—— S. h.	Aub. gui. 2. t. 267.
36 Leucóxylon. s.s. (pi.)	white-wooded.	W. Indies.	1759.	6. 7. S. h.	Andr. reposit. t. 43.
37 chrysántha. s.s. (ye.)	golden-flower'd.	Caracas.	1822.	 S. h.	Jacq. schœnb. 2. t. 211.
38 lepidota. K.s. (ro.)	silver-spotted.	Cuba.	1828.	 S. h.	
39 asculifolia. K.s. (or.)	Æsculus-leaved.	Mexico.	1824.	 S. h.	
40 serratifolia. s.s. (ye.)	saw-leaved.	Trinidad.	1822.	 S. h.	
41 bijuga. s.s.	Madagascar.	Madagascar.	——	 S. h.	
42 Clématis. K.s. (wh. ye.)	Clematis-leaved.	Caracas.	——	 S. h. ∪.	
43 chelonoides. s.s. (ye.)	tree.	E. Indies.	1808.	 S. h.	Rheed. mal. 6. t. 26.
44 variabilis. s.s. (gr. ye.)	variable-leaved.	Caracas.	1820.	6. 8. S. h. ∪.	Jacq. schœnb. 2. t. 212.
45 indica. W. (wh. std.)	Indian.	E. Indies.	1775.	 S. h.	Rheed. mal. 1. t. 43.
46 jasminifolia. K.s.	Jasmine-leaved.	S. America.	1824.	 S. h. ∪.	
47 crenata. L.C.	crenated.		1825.	 S. h. ∪.	
48 decipiens. L.C.	doubtful.		——	 S. h.	
49 lucida. L.C.	glossy.	S. America.	1824.	 S. h. ∪.	
50 alba. W. (wh.)	white-flowered.	Guiana.	1823.	 S. h. ∪.	Aub. gui. 2. t. 266.

- 51 echinata. w. (bh.) bristly-fruited. Guiana. 1801. S. h. ∪. Aub. gui. 2. t. 24.
- 52 purpurea. L.C. (pu.) purple. S. America. 1822. S. h.
- 53 tomentosa. Th. tomentose. Japan. 1823. S. h. Kämpf. am. en. t. 1.
- 54 stipulata. H.B. stipuled. E. Indies. 1825. S. h.
- 55 undulata. H.B. wave-leaved. ———— 1827. S. h.
- 56 suavèolens. H.B. sweet-scented. ———— 1825. S. h.
- 57 crispa. H.B. curled. ———— 1822. S. h.
- 58 xylocarpa. H.B. woody-podded. ———— 1825. S. h.
- 59 amœna. handsome. ———— 1823. S. h.
- 60 spicata. D.L. spiked-flowered. Trinidad. 1822. S. h. ∪.
- 61 multijuga. R. many-leaved. E. Indies. 1826. S. h.
- MILLINGTONIA. L. MILLINGTONIA. Didynamia Angiospermia. L.
- hortensis. L. (wh.) cork-barked. E. Indies. 1818. S. h. Roxb. corom. 3. t. 1.
- Bignonia suberosa*. Roxb.
- TEC'OMA. J. TEC'OMA. Didynamia Angiospermia. S.S.
- 1 splendida. s.s. (or.) splendid. Brazil. 1826. S. h.
- 2 pentaphylla. s.s. (wh.) five-leaved. Jamaica. 1733. S. h. Marc. bras. t. 118.
- 3 digitata. K.S. digitate-leaved. S. America. 1818. S. h.
- 4 australis. B.P. (bh.) broad-leaved. N. S. W. 1793. 4. 7. G. h. ∪. Bot. mag. t. 86.
- Bignonia Pandoræ*. B.M.
- 5 meonantha. (bh.) narrow-leaved. ———— 1815. ——— G. h. ∪.
- Bignonia meonantha*. L'en.
- 6 mollis. K.S. (ye.) soft-leaved. Mexico. 1824. S. h.
- 7 radicans. s.s. (or.) Ash-leaved. N. America. 1640. 7. 8. H. h. ∪.
- α major. H.K. (or.) great. ———— ——— H. h. ∪. Bot. mag. t. 48.
- β minor. H.K. (or.) smaller. ———— ——— H. h. ∪. Catesb. car. 1. t. 65.
- 8 grandiflora. (or.) large-flowered. China. 1800. 6. 9. G. h. ∪. Bot. mag. t. 138.
- Bignonia grandiflora*. B.M. *Incarvillea grandiflora*. s.s.
- 9 stans. s.s. (ye.) upright-ash-ld. S. America. 1730. 7. 9. S. h. Plum. ic. t. 51.
- 10 incisa. D.L. (ye.) cut-leaved. Trinidad. 1824. ——— S. h.
- 11 capensis. B.R. (or.) Cape. C. B. S. ——— 4. 8. G. h. ∪. Bot. reg. t. 1117.
- JACARA'NDA. S.S. JACARA'NDA. Didynamia Angiospermia. S.S.
- 1 tomentosa. D.D. (pu.) tomentose. Brazil. 1824. S. h.
- 2 mimosifolia. B.R. (bl.) Mimosa-leaved. ———— 1818. 4. 5. S. h. Bot. reg. t. 631.
- ovalifolia*. Bot. mag. t. 2327.
- 3 bahamensis. B.M. (bl.) Bahama. Bahama Isl. 1724. 7. 8. S. h. Catesb. car. 1. t. 42.
- Bignonia cœrulea*. w.
- 4 Copaia. D.D. (bl.) Box-leaved. Guiana. 1793. S. h. Aub. gui. 2. t. 25.
- Bignonia procera*. w.
- 5 rhombifolia. s.s. (pu.) rhomb-leaved. Surinam. 1823. S. h.
- flicifolia*. D.D.
- SPATH'ODEA. S.S. SPATH'ODEA. Didynamia Angiospermia. S.S.
- 1 uncata. s.s. (ye.) hooked. Guiana. 1804. 6. 9. S. h. ∪. Bot. mag. t. 151.
- Bignonia uncata*. B.M.
- 2 corymbosa. s.s. (ye.) corymb-flower'd. Trinidad. 1823. S. h.
- 3 Rheedii. s.s. (wh.) Rheede's. E. Indies. 1794. S. h. Roxb. cor. 2. t. 14.
- Bignonia spathacea*. R.C.
- 4 Roxburghii. s.s. (ro.) Roxburgh's. ———— 1820. S. h. Roxb. cor. v. 2. t. 4.
- Bignonia quadrilocularis*. Roxb.
- 5 fraxinifolia. K.S. (ye.) Ash-leaved. Caracas. 1821. S. h. ∪.
- Bignonia fraxinifolia*. s.s.
- AMPHILOPHIUM. K.S. AMPHILOPHIUM. Didynamia Angiospermia. S.S.
- paniculatum. K.S. (pu.) panicle. S. America. 1788. S. h. ∪. Jacq. amer. t. 11.
- Bignonia paniculata*. Jacq.
- CALA'MPELIS. D.D. CALA'MPELIS. Didynamia Angiospermia.
- scabra. B.F.G. (or.) rough-podded. Chile. 1823. 7. 11. H. h. ∪. Swt. br. fl. gar. s. 2. t. 1.
- Eccremocarpus scaber*. Bot. reg. t. 939.
- ECCREMOCA'RPIUS. ECCREMOCA'RPIUS. Didynamia Angiospermia. S.S.
- longiflorus. K.S. (ye.) long-flowered. Peru. 1824. G. h. ∪. H. et B. pl. asp. 1. t. 1.
- FIELDIA. Cun. FIELDIA. Didynamia Angiospermia.
- australis. Cun. (gr.st.) New Holland. N. Holland. 1824. G. h. Hook. ex. fl. t. 2.

ORDO CXLII.

COBCEACEÆ. *D. Don in Edinb. phil. journ.*

COB'CEA. Cav. COB'CEA. Pentandria Monogynia.
scandens. Cav. (bl.) climbing. Mexico. 1792. 5. 10. G. h. ∞. Bot. mag. t. 851.

ORDO CXLIII.

PEDALINÆ. *Brown prodr. 519.*

PED'ALIUM. S.S. PED'ALIUM. Didynamia Angiospermia. S.S.
Murex. s.s. (ye.) prickly-fruited. E. Indies. 1778. 8. 9. S. ⊙. Lam. ill. t. 538.

ORDO CXLIV.

DIDYMOCARPEÆ. *D. Don.*

STREPTOCA'RPUS. B.R. STREPTOCA'RPUS. Diandria Monogynia.
Rexii. B.R. (bl.) Cape. C. B. S. 1824. 2. 10. S. 4. Bot. reg. t. 1173.
Didymocarpus Rexii. Hook. ex. flor. t. 227.

ORDO CXLV.

SESAMEÆ. *Brown.*

TOURR'ETIA. S.S. TOURR'ETIA. Didynamia Angiospermia. S.S.
lappacea. s.s. (sc.) scarlet-flowered. Peru. 1788. 6. 8. S. ⊙. ∞. Sal. stirp. rar. 5. t. 3.
Dombeya lappacea. Sal.
MARTY'NIA. J. MARTY'NIA. Didynamia Angiospermia. L.
1 diandra. s.s. (re.) two-stamened. New Spain. 1731. 7. 8. S. ⊙. Andr. reposit. t. 575.
2 proboscidea. s.s. (li.) horn-capsuled. America. 1738. 6. 8. G. ⊙. Bot. mag. t. 1056.
annua. L.
3 lutea. B.R. (ye.) yellow. S. America. 1824. 7. 9. H. ⊙. Bot. reg. t. 934.
4 longiflora. s.s. (pu.) long-flowered. C. B. S. 1781. 7. 8. G. ⊙. Meerb. ic. 1. t. 7.
CRANIO'ARIA. J. CRANIO'ARIA. Didynamia Angiospermia. L.
annua. K.S. (wh.sp.) annual. S. America. 1733. 7. 8. S. ⊙. Jacq. amer. t. 110.
Marty'nia Craniolària. W.
SESAMUM. S.S. OILY-GRAIN. Didynamia Angiospermia. L.
1 orientale. s.s. (bh.) oriental. E. Indies. 1731. 7. 8. S. ⊙. Rheed. mal. 9. t. 54.
2 indicum. s.s. (bh.) Indian. ———— ———— ———— S. ⊙. Bot. mag. t. 1788.
3 luteum. s.s. (ye.) yellow. ———— 1825. ———— S. ⊙.

ORDO CXLVI.

POLEMONIACEÆ. *D. Don in Edinb. phil. journ.*

POLEMONIUM. S.S. GREEK VALERIAN. Pentandria Monogynia. L.
1 cœruleum. s.s. (bl.) common. Britain. 6. H. 4. Eng. bot. t. 14.
β album. (wh.) white-flowered. ———— ———— H. 4.
γ maculatum. s.s. (sp.) spot-flowered. ———— ———— H. 4.

2	grácile. W.en.	(wh.) slender.	Dahuria.	1818.	6. 7.	H. 4.	
3	mexicanum. s.s.	(bl.) Mexican.	Mexico.	1817.	4. 6.	H. 4.	Bot. reg. t. 460.
4	réptans. s.s.	(bl.) creeping.	N. America.	1758.	4. 5.	H. 4.	Bot. mag. t. 1887.
<i>cæruleum</i> β <i>piliferum</i> . Bot. reg. t. 1303.							
5	villòsum. G.R.	(bl.) dwarf hairy.	Siberia.	1827.	6. 9.	H. 4.	Swt. br. fl. gar. t. 24.
6	Richardsòni. B.M.	(bl.) Richardson's.	N. America.	—	—	H. 4.	Bot. mag. t. 2800.
7	hùmile. B.M.	(bl.) dwarf.	—	—	—	H. 4.	Bot. reg. t. 1304.
8	sibíricum. D.D.	(wh.) bipinnate.	Siberia.	1800.	6.	H. 4.	Swt. br. fl. gar. t. 18.
PHLO'X. R.S. LYCHNIDEA. Pentandria Monogynia. L.							
1	paniculàta. R.S.	(pu.) panicked.	N. America.	1732.	8. 9.	H. 4.	Dill. elth. t. 166. f. 2.
	β <i>álba</i> .	(wh.) white-flowered.	—	1813.	—	H. 4.	
2	undulàta. R.S.	(pu.) wave-leaved.	—	1759.	7. 8.	H. 4.	
3	acuminàta. R.S.	(pu.) cross-leaved.	—	1812.	6. 8.	H. 4.	Bot. mag. t. 1880.
<i>decussàta</i> . Lyon. <i>latifolia</i> . Hort. non M.							
4	virgínica. L.C.	(pu.) Virginian.	—	—	—	H. 4.	
5	intermèdia. L.C.	(pu.) intermediate.	—	—	7. 9.	H. 4.	
6	penduliflòra. B.F.G.	(pu.) drooping-flower'd.	—	1824.	—	H. 4.	Swt. br. fl. gar. s. 2.
7	corymbòsa. B.F.G.	(li.) corymb-flower'd.	—	—	—	H. 4.	
8	acutifolia. B.F.G.	(pu.) sharp-leaved.	—	1825.	—	H. 4.	
9	odoràta. B.F.G.	(re.) sweet-scented.	—	1824.	—	H. 4.	Swt. br. fl. gar. t. 224.
10	scábra. B.F.G.	(li.) rough-leaved.	—	1812.	—	H. 4.	— t. 218.
<i>Sickmánni</i> . Lehman.							
11	maculàta. R.S.	(pu.) spotted-stalked.	—	1740.	7. 8.	H. 4.	Jacq. vind. 2. t. 147.
12	pyramidàlis. R.S.	(li.) pyramidal.	—	1800.	6. 8.	H. 4.	Swt. br. fl. gar. t. 200.
13	latifolia. R.S.	(pu.) broad-leaved.	—	1812.	—	H. 4.	
14	carolina. R.S.	(re.pu.) rough-stemmed.	—	1728.	7. 9.	H. 4.	Bot. mag. t. 1344.
15	cordàta. E.C.	(li.) heart-leaved.	Carolina.	1826.	6. 9.	H. 4.	Swt. br. fl. gar. s. 2. t. 11.
16	excélsa. H.E.	(pu.) tall upright.	N. America.	1824.	—	H. 4.	
17	Wheeleriàna. B.F.G.	(pi.) Wheeler's.	Hybrid.	—	—	H. 4.	
18	Shephérdii. H.E.	(pu.) Shepherd's.	—	—	—	H. 4.	
19	glabérrima. R.S.	(pu.) smooth-stalked.	N. America.	1725.	6. 8.	H. 4.	Swt. br. fl. gar. s. 2. t. 30.
20	triflòra. R.S.	(bh.) flesh-coloured.	—	1816.	7. 9.	H. 4.	Swt. brit. fl. gar. t. 20.
<i>cárnea</i> . Bot. mag. t. 2155.							
21	suavèolens. R.S.	(wh.) white-flowered.	—	1766.	7. 8.	H. 4.	
22	longiflòra. B.F.G.	(wh.) long-flowered.	—	1827.	7. 10.	H. 4.	Swt. br. fl. gar. s. 2. t. 10.
23	refléxa. B.F.G.	(d.pu.) reflexed-leaved.	—	1824.	6. 9.	H. 4.	Swt. br. fl. gar. t. 20.
24	suffruticòsa. B.R.	(d.pu.) glossy-leaved.	—	1790.	7. 9.	H. 4.	Bot. reg. t. 68.
25	Listoniàna. H.E.	(pu.) Liston's.	—	1816.	5. 7.	H. 4.	
26	ovàta. W.	(pu.) ovate-leaved.	—	1759.	—	H. 4.	Bot. mag. t. 528.
27	stolonífera. B.M.	(bl.) creeping.	—	1800.	6. 9.	H. 4.	— t. 563.
<i>prostràta</i> . H.K. <i>réptans</i> . M. <i>stolonífera</i> has the right of priority.							
28	pilòsa. B.M.	(p.bl.) hairy-leaved.	N. America.	1759.	5. 6.	H. 4.	Bot. mag. t. 1307.
<i>aristàta</i> . M.							
29	am'œna. B.M.	(ro.) Fraser's hairy.	—	1809.	6. 7.	H. 4.	Bot. mag. t. 1308.
<i>pilòsa</i> . β . R.S.							
30	canadénsis. B.F.G.	(pa.bl.) Canadian.	Canada.	1826.	5. 7.	H. 4.	Swt. br. fl. gar. t. 20.
31	divaricàta. R.S.	(pa.bl.) early-flowering.	N. America.	1746.	4. 6.	H. 4.	Bot. mag. t. 163.
32	procumbens. B.F.G.	(bl.) procumbent.	—	1829.	5. 6.	H. 4.	Swt. br. fl. gar. s. 2. t. 10.
33	subulàta. R.S.	(li.pu.) awl-leaved.	—	1786.	4. 6.	H. 4.	Bot. mag. t. 411.
34	nivàlis. B.C.	(wh.) snowy white.	—	1820.	—	H. 4.	Swt. br. fl. gar. t. 10.
35	setàcea. R.S.	(pi.) bristle-leaved.	—	1786.	4. 5.	H. 4.	Bot. mag. t. 415.
COLLOMIA. N. COLLOMIA. Pentandria Monogynia.							
1	grandiflòra. D.	(bf.) large-flowered.	N. America.	1827.	6. 7.	H. 4.	Bot. reg. t. 1174.
2	lineàris. D.	(fl.) linear-leaved.	—	—	—	H. 4.	— t. 1156.
3	grácilis. D.	(ro.) slender.	—	—	5. 7.	H. 4.	Bot. mag. t. 2924.
<i>Gília gracilis</i> . R.M.							
4	heterophýlla. B.M.	(ro.) various-leaved.	—	—	5. 8.	H. 4.	Bot. mag. t. 2896.
GÍLIA. R.P. GÍLIA. Pentandria Monogynia. S.S.							
1	inconspícua. B.M.	(bl.) small blue.	America.	1793.	9. 11.	H. 4.	Bot. mag. t. 2883.
<i>Ipomopsis inconspícua</i> . Sm. exot. bot. 1. t. 14.							
2	capitàta. D.	(bl.) cluster-flowered.	—	1826.	5. 9.	H. 4.	Swt. br. fl. gar. t. 20.
IPOMO'PSIS. M. IPOMO'PSIS. Pentandria Monogynia.							
1	élegans. Ex.B.	(sc.) elegant.	Carolina.	1726.	8. 9.	G. 4.	Sm. exot. bot. 1. t. 1.
<i>Cántua coronopifolia</i> . Andr. rep. t.							
2	pulchélla. D.	(sc.) pretty.	N. America.	1827.	—	G. 4.	Bot. reg. t. 1281.
<i>élegans</i> . Bot. reg. non M.							
HOITZIA. J. HOITZIA. Pentandria Monogynia. S.S.							
1	coccínea. K.S.	(sc.) scarlet.	Mexico.	1826.	5. 7.	G. 4.	Cavan. ic. 4. t. 30.
2	cærúlea. K.S.	(bl.) blue-flowered.	—	1827.	—	G. 4.	— 4. t. 30.

CAL'DASIA S.S. CAL'DASIA. Pentandria Monogynia.
 heterophylla. s.s. (bl.) various-leaved. New Spain. 1813. 5. 12. S. ☉. Bot. reg. t. 92.
Bonplandia geminiflora. Cav. ic. 6. t. 532.

ORDO CXLVII.

HYDROLEACEÆ. *Kth. synops.* 2. p. 234.

HYDR'OLEA. S.S. HYDR'OLEA. Pentandria Digynia. L.
 1 spinosa. s.s. (bl.) thorny. S. America. 1791. 7. 8. S. h. Bot. reg. t. 506.
 2 quadrivalvis. s.s. (bl.) four-valved. Carolina. 1824. — G. 4.
 WIGA'NDIA. K.S. WIGA'NDIA. Pentandria Digynia.
 1 urens. K.S. (vi.) stinging. Mexico. 1827. 4. 6. G. 4. Flor. peruv. 3. t. 243.
 2 caracasana. K.S. (vi.) Caracas. Caracas. 1825. — S. h.
 N'AMA. S.S. N'AMA. Pentandria Digynia. L.
 1 jamaicensis. s.s. (wh. bl.) Jamaica. Jamaica. 1812. 6. 9. S. ☉. Lam. ill. t. 184.
 2 undulata. K.S. (vi.) wave-leaved. Mexico. 1826. — G. 4.

ORDO CXLVIII.

CONVOLVULACEÆ. *Brown prodr.* 1. p. 481.

RETZIA. R.S. RETZIA. Pentandria Monogynia. R.S.
 spicata. R.S. (br.) spiked. C. B. S. 5. 6. G. h. Lam. ill. t. 103.
 CONVO'LVULUS. B.P. BINDWEED. Pentandria Monogynia. L.
 1 arvensis. R.S. (pi. wh.) small. Britain. 6. 9. H. 4. Eng. bot. v. 5. t. 312.
 2 chinensis. B.R. (pi.) Chinese. China. 1816. — H. 4. Bot. reg. t. 322.
 3 Malcolmii. F.I. (wh.) Malcolm's. Persia. 1824. 7. 10. H. 4.
 4 emarginatus. s.s. (re.) emarginate. 6. 9. H. 4.
 5 bicuspidatus. s.s. (bh.) two-pointed. Davuria. — H. 4.
 6 Scammonia. R.S. (st. bh.) Scammony. Levant. 1596. 7. 8. H. 4. Flor. græc. t. 192.
 7 erubescens. R.S. (bh.) maiden blush. N. S. W. 1803. 7. 9. G. 8. Bot. mag. t. 1067.
 8 quinqueflorus. R.S. (bh.) five-flowered. Mauritius. 1826. — S. h.
 9 pannifolius. R.S. (bl.) cloth-leaved. Canaries. 1805. 6. 9. G. h. Bot. reg. t. 222.
 10 canariensis. R.S. (pi.) Canary. — 1690. — G. h. Bot. mag. t. 1228.
 11 Massoni. R.S. (wh.) Masson's. — 1788. — G. h. Bot. reg. t. 133.
Dryandri. s.s. suffruticosus. B.R.
 12 candicans. R.S. hoary. E. Indies. 1818. S. h.
 13 bonariensis. R.S. (std.) stripe-flowered. Buenos Ayres. 1827. 6. 8. G. 4. Cavan. icon. 5. t. 48. f. 2.
 14 tiliaceus. R.S. (wh.) Lime-tree-leaved. Brazil. 1820. — S. 4.
 15 guianensis. R.S. (bh.) Guiana. Guiana. — S. 4. Aub. gui. 1. t. 52.
 16 ciliatus. R.S. (bh.) fringed-leaved. Cayenne. — S. h.
 17 pentanthus. R.S. (bl.) five-flowered. W. Indies. 1808. 4. 10. S. h. Bot. reg. t. 439.
 18 farinosus. R.S. (bh.) mealy-stalked. Madeira. 1777. 5. 6. G. h. Sal. par. lond. t. 45.
 19 Hermanniæ. s.s. (wh.) Peruvian. Pern. 1799. 8. 9. G. 4. L'Herit. stirp. t. 33.
 20 tenuissimus. R.S. (li.) slender-leaved. Levant. 6. 10. G. 4. Flor. græc. t. 195.
 21 althæoides. R.S. (li.) Althæa-leaved. — 1597. 6. 9. F. 4. — t. 194.
 22 bryoniæfolius. R.S. (pu.) Bryony-leaved. China. 1802. 7. 8. G. 4. Bot. mag. t. 943.
 23 italicus. R.S. (pi.) Italian. Italy. — F. 4. Ten. fl. neap. 1. t. 15.
hirsutus. T.N. non M.B.
 24 hirsutus. M.B. (pu. ye.) hairy. Tauria. 1824. — H. 4.
 25 alceifolius. R.S. (st. pu.) Hollyhock-leav'd. C. B. S. 1823. — G. 4.
 26 macrocarpus. R.S. (pu.) long-fruited. S. America. 1752. — S. ☉. Burm. amer. t. 91. f. 1.
 27 quinquefolius. R.S. (w. pu.) five-leaved. Vera Cruz. — S. ☉. Pluk. alm. t. 167. f. 6.
 28 glaber. R.S. (wh.) smooth. Cayenne. 1806. S. h. Aub. gui. 1. t. 53.
 29 tenellus. R.S. (wh.) slender. N. America. 1812. 6. 8. H. ☉. Pluk. alm. t. 166. f. 4.
 30 aquaticus. N. (wh.) water-side. — — H. ☉.
 31 siculus. R.S. (bl.) small-flowered. S. Europe. 1640. — H. ☉. Bot. reg. t. 445.
 32 pseudosiculus. R.S. (wh.) long-peduncul'd. Canaries. 1815. 7. 8. H. ☉. — t. 498.
elongatus. W. enum.
 33 Imperati. R.S. (st.) trailing. Naples. 1824. 6. 9. H. 4. Cyr. pl. rar. fasc. 1. t. 5.

34	sagittifolius. F.G. (bh.)	Sibthorp's.	Samos.	1823.	7. 8.	H. 4.	Flor. græc. t. 193.
35	hirtus. R.S. (bl.)	hairy-stalked.	E. Indies.	1806.	6. 8.	S. ⊙.	
36	platycarpus. R.S. (li.)	flat-podded.	Mexico.	1827.	8. 10.	F. 4.	Cavan. ic. 5. t. 492.
37	multifidus. R.S. (bh.)	multifid.	C. B. S.	1822.	6. 8.	G. 4.	
38	persicus. M.B. (wh.)	Persian.	Persia.	1829.	—	H. 4.	Gmel. iter. 3. t. 7.
39	tricolor. R.S. (bl.ye.)	three-coloured.	S. Europe.	1629.	7. 9.	H. ⊙.	Bot. mag. t. 27.
	β albiflorus. (wh.)	white-flowered.	—	—	—	H. ⊙.	
40	meonanthus. R.S. (bl.ye.)	pale blue.	Portugal.	1827.	—	H. ⊙.	
41	pentapetaloides. R.S. (bl.)	Majorca.	Majorca.	1789.	6. 7.	H. ⊙.	Flor. græc. t. 197.
42	lineatus. R.S. (bh.)	dwarf.	S. Europe.	1714.	—	H. 4.	— t. 199.
43	Gerardi. R.S. (bh.)	Gerard's.	—		—	H. 4.	Barrel. ic. t. 311.
44	undulatus. R.S. (wh.re.)	waved.	—	1816.	6. 10.	H. ⊙.	Cavan. ic. 3. t. 277. f. 1.
	humilis. Jacq. col. 4. t. 22. f. 3.	exoluloïdes. F.G. t. 198.	ciliatus. P.S.				
45	lanatus. R.S. (wh.)	woolly-leaved.	Levant.	1829.	5. 6.	G. ½.	Flor. græc. t. 202.
46	intermedius. R.S. (bh.)	intermediate.	S. Europe.	1825.	6. 7.	H. 4.	
47	Cneorum. R.S. (bh.)	silvery-leaved.	Levant.	1640.	5. 9.	G. ½.	Bot. mag. t. 459.
48	saxatilis. R.S. (bh.)	rock.	S. Europe.	1796.	6. 8.	F. 4.	Bocc. nus. 138. t. 3.
49	floridus. R.S. (bh.)	many-flowered.	Teneriffe.	1779.	8. 9.	G. ½.	Jacq. ic. 1. t. 34.
50	Cantabrica. R.S. (fl.)	flax-leaved.	S. Europe.	1680.	5. 9.	H. 4.	Jacq. aust. 3. t. 205.
51	salvifolius. L.en. (bh.)	Sage-leaved.	Palestine.	1825.	—	H. 4.	
52	linearis. R.S. (wh.re.)	narrow-leaved.	S. Europe.	1770.	—	G. ½.	Bot. mag. t. 289.
53	suffruticosus. R.S. (bh.)	suffrutescent.	Levant.	1827.	6. 8.	F. ½.	Desf. atl. 1. t. 48.
54	Dorycnium. R.S. (ro.)	silky-leaved.	—	1806.	6. 7.	H. ½.	Flor. græc. t. 201.
55	holosericeus. R.S. (st.)	silky.	Tauria.	1824.	—	H. 4.	
56	scoparius. R.S. (wh.)	broom.	Canaries.	1733.	8. 9.	G. ½.	Venten. choix. t. 24.
57	terrestris. F. (wh.)	small.	Altay.	1828.	7. 9.	H. 4.	
CALYSTEGIA. B.P. BEAREIND. Pentandria Monogynia. R.S.							
1	sèpium. R.S. (wh.)	great hedge.	Britain.		6. 9.	H. 4. ∪.	Eng. bot. v. 5. t. 313.
2	sylvestris. R.S. (wh.)	wood.	Hungary.	1815.	—	H. 4. ∪.	W. et K. hung. t. 201.
	Convolvulus sylvestris. W.en.						
3	inflata. Df. (re.)	inflated.	N. America.		—	H. 4. ∪.	Bot. mag. t. 732.
	sèpium. Ph. Convolvulus sèpium β incarnata. B.M.						
4	dahurica. B.M. (pi.)	Dahurian.	Dahuria.	1820.	7. 8.	H. 4. ∪.	Bot. mag. t. 2609.
5	Catesbiana. R.S. (ro.)	Catesby's.	Carolina.	1816.	7. 9.	H. 4. ∪.	
6	marginata. B.P. (wh.)	marginated.	N. S. W.	1824.	7. 8.	F. 4. ∪.	
7	stans. M. (wh.)	woolly.	N. America.	1818.	6. 7.	H. 4.	
	tomentosa. Ph. Convolvulus stans. M.						
8	spithamea. R.S. (wh.)	small upright.	—	1696.	7. 8.	H. 4.	Hook. ex. flor. t. 97.
9	Soldanella. R.S. (pi.)	sea-side.	Britain.		6. 7.	H. 4.	Eng. bot. v. 5. t. 314.
	Convolvulus Soldanella. F.B.						
10	reniformis. B.P. (pi.)	kidney-leaved.	N. S. W.	1822.	6. 8.	F. 4.	Swt. br. fl. gar. v. 2. t. 15.
11	hederacea. F.I. (ro.)	Ivy-leaved.	Nepaul.	1826.	—	F. 4. ∪.	
12	Keriana. (bl.)	Mr. Ker's.	Mauritius.	1818.	—	S. ⊙.	Bot. reg. t. 318.
	Convolvulus involucratus. B.R. non Beau. Convolvulus bicolor. B.M. 2205. nec aliorum.						
IPOMÆA. B.P. IPOMÆA. Pentandria Monogynia. R.S.							
1	Quamoclit. R.S. (sc.)	wing-leaved.	E. Indies.	1629.	7. 9.	S. ⊙. ∪.	Bot. mag. t. 244.
	β albiflora. (wh.)	white-flowered.	—		—	S. ⊙. ∪.	
2	dissecta. R.S. (wh.)	cut-leaved.	Tropic's.	1813.	6. 9.	S. 4. ∪.	Willd. phyt. 1. t. 2. f. 1.
3	tuberosa. R.S. (st.pu.)	tuberous-rooted.	W. Indies.	1731.	8. 10.	S. 4. ∪.	Bot. reg. t. 768.
4	digitata. R.S. (sc.)	fingered.	S. America.		—	S. 4. ∪.	Plum. ic. 92. f. 1.
5	sinuata. R.S. (wh.)	sinuated.	N. America.	1813.	6. 9.	G. 4. ∪.	Jacq. vind. t. 179.
	dissecta. Ph. non. w. Convolvulus dissectus. M.						
6	tuberculata. R.S. (li.)	tubercled.	Bourbon.	1818.	—	S. ½. ∪.	Jacq. schœn. 2. t. 1.
	stipulacea. Jacq.						
7	cairica. (pu.)	jagged-leaved.	Egypt.	1680.	—	S. ½. ∪.	Bot. mag. t. 693.
	Convolvulus cairicus. B.M. Ipomœa palmata. R.S.						
8	pendula. B.P. (pu.)	pendulous-flower'd.	N. S. W.	1808.	5. 10.	G. ½. ∪.	Bot. reg. t. 632.
9	dasyperma. J.E. (ye.pu.)	warted.	E. Indies.	1815.	8. 9.	G. ⊙. ∪.	— t. 86.
	tuberculata. B.R. non R.S. Convolvulus pedatus. F.I.						
10	coptica. R.S. (wh.)	palmate-leaved.	E. Indies.	1824.	8. 10.	S. ⊙. ∪.	Dill. elth. t. 318. f. 1.
11	pés-tigridis. R.S. (bh.)	palmated.	—	1732.	—	S. ⊙. ∪.	Bot. reg. t. 333.
12	platensis. B.R. (pu.)	Plata.	S. America.	1817.	6. 9.	S. 4. ∪.	— t. 335.
13	setosa. B.R. (pu.)	bristly-stalked.	Brazil.	—	8. 10.	S. ½. ∪.	— t. 62.
14	paniculata. R.S. (pu.)	panicled.	E. Indies.	1799.	6. 9.	S. ½. ∪.	— t. 75.
15	insignis. A.R. (pu.)	large purple.	—	1814.	—	S. ½. ∪.	
	gossypifolia. R.S.						
16	senegalensis. R.S. (pu.)	Senegal.	Senegal.	1822.	6. 10.	S. ½. ∪.	
17	splendens. G.D. (pu.)	splendid.	Sierra Leon.	—	6. 9.	S. ½. ∪.	Sloan. hist. 1. t. 97. f. 1.
18	parviflora. R.S. (pu.)	small-flowered.	Santa Cruz.	—	7. 10.	S. ⊙. ∪.	

19	heterophylla. R.S. (bl.)	various-leaved.	S. America.	1817.	7. 10.	S. 4.	Jacq. frag. t. 12. f. 4.
20	macrorrhizos. R.S. (sc.)	large-rooted.	W. Indies.	—	—	S. 4.	Plum. cat. mss. v. 2. t. 58.
21	umbellata. R.S. (sc.)	umbelled.	S. America.	1739.	6. 7.	S. 4.	Burm. amer. t. 92. f. 2.
22	carolina. R.S. (pu.)	Carolina.	Carolina.	1732.	7. 8.	G. 4. ∪.	Dill. elth. t. 81. f. 55.
23	pulchella. R.S. (vi.)	neat.	E. Indies.	1824.	5. 8.	S. 4. ∪.	—
24	venosa. R.S. (pu.)	veined-leaved.	Mauritius.	1820.	7. 8.	S. 4. ∪.	—
25	pentaphylla. R.S. (wh.)	five-leaved.	W. Indies.	1739.	8. 9.	S. ⊙. ∪.	Jacq. ic. 2. t. 319.
26	Cavanillesii. R.S. (bh.)	Cavanille's.	S. America.	1815.	—	S. 4. ∪.	Cavan. ic. 3. t. 256.
<i>pentaphylla</i> . Cav. non Jacq.							
27	armata. R.S. (re. vi.)	armed-calyxed.	Mexico.	1824.	7. 10.	S. ⊙. ∪.	Cavan. ic. 5. t. 478. f. 2.
<i>muricata</i> . Cav. non Jacq.							
28	ternata. R.S. (wh.)	ternate-leaved.	S. America.	—	6. 8.	S. 4. ∪.	Jacq. schœnb. 1. t. 37.
29	coccinea. R.S. (sc.)	bright-scarlet.	W. Indies.	1713.	6. 9.	S. ⊙. ∪.	Andr. reposit. t. 99.
30	luteola. R.S. (or.)	common scarlet.	Guatemala.	1759.	—	H. ⊙. ∪.	Bot. mag. t. 221.
<i>coccinea</i> . B.M. nec aliorum.							
31	angulâris. R.S. (cr.)	angular-leaved.	E. Indies.	1806.	—	S. ⊙. ∪.	—
<i>phanicea</i> . F.I.							
32	hastigera. K.S. (fl.)	halbert-bearing.	Mexico.	1824.	6. 8.	S. 4. ∪.	—
33	longiflora. K.S. (wh.)	long-flowered.	Cuba.	1803.	—	S. 4. ∪.	—
34	sagittata. R.S. (ro.)	sagittate.	S. Europe.	1826.	7. 9.	H. 4. ∪.	Cavan. icon. 2. t. 107.
35	bona nox. R.S. (wh.)	large white.	America.	1773.	6. 9.	G. ⊙. ∪.	Bot. mag. t. 752.
36	lacunosa. R.S. (wh. pu.)	starry.	N. America.	1640.	7. 8.	H. ⊙. ∪.	Dill. elth. t. 87. f. 102.
37	Batatas. R.S. (wh. pu.)	sweet potatoe.	India.	1597.		S. 4.	Rheed. mal. 7. t. 50.
<i>Convolvulus Batatas</i> . W.							
38	Turpethum. R.S. (wh.)	square-stalked.	Ceylon.	1752.	3. 6.	S. 4. ∪.	Bot. reg. t. 279.
39	chryseides. B.R. (ye.)	golden.	China.	1817.	6. 10.	S. 4. ∪.	— t. 270.
40	ochracea. B.R. (ye.)	pale yellow.	Benin.	1826.	8. 10.	S. ⊙. ∪.	— t. 1060.
41	Jalapa. (ro.)	true Jalap.	S. America.	1733.	8. 11.	S. 4. ∪.	Bot. mag. t. 1572.
<i>Jalapa. β rōsea</i> . B.R. 621. <i>Convolvulus Jalapa</i> . B.M.							
42	Michauxii. (wh. bh.)	Michaux's.	Georgia.	1815.	—	G. 4. ∪.	Bot. reg. t. 342.
<i>Jalapa. α</i> . B.R. <i>macrorrhiza</i> . M. non R.S.							
43	sanguinea. R.S. (sc.)	blood-flowered.	W. Indies.	1812.	2. 11.	S. 4. ∪.	Bot. reg. t. 9.
44	repanda. R.S. (sc.)	scolloped.	—	1793.	5. 10.	S. 4. ∪.	Sal. par. lond. t. 81.
45	varia. R.S. (bl.)	variable-leaved.	S. America.	1816.	—	S. 4. ∪.	—
<i>Convolvulus pubescens</i> . S.S.							
46	scabra. R.S. (wh.)	rough.	Egypt.	1804.	—	H. ⊙. ∪.	—
47	scabrida. R.S. (wh.)	roughish.	S. America.	1824.	—	H. ⊙. ∪.	—
48	hederacea. B.R. (bl.)	deep-lobed.	N. America.	1729.	8. 10.	H. ⊙. ∪.	Bot. reg. t. 85.
<i>barbata</i> . Roth.							
49	cuspidata. R.S. (pu.)	sharp-pointed.	Peru.	1732.	6. 7.	H. ⊙. ∪.	Flor. per. 2. t. 119. f. a.
50	Dillenii. R.S. (bl.)	Dillenius's.	Guinea.		—	S. ⊙. ∪.	Dill. elth. t. 81. f. 93.
51	Nil. P.S. (bl.)	blue.	S. America.	1597.	7. 9.	S. ⊙. ∪.	Bot. mag. t. 188.
52	cœrulea. B.R. (bl.)	East Indian.	E. Indies.	1815.	—	S. ⊙. ∪.	Bot. reg. t. 276.
53	cœrulescens. F.I. (bl.)	light blue.	—	1820.	6. 8.	S. 4. ∪.	—
54	pudibunda. B.R. (ro.)	modest.	W. Indies.	1825.	7. 10.	S. ⊙. ∪.	Bot. reg. t. 999.
55	triloba. R.S. (vi.)	three-lobed.	—	1752.	6. 7.	S. ⊙. ∪.	—
56	hederifolia. R.S. (vi.)	Ivy-leaved.	S. America.	1773.	7.	H. ⊙. ∪.	Plum. ic. t. 93. f. 2.
57	hepaticifolia. R.S. (bl.)	Hepatica-leav'd.	E. Indies.	1759.	8. 9.	S. ⊙. ∪.	Burm. ind. t. 20. f. 2.
58	punctata. R.S. (vi.)	spotted-calyx'd.	S. America.		7. 11.	S. ⊙. ∪.	Dill. elth. t. 83. f. 96.
59	mutabilis. B.R. (bl.)	changeable.	—	1812.	5. 9.	S. 4. ∪.	Bot. reg. t. 39.
60	acuminata. R.S. (pu.)	taper-pointed.	—		—	S. 4. ∪.	—
61	commutata. R.S. (li.)	hairy-capsuled.	N. America.		—	H. ⊙. ∪.	Dill. elth. t. 84. f. 95.
<i>carolinus</i> . Ph. <i>Convolvulus carolinus</i> . M. non L.							
62	gemella. R.S. (wh.)	twin-flowered.	E. Indies.	1827.	7. 9.	S. 4. ∪.	Burm. ind. t. 21. f. 1.
63	gangetica. (pi.)	Ganges.	—	1812.	5. 9.	S. 4. ∪.	—
<i>Convolvulus gangeticus</i> . F.I.							
64	semidig'yna. F.I. (wh.)	cleft-styled.	—	1826.		S. 4. ∪.	—
65	muricata. R.S. (pu.)	rough.	—	1777.	7. 8.	S. ⊙. ∪.	Jacq. schœn. 3. t. 323.
<i>bona nox β purpurascens</i> . B.R. 290. <i>Convolvulus muricatus</i> . W.							
66	pseudomuricata. L.en. (pu.)	rough-stem'd.	—	1827.	7. 9.	S. 4. ∪.	—
67	carnea. R.S. (fl.)	flesh-coloured.	S. America.	1799.	8. 9.	S. ⊙. ∪.	Jacq. amer. 26. t. 18.
68	involuta. R.S. (pu.)	involucrated.	Sierra Leon.	1822.	8. 10.	S. ⊙. ∪.	Beauv. fl. d'ow. 2. t. 89.
69	barbigera. B.F.G. (bl.)	bearded-calyx'd.	America.	1824.	7. 10.	H. ⊙. ∪.	Swt. br. fl. gar. t. 86.
70	purpurea. R.S. (pu.)	purple.	—	1629.	6. 9.	H. ⊙. ∪.	Bot. mag. t. 113.
<i>β incarnata</i> . (fl.) flesh-coloured.							
<i>γ leucantha</i> . (wh.) white-flowered.							
<i>δ varia</i> . B.M. (std.) striped-flowered.							
<i>ε elatior</i> . B.M. (wh. bl.) spotted-flowered.							
<i>discolor</i> . Jacq.							

71	violàcea. R.s.	(vi.) purple-flower'd.	S. America.	1732.	8. 9.	S. ☉. ∞.	Plum. ic. t. 93. f. 1.
72	corymbòsa. R.s.	(wh.) corymbose.	India.	1823.	—	S. h. ∞.	— t. 93. f. 1.
73	campanulàta. R.s.	(pu.w.) bell-flowered.	E. Indies.	1800.	—	S. ☉.	Rheed. mal. 2. t. 1.
74	polyánthes. R.s.	(ye.gr.) umbel-flowered.	W. Indies.	1739.	6. 7.	S. 4. ∞.	Plum. amer. 8. t. 1.
<i>Convolvulus umbellatus. W.</i>							
75	multiflòra. R.s.	(pu.) many-flowered.	Jamaica.		—	S. 4. ∞.	Pluk. phyt. t. 1. f. 1.
76	malabàrica. R.s.	(pu.st.) Malabar.	E. Indies.	1823.		S. h. ∞.	Rheed. mal. 2. t. 1.
77	solanifòlia. R.s.	(ro.) Nightshade-ld.	America.	1759.	7. 8.	S. ♂. ∞.	Plum. ic. 91. f. 1.
78	leucántha. R.s.	(wh.) white-flowered.	S. America.	1823.	8. 10.	H. ☉. ∞.	Jacq. ic. 2. t. 315.
79	obscura. R.s.	(wh.pu.) hairy.	E. Indies.	1732.	6. 8.	S. ☉. ∞.	Bot. reg. t. 231.
80	fastigiàta.	(pu.) crowded.	—	1816.	—	S. 4. ∞.	—
<i>Convolvulus fastigiatus. F.I.</i>							
81	máxima.	(pu.re.) great	Ceylon.	1799.	7. 8.	S. h. ∞.	Rheed. mal. 2. t. 1.
82	hirsútula. J.E.	(wh.) hairy-stemmed.	S. America.	1828.	—	S. ☉.	Jacq. f. eclog. t. 1.
83	blánda.	(wh.) fair-flowered.	—	1820.		S. h. ∞.	—
<i>Convolvulus blandus. F.I.</i>							
84	laurifòlia.	(ro.) Laurel-leaved.	—	1822.	5. 8.	S. h. ∞.	—
<i>Convolvulus laurifolius. F.I.</i>							
85	sphærocéphala.	(ro.) round-headed.	—	1816.	8. 10.	S. ☉. ∞.	—
<i>Convolvulus sphærocephalus. F.I.</i>							
86	sibírica. R.s.	(wh.) Siberian.	Siberia.	1779.	7. 8.	H. ☉. ∞.	Pall. it. 3. p. 73.
87	Hardwíckii. s.s.	(wh.) fringe-calyxed.	E. Indies.	1816.	5. 8.	S. 4. ∞.	—
<i>Convolvulus calycinus. F.I. non Kth.</i>							
88	tamnifòlia. R.s.	(bl.) Tamus-leaved.	Carolina.	1732.	7.	H. ☉. ∞.	Dill. elth. t. 315. f. 1.
89	capitàta. R.s.	(bl.) headed.	E. Indies.	1823.	7. 10.	S. 4. ∞.	—
90	triquètra. R.s.	(pu.) triquetrous.	Santa Cruz.		—	S. h. ∞.	—
91	pilòsa.	(pi.) various-ld. hairy.	E. Indies.	1815.	—	S. ☉. ∞.	—
<i>Convolvulus pilosus. F.I.</i>							
92	denticulàta. B.P.	(ye.) denticulate.	—	1778.	7. 8.	S. ☉. ∞.	Bot. reg. t. 317.
<i>Convolvulus Medium. W. non L.</i>							
93	bícolor.	(ye.pu.) two-coloured.	—	1815.	—	S. 4. ∞.	—
<i>Convolvulus bicolor. F.I.</i>							
94	atropurpùrea. F.I.	(d.pu.) dark purple.	Nepaul.	1824.	7. 9.	H. ☉. ∞.	—
95	dentàta. F.I.	(ye.) toothed-lobed.	E. Indies.	1820.	—	S. 4. ∞.	—
96	digitifòlia.	(pu.) finger-leaved.	—	1815.	6. 8.	S. h. ∞.	—
<i>Convolvulus digitatus. F.I.</i>							
97	poly'tricha.	(wh.) many-haired.	—	1826.	6. 10.	S. ☉. ∞.	—
<i>Convolvulus hirsutus. F.I.</i>							
98	heptaphýlla. F.I.	(pi.) seven-leaved.	—	1827.		S. h. ∞.	—
99	bogoténsis. K.s.	(pu.) Bogota.	S. America.	1820.	5. 8.	S. h. ∞.	—
100	sidæfòlia. K.s.	(wh.) Sida-leaved.	—	1812.	—	S. h. ∞.	—
101	albivènia.	(wh.) white-veined.	Algoa Bay.	1825.	9. 10.	S. h. ∞.	Bot. reg. t. 117.
<i>Convolvulus albivenius. B.R.</i>							
102	serobiculàta. B.R.	(wh.pu.) furrowed.	Trinidad.	1822.	3. 6.	S. h. ∞.	Bot. reg. t. 117.
103	grandiflòra. R.s.	(wh.) great-flowered.	E. Indies.	1802.	9.	S. h. ∞.	Andr. rep. t. 1.
104	noctilùca. B.R.	(wh.) night-flowered.	—	1811.	9. 10.	S. h. ∞.	Bot. reg. t. 117.
105	latiflòra. R.s.	(wh.) broad-flowered.	W. Indies.		—	S. h. ∞.	Jacq. vind. 3. t. 1.
106	filifórmis. R.s.	(pu.) filiform.	—	1823.	—	S. h. ∞.	Jacq. amer. p. 1.
107	salicifòlia. F.I.	(wh.) Willow-leaved.	E. Indies.	1816.	5. 7.	S. ♂. ∞.	—
108	Roxbúrgii.	(ro.) Roxburgh's.	—	1817.	—	S. h. ∞.	—
<i>multiflora. F.I. nec aliorum.</i>							
109	sepiària. F.I.	(ro.) hedge.	—	—	—	S. h. ∞.	Rheed. mal. 11.
110	panduràta. B.R.	(w.re.) Virginian.	N. America.	1732.	6. 9.	G. 4. ∞.	Bot. reg. t. 117.
<i>Convolvulus panduratus. B.M. 1939.</i>							
111	cándicans.	(wh.) hoary.	—		6. 8.	G. 4. ∞.	Bot. mar. t. 1.
<i>Convolvulus candicans. B.M.</i>							
112	glaucifòlia. R.s.	(fl.) glaucous-leaved.	Mexico.	1732.	5. 7.	G. 4. ∞.	Dill. elth. t. 315. f. 1.
113	réptans. R.s.	(li.) creeping.	E. Indies.	1806.	—	S. 4. ∞.	Rumph. t. 1.
114	angustifòlia. R.s.	(ye.) narrow-leaved.	—	1800.	7. 8.	S. ☉. ∞.	Jacq. ic. 1. t. 1.
115	tridentàta. R.s.	(pu.st.) trifid.	—	1778.	—	S. ☉. ∞.	Rheed. mal. 2. t. 1.
116	stáns. R.s.	(vi.) Mexican.	Mexico.	1824.	—	S. 4. ∞.	Cavan. ic. 1. t. 1.
117	bignonioides. B.M.	(d.pu.) trumpet-flower'd.	Cayenne.	1823.	—	S. 4. ∞.	Bot. mar. t. 1.
118	sagittifòlia. B.R.	(ro.) arrow-leaved.	Carolina.	1819.	6. 9.	G. 4. ∞.	Bot. reg. t. 117.
<i>Convolvulus sagittifolius. R.s.</i>							
119	vitifòlia.	(ye.) Vine-leaved.	E. Indies.	1820.	—	S. h. ∞.	Burm. ind. t. 1.
<i>Convolvulus vitifolius. R.s.</i>							
120	stipulàcea.	(wh.) stipuled.	—	1805.	8. 10.	S. 4. ∞.	—
<i>Convolvulus stipulaceus. F.I.</i>							
121	pentagòna. F.I.	(wh.) five-angled.	—	1824.	5. 8.	S. 4. ∞.	—
122	caspitòsa. F.I.	(st.) tufted.	—	—	—	S. ♂. ∞.	—

123	Beladámboe. R.S. (wh.) whipcord.	E. Indies.	1809.	7. 9.	S. 4.	Rheed. mal. 11. t. 58.
	<i>Convolvulus flagelliformis</i> . F.I.					
124	reniformis. F.I. (ye.) kidney-leaved.	————	1825.	—	S. 4.	
125	bilobata. F.I. (pu.) two-lobed.	————	1809.	6. 7.	S. 4.	Rumph. amb. 5. t. 159. f. 1
126	brasiliensis. (pu.) three-flowered. Brazil.		1726.	—	S. 4.	Plum. amer. 89. t. 104.
	<i>Convolvulus brasiliensis</i> . w.					
127	pés-capræ. (pu.) single-flowered. E. Indies.		1770.	—	S. 4.	Bot. reg. t. 319.
	<i>maritima</i> . B.R. <i>Convolvulus pés-capræ</i> . F.I.					
128	arborescens. (wh. pu.) tree.	Mexico.	1818.		S. 4.	
	ARGYREIA. S.S. ARGYREIA. Pentandria Monogynia. S.S.					
1	splendens. (ro.) glossy-leaved. E. Indies.		1814.	11. 1.	S. 4. —	Bot. mag. t. 2628.
	<i>Ipomœa splendens</i> . B.M. <i>Lettsomia splendens</i> . F.I.					
2	speciosa. (pu.) broad-leaved. E. Indies.		1778.	7. 9.	S. 4. —	Bot. mag. t. 2116.
	<i>Ipomœa speciosa</i> . B.M. <i>Convolvulus speciosus</i> . w. <i>Lettsomia nervosa</i> . F.I.					
3	argentea. (pi.) silvery-leaved. E. Indies.		1820.		S. 4. —	
	<i>Lettsomia argentea</i> . F.I.					
4	setosa. F.I. (pi.) bristly-stemmed. ———	————	—		S. 4. —	
5	cuneata. B.R. (d. pu.) wedge-leaved. ———	————	1817.	6. 9.	S. 4. —	Bot. reg. t. 661.
	<i>Lettsomia cuneata</i> . F.I. <i>Ipomœa atrosanguinea</i> . B.M.		2170.			
6	cymosa. (li.) cyme-flowered. E. Indies.		1823.		S. 4. —	
	<i>Lettsomia cymosa</i> . F.I.					
7	pomacea. F.I. (pi.) Apple-fruited. ———	————	1828.		S. 4. —	
8	lœna-nôx. F.I. (wh.) night-flowering. ———	————	1799.	6. 9.	S. 4. —	
9	uniflora. F.I. (wh.) kidney-leaved. ———	————	1817.		S. 4. —	
10	ornata. F.I. (wh.) large white-flower'd. ———	————	1824.		S. 4.	
11	virgata. slender-twigg'd. ———	————	1825.		S. 4. —	
	DINETUS. B.F.G. DINETUS. Pentandria Monogynia.					
1	racemosus. B.F.G. (wh.) cluster-flower'd. Nepaul.		1823.	7. 11.	H. ☉. —	Swt. br. fl. gar. t. 127.
	<i>Porana racemosa</i> . F.I.					
2	paniculatus. (wh.) panicled. E. Indies.		—		S. 4. —	Roxb. corom. 3. t. 235.
	<i>Porana paniculata</i> . F.I.					
	PORANA. W. PORANA. Pentandria Digynia.					
	volubilis. w. (wh.) climbing. E. Indies.		1823.		S. 4. —	Burm. ind. t. 21. f. 1.
	EVO'LVULUS. S.S. EVO'LVULUS. Pentandria Digynia. R.S.					
1	nummularius. R.S. (bl.) round-leaved. Jamaica.		1816.	10.	S. ☉.	Jacq. amer. t. 260. f. 23.
2	gangeticus. R.S. (bl.) Ganges. E. Indies.		1823.	—	S. ☉.	
3	emarginatus. R.S. (bl.) kidney-leaved. ———	————	1816.	—	S. ☉.	Burm. ind. t. 30. f. 1.
4	alsinoides. R.S. (bl.) chickweed-leaved. ———	————	1733.	6. 7.	S. 4.	Rheed. mal. 11. t. 64.
5	hirsutus. R.S. (pa. bl.) hairy. Cumana.		1825.	6. 8.	S. 4.	Lam. ill. t. 216. f. 2.
6	lanceolatus. Poi. (pa. bl.) spear-leaved. S. America.		1818.	—	S. 4.	
7	linifolius. R.S. (bl.) flax-leaved. Jamaica.		1782.	8. 9.	S. ☉.	Brown. jam. t. 10. f. 2.
8	sericeus. R.S. (wh.) silky. ———	————	1827.	8. 10.	S. ☉.	
9	incanus. R.S. (bl.) hoary. Peru.		1824.	—	S. 4.	
10	Nuttallianus. R.S. (ye.) Nuttall's. Missouri.		1821.	5. 6.	H. 4.	
	<i>argenteus</i> . N.					
11	latifolius. B.R. (wh.) broad-leaved. Brazil.		1819.	6. 7.	S. 4.	Bot. reg. t. 401.
	CRESSA. R.S. CRESSA. Pentandria Digynia. L.					
	cretica. R.S. (wh.) Cretan. Levant.		1822.	7. 9.	H. ☉.	Flor. grac. t. 256.
	DICHO'NDRA. R.S. DICHO'NDRA. Pentandria Digynia. L.					
1	repens. R.S. (wh.) creeping. N. S. W.		1803.	6. 8.	G. 4.	Sm. ic. ined. 1. t. 8.
2	rotundifolia. L. en. (wh.) round-leaved. Persia.		1816.	—	H. 4.	
3	caroliniana. R.S. (gr.) Carolina. Carolina.		1812.	—	G. 4.	
4	sericea. s.s. (wh.) silky. W. Indies.		1793.	—	S. 4.	Swartz. ic. t. 10.
5	argentea. R.S. (wh.) silvery. New Spain.		1818.	—	S. 4.	Willd. hort. ber. t. 81.
	FALKIA. R.S. FA'LKIA. Pentandria Digynia. L.					
	repens. R.S. (wh.) creeping. C. B. S.		1774.	5. 8.	G. 4.	Andr. reposit. t. 257.
	USCUTA. R.S. DODDER. Pentandria Digynia. R.S.					
1	euphratica. R.S. (wh.) great. England.			8. 9.	H. ☉. —	Eng. bot. v. 6. t. 378.
2	Epithymum. R.S. (wh.) lesser. Britain.			7. 10.	H. 4. —	— v. 1. t. 55.
3	epilinum. s.s. (wh.) Flax. Germany.		1821.	—	H. ☉. —	
4	monogyna. R.S. (wh.) one-styled. Levant.		—	—	H. ☉. —	Flor. grac. t. 257.
5	lapuliformis. R.S. (wh.) rough dotted. Silesia.		1824.	—	H. ☉. —	Krock. siles. t. 36.
6	macrocarpa. Led. (wh.) large-podded. Siberia.		1827.	—	H. ☉. —	
7	chinensis. R.S. (wh.) Chinese. China.		1803.	—	G. ☉. —	
8	australis. B.P. (wh.) New Holland. N. Holland.		1818.	—	G. 4. —	
9	chilensis. B.R. (wh.) Chili. Chili.		1821.	1. 12.	G. 4. —	Bot. reg. t. 603.
10	odorata. R.S. (wh.) sweet-scented. Lima.		1820.	—	H. 4. —	
11	verrucosa. B.F.G. (wh.) warted-calyc'd. Nepaul.		1822.	9. 11.	H. 4. —	Swt. br. fl. gar. t. 6.
12	Hookeri. (wh.) Hooker's. E. Indies.		1823.	—	H. ☉.	Hook. ex. flor. t. 150.
	<i>repens</i> . var. <i>verrucosa</i> . H.E.F. excl. synon.		2 B 3			

ORDO CXLIX.

BORAGINEÆ. *Brown prodr.* 1. p. 492.

TIARI'DIUM. S.S.		TIARI'DIUM. Pentandria Monogynia. S.S.			
1	indicum. s.s. (li.) Indian.	W. Indies.	1713.	6. 8.	S. ☉. Bot. mag. t. 1837.
	<i>Heliotropium indicum.</i> B.M.				
2	velutinum. R.S. (wh.) villous-stalked.	E. Indies.		—	S. ☉. Rheed. mal. 10. t. 4.
HELIOTR'OPIUM. S.S. TURNSOLE.		Pentandria Monogynia. L.			
1	peruvianum. s.s. (wh.) Peruvian.	Peru.	1757.	5. 9.	G. h. Bot. mag. t. 141.
	<i>β hybridum.</i> (wh.) More's hybrid.	Hybrid.	1815.	—	G. h.
2	corymbosum. s.s. (bl.) large-flowered.	—	1808.	—	G. h. Bot. mag. t. 1600.
	<i>grandiflorum.</i> L.en.				
3	maroccanum. s.s. (wh.) Morocco.	Morocco.	1821.	—	G. h.
4	parviflorum. s.s. (wh.) small-flowered.	India.	1732.	7. 9.	S. ♂. Dill. elth. t. 146. f. 1.
5	europæum. s.s. (wh.) European.	S. Europe.	1562.	6. 10.	H. ☉. Jacq. aust. 3. t. 207.
6	commutatum. R.S. (wh.) smaller.	—		—	H. ☉.
7	oblongifolium. L.en. (w.) oblong-leaved.	—	1827.	—	H. ☉.
8	suavcolens. s.s. (wh.) sweet-scented.	Caucasus.	1823.	—	H. ☉.
9	coromandelianum. w. (w.) Coromandel.	E. Indies.	1812.	7. 10.	S. ♂.
10	curassavicum. s.s. (wh.) glaucous.	S. America.	1731.	6. 7.	S. ♂. Bot. mag. t. 2600.
11	chenopodioides. W.en. (w.) smooth-leaved.	—	1820.	—	S. ♂.
12	anisophyllum. B.G. (w.) unequal-leaved.	Africa.	1822.	—	S. ♂. Beau. fl. d. ow. 2. t. 1.
13	zeylanicum. R.S. (wh.) Ceylon.	Ceylon.	1815.	—	S. ♂. Burm. ind. t. 16. f. 1.
14	linifolium. R.S. (wh.) flax-leaved.	C. B. S.	—	—	G. h.
	<i>Myosotis fruticosa.</i> w.				
15	demissum. R.S. (wh.) dwarf.	S. America.	1752.	5. 6.	S. h. Plum. ic. 227. f. 2.
	<i>Tournefortia humilis.</i> w.				
16	supinum. s.s. (wh.) trailing.	S. Europe.	1610.	6. 7.	H. ☉. Flor. græc. t. 157.
LITHOSPERMUM. S.S. GROMWELL.		Pentandria Monogynia. L.			
1	fruticosum. s.s. (re.) shrubby.	S. Europe.	1683.	5. 6.	H. h. Flor. græc. t. 161.
2	prostratum. s.s. (pu.) prostrate.	—	1825.	—	H. h. Lois. fl. gall. add. 1.
3	sericeum. s.s. (st.) silky.	N. America.	1824.	—	H. 4.
4	divaricatum. s.s. (st.) spreading.	Africa.	1829.	7. 9.	H. 4.
5	hispidulum. s.s. (bl.) bristly.	Greece.	1828.	—	F. h.
6	arvense. s.s. (st.) corn.	Britain.		5. 6.	H. ☉. Eng. bot. v. 2. t. 120.
7	officinale. s.s. (ye.) officinal.	—		5. 8.	H. 4. — v. 2. t. 134.
8	latifolium. s.s. (st.) broad-leaved.	America.	1816.	—	H. 4.
9	distichum. s.s. (st.) two-spiked.	Mexico.	1806.	—	G. 4.
10	orientale. s.s. (ye.) yellow-flower'd.	Levant.	1713.	—	H. 4. Jacq. fragm. t. 43. f. 1.
11	lineatum. s.s. (st.) lined.	—	1816.	—	H. 4. Bot. mag. t. 515.
12	apulium. s.s. (ye.) small.	S. Europe.	1768.	6. 7.	H. ☉. Flor. græc. t. 158.
13	crassifolium. s.s. (st.) thick-leaved.	Levant.	1825.	5. 8.	H. 4.
14	decumbens. s.s. (st.) decumbent.	Persia.	—	7. 9.	H. ☉. Vent. cels. t. 37.
15	villosum. s.s. (pu.) villous.	S. Europe.	1820.	6. 7.	H. 4.
16	tinctorium. R.S. (st.) dyer's.	—	1596.	6. 10.	H. 4.
17	purpureo-cœruleum. (bl.) creeping.	England.		5. 6.	H. 4. Eng. bot. v. 2. t. 117.
18	graminifolium. s.s. (bl.) grass-leaved.	S. Europe.	1826.	—	H. h. Viv. frag. ital. t. 5.
19	tenuiflorum. s.s. (wh.) slender-flower'd.	Egypt.	1796.	—	H. ☉. Jacq. ic. 2. t. 313.
20	disperrum. s.s. (li.) two-seeded.	Spain.	1799.	6. 7.	H. ☉. Linn. dec. 1. t. 7.
21	davuricum. s.s. (bl.) Daurian.	Davuria.	1812.	5. 6.	H. 4. Swt. br. fl. gar. t. 1.
	<i>Pulmonaria davurica.</i> B.M. 1743.				
22	denticulatum. s.s. (pu.) toothed.	N. America.	1801.	—	H. 4.
23	sibiricum. s.s. (pu.) Siberian.	Siberia.	—	6. 7.	H. 4. Gmel. sib. 4. n. 15. t. 1.
24	maritimum. s.s. (bl.) sea-side.	Britain.		—	H. 4. Eng. bot. v. 6. t. 300.
	<i>Pulmonaria maritima.</i> E.B.				
25	parviflorum. (bl.) small-flowered.	N. America.	1824.	—	H. 4.
26	pulchrum. s.s. (bl.) Virginian.	—	1699.	3. 5.	H. 4. Bot. mag. t. 160.
	<i>Pulmonaria virginica.</i> B.M.				
27	paniculatum. s.s. (pu.) panicled.	Hudson's Bay.	1778.	5. 6.	H. 4. Bot. reg. t. 146.
	<i>Pulmonaria paniculata.</i> B.R.				
28	lanceolatum. (bl.) margined.	Louisiana.	1813.	—	H. 4.
	<i>Pulmonaria lanceolata.</i> Ph. marginata. N.				
29	simplicissimum. s.s. (bl.) simple-stalked.	Siberia.	1829.	—	H. 4.
BA'TSCHIA. M.		Pentandria Monogynia.			
1	Gmelini. M. (ye.) Carolina.	Carolina.	1812.	5. 7.	H. 4.
	<i>caroliniana.</i> R.S. <i>Lithospermum hirtum.</i> s.s.				

2 canescens. M.	(ye.) canescent.	N. America.		5. 7.	H. 2.	Mich. amer. 1. t. 11.
3 longiflora. N.	(ye.) long-flowered.	Missouri.	1812.	—	H. 2.	
4 decumbens. N.	(ye.) decumbent.	N. America.	1826.	—	H. 2.	
5 conspicua. B.	(ye.) conspicuous.	—	1827.	—	H. 2.	
PULMONARIA. S.S. LUNGWORT. Pentandria Monogynia. L.						
1 azurea. s.s.	(bl.) azure.	Hungary.	1823.	5.	H. 2.	Moris. his. s. 11. t. 29. f. 5.
2 angustifolia. s.s.	(pu.) narrow-leaved.	Britain.		4. 5.	H. 2.	Eng. bot. v. 23. t. 1628.
3 tuberosa. s.s.	(pu.) tuberous-rooted.	Hungary.	1821.	5.	H. 2.	
4 mollis. s.s.	(pu.) soft-leaved.	—	1816.	—	H. 2.	Swt. br. fl. gar. ic.
5 officinalis. R.S.	(pu.) common.	England.		—	H. 2.	Eng. bot. v. 2. t. 118.
6 saccharata. L.en.	(wh.) white-flowered.	Germany.	1816.	—	H. 2.	Moris. s. 11. t. 29.
7 grandiflora. R.S.	(pu.) large-flowered.			—	H. 2.	DC. ic. ined. t. 64.
8 oblongata. Schr.	(pu.) oblong-leaved.	Germany.	1820.	—	H. 2.	
ONOSMODIUM. M. ONOSMODIUM. Pentandria Monogynia. R.S.						
1 hispidum. R.S.	(st.) hispid.	N. America.	1759.	6.	H. 2.	Moris. s. 11. t. 28. f. 3.
2 molle. R.S.	(wh.) soft.	—	1812.	6. 8.	H. 2.	Mich. amer. t. 15.
ONOSMA. R.S. ONOSMA. Pentandria Monogynia. L.						
1 echioides. s.s.	(ye.) hairy.	S. Europe.	1683.	3. 6.	H. 2.	Flor. græc. t. 172.
2 giganteum. s.s.	(ye.) gigantic.	Tauria.	1818.	—	H. 2.	
3 montanum. R.S.	(ye.) mountain.	Levant.	1827.	—	H. 2.	Colum. ecphr p. 183. f. 2.
4 arenarium. R.S.	(ye.) sand.	Hungary.	1804.	3. 7.	H. 2.	W. et K. hung. 3. t. 279.
5 stellatum. W.K.	(ye.) starry-haired.	—	1816.	—	H. 2.	— 2. t. 173.
6 tauricum. B.M.	(go.) golden-flower'd.	Tauria.	1801.	4. 6.	F. 2.	Bot. mag. t. 889.
7 tinctorium. R.S.	(st.) dyer's.	Volga.	1828.	—	H. 2.	
8 rupestre. R.S.	(ye.) rock.	Caucasus.	1823.	—	H. 2.	
9 erectum. R.S.	(ye.) upright.	Crete.	1828.	—	F. 2.	Flor. græc. t. 173.
10 orientale. s.s.	(st.) oriental.	Levant.	1752.	5. 6.	G. 2.	
11 divaricatum. s.s.	(st.) spreading.	Caucasus.	1818.	4. 6.	H. 2.	Pall. it. 2. app. t. 50.
12 simplicissimum. R.S.	(st.) linear-leaved.	Siberia.	1768.	—	H. 2.	Bot. mag. t. 2218.
13 trinervium. s.s.	(st.) three-nerved.	Mexico.	1825.	—	G. 2.	
14 sericeum. R.S.	(ye.) silky-leaved.	Levant.	1752.	6. 7.	F. 2.	
15 synanthemum. F.	(ye.) connected.	Altay.	1827.	—	H. 2.	
MO'LTZIA. R.S. MO'LTZIA. Pentandria Monogynia.						
1 caerulea. R.S.	(bl.) blue-flowered.	Persia.	1829.	4. 6.	H. 2.	
SYMPHYTUM. R.S. COMFREY. Pentandria Monogynia. L.						
1 officinale. R.S.	(wh.) common.	Britain.		5. 7.	H. 2.	Eng. bot. v. 12. t. 817.
2 purpurascens. (pu.) purplish.		—		—	H. 2.	
3 bohemicum. P.S.	(re.) red-flowered.	Bohemia.		—	H. 2.	
4 caucasicum. R.S.	(bl.) Caucasian.	Caucasus.	1816.	—	H. 2.	
5 tuberosum. R.S.	(wh.) tuberous-root'd.	Scotland.		5. 10.	H. 2.	Eng. bot. v. 23. t. 1502.
6 bulbosum. s.s.	 bulbous-rooted.	Levant.	1829.	5. 7.	H. 2.	Reich. icon. t. 220.
7 orientale. R.S.	(wh.) eastern.	Turkey.	1752.	—	H. 2.	Bot. mag. t. 1912.
8 bullatum. s.s.	(wh.) blistered.	Tauria.	1806.	—	H. 2.	— t. 1787.
9 tauricum. B.M.						
10 cordatum. W.K.	(st.) heart-leaved.	Hungary.	1813.	—	H. 2.	W. et K. hung. 6. t. 7.
11 asperinum. R.S.	(bl.) roughest.	Caucasus.	1799.	5. 9.	H. 2.	Bot. mag. t. 929.
12 echinatum. R.S.	(pu.) bristly.		1824.	—	H. 2.	
13 peregrinum. s.s.	(wh.) oblique-leaved.	Poland.	1816.	5. 7.	H. 2.	
ERINTHE. R.S. HONEYWORT. Pentandria Monogynia. L.						
1 major. R.S.	(ye. pu.) great.	S. Europe.	1596.	7. 8.	H. 2.	Bot. mag. t. 333.
2 aspera. R.S.	(pu. ye.) rough.	—	1633.	—	H. 2.	Flor. græc. t. 170.
3 retorta. F.G.	(pu. ye.) bent topped.	Levant.	1828.	—	H. 2.	— t. 171.
4 minor. R.S.	(ye.) small.	Austria.	1570.	6. 10.	H. 2.	Jacq. aust. 2. t. 124.
5 alpina. R.S.	(pu. ye.) alpine.	M. Carpathian.	1827.	—	H. 2.	
6 maculata. R.S.	(ye. pu.) spotted.	Tauria.	1804.	—	H. 2.	
ECHIU. R.S. VIPER'S-BUGLOSS. Pentandria Monogynia. L.						
1 fruticosum. R.S.	(wh. bh.) frutescent.	C. B. S.	1759.	5. 6.	G. 2.	Bot. reg. t. 86.
2 hispidum. R.S.	(wh.) hispid-leaved.	—	1816.	—	G. 2.	
3 verrucosum. R.S.	(wh.) warted.	—	1820.	5. 7.	G. 2.	
4 lavigatum. R.S.	(wh.) smooth-stalked.	—	1774.	6. 7.	G. 2.	
5 glaucophyllum. R.S.	(bl.) glaucous-leaved.	—	1792.	6. 8.	G. 2.	Jacq. ic. t. 312.
6 glabrum. R.S.	(wh.) smooth.	—	1791.	5. 6.	G. 2.	
7 paniculatum. R.S.	(wh.) panicked.	—	1815.	—	G. 2.	
8 grandiflorum. R.S.	(ro.) great-flowered.	—	1787.	6. 7.	G. 2.	Bot. reg. t. 124.
9 formosum. P.S.						
10 ferocissimum. A.R.	(bl.) prickly-stalked.	—	1794.	—	G. 2.	Andr. reposit. t. 39.
11 petraeum. s.s.	(bl.) rock.	Dalmatia.	1828.	—	H. 2.	
12 calycinum. R.S.	(bl. ye.) large-calyxed.	S. Europe.	1829.	6. 8.	H. 2.	Viv. frag. ital. 1. t. 4.

12	spicatum. R.S.	(wh.) spiked dwarf.	C. B. S.	1799.	3. 5.	G. h.	
13	caudatum. R.S.	(re.) tailed.	————	1815.	6. 9.	G. h.	
14	capitatum. R.S.	(re.) headed.	————	1822.	—	G. h.	
15	sphærocephalon. s.s.(w.)	round-headed.	————	1824.	—	G. h.	
16	argenteum. R.S.	(bl.) silvery.	————	1789.	6. 7.	G. h.	Andr. reposit. t. 154.
17	lasiophyllum. L.en.(w.)	woolly-leaved.	————	1819.	—	G. h.	
18	Swartzii. R.S.	(bl.) Swartz's.	C. B. S.	1816.	—	G. h.	
19	incanum. R.S.	(bl.) hoary.	————	—	4. 6.	G. h.	
20	strigosum. R.S.	(vi.) strigose.	————	1819.	6. 7.	G. h.	
21	giganteum. R.S.	(wh.) gigantic.	Canaries.	1779.	7. 11.	G. h.	Vent. malm. t. 71.
22	aculeatum. R.S.	(st.) prickly.	————	1815.	5. 8.	G. h.	
23	molle. R.S.	(wh.) soft-leaved.	————	—	—	G. h.	
24	nervosum. H.K.	(bl.) sinewy-leaved.	Madeira.	1777.	6. 8.	G. h.	
25	bifrons. DC.	(bh.) two-fronted.	Canaries.	1815.	—	G. h.	
26	ambiguum. DC.	(bh.) ambiguous.	————	—	5. 7.	G. h.	DC. ic. mons. ined. t.
27	virescens. DC.	(pa.bl.) green-leaved.	————	—	—	G. h.	
28	candicans. R.S.	(bl.) hoary tree.	Madeira.	1777.	5. 6.	G. h.	Bot. reg. t. 44.
29	cynoglossoides. R.S.(bl.)	hound's-tongue-ld.	Canaries.	1816.	—	G. h.	
30	densiflorum. DC.	(li.) dense-flowered.	————	—	—	G. h.	DC. ic. m. ined. t. 22.
31	fastuosum. H.K.	(bl.) fastuous.	————	1779.	4. 8.	G. h.	
32	strictum. R.S.	(ll.) upright.	————	—	5. 12.	G. h.	Jacq. schœn. 1. t. 30.
33	lineatum. R.S.	(bh.) lined.	————	1815.	5. 6.	G. h.	Jacq. f. eclog. t. 42.
34	macrophyllum. R.S.(bl.)	large-leaved.	————	1812.	—	G. h.	
35	foliosum. R.S.	(wh.) leafy.	————	—	—	G. h.	
36	simplex. DC.	(wh.) simple-stalked.	Canaries.	—	5. 12.	G. h.	DC. ic. m. ined. t. 22.
37	brachyanthum. R.S.(w.)	short-flowered.	Madeira.	1820.	5. 7.	G. h.	
38	scabrum. R.S.	(bl.) rough.	C. B. S.	—	—	G. h.	
39	plantagineum. R.S.(pu.)	Plantain-leav'd.	Italy.	1776.	7. 10.	H. ♂.	Flor. græc. t. 179.
40	lusitanicum. R.S.	(bl.) Portugal.	S. Europe.	1731.	7. 8.	H. 4.	
41	plantainoides. R.S.(bl.)	Plantain-like.	————	1825.	—	H. ♂.	Jacq. vind. 1. t. 45.
42	prostratum. R.S.	(re.) prostrate.	Egypt.	1824.	—	H. 4.	
43	macranthum. R.S.(vi.)	large-flowered.	Barbary.	—	7. 10.	H. ♂.	Desf. atl. 1. t. 46.
	grandiflorum. Desf.	non Andr.					
44	australe. R.S.	(re.pu.) oval-leaved.	S. Europe.	1824.	—	H. ♂.	Swt. br. fl. gar. t. 101.
45	Simsii.	(re.bl.) Sims's.	————	1816.	—	H. ♂.	Bot. mag. t. 1931.
	creticum. B.M.	non Flor. græc.					
46	maritimum. R.S.	(bl.) sea-side.	Italy.	1815.	—	H. ♂.	Bocc. mus. 2. t. 73.
47	italicum. R.S.	(wh.) white.	Jersey.		7. 8.	H. ♂.	Eng. bot. v. 29. t. 2.
48	pyrenæicum. R.S.	(bl.) Pyrenean.	Pyrenees.	1815.	—	H. ♂.	
49	asperrimum. M.B.	(bl.) roughest.	Caucasus.	1826.	—	H. ♂.	
50	thyrsoides. R.S.(bl.)	bunch-flowered.	————	1823.	—	H. ♂.	
51	rubrum. R.S.	(re.) red-flowered.	Hungary.	1791.	—	H. 4.	Bot. mag. t. 1822.
52	vulgare. R.S.	(bl.) common.	Britain.		—	H. ♂.	Eng. bot. v. 3. t. 18.
	β album.	(wh.) white-flowered.	————		—	H. ♂.	
53	tuberculatum. R.S.(bl.)	tubercled.	S. Europe.	1826.	—	H. ♂.	
54	violaceum. R.S.(vi.bl.)	violet-flowered.	Austria.	1658.	—	H. ♂.	
55	parviflorum. H.K.(bl.)	small-flowered.	Barbary.	1798.	—	H. ♂.	
	micranthum. R.S.						
56	ténue. s.s.	(bl.) slender.	————	1824.	—	H. ♂.	
57	Sibthorpii. R.S.	(ro.) Sibthorp's.	Naples.	—	—	H. ♂.	Flor. græc. t. 181.
	hispidum. F.G.	nec aliorum, elegans. Lehm.					
58	diffusum. R.S.	(re.) spreading.	Crete.	1827.	7. 9.	H. ♂.	Flor. græc. t. 182.
59	creticum. R.S.	(pu.) Cretan.	Levant.	1683.	—	H. ♂.	— t. 183.
60	orientale. R.S.	(pu.) oriental.	————	1780.	7. 8.	H. ♂.	Tourn. it. 2. f. 185.
61	dahuricum. F.	(bl.) Dahurian.	Dahuria.	1827.	—	H. ♂.	
62	angustifolium. s.s.(bl.)	narrow-leaved.	Spain.	1826.	—	H. ♂.	
63	Lagascanum. R.S.(li.)	Lagasca's.	————	—	—	H. 4.	
64	salmanticum. R.S.(pu.)	long-stamened.	————	1824.	—	H. ♂.	
	NONEA. DC.	NONEA. Pentandria Monogynia. R.S.					
1	violacea. DC.	(vi.) violet-coloured.	S. Europe.	1686.	5. 7.	H. ♂.	Moris. s. 11. t. 26.
	Lycopsis vesicaria. w.						
2	nigricans. DC.	(d.pu.) black-flowered.	————		—	H. ♂.	Zanon. hist. 56. t. 1.
3	púlla. DC.	(d.pu.) dark-flowered.	Germany.	1648.	6. 7.	H. 4.	Jacq. aust. 2. t. 185.
4	ciliata. R.S.	(ye.) fringed.	Levant.	1804.	—	H. ♂.	
5	rosea. L.en.	(ro.) rose-coloured.	Caucasus.	1824.	—	H. ♂.	
	Anchusa rosea. M.B.	Lycopsis rosea. s.s.					
6	setosa. R.S.	(ye.) bristly.	Iberia.	1826.	—	H. ♂.	
7	versicolor. (bl.wh.)	various-colored.	————	1820.	—	H. ♂.	
	Anchusa versicolor. R.S.						

8 lutea. DC.	(ye.) pale yellow.	S. Europe.	1805.	6. 7. H. ⊙.	Nocc. hort. tran. t. 3.
<i>Anchusa lutea</i> . R.S. <i>Lycopsis lutea</i> . s.s.					
9 picta.	(bl.std.) painted.	Tauria.	1818.	— H. ⊙.	
<i>Anchusa picta</i> . M.B. <i>Lycopsis picta</i> . s.s.					
LYCOPSIS. L.	WILD BUGLOSS. Pentandria Monogynia. L.				
arvensis. L.	(bl.) common.	Britain.		5. 8. H. ⊙.	Eng. bot. v. 14. t. 938.
ASPERUGO. L.	GERMAN MADWORT. Pentandria Monogynia. L.				
procumbens. L.	(bl.) procumbent.	Britain.		4. 5. H. ⊙.	Eng. bot. v. 10. t. 661.
ANCHUSA. R.S.	BUGLOSS. Pentandria Monogynia. L.				
1 Barrelieri. R.S.	(bl.) Barrelier's.	Italy.	1815.	6. 7. H. 4.	Barrel. ic. 333.
2 paniculata. R.S.	(bl.) panicked.	Levant.	1777.	6. 10. H. 4.	Flor. græc. t. 163.
3 italica. B.R.	(bl.) Italian.	S. Europe.	1597.	— H. 4.	Bot. reg. t. 483.
4 Milleri. R.S.	(ro.) Miller's.			— H. ⊙.	
5 myosotidiflora. s.s.	(bl.) Myosotis-flower'd.	Caucasus.	1828.	— H. 4.	
6 stylota. R.S.	(bl.) long-styled.	Tauria.	1824.	— H. ⊙.	MB. cent. pl. rar. t. 23.
7 procera. s.s.	(bl.) tall.	Poland.	1822.	— H. 4.	
8 lycopsoides. L.en. (vi.)	Lycopsis-like.		—	— H. 4.	
9 variegata. s.s. (bl.cr.)	variegated.	Levant.	1683.	6. 7. H. ⊙.	Flor. græc. t. 178.
<i>Lycopsis variegata</i> . F.G.					
10 ovata. s.s.	(bl.) oval-leaved.	—	1796.	— H. ⊙.	Buxb. cent. 5. t. 30.
<i>Lycopsis orientalis</i> . R.S.					
11 tinctoria. R.S.	(bl.) dyer's.	—	1596.	6. 10. H. 4.	Flor. græc. t. 166.
12 parviflora. R.S.	(bl.) small-flowered.	Levant.	1827.	— H. ⊙.	
13 aggregata. s.s.	(bl.) clustered.	—	—	— H. ⊙.	Flor. græc. t. 107.
<i>parviflora</i> . Flor. græc. non w.					
14 hispida. R.S.	(vi.) hispid.	Egypt.	1823.	— H. 4.	
15 tenella. R.S.	(wh.) slender.	China.	1816.	— H. ⊙.	Jacq. f. ecl. t. 22.
<i>zeylanica</i> . Jacq.					
16 cæspitosa. F.G.	(bl.) tufted.	Levant.	1828.	— H. 4.	Flor. græc. t. 169.
17 officinalis. R.S.	(vi.) common.	Britain.		— H. 4.	Eng. bot. v. 10. t. 662.
18 incarnata. Schr.	(fl.) flesh-coloured.	Europe.		— H. 4.	
19 undulata. R.S.	(pu.) wave-leaved.	S. Europe.	1739.	6. 8. H. 4.	Bot. mag. t. 2119.
20 ochroleuca. R.S.	(st.) pale-flowered.	Caucasus.	1810.	7. 8. H. 4.	— t. 1608.
21 angustifolia. R.S.	(bl.) narrow-leaved.	Europe.	1640.	5. 6. H. 4.	Flor. græc. t. 164.
22 capensis. R.S.	(vi.) Cape.	C. B. S.	1800.	7. 8. G. ♂.	Andr. reposit. t. 336.
23 hybrida. R.S.	(pu.) villous.	Naples.	1818.	7. 10. H. ⊙.	Ten. fl. neap. t. 11.
24 Gmelini. s.s.	(bl.) Gmelin's.	Siberia.	1829.	— H. 4.	
25 alpestris. s.s.	(bl.) alpine.	Caucasus.	—	— H. 4.	
26 Agardhii. R.S.	(pu.) tubercle-leav'd.	Siberia.	1823.	7. 9. H. 4.	
27 verrucosa. R.S.	(wh.) warted.	Egypt.	—	7. 10. H. ⊙.	Jacq. vind. 3. t. 21.
<i>Asperugo ægyptiaca</i> . Jacq.					
28 rupëstris. B.P.	(bl.) rock.	Siberia.	1802.	6. 8. H. 4.	Pall. it. 3. ap. t. E. f. 3.
<i>Myosotis rupëstris</i> . w.					
MYOSOTIS. R.S.	SCORPION-GRASS. Pentandria Monogynia. L.				
1 palustris. E.B.	(bl.) marsh.	Britain.		6. 9. H.w. 4.	Eng. bot. v. 28. t. 1973.
<i>scorpioides</i> . w.					
2 cæspitosa. s.s.	(bl.) tufted.	—		5. 7. H.w. 4.	
3 intermedia. s.s.	(bl.) intermediate.	—		4. 6. H. ♂.	Fl. dan. 583. f. maj.
4 sylvatica. R.S. (bl.ye.)	wood.	—		6. 8. H. 4.	Rail syn. t. 9. f. 2.
5 commutata. R.S.	(bl.) changed.	Europe.		— H. ♂.	
6 alpestris. R.S.	(bl.) rock.	Scotland.		— H. 4.	Eng. bot. v. 36. t. 2559.
<i>rupicola</i> . E.B.					
7 lithospermifolia. R.S. (bl.)	Gromwell-leav'd.	Caucasus.	1823.	— H. 4.	
8 suaveolens. R.S.	(bl.) sweet-scented.	Europe.	—	— H. 4.	
9 sericea. s.s.	(bl.) silky-leaved.	Siberia.	1802.	— H. 4.	
10 villota. s.s.	(bl.) villous.	—	1828.	— H. 4.	
11 sparsiflora. R.S. (wh.)	loose-flowered.	Europe.	1818.	— H. ⊙.	
12 stricta. R.S. (bl.ye.)	upright.	—	—	— H. ⊙.	
13 arvensis. E.B.	(bl.) corn.	Britain.		6. 9. H. ⊙.	Eng. bot. v. 36. t. 2558.
14 versicolor. E.B. (bl.ye.)	various-colour'd.	—		4. 6. H. ⊙.	— t. 480. f. 1.
15 nana. R.S.	(bl.) dwarf.	—		6. 8. H. 4.	Hæq. pl. alp. car. t. 2. f. 6.
16 peduncularis. s.s. (bl.)	peduncled.	Astracan.	1822.	— H. ⊙.	
17 clavata. s.s.	(bl.) clavate.	Siberia.	1829.	— H. ⊙.	
18 australis. B.P.	(bl.) southern.	N. S. W.	1824.	— G. ⊙.	
19 unguata. F.	(bl.) clawed.	Siberia.	1822.	— H. ⊙.	
ECHINOSPERMUM. S.S.	ECHINOSPERMUM. Pentandria Monogynia. S.S.				
1 zeylanicum. s.s. (bl.)	Ceylon.	Ceylon.	1826.	6. 9. S. ⊙.	
2 virginianum. s.s. (pu.)	Virginian.	Virginia.	1699.	6. 7. H. ♂.	Moris. s. 11. t. 30. f. 9.
<i>Myosotis virginiana</i> . w. <i>Rochelia virginiana</i> . R.S.					

3	deflexum. s.s. (bl.) deflexed.	Hungary.	1823.	6. 7. H. ♂.	Wahl. a. holm. 1810. t. 4.
4	Lappula. s.s. (bl.) common.	Europe.	1656.	4. 8. H. ⊙.	Flor. dan. t. 692.
5	squarrosus. L.en. (bl.) squarrose.	Siberia.	1802.	— H. ⊙.	
	pátulum. s.s.				
6	Redówsii. L.A. (bl.) Redowski's.	Russia.	1821.	6. 7. H. ♂.	
7	barbatum. s.s. (bl.) bearded.	Tauria.	1819.	— H. ⊙.	
8	marginatum. s.s. (bl.) margined.	Astracan.	—	— H. ⊙.	
9	heteracanthum. Led. (bl.) various-spined.	Siberia.	1826.	— H. ⊙.	
10	grandiflorum. Led. (bl.) large-flowered.	—	1827.	— H. ⊙.	
OMPHALODES. L.A. OMPHALODES. Pentandria Monogynia. L.en.					
1	nítida. L.A. (bl.) shining.	Portugal.	1812.	4. 6. H. ♀.	Bot. mag. t. 2529.
	Cynoglóssum nítidum. B.M. Picótia nítida. R.S.				
2	vérna. L.en. (bl.) Comfrey-leav'd.	S. Europe.	1633.	3. 5. H. ♀.	Bot. mag. t. 7.
	Cynoglóssum Omphalodes. B.M. Picótia vérna. R.S.				
3	brassicæfolia. L. (wh.) stem clasping.	Spain.	1824.	6. 8. H. ⊙.	Lehm. m. ber. 8. 2. t. 6.
	amplexicaulis. Lehm. Picótia brassicæfolia. R.S.				
4	littoralis. L.A. (wh.) sea-side.	France.	1827.	— H. ⊙.	
5	linifolia. L.A. (wh.) Venus Navelwort.	Portugal.	1648.	— H. ⊙.	Barrel. ic. 1234.
6	lithospermifolia. L.A. (bl.) loose-racemed.	Levant.	1828.	4. 6. H. ♀.	
7	scorpioides. L.A. (bl.) variable-leaved.	Bohemia.	1823.	6. 8. H. ⊙.	Lehm. m. ber. 8. 2. t. 7.
8	sempervirens. D.P. (bl.) evergreen.	Britain.		5. 6. H. ♀.	Eng. bot. v. 1. t. 45.
	Anchúsa sempervirens. E.B.				
RIND'ERA. R.S. RIND'ERA. Pentandria Monogynia. R.S.					
1	lævigata. R.S. (wh.) smooth.	Siberia.	1824.	6. 7. H. ♀.	Pall. ross. 2. t. 88.
	tetráspis. Pall. Cynoglóssum Rindira. Pall. Cynoglóssum lævigatum. w.				
2	magellensis. R.S. (vi.) woolly.	Italy.	1823.	5. 7. H. ♀.	
	Cynoglóssum magellense. Tenore.				
3	Colúmnæ. R.S. (pu.) Columna's.	—	1824.	— H. ♂.	Column. ecphr. 1. t. 178.
4	cristata. R.S. (pu.) crested.	Armenia.	1829.	— H. ♂.	
MA'TTIA. R.S. MA'TTIA. Pentandria Monogynia. R.S.					
1	umbellata. R.S. (re. ye.) umbel-flowered.	Hungary.	1818.	6. 7. H. ♀.	W. et K. hung. 2. t. 148.
2	lanata. R.S. (ro.) woolly.	Levant.	1800.	— G. ♀.	Tourn. an. mus. 10. t. 37.
	Cynoglóssum lanatum. w.				
CYNOGLOSSUM. R.S. HOUND'S-TONGUE. Pentandria Monogynia. L.					
1	officinale. R.S. (ro.) common.	Britain.		6. 7. H. ♂.	Eng. bot. v. 13. t. 921.
2	Hæ'nkii. R.S. (pu.) rough-leaved.	Hungary.	1815.	— H. ♂.	
3	sylvaticum. R.S. (pu.) green-leaved.	Britain.		— H. ♂.	Eng. bot. v. 23. t. 1642.
4	Dioscoridis. R.S. (bl.) Dioscoride's.	Dauphiny.	1818.	— H. ♂.	
5	bicolor. R.S. (wh. re.) two-coloured.	Germany.	—	— H. ♂.	
6	píctum. R.S. (re. bl.) Madeira.	Madeira.	1658.	8. G. ♂.	Clus. hist. 2. p. 162. f. 2.
7	lanceolatum. L.A. (wh. bl.) spear-leav'd.	Africa.	1806.	7. 8. H. ⊙.	
8	virginicum. s.s. (bl. wh.) stem-clasping.	N. America.	1812.	6. 7. H. ♀.	
	amplexicaule. M.				
9	clandestinum. R.S. (vi.) hidden-flower'd.	Barbary.	1823.	— G. ♂.	Desf. atl. 1. t. 42.
10	canescens. R.S. (bl.) canescent.	E. Indies.	1815.	7. 10. G. ⊙.	Jacq. schœnb. 4. t. 489.
	racemosum. F.I.				
11	apenninum. R.S. (vi.) Apennine.	Italy.	1731.	4. 7. H. ♂.	Sabb. hort. rom. 2. t. 26.
12	tomentosum. L.A. (vi.) woolly-leaved.	—	1823.	5. 8. H. ♀.	
13	magellense. T.S. (ro.) woolly.	—	—	5. 7. H. ♀.	
14	holosericeum. s.s. (vi.) silky.	Caucasus.	1827.	5. 9. H. ♂.	
15	diffusum. L.A. (wh.) spreading.	E. Indies.	1820.	7. 10. H. ⊙.	
16	australe. B.P. (vi.) New Holland.	N. S. W.	—	5. 7. G. ♀.	
17	cheirifolium. s.s. (pu.) silvery-leaved.	Levant.	1596.	6. 7. H. ♂.	
	Anchúsa lanata. R.S.				
TRICHODE'SMA. B.P. TRICHODE'SMA. Pentandria Monogynia. R.S.					
1	indicum. R.S. (bl.) Indian.	E. Indies.	1759.	6. 10. H. ⊙.	Pluk. alm. 30. t. 76. f. 3.
	Borago indica. L.				
2	africanum. R.S. (bl.) African.	C. B. S.	—	7. 8. H. ⊙.	Isn. act. par. 1718. t. 11.
3	zeylanicum. R.S. (bl.) Ceylon.	E. Indies.	1799.	— S. ⊙.	Jacq. ic. 2. t. 314.
BORAGO. R.S. BORAGE. Pentandria Monogynia. L.					
1	officinális. R.S. (bl.) common.	Britain.		6. 9. H. ⊙.	Eng. bot. v. 1. t. 96.
	β albiflora. (wh.) white-flowered.	—		— H. ⊙.	
2	orientális. R.S. (bl.) oriental.	Turkey.	1752.	3. 5. H. ♀.	Bot. reg. t. 288.
3	erética. R.S. (bh.) Cretan.	Greece.	1823.	5. 6. H. ♀.	Flor. grac. t. 176.
4	laxiflora. R.S. (bl.) bell-flowered.	Corsica.	1813.	5. 8. H. ♂.	Bot. mag. t. 1798.
5	crassifolia. R.S. (fl.) thick-leaved.	Persia.	1824.	— H. ♀.	Venten. cels. t. 100.
TOURNEFORTIA. R.S. TOURNEFORTIA. Pentandria Monogynia. L.					
1	cymosa. R.S. (fl.) broad-leaved.	Jamaica.	1777.	7. S. ♀.	Jacq. ic. 1. t. 31.
2	fœtidissima. R.S. (fl.) Tobacco-leav'd.	—	1739.	9. S. ♀.	Plum. ic. 226. t. 200.

3	bicolor. R.S. (wh.gr.)	two-coloured.	Jamaica.	1812.		S. h.	
4	suffruticosa. R.S. (wh.)	hoary-leaved.	————	1759.	6. 9.	S. h.	Sloan. hist. 2. t. 162. f. 1.
5	mutabilis. R.S. (wh.)	changeable.	Java.	1820.	—	S. h.	Venten. choix. t. 3.
6	maculata. R.S. (st.)	spotted-fruited.	Carthageria.	1828.	—	S. h.	
7	gnaphalodes. R.S. (wh.)	Gnaphalium-like.	W. Indies.	1820.	—	S. h.	Jacq. amer. t. 173. f. 11.
<i>Heliotropium gnaphalodes.</i> w.							
8	velutina. K.S. (wh.)	velvety.	Mexico.	1826.	—	G. h.	H. et B. am. 3. t. 201.
9	umbellata. K.S. (wh.)	umbel-flower'd.	————	—	—	G. h.	———— 3. t. 202.
10	fruticosa. R.S. (wh.)	shrubby.	Canaries.	1779.	6. 10.	G. h.	Bot. reg. t. 464.
<i>Messerschmidia fruticosa.</i> w.							
11	angustifolia. R.S. (pa.bl.)	narrow-leav'd.	————		—	G. h.	
12	argentea. R.S. (wh.)	silvery-leaved.	E. Indies.	1822.	—	S. h.	Rumph. amb. 4. t. 55.
13	Arguzia. R.S. (wh.)	herbaceous.	Siberia.	1780.	—	H. 4.	Gmel. it. 2. t. 27.
MESSERSCHMIDIA. R.S. MESSERSCHMIDIA. Pentandria Monogynia. R.S.							
1	caracasana. K.S. (wh.)	Caracas.	Caracas.	1828.	5. 9.	S. h.	
2	hirsutissima. R.S. (wh.)	very hairy.	S. America.	1818.	5. 8.	S. h.	Sloan. hist. 2. t. 212. f. 1.
<i>Tournefortia hirsutissima.</i> w.							
3	volubilis. R.S. (gr.)	climbing.	Jamaica.	1752.	7. 8.	S. h.	—, Sloan. hist. 1. t. 143. f. 2.
<i>Tournefortia volubilis.</i> w.							
4	scandens. R.S. (gr.)	scandent.	S. America.	1816.	—	S. h.	—, Flor. peruv. 2. t. 118.
5	laurifolia. R.S. (st.)	Laurel-leaved.	W. Indies.	1823.		S. h.	—, Venten. choix. t. 2.
BEURRERIA. G. BEURRERIA. Pentandria Monogynia. R.S.							
1	succulenta. s.s. (wh.)	oval-leaved.	W. Indies.	1758.	5. 7.	S. h.	Jacq. obs. 2. t. 26.
2	exsucca. s.s. (wh.)	dry-fruited.	————	1804.	—	S. h.	Jacq. amer. t. 173. f. 17.
EHR'ETIA. S.S. EHR'ETIA. Pentandria Monogynia. L.							
1	serrata. F.I. (wh.)	saw-leaved.	Nepaul.	1812.	6. 9.	G. h.	
2	tinifolia. s.s. (wh.)	Tinus-leaved.	Jamaica.	1734.	6. 7.	S. h.	Trew Ehret. t. 24.
3	acuminata. B.P. (wh.)	acuminate.	N. S. W.	1820.	—	G. h.	
4	laxa. s.s. (wh.gr.)	loose-flowered.	Mauritius.	1821.	—	S. h.	Jacq. schœn. 1. t. 41.
5	internodis. s.s. (wh.)	axillary-flower'd.	————	—	—	S. h.	L'Herit. stirp. 1. t. 24.
6	lævis. s.s. (wh.)	smooth.	E. Indies.	1816.		S. h.	Roxb. corom. t. 56.
7	buxifolia. s.s. (wh.)	Box-leaved.	————	—		S. h.	———— 1. t. 57.
8	microphylla. s.s. (wh.)	small-leaved.	Nepaul.	1818.	6. 8.	S. h.	Pluk. phyt. t. 31. f. 1.
9	aspera. s.s. (wh.)	rough-leaved.	E. Indies.	1795.	—	S. h.	Roxb. corom. 1. t. 55.
10	divaricata. DC. (wh.)	divaricate.	Havannah.	1820.	—	S. h.	
CO'RDIA. B.P. CO'RDIA. Pentandria Monogynia. L.							
1	latifolia. F.I. (wh.)	broad-leaved.	E. Indies.	1824.	6. 8.	S. h.	Rumph. amb. 2. t. 75.
2	Myxa. R.S. (wh.)	smooth-leaved.	————	1640.		S. h.	Rheed. mal. 4. t. 37.
3	monoica. R.S. (wh.)	Birch-leaved.	————	1799.	3. 4.	S. h.	Roxb. corom. 1. t. 58.
4	Collococca. R.S. (gr.)	long-leaved.	Jamaica.	1759.	—	S. h.	Sloan. hist. 2. t. 203. f. 2.
5	micrantha. R.S. (gr.)	small-flowered.	————	1822.		S. h.	
6	serrata. R.S. (wh.)	saw-leaved.	E. Indies.	1824.		S. h.	
7	tetraphylla. R.S. (wh.)	four-leaved.	Trinidad.	1823.	4. 7.	S. h.	Aubl. guian. 1. t. 88.
8	geraschanthoides. K.S. (w.)	taper-leaved.	Cuba.	1824.	—	S. h.	
9	Geraschanthus. R.S. (w.)	Spanish Elm.	W. Indies.	1789.	5.	S. h.	Jacq. amer. t. 175. f. 16.
10	grandis. F.I. (wh.)	great.	E. Indies.	1818.		S. h.	
11	nodosa. R.S. (wh.)	hairy.	Guiana.	1803.	6. 7.	S. h.	Aub. gui. 1. t. 86.
<i>hirsuta.</i> w. <i>Collococcus.</i> Aub. non L.							
12	flavescens. R.S. (wh.)	yellow-fruited.	————	1818.	—	S. h.	Aub. gui. 1. t. 89.
13	spinescens. R.S. (wh.)	spiny.	E. Indies.	—	—	S. h.	
14	macrophylla. R.S. (wh.)	broad-leaved.	W. Indies.	1752.	—	S. h.	Sloan. hist. 2. t. 221. f. 1.
15	campanulata. F.I. (ye.)	bell-flowered.	E. Indies.	1824.		S. h.	Rumph. amb. 2. t. 75.
16	Sebestena. R.S. (or.)	rough-leaved.	W. Indies.	1728.	7. 8.	S. h.	Bot. mag. t. 794.
17	lævis. R.S. (bh.)	smooth-leaved.	Caracas.	1816.	4. 8.	S. h.	Jacq. schœn. 1. t. 40.
18	reticulata. R.S. (wh.)	netted-leaved.	E. Indies.	1820.	—	S. h.	
<i>angustifolia.</i> F.I.							
19	polygama. F.I. (wh.)	polygamous.	————	1812.	6. 8.	S. h.	
20	dentata. R.S. (wh.)	toothed.	Caracas.	1823.		S. h.	
21	elliptica. R.S. (wh.)	elliptic-leaved.	W. Indies.	1804.	6. 8.	S. h.	
22	dichotoma. R.S. (wh.)	forked.	N. Holland.	1824.		S. h.	
23	scaberrima. K.S. (wh.)	rough.	Peru.	—		S. h.	
24	angustifolia. R.S. (wh.)	narrow-leaved.	Santa Cruz.	1808.	6. 8.	S. h.	
25	curassavica. R.S. (wh.)	long-spiked.	S. America.	1759.	—	S. h.	Centur. amer. t. 56.
<i>Varronia curassavica.</i> w.							
26	martinicensis. R.S. (wh.)	Martinico.	Martinico.	1795.	8. 9.	S. h.	Jacq. amer. 41. t. 32.
27	bullata. R.S. (wh.)	blister-leaved.	W. Indies.	1823.		S. h.	Jacq. amer. pict. t. 43.
28	monosperma. R.S. (wh.)	single-seeded.	Caracas.	1820.	5. 7.	S. h.	Jacq. schœn. 1. t. 39.
29	lineata. R.S. (wh.)	round-spiked.	W. Indies.	1793.	6. 9.	S. h.	Brown jam. t. 13. f. 2.
<i>Varronia lineata.</i> w.							

- 30 globosa. R.S. (wh.) globe-headed. Cuba. 1820. 7. 8. S. h. Sloan. his. 2. t. 194.
 31 mirabiloides. R.S. (wh.) jointed. Hispaniola. 1798. 9. S. h. Jacq. amer. 41. t. 3.
 32 alba. R.S. (wh.) white-flowered. Carthagera. 1818. S. h. Comm. hort. 1. t. 8.
 33 bifurcata. R.S. (wh.) forked. Peru. —. S. h. Flor. peruv. 2. t. 14.
Varronia dichotoma. R.P. *parviflora*. P.S.
 PATAG'ONULA. R.S. PATAG'ONULA. Pentandria Monogynia. R.S.
 americana. R.S. (wh.) spear-leaved. S. America. 1732. 6. 8. G. h. Dill. elth. t. 226. f.
Cordia Patagonula. w.

ORDO CL.

HYDROPHYLLEÆ. *Brown.*

- HYDROPHY'LLUM. L. WATER-LEAF. Pentandria Monogynia. L.
 1 virginicum. L. (wh. bl.) Virginian. N. America. 1739. 5. 6. H. 4. Bot. reg. t. 331.
 2 canadense. L. (wh.) Canadian. Canada. 1759. —. H. 4. —. t. 242.
 PHAC'ELIA. B.P. PHAC'ELIA. Pentandria Monogynia. R.S.
 1 bipinnatifida. M. (bl.) bipinnatifid. N. America. 1827. 5. 6. H. 4. Mich. amer. 1. t. 14.
 2 circinnata. J.E. (wh.) woolly. Magellan. 1816. 6. 10. H. 4. Jacq. f. ecl. t. 91.
Hydrophyllum magellanicum. Lam. *Aldæa circinnata*. W.en.
 3 Aldæa. B.P. (wh.) various-leaved. Peru. 1820. —. G. 4. Flor. peruv. 2. t. 14.
Aldæa pinnata. R.P.
 NEMO'PHILA. N. NEMO'PHILA. Pentandria Monogynia. S.S.
 1 phacelioides. N. (bl.) Phacelia-like. N. America. 1822. 6. 9. H. ⊙. Swt. br. fl. gar. t. 32.
 2 paniculata. s.s. (pa. bl.) panicled. —. 1812. 5. 6. H. 4.
Hydrophyllum appendiculatum. M.
 ELL'ISIA. R.S. ELL'ISIA. Pentandria Monogynia. W.
 1 Nyctelæa. R.S. (wh.) cut-leaved. Virginia. 1755. 4. 8. H. ⊙. Trew pl. select. t. 9.
 2 ambigua. N. (wh.) ambiguous. N. America. 1825. 4. 6. H. ⊙.
 E'UTOCA. B. E'UTOCA. Pentandria Monogynia.
 1 multiflora. B.R. (pu.) many-flowered. N. America. 1826. 5. 6. H. ⊙. Bot. reg. t. 1180.
 2 Franklinii. s.s. (pu.) Franklin's. Mississippi. 1827. —. H. ⊙.

ORDO CLI.

SOLANEÆ. *Brown prodr. 1. p. 443.*Sect. I. *PERICARPIUM CAPSULARE.*

- ANTHOCE'RCIS. B.P. ANTHOCE'RCIS. Didynamia Angiospermia. S.S.
 1 littorea. B.P. (ye.) yellow. N. Holland. 1803. 5. 8. G. h. Swt. flor. aust. t. 15.
 2 albicans. F.T. (wh.) white-flowered. —. 1823. 4. 6. G. h. —. t. 16.
 3 viscosa. B.P. (wh.) viscous. —. —. G. h. Bot. mag. t. 2961.
 4 ilicifolia. B.M. (wh.) Holly-leaved. —. 1829. G. h.
 CE'LSIA. S.S. CE'LSIA. Didynamia Angiospermia.
 1 orientalis. s.s. (ye.) oriental. Levant. 1713. 7. 8. H. ⊙. Lam. ill. t. 532.
 2 Arcturus. w. (ye.) scollop-leaved. Candia. 1780. 7. 9. F. ♂. Bot. mag. t. 1902.
 3 coromandelina. w. (ye.) Coromandel. E. Indies. 1783. 7. 8. S. ⊙.
 4 crética. s.s. (ye. pu.) great-flowered. Crete. 1752. 7. 9. F. ♂. Bot. mag. t. 964.
 5 viscosa. s.s. (ye.) clammy. 1816. —. F. ⊙.
 6 betonicæfolia. s.s. (ye.) Betony-leaved. Barbary. 1824. —. F. ♂.
 7 sublanata. B.R. (ye.) woolly. 1818. —. H. 4. Bot. reg. t. 438.
 8 lanceolata. s.s. (ye.) spear-leaved. Levant. 1816. —. F. ♂. Venten. cels. t. 27.
 VERBA'SCUM. L. MULLEIN. Pentandria Monogynia. L.
 1 Thapsus. R.S. (st.) Shepherd's club. Britain. 7. 8. H. ♂. Eng. bot. v. 8. t. 1.
 2 elongatum. W.en. (wh.) long-spiked. Europe. 1813. —. H. ♂. Tabern. Kraut. 9. t. 1.
 3 thapsoides. R.S. (ye.) branching. Portugal. —. H. ♂. Schrad. verb. t. 5.
 4 thapsiforme. R.S. (ye.) simple-stalked. Europe. —. H. ♂.
 5 indicum. Wal. (ye.) Indian. Nepaul. 1827. —. F. ♂. H. et Lk. fl. pers. t. 1.
 6 crassifolium. R.S. (ye.) thick-leaved. S. Europe. 1816. —. H. ♂. Schrad. verb. t. 1.
 7 cuspidatum. R.S. (ye.) sharp-pointed. Austria. —. —. H. ♂.

8	<i>gossypinum</i> . M.B. (ye.) cottony.	Iberia.	1824.	6. 8.	H. ♂.	
9	<i>niveum</i> . R.S. (ye.) snowy.	Naples.	—	—	H. ♂.	Ten. fl. neap. t. 22.
10	<i>candidissimum</i> . DC. (ye.) very white-l'd.	S. Europe.	1825.	—	H. ♂.	
11	<i>densiflorum</i> . R.S. (ye.) dense-flowered.	Italy.	—	—	H. ♂.	
12	<i>macranthum</i> . R.S. (ye.) large-flowered.	Portugal.	1823.	—	H. ♂.	H. et Lk. fl. port. t. 27.
13	<i>australe</i> . R.S. (ye.) southern.	S. Europe.	1816.	—	H. ♂.	Schrad. verb. t. 2.
14	<i>phlomoïdes</i> . R.S. (ye.) woolly.	Turkey.	1739.	—	H. ♂.	Flor. græc. t. 221.
15	<i>rugulosum</i> . W. (ye.) rugged-leaved.	S. Europe.	1820.	—	H. ♂.	
16	<i>conocarpon</i> . S.S. (ye.) conical-capsuled.	Sardinia.	1829.	—	H. ♂.	
17	<i>condensatum</i> . R.S. (ye.) close-flowered.	Austria.	1818.	—	H. ♂.	Schrad. verb. t. 3.
18	<i>nemorosum</i> . R.S. (ye.) wood.	—	—	—	H. ♂.	— t. 1. f. 2.
19	<i>montanum</i> . R.S. (st.) mountain.	Switzerland.	1816.	—	H. ♂.	
20	<i>collinum</i> . R.S. (ye.) hill.	Germany.	1820.	—	H. ♂.	Schrad. verb. t. 5. f. 1.
21	<i>versiflorum</i> . R.S. (br. re.) scatter'd-flower'd.	—	1815.	—	H. ♀.	
22	<i>ramigerum</i> . R.S. (ye.) small-branched.	—	1824.	—	H. ♂.	Schrad. verb. t. 4.
23	<i>Bastardi</i> . R.S. (ye.) Bastard's.	S. France.	—	—	H. ♂.	
24	<i>auriculatum</i> . F.G. (ye.) eared-leaved.	Levant.	1826.	—	E. ♂.	Flor. græc. t. 225.
25	<i>sinuatum</i> . R.S. (ye.) scollop-leaved.	S. Europe.	1570.	7. 8.	H. ♂.	— t. 227.
26	<i>undulatum</i> . M.B. (ye.) waved-leaved.	Caucasus.	1816.	—	H. ♂.	
27	<i>plicatum</i> . F.G. (ye.) plaited-leaved.	Greece.	—	—	F. ♀.	Flor. græc. t. 226.
28	<i>bipinnatifidum</i> . B.M. (ye.) bipinnatifid.	Tauria.	1813.	—	H. ♂.	Bot. mag. t. 1777.
29	<i>pinnatifidum</i> . R.S. (ye.) pinnatifid.	Archipelago.	1788.	5. 6.	G. ♀.	Flor. græc. t. 228.
30	<i>Chaixi</i> . R.S. (ye.) French.	France.	1816.	7. 8.	H. ♂.	Vill. delph. 2. t. 13.
31	<i>Boerhaavii</i> . R.S. (ye.) annual.	S. Europe.	1731.	—	H. ☉.	Mill. ic. 2. t. 273.
32	<i>compactum</i> . R.S. (ye.) compact-flower'd.	Tauria.	1824.	—	H. ♂.	
33	<i>gnaphalodes</i> . M.B. (ye.) Gnaphalium-like.	—	—	—	H. ♂.	
34	<i>ovalifolium</i> . B.M. (ye.) oval-leaved.	Caucasus.	1804.	7. 9.	H. ♀.	Bot. mag. t. 1037.
35	<i>formosum</i> . B.R. (ye. pu.) beautiful.	Russia.	1814.	7. 8.	H. ♂.	Bot. reg. t. 558.
36	<i>Lychnitis</i> . R.S. (wh.) white.	Britain.		6. 8.	H. ♂.	Eng. bot. v. 1. t. 58.
37	<i>austriacum</i> . R.S. (st.) Austrian.	Austria.	1819.	—	H. ♂.	
38	<i>pulverulentum</i> . R.S. (ye.) powdered.	England.		—	H. ♂.	Eng. bot. v. 7. t. 457.
39	<i>majale</i> . DC. (ye.) purple-stalked.	Montpelier.	1822.	5. 7.	H. ♂.	
40	<i>Stevèni</i> . F. (ye.) Steven's.	Siberia.	1820.	6. 8.	H. ♂.	
41	<i>fasciculatum</i> . E. (ye.) clustered.	Mount Sinai.	1826.	5. 8.	F. ♀.	
42	<i>æthiopicum</i> . E. (ye.) Ethiopian.	—	1825.	—	F. ♀.	
43	<i>pyramidatum</i> . R.S. (ye.) pyramidal.	Caucasus.	1804.	7. 8.	H. ♀.	Swt. br. fl. gar. t. 31.
44	<i>ovatum</i> . R.S. (ye.) oval-leaved.	Spain.	—	—	H. ♂.	Schrad. h. gott. t. 15.
45	<i>rotundifolium</i> . R.S. (ye.) round-leaved.	Naples.	1826.	—	H. ♂.	Ten. fl. neap. t. 23.
46	<i>floccosum</i> . R.S. (ye.) wool-bearing.	Hungary.	1805.	6. 7.	H. ♂.	W. et K. hung. 1. t. 79.
47	<i>leptostachyum</i> . R.S. (ye.) slender-spiked.	S. France.	1824.	7. 9.	H. ♂.	
48	<i>angustifolium</i> . R.S. (ye.) narrow-leaved.	Naples.	1822.	—	H. ♂.	
49	<i>longifolium</i> . R.S. (ye.) long-leaved.	—	—	—	H. ♂.	Ten. fl. neap. t. 21.
50	<i>nigrum</i> . R.S. (ye.) black-rooted.	England.		6. 8.	H. ♀.	Eng. bot. v. 1. t. 59.
51	<i>orientale</i> . R.S. (ye.) oriental.	Caucasus.	1820.	—	H. ♀.	
52	<i>Alopecurus</i> . R.S. (ye.) fox-tail.	France.	1818.	—	H. ♀.	
53	<i>virgatum</i> . R.S. (ye.) slender.	Britain.		8.	H. ♂.	Eng. bot. v. 8. t. 550.
54	<i>speciosum</i> . R.S. (ye.) splendid.	Austria.	1820.	6. 8.	H. ♀.	Schrad. h. gott. t. 16.
55	<i>grandiflorum</i> . R.S. (ye.) great-flowered.		1816.	—	H. ♀.	— t. 15.
56	<i>monspessulanum</i> . S.S. (ye.) Montpellier.	S. France.	1824.	—	H. ♂.	Schrad. ver. p. 2. t. 2. f. 2.
57	<i>lanatum</i> . S.S. (ye.) woolly-leaved.	S. Europe.	1828.	—	H. ♂.	— pars. 2. t. 2. f. 1.
58	<i>hyoserifolium</i> . S.S. (ye.) Hyoseris-leav'd.	Levant.	1829.	—	F. ♀.	— pars. 2. t. 3. f. 1.
59	<i>chrysærium</i> . S.S. (ye.) golden.	Palestine.	1827.	—	F. ♀.	
60	<i>Schottianum</i> . S.S. (ye.) Schott's.	Austria.	1828.	—	H. ♂.	Schrad. ver. p. 2. t. 3. f. 2.
61	<i>Blattaria</i> . R.S. (ye.) yellow moth.	Britain.		7. 9.	H. ♂.	Eng. bot. v. 6. t. 393.
62	<i>glabrum</i> . Mil. (wh.) white moth.			—	H. ♂.	
63	<i>blattarioides</i> . R.S. (ye.) moth-like.	S. Europe.	1816.	—	H. ☉.	
64	<i>bannaticum</i> . S.S. (ye.) Hungarian.	Hungary.	1820.	—	H. ♂.	
65	<i>repandum</i> . R.S. (ye.) waved.		1813.	7. 8.	H. ♂.	
66	<i>hamorrhoidale</i> . R.S. (ye.) Madeira.	Madeira.	1777.	6. 8.	G. ♂.	
67	<i>cupreum</i> . R.S. (co.) copper-colour'd.	Hybrid.	1798.	5. 9.	H. ♀.	Bot. mag. t. 1226.
68	<i>phæniceum</i> . R.S. (d. pu.) purple-flower'd.	S. Europe.	1596.	5. 8.	H. ♀.	— t. 885.
69	<i>puniceum</i> . R.S. (pi.) pink-flower'd.	—	1815.	—	H. ♀.	Schrad. h. gott. t. 14.
70	<i>rubiginosum</i> . R.S. (re. br.) brown-flower'd.	Hungary.	—	—	H. ♂.	W. et K. hung. 2. t. 197.
71	<i>ferrugineum</i> . R.S. (br.) rusty.	S. Europe.	1683.	—	H. ♀.	Trew Ehret. t. 16. f. 1.
72	<i>triste</i> . R.S. (da. br.) dark-flowered.	Levant.	1788.	—	H. ♀.	Andr. reposit. t. 162.
	<i>ferrugineum</i> . A.R. nec aliorum.	—	—	—	—	
73	<i>spectabile</i> . M.B. (ye.) showy.	Tauria.	1822.	6. 8.	H. ♂.	
74	<i>betonicæfolium</i> . R.S. (ye.) Betony-leav'd.	Levant.	1828.	—	F. ♂.	Desf. ann. mus. 11. t. 4.
75	<i>urticæfolium</i> . R.S. (ye. re.) spotted-flower'd.		1827.	—	H. ♂.	

76	lyratum. R.S.	(ye.) lyrate-leaved.	Spain.	1816.	6. 8.	H. ♂.	
77	Osbeckii. R.S.	(gr.ye.) Osbeck's.	————	1752.	7. 8.	H. ♂.	Buxb. cent. 5. t. 32.
78	ceratophyllum. s.s.	(ye.) buckshorn-leav'd.	Levant.	1829.	—	H. ♂.	Schrad. verb. p. 2. t. 1.
79	spinosum. R.S.	(ye.) spiny.	Candia.	1824.	5. 8.	G. ♀.	Flor. græc. t. 222.
RAMO'NDA. P.S. RAMO'NDA. Pentandria Monogynia. P.S.							
	pyrenæica. P.S.	(pu.) Borage-leaved.	Pyrenees.	1731.	5.	H. ♀.	Bot. mag. t. 236.
<i>Verbascum Myconi.</i> B.M.							
HYOSC'YAMUS. R.S. HENBANE. Pentandria Monogynia. L.							
1	niger. R.S.	(ye.bk.) common.	Britain.		6. 7.	H. ♂.	Eng. bot. v. 9. t. 32.
2	agrestis. R.S.	(gr.pu.) field.	Hungary.	1816.	6. 9.	H. ♂.	Swt. br. fl. gar. t. 25.
3	pallidus. R.S.	(st.) pale-flowered.	————	1815.	—	H. ♂.	
4	reticulatus. R.S.	(re.) Egyptian.	Egypt.	1640.	7. 9.	H. ♂.	Camer. hort. 77. t. 2.
5	albus. R.S.	(st.pu.) white.	Greece.	1570.	7. 8.	H. ♂.	Flor. græc. t. 230.
6	Clusii. F.G.	(wh.) Clusius's.	S. Europe.	—	—	H. ♂.	Clus. hist. 2. p. 84.
	albus β minor. R.S.						
7	aureus. R.S.	(ye.pu.) golden.	Levant.	1640.	3. 10.	G. ♀.	Bot. mag. t. 87.
8	Senecionis. R.S.	(ye.pu.) yellow-flowered.	Egypt.	1812.	—	G. ♀.	
9	canariensis. B.R.	(ye.pu.) various-leaved.	Canaries.	1816.	1. 12.	G. ♂.	Bot. reg. t. 180.
10	muticus. R.S.	(wh.pu.) three-coloured.	Egypt.	1818.	5. 8.	G. ♂.	
11	Datōra. F.Æ.	(ye.pu.) Egyptian.	————	1829.	—	F. ♀.	
12	pusillus. R.S.	(ye.bk.) dwarf.	Persia.	1691.	7.	H. ♂.	Pluk. alm. t. 37. f. 1.
13	auriculatus. T.N.	(ye.pu.) eared.	Naples.	1828.	—	H. ♂.	
14	micranthus. Led.	(st.pu.) small-flowered.	Siberia.	1829.	—	H. ♂.	
15	major. Mil.	(st.pu.) large.	Levant.		—	F. ♂.	
16	minor. Mil.	(ye.) lesser.	————		—	F. ♂.	
17	physaloides. R.S.	(d.pu.) purple-flowered.	Siberia.	1777.	3. 4.	H. ♀.	Swt. br. fl. gar. t. 13.
18	orientalis. R.S.	(li.) oriental.	Iberia.	1815.	—	H. ♀.	———— t. 12.
SCOP'OLIA. Jacq. SCOP'OLIA. Pentandria Monogynia. R.S.							
	carniōlica. Jacq.	Nightshade-leav'd.	Carniola.	1780.	4. 5.	H. ♀.	Jacq. obs. 1. t. 20.
	atropoides. R.S.	<i>Hyoscyamus Scopolia.</i>	Bot. mag. t. 1126.				
NICOT'IANA. R.S. TOBACCO. Pentandria Monogynia. L.							
1	chinensis. R.S.	(ro.) Chinese.	China.	1815.	6. 8.	G. ♀.	
2	fruticosa. R.S.	(ro.) frutescent.	C. B. S.	1699.	7. 9.	G. ♀.	Mill. icon. t. 185. f. 1.
3	alba. Mil.	(wh.) white-flowered.	Tobago.	—	8. 10.	H. ♂.	
4	latissima. DC.	(ro.) broad-leaved.	America.		7. 9.	H. ♂.	
	macrophylla. R.S.						
5	Tabacum. R.S.	(ro.) Virginian.	————	1570.	—	H. ♂.	Blackw. t. 146.
	α attenuata.	(re.) slender.	————		—	H. ♂.	
	β pallescens.	(bh.) pale-flowered.	————		—	H. ♂.	
	γ alipes.	(ro.) winged.	————		—	H. ♂.	
	δ serotina.	(ro.) late-flowered.	————		—	H. ♂.	
	ε gracilipes.	(ro.) slender-stalked.	————		—	H. ♂.	
	ζ Vêrdan.	(ro.) Verdan.	————		—	H. ♂.	
	η lingua.	(ro.) tongue-leaved.	————		—	H. ♂.	
6	nepalensis. Ot.	(ro.) Nepaul.	Nepaul.	1829.	—	H. ♂.	
7	brasiliensis. Ot.	(ro.) Brazilian.	Brazil.	1825.	—	H. ♂.	
8	decurrens. Ag.	(ro.) decurrent.	S. America.	1820.	—	H. ♂.	
9	petiolata. Ag.	(ro.) petiolate.	————	—	—	H. ♂.	
10	sanguinea. Ot.	(sc.) scarlet-flowered.	Brazil.	1829.	—	H. ♂.	
11	angustifolia. R.S.	(gr.) narrow-leaved.	Chili.	1822.	—	H. ♂.	Flor. peruv. 2. t. 130. f. 1.
12	viscosa. R.S.	(gr.) viscous.	Buenos Ayres.	1824.	—	H. ♂.	
13	pusilla. R.S.	(gr.) Primrose-leaved.	Vera Cruz.	1733.	8.	S. ♂.	Mill. ic. t. 185. f. 2.
14	glutinosa. R.S.	(or.) clammy.	Peru.	1759.	7. 9.	H. ♂.	Swt. br. fl. gar. t. 1.
15	rústica. R.S.	(gr.) common.	America.	1570.	—	H. ♂.	Blackw. t. 437.
	α asiatica. R.S.	(gr.) Asiatic.	————	—	—	H. ♂.	
	β brasilia. R.S.	(gr.) Brazil.	Brazil.	—	—	H. ♂.	
	γ pumila. R.S.	(gr.) dwarf.	S. America.	—	—	H. ♂.	
16	humilis. L.en.	(gr.) lesser.	America.		—	H. ♂.	
17	paniculata. R.S.	(gr.) panicled.	Peru.	1752.	—	H. ♂.	Flor. peruv. 2. t. 120. f. 1.
18	cerinthoides. R.S.	(gr.) honeywort.	America.	1816.	—	H. ♂.	Lehm. nicot. t. 2.
19	Langsdorffii. s.s.	(gr.ye.) Langsdorff's.	S. America.	1824.	—	H. ♂.	Bot. mag. t. 255.
20	glauca. B.M.	(st.) glaucous.	Buenos Ayres.	1827.	—	H. ♂.	— t. 287.
21	repanda. R.S.	(bh.) stem-clasping.	Havannah.	1822.	8. 10.	H. ♂.	— t. 244.
	lyrata R.S.						
22	plumbaginifolia. R.S.	curled-leaved.	America.	1816.	5. 10.	G. ♀.	Vivian. elench. t. 5.
	crispa. Jacq. fragm.	t. 84.					
23	pulmonarioides. R.S.	(wh.) Pulmonaria-like.	S. America.	1828.	—	H. ♂.	
24	bonariensis. R.S.	(wh.) Buenos Ayres.	Buenos Ayres.	1821.	—	H. ♂.	Lehm. nicot. n. S. t. 1.
25	suaveolens. R.S.	(wh.) sweet-scented.	N. S. W.	1800.	5. 9.	G. ♀.	Bot. mag. t. 673.
	undulata. Vent. malm.	t. 10. non R.P.					

26	vincaflôra. s.s.	(wh.)	Vinca-flowered.	S. America.	1825.	8. 10.	H.⊙.	
27	dilatata. L.en.	(wh.)	dilated-leaved.	————	————	————	H.⊙.	
28	noctiflôra. B.M.	(wh.)	night-flowering.	Andes.	1826.	7. 10.	F. 4.	Swt. br. fl. gar. t. 262.
29	acuminata. B.M.	(wh.)	taper-pointed.	Buenos Ayres.	————	————	F. 4.	Bot. mag. t. 2919.
30	nana. B.R.	(wh.)	dwarf.	S. America.	1822.	8. 10.	H.⊙.	Bot. reg. t. 833.
31	quadrivalvis. R.S.	(wh.)	four-valved.	N. America.	1811.	7. 8.	H.⊙.	Bot. mag. t. 1778.
32	multivalvis. B.R.	(wh.)	many-valved.	————	1826.	9. 10.	H.⊙.	Bot. reg. t. 1057.
PETUNIA. J. PETUNIA. Pentandria Monogynia. R.S.								
	nyctaginiflôra. J.	(wh.)	large-flowered.	S. America.	1824.	4. 10.	G. 4.	Swt. br. fl. gar. t. 119.
SALPIGLO'SSIS. R.P. SALPIGLO'SSIS. Didynamia Angiospermia.								
1	straminea. H.E.F. (st.)		straw-coloured.	Chile.	1826.	6. 9.	F. 4.	Swt. br. fl. gar. t. 231.
2	pecta. B.F.G. (wh.bl.)		painted-flowered.	————	————	————	F. 4.	———— v. 3. t. 258.
3	atropurpurea. B.M. (d.pu.)		dark purple.	————	————	————	F. 4.	———— v. 3. t. 271.
4	sinuata. R.P. (cr.)		crimson.	————	1829.	————	F. 4.	Flor. per. v. 5. t. 515. ined.
DATURA. R.S. THORN-APPLE. Pentandria Monogynia. L.								
1	ferox. R.S. (wh.)		Chinese.	China.	1731.	7. 10.	H.⊙.	Zanon. hist. t. 162.
2	Stramonium. R.S. (wh.)		common.	England.		————	H.⊙.	Eng. bot. v. 18. t. 1288.
	3 canescens. F.I. (st.)		canescent.	Nepaul.	1824.	————	H.⊙.	
3	Tatula. R.S. (bl.)		light blue.	S. America.	1629.	————	H.⊙.	Swt. br. fl. gar. t. 83.
4	muricata. s.s. (wh.)		muricated.		1819.	————	H.⊙.	
5	hybrida. T.P. (wh.)		hybrid.	Hybrid.	1826.	6. 9.	F. 4.	
6	Métel. R.S. (wh.)		downy.	Asia.	1596.	6. 10.	H.⊙.	Bot. mag. t. 1410.
7	fruticosa. L.en. (wh.)		frutescent.	S. America.	1825.	————	S. h.	
8	quercifolia. K.S. (li.)		Oak-leaved.	Mexico.	1824.	————	H.⊙.	
9	fastuosa. R.S. (pu.wh.)		purple.	Egypt.	1629.	————	H.⊙.	Rumph. am. 5. t. 243. f. 2.
	2 flore pleno. (pu.wh.)		double-flowered.	————	————	————	G.⊙.	
10	dubia. R.S. (wh.)		doubtful.		————	————	H.⊙.	
11	lævis. R.S. (wh.)		smooth-fruited.	Africa.	1780.	————	H.⊙.	Jacq. vind. 3. t. 82.
12	ceratocaula. R.S. (wh.pu.)		horn-stalked.	Cuba.	1805.	8. 10.	H.⊙.	Jacq. schœn. 3. t. 339.
13	guayaquilensis. K.S. (wh.)		Guayaquil.	S. America.	1824.	————	H.⊙.	
BRUGMA'NSIA. P.S. BRUGMA'NSIA. Pentandria Monogynia. R.S.								
1	candida. P.S. (wh.)		downy-stalked.	Peru.	1818.	8. 9.	S. h.	Flor. peruv. 2. t. 128.
	Datura arborea. L.							
2	suavœolens. (wh.)		smooth-stalked.	S. America.	1733.	————	S. h.	
	Datura arborea. Hort.		suavœolens. W.enum.					
VE'STIA. W. VE'STIA. Pentandria Monogynia. W.								
	lycioides. W.en. (gr.ye.)		Boxthorn-like.	Chili.	1815.	1. 12.	G. h.	Bot. reg. t. 299.
C'ODON. W. C'ODON. Decandria Monogynia. L.								
	Royeni. w. (re.wh.)		prickly.	C. B. S.	1801.	9. 10.	G. ♂.	And. repos. t. 325.

Sect. II. PERICARPIUM BACCATUM.

ANIS'ODUS. S.S. ANIS'ODUS. Pentandria Monogynia. S.S.								
	luridus. s.s. (br.)		lurid.	Nepaul.	1823.	8. 10.	H. 4.	Swt. br. fl. gar. t. 125.
Whitlèya stramonifolia B.F.G.								
NECTO'UXIA. K.S. NECTO'UXIA. Pentandria Monogynia.								
	formosa. K.S. (ye.)		pretty.	Mexico.	1826.	7. 10.	H.⊙.	H. et B. n.g. am. 3. t. 193.
ATROPA. R.S. A'TROPA. Pentandria Monogynia. L.								
	Belladonna. R.S. (br.pu.)		deadly nightshade.	Britain.		6. 7.	H. 4.	Eng. bot. v. 9. t. 592.
SA'RACHA. R.S. SA'RACHA. Pentandria Monogynia.								
1	procumbens. R.P. (st.)		procumbent.	Peru.	1822.	7. 9.	H. 4.	Cavan. ic. 1. t. 72.
	A'tropa procumbens. Cav.		Bellinia procumbens. R.S.					
2	umbellata. DC. (st.)		umbel-flowered.	Peru.	————	————	H. 4.	Swt. br. fl. gar. t. 85.
MANDRAG'ORA. J. MANDRAKE. Pentandria Monogynia. R.S.								
1	præcox. B.F.G. (st.bh.)		blister-leaved.	Switzerland.	1818.	3. 4.	H. 4.	Swt. br. fl. gar. t. 198.
2	vernalis. s.s. (bh.)		large-leaved.	S. Europe.	1562.	5. 6.	H. 4.	
3	autumnalis. s.s. (li.)		autumn-flowered.	Levant.	————	8. 9.	H. 4.	Flor. græc. t. 232.
NOL'ANA. R.S. NOL'ANA. Pentandria Monogynia. L.								
1	prostrata. R.S. (bl.)		trailing.	Peru.	1761.	7. 9.	H.⊙.	Bot. mag. t. 731.
2	tenella. H.C. (bl.)		slender.	Chile.	1824.	————	F. h.	
3	paradoxa. B.R. (bl.)		violet-coloured.	Chili.	1822.	————	H.⊙.	Bot. reg. t. 865.
NICA'NDRA. R.S. NICA'NDRA. Pentandria Monogynia. R.S.								
1	physaloides. R.S. (bl.)		American.	America.	1759.	7. 9.	H.⊙.	Bot. mag. t. 2458.
2	indica. R.S. (bl.)		Indian.	Nepaul.	1823.	————	H.⊙.	Rumph. amb. 6. t. 26. f. 1.
PHYSALIS. R.S. WINTER CHERRY. Pentandria Monogynia. L.								
	arborescens. w. (ye.)		arborescent.	Campeachy.	1733.	6. 8.	S. h.	Mill. ic. 2. t. 206. f. 2.

2	frutēscens. DC. (ye.) frutescent.	Spain.	1737.	1. 3.	G. h.	Cavan. ic. 2. t. 12.
	<i>A'tropa frutēscens</i> . R.S.					
3	aristāta. w. (ye.) bearded.	Canaries.	1779.	5. 8.	G. h.	
	<i>A'tropa aristāta</i> . R.S.					
4	somnīfera. R.S. (st.) clustered.	Levant.	1596.	7. 8.	G. h.	Flor. græc. t. 233.
	β aristāta. (st.) awned.	Mexico.	1826.	—	G. h.	
5	flexuōsa. R.S. (gr.wh.) flexuose.	E. Indies.	1759.	—	G. h.	Jacq. f. ecl. t. 23.
6	curassāvica. R.S. (st.) Curassavian.	S. America.	1699.	6. 9.	S. 4.	Pluk. alm. t. 111.
7	tomentōsa. R.S. (ye.) woolly.	C. B. S.	1816.	—	G. h.	
8	viscōsa. R.S. (st.) clammy.	America.	1732.	7.	H. 4.	Bot. mag. t. 2625.
9	lanceolāta. R.S. (ye.) spear-leaved.	N. America.	1780.	—	H. 4.	
10	pensylvānica. R.S. (ye.) Pennsylvanian.	—	1726.	7. 9.	H. 4.	
11	Jacquini. L.en. (ye.) Jacquin's.	—		—	H. 4.	Jacq. vind. 2. t. 136.
	<i>viscōsa</i> . Jacq. non L.					
12	Alkekēngi. R.S. (wh.) common.	S. Europe.	1548.	—	H. 4.	Flor. græc. t. 234.
13	tuberōsa. R.S. (ye.pu.) tuberous-rooted.		1816.		S. 4.	
14	chenopodifōlia. R.S. (ye.) goose-foot-leav'd.	S. America.	1798.	7. 8.	S. h.	
15	peruviāna. R.S. (ye.pu.) Peruvian.	Peru.	1773.	—	S. 4.	
16	ēdulis. B.M. (ye.pu.) eatable.	S. America.	—	—	S. 4.	Bot. mag. t. 1068.
17	pubēscens. R.S. (ye.pu.) pubescent.	America.	1640.	—	H. ⊙.	Feuil. per. 3. t. 1.
18	micrānthā. L.en. (ye.) small-flowered.	—	1822.	—	H. ⊙.	
19	nodōsa. R.S. (ye.) knotted.	—		—	H. ⊙.	
20	barbadēnsis. R.S. (st.) Barbadoes.	W. Indies.	1798.	—	H. ⊙.	Jacq. ic. 1. t. 39.
21	dūbia. L.en. (ye.) dubious.	Brazil.	1819.	—	H. ⊙.	
22	fœtidīssima. R.S. (ye.br.) stinking.	New Spain.	—	—	H. ⊙.	
23	fœtens. R.S. (ye.br.) strong-scented.	Peru.	1827.	—	H. 4.	
24	angulāta. R.S. (wh.) angular-branch'd.	India.	1732.	6. 9.	H. ⊙.	Dill. elth. t. 12. f. 13.
25	Rothiāna. R.S. (wh.) Roth's.	E. Indies.	1827.	—	S. 4.	
26	philadēlphica. R.S. (ye.) Philadelphian.	N. America.	1821.	—	H. ⊙.	
27	atriplicifōlia. R.S. (ye.) Atriplex-leaved.		1798.	7. 8.	H. ⊙.	Jacq. frag. t. 85. f. 1.
	<i>chenopodifōlia</i> . w. non Lamarek.					
28	mīnima. R.S. (ye.) least.	E. Indies.	1759.	—	H. ⊙.	Rheed. mal. 10. t. 7.
29	pruinōsa. R.S. (ye.) hairy annual.	America.	1726.	—	H. ⊙.	Dill. elth. 10. t. 9. f. 1.
30	Lagāscii. R.S. (ye.) Lagasca's.	New Spain.	1821.	—	H. ⊙.	
31	pātula. R.S. (wh.) spreading.	Vera Cruz.	1731.	7. 9.	S. ⊙.	
32	villōsa. R.S. (st.) villous.	—	—	—	S. ⊙.	
33	cordāta. R.S. (ye.gr.) heart-leaved.	—	—	—	S. ⊙.	
34	māxima. R.S. (st.) large annual.	—	—	—	S. ⊙.	
35	abyssīnica. Ot. (ye.) Abyssinian.	Abyssinia.	1828.	—	S. ⊙.	
36	prostrāta. R.S. (bl.) trailing.	Peru.	1782.	—	H. ⊙.	Andr. reposit. t. 75.
CA'PSICUM. R.S.		CA'PSICUM.	Pentandria Monogynia. L.			
1	ānnum. R.S. (wh.) annual.	India.	1548.	6. 7.	G. ⊙.	Rheed. mal. 2. t. 35.
2	lōgum. R.S. (wh.) long-fruited.		—	—	G. ⊙.	Dodon. pemph. 7. f. 1.
3	cordifōrme. R.S. (wh.) heart-shaped.	India.	1731.	—	G. ⊙.	
4	tetragōnum. R.S. (wh.) four-sided.	—	—	—	G. ⊙.	
5	angulōsum. R.S. (wh.) angular-fruited.		—	—	S. ⊙.	
6	sph'æricum. R.S. (wh.) round-fruited.		1807.	4. 7.	S. ⊙.	
7	ovātum. R.S. (wh.) oval-fruited.		—	—	S. h.	
8	péndulum. R.S. (wh.) pendulous.		1804.	—	S. h.	
9	lūteum. R.S. (wh.) yellow-fruited.	E. Indies.	1820.	—	S. h.	
10	grōssum. R.S. (wh.) various-fruited.	India.	1759.	5. 8.	S. h.	Besl. eyst. 2. t. 2. f. 1.
	α globōsum. R.S. (wh.) globular-fruited.	—	—	—	S. h.	
	β lūteum. R.S. (wh.) yellow oval-fruited.	—	—	—	S. h.	
	γ bifidum. (wh.) cleft-fruited.	—		—	S. h.	
11	conoides. R.S. (st.) conical-fruited.	India.	1728.	—	S. h.	
12	pyramidāle. R.S. (wh.) pyramidal.	Egypt.	1732.	—	S. h.	
13	cerasifōrme. R.S. (st.) Cherry-fruited.	W. Indies.	1759.	—	S. h.	
14	Milleri. R.S. (st.) Miller's.	New Spain.	—	—	S. h.	
	<i>cerasifōrme</i> . Mill. non w.					
15	purpūreum. F.I. (pu.) purple.	E. Indies.	1824.	—	S. h.	
16	frutēscens. R.S. (wh.) shrubby.	India.	1656.	6. 9.	S. h.	Rheed. mal. 2. t. 36.
	β torulōsum. (wh.) twisted.	—	—	—	S. h.	
17	bīcolor. R.S. (pu.) purple-flower'd.	W. Indies.	1804.	—	S. h.	Bot. mag. t. 1306.
	<i>nigrum</i> . W.en. <i>violāceum</i> . DC.					
18	cærulēscens. R.S. (pu.) bluish.		1827.	—	S. h.	
19	baccātum. R.S. (wh.) Bird pepper.	W. Indies.	1731.	—	S. h.	Sloan. j. 1. t. 14. f. 1.
20	mīnimum. F.I. (wh.) small-berried.	E. Indies.	1728.	—	S. h.	
21	sinēse. R.S. (wh.) oval Chinese.	China.	1807.	—	S. h.	Jacq. vind. 3. t. 14.
22	havanēse. R.S. (wh.) Havannah.	Havannah.	1826.	—	S. h.	

23	microcárpum. R.S. (wh.) small-fruited.	S. America.	1824.	6. 9.	S. h.	
24	mieráanthum. R.S. (wh.) small-flowered.	Brazil.	—	—	S. h.	
LYCOPE'RSICUM. R.S. LOVE-APPLE. Pentandria Monogynia. R.S.						
1	pimpinellifólium. R.S. (ye.) Pimpinella-ld.	S. America.		6. 8.	S. y.	
2	reguláre. R.S. (ye.) regular-leaved.	—		6. 9.	G. ⊙.	
3	peruviánum. R.S. (ye.) Peruvian.	Peru.		6. 8.	G. y.	Bot. mag. t. 2814.
	<i>Solanum peruvianum</i> . Jacq. icon. t. 327.					
4	dentátum. R.S. (ye.) tooth-leaved.	S. America.		—	H. ⊙.	Dunal solan. 2. ined. t. 82.
5	Humbóldtii. R.S. (ye.) Humboldt's.	—	1815.	—	H. ⊙.	Willd. hort. ber. 1. t. 27.
6	pyrifórme. R.S. (ye.) Pear-fruited.	—		—	H. ⊙.	Dunal solan. t. 26.
7	cerasifórme. R.S. (ye.) Cherry-fruited.	Peru.	1800.	7. 9.	H. ⊙.	Jacq. vind. 1. t. 11.
	<i>Solanum pseudolycopersicum</i> . Jacq.					
	α ruber. (ye.) red-fruited.	—	—	—	H. ⊙.	
	β luteum. (ye.) yellow-fruited.	—	—	—	H. ⊙.	
8	esculentum. R.S. (ye.) Tomato.	S. America.	1596.	—	H. ⊙.	Dunal solan. t. 3. f. 3.
	α erythrocarpum. (ye.) red-fruited.	—	—	—	H. ⊙.	
	β chrysocarpum. (ye.) yellow-fruited.	—	—	—	H. ⊙.	
	γ leucocarpum. (ye.) white-fruited.	—	—	—	H. ⊙.	
9	procumbens. R.S. (ye.) procumbent.	—		—	H. ⊙.	
SOLANUM. R.S. NIGHTSHADE. Pentandria Monogynia. L.						
1	tuberosum. R.S. (bl. wh.) Potatoe.	Peru.	1597.	6. 8.	H. y.	Plenck. off. t. 121.
2	appendiculátum. R.S. (wh.) appendaged.	Mexico.	1823.	—	S. h. ∪.	Dunal solan. ed. 2. t. 84.
3	Seaforthiánum. R.S. (pi.) Seaforth's.	Barbadoes.	1804.	7. 9.	S. h. ∪.	Andr. reposit. t. 504.
4	betaceum. R.S. (bh.) Beet-leaved.	New Spain.	1803.	6. 7.	S. h.	— t. 511.
5	muricátum. R.S. (wh. vi.) warted.	Peru.	1785.	7. 8.	S. h.	Feuil. peruv. 2. t. 26.
6	diversifólium. R.S. (wh.) different-leaved.	Caracas.	1824.	—	S. h.	Dunal solan. ed. 2. t. 88.
7	Bulbocástanum. R.S. (wh.) tuberous-rooted.	Mexico.	1826.	6. 9.	H. y.	— ed. 2. t. 3.
8	eliganthum. R.S. (wh.) climbing.	Orinoco.	1824.	7. 8.	S. h. ∪.	— ed. 2. t. 90.
9	reclinátum. R.S. (bl.) reclining.	Peru.		—	S. h.	Lam. ill. t. 145. f. 4.
10	laciniátum. B.P. (ll.) cut-leaved.	N. Holland.	1772.	—	G. h.	Bot. mag. t. 349.
	α fruticosum. (bl.) frutescent.	N. S. W.	—	—	G. h.	
	β herbaceum. (bl.) herbaceous.	V. Diem. Isl.	—	—	H. ⊙.	
11	quercifólium. R.S. (vi.) Oak-leaved.	Peru.	1787.	6. 7.	H. y.	Feuil. per. 2. t. 15 ?
12	radicans. R.S. (li.) rooting.	—	1771.	7. 8.	G. y.	Linn. dec. 1. t. 10.
13	corymbòsum. R.S. (vi.) corymb-flowered.	—	1786.	—	S. y.	Jacq. ic. 1. t. 40.
14	Dulcamàra. R.S. (bl.) bitter-sweet.	Britain.		6. 8.	H. h. ∪.	Eng. bot. v. 8. t. 565.
	β album. (wh.) white-flowered.	—		—	H. h. ∪.	
	γ variegatum. (pa.) variegated.	—		—	H. h. ∪.	
15	littorale. L.en. (bl.) sea-side.	Europe.		—	H. h.	
16	Tegòre. R.S. (gr.) hairy-stemmed.	Guiana.	1820.	—	S. h.	Aubl. guian. 1. t. 84.
17	quitense. s.s. (wh. pu.) Lima.	Lima.	1825.	—	G. h.	Bot. mag. t. 2739.
18	macrocarpon. s.s. (bl.) large-fruited.	Peru.	1759.	5. 9.	S. h.	Mill. ic. 2. t. 294.
19	calycinum. R.S. (bl.) large-calyxed.	Mexico.	1825.	—	S. h.	Dunal sol. ed. 2. t. 29.
20	racemiflorum. R.S. (bl.) racemed.	S. America.	1818.	7. 9.	H. ⊙.	Jacq. schœn. 3. t. 333.
	<i>scabrum</i> . Jacq. non Vahl.					
21	athiopicum. R.S. (wh.) Ethiopian.	Ethiopia.	1597.	—	H. ⊙.	Jacq. vind. 1. t. 12.
22	Zuccagnianum. R.S. (wh.) Zuccagni's.		1818.	—	H. ⊙.	Dunal solan. t. 11.
23	pseudo-cápsicum. (wh.) Winter-cherry.	Madeira.	1596.	6. 9.	G. h.	Sabb. h. rom. t. 59.
24	nodiflorum. R.S. (wh.) knot-flowered.	Guiana.	1815.	—	G. ⊙.	Jacq. ic. 2. t. 326.
25	Dillénii. R.S. (wh.) Dillenius's.	Hungary.		—	H. ⊙.	Dill. elth. t. 275. f. 355.
26	guineense. R.S. (gr. wh.) large-berried.	Guinea.		—	H. ⊙.	— t. 274. f. 354.
27	fistulosum. R.S. (wh.) fistulous-stalked.	Mauritius.	1826.	—	H. ⊙.	
28	nigrum. R.S. (wh.) black-berried.	Britain.		—	H. ⊙.	Eng. bot. v. 8. t. 566.
29	oleraceum. R.S. (wh.) cultivated.	W. Indies.		—	S. ⊙.	Piso lib. 4. c. 50. f. 3.
30	pterocaule. R.S. (wh. vi.) wing-stalked.	America.		—	H. ⊙.	Dill. elth. t. 275. f. 256.
31	judaicum. R.S. (wh.) rough-stalked.	Europe.		—	H. ⊙.	
32	suffruticosum. R.S. (wh.) suffrutescent.	Barbary.	1804.	5. 9.	G. h.	
33	quadrangulare. R.S. (wh.) quadrangular.	C. B. S.	1812.	—	H. ⊙.	
34	triangulare. R.S. (wh.) three-sided.	E. Indies.		6. 9.	S. ⊙.	
35	rubrum. R.S. (wh.) red-berried.	S. America.		—	H. ⊙.	
36	incertum. R.S. (wh.) uncertain.	E. Indies.	1810.	—	H. ⊙.	
37	miniatum. R.S. (wh.) pubescent-stalk'd.	Europe.		—	H. ⊙.	
38	humile. R.S. (wh.) small.	S. Europe.		—	H. ⊙.	
39	flavum. R.S. (st.) yellow-berried.	Hungary.	1816.	—	H. ⊙.	
	<i>ochroleucum</i> . Dun.					
40	villosum. R.S. (wh.) villous annual.	S. Europe.		—	H. ⊙.	Dill. elth. t. 274. f. 353.
41	hirsutum. R.S. (wh.) hairy annual.	Egypt.		—	H. ⊙.	
42	decemdentatum. F.R. (wh.) ten-toothed.	China.	1826.	—	H. ⊙.	
43	Rumphii. R.S. (wh.) Rumphius's.	E. Indies.		—	H. ⊙.	Rumph. amb. 6. t. 26. f. 1.

44	Bessèri. R.S. (wh.) Besser's.	America.	1824.	6. 9.	H. ☉.	
45	cestrifolium. S.S. (wh.) Cestrum-leaved.		1826.	4. 7.	S. h.	
46	longiflorum. R.S. (bl.) long-flowered. Guiana.		1823.	6. 8.	S. h.	Dunal solan. t. 9.
	longifolium. Dun.					
47	triquetrum. R.S. (wh.) triquetrous.	New Spain.	1821.	—	S. h.	Cavan. ic. 3. t. 259.
48	bombense. R.S. (wh.) Bomba.	S. America.	1818.	—	S. h.	Jacq. f. eclog. t. 24.
49	pubigerum. R.S. (wh.) downy. Cerrantèsii. Lag.	Mexico.	1823.	—	S. h.	Dunal sol. t. 6.
50	pyrifolium. R.S. (wh.) Pear-leaved.	W. Indies.	1824.	6. 8.	S. h.	Dun. sol. ed. 2. t. 31.
51	macranthèrum. R.S. (vi.) large-anthered.	Mexico.	1826.	—	G. h. ∪.	H. et B. gen. am. 3. t. 13.
52	laurifolium. R.S. (wh.) Laurel-leaved.	S. America.	1820.	—	S. h.	Dunal sol. t. 8.
53	spirale. F.I. (wh.) spiral-racemed.	E. Indies.	—	4. 6.	S. h.	
54	Hookeriànum. S.S. (bl.) Hooker's. coriàceum. Bot. mag. nec aliorum.	Mexico.	1825.	6. 9.	G. h.	Bot. mag. t. 278.
55	dealbàtum. Lind. (wh.) white-leaved. saponàceum. B.M. non Dunal.	Chile.	1826.	10. 11.	G. h.	Bot. mag. t. 297.
56	salicifolium. D.L. (wh.) Willow-leaved.	Trinidad.	1822.	6. 9.	S. h.	
57	verbascifolium. R.S. (w.) Mullein-leaved.	W. Indies.	1749.	6. 8.	S. h.	Jacq. vind. 1. t. 13.
58	auriculàtum. R.S. (vi.) ear-leaved.	Madagascar.	1773.		S. h.	Scop. del. 3. t. 8.
59	pubescens. R.S. (pu.) pubescent.	E. Indies.	1816.	6. 8.	S. h.	Willd. phyt. 1. t. 3.
60	argenteum. R.S. (wh.) silvery.	Brazil.	—	—	S. h.	Dunal sol. ed. 2. t. 1.
61	nudum. K.S. (wh.) naked.	Mexico.	1824.	3. 6.	S. h.	
62	diphy'llum. R.S. (wh.) two-leaved.	W. Indies.	1699.	6. 7.	S. h.	Jacq. ic. 2. t. 322.
63	arboreum. R.S. (wh.) tree.	Cumana.	1819.	—	S. h.	Dunal sol. ed. 2. t. 1.
64	havanense. R.S. (bl.) Havannah.	W. Indies.	1793.	7. 8.	S. h.	Jacq. amer. pict. t. 1.
65	aggregàtum. R.S. (li.) crowded.	Guinea.	—	—	S. h.	Jacq. ic. 2. t. 323.
66	Plukenetii. R.S. (wh.) Plukenet's.	S. America.		6. 8.	S. h.	Pluk. phyt. t. 227.
67	eriocàlyx. R.S. (wh.) woolly-calyxed.	Carthage.	1731.	5. 8.	S. h.	
68	umbellàtum. R.S. (wh.) umbelled.	S. America.	—	—	S. h.	
69	americanum. R.S. (pu.) American.	Virginia.	1727.	7. 9.	H. ☉.	
70	axilliflorum. R.S. (bl.) axil-flowered. scàndens. Miller.	Vera Cruz.	1728.	6. 9.	S. h. ∪.	
71	memphiticum. R.S. (wh.) tooth-stalked.		1823.	—	S. 4.	
72	pèrsicum. R.S. (bl.) Persian.	Persia.	1829.	6. 9.	H. h. ∪.	
73	capsicàstrum. Ot. (wh.) Capsicum-like.		1827.	—	S. h.	
74	lycioides. R.S. (li.) spiny.	Peru.	1791.	5. 6.	S. h.	Jacq. ic. 1. t. 46.
75	monànthum. R.S. (fl.) one-flowered.	New Spain.	1816.	—	S. 4.	
76	fugax. R.S. (wh. ye.) fugacious.	Caracas.	—	—	S. h.	Jacq. ic. 2. t. 324.
77	stellàtum. R.S. (bl.) starry.	S. America.	—	—	S. h.	— 2. t. 325.
78	virgàtum. R.S. (vi.) twiggy.	W. Indies.	1819.	—	S. h.	Dunal sol. ed. 2. t. 1.
79	lèntum. R.S. (vi.) climbing woolly.	New Spain.	1823.	6. 8.	S. h. ∪.	Cavan. ic. 4. t. 338.
80	scàndens. R.S. (pu.) climbing.	W. Indies.	1822.		S. h. ∪.	
81	atrosanguineum. Sck. (c.) dark crimson.		1827.		S. h.	
82	elæagnifolium. R.S. (bl.) Elæagnus-leaved.	Chile.	1823.	6. 8.	S. h.	Cavan. ic. 3. t. 24.
83	obtusifolium. K.S. (bl.) blunt-leaved.	Mexico.	1826.	—	G. h.	Dunal sol. ed. 2. t. 1.
84	stelligerum. R.S. (li.) starry-haired.	N. Holland.	1820.	—	S. h.	Sm. exot. bot. 2. t. 1.
85	racemòsum. R.S. (wh.) wave-leaved.	W. Indies.	1781.	7. 8.	S. h.	Jacq. amer. pict. t. 1.
86	igneum. R.S. (wh.) red-spined.	S. America.	1714.	3. 11.	S. h.	Jacq. vind. 1. t. 14.
87	subarmàtum. R.S. (wh.) partly armed.	—	1823.	—	S. h.	
88	bahamense. R.S. (wh. vi.) Bahama.	Bahama.	1732.	6. 7.	S. h.	Dill. elth. t. 271.
89	hirtum. R.S. (wh.) hairy-calyxed.	Trinidad.	1823.	—	S. h.	Vahl ic. rar. d. 3. t. 1.
90	tomentòsum. R.S. (bl.) tomentose.	S. America.	1662.	—	S. h.	Bocc. sic. 8. t. 5.
91	hy'bridum. R.S. (pa. bl.) hybrid.	Guinea.	1815.	—	S. h.	Jacq. vind. 2. t. 10.
92	coccineum. R.S. (bh.) scarlet-fruited.		1820.	—	S. h.	Jacq. ic. 1. t. 43.
93	jamaicèse. R.S. (li.) Jamaica.	Jamaica.	—	—	S. h.	
94	cuneifolium. R.S. (wh.) wedge-leaved.	W. Indies.		—	S. h.	Dunal sol. t. 22.
95	heterophy'llum. R.S. (bh.) variable-leaved.	Guiana.	1823.	7. 9.	S. h.	— ed. 2. t. 1.
96	volubile. R.S. (bl.) twining.	Hispaniola.	—	—	S. h. ∪.	Plum. Mss. t. 4. f. 3.
97	lanceafolium. R.S. (wh.) lance-leaved.	S. America.		—	S. h. ∪.	Jacq. ic. 2. t. 329.
98	coriàceum. R.S. (bl.) leathery-leav'd.	Trinidad.	1824.	6. 9.	S. h. ∪.	Dun. sol. p. 197.
99	bonariense. R.S. (wh.) Buenos Ayres.	Buenos Ayres.	1727.	—	H. h.	Dill. elth. t. 272.
100	fastigiàtum. R.S. (pa. bl.) fastigiate.	S. America.	1820.	—	S. h.	Jacq. f. eclog. t. 6.
101	oporinum. R.S. (bl.) large-leaved. macrophy'llum. Dun.	—	—	—	S. h.	Dunal sol. t. 13.
102	subinèrme. R.S. (bl.) spear-leaved.	W. Indies.	1752.	7. 8.	S. h.	Jacq. amer. t. 40.
103	lanceolàtum. R.S. (bl.) lanceolate.	New Spain.		6. 7.	S. h.	Cavan. ic. 3. t. 24.
104	astroites. Jacq. (bl.) Aster-like.	S. America.	1823.	—	S. h.	Jacq. f. eclog. t. 1.
105	glutinòsum. R.S. (bl.) glutinous.		1818.	6. 8.	S. h.	Dunal sol. ed. 2. t. 1.
106	Brownii. R.S. (vi.) Brown's. violàceum. B.P. non Jacq.	N. S. W.	1820.	—	S. h.	

107	<i>giganteum</i> . R.s. (<i>wh. vi.</i>) tall.	C. B. S.	1792.	6. 8.	G. h.	Bot. mag. t. 1921.
108	<i>tortum</i> . R.s. (<i>wh.</i>) curved-prickled.	W. Indies.	1816.	—	S. h.	
109	<i>ferrugineum</i> . R.s. (<i>wh.</i>) ferruginous.		—	—	S. h.	Jacq. schœn. 3. t. 334.
110	<i>elatum</i> . L.en. (<i>bl.</i>) tall.		1824.	6. 9.	S. h.	
111	<i>ochroneum</i> . L.en. (<i>bl.</i>) rusty-branched.	Brazil.	—	6. 8.	S. h.	
112	<i>molle</i> . K.s. (<i>wh.</i>) soft-leaved.	Caracas.	1826.	—	G. h.	
113	<i>Lichtensteinii</i> . R.s. ... Lichtenstein's.	C. B. S.	1824.		G. h.	
114	<i>esculentum</i> . R.s. (<i>li.</i>) eatable.	Tropics.	1597.	6. 9.	G. ⊙.	Dunal sol. t. 3. f. E.
115	<i>ovigerum</i> . R.s. (<i>pa. bl.</i>) Egg-plant.	Arabia.	—	—	G. ⊙.	Blackw. t. 549.
	<i>α violaceum</i> . (<i>pa. bl.</i>) violet-fruited.	—		—	G. ⊙.	
	<i>β album</i> . (<i>pa. bl.</i>) white-fruited.	—		—	G. ⊙.	
	<i>γ luteum</i> . (<i>pa. bl.</i>) yellow-fruited.	—		—	G. ⊙.	
	<i>δ ruber</i> . (<i>pa. bl.</i>) red-fruited.	—		—	G. ⊙.	
116	<i>longum</i> . F.I. (<i>vi.</i>) long-fruited.	E. Indies.	1816.	—	S. h.	
117	<i>insanum</i> . W. (<i>pu.</i>) insane.	—	1815.	8. 10.	S. h.	Pluk. alm. t. 226. f. 3.
118	<i>melanoxylon</i> . s.s. (<i>vi.</i>) black-wooded.		1825.	7. 10.	S. ⊙.	
119	<i>undatum</i> . R.s. (<i>pa. bl.</i>) waved.	E. Indies.	1818.	6. 9.	S. h.	Rheed. mal. 2. t. 37.
120	<i>fuscatum</i> . R.s. (<i>vi.</i>) brown-branched.	America.		7. 8.	G. ⊙.	Jacq. ic. 1. t. 42.
121	<i>sodomeum</i> . R.s. (<i>pu.</i>) black-spined.	Africa.	1688.	6. 7.	G. h.	Flor. grac. t. 235.
122	<i>incanum</i> . R.s. (<i>re.</i>) hoary.	Mauritius.	1823.	—	S. h.	Scop. del. 1. t. 1.
123	<i>indicum</i> . R.s. (<i>bl.</i>) Indian.	India.	1732.	7.	S. h.	Dill. elth. t. 270. f. 349.
124	<i>coagulans</i> . R.s. (<i>bl.</i>) scollop-leaved.	Arabia Felix.	1802.	—	S. h.	Jacq. schœn. 4. t. 469.
125	<i>sanctum</i> . R.s. (<i>bl. pu.</i>) oblique-leaved.	Egypt.	—	—	S. h.	
126	<i>marginatum</i> . R.s. (<i>li.</i>) white margined.	Africa.	1775.	6. 9.	G. h.	Bot. mag. t. 1928.
127	<i>congense</i> . L.en. (<i>bl.</i>) Congo.	—	1815.	—	G. h.	
128	<i>campechiense</i> . R.s. (<i>li.</i>) purple-spined.	America.	1732.	7.	G. h.	Dill. elth. t. 268. f. 347.
129	<i>platanifolium</i> . B.M. (<i>vi.</i>) Plane-leaved.	S. America.	1822.	7. 9.	S. h.	Bot. mag. t. 2618.
130	<i>myriacanthum</i> . R.s. (<i>w.</i>) many-spined.	—	—	—	S. h.	
131	<i>aculeatissimum</i> . R.s. (<i>w.</i>) very prickly.	—	1800.	—	S. h.	Jacq. ic. 1. t. 41.
132	<i>spinosissimum</i> . D.L. (<i>w.</i>) very spiny.	Trinidad.	1820.	—	S. h.	
133	<i>lividum</i> . s.s. (<i>wh.</i>) livid.	Madagascar.	1821.	—	S. h.	
134	<i>lasiocarpum</i> . R.s. (<i>wh.</i>) four-celled.	E. Indies.	1824.	6. 8.	S. ♂.	Rheel. mal. 2. t. 35.
	<i>hirsutum</i> . F.I. non Dunal. <i>quadriloculare</i> . s.s.	—	—	—	—	
135	<i>mammosum</i> . R.s. (<i>pa. bl.</i>) nipple.	W. Indies.	1699.	7. 8.	H. ⊙.	Merian. surin. t. 27.
136	<i>ciliatum</i> . R.s. (<i>pa. bl.</i>) ciliated.		1816.	—	H. ⊙.	Dunal sol. t. 18.
137	<i>stramonifolium</i> . R.s. (<i>bl.</i>) broad-leaved.	E. Indies.	1778.	6. 9.	S. h.	Jacq. ic. 1. t. 44.
138	<i>flavescens</i> . R.s. (<i>wh.</i>) yellowish.	Trinidad.	1822.	—	S. h.	
139	<i>ferox</i> . R.s. (<i>li. pu.</i>) Malabar.	Malabar.	1795.	8. 9.	S. ♀.	Dunal sol. ed. 2. t. 68.
140	<i>crassipetalum</i> . F.I. (<i>li.</i>) thick-petaled.	Nepaul.	1824.	4. 7.	G. h.	
141	<i>lysimachioïdes</i> . F.I. (<i>w.</i>) Loosestrife-like.	E. Indies.	1823.	6. 9.	S. ♀.	
142	<i>campanulatum</i> . B.P. (<i>pu.</i>) bell-flowered.	N. S. W.	1818.	8. 9.	G. ⊙.	
143	<i>armatum</i> . B.P. (<i>pu.</i>) armed.	—	1819.	—	S. ♀.	Dunal sol. ed. 2. t. 69.
144	<i>pungetium</i> . B.P. (<i>vi.</i>) pungent.	—	1823.	—	G. ⊙.	— ed. 2. t. 70.
145	<i>cinereum</i> . B.P. (<i>wh.</i>) grey.	—	—	—	G. ♀.	
146	<i>Milleri</i> . R.s. (<i>wh.</i>) Miller's.	C. B. S.	1762.	7. 8.	G. h.	Jacq. ic. 2. t. 330.
147	<i>trilobatum</i> . R.s. (<i>wh.</i>) three-lobed.	W. Indies.	1759.	8.	S. h.	Pluk. alm. t. 316. f. 5.
148	<i>acetosæfolium</i> . R.s. (<i>w.</i>) Sorrel-leaved.	E. Indies.	—	—	S. h.	Burm. ind. t. 22. f. 2.
149	<i>rigescens</i> . R.s. (<i>vi.</i>) rigid.	C. B. S.	1815.	6. 8.	G. h.	Jacq. schœn. 1. t. 42.
150	<i>carolinense</i> . R.s. (<i>w. bl.</i>) Carolina.	Carolina.	1732.	7. 9.	G. ♀.	Jacq. ic. 2. t. 331.
151	<i>violaceum</i> . R.s. (<i>bl.</i>) violet.	E. Indies.	1823.	6. 9.	S. h.	Jacq. fragm. t. 133. f. 1.
152	<i>pyracanthum</i> . B.M. (<i>pu.</i>) orange-thorn'd.	Madagascar.	1789.	8. 9.	S. h.	Sm. exot. bot. 2. t. 64.
	<i>β inermis</i> . (<i>pu.</i>) smooth-calyxed.	—	—	—	S. h.	Bot. mag. t. 2547.
153	<i>virginianum</i> . R.s. (<i>vi.</i>) Virginian.	Virginia.	1662.	5. 8.	H. ⊙.	Dill. elth. t. 267. f. 346.
154	<i>Jacquinii</i> . R.s. (<i>bl. pu.</i>) Jacquin's.	E. Indies.	1804.	9. 11.	S. ⊙.	Jacq. ic. 2. t. 332.
155	<i>xanthocarpum</i> . R.s. (<i>bl.</i>) yellow-fruited.	Ethiopia.	1828.	6. 10.	H. ⊙.	Wend. s. han. 1. t. 2.
156	<i>Balbisii</i> . R.s. (<i>wh.</i>) Balbis's.	S. America.	1816.	4. 9.	S. h.	Bot. mag. t. 2568.
	<i>decurrens</i> . B.R. 140. <i>brancaefolium</i> . Jacq. f. ecl. t. 7.				<i>viscosum</i> . DC.	
157	<i>tectum</i> . R.s. (<i>ye.</i>) villous-calyxed.	Mexico.	1826.	7. 10.	G. h.	Cavan. icon. 4. t. 209.
158	<i>capense</i> . R.s. (<i>wh.</i>) Cape prickly.	C. B. S.	1816.	6. 10.	G. h.	
159	<i>Houstoni</i> . R.s. (<i>wh.</i>) Houston's.	Vera Cruz.	1731.	—	S. h.	
160	<i>Angurium</i> . R.s. (<i>ye.</i>) procumbent.	—	—	—	S. h.	
NYCTERIUM. V. NYCTERIUM. Pentandria Monogynia.						
1	<i>cordifolium</i> . v. (<i>vi.</i>) Canary.	Canaries.	1779.	3. 4.	G. h.	Venten. malm. t. 85.
	<i>Solanum respertilio</i> . R.s.	—	—	—	—	
2	<i>Amazonium</i> . B.M. (<i>bl.</i>) Lambert's.	Brazil.	1814.	5. 9.	S. h.	Bot. mag. t. 1801.
	<i>Solanum Amazonium</i> . Bot. reg. t. 71.	—	—	—	—	
3	<i>cernutum</i> . L.en. (<i>ye.</i>) horned.	S. America.	1825.	—	S. h.	Juss. ann. mus. 3. t. 9.
4	<i>lobatum</i> . (<i>ye.</i>) Missouri.	Missouri.	1813.	7. 9.	H. ⊙.	Pursh fl. amer. 1. t. 7.
	<i>Solanum heterandrum</i> . Ph. <i>Androcera lobata</i> . N.	—	—	—	—	

5	rostratum. L.en. (ye.) beaked.	Mexico.	1823.	7. 9.	H.⊙.	Dunal sol. t. 24.
6	Fontanesianum. (ye.) Desfontaine's.	Brazil.	1813.	—	H.⊙.	Bot. reg. t. 177.
7	heterodoxum. L.en. (bl.) very prickly.	Mexico.	1824.	—	H.⊙.	Dunal sol. t. 25.
WITHERINGIA. R.S. WITHERINGIA. Tetr-Pentandria Monogynia.						
1	solanacea. R.S. (st.) yellow-flowered.	S. America.	1742.	5. 9.	S. 4.	L'Herit. sert. angl.
2	stramonifolia. K.S. (st.) Stramonium-ld.	Mexico.	1823.	—	S. h.	
3	crassifolia. R.S. (li.) thick-leaved.	C. B. S.	1729.	—	G. h.	Dill. elth. t. 273.
4	montana. R.S. (wh.bl.) mountain.	Peru.	1822.	—	G. 4.	Bot. mag. t. 273.
5	phyllantha. R.S. (bl.) annual.	—	—	7. 9.	H.⊙.	Cavan. ic. 4 t. 1.
6	pinnatifida. R.S. (li.) pinnatifid.	—	—	6. 8.	G. 4.	Flor. peruv. 2 t. 1.
CESTRUM. R.S. CESTRUM. Pentandria Monogynia. L.						
1	laurifolium. R.S. (ye.) Laurel-leaved.	W. Indies.	1691.	5. 8.	S. h.	Smith spicil. 2 t. 1.
2	citrifolium. R.S. (st.) Citron-leaved.	—	1816.	—	S. h.	
3	macrophyllum. R.S. (st.) large-leaved.	W. Indies.	1812.	—	S. h.	Venten. ch. 1 t. 1.
4	venenatum. R.S. (st.) poisonous.	C. B. S.	1787.	2. 4.	G. h.	
5	nocturnum. R.S. (gr.ye.) night-smelling.	E. Indies.	1732.	11.	S. h.	Dill. elth. t. 173.
6	hirtum. R.S. (gr.wh.) hairy.	Jamaica.	1822.	5. 8.	S. h.	
7	Parqui. R.S. (st.) Willow-leaved.	S. America.	1787.	6. 7.	G. h.	Bot. mag. t. 177.
8	thyrsoides. K.S. (st.) bunch-flowered.	Mexico.	1826.	5. 7.	S. h.	
9	suberosum. R.S. (gr.) cork-barked.	—	1815.	6. 7.	S. h.	Jacq. schœn 4 t. 1.
10	auriculatum. W. (wh.) eared-leaved.	Peru.	1774.	—	S. h.	L'Herit. s. ne 1 t. 1.
11	exstipulatum. R.S. (gr.) exstipulate.	S. America.	1824.	—	S. h.	
12	tinctorium. R.S. (wh.) dying.	Caracas.	1823.	5. 6.	S. h.	Jacq. schœn 3 t. 1.
13	undulatum. R.S. (st.) waved-leaved.	Peru.	—	—	S. h.	Flor. peruv. 2 t. 1.
14	multiflorum. R.S. (gr.) many-flowered.	S. America.	1825.	—	S. h.	
15	paniculatum. K.S. (gr.ye.) panicle.	Caracas.	1819.	—	S. h.	
16	latifolium. R.S. (st.) broad-leaved.	Trinidad.	1822.	5. 6.	S. h.	
17	alaternoides. R.S. (gr.ye.) Alaternus-like.	S. America.	1820.	4. 6.	S. h.	Bot. mag. t. 273.
18	hirsutum. R.S. (st.) hairy-stalked.	—	1822.	5. 6.	S. h.	Jacq. schœn 3 t. 1.
19	cauliflorum. R.S. (wh.) stem-flowering.	Martinica.	1818.	—	S. h.	
20	salicifolium. R.S. (st.) Sallow-leaved.	Caracas.	—	3. 6.	S. h.	
21	pendulum. R.S. (wh.) pendulous.	—	1820.	—	S. h.	
22	vespertinum. R.S. (wh.) cluster-flowered.	W. Indies.	1759.	5. 7.	S. h.	Sloan. hist. 2 t. 1.
23	pallidum. R.S. (gr.ye.) pale-flowered.	Jamaica.	1732.	—	S. h.	Jacq. schœn 3 t. 1.
24	foetidissimum. R.S. (ye.) stinking.	—	—	5. 8.	S. h.	Bot. mag. t. 273.
25	bracteatum. B.M. (st.) large-bracted.	S. America.	1828.	12. 2.	S. h.	Bot. mag. t. 273.
26	acuminatum. (ye.gr.) tapering-leaved.	Mexico.	1824.	7. 10.	F. h.	Swt. br. fl. 1 t. 1.
27	fastigiatum. R.S. (wh.) Honeysuckle.	W. Indies.	—	10. 12.	S. h.	Bot. mag. t. 177.
28	odontospermum. R.S. (w.) smooth.	S. America.	1793.	7. 9.	S. h.	Jacq. schœn 3 t. 1.
29	diurnum. R.S. (wh.) day smelling.	W. Indies.	1732.	10. 11.	S. h.	Dill. elth. t. 174.
30	roseum. R.S. (ro.) rose-coloured.	Mexico.	1829.	—	G. h.	
31	tomentosum. R.S. (st.) downy.	S. America.	1790.	6. 7.	S. h.	
32	angustifolium. B.C. (st.) narrow-leaved.	—	1820.	—	S. h.	Lodd. bot. cab. 1 t. 1.
LYCIUM. R.S. BOX-THORN. Pentandria Monogynia. L.						
1	áfram. R.S. (vi.) African.	C. B. S.	1712.	6. 7.	H. h.	Bot. reg. t. 344.
2	ténue. R.S. (pu.) slender.	—	—	—	H. h.	
3	rigidum. R.S. (vi.) rigid.	—	1795.	—	H. h.	Trew Ehret. 1 t. 1.
	carnosum. P.S. italicum Miller.	—	—	—	—	
4	microphyllum. R.S. (vi.) small-leaved.	—	—	—	H. h.	
5	ruthenicum. R.S. (ro.) Russian.	Siberia.	1804.	—	H. h.	Pall. res. 1 t. 4.
6	tetrandrum. R.S. (pu.) tetrandrous.	C. B. S.	—	—	H. h.	
7	barbarum. R.S. (re.) Willow-leaved.	Barbary.	1696.	5. 8.	H. h.	Wats. dend. 1 t. 1.
8	Shawii. R.S. (wh.) white-flowered.	—	—	—	H. h.	Shaw afric. 1 t. 1.
9	Trewianum. R.S. (pu.) Trew's.	China.	—	—	H. h.	Trew Ehret. 1 t. 1.
	chinense. P.S. non Mill.	—	—	—	—	
10	chinense. R.S. (re.) Chinese.	—	—	—	H. h.	Wats. dend. 1 t. 1.
	ovatum. P.S. barbarum β chinense. W.	—	—	—	—	
11	lanceolatum. P.S. (vi.) spear-leaved.	S. Europe.	—	—	H. h.	Duham. arb. 1 t. 1.
12	turbinatum. P.S. (re.) top-shaped.	China.	1709.	—	H. h.	
13	cinereum. R.S. (pu.) gray.	C. B. S.	1815.	6. 8.	H. h.	Flor. graec. 1 t. 1.
14	europæum. R.S. (li.) European.	S. Europe.	1730.	5. 8.	H. h.	
15	horridum. R.S. (wh.) succulent-leav'd.	C. B. S.	1791.	7. 8.	H. h.	L'Herit. s. ne 1 t. 1.
16	boerhaaviaefolium. (bh.) glaucous-leaved.	Peru.	1780.	4. 5.	G. h.	Flor. peruv. 2 t. 1.
17	arborescens. S.S. (wh.) arborescent.	—	1819.	6. 7.	G. h.	
	Atropa arborescens. R.S.	—	—	—	—	
18	carolinianum. R.S. (pu.) Carolina.	Carolina.	1806.	7. 9.	H. h.	
19	capsulare. R.S. (pu.) capsular.	Mexico.	1730.	6. 8.	G. h.	
SOLANDRA. R.S. SOLANDRA. Pentandria Monogynia. R.S.						
1	grandiflora. R.S. (li.) large-flowered.	Jamaica.	1781.	3. 8.	S. h.	Jacq. schœn 1 t. 1.

2 mitida. R.S. (st.) glossy-leaved. Jamaica. 1781. 3. S. S. h. Bot. mag. t. 1874.	
grandiflora. B.M. non Jacq.	
3 viridiflora. S.S. (gr.) green-flowered. Brazil. 1816. 5. 6. S. h. Bot. mag. t. 1948.	
4 oppositifolia. opposite-leaved. W. Indies. 1824. . . . S. h.	
BRUNFELSIA. W. BRUNFELSIA. Didynamia Angiospermia. L.	
1 undulata. w. (wh.st.) large-flowered. Jamaica. 1780. 6. 7. S. h. Bot. reg. t. 228.	
2 americana. w. (wh.st.) American. W. Indies. 1735. — S. h. Bot. mag. t. 393.	
α latifolia. (wh.st.) broad-leaved. — — — S. h.	
β angustifolia. (wh.st.) narrow-leaved. — — — S. h.	
3 violacea. B.C. (wh.st.) purple-stalked. — — — 1820. — S. h. Led. bot. cab. t. 792.	
4 uniflora. D.D. (bl.wh.) single-flowered. Brazil. 1827. 1. 12. S. h. Bot. mag. t. 2829.	
Franciscea Hopeana. B.M.	
CRESCENTIA. W. CALABASH-TREE. Didynamia Angiospermia. L.	
1 Cujete. w. (li.ye.) oval-fruited. Jamaica. 1690. . . . S. h. Jacq. amer. t. 111.	
2 acuminata. K.S. (li.) acuminate. Cuba. 1822. . . . S. h.	
3 cucurbitina. w. (li.ye.) round-fruited. W. Indies. 1733. . . . S. h. Plum. ic. t. 109.	
4 alata. K.S. (li.) winged-leaved. Mexico. 1825. . . . S. h.	
TRIPINNARIA. S.S. TRIPINNARIA. Didynamia Angiospermia.	
aficana. s.s. (re.) African. Mauritius. 1823. . . . S. h. Jacq. coll. 3. t. 18.	
Crescentia pinnata. Jacq. Tanacetum pinnatum. w.	

ORDO CLII.

SCROPHULARINÆ. Brown prodr. 1. p. 433.

Sect. I. STAMINA (4) ANTHERIFERA.

BUDDLEA. S.S. BUDDLEA. Tetrandria Monogynia. L.	
1 madagascariensis. (or.) Madagascar. Madagascar. 1824. 9. 10. S. h. Bot. mag. t. 2824.	
2 saligna. s.s. (wh.) Willow-like. C. B. S. 1816. 8. 9. G. h. Jacq. schœn. 1. t. 29.	
3 paniculata. s.s. (wh.) paniced. Nepaul. 1823. — G. h.	
4 americana. R.S. (ye.) American. W. Indies. 1824. 7. 10. S. h. Sloan. hist. 2. t. 173. f. 1.	
5 occidentalis. R.S. (wh.) occidental. Peru. 1730. . . . G. h. Flor. peruv. 1. t. 83.	
6 salvifolia. s.s. (wh.cr.) Sage-leaved. C. B. S. 1760. 8. 9. G. h. Jacq. schœn. 1. t. 28.	
7 Neemda. s.s. (wh.) Nepaul. Nepaul. 1822. — G. h.	
8 brasiliensis. s.s. (or.) Brazilian. Brazil. — 9. 11. S. h. Bot. mag. t. 2713.	
9 heterophylla. B.R. (ye.) different-leaved. S. America. 1826. 1. 5. S. h. Bot. reg. t. 1259.	
10 globosa. s.s. (ye.) round-headed. Chile. 1774. 5. 7. H. h. Bot. mag. t. 171.	
11 connata. s.s. (or.) connate-leaved. Peru. 1826. 5. 6. G. h. — t. 2853.	
12 salicifolia. s.s. (ye.) Willow-leaved. S. America. 1823. . . . S. h.	
13 diversifolia. R.S. (wh.) various-leaved. Java. — . . . S. h.	
SCOPARIA. L. SCOPARIA. Tetrandria Monogynia. L.	
1 dulcis. L. (wh.) sweet. S. America. 1730. 6. 9. S. h. Herm. parad. t. 241.	
2 flava. Ot. (ye.) yellow. — — — 1829. — S. h.	
CAPRARIA. S.S. GOAT-WEED. Didynamia Angiospermia. L.	
1 undulata. s.s. (ro.) wave-leaved. C. B. S. 1774. 3. 7. G. h. Bot. mag. t. 1556.	
2 cuneata. s.s. (ro.) wedge-leaved. S. America. 1759. 6. 8. S. h.	
3 lanceolata. s.s. (ye.) spear-leaved. C. B. S. 1774. 5. 7. G. h. Pl. sel. h. ber. t. 4.	
4 biflora. s.s. (wh.) two-flowered. S. America. 1752. 7. 8. S. h. Jacq. amer. t. 115.	
5 humilis. w. (ro.) dwarf. E. Indies. 1781. — S. ⊙.	
TEEDIA. S.S. TEEDIA. Didynamia Angiospermia. S.S.	
1 lucida. s.s. (pu.) shining. C. B. S. 1774. 4. 7. G. h. Bot. reg. t. 210.	
Capraria lucida. w. Borkhausenia lucida. Roth.	
2 pubescens. s.s. (pu.) pubescent. C. B. S. 1816. 5. 10. G. h. Bot. reg. t. 214.	
HALLERIA. S.S. HALLERIA. Didynamia Angiospermia. L.	
1 lucida. s.s. (sc.) shining-leaved. C. B. S. 1752. 6. 8. G. h. Bot. mag. t. 1744.	
2 elliptica. s.s. (sc.) elliptic-leaved. — — — 1816. — G. h. Burm. afr. t. 84. f. 1.	
STEMODIA. S.S. STEMODIA. Didynamia Angiospermia. W.	
1 suffruticosa. s.s. (bl.) suffrutescent. S. America. 1823. 5. 8. S. h.	
2 viscosa. s.s. (vi.) viscous. E. Indies. 1818. 7. 10. S. ⊙. Roxb. Corom. t. 163.	
3 verticillaris. s.s. (pu.) whorled. Brazil. 1822. — H. ⊙.	
4 parviflora. H.K. (wh.) small-flowered. S. America. 1759. 7. 8. S. 4.	
5 maritima. s.s. (bl.) sea-side. Cuba. 1822. — S. ⊙. Jacq. amer. t. 174. f. 66.	

RUSS'ELIA. S.S.	RUSS'ELIA.	Didynamia Angiospermia. W.			
1 floribunda. K.S. (sc.)	abundant-flowering.	Mexico.	1824.	6. 8.	S. 4.
2 multiflora. s.s. (sc.)	many-flowered.	—	1812.	—	S. 4.
TREVIR'ANIA. S.S.	TREVIR'ANIA.	Didynamia Angiospermia. S.S.			
coccinea. s.s. (sc.)	scarlet.	Jamaica.	1778.	8. 10.	S. 4.
<i>Cyrilla pulchella. B.M. Achimenes coccinea. P.S.</i>					
COLU'MNEA. S.S.	COLU'MNEA.	Didynamia Angiospermia. L.			
1 scandens. s.s. (sc.)	climbing.	W. Indies.	1759.	8. 9.	S. 7.
2 hirsuta. s.s. (li.)	hairy.	—	1780.	8. 11.	S. 7.
3 trifoliata. L.en. (bl.)	three-leaved.	S. America.	1825.	—	S. 7.
4 rutilans. s.s. (ye.re.)	red-leaved.	Jamaica.	1823.	—	S. 7.
5 hispida. s.s. (sc.)	bristly.	—	1824.	—	S. 7.
MAURA'NDIA. S.S.	MAURA'NDIA.	Didynamia Angiospermia. W.			
1 semperflorens. s.s. (ro.)	red-flowered.	Mexico.	1796.	1. 12.	G. 7. ∪.
2 antirrhiniflora. s.s. (bl.)	blue-flowered.	—	1814.	—	G. 7. ∪.
3 Barclayana. B.R. (bl.)	Mr. Barclay's.	—	1826.	4. 11.	G. 7. ∪.
LOPHOSPERMUM. D.D.	LOPHOSPERMUM.	Didynamia Angiospermia.			
scandens. L.T. (pu.)	climbing.	Mexico.	1830.	6. 8.	G. 7. ∪.
DODA'RTIA. S.S.	DODA'RTIA.	Didynamia Angiospermia. L.			
orientalis. s.s. (d.pu.)	oriental.	Levant.	1752.	7. 8.	H. 4.
CYMB'ARIA. S.S.	CYMB'ARIA.	Didynamia Angiospermia. L.			
davurica. s.s. (ye.)	Daurian.	Davuria.	1796.	6. 7.	H. 4.
COLLI'NSIA. N.	COLLI'NSIA.	Didynamia Angiospermia.			
1 verna. N. (bl.pu.)	large-flowered.	N. America.	1827.	4. 11.	H. ⊙.
<i>grandiflora. Bot. reg. t. 1107.</i>					
2 parviflora. D. (bl.)	small-flowered.	—	—	6. 9.	H. ⊙.
NEM'ESIA. S.S.	NEM'ESIA.	Didynamia Angiospermia. S.S.			
1 chamædryfolia. s.s. (w.bl.)	Chamædry's-ld.	C. B. S.	1787.	4. 9.	G. 4.
<i>Antirrhinum macrocarpum. w.</i>					
2 bicorne. s.s. (wh.bl.)	horned.	—	1774.	7. 8.	G. ⊙.
3 foetens. s.s. (wh.bl.)	foetid.	—	1798.	4. 9.	G. 4.
4 linearis. s.s. (sn.ro.)	linear-leaved.	—	1822.	—	G. ⊙.
ANARRH'INUM. S.S.	ANARRH'INUM.	Didynamia Angiospermia. S.S.			
1 pubescens. E. (bl.)	pubescent.	Mount Sinai.	1826.	5. 8.	H. 4.
2 bellidifolium. s.s. (bl.)	Daisy-leaved.	France.	1629.	6. 8.	H. ♂.
ANTIRRH'INUM. S.S.	SNAP-DRAGON.	Didynamia Angiospermia. L.			
1 majus. s.s. (va.)	great.	England.		6. 8.	H. 4.
α albiflorum. (wh.)	white-flowered.	—		—	H. 4.
β roseum. (ro.)	rose-coloured.	—		—	H. 4.
γ coccineum. (sc.)	scarlet.	—		—	H. 4.
δ bicolor. (re.wh.)	two-coloured.	—		—	H. 4.
ε multiplex. (sc.)	double-flowered.	—		—	H. 4.
2 meonanthum. L.en. (re.)	smaller-flower'd.	S. Europe.	1820.	—	H. 4.
3 angustifolium. Urv. (re.)	narrow-leaved.	Italy.	1818.	—	H. 4.
4 siculum. s.s. (st.)	Sicilian.	Sicily.	1804.	7. 8.	H. 4.
5 Orontium. s.s. (bh.)	Calf's-snout.	Britain.		7. 9.	H. ⊙.
6 calycinum. L.en. (wh.)	long-calyxed.	S. Europe.		—	H. ⊙.
7 Asarina. s.s. (wh.)	heart-leaved.	Italy.	1699.	7.	F. 4.
8 molle. s.s. (wh.)	soft-leaved.	Spain.	1752.	7. 10.	F. 4.
LIN'ARIA. S.S.	TOAD-FLAX.	Didynamia Angiospermia. S.S.			
1 fruticosa. s.s. (ye.)	shrubby.	Barbary.	1822.	5. 6.	G. 7.
2 frutescens. s.s. (ye.)	frutescent.	C. B. S.	1816.	5. 7.	G. 7.
<i>Antirrhinum frutescens. Th.</i>					
3 dalmatica. s.s. (ye.)	Dalmatian.	Levant.	1731.	6. 7.	G. 7.
4 scoparia. s.s. (ye.)	broom-like.	Teneriffe.	1815.	—	G. 7.
5 Cymbalaria. s.s. (bh.)	Ivy-leaved.	England.		5. 11.	H. 4.
6 pallida. T.s. (li.)	pale-flowered.	Italy.	1824.	—	H. 4.
<i>pubescens. T.P. non P.S.</i>					
7 pilosa. s.s. (li.)	hairy-leaved.	—	1800.	6. 9.	H. 4.
8 hepaticæfolia. s.s. (pu.)	Hepatica-leav'd.	Corsica.	1828.	—	F. 4.
9 æquitriloba. s.s. (d.pu.)	equal 3-lobed.	Sardinia.	—	—	F. 4.
10 Elatine. s.s. (bl.)	sharp-pointed.	England.		7. 11.	H. ⊙.
11 cirrhosa. s.s. (bl.wh.)	cirrhose.	Egypt.	1777.	7. 8.	H. ⊙.
12 spuria. s.s. (ye.vi.)	round-leaved.	England.		7. 9.	H. ⊙.
<i>Antirrhinum spurium. E.B.</i>					
13 lanigera. s.s. (st.)	woolly.	S. Europe.	1820.	—	H. ⊙.
14 dealbata. s.s. (ye.)	villous-leaved.	Portugal.	—	7. 9.	H. ⊙.
15 latifolia. s.s. (ye.)	broad-leaved.	Barbary.	1800.	6. 7.	H. ⊙.
16 triphylla. s.s. (bl.ye.)	three-leaved.	Sicily.	1596.	6. 9.	H. ⊙.

Bot. mag. t. 152.
 Bot. mag. t. 371.
 Bot. reg. t. 805.
 Brown jam. t. 39.
 Bot. mag. t. 400.
 — t. 1643.
 Bot. reg. t. 1108.
 Swt. br. fl. gar. t. 17.
 Amm. ruth. t. 1. f.
 Swt. br. fl. gar. t. 2.
 Bot. reg. t. 1082.
 Burm. afr. t. 75. f. 3.
 Venten. malm. t. 4.
 Bot. mag. t. 2056.
 Eng. bot. v. 2. t. 12.
 Lk. fl. port. 1. t. 58.
 Eng. bot. v. 17. t. 12.
 Bot. mag. t. 902.
 Desf. atl. 2. t. 135.
 Buxb. cent. 1. t. 24.
 Eng. bot. v. 7. t. 5.
 Jacq. obs. 2. t. 45.
 Bot. mag. t. 204.
 Eng. bot. v. 10. t. 1.
 Jacq. vind. 1. t. 2.
 Eng. bot. v. 10. t. 1.
 Desf. atl. 2. t. 134.
 Bot. mag. t. 324.

17	reflexa. s.s.	(wh.) reflex-flowered.	S. Europe.	1821.	6. 9.	H. ⊙.	Flor. græc. t. 593.
18	origanifolia. s.s.	(bl.) Marjoram-leav'd.	————	1785.	—	F. 2.	Barrel. ic. 598.
19	cretacea. s.s.	(bl.ye.) crowded-flower'd.	Siberia.	1826.	—	H. ⊙.	
20	virgata. s.s.	(bl.) slender-stalked.	Barbary.	1824.	—	H. ⊙.	Desf. atl. 2. t. 135.
21	thymifolia. s.s.	(ye.) Thyme-leaved.	S. Europe.	—	—	H. ⊙.	
22	villosa. s.s.	(wh.) villous.	Spain.	1786.	7. 8.	F. 2.	Barrel. ic. 597.
23	rubrifolia. s.s.	(bl.) red-leaved.	S. France.	1824.	—	F. 2.	
24	saxatilis. P.s.	(ye.) rock.	S. Europe.	1827.	6. 8.	H. 2.	
25	pubescens. P.s.	(ye.) pubescent.	————	1824.	6. 9.	H. ⊙.	
26	larta. s.s.	(ye.) shaggy-leaved.	Spain.	1759.	—	H. ⊙.	Jacq. ic. 1. t. 117.
27	triornithophora.	(pu.) three bird's.	Portugal.	1710.	—	F. 2.	Bot. mag. t. 523.
28	parviflora. s.s.	(ye.) small flowered.	Sardinia.	1829.	—	H. ⊙.	Desf. atl. 2. t. 137.
29	albitróns. F.G.	(wh.) white fronted.	Greece.	1828.	—	H. ⊙.	Flor. græc. t. 588.
30	bipartita. s.s.	(bl.) cloven flowered.	Barbary.	1801.	—	H. ⊙.	Swt. br. fl. gar. t. 30.
	<i>speciosa</i> . Jacq. fil. eclog. t. 95.						
31	minor. s.s.	(pu.ye.) little erect.	England.		6. 11.	H. ⊙.	Eng. bot. v. 28. t. 2014.
	<i>Antirrhinum minus</i> . E.B.						
32	littoralis. s.s.	(bl.) shore.	Austria.	1821.	—	H. ⊙.	
33	chalepensis. s.s.	(wh.) white-flowered.	Levant.	1680.	6. 7.	H. ⊙.	Flor. græc. t. 592.
34	tristis. s.s.	(bk.br.) melancholy.	Spain.	1727.	7. 8.	G. 2.	Bot. mag. t. 74.
35	versicolor. s.s.	(ye.bl.) various-colour'd.	France.	1777.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 116.
36	linarioïdes. s.s.	(ye.) toadflax-like.	S. Europe.	1816.	5. 8.	H. 2.	
37	micrantha. s.s.	(ye.) small-flowered.	Spain.	1825.	5. 7.	H. ⊙.	Flor. græc. t. 587.
38	viscosa. s.s.	(br.ye.) clammy.	————	1786.	7.	H. ⊙.	Bot. mag. t. 368.
39	purpurea. s.s.	(pu.) purple.	S. Europe.	1648.	7. 9.	H. 2.	Flor. græc. t. 589.
40	arenaria. s.s.	(ye.) sand.	Hungary.	1825.	—	H. ⊙.	
41	alpina. s.s.	(bl.) Alpine.	Austria.	1570.	7. 11.	H. 2.	Bot. mag. t. 205.
42	lusitânica. s.s.	(ye.) Portugal.	S. Europe.	1820.	6. 7.	H. 2.	
43	pyrenæica. s.s.	(ye.) Pyrenean.	Pyrenees.	1824.	6. 8.	H. ⊙.	
44	Halava. F.E.	(ye.) hairy calyxed.	Egypt.	1803.	7. 9.	H. ⊙.	
45	pelisseriana. s.s.	(vi.) violet-coloured.	S. Europe.	1610.	6. 9.	H. ⊙.	Flor. græc. t. 591.
46	élegans. P.s.	(bl.) elegant.	Spain.	1812.	—	H. ⊙.	
47	repens. H.K.	(std.) creeping rooted.	England.		7. 10.	H. 2.	Eng. bot. v. 18. t. 1253.
48	amethy'stina. s.s.	(bl.) bright blue.	S. Europe.	1816.	—	H. ⊙.	Cavan. ic. 1. t. 33. f. 1.
	<i>Antirrhinum bipunctatum</i> . Cav. nec aliorum.						
49	supina. s.s.	(ye.) trailing.	Spain.	1728.	—	H. ⊙.	Flor. græc. t. 595.
50	bipunctata. s.s.	(ye.) two-spotted.	————	1749.	6. 8.	H. ⊙.	
51	sparteæ. s.s.	(ye.) branching.	————	1772.	6. 10.	H. ⊙.	Bot. mag. t. 200.
52	simplex. s.s.	(bl.) upright.	S. Europe.	1816.	7. 8.	H. ⊙.	Jacq. ic. 3. t. 199.
53	arvensis. s.s.	(ye.) corn.	————		—	H. ⊙.	Flor. græc. t. 590.
54	diffusa. s.s.	(ye.bl.) spreading.	Portugal.	1824.	—	H. ⊙.	
55	multicaulis. s.s.	(wh.bl.) many-stalked.	Levant.	1728.	5. 7.	H. ⊙.	Bocc. sic. t. 19. f. 1.
56	macroïra. L.en.	(ye.) large-spurred.	Caucasus.	1823.	6. 9.	H. 2.	
57	incarnata. s.s.	(li.) flesh-coloured.	S. Europe.	1826.	—	H. ⊙.	
58	reticulata. s.s.	(ye.pu.) netted-flower'd.	Algiers.	1788.	5. 7.	F. 2.	Smith ic. pict. t. 2.
59	glaucæ. s.s.	(ye.) glaucous-leaved.	S. Europe.	1800.	6. 8.	H. ⊙.	Buxb. cent. 4. t. 37.
60	ægyptiaca. s.s.	(ye.) Egyptian.	Egypt.	1771.	7.	H. ⊙.	
61	silénifolia. Lk.	(ye.) Silene-leaved.	Portugal.	1820.	7. 9.	H. ⊙.	
62	genistifolia. s.s.	(ye.) Broom-leaved.	Austria.	1704.	7. 8.	H. 2.	Flor. græc. t. 596.
63	linifolia. s.s.	(ye.) flax-leaved.	Italy.	1824.	—	H. 2.	
64	vulgaris. s.s.	(ye.) common.	Britain.		6. 9.	H. 2.	Eng. bot. v. 10. t. 658.
	<i>Antirrhinum Linaria</i> . E.B.						
	3 Peloria.	(ye.) regular-flowered.	————		—	H. 2.	Eng. bot. v. 4. t. 260.
65	Loeselii. s.s.	(ye.bl.) Loesel's.	Russia.	1824.	—	H. ⊙.	
66	odora. M.B.	(ye.bl.) sweet-scented.	Caucasus.	1827.	—	H. ⊙.	
67	stricta. s.s.	(ye.) upright.	Levant.	1829.	—	H. ⊙.	Flor. græc. t. 594.
68	júncea. s.s.	(ye.) rush-stalked.	Spain.	1780.	7. 8.	H. ⊙.	
69	canadensis. s.s.	(vi.) Canadian.	N. America.	1812.	6. 8.	H. ⊙.	Venten. cels. t. 49.
70	acutifolia. F.	(ye.bl.) sharp-leaved.	Levant.	1826.	—	H. ⊙.	
71	fasciculata. Ot.	(ye.) clustered.		1829.	—	H. ⊙.	
	SCROPHULARIA. L. FIGWORT. Didynamia Angiospermia. L.						
1	marilandica. s.s.	(g.br.) Maryland.	N. America.	1759.	5. 7.	H. 2.	
2	peregrina. s.s.	(pu.) Nettle-leaved.	Italy.	1610.	6. 8.	H. ♂.	Flor. græc. t. 597.
3	nodosa. s.s.	(d.pu.) knotty-rooted.	Britain.		5. 7.	H. 2.	Eng. bot. v. 22. t. 1544.
4	aquatica. s.s.	(d.pu.) water.	————		—	H. 2.	— v. 12. t. 854.
5	glabrata. s.s.	(pu.ye.) spear-leaved.	Canaries.	1779.	4. 5.	G. ♂.	Jacq. schoen. 2. t. 209.
6	biserrata. s.s.	(pu.ye.) double-serrate.		1816.	5. 7.	H. 2.	
7	arguta. s.s.	(re.) slender upright.	Canaries.	1778.	—	H. ⊙.	
8	vernalis. s.s.	(ye.) yellow.	Britain.		3. 5.	H. ♂.	Eng. bot. v. 8. t. 567.

9	Smíthii. L.en. (br.ye.)	Smith's.	Canaries.	1815.	4. 8.	G. 4.	
10	glandulosa. s.s. (br.ye.)	glandular.	Hungary.	1806.	6. 9.	H. 4.	W. et K. hung. t. 2.
11	rugosa. w.k. (br.ye.)	rugged.	—	1816.	—	H. 4.	
12	Scopòlii. P.s. (br.ye.)	Scopoli's.	Germany.	—	—	H. 4.	Scop. carn. 2. t. 32.
13	Scorodònia. s.s. (pu.)	balm-leaved.	Britain.		7. 8.	H. 4.	Eng. bot. v. 31. t. 1.
14	grandidentata. r.s. (pu.)	great-toothed.	Italy.	1829.	6. 8.	H. 4.	
15	altàica. s.s. (st.)	white-flowered.	Siberia.	1786.	5. 6.	H. 4.	Mur. com. got. 4. t. 1.
16	betonicæfòlia. s.s. (pu.)	Betony-leaved.	Spain.	1752.	6. 8.	H. 4.	Barrel. ic. 274.
17	hirsuta. L.en. (pu.ye.)	hairy.	S. Europe.	1822.	—	H. 4.	
18	appendiculata. s.s. (pu.)	heart-leaved.	Morocco.	1805.	7.	H. 4.	
19	Balbísii. s.s. (pu.ye.)	Balbis's.	Italy.	1823.	6. 8.	H. 4.	
20	auriculata. s.s. (br.ye.)	ear-leaved.	Spain.	1772.	7. 8.	H. 4.	Lobel. ic. 533.
21	micrantha. s.s. (pu.)	small-flowered.	Levant.	1828.	—	H. 4.	
22	heterophylla. s.s. (pu.ye.)	various-leaved.	—	1827.	—	G. 7.	
23	trifoliata. s.s. (ye.br.)	three-leaved.	Africa.	1731.	5. 9.	H. 4.	Jacq. schœn. 3. t. 1.
24	laciniata. w.k. (br.ye.)	jag-leaved.	Hungary.	1806.	7.	H. 4.	W. et K. hung. 2. t. 1.
25	verbenæfòlia. Poir. (br.ye.)	Vervain-leav'd.		1816.	7. 8.	H. 4.	
26	cæsia. s.s. (ye.br.)	grey.	Levant.	1828.	—	F. 4.	
27	adscendens. W.en. (br.ye.)	ascending.		1816.	—	H. 4.	
28	variegata. s.s. (pu.ye.)	variegated.	Caucasus.	—	—	H. 4.	
29	ebulifolia. s.s. (ye.pu.)	Elder-leaved.	—	1824.	—	H. 4.	
30	grandiflora. DC. (br.ye.)	large-flowered.		1816.	—	H. 4.	
31	frutescens. s.s. (br.ye.)	shrubby.	Portugal.	1768.	6. 8.	F. 7.	Herm. lugd. t. 547.
32	rupèstris. s.s. (br.ye.)	rock.	Tauria.	1826.	6. 9.	H. 4.	
33	orientalis. s.s. (br.ye.)	oriental.	Levant.	1710.	7. 8.	H. 4.	Schk. hand. 2. t. 17.
34	melissæfòlia. s.s. (br.ye.)	balm-like.	—	1823.	—	H. 4.	
35	lanceolata. s.s. (st.)	spear-leaved.	Pensylvania.	1826.	—	H. 4.	
36	cretacea. s.s. (ye.)	narrow-leaved.	Siberia.	1828.	—	H. 4.	
37	lyrata. s.s. (br.pu.)	lyrate-leaved.	Portugal.	1816.	—	H. 4.	W. hort. ber. 1. t. 1.
38	mellifera. s.s. (br.pu.)	honey-bearing.	Barbary.	1786.	—	H. 4.	Desf. atl. 2. t. 143.
39	sambucifolia. s.s. (br.g.)	Elder-like.	Spain.	1640.	7. 9.	H. 4.	Mill. ic. 2. t. 231.
40	hispida. s.s. (br.ye.)	hispid.	Levant.	1820.	—	H. 4.	
41	tanacetifolia. s.s. (br.ye.)	Tansy-leaved.	Tauria.	1804.	—	H. 4.	W. hort. ber. 1. t. 1.
42	canina. s.s. (or.re.)	wing-leaved.	S. Europe.	1683.	6. 8.	H. 4.	Flor. græc. t. 598.
43	chrysanthemifolia. (br.pu.)	Chrysanthemum-ld.	Tauria.	1816.	—	H. 4.	W. hort. ber. 1. t. 1.
44	lucida. s.s. (br.ye.)	shining-leaved.	Levant.	1596.	—	H. 4.	— 1. t. 1.
45	filicifolia. s.s. (d.pu.)	Fern-leaved.	Crete.		—	H. 4.	Flor. græc. t. 600.
46	multifida. s.s. (br.ye.)	multifid-leaved.		1816.	—	H. 4.	W. hort. ber. 1. t. 1.
47	glaùca. F.G. (pu.)	glaucous.	Greece.	1827.	—	H. 4.	Flor. græc. t. 599.
48	pubescens. F. (pu.)	pubescent.		—	—	H. 4.	
49	pallida. F. (pu.)	pale-flowered.	Iberia.	—	—	H. 4.	
50	obtusifolia. F. (pu.)	blunt-leaved.	Hungary.	1821.	—	H. 4.	
DIGITALIS. S.S.		FOXGLOVE.	Didynamia Angiospermia. L.				
1	Scéptrum. s.s. (or.)	Madeira shrubby.	Madeira.	1777.	7. 8.	G. 7.	Sm. exot. bot. 2. t. 74.
2	canariensis. s.s. (ye.)	Canary.	Canaries.	1698.	6. 7.	G. 7.	Bot. reg. t. 48.
3	obscura. s.s. (or.)	Willow-leaved.	Spain.	1778.	7. 8.	H. 4.	Lind. digit. t. 25.
4	lutea. s.s. (st.)	small yellow.	France.	1629.	—	H. 4.	— t. 23.
5	hy'brida. Sv. (pi.wh.)	hybrid.	Hybrid.		—	H. 4.	Salv. nou. bull. 3. 33.
6	fucata. P.s. (pu.)	painted.	—		—	H. 4.	
	lutea δ. Lindl. digit. t. 24.						
7	mèdia. s.s. (ye.)	middle yellow.	Germany.	1816.	—	H. 4.	
8	micrantha. s.s. (st.)	small-blossom'd.	Switzerland.	1824.	—	H. 4.	Elm. mon. 46. t. 2.
9	tubiflora. L.D. (st.)	tube-flowered.	S. Europe.	1816.	—	H. 4.	Lind. digit. t. 22.
10	lutescens. L.D. (st.)	pale yellow.	—	—	—	H. 4.	— t. 21.
11	purpurascens. s.s. (pi.)	blush-flowered.	Italy.	1776.	—	H. 4.	— t. 20.
	erubescens. H.K.						
12	rigida. L.D. (pu.ye.)	rigid.	S. Europe.	1824.	—	H. 4.	Lind. digit. t. 19.
13	viridiflora. L.D. (gr.)	green-flowered.	Levant.	1827.	—	H. 4.	— t. 18.
14	parviflora. s.s. (pu.)	small-flowered.		1798.	6. 8.	H. 4.	— t. 17.
15	laciniata. B.R. (ye.)	cut-leaved.	Malaga.	1826.	—	H. 4.	Bot. reg. t. 1201.
16	orientalis. s.s. (li.wh.)	oriental.	Levant.	1818.	7. 8.	H. 4.	— t. 554.
17	lanata. s.s. (wh.br.)	wooly.	Hungary.	1789.	6. 7.	H. 4.	Swt. br. fl. ger. t. 20.
18	leucoph'æa. s.s. (wh.br.)	broad-lipped.	Greece.	1788.	6. 10.	H. 4.	Lind. digit. t. 14.
19	aurea. s.s. (or.)	golden.	—	1815.	7. 8.	H. 4.	— t. 13.
20	ferruginea. s.s. (lr.)	iron-coloured.	Italy.	1597.	—	H. 4.	— t. 12.
21	sibirica. L.D. (ye.re.)	Siberian.	Siberia.	1820.	—	H. 4.	— t. 11.
22	lævigata. s.s. (ye.)	shining-leaved.	Hungary.	1810.	—	H. 4.	— t. 10.
23	fúlva. s.s. (co.)	tawny.	S. Europe.	1820.	6. 8.	H. 4.	— t. 9.

24	<i>ambigua</i> . w.	(ye.) greater yellow.	Switzerland.	1596.	7. 8.	H. 4.	Bot. reg. t. 64.
	<i>grandiflora</i> . s.s.						
25	<i>ochroleuca</i> . s.s.	(st.) sulphur-color'd.	Germany.	1816.	—	H. 4.	Lind. digit. t. 8.
26	<i>fuscescens</i> . s.s.	(br.) netted-flower'd.	Hungary.	1824.	—	H. 4.	
27	<i>minor</i> . s.s.	(pu.) dwarf.	Spain.	1789.	6. 7.	H. 4.	Lind. digit. t. 5. 6.
28	<i>eristachya</i> . Bes.	(pu.) woolly spiked.		1826.	—	H. 4.	
29	<i>tomentosa</i> . s.s.	(pu.) tomentose.	Portugal.	1820.	6. 8.	H. 4.	Bot. mag. t. 2194.
30	<i>Thápsi</i> . s.s.	(pu.) Mullein.	Spain.	1752.	5. 8.	H. 4.	Sm. exot. bot. 1. t. 43.
31	<i>purpurea</i> . s.s.	(pu.) common.	Britain.		6. 9.	H. 4.	Eng. bot. v. 19. t. 1297.
	<i>β álba</i> .	(wh.) white-flowered.	—		—	H. 4.	
CHEL'ONE. S.S. CHEL'ONE. <i>Didynamia Angiospermia</i> . L.							
1	<i>glabra</i> . w.	(wh.) white-flowered.	N. America.	1730.	8. 10.	H. 4.	Trew pl. select. t. 88.
2	<i>obliqua</i> . w.	(pu.) red-flowered.	—	1752.	—	H. 4.	Bot. reg. t. 175.
3	<i>Lyoni</i> . s.s.	(re.) Lyon's.	—	1812.	7. 9.	H. 4.	Swt. br. fl. gar. t. 293.
	<i>major</i> .						Bot. mag. t. 1864.
4	<i>nemorosa</i> . D.	(pu.) wood.	N. America.	1827.	7. 9.	H. 4.	Bot. reg. t. 1211.
5	<i>Scouleri</i> . D.	(bl.) Scouler's.	Columbia.	—	5. 7.	H. 4.	— t. 1277.
6	<i>erianthera</i> . N.	(bl.) blue-flowered.	Louisiana.	1811.	7. 9.	F. 4.	Bot. mag. t. 1672.
	<i>Pentstemon glabra</i> . B.M.						
7	<i>barbata</i> . s.s.	(sc.) scarlet.	Mexico.	1794.	6. 9.	H. 4.	Bot. reg. t. 116.
8	<i>rosea</i> . B.F.G.	(ro.) rose-coloured.	—	1825.	—	H. 4.	Swt. br. fl. gar. t. 230.
	<i>Pentstemon angustifolium</i> . B.R.						t. 1122. non Pursh.
9	<i>campanulata</i> . s.s.	(ro.) bell-flowered.	Mexico.	1794.	3. 10.	F. 4.	Bot. mag. t. 1878.
	<i>Pentstemon campanulata</i> . Jacq.						schœn. 3. t. 362.
10	<i>atropurpurea</i> . B.F.G.	(d. pu.) dark purple.	Mexico.	1824.	—	H. 4.	Swt. br. fl. gar. t. 235.
11	<i>pulchella</i> . B.R.	(pu.) pretty.	—	1825.	5. 10.	H. 4.	Bot. reg. t. 1138.
12	<i>lævigata</i> . s.s.	(pi.) smooth.	N. America.	1776.	7. 9.	H. 4.	Bot. mag. t. 1425.
13	<i>hirsuta</i> . s.s.	(bl. pi.) narrow-ld hairy.	—	1758.	—	H. 4.	Moris. s. 11. t. 21. f. 3.
14	<i>pubescens</i> .	(bl. pu.) broad-ld hairy.	—	—	—	H. 4.	Bot. mag. t. 1424.
	<i>Pentstemon pubescens</i> . B.M.						
15	<i>gracilis</i> . N.	(li.) slender.	—	1825.	—	H. 4.	Bot. mag. t. 2945.
16	<i>glauca</i> . D.	(li.) glaucous.	—	1827.	7. 9.	H. 4.	Bot. reg. t. 1286.
17	<i>digitalis</i> . B.F.G.	(wh.) foxglove-flower'd.	Arkansa.	1824.	6. 8.	H. 4.	Swt. br. fl. gar. t. 120.
	<i>Pentstemon digitalis</i> . Bot.						mag. t. 2587.
18	<i>cristata</i> . s.s.	(ri.) crested.	Louisiana.	1811.	7. 9.	F. 4.	
19	<i>cœrulea</i> . s.s.	(bl.) slender blue.	—	—	—	F. 4.	
	<i>Pentstemon angustifolium</i> . Ph.						non K.S.
20	<i>grandiflora</i> . s.s.	(pi. wh.) great-flowered.	—	—	—	F. 4.	
21	<i>albida</i> . s.s.	(wh.) dwarf.	—	—	—	F. 4.	
22	<i>diffusa</i> . D.	(pu.) spreading.	Columbia.	1827.	6. 10.	H. 4.	Bot. reg. t. 1132.
23	<i>ovata</i> . D.	(bl. pu.) oval-leaved.	N. America.	—	6. 8.	H. 4.	Bot. mag. t. 2903.
24	<i>venusta</i> . D.	(pu.) handsome.	—	—	7. 9.	H. 4.	Bot. reg. t. 1309.
25	<i>deusta</i> . D.	(pu.) blasted.	—	—	—	H. 4.	
26	<i>decussata</i> . D.	(pu.) cross-leaved.	—	—	—	H. 4.	
27	<i>glandulosa</i> . D.	(pu.) glandular.	—	—	—	H. 4.	Bot. reg. t. 1262.
28	<i>acuminata</i> . D.	(pu.) pointed-leaved.	—	—	6. 8.	H. 4.	— t. 1285.
29	<i>Richardsoni</i> . D.	(pu.) Richardson's.	—	—	7. 10.	H. 4.	— t. 1121.
30	<i>attenuata</i> . D.	(st.) taper-pointed.	—	—	7. 9.	H. 4.	— t. 1295.
31	<i>conferta</i> . D.	(st.) crowded-flower'd.	Columbia.	—	—	H. 4.	— t. 1260.
32	<i>pruinosa</i> . D.	(bl.) blue-leaved.	N. America.	—	6. 8.	H. 4.	— t. 1280.
33	<i>procera</i> . D.	(ri.) tall.	—	—	—	H. 4.	Bot. mag. t. 2954.
34	<i>speciosa</i> . D.	(bl.) beautiful.	—	—	6. 9.	H. 4.	Bot. reg. t. 1270.
35	<i>triphylla</i> . D.	(li.) three-leaved.	—	—	7. 9.	H. 4.	— t. 1245.
36	<i>serrulata</i> . D.	(pu.) saw-leaved.	—	—	—	H. 4.	
37	<i>suffruticosa</i> . D.	(pu.) suffrutescent.	—	—	—	H. 4.	
HERPE'STIS. G. HERPE'STIS. <i>Didynamia Angiospermia</i> . S.S.							
1	<i>stricta</i> . s.s.	(bl.) upright.	Brazil.	1823.	6. 8.	S. 4.	
2	<i>Monniera</i> . K.S.	(wh.) thyme-leaved.	S. America.	1772.	7. 9.	S. 4.	Ehret. pict. t. 14. f. 2.
3	<i>portulacæa</i> . B.M.	(w.) Purslane-leaved.	—	1823.	—	S. 4.	Bot. mag. t. 2557.
4	<i>cuneifolia</i> . Ph.	(bl.) wedge-leaved.	N. America.	1812.	8. 9.	H. 4.	
5	<i>amplexicaulis</i> . s.s.	(bl.) stem-clasping.	Carolina.	1822.	6. 8.	H. 4.	
6	<i>micrantha</i> . Ph.	(wh.) small-flowered.	N. America.	1827.	7. 8.	H. 4.	
7	<i>semiserrata</i> . Ot.	(wh.) semiserrate.	Mexico.	1824.	—	G. 4.	
8	<i>chrysantha</i> . Ot.	(ye.) yellow-flowered.	—	1829.	—	G. 4.	
MAZUS. B.P. MAZUS. <i>Didynamia Angiospermia</i> . S.S.							
	<i>rugosus</i> . B.P.	(wh.) China.	China.	1780.	5. 10.	H. 4.	Swt. br. fl. gar. t. 36.
	<i>Lindernia japonica</i> . Th.						<i>Hornemannia bicolor</i> . W.en.
TOR'ENIA. B.P. TOR'ENIA. <i>Didynamia Angiospermia</i> . S.S.							
1	<i>ovata</i> .	(wh.) oval-leaved.	Manila.	1823.	5. 10.	H. 4.	Pl. sel. hort. ber. t. 9.
	<i>Hornemannia ovata</i> . L.en.						<i>Tittmannia ovata</i> . s.s.

2	viscosa. (wh.) viscous.	E. Indies.	1823.	5. 10.	S. ☉.	
	<i>Hornemannia viscosa</i> . W.en. <i>Tittmannia viscosa</i> . s.s.					
LINDE'RNIA.	B.P. LINDE'RNIA. Didynamia Angiospermia. L.					
	Pyxidaria. w. (pu.) European.	S. Europe.	1789.	6. 8.	H. ☉.	Lam. ill. t. 522.
MI'MULUS.	L. MONKEY-FLOWER. Didynamia Angiospermia. L.					
1	glutinösus. s.s. (ye.) orange-colored.	California.	1794.	1. 12.	G. h.	Bot. mag. t. 354.
2	ringens. s.s. (li.) gaping.	N. America.	1759.	7. 8.	H. 2.	— t. 283.
3	alatus. s.s. (li.) oval-leaved.	—	1783.	—	H. 2.	
4	guttatus. DC. (ye.) spotted-flowered.	America.	1812.	6. 9.	F. 2.	Bot. mag. t. 1501.
	<i>luteus</i> . B.M. non L.					
5	luteus. B.R. (ye.) yellow-flower'd.	Chile.	1825.	—	H. 2.	Feuill. peruv. 2. t. 34.
	<i>β rivularis</i> . B.R. (ye. pu.) dark-spotted.	Columbia.	—	—	H. 2.	Bot. reg. t. 1030.
6	floribundus. B.R. (ye.) many-flowered.	—	1826.	8. 10.	H. ☉.	— t. 1125.
7	moschatus. B.R. (ye.) musk-scented.	—	—	7. 10.	H. 2.	— t. 1118.
8	parviflorus. B.R. (st.) small-flowered.	Mexico.	1824.	6. 9.	H. ☉.	— t. 874.
BROWA'LLIA.	L. BROWA'LLIA. Didynamia Angiospermia. L.					
1	elata. w. (bl. wh.) upright.	Peru.	1768.	6. 9.	G. ☉.	Bot. mag. t. 34.
2	demissa. w. (bl. wh.) spreading.	S. America.	1735.	—	G. ☉.	— t. 1136.
ANGEL'ONIA.	K.S. ANGEL'ONIA. Didynamia Angiospermia. L.					
	<i>salicariæfolia</i> . K.S. (bl.) <i>Salicaria</i> -leav'd.	S. America.	1818.	7. 10.	S. h.	Bot. reg. t. 415.
ALONS'OA.	R.P. ALONS'OA. Didynamia Angiospermia. H.K.					
1	incisifolia. R.P. (sc.) Nettle-leaved.	Chile.	1795.	5. 10.	G. h.	Bot. mag. t. 417.
	<i>Celsia urticaefolia</i> . B.M. <i>Hemimeris urticaefolia</i> . w.					
2	acutifolia. R.P. (sc.) acute-leaved.	Peru.	1790.	—	G. h.	
3	intermedia. B.C. (or.) intermediate.	—	—	—	G. h.	Lodd. bot. cab. t. 1450.
4	linearis. H.K. (sc.) linear-leaved.	—	1790.	—	G. h.	Bot. mag. t. 210.
5	caulialata. R.P. (sc.) wing-stemmed.	Chile.	1823.	5. 10.	G. h.	
DIA'SCIA.	L.en. DIA'SCIA. Didynamia Angiospermia. S.S.					
	<i>Bergiana</i> . L.en. (re.) <i>Bergius's</i> .	C. B. S.	1816.	7. 10.	H. ☉.	Pluk. phyt. 320. f. 5.
	<i>Hemimeris diffusa</i> . w.					
VANDE'LLIA.	S.S. VANDE'LLIA. Didynamia Angiospermia. L.					
	<i>diffusa</i> . s.s. (wh.) spreading.	S. America.	1824.	7. 9.	S. ☉.	Marc. bras. 1. c. 15. f. 1.
LIMOSE'LLA.	L. MUDWORT. Didynamia Angiospermia. L.					
	<i>aquatica</i> . L. (fl.) water.	Britain.	—	7. 9.	H. ☉.	Eng. bot. v. 5. t. 357.
DISA'NDRA.	L. DISA'NDRA. Heptandria Monogynia. L.					
	<i>prostrata</i> . L. (ye.) trailing.	Madeira.	1771.	5. 8.	G. 2.	Bot. mag. t. 218.
SIBTHO'RPIA.	L. SIBTHO'RPIA. Didynamia Angiospermia. L.					
	<i>europæa</i> . L. (wh.) Cornish money-wort.	England.	—	7. 8.	H. 2.	Eng. bot. v. 10. t. 613.
ER'INUS.	S.S. ER'INUS. Didynamia Angiospermia. L.					
1	<i>Lychnidea</i> . s.s. (wh. pu.) <i>Phlox</i> -flower'd.	C. B. S.	1821.	3. 10.	G. h.	Bot. reg. t. 748.
2	fragrans. H.K. (wh. pu.) fragrant.	—	1776.	5. 6.	G. h.	Burm. afr. t. 49. f. 4.
3	alpinus. P.S. (pu.) smooth-leaved.	Pyrenees.	1739.	3. 4.	H. 2.	Bot. mag. t. 310.
4	hispanicus. P.S. (pu.) hairy-leaved.	Spain.	—	—	H. 2.	
MAN'ULEA.	S.S. MAN'ULEA. Didynamia Angiospermia. L.					
1	viscosa. s.s. (re.) clammy.	C. B. S.	1774.	6. 11.	G. h.	Bot. mag. t. 217.
	<i>Buchnera viscosa</i> . B.M.					
2	tomentosa. s.s. (or.) tomentose.	—	1774.	5. 12.	G. h.	Bot. mag. t. 322.
3	angustifolia. L.en. (or.) narrow-leaved.	—	1822.	—	G. h.	Pl. sel. hort. ber. t. 20.
4	rhynchantha. s.s. (or.) wedge-leaved.	—	1816.	6. 9.	G. h.	
5	oppositifolia. v. (wh.) opposite-leaved.	—	—	5. 12.	G. h.	Vent. malm. t. 15.
6	villosa. P.S. (wh.) villous.	—	1783.	6. 7.	G. ☉.	Burm. afr. t. 50. f. 2.
	<i>Buchnera capensis</i> . w.					
7	cœrulea. s.s. (bl.) blue-flowered.	—	1822.	—	G. h.	
8	rubra. s.s. (re.) red.	—	1790.	4. 9.	G. h.	
9	<i>Cheiranthus</i> . s.s. (ye.) Wallflower-like.	—	1795.	6. 8.	G. ♂.	Comm. hort. 2. t. 42.
10	argentea. s.s. (wh.) silvery.	—	1801.	7. 11.	G. ☉.	
11	pedunculata. P.S. (wh.) solitary-flower'd.	—	1790.	6. 11.	G. h.	Andr. reposit. t. 84.
12	fœtida. s.s. (wh.) stinking.	—	1794.	6. 9.	G. ☉.	— t. 50.
	<i>Buchnera fœtida</i> . A.R.					
13	violacea. s.s. (vi.) violet-flowered.	—	1816.	—	G. h.	
14	cordata. s.s. (wh.) trailing heart-ld.	—	—	—	G. 2.	
BUCHN'ERA.	S.S. BUCHN'ERA. Didynamia Angiospermia. L.					
	<i>americana</i> . s.s. (bl.) American.	N. America.	1733.	6. 8.	H. 2.	
EUPHR'ASIA.	W. EYE-BRIGHT. Didynamia Angiospermia. L.					
1	linifolia. s.s. (li.) flax-leaved.	S. France.	1823.	7. 9.	H. ☉.	Jacq. aust. t. 398.
2	lutea. s.s. (ye.) yellow.	S. Europe.	1816.	—	H. ☉.	
3	alpina. s.s. (pu.) Alpine.	—	1823.	—	H. ☉.	
4	latifolia. s.s. (re.) broad-leaved.	—	1826.	—	H. ☉.	Magn. monsp. t. 94.
5	minima. P.S. (wh. pu.) least.	Switzerland.	1828.	—	H. ☉.	

6	tricuspidata. s.s. (w. pu.)	three-pointed.	Italy.	1828.	6. 9.	H. ⊙.	Pluk. alm. t. 177. f. 1.
7	officinalis. s.s. (wh. pu.)	common.	Britain.		7. 9.	H. ⊙.	Eng. bot. v. 20. t. 1416.
BARTSIA. S.S. BARTSIA. Didynamia Angiospermia. L.							
1	viscosa. s.s. (ye.)	yellow viscid.	Britain.		7. 8.	H. ⊙.	Eng. bot. v. 15. t. 1045.
2	alpina. s.s. (vi.)	Alpine.	—		—	H. ⊙.	— v. 6. t. 261.
3	Odontites. s.s. (re.)	red-flowered.	—		7. 9.	H. ⊙.	— v. 20. t. 1415.
4	Trixago. s.s. (ye.)	simple-stalked.	S. Europe.	1820.	—	H. ⊙.	Flor. grac. t. 585.
	<i>Trixago rhinanthina. L. enum.</i>						
5	latifolia. F.G. (re. wh.)	broad-leaved.	Greece.	1827.	6. 9.	H. ⊙.	Flor. grac. v. 5. t. 586.
CASTILLEJA. S.S. CASTILLEJA. Didynamia Angiosperma. S.S.							
1	integrifolia. s.s. (wh.)	entire-leaved.	S. America.	1825.		G. h.	Sm. ic. ined. t. 39.
2	toluccensis. s.s. (wh.)	procumbent.	Mexico.	—		G. h.	
3	septentrionalis. B.R. (st.)	northern.	N. America.	1824.	7. 8.	H. ⊙.	Bot. reg. t. 925.
4	pallida. s.s. (st.)	pale-flowered.	Siberia.	1782.	6. 9.	H. 4.	Gmel. sib. 3. t. 42.
	<i>Bartsia pallida. W.</i>						
5	coccinea. s.s. (or.)	vermilion.	N. America.	1787.	7. 9.	H. ⊙.	Bot. reg. t. 1136.
	<i>Bartsia coccinea. W. Euchroma coccinea. N.</i>						
6	sessiliflora. Ph. (bh.)	sessile-flowered.	Louisiana.	1811.	7. 8.	H. 4.	
	<i>grandiflora s.s. Euchroma grandiflorum. N.</i>						
RHINANTHUS. W. YELLOW RATTLE. Didynamia Angiospermia. L.							
1	Crista-galli. W. (ye.)	Cock's-comb.	Britain.		6. 8.	H. ⊙.	Eng. bot. v. 10. t. 657.
2	major. E.F. (ye.)	larger.	England.		—	H. ⊙.	
3	Alecterolophus. L. en.	villous.	Germany.	1816.	—	H. ⊙.	Bull. herb. t. 125.
	<i>villosus. P.S.</i>						
MELAMPYRUM. S.S. COW-WHEAT. Didynamia Angiospermia. L.							
1	cristatum. E.B. (ye. pu.)	crested.	England.		7. 8.	H. ⊙.	Eng. bot. v. 1. t. 41.
2	arvense. E.B. (ye. pu.)	corn-field.	—		6. 7.	H. ⊙.	— v. 1. t. 53.
3	nemorosum. s.s. (ye.)	coloured-bracted.	Europe.	1823.	—	H. ⊙.	Flor. dan. t. 305.
4	pratense. E.B. (ye.)	common.	Britain.		7. 8.	H. ⊙.	Eng. bot. v. 2. t. 113.
5	sylvaticum. E.B. (co.)	wood.	—		—	H. ⊙.	— v. 12. t. 804.
PEDICULARIS. S.S. LOUSEWORT. Didynamia Angiospermia. L.							
1	incarnata. s.s. (fl.)	flesh-coloured.	Austria.	1796.	6. 7.	H. 4.	Jacq. aust. 2. t. 140.
2	rostrata. s.s. (pu.)	beaked.	S. Europe.	1823.	—	H. 4.	— t. 205.
3	tuberosa. s.s. (ye.)	tuberous.	Switzerland.	1799.	7. 8.	H. 4.	Hall. helv. n. 323. t. 10.
4	ascendens. Schl. (ye.)	ascending.	—	1825.	—	H. 4.	
5	gyroflexa. s.s. (pu.)	bending.	—	—	—	H. 4.	Vill. delph. 2. t. 9.
6	atrorubens. DC. (d. re.)	dark-red.	—	—	—	H. 4.	
7	asplenifolia. P.S. (pu.)	Fern-leaved.	—	1828.	—	H. 4.	Willd. bot. zeit. c. ic.
8	uncinata. s.s. (fl. ye.)	hooked-flowered.	Siberia.	1815.	—	H. 4.	Gmel. sib. 3. t. 45.
9	compacta. s.s. (ye.)	close-headed.	—	—	—	H. 4.	
10	resupinata. s.s. (pu.)	resupinate.	—	1816.	5. 7.	H. 4.	Gmel. sib. 3. t. 44.
11	palustris. E.B. (pu.)	marsh.	Britain.		6. 7.	H. 4.	Eng. bot. v. 6. t. 399.
12	euphrasioïdes. s.s. (ye. re.)	eyebright-leaved.	Siberia.	1816.	—	H. 4.	Gmel. sib. 3. t. 43.
13	striata. s.s. (ye. cr.)	stripe-flowered.	Dahuria.	1826.	—	H. 4.	Pall. it. 3. a. n. 98. t. R. f. 2.
14	canadensis. s.s. (ye.)	Canadian.	N. America.	1800.	7. 8.	H. 4.	Swt. br. fl. gar. t. 37.
15	sylvatica. E.B. (ro.)	common.	Britain.		5. 7.	H. 4.	Eng. bot. v. 6. t. 409.
16	myriophylla. s.s. (ye.)	Milfoil-leaved.	Dahuria.	1816.	—	H. 4.	Pall. it. 3. ap. t. 8. f. 1.
17	rubens. s.s. (pu.)	red-flowered.	—	1827.	—	H. ⊙.	
18	sudetica. s.s. (pu.)	Swedish.	N. Europe.	—	—	H. 4.	
19	flammea. s.s. (ye. sc.)	upright.	—	1775.	7.	H. 4.	Hall. helv. t. 8. f. 3.
20	Oederi. s.s. (ye.)	Oeder's.	—	1827.	—	H. 4.	
21	versicolor. s.s. (ye. br.)	various-coloured.	Switzerland.	1825.	7. 8.	H. 4.	
22	achillæfolia. s.s. (ye.)	Milfoil-leaved.	Siberia.	1827.	—	H. 4.	
23	comosa. s.s. (ye.)	spiked.	Italy.	1775.	—	H. 4.	All. ped. 1. t. 4. f. 1.
24	pallida. s.s. (st.)	pale yellow.	N. America.	1826.	—	H. 4.	
25	spicata. s.s. (pu.)	spike-flowered.	Dahuria.	1827.	—	H. 4.	Pall. it. 3. a. n. 100. t. 8. f. 2.
26	Scéptrum. s.s. (ye. cr.)	sceptred.	Sweden.	1793.	—	H. 4.	Flor. dan. t. 26.
27	flava. s.s. (ye.)	yellow.	Siberia.	1828.	—	H. 4.	Pall. it. 3. a. n. 97. t. R. f. 1.
28	recutita. s.s. (pu.)	jagged-leaved.	Austria.	1787.	—	H. 4.	Jacq. aust. 3. t. 258.
29	foliosa. s.s. (ye.)	leafy.	—	1786.	—	H. 4.	— 2. t. 139.
30	verticillata. s.s. (pu.)	whorled.	—	1790.	5. 6.	H. 4.	— 3. t. 206.
31	proboscidea. s.s.	proboscis-flower'd.	Siberia.	1827.		H. 4.	
32	élegans. Led. (pu.)	elegant.	—	—	6. 8.	H. 4.	
33	speciosa. Led. (pu.)	beautiful.	—	—	—	H. 4.	
34	elata. s.s. (pu.)	lofty.	—	1826.	—	H. ⊙.	
35	exaltata. Led. (pu.)	tall.	—	1827.	—	H. 4.	
36	rosea. s.s. (ro.)	rose-coloured.	S. Europe.	1825.	7. 8.	H. 4.	Jacq. ic. 1. t. 115.
GERARDIA. S.S. GERARDIA. Didynamia Angiospermia.							
1	delphinifolia. s.s. (ro.)	Larkspur-leav'd.	E. Indies.	1800.	6. 7.	S. 4.	Roxb. corom. 1. t. 90.

2	purpurea. s.s.	(pu.) purple.	N. America.	1772.	7. 8.	H. ♂.	Bot. mag. t. 2043.
3	tenuifolia. s.s.	(pu.) slender-leaved.	————	1812.	——	H. ♂.	Bart. fl. amer. 3. t. 82.
4	maritima. s.s.	(li.) sea-side.	————	1823.	——	H. ♂.	
5	flava. s.s.	(ye.) yellow.	————	1796.	——	H. ♀.	Pluk. amal. t. 389. f. 2.
6	quercifolia. s.s.	(ye.) oak-leaved.	————	1812.	——	H. ♀.	Pursh amer. 1. t. 19.
7	Pediculària. s.s.	(ye.) variable.	————	1826.	6. 8.	H. ♂.	Lam. ill. t. 529. f. 2.
SEYM'ERIA. S.S. SEYM'ERIA. Didynamia Angiospermia. S.S.							
1	tenuifolia. s.s.	(ye.) slender-leaved.	Carolina.		7. 9.	H. ⊙.	
	<i>Afzèlia cassioides</i> . Gmel. <i>Gerardia Afzèlia</i> . M.						
2	pectinata. s.s.	(ye.) pectinated.	Carolina.		——	H. ⊙.	

Sect. II. STAMINA (2) ANTHERIFERA.

CALCEOL'ARIA. R.S. SLIPPERWORT. Diandria Monogynia. L.							
1	Fothergillii. R.S. (pu.)	Fothergill's.	Falkland. Isl.	1777.	5. 8.	G. ♀.	Bot. mag. t. 348.
2	plantaginea. R.S. (ye.)	Plantain-leaved.	Chile.	1826.	6. 9.	F. ♀.	———— t. 2805.
3	corymbosa. R.S. (ye.)	corymb-flower'd.	————	1823.	4. 8.	G. ♀.	Bot. reg. t. 723.
4	arachnoidea. B.M. (pu.)	cobweb.	————	1827.	6. 10.	F. ♀.	Bot. mag. t. 2874.
5	purpurea. B.M. (pu.)	purple-flowered.	————	1826.	——	F. ♀.	———— t. 2775.
6	petioalàris. R.S. (ye.)	much branched.	————	1827.	6. 9.	G. ♀.	Bot. reg. t. 1214.
floribunda. B.R. connata. Bot. mag. t. 2876.							
7	ascendens. B.R. (ye.)	ascending.	————	1826.	——	G. ♀.	Bot. reg. t. 1215.
8	polifolia. B.M. (ye.)	white-leaved.	————	——	——	G. ♀.	Bot. mag. t. 2897.
9	rugosa. R.P. (ye.)	rugged-leaved.	————	1823.	6. 8.	G. ♀.	Hook. ex. flor. t. 90.
crenata. Bot. reg. t. 790.							
10	integrifolia. R.P. (ye.)	entire-leaved.	————	——	——	G. ♀.	Bot. reg. t. 744.
rugosa. Bot. mag. t. 2523.							
11	angustifolia. (ye.)	narrow-leaved.	————	1826.	——	G. ♀.	Bot. reg. t. 1083.
12	thyrsiflora. B.M. (ye.)	tufted-flowered.	————	1827.	——	G. ♀.	Bot. mag. t. 2915.
13	pinnata. R.S. (st.)	wing-leaved.	Peru.	1773.	7. 9.	H. ⊙.	———— t. 41.
14	scabiosæfolia. R.S. (st.)	Scabious-leaved.	————	1823.	——	G. ♀.	———— t. 2405.
SCHIZA'NTHUS. R.P. SCHIZA'NTHUS. Diandria Monogynia.							
1	pinnatus. H.E.F. (li. pu.)	winged-leaved.	Chile.	1823.	7. 10.	H. ⊙.	Swt. br. fl. gar. t. 63.
2	pórrigens. H.E.F. (wh. pu.)	spreading.	————	——	——	H. ⊙.	———— t. 75.
SCHWE'NCKIA. R.S. SCHWE'NCKIA. Diandria Monogynia. W.							
1	americana. R.S. (vi.)	American.	Cayenne.	1781.	8. 9.	S. ♂.	Schw. h. m. haag. t. 1.
2	browallioides. K.S. (gr. pu.)	Browallia-like.	Caracas.	1824.	——	S. ♀.	H. et B. n. g. am. 2. t. 18.
3	Hilariàna. DC. (gr. pu.)	St. Hilaire's.	Brazil.	1826.	——	S. ⊙.	DC. pl. rar. genev. t. 10.
BONNA'YA. S.S. BONNA'YA. Diandria Monogynia. S.S.							
1	brachiata. s.s. (wh.)	brachiate.	E. Indies.	1825.	6. 9.	H. ⊙.	Pl. sel. h. ber. t. 11.
2	brachycarpa. Ot. (vi.)	short-capsuled.	————	1829.	——	S. ⊙.	
3	veronicaefolia. s.s. (vi.)	Speedwell-leaved.	————	1798.	——	S. ♂.	Roxb. corom. 2. t. 154.
Gratiola veronicaefolia. W.							
4	réptans. s.s. (li.)	creeping.	————	1820.	——	S. ⊙.	
GRATIOLA. B.P. HEDGE-HYSSOP. Diandria Monogynia. L.							
1	latifolia. B.P. (wh.)	broad-leaved.	N. S. W.	1822.	6. 8.	G. ♀.	
2	officinàlis. R.S. (wh.)	officinal.	Europe.	1568.	5. 8.	H. ♀.	Flor. dan. t. 363.
3	virginica. R.S. (st.)	Virginian.	Virginia.	1759.	8.	H. ♀.	
4	aurea. Ph. (ye.)	golden pert.	N. America.	1826.	7. 9.	H. ♀.	Lodd. bot. cab. t. 132.
5	quadridentata. Ph. (st.)	four-toothed.	————	——	6. 8.	H. ♀.	Lam. ill. 1. t. 16. f. 2.
6	acuminata. Ph. (st.)	sharp-pointed.	————	1828.	7. 8.	H. ♀.	
7	pilosa. Ph. (wh.)	hairy.	————	1827.	——	H. ♀.	
WULF'ENIA. R.S. WULF'ENIA. Diandria Monogynia. R.S.							
	carinthiaca. R.S. (bl.)	blue-flowered.	Carinthia.	1817.	6. 9.	H. ♀.	Swt. br. fl. gar. t. 66.
PÆDER'OTA. R.S. PÆDER'OTA. Diandria Monogynia. L.							
1	Agèria. R.S. (st.)	sulphur-coloured.	Italy.	1823.	6. 7.	H. ♀.	Jacq. vind. 2. t. 121.
2	Bonaròta. R.S. (vi.)	violet-coloured.	Germany.	1826.	——	H. ♀.	Jacq. aust. 5. t. 39.
LEPTA'NDRA. N. LEPTA'NDRA. Diandria Monogynia. N.							
1	virginica. (wh.)	Virginian.	Virginia.	1714.	7. 9.	H. ♀.	Pluk. alm. t. 70. f. 2.
Veronica virginica. W.							
2	incarnata. G.D. (li.)	lilac-flowered.	————	——	——	H. ♀.	
3	sibirica. N. (wh.)	Siberian.	Siberia.	1779.	7. 8.	H. ♀.	Amm. ruth. 20. t. 4.
VERO'NICA. R.S. SPEEDWELL. Diandria Monogynia. L.							
1	foliosa. R.S. (bl.)	leafy.	Hungary.	1805.	7. 9.	H. ♀.	W. et K. hung. 2. t. 112.
2	crenulata. R.S. (bl.)	notch-flowered.	S. Europe.	1804.	——	H. ♀.	Hoff. phyt. p. 95. t. E. 1.
3	maritima. R.S. (bl.)	sea-side.	————	1570.	——	H. ♀.	Schrad. ver. t. 1. f. 1.
4	Hóstiù. R.S. (bl.)	Host's.	Italy.		——	H. ♀.	Tabern. n. krent. 2. f. 4.

5 spūria. R.S.	(bl.)	spurious.	Siberia.	1731.	7. 9.	H. 4.	Gmel. it. 1. t. 39.
6 paniculāta. R.S.	(bl.)	panicked.	Tartary.	1797.	6. 7.	H. 4.	
7 Stephaniāna. R.S.	(bl.)	Stephan's.	Persia.	1821.	—	H. 4.	
8 complicāta. R.S.	(bl.)	bundled.	S. Europe.	1812.	9. 10.	H. 4.	Hoff. phyt. p. 98. t. E. f. 4.
9 azūrea. R.S.	(bl.)	azure.		1818.	6. 9.	H. 4.	
10 glābra. R.S.	(bl.)	smooth.	S. Europe.	1804.	7. 9.	H. 4.	Schrad. ver. p. 25. t. 1. f. 4.
β albiflōra.	(wh.)	white-flowered.	—	—	—	H. 4.	
11 brachyphylla. R.S.	(bl.)	short-leaved.		1818.	—	H. 4.	
brerifolia. L.en.							
12 elātor. R.S.	(bl.)	tall.	S. Europe.	1808.	—	H. 4.	
13 exaltāta.	(bl.)	lofty.	Siberia.	1816.	—	H. 4.	
14 falcāta. R.S.	(bl.)	falcate-leaved.		1820.	6. 7.	H. 4.	
15 acūta. R.S.	(bl.)	acute-leaved.		—	7. 9.	H. 4.	
16 argūta. R.S.	(bl.)	sharp-notched.	S. Europe.	1812.	—	H. 4.	Schrad. ver. n. 7. t. 2. f. 2.
17 nitens. R.S.	(bl.)	glossy-leaved.		1816.	—	H. 4.	
18 longibracteāta. R.S.	(bl.)	long-bracted.		—	—	H. 4.	
β latifolia.	(bl.)	broad-leaved.		—	—	H. 4.	
19 mēdia. R.S.	(bl.)	long-spiked.	Germany.	1804.	—	H. 4.	Schrad. ver. n. 8. t. 1. f. 2.
20 persicifolia. R.S.	(bl.)	Peach-leaved.		1819.	—	H. 4.	
21 anstrālis. R.S.	(bl.)	pubescent.	S. Europe.	1812.	—	H. 4.	Schrad. ver. n. 9. t. 2. f. 3.
22 longifolia. R.S.	(bl.)	long-leaved.	—	1731.	—	H. 4.	— p. 26. t. 2. f. 1.
23 grōssa. R.S.	(bl.)	stout.	S. Russia.	1827.	6. 9.	H. 4.	
24 ambigua. R.S.	(bl.)	ambiguous.	England.		—	H. 4.	
25 neglēcta. R.S.	(bl.)	canescent.	Siberia.	1797.	7. 9.	H. 4.	Swt. br. fl. gar. t. 55.
26 angustifolia. S.S.	(bl.)	narrow-leaved.	—	1823.	—	H. 4.	
27 incāna. R.S.	(bl.)	hoary.	Russia.	1759.	—	H. 4.	Hoff. c. gott. 15. t. 6.
28 rigens. R.S.	(bl.)	rigid.		1824.	—	H. 4.	
29 elegans. R.S.	(ro.)	elegant.	Italy.		—	H. 4.	
30 spicāta. R.S.	(bl.)	spiked.	England.		—	H. 4.	Eng. bot. v. 1. t. 2.
31 Clūsii. R.S.	(bl.)	Clusius's.	N. Europe.		—	H. 4.	Flor. dan. t. 52.
32 menthaefolia. R.S.	(bl.)	Mint-leaved.	Austria.	1818.	—	H. 4.	
33 Barrelieri. R.S.	(bl.)	Barrelier's.	S. Europe.		—	H. 4.	Barrel. ic. t. 682.
34 orchidēa. R.S.	(bl.)	Orchis-like.	Europe.		—	H. 4.	
35 crassifolia. R.S.	(vi.)	thick-leaved.	Hungary.	1818.	—	H. 4.	
36 hy'brida. R.S.	(bl.)	Welsh.	England.		—	H. 4.	Eng. bot. v. 10. t. 673.
37 confūsa. R.S.	(bl.)	confused.		1819.	6. 7.	H. 4.	
38 longiflōra. R.S.	(li.)	long-flowered.		1823.	7. 9.	H. 4.	
39 ruthēnica. R.S.	(bl.)	Russian.	Russia.	—	—	H. 4.	
40 grādis. R.S.	(wh.)	large white.	Siberia.	1826.	—	H. 4.	
41 Pōnæ. R.S.	(bl.)	dwarf.	Pyrenees.	1823.	—	H. 4.	Gouan. ill. t. 1. f. 1.
42 polystachya. R.S.	(bl.)	many-spiked.		1819.	—	H. 4.	
43 præalta. L.C.	(bl.)	tall upright		1817.	6. 8.	H. 4.	
44 incarnāta. G.D.	(pi.)	flesh-coloured.			—	H. 4.	
45 cārnea. Ræu.	(pi.)	pale red.			—	H. 4.	
46 corymbōsa. G.D.	(bl.)	corymbose.		1817.	6. 7.	H. 4.	
47 melanchōlica. Df.	(bl.)	melancholy.		1820.	—	H. 4.	
48 leucāntha. F.	(wh.)	white-flowered.	Siberia.	1824.	—	H. 4.	
49 ascēdens. R.S.	(bl.)	ascending.		1828.	—	H. 4.	
50 villōsa. R.S.	(bl.)	villous.	S. Europe.	1800.	—	H. 4.	Schrad. ver. p. 13. t. 1. f. 3.
51 pinnāta. R.S.	(bl.)	wing-leaved.	Siberia.	1776.	6. 8.	H. 4.	Hoff. c. gott. 15. t. 10.
52 incīsa. R.S.	(bl.)	cut-leaved.	—	1779.	—	H. 4.	
53 laciniāta. R.S.	(bl.)	jagged-leaved.	—	1780.	—	H. 4.	Jung. ic. rar. C. 1. f. 2.
54 gentianoides. F.G.	(ri.)	Gentian-like.	Levant.	1748.	5. 6.	H. 4.	Flor. græc. 1. t. 5.
55 gentianifolia. (pa.bl.)		Gentian-leaved.	—	—	—	H. 4.	Bot. mag. t. 1002.
Veronica gentianoides. B.M. non Flor. græc.							
56 pāllida. R.S.	(pa.)	pale.	—	1816.	—	H. 4.	
57 bellidioides. R.S.	(bl.)	Daisy-leaved.	Switzerland.	1775.	6. 7.	H. 4.	Hall. hist. t. 15. f. 1.
58 fruticulōsa. R.S.	(pu.)	flesh-coloured.	Scotland.		6. 8.	H. 4.	Eng. bot. v. 15. t. 1028.
59 saxātilis. R.S.	(bl.)	blue rock.	—		6. 7.	H. 4.	— v. 15. t. 1027.
60 crētica. R.S.	(bl.)	Cretan.	Crete.	1819.	5. 6.	H. 4.	
61 Baumgartēnii. R.S.	(pa.bl.)	Baumgarten's.	Transylvania.	1826.	—	H. 4.	
62 nummulāria. R.S.	(bl.)	moneywort.	Pyrenees.	1820.	6. 8.	H. 4.	Gouan. ill. 1. t. 1. f. 2.
63 alpina. R.S.	(bl.)	Alpine.	Scotland.		5. 6.	H. 4.	Eng. bot. v. 7. t. 484.
α acutifolia.	(bl.)	acute entire-leav'd.	Europe.		—	H. 4.	
β pūmila. All.	(bl.)	saw-leaved.	—		—	H. 4.	Allion. ped. t. 22. f. 5.
γ obtusifolia.	(bl.)	blunt entire-leav'd.	Scotland.		—	H. 4.	Eng. bot. v. 7. t. 484.
δ integrifolia. W.	(bl.)	entire-leaved.	Europe.		—	H. 4.	Krocker siles. t. 3.
ε heterophylla.	(bl.)	various-leaved.	—		—	H. 4.	
ζ rotundifolia.	(bl.)	round-leaved.	—		—	H. 4.	Braun. salisb. n. 15. t. 2.

64	Wormskiöldii. R.s. (bl.)	Wormskiöld's.	Greenland.	1819.	5. 6.	H. ♂.	Bot. mag. t. 2975.
65	grandifolia. R.s. (bl.)	large-leaved.	Italy.	1828.	—	H. 4.	
66	depauperata. R.s. (bl.)	few-flowered.	Hungary.	1819.	—	H. 4.	W. et K. hung. 3. t. 27.
67	serpyllifolia. R.s. (bl. fl.)	smooth.	Britain.		4. 7.	H. 4.	Eng. bot. v. 15. t. 107.
	α ovata. (bl. fl.)	common.	—		—	H. 4.	
	β tenella. Schm. (bl.)	roundish-leaved.	Europe.		—	H. 4.	
	γ neglecta. Schm. (pa.)	neglected.	—		—	H. 4.	
	δ quaternata. (pa. li.)	four-leaved.	—		—	H. 4.	
	ε nummulariaefolia. (pa.)	moneywort-leaved.	—		—	H. 4.	
	ζ humifusa. L.T. (pa.)	trailing.	—		—	H. 4.	
68	hirsuta. R.s. (pa.)	bristly.	Scotland.		—	H. 4.	
	setigera. s.s.						
69	tenella. R.s. (pu.)	slender.	Pyrenees.	1820.	5. 6.	H. 4.	Allion. ped. t. 22. f. 1.
70	microphylla. R.s. (pu.)	small-leaved.	Hungary.	1824.	—	H. 4.	
71	parviflora. R.s. (bl.)	small-flowered.	N. Zealand.	1822.	6. 8.	H. 4.	
72	undulata. R.s. (wh.)	wave-leaved.	E. Indies.	1827.	—	G. 4.	
73	decussata. R.s. (wh.)	cross-leaved.	Falkland Isl.	1776.	—	F. h.	Bot. mag. t. 242.
74	aphylla. R.s. (bl.)	naked-stalked.	Italy.	1775.	5.	H. 4.	Seguier. ver. t. 3. f. 2.
75	Beccabunga. R.s. (bl.)	brook-lime.	Britain.		5. 6.	H. w. 4.	Eng. bot. v. 10. t. 67.
76	Anagallis. R.s. (pa. bl.)	long-leaved water.	—		6. 8.	H. w. 4.	— v. 11. t. 71.
77	scutellata. R.s. (li.)	marsh.	—		—	H. w. 4.	— v. 11. t. 72.
78	Parmularia. R.s. (li.)	tooth-leav'd marsh.	Austria.	1816.	—	H. w. 4.	Trattin. fl. aust. b. 2.
79	caroliniana. R.s. (bl.)	Carolina.	Carolina.	1821.	6. 7.	H. w. 4.	
80	thymifolia. F.G. (bl.)	thyme-leaved.	Crete.	1827.	5. 7.	F. 4.	Flor. græc. v. 1. t. 6.
81	pectinata. R.s. (bl.)	pectinated.	Levant.	1820.	6. 8.	H. 4.	Buxb. C. 1. t. 39. f. 1.
82	orientalis. R.s. (bl.)	various-leaved.	—	1748.	—	H. 4.	Sal. stirp. rar. 7. t. 4.
83	trichocarpa. R.s. (bl.)	hairy-capsuled.	—	1820.	—	H. 4.	
	pilocarpa. L.en.						
84	Jacquini. R.s. (bl.)	Jacquin's.	Austria.	1748.	—	H. 4.	Jacq. aust. 4. t. 329.
	austriaca. Jacq. non L.						
85	austriaca. R.s. (bl.)	Austrian.	—	—	—	H. 4.	Moris. h. 2. s. 3. t. 23. f. 12.
	polymorpha. W.en.						
86	tenuifolia. R.s. (bl.)	slender-leaved.	Iberia.	1821.	6. 7.	H. 4.	
87	pinnatifida. w. (bl.)	pinnatifid.		1817.	5. 6.	H. 4.	
88	multifida. R.s. (bl.)	multifid-leaved.	Siberia.	1748.	6. 8.	H. 4.	Bot. mag. t. 1679.
89	caucasica. R.s. (wh. bl.)	Caucasean.	Caucasus.	1815.	—	H. 4.	
90	taurica. w. (bl.)	Taurian.	Tauria.	—	—	H. 4.	Lodd. bot. cab. t. 911.
91	Allionii. R.s. (bl.)	shining-leaved.	S. Europe.	1748.	—	H. 4.	Allion. ped. 1. t. 46. f. 1.
92	officinalis. R.s. (bl.)	officinal.	Britain.		4. 7.	H. 4.	Eng. bot. v. 11. t. 76.
	β rigida. Gr. (bl.)	rigid-leaved.	Scotland.		—	H. 4.	
	γ albiflora. (wh.)	white-flowered.	Britain.		—	H. 4.	
93	Mulleriana. R.s. (bl.)	Muller's.	Styria.	1825.	5. 7.	H. 4.	
94	Tournefortii. R.s. (bl.)	Tournefort's.	S. France.	1821.	5. 6.	H. 4.	
95	Chaixi. R.s. (bl.)	Chais's.	S. Europe.	1825.	5. 7.	H. 4.	
96	prostrata. R.s. (bl.)	trailing.	Germany.	1774.	5. 6.	H. 4.	Bauh. hist. 3. p. 257. f. 1.
97	pilosa. R.s. (bl.)	hairy.	Bohemia.	1819.	—	H. 4.	
98	acutiflora. R.s. (li.)	acute-flowered.	France.	1821.	—	H. 4.	
99	plicata. R.s. (bl.)	plaited-leaved.	Bohemia.	1823.	—	H. 4.	Pohl tent. fl. b. p. 15. f. 1.
100	micrantha. R.s. (wh. pu.)	soft-leaved.	Portugal.	—	—	H. 4.	Hoff. f. port. t. 57.
	mollis. Zea.						
101	latifolia. R.s. (bl.)	broad-leaved.	Austria.	1748.	6. 7.	H. 4.	Swt. br. fl. gar. t. 23.
102	Teucrium. R.s. (bl.)	saw-leaved.	Europe.	1596.	6. 8.	H. 4.	Lodd. bot. cab. t. 42.
103	crinita. R.s. (bl.)	very hairy.	Hungary.	1826.	—	H. 4.	
104	lutetiana. R.s. (pa. bl.)	Portugal.	Portugal.	—	—	H. 4.	
105	dentata. R.s. (bl.)	tooth-leaved.	S. Europe.	1816.	—	H. 4.	
106	Schmidtii. R.s. (bl.)	Schmidt's.	Bohemia.	1797.	6. 7.	H. 4.	
	paniculata. w. non Pall.						
107	peduncularis. R.s. (bl.)	long-peduncled.	Caucasus.	1825.	—	H. 4.	
108	petræa. R.s. (pa. bl.)	Caucasean rock.	—	1821.	—	H. 4.	
109	umbræsa. M.B. (bl.)	shady wood.	Tauria.	1827.	—	H. 4.	M. B. cent. ros. 1. t. 1.
110	Chamædrys. R.s. (bl.)	Germander.	Britain.		5. 8.	H. 4.	Eng. bot. v. 9. t. 625.
111	stolonifera. R.s. (bl.)	creeping.	N. America.	1827.	—	H. 4.	
112	divaricata. R.s. (bl.)	divaricate.	Sweden.	1828.	—	H. 4.	
113	Vestiana. R.s. (bl.)	Vest's.		1820.	—	H. 4.	
114	máxima. R.s. (pa. bl.)	large.	Iberia.	1821.	—	H. 4.	Buxb. cent. 1. t. 34.
115	urticæfolia. R.s. (pa. bl.)	Nettle-leaved.	Austria.	1776.	6. 7.	H. 4.	Jacq. aust. 1. t. 59.
116	montana. R.s. (pa.)	mountain.	Britain.		7. 8.	H. 4.	Eng. bot. v. 11. t. 71.
117	plebeia. B.P. (bl.)	plebeian.	N. S. W.	1822.	6. 8.	G. 4.	
	arguta. R.s.						

118	Bro'wnii. B.P.	(bl.) sharp-toothed.	N. S. W.	1822.	6. 8.	G. 2.	
119	gracilis. B.P.	(bl.) slender.	—	—	—	G. 2.	
120	perfoliata. B.P.	(bl.) perfoliate.	—	1815.	7. 8.	G. 2.	Bot. mag. t. 1936.
121	labiata. B.P.	(pa.bl.) labiated.	N. Holland.	1802.	4. 7.	F. 2.	— t. 1660.
<i>Derwentia</i> . Andr. reposit. t. 531.							
122	mollissima. R.S.	(bl.) softest.		1819.	6. 8.	H. 2.	
123	reniformis. Ph.	(pa.bl.) kidney-leaved.	Missouri.	1827.	5. 8.	H. 2.	
124	Waldsteiniàna. R.S.	(bl.) Waldstein's.		1819.	6. 8.	H. 2.	
125	verna. R.S.	(pa.bl.) vernal.	Britain.		4. 5.	H. 2.	Eng. bot. v. 1. t. 25.
126	digitata. R.S.	(bl.) fingered.	Spain.	1805.	6. 7.	H. 2.	Reich. ic. t. 36.
127	triphy'llos. R.S.	(bl.) variable-leaved.	Britain.		4. 5.	H. 2.	Eng. bot. v. 1. t. 26.
128	hederifolia. R.S.	(pa.bl.) Ivy-leaved.	—		3. 10.	H. 2.	— v. 11. t. 784.
129	Cymbalaria. R.S.	(wh.) fleshy-leaved.	Levant.	1823.	4. 8.	H. 2.	Flor. græc. t. 9.
130	peregrina. R.S.	(pa.) knotgrass-leaved.	N. Europe.	1680.	5. 6.	H. 2.	Flor. dan. t. 407.
131	depressa. R.S.	(bl.) depressed.	Hungary.	1826.	4. 8.	H. 2.	
132	glauca. F.G.	(bl.) glaucous.	Greece.	—	—	H. 2.	Flor. græc. v. 1. t. 7.
133	amœna. R.S.	(bl.) fine blue.	Iberia.	1823.	5. 6.	H. 2.	MB. cent. res. t. 1. f. 18.
134	biloba. R.S.	(wh.) two-lobed.	Levant.	1819.	4. 6.	H. 2.	Buxb. cent. 1. t. 36.
135	præcox. R.S.	(bl.) early-flowered.	Europe.	—	3. 5.	H. 2.	Allion. ped. t. 1. f. 1.
136	acinifolia. R.S.	(pa.bl.) Basil-leaved.	S. Europe.	1788.	4. 5.	H. 2.	Poit. et Turp. par. 1. t. 23.
137	arvensis. R.S.	(bl.) wall.	Britain.		4. 7.	H. 2.	Eng. bot. v. 11. t. 734.
138	agræstis. R.I.	(va.) field.	—		1. 12.	H. 2.	Reich. ic. C. 3. t. 277.
<i>pulchella</i> . DC. non Bernhard. <i>versicolor</i> . Fries.							
139	opæca. R.I.	(pa.bl.) dull-leaved.	Britain.		—	H. 2.	Reich. ic. C. 3. p. 67. t. 278.
140	polita. R.I.	(bl.) polished.	—		—	H. 2.	— C. 3. p. 45. t. 246.
141	didyma. T.N.	(bl.) toothed-calyxed.	Naples.	1827.	—	H. 2.	
142	pulchella. R.S.	(wh.ro.) neat.		1823.	3. 6.	H. 2.	
143	Buxbaumii. s.s.	(bl.) Buxbaum's.	S. Europe.	1820.	—	H. 2.	Ten. fl. nap. t. 1.
144	filiformis. s.s.	(bl.) long-stalked.	Levant.	1780.	5.	H. 2.	Buxb. cent. 1. t. 40. f. 1.
145	persica. s.s.	(bl.) Persian.	Persia.	1816.	1. 12.	H. 2.	
DIPLOPHY'LLUM. S.S. DIPLOPHY'LLUM. Diandria Monogynia. S.S.							
	veronicaeforme. s.s.	(bl.) Speedwell-like.	Caucasus.	1813.	4. 6.	H. 2.	Linn. trans. v. 11. t. 31.
<i>Veronica crista galli</i> . L.T.							
HEMI'MERIS. L. HEMI'MERIS. Diandria Monogynia.							
	montana. L.	(re.) mountain.	C. B. S.	1816.	6. 8.	G. 2.	Lam. ill. t. 532.

ORDO CLIII.

LABIATÆ. *Brown prodr.* 1. p. 499.Tribus I. MENTHOIDÆ. *Bentham in Bot. reg. fol.* 1282.

LYCOPUS. R.S. WATER-HOREHOUND. Diandria Monogynia. L.							
1	australis. B.P.	(wh.) New Holland.	N. S. W.	1823.	5. 7.	G. 2.	
2	europæus. R.S.	(wh.) European.	Britain.		7. 8.	H. 2.	Eng. bot. v. 16. t. 1105.
3	intermedius.	(wh.) intermediate.	Europe.	1816.	—	H. 2.	
4	exaltatus. R.S.	(wh.) tall.	Italy.	1739.	—	H. 2.	Flor. græc. 1. t. 12.
5	virginicus. R.S.	(wh.) Virginian.	N. America.	1760.	8. 9.	H. 2.	
6	sinuatus. E.C.	(wh.) sinuate-leaved.	—	1812.	—	H. 2.	
ISA'NTHUS. M. ISA'NTHUS. Didynamia Gymnospermia. S.S.							
	cæruleus. M.	(bl.) blue.	N. America.	1732.	6. 8.	H. 2.	Dill. elt. t. 285. f. 369.
<i>Trichostema brachiata</i> . L.							
AUDIBERTIA. B.R. AUDIBERTIA. Didynamia Gymnospermia.							
	pusilla. B.R.	(pu.) small.	Corsica.	1829.	5. 8.	H. 2.	
<i>Thymus parviflorus</i> . Requier.							
MENTHA. L. MINT. Didynamia Gymnospermia. L.							
1	viridis. w.	(pu.) spear.	Britain.		8.	H. 2.	Eng. bot. v. 34. t. 2424.
2	lævigata. W.en.	(pu.) smooth-leaved.	Germany.		6. 8.	H. 2.	
3	balsamea. W.en.	(pu.) Balsam-scent'd.	Italy.	1804.	7. 8.	H. 2.	
4	crispata. W.en.	(pu.) crumpled.	Europe.	1807.	—	H. 2.	
5	piperita. E.B.	(pu.) pepper.	England.		8. 9.	H. 2.	Eng. bot. v. 10. t. 687.
6	silvestris. s.s.	(pu.) Egyptian.	Egypt.	1796.	7. 8.	H. 2.	Jacq. vind. 3. t. 87.
7	tenuis. M.	(wh.) slender.	N. America.	1826.	—	H. 2.	

8	sylvéstris. E.B.	(pu.) wild.	Britain.		7. 8.	H. 2.	Eng. bot. v. 10. t. 686.
9	nemorosa. W.en.	(pu.) wood.	—		—	H. 2.	Flor. dan. t. 484.
10	hirta. W.en.	(pu.) hairy.	Europe.		—	H. 2.	
11	pubescens. W.en.	(pu.) pubescent.	—		—	H. 2.	
12	Auriculària. w.	(li.) Indian.	E. Indies.	1796.	—	S. 2.	Rumph. amb. 6. t. 15.
13	crispa. w.	(pu.) curled.	Siberia.	1640.	—	H. 2.	
14	pyramidàlis. T.N.	(pu.) pyramidal.	Naples.	1824.	—	H. 2.	
15	undulata. W.en.	(pu.) wave-leaved.	Europe.	1816.	—	H. 2.	
16	incana. W.en.	(pu.) hoary.	—	1790.	—	H. 2.	
17	lavandulacea. W.en.	(pu.) Lavender-leaved.	Spain.	1825.	—	H. 2.	
18	capensis. w.	(pu.) Cape.	C. B. S.	1816.	—	G. 2.	
19	rotundifolia. E.B.	(pu.) round-leaved.	Britain.		8. 9.	H. 2.	Eng. bot. v. 7. t. 440.
	<i>β variegata.</i>	(pu.) variegated.	—		—	H. 2.	
20	macrostachya. T.N.	(pu.) long-spiked.	Naples.	1820.	—	H. 2.	
21	gratissima. w.	(pu.) oblong-leaved.	Britain.		7. 8.	H. 2.	
22	citrata. s.s.	(pu.) Bergamot.	England.		—	H. 2.	Eng. bot. v. 15. t. 1000.
	odorata. E.B.						
23	hirsuta. E.B.	(pu.) hairy water.	Britain.		7. 9.	H.w. 2.	Eng. bot. v. 7. t. 447.
24	acutifolia. E.B.	(pu.) acute-leaved.	England.		9.	H.w. 2.	— v. 34. t. 245.
25	sativa. E.B.	(re.) tall red.	—		8. 9.	H.w. 2.	— v. 7. t. 448.
26	rubra. E.B.	(re.) common red.	Britain.		9.	H.w. 2.	— v. 20. t. 143.
27	gentilis. E.B.	(re.) bushy red.	—		7. 8.	H.w. 2.	— v. 30. t. 205.
28	gracilis. H.K.	(re.) narrow-leaved.	—		—	H.w. 2.	— v. 7. t. 449.
29	palustris. s.m.	(pu.) marsh.	—		9.	H.w. 2.	
30	villosa. s.m.	(pu.) horse.	—		7. 8.	H.w. 2.	
31	pratensis. s.m.	(pu.) meadow.	—		—	H.w. 2.	Sole's Mints. t. 17.
32	rivàlis. s.m.	(pu.) river.	—		—	H.w. 2.	
33	paludosa. s.m.	(pu.) brook.	—		9.	H.w. 2.	
34	arvensis. E.B.	(li.) corn.	—		7. 9.	H. 2.	Eng. bot. v. 30. t. 200.
35	præcox. s.m.	(li.) early-flowering.	—		6.	H. 2.	Sole's Mints. ic.
36	agrèstis. E.B.	(li.) field.	—		7. 8.	H. 2.	Eng. bot. v. 30. t. 200.
37	austriaca. s.s.	(pu.) Austrian.	Austria.	1818.	—	H. 2.	
38	dentata. w.	(pu.) toothed.	Germany.	1816.	—	H. 2.	
39	canadensis. w.	(pu.) Canadian.	N. America.	1801.	—	H. 2.	
40	borealis. m.	(li.) northern.	—	1824.	—	H. 2.	
41	élegans. s.s.	(pu.) elegant.	S. Europe.	1828.	—	H. 2.	
42	badensis. s.s.	(pu.) Baden.	Italy.	—	—	H. 2.	
43	rugosa. Roth.	(pu.) rugged-leaved.	Germany.	1824.	—	H. 2.	
44	glabrata. s.s.	(pu.) smooth.	Egypt.	1802.	—	H. 2.	
45	Pulègium. s.s.	(li.) Pennyroyal.	Britain.		8. 9.	H. 2.	Eng. bot. v. 15. t. 1000.
46	cervina. s.s.	(wh.) Hyssop-leaved.	S. France.	1648.	6. 8.	H. 2.	Moris. s. 3. t. 7. f. 7.
COLEBRO'OKIA. S.S. COLEBRO'OKIA. Didynamia Gymnospermia.							
1	oppositifolia. D.P.	(wh.) opposite-leav'd.	Nepaul.	1816.	6. 9.	S. h.	Sm. exot. bot. t. 115.
2	ternifolia. s.s.	(wh.) three-leaved.	E. Indies.	—	—	S. h.	
PERILLA. W. PERILLA. Didynamia Gymnospermia. L.							
1	ocymoides. w.	(wh.) Basil-leaved.	India.	1770.	7. 8.	H. ⊙.	Arduin. spec. 2. t. 13.
2	fruticosa. D.P.	(wh.) frutescent.	Nepaul.	1818.	—	S. h.	
ELSHO'LTZIA. S.S. ELSHO'LTZIA. Didynamia Gymnospermia. W.							
1	cristata. s.s.	(li.) crested.	Siberia.	1789.	5. 7.	H. ⊙.	Bot. mag. t. 2560.
2	ocymoides. s.s.	(li.) Basil-like.	E. Indies.	1823.	—	S. 4.	
APHANOCHILUS. B.R. APHANOCHILUS. Didynamia Gymnospermia.							
1	blándus.	(wh.) agreeable.	Nepaul.	1820.	10. 12.	G. 2.	DC. pl. rar. gen. t. 8.
	Méntha blándus. DC.						
2	incisus. B.R.	(wh.) cut-leaved.	—	1818.	6. 10.	G. 2.	
	Méntha blándus. H.C. non DC.						
DYSOPHYLLA. B.R. DYSOPHYLLA. Didynamia Gymnospermia.							
1	quadrifolia. B.R.	(li.) four-leaved.	Nepaul.	1823.	6. 8.	G. 2.	
2	stellata. B.R.	(li.) starry-leaved.	—	1816.	—	G. 2.	
3	verticillata. B.R.	(li.) whorl-leaved.	—	1828.	—	G. 2.	
4	pùmila. B.R.	(li.) dwarf.	—	—	—	G. 2.	Bot. mag. t. 2907.
	Méntha verticillata. B.M. pùmila. Graham.						
POGOSTEMON. S.S. POGOSTEMON. Didynamia Gymnospermia. S.S.							
	plectranthoides. s.s.(w.)	Plectanthrus-like.	—	1818.	6. 8.	S. h.	Desf. m. mus. 2. t. 6.

Tribus II. SATUREINÆ. *Benth. in Bot. reg.*

BYSTROPOGON. S.S. BYSTROPOGON. Didynamia Gymnospermia. S.S.									
1	origanifolius. s.s.	(li.)	Marjoram-leav'd.	Teneriffe.	1815.	7. 8.	G. h.		
2	plumosus. s.s.	(li.)	woolly-flower'd.	Canaries.	1779.	6. 7.	G. h.		
3	canariensis. s.s.	(li.)	Canary.	————	1714.	6. 8.	G. h.	Comm. hort. 2. t. 65.	
4	punctatus. s.s.	(li.)	cluster-flower'd.	Madeira.	1775.	7. 9.	G. h.		
PYCNANTHEMUM. M. PYCNANTHEMUM. Didynamia Angiospermia. S.S.									
1	linifolium. s.s.	(wh.)	Flax-leaved.	N. America.	1739.	7. 8.	H. 4.	Herm. parad. t. 218.	
2	lanceolatum. s.s.	(wh.)	spear-leaved.	————	1812.	—	H. 4.		
3	aristatum. s.s.	(wh.)	awned.	————	1752.	8.	H. 4.	Mich. amer. 2. t. 33.	
4	verticillatum. s.s.	(wh.)	whorl-leaved.	————	1816.	7. 8.	H. 4.		
5	Monardella. s.s.	(li.)	Monarda-like.	————	—	—	H. 4.		
6	incanum. s.s.	(bh.)	hoary.	————	1732.	7. 10.	H. 4.	Dill. elt. t. 74. f. 85.	
SATUR'EJA. S.S. SAVORY. Didynamia Gymnospermia. L.									
1	approximata. s.s.	(li.)	bundle-leaved.	Sicily.	1825.	5. 7.	F. h.		
2	spinosa. F.G.	(wh.)	spiny.	Crete.	1827.	—	G. h.	Flor. græc. t. 515.	
3	viminea. s.s.	(li.)	Pennyroyal tree.	Jamaica.	1783.	—	S. h.		
4	montana. s.s.	(li.)	winter.	S. Europe.	1562.	6. 7.	H. h.	Flor. græc. t. 513.	
5	rupëstris. s.s.	(wh.)	rock.	Carniola.	1798.	—	H. 4.	Jacq. ic. 3. t. 494.	
6	obovata. s.s.	(li.)	obovate-leaved.	Spain.	1824.	—	H. h.		
7	tenuifolia. s.s.	(li.)	slender-leaved.	Italy.	1820.	—	H. h.		
8	Juliàna. s.s.	(li.)	linear-leaved.	————	1596.	5. 9.	F. h.	Flor. græc. t. 510.	
9	græca. s.s.	(li.)	Grecian.	Greece.	1759.	6. 7.	F. 4.	———— t. 512.	
10	hirsuta. s.s.	(li.)	hairy.	Sicily.	1824.	—	F. 4.		
11	Teneriffæ. s.s.	(pu.)	Teneriffe.	Teneriffe.	1815.	—	F. 4.		
12	hortensis. s.s.	(wh.)	summer.	Italy.	1652.	6. 8.	H. 4.	Lam. ill. t. 504. f. 1.	
13	capitata. w.	(li.)	ciliated.	Levant.	1596.	6. 10.	H. h.	Flor. græc. t. 544.	
14	nervosa. s.s.	(li.)	nerved.	Sicily.	1824.	—	H. h.		
15	Thymbra. s.s.	(li.)	whorl-flowered.	Candia.	1640.	5. 7.	G. h.	Flor. græc. t. 511.	
16	congesta. s.s.	(li.)	close-flowered.	————	1825.	—	G. h.		
THYMUS. S.S. THYME. Didynamia Gymnospermia. L.									
1	villosus. s.s.	(li.)	hairy.	Portugal.	1759.	6. 7.	F. h.	Flor. græc. t. 578.	
2	cephalotus. s.s.	(li.)	great headed.	————	—	7. 8.	H. h.	Hof. et Lk. fl. lus. t. 13.	
3	capitatus. L.en.	(li.)	headed.	————	1823.	—	H. h.		
4	odoratissimus. s.s.	(li.)	very sweet.	Tauria.	—	—	H. h.		
5	acicularis. s.s.	(li.)	needle-shaped.	Hungary.	1806.	6. 8.	H. h.	W. et K. hung. 2. t. 147.	
6	hirsutus. s.s.	(li.)	hairy.	————	1816.	—	H. h.		
7	Zygis. s.s.	(wh.)	Spanish.	Spain.	1771.	8.	H. h.	Flor. græc. t. 574.	
8	Marschallianus. s.s.	(li.)	Marschall's.	Russia.	1815.	6. 8.	H. h.		
9	glabrescens. L.en.	(li.)	smooth.	S. Europe.	1823.	—	H. 4.	Hof. et Lk. fl. lus. t. 15.	
10	angustifolius. s.s.	(li.)	narrow-leaved.	Europe.		—	H. h.		
11	Serpyllum. s.s.	(li.)	wild or mother of.	Britain.		—	H. h.	Eng. bot. v. 22. t. 1511.	
12	exserens. s.s.	(li.)	exserted.	————		—	H. h.		
13	citriodorus. L.en.	(li.)	Lemon.	Europe.		—	H. h.		
14	collinus. s.s.	(li.)	hill.	Tauria.	1823.	—	H. h.		
15	montanus. W.K.	(li.)	mountain.	Hungary.	1800.	6. 7.	H. h.	W. et K. hung. 1. t. 71.	
16	nummularius. M.B.	(li.)	moneywort.	Caucasus.	1818.	—	H. h.	Bot. mag. t. 2666.	
17	pannonicus. W.en.	(li.)	Hungarian.	Hungary.	—	—	H. h.		
18	lanuginosus. s.s.	(li.)	woolly.	Europe.		6. 8.	H. h.		
19	tomentosus. s.s.	(li.)	tomentose.	Spain.	1816.	—	H. h.		
20	albicans. s.s.	(li.)	white-leaved.	Portugal.	—	—	H. h.		
21	adscendens. L.en.	(li.)	ascending.	S. Europe.		—	H. h.		
22	lucidus. s.s.	(li.)	shining-leaved.	————	1816.	—	H. h.		
23	vulgaris. s.s.	(li.)	common.	S. Europe.	1548.	5. 8.	H. h.		
	β latifolius.	(li.)	broad-leaved.	————	—	—	H. h.		
24	Mastichina. s.s.	(li.)	Mastick.	Spain.	1596.	7. 9.	F. h.	Blackw. t. 134.	
25	elongatus. L.en.	(li.)	elongated.	————	1816.	—	F. h.		
26	graveolens. F.G.	(li.)	strong-scented.	Levant.	1823.	—	F. h.	Flor. græc. t. 576.	
27	Tragoriganum. s.s.	(li.)	goat's.	Candia.	1640.	5. 6.	F. h.	Alp. exot. t. 78.	
28	filiformis. s.s.	(li.)	filiform.	Minorca.	1770.	6. 7.	G. h.		
29	fruticulosus. s.s.	(li.)	frutescent.	Sicily.	1823.	—	H. h.		
30	Teneriffæ. s.s.	(li.)	Teneriffe.	Teneriffe.	1828.	—	F. h.		
31	incanus. s.s.	(wh.)	hoary.	Levant.	—	—	F. 4.	Flor. græc. t. 577.	
32	croaticus. P.S.	(li.)	oval-leaved.	Hungary.	1802.	7. 8.	H. h.	W. et K. hung. t. 156.	
	Piperella. W.K. non L.								
33	ericafolius. W.en.	(li.)	Heath-leaved.	Spain.	1806.	6. 8.	H. h.		

ORIGANUM. S.S.		MARJORAM.	Didynamia Gymnospermia. L.			
1	vulgare. s.s.	(ro.) common.	Britain.		6. 10.	H. 4. Eng. bot. v. 16. t. 114.
2	humile. s.s.	(wh.) dwarf.		1827.	—	H. 4.
3	virens. s.s.	(ro.) green.	Portugal.	1816.	—	H. 4. Hoff. et Lk. fl. p. 1. t. 1.
4	heracleoticum. s.s.	(li.) winter, sweet.	S. Europe.	1640.	—	H. 4. Lobel. ic. 492.
5	creticum. s.s.	(li.) Cretan.	—	1596.	—	H. 4. Schk. hand. 2. t. 161.
6	megastachyum. L.en.	(li.) large-spiked.	—	1821.	—	H. 4.
7	macrostachyon. s.s.	(li.) long-spiked.	Portugal.	1820.	—	H. 4.
8	hirtum. L.en.	(wh.) hairy.	S. Europe.	—	—	H. 4.
9	oblongatum. L.en.	(wh.) oblong-spiked.	—	1823.	—	H. 4.
10	smyrnæum. L.	(wh.) Smyrna.	Smyrna.	1722.	6. 7.	G. 1/2. Flor. græc. t. 571.
11	Onites. s.s.	(wh.) pot.	Sicily.	1759.	7. 11.	H. 4. ———— t. 572.
12	Marû. w.	(li.) Lavender-scented.	Crete.	1822.	—	F. 4. Bot. mag. t. 2605.
13	Majoranoïdes. w.	(wh.) shrubby sweet.			—	F. 1/2.
14	Majorana. s.s.	(wh.) knotted.	Portugal.	1573.	6. 7.	F. 1/2. Moris. s. 11. t. 3. f. 1.
15	indicum. s.s.	(wh.) Indian knotted.	E. Indies.	1820.	—	S. 1/2.
16	salvifolium. Roth.	(li.) Sage-leaved.			—	F. 1/2.
17	pallidum. P.s.	(pa.) pale.	Levant.	1821.	—	G. 1/2.
18	stoloniferum. F.	(li.) creeping.		1828.	—	H. 4.
19	Tournefortii. s.s.	(ro.) Tournefort's.	Amorgos.	1788.	8. 9.	F. 1/2. Flor. græc. t. 569.
20	sipyleum. s.s.	(ro.) Mount Sipylus.	Levant.	1699.	6. 9.	F. 1/2. ———— t. 570.
21	Dictamnus. s.s.	(li.) Dittany of Crete.	Candia.	1551.	—	F. 1/2. Bot. mag. t. 298.
22	ægyptiacum. s.s.	(li.) Egyptian.	Egypt.	1731.	6. 8.	F. 1/2. Alp. ægypt. t. 95.
LOPHA'NTHUS. B.R.		LOPHA'NTHUS.	Didynamia Gymnospermia.			
1	chinensis. B.R.	(ye.) Mint-leaved.	Siberia.	1752.	8. 9.	H. 4. Jacq. vind. 2. t. 182.
<i>Hyssopus Lophanthus. s.s.</i>						
2	nepetoïdes. B.R.	(ye.) square-stalked.	N. America.	1692.	8. 10.	H. 4. Jacq. vind. 1. t. 6.
3	serophularifolius. B.R.	(re.) Figwort-leaved.	—	1800.	7. 8.	H. 4. Herm. parad. t. 106.
4	anisatus. B.R.	(bl.) Anise-like.	—	1820.	7. 9.	H. 4. Bot. reg. t. 1282.
5	urticifolius. B.R.	(pu.) Nettle-leaved.	—	1827.	—	H. 4.
6	multifidus. B.R.	(wh.) multifid.	Siberia.	1797.	7. 8.	H. 4. Gmel. sib. 3. t. 55.
<i>Nepeta multifida. w.</i>						
HYSSOPUS. B.R.		HYSSOP.	Didynamia Gymnospermia.			
1	officinalis. s.s.	(bl.) common.	S. Europe.	1548.	6. 9.	H. 1/2. Jacq. aust. 3. t. 251.
2	orientalis. w.	(bl.) narrow-leaved.	Caucasus.	1816.	—	H. 1/2. Bot. mag. t. 2299.
<i>angustifolius. M.B.</i>						
3	discolor. F.	(bl.) two-coloured.	Siberia.	1818.	—	H. 1/2.
4	septemfidus. E.	 seven-cleft.	Egypt.	1827.		H. 1/2.
5	septemcrenatus. E.	 seven-notched.	—	1829.		H. 1/2.
WESTRINGIA. S.S.		WESTRINGIA.	Didynamia Gymnospermia. S.S.			
1	rosmariniformis. B.P.	(w.) Rosemary like.	N. S. W.	1791.	5. 8.	G. 1/2. Andr. reposit. t. 211.
2	Dampieri. B.P.	(wh.) Dampier's.	N. Holland.	1803.	5. 7.	G. 1/2.
3	angustifolia. B.P.	(wh.) narrow-leaved.	V. Diem. Isl.	1823.	—	G. 1/2.
4	longifolia. B.P.	(wh.) long-leaved.	N. S. W.	1826.	—	G. 1/2.

Tribus III. AJUGOIDEÆ. Benth. in Bot. reg.

LEUCOSCEPTRUM. S.S.		LEUCOSCEPTRUM.	Didynamia Gymnospermia.			
	cænum. s.s.	(wh.) white-flowered.	Nepaul.	1825.	7. 9.	F. 4.
TEUCRIUM. S.S.		GERMANDER.	Didynamia Gymnospermia. L.			
1	fruticans. w.	(bl.) narrow-ld. shrubby.	Spain.	1640.	6. 9.	H. 1/2. Flor. græc. t. 527.
2	latifolium. L.	(li.) broad-ld. shrubby.	—	—	—	H. 1/2. Bot. mag. t. 245.
3	heterophyllum. s.s.	(li.) various-leaved.	Madeira.	1759.	6. 7.	G. 1/2.
4	Laxmanni. s.s.	(ye. pu.) Laxmann's.	Siberia.	1800.	6. 8.	H. 4.
5	alpêtre. F.G.	(wh.) alpine.	Levant.	1821.	6. 9.	G. 1/2. Flor. græc. t. 538.
6	brevifolium. s.s.	(li.) short-leaved.	Crete.	1821.	—	H. 1/2. ———— t. 528.
7	asiaticum. s.s.	(bh.) Asiatic.		1777.	6. 10.	G. 1/2. Jacq. vind. 3. t. 41.
8	cubense. s.s.	(li.) Cuba.	Cuba.	1733.	5.	S. 1/2. Jacq. obs. 2. t. 30.
9	Nissolianum. s.s.	(pu.) Nissolle's.	Spain.	1752.	6. 7.	F. 4. Moris. s. t. 22. f. 19.
10	lavigatum. s.s.	(li.) smooth.	Buenos Ayres.	1829.	—	G. 4.
11	campanulatum. s.s.	(lh.) bell-flowered.	Levant.	1728.	7. 8.	H. 4.
12	régium. s.s.	(pu.) royal.	Spain.	1699.	5. 10.	F. 1/2. Pluk. alm. t. 65. f. 1.
13	multiflorum. s.s.	(pu.) many-flowered.	—	1731.	7. 9.	H. 4. Becc. mus. t. 117.
14	lucidum. s.s.	(re.) shining.	S. Europe.	1730.	6. 9.	H. 4. Flor. græc. t. 532.
15	Chamædrys. s.s.	(pu.) wall.	England.		5. 8.	H. 4. Eng. bot. v. 10. t. 68.
16	Scordium. s.s.	(pu.) water.	—		7. 8.	H. w. 4. ———— v. 12. t. 82.

17	scordioïdes. s.s.	(pu.) likened.	S. Europe.	1816.	7. 8.	H. 4.	
18	bracteatum. s.s.	(pu.) bracted.	Barbary.	1828.	—	G. 4.	Desf. atl. 2. t. 120.
19	spinosum. s.s.	(wh.) thorny.	Spain.	1640.	5. 6.	H. 4.	Flor. græc. t. 539.
20	Botrys. s.s.	(pu.) cut-leaved.	S. Europe.	1633.	7. 9.	H. 4.	Ger. emac. 525. f. 2.
21	trifidum. s.s.	(re.) trifid-leaved.	C. B. S.	1791.	6. 8.	G. 4.	
22	angustissimum. s.s.	(re.) narrow-leaved.	Spain.	1818.	—	H. 4.	Barrel. rar. t. 1080.
23	pumilum. s.s.	(re.) small.	—	1816.	7. 8.	F. 4.	— t. 1092.
24	Libanitis. s.s.	(ye.bh.) Spanish.	Spain.	1824.	6. 8.	H. 4.	Cavan. ic. 2. t. 118.
25	thymifolium. s.s.	(pu.) Thyme-leaved.	—	—	6. 10.	F. 4.	
26	supinum. s.s.	(wh.) procumbent.	Austria.	1752.	—	H. 4.	Jacq. aust. 5. t. 417.
27	montanum. s.s.	(st.) dwarf mountain.	S. Europe.	1710.	7. 10.	F. 4.	Flor. græc. t. 531.
28	Podium. s.s.	(wh.) Poley.	—	1562.	7. 9.	F. 4.	— t. 535.
29	cuneifolium. F.G.	(wh.) wedge-leaved.	Levant.	1828.	6. 8.	F. 4.	— t. 537.
30	Pseudohyssopus. s.s.	(w.) Hyssop-leaved.	Italy.	1804.	6. 7.	H. 4.	Col. ecphr. 1. t. 67.
31	capitatum. s.s.	(ro.) round-headed.	Spain.	1731.	7. 8.	F. 4.	Flor. græc. t. 536.
32	lusitanicum. s.s.	(wh.) Portugal.	Portugal.	1816.	—	F. 4.	
33	pycnophyllum. s.s.	(wh.) clustered.	Spain.	—	—	H. 4.	Barrel. rar. t. 1096.
34	valentinum. s.s.	(wh.) Valencia.	—	1826.	—	F. 4.	— t. 1048.
35	gnaphalodes. s.s.	(re.) woolly-calyx'd.	—	—	7. 9.	F. 4.	— t. 1083.
36	aureum. s.s.	(ye.) golden Poley.	S. Europe.	1731.	6. 7.	F. 4.	Cavan. ic. 2. t. 117.
37	flavescens. P.S.	(ye.) yellow Poley.	—		7. 9.	F. 4.	Barrel. rar. t. 1073.
38	hyrcanicum. s.s.	(pu.) Betony-leaved.	Persia.	1763.	8. 10.	H. 4.	Bot. mag. t. 2013.
39	inflatum. s.s.	(pu.) thick-spiked.	Jamaica.	1778.	—	S. 4.	
40	orchioïdes. B.R.	(bh.) Orchis-flowered.	Chile.	1826.	—	F. 4.	Bot. reg. t. 1255.
	heterophyllum. Cavan. icon. 6. t. 577.	non L'Herit.					
41	virginicum. s.s.	(pu.) Virginian.	N. America.	1768.	5. 6.	H. 4.	Schkuhr. handb. 160.
42	canadense. s.s.	(pu.) Canadian.	—	—	8. 9.	H. 4.	
43	Arduini. s.s.	(wh.) Arduini's.	Levant.	1827.	—	H. 4.	Flor. græc. t. 531.
44	abutiloïdes. s.s.	(ye.) Mulberry-leaved.	Madeira.	1777.	4. 5.	G. 4.	Jacq. schœn. 3. t. 358.
45	Scorodonia. s.s.	(st.) wood sage.	Britain.		7.	H. 4.	Eng. bot. v. 22. t. 1543.
46	betonicum. s.s.	(pu.) hoary.	Madeira.	1775.	5. 8.	G. 4.	Bot. mag. t. 1114.
47	flavum. s.s.	(st.) yellow-flowered.	S. Europe.	1640.	7. 9.	H. 4.	Flor. græc. t. 533.
48	massiliense. s.s.	(li.) sweet scented.	France.	1731.	6. 7.	H. 4.	Jacq. vind. 1. t. 91.
49	resupinatum. s.s.	(st.) resupinate.	Barbary.	1801.	7. 8.	H. 4.	Desf. atl. 2. t. 117.
50	Marum. s.s.	(pu.) Cat-thyme.	Spain.	1640.	7. 9.	F. 4.	Park. theat. 17. f. 2.
51	subspinosum. s.s.	(pu.) Minorca.	Minorca.	1816.	—	G. 4.	
52	quadratum. s.s.	(ro.) many-branched.	Levant.	1828.	—	F. 4.	Flor. græc. t. 530.
53	creticum. s.s.	(ro.) Cretan.	Crete.	1825.	—	G. 4.	— t. 529.
54	pyrenæicum. s.s.	(pu.) Pyrenean.	Pyrenees.	1731.	6. 8.	H. 4.	Bot. mag. t. 1279.
55	orientale. s.s.	(bl.) great-flowered.	Levant.	1752.	7. 8.	H. 4.	
	AMETHYSTEA. R.S.	AMETHYSTEA. Diandria Monogynia. L.					Bot. mag. t. 2448.
	cœrulea. R.S.	(bl.) blue-flowered.	Siberia.	1759.	6. 7.	H. 4.	
	TRICHOSTEMA. S.S.	TRICHOSTEMA. Didynamia Gymnospermia. L.					Lam. ill. t. 515.
1	dichotoma. w.	(bl.) Marjoram-leav'd.	N. America.	1759.	6. 7.	H. 4.	
2	linearis. s.s.	(bl.) linear-leaved.	—	—	—	H. 4.	
	AJUGA. S.S.	BUGLE. Didynamia Gymnospermia. L.					Flor. græc. t. 525.
1	Iva. s.s.	(ye.) musky.	S. Europe.	1759.	7. 8.	H. 4.	Eng. bot. v. 7. t. 489.
2	reptans. s.s.	(bl.) common.	Britain.		5. 6.	H. 4.	
	α cœrulea.	(bl.) blue-flowered.	—		—	H. 4.	
	β rubra.	(pu.) red-flowered.	—		—	H. 4.	
	γ alba.	(wh.) white-flowered.	—		—	H. 4.	
3	alpina. s.s.	(bl.) Alpine.	England.		5. 7.	H. 4.	Eng. bot. v. 7. t. 477.
4	genevensis. s.s.	(bl.) Geneva.	Switzerland.	1656.	5. 6.	H. 4.	Bull. herb. t. 361.
5	pyramidalis. s.s.	(li.) pyramidal.	Britain.		—	H. 4.	Eng. bot. v. 18. t. 1270.
6	oblongata. s.s.	(bl.) oblong-leaved.	Caucasus.	1829.	—	H. 4.	
7	orientalis. s.s.	(bl.) oriental.	Levant.	1732.	—	H. 4.	Swt. br. fl. gar. ser. 2.
8	Chamaepitys. s.s.	(ye.) ground pine.	England.		4. 7.	H. 4.	Eng. bot. v. 2. t. 77.
9	Chia F.G.	(ye.) Grecian.	Levant.	1828.	—	H. 4.	Flor. græc. t. 524.
10	salicifolia. F.G.	(ye.) Willow-leaved.	—	—	—	H. 4.	— t. 526.
	ANISOMELES. B.P.	ANISOMELES. Didynamia Gymnospermia. S.S.					
1	ovata. s.s.	(vi.wh.) broad-leaved.	E. Indies.	1783.	7. 8.	S. 4.	Burm. zeyl. t. 71. f. 1.
2	malabaria. s.s.	(vi.) Malabar.	—	1817.	—	S. 4.	Bot. mag. t. 2071.

Tribus IV. MONARDEÆ. Benth. in Bot. reg.

MONARDA. R.S.	MONARDA. Diandria Monogynia. L.					
1 fistulosa. R.S.	(pu.) fistulous.	N. America.	1656.	6. 8.	H. 4.	Mill. ic. t. 122. f. 2.
2 media. R.S.	(da.pu.) purple-bracted.	—		6. 9.	H. 4.	Swt. br. fl. gar. t. 98.

3	móllis. R.S.	(pa.pu.) soft.	N. America.		6. 7.	H. 4.	
4	oblongàta. R.S.	(pa.pu.) long-leaved.	————	1761.	7. 9.	H. 4.	
5	altíssima. R.S.	(li.) tallest.	————	1818.	—	H. 4.	
6	affinis. L.en.	(li.) affined.	————	—	—	H. 4.	
7	menthaefòlia. B.M.	(pu.) Mint-leaved.	————	1827.	—	H. 4.	Bot. mag. t. 2958.
8	rugòsa. R.S.	(wh.) white-flowered.	————	1761.	—	H. 4.	
9	purpùrea. R.S.	(pu.) purple-flowered.	————	1789.	6. 8.	H. 4.	Bot. mag. t. 145.
	fistulòsa. var. crimson. B.M.						
10	Kalmiàna. R.S.	(sc.) pubescent-flower'd.	————	1813.	—	H. 4.	Pursh. amer. l. t. 1.
11	dídyma. R.S.	(sc.) Oswego Tea.	————	1752.	—	H. 4.	Bot. mag. t. 546.
12	Russelliàna. N.	(wh.re.) Russell's.	————	1823.	—	H. 4.	Swt. br. fl. gar. t. 10.
13	clinopòdia. Ph.	(st.) wild basil-leav'd.	————	1771.	7.	H. 4.	
14	gràcilis. R.S.	(st.) slender.	————	1824.	7. 8.	H. 4.	
15	punctàta. R.S.	(ye.re.) spotted.	————	1714.	6. 10.	F. 4.	Bot. reg. t. 87.
16	citriodòra. R.S.	(li.) Citron-scented.	New Spain.	1823.	—	F. 4.	
BLEPHYLIA. B.R. BLEPHYLIA. Diandria Monogynia.							
1	ciliàta. B.R.	(bl.) blue-flowered.	N. America.	1798.	7. 8.	H. 4.	Pluk. alm. t. 164. f. 3.
	Monárda ciliàta. R.S.						
2	hirsùta. B.R.	(li.) hairy.	————	—	7. 9.	H. 4.	
ZIZIPHORA. S.S. ZIZIPHORA. Diandria Monogynia. L.							
1	clinopodioides. R.S.	(li.) headed.	Siberia.	1799.	7. 8.	H. ⊙.	Rud. mem. p. 1810. t. 1.
	Cunila capitata. L.						
2	acinoïdes. W.en.	(ro.) Thyme-leaved.	————	1786.	—	H. ⊙.	
3	mèdia. L.en.	(li.) middle.		1816.	—	H. h.	
4	capitata. R.S.	(ro.) oval-leaved.	Syria.	1752.	—	H. ⊙.	Flor. græc. 1. t. 13.
5	hispànica. R.S.	(li.) Spanish.	Spain.	1759.	6.	H. ⊙.	Lam. ill. t. 18. f. 1.
6	tenùior. R.S.	(li.) spear-leaved.	Levant.	1752.	6. 7.	H. ⊙.	— t. 18. f. 2.
7	taùrica. R.S.	(li.) Taurian.	Tauria.	1816.	7. 9.	H. ⊙.	M.B. cent. pl. rar. 2. t. 1.
8	serpyllàcea. R.S.	(li.) sweet-scented.	Caucasus.	1803.	7. 8.	H. h.	Bot. mag. t. 906.
9	dasyántha. R.S.	(li.) hairy-flowered.	Siberia.	—	6. 8.	H. h.	— t. 1093.
	Pouschkini. B.M.						
CUNILA. N. CUNILA. Diandria Monogynia. L.							
	mariàna. N.	(pu.) Mint-leaved.	N. America.	1759.	7. 9.	H. 4.	Swt. br. fl. gar. t. 2.
HEDEOMA. N. HEDEOMA. Diandria Monogynia. P.S.							
1	pulegioides. N.	(wh.re.) Pennyroyal-ld.	N. America.	1777.	6. 8.	H. ⊙.	
2	thymoides. P.S.	(bh.) Thyme-leaved.	France.	1699.	—	H. ⊙.	Moris. s. 11. t. 19. f. 3.
ROSMARINUS. R.S. ROSEMARY. Diandria Monogynia. L.							
1	officinàlis. R.S.	(pa.bl.) common.	S. Europe.	1518.	1. 4.	H. h.	Flor. græc. 1. t. 14.
	α angustifolius (pa.bl.)	narrow-leaved.	————	—	—	H. h.	
	β latifolius. (pa.bl.)	broad-leaved.	————	—	—	H. h.	
	γ argenteus. (pa.bl.)	silver-striped.	————	—	—	H. h.	
	δ aureus. (pa.bl.)	gold-striped.	————	—	—	H. h.	
2	chilensis. R.S.	(wh.) Chili.	Chili.	1795.	7.	G. h.	
SYNA'NDRA. N. SYNA'NDRA. Didynamia Gymnospermia.							
	grandiflòra. N.	(st.) great-flowered.	N. America.	1827.	6. 7.	H. 4.	

Tribus V. NEPETEÆ. Benth. in Bot. reg.

LEONOTIS. S.S. LION'S-EAR. Didynamia Gymnospermia. S.S.							
1	Leonùrus. s.s.	(or.) narrow-leaved.	C. B. S.	1712.	10. 12.	G. h.	Bot. mag. t. 478.
	Phlomis Leonùrus. w.						
2	ovàta. s.s.	(or.) dwarf shrubby.	————	1713.	6. 7.	G. h.	Mill. ic. 2. t. 102. f. 1.
3	intermèdia. s.s.	(or.) intermediate.	S. Africa.	1823.	—	G. h.	Bot. reg. t. 850.
4	nepetifolia. s.s.	(or.) Catmint-leaved.	E. Indies.	1778.	9. 10.	S. ⊙.	— t. 281.
LEUCAS. B.P. LEUCAS. Didynamia Gymnospermia. S.S.							
1	chinensis. s.s.	(wh.) Chinese.	China.	1822.	6. 8.	S. h.	
2	zeylànica. s.s.	(wh.) Ceylon.	E. Indies.	1777.	6. 10.	S. ⊙.	Jacq. ic. 1. t. 111.
3	linifolia. s.s.	(wh.) Flax-leaved.	————	1816.	—	S. ⊙.	
4	Pluknètii. s.s.	(wh.) Pluknet's.	————	1824.	—	S. ⊙.	
5	cephalòtes. s.s.	(wh.pu.) large-headed.	————	1811.	—	S. ⊙.	
6	nùtans. s.s.	(wh.) nodding.	————	1826.	—	S. ⊙.	
7	hírta. s.s.	(wh.) hairy.	————	1824.	—	S. ⊙.	
8	áspera. s.s.	(wh.) rough.	Persia.	1823.	—	S. ⊙.	
9	índica. s.s.	(wh.) Indian.	E. Indies.	1789.	7. 8.	S. ⊙.	
10	urticaefolia. s.s.	(wh.) Nettle-leaved.	————	1810.	—	S. ⊙.	

11	<i>martinicensis</i> . (wh.) West-Indian.	W. Indies.	1761.	7. 8.	S. ☉.	Jacq. ic. 1. t. 110.
	<i>Phlomis martinicensis</i> . W.					
12	<i>bilora</i> . s.s. (wh.) two-flowered.	E. Indies.	1820.	—	S. ☉.	Burm. zeyl. t. 63. f. 1.
	PHLOMIS. S.S. JERUSALEM-SAGE. <i>Didynamia Gymnospermia</i> . L.					
1	<i>fruticosa</i> . s.s. (ye.) shrubby.	Spain.	1596.	6. 7.	H. ♀.	Flor. græc. t. 563.
2	<i>ferruginea</i> . s.s. (ye.) ferruginous.	Naples.		—	H. ♀.	
3	<i>lanata</i> . s.s. (ye.) small shrubby.	S. Europe.	1596.	—	H. ♀.	
4	<i>cretica</i> . s.s. (ye.) Cretan.	Crete.	1823.	—	G. ♀.	
5	<i>scariosa</i> . s.s. (ye.) scarioso-bracted.	Italy.	—	—	F. ♀.	
6	<i>virens</i> . s.s. (ye.) green shrubby.	Levant.		—	F. ♀.	
7	<i>microphylla</i> . Sie. (ye.) small-leaved.	—	1827.	—	F. ♀.	
8	<i>purpurea</i> . s.s. (pu.) purple.	S. Europe.	1661.	6. 8.	F. ♀.	Smith spicil. 6. t. 3.
9	<i>italica</i> . s.s. (pu.) Italian.	Italy.	—	—	F. ♀.	
10	<i>Nissolii</i> . s.s. (ye.) Nissolle's.	Levant.	1757.	6. 7.	F. ♀.	Mill. ic. 2. t. 201.
11	<i>armeniaca</i> . s.s. (ye.) Armenian.	Armenia.	1829.	—	F. ♀.	
12	<i>Lychnites</i> . s.s. (ye.) lamp-wick.	S. Europe.	1658.	6. 8.	G. ♀.	Bot. mag. t. 999.
13	<i>floccosa</i> . B.R. (ye.) woolly.	Egypt.	1828.	8. 11.	F. ♀.	Bot. reg. t. 1300.
14	<i>salviaefolia</i> . P.S. (ye. re.) Sage-leaved.		1822.	6. 9.	F. ♀.	Jacq. schenb. 3. t. 359.
15	<i>agraria</i> . Led. (pu.) field.	Siberia.	1827.	—	H. ♀.	
16	<i>Samia</i> . s.s. (pu.) Samian.	N. Africa.	1714.	6. 7.	H. ♀.	Flor. græc. t. 561.
17	<i>Russelliana</i> . Lag. (ye.) Russell's.	Levant.	1821.	—	H. ♀.	Russ. alcp. 2. t. 16.
	<i>lunarifolia</i> β <i>Russelliana</i> . B.M. 2542.					
18	<i>Herba-venti</i> . s.s. (pu.) rough-leaved.	S. Europe.	1596.	7. 9.	H. ♀.	
19	<i>pungens</i> . s.s. (pu.) pungent.	Levant.	1818.	6. 8.	H. ♀.	Swt. br. fl. gar. t. 33.
20	<i>cinita</i> . s.s. (or.) white woolly.	Spain.	1829.	—	H. ♀.	Cavan. icon. 3. t. 217.
21	<i>alpina</i> . s.s. (pu.) Alpine.	Siberia.	1802.	6. 9.	H. ♀.	Pall. act. pet. 2. t. 13.
22	<i>tuberosa</i> . s.s. (pu.) tuberous-root'd.	—	1759.	6. 10.	H. ♀.	Bot. mag. t. 1555.
23	<i>laciniata</i> . s.s. (ye.) jagged-leaved.	Levant.	1731.	7.	H. ♀.	Swt. br. fl. gar. t. 24.
	BALLOTA. S.S. STINKING HOREHOUND. <i>Didynamia Gymnospermia</i> . L.					
1	<i>vulgaris</i> . s.s. (pu.) common.	Europe.		7. 9.	H. ♀.	
2	<i>fœtida</i> . L.en. (pu.) strong-scented.	Britain.		—	H. ♀.	Eng. bot. v. 1. t. 46.
	<i>a nigra</i> . (pu.) purple-flowered.	—		—	H. ♀.	
	<i>æ alba</i> . (wh.) white-flowered.	—		—	H. ♀.	
	BERING'ERIA. B.R. BERING'ERIA. <i>Didynamia Gymnospermia</i> .					
1	<i>cinerea</i> . B.R. (li.) cinereous.	S. Europe.	1824.	6. 9.	H. ♀.	
	<i>Marrubium cinereum</i> . s.s.					
2	<i>acetalosum</i> . B.R. (li.) saucer-leaved.	Candia.	1676.	6. 8.	F. ♀.	Barrel. icon. 129.
3	<i>pseudo-dictamnus</i> . B.R. (li.) shrubby white.	—	1596.	7. 8.	F. ♀.	Flor. græc. t. 562.
	<i>Marrubium pseudo-dictamnus</i> . F.G.					
4	<i>africanum</i> . B.R. (li.) African.	C. B. S.	1710.	7. 9.	G. ♀.	Comm. hort. 2. t. 90.
5	<i>crispum</i> . B.R. (li.) curled-leaved.	S. Europe.	1714.	7. 8.	H. ♀.	Herm. parad. t. 200.
6	<i>hispanicum</i> . B.R. (li.) Spanish.	Spain.	—	—	H. ♀.	— t. 201.
7	<i>hirsutum</i> . B.R. (li.) hairy.	S. Europe.		6. 7.	H. ♀.	
8	<i>orientale</i> . B.R. (li.) oriental.	Levant.	1828.	—	H. ♀.	
	MOLUCCELLA. S.S. MOLUCCA-BALM. <i>Didynamia Gymnospermia</i> . L.					
1	<i>tuberosa</i> . s.s. (wh.) tuberous-root'd.	Tartary.	1796.	7.	H. ♀.	Pall. it. 3. app. t. T.
2	<i>lavis</i> . s.s. (wh. re.) smooth.	Syria.	1570.	7. 8.	H. ☉.	Bot. mag. t. 1852.
	CHASM'ONIA. B.R. CHASM'ONIA. <i>Didynamia Gymnospermia</i> .					
	<i>incisa</i> . B.R. (wh. re.) spiny.	Levant.	1596.	7. 8.	H. ☉.	Bot. reg. t. 1244.
	<i>Moluccella spinosa</i> . Flor. græc. t. 567.					
	LEONURUS. S.S. MOTHERWORT. <i>Didynamia Gymnospermia</i> . L.					
1	<i>Cardiaca</i> . s.s. (li. wh.) common.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 4. t. 286.
2	<i>villosus</i> . s.s. (li. wh.) villous.	Tauria.	1824.	—	H. ♀.	
3	<i>crispus</i> . s.s. (li.) curl-leaved.	Siberia.	1658.	—	H. ♀.	Murr. c. gott. 8. t. 4.
4	<i>supinus</i> . s.s. (wh.) procumbent.	—	1816.	6. 8.	H. ♀.	
5	<i>glaucescens</i> . Led. (li.) glaucous-leaved.	—	1827.	7. 9.	H. ♀.	
6	<i>tataricus</i> . s.s. (li.) Tartarian.	Tartary.	1756.	8. 10.	H. ♂.	Mill. ic. 1. t. 80.
7	<i>sibiricus</i> . s.s. (ro.) Siberian.	Siberia.	1759.	6. 8.	H. ♂.	Swt. br. fl. gar. t. 204.
8	<i>condensatus</i> . s.s. (li.) condensed.	—	1824.	—	H. ♀.	
9	<i>heterophyllus</i> . B.F.G. (ro.) various-leav'd.	S. America.	—	—	H. ☉.	Swt. br. fl. gar. t. 197.
10	<i>multifidus</i> . Desf. (li.) multifid.		—	—	H. ☉.	
11	<i>neglectus</i> . Sch. (li.) neglected.		—	—	H. ♀.	
12	<i>altaicus</i> . s.s. (li.) Altaic.	Altay.	1826.	—	H. ♀.	
13	<i>lanatus</i> . s.s. (st.) woolly.	Siberia.	1752.	—	H. ♀.	Gmel. sib. 3. t. 54.
	<i>Ballota lanata</i> . W.					
	GALEO'DOLON. S.S. DEAD-NETTLE. <i>Didynamia Angiospermia</i> . S.S.					
	<i>lateum</i> . E.B. (ye.) yellow.	Britain.		5. 6.	H. ♀.	Eng. bot. v. 11. t. 787.
	GALEOPSIS. S.S. HEMP-NETTLE. <i>Didynamia Gymnospermia</i> . L.					
1	<i>Ladanum</i> . E.B. (ro.) red.	Britain.		7. 9.	H. ☉.	Eng. bot. v. 13. t. 841.

2	angustifolia. P.s. (ro.) narrow-leaved.	Europe.	1820.	7. 9.	H.⊙.	
3	canescens. s.s. (li.) canescent.	Germany.	1827.	—	H.⊙.	
4	pubescens. s.s. (wh.re.) pubescent.	—	1820.	—	H.⊙.	
5	ochroleuca. s.s. (ye.) downy.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 33. t. 233.
	rillosa. E.B.					
6	Tetràhit. E.B. (wh.pu.) common.	—		—	H.⊙.	Eng. bot. v. 3. t. 207.
7	versicolor. E.B. (ye.vi.) various-colour'd.	—		—	H.⊙.	— v. 10. t. 607.
	cannabina. W.					
L'AMIUM. S.S. ARCHANGEL. Didynamia Gymnospermia. L.						
1	longiflorum. T.N. (pu.) long-flowered.	S. Europe.		4. 9.	H. 4.	Eng. bot. v. 36. t. 2550.
	maculatum. Eng. bot. non Flor. Græc.					
2	rugosum. s.s. (pu.) rough.	Italy.	1766.	7. 8.	H. 4.	Flor. græc. t. 555.
3	maculatum. E.B. (pu.) spotted.	Britain.		4. 5.	H. 4.	— t. 556.
4	album. E.B. (wh.) white.	—		4. 9.	H. 4.	Eng. bot. v. 11. t. 703.
5	striatum. F.G. (wh.std.) striped-flower'd.	Levant.	1829.	—	H. 4.	Flor. græc. t. 557.
6	bifidum. s.s. (wh.) bifid-helmetted.	Naples.	1825.	—	H. 4.	Cyr. rar. fasc. 1. t. 7.
7	moschatum. s.s. (wh.) musk-scented.	Levant.	1739.	7. 9.	H. 4.	
8	molle. s.s. (wh.) Pellitory-leaved.		1683.	4. 5.	H. 4.	
9	flexuosum. T.N. (wh.) flexuose.	Naples.	1824.	4. 8.	H. 4.	Ten. flor. nap. ic.
10	garganicum. s.s. (pu.) woolly.	Italy.	1729.	7. 8.	H. 4.	Sm. exot. bot. 1. t. 48.
11	lævigatum. s.s. (pu.) smooth.	—	1711.	3. 10.	H. 4.	Pluk. alm. t. 193. f. 1.
12	purpureum. s.s. (pu.) purple.	Britain.		2. 8.	H.⊙.	Eng. bot. v. 11. t. 709.
	β albidum. (wh.) white-flowered.	—		—	H.⊙.	
13	incisum. s.s. (li.) cut-leaved.	England.		5. 7.	H.⊙.	Eng. bot. v. 27. t. 1933.
14	amplexicaule. s.s. (pu.) Henbit.	Britain.		—	H.⊙.	— v. 11. t. 770.
15	multifidum. s.s. (pu.) multifid-leaved.	Levant.	1752.	4. 5.	H.⊙.	Comm. rar. t. 26.
ORVALA. DC. ORVALA. Didynamia Gymnospermia.						
1	lamioïdes. DC. (pu.bh.) balm-leaved.	Italy.	1596.	4. 7.	H. 4.	Bot. mag. t. 172.
	Lamium Orrala. B.M.					
2	garganica. DC. (pu.) Garganian.	—	—	—	H. 4.	
PHYSOSTEGIA. B.R. PHYSOSTEGIA. Didynamia Angiospermia.						
1	virginiana. B.R. (cr.) Virginian.	N. America.	1683.	7. 9.	H. 4.	Bot. mag. t. 467.
2	speciosa. B.F.G. (ro.) beautiful.	—	1820.	—	H. 4.	Swt. br. fl. gar. t. 93.
	Dracocéphalum speciosum. B.F.G.					
3	denticulata. B.R. (ro.) toothed.	—	1787.	8. 9.	H. 4.	Bot. mag. t. 214.
	Dracocéphalum denticulatum. B.M.					
4	variegata. B.R. (re.wh.) variegated.	—	1812.	—	H. 4.	Vent. cels. t. 44.
SPHA'CELE. B.R. SPHA'CELE. Didynamia Gymnospermia.						
	Lindlèi. B.R. (li.) Lindley's.	Valparaiso.	1825.	7. 9.	G. f ₂ .	Bot. reg. t. 1226.
	Stachys Sálviæ. B.R.					
BETO'NICA. S.S. BETONY. Didynamia Gymnospermia. L.						
1	officinàlis. s.s. (pu.) wood.	Britain.		7. 8.	H. 4.	Eng. bot. v. 16. t. 1142.
2	stricta. s.s. (pu.) Danish.	Denmark.	1592.	6. 7.	H. 4.	
3	incana. s.s. (pi.) hoary.	Italy.	1759.	—	H. 4.	Bot. mag. t. 2125.
4	orientàlis. s.s. (pu.) oriental.	Levant.	1737.	—	H. 4.	Lam. ill. t. 507. f. 2.
5	alopecùros. s.s. (st.) Foxtail.	S. Europe.	1759.	7.	H. 4.	Jacq. aust. 1. t. 78.
6	hirsuta. s.s. (pu.) hairy.	Italy.	1710.	6. 7.	H. 4.	Mur. com. got. 2. t. 3.
7	grandiflora. s.s. (pu.) great-flowered.	Siberia.	1800.	—	H. 4.	Bot. mag. t. 700.
ST'ACHYS. S.S. HEDGE-NETTLE. Didynamia Gymnospermia. L.						
1	spinosa. s.s. (wh.) thorny.	Candia.	1640.	7.	F. h.	Flor. græc. t. 559.
2	glutinosa. s.s. (wh.) clammy.	—	1729.	6. 7.	H. 4.	Moris. s. 11. t. 4. f. 17.
3	fruticulosa. s.s. (pu.) frutescent.	Caucasus.	1825.	—	H. f ₂ .	
4	æthiòpica. s.s. (li.) Ethiopian.	C. B. S.	1770.	4. 7.	G. 4.	Jacq. obs. 4. t. 77.
5	còrsica. s.s. (li.) Corsican.	Corsica.	1825.	—	H. 4.	
6	angustifolia. s.s. (li.) narrow-leaved.	Tauria.	1823.	6. 7.	H. 4.	Swt. br. fl. gar. 2. t. 130.
7	rugosa. s.s. (st.) rough.	C. B. S.	1774.	7. 8.	G. h.	Jacq. ic. 3. t. 493.
8	betonicæfolia. s.s. (ye.) Betony-leaved.	Crete.	1812.	6. 7.	H. 4.	
9	stenophylla. s.s. (ye.) linear-leaved.	S. Spain.	1819.	—	F. h.	
10	orientàlis. s.s. (st.) oriental.	Levant.	1768.	—	H. 4.	Flor. græc. t. 560.
11	marítima. s.s. (ye.) sea-side.	S. Europe.	1714.	7.	H. 4.	Jacq. vind. 1. t. 70.
12	ánnuæ. s.s. (wh.pu.) annual.	—	1713.	6. 8.	H.⊙.	Jacq. aust. 4. t. 360.
13	hirta. s.s. (ye.pu.) procumbent.	Spain.	1725.	—	H. 4.	All. ped. 1. t. 2. f. 3.
14	arvensis. s.s. (pu.) corn.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 17. t. 1154.
15	arenària. s.s. (pu.) sand.	Barbary.	1824.	6. 8.	H. 4.	Desf. atl. 2. t. 126.
16	diffusa. Schweig. (re.) diffuse.	S. Europe.	1804.	—	H. 4.	Bot. mag. t. 1915.
	arenària. B.M. non Desf. rubra. Donn.					
17	ibérica. B.M. (pu.) Iberian.	Iberia.	1823.	—	H. 4.	
18	scordifolia. W.en. (pu.) wedge-leaved.		1816.	7. 8.	H. 4.	
19	áspera. M. (pu.) harsh-leaved.	N. America.	—	—	H. 4.	

20 hispida. s.s.	(pu.) hispid.	N. America.	1827.	7. 8. H. 2.	
21 itálica. Mil.	(pu.) Italian.	Italy.	1747.	— H. 3.	
22 Balbísii. L.en.	(ye.) Balbis's.	—	1823.	— H. 2.	
23 nepetæfòlia. s.s.	(pu.) Catmint-leaved.	Levant.	1805.	6. 8. H. 2.	
24 arabica. s.s.	(re.) Arabian.	Arabia.	1820.	— H. 3.	
25 ambígua. s.s.	(pu.) ambiguous.	Britain.		6. 7. H. 2.	Eng. bot. v. 30. t. 2089.
26 sylvática. s.s.	(pu.) common.	—		7. 8. H. 2.	— v. 6. t. 416.
27 circinàta. s.s.	(pu.) blunt-leaved.	Barbary.	1777.	5. 7. H. 2.	L'Herit. s. nov. t. 26.
<i>canariensis. Jacq. ic. 1. t. 108.</i>					
28 mollíssima. W.en. (li.)	soft-leaved.	Corfu.	1806.	7. 8. H. 2.	W. hort. ber. t. 60.
29 pubescens. T.s. (st.)	pubescent.	Italy.	1826.	— H. 2.	
30 decumbens. P.s. (st.)	decumbent.	S. Europe.	1816.	5. 7. H. 2.	
31 coccínea. s.s. (sc.)	scarlet.	S. America.	1798.	6. 8. F. 2.	Bot. mag. t. 666.
32 récta. s.s. (ye.)	upright.	S. Europe.	1683.	— H. 2.	Jacq. aust. 4. t. 359.
33 heráclea. w. (pu.)	Phlomis-leaved.	Italy.	1816.	6. 7. H. 2.	All. ped. t. 84. f. 1.
<i>phlomoídes. W.en.</i>					
34 oblíqua. P.s. (st.)	oblique-leaved.	Hungary.	—	— H. 2.	W. et K. hung. t. 133.
35 palústris. s.s. (pu.)	Clown's all-heal.	Britain.		8. H. 2.	Eng. bot. v. 21. t. 1675.
36 germánica. s.s. (pu.)	downy.	England.		7. 8. H. 2.	— v. 12. t. 829.
37 intermèdia. w. (pu.)	oblong-leaved.	Carolina.	1762.	6. 7. H. 2.	
38 sibírica. L.en. (pu.)	Siberian.	Siberia.	1822.	6. 8. H. 2.	Swt. br. fl. gar. t. 100.
39 polystàchya. s.s. (pu.)	many-spiked.	Naples.	1824.	— H. 2.	
40 salviæfòlia. s.s. (pu.)	Sage-leaved.	—	—	— H. 2.	
41 crítica. s.s. (pu.)	Cretan.	Candia.	1640.	— F. 2.	Flor. græc. t. 558.
42 dasyántha. Raf. (pu.)	woolly-flower'd.	Sicily.	1829.	— H. 2.	
43 exaltàta. Ot. (pu.)	tall.		—	— H. 2.	
44 alpina. s.s. (pu.)	Alpine.	Germany.	1597.	— H. 2.	Lap. pyr. 1. t. 8.
45 lanàta. s.s. (pu.)	woolly.	Siberia.	1782.	6. 9. H. 2.	Jacq. ic. 1. t. 107.
46 latifòlia. s.s. (pu.)	broad-leaved.		1775.	6. 7. H. 2.	
47 biennis. Roth. (pu.)	biennial.	Germany.	1801.	6. 8. H. 2.	
48 lusitánica. (pu.)	Portugal.	Portugal.	1800.	— H. 2.	
<i>Eriostemon lusitanicum. Lk.</i>					
ZIETENIA. P.S.	ZIET'ENIA. Didynamia Gymnospermia. P.S.				
orientàlis. P.s. (li.)	Lavender-leaved.	Levant.	1816.	5. 7. H. 2.	
<i>lavandulifolia. L.en. Stachys lavandulifolia. w.</i>					
CHAITURUS. B.R.	CHAIT'URUS. Didynamia Gymnospermia.				
marrubiàstrum. Ehr. (li.)	small-flowered.	Austria.	1710.	6. 8. H. 3.	Jacq. aust. 5. t. 405.
<i>Leonurus marrubiàstrum. w.</i>					
CRANIO'TOME. B.R.	CRANIO'TOME. Didynamia Gymnospermia.				
versicolor. B.R. (re. wh.)	various-coloured.	Nepaul.	1823.	7. 8. G. 2.	
<i>Ajuga furcata. L.enum. Anisomèles nepalensis. s.s.</i>					
NEPETA. L.	CATMINT. Didynamia Gymnospermia. L.				
1 serpyllifolia. s.s. (li.)	Thyme-leaved.	Tauria.	1826.	6. 8. H. 2.	
2 parviflora. s.s. (li.)	small-flowered.	—	1828.	— H. 2.	
3 sibírica. s.s. (bl.)	Siberian.	Siberia.	1804.	7. H. 2.	
4 grandiflora. s.s. (bl.)	large-flowered.	Caucasus.	1806.	7. 8. H. 2.	
5 melissæfolia. s.s. (bl.)	Balm-leaved.	Candia.	1752.	— H. 2.	
6 coloràta. W.en. (vi.)	coloured.	Caucasus.	1806.	— H. 2.	
7 longiflora. H.K. (bl.)	long-flowered.	Persia.	1802.	6. 8. H. 2.	Venten. cels. t. 66.
8 Mussini. H.K. (bl.)	scollop-leav'd.	Siberia.	1804.	5. 8. H. 2.	Bot. mag. t. 923.
<i>longiflora. B.M. non v.</i>					
9 incana. s.s. (bl.)	hoary.	Levant.	1723.	8. H. 2.	
10 graveolens. s.s. (bl.)	strong-smelling.	S. Europe.	1804.	7. 8. H. 2.	All. ped. t. 2. f. 1.
11 amethy'stina. Poir. (bl.)	amethystine.	—	1820.	— H. 2.	
12 Nepetella. s.s. (li.)	small.	—	1758.	— H. 2.	
13 teucriifolia. s.s. (bl.)	Teucrium-leav'd.	Armenia.	1816.	— H. 2.	
14 lamiifolia. s.s. (bl.)	Lamium-leaved.	—	1806.	— H. 2.	
15 citriodora. Lag. (wh.)	Citron-scented.	Spain.	1826.	— H. 2.	
16 lephántha. F. (bl.)	crested.	Altay.	1821.	— H. 2.	
17 angustifolia. s.s. (wh.)	narrow-leaved.	Spain.	1798.	6. 7. H. 2.	
18 Catària. s.s. (wh.)	common.	Britain.		7. 9. H. 2.	Eng. bot. v. 2. t. 137.
19 ucrànica. s.s. (vi.)	Ukranian.	Ukraine.	1789.	7. 8. H. 2.	
20 nuda. L. (li.)	naked.	S. Europe.	1710.	— H. 2.	Flor. græc. t. 547.
21 pannònica. L. (li.)	close-flowered.	Hungary.	1683.	8. 10. H. 2.	Jacq. aust. 2. t. 129.
22 violàcea. s.s. (vi.)	violet-coloured.	Spain.	1723.	7. 9. H. 2.	Boec. mus. t. 36.
23 cœrùlea. s.s. (bl.)	blue-flowered.		1777.	5. 6. H. 2.	
24 latifolia. s.s. (pu.)	broad-leaved.	Pyrenees.	1818.	7. 8. H. 2.	
25 maerùra. s.s. (li.)	long-tailed.	Siberia.	—	— H. 2.	
26 crispà. s.s. (bl.)	curl-leaved.	Levant.	1800.	— H. 2.	

27	diffusa. s.s.	(bl.) spreading.	Siberia.	1820.	7. 8.	H. 4.	
28	imbricata. s.s.	(pu.) imbricated.	Spain.	1825.	—	H. 4.	
29	teucroides. s.s.	(br.) Teucrium-like.	Levant.	1819.	—	H. 4.	
30	italica. w.	(wh.sp.) Italian.	Italy.	1640.	6. 8.	H. 4.	Flor. græc. t. 548.
31	marrubioïdes. W.en.	(pu.) horehound-leav'd.	—		—	H. 4.	
32	multibracteata. s.s.	(vi.) many-bracted.	Barbary.	1823.	—	H. 4.	Desf. atl. 2. t. 123.
33	lanata. s.s.	(vi.) woolly.	S. Europe.	1774.	5. 6.	H. 4.	Jacq. obs. 3. t. 75.
34	tuberosa. s.s.	(vi.) tuberous-root'd.	Spain.	1683.	6. 8.	H. 4.	Barrel. ic. t. 602.
35	reticulata. s.s.	(li.) netted.	Morocco.	1801.	7. 8.	H. 4.	Desf. atl. 2. t. 124.
36	Scordotis. s.s.	(wh.) sessile-spiked.	Crete.	1823.	—	G. ½.	Alp. exot. t. 283.
37	suavèolens. Rœm.	(wh.) sweet-scented.		1804.	—	H. 4.	
38	botryoïdes. w.	(wh.) annual.	—	1779.	6. 7.	H. ⊙.	Cavan. ic. 1. t. 49.
	bipinnata. Cav.						
GLE'CHOMA. L. GROUND-IVY. Didynamia Gymnospermia. L.							
1	hederacea. E.B.	(bl.) common.	Britain.		3. 5.	H. 4.	Eng. bot. v. 12. t. 82.
2	hirsuta. P.S.	(pu.) hairy.	Hungary.		—	H. 4.	W. et K. hung. t. 119.
HEMIG'ENIA. B.P. HEMIG'ENIA. Didynamia Gymnospermia.							
	purpurea. B.P.	(pu.) purple.	N. S. W.	1824.	4. 8.	G. ½.	
SIDE'RITIS. S.S. IRONWORT. Didynamia Gymnospermia. L.							
1	canariensis. s.s.	(ye.) Canary.	Canaries.	1697.	5. 8.	G. ½.	Jacq. vind. 3. t. 30.
2	candicans. s.s.	(ye.) Mullein-leaved.	Madeira.	1714.	4. 7.	G. ½.	Comm. hort. 2. t. 99.
3	cretica. s.s.	(wh.) Cretan.	Crete.	1823.	—	G. ½.	
4	montana. s.s.	(ye.) mountain.	Austria.	1752.	7. 8.	H. ⊙.	Flor. græc. t. 551.
5	elegans. s.s.	(wh.bl.) dark-flowered.		1787.	7.	H. ⊙.	Murr. com. got. 1. t. 1.
6	romana. s.s.	(wh.) Roman.	Italy.	1759.	6. 8.	H. ⊙.	Flor. græc. t. 552.
7	syriaca. s.s.	(ye.) Syrian.	Levant.	1597.	6. 9.	G. 4.	— t. 550.
8	taurica. W.en.	(ye.) Taurian.	Tauria.	1818.	—	H. ½.	
9	brutia. T.S.	(ye.) woolly.	Naples.	1827.	—	F. ½.	
10	perfoliata. s.s.	(ye.) perfoliate.	Levant.	1731.	8. 11.	H. 4.	
11	pullulans. s.s.	(wh.ye.) brownish.	—	1828.	—	F. 4.	Vent. cels. 1. t. 98.
12	leucantha. s.s.	(wh.) white-flowered.	Spain.	—	—	F. ½.	Cavan. ic. 2. t. 304.
13	incana. s.s.	(ye.) Lavender-leav'd.	—	1752.	7. 8.	H. ½.	— 2. t. 186.
14	angustifolia. s.s.	(ye.) narrow-leaved.	—	1825.	—	H. ½.	
15	spinosa. s.s.	(ye.) spiny.	—		6. 9.	H. 4.	Cavan. ic. 3. t. 200.
16	ilicifolia. s.s.	(ye.) Holly-leaved.	Levant.		—	H. 4.	
17	serrata. s.s.	(ye.) saw-leaved.	Spain.	1818.	—	H. 4.	
18	hyssopifolia. s.s.	(ye.) Hyssop-leaved.	Pyrenees.	1597.	6. 11.	H. 4.	Schk. hand. 2. t. 158.
19	fœtida. L.en.	(ye.) strong-scented.			—	H. 4.	
20	pyrenaica. s.s.	(ye.) Pyrenean.	Pyrenees.	1816.	—	H. 4.	
21	chamaedryfolia. s.s.	(ye.) Germander-ld.	Spain.	—	—	H. 4.	Cavan. ic. 4. t. 301.
22	scordioïdes. s.s.	(ye.) scollop-leaved.	France.	1597.	8. 11.	H. 4.	Barrel. ic. t. 343.
23	hirsuta. s.s.	(ye.) hairy.	S. Europe.	1731.	6. 7.	H. 4.	Cavan. ic. 4. t. 302.
24	crispata. s.s.	(ye.) curled-leaved.	Gibraltar.	1816.	6. 9.	F. 4.	
MARR'UBIUM. S.S. HOREHOUND. Didynamia Gymnospermia. L.							
1	Aly'ssum. s.s.	(pu.) plaited-leaved.	Spain.	1597.	7. 8.	H. 4.	Ger. herb. 379. f. 1.
2	astracanicum. s.s.	(bl.) Astracan.	Levant.	1816.	—	H. 4.	Jacq. ic. 1. t. 109.
3	peregrinum. w.	(wh.) Sicilian.	Sicily.	1640.	7. 9.	H. 4.	Jacq. aust. 2. t. 160.
4	candidissimum. s.s.	(wh.) woolly white.	Levant.	1732.	—	H. 4.	Dill. elt. 274. f. 214.
5	creticum. w.	(wh.) Cretan.	—	1596.	—	H. 4.	
6	affine. L.en.	(pu.) related.	Siberia.	1816.	—	H. 4.	
7	supinum. s.s.	(wh.) procumbent.	S. Europe.	1714.	8. 10.	H. 4.	Bocc. mus. 2. t. 96.
8	catariæfolium. s.s.	(wh.) Catmint-leav'd.	Levant.	1823.	7. 9.	H. 4.	
9	velutinum. F.G.	(ye.) velvety.	—	1827.	—	F. 4.	Flor. græc. t. 561.
10	vulgare. s.s.	(wh.) common.	Britain.		6. 9.	H. 4.	Eng. bot. t. 6. f. 414.
LAVA'NDULA. S.S. LAVENDER. Didynamia Gymnospermia. L.							
1	Spica. s.s.	(bl.) common.	S. Europe.	1568.	7. 9.	H. ½.	Schk. hand. 2. t. 157.
	β alba.	(wh.) white-flowered.	—	—	—	H. ½.	
2	latifolia. s.s.	(bl.) broad-leaved.	—	—	—	H. ½.	
3	Stœchas. s.s.	(bl.) French.	S. Europe.	1562.	5. 7.	G. ½.	Flor. græc. t. 549.
4	viridis. s.s.	(bl.) Madeira.	Madeira.	1777.	—	G. ½.	Hoff. et Lk. lus. 1. t. 4.
5	dentata. s.s.	(bl.) tooth-leaved.	Spain.	1597.	6. 9.	G. ½.	Bot. mag. t. 401.
6	pinnata. s.s.	(bl.) pinnated.	Madeira.	1777.	4. 8.	G. ½.	— t. 400.
7	heterophylla. s.s.	(bl.) various-leaved.		1816.	—	G. ½.	
8	formosa. L.en.	(bl.) handsome.	Canaries.	—	—	G. ½.	
9	multifida. s.s.	(bl.) cut-leaved.	—	1597.	7. 9.	G. ½.	Lobel. ic. 432.
10	abrotanoïdes. s.s.	(bl.) Southernwood-ld.	—	1699.	6. 9.	G. ½.	Comm. rar. t. 27.
DRACOC'EPHALUM. DRAGON'S-HEAD. Didynamia Gymnospermia. L.							
1	Ruyschiana. s.s.	(bl.) Hyssop-leaved.	N. Europe.	1699.	6. 9.	H. 4.	Flor. dan. t. 121.
2	austriacum. s.s.	(bl.) Austrian.	Austria.	1597.	6. 7.	H. 4.	Jacq. ic. 1. t. 112.

3 origanoïdes. s.s.	(bl.)	Marjoram-like.	Siberia.	1827.	6. 7.	H. 4.	
4 betryoïdes. s.s.	(bl.)	woolly-leaved.	Caucasus.	1823.	—	H. 4.	
5 palmatum. s.s.	(bl.)	palmated.	Siberia.	1815.	6. 8.	H. 4.	
6 canariense. s.s.	(li.)	Balm of Gilead.	Canaries.	1697.	7. 9.	G. 1/2.	Comm. hort. 2. t. 41.
7 pinnatum. s.s.	(bl.)	wing-leaved.	Siberia.	1827.	—	H. 1/2.	
8 peregrinum. s.s.	(bl.)	prickly-leaved.	—	1759.	7. 8.	H. 4.	Bot. mag. t. 1084.
9 argunense. s.s.	(bl.)	Fischer's.	—	1822.	7. 9.	H. 4.	Swt. br. fl. gar. t. 47.
10 integrifolium. Led.	(bl.)	entire-leaved.	—	1827.	—	H. 4.	
11 grandiflorum. s.s.	(bl.)	great-flowered.	—	1759.	—	H. 4.	
12 altaïense. s.s.	(bl.)	Betony-leaved.	Georgia.	1787.	—	H. 4.	Swt. br. fl. gar. s. 2.
13 Moldavica. s.s.	(bl.)	Moldavian.	Moldavia.	1596.	7. 8.	H. 4.	Lam. ill. t. 513. f. 1.
14 canescens. s.s.	(bl.)	hoary-leaved.	Levant.	1711.	—	H. 4.	Swt. br. fl. gar. t. 38.
15 ibericum. s.s.	(bl.)	Iberian.	Iberia.	1827.	—	H. 4.	
16 peltatum. s.s.	(bl.)	Willow-leaved.	Levant.	1711.	—	H. 4.	Lam. ill. t. 513. f. 2.
17 thymiflorum. s.s.	(bl.)	small-flowered.	Siberia.	1752.	6. 9.	H. 4.	Gmel. sib. 3. t. 50.
18 nutans. s.s.	(bl.)	nodding.	—	1731.	7. 8.	H. 4.	Bot. reg. t. 841.
19 chamædryoïdes. s.s.	(bl.)	Chamædryis-like.		1828.	—	H. 4.	
20 sibiricum. s.s.	(bl.)	Siberian.	Siberia.	1760.	6. 8.	H. 4.	Bot. mag. t. 2185.
HORMINUM. P.S.		HORMINUM.	Didynamia Gymnospermia.	P.S.			
pyrenæicum. s.s.	(bl.)	Pyrenean.	Pyrenees.	1820.	6. 7.	H. 4.	Swt. br. fl. gar. t. 252.
MELISSA. S.S.		BALM.	Didynamia Gymnospermia.	L.			
1 officinalis. w.	(bh.)	common.	S. Europe.	1573.	6. 10.	H. 4.	
2 hirsuta. H.H.	(bh.)	hairy.	—		—	H. 4.	
3 cordifolia. P.S.	(bh.)	heart-leaved.	—		—	H. 4.	
4 altissima. s.s.	(bh.)	tall.	—	1823.	—	H. 4.	Flor. græc. t. 579.
LEPECHINIA. S.S.		LEPECHINIA.	Didynamia Gymnospermia.	W.			
spicata. s.s.	(st.)	spiked.	Mexico.	1800.	7. 8.	H. 4.	Bot. reg. t. 1292.
THYMBRA. S.S.		THYMBRA.	Didynamia Gymnospermia.	L.			
1 spicata. L.	(re.)	spiked-flower'd.	Levant.	1699.	6. 7.	G. 1/2.	Flor. græc. t. 546.
2 verticillata. L.	(re.)	whorl-flowered.	Spain.	1702.	—	G. 1/2.	
A'CYNOS. P.S.		A'CYNOS.	Didynamia Gymnospermia.	P.S.			
1 vulgaris. P.S.	(vi.)	Basil-leaved.	Britain.		6. 8.	H. 4.	Eng. bot. v. 6. t. 411.
Thymus A'cinus. E.B.							
2 graveolens. L.en.	(vi.)	strong-scented.	Tauria.	1823.	—	H. 1/2.	
3 villousus. P.S.	(vi.)	villous.	Germany.	1817.	—	H. 4.	
4 exiguus. F.G.	(pu.)	small.	Levant.	1828.	—	H. 4.	Flor. græc. t. 575.
5 alpinus. P.S.	(vi.)	Alpine.	Austria.	1731.	6. 9.	H. 4.	Jacq. aust. 1. t. 97.
6 purpurascens. P.S.	(pu.)	purple.	Spain.	1820.	—	H. 4.	
7 patavinus. P.S.	(pu.)	Marjoram-leav'd.	S. Europe.	1776.	6. 8.	H. 4.	Jacq. obs. 4. t. 87.
8 rotundifolius. P.S.	(pu.)	round-leaved.	Spain.	1820.	—	H. 1/2.	
GARD'OUA. S.S.		GARD'OUA.	Didynamia Gymnospermia.				
1 discolor. K.S.	(pu.)	two-coloured.	Caracas.	1827.	4. 7.	S. 1/2.	
2 origanoïdes. s.s.	(pu.)	Marjoram-like.	Trinidad.	1824.	—	S. 1/2.	
CALAMINTHA. Ph.		CALAMINT.	Didynamia Gymnospermia.				
1 marifolia. P.S.	(wh.sp.)	Marum-leaved.	Spain.	1788.	6. 7.	H. 4.	Cavan. ic. 6. t. 576.
Nepeta marifolia. Cav.		Thymus marifolius. W.en.					
2 cretica. P.S.	(pu.)	Cretan.	S. Europe.	1596.	—	F. 1/2.	Barrel. ic. 1166.
3 fruticosa. P.S.	(pu.)	shrubby.	Spain.	1752.	7. 9.	F. 1/2.	
4 alba. L.en.	(wh.)	white.	Hungary.	1818.	—	H. 4.	
5 Nepeta. P.S.	(li.)	lesser.	England.		7. 10.	H. 4.	Eng. bot. v. 20. t. 1414.
Melissa Nepeta. L.		Thymus Nepeta. E.B.					
6 vulgaris.	(li.)	common.	England.		7. 8.	H. 4.	Eng. bot. v. 24. t. 1676.
Melissa Calaminttha. L.		Thymus Calaminttha. E.B.					
7 grandiflora. P.S.	(ro.)	great-flowered.	Italy.	1596.	6. 9.	H. 4.	Bot. mag. t. 208.
Melissa grandiflora. B.M.							
8 caroliniana. N.	(li.)	Carolina.	Carolina.	1804.	6. 7.	F. 1/2.	Bot. mag. t. 997.
Thymus grandiflorus. B.M.							
CLINOP'ODIUM. S.S.		WILD-BASIL.	Didynamia Gymnospermia.	L.			
1 vulgare. s.s.	(ro.)	common.	Britain.		6. 8.	H. 4.	Eng. bot. v. 20. t. 1401.
2 atropurpureum. H.H.	(pu.)	dark purple.	S. Europe.	1820.	—	H. 4.	
3 ægyptiacum. s.s.	(pu.)	Egyptian.	Egypt.	1759.	—	H. 4.	
MELITTIS. S.S.		BASTARD-BALM.	Didynamia Gymnospermia.	L.			
1 Melissophyllum. s.s.	(pu.)	common.	England.		6. 8.	H. 4.	Eng. bot. v. 9. t. 577.
β alpina.	(pu.wh.)	Alpine.	Switzerland.		—	H. 4.	
2 grandiflora. s.s.	(wh.vi.)	great-flowered.	England.		5.	H. 4.	Eng. bot. v. 9. t. 636.
MACBR'IDEA. E.C.		MACBR'IDEA.	Didynamia Gymnospermia.				
pulehra. N.	(re.std.)	pretty.	Carolina.	1804.	7. 9.	G. 1/2.	
Thymbra caroliniana. Walter.							

PRUNE'LLA. S.S.		SELF-HEAL.	Didynamia Gymnospermia. L.		
1	vulgàris. s.s.	(bl.) common.	Britain.		7. 8. H. 4.
	β álba.	(wh.) white-flowered.	-----		----- H. 4.
2	austràlis.	(bl.) New Holland.	N. S. W.	1826.	----- F. 4.
	vulgàris. B.P. nec aliorum.				
3	pensylvànica. s.s.	(bl.) Pensylvanian.	N. America.	1801.	7. 9. H. ⊙.
4	grandiflòra. s.s.	(bl.) great-flowered.	Austria.	1596.	----- H. 4.
5	intermèdia. s.s.	(bl.) intermediate.	S. Europe.	1790.	----- H. 4.
	grandiflòra. B.M.				
6	incisa. L.en.	(bl.) cut-leaved.	-----		----- H. 4.
7	laciniàta. L.	(ye.) yellow-flower'd.	Austria.	1713.	----- H. ⊙.
8	hastàta. s.s.	(bl.) halberd-leaved.	Portugal.		----- H. 4.
9	longifolia. P.s.	(bl.) long-leaved.	France.		----- H. 4.
10	hyssopifolia. s.s.	(pu.) hyssop-leaved.	S. Europe.	1731.	----- H. 4.
CLE'ONIA. S.S.		CLE'ONIA.	Didynamia Gymnospermia. L.		
	lusitànica. s.s.	(pa.bl.) sweet-scented.	Portugal.	1710.	6. 7. H. ⊙.
SCUTELL'ARIA. S.S.		SKULLCAP.	Didynamia Gymnospermia. L.		
1	galericulàta. s.s.	(bl.) common.	Britain.		6. 9. H. 4.
2	hastifolia. s.s.	(pu.) hastate-leaved.	Germany.	1798.	6. 7. H. 4.
3	minor. s.s.	(ro.) lesser.	Britain.		7. 8. H. 4.
4	pàrvula. s.s.	(bl.) slender.	N. America.	1823.	----- H. 4.
5	havanénsis. s.s.	(wh.bl.) Havannah.	Havannah.	1793.	5. 6. S. 4.
6	humilis. B.P.	(pu.) dwarf.	N. S. W.	1822.	6. 8. G. 4.
7	grandiflòra. s.s.	(re.ye.) large-flowered.	Siberia.	1804.	7. 8. H. 4.
8	lateriflòra. s.s.	(pu.) Virginian.	N. America.	1752.	6. 9. H. 4.
9	nervosa. s.s.	(bl.) nerved-leaved.	-----	1827.	----- H. 4.
10	orientàlis. s.s.	(ye.) yellow-flower'd.	Levant.	1729.	7. 9. H. 4.
11	altàica. F.	(bl.wh.) Altay.	Siberia.	1816.	----- H. 4.
12	viscida. s.s.	(bl.wh.) viscid.	Iberia.	1820.	----- H. 4.
13	variegàta. s.s.	(st.bl.) variegated.	-----	-----	----- H. 4.
14	alpina. s.s.	(bl.) Alpine.	Hungary.	1752.	6. 10. H. 4.
15	peregrina. s.s.	(d.pu.) Florentine.	Italy.	1783.	----- H. 4.
16	altíssima. s.s.	(d.pu.) tall.	Levant.	1731.	7. 8. H. 4.
17	pàllida. s.s.	(pa.) pale-flowered.	Tauria.	1824.	----- H. 4.
18	Colúmnæ. s.s.	(d.pu.) heart-leaved.	Italy.	1806.	6. 8. H. 4.
19	rubicúnda. s.s.	(re.) rubicund.	-----	1815.	----- H. 4.
20	nigréscens. s.s.	(d.pu.) dark.	Crete.	1826.	----- F. 4.
21	álbida. s.s.	(wh.) hairy white.	Levant.	1771.	6. 7. H. 4.
22	lupulina. s.s.	(st.) Tartarian.	Tartary.	1739.	6. 9. H. 4.
23	integrifolia. s.s.	(bl.) entire-leaved.	N.America.	1731.	----- H. 4.
24	hyssopifolia. w.	(bl.) Hyssop-leaved.	-----	-----	----- H. 4.
25	purpuráscens. s.s.	(pu.) purplish.	W. Indies.	1823.	----- S. 4.
26	caroliniàna. s.s.	(pu.) Carolina.	Carolina.	1811.	----- H. 4.
27	macránta. F.	(pu.) large-flowered.	Dahuria.	1827.	----- H. 4.
28	pilosa. s.s.	(d.pu.) pilose.	N. America.	-----	----- H. 4.
29	serrata. s.s.	(d.pu.) saw-leaved.	-----	1800.	----- H. 4.
30	scordifolia. F.	(pu.wh.) Scordium-leaved.	Siberia.	1823.	----- H. 4.
31	vérna. Bess.	(wh.pu.) vernal.	-----	-----	5. 6. H. 4.
SA'LVIA. R.S.		SAGE.	Diandria Monogynia. L.		
1	pomifera. R.S.	(li.) Apple-bearing.	Candia.	1699.	7. 8. H. 4.
2	calycina. R.S.	(li.) broad-calyned.	Greece.	1823.	----- G. 4.
3	canariénsis. R.S.	(li.) Canary.	Canaries.	1697.	6. 9. G. 4.
4	aùrea. R.S.	(br.) golden.	C. B. S.	1731.	4. 11. G. 4.
5	dentàta. R.S.	(bl.) tooth-leaved.	-----	1774.	12. 1. G. 4.
6	Régla. R.S.	(sc.) Regla.	Mexico.	1828.	9. 11. G. 4.
7	spléndens. s.s.	(sc.) splendid.	Brazil.	1823.	8. 3. S. 4.
8	bracteàta. s.s.	(li.) long-bracted.	Syria.	1788.	6. 8. G. 4.
9	pilántha. L.en.	(bl.) hairy-flowered.	-----	1823.	6. 9. G. 4.
10	incarnàta. R.S.	(fl.) flesh-coloured.	Levant.	1729.	----- G. 4.
11	interrúpta. R.S.	(wh.bl.) interrupted.	Barbary.	1825.	5. 6. H. 4.
12	pinnàta. R.S.	(pu.) winged-leaved.	Levant.	1731.	7. H. 4.
13	ríngens. F.G.	(li.) ringent.	-----	1827.	----- F. 4.
14	rosæfolia. R.S.	(pu.) Rose-leaved.	-----	-----	----- G. 4.
15	scabiosæfolia. R.S.	(wh.li.) Scabious-leav'd.	Peru.	1826.	----- G. 4.
16	Habliziàna. R.S.	(w.re.) Taurian.	Tauria.	1795.	8. H. 4.
17	vulnerariæfolia. R.S.	(w.bl.) Armenian.	Armenia.	1829.	6. 9. F. 4.
18	lanceolàta. R.S.	(bl.) lance-leaved.	S. America.	1818.	7. 9. H. ⊙.
19	hirsùta. R.S.	(bl.) hirsute.	Mexico.	1801.	5. 6. H. ⊙.
20	leucántha. R.S.	(wh.) white-flowered.	-----	1825.	7. 10. G. 4.

21	angustifolia. R.S. (bl.) narrow-leaved.	Mexico.	1806.	6. 7. G. 4.	Cavan. ic. 4. t. 317.
	<i>réptans</i> . Jacq. schœn. t. 319.				
22	trichostemmoïdes. R.S. (bl.)	Missouri.	1827.	6. 9. H. ☉.	
23	azuræa. R.S. (bl.) azure-flowered.	Carolina.	1806.	8. 9. F. 4.	Bot. mag. t. 1728.
24	bengalensis. F.I. (wh.) Bengal.	E. Indies.	1825.	6. 9. S. 1/2.	
25	occidentalis. R.S. (wh.) West Indian.	W. Indies.	1820.	— S. 4.	
26	pseudococcinea. (sc.) pale scarlet.	S. America.	1797.	6. 8. S. 1/2.	Jacq. ic. 2. t. 209.
27	amœna. B.M. (bl.) fine blue.	W. Indies.	1793.	9. 12. S. 1/2.	Bot. mag. t. 1294.
	<i>Boosiæna</i> . Jacq. f. ecl. 1. t. 47. <i>amœna</i> . B.R. 446.				
28	rosea. R.S. (ro.) rose-coloured.	E. Indies.	1816.	6. 9. S. 1/2.	
29	tubifera. R.S. (sc.) long-tubed.	Mexico.	1824.	— S. 4.	Cavan. ic. 1. t. 25.
30	papilionæa. R.S. (bl.) butterfly-like.	New Spain.	1825.	7. 10. S. 1/2.	— 4. t. 319.
31	mexicana. R.S. (bl.) Mexican.	Mexico.	1724.	5. 7. G. 1/2.	— 1. t. 26.
32	chamædryoides. R.S. (re.) Germander-like.	—	1795.	6. 9. G. 1/2.	Bot. mag. t. 808.
33	cæsia. R.S. (pa.bl.) grey.	S. America.	1813.	— G. 1/2.	
34	involucrâta. R.S. (pu.) large-bracted.	Mexico.	1825.	8. 11. G. 1/2.	Bot. reg. t. 1205.
35	purpurea. R.S. (pu.) purple.	—	—	5. 7. S. 4.	Cavan. ic. 2. t. 166.
36	hispanica. R.S. (bl.) Spanish.	Spain.	1739.	6. 8. H. ☉.	Bot. reg. t. 359.
37	præcox. S.S. (pu.) early-flowered.	N. Africa.	1826.	3. 6. F. 4.	
38	scordioïdes. R.S. (bl.) glandular.		1824.	5. 8. S. 4.	
39	papillôsa. R.S. (wh.) papillose.		1827.	6. 8. G. 1/2.	
40	serotina. R.S. (bl.) late-flowering.	Chio.	1803.	8. 10. G. 1/2.	Jacq. ic. 1. t. 3.
41	dominica. R.S. (wh.) Dominican.	W. Indies.	1759.	7. S. 4.	Swartz. obs. p. 18. t. 1. f. 1.
42	tenella. R.S. (bl.) slender.	Jamaica.	1821.	6. 9. S. ☉.	Swartz. icon. t. 2.
43	tiliæfolia. R.S. (bl.) Lime-leaved.	S. America.	1793.	6. 8. S. 4.	Jacq. schœn. 3. t. 254.
44	polystachya. R.S. (bl.) many-spiked.	New Spain.	1822.	9. 12. G. 1/2.	Cavan. ic. 1. t. 27.
45	lamiifolia. R.S. (bl.) Lamium-leaved.	S. America.	1826.	— G. 1/2.	Jacq. schœn. 3. t. 318.
46	micrantha. R.S. (wh.) small-flowered.	—	1818.	6. 8. S. 4.	
47	leonuroïdes. R.S. (sc.) shining-leaved.	Peru.	1783.	4. 10. G. 1/2.	Lam. ill. t. 20. f. 3.
	<i>formôsa</i> . B.M. 376.				
48	fulgens. R.S. (sc.) glossy.	Mexico.	1827.	1. 12. G. 1/2.	Swt. br. fl. gar. s. 2.
49	coccinea. R.S. (sc.) scarlet-flowered.	S. America.	1774.	4. 10. G. 1/2.	Mirb. an. m. 15. t. 15. f. 8.
50	pulchella. R.S. (sc.) pretty.	—		8. 12. G. 1/2.	Coll. hort. rip. t. 16.
51	amethy'stina. R.S. (bl.) amethystine.	—	1824.	6. 9. S. 1/2.	Smith ic. ined. 2. t. 27.
52	amarissima. R.S. (bl.) bitter.	Mexico.	1803.	7. 8. G. 4.	Bot. reg. t. 347.
53	glutinosa. R.S. (st.) glutinous.	Europe.	1596.	6. 9. H. 4.	Sabb. hort. rom. t. 3.
54	nubicola. B.F.G. (st.) Nepaul.	Nepaul.	1824.	8. 10. H. 4.	Swt. br. fl. gar. t. 140.
55	ægyptiaca. R.S. (wh.) Egyptian.	Egypt.	1770.	6. 7. H. ☉.	Jacq. vind. 2. t. 108.
56	crética. R.S. (vi.) Cretan.	Crete.	1760.	6. 8. F. 1/2.	Rivin. monop. t. 128.
57	paniculâta. R.S. (pu.) panicle.	C. B. S.	1758.	— G. 1/2.	Mill. ic. t. 225. f. 1.
58	africana. R.S. (bl.) African.	—	1731.	4. 6. G. 1/2.	Comm. hort. 2. t. 91.
59	colorâta. R.S. (bl.cr.) coloured-calyxed.	—	1758.	7. 8. G. 1/2.	Mill. ic. t. 225. f. 2.
60	officinâlis. R.S. (bl.) garden.	S. Europe.	1597.	6. 7. H. 1/2.	Lam. ill. t. 20. f. 1.
61	chromâtica. Hg. (bl.) variegated.	—	—	— H. 1/2.	
62	tenùior. Df. (bl.) narrow-leaved.	Spain.	—	— H. 1/2.	
63	hispanòrum. Lg. (bl.) Spanish.	—	—	— H. 1/2.	
64	lavandulæfolia. R.S. (bl.) Lavender-leaved.	—	—	— H. 1/2.	
65	rosmarinifolia. Lg. (bl.) Rosemary-leaved.	—	—	— H. 1/2.	
66	Spielmanni. R.S. (bl.) Spielman's.	Caucasus.	1813.	— H. 4.	Jacq. f. ecl. 2. t. 15.
67	phlomoïdes. R.S. (pu.) Mullein-leaved.	Spain.	1805.	5. 6. H. ♂.	Rœm. script. hist. t. 1. f. 1.
68	urticifolia. R.S. (bl.) Nettle-leaved.	N. America.	1799.	6. 7. H. 4.	Moris. his. 3. t. 13. f. 31.
69	elegans. R.S. (cr.) elegant.	Mexico.	1820.	7. 10. G. 1/2.	H. et B. pl. am. 2. t. 144.
	<i>incarnâta</i> . K.S. non W.				
70	lævigâta. K.S. (pu.) smooth.	—	1826.	— G. 1/2.	H. et B. pl. am. 2. t. 147.
71	bullâta. W.en. (re.) blistered.	Spain.	1804.	7. 8. H. 4.	Jacq. f. ecl. t. 38.
	<i>lusitânica</i> . J.E. <i>elongâta</i> . Spr.				
72	rugosa. R.S. (wh.) wrinkle-leaved.	C. B. S.	1775.	— H. 1/2.	
73	verticillâta. R.S. (li.) whorled.	Germany.	1658.	6. 11. H. 4.	Mirb. an. m. 15. t. 15. f. 10.
	<i>β parviflora</i> . (li.) small-flowered.	—	—	— H. 4.	
74	indica. R.S. (bl.wh.) Indian.	India.	1731.	5. 7. H. 4.	Bot. mag. t. 395.
75	Tenorii. R.S. (bl.) Tenore's.	Italy.	1820.	5. 8. H. 4.	Swt. br. fl. gar. t. 26.
76	candidissima. R.S. (p.bl.) hoary-leaved.	Levant.	1804.	6. 7. G. 4.	Flor. græc. t. 26.
	<i>crassifolia</i> . F.G. non Cav.				
77	verbascifolia. R.S. (wh.ye.) Verbascum-ld.	Iberia.	1825.	— H. 4.	Jacq. f. ecl. t. 16.
78	odorâta. R.S. (wh.) sweet-scented.	Bagdad.	1804.	7. F. 1/2.	Venten. cels. t. 59.
79	compréssa. R.S. (wh.) compressed.	Levant.	1816.	7. 8. H. 4.	Jacq. f. ecl. t. 37.
80	mollis. R.S. (ro.) soft.	Siberia.	1596.	6. 10. H. 4.	— t. 36.
81	grandiflora. R.S. (bl.) great-flowered.	S. Europe.	1616.	6. 9. H. 1/2.	
82	crassifolia. R.S. (ll.) thick-leaved.	Barbary.	1804.	— F. 1/2.	

83	pratensis. R.S.	(bl.)	meadow.	England.		5. 11.	H. 4.	Eng. bot. v. 3. t. 153.
84	variegata. R.S.	(bl.wh.)	variegated.	Hungary.	1814.	6. 8.	H. 4.	
85	hæmatodes. R.S.	(bl.)	bloody-veined.	Italy.	1699.	7. 8.	H. 4.	Barrel. ic. t. 187.
86	nepetifolia. R.S.	(bl.)	Catmint-leaved.		1823.	—	H. ⊙.	
87	aspidophylla. R.S.	(bl.)	slender-leaved.	Pern.	1824.	7. 10.	H. ⊙.	
88	lineatifolia. Lg.	(bl.)	line-leaved.	Mexico.	1823.	6. 9.	G. h.	
89	melissodora. Lg.	(bl.)	balm-scented.	New Spain.	1826.	—	G. h.	
90	agglutinans. Lg.	(sc.)	clammy-stalked.	—	1827.	—	G. h.	
91	viscosa. R.S.	(wh.cr.)	clammy.	Italy.	1773.	5. 6.	H. 4.	Jacq. ic. 1. t. 5.
92	disermas. R.S.	(wh.)	long-spiked.	Syria.	—	7.	H. 4.	Barrel. ic. 187.
93	nutans. R.S.	(bl.)	nodding.	Russia.	1780.	6. 8.	H. 4.	Bot. mag. t. 2436.
94	betonicaefolia. R.S.	(bl.)	Betony-leaved.	—	1804.	6. 7.	H. 4.	
95	pendula. R.S.	(bl.)	drooping.	—	—	6. 8.	H. 4.	
	β grandiflora. (d.bl.)		large-flowered.	—	—	—	H. 4.	
96	amplexicaulis. R.S.	(li.)	stem-clasping.	Levant.	1813.	7. 9.	H. 4.	
97	parviflora. R.S.	(st.)	small-flowered.	—	1816.	—	F. 4.	Lab. syr. dec. 4. t. 7.
98	austriaca. R.S.	(st.)	Austrian.	Austria.	1776.	6. 7.	H. 4.	Jacq. aust. 2. t. 112.
99	syriaca. R.S.	(wh.)	Syrian.	Levant.	1759.	7.	G. h.	Arduin. spec. 1. t. 1.
100	nubia. R.S.	(bl.)	Nubian.	Africa.	1784.	6. 7.	G. 4.	Murr. c. gott. 1778. t. 3.
101	virgata. R.S.	(wh.ro.bl.)	long-branched.	Armenia.	1758.	7. 11.	H. 4.	Jacq. schœn. 1. t. 37.
102	campestris. R.S.	(bl.)	field.	Tauria.	1813.	6. 7.	H. 4.	
103	sylvestris. R.S.	(bl.)	wood.	Germany.	1759.	6. 10.	H. 4.	Jacq. aust. 3. t. 212.
104	nemorosa. R.S.	(va.)	spear-leaved.	—	1728.	—	H. 4.	
105	pátula. R.S.	(bh.)	spreading.	Portugal.	1805.	5. 7.	H. 4.	
106	tingitana. R.S.	(st.)	Tangier.	Barbary.	1796.	7.	G. h.	Rivin. monop. 1. t. 52.
107	Sclarea. R.S.	(bh.)	common Clary.	Italy.	1562.	7. 9.	H. ♂.	Flor. græc. 1. t. 25.
108	spinosa. R.S.	(wh.)	thorny-calyxed.	Egypt.	1789.	6.	G. ♂.	Jacq. ic. 1. t. 7.
109	Æthiòpis. R.S.	(wh.)	woolly.	Austria.	1570.	5. 6.	H. ♂.	Jacq. aust. 3. t. 211.
110	argentea. R.S.	(wh.)	silvery.	Crete.	1759.	5. 7.	H. ♂.	Flor. græc. 1. t. 27.
111	applanata. R.S.	(wh.)	short-spined.		1818.	6. 8.	H. ♂.	
112	Horminum. R.S.	(pu.)	annual Clary.	S. Europe.	1596.	—	H. ⊙.	Flor. græc. 1. t. 20.
	α violacea. (bl.)		purple-topped.	—	—	—	H. ⊙.	
	β rubra. (re.)		red-topped.	—	—	—	H. ⊙.	
113	viridis. R.S.	(li.)	green topped.	Italy.	1759.	—	H. ⊙.	Flor. græc. 1. t. 19.
114	pyramidalis. R.S.	(li.)	pyramidal.	—	1825.	—	H. 4.	
115	rubra. s.s.	(re.)	red-flowered.	Egypt.	1827.	6. 8.	H. 4.	
116	Simsiana. B.R.	(bl.wh.)	Sims's.	Russia.	1820.	6. 7.	H. 4.	Bot. reg. t. 1003.
117	verbenaca. R.S.	(bl.)	wild clary.	Britain.		6. 10.	H. 4.	Eng. bot. v. 3. t. 154.
118	oblongata. J.E.	(bl.)	oblong-leaved.	Tauria.	1820.	—	H. 4.	Jacq. f. ecl. 1. t. 14.
119	Sibthorpii. F.G.	(li.)	Sibthorp's.	Levant.	1829.	6. 9.	F. 4.	Flor. græc. t. 22.
120	triloba. R.S.	(vi.)	three-lobed.	S. Europe.	1596.	6. 7.	H. h.	— 1. t. 17.
121	Clusii. R.S.	(wh.)	Clusius's.	Levant.	1827.	6. 9.	F. h.	Jacq. schœn. 2. t. 195.
122	gigantea. R.S.	(wh.)	giant.		1816.	6. 9.	H. ♂.	
123	scorodoniaefolia. R.S.		villous.		1824.	—	F. h.	
124	lyrata. R.S.	(pu.)	lyre-leaved.	N. America.	1728.	—	H. 4.	Moris. s. 11. t. 13. f. 27.
125	abyssinica. R.S.	(pu.)	Abyssinian.	Abyssinia.	1775.	6. 7.	G. 4.	Jacq. ic. 1. t. 6.
126	nilotica. R.S.	(bl.)	Nilotic.	Egypt.	1780.	6. 8.	H. ⊙.	Jacq. vind. 3. t. 92.
127	Forskøhlil. R.S.	(bl.)	Forskohl's.	Levant.	1800.	—	H. 4.	Bot. mag. t. 988.
128	napifolia. R.S.	(li.)	Rape-leaved.	Italy.	1776.	6. 7.	H. 4.	Jacq. vind. 2. t. 202.
129	aurita. R.S.	(li.)	ear-leaved.	C. B. S.	1795.	5. 6.	G. h.	
130	bicolor. R.S.	(bl.ye.)	two-coloured.	Barbary.	1793.	6. 7.	H. 4.	Bot. mag. t. 1774.
131	Barrelieri. R.S.	(bl.)	Barrelier's.	S. Europe.	1821.	5. 8.	H. 4.	Barrel. ic. 186.
132	laciniata. R.S.	(bl.wh.)	jagged-leaved.		1818.	—	H. 4.	
133	runcinata. R.S.	(bl.)	runcinated.	C. B. S.	1795.	—	G. h.	Jacq. schœn. 1. t. 8.
134	scabra. R.S.	(pu.)	rough-leaved.	—	1774.	4. 9.	G. h.	
135	erosa. R.S.	(st.)	erose-leaved.		1823.	6. 9.	H. ⊙.	
136	polymorpha. R.S.	(bl.)	variable.	Portugal.	1821.	—	H. 4.	Barrel. ic. 220.
137	multifida. F.G.	(pa.bl.)	multifid.	S. Europe.	1823.	5. 6.	H. 4.	Flor. græc. 1. t. 23.
138	clandestina. R.S.	(li.)	cut-leaved.	Italy.	1739.	4. 7.	H. ♂.	— 1. t. 24.
139	ceratophylla. R.S.	(li.)	stag's-horn-leav'd.	d. Persia.	1699.	7. 8.	H. ♂.	Pluk. alm. t. 194. f. 5.
140	ceratophylloides. (li.)		branching.	Egypt.	1771.	6. 8.	H. ♂.	Arduin. spec. 2. t. 2.
141	prismatica. R.S.	(bl.)	slender-spiked.	Mexico.	1822.	—	H. ⊙.	
COLLINS'ONIA. R.S. COLLINS'ONIA.				Diandria Monogynia. L.				
1	canadensis. R.S.	(ye.)	Nettle-leaved.	N. America.	1735.	8. 10.	H. 4.	Linn. hort. clif. t. 5.
2	scabriuscula. R.S.	(re.ye.)	rough-stalked.	Florida.	1776.	7. 9.	H. 4.	
3	ovalis. R.S.	(ye.)	oval-leaved.	Carolina.	1812.	8.	H. 4.	
4	tuberosa. M.	(ye.)	tuberous.	—	1806.	—	H. 4.	
	serotina. R.S.							
5	anisata. R.S.	(ye.)	Anise-scented.	—	—	10.	H. 4.	Bot. mag. t. 1213.

Tribus VI. PRASIÆ. *Benth. in Bot. reg.*

PRASIUM. S.S.	PRASIUM.	Didynamia Gymnospermia. L.			
1 majus. s.s. (wh.) great.	S. Europe.	1699.	6. 8. G. h.	Flor. græc. t. 581.	
2 minus. s.s. (wh.) smaller.	—————	1752.	—— F. h.		
PHRYMA. S.S.	PHRYMA.	Didynamia Gymnospermia. L.			
leptostachya. s.s. (wh.) slender-spiked.	N. America.	1802.	8. 9. H. 4.	Lam. ill. t. 516.	

Tribus VII. OCYMOIDÆ. *Benth. in Bot. reg.*

MOSCHO'SMA. B.R.	MOSCHO'SMA.	Didynamia Gymnospermia.			
1 ocymoides. B.R. (wh.) Basil-like.		1823.	6. 8. S. ☉.		
<i>Lumnitzera ocymoides.</i> s.s. <i>O'cymum polycladum.</i> Link.					
2 polystachya. B.R. (wh.) many-spiked.	E. Indies.	1783.	7. 8. S. ☉.	Murr. c. gott. 3. t. 3.	
O'CYMUM. W.	BASIL.	Didynamia Gymnospermia. L.			
1 thyrsiflorum. s.s. (wh.) thyrse-flowered.	E. Indies.	1806.	7. 8. S. ♂.	Jacq. vind. 3. t. 72.	
2 gratissimum. s.s. (wh.) shrubby.	—————	1752.	—— S. h.	Jacq. ic. 3. t. 195.	
3 Basilicum. w. (wh.) common sweet.	India.	1548.	—— H. ☉.	Blackw. t. 101.	
4 pilosum. W.en. (wh.) hairy.		1816.	7. 9. H. ☉.		
5 micranthum. s.s. (wh.) small-flowered.		——	—— S. ☉.		
6 viride. s.s. (wh.) green.	E. Indies.	——	—— S. h.		
7 suave. s.s. (wh.) sweet-scented.	—————	——	—— S. h.		
8 canum. B.M. (wh.) hoary.	China.	1822.	—— H. ☉.	Bot. mag. t. 212.	
9 sanctum. s.s. (wh.) purple-stalked.	E. Indies.	1758.	—— S. ☉.	Rheed. mal. 10. t. 92.	
10 febrifugum. s.s. (wh.) Feverwort.	Sierra Leon.	1821.	—— S. ☉.	Bot. reg. t. 753.	
11 album. s.s. (wh.) large white-fl.	E. Indies.	1816.	—— S. ☉.		
12 americanum. s.s. (wh.) American.	S. America.	1789.	7. 8. S. ☉.	Jacq. vind. 3. t. 86.	
13 caryophyllatum. H.B. (w.) Clove-scented.	E. Indies.	1817.	—— S. 4.		
14 tenuiflorum. w. (li.) slender-spiked.	—————	1768.	—— S. ♂.	Rumph. amb. 5. t. 92. f. 2.	
15 menthoides. s.s. (wh.) Mint-leaved.	—————	1783.	—— S. ☉.		
16 inodorum. Lam. (wh.) scentless.	—————	1823.	—— S. ☉.		
17 cristatum. H.B. (wh.) crested.	—————	1812.	—— S. ☉.		
18 grandiflorum. s.s. (wh.) great-flowered.	Abyssinia.	1802.	9. 10. G. h.	L'Herit. s. nev. t. 13.	
19 minimum. s.s. (wh.) bush.	Ceylon.	1573.	—— H. ☉.	Schk. handb. 2. t. 166.	
20 carnosum. s.s. (wh.) thick-leaved.	Monte Video.	1828.	6. 8. H. ☉.		
ORTHOSIPHON. B.R.	ORTHOSIPHON.	Didynamia Gymnospermia.			
1 adscendens. B.R. (wh.) ascending.	E. Indies.	1828.	6. 8. S. 4.		
<i>O'cymum adscendens.</i> w.					
2 asperum. B.R. (wh.) rough.	—————	1827.	—— S. 4.		
<i>O'cymum asperum.</i> Roth. <i>Plectranthus asper.</i> s.s.					
COLEUS. B.R.	COLEUS.	Didynamia Gymnospermia.			
1 Forskohlæi. B.R. (vi. wh.) Forskohl's.	Abyssinia.	1806.	10. 11. S. h.	Bot. mag. t. 2936.	
<i>Plectranthus Forskohlæi.</i> B.M. <i>barbatus.</i> Andr. reposit. t. 594.					
2 comosus. B.R. (bl.) tufted.	Nepaul.	1820.	6. 9. G. h.	Bot. mag. t. 2318.	
3 scutellarioides. B.R. (bl. w.) Scullcap-like.	E. Indies.	1764.	7. 8. S. ☉.	—— t. 1126.	
4 amboinicus. Lour. (bl.) Amboyna.	—————	1826.	—— S. h.	Rumph. amb. 8. t. 72.	
PLECTRANTHUS. S.S.	PLECTRANTHUS.	Didynamia Gymnospermia. S.S.			
1 fruticosus. s.s. (bl.) shrubby.	C. B. S.	1774.	6. 9. G. h.	L'Herit. stirp. 85. t. 41.	
2 galeatus. s.s. (li.) helmetted.	Nepaul.	1820.	7. 8. S. ☉.		
3 graveolens. B.P. (bl.) strong-scented.	N. S. W.	——	—— G. h.		
4 australis. B.P. (bl.) New Holland.	—————	1823.	—— G. ☉.		
5 incanus. s.s. (bl.) hoary.	Nepaul.	——	—— G. 4.		
6 monachorum. s.s. (bh.) monk's basil.	E. Indies.	1796.	—— S. ☉.		
<i>O'cymum monachorum.</i> w.					
7 mollis. s.s. (li.) heart-leaved.	—————	1781.	9. 10. S. ☉.		
8 strobiliferus. H.B. (bl.) thick-spiked.	—————	1804.	6. 9. S. ☉.	Rheed. mal. 10. t. 90.	
9 secundus. H.B. (bl.) side-flowering.	—————	1816.	—— S. ☉.		
10 panetatus. s.s. (wh. bl.) dotted.	Africa.	1775.	1. 5. G. ♂.	L'Herit. stirp. 1. t. 41.	
11 rotundifolius. s.s. (bl.) round-leaved.	Mauritius.	1823.	6. 8. S. ☉.		
12 parviflorus. s.s. (bl.) small-flowered.	S. America.	1805.	6. 9. G. h.	W. hort. ber. 1. t. 65.	
13 cordifolius. D.P. (bl.) heart-leaved.	Nepaul.	1823.	—— G. h.		
14 rubicundus. D.P. (pu.) rubicund.	—————	1826.	—— G. h.		
15 virgatus. D.P. (bl.) slender.	—————	——	—— G. h.		
16 coloratus. D.P. (bl.) coloured bracted.	—————	1823.	—— G. h.		

ORDO CLIV.

POLYC'ENIA. C.S.		POLYC'ENIA.		Didynamia Gymnospermia.		
hebenstretioïdes. c.s. (w.)		spike-flowered. C. B. S.		1816.	8. 10.	G. ☉.
HEBENSTREITIA. C.S.		HEBENSTREITIA.		Didynamia Angiospermia.		
1	dentata. w.	(wh.)	dwarf tooth-ld.	C. B. S.	1739.	5. 9. G. ☉.
2	integrifolia. w.	(ye.)	golden.	_____	1792.	4. 6. G. h.
	aurea. Andr.					
3	fruticosa. B.M.	(wh.)	frutescent.	_____	1816.	5. 11. G. ♂.
4	albiflora. L.en.	(wh.)	white-flowered.	_____	1815.	— G. h.
5	chamaedryfolia. L.en.		Chamaedrys-leav'd.	_____	1816.	— G. h.
6	tenuifolia. H.H.	(wh.)	slender-leaved.	_____	1826.	— G. ♂.
7	scabra. w.	(wh.)	rough-leaved.	_____	—	5. 9. G. h.
8	cordata. w.	(wh.re.)	heart-leaved.	_____	1774.	7. 8. G. h.
DISCHI'SMA. C.S.		DISCHI'SMA.		Didynamia Angiospermia.		
1	ciliatum. c.s.	(wh.)	ciliated.	C. B. S.	1815.	5. 7. G. ♂.
2	erinoïdes.	(wh.)	Erinus-leaved.	_____	1816.	5. 11. G. ♂.
	<i>Hebenstreitia erinoïdes. w.</i>					

Chois. sel. t. 2. f. 1.

Bot. mag. t. 483.

Andr. reposit. t. 252.

Bot. mag. t. 1970.

3 hispidum. (wh.) long-spiked.	C. B. S.	1816.	5. 11.	G. ⊙.	Burm. afr. 109. t. 41. f. 1.
<i>Habenstreitia hispida</i> . Lam.					
4 spicatum. c.s. (wh.) spiked.	————	1815.	5. 7.	G. ⊙.	
5 capitatum. c.s. (ye.) headed.	————	1822.	—	G. ⊙.	
AGATHE'LPIS. C.S. AGATHE'LPIS. Diandria Monogynia.					
1 angustifolia. c.s. (wh.) narrow-leaved.	C. B. S.	1823.	5. 8.	G. h.	Burm. afr. t. 47. f. 3.
<i>Eranthemum angustifolium</i> . L. <i>Selago angustifolia</i> . w.					
2 parvifolium. c.s. (wh.) small-leaved.	C. B. S.	1816.	—	G. h.	Lam. ill. t. 17. f. 2.
MICRODON. C.S. MICRODON. Didynamia Gymnospermia.					
1 lucidum. c.s. (wh.) glossy.	C. B. S.	1812.	6. 7.	G. h.	Venten. malm. t. 26.
2 ovatum. c.s. (wh.) oval-headed.	————	1774.	—	G. h.	Bot. mag. t. 186.
<i>Selago ovata</i> . B.M.					
SEL'AGO. C.S. SEL'AGO. Didynamia Gymnospermia. L.					
1 micrantha. c.s. (ye.) small-flowered.	C. B. S.	1824.	5. 7.	G. h.	
2 divaricata. c.s. (wh.) spreading.	————	1816.	—	G. h.	
3 fruticosa. c.s. (wh.) frutescent.	————	1822.	6. 8.	G. h.	
4 minutissima. c.s. (ye.) small.	————	1816.	—	G. h.	Chois. sel. t. 3.
5 corymbosa. c.s. (wh.) fine-leaved.	————	1699.	7. 9.	G. h.	Comm. hort. 2. t. 40.
6 cinerea. c.s. (vi.) cinereous.	————	1816.	—	G. h.	
7 hispida. c.s. (ye.) hispid.	————	1823.	6. 9.	G. h.	
8 adpressa. c.s. (wh.) close-flowered.	————	1816.	—	G. h.	Chois. sel. t. 4.
9 canescens. s.s. (wh.) canescent.	————	1812.	7. 11.	G. h.	
10 spinea. L.en. (wh.) reflex-leaved.	————	1816.	7. 8.	G. h.	
11 diffusa. s.s. (wh.) diffuse.	————	1807.	—	G. h.	
12 spicata. L.en. (wh.) spiked.	————	1816.	—	G. h.	
13 teretifolia. L.en. (wh.) cylinder-leaved.	————	1819.	—	G. h.	
14 rapunculoides. s.s. (vi.) Rampion-like.	————	1790.	7. 11.	G. h.	Burm. afr. t. 42. f. 1.
15 fulvomaculata. L.en. (vi.) brown-spotted.	————	1816.	—	G. h.	
16 spuria. s.s. (vi.) linear-leaved.	————	1779.	7. 10.	G. h.	Burm. afr. t. 42. f. 3.
17 ramulosa. L.en. (wh.) branching.	————	1815.	6. 9.	G. h.	
18 fasciculata. s.s. (bl.) cluster-flowered.	————	1774.	—	G. h.	Bot. reg. t. 184.
19 heterophylla. s.s. (wh.) various-leaved.	————	1829.	—	G. h.	
20 polystachya. s.s. (wh.) many-spiked.	————	1823.	6. 8.	G. h.	
21 bracteata. s.s. (wh.) imbricate-bracted.	————	1816.	6. 9.	G. h.	
22 polygaloides. s.s. (vi.) milkwort-like.	————	1807.	7. 11.	G. h.	
23 rotundifolia. s.s. (wh.) round-leaved.	————	1816.	7. 9.	G. h.	
24 pterophylla. Ot. winged-leaved.	————	1828.		G. h.	
25 ciliata. c.s. (wh.) fringed.	————	1824.	—	G. h.	Chois. sel. t. 5.

ORDO CLV.

VERBENACEÆ. *Brown prodr.* 1. p. 510.

CLERODE'NDRUM. B.P. CLERODE'NDRUM. Didynamia Angiospermia. L.					
1 pubescens. B.R. (wh.) downy-leaved.	W. Indies.	1824.	7. 9.	S. h.	Bot. reg. t. 1035.
2 ligustrinum. s.s. (wh.) Privet-leaved.	Mauritius.	1789.	8. 11.	S. h.	Jacq. col. sup. t. 5. f. 1.
3 inerme. s.s. (wh.) smooth.	E. Indies.	1692.	—	S. h.	— t. 4. f. 1.
4 angustifolium. s.s. (wh.) narrow-leaved.	Jamaica.	1823.	—	S. h.	Lam. ill. t. 544. f. 2.
5 coromandelinum. s.s. (w.) Coromandel.	E. Indies.	1824.	—	S. h.	
6 emirnense. B.M. (wh.) small-flowered.	Madagascar.	1823.	6. 12.	S. h. ∪.	Bot. mag. t. 2925.
<i>floribundum</i> . Bot. reg. t. 1035. non B.P.					
7 volubile. s.s. (wh.) climbing.	Guinea.	1822.	8. 11.	S. h. ∪.	
8 buxifolium. s.s. (wh.) Box-leaved.		1818.	7. 8.	S. h.	
<i>Volkameria buxifolia</i> . W.en.					
9 heterophyllum. s.s. (w.) various-leaved.	Mauritius.	1805.	8. 9.	S. h.	Andr. reposit. t. 554.
<i>Volkameria angustifolia</i> . A.R.					
10 macrophyllum. B.M. (st. bl.) large-leaved.	————	1822.	—	S. h.	Bot. mag. t. 2536.
11 serratum. s.s. (wh.) saw-leaved.	E. Indies.	—	—	S. h.	Rheed. mal. 4. t. 29.
12 lividum. B.R. (wh.) livid-bracted.	China.	1824.	9. 11.	S. h.	Bot. reg. t. 945.
13 cernuum. Wal. (wh.) drooping.	E. Indies.	1822.		S. h.	
14 Siphonanthus. s.s. (wh.) whorled-leaved.	————	1796.		S. h.	Burm. ind. t. 43. f. 1.
<i>Siphonanthus indica</i> et <i>Orièda mitis</i> . L.					
15 verticillatus. B.P. (wh.) four-leaved.	Nepaul.	1818.		S. h.	
16 hastatum. B.R. (wh.) halbert-leaved.	E. Indies.	1824.	7. 11.	S. h.	Bot. reg. t. 1307.

17	odoratum. D.P.	(re.)	odoriferous.	Nepaul.	1820.	7. 8.	S. h.	
18	fœtidum. D.P.	(wh.)	strong-scented.	_____	_____	_____	S. h.	
19	cordatum. D.P.	(wh.)	heart-leaved.	_____	1826.	_____	S. h.	
20	nūtans. D.P.	(wh.)	nodding.	_____	_____		S. h.	
21	scandens. s.s.	(wh.)	scandent.	Guinea.	1822.	7. 9.	S. h.	_____.
22	trichotomum. s.s.	(wh.)	three-forked.	Japan.	1800.	_____	G. h.	Banks ic. Kämp. t. 22.
23	fortunatum. s.s.	(wh.)	spear-leaved.	E. Indies.	1784.	7. 8.	S. h.	Osborn. it. t. 11.
24	attenuatum. B.P.	(wh.)	attenuated.	N. S. W.	1824.	5. 8.	G. h.	
25	squamatum. s.s.	(sc.)	scarlet.	China.	1790.	6. 9.	S. h.	Jacq. ic. 3. t. 500.
26	tomentosum. s.s.	(wh.)	downy.	N. S. W.	1794.	3. 5.	G. h.	Bot. mag. t. 1518.
27	infortunatum. s.s.	(wh.)	long-flowered.	E. Indies.			S. h.	
28	phlomoïdes. s.s.	(wh.)	Phlomis like.	_____	1820.	5. 7.	S. h.	Burm. ind. t. 45. f. 1.
29	fragrans. s.s.	(wh.)	fragrant.	China.	1790.	12. 8.	S. h.	Venten. malm. t. 70.
	β múltiplex.	(wh.)	double-flowered.	_____	_____	_____	S. h.	Bot. mag. t. 1834.
30	viscosum. s.s.	(wh.)	clammy.	E. Indies.	1796.	5. 8.	S. h.	_____ t. 1505.
31	dentatum. H.B.	(wh.)	tooth-leaved.	_____	1826.	_____	S. h.	
32	neriifolium. H.B.	(wh.)	Oleander-leaved.	_____	1824.	_____	S. h.	
33	paniculatum. s.s.	(sc.)	panicled.	Java.	1809.	7. 10.	S. h.	Bot. reg. t. 406.
34	urticifolium. H.B.	(wh.)	Nettle-leaved.	E. Indies.	1822.	_____	S. h.	
35	violaceum. L.en.	(vi.)	violet-coloured.		_____		S. h.	
36	japonicum.	(wh.)	Japan.	Japan.	1823.		S. h.	
	Volkameria japonica. Th.							
37	costatum. B.P.	(wh.)	ribbed-leaved.	N. S. W.	1823.	5. 8.	G. h.	
VOLKAMERIA. S.S. VOLKAMERIA. Didynamia Angiospermia. L.								
	aculeata. s.s.	(wh.)	prickly.	W. Indies.	1739.	8. 10.	S. h.	Brown jam. t. 20. f. 2.
ÆGIPHILA. R.S. ÆGIPHILA. Tetrandria Monogynia. L.								
1	martinicensis. R.S.	(st.)	Martinico.	W. Indies.	1780.	11. 1.	S. h.	Lodd. bot. cab. t. 132.
2	arborescens. R.S.	(st.)	arborescent.	Trinidad.	1820.		S. h.	Aub. gui. 1. t. 24.
3	lævis. R.S.	(ye.)	smooth.	Guiana.	1824.	6. 7.	S. h.	_____ 1. t. 25.
4	elata. R.S.	(ye.)	tall.	W. Indies.	1823.	7. 11.	S. h.	Bot. reg. t. 946.
5	fœtida. R.S.	(ye.)	fetid.	_____	1800.	6. 7.	S. h.	
6	trifida. R.S.	(wh.)	trifid-flowered.	Jamaica.	1826.	_____	S. h.	
7	diffusa. R.S.	(st.)	diffuse.	W. Indies.	1804.	7. 8.	S. h.	Andr. reposit. t. 578. f. 1.
8	obovata. R.S.	(st.)	oval-leaved.	_____	_____	_____	S. h.	_____ t. 578. f. 2.
CALLICARPA. R.S. CALLICARPA. Tetrandria Monogynia. L.								
1	americana. R.S.	(re.)	American.	Carolina.	1724.	6. 7.	G. h.	Catesb. car. 2. t. 47.
2	cana. R.S.	(li.)	hoary.	E. Indies.	1799.	_____	S. h.	
3	lanata. R.S.	(pu.)	woolly	_____	1788.	_____	S. h.	Gært. fruct. 1. t. 94.
4	incana. F.I.	(ro.)	white-leaved.	_____	1816.	6. 10.	S. h.	
5	macrophylla. R.S.	(ro.)	large-leaved.	_____	1808.	_____	S. h.	
6	lanceolaria. F.I.	(pu.)	lance-leaved.	_____	1816.	_____	S. h.	
7	ferruginea. R.S.	(li.)	rusty.	Jamaica.	1794.	6. 7.	S. h.	
8	reticulata. R.S.	(wh.)	netted-leaved.	_____	1822.	_____	S. h.	
9	longifolia. R.S.	(wh.)	long-leaved.	China.	_____	_____	S. h.	Hook. ex. flor. t. 133.
10	rubella. B.R.	(re.)	red-flowered.	_____	_____	_____	S. h.	Bot. reg. t. 883.
11	purpurea. F.I.	(pu.)	purple-flowered.	_____	_____	7. 9.	S. h.	
12	arborea. F.I.	(p.pu.)	tree.	Nepaul.	_____		S. h.	
VITEX. S.S. CHASTE-TREE. Didynamia Angiospermia. L.								
1	ovata. s.s.	(bl.)	oval-leaved.	China.	1796.	7. 8.	S. h.	
2	triflora. s.s.	(vi.)	three-flowered.	Cayenne.	1823.	_____	S. h.	
3	latifolia. s.s.	(bl.)	broad-leaved.	E. Indies.	1820.	_____	S. h.	Rheed. mal. 5. t. 2.
4	altissima. s.s.	(vi.)	tall.	Ceylon.	1802.		S. h.	
5	alata. s.s.	(vi.)	winged.	E. Indies.	1818.	6. 8.	S. h.	
6	gigantea. K.S.	(vi.)	giant.	Guayaquil.	1826.		S. h.	
7	bicolor. s.s.	(bl.wh.)	two-coloured.	E. Indies.	1810.	6. 8.	S. h.	
8	trifolia. s.s.	(vi.)	three-leaved.	_____	1759.	_____	S. h.	Bot. mag. t. 2187.
9	Negundo. s.s.	(bl.)	Ash-leaved.	_____		_____	S. h.	Rheed. mal. 2. t. 11.
10	umbrosa. s.s.	(vi.)	bushy.	W. Indies.	1824.		S. h.	
11	Agnus-castus. w.	(wh.)	common.	Sicily.	1570.	9.	H. h.	
	β latifolia.	(wh.)	broad-leaved.	_____	_____	_____	H. h.	
12	incisa. s.s.	(bl.)	cut-leaved.	China.	1758.	7. 9.	G. h.	Bot. mag. t. 364.
	Negundo. B.M.							
13	arborea. H.B.	(bl.)	tree.	E. Indies.	1820.		S. h.	
14	bignonioides. K.S.	(bl.)	trumpet-flowered.	Caracas.	1826.		S. h.	
15	saligna. H.B.	(bl.)	Willow-leaved.	E. Indies.	1823.		S. h.	
16	Doniana.	(vi.)	Don's.	Sierra Leon.	1824.		S. h.	
	umbrosa. H.T. non Sw.							
17	heterophylla. H.B.	(bl.)	various-leaved.	E. Indies.	1820.		S. h.	
18	capitata. P.S.	(bl.)	headed-flowered.	Trinidad.	1822.	6. 8.	S. h.	Vahl. ecl. 2. t. 15.

WALLROTHIA. S.S.	WALLROTHIA.	Didymia Angiospermia. S.S.			
Leucóxylon. s.s. (pu.) white-wooded.	Ceylon.	1793.		S. h.	
Vitex Leucóxylon. L.					
CHLOANTHES. B.P.	CHLOANTHES.	Didymia Angiospermia. S.S.			
1 stœchadis. B.P. (st.) white-leaved.	N. S. W.	1822.	6. 8.	G. h.	
2 glandulosa. B.P. (st.) glandular-leaved.	—	1824.	—	G. h.	
PREMNA. S.S.	PREMNA.	Didymia Angiospermia. S.S.			
1 integrifolia. s.s. (wh.) entire-leaved.	E. Indies.	1822.		S. h.	Rumph. arab. 3. t. 133.
2 tomentosa. s.s. (wh.) woolly.	—	1825.		S. h.	
3 reticulata. s.s. (wh.) netted-leaved.	Jamaica.	1826.		S. h.	
4 spinosa. H.B. (wh.) spiny.	—	1822.		S. h.	
5 esculenta. H.B. (wh.) esculent.	—	1824.		S. h.	
6 latifolia. H.B. (wh.) broad-leaved.	E. Indies.	1827.		S. h.	
7 serratifolia. s.s. (wh.) saw-leaved.	—	—		S. h.	
HOLMSKIOIDIA.	HOLMSKIOIDIA.	Didymia Angiospermia. S.S.			
1 sanguinea. s.s. (sc.) scarlet.	E. Indies.	1796.	10. 1.	S. h.	Bot. reg. t. 692.
Hastigia coccinea. Sm. ex. bot. t. 89.					
2 scandens. (pi.) climbing.	—	1824.	—	S. h.	
Hastigia scandens. H.B.					
PETREA. S.S.	PETREA.	Didymia Angiospermia. L.			
1 volubilis. s.s. (pu.) climbing.	Vera Cruz.	1733.	7. 8.	S. h.	Bot. mag. t. 623.
2 rugosa. K.S. (pu.) rough-leaved.	Caracas.	1824.		S. h.	
3 erecta. L.C. (pu.) upright.	S. America.	—		S. h.	
HOSTA. Jacq.	HOSTA.	Diandria Monogynia.			
1 corulea. Jacq. (bl.) blue-flowered.	S. America.	1733.	6. 9.	S. h.	Bot. reg. t. 1204.
Cornutia punctata. B.M. 2611.					
2 latifolia. K.S. (vi.) broad-leaved.	Mexico.	1824.	—	S. h.	
CORNUTIA. P.S.	CORNUTIA.	Diandria Monogynia. S.S.			
pyramidata. P.S. (bl.) pyramidal.	W. Indies.	1733.		S. h.	Lam. ill. t. 541.
GMEI'INA. S.S.	GMEI'INA.	Didymia Angiospermia. L.			
1 arborea. s.s. (br. ye.) tree.	E. Indies.	1812.		S. h.	Roxb. corom. 3. t. 246.
2 villosa. s.s. (ye.) villous.	—	1818.		S. h.	
3 asiatica. s.s. (ye.) oval-leaved.	—	1792.		S. h.	Lam. ill. t. 542.
4 parviflora. P.S. (ye.) small-flowered.	—	1817.		S. h.	Roxb. corom. 1. t. 32.
parvifolia. s.s.					
5 sinuata. L.en. (ye.) sinuated.	—	1824.		S. h.	
CITHAREXYLUM. W. FIDDLE-WOOD.	Didymia Angiospermia. L.				
1 caudatum. s.s. (wh.) upright.	Jamaica.	1763.		S. h.	Jacq. ic. 3. t. 501.
erectum. Jacq.					
2 villosum. s.s. (wh.) hairy-leaved.	W. Indies.	1784.		S. h.	Jacq. ic. 1. t. 118.
3 subserratum. s.s. (wh.) subserrate.	Hispaniola.	1819.		S. h.	
4 quadrangulare. s.s. (w.) square-stalked.	Jamaica.	1759.	6. 8.	S. h.	Jacq. vind. 1. t. 22.
5 cinereum. s.s. (wh.) ash-coloured.	W. Indies.	1739.	—	S. h.	Jacq. amer. t. 118.
6 molle. s.s. (wh.) soft-leaved.		1822.	—	S. h.	
7 pentandrum. s.s. (pu.) pentandrous.	Portorico.	1815.	—	S. h.	Vent. cels. t. 47.
DURANTA. S.S.	DURANTA.	Didymia Angiospermia. L.			
1 Plumieri. B.R. (bl.) smooth.	S. America.	1733.	6. 10.	S. h.	Bot. reg. t. 244.
2 Ellisia. B.M. (bl.) prickly.	W. Indies.	1739.	8.	S. h.	Bot. mag. t. 1759.
3 inermis. Mill. (bl.) unarmed.	S. America.		—	S. h.	
4 xalapensis. K.S. (bl.) Mexican.	Mexico.	1822.		S. h.	
5 Mutisii. K.S. (bl.) Mutis's.	S. America.	—	6. 8.	S. h.	
AMASONIA. S.S.	AMASONIA.	Didymia Angiospermia. S.S.			
punicea. s.s. (ye.) puniceous.	Trinidad.	1823.		S. h.	
LANTANA. S.S.	LANTANA.	Didymia Angiospermia. L.			
1 aculeata. s.s. (or.) changeable-color'd.	W. Indies.	1692.	4. 11.	S. h.	Bot. mag. t. 96.
2 purpurea. s.s. (pu.) purple-flowered.	S. America.	1822.	—	S. h.	
3 scabrida. s.s. (or.) rough.	W. Indies.	1774.	7. 10.	S. h.	
4 mista. w. (st. li.) Nettle-leaved.	—	1732.	8. 10.	S. h.	Lald. bot. cab. t. 63.
5 melissifolia. s.s. (ye.) Balm-leaved.	—	—	7. 9.	S. h.	Dill. elt. t. 57. f. 66.
6 nivea. s.s. (wh.) snowy white.	E. Indies.	1810.	—	S. h.	Bot. mag. t. 146.
7 stricta. s.s. (ro.) narrow-leaved.	Jamaica.	1733.	—	S. h.	Sloan. jam. 2. t. 195. f. 4.
8 Radula. w. (pu.) Rasp-leaved.	W. Indies.	1803.	—	S. h.	
9 salviafolia. s.s. (re.) Sage-leaved.	C. B. S.	1823.	—	G. h.	Jacq. schœnb. 3. t. 255.
10 recta. s.s. (bh.) upright.	Jamaica.	1758.	6. 8.	S. h.	— 3. t. 360.
11 involucrata. s.s. (li.) round-leaved.	W. Indies.	1690.	5. 7.	S. h.	Pluk. alm. t. 114. f. 5.
12 odorata. s.s. (wh.) sweet-scented.	—	1758.	5. 11.	S. h.	Plum. ic. 71. f. 2.
13 Camara. s.s. (ye.) various-coloured.	—	1691.	4. 9.	S. h.	Dill. elt. t. 56. f. 65.
14 trifolia. s.s. (ro.) three-leaved.	—	1733.	6. 9.	S. h.	Bot. mag. t. 1449.
15 annua. s.s. (ro.) annual.	S. America.	—	7. 8.	S. h.	— t. 1022.

16	fucata. s.s.	(ro.) painted.	Brazil.	1822.	7. 8.	S. h.	Bot. reg. t. 798.
17	lavandulæea. s.s.	(wh.) Lavender-like.		-----	-----	S. h.	
18	crœea. L.en.	(or.) saffron-coloured.	Jamaica.	-----	-----	S. h.	Jacq. schœn. t. 473.
19	violæea. Desf.	(vi.) violet-coloured.	S. America.	1824.		S. h.	
20	brasiliënsis. L.en.	(wh.) Brazilian.	Brazil.	-----	7. 8.	S. h.	
21	álba. L.en.	(wh.) white-flowered.	S. America.		-----	S. h.	
22	hírta. Gr.	(wh.) hairy white.	-----	1825.	8. 11.	S. h.	
23	hórrida. K.s.	(ye.) horrid.	Mexico.	-----	7. 8.	S. h.	
24	Selloi. L.O.	(ro.) Sello's.	Monte Video.	1829.	12. 4.	S. h.	Bot. mag. t. 2981.
SPIELMA'NNIA. S.S. SPIELMA'NNIA. Didynamia Angiospermia. S.S.							
	africàna. s.s.	(wh.) African.	C. B. S.	1710.	2. 11.	G. h.	Bot. mag. t. 1899.
TECT'ONA. W. TEAK-WOOD. Pentandria Monogynia. L.							
	grándis. w.	(wh.) great.	E. Indies.	1777.		S. h.	Roxb. corom. 1. t. 6.
STRE'PTIUM. S.S. STRE'PTIUM. Didynamia Angiospermia. S.S.							
	ásperum. s.s.	(wh.) rough.	E. Indies.	1799.	7. 8.	S. 4.	Roxb. corom. 2. t. 13.
Tórtula áspera w. Priva leptostàchya. p.s.							
PRIVA. S.S. PRIVA. Didynamia Angiospermia. S.S.							
	1 lappulæea. p.s.	(pu.) bristly-fruited.	S. America.	1822.	6. 8.	S. 4.	Jacq. obs. 1. t. 24.
	echinàta. K.s.						
	2 mexicàna. p.s.	(li.) Mexican.	Mexico.	1726.	8. 9.	S. 4.	Dill. elth. t. 302. f. 5.
	hispida. K.s.	Verbena mexicàna. L.					
TAM'ONEA. S.S. TAM'ONEA. Diandria Monogynia.							
	1 verbenæea. s.s.	(bl.) thorny-fruited.	W. Indies.	1733.	8.	S. ⊙.	Banks. vel. Hous. t. 2.
	curassárica. p.s.	Ghènia spinòsa. w.					
	2 spicàta. K.s.	(bl.) spiked.	Trinidad.	1824.	8. 10.	S. ⊙.	Aubl. guian. t. 268.
STACHYTA'RPHETA. BASTARD Vervain. Diandria Monogynia. S.S.							
	1 angustifolia. R.s.	(vi.) narrow-leaved.	S. America.		6. 9.	S. ⊙.	Jacq. obs. 4. t. 86.
	2 elàtior. R.s.	(vi.) tall.	Brazil.	1821.	8. 11.	S. ⊙.	
	3 índica. R.s.	(vi.) Indian.	Ceylon.	1732.	8. 9.	S. ⊙.	
	4 urticifolia. B.M.	(bl.) Nettle-leaved.	S. America.		5. 9.	S. ♂.	Bot. mag. t. 1818.
	5 jamaicënsis. R.s.	(ll.) Jamaica.	W. Indies.	1714.	6. 9.	S. ♂.	----- t. 1860.
	6 hírta. K.s.	(vi.) hairy-leaved.	New Granada.	1821.	5. 10.	S. h.	
	7 cayennënsis. s.s.	(bl.) Cayenne.	Cayenne.	1819.	-----	S. h.	
	8 umbròsa. K.s.	(ll.) shade.	Cumana.	1829.	-----	S. h.	
	9 prismática. R.s.	(bl.) Germander-leav'd.	W. Indies.	1699.	5. 6.	S. ♂.	Jacq. ic. 2. t. 208.
	10 orùbica. R.s.	(vi.) Orubian.	S. America.	-----	6. 8.	G. ♂.	Ehr. pict. t. 5. f. 1.
	11 mutábilis. R.s.	(ro.) changeable-flower'd.	-----	1801.	3. 9.	S. h.	Bot. mag. t. 976.
Verbena mutábilis. w. Cymburus mutábilis. Par. lond. t. 49.							
	12 crassifolia. R.s.	(vi.) thick-leaved.	Brazil.	1826.	6. 9.	S. h.	
	13 Zuccágni. R.s.	(ro. vi.) Zuccagni's.		1824.	-----	S. h.	
	14 hirsutíssima. L.en.	(bl.) hairy.	Brazil.	1821.	-----	S. 4.	
ZAP'ANIA. J. ZAP'ANIA. Didynamia Angiospermia. P.S.							
	1 steechadifolia. p.s.	(wh.) oval-spiked.	W. Indies.	1732.	8. 9.	S. 4.	Brown jam. t. 3. f. 1.
	2 nodiflòra. B.P.	(pi.) knot-flowered.	America.	1664.	7. 8.	G. 4.	Flor. græc. t. 553.
Verbena nodiflòra. L. Lippia nodiflòra. s.s.							
ALO'YSIA. P.S. ALO'YSIA. Didynamia Angiospermia. P.S.							
	citrodòra. p.s.	(li.) Lemon-scented.	Chile.	1784.	5. 9.	G. h.	Bot. mag. t. 367.
Verbena triphy'lla. B.M. Lippia citrodòra. K.s.							
VERB'ENA. S.S. Vervain. Didynamia Angiospermia. S.S.							
	1 angustifolia. s.s.	(ll.) narrow-leaved.	N. America.	1802.	6. 8.	H. 4.	
	ragòsa. w.						
	2 paniculàta. s.s.	(pu.) panicle'd.	-----	1800.	7. 8.	H. 4.	Bot. reg. t. 1162.
	3 bonariënsis. s.s.	(bl.) cluster-flower'd.	Buenos Ayres.	1732.	7. 10.	H. ♂.	Dill. elt. t. 360. f. 1.
	4 caroliniàna. s.s.	(pi.) Carolina.	N. America.	-----	6. 9.	H. 4.	----- t. 301. f. 1.
	5 urticæfolia. s.s.	(wh.) Nettle-leaved.	-----	1683.	7. 9.	H. 4.	Rob. ic. 26.
	6 strícta. s.s.	(bl.) upright.	-----	1802.	7. 8.	H. 4.	Bot. mag. t. 1976.
	7 lasiostàchys. s.s.	(bl.) woolly-spiked.	California.	1823.	-----	H. 4.	
	8 bracteòsa. s.s.	(bl.) long-bracted.	N. America.	1812.	7.	H. 4.	Bot. mag. t. 2213.
	9 Aublétia. s.s.	(ro.) rose.	-----	1774.	6. 8.	F. ♂.	----- t. 305.
	10 Lambérta. B.M.	(ro.) Lambert's.	Peru.	1816.	-----	F. 4.	----- t. 2240.
	11 chamædryfolia. p.s.	(sc.) scarlet-flower'd.	Buenos Ayres.	1827.	4. 10.	F. 4.	Swt. br. fl. gar. ser. 2. t. 1.
Melindres. Bot. reg. t. 1184. Erinus peruvianus. L.							
	12 barbàta. Gr.	(li.) bearded.	Mexico.	-----	9. 12.	G. h.	Herm. paral. t. 212.
	13 hastàta. s.s.	(pu.) halberd-leaved.	Canada.	1710.	-----	H. 4.	
	14 scábra. s.s.	(vi.) rough.	Mexico.	1822.	-----	H. 4.	
	15 alàta. B.F.G.	(pu.) winged-stalked.	Monte Video.	1827.	7. 10.	F. 4.	Swt. br. fl. gar. ser. 2. t. 1.
	16 officinális. E.B.	(li.) common.	Britain.		6. 9.	H. 4.	Eng. bot. v. 11. t. 1.
	17 sorèria. D.P.	(li.) sister.	Nepaul.	1823.	8. 10.	H. 4.	Swt. br. fl. gar. t. 2.
	18 spària. s.s.	(li.) jagged-leaved.	N. America.	1731.	7. 8.	H. ♂.	

19	erinoïdes. s.s.	(ro.) Erinus-like.	Peru.	1820.	7. 8. H. ☉.	Flor. peruv. l. t. 33. f. c.
	<i>multifida</i> . R.P.					
20	pulchella. B.F.G.	(li.) pretty.	Buenos Ayres.	1827.	4. 10. F. 2.	Swt. br. fl. gar. s. 2. t. 205.
21	canescens. s.s.	(vi.) canescent.	Mexico.	1820.	7. 8. H. 2.	H. et B. 2. t. 136.
22	supina. s.s.	(li.) trailing.	Spain.	1640.	6. 7. H. ☉.	Flor. grac. t. 554.
	<i>β hirsuta</i> . E.	(li.) hairy.	Egypt.	1829.	— H. ☉.	
23	prostrata. H.K.	prostrate.	N. America.	1794.	— H. 2.	
	LIPPIA. J.	LIPPIA.	Didynamia Angiospermia.	S.S.		
	purpurea. s.s.	(pu.) purple.	Mexico.	1823.	6. 8. G. 2.	Jacq. f. eclog. t. 85.
	XENOP'OMA. S.S.	XENOP'OMA.	Didynamia Angiospermia.			
	obovatum. s.s.	(wh.) obovate-leaved.	China.	1816.	5. 8. G. 2.	Coll. hort. rip. t. 25.

ORDO CLVI.

MYOPORINÆ. *Brown prodr. p. 514.*

MYOP'ORUM. B.P.	MYOP'ORUM.	Didynamia Angiospermia. S.S.			
1 ellipticum. B.P. (wh.)	smooth-leaved.	N. S. W.	1789.	1. 3. G. h.	Andr. reposit. t. 283.
Pogonia glabra. A.R.					
2 acuminatum. B.P. (wh.)	acuminate.	————	1812.	 G. h.	
3 montanum. B.P. (wh.)	mountain.	————	1822.	2. 6. G. h.	
4 parvifolium. B.P. (wh.)	small-leaved.	N. Holland.	1803.	3. 9. G. h.	Bot. mag. t. 1691.
5 debile. B.P. (bl.)	procumbent.	N. S. W.	1793.	5. 8. G. h.	— — t. 1830.
6 diffusum. B.P. (bl.)	diffuse.	N. Holland.		8. 2. G. h.	
7 tuberculatum. B.P. (wh.)	tubercled.	————	1803.	5. 8. G. h.	
8 viscosum. B.P. (wh.)	viscid.	————	—	— G. h.	
9 crassifolium. s.s. (wh.)	thick-leaved.	N. Zealand.	1822.	— G. h.	
10 oppositifolium. s.s. (wh.)	opposite-leaved.	N. Holland.	1803.	1. 12. G. h.	
STENOCH'ILUS. B.P.	STENOCH'ILUS.	Didynamia Angiospermia. S.S.			
1 glaber. B.P. (sc.)	smooth-leaved.	N. Holland.	1803.	1. 12. G. h.	Bot. mag. t. 1942.
2 maculatus. B.R. (cr.sp.)	spotted-flowered.	————	1820.	4. 8. G. h.	Bot. reg. t. 647.
3 viscosus. B.M. (ye.)	clammy.	————	1825.	— G. h.	Bot. mag. t. 2930.
BO'NTIA. S.S.	BO'NTIA.	Didynamia Angiospermia. L.			
daphnoides. s.s. (st.)	Barbadoes.	W. Indies.	1690.	6. S. h.	Dill. elth. t. 49. f. 57.
AVICE'NNIA. B.P.	AVICE'NNIA.	Didynamia Angiospermia. L.			
tomentosa. B.P. (wh.)	downy-leaved.	India.	1793.	 S. h.	Palisot. d'Owar. t. 47.

ORDO CLVII.

ACANTHACEÆ. *Brown prodr. l. p. 472.*

ACA'NTHUS. S.S.	BEARS-BREECH.	Didynamia Angiospermia.	L.		
1 mollis. w.	(wh.) soft-leaved.	Italy.	1548.	7. 9. H. 2.	Lam. ill. t. 550.
2 niger. L.en.	(wh.) shining-leaved.	Portugal.	1759.	— H. 2.	
3 spinosus. B.M.	(wh.) prickly-leaved.	S. Europe.	1629.	— H. 2.	Bot. mag. t. 1808.
4 spinosissimus. P.S.	(wh.) white-spined.	—	—	— H. 2.	
5 carduiifolius. s.s.	(wh.) Cape.	C. B. S.	1816.	— G. 2.	
6 ilicifolius. s.s.	(wh.) Holly-leaved.	E. Indies.	1759.	... S. 2.	Rheed. mal. 2. t. 48.
BLEPH'ARIS. J.	BLEPH'ARIS.	Didynamia Angiospermia.	P.S.		
1 capensis. s.s.	(wh.) simple-spined.	C. B. S.	1816.	5. 9. G. 2.	
2 furcata. s.s.	(wh.) fork-spined.	—	—	6. 8. G. 2.	
3 procumbens. s.s.	(wh.) procumbent.	—	1825.	— G. 2.	
THUNBE'RGIA. S.S.	THUNBE'RGIA.	Didynamia Angiospermia.	S.S.		
1 grandiflora. s.s.	(bl.) large-flowered.	E. Indies.	1822.	3. 8. S. 2. ∪.	Bot. reg. t. 495.
2 fragrans. s.s.	(wh.) white Indian.	—	1796.	5. 9. S. 2. ∪.	Bot. mag. t. 1881.
3 cordata. C.R.	(wh.) heart-leaved.	Brazil.	1823.	3. 8. S. 2. ∪.	Coll. h. rip. t. 21.
4 capensis. s.s.	(wh.) Cape.	C. B. S.	1816.	— G. 2. ∪.	
5 alata. B.M.	(or.) winged.	Zanzebar.	1825.	1. 12. S. 2. ∪.	Bot. mag. t. 2591.
6 angulata. H.E.F.	(pu.) angular-stalked.	Mauritius.	1824.	5. 8. S. 2. ∪.	Hook. ex. flor. t. 166.
7 coccinea. D.P.	(sc.) scarlet-flowered.	Nepaul.	—	6. 2. S. 2. ∪.	— — t. 195.

BARLERIA. S.S.		BARLERIA. Didynamia Angiospermia. L.						
1	buxifolia. s.s.	(bl.)	Box-leaved.	E. Indies.	1763.	6. 7.	S. h.	Rheed. mal. 2. t. 47.
2	Prionitis. s.s.	(ye.)	thorny.	—————	1759.	7. 8.	S. h.	————— 9. t. 41.
3	spicata. H.B.	(pu.)	spiked-flowered.	—————	1822.	4. 8.	S. h.	
4	longifolia. s.s.	(ri.)	long-leaved.	—————	1781.	7. 9.	S. ♂.	Pluk alm. t. 133. f. 4.
5	cristata. s.s.	(bl.)	crested.	—————	1796.	4. 9.	S. h.	Bot. mag. t. 1615.
6	alba. B.C.	(wh.)	white-flowered.	—————	1818.	————	S. h.	Lodd. bot. cab. t. 3.
7	ciliata. H.B.	(pu.)	fringed.	—————	1822.	4. 10.	S. h.	
8	tomentosa. s.s.	(bl.)	woolly.	—————	1825.	————	S. h.	
9	flava. s.s.	(ye.)	yellow-flowered.	Arabia.	1816.	————	S. h.	Jacq. f. ecl. t. 46.
mitis. B.R. 191.		Justicia flava. w. Eranthemum flavum. W.en.						
10	longiflora. s.s.	(ri.)	long-flowered.	E. Indies.	1816.	6. 9.	S. h.	Vahl symb. 1. t. 16.
11	purpurea. B.C.	(pu.)	purple.	—————	1817.	————	S. h.	Lodd. bot. cab. t. 348.
12	dichotoma. H.B.	(pu.)	forked.	—————	1822.	————	S. h.	
13	coerulea. H.B.	(bl.)	blue-flowered.	—————	————	————	S. h.	
HYGROPHILA. B.P.		HYGROPHILA. Didynamia Angiospermia. S.S.						
rincens. s.s.		(li.)	gaping-flowered.	E. Indies.	1807.	7. 8.	S. h.	
GEISSOMERIA. B.R.		GEISSOMERIA. Didynamia Angiospermia.						
1	longiflora. B.R.	(se.)	long-flowered.	Brazil.	1825.	8. 10.	S. h.	Bot. reg. t. 1045.
2	fulgida.	(sc.)	bright-flowered.	W. Indies.	1804.	7. 8.	S. h.	Andr. reposit. t. 527.
Ruellia fulgida. A.R.								
RUELLIA. S.S.		RUELLIA. Didynamia Angiospermia. L.						
1	ocymoides. s.s.	(bl.)	Basil-like.	Mexico.	1815.	7. 8.	S. h.	Cavan. ic. 5. t. 476.
2	ciliata. s.s.	(li.)	fringed.	E. Indies.	1803.	————	S. h.	
3	australis. s.s.	(re.)	New Holland.	N. S. W.	1820.	6. 9.	G. h.	Cavan. ic. 6. t. 596. f. 1.
4	fortida. s.s.	(ri.)	strong-scented.	Mexico.	1821.	————	G. h.	
5	biflora. s.s.	(bl.)	two-flowered.	Carolina.	1765.	7.	G. h.	
6	violacea. s.s.	(bl.)	violet-flowered.	Guiana.	1822.	6. 9.	S. h.	Aub. gui. 2. t. 271.
7	salicifolia. s.s.	(ri.)	Willow-leaved.	E. Indies.	————	————	S. h.	
8	ovata. s.s.	(bl.)	oval-leaved.	Mexico.	1800.	7. 8.	S. h.	Cavan. ic. 3. t. 254.
9	pátula. s.s.	(ri.)	spreading.	E. Indies.	1771.	————	S. h.	Jacq. ic. 1. t. 119.
10	Sabiniàna. B.R.	(ri.)	Sabine's.	—————	1827.	4. 8.	S. h.	Bot. reg. t. 1238.
11	brasila. Mart.	(ri.)	Brazil.	Brazil.	1828.	8. 9.	S. h.	
12	anisophylla. H.E.F.	(bl.)	unequal-leaved.	E. Indies.	1823.	9. 4.	S. h.	Hook. ex. flor. 191.
persicifolia. Bot. reg. t. 955								
13	formosa. s.s.	(sc.)	splendid.	Brazil.	1808.	6. 9.	S. h.	Bot. mag. t. 1100.
14	macrophylla. s.s.	(re.)	large-leaved.	S. America.	1820.	————	S. h.	Vahl symb. 2. t. 30.
15	tuberosa. s.s.	(ri.)	tuberous-root'd.	Jamaica.	1752.	7. 8.	S. h.	Sloan. jam. 1. t. 95. f. 1.
16	strépens. s.s.	(pu.bl.)	whorl-flowered.	N. America.	1726.	————	G. h.	Schk. hand. 2. t. 177.
17	lacteà. s.s.	(li.)	white.	Mexico.	1796.	6. 8.	G. h.	Cavan. ic. 3. t. 255.
18	clandestina. s.s.	(bl.)	three-flowered.	Barbadoes.	1728.	7. 8.	S. h.	Dill. elth. t. 248. f. 3.
19	paniculata. s.s.	(li.)	panicked.	W. Indies.	1768.	8. 10.	S. h.	Bot. reg. t. 585.
20	obovata. H.B.	(pu.)	obovate-leaved.	E. Indies.	1820.	7. 11.	S. h.	
21	undulata. s.s.	(ri.)	wave-leaved.	—————	1817.	————	S. h.	
22	hirta. s.s.	(ri.)	hairy.	—————	————	————	S. h.	Vahl symb. 3. t. 65.
23	pubescens. P.S.	(bl.)	pubescent.	C. B. S.	1816.	5. 7.	G. h.	
24	tetragona. s.s.	(bl.)	four-sided.	Brazil.	1818.	6. 9.	S. h.	
25	longifolia. s.s.	(pu.)	long-leaved.	E. Indies.	1821.	————	S. h.	
26	cérna. H.E.	(ri.)	cernuous.	—————	————	————	S. h.	
27	semitetrandra. Jac. . .	semitetrandrous.		—————	1829.		S. h.	
BLECHUM. B.P.		BLECHUM. Didynamia Angiospermia. S.S.						
1	Bróunei. s.s.	(li.)	dense-spiked.	W. Indies.	1780.	6.	S. h.	Sloan. jam. 1. t. 100. f. 1.
2	laxiflorum. s.s.	(wh.)	loose-flowered.	—————	1822.	6. 8.	S. h.	
3	angustifolium. s.s.	(bl.)	narrow-leaved.	—————	1826.	7. 10.	S. h.	
APHELANDRA. B.P.		APHELANDRA. Didynamia Angiospermia. S.S.						
cristata. s.s.		(sc.)	dense-spiked.	W. Indies.	1733.	6. 9.	S. h.	Bot. mag. t. 1575.
Ruellia cristata. A.R. 505.		Justicia pulcherrima. L.						
CROSSANDRA. P.S.		CROSSANDRA. Didynamia Angiospermia.						
undulata. P.L.		(sc.)	wave-leaved.	E. Indies.	1800.	6. 1.	S. h.	Bot. reg. t. 6.
Ruellia infundibuliformis. A.R. 542.		Harrachia speciosa. Jacq. ecl. t. 21.						
PHAYLOPSIS. W.		PHAYLOPSIS. Didynamia Angiospermia. W.						
1	longifolia. B.M.	(wh.)	long-leaved.	Sierra Leon.	1822.	3. 5.	S. h.	Bot. mag. t. 2453.
2	imbricata.	(wh.)	imbricated.	Mauritius.	————	————	S. h.	
Æthiolum imbricata. s.s.								
3	parviflora. w.	(wh.)	small-flowered.	E. Indies.	1825.	4. 8.	S. h.	
LEPIDAGATHIS. W.		LEPIDAGATHIS. Didynamia Angiospermia. W.						
cristata. w.		(pu.)	crested.	E. Indies.	1817.	5. 8.	S. h.	
ELYTRARIA. R.S.		ELYTRARIA. Diandria Monogynia. S.S.						
1	crenata. R.S.	(wh.)	notched-leav'd.	E. Indies.	1819.	11. 2.	S. h.	Roxb. colon. 2. t. 15.
Justicia acutis. F.I.								

2	lyrata. R.S.	(wh.)	lyrate-leaved.	E. Indies.	1825.	11. 2.	S. 2.	
3	virgata. R.S.	(wh.)	twiggy.	Carolina.	1813.	7. 8.	H. 2.	Mich. amer. l. t. 1.
4	ramosa. R.S.	(bl.)	branching.	Mexico.	1825.	—	G. 2.	
5	caulescens. R.S.	(wh.)	caulescent.	Manilla.	1828.	—	G. 2.	
JUSTICIA. R.S. JUSTICIA. Diandria Monogynia. L.								
1	bicalyculata. R.S.	(li.)	Malabar.	E. Indies.	1785.	8. 10.	S. 3.	Cavan. ic. l. t. 71.
2	hispida. R.S.	(wh.)	hispid.	Sierra Leon.	1821.	4. 8.	S. 2.	
3	Echolium. R.S.	(pa.bi.)	long-spiked.	E. Indies.	1759.	3. 8.	S. 2.	Bot. mag. t. 1847.
4	ventricosa. B.M.	(sp.)	hop-flowered.	China.	1825.	4. 6.	S. 2.	— t. 2766.
5	calycotricha. s.s.	(ye.)	yellow-flower'd.	Brazil.	—	1. 3.	S. 2.	— t. 2816.
flavicom. Bot. reg. t. 1027.								
6	thyrsiflora. F.I.	(or.)	thyrses-flower'd.	E. Indies.	1812.	5. 9.	S. 2.	
7	vitellina. F.I.	(pi.ye.)	reflex-leaved.	—	1818.	—	S. 2.	
8	alba. F.I.	(wh.)	white-flowered.	—	1816.	4. 8.	S. 2.	
9	coecinea. R.S.	(sc.)	scarlet.	S. America.	1770.	12. 4.	S. 2.	Bot. mag. t. 452.
10	polysperma. F.I.	(bl.)	many-seeded.	E. Indies.	1821.	8. 10.	S. 3.	
11	echioides. R.S.	(wh.pu.)	Echium-like.	—	1812.	6. 9.	S. 3.	Rheed. mal. 9. t. 46.
12	quadrifida. R.S.	(sc.)	twiggy.	Mexico.	1795.	3. 9.	S. 2.	Sal. par. lond. t. 50.
virgularis. P.L.								
13	pamila. R.S.	(sc.)	dwarf.	S. America.	1820.	—	S. 2.	
14	nigricans. R.S.	(wh.re.)	black-striped.	China.	1819.	6. 9.	G. 2.	
15	nitida. R.S.	(wh.sp.)	glossy.	W. Indies.	1790.	3. 9.	S. 2.	Andr. reposit. t. 570.
16	bracteolata. R.S.	(pu.)	bracteolate.	Caracas.	1821.	6. 8.	S. 2.	Jacq. ic. t. 205.
17	picta. R.S.	(cr.)	painted.	E. Indies.	1790.	7. 8.	S. 2.	Rheed. mal. 6. t. 60.
a alba.		(cr.)	white-marked.	—	—	—	S. 2.	Bot. reg. t. 1227.
β larido-sanguinea. pu			purple-leaved.	—	1815.	—	S. 2.	Bot. mag. t. 1870.
18	paniculata. R.S.	(ro.)	panicled.	—	1811.	—	S. 3.	Jacq. f. ecol. t. 34.
19	salicina. R.S.	(re.)	Willow-like.	Peru.	1819.	—	S. 2.	
20	secunda. R.S.	(pu.)	side-flowering.	W. Indies.	1793.	5. 9.	S. 2.	Bot. mag. t. 2660.
21	geniculata. B.M.	(sc.)	jointed-stalked.	—	1822.	7. 10.	S. 2.	— t. 2187.
22	nodosa. B.M.	(cr.pu.)	swollen-jointed.	Brazil.	1826.	8. 10.	S. 2.	— t. 2914.
23	oblongata. L.O.	(pi.)	oblong-leaved.	Java.	—	9. 10.	S. 2.	
24	ciliaris. R.S.	(wh.)	ciliated.	Cumana.	1780.	7. 8.	S. 3.	Jacq. vind. 2. t. 104.
25	lucida. R.S.	(sc.)	shining-leaved.	W. Indies.	1795.	—	S. 2.	Bot. mag. t. 1014.
26	salviaflora. R.S.	(sc.)	Sage-flowered.	Mexico.	1823.	—	S. 2.	
27	Gandarussa. R.S.	(ri.)	Willow-leaved.	E. Indies.	1800.	6. 7.	S. 2.	Bot. reg. t. 635.
28	carthaginensis. R.S.	(sc.)	Carthaginian.	Carthage.	1792.	—	S. 2.	— t. 797.
29	pedunculosa. R.S.	(pu.)	long-peduncled.	N. America.	1759.	7. 8.	H. 2.	Bot. mag. t. 2367.
americana. w.								
30	quadrangularis. B.M.	(pu.)	square-stalked.	Mauritius.	—	1. 3.	S. 2.	Bot. mag. t. 2845.
31	procumbens. R.S.	(ro.)	procumbent.	E. Indies.	1798.	7. 8.	S. 2.	Pluk. alm. t. 56. f. 3.
32	quinguangularis. F.I.	(ro.)	five-angled.	—	1820.	—	S. 2.	
33	comata. R.S.	(li.)	Balsam-herb.	Jamaica.	1795.	—	S. 2.	Sloan. jam. 1. t. 103. f. 2.
34	eustachiana. R.S.	(pu.)	Eustachian.	St. Eustachia.	1799.	8. 9.	S. 2.	Jacq. amer. pict. t. 5.
35	Keriana. (sc.or.)		Ker's.	China.	1815.	6. 9.	S. 2.	Bot. reg. t. 309.
eustachiana. B.R. Bot. mag. t. 2076. non Jacq.								
36	nasuta. R.S.	(wh.)	white-flowering.	E. Indies.	1790.	2. 10.	S. 2.	Bot. mag. t. 325.
37	lanceolaria. F.I.	(ro.)	lance-leaved.	—	1818.	8. 12.	S. 2.	
38	speciosa. F.I.	(pu.)	beautiful.	—	1823.	1. 12.	S. 2.	Bot. mag. t. 2722.
39	Roxburghiana. R.S.	(pi.)	Roxburgh's.	—	1815.	6. 9.	S. 2.	Rumph. amb. 6. t. 22. f. 1.
tinctoria. F.I. non Lour. baphica. s.s.								
40	pectoralis. R.S.	(pu.)	Garden Balsam.	W. Indies.	1787.	5. 6.	S. 2.	Bot. reg. t. 796.
41	periplocifolia. R.S.	(pu.)	Periploca-leav'd.	S. America.	1799.	6. 8.	S. 2.	Jacq. coll. s. t. 7. f. 2.
42	furcata. R.S.	(ri.)	forked.	Peru.	1795.	4. 8.	S. 2.	Bot. mag. t. 430.
peruviana. B.M. Cavan. ic. l. t. 28.								
43	lithospermifolia. (ri.)		Gromwell-leav'd.	—	1796.	—	S. 2.	Jacq. schœn. l. t. 1.
44	caracasana. R.S.	(ri.)	Caracas.	Caracas.	1818.	—	S. 2.	Jacq. ic. 2. t. 206.
45	leucantha. R.S.	(wh.)	dirty white.	Brazil.	1824.	—	S. 2.	
46	Adhatoda. R.S.	(wh.pu.)	Malabar-nut.	Ceylon.	1699.	5. 7.	G. 2.	Bot. mag. t. 861.
47	decussata. F.I.	(li.)	cross-leaved.	E. Indies.	1824.	2. 4.	S. 2.	
48	Betonica. R.S.	(wh.)	Betony-leaved.	—	1739.	—	S. 2.	Rheed. mal. 2. t. 21.
49	ramosissima. F.I.	(wh.)	branching.	—	1812.	8. 12.	S. 2.	
50	plumbaginifolia. R.S.	(re.)	Plumbago-leav'd.	—	1819.	6. 9.	S. 2.	Jacq. f. ecl. t. 12.
51	fermosa. R.S.	(pu.)	handsome.	—	—	—	S. 2.	
52	maculata. B.C.	(pu.)	spotted-leaved.	W. Indies.	1823.	—	S. 2.	Lodd. bot. cab. t. 626.
53	divaricata. R.S.	(wh.)	divaricate.	C. B. S.	1822.	3. 6.	G. 2.	
54	pátula. R.S.	(wh.)	spreading-branch'd.	—	1824.	—	G. 2.	
55	hyssopifolia. R.S.	(st.)	Hyssop-leaved.	Canaries.	1690.	3. 8.	G. 2.	Mill. ic. 9. t. 13.
56	orchoides. R.S.	(bh.)	Broom-leaved.	C. B. S.	1774.	8	G. 2.	Vent. malm. t. 51.

57	tranquebariënsis. R.S. (bh.)	Tranquebar. E. Indies.	1818.	4. 8.	S. 4.	
58	glabra. F.I. (ro. ye.)	smooth. ———	1824.	6. 9.	S. 4.	
59	vestita. R.S. (vi.)	clothed. ———	1827.	—	S. 4.	
DICLIPTERA. J. DICLIPTERA. Diandria Monogynia. R.S.						
1	spinosa. B.C. (ye.)	spiny. Madagascar.	1827.	4. 6.	S. 4.	Lodd. bot. cab. t. 124.
2	chinënsis. R.S. (ro.)	Chinese. China.	1816.	8. 12.	S. 4.	Burm. ind. t. 4. f. 1.
3	biválvis. R.S. (ro.)	two-valved. E. Indies.	1820.		S. 4.	
4	multiflora. R.S. (vi.)	many-flowered. Quito.	1821.	6. 9.	S. 4.	Flor. peruv. 1. t. 14.
5	retusa. R.S. (pu.)	retuse. Santa Cruz.	1816.	7. 9.	S. 4.	Lodd. bot. cab. t. 72.
6	congesta. K.S. (pu.)	crowded-flowered. Mexico.	1825.	—	S. 4.	
7	resupinata. R.S. (vi.)	resupinate. N. Spain.	1805.	5. 8.	S. 4.	Cavan. ic. 3. t. 293.
	<i>Justicia sexangulàris. Cav. non L.</i>					
8	pectinata. R.S. (bl.)	pectinated. E. Indies.	1801.	7. 9.	S. 4.	Roxb. corom. 2. t. 13.
	<i>Justicia parviflora. W.</i>					
9	repens. R.S. (li.)	creeping. ———	1822.	—	S. 4.	Roxb. corom. 2. t. 152.
10	brasiliënsis. R.S. (pu.)	Brazilian. Brazil.	1824.	—	S. 4.	
11	scorpioides. R.S. (pu.)	Scorpion-grass-ld. Vera Cruz.		—	S. 4.	Reliqu. Houst. t. 1.
12	sexangulàris. R.S. (re.)	chickweed-ld. S. America.	1733.	7.	S. 4.	Pluk. alm. t. 279. f. 1.
13	assurgens. R.S. (sc.)	assurgent. W. Indies.	1827.	—	S. 4.	
NELSONIA. B.P. NELSONIA. Diandria Monogynia.						
	lamiifolia. F.I. (pu.)	Lamium-leaved. E. Indies.	1824.	6. 8.	S. 4.	
HYPOESTES. R.S. HYPOESTES. Diandria Monogynia. R.S.						
1	purpurea. R.S. (pu.)	purple-flower'd. China.	1822.	6. 8.	S. 4.	
	<i>Justicia purpurea. L.</i>					
2	verticillàris. R.S. (bh.)	whorl-flowered. C. B. S.	1823.	4. 6.	G. 4.	
3	sérpens. R.S. (li.)	creeping-stalked. Mauritius.	1823.	6. 8.	S. 4.	
4	involuta. R.S. (wh.)	involved. E. Indies.	1811.	7. 8.	S. 4.	
ERANTHEMUM. R.S. ERANTHEMUM. Diandria Monogynia. R.S.						
1	variabile. B.P. (pu.)	variable. N. S. W.	1820.	6. 9.	G. 4.	
2	montanum. F.I. (bl.)	mountain. E. Indies.	1825.	7. 2.	S. 4.	
3	pulchellum. F.I. (bl.)	nervose. ———	1796.	1. 10.	S. 4.	Andr. reposit. t. 88.
	<i>Justicia nervosa. B.M. 1358.</i>					
4	racemosum. F.I. (bh.)	racemed. ———	1826.	7. 2.	S. 4.	
5	barlerioides. F.I. (pu. bl.)	Barleria-like. ———	1824.	—	S. 4.	
6	strictum. F.I. (bl.)	upright. ———	1822.	—	S. 4.	Bot. reg. t. 867.
7	crenulatum. B.R. (li.)	crenulate. ———	1824.	10. 2.	S. 4.	— t. 879.
8	bicolor. S.S. (wh. pu.)	two-coloured. Philippines.	1802.	5. 8.	S. 4.	Bot. mag. t. 1423.
	<i>Justicia bicolor. B.M.</i>					
9	spinosum. R.S. (wh.)	thorny. W. Indies.	1733.	7. 8.	S. 4.	Jacq. amer. 2. t. 2. f. 1.
10	acanthophorum. R.S. (li.)	spiny. China.	1822.	—	S. 4.	
11	ambiguum. R.S.	bunch-leaved.	1823.		S. 4.	
	<i>parviflorum. L. enum. nec aliorum.</i>					

ORDO CLVIII.

OROBANCHEÆ. Ventenat.

LATHRÆA. S.S. TOOTHWORT. Didynamia Angiospermia. L.						
	squamaria. S.S. (pu.)	scaly. Britain.		4.	H. 4.	Eng. bot. v. 1. t. 50.
OROBANCHE. S.S. BROOM-RAPE. Didynamia Angiospermia. L.						
1	major. E.B. (br. pu.)	greater. Britain.		6. 7.	H. 4.	Eng. bot. v. 6. t. 421.
2	elätior. E.B. (br.)	taller. ———		7. 8.	H. 4.	— v. 8. t. 508.
3	minor. E.B. (pu. pu.)	smaller. ———		—	H. 4.	— v. 6. t. 422.
4	rùbra. E.B. (pu. re.)	red. Ireland.		8.	H. 4.	— v. 25. t. 17.
5	cœrulea. E.B. (bl.)	blue. Britain.		7.	H. 4.	— v. 6. t. 423.
6	ramosa. E.B. (pu. bl.)	branching. ———		8. 9.	H. 4.	— v. 3. t. 184.

ORDO CLIX.

LENTIBULARIÆ. Brown prodr. 1. p. 429.

PINGUICULA. L. BUTTERWORT. Diandria Monogynia. L.						
1	vulgàris. S.S. (vi.)	common. Britain.		5.	H. w. 4.	Eng. bot. v. 1. t. 74.
2	alpina. S.S. (wh. st.)	Alpine. Europe.	1794.	4.	H. w. 4.	Flor. dan. t. 453.

3 grandiflora. s.s.	(bl.) great-flowered.	Ireland.		5. 6.	H. & M.	Eng. bot. v. 31. t. 2184.
4 lusitânica. s.s.	(fl.) pale.	Britain.		6. 7.	H. & M.	— v. 3. t. 115.
5 lutea. B.R.	(ye.) yellow.	Carolina.	1816.	—	H. & M.	Bot. reg. t. 126.
6 edéntula. H.E.F.	(ye.) toothless.	N. America.	1821.	4. 5.	H. & M.	Hook. ex. flor. t. 16.
UTRICULARIA. L. HOODED MILFOIL. Diandria Monogynia. L.						
1 vulgaris. E.B.	(ye.) common.	Britain.		7.	H. & M.	Eng. bot. v. 4. t. 253.
2 intermédia. E.B.	(ye.) intermediate.	Ireland.		—	H. & M.	— v. 35. t. 2180.
3 minor. E.B.	(st.) lesser.	Britain.		—	H. & M.	— v. 4. t. 254.

ORDO CLX.

PRIMULACEÆ. *Brown prodr. p. 427.*

CYCLAMEN. L.	CYCLAMEN.	Pentandria Monogynia. L.				
1 cœum. R.S.	(re.) green, round-ld.	S. Europe.	1596.	1. 4.	H. & M.	Bot. mag. t. 4.
2 vèrnum. B.F.G.	(re.) spring.	—	1814.	2. 5.	H. & M.	Swt. br. fl. gar. t. 9.
3 europæum. R.S.	(li.) round-leaved.	Europe.	1596.	7. 8.	H. & M.	— t. 176.
4 persicum. R.S.	(wh.) Persian.	Cyprus.	1731.	2. 4.	G. & M.	Bot. mag. t. 44.
α inodorum.	(wh. pu.) scentless.	—	—	—	G. & M.	—
β odoratum.	(wh. pu.) sweet-scented.	—	—	—	G. & M.	—
γ albidum.	(wh.) pure white.	—	—	—	G. & M.	—
δ laciniatum. E.R.	(wh. pu.) jagged.	—	—	—	G. & M.	Bot. reg. t. 1095.
5 hederæfolium. E.B.	(li.) Ivy-leaved.	Britain.		6. 8.	H. & M.	Eng. bot. v. 8. t. 548.
α purpurascens.	(li.) purplish-flower'd.	—		—	H. & M.	—
β albidum.	(wh.) white-flowered.	—		—	H. & M.	—
6 neapolitanum. T.N.	(re.) Neapolitan.	Naples.	1826.	—	H. & M.	Clus. hist. 1. p. 265. ic.
7 repandum. F.G.	(re.) angular-leaved.	Greece.		3. 4.	F. & M.	Swt. br. fl. gar. t. 117.
8 latifolium. F.G.	(li.) broad-leaved.	—	1823.	4. 5.	F. & M.	Flor. græc. t. 185.
DODECATHEON. L.	AMERICAN COWSLIP.	Pentandria Monogynia. L.				
Meadia. R.S.	(li.) Mead's.	Virginia.	1744.	4. 6.	H. & M.	Bot. mag. t. 12.
β albidum.	(wh.) white-flowered.	—	1820.	—	H. & M.	—
SOLDANE'LLA. R.S.	SOLDANE'LLA.	Pentandria Monogynia. L.				
1 montana. R.S.	(bl.) mountain.	Bohemia.	1816.	4.	H. & M.	Swt. br. fl. gar. t. 11.
2 alpina. R.S.	(bl.) Alpine.	Switzerland.	1656.	—	H. & M.	Bot. mag. t. 49.
3 pusilla. B.F.G.	(vi.) lesser.	S. Europe.	1821.	—	H. & M.	Swt. br. fl. gar. s. 2. t. 48.
4 minima. R.S.	(bl.) least.	Carp. mount.	1820.	—	H. & M.	— s. 2. t. 53.
CORTUSA. L.	BEARS-EAR SANICLE.	Pentandria Monogynia. L.				
Mathioli. R.S.	(li.) short calyxed.	Austria.	1596.	4. 6.	H. & M.	Bot. mag. t. 987.
PRIMULA. L.	PRIMROSE.	Pentandria Monogynia. L.				
1 prænitens. B.R.	(pi.) glossy.	China.	1820.	1. 12.	F. & M.	Bot. reg. t. 539.
sinensis. Lind. col. non Lour.	—	—	—	—	F. & M.	Bot. mag. t. 2564.
α rosea.	(ro.) rose-coloured.	—	—	—	F. & M.	Swt. br. fl. gar. t. 196.
β albidum. B.F.G.	(wh.) white-flowered.	—	—	—	F. & M.	Lindl. coll. bot. t. 7.
γ dentiflora.	(ro.) jagged-flowered.	—	—	—	F. & M.	Bot. mag. t. 399.
2 cortusoides. R.S.	(re.) Cortusa-leaved.	Siberia.	1794.	5. 7.	H. & M.	Andr. reposit. t. 451.
3 dentiflora. A.R.	(re.) tooth-flowered.	—		—	H. & M.	Ten. fl. neap. 1. t. 13.
4 suavæolens. R.S.	(ye.) sweet-scented.	Naples.	1826.	—	H. & M.	—
Columnæ. T.N.	—	—	—	—	—	—
5 inflata. R.S.	(ye.) bellied-calyxed.	Hungary.	1824.	—	H. & M.	Swt. br. fl. gar. s. 2.
6 brevistyla. R.S.	(st.) short-styled.	France.		—	H. & M.	—
β versicolor.	(va.) various-coloured.	—		—	H. & M.	—
7 vèris. R.S.	(ye.) Cowslip.	Britain.		5. 6.	H. & M.	Eng. bot. v. 1. t. 5.
β rubra.	(re.) red cowslip.	—		—	H. & M.	—
8 acaulis. R.S.	(st.) common.	Britain.		3. 5.	H. & M.	Eng. bot. v. 1. t. 4.
vulgaris. E.B.	—	—	—	—	—	—
β albo-plena.	(wh.) double white.			—	H. & M.	—
γ sulphureo-plena.	(st.) double-sulphur.			—	H. & M.	—
δ cupreo-plena.	(co.) double-copper.			—	H. & M.	—
ε salmonæo-plena.	(pa.) dou' le-salmon.			—	H. & M.	Bot. mag. t. 229.
ζ lilacino-plena.	(li.) double-lilac.			—	H. & M.	—
η rubro-plena.	(re.) double Scotch.			—	H. & M.	—
θ purpureo-plena.	(d. pu.) double dark purple.			—	H. & M.	—

9	elàtior. R.S.	(st.) Oxlip.	Britain.		3. 5.	H. 4.	Eng. bot. v. 8. t. 513.
	β polyántha.	(va.) Polyanthus.			—	H. 4.	
	γ Fletchèri.	(re.ye.) Fletcher's defiance.			—	H. 4.	Swt. flor. guid. t. 49.
	δ Burnardiàna.	(re.ye.) Burnard's Formosa			—	H. 4.	— t. 97.
	ε Shadiàna.	(pu.ye.) Shad's telegraph.....			—	H. 4.	— t. 125.
	ζ calycántha.	(va.) coloured-calyxed.....			—	H. 4.	
10	Perreiniàna. R.S.	(pu.) Perrein's.	Spain.	...	—	H. 4.	Flugg. an. mus. 12. t. 65.
	Fluggeàna.	Lehm. mon. prim. p. 36. t. 2.					
11	Pallàsii. R.S.	(st.) Pallas's.	Altay.	1820.	—	H. 4.	Bot. reg. t. 896.
12	Aurícula. R.S.	(va.) Auricula.	Switzerland.	1596.	4. 5.	H. 4.	Jacq. aust. 5. t. 415.
	β lùtea.	(ye.) yellow-flowered.	—	—	—	H. 4.	
	γ calycántha.	(ye.) yellow-calyxed.	—		—	H. 4.	
	δ integrèrrima.	(va.) entire-leaved.	—		—	H. 4.	Trattin. tabul. t. 431.
	ε horténsis.	(va.) garden.			—	H. 4.	— t. 432.
	ζ venústa.	(pu.) Howe's Venus.			—	H. 4.	Swt. flor. guid. t. 51.
	η Redmàni.	(bl.) Redman's metropolitan.	..		—	H. 4.	— t. 60.
	θ melanoc'yc'la.	(bk.wh.) Wild's black and clear....			—	H. 4.	— t. 63.
	ι albifolia.	(pu.st.) Taylor's glory.			—	H. 4.	— t. 3.
	κ Hedgeàna.	(pu.st.) Hedge's Britannia.			—	H. 4.	— t. 22.
	λ dilècta.	(pu.wh.) Wood's delight.			—	H. 4.	— t. 131.
	μ Warrisiàna.	(re.gr.) Warris's union.			—	H. 4.	— t. 131.
	ν Moreàna.	(pu.gr.) More's Navarino.....			—	H. 4.	— t. 58.
	ο Quiragiàna.	(pu.gr.) Burnard's Gen. Quiraga.			—	H. 4.	— t. 120.
	π Hilliàna.	(pu.gr.) Page's Lord Hill.			—	H. 4.	— t. 118.
	ρ violàcea.	(vi.gr.) Moore's Violet.			—	H. 4.	— t. 105.
	σ Oldenbùrghii.	(re.gr.) Page's Dutchess of Oldenburgh			—	H. 4.	— t. 2.
	τ Alexándri.	(re.gr.) Stretch's Alexander.			—	H. 4.	— t. 10.
	υ undulàta.	(re.gr.) Page's champion.			—	H. 4.	— t. 15.
	φ Grìmesii.	(re.gr.) Grimes's privateer.			—	H. 4.	— t. 29.
	χ Lauricàna.	(re.gr.) Laurie's Hertfordshire hero.			—	H. 4.	— t. 94.
	ψ indepéndens.	(bk.gr.) Booth's freedom.			—	H. 4.	— t. 91.
	ω obscùra.	(pu.gr.) Cockup's Eclipse.....			—	H. 4.	— t. 45.
	αα Pollitiàna.	(re.gr.) Pollit's highland boy.			—	H. 4.	— t. 52.
	ββ Smíthii.	(re.gr.) Smith's Waterloo.			—	H. 4.	— t. 76.
	γγ gloriòsa.	(re.gr.) Laurie's glory of Cheshunt.			—	H. 4.	— t. 79.
13	Palinùri. R.S.	(ye.) unequal-bracted.	Naples.	1816.	—	H. 4.	Swt. br. fl. gar. t. 5.
14	Balbísii. R.S.	(ye.) Balbis's.	Italy.	1826.	—	H. 4.	Moret. fl. vicent. p. 7.
15	marginàta. B.M.	(ro.) silver-edged.	Switzerland.	1777.	3. 4.	H. 4.	Bot. mag. t. 191.
	crenàta. R.S.						
16	longiflòra. R.S.	(li.) long-flowered.	—	1818.	4. 6.	H. 4.	Jacq. aust. 5. t. 46.
17	longifolia. B.M.	(li.) long-leaved.	Levant.	1790.	4. 5.	H. 4.	Bot. mag. t. 392.
	auriculàta. R.S.						
18	farinòsa. R.S.	(re.) Bird's-eye.	Britain.		4. 7.	H. 4.	Eng. bot. v. 1. t. 6.
19	scótica. S.S.	(pu.) Scotch bird's-eye.	Scotland.		7.	H. 4.	Hook. fl. lond. t. 133.
20	stricta. R.S.	(li.) Horneman's.	N. Europe.	1822.	6. 7.	H. 4.	Flor. dan. t. 1385.
	Hornemanniàna. S.S.						
21	davùrica. R.S.	(ro.) Siberian bird's-eye.	Davuria.	1806.	5. 6.	H. 4.	Bot. mag. t. 1219.
	intermèdia. B.M.						
22	pusilla. S.S.	(li.) American bird's-eye.	N. America.	1819.	—	H. 4.	Hook. ex. flor. t. 68.
23	altàica. R.S.	(li.) pale-flowered.	Altay.	1826.	3. 5.	H. 4.	Lehm. prim. t. 5.
24	finnàrchica. R.S.	(vi.) Norwegian.	Norway.	1798.	—	H. 4.	Flor. dan. t. 188.
25	nivàlis. R.S.	(pu.) snowy mountain.	Davuria.	1790.	4. 5.	H. 4.	Pall. it. 3. app. t. 9. f. 2.
26	viscòsa. R.S.	(pu.) clammy.	Piedmont.	1792.	4.	H. 4.	Trattin. tabul. t. 434.
27	glutinosa. R.S.	(vi.) glutinous.	S. Europe.	1820.	3. 6.	H. 4.	Jacq. aust. t. 26.
28	carniòlica. R.S.	(vi.) elliptic-leaved.	Carniola.	1826.	—	H. 4.	— 5. t. 4.
29	glaucescens. S.S.	(pu.) glaucescent.	Switzerland.	—	—	H. 4.	Swt. br. fl. gar. t. 244.
30	integrifolia. R.S.	(pu.) entire-leaved.	Pyrenees.	—	6. 7.	H. 4.	Bot. mag. t. 942.
31	Simsii.	(st.) Sims's.	Switzerland.		4. 6.	H. 4.	— t. 1161.
	villòsa & fiòre álbo. B.M.						
32	nívea. F.	(wh.) snowy white.	Siberia.		—	H. 4.	
	nivàlis. Hort. nec aliorum.						
33	helvética. B.C.	(pu.) Swiss.	Switzerland.	1790.	—	H. 4.	Lodd. bot. cab. t. 348.
34	pubescens. R.S.	(pu.) pubescent.	Pyrenees.	1768.	—	H. 4.	Trattin. tabul. t. 427.
	villòsa. B.M. 14. non Jacq.						
35	villòsa. R.S.	(pu.) villous.	S. Europe.	—	—	H. 4.	Jacq. aust. 5. t. 27.
36	ciliàta. R.S.	(pu.) ciliated.	Switzerland.		—	H. 4.	Swt. br. fl. gar. s. 2.
	decòra. Bot. mag. t. 1922.						
37	minima. R.S.	(pu.) smallest.	—	1819.	4. 5.	H. 4.	Bot. reg. t. 581.

38 involuérata. L.O. (ye.) involucred.	Egypt.	1826.	3. 4.	F. 2.	Bot. mag. t. 2842.
verticillata. B.M. non Vahl. nec Forsk.					
ANDROSACE. L.	ANDROSACE.	Pentandria Monogynia. L.			
1 máxima. R.S. (wh.) oval-leaved.	Austria.	1597.	3. 6.	H. ☉.	Jacq. aust. 4. t. 331.
2 elongata. R.S. (wh.) cluster-flowered.	—	1776.	4. 5.	H. ☉.	— 4. t. 330.
3 nana. R.S. (wh.) dwarf.	S. Europe.	1825.	—	H. ☉.	
4 septentrionalis. R.S. (wh.) tooth-leaved.	Russia.	1755.	—	H. ☉.	Bot. mag. t. 2021.
5 alismoides. H.H. (wh.) Alisma-like.	Siberia.	1827.	—	H. ☉.	
6 corenepifolia. A.R. (wh.) Buckshorn-ld.	—	1806.	6. 9.	H. ♂.	Andr. reposit. t. 647.
lactiflora. R.S.					
7 filiformis. R.S. (wh.) filiform.	—	1823.	—	H. ☉.	Gmel. sib. 4. t. 44. f. 4.
8 villosa. R.S. (bh.) villous.	Pyrenees.	1790.	6. 7.	H. 2.	Bot. mag. t. 743.
9 chamaejasme. R.S. (bh.) grass-leaved.	Austria.	1768.	6. 8.	H. 2.	Lodd. bot. cab. t. 232.
10 brevifolia. R.S. (wh.) short-leaved.	Siberia.	1827.	—	H. ♂.	Vill. delph. 2. t. 15.
11 macrocarpa. Led. (wh.) large-capsuled.	—	—	—	H. ☉.	
12 lactea. R.S. (wh.) white-flowered.	—	1752.	—	H. 2.	Bot. mag. t. 868.
13 carnea. R.S. (ro.) awl-leaved.	Switzerland.	1768.	7. 8.	H. 2.	Lodd. bot. cab. t. 40.
14 obtusifolia. R.S. (bh.) blunt-leaved.	—	1820.	—	H. 2.	All. ped. 1. t. 46. f. 1.
15 albana. R.S. (bh.) capitate.	Caucasus.	1827.	—	H. 2.	Linn. trans. 11. t. 33.
16 acaulis. Ot. (wh.) stalkless.	Siberia.	1825.	—	H. ♂.	
AR'ETIA. W.	AR'ETIA.	Pentandria Monogynia. L.			
1 helvetica. w. (st.) imbricated.	Switzerland.	1775.	5. 6.	H. 2.	Schk. hand. 1. t. 32.
2 argentea. (st.) silvery.	—	1826.	—	H. 2.	Lap. pyr. ic. ined. t. 67.
Androsace argentea. R.S.					
3 alpina. w. (pi.) linear-leaved.	—	1775.	—	H. 2.	Jacq. aust. 5. app. t. 18.
4 pubescens. L.C. (pi.) pubescent.	—	1820.	—	H. 2.	Lodd. bot. cab. t. 1273.
5 Vitaliana. w. (ye.) grass-leaved.	Pyrenees.	1787.	—	H. 2.	— t. 166.
Primula sedifolia. P.L. 107. Androsace Vitaliana. R.S.					
TRIENTALIS. W.	WINTER-GREEN.	Heptandria Monogynia. L.			
1 europæa. w. (wh.) oval-leaved.	Britain.		5. 6.	H. 2.	Eng. bot. v. 1. t. 15.
2 americana. Ph. (wh.) spear-leaved.	N. America.	1816.	7. 8.	H. 2.	Bart. flor. amer. 2. t. 48.
CORIS. L.	CORIS.	Pentandria Monogynia. L.			
monspeliensis. L. (vi.) Montpellier.	S. Europe.	1640.	6. 7.	G. ♂.	Bot. reg. t. 536.
HOTTONIA. L.	WATER-VIOLET.	Pentandria Monogynia. L.			
palustris. E.B. (pi.) marsh.	England.		7. 8.	H. w. 2.	Eng. bot. v. 6. t. 364.
LYSIMACHIA. L.	LOOSE-STRIFE.	Pentandria Monogynia. L.			
1 vulgaris. R.S. (ye.) common.	Britain.		7. 9.	H. 2.	Eng. bot. v. 11. t. 761.
2 Ephemerum. R.S. (wh.) Willow-leaved.	Spain.	1730.	—	H. 2.	Bot. mag. t. 2346.
3 atropurpurea. R.S. (d. pu.) dark purple.	Levant.		—	H. ☉.	Flor. græc. t. 187.
4 dubia. R.S. (li.) pale purple.	—	1759.	—	H. ♂.	— t. 188.
5 stricta. R.S. (ye.) upright.	N. America.	1781.	7. 8.	H. 2.	Bot. mag. t. 104.
bulbifera. B.M. racemosa. M.					
6 capitata. R.S. (ye.) headed.	—	1813.	5. 7.	H. 2.	
7 thyrsiflora. R.S. (ye.) tufted.	England.		—	H. 2.	Eng. bot. v. 3. t. 176.
8 quadrifolia. R.S. (ye.) four-leaved.	N. America.	1798.	7. 8.	H. 2.	Lam. ill. 1. t. 101. f. 2.
hirsuta. M.					
9 longifolia. R.S. (ye.) long-leaved.	—	—	—	H. 2.	Bot. mag. t. 660.
quadriflora. B.M.					
10 lanceolata. R.S. (ye.) spear-leaved.	—	1826.	—	H. 2.	
11 verticillata. R.S. (ye.) whorl-leaved.	Hungary.	1818.	6. 8.	H. 2.	Swt. br. fl. gar. t. 21.
12 ciliata. R.S. (ye.) ciliated.	N. America.	1732.	—	H. 2.	Wachend. hort. t. 12.
13 punctata. R.S. (ye.) punctated.	S. Europe.	1658.	7. 8.	H. 2.	Jacq. aust. 4. t. 366.
14 angustifolia. R.S. (ye.) narrow-leaved.	N. America.	1803.	7. 9.	H. 2.	
15 hybrida. R.S. (ye.) hybrid.	—	1806.	—	H. 2.	
16 nemorum. R.S. (ye.) wood.	Britain.		5. 7.	H. 2.	Eng. bot. v. 8. t. 527.
17 anagalloides. F.G. (ye.) Pimpernell-fl'd.	Crete.	1789.	—	F. 2.	Flor. græc. t. 198.
18 maculata. B.P. (ye.) spotted.	N. S. W.	1822.	—	G. 2.	
19 Nummularia. R.S. (ye.) Moneywort.	Britain.		6. 7.	H. 2.	Eng. bot. v. 8. t. 528.
LUBINIA. S.S.	LUBINIA.	Pentandria Monogynia. S.S.			
atropurpurea. S.S. (pu.) dark-purple.	C. B. S.	1823.	7. 9.	H. 2.	Swt. br. fl. gar. s. 2. t. 34.
ASTEROLINON. Lk.	ASTEROLINON.	Pentandria Monogynia. L.en.			
stellatum. L.en. (bh.) starry.	Italy.	1658.	6.	H. ☉.	Flor. græc. t. 189.
Lysimachia Linum-stellatum. F.G.					
ANAGALLIS. L.	PIMPERNELL.	Pentandria Monogynia. L.			
1 arvensis. E.B. (sc.) red-flowered.	Britain.		6. 9.	H. ☉.	Eng. bot. v. 8. t. 529.
phanicea. R.S.					
2 carnea. Schl. (fl.) flesh-coloured.	Switzerland.	—	—	H. ☉.	
3 indica. B.F.G. (bl.) Indian.	E. Indies.	1824.	—	H. ☉.	Swt. br. fl. gar. t. 132.
4 cœrulea. R.S. (bl.) blue-flowered.	Britain.		—	H. ☉.	Eng. bot. v. 26. t. 1823.

5	collina. R.S.	(sc.) large-flowered.	Morocco.	1803.	5. 7.	G. ♂.	Bot. mag. t. 831.
	fruticosa. B.M.	grandiflora. A.R.	367.				
6	latifolia. R.S.	(bl.) broad-leaved.	Spain.	1759.	—	G. ♂.	Bot. mag. t. 2389.
7	Monelli. R.S.	(bl.) blue Italian.	Italy.	1648.	5. 9.	G. ♀.	— t. 319.
8	linifolia. R.S.	(bl.) Flax-leaved.	Portugal.	1796.	6. 7.	G. ♀.	Moris. s. 5. t. 26. f. 3.
9	tenella. R.S.	(ro.) bog.	Britain.		7. 8.	H. ♀.	Eng. bot. v. 8. t. 530.
CENTUNCULUS. L. BASTARD PIMPERNELL. Tetrandria Monogynia. L.							
	minimus. E.B.	(fl.) least.	Britain.		6. 7.	H. ⊙.	Eng. bot. v. 8. t. 531.
? SAMOLUS. B.P. BROOK-WEED. Pentandria Monogynia. L.							
1	Valerandi. E.B.	(wh.) common.	Britain.		6. 8.	H. ♀.	Eng. bot. v. 10. t. 73.
2	littoralis. B.P.	(wh.) sea-side.	N. S. W.	1806.	7. 9.	G. ♀.	Lab. n. holl. 1. t. 51.
3	campanuloides. S.S.	(w.) Campanula like.	C. B. S.	1816.	—	G. ♀.	
	Campanula porosa. W.						

ORDO CLXI.

LOBULARIÆ. *Lam. et DC. fl. fr. ed. 3. v. 3. p. 427.*

GLOBULARIA. L. GLOBULARIA. Tetrandria Monogynia. L.							
1	longifolia. W.	(bl.) Willow-leaved.	Madeira.	1775.	7. 8.	G. ♀.	Bot. reg. t. 685.
	salicina. R.S.						
2	Alypum. R.S.	(pa.bl.) three-toothed.	S. Europe.	1640.	8. 9.	G. ♀.	Garid. aix. t. 42.
	β integrifolia. (pa.bl.)	entire-leaved.	—		—	G. ♀.	Rœm. et Ust. b. m. 7. t. 5.
3	linifolia. R.S.	(bl.) Flax-leaved.	Spain.	1818.	5. 6.	H. ♀.	
4	vulgaris. R.S.	(tl.) common.	Europe.	1640.	—	H. ♀.	Swt. br. fl. gar. t. 29.
5	spinosa. R.S.	(tl.) prickly-leaved.	Spain.	—	—	F. ♀.	
6	cordifolia. R.S.	(bl.) wedge-leaved.	Germany.	1633.	6. 7.	H. ♀.	Swt. br. fl. gar. t. 34.
7	nana. R.S.	(li.) dwarf.	S. France.	1818.	—	H. ♀.	DC. ic. pl. gal. rar. 1 t. 3.
8	nudicaulis. R.S.	(bl.) naked-stalked.	Germany.	1629.	—	H. ♀.	Jacq. aust. 3. t. 230.
9	bellidifolia. R.S.	(bl.) Daisy-leaved.	Italy.	1824.	—	H. ♀.	
10	incanescens. R.S.	(pu.) hoary.	—	1828.	—	H. ♀.	Viv. frag. it. 1. t. 3.

**** SUBCLASSIS IV. MONOCHILAMYDEÆ.

ORDO CLXII.

PLUMBAGINEÆ. *Brown prodr. 1. p. 425.*

STATICE. T. THRIFT. Pentandria Pentagynia. L.							
1	vulgaris.	(pa. li.) common.	Europe.		6. 8.	H. ♀.	Schk. handb. t. 87.
	Armèria vulgaris. R.S.						
2	arenaria. P.S.	(li.) sand.	France.		5. 8.	H. ♀.	
3	alpina.	(ri.) flattish-stalked.	Carinthia.		—	H. ♀.	
4	littoralis.	(ri.) ciliate-leaved.	Portugal.		—	H. ♀.	
	Armèria littoralis. R.S.						
5	maritima. Mill.	(ro.) sea-side.	Britain.		5. 7.	H. ♀.	Eng. bot. v. 4. t. 226.
	Armèria. E.B. Armèria	maritima. R.S.					
6	humilis. P.S.	(li.) dwarf.	Portugal.		—	H. ♀.	
7	juniperifolia. W.	(li.) Juniper-leaved.	Spain.	1818.	—	H. ♀.	Quer. hisp. 6. t. 15. fl.
8	pinitolia. Brot.	(li.) Pine-leaved.	Portugal.		—	H. ♀.	
9	pungens. Brot.	(li.) pungent-leav'd.	—		—	H. ♀.	
10	alliacea. W.	(wh.) Garlic-leaved.	Spain.	1798.	5. 6.	H. ♀.	Flor. græc. t. 29.
11	scorzonerifolia.	(li.) spear-leaved.	S. Europe.	1816.	—	H. ♀.	
	Armèria scorzonerifolia. S.S.						

12	lusitânica. P.S.	(sc.) large-leaved.	S. Europe.	1814.	5. 6.	F. 4.	
13	latifolia.	(li.) broad-leaved.	Portugal.	1740.	5. 7.	H. 4.	Jacq. vind. 1. t. 42.
	<i>cephalotes</i> . H.K. <i>Armèria latifolia</i> . R.S.						
14	plantagínea.	(li.) Plantain-leav'd.	S. Europe.	1816.	5. 6.	H. 4.	
15	denticulàta. Brot.	(fl.) tooth-leaved.	Italy.	—	—	H. 4.	
16	dianthoides. B.F.G.	(li.) Pink-like.	S. Europe.	1821.	5. 7.	H. 4.	Swt. br. fl. gar. ser. 2.
	<i>Armèria dianthoides</i> . s.s.						
17	hirta.	(li.) hairy.	Gibraltar.	1818.	—	H. 4.	
	<i>Armèria hirta</i> . R.S.						
18	fasciculàta. P.S.	(li.) bundle-leaved.	Portugal.		4. 8.	H. 4.	Venten. cels. t. 38.
	TAXANTHEMA. B.P. SEA LAVENDER. Pentandria Pentagynia.						
1	graminifolia. R.S.	(sc.) Grass-leaved.	Siberia.	1780.	6. 7.	H. 4.	
2	Limonium. R.S.	(bl.) common.	England.		5. 8.	H. 4.	Eng. bot. v. 2. t. 102.
	<i>Statice Limonium</i> . E.B.						
3	clàta. s.s.	(bl.) tall.	Siberia.	1821.	—	H. 4.	
4	Gmelini. R.S.	(bl.) Gmelin's.	—	1796.	6. 8.	H. 4.	Gmel. sib. 2. t. 90.
5	caroliniàna. R.S.	(bl.) Carolina.	N. America.	1824.	—	H. 4.	
6	scopària. R.S.	(bl.) Broom.	Siberia.	1796.	—	H. 4.	
7	latifolia. R.S.	(bl.) broad-leaved.	—	1791.	5. 7.	H. 4.	Hoff. c. gott. 1796. t. 1.
8	purpuràta. R.S.	(pu.) purple.	C. B. S.	1800.	6. 7.	G. 4.	
9	bellidifolia. R.S.	(bl.) Daisy-leaved.	Greece.	1823.	—	G. 4.	Flor. græc. t. 295.
10	globulariæfolia. R.S.	(li.) Globularia-leav'd.	S. Europe.	—	—	F. 4.	— t. 296.
11	oleæfolia. R.S.	(vi.) Olive-leaved.	Italy.	1688.	5. 8.	H. 4.	Lobel. ic. p. 295. f. 2.
12	Willdenowiàna. R.S.	(vi.) Willdenow's.	S. France.	1804.	6. 8.	H. 4.	Willd. h. ber. t. 63.
	<i>Statice spathulata</i> . w. non Desf.						
13	auriculæfolia. R.S.	(bl.) Auricula-leav'd.	Barbary.	1781.	7. 8.	F. 4.	
14	incàna. B.F.G.	(re.) hoary.	Levant.	1823.	—	H. 4.	Swt. br. fl. gar. t. 272.
	<i>a sanguinea</i> .	(cr.) crimson-flowered.	—	—	—	H. 4.	— t. 272. f. 1.
	<i>β rosea</i> .	(ro.) rose-coloured.	—	—	—	H. 4.	— t. 272. f. 2.
	<i>γ alba</i> .	(wh.) white-flowered.	—	—	—	H. 4.	
15	spathulàta. R.S.	(bl.) spatula-leaved.	Barbary.	1804.	6. 8.	F. 4.	Bot. mag. t. 1617.
16	cordàta. R.S.	(bl.) retuse-leaved.	S. Europe.	1752.	5. 7.	F. 4.	Barrel. ic. 805.
17	emarginàta. R.S.	(bl.) emarginate.	Gibraltar.		—	F. 4.	
18	càspia. R.S.	(pa. bl.) Caspian.	Siberia.		7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 2.
19	scàbra. R.S.	(bl.) rough-branch'd.	C. B. S.	1788.	5. 7.	G. 4.	
20	tetragòna. R.S.	(bl.) square-stalked.	—	1816.	—	G. 4.	
21	reticulàta. R.S.	(bl.) matted.	England.		7. 8.	H. 4.	Eng. bot. v. 5. t. 328.
	<i>Statice reticulata</i> . E.B.						
22	dichótoma. R.S.	(bl.) forked.	Spain.	1818.	—	H. 4.	Cavan. ic. 1. t. 50.
23	virgàta. R.S.	(bl.) twiggy.	—		—	H. 4.	
24	vimínea. R.S.	(bl.) slender.		1823.	—	H. 4.	
25	echioides. F.G.	(li.) rough-leaved.	S. Europe.	1752.	—	F. 4.	Flor. græc. t. 299.
26	ròrida. F.G.	(pa. bl.) frosted.	Levant.	—	—	F. 4.	— t. 298.
	<i>echioides</i> . Prodr. fl. græc. non L.						
27	palmàris. F.G.	(ro.) rosy-coloured.	—	1826.	—	F. 4.	Flor. græc. t. 297.
28	speciòsa. B.F.G.	(re.) Plantain-leaved.	Russia.	1776.	—	H. 4.	Swt. br. fl. gar. t. 105.
	<i>Statice speciòsa</i> . Bot. mag. 656.						
29	conspícua. R.S.	(re.) conspicuous.	—	1804.	—	H. 4.	Bot. mag. t. 1629.
	<i>Statice conspícua</i> . B.M.						
30	tatàrica. B.F.G.	(re.) Tartarian.	—	1731.	6. 7.	H. 4.	Swt. br. fl. gar. t. 37.
31	aceròsa. M.E.	(re.) needle-leaved.	M. Ararat.	1829.	—	F. 4.	Buxb. cent. 2. p. 18. t. 10.
32	flexuòsa. R.S.	(ro.) zigzag.	Siberia.	1791.	7. 8.	H. 4.	Gmel. sib. 2. t. 89. f. 1?
33	minùta. R.S.	(li.) small.	S. Europe.	1658.	6. 7.	H. 4.	Bocc. sic. t. 13. f. 3.
34	pectinàta. R.S.	(bl.) triangular-stalk'd.	Canaries.	1780.	9. 10.	F. 4.	
35	cinèrea. R.S.	(wh.) ash-coloured.	C. B. S.	1822.	—	G. 4.	
36	macrophy'lla. s.s.	(bl. w.) large-leaved.	Canaries.	1816.	7. 9.	F. 4.	Gmel. sib. 2. t. 88. f. 2. 3.
37	suffruticòsa. R.S.	(li.) narrow-leaved.	Siberia.	1779.	5. 9.	H. 4.	Bocc. sic. t. 16. 17.
38	monopètala. R.S.	(pu.) Sicilian shrubby.	Sicily.	1731.	7. 8.	F. 4.	
39	cylindrifolia. R.S.	(vi.) round-leaved.	N. Africa.	1738.	—	G. 4.	
40	fèrulacea. R.S.	(ye.) Fennel-like.	Siberia.	1796.	5.	H. 4.	Moris. s. 15. t. 1. f. 23.
41	sinuàta. R.S.	(bl. ye.) scollop-leaved.	Levant.	1629.	5. 9.	F. 4.	Bot. mag. t. 71.
42	Thouini. R.S.	(bl. ye.) Thouin's.	Africa.	1738.	6. 10.	F. 4.	Mart. cent. t. 84.
43	alàta. R.S.	(ye.) winged.		1806.	—	F. 4.	
44	spicàta. R.S.	(wh.) spiked.	Caucasus.	1828.	8. 10.	H. 4.	Gmel. sib. 2. t. 91. f. 2.
45	agyptiaca. R.S.	(wh.) Egyptian.	Egypt.	1816.	6. 10.	F. 4.	Bot. mag. t. 2363.
46	mucronàta. R.S.	(li.) curled.	Barbary.	1784.	—	F. 4.	L'Herit. stirp. t. 13.
	PLUMBAGO. L. LEADWORT. Pentandria Monogynia. L.						
1	eupr'æa. R.S.	(vi.) European.	S. Europe.	1596.	9. 10.	H. 4.	Bot. mag. t. 2139.
2	lapathifolia. R.S.	(wh.) Dock-leaved.	Iberia.	1824.	—	H. 4.	

3	capensis. R.S.	(bl.) blue-flowered.	C. B. S.	1818.	9. 3.	S. h.	Bot. reg. t. 417.
4	tristis. H.K.	(br.) dark-flowered.	—	1792.	5. 6.	G. h.	
5	zeylanica. R.S.	(wh.) Ceylon.	E. Indies.	1731.	4. 9.	S. h.	Rheed. mal. 10. t. 8.
6	occidentalis. (wh.) West Indian.	W. Indies.	1817.	—	S. h.		
	zeylanica β. R.S.	scandens. Hort.					
7	mexicana. R.S.	(vi.) Mexican.	Mexico.	1829.	4. 8.	S. 2.	
8	rosea. R.S.	(ro.) rose-coloured.	E. Indies.	1777.	3. 7.	S. h.	Bot. mag. t. 230.
9	scandens. R.S.	(wh.) climbing.	W. Indies.	1699.	7. 8.	S. h.	Jacq. amer. pict. t. 13.
10	rhomboidea. B.M.	(bl.) rhomboid-leaved.		1823.	8. 10.	S. ⊙.	Bot. mag. t. 2917.
11	micrantha. F.	(pu.) small-flowered.	Persia.	1829.	6. 8.	H. ⊙.	

ORDO CLXIII.

PLANTAGINEÆ. Juss. gen. 89.

GLAUX. L		BLACK SALTWORT. Pentandria Monogynia. L.					
	maritima. R.S.	(li.) sea-side.	Britain.		5. 6.	H. 2.	Eng. bot. v. 1. t. 13.
PLANTAGO. L.		PLANTAIN. Tetrandria Monogynia. L.					
1	major. R.S.	(gr.) greater.	Britain.		5. 7.	H. 2.	Eng. bot. v. 22. t. 1559.
	β rosea.	(gr.) rose-bracted.	—		—	H. 2.	
2	asiatica. R.S.	(li.) broad-leaved.	Siberia.	1787.	7.	H. 2.	Camel. sib. 4. t. 37. ?
3	Cornuti. R.S.	(wh.) Cornuti's.	S. Europe.	1801.	7. 8.	H. 2.	Corn. canad. p. 163. ?
	Gouani. S.S.						
4	Brutia. R.S.	(wh.) Calabrian.	Calabria.	1824.	—	H. 2.	
5	gentianoïdes. S.S.	(wh.) Gentian-like.	Greece.	1826.	5. 8.	H. 2.	
6	exaltata. R.S.	(wh.) tallest.	—	1824.	7. 8.	H. 2.	
7	cordata. R.S.	(wh.) heart-leaved.	N. America.	1818.	—	H. 2.	Jacq. f. ecl. t. 72.
8	maxima. R.S.	(li.) hollow-leaved.	Siberia.	1763.	—	H. 2.	Jacq. ic. 1. t. 26.
9	crassa. S.S.	(wh.) succulent.	S. Europe.	1793.	6. 7.	H. 2.	Jacq. col. sup. 31. t. 16.
	crispa. Jacq.						
10	media. R.S.	(li.) hoary.	Britain.		5. 7.	H. 2.	Eng. bot. v. 22. t. 1559.
11	camtschatica. S.S.	(wh.) Kamtschatkan.	Kamtschatka.	1819	—	H. 2.	
12	lanceolata. R.S.	(br.) Rib-grass.	Britain.		—	H. 2.	Eng. bot. v. 8. t. 507.
13	sibirica. R.S.	(wh.) Siberian.	Siberia.	1823.	—	H. 2.	
14	eriphora. R.S.	(wh.) woolly-leaved.	Portugal.	1825.	—	H. 2.	
15	montana. R.S.	(wh.) mountain.	S. Europe.	1823.	—	H. 2.	
16	capensis. R.S.	(wh.) Cape.	C. B. S.	1788.	5. 8.	G. 2.	
17	altissima. R.S.	(wh.) tall.	Italy.	1774.	6. 7.	H. 2.	Jacq. obs. 4. t. 83.
18	Schottii. R.S.	(br.) Schott's.	Dalmatia.	1829.	—	H. 2.	
19	Lagopus. R.S.	(br.) round-headed.	Spain.	1683.	—	H. 2.	Flor. græc. t. 144.
20	eristachya. R.S.	(wh.) woolly-spiked.	Naples.	1825.	7. 8.	H. ⊙.	
21	sphærocéphala. R.S.	(w.) round-headed.	Austria.	1774.	6. 7.	H. 2.	Jacq. vind. 2. t. 125.
	alpina. Jacq. non L.						
22	lusitânica. R.S.	(st.) Portugal.	Portugal.	1781.	7. 8.	H. 2.	Barrel. ic. t. 745.
23	pseudo-lusitânica. R.S.	five-nerved.	—	1819.	—	H. 2.	
24	virginica. R.S.	(gr.) Virginian.	N. America.	1688.	6. 9.	H. ⊙.	Moris. s. 8. t. 15. f. 5.
25	depressa. R.S.	(br.) depressed.	—	1818.	—	H. 2.	
26	sparsiflora. R.S.	(bh.) scattered-flowered.	—	—	—	H. ⊙.	
27	saxatilis. R.S.	(wh.) rock.	Iberia.	1820.	6. 8.	H. 2.	
28	hungarica. R.S.	(br.) Hungarian.	Hungary.	1824.	—	H. 2.	W. et K. hung. 3. t. 200.
29	sericea. R.S.	(wh.) silky.	—	1820.	—	H. 2.	— t. 141
	argentea. DC.						
30	albicans. R.S.	(br.) woolly.	S. Europe.	1776.	6. 9.	H. 2.	Flor. græc. t. 145.
31	mexicana. S.S.	(wh.) Mexican.	Mexico.	1820.	6. 7.	H. 2.	
32	patagonica. R.S.	(wh.) Patagonian.	Patagonia.	1793.	6. 9.	H. ⊙.	Jacq. ic. 2. t. 306.
33	victoralis. R.S.	(wh.) Victoria.	S. Europe.	1824.	—	H. 2.	
34	holosericea. R.S.	(wh.) hairy-scaped.	Switzerland.	—	—	H. 2.	
35	microcéphala. R.S.	(wh.) small-headed.	—	—	—	H. ⊙.	
36	Bellardi. R.S.	(br.) Bellardi's.	—	—	—	H. ⊙.	
37	cretica. R.S.	(st.) Cretan.	S. Europe.	1797.	—	H. ⊙.	Flor. græc. t. 146.
38	graminea. R.S.	(wh.) grass-leaved.	Candia.	1711.	6. 7.	H. ⊙.	— t. 147.
39	maritima. R.S.	(gr.) sea-side.	France.	1804.	—	H. 2.	Dod. pempt. 108. ic.
40	salsa. R.S.	(wh.) saltwort.	Britain.		7.	H. 2.	Eng. bot. v. 3. t. 175.
41	crassifolia. R.S.	(br.) thick-leaved.	Tauria.	1819.	—	H. 2.	
42	hirsuta. R.S.	(wh.) hairy.	Egypt.	1824.	—	H. 2.	
			C. B. S.	1801.	6. 7.	G. 2.	Jacq. schœn. 3. t. 200.

43	tumida. L.en.	(wh.)	tumid-capsuled. Chile.	1819.	6. 7.	H. 3.	
44	alpina. R.S.	(li.)	Alpine. S. Europe.	1774.	—	H. 4.	
45	tenuiflora. R.S.	(br.)	slender-flowered. Hungary.	1819.	—	H. 3.	W. et K. hung. 1. t. 39.
46	bidentata. R.S.	(wh.)	white margined. Switzerland.	1824.	—	H. 4.	
47	serpentina. R.S.	(wh.)	serpentine. S. France.	1826.	—	H. 4.	
48	recurvata. R.S.	(wh.)	recurved-leaved. S. Europe.	1799.	—	H. 4.	Murr. c. gott. 1789. t. 6.
49	Wulfeni. R.S.	(wh.)	Wulfen's. Carinthia.	1802.	—	H. 4.	
50	subulata. R.S.	(wh.)	awl-leaved. S. Europe.	1596.	7.	H. 4.	Lobel. ic. 429.
51	Holosteum. R.S.	(wh.)	Scopoli's. Carniola.	1825.	7. 8.	H. 4.	Jacq. coll. 1. t. 10.
52	elongata. R.S.	(wh.)	long-spiked. Louisiana.	1821.	—	H. 4.	
53	humifusa. Ber.	(wh.)	trailing.	1825.	—	H. 4.	
54	canescens. Schr.	(wh.)	canescent.	1826.	7. 9.	H. 3.	
55	micrantha. Led.	(gr.)	small-flowered. Siberia.	1829.	6. 8.	H. 4.	
56	Coronopus. R.S.	(gr.)	star of the earth. Britain.		4. 9.	H. 3.	Eng. bot. v. 13. t. 892.
57	Jacquini. R.S.	(wh.)	Jacquin's. S. Europe.	1801.	7. 8.	H. 4.	Jacq. ic. 1. t. 27.
Cornuti. Jacq.							
58	Serraria. R.S.	(wh.)	saw-leaved. Barbary.	1640.	6. 7.	H. 4.	Moris. s. 8. t. 16. f. 19.
59	macrorhiza. R.S.	(br.)	large-rooted. Morocco.	1798.	7. 8.	H. 4.	Bocc. sic. t. 15. f. 2.
60	Leslingii. R.S.	(br.)	narrow-leaved. Spain.		—	H. 3.	Jacq. vind. 2. t. 126.
61	amplexicaulis. R.S.	(br.)	stem-clasping. ———	1797.	6. 7.	H. 3.	Cavan. ic. 2. t. 125.
62	villosa. R.S.	(gr.)	villous. Germany.	1804.	—	H. 3.	
63	vaginata. R.S.	(li.)	sheathed. Canaries.	1816.	—	G. 4.	Venten. cels. t. 29.
64	Cynops. R.S.	(gr.)	shrubby. S. Europe.	1596.	5. 8.	H. 4.	Jacq. fragm. t. 182.
65	afra. R.S.	(wh.)	Barbary. Barbary.	1640.	6.	F. 4.	Moris. s. 8. t. 17. f. 4.
66	divaricata. R.S.	(wh.)	spreading.	1824.	—	H. 4.	
67	squarrosa. R.S.	(wh.)	leafy-spiked. Egypt.	1787.	8. 9.	H. 3.	Jacq. ic. 1. t. 28.
68	Psyllium. R.S.	(bh.)	Fleawort. S. Europe.	1562.	7. 8.	H. 3.	Flor. grac. t. 149.
69	arenaria. R.S.	(wh.)	sand. Hungary.	1804.	5. 8.	H. 3.	W. et K. hung. 1. t. 51.
70	stricta. R.S.	(bh.)	upright. Morocco.	—	7. 8.	H. 3.	Moris. s. 3. 8. t. 17. f. 2.
71	sicula. R.S.	(wh.)	Sicilian. Sicily.	1829.	7. 10.	H. 3.	
72	parviflora. R.S.	(br.)	small-flowered. Barbary.	1826.	—	H. 3.	
73	Ispaghul. R.S.	(wh.)	East Indian. E. Indies.	1819.	7. 8.	S. 3.	
74	indica. R.S.	(wh.)	Indian. India.	1780.	—	H. 3.	
75	pumila. R.S.	(wh.)	dwarf. S. Europe.	1799.	—	H. 3.	Murr. c. gott. 1778. t. 5.
76	nitida. R.S.	(bl.)	glossy.	1822.	7. 10.	H. 3.	
77	brasiliensis. R.M.	(wh.)	Brazilian. Brazil.	—	—	S. 4.	Bot. mag. t. 2616.
LITTORELLA. L. SHORE-WEED. Monœcia Tetrandria. L.							
	lacustris. E.B.	(gr.)	Plantain-leaved. Britain.		6. 9.	H. 4.	Eng. bot. v. 7. t. 468.

ORDO CLXIV.

NYCTAGINEÆ. Juss. gen. 90.

OXYBA'PHUS. R.S. UMBRELLA-WORT. Triandria Monogynia R.S.							
1	viscosus. R.S.	(pu.)	viscid. Peru.	1793.	5. 9.	H. 4.	Bot. mag. t. 434.
2	glabrifolius. R.S.	(pu.)	smooth-leaved. New Spain.	1811.	7. 8.	H. 4.	Cavan. ic. 4. t. 379.
3	ovatus. R.S.	(re.)	oval-leaved. Pern.	1820.	—	H. 4.	Flor. peruv. 1. t. 75. f. b.
4	Cervantesii. Lag.	(pu.)	Cervantes'. Mexico.	1822.	7. 10.	H. 4.	Swt. br. fl. gar. t. 84.
5	expansus. R.S.	(pu.)	expanded. Lima.	—	—	H. 4.	Flor. peruv. 1. t. 75. f. a.
6	aggregatus. R.S.	(re.)	aggregate. New Spain.	1811.	—	H. 4.	Cavan. ic. 5. t. 437.
7	nyctaginea. N.	(re.)	heart-leaved. Missouri.	1823.	7. 9.	H. 4.	
Allionia nyctaginea. M. Calymenia nyctaginea. N.							
8	albida. N.	(li.)	white-leaved. Carolina.	1824.	—	H. 3.	
9	pilosa. N.	(re.)	pilose. Missouri.	1812.	—	H. 3.	
Calymenia pilosa. N. Allionia ovata. Ph.							
10	hirsuta. N.	(re.)	hairy. Louisiana.	—	—	H. 4.	
11	angustifolia. N.	(li.)	narrow-leaved. ———	—	—	H. 4.	
Allionia linearis. Ph. Calymenia angustifolia. N.							
12	decumbens. N.	(li.)	decumbent. Missouri.	1818.	—	H. 4.	
MIRABILIS. R.S. MARVELOUS PERU. Pentandria Monogynia. L.							
1	dichotoma. R.S.	(re. wh.)	forked. Mexico.	1649.	7. 8.	G. 4.	Plenck ic. off. t. 139.
	α rubra.	(re.)	red-flowered. ———	—	—	F. 4.	
	β alba.	(wh.)	white-flowered. ———	—	—	F. 4.	

2	Jalapa. R.S.	(va.) common.	India.	1596.	6. 9.	H. 4.	Bot. mag. t. 371.
	a álba.	(wh.) white-flowered.	—	—	—	H. 4.	
	β flava.	(ye.) yellow-flowered.	—	—	—	H. 4.	
	γ rubra.	(re.) red-flowered.	—	—	—	H. 4.	
	δ rubro-flava.	(re.ye.) red and yellow.	—	—	—	H. 4.	
	ε rubro-álba.	(re.wh.) red and white.	—	—	—	H. 4.	
3	hy'brida. R.S.	(re.) hybrid.	Hybrid.	1818.	6. 9.	H. 4.	
4	longiflora. R.S.	(wh.) long-flowered.	Mexico.	1759.	—	H. 4.	Sm. exot. bot. 1. t. 23.
5	suavèolens. K.S.	(wh.) sweet-scented.	—	1824.	—	H. 4.	
ABR'ONIA. R.S. ABR'ONIA. Pentandria Monogynia. R.S.							
1	umbellata. R.S.	(bh.) flesh-coloured.	California.	1823.	6. 8.	H. 4.	Hook. ex. flor. t. 191.
2	mellifera. B.M.	(wh.) honey-scented.	—	1827.	5. 9.	H. 4.	Bot. mag. t. 2879.
ALL'ONIA. K.S. ALL'ONIA. Tetrandria Monogynia. L.							
1	violacea. K.S.	(vi.) violet-coloured.	Cumana.	1820.	7. 9.	H. 4.	
2	incarnata. K.S.	(bh.) flesh-coloured.	—	—	—	H. 4.	L'Herit. stirp. t. 31.
BOERHA'VIA. L. HOGWEED. Mono-Di-Tetrandria Monogynia.							
1	erecta. R.S.	(wh.) upright.	W. Indies.	1733.	7. 9.	S. 4.	Jacq. vind. 1. t. 5. 6.
2	procumbens. F.I.	(w.re.) procumbent.	E. Indies.		—	S. 4.	Rheed. mal. 7. t. 5.
3	diffusa. R.S.	(sc.) spreading.	W. Indies.	1690.	8. 9.	S. 4.	
4	adscendens. R.S.	(re.) ascending.	Guinea.	1824.	6. 9.	S. 4.	
5	hirsuta. R.S.	(sc.) scarlet-trailing.	Jamaica.	1733.	5. 8.	S. 4.	Jacq. vind. 1. t. 7.
6	plumbaginea. R.S.	(ro.) Plumbago-leaved.	Spain.	1822.	—	S. 4.	Cavan. ic. 2. t. 112.
7	discolor. K.S.	(bh.) two-coloured.	Guayaquil.	1825.	—	S. 4.	
8	viscosa. K.S.	(sc.) viscous.	—	—	—	S. 4.	
9	scandens. R.S.	(gr.) climbing.	Jamaica.	1691.	4. 9.	S. 4.	Jacq. vind. 1. t. 4.
10	excelsa. R.S.	(pu.) lofty.	S. America.	1820.	—	S. 4.	
PIS'ONIA. L. PIS'ONIA. Heptandria Monogynia. L.							
1	grandis. B.P.	(wh.) superb.	N. Holland.	1805.		G. 4.	
2	hirtella. K.S.	(wh.) hairy.	Mexico.	1825.		G. 4.	
3	fragrans. S.S.	(gr.) fragrant.		—		S. 4.	
4	macrophylla. L.en.	(w.) long-leaved.		1820.		S. 4.	
5	obovata. L.en.	(gr.) obovate-leaved.	S. America.	—		S. 4.	
6	nigricans. S.S.	(wh.) black.	W. Indies.	1806.	5. 7.	S. 4.	
7	obtusata. S.S.	(gr.) blunt-leaved.	—	1822.		S. 4.	
8	mexicana. L.en.	(ro.) Mexican.	Mexico.	1825.	6. 8.	H. 4.	
	<i>Boerhaavia arborescens.</i> P.S.						
9	nitida. W.en.	(li.) glossy.	Madagascar.	1824.		S. 4.	
10	aculeata. S.S.	(ye.) prickly.	Jamaica.	1739.	3. 4.	S. 4.	Lam. ill. t. 861.
BOLD'OA. S.S. BOLD'OA. Triandria Monogynia. S.S.							
	lanceolata. S.S.	(re.) lance-leaved.	Mexico.	1821.	5. 7.	G. 4.	H. et B. pl. aq. 1. t. 4.
	<i>Salpianthus arenarius.</i> K.S.						

ORDO CLXV.

AMARANTHACEÆ. *Brown prodr. p. 413.*

AMARA'NTHUS. L. AMARANTH. Monœcia Tri-Pentandria. L.							
1	tenuifolius. W.	(gr.) fine-leaved.	E. Indies.	1801.	7. 9.	H. 4.	
2	angustifolius. W.	(gr.) narrow-leaved.	Levant.	1723.	—	H. 4.	
3	pallidus. S.S.	(pa.) pale.	Tauria.	1823.	—	H. 4.	
4	persicarioides. S.S.	(re.) Persicaria-like.	Nepaul.	1818.	9. 11.	H. 4.	
5	Acroglóchin. S.S.	(gr.) spiny-bracted.	—	1820.	—	H. 4.	
6	álbus. W.	(wh.) white.	N. America.	1778.	7. 9.	H. 4.	W. amar. 9. t. 1. f. 2.
7	græcizans. W.	(gr.) Pellitory-leaved.	—	1759.	—	H. 4.	— 8. t. 4. f. 7.
8	polygamus. W.	(gr.) hermaphrodite.	E. Indies.	1780.	—	H. 4.	Rumph. amb. 5. t. 82.
9	Blitum. E.B.	(gr.) wild.	England.		6. 8.	H. 4.	Eng. bot. v. 31. t. 2212.
10	víridis. W.	(gr.) green.	Brazil.	1768.	8. 9.	H. 4.	W. amar. 18. t. 8. f. 1.
11	campéstris. W.	(gr.) field.	E. Indies.	1818.	—	H. 4.	
12	polygonoides. W.	(gr.) spotted-leaved.	Jamaica.	1778.	7. 8.	H. 4.	W. amar. 11. t. 6. f. 12.
13	melanchólicus. W.	(pu.) melancholy.	E. Indies.	1731.	6. 9.	H. 4.	— 15. t. 9. f. 12.
14	tricolor. W.	(st.) three-coloured.	—	1548.	—	G. 4.	Knor. thes. 2. t. A. 3. 5.
15	bícolor. W.	(st.) two-coloured.	—	1802.	7. 9.	H. 4.	
16	lineatus. B.P.	(gr.) line-leaved.	N. Holland.	1823.	—	H. 4.	
17	gangéticus. W.	(gr.) oval-spiked.	E. Indies.	1778.	—	H. 4.	W. amar. 16. t. 6. f. 11.
18	mangostanus. W.	(gr.) rhomb-leaved.	—	1801.	—	H. 4.	— 13. t. 12.

19	polystachyus. w. (gr.) many-spiked.	E. Indies.	1816.	7. 9.	H. 5.	
20	tristis. w. (pu.) round-headed.	China.	1759.	6. 8.	H. 5.	W. amar. 21. t. 5. f. 10.
21	inamœnus. w. (gr.) inelegant.	—————	1816.	—	H. 5.	
22	incomptus. W.en. (gr.) slovenly.	—————	————	—	H. 5.	
23	lividus. w. (br.) livid.	N. America.	1759.	7. 9.	H. 5.	W. amar. 20. t. 1. f. 1.
24	oleraceus. w. (li.) eatable.	E. Indies.	1764.	7. 8.	H. 5.	———— 17. t. 5. f. 9.
25	lanceifolius. H.B. (gr.) lance-leaved.	—————	1816.	8. 10.	H. 5.	
26	atrepurpureus. H.B. (pu.) dark-purple.	—————	1821.	—	H. 5.	
27	gracilis. s.s. (gr.) oval-leaved.	Guinea.	1806.	7. 8.	H. 5.	Jacq. ic. 2. t. 344.
	<i>Chenopodium caudatum.</i> Jacq.					
28	prostratus. w. (gr.) trailing.	France.	1759.	7. 9.	H. 5.	
29	scandens. w. (gr.) climbing.	S. America.	1796.	7. 8.	S. 5.	
30	deflexus. w. (gr.) bending.	—————	1805.	—	H. 5.	W. amar. 10. t. 10. f. 20.
31	fasciatus. H.B. (gr.) fasciate.	E. Indies.	1820.	8. 10.	H. 5.	
32	bullatus. s.s. (gr.) blistered.	—————	————	7. 9.	H. 5.	
33	Arardhanus. (gr.) Indian.	E. Indies.	1825.	—	G. 5.	
34	Berechtholdi. H. (pi. gr.) Berchthold's.	S. Europe.	1826.	—	H. 5.	
35	bahiensis. Lk. (gr.) Bahia.	Bahia.	1823.	—	H. 5.	
36	purpurascens. Ot. (pu.) purplish.	—————	1828.	—	H. 5.	
37	littoralis. Ot. (gr.) sea-side.	—————	1823.	—	H. 5.	
38	rigidus. s. (gr.) rigid.	—————	————	—	H. 5.	
39	tortuosus. H.H. (gr.) twisted.	—————	————	—	H. 5.	
40	laxifolius. Ot. (gr.) loose-leaved.	—————	————	—	H. 5.	
41	glomeratus. Ot. (gr.) glomerate.	—————	1829.	—	H. 5.	
42	spicatus. p.s. (gr.) spiked.	France.		—	H. 5.	
43	pumilus. s.s. (gr.) dwarf.	N. America.	————	6. 9.	H. 5.	
44	curvifolius. s.s. (gr.) curved-leaved.	Caucasus.	1827.	—	H. 5.	
45	hybridus. w. (re.) clustered.	—————	1656.	—	H. 5.	W. amar. 26. t. 9. f. 17.
46	hæcticus. w. (pi.) oval-spiked.	—————	1796.	8. 9.	H. 5.	———— 25. t. 7. f. 13.
47	latus. w. (re.) blunt-leaved.	Italy.	1799.	7. 9.	H. 5.	———— 28. t. 8. f. 15.
48	strictus. w. (gr.) upright.	—————	1793.	—	H. 5.	———— 27. t. 3. f. 5.
49	paniculatus. w. (re.) paniced.	N. America.	1798.	—	H. 5.	———— 32. t. 2. f. 4.
50	celosioïdes. K.S. (wh.) Spinach-like.	S. America.	1824.	9. 11.	H. 5.	
51	caracasanus. K.S. (wh.) Caracas.	Caracas.	1821.	—	H. 5.	
52	retroflexus. w. (gr.) hairy.	N. America.	1759.	7. 9.	H. 5.	W. amar. 33. t. 11. f. 21.
53	flavus. w. (st.) pale yellow.	India.	————	—	H. 5.	———— 35. t. 3. f. 6.
54	chlorostachys. w. (ye.) nodding.	—————	1796.	—	H. 5.	———— 34. t. 10. f. 19.
55	parisiensis. s.s. (gr.) Paris.	France.	1819.	—	H. 5.	
56	hypochondriacus. w. (re.) Prince's feather.	Virginia.	1684.	—	H. 5.	
57	sanguineus. w. (re.) spreading.	Bahama Isl.	1775.	—	H. 5.	W. amar. 31. t. 2. f. 3.
58	cruentus. w. (cr.) various-leaved.	China.	1728.	6. 8.	H. 5.	
59	speciosus. D.P. (sc.) showy.	Nepaul.	1819.	9. 11.	H. 5.	Bot. mag. t. 2227.
60	caudatus. w. (re.) Love lies bleeding.	E. Indies.	1596.	8. 9.	H. 5.	
	<i>β maximus.</i> (re.) tree.	—————	————	—	H. 5.	
61	spinosus. w. (gr.) prickly.	W. Indies.	1683.	7. 9.	H. 5.	W. amar. 38. t. 4. f. 8.
62	frumentaceus. H.B. (gr.) cultivated.	E. Indies.	1819.	—	H. 5.	
	LECANOCARPUS. N.E. LECANOCA'RPUS. Monœcia Pentandria.					
	nepalensis. N.E. (gr.) Nepaul.	Nepaul.	1816.	8. 10.	H. 5.	Nees ab Ess. ic. sel. t. 2.
	<i>Amaranthus cauliflorus.</i> Lk.					
	CELOSIA. R.S. Cocks-comb. Pentandria Monogynia. L.					
1	argentea. R.S. (bh.) silvery-spiked.	China.	1714.	6. 9.	S. 5.	Mart. cent. t. 7.
2	lincaris. (bh.) narrow-leaved.	E. Indies.	————	—	S. 5.	Rheed. mal. 10. t. 39.
3	pyramidalis. R.S. (wh.) pyramidal.	—————	————	—	S. 5.	Burm. ind. 65.

2	paniculata. R.S.	(st.)	panicled.	Jamaica.	1733.	6. 9.	S. ♂.	Sloan. hist. 1. t. 31.
3	trigyna. R.S.	(wh.)	oval-leaved.	Senegal.	1777.	8. 10.	S. ♂.	Jacq. vind. 3. t. 13.
DEERINGIA. R.S. DEERINGIA. Pentandria Trigynia.								
1	indica. s.s.	(wh.)	Berry-bearing.	E. Indies.	1801.	—	S. ♂.	
2	celosioides. B.P.	(wh.)	Cockscomb-like.	N. Holland.	1822.	—	S. h.	
CHAMISSOA. K.S. CHAMISSOA. Pentandria Monogynia. R.S.								
	altissima. K.S.	(st.)	tall.	S. America.	1819.	5. 6.	S. h. ∩.	H. et B. n. gen. 2. t. 117.
CLADOSTACHYS. D.P. CLADOSTACHYS. Pentandria Monogynia.								
1	frutescens. D.P.	(gr.)	frutescent.	E. Indies.	1777.	8. 11.	S. h.	Rumph. amb. 5. t. 8.
	Achyranthes muricata, L. Chamissoa muricata, s.s.							
2	alternifolia.	(pu.)	alternate-leav'd.	E. Indies.	1789.	7. 8.	S. ⊙.	Pluk. alm. t. 230. f. 1.
	Achyranthes alternifolia, W. Desmochæta alternifolia, DC.							
ACHYRANTHES. R.S. ACHYRANTHES. Pentandria Monogynia. L.								
1	argentea. R.S.	(ro.)	upright.	Sicily.	1713.	5. 10.	H. h.	Flor. græc. t. 244.
2	aspera. R.S.	(gr.)	rough.	India.	1751.	—	S. h.	Mill. ic. t. 11. f. 2.
3	obtusifolia. Lam.	(gr.)	blunt-leaved.	—	—	—	S. h.	
4	crispa. R.S.	(gr.)	curl-leaved.	—	—	—	S. h.	
5	virgata. R.S.	(gr.)	slender.	Portorico.	1823.	—	S. h.	
6	fruticosa. R.S.	(wh.)	shrubby.	E. Indies.	1816.	—	S. h.	
7	nivea. R.S.	(wh.)	white.	Canaries.	1780.	5. 7.	G. h.	
8	pubescens. R.S.	(wh.)	pubescent.	—	1824.	—	S. h.	
9	brachiata. R.S.	(wh.)	armed.	E. Indies.	1829.	8. 19.	S. ⊙.	Pluk. alm. 2. t. 331. f. 1.
10	globulifera. F.	(wh.)	globe-headed.	—	1828.	—	S. ⊙.	
DESMOCHÆTA. R.S. DESMOCHÆTA. Pentandria Monogynia. R.S.								
1	atropurpurea. DC.	(pu.)	dark-purple.	E. Indies.	1759.	8. 10.	S. h.	Rheed. mal. 10. t. 52.
	Achyranthes lappacea, L. Pupalia lappacea, J.							
2	flavescens. DC.	(st.)	yellowish.	E. Indies.	—	—	S. 4.	DC. h. mons. ined. t. 7.
3	pátula. R.S.	(wh.)	spreading.	—	1824.	—	S. h.	
4	prostrata. DC.	(pu.)	prostrate.	—	1793.	7. 8.	S. 4.	Rumph. amb. 6. t. 11.
5	sanguinolenta. Lk.	(gr.)	bloody-leaved.	—	1824.	—	S. h.	— t. 27. f. 2.
ALTERNANTHERA. ALTERNANTHERA. Pentandria Monogynia. R.S.								
1	séssilis. R.S.	(wh.)	sessile-flowered.	E. Indies.	1778.	7. 10.	S. ♂.	Rheed. mal. 10. t. 11.
2	ficoïdes. R.S.	(wh.)	creeping-stalk'd.	S. America.	1819.	—	S. 4.	Jacq. amer. pict. t. 9.
	Gomphrena ficoïdea, Jacq.							
3	spinosa. R.S.	(st.)	spiny.	—	—	—	S. 4.	
	axillaris, DC. Achyranthes spinosa, Horn.							
4	denticulata. B.P.	(wh.)	tooth-leaved.	N. S. W.	1822.	—	G. 4.	
5	tenella. DC.	(wh.)	slender.	E. Indies.	1828.	7. 9.	H. ⊙.	
6	Achyrantha. R.S.	(br.)	creeping.	Buenos Ayres.	1732.	6. 8.	S. 4.	Mart. pl. bras. 2. t. 13.
BUCHO'LZIA. M.P. BUCHO'LZIA. Pentandria Monogynia.								
1	polygonoides. M.P.	(w.)	Persicaria-leaved.	S. America.	1731.	—	G. 4.	Herm. parad. t. 17.
	Illecebrum polygonoides, W. Alternanthera polygonoides, R.S.							
2	frutescens. M.P.	(wh.)	frutescent.	Peru.	1822.	—	S. h.	L'Herit. stirp. 1. t. 1.
ÆR'UA. J. ÆR'UA. Pentandria Monogynia. R.S.								
1	lanata. R.S.	(wh.)	woolly.	E. Indies.	1691.	4. 8.	S. ♂.	Mill. ic. 1. t. 11. f. 1.
	Illecebrum lanatum, L.							
2	javanica. R.S.	(wh.)	spear-leaved.	—	1786.	—	S. h.	Burm. ind. t. 65. f. 2.
PHILOXERUS. B.P. PHILOXERUS. Pentandria Monogynia. R.S.								
1	vermicularis. R.S.	(wh.)	creeping.	S. America.	—	—	S. 4.	Herm. parad. t. 15.
2	aggregatus. R.S.	(wh.)	clustered.	Cumana.	1819.	—	S. 4.	
MOGIPHANES. M.P. MOGIPHANES. Pentandria Monogynia.								
1	brasiliensis. M.P.	(wh.)	upright.	Brazil.	1790.	7. 10.	S. h.	Mart. pl. bras. 2. t. 13.
	Gomphrena brasiliensis, Jacq. ic. 2. t. 316. Philoxerus brasiliensis, B.P.							
2	straminea. M.P.	(st.)	straw-coloured.	Brazil.	1790.	7. 10.	S. h.	Mart. pl. bras. 2. t. 13.
GOMPHRENA. R.S. GLOBE AMARANTH. Pentandria Monogynia. L.								
1	globosa. R.S.	(re.)	annual.	India.	1714.	5. 10.	S. ⊙.	Bot. mag. t. 2315.
	β alba.	(wh.)	white-flowered.	—	—	—	S. ⊙.	
2	decumbens. R.S.	(pu. wh.)	decumbent.	Mexico.	—	—	S. ⊙.	Jacq. schæn. t. 42.
3	perennis. R.S.	(st.)	perennial.	S. America.	1722.	7. 10.	S. 4.	Bot. mag. t. 2314.
4	arborescens. R.S.	(st.)	tree.	—	1802.	—	S. 4.	
5	villosa. s.s.	(st.)	villous.	Monte Video.	1826.	6. 8.	S. h.	
6	nigricans. M.P.	(bk.)	dark-flowered.	Brazil.	1827.	—	S. h.	Mart. pl. bras. 2. t. 13.
7	callosa. s.	—	callos.	S. America.	1829.	—	S. h.	
8	carnea. Jac.	(fl.)	flesh-coloured.	—	—	—	S. h.	
OPLOTHECA. N. OPLOTHECA. Pentandria Monogynia.								
1	lactea. M.P.	(wh.)	milk-coloured.	S. America.	1818.	7. 10.	S. h.	DC. h. mons. ined. t. 7.
2	interrupta. N.	(wh.)	trailing.	W. Indies.	1733.	—	S. ♂.	Jacq. icon. 1. t. 51.
	Gomphrena interrupta, R.S.							
3	floridana. N.	(wh.)	Florida.	Florida.	1823.	8. 10.	F. 4.	Bot. mag. t. 2314.

BRAND'ESIA. M.P. BRAND'ESIA. Pentandria Monogynia.					
1 pubérula. M.P. (wh.) pubescent.	Brazil.	1825.	6. 9.	S. h.	
<i>Achyranthes capituliflora</i> . Colla hort. rip. t. 18.					
2 villòsa. M.P. (wh.) villous.	Brazil.	1826.	—	S. ⊙.	Mart. bras. 2. t. 128.
3 pórrigens. M.P. (re.) crimson-flowered.	Peru.	1802.	4. 8.	G. h.	Bot. mag. t. 830.
<i>Achyranthes pórrigens</i> . B.M.					
PFA'FFIA. M.P. PFA'FFIA. Pentandria Monogynia.					
gnaphaloídes. M.P. (w.) Cudweed-like.	Brazil.	1822.	6. 8.	S. h.	
<i>Celòsia gnaphaloídes</i> . L.					
IRESINE. S.S. IRES'INE. Diœcia Pentandria. L.					
1 celosioídes. s.s. (wh.) Florida.	America.	1733.	7. 8.	F. 4.	Lam. ill. t. 313.
2 diffùsa. s.s. (wh.) spreading.	S. America.	1812.	7. 9.	S. 4.	
3 elongàta. s.s. (wh.) long-stalked.	—	1822.	—	S. 4.	
R'OSEA. M.P. R'OSEA. Polygamia Monœcia.					
elàtior. M.P. (st.) tall.	S. America.	1820.	8. 10.	S. ⊙.	Sloan. hist. 1. t. 50.
<i>Iresine elàtior</i> . W.					

ORDO CLXVI.

PHYTOLACEÆ. Brown.

PHYTOLA'CCA. W. PHYTOLA'CCA. Decandria Decagynia. L.					
1 octándra. w. (wh.) white-flowered.	Mexico.	1732.	7. 11.	G. 4.	Dill. elt. t. 230. f. 308.
2 abyssínica. w. (wh.) African.	Africa.	1775.	5. 6.	S. h.	Hoff. c. got. t. 2.
3 heptándra. s.s. (wh.) 7-anthered.		1819.	7. 10.	G. 4.	
4 bogoténsis. K.S. (wh.) variable anther'd.	S. America.	1823.	—	G. 4.	
5 decándra. w. (bh.) Virginian poke.	Virginia.	1615.	8. 9.	H. 4.	Bot. mag. t. 931.
6 dodecándra. w. (bh.) recurved-leaved.			5. 6.	S. 4.	
7 mexicàna. (wh.) Mexican.	Mexico.	1824.	7. 10.	G. 4.	Bot. mag. t. 2633.
<i>icosándra</i> . B.M. non w.					
8 icesándra. w. (wh.) red-stemmed.	E. Indies.	1758.	7. 11.	S. 4.	Mill. ic. t. 207.
9 dioíca. w. (wh.) tree.	S. America.	1768.		S. h.	L'Herit. st. nov. t. 70.
RIVINA. R.S. RIV'INA. Tetrandria Monogynia. L.					
1 hùmilis. R.S. (wh.) downy.	W. Indies.	1699.	1. 10.	S. h.	Bot. mag. t. 1781.
2 l'ævis. R.S. (bh.) smooth.	—	1733.	2. 9.	S. h.	Lam. ill. t. 81. f. 2.
3 latifòlia. R.S. (pu.) broad-leaved.	Madagascar.	1826.	7. 9.	S. ⊙.	
4 brasiliénsis. R.S. (gr.) wave-leaved.	Brazil.	1790.	6. 7.	S. h.	
5 purpuráscens. R.S. (pu.) purple.	W. Indies.	1815.	5. 8.	S. h.	Schrad. gen. nov. t. 5.
6 lanceolàta. L.en. (wh.) spear-leaved.	Brazil.	—	—	S. h.	
7 octándra. R.S. (wh.) climbing.	W. Indies.	1752.	5. 6.	S. h. ∪.	Plum. ic. 241.
MICR'OTEA. K.S. MICR'OTEA. Pentandria Digynia. R.S.					
débilis. K.S. (wh.) slender.	S. America.	1821.	7. 9.	S. ⊙.	
ANCISTROCA'RPUS. K.S. ANCISTROCA'RPUS. Octandria Tetragynia.					
maypurénsis. K.S. (wh.) branching.	S. America.	1822.	5. 6.	H. ⊙.	H. et B. pl. am. 2. t. 122.
PETIV'ERIA. W. PETIV'ERIA. Heptandria Monogynia. L.					
1 alliàcea. w. (wh.) Garlic-scented.	Jamaica.	1759.	6. 7.	S. h.	Lodd. bot. cab. t. 118.
2 octándra. w. (wh.) dwarf.	W. Indies.	1737.	—	S. h.	Plum. ic. 213. t. 219.
GIS'EKIA. W. GIS'EKIA. Pentandria Pentagynia. L.					
pharnacioídes. w. (wh.) trailing.	E. Indies.	1783.	6.	S. ⊙.	Roxb. corom. 2. t. 183.

ORDO CLXVII.

CHENOPODEÆ. Brown prodr. p. 405.

BASE'LLA. R.S. MALABAR-NIGHTSHADE. Pentandria Trigynia. L.					
1 rubra. R.S. (re.) red-flowered.	E. Indies.	1731.	7. 9.	S. ♂ ∪.	Rheed. mal. 7. t. 24.
2 álba. R.S. (wh.) white-flowered.	—	1688.	7. 11.	S. ♂ ∪.	Pluk. alm. t. 63. f. 1.
3 lúcida. R.S. (wh.) shining.	—	1802.	—	S. ⊙ ∪.	
4 cordifòlia. R.S. (re.) heart-leaved.	—	—	—	S. ⊙ ∪.	
5 tuberòsa. R.S. (st.) tubercuz-rooted.	S. America.	1824.	—	S. 4. ∪.	

6	marginàta. R.S.	(wh.) red-margined.	S. America.	1824.	7. 11.	S. 4. ~.	
7	japónica. R.S.	(bh.) dwarf.	China.	1814.	—	G. ⊙.	Burm. ind. t. 20. f. 4.
HABLITZIA. M.B. HABLITZIA.			Pentandria Monogynia.				
	tamnoïdes. M.B.	(wh.) Tamus-like.	Caucasus.	1828.	7. 10.	H. 4. ~.	
ANRED'ERA. J. ANRED'ERA.			Pentandria Trigynia.				
	spicàta. K.S.	(bh.) spiked.	Cuba.	1749.	7. 9.	S. 4. ~.	Sloan. hist. 1. t. 90. f. 1.
<i>Basella vesicària</i> . Lam. ill. t. 215. f. 1.			<i>Polygonum scandens</i> . W.				
ANABA'SIS. L. ANABA'SIS.			Pentandria Digynia. L.				
1	aphy'lla. R.S.	(gr.) leafless.	Levant.	1823.	5. 7.	F. h.	Buxb. cent. 1. t. 18.
2	flòrida. M.B.	(wh.) flowering.	Persia.	1829.	7. 11.	H. ⊙.	M.B. cent. pl. res. 1. 1. 1.
3	cretàcea. R.S.	(gr.) long-rooted.	Siberia.	1828.	6. 8.	H. 4.	Pall. it. 1. ap. n. 10. f. 1.
4	spinosíssima. R.S.	(gr.) spiny-branched.	Iberia.	1829.	—	H. h.	Delil. eg. n. 305. t. 21.
5	tamariscifòlia. R.S.	(gr.) Tamarisk-leaved.	Spain.	1752.	6. 7.	F. h.	Cavan. ic. 3. t. 23.
6	foliòsa. S.S.	(gr.) leafy.	Volga.	1828.	7. 10.	H. ⊙.	Pall. ill. 2. t. 23.
<i>Salsola clarifolia</i> . M.B. <i>baccifera</i> . Pall.							
SALS'OLA. R.S. SALTWORT.			Pentandria Digynia. L.				
1	Kàli. R.S.	(fl.) prickly.	Britain.		7. 8.	H. ⊙.	Eng. bot. v. 9. t. 68.
2	Tràgus. R.S.	(ro.) smooth.	S. Europe.	1816.	—	H. ⊙.	Pall. ill. 2. t. 29. f. 2.
3	tamariscina. R.S.	(br.) Tamarisk-like.	Tauria.	1828.	7. 9.	H. ⊙.	
4	cràssa. R.S.	(re. wh.) thick-leaved.	Caucasus.	1823.	8. 10.	H. ⊙.	Buxb. cent. 1. t. 14. f. 1.
5	rosàcea. R.S.	(pu.) rose-coloured.	Asia.	1759.	7. 8.	H. ⊙.	Schk. hand. 1. t. 5.
6	oppositifòlia. R.S.	(ro.) opposite-leaved.	Sicily.	1829.		H. h.	
7	brachiàta. R.S.	(pu.) armed.	Tauria.	1828.	7. 10.	H. ⊙.	Pall. ill. 2. t. 22.
8	glauca. R.S.	(ro.) glaucous.	Armenia.	1829.		H. h.	— 2. t. 19.
9	vermiculàta. R.S.	(gr.) suffruticose.	Siberia.	1759.	7. 8.	H. h.	Gmel. sib. 3. t. 18. f. 1.
10	microphy'lla. R.S.	(re.) small-leaved.	Spain.	—	—	H. ⊙.	Cavan. ic. 3. t. 25.
11	spissa. R.S.	(ro.) dwarf.	Caucasus.	1829.	7. 10.	H. ⊙.	Pall. ill. 2. t. 15.
12	verrucòsa. R.S.	(gr.) warted.	—	1822.	7. 8.	H. h.	— 2. t. 16.
13	ericoïdes. R.S.	(br.) Heath-like.	—	1829.		H. h.	— 2. t. 14.
14	laniflòra. R.S.	(re.) woolly-flowered.	Siberia.	1797.	6. 8.	H. ⊙.	— 2. t. 21.
15	sativa. R.S.	(pi.) cultivated.	Spain.	1783.	7. 8.	H. 4.	Cavan. ic. 3. t. 21.
16	obtusifòlia. Led.	(br.) blunt-leaved.	Siberia.	1827.		H. ⊙.	
17	marginàta. F.	(gr.) thick margined.	Armenia.	1829.		H. h. ?	
18	Sòda. R.S.	(wh.) long fleshy-leav'd.	S. Europe.	1683.	7. 8.	H. ⊙.	Jacq. vind. 1. t. 68.
K'OCHIA. R.S. K'OCHIA.			Pentandria Digynia. R.S.				
1	arenària. R.S.	(wh.) sand.	Hungary.	1819.	7. 9.	H. ⊙.	W. et K. hung. 1. t. 1.
2	dasyántha. R.S.	(wh.) woolly-flowered.	Caucasus.	1829.	—	H. ⊙.	Gmel. jun. it. 1. t. 1.
3	prostràta. R.S.	(gr.) trailing.	S. Europe.	1780.	6. 8.	F. h.	Jacq. aust. 3. t. 24.
<i>Salsola prostrata</i> . Jacq.							
4	trig'yna. L. en.	(gr.) slender-leaved.	Spain.	1804.	7. 8.	H. ⊙.	Cavan. ic. 3. t. 23.
<i>Salsola altissima</i> . Cav. <i>Chenopodium trigynum</i> . R.S.							
5	hyssopifòlia. R.S.	(gr. re.) Hyssop-leaved.	Siberia.	1801.	6. 8.	H. ⊙.	Pall. it. 1. ap. t. H. f. 1.
6	sedoïdes. R.S.	(gr.) Stonecrop-like.	Tauria.	1823.	—	H. 4.	— 3. t. M. f. 5.
7	erióphora. R.S.	(gr.) woolly.	Spain.	1816.	—	H. ⊙.	Trattin. arch. t. 121.
8	scopària. R.S.	(gr.) Summer Cypress.	Greece.	1629.	6. 9.	H. 4.	Buxb. cent. 1. t. 13.
<i>Chenopodium Scoparia</i> . W.							
CHEN'OLEA. L. CHEN'OLEA.			Pentandria Monogynia. L.				
	diffusa. W.	(wh.) silky.	C. B. S.	1758.	8. 9.	G. h.	
<i>Salsola sericea</i> . H.K. <i>Kochia sericea</i> . R.S. <i>Chenopodium sericeum</i> . S.S.							
ENCHYL'ENA. B.P. ENCHYL'ENA.			Pentandria Di-Trigynia.				
	tomentosa. B.P.	(wh.) woolly.	N. Holland.	1824.	6. 8.	G. h.	
RHAG'ODIA. B.P. RHAG'ODIA.			Polygamia Monœcia.				
1	Billardieri. B.P.	(gr.) narrow-leaved.	N. S. W.	1822.	6. 7.	G. h.	Lab. nov. hol. 1. t. 1.
2	lactàta. B.P.	(gr.) halberd-leaved.	—	1803.	—	G. h.	Loud. enc. pl. t. 16.
3	nùtans. B.P.	(gr.) nodding-branch'd.	V. Diem. Isl.	1824.	7. 9.	G. 4.	
ACROGLO'CHIN. Schr. ACROGLO'CHIN.			Pentandria Digynia.				
	chenopodioides. F.	(gr.) Goose-foot-like.	Siberia.	1823.	5. 9.	H. ⊙.	
CHENOPODIUM. R.S. GOOSE-FOOT.			Pentandria Digynia. L.				
1	Bonus-Henricus. (gr.)	English Mercury.	Britain.		5. 8.	H. 4.	Eng. bot. v. 15. t. 1.
2	úrbeum. E.B.	(gr.) upright.	—		8.	H. ⊙.	— v. 10. t. 75.
3	Atrípleis. R.S.	(cr.) purple.	China.	1780.	8. 9.	H. ⊙.	Jacq. vind. 3. t. 8.
4	punctulatum. R.S.	(re.) white-spotted.	—	1820.	—	H. ⊙.	Scop. del. ins. 1. t. 1.
5	gigànteum. D.P.	(gr.) gigantic.	Nepaul.	—	9. 11.	H. ⊙.	Eng. bot. v. 24. t. 15.
6	rùbrum. R.S.	(fl.) red.	Britain.		8. 9.	H. ⊙.	
7	chrysomelanespèrnum. R.S.	black-seeded.	Galicia.	1825.	—	H. ⊙.	
8	carthagenense. R.S.	(gr. re.) Carthage.	Carthage.	1824.	6. 8.	H. ⊙.	
9	rhombifolium. R.S.	(gr.) angular-leaved.	N. America.	1807.	7. 9.	H. ⊙.	Jacq. ic. 2. t. 345.
10	guineense. W.	(gr.) Guinea.	Guinea.	1790.	8. 9.	H. ⊙.	Eng. bot. v. 24. t. 72.
11	murale. E.B.	(gr.) nettle-leaved.	Britain.		—	H. ⊙.	

12	Quinòa. R.S.	(gr.) green Quinoa.	Chile.	1822.	7. 9.	H.⊙.	Feuil. peruv. t. 10.
	β rubrum.	(re.) red Quinoa.	————	————	————	H.⊙.	Feuil. per. ed. germ. t. 10.
13	scrobinum. R.S.	(gr.) late-flowering.	S. Europe.		8. 9.	H.⊙.	
14	heifolium. E.B.	(gr.) Fig-leaved.	England.		————	H.⊙.	Eng. bot. v. 21. t. 1721.
15	album. E.B.	(gr.) white.	Britain.		6. 9.	H.⊙.	———— v. 21. t. 1723.
	β subrotundum.	(gr.) round-leaved.	————		————	H.⊙.	Petiv. h. brit. t. 8. f. 4.
	γ viride. w.	(gr.) green.	————		————	H.⊙.	
	ε integrifolium.	(gr.) entire-leaved.	————		————	H.⊙.	
	ε crassifolium.	(gr.) thick-leaved.	————		————	H.⊙.	
16	opulifolium. R.S.	(gr.) Guelder-rose-ld.	S. Europe.		————	H.⊙.	Bast. j. bot. 1814. t. 3.
17	hybridum. E.B.	(gr.) Maple-leaved.	Britain.		8. 9.	H.⊙.	Eng. bot. v. 27. t. 1919.
18	blitoides. R.S.	(gr.) Blitum-like.	France.	1827.	————	H.⊙.	
19	Botrys. R.S.	(gr.) cut-leaved.	S. Europe.	1548.	6. 9.	H.⊙.	Flor. grac. t. 253.
20	fœtidum. W.en.	(gr.) strong-scented.		1823.	6. 8.	H.⊙.	
21	multifidum. R.S.	(gr.) multifid.	Buenos Ayres.	1732.	6. 10.	G.⊙.	Dill. elt. t. 66. f. 77.
22	botryoides. E.B.	(re.) many-clustered.	Britain.		6. 8.	H.⊙.	Eng. bot. v. 32. t. 2247.
23	ambrosioides. R.S.	(gr.) Mexican.	Mexico.	1640.	6. 10.	H.⊙.	Moris. s. 5. t. 35. f. 8.
24	suffruticosum. R.S.	(gr.) suffrutescent.	————	1819.	————	G.⊙.	
25	anthelminticum. w.	(gr.) American.	America.	1732.	7. 8.	G.⊙.	Dill. elt. t. 66. f. 76.
26	graveolens. R.S.	(gr.) strong-scented.	Mexico.	1819.	8. 11.	H.⊙.	
27	incisum. R.S.	(gr.) jagged.		1826.	————	H.⊙.	
28	glaucom. R.S.	(gr.) Oak-leaved.	England.		7. 8.	H.⊙.	Eng. bot. v. 21. t. 1454.
29	crassifolium. R.S.	(cr.) fleshy-leaved.		1820.	————	H.⊙.	
30	humifusum. R.S.	(pu.) trailing.		1824.	————	H.⊙.	
31	sepium. R.S.	(re.) hedge.	Bohemia.	1822.	————	H.⊙.	
32	radiatum. R.S.	(gr.) rayed.	N. America.	1803.	6. 8.	H.⊙.	W. hort. ber. 1. t. 28.
	Kochia dentata. w.	Salsola platyphylla. m.					
33	olidum. E.B.	(gr.) stinking.	Britain.		7. 8.	H.⊙.	Eng. bot. v. 15. t. 1034.
	fœtidum. R.S. Vulværia. w.						
34	polyspermum. R.S.	(gr.) Allseed.	————		————	H.⊙.	Eng. bot. v. 21. t. 1480.
35	acutifolium. E.B.	(gr.) acute-leaved.	————		————	H.⊙.	———— v. 21. t. 1481.
36	marginatum. R.S.	(gr.) bony-edged.		1821.	————	H.⊙.	
37	caudatum. R.S.	(gr.) long-tailed.	Guinea.	1806.	————	G.⊙.	Jacq. ic. 2. t. 341.
38	laterale. R.S.	(gr.) oblong-leaved.		1781.	8. 9.	S.⊙.	
39	strictum. R.S.	(gr.) upright.	E. Indies.	————	9. 11.	H.⊙.	
40	aristatum. R.S.	(gr.) bearded.	Siberia.	1771.	6. 9.	H.⊙.	Gmel. sib. 3. t. 15. f. 1.
41	lanceolatum. R.S.	(gr.) spear-leaved.	Pensylvania.	1809.	7.	H.⊙.	
42	fruticosum. R.S.	(gr.) shrubby.	England.		8. 9.	H.⊙.	Eng. bot. v. 9. t. 635.
	Salsola fruticosa. E.B.						
43	parvifolium. R.S.	(gr.) small-leaved.	Caucasus.	1829.		H.⊙.	Pall. ill. 3. t. 44.
44	altissimum. R.S.	(wh.) Grass-leaved.	Russia.	1775.	7. 8.	H.⊙.	Schrad. d. hal. t. 1. f. 3
	Salsola altissima. w.	Suaeda altissima. Pall. ill. t. 42.					
45	trigynum. R.S.	(gr.) trigynous.	Spain.	————	————	H.⊙.	Cavan. icon. 3. t. 289.
46	hirsutum. R.S.	(gr.) hairy.	Denmark.	1791.	————	H.⊙.	Flor. dan. t. 187.
	Salsola hirsuta. F.D.						
47	salum. R.S.	(gr.) Saltwort.	Astracan.	1782.	8. 9.	H.⊙.	Jacq. vind. 3. t. 83.
48	spicatum. R.S.	(gr.) spiked.	Spain.	1816.	8. 10.	H.⊙.	Cavan. ic. 3. t. 290.
49	setigerum. R.S.	(gr.) setiferous.	————	————	————	H.⊙.	DC. h. mons. ined. t. 87.
50	maritimum. R.S.	(gr.) sea blite.	Britain.		8.	H.⊙.	Eng. bot. v. 9. t. 633.
	ATRIPLEX. R.S.	ORACHE. Polygamia Monœcia. L.					
1	Halimus. R.S.	(wh.) tall shrubby.	Spain.	1640.	7. 8.	H.⊙.	Park. theat. 724. f. 2.
2	portulacoides. R.S.	(gr.) dwarf shrubby.	Britain.		————	H.⊙.	Eng. bot. v. 4. t. 261.
3	verruciferum. R.S.	(gr.) warted-fruited.	Caucasus.	1827.	————	H.⊙.	
4	albicans. R.S.	(bh.) white.	C. B. S.	1774.	6. 7.	G.⊙.	
5	glaucom. w.	(gr.) glaucous.	S. Europe.	1732.	7. 8.	F.⊙.	Dill. elt. t. 40. f. 46.
6	linifolium. R.S.	(gr.) Flax-leaved.	S. America.	1819.	————	G.⊙.	
7	polygamum. R.S.	(gr.) polygamous.	New Spain.	1826.	————	F.⊙.	
8	coriaceum. R.S.	(gr.) leathery.	Egypt.	1828.	6. 9.	F.⊙.	
9	roseum. R.S.	(gr.) rose-like.	S. Europe.	1739.	6. 7.	H.⊙.	Schk. hand. 3. t. 350.
10	foliosum. R.S.	(gr.) leafy.	Portugal.	1824.	————	H.⊙.	
11	sibiricum. R.S.	(wh.) Siberian.	Siberia.	1783.	7. 8.	H.⊙.	Schk. hand. 3. t. 350.
12	tataricum. R.S.	(gr.) Tartarian.	Tartary.	1778.	————	H.⊙.	— 3. p. 539. t. 349.
13	bengalense. R.S.	(gr.) Bengal.	E. Indies.		————	H.⊙.	
14	hortense. R.S.	(gr.) garden.	Tartary.	1548.	————	H.⊙.	Blackw. t. 99 et 552.
	β intermedium.	(re.) intermediate.	————	————	————	H.⊙.	
	γ rubrum.	(re.) red garden.	————	————	————	H.⊙.	
15	nitens. R.S.	(gr.) glossy.	Hungary.	1746.	————	H.⊙.	Schkuhr hand. t. 348.
16	acuminatum. R.S.	(gr.) acuminate.	————	1820.	————	H.⊙.	W. et K. hung. t. 103.
17	venetum. R.S.	(gr.) Venetian.	Venice.	————	————	H.⊙.	

18	incanum. R.S.	(gr.) hoary-leaved.	Spain.	1818.	7. 8.	H.⊙.	
19	album. R.S.	(gr.) white-leaved.	Italy.	1826.	—	H.⊙.	
20	incisum. M.B.	(gr.) cut-leaved.	Tauria.	1829.	—	H.⊙.	
21	laciniatum. R.S.	(gr.) frosted sea.	Britain.		—	H.⊙.	Eng. bot. v. 3. t. 14.
22	Besseriànum. R.S.	(gr.) Besser's.	Hungary.	1825.	—	H.⊙.	
23	hastatum. R.S.	(gr.) halberd-leaved.	Europe.		—	H.⊙.	Flor. dan. t. 1286.
24	prostratum. DC.	(gr.) prostrate.	—		—	H.⊙.	
25	obtusum. R.S.	(gr.) blunt-leaved.	Siberia.	1825.	—	H.⊙.	
26	microspermum. R.S.	(w.) small-seeded.	Hungary.	1800.	—	H.⊙.	W. et K. hung. t. 2.
27	oblongifolium. R.S.	(gr.) oblong-leaved.	—	—	—	H.⊙.	— t. 21.
28	pátulum. R.S.	(gr.) spreading.	Britain.		6. 9.	H.⊙.	Eng. bot. v. 13. t. 9.
29	angustifolium. R.S.	(gr.) narrow-leaved.	—		6. 8.	H.⊙.	— v. 25. t. 17.
30	erectum. R.S.	(gr.) upright.	England.		8.	H.⊙.	— v. 31. 223.
31	littorale. E.B.	(gr.) grass-leaved.	Britain.		8. 9.	H.⊙.	— v. 10. t. 7.
32	pedunculatum. R.S.	(gr.) pedunculated.	England.		7. 9.	H.⊙.	— v. 4. t. 20.
33	oppositifolium. R.S.	(gr.) opposite-leaved.	France.	1827.	—	H.⊙.	
34	verticillatum. R.S.	(gr.) whorl-leaved.	Spain.	1822.	—	H.⊙.	Cavan. H. R. M. t. 2.
35	sulcatum. R.S.	(gr.) sulcate.	—	—	—	H.⊙.	
B'ETA. R.S. BEET. Pentandria Digynia. L.							
1	vulgaris. R.S.	(gr.) common.	S. Europe.	1548.	—	H.♂.	Schk. hand. 1. t. 56.
	<i>a viridis.</i>	(gr.) green.	—	—	—	H.♂.	Plenck off. t. 169.
	<i>β rubra.</i>	(gr.) red.	—	—	—	H.♂.	
	<i>γ lutea.</i>	(gr.) yellow.	—	—	—	H.♂.	Kern. abbild. t. 235.
	<i>δ macrorrhiza.</i>	(gr.) mangold-wortzel.	—	—	—	H.♂.	
2	Cicla. R.S.	(gr.) white.	Portugal.	1570.	—	H.♂.	Plenck off. t. 170.
3	crispa. R.S.	(gr.) curled-leaved.	—	—	—	H.♂.	
4	trigyna. R.S.	(wh.) Hungarian.	Hungary.	1796.	7. 8.	H.♀.	W. et K. hung. 1. t. 1.
5	maritima. E.B.	(gr.) sea-side.	Britain.		6. 8.	H.♀.	Eng. bot. v. 4. t. 25.
6	macrorrhiza. R.S.	(gr.) large-rooted.	Caucasus.	1827.	—	H.♀.	
7	foliosa. E.	(gr.) leafy.	Egypt.	1826.	7. 9.	H.⊙.	
8	pátula. R.S.	(gr.) spreading.	Madeira.	1778.	8. 9.	G.♂.	
SPIN'ACIA. W. SPINAGE. Diœcia Pentandria. L.							
	oleracea. w.	(gr.) common.	—	1568.	3. 10.	H.⊙.	Schk. hand. 3. t. 324.
	<i>a spinosa. w.</i>	(gr.) prickly.	—	—	—	H.⊙.	
	<i>β inermis.</i>	(gr.) round.	—	—	—	H.⊙.	
ACN'IDA. W. VIRGINIAN HEMP. Diœcia Pentandria. L.							
1	cannabina. w.	(gr.) common.	N. America.	1640.	6. 7.	H.⊙.	
2	ruscocarpa. w.	(gr.) rugged-capsuled.	Virginia.	1824.	—	H.⊙.	Mich. fl. amer. 2. t. 1.
B'OSEA. R.S. GOLDEN-ROD. Pentandria Digynia. L.							
	yervamora. R.S.	(br.) tree.	Canaries.	1728.	6. 9.	G.♀.	Jacq. f. eclog. t. 2.
CORISPERMUM. L. TICK-SEED. Monandria Digynia. L.							
1	hyssopifolium. R.S.	(wh.) Hyssop-leaved.	Europe.	1739.	7.	H.⊙.	Flor. græc. 1. t. 1.
2	nítidum. R.S.	(wh.) glossy.	Hungary.	1827.	8. 9.	H.⊙.	
3	Redowskii. R.S.	(wh.) Redowski's.	Caucasus.	1828.	—	H.⊙.	
4	spicatum. R.S.	(wh.) spiked.	—	—	—	H.⊙.	
5	canescens. R.S.	(wh.) canescent.	Hungary.	1822.	7. 9.	H.⊙.	
6	intermedium. R.S.	(wh.) intermediate.	Prussia.	—	—	H.⊙.	
7	ténue. L.en.	(wh.) slender.	—	1823.	—	H.⊙.	
8	squarròsum. R.S.	(wh.) rough-spiked.	Russia.	1759.	8. 9.	H.⊙.	Pall. ros. 2. t. 99.
9	Marschallii. R.S.	(wh.) Marschall's.	Caucasus.	1829.	—	H.⊙.	
10	latifolium. Lk.	(wh.) broad-leaved.	—	1826.	—	H.⊙.	
11	sabulòsum. Led.	(wh.) gravel.	Siberia.	1827.	—	H.⊙.	
BL'ITUM. R.S. STRAWBERRY-BLITE. Monandria Digynia. L.							
1	capitatum. R.S.	(re.) berry-headed.	Austria.	1633.	5. 8.	H.⊙.	Poif. et T. fl. p. 1. 1.
2	virgatum. R.S.	(re.) slender.	S. Europe.	1680.	5. 9.	H.⊙.	Bot. mag. t. 276.
3	petiolare. L.en.	(re.) petiolate.	—	1818.	—	H.⊙.	
4	chenopodioides. R.S.	(gr.) Goosefoot-like.	—	1826.	—	H.⊙.	
5	maritimum. N.	(gr.) sea-side.	N. America.	1823.	—	H.⊙.	
CERATOCARPUS. L. CERATOCARPUS. Monœcia Monandria. L.							
	arenarius. L.	(gr.) sand.	Tartary.	1757.	6. 7.	H.⊙.	Buxb.in. act. p. 1. 1.
SALICORNIA. L. GLASSWORT. Monandria Monogynia. L.							
1	herbacea. s.s.	(gr.) marsh.	Britain.		8. 9.	H.⊙.	Eng. bot. v. 6. t. 4.
2	procumbens. E.B.	(gr.) procumbent.	England.		—	H.⊙.	— v. 35. t. 2.
3	radicans. E.B.	(gr.) rooting.	Britain.		9.	H.♀.	— v. 24. t. 1.
4	pygmæa. R.S.	(gr.) small.	Caucasus.	1827.	—	H.⊙.	
5	perennans. R.S.	(gr.) perennial.	Siberia.	1823.	8. 9.	H.♀.	Pall. it. 1. ap. T. 1.
6	fruticosa. E.B.	(gr.) shrubby.	Britain.		—	H.♀.	Eng. bot. v. 35. t. 2.
7	arática. R.S.	(gr.) Arabian.	Arabia.	1758.	—	G.♀.	Moris. s. 2. t. 33. 1.
8	foliosa. R.S.	(gr.) leafy.	Siberia.	1827.	—	H.♀.	

HALOCN'EMUM. M.B. HALOCN'EMUM. Monandria Digynia.						
caspicum. R.S.	(gr.) Caspian.	Caucasus.	1827.	7. 8.	H. h.	Pall. it. 1. ap. t. A. f. 2.
POLYCN'EMUM. R.S. POLYCN'EMUM. Triandria Monogynia. L.						
1 arvense. R.S.	(wh.) trailing.	S. Europe.	1610.	7.	H. ☉.	Jacq. aust. 1. t. 365.
2 recurvum. R.S.	(wh.) recurved-leaved.	Switzerland.	1824.	7. 8.	H. ☉.	
3 salsum. R.S.	(gr.) saltwort.	Tartary.	1828.	—	H. ☉.	Pall. ill. t. 50.
4 sibiricum. R.S.	(wh.) Siberia.	Siberia.	1829.	—	H. ☉.	— t. 51.
5 oppositifolium. R.S.	(wh.) opposite-leaved.	Tartary.	1820.	—	H. ☉.	Pall. it. ap. T. E. f. 2.
6 crassifolium. R.S.	(wh.) thick-leaved.	Astracan.	1828.	—	H. .	Pall. ill. t. 55.
7 sclerospermum. R.S.	(w.) hard-seeded.	—	1821.	—	H. ☉.	— t. 56.
8 pubescens. Led.	(wh.) pubescent.	Siberia.	1827.	—	H. ☉.	
CAMPHORO'SMA. L. CAMPHORO'SMA. Tetrandria Monogynia. L.						
1 monspeliacum. w.	(wh.) hairy.	S. Europe.	1610.	8. 9.	G. h.	Sebk. hand. 1. t. 26.
perenne. Pall. ill. pl. imp. cogn. t. 57.						
2 ovatum. R.S.	(wh.) Hungarian.	Hungary.	1823.	—	H. ☉.	W. et K. lunn. 1. t. 63.
GAL'ENIA. W. GAL'ENIA. Octandria Digynia. L.						
africana. w.	(pa.) African.	C. B. S.	1752.	6. 8.	G. h.	Lam. ill. t. 314.
AX'YRIS. W. AX'YRIS. Monœcia Triandria. L.						
1 amaranthoides. w.	(gr.) simple-spiked.	Siberia.	1758.	6. 7.	H. ☉.	Gmel. sib. t. 2. f. 2.
2 hybrida. w.	(gr.) bastard.	—	1780.	6. 8.	H. ☉.	— t. 4. f. 1.
3 prostrata. w.	(gr.) trailing.	—	1798.	7. 8.	H. ☉.	— t. 4. f. 2.
DI'OTIS. W. DI'OTIS. Monœcia Tetrandria. L.						
ceratoides. w.	(wh.) shrubby.	Siberia.	1780.	8.	H. h.	Jacq. ic. 1. t. 189.
Ax'yris ceratoides. Jacq. Ceratospermum papposum. P.S.						

ORDO CLXVIII.

BEGONIACEÆ. Ventenat. et Don prodr. p. 223.

BEG'ONIA. L. BEG'ONIA. Monœcia Polyandria. L.						
1 nitida. s.s.	(bh.) shining-leaved.	Jamaica.	1777.	5. 12.	S. h.	Sal. par. lond. t. 72.
2 dichotoma. s.s.	(wh.) forked.	Caracas.	1800.	7. 8.	S. h.	Jacq. ic. 3. t. 619.
3 reniformis. s.s.	(wh.) kidney-leaved.	Brazil.	1823.	—	S. h.	Linn. trans. 1. t. 14. f. 1. 2.
4 spathulata. s.s.	(wh.) spatula-leaved.	W. Indies.	1813.	8. 10.	S. h.	Lodd. bot. cab. t. 17.
5 odorata. s.s.	(wh.) sweet-scented.	S. America.	1823.	6. 8.	S. h.	
6 sanguinea. s.s.	(pi.) bloody.	Brazil.	1828.	6. 10.	S. 4.	
7 Selloi. L.O.	(wh.) Sello's.	—	—	—	S. h.	
8 undulata. B.M.	(wh.) wave-leaved.	—	1825.	8. 12.	S. h.	Bot. mag. t. 2723.
9 semperflorans. B.C.	(w.) ever-blowing.	Mexico.	1829.	1. 12.	S. h.	Lodd. bot. cab. t. 1439.
10 Hookeri.	(pi.) Hooker's.		1827.	—	S. h.	Bot. mag. t. 2920.
semperflorans. B.M. non. B.C.						
11 disticha. s.s.	(wh.) distichous.	S. America.	1820.	6. 8.	S. h.	
12 macrophylla. s.s.	(bh.) large-leaved.	Jamaica.	1793.	5. 9.	S. h.	
13 hirtella. s.s.	(wh.) fringed.	W. Indies.	1818.	—	S. h.	
14 Evansiana. A.R.	(pi.) Evans's.	China.	1804.	—	S. 4.	Bot. mag. t. 1473.
discolor. H.K. published 1813. Evansiana. A.R. published 1811. B.M. 1812.						
15 picta. Sm.	(pi.) painted.	Nepaul.	1823.	5. 9.	S. 4.	Sm. exot. bot. t. 101.
16 palmata. D.P.	(pi.) palmated.	—	1825.	—	S. 4.	
17 vitifolia. L.O.	 Vine-leaved.	Brazil.	1829.		S. h.	
18 platanifolia. L.O.	 Plane-leaved.	—	—		S. h.	
19 diversifolia. B.M.	(pi.) various-leaved.	Mexico.	1827.	9. 12.	S. h. ~.	Bot. mag. t. 2966.
20 villosa. B.R.	(wh.) villous.	Brazil.	—	8. 10.	S. h.	Bot. reg. t. 1252.
21 pauciflora. B.R.	(bh.) few-flowered.	W. Indies.	1816.	5. 9.	S. h.	— t. 471.
22 patula. H.S.S.	(bh.) spreading.	Brazil.	1811.	—	S. h.	
23 bulbifera. L.O.	(pi.) bulb-bearing.	—	1829.	9. 11.	S. 4.	
24 monoptera. L.O.	(pi.) one-winged.	—	—	—	S. 4.	
25 tuberosa. s.s.	(pi.) tuberous.	Amboyna.	1810.	7. 9.	S. 4.	Rumph. am. 5. t. 169. f. 2.
26 acutifolia. s.s.	(wh.) acute-leaved.	W. Indies.	1822.	—	S. h.	Sloan. jam. t. 127. f. 1. 2.
27 acuminata. s.s.	(wh.) pointed-leaved.	Jamaica.	1790.	5. 12.	S. h.	Bot. reg. t. 364.
28 lucida. H.R.	(wh.) polished.	Trinidad.	1820.	—	S. ☉.	
29 argyrostigma. B.R.	(pi.) silver-spotted.	Brazil.	1819.	7. 9.	S. h.	Bot. reg. t. 666.
maculata. s.s.						
30 dipetala. B.M.	(pi.) two-petaled.	E. Indies.	1826.	4. 8.	S. h.	Bot. mag. t. 2849.
31 papillosa. B.M.	(pi.) papillose.	S. America.	1822.	—	S. h.	— t. 2846.

32	insignis. B.M.	(pi.) handsome.	Brazil.	1828.	1. 12.	S. h.	Bot. mag. t. 200.
33	incarnata. L.O.	(pi.) flesh-coloured.	————	1829.	————	S. h.	
34	Martiana. L.O.	(pi.) Martius's.	————	————	————	S. h.	
35	suavèolens. B.C.	(wh.) fragrant.	W. Indies.	1816.	5. 9.	S. h.	Lodd. bot. cab. t. 1.
36	humilis. H.E.F.	(wh.) dwarf.	————	1788.	10.	S. ♂.	Hook. ex. flor. t. 17.
37	hirsuta. s.s.	(wh.) shaggy-leaved.	————	1789.	5. 6.	S. ♂.	Aub. gui. 2. t. 348.
38	ulmifolia. s.s.	(bh.) Elm-leaved.	S. America.	1820.	6. 1.	S. h.	Hook. ex. flor. t. 17.
39	scandens. s.s.	(gr.) climbing.	Jamaica.	1824.	7. 9.	S. h. ∪.	Aub. gui. 2. t. 348.

ORDO CLXIX.

POLYGONEÆ. *Brown prodr. p. 419.*

COCCOLOBA. L.		SEASIDE-GRAPE. Octandria Trigynia. L.					
1	uvifera. s.s.	(wh.) round-leaved.	W. Indies.	1690.		S. h.	Jacq. amer. t. 78.
2	pubescens. s.s.	(wh.) downy.	————	————		S. h.	Pluk. phyt. 222. f. 4.
3	excoriata. s.s.	(wh.) oval-leaved.	————	1733.		S. h.	Plum. ic. t. 145. f. 1.
4	nivea. s.s.	(st.) snowy.	Jamaica.	1826.		S. h.	
5	punctata. s.s.	(wh.) spear-leaved.	W. Indies.	1733.		S. h.	Jacq. amer. 114. t. 7.
6	laurifolia. W.en.	(wh.) Laurel-leaved.	S. America.	1816.	8. 9.	S. h.	
7	diversifolia. s.s.	(wh.) different-leaved.	Hispaniola.	————	————	S. h.	Hook. ex. flor. t. 17.
8	obtusifolia. s.s.	(wh.) blunt-leaved.	S. America.	1823.		S. h.	Jacq. amer. t. 74.
9	microstachya. s.s.	(wh.) small-spiked.	W. Indies.	————		S. h.	
10	barbadensis. s.s.	(wh.) Barbadoes.	Barbadoes.	1790.		S. h.	Jacq. obs. 1. t. 8.
11	latifolia. s.s.	(wh.) broad-leaved.	S. America.	1812.		S. h.	Lam. ill. t. 316. f. 4.
12	acuminata. K.s.	(wh.) sharp-pointed.	————	1824.		S. h.	
13	longifolia. L.en.	(wh.) long-leaved.	————	1818.		S. h.	
14	tenuifolia. s.s.	(wh.) small-leaved.	Jamaica.	1824.		S. h.	Brown. jam. 210. f. 1.
BRUNNI'CHIA. S.S.		BRUNNI'CHIA. Decandria Trigynia. W.					
	cirrhosa. s.s.	(gr.) Carolina.	Carolina.	1787.		G. h. ∪.	Gært s. 1. t. 48. f. 2.
POLY'GONUM. L.		PERSICARIA. Tetr-Octandria Di-Trigynia.					
1	Bistorta. w.	(pi.) Snake-weed.	Britain.		5. 9.	H. 4.	Eng. bot. v. 8. t. 1.
2	bistortoides. Ph.	(bh.) Snakeweed-like.	N. America.	1828.	6. 7.	H. 4.	
3	viviparum. E.B.	(gr.) alpine bistort.	Britain.		5. 9.	H. 4.	Eng. bot. v. 10. t. 1.
4	petiolatum. D.P.	(pi.) petiolate.	Nepaul.	1823.	————	H. 4.	
5	macrophyllum. D.P.	(pu.) large-leaved.	————	1822.	————	H. 4.	
6	affine. D.P.	(ro.) related.	————	1823.	————	H. 4.	
7	mite. P.s.	(li.) tasteless.	N. America.	1818.	6. 9.	H. ⊙.	
8	hydropiperoides. Ph.	(w.) acrid.	————	1824.	————	H. ⊙.	
9	tenuiflorum. s.s.	(li.) slender-flowered.	Sicily.	1826.	————	H. 4.	Pluk. alm. t. 177. f. 1.
10	scandens. w.	(pi.) climbing.	N. America.	1749.	7. 9.	H. 4. ∪.	Eng. bot. v. 15. t. 1.
11	Fagopyrum. w.	(pi.) Buck-wheat.	England.		7. 8.	H. ⊙.	Bot. reg. t. 107.
12	emarginatum. w.	(pi.) Indian buck-wheat.	Nepaul.	1796.	————	H. ⊙.	Gmel. sib. 3. t. 13. f. 1.
13	tataricum. w.	(gr.) Tartarian.	Siberia.	1759.	————	H. ⊙.	Eng. bot. v. 14. t. 1.
14	Convolverulus. w.	(bh.) common climbing.	Britain.		5. 9.	H. ⊙. ∪.	Flor. dan. t. 753.
15	dametorum. w.	(li.) bush.	S. Europe.	1803.	————	H. ⊙.	Lab. n. bot. 1. t. 15.
16	adpressum. B.P.	(pi.) polygamous.	N. S. W.	1822.	————	G. h. ∪.	Bart. fl. amer. t. 1.
17	sagittatum. w.	(wh.) arrow-leaved.	N. America.	1759.	7. 8.	H. ⊙.	Burm. ind. t. 20. f. 1.
18	chinense. w.	(pi.) Chinese.	China.	1795.	————	H. ⊙.	
19	patens. D.P.	(pi.) spreading.	Nepaul.	1823.	————	H. 4.	
20	elegans. s.s.	(wh.) elegant.	Naples.	1824.	————	H. h.	
21	alpinum. w.	(wh.) Alpine.	Italy.	1816.	————	H. 4.	Bocc. mus. 2. t. 25.
22	undulatum. w.	(wh.) wave-leaved.	Siberia.	1789.	6. 7.	H. 4.	Gmel. sib. 3. t. 13.
23	divaricatum. w.	(wh.) divaricated.	————	1759.	7. 8.	H. 4.	———— 3. t. 11. f. 1.
24	salignum. w.	(wh.) Willow-like.	————	1816.	5. 8.	H. 4.	
25	acidulum. w.	(wh.) narrow-leaved.	————	————	6. 7.	H. 4.	
26	cymosum. s.s.	(wh.) cyme-flowered.	Naples.	1827.	7. 9.	H. 4.	
27	aviculare. E.B.	(ro.) Knot-grass.	Britain.		4. 10.	H. ⊙.	Eng. bot. v. 19. t. 1.
28	Dryandri. s.s.	(bh.) Dryander's.	E. Indies.	1796.	4. 8.	S. 4.	
	elegans. H.K. nec aliorum.						
29	arenarium. w.K.	(pu.) sand.	Hungary.	1807.	5. 8.	H. ⊙.	W. et K. huz. t. 1.
30	ramosum. L.en.	(wh.) branching.	Siberia.	1822.	6. 8.	H. 4.	
31	littorale. L.en.	(wh.) sea-side.	S. Europe.	1816.	5. 8.	H. h.	
32	Bellardi. P.s.	(wh.) Bellardi's.	————	1822.	————	H. 4.	All. ped. t. 99. f. 2.
33	patulum. M.E.	(wh.) spreading-branch'd.	Tauria.	————	————	H. 4.	

<i>Alum.</i> W. (wh.) sea-shore.	S. Europe.	1816.	6. 8.	H. $\frac{1}{2}$.	Flor. græc. t. 363.
<i>latum.</i> M.B. (li.) Sorrel-leaved.	Astracan.	1823.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> W. (wh.) upright.	N. America.	1792.	7. 8.	H. $\frac{1}{4}$.	
<i>foliolium.</i> B.A. (bh.) Flax-leaved.	—	1824.	6. 8.	H. $\odot$.	Bart. fl. amer. 3. t. 95. f. 2.
<i>lenticuloides.</i> s.s. (wh.) Egyptian.	Egypt.	1822.	—	F. $\frac{1}{2}$.	
<i>pennsylvanicum.</i> W. (ro.) Pennsylvanian.	N. America.	1819.	7. 8.	H. $\odot$.	
<i>erectum.</i> W. (re.) common.	E. Indies.	1707.	7. 10.	H. $\odot$.	Bot. mag. t. 213.
<i>albidum.</i> (wh.) white-flowered.	—		—	H. $\odot$.	
<i>erectum.</i> s.s. (re.) bearded.	China.	1822.	6. 9.	F. $\frac{1}{4}$.	Rheed. mal. 12. t. 77.
<i>erectum.</i> W. (re.) dyer's.	—	1776.	7. 8.	G. $\frac{1}{4}$.	
<i>decipiens.</i> B.P. (ro.) decipient.	N. S. W.	1822.	—	G. $\frac{1}{4}$.	
<i>erectum.</i> B.P. (bh.) linear-leaved.	—	—	—	G. $\frac{1}{4}$.	
<i>Persicaria.</i> (li.) spotted.	Britain.		—	H. $\odot$.	Eng. bot. v. 11. t. 756.
<i>apathifolium.</i> s.s. (gr.) Dock-leaved.	—		7. 10.	H. $\odot$.	— v. 20. t. 1382.
<i>latum.</i> W.en. (li.) hoary.	Germany.	1804.	—	H. $\odot$.	Schrazk. bav. 1. t. 3.
<i>persicarioides.</i> K.S. (w.) Mexican.	Mexico.	1825.	—	H. $\frac{1}{4}$.	
<i>Hydropiper.</i> E.B. (gr.) Water pepper.	Britain.		7. 9.	H. $\odot$.	Eng. bot. v. 14. t. 960.
<i>erectum.</i> W. (gr.) smooth.	E. Indies.	1822.	—	S. $\frac{1}{4}$.	
<i>erectum.</i> E.B. (li.) slender.	England.		—	H. $\odot$.	Eng. bot. v. 15. t. 1043.
<i>erectum.</i> (wh.) rooting-branched.	Fulham.		8. 10.	H. $\odot$.	
<i>erectum.</i> D.P. (wh.) twisting.	Nepaul.	1824.	7. 10.	F. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (wh.) Equisetum-like.	Britain.		—	H. $\odot$.	Flor. græc. t. 364.
<i>erectum.</i> Led. (w.) sharp-seeded.	Siberia.	1827.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> W. (bh.) Arum-leaved.	N. America.	1816.	5. 10.	H. $\odot$.	Bart. fl. amer. t. 100.
<i>erectum.</i> W. (bh.) spear-leaved.	Siberia.	1780.	6. 9.	H. $\frac{1}{4}$.	Gmel. sib. 3. t. 8.
<i>erectum.</i> W. (pa.) Virginian.	N. America.	1640.	8. 9.	H. $\frac{1}{4}$.	Park. theat. 857. f. 6.
<i>erectum.</i> W. (ro.) amphibious.	Britain.		6. 8.	H. w. $\frac{1}{4}$.	Eng. bot. v. 7. t. 436.
<i>erectum.</i> B.P. (pi.) slender-stalked.	N. S. W.	1822.	—	G. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (re.) Brazilian.	Brazil.	—	—	S. $\frac{1}{2}$.	Venten. cels. t. 88.
TRAGOPYRUM. M.B. TRAGOPYRUM. Octandria Trigynia.					
<i>erectum.</i> M.B. (pi.) spear-leaved.	Siberia.	1770.	7. 8.	H. $\frac{1}{2}$.	Bot. reg. t. 255.
<i>Polygonum frutescens.</i> B.R.					
<i>erectum.</i> M.B. (pi.) Box-leaved.	Caucasus.	1800.	—	H. $\frac{1}{2}$.	Bot. mag. t. 1065.
<i>Polygonum crispulum.</i> B.M.					
ATRAPHAXIS. L. ATRAPHAXIS. Hexandria Digynia. L.					
<i>erectum.</i> s.s. (gr.) prickly.	Levant.	1732.	8.	G. $\frac{1}{4}$.	L'Herit. stirp. 1. t. 14.
<i>erectum.</i> s.s. (gr.) waved-leaved.	C. B. S.	—	6. 7.	G. $\frac{1}{2}$.	Dill. elt. t. 32. f. 36.
MYRIA. Sm. MOUNTAIN SORREL. Hexandria Digynia. Sm.					
<i>erectum.</i> Sm. (gr.) kidney-leaved.	Britain.		6. 7.	H. $\frac{1}{4}$.	Eng. bot. v. 13. t. 910.
<i>erectum.</i> digynus. E.B.					
HEX. L. DOCK. Hexandria Trigynia. L.					
<i>Hydroclapathum.</i> s.s. (gr.) great water.	Britain.		7. 8.	H. w. $\frac{1}{4}$.	Eng. bot. v. 30. t. 2104.
<i>erectum.</i> E.B.					
<i>erectum.</i> s.s. (gr.) Virginian.	N. America.		6. 7.	H. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (gr.) great.	Europe.		—	H. $\frac{1}{4}$.	
<i>erectum.</i> E.B. (gr.) sharp.	Britain.		—	H. $\frac{1}{4}$.	Eng. bot. v. 11. t. 724.
<i>erectum.</i> W. (gr.) flat-valved.	Europe.	1816.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> W.en. (gr.) wood.	—	—	—	H. $\frac{1}{4}$.	
<i>erectum.</i> E.B. (gr.) bloody-veined.	England.		6. 7.	H. $\frac{1}{4}$.	Eng. bot. v. 22. t. 1533.
<i>erectum.</i> M.B. (gr.) spreading.	Caucasus.	1823.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> E.B. (gr.) curled.	Britain.		—	H. $\frac{1}{4}$.	Eng. bot. v. 28. t. 1998.
<i>erectum.</i> W. (gr.) Patience.	Italy.	1573.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> W.en. (gr.) close-leaved.	—	1816.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> L.en. (gr.) Brazilian.	Brazil.	1823.	—	G. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (gr.) whorled.	N. America.	1818.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> P.S. (gr.) spatulate-leav'd.	C. B. S.	1824.	8. 2.	G. $\frac{1}{4}$.	
<i>erectum.</i> P.S. (gr.) purple-veined.	Europe.		6. 7.	H. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (gr.) linear-leaved.	C. B. S.	1824.	8. 12.	G. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (gr.) Willow-leaved.	California.	1821.	7. 10.	F. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (gr.) smooth.	—	1828.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> s.s. (gr.) wood.	Germany.	1826.	6. 8.	H. $\frac{1}{4}$.	
<i>erectum.</i> E.B. (gr.) broad-leaved.	Britain.		—	H. $\frac{1}{4}$.	Eng. bot. v. 28. t. 1999.
<i>erectum.</i> s.s. (gr.) Nepalese.	Nepaul.	1823.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> E.B. (ye.) yellow marsh.	England.		7. 8.	H. $\frac{1}{4}$.	Eng. bot. v. 27. t. 1932.
<i>erectum.</i> E.B. (ye.) sea-side.	Britain.		—	H. $\frac{1}{4}$.	— v. 11. t. 725.
<i>erectum.</i> W. (gr.) divaricate.	Italy.	1793.	—	H. $\frac{1}{4}$.	Till. pis. t. 37. f. 2.
<i>erectum.</i> L.en. (gr.) upright.	—	1824.	—	H. $\frac{1}{4}$.	
<i>erectum.</i> W. (gr.) Persicaria-like.	N. America.	1773.	6. 7.	H. $\frac{1}{4}$.	
<i>erectum.</i> W. (gr.) dentated.	Egypt.	1732.	7. 8.	H. $\odot$.	Dill. elt. t. 158. f. 191.

28	ægyptiacus. w.	(gr.) Egyptian.	Egypt.	1734.	6. 7.	H. ⊙.	Till. pis. t. 37. f. 1
29	ucraniæus. s.s.	(gr.) Ukraine.	Ukraine.	1820.	—	H. ⊙.	
30	crispátulus. m.	(gr.) curled-leaved.	N. America.	—	—	H. ⊙.	
31	cristátus. dc.	(gr.) crested.		—	—	H. 4.	
32	púleher. E.B.	(gr.) fiddle.	Britain.		6. 8.	H. 4.	Eng. bot. v. 22. t. 107
33	aquáticus. s.s.	(gr.) water.	Europe.	1818.	—	H. w. 4.	
34	scutátus. w.	(gr.) French sorrel.	France.	1596.	6. 7.	H. 4.	Jacq. ic. 1. t. 67
35	hastifólius. m.B.	(gr.) hastate-leaved.	Caucasus.	1816.	—	H. 4.	
36	vesicáarius. w.	(gr.) bladder.	Africa.	1656.	7. 8.	H. ⊙.	Moris. s. 5. t. 8. c. 1
37	tingitánnus. w.	(gr.) Tangier.	Barbary.	1680.	6. 8.	H. 4.	Zanen. hist. 9. t. 4
38	longifólius. k.s.	(gr.) long-leaved.	S. America.	1827.	7. 10.	F. 4.	
39	sarcorhizus. L.en.	(gr.) fleshy-rooted.	C. B. S.	1824.	8. 12.	G. 4.	
40	Burchéllii. s.s.	(gr.) Burchell's.	—	1816.	8. 10.	G. 4.	
41	Lunária. w.	(gr.) tree.	Canaries.	1698.	6. 7.	G. 4.	Pluk. alm. t. 202. c. 1
42	orientális. Bern.	(gr.) oriental.	Levant.	1821.	7. 9.	H. 4.	
43	conspérsus. Ot.	(gr.) scattered.		1824.	—	H. 4.	
44	domésticus. s.s.	(gr.) various-leaved.	Sweden.	1823.	—	H. 4.	
45	rósens. w.	(gr.) rose.	Egypt.	1737.	7. 8.	H. ⊙.	
46	lácerus. s.s.	(gr.) torn-leaved.	—	1825.	—	H. ⊙.	
47	bucephalóphorus.	(gr.) Basil-leaved.	Italy.	1683.	6.	H. ⊙.	Cavan. ic. 1. t. 4. c. 1
48	fimbriátus. s.s.	(gr.) fringe-valved.	C. B. S.	1816.	7. 9.	G. 4.	
49	Brównii. s.s.	(gr.) Brown's fringed.	N. S. W.	1824.	—	G. 4.	
50	Acetosa. E.B.	(gr.) common Sorrel.	Britain.		6. 8.	H. 4.	Eng. bot. v. 2. t. 117
51	Acetosélla. E.B.	(st.) sheep's sorrel.	—		5. 7.	H. 4.	— v. 24. t. 117
52	abyssínicus. Jacq.	(gr.) Abyssinian.	Abyssinia.	1823.	—	G. 4.	Jacq. vind. 3. t. 117
53	tuberósus. w.	(gr.) tuberous-rooted.	S. Europe.	1752.	6. 8.	H. 4.	
54	arifólius. s.s.	(gr.) Arum-leaved.	Africa.	1775.	12. 4.	G. 4.	
55	trianguláris. dc.	(gr.) triangular-leaved.	S. Europe.	1824.	—	F. 4.	
56	amplexicaúlis. s.s.	(gr.) stem-clasping.	Pyrenees.	1816.	6. 8.	H. 4.	
57	luxúrians. s.s.	(gr.) luxuriant.	S. Europe.		—	H. 4.	
58	alpinus. w.	(gr.) Alpine.	France.	1597.	6. 7.	H. 4.	Zorn. ic. 261.
59	frutésceus. s.s.	(gr.) frutescent.	Tristan d'Ac.	1816.	6. 9.	G. 4.	
60	gigánteus. H.K.	(gr.) tall.	Sandwich Isl.	1796.	6. 8.	G. 4.	
EMEX. S.S.		'EMEX. Hexandria Trigynia. S.S.					
	spinósus. s.s.	(gr.) spiny-seeded.	Candia.	1656.	6. 7.	H. ⊙.	
Rumex spinósus. w.							
PODOPTERUS. K.S.		PODOPTERUS. Hexandria Trigynia. S.S.					
	mexicáus. k.s.	(wh.) Mexican.	Mexico.	1825.		G. 4.	H. et B. pl. am. 2. t. 117
TRIPLARIS. K.S.		TRIPLARIS. Diccia Enneandria. L.					
	americána. k.s. (ro. pu.)	American.	S. America.	1823.	5. 8.	S. 4.	Jacq. amer. 13. t. 117
RHEUM. L.		RHUBARB. Enneandria Trigynia. L.					
1	Rhapónticum. w.	(wh.) common.	Asia.	1573.	5. 6.	H. 4.	Sabb. hort. 1. t. 117
2	undulátum. w.	(wh.) wave-leaved.	China.	1734.	—	H. 4.	L. amon. acad. 2. t. 117
3	crispum. And.	(wh.) curl-leaved.		1820.	—	H. 4.	
4	compáctum. w.	(wh.) thick-leaved.	Tartary.	1758.	—	H. 4.	Mill. ic. 2. t. 117
5	tatáricum. w.	(wh.) Tartarian.	—	1793.	—	H. 4.	
6	hy'bridum. w.	(wh.) bastard.	Asia.	1778.	—	H. 4.	Murr. c. gen. t. 1
7	austríacum. And.	(wh.) Austrian.	Austria.	1819.	—	H. 4.	
8	sibíricum. And.	(wh.) Siberian.	Siberia.	—	—	H. 4.	
9	fenestrátum. F.	(wh.) windowed.		1760.	—	H. 4.	
10	retundifólium. And.	(w.) round-leaved.			—	H. 4.	
11	nútans. F.	(wh.) nodding.	Asia.	1824.	—	H. 4.	Ann. mus. 1. t. 117
12	Ribes. w.	(wh.) warted-leaved.	Levant.	1724.	—	H. 4.	Linn. fasc. 7. t. 117
13	palmátum. w.	(wh.) palmated.	China.	1763.	4. 5.	H. 4.	Swt. br. fl. 1. t. 117
14	austrále. d.p.	(d. pu.) Nepaul.	Nepaul.	1826.	—	H. 4.	
ERIOGONUM. M.		ERIOGONUM. Enneandria Trigynia. N.					
1	tomentósus. m.	(wh.) woolly.	Carolina.	1811.	5. 6.	H. 4.	Mich. amer. v. 1. t. 117
2	flávum n.	(gc.) ilky.	Missouri.	—	7.	H. 4.	
seríceum. Ph.							
3	pauciflórum. Ph.	(wh.) few-flowered.	Louisiana.	1812.	—	H. 4.	
4	longifólium. n.	(wh.) long-leaved.	Arkansa.	1824.	—	H. 4.	
CALLIGONUM. W.		CALLIGONUM. Dodecandria Tetragynia. L.					
1	Pallásia. w.	(wh. gr.) Caspian.	Caspian shores.	1780.	8.	H. 4.	Pall. rus. 2. t. 117
2	Pandéri. w.	(gr. wh.) Fischer's.	—	1824.	7. 9.	H. 4.	
3	comósus. p.s.	(gr. wh.) tufted.	Persia.	1829.		H. 4.	
KŒNIGIA. W.		KŒNIGIA. Triandria Trigynia. L.					
	islandica. w.	(gr.) Iceland.	Iceland.	1773.	4.	H. ⊙.	Lam. ill. gen. t. 117

ORDO CLXX.

LAURINÆ. *Brown prodr. p. 401.*

LAVUS. W.		LA'URUS. Enneandria Monogynia. L.					
1 <i>Laurus</i> . w. (gr.ye.)	Sweet Bay.	S. Europe.	1561.	4. 5.	H. h.	Flor. græc. t. 365.	
2 <i>undulata</i> . (gr.ye.)	wave-leaved.	—	—	—	H. h.		
3 <i>salicifolia</i> . (gr.ye.)	Willow-leaved.	—	—	—	H. h.		
4 <i>variegata</i> . (gr.ye.)	variegated.	—	—	—	H. h.		
5 <i>condura</i> . s.s. (gr.ye.)	leathery-leaved.	Jamaica.	1822.		S. h.		
6 <i>salicifolia</i> . s.s. (gr.)	Willow-leaved.	W. Indies.	—		S. h.		
7 <i>Catesbyi</i> . p.s. (wh.)	Catesby's.	Florida.	1811.	4. 6.	F. h.	Catesb. car. 1. t. 28.	
8 <i>carolinensis</i> . m. (gr.ye.)	Carolina.	N. America.	1806.	—	F. h.	— 1. t. 63.	
9 <i>glabra</i> . (gr.ye.)	smooth-leaved.	—	—	—	F. h.		
10 <i>pubescens</i> . (gr.ye.)	downy.	—	—	—	F. h.		
11 <i>obtus.</i> (gr.ye.)	blunt-leaved.	—	—	—	F. h.		
12 <i>Bourbonia</i> . w. (gr.ye.)	Bourbon.	S. America.	1739.	—	F. h.	Plum. gen. 4.	
13 <i>bunchiflora</i> . s.s. (gr.ye.)	bunch-flowered.	Madagascar.	1824.		S. h.		
14 <i>royal</i> . w. (gr.ye.)	royal bay.	Madeira.	1665.	10. 3.	G. h.	Pluk. alm. t. 304. f. 1.	
15 <i>Madeira</i> . w. (gr.ye.)	Madeira or Til.	—	1760.	—	G. h.		
16 <i>Canaria</i> . W.en. (st.)	Canary.	Canaries.	1815.	—	G. h.		
17 <i>clustera</i> . B.M. (wh.)	clustered.	China.	1812.	—	S. h.	Bot. mag. t. 2497.	
18 <i>Cogwood</i> . w. (gr.ye.)	Cogwood-tree.	Jamaica.	1778.		S. h.	Brown. jam. t. 7. f. 1.	
19 <i>pendula</i> . w. (gr.ye.)	pendulous.	—	1822.		S. h.		
20 <i>glaucous</i> . w. (gr.ye.)	glaucous.	Japan.	1806.		G. h.		
21 <i>veined</i> . w. (gr.ye.)	veined-leaved.	N. America.	1765.	4. 5.	G. h.		
22 <i>Benjamin</i> . w. (gr.ye.)	Benjamin-tree.	—	1683.	—	H. h.	Comm. hort. 1. t. 97.	
23 <i>twiggy</i> . p.s. (gr.ye.)	twiggy.	—	1810.	—	H. h.	Bot. mag. t. 1470.	
24 <i>flexuosa</i> . m. (gr.ye.)	flexuose.	—	1759.	—	H. h.	— t. 1471.	
25 <i>Sassafras</i> . w. (gr.ye.)	Sassafras-tree.	—	1633.	5. 6.	H. h.	Catesb. car. 1. t. 55.	
26 <i>white</i> . n. (gr.ye.)	white Sassafras.	—	—	—	H. h.		
PÉRSEA. G.		ALLIGATOR-PEAR. Enneandria Monogynia. S.S.					
1 <i>communis</i> . G. (st.)	common.	W. Indies.	1739.	4. 6.	S. h.	Bot. reg. t. 1258.	
CINNAMOMUM. B.P. CINNAMON.		Enneandria Monogynia.					
1 <i>Cassia</i> . s.s. (gr.)	pubescent.	E. Indies.	1768.	5. 9.	S. h.	Andr. reposit. t. 596.	
2 <i>Laurus Cinnamomum</i> . A.R. <i>Pérsea Cassia</i> . s.s. (gr.)	true.	Ceylon.	1763.	6. 9.	S. h.	Bot. mag. t. 1636.	
3 <i>Cassia</i> . B.M. <i>Pérsea Cinnamomum</i> . s.s. (gr.wh.)	sweet.	E. Indies.	1824.		S. h.		
4 <i>glossy</i> . H.E.F. (gr.)	glossy-leaved.	Sumatra.	—	6. 9.	S. h.	Hook. ex. flor. t. 176.	
5 <i>square</i> . (gr.)	square-branch'd.	E. Indies.	1805.		S. h.		
6 <i>Bejelgheta</i> . L.T. <i>Laurus malabáthrica</i> . H.B. (gr.)	three-flowered.	Moluccas.			S. h.	Rumph. amb. 2. t. 14.	
7 <i>Calittaban</i> . H.B. (gr.)	slender.	E. Indies.	1805.		S. h.		
8 <i>Camphire</i> . (wh.)	Camphire-tree.	Japan.	1727.	3. 6.	G. h.	Bot. mag. t. 2658.	
OCOTEA. K.S.		Oc'OTEA. Dodecandria Monogynia.					
1 <i>tridentata</i> . K.S. (gr.)	spear-leaved.	Mexico.	1828.		G. h.		
CRYPTOCARYA. B.P. CRYPTOCARYA.		Dodecandria Monogynia.					
1 <i>glaucous</i> . B.P. (gr.)	glaucous-leaved.	N. S. W.	1820.		G. h.		
2 <i>obovate</i> . B.P. (gr.)	obovate-leaved.	—	1823.		G. h.		
TETRANTHERA. B.P. TETRANTHERA.		Diœcia Enneandria.					
1 <i>Laurel</i> . B.R. (gr.wh.)	Laurel-leaved.	Japan.	1823.	1. 5.	G. h.	Bot. reg. t. 893.	
2 <i>petalless</i> . B.P. (gr.wh.)	petalless.	E. Indies.	—	—	G. h.	Roxb. corom. 2. t. 147.	
3 <i>white</i> . B.P. (gr.)	white-leaved.	N. S. W.	1824.		G. h.		
4 <i>involuta</i> . Rox. (gr.)	involuta.	E. Indies.	1820.	1. 5.	G. h.		
CASSYTHA. L.		CASSYTHA. Dodecandria Monogynia.					
1 <i>slender</i> . L. (wh.)	slender.	C. B. S.		5. 8.	G. 4. ~.	Rumph. amb. 5. t. 184. f. 4	
2 <i>smooth</i> . B.P. (wh.)	smooth.	N. S. W.	1822.	—	G. 4. ~.		
3 <i>panicled</i> . B.P. (wh.)	panicled.	—	1824.	—	G. 4. ~.		

LAURINIS AFFINE.

GYROCA'RPUS. B.P. GYROCA'RPUS. Polygamia Monœcia.

1	americanus. w.	(ye.) American.	W. Indies.	1816.		S. h.	Jacq. amer. t. 178.
2	asiaticus. w.	(ye.) Asiatic.	E. Indies.	1812.		S. h.	Roxb. corom. 1. t. 1.

Jacquini. R.C.

HERNA'NDIA. L. JACK IN A BOX. Monœcia Triandria. L.

1	sonora. w.	(wh.) peltate-leaved.	W. Indies.	1693.		S. h.	Rumph. amb. 2. t. 1.
2	guianensis. w.	(wh.) Guiana.	Guiana.	1823.		S. h.	Aub. gui. 2. t. 2.
3	ovigera. w.	(wh.) oval-leaved.	E. Indies.	1820.		S. h.	Rumph. amb. 3. t. 1.

ORDO CLXXI.

MYRISTICÆÆ. Brown prodr. p. 399.

MYRI'STICA. W. NUTMEG. Diœcia Monadelphica. L.

1	moschata. w.	(ye.) true.	E. Indies.	1795.		S. h.	Hook. ex. flor. t. 1.
	officinalis. H.E.F.	aromatica. Lam.					
2	sebifera. s.s.	(ye.) woolly-fruited.	S. America.	1829.		S. h.	
3	fâtua. s.s.	(ye.) tasteless.	Surinam.	1812.		S. h.	Pluk. alm. t. 250.

ORDO CLXXII.

PROTEACEÆ. Brown Linn. trans. 10. p. 46.

A'ULAX. P.L. A'ULAX. Diœcia Tetrandria. H.K.

1	pinifolia. L.T.	(ye.) Pine-leaved.	C. B. S.	1780.	7. 9.	G. h.	Andr. reposit. t. 70.
	Prôtea pinifolia. A.R.						
2	umbellata. L.T.	(ye.) umbelled.	—	1774.	6. 8.	G. h.	Andr. reposit. t. 28.
	LEUCADE'NDRON. L.T.	LEUCADE'NDRON. Diœcia Tetrandria. H.K.					
1	argenteum. L.T.	(st.) Silver-tree.	C. B. S.	1693.	6. 8.	G. h.	Bot. reg. t. 979.
	Prôtea argentea. W.						
2	plumosum. L.T.	(ye.) feathered.	—	1774.	—	G. h.	Thunb. diss. 40. t. 4.
	Prôtea parviflora. Th.						
3	retusum. L.T.	(ye.) retuse-leaved.	—	1825.	—	G. h.	
4	spathulatum. L.T.	(ye.) spathulate.	—	1812.	6. 8.	G. h.	
5	angustatum. L.T.	(ye.) narrow-leaved.	—	1824.	—	G. h.	
6	imbricatum. L.T.	(ye.) imbricated.	—	1790.	—	G. h.	
7	buxifolium. L.T.	(ye.) Box-leaved.	—	1812.	—	G. h.	Wend. h. herr. t. 11.
8	Levisanus. L.T.	(ye.) short-leaved.	—	1774.	4. 6.	G. h.	— t. 1.
9	linifolium. L.T.	(ye.) Flax-leaved.	—	1809.	—	G. h.	Jacq. schœnb. 1. t. 2.
10	stellatum.	(ye.) starry.	—	—	5. 6.	G. h.	Bot. mag. t. 881.
	Prôtea stellaris. B.M.	squarrosa. K.P.					
11	fusciflorum. L.T.	(br.) brown-flowered.	—	1812.	—	G. h.	Jacq. schœnb. 1. t. 2.
12	tortum. L.T.	(ye.) twisted-leaved.	—	1790.	3. 5.	G. h.	Bot. reg. t. 826.
13	cinereum. L.T.	(ye.) gray-leaved.	—	1774.	7. 8.	G. h.	
14	corymbosum. L.T.	(ye.) corymbed.	—	1790.	4. 7.	G. h.	Bot. reg. t. 402.
15	decorum. L.T.	(ye.) decorous.	—	—	5. 8.	G. h.	
16	squarrosus. L.T.	(ye.) squarrose.	—	1812.	—	G. h.	Boerh. lug. 2. p. 15.
	Prôtea strobilina. L.						
17	concolor. L.T.	(ye.) one-coloured.	—	1774.	3. 6.	G. h.	Andr. reposit. t. 28.
	Prôtea globosa. B.M.	878. strobilina. Schrad. s. han. 1. t. 1.					
18	grandiflorum. L.T.	(ye.) great-flowered.	C. B. S.	1789.	4. 6.	G. h.	Sal. par. lond. t. 1.
19	ovale. L.T.	(ye.) oval-leaved.	—	1818.	—	G. h.	
20	venosum. L.T.	(ye.) veined-leaved.	—	1815.	—	G. h.	
21	decurrens. L.T.	(ye.) decurrent.	—	1812.	6. 8.	G. h.	
22	glabrum. L.T.	(ye.) smooth.	—	—	3. 6.	G. h.	

<i>Prætorium</i> . L.T. (ye.) upright.	C. B. S.	1795.	4. 6.	G. h.	Sal. par. lond. t. 75.
<i>Prætorium salicifolium</i> . P.L. <i>Prôteia confêra</i> . Andr. rep. t. 541.					
<i>Prætorium</i> . L.T. (ye.) slender.	C. B. S.		—	G. h.	
<i>Prætorium</i> . L.T. (ye.) ascending.	—	1774.	6. 8.	G. h.	Pluk. mant. t. 229. f. 6.
<i>Prætorium</i> . L.T. (ye.) neat.	—	1800.	—	G. h.	
<i>Prætorium</i> . L.T. (ye.) Willow-leaved.	—	1774.	4. 6.	G. h.	Boer. lugd. 2. p. 204. ic.
<i>Prætorium</i> . L.T. (ye.) swamp.	—	1795.	—	G. h.	Breyn. cent. 21. t. 9.
<i>Prætorium</i> . L.T. (ye.) florid.	—	—	—	G. h.	Pluk. phyt. t. 229. f. 4.
<i>Prætorium saligna</i> mas. et fem. Andr. rep. t. 572?					
<i>Prætorium</i> . L.T. (ye.) flat-seeded.	—	1818.	—	G. h.	
<i>Prætorium</i> . L.T. (ye.) tufted.	—	1812.	5. 8.	G. h.	
<i>Prætorium</i> . L.T. (ye.) related.	—	1789.	6. 9.	G. h.	
<i>Prætorium incurra</i> . Andr. rep. t. 429.					
<i>Prætorium</i> . L.T. (ye.) Pine-leaved.	—	—	7. 9.	G. h.	Andr. reposit. t. 461.
<i>Prætorium teretifolia</i> . Andr. rep. t. 461.					
<i>Prætorium</i> . L.T. (ye.) rough.	—	1812.	4. 6.	G. h.	
<i>Prætorium</i> . L.T. (ye.) silky-leaved.	—	1818.	—	G. h.	
<i>Prætorium</i> . L.T. (ye.) globe-headed.	—	1810.	—	G. h.	Lam. ill. 1. t. 53.
<i>Prætorium</i> . L.T. (ye.) pubescent.	—	1822.	—	G. h.	
<i>Prætorium</i> . L.T. (ye.) Heath-leaved.	—	—	—	G. h.	
<i>Prætorium</i> . L.en. (ye.) inflexed.	—	1812.	—	G. h.	
<i>Prætorium</i> . L.en. (ye.) tailed.	—	—	—	G. h.	
<i>Prætorium</i> . L.en. (ye.) villous-margined.	—	1818.	—	G. h.	
<i>Prætorium</i> . L.T. (ye.) thick-leaved.	—	1816.	—	G. h.	
<i>Prætorium</i> . L.T. (ye.) bony-margined.	—	—	—	G. h.	
PROPHILA . L.T. PETROPHILA . Tetrandria Monogynia. R.S.					
<i>Prophila</i> . L.T. (wh.) round-leaved.	N. Holland.	1824.		G. h.	
<i>Prophila</i> . L.T. (wh.) thread-leaved.	—	—		G. h.	
<i>Prophila</i> . L.T. (wh.) needle-leaved.	—	—		G. h.	
<i>Prophila</i> . L.T. (wh.) Fennel-leaved.	N. S. W.	1790.	7. 8.	G. h.	Bot. mag. t. 796.
<i>Prophila</i> . L.T. (st.) peduncled.	—	1824.	4. 8.	G. h.	
<i>Prophila</i> . L.T. (wh.) various-leaved.	N. Holland.	1803.	4. 6.	G. h.	
<i>Prophila</i> . L.T. (wh.) trifid-leaved.	—	1824.		G. h.	
POGON . L.T. ISOPOGON . Tetrandria Monogynia. R.S.					
<i>Pogon</i> . L.T. (wh.) round-leaved.	N. Holland	1824.	4. 8.	G. h.	
<i>Pogon</i> . L.T. (wh.) Dill-leaved.	N. S. W.	1796.	3. 6.	G. h.	Cavan. ic. 6. t. 549.
<i>Pogon</i> . L.T. (li.) handsome.	N. Holland.	1805.	—	G. h.	Bot. reg. t. 1288.
<i>Pogon</i> . L.T. (st.) Anemone-leav'd.	N. S. W.	1791.	7. 9.	G. h.	Bot. mag. t. 697.
<i>Pogon</i> . A.R. (ye.) spreading.	—	—	—	G. h.	Andr. rep. t. 465.
<i>Pogon</i> . L.T. (wh.) three-lobed.	N. Holland.	1803.	5. 6.	G. h.	
<i>Pogon</i> . L.T. (ye.) long-leaved.	—	1820.	—	G. h.	Bot. reg. t. 900.
<i>Pogon</i> . M.C. (ye.) related.	—	1824.		G. h.	
<i>Pogon</i> . L.T. (wh.) attenuated.	—	—	5. 6.	G. h.	
<i>Pogon</i> . L.T. (wh.) many-headed.	—	—		G. h.	
<i>Pogon</i> . L.T. axillary.	—	—		G. h.	
PROTEA . L.T. PROTEA . Tetrandria Monogynia. L.					
<i>Protea</i> . L.T. (re.) Artichoke-fl'd.	C. B. S.	1774.	11. 3.	G. h.	Bot. mag. t. 770.
<i>Protea</i> . L.T. (sc.) ray-flowered.	—	1806.	7. 9.	G. h.	— t. 1717.
<i>Protea</i> . (sc.) scarlet-flower'd.	—	—	—	G. h.	Andr. reposit. t. 646.
<i>Protea</i> . (gr.) green-flowered.	—	—	—	G. h.	— t. 646.
<i>Protea</i> . L.T. (pu.) compact.	—	1810.	—	G. h.	
<i>Protea</i> . L.T. (st.) long-flowered.	—	1795.	1. 4.	G. h.	Sm. exot. bot. 2. t. 81.
<i>Protea</i> . Sm. laticolor. Par. lond. t. 27.					
<i>Protea</i> . L.T. (sc.) scarlet-flowered.	—	1810.	5. 6.	G. h.	
<i>Protea</i> . L.T. (wh.br.) splendid.	—	1786.	3. 6.	G. h.	Knight's prot. c. ic.
<i>Protea</i> . (pa. pi.) obtuse.	—	—	—	G. h.	Andr. reposit. t. 110.
<i>Protea</i> . B.M. 1183. <i>Erodéndrum obtusum</i> . K.P.					
<i>Protea</i> . L.T. (wh.) large-leaved.	—	1810.	—	G. h.	
<i>Protea</i> . L.T. (sc.) handsome.	—	1789.	5. 6.	G. h.	Bot. mag. t. 1713.
<i>Protea</i> . A.R. 469. <i>Erodéndrum formosum</i> . Par. lond. t. 76.					
<i>Protea</i> . L.T. (bk.) black-fringed.	—	1786.	3. 7.	G. h.	Andr. reposit. t. 103.
<i>Protea</i> . L.T. (bk.) crested.	—	1806.	—	G. h.	Wein. phyt. 4. t. 895.
<i>Protea</i> . L.T. (pu.) Oleander-leaved.	—	—	2. 4.	G. h.	Bot. reg. t. 208.
<i>Protea</i> . L.T. (pu.) wave-leaved.	—	1795.	3. 8.	G. h.	— t. 20.
<i>Protea</i> . (pu.bk.) fringe-leaved.	—	—	—	G. h.	Andr. reposit. t. 270.
<i>Protea</i> . (pu.bk.) smooth-leaved.	—	—	—	G. h.	— t. 277.
<i>Protea</i> . (pu.bk.) specious.	—	—	—	G. h.	— t. 442.
<i>Protea</i> . L.T. (st.bk.) spreading.	—	1789.	3. 6.	G. h.	— t. 543.
<i>Protea</i> . A.R. (pu.bk.) magnificent.	—	—	—	G. h.	— t. 438.

16	incómpta. L.T. (wh.) villous-branched.	C. B. S.	1807.	5. 7.	G. h.	
17	longifòlia. L.T. (st.bk.) long-leaved.	————	1798.	3. 8.	G. h.	Bot. reg. t. 47.
18	umbonàlis. (st.pu.) embossed.	————	————	————	G. h.	Andr. reposit. t. 100.
	<i>longifòlia</i> . var. <i>cono turbinato</i> . A.R. <i>Erodéndrum umbonàle</i> . K.P.					
19	ligulafòlia. (st.pu.) strap-leaved.	————	1798.	3. 8.	G. h.	Andr. reposit. t. 100.
	<i>longifòlia ferruginòso-purpùrea</i> . A.R. <i>Erodéndrum ligulafòlium</i> . K.P.					
20	mellifera. L.T. (ro.wh.) honey-bearing.	————	1774.	12. 5.	G. h.	Bot. mag. t. 240.
	β álba. (wh.) white-flowered.	————	————	————	G. h.	Andr. reposit. t. 100.
21	grandiflòra. L.T. (ro.w.) great-flowered.	————	1787.	5. 6.	G. h.	Bot. mag. t. 240.
	β marginàta. (ro.wh.) red margined.	————	————	————	G. h.	Bot. reg. t. 100.
22	Scòlymus. L.T. (ro.wh.) small-flowered.	————	1780.	————	G. h.	Bot. mag. t. 100.
23	mucronifòlia. L.T. (wh.ro.) dagger-leaved.	————	1803.	7. 12.	G. h.	Andr. rep. t. 100.
24	nàna. L.T. (cr.) dwarf.	————	1787.	4. 7.	G. h.	Sm. exot. bot. t. 144.
	<i>rosàcea</i> . Sm. <i>acuifòlia</i> . Par. lond. t. 2.					
25	péndula. L.T. (wh.gr.) pendulous.	————	1806.	3. 6.	G. h.	
26	tènax. L.T. (st.) tough.	————	1801.	2. 5.	G. h.	Sal. par. lond. t. 100.
27	canaliculàta. L.T. (pi.) channel-leaved.	————	1800.	12. 2.	G. h.	Andr. reposit. t. 100.
28	acuminàta. B.M. (cr.) sharp-pointed.	————	1809.	3. 6.	G. h.	Bot. mag. t. 100.
29	acaùlis. L.T. (st.br.) short-stalked.	————	1802.	5. 9.	G. h.	Wein. phyt. 4. t. 100.
30	glaucophy'lla. P.L. (st.br.) glaucous-leaved.	————	————	7. 9.	G. h.	Sal. par. lond. t. 100.
31	elongàta. L.T. (st.br.) elongated.	————	1810.	————	G. h.	
32	angustàta. L.T. (st.) narrow-leaved.	————	1809.	————	G. h.	
33	revoluta. L.T. (wh.) revolute-leaved.	————	1818.	————	G. h.	
34	tenuifòlia. L.T. (wh.br.) slender-leaved.	————	1816.	————	G. h.	
35	l'ævis. L.T. (ro.gr.) smooth-leaved.	————	1806.	5. 7.	G. h.	Bot. mag. t. 240.
	<i>longifòlia</i> . Par. lond. t. 37.					
36	scábra. L.T. (wh.br.) rough-leaved.	————	1809.	————	G. h.	
37	répens. L.T. (re.wh.) creeping.	————	1800.	6. 8.	G. h.	Wein. phyt. 4. t. 100.
38	lòrea. L.T. (wh.) thong-leaved.	————	1812.	————	G. h.	
39	turbiniflòra. L.T. (ro.) turfy.	————	1803.	4. 5.	G. h.	Sal. par. lond. t. 100.
40	Scolopéndrium. L.T. (wh.br.) Hart's-tongue.	————	1802.	————	G. h.	
41	cordàta. L.T. (cr.) heart-leaved.	————	1790.	3. 5.	G. h.	Andr. reposit. t. 100.
42	amplexicaùlis. L.T. (re.) stem-clasping.	————	1802.	1. 3.	G. h.	Sal. par. lond. t. 100.
43	hùmilis. L.T. (pu.) low-flowering.	————	————	6. 8.	G. h.	Andr. reposit. t. 100.
44	aceròsa. L.T. (cr.) Pine-leaved.	————	1803.	3. 5.	G. h.	Bot. reg. t. 351.
	LEUCOSPE'RMUM. L.T. LEUCOSPE'RMUM. Tetrandria Monogynia. R.S.					
1	lineàre. L.T. (ye.) linear-leaved.	C. B. S.	1774.	8. 9.	G. h.	Thunb. dis. n. 94. 14
2	attenuàtum. L.T. (ye.) attenuated.	————	1810.	————	G. h.	
3	Tóttum. L.T. (ye.) smooth-bracted.	————	1774.	6. 8.	G. h.	
4	mèdium. L.T. (ye.) oval-leaved.	————	1794.	————	G. h.	Andr. reposit. t. 100.
	<i>Pròtea formòsa</i> . A.R. ?					
5	ellipticum. L.T. (ye.) elliptic.	————	1803.	5. 8.	G. h.	
6	Conocárpum. L.T. (go.) many-toothed.	————	1774.	————	G. h.	Boer. lugd. 2. p. 100.
7	grandiflòrum. L.T. (go.) great-flowered.	————	1800.	5. 7.	G. h.	Sal. par. lond. t. 100.
	<i>Leucadéndron grandiflòrum</i> . P.L.					
8	pùberum. L.T. (ye.) downy-leaved.	————	1774.	5. 8.	G. h.	
9	buxifòlium. L.T. (ye.) Box-leaved.	————	1822.	————	G. h.	
10	pátulum. L.T. (ye.) spreading.	————	1816.	————	G. h.	
11	spathulàtum. L.T. (ye.) spathulate.	————	1810.	————	G. h.	
12	tomentòsum. K.P. (ye.) cottony.	————	1789.	8. 9.	G. h.	
13	párule. K.P. (ye.) matched.	————	1790.	————	G. h.	
14	cándicans. (or.) Rose-scented.	————	————	————	G. h.	Andr. reposit. t. 100.
	<i>Pròtea cándicans</i> . A.R.					
15	Hypophy'llum. L.T. (ye.) trifid-leaved.	————	1787.	————	G. h.	Pluk. mant. t. 44. 14
16	crinitum. L.T. (ye.li.) villous-bracted.	————	1824.		G. h.	
17	oleafòlium. L.T. (ye.) Olive-leaved.	————	1822.	4. 6.	G. h.	
18	diffusum. L.T. (ye.) diffuse.	————	1823.	————	G. h.	
	MIM'ETES. L.T. MIM'ETES. Tetrandria Monogynia. R.S.					
1	hirta. L.T. (ye.cr.) hairy.	C. B. S.	1774.	6. 8.	G. h.	Wein. phyt. 4. t. 100.
2	capitulàta. L.T. (re.) small-headed.	————	1322.	————	G. h.	
3	pauciflòra. L.T. (re.) few-flowered.	————	1816.	————	G. h.	
4	palústris. K.P. (re.) marsh.	————	1802.	————	G. h.	Boer. lugd. 2. p. 100.
5	cucullàta. L.T. (re.) three-toothed.	————	1789.		G. h.	Pluk. alm. t. 100.
	<i>Pròtea cucullàta</i> . W.					
6	Hartógii. L.T. (re.) woolly-leaved.	————	1810.		G. h.	Wein. phyt. 4. t. 100.
7	divaricàta. L.T. (wh.) divaricate.	————	1795.	6. 9.	G. h.	
8	vacciniifòlia. (re.wh.) Vaccinium-leaved.	————	1800.	————	G. h.	
	<i>Diastélla vacciniifòlia</i> . K.P.					
9	purpùrea. L.T. (pu.) Heath-leaved.	————	1789.	11. 12.	G. h.	

SERRURIA. L.T.		SERRURIA. Tetrandria Monogynia. R.S.			
1. <i>Serruria</i> . L.T.	(li.) sharp-fruited.	C. B. S.	1822.	4. 6.	G. h.
2. <i>Serruria</i> . L.T.	(li.) sandy-hill.	—	1821.	—	G. h.
3. <i>Serruria</i> . L.T.	(li.) Aiton's.	—	1823.	—	G. h.
4. <i>Serruria</i> . L.T.	(li.) diffuse.	—	1810.	6. 8.	G. h.
5. <i>Serruria</i> . K.P.	(li.) Southernwood-leaved.	—	1803.	—	G. h.
<i>Protea abrotanifolia hirta</i> . A.R.					
6. <i>Serruria</i> . K.P.	(li.) thousand-leaved.	—	—	—	G. h.
7. <i>Serruria</i> . K.P.	(li.) Wormwood-leaved.	—	1789.	—	G. h.
8. <i>Serruria</i> . L.T.	(li.) slender.	—	1803.	—	G. h.
9. <i>Serruria</i> . L.T.	(li.) sand.	—	—	—	G. h.
10. <i>Serruria</i> . L.T.	(li.) trifid-leaved.	—	—	—	G. h.
11. <i>Serruria</i> . L.T.	(li.) scaly-bracted.	—	1816.	5. 7.	G. h.
12. <i>Serruria</i> . L.T.	(li.) woolly-headed.	—	1789.	5. 8.	G. h.
<i>Protea glomerata</i> . A.R.					
13. <i>Serruria</i> . L.T.	(li.) Broom.	—	1809.	—	G. h.
14. <i>Serruria</i> . L.T.	(li.) Niven's.	—	1800.	—	G. h.
<i>Protea dicambens</i> . A.R. non Th.					
15. <i>Serruria</i> . L.T.	(li.) villous.	—	1810.	4. 7.	G. h.
16. <i>Serruria</i> . L.T.	(li.) Fennel-leaved.	—	1816.	—	G. h.
17. <i>Serruria</i> . L.T.	(li.) ciliated.	—	1803.	—	G. h.
18. <i>Serruria</i> . L.T.	(li.) crowded.	—	1816.	—	G. h.
19. <i>Serruria</i> . L.T.	(li.) squarrose.	—	1810.	—	G. h.
20. <i>Serruria</i> . L.T.	(li.) Phylica-flowered.	—	1788.	—	G. h.
<i>Protea abrotanifolia</i> . A.R.					
21. <i>Serruria</i> . L.T.	(li.) grey-branched.	—	1803.	—	G. h.
22. <i>Serruria</i> . K.P.	(li.) matched.	—	—	—	G. h.
23. <i>Serruria</i> . L.T.	(li.) sweet-scented.	—	—	—	G. h.
<i>Protea abrotanifolia odorata</i> . A.R.					
24. <i>Serruria</i> . L.T.	(li.) emarginate.	—	1800.	—	G. h.
<i>Protea minor</i> . K.P. non Br. <i>abrotanifolia minor</i> . A.R.					
25. <i>Serruria</i> . L.T.	(li.) decumbent.	—	1816.	—	G. h.
26. <i>Serruria</i> . L.T.	(li.) procumbent.	—	—	—	G. h.
27. <i>Serruria</i> . L.T.	(li.) many-headed.	—	1789.	—	G. h.
28. <i>Serruria</i> . L.T.	(li.) decipiens.	—	1806.	—	G. h.
29. <i>Serruria</i> . L.T.	(li.) Roxburgh's.	—	—	—	G. h.
30. <i>Serruria</i> . L.T.	(li.) Burmann's.	—	1786.	—	G. h.
<i>Protea Serraria</i> . L.					
31. <i>Serruria</i> . L.T.	(wh.) silvery-flowered.	—	1802.	—	G. h.
<i>Protea argentiflora</i> . A.R.					
32. <i>Serruria</i> . L.T.	(li.) long-peduncled.	—	1800.	—	G. h.
33. <i>Serruria</i> . L.T.	(li.) Samphire-leaved.	—	1816.	—	G. h.
NIVENIA. L.T.		NIVENIA. Tetrandria Monogynia. R.S.			
1. <i>Nivenia</i> . L.T.	(pu.) sceptre-like.	C. B. S.	1790.	5. 6.	G. h.
2. <i>Nivenia</i> . L.T.	(pu.) maiden hair-leaved.	—	—	7. 8.	G. h.
3. <i>Nivenia</i> . L.T.	(pu.) small-leaved.	—	1810.	—	G. h.
4. <i>Nivenia</i> . L.T.	(pu.) spiked.	—	1786.	6. 8.	G. h.
5. <i>Nivenia</i> . L.T.	(pu.) Samphire-leaved.	—	1797.	—	G. h.
<i>Protea Lagopus</i> . A.R. non Thunb.					
6. <i>Nivenia</i> . L.T.	(bh.) middle.	—	1803.	—	G. h.
<i>Protea spicata</i> . A.R.?					
7. <i>Nivenia</i> . L.T.	(pu.) Hare's-foot.	—	1810.	—	G. h.
SOROCEPHALUS. L.T.		SOROCEPHALUS. Tetrandria Monogynia. R.S.			
1. <i>Sorocephalus</i> . L.T.	(pu.) smooth.	C. B. S.	1806.	6. 8.	G. h.
2. <i>Sorocephalus</i> . L.T.	(pu.) club-bearing.	—	1803.	—	G. h.
3. <i>Sorocephalus</i> . L.T.	(pu.) slender-leaved.	—	1802.	—	G. h.
4. <i>Sorocephalus</i> . L.T.	(pu.) woolly.	—	1790.	6. 9.	G. h.
5. <i>Sorocephalus</i> . L.T.	(ro.) imbricated.	—	1794.	4. 7.	G. h.
6. <i>Sorocephalus</i> . L.T.	(pu.) various-leaved.	—	1807.	—	G. h.
SPATALLA. L.T.		SPATALLA. Tetrandria Monogynia. R.S.			
1. <i>Spatalla</i> . L.T.	(pu.) long-peduncled.	C. B. S.	1822.	4. 8.	G. h.
2. <i>Spatalla</i> . L.T.	(li.) snowy-bearded.	—	1806.	4. 8.	G. h.
3. <i>Spatalla</i> . L.T.	(pu.) branching.	—	1812.	—	G. h.
4. <i>Spatalla</i> . L.T.	(pu.) bracteate.	—	—	5. 9.	G. h.
5. <i>Spatalla</i> . L.T.	(pu.) proliferous.	—	1800.	6. 8.	G. h.
6. <i>Spatalla</i> . L.T.	(pu.) pyramidal.	—	1821.	—	G. h.
7. <i>Spatalla</i> . L.T.	(pu.) incurved-leaved.	—	1789.	5. 6.	G. h.
8. <i>Spatalla</i> . L.T.	(pu.) tailed.	—	1812.	—	G. h.
9. <i>Spatalla</i> . L.T.	(pu.) Thunberg's.	—	1806.	—	G. h.

Andr. reposit. t. 522.

Andr. reposit. t. 337.

— t. 264.

— t. 512.

Pluk. mant. t. 345. f. 6.

Andr. reposit. t. 264.

Andr. reposit. t. 349.

Andr. reposit. t. 507. f. 4.

Andr. reposit. t. 507.

— t. 545.

Andr. reposit. t. 536.

Thunb. diss. 1. t. 1.

Burm. afr. t. 99. f. 2.

Burm. afr. t. 99. f. 1.

Andr. reposit. t. 447.

Sparm. a. st. 1777. t. 1.

Thunb. dis. n. 58. t. 5.

Thunb. t. 5. quoad fig.

Andr. reposit. t. 243.

Andr. reposit. t. 234?

Thunb. dis. n. 30. t. 3.

Andr. reposit. t. 517.

Thunb. dis. n. 27. t. 4.

Thunb. dis. n. 22. t. 3.

— sec. ic. t. 2.

ADENA'NTHOS. L.T. ADENA'NTHOS. Tetrandria Monogynia.

1 obovata. L.T.	(li.) obovate-leaved.	N. Holland.	1824.		G. h.	Labil. n. bel. 1. t. 7.
2 cuneata. L.T.	(li.) wedge-leaved.	—	—		G. h.	— v. 1. t. 7.
3 sericea. L.T.	(li.) silky-leaved.	—	—		G. h.	— v. 1. t. 7.

CONOSPE'RMUM. L.T. CONOSPE'RMUM. Triandria Monogynia.

1 ellipticum. L.T.	(wh.) elliptic-leaved.	N. S. W.	1822.	5. 7.	G. h.	
2 taxifolium. L.T.	(st.) Yew-leaved.	—	1823.	4. 6.	G. h.	Bot. mag. t. 2721.
3 ericifolium. L.T.	(bh.) Heath-leaved.	—	1820.	—	G. h.	— t. 2850.
4 longifolium. L.T.	(wh.) long-leaved.	—	1824.		G. h.	Sm. exot. bot. 2. t. 7.
5 acinacifolium. Gr.	(wh.) scymeter-leaved.	—	1824.	4. 6.	G. h.	
6 tenuifolium. L.T.	(wh.) slender-leaved.	—	—	—	G. h.	

AGAST'ACHYS. L.T. AGAST'ACHYS. Tetrandria Monogynia. R.S.

odorata. L.T.	(ye.) sweet-scented.	V. Diem. Isl.	1824.	4. 7.	G. h.

PERSO'ONIA. L.T. PERSO'ONIA. Tetrandria Monogynia. R.S.

1 teretifolia. L.T.	(ye.) round-leaved.	N. Holland.	1824.	5. 6.	G. h.	
2 pinifolia. L.T.	(ye.) Pine-leaved.	N. S. W.	1818.	5. 7.	G. h.	Linn. trans. 10. t. 11.
3 juniperina. L.T.	(ye.) Juniper-leaved.	V. Diem. Isl.	1823.	—	G. h.	Lab. n. holl. 1. t. 4.
4 hirsuta. L.T.	(ye.) hairy.	N. S. W.	1800.	—	G. h.	Lodd. bot. cab. t. 57.
5 mollis. L.T.	(ye.) soft.	—	1818.	—	G. h.	
6 linearis. L.T.	(ye.) linear-leaved.	—	1794.	7. 8.	G. h.	Bot. mag. t. 700.
7 pallida. Gr.	(st.) pale.	N. S. W.	1824.	9. 10.	G. h.	
8 lucida. L.T.	(ye.) shining.	—	—	6. 8.	G. h.	
9 flexifolia. L.T.	(ye.) bending-leaved.	—	1822.	—	G. h.	Lodd. bot. cab. t. 57.
10 chamæpitys. F.T.	(ye.) ground-pine.	N. S. W.	1824.	—	G. h.	
11 scabra. L.T.	(st.) rough.	N. Holland.	—	—	G. h.	
12 nutans. L.T.	(ye.) nodding.	N. S. W.	1821.	—	G. h.	
13 pruinosa. M.C.	(ye.) frosted.	N. Holland.	1824.	—	G. h.	
14 lanceolata. L.T.	(st.) spear-leaved.	—	1791.	6. 7.	G. h.	Andr. reposit. t. 71.
β latifolia. B.P.	(st.) broad-leaved.	—	—	—	G. h.	— t. 28.
15 salicina. L.T.	(st.) Willow-leaved.	—	1795.	6. 7.	G. h.	Cavan. ic. 4. t. 38.
16 ferruginea. L.T.	(ye.) ferruginous.	—	1818.	—	G. h.	Sm. exot. bot. 2. t. 5.

BRAB'EJUM. L.T. AFRICAN ALMOND. Polygamia Monœcia. L.

stellatifolium. L.T.	common.	C. B. S.	1731.	3. 4.	G. h.	Hou. n. h. par. 2. t. 65.

GREVILLEA. L.T. GREVILLEA. Tetrandria Monogynia. R.S.

1 punicea. L.T.	(sc.) scarlet-flowered.	N. S. W.	1822.	4. 9.	G. h.	Bot. reg. t. 1319.
2 dubia. L.T.	(ro.) doubtful.	—	—	—	G. h.	
3 sericea. L.T.	(ro.) silky.	—	1790.	—	G. h.	Bot. mag. t. 862.
4 linearis. L.T.	(li.) linear-leaved.	—	—	—	G. h.	Andr. reposit. t. 272.
α incarnata. B.M.	(pi.) flesh-coloured.	—	—	—	G. h.	Bot. mag. t. 2661.
β alba. B.C.	(bh.) white-flowered.	—	—	—	G. h.	Lodd. bot. cab. t. 57.
5 stricta. L.T.	(li.) upright.	—	1822.	—	G. h.	
6 riparia. L.T.	(li.) river-side.	—	1791.	4. 5.	G. h.	Swt. flor. aust. t. 20.
7 rosmarinifolia. F.T.	(li.) Rosemary-leaved.	—	1824.	—	G. h.	
8 parviflora. L.T.	(st.) small-flowered.	—	1824.	—	G. h.	Lodd. bot. cab. t. 1.
9 juniperina. L.T.	(gr. st.) Juniper-like.	—	1821.	—	G. h.	Swt. flor. aust. t. 7.
10 concinna. L.T.	(st. ro.) pretty.	N. Holland.	1824.	3. 8.	G. h.	
11 arenaria. L.T.	(li.) sand.	N. S. W.	1803.	4. 9.	G. h.	
12 montana. L.T.	(gr.) mountain.	—	—	—	G. h.	
13 acuminata. L.T.	(gr.) acute-leaved.	—	1805.	—	G. h.	Swt. flor. aust. t. 2.
14 cinerea. L.T.	(gr.) grey.	—	1821.	—	G. h.	Lodd. bot. cab. t. 57.
15 mucronulata. L.T.	(gr.) mucronulate.	—	1809.	—	G. h.	Swt. flor. aust. t. 2.
16 Baueri. L.T.	(bh.) Bauer's.	—	1823.	4. 8.	G. h.	Hook. ex. flor. t. 2.
pubescens. Hooker, et	Lodd. bot. cab. t. 1229.					
17 sulphurea. F.T.	(st.) sulphur-coloured.	—	1823.	—	G. h.	
18 sphacelata. L.T.	(br.) sphacelate.	—	1825.	—	G. h.	
19 phylicoides. L.T.	(br.) Phylica-like.	—	—	—	G. h.	
20 collina. K.P.	(br.) hill.	—	1812.	—	G. h.	
21 buxifolia. L.T.	(pu.) Box-leaved.	—	1790.	2. 9.	G. h.	Bot. reg. t. 416.
22 podalyriæfolia. C.C.	(pu.) Podalyria-leaved.	N. Holland.	1821.	5. 8.	I. h.	
23 podocarpifolia.	Podocarpus-leav'd.	—	1823.		I. h.	
24 berberifolia. C.C.	Berberry-leaved.	—	—	—	I. h.	
25 acanthifolia. F.T.	(gr.) Acanthus-leaved.	—	—	—	I. h.	Bot. mag. t. 2867.
26 Gaudichaudii. B.	(ye.) Gaudichaud's.	—	1823.		I. h.	
27 trifurcata. C.C.	three-forked.	—	—		I. h.	
28 aspleniifolia. L.T.	(st.) Spleenwort-leaved.	N. S. W.	1806.		I. h.	
29 Flindersii. M.C.	Flinders's.	N. Holland.	1823.		I. h.	

H'AKEA. L.T. H'AKEA. Tetrandria Monogynia. R.S.

1 pugioniformis. L.T.	(wh.) dagger-fruited.	N. S. W.	1796.	5. 6.	G. h.	Lodd. bot. cab. t. 57.
2 parilis. K.P.	(wh.) matched.	V. Diem. Isl.	—	—	G. h.	

3	epilottis. L.T.	(wh.) curved-fruited.	V. Diem. Isl.	1822.	5. 6.	G. h.	Lab. nov. hol. 1. t. 40.
4	lissa. L.T.	(wh.) knot-podded.	N. Holland.	1824.	—	G. h.	
5	axillis. L.T.	(wh.) bending.	—	—	—	G. h.	
6	obliqua. L.T.	(wh.) oblique-flowered.	N. Holland.	1803.	6. 9.	G. h.	
7	aculata. L.	(wh.) awl-leaved.	—	1824.	—	G. h.	
8	petrophiloides. L.	(wh.) Petrophila-like.	—	1825.	—	G. h.	
9	lisperma. L.T.	(wh.) smooth-seeded.	V. Diem. Isl.	1824.	—	G. h.	
10	gibbosa. L.T.	(st.) gibbous-fruited.	N. S. W.	1790.	5. 6.	G. h.	Cavan. ic. 6. t. 534.
11	acicularis. L.T.	(wh.) needle-leaved.	—	—	—	G. h.	Venten. malm. t. 111.
<i>Cochium aciculare. V.</i>							
12	suavolens. L.T.	(wh.) sweet-scented.	N. Holland.	1803.	11. 1.	G. h.	
13	Lamberti. N.L.F.	(wh.) Lambert's.	—	1823.	—	G. h.	
14	microcarpa. L.T.	(wh.) small-fruited.	V. Diem. Isl.	1818.	4. 8.	G. h.	Bot. reg. t. 475.
15	trifurcata. L.T.	(wh.) trifurcate.	N. Holland.	1824.	—	G. h.	
16	aculeata. L.	(wh.) bristly-podded.	—	1825.	—	G. h.	
17	angustifolia. L.	(wh.) narrow-leaved.	—	1824.	—	G. h.	
18	linearis. L.T.	(wh.) linear-leaved.	—	—	—	G. h.	Swt. flor. aust. t. 43.
19	floribunda. L.T.	(wh.) many-flowered.	—	1803.	5. 6.	G. h.	Bot. mag. t. 2579.
20	hollyfolia. L.T.	(wh.) Holly-leaved.	—	—	7. 9.	G. h.	
21	glabra. L.T.	(wh.) glossy.	—	—	6. 8.	G. h.	Bot. mag. t. 2246.
22	plexicaulis. L.T.	(wh.) smooth-stalked.	—	—		G. h.	
23	pubescentia. L.T.	(wh.) pubescent.	—	—		G. h.	
24	cratophylla. L.T.	(wh.) horn-leaved.	—	—		G. h.	
25	acanthophylla. L.en.	(w.) Acanthus-leaved.	—	—		G. h.	
26	undulata. L.T.	(wh.) wave-leaved.	—	—	6. 8.	G. h.	
27	repanda. L.	(wh.) repand.	—	1824.	—	G. h.	
28	propinqua. F.T.	(wh.) related.	—	1823.	—	G. h.	
29	olivifolia. L.T.	(wh.) Olive-leaved.	—	1794.	6. 7.	G. h.	
30	saligna. L.T.	(wh.) Willow-leaved.	—	1791.	3. 7.	G. h.	Swt. flor. aust. t. 27.
31	marginata. L.T.	(wh.) marginate.	—	1824.	4. 7.	G. h.	
32	ruscifolia. L.T.	(st.) Ruscus-leaved.	—	—	—	G. h.	Lab. nov. holl. 1. t. 39.
33	cinerea. L.T.	(wh.) hoary-leaved.	—	1803.	6. 7.	G. h.	
34	canescens. L.en.	(wh.) canescent.	N. S. W.	1800.	6. 8.	G. h.	
35	dactyloides. L.T.	(wh.) nerved-leaved.	—	1790.	—	G. h.	Cavan. ic. 6. t. 535.
36	cliptica. L.T.	(wh.) oval-leaved.	N. Holland.	1794.	—	G. h.	
37	ferruginea. S.F.A.	(wh.) rusty-stemmed.	—	1821.	4. 8.	G. h.	Swt. flor. aust. t. 45.
38	caullata. L.	(wh.) hollow-leaved.	—	—	—	G. h.	
39	clavata. L.T.	(wh.) clavate.	—	1824.	—	G. h.	Lab. nov. holl. 1. t. 41.
EMBOTHRIMUM. EMBOTHRIMUM. Tetrandria Monogynia.							
40	conifolium. Lab.	(st.) cone-flowered.	N. Holland.	1824.	3. 6.	G. h.	Lab. nov. holl. 2. t. 265.
LAMBERTIA. LAMBERTIA. Tetrandria Monogynia. R.S.							
41	undiflora. L.T.	(re.) single-flowered.	N. Holland.	1824.		G. h.	Bauer ic. ined.
42	inermis. L.T.	(or.) unarmed.	—	—		G. h.	— ic. ined.
43	formosa. L.T.	(ro.) handsome.	N. S. W.	1788.	6. 8.	G. h.	Bot. reg. t. 528.
44	lobata. L.T.	(ro.) lobe-leaved.	N. Holland.	1821.		G. h.	Bauer ic. ined.
WLOMELUM. WOODEN-PEAR-TREE. Tetrandria Monogynia. R.S.							
45	pyriforme. L.T.	(wh.) prickly-leaved.	N. S. W.	1789.	6. 8.	G. h.	Cavan. ic. 6. t. 536.
RHOPALA. RHOPALA. Tetrandria Monogynia. R.S.							
46	montana. L.T.	(st.) mountain.	Guiana.	1823.	4. 6.	S. h.	Aub. gui. 1. t. 32.
47	glabra. L.T.	(st.) glossy.	—	1826.		S. h.	Rudge pl. gui. 1. t. 39.
48	dentata. L.T.	(st.) tooth-leaved.	—	1802.	5. 8.	S. h.	
49	sessilifolia. L.T.	(st.) sessile-leaved.	—	1803.	—	S. h.	Rudg. gui. 1. t. 31.
WLOPEA. WARATAH. Tetrandria Monogynia. R.S.							
50	speciosissima. L.T.	(cr.) splendid.	N. S. W.	1789.	5. 7.	G. h.	Bot. mag. t. 1128.
<i>Embotrium speciosissimum. B.M.</i>							
LOMATIA. LOMATIA. Tetrandria Monogynia. R.S.							
51	cutifolia. L.T.	(wh.) cut-leaved.	N. S. W.	1792.	6. 8.	G. h.	Bot. mag. t. 1272.
52	heterota. L.T.	(st.) various-leaved.	V. Diem. Isl.	1822.	—	G. h.	Lab. n. holl. 1. t. 42-43.
53	amorpha. L.T.	(st.) variable.	—	1823.	—	G. h.	
54	hollyfolia. L.T.	(st.) Holly-leaved.	N. Holland.	1824.	—	G. h.	
55	longifolia. L.T.	(wh.) long-leaved.	N. S. W.	1816.	5. 8.	G. h.	Bot. reg. t. 442.
56	toothifolia. L.T.	(st.) tooth-leaved.	Chile.	1824.	—	G. h.	Flor. peruv. 1. t. 94. a.
STENOCA'RPUS. STENOCA'RPUS. Tetrandria Monogynia. R.S.							
57	sweet-scented. L.T.	(wh.) sweet-scented.	N. S. W.	1815.	6. 9.	G. h.	Bot. reg. t. 411.
BOTRYCERAS. BOTRYCERAS. Tetrandria Monogynia. R.S.							
58	laurel-like. W.	(gr.) Laurel-like.	N. Holland.	1820.	6. 9.	G. h.	W.m.b. 1811. t. 10. f. 10.
BA'NKZIA. BA'NKZIA. Tetrandria Monogynia. R.S.							
59	small-flowered. L.T.	(st.) small-flowered.	N. Holland.	1803.	2. 8.	G. h.	
60	round-fruited. L.T.	(st.) round-fruited.	—	1803.		G. h.	

3	nùtans. L.T.	(st.)	nodding-flowered.	N. Holland.	1803.	4. 6.	G. h.	
4	ericifòlia. L.T.	(st.)	Heath-leaved.	N. S. W.	1788.	1. 12.	G. h.	Bot. mag. t. 738.
5	spinulòsa. L.T.	(st.)	spiny-leaved.	—	—	12. 5.	G. h.	Andr. reposit. t. 47.
6	collina. L.T.	(st.)	hill.	—	1800.		G. h.	
7	occidentàlis. L.T.	(st.)	west-coast.	N. Holland.	1803.	4. 8.	G. h.	
8	littoràlis. L.T.	(ye.)	sea-side.	—	—	4. 7.	G. h.	
9	marginàta. L.T.	(gr.)	various-leaved.	N. S. W.	1804.	5. 8.	G. h.	Bot. mag. t. 1247.
10	austràlis. L.T.	(gr.)	southern.	V. Diem. Isl.	1816.	—	G. h.	Bot. reg. t. 787.
<i>marcéscens</i> . Hooker bot. mag. 2803. <i>nec aliorum</i> .								
11	insulàris. L.T.	(gr.)	Island.	—	1823.		G. h.	
12	Cunninghámii. s.s.	(st.)	Cunningham's.	N. Holland.	1822.	—	G. h.	
13	integrifòlia. L.T.	(st.)	entire-leaved.	N. S. W.	1788.	5. 8.	G. h.	Bot. mag. t. 2770.
14	compár. L.T.	(st.)	related.	N. Holland.	1823.		G. h.	
15	verticillàta. L.T.	(st.)	whorl-leaved.	—	1794.	7. 11.	G. h.	Hook. ex. flor. t. 9.
16	coccínea. L.T.	(sc.)	scarlet-flowered.	—	1803.		G. h.	Bauer. n. holl. ic.
17	paludòsa. L.T.	(st.)	marsh.	N. S. W.	1805.	1. 4.	G. h.	Bot. reg. t. 697.
18	intermèdia. ψ .	(st.)	intermediate.	N. Holland.	1824.		G. h.	
19	oblongifòlia. L.T.	(st.)	oblong-leaved.	N. S. W.	1788.	5. 8.	G. h.	Lodd. bot. cab. t. 2.
20	latifòlia. L.T.	(st.)	broad-leaved.	—	1802.	—	G. h.	Cavan. ic. 6. t. 543.
21	marcéscens. L.T.	(st.)	short-leaved.	N. Holland.	1794.	1. 12.	G. h.	Swt. flor. aust. t. 14.
<i>præmòrsa</i> . Andr. rep. t. 258. <i>aspleniifòlia</i> . K.P.								
22	attenuàta. L.T.	(st.)	attenuated, smooth-fld.	—	1794.	1. 10.	G. h.	
23	serràta. L.T.	(st.)	saw-leaved.	N. S. W.	1788.	7. 9.	G. h.	Andr. reposit. t. 82.
<i>undulàta</i> . Bot. reg. t. 1316.								
24	'æmula. L.T.	(st.)	deeply-sawed.	—	—	1. 6.	G. h.	Bot. reg. t. 688.
25	dentàta. L.T.	(st.)	tooth-leaved.	N. Holland.	1822.		S. h.	
26	quercifòlia. L.T.	(st.)	Oak-leaved.	—	1805.		G. h.	
27	dryandroídes. s.f.a.	(br.)	Dryandra-like.	—	1824.	3. 6.	G. h.	Swt. flor. aust. t. 3.
28	speciòsa. L.T.	(wh.)	long-leaved.	—	1805.	5. 8.	G. h.	
29	grándis. L.T.	(st.)	great-flowered.	—	1794.		G. h.	
30	prostràta. ψ .	(st.)	prostrate.	—	1824.		G. h.	
31	rèpens. L.T.	(st.)	creeping.	—	1803.		G. h.	Lab. voy. 1. t. 23.
32	ilicifòlia. L.T.	(st.)	Holly-leaved.	—	1824.		G. h.	
DRYA'NDRA. L.T. DRYA'NDRA. Tetrandria Monogynia. R.S.								
1	floribúnda. L.T.	(ye.)	many-flowered.	N. Holland.	1803.	1. 12.	G. h.	Bot. mag. t. 1581.
2	cuneàta. L.T.	(st.)	wedge-leaved.	—	—	11. 2.	G. h.	
	α brevifòlia.	(st.)	short-leaved.	—	—	—	G. h.	
	β longifòlia.	(st.)	long-leaved.	—	—	—	G. h.	
3	armàta. L.T.	(ye.)	acute-leaved.	—	—	1. 12.	G. h.	
4	falcàta. L.T.	(ye.)	falcate-leaved.	—	1824.		G. h.	
5	formòsa. L.T.	(or.)	Apricot-scented.	—	1803.	1. 12.	G. h.	Swt. flor. aust. t. 53.
6	mucronulàta. L.T.	(ye.)	pointed-leaved.	—	1824.		G. h.	
7	plumòsa. L.T.	(ye.)	feathered.	—	1803.	1. 8.	G. h.	
8	obtùsa. L.T.	(ye.)	blunt-leaved.	—	—		G. h.	
9	nívea. L.T.	(ye.)	white-leaved.	—	—	7. 9.	G. h.	Lab. voy. 1. t. 24.
10	longifòlia. L.T.	(ye.)	long-leaved.	—	1805.	1. 12.	G. h.	Swt. flor. aust. t. 3.
11	Baxtèri. ψ .	(ye.)	Baxter's.	—	1824.		G. h.	
12	tenuifòlia. L.T.	(ye.)	slender-leaved.	—	1803.	3. 5.	G. h.	
13	nervòsa. s.f.a.	(ye.)	nerved-leaved.	—	1824.	3. 12.	G. h.	Swt. flor. aust. t. 2.
14	pteridifòlia. L.T.	(ye.)	Pteris-leaved.	—	—	—	G. h.	

ORDO CLXXIII.

THYMELÆÆ. *Brown prodr. p. 358.*

DI'RCA. W.	LEATHER-WOOD. Octandria Monogynia. L.			
palústris. w.	(ye.) marsh.	Virginia.	1750.	3. 4. H. h.
LAGE'TTA. J.	LACE-BARK. Octandria Monogynia. S.S.			
linteària. J.	(wh.) Jamaica.	Jamaica.	1793.	12. 1. S. h.
DA'PHNE. W.	DA'PHNE. Octandria Monogynia. L.			
1 Mezèreum. w. (re. wh.)	Mezereon.	England.		2. 4. H. h.
α álbum.	(wh.) white-flowered.	—		— H. h.
β rùbrum.	(re.) red-flowered.	—		— H. h.
γ autumnàle.	(re.) autumnal-flowered.	—		8. 12. H. h.

Bot. reg. t. 222.

Lam. ill. t. 229.

Eng. bot. v. 29. t. 10.

<i>Lauræla</i> . W.	(gr.) spurge-laurel.	Britain.		1. 3.	H. $\frac{1}{2}$.	Eng. bot. v. 2. t. 119.
<i>Myrica</i> . W.	(gr. ye.) Pontic.	Pontus.	1759.	4. 5.	H. $\frac{1}{2}$.	Bot. mag. t. 1282.
<i>Myrica</i> . W.	(st.) Bonace-bark.	Jamaica.	1733.	5. 7.	S. $\frac{1}{2}$.	
<i>Flax-leaved</i> . W.	(wh.)	Spain.	1597.	6. 8.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 150.
<i>China</i> . W.	(bh.) sweet-scented.	China.	1771.	12. 3.	G. $\frac{1}{2}$.	Bot. mag. t. 1587.
<i>Hybrid</i> . B.F.G.	(ro.) Dauphin.	Hybrid.	1826.	1. 6.	F. $\frac{1}{2}$.	Swt. br. fl. gar. t. 200.
<i>Alpine</i> . W.	(wh.)	Italy.	1759.	5. 7.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 66.
<i>Altaic</i> . W.	(wh.)	Siberia.	1796.	4. 5.	H. $\frac{1}{2}$.	Bot. mag. t. 1875.
<i>trailing</i> . W.	(ro.)	Austria.	1752.	4. 9.	H. $\frac{1}{2}$.	———— t. 313.
<i>streaked</i> . S.S.	(pi.)	Hungary.		—	H. $\frac{1}{2}$.	
<i>hairy</i> . S.S.	(re.)	Italy.	1752.	1. 6.	H. $\frac{1}{2}$.	Bot. mag. t. 428.
<i>silky-leaved</i> . S.S.	(li.)	Levant.	1818.	—	H. $\frac{1}{2}$.	
<i>Olive-leaved</i> . S.S.	(li.)	Crete.	1815.	1. 12.	H. $\frac{1}{2}$.	Bot. mag. t. 1917.
<i>Neapolitan</i> . B.C.	(re.)	Italy.	1823.	1. 6.	H. $\frac{1}{2}$.	Lodd. bot. cab. t. 719.
<i>Neapolitana</i> . B.R. 822.						
<i>smooth-leaved</i> . W.	(st.)	Spain.	1815.	2. 4.	H. $\frac{1}{2}$.	Pluk. alm. t. 229. f. 2.
<i>silvery-leaved</i> . W.	(st.)	France.	1640.	5. 7.	H. $\frac{1}{2}$.	———— t. 318. f. 6.
MIDIA. L. GNI'DIA. Octandria Monogynia. L.						
<i>Pine-leaved</i> . W.	(wh.)	C. B. S.	1768.	5. 6.	G. $\frac{1}{2}$.	Bot. reg. t. 19.
<i>radiate</i> . B.C.	(wh.)	—	1818.	—	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 29.
<i>smooth-scaled</i> . H.K.	(st.)	—	1792.	8. 4.	G. $\frac{1}{2}$.	Bot. mag. t. 1463.
<i>Flax-leaved</i> . H.K.	(ye.)	—	1786.	5. 6.	G. $\frac{1}{2}$.	———— t. 812.
<i>Juniper-leaved</i> . W.	(wh.)	—	1822.	—	G. $\frac{1}{2}$.	
<i>purple-twigg'd</i> . W.	(wh.)	—	1788.	6. 7.	G. $\frac{1}{2}$.	
<i>imbricated</i> . W.	(st.)	—	1822.	4. 8.	G. $\frac{1}{2}$.	Bot. reg. t. 757.
<i>imbricata</i> . B.R.						
<i>opposite-leaved</i> . H.K.	(ye.)	—	1783.	5. 7.	G. $\frac{1}{2}$.	Bot. reg. t. 2.
<i>tomentose</i> . S.S.	(st.)	—	1822.	—	G. $\frac{1}{2}$.	
<i>silky</i> . W.	(ye.)	—	1786.	—	G. $\frac{1}{2}$.	Andr. reposit. t. 225.
<i>stifolia</i> . A.R. nec aliorum.						
LACHN'ÆA. Octandria Monogynia. L.						
<i>green box-leaved</i> . Lam.	(wh.)	C. B. S.	1809.	5. 7.	G. $\frac{1}{2}$.	Bot. mag. t. 1657.
<i>glaucous</i> . H.K.	(wh.)	—	—	—	G. $\frac{1}{2}$.	———— t. 1658.
<i>purple-flowered</i> . W.	(pu.)	—	—	—	G. $\frac{1}{2}$.	———— t. 1594.
<i>woolly-headed</i> . W.	(wh.)	—	1793.	6. 7.	G. $\frac{1}{2}$.	———— t. 1295.
<i>clustered</i> . W.	(wh.)	—	1773.	—	G. $\frac{1}{2}$.	
SPARROW-WORT. Octandria Monogynia. L.						
<i>one-flowered</i> . W.	(wh.)	C. B. S.	1759.	4. 7.	G. $\frac{1}{2}$.	Wend. obs. t. 2. f. 18.
<i>loose</i> . W.	(wh.)	—	1804.	6. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 755.
<i>slender-flowered</i> . W.	(st.)	—	1812.	—	G. $\frac{1}{2}$.	
<i>filiform</i> . W.	(st.)	—	1752.	6. 8.	G. $\frac{1}{2}$.	Wend. obs. t. 2. f. 15.
<i>headed</i> . W.	(wh.)	—	1789.	6. 10.	G. $\frac{1}{2}$.	———— t. 2. f. 17.
<i>hairy</i> . W.	(st.)	S. Europe.	1759.	—	G. $\frac{1}{2}$.	Bot. mag. t. 1949.
<i>striate</i> . Lam.	(wh.)	C. B. S.	1822.	—	G. $\frac{1}{2}$.	
<i>Heath-like</i> . W.	(st.)	—	—	—	G. $\frac{1}{2}$.	
<i>fringed</i> . W.	(wh.)	—	1819.	—	G. $\frac{1}{2}$.	Seb. mus. 2. t. 12. f. 9.
<i>great-flowered</i> . W.	(wh.)	—	1789.	5. 6.	G. $\frac{1}{2}$.	Bot. mag. t. 292.
<i>spiked</i> . W.	(wh.)	—	1787.	5. 7.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 311.
<i>Anthyllus-like</i> . W.	(st.)	—	1816.	—	G. $\frac{1}{2}$.	
STELL'ERA. Octandria Monogynia. L.						
<i>Flax-leaved</i> . W.	(ye.)	S. Europe.	1759.	7. 8.	H. $\odot$.	Jacq. ic. 1. t. 68.
<i>Flax-leaved</i> . S.S.						
<i>Altay</i> . P.S.	(wh.)	Altay.	1824.	—	H. $\odot$.	
<i>forked</i> . F.	(wh.)	Dahuria.	—	—	H. $\odot$.	
D'ALS. Decandria Monogynia. L.						
<i>Cotinus-leaved</i> . W.	(pi.)	C. B. S.	1776.	6. 7.	G. $\frac{1}{2}$.	Bot. mag. t. 147.
STRUTH'IOLA. Tetrandria Monogynia. L.						
<i>twiggy</i> . H.K.	(re.)	C. B. S.	1779.	4. 8.	G. $\frac{1}{2}$.	Andr. reposit. t. 139.
<i>ciliated</i> . A.R.	(st.)	—	—	—	G. $\frac{1}{2}$.	———— t. 149.
<i>side-flowering</i> . R.S.	(wh.)	—	1816.	—	G. $\frac{1}{2}$.	
<i>downy</i> . R.S.	(re.)	—	1790.	—	G. $\frac{1}{2}$.	Bot. mag. t. 1212.
<i>long-flowered</i> . R.S.	(wh.)	—	1824.	—	G. $\frac{1}{2}$.	Lam. ill. t. 78.
<i>upright smooth</i> . R.S.	(wh.)	—	1798.	4. 9.	G. $\frac{1}{2}$.	Wendl. obs. t. 2. f. 10.
<i>stricta</i> . Donn.						
<i>drooping</i> . R.S.	(wh.)	—	1758.	—	G. $\frac{1}{2}$.	Bot. mag. t. 222.
<i>B.M. nec aliorum</i> .						
<i>narrow-leaved</i> . R.S.	(st.)	—	1816.	—	G. $\frac{1}{2}$.	
<i>hoary</i> . E.C.	(ye.)	—	1892.	7. 8.	G. $\frac{1}{2}$.	Lodd. bot. cab. t. 11.
<i>tilled-leaved</i> . R.S.	(ye.)	—	1791.	4. 8.	G. $\frac{1}{2}$.	Andr. reposit. t. 113.

11 ovàta. R.S.	(wh.) oval-leaved.	C. B. S.	1792.	2. 6.	G. h.	Andr. reposit. t. 119
12 tomentosa. R.S.	(wh.) downy-leaved.	————	1799.	8. 9.	G. h.	———— t. 311
PIMEL'EA. B.P.	PIMEL'EA. Diandria Monogynia. R.S.					
1 linifolia. B.P.	(wh.) flax-leaved.	N. S. W.	1793.	2. 8.	G. h.	Bot. mag. t. 891.
2 paludosa. B.P.	(wh.) marsh.	————	1826.	—	G. h.	
3 glauca. B.P.	(wh.) glaucous-leaved.	————	1822.	—	G. h.	Linn. trans. 19. t. 11. 11
4 ligustrina. B.P.	(wh.) Privet-like.	————	1823.	—	G. h.	Lab. nov. h. 1. 1. 1
5 decussata. B.P.	(re.) cross-leaved.	————	—	4. 8.	G. h.	Swt. flor. aust. t. 1
ferruginea. Lab.						
6 rosea. B.P.	(ro.) rose-coloured.	N. Holland.	1800.	3. 9.	G. h.	Bot. mag. t. 145.
7 linoïdes. F.T.	(wh.) flax-like.	N. S. W.	1824.	—	G. h.	
8 filamentosa. L.T.	(wh.) filamentose.	N. Holland.	1826.	—	G. h.	Linn. trans 10. t. 11. 11
9 pauciflora. B.P.	(ye.) few-flowered.	V. Diem. Isl.	1812.	—	G. h.	Lodd. bot. cab. t. 1
10 humilis. B.P.	(wh.) dwarf.	————	1825.	6. 9.	G. h.	Bot. reg. t. 1268.
11 clavata. B.P.	(ye.) clubbed.	N. Holland.	1826.	3. 6.	G. h.	
12 incana. B.P.	(st.) hoary.	V. Diem. Isl.	—	4. 8.	G. h.	
13 drupacea. B.P.	(wh.) drupe-bearing.	————	1820.	—	G. h.	Swt. flor. aust. t. 1
14 spicata. B.P.	(wh.) spiked.	N. S. W.	1824.	—	G. h.	Linn. trans. 10. t. 11. 11
? TR'OPHIS. W.	RAMOON-TREE. Diccia Tetrandria. W.					
1 americana. w.	(gr.) American.	W. Indies.	1789.	4. 5.	S. h.	Brown. jam. t. 87. 1
2 aspera. w.	(gr.) rough-leaved.	E. Indies.	1802.	—	S. h.	
3 spinosa. s.s.	(gr.) spiny.	————	1826.		S. h.	

ORDO CLXXIV.

OSYRIDEÆ. *Brown.*

OS'YRIS. W.	POET'S CASSIA. Diccia Triandria. L.					
alba. w.	(wh.) white.	S. Europe.	1739.		G. h.	Lam. ill. t. 892.
EXOCA'RPOS. B.P.	EXOCA'RPOS. Pentandria Monogynia.					
1 cupressifórmis. B.P.	(wh.) Cypress-like.	N. Holland.	1820.		G. h.	Labill. vey. 1. t. 11
2 humifusa. B.P.	(gr.) low-procumbent.	V. Diem. Isl.	1822.		G. h.	
3 stricta. B.P.	(gr.) upright.	N. S. W.	—		G. h.	

ORDO CLXXV.

SANTALACEÆ. *Brown prodr. p. 350.*

SA'NTALUM. B.P.	SANDAL-WOOD. Tetrandria Monogynia. W.					
1 album. F.I.	(ye. pu.) white.	E. Indies.	1804.		S. h.	Rumph. amb. 2. t. 11
2 myrtifolium. F.I.	(li.) Myrtle-leaved.	————	1819.		G. h.	Roxb. corom. 1. t. 11
3 obtusifolium. B.P.	 blunt-leaved.	N. S. W.	1823.		G. h.	
FUS'ANUS. B.P.	FUS'ANUS. Tetrandria Monogynia.					
compréssus. H.K.	(gr.) flat-stalked.	C. B. S.	1776.		G. h.	Berg. cap. 28. t. 11
LEPTOM'ERIA. B.P.	LEPTOM'ERIA. Pentandria Monogynia. R.S.					
1 ácida. B.P.	(wh.) acid.	N. S. W.	1823.		G. h.	
2 Billardieri. B.P.	(wh.) Labillardiere's.	————	—		G. h.	Lab. nov. h. 1. 1. 1
Thesium drupaceum. Lab.						
TH'ESIUM. R.S.	TH'ESIUM. Pentandria Monogynia. L.					
1 linophyllum. R.S.	(gr.) common.	England.		6. 7.	H. 4.	Eng. bot. v. 4. t. 11
2 intermedium. R.S.	(wh.) intermediate.	Germany.	1818.	—	H. 4.	Schkuhr hand. t. 11
3 montanum. R.S.	(wh.) mountain.	Europe.		—	H. 4.	Hayn. se. j. t. 11
4 alpinum. R.S.	(wh.) Alpine.	————	1814.	—	H. 4.	Jacq. aust. 2. t. 11
5 ramò um. R.S.	(wh.) branching.	————	1824.	—	H. 4.	Hayn. se. j. p. 11
6 ebracteatum. R.S.	(gr.) blunt-leaved.	Germany.	—	—	H. 4.	— l. c. t. 7.
7 ? amplexicaule. R.S.	(gr.) stem-clasping.	C. B. S.	1787.	—	G. h.	
COMA'NDRA. N.	COMA'NDRA. Pentandria Monogynia. N.					
umbellata. N.	(wh.) umbelled.	N. America.	1782.	6.	H. 4.	Pluk. mant. t. 92
Thesium umbellatum. w.						

HAMILTONIA. W. OIL-NUT. Polygamia Diœcia. W.					
<i>glabra</i> . W. (gr. ye.) Olive-bearing. N. America. 1800.		G. h.	Pursh. amer. 1. t. 13.		
<i>pyridaria pubera</i> . M.					
NYSSA. R.S. TUPELO. Polygamia Diœcia. L.					
<i>glabra</i> . R.S. (gr.) hairy-leaved. N. America. 1806.	5.	H. h.	Mich. arb. 2. t. 21.		
<i>opulenta</i> . R.S. (gr.) water. ——— 1739.	4. 5.	H. h.	——— 2. t. 22.		
<i>glabra</i> . W.					
<i>discolor</i> . R.S. (gr.) Ogeechee-lime. ——— 1812.		H. h.	Mich. arb. 2. t. 20.		
<i>spirata</i> . H.K. (gr.) headed. Carolina. 1806.		H. h.			
<i>tomentosa</i> . R.S. (gr.) tomentose. ——— 1812.		H. h.	Mich. arb. 2. t. 19.		
<i>dentata</i> . R.S. (gr.) toothed. N. America. 1795.	5. 6.	H. h.	Catesb. car. 1. t. 60.		

ORDO CLXXVI.

ELÆAGNEÆ. *Don prodr. p. 67.*

HIPPOPHAE. L. SEA-BUCKTHORN. Diœcia Tetrandria. L.					
<i>damnoides</i> . W. (st.) common. England.	4. 5.	H. h.	Eng. bot. t. 425.		
<i>salicifolia</i> . D.P. (st.) Willow-leaved. Nepaul. 1819.		H. h.			
SHEPHERDIA. N. SHEPHERDIA. Diœcia Octandria. N.					
<i>argentea</i> . N. (st.) silvery. Missouri. 1818.		H. h.			
<i>Hippophae argentea</i> . Ph.					
<i>canadensis</i> . N. (st.) Canadian. ——— 1759.	4. 5.	H. h.			
<i>Hippophae canadensis</i> . W.					
OLEAGNUS. L. OLEASTER. Tetrandria Monogynia. L.					
<i>argentea</i> . R.S. (wh.) narrow-leaved. S. Europe. 1633.	7.	H. h.	Bot. reg. t. 1156.		
<i>carolinensis</i> . F. (st.) Fischer's. Siberia. 1821.	—	H. h.			
<i>orientalis</i> . R.S. (wh.) oriental. Levant. 1748.	7. 8.	G. h.	Pall. ros. 1. t. 5.		
<i>spinosa</i> . R.S. (wh.) spiny. Egypt. 1826.	—	F. h.			
<i>argentea</i> . Ph. (wh.) silvery. N. America. 1813.	—	H. h.	Wats. dend. brit. t. 16.		
<i>arbutifolia</i> . F.I. (wh.) tree. Nepaul. 1819.		H. h.			
<i>conferta</i> . F.I. (st.) close-flowered. ———		H. h.			
<i>latifolia</i> . R.S. (wh.) broad-leaved. E. Indies. 1712.	7. 8.	S. h.	Burm. zeyl. t. 39. f. 2.		
<i>triflora</i> . F.I. (wh.) three-flowered. Nepaul. 1825.		H. h.	——— t. 39. f. 1.		
<i>umbellata</i> . D.P. (wh.) umbelled. ——— 1829.		H. h.	Thunb. jap. t. 14.		

ORDO CLXXVII.

ASARINÆ. *Kunth synopsis. 1. p. 442.*

ASARUM. L. ASARABACCA. Dodecandria Monogynia. L.					
<i>europaeum</i> . S.S. (pu.) common. England.	5.	H. 2.	Eng. bot. v. 16. t. 1083.		
<i>canadense</i> . S.S. (pu.) Canadian. Canada. 1713.	4. 7.	H. 2.	Swt. br. fl. gar. t. 95.		
<i>virginicum</i> . W. (pu.) Virginian. Virginia. 1759.	4. 5.	H. 2.	——— t. 18.		
<i>arifolium</i> . S.S. (pu.) Arum-leaved. Carolina. 1818.	5. 6.	H. 2.	Hook. ex flor. t. 40.		
MISTOLOCHIA. W. BIRTHWORT. Gynandria Hexandria. L.					
<i>umbellata</i> . W. (pu.) two-lobed. W. Indies. 1822.	6. 8.	S. h.	Plam. amer. t. 106.		
<i>trilobata</i> . W. (pu.) three-lobed. S. America. 1775.	6. 7.	S. h.			
<i>repens</i> . W. (br.) gaping. ——— 1820.	—	S. h.	Vahl. symb. 2. t. 47.		
<i>pentandra</i> . W. (br.) lipped. ———	5. 9.	S. h.	Bot. reg. t. 629.		
<i>pentandrus</i> . (pu.) pentandrus. Cuba. 1828.		S. h.	Jacq. ic. pict. t. 224.		
<i>fiddle-leaved</i> . (pu.) fiddle-leaved. Caracas. 1823.		S. h.			
<i>great</i> . (pu.) great. New Spain. 1759.	7.	S. h.	Jacq. amer. t. 146.		
<i>broad-leaved</i> . (br.) broad-leaved. N. America. 1763.	6. 7.	H. h.	Bot. mag. t. 534.		
<i>downy</i> . (ye.) downy. ——— 1799.	—	H. h.	——— t. 1869.		
<i>sweet-scented</i> . (pu.) sweet-scented. Jamaica. 1737.	7.	S. h.	Sloan. jam. 1. t. 104. f. 1.		
<i>bearded</i> . (pu.) bearded. Caracas. 1796.	6. 8.	S. h.	Jacq. ic. 3. t. 603.		
<i>two-lipped</i> . (pu.) two-lipped. Cuba. 1829.		S. h.			
<i>Indian</i> . (pu.) Indian. E. Indies. 1780.	6. 7.	S. h.	Rheed. mal. 8. t. 25.		
<i>taper-pointed</i> . (pu.) taper-pointed. Mauritius. 1820.		S. h.			

15	fœtida. κ.s.	(pu.) fetid.	Mexico.	1822.	6. 8.	S. h. ∪.	H. et B. 2. t. 111.
16	hastata. κ.s.	(pu.) halberd-leaved.	Havannah.	—		S. h. ∪.	— 2. t. 111.
17	bœtica. w.	(pu.) Spanish.	Spain.	1596.	5. 6.	H. h. ∪.	Moris. s. 12. t. 17.
18	glauca. w.	(ye.) glaucous.	Barbary.	1785.	6. 8.	G. h. ∪.	Bot. mag. t. 111.
19	sempervirens. w.	(pu.) evergreen.	Candia.	1727.	5. 6.	G. h. ∪.	— t. 111.
20	longa. w.	(pu.) long-rooted.	S. Europe.	1548.	6. 10.	H. 4.	Mill. ic. t. 51. f. 2.
21	microphylla. W. en.	(pu.) small-leaved.		1826.	—	G. 4.	—
22	Serpentaria. w.	(pu.) Snake-root.	N. America.	1632.	6. 7.	H. 4.	Jacq. schœn. 3. t. 1.
23	sagittata. Muhl.	(pu.) arrow-leaved.	—	1819.	—	H. 4.	—
24	bracteata. w.	(pu.) bracteate.	E. Indies.	1793.	7.	S. 4.	—
25	Pistolochia. w.	(pu.) small.	S. Europe.	1597.	6. 7.	H. 4.	—
26	rotunda. w.	(pu.) round-rooted.	—	1596.	3. 10.	G. 4.	—
27	pallida. w.	(pa.) pale-flowered.	Italy.	1640.	5. 8.	H. 4.	Moris. s. 12. t. 15.
28	hirta. w.	(pu.) hairy.	Chio.	1759.	5. 6.	G. 4.	Tourn. it. 1. t. 147.
29	Clematitis. w.	(ye.) common.	England.		5. 8.	H. 4.	Eng. bot. v. 6. t. 1.
30	arborescens. w.	(pu. ye.) tree.	America.	1737.	6. 7.	G. h.	—

ORDO CLXXVIII.

CYTINEÆ. Brogniart.

NEPENTHES. L.		PITCHER-PLANT. Diœcia Monadelphica. L.					
1	distillatoria. w.	(gr.) cylindrical.	Ceylon.	1789.	4. 5.	S. w. 4.	Burm. zeyl. 12. t. 1.
2	Phyllamphora. w.	(gr.) ventricose.	China.	1822.	6. 8.	S. w. 4.	Bot. mag. t. 220.

ORDO CLXXIX.

STACKHOUSEÆ. Brown.

STACKHO'USIA. Lab.		STACKHO'USIA. Pentandria Trigynia.					
1	linariifolia. r. t.	(st.) Linaria-leaved.	N. S. W.	1823.	3. 6.	G. h.	—
2	spathulata. s. s.	(wh.) spathulate-leaved.	—	1825.	4. 6.	G. h.	—

ORDO CLXXX.

EUPHORBIACEÆ. Juss. gen. 384.

MERCURIALIS. W.		MERCURY. Diœcia Enneandria. L.					
1	perennis. w.	(gr.) perennial.	Britain.		4. 5.	H. 4.	Eng. bot. v. 2. t. 1.
2	ambigua. w.	(gr.) doubtful.	Spain.	1806.	7. 8.	H. ⊙.	Linn. f. dec. 1. t. 1.
3	annua. w.	(gr.) annual.	Britain.		7. 9.	H. ⊙.	Eng. bot. v. 8. t. 1.
4	elliptica. w.	(gr.) oval-leaved.	Portugal.	1802.	5. 7.	G. h.	Venten. cob. t. 1.
5	tomentosa. w.	(gr.) woolly.	Spain.	1640.	7. 9.	H. h.	—
PEDILANTHUS. Neck.		SLIPPER-SPURGE. Dodecandria Trigynia. L. en.					
1	tithymaloïdes. B. R.	(sc.) Myrtle-leaved.	S. America.	1699.	6. 7.	D. S. h.	Bot. reg. t. 857.
	myrtifolius. L. en.	Crepidaria myrtifolia. H. S. S.	—	—	—	—	—
2	carinatus.	(sc.) keel-leaved.	W. Indies.	1809.	—	D. S. h.	Bot. mag. t. 214.
	Euphorbia carinata. B. M.	Crepidaria carinata. H. S. S.	—	—	—	—	—
3	subcarinatus. H. R.	(sc.) small-keeled.	W. Indies.	1819.	—	D. S. h.	—
4	canaliculatus.	(sc.) channelled-leaved.	—	—	—	D. S. h.	Lodd. bot. cab. t. 1.
	Euphorbia canaliculata. B. C.	—	—	—	—	—	—
5	padifolius. H. S.	(sc.) Padus-leaved.	—	1639.	—	D. S. h.	Dill. eit. t. 28.
6	cordellatus.	(sc.) small-heart-leaved.	—	1795.	—	D. S. h.	—
	Crepidaria cordellata. H. S.	—	—	—	—	—	—

EUPHORBIA. W. SPURGE. Dodecandria Trigynia. L.					
1 <i>hista</i> . DC. (gr.ye.) twin-spined.	C. B. S.	1795.	6. 8. D.G. h.	DC. plant. gras. t. 151.	
2 <i>procumbens</i> . Meerb. ic. rar. t. 55. ex H.P.					
3 <i>hista</i> . H.P. (gr.ye.) squarrose.	C. B. S.	1825.	— D.G. h.		
4 <i>hista</i> . H.S. (gr.ye.) upright 3-sided.	E. Indies.	1768.	7. 8. D.S. h.		
5 <i>hista</i> . H.S. (gr.ye.) spreading 3-sided.	—	1688.	— D.S. h.	Comm. hort. 1. t. 12.	
6 <i>hista</i> . H.S. (gr.ye.) marbled.	—	1804.	— D.S. h.		
7 <i>hista</i> . H.P. (gr.ye.) large-toothed.	C. B. S.	1820.	— D.G. h.		
8 <i>hista</i> . w. (br.re.) Canary.	Canaries.	1697.	3. 4. D.G. h.	DC. plant. gras. t. 140.	
9 <i>hista</i> . H.P. (st.) blue-stemmed.	C. B. S.	1825.	— D.G. h.		
10 <i>hista</i> . H.P. (gr.ye.) four-sided.	—	—	— D.G. h.		
11 <i>hista</i> . w. (br.re.) seven-angled.	—	1731.	7. 11. D.G. h.	Bradl. suc. 2. t. 13.	
12 <i>hista</i> . H.S. (br.re.) black-spined.	—	—	— D.G. h.		
13 <i>hista</i> . H.S. (br.re.) red-spined.	—	—	— D.G. h.		
14 <i>hista</i> . H.P. (gr.ye.) five-sided.	—	1825.	— D.G. h.		
15 <i>hista</i> . H.S. (gr.ye.) nine-angled.	—	1790.	7. 10. D.G. h.		
16 <i>hista</i> . w. (gr.ye.) warty-angled.	—	1759.	7. 8. D.G. h.	Comm. præl. t. 9.	
17 <i>hista</i> . w. (gr.ye.) naked.	—	1731.	6. 7. D.G. h.	Burm. afr. t. 9. f. 3.	
18 <i>hista</i> . w. (ye.) officinal.	Africa.	1597.	— D.G. h.	DC. plant. gras. t. 77.	
19 <i>odontophylla</i> . W.en. (gr.) white-spined.	C. B. S.	1824.	— D.G. h.		
20 <i>hista</i> . H.P. (gr.ye.) starry-spined.	—	—	— D.G. h.		
21 <i>hista</i> . H.S. (gr.ye.) many-angled.	—	1790.	7. 9. D.G. h.	Lodd. bot. cab. t. 1334.	
22 <i>hista</i> . w. (re.) Oleander-leaved.	India.	1690.	6. 7. D.S. h.	DC. plant. gras. t. 46.	
23 <i>hista</i> . w. (st.) Porcupine.	C. B. S.	1695.	— D.G. h.	Jacq. schœn. 2. t. 207.	
24 <i>hista</i> . P.S. <i>Treisia Hy'strix</i> . H.S.					
25 <i>hista</i> . H.S. (gr.ye.) variable-stemm'd.	E. Indies.	1800.	6. 9. D.S. h.		
26 <i>hista</i> . H.S. (gr.ye.) great-leaved.	Sierra Leon.	1798.	— D.S. h.		
27 <i>hista</i> . W.en. (gr.ye.) erose.		1818.	 D.S. h.		
28 <i>hista</i> . s.s. (wh.) Caltrops-like.	Canaries.	1816.	6. 9. D.G. h.		
29 <i>hista</i> . Desm. (sc.) splendid.	Madagascar.	1825.	— D.S. h.	Bot. mag. t. 2902.	
30 <i>hista</i> . B.M. ann. 1829. <i>Millii</i> . Desm. ann. 1826.					
31 <i>hista</i> . w. (gr.) Cucumber-like.	C. B. S.		5. 9. D.G. h.	Vail. it. t. 5.	
32 <i>hista</i> . w. (ye.) Melon-like.	—	1774.	— D.G. h.	Andr. reposit. t. 617.	
33 <i>hista</i> . w. (gr.) club.	—	—	3. 12. D.G. h.	Jacq. ic. 1. t. 85.	
34 <i>hista</i> . H.S.S.					
35 <i>hista</i> . (gr.) Haworth's.	—	—	— D.G. h.		
36 <i>hista</i> . H.S. excl. syn. w.					
37 <i>hista</i> . w. (gr.) cone-shaped.	—	1791.	6. 7. D.G. h.	Jacq. schœn. 1. t. 106.	
38 <i>hista</i> . w. (gr.) great Medusa's head.	Africa.	1731.	8. D.G. h.	Lodd. bot. cab. t. 1315.	
39 <i>hista</i> . H.S.					
40 <i>hista</i> . (gr.) dwarfer.	—	1768.	— D.G. h.	Burm. afr. t. 8.	
41 <i>hista</i> . H.S. (gr.) chequer'd-M'-head.		1788.	— D.G. h.		
42 <i>hista</i> . H.S. (gr.) small M'-head.	C. B. S.	1731.	— D.G. h.	DC. plant. gras. t. 150.	
43 <i>hista</i> . (gr.) twin-branched.	—	—	— D.G. h.	Burm. afr. 18. t. 9. f. 1.	
44 <i>hista</i> . H.S. (gr.) least M'-head.	—	1768.	— D.G. h.	— t. 10. f. 1.	
45 <i>hista</i> . Mill. (br.gr.) spreading.	—	—	— D.G. h.		
46 <i>hista</i> . H.S.					
47 <i>hista</i> . w. (br.gr.) scaly.	—	1727.	9. 10. D.G. h.	Bot. mag. t. 2520.	
48 <i>hista</i> . B.M. (br.gr.) roundish-jointed.	—	1822.	6. 11. D.G. h.	— t. 2624.	
49 <i>hista</i> . H.P.					
50 <i>hista</i> . w. (wh.) tuberculate.	—	1805.	6. 8. D.G. h.	Jacq. schœn. 2. t. 208.	
51 <i>hista</i> . H.S. (br.gr.) hooked.	—	1795.	— D.G. h.	Burm. afr. t. 6. f. 3.	
52 <i>hista</i> . DC. (br.gr.) Commelin's.	Africa.		— D.S. h.		
53 <i>hista</i> . W.en. (w.) Bird's-foot.	—	1816.	— G. h.	Jacq. fragm. t. 120.	
54 <i>hista</i> . s.s. (gr.) clandestine.	—	1824.	— D.G. h.		
55 <i>hista</i> . w. (gr.) curl-winged.	Madagascar.	—	— D.S. h.	DC. plant. gras. ic.	
56 <i>hista</i> . L.en. (gr.) pendulous.		1808.	— D.S. h.		
57 <i>hista</i> . H.					
58 <i>hista</i> . w. (wh.) Indian tree.	India.	1690.	 D.S. h.	Rheed. mal. 2. t. 34.	
59 <i>hista</i> . w. (ye.) Barbary.	Africa.	1732.	6. 8. D.G. h.	Dill. elt. t. 289. f. 373.	
60 <i>hista</i> . H.S.L. (gr.) Lamarek's.	—	1808.	— D.G. h.		
61 <i>hista</i> . Lam. nec aliorum. <i>virgata</i> . P.S. non W.K.					
62 <i>hista</i> . W.en. (gr.) leafless.	Teneriffe.	1815.	— D.G. h.		
63 <i>hista</i> . W.en. (pu.) dark purple.	—	—	— D.G. h.		
64 <i>hista</i> . w. (gr.ye.) smooth spear-ld.	Canaries.	1777.	— D.G. h.		
65 <i>hista</i> . w. (gr.ye.) balsam.	—	1779.	— D.G. h.		
66 <i>hista</i> . P.S. (gr.ye.) Laurel-leaved.	Peru.	1820.	— D.G. h.		
67 <i>hista</i> . s.s. (gr.) bracteated.		1809.	— D.S. h.	Jacq. schœnb. t. 276.	
68 <i>hista</i> . w. (ye.) tree-like.	Italy.	1768.	— H. h.	Barrel. ic. 910.	

55	læta. w.	(st.) Mezereon-leaved.	S. Europe.	1758.	6. 8.	D.G. h.	Jacq. ic. 1. t. 57.
56	punicea. w.	(cr.) scarlet-flowered.	Jamaica.	1778.	1. 9.	D.S. h.	Bot. reg. t. 1. 1.
57	heterophylla. w.	(sc.) various-leaved.	W. Indies.	1690.	4. 9.	D.S. h.	Plum. ic. t. 2. 1. 1.
58	cyathophora. w.	(ye. pi.) coloured.	S. America.	1806.	7. 8.	D.S. h.	Jacq. ic. 3. t. 4.
59	repanda. (gr. ye.) waved.	E. Indies.	1808.	8.	D.S. h.		
	<i>Tithymalus repandus.</i>	H.S.					
60	biglandulosa. H.S.	(gr.) twin-glanded.	Isl. Bourbon.	—	9.	D.S. h.	
61	geniculata. P.S.	(st.) jointed.	Cuba.	1823.	7. 10.	S. ⊙.	Jacq. sch. n. 3. t. 1.
	<i>prunifolia.</i> H.K.	<i>Tithymalus prunifolius.</i>	H.S.				
62	nudiflora. s.s.	(st.) naked-flowered.	Jamaica.	1809.	8.	D.S. h.	Jacq. ic. 3. t. 470.
63	verticillata. s.s.	(gr.) whorled.	W. Indies.	1826.	—	D.S. h.	
64	cotinifolia. w.	(wh.) Cotinus-leaved.	S. America.	1690.	7. 8.	D.S. h.	Hook. ex. flor. t. 1.
65	petiolaris. H.K.	(ye.) long-stalked.	W. Indies.	1800.	5. 6.	D.S. h.	Bot. mag. t. 8. 1.
66	mellifera. w.	(pu. gr.) honey-bearing.	Madeira.	1784.	4. 5.	G. h.	— t. 1. 1.
67	glabrata. s.s.	(gr. ye.) smooth-leaved.	W. Indies.	1824.	—	D.S. h.	
68	toxicaria. L.en.	(gr.) poisonous.	—	1825.	—	D.S. h.	
69	picta. w.	(gr.) painted.	S. America.	1789.	5. 7.	S. 4.	Jacq. ic. 3. t. 477.
70	silentifolia. (gr. ye.) Silene-leaved.	C. B. S.	1821.	—	G. 4.		
	<i>Tithymalus silenifolius.</i>	H.R.					
71	crispa. H.R.	(gr. ye.) curl-leaved.	—	—	—	G. 4.	
72	tuberosa. w.	(gr. ye.) tuberous.	Ethiopia.	1800.	10. 12.	G. h.	Burm. afr. 9. t. 1.
73	affinis. DC.	(gr. ye.) affined.	—	1823.	6. 8.	G. h.	
74	linarifolia. w.	(ye.) toad-flax-leaved.	—	1794.	—	S. h.	Jacq. ic. 1. t. 86.
75	linifolia. w.	(ye.) Flax-leaved.	W. Indies.	—	—	S. h.	
76	ocymoidea. w.	(ye.) Basil-leaved.	S. America.	1733.	—	S. ⊙.	
77	dentata. M.	(ye.) dentated.	N. America.	1806.	6. 7.	H. ⊙.	
78	hypericifolia. w.	(wh.) Hypericum-leaved.	America.	1727.	6. 9.	H. ⊙.	Hook. ex. flor. t. 1.
79	Humboldtii. W.en.	(gr.) Humboldt's.	S. America.	1809.	7. 10.	S. ♂.	
80	prostrata. w.	(pu.) trailing-red.	W. Indies.	1758.	—	S. ⊙.	
81	rosea. w.	(ro.) rosy.	E. Indies.	1808.	8.	S. ⊙.	
82	maculata. w.	(ye.) spotted.	S. America.	1660.	7.	H. ⊙.	Jacq. vind. 2. t. 1.
83	humifusa. W.en.	(ye.) trailing.	—	1824.	6. 8.	H. ⊙.	
84	pilulifera. w.	(gr.) globular.	E. Indies.	1800.	—	S. 4.	Jacq. ic. 3. t. 475.
85	lysopifolia. w.	(gr.) Hyssop-leaved.	W. Indies.	1787.	8. 9.	S. ⊙.	
86	scordifolia. s.s.	(wh.) Scordium-leaved.	S. America.	1826.	6. 8.	S. h.	Jacq. icon. t. 47.
87	tannensis. s.s.	(gr.) Tanna.	N. Hebrides.	—	—	G. h.	
88	thymifolia. w.	(wh.) Thyme-leaved.	India.	1699.	7. 8.	S. ⊙.	Pluk. alm. t. 113. 1.
89	parviflora. w.	(wh.) small-flowered.	E. Indies.	1818.	—	S. ⊙.	Burm. zeyl. t. 1. 1.
90	variegata. P.M.	(wh.) variegated.	Louisiana.	1811.	6. 8.	H. ⊙.	Bot. mag. t. 17. 1.
91	canescens. w.	(wh. re.) canescent.	Spain.	1818.	7. 8.	H. ⊙.	Cavan. ic. 1. t. 6.
92	Chamaesyce. w.	(wh.) scollop-leaved.	S. Europe.	1752.	—	H. ⊙.	Meris. s. 10. t. 2. 1.
93	Péplis. w.	(ye.) purple.	Devonshire.	—	—	H. ⊙.	Eng. bot. v. 28. t. 1.
94	polygonifolia. w.	(st.) knotgrass-leaved.	N. America.	1704.	6. 7.	H. ⊙.	Jacq. col. sup. t. 1. 1.
95	Ipecacuanha. w.	(gr.) Ipecacuanha.	—	1812.	—	H. 4.	Bot. mag. t. 1. 1.
96	Péplus. w.	(gr.) petty.	Britain.	—	7. 8.	H. ⊙.	Eng. bot. v. 11. t. 1.
97	peploides. DC.	(gr.) least.	S. Europe.	1800.	7. 9.	H. ⊙.	
	<i>Esula minima.</i>	H.S.					
98	falcata. w.	(ye.) sickle-leaved.	—	1699.	6. 8.	H. ⊙.	Jacq. aust. 2. t. 11.
99	acuminata. M.B.	(gr.) acuminate.	Iberia.	1823.	—	H. ⊙.	
100	exigua. w.	(gr.) dwarf.	Britain.	—	7.	H. ⊙.	Eng. bot. v. 19. t. 1.
101	diffusa. w.	(gr. ye.) diffuse.	Austria.	1798.	7. 8.	H. ⊙.	Jacq. ic. 1. t. 88.
102	undulata. M.B.	(wh.) undulate.	Caucasus.	1820.	—	H. 4.	
103	micrantha. w.	(gr.) small-flowered.	Persia.	1803.	7. 9.	H. ⊙.	
104	Lagascana. s.s.	(gr.) Lagasca's.	Spain.	1827.	7. 10.	H. ⊙.	
105	Lathyris. w.	(gr.) Caper.	England.	—	5. 10.	H. ♂.	Eng. bot. v. 32. t. 1.
106	terraccina. w.	(ye.) retuse-leaved.	S. Europe.	1818.	7. 10.	H. ⊙.	
107	valentina. P.S.	(ye.) Spanish.	Spain.	1804.	7. 8.	H. ⊙.	
108	Apios. w.	(ye.) pear-rooted.	Candia.	1596.	6. 7.	H. 4.	
109	genistoides. w.	(ye.) Genista-like.	C. B. S.	1808.	7. 8.	G. h.	
110	condensata. s.s.	(ye.) tufted.	Iberia.	1828.	6. 8.	H. 4.	
111	spinosa. w.	(ye.) prickly.	Levant.	1710.	6. 7.	F. h.	Wats. dend. t. 1. 1.
112	fruticosa. L.en.	(ye.) shrubby.	Sicily.	1825.	—	F. h.	Biv. pl. sic. cont. 1. 1.
113	epithymoides. w.	(ye.) broad-leaved.	Austria.	1805.	5. 6.	H. 4.	Andr. repetit. t. 1. 1.
114	villosa. w.K.	(sa.) villous.	Hungary.	1818.	6. 9.	H. 4.	W. et K. bung. 5. 1.
115	tenuifolia. s.s.	(ye.) slender-leaved.	S. Europe.	1827.	—	H. ⊙.	
116	echinocarpa. s.s.	(ye.) prickly-podded.	Crete.	1828.	—	H. ♂.	
117	condylocarpa. M.B.	(ye.) warted-fruited.	Caucasus.	1824.	—	H. 4.	
118	obtusata. Ph.	(ye.) blunt-bracted.	N. America.	1826.	—	H. 4.	
119	mercuriana. Ph.	(ye.) Mercury-like.	—	1824.	—	H. 4.	

100 marginata. Ph. (wh.) white-margined. N. America. 1816.	6. 9. H. ⊙.	
101 alba. w. (pu.) sweet. S. Europe. 1759.	5. 6. H. 4.	Jacq. aust. 3. t. 213.
102 ambigua. w.k. (ye.) ambiguous. Hungary. 1824.	— H. 4.	W. et K. hung. t. 135.
103 carnolica. w. (ye.) Carniolian. Carniola. 1795.	8. H. 4.	Scop. carn. t. 21.
104 angulata. w. (ye.) angular-stalked. Austria. 1819.	7. 8. H. 4.	Jacq. ic. t. 481.
105 nummularia-folia. (ye.) moneywort-leaved. 1800.	7. G. h.	
106 cythrina. L.en. (gr.) purple-margined. C. B. S. 1816.	6. 8. G. 2.	
107 neapolitana. T.N. (wh.) Neapolitan. Naples. 1825.	7. 8. H. 4.	Ten. fl. neap. t. 42.
108 juniperifolia. w. (gr.) Juniper-leaved. S. Europe. 1741.	6. 7. F. h.	Bocc. sic. t. 5.
109 portlandica. w. (ye.) Portland. Britain.	5. 9. H. 4.	Eng. bot. v. 7. t. 441.
110 saxatilis. w. (ye.) rock. Austria. 1816.	6. 8. H. 4.	Jacq. aust. t. 345.
111 stercosa. M.B. (ye.) stony. Caucasus. 1819.	— H. 4.	
112 paralias. w. (ye.) sea. England.	7. 9. H. 4.	Eng. bot. v. 3. t. 195.
113 suffruticosa. (ye.) shrubby sea.	— F. h.	
114 rupestris. w. (ye.) rushy. Madeira. 1779.	7. 8. G. 4.	Jacq. schœn. 1. t. 107.
115 angusta. W.en. (ye.) fiddle-leaved. Spain. 1817.	— H. 4.	
116 aleppica. w. (ye.) Aleppo. Crete. 1739.	— F. 4.	Alp. exot. t. 64.
117 italica. W.en. (ye.) Italian. Italy. 1818.	— H. 4.	All. ped. 2. t. 83. f. 2.
118 corniculata. w. (ye.) corn. S. Europe. 1699.	— H. ⊙.	Jacq. aust. 5. t. 450.
119 gracilis. s.s. (ye.) slender. Ukraine. 1826.	— H. 4.	
120 caespitosa. T.N. (ye.) tufted. Naples. —	— H. 4.	
121 pinifolia. s.s. (ye.) Pine-leaved. —	— H. 4.	
122 repens. T.N. non w.		
123 umbellata. DC. (ye.) double-umbel'd. Barbary. 1780.	8. H. ⊙.	Poir. it. ed. germ. t. 1.
124 angustifolia. (ye.) narrow-leaved.	7. 8. H. 4.	
125 angustifolia. H.S.		
126 polycorymbosa. (ye.) many-flowered. 1805.	— H. 4.	
127 provincialis. w. (ye.) linear-leaved. S. Europe. 1800.	8. 11. H. ⊙.	
128 ruscifolia. H.S. (ye.) Rush-like. —	7. 8. H. ⊙.	
129 hirsutifolia. w. (ye.) Wartwort. Britain.	— H. ⊙.	Eng. bot. v. 13. t. 883.
130 stellata. Sn. (ye.) starry. Europe. 1823.	— H. ⊙.	
131 bifida. L.en. (ye.) two-winged. 1819.	— H. ⊙.	
132 serrata. w. (ye.) narrow notch-ld. S. Europe. 1710.	7. G. 4.	Jacq. ic. 3. t. 483.
133 fischeri. F. (ye.) Fischer's. Tauria. 1824.	— H. 4.	
134 cretica. w. (ye.) Cretan hoary. Levant. 1768.	— H. 4.	
135 rigida. (ye.) stiff. 1795.	7. 8. H. h.	
136 rigidus. H.S.		
137 verrucosa. w. (ye.) warted. France. 1807.	6. H. 4.	Meris. s. 10. t. 3. f. 3.
138 grandiflora. w. (wh.) great-flowered. N. America. 1803.	7. 9. H. 4.	Lodd. bot. cab. t. 390.
139 spatulifolia. H.S. (gr.) spatula-leaved. 1800.	8. G. h.	
140 coralloides. w. (ye.) Coral-stalked. S. Europe. 1752.	6. 9. H. 4.	
141 mollis. Gm. (ye.) soft. — 1823.	— H. 4.	
142 tutsanifolia. H.S. (ye.) Tutsan-leav'd. Hungary. 1804.	7. 9. H. 4.	
143 hirsuta. w. (ye.) hairy. Siberia. 1758.	5. 8. H. 4.	Gmel. sib. 2. t. 93.
144 orientalis. w. (st.) oriental. Levant. 1739.	6. 7. H. 4.	
145 fragifera. L.en. (ye.) Strawberry-like. Italy. 1825.	— H. 4.	
146 fruticosa. w.k. (ye.) twiggy. Hungary. 1807.	7. H. 4.	W. et K. hung. t. 162.
147 polyphylla. H.S. (ye.) annual warted. England.	7. 8. H. ⊙.	Jacq. aust. t. 376.
148 erecta. E.B. (ye.) upright warted. —	— H. ⊙.	Eng. bot. v. 5. t. 333.
149 striata. w. (st.) blotch-leaved. 1790.	8. H. ⊙.	Jacq. ic. 3. t. 482.
150 crispata. L.en. (ye.) crisp-leaved. 1819.	7. 9. H. 4.	
151 pubescens. s.s. (ye.) pubescent. Barbary. 1827.	— H. 4.	Jacq. f. ecl. t. 66.
152 lutescens. Led. (ye.) yellowish. Siberia. —	— H. 4.	
153 ehrenbergii. (ye.) Ehrenberg's. Egypt. 1826.	6. 9. H. ⊙.	
154 triphylla. Ehr. non w.		
155 trigonocarpa. F. (ye.) three-sided podded. Russia. 1821.	— H. ⊙.	
156 rotunda. C.I. (gr.) notch-leaved. S. Europe. —	— H. ⊙.	
157 foliosa. w. (gr.) leafy-branched. Britain.	5. 7. H. 4.	Cavan. ic. t. 34. f. 3.
158 gerardiana. w. (ye.) Gerard's. Germany. 1801.	7. H. 4.	Eng. bot. v. 20. t. 1399.
159 cyparissias. w. (ye.) Cypress. England.	5. 9. H. 4.	Jacq. aust. t. 436.
160 acutifolia. w. (ye.) sharp-leaved. Spain. 1809.	— F. 4.	Eng. bot. v. 12. t. 840.
161 pyramidalis. w. (ye.) glaucous. S. Europe. 1570.	4. 6. H. 4.	Jacq. ic. 3. t. 485.
162 rigida. M.B. (ye.) rigid. Tauria. 1819.	6. 8. H. 4.	
163 imbricata. w. (ye.) imbricated. Portugal. 1804.	8. 9. F. h.	Bot. reg. t. 274.
164 glaucescens. W.en. (ye.) glaucescent. 1819.	— H. 4.	
165 arvensis. M.B. (ye.) field. Tauria. —	6. 8. H. 4.	
166 palustris. w. (ye.) marsh. Sweden. 1570.	5. 8. H. 4.	Flor. dan. t. 866.
167 pallida. w. (ye.) pale. Hungary. 1818.	6. 8. H. 4.	
168 lucida. w.k. (ye.) glossy. — 1820.	— H. 4.	W. et K. hung. t. 55.

184	prœcera. M.B.	(ye.) tall.	Terek.	1824.	6. 8.	H. 2.	
185	ceratocârpa. T.N.	(ye.) horn-capsuled.	Naples.	—	—	H. 2.	Ten. fl. neap. t. 11.
186	emarginâta. w.	(ye.) freckled.	Italy.	1758.	7. 8.	H. 2.	
187	hibérna. E.B.	(ye.) Irish.	Ireland.		5. 6.	H. 2.	Eng. bot. v. 12. t. 107.
188	salicifolia. w.	(ye.) Willow-leaved.	Hungary.	1804.	—	H. 2.	Loird. bot. cab. t. 61.
189	sylvatica. w.	(pi.) wood.	S. Europe.	1768.	7. 9.	F. 2.	Jacq. aust. t. 37.
190	amygdaloïdes. w.	(st.) Almond-leaved.	England.		3. 6.	H. 2.	Eng. bot. v. 4. t. 24.
191	Characias. w.	(ye. pu.) upright red.	—		—	H. 2.	— v. 7. t. 40.
192	véneta. L.en.	(ye.) venomous.	Europe.	1824.	—	F. 2.	
193	Bonplândii.	(wh.) Bonpland's.	N. Spain.	1823.	4. 6.	S. 2.	
	marginâta. K.S.	non Nutt.					
CYCCA. L.							
	disticha. w.	(gr.) long-leaved.	E. Indies.	1796.	4. 6.	S. 2.	Jacq. schæn. 2. t. 10.
BU'XUS. W.							
		Box-TREE.	Monœcia Tetrandria. L.				
1	chinensis. L.en.	(ye.) China.	China.	1812.	4. 8.	H. 2.	
2	baleàrica. w.	(ye.) Minorca.	Minorca.	1780.	7.	H. 2.	
3	sempervirens. w.	(ye.) common.	England.		4.	H. 2.	Eng. bot. v. 12. t. 110.
	α arborœscens. Mill.	(ye.) tree.	—		—	H. 2.	
	† argentea.	(ye.) silvery-leaved.	—		—	H. 2.	
	‡ aurea.	(ye.) golden-leaved.	—		—	H. 2.	
	marginâta.	(ye.) margined.	—		—	H. 2.	
	β angustifolia. Mill.	(ye.) narrow-leaved.	—		—	H. 2.	
	† variegata.	(ye.) variegated.	—		—	H. 2.	
	γ myrtifolia. Mill.	(ye.) myrtle-leaved.	—		—	H. 2.	
	δ suffruticosa.	(ye.) dwarf.	—		—	H. 2.	
SARCOCOCCA. B.R.							
	coriacea.	(wh.) leathery.	Nepaul.	1820.	4. 6.	G. 2.	Bot. reg. t. 358.
	prunifœrmis. B.R.	<i>Pachysandra coriacea.</i>	Hook. ex. flor. t. 148.				
PACHYSA'NDRA. M.							
		PACHYSA'NDRA.	Monœcia Tetrandria. W.				
1	procumbens. M.	(bh.) procumbent.	N. America.	1800.	3. 4.	H. 2.	Bot. reg. t. 33.
ACID'OTON. W.							
	urens. w.	(gr.) stinging.	Jamaica.	1793.	4. 6.	S. 2.	Sloan. jam. 1. t. 83.
PLUKEN'ETIA. W.							
		PLUKEN'ETIA.	Monœcia Monadelphia. L.				
1	volubilis. w.	(gr.) twining.	W. Indies.	1739.	7. 8.	S. 2. ∞.	Plum. ic. t. 223.
2	corniculata. s.s.	(gr.) horned.	E. Indies.	1827.	—	S. 2. ∞.	Rumph. amb. 1. t. 7.
DALECHA'MPIA. W.							
		DALECHA'MPIA.	Monœcia Monadelphia.				
1	scandens. w.	(gr.) climbing.	W. Indies.	1739.	6. 7.	S. 2. ∞.	Jacq. amer. 252. t. 1.
2	brasiliensis. w.	(gr.) Brazilian.	Brazil.	1820.	—	S. 2. ∞.	
3	fimbriata. K.S.	(gr.) fringed.	Mexico.	1829.	—	S. 2. ∞.	
ACA'LYPHA. W.							
		ACA'LYPHA.	Monœcia Monadelphia. W.				
1	diversifolia. w.	(gr.) various-leaved.	Caracas.	1824.	6. 8.	S. 2.	
2	hernandifolia. s.s.	(gr.) Hennandia-leaved.	Jamaica.	1825.		S. 2.	
3	virginica. w.	(gr.) Virginian.	N. America.	1759.	7. 8.	H. 2.	Schk. hand 3. t. 11.
4	caroliniana. w.	(gr.) Carolina.	—	1811.	—	H. 2.	Lam. ill. t. 782. f. 2.
5	ciliata. w.	(gr.) ciliated.	E. Indies.	1799.	—	S. 2.	Vahl symb. 1. t. 2.
6	reptans. w.	(gr.) creeping.	Jamaica.	1822.	—	S. 2.	Sloan. hist. 1. t. 82.
7	indica. w.	(gr.) Indian.	E. Indies.	1759.	7. 9.	S. 2.	Rheed. mal. 10. t. 8.
8	hispida. w.	(gr.) hispid.	—	1820.	—	S. 2.	
9	cuspidata. w.	(gr.) cuspidate.	Caracas.	—		S. 2.	Jacq. schæn. 2. t. 21.
10	rùbra. W.en.	(re.) red.	S. America.	1823.	6. 9.	S. 2.	
11	brachystachya. W.en.	(gr.) short-spiked.	China.	1816.	7. 8.	H. 2.	
12	pauciflora. W.en.	(gr.) few-flowered.	—	—	—	H. 2.	
13	alopecuroïdea. w.	(gr.) Fox-tail.	Venezuela.	1804.	7. 9.	H. 2.	Jacq. ic. 3. t. 62.
14	anemioides. K.S.	(gr.) Anemia-like.	Mexico.	1829.		S. 2.	
15	purpurascens. K.S.	(pu.) purple-bracted.	—	1827.		S. 2.	
16	elliptica. s.s.	(gr.) elliptic-leaved.	Jamaica.	1825.		S. 2.	
17	laevigata. w.	(gr.) smooth.	—	1819.	—	S. 2.	
18	virgata. w.	(gr.) twiggy.	—	1822.	—	S. 2.	Brown. jam. t. 1. f. 1.
19	macrostachya. w.	(gr.) long-spiked.	Caracas.	1824.	—	S. 2.	Jacq. schæn. 2. t. 21.
20	polystachya. w.	(gr.) many-spiked.	—	—	—	S. 2.	— 2. t. 21.
21	seabrôsa. w.	(gr.) rough.	Jamaica.	1822.	—	S. 2.	
22	integrifolia. s.s.	(gr.) entire-leaved.	Madagascar.	1823.		S. 2.	
OMALA'NTHUS. J.							
		OMALA'NTHUS.	Monœcia Monadelphia.				
	populifolius. B.M.	(wh.) Poplar-leaved.	N. Holland.	1821.	6. 8.	G. 2.	Bot. mag. t. 272.
CAPER'ONIA. Hilar.							
		CAPER'ONIA.	Monœcia Monadelphia.				
1	castaneaefolia. s.s.	(gr.) Chestnut-leaved.	S. America.	1823.	7. 8.	S. 2.	
2	palustris. s.s.	(gr.) marsh.	Vera Cruz.	1731.	—	S. 2.	Mart. dec. 4. t. 82.
	<i>Crœton palustris.</i>	w.					

CROTON. W.		CROTON. Monœcia Monadelphica. L.					
1 variegatus. W.	(gr.) variegated.	E. Indies.	1801.	6. 9.	S. h.	Rheed mal. 6. t. 61.	
2 latifolius. H.B.	(gr.) broad-leaved.	—	—	—	S. h.		
3 crispus. H.B.	(gr.) curl-leaved.	—	—	—	S. h.	Rumph. amb. 4. t. 26. f. 2.	
4 obtusus. H.E.	(gr.) narrow-leaved.	—	1820.	—	S. h.	— 4. t. 25.	
5 pictus. B.C.	(gr.) painted-leaved.	—	—	—	S. h.	Lodd. bot. cab. t. 870.	
6 liliifolius. S.S.	(gr.) Willow-leaved.	W. Indies.	1733.	7.	S. h.	Jacq. amer. t. 162. f. 4.	
7 cascarilla. S.S.	(gr.) Cascarilla.	S. America.	1778.	7. 8.	S. h.	Catesb. car. 2. t. 46.	
8 maritimus. S.S.	(gr.wh.) sea-side.	Carolina.	1786.	—	G. h.		
9 gracilis. S.S.	(gr.) slender.	Mexico.	1824.	7. 8.	S. h.		
10 laureolus. S.S.	(gr.wh.) Laurel-leaved.	Jamaica.	1778.	5. 8.	S. h.	Sloan. jam. 2. t. 174. f. 2.	
11 hirtus. S.S.	(gr.wh.) hairy.	Trinidad.	1821.	—	S. ☉.	L'Herit. stirp. 17. t. 9.	
12 argenteus. S.S.	(gr.) silvery-leaved.	S. America.	1733.	7. 8.	S. ☉.		
13 Tiliam. W.	(wh.) purging.	E. Indies.	1796.	8. 9.	S. h.	Rheed. mal. 2. t. 33.	
14 glandulosus. S.S.	(gr.) glandular.	W. Indies.	1818.	—	S. ☉.	Jacq. ic. 1. t. 194.	
15 chloratus. S.S.	(gr.ye.) yellowish.	Trinidad.	1822.	—	S. h.	Aubl. guian. 2. t. 339.	
16 populifolius. S.S.	(gr.wh.) Poplar-leaved.	Jamaica.	1824.	—	S. h.		
17 limeifolius. P.S.	(gr.wh.) Lime-tree-leaved.	St. Vincent.	1825.	—	S. h.	Plum. mss. 4. t. 123.	
18 balsamifera. S.S.	(gr.wh.) sea-side Balsam.	Jamaica.	1748.	—	S. h.	Sloan. hist. 2. t. 174. f. 2.	
19 lucidus. S.S.	(gr.wh.) shining.	—	1822.	7. 9.	S. h.		
20 nitens. S.S.	(gr.ye.) glittering.	—	1815.	—	S. h.	Pluk. alm. t. 220. f. 5.	
21 pungens. S.S.	(gr.ye.) pungent.	Caracas.	1791.	—	S. h.	Jacq. ic. 3. t. 622.	
22 pennellatus. S.S.	(gr.) pencilled.	Cuba.	1799.	7. 8.	S. h.	Venten. choix. t. 12.	
23 flavens. S.S.	(ye.gr.) pale yellow.	W. Indies.	1822.	—	S. h.		
24 macrophyllus. S.S.	(wh.) large-leaved.	Jamaica.	—	—	S. h.		
25 aromaticus. S.S.	(wh.) aromatic.	Ceylon.	1793.	—	S. h.	Rumph. amb. 3. t. 126.	
26 humilis. S.S.	(wh.gr.) humble.	Jamaica.	1799.	—	S. h.		
27 mealy. S.S.	(wh.) mealy.	Madagascar.	1826.		S. h.		
28 tomentosus. W.	(gr.wh.) woolly-leaved.	W. Indies.	1782.	7. 8.	S. h.		
29 varius. S.S.	(wh.) various-leaved.	Vera Cruz.	1730.	—	S. ☉.	Mart. dec. 5. t. 46.	
30 gossypifolius. S.S.	(wh.) Cotton-leaved.	Trinidad.	1823.	—	S. h.	Vahl. symb. t. 49.	
31 tomentosus. L.en.	 tomentose.		—		S. h.		
CROZOPHORA. J.		CROZOPHORA. Monœcia Pentandria.					
1 plaita. J.	(wh.gr.) plaited.	E. Indies.	1821.	6. 8.	G. ☉.	Burm. ind. t. 62. f. 1.	
2 officinalis. J.	(wh.gr.) officinal.	S. Europe.	1570.	7. 8.	H. ☉.	Niss. act. par. 1712. t. 17.	
3 tinctarium. W.							
4 verticillata. J.	(wh.gr.) Mullein-leaved.	Greece.	1826.	—	H. ☉.		
ROTTLEA. W.		ROTTLEA. Diœcia Icosandria. W.					
1 brasiliensis. S.S.	(gr.) Brazilian.	Brazil.	1820.		S. h.		
2 dyer's. S.S.	(gr.) dyer's.	E. Indies.	1810.		S. h.	Roxb. corom. 2. t. 168.	
GELONIUM. W.		GELONIUM. Diœcia Icosandria. W.					
1 oval-leaved. W.	(gr.) oval-leaved.	E. Indies.	1793.	6. 8.	S. h.		
2 lanceolatum. H.B.	(gr.) spear-leaved.	—	1825.	—	S. h.		
TREWIA. W.		TREWIA. Diœcia Polyandria. W.					
1 naked-flowered. W.	(gr.) naked-flowered.	E. Indies.	1796.		S. h.	Rheed. mal. 1. t. 42.	
HYÆNA-POISON. H.K.		HYÆNA-POISON. Diœcia Dodecandria.					
1 Cape. H.K.	(gr.wh.) Cape.	C. B. S.	1783.	4. 9.	G. h.	Lamb. cinch. 52. t. 10.	
EUCLEA. W.		EUCLEA. Diœcia Dodecandria. W.					
1 round-leaved. W.	(wh.) round-leaved.	C. B. S.	1722.	11. 12.	G. h.	Jacq. fragm. 3. t. 1. f. 5.	
2 wave-leaved. W.	(wh.) wave-leaved.	—	1791.	6. 10.	G. h.		
PHYSIC-NUT. W.		PHYSIC-NUT. Monœcia Monadelphica. L.					
1 Cotton-leaved. W.	(sc.) Cotton-leaved.	W. Indies.	1690.	5. 8.	S. h.	Bot. reg. t. 746.	
2 fiddle-leaved. W.	(sc.) fiddle-leaved.	Cuba.	1800.	—	S. h.	Bot. mag. t. 604.	
3 spicy. W.	(sc.) spicy.	—	1809.	—	S. h.	— t. 1464.	
4 angular-leaved. W.	(gr.) angular-leaved.	S. America.	1731.		S. h.	Jacq. vind. 3. t. 63.	
5 multifid. W.	(sc.) multifid.	—	1696.	6. 8.	S. h.	Sal. par. lond. t. 91.	
6 scarlet. L.en.	(sc.) scarlet.		1822.	—	S. h.		
CNIDOSCULUS. P.B.		CNIDOSCULUS. Monœcia Monadelphica.					
1 stinging. P.B.	(wh.) stinging.	Brazil.	1690.	5. 7.	S. h.	Jacq. vind. 1. t. 21.	
2 stimulous. Ph.	(wh.) stimulous.	N. America.	1812.	—	F. 4.	Pluk. alm. t. 220. f. 3.	
3 Napæa-leaved. W.	(wh.) Napæa-leaved.	Antilles.	1823.	7. 8.	S. h.		
4 fragrant. K.S.	(wh.) fragrant.	Cuba.	1822.	6. 8.	S. h.		
5 annual. W.	(wh.) annual.	Vera Cruz.	1759.	7. 8.	S. ☉.	Reliq. houst. 6. t. 15.	
6 Maregrave's. P.B.	(wh.) Maregrave's.	Brazil.	1823.	—	S. h.	Pohl. flor. bras. 1. t. 50.	
7 Vine-leaved. P.B.	(wh.) Vine-leaved.	—	—	—	S. h.	— 1. t. 52.	
MA'NIHOT. P.B.		MA'NIHOT. Monœcia Decandria.					
1 strong-scented. P.B.	(bl.br.) strong-scented.	Mexico.	1824.	7. 8.	S. h.		

2	Jánipha. P.B. (br.gr.)	Læfling's.	S. America.	1824.	7. 8.	S. h.	Jacq. amer. t. 142.
	<i>Jatropha carthaginensis</i> . Jacq. <i>Jánipha</i> . w. <i>Jánipha</i> Læflingii. K.S.						
3	grácilis. P.B. (br.gr.)	slender.	Brazil.	1822.	7. 8.	S. h.	Pohl. pl. bras. 1. t. 1.
4	anómala. P.B. (br.)	anomalous.	—	—	—	S. h.	— 1. t. 1.
5	pruinósa. P.B. (bl.br.)	frosted.	—	1824.	—	S. h.	— 1. t. 1.
6	digitifórmis. P.B. (bl.br.)	finger-formed.	—	1826.	—	S. h.	— 1. t. 1.
7	digitata.	finger-leaved.	N. S. W.	1810.		G. h.	
	<i>Crôton digitatum</i> . F.						
8	diversifolia.	different-leaved.	N. Holland.	1822.		G. h.	
9	tenuifolia. P.B. (bl.br.)	slender-leaved.	Brazil.	—	6. 8.	S. h.	Pohl. pl. bras. 1. t. 1.
10	æsculifolia. K.S. (bl.br.)	Æsculus-leaved.	S. America.	1825.	5. 8.	S. h.	H. et B. 2. t. 1.
11	cannabina. (bl.br.)	Cassava.	—	1739.	7. 8.	S. h.	Sloan. j. an. 1. t. 1.
	<i>Jatropha Manihot</i> . w. <i>Jánipha Manihot</i> . K.S.						
12	caricæfolia. P.B. (bl.br.)	Papaw-leaved.	Brazil.	1822.	—	S. h.	Pohl. pl. bras. 1. t. 1.
13	Dalechampia fôrmis. P.B. (br.)	Dalechampia-like.	—	1818.	—	S. h.	— 1. t. 1.
14	sinuata. P.B. (br.)	sinuate-leaved.	—	1824.	—	S. h.	— 1. t. 1.
ALEURITES. W.		ALEURITES.	Monœcia Monadelphica.	L.			
1	trilôba. w. (wh.)	three-lobed.	Society Isles.	1793.		S. h.	
2	Ambinux. P.S. (wh.)	Molucca.	Ceylon.	1803.		S. h.	
	<i>Crôton moluccanum</i> . w.						
RICINUS. W.		PALMA-CHRISTI.	Monœcia Monadelphica.	L.			
1	commânis. w. (re.st.)	Castor-oil plant.	E. Indies.	1548.	7. 8.	H. ☉.	Lam. ill. t. 792.
2	Kráppa. I.O. (wh.fl.)	Krappa.		1827.	8. 11.	H. ☉.	
3	leucocárpis. I.O. (wh.bh.)	white-capsuled.		—	—	F. ☉.	
4	macrophyllus. I.O. (w.r.)	large-leaved.		—	—	F. ☉.	
5	paniculatus. I.O. (re.wh.)	panicked.		1824.	8. 10.	F. ☉.	
6	rutilans. I.O. (re.wh.)	red-stalked.		1827.	—	F. ☉.	
7	undulatus. I.O. (re.wh.)	wave-leaved.		—	—	F. ☉.	
8	viridis. w. (bh.wh.)	green.	E. Indies.	1802.	8.	H. ☉.	W. hort. ber. 1. t. 1.
9	africânus. w. (re.wh.)	African.	Africa.		7. 8.	G. h.	
10	lividus. w. (re.wh.)	livid-leaved.	C. B. S.	1795.	—	G. h.	Jacq. ic. 1. t. 1.
11	inermis. w. (re.st.)	smooth-capsuled.	India.	1758.	—	S. ♂.	— 1. t. 1.
12	armatus. A.R. (re.wh.)	rough-capsuled.	Malta.	1807.	—	S. ♂.	Andr. reposit. t. 1.
M'PPA. J.		M'PPA.	Monœcia Monadelphica.				
1	moluccana. s.s. (wh.)	Molucca.	Moluccas.	1828.		S. h.	
2	Tanària. s.s. (wh.)	scallop-leaved.	E. Indi s.	1810.	7. 9.	S. h.	Rumph. amb. 3. t. 1.
	<i>Ricinus Tandarius</i> . w.						
OMPH'ALEA. W.		OMPH'ALEA.	Monœcia Monadelphica.	L.			
	triándra. w. (wh.)	long-leaved.	Jamaica.	1763.	6. 7.	S. h.	Lodd. bot. cab. t. 1.
HIPPO'MANE. W.		MANCHINEEL-TREE.	Monœcia Monadelphica.	L.			
1	Mancinella. w. (gr.)	common.	W. Indies.	1690.		S. h.	Catesb. car. 2. t. 1.
2	spinosa. s.s. (gr.)	spiny.	—	1820.		S. h.	Plum. ic. 171. f. 1.
	<i>Sapium ilicifolium</i> . w.						
S'APIUM. W.		S'APIUM.	Monœcia Monadelphica.	L.			
1	aucuparium. s.s.	single-spiked.	W. Indies.	1692.		S. h.	Jacq. amer. t. 15.
2	Hippomane. s.s. (gr.)	two-glanded.	—	1824.		S. h.	
3	indicum. w. (gr.)	Indian.	E. Indies.	1817.		S. h.	
SIPHONIA. W.		ELASTIC-GUM-TREE.	Monœcia Monadelphica.	W.			
	Cahûchu. w. (gr.)	common.	S. America.	1823.		S. h.	Lam. ill. t. 799.
	<i>elastica</i> . P.S.						
AGYN'EJA. W.		AGYN'EJA.	Monœcia Monadelphica.	W.			
1	impubes. w. (gr.)	smooth.	China.	1820.	7. 9.	H. ☉.	
2	pûbera. w. (gr.)	woolly.	—	1823.		S. h.	
STILLINGIA. W.		STILLINGIA.	Monœcia Monadelphica.	W.			
1	sylvatica. w. (ye.)	wood.	Carolina.	1787.	7. 8.	G. 4.	
2	ligustrina. w. (st.)	Privet-leaved.	N. America.	1812.	—	G. h.	
3	sebifera. w. (st.)	Tallow-tree.	China.	1703.	9.	S. h.	Pluk. amal. t. 300. f. 1.
HURA. W.		SANDBOX-TREE.	Monœcia Monadelphica.	W.			
1	strêpens. W.en. (gr.)	unequal-toothed.	S. America.		7. 9.	S. h.	
2	crêpitans. W.en. (gr.)	equal-toothed.	—	1733.	—	S. h.	Lam. ill. t. 793.
BRADL'EJA. W.		BRADL'EJA.	Monœcia Monadelphica.	W.			
1	sinica. w. (wh.)	Chinese.	China.	1816.	7. 9.	S. h.	Gært. sem. 2. t. 130.
2	nítida. H.B. (wh.)	glossy.	E. Indies.	1820.	—	S. h.	
3	multilocularis. s.s. (wh.)	multilocular.	—	—	—	S. h.	
PHYLLA'NTHUS. W.		PHYLLA'NTHUS.	Monœcia Monadelphica.	W.			
1	cbovatus. w. (wh.)	annual.	N. America.	1803.	7. 8.	H. ☉.	
2	maderaspatensis. w. (gr.)	Madras.	E. Indies.	1783.	—	S. h.	
3	grácilis. H.B. (gr.)	slender.	—	1820.	—	S. 4.	
4	longifolius. w. (gr.)	long-leaved.	Isl. Bourbon.	1822.	—	S. h.	Lam. ill. t. 156. f. 1.

1 <i>aculeatus</i> . w. (gr.) spear-leaved.	Isl. Bourbon.	1822.	6. 8.	S. h.	
2 <i>canus</i> . w. (bh.st.) nodding.	Jamaica.	—	—	S. h.	Jacq. schœn. 2. t. 193.
3 <i>grandifolius</i> . w. (gr.) great-leaved.	Portorico.	1771.	—	S. h.	
4 <i>venosus</i> . w. (gr.) venous.	E. Indies.	1802.	—	S. h.	
5 <i>striatus</i> . B.M. (gr.) shining-leaved.	China.		7. 9.	S. h.	Bot. mag. t. 1862.
6 <i>cordati</i> . w. (gr.) Brazilian.	Brazil.	1791.	—	S. h.	Aub. gui. 2. t. 351.
7 <i>obcordatus</i> . H.B. (gr.) obovate.	E. Indies.	1818.	—	S. 2.	
8 <i>retusus</i> . H.B. (gr.) retuse-leaved.	—	1822.	—	S. 2.	
9 <i>reticulatus</i> . B.C. (bh.) netted.	—	1818.	8. 9.	S. h.	Lodd. bot. cab. t. 577.
10 <i>thickus</i> . w. (gr.) thick-veined.	China.	1822.	7. 9.	S. h.	
11 <i>cantonensis</i> . L.en. (gr.) Canton.	—	1819.	7. 8.	H. ⊙.	
12 <i>wedgatus</i> . W.en. (gr.) wedge-leaved.	—	—	—	H. ⊙.	
13 <i>indianus</i> . w. (gr.) Indian.	E. Indies.	1612.	6. 9.	S. ⊙.	Rheed. mal. 10. t. 15.
14 <i>stinging</i> . w. (gr.) stinging.	—	1819.	—	S. ⊙.	Rumph. amb. 6. t. 17. f. 2.
15 <i>smallifolius</i> . K.S. (gr.) small-leaved.	S. America.	1824.	—	S. h.	
16 <i>manyifolius</i> . w. (gr.) many-leaved.	E. Indies.	1805.	7. 9.	S. h.	
17 <i>Mimosa-like</i> . w. (gr.) Mimosa-like.	W. Indies.	1820.	—	S. h.	Lodd. bot. cab. t. 724.
18 <i>Rhammus-like</i> . w. (gr.) Rhammus-like.	E. Indies.	—	—	S. h.	
19 <i>upright</i> . H.B. (gr.) upright.	—	1823.	—	S. h.	
20 <i>Ash-leaved</i> . B.C. (gr.) Ash-leaved.		1818.	—	S. h.	Lodd. bot. cab. t. 731.
21 <i>Walnut-leaved</i> . W.en. (gr.) Walnut-leaved.	New Spain.	—	6. 9.	S. h.	
22 <i>climbing</i> . Roxb. (gr.) climbing.	E. Indies.	1803.	—	S. h.	
EMBLICA. L.T. EMBLICA. Monœcia Syngenesia. L.T.					
1 <i>officinal</i> . L.T. (st.) officinal.	E. Indies.	1768.	6. 9.	S. h.	Lodd. bot. cab. t. 548.
2 <i>racemed</i> . S.S. (st.) racemed.	—	1793.	7. 8.	S. h.	
<i>Pyllanthus racemosus</i> . w.					
KIRGAN'ELIA. J. KIRGAN'ELIA. Monœcia Monadelphina.					
1 <i>elegant</i> . J. (gr.) elegant.	Mauritius.	1820.	6. 9.	S. h.	
<i>Pyllanthus Kirganèlia</i> . w.					
XYLOPHY'LLA. W. XYLOPHY'LLA. Monœcia Monadelphina. W.					
1 <i>long-leaved</i> . w. (re.) long-leaved.	E. Indies.	1816.	1. 12.	S. h.	Rumph. amb. 7. t. 12.
<i>Pyllanthus ceramica</i> . P.S.					
1 <i>Seaside Laurel</i> . w. (wh.) Seaside Laurel.	S. America.	1783.	8. 10.	S. h.	Bot. mag. t. 1021.
2 <i>handsome</i> . w. (wh.) handsome.	Jamaica.	1818.	—	S. h.	Jacq. ic. 3. t. 616.
<i>Phyllanthus speciosus</i> . Jacq.					
1 <i>narrow-leaved</i> . w. (wh.) narrow-leaved.	—	1789.	7. 8.	S. h.	
2 <i>linear-leaved</i> . P.S. (re.) linear-leaved.	—	1822.	—	S. h.	
3 <i>elongated</i> . B.C. (re.) elongated.	—	—	—	S. h.	Lodd. bot. cab. t. 1091
4 <i>mountain</i> . w. (or.) mountain.	—	1820.	11. 4.	S. h.	Bot. mag. t. 2652.
5 <i>falcate-leaved</i> . w. (re.) falcate-leaved.	Bahama Isl.	1699.	7. 9.	S. h.	Bot. reg. t. 373.
6 <i>oval-leaved</i> . w. (wh.) oval-leaved.	Siberia.	1785.	7. 8.	H. h.	Pall. it. 3. t. E. f. 2.
7 <i>obovate-leaved</i> . W.en. (wh.) obovate-leaved.	—		—	S. h.	
BASTARD ORPINE. W. BASTARD ORPINE. Monœcia Gynandria. L.					
1 <i>annual</i> . w. (wh.) annual.	Italy.	1732.	7. 8.	H. ⊙.	Lam. ill. t. 797.
BRID'ELIA. W. BRID'ELIA. Polygamia Monœcia. W.					
1 <i>climbing</i> . w. (wh.) climbing.	E. Indies.	1804.	7. 9.	S. h. ∪.	Roxb. corom. 2. t. 173.
2 <i>mountain</i> . S.S. (st.) mountain.	—	1825.	—	S. h.	— v. 2. t. 171.
3 <i>frutescent</i> . P.S. (st.) frutescent.	—	1827.	—	S. h.	— v. 2. t. 172.
CLU'YTIA. W. CLU'YTIA. Diœcia Gynandria. L.					
1 <i>hill</i> . w. (st.) hill.	E. Indies.	1807.		S. h.	Roxb. corom. 2. t. 169.
2 <i>spreading</i> . w. (st.) spreading.	—	1812.		S. h.	— 2. t. 170.
3 <i>broad-leaved</i> . w. (st.) broad-leaved.	C. B. S.	1739.	1. 6.	G. h.	Bot. mag. t. 1945.
4 <i>various-leaved</i> . w. (st.) various-leaved.	—	1816.	2. 4.	G. h.	
5 <i>tomentose</i> . w. (st.) tomentose.	—	1812.	4. 6.	G. h.	
6 <i>pubescent</i> . w. (st.) pubescent.	—	1817.	—	G. h.	
7 <i>Poley-leaved</i> . w. (wh.) Poley-leaved.	—	1790.	—	G. h.	Jacq. schœn. 2. t. 50.
8 <i>Heath-leaved</i> . w. (wh.) Heath-leaved.	—	—	—	G. h.	Bot. reg. t. 779.
9 <i>Daphne-like</i> . w. (wh.) Daphne-like.	—	1731.	5. 6.	G. h.	W. hort. ber. t. 52.
10 <i>Polygonum-like</i> . w. (wh.) Polygonum-like.	—	1790.	12. 3.	G. h.	— t. 51.
11 <i>narrow-leaved</i> . w. (wh.) narrow-leaved.	—	1692.	—	G. h.	Bot. mag. t. 1321.
EXCÆC'ARIA. W. EXCÆC'ARIA. Diœcia Monadelphina. L.					
1 <i>shining-leaved</i> . S.S. (wh.) shining-leaved.	Jamaica.	1824.	4. 6.	S. h.	
2 <i>glandular</i> . S.S. (wh.) glandular.	—	—	—	S. h.	Sloan. hist. 2. t. 158. f. 2.
3 <i>Indian</i> . S.S. (gr. ye.) Indian.	E. Indies.	1823.		S. h.	Rumph. amb. 2. t. 79. 80.
4 <i>saw-leaved</i> . H.K. (wh.) saw-leaved.	Chile.	1796.	11. 2.	G. h.	
AD'ELIA. W. AD'ELIA. Diœcia Monadelphina. L.					
1 <i>villous-leaved</i> . w. (gr. wh.) villous-leaved.	Jamaica.	1768.	7. 8.	S. h.	
2 <i>smooth-leaved</i> . w. (gr. wh.) smooth-leaved.	—	—	6. 8.	S. h.	
3 <i>Box-leaved</i> . w. (gr. wh.) Box-leaved.	—	—	6. 7.	S. h.	

LOUREIRA. W.		LOUREIRA. Diœcia Monadelphia. W.				
1	cuneifolia. w. (bh.) wedge-leaved.	Mexico.	1824.	6. 8.	G. h.	Cavan. ic. 5. t. 42.
	<i>Mozina spathulata</i> . Ort. dec. 8. t. 13.					
2	glandulosa. w. (bh.) glandulous.	—————	1799.	—	G. h.	Cavan. ic. 5. t. 43.
B'ORYA. W.		B'ORYA. Diœcia Diandria. W.				
1	porulosa. w. (gr.wh.) Florida.	Florida.	1806.	7. 8.	H. h.	
2	ligustrina. w. (gr.wh.) Privet-leaved.	N. America.	1812.	—	H. h.	
3	prinoïdes. W.en. (gr.wh.) Prinos-like.	—————	1816.	—	H. h.	
4	nitida. W.en. (gr.wh.) glossy-leaved.	—————	—	—	H. h.	
5	retusa. W.en. (gr.wh.) retuse-leaved.	—————	1812.	—	H. h.	
6	acuminata. w. (gr.wh.) pointed.	—————	—	—	H. h.	Mich. ann. 2. t. 1.
	<i>Adelia acuminata</i> . M.					
SECURINEGA. J.		SECURINEGA. Monœcia Pentandria.				
	nitida. p.s. (wh.) Otaheite Myrtle.	Otaheite.	1793.	3. 8.	S. h.	Lindl. collect. 1. t. 1.
TRAGIA. W.		TRAGIA. Monœcia Triandria. W.				
1	volubilis. w. (gr.) twining.	W. Indies.	1739.	6. 7.	S. h.	Trew. pl. rar. 2. t. 1.
2	involucrata. w. (gr.) involucred.	E. Indies.	1759.	—	S. ♂.	Jacq. ic. 1. t. 19.
3	mercurialis. w. (gr.) Mercury-like.	—————	1818.	—	S. ♂.	Rheed. mal. 1. t. 1.
4	urticifolia. s.s. (gr.) nettle-leaved.	N. America.	1812.	—	H. ♂.	
5	hirsuta. D.L. (gr.) hairy.	Trinidad.	1820.	—	S. ♂.	
6	urens. w. (gr.) stinging.	Virginia.	1699.	8.	H. ♂.	Pluk. alm. 1. t. 17.
7	cannabina. w. (gr.) Hemp-leaved.	—————	1699.	6. 7.	S. ♀.	Burm. ind. 1. t. 1.
MICROSTACHYS. J.		MICROSTACHYS. Monœcia Triandria.				
1	corniculata. (gr.) two-horned.	Trinidad.	1820.	6. 7.	S. ♂.	
	<i>Tragia corniculata</i> . Vahl. <i>Cnemidostachys Vahlia</i> . s.s.					
2	Chamælea. J. (gr.) lance-leaved.	E. Indies.	1793.	—	S. ♂.	Rheed. mal. 2. t. 1.

ORDO CLXXXI.

EMPETREÆ. *D. Don on the affinities of the Empetrea. p. 3.*

EMPETRUM. D.D.		EMPETRUM. Diœcia Triandria. L.				
	nigrum. w. (gr.) black-berried.	Britain.		4. 5.	H. h.	Eng. bot. v. 8. t. 1.
CORËMA. D.D.		CORËMA. Diœcia Triandria.				
	album. D.D. (gr.) white-berried.	Portugal.	1774.	4. 6.	H. h.	
	<i>Empetrum album</i> . W.					
CERATIOLOLA. M.		CERATIOLOLA. Monœcia Diandria. N.				
	ericoïdes. M. (st.) Heath-like.	N. America.	1810.	4. 6.	H. h.	Parsh. fl. amer. 1. t. 1.

ORDO CLXXXII.

ANTIDESMEÆ.

ANTIDESMA. W.		ANTIDESMA. Diœcia Pentandria. L.				
1	alexiteria. w. (gr.) Laurel-leaved.	E. Indies.	1793.	5. 6.	S. h.	Rheed. mal. 5. t. 1.
2	pubescens. w. (gr.) pubescent.	—————	1818.	—	S. h.	Roxb. cerem. 2. t. 1.
3	paniculata. w. (gr.) panicled.	—————	1800.	—	S. h.	
STILAGO. W.		STILAGO. Diœcia Triandria. W.				
1	Bunius. w. (gr.) Laurel-leaved.	E. Indies.	1757.	8. 10.	S. h.	Rheed. mal. 4. t. 1.
2	diandra. w. (gr.) diandrous.	—————	1800.	—	S. h.	Roxb. cerem. 2. t. 1.

ORDO CLXXXIII.

URTICEÆ. *Juss. gen. 400.*

FICUS. L.		FIG-TREE. Polygamia Diœcia. W.				
1	religiosa. R.s. (gr.) Poplar-leaved.	E. Indies.	1731.		S. h.	Rheed. mal. 1. t. 1.
2	superstitiosa. L.en. (gr.) superstitious.	—————			S. h.	

<i>umbellata</i> . R.S. (gr.) Water-lily-leaved.	E. Indies.	1759.		S. h.	
<i>cordata</i> . R.S. (gr.) heart-leaved.	C. B. S.	1802.	4. 6.	S. h.	Thunb. fic. p. 8. c. ic.
<i>oblongata</i> . L.en. (gr.) oblong-leaved.	—	1816.	...	S. h.	
<i>thick-nerved</i> . R.S. (gr.) thick-nerved.	S. America.	—		S. h.	
<i>rubrinervis</i> . L.en. (gr.) red-nerved.	Brazil.	1824.		S. h.	
<i>ferruginea</i> . R.S. (gr.) ferrugineous.	N. S. W.	1789.	3. 6.	G. h.	Venten. malm. t. 111.
<i>rib-leaved</i> . R.S. (gr.) rib-leaved.	E. Indies.	1763.		S. h.	
<i>smooth</i> . R.S. (gr.) smooth.	W. Indies.	1822.		S. h.	
<i>veined-leaved</i> . R.S. (gr.) veined-leaved.	—	1826.		S. h.	
<i>Citron-leaved</i> . R.S. (gr.) Citron-leaved.	—	1824.		S. h.	
<i>red-crowned</i> . R.S. (gr.) red-crowned.	N. S. W.	1807.	3. 6.	G. h.	Colla hort. rip. t. 8.
<i>shining-leaved</i> . R.S. (gr.) shining-leaved.	E. Indies.	1772.	4. 6.	S. h.	
<i>climbing</i> . R.S. (gr.) climbing.	S. America.	1816.	—	S. h.	
<i>trailing</i> . R.S. (gr.) trailing.	China.	1771.	—	G. h.	
<i>Willow-leaved</i> . R.S. (gr.) Willow-leaved.	S. America.	1776.	5. 7.	S. h.	Pluk. alm. t. 178. f. 4.
<i>vein-leaved</i> . R.S. (gr.) vein-leaved.	E. Indies.	1763.	6. 8.	S. h.	Rheed. mal. 3. t. 64.
<i>white-spotted</i> . R.S. (gr.) white-spotted.	—		—	S. h.	W. hort. ber. 1. t. 36.
<i>Otaheite</i> . R.S. (gr.) Otaheite.	Society Isl.	1783.	5. 6.	S. h.	
<i>rough</i> . R.S. (gr.) rough.	E. Indies.	1826.		S. h.	Rumph. amb. 3. t. 96.
<i>oval-leaved</i> . R.S. (gr.) oval-leaved.	—	1757.		S. h.	Rheed. mal. 1. t. 26.
<i>Padus-leaved</i> . R.S. (gr.) Padus-leaved.	Mexico.	1826.		S. h.	
<i>complicated</i> . R.S. (gr.) complicated.	—	—		S. h.	
<i>smooth</i> . R.S. (gr.) smooth.	Teneriffe.	1816.		G. h.	
<i>Bengal</i> . R.S. (gr.) Bengal.	E. Indies.	1699.	4. 5.	S. h.	Rheed. mal. 1. t. 28.
<i>small-fruited</i> . R.S. (gr.) small-fruited.	Guinea.	1823.	—	S. h.	
<i>American</i> . R.S. (gr.) American.	Jamaica.	1822.		S. h.	Plum. spec. t. 132. f. 2.
<i>clustered</i> . R.S. (gr.) clustered.	E. Indies.	1759.	4. 6.	S. h.	Rheed. mal. 1. t. 25.
<i>Laurel-leaved</i> . R.S. (gr.) Laurel-leaved.	S. America.	1780.	—	S. h.	
<i>obovate-leaved</i> . R.S. (gr.) obovate-leaved.	Mauritius.	1822.		S. h.	Bory it t. 17.
<i>dwarf</i> . R.S. (gr.) dwarf.	China.	1759.	4. 6.	G. h.	Kamp. amoen. t. 804.
<i>tufted</i> . R.S. (gr.) tufted.	E. Indies.	1825.		S. h.	Rexb. corom. 2. t. 125.
<i>crowded</i> . R.S. (gr.) crowded.	—	1818.		S. h.	— 2. t. 123.
<i>Hooker's</i> . R.S. (gr.) Hooker's.	W. Indies.	1816.	1. 4.	S. h.	Hook. ex. flor. t. 111.
<i>H.E.F. nec aliorum.</i>					
<i>glossy-leaved</i> . R.S. (gr.) glossy-leaved.	E. Indies.	1786.	3. 6.	S. h.	Rheed. mal. 3. t. 55.
<i>fringe stipuled</i> . R.S. (gr.) fringe stipuled.	—	1816.	—	S. h.	
<i>vermillion-fruited</i> . R.S. (re.) vermillion-fruited.	E. Indies.	1826.		S. h.	Rumph. amb. 3. t. 85?
<i>Cotinus-leaved</i> . R.S. (gr.) Cotinus-leaved.	Mexico.	1824.	3. 6.	S. h.	
<i>blunt-leaved</i> . R.S. (gr.) blunt-leaved.	—	—		S. h.	
<i>leathery-leaved</i> . R.S. (gr.) leathery-leaved.	E. Indies.	1772.		S. h.	
<i>Poplar-leaved</i> . R.S. (gr.) Poplar-leaved.	—	—		S. h.	
<i>large-leaved</i> . R.S. (gr.) large-leaved.	N. Holland.	1816.	4. 6.	G. h.	
<i>Indian rubber</i> . R.S. (gr.) Indian rubber.	E. Indies.	1815.		G. h.	
<i>Brass's</i> . R.S. (gr.) Brass's.	Sierra Leon.	1822.		S. h.	
<i>downy-leaved</i> . R.S. (gr.) downy-leaved.	—	1816.		S. h.	
<i>glaucous-leaved</i> . R.S. (gr.) glaucous-leaved.	S. America.	1824.		S. h.	
<i>insipid</i> . R.S. (gr.) insipid.	Caracas.	1829.		S. h.	
<i>retuse-leaved</i> . R.S. (gr.) retuse-leaved.	E. Indies.	1793.	4. 6.	S. h.	
<i>Laurel-leaved</i> . R.S. (gr.) Laurel-leaved.	W. Indies.	1759.	—	S. h.	Sloan. jam. 2. t. 223.
<i>calyculate</i> . R.S. (gr.) calyculate.	Vera Cruz.	1760.	4. 6.	S. h.	
<i>Brazilian</i> . R.S. (gr.) Brazilian.	Brazil.	1820.		S. h.	
<i>wedge-leaved</i> . R.S. (gr.) wedge-leaved.	—	1826.		S. h.	
<i>Banyan-tree</i> . R.S. (gr.) Banyan-tree.	E. Indies.	1759.		S. h.	Rheed. mal. 3. t. 63.
<i>Willow-leaved</i> . R.S. (gr.) Willow-leaved.	Arabia.	1818.		S. h.	
<i>orange-coloured</i> . R.S. (gr.) orange-coloured.	—	—		S. h.	
<i>pendulous</i> . R.S. (gr.) pendulous.	—	1824.	5. 7.	S. h.	
<i>Myrtle-leaved</i> . R.S. (gr.) Myrtle-leaved.	—	—		S. h.	
<i>pubescent</i> . R.S. (gr.) pubescent.	E. Indies.	—		S. h.	
<i>strong-nerved</i> . R.S. (gr.) strong-nerved.	—	1826.		S. h.	
<i>elliptic-leaved</i> . R.S. (gr.) elliptic-leaved.	S. America.	1824.		S. h.	
<i>acuminate</i> . R.S. (gr.) acuminate.	—	—		S. h.	
<i>long-leaved</i> . R.S. (gr.) long-leaved.	—	—		S. h.	
<i>tailed</i> . R.S. (gr.) tailed.	—	—		S. h.	
<i>bushy</i> . R.S. (gr.) bushy.	—	—		S. h.	
<i>Viscum-leaved</i> . R.S. (gr.) Viscum-leaved.	—	—		S. h.	
<i>spear-leaved</i> . R.S. (gr.) spear-leaved.	E. Indies.	1829.		S. h.	

68	obtusata. L.en.	(gr.) obtuse-toothed.		1820.		S. h.	
69	muntia. L.en.	(gr.) rough-leaved.	N. Holland.	1818.		G. h.	
70	ulmifolia. R.s.	(gr.) Elm-leaved.	Philippine.	1825.		S. h.	
71	capensis. R.s.	(gr.) Cape.	C. B. S.	1816.		G. h.	
72	exasperata. R.s.	(gr.) very rough.	Guinea.	1822.		S. h.	Willden. fr. 1.2.
	scabra. w.	non Forst.					
73	hispida. R.s.	(gr.) opposite-leaved.	E. Indies.	1802.		S. h.	Roxb. cat. 2. 1.
	oppositifolia. Rox.	scabra. Jacq. schoen. 3. t. 315.					
74	Lichtensteinii. L.en.	(gr.) Lichtenstein's.	C. B. S.	1824.		G. h.	
75	aquatica. w.	(gr.) water.	E. Indies.	1758.	4. 6.	S. h.	
76	heterophylla. R.s.	(gr.) various-leaved.		1816.		S. h.	Rheed. mal. 1. 1.
77	repens. R.s.	(gr.) creeping-stemmed.		1805.		S. h.	
78	virgata. H.B.	(gr.) twiggy.		1817.		G. h.	
79	Carica. R.s.	(gr.) common.	S. Europe.	1548.	6. 7.	H. h.	Trew-Ehret. 1. 1.
BROSIMUM. W. BREAD-NUT. Polygamia Dioecia. W.							
1	Alicastrum. w.	(gr.) Jamaica.	Jamaica.	1776.		S. h.	Sw. fl. ind. oc. 1. 1.
2	spurius. w.	(gr.) Milkwood.		1789.		S. h.	
3	Galactodendron. D.D.	(gr.) Cow-tree.	Caracas.	1829.		S. h.	
	Galactodendron utile. K.s.	Palo de Vacca. Humboldt.					
ARTOCARPUS. W. BREAD-FRUIT. Monocia Monandria. W.							
1	incisa. w.	(gr.) true.	S. Sea Isles.	1793.		S. h.	Rumph. amb. 1. 1.
	a nucifera.	(gr.) nut-bearing.				S. h.	
	β apyræna.	(gr.) seedless.				S. h.	Rumph. amb. 1. 1.
2	integrifolia. w.	(gr.) Jaca-tree.	E. Indies.	1778.	6.	S. h.	Rheed. mal. 1. 1.
	β heterophylla. Lam.	various-leaved.				S. h.	Rumph. amb. 1. 1.
MACLURA. N. MACLURA. Dioecia Tetrandria. N.							
1	aurantiaca. N.	(gr.) Osage Apple.	Missouri.	1824.		H. h.	Lamb. pin. v. 2. 1.
2	tinctoria. D.D.	(gr.) Fustick-wood.	W. Indies.	1739.		S. h.	Plum. ic. t. 224.
	Morus tinctoria. w.	Broussonetia tinctoria. K.s.					
BROUSSONETIA. W. PAPER MULBERRY. Dioecia Tetrandria. W.							
	papyrifera. w.	(gr. br.) common.	Japan.	1751.	4. 7.	H. h.	Andr. reposit. t. 1.
MORUS. W. MULBERRY. Monocia Tetrandria. L.							
1	alba. w.	(gr.) white.	China.	1596.	6.	H. h.	Schk. hand. 3. 1.
2	tatarica. w.	(gr.) Tartarian.	Tartary.	1784.		H. h.	Pall. res. 2. t. 52.
3	italica. w.	(gr.) Italian.	Italy.			H. h.	
4	constantinopolitana. (gr.)	Constantinople.	Constantinople.			H. h.	
5	nigra. w.	(gr.) common.	Italy.	1548.		H. 5.	Wats. den. l. 1. 1.
6	rubra. w.	(gr.) red.	N. America.	1629.	6. 7.	H. 5.	
7	scabra. W.en.	(gr.) rough.		1812.		H. h.	
8	pensylvanica. L.C.	(gr.) Pennsylvanian.				H. h.	
9	pumila. L.C.	(gr.) dwarf.				H. h.	
10	indica. w.	(gr.) Indian.	E. Indies.	1820.		S. h.	Rheed. mal. 1. 1.
11	sinensis. L.C.	(gr.) Chinese.	China.			G. h.	
12	mauritiæna. w.	(gr.) Mauritius.	Mauritius.			S. h.	Jacq. ic. 3. t. 617.
CONOCEPHALUS. B.J. CONOCEPHALUS. Monocia Tetrandria.							
	naucleiflorus. B.R.	(gr.) Nauclea-flower'd.	E. Indies.	1816.	10. 4.	S. h.	Bot. reg. t. 1222.
BOEHMERIA. W. BOEHMERIA. Monocia Tetrandria. W.							
1	caudata. w.	(gr.) tailed.	W. Indies.	1822.	4. 8.	S. h.	
2	cylindrica. w.	(gr.) cylindrical.	Virginia.	1759.	6. 8.	H. 2.	Sloan. jam. 1. 1.
3	macrophylla. D.P.	(gr.) large-leaved.	Nepaul.	1820.		G. h.	
4	rotundifolia. D.P.	(gr.) round-leaved.		1819.		G. h.	
5	platyphylla. D.P.	(gr.) rough-leaved.		1818.	6. 10.	G. h.	
6	spicata. s.s.	(gr.) spiked.	Japan.	1824.		H. 2.	Hout. syst. 10. t. 72.
7	ramiflora. w.	(gr.) branch-flowering.	W. Indies.	1822.		S. h.	Lam. ill. t. 706.
	Catulus ramiflorus. L.	Prædis ramiflorus. Lam.					
8	elongata. L.en.	(gr.) elongated.	Brazil.		7. 9.	H. 0.	
9	lateriflora. w.	(gr.) side-flowering.	N. America.	1816.	6. 8.	H. 4.	
10	rubescens. w.	(gr.) tree.	Canaries.	1779.	2. 5.	G. h.	Jacq. frag. n. 2. 1.
	Urtica arborea. L'Her.	stirp. t. 20.					
11	salicifolia. D.P.	(gr.) Willow-leaved.	Nepaul.	1826.	7. 10.	G. h.	
12	frondosa. D.P.	(gr.) frondose.		1818.		G. h.	
13	ternifolia. D.P.	(gr.) three-leaved.		1827.		G. h.	
14	frutescens. w.	(gr.) frutescent.		1819.		G. h.	
URTICA. W. NETTLE. Monocia Tetrandria. L.							
1	pilulifera. w.	(gr.) Roman.	Englan l.		6. 8.	H. 0.	Eng. bot. v. 3. t. 122.
2	balearica. w.	(gr.) Balearic.	Balearic Isl.	1731.	6. 7.	H. 0.	Blackw. t. 321. 1.
3	Dodartii. w.	(gr.) Dodart's.	S. Europe.	1683.	7. 8.	H. 0.	
4	pumila. w.	(gr.) dwarf.	N. America.	1817.		H. 0.	
5	crassifolia. w.	(gr.) thick-leaved.	S. America.	1822.		S. h.	

<i>gigantifolia</i> . w. (gr.) great-leaved.	Jamaica.	1792.	7. 8.	S. h.	Sloan. jam. 1. t. 83. f. 2.
<i>reticulata</i> . w. (gr.) net-leaved.	—	—	6. 8.	S. h.	—
<i>imbricata</i> . B.M. (gr.) imbossed.	W. Indies.	1809.	10. 11.	S. 2.	Bot. mag. t. 2481.
<i>diffusa</i> . w. (gr.) spreading.	—	—	8. 10.	S. h.	—
<i>rustica</i> . w. (gr.) rusty.	Jamaica.	1793.	6. 9.	S. h.	—
<i>scabra</i> . L.en. (gr.) rough.	E. Indies.	1815.	10. 12.	G. h.	—
<i>repens</i> . B.P. (gr.) black-lined.	Nepaul.	1823.	6. 8.	H. 2.	—
<i>repens</i> . s.s. (gr.) rock.	Sicily.	1823.	—	H. h.	—
<i>repens</i> . H.H. (gr.) convex-leaved.	—	1824.	6. 9.	H. 2.	—
<i>repens</i> . w. (gr.) small.	Britain.	—	6. 10.	H. 2.	Eng. bot. v. 18. t. 1236.
<i>repens</i> . w. (gr.) common.	—	—	7. 9.	H. 2.	— v. 25. t. 1750.
<i>repens</i> . Ph. (gr.) Germander-like.	Georgia.	1813.	—	H. 2.	—
<i>repens</i> . w. (gr.) membranaceous.	S. Europe.	1818.	—	H. 2.	—
<i>repens</i> . r. (gr.) narrow-leaved.	Russia.	1824.	—	H. 2.	—
<i>repens</i> . L.en. (gr.) burning.	Nepaul.	1819.	8. 11.	H. 2.	—
<i>repens</i> . w. (gr.) Hemp-leaved.	Siberia.	1749.	7. 9.	H. 2.	Amm. ruth. 219. t. 25.
<i>repens</i> . w. (gr.) rough-leaved.	Jamaica.	1793.	5. 7.	S. 2.	—
<i>repens</i> . w. (gr.) slender-stalked.	Hudson's Bay.	1782.	6. 8.	H. 2.	—
<i>repens</i> . w. (gr.) Pellitory-leaved.	Jamaica.	1793.	7. 9.	S. h.	Sloan. j. 1. t. 93. f. 1.
<i>repens</i> . w. (gr.) ciliated.	—	1815.	—	S. h.	—
<i>repens</i> . s.s. (gr.) rooting.	—	1809.	—	H. h.	—
<i>repens</i> . w. (gr.) moneywort-leaved.	—	1822.	—	S. h.	Sloan. hist. 1. t. 131. f. 4.
<i>repens</i> . w. (gr.) depressed.	—	—	—	S. 2.	—
<i>repens</i> . w. (gr.) small-leaved.	W. Indies.	1793.	4. 5.	S. 2.	Sloan. j. 1. t. 93. f. 2.
<i>repens</i> . r.s. (gr.) branching.	—	1824.	—	S. 2.	—
<i>repens</i> . s.s. (gr.) saw-leaved.	Jamaica.	—	—	S. 2.	—
<i>repens</i> . s.s. (gr.) glossy-leaved.	—	1808.	—	S. h.	—
<i>repens</i> . H.H. (gr.) recurved.	—	1826.	6. 9.	H. 2.	—
<i>repens</i> . L.O. (gr.) long-spiked.	S. America.	1824.	—	S. h.	—
<i>repens</i> . L.en. (gr.) neat.	E. Indies.	1816.	—	S. h.	—
<i>repens</i> . w. (gr.) Surinam.	Surinam.	1803.	6. 7.	S. 2.	Jacq. schœn. 3. t. 388.
<i>repens</i> . w. (gr.) headed.	N. America.	1820.	—	H. 2.	—
<i>repens</i> . w. (gr.) Canadian.	Canada.	1656.	8. 10.	H. 2.	Pluk. alm. t. 239. f. 2.
<i>repens</i> . w. (gr.) white-leaved.	China.	1739.	8. 9.	H. 2.	Jacq. vind. 2. t. 166.
<i>repens</i> . w. (gr.) Caracas.	Caracas.	1820.	—	S. h.	Jacq. schœn. 3. t. 386.
<i>repens</i> . L.en. (gr.) pointed-leaved.	S. America.	—	8. 10.	H. 2.	—
<i>repens</i> . w. (gr.) berry-bearing.	—	1793.	7. 8.	S. h.	Andr. reposit. t. 451.
<i>repens</i> . w. (gr.) elongated.	Philippines.	1823.	—	S. h.	—
<i>repens</i> . s.s. (gr.) small-headed.	Java.	1816.	4. 8.	S. h.	—
<i>repens</i> . (gr.) ferocious.	Nepaul.	1805.	8. 10.	H. 2.	—
<i>repens</i> . L.en. non R.S.	—	—	—	—	—
<i>repens</i> . H.B. (gr.) pentandrous.	E. Indies.	—	—	S. 2.	—
<i>repens</i> . L.en. (gr.) arborescent.	Manila.	1822.	—	S. h.	—
<i>repens</i> . L.en. (gr.) different-leaved.	E. Indies.	1820.	—	S. h.	—
<i>repens</i> . D.P. (gr.) various-leaved.	Nepaul.	1823.	6. 8.	H. 2.	—
FORSKÖHLEA . L.	FORSKÖHLEA . Monœcia Monandria. J.	—	—	—	—
<i>repens</i> . w. (gr.) frutescent.	Teneriffe.	1816.	6. 8.	G. h.	—
<i>repens</i> . w. (gr.) clammy.	Egypt.	1767.	7. 8.	H. 2.	Jacq. vind. 1. t. 48.
<i>repens</i> . w. (gr.) rough.	C. B. S.	1774.	6. 7.	G. 2.	—
<i>repens</i> . r. (gr.) green.	Arabia.	1828.	—	G. 2.	—
<i>repens</i> . w. (gr.) narrow-leaved.	Teneriffe.	1779.	7. 8.	H. 2.	Murr. c. gott. p. 21. t. 2.
PELLITORY . W.	PELLITORY . Polygamia Monœcia. L.	—	—	—	—
<i>repens</i> . w. (gr.) Indian.	E. Indies.	1790.	4. 5.	S. 2.	—
<i>repens</i> . w. (gr.) common.	Britain.	—	6. 9.	H. 2.	Eng. bot. v. 13. t. 870.
<i>repens</i> . w. (gr.) Basil-leaved.	Germany.	1728.	—	H. 2.	Schkuh. hand. 3. t. 34.
<i>repens</i> . w. (gr.) Pensylvanian.	N. America.	1816.	—	H. 2.	—
<i>repens</i> . w. (gr.) Nettle-leaved.	Isl. Bourbon.	1700.	—	S. 2.	—
<i>repens</i> . w. (gr.) chickweed-leaved.	Spain.	1710.	7. 8.	H. 2.	Bocc. sic. t. 24. f. 13.
<i>repens</i> . w. (gr.) Cretan.	Crete.	1818.	—	H. 2.	—
<i>repens</i> . L.en. (gr.) prostrate.	—	1823.	—	H. 2.	—
<i>repens</i> . w. (gr.) Polygonum-leav'd.	Armenia.	1728.	—	H. 2.	Mart. cent. pl. rar. t. 8.
PILULA . L.col.	PILULA . Monœcia Tetrandria.	—	—	—	—
<i>repens</i> . L.col. (gr.) mossy.	W. Indies.	1793.	4. 5.	S. 2.	Lindl. col. t. 4.
HANABIS . W.	HANABIS . Diercia Tetrandria. L.	—	—	—	—
<i>repens</i> . w. (gr.) common.	India.	—	6. 7.	H. 2.	Schkuh. hand. 3. t. 325.
<i>repens</i> . w. (gr.) common.	Britain.	—	6. 8.	H. 2.	Eng. bot. v. 6. t. 427.
DOG'S-CABBAGE . W.	DOG'S-CABBAGE . Monœcia Polyandria. L.	—	—	—	—
<i>repens</i> . w. (gr.) common.	S. Europe.	1710.	7.	H. 2.	Schkuh. hand. 3. t. 299.

GN'ETUM. W.	GN'ETUM.	Monœcia Monadelphia. L.				
Gnèmon. w.	(gr.) Indian.	India.	1815.		S. ½.	Rumph. arb. 1. t. 17.
CECR'OPIA. W.	SNAKE-WOOD.	Diœcia Diandria. L.				
1 peltàta. w.	(gr.) peltated.	Jamaica.	1778.		S. ½.	Lam. ill. t. 8.
2 palmàta. w.	(gr.) palmated.	Brazil.	1823.		S. ½.	
3 cóncolor. w.	(gr.) self-coloured.	—	—		S. ½.	
GUNN'ERA. W.	GUNN'ERA.	Gynandria Diandria. L.				
perpénsa. w.	(gr.) marsh-marygold-ld.	C. B. S.	1688.	4. 6.	G. ½.	Bot. mag. t. 207.
DORST'ENIA. W.	DORST'ENIA.	Monœcia Diandria.				
1 cordifòlia. w.	(gr.) heart-leaved.	W. Indies.	1822.	5. 8.	S. ½.	Swart. obs. t. 7. t. 1.
2 brasiliénsis. w.	(gr.) Brazilian.	S. America.	1792.	3. 4.	S. ½.	
3 Houstòni. w.	(gr.) Houstoun's.	—	1747.	6. 7.	S. ½.	Bot. mag. t. 217.
4 arifòlia. w.	(gr.) Arum-leaved.	Brazil.	1823.	—	S. ½.	Lodd. bot. cab. t. 100.
5 Contrayérva. w.	(gr.) Contrajerva-root.	S. America.	1748.	5. 8.	S. ½.	Jacq. ic. 3. t. 64.
6 Drakèna. w.	(gr.) round-rooted.	Vera Cruz.	1729.	—	S. ½.	Lodd. bot. cab. t. 100.
7 tubicina. B.M.	(gr.) tubed.	Trinidad.	1824.	7. 9.	S. ½.	Bot. mag. t. 204.
8 ceratosánthes. B.C.	(gr. pu.) horned.	S. America.	—	4. 6.	S. ½.	Lodd. bot. cab. t. 100.
MERTE'NSIA. K.S.	MERTE'NSIA.	Polygamia Monœcia. R.S.				
1 lævigàta. K.S.	(ye.) Mexican.	Mexico.	1825.		S. ½.	H. et B. n. gen. 14.
2 iguánea. R.S.	(ye.) Jamaica.	Jamaica.	1791.	4. 6.	S. ½.	
	<i>Rhâmnus iguáneas. t.</i>	<i>Zizyphus iguánea. P.S.</i>	<i>Céltis aculeàta. w.</i>			
3 rhamnoides. R.S.	(ye.) Rhamnus-like.	—	1791.	4. 6.	S. ½.	Cavan. ic. 3. t. 2.
CÉLTIS. K.S.	NETTLE-TREE.	Polygamia Monœcia. L.				
1 micrántha. w.	(gr.) smooth.	Jamaica.	1739.	8. 9.	S. ½.	Plum. ic. t. 200. t. 1.
2 orientàlis. w.	(gr.) oriental.	E. Indies.	1820.	—	S. ½.	Rheed. mal. 1. t. 1.
3 pùmila. Ph.	(gr.) dwarf.	N. America.	1812.	5.	H. ½.	
4 crassifòlia. w.	(gr.) heart-leaved.	—	—	5. 6.	H. ½.	Duham. arb. 2. t. 1.
	<i>cordifòlia. Duh.</i>					
5 occidentàlis. w.	(gr.) American.	—	1656.	4. 5.	H. ½.	Wats. dend. hist. 100.
	<i>β cordàta. R.S.</i>	<i>(gr.) heart-leaved.</i>	—	—	H. ½.	
	<i>γ scabriúscula. R.S.</i>	<i>(gr.) rough-leaved.</i>	—	—	H. ½.	
6 Willdenowiàna. R.S.	(gr.) Willdenow's.	China.	—	—	H. ½.	
7 sinénsis. R.S.	(gr.) Chinese.	—	—	—	H. ½.	
8 lævigàta. R.S.	(gr.) smooth.	Louisiana.	1812.	4. 5.	H. ½.	
9 Tournefórtii. w.	(gr.) Tournefort's.	Levant.	1738.	—	H. ½.	Tourn. it. 2. t. 41.
10 austràlis. w.	(gr.) European.	S. Europe.	1796.	5.	H. ½.	Wats. dend. hist. 100.
PLAN'ERA. M.	PLAN'ERA.	Tetrandria Digynia. S.S.				
1 Richárdi. M.	(br. gr.) Richard's.	N. America.	1766.	4. 5.	H. ½.	
	<i>Ulmus nemoràlis. H.K.</i>					
2 carpinifòlia. w.D.	(gr.) Hornbeam-leaved.	Siberia.	—	—	H. ½.	Wats. dend. hist. 100.
3 parvifòlia.	(gr.) small-leaved.	Caucasus.	—	—	H. ½.	Jacq. sch. arb. t. 1.
	<i>Ulmus parvifòlia. Jacq.</i>					
4 Gmelini. M.	(br. gr.) Gmelin's.	N. America.	1816.	—	H. ½.	
	<i>aquàtica. N.</i>					
U'LMUS. R.S.	ELM-TREE.	Pentandria Digynia. L.				
1 campéstris. E.B.	(pu.) common English.	Britain.	—	4. 5.	H. ½.	Eng. bot. v. 27. t. 1.
2 suberòsa. E.B.	(pu.) cork-barked.	—	—	3. 4.	H. ½.	— v. 31. t. 1.
3 glàbra. E.B.	(pu.) smooth.	—	—	—	H. ½.	— v. 32. t. 1.
4 màjor. E.B.	(br.) declining-branch'd.	—	—	—	H. ½.	— v. 35. t. 1.
5 montàna. E.B.	(gr.) Wych.	—	—	4. 5.	H. ½.	— v. 27. t. 1.
6 effùsa. w.	(gr.) spreading-flowered.	—	—	—	H. ½.	Schk. hand. t. 55.
7 álba. w.	(br.) white.	Hungary.	1816.	—	H. ½.	
8 críspa. w.	(br.) curl-leaved.	N. America.	—	—	H. ½.	
9 americàna. w.	(gr.) large-leaved.	—	1752.	—	H. ½.	
10 pendùla. W.en.	(gr.) pendulous.	—	—	—	H. ½.	
11 fulva. M.	(br.) slippery.	—	—	—	H. ½.	Mich. arb. 3. t. 6.
12 scabra. Mill.	(br.) rough.	—	—	—	H. ½.	
13 pumila. w.	(br.) dwarf.	Siberia.	1771.	—	H. ½.	Pall. ros. 1. t. 48.
14 microphy'lla. P.S.	(br.) jagged-leaved.	—	—	—	H. ½.	Pall. r. 1. t. 48. t. 1.
15 alàta. M.	(br.) winged.	N. America.	1816.	—	H. ½.	Mich. arb. 3. t. 6.
16 chinénsis. P.S.	Chinese.	China.	—	—	G. ½.	

ORDO CLXXXIV.

JUGLANDEÆ. *DC. theor. ed. 1. p. 215.*

JUGLANS. N.		WALNUT-TREE. Monœcia Polyandria. L.					
1 regia. w.	(gr.) common.	Persia.	1562.	4. 5.	H.5.	Lam. ill. t. 781.	
2 maxima. p.s.	(gr.) double-fruited.	————	————	————	H.5.		
3 serotina. p.s.	(gr.) late-fruited.	————	————	————	H.5.		
4 nigra. w.	(gr.) black.	N. America.	1629.	————	H.5.	Wats. dend. brit. t.158.	
5 cinerea. w.	(gr.) shell bark.	————	1656.	————	H.5.	———— v. 1. t.192.	
6 cathartica. Mich. arb.	1. t. 2.						
7 fraxinifolia. s.s.	(gr.) Ash-leaved.	————	————	————	H.5.		
8 microcarpa. s.s.	(gr.) winged-fruited.	Caucasus.	1828.		H.5.		
9 obscurum. M.B.							
CARYA. N.		HICKORY NUT. Monœcia Tetr-Hexandria.					
1 ovataformis. N.	(gr.) Pecan nut.	N. America.		4. 5.	H.5.	Mich. arb. 1. t.3.	
2 angustifolia. H.K.	(gr.) narrow-leaved.	————	1766.	————	H.5.		
3 alata. N.	(gr.) shell-bark.	————	1804.	————	H.5.	Mich. arb. 1. t. 8.	
4 alba. N.	(gr.) shag-bark.	————	1730.	————	H.5.	———— 1. t. 7.	
5 Juglans compressa. w.							
6 tomentosa. N.	(gr.) mocker nut.	————	1629.	————	H.5.	Mich. arb. 1. t. 6.	
7 alba. w. non M.							
8 maxima. N.	(gr.) large-fruited.	————	1824.	————	H.5.		
9 pubescens. L.en.	(gr.) pubescent.	————		————	H.5.		
10 microcarpa. N.	(gr.) small-fruited.	————	1824.	————	H.5.		
11 amara. N.	(gr.) bitter nut.	————	1800.	5.	H.5.		
12 porcina. N.	(gr.) Pig nut.	————	1812.	4. 5.	H.5.	Mich. arb. 1. t. 9.f. 3-4.	
13 Juglans obcordata. w.							
14 glabra. w.	(gr.) smooth-leaved.	————	1799.		H.5.	Mich. arb. 1. t. 9. f. 1-2.	
15 Juglans porcina β ficiformis. M.							
16 aquatica. N.	(gr.) water.	Carolina.	1826.		H.5.	Mich. arb. 1. t. 5.	
17 integrifolia. s.s.	(gr.) entire-leaved.	Louisiana.	————		H.5.		
18 Hicorius integrifolius. Rafin.							

ORDO CLXXXV.

CUPULIFERÆ. *Kth. synops. 1. p. 353.*

QUERCUS. W.		OAK. Monœcia Polyandria. L.					
1 Phillos. w.	(y.gr.) Willow-leaved.	N. America.	1723.	5. 6.	H.5.	Mich. arb. 1. t. 12.	
2 humilis. Ph.	(y.gr.) dwarf.	————	1812.	————	H. ½.	Catesb. car. 1. t. 22.	
3 maritima. w.	(y.gr.) sea.	————	1811.	————	H. ½.	Mich. querc. t. 13. f. 1.	
4 lancea. w.	(y.gr.) running.	————	1724.	————	H. ½.	Mich. arb. 2. t. 15.	
5 virens. w.	(y.gr.) live.	————	1739.	5.	H.5.	———— 2. t. 11.	
6 cinerea. w.	(y.gr.) ash-coloured.	————	1789.	5. 6.	H.5.	———— 2. t. 14.	
7 tiliacaria. w.	(y.gr.) tile-cupped.	————	1786.	————	H.5.	———— 2. t. 13.	
8 laurifolia. w.	(y.gr.) Laurel-leaved.	————	————	5.	H.5.	Mich. querc. t. 17.	
9 obtusa. Ph.	(y.gr.) blunt-leaved.	————	————	————	H.5.	———— t. 18.	
10 alba. w.	(y.gr.) yellow-leaved.	Mexico.	1825.		H.5.		
11 lancea. w.	(y.gr.) glaucous.	Japan.	1822.		H.5.	Banks ic. Kæmp. t. 17.	
12 frumetia. w.	(y.gr.) Holly-leaved.	S. France.	1730.	6.	H. ½.		
13 pubula. w.	(y.gr.) Barbary.	Barbary.	1818.	————	H. ½.		
14 rotundifolia. w.	(y.gr.) round-leaved.	Spain.	————	————	H. ½.		
15 Ilex. w.	(y.gr.) evergreen.	S. France.	1581.	5. 6.	H. ½.	Wats. dend. brit. t. 90.	
16 integrifolia. H.K.	(y.gr.) entire-leaved.	————	————	————	H. ½.		
17 serrata. H.K.	(y.gr.) saw-leaved.	————	————	————	H. ½.	Duham. arb. 1. t. 123.	
18 oblonga. H.K.	(y.gr.) long-leaved.	————	————	————	H. ½.	———— 1. t. 124.	
19 fagifolia. L.C.	(y.gr.) Beech-leaved.	————		————	H. ½.		
20 crisp. L.C.	(y.gr.) curl-leaved.	————		————	H. ½.		
21 varifolia.	(y.gr.) different-leaved.	S. Europe.		————	H. ½.		
22 macrophylla. Lam. non Ph.							

15	crenàta. Lam. (y.gr.) crenated.	S. Europe.		5. 6.	H. h.	
16	lusitànica. Lam. (y.gr.) Portugal.	Portugal.	1824.	—	H. h.	Cavan. icon. 2. t. 1.
17	calycina. Poir. (y.gr.) calycine.	S. Europe.		—	H. h.	
18	expànsa. Poir. (y.gr.) spreading.	—		—	H. h.	
19	Lezermiàna. Poir. (y.gr.) glossy-leaved.	—		—	H. h.	
20	castellàna. Bosc. (y.gr.) subdeciduous.	—		—	H. h.	
21	Sùber. w. (y.gr.) Cork-tree.	S. France.	1699.	6.	H. h.	Wats. dend. bot.
22	coccifera. w. (y.gr.) Kermes.	—	1683.	5.	H. h.	—
23	prasina. Bosc. (y.gr.) glaucous-leaved.	Spain.	1824.	—	H. h.	
24	hùmilis. P.s. (y.gr.) low.	S. Europe.		—	H. h.	Lobel. ic. 2. p. 17.
25	infectòria. w. (y.gr.) Levant.	Levant.	1812.		H. h.	
26	Turnèri. W.en. (y.gr.) Turner's.	—	—		H. 5.	
27	Prinus. w. (y.gr.) Chestnut-leaved.	N. America.	1730.	5. 6.	H. 5.	Mich. arb. 2. t. 7.
28	bicolor. w. (y.gr.) two-coloured.	—	1811.	5.	H. 5.	
29	mentàna. w. (y.gr.) rock Chestnut.	—	1800.	—	H. 5.	Mich. arb. 2. t. 8.
30	Michauxii. N. (y.gr.) swamp white.	—	1812.		H. 5.	— 2. t. 6.
	<i>Prinos discolor. M.</i>					
31	Castànea. w. (y.gr.) yellow Chestnut.	—	1816.	5.	H. 5.	Mich. arb. 2. t. 9.
32	prinoïdes. w. (y.gr.) dwarf Chestnut.	—	—	—	H. h.	— 2. t. 12.
	<i>Chinquapin. Ph.</i>					
33	agrifolia. w. (y.gr.) spiny-leaved.	—	1827.		H. 5.	Pluk. phyt. t. 15.
34	heterophylla. Ph. (y.gr.) various-leaved.	—		—	H. 5.	Mich. arb. 2. t. 14.
35	aquática. Ph. (y.gr.) water.	—	1723.	—	H. 5.	— 2. t. 15.
36	hemisphærica. w. (y.gr.) hemispherical.	—	1816.	—	H. 5.	Mich. quere. t. 24.
37	nàna. w. (y.gr.) dwarf.	—	1738.	—	H. h.	Abb. ins. 2. t. 20.
38	triloba. w. (y.gr.) three-lobed.	—	1800.	—	H. 5.	Mich. quere. t. 24.
39	nigra. w. (y.gr.) black.	—	1739.	—	H. h.	Mich. arb. 2. t. 12.
40	tinctòria. w. (y.gr.) dyer's.	—	1800.	—	H. 5.	Mich. quere. t. 24.
41	discolor. w. (y.gr.) two-coloured.	—	1763.	—	H. 5.	— t. 24.
42	lanuginosa. D.P. (y.gr.) Nepaul.	Nepaul.	1818.		G. 5.	
43	Phyllata. D.P. (y.gr.) slender-pointed.	—	1824.		G. 5.	
44	coccinea. w. (y.gr.) scarlet.	N. America.	1691.	5.	H. 5.	Mich. arb. 2. t. 23.
45	ambigua. M. (y.gr.) gray.	—	1800.	—	H. 5.	— 2. t. 24.
46	rùbra. w. (y.gr.) champion.	—	1739.	—	H. 5.	— 2. t. 24.
47	Catesbæi. w. (y.gr.) barren scrub.	—	1820.	—	H. h.	— 2. t. 24.
48	falcata. M. (y.gr.) downy-leaved.	—	1763.	—	H. 5.	— 2. t. 24.
	<i>elongata. w.</i>					
49	palustris. w. (y.gr.) marsh.	—	1800.	—	H. 5.	Mich. arb. 2. t. 24.
50	Banistèri. M. (y.gr.) Banister's.	—	—	—	H. h.	— 2. t. 19.
	<i>ilicifolia. w.</i>					
51	stellata. w. (y.gr.) starred.	—	—	—	H. 5.	Mich. arb. 2. t. 4.
	<i>obtusiloba. M.</i>					
52	macrocarpa. w. (y.gr.) overcup white.	—	1800.	—	H. 5.	Mich. arb. 2. t. 3.
53	pseudo-sùber. w. (y.gr.) cork-like.	Spain.	1818.	—	H. h.	Sant. itin. 156. t. 4.
54	Ægilops. w. (y.gr.) Velanida.	S. Europe.	1731.		H. 5.	Mill. diet. n. 7. t. 1.
55	alba. w. (y.gr.) white.	N. America.	1724.	5.	H. 5.	Mich. arb. 2. t. 1.
56	repanda. L.en. (y.gr.) repand.	—		—	H. 5.	Mich. quere. t. 24.
57	Esculus. w. (y.gr.) Italian.	S. Europe.	1739.	—	H. 5.	
58	Ròbur. w. (y.gr.) sessile-fruited.	Britain.		4. 5.	H. 5.	Eng. bot. v. 2. t. 1.
	<i>sessiliflora. E.B.</i>					
59	pedunculata. w. (y.gr.) common.	—		—	H. 5.	Eng. bot. v. 13. t. 1.
	<i>Ròbur. E.B. non w.</i>					
60	pubescens. w. (y.gr.) Durmast.	England.		—	H. 5.	Second. d. char. 1.
61	fastigiata. Lam. (y.gr.) Cypress.	Pyrenees.	1822.		H. 5.	
62	conglomerata. P.s. (y.gr.) clustered.	Europe.		4. 5.	H. 5.	
63	olivæformis. M. (y.gr.) mossy-cup.	N. America.	1811.	5.	H. 5.	Mich. arb. 2. t. 2.
64	lyrata. w. (y.gr.) lyre-leaved.	—	1786.	—	H. 5.	— 2. t. 1.
65	faginea. P.s. (y.gr.) Beech-like.	S. Europe.	1824.		H. 5.	
66	haliphleôs. P.s. (y.gr.) hispid-cupped.	France.		4. 5.	H. 5.	
67	Tauzin. P.s. (y.gr.) soft jagged-leav'd.	S. Europe.		—	H. 5.	
	<i>β laciniata. Desv. (y.gr.) cut-leaved.</i>				H. 5.	
	<i>γ digitata. Desv. (y.gr.) fingered.</i>				H. 5.	
68	Cérris. w. (y.gr.) Turkey.	Turkey.	1735.	—	H. 5.	Wats. dend. bot.
	<i>α frondosa. H.K. (y.gr.) common.</i>				H. 5.	
	<i>β bullata. H.K. (y.gr.) rough-leaved.</i>				H. 5.	
	<i>γ sinuata. H.K. (y.gr.) narrow-leaved.</i>				H. 5.	
	<i>? δ dentata. w.D. (y.gr.) Fulham.</i>				H. 5.	Wats. dend. bot.
69	Lucombeana. (y.gr.) Lucombe's.	Levant.		6.	H. 5.	
	<i>exoniensis. L.C.</i>			5. 6.	H. 5.	

70 <i>vestriaca</i> . W.en. (y.gr.) Austrian.	Austria.		4. 5.	H.5.	Clus. hist. 1. p. 20. c. ic.
71 <i>vestriaca</i> . K.s. (y.gr.) Mexican.	Mexico.	1824.		G. h.	H. et B. pl. æq. 2. t. 82.
72 <i>spicata</i> . K.s. (y.gr.) spiked.	—	—		G. h.	— 2. t. 89.
73 <i>bonplandiana</i> . (y.gr.) Bonpland's.	—	—		G. h.	— 2. t. 93.
FALCUL. K.s. non M.					
FAULS. W.	BEECH.	Monœcia Polyandria. L.			
1 <i>americana</i> . (y.gr.) white.	N. America.		5.	H.5.	Mich. arb. 2. t. 8.
<i>spicata</i> β <i>americana</i> . N.					
2 <i>alpina</i> . w. (y.gr.) common.	Britain.		4. 5.	H.5.	Eng. bot. v. 26. t. 1846.
3 <i>purpurea</i> . H.K. (pu.) dark purple.	Germany.		—	H.5.	
4 <i>ferruginea</i> . w. (y.gr.) ferruginous.	N. America.	1796.	5. 6.	H.5.	Mich. arb. 2. t. 9.
5 <i>asplenifolia</i> . Df. (y.gr.) Fern-leaved.	—	—	—	H. h.	
<i>asplenifolia</i> γ <i>asplenifolia</i> . H.S.L.					
CASTANEA. G.	CHESTNUT.	Monœcia Polyandria. W.			
1 <i>americana</i> . P.S. (y.gr.) American.	N. America.		5. 6.	H.5.	Mich. arb. 2. t. 6.
<i>alba</i> β <i>americana</i> . N.					
2 <i>alba</i> . w. (y.gr.) common.	England.		—	H.5.	Eng. bot. v. 13. t. 886.
3 <i>variegata</i> . (y.gr.) striped-leaved.	—		—	H.5.	
4 <i>asplenifolia</i> . (y.gr.) fern-leaved.	—		—	H. h.	
5 <i>pyramidalis</i> . w. (y.gr.) dwarf.	N. America.	1699.	7.	H. h.	Mich. arb. 2. t. 7.
CORYLUS. W.	NUT-TREE.	Monœcia Polyandria. L.			
1 <i>avellana</i> . w. (y.re.) common Hazel.	Britain.		2. 4.	H.5.	Eng. bot. v. 11. t. 723.
2 <i>alba</i> . H.K. (y.re.) white Filbert.	—		—	H.5.	
3 <i>rostrata</i> . H.K. (y.re.) red Filbert.	—		—	H.5.	
4 <i>ovata</i> . Lam. (y.re.) oval-fruited.	—		—	H.5.	
5 <i>barcelonensis</i> . L.C. (y.re.) Barcelona.	Spain.		—	H.5.	
6 <i>grandis</i> . H.K. (y.re.) Cob-nut.	—		—	H.5.	
7 <i>glomerata</i> . H.K. (y.re.) clustered.	—		—	H.5.	
8 <i>lambertiana</i> . w. (y.re.) Lambert's.	S. Europe.	1759.	3. 4.	H.5.	Lam. ill. t. 780.
9 <i>heterophylla</i> . F. (y.re.) various-leaved.	Danube.	1829.		H. h.	
10 <i>americana</i> . w. (st.re.) Cuckold.	N. America.	1798.	3. 4.	H.5.	Wang. amer. t. 29. f. 63.
11 <i>humilis</i> . w. (st.re.) dwarf cuckold.	—		—	H. h.	
12 <i>strata</i> . w. (st.re.) common cuckold.	—	1745.	—	H.5.	Willd. arb. t. 1. f. 2.
13 <i>concordiana</i> . w. (st.re.) Constantinople.	Constantinople.	1665.	—	H.5.	Wats. dend. brit. t. 99.

ORDO CLXXXVI.

BETULINEÆ. *Kth. synops. 1. p. 363.*

STRYA. W.	HOP-HORNBEAM.	Monœcia Polyandria. W.			
1 <i>viridis</i> . w. (gr.) common.	Italy.	1724.	5.	H.5.	Wats. dend. brit. t. 143.
2 <i>americana</i> . w. (gr.) American.	N. America.	1692.	5. 6.	H.5.	Abb. ins. 2. t. 75.
ALNUS. W.	HORNBEAM.	Monœcia Polyandria. L.			
1 <i>incana</i> . w. (gr.) common.	Britain.		3. 5.	H.5.	Eng. bot. v. 29. t. 2032.
2 <i>variegata</i> . (gr.) striped-leaved.	—		—	H.5.	
3 <i>glabra</i> . H.K. (gr.) cut-leaved.	—		—	H.5.	
4 <i>perfoliata</i> . Desf. (gr.) Oak-leaved.	—		—	H.5.	
5 <i>americana</i> . w. (gr.) American.	N. America.	1812.	—	H.5.	Wats. dend. brit. t. 157.
6 <i>orientalis</i> . w. (gr.) eastern.	Levant.	1739.	5. 6.	H.5.	— t. 98.
BETULA. W.	BIRCH.	Monœcia Polyandria. L.			
1 <i>pubescens</i> . w. (gr.) common.	Britain.		4. 6.	H.5.	Eng. bot. v. 31. t. 2198.
2 <i>pubescens</i> . Ehr. (gr.) warted.	—		—	H.5.	
3 <i>pendula</i> . Roth. (gr.) weeping.	—		—	H.5.	
4 <i>alnifolia</i> . L. (gr.) palmate-leaved.	—		—	H.5.	
5 <i>macrocarpa</i> . (gr.) large-fruited.	—		—	H.5.	
6 <i>orientalis</i> . Df. (gr.) eastern.	Asia.		—	H.5.	Wats. dend. brit. t. 94.
7 <i>pubescens</i> . P.S. (gr.) pubescent.	Europe.		4. 6.	H.5.	
8 <i>populifolia</i> . w. (gr.) Poplar-leaved.	N. America.	1750.	7.	H.5.	Wats. dend. brit. t. 151.
9 <i>glabra</i> . w. (gr.) tall.	—	1767.	5.	H.5.	— t. 95.
10 <i>daurica</i> . w. (gr.) Daurian.	Dauria.	1786.	7.	H.5.	Pall. ros. 1. t. 39.
11 <i>blackiana</i> . w. (gr.) black.	N. America.	1736.	7. 8.	H.5.	Wats. dend. brit. t. 153.
12 <i>pendula</i> . M. (gr.) yellow.	—	1816.	5. 6.	H.5.	
13 <i>pubescens</i> . M. (gr.) woolly.	—	1812.	—	H.5.	Willd. arb. t. 2. f. 1.
Mich. arb. 2. t. 3.					

10	papyræa. w.	(gr.) paper.	N. America.	1750.	5. 6.	H. 5.	Wats. dend. brit. t. 1.
11	lenta. w.	(gr.) soft.	————	1759.	7.	H. 5.	———— t. 1.
12	carpinifolia. W. en.	(gr.) Hornbeam-leaved.	————	1825.	——	H. 5.	
13	carpathica. Kit.	(gr.) Carpathian.	Carpathian mt.	1825.	——	H. 5.	
14	ovata. w.	(gr.) oval-leaved.	Europe.		6. 7.	H. 2.	Wats. dend. brit. t. 1.
	viridis. Vill.	<i>A'lnus viridis.</i> DC.					
15	fruticosa. w.	(gr.) shrubby.	Siberia.	1816.	——	H. 2.	Wats. dend. brit. t. 1.
16	glandulosa. M.	(gr.) glandular.	N. America.	——	5.	H. 2.	
17	pumila. w.	(gr.) hairy dwarf.	————	1762.	4. 5.	H. 2.	Wats. dend. brit. t. 1.
18	nana. w.	(gr.) smooth dwarf.	Scotland.		5.	H. 2.	Eng. bot. v. 33. t. 1.
	β macrophylla. Sch.	(gr.) large-leaved.	Switzerland.	1823.	——	H. 2.	
19	tristis. L. en.	(gr.) dark.	Kamtschatka.	1824.		H. 2.	
	A'LNUS. W.	ALDER. Monœcia Tetrandria. W.					
1	glutinosa. w.	(gr.) common.	Britain.		3. 4.	H. 5.	Eng. bot. v. 21. t. 1.
	β emarginata.	(gr.) emarginate.	————		——	H. 5.	
	γ incisa. w.	(gr.) cut-leaved.	————		——	H. 5.	
	δ laciniata. w.	(gr.) jagged-leaved.	————		——	H. 5.	
	ϵ quercifolia.	(gr.) Oak-leaved.	————		——	H. 5.	
2	incana. w.	(gr.) hoary-leaved.	Europe.	1780.	6.	H. 5.	
	β angulata. H. K.	(gr.) angular-leaved.	————	——	——	H. 5.	
	γ pinnata.	(gr.) pinnated.	————		——	H. 5.	
3	oblongata. w.	(gr.) oblong-leaved.	S. Europe.	1730.	7.	H. 5.	
	β elliptica.	(gr.) elliptic-leaved.	————	——	——	H. 5.	
4	undulata. w.	(gr.) undulate.	N. America.	1782.	5. 6.	H. 2.	
	crispa. Ph.	<i>Bétula crispa.</i> H. K.					
5	glauca. s. s.	(gr.) glaucous.	————	1812.	3. 4.	H. 5.	
6	serrulata. w.	(gr.) notch-leaved.	————	1769.	3.	H. 2.	Abb. ins. 2. t. 92.
7	rugosa. s. s.	(gr.) rugged-leaved.	————		——	H. 2.	
8	sibirica. F.	(gr.) Siberian.	Siberia.	1820.		H. 2.	
9	cordifolia. T. P.	(gr.) heart-leaved.	Naples.	——	3. 4.	H. 2.	Ten. flor. nap. t. 1.
10	macrophylla. Df.	(gr.) large-leaved.		——		H. 2.	
11	rubra. Df.	(gr.) red.		——		H. 2.	
12	pumila. L. C.	(gr.) dwarf.		——		H. 2.	
13	oxyacanthifolia. L. C.	(gr.) Hawthorn-leaved.		1812.		H. 2.	
14	subrotunda. Df.	(gr.) roundish-leaved.		1822.		H. 2.	

ORDO CLXXXVII.

SALICEÆ. *Kth. synops. 1. p. 364.*

SA'LIX. W.	WILLOW. Diœcia 1-2-3-5-andra-Monadelphæ.						
1	præcox. s. s.	(g. ye.) early.	Europe.		2. 3.	H. 5.	Salic. weburn. t. 1.
2	pomeranica. W. en.	(g. ye.) Pomeranian.	Pomerania.	1816.	3. 5.	H. 5.	Eng. bot. v. 27. t. 1.
3	cinerea. E. B.	(g. ye.) gray.	Britain.		5.	H. 5.	
4	angustata. Ph.	(g. ye.) narrow-leaved.	Pensylvania.	1811.	3. 4.	H. 5.	Salic. weburn. t. 1.
5	Wulfeniana. s. s.	(br. st.) Wulfen's.	Scotland.	——	4. 5.	H. 5.	
6	silesiaca. s. s.	(g. ye.) Silesian.	Silesia.	1820.	——	H. 5.	Hoffm. salic 1. t. 17.
7	Ammanniana. s. s.	(g. ye.) Amman's.	Carinthia.	——	——	H. 5.	
8	acutifolia. s. s.	(g. ye.) acute-leaved.	Caucasus.	1824.	2. 3.	H. 5.	Salic. weburn. t. 1.
9	hastata. w.	(g. ye.) halberd-leaved.	Lapland.	1780.	5.	H. 5.	Eng. bot. v. 23. t. 1.
10	malifolia. E. B.	(g. ye.) Apple-leaved.	England.		4.	H. 5.	Fior. dan. t. 123.
11	serrulata. w.	(g. ye.) saw-leaved.	Lapland.	1820.	5.	H. 5.	
	hastata. F. D.						
12	Pontederana. w.	(g. ye.) Pontedera's.	Germany.	1818.	——	H. 5.	Salic. weburn. t. 1.
13	phylicifolia. E. B.	(g. ye.) Tea-leaved.	Scotland.		——	H. 2.	Eng. bot. v. 23. t. 1.
14	Andersoniana. E. B.	(g. ye.) Anderson's.	————		——	H. 2.	———— v. 31. t. 1.
15	tenuifolia. E. B.	(g. ye.) slender-leaved.	Britain.		5. 6.	H. 2.	Jacq. aust. t. 1.
16	coruscans. w.	(g. ye.) glittering.	Switzerland.	1824.	——	H. 5.	
	Arbuscula. Jacq.	non E. B.					
17	fragilis. E. B.	(g. ye.) crack.	Britain.		4. 5.	H. 5.	Eng. bot. v. 26. t. 1.
18	Russchiana. E. B.	(g. ye.) Bedford.	England.		——	H. 5.	———— v. 26. t. 1.
19	Trevirani. L. en.	(g. ye.) Treviranus's.	Germany.	1825.	——	H. 5.	
20	hippophaefolia. L. en.	(g. ye.) Sea-buckthorn-ld.	——	1823.	——	H. 5.	
21	viridescens. s. w.	(g. ye.) greenish.	Switzerland.	——	——	H. 5.	Salic. weburn. t. 1.

22 triandra. E.B. (g.ye.) long-leaved.	Britain.		5. 8.	H.5.	Eng. bot. v. 20. t. 1435.
23 amygdalina. E.B. (g.ye.) Almond-leaved.	—		4. 5.	H.5.	— v. 27. t. 1936.
24 Hoppeana. w. (g.ye.) Hoppe's.	Switzerland.	1817.	—	H.5.	
25 ambigua. Ph. (gr.ye.) ambiguous.	N. America.	1813.	3. 4.	H.5.	
26 decipiens. E.B. (gr.ye.) varnished.	England.		5.	H.5.	Eng. bot. v. 27. t. 1937.
27 vitellina. E.B. (gr.ye.) yellow twigged.	—		3. 5.	H.5.	— v. 20. t. 1389.
28 alba. E.B. (gr.ye.) common white.	Britain.		4. 5.	H.5.	— v. 34. t. 2430.
29 caerulea. E.B. (gr.ye.) blue-leaved.	England.		5. 8.	H.5.	— v. 34. t. 2431.
30 pedicellaris. s.s. (gr.ye.) pedicellated.	N. America.	1811.	4. 5.	H.5.	
31 pensylvanica. Salic. Woburn. t. 95. ?					
32 babilonica. w. (g.st.) weeping.	Levant.	1692.	5. 6.	H.5.	Salic. woburn. t. 22.
33 annularis. s.w. (g.st.) annular-leaved.		1823.	—	H.5.	— t. 21.
34 myricoides. s.s. (g.ye.) Myrica-like.	N. America.	1811.	4.	H.5.	Ann. bot. 2. t. 5. f. 2.
35 lucida. s.s. (g.ye.) shining.	—	—	5.	H.5.	— 2. t. 5. f. 7.
36 rigida. s.s. (g.ye.) rigid.	—	—	4. 5.	H.5.	— 2. t. 5. f. 4.
37 cordata. s.s. (gr.ye.) heart-leaved.	—	—	—	H. h.	— 2. t. 5. f. 8.
38 nigra. s.s. (g.ye.) black.	—	—	5.	H.5.	— 2. t. 5. f. 5.
39 riparia. w. (g.ye.) rivulet.	Europe.	1820.	—	H.5.	
40 incana. DC. (g.ye.) hoary.	—	—	4.	H.5.	Salic. woburn. t. 90.
41 incanescens. Sch. (g.ye.) incanescient.	Switzerland.	1823.	3. 4.	H.5.	— t. 120.
42 lanata. E.F. (gr.ye.) woolly.	Scotland.	—	—	H. h.	— t. 71.
43 pentandra. E.B. (gr.ye.) Bay-leaved.	Britain.		5. 6.	H. h.	Eng. bot. v. 26. t. 1805.
44 Meyeriana. s.s. (g.st.) Meyer's.	Germany.	1823.	4. 5.	H. h.	Salic. woburn. t. 33.
45 Forbesii. (g.st.) Forbes's.	Switzerland.	—	—	H.5.	— t. 32.
46 lucida. s.w. nec aliorum.					
47 tetrasperma. w. (g.ye.) four-seeded.	E. Indies.	1796.	—	S. h.	Roxb. corom. 1. t. 97.
48 gariepina. B.T. (g.ye.) Cape.	C. B. S.	1816.	—	G. h.	
49 Humboldtiana. w. (bl.) Humboldt's.	Peru.	1821.		G. h.	H. et B. 2. t. 99, 100.
50 Bonplandiana. K.S. (br.) Bonpland's.	Mexico.	—		G. h.	— 2. t. 101, 102.
51 Houstoniana. Ph. (gr.ye.) Houston's.	America.	1812.	4. 5.	H. h.	Salic. woburn. t. 11.
52 Lyoni. s.w. (g.ye.) Lyon's.	Switzerland.	1816.	—	H. h.	— t. 10.
53 finmarchica. s.s. (g.ye.) Finmark.	Sweden.	1821.	—	H. h.	Flor. dan. t. 1051.
54 Villarsiana. w. (g.ye.) Villars's.	S. France.	1818.	5. 6.	H. h.	Salic. woburn. t. 17.
55 myrtilloides. s.s. (br.ye.) Myrtle-leaved.	Sweden.	1772.	4. 8.	H. h.	— t. 66.
56 retusa. w. (g.ye.) blunt-leaved.	Italy.	1763.	—	H. h.	— f. 139.
57 serpyllifolia. w. (g.ye.) Thyme-leaved.	Switzerland.	1818.	—	H. h.	— t. 65.
58 Kitaibeliana. w. (g.ye.) Kitaibel's.	Carpathian m.	1816.	—	H. h.	— t. 64.
59 Uva-ursi. s.s. (g.ye.) Bearberry-like.	Labrador.	1811.	4. 5.	H. h.	— f. 151.
60 berberifolia. w. (g.ye.) Barberry-leaved.	Davuria.	1824.	—	H. h.	Pall. ros. 2. t. 82.
61 herbacea. E.B. (g.ye.) least.	Britain.		6.	H. h.	Eng. bot. v. 27. t. 1907.
62 monandra. Ard. (g.ye.) monandrous.	Europe.		3. 4.	H. h.	Salic. woburn. t. 4.
63 purpurea. E.B. (g.ye.) bitter purple.	England.		3.	H. h.	Eng. bot. v. 20. t. 1388.
64 Helix. E.B. (g.ye.) Rose.	Britain.		3. 4.	H. h.	— v. 19. t. 1343.
65 Lambertiana. E.B. (g.ye.) Boyton.	England.		—	H. h.	— v. 19. t. 1359.
66 rubra. E.B. (g.ye.) red-stemmed.	—		4. 5.	H. h.	— v. 16. t. 1145.
67 Forbiana. E.B. (g.ye.) basket osier.	—		4.	H. h.	— v. 19. t. 1344.
68 viminalis. E.B. (g.ye.) common osier.	Britain.		4. 5.	H. h.	— v. 27. t. 1898.
69 mollissima. s.s. (g.ye.) softest.	Germany.		3. 4.	H. h.	
70 Smithiana. s.s. (g.ye.) Smith's.	England.		—	H. h.	Salic. woburn. t. 134.
71 mollissima. Eng. bot. v. 21. t. 1509. nec aliorum.					
72 acuminata. E.B. (g.ye.) acuminate.	Britain.		4.	H.5.	Eng. bot. v. 20. t. 1434.
73 holosericea. w. (g.ye.) holosericeous.	Germany.	1822.	—	H.5.	
74 aurita. w. (g.ye.) eared.	Britain.		4. 5.	H.5.	Hoff. sal. 1. t. 22. f. 1.
75 uliginosa. W.en. (g.ye.) marsh.	—		4. 6.	H.5.	Eng. bot. v. 21. t. 1487.
76 aurita. E.B. non w.					
77 paludosa. L.en. (g.ye.) fen.	Germany.		—	H.5.	
78 aquatica. E.B. (g.ye.) water.	Britain.		4.	H.5.	Eng. bot. v. 20. t. 1437.
79 spatulata. W.en. (g.ye.) spatulate.	Germany.		—	H.5.	
80 caprea. E.B. (g.ye.) great round-leaved.	Britain.		4. 5.	H.5.	Eng. bot. v. 21. t. 1488.
81 sphacelata. E.B. (g.ye.) withered-pointed.	Scotland.		—	H. h.	— v. 33. t. 2333.
82 laurina. w. (g.ye.) Laurel-leaved.	England.		—	H. h.	— v. 26. t. 1806.
83 bicolor. E.B. non Ehr.					
84 bicolor. w. (g.ye.) two-coloured.	Germany.	1818.	—	H. h.	
85 Forsteriana. E.B. (g.ye.) Forster's.	Scotland.		—	H.5.	Eng. bot. v. 33. t. 1403.
86 nigricans. E.B. (g.ye.) dark broad-leaved.	England.		4.	H.5.	— v. 17. t. 1213.
87 violacea. s.s. (g.ye.) violet.	Russia.		3. 4.	H.5.	Andr. reposit. t. 581.
88 conformis. s.w. (g.ye.) uniform-leaved.			2. 3.	H.5.	Salic. woburn. t. 24.
89 Weigeliiana. s.s. (g.ye.) long-styled.	Silesia.	1820.	—	H.5.	— t. 51.
90 cotinifolia. E.B. (g.ye.) Quince-leaved.	Britain.		4.	H.5.	Eng. bot. v. 20. t. 1403.

86	conífera. s.s.	(g.ye.) cone-bearing.	N. America.	1800.	5.	H.5.	Wang. amer. t. 31. f. 7.
87	prinoídes. s.s.	(g.ye.) Prinos-like.	_____	1811.	3. 4.	H.5.	Salic. woburn. t. 40.
88	fuscàta. s.s.	(g.ye.) brown-stemmed.	_____	_____	_____	H.5.	_____
89	recurvàta. s.s.	(g.ye.) recurve-flowered.	_____	_____	4.	H. h.	_____
90	trístis. s.s.	(g.ye.) linear-leaved.	_____	1765.	3. 4.	H. h.	Salic. woburn. f. 10.
91	Muhlenbergiàna. (re.ye.)	Muhlenberg's.	_____	1811.	4.	H. h.	Ann. bot. 2. t. 5. f. 9.
92	grísea. W.en.	(br.ye.) brown.	_____	1816.	_____	H. h.	_____
93	lanceolàta. E.B.	(g.ye.) sharp-leaved.	England.		4. 5.	H. h.	Eug. bot. v. 20. t. 14.
94	stipulàris. E.B.	(g.ye.) auricled.	Britain.		3.	H. h.	_____ v. 17. t. 1.
95	undulàta. s.s.	(g.ye.) wave-leaved.	Germany.	1819.	4. 5.	H. h.	Salic. woburn. t. 10.
96	virgàta. s.w.	(g.ye.) twiggy.	_____		5. 6.	H. h.	_____ t. 12.
97	Hoffmanniàna. (g.ye.)	Hoffman's.	Switzerland.		5.	H. h.	_____ t. 10.
98	montàna. w.	(g.ye.) mountain.	_____		5. 6.	H.5.	_____ t. 10.
99	monspeliénsis. s.w.	(g.ye.) Montpelier.	Montpelier.		4. 5.	H. h.	_____ t. 10.
100	pátens. s.w.	(g.ye.) spreading.	_____		5. 8.	H. h.	_____ t. 10.
101	Willdenowiàna. s.w.	(g.ye.) Willdenow's.	_____		4. 8.	H. h.	_____ t. 11.
102	críspa. s.w.	(g.st.) curled.	_____		3.	H. h.	_____ t. 11.
103	nítens. s.w.	(g.ye.) glossy.	Scotland.		4. 5.	H. h.	_____ t. 11.
104	Borreriàna. s.w.	(g.st.) Borrer's.	_____		4.	H. h.	_____ t. 11.
105	Davalliàna. s.w.	(br.st.) Davall's.	_____		_____	H. h.	_____ t. 41.
106	petiolàris. E.B.	(br.st.) dark long-leaved.	N. America.		4.	H. h.	Eng. bot. v. 16. t. 110.
107	pátula. s.s.	(g.ye.) spreading.	Italy.	1818.	_____	H. h.	_____
108	oleifolia. E.B.	(g.ye.) Olive-leaved.	Britain.		3.	H.5.	Eng. bot. v. 20. t. 140.
109	cándida. s.s.	(r.st.) hoary.	N. America.	1811.	2. 3.	H. h.	Salic. woburn. t. 10.
110	díscolor. s.s.	(g.ye.) brown-branched.	_____	_____	4.	H. h.	Ann. bot. 2. t. 5. f. 1.
111	arenària. E.B.	(g.ye.) sand.	Scotland.		5.	H. h.	Eng. bot. v. 20. t. 10.
112	rèpens. E.B.	(br.ye.) creeping.	Britain.		5.	H. h.	_____ v. 3. t. 10.
113	incubàcea. w.	(bh.ye.) trailing.	_____	1775.	_____	H. h.	Salic. woburn. t. 70.
114	rosmarinifolia. E.B.	(g.ye.) Rosemary-leaved.	_____		4. 5.	H. h.	Eng. bot. v. 19. t. 10.
115	Arbúscula. E.B.	(g.ye.) little tree.	Scotland.		4.	H. h.	_____ v. 19. t. 1.
116	fúsca. E.B.	(g.st.) brown.	Britain.		5.	H. h.	_____ v. 28. t. 1.
117	parvifolia. E.B.	(g.ye.) small-leaved.	England.		4. 5.	H. h.	_____ v. 28. t. 1.
118	adscéndens. E.B.	(g.ye.) ascending.	_____		5.	H. h.	_____ v. 28. t. 1.
119	prostràta. E.B.	(g.ye.) prostrate.	Britain.		5.	H. h.	_____ v. 28. t. 1.
120	canéscens. W.en.	(g.ye.) canescent.	Germany.	1815.	4. 5.	H. h.	_____
121	leucophy'lla. W.en.	(g.ye.) white-leaved.	_____	_____	_____	H. h.	_____
122	elæagnoídes. L.en.	(g.ye.) Elæagnus-like.	Switzerland.	1823.	4. 8.	H. h.	Salic. woburn. t. 60.
123	argénteà. E.B.	(g.ye.) silky sand.	Britain.		5.	H. h.	Eng. bot. v. 19. t. 10.
124	procúbens. s.w.	(g.ye.) procumbent.	Scotland.		_____	H. h.	Salic. woburn. t. 60.
125	ramifúsca. s.w.	(g.ye.) brown branched.	Britain.		4. 7.	H. h.	_____ t. 60.
126	floribúnda. s.w.	(g.ye.) many flowered.	_____		_____	H. h.	_____ t. 60.
127	versifolia. s.s.	(g.ye.) various-leaved.	N. Europe.	1824.	5.	H. h.	_____
128	prunifolia. E.B.	(g.ye.) Plum-leaved.	Scotland.		4. 5.	H. h.	Eng. bot. v. 19. t. 10.
129	Dicksoniàna. E.B.	(g.ye.) Dickson's.	_____		5.	H. h.	_____ v. 20. t. 10.
130	húmilis. W.en.	(g.ye.) humble.	_____	1824.	_____	H. h.	_____
131	formòsa. w.	(g.ye.) handsome.	Switzerland.	1820.	_____	H. h.	_____
132	myrsinìtes. E.B.	(g.ye.) Whortle-leaved.	Scotland.		4. 6.	H. h.	Eng. bot. v. 19. t. 1.
133	venulòsa. E.B.	(g.ye.) veiny-leaved.	_____		4. 5.	H. h.	_____ v. 19. t. 1.
134	vacciniifolia. E.B.	(g.ye.) Bilberry-leaved.	_____		_____	H. h.	_____ v. 33. t. 1.
135	carinàta. E.B.	(g.ye.) folded-leaved.	_____		_____	H. h.	_____ v. 19. t. 1.
136	arbutifolia. w.	(g.ye.) Arbutus-leaved.	Switzerland.	1818.	_____	H. h.	_____
137	rupéstris. E.B.	(g.ye.) rock.	Scotland.		4.	H. h.	Eng. bot. v. 33. t. 240.
138	lappònum. w.	(g.ye.) Lapland.	Lapland.		_____	H. h.	Salic. woburn. t. 70.
139	helvética. Vil.	(g.ye.) Swiss.	Switzerland.	1824.	4. 8.	H. h.	_____
140	leucophy'lla. w.	(g.ye.) white-leaved.	_____	_____	_____	H. h.	_____
141	lívida. s.s.	(g.ye.) livid.	Lapland.	_____	4.	H. h.	_____
142	polàris. s.s.	(g.ye.) polar.	_____	_____	4. 7.	H. h.	Salic. woburn. t. 60.
143	longifolia. s.s.	(g.ye.) long-leaved.	N. America.	1819.	4. 5.	H. h.	Ann. bot. 2. t. 5. f. 1.
144	glàuca. E.B.	(g.ye.) glaucous.	Scotland.		5.	H. h.	Eng. bot. v. 26. t. 10.
145	seríceà. w.	(wh.ye.) silky.	Alps Europe.	1816.	_____	H. h.	Salic. woburn. t. 70.
146	Stuartiàna. E.B.	(w.ye.) Stuart's.	Scotland.		7. 8.	H. h.	Eng. bot. v. 36. t. 200.
147	reticulàta. E.B.	(re.) wrinkled.	Britain.		6. 7.	H. h.	_____ v. 27. t. 10.
148	hírta. E.B.	(g.ye.) hairy-branched.	England.		4. 5.	H.5.	_____ v. 20. t. 10.
149	Croweàna. E.B.	(g.ye.) Crowe's.	_____		_____	H. h.	_____ v. 16. t. 10.
150	fagifolia. w.	(g.ye.) Beech-leaved.	Hungary.	1819.	_____	H. h.	_____
151	cordifolia. Ph.	(g.ye.) heart-shaped.	N. America.	1811.	_____	H. h.	Salic. woburn. f. 140.
152	planifolia. Ph.	(g.ye.) flat-leaved.	Labrador.	_____	_____	H. h.	_____
153	falcàta. Ph.	(g.ye.) sickle-leaved.	N. America.	_____	_____	H. h.	Salic. woburn. f. 140.
154	tetrápila. L.en.	(g.ye.) elegant.	Scotland.	1824.	4.	H. h.	_____ t. 40.

113 obtusa. L.en. (g.ye.) blunt-leaved.	Switzerland.	1820.	4.	H. h.	
116 crinita. L.en. (g.ye.) woolly-flowered.	—————	—————	—————	H. h.	
117 casia. Vill. (g.ye.) casious.	N. Europe.	—————	4. 5.	H. h.	Vill. delph. 3. t. 50. f. 11.
118 ulmifolia. W.en. (g.ye.) Elm-leaved.	Switzerland.	—————	4.	H. h.	
119 foliosa. w. (g.ye.) leafy.	Lapland.	1818.	—————	H. h.	
120 obtusifolia. w. (g.ye.) obtuse-leaved.	—————	—————	—————	H. h.	
121 atrovirens. s.w. (g.ye.) dark-green.	Switzerland.	1824.	—————	H. h.	Salic. woburn. t. 108.
122 australis. s.w. (g.ye.) southern.	—————	—————	5.	H. h.	————— t. 103.
123 carpinifolia. s.w. (g.ye.) Hornbeam-leaved.	Germany.	—————	3. 4.	H. h.	
124 cydoniifolia. Sch. (g.ye.) Cydonia-leaved.	Switzerland.	—————	—————	H. h.	
125 subalpina. s.w. (g.ye.) subalpine.	—————	—————	4. 5.	H. h.	Salic. woburn. t. 93.
126 proteaifolia. s.w. (g.ye.) Protea-leaved.	—————	1820.	—————	H. h.	————— t. 75.
127 strepida. s.w. (g.ye.) creaking.	—————	—————	3. 4.	H. h.	————— t. 100.
128 pyrenæica. s.s. (g.ye.) Pyrenean.	Pyrenees.	1823.	4.	H. h.	
129 Jacquiniæna. w. (g.ye.) Jacquin's.	Austria.	1818.	—————	H. h.	Jacq. aust. t. 409.
nec Jacquin. nec aliorum.					
130 Schraderianum. w. (g.ye.) Schrader's.	Germany.	1820.	—————	H. h.	
131 fennarchica. w. (g.ye.) Swedish.	Sweden.	1825.	4. 5.	H. h.	
132 serrulata. w. (g.ye.) serrulate.	Lapland.	1822.	—————	H. h.	
133 varicolor. s.w. (g.ye.) various-coloured.	Switzerland.	—————	5.	H. h.	Salic. woburn. t. 77.
134 Doniana. E.F. (br.ye.) Mr. Don's.	Scotland.		4. 5.	H. h.	————— t. 88.
135 linearis. s.w. (br.st.) linear-leaved.	Switzerland.	1820.	—————	H. h.	————— t. 89.
136 villosa. s.w. (g.ye.) villous.			—————	H. h.	————— t. 92.
137 reflexa. s.w. (g.ye.) reflexed.			3.	H. h.	————— t. 94.
138 petraea. s.w. (g.ye.) rock-side.	Britain.		4.	H. h.	————— t. 97.
139 grisonensis. s.w. (g.ye.) Grisons.	Grisons.	1820.	3. 4.	H. h.	————— t. 99.
140 sordida. s.w. (g.st.) sordid.	Switzerland.	—————	4.	H. h.	————— t. 101.
141 glabrata. Sch. (g.ye.) smooth.	—————	1823.	4. 5.	H. h.	
142 decumbens. s.w. (g.ye.) decumbent.	—————	—————	5.	H. h.	Salic. woburn. t. 88.
143 heterophylla. Deb. (g.ye.) different-leaved.		—————	—————	H. h.	
144 murina. Sch. (g.ye.) wall.	Switzerland.	1824.	3. 4.	H. h.	
145 nervosa. Sch. (g.ye.) nerved.	—————	—————	—————	H. h.	
146 pannosa. s.w. (g.ye.) cloth-leaved.	—————	—————	4. 5.	H. h.	Salic. woburn. t. 123.
147 pallescens. Sch. (g.st.) pallid.	—————	—————	—————	H. h.	
148 pallida. s.w. (g.ye.) pale.	—————	—————	5.	H. h.	Salic. woburn. t. 96.
149 alaternoides. s.w. (ye.) Alaternus-like.	—————	1823.	4. 5.	H. h.	————— t. 76.
150 albescens. Sch. (g.st.) whitish.	—————	—————	—————	H. h.	
151 rivularis. s.w. (g.ye.) rivulet.	—————	1824.	5.	H. h.	Salic. woburn. t. 102.
152 rotundata. s.w. (g.ye.) rounded-leaved.	—————	—————	4. 5.	H. h.	————— t. 104.
153 dura. s.w. (g.ye.) hardy.	—————	—————	—————	H. 5.	————— t. 105.
154 firma. s.w. (g.ye.) firm.	—————	—————	3. 4.	H. h.	————— t. 106.
155 Ansoniana. s.w. (g.ye.) Anson's.	—————	—————	—————	H. h.	————— t. 107.
156 coriacea. s.w. (g.ye.) leathery.	—————	1822.	3.	H. h.	————— t. 112.
157 crassifolia. s.w. (g.ye.) thick-leaved.			4. 5.	H. h.	————— t. 115.
158 vaudoensis. s.w. (g.ye.) Vaudois.	Switzerland.	1824.	3. 4.	H. h.	————— t. 117.
159 latifolia. s.w. (g.ye.) broad-leaved.	—————	—————	3.	H. h.	————— t. 118.
160 ferruginea. s.w. (br.st.) ferruginous.	Britain.		4.	H. h.	————— t. 128.
161 geminata. s.w. (g.ye.) twin-flowered.	—————		3.	H. h.	————— t. 129.
162 macrostipulacea. s.w. (g.y.) large-stipul'd.	Switzerland.	1822.	4. 5.	H. 5.	————— t. 130.
163 Micheliæna. s.w. (g.ye.) Michel's.	—————	—————	4.	H. 5.	————— t. 135.
164 atropurpurea. s.w. (g.ye.) dark-purple.	—————	1824.	—————	H. h.	
165 damascena. s.w. (g.ye.) Damask.	—————	—————	3. 4.	H. h.	
166 mutabilis. s.w. (g.ye.) changeable.	—————	—————	—————	H. h.	
167 cerasifolia. Sch. (g.ye.) Cherry-leaved.	—————	—————	4.	H. h.	
168 cinnamomea. Sch. (g.ye.) Cinnamon-scented.	—————	—————	4. 5.	H. h.	
169 clethrafolia. Sch. (g.ye.) Clethra-leaved.	—————	—————	—————	H. h.	
170 triophylla. s.w. (g.ye.) gray-leaved.	—————	—————	4.	H. h.	Salic. woburn. t. 119.
171 lacustris. s.w. (g.ye.) lake.	—————	—————	3.	H. h.	————— t. 116.
172 mespilifolia. Sch. (g.ye.) Mespilus-leaved.	—————	—————	4. 5.	H. h.	
173 obtuserrata. Sch. (g.ye.) bluntly-sawed.	—————	—————	—————	H. h.	
174 pyrifolia. Sch. (g.ye.) Pear-leaved.	—————	—————	—————	H. h.	
175 Schleicheriana. s.w. (g.ye.) Schleicher's.	—————	—————	—————	H. h.	Salic. woburn. t. 98.
176 velutina. W.en. (g.ye.) velvety.		1826.	3. 4.	H. h.	
177 Starkeana. w. (g.ye.) Starke's.	Silesia.	1820.	4. 5.	H. h.	
178 PULUS. L.	POPLAR. Diœcia Octandria. L.				
179 alba. E.B.	(fl.) Abele-tree.	Britain.		3. 4.	H. 5. Eng. bot. v. 23. t. 1618.
180 pubescens. E.B.	(fl.) gray.	England.		—————	H. 5. ——— v. 23. t. 1619.
181 nigra. w.	(fl.) snowy.	Europe.		—————	H. 5.
182 tremula. w.	(fl.) trembling.	N. America.	1812.	—————	H. 5. Mich. arb. 3. t. 8. f. 1.

5	trémula. w.	(fl.) Aspen.	Britain.		3. 4.	H.5.	Eng. bot. v. 27. t. 10.
6	lævigata. w.	(fl.) smooth.	N. America.	1769.	—	H.5.	Mich. arb. 3. t. 11.
7	tremuloïdes. M.	(fl.) trembling-like.	—	1811.	—	H.5.	Duham. arb. 2. t. 53.
8	græca. w.	(fl.) Athenian.	Archipelago.	1779.	—	H.5.	— 184. t. 54.
9	nigra. w.	(fl.) black.	Britain.		—	H.5.	Eng. bot. v. 27. t. 10.
10	acladésca. Lind.	(re.) black Italian.	N. America.		5.	H.5.	—
11	hudsònica. M. betulifolia. Ph.	(fl.) American black.	—		—	H.5.	Mich. arb. 3. t. 10. f. 1.
12	dilatata. w.	(sc.) Lombardy.	Italy.	1758.	—	H.5.	—
13	vimínea. Df.	(fl.) slender-twigg'd.	N. America.	1824.	4. 5.	H.5.	—
14	monilífera. w.	(fl.) Canadian.	Canada.	1772.	3. 5.	H.5.	Wats. dend. brit. t. 10.
15	angulata. w.	(fl.) Carolina.	Carolina.	1738.	3.	H.5.	Mich. arb. 3. t. 12.
16	grandidentata. M. β péndula. N.	(fl.) large-toothed. (fl.) weeping.	N. America.	1812. 1820.	4. —	H.5. H.5.	—
17	balsamífera. w.	(gr.) Tacamahac.	—	1692.	—	H.5.	Mich. arb. 3. t. 13. f. 1.
18	cándicans. w.	(gr.) heart-leaved.	—	1772.	3.	H.5.	Catesb. car. 1. t. 34.
19	heterophy'lla. w.	(gr.) various-leaved.	—	1765.	4. 5.	H.5.	Mich. arb. 3. t. 9.
20	laurifolia. Led.	(fl.) Laurel-leaved.	Altay.	1827.		H.5.	—

ORDO CLXXXVIII.

PLATANEÆ.

PLATANUS. W.		PLANE-TREE.	Monœcia Polyandria. L.				
1	orientalis. w.	(gr.) oriental.	Levant.	1548.	4. 5.	H.5.	Wats. dend. brit. t. 10.
2	cuneata. w.	(gr.) wave-leaved.	—	1739.	—	H.5.	—
3	acerifolia. w.	(gr.) Maple-leaved.	—	1724.		H.5.	—
4	occidentalis. w.	(gr.) American.	N. America.	1640.	—	H.5.	Wats. dend. brit. t. 10.
5	mexicana.	(gr.) Mexican.	Mexico.	1826.		F.5.	—
LIQUIDAMBAR. W.		SWEET-GUM-TREE.	Monœcia Polyandria. L.				
1	Styraciflua. w.	(gr.wh.) Maple-leaved.	N. America.	1683.	3. 4.	H.5.	Catesb. car. 2. t. 65.
2	imberbe. w.	(gr.wh.) oriental.	Levant.	1759.		H.5.	—

ORDO CLXXXIX.

MYRICEÆ. *Kth. synops. 1. p. 361.*

COMPTONIA. W.		COMPTONIA.	Monœcia Triandria. W.				
	aspleniifolia. w.	(br.) Fern-leaved.	N. America.	1714.	3. 5.	H. h.	Wats. dend. brit. t. 10.
MYRICA. W.		CANDLEBERRY-MYRTLE.	Diœcia Tetrandria. L.				
1	Gale. w.	(br.) Sweet Gale.	Britain.		5.	H. h.	Eng. bot. v. 8. t. 52.
2	cerifera. w.	(br.) common.	N. America.	1699.	5. 6.	H. h.	Catesb. car. 1. t. 60.
3	carolinénsis. Ph.	(br.) broad-leaved.	—	1730.	5.	H. h.	— 1. t. 13.
4	pensylvànica. Ph.	(br.) Pennsylvanian.	—		—	H. h.	Duham. arb. ed. 2. t. 1.
5	Fáya. w.	(br.) Azorian.	Azores.	1777.	6. 7.	F. h.	— 2. t. 1.
6	mexicana. W.en.	(br.) Mexican.	Mexico.	1821.	6. 8.	G. h.	—
7	esculenta. D.P.	(br.) eatable.	Nepaul.	—		G. h.	—
8	segregata. w.	(br.) netted-leaved.	S. America.	—		G. h.	Jacq. ic. 3. t. 625.
9	æthiòpica. w.	(br.) African.	C. B. S.	1795.	6. 7.	G. h.	Pluk. alm. t. 48. f. 3.
10	serrata. w.	(br.) saw-leaved.	—	1793.	8.	G. h.	Burm. afr. t. 98. f. 1.
11	laciniata. W.en.	(br.) smooth Oak-ld.	—	1752.	6. 7.	G. h.	Jacq. frag. 2. t. 1. f. 4.
12	quercifolia. W.en.	(br.) hairy Oak-leav'd.	—	—	—	G. h.	—
13	cordifolia. w.	(br.) heart-leaved.	—	1759.	5. 7.	G. h.	Pluk. alm. t. 319. f. 1.
14	integrifolia. H.B.	(br.) entire-leaved.	E. Indies.	1824.		S. h.	—
NAGEIA. W.		NAGEIA.	Diœcia Tetrandria.				
1	japónica. w.	(gr.) Japan.	Japan.	1812.	2. 4.	G. h.	—
	Báxus dioica. Hort.	Myrica Nàgi. Thunb.	—	—	—	—	—
2	Putranjiva. H.B.	(gr.) grey-barked.	E. Indies.	1822.	—	S. h.	—
CASUARINA. W.		SHRUBBY HORSETAIL.	Monœcia Monandria. W.				
1	equisetifolia. w.	(br.re.) Horse-tail-leav'd.	S. Sea Island.	1793.		S. h.	Rumph. amb. 3. t. 55.
2	nodiflora. w.	(br.re.) knotted-flower'd.	—	1818.		S. h.	—

3 glauca. s.s. (br.re.) glaucous.	N. S. W.	1818.	11. 4.	G. h.
4 paludosa. s.s. (br.re.) marsh.	————	1822.	——	G. h.
5 stricta. w. (br.re.) upright.	————	1775.	11. 2.	G. h.
6 distyla. w. (br.re.) two-styled.	————	1812.	——	G. h.
7 quadrivalvis. P.s. (br.re.) four-valved.	N. Holland.	——	——	G. h.
8 torulosa. w. (br.re.) cork-barked.	N. S. W.	1772.	4. 6.	G. h.
9 muricata. L.en. (br.re.) muricate.	E. Indies.	1816.		S. h.
10 tenuissima. s.s. (br.re.) slender.	N. S. W.	1824.	4. 6.	G. h.
11 nana. s.s. (br.re.) dwarf.	————	——	——	G. h.

Andr. reposit. t. 346.
Vent. dec. pl. nov. t. 62.
Lab. nov. hol. 2. t. 218.

ORDO CXC.

HAMAMELIDEÆ. *Brown.*

HAMAMELIS. W.	WITCH-HAZEL.	Tetrandria Digynia. L.		
1 virginica. w. (ye.) Virginian.	N. America.	1736.	11. 5.	H. h.
2 macrophylla. Ph. (ye.) large-leaved.	————	1812.	——	H. h.
FOTHERGI'LLA. W.	FOTHERGI'LLA.	Polyandria Digynia. L.		
1 alnifolia. w. (wh.) obtuse-leaved.	N. America.	1765.	4. 6.	H. h.
2 major. B.M. (wh.) large-leaved.	————	——	5. 6.	H. h.
3 Gardèni. Jacq. (wh.) acute-leaved.	————	——	——	H. h.
4 serotina. B.M. (wh.) green-leaved.	————	——	——	H. h.

Lodd. bot. cab. t. 598.

Bot. mag. t. 1341.

—— t. 1342.

Jacq. ic. 1. t. 100.

ORDO CXCI.

CONIFERÆ. *Juss. gen. 411.*SUBORDO I. TAXINÆ. *Richard.*

SALISB'URIA. R.	MAIDENHAIR-TREE.	Monœcia Polyandria. H.K.		
adiantifolia. L.T.(g.st.)	Japan.	Japan.	1754.	4. 5. H.5.
Gingko biloba. L.				
PHYLLOCL'ADUS. R.	PHYLLOCL'ADUS.	Monœcia Monadelphina.		
rhomboidalis. R. (ye.) Fern-leaved.	V. Diem. Isl.	1825.		G. h.
Podocarpus aspleniifolia. Labill. nov. holl. 2. t. 221.				
PODOCA'RPUS. L'H.	PODOCA'RPUS.	Monœcia Monadelphina.		
1 Chinus. R. (ye.) sharp-leaved.	C. B. S.	1774.	7.	G. h.
2 elongatus. R. (ye.) Chinese.	China.	——	5. 7.	H. h.
Taxus chinensis. H.B.				
3 coriaceus. R. (ye.) leathery-leaved.	————	1824.	——	G. h.
4 verticillatus. (ye.) whorl-leaved.	Japan.	1812.		G. h.
5 macrophyllus. L.en.(ye.) large-leaved.	China.	1804.	7. 8.	G. h.
6 nereiifolius. L.P. (ye.) Wax-Dammar.	P. Wales Isl.	1809.		S. h.
TAXUS. W.	YEW-TREE.	Dicœcia Monadelphina. L.		
1 baccata. w. (ye.) common.	Britain.		2. 4.	H.5.
2 libérnica. (ye.) Irish.	Ireland.		——	H. h.
3 canadensis. w. (ye.) Canadian.	Canada.	1818.	——	H.5.
4 nucifera. w. (ye.) Acorn-bearing.	China.	1764.		G. h.
DACRY'DIUM. L.P.	DACRY'DIUM.	Monœcia Monadelphina.		
cupressinum. L.P.(ye.) N. Zealand spruce.	N. Zealand.	1825.		G. h.
Thalamia cupressina. s.s.				

Wats. dend. brit. t. 168.

Rich. conif. pl. 3.

Rich. conif. pl. 1. f. 1.

—— pl. 1. f. 2.

Rich. conif. pl. 1. f. 3.

Kæmpf. ic. t. 24.

Rumph. amb. 3. t. 26.

Eng. bot. v. 11. t. 746.

Kæmpf. amœn. t. 815.

Lamb. pin. v. 1. t. 41.

SUBORDO II. CUPRESSINÆ. *Richard.*

CALLITRIS. R.	CALLITRIS.	Monœcia Monadelphina.		
1 quadrivalvis. R. (ye.) jointed.	Barbary.	1815.	2. 5.	F. h.
Thuja articulata. Vahl. symb. 2. t. 48.				
2 arenosa. (ye.) sand.	N. Holland.	1824.		F. h.
3 pyramidalis. (ye.) pyramidal.	————	——		F. h.

Rich. conif. pl. 8. f. 1.

4	austràlis.	(ye.) southern.	N. S. W.		4. 5.	F. h.	
	<i>Cuprèssus austràlis.</i> P.S.						
5	oblóna. R.	(ye.) oblong-scaled.	-----	1822.	---	G. h.	Rich. conif. pl. 18. t. 1.
6	rhombóidea. R.	(ye.) rhomboid-scal'd.	N. Holland.	---	---	G. h.	----- pl. 18. t. 1.
TH'UJA. W.		ARBOR-VITÆ.	Monœcia Monadelphica.	L.			
1	occidentàlis. w.	(ye.) American.	N. America.	1596.	5.	H. h.	Wats. dend. brit. t. 1.
2	pyramidàlis. T.P.	(ye.) pyramidal.		1824.	---	H. h.	
3	orientàlis. w.	(ye.) Chinese.	China.	1752.	2. 3.	H. h.	Wats. dend. brit. t. 1.
4	plicàta. L.P.	(ye.) Nee's.	Nootka sound.	1796.	---	H. h.	Lamb. pin. v. 2. p. 10.
5	cupressóides. w.	(ye.) African.	C. B. S.	1799.		G. h.	
6	dolabràta. w.	(ye.) ovate-leaved.	China.	1822.	---	H. h.	Lamb. pin. app. t. 1.
7	sphæroídea. s.s.	(ye.) White Cedar.	N. America.	1736.	4. 5.	H. h.	Wats. dend. brit. t. 1.
	<i>Cuprèssus thyóides.</i> w.						
8	péndula. L.P.	(ye.) weeping.	Tartary.	1810.	2. 5.	H. h.	Lamb. pin. v. 2. t. 1.
CUPRE'SSUS. W.		CYPRESS.	Monœcia Monadelphica.	L.			
1	sempervirens. w.	(ye.) common.	Candia.	1548.	5.	H. h.	Pall. ros. 2. t. 53.
	<i>a stricta.</i>	(ye.) upright.	-----	---	---	H. h.	
	<i>β horizontàlis.</i>	(ye.) horizontal.	-----	---	---	H. h.	
2	torulòsa. D.P.	(ye.) twisting.	Nepaul.	1826.		H. h.	
3	lusitànica. w.	(ye.) Cedar of Goa.	Goa.	1683.	4. 5.	F. h.	Lamb. pin. 95. t. 4.
4	péndula. Th.	(ye.) pendulous.	Japan.	1818.		F. h.	----- t. 50.
5	baccifórmis. W.en.	(ye.) berry-like.		---	4. 5.	H. h.	
6	juniperoídes. w.	(ye.) African.	C. B. S.	1756.	---	G. h.	
TAX'ODIUM. Rich.		TAX'ODIUM.	Monœcia Monadelphica.				
	<i>distichum.</i> Rich.	(ye.) deciduous.	America.	1640.	5.	H. 5.	Mich. arb. 3. t. 1.
	<i>Cuprèssus disticha.</i> w. Schubertia. Mirb.						
	<i>α pátens.</i> H.K.	(ye.) spreading.	-----	---	---	H. 5.	
	<i>β nùtans.</i> H.K.	(ye.) long-leaved.	-----	---	---	H. 5.	
JUNI'PERUS. W.		JUNIPER.	Diœcia Monadelphica.	L.			
1	thurífera. w.	(ye.) Spanish.	S. Europe.	1752.	5. 6.	H. h.	
2	barbadénsis. w.	(ye.) Barbadoes.	Barbadoes.	1811.	---	G. h.	Pluk. alm. t. 197. f.
3	bermudiàna. w.	(ye.) Bermudas Cedar.	Bermudas.	1683.	---	F. h.	Herm. lugd. t. 347.
4	chinénsis. w.	(ye.) Chinese.	China.	1804.	---	H. h.	
5	excélsa. w.	(ye.) tall.	Siberia.	1806.	---	H. h.	
6	Hermánni. s.s.	(ye.) Hermann's.			---	H. h.	
7	Sabína. w.	(ye.) Savin.	S. Europe.	1548.	---	H. h.	
	<i>β variegàta.</i>	(ye.) variegated.	-----	---	---	H. h.	
8	tamariscifolia.	(ye.) Tamarisk-leav'd.	-----	---	---	H. h.	
9	prostràta. P.S.	(ye.) prostrate.	N. America.		---	H. h.	
10	daurica. A.R.	(ye.) Daurian.	Dauria.	1791.	6. 8.	H. h.	Andr. reposit. t. 32.
11	virginiàna. w.	(ye.) red Cedar.	N. America.	1664.	5. 6.	H. h.	Mich. arb. 3. t. 5.
12	glauca. W.en.	(ye.) glaucous.	China.	1814.	---	H. h.	
13	squamàta. D.P.	(ye.) scaly-branched.	Nepaul.	1824.		H. h.	
14	recúrva. D.P.	(ye.) recurve-branch'd.	-----	1822.	5. 6.	H. h.	
15	commúnis. w.	(ye.) common.	Britain.		---	H. h.	Eng. bot. v. 16. t. 11.
16	suécica. Mill.	(ye.) Swedish.	N. Europe.		---	H. h.	
17	nàna. w.	(ye.) dwarf.	Siberia.	1815.	---	H. h.	Pall. ros. 2. t. 54. f. 1.
	<i>sibírica.</i> Burgsd. <i>commúnis</i> γ. H.K.						
18	hemisphærica. s.s.	(ye.) hemispherical.	Sicily.	1828.		H. h.	
19	oblóna. M.B.	(ye.) oblong.	Armenia.	1829.		H. h.	
20	Oxycèdrus. w.	(ye.) brown-berried.	Spain.	1739.	---	H. h.	Duham. arb. 2. t. 12.
21	phœnicea. w.	(ye.) Phœnician.	S. Europe.	1683.	---	H. h.	Pall. ros. 2. t. 57.
22	ly'cia. w.	(ye.) Lycian.	-----	1693.	---	H. h.	----- 2. t. 56.
23	capénsis. Lam.	(ye.) Cape.	C. B. S.	1816.		G. h.	
24	drupacea. Lab.	(ye.) drupaceous.		---		H. h.	Lab. pl. syr. 2. t. 8.
EPH'EDRA.		EPH'EDRA.	Diœcia Monadelphica.	L.			
1	distàchya. w.	(st.) great.	France.	1570.	6. 7.	H. h.	Schk. hand. 3. t. 3.
2	monostàchya. w.	(st.) small.	Siberia.	1772.	9. 11.	H. h.	Wats. dend. brit. t. 1.
3	altíssima. w.	(st.) tall.	Barbary.	1823.		H. h.	Desf. atl. 2. t. 253.

SUBORDO III. ABIETINÆ. Richard.

DA'MMARA. L.P.		DAMMAR PINE.	Monœcia Monadelphica.	L.en.			
1	austràlis. L.P.	(ye.) Cowrie-tree.	N. Zealand.	1823.		G. h.	Lamb. pin. 2. p. 14. t. 1.
2	orientàlis. L.P.	(ye.) Amboyna pitch-tree.	Amboyna.	1804.		S. h.	----- v. 1. t. 38. v. 2. p. 10.
	<i>loranthifolia.</i> L.en. <i>Pinus Dammara.</i> w. <i>A'gathis loranthifolia.</i> Sal.						
ARAUC'ARIA. J.		ARAUC'ARIA.	Diœcia Monadelphica.	W.			
1	imbricàta. w.	(ye.) Chile Pine.	Chile.	1796.		H. 5.	Lamb. pin. 2. p. 2. t. 1.

2	brasiliàna. L.P.	(ye.) Brazil Pine.	Brazil.	1816.		G.5.	Lamb. pin. 2. p.12. t. 5.
3	excelsa. H.K.	(ye.) Norfolk Island.	Norfolk Isl.	1793.		G.5.	——— 1. t. 39. 40.
	<i>Dalmania excelsa.</i> L.P.						
4	Cunninghamii.	(ye.) Cunningham's.	N. Holland.	1827.		G.5.	
5	ELIS. L.T.	B'ELIS.	Monœcia Monadelphia.				
	lanceolata.	(ye.) spear-leaved.	China.	1804.	12. 1.	G.½.	Lamb. pin. 1. t. 34.
	acutifolia. L.T.	<i>Pinus lanceolata.</i> L.P.	<i>Cunninghamia lanceolata.</i>	Bot. mag.	t. 2743.		
6	PINUS. W.	PINE or FIR.	Monœcia Monadelphia.	W.			
	PINUS.	PINE-TREE.					
1	salvéstris. w.	(ye.) Scotch.	Scotland.		5.	H.5.	Lamb. pin. 1. t. 1.
2	Laricio. P.S.	(ye.) Corsican.	Corsica.	1814.	4. 5.	H.5.	——— v. 2. p. 28. t. 9.
3	uncinata. DC.	(ye.) hooked.	Pyrenees.	1820.	——	H.5.	
4	Pumilio. w.	(ye.) upright-coned.	Carniola.	1779.	——	H.5.	Lamb. pin. p. 5. t. 2.
5	Mughus. w.	(ye.) nodding-coned.	Austria.		——	H.5.	Jacq. ic. 1. t. 193.
6	pingens. M.	(ye.) prickly-coned.	N. America.	1804.		H.5.	Mich. arb. 1. t. 5.
7	Banksiana. Ph.	(ye.) Hudson's Bay.	Hudson's bay.	1785.	5. 6.	H.5.	Lamb. pin. p. 7. t. 3.
8	Pallasiana. L.P.	(ye.) Pallas's.	Crimea.	1801.	——	H.5.	——— v. 2. p. 1. t. 1.
9	Pinaster. w.	(ye.) cluster.	S. Europe.	1596.	4. 5.	H.5.	——— v. 1. p. 9. t. 4. 5.
10	Pinca. w.	(ye.) stone.	———	1548.	5.	H.5.	——— v.1.p.11.t.6.7.8.
11	maritima. w.	(ye.) maritime.	———	1759.	5. 6.	H.5.	——— v. 2. p. 30. t. 10.
12	halépensis. w.	(ye.) Aleppo.	Levant.	1683.	5.	H.5.	——— v. 1. p. 15. t. 11.
13	insps. Ph.	(ye.) Jersey.	N. America.	1739.	——	H.5.	——— v. 1. p. 18. t. 13.
14	resinosa. Ph.	(ye.) pitch.	———	1756.	——	H.5.	——— v. 1. p. 20. t. 14.
15	variabilis. Ph.	(ye.) 2 and 3-leaved.	———	1739.	5. 6.	H.5.	——— v. 1. p. 22. t. 15.
16	canariensis. DC.	(ye.) Canary.	Canaries.	1815.	3. 4.	G.5.	DC. pl. rar. gen. t. 1-2.
17	Tada. Ph.	(ye.) frankincense.	N. America.	1713.	5. 6.	H.½.	Lam.p.v.1.p.23.t.16.17.
18	lutea. Walt.	(ye.) yellow.	———			H.5.	
19	serotina. Ph.	(ye.) Fox-tail.	———	1713.	5. 6.	H.5.	Mich. arb. 1. t. 7.
20	regia. Ph.	(ye.) three-leaved.	———	1759.	——	H.5.	Lamb. pin. p. 25. t. 18. 19.
21	ponderosa. D.	(ye.) ponderous.	———	1827.		H.5.	
22	palustris. Ph.	(ye.) swamp.	———	1730.		H.5.	Lamb. p. 27. t. 20.
23	longifolia. w.	(ye.) long-leaved.	E. Indies.	1801.		S.5.	——— p. 29. t. 21.
24	Gerardi. Wal.	(ye.) Gerard's.	Nepaul.	1824.		H.5.	
25	occidentalis. w.	(ye.) West Indian.	W. Indies.	1820.		S.½.	Plum. sp. 17. t. 161.
26	glauca. Bosc.	(ye.) crooked.		1822.		H.5.	
27	romana. H. Bel.	(ye.) Roman.	Italy.	——		H.5.	
28	sibirica. Dut.	(ye.) Siberian.	Siberia.	——		H.5.	
	STROBUS.	WEYMOUTH PINE.					
29	Cembra. w.	(ye.) Siberian stone.	Siberia.	1746.	5.	H.5.	Lamb. pin. p. 34. t. 23. 24.
30	pygmæa. F.	(ye.) pigmy.	———	1816.		H.½.	
31	Strobus. w.	(ye.) Weymouth.	N. America.	1705.	4.	H.5.	Lamb. pin. p. 31. t. 22.
32	Lambertiàna. L.P.	(ye.) Lambert's.	California.	1827.		H.5.	——— pin. c. icon.
33	excelsa. D.P.	(ye.) Bhotan.	Nepaul.	1822.		H.5.	——— v. 2. p. 5. t. 3.
	CEDRUS.	CEDAR.					
34	Cedrus. w.	(ye.) Cedar of Lebanon.	Levant.	1683.	5.	H.5.	Lamb. pin. v. 1. p. 59. t. 37
35	Deodara. L.P.	(ye.) Indian Cedar.	Nepaul.	1822.		H.5.	——— v. 2. p. 8. t. 4.
	LARIX.	LARCH.					
36	pendula. w.	(ye.re.) black Larch.	N. America.	1739.	5.	H.5.	Lamb. pin. v. 1. p. 56. t. 36
37	microcarpa. w.	(ye.re.) red Larch.	———	1760.	——	H.5.	——— p. 58. t. 37.
38	Larix. w.	(ye.re.) common Larch.	Germany.	1629.	3. 4.	H.5.	——— p. 53. t. 35.
39	dahurica. F.	(ye.re.) Dahurian.	Dahuria.	1827.		H.5.	
40	intermedia. F.	(ye.re.) intermediate.	Altay.	1828.		H.5.	
	PEUCE.	SILVER FIR.					
41	canadensis. w.	(ye.) hemlock Spruce.	N. America.	1736.	5.	H.5.	Lamb. pin. p. 50. t. 32.
42	demosa. D.P.	(ye.) bushy.	Nepaul.	1820.		H.5.	
43	taxifolia. Ph.	(ye.) Yew-leaved.	Columbia.	1822.		H.5.	Lamb. pin. v. 1. p. 51. t. 33
44	spectabilis. D.P.	(ye.) purple-coned.	Nepaul.	1825.		H.5.	——— v. 2. p. 3. t. 2.
45	Picea. w.	(ye.) Silver-Fir.	Germany.	1603.	5.	H.5.	——— 1. p. 36. t. 40.
46	Pichta. F.	(ye.) Fischer's.	Altay.	1824.		H.½.	
47	Douglasii. D.	(ye.) Douglas's.	N. America.	1827.		H.5.	
48	Balsamea. w.	(ye.) Balm of Gilead.	———	1696.	5.	H.5.	Lamb. pin. v. 1. p. 48. t. 31
49	Fraseri. Ph.	(ye.) double Balsam.	Pensylvania.	1811.		H.5.	
	ABIES.	SPRUCE FIR.					
50	nigra. Ph.	(ye.) black Spruce.	N. America.	1700.	5.	H.5.	Lamb. pin. v. 1. p. 41. t. 27
51	rubra. Ph.	(ye.) red Spruce.	———	1755.	——	H.5.	——— v. 1. p. 43. t. 28.
52	Canbrassiliàna. L.en.	(ye.) dwarf.	———	1810.		H.½.	
53	alba. Ph.	(ye.) white Spruce.	———	1700.	5. 6.	H.5.	Lamb. pin. v. 1. p. 39. t. 26
54	Abies. w.	(ye.) Norway Spruce.	N. Europe.	1548.	4.	H.5.	——— v. 1. p. 37. t. 25.
55	orientalis. w.	(ye.) oriental.	Levant.	1824.		H.5.	——— v. 1. p. 45. t. 29.

CLASSIS II.

MONOCOTYLEDONEÆ seu ENDOGENÆ. DC.

* SUBCLASSIS 1. PHANEROGANEÆ. DC.

ORDO CXCI.

CYCADEÆ. *Brown prodr.* 346.

Z'AMIA. W.	Z'AMIA. Diœcia Polyandria. W.					
1 púngens. w.	(br.) needle.	C. B. S.	1775.	6. 8.	G. ½.	Till. pis. 129. t. 4.
2 cycadifolia. w.	(br.) Cycas-leaved.	—	—	—	G. ½.	Jacq. frag. 1. t. 25. 26.
3 tridentata. w.	(br.) three-toothed.	—	1820.	—	G. ½.	—
4 angustifolia. Jac.	(br.) narrow-leaved.	Bahama Isl.		—	S. ½.	Jacq. ic. 3. t. 636.
5 ténuis. w.	(br.) slender-leaved.	—	1823.	—	S. ½.	—
6 média. w.	(br.) intermediate.	W. Indies.		—	S. ½.	Bot. mag. t. 1838.
7 débilis. w.	(br.) weak.	—	1777.	—	S. ½.	Comm. hort. 1. t. 58.
8 integrifolia. w.	(br.) dwarf.	—	1768.	—	S. ½.	Bot. mag. t. 1851.
9 pygmæa. B.M.	(g.br.) least.	—		5.	S. ¼.	— t. 1741.
10 furfuracea. w.	(br.) chaffy.	—	1691.	7. 8.	S. ½.	Trew. ehret. t. 61.
11 spiralis. B.P.	(br.) spiral.	N. S. W.	1796.	—	G. ¼.	—
12 longifolia. w.	(br.) long-leaved.	C. B. S.	1820.	6. 7.	G. ½.	Jacq. frag. 1. t. 20.
13 lanuginosa. w.	(br.) woolly.	—		—	G. ½.	— 1. t. 30.
14 Cycadis. w.	(br.) Cycas-like.	—	1775.	5. 6.	G. ½.	Thunb. act. ups. 2. t. 1.
15 hórrida. w.	(br.) glaucous spiny.	—	1800.	6. 8.	G. ½.	Jacq. frag. t. 27. 28.
16 latifolia. L.C.	(br.) broad-leaved.			—	G. ½.	—
17 prunifera. L.C.	(br.) Plum-like.			—	S. ½.	—
18 pùmila. L.C.	(ye.) small.		1812.	—	S. ¼.	Bot. mag. t. 2016.
19 repanda. L.C.	(br.) repand.			—	S. ½.	—
C'YCAS. W.	C'YCAS. Diœcia Polyandria. W.					
1 circinalis. w.	(br.) broad-leaved.	E. Indies.	1700.	5. 6.	S. ½.	Bot. mag. t. 2826. 28.
2 glaùca. L.en.	(br.) glaucous-leaved.	—	1814.		S. ½.	—
3 revolùta. w.	(br.) narrow-leaved.	China.	1737.	7. 8.	S. ½.	Linn. trans. 6. t. 20.
4 squamòsa. L.C.	(br.) scaly.				S. ½.	—

ORDO CXCV.

HYDROCHARIDEÆ. *Brown prodr.* 344.

VALLISN'ERIA. L.	VALLISN'ERIA. Diœcia Diandria. L.					
spiralis. L.	(wh.) spiral.	S. Europe.	1818.		G.w. 4.	Mich.n.g. 12. t. 10. f. 12.
HYDRO'CHARIS. L.	FROG-BIT. Diœcia Enneandria. L.					
Mórsus-ranæ. L.	(wh.) common.	Britain.		6. 7.	H.w. 4.	Eng. bot. v. 12. t. 50.
DAMAS'ONIUM. W.	DAMAS'ONIUM. Hexandria Polygynia. W.					
1 indicum. w.	(wh.) Indian.	E. Indies.	1800.	7. 9.	S.w. 4.	Bot. mag. t. 1241.
2 ovalifolium. B.P.	(wh.) oval-leaved.	N. S. W.	1820.	—	G.w. 4.	—
STRATIOTES. W.	WATER-SOLDIER. Diœcia Dodecandria. L.					
aloides. w.	(wh.) Aloe-like.	England.		6. 7.	H.w. 4.	Eng. bot. v. 6. t. 57.

ORDO CXCIV.

ALISMACEÆ. *Kth. synops.* 1. p. 261.

SAGITTARIA. W.		ARROW-HEAD.	Monœcia Polyandria. L.			
1 sagittifolia. w.	(wh.)	common.	England.		6. 8.	H.w. 2. Eng. bot. v. 2. t. 84.
2 latifolia. Ph.	(wh.)	broad-leaved.	N. America.	1816.	—	H.w. 2.
3 flore pleno.	(wh.)	double-flowered.	—	—	—	H.w. 2.
4 sinensis. B.M.	(wh.)	Chinese.	China.	1812.	9. 11.	G.w. 2. Bot. mag. t. 1731.
5 obtusifolia. s.s.	(wh.)	blunt-leaved.	—	1804.	7. 8.	G.w. 2. Rheed. mal. 11. t. 45.
6 Deniana.	(wh.)	Don's.	Nepaul.	1820.	—	G.w. 2.
7 hastata. D.P. non Ph.						
8 hastata. Ph.	(wh.)	hastate-leaved.	N. America.	1816.	—	H.w. 2.
9 obtusa. Ph.	(wh.)	obtuse-leaved.	—	1822.	6. 9.	H.w. 2.
10 heterophylla. Ph.	(wh.)	various-leaved.	—	—	6. 8.	H.w. 2.
11 lanceifolia. w.	(wh.)	lance-leaved.	W. Indies.	1787.	6. 7.	G.w. 2. Bot. mag. t. 1792.
12 angustifolia. B.R.	(wh.)	narrow-leaved.	—	1827.	4. 8.	S.w. 2. Bot. reg. t. 1141.
13 falcata. Ph.	(wh.)	falcate-leaved.	Carolina.	1811.	6. 7.	H.w. 2.
14 rigida. B.M.	(wh.)	brittle-leaved.	N. America.	1806.	—	H.w. 2. Bot. mag. t. 1632.
15 graminea. Ph.	(wh.)	grass-leaved.	Carolina.	1812.	7. 8.	H.w. 2.
16 natans. M.	(wh.)	floating.	—	—	—	H.w. 2.
ACTINOCARPUS. B.P.		ACTINOCARPUS.	Hexandria Hex-Octagynia.			
1 minor. B.P.	(wh.)	small.	N. S. W.		5. 8.	G.w. 2.
2 Damasodium.	(wh.)	common.	England.		6. 8.	H.w. 2. Eng. bot. t. 1615.
<i>Alisma Damasodium</i> . E.B. <i>Damasodium stellatum</i> . P.S.						
ALISMA. B.P.		WATER-PLANTAIN.	Hexandria Polygynia. L.			
1 Plantago. w.	(wh.)	greater.	Britain.		6. 7.	H.w. 2. Eng. bot. t. 837.
2 lanceolata. With.	(wh.)	spear-leaved.			—	H.w. 2.
3 trivialis. Ph.	(wh.)	blunt-leaved.	N. America.	1816.	—	H.w. 2.
4 parnassifolia. w.	(wh.)	Parnassus-leav'd.	Italy.	1824.	—	H.w. 2.
5 natans. E.B.	(wh.)	floating.	Wales.		7. 8.	H.w. 2. Eng. bot. t. 775.
6 ranunculoïdes. E.B.	(w.)	lesser.	Britain.		8.	H.w. 2. ——— t. 326.
7 repens. E.F.	(wh.)	creeping.	Wales.		9. 10.	H.w. 2. Cavan. ic. 1. t. 55.

ORDO CXCV.

BUTOMEÆ. *Kth. synops.* 1. p. 260.

BUTOMUS. L.		FLOWERING RUSH.	Emneandria Hexagynia. L.			
1 umbellatus. L.	(ro.)	umbelled.	Britain.		6. 7.	H.w. 2. Eng. bot. v. 10. t. 651.
2 latifolius. D.P.	(wh.)	broad-leaved.	Nepaul.	1823.	—	H.w. 2.
LIMNOCHARIS. K.S.		LIMNOCHARIS.	Polyandria Polygynia. B.M.			
Plumieri. K.S.	(ye.)	Plumier's.	S. America.	1822.	6. 10.	S. ♂. Bot. mag. t. 2525.
<i>emarginata</i> . H. et B. pl. æq. 1. t. 34. <i>Alisma flava</i> . L.						

ORDO CXCVI.

JUNCAGINEÆ. *Kth. synops.* 1. p. 258.

SCHEUCHZERIA. L.		SCHEUCHZERIA.	Hexandria Trigynia. L.			
palustris. E.B. (br.gr.)		marsh.	England.		5. 6.	H.w. 2. Eng. bot. v. 26. t. 1801.
TRIGLOCHIN. L.		ARROW-GRASS.	Hexandria Trigynia. L.			
1 elatum. N.	(gr.)	long-spiked.	N. America.	1820.	5. 8.	H.w. 2.
2 maritimum. E.B.	(gr.)	sea-side.	Britain.		—	H.w. 2. Eng. bot. v. 4. t. 255.
3 palustre. E.B.	(gr.)	marsh.	—		7. 8.	H.w. 2. ——— v. 6. t. 366.
4 decipiens. B.P.	(gr.)	New Holland.	N. S. W.	1820.	—	G. 2.
5 Barrelieri. s.s.	(gr.)	Barrelier's.	Italy.	1825.	—	H. 2.
6 bulbosum. B.M. (pa. ye.)		bulbous-rooted.	C. B. S.	1806.	10.	G. 2. Bot. mag. t. 1445.

ORDO CXCVII.

FLUVIALES. *Kth. synops. 1. p. 131.*

POTAMOGETON. L. POND-WEED.		Tetrandria Tetragynia. L.	
1 natans. E.B.	(br.) broad-leaved.	Britain.	 7. 8. H.w. 4. Eng. bot. v. 25. t. 1.
2 heterophyllum. E.B.	(br.) various-leaved.	-----	 7. 9. H.w. 4. ----- v. 18. t. 1.
3 perfoliatum. E.B.	(br.) perfoliate.	-----	 7. 8. H.w. 4. ----- v. 3. t. 1.
4 densum. E.B.	(br.) close-leaved.	-----	 5. 7. H.w. 4. ----- v. 6. t. 1.
5 fluitans. E.B.	(br.) long-leaved.	-----	 7. 9. H.w. 4. ----- v. 18. t. 1.
6 lucens. E.B.	(br.) shining.	-----	 6. 8. H.w. 4. ----- v. 6. t. 1.
7 lanceolatum. E.B.	(br.) spear-leaved.	England.	 7. 8. H.w. 4. ----- v. 25. t. 1.
8 crispum. E.B.	(br.) curled.	Britain.	 6. 7. H.w. 4. ----- v. 16. t. 1.
9 compressum. E.B.	(br.) flat-stalked.	-----	 --- H.w. 4. ----- v. 6. t. 1.
10 cuspidatum. E.F.	(br.) sharp-pointed.	-----	 7. H.w. 4. Loes. pruss. t. 1.
11 gramineum. E.B.	(br.) Grass-leaved.	-----	 7. 8. H.w. 4. Eng. bot. v. 32. t. 1.
12 pusillum. E.B.	(br.) small.	-----	 --- H.w. 4. ----- v. 3. t. 1.
13 pectinatum. E.B.	(br.) Fennel-leaved.	-----	 6. 7. H.w. 4. ----- v. 5. t. 1.
RUPPIA. L.		RU'PPIA. Tetrandria Tetragynia. L.	
maritima. E.B.	(br.) sea.	Britain.	 8. 9. H.w. 4. Eng. bot. v. 2. t. 1.
APONOGETON. L. APONOG'ETON.		Hex-Dodecandria Tri-Tetragynia.	
1 monostachyon. w.	(wh.) simple-spiked.	E. Indies.	1803. 8. 10. S.w. 4. Andr. reposit. t. 4.
2 distachyon. w.	(wh.) broad-leaved.	C. B. S.	1788. 5. 7. G.w.b. Bot. mag. t. 12.
3 angustifolium. w.	(wh.) narrow-leaved.	-----	----- 4. 9. G.w.b. ----- t. 12.
N'AJAS. L.		N'AJAS. Monœcia Tetrandria. L.	
monosperma. w.	(gr.) single-seeded.	Europe.	1816. 7. 9. H.w. ⊙. Mich. N. gen. 11. t. 1.
ZANNICHELLIA. L. WATER-WEED.		Monœcia Monandria. L.	
palustris. E.B.	(gr.) horned.	Britain.	 7. 8. H.w. ⊙. Eng. bot. v. 25. t. 1.
ZOSTERA. W.		SEA MATWEED. Monandria Monogynia. L.	
marina. w.	(gr.) common.	Britain.	 8. 9. H.w. 4. Eng. bot. v. 7. t. 1.
LEMNA. L.		DUCK-WEED. Monœcia Diandria.	
1 trisulca. E.B.	(wh.) Ivy-leaved.	Britain.	 5. 6. H.w. ⊙. Eng. bot. v. 13. t. 1.
2 minor. E.B.	(wh.) lesser.	-----	 6. 7. H.w. ⊙. ----- v. 16. t. 1.
3 gibba. E.B.	(wh.) thick-leaved.	-----	 --- H.w. ⊙. ----- v. 18. t. 1.
4 polyrrhiza. E.B.	(wh.) greater.	-----	 7. 8. H.w. ⊙. ----- v. 35. t. 1.

ORDO CXCVIII.

PANDANEÆ. *Brown prodr. 340.*

PANDANUS. L. SCREW-PINE. Diœcia Monandria. L.						
1	lævis. Lour. (wh.) entire-leaved.	China.	1823.		S. h.	
2	odoratissimus. w. (wh.) green-spined.	-----	1771.		S. h.	Roxb. corom. 1. t. 1.
3	utilis. W.en. (wh.) red-spined.	-----			S. h.	
4	humilis. w. (wh.) dwarf.	Mauritius.			S. h.	Jacq. fragm. t. 11. 1.
5	latifolius. L.C. (wh.) broad-leaved.	E. Indies.	1820.		S. h.	
6	fœtidus. H.B. (wh.) strong scented.	-----	1822.		S. h.	
7	marginatus. H.B. (wh.) red-margined.	Mauritius.	1823.		S. h.	
8	furcatus. H.B. (wh.) forked.	E. Indies.	-----		S. h.	Rheed. mal. 2. t. 5.
9	pedunculatus. B.P. (wh.) peduncled.	N. Holland.	1825.		S. h.	
10	spiralis. B.P. (wh.) spiral.	-----	1805.		S. h.	
11	candelabrum. P.B. (wh.) chandelier.	Guinea.	1822.		S. h.	Beauv. fl. owar. 1. t. 1.
12	sessilis. Boj. (wh.) sessile-fruited.	Pembu.	1825.		S. h.	
13	elegans. s.s. (wh.) elegant.	Isle France.	1826.		S. h.	
14	muriatus. s.s. (wh.) oblong-leaved.	Madagascar.	-----		S. h.	
15	edulis. s.s. (wh.) eatable.	-----	1825.		S. h.	
16	amaryllifolius. H.B. (wh.) Amaryllis-leav'd.	E. Indies.	1820.		S. h.	
17	inermis. H.B. (wh.) spineless.	-----	-----		S. h.	
18	albus. L.C. (wh.) white-spined.	-----	1823.		S. h.	
19	reflexus. L.C. (wh.) reflexed-leaved.	-----	1820.		S. h.	
20	longifolius. L.C. (wh.) long-leaved.	-----	1823.		S. h.	
21	turbinatus. L.C. (wh.) top-shaped.	-----	-----		S. h.	
PHYTELEPHAS. R.P. PHYTE'LEPHAS. Diœcia Polyandria. P.S.						
macrocarpa. R.P. (wh.) large-fruited.	Peru.	1822.		S. h.		

ORDO CXCIX.

TYPHINÆ. *Kth. synopsis. 1. p. 132.*

TYPHA. L.	CAT'S-TAIL.	Monœcia Triandria. L.				
1 <i>latifolia</i> . E.B.	(br.) great.	Britain.		7.	H.w. 2.	Eng. bot. v. 21. t. 1455.
2 <i>disticha</i> . DC.	(br.) dwarf.	England.		—	H.w. 2.	— v. 21. t. 1457.
3 <i>minor</i> . E.B.						
4 <i>compressifolia</i> . E.B.	(br.) lesser.	Britain.		—	H.w. 2.	Eng. bot. v. 21. t. 1456.
5 <i>terrestris</i> . W.	(br.) least.	Europe.	1819.	—	H.w. 2.	
6 <i>orientalis</i> . E.	(br.) Egyptian.	Egypt.	1825.	—	H.w. 2.	
SARGANUM. L.	BUR-REED.	Monœcia Triandria. L.				
1 <i>prostratum</i> . E.B.	(wh.) branched.	Britain.		7. 8.	H.w. 2.	Eng. bot. v. 11. t. 744.
2 <i>simplex</i> . E.B.	(wh.) unbranched.	—		—	H.w. 2.	— v. 11. t. 745.
3 <i>americanum</i> . N.	(wh.) American.	N. America.	1823.	—	H.w. 2.	
4 <i>fluitans</i> . E.B.	(wh.) floating.	England.		7.	H.w. 2.	Eng. bot. v. 4. t. 273.

ORDO CC.

AROIDEÆ. *Juss. gen. 23.*

Sect. I. *ORONTIACEÆ.* Brown prodr. 1. p. 337.

POTHOS. L.	P'OTHOS.	Tetrandria Monogynia. L.				
1 <i>scandens</i> . R.S.	(gr.) climbing.	E. Indies.	1818.	4. 6.	S. 2.	Rheed. mal. 7. t. 40.
2 <i>terrestris</i> . F.I.	(st.) officinal.	—	1820.	4. 7.	S. 2.	
3 <i>perfoliata</i> . F.I.	(st.) Peeplee.	—	—	—	S. 2.	
4 <i>perfoliata</i> . F.I.	(pu. ye.) gigantic.	—	1824.		S. 2.	
5 <i>perfoliata</i> . F.I.	(gr.) perforated.	—	—		S. 2.	Rheed. mal. 12. t. 20. 21.
6 <i>cordata</i> . R.S.	(vi.) lance-leaved.	Barbadoes.	1790.	4. 7.	S. 2.	Plum. amer. 47. t. 62.
7 <i>cordata</i> . R.S.	(gr.) stemless.	W. Indies.	—	—	S. 2.	Lodd. bot. cab. t. 4. 3.
8 <i>cordata</i> . R.S.	(gr.) slender.	Trinidad.	1826.	—	S. 2.	Rudg. pl. gui. 1. t. 32.
9 <i>cordata</i> . R.S.	(g. wh.) blue-fruited.	Jamaica.	1793.	4. 6.	S. 2.	Hook. exot. flor. t. 55.
10 <i>cordata</i> . R.S.	(wh.) sweet-scented.	W. Indies.	1785.	4. 5.	S. 2.	Bot. mag. t. 603.
11 <i>cordata</i> . R.S.	(gr.) thick-nerved.	S. America.	1796.	4. 6.	S. 2.	Jacq. ic. 3. t. 609.
12 <i>cordata</i> . R.S.	(gr.) heart-leaved.	—	1770.	4.	S. 2.	Plum. ic. 26. t. 38.
13 <i>cordata</i> . B.M.	(g. br.) arrow-leaved.	W. Indies.	1800.	8.	S. 2.	Bot. mag. t. 1584.
14 <i>cordata</i> . R.S.	(gr.) large-leaved.	—	1794.	5. 6.	S. 2.	Jacq. ic. 3. t. 610.
15 <i>cordata</i> . R.S.	(g. br.) blunt-leaved.	Barbadoes.	1790.	—	S. 2.	
16 <i>cordata</i> . H.E.F.	(g. br.) leathery.	Brazil.	1824.	6.	S. 2.	Hook. ex. flor. t. 210.
17 <i>cordata</i> . H.E.F.	(g. br.) Harris's.	—	—	—	S. 2.	— t. 211.
18 <i>cordata</i> . F.I.	(gr.) tailed.	E. Indies.	1824.		S. 2.	
19 <i>cordata</i> . W.	(gr.) wing-leaved.	—	1820.		S. 2.	Rumph. am. 5. t. 183. f. 2.
20 <i>cordata</i> . F.I.	(gr.) pinnatifid-leaved.	—	1824.		S. 2.	
21 <i>cordata</i> . F.I.	(gr.) pinnatifid.	—	1825.		S. 2.	
22 <i>cordata</i> . F.I.	(pu.) various-leaved.	—	1822.		S. 2.	
23 <i>cordata</i> . F.I.	(re.) prickly.	—	1819.		S. 2.	
24 <i>cordata</i> . R.S.	(pu.) fingered.	Caracas.	1823.		S. 2.	Jacq. ic. 3. t. 611.
25 <i>cordata</i> . R.S.	(g. pu.) palmated.	S. America.	1803.	6. 7.	S. 2.	Plum. amer. t. 64. 65.
26 <i>cordata</i> . R.S.	(bl.) five-leaved.	Cayenne.	—	10. 11.	S. 2.	Bot. mag. t. 1375.
27 <i>cordata</i> . L.en.	(pu.) red-nerved.	S. America.	1820.		S. 2.	
28 <i>cordata</i> . B.M.	(br.) small-leaved.	Brazil.	—	8. 10.	S. 2.	Bot. mag. t. 2953.
IMPLOCA'RPUS. N.	SCUNKWEED.	Tetrandria Monogynia. N.				
1 <i>fatidus</i> . N.	(d. pu.) fetid.	N. America.	1735.	3. 5.	H. 2.	Swt. br. fl. gar. t. 57.
2 <i>fatidus</i> . B.M.	836. <i>Dracontium fatidum</i> . W.					
MACONTIUM. W.	DRAGON.	Heptandria Monogynia. L.				
1 <i>polyphyllum</i> . W.	(d. pu.) purple-stalked.	India.	1759.	3. 6.	S. 2.	Bot. reg. t. 700.
2 <i>polyphyllum</i> . W.	(d. pu.) prickly.	Ceylon.	—	4. 5.	S. 2.	
GYMNOSTACHYS. B.P.	GYMNOSTACHYS.	Tetrandria Monogynia.				
1 <i>cordata</i> . B.P.	(gr.) flat-stemmed.	N. S. W.	1820.	6. 8.	G. 2.	
HOOTU'YNIA. J.	HOOTU'YNIA.	Polyandria Polygynia. P.S.				
1 <i>cordata</i> . P.S.	(wh.) heart-leaved.	China.	1820.	6. 8.	G. 2.	Bot. mag. t. 2731.

CARLUDO'VICA. R.P. CARLUDO'VICA.		Monœcia Polyandria. P.S.					
1	palmâta. R.S. (br.) palmate.	S. America.	1818.		S. ½.		
	<i>Sálmia palmâta. R.S. Ludôvia palmâta. P.S.</i>						
2	latifôlia. R.P. (br.) broad-leaved.	Peru.	1819.	4. 6.	S. ½.	Bot. mag. t. 2950. 12.	
3	angustifôlia. R.P. (br.) narrow-leaved.	—	—	—	S. ½.		
4	palmæfôlia. R.S. (br.) Palm-leaved.	St. Domingo.	1826.		S. ¼.	Plum. ic. t. 39.	
	<i>Sálmia palmæfôlia. W.</i>						
5	jamaicénsis. L.C. (br.) Jamaica.	Jamaica.	1823.		S. ½.		
CYCLA'NTHUS. S.S. CYCLA'NTHUS.		Monœcia Monadelphia.					
1	Plumieri. s.s. (gr.) Plumier's.	W. Indies.	1820.		S. ¼.		
2	bipartitus. s.s. (gr.) cleft-leaved.	Trinidad.	—		S. ¼.		
A'CORUS. L. SWEET-FLAG.		Hexandria Monogynia. L.					
1	Cálamus. s.s. (gr.) common.	Britain.		6. 7.	H.w. ¼.	Eng. bot. v. 5. t. 33.	
2	terréstris. s.s. (gr.) Chinese.	China.	1822.	—	H.w. ¼.		
3	gramíneus. s.s. (gr.) grass-leaved.	—	1786.	2.	H.w. ¼.	Smith spic. 15. t. 17.	
ORO'NTIUM. L. ORO'NTIUM.		Hexandria Monogynia. L.					
	aquáticum. s.s. (st.) aquatic.	N. America.	1775.	6.	H.w. ¼.	Hook. ex. flor. t. 14.	
RO'HDEA. S.S. RO'HDEA.		Hexandria Monogynia. S.S.					
	japónica. s.s. (ye.) Japan.	Japan.	1783.	1. 4.	H. ¼.	Bot. mag. t. 898.	
	<i>Oróntium japónicum. B.M.</i>						
TUPI'STRA. B.M. TUPI'STRA.		Hexandria Monogynia. S.S.					
1	squálida. B.M. (br.) brown-flowered.	E. Indies.	1810.	4. 6.	S. ¼.	Bot. reg. t. 701.	
2	nūtans. B.R. (br.) nodding-flowered.	—	1818.	11. 12.	S. ¼.	— t. 1223.	
ASPIDI'STRA. B.R. ASPIDI'STRA.		Octandria Monogynia. S.S.					
	lùrida. B.R. (br.pu.) brown-flowered.	China.	1820.	2. 4.	S. ¼.	Bot. reg. t. 628.	
	<i>punctâta. B.R. 977.</i>						

Sect. II. *AROIDEÆ VERÆ.* Brown prodr. 335.

CA'LLA. K.S. CA'LLA.		Heptandria Monogynia. L.					
1	palústris. W. (wh.) marsh.	N. Europe.	1768.	7. 8.	H.w. ¼.	Bot. mag. t. 1831.	
2	pertûsa. K.S. (st.) perforated.	W. Indies.	1752.	4. 6.	S. ¼.	Jacq. schœn. 2. t. 184.	
	<i>Dracóntium pertûsum. Jacq.</i>						
3	aromática. B.M. (wh.) aromatic.	E. Indies.	1817.	—	S. ¼.	Bot. mag. t. 2279.	
4	occúlta. B.C. (wh.) hidden-spiked.	China.	—	5. 7.	G. ¼.	Lodd. bot. cab. t. 1.	
RICHA'RDIA. Kth. RICHA'RDIA.		Heptandria Monogynia.					
	æthiòpica. Kth. (wh.) Ethiopian.	C. B. S.	1731.	1. 5.	G. ¼.	Bot. mag. t. 832.	
	<i>Cállæ æthiòpica. B.M.</i>						
'ARUM. W. 'ARUM.		Monœcia Polyandria. L.					
1	crinitum. W. (d.pu.) hairy-sheathed.	Minorca.	1777.	3. 4.	F. ¼.	Bot. reg. t. 831.	
2	Dracúnculus. W. (pu.) common Dragon.	S. Europe.	1548.	6. 7.	H. ¼.	Moris. s. 13. t. 5. 1.	
3	Dracóntium. W. (gr.) green Dragon.	N. America.	1759.	6.	H. ¼.	Bot. reg. t. 608.	
4	bulbíferum. B.M. (st.br.) bulb-bearing.	E. Indies.	1813.	3. 6.	S. ¼.	Bot. mag. t. 2708.	
5	venòsum. W. (ye.pu.) purple-flowered.	—	1774.	3.	S. ¼.	Bot. reg. t. 1017.	
6	campanulâtum. H.B. (pu.) bell-flowered.	E. Indies.	1816.	4. 6.	S. ¼.		
7	triphyllum. W. (std.) three-leaved.	N. America.	1664.	5. 6.	H. ¼.	Lodd. bot. cab. t. 1.	
	<i>β Zebrinum. B.M. (std.) striped.</i>	—	—	—	H. ¼.	Bot. mag. t. 959.	
8	pedâtum. W.en. (bl.ye.) pedate-leaved.	S. America.	1815.	—	S. ¼.	Pl. sel. hort. bot. t. 1.	
9	polyphyllum. L.en. (pu.) many-leaved.	—	1818.	—	S. ¼.		
10	ringens. W. (pu.) gaping.	Japan.	1822.	—	G. ¼.		
11	atròrùbens. W. (d.re.) purple-stalked.	N. America.	1758.	6. 7.	H. ¼.	Pluk. alm. t. 77. 1.	
12	ternâtum. W. (pu.) Japan.	Japan.	1774.	5. 7.	F. ¼.		
13	Colocàsia. W. (br.) Egyptian.	Levant.	1551.	6. 8.	G. ¼.	Rumph. amb. 5. t. 1.	
14	orixénse. B.P. (re.) Orixian.	E. Indies.	1802.	8. 10.	S. ¼.	Bot. reg. t. 450.	
15	macrorhizon. W. (wh.) long-rooted.	—	1803.		S. ¼.	Herm. parad. t. 73.	
16	píctum. W. (d.pu.) white-veined.	S. Europe.	1820.	5. 6.	H. ¼.		
17	divaricâtum. W. (gr.) divaricated.	E. Indies.	1759.	6. 7.	S. ¼.	Rheed. mal. 11. t. 1.	
18	trilobâtum. W. (pu.) three-lobed.	Ceylon.	1714.	5. 6.	S. ¼.	Bot. mag. t. 338.	
	<i>β auriculâtum. B.M. (pu.) eared.</i>	—	—	—	S. ¼.	— t. 2624.	
19	maculâtum. W. (gr.) common.	Britain.		5. 7.	H. ¼.	Eng. bot. v. 19. t. 1.	
20	orientâle. M.B. (br.) oriental.	Caucasus.	1818.	—	H. ¼.		
21	itálicum. W. (gr.) Italian.	Italy.	1683.	5. 6.	H. ¼.	Bot. mag. t. 2432.	
22	viviparum. L.C. (gr.) viviparous.	—	1817.	—	S. ¼.	Lodd. bot. cab. t. 1.	
23	minútum. W. (re.) small.	E. Indies.	1812.	5. 7.	S. ¼.	Rheed. mal. 11. t. 1.	
24	proboscídeum. W. (w.pu.) proboscis.	Apennines.	1825.	—	H. ¼.	Bocc. mas. 2. t. 1.	
25	Arisàrum. W. (gr.) Friar's Cowl.	S. Europe.	1596.	4. 6.	F. ¼.	Jacq. schœn. 2. t. 1.	
26	tenuifolium. W. (d.pu.) grass-leaved.	—	1570.	—	H. ¼.	Bot. reg. t. 512.	

1 spirale. w. (pu.) spiral.	E. Indies.	1816.	4. 6.	S. 4.	Bot. mag. t. 2220.
2 gramineum. s.s. (pu.) grass-leaved.	S. Europe.	1824.	—	H. 4.	
3 flagelliforme. B.C. (pu.) whip-cord.	E. Indies.	—	—	S. 4.	Lodd. bot. cab. t. 396.
4 sagittifolium. L.en. . . arrow-leaved.		—		S. 4.	
5 hederaceum. w. (pu.) Ivy-leaved.	W. Indies.	1793.	5. 6.	S. ½.	Jacq. amer. t. 152.
6 obtusilobum. L.en. (pu.) blunt-lobed.		1816.	—	S. ½.	
7 indicum. Lour. (pu.) Indian.	China.	—		S. ½.	
8 racemosum. L.en. (pu.) branching.		—		S. ½.	
9 lingulatum. w. (ye.) tongue-leaved.	W. Indies.	1793.	—	S. ½.	Plum. ic. 26. t. 37.
10 integrifolium. L.en. (gr.) entire-leaved.		1820.		S. ½.	
CALADIUM. V. CALADIUM. Monœcia Polyandria. W.					
1 helleborifolium. w. (wh.) Hellebore-leaved.	Caracas.	1796.	6. 7.	S. 4.	Jacq. ic. 3. t. 613.
2 pinnatifidum. w. (pu.) pinnatifid.	—	1817.	—	S. 4.	Jacq. schoen. 2. t. 187.
3 bicolor. w. (wh.) two-coloured.	Brazil.	1773.	—	S. 4.	Bot. mag. t. 2542.
4 nymphæifolium. w. (sn.) Water-lily-leaved.	E. Indies.	1800.		S. 4.	Rheed. mal. 11. t. 22.
5 esculentum. w. (g.pu.) esculent.	America.	1739.	6. 8.	S. 4.	Sloan. jam. 1. t. 106. f. 1.
6 odoratum. B.R. (gr.) odoriferous.	E. Indies.	1818.	5. 7.	S. 4.	Bot. reg. t. 641.
7 viviparum. H.P. (wh.) viviparous.	—	1816.	—	S. 4.	Lodd. bot. cab. t. 281.
8 sagittifolium. w. (wh.) arrow-leaved.	W. Indies.	1710.	—	S. 4.	Jacq. vind. 2. t. 157.
9 virginicum. H.E.F. (st.) Virginian.	N. America.	1759.	6. 7.	H. 4.	Hook. ex. flor. t. 182.
Arum virginicum. w.					
10 squinum. w. (gr.) Dumb Cane.	America.	—	5.	S. ½.	Hook. ex. flor. t. 1.
11 maculatum. B.C. (gr.) spotted.	Trinidad.	1820.	4. 12.	S. ½.	Lodd. bot. cab. t. 608.
squinum β maculatum. Bot. mag. t. 2606.					
12 scandens. s.s. (wh.) climbing.	Guinea.	1822.		S. ½.	Beauv. fl. owar. t. 3.
13 cucullatum. P.S. (gr.) hooded.	China.	1816.		S. ½.	
14 xanthorrhizum. w. (st.) yellow-rooted.		—	4. 8.	S. ½.	Jacq. schoen. 2. t. 188.
15 grandifolium. w. (wh.) large-leaved.	Caracas.	1803.	3. 7.	S. ½.	Bot. mag. t. 2643.
16 arborescens. w. (wh.) tree.	W. Indies.	1759.	6. 7.	S. ½.	Plum. amer. 44. t. 60.
17 lacinum. w. (gr.) torn-leaved.	Caracas.	1822.		S. ½.	
18 tripartitum. w. (wh.) ternate-leaved.	—	1816.		S. ½.	Jacq. schoen. 2. t. 190.
19 auritum. (wh.) ear-leaved.	S. America.	1739.	6. 8.	S. ½.	— 2. t. 191.
20 pedatum. H.E.F. (ye.) pedate-leaved.	Brazil.	1824.	—	S. ½.	Hook. ex. flor. t. 206.
21 aculeatum. s.s. (wh.) prickly.	Surinam.	1822.		S. ½.	—
AMBROSINIA. W. AMBROSINIA. Monœcia Monandria. W.					
1 Bessii. w. (gr.pu.) flat oval-leaved.	S. Europe.	1823.	6. 8.	H. 4.	Lam. ill. t. 737.
2 ciliaris. s.s. (gr.pu.) fringed-spathed.	E. Indies.	1824.		S. 4.	

Sect. III. TACCACEÆ.

TACCA. W. TA'CCA. Hexandria Monogynia. L.					
1 pinnatifida. w. (pu.) Salep.	E. Indies.	1793.	6. 8.	S. 4.	Lodd. bot. cab. t. 692.
2 aspera. H.B. (pu.) rough-stemmed.	—	1820.		S. 4.	
3 lavis. H.B. (pu.) smooth.	—	—		S. 4.	
4 integrifolia. B.M. (pu.) entire-leaved.	—	1810.	5. 7.	S. 4.	Bot. mag. t. 1488.

ORDO CCI.

PIPERACEÆ. Kth. synops. 1. p. 103.

CAURURUS. W. LIZARD'S-TAIL. Heptandria Tetragynia. L.					
1 cornutus. w. (wh.) drooping.	Virginia.	1759.	9.	H.w. 4.	Lam. ill. t. 1.
2 lucidus. s.s. (wh.) shining.	N. America.	1791.	8. 10.	H.w. 4.	Jacq. ecl. t. 18.
3 chinensis. Hort. (wh.) Chinese.	China.	1819.	—	H.w. 4.	
PIPER. R.P. PEPPER. Diandria Trigynia. L.					
1 coriaceum. R.S. (gr.) coriaceous.	E. Indies.	1815.	7. 8.	S. ½.	Lodd. bot. cab. t. 128.
2 nitidum. R.S. (wh.) glossy.	Jamaica.	1793.	5. 6.	S. ½.	
3 peltatum. R.S. (gr.) peltated.	W. Indies.	1748.		S. 4.	Plum. amer. t. 74.
4 umbellatum. R.S. (gr.) umbelled.	—	—	5. 7.	S. ½.	Flor. peruv. 1. t. 59. f. a.
5 atrophyllum. R.S. (gr.) broad-leaved.	—	1800.		S. ½.	Sloan. hist. 1. t. 88. f. 1.
6 articulatum. R.S. (gr.) jointed.	—	1826.		S. ½.	
7 filicinum. R.S. (gr.) hooked.	Jamaica.	1748.	5.	S. ½.	Jacq. ic. 2. t. 210.

8	<i>hirsutum</i> . R.S.	(<i>br.</i>) hairy-leaved.	Jamaica.	1793.	7.	S. $\frac{1}{2}$.	
9	<i>hispidum</i> . R.S.	(<i>gr.</i>) hispid.	S. America.	—	—	S. $\frac{1}{2}$.	
10	<i>tuberculatum</i> . R.S.	(<i>gr.</i>) tuberculate.	—	1816.		S. $\frac{1}{2}$.	Jacq. ic. 2. t. 211.
11	<i>ovatum</i> . R.S.	(<i>gr.</i>) oval-leaved.	Trinidad.	1824.		S. $\frac{1}{2}$.	
12	<i>Amalago</i> . R.S.	(<i>gr.</i>) rough-leaved.	Jamaica.	1759.		S. $\frac{1}{2}$.	Sloan. hist. 1. t. 87.
13	<i>Betle</i> . R.S.	(<i>gr.</i>) Betle.	E. Indies.	1804.		S. $\frac{1}{2}$.	Rheed. mal. 7. t. 13.
14	<i>nigrum</i> . R.S.	(<i>gr.</i>) black.	—	1790.		S. $\frac{1}{2}$.	— 7. t. 14.
15	<i>trioicum</i> . F.I.	(<i>gr.</i>) glaucous-leaved.	—	1818.		S. $\frac{1}{2}$.	
16	<i>reticulatum</i> . R.S.	(<i>gr.</i>) netted.	W. Indies.	1748.	8.	S. $\frac{1}{2}$.	Plum. amer. t. 72.
17	<i>decumanum</i> . R.S.	(<i>gr.</i>) great.	Carthagena.	1768.		S. $\frac{1}{2}$.	Jacq. ic. 2. t. 215.
18	<i>Siriboa</i> . R.S.	(<i>gr.</i>) Siriboa.	E. Indies.	—		S. $\frac{1}{2}$.	Rumph. am. 5. t. 117.
19	<i>longum</i> . R.S.	(<i>gr.</i>) long.	—	1788.		S. $\frac{1}{2}$.	Rheed. mal. 7. t. 14.
20	<i>glabrum</i> . H.S.S.	(<i>gr.</i>) smooth.	Campeachy.	1768.		S. $\frac{1}{2}$.	
21	<i>laurifolium</i> . H.S.S.	(<i>gr.</i>) Laurel-leaved.	Jamaica.	—		S. $\frac{1}{2}$.	
22	<i>racemosum</i> . H.S.S.	(<i>gr.</i>) racemed.	Campeachy.	—		S. $\frac{1}{2}$.	
	<i>Staphyle</i> . R.S.						
23	<i>acutifolium</i> . R.S.	(<i>gr.</i>) acute-leaved.	Peru.	1823.		S. $\frac{1}{2}$.	Flor. per. 1. t. 61.
24	<i>colubrinum</i> . L.en.	(<i>gr.</i>) spotted-stalked.	Brazil.	1820.		S. $\frac{1}{2}$.	
25	<i>plantagineum</i> . R.S.	(<i>gr.</i>) Plantain-leaved.	W. Indies.	—		S. $\frac{1}{2}$.	Jacq. ic. 1. t. 8.
	<i>medium</i> . Jacq.						
26	<i>marginatum</i> . L.en.	(<i>gr.</i>) purple-edged.	S. America.	1811.		S. $\frac{1}{2}$.	Jacq. ic. 2. t. 215.
27	<i>unguiculatum</i> . R.S.	(<i>gr.</i>) claw-pointed.	Peru.	1822.		S. $\frac{1}{2}$.	Flor. per. 1. t. 55.
	<i>glaucescens</i> . Jacq. ecl. 1. t. 76.						
28	<i>humile</i> . Mill.	(<i>gr.</i>) humble.	Jamaica.	1768.		S. $\frac{1}{2}$.	
29	<i>tomentosum</i> . H.S.S.	(<i>gr.</i>) oval-leaved downy.	Vera Cruz.	—		S. $\frac{1}{2}$.	
30	<i>sidæfolium</i> . L.en.	(<i>gr.</i>) Sida-leaved.	S. America.	1821.	5. 7.	S. $\frac{1}{2}$.	Lk. et Ot. ic. sel. 1.
PEPEROMIA. R.P. PEPEROMIA. Diandria Trigynia.							
1	<i>brachyphylla</i> . (<i>gr.</i>) short-leaved.		1818.		S. $\frac{1}{2}$.		
	<i>Piper brachyphyllum</i> . R.S.						
2	<i>amplexicaulis</i> . R.S.	(<i>gr.</i>) stem-clasping.	W. Indies.	1793.	6. 9.	S. $\frac{1}{4}$.	
3	<i>magnoliæfolia</i> . R.S.	(<i>gr.</i>) Magnolia-leaved.	—	—	1. 3.	S. $\frac{1}{4}$.	Jacq. ic. 2. t. 215.
4	<i>obtusifolia</i> . R.S.	(<i>gr.</i>) blunt-leaved.	S. America.	1739.	4. 7.	S. $\frac{1}{4}$.	Trew ehret. 54. t. 1.
5	<i>clusiæfolia</i> . B.M.	(<i>gr.</i>) Clusia-leaved.	—	1739.	4. 7.	S. $\frac{1}{2}$.	Bot. mag. t. 2943.
6	<i>cuneifolia</i> . R.S.	(<i>gr.</i>) wedge-leaved.	Caracas.	1809.	—	S. $\frac{1}{4}$.	Jacq. ic. 2. t. 214.
7	<i>alata</i> . R.P.	(<i>gr.</i>) winged.	S. America.	1812.		S. $\frac{1}{2}$.	Flor. per. 1. t. 48.
8	<i>acuminata</i> . R.S.	(<i>gr.</i>) acuminate.	W. Indies.	—	4. 9.	S. $\frac{1}{4}$.	Bot. mag. t. 1882.
9	<i>maculosa</i> . R.S.	(<i>gr.</i>) spot-stalked.	St. Domingo.	1790.	9.	S. $\frac{1}{2}$.	Hook. ex. fl. t. 1.
10	<i>pellucida</i> . K.S.	(<i>gr.</i>) pellucid.	S. America.	1748.	4. 9.	S. $\odot$.	Plum. amer. t. 72.
11	<i>concinna</i> . K.R.	(<i>gr.</i>) small heart-leaved.	Jamaica.	1821.	—	S. $\frac{1}{2}$.	
12	<i>rotundifolia</i> . K.S.	(<i>gr.</i>) round-leaved.	S. America.	1823.		S. $\frac{1}{4}$.	Plum. amer. t. 61.
13	<i>hispidula</i> . R.S.	(<i>gr.</i>) annual hispid.	Jamaica.	1818.	8. 10.	S. $\odot$.	Swartz icon. t. 4.
14	<i>nummularifolia</i> . K.S.	(<i>gr.</i>) money-wort-leaved.	—	—	4. 9.	S. $\frac{1}{4}$.	
15	<i>pubescens</i> . R.S.	(<i>gr.</i>) pubescent.		—	—	S. $\frac{1}{4}$.	
16	<i>subrotunda</i> . H.S.S.	(<i>gr.</i>) small Clusia-leav'd.		1811.	—	S. $\frac{1}{4}$.	
17	<i>repens</i> . K.S.	(<i>gr.</i>) creeping.	S. America.	1823.	—	S. $\frac{1}{4}$.	
18	<i>serpens</i> . R.S.	(<i>gr.</i>) trailing.	Jamaica.	—	—	S. $\frac{1}{4}$.	
19	<i>incana</i> . H.E.F.	(<i>gr.</i>) great downy.	Brazil.	1814.	2. 6.	S. $\frac{1}{2}$.	Hook. ex. fl. t. 1.
20	<i>amplexifolia</i> . L.en.	(<i>gr.</i>) clasping-leaved.	Jamaica.	1822.	—	S. $\frac{1}{2}$.	
21	<i>talinifolia</i> . K.S.	(<i>gr.</i>) Talinum-leaved.	S. America.	—	4. 8.	S. $\frac{1}{2}$.	H. et B. n. gen. 11.
22	<i>pulchella</i> . R.S.	(<i>gr.</i>) small-leaved.	Jamaica.	1778.	7. 10.	S. $\frac{1}{4}$.	Lodd. bot. cab. t. 1.
23	<i>pereskiaefolia</i> . K.S.	(<i>gr.</i>) Pereskia-leaved.	S. America.	1820.	5. 6.	S. $\frac{1}{4}$.	Hook. ex. fl. t. 1.
24	<i>blanda</i> . K.S.	(<i>gr.</i>) villous.	Caracas.	1802.	5. 11.	S. $\frac{1}{4}$.	— t. 2.
25	<i>verticillata</i> . R.S.	(<i>gr.</i>) whorl-leaved.	Jamaica.	1816.	6. 10.	S. $\odot$.	
26	<i>polystachia</i> . H.E.F.	(<i>gr.</i>) many-spiked.	W. Indies.	1775.	6. 7.	S. $\frac{1}{4}$.	Hook. ex. fl. t. 1.
27	<i>quadrifolia</i> . H.E.F.	(<i>gr.</i>) four-leaved.	Santa Cruz.	1818.	5. 10.	S. $\frac{1}{4}$.	— t. 2.
28	<i>Haworthii</i> . (<i>gr.</i>) Haworth's.	India.	1809.	9. 10.	S. $\frac{1}{4}$.		
	<i>Piper pubescens</i> . H.S. non Vahl.						
29	<i>inaequalifolia</i> . R.P.	(<i>gr.</i>) unequal-leaved.	Peru.	1800.	8. 10.	S. $\frac{1}{4}$.	Flor. peruv. 1. t. 1.
30	<i>stellata</i> . R.S.	(<i>gr.</i>) starry.	Jamaica.	1802.	5. 7.	S. $\frac{1}{4}$.	Jacq. vind. 2. t. 1.
31	<i>rubicaule</i> . L.en.	(<i>gr.</i>) red-stalked.	W. Indies.	1815.	—	S. $\frac{1}{4}$.	Nees. hort. bot. t. 1.
32	<i>rubella</i> . H.E.F.	(<i>gr.</i>) red-leaved.	Jamaica.	1820.	—	S. $\frac{1}{4}$.	Hook. ex. fl. t. 1.
33	<i>trifolia</i> . R.S.	(<i>gr.</i>) three-leaved.	S. America.	1802.	6. 8.	S. $\frac{1}{4}$.	Plum. amer. t. 61.
34	<i>distachya</i> . R.S.	(<i>gr.</i>) two-rowed.	W. Indies.	1793.	—	S. $\frac{1}{4}$.	— t. 67.
35	<i>discolor</i> . R.S.	(<i>gr.</i>) two-coloured.	Jamaica.	1821.	7. 8.	S. $\frac{1}{2}$.	Lodd. bot. cab. t. 1.
36	<i>capensis</i> . R.S.	(<i>gr.</i>) Cape.	C. B. S.	1816.	—	G. $\frac{1}{2}$.	
37	<i>tricarinata</i> . H.S.S.	(<i>gr.</i>) triple-keeled.		1817.	—	S. $\frac{1}{2}$.	

ORDO CCII.

ORCHIDEÆ. *Juss. gen. 64.*

ORCHIS. B.P.	O'RGHIS.	Gynandria Monandria. H.K.				
1. <i>Morio. w.</i>	(pu.) meadow.	Britain.		4. 6. H.b. 4.	Eng. bot. v. 29. t. 2059.	
2. <i>longicornu. w.</i>	(pu.) flat-spurred.	Barbary.	1815.	— H.b. 2.	Swt. br. fl. gar. t. 219.	
3. <i>pallens. w.</i>	(st.) pale.	Switzerland.	1825.	5. 6. H.b. 4.	Jacq. aust. t. 45.	
4. <i>puscula. w.</i>	(pu.) early purple.	Britain.		4. 5. H.b. 4.	Eng. bot. v. 9. t. 631.	
5. <i>palustris. w.</i>	(li.) marsh.	Europe.	1824.	— H.b. 4.	Jacq. ic. t. 181.	
6. <i>parviflora. T.N.</i>	(ye.) few-flowered.	Italy.	1825.	6. 7. H.b. 4.	Ten. fl. nap. t. 88.	
7. <i>Nicodemi. T.N.</i>	(pu.) Nicodemus's.	—	—	— H.b. 4.	— t. 90.	
8. <i>Cyrilli. T.N.</i>	(ye.) Cyrillo's.	Naples.	—	— H.b. 4.	— t. 87.	
9. <i>parviflora. T.N.</i>	(pu.) small-flowered.	Italy.	—	— H.b. 4.	—	
10. <i>ustulata. w.</i>	(pu.) dwarf.	England		5. 6. H.b. 4.	Eng. bot. v. 1. t. 18.	
11. <i>militaris. w.</i>	(pu.) military.	Switzerland.	1825.	4. 6. H.b. 4.	Swt. br. fl. gar. t. 163.	
12. <i>Rivini. B.F.G. (li.pu.)</i>	Rivinus's.	—	—	5. 6. H.b. 4.	— t. 162.	
13. <i>Smithii. B.F.G. (ro.pa.)</i>	Smith's.	England.		— H.b. 4.	Eng. bot. v. 27. t. 1873.	
14. <i>viridis. E.B. non w.</i>						
15. <i>lutea. w.</i>	(br.re.) brown.	—		— H.b. 4.	Jacq. aust. 4. t. 307.	
16. <i>maia. P.S. (pa.bh.)</i>	Ape.	—		— H.b. 4.	—	
17. <i>undulatifolia. B.B. (li.)</i>	wave-leaved.	Italy.	1818.	— H.b. 4.	Bot. reg. t. 375.	
18. <i>phœanthos. w. (pa.)</i>	ash-coloured.	England.		— H.b. 4.	Vaill. bot. t. 31. f. 25-26.	
19. <i>aminata. w. (li.wh.)</i>	pointed-flower'd.	S. Europe.	1815.	4. 6. H.b. 4.	Bot. mag. t. 1932.	
20. <i>variegata. w. (li.wh.)</i>	variegated.	Switzerland.	1825.	— H.b. 4.	Hall. helv. t. 30.	
21. <i>bulosa. w. (pu.)</i>	round-spiked.	—	1792.	6. 7. H.b. 4.	Jacq. aust. 3. t. 265.	
22. <i>ariphora. w. (pu.)</i>	strong-scented.	S. Europe.	1825.	5. 6. H.b. 4.	Swt. br. fl. gar. t. 219.	
23. <i>lirina. w. (gr.pu.)</i>	Lizard.	England.		6. 7. H.b. 4.	Eng. bot. v. 1. t. 34.	
24. <i>Antyrium hircinum. E.B.</i>						
25. <i>Robertiana. P.S. (pu.)</i>	long-bracted.	S. Europe.	1818.	5. 6. H.b. 4.	Ten. fl. nap. t. 91.	
26. <i>longibracteata. s.s. (pu.)</i>	long-bracted.	—	—	— H.b. 4.	Bot. reg. t. 357.	
27. <i>quadripunctata. T.N. (pu.)</i>	four-spotted.	Italy.	1828.	— H.b. 4.	Ten. flor. nap. t. 89.	
28. <i>saccata. T.N. (pu.)</i>	saccate.	Sicily.	—	— H.b. 4.	—	
29. <i>papilionacea. w. (pu.)</i>	papilionaceous.	S. Europe.	1788.	6. 7. H.b. 4.	Bot. reg. t. 1155.	
30. <i>pseudambucina. T.N. (pu.)</i>	Elder-smelling.	Italy.	1828.	— H.b. 4.	Ten. flor. nap. t. 86.	
31. <i>latescens. T.N. (ye.)</i>	pale yellow.	—	—	— H.b. 4.	— t. 86. f. b.	
32. <i>alphurea. B.M. (st.)</i>	pale-yellow.	S. Europe.	1823.	5. 6. H.b. 4.	Bot. mag. t. 2569.	
33. <i>ambucina. w. (ye.)</i>	Elder-scented.	Europe.	1825.	4. 5. H.b. 4.	Swt. br. fl. gar. t. 299.	
34. <i>Schleicheri. B.F.G. (re.)</i>	Schleicher's.	Switzerland.	—	— H.b. 4.	— t. 199.	
35. <i>ambucina β rubra. Sch. non Jacq.</i>						
36. <i>latifolia. w. (pu.)</i>	broad-leaved.	Britain.		5. 6. H.b. 4.	Eng. bot. v. 33. t. 2308.	
37. <i>maculata. w. (li.pu.)</i>	spotted-palmate.	—		6. 7. H.b. 4.	— v. 9. t. 632.	
38. <i>pectabilis. w. (wh.pu.)</i>	showy American.	N. America.	1801.	— H.b. 4.	Swt. br. fl. gar. t. 65.	
39. <i>ANACAMPTIS. R.O. ANACAMPTIS.</i>	Gynandria Monandria.					
40. <i>pyramidalis. R.O. (cr.)</i>	pyramidal.	Britain.		6. 7. H.b. 4.	Eng. bot. v. 2. t. 110.	
41. <i>Orchis pyramidalis. E.B.</i>						
42. <i>GYMNADENIA. H.K. GYMNAD'ENIA.</i>	Gynandria Monandria. H.K.					
43. <i>conopsea. H.K. (ro.)</i>	fragrant.	Britain.		6. 7. H.b. 4.	Eng. bot. v. 1. t. 10.	
44. <i>Orchis conopsea. E.B.</i>						
45. <i>ratissima. R.O. (li.)</i>	sweet-scented.	Switzerland.	1824.	— H.b. 4.	Jacq. aust. 3. t. 264.	
46. <i>lilis. R.O. (gr.)</i>	Frog.	Britain.		— H.b. 4.	Eng. bot. v. 2. t. 94.	
47. <i>Antyrium viride. E.B. O'rchis viridis. H.K.</i>						
48. <i>alba. R.O. (wh.)</i>	small white.	—		— H.b. 4.	Eng. bot. v. 8. t. 505.	
49. <i>ARAS. H.K. A' CERAS.</i>	Gynandria Monandria. H.K.					
50. <i>anthophora. H.K. (gr.)</i>	green-man.	England.		6. H.b. 4.	Swt. br. fl. gar. t. 168.	
51. <i>MINIUM. H.K. HERMI'NIUM.</i>	Gynandria Monandria. H.K.					
52. <i>Orchis. H.K. (st.)</i>	musk.	England.		6. 7. H.b. 4.	Eng. bot. v. 1. t. 71.	
53. <i>Orchis Monorchis. E.B.</i>						
54. <i>CHAMO'RCHIS. R.O. CHAMO'RCHIS.</i>	Gynandria Monandria.					
55. <i>alba. R.O. (wh.)</i>	Alpine.	Switzerland.	1825.	6. 7. H.b. 4.	Jacq. vind. 1. t. 9.	
56. <i>alpes alpina. s.s. Ophrys alpina. Jacq.</i>						
57. <i>MITELLA. R.O. NIGRITE'LLA.</i>	Gynandria Monandria.					
58. <i>nitida. R.O. (d.pu.)</i>	dark-flowered.	N. Europe.	1759.	6. 7. H.b. 4.	Flor. dan. t. 998.	
59. <i>Antyrium nigrum. L. O'rchis nigra. Sw. Habenaria nigra. H.K.</i>						
60. <i>PLANTHERA. R.O. PLANTH'ERA.</i>	Gynandria Monandria.					
61. <i>alba. R.O. (wh.)</i>	Butterfly.	Britain.		5. 6. H.b. 4.	Eng. bot. v. 1. t. 22.	
62. <i>Orchis bifolia. E.B. Habenaria bifolia. H.K.</i>						

HABEN'ARIA. H.K.		HABEN'ARIA. Gynandria Monandria. H.K.			
1	leptocêras. B.M. (gr.ye.) slender-spurred.	S. America.	1825.	10.	S.b. 4. Bot. mag. t. 272.
2	macrocêras. w. (g.wh.) long-horned.	Jamaica.	1828.	9. 10.	S.b. 4. ——— t. 244.
3	bracteata. H.K. (gr.) long-bracted.	N. America.	1805.	5. 6.	H.b. 4. Swt. br. fl. gar. t. 1.
4	hyerborea. H.K. (gr.) northern.	N. Europe.	——	6. 7.	H.b. 4. Retz. obs. 4. t. 3.
5	herbiola. H.K. (gr.) American.	N. America.	1789.	——	H.b. 4.
6	dilatata. H.E.F. (wh.) dilated.	——	1822.	7. 8.	H.b. 4. Hook. ex. flor. t. 1.
7	orbiculata. H.E.F. (st.) round-leaved.	——	1823.	——	H.b. 4. ——— t. 1.
8	tridentata. H.E.F. (wh.) three-toothed.	——	1819.	5. 6.	H.b. 4. ——— t. 81.
9	ciliaris. H.K. (ye.) yellow-fringed.	——	1796.	6. 7.	H.b. 4. Bot. mag. t. 102.
10	blephariglottis. s.s. (w.) white fringed.	——	1822.	——	H.b. 4. Hook. ex. flor. t. 1.
11	cristata. H.K. (ye.) yellow crested.	——	1806.	9.	H.b. 4.
12	psycodes. s.s. (ye.) yellow jagged.	——	1823.	6. 8.	H.b. 4.
<i>O'rchis psycodes. w.</i>					
13	lâcera. B.C. (st.) torn-flowered.	——	1818.	7.	H.b. 4. Lodd. bot. cab. t. 1.
14	fimbriata. H.K. (pu.) purple-fringed.	——	1777.	——	H.b. 4. Bot. reg. t. 405.
BARTHOL'INA. H.K.		BARTHOL'INA. Gynandria Monandria. H.K.			
	pectinata. H.K. (wh.) pectinated.	C. B. S.	1787.	10.	G.b. 4. Jour. Sc. v. 4. t. 1.
<i>O'rchis Burmanniana. Sw. pectinata. w.</i>					
BON'ATEA. W.		BON'ATEA. Gynandria Monandria.			
	speciosa. w. (gr.wh.) handsome.	C. B. S.	1820.	7. 9.	G.b. 4. Lodd. bot. cab. t. 1.
SER'APIAS. H.K.		SER'APIAS. Gynandria Monandria. H.K.			
1	Lingua. w. (re.) tongue-lipped.	S. Europe.	1786.	5. 6.	F.b. 4. Hook. ex. flor. t. 1.
2	longipetala. (st.) long-flowered.	Italy.	1825.	——	H.b. 4. Bot. reg. t. 118.
<i>Helleborine longipetala. Ten. fl. nap. t. 98.</i>					
3	cordigera. w. (pu.) heart-lipped.	S. Europe.	1806.	7. 8.	F.b. 4. Andr. reposit. t. 1.
'OPHRYS. H.K.		'OPHRYS. Gynandria Monandria. H.K.			
1	apifera. w. (bk.) Bee.	England.		6. 7.	H.b. 4. Eng. bot. v. 6. t. 1.
2	tenthredinifera. w. (re.y.) Saw-fly.	S. Europe.	1815.	4. 5.	H.b. 4. Bot. reg. t. 205.
	<i>β minor. B.R. (br.ye.) lesser.</i>	——	1826.	——	H.b. 4. ——— t. 100.
3	grandiflora. T.N. (re.y.br.) large-flowered.	Italy.	1828.	——	H.b. 4. Ten. flor. nap. t. 1.
4	hiulca. s.s. (br.ye.) Roman.	Rome.	1826.	——	H.b. 4.
5	arachnites. w. (bh.br.) black Spider.	Switzerland.	1805.	——	H.b. 4. Bot. mag. t. 274.
6	aranifera. w. (d.br.) common Spider.	England.		——	H.b. 4. Eng. bot. v. 1. t. 1.
	<i>limbata. B.R. (da.) dark-limbed.</i>	S. Europe.	1826.	——	H.b. 4. Bot. reg. t. 115.
7	arachnoïdes. A.R. (br.bh.) Spider-like.	Italy.	1805.	——	H.b. 4. Andr. reposit. t. 1.
8	ciliata. T.N. (br.wh.) fringe-flowered.	——	1826.	——	H.b. 4. Ten. flor. nap. t. 1.
9	Spéculum. B.R. (br.bl.) looking-glass.	S. Europe.	1818.	——	H.b. 4. Bot. reg. t. 373.
10	lutea. H.E.F. (ye.) yellow.	——	1821.	——	H.b. 4. Swt. br. fl. gar. t. 1.
11	exaltata. T.N. (bh.br.) tall.	Italy.	1826.	——	H.b. 4. Ten. flor. nap. t. 1.
12	muscifera. E.B. (pu.bl.) Fly.	England.		5. 6.	H.b. 4. Eng. bot. v. 1. t. 1.
<i>myodes. w.</i>					
13	fusca. B.R. (br.ye.) dull purple.	S. Europe.	1826.	3. 4.	H.b. 4. Bot. reg. t. 1071.
14	atrata. B.R. (gr.pu.) dark-flowered.	Rome.	——	——	H.b. 4. ——— t. 105.
SATY'RIUM. H.K.		SATY'RIUM. Gynandria Monandria. H.K.			
1	cucullatum. H.K. (g.ye.) cucullate.	C. B. S.	1787.	6. 9.	F.b. 4. Bot. reg. t. 415.
2	parviflorum. Sw. (g.bh.) small-flowered.	——	1787.	5. 6.	F.b. 4. Jacq. schamb. 21.
3	membranaceum. w. (g.y.) membranaceous.	——	1822.	——	F.b. 4.
4	coriifolium. w. (ye.or.) leather-leaved.	——	1819.	5. 6.	F.b. 4. Swt. br. fl. gar. t. 1.
5	foliosum. s.s. (pu.) leafy.	——	1828.	7. 8.	F.b. 4.
6	carneum. H.K. (bh.) great-flowered.	——	——	7. 9.	F.b. 4. Bot. mag. t. 100.
PTERYG'ODIUM. W.		PTERYG'ODIUM. Gynandria Monandria. H.K.			
1	alatum. s.s. (ye.) winged.	C. B. S.	1821.	6. 8.	F.b. 4.
2	catholicum. s.s. (ye.) large-flowered.	——	1826.	——	F.b. 4.
3	volucris. s.s. (ye.) arrow-lipped.	——	1797.	6. 7.	F.b. 4.
D'ISA. W.		D'ISA. Gynandria Monandria. H.K.			
1	grandiflora. w. (sc.) large-flowered.	C. B. S.	1823.	7. 8.	F.b. 4. Bot. reg. t. 222.
2	cornuta. w. (bh.) horned.	——	1805.	6. 7.	F.b. 4.
3	longicornis. w. (bl.) long-spurred.	——	1824.	5. 7.	F.b. 4.
4	Draconis. w. (wh.pu.) Dragon.	——	1823.	——	F.b. 4.
5	ferruginea. w. (br.) ferruginous.	——	1816.	6. 7.	F.b. 4.
6	chrysostachya. w. (ye.) golden-spiked.	——	1826.	——	F.b. 4.
7	bracteata. w. (gr.) small-flowered.	——	1818.	——	F.b. 4. Bot. reg. t. 324.
8	flexuosa. w. (st.) flexuose.	——	1822.	——	F.b. 4.
9	prasinata. B.R. (gr.pu.) green-flowered.	——	1815.	——	F.b. 4. Bot. reg. t. 200.
10	spathulata. w. (li.) spathulate.	——	1805.	——	F.b. 4. Journ. sc. v. 4. t. 1.
11	physodes. w. (pu.) nodding.	——	1824.	——	F.b. 4.
12	graminifolia. s.s. (bl.) Grass-leaved.	——	1822.	——	F.b. 4. Journ. sc. v. 4. t. 1.
13	maculata. w. (bl.) spotted-stalked.	——	1816.	7. 8.	F.b. 4.

DISPERIS. W.	DI'SPERIS.	Gynandria Monandria. H.K.			
1 repens. w.	(er.) Cape.	C. B. S.	1816.	5. 6. F.b. 4.	
2 cucullata. w.	(li.) cucullate.	————	1822.	6. 7. F.b. 4.	
3 secundata. w.	(st.) side-flowering.	————	1797.	—— F.b. 4.	
CORYCIUM. W.	CORYCIUM.	Gynandria Monandria.			
1 orobancheoides. w. (ye.)	Orobanche-like.	C. B. S.	1825.	6. 8. F.b. 4.	
2 crispum. w. (ye.)	curled-leaved.	————	——	5. 6. F.b. 4.	Buxb. cent. 3. t. 11.
GLOSSULA. B.R.	GLO'SSULA.	Gynandria Monandria.			
1 tentaculata. B.R. (gr.)	horned.	China.	1824.	5. 6. F.b. 4.	Bot. reg. t. 862.
GOODYERA. H.K.	GOODY'ERA.	Gynandria Monandria. H.K.			
1 repens. H.K. (wh.)	creeping.	Scotland.		7. 8. H. 4.	Eng. bot. v. 5. t. 289.
	<i>Satyrium repens.</i> E.B. <i>Neottia repens.</i> w.				
2 tessellata. B.C. (wh.)	tessellated.	N. America.	1823.	6. 7. H. 4.	Lodd. bot. cab. t. 952.
	<i>Neottia repens.</i> Ph. <i>Goodyera pubescens.</i> β minor. B.M. 2540.				
3 pubescens. H.K. (wh.)	downy.	N. America.	1802.	—— H. 4.	Swt. br. fl. gar. s. 2. t. 47.
4 procera. H.E.F. (wh.)	Nepaul.	Nepaul.	1821.	7. 12. G. 4.	Hook. ex. flor. t. 39.
	<i>Neottia procera.</i> B.R. 639.				
5 discolor. B.R. (wh.)	red-leaved.	S. America.	1815.	10. 12. S. 4.	Bot. reg. t. 271.
PELEXIA. B.R.	PELE'XIA.	Gynandria Monandria. B.R.			
1 spiranthoides. B.R. (gr.)	decurrent-lipped.	W. Indies.	1823.	3. S. 4.	Bot. reg. t. 985.
	<i>Neottia adnata.</i> Sw.				
STENORHYNCHUS. R.O.	STENORHY'NCHUS.	Gynandria Monandria.			
1 speciosus. R.O. (sc.)	showy.	W. Indies.	1790.	3. 6. S. 4.	Bot. mag. t. 1374.
	<i>Neottia speciosa.</i> Hook. ex. flor. t. 39.				
2 orcheloides. R.O. (pu.)	frosted-flowered.	Jamaica.	1806.	—— S. 4.	Bot. reg. t. 701.
3 plantagineus. H. (pu.)	Plantain-leaved.	W. Indies.	1825.	—— S. 4.	Hook. ex. flor. t. 226.
	<i>Neottia plantaginea.</i> Hooker.				
4 aphylla. (br. li.)	leafless.	Trinidad.	——	—— S. 4.	Bot. mag. t. 2797.
	<i>Neottia aphylla.</i> B.M.				
NEOTTIA. H.K.	NEO'TTIA.	Gynandria Monandria. H.K.			
1 macrantha. (wh.)	great-flowered.	W. Indies.	1827.	3. 6. S. 4.	Bot. mag. t. 2956.
	<i>Neottia? grandiflora.</i> B.M. t. 2956. non t. 2730.				
2 grandiflora. B.M. (gr.)	large-flowered.	Brazil.	1825.	2. 5. S. 4.	Bot. mag. t. 2730.
	<i>Spiranthes grandiflora.</i> Bot. reg. t. 1043.				
3 bicolor. B.R. (wh.)	two-coloured.	W. Indies.	1821.	7. 8. S. 4.	Bot. reg. t. 794.
4 alta. w. (wh.)	tall.	——	1790.	4. 6. S. 4.	Bot. mag. t. 2026.
5 picta. H.K. (wh.)	painted-leaved.	Trinidad.	1805.	2. 4. S. 4.	—— t. 1562.
6 cernua. H.K. (wh.)	nodding-flowered.	N. America.	1796.	8. 10. H. 4.	Swt. br. fl. gar. t. 42.
7 tortilis. w. (wh.)	twisting-spiked.	W. Indies.	1822.	6. 7. S. 4.	
8 astivalis. M. (wh.)	summer.	N. America.	——	—— H. 4.	
	<i>tortilis.</i> Ph. non Sw.				
9 spiralis. H.K. (wh.)	Ladies-traces.	Britain.		8. 9. H.b. 4.	Eng. bot. v. 8. t. 541.
	<i>Ophrys spiralis.</i> E.B.				
10 pudica. (bh.)	modest.	China.	1819.	9. 12. H.b. 4.	Lindl. coll. t. 30.
	<i>astralis.</i> β . B.R. t. 602. <i>Spiranthes pudica.</i> Lindl. col.				
11 australis. B.P. (wh.)	southern.	N. S. W.	1826.	—— F.b. 4.	
CALOECHILUS. B.P.	CALOECH'ILUS.	Gynandria Monandria. B.P.			
1 campestris. B.P. (wh.)	field.	N. S. W.	1826.	4. 6. F.b. 4.	
2 paludosus. B.P. (wh.)	marsh.	——	——	—— F.b. 4.	
PONTHIEVA. H.K.	PONTHI'EVA.	Gynandria Monandria. H.K.			
1 glandulosa. H.K. (gr.)	glandular.	W. Indies.	1800.	1. 3. S. 4.	Bot. mag. t. 842.
2 petiolata. B.R. (br.)	stalked.	——	1823.	7. 8. S. 4.	Bot. reg. t. 760.
PRASOPHYLLUM. B.P.	PRASOPHY'LLUM.	Gynandria Monandria. B.P.			
1 latum. B.P.	tall.	N. S. W.	1826.	 F.b. 4.	
2 flavum. B.P. (ye.)	yellow.	——	——	4. 6. F.b. 4.	
3 striatum. B.P. (std.)	streaked.	——	——	 F.b. 4.	
4 fuscum. B.P. (br.)	brown.	——	——	5. 6. F.b. 4.	
5 patens. B.P.	spreading.	——	——	 F.b. 4.	
6 rufum. B.P. (br.)	rufous.	——	——	5. 6. F.b. 4.	
7 ambriatum. B.P.	fringed.	——	1826.	 F.b. 4.	
CRYPTOSTYLIS. B.P.	CRYPTO'STYLIS.	Gynandria Monandria. B.P.			
1 erecta. B.P. (br.)	upright.	N. S. W.	1826.	4. 6. F.b. 4.	
2 longifolia. B.P. (br.)	long-leaved.	——	1822.	5. 6. F.b. 4.	Lab. n. holl. 2. t. 212.
	<i>Mallixis subulata.</i> Lab.				
ORTHO'CERAS. B.P.	ORTHO'CERAS.	Gynandria Monandria. B.P.			
1 strictum. B.P.	upright.	N. S. W.	1826.	 F.b. 4.	
DIURUS. B.P.	DI'URUS.	Gynandria Monandria. B.P.			
1 maculata. B.P. (ye. sp.)	spotted.	N. S. W.	1823.	3. 5. F.b. 4.	Sm. exot. bot. 1. t. 30.
2 aurea. B.P. (go.)	golden-flowered.	——	1810.	4. 5. F.b. 4.	—— 1. t. 9.

3	pedunculàta. B.P.	(ye.) peduncled.	N. S. W.	1822.	2. 4.	F.b. 4.	
4	sulphùrea. B.P.	(st.) sulphur-coloured.	————	1826.	————	F.b. 4.	
5	elongàta. B.P.	(pu.) elongated.	————	————	————	F.b. 4.	
THELYMITRA. B.P. THELYMITRA. Gynandria Monandria. B.P.							
1	ixioides. B.P.	(bl.sp.) spotted blue.	N. S. W.	1810.	4. 6.	F.b. 4.	Sm. ex. bot. 1. t. 1.
2	mèdia. B.P.	(bl.) middle.	————	1820.	————	F.b. 4.	
3	pauciflòra. B.P.	(bl.) few-flowered.	————	1826.	————	F.b. 4.	
4	angustifòlia. B.P.	(bl.) narrow-leaved.	————	————	5. 6.	F.b. 4.	
5	cárnea. B.P.	(fl.) flesh-coloured.	————	1823.	————	F.b. 4.	
6	venòsa. B.P.	(wh.) veined.	————	1826.	3. 5.	F.b. 4.	
LIST'ERA. H.K. LIST'ERA. Gynandria Monandria. H.K.							
1	ovàta. H.K.	(gr.) Tway-blade.	Britain.		5. 6.	H. 4.	Eng. bot. v. 22. t. 1.
'Ophrys ovàta. E.B. Epipàctis ovàta. w.							
2	cordàta. H.K.	(br.gr.) heart-leaved.	Britain.		6. 7.	H. 4.	Eng. bot. v. 5. t. 2.
3	convallarioïdes. N.	(br.gr.) small green.	N. America.	1826.	5. 6.	H. 4.	Bart. fl. amer. t. 1.
4	Nidus àvis.	(br.) Bird's-nest.	Britain.		5.	H. 4.	Eng. bot. v. 1. t. 2.
'Ophrys Nidus àvis. E.B. Epipàctis Nidus àvis E.F. Neóttia Nidus àvis. R.O.							
EPIPACTIS. H.K. EPIPACTIS. Gynandria Monandria. H.K.							
1	latifòlia. w.	(pu.) broad-leaved.	Britain.		7. 8.	H. 4.	Eng. bot. v. 4. t. 2.
Seràpias latifòlia. E.B.							
2	palústris. w.	(pu.wh.) marsh.	————		————	H. 4.	Eng. bot. v. 4. t. 2.
3	pállens. w.	(wh.) white.	————		6.	H. 4.	———— v. 4. t. 2.
Seràpias grandiflòra. E.B.							
4	ensifòlia. w.	(wh.) narrow-leaved.	————		————	H. 4.	Eng. bot. v. 7. t. 2.
5	rùbra. w.	(pu.wh.) purple.	————		6. 7.	H. 4.	———— v. 7. t. 2.
ARETHUSA. H.K. ARETHUSA. Gynandria Monandria. H.K.							
1	bulbòsa. H.K.	(pu.) bulbous.	N. America.		5. 6.	H.b. 4.	Bot. mag. t. 224.
2?	plicàta. A.R.	(pu.) plaited.	E. Indies.	1806.	6. 8.	S.b. 4.	Andr. reposit. t. 2.
POGONIA. H.K. POGONIA. Gynandria Monandria. H.K.							
1	divarièta. H.K.	(pi.) Lily-leaved.	N. America.	1787.	6. 7.	H. 4.	Catesb. car. 1. t. 2.
2	ophioglossoïdes. B.R.	(pi.) Adder's-tongue.	————	1816.	————	H. 4.	Bot. reg. t. 148.
3	péndula. B.R.	(pi.) drooping.	————	1824.	————	H. 4.	———— t. 906.
Arethusa péndula. w. parviflòra. M. Tríp'hora péndula. N.							
MICROTIS. B.P. MICROTIS. Gynandria Monandria. B.P.							
	parviflòra. B.P.	(gr.) small-flowered.	N. S. W.	1826.	4. 6.	F.b. 4.	
ACIANTHUS. B.P. ACIANTHUS. Gynandria Monandria. B.P.							
1	fornicàtus. B.P.	(br.) enclosed.	N. S. W.	1822.	4. 6.	F.b. 4.	
2	exsértus. B.P.	(br.) exserted.	————	————	————	F.b. 4.	
3	caudàtus. B.P.	(br.) long-awned.	————	1826.	————	F.b. 4.	
CYRTOSTYLIS. B.P. CYRTOSTYLIS. Gynandria Monandria. B.P.							
	renifórmis. B.P.	(br.) kidney-leaved.	N. S. W.	1821.	4. 5.	F. 4.	
CHILOGLOTTIS. B.P. CHILOGLOTTIS. Gynandria Monandria. B.P.							
	diphy'lla. B.P.	(br.) two-leaved.	N. S. W.	1826.	4. 6.	F.b. 4.	
PRESCOTIA. H.E.F. PRESCOTIA. Gynandria Monandria.							
	plantaginifòlia. H.E.F.	(gr.) Plantain-ld.	Rio Janeiro.	1822.	9. 4.	S. 4.	Hook. ex. flor. t. 1.
LIPARIS. Rich. LIPARIS. Gynandria Monandria. H.K.							
1	foliòsa. B.R.	(y.gr.) leafy.	Mauritius.	1823.	9.	S. 4.	Bot. reg. t. 882.
2	bituberculàta. E.R.	(gr.br.) two-warted.	Nepaul.	1822.	2. 3.	S. 4.	Hook. ex. flor. t. 1.
3	Loesèlii. B.R.	(ye.) Loesel's.	Britain.		7.	H.b. 4.	Eng. bot. v. 1. t. 4.
Maláxis Loesèlii. E.B.							
4	longifòlia. B.A.	(gr.) long-leaved.	N. America.	1827.	————	H.b. 4.	Bart. flor. amer. t. 1.
5	Correàna. N.	(ye.gr.) two-leaved.	————	1823.	5. 6.	H.b. 4.	
6	lilifòlia. B.R.	(pa.bl.) Lily-leaved.	————	1758.	6. 7.	H.b. 4.	Bot. mag. t. 224.
Maláxis lilifòlia. B.M. 'Ophrys lilifòlia. A.R. 65.							
7	refléxa. B.R.	(gr.) reflexed.	N. Holland.	1820.	————	G.b. 4.	
8	elàta. B.R.	(br.pu.) tall.	Brazil.	————	————	S. 4.	Bot. reg. t. 1175.
ERIOCHILUS. B.P. ERIUCHILUS. Gynandria Monandria. B.P.							
	autumnàlis. B.P.	(bh.) autumnal.	N. S. W.	1823.	9. 10.	G.b. 4.	Lab. n. hell. 2. t. 211.
Epipàctis cucullàta. Lab.							
CALADENIA. B.P. CALADENIA. Gynandria Monandria. H.K.							
1	álba. B.P.	(wh.) white.	N. S. W.	1810.	7. 8.	G.b. 4.	
2	cárnea. B.P.	(fl.) flesh-coloured.	————	1826.	0. 7.	G.b. 4.	
3	córùlea. B.P.	(bl.) blue-flowered.	————	————	————	G.b. 4.	
4	alàta. B.P.	(li.) winged.	————	1823.	6. 8.	G.b. 4.	
5	testàcea. B.P.	 fringe-flowered.	————	1826.		G.b. 4.	
LYPERANTHUS. B.P. LYPERANTHUS. Gynandria Monandria. B.P.							
1	suavèolens. E.P.	(d.br.) sweet-scented.	N. S. W.	1822.	5. 7.	F.b. 4.	
2	ellipticus. B.P.	(d.br.) elliptic-leaved.	————	1826.	————	F.b. 4.	
3	nigricans. B.P.	(bk.) heart-leaved.	————	————	————	F.b. 4.	

GLOSSODIA. B.P.		GLOSSODIA.		Gynandria Monandria. B.P.	
1 major. B.P.	(bl.) larger.	N. S. W.	1810.	6. 8.	F.b. 2.
2 minor. B.P.	(bl.) lesser.	—	1826.	—	F.b. 2.
PTEROSTYLIS. B.P.		PTEROSTYLIS.		Gynandria Monandria. B.P.	
1 carinata. B.P.	(st.) neat.	N. S. W.	1826.	4. 6.	F.b. 2.
2 ophioglossa. B.P.	(st.) adder's-tongue.	—	—	—	F.b. 2.
3 curta. B.P.	(st.) short-lipped.	—	1822.	4. 6.	F.b. 2.
4 acuminata. B.P.	(st.) taper-pointed.	—	1826.	—	F.b. 2.
5 cucullata. B.P.	(st.) hooded.	V. Diem. Isl.	1823.	5. 7.	F.b. 2.
6 nutans. B.P.	(st.) nodding.	N. S. W.	1826.	—	F.b. 2.
7 obtusa. B.P.	(st.) blunt-lipped.	—	1810.	7. 8.	F.b. 2.
8 reflexa. B.P.	(st.) reflexed.	—	1826.	4. 6.	F.b. 2.
9 grandiflora. B.P.	(st.) large-flowered.	—	—	—	F.b. 2.
10 longifolia. B.P.	(st.) long-leaved.	—	1823.	6. 8.	F.b. 2.
11 gibbosa. B.P.	(st.) gibbous.	—	1826.	5. 6.	F.b. 2.
CORYSANTHES. B.P.		CORYSANTHES.		Gynandria Monandria. B.P.	
1 fimbriata. B.P.	(br.) fringed.	N. S. W.	1822.	5. 7.	F.b. 2.
2 unguiculata. B.P.	(br.) pendulous-flowered.	—	—	—	F.b. 2.
3 biclearata. B.P.	(br.) two-spurred.	—		—	F.b. 2. Sal. par. lond. t. 83. ?
<i>Corybas aconitiflorus. P.L. ?</i>					
CALEYA. H.K.		CALEYA.		Gynandria Monandria. H.K.	
1 major. H.K.	(br.gr.) smooth-lipped.	N. S. W.	1810.	6. 7.	F.b. 2.
2 minor.	(br.gr.) tubercle-lipped.	—	1822.	—	F.b. 2.
<i>Caleina minor. B.P.</i>					
CALOPOGON. H.K.		CALOPOGON.		Gynandria Monandria. H.K.	
1 pulchellus. H.K.	tuberous-rooted.	N. America.	1771.	7. 8.	H.b. 2. Swt. br. fl. gar. t. 115.
<i>Limodorum tuberosum. B.M. 116. Cymbidium pulchellum. w.</i>					
BL'ETIA. H.K.		BL'ETIA.		Gynandria Monandria. H.K.	
1 Tankervilleæ. H.K.	(wh. pu.) LyTankerville's.	China.	1778.	3. 4.	S. 2. Bot. mag. t. 1924.
<i>Limodorum Tankervilleæ. w.</i>					
2 pallida. B.C.	(li.) pale-flowered.	China.	1820.	4. 8.	S. 2. Lodd. bot. cab. t. 629.
3 flava. H.K.	(pu.) purple.	W. Indies.	1786.	7. 8.	S. 2. Redoute. lil. t. 83.
<i>Limodorum purpureum. R.L.</i>					
4 guineensis. G.D.	(pu.) Guinea.	Guinea.	1822.		S. 2.
5 verecunda. H.K.	(pu.) tall.	W. Indies.	1733.	1. 5.	S. 2. Bot. mag. t. 930.
<i>Limodorum altum. B.M. Cymbidium verecundum. w.</i>					
6 hyacinthina. H.K.	(pu.) hyacinthine.	China.	1802.	3. 9.	G. 2. Bot. mag. t. 1492.
<i>Cymbidium hyacinthinum. B.M.</i>					
7 capitata. H.K.	(pu.) capitate.	W. Indies.	1795.	5. 7.	S. 2.
8 Woodfordii. B.M.	(ye. or.) Woodford's.	Trinidad.	1820.	4. 8.	S. 2. Bot. mag. t. 2719.
GEODORUM. H.K.		GEODORUM.		Gynandria Monandria. H.K.	
1 purpureum. H.K.	(pu.) purple.	E. Indies.	1800.	6. 8.	S. 2. Roxb. cor. 1. t. 40.
<i>Limodorum nutans. R.C.</i>					
2 citrinum. H.K.	(st.) Lemon-coloured.	E. Indies.	—	10. 12.	S. 2. Andr. reposit. t. 626.
3 dilatatum. H.K.	(pi.) shovel-lipped.	—	—	5. 8.	S. 2. Bot. reg. t. 675.
<i>Limodorum recurvum. R.C. 1. t. 39.</i>					
CALYPSO. H.K.		CALYPSO.		Gynandria Monandria. H.K.	
1 americana. H.K.	(pu.) American.	N. America.	1805.	5. 6.	H.b. 2. Sal. par. lond. t. 89.
<i>Calypso. H.E.F. t. 12.</i>					
MALAXIS. Rich.		MALAXIS.		Gynandria Monandria. H.K.	
1 pedunculata. E.B.	(ye.) marsh.	England.		7.	H.b. 2. Eng. bot. v. 1. t. 47.
MICROSTYLIS. N.		MICROSTYLIS.		Gynandria Monandria. N.	
1 ophioglossoides. N.	(gr.) Adder's-tongue.	N. America.	1820.	4. 5.	H.b. 2. Lodd. bot. cab. t. 1146.
2 mexicana. B.R.	(gr.) Mexican.	Mexico.	1828.	—	H. 2. Bot. reg. t. 1290.
CORALLORRHIZA. H.K.		CORALLORRHIZA.		Gynandria Monandria. H.K.	
1 innata. H.K.	(st.) spurless.	Scotland.		6. 7.	H. 2. Eng. bot. v. 22. t. 1547.
2 multiflora. H.E.F.	(st.) many-flowered.	N. America.	1824.	5. 6.	H. 2. Hook. ex. flor. t. 174.
3 antorhiza. N.	(w. pu.) tooth-rooted.	—	—	6. 7.	H. 2.
STELIS. H.K.		STELIS.		Gynandria Monandria. H.K.	
1 ophioglossoides. H.K.	(st.) Adder's-tongue.	W. Indies.	1791.	5. 6.	S. 2. Bot. reg. t. 935.
2 micrantha. H.K.	(st.) small-flowered.	Jamaica.	1805.	11. 12.	S. 2. Hook. ex. flor. t. 158.
RODRIGUEZIA. R.P.		RODRIGUEZIA.		Gynandria Monandria. B.R.	
1 secunda. K.S.	(re.) side-flowering.	S. America.	1819.	6. 12.	S. 2. Bot. reg. t. 930.
GOMEZA. B.M.		GOMEZA.		Gynandria Monandria. B.M.	
1 recurva. B.M.	(ye.) recurved.	Brazil.	1814.	5. 6.	S. 2. Bot. mag. t. 1748.
NOTYLIA. B.R.		NOTYLIA.		Gynandria Monandria.	
1 punctata. B.R.	(wh.) dotted.	Trinidad.	1823.	7. 8.	S. 2. Bot. reg. t. 759.
<i>Pleurothallis punctata. B.R. Gomeza tenuiflora. Lod. bot. cab. t. 806.</i>					

CIRRHÆA. B.R.		CIRRHÆA.	Gynandria Monandria.				
depēdens. B.R. (ye.gr.) pendent.			China.	1824.	6. 8. S. 4.		Lodd. bot. cab. t. 1.
<i>Cymbidium depēdens.</i> B.C.							
CYMBIDIUM. H.K.		CYMBIDIUM.	Gynandria Monandria.	H.K.			
1 aloifolium. H.K. (d.pu.)	Aloe-leaved.		China.	1789.	5. 6. S. 4.		Bot. mag. t. 387.
2 sinense. H.K. (d.pu.)	Chinese.		—	1793.	9. 10. S. 4.		— t. 888.
3 lancifolium. H.E.F. (y.re.)	lance-leaved.		E. Indies.	1823.	5. 8. S. 4.		Hook. ex. flor. t. 11.
4 ensifolium. H.K. (st.br.)	sword-leaved.		China.	1780.	6. 10. S. 4.		Bot. mag. t. 1751.
5 xiphiifolium. B.R. (gr.)	Xiphium-leaved.		—	1814.	5. 8. S. 4.		Bot. reg. t. 529.
6 iridioïdes. D.P. (wh.)	Iris-leaved.		Nepaul.	1828.	— S. 4.		
7 suāve. B.P. (gr.br.)	sweet-scented.		N. S. W.	1826.	— G. 4.		
8 tripterum. w. (wh.)	triangular-fruited.		Jamaica.	1790.	6. 7. S. 4.		Sm. ic. pict. t. 14.
ANISOPE'TALUM. H.E.F.		ANISOPE'TALUM.	Gynandria Monandria.				
Carevanum. H.E.F. (br.pu.)		Carey's.	Nepaul.	1823.	8. 10. G. 4.		Hook. ex. flor. t. 1.
BRA'SSIA. H.K.		BRA'SSIA.	Gynandria Monandria.	H.K.			
1 maculata. H.K. (w.st.pu.)	spotted.		Jamaica.	1806.	6. 7. S. 4.		Bot. mag. t. 1001.
2 candata. B.R. (g.y.re.)	long-tailed.		W. Indies.	1823.	— S. 4.		Bot. reg. t. 832.
ANGUL'OA. K.S.		ANGUL'OA.	Gynandria Monandria.				
grandiflora. K.S. (ye.pu.)		large-flowered.	S. America.	1823.	6. 8. S. 4.		H. et B. pl. aq. l. 1.
CATAS'ETUM. K.S.		CATAS'ETUM.	Gynandria Monandria.	B.M.			
1 tridentatum. H.E.F. (ye.)	three-toothed.		Trinidad.	1823.	8. 12. S. 4.		Bot. mag. t. 255.
2 Claveringi. B.R. (y.pu.)	Clavering's.		Brazil.	—	— S. 4.		Bot. reg. t. 819.
3 floribundum. H.E.F. (y.pu.)	many-flowered.		—	—	— S. 4.		Hook. ex. flor. t. 1.
4 semiapertum. H.E.F. (gr.)	greenish-flowered.		—	1825.	5. S. 4.		— t. 1.
5 Hookeri. L.col. (y.pu.)	Hooker's.		—	1816.	— S. 4.		Lindl. coll. t. 49.
6 cristatum. B.R. (g.wh.)	crested.		—	1823.	— S. 4.		Bot. reg. t. 906.
CYRTOPO'DIUM. B.R.		CYRTOPO'DIUM.	Gynandria Monandria.	H.K.			
1 Andersoni. H.K. (ye.)	Anderson's.		W. Indies.	1804.	4. 8. S. 4.		Bot. mag. t. 1820.
2 glutinosum. Mey. (ye.)	gummy.		S. America.	1825.	 S. 4.		
3 Woodfordii. B.M. (pu.)	Woodford's.		—	1814.	10. S. 4.		Bot. mag. t. 1814.
LISSOCH'ILUS. B.R.		LISSOCH'ILUS.	Gynandria Monandria.	B.R.			
speciosus. B.R. (ye.)		showy.	C. B. S.	1818.	5. 6. S. 4.		Bot. reg. t. 573.
ONCIDIUM. H.K.		ONCIDIUM.	Gynandria Monandria.	H.K.			
1 altissimum. w. (ye.)	sharp-petaled.		W. Indies.	1793.	8. 9. S. 4.		Jacq. amer. t. 14.
2 carthagenense. w. (g.br.)	spread-eagle.		—	1791.	5. 6. S. 4.		Bot. mag. t. 777.
<i>Epidendrum undulatum.</i> B.M.							
3 luridum. B.R. (g.br.)	lurid.		Trinidad.	1818.	2. 6. S. 4.		Bot. reg. t. 727.
4 variegatum. w. (wh.pu.)	variegated.		Jamaica.	1825.	7. 8. S. 4.		Sloan. hist. l. t. 148.
5 divaricatum. B.R. (br.y.re.)	spreading.		Brazil.	1826.	9. 11. S. 4.		Bot. reg. t. 1050.
6 pubes. B.R. (br.re.)	pubescent.		—	1824.	3. 6. S. 4.		— t. 1007.
7 ornithorhynchum. K.S. (ye.)	long-beaked.		Mexico.	1826.	8. 10. S. 4.		H. et B. n. gen. l. t. 1.
8 Papilio. B.R. (y.or pu.)	Butterfly.		Trinidad.	1823.	4. 6. S. 4.		Bot. reg. t. 910.
9 flexuosum. B.M. (ye.)	Zigzag.		Brazil.	1818.	6. 7. S. 4.		Bot. mag. t. 2203.
10 barbatum. L.col. (ye.)	bearded.		S. America.	—	4. 5. S. 4.		Lindl. coll. t. 27.
11 pumilum. B.R. (ye.)	dwarf.		Brazil.	1824.	6. 7. S. 4.		Bot. reg. t. 920.
12 bifolium. H.K. (ye.)	two-leaved.		S. America.	1811.	7. 8. S. 4.		Bot. mag. t. 1144.
13 pulchellum. B.M. (bh.or.)	elegant.		Demerara.	1825.	6. 7. S. 4.		— t. 2773.
14 triquetrum. H.K. (ye.)	triangular-leaved.		Jamaica.	1793.	7. 8. S. 4.		
15 tetrapetalum. w. (pu.ye.)	four-petaled.		—	1824.	— S. 4.		Jacq. amer. t. 142.
16 Cebollata. w. (br.)	awl-leaved.		Carthagera.	—	— S. 4.		— t. 131.
MACRAD'ENIA. B.R.		MACRAD'ENIA.	Gynandria Monandria.	B.R.			
lutescens. B.R. (ye.)		yellowish.	Trinidad.	1821.	12. 2. S. 4.		Bot. reg. t. 612.
CÆLO'GYNE. B.R.		CÆLO'GYNE.	Gynandria Monandria.				
1 fimbriata. B.R. (st.)	fringed.		China.	1824.	9. S. 4.		Bot. reg. t. 808.
2 nitida. L.O. (ye.)	shining-leaved.		E. Indies.	1822.	 S. 4.		
3 punctulata. L.O. (ye.)	dot-flowered.		—	—	 S. 4.		
MEGACLI'NIUM. B.R.		MEGACLI'NIUM.	Gynandria Monandria.	B.R.			
falcatum. B.R. (ye.re.)		falcate.	Sierra Leone.	1824.	6. 9. S. 4.		Bot. reg. t. 989.
TRIZE'UXIS. L.col.		TRIZE'UXIS.	Gynandria Monandria.				
falcata. L.col. (gr.)		falcate.	Trinidad.	1820.	2. 6. S. 4.		Lindl. coll. t. 2.
PLEUROTHA'LLIS. H.K.		PLEUROTHA'LLIS.	Gynandria Monandria.	H.K.			
1 ruscifolia. H.K. (st.)	Ruscus-leaved.		W. Indies.	1791.	5. 6. S. 4.		Hook. ex. flor. t. 1.
2 racemiflora. H.E.F. (st.)	racemed.		—	1822.	7. 8. S. 4.		— t. 125.
3 prolifera. B.R. (ro.)	proliferous.		Brazil.	1825.	1. 12. S. 4.		Bot. reg. t. 125.
4 foliosa. B.M. (st.ye.)	leafy.		—	—	2. 6. S. 4.		Bot. mag. t. 2746.
ORNITHOCE'PHALUS. BIRD'S-HEAD.		Gynandria Monandria.					
gladiatus. H.E.F. (gr.)		sword-leaved.	Trinidad.	1822.	5. 8. S. 4.		Hook. ex. flor. t. 1.
OCTOM'ERIA. H.K.		OCTOM'ERIA.	Gynandria Monandria.	H.K.			
1 graminifolia. H.K. (st.)	Grass-leaved.		W. Indies.	1793.	4. 7. S. 4.		Bot. mag. t. 2704.

2	snatifolia. B.M. (st.br.)	saw-leaved.	Brazil.	1826.	10. 12.	S. 4.	Bot. mag. t. 2823.
3	spicata. B.P. (wh.)	spiked.	Nepaul.	1823.	5. 8.	S. 4.	
TRIBRACHIA. B.R. TRIBRACHIA. Gynandria Monandria.							
	pendula. B.R. (gr.)	pendulous-spiked.	Sierra Leon.	1822.	6. 11.	S. 4.	Bot. reg. t. 963.
SOPHRONITIS. B.R. SOPHRONITIS. Gynandria Monandria.							
	cernea. B.R. (ro.)	cerneous.	Brazil.	1826.	11. 12.	S. 4.	Bot. reg. t. 1129.
GONGORA. R.P. GONGORA. Gynandria Monandria.							
1	atropurpurea. H.E.F. (d.pu.)	dark-flowered.	Trinidad.	1824.	6. 7.	S. 4.	Hook. ex. flor. t. 178.
2	speciosa. B.M. (ye.or.)	beautiful.	Brazil.	1826.	4. 6.	S. 4.	Bot. mag. t. 2755.
3	viridipurpurea. B.M. (g.pu.)	green & purple.	—	1827.	6. 8.	S. 4.	— t. 2978.
HETEROTA'XIS. B.R. HETEROTA'XIS. Gynandria Monandria.							
	crassifolia. B.R. (ye.)	thick-leaved.	Jamaica.	1823.	6. 8.	S. 4.	Bot. reg. t. 1028.
DIPODIUM. B.P. DIPODIUM. Gynandria Monandria. B.P.							
	punctatum. B.P. (pu.)	spotted.	N. S. W.	1822.	6. 8.	G. 4.	Sm. exot. bot. 1. t. 12.
	<i>Dendrobium punctatum.</i> Sm.						
CAMARIDIUM. B.R. CAMARIDIUM. Gynandria Monandria. B.R.							
	ochroleucum. B.R. (st.)	pale-flowered.	Trinidad.	1823.	7. 10.	S. 4.	Bot. reg. t. 844.
	<i>Dendrobium? album.</i> H.E.F. t. 142.						
ERIA. B.R. ERIA. Gynandria Monandria. B.R.							
1	stellata. B.R. (st.)	starry.	Nepaul.	1818.	5. 6.	S. 4.	Bot. reg. t. 901.
2	pubescens. B.R. (ye.)	pubescent.	E. Indies.	1820.	3. 4.	S. 4.	Hook. ex. flor. t. 124.
	<i>Dendrobium pubescens.</i> H.E.F.						
3	rosea. B.R. (bh.)	rose-coloured.	China.	1824.	10.	S. 4.	Bot. reg. t. 978.
XYLOBIUM. B.R. XYLOBIUM. Gynandria Monandria.							
1	squalens. B.R. (ye.br.)	squalid.	Brazil.	1822.	7. 8.	S. 4.	Bot. reg. t. 732.
	<i>Dendrobium squalens.</i> B.R. <i>Maxillaria squalens.</i> Bot. mag. t. 2955.						
2	racemosum. (ye.or.)	racemed.	Brazil.	1825.	6. 8.	S. 4.	Bot. mag. t. 2789.
	<i>Maxillaria racemosa.</i> B.M.						
MAXILLARIA. R.P. MAXILLARIA. Gynandria Monandria. B.R.							
1	pallidiflora. B.M. (st.)	pale-flowered.	St. Vincent's.	1826.	8. 11.	S. 4.	Bot. mag. t. 2806.
2	clilata. B.R. (gr.)	fringe-lipped.	S. America.	1827.	5. 8.	S. 4.	Bot. reg. t. 1206.
3	Barringtoniae. B.R. (gr.)	Barrington's.	W. Indies.	1790.	6. 8.	S. 4.	Sm. ic. pict. t. 25.
	<i>Dendrobium Barringtoniae.</i> Hook. ex. flor. t. 119.						
4	Harrisoniae. B.R. (st.pu.)	Mrs. Harrison's.	Brazil.	1820.	4. 8.	S. 4.	Bot. mag. t. 2927.
5	Parkeri. B.M. (wh.pu.)	Parker's.	W. Indies.	1826.	—	S. 4.	— t. 2729.
6	parvula. H.E.F. (st.pu.)	small.	Brazil.	1824.	3. 5.	S. 4.	Hook. ex. flor. t. 217.
7	aromatica. H.E.F. (ye.)	aromatic.	—	1825.	5.	S. 4.	— t. 219.
SARCOCHILUS. B.P. SARCOCHILUS. Gynandria Monandria. B.P.							
	falcatus. B.P. (pu.)	falcate.	N. S. W.	1821.	5. 8.	G. 4.	
DENDROBIUM. H.K. DENDROBIUM. Gynandria Monandria. H.K.							
1	speciosum. B.P. (bh.re.)	showy.	N. S. W.	1801.	6. 8.	G. 4.	Sm. exot. bot. 1. t. 10.
2	amatum. B.P. (wh.)	rival.	—	1822.	4. 2.	G. 4.	Bot. mag. t. 2906.
3	rigidum. B.P.	rigid.	N. Holland.	1824.		S. 4.	
4	linguiforme. B.P. (w.st.)	tongue-leaved.	N. S. W.	1810.	4. 8.	G. 4.	Sm. exot. bot. 1. t. 11.
5	teretifolium. B.P. (pu.)	filiform-leaved.	—	1823.	—	G. 4.	
6	longicornu. B.R. (bh.)	long-spurred.	E. Indies.	1828.	4. 6.	S. 4.	Bot. reg. t. 1315.
7	secundum. B.R. (ro.)	secund.	Sumatra.	—	—	S. 4.	— t. 1291.
8	cucullatum. B.R. (bh.)	cucullate.	E. Indies.	1815.	3. 5.	S. 4.	Bot. reg. t. 548.
9	Pierardi. H.E.F. (bh.)	Pierard's.	—	—	12. 6.	S. 4.	Hook. ex. flor. t. 9.
10	Calceolaria. H.E.F. (re.y.)	hollow-lipped.	—	1820.	—	S. 4.	— t. 184.
11	imbriatum. H.E.F. (ye.)	fringed.	—	1818.	4. 6.	S. 4.	— t. 71.
12	chrysanthum. B.R. (ye.)	yellow-flower'd.	Nepaul.	1828.	2. 4.	S. 4.	Bot. reg. t. 1299.
13	cramenatum. W. (pu.)	pouched.	Java.	1822.	4. 6.	S. 4.	Rumph. amb. 6. t. 47. f. 2.
14	crassifolium. W. (pu.)	glassy.	China.	1822.	6. 12.	S. 4.	Bot. reg. t. 1314.
15	aneps. B.R. (st.)	two-edged.	E. Indies.	1826.	2. 9.	S. 4.	— t. 1239.
ORNITHIDIUM. H.K. ORNITHIDIUM. Gynandria Monandria. H.K.							
1	coccineum. H.K. (sc.)	scarlet-flower'd.	W. Indies.	1790.	1. 12.	S. 4.	Hook. ex. flor. t. 38.
	<i>Cymbidium coccineum.</i> Bot. mag. t. 1437.						
2	reflexum. Gr. (sc.)	reflexed.	W. Indies.	1825.	9. 12.	S. 4.	
ISOCHILUS. H.K. ISOCHILUS. Gynandria Monandria. H.K.							
1	linearis. H.K. (re.)	linear-leaved.	W. Indies.	1791.	5. 7.	S. 4.	Bot. reg. t. 745.
	<i>Epidendrum lineare.</i> Jacq. amer. t. 131. f. 1. <i>Cymbidium lineare.</i> W.						
2	graminoides. H.E.F. (st.)	grass-like.	W. Indies.	1823.	—	S. 4.	Hook. ex. flor. t. 196.
3	prolifer. H.K. (wh.)	proliferous.	—	1793.	6. 11.	S. 4.	Bot. reg. t. 825.
PHOLIDOTA. B.R. PHOLIDOTA. Gynandria Monandria.							
	imbricata. B.R. (br.wh.)	imbricated.	Nepaul.	1824.	2. 8.	S. 4.	Bot. reg. t. 1213.
POLYSTACHIA. H.E.F. POLYSTACHIA. Gynandria Monandria.							
1	laeta. H.E.F. (y.gr.)	smooth.	W. Indies.	1818.	7. 8.	S. 4.	Hook. ex. flor. t. 103.
	<i>Dendrobium polystachyum.</i> W.						

2 pubérula. B.R. (<i>y.gr.</i>) downy.	Sierra Leone. 1821.	8.	S. 2.	Bot. reg. t. 551.
BRASSAVOLA. H.K. BRASSAVOLA. Gynandria Monandria. H.K.				
1 cucullàta. H.K. (<i>wh.</i>) single-flowered. W. Indies.	1793.	6. 7.	S. 2.	Bot. mag. t. 542.
2 tuberculàta. B.M. (<i>wh.st.</i>) tuberculated. Brazil.	1826.	6. 9.	S. 2.	——— t. 2878.
3 nodòsa. Ly. (<i>wh.</i>) many-flowered. W. Indies.	1824.	10.	S. 2.	
BROUGHTONIA. H.K. BROUGHTONIA. Gynandria Monandria. H.K.				
1 sanguinea. H.K. (<i>cr.</i>) blood-coloured. Jamaica.	1793.	6. 7.	S. 2.	Lodd. bot. cab. t. 7.
2 nítida. W.H. (<i>re.</i>) glossy. E. Indies.	1824.	——	S. 2.	
ZYGOPETALON. B.M. ZYGOPETALON. Gynandria Monandria.				
1 Mackàii. B.M. (<i>gr.bl.</i>) Mackay's. Brazil.	1825.	2. 5.	S. 2.	Bot. mag. t. 2748.
2 rostràtum. B.M. (<i>wh.pu.</i>) beaked. Demarara.	——	9. 11.	S. 2.	——— t. 2812.
CA'TTLEYA. L.col. CA'TTLEYA. Gynandria Monandria. H.E.F.				
1 labiàta. L.col. (<i>vi.</i>) great-lipped. S. America.	1818.	4. 10.	S. 2.	Lindl. coll. t. 33.
2 Loddigèsi. H.E.F. (<i>vi.</i>) Loddiges'. ———	1810.	——	S. 2.	Hook. ex. fl. t. 18.
<i>Epidéndrum violàceum</i> . Lodd. bot. cab. t. 337.				
3 Fórbessi. B.R. (<i>ye.</i>) yellow. Brazil.	1823.	9.	S. 2.	Bot. reg. t. 953.
4 crispa. B.R. (<i>wh.pu.</i>) curled-lipped. Trinidad.	1820.	——	S. 2.	——— t. 1172.
5 intermèdia. B.M. (<i>ro.</i>) intermediate. Brazil.	1824.	3. 5.	S. 2.	Bot. mag. t. 2851.
CERATOCHILUS. B.C. CERATOCHILUS. Gynandria Monandria.				
1 grandiflòrus. B.C. (<i>wh.</i>) large-flowered. Trinidad.	1827.	3. 8.	S. 2.	Lodd. bot. cab. t. 1.
2 insignis. (<i>st.pu.</i>) splendid. S. America.	1818.	9. 4.	S. 2.	Bot. mag. t. 2948.
<i>Stanhòpea insignis</i> . B.M.				
EPIDÉNDARUM. H.K. EPIDÉNDARUM. Gynandria Monandria. H.K.				
1 cochleàtum. W. (<i>d.pu.</i>) shell-flowered. W. Indies.	1786.	1. 12.	S. 2.	Bot. mag. t. 572.
2 fràgrans. W. (<i>st.</i>) sweet-scented. ———	1778.	10.	S. 2.	——— t. 162.
3 secúndum. W. (<i>re.</i>) pale-flowered. ———	1793.	6. 7.	S. 2.	Jacq. amer. t. 137.
4 polybúlbon. W. (<i>wh.</i>) many-bulbed. ———	1822.	——	S. 2.	Hook. ex. fl. t. 12.
5 verrucòsum. W. (<i>st.</i>) warted. ———	1824.	——	S. 2.	Lodd. bot. cab. t. 12.
6 nútans. W. (<i>gr.</i>) nodding. ———	1794.	——	S. 2.	Hook. ex. fl. t. 55.
7 umbellàtum. W. (<i>st.</i>) umbelled. Jamaica.	1793.	——	S. 2.	Bot. reg. t. 89.
8 diffùsum. W. (<i>gr.</i>) diffuse. W. Indies.	1818.	4. 5.	S. 2.	Lodd. bot. cab. t. 89.
9 ancéps. B.C. (<i>gr.</i>) two-edged. ———	1820.	8. 10.	S. 2.	——— t. 57.
10 noctúrnum. W. (<i>gr.</i>) night-smelling. ———	——	4. 6.	S. 2.	——— t. 72.
11 pallidiflòrum. B.M. (<i>st.</i>) pale-flowered. ———	1828.	5. 6.	S. 2.	Bot. mag. t. 2959.
12 fuscàtum. W. (<i>br.</i>) brown. ———	1790.	6. 7.	S. 2.	Bot. reg. t. 67.
13 elongàtum. W. (<i>re.</i>) long-stalked. Caracas.	1798.	5. 8.	S. 2.	Bot. mag. t. 611.
14 ellipticum. H.E.F. (<i>re.</i>) elliptic-leaved. Brazil.	1824.	3. 8.	S. 2.	Hook. ex. fl. t. 27.
15 conópseum. H.K. (<i>st.</i>) Florida. Florida.	1775.	8.	S. 2.	
16 monophy'llum. H.E.F. (<i>gr.</i>) one-leaved. W. Indies.	1822.	7.	S. 2.	Hook. ex. fl. t. 12.
17 ciliàre. B.R. (<i>wh.</i>) fringed. ———	1790.	6. 10.	S. 2.	Bot. reg. t. 784.
18 cuspidàtum. B.R. (<i>wh.</i>) pointed. ———	1808.	——	S. 2.	——— t. 783.
ENC'YCLIA. B.M. ENC'YCLIA. Gynandria Monandria.				
viridiflòra. B.M. (<i>gr.</i>) green-flowered. Brazil.	1826.	2. 6.	S. 2.	Bot. mag. t. 2831.
FERNAND'ESIA. R.P. FERNAND'ESIA. Gynandria Monandria.				
élegans. B.C. (<i>st.pu.</i>) elegant. Trinidad.	1822.	4. 10.	S. 2.	Lodd. bot. cab. t. 12.
<i>Lockhartia elegans</i> . Bot. mag. t. 2715.				
CRYPTARRH'ENA. B.R. CRYPTARRH'ENA. Gynandria Monandria. B.R.				
lunàta. B.R. (<i>ye.</i>) crescent-lipped. W. Indies.	1815.	5. 8.	S. 2.	Bot. reg. t. 153.
EUL'OPHIA. B.R. EUL'OPHIA. Gynandria Monandria. B.R.				
1 virens. B.R. (<i>gr.</i>) green. E. Indies.	1823.	6. 8.	S. 2.	Roxb. corom. 1. t. 2.
<i>Limodòrum virens</i> . R.C.				
2 guineénsis. B.R. (<i>pi.</i>) Guinea. Sierra Leone.	1822.	11. 2.	S. 2.	Bot. reg. t. 696.
3 gràcilis. B.R. (<i>gr.</i>) slender. ———	——	6. 9.	S. 2.	——— t. 742.
4 streptopétala. B.R. (<i>ye.</i>) twisted-petaled. C. B. S.	——	12. 6.	S. 2.	——— t. 1022.
5 ensàta. B.R. (<i>st.</i>) sword-leaved. ———	1826.	7. 8.	S. 2.	——— t. 1147.
6 tristis. B.R. (<i>da.</i>) dark-flowered. ———	1825.	5. 6.	G. 2.	
7 longicórnis. B.R. (<i>ye.</i>) long-spurred. ———	——	6. 8.	G. 2.	
8 barbàta. B.R. (<i>ye.</i>) bearded. ———	1822.	——	G. 2.	
CALA'NTHE. B.R. CALA'NTHE. Gynandria Monandria. B.R.				
1 veratrifòlia. B.R. (<i>wh.</i>) Veratrum-leav'd. E. Indies.	1819.	1. 9.	S. 2.	Bot. reg. t. 729.
2 sylvéstris. Ly. (<i>wh.</i>) loose-spiked. Madagascar.	1823.	6. 7.	S. 2.	
ANGR'ÆCUM. L.col. ANGR'ÆCUM. Gynandria Monandria. B.R.				
1 maculàtum. B.R. (<i>fl.</i>) spotted. S. America.	1819.	10. 12.	S. 2.	Bot. reg. t. 618.
2 falcàtum. L.col. (<i>wh.</i>) falcate. China.	1815.	——	S. 2.	——— t. 283.
<i>Limodòrum falcàtum</i> . B.R.				
3 lùridum. Ly. (<i>br.</i>) lurid. Sierra Leone.	1822.	7.	S. 2.	
IONO'PSIS. K.S. IONO'PSIS. Gynandria Monandria.				
utricularioides. L.col. (<i>w.</i>) pale-flowered. Trinidad.	1822.	6. 9.	S. 2.	Hook. ex. fl. t. 12.
<i>Iantha pallida</i> . H.E.F.				

AERANTHES. B.R.		AERA'NTHES.	Gynandria Monandria. B.R.			
1	<i>grandiflora. B.R. (st.)</i>	large-flowered.	Madagascar.	1823.	7. 8. S. 2.	Bot. reg. t. 817.
2	<i>supipedalis. Ly. (wh.)</i>	long-flowered.	—	—	— S. 2.	
AFRIDES. H.K.		AIR-PLANT.	Gynandria Monandria. H.K.			
1	<i>aratum. H.K. (pi.)</i>	fragrant.	China.	1800.	— S. 2.	
2	<i>arabites. W. (br. pu.)</i>	common.	Japan.	1793.	— S. 2.	Kampf. jap. t. 869. f. 1.
3	<i>patatum. W.H. (sp.)</i>	spotted-flowered.	E. Indies.	1824.	— S. 2.	
4	<i>ostatum. W.H.</i>	ribbed.	—	—	— S. 2.	
SARCANTHUS. L.col.		SARCANTHUS.	Gynandria Monandria. B.R.			
1	<i>paniculatus. L.col. (ye.)</i>	panicled.	China.	1812.	5. 8. S. 2.	Bot. reg. t. 220.
2	<i>sacculus. B.R. (ye. br.)</i>	bitten.	—	1824.	— S. 2.	— t. 1014.
3	<i>rostratus. B.R. (y. or. li.)</i>	rostrate.	—	1819.	6. 12. S. 2.	— t. 981.
4	<i>teretifolius. B.R. (pu. ye.)</i>	round-leaved.	—	—	— S. 2.	— t. 676.
	<i>Vanda teretifolia. B.R.</i>					
TRICHORHIZA. Ly.		TRICHORH'IZA.	Gynandria Monandria.			
	<i>teretifolia. L.C. (br. pu.)</i>	round-leaved.	E. Indies.	1819.	10. S. 2.	Hook. ex. flor. t. 72.
	<i>Vanda? trichorhiza. H.E.F.</i>					
VANDA. B.R.		VA'NDA.	Gynandria Monandria. B.R.			
1	<i>aranta. L.C. (cr.)</i>	red-flowered.	China.	1819.	— S. 2.	
2	<i>multiflora. L.col. (ye.)</i>	many-flowered.	—	1800.	6. 10. S. 2.	Lindl. coll. t. 38.
3	<i>Roxburghii. B.R. (w. pu.)</i>	Roxburgh's.	E. Indies.	1816.	10. 12. S. 2.	Bot. reg. t. 506.
4	<i>tessellata. L.C. (pu. ye.)</i>	tessellate.	—	—	— S. 2.	Roxb. cor. 1. t. 42.
	<i>Cyrtidium tessellatum. R.C.</i>					
RENANTHERA. B.R.		RENANTH'ERA.	Gynandria Monandria.			
	<i>occinea. B.R. (sc.)</i>	scarlet-flowered.	China.	1816.	8. 4. S. 2.	Bot. reg. t. 1131.
VANILLA. W.		VANI'LLA.	Gynandria Monandria. H.K.			
1	<i>aromatica. H.K. (wh.)</i>	aromatic.	S. America.	1739.	6. 8. S. 2.	Plum. ic. 183. t. 188.
2	<i>planifolia. H.K. (wh.)</i>	flat-leaved.	W. Indies.	1800.	4. 6. S. 2.	Andr. reposit. t. 538.
CYPRIPEDIUM. W.		LADIES'-SLIPPER.	Gynandria Diandria. H.K.			
1	<i>Calceolus. W. (ye.)</i>	common.	England.	—	5. 7. H. 2.	Eng. bot. v. 1. t. 1.
2	<i>parviflorum. W. (ye.)</i>	small-flowered.	N. America.	1759.	— H. 2.	Swt. br. fl. gar. t. 80.
3	<i>pubescens. W. (ye.)</i>	yellow-downy.	—	1790.	— H. 2.	— t. 71.
4	<i>spottatum. W. (ye.)</i>	spotted.	Siberia.	1829.	4. 5. H. 2.	Amman. ruth. p. 133. t. 22.
5	<i>macranthos. W. (d. pu.)</i>	great-flowered.	—	—	— H. 2.	Bot. mag. t. 2938.
6	<i>ventricosum. W. (d. pu.)</i>	bellied.	—	—	— H. 2.	Swt. br. fl. gar. s. 2. t. 1.
7	<i>specabile. W. (pu. wh.)</i>	showy.	N. America.	1731.	6. 7. H. 2.	Lodd. bot. cab. t. 697.
	<i>Alma. Bot. mag. t. 216.</i>					
	<i>incarnatum. B.F.G. (w. pu.)</i>	flesh-coloured.	—	—	— H. 2.	Swt. br. fl. gar. t. 240. B.
	<i>album. B.F.G. (wh.)</i>	white-flowered.	—	1827.	— H. 2.	— t. 240. A.
	<i>humile. W. (pu. wh.)</i>	two-leaved.	—	1786.	5. 6. H. 2.	Bot. mag. t. 192.
	<i>arctinum. W. (re.)</i>	ram's-head.	—	1808.	— H. 2.	Swt. br. fl. gar. t. 213.
	<i>venustum. B.R. (pu. gr.)</i>	handsome.	Nepaul.	1816.	7. 10. S. 2.	Bot. reg. t. 788.
	<i>insigne. L.col. (gr. pu.)</i>	noble.	—	1819.	— S. 2.	Lindl. coll. t. 32.

ORDO CCIII.

SCITAMINEÆ. *Brown prodr. 1. p. 305.*

GLOBBIA. L.		GLO'BBA.	Monandria Monogynia. L.			
1	<i>marantina. W. (ye.)</i>	marantine.	E. Indies.	1800.	7. 8. S. 2.	Exot. bot. 2. t. 103.
2	<i>bulbifera. F.I. (ye.)</i>	bulb-bearing.	—	1818.	— S. 2.	
3	<i>orixensis. F.I. (or.)</i>	Orixian.	—	1819.	— S. 2.	
4	<i>versicolor. Ex.B. (y. vi.)</i>	various-colour'd.	—	1820.	— S. 2.	Sm. exot. bot. 2. t. 117.
	<i>Hiru. F.I.</i>					
5	<i>pendula. F.I. (ye.)</i>	pendulous-flower'd.	—	1822.	6. 8. S. 2.	
6	<i>Careyana. F.I. (ye.)</i>	Carey's.	—	1821.	— S. 2.	Rosc. seit. t. 110.
7	<i>sessiliflora. B.M. (ye.)</i>	sessile-flower'd.	—	1807.	— S. 2.	Bot. mag. t. 1428.
MANTISIA. B.M.		MANTI'SIA.	Monandria Monogynia. B.M.			
1	<i>saltatoria. B.M. (bl. ye.)</i>	Opera-girl's.	E. Indies.	1808.	6. S. 2.	Bot. mag. t. 1320.
	<i>Globba subulata. F.I. purpurea. A.R. 615. saltatoria. R. scit. t. 111.</i>					
2	<i>spatulata. R.S. (bl. ye.)</i>	spatulate.	E. Indies.	1822.	6. 8. S. 2.	
	<i>Globba spatulata. F.I.</i>					
TURCUMA. W.		TURMERIC.	Monandria Monogynia. L.			
1	<i>aromatica. P.L. (ye. pi.)</i>	aromatic.	E. Indies.	1797.	4. 8. S. 2.	Sal. par. lond. t. 96.
	<i>Zerambet. F.I. Rheed. mal. v. 11. t. 7.</i>					

2	Zedoària. B.M. (ye.pi.) silky-leaved.	E. Indies.	1797.	4. 8.	S. 2.	Bot. mag. t. 1546.
3	zanthorrhiza. F.I. (re.cr.) yellow-rooted.	Amboyna.	1819.	4. 5.	S. 2.	
4	latifolia. R.Sc. (ye.pi.) broad-leaved.	E. Indies.	—	—	S. 2.	Rosc. scitam. t. 103.
5	elàta. F.I. (ye.pu.) tall.	—	—	—	S. 2.	— t. 104.
6	c'æsia. F.I. (ye.re.) clouded-leaved.	—	—	5. 6.	S. 2.	
7	ærugìnosa. F.I. (ye.re.) verdigrease.	—	1807.	4. 8.	S. 2.	Rosc. scitam. t. 102.
8	ferruginea. F.I. (ye.re.) rusty.	—	1819.	—	S. 2.	— t. 105.
9	rubescens. F.I. (re.ye.) red.	—	—	4. 6.	S. 2.	— t. 107.
10	comosa. F.I. (ye.pi.) close-flowered.	—	—	—	S. 2.	
11	leucorrhiza. F.I. (y.ro.) white-rooted.	—	—	—	S. 2.	Rosc. scitam. t. 102.
12	angustifolia. F.I. (y.pu.) narrow-leaved.	—	1822.	—	S. 2.	
13	lóna. F.I. (st.bh.) long-rooted	—	1759.	6. 8.	S. 2.	Bot. reg. t. 886.
14	Amàda. F.I. (st.li.) Mango-ginger.	—	1819.	—	S. 2.	Rosc. scitam. t. 99.
15	viridiflora. F.I. (gr.st.) green-flowered.	—	1820.	—	S. 2.	
16	montàna. F.I. (ye.ro.) mountain.	—	1823.	4. 6.	S. 2.	Roxb. corom. 2. t. 151.
17	reclinàta. F.I. (pi.) reclining.	—	1824.	—	S. 2.	
18	petiolàta. F.I. (ye.pu.) petiolate.	—	1822.	—	S. 2.	Rosc. scitam. t. 100.
19	rubricaùlis. L.T. (re.ye.) red-stalked.	—	1818.	—	S. 2.	
20	amaríssima. R.Sc. (re.ye.) bitter.	—	1822.	—	S. 2.	Rosc. scitam. t. 101.
KÆMPFERIA. L. KÆMPFERIA. Monandria Monogynia. L.						
1	Galánga. w. (pu.wh.) officinal.	E. Indies.	1724.	6. 9.	S. 2.	Bot. mag. t. 850.
2	rotúnda. w. (pu.bh.) round-rooted.	—	1768.	7. 8.	S. 2.	— t. 929.
3	latifolia. s.s. (wh.) broad-leaved.	—	1803.	4. 7.	S. 2.	
4	Roscoeàna. B.R. (wh.) Roscoe's.	Ava.	1828.	—	S. 2.	Bot. reg. t. 1212.
5	angustifolia. F.I. (pu.w.) narrow-leaved.	E. Indies.	1797.	—	S. 2.	Rosc. scitam. t. 94.
6	panduràta. F.I. (ro.) fiddle-lipped.	—	1812.	—	S. 2.	Bot. reg. t. 173.
7	ovalifolia. F.I. (pu.wh.) oval-leaved.	—	1819.	—	S. 2.	Rosc. scitam. t. 95.
8	marginàta. R.S. (pu.) red-margined.	—	1820.	—	S. 2.	— t. 93.
ROSC'OEIA. L.T. ROSC'OEIA. Monandria Monogynia.						
1	purpùrea. L.T. (pu.) purple-flower'd.	Nepaul.	1819.	7. 8.	S. 2.	Rosc. scitam. t. 64.
2	gràcilis. L.T. (pu.) slender.	—	1820.	—	S. 2.	
3	elàtior. L.T. (pu.) tall.	—	—	—	S. 2.	
4	spicàta. L.T. (pu.) spiked.	—	1821.	—	S. 2.	
5	capitàta. L.T. (pu.) headed.	—	1819.	—	S. 2.	
ZINGIBER. L.T. GINGER. Monandria Monogynia. H.K.						
1	officinàle. F.I. (pu.st.) narrow-leaved.	E. Indies.	1605.	6. 8.	S. 2.	Rosc. scitam. t. 83.
2	Zerúmbet. F.I. (st.) broad-leaved.	—	1690.	9. 11.	S. 2.	Sm. exot. bot. 2. t. 11.
3	Cassumùnar. B.M. (wh.) downy-leaved.	—	1796.	8.	S. 2.	Bot. mag. t. 1426.
	purpùreum. L.T. Amòmum Cliffórdia.	And. repos. t. 555.				
4	ròseum. F.I. (ro.st.) rose-coloured.	E. Indies.	1822.	6. 8.	S. 2.	Roxb. corom. 2. t. 12.
5	ligulàtum. F.I. (pi.ye.) ligulate.	—	—	—	S. 2.	
6	rùbens. F.I. (re.) red-flowered.	—	1820.	5. 11.	S. 2.	Rosc. scitam. t. 88.
7	squarròsum. F.I. (wh.) squarrose.	—	—	—	S. 2.	— t. 89.
8	panduràtum. F.I. (st.re.) fiddle-leaved.	—	1819.	5. 8.	S. 2.	
9	Miòga. L.T. (pi.) Japanese.	Japan.	1796.	—	S. 2.	Kæmpf. ic. Banks. t. 1.
10	chrysánthum. R.Sc. (ye.) yellow-flower'd.	Nepaul.	1821.	—	S. 2.	Rosc. scitam. t. 86.
11	capitatum. F.I. (ye.) headed.	E. Indies.	1820.	6. 9.	S. 2.	— t. 90.
12	elàtum. F.I. (ye.) tall.	—	—	—	S. 2.	— t. 91.
AM'OMUM. F.I. AM'OMUM. Monandria Monogynia. L.						
1	Afzèlii. L.T. (pi.) sweet-scented.	Sierra Leone.	1795.	5. 6.	S. 2.	Ann. bot. 1. t. 13.
2	grandiflorum. R.S. (pi.w.) large-flower'd.	—	—	6. 7.	S. 2.	Sm. exot. bot. t. 3.
3	sylvèstre. R.S. (ye.) wood.	Jamaica.	1804.	5. 7.	S. 2.	Sloan. hist. 1. t. 105. f. 2.
4	Cardamòmum. F.I. (ye.) bastard Cardamon.	E. Indies.	1820.	4. 6.	S. 2.	Rumph. amb. 5. t. 65. f. 1.
5	angustifolium. F.I. (re.y.) narrow-leaved.	Madagascar.	—	—	S. 2.	Sonnerat. it. 2. f. 104.
6	aculeàtum. F.I. (or.cr.) bristly-capsuled.	E. Indies.	1823.	6. 8.	S. 2.	
7	máximum. F.I. (re.ye.) great.	—	—	—	S. 2.	
8	dealbàtum. F.I. (wh.) insipid-seeded.	—	1819.	—	S. 2.	Bot. reg. t. 929.
9	subulàtum. F.I. (ye.) subulate-bracted.	—	—	5. 7.	S. 2.	
10	aromàticum. F.I. (st.) aromatic.	—	1823.	—	S. 2.	
11	seríceum. F.I. (wh.pi.) silky-leaved.	—	1819.	6. 8.	S. 2.	
12	grána-paradisi. w. (re.) Grains of Paradise.	Madagascar.	—	2. 4.	S. 2.	Blackw. t. 385.
CO'STUS. F.I. CO'STUS. Monandria Monogynia. L.						
1	speciòsus. F.I. (wh.) large-flowered.	E. Indies.	1794.	8. 9.	S. 2.	Jacq. ic. 1. t. 1.
2	nepalénsis. R.Sc. (wh.) Nepaul.	Nepaul.	1818.	—	S. 2.	Rosc. scitam. t. 80.
	speciòsus β.	Bot. reg. 665.				
3	cylíndricus. R.S. (wh.re.) cylindrical-spiked.	Brazil.	1822.	5. 9.	S. 2.	Rosc. scitam. t. 78.
	Pisònis.	Bot. reg. t. 899.				
4	áfer. B.R. (wh.) African.	Sierra Leone.	—	—	S. 2.	Bot. reg. t. 683.
5	discolor. R.Sc. (wh.) two-coloured.	Maranham.	1823.	—	S. 2.	Rosc. scitam. t. 81.

6	maculatus. R.Sc. (wh.) spotted-stalked.	Sierra Leone.	1822.	5. 9.	S. 2.	Rosc. scitam. t. 82.
7	lanatus. L.C. (wh.) woolly.		——	——	S. 2.	——
8	spicatus. L.T. (ye.) spiked.	S. America.	1793.	6.	S. 2.	Rosc. scitam. t. 77.
9	comosus. L.T. (re.ye.) tufted.	——	1815.	——	S. 2.	Jacq. ic. 3. t. 202.
<i>Alpinia comosa.</i> Jacq.						
10	spiralis. L.T. (re.) spiral.	——	——	5. 7.	S. 2.	Jacq. schœn. 1. t. 1.
11	villosissima. R.S. (ye.) villous.	W. Indies.	1823.	——	S. 2.	Jacq. fragm. t. 80.
12	arabicus. L.T. (wh.) Arabian.	Arabia.	1752.	8.	S. 2.	——
HELL'ENIA. B.P. HELL'ENIA. Monandria Monogynia. W.						
	cœrulea. B.P. (bh.) blue-berried.	N. Holland.	1820.	5. 6.	G. 2.	Rosc. scitam. t. 76.
ALP'INIA. L.T. ALP'INIA. Monandria Monogynia. L.						
1	Allûghas. F.I. (wh.re.) glossy-leaved.	E. Indies.	1796.	2. 3.	S. 2.	Rosc. scitam. t. 67.
<i>Hellœnia Allûghas.</i> Andr. reposit. t. 501.						
2	racemosa. L.T. (wh.) clustered.	W. Indies.	1752.	7. 9.	S. 2.	Plum. ic. 11. t. 20.
3	Galanga. F.I. (g.wh.) Galanga-major.	E. Indies.	1818.	6. 10.	S. 2.	Rumph. amb. 5. t. 63.
4	Roxbûrghii. (w.cr.) Roxburgh's.	——	1820.	——	S. 2.	——
<i>bracteata.</i> F.I. non L.T.						
5	malaccensis. F.I. (w.y.cr.) woolly-leaved.	——	1799.	4. 6.	S. 2.	Bot. reg. t. 328.
6	nûtans. F.I. (re.ye.) nodding-flower'd.	——	1792.	——	S. 2.	Bot. mag. t. 1903.
<i>Renealmia nûtans.</i> A.R. 360.						
7	cœrnea. B.M. (y.wh.pu.) drooping.	——	1790.	——	S. 2.	Bot. mag. t. 1900.
8	auriculata. R.Sc. (y.re.) eared.	——	1815.	——	S. 2.	Rosc. scitam. t. 74.
9	diffissa. L.T. (ye.) cloven.	China.	——	4. 6.	S. 2.	—— t. 71.
10	mûtica. F.I. (ye.re.) spurless.	E. Indies.	1811.	4. 9.	S. 2.	—— t. 69.
11	calcarata. F.I. (re.or.) upright spiked.	China.	1804.	9.	S. 2.	Andr. reposit. t. 421.
12	spicata. F.I. (wh.pu.) spiked.	E. Indies.	1823.	6. 9.	S. 2.	——
13	striata. L.en. (std.) striated.	——	1818.	——	S. 2.	——
14	bracteata. L.T. (ye.re.) bracted.	China.	1823.	5. 8.	S. 2.	Rosc. scitam. t. 70.
<i>Roscoeana.</i> R.S.						
15	magnifica. R.Sc. (sc.) magnificent.	Madagascar.	1826.		S. 2.	Rosc. scitam. t. 75.
RENE'ALMIA. R.Sc. RENE'ALMIA. Monandria Monogynia.						
1	occidentalis. (pa.) occidental.	Jamaica.	1793.	5. 7.	S. 2.	Gart. fruct. 1. t. 12.
<i>Alpinia occidentalis.</i> L.T.						
2	exaltata. R.Sc. (re.) tubular-flowered.	Demarara.	1820.	7. 8.	S. 2.	Rosc. scitam. t. 65.
<i>Alpinia tubulata.</i> Bot. reg. t. 777.						
3	punicea. (cr.) bright red.	E. Indies.	——	——	S. 2.	——
<i>Alpinia punicea.</i> F.I.						
4	Cardamomum mœdium. (re.) 9-winged.	——	——	——	S. 2.	——
5	linguiformis. F.I. (re.) tongue-lipped.	——	1825.		S. 2.	——
ELET'ARIA. L.T. CARDAMON. Monandria Monogynia.						
	Cardamomum. L.T. (w.pu.) true.	E. Indies.	1815.		S. 2.	Linn. trans. 10. t. 4. 5.
<i>Alpinia Cardamomum.</i> F.I. <i>Amomum Cardamomum.</i> L.						
HEDY'CHIUM. F.I. GARLAND-FLOWER. Monandria Monogynia. L.						
1	angustifolium. R.Sc. (sc.) narrow-leaved.	E. Indies.	1815.	5. 12.	S. 2.	Rosc. scitam. t. 60.
2	aurantiacum. R.Sc. (or.) orange-coloured.	——	——	——	S. 2.	—— t. 61.
<i>angustifolium.</i> B.R. 157. non Roxb.						
3	coccineum. R.Sc. (sc.) scarlet.	Nepaul.	1818.	5. 12.	S. 2.	Rosc. scitam. t. 58.
<i>angustifolium.</i> B.M. non Roxb.						
4	longifolium. R.Sc. (sc.) long-leaved.	E. Indies.	1819.	6. 11.	S. 2.	Rosc. scitam. t. 59.
5	carneum. R.Sc. (re.) flesh-coloured.	——	——	——	S. 2.	Bot. mag. t. 2637.
6	flavum. R.Sc. (ye.) yellow.	——	1818.	——	S. 2.	Rosc. scitam. t. 49.
7	flavescens. R.Sc. (st.) yellowish.	——	1821.	——	S. 2.	—— t. 50.
8	thyrsiforme. s.s. (wh.) thyse-flowered.	——	1819.	7. 11.	S. 2.	—— t. 56.
<i>heteromallum.</i> Bot. reg. t. 767.						
9	villosum. F.I. (st.) villous.	——	1815.	6. 11.	S. 2.	Rosc. scitam. t. 54.
10	glaucum. R.Sc. (wh.) glaucous.	——	1820.	——	S. 2.	—— t. 53.
11	ellipticum. R.Sc. (wh.) elliptic-leaved.	——	——	5. 8.	S. 2.	—— t. 55.
12	acuminatum. R.Sc. (w.or.) taper-pointed.	——	1822.	——	S. 2.	Bot. mag. t. 2969.
13	elatum. B.R. (bh.) tall.	Nepaul.	1818.	7. 12.	S. 2.	Bot. reg. t. 526.
14	speciosum. F.I. (ye.) beautiful.	E. Indies.	1823.	8. 10.	S. 2.	——
15	maximum. R.Sc. (wh.) large-flowered.	——	1819.	5. 9.	S. 2.	Rosc. scitam. t. 52.
16	coronarium. F.I. (wh.) sweet-scented.	——	1793.	7. 9.	S. 2.	Bot. mag. t. 708.
17	Gardnerianum. R.Sc. (ye.) Gardner's.	Nepaul.	1818.	——	S. 2.	Bot. reg. t. 771.
18	spicatum. B.M. (bh.) spiked.	——	1820.	8. 11.	S. 2.	Bot. mag. t. 2300.
19	gracile. F.I. (wh.) slender.	E. Indies.	1821.	——	S. 2.	——

ORDO CCIV.

CANNEÆ. *Brown prodr.* 1. p. 307.

PHRYNIUM. R.Sc.	PHRYNIUM.	Monandria	Monogynia. L.	
1 dichotomum. F.I. (wh.)	forked.	E. Indies.	1807.	6. 9. S. 2.
2 virgatum. F.I. (wh.)	slender-stem'd.	_____	1818.	_____ S. 2.
3 spicatum. F.I. (wh.)	spiked.	_____	_____	_____ S. 2.
4 imbricatum. F.I. (li.)	imbricated.	_____	1824.	5. 8. S. 2.
5 grandiflorum. R.Sc. (st.)	great-flowered.	Brazil.	1819.	6. 8. S. 2.
6 parviflorum. F.I. (ye.)	small-flowered.	E. Indies.	_____	5. 9. S. 2.
7 capitatum. F.I. (ro.)	capitate.	_____	1820.	_____ S. 2.
8 violaceum. R.Sc. (vi.)	violet-coloured.	Brazil.	1823.	6. 8. S. 2.
<i>Calathæa violacea.</i> Bot. reg. t. 961.				
9 comosum. R.Sc. (ye.)	tufted.	Trinidad.	1812.	_____ S. 2.
10 zebrinum. R.Sc. (pu.)	Zebra plant.	Brazil.	1815.	4. 7. S. 2.
<i>Maránta zebrina.</i> Bot. reg. t. 385. <i>Calathæa zebrina.</i> B.R.				
11 flavescens. (ye.)	yellowish.	Brazil.	1823.	6. 8. S. 2.
<i>Calathæa flavescens.</i> B.R.				
12 Alloüya. R.Sc. (wh.)	variegated.	Guiana.	1824.	_____ S. 2.
13 Myrosma. R.Sc. (wh.)	Canna-like.	Surinam.	1825.	_____ S. 2.
14 cylindricum. R.Sc. (st.)	cylindrical.	Brazil.	_____	2. 3. S. 2.
15 setosum. R.Sc.	bristly.	_____	1826.	_____ S. 2.
<i>Maránta secunda.</i> Gr.				
16 Parkeri. R.Sc. (ye.)	Parker's.	Grenada.	_____	_____ S. 2.
17 Casupo. R.Sc. (ye.)	two-coloured.	Trinidad.	1823.	6. 8. S. 2.
<i>Calathæa discolor.</i> s. <i>Maránta Casupo.</i> Jacq. frag. t. 63. f. 4.				
18 ellipticum. R.Sc. (st.)	elliptic-leaved.	Guiana.	1823.	_____ S. 2.
19 Róssii. L.C. (ye.)	Ross's.	Brazil.	1825.	4. 7. S. 2.
20 villosum. L.C. (ye.)	villous.	_____	_____	_____ S. 2.
21 luteum. (wh.)	yellow-bracted.	Caracas.	1809.	6. 7. S. 2.
<i>Maránta lutea.</i> Jacq. <i>Jacquini.</i> R.S.				
22 obliquum. L.C. (ye.)	oblique-leaved.	E. Indies.	1824.	5. 9. S. 2.
23 angustifolium. L.C. (ye.)	narrow-leaved.	_____	_____	_____ S. 2.
24 littorale. Ed. (ye.)	sea-side.	Brazil.	1827.	_____ S. 2.
25 longibracteatum. (li.)	long-bracted.	_____	1824.	6. 7. S. 2.
26 grandifolium. (ye.)	large-leaved.	Brazil.	1825.	_____ S. 2.
27 macilentum. B.R. (wh.)	meagre.	_____	_____	_____ S. 2.
TH'ALIA. W.	TH'ALIA.	Monandria	Monogynia. W.	
1 dealbata. L.T. (da.pu.)	mealy.	Carolina.	1791.	7. 9. H. w. 2.
2 geniculata. R.Sc. (bl.)	jointed.	Demerara.	1824.	6. 8. S. 2.
CANNA. W.	INDIAN SHOT.	Monandria	Monogynia. L.	
1 indica. R.Sc. (sc.)	common.	W. Indies.	1570.	1. 12. S. 2.
2 coccinea. L.T. (sc.)	scarlet.	_____	1731.	_____ S. 2.
3 lutea. L.T. (ye.)	yellow.	S. America.	1629.	_____ S. 2.
4 orientalis. R.Sc. (sc.)	oriental.	E. Indies.	1570.	_____ S. 2.
<i>β flava.</i> (ye.) yellow Indian.				
<i>γ maculata.</i> (sc.ye.) spotted-flowered.				
5 patens. B.R. (sc.ye.)	spreading.	China.	1771.	7. 10. H. 2.
6 speciosa. B.M. (sc.ye.)	showy.	Nepaul.	1820.	_____ H. 2.
7 gigantea. B.R. (or.)	gigantic.	S. America.	1788.	1. 12. S. 2.
8 latifolia. R.Sc. (sc.)	broad-leaved.	_____	_____	_____ S. 2.
9 edulis. B.R. (sc.)	eatable.	Peru.	1820.	6. 10. S. 2.
10 discolor. B.R. (sc.)	crimson-leaved.	Trinidad.	1827.	8. 12. S. 2.
11 Lamberti. B.R. (cr.)	Mr. Lambert's.	_____	1818.	5. 8. S. 2.
12 excelsa. B.C. (sc.)	tall.	Brazil.	1820.	1. 12. S. 2.
13 limbata. R.Sc. (sc.ye.)	bordered.	_____	1818.	_____ S. 2.
<i>auro-vittata.</i> Lodd. bot. cab. t. 449.				
14 pallida. R.Sc. (st.)	pale.	W. Indies.	1823.	_____ S. 2.
<i>Lagunensis.</i> Bot. reg. t. 1311.				
<i>β punctata.</i> (ye.) spotted-flowered.				
15 aurantiaca. R.Sc. (or.)	orange-coloured.	Brazil.	_____	_____ S. 2.
16 compacta. R.Sc. (cr.)	compact.	S. America.	_____	_____ S. 2.
17 pedunculata. R.Sc. (ye.)	stalked.	Brazil.	1820.	_____ S. 2.
18 denudata. R.Sc. (sc.ye.)	naked-stalked.	_____	_____	_____ S. 2.
19 sylvestris. R.Sc. (cr.)	wood.	S. America.	1813.	_____ S. 2.
20 lanuginosa. R.Sc. (sc.)	woolly-stem'd.	Maranham.	1823.	_____ S. 2.

1 <i>cinerea</i> . R.Sc.	(<i>fl.</i>)	flesh-coloured.	Brazil.	1822.	1. 12.	S. 2.	Rosc. scitam. t. 15.
2 <i>lanceolata</i> . L.C.	(<i>sc.</i>)	spear-leaved.	————	1820.	————	S. 2.	
3 <i>esculenta</i> . L.C.	(<i>sc.</i>)	esculent.	S. America.	————	————	S. 2.	
4 <i>polymorpha</i> . L.C.	(<i>sc.</i>)	variable.	————	1824.	————	S. 2.	
5 <i>tridactyla</i> . B.M.	(<i>cr.</i>)	nodding-flower'd.	Peru.	1816.	————	S. 2.	Bot. reg. 609.
6 <i>filicida</i> . R.Sc.	(<i>ye.</i>)	flaccid.	S. Carolina.	1788.	————	S. 2.	Rosc. scitam. t. 6.
7 <i>glauca</i> . L.T.	(<i>ye.</i>)	glaucous.	S. America.	1732.	————	S. 2.	Sm. exot. bot. t. 102.
8 <i>fulva</i> . B.M.	(<i>ye.</i>)	brown.	————		————	S. 2.	Bot. mag. t. 2302.
MARANTA. R.S. ARROW-ROOT Monandria Monogynia. L.							
1 <i>arundinacea</i> . R.S.	(<i>wh.</i>)	Indian.	S. America.	1732.	7. 8.	S. 2.	Bot. mag. t. 2307.
2 <i>indica</i> . R.S.	(<i>wh.</i>)	smooth-leaved.	India.		————	S. 2.	Sloan. jam. t. 149.
3 <i>divaricata</i> . R.Sc.	(<i>wh.</i>)	spreading.	Brazil.	1825.	— —	S. 2.	Rosc. scitam. t. 27.
4 <i>purpurea</i> . R.Sc.	(<i>pu.</i>)	purple-flowered.	————	————	————	S. 2.	———— t. 28.
5 <i>tenax</i> . R.S.	(<i>pa.bl.</i>)	ovate.	E. Indies.	1819.		S. 2.	Rumph. amb. 4. t. 7.
6 <i>angustifolia</i> . B.M.	(<i>li.</i>)	narrow-leaved.	W. Indies.	1820.	7. 8.	S. 2.	Bot. mag. t. 2398.
7 <i>cuspidata</i> . R.Sc.	(<i>ye.</i>)	cuspidate.	Sierra Leone.	1822.	————	S. 2.	Rosc. scitam. t. 31.
8 <i>bicolor</i> . B.R.	(<i>wh.</i>)	two-coloured.	S. America.	1823.	1. 12.	S. 2.	Bot. reg. t. 786.
9 <i>gibba</i> . R.S.	(<i>wh.</i>)	gibbous.	————	————	————	S. 2.	Rosc. scitam. t. 29.
10 <i>obliqua</i> . R.S.	(<i>re.</i>)	oblique.	Guiana.	1803.	10. 1.	S. 2.	Rudg. gui. t. 11.
11 <i>sylvatica</i> . L.T.	(<i>wh.</i>)	wood.	W. Indies.	1799.	8. 9.	S. 2.	

ORDO CCV.

MUSACEÆ. *Juss. gen. 61.*

MUSA. L.	PLANTAIN-TREE.	Polygamia Monœcia. L.			
1 <i>paradisica</i> . W. (<i>br.cr.</i>) common.	India.	1690.	10. 12.	S. h.	Trew. chret. 3. t. 18-20.
2 <i>sapientum</i> . W. (<i>br.cr.</i>) Banana-tree.	W. Indies.	1729.	10. 3.	S. h.	————— 4. t. 21-23.
3 <i>maculata</i> . W. (<i>br.pi.</i>) spotted-fruited.	Mauritius.	1818.	———	S. h.	
4 <i>rosea</i> . W. (<i>ro.</i>) rose-coloured.	—————	1805.	3. 6.	S. h.	Bot. reg. t. 706.
5 <i>coccinea</i> . W. (<i>sc.</i>) scarlet-flower'd.	China.	1792.	12. 3.	S. h.	Andr. reposit. t. 47.
6 <i>ornata</i> . F.I. (<i>li.or.</i>) handsome.	E. Indies.	1823.		S. h.	
7 <i>superba</i> . F.I. (<i>br.pa.</i>) superb.	—————	———		S. 2.	
8 <i>glauca</i> . F.I. (<i>ye.</i>) glaucous.	—————	1824.		S. 2.	
URANIA. W.	URANIA. Hexandria Monogynia. W.				
1 <i>speciosa</i> . W. (<i>wh.</i>) Plantain-leaved.	Madagascar.	1813.		S. h.	Jacq. schœn. 1. t. 93.
<i>Ravenalia madagascariensis</i> . Jacq.					
STRELITZIA. H.K.	STRELITZIA. Pentandria Monogynia. H.K.				
1 <i>arguta</i> . H.K. (<i>wh.</i>) Plantain-like.	C. B. S.	1791.	2. 5.	S. h.	Ker's Strelitz. ic.
2 <i>regina</i> . H.K. (<i>ye.bl.</i>) Canna-leaved.	—————	1773.	4. 5.	I. 2.	Redout. lil. t. 77. 88.
3 <i>ovata</i> . H.K. (<i>ye.bl.</i>) oval-leaved.	—————	1777.	2. 4.	I. 2.	Bot. mag. t. 119. 120.
4 <i>humilis</i> . L.en. (<i>ye.bl.</i>) dwarf.	—————		———	I. 2.	
5 <i>farinosa</i> . H.K. (<i>ye.bl.</i>) mealy-stalked.	—————	1795.	———	I. 2.	Ker's Strelitz. ic.
6 <i>angustifolia</i> . H.K. (<i>ye.bl.</i>) narrow-leaved.	—————	1778.	5. 6.	I. 2.	————— ic.
7 <i>parvifolia</i> . H.K. (<i>ye.bl.</i>) small-leaved.	—————	1796.	5. 7.	I. 2.	————— ic.
8 <i>juveca</i> . B.R. (<i>ye.bl.</i>) rush-like.	—————	———	———	I. 2.	Bot. reg. t. 516.
HELICONIA. R.S.	HELICONIA. Pentandria Monogynia. L.				
1 <i>filix</i> . W. (<i>re.sn.</i>) Plantain-leaved.	W. Indies.	1786.	4. 5.	S. 2.	Bot. reg. t. 374.
2 <i>humilis</i> . R.S. (<i>sc.</i>) dwarf.	Caracas.	1798.	5. 6.	S. 2.	Jacq. schœn. 1. t. 48. 10.
3 <i>pitacorum</i> . R.S. (<i>ye.re.</i>) Parrot-beaked.	W. Indies.	1797.	8. 9.	S. 2.	Andr. reposit. t. 124.
4 <i>Swartziana</i> . R.S. (<i>or.</i>) Swartz's.	Jamaica.	———	———	S. 2.	Bot. mag. t. 502.
5 <i>pitacorum</i> B. B.M.					
6 <i>albata</i> . L.C. (<i>ye.</i>) mealy.	S. America.	1823.	———	S. 2.	
7 <i>hirsuta</i> . R.S. (<i>ye.</i>) hairy-bracted.	—————	———	———	S. 2.	
8 <i>lanceolata</i> . F.I. (<i>st.</i>) Indian.	E. Indies.	1820.	6. 8.	S. 2.	Rumph. amb. 5. t. 62. f. 2.

ORDO CCVI.

IRIDEÆ. *Brown prodr. 302.*

IRIDEE. <i>Brown prodr.</i> 302.									
IRIS. B.M.		FLOWER-DE-LUCE. Triandria Monogynia. L.							
1 <i>syriaca</i> . R.S.	(br.bl.)	Chalcedonian.	Levant.	1596.	3.	4.	H. 2.	Bot. mag. t. 91.	
2 <i>livida</i> . Trat.	(pa.bl.)	livid.	_____	_____	_____	_____	H. 2.	Redout. lil. 1. t. 18.	
3 <i>versicolor</i> . Redoute non		B.M.							

3	florentina. R.s. (wh.)	Florentine.	S. Europe.	1596.	5. 6.	H. 2.	Bot. mag. t. 671.
4	germanica. R.s. (bl.)	German.	Germany.	1573.	—	H. 2.	— t. 670.
5	subbiflora. B.M. (bl.)	double-bearing.	Portugal.	1596.	4. 5.	H. 2.	— t. 1132.
6	pallida. R.s. (pa.bl.)	pale Turkey.	Turkey.	—	5. 6.	H. 2.	— t. 685.
	nepalensis. Bot. reg. 818. non Don. prodr.						
7	longiflora. R.s. (pa.bl.)	long-flowered.		1821.	—	H. 2.	—
8	flavescens. R.s. (st.)	pale yellow.	Switzerland.	1825.	—	H. 2.	Swt. br. fl. gar. s. 2.
9	sordida. W.en. (pa.ye.)	dull-flowered.	—	1818.	—	H. 2.	Bot. mag. t. 2861.
	lutescens. Bot. mag. t. 2861. nec aliorum.						
10	sambucina. R.s. (pu.wh.)	Elder-scented.	S. Europe.	1658.	6.	H. 2.	Bot. mag. t. 187.
11	squalens. R.s. (pu.ye.)	brown-flowered.	—	1768.	—	H. 2.	— t. 787.
12	lurida. R.s. (da.pu.)	dark brown.	—	1758.	4. 5.	H. 2.	— t. 690.
13	variegata. R.s. (pa.ye.)	variegated.	Hungary.	1597.	5. 6.	H. 2.	— t. 16.
	β limbata. R.s. (pu.ye.)	yellow-limbed.	N. America.		—	H. 2.	—
14	neglecta. R.s. (bl.wh.)	Horneman's.		1820.	6.	H. 2.	Bot. mag. t. 2435.
15	virescens. R.L. (st.)	greenish-flowered.		1824.	5. 6.	H. 2.	Redout. lil. 5. t. 2.
16	Swertii. R.s. (bl.wh.)	reflex-flowered.		1748.	—	H. 2.	— 6. t. 2.
17	plicata. R.s. (bl.)	plaited-leaved.	Hungary.	1823.	—	H. 2.	Bot. mag. t. 870.
18	amœna. R.L. (pu.wh.)	pretty.		—	—	H. 2.	Redout. lil. 8. t. 3.
19	biflora. R.s. (vi.pu.)	two-flowered.	S. Europe.	1596.	4. 9.	H. 2.	Besl. h. cyst. s. f. 1.
20	furcata. R.s. (bl.)	forked.	Tauria.	1822.	3. 4.	H. 2.	Bot. reg. t. 801.
21	cristata. R.s. (bl.ye.)	crested.	N. America.	1756.	5.	H. 2.	Bot. mag. t. 412.
22	fimbriata. v. (bl.)	fringed.	China.	1792.	5. 6.	F. 2.	Vent. cels. t. 9.
	chinensis. Bot. mag. t. 373.						
23	dichotoma. R.s. (vi.pu.)	forked.	Dauria.	1784.	6. 8.	H. 2.	Swt. br. fl. gar. t. 2.
24	nudicaulis. R.s. (pu.wh.)	naked-stalked.		1748.	5. 6.	H. 2.	—
	aphylla. w.						
25	arenaria. R.s. (ye.)	sand.	Hungary.	1802.	—	H. 2.	Bot. reg. t. 549.
26	lutescens. R.s. (ye.)	dwarf yellow.	Germany.	1748.	4. 5.	H. 2.	Redout. lil. 5. t. 2.
	pumila. var. lutea. Bot. mag. t. 1209.						
27	flavissima. R.s. (ye.)	bright yellow.	Siberia.	1814.	5. 6.	H. 2.	Jacq. ic. 3. t. 22.
28	pumila. R.s. (bl.)	dwarf.	Austria.	1596.	4. 5.	H. 2.	Bot. mag. t. 9.
29	violacea. (vi.)	violet-coloured.	S. Europe.		—	H. 2.	— t. 1261.
	pumila. var. violacea. B.M.						
30	hungarica. R.s. (bl.)	Hungarian.	Hungary.	1815.	5.	H. 2.	Swt. br. fl. gar. t. 2.
31	iberica. R.s. (vi.)	Iberian.	Iberia.	1821.	5. 6.	H. 2.	—
32	Pseud-Acorus. R.s. (ye.)	yellow-water.	Britain.		6.	H. 2.	Eng. bot. v. 9. t. 5.
	β pallido-flava. B.M. (ye.)	pale-yellow.	N. America.	1812.	—	H. 2.	Bot. mag. t. 2230.
33	Monnieri. R.s. (ye.)	Le Monnier's.	Levant.	1820.	6. 7.	H. 2.	Redout. lil. 4. t. 2.
34	taurica. B.C. (ye.)	Taurian.	Tauria.	1826.	5. 6.	H. 2.	Lodd. bot. cab. t. 1.
35	foetidissima. R.s. (br.bl.)	Gladwyn.	Britain.		6.	H. 2.	Eng. bot. v. 9. t. 5.
	β variegata. (br.bl.)	striped-leaved.	—		—	H. 2.	—
36	versicolor. R.s. (pu.ye.)	various-coloured.	N. America.	1732.	5. 6.	H. 2.	Bot. mag. t. 21.
37	fulva. B.M. (co.)	copper-coloured.	—	1812.	6. 7.	H. 2.	— t. 1496.
	cuprea. Ph. published 1814. fulva. B.M. published 1812.						
38	tridentata. Ph. (bl.)	three-toothed.	N. America.	1824.	7.	H. 2.	Swt. br. fl. gar. t. 2.
	tripetala. Bot. mag. t. 2886. scarcely the same species.						
39	virginica. R.s. (bl.pu.)	Virginian.	Virginia.	1758.	6. 7.	H. 2.	Bot. mag. t. 703.
40	gracilis. Bolt. (pu.ye.)	Bolton's.	N. America.	1812.	—	H. 2.	—
	Boltoniana. R.s.						
41	spuria. B.M. (bl.)	spurious.	Siberia.	1759.	7.	H. 2.	Bot. mag. t. 58.
42	notha. M.B. (bl.)	hybrid.	—	1780.	—	H. 2.	Bieb. cent. pl. s. 21.
	halophila. Bot. mag. t. 875.						
43	ochroleuca. L. (st.)	sulphur-coloured.	Levant.	1757.	—	H. 2.	Bot. mag. t. 61.
44	halophila. Pal. (st.)	long-leaved.	Siberia.	1780.	7. 9.	H. 2.	— t. 1131.
45	stenogyna. R.L. (st.)	cream-coloured.	Caucasus.	1804.	7.	H. 2.	— t. 1515.
46	desertorum. Guld. (bl.st.)	sweet-scented.	Russia.	1811.	—	H. 2.	— t. 1514.
	spatulata. W.en.						
47	heterophylla. s.s. (st.)	various-leaved.		—	—	H. 2.	—
48	laevigata. F.	smooth.	Dahuria.	1828.		H. 2.	—
49	verna. M. (bl.)	vernal.	N. America.	1748.	4. 5.	H. 2.	Swt. br. fl. gar. t. 2.
50	ventricosa. R.s. (pa.bl.)	bellied.	Dahuria.	1800.	6.	H. 2.	Pall. it. 3. t. B. f. 1.
51	sibirica. R.s. (bl.st.)	flaccid-leaved.	Siberia.	1596.	5. 6.	H. 2.	Bot. mag. t. 50.
52	flexuosa. R.s. (wh.)	flexuose.	Germany.		—	H. 2.	Murr. c. gott. 7. s. 4.
	sibirica. β alba. B.M. t. 1163. Redoute lilac. t. 438. acuta β alba. W.enum.						
53	acuta. W.en. (bl.)	straight-leaved.	Siberia.		—	H. 2.	—
54	triflora. W.en. (bl.)	three-flowered.	Italy.	1816.	—	H. 2.	—
55	haematophylla. F. (bl.)	red-leaved.	Siberia.	1790.	4. 5.	H. 2.	Swt. br. fl. gar. t. 2.
	sanguinea. R.s. sibirica γ sanguinea. Bot. mag. t. 1604.						

1	<i>laetistris</i> . N. (pa.bl.) marsh.	N. America.	1825.	5. 6.	H. 4.	
2	<i>prismatica</i> . R.S. (bl.) New Jersey.	————	1812.	——	H. 4.	Bot. mag. t. 1504.
3	<i>graminea</i> . R.S. (bl.pu.) grass-leaved.	Austria.	1597.	6.	H. 4.	———— t. 681.
4	<i>humilis</i> . M.B. (bl.) pigmy.	Siberia.	1804.	5. 6.	H. 4.	———— t. 1123.
5	<i>ruthenica</i> . R.S. (bl.) Russian.	Russia.	1810.	4. 5.	H. 4.	———— t. 1393.
6	<i>ligularis</i> . R.S. (bh.wh.) two-glumed.	Siberia.	1829.	——	H. 4.	Pall. it. 3. app. t. 6. f. 1.
7	<i>tenifolia</i> . W. (pa.bl.) slender-leaved.	Dauria.	1796.	5.	H. 4.	———— 3. t. C. f. 2.
8	<i>nepalensis</i> . D.P. (bl.) Nepaul.	Nepaul.	1824.	6. 7.	H. 4.	Swt. br. fl. gar. s. 2. t. 11.
9	<i>Pallasii</i> . B.M. (bl.) Pallas's.	Siberia.	1820.	——	H. 4.	
10	<i>sinensis</i> . B.M. (bl.) Chinese.	China.	——	——	H. 4.	Bot. mag. t. 2331.
11	<i>longispatha</i> . B.M. (bl.) long-spathed.	Russia.	1822.	——	H. 4.	———— t. 2528.
12	<i>brachycuspis</i> . B.M. (bl.) short-pointed.	Siberia.	1819.	6.	H. 4.	———— t. 2326.
13	<i>coelestina</i> . N. (bl.) sky-blue.	N. America.	1824.	——	F. 4.	
14	<i>tenax</i> . B.R. (pu.) tough-leaved.	California.	1827.	4. 5.	H. 4.	Bot. reg. t. 1218.
15	<i>sericea</i> . R.S. (vi.) snake's-head.	Levant.	1597.	3. 4.	H. 4.	Bot. mag. t. 531.
16	<i>reticulata</i> . R.S. (bl.) netted-rooted.	Iberia.	1821.	4. 5.	H. b. 4.	
17	<i>Aphium</i> . R.S. (va.) small bulbous.	Spain.	1596.	6.	H. b. 4.	Bot. mag. t. 686.
18	<i>portugica</i> . R.S. (ye.) Portuguese.	Portugal.	——	4. 5.	H. b. 4.	———— t. 679.
19	<i>Aphionides</i> . R.S. (va.) great bulbous.	Spain.	1571.	6.	H. b. 4.	———— t. 687.
20	<i>caucasicæ</i> . R.S. (st.) Caucasian.	Caucasus.	1821.	2. 3.	H. b. 4.	Swt. br. fl. gar. t. 255.
21	<i>alta</i> . Lam. (bl.) winged.	S. Europe.	1801.		H. b. 4.	Desf. atl. 1. t. 6?
	<i>serpioides</i> . Redout. liliac. t. 211.					
22	<i>persica</i> . R.S. (bl.ye.) Persian.	Persia.	1629.	3.	H. b. 4.	Bot. mag. t. 1.
	DIETES. Triandria Monogynia.					
23	<i>iridioides</i> . (wh.bl.) Iris-flowered.	C. B. S.	1758.	4. 8.	F. 4.	Bot. mag. t. 693.
	<i>Moræa iridioides</i> . B.M. <i>Iris moræoides</i> . Ker.					
24	<i>catenulata</i> . (wh.bl.) chain-dotted.	Madagascar.	1826.	——	F. 4.	Bot. reg. t. 1074.
	<i>Moræa catenulata</i> . B.R.					
	MORÆA. B.M. MORÆA. Triandria Monogynia. L.					
25	<i>Synnychium</i> . B.M. (bl.) Spanish nut.	S. Europe.	1597.	5. 6.	F. b.	Bot. mag. t. 1407.
26	<i>Tenoreana</i> . B.F.G. (bl.) Tenore's.	Naples.	1824.	6. 7.	F. b.	Swt. br. fl. gar. t. 110.
	<i>Iris fugax</i> . Ten. flor. nap. t. 4. nec aliorum.					
27	<i>minuta</i> . B.R. (ye.) small.	C. B. S.	1825.	——	F. b.	
28	<i>papilionacea</i> . B.R. (ye.) Butterfly.	————	1795.	5. 6.	F. b.	Bot. mag. t. 750.
29	<i>fringed-leaved</i> . B.R. (ye.)	————	1787.	4. 6.	F. b.	———— t. 1061.
30	<i>bearded</i> . Sal. (ro.)	————	——	4. 5.	F. b.	———— t. 1012.
31	<i>short-spathed</i> . B.R. (std.)	————	1803.	——	F. b.	———— t. 1284.
32	<i>dull-coloured</i> . B.R. (bl.ye.)	————	1768.	——	F. b.	———— t. 577.
33	<i>three-coloured</i> . A.R. (br.re.ye.)	————	1809.	——	F. b.	Andr. reposit. t. 83.
34	<i>Mr. Griffin's</i> . B.R. (d.pu.)	————	1817.	6. 7.	F. b.	Bot. reg. t. 312.
35	<i>branching</i> . B.R. (ye.)	————	1789.	5. 6.	F. b.	Bot. mag. t. 771.
36	<i>feathered</i> . B.R. (bl.)	————	1825.	——	F. b.	
37	<i>bird-limed</i> . B.R. (br.)	————	1800.	6.	F. b.	Bot. mag. t. 587.
38	<i>clammy</i> . B.R. (ye.)	————	1787.	4. 5.	F. b.	———— t. 1045.
39	<i>many-spiked</i> . B.R. (bl.)	————	1825.	6. 7.	F. b.	
40	<i>long-flowered</i> . B.R. (ye.)	————	1801.	6. 7.	F. b.	Bot. mag. t. 712.
41	<i>bristle-leaved</i> . B.R. (tl.)	————	1825.	——	F. b.	Thunb. Ir. t. 1. f. 1.
42	<i>long-leaved</i> . B.M. (li.bl.)	————	1792.	5. 6.	F. b.	Bot. mag. t. 613.
43	<i>sweet-scented</i> . P.L. (wh.)	————	——	——	F. b.	Sal. par. lond. t. 10.
44	<i>pale-yellow</i> . A.R. (st.)	————	1808.	——	F. b.	Andr. reposit. t. 45.
	<i>γ lutescens</i> . Bot. mag. t. 1238.					
45	<i>rolled-leaved</i> . B.R. (st.)	————	1790.	——	F. b.	Bot. mag. t. 1276.
	MA'RICA. Triandria Monogynia. H.K.					
46	<i>blue</i> . B.C. (bl.)	Brazil.	1810.	4. 10.	S. 4.	Bot. reg. t. 713.
47	<i>Sabine's</i> . H.T. (bl.)	St. Thomas.	1822.	9. 11.	S. 4.	Hort. trans. v. 6. pl. 1.
48	<i>broad-stemmed</i> . H.K. (wh.br.)	Brazil.	1789.	4. 8.	S. 4.	Bot. mag. t. 654.
	<i>Northiana</i> . Andr. rep. t. 255.					
49	<i>marsh</i> . B.M. (wh.)	Guiana.	1792.	7. 8.	S. 4.	Bot. mag. t. 616.
50	<i>half-opened</i> . B.C. (ye.)	Brazil.	1820.	5. 7.	S. 4.	Lodd. bot. cab. t. 685.
51	<i>dwarf</i> . B.C. (wh.ye.)	————	1823.	——	S. 4.	———— t. 1081.
52	<i>long-leaved</i> . L.O. (st.)	Brazil.	1830.	6. 10.	S. 4.	Lk. et Ot. abb. t. 58.
53	<i>Martinico</i> . H.K. (ye.)	W. Indies.	1782.	5. 7.	S. 4.	Bot. mag. t. 416.
	<i>Cipura martinicensis</i> . B.M. <i>Trimèzia lùrida</i> . Sal.					
	HERBERTIA. B.F.G. HERBERTIA. Monadelphia Triandria.					
54	<i>plaited-leaved</i> . B.F.G. (bl.)	Makdonado.	1827.	6. 8.	F. b.	Swt. br. fl. gar. t. 222.
55	<i>small</i> . (st.)	Brazil.	1830.	——	F. b.	Lk. et Ot. abb. t. 59.
	<i>Ferreria pusilla</i> . Lk. et Otto.					
	CYPE'LLA. Monadelphia Triandria. B.M.					
56	<i>Mr. Herbert's</i> . B.M. (or.)	Buenos Ayres.	1823.	6. 9.	F. b.	Swt. br. fl. gar. s. 2. t. 33.
	<i>Moræa Herberti</i> . B.M. t. 2599. <i>Moræa Herberti</i> . B.R. t. 949.					

VIEUSSE'UXIA. DC. VIEUSSE'UXIA. Triandria-Monadelphia Monogynia.

- 1 tripetaloides. DC. (bh.) three petal-like. C. B. S. 1802. 4. 5. F.b. Bot. mag. t. 722.
Mor'æa tripetala. B.M. *Iris tripetala*. w.
- 2 pavonia. DC. (or.gr.) Peacock. 1790. 5. 6. F.b. Bot. mag. t. 1247.
Mor'æa pavonia. B.M. *Iris pavonia*. w.
- 3 villosa. s.s. (pu.bl.) villous-leaved. C. B. S. 1789. 4. 5. F.b. Bot. mag. t. 571.
- 4 tricuspis. s.s. (pu.) trident-petaled. 1776. 6. F.b. ——— t. 606.
- 5 glaucopis. DC. (wh.bl.) white-flowered. ——— 5. 7. F.b. Redout. lil. t. 2.
- Iris pavonia*. Bot. mag. t. 168. nec aliorum.
- 6 Bellendèni. (ye.) Mr. Ker's. 1803. 6. 7. F.b. Bot. mag. t. 772.
Mor'æa tricuspis γ *lutea*. B.M. certainly a very distinct species.
- 7 tenuis. R.S. (or.) slender. C. B. S. 1807. 5. 6. F.b. Bot. mag. t. 145.
- 8 spiralis. R.S. (ye.) spiral-flowered. 1825. — F.b. De la Rech. t. 1.
- 9 unguicularis. R.S. (bh.) long-clawed. 1802. — F.b. Bot. mag. t. 571.
- HOMERIA. V. HOMERIA. Monadelphia Triandria.
- 1 spicata. (ye.or.pu.) spiked. C. B. S. 1785. 5. 6. F.b. Bot. mag. t. 124.
- Mor'æa spicata*. B.M.
- 2 collina. (pi.) hill. 1768. — F.b. Bot. mag. t. 1.
- Mor'æa collina*. B.M.
- 3 ochroleuca. Sal. (ye.) straw-coloured. ——— — F.b. Bot. mag. t. 11.
- Mor'æa collina*. γ. B.M. 1103.
- 4 lineata. B.F.G. (pi.) lined-leaved. 1825. — F.b. Swt. br. fl. g. t. 1.
- 5 porrifolia. B.F.G. (sc.) leek-leaved. ——— — F.b. ———
- 6 elegans. (or.gr.) elegant. ——— — F.b. Jacq. schen. t. 1.
- 7 aurantiaca. R.S. (or.) flaccid-petaled. 1810. — F.b. Bot. mag. t. 1011.
- Mor'æa collina*. (a) *miniata minor*. B.M. 1612.
- 8 miniata. B.F.G. (pi.) spot-flowered. 1799. — F.b. Swt. br. fl. g. t. 1.
- HEXAGLOTTIS. Vt. HEXAGLOTTIS. Monadelphia Triandria.
- 1 flexuosa. (ye.) flexuose. C. B. S. 1803. 5. 6. F.b. Bot. mag. t. 606.
- longifolia*. Vent. *Mor'æa flexuosa*. B.M.
- 2 virgata. (ye.) slender. 1825. — F.b. Jacq. icon. 2. t. 1.
- PARDA'NTHUS. S.S. PARDA'NTHUS. Triandria Monogynia. S.S.
- 1 chinensis. s.s. (or.) Chinese. China. 1759. 6. 7. H. 2. Bot. mag. t. 171.
- Ixia chinensis*. B.M. *Belamcanda chinensis*. DC.
- 2 nepalensis. (or.) Nepaul. Nepaul. 1823. — H. 2. ———
- BOBA'RTIA. L. BOBA'RTIA. Triandria Monogynia. L.
- 1 gladiata. K.I. (ye.) hairy-stalked. C. B. S. 1815. 6. 8. G. 2. Bot. reg. t. 220.
- Márica gladiata*. B.R. *Mor'æa gladiata*. w.
- 2 spathacea. L. (ye.) sheathed. 1798. 7. G. 2. Thunb. dis. p. 1.
- SISYRINCHIUM. L. SISYRINCHIUM. Monadelphia Triandria.
- 1 latifolium. H.K. (wh.) broad-leaved. W. Indies. 1737. 6. 8. S. 2. Bot. mag. t. 606.
- Márica plicata*. B.M. *Mor'æa plicata*. w.
- 2 bermudianum. w. (bl.) Iris-leaved. Bermudas. 1732. 5. 7. G. 2. Bot. mag. t. 606.
- iridioïdes*. B.M.
- 3 Nuttalli. (bl.) Nuttall's. N. America. 1823. — H. 2. ———
- bermudianum*. N. nec aliorum.
- 4 chilense. B.M. (bl.) blue Chilian. Chile. 1826. 6. 7. F. 2. Bot. mag. t. 270.
- 5 graminifolium. B.R. (ye.) grass-leaved. 1825. 4. 8. F. 2. Bot. reg. t. 1011.
- 6 flexuosum. B.R. (ye.) flexuose. ——— — F. 2. ———
- 7 ancéps. w. (bl.) narrow-leaved. N. America. 1693. 6. 7. H. 2. Bot. mag. t. 606.
- 8 mucronatum. M. (bl.) pointed-flowered. 1812. — H. 2. ———
- 9 convolutum. w. (ye.) convolute. S. America. 1816. 5. 7. F. 2. Wild. h. ber. t. 1.
- 10 tenuifolium. w. (ye.) slender-leaved. Mexico. ——— — F. 2. ———
- 11 luteum. L.en. (ye.) yellow-flowered. 1823. — H. 2. ———
- 12 californicum. H.K. (ye.) Californian. California. 1796. 5. 2. F. 2. Bot. mag. t. 980.
- Márica californica*. B.M.
- 13 pedunculatum. B.M. (ye.) long-peduncled. Chile. 1827. 6. 8. F. 2. Bot. mag. t. 270.
- 14 micranthum. w. (st.) small-flowered. Peru. 1822. 5. 9. F. 2. Bot. reg. t. 1011.
- 15 iridifolium. K.S. (st.vi.) Iris-leaved. S. America. ——— — F. 2. ———
- laxum*. Bot. mag. t. 2312. *Márica iridifolia*. B.R.
- 16 odoratissimum. B.R. (std.) sweet-scented. S. America. 1828. 6. 10. F. 2. Bot. reg. t. 124.
- 17 striatum. H.K. (ye.std.) streaked-flowered. Mexico. 1788. — F. 2. Sm. ic. pict. t. 1.
- Márica striata*. B.M.
- 18 palmifolium. w. (wh.) Palm-leaved. Brazil. 1799. 1. 5. S. 2. ———
- ORTHROSA'NTHUS. MORNING-FLOWER. Monadelphia Triandria.
- multiflorus. S.F.A. (bl.) many-flowered. N. Holland. 1825. 5. 8. G. 2. Swt. flor. g. t. 1.
- LIBERTIA. S.S. LIBERTIA. Triandria-Monadelphia Monogynia.
- 1 paniculata. s.s. (wh.) panicled. N. S. W. 1823. 5. 8. F. 2. ———
- 2 grandiflora. (wh.) large-flowered. N. Zealand. 1822. 4. 9. H. 2. Swt. br. fl. g. t. 1.
- Renealmia grandiflora*. S.F.A. the old genus *Renealmia* is restored by Roscoe.
- 3 pulchella. s.s. (wh.) neat. N. S. W. 1823. 4. 9. F. 2. ———

PATERSONIA. B.P. PATERSONIA. Monadelphia Triandria. H.K.						
1 sericea. B.P.	(pu.) silky.	N. S. W.	1803.	5. 7.	F. 4.	Bot. mag. t. 1041.
2 lanata. B.P.	(pu.) woolly-spathed.	N. Holland.	1825.	5. 8.	F. 4.	Swt. flor. aust. t. 15.
3 longifolia. B.P.	(bl.) long-leaved.	N. S. W.	1822.	5. 7.	F. 4.	
4 media. B.P.	(bl.) middle.	—	1824.	—	F. 4.	
5 glabrata. B.P.	(bl.) smooth.	—	1814.	—	F. 4.	Bot. reg. t. 50.
6 longiscapa. S.F.A.	(bl.) long-stalked.	N. Holland.	1825.	5. 8.	F. 4.	Swt. flor. aust. t. 39.
7 glauca. B.P.	(bl.) glaucous.	N. S. W.	1826.	—	F. 4.	Lab. nov. hol. 1. t. 9.
WITS'ENIA. H.K. WITS'ENIA. Triandria Monogynia.						
1 anura. H.K.	(or.) downy-flowered.	C. B. S.	1790.	11. 1.	G. 7.	Bot. reg. t. 5.
2 corymbosa. H.K.	(bl.) corymbose.	—	1803.	4. 9.	G. 7.	Bot. mag. t. 895.
3 ramosa. S.S.	(ye.bl.) branching.	—	1809.	—	G. 7.	
4 partita. K.I.	(bl.) parted-flowered.	—	1822.	—	G. 7.	
ARISTEA. Ker. ARISTEA. Triandria Monogynia. L.						
1 cyanea. H.K.	(bl.) woolly-headed.	C. B. S.	1759.	4. 6.	G. 4.	Bot. mag. t. 458.
2 sessilis. B.M.	(bl.) flat-stemmed.	—	1806.	6. 7.	G. 4.	— t. 1231.
3 spiralis. H.K.	(wh.br.) spiral-flowered.	—	1795.	4. 5.	G. 4.	— t. 520.
4 capitata. H.K.	(bl.) tallest.	—	1790.	7. 8.	G. 4.	— t. 605.
Mor. A.R. 160. Moræa carulea. Th. mor. t. 2. f. 2.						
1 tricolor. H.K.	(bl.blk.) three-coloured.	C. B. S.	1786.	5. 6.	G. 4.	Bot. mag. t. 1277.
FERRARIA. Ker. FERRARIA. Monadelphia Triandria. H.K.						
1 angustifolia.	(st.) narrow-leaved.	C. B. S.	1825.	4. 6.	F.b.	
2 antherosa. B.M.	(gr.) green variegated.	—	1800.	3. 7.	F.b.	Bot. mag. t. 751.
Ferraria H.K. viridiflora. A.R. t. 285.						
3 uncinata. B.F.G.	(br.bl.) hook-leaved.	—	1825.	—	F.b.	Swt. br. fl. gar. t. 161.
4 undulata. W.	(br.wh.) curled.	—	1755.	—	F.b.	Bot. mag. t. 144.
5 atrata. L.C.	(da.) dark-flowered.	—	1825.	—	F.b.	Lodd. bot. cab. t. 1356.
6 divaricata. B.F.G.	(da.) spreading-anther'd.	—	—	—	F.b.	Swt. br. fl. gar. t. 192.
7 obtusifolia. B.F.G.	(pu.br.) blunt-leaved.	—	—	—	F.b.	— t. 148.
TIGRIDIA. J. TIGRIDIA. Monadelphia Triandria. H.K.						
1 pavonia. H.K.	(sc.) red-flowered.	Mexico.	1796.	5. 9.	H.b.	Redoute lil. t. 6.
Ferraria pavonia. A.R. 178. Tigridia. B.M. 532.						
2 conchiflora. B.F.G.	(ye.) yellow-flowered.	Mexico.	1824.	—	H.b.	Swt. br. fl. gar. t. 128.
GALAXIA. Ker. GALAXIA. Monadelphia Triandria. H.K.						
1 ovata. W.	(ye.) oval-leaved.	C. B. S.	1799.	5. 9.	F.b.	Andr. reposit. t. 94.
2 grandiflora. A.R.	(ye.) large-flowered.	—	—	—	F.b.	— t. 164.
3 mucronularis. Sal.	(ro.) mucronated.	—	—	—	F.b.	Jac. ic. t. 291. f. inf. sin.
4 versicolor. Sal.	(ro.ye.) various-coloured.	—	—	—	F.b.	— f. inf. ad. dextr.
5 graminea. W.	(ye.) narrow-leaved.	—	1795.	7. 8.	F.b.	Bot. mag. t. 1292.
PEYROUSIA. PEYROUSIA. Triandria Monogynia. H.K.						
1 corymbosa. B.M.	(bl.) level-topped.	C. B. S.	1791.	5. 6.	F.b.	Bot. mag. t. 595.
2 filicata. B.M.	(bl.) sickle-leaved.	—	1825.	—	F.b.	Thunb. dis. 4. t. 1. f. 3.
3 fasciculata. B.M.	(wh.) fascicled.	—	—	—	F.b.	Jacq. ic. 2. t. 291.
Galaxia plicata. Jacq. Ixia heterophylla. Vahl. Orieda fasciculata. S.S.						
4 acicillia. B.M.	(ro.) leafy-spiked.	C. B. S.	1809.	8. 9.	F.b.	Bot. mag. t. 1246.
5 bracteata. B.M.	(wh.) bracteate.	—	1825.	—	F.b.	Thunb. act. haf. 6. c. ic.
6 scaberrima. B.F.G.	(wh.) prickly-stemmed.	—	—	5. 7.	F.b.	Swt. br. fl. gar. s. 2. t. 39.
7 anceps. B.F.G.	(bl.) flat-stemmed.	—	—	—	F.b.	— ser. 1. t. 143.
8 silensides. B.M.	(pu.) Silene-like.	—	1822.	—	F.b.	Jacq. ic. 2. t. 270.
9 palmicli. B.M.	(wh.) slender-branched.	—	1825.	—	F.b.	
ANOMATHECA. Ker. ANOMATHECA. Triandria Monogynia. H.K.						
1 lancea. H.K.	(ro.) cut-leaved.	C. B. S.	1791.	4. 5.	F.b.	Bot. mag. t. 606.
Lapeyrousia juncea. B.M. Gladiolus polystachyus. A.R. 66.						
BABIANA. Ker. BABIANA. Triandria Monogynia. S.S.						
1 nana. S.S.	(bl.re.) dwarf.	C. B. S.	1807.	4. 6.	F.b.	Andr. reposit. t. 137.
Gladiolus nanus. A.R.						
2 macrocyanea. B.M.	(bl.re.) red and blue.	—	1794.	—	F.b.	Bot. mag. t. 410.
3 villosa. B.M.	(cr.) dark red.	—	1778.	8.	F.b.	— t. 583.
Ixia punicea. Jacq. ic. 2. t. 287.						
4 obtusifolia. B.M.	(vi.) blunt-leaved.	—	1825.	5. 6.	F.b.	Jacq. ic. 2. t. 284.
Ixia villosa. Jacq. non H.K.						
5 purpurea. B.M.	(d.pu.) dark purple.	—	1806.	—	F.b.	Bot. mag. t. 1052.
6 stricta. B.M.	(bl.wh.) upright.	—	1757.	—	F.b.	— t. 621.
7 angustifolia.	(bl.) narrow-leaved.	—	—	—	F.b.	— t. 637.
Ixia (a) B.M. Ixia villosa var. Jacq. frag. t. 14. f. 3.						
8 tenuiflora. B.F.G.	(bl.) slender-flowered.	C. B. S.	1825.	—	F.b.	Swt. br. fl. gar. ic.
9 sphærea. B.M.	(st.) pale-flowered.	—	1803.	—	F.b.	Bot. mag. t. 1053.
10 mucronata. B.M.	(pu.ye.) mucronate.	—	1825.	—	F.b.	Jacq. ic. 2. t. 253.
11 plicata. B.M.	(pu.bl.) sweet-scented.	—	1774.	—	F.b.	Bot. mag. t. 576.
12 disticha. B.M.	(pu.bl.) two-ranked.	—	—	6. 7.	F.b.	— t. 626.
Gladiolus plicatus. Jacq. ic. t. 237. nec a iorum.						

13	pállida. W.H.	(pa.) pale-flowered.	Hybrid.		6. 7.	F.b.	
14	ochroleuca.	(st.) cream-colour'd.	C. B. S.	1825.	5. 7.	F.b.	
15	spathacea. B.M.	(bl.wh.) stiff-leaved.	-----	1801.	-----	F.b.	Bot. mag. t. 68.
16	sambucina. B.M.	(da.bl.) Elder-scented.	-----	1799.	4. 5.	F.b.	----- t. 1919.
17	tubàta.	(wh.re.) long-flowered.	-----	1774.	-----	F.b.	----- t. 689.
	<i>Gladiolus tubatus</i> . Jacq. ic. 2. t. 264.						
18	tubiflora. B.M.	(wh.re.) long-tubed.	-----	-----	-----	F.b.	Bot. mag. t. 847.
19	ringens. B.M.	(pu.) gaping-flowered.	-----	1752.	5. 6.	F.b.	Lodd. bot. cab. t. 1
20	Thunbèrgii. B.M.	(pu.) many-spiked.	-----	1774.	-----	F.b.	
	<i>Anthol' yza plicata</i> . W.						
ANTHOL'YZA. Ker.		ANTHOL'YZA.		Triandria Monogynia.		L.	
1	æthiòpica. B.M.	(sc.or.) flag-leaved.	C. B. S.	1759.	1. 4.	F.b.	Bot. mag. t. 561.
2	præalta. DC.	(sc.or.) tall.	-----		-----	F.b.	Redout. lil. 7. t. 87
	<i>æthiòpica</i> . var. β . B.M. 1172. <i>vittigera</i> . Sal.						
3	montàna. B.C.	(pu.) mountain.	-----	1824.	5. 7.	F.b.	Lodd. bot. cab. t. 1
4	lucidor. B.M.	(pu.) shining.	-----	1825.	-----	F.b.	
ANISA'NTHUS. B.F.G.		ANISA'NTHUS.		Triandria Monogynia.			
1	spléndens. B.F.G.	(sc.) splendid.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. ger. 1
2	Cunònia. B.F.G.	(sc.) scarlet.	-----	1756.	5. 6.	F.b.	Bot. mag. t. 315.
	<i>Anthol' yza Cunònia</i> . B.M. <i>Gladiolus Cunònia</i> . H.K.						
PETA'MENES. Sal.		PETA'MENES.		Triandria Monogynia.			
	quadrangulàris. (ye.sc.)	four-sided.	C. B. S.	1790.	4. 5.	F.b.	Bot. mag. t. 567.
	<i>Gladiolus quadrangulàris</i> . B.M. <i>abbreviatus</i> . Andr. repos. t. 166.						
WATS'ONIA. Ker.		WATS'ONIA.		Triandria Monogynia.		H.K.	
1	aletroídes. B.M.	(ro.) Aletris-flower'd.	C. B. S.	1774.	5. 7.	F.b.	Bot. mag. t. 411.
	β variegàta. B.M.	(ro.) variegated.	-----	-----	-----	F.b.	----- t. 533.
2	angústa. K.I.	(sc.) narrow-flowered.	-----	1825.	-----	F.b.	Jacq. ic. 2. t. 22.
3	hùmilis. B.M.	(re.) lake-coloured.	-----	1754.	-----	F.b.	Bot. mag. t. 631.
4	Meriàna. B.M.	(ro.) red-flowered.	-----	1750.	-----	F.b.	----- t. 418.
5	iridifolia. Jac.	(fl.) Iris-leaved.	-----	1795.	-----	F.b.	Jacq. ic. 2. t. 22.
6	fúlgida. Sal.	(sc.) scarlet.	-----	-----	-----	F.b.	Bot. mag. t. 60.
	<i>Anthol' yza fúlgens</i> . A.R. 192.						
7	ròseo-álba. B.M.	(w.bh.) two-coloured.	-----		7. 8.	F.b.	Bot. mag. t. 537.
	β variegàta. (wh.ro.)	variegated-flower'd.	-----		-----	F.b.	----- t. 113.
8	brevifolia. B.M.	(sc.) short-leaved.	-----	1794.	5. 7.	F.b.	----- t. 61.
9	ròsea. B.M.	(ro.) pyramidal.	-----	1803.	7. 8.	F.b.	----- t. 157.
10	strictiflora. B.M.	(ro.) straight-flower'd.	-----	1810.	6. 7.	F.b.	----- t. 11.
11	marginàta. B.M.	(ro.) broad-leaved.	-----	1774.	-----	F.b.	----- t. 60.
	β mìnor. B.M.	(ro.) shining-leaved.	-----	1812.	-----	F.b.	----- t. 157.
12	rùbens. K.I.	(re.) red-spathed.	-----	1825.	-----	F.b.	
13	punctàta. H.K.	(bl.) dotted-flowered.	-----	1800.	4. 5.	F.b.	Andr. reposit. t. 17
	<i>I'xia punctàta</i> . A.R.						
14	plantagínea. B.M.	(bl.) Fox-tail.	-----	1774.	6. 7.	F.b.	Bot. mag. t. 533.
15	spicàta. B.M.	(bh.) hollow-leaved.	-----	1791.	5.	F.b.	----- t. 523.
	<i>I'xia fistulòsa</i> . B.M.						
GLADIOLUS. Ker.		CORN-FLAG.		Triandria Monogynia.		L.	
1	viperàtus. B.M.	(gr.pu.) perfumed.	C. B. S.	1787.	4. 5.	F.b.	Swt. br. fl. ger. 1
2	alàtus. B.M.	(sc.ye.) wing-flowered.	-----	1795.	5. 6.	F.b.	----- t. 15.
3	algoénsis.	(co.pu.y.) Algoa bay.	-----	1824.	7.	F.b.	Bot. mag. t. 200.
	<i>alàtus</i> β <i>algoénsis</i> . B.M.						
4	namaquénsis. B.M.	(sc.y.) thick-leaved.	-----	1800.	5. 6.	F.b.	Bot. mag. t. 502.
5	permeàbilis. R.S.	(re.y.) tall.	-----	1825.	-----	F.b.	De la Roch. 1801
6	Watsonius. B.M.	(sc.) Watson's.	-----	1791.	3. 5.	F.b.	Bot. mag. t. 400.
	β variegàta. (sc.ye.)	variegated-flower'd.	-----	1801.	-----	F.b.	----- t. 500.
7	brevifolius. H.K.	(fl.) short-leaved.	-----	1802.	-----	F.b.	----- t. 527.
8	hirsùtus. H.K.	(ro.) rose-coloured.	-----	1795.	4. 6.	F.b.	----- t. 514.
	<i>ròseus</i> . Andr. reposit. t. 11.						
9	merianèllus. K.I.	(pu.ye.) slender-flower'd.	-----	-----	-----	F.b.	
10	puníceus. Lam.	(pu.) dark purple.	-----	-----	-----	F.b.	Breyn. cent. 24. 11
	<i>villòsus</i> . K.I. <i>Lamarckii</i> . R.S.						
11	aphýllus. K.I.	(fl.) leafless.	-----	-----	-----	F.b.	Bot. mag. t. 902.
12	versicolor. B.M.	(re.ye.) various-colour'd.	-----	1794.	5. 6.	F.b.	Andr. reposit. t. 1
13	lævis. K.I.	(br.re.st.) two-nerved.	-----	1806.	-----	F.b.	Bot. mag. t. 102.
	<i>versicolor</i> ϵ . <i>binèrris</i> . B.M.						
14	Breyniànus. K.I.	(br.y.) Breynius's.	-----	-----	-----	F.b.	Breyn. afr. 2. t. 7.
15	suavèolens. K.I.	(br.y.) sweet-scented.	-----	1799.	-----	F.b.	Bot. mag. t. 500.
16	elongàtus. K.I.	(bl.ye.) long-leaved.	-----	-----	-----	F.b.	Jacq. ic. 2. t. 24.
17	recúrvus. B.M.	(pu.ye.) Violet-scented.	-----	1758.	4. 5.	F.b.	Bot. mag. t. 57.
18	inflàtus. K.I.	(pu.pu.) inflated.	-----	1825.	-----	F.b.	
19	gràcilis. B.M.	(pa.bl.) slender.	-----	1800.	-----	F.b.	Bot. mag. t. 100.

1	delilis. B.M. (wh.pu.) weak.	C. B. S.	1822.	4. 5.	F.b.	Bot. mag. t. 2585.
2	nich. nemifolius. B.M. (ye.) slender-leav'd.	—	1810.	5. 6.	F.b.	— t. 1483.
3	concolor. P.L. (st.) pale-yellow.	—	1790.	—	F.b.	Sal. par. lond. t. 8.
4	tristis. B.M. (st.br.) square-leaved.	—	1745.	—	F.b.	Bot. mag. t. 272.
5	lychnus. K.I. (wh.st.pu.) transparent.	—	1825.	—	F.b.	Jacq. ic. 2. t. 242.
6	tenellus. K.I. (st.br.) feeble.	—	—	—	F.b.	— t. 248.
7	Colvilli. B.F.G. (re.ye.) Colvill's.	Hybrid.	1823.	—	F.b.	Swt. br. fl. gar. t. 155.
8	carneus. B.M. (pu.pu.) flesh-coloured.	C. B. S.	1796.	—	F.b.	Bot. mag. t. 591.
9	capillatus. B.M. (w.pu.) sharp-pointed.	—	1795.	4. 5.	F.b.	— t. 582.
10	angustus. B.M. (st.re.) narrow-leaved.	—	1757.	—	F.b.	— t. 602.
11	lustratus. Thunb. non B.M.	—	—	—	—	—
12	venereculus. K.I. (bh.vi.) spade.	—	1816.	—	F.b.	Bot. mag. t. 1564.
13	involutus. K.I. (ro.pu.) involute.	—	1757.	5. 6.	F.b.	Mill. ic. t. 286. f. 1.
14	edulis. B.R. (wh.pu.ye.) eatable-rooted.	—	—	—	F.b.	Bot. reg. t. 169.
15	undulatus. B.M. (st.pu.) waved-flowered.	—	1760.	4. 5.	F.b.	Bot. mag. t. 647.
16	fasciatus. R.S. (pi.pu.) fasciate.	—	—	—	F.b.	— t. 538.
17	undulatus β . Bot. mag.	—	—	—	—	—
18	blandus. B.M. (bh.ro.) fairest.	—	1774.	6.	F.b.	Bot. mag. t. 625.
19	albidus. W. (wh.) white-flowered.	—	—	—	F.b.	— t. 648.
20	campanulatus. A.R. (pu.) bell-flowered.	—	1794.	5. 6.	F.b.	Andr. reposit. t. 188.
21	blandus γ purpureo-albescens. B.M.	—	—	—	—	—
22	excelsus. K.I. (pi.) painted-flower'd.	—	—	—	F.b.	Bot. mag. t. 1665.
23	blandus δ . excelsus. B.M.	—	—	—	—	—
24	trimaculatus. K.I. (bh.pu.) three-spotted.	—	—	—	F.b.	Lam. ill. 1. t. 32. f. 3.
25	flexuosus. B.M. (bh.) flexuose.	—	1825.	—	F.b.	Thunb. diss. t. 1. f. 1.
26	floribundus. B.M. (pi.w.) large-flowered.	—	1788.	5. 7.	F.b.	Bot. mag. t. 610.
27	Milleri. B.M. (wh.pu.) Miller's.	—	1751.	4. 5.	F.b.	— t. 632.
28	cardinalis. B.M. (sc.) superb.	—	1789.	7. 8.	F.b.	— t. 135.
29	bockveldiënsis. W.H. (co.) Bockveld.	—	1826.	—	F.b.	—
30	spofforthianus. W.H. (va.) Blando-cardinalis.	Hybrid.		—	F.b.	—
31	ritchamiënsis. W.H. (va.) Tristi-hirsutus.	—		—	F.b.	—
32	rigidus. W.H. (va.) Tristi-blandus.	—		—	F.b.	—
33	propinquus. W.H. (var.) Floribundo-blandus.	—		—	F.b.	—
34	fragrans. W.H. (va.) Recurvo-tristis.	—		—	F.b.	—
35	haylockianus. W.H. (va.) Versicolori-blandus.	—		—	F.b.	—
36	herbertianus. (va.) Tristi-Spofforthianus.	—		—	F.b.	—
37	al-ratus. W.H. (va.) Hirsuto-Spofforthianus.	—		—	F.b.	—
38	delicatus. W.H. (va.) Recurvo-blandus.	—		—	F.b.	—
39	byzantinus. B.M. (pu.) Turkish.	Turkey.	1629.	6. 7.	H.b.	Bot. mag. t. 874.
40	communis. B.M. (re.) common.	S. Europe.	1596.	—	H.b.	— t. 86.
41	carneus. B.M. (bh.) pale-flowered.	—	—	—	H.b.	— t. 1575.
SPHEROSPORA. SPHEROSPORA. Triandria Monogynia.						
1	imbricata. (re.wh.) European.	S. Europe.	1596.	6. 7.	H.b.	Bot. mag. t. 719.
2	Gladiolus ségetum. B.M. Gladiolus imbricatus. K.I.	—	—	—	—	—
3	trichylla. (re.) three-leaved.	Greece.	1825.	—	H.b.	Flor. græc. 1. t. 38.
SYNNOTIA. B.F.G. SYNNO'TIA. Triandria Monogynia.						
1	variegata. B.F.G. (bl.ye.) variegated-flower'd.	C. B. S.	1825.	4. 6.	F.b.	Swt. br. fl. gar. t. 150.
2	bicolor. B.F.G. (ye.bl.) two-coloured.	—	1786.	3. 4.	F.b.	Bot. mag. t. 548.
3	Tristibicolor. B.M. Sparaxis bicolor. Ker. Gladiolus bicolor. W.	—	—	—	—	—
4	galeata. B.F.G. (vi.ye.) helmet-flower'd.	—	1825.	—	F.b.	Jacq. ic. 2. t. 258.
5	Gladiolus galeatus. Jacq.	—	—	—	—	—
STREPTANTHERA. B.F.G. STREPTANTH'ERA. Triandria Monogynia.						
1	elegans. B.F.G. (w.re.y.) elegant.	C. B. S.	1825.	6. 7.	F.b.	Swt. br. fl. gar. t. 209.
2	cuprea. (co.re.) copper-coloured.	—	—	—	F.b.	—
SPARAXIS. Ker. SPARA'XIS. Triandria Monogynia. H.K.						
1	tricolor. H.K. (cr.re.y.) three-coloured.	C. B. S.	1789.	5.	F.b.	Bot. mag. t. 381.
2	versicolor. (cr.bl.y.) various-coloured.	—	1811.	—	F.b.	Swt. br. fl. gar. t. 160.
3	Griffini. (pu.re.y.) Mr. Griffin's.	—	—	—	F.b.	Bot. mag. t. 1482. f. inf.
4	tricolor γ violaceo-purpurea. B.M.	—	—	—	—	—
5	blanda. (bh.) blush-flowered.	—	—	—	F.b.	Bot. mag. t. 1482. f. med.
6	tricolor δ . subroscò-albida. B.M.	—	—	—	—	—
7	grandiflora. H.K. (pu.) large-flowered.	—	1758.	4. 5.	F.b.	Bot. mag. t. 541.
8	purpurea. (pu.) velvet-flowered.	—	—	—	F.b.	Andr. reposit. t. 87.
9	striata. (pu.st.) streaked-flower'd.	—	—	—	F.b.	Bot. mag. t. 779.
10	Liliago. (wh.bh.) Lily-flowered.	—		—	F.b.	Redout. lil. 2. t. 109.
11	Liliago. R.L. Sparaxis grandiflora γ Liliago.	Bot. reg.	t. 258.	—	—	—
12	bulbifera. H.K. (ye.) bulb-bearing.	C. B. S.	1758.	5. 6.	F.b.	Bot. mag. t. 545.
13	fragrans. B.M. (ye.) fragrant.	—	1825.	—	F.b.	Jacq. ic. 2. t. 274.
14	anemoneflora. B.M. (st.) Anemone-flower'd.	—	—	—	F.b.	— 2. t. 273.
15	Lili anemoneflora. Jacq.	—	—	—	—	—

TRITONIA. Ker.	TRITONIA. Triandria Monogynia. H.K.				
1 crispa. H.K. (ro.wh.) curled-leaved.	C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 678.
2 anigozanthiflora. (gr.) Anigozanthus-fl'd.	—	1825.	6. 8.	F.b.	—
3 viridis. B.M. (gr.) green-flowered.	—	1788.	7.	F.b.	Bot. mag. t. 1275.
4 rosea. H.K. (wh.ro.) rosy.	—	1793.	6. 7.	F.b.	— t. 618.
5 capensis. B.M. (st.pu.) Cape.	—	1811.	8. 10.	F.b.	— t. 1561.
6 pallida. B.M. (st.) pale-flowered.	—	1806.	—	F.b.	Jacq. ic. 2. t. 252.
7 longiflora. B.M. (st.re.) long-flowered.	—	1774.	6. 8.	F.b.	Bot. mag. t. 256.
<i>Hexaglottis longiflora</i> . V. <i>Gladiolus longiflorus</i> . Jacq. <i>Ixia longiflora</i> . B.M.					
8 tenuiflora. R.S. (st.) slender-flower'd.	C. B. S.	1811.	4. 6.	F.b.	Bot. mag. t. 1502.
9 cóncolor. (st.) self-coloured.	—	—	—	F.b.	— t. 1502.f.m.
10 Rocheana. (st.ro.) bending-flowered.	—	—	8.	F.b.	— t. 1503.
11 pectinata. B.M. (bh.) pectinated.	—	1825.	5. 6.	F.b.	—
12 striata. B.M. (st.vi.) streaked.	—	—	—	F.b.	Jacq. ic. 2. t. 252.
13 lineata. B.M. (st.br.) pencilled.	—	1774.	—	F.b.	Bot. mag. t. 487.
14 securigera. B.M. (co.ye.) copper-coloured.	—	—	5.	F.b.	— t. 3-3.
15 flava. B.M. (ye.) yellow.	—	1780.	4. 6.	F.b.	Bot. reg. t. 747.
16 refracta. B.R. (ye.) reflexed.	—	1815.	5. 6.	F.b.	— t. 135.
17 squálida. B.M. (pi.bh.) sweet-scented.	—	1774.	—	F.b.	Bot. mag. t. 581.
18 fenestrata. B.M. (sn.) open-flowered.	—	1801.	—	F.b.	— t. 704.
19 purpurea. K.I. (pu.) purple.	—	1825.	—	F.b.	—
20 crocata. B.M. (sn.) Crocus-flowered.	—	1758.	—	F.b.	Bot. mag. t. 184.
<i>Ixia crocata</i> . B.M.					
21 deusta. B.M. (sn.re.) spotted-flower'd.	—	1774.	—	F.b.	Bot. mag. t. 622.
22 miniata. B.M. (ye.) late-flowered.	—	1795.	8.	F.b.	— t. 609.
23 xanthospila. s.s. (wh.) yellow-spotted.	—	1825.	5. 6.	F.b.	Redout. lil. 3. t. 124.
MORPHIXIA. K.I.	MORPHIXIA. Triandria Monogynia.				
1 linearis. K.I. (bh.) slender.	C. B. S.	1796.	4. 5.	F.b.	Bot. mag. t. 570.
<i>Ixia linearis</i> . R.S. <i>capillaris a gracillima</i> . B.M. <i>Hyàlis gracilis</i> . Salisb.					
2 capillaris. K.I. (bh.) wire-stemmed.	C. B. S.	1774.	—	F.b.	Bot. mag. t. 617.
<i>Hyàlis latifolia</i> . Salisb. <i>Ixia lancea</i> . Jacq. ic. 2. t. 281. <i>capillaris</i> β <i>stricta</i> . B.M.					
3 aulica. K.I. (ro.) rose-coloured.	C. B. S.	1774.	—	F.b.	Bot. mag. t. 1013.
<i>Ixia aulica</i> . H.K. <i>capillaris</i> γ <i>aulica</i> . B.M. <i>Hyàlis aulica</i> . Salisb.					
4 incarnata. K.I. (fl.) flesh-coloured.	C. B. S.	1774.	—	F.b.	Jacq. ic. 2. t. 282.
I'XIA. Ker.	I'XIA. Triandria Monogynia. L.				
1 fucata. B.M. (bh.) painted.	C. B. S.		6. 7.	F.b.	Bot. mag. t. 1372.
2 aristata. B.M. (pi.) salver-flowered.	—	1800.	—	F.b.	— t. 589.
3 flexuosa. B.M. (va.) flexuose.	—	1757.	4. 5.	F.b.	— t. 624.
4 hybrida. B.M. (wh.ro.) spurious.	—	—	—	F.b.	— t. 125.
5 leucantha. P.S. (wh.) white-flowered.	—	1779.	5. 8.	F.b.	Jacq. ic. 2. t. 278.
6 patens. B.M. (cr.) spreading-flower'd.	—	—	4. 6.	F.b.	Bot. mag. t. 522.
7 crateroides. B.M. (cr.) crimson.	—	1778.	—	F.b.	— t. 594.
8 monadelphæ. B.M. (bl.gr.) monadelphous.	—	1792.	—	F.b.	— t. 607.
9 curta. A.R. (or.) shortened.	—	—	—	F.b.	Andr. reposit. t. 54.
<i>monadelphæ</i> β . Bot. mag. t. 1378.					
10 columellaris. B.M. (pu.b.re.) variegated.	—	1790.	6. 8.	F.b.	Bot. mag. t. 630.
11 conica. B.M. (or.re.) orange-color'd.	—	1757.	4. 5.	F.b.	— t. 589.
12 fusco-citrina. R.S. (ye.br.) yellow and brown.	—	—	—	F.b.	Redoute lilac. t. 8.
13 dubia. R.S. (ye.pu.) doubtful.	—		—	F.b.	— t. 14.
14 viridiflora. R.S. (gr.pu.) green-flowered.	—	1780.	5. 6.	F.b.	Jacq. schæn. t. 20. 21.
15 maculata. W. (va.) spot-flowered.	—	—	—	F.b.	Andr. reposit. t. 22.
16 ovata. A.R. (wh.pu.) ovate-spiked.	—	—	—	F.b.	— t. 100.
17 capitata. A.R. (wh.bk.) headed.	—	—	—	F.b.	—
18 ochroleuca. (st.br.) cream-coloured.	—	1809.	—	F.b.	Bot. mag. t. 1255.
19 erecta. H.K. (wh.) upright.	—	1757.	—	F.b.	Jacq. schæn. l. t. 15.
<i>a albiflora</i> . (wh.) white-flowered.					
β <i>incarnata</i> . (fl.) flesh-coloured.					
γ <i>latea</i> . (ye.) yellow-flowered.					
20 odorata. (ye.) sweet-scented.	—	—	—	F.b.	Bot. mag. t. 623.
21 retusa. H.K. (ro.) retuse.	—	1793.	2. 4.	F.b.	Andr. reposit. t. 100.
<i>polystachia</i> . Bot. mag. t. 629.					
22 scillaris. B.M. (ro.) Squill-flowered.	—	1787.	—	F.b.	Bot. mag. t. 542.
23 crispa. B.M. (ro.) curled-leaved.	—	—	4. 5.	F.b.	— t. 589.
MELASPHÆRULA. Ker.	MELASPHÆRULA. Triandria Monogynia. H.K.				
1 iridifolia. B.F.G. (wh.br.) Iris-leaved.	C. B. S.	1825.	2. 4.	F.b.	Swt. br. fl. gar. ic.
2 intermedia. (pu.st.) intermediate.	—	1787.	4. 8.	F.b.	Bot. mag. t. 613.
<i>graminea</i> . B.M. <i>excl. synonym.</i>					
3 graminea. (wh.br.) grass-leaved.	—	1825.	2. 5.	F.b.	Jacq. ic. 2. t. 230.
<i>Gladiolus gramineus</i> . Jacq. <i>Diastis graminifolia</i> . Red. lil. t. 163.					
4 parviflora. L.C. (wh.) small-flowered.	C. B. S.	1825.	—	F.b.	Lodd. bot. cab. t. 104.

HESPERANTHA, Ker. EVENING-FLOWER. Triandria Monogynia. H.K.

1 cinnamomea. H.K. (w.br.) curled-leaved. C. B. S.	1787.	4. 5.	F.b.	Bot. mag. t. 1054.
2 falcata. H.K. (wh.br.) sickle-leaved. ———	——	——	F.b.	—— t. 566.
3 graminifolia. (wh.br.) Grass-leaved. ———	1808.	8. 9.	F.b.	—— t. 1254.
<i>foliis 3 foliis nudis, floribus minoribus.</i> B.M.				
4 pilosa. H.K. (wh.br.) hairy. C. B. S.	1811.	4. 5.	F.b.	Bot. mag. t. 1475.
5 angusta. B.M. (wh.) narrow-leaved. ———	1825.	——	F.b.	Jacq. ic. 2. t. 279.
<i>laxa angusta.</i> Jacq.				

6 latifolia. H.K. (wh.br.) nodding-flowered. ———	1791.	4. 6.	F.b.	Bot. mag. t. 573.
--	-------	-------	------	-------------------

ELSORHIZA, Ker. TILE-ROOT. Triandria Monogynia. H.K.

1 Rocheana. (bl.pu.) plaid. C. B. S.	1790.	5.	F.b.	Bot. mag. t. 598.
2 monantha. (bl.) one-flowered. ———	——	——	F.b.	Houtt. syst. 11. t. 78. f. 1.
3 setacea. B.M. (st.re.) bristle-leaved. ———	1809.	6. 7.	F.b.	Bot. mag. t. 1255.
4 ciliolata. H.K. (st.) pale-yellow. ———	1801.	5.	F.b.	—— t. 672.
5 vaginata. B.F.G. (ye.) sheathed. ———	1825.	6. 9.	F.b.	Swt. br. fl. gar. t. 138.
6 scandia. B.M. (bl.) one-ranked. ———	1795.	5. 6.	F.b.	Jacq. ic. 2. t. 277.
7 carulea. (bl.) blue-flowered. ———	——	——	F.b.	Bot. mag. t. 597.
8 albescens. (wh.bl.) whitish-flowered. ———	——	——	F.b.	—— t. 1105.
9 sublutea. B.M. (st.) yellowish. ———	1825.	——	F.b.	
<i>Ixia sublutea.</i> Lam.				
10 hamilis. K.I. (st.bh.) dwarf. ———	1822.	——	F.b.	
11 erecta. W.H. (st.bl.) erect. ———	1824.	——	F.b.	
12 imbricata. B.M. (st.re.) imbricated. ———	——	——	F.b.	
13 hirta. B.M. (pa.bl.) hairy. ———	——	——	F.b.	
14 filaris. Sal. (st.) fringed. ———		——	F.b.	

Ixia inflata. K.I. *Ixia inflata.* De la Roche.

15 creisa. B.M. (wh.pi.) dwarf-cut-leaved. ———	1789.	4. 5.	F.b.	Bot. mag. t. 584.
--	-------	-------	------	-------------------

Ixia creisa. B.M.

SPATALANTHUS, B.F.G. RIBBON-FLOWER. Monadelphica Triandria.

speciosus. B.F.G. (sc.y.re.) beautiful. C. B. S.	1825.	8. 10.	F.b.	Swt. br. fl. gar. t. 300.
--	-------	--------	------	---------------------------

TRICHONEMA, Ker. TRICHONEMA. Triandria Monogynia. H.K.

1 Bulbocodium. H.K. (pu.) channel-leaved. S. Europe.	1739.	3. 4.	H.b.	Bot. mag. t. 265.
2 purpurascens. (pu.) purple. Naples.	1825.	——	H.b.	Ten. fl. nap. v. 1. t. 2.
<i>Ixia purpurascens.</i> T.S.				
3 Columnæ. T.P. (st.li.) Columna's. ———	——	——	H.b.	Redout. lil. t. 88. f. A.
4 caelestinum. (bl.) blue. N. America.	1820.	——	H.b.	Bartr. it. t. 3.
<i>Ixia caelestina.</i> Ph.				
5 roseum. B.M. (ro.) rose-coloured. C. B. S.	1808.	6. 7.	F.b.	Bot. mag. t. 1225.
6 speciosum. B.M. (ro.) crimson. ———	——	3. 4.	F.b.	—— t. 1476.
7 pädium. B.M. (ro.) blush. ———	——	6. 8.	F.b.	—— t. 1244.
8 cruciatum. S.S. (ro.) square-leaved. ———	1758.	5. 6.	F.b.	Jacq. ic. 2. t. 290.
9 longifolium. Sal. (ro.) small-flowered. ———	——	——	F.b.	Bot. mag. t. 575.
<i>cruciatum.</i> B.M. non Jacq.				
10 filifolium. K.I. (ye.) slender-leaved. ———	1812.	——	F.b.	Redout. lil. t. 251. f. 2.
11 recurvifolium. K.I. (st.) recurve-flowered. ———	——	——	F.b.	—— t. 251. f. 1.
12 tortuosum. K.I. (ye.) twisted-leaved. ———	1822.	——	F.b.	
13 caulescens. B.M. (ye.) caulescent. ———	1810.	6. 7.	F.b.	Bot. mag. t. 1392.
14 chloroleucum. B.M. (st.) milk-coloured. ———	1825.	5. 7.	F.b.	Jacq. ic. 2. t. 270.

CROCUS, L. CROCUS. Triandria Monogynia. L.

1 vernus. E.B. (va.) spring. England.		2. 4.	H.b.	Eng. bot. v. 5. t. 344.
2 plumbeus. H.T. (bl.) lead-coloured.		——	H.b.	Hort. t. v. 7. t. 11. 12. f. 10.
3 albus major. H.T. (wh.) large-white.		——	H.b.	—— v. 7. t. 11. 12. f. 11.
4 leucorhynchus. H.T. (w.) white.		——	H.b.	—— v. 7. t. 11. 12. f. 12.
5 inflatus. H.T. (bl.) bellied.		——	H.b.	—— v. 7. t. 11. 12. f. 13.
6 fucatus. H.T. (bh.pu.) painted.		——	H.b.	—— v. 7. t. 11. 12. f. 14.
7 pictus. H.T. (li.pu.) pencilled.		——	H.b.	—— v. 7. t. 11. 12. f. 15.
8 Andersonii. H.T. (wh.) Anderson's.		——	H.b.	—— v. 7. t. 11. 12. f. 16.
9 Sabini. H.T. (bl.) Sabine's.		——	H.b.	—— v. 7. t. 11. 12. f. 17.
10 Glorians. H.T. (wh.bl.) Queen of Portugal's.		——	H.b.	—— v. 7. t. 11. 12. f. 18.
11 pulchellus. H.T. (li.bl.) pretty.		——	H.b.	—— v. 7. t. 11. 12. f. 19.
12 neapolitanus. R.S. (std.) Neapolitan. Naples.		——	H.b.	Bot. mag. t. 869.
13 clavatus. R.S. (wh.) obovate-flowered. S. Europe.		——	H.b.	—— t. 2240.
14 striatus. L.en. (wh.vi.) striated.		——	H.b.	
15 versicolor. H.K. (wh.bl.) party-coloured. ———	1629.	——	H.b.	Bot. mag. t. 1110.
16 purpureus. H.T. (pu.) purple-flowered. ———	——	——	H.b.	Hort. tr. v. 7. t. 11. 12. f. 6.
17 plumosus. H.T. (pu.w.) feathered.		——	H.b.	—— v. 7. t. 11. 12. f. 7.
18 elegans. H.T. (pu.wh.) elegant.		——	H.b.	—— v. 7. t. 11. 12. f. 8.
19 urbanus. H.T. (wh.li.) homebred.		——	H.b.	—— v. 7. t. 11. 12. f. 9.

4	biflorus. H.K. (wh.pu.) Scotch.	Crimea.	1629.	2. 3.	H.b.	Bot. mag. t. 84.
	β Parkinsonii. H.T. (wh.bl.) Parkinson's.	————	————	————	H.b.	Hort. tr. v. 7. t. 11. f. 1.
5	pusillus. R.S. (wh.pu.) small.	Italy.	1824.	————	H.b.	Swt. br. fl. ear. t. 1.
6	minus. R.L. (pu.wh.) small.	Corsica.	1828.	————	H.b.	Redout. 13. t. 81.
7	præcox. E.B. (pu.wh.) early.	Britain.		————	H.b.	Eng. bot. t. 204.
8	argenteus. H.T. (pu.wh.) silvery.			————	H.b.	Hort. tr. v. 7. t. 11. f. 1.
9	albiflorus. R.S. (wh.) white-flowered.	Hungary.	————	2. 4.	H.b.	
10	variegatus. R.S. (ye.pu.) variegated.	Levant.	1828.	————	H.b.	Hop. et Hor. a. M.
11	reticulatus. M.B. (ye.vi.) netted-bulbed.	Caucasus.	1825.	————	H.b.	M. B. cent. pl. r.
12	susianus. H.K. (ye.pu.) Cloth of Gold.	Turkey.	1605.	————	H.b.	Bot. mag. t. 652.
13	stellaris. H.T. (ye.pu.) starry cloth of gold.	S. Europe.	1629.	————	H.b.	Hort. trans. 1. p. 1.
14	sulphureus. B.M. (st.) pale yellow.	————	————	————	H.b.	Bot. mag. t. 1384.
15	lacteus. H.T. (st.vi.) milk-coloured.			————	H.b.	
	β penicillatus. H.T. (st.vi.) pencilled.			————	H.b.	Hort. t. v. 7. t. 11. f. 1.
16	lagenæflorus. P.L. (st.) Gourd-flowered.	Greece.		————	H.b.	Bot. mag. t. 255.
17	aureus. F.G. (go.) golden-flowered.	————		————	H.b.	Eng. bot. t. 204.
18	luteus. R.S. (ye.) common yellow.	Levant.	1620.	————	H.b.	Bot. mag. t. 45.
	vernus. B.M. nec aliorum.					
19	mæsiacus. B.M. (ye.) great yellow.	Greece.	1629.	————	H.b.	Bot. mag. t. 1111.
20	sativus. R.S. (vi.) saffron.	England.		9. 10.	H.b.	Eng. bot. v. 5. t. 5.
21	serotinus. R.S. (vi.) late-flowered.	S. Europe.	1629.	9. 11.	H.b.	Bot. mag. t. 1205.
22	Pallàsii. M.B. (vi.) autumnal.	Tauria.		————	H.b.	
	autumnalis. R.S.					
23	nudiflorus. E.B. (vi.) naked-flowered.	England.		10. 11.	H.b.	Eng. bot. v. 7. t. 1.

ORDO CCVII.

HÆMODORACEÆ. Brown prodr. 299.

WACHENDO'RFIA. L. WACHENDO'RFIA. Triandria Monogynia. L.						
1	thyrsiflora. R.S. (ye.) tall-flowered.	C. B. S.	1759.	5. 6.	G. 4.	Bot. mag. t. 102.
2	paniculata. R.S. (ye.) panicked.	————	1700.	2. 5.	F. b.	———— t. 616.
3	Herberti. (ye.) Herbert's.	————	1823.	————	F. b.	———— t. 2012.
	paniculata. β. H. in B.M.					
4	hirsuta. R.S. (ye.) hairy.	————	1687.	4. 6.	F. b.	Bot. mag. t. 614.
5	brevifolia. B.M. (ye.) short-leaved.	————	1795.	3. 4.	F. b.	———— t. 1102.
6	Breyniana. R.S. (pu.ye.) Breynius's.	————	1825.	————	F. b.	Breyn. cent. f. 5.
7	graminea. S.S. (ye.) Grass-leaved.	————	1810.	6.	G. 4.	
8	tenella. R.S. (pu.) slender-leaved.	————	1816.	————	G. 4.	
XIPHIDIUM. J. XIPHIDIUM. Triandria Monogynia. W.						
1	albidum. S.S. (wh.) white.	W. Indies.	1787.	6. 8.	S. 4.	Sw. fl. ind. ec. 1. 1.
	floribundum. Swartz.					
2	coruleum. S.S. (bl.) blue.	————	1793.	————	S. 4.	Aub. gui. 1. t. 11.
HÆMOD'ORUM. B.P. HÆMOD'ORUM. Triandria Monogynia. R.S.						
1	planifolium. B.P. (st.) flat-leaved.	N. S. W.	1810.	7. 11.	F. 4.	Bot. mag. t. 1012.
2	teretifolium. B.P. (st.) round-leaved.	————	1822.	————	F. 4.	
DIL'ATRIS. Ker. DIL'ATRIS. Triandria Monogynia. R.S.						
1	corymbosa. W. (pu.) broad-petaled.	C. B. S.	1790.	5. 6.	F. 4.	Sm. exot. bot. 1. t. 1.
	umbellata. L.					
2	viscosa. W. (pu.) clammy.	————	1795.	————	F. 4.	
3	paniculata. W. (pu.ye.) panicked.	————	1825.	————	F. 4.	
GYROTHECA. H.T. GYROTHECA. Triandria Monogynia.						
	tinctoria. (re.) red-rooted.	N. America.	1812.	6. 7.	H. 4.	Mich. amer. 1. t. 4.
	Lachnánthes tinctoria. Ell. Dilátris tinctoria. Ph. Heritiéra Gmelini. M.					
LOPH'IOLO. B.M. LOPH'IOLO. Hexandria Monogynia. B.M.						
	aurea. B.M. (ye.) golden-flowered.	N. America.	1811.	5. 7.	H. 4.	Bot. mag. t. 1532.
	Conóstylis americana. Ph.					
LAN'ARIA. W. LAN'ARIA. Hexandria Monogynia. W.						
	plumosa. W. (pu.) woolly.	C. B. S.	1787.	6. 7.	G. 4.	
CONO'STYLIS. B.P. CONO'STYLIS. Hexandria Monogynia. S.S.						
1	aculeata. B.P. (st.) prickly-leaved.	N. Holland.	1821.	9. 2.	F. 4.	Bot. mag. t. 2253.
2	serrulata. B.P. (st.) serrulate.	————	————		F. 4.	
ANIGOZA'NTHOS. B.P. ANIGOZA'NTHOS. Hexandria Monogynia.						
1	flavida. B.P. (br.gr.) russet-green.	N. Holland.	1803.	5. 9.	F. 4.	Bot. mag. t. 1151.
2	rufa. B.P. (br.gr.) rufous.	————	1821.	————	F. 4.	Labill. voy. 1. t. 2.

ORDO CCVIII.

HYPOXIDÆ. *Brown.*

HYPOXIS. L.	HYPOXIS.	Hexandria Monogynia. L.			
1 jancea. W.	(ye.) rushy.	Carolina.	1787.	6. 7.	H.b.
2 hygrométrica. B.P.	(ye.) hairy-leaved.	N. Holland.	1820.	—	F.b.
3 alba. W.	(wh.) white.	C. B. S.	1806.	—	F.b.
4 linearis. A.R.	(ye.) linear-leaved.	—	1792.	4. 5.	F.b.
5 stellata. W.	(ye.) yellow starry.	—	1752.	4. 6.	F.b.
6 elegans. P.S.	(wh.) white starry.	—	—	—	F.b.
<i>stellata</i> β. B.M. <i>certainly a distinct species.</i>					
7 serrata. W.	(ye.) saw-leaved.	—	1788.	6. 7.	F.b.
8 ovata. W.	(ye.) smooth-leaved.	—	1806.	2. 5.	F.b.
9 veratrifolia. W.	(ye.) plaited-leaved.	—	1788.	6. 7.	F. 4.
<i>plicata</i> . Jacq.					
10 carolinensis. M.	(ye.) Carolina.	Carolina.	1822.	—	F.b.
11 decumbens. W.	(ye.) decumbent.	Jamaica.	1755.	6. 9.	S. 4.
12 stellipilis. B.R.	(ye.) starry-haired.	C. B. S.	1821.	6. 12.	F. 4.
13 obliqua. W.	(ye.) oblique-leaved.	—	1795.	6. 7.	F. 4.
14 pratensis. B.P.	(ye.) field.	N. S. W.	1822.	—	F.b.
15 erecta. S.S.	(ye.) upright.	N. America.	1752.	—	H.b.
16 gracilis. Ot.	(ye.) slender.	S. America.	1828.	—	G.b.
17 Selloi. Ot.	(ye.) Sello's.	Buenos Ayres.	1827.	—	F.b.
18 scbolifera. W.	(ye.) creeping.	C. B. S.	1774.	6. 9.	F. 4.
19 villosa. W.	(ye.) villous.	—	—	—	F. 4.
20 obtusa. B.R.	(ye.) obtuse.	—	1816.	—	F. 4.
21 aquatica. W.	(ye.) water.	—	1787.	6. 7.	F. 4.
CURCULIGO. B.P.	CURCULIGO.	Hexandria Monogynia. S.S.			
1 plicata. B.R.	(ye.) plaited.	C. B. S.	1788.	6. 7.	F.b.
β glabra.	(ye.) smooth-leaved.	—	1816.	—	F.b.
2 orchioïdes. S.S.	(ye.) narrow-leaved.	E. Indies.	1800.	—	S. 4.
3 brevifolia. S.S.	(ye.) short-leaved.	—	1804.	5. 7.	S. 4.
4 latifolia. S.S.	(ye.) broad-leaved.	—	—	5. 8.	S. 4.
5 samatrana. B.C.	(ye.) Sumatra.	Sumatra.	1818.	—	S. 4.
6 recurvata. S.S.	(ye.) recurved.	Bengal.	1805.	—	S. 4.
BARBAC'ENIA. Vand.	BARBAC'ENIA.	Hexandria Monogynia.			
purpurea. B.M.	(pu.) purple-flower'd.	Brazil.	1825.	8. 9.	S. ½.
VELLO'SIA. Vand.	VELLO'SIA.	Polyandria Monogynia.			
squamata. P.E.	(bl.) scaly.	Brazil.	1829.		S. ½.

ORDO CCIX.

AMARYLLIDÆ. *Brown prodr. p. 296.*

STERNBERGIA. W.K.	STERNBERGIA.	Hexandria Monogynia.			
1 colchiciflora. B.R.	(ye.) Colchicum-flower'd.	Hungary.	1816.	9. 10.	H.b.
2 Clusiana. B.R.	(ye.) Clusius's.	Constantinople...	—	—	H.b.
3 lutea. B.R.	(ye.) common yellow.	S. Europe.	1596.	—	H.b.
<i>Amaryllis lutea</i> . B.M.					
β angustifolia.	(ye.) narrow-leaved.	—	—	—	H.b.
ZEPHYRANTHES. H.A.	ZEPHYRANTHES.	Hexandria Monogynia.			
1 chloroleuca. H.A.	(st.) one-leaved.			5. 8.	G.b.
2 Atamasco. H.A.	(wh.) Atamasco Lily.	N. America.	1629.	5. 6.	H.b.
<i>Amaryllis Atamasco</i> . B.M.					
3 tubispatha. H.A.	(wh.) tube-sheathed.	S. America.		5. 7.	S.b.
<i>Amaryllis tubispatha</i> . B.M.					
4 candida. B.M.	(wh.) white-flowered.	Peru.	1822.	7. 10.	H.b.
<i>Amaryllis candida</i> . Bot. reg. t. 724.					
5 rosea. B.R.	(ro.) rose-coloured.	Havannah.	—	9. 10.	G.b.

Sm. spic. 15. t. 16.
Lab. nov. holl. 1. t. 8.
Lodd. bot. cab. t. 1074.
Andr. reposit. t. 171.
Bot. mag. t. 662.
— t. 1223.

Bot. mag. t. 709.
— t. 1010.
Jacq. ic. 2. t. 367.

Mill. ic. 1. t. 39. f. 2.
Bot. reg. t. 663.
Andr. rep. t. 195.

Bot. mag. t. 710.

Bot. mag. t. 711.
Jacq. ic. 2. t. 307.
Bot. reg. t. 169.

Jacq. schoen. 1. t. 80.
Bot. reg. t. 315.
Roxb. corom. 1. t. 13.
Bot. mag. t. 1076.
Bot. reg. t. 734.
Lodd. bot. cab. t. 443.
Bot. reg. t. 770.

Bot. mag. t. 2777.

Pohl. bras. ic. v. 1. t. 9.

W. et K. hung. 2. t. 157.
Clus. hist. 1. t. 163.
Bot. mag. t. 290.

Ker's rev. pl. 8. f. 1.
Bot. mag. t. 239.

Bot. mag. t. 1586.

Bot. mag. t. 2607.

Bot. reg. t. 821.

6	striata. B.M. (bh.wh.) striped.	Mexico.	1824.	6. 8.	H.b.	Bot. mag. t. 2593.
7	verecunda. B.M. (bh.) modest.	————	————	————	H.b.	———— t. 2583.
8	carinata. B.M. (ro.) keeled-leaved.	————	————	————	H.b.	Swt. br. fl. gar. s. 2. t. 4
9	grandiflora. B.R. (ro.) large-flowered.	————	1825.	————	H.b.	Bot. reg. excl. fol. t. 122.
HABRA'NTHUS. B.M. HABRA'NTHUS. Hexandria Monogynia.						
1	gracilifolius. B.M. (ro.) slender-leaved.	S. America.	1823.	9. 11.	G.b.	Bot. mag. t. 2464.
2	angustus. B.M. (pu.) narrow.	Buenos Ayres.	1825.	————	G.b.	———— t. 2639.
3	versicolor. B.M. (bh.) changeable.	S. America.	1823.	1. 4.	G.b.	———— t. 2485.
4	lorifolius. B.M. (ro.) lorate-leaved.	————	1824.		G.b.	————
5	bifidus. B.M. (ro.) two-cleft.	Buenos Ayres.	1825.	6. 9.	G.b.	Bot. mag. t. 2597.
6	spathaceus. B.M. (pu.) broad-spathed.	————	————		G.b.	————
7	robusta. W.H. (li.) robust.	————	1827.	7. 9.	F.b.	Swt. br. fl. gar. s. 2. t. 11
8	Andersoni. W.H. (ye.) Anderson's.	S. America.	1829.	5. 6.	F.b.	———— s. 2.
	α aurea. (ye.) golden.	————	————	————	F.b.	————
	β cuprea. (co.) copper-coloured.	————	————	————	F.b.	————
9	advena. W.H. (std.) streaked.	————	1807.	————	F.b.	Bot. mag. t. 1125.
	Amary'llis advēna. Bot. reg. t. 849.	————	————	————	————	————
10	intermedia. W.H. (re.) intermediate.	Brazil.	1827.	1. 3.	S.b.	Bot. reg. t. 1118.
	Amary'llis intermedia. B.R.	————	————	————	————	————
BELLADO'NNA. BELLADO'NNA LILY. Hexandria Monogynia.						
1	purpurascens. (pu.) light purple.	C. B. S.	1712.	7. 9.	H.b.	Bot. mag. t. 783.
	Amary'llis Belladonna. L.	————	————	————	————	————
2	pallida. (pa.li.) pale-flowered.	————		————	F.b.	Bot. reg. t. 714.
3	pudica. (ro.) modest.	————	1795.	5. 7.	F.b.	Ker's rev. t. 8. f. 2.
	Amary'llis pudica. K.R.	————	————	————	————	————
4	blanda. (bh.) charming.	————	1754.	————	F.b.	Bot. mag. t. 1459.
AMARY'LLIS. L. AMARY'LLIS. Hexandria Monogynia. L.						
1	reticulata. W. (pu.wh.) netted-veined.	Brazil.	1777.	4. 5.	S.b.	Bot. mag. t. 657.
2	striatifolia. (pu.wh.) striped-leaved.	————	1815.	————	S.b.	Bot. reg. t. 352.
3	Sweetii. W.H. (ra.) Striatifolio-Johnsoni.	Colvill's.	1821.	1. 12.	S.b.	————
	α brevifolia. C.C. (pu.w.) short-leaved.	Colvill's.	1820.	————	S.b.	————
	β superba. C.C. (cr.wh.) superb-flowered.	————	————	————	S.b.	————
	γ obscura. C.C. (re.wh.) clouded.	————	————	————	S.b.	————
	δ recurvata. C.C. (re.bh.) recurved-flowered.	————	————	————	S.b.	————
	ε Wellsianna. C.C. (re.w.) Mr. Wells's.	————	————	————	S.b.	————
	ζ Vallēti. (pu.wh.) Vallets'.	————	————	————	S.b.	————
	η rugosa. C.C. (pu.wh.) rugged-flowered.	————	————	————	S.b.	————
	θ versicolor. (re.wh.) various-coloured.	————	————	————	S.b.	————
	ι am'ena. (re.wh.) delightful.	————	————	————	S.b.	————
	κ affinis. (re.wh.) likened.	————	————	————	S.b.	————
	λ undulæflora. (pu.wh.) wave-flowered.	————	————	————	S.b.	————
	μ palliiflora. (li.wh.) pale-flowered.	————	————	————	S.b.	————
	ν discolor. (re.wh.) two-coloured.	————	————	————	S.b.	————
	ξ expansa. (sc.wh.) expanded.	————	————	————	S.b.	————
	ο variegata. C.C. (re.wh.) variegated-flowered.	————	————	————	S.b.	————
	π nótha. (pu.wh.) bastard.	————	————	————	S.b.	————
	ρ lineata. (re.wh.) line-petaled.	————	————	————	S.b.	————
	σ modēsta. (wh.re.) modest.	————	————	————	S.b.	————
	τ patentissima. (sc.) spreading-flower'd.	————	————	————	S.b.	————
	υ salmōnea. (re.) salmon-coloured.	————	————	————	S.b.	————
	φ bistriata. (cr.da.) two-lined.	————	————	————	S.b.	————
	ψ ligulæflora. (re.wh.) strap-flowered.	————	————	————	S.b.	————
	χ Annesleyana. (ve.wh.) Lord Mountnorris's.	————	————	————	S.b.	Miss Chapman's signed.
4	Colvillii. (ra.) Reticulato-Johnsoni.	————	————	————	S.b.	————
	α atrorubens. (da.pu.w.) dark-red.	————	————	————	S.b.	————
	β purpurascens. (pu.re.) purplish.	————	————	————	S.b.	————
	γ costata. (re.wh.) ribbed-leaved.	————	————	————	S.b.	————
	δ dioica. (re.pu.) barren-anthered.	————	————	————	S.b.	————
	ε 'æmula. (re.wh.) red and white.	————	————	————	S.b.	————
	ζ nervifolia. (pu.re.) strong-nerved.	————	————	————	S.b.	————
	η phænicea. (da.pu.) dark purple red.	————	————	————	S.b.	————
	θ stenantha. (pa.pu.w.) narrow-petaled.	————	————	————	S.b.	————
	ι flaccida. (re.pu.w.) flaccid-leaved.	————	————	————	S.b.	————
	κ bracteata. (re.pu.) large-bracted.	————	————	————	S.b.	————
	λ párcula. (pu.wh.) small-flowered.	————	————	————	S.b.	————
5	præclara. W.H. (ra.) Johnsoni-striatifolia.	Colvill's.	————	————	S.b.	————
	α pátens. (pu.wh.) spreading-flowered.	————	————	————	S.b.	————
	β Colvillianna. (re.p.w.) Colvill's.	————	————	————	S.b.	————
	γ decora. (re.pu.) neat.	————	————	————	S.b.	————

6	Johnsoni. (sc. wh.)	Reginæ-vittata. Johnson.	1810.	1. 12.	G.b.	Lodd. bot. cab. t. 159.
	speciabilis. B.C.	brasiliensis. Redout. liliac. c. ic.				
	α Scaramouch. W.H. (sc. wh.)	Mr. Herbert's. Mitcham.	1811.	—	G.b.	
	β Mater. W.H. (sc. wh.)	dame.	—	—	G.b.	
	γ Sorélla. W.H. (sc. wh.)	sister.	—	—	G.b.	
	δ quarta. W.H. (sc. wh.)	fourth.	—	—	G.b.	
	ε pendula. W.H. (sc. wh.)	pendulous.	—	—	G.b.	
	ζ Ponceaunelta. W.H. (sc. wh.)	related.	—	—	G.b.	
	η barbe blanche. W.H. (sc. wh.)	white-bearded. Highclere.	—	—	G.b.	
7	reginæ. W.	(sc.) Mexican Lily. S. America.	1725.	5. 7.	S.b.	Bot. mag. t. 453.
8	formosa. W.H.	(va.) Striatifolio-reginæ. Colvill's.	1820.	—	S.b.	
	α grandiflora. (pu. wh.)	large-flowered.	—	—	S.b.	
	β pallescens. (pa. re. w.)	pale red and white.	—	—	S.b.	
	γ rubicunda. (re. re.)	velvetty red.	—	—	S.b.	
	δ coccinea. (sc.)	dark-reined scarlet.	—	—	S.b.	
	ε ringens. (re. wh.)	gaping-flowered.	—	—	S.b.	
	ζ carnescens. (fl. wh.)	flesh-coloured.	—	—	S.b.	
	η diluta. (pa. re. wh.)	stained-flowered.	—	—	S.b.	
	θ imbuta. (re.)	stained red.	—	—	S.b.	
	i compacta. (pa. re.)	compact.	—	—	S.b.	
9	gloriosa. (va.)	Reticulato-reginæ.	—	—	S.b.	
	α sulcata. (re. wh.)	channelled-leaved.	—	—	S.b.	
	β rubescens. (re. wh.)	pale red.	—	—	S.b.	
	γ roseo-alba. (ro. wh.)	rosy and white.	—	—	S.b.	
	δ accedens. (re. re.)	velvetty.	—	—	S.b.	
10	consanguinea. (sc. wh.)	Valletti-reginæ.	1824.	—	S.b.	
	β sericea. (pu.)	silky-flowered.	—	—	S.b.	
11	intermedia. (re. wh.)	Reginæ-equestris.	1820.	—	S.b.	
12	spathacea. B.M.	(sc.) large-spathed. Hybrid.	—	—	S.b.	Bot. mag. t. 2315.
13	vittata. W.	(sc. wh.) striped. S. America.	1769.	4. 5.	S.b.	— t. 129.
	β latifolia. L.col.	(sc. wh.) broad-leaved.	1816.	—	G.b.	Lindl. coll. bot. ic.
14	lineata. Colla. (sc. wh.)	lined-flowered.	1820.	—	S.b.	Coll. hort. rip. ic.
	vittata γ. Harrissonia.	Bot. reg. t. 988.				
15	magnifica. (sc. wh.)	Striatifolio-vittata. Colvill's.	1823.	—	S.b.	
16	pulchra. C.C. (sc. wh.)	Reticulato-vittata.	—	—	S.b.	
17	rutila. K.R.	(sc.) fiery. Brazil.	1815.	1. 12.	S.b.	Bot. reg. t. 23.
18	splendens. H.A. (sc. wh.)	Rutilo-equestri-vittata. Spofforth.	1819.	—	F.b.	Herb. append. p. 52. ic.
	α Mars. W.H. (sc. wh.)	Mars.	1822.	—	F.b.	
	β Vesta. W.H. (sc. wh.)	Vesta.	—	—	F.b.	
	γ Bellona. W.H. (sc. wh.)	Bellona.	—	—	F.b.	
	δ alta. W.H. (sc. wh.)	tallest.	—	—	F.b.	
	ε ignescens. (sc.)	flame-coloured. Colvill's.	—	—	F.b.	
19	sanguinea. W.H. (cr. wh.)	Rutilo-vittata. Highclere.	1819.	—	G.b.	
20	micans. W.H. (re. co.)	Rutilo-crocata.	1820.	—	S.b.	
21	angusta. (sc. pu.)	Johnsoni-rutila. Colvill's.	1822.	—	S.b.	
22	rigida. (re. co. g.)	Crocato-rutila.	—	—	S.b.	
23	incl' yta. W.H. (sc. wh.)	Fulgido-vittata. Highclere.	1819.	—	S.b.	
24	Carnarvoni. W.H. (sc. w.)	Vittato-reginæ.	—	—	G.b.	
25	ardens. W.H. (sc. co.)	Crocato-reginæ. Spofforth.	1820.	—	S.b.	
	α salmonea. W.H. (pa. re.)	salmon-coloured.	—	—	S.b.	
	ε charbon brulant. (pa. r.)	shining-flowered.	—	—	S.b.	
26	fulgida. K.R.	(sc.) fulgid. Brazil.	1810.	—	S.b.	Bot. reg. t. 226.
27	subbarbata. (or. sc.)	slightly bearded.	1823.	—	S.b.	Bot. mag. t. 2475.
28	florida. W.H. (sc. wh.)	Fulgido-rutila. Spofforth.	1820.	—	S.b.	
29	majus. W.H. (sc. co.)	Acuminato-rutila.	—	—	S.b.	
	β fraternæ. (sc.)	brother. Colvill's.	1821.	—	S.b.	
30	venosa. W.H. (sc. wh.)	Vittato-Johnsoni. Highclere.	—	—	G.b.	
31	inversa. W.H. (sc. wh.)	Johnsoni-vittata. Liverpool.	1812.	—	G.b.	
	β Saturn. W.H. (sc. wh.)	Saturn.	—	—	G.b.	
	γ Plùto. W.H. (sc. wh.)	Pluto. Spofforth.	1814.	—	G.b.	
	δ Andromache. W.H. (sc.)	Andromache.	—	—	G.b.	
32	siderea. W.H. (sc.)	Sanguineo-subbarbata. Spofforth.	1820.	—	S.b.	
33	stellata. W.H. (sc.)	Subbarbato-sanguinea.	—	—	S.b.	
34	renovata. W.H. (sc. wh.)	Splendente-fulgida.	—	—	S.b.	
35	expansa. W.H. (sc. wh.)	Equestri-florida.	—	—	S.b.	
36	Beatum. W.H. (sc. co.)	Johnsoni-acuminata. Wentworth.	—	—	S.b.	
	β Beatrice. W.H. (sc. co.)	Beatrice.	—	—	S.b.	
	γ tricolor. (re. pu. gr.)	three-coloured. Colvill's.	1821.	—	S.b.	
	δ macrantha. (re. co.)	large-flowered.	—	—	S.b.	

	ϵ <i>crispàta</i> .	(re.co.) curled-edged.	Colvill's.	1821.	1. 12.	S.b.	
	ζ <i>tricúspis</i> .	(sc.or.) three-pointed.	—	—	—	S.b.	
36	<i>lugùbris</i> . w.H.	(sc.or.) Styloso-Johnsoni.	Spofforth.	1814.	—	S.b.	
	α <i>sombrélla</i> . w.H.	(co.) sombre.	—	—	—	S.b.	
	β <i>griselina</i> . w.H.	(pa.) greyish.	—	—	—	S.b.	
	γ <i>porporina</i> . w.H.	(br.) brownish.	—	—	—	S.b.	
37	<i>tristis</i> . w.H.	(sc.co.) Johnsoni-stylosa.	—	—	—	S.b.	
38	<i>Brookesii</i> . w.H.	(sc.co.) Crocato-Johnsoni.	Brookes's.	1820.	—	S.b.	
	β <i>Creusa</i> . w.H.	(sc.co.) Creusa.	—	—	—	S.b.	
39	<i>aurantiaca</i> . w.H.	(or.) Reginæ-acuminata.	Spofforth.	—	—	S.b.	
	α <i>Camillus</i> . w.H.	(or.sc.) Camillus.	—	—	—	S.b.	
	β <i>Gustarus</i> . w.H.	(or.sc.) Gustarus.	—	—	—	S.b.	
	γ <i>amábilis</i> .	(sc.or.) brilliant.	Colvill's.	1821.	—	S.b.	
	δ <i>fúlva</i> .	(co.) coppery.	—	—	—	S.b.	
40	<i>platypétala</i> .	(sc.or.) Acuminato-reginæ.	—	—	—	S.b.	
41	<i>Hoodii</i> .	(sc.wh.) Reginæ-fulgida.	—	1820.	—	S.b.	
42	<i>intermixta</i> . c.c.	(re.wh.) Equestri-reginæ.	—	—	—	S.b.	
43	<i>Coopèri</i> . w.H.	(co.) Crocato-acuminata.	Wentworth.	—	—	S.b.	
	β <i>transpàrens</i> . (co.gr.) transparent.	Colvill's.	1821.	—	—	S.b.	
44	<i>élegans</i> . w.H.	(sc.wh.) Formoso-vittata.	Highclere.	—	—	G.b.	
45	<i>Burgheleriana</i> . w.H.	(sc.wh.) Splendente-vittata.	Burghclere.	—	—	G.b.	
46	<i>ancéps</i> . w.H.	(sc.wh.) Florido-Johnsoni.	Spofforth.	—	—	G.b.	
47	<i>concinna</i> . w.H.	(sc.wh.) Formoso-Johnsoni.	—	—	—	G.b.	
	α <i>Roundhead</i> . w.H.	(sc.wh.) Roundhead.	—	—	—	G.b.	
	β <i>Peter</i> . w.H.	(sc.wh.) Peter.	—	—	—	G.b.	
	γ <i>John</i> . w.H.	(sc.wh.) John.	—	—	—	G.b.	
	δ <i>Jeffrey</i> . w.H.	(sc.wh.) Jeffrey.	—	—	—	G.b.	
48	<i>incónstans</i> .	(sc.or.) Acuminato-Johnsoni.	Colvill's.	—	—	G.b.	
	α <i>venòsa</i> .	(re.co.) purple-veined.	—	—	—	G.b.	
	β <i>laterítia</i> .	(re.co.) brick-coloured.	—	—	—	G.b.	
	γ <i>glaucescens</i> .	(re.co.) glaucescent.	—	—	—	G.b.	
	δ <i>cóncolor</i> .	(co.) self-coloured.	—	—	—	G.b.	
	ϵ <i>vària</i> .	(re.co.) variable-coloured.	—	—	—	G.b.	
	ζ <i>crispiflòra</i> .	(sc.) scarlet curl-flowered.	—	—	—	G.b.	
	η <i>pustulòsa</i> .	(sc.co.) pustulose-flowered.	—	—	—	G.b.	
	θ <i>breviflòra</i> .	(re.co.) short-tubed.	—	—	—	G.b.	
	ι <i>fúlvo-cincta</i> .	(re.co.) brown-edged.	—	—	—	G.b.	
	κ <i>dilécta</i> .	(sc.) bright-scarlet.	—	—	—	G.b.	
	λ <i>tortuliflòra</i> .	(sc.or.) twisted-flowered.	—	—	—	G.b.	
	μ <i>veniflòra</i> .	(ye.re.) veined-flowered.	—	—	—	G.b.	
	ν <i>lincolàta</i> .	(re.) dark-lined.	—	—	—	G.b.	
	ξ <i>basiflòra</i> .	(re.pu.) purple-bottomed.	—	—	—	G.b.	
	$\omicron$ <i>imperiàlis</i> .	(sc.) imperial.	—	—	—	G.b.	
	π <i>punctulòsa</i> .	(pa.sc.) purple spotted.	—	—	—	G.b.	
	ρ <i>unipárrula</i> .	(re.pu.) lower small petaled.	—	—	—	G.b.	
	σ <i>purpùreo-rùbens</i> .	(pu.re.) purplish red.	—	—	—	G.b.	
	τ <i>flexuòsa</i> .	(pu.re.) flexuose-petaled.	—	—	—	G.b.	
	υ <i>delicàta</i> .	(sc.pu.) purple-striped scarlet.	—	—	—	G.b.	
49	<i>crocàta</i> . K.R.	(sn.) saffron-coloured.	Brazil.	1810.	4. 6.	S.b.	Bot. reg. t. 38.
50	<i>stylòsa</i> .	(co.re.) long-styled.	Maranham.	1821.	2. 6.	S.b.	Bot. mag. t. 2278.
	<i>maranénsis</i> . B.R. 719.	<i>Hippeástrum stylòsum</i> . B.M.	—	—	—	—	
51	<i>acuminàta</i> . B.R.	(co.) acute-flowered.	Maranham.	—	4. 8.	S.b.	Bot. reg. t. 534.
	<i>Hippeástrum pulreruléntum</i> .	Bot. mag. t. 227.	—	—	—	—	
52	<i>spùria</i> .	(sc.co.) Acuminato-reginæ.	Colvill's.	1822.	—	S.b.	
	α <i>sórdida</i> .	(co.) dull-copper.	—	—	—	S.b.	
	β <i>carinàta</i> .	(re.co.) keeled-flowered.	—	—	—	S.b.	
53	<i>striatiflòra</i> .	(sc.wh.) Acuminato-Sweetii.	β .	1823.	—	S.b.	
	β <i>consobrìna</i> .	(pi.pu.) cousin.	—	—	—	S.b.	
	γ <i>diversícòlor</i> .	(re.w.pu.) different-coloured.	—	—	—	S.b.	
54	<i>nòbile</i> . w.H.	(st.pu.) Acuminato-striatifolia.	Spofforth.	1820.	—	S.b.	
55	<i>venústa</i> . w.H.	(sc.pu.w.) Fulgido-striatifolia.	—	—	—	S.b.	
56	<i>dilécta</i> . w.H.	(sc.pu.) Equestri-striatifolia.	Colvill's.	—	—	S.b.	
57	<i>Gowèni</i> . w.H.	(pu.co.) Striatifolio-acuminata.	Highclere.	—	—	S.b.	
	α <i>Cavalier</i> . w.H.	(pu.co.) Cavalier.	—	—	—	S.b.	
	β <i>Biondelta</i> . w.H.	(pu.c.) Biondelta.	—	—	—	S.b.	
	γ <i>Agatha</i> . w.H.	(pu.co.) Agatha.	—	—	—	S.b.	
58	<i>Harrisòni</i> . w.H.	(sc.pu.) Striatifolio-stylosa.	Harrison's.	1824.	—	S.b.	
59	<i>triplex</i> . w.H.	(sc.pu.w.) Gowèni-vittatum.	Highclere.	1820.	—	S.b.	

1	pulehèrrima. W.H. (p.co.) Sweetii-pulverulenta. Spofforth. 1824. 4. 8.	S.b.	
2	a Vezzosa. (pu.re.co.) Vezzosa. ————	S.b.	
3	β Gratian. (pu.re.co.) Gratian. ————	S.b.	
4	γ Amorosetta. (pu.re.co.) Amorosetta. ————	S.b.	
5	δ Salamander. (pu.re.co.) changing-coloured. ————	S.b.	
6	ε Calisto. (pu.re.co.) Calisto. ————	S.b.	
7	1 bella. W.H. (pu.re.w.) Sweetii-Carnarvoni. ————	S.b.	
8	2 discolor. W.H. (sc.br.) Johnsoni-tristis. ————	S.b.	
9	3 variata. W.H. (sc.pu.) Formoso-inversum. ————	S.b.	
10	4 quintuplex. W.H. (pu.re.) Harrisoni-tristis. ———— 1826.	S.b.	
11	5 eximia. W.H. (va.) Goweni-Highcleriàna. Highclere. . .	S.b.	
12	6 equestris. K.R. (sc.) Barbadoes Lily. W. Indies. 1710. 7. 10.	S.b.	Bot. mag. t. 305.
13	7 major. B.R. (sc.) larger. ————	S.b.	Bot. reg. t. 231.
14	8 plena. (sc.) double-flowered. ———— 1809.	S.b.	
15	9 miniata. R.P. (sc.) vermilion. S. America.	S.b.	
16	10 solandriflora. L.col. (st.) Solandra-flowered. ———— 1820.	S.b.	Lindl. coll. bot. t. 11.
17	11 a chloroleuca. (st.) dull-coloured. ————	S.b.	
18	12 β rubro-striata. (st.) red-striped. ————	S.b.	Bot. mag. t. 2573.
19	13 γ purpurascens. (st.pu.) purple-tubed. ————	S.b.	
20	14 δ striata. (pu.st.) purple-striped. ————	S.b.	Bot. reg. t. 876.
21	15 6 Hayloeki. W.H. (st.pu.) Solandrifloro-acuminata. ————	S.b.	
22	16 7 Herbèrti. (va.) Solandrifloro-stylosa. Spofforth.	S.b.	
23	17 a longa. (va.) long-flowered. ————	S.b.	
24	18 β carnèlla. (fl.) flesh-coloured. ————	S.b.	
25	19 γ magnifica. (va.) magnificent. ————	S.b.	
26	20 8 Highcleriàna. W.H. (va.) Styloso-Solandriflora. Highclere. . .	S.b.	
27	21 9 β picta. (va.) painted lady. Spofforth.	S.b.	
28	22 γ Dòminie. (va.) Dominic. ————	S.b.	
29	23 9 calyptrata. K.R. (gr.) green-flowered. Brazil. 1816. 5. 8.	S.b.	Bot. reg. t. 164.
30	24 10 a àllica. K.R. (sc.gr.) crowned. ———— 1. 6.	S.b.	——— t. 444.
31	25 11 psittacina. K.R. (sc.gr.) parrot-like. ———— 1. 12.	S.b.	——— t. 199.
32	26 12 Griffìni. W.H. (sc.gr.) Psittacino-Johnsoni. Griffin's. 1820.	S.b.	
33	27 a Napoleòna. W.H. (sc.gr.) Napoleon's. ————	S.b.	
34	28 β Victor. W.H. (sc.gr.) Victor. ————	S.b.	
35	29 γ Alompra. W.H. (sc.gr.) Alompra. ————	S.b.	
36	30 δ retinèrria. (sc.gr.) netted-nerred. Colvill's. 1822.	S.b.	
37	31 ε recurviflora. (sc.gr.) recurve-pointed. ————	S.b.	
38	32 ζ campanulata. (re.gr.) bell-flowered. ————	S.b.	
39	33 η quadrilineata. (sc.pu.g.) four-lined. ————	S.b.	
40	34 θ albocincta. (wh.sc.) white-edged. ————	S.b.	
41	35 ι quadricolor. (sc.pu.g.w.) four-coloured. ————	S.b.	
42	36 13 affine. (sc.gr.) Psittacino-reginæ. ————	S.b.	
43	37 a canaliculata. (sc.gr.) channel-leaved. ————	S.b.	
44	38 β membranacea. (re.pu.g.) membranous-edged. ————	S.b.	
45	39 γ purpurostriata. (re.pu.) purple-striped. ————	S.b.	
46	40 δ latifida. (re.pu.g.) broad-segmented. ————	S.b.	
47	41 14 tortuosa. (sc.gr.) Psittacino-equestris. ————	S.b.	
48	42 15 multistriata. (sc.wh.) Psittacino-Valletti. ————	S.b.	Miss Chapman ic.
49	43 β retiflora. (sc.w.g.) netted-flowered. ————	S.b.	
50	44 16 pretiosum. W.H. (sc.gr.) Psittacino-Griffini. Highclere. 1824.	S.b.	
51	45 17 sinistrum. W.H. (sc.w.g.) Griffini-vittatum. ————	S.b.	
52	SPREIK'ELIA. H.A. JACOBÆA LILY. Hexandria Monogynia.		
53	1 formosissima. H.A. (cr.) crimson. S. America. 1658. 5. 6.	F.b.	Bot. mag. t. 47.
54	Amary'llis formosissima. B.M.		
55	LYC'ORIS. H.A. LYC'ORIS. Hexandria Monogynia.		
56	1 aurea. H.A. (ye.) golden. China. 1777. 8. 12.	G.b.	Bot. reg. t. 611.
57	Amary'llis aurea. B.R.		
58	2 radiata. H.A. (pi.) Snowdrop-leaved. ———— 1758. 9. 10.	G.b.	Bot. reg. t. 596.
59	Amary'llis radiata. B.R.		
60	NER'INE. H.A. NER'INE. Hexandria Monogynia.		
61	1 curvifolia. H.A. (sc.) curve-leaved. C. B. S. 1794. 7. 9.	F.b.	Bot. mag. t. 725.
62	Amary'llis curvifolia. B.M. Fothergillia. Andr. reposit. t. 163.		
63	2 corúscæ. H.A. (sc.) brilliant. C. B. S. 1809. ————	F.b.	Bot. mag. t. 1089.
64	3 róscæ. B.M. (ro.) rose-coloured. ————	F.b.	——— t. 2124.
65	4 venústa. H.A. (ro.) poppy-coloured. ———— 1806. 6. 8.	F.b.	——— t. 1090.
66	5 sarniènsis. H.A. (re.) Guernsey Lily. ———— 1659. 9. 10.	F.b.	——— t. 294.
67	6 pulchèlla. H.A. (re.) pretty. ———— 1820. 7. 9.	F.b.	——— t. 2407.
68	7 flexuosa. H.A. (pa re.) zigzag. ———— 1795. 9. 10.	F.b.	Bot. reg. t. 172.
69	8 lamillis. H.A. (re.) small. ———— 7. 10.	F.b.	Bot. mag. t. 726.

9 undulâta. H.A. (pa.re.) waved-flower'd.	C. B. S.	1767.	7. 10.	F.b.	Bot. mag. t. 360.
10 versicolor. H.A. (li.) changeable-col'd.	Hybrid.	1815.	—	F.b.	Herb. append. ic.
IXIOLIRION. H.A. IXIOLIRION. Hexandria Monogynia.					
1 montanum. R.S. (bl.) mountain.	Persia.	1829.		H.b.	Redout. liliac. t. 241.
<i>Amaryllis montana</i> . Labill. syr. dec. 2.	p. 5. t. 1. <i>Alstrœmeria montana</i> . Ker.				
2 tatâricum. R.S. (bl.) Tartarian.	Tartary.	1822.	4. 6.	H.b.	Pall. it. 3. ap. 85. t. D. f. l.
<i>Amaryllis tatârîca</i> . M.B.					
STRUMARIA. Ker. STRUMARIA. Hexandria Monogynia. L.					
1 truncâta. w. (wh.bh.) truncated.	C. B. S.	1795.	4. 5.	F.b.	Jacq. ic. 2. t. 357.
2 rubella. w. (li.) pale red.	—	—	5. 6.	F.b.	— 2. t. 358.
3 angustifolia. w. (wh.li.) narrow-leaved.	—	—	4. 5.	F.b.	— 2. t. 359.
4 linguæfolia. w. (wh.) tongue-leaved.	—	1812.	—	F.b.	— 2. t. 356.
5 filifolia. B.R. (wh.) fine-leaved.	—	1774.	10. 12.	F.b.	Bot. reg. t. 440.
6 spirâlis. B.M. (ro.wh.) spiral-stalked.	—	—	4. 8.	F.b.	Bot. mag. t. 1383.
7 crispa. B.M. (ro.li.) curled-flowered.	—	1790.	—	F.b.	— t. 1363.
<i>Amaryllis crispa</i> . Jacq. schœn. t. 72.					
8 undulâta. w. (wh.ro.) waved.	—	1825.	—	F.b.	Jacq. ic. t. 360.
9 stellâris. B.M. (pi.) starry.	—	1794.	10. 11.	F.b.	Jacq. schœn. 1. t. 71.
10 gemmâta. B.M. (wh.) gynandrous.	—	1810.	8. 10.	F.b.	Bot. mag. t. 1629.
IMHO'FIA. H.A. IMHO'FIA. Hexandria Monogynia.					
marginâta. H.A. (pu.) red margined.	C. B. S.	1795.	9. 10.	F.b.	Jacq. schœn. 1. t. 65.
<i>Brunsvigia marginâta</i> . H.K. <i>Amaryllis marginâta</i> . Jacq.					
BUPH'ONE. H.A. BUPH'ONE. Hexandria Monogynia.					
1 disticha. H.A. (pu.) distichous.	C. B. S.	1823.	9. 10.	F.b.	Patters. iter. t. 1.
2 toxicaria. H.A. (li.) Poison-bulb.	—	1774.	—	F.b.	Bot. reg. t. 567.
β obtusifolia. H.A. (li.) wave-leaved.	—	1816.	—	F.b.	—
3 ciliâris. H.A. (pa.pu.) fringe-leaved.	—	1752.	6. 8.	F.b.	Bot. reg. t. 1153.
<i>Brunsvigia ciliâris</i> . B.R. <i>Amaryllis ciliâris</i> . L. <i>Hæmânthus ciliâris</i> . w.					
AMMO'CHARIS. H.A. AMMO'CHARIS. Hexandria Monogynia.					
1 corânica. H.A. (pu.) Mr. Burchell's.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 139.
<i>Amaryllis corânica</i> . B.R.					
β pallida. B.R. (li.) pale-flowered.	—	—	—	F.b.	Bot. reg. t. 1219.
2 falcâta. H.A. (pu.) sickle-leaved.	—	1774.	5. 6.	F.b.	Bot. mag. t. 1443.
<i>Brunsvigia falcâta</i> . B.M. <i>Amaryllis falcâta</i> . H.K. <i>Crinum falcâtum</i> . Jacq.					Jacq. vind. 3. t. 60.
BRUNSVIGIA. Ker. BRUNSVIGIA. Hexandria Monogynia. H.K.					
1 laticôma. (pu.pu.) broad-headed.	C. B. S.	1818.	3. 6.	F.b.	Bot. reg. t. 497.
<i>lucida</i> . H.A. <i>Amaryllis laticôma</i> . B.R.					
2 minor. B.R. (ro.) lesser.	—	1820.	—	F.b.	Bot. reg. t. 954.
3 multiflôra. B.M. (sc.gr.) many-flowered.	—	1752.	6. 8.	F.b.	Bot. mag. t. 1619.
<i>Amaryllis orientâlis</i> . w.					
β rubricaulis. H.A. (cr.) red-stemmed.	—	1812.	—	F.b.	Jacq. schœn. 1. t. 20.
4 Josephinæ. B.R. (sc.) Josephine's.	—	1814.	—	F.b.	Redout. lil. t. 370-372.
β minor. B.R. (ro.) smaller.	—	—	—	F.b.	Bot. reg. t. 192. 181.
γ striâta. B.M. (pu.std.) striped-flowered.	—	1823.	—	F.b.	Bot. mag. t. 2573.
5 striâta. H.K. (pu.) striated.	—	1795.	9. 10.	F.b.	Jacq. schœn. 1. t. 75.
6 rádula. H.K. (pu.) rasp-leaved.	—	1790.	4. 8.	F.b.	— 1. t. 68.
PHYCE'LLA. B.R. PHYCE'LLA. Hexandria Monogynia.					
1 ignea. B.R. (sc.ye.) fiery.	Chili.	1824.	8. 10.	G.b.	Bot. reg. t. 809.
β glauca. (sc.ye.) glaucous-leaved.	—	—	—	G.b.	Bot. mag. t. 2657.
2 cyrtanthoides. B.R. (sc.ye.) Cyrtanthus-like.	—	1821.	6. 8.	G.b.	— t. 2309.
<i>Amaryllis cyrtanthoides</i> . B.M.					
GRIFFINIA. B.R. GRIFFINIA. Hexandria Monogynia. B.R.					
1 hyacinthina. B.R. (bl.) largest.	Brazil.	1815.	6. 9.	S.b.	Bot. reg. t. 163.
<i>Amaryllis hyacinthina</i> . B.R.					
2 intermedia. B.R. (bl.) intermediate.	—	1825.	5. 7.	S.b.	Bot. reg. t. 909.
3 parviflôra. B.R. (bl.) small flowered.	—	1820.	—	S.b.	— t. 511.
HÆMA'NTHUS. W. BLOOD-FLOWER. Hexandria Monogynia. L.					
1 coccineus. s.s. (sc.) salmon-colour'd.	C. B. S.	1629.	8. 10.	F.b.	Bot. mag. t. 1075.
2 coarctatus. s.s. (sc.) compressed.	—	1795.	2. 3.	F.b.	Bot. reg. t. 181.
3 tigrinus. s.s. (sc.) Tiger-spotted.	—	1790.	12. 2.	F.b.	Bot. mag. t. 1705.
4 rotundifolius. s.s. (sc.) round-leave l.	—	—	6. 10.	F.b.	— t. 1618.
5 crassipes. s.s. (sc.) thick-leaved.	—	1816.	—	F.b.	Jacq. schœn. 4. t. 40.
6 hyalocarpus. s.s. (re.) clear-berried.	—	—	—	F.b.	Bot. mag. t. 1722.
7 quadrivalvis. s.s. (re.) four-valved.	—	1790.	9. 10.	G.b.	—
8 humilis. s.s. (re.) small.	—	1825.	—	F.b.	Jacq. schœn. 1. t. 61.
9 Pumilio. s.s. (re.) dwarf.	—	1789.	8. 9.	F.b.	Bot. reg. t. 382.
10 pubescens. s.s. (wh.) villous-leaved.	—	1774.	—	F.b.	— t. 984.
11 albiflôs. w. (wh.) smooth-broad-ld.	—	1791.	4. 8.	F.b.	— t. 509.
12 carneus. s.s. (ro.) flesh-coloured.	—	1819.	6. 8.	F.b.	—

13 lanceifolius. s.s. (re.) spear-leaved.	C. B. S.	1794.	9. 10.	F.b.	Jacq. schœn. 1. t. 60.
14 carinatus. P.S. (re.) keel-leaved.	————	1759.	8. 9.	F.b.	
15 amarylloides. s.s. (re.) Amaryllis-like.	————	1825.	—	F.b.	
16 moschatus. s.s. (re.) musk-scented.	————	1816.	—	F.b.	
17 sanguineus. s.s. (sc.) crimson.	————	1820.	6. 8.	F.b.	
18 puniceus. s.s. (sc.) waved-leaved.	————	1722.	5. 9.	G.b.	Bot. mag. t. 1315.
19 multiflorus. s.s. (sc.) many-flowered.	Sierra Leon.	1783.	—	S.b.	———— t. 1995 & 961.
CRINUM. W.H. CRINUM. Hexandria Monogynia.					
1 pedunculatum. B.P. (wh.) New Holland.	N. S. W.	1790.	4. 8.	G.b.	Bot. reg. t. 52.
2 exaltatum. H.A. (wh.) high.	E. Indies.	1820.	—	S.b.	
3 canaliculatum. K.R. (wh.) channelled-leaved.	————	1810.	—	S.b.	
4 brachyandrum. K.R. (wh.) short-anthered.	N. Holland.	1819.	—	G.b.	
5 brevilimbium. H.A. (wh.) short-limbed.	Pacific Isl.	1820.	6. 8.	S.b.	
6 procerum. H.A. (bh.) tall.	Rangoon.	1822.	—	S.b.	Bot. mag. t. 2684.
7 sinicum. H.A. (wh.) Chinese.	China.	1819.	—	S.b.	
8 anomalum. H.A. (wh.) plaited-leaved.	————	1822.	—	S.b.	
9 asiaticum. K.R. (wh.) Poison bulb.	————	1732.	—	S.b.	Bot. mag. t. 1073.
10 plicatum. B.M. (wh.) plicate-leaved.	————	1823.	4. 6.	S.b.	———— t. 2908.
11 declinatum. H.A. (wh.) declined.	E. Indies.	1819.	4. 8.	S.b.	———— t. 2231.
12 bracteatum. W. (wh.) short-leaved.	Mauritius.	1810.	6. 8.	S.b.	Bot. reg. t. 179.
brevifolium. H.B. published 1814. bracteatum. W. 1799. Jacq. schœn. 4. t. 495 in 1804.					
β angustifolium. H.A. (wh.) narrow-leaved.	————	—	—	S.b.	
13 erubescens. K.R. (re.wh.) blush-coloured.	S. America.	1789.	—	S.b.	Bot. mag. t. 1232.
α rubrilimbium. (re.) red-limbed.	————	—	—	S.b.	
β major. H.A. (re.wh.) larger.	————	—	—	S.b.	
γ minor. H.A. (re.wh.) lesser.	————	—	—	S.b.	
δ corantynum. W.H. (bh.) Corantyne.	Berbice.	1820.	—	S.b.	
ε aquaticum. W.H. (wh.) water.	Brazil.	1823.	—	S.b.	
ζ glabrum album. W.H. (wh.) shining-leaved.	Maranham.	1820.	—	S.b.	
η glabrum rubrum. W.H. (re.wh.) smooth red.	————	1823.	—	S.b.	
θ undulatum. W.H. (wh.) wave-leaved.	Brazil.	—	—	S.b.	Hook. ex. flor. t. 200.
Crinum undulatum. Hooker.					
14 cruentum. B.R. (re.) red-flowered.	S. America.	1810.	—	S.b.	Bot. reg. t. 171.
15 sumatranum. K.R. (wh.) Sumatra.	Sumatra.	—	—	S.b.	———— t. 1049.
16 macrocarpon. H.A. (wh.) large-fruited.	Pegu.	1820.	—	S.b.	
17 elegans. H.A. (wh.) elegant.	————	—	9. 11.	S.b.	Bot. mag. t. 2592.
18 venustum. H.A. pretty.	E. Indies.	—		S.b.	
19 canaliculatum. H.A. (wh.) channelled.	————	—	6. 9.	S.b.	
β major. W.H. (wh.) larger.	————	1825.	—	S.b.	
20 longifolium. K.R. (wh.) long-leaved.	————	1810.	—	S.b.	
21 lorifolium. K.R. (wh.) lorate-leaved.	————	1819.	—	S.b.	
22 americanum. W. (wh.) American.	S. America.	1752.	7. 9.	S.b.	Bot. mag. t. 1034.
23 Commelini. K.R. (wh.) Commelin's.	————	1798.	6. 9.	S.b.	Jacq. schœn. 2. t. 202.
24 strictum. B.M. (wh.) upright.	S. America?	1820.	8. 10.	S.b.	Bot. mag. t. 2635.
25 defixum. K.R. (wh.) marsh.	E. Indies.	1810.	4. 8.	S.b.	———— t. 2208.
26 ensifolium. K.R. (bh.) sword-leaved.	————	1820.	—	S.b.	———— t. 2301.
27 amœnum. K.R. (wh.) delightful.	————	1810.	—	S.b.	
28 multiflorum. Df. (wh.) many-flowered.		1822.	—	S.b.	
29 verecundum. H.A. (bh.) blush.	E. Indies.	1820.	6. 9.	S.b.	
30 humile. B.M. (wh.) humble.	————	1816.	4. 8.	S.b.	Bot. mag. t. 2636.
31 confertum. B.M. (wh.) crowded-flowered.	N. Holland.	1822.	6. 7.	G.b.	———— t. 2522.
32 angustifolium. B.P. (wh.) rough-edged.	————	1823.	—	G.b.	
33 arenarium. B.M. (wh.) sand.	————	1818.	5. 8.	G.b.	Bot. mag. t. 2355.
β blandum. B.M. (bh.) blush-flowered.	————	1821.	—	G.b.	———— t. 2531.
34 purpurascens. W.H. (pu.) purplish.	Fernando Po.	1826.	—	S.b.	
35 erythrophyllum. W.H. (pu.) red-leaved.	Rangoon.	1824.	—	S.b.	
36 amabile. K.R. (pu.wh.) beautiful.	Sumatra.	1810.	1. 12.	S.b.	Bot. mag. t. 1605.
37 augustum. K.R. (pu.wh.) august.	Mauritius.	1819.	4. 8.	S.b.	———— t. 2397.
38 mauritianum. B.C. (wh.) Mauritius.	————	1816.	6. 9.	S.b.	Lodd. bot. cab. t. 650.
39 submersum. B.M. (pu.wh.) lake.	Brazil.	1823.	8. 10.	S.b.	Bot. mag. t. 2462.
40 scabrum. B.M. (cr.wh.) rough-leaved.	S. America.	1810.	1. 12.	S.b.	———— t. 2180.
41 zeylanicum. H.A. (cr.wh.) Ceylon.	Ceylon.	1771.	7. 8.	S.b.	———— t. 1171.
Amaryllis zeylanica. B.M.					
42 latifolium. H.A. (bh.) broad-leaved.	E. Indies.	1806.	7. 9.	S.b.	Bot. reg. t. 1297.
43 longistylum. W.H. (bh.) long-styled.	————	1819.	6. 10.	S.b.	
44 insigne. W.H. (cr.wh.) noble.	————	—	4. 8.	S.b.	Bot. reg. t. 579.
45 Careyænum. B.M. (bh.) Carey's.	Mauritius.	1820.	1. 12.	S.b.	Bot. mag. t. 2466.
46 speciosum. B.M. (w.ro.) specious.	E. Indies.	1819.	6. 9.	S.b.	———— t. 2217.
47 moluccanum. B.M. (w.bh.) Molucca.	Moluccas.	—	—	S.b.	———— t. 2292.

48	giganteum. A.R. (wh.) gigantic.	Sierra Leone. 1792.	7. 10.	S.b.	Andr. rep. t. 100.
	petiolatum. H.A. <i>Amaryllis gigantea</i> . Bot. mag. t. 92.				
49	Broussoneti. H.A. (wh. pu.) Broussonet's.	—————	—————	S.b.	Bot. mag. t. 2121.
50	yuccoides. H.A. (re. wh.) Yucca-flowered.	—————	1740.	6. 10.	S.b.
51	distichum. H.A. (re. wh.) distichous.	—————	—————	S.b.	Bot. mag. t. 1253.
	<i>Amaryllis ornata</i> a. B.M.				
52	Lancei. W.H. (re. wh.) Lance's.	Surinam.	1825.	————	S.b.
53	flaccidum. B.M. (wh.) flaccid.	N. S. W.	1820.	7. 9.	G.b.
	<i>Amaryllis australasica</i> . Bot. reg. t. 426.				Bot. mag. t. 2133.
54	Forbesi. W.H. (re. wh.) Forbes's.	Delagoa Bay.	1824?	————	S.b.
55	longiflorum. H.A. (re. wh.) long-flowered.	W. Indies.	1816.	5. 8.	S.b.
	<i>Amaryllis longifolia</i> β <i>longiflora</i> . B.R.				Bot. reg. t. 303.
56	capense. H.A. (wh.) common Cape.	C. B. S.	1752.	7. 11.	H.b.
	<i>Amaryllis longifolia</i> . B.M.				Bot. mag. t. 661.
	β minor. W.H. (re. wh.) lesser.	Highclere.	1819.	————	G.b.
57	riparium. H.A. (cr. wh.) bank.	—————	1816.	6. 9.	H.b.
58	revolutum. H.A. (wh. re.) revolute.	—————	1774.	8. 10.	G.b.
	<i>Amaryllis revoluta</i> . A.—B.R.				Bot. mag. t. 2688. Bot. reg. t. 623.
59	crassifolium. H.A. (wh. ro.) thick-leaved.	—————	—————	————	G.b.
	<i>Amaryllis revoluta</i> . B.—B.R.				Bot. reg. t. 615.
60	algoense. W.H. (re. wh.) Algoa-bay.	C. B. S.	1826.	————	G.b.
61	cafrum. W.H. (re. wh.) Caffre.	—————	1825.	————	G.b.
62	aquaticum. H.A. (ro. bh.) water.	—————	1816.	5. 8.	G.b.
63	Gowenianum. W.H. (bh.) zeylanico-capense.	Highclere.	1813.	6. 9.	G.b.
64	Herbertianum. (re. wh.) Scabro-capense.	Spofforth.	1818.	————	G.b.
	<i>Spofforthianum</i> . Herbert Mss.				
65	fertile. W.H. (wh.) Canaliculato-capense.	—————	—————	————	G.b.
	β grandiflorum. W.H. (wh.) larger-flowered.	—————	—————	————	G.b.
66	ingens. W.H. (wh.) Pedunculato-capense.	Highclere.	————	————	G.b.
67	erectius. W.H. (bh.) Corantyno-capense.	Spofforth.	————	————	G.b.
68	Highclerianum. W.H. (wh.) Asiatico-capense.	Highclere	————	————	G.b.
69	elongatum. W.H. (wh.) Brevifolio-capense.	Spofforth.	1819.	————	G.b.
70	modestum. W.H. (bh.) Specioso-capense.	—————	—————	————	G.b.
71	pudicum. W.H. (bh.) Careyano-capense.	—————	—————	————	G.b.
72	cupitum. W.H. (re. wh.) Cruento-capense.	—————	—————	————	G.b.
73	tortuosum. W.H. (wh.) Defixo-capense.	—————	—————	————	G.b.
74	Felix. W.H. (bh.) Latifolio-capense.	—————	1828.	————	G.b.
75	microspERMum. W.H. (bh.) Revoluta-capense.	—————	—————	————	G.b.
76	egrEGium. W.H. (re. wh.) Pedunculato-riparium.	—————	1826.	————	G.b.
77	præstans. W.H. (re. wh.) Canaliculato-riparium.	—————	—————	————	G.b.
78	vittatum. W.H. (re. wh.) Scabro-exaltatum.	—————	1818.	————	S.b.
79	Digweedi. W.H. (re. wh.) Scabro-americanum.	Highclere.	1826.	————	S.b.
80	Cooperi. W.H. (re. wh.) Specioso-longifolium.	Wentworth—	————	————	S.b.
81	amatum. W.H. (re. wh.) Zeylanico-pedunculatum.	Highclere.	————	————	S.b.
82	Baconi. W.H. (re. wh.) Zeylanico-erubescens.	Mr. Bacon's.	————	————	S.b.
83	candidum. W.H. (wh.) Americano-bracteatum.	Spofforth.	————	————	S.b.
84	rubricaulis. W.H. (bh.) Erubescens-bracteatum.	—————	—————	————	S.b.
85	pulchrum. W.H. (re. wh.) Scabro-erubescens.	Highclere.	————	————	S.b.
86	bulbulosum. W.H. (bh.) Capensi-erubescens.	—————	—————	————	G.b.
87	dùplex. W.H. (bh.) Americano-erubescens.	Spofforth.	————	————	S.b.
	β minor W.H. (bh.) lesser.	Highclere.	————	————	S.b.
88	flaccidulum. W.H. (bh.) Specioso-defixum.	Spofforth.	————	————	S.b.
89	promissum. W.H. (re. wh.) Forbesi-Careyanum.	—————	—————	————	S.b.
90	mirabile. W.H. (wh.) Flaccido-caliculatum.	—————	—————	————	S.b.
91	unicum. W.H. (wh.) Flaccido-bracteatum.	—————	—————	————	S.b.
92	triplex. W.H. (wh.) Careyano-fertile.	—————	—————	————	S.b.
93	diversum. W.H. (wh.) Careyano-tortuosum.	—————	—————	————	S.b.
94	quadruplex. W.H. (wh.) Candido-fertile.	—————	—————	————	S.b.
VALL'OTA. H.A. VALL'OTA. Hexandria Monogynia.					
	purpurea. H.A. (re.) purple-stalked.	C. B. S.	1774.	5. 8.	F.b.
	<i>Amaryllis purpurea</i> . W. elata. Jacq.				Jacq. schœn. l. t. 6.
	a major. (re.) larger.	—————	—————	————	F.b.
	β minor. (re.) lesser.	—————	—————	————	F.b.
GASTRON'EMA. H.A. GASTRON'EMA. Hexandria Monogynia.					
	clavatum. H.A. (re. wh.) clavate.	C. B. S.	1816.	5. 8.	F.b.
	<i>Cyrtanthus uniflorus</i> . Bot. reg. t. 168.	<i>Amaryllis Pumilio</i> . H.K.			Bot. mag. t. 2291.
CYRTANTHUS. W. CYRTANTHUS. Hexandria Monogynia. W.					
1	obliquus. W. (or. gr.) oblique-leaved.	C. B. S.	1774.	5. 8.	G.b.
2	striatus. B.M. (ye. sc.) striped.	—————	1823.	————	G.b.
					Bot. mag. t. 1133. t. 2534.

3 vittatus. S.S.	(std.) ribbon.	C. B. S.	1823.	5. 8.	G.b.	
4 spiralis. B.R.	(sc.) spiral-leaved.	————	1790.	—	G.b.	Bot. reg. t. 167.
5 collinus. B.R.	(sc.) hill.	————	1816.	—	G.b.	———— t. 162.
6 pallidus. B.M.	(fl.) pale-flowered.	————	1822.	—	G.b.	Bot. mag. t. 2471.
7 ventricosus. W.	(sc.) bellied.	————	1770.	—	G.b.	Jacq. se. lon. 1. t. 76.
8 angustifolius. W.	(sc.) narrow-leaved.	————	1774.	5. 6.	G.b.	Bot. mag. t. 271.
9 odoratus. B.R.	(sc.) sweet-scented.	————	1818.	5. 7.	G.b.	Bot. reg. t. 503.
COBURGHIA. B.F.G. COBURGHIA. Hexandria Monogynia.						
incarnata. B.F.G.	(sc.) splendid.	Quito.	1820.	8. 9.	F.b.	Swt. br. fl. gar. s.2. t.17.
STENOMESSON. H.A. STENOMESSON. Hexandria Monogynia.						
1 filivum. B.M.	(ye.) slender-toothed.	Peru.	1823.	5. 11.	G.b.	Bot. mag. t. 2641.
<i>Chrysiphiala flava</i> . B.R. 778.						
2 curvidentatum. B.M.	(ye.) curve-toothed.	————	1824.	—	G.b.	Bot. mag. t. 2640.
3 pauciflorum.	(ye.) few-flowered.	————	1822.	—	G.b.	Hook. ex. flor. t. 132.
<i>Chrysiphiala pauciflora</i> . H.E.F.						
CHLIDANTHUS. H.A. CHLIDANTHUS. Hexandria Monogynia.						
fragrans. H.A.	(ye.) yellow fragrant.	S. America.	1821.	6. 8.	G.b.	Bot. reg. t. 640.
EUCROSIA. B.R. EUCROSIA. Hexandria Monogynia.						
Heclor. B.R.	(or. re.) two-coloured.	Cape Horn.	1816.	4. 5.	S.b.	Bot. reg. t. 207.
CALOSTEMMA. B.P. CALOSTEMMA. Hexandria Monogynia.						
1 luteum. B.R.	(ye.) yellow.	N. Holland.	1819.	8. 10.	F.b.	Bot. reg. t. 421.
2 purpureum. B.P.	(pu.) purple.	————	—	—	F.b.	———— t. 422.
3 album. B.P.	(wh.) white-flowered.	————	1824.	—	G.b.	—
EURYCLES. Sal. EURYCLES. Hexandria Monogynia.						
1 nuda.	(wh.) naked stamen'd.	E. Indies.	1822.	5. 7.	S.b.	
<i>Cinnam nervosum</i> . H.B.						
2 alata.	(wh.) wing-stamen'd.	N. Holland.	1821.	—	S.b.	Bot. reg. t. 715.
<i>Pancratium australasicum</i> . B.R.						
3 coronata.	(wh.) crowned.	E. Indies.	1759.	—	S.b.	Bot. mag. t. 1419.
<i>Pancratium amboinense</i> . B.M. <i>Prædiphy amboinensis</i> . H.A.						
Three very distinct species, all flowered at Mr. Colvill's.						
HYMENOCALLIS. H.A. HYMENOCALLIS. Hexandria Monogynia.						
1 speciosa. K.R.	(wh.) large-flowered.	W. Indies.	1759.	5. 9.	S.b.	Bot. mag. t. 1453.
<i>Pancratium speciosum</i> . B.M.						
2 ovata. K.R.	(wh.) broad-leaved.	————		—	S.b.	Bot. reg. t. 43.
3 amiana. K.R.	(wh.) handsome.	Guiana.	1790.	—	S.b.	Bot. mag. t. 1467.
4 fragrans. L.T.	(wh.) fragrant.	W. Indies.		—	S.b.	Lodd. bot. cab. t. 834.
5 guianensis. B.R.	(wh.) Guiana.	Guiana.	1818.	—	S.b.	Bot. reg. t. 265.
6 caribæa. K.R.	(wh.) Caribbean.	W. Indies.	1730.	—	S.b.	Bot. mag. t. 826.
<i>Pancratium caribæum</i> . B.M.						
7 declinata. B.C.	(wh.) declining.	Brazil.		—	S.b.	Lodd. bot. cab. t. 553.
8 undulata. K.R.	(wh.) wave-leaved.	S. America.		—	S.b.	
9 expansa. B.M.	(wh.) expanded.	W. Indies.	1818.	—	S.b.	Bot. mag. t. 1941.
10 pedalis. B.C.	(wh.) foot-flowered.	Brazil.	1815.	—	S.b.	Lodd. bot. cab. t. 879.
11 patens. K.R.	(wh.) spreading.	W. Indies.		—	S.b.	Redout. lil. 6. t. 389.
12 littoralis. K.R.	(wh.) sea side.	S. America.	1758.	—	S.b.	Jacq. vind. 3. t. 75.
13 Dryandri. K.R.	(wh.) Dryander's.	————		—	S.b.	Bot. mag. t. 825.
14 disticha. H.A.	(wh.) two-ranked.	————		—	S.b.	
15 angusta. K.R.	(wh.) narrow-leaved.	————		—	S.b.	Bot. reg. t. 221.
16 tenuiflora. H.A.	(wh.) slender-flowered.	————		—	S.b.	
17 crassifolia. H.A.	(wh.) thick-leaved.	S. America.		—	S.b.	
18 acutifolia.	(wh.) acute-leaved.	Mexico.	1824.	—	G.b.	Bot. reg. t. 940.
<i>Pancratium mexicanum</i> . B.R. <i>nec aliorum</i> . <i>Hymenocallis litoralis</i> . & <i>acutifolia</i> . B. M. 2621.						
19 ovata. H.A.	(wh.) large-crowned.	Carolina.	1803.	7. 9.	G.b.	Bot. mag. t. 827.
20 mexicana. K.R.	(wh.) Mexican.	Mexico.	1732.	8.	G.b.	Ker's review. pl. 3. f. 2.
21 caroliniana. H.A.	(wh.) Carolina.	Carolina.	1759.	6. 7.	G.b.	———— pl. 3. f. 1.
22 Staplesii. W.H.	(wh.) Mr. Staples's.	Mexico.	1826.	—	G.b.	
23 ovalifolium. W.H.	(wh.) oval-leaved.	S. America.	1820.	—	S.b.	
PANCERATIUM. H.A. PANCERATIUM. Hexandria Monogynia.						
1 maritimum. K.R.	sea Daffodil.	S. Europe.	1597.	5. 7.	G.b.	Bot. reg. t. 151.
<i>canariense</i> . B.R. 927. <i>nec aliorum</i> .						
2 canariense. B.R.	Canary.	Canaries.	1815.	6. 7.	G.b.	Bot. reg. t. 174.
3 illyricum. K.R.	Illyrian.	S. Europe.	1615.	5. 6.	G.b.	Bot. mag. t. 713.
4 verecundum. K.R.	Narcissus-leav'd.	E. Indies.	1776.	6. 8.	G.b.	Bot. reg. t. 413.
5 zeylanicum. K.R.	one-flowered.	Ceylon.	1752.	—	S.b.	Bot. mag. t. 2638.
ISMENE. Sal. ISMENE. Hexandria Monogynia.						
1 patens. H.A.	(wh.) nodding.	Brazil.	1810.	6. 8.	S.b.	Bot. mag. t. 1561.
<i>Pancratium calathinum</i> . B.M. <i>non R.L.</i>						
2 calathinum. H.A.	(wh.) cup-flowered.	————	—	6. 7.	S.b.	Bot. reg. t. 215.

3	Amáncaes. H.A. (ye.) Narcissus-flower'd. Peru.	1804.	6. 7.	S.b.	Bot. mag. t. 1.
	<i>Pancrätium Amáncaes.</i> B.M. <i>Narcissus Amáncaes.</i> R.P. 3. t. 283. f. a.				
NARCISSUS. L. NARCISSUS. Hexandria Monogynia. L.					
'AJAX. H.S.S.					
1	obvallâris. H.S.S. (ye.) Sibthorp's.	S. Europe.		3. 4.	H.b. Bot. mag. t. 13.
2	bicolor. L. (wh. ye.) two-coloured.	Spain.	1629.	4. 5.	H.b. ——— t. 115.
	<i>Ajax lorifolius.</i> H.S.S.				
3	tubæflôrus. S.P. (wh. ye.) tube-flowered.	S. Europe.		3. 5.	H.b.
	<i>Ajax bicolor.</i> H.S.S.				
4	moschâtus. B.M. (wh. st.) greater white.	Spain.	1629.	4.	H.b. Bot. mag. t. 121.
5	âlbis. L.T. (wh.) white flowered.	————	1759.	3. 4.	H.b. ——— t. 13.
	<i>moschâtus.</i> ð. B.M. <i>Ajax âlbis.</i> H.S.S.				
6	cérnuus. R.B. (wh.) drooping-flowered.		1828.	—	H.b.
	β plênus. (wh.) double-flowered.		—	—	H.b.
7	abscissus. H.S.S. (ye.) clipt trunk.			—	H.b. Park. parad. t. 1.
8	mâjor. B.M. (ye.) large.	Spain.	1629.	—	H.b. Bot. mag. t. 51.
9	propinquus. S.P. (ye.) great jagged.	S. Europe.		—	H.b. ——— t. 31.
	<i>mâjor</i> β. B.M. <i>Ajax propinquus.</i> H.S.S.				
10	Telamônîus. H.S.S. (ye.) Telamonian.	————		—	H.b.
	β plênus. H.S.S. (ye.) double Daffodil.	————		—	H.b.
	γ grandiplênus. H.S.S. (ye.) great double.	————		—	H.b. Park. parad. t. 1.
11	nôbilis. H.S.S. (ye.) noble.	————		—	H.b.
12	spûrius. H.S.S. (ye.) spurious.	England.		—	H.b.
13	serrâtus. H.S.S. (st. ye.) serrate.	————		—	H.b. Eng. bot. ic. in 1.
	β sudris. H.S.S. (st. ye.) sweet-scented.	————		—	H.b.
14	Pseûdo-Narcissus. (st. ye.) Daffodil.	————		3. 4.	H.b. Eng. bot. v. 1. t. 3.
	β scôticus. H.S.S. (st. ye.) Scotch Daffodil.	Scotland.		—	H.b.
	γ plênus. H.S.S. (ye.) double French.	————		—	H.b. Park. parad. t. 1.
	ð plenissimus. H.S.S. (ye.) rose double.	————		—	H.b. ——— t. 1.
15	lobulâris. H.P. (ye.) lobe-crowned.	England.		—	H.b. Eng. bot. c. 1.
16	pûmilus. S.P. (ye.) small wedge-fid.	S. Europe.		3.	H.b. Besl. cyst. 3. f. 1.
	<i>Ajax cuneiflorus.</i> H.S.S.				
17	mînor. B.M. (ye.) small.	Spain.	1629.	3. 5.	H.b. Bot. mag. t. 6.
	α mînimus. H.S.S. (ye.) smallest.	————	—	—	H.b.
	β mînor. H.S.S. (ye.) small.	————	—	—	H.b. Park. parad. t. 1.
	γ mēdius. H.S.S. (ye.) middle-sized.	————	—	—	H.b.
	δ conspicuus. H.S.S. (ye.) conspicuous.	————		—	H.b.
	ε angûstus. H.S.S. (ye.) narrow-leaved.	————		—	H.b.
DIOMEDES. H.S.S.					
18	Macleâii. B.M. (st. ye.) Mac Leay's.	Levant.		4. 5.	H.b. Bot. mag. t. 25.
	<i>Diomêdes mâjor.</i> H.P.				
19	Sabîni. B.R. (st. ye.) Sabine's.	————		—	H.b. Bot. reg. t. 72.
	<i>Diomêdes mînor.</i> H.P.				
CORBULARIA. H.S.S.					
20	tenuifolius. L.T. (ye.) slender-leaved.	Biscay.	1760.	3. 4.	H.b. Swt. br. fl. 1.
21	lobulâtus. H.S.S. (ye.) lobed.	————		—	H.b. Park. parad. t. 1.
22	obesus. S.P. (ye.) inflated.	Portugal.	1796.	—	H.b. Park. parad. t. 1.
	β mînor. H.S.S. (ye.) smaller.	————		—	H.b. Label. advers. 1.
23	âlbicans. H.S.S. (wh.) Trompet Marin.	————	1629.	—	H.b. Bot. mag. t. 3.
24	Bulbocôdium. W. (ye.) hoop petticoat.	S. Europe.	—	—	H.b.
QUELTIA. H.S.S.					
25	aurântius. H.S.S. (ye.) orange rimmed.	————	—	—	H.b. Park. parad. t. 1.
	β lûteo-aurântius. (wh. ye.) Butter and eggs.	————	—	—	H.b. Bot. mag. t. 12.
26	incomparâbilis. B.M. (st. ye.) peerless.	Portugal.	—	4. 5.	H.b.
27	sulphûreus. (st.) self coloured peerless.		1629.	—	H.b.
	<i>Queltia cóncolor.</i> H.S.S.				
	β plênus. (st.) double orange crown.		—	—	H.b.
28	semipartitus. H.S.S. (st. ye.) cloven-cupped.		1818.	3. 4.	H.b.
29	Queltia. (wh. st.) peerless white.		—	4.	H.b.
	<i>Queltia âlba.</i> H.S.S.				
	β nîveo-aurântius. (wh. st.) Orange Phoenix.			—	H.b. Bot. reg. t. 12.
30	montânus. B.R. (wh.) mountain.	Pyrenæes.	1629.	—	H.b. Park. parad. t. 1.
31	galanthifolius. H.S. (wh.) Snowdrop-leav'd.	—	1720.	5.	H.b. Redout. ill. 61.
32	câpax. H.S.S. (wh.) capacious.	Levant.		—	H.b. Redout. ill. t. 4.
	<i>calathinus.</i> R.L. <i>Queltia câpax.</i> H.S.S.				
33	Redoutei. (wh.) long-tubed.	————		—	H.b.
	<i>calathinus.</i> R.L. nom L. nec aliorum.				

SCHISA'NTHES. H.S.S.

- 31 *orientalis*. L. (st.ye.) oriental. Levant. 1778. 4. 5. H.b. Bot. mag. t. 948.
comparabilis. B. B.M. *Schisanthes orientalis*. H.S.S.

GANYMEDES. H.S.S.

- 32 *ochroleucus*. H.R. (st.) drooping. Portugal. 1620. 4. H.b. Bot. mag. t. 48.
cinadrus. B.M. non L. *Ganymides cernuus*. H.S.S. *ochroleucus*. H.R.
 33 *cinadrus*. L. (wh.) white drooping. S. Europe. 1629. — H.b. Park. parad. t. 93. f. 2.
Ganymides albus. H.R.

- 34 *nitans*. H.S.S. (ye.) yellow cupped. — 1789. 3. 5. H.b. Bot. mag. t. 945.
nitens. B.M. *Ganymides nitans*. H.S.S.

- 35 *unicolor*. H.S.S. (st.) self-coloured. — 1626. 4. H.b.

- 36 *striatulus*. H.S.S. (ye.st.) faint-striped. — — H.b.

- 37 *pulehellus*. H.S.S. (ye.wh.) white-cupped. — 1620. — H.b.

PHYLOGYNE. H.S.S.

- 38 *rugulosus*. H.S.S. (ye.) wrinkle-cupped. — — H.b.

- 39 *claus*. L. (ye.) starry-flowered. Corsica. 1720. 3. H.b. Bot. mag. t. 934.

- calathinus*. a. B.M. *Phyllogyne odora*. H.S.S.

- 40 *interflectus*. H.S.S. (ye.) great curled cup. S. Europe. 4. H.b.

- 41 *trilobus*. L. (ye.) three-lobed. Spain. 1629. 3. H.b. Bot. mag. t. 78.

- calathinus*. B.M. *Phyllogyne triloba*. H.S.S. *calathina*. Sal.

- 42 *humilis*. H.S.S. (ye.) lesser curled cup. 4. H.b. Park. parad. t. 93. f. 4.

- 43 *parvulus*. (ye.) small. 1629. — H.b.

- Phyllogyne minor*. H.S.S.

- regina*. (ye.) Queen Ann's Jonquil. — — — H.b.

HERMIONE. H.S.S.

- 44 *Jonquilla*. B.M. (ye.) Jonquil. Spain. 1596. 4. 5. H.b. Bot. mag. t. 15.

- duplex*. (ye.) double Jonquil. — — H.b.

- 45 *humilis*. H.S.S. (ye.) lesser Jonquil. S. Europe. 1626. — H.b.

- 46 *lafrons*. B.M. (ye.) double-faced. — 1807. 4. H.b. Bot. mag. t. 1186.

- 47 *compressus*. L.T. (ye.) Jasmine Jonquil. — 1790. 3. 4. H.b.

- 48 *primulinus*. H.S. (ye.) Cowslip-cupped. — — H.b. Bot. mag. t. 1299.

- lafrons*. B. B.M. *Hermione primulina*. H.S.S.

- 49 *calathinus*. L. (ye.) many-flowered. Levant. — H.b. Rudb. clys. 2. p. 60. f. 5.

- 50 *torticaulis*. L.T. (st.) cream-coloured. 4. H.b. Bot. mag. t. 1298?

- 51 *citinus*. H.S.S. (wh.ye.) Citroniere. — H.b. — t. 946.

- orientalis*. γ. B.M.

- 52 *floribundus*. H.S.S. (wh.ye.) grand monarque. — H.b.

- 53 *Trewianus*. B.M. (wh.ye.) Bazelman major. — H.b. Bot. mag. t. 940.

- Hermione grandiflora*. H.S.S.

- 54 *crenulatus*. H.S. (wh.ye.) Bazelman minor. — H.b. Park. parad. t. 81. f. 5.

- 55 *Tazetta*. L. (wh.ye.) French Daffodil. 1626. — H.b. — t. 81. f. 3.

- 56 *dubius*. P.S. (wh.) doubtful. S. France. — H.b. Redout. lil. t. 429.

- 57 *patulus*. DC. (wh.ye.) spreading. Isl. Hyeres. — H.b.

- 58 *festuosus*. H.S. (wh.ye.) pipe-stemmed. Levant. — H.b.

- 59 *cerinus*. H.S. (wh.ye.) waxen cupped. 5. H.b.

- 60 *Lina*. H.S.S. (wh.) broad white. 4. F.b.

- 61 *papyratus*. B.M. (wh.) paper white. Italy. 2. 3. F.b. Bot. mag. t. 947.

- Hermione papyratis*. H.S.S.

- 62 *unicolor*. T.N. (wh.) one-coloured. Naples. — H.b. Ten. fl. nap. 1. t. 26.

- 63 *præcox*. T.N. (st.ye.) early-flowered. — H.b. — 1. t. 27.

- 64 *italicus*. B.M. (st.ye.) Italian. Italy. — F.b. Bot. mag. t. 1188.

- Hermione italica*. H.S.S.

- 65 *semiplenus*. (wh.) semidouble. 3. F.b.

- 66 *plenus*. (wh.) double Roman. — F.b.

- 67 *gracilis*. B.R. (pa.ye.) slender. 4. H.b. Bot. reg. t. 816.

- 68 *tenax*. B.M. (pa.ye.) slender 2-flowered. Italy. 1626. — H.b. Bot. mag. t. 379.

- 69 *latifolius*. H.S.S. (ye.) broad-ld. orange. Levant. 4. 5. H.b.

- 70 *multiflorus*. H.S.S. (ye.) common yellow. — H.b. Bot. mag. t. 925.

- Tazetta*. B.M. non L.

- 71 *intermedius*. R.L. (pa.ye.) intermediate. Pyrenees. — H.b. Redout. lil. t. 426.

- orientalis* δ. Bot. mag. t. 1026. *Hermione multiflora*. β *aurea*. H.S.S.?

NARCISSUS. H.S.S.

- 72 *poeticus*. L. (wh.) Poet's. Greece. 1620. 4. F.b. Park. parad. t. 75. f. 3.

- 73 *acutifolius*. B.M. (wh.) narrow-leaved. Switzerland. 1626. — H.b. Bot. mag. t. 193.

- 74 *repens*. B.M. (wh.) May-flowering. England? 5. H.b. Eng. bot. v. 4. t. 275.

- poeticus*. E.B. non L. *patellaris*. S.P.

- 75 *exsertus*. H.S.S. (wh.) long-stamened. — H.b.

- 76 *plenus*. H.S.S. (wh.) double-flowered. — H.b. Park. parad. t. 75. f. 1.

- 77 *latifolius*. B.M. (wh.) two-flowered. 4. 5. H.b. Eng. bot. v. 4. t. 276.

- 77 *niveus*. W.en. (*wh.*) snowy white. S. Europe. 4. 5. H.b.
CHLORASTER. H.P.
- 78 *viridiflorus*. B.M. (*gr.*) green-flowered. Barbary. 1629. 9. 10. F.b. Bot. mag. t. 1687.
Chloraster fissus. H.P.
- 79 *intèger*. H.P. (*gr.*) entire-cupped. ———— ———— F.b. Park. parad. t. 93. f. 1.
80? *obsoletus*. H. s.s. (*w. ye.*) leafy autumnal. Spain. ———— ———— F.b. ———— 90. t. 87.
81? *serotinus*. w. (*wh.*) late-flowered. Barbary. ———— ———— F.b. Clus. hist. t. 252.
- GALA'NTHUS**. L. **SNOWDROP**. Hexandria Monogynia. L.
- 1 *nivalis*. w. (*wh.*) common. Britain. 1. 3. H.b. Eng. bot. v. 1. t. 12.
2 *plicatus*. B.R. (*wh.*) plaited. S. Europe. 1818. 2. 4. H.b. Bot. reg. t. 545.
- LEUC'OJUM**. L. **SNOWFLAKE**. Hexandria Monogynia. L.
- 1 *vérum*. w. (*wh.*) spring. Germany. 1596. 2. 4. H.b. Bot. mag. t. 46.
2 *carpathicum*. (*wh.*) Carpathian. Carpathian mt. 1816. ———— H.b. ———— t. 1993.
3 *æstivum*. w. (*wh.*) summer. England. 4. 5. H.b. ———— t. 1210.
4 *pulchellum*. P.L. (*wh.*) neat. ———— ———— H.b. Sal. par. lond. t. 74.
- 'ACIS**. P.L. **'ACIS**. Hexandria Monogynia.
- 1 *rosea*. s.F.G. (*ro.*) rose-coloured. S. Europe. 1826. 8. 9. H.b. Swt. br. fl. gar. t. 1.
2 *grandiflora*. s.F.G. (*bh.*) large-flowered. ———— 1828. ———— H.b. Redout. lilac. t. 57.
3 *trichophylla*. s.F.G. (*wh.*) many-flowered. Barbary. 1812. 1. 2. F.b. Bot. reg. t. 544.
Leucòjum trichophyllum. E.R.
- 4 *autumnalis*. P.L. (*bh.*) autumnal. Portugal. 1629. 9. F.b. Bot. mag. t. 969.
Leucòjum autumnale. B.M.
- GETHY'LLIS**. L. **GETHY'LLIS**. Hexandria Monogynia. L.
- 1 *spiralis*. w. (*wh.*) spiral-leaved. C. B. S. 1780. 6. 7. G.b. Bot. mag. t. 1088.
2 *ciliaris*. w. (*wh.*) fringed. ———— 1788. ———— G.b. Jacq. schœn. 1. t. 7.
3 *villòsa*. w. (*wh.*) hairy. ———— 1787. ———— G.b.
4 *lanceolata*. w. (*wh.*) spear-leaved. ———— 1790. ———— G.b.
- ALSTRÆMERIA**. W. **ALSTRÆMERIA**. Hexandria Monogynia. L.
- 1 *Pelegrina*. w. (*re. bh.*) spotted flower'd. Peru. 1753. 6. 9. H. 4. Bot. mag. t. 130.
β albida. (*wh. gr.*) white flowered. ———— 1820. ———— H. 4.
2 *Simsii*. s.s. (*sc. ye.*) red-flowered. Chili. 1822. ———— H. 4. Swt. br. fl. gar. t. 1.
pulchella. B.M. 2353. Hook. ex. flor. t. 64.
3 *Hookeri*. (*ro.*) rose-coloured. Chili. 1822. ———— H. 4. Hook. ex. flor. t. 1.
rosea. H.E.F. non R.P.
- 4 *Flòs Martini*. B.R. (*w. p. y.*) St. Martin's. ———— ———— H. 4. Bot. reg. t. 731.
pulchra. Bot. mag. t. 2421. *tricolor*. Hook. ex. flor. t. 65.
- 5 *bicolor*. B.C. (*ye. wh.*) two-coloured. Chili. 1826. ———— H. 4. Lodd. bot. cab. t. 1.
6 *psittacina*. s.s. (*sc. gr.*) Parrot-like. Mexico. 1829. 7. 9. H. 4. Swt. br. fl. gar. t. 2.
7 *acutifolia*. Ot. (*or.*) sharp-leaved. S. America. ———— 9. 10. F. 4.
8 *pallida*. Ot. (*pa.*) pale-flowered. Chili. ———— ———— H. 4.
9 *Curtisiàna*. R.s. (*wh. sc.*) striped-flowered. Brazil. 1776. 2. 4. S. 4. Bot. mag. t. 125.
Ligtu. B.M. nec aliorum.
- 10 *ovata*. s.s. (*sc.*) oval-leaved. Peru. 1824. H. 4. Cavan. ic. 1. t. 7.
11 *Salsilla*. w. (*pu. gr.*) climbing. ———— 1806. 6. 7. H. 4. Feuille. per. 2. p. 71.
12 *edulis*. Tus. (*ro. gr.*) eatable-rooted. W. Indies. 1801. 6. 9. S. 4. Andr. reposit. t. 1.
Salsilla. Bot. mag. t. 1613. non L.
- 13 *hirtella*. K.s. (*pi. gr.*) hairy. Mexico. 1824. H. 4. Swt. br. fl. gar. t. 1.
- CL'IVIA**. B.R. **CL'IVIA**. Hexandria Monogynia.
- nobilis*. B.R. (*sc. gr.*) scarlet. C. B. S. 1820. 7. 10. G. 4. Bot. reg. t. 1182.
Imatophyllum Aitòni. Bot. mag. t. 2856.
- DORYA'NTES**. B.P. **DORYA'NTES**. Hexandria Monogynia. S.S.
- excelsa*. B.P. (*sc.*) gigantic. N. S. W. 1800. 7. 10. G. 4. Bot. mag. t. 1084.

ORDO CCX.

HEMEROCALLIDÆ. *Brown prodr. 1. p. 295.*

- HEMEROCA'LLIS**. S.S. **DAY LILY**. Hexandria Monogynia. L.
- 1 *graminea*. B.M. (*ye.*) narrow-leaved. Siberia. 1759. 6. 7. H. 4. Bot. mag. t. 873.
2 *flava*. B.M. (*ye.*) yellow. ———— 1596. ———— H. 4. ———— t. 12.
3 *speciosa*. W.H. (*co.*) specious. Jamaica. 1816. ———— G. 4. Swt. br. fl. gar. t. 1.
4 *disticha*. B.F.G. (*co.*) fan-like. China. 1798. 5. 7. H. 4. Bot. mag. t. 64.
5 *fulva*. B.M. (*co.*) copper-coloured. Levant. 1596. 6. 8. H. 4.

FUNKIA. S.S.		FU'NKIA. Hexandria Monogynia. S.S.			
1 alba.	(wh.) white-flowered.	Japan.	1790.	8. 9. H. 4.	Bot. mag. t. 1433.
subcordata. s.s.	<i>Hemerocallis japonica</i> . B.M. <i>alba</i> . Andr. reposit. t. 75.				
2 cœrulea.	(wh.) blue-flowered.	—	—	6. 8. H. 4.	Bot. mag. t. 894.
crata. s.s.	<i>Hemerocallis cœrulea</i> . B.M.				
AGAPANTHUS. W.		AFRICAN LILY. Hexandria Monogynia. L.			
1 umbellatus. w.	(bl.) large-flowered.	C. B. S.	1692.	1. 12. G. 4.	Bot. mag. t. 500.
3 variegatus.	(bl.) striped-leaved.	—		— G. 4.	
2 præcox. W.en.	(bl.) early-flowering.	—		1. 4. G. 4.	
3 minor. B.C.	(bl.) small.	—		— G. 4.	Lodd. bot. cab. t. 42.
POLIANTHES. L.		POLIANTHES. Hexandria Monogynia. L.			
1 gracilis. L.en.	(wh.) slender.	Brazil.	1822.	8. 10. S. 4.	
2 tuberosa. w.	(wh.) common.	E. Indies.	1629.	— S. 4.	Bot. reg. t. 63.
3 flore pleno.	(wh.) double-flowered.	—	—	— S. 4.	
BLANDFORDIA. B.P.		BLANDFORDIA. Hexandria Monogynia. S.S.			
1 nobilis. B.P.	(sc.ye.) noble.	N. S. W.	1803.	7. 8. G. 4.	Bot. reg. t. 286.
2 grandiflora. B.P.	(sc.ye.) large-flowered.	—	1824.	— G. 4.	— t. 911.
3 punicea.	(cr.) large-leaved.	N. Holland.	1812.	— G. 4.	Lab. nov. hol. 1. t. 111.
<i>Alétris punicea</i> . Labillardiere.					
TRITOMA. B.M.		TRITOMA. Hexandria Monogynia. S.S.			
1 Uvária. H.K.	(or.) great.	C. B. S.	1707.	8. 9. H. 4.	Bot. mag. t. 758.
2 Burchellii. W.H.	(or.) Mr. Burchell's.	—	1816.	— H. 4.	
3 media. H.K.	(sc.or.) lesser.	—	1789.	12. 6. H. 4.	Bot. mag. t. 744.
4 pumila. H.K.	(sc.or.) least.	—	1774.	9. 11. F. 4.	— t. 764.
VELTHEIMIA. B.M.		VELTHEIMIA. Hexandria Monogynia. W.			
1 viridifolia. w.	(sc.or.) green-leaved.	C. B. S.	1768.	11. 4. G. b.	Bot. mag. t. 501.
<i>Alétris capensis</i> . B.M.					
2 intermedia.	(ro.ye.) subglaucous.	—	1819.	— G. b.	
3 glauca. w.	(ro.ye.) glaucous.	—	1781.	1. 4. G. b.	Bot. mag. t. 1091.
ALETRIS. W.		COLIC-ROOT. Hexandria Monogynia. L.			
1 farinosa. w.	(wh.) common.	N. America.	1768.	6. H. 4.	Bot. mag. t. 1418.
2 aurea. Ph.	(wh.) golden-tipped.	—	1811.	7. 8. H. 4.	Willd. hort. ber. t. 8.
SANSEVIERA. W.		SANSEVIERA. Hexandria Monogynia. W.			
1 glauca. H.S.	(wh.) glaucous.	Sierra Leon.		6. 10. S. 4.	
2 polyphylla. H.S.	(wh.) upright-glaucous.	—		— S. 4.	
3 guineensis. H.S.	(wh.) Guinea.	Guinea.	1690.	6. 11. S. 4.	Bot. mag. t. 1180.
4 latevirens. H.S.	(wh.) light green.			— S. 4.	
5 longiflora. B.M.	(wh.) long-flowered.			7. 8. S. 4.	Bot. mag. t. 2634.
6 spicata. H.S.	(wh.) spiked.			— S. 4.	Cavan. ic. 3. t. 246.
7 fulvocincta. H.S.S.	(wh.) brown-edged.	Brazil.	1818.	6. 9. S. 4.	
8 zeylanica. H.S.	(wh.) Ceylon.	Ceylon.	1731.	6. 11. S. 4.	Bot. reg. t. 160.
9 lanuginosa. w.	(wh.) woolly.	E. Indies.		— S. 4.	Rheed. mal. 11. t. 42.
10 ensifolia. H.S.	(wh.) sword-leaved.	—		— S. 4.	
11 grandicuspis. H.S.	(wh.) large-pointed.			— S. 4.	
12 pumila. H.S.	(wh.) dwarf.	C. B. S.	1796.	 S. 4.	
13 stenophylla. L.en.	(wh.) slender-leaved.		1818.	6. 8. S. 4.	
14 carnea. A.R.	(ro.) flesh-coloured.	China.	1792.	4. 10. H. 4.	Andr. reposit. t. 361.
TULBAGIA. W.		TULBAGIA. Hexandria Monogynia. L.			
1 alliacea. w.	(gr.) Narcissus-leaved.	C. B. S.	1774.	5. 7. G. 4.	Bot. mag. t. 806.
2 affinis. L.en.	(gr.) linear-leaved.	—	1820.	— G. 4.	
3 cepacea. w.	(gr.) Onion-scented.	—	1795.	4. G. 4.	
BRODIAEA. L.T.		BRODIAEA. Triandria Monogynia. L.T.			
1 grandiflora. L.T.	(bl.) large-flowered.	Georgia.	1806.	6. H. b.	Bot. reg. t. 1183.
<i>Hookera coronaria</i> . Sal. par. lond. t. 98.					
2 congesta. L.T.	(bl.) close-headed.	—	—	5. H. b.	Linn. trans. v. 10. t. 1.
PHYLLOMA. B.M.		PHYLLOMA. Hexandria Monogynia.			
1 aloiflorum. B.M.	(ye.) Aloe-like.	Bourbon.	1766.	4. 6. D.S. h.	Bot. mag. t. 1585.
<i>Lomatophyllum borbonicum</i> . w. <i>Dracæna marginata</i> . H.K. <i>dentata</i> . P.S.					
2 macrum. L.en.	(ye.) lean.	Mauritius.	1817.	6. 7. D.S. h.	
3 rufocinctum.	(ye.) rosy-edged.	E. Indies.	1818.	 D.S. h.	
<i>Aloe rufocincta</i> . H.S.S.					
PACHIDE'NDRON. H.R.		PACHIDE'NDRON. Hexandria Monogynia. H.R.			
1 africanum. H.R.	(ye.) African.	C. B. S.	1731.	7. D.G. h.	
2 latum. H.R.	(ye.) broad-leaved.	—	—	— D.G. h.	
3 angustum. H.R.	(ye.) narrow-leaved.	—	—	— D.G. h.	Bot. mag. t. 2517.
<i>Aloe pseudo-africana</i> . L.en. <i>Aloe africana</i> . β . <i>angustior</i> . B.M.					
2 principis. H.R.	(ye.) revolving red-spined.	—		 D.G. h.	
3 angustifolium. H.R.	(ye.) narrow-leaved.	—	1812.	 D.G. h.	
4 ferox. H.R.	(st.re.) great hedgehog.	—	1759.	4. 5. D.G. h.	Bot. mag. t. 1975.
<i>Aloe ferox</i> . B.M.					

5	pseùdo-fèrox. H.R. (st.)	false hedgehog.	C. B. S.	1759.	4. 5. D.G. h.	Comm. pralud. t. 2.
6	supral'æve. H.R. (ye.)	upright hedgehog.	—	1731.	 D.G. h.	
A'LOE. H.R. ALOE. Hexandria Monogynia. L.						
1	dichótoma. H.s.	smooth-stemmed.	C. B. S.	1780.	 D.G. h.	
2	purpuráscens. H.s. (re.gr.)	purple.	—	1789.	7. 10. D.G. h.	Bot. mag. t. 1474.
3	soccotrìna. H.s. (sc.g.)	soccotrine.	—	1731.	4. 6. D.G. h.	— t. 472.
4	spicàta. H.R. (wh.gr.)	white spotted.	—	1795.	— D.G. h.	
5	plùridens. H.P.	 many-toothed.	—	1822.	 D.G. h.	
6	arboréscens. H.s. (sc.)	tree.	—	1731.	11. 3. D.G. h.	Bot. mag. t. 1395.
7	grácilis. H.P.	 slender-stalked.	—	1822.	 D.G. h.	
8	flavispìna. H.s. (sc.)	yellow-spined.	—	1790.	8. D.G. h.	
9	mitræfórmis. H.s. (sc.)	mitre.	—	1732.	— D.G. h.	Bot. mag. t. 1270.
10	nóbilis. H.s. (sc.)	great mitre.	—	1800.	7. 8. D.G. h.	
11	Commelini. H.R. (sc.)	Commeline's.	—	1813.	— D.G. h.	
	β mitræfórmis. H.R.	yellowish-toothed.	—		— D.G. h.	
12	dístans. H.s. (sc.gr.)	small mitre.	—	1732.	8. D.G. h.	Bot. mag. 1392.
	γ depréssa. H.R. (sc.gr.)	depressed.	—		— D.G. h.	
13	xanthacántha. H.s.s. (sc.)	yellow mitre.	—	1817.	— D.G. h.	
14	vulgàris. DC. (ye.or.)	yellow-flowered.	W. Indies.	1596.	8. D.S. h.	DC. plant. gras. t. 1.
	barbadénsis. H.s.					
15	chinénsis. H.s.s. (ye.)	Chinese.	China.	1817.	— D.G. h.	
16	c'æsia. H.s.s.	 cæsious tree.	C. B. S.	1818.	 D.G. h.	
	β elàtior. H.s.s.	 tall.	—	—	 D.G. h.	
17	frutéseens. H.s.s. (sc.)	lesser tree.	—		 D.G. h.	
18	albispìna. H.s. (sc.)	white-spined.	—	1796.	 D.G. h.	
19	glaùca. H.s. (sc.gr.)	glaucous red-spined.	—	1731.	1. 9. D.G. h.	
	α màjor. H.s. (sc.gr.)	larger.	—	—	— D.G. h.	
	β rhodacántha. B.M. (sc.gr.)	lesser red-spined.	—	—	— D.G. h.	Bot. mag. t. 1275.
	γ spinòsior. H.R. (sc.g.)	long-spined.	—	1820.	 D.G. h.	
20	lineàta. H.s. (sc.gr.)	striped red-spined.	—	1789.	 D.G. h.	
	α víridis. H.R. (sc.gr.)	greenest-leaved.	—	—	 D.G. h.	
	β glaucéseens. H.R. (sc.)	glaucous.	—	—	 D.G. h.	
21	dorsàlis. R.s. (ye.)	spiny-keeled.	—	1826.	 D.G. h.	
22	depréssa. H.s. (sc.ye.)	depressed.	—	1731.	8. D.G. h.	Bot. mag. t. 1392.
23	brevifòlia. H.s. (sc.gr.)	short-leaved.	—	—	6. 8. D.G. h.	Bot. reg. t. 996.
24	prolífera. H.R. (or.y.)	proliferous.	—	1818.	— D.G. h.	
25	sérria. DC. (re.gr.)	saw-leaved.	—	—	— D.G. h.	Jacq. eclog. t. 61.
26	striàta. H.s. (re.gr.)	streaked.	—	1795.	— D.G. h.	Jacq. fragm. t. 6.
	paniculàta. Jacquin.					
27	striátula. H.P.	 stripe-sheathed.	—	1820.	 D.G. h.	
28	ciliàris. H.P. (sc.gr.)	fringe-leaved.	—	—	 D.G. h.	
29	ténuior. H.P. (ye.)	green-sheathed.	—	1819.	 D.G. h.	
30	albocínecta. H.s.s. (sc.g.)	pearl edged.	—	1812.	 D.G. h.	
31	serrulàta. H.s. (pi.)	serrulated.	—	1789.	7. 8. D.G. h.	Bot. mag. t. 1415.
32	obscura. H.s. (sc.or.)	great soap.	—	1727.	6. 10. D.G. h.	— t. 1325.
	pícta. a. B.M.					
	β glauciòr. H.R. (sc.or.)	glaucous-leaved.	—	1819.	— D.G. h.	
	γ mágnidens. H.R. (sc.or.)	large-toothed.	—		— D.G. h.	
33	palléseens. H.R. (pi.gr.)	pale serrulate.	—	1820.	— D.G. h.	
34	latifòlia. H.s. (sc.or.)	broad-leaved.	—	1795.	7. 8. D.G. h.	Bot. mag. t. 1345.
35	grandidentàta. R.s. (sc.g.)	great-toothed.	—		— D.G. h.	
36	saponària. H.s. (sc.or.)	common soap.	—	1727.	— D.G. h.	Bot. mag. t. 1400.
	β luteo-striàta. H.R. (sc.)	yellow-striped.	—	1821.	— D.G. h.	
37	microcántha. H.s.s. (re.)	small-spined.	—	1819.	— D.G. h.	Bot. mag. t. 2272.
38	virens. H.s. (sc.)	apple green.	—	1790.	8. 9. D.G. 4.	— t. 1355.
39	suberécta. H.s. (sc.ye.)	lesser hedgehog.	—	1789.	3. 6. D.G. 4.	
	β semiguttàta. H.R. (sc.g.)	half-warted.	—	1819.	— D.G. 4.	
40	acuminàta. H.s. (sc.ye.)	middle hedgehog.	—	1795.	— D.G. 4.	Bot. mag. t. 757.
	hùmilis. B.M. non H.s.					
41	echinàta. H.R. (sc.gr.)	great tubercled.	—	1821.	3. 6. D.G. 4.	
42	tuberculàta. H.s. (sc.g.)	tubercled.	—	1796.	— D.G. 4.	
43	aristata. H.P. (sc.gr.)	bearded many-leaved.	—	1819.	— D.G. 4.	
44	subtuberculàta. H.P. (sc.)	rough & smooth.	—	—	— D.G. 4.	
45	hùmilis. H.s. (sc.gr.)	dwarf hedgehog.	—	1731.	— D.G. 4.	DC. plant. gras. t. 50.
46	incúrva. H.s. (sc.gr.)	incurved hedgehog.	—	1796.	— D.G. 4.	Bot. mag. t. 825.
	hùmilis β incúrva. B.M.					
47	tenuifòlia. H.R. (sc.gr.)	thin-leaved.	—	1821.	— D.G. 4.	
48	variegàta. H.s. (sc.gr.)	partridge-breast.	—	1720.	3. 12. D.G. 4.	Bot. mag. t. 513.

RHIPIDODE'NDRON.W. RHIPIDODE'NDRON.		Hexandria Monogynia.	
1 plicatilis. H.R. (re.gr.) fan.	Africa.	1723.	6. 7. D.G. 12. Bot. mag. t. 457.
distichum. W. <i>A'loe plicatilis</i> . B.M.			
3 major. H.R. (re.) larger fan.	—	1820.	— D.G. 12.
2 dichotomum. W. (re.gr.) dichotomous.	C. B. S.	1780.	— D.G. 12. Patt. journ. t. 3. 4. 5.
GASTERIA. H.S. TONGUE-ALOE. Hexandria Monogynia. H.S.			
1 obliqua. H.S. (ro.w.g.) broad-marbled.	C. B. S.	1759.	6. 8. D.G. 12. Bot. mag. t. 979.
maculata. H.P. <i>A'loe lingua</i> . a. B.M.			
2 pulchra. H.S. (ro.gr.) narrow-marbled.	—	1759.	7. 8. D.G. 12. Bot. mag. t. 765.
<i>A'loe maculata</i> . B.M.			
3 picta. H.P. (ro.gr.) painted.	—	1824.	— D.G. 24.
<i>A'loe Bowiciana</i> . R.S.			
4 formosa. H.P. (sc.gr.) beautiful.	—	1826.	— D.G. 24.
5 fasciata. H.P. (ro.gr.) marbled.	—	1820.	— D.G. 24.
6 laxa. H.P. (ro.gr.) loose-leaved.	—	—	— D.G. 24.
7 retata. H.P. (ro.gr.) chequered.	—	1826.	— D.G. 24.
<i>A'loe dictyodes</i> . R.S.			
8 nigricans. H.S. (re.gr.) dark-leaved.	—	1790.	6. 7. D.G. 24. Bot. mag. t. 838.
9 marmorata. H.P. (re.g.) marble-leaved.	—	—	— D.G. 24.
10 crassifolia. H.P. (re.gr.) thick-leaved.	—	1820.	— D.G. 24.
11 brevifolia. H.S. (re.gr.) short-leaved.	—	1809.	7. 8. D.G. 24.
a latavirens. H.P. (re.gr.) pale-green.	—	—	— D.G. 24.
3 periridis. H.P. (re.gr.) darker-green.	—	—	— D.G. 24.
12 obtusifolia. H.R. (re.g.) blunt-leaved.	—	—	— D.G. 24.
13 mollis. H.R. (re.gr.) soft muddy-leaved.	—	1819.	— D.G. 24.
14 subnigricans. H.P. (re.g.) dark-leaved.	—	1820.	— D.G. 24.
3 glabrior. H.P. (re.gr.) smoother.	—	—	— D.G. 24.
15 disticha. H.P. (re.gr.) distichous.	—	1819.	— D.G. 24. Comm. hort. ams. 2. t. 8.
a minor. H.P. (re.gr.) lesser.	—	—	— D.G. 24.
3 major. H.P. (re.gr.) larger.	—	—	— D.G. 24.
16 conspurcata. H.R. (re.g.) dirtied.	—	1796.	3. 11. D.G. 24.
17 angulata. H.P. (re.gr.) angular.	—	—	— D.G. 24. Bot. mag. t. 1322. f. 3.
18 sulcata. H.P. (re.w.g.) furrowed.	—	1791.	— D.G. 24. — t. 1322. f. 5.
19 excavata. H.P. (re.gr.) excavated.	—	1824.	— D.G. 24. — t. 1322. f. 4.
20 angustifolia. H.S. (re.g.) narrow.	—	1731.	— D.G. 24. — t. 1322. f. 2.
21 lavis. H.P. (re.gr.) smooth.	—	1820.	— D.G. 24.
22 subverrucosa. H.P. (re.g.) large-warted.	—	—	— D.G. 24.
a grandipunctata. H.R. large-dotted.	—	—	— D.G. 24.
3 parvipunctata. H.B. small-dotted.	—	—	— D.G. 24.
23 verrucosa. H.S. (re.g.) pearl.	—	1731.	3. 11. D.G. 24. Bot. mag. t. 837.
3 latifolia. H.R. (re.g.) broad-leaved.	—	1820.	— D.G. 24.
24 intermedia. H.S. (re.g.) intermediate.	—	1790.	— D.G. 24. Bot. mag. t. 1322. f. 1.
3 asperima. H.R. (re.g.) rough-leaved.	—	1820.	— D.G. 24.
7 laxior. H.P. (re.gr.) smoother.	—	—	— D.G. 24.
8 longior. H.P. (re.gr.) longer-leaved.	—	—	— D.G. 24.
25 repens. H.R. (re.gr.) creeping-rooted.	—	—	— D.G. 24.
26 parva. H.P. (re.gr.) smallest.	—	1824.	— D.G. 24.
27 decipiens. H.P. (re.gr.) deceiving.	—	1823.	7. 10. D.G. 24.
28 carinata. H.S. (sc.gr.) rough-keeled.	—	1731.	6. 7. D.G. 24. Bot. mag. t. 1331.
29 strigata. H.P. (re.gr.) rough strigate.	—	1824.	7. 10. D.G. 24.
30 latipunctata. H.P. (re.gr.) pale-spotted.	—	1821.	— D.G. 24.
31 subcarinata. H.S.S. (re.) slightly-keeled.	—	1820.	6. 7. D.G. 24.
3 striata. H.R. (re.gr.) striated.	—	—	— D.G. 24.
32 undata. H.P. (re.gr.) waved.	—	1825.	— D.G. 24.
33 glabra. H.S. (re.gr.) smooth-keeled.	—	1796.	6. 7. D.G. 24.
3 minor. H.R. (re.gr.) smaller.	—	1820.	— D.G. 24.
34 nitida. B.M. (sc.gr.) shining.	—	—	7. 8. D.G. 24. Bot. mag. t. 2301.
a parvipunctata. H.R. small dotted.	—	—	— D.G. 24.
3 grandipunctata. H.R. large-dotted.	—	—	— D.G. 24.
35 trigona. H.R. (li.gr.) trigonal.	—	—	— D.G. 24.
36 obtusa. H.P. (re.gr.) smooth obtuse.	—	—	— D.G. 24.
37 acinacifolia. H.R. (ro.g.) long sword-leaved.	—	1818.	— D.G. 24. Bot. mag. t. 2369
38 nitens. H.P. (re.gr.) sparse-spotted.	—	1819.	— D.G. 24.
39 venusta. H.P. (re.gr.) charming.	—	1822.	— D.G. 24.
40 pluripunctata. H.P. (re.gr.) many-spotted.	—	—	— D.G. 24.
41 ensifolia. H.P. (re.gr.) long sword-leaved.	—	1820.	— D.G. 24.
42 candicans. H.R. (re.) rough marbled white.	—	1818.	7. 8. D.G. 24.
43 limba. H.P. (re.) smeared.	—	1822.	— D.G. 24.
44 bicolor. H.P. (re.) half-marbled.	—	—	— D.G. 24.

BOWTEA. H.P.

BOWTEA. Hexandria Monogynia.

1	africana. H.P. (ye.) African.	C. B. S.	1820.	4. 10.	D.G. 2.	
2	myriacantha. H.P. (ro.g.) many-spined.	—	—	—	D.G. 2.	
HAWO'RTHIA. H.S.S. HAWO'RTHIA. Hexandria Monogynia. H.S.						
1	viscosa. H.S. (wh.re.) clammy.	C. B. S.	1732.	5. 7.	D.G. 2.	Bot. mag. t. 814.
	<i>A'loe viscosa</i> . B.M.					
	α major. (wh.re.) largest.	—	—	—	D.G. 2.	
	β minor. (wh.re.) lesser.	—	—	—	D.G. 2.	
	γ parvifolia. (wh.re.) smaller-leaved.	—	—	—	D.G. 2.	
2	aspera. H.S. (wh.re.) rough-triangular.	—	1795.	—	D.G. 2.	
3	indurata. H.R. (wh.re.) hard branchy.	—	1819.	—	D.G. 2.	
4	subtortuosa. R.S. (wh.re.) twisted triangular.	—	1818.	—	D.G. 2.	
5	torquata. H.P. (wh.re.) long-twisted.	—	1824.	—	D.G. 2.	
6	concinna. H.S.S. (wh.re.) neat triangular.	—	—	—	D.G. 2.	
7	cordifolia. H.S.S. (wh.re.) heart-leaved.	—	—	—	D.G. 2.	
8	asperiuscula. H.S.S. (w.re.) roughish.	—	1818.	—	D.G. 2.	
9	tortuosa. H.S. (wh.re.) twisted.	—	1794.	5. 9.	D.G. 2.	Bot. mag. t. 1337.
	<i>A'loe rigida</i> . B.M. non DC.					
	β curta. H.R. (wh.re.) short twisted.	—	1817.	—	D.G. 2.	
	γ tortella. H.R. (wh.re.) lesser twisted.	—	—	—	D.G. 2.	
10	expansa. H.S. (wh.re.) spreading-leaved.	—	1795.	7. 10.	D.G. 2.	
11	rigida. H.R. (wh.gr.) great rigid.	—	1824.	—	D.G. 2.	DC. plant. gras. t. 1.
12	hybrida. H.R. (wh.re.) bastard pearl.	—	1821.	5. 9.	D.G. 2.	
13	scabra. H.R. (wh.re.) rugged.	—	1818.	—	D.G. 2.	
14	sordida. H.R. (wh.re.) sordid.	—	—	—	D.G. 2.	
15	recurva. H.R. (wh.re.) recurved.	—	1795.	8.	D.G. 2.	Bot. mag. t. 1353.
16	nigricans. H.P. (wh.re.) granulated black.	—	1820.	5. 9.	D.G. 2.	
17	parva. H.P. (wh.re.) dwarf.	—	—	—	D.G. 2.	
18	tessellata. H.P. (wh.re.) dark chequered.	—	1822.	—	D.G. 2.	
19	asperula. H.P. (wh.re.) pale rough.	—	—	—	D.G. 2.	
20	multifaria. H.P. (wh.re.) many-leaved.	—	—	—	D.G. 2.	
21	retusa. H.S. (wh.gr.) smooth cushion.	—	1720.	—	D.G. 2.	Bot. mag. t. 45.
	<i>A'loe retusa</i> . B.M.					
22	mutica. H.R. (wh.gr.) blunt cushion.	—	1819.	—	D.G. 2.	
23	mirabilis. H.S.S. (wh.ro.) rough cushion.	—	1795.	—	D.G. 2.	Bot. mag. t. 1354.
24	turgida. H.S.S. (wh.ro.) turgid cushion.	—	1818.	—	D.G. 2.	
25	læte-virens. H.S.S. (w.re.) light green.	—	—	—	D.G. 2.	
26	papillosa. H.S.S. (w.re.) papillose.	—	—	—	D.G. 2.	
	β semipapillosa. H.R. partly warted.	—		—	D.G. 2.	
27	erecta. H.R. (wh.re.) upright pearl.	—	1818.	—	D.G. 2.	DC. plant. gras. t. 1.
	<i>margaritifera</i> . DC.					
28	fasciata. H.S.S. (wh.re.) barred pearl.	—	—	—	D.G. 2.	
29	subulata. R.S. (wh.re.) awl-pointed.	—	—	—	D.G. 2.	
30	claripera. H.P. (wh.re.) bright-pearled.	—	1824.	—	D.G. 2.	
31	granata. H.S.S. (wh.re.) small pearl.	—	1732.	—	D.G. 2.	Dill. elth. t. 16. f. 1.
	<i>A'loe margaritifera</i> . γ . minima. Dill.					
32	brevis. H.S.S. (wh.ro.) short-leaved.	—	1810.	—	D.G. 2.	Bot. mag. t. 1355.
	<i>A'loe margaritifera</i> . γ . minima. B.M.					
33	minor. H.S. (pu.gr.) lesser pearl.	—		5. 8.	D.G. 2.	Bot. mag. t. 815.
34	margaritifera. H.S.S. (wh.) pearl.	—	1725.	—	D.G. 2.	Bradl. succ. 3. t. 1.
35	semiglabrata. H.S.S. (w.gr.) half-smoothed.	—	1810.	—	D.G. 2.	
36	radula. H.S. (ro.wh.) raspy pearl.	—	1805.	6. 9.	D.G. 2.	Jacq. schan. t. 35.
37	attenuata. H.S. (wh.re.) chalky pearl.	—	1790.	5. 8.	D.G. 2.	Bot. mag. t. 1356.
	<i>A'loe radula</i> . B.M. non Jacq.					
38	Reinwardti. H.R. (wh.re.) chequered-pearl.	—	1821.	—	D.G. 2.	
39	semimargaritifera. (wh.) semi-pearly.	—	1801.	—	D.G. 2.	
	α maxima. H.S.S. (wh.re.) largest.	—	—	—	D.G. 2.	Comm. hort. 2. t. 1.
	β major. H.S.S. (wh.re.) large.	—	1817.	—	D.G. 2.	
	γ minor. H.S.S. (wh.re.) smaller.	—	1818.	—	D.G. 2.	
	δ multiperlata. (wh.re.) many pearled.	—	—	—	D.G. 2.	
40	coarctata. H.P. (w.re.) upright dull-spotted.	—	1822.	—	D.G. 2.	
41	albicans. H.S. (wh.re.) white-edged.	—	1795.	9. 10.	D.G. 2.	Bot. mag. t. 1412.
42	lævis. H.R. (wh.re.) narrow-bordered.	—	1820.	—	D.G. 2.	Comm. hort. 2. t. 1.
43	ramifera. H.R. (wh.re.) branching white.	—	—	—	D.G. 2.	
44	virescens. H.R. (wh.re.) bordered green.	—	—	—	D.G. 2.	
	β minor. H.R. (wh.re.) lesser.	—	—	—	D.G. 2.	
45	arachnoïdes. H.S. (li.gr.) cobweb.	—	1727.	8. 9.	D.G. 2.	Bot. mag. t. 736.
46	translucens. H.S.S. (bh.) transparent.	—	1795.	5. 8.	D.G. 2.	t. 1417.
	<i>A'loe arachnoïdes</i> β translucens. B.M.					

47	setata. H.S.S. (wh.re.) bristle-edged.	C. B. S.	1818.	5. 8.	D.G. 4.	
	β nigricans. H.R. (wh.re.) blackish.	————	————	————	D.G. 4.	
	γ media. H.R. (wh.re.) middle.	————	————	————	D.G. 4.	
	δ major. H.R. (wh.re.) larger.	————	————	————	D.G. 4.	
48	pallida. H.R. (wh.re.) pale green.	————	————	————	D.G. 4.	
49	atrovirens. H.R. (wh.bh.) dark green.	————	1752.	5.	D.G. 4.	Bot. mag. t. 1361.
	Aloe atrovirens. DC. arachnoides pumila. B.M.					
50	chlorocantha. H.R. (w.re.) green-toothed.	————	1820.	5. 8.	D.G. 4.	
51	angustifolia. H.P. (w.re.) slender-leaved.	————	————	6. 7.	D.G. 4.	
52	reticulata. H.S. (wh.) netted.	————	1794.	5. 8.	D.G. 4.	Bot. mag. t. 1314.
	Aloe arachnoides γ reticulata. B.M.					
53	cymbiformis. H.S. (w.pu.) boat-leaved.	————	1795.	6. 8.	D.G. 4.	Bot. mag. t. 802.
	cucara. H.R.					
54	atilinea. H.P. (wh.re.) ridge-lined.	————	1821.	————	D.G. 4.	
55	obtus. H.P. (wh.re.) small blunt-leaved.	————	————	————	D.G. 4.	
56	planifolia. H.P. (wh.re.) flat oval-leaved.	————	————	————	D.G. 4.	
57	macronata. H.R. (w.pu.) membrane-pointed.	C. B. S.	1818.	————	D.G. 4.	
58	limpida. H.R. (w.pu.) limpid.	————	————	————	D.G. 4.	
59	aristata. H.R. (w.pu.) pin-pointed.	————	————	————	D.G. 4.	
60	cuspidata. H.R. (w.pu.) sharp-pointed.	————	————	————	D.G. 4.	
61	denticulata. H.R. (w.re.) pale pin-pointed.	————	————	————	D.G. 4.	
APICRA. H.S.S. A'PICRA. Hexandria Monogynia. H.S.S.						
1	spiralis. H.S.S. (wh.g.) great spiral.	C. B. S.	1790.	8. 9.	D.G. 4.	
2	spirilla. H.S.S. (wh.g.) small spiral.	————	1808.	————	D.G. 4.	
3	bullulata. H.S.S. (st.gr.) blistered.	————	1818.	————	D.G. 4.	Jacq. frag. t. 109.
4	pentagona. H.S.S. (wh.) five sided.	————	1731.	6. 8.	D.G. 4.	Bot. mag. t. 1338.
5	quinquangularis. R.S. (w.st.) five-angled.	————		————	D.G. 4.	
6	rigida. W. (wh.re.) gunpowdered.	————	1818.	————	D.G. 4.	Jacq. frag. t. 108.
	pseudo-rigida. H.S.S.					
7	aspera. H.S.S. (wh.st.) rough triangled.	————	————	————	D.G. 4.	
	α minor. H.S.S. (wh.st.) lesser.	————	————	————	D.G. 4.	
	β major. H.S.S. (wh.st.) larger.	————	1795.	————	D.G. 4.	
8	bicarinata. H.S.S. (w.st.) double-keeled.	————	1819.	————	D.G. 4.	
9	nigra. H.P. (wh.) rough black.	————	1820.	5. 8.	D.G. 4.	
10	imbricata. H.R. (st.) rough-flowered.	————	1731.	6. 7.	D.G. 4.	Bot. mag. t. 1455.
	Aloe spiralis. B.M. non H.S.					
11	foliolosa. H.P. (wh.) many small-leaved.	————	1795.	6. 8.	D.S. 4.	Bot. mag. t. 1352.

ORDO CCXI.

DIOSCOREÆ. Brown prodr. 1. p. 294.

RAJANIA. W.		RAJANIA. Diœcia Hexandria. L.				
1	bastata. w.	(gr.) halberd-leaved.	W. Indies.	1822.	7. 8.	S. 4. ∪. Plum. amer. 84. t. 98.
2	cordata. w.	(gr.) heart-leaved.	————	1786.	————	S. 4. ∪. Plum. ic. 155. f. 1.
3	quinquefolia. w.	(gr.) five-leaved.	————	1820.	————	S. 4. ∪. ——— 155. f. 2.
DIOSCOREA. W.		YAM. Diœcia Hexandria. L.				
1	pentaphylla. w.	(gr.) five-leaved.	E. Indies.	1768.		S. 4. ∪. Rheed. mal. 7. t. 35.
2	triphylla. w.	(gr.) three-leaved.	————	1818.		S. 4. ∪. Jacq. ic. t. 627.
3	quinqueloba. w.	(gr.) five-lobed.	Japan.	1822.	7. 9.	G. 4. ∪. Kæmpf. ic. t. 15.
4	brasiliensis. w.	(gr.) Brazilian.	Brazil.	1818.	————	S. 4. ∪.
5	heterophylla. H.B.	(gr.) various-leaved.	E. Indies.	————		S. 4. ∪.
6	aculeata. w.	(gr.) prickly-stemmed.	————	1803.	7. 9.	S. 4. ∪. Rheed. mal. 7. t. 37.
7	rubella. H.B.	(re.g.) reddish.	————	————	————	S. 4. ∪.
8	purpurea. H.B.	(pu.g.) purple.	————	1816.	————	S. 4. ∪.
9	angustifolia. s.s.	(gr.) narrow-leaved.	Peru.	1821.	————	S. 4. ∪.
10	nummularia. w.	(gr.) Money-wort.	E. Indies.	1820.		S. 4. ∪. Rumph. amb. 5. t. 162.
11	alata. w.	(gr.) wing-stalked.	————	1739.		S. 4. ∪. Rheed. mal. 7. t. 38.
12	bulbifera. w.	(gr.) bulb-bearing.	————	1692.	7. 9.	S. 4. ∪. Sal. par. lond. t. 17.
13	crispata. H.B.	(gr.) curl-stalked.	————	1818.	————	S. 4. ∪.
14	altissima. s.s.	(gr.) tallest.	Martinica.	1821.	————	S. 4. ∪. Plum. ic. 117. f. 2.
15	coriacea. s.s.	(gr.) leathery.	S. America.	1818.	————	S. 4. ∪.
16	anguina. H.B.	(gr.) snake.	E. Indies.	1803.	————	S. 4. ∪.
17	pulchella. H.B.	(gr.) pretty.	————	1819.		S. 4. ∪.

18	atropurpurea. H.B. (pu.g.) dark purple.	C. B. S.	1820.		S. 4. √.
19	globosa. H.B. (gr.) globular.	————	1818.		S. 4. √.
20	fasciculata. H.B. (gr.) bundled.	————	1817.		S. 4. √.
21	glabra. H.B. (gr.) smooth.	————	1803.	7. 9.	S. 4. √.
22	sativa. w. (gr.) common.	W. Indies.	1733.	—	S. 4. √. Rheed. mal. S. t. 3.
23	piperifolia. w. (gr.) Pepper-leaved.	S. America.	1817.		S. 4. √. Plum. ic. 117. f. 1.
24	nepalensis. (gr.) Nepaul.	Nepaul.	1816.	7. 8.	H. 4. √.
25	cinnamomifolia. B.M. (g.) Cinnamon-leav'd.	Brazil.	1826.	11. 12.	S. 4. √. Bot. mag. t. 2-25.
26	quaternata. Ph. (re.g.) four-leaved.	N. America.	1811.	7.	H. 4. √.
27	villosa. Ph. (re.g.) pubescent.	————	1752.	8.	H. 4. √. Jacq. ic. 3. t. 626.
28	oppositifolia. L. (gr.) opposite-leav'd.	E. Indies.	1803.		S. 4. √. Petiv. gaz. t. 31. f. 1.
TESTUDIN'ARIA. B.T. TESTUDIN'ARIA. Diœcia Hexandria.					
1	Elephantipes. B.R. (gr.) Elephant's-foot.	C. B. S.	1774.	7. 8.	G. 4. √. Bot. reg. t. 92.
	Tamus Elephantipes. Bot. mag. t. 1347.				
2	montana. B.T. (gr.) glaucous-leaved.	————	1816.	—	G. 4. √.

ORDO CCXII.

TAMEÆ. *Brown prodr. 294 in obs.*

TAMUS. L.	BLACK BRYONY. Diœcia Hexandria. L.				
1 communis. w. (gr.) common.	England.		5. 8.	H. 4. √.	Eng. bot. t. 91.
2 cretica. w. (gr.) Cretan.	Candia.	1739.	7. 8.	H. 4. √.	

ORDO CCXIII.

SMILACEÆ. *Brown prodr. 292.*

SMILAX. L.	SMILAX. Diœcia Hexandria. L.				
1 aspera. s.s. (w.gr.) rough bindweed.	S. Europe.	1648.	9.	H. 4. √.	Schk. handb. 3. t. 32.
β auriculata. (w.gr.) ear-leaved.	————	————	—	H. 4. √.	Pluk. alm. t. 110. f. 1.
2 nigra. s.s. (w.gr.) black.	————	1817.	—	H. 4. √.	
3 catalonica. s.s. (w.gr.) Catalanian.	————	————	—	H. 4. √.	
4 mauritanica. s.s. (w.gr.) red-berried.	————	1820.	8. 10.	F. 4. √.	
5 excelsa. s.s. (w.gr.) tall.	Syria.	1739.	8. 9.	F. 4. √.	Buxb. cent. 1. t. 32.
6 horrida. s.s. (w.gr.) straight-spined.	N. America.	1820.	—	H. 4. √.	
7 zeylanica. s.s. (w.gr.) Ceylon.	E. Indies.	1778.	—	S. 4. √.	Rumph. amb. 5. t. 1.
8 quadrangularis. s.s. (w.g.) square-stalked.	N. America.	1812.	6. 8.	H. 4. √.	Wats. dend. brit. t. 1.
9 longifolia. s.s. (w.gr.) long-leaved.	Cayenne.	1823.		S. 4. √.	
10 Watsoni. (w.gr.) Watson's.	N. America.	1811.	7. 8.	H. 4. √.	Wats. dend. brit. t. 1.
longifolia. w.D. non Rich.					
11 Sarsaparilla. s.s. (w.gr.) medicinal.	————	1664.	—	H. 4. √.	Wats. dend. brit. t. 111.
12 brasiliensis. s.s. (w.gr.) Brazilian.	Brazil.	1820.	—	S. 4. √.	
13 hastata. s.s. (w.gr.) halberd-leaved.	Carolina.	1822.	—	F. 4. √.	Pluk. alm. t. 111. f. 3.
14 China. s.s. (w.gr.) Chinese.	China.	1759.		G. 4. √.	Kæmpf. amœn. t. 75.
15 acuminata. s.s. (w.gr.) sharp-pointed.	W. Indies.	1822.	6. 7.	S. 4. √.	Plum. ic. 83.
16 glauca. B.M. (wh.) glaucous-leaved.	N. America.	1811.	5. 7.	H. 4. √.	Bot. mag. t. 1846.
17 australis. B.P. (w.gr.) oblong-leaved.	N. S. W.	1815.		G. 4. √.	
18 rotundifolia. s.s. (w.g.) round-leaved.	N. America.	1760.	7. 8.	H. 4. √.	
19 laurifolia. s.s. (w.gr.) Laurel-leaved.	————	1739.	—	H. 4. √.	Catesb. car. 1. t. 15.
20 tamnoides. s.s. (w.gr.) Tamus-leaved.	————	————	6. 7.	H. 4. √.	— 1. t. 32.
21 caduca. s.s. (w.gr.) deciduous.	————	1759.	—	H. 4. √.	
22 havanensis. s.s. (w.gr.) Havannah.	S. America.	1823.		S. 4. √.	Jacq. amer. t. 173. f. 1.
23 ovalifolia. B.P. (w.gr.) oval-leaved.	Nepaul.	1822.		H. 4. √.	
24 Bona-nóx. s.s. (w.gr.) fringed.	N. America.	1739.	6. 7.	H. 4. √.	Pluk. alm. t. 111. f. 1.
25 maculata. B.P. (w.gr.) spotted.	Nepaul.	1819.		H. 4. √.	
26 prolifera. H.B. (w.gr.) proliferous.	E. Indies.	—		S. 4. √.	
27 glabra. H.B. (w.gr.) smooth.	————	1820.		S. 4. √.	
28 Alpini. s.s. (w.gr.) Grecian.	Greece.	—	6. 8.	F. 4. √.	
29 latifolia. B.P. (w.gr.) broad-leaved.	N. Holland.	1791.		F. 4. √.	
30 lanceolata. Ph. (w.gr.) spear-leaved.	N. America.	1785.	5. 6.	H. 4. √.	Catesb. car. 2. t. 81.

- 31 herbacea. s.s. (gr.) herbaceous. N. America. 1669. 7. H. 4. Bot. mag. t. 1920.
- 32 pedunculâris. s.s. (gr.) long-peduncled. ——— 1812. 5. 7. H. 4.
- 33 glabifer. s.s. (w.gr.) Surinam. Surinam. 1819. S. h.
- 34 macrophylla. s.s. (w.g.) large-leaved. W. Indies. 1822. S. h.
- 35 Pseudo-china. s.s. (w.g.) Bastard China. S. America. 1739. 5. 6. S. h. Sloan. jam. 1. t. 143. f. 1.
- 36 glycyphylla. B.P. (w.g.) Botany-bay Tea. N. S. W. 1815. ——— S. h.
- 37 canariensis. s.s. (w.gr.) Canary. Canaries. 1816. ——— F. h.
- 38 pilosa. s.s. (w.gr.) downy. N. America. 1806. ——— H. h.
- 39 rubens. w.D. (pi.) pink-flowered. ——— 1811. 7. 8. H. h. Wats. dend. brit. t. 108.
- RIPOGONUM. B.P. RIPOG'ONUM. Hexandria Monogynia.**
- Album. B.P. (wh.) white-flowered. N. S. W. 1820. 4. 6. G. h.
- RUSCUS. L. BUTCHER'S-BROOM. Diœcia Monadelphia. L.**
- 1 aculeatus. w. (w.gr.) prickly. England. 12. 6. H. h. Eng. bot. v. 8. t. 560.
- 2 laxus. L.T. (w.gr.) loose. Europe. 1. 6. H. h.
- 3 Hypophyllum. w. (g.y.) thick-leaved. Italy. 1640. 5. 6. H. h. Bot. mag. t. 2049.
- 4 latifolius. w. (g.y.) broad-leaved. S. Europe. ——— H. h. Dill. elt. t. 251. f. 303.
- 5 Hypoglôssum. w. (g.y.) double-leaved. Italy. 1596. 4. 5. H. h. Schk. handb. 3. t. 340.
- 6 androgynus. w. (g.y.) climbing. Canaries. 1713. ——— G. h. Bot. mag. t. 1898.
- 7 reticulatus. w. (g.y.) netted-leaved. C. B. S. 1816. ——— G. h.
- 8 volubilis. w. (g.y.) many-nerved. ——— G. h.
- 9 racemosus. w. (g.wh.) Alexandrian Laurel. Portugal. 1713. 6. H. h. Wats. dend. brit. t. 145.
- POLYGONATUM. D. SOLOMON'S-SEAL. Hexandria Monogynia.**
- 1 verticillatum. R.L. (w.g.) whorl-leaved. Scotland. 6. 7. H. 4. Redout. liliac. t. 244.
- Convallaria verticillata. Eng. bot. v. 2. t. 128.
- 2 bracteatum. Th. (wh.g.) bracted. Switzerland. 1827. ——— H. 4.
- 3 leptophyllum. D.P. slender-leaved. Nepaul. 1816. 6. 7. H. 4.
- 4 oppositifolium. D.P. opposite-leaved. ——— H. 4. Lodd. bot. cab. t. 640.
- Convallaria oppositifolia. B.C.
- 5 vulgare. R.L. (w.gr.) common. England. 5. 6. H. 4. Redout. liliac. t. 258.
- Convallaria Polygonatum. Eng. bot. v. 4. t. 280.
- 6 pubescens. Ph. (w.g.) pubescent. N. America. 1812. ——— H. 4. Willd. hort. ber. t. 45.
- 7 canaliculatum. Ph. (w.g.) channel-leaved. ——— 6. H. 4.
- 8 angustifolium. Ph. (st.g.) narrow-leaved. ——— 1824. 5. 6. H. 4.
- 9 multiflorum. R.L. (w.g.) many-flowered. Britain. ——— H. 4. Eng. bot. v. 4. t. 279.
- 10 latifolium. R.L. (st.) broad-leaved. Europe. 1802. ——— H. 4. Redout. liliac. t. 243.
- 11 macrophyllum. (w.g.) large-leaved. N. America. 1823. ——— H. 4.
- latifolium. Ph. nec aliorum.
- 12 polyanthemum. M.B. (w.) many-flowered. Caucasus. ——— H. 4.
- SMILACINA. Df. SMILAC'INA. Hexandria Monogynia. Ph.**
- 1 racemosa. Df. (wh.) cluster-flowered. N. America. 1640. 5. 6. H. 4. Redout. liliac. t. 230.
- Convallaria racemosa. Bot. mag. t. 899.
- 2 stellata. Df. (wh.) star-flowered. ——— 1633. ——— H. 4. Bot. mag. t. 185.
- 3 trifolia. Df. (wh.) three-leaved. ——— 1812. 6. 7. H. 4. Gmel. sib. 1. t. 6.
- 4 canadensis. Ph. (wh.) Canadian. ——— ——— H. 4. Redout. lil. t. 216. f. 1.
- 5 bifolia. Df. (wh.) least. N. Europe. 1596. 5. 6. H. 4. Bot. mag. t. 510.
- Convallaria bifolia. B.M. Majanthemum bifolium. Redout. liliac. t. 216. f. 2.
- 6 borealis. B.M. (g.ye.) oval-leaved. N. America. 1778. 5. 6. H. 4. Bot. mag. t. 1403.
- 7 umbellata. Df. (wh.) umbel-flowered. ——— ——— H. 4. ——— t. 1155.
- OPHIOPOGON. B.M. SNAKE'S-BEARD. Hexandria Monogynia. B.M.**
- 1 japonicus. B.M. (wh.) Japan. Japan. 1784. 6. F. 4. Bot. mag. t. 1063.
- 2 spicatus. B.R. (bl.) spiked. China. 1821. 8. 10. F. h. Bot. reg. t. 593.
- 3 intermedius. D.P. (wh.) intermediate. Nepaul. 1824. ——— F. 4.
- CONVALLARIA. D. LILY OF THE VALLEY. Hexandria Monogynia. L.**
- majalis. E.B. (wh.) common. Britain. 5. 6. H. 4. Eng. bot. v. 15. t. 1035.
- α alba. (wh.) white-flowered. ——— ——— H. 4.
- β rosea. (ro.) rose-coloured. ——— ——— H. 4.
- γ plena. (wh.) double-flowered. ——— ——— H. 4.
- STREPTOPUS. M. STRE'PTOPUS. Hexandria Monogynia. Ph.**
- 1 amplexifolius. R.L. (g.y.) heart-leaved. Europe. 1752. 5. H. 4. W. et K. hung. t. 167.
- 2 distortus. M. (g.y.) distorted. N. America. ——— H. 4.
- 3 roseus. M. (ro.) rose-coloured. ——— 1806. 6. 7. H. 4. Bot. mag. t. 1489.
- Urtularia rosea. B.M.
- 4 lanuginosus. M. (g.y.) woolly. ——— 1812. ——— H. 4. Bot. mag. t. 1490.
- 5 simplex. D.P. (br.gr.) simple-stalked. Nepaul. 1822. ——— H. 4.
- MED'EOLA. S.S. INDIAN CUCUMBER. Hexandria Trigynia. L.**
- virginica. s.s. (gr.) Virginian. Virginia. 1759. 6. H. 4. Bot. mag. t. 1316.
- Guronia virginica. N.
- TRILLIUM. L. TRI'LLIUM. Hexandria Trigynia. L.**
- 1 sessile. s.s. (da.pu.) sessile-flowered. N. America. 1759. 4. 5. H. 4. Bot. mag. t. 40.

2	petiolatum. s.s. (d.pu.)	Plantain-leaved. N.America.	1811.	4. 5.	H. 4.	
3	erythrocarpum. M. (w.re.)	painted-flowered. ———	——	5. 6.	H. 4.	Swt. br. fl. gar. t. 51.
	pictum. Ph.					
4	undulatum. s.s. (wh.)	wave-flowered. ———	——	——	H. 4.	
5	pusillum. s.s. (pu.)	dwarf. Carolina.	1812.	——	F. 4.	
6	ovatum. s.s. (pa.pu.)	purple-flowered. N. America.	——	——	F. 4.	
7	cernuum. s.s. (wh.)	drooping-flowered. ———	1758.	4. 5.	H. 4.	Bot. mag. t. 951.
8	erectum. w. (d.pu.)	stinking. ———	1759.	——	H. 4.	—— t. 410.
9	pendulum. s.s. (wh.)	white-flowered. ———	1805.	——	H. 4.	W. hort. ber. l. t. 1.
	erectum. β.	Bot. mag. t. 1027.				
10	obovatum. s.s. (d.ro.)	obovate-petaled. ———	1824.	——	H. 4.	
11	grandiflorum. s.s. (wh.)	large-flowered. ———	1799.	4. 6.	H. 4.	Sal. par. lond. t. 1.
	erythrocarpum. B.M. non M.					
12	stylösom. N. (ro.)	long-styled. Carolina.	1823.	——	F. 4.	
PARIS. L. HERB-PARIS. Octandria Tetragynia. L.						
1	quadrifolia. E.B. (gr.)	True-love or 1-berry. England.	5. 6.	H. 4.		Eng. bot. v. 1. t. 7.
2	verticillata. M.B. (gr.)	whorl-leaved. Siberia.	1825.	——	H. 4.	
3	polyphylla. D.P. (gr.)	many-leaved. Nepaul.	1816.	——	H. 4.	

ORDO CCXIV.

ASPHODELEÆ. *Brown prodr. 1. p. 274.*

ASPHODELUS. L.		ASPHODEL.	Hexandria Monogynia. L.			
1	clavatus. H.B. (wh.)	club-seeded. E. Indies.	1808.	7. 10.	S. ☉.	
2	fistulosus. s.s. (wh.)	Onion-leaved. S. Europe.	1596.	6. 9.	H. 4.	Bot. mag. t. 984.
3	intermedius. L.en. (wh.)	intermediate. Canaries.	1824.	——	F. 4.	
4	albus. s.s. (wh.)	upright. S. Europe.		5. 7.	H. 4.	Blackw. t. 238.
5	æstivus. s.s. (wh.)	summer. Portugal.	1819.	——	H. 4.	
6	asiaticus. R.s. (wh.)	Asiatic. Levant.		——	H. 4.	
7	ramosus. s.s. (wh.)	branched. S. Europe.	1551.	——	H. 4.	Bot. mag. t. 790.
8	prolifer. M.B. (wh.)	proliferous. Armenia.	1824.	6. 10.	H. ☉.	Hoff.com.m. 1. p. 1.
9	tenuior. s.s. (ye.gr.)	slender-leaved. Caucasus.	1823.	7.	H. 4.	Bot. mag. t. 2020.
10	creticus. s.s. (ye.gr.)	Cretan. Candia.	1821.	6. 7.	H. 4.	Lodd. bot. cab. t. 1.
11	liburnicus. R.s. (ye.gr.)	oriental. Levant.	——	——	H. 4.	Jacq. f. eclog. t. 77.
12	tauricus. s.s. (ye.gr.)	Taurian. Tauria.	1812.	5. 7.	H. 4.	Redout. lilac. t. 45.
13	capillaris. R.s. (ye.gr.)	awl-leaved. ———	——	——	H. 4.	—— t. 58.
14	luteus. s.s. (ye.)	common yellow. Sicily.	1596.	5. 6.	H. 4.	Bot. mag. t. 773.
EREMURUS. S.S.		EREMURUS.	Hexandria Monogynia. S.S.			
	spectabilis. s.s. (ye.)	channel-leaved. Caucasus.	1800.	5. 6.	H. 4.	Swt. br. fl. gar. t. 15.
	Asphodelus altaicus. w.					
CZACKIA. S.S.		ST. BRUNO'S LILY.	Hexandria Monogynia. S.S.			
	Liliastrium. s.s. (wh.)	Savoy Spiderwort. Switzerland.	1629.	5. 6.	H. 4.	Bot. mag. t. 318.
	Anthëricum Liliastrium. B.M.	Hemerocallis Liliastrium. W.en.				
PHALANGIUM. J.		PHALANGIUM.	Hexandria Monogynia.			
1	Liliago. B.M. (wh.)	grass-leaved. S. Europe.	1596.	5. 6.	H. 4.	Redout. lil. t. 200.
	α major. B.M. (wh.)	larger. ———	——	——	H. 4.	Bot. mag. t. 1035.
	β minor. B.M. (wh.)	lesser. ———	——	——	H. 4.	—— t. 914.
2	ramosum. B.M. (wh.)	branching. ———	1570.	——	H. 4.	—— t. 1055.
	Anthëricum ramosum. w.					
3	græcum. Lam. (wh.)	Grecian. Greece.	1828.	——	F. 4.	Flor. græc. t. 334.
4	nepalense. B.R. (wh.)	Nepaul. Nepaul.	1822.	6. 10.	F. 4.	Bot. reg. t. 998.
5	glaucum. P.s. (wh.)	glaucous. S. America.	1816.	——	G. 4.	
6	pomeridianum. (wh.)	afternoon-flower'd. ———	1818.	——	G. 4.	Bot. reg. t. 564.
	Anthëricum pomeridianum. B.R.	Scilla pomeridiana. DC.				
ANTHE'RICUM.		ANTHE'RICUM.	Hexandria Monogynia. L.			
1	hirsutum. R.s. (wh.)	hairy-leaved. ———	1822.	6. 10.	G. 4.	
2	blepharophoron. R.s. (w.pu.)	fringed. ———	——	——	G. 4.	
3	bipedunculatum. (wh.)	two-flowered. ———	1825.	4. 5.	G. 4.	Jacq. ic. 2. t. 410.
4	triflorum. w. (wh.)	three-flowered. ———	1782.	8. 10.	G. 4.	
5	undulatum. w. (wh.)	wave-leaved. ———	1825.	4. 6.	G. 4.	
6	pilosum. w. (wh.)	pilose. ———	——	——	G. 4.	Jacq. ic. 2. t. 416.
7	longifolium. w. (wh.)	long-leaved. ———	——	——	G. 4.	—— 2. t. 413.
8	graminifolium. w. (wh.)	grass-leaved. ———	1791.	6. 7.	G. 4.	—— 2. t. 411.
9	vespertinum. w. (w.re.)	afternoon-flower'd. ———	1803.	5. 9.	G. 4.	Bot. mag. t. 1040.

10	Jacquinianum. R.s.(w.)	Jacquin's.	C. B. S.	1795.	5. 9.	G. 2.	Jacq. ic. 2. t. 412.
11	divaricatum. R.s.(wh.)	divaricate.	————	————	————	G. 2.	Jacq. schærn. 4. t. 414.
12	revolutum. w.	(wh.) curled-flowered.	————	1731.	9. 12.	G. 2.	Bot. mag. t. 1014.
13	tribundum. w.	(st.) thick-spiked.	————	1774.	3. 4.	G. 2.	
14	spumum. w.	(wh.) scaly.	————	1820.	————	G. 2.	
15	filiforme. w.	(wh.gr.) thread-leaved.	————	1774.	4.	G. 2.	
16	longatum. R.s.(wh.g.)	long-racemed.	————	1822.	————	G. 2.	
17	flexifolium. w.	(wh.) flexuose-leaved.	————	1795.	5. 6.	G. 2.	
BULBINE. L. BULBINE. Hexandria Monogynia. L.							
1	laspida. L.	(bh.gr.) hairy-leaved.	C. B. S.	1774.	5. 6.	D.G. 2.	Jacq. ic. 2. t. 409.
2	candiculata. s.s.	(wh.) channel-leaved.	————	————	4. 5.	D.G. 2.	Bot. mag. t. 1124.
3	semibarbata. s.s.	(ye.) half bearded.	N. S. W.	1820.	4. 8.	D.G. 2.	Lodd. bot. cab. t. 320.
<i>Anthéricum semibarbatum.</i> B.P.							
4	australis. s.s.	(ye.) bulbous.	————	1819.	————	D.G.b.	
<i>Anthéricum bulbosum.</i> B.P.							
5	annua. s.s.	(ye.) annual.	C. B. S.	1731.	5. 6.	H. ☉.	Bot. mag. t. 1451.
<i>Anthéricum annuum.</i> B.M.							
6	incurva. R.s.	(ye.) incurved-leaved.	————	1822.	————	D.G. 2.	
7	langiscapa. s.s.	(ye.) glaucous-leaved.	————	1759.	4. 8.	D.G.b.	Bot. mag. t. 1339.
8	favosa. R.s.	(ye.) conical-rooted.	————	1824.	————	D.G. 2.	
9	asphodeloides. s.s.	(ye.) upright-leaved.	————	1759.	6. 8.	D.G. 2.	Jacq. vind. t. 181.
10	rostrata. s.s.	(ye.) glaucous shrubby.	————	1812.	3. 8.	D.G. 2.	Jacq. ic. 2. t. 403.
11	frutescens. w.	(ye.) shrubby.	————	1702.	————	D.G. 2.	Bot. mag. t. 816.
12	pugioniformis. s.s.	(ye.) dagger-leaved.	————	1793.	4. 6.	D.G.b.	———— t. 1454.
13	bisulcata. H.P.	(ye.) two-channelled.	————	1825.	————	D.G.b.	
14	triquetra. s.s.	(wh.) triquetrous.	————	————	————	D.G. 2.	
15	scabra. s.s.	(wh.) rough.	————	————	————	D.G. 2.	
16	dubia. R.s.	(wh.) doubtful.	————	1822.	————	D.G. 2.	
17	ciliata. s.s.	(wh.re.) fringed.	————	————	————	D.G. 2.	
18	cauda-felis. R.s.	(wh.) Cats-tail.	————	1825.	————	D.G. 2.	
19	planifolia. R.s. (ro.w.)	two-coloured.	S. Europe.	1824.	————	H. 2.	Desf. atl. 1. t. 99.
<i>Phalangium bicolor.</i> Redout. liliac. t. 215.							
20	mesembryanthoides. H.P.	(ye.) Figwort-like.	C. B. S.	1824.	————	D.G. 2.	
21	crispa. R.s.	(ye.) curled-leaved.	————	1825.	————	D.G. 2.	
22	præmorsa. s.s.	(ye.) bitten-rooted.	————	1816.	————	D.G.b.	Jacq. ic. 2. t. 406.
23	graminea. H.R.	(ye.) Grass-leaved.	————	1819.	6. 8.	D.G.b.	
24	decides. R.s.	(ye.) Aloe-leaved.	————	1732.	4. 8.	D.G.b.	Bot. mag. t. 1317.
<i>Anthéricum aloides.</i> B.M.							
25	nitens. s.s.	(st.gr.) nodding.	————	1812.	————	D.G. 2.	Jacq. ic. 2. t. 407.
26	latifolia. s.s.	(ye.gr.) broad-leaved.	————	————	————	D.G. 2.	———— 2. t. 408.
ARTHROPODIUM. B.P. ARTHROPODIUM. Hexandria Monogynia. S.S.							
1	cirrhatum. B.R.	(wh.) large-flowered.	N. Zealand.	1819.	5. 8.	F. 2.	Bot. reg. t. 709.
2	paniculatum. B.P.	(w.pu.) panicled.	N. S. W.	1800.	6. 9.	F. 2.	Bot. mag. t. 1421.
<i>minus.</i> Bot. reg. 866. non B.P. <i>Anthéricum milleflorum.</i> Redout. liliac. t. 58.							
3	minus. B.P.	(wh.pu.) simple-racemed.	————	1819.	————	F. 2.	
4	pendulum. s.s.	(vi.) pendulous-flower'd.	N. Holland.	1817.	————	F. 2.	
<i>Anthéricum pendulum.</i> W.en.							
5	strictum. B.P.	(wh.pu.) upright.	V. Diem. Isl.	1826.	————	G. 2.	
6	fimbriatum. B.P.	(wh.) fringe-flowered.	N. S. W.	1825.	————	F. 2.	
STYPA'NDRA. B.P. STYPA'NDRA. Hexandria Monogynia.							
1	glauca. B.P.	(bl.) glaucous.	N. S. W.	1819.	4. 6.	F. 2.	
2	caespitosa. B.P.	(bl.) turfy.	————	1824.	————	F. 2.	
3	umbellata. B.P.	(bl.) umbel-flowered.	————	1820.	————	F. 2.	
CÆSIA. B.P. CÆSIA. Hexandria Monogynia. S.S.							
	vittata. B.P.	(wh.) nodding-flowered.	N.S.W.	1816.	7. 8.	F. 2.	
TRICO'RYNE. B.P. TRICO'RYNE. Hexandria Monogynia. S.S.							
1	simplex. B.P.	(ye.) simple-stalked.	N. S. W.	1819.	7. 9.	H. ☉.	
2	clatior. B.P.	(ye.) tall.	————	1825.	————	G. 2.	
CHLORO'PHYTUM. B.P. CHLORO'PHYTUM. Hexandria Monogynia. S.S.							
1	incarnatum. B.M.	(gr.) green-flowered.	Sierra Leone.		6. 8.	S. 2.	Bot. mag. t. 1071.
2	orchidatum. B.R.	(wh.) Orchis-like.	————	1822.	1. 12.	S. 2.	Bot. reg. t. 813.
3	clatum. B.P.	(wh.) tall.	C. B. S.	1751.	8. 9.	G. 2.	Redout. lil. t. 191.
<i>Anthéricum elatum.</i> H.E. <i>Phalangium elatum.</i> R.L.							
PUSCHK'INIA. M.B. PUSCHK'INIA. Hexandria Monogynia. M.B.							
	scilloides. M.F.	(w.bl.) Squill-like.	Iberia.	1819.	5. 6.	H.b.	Bot. mag. t. 2244.
<i>Adinsia scilloides.</i> Lindl. coll. bot. t. 21.							
ALBUCA. Ker. ALBUCA. Hexandria Monogynia. L.							
1	altissima. w.	(wh.gr.) tall.	C. B. S.	1780.	4. 5.	F.b.	Jacq. ic. 1. t. 03.
2	cornuta. R.L.	(wh.gr.) three-horned.	————	1812.	————	F.b.	Redout. liliac. t. 70.
2	major. w.	(ye.gr.wh.) great.	————	1759.	————	F.b.	Bot. mag. t. 804.

4	minor. w.	(ye.gr.) small.	C. B. S.	1768.	5. 6.	F.b.	Bot. mag. t. 72.
5	flaccida. w.	(ye.gr.) flaccid.	————	1791.	————	F.b.	Jacq. ic. 2. t. 441.
6	viridiflora. w.	(ye.gr.) green-flowered.	————	1794.	6. 7.	F.b.	Bot. mag. t. 102.
7	coarctata. w.	(ye.) channel-leaved.	————	1774.	5. 6.	F.b.	————
8	fastigiata. w.	(wh.) level-topped.	————	————	————	F.b.	Andr. repetit. t. 1.
9	caudata. w.	(wh.gr.) upright-flowered.	————	1791.	5. 7.	F.b.	Jacq. ic. 2. t. 442.
10	setosa. w.	(gr.ye.) bristly-rooted.	————	1795.	————	F.b.	Bot. mag. t. 1481.
11	aurea. w.	(ye.gr.) golden-flowered.	————	1825.	————	F.b.	Jacq. ic. 2. t. 441.
12	abyssinica. w.	(w.y.g.) African.	————	————	————	F.b.	Redout. lilac. t. 1.
13	fragrans. w.	(ye.gr.) sweet-scented.	————	1791.	6. 7.	F.b.	Jacq. schœn. 1. t. 86.
14	viscosa. w.	(w.y.g.) clammy-leaved.	————	1779.	5. 6.	F.b.	Jacq. ic. 2. t. 445.
15	spiralis. w.	(st.gr.) spiral-leaved.	————	1795.	6.	F.b.	———— 2. t. 43.
16	vittata. B.M.	(ye.gr.) ribbon.	————	1802.	7. 8.	F.b.	Bot. mag. t. 132.
17	parviflora. R.S.	(ye.gr.) small-flowered.	————	1812.	————	F.b.	————
18	physodes. B.M.	(w.pu.) dingy-flowered.	————	1804.	6. 7.	F.b.	Bot. mag. t. 102.
19	nematodes.	(w.pu.) slender-leaved.	————	1812.	————	F.b.	————
<i>Anthëricum nematodes. R.S.</i>							
20	exuviata. B.M.	(w.pu.) Adder skin.	————	1795.	5. 7.	F.b.	Bot. mag. t. 871.
<i>Anthëricum exuriatum. Jacq. ic. 2. t. 415.</i>							
21	anthericoïdes.	(ye.gr.) Anthericum-like.	————	1788.	8.	F.b.	————
<i>Anthëricum albucoides. w.</i>							
22	filifolia. Ker.	(wh.gr.) filiform-leaved.	————	1825.	7. 8.	F.b.	Jacq. ic. 2. t. 414.
23	fugax. B.R.	(wh.pu.) fugacious.	————	1795.	4. 6.	F.b.	Bot. reg. t. 311.
<i>Anthëricum fragrans. Jacq. schœn. 1. t. 86.</i>							
ORNITHOGALUM. L. STAR OF BETHLEHEM.				Hexandria Monogynia. L.			
1?	uniflorum. w.	(ye.) one-flowered.	Siberia.	1781.	5. 6.	H.b.	Nov. act. pet. 13. t. 6.
2	ixioides. H.K.	(wh.) Ixia-like.	California.	1796.	————	H.b.	————
3	montanum. T.N.	(w.g.) mountain.	Naples.	1825.	————	H.b.	Swt. br. fl. gar. 2. t. 1.
4	collinum. R.S.	(wh.gr.) hill.	Sicily.	1829.	————	H.b.	————
5	umbellatum. E.B.	(w.g.) common.	England.		4. 6.	H.b.	Eng. bot. v. 2. t. 1.
6	refractum. W.en.	(w.g.) reflexed.	S. Europe.	1825.	————	H.b.	Swt. br. fl. gar. 2. t. 1.
7	tenuifolium. R.S.	(w.g.) slender-leaved.	Sicily.	1830.	————	H.b.	————
8	exscapum. T.N.	(w.g.) short-stalked.	Naples.	1823.	————	H.b.	Ten. fl. nap. v. 1. t. 1.
9	fimbriatum. M.B.	(w.g.) fringed.	Tauria.	1820.	2. 3.	H.b.	Swt. br. fl. gar. 2. t. 1.
10	comosum. w.	(wh.gr.) short-spiked.	Austria.	1596.	6. 8.	H.b.	Jacq. ic. 2. t. 42.
11	conicum. w.	(wh.) conical.	C. B. S.	1818.	————	F.b.	———— 2. t. 42.
12	niveum. w.	(wh.) snowy.	————	1774.	————	F.b.	Bot. reg. t. 235.
13	ovatum. w.	(wh.gr.) oval-leaved.	————	1816.	4. 8.	F.b.	————
14	notatum. R.S.	(ye.br.) brown-marked.	————	1825.	6. 8.	F.b.	Jacq. coll. 2. t. 18.
<i>maculatum. Jacq. non Thunb.</i>							
15	ciliatum. w.	(wh.) ciliated.	————	1818.	4. 6.	F.b.	————
16	crenulatum. w.	(st.) crenulate.	————	1825.	6. 8.	F.b.	————
17	maculatum. R.S.	(sn.br.) spotted-flowered.	————	————	————	F.b.	————
18	secundum. R.S.	(st.br.) one-ranked.	————	1816.	————	F.b.	Jacq. ic. 2. t. 43.
19	graminifolium. R.S.	(w.g.) grass-leaved.	————	————	————	F.b.	————
20	tenellum. w.	(st.gr.) slender.	————	1816.	5. 8.	F.b.	Jacq. ic. 2. t. 42.
21	pilosum. w.	(wh.) hairy-leaved.	————	————	————	F.b.	————
22	revolutum. w.	(wh.gr.) revolute-flowered.	————	1795.	4. 8.	F.b.	Bot. reg. t. 315.
23	corymbosum. B.R.	(wh.) corymbose.	Peru.	1822.	————	H.b.	———— t. 906.
24	Rudolphi. R.S.	(wh.) Rudolph's.	C. B. S.	1812.	————	F.b.	Jacq. ecl. t. 20.
<i>tenuifolium. Redout. lilac. t. 312. non Guss.</i>							
25	prasinum. B.R.	(gr.) green-flowered.	————	1816.	6. 7.	F.b.	Bot. reg. t. 158.
26	viens. B.R.	(gr.) greenish.	————	1823.	————	F.b.	———— t. 814.
27	suavæolens. w.	(gr.ye.) fragrant.	————	1816.	————	F.b.	Jacq. ic. 2. t. 431.
28	barbatum. w.	(ye.gr.) bearded.	————	1795.	5. 7.	F.b.	Jacq. schœn. 1. t. 1.
29	polyphyllum. w.	(g.y.) many-leaved.	————	1825.	————	F.b.	Jacq. ic. 2. t. 43.
30	rupestre. w.	(wh.gr.) rock.	————	1795.	5. 8.	F.b.	————
31	juncifolium. w.	(w.pu.) Rush-leaved.	————	1791.	7. 8.	F.b.	Bot. mag. t. 792.
32	fuscatum. w.	(br.gr.) brown-flowered.	————	1825.	4. 6.	F.b.	Jacq. ic. 2. t. 42.
33	odoratum. w.	(gr.ye.) sweet-scented.	————	1795.	5. 6.	F.b.	Andr. repetit. t. 2.
34	elatum. A.R.	(wh.) Egyptian.	Egypt.	1804.	6. 7.	H.b.	———— t. 72.
35	pyramidale. w.	(wh.) pyramidal.	Spain.	1752.	————	H.b.	Jacq. ic. 2. t. 425.
36	latifolium. w.	(wh.) broad-leaved.	Egypt.	1629.	————	H.b.	Bot. mag. t. 875.
37	longibracteatum. w.	(w.) long-bracted.	C. B. S.	1812.	7. 12.	F.b.	Jacq. vind. 1. t. 2.
38	caudatum. w.	(wh.gr.) long-spiked.	————	1774.	2. 8.	F.b.	Bot. mag. t. 805.
39	scilloïdes. w.	(wh.gr.) Squill-like.	————	1795.	6. 7.	F.b.	Jacq. schœn. 1. t. 1.
40	trigynum. R.L.	(wh.gr.) three styled.	————	1825.	————	F.b.	Redout. lilac. t. 1.
41	narbonense. w.	(w.g.) Narbonne.	S. Europe.	1810.	7. 8.	H.b.	Bot. mag. t. 2510.
42	pyrenæicum. w.	(st.) spiked.	England.		6. 7.	H.b.	Eng. bot. v. 7. t. 1.

43	sulfureum. R.S. (st.) straw-coloured. Hungary. 1818. 6. 10. H.b. Bot. mag. t. 2623.				
<i>Anthericum sulphureum</i> . Walds. et Kit. pl. hung. 1. t. 95. <i>Phalangium sulfureum</i> . Poiret.					
44	achyodes. w. (w.g.) close-spiked. S. Europe. 1771. 4. 7. H.b. Renealm. spec. t. 90.				
45	album. w. (st.gr.) milk white. C. B. S. 1796. 6. 7. F.b. Bot. mag. t. 1134.				
46	nodos. w. (wh.gr.) nodding. Britain. 4. 5. H.b. Eng. bot. v. 28. t. 1997.				
47	caeruleum. w. (wh.) close-flowered. C. B. S. 1804. 6. 7. F.b. Jacq. ic. 2. t. 435.				
48	aurum. w. (go.) golden. ——— 1790. ——— F.b. Bot. mag. t. 190.				
49	flavissimum. Jacq. (ye.) great yellow. ——— ——— F.b. Jacq. ic. 2. t. 436.				
50	minutum. Jacq. (ye.) stained. ——— ——— F.b. ——— t. 438.				
51	thyrsoides. w. (wh.br.) thyrses-flowered. ——— 1757. ——— F.b. Bot. mag. t. 1164.				
	— album. (wh.br.) white-flowered. ——— ——— F.b. Bot. reg. t. 316.				
	— flavescens. (st.br.) pale-yellow. ——— ——— F.b. ——— t. 305.				
52	bicolor. R.S. (wh.br.) two-coloured. ——— 1816. ——— F.b.				
53	tuberosum. R.S. (ye.) large-rooted. ——— 1787. ——— F.b.				
54	arabicum. w. (wh.) great-flowered. Egypt. 1629. 3. 4. F.b. Bot. mag. t. 728.				
55	brachystachys. R. (wh.) short-spiked. Dahuria. 1821. ——— H.b.				
56	Bergii. R.S. (wh.gr.) Bergius's. ——— 1816. ——— F.b.				
57	maritimum. Lam. (wh.) officinal Squill. S. Europe. 1629. 4. 5. F.b. Bot. mag. t. 918.				
<i>Spilla</i> . B.M. <i>Scilla maritima</i> . w.					
58	concinnum. S.P. (wh.) neat. Portugal. 1797. ——— H.b. Bot. mag. t. 953.				
59	unifolium. B.M. (wh.) one-leaved. Gibraltar. 1805. 6. 7. F.b. ——— t. 935.				
GAGEA. S.A.B. G'AGEA. Hexandria Monogynia.					
1	fascicularis. S.A.B. (ye.) bunch-rooted. Britain. 3. 4. H.b. Bot. mag. t. 1200.				
<i>lutea</i> . B.M. 1200. <i>Ornithogalum luteum</i> . Eng. bot. v. 1. t. 21. non L.					
2	glauca. B.F.G. (ye.) glaucous-leaved. Switzerland. 1825. ——— H.b. Swt. br. fl. gar. t. 177.				
3	bracteolaris. S.A.B. (ye.) sheathing-bracted. ——— ——— H.b. ——— t. 158.				
<i>Ornithogalum luteum</i> . L. non F.B. v. s. in herb. linn.					
4	minima. R.S. (ye.) corn-field. Europe. 1825. ——— H.b. Swt. br. fl. gar. s. 2. t. 29.				
<i>stellaris</i> . S.A.B. <i>Ornithogalum arvense</i> . s.s. <i>Sternbergii</i> . Hop. v. s. in herb. linn.					
5	spathacea. R.S. (ye.) sheathed. Germany. 1759. 5. H.b. Flor. græc. t. 331.				
6	reticulata. R.S. (ye.) netted-sheathed. Tauria. 1829. ——— H.b. Pall. it. 3. ap. t. D. f. 2.				
7	parvula. R.S. (ye.) small. Bohemia. 1823. ——— H.b. Reichenb. ic. t. 117.				
8	Clusiana. R.S. (ye.) Clusius's. S. Europe. ——— H.b.				
9	polonica. R.S. (ye.) Polish. Poland. 1827. ——— H.b.				
10	erubescens. R.S. (y. bh.) blush. ——— ——— H.b.				
11	Li-tardi. R.S. (ye.) fistulous-leaved. S. Europe. 1825. ——— H.b. Sternb. denks. 2. t. 3.				
<i>Ornithogalum fistulosum</i> . Redout. liliac. t. 221.					
12	pumila. R.S. (ye.) pigmy. Spain. 1826. ——— H.b.				
13	arvense. R.S. (ye.) villous-stalked. Europe. ——— H.b. Flor. græc. t. 332.				
<i>Ornithogalum villosum</i> . M.B.					
14	bohemicum. R.S. (ye.g.) Bohemian. Bohemia. 1823. ——— H.b. Sturm. flor. t. 23.				
15	saxatilis. R.S. (gr. ye.) rock. Germany. ——— ——— H.b.				
16	bulbifera. R.S. (ye.g.) bulbiferous. Tauria. 1829. ——— H.b. Reichenb. ic. t. 117.				
BARNARDIA. B.R. BARNARDIA. Hexandria Monogynia.					
1	scillides. E.R. (ro.) Squill-like. China. 1824. 9. 10. H.b. Bot. reg. t. 1029.				
2	japonica. R.S. (pu.) Japan. Japan. 1821. 6. 8. H.b.				
<i>Ornithogalum japonicum</i> . w.					
LLOYDIA. Sal. LLO'YDIA. Hexandria Monogynia.					
1	serotina. (wh. std.) mountain. Wales. 6. 7. H.b. Eng. bot. v. 12. t. 793.				
<i>Anthericum serotinum</i> . E.B. <i>Phalangium serotinum</i> . Redout. liliac. t. 270. <i>Gagea serotina</i> . Ker.					
2	striata. (wh. std.) stripe-flowered. Siberia. 1789. 5. 7. H.b.				
<i>Ornithogalum striatum</i> . s.s.					
SCILLA. W. SQUILL. Hexandria Monogynia. L.					
1	non scripta. L. en. (bl.) Harebells. Britain. 3. 6. H.b. Eng. bot. v. 6. t. 377.				
<i>notata</i> . E.E. <i>Hyacinthus non scriptus</i> . L.					
2	arvum. R.S. (ro.) flesh-coloured. Spain. ——— H.b. Bot. mag. t. 1461.				
3	patula. R.S. (bl.) spreading. S. Europe. 1633. 4. 6. H.b. Redout. liliac. t. 225.				
<i>campanulata</i> . B.M. t. 1102. non t. 128.					
4	campanulata. w. (bl.) bell-flowered. Spain. ——— 5. 6. H.b. Bot. mag. t. 128.				
5	corymbosa. s.s. (ro.) Cape. C. B. S. 1793. 8. 12. F.b. ——— t. 991.				
<i>Missionia corymbosa</i> . B.M. <i>Hyacinthus corymbosus</i> . L.					
6	brevifolia. R.S. (wh.) short-leaved. ——— 1822. 1. 3. F.b.				
7	brachyphylla. R.S. (bh.) blue. ——— 1811. ——— F.b. Bot. mag. t. 1468.				
<i>Scilla brevifolia</i> . B.M. non Thunb.					
8	sibirica. H.R. (tl.) Siberian. Siberia. 1796. 2. 3. H.b. Andr. rep. t. 365.				
9	amœnula. R.S. (bl.) pretty. Russia. 1822. 3. 4. H.b. Bot. mag. t. 2408.				
10	amœna. R.S. (bl.) nodding. Levant. 1596. ——— H.b. ——— t. 341.				
11	parvula. R.S. (pu. bl.) small. Portugal. 1819. 4. 5. H.b. Brot. phyt. lus. t. 46. f. 2.				
<i>monophyllos</i> . Link ex R.S.					

12	blfòlia. w.	(va.) two-leaved.	England.		2. 4.	H.b.	Eng. bot. v. 1. t. 24.
	<i>α cærùlea.</i>	(bl.) blue-flowered.	—		—	H.b.	
	<i>β álba.</i>	(wh.) white-flowered.	—		—	H.b.	
13	cárnea.	(ro.) rosy.		—	—	H.b.	Bot. mag. t. 746. f.
14	præcox. w.	(bl.) early-flowering.		1790.	—	H.b.	
15	Lilio-hyacinthus. w.	(bl.) Lily-rooted.	S. Europe.	1597.	5. 7.	H.b.	Redout. lil. t. 205.
16	vérna. w.	(bl.) vernal.	Britain.		4. 5.	H.b.	Eng. bot. v. 1. t. 24.
17	umbellàta. s.s.	(bl.) umbel-flowered.	Pyrenees.	1817.	—	H.b.	Redout. lilac. t. 19.
18	itálica. s.s.	(bl.) Italian.	Italy.	1605.	4. 7.	H.b.	Bot. mag. t. 663.
19	autumnàlis. w.	(pu.) autumnal.	England.		8.	H.b.	Eng. bot. v. 2. t. 78.
20	intermèdia. R.S.	(bl.) intermediate.	Sicily.	1829.	—	H.b.	
21	obtusifòlia. R.S.	(vi.bl.) blunt-leaved.	Barbary.	1828.	—	H.b.	Redout. lilac. 4. t. 1.
22	undulàta. R.S.	(li.) wave-leaved.	S. Europe.	—	—	H.b.	Desf. atl. 1. t. 47.
23	lingulàta. R.S.	(bl.) tongue-leaved.	Barbary.	—	—	H.b.	Redout. lilac. t. 32.
24	vincentina. R.S.	(bl.) spreading-flowered.	Portugal.	1827.	—	H.b.	
25	peruviàna. w.	(va.) corymbose.	Spain.	1607.	5.	H.b.	Bot. mag. t. 749.
	<i>α cærùlea.</i>	(bl.) blue-flowered.	—	—	—	H.b.	— t. 749.
	<i>β álba.</i>	(wh.) white-flowered.	—	—	—	H.b.	
26	Cupaniána. R.S.	(bl.) Cupani's.	Sicily.	1826.	—	H.b.	Cup. panph. sic. 5. t. 1.
27	lusitánica. B.M.	(pa.bl.) Portugal.	Portugal.	1777.	—	H.b.	Bot. mag. t. 199.
28	hyacinthoïdes. w.	(bl.) Hyacinth-like.	Madeira.	1585.	8.	H.b.	— t. 114.
29	esculénta. B.M.	(pa.bl.) Quamash.	N. America.	1811.	5. 7.	H.b.	— t. 1574.
	<i>Phalangium Quamash.</i>	Ph.					
HYACINTHUS. S.S. HYACINTH. Hexandria Monogynia. L.							
1	orientàlis. w.	(bl.) common.	Levant.	1596.	3. 5.	H.b.	Bot. reg. t. 995.
	<i>α cærùleus.</i>	(bl.) blue-flowered.	—	—	—	H.b.	
	<i>β lyricus.</i>	(bl.) <i>Lyrá grandis.</i>	—		—	H.b.	Swt. flor. guid. t. 1.
	<i>γ ruber.</i>	(re.) red-flowered.	—	1596.	—	H.b.	
	<i>δ flàvus.</i>	(ye.) yellow-flowered.	—	—	—	H.b.	
	<i>ε álbus.</i>	(wh.) white-flowered.	—	—	—	H.b.	
	<i>ζ semiplenus.</i>	(va.) semidouble.	—	—	—	H.b.	
	<i>η plenus.</i>	(va.) double-flowered.	—	—	—	H.b.	
	<i>θ múltiplex.</i>	(va.) full-flowered.	—	—	—	H.b.	
	<i>ι atrocærùleus.</i>	(bl.) <i>Pourpre fonce.</i>	—		—	H.b.	Swt. flor. guid. t. 1.
	<i>κ sceptiformis.</i>	(pa.bl.) <i>Porcelaine sceptre.</i>	—		—	H.b.	— t. 3.
	<i>λ sanguinoléntus.</i>	(re.) <i>Waterloo.</i>	—		—	H.b.	— t. 1.
	<i>μ ornátus.</i>	(pi.) <i>L'honneur d'Amsterdam.</i>	—		—	H.b.	— t. 1.
	<i>ν ranunculiflorus.</i>	(ye.) <i>yellow Ophir.</i>	—		—	H.b.	— t. 1.
2	amethy'stinus. w.	(bl.) Amethyst-coloured.	S. Europe.	1759.	4. 5.	H.b.	Swt. br. fl. gar. t. 1.
UROPE'TALON. B.R. UROPE'TALON. Hexandria Monogynia. B.R.							
1	viride. B.R.	(gr.) green-flowered.	C. B. S.	1774.	8.	F.b.	Redout. lil. t. 203.
	<i>Hyacinthus viridis.</i>	L. <i>Zuccagnia viridis.</i>	Th. <i>Lachenalia viridis.</i>	w.			
2	glàucum. B.R.	(gr.br.) glaucous-leaved.	C. B. S.	1816.	7. 8.	F.b.	Bot. reg. t. 156.
3	crispum. B.R.	(br.gr.) curled-leaved.	—	—	—	F.b.	
4	longifolium. B.R.	(br.gr.) long-leaved.	—	1822.	—	F.b.	Bot. reg. t. 974.
5	hyacinthoïdes. R.S.	(re.) Hyacinth-like.	—	—	—	F.b.	
6	serotinum. B.R.	(bl.) late-flowering.	Spain.	1629.	6. 8.	F.b.	Bot. mag. t. 852.
7	fúlvum. H.S.L.	(re.br.) tile-red.	Mogador.	1808.	6. 9.	F.b.	— t. 115.
	<i>Scilla serotina</i>	β. B.M. <i>Hyacinthus fúlvus.</i>	Cav.				
BELLEV'ALIA. Lap. BELLEV'ALIA. Hexandria Monogynia.							
	romàna.	(wh.) Roman.	Italy.	1596.	5.	H.b.	Bot. mag. t. 939.
	<i>operculàta.</i>	Lap. <i>Scilla romàna.</i>	B.M. <i>Hyacinthus romànus.</i>	L.			
MUSC'ARI. S.S. GRAPE HYACINTH. Hexandria Monogynia. S.S.							
1	moschàtum. s.s.	(br.) musk.	Levant.	1596.	4. 5.	H.b.	Bot. mag. t. 734.
2	ambrosiàcum. R.L.	(wh.) strong-scented.	—		—	H.b.	Redout. lilac. t. 12.
3	macrocàrpum. B.F.G.	(ye.) large-capsuled.	Turkey.	1812.	—	H.b.	Swt. br. fl. gar. t. 2.
	<i>moschàtum</i>	β <i>flàvum.</i>	Bot. mag. t. 1565.				
4	comòsum. s.s.	(br.pu.) purple.	S. Europe.	1596.	—	H.b.	Bot. mag. t. 133.
	β <i>monstròsum.</i>	(pu.) feathered.	—	—	—	H.b.	Moris. s. 4. t. 11. 52.
5	ciliàtum. s.s.	(w.pu.) ciliated.	Tauria.	1818.	—	H.b.	Bot. reg. t. 394.
6	pállens. s.s.	(pa.bl.) pale-flowered.	—	—	—	H.b.	Swt. br. fl. gar. t. 2.
7	glàucum. B.R.	(pa.) glaucous-leaved.	Persia.	1825.	—	H.b.	Bot. reg. t. 1055.
8	racemòsum. s.s.	(bl.) starch.	Britain.		—	H.b.	Eng. bot. v. 25. t. 1.
9	commutàtum. R.S.	(d.bl.) confused.	Sicily.		—	H.b.	
10	parviflorum. R.S.	(bl.) small-flowered.	—	1827.	—	H.b.	
11	botryoïdes. s.s.	(va.) bunch-flower'd.	Italy.	1596.	—	H.b.	Bot. mag. t. 157.
	<i>α azùreum.</i>	B.F.G. (bl.) bright-blue.	—	—	—	H.b.	Swt. br. fl. gar. 15. 1.
	β <i>pállidum.</i>	B.F.G. (pa.) pale blue.	—	—	—	H.b.	— 15. 1.
	γ <i>álbum.</i>	B.F.G. (wh.) white-flowered.	—	—	—	H.b.	— 15. 1.

LACHENALIA. W.		LACHENALIA.		Hexandria Monogynia. W.			
1	pendula. w. (y.re.g.)	pendulous.	C. B. S.	1774.	3. 4.	F.b.	Jacq. ic. 2. t. 400.
2	viridifolia. (y.re.g.)	green-leaved.	—	—	—	F.b.	Bot. mag. t. 599.
3	maculata. (y.re.g.)	spotted-leaved.	—	—	—	F.b.	—
4	quadriflor. B.M. (ra.)	four-coloured.	—	1789.	3. 5.	F.b.	Jacq. ic. 2. t. 388.
5	viridifolia. (y.sc.g.)	green-leaved.	—	—	—	F.b.	Bot. mag. t. 588.
6	colorata. (y.sc.g.)	coloured-leaved.	—	—	—	F.b.	— t. 1097.
7	lutea. Jacq. (ye.)	yellow-flowered.	—	1774.	4. 5.	F.b.	Jacq. ic. 2. t. 395.
8	viridifolia. (ye.)	green-leaved.	—	—	—	F.b.	Bot. mag. t. 1020.
9	maculata. (ye.)	spotted-leaved.	—	—	—	F.b.	— t. 1704.
10	tricolor. B.M. (y.re.g.)	three-coloured.	—	—	—	F.b.	— t. 82.
11	albida. w. (re.)	dotted-flowered.	—	1803.	9. 10.	F.b.	— t. 993.
12	maculata. s.s. (w.re.)	spotted-flowered.	—	1825.	6. 8.	F.b.	Jacq. ic. 2. t. 397.
13	lutea. A.R. (ye.)	bright-yellow.	—	1805.	5. 6.	F.b.	Andr. reposit. t. 77.
14	isopetala. w. (pa.br.)	equal-flowered.	—	1804.	—	F.b.	Jacq. ic. 2. t. 401.
15	lutea. R.S. (w.bl.)	hairy-leaved.	—	1825.	—	F.b.	—
16	sessiliflora. A.R. (bh.)	sessile-flowered.	—	1804.	—	F.b.	Andr. rep. t. 460.
17	viridifolia. w. (bl.re.)	one-leaved.	—	1795.	3. 4.	F.b.	Bot. mag. t. 766.
18	lutea. A.R. (ro.)	rose-coloured.	—	1800.	4. 5.	F.b.	Andr. rep. t. 296.
19	pygmaea. w. (wh.)	dwarf.	—	1825.	—	F.b.	Jacq. ic. 2. t. 385.
20	reflexa. R.S. (ye.)	reflex-leaved.	—	—	—	F.b.	—
21	isopetala. B.M. (ro.wh.)	cowl-leaved.	—	1813.	3. 4.	F.b.	Bot. mag. t. 1611.
22	contaminata. w. (w.br.)	contaminated.	—	1774.	2. 4.	F.b.	— t. 1101.
23	purpurea. w. (pu.w.)	purple.	—	1819.	4. 5.	F.b.	Jacq. ic. 2. t. 393.
24	violacea. w. (g.vi.)	violet.	—	1795.	3. 4.	F.b.	— 2. t. 391.
25	isopetala. B.M. (w.br.)	glossy-leaved.	—	1798.	3. 5.	F.b.	Bot. mag. t. 1372.
26	racemosa. B.M. (wh.)	racemed.	—	1811.	5.	F.b.	— t. 1517.
27	fragrans. w. (wh.)	sweet-scented.	—	1798.	3. 5.	F.b.	Jacq. schœn. 1. t. 82.
28	isopetala. B.M. (li.)	self-coloured.	—	1806.	5. 6.	F.b.	Bot. mag. t. 1373.
29	serpentina. S.F.G. (w.g.)	snake.	—	1825.	4. 5.	F.b.	Swt. br. fl. gar. t. 179.
30	purpureo-cerulea. (bl.)	purple-blue.	—	1798.	—	F.b.	Bot. mag. t. 745.
31	isopetala. w. (w.st.)	blistered.	—	1790.	1. 4.	F.b.	— t. 817.
32	isopetala. w. (wh.)	Lily-flowered.	—	1820.	4. 6.	F.b.	Jacq. ic. 2. t. 387.
33	orthopetala. R.S. (w.gr.)	wedge-flowered.	—	1825.	—	F.b.	— 2. t. 353.
34	isopetala. w. (wh.ro.)	spreading-flower'd.	—	1795.	4. 5.	F.b.	— 2. t. 384.
35	nervosa. B.M. (br.pu.)	nerved-leaved.	—	1810.	6.	F.b.	Bot. mag. t. 1497.
36	angustifolia. w. (wh.)	narrow-leaved.	—	1793.	4. 5.	F.b.	— t. 735.
37	hyacinthoides. w. (wh.)	Hyacinth-flower'd.	—	1812.	3. 4.	F.b.	Jacq. ic. 2. t. 382.
38	isopetala. w. (pa.bl.)	pale-flowered.	—	1782.	—	F.b.	Bot. reg. t. 314.
39	intermedia. R.S. (st.gr.)	intermediate.	—	—	—	F.b.	Jacq. ic. t. 392.
40	mutabilis. S.F.G. (ye.)	changeable.	—	1825.	2. 5.	F.b.	Swt. br. fl. gar. ser. 2.
41	orchideoides. w. (ye.)	Orchis-like.	—	1752.	2. 4.	F.b.	Bot. mag. t. 1269.
42	maritima. w. (wh.bl.)	sea-green.	—	1795.	3. 4.	F.b.	Jacq. ic. 2. t. 391.
LACHENALIA. S.S.		LACHENALIA. Hexandria Monogynia. S.S.					
1	lanceolata. R.S. (y.gr.)	spear-leaved.	C. B. S.	1774.	8. 10.	F.b.	Andr. reposit. t. 299.
2	Lachenalia refracta. Andr. rep. t. 299.						—
3	lanceolata. B.M. (g.pu.)	lance-leaved.	C. B. S.	1800.	9. 10.	F.b.	Bot. mag. t. 643.
4	longipedunculata. (g.pu.)	long-stalked.	—	—	—	F.b.	Schr. pl. rar. men. t. 100.
5	compressa. B.C. (g.br.)	taper-leaved.	—	—	—	F.b.	Lodd. bot. cab. t. 1011.
6	revoluta. R.S. (gr.pu.)	revolute-flowered.	—	1774.	—	F.b.	Bot. mag. t. 1380.
7	Hypocinchus revolutus. H.K.						—
8	obovata. R.S. (gr.pu.)	oval-leaved.	—	1812.	—	F.b.	Lodd. bot. cab. t. 278.
9	undulata. s.s. (g.pu.)	wave-leaved.	—	1825.	8. 10.	F.b.	Jacq. ic. 2. t. 376.
10	purpurascens. s.s. (pu.)	purplish.	—	—	—	F.b.	—
11	ciliata. s.s. (g.pu.)	ciliated.	—	—	—	F.b.	Bot. mag. t. 1444.
12	pygmaea. s.s. (gr.)	dwarf.	—	1793.	5. 6.	F.b.	Jacq. ic. 2. t. 374.
13	ovata. s.s. (w.pu.)	semicylindrical-ld.	—	1818.	7. 8.	F.b.	— 2. t. 375.
14	altissima. s.s. (g.w.)	tall.	—	1799.	10. 11.	F.b.	Bot. mag. t. 822.
15	altissima. s.s. (wh.)	tallest.	—	1791.	8. 9.	F.b.	— t. 1074.
ERIOSPERMUM. W.		ERIOSPERMUM. Hexandria Monogynia. W.					
1	parvifolium. s.s. (wh.)	small-leaved.	C. B. S.	1795.	6. 8.	F.b.	Jacq. ic. 2. t. 422.
2	latifolium. s.s. (wh.)	broad-leaved.	—	1800.	—	F.b.	— 2. t. 420.
3	randeni. (wh.)	Mr. Ker's.	—	—	—	F.b.	Bot. mag. t. 1382.
4	Eriospermum a. B.M. non Jacq.						—
5	lanceolatum. s.s. (st.)	lance-leaved.	—	1795.	—	F.b.	Jacq. ic. 2. t. 421.
6	pubescens. s.s. (wh.)	pubescent.	—	1820.	—	F.b.	Bot. reg. t. 578.
7	lanuginosum. s.s. (st.)	woolly-leaved.	—	—	—	F.b.	Jacq. schœn. 3. t. 265.
8	folioliferum. B.M. (w.g.)	leaflet-bearing.	—	1806.	—	F.b.	Andr. reposit. t. 521.
9	paradoxicum. B.M. (w.g.)	paradoxical.	—	1820.	—	F.b.	Jacq. col. sup. 81. t. 1.

MASS'ONIA. S.S.		MASS'ONIA. Hexandria Monogynia. W.			
1	grandiflora. B.R. (wh.) honey-bearing.	C. B. S.	1825.	1. 4.	F.b. Bot. reg. t. 95.
2	candida. B.T. (wh.) white-flowered.	—	1816.	2. 5.	F.b. — t. 64.
	longifolia β. candida. B.R.				
3	longifolia. s.s. (wh.) long-leaved.	—	—	—	F.b.
4	latifolia. s.s. (g.pu.) broad-leaved.	—	1775.	3. 4.	F.b. Bot. mag. t. 81.
5	cordata. s.s. (wh.) heart-leaved.	—	1820.	—	F.b.
6	muricata. s.s. (wh.) prickly-leaved.	—	1790.	4. 5.	F.b. Bot. mag. t. 55.
7	scabra. H.K. (wh.) shagreen-leaved.	—	—	1. 4.	F.b. Andr. rep. t. 1.
	pustulata. Bot. mag. t. 612.				
8	echinata. s.s. (wh.) rough-leaved.	—	—	5.	F.b.
9	pauciflora. s.s. (wh.) few-flowered.	—	—	—	F.b.
10	angustifolia. s.s. (wh.) narrow-leaved.	—	1775.	3. 4.	F.b. Bot. mag. t. 73.
11	undulata. s.s. (wh.) wave-leaved.	—	1791.	4.	F.b.
12	ensifolia. s.s. (pi.) trumpet-flowered.	—	1790.	9. 2.	F.b. Bot. mag. t. 551.
	violacea. A.R. 46. Agapanthus ensifolius. w. Hyacinthus bifolius. Cav.				
EUCOMIS. S.S.		EUCOMIS. Hexandria Monogynia. W.			
1	nana. s.s. (gr.) dwarf.	C. B. S.	1774.	5.	F.b. Bot. mag. t. 14.
2	bifolia. s.s. (gr.st.) two-leaved.	—	1792.	4. 5.	F.b. — t. 81.
3	purpureocaulis. s.s. (gr.) purple-stalked.	—	1794.	3. 4.	F.b. Andr. rep. t. 1.
4	regia. s.s. (g.ch.) tongue-leaved.	—	1702.	3. 5.	F.b. Dil. elth. t. 92.
5	undulata. s.s. (g.ch.) wave-leaved.	—	1760.	—	F.b. Bot. mag. t. 1.
6	punctata. s.s. (g.wh.) spotted.	—	1783.	7.	F.b. — t. 913.
7	striata. H.K. (g.wh.) streaked.	—	1790.	6. 12.	F.b. — t. 15.
ALLIUM. L.		GARLIC. Hexandria Monogynia. L.			
1	sativum. G.D. (re.) common.	Sicily.	1548.	6. 9.	H.b. Lobel. ic. t. 118.
2	Ophioscörodon. G.D. (br.) Rocambole.	Crete.	1596.	8.	H.b. Clus. his. p. 191.
3	contraversum. G.D. (pa.) simple-rooted.	Egypt.	1823.	—	H.b. Cord. hist. p. 141.
	Ophioscörodon. L.en.				
4	arenarium. G.D. (re.) sand.	Britain.		6. 8.	H.b. Eng. bot. v. 19. t. 11.
5	Scorodopräsum. G.D. (re.) wild Rocambole.	Denmark.	1596.	7.	H.b. Flor. dan. t. 219.
6	littoreum. G.D. (re.) Italian sand.	Italy.	1821.	8.	H.b.
	monspessulanum. W.				
7	vineale. G.D. (ro.) Crow.	Britain.		6. 8.	H.b. Eng. bot. v. 28. t. 1.
8	compactum. G.D. (ro.) two-headed crow.	France.	1819.	—	H.b. Moris. sect. 4. t. 1.
9	Pürshii. G.D. (da.pu.) Pursh's crow.	N. America.	1821.	—	H.b.
	vineale. Ph. nec aliorum.				
10	proliferum. G.D. (wh.) tree Onion.	Egypt.		7.	H.b. Bot. mag. t. 11.
	Cëpa β bulbifera. B.M.				
11	Pörrum. G.D. (gr.pa.) Leek.	Switzerland.	1562.	5. 7.	H.b. Plenck. ic. t. 42.
12	Ampelopräsum. G.D. (pa.) blue Leek.	England.		7. 8.	H.b. Eng. bot. v. 24. t. 1.
13	rotundum. G.D. (pu.) round-headed.	S. Europe.	1819.	6. 7.	H.b. Clus. hist. p. 191.
14	Hallèrii. G.D. (pa.pu.) Haller's.	—	1818.	—	H.b. Flor. græc. t. 512.
15	rubicundum. G.D. (re.) marbled leek.	C. B. S.		7. 8.	F.b. Bot. mag. t. 15.
	ampelopräsum β. B.M.				
16	Waldsteini. G.D. (d.pa.) Waldstein's.	Smyrna.	1821.	6. 7.	H.b. W. et K. h. t. 1.
17	exsertum. G.D. (ro.) long-stamen'd.	Russia.	1819.	7. 8.	H.b.
18	erectum. G.D. (wh.) upright leek.	C. B. S.	1824.	—	F.b.
19	acutiflorum. G.D. (re.) sharp-flowered.	France.	—	—	H.b. Moris. sect. 4. t. 1.
20	Synnötii. G.D. (li.) Syanot's.	C. B. S.	1825.	6. 7.	F.b.
21	verrucosum. G.D. (li.) warted-flower'd.	—	—	—	F.b.
22	multiflorum. G.D. (ri.) many-flowered.	Barbary.	1826.	7. 8.	F.b.
23	descendens. G.D. (d.pa.) early flowering.	Switzerland.	1766.	6.	H.b. Flor. græc. t. 32.
24	sphaerocéphalon. G.D. (pr.) late-flowered.	Germany.	1759.	7.	H.b. Bot. mag. t. 11.
25	pruinatum. G.D. (li.) frosted.	Portugal.	1819.	6. 8.	H.b.
26	carneum. G.D. (li.) blush-coloured.	France.	1816.	6. 7.	H.b.
27	ascalonicum. G.D. (li.) Shallot.	Palestine.	1548.	—	H.b. Moris. sect. 4. t. 1.
	β chinense. G.D. (li.) Chinese Shallot.	China.		—	H.b.
28	fissile. (gr.) Scallion.	Asia minor.		—	H.b. Matt. opus. p. 1.
	Cëpa fissilis. Matt.				
29	Cëpa. G.D. (wh.gr.) Onion.	—		6.	H. & b. Flor. græc. t. 32.
	β aggregatum. G.D. (w.g.) Potatoe Onion.	—		—	H.b.
30	Schcenopräsum. G.D. (pu.) Chives.	Britain.		5. 6.	H.b. Eng. bot. v. 24. t. 1.
31	foliosum. G.D. (pu.) leafy Chives.	France.	1820.	—	H.b. Redout. pl. 4. t. 1.
32	sibiricum. G.D. (li.) Siberian Chives.	Siberia.	1778.	6. 8.	H.b. Bot. mag. t. 110.
33	fistulosum. G.D. (gr.) Welsh Onion.	—	1629.	6. 7.	H. & b. — t. 1.
	β altaicum. Pallas. (gr.) Altaic.	Altay.	1823.	—	H.b. Pall. it. 2. v. 1.
34	cepeforme. G.D. (w.g.) Onion-like.	—	1824.	—	H.b.
35	obliquum. G.D. (st.) oblique-leaved.	Siberia.	1759.	—	H.b. Bot. mag. t. 110.

1	<i>Asphodelum</i> , G.D.	(st.) branching	Chives. Siberia.	1824.	6.	H.b.	
2	<i>Asphodelum</i> , G.D.	(pu.) narrow-leaved.	—————	—————	—————	H.b.	
3	<i>Pallasii</i> , G.D.	(pu.) Pallas's Chives.	Russia.		—————	H.b.	Murr.c.got.6.1775.t.3.
4	<i>Asphodelum</i> , G.D.	(li.) small.	Italy.	1824.	6. 7.	H.b.	Redout. liliac. 2. t. 118.
5	<i>Asphodelum</i> , G.D.	(ro.) reddish.	Siberia.	1825.	7. 8.	H.b.	
6	<i>Asphodelum</i> , G.D.	(uh) netted.	N. America.	1811.	—————	H.b.	Bot. mag. t. 1840.
7	<i>Asphodelum</i> , G.D.	(bh.) acute-petal'd.	Switzerland.	1822.	7.	H.b.	
8	<i>Asphodelum</i> , G.D.	(st.pu.) purple-striped.	England.		—————	H.b.	Eng. bot. v. 7. t. 488.
9	<i>Asphodelum</i> , G.D.	(st.br.) keeled.	—————		5. 6.	H.b.	————— v. 24. t. 1658.
10	<i>Asphodelum</i> , W.	(da.pu.) twisted.	Siberia.	1823.	—————	H.b.	
11	<i>Asphodelum</i> , G.D.	(vi.) violet-flowered.	Hungary.	1819.	7.	H.b.	W. et K. hung.3. t.278.
12	<i>Asphodelum</i> , W.K.						
13	<i>Asphodelum</i> , G.D.	(vi.) rough-leaved.	S. Europe.	1820.	—————	H.b.	Red. lil. 7. t. 368.
14	<i>Asphodelum</i> , G.L. nec <i>oliorum</i> .						
15	<i>Asphodelum</i> , G.D.	(g.pu.) long-spathed.	—————	1779.	6. 7.	H.b.	Red. lil. 6. t. 316.
16	<i>Asphodelum</i> , G.D.	(bh.) panicled.	—————	1780.	—————	H.b.	Bot. mag. t. 1432.
17	<i>Asphodelum</i> , G.D.	(pa.wh.) pale-flowered.	—————	1779.	—————	H.b.	Redout. lil. 5. t. 272.
18	<i>Asphodelum</i> , G.D.	(ro.) slender-flowered.	Italy.	1824.	—————	H.b.	Ten. fl. nap. 1. t. 30.
19	<i>Asphodelum</i> , G.D.	(vi.) beautiful.	Russia.	1819.	8.	H.b.	Redout. lil. 5. t. 252.
20	<i>Asphodelum</i> , R.L. <i>coloratum</i> , s.s.						
21	<i>Asphodelum</i> , G.D.	(ye.) yellow-leafy.	S. Europe.	1759.	6. 7.	H.b.	Bot. mag. t. 1339.
22	<i>Asphodelum</i> , G.D.	(ro.) Caucasian.	Caucasus.	1810.	—————	H.b.	————— t. 973.
23	<i>Asphodelum</i> , G.D.	(ro.) small Caucasian.	—————	1824.	—————	H.b.	
24	<i>Asphodelum</i> , G.D.	(li.) globular-headed.	Siberia.	1820.	7.	H.b.	Gmel. sib. v. 1. t. 10.
25	<i>Asphodelum</i> , G.D.	(ro.) mountain.	Greece.	—————	6. 8.	H.b.	Flor. græc. t. 319.
26	<i>Asphodelum</i> , G.D.	(br.) small-flowered.	S. Europe.	1781.	6. 7.	H.b.	
27	<i>Asphodelum</i> , G.D.	(w.pu.) small-leaved.	Hungary.	1805.	7. 8.	H.b.	W. et K. hung. 1. t. 68.
28	<i>Asphodelum</i> , W.K.						
29	<i>Asphodelum</i> , G.D.	(g.w.) Steller's.	Siberia.	1829.	—————	H.b.	Gmel. sib. 1. t. 16. f. 1 et 2.
30	<i>Asphodelum</i> , G.D.	(wh.) rock.	Caucasus.	1825.	6. 7.	H.b.	
31	<i>Asphodelum</i> , G.D.	(ro.) upright.	Siberia.	1820.	7.	H.b.	Schrad. h. gott. 1. t. 1.
32	<i>Asphodelum</i> , G.D.	(re.) linear-leaved.	—————	1819.	7. 8.	H.b.	Gmel. sib. 1. t. 13. 14. f. 1.
33	<i>Asphodelum</i> , G.D.	(fl.) great nodding.	—————	1785.	—————	H.b.	Bot. mag. t. 1143.
34	<i>Asphodelum</i> , G.D.	(li.) Narcissus-leaved.	—————	1596.	7.	H.b.	Gmel. sib. 1. t. 11. f. 2.
35	<i>Asphodelum</i> , G.D.	(li.) Anderson's.	—————	1819.	—————	H.b.	
36	<i>Asphodelum</i> , G.D.	(li.) spurious.	—————		—————	H.b.	
37	<i>Asphodelum</i> , G.D.	(pu.) glaucous.	—————	1596.	6. 7.	H.b.	Bot. mag. t. 1159.
38	<i>Asphodelum</i> , B.M. non L. <i>baicalense</i> , W.en.						
39	<i>Asphodelum</i> , G.D.	(pu.) angular-stalked.	—————	1739.	—————	H.b.	Bot. mag. t. 1149.
40	<i>Asphodelum</i> , G.D.	(pu.) acute-angled.	—————	1816.	—————	H.b.	Ger. emac. p. 186. ic.
41	<i>Asphodelum</i> , G.D.	(pu.) short-leaved.	—————	—————	—————	H.b.	
42	<i>Asphodelum</i> , G.D.	(pu.) loose umbelled.	Russia.	1824.	—————	H.b.	
43	<i>Asphodelum</i> , G.D.	(pu.) late-flowering.	Switzerland.	—————	8.	H.b.	
44	<i>Asphodelum</i> , G.D.	(wh.) whitish-flower'd.	Caucasus.	1823.	6. 8.	H.b.	
45	<i>Asphodelum</i> , G.D.	(st.) half naked.	Siberia.	1819.	8.	H.b.	Redout. lil. 6. t. 357.
46	<i>Asphodelum</i> , R.L.						
47	<i>Asphodelum</i> , G.D.	(pu.) red-rooted.	S. Europe.	1805.	5.	H.b.	Bot. mag. t. 1318.
48	<i>Asphodelum</i> , Redout. liliac. t. 286.						
49	<i>Asphodelum</i> , G.D.	(li.) small trailing.	Siberia.		6.	H.b.	
50	<i>Asphodelum</i> , G.D.	(pu.) crowded-flower'd.	—————		—————	H.b.	
51	<i>Asphodelum</i> , G.D.	(ro.) Piedmont.	Piedmont.	1820.	7. 8.	H.b.	Allion. ped. t. 254.
52	<i>Asphodelum</i> , G.D.	(ro.) large-flowered.	France.	1813.	—————	H.b.	Vill. dauph. 2. t. 6.
53	<i>Asphodelum</i> , G.D.	(w.pu.) sweet-scented.	—————	1801.	6. 8.	H.b.	Jacq. ic. 2. t. 361.
54	<i>Asphodelum</i> , G.D.	(st.) cream-colour'd.	Hungary.	1816.	7.	H.b.	W. et K. hung. 2. t. 186.
55	<i>Asphodelum</i> , G.D.	(bh.) drooping.	N. America.	1806.	6. 7.	H.b.	Bot. mag. t. 1324.
56	<i>Asphodelum</i> , G.D.	(li.) starry-flowered.	—————	1811.	—————	H.b.	————— t. 1576.
57	<i>Asphodelum</i> , G.D.	(li.) Carolina.	—————	1819.	—————	H.b.	Redout. lil. 2. t. 151.
58	<i>Asphodelum</i> , G.D.	(wh.) paradoxical.	Siberia.	1823.	4.	H.b.	
59	<i>Asphodelum</i> , G.D.	(ye.) Scorzonera-leaved.	S. Europe.	—	6. 7.	H.b.	Redout. liliac. 2. t. 99.
60	<i>Asphodelum</i> , G.D.	(ro.) Canadian.	N. America.	1739.	—————	H.b.	Kalm. it. v. 3. p. 79.
61	<i>Asphodelum</i> , G.D.	(bh.) changeable.	—————		7.	H.b.	Redout. lil. 4. t. 249.
62	<i>Asphodelum</i> , G.D.	(st.) broad-leaved.	Spain.	1596.	6. 7.	H.b.	Park. parad. p. 141.
63	<i>Asphodelum</i> , G.D.	(ro.) ambiguous.	Levant.		5. 6.	H.b.	Flor. græc. t. 327.
64	<i>Asphodelum</i> , s.s. <i>roscum</i> β.		Bot. mag. t. 978.				
65	<i>Asphodelum</i> , G.D.	(ro.) fine red-flowered.	Italy.	1820.	—————	H.b.	Ten. fl. nap. t. 28.
66	<i>Asphodelum</i> , T.N.						
67	<i>Asphodelum</i> , G.D.	(ro.) rose-coloured.	Spain.	1752.	6.	H.b.	Redout. lil. 4. t. 219.
68	<i>Asphodelum</i> , G.D.	(pi.) Illyrian.	Austria.		6. 7.	H.b.	Jacq. ic. 2. t. 365.

95	subhirsutum. G.D. (wh.) hairy.	S. Europe.	1596.	6.	H.b.	Cyr. pl. r. nap. 2. t. 1.
	<i>β obtusum.</i> (wh.) blunt-flowered.	————	————	————	H.b.	Bot. mag. t. 774.
96	Clusiæum. G.D. (wh.) Clusius's.	————	1803.	6. 8.	H.b.	Clus. hist. 1. p. 192.
97	Chamæ-Moly. G.D. (w.) dwarf-Moly.	————	1774.	2. 4.	F.b.	Bot. mag. t. 1203.
98	majale. G.D. (wh.) large Moly.	Italy.	1825.	6.	F.b.	Ten. fl. nap. 1. t. 28.
99	brachystemon. R.L. (w.) short-stamened.	S. France.	1826.	————	H.b.	Redout. lilac. 7. t. 3.
100	longifolium. G.D. (pu.) long-leaved.	Mexico.	————	8. 10.	F.b.	Bot. reg. t. 1034.
101	Cowani. B.R. (wh.) Cowan's.	Chili.	1821.	5.	F.b.	———— t. 758.
102	neapolitanum. G.D. (w.) Neapolitan.	Italy.	————	4. 5.	H.b.	Swt. br. fl. gar. t. 2.
	<i>album.</i> Bivon.					
103	triquetrum. G.D. (wh.) triquetrous.	S. Europe.	1759.	5. 6.	H.b.	Bot. mag. t. 869.
104	medium. G.D. (wh.) intermediate.	Hungary.	1824.	5.	H.b.	
105	pendulinum. G.D. (w.) pendulous Italian.	Italy.	————	4. 5.	H.b.	Ten. fl. nap. 1. t. 31.
106	nigrum. G.D. (wh.) black.	S. Europe.	1596.	6.	H.b.	Bot. mag. t. 1115.
	<i>magicum.</i> B.M.					
	<i>β rubescens.</i> (bh.) pale red-flowered.	Greece.		————	H.b.	Flor. grac. t. 323.
107	atropurpureum. G.D. (d. pu.) dark purple.	Hungary.	1825.	————	H.b.	W. et K. hung. 1. t. 1.
108	Moly. G.D. (ye.) large yellow.	S. Europe.	1604.	————	H.b.	Bot. mag. t. 499.
109	triccoccum. G.D. (wh.) three-seeded.	N. America.	1770.	7.	H.b.	
110	ursinum. G.D. (wh.) Ramson.	Britain.		4. 5.	H.b.	Eng. bot. v. 2. t. 122.
111	sulcatum. G.D. (wh.) furrowed.		1823.	————	H.b.	Redout. lilac. 8. t. 1.
112	Victorialis. G.D. (st.) long-rooted.	Austria.	1739.	5.	H.b.	Bot. mag. t. 1222.
113	odorum. G.D. (wh. pu.) sweet-flowered.	Siberia.	1787.	6. 7.	H.b.	Redout. lil. 2. t. 18.
	<i>tataricum.</i> Bot. mag. t. 1112.					
114	inodorum. B.M. (bh.) fragrant.	Carolina.	1776.	3. 4.	H.b.	Bot. mag. t. 1129.
	<i>fragrans.</i> Vent. cels. t. 26. <i>gracile.</i> w.					
115	striatum. G.D. (bh. w.) striated.	America.	1809.	5. 6.	H.b.	Bot. mag. t. 1521 & 1.
	<i>Ornithogalum gramineum.</i> B.M. 2419.					
116	caspium. G.D. (bh.) Caspian.	Astracan.	1820.	4. 5.	H.b.	Pall. it. 2. ap. t. 2.
	<i>Amaryllis caspica.</i> w. <i>Crinum caspicum.</i> Pal.					
117	Akaka. F. Persian.	Persia.	1829.		H.b.	
SOWERB'EA. B.P.	SOWERB'EA. Hexandria Monogynia. S.S.					
	<i>juncæa.</i> B.P. (ro.) Rush-leaved.	N. S. W.	1792.	5. 7.	G. 4.	Bot. mag. t. 1101.
LAXMA'NNIA. B.P.	LAXMA'NNIA. Hexandria Monogynia. S.S.					
	<i>gracilis.</i> B.P. (wh.) slender.	N. S. W.	1822.	5. 7.	G. 4.	
APIHYLLA'NTHE. L. LILY PINK.	Hexandria Monogynia.					
	<i>monspeliensis.</i> L. (bl.) Rush-like.	France.	1791.	6. 7.	H. 4.	Bot. mag. t. 1132.
THYSAN'OTUS. B.P. THYSAN'OTUS.	Hexandria Monogynia. S.S.					
1	tuberosus. B.P. (bl.) tuberous-rooted.	N. S. W.	1822.	7. 9.	G. 4.	
2	elätior. B.P. (bl.) tall.	————	————	————	G. 4.	
3	isantherus. B.P. (bl.) equal-anthered.	V. Diem. Isl.	————	————	G. 4.	Bot. reg. t. 655.
4	juncæus. B.P. (bl.) rush-like.	N. S. W.	————	————	G. 4.	———— t. 655.
	<i>Chlamysporum juncifolium.</i> Par. lond. t. 163.					
CYANE'LLA. L.	CYANE'LLA. Hexandria Monogynia. L.					
1	alba. s.s. (wh.) 1-flowered white.	C. B. S.	1825.	4. 6.	F.b.	Th. in a. hol. 1794 t. 5.
2	lutea. s.s. (ye.) yellow-flowered.	————	1788.	5. 12.	F.b.	Bot. mag. t. 1232.
3	orchidiformis. s.s. (bl.) Orchis-like.	————	1825.	4. 8.	F.b.	Jacq. ic. 2. t. 145.
4	lineata. B.T. (std.) lined.	————	1816.	————	F.b.	Bot. reg. t. 1111.
	<i>odoratissima.</i> B.R.					
5	capensis. s.s. (pu.) purple-flowered.	————	1768.	————	F.b.	Bot. mag. t. 568.
CONANTH'ERA. R.P. CONANTH'ERA.	Hexandria Monogynia. P.S.					
	<i>bifolia.</i> R.P. (bl.) two-leaved.	Chile.	1823.	3. 5.	F.b.	Lodd. bot. cab. t. 1.
CUMMI'NGIA. D.D. CUMMI'NGIA.	Hexandria Monogynia.					
	<i>campanulata.</i> D.D. (bl.) Hyacinth-flowered.	Chile.	1823.	4. 6.	F.b.	Swt. br. fl. gar. t. 1.
	<i>Conanthera campanulata.</i> Hook. ex. flor. t. 214. <i>bifolia.</i> B.M. 2496. <i>nec aliorum.</i>					
LEUCOCO'RYNE. B.R. LEUCOCO'RYNE.	Hexandria Monogynia.					
1	odorata. B.R. (wh.) sweet-scented.	Chile.	1826.	8. 9.	F. 4.	Bot. reg. t. 1293.
2	ixioides. B.R. (bl.) Ixia-like.	————	1821.	7. 9.	F.b.	Bot. mag. t. 2382.
	<i>Brodiaea ixioides.</i> B.M.					
TRITEL'EIA. B.R. TRITEL'EIA.	Hexandria Monogynia.					
	<i>grandiflora.</i> B.R. (bl.) large-flowered.	N. America.	1827.	7. 8.	H. 4.	
HESPEROSCO'RDUM. B.R. MISSOURI HYACINTH.	Hexandria Monogynia.					
	<i>hyacinthinum.</i> B.R. (bl.) largest-flowered.	N. America.	1827.	7.	H.b.	
	<i>Brodiaea grandiflora.</i> Pursh non Smith.					
DIANE'LLA. B.P. DIANE'LLA.	Hexandria Monogynia. W.					
1	ensifolia. B.M. (wh.) whitish-flowered.	E. Indies.	1731.	8.	S. 4.	Bot. mag. t. 1404.
	<i>Dracæna ensifolia.</i> H.K.					
2	nemorosa. Lam. (bl.) blue Indian.	————		6. 8.	S. 4.	Rumph. amb. 3. t. 1.
3	cærulea. B.P. (bl.) rough-edged.	N. S. W.	1783.	5. 8.	F. 4.	Bot. mag. t. 555.

4 longifolia. B.P.	(bl.) long-leaved.	N. S. W.	1820.	5. 8. F. 4.	Bot. reg. t. 731.
5 lavis. B.P.	(bl.) smooth-leaved.	————	1823.	———— F. 4.	
6 revoluta. B.P.	(bl.) revolute-margined.	————	1822.	———— F. 4.	
7 divaricata. B.P.	(bl.) divaricated.	N. Holland.	1805.	7. 8. G. 4.	
8 strumosa. B.R.	(bl.) strumous.	————	1822.	5. 8. G. 4.	Bot. reg. t. 751.
LUZURIAGA. B.P.	LUZURIAGA.	Hexandria Monogynia.	S.S.		
1 cymosa. B.P.	(pu.) cymose.	N. S. W.	1820.	4. 6. G. 4.	
2 montana. B.P.	(pu.) mountain.	————	1823.	———— G. 4.	
EUSTREPHUS. B.P.	EUSTREPHUS.	Hexandria Monogynia.	S.S.		
1 latifolius. B.P.	(pu.) broadest-leaved.	N. S. W.	1800.	6. 9. G. 4.	Bot. mag. t. 1245.
2 angustifolius. B.P.	(pu.) narrow-leaved.	N. Holland.	1816.	———— G. 4.	
MYRSIPHYLLUM. S.S.	MYRSIPHYLLUM.	Hexandria Trigynia.	S.S.		
1 asparagoides. s.s.	(wh.) broadest-leaved.	C. B. S.	1702.	10. 3. G. 4.	Redout. liliac. t. 442.
<i>Mediola asparagoides. L.</i>					
2 angustifolium. s.s.	(bh.) narrow-leaved.	————	1752.	12. 3. G. 4.	Redout. liliac. t. 393.
HERRERIA. R.P.	HERRERIA.	Hexandria Monogynia.			
1 stellata. R.P.	(ye.) prickly-stalked.	Chile.	1825.	6. 9. G. 4.	Flor. peruv. 3. t. 303. f. a.
2 parviflora. B.R.	(gr.) small-flowered.	Brazil.	————	———— S. 4.	Bot. reg. t. 1042.
ASPARAGUS. L.	ASPARAGUS.	Hexandria Monogynia.	L.		
1 amarus. s.s.	(ye.) bitter.	S. France.	1820.	6. 8. H. 4.	Redout. liliac. t. 446.
2 officinalis. s.s.	(gr.) common.	England.		———— H. 4.	Eng. bot. v. 5. t. 339.
3 tenuifolius. DC.	(ye.) slender-leaved.	Hungary.		———— H. 4.	Redout. liliac. t. 431.
<i>salvaticus. W. et. K. hung. 3. t. 201.</i>					
4 declinatus. s.s.	(st.) long-leaved.	C. B. S.	1759.	———— F. 4.	
5 decumbens. s.s.	(wh.) decumbent.	————	1792.	5. F. 4.	Jacq. schœn. 1. t. 97.
6 flexuosus. s.s.	(wh.) flexuose.	————		7. 8. F. 4.	
7 dauricus. s.s.	(st.) Daurian.	Dauria.	1819.	6. 8. H. 4.	
8 caspius. R.S.	(gr. wh.) Caspian.	Caucasus.	1821.	———— H. 4.	
9 maritimus. s.s.	(gr. wh.) sea-side.	Siberia.	1820.	———— H. 4.	
10 triearinatus. DC.	(g. y.) three-keeled.			———— G. 4.	Redout. liliac. t. 451.
11 verticillatus. s.s.	(g. y.) whorl-leaved.	Caucasus.	1752.	———— H. 4.	Buxb. cent. 5. ap. t. 37.
12 umbellatus. R.S.	(g. w.) umbel-flowered.	Canaries.	1816.	———— G. 4.	
13 grandiflorus. R.S.	(wh.) large-flowered.	Teneriffe.	1828.	———— G. 4.	
14 longifolius. F.	(gr. ye.) long-leaved.	Russia.	1827.	 H. 4.	
15 acutifolius. s.s.	(ye.) needle-leaved.	Spain.	1640.	———— H. 4.	Flor. græc. t. 337.
16 racemosus. s.s.	(wh.) branching.	E. Indies.	1808.	 S. 4.	
17 sarmentosus. s.s.	(wh.) linear-leaved.	Ceylon.	1710.	8. S. 4.	Redout. liliac. t. 460.
18 falcatus. s.s.	(wh.) sickle-leaved.	E. Indies.	1792.	 S. 4.	Burm. zeyl. t. 13. f. 2.
19 retrofractus. s.s.	(wh.) Larch-leaved.	Africa.	1759.	8. 9. G. 4.	Pluk. alm. t. 375. f. 3.
20 capensis. s.s.	(wh. re.) Cape.	C. B. S.	1691.	4. 5. G. 4.	Jacq. schœn. 3. t. 266.
21 athiopicus. W.	(wh.) angular-stalked.	————	1816.	 G. 4.	
22 scandens. W.	(wh. ri.) climbing.	————	1795.	5. 6. G. 4.	
23 asiaticus. s.s.	(wh.) Asiatic.	Asia.	1759.	———— G. 4.	Pluk. alm. t. 14. f. 4.
24 subulatus. s.s.	(wh.) awl-leaved.	C. B. S.	1811.	———— G. 4.	
25 Nivenianus. R.S.	(w. pu.) Niven's.	————	————	———— G. 4.	
26 lanceus. R.S.	(wh.) spear-leaved.	————	————	———— G. 4.	
27 larinus. R.S.	(wh.) Larch-leaved.	————	1816.	———— G. 4.	
28 tetragonus. R.S.	(wh.) square-leaved.	————	1822.	———— G. 4.	
29 albus. s.s.	(wh.) white.	Spain.	1540.	5. 7. F. 4.	Moris. s. 1. t. 1. f. 3.
30 aphyllus. s.s.	(ye.) prickly.	S. Europe.	1640.	———— F. 4.	Flor. græc. t. 338.
31 horridus. s.s.	(ye.) long-spined.	————	1819.	———— F. 4.	———— t. 239.
32 Broussonetii. L. en.	(st.) Broussonet's.	Canaries.	1815.	———— F. 4.	Jacq. eclog. 2. t. 40.
CHARLWODIA. S.F.A.	CHARLWODIA.	Hexandria Monogynia.			
1 congesta. S.F.A.	(pu.) crowded-panicled.	N. Holland.	1821.	5. 7. S. 4.	Swt. flor. aust. t. 18.
2 stricta. S.F.A.	(bl.) loose-panicled.	————	————	———— S. 4.	Bot. reg. t. 956.
<i>Dracena stricta. Bot. mag. t. 2575.</i>					
DRACENA. W.	DRAGON-TREE.	Hexandria Monogynia.	L.		
1 Draco. s.s.	(wh.) common.	E. Indies.	1640.	 S. 4.	Blackw. t. 358.
2 ensifolia. H.S.	(wh.) sword-leaved.		1800.	 S. 4.	
3 indivisa. s.s.	(wh.) undivided.	N. Zealand.	1819.	6. 8. G. 4.	
4 australis. s.s.	(wh.) Forster's.	————	————	———— G. 4.	Bot. mag. t. 2835
5 marginata. s.s.	(wh.) red-margined.	Madagascar.	1816.	 S. 4.	
<i>tessellata. W. enum.</i>					
6 arborea. s.s.	(wh.) tree.	Africa.	1810.	3. 5. S. 4.	
7 fragrans. s.s.	(wh.) fragrant.	————	1768.	2. 5. S. 4.	Bot. mag. t. 1081.
8 ferrea. L.	(wh.) dark-purple.	China.	1771.	3. 4. S. 4.	———— t. 2053.
9 terminalis. W.	(wh.) red-leaved.	India.	1812.	4. 8. S. 4.	Lodd. bot. cab. t. 1224.
10 umbraculifera. s.s.	(wh.) umbrella.	Mauritius.	1788.	4. 6. S. 4.	———— t. 289.
11 cernua. s.s.	(st. li.) drooping.	————		———— S. 4.	Jacq. schœn. 1. t. 96.

12	mauritiàna. s.s.	(wh.)	Mauritius.	Mauritius.	1816.		S. h.	
13	undulàta. s.s.	(wh.)	wave-leaved.	C. B. S.	—		G. h.	
14	ovàta. B.M.	(li.)	oval-leaved.	Sierra Leon.	1790.	8. 9.	S. h.	Bot. mag. t. 1189.
15	nodòsa. L.C.	(wh.)	knotted.		1822.		S. h.	
16	refléxa. s.s.	(li.)	reflex-leaved.	Madagascar.	1816.	5. 8.	S. h.	Redout. liliac. t. 92.
17	sureculòsa. B.R.	(st.)	trailing.	Sierra Leone.	1822.	—	S. h.	Bot. reg. t. 1100.
CORDYL'INE. B.P. CORDYL'INE. Hexandria Monogynia.								
1	hemichr'ysa. P.S.	(wh.)	golden-leaved.	Bourbon.	1823.		S. h.	
2	parviflòra. s.s.	(wh.)	small-flowered.	Mexico.	1828.		S. h.	H. et B.n. gen. 3. t. 1.
PHO'RMIUM. W. FLAX-LILY. Hexandria Monogynia. W.								
	ténax. w.	(ye.)	lil'-leaved.	N. Zealand.	1788.	8.	F. 4.	Redout. liliac. t. 118.
XANTHORRH'ŒA. B.P. GUM-TREE. Hexandria Monogynia. S.S.								
1	arbòrea. B.P.	(wh.)	tree.	N. S. W.	1828.		G. h.	
2	austràlis. B.P.	(wh.)	southern.	V. Diem. Isl.	1820.		F. h.	
3	hástile. B.P.	(wh.)	yellow gum.	N. S. W.	1803.	4. 5.	F. h.	
4	mèdia. B.P.	(wh.)	intermediate.	—	1819.	—	F. h.	
5	mìnor. B.P.	(wh. br.)	small.	—	1804.	4. 6.	F. 4.	
6	bracteàta. B.P.	(wh.)	long-bracted.	—	1810.	4. 5.	F. 4.	
ROXBURGHIA. W. ROXBURGHIA. Octandria Monogynia.								
1	gloriosòides. R.C.	(st. pu.)	cordate-leaved.	E. Indies.	1803.	4. 6.	S. 4. ~.	Roxb. corem. l. t. 1.
2	viridiflòra. Ex. B.	(st. cr.)	elliptic-leaved.	—	—	—	S. 4. ~.	Sm. exot. bot. l. t. 1.
	gloriòsa. Bot. mag. t. 1500.							

ORDO CXXV.

BROMELIACEÆ. Juss. gen. 49.

AG'AVE. L. AG'AVE. Hexandria Monogynia. L.								
1	americàna. H.S.	(gr.)	large American.	S. America.	1640.	8. 10.	D. G. 4.	Andr. reposit. t. 45.
2	Millèri. H.S.	(gr.)	Miller's.	—	1768.	—	D. G. 4.	
3	flàccida. H.S.	(gr.)	flaccid.	—	1790.	—	D. S. 4.	
4	lùrida. B.M.	(gr.)	Vera Cruz.	Vera Cruz.	1731.	6. 7.	D. S. 4.	Bot. mag. t. 1522.
5	brachystàchys. s.	(gr.)	short-spiked.	Mexico.	1826.		D. G. 4.	Redout. liliac. t. 18.
	spicàta. R.L. non Cavan.							
6	spicàta. s.	(gr. ye.)	spiked.	Havannah.	1825.		D. S. 4.	Cav. h. reg. mal. l. 1.
7	angustiflòlia. H.S.	(gr.)	narrow-leaved.	St. Helena.	1770.		D. S. 4.	
8	yuccæfòlia. H.S.S.	(y. g.)	Yucca-leaved.	S. America.	1817.		D. S. 4.	Redout. liliac. t. 928.
9	mexicàna. H.S.S.	(gr.)	Mexican.	Mexico.	1818.		D. G. 4.	
10	Karátto. H.S.	(gr.)	Karatto.	S. America.	1768.		D. S. 4.	
11	vivipara. H.S.	(gr. ye.)	viviparous.	—	1731.	8. 10.	D. S. 4.	Comm. parl. t. 15.
12	polyacántha. H.R.	(g. y.)	black-spined.		1800.		D. S. 4.	
13	virginica. H.S.	(gr. ye.)	Virginian.	N. America.	1765.	9.	F. 4.	Bot. mag. t. 1157.
FURCR'ŒA. V. FURCR'ŒA. Hexandria Monogynia. H.S.								
1	gigàntea. (gr. wh.)		gigantic.	S. America.	1690.	9. 1.	D. S. h.	DC. plant. gras. t. 1.
	Agave fæ'tida. W.							
2	tuberòsa. H.K.	(gr. wh.)	tuberous.	—	1739.	8. 9.	D. S. h.	Comm. hort. 2. f. 10.
3	cubénsis. H.S.	(wh. gr.)	Cuba.	—	—		D. S. h.	Jacq. am. pie. t. 204.
4	rígida. H.S.	(gr. ye.)	Vera Cruz.	—	1768.		D. S. h.	Spin. cat. 1512. c. 1.
5	austràlis. H.S.		entire-leaved.	N. Holland.	1811.		D. S. 4.	
6	madagascariénsis. H.		Madagascar.	Madagascar.	1818.		D. S. 4.	
7	cantàla. H.S.S.		Canton.	China.	—		D. G. 4.	
LITT'ŒA. H.S.S. LITT'ŒA. Hexandria Monogynia. H.S.S.								
	geminiflòra. H.S.S.	(gr.)	twin-flowered.	S. America.	1810.		S. h.	Bot. reg. t. 1115.
	Agave geminiflòra. Ker. Buonapàrtea júncea. H.S. nec aliorum.							
ANAN'SSA. B.H. PINE-APPLE. Hexandria Monogynia. L.								
1	satìva. B.R.	(bl.)	common.	S. America.	1690.	1. 12.	S. 4.	Bot. mag. t. 1554.
2	semiserràta. s.s.	(bl.)	semiserrate.	—		—	S. 4.	
3	lúcida. W.en.	(bl.)	shining-leaved.	—		—	S. 4.	
4	débilis. B.R.	(bl.)	waved-leaved.	—	1826.	—	S. 4.	
5	bracteàta. B.R.	(bl. sc.)	red-bracted.	Jamaica.	1785.	9. 10.	S. h.	Bot. reg. t. 1081.
BILLBERGIA. Th. BILLBERGIA. Hexandria Monogynia.								
1	zebrìna. B.M.	(ye.)	white-barred.	Brazil.	1825.	6. 7.	S. 4.	Bot. mag. t. 2656.
2	fasciàta. B.R.	(bl.)	banded.	—	—	8. 10.	S. 4.	Bot. reg. t. 1130.

3	inditolia. B.R. (ye.bl.) drooping.	Brazil.	1826.	3. 5.	S. 2.	Bot. reg. t. 1068.
4	mitana. B.R. (ye.bl.) pale-flowered.	S. America.	1810.	3. 11.	S. 2.	Lodd. bot. cab. t. 76.
	<i>Bromelia pallida</i> . Bot. reg. t. 344.					
5	pyramidalis. B.R. (cr.) pyramidal.	Brazil.		2. 4.	S. 2.	Bot. reg. t. 203.
	<i>Bromelia nudicaulis</i> . B.R. pyramidalis. Bot. mag. t. 1732.					
6	bicolor. B.R. (cr.bl.) two-coloured.	S. America.		—	S. 2.	Bot. reg. t. 1181.
7	nudicaulis. B.R. (st.) naked-stalked.	Trinidad.	1822.	4. 6.	S. 2.	Hook. ex. flor. t. 143.
8	tricolor. B.M. (bl.) blood-stained.	Brazil.	1824.	—	S. 2.	Bot. mag. t. 2892.
	BROMELIA. B.R. BROMELIA. Hexandria Monogynia.					
1	melanantha. B.R. (bk.) black-flowered.	Trinidad.	1823.	5. 7.	S. 2.	Bot. reg. t. 766.
2	fastuosa. L.col. (pu.) noble.	S. America.	1815.	8. 10.	S. 2.	Lindl. col. bot. t. 1.
3	lingulata. s.s. (ye.) tongue-leaved.	—	1759.	5. 6.	S. 2.	Plum. ic. t. 64. f. 1.
4	Karatas. s.s. (ro.) upright-leaved.	W. Indies.	1739.		S. 2.	Jacq. vind. 1. t. 31. 32.
5	humilis. s.s. (bl.) dwarf.	—	1789.	3.	S. 2.	Jacq. ic. 1. t. 60.
6	Pinguin. s.s. (re.) broad-leaved.	—	1699.	3. 4.	S. 2.	Jacq. am. ed. pict. t. 91.
7	chrysantha. s.s. (ye.) yellow-flowered.	S. America.	1820.	—	S. 2.	Jacq. schœn. 1. t. 55.
8	exulans. B.C. (ye.) clammy.	—	1816.	—	S. 2.	Lodd. bot. cab. t. 801.
9	paniculigera. s.s. (sc.) panicked.	W. Indies.	1822.	—	S. 2.	
10	sylvestris. s.s. (cr.) wild.	S. America	1820.	7. 8.	S. 2.	Bot. mag. t. 2392.
11	Acanga. s.s. (ye.) recurved.	—	1824.		S. 2.	Pis. bras. t. 91.
12	sessiliflora. L.C. sessile-flowered.	—	—		S. 2.	
	GUZMA'NNIA. R.P. GUZMA'NNIA. Hexandria Monogynia. S.S.					
	tricolor. R.P. (g.st.ro.) three-coloured.	S. America.	1818.	5. 6.	S. 2.	Lind. coll. bot. t. 8.
	PITCAIRNIA. S.S. PITCAIRNIA. Hexandria Monogynia. L.					
1	staminea. s.s. (sc.) long-stamened.	S. America.	1823.	1. 3.	S. 2.	Bot. mag. t. 2414.
2	integritolia. s.s. (sc.) entire-leaved.	W. Indies.	1800.	8.	S. 2.	— t. 1462.
3	latifolia. s.s. (sc.) broad-leaved.	—	1785.	8. 9.	S. 2.	— t. 856.
4	bracteata. R.L. (sc.) large bracted-red.	—	1799.	4. 5.	S. 2.	— t. 2813.
5	sulphurea. A.R. (st.) yellow-flowered.	—	1797.	6. 8.	S. 2.	Andr. reposit. t. 219.
	<i>bracteata</i> β <i>sulphurea</i> . Bot. mag. t. 1416.					
6	suaveolens. B.R. (st.) sweet-scented.	Brazil.	1826.	6. 7.	S. 2.	Bot. reg. t. 1069.
7	albidus. B.M. (wh.) white-flowered.	—	1824.	9. 12.	S. 2.	Bot. mag. t. 2642.
8	bromeliæfolia. s.s. (sc.) Pine-apple-leaved.	Jamaica.	1781.	6. 8.	S. 2.	— t. 821.
9	angustifolia. s.s. (sc.) narrow-leaved.	Santa Cruz.	1777.	12. 1.	S. 2.	— t. 1547.
10	furfuracea. B.M. (ro.) mealy.	S. America.	1818.	7. 9.	S. 2.	— t. 2657.
11	flammea. B.R. (sc.) flame-coloured.	Brazil.	1823.	11. 12.	S. 2.	— t. 1092.
12	media. L.C. (sc.) intermediate.	S. America.	—	7. 9.	S. 2.	
13	iridiflora. L.C. (sc.) Iris-flowered.	—	—	—	S. 2.	
14	humilis. L.C. (sc.) dwarf.	—	—	—	S. 2.	
	POURRETIA. R.P. POURRETIA. Hexandria Monogynia. S.S.					
1	lanuginosa. R.P. (gr.) woolly.	S. America.	1826.	4. 8.	S. 2.	Flor. peruv. 3. t. 256.
2	pyramidata. K.S. (st.) pyramidal.	—	1822.	4. 6.	S. 2.	— 3. t. 257.
3	coarctata. R.P. (ye.) crowded-spiked.	Chili.	—		S. 2.	Feuil. per. 3. t. 39.
	TILLANDSIA. L. TILLANDSIA. Hexandria Monogynia. L.					
1	usneoides. s.s. (ye.gr.) moss-like.	W. Indies.	1823.	4. 8.	S. 2.	Sloan. hist. t. 122. f. 2-3.
2	Bartramii. s.s. Bartram's.	Carolina.	1825.		S. 2.	
3	recurvata. s.s. (pu.) recurve-leaved.	Jamaica.	1793.	7.	S. 2.	Sloan. jam. 1. t. 121. f. 1.
4	xiphioides. B.R. (wh.) Xiphium-like.	Buenos Ayres.	1815.	—	S. 2.	Bot. reg. t. 105.
5	serrata. s.s. (ye.) saw-leaved.	Jamaica.	1793.	6. 7.	S. 2.	Plum. ic. 63. t. 75. f. 1.
6	lingulata. s.s. (ye.) tongue-leaved.	—	1776.	—	S. 2.	Jacq. amer. t. 62.
7	aculis. B.R. (wh.) stemless.	Brazil.	1826.	7. 9.	S. 2.	Bot. reg. t. 1157.
8	psittacina. B.M. (or.y.) gandy-flowered.	—	1827.	4. 8.	S. 2.	Bot. mag. t. 2841.
9	setacea. s.s. (st.) bristle-leaved.	Jamaica.	1822.	—	S. 2.	
10	stricta. s.s. (b.) stiff-leaved.	Brazil.	1810.	11.	S. 2.	Bot. mag. t. 1529.
11	bulbosa. H.E.F. (bl.) bulbous.	Trinidad.	1823.	8. 9.	S. 2.	Hook. ex. flor. t. 173.
12	aloiifolia. H.E.F. (st.) Aloe-leaved.	—	1824.	11. 12.	S. 2.	— t. 205.
13	pulchra. H.E.F. (wh.) pretty.	—	1822.	10. 11.	S. 2.	— t. 154.
14	anceps. E.C. (bl.) two-edged.	W. Indies.	1819.	7.	S. 2.	Lodd. bot. cab. t. 771.
15	uticulata. s.s. (st.) bottle.	S. America.	1793.	7. 8.	S. 2.	
16	tenuifolia. s.s. (sc.) slender-leaved.	W. Indies.	1822.	—	S. 2.	Plum. ic. 232. f. 2.
17	acutifolia. L.en. (st.) acute-leaved.	Brazil.	1815.	—	S. 2.	Bot. reg. t. 749.
	<i>flexuosa</i> β <i>pallida</i> . B.R.					
18	flexuosa. s.s. (sc.) flexuose.	W. Indies.	1790.	—	S. 2.	Jacq. amer. t. 63.
19	nitans. s.s. (bl.) nodding-spiked.	—	1793.	—	S. 2.	
20	fasciculata. s.s. (st.) bundled.	—	1822.	—	S. 2.	
21	nitida. H.E.F. (wh.) shining-leaved.	Jamaica.	1823.	11. 12.	S. 2.	Hook. ex. flor. t. 218.
22	polystachya. s.s. (st.) many-spiked.	W. Indies.	1820.	7. 9.	S. 2.	
23	angustifolia. s.s. (st.) narrow-leaved.	—	1822.	—	S. 2.	
24	paniculata. s.s. (st.) panicked.	—	1817.	—	S. 2.	Plum. ic. t. 237.

25 coarctata. G.C. crowded.	W. Indies.	1822.		S. 4.	
26 compressa. G.C. compressed.	_____	_____		S. 4.	
27 gracilis. G.C. slender.	_____	_____		S. 4.	
28 ramosa. G.C. branching.	_____	_____		S. 4.	
29 rigida. G.C. rigid.	_____	_____		S. 4.	
BUONAPARTEA. R.P. BUONAPARTEA. Hexandria Monogynia.					
junceæ. R.P. (H.) rush-leaved.	Peru.	1800.		S. 4.	Flor. peruv. 3. t. 242.

ORDO CCXVI.

TULIPACEÆ. *Kth. synops. 1. p. 292.*

YUCCA. L.		ADAM'S-NEEDLE. Hexandria Monogynia. L.			
1 conspicua. H.S.S. (wh.) broad rough-edged.	1810.	8. 10.	F. h.		
2 aloifolia. H.S.S. (wh.) Alce-leaved. W. Indies.	1696.	—	G. h.	Bot. mag. t. 1700.	
3 serrulata. H.S.S. (wh.) narrow saw-leaved. Carolina.	1808.		F. h.		
4 Draconis. H.S.S. (wh.) drooping-leaved. —	1732.	8. 9.	F. h.	Dill. elt. t. 321. f. 417.	
5 crenulata. H.S.S. (wh.) rough-edged oblique. —	1818.		F. h.		
6 arcuata. H.S.S. (wh.) arcuated. —	1817.		F. h.		
7 tenuifolia. H.S.S. (wh.) slender-leaved. Malta?	—		F. h.		
8 concava. H.S.S. (wh.) hollow-thready. N. America.	1816.	7. 8.	H. 4.		
9 filamentosa. H.S.S. (wh.) common-thready. Virginia.	1675.	7. 10.	H. 4.	Bot. mag. t. 900.	
10 flaccida. H.S.S. (wh.) flaccid-thready. N. America.	1816.	—	H. 4.		
11 puberula. H.P. (wh.) pubescent-stemmed. —	1822.	—	H. 4.	Swt. br. fl. gar. t. 251.	
12 glaucescens. H.S.S. (wh.) glaucescent. —	1815.	7. 8.	H. 4.	— t. 53.	
13 recurva. P.L. (wh.) recurved-leaved. Georgia.	1795.	8. 9.	H. h.	Sal. par. lond. t. 31.	
14 glauca. B.M. (st.) glaucous-leaved. Carolina.	1812.	—	H. 4.	Bot. mag. t. 2662.	
15 stricta. B.M. (gr. pu.) straight-leaved. —	1811.	—	H. h.	— t. 2222.	
16 angustifolia. H.S.S. (gr.) narrow-leaved. Missouri.	—	—	H. h.	— t. 2236.	
17 superba. H.S.S. (wh.) superb.		8. 10.	G. h.	Andr. reposit. t. 173.	
gloriosa. A.R. nec aliorum.					
18 acuminata. S.F.G. (br. w.) tapering-flowered. America.		7. 9.	H. h.	Swt. br. fl. gar. t. 195.	
19 gloriosa. H.S.S. (wh.) handsome. —	1596.	7. 8.	H. h.	Bot. mag. t. 1260.	
20 rufocincta. H.S.S. (wh.) rufous-edged. —	1816.	—	H. 4.		
21 obliqua. H.S.S. (wh.) oblique-leaved. —	1808.	—	H. 4.		
β major. H.S.S. (wh.) larger.			H. 4.		
22 spinosa. K.S. (pu. or.) spiny-leaved. Mexico.	1829.		G. h.		
TULIPA. L.		TULIP. Hexandria Monogynia. L.			
1 altaica. R.S. (ye.) Altaic. Altay mount.	1822.	4. 5.	H. b.		
2 saxatilis. R.S. (ye.) rocky. Crete.	1827.	—	H. b.	Reich. ic. rar. t. 396.	
3 patens. R.S. (wh. g. g.) spreading-flowered. Siberia.	1829.	—	H. b.		
4 stellata. B.M. (bh. wh.) starry. E. Indies.	1827.	3. 4.	G. b.	Bot. mag. t. 2762.	
5 montana. B.R. (cr.) mountain. Persia.	1826.	—	H. b.	Bot. reg. t. 1106.	
6 biflora. S.S. (wh. vi. ye.) two-flowered. Russia.	1806.	4.	H. b.	— t. 535.	
7 tricolor. F. three-coloured. —	1823.		H. b.		
8 Celsiana. S.S. (ye. re.) Cels's. Levant.		6. 7.	H. b.	Bot. mag. t. 717.	
Breyaniæ. B.M. nec aliorum.					
9 Biebersteiniæ. R.S. (y. pu.) Bieberstein's. Siberia.	1820.	—	H. b.		
repens. F. ?					
10 sylvestris. S.S. (ye.) wild. England.		4. 5.	H. b.	Eng. bot. v. 1. t. 63.	
11 tureica. Roth. (ye.) Florentine. S. Europe.		—	H. b.	Swt. br. fl. gar. t. 186.	
12 Clusiana. R.S. (sc. wh.) Clusius's. Sicily.	1636.	5. 6.	H. b.	Bot. mag. t. 1390.	
13 maculata. R.S. (ye. gr.) spotted-flowered. Spain.		—	H. b.		
14 media. R.S. (sc. wh.) intermediate.	1828.	—	H. b.		
15 cornuta. R.S. (ca.) horn-petaled. Levant.	1816.	5.	H. b.	Bot. reg. t. 127.	
16 undulata. (sc. re.) wave-leaved. Whitley's.	1829.	5. 6.	H. b.		
17 oculus solis. S.S. (sc. re.) Sun's-eye. S. Europe.	1816.	—	H. b.	Redout. lilac. t. 219.	
18 præcox. S.S. (sc. gr.) early-flowering. Naples.	1825.	3. 4.	H. b.	Swt. br. fl. gar. t. 157.	
19 persica. (sc. re.) Persian. Persia.	1826.	—	H. b.	Bot. reg. t. 1143.	
20 suaveolens. S.S. (sc. ye.) Van-Thol. S. Europe.	1603.	—	H. b.	Bot. mag. t. 839.	
21 pubescens. S.S. (ca.) woolly-stalked. —		—	H. b.	Swt. br. fl. gar. t. 78.	
22 Gesneriana. S.S. (ca.) common. Levant.	1577.	4. 5.	H. b.		
α coccinea. (sc. ve.) scarlet-flowered. Constantinople.		1816.	—	H. b.	Bot. reg. t. 380.
β versicolor. (va.) various-coloured. Levant.		—	—	H. b.	Bot. mag. t. 113.
γ simploniensis. (st. pu.) Semplan.			—	H. b.	Swt. flor. guid. t. 53.

ξ Alexandrina. (st. pu. ve.)	Alexandrina.			H.b.	Swt. flor. guid. t. 138.
ε Burnardiana. (st. pu. ve.)	Burnard's agitator.			H.b.	t. 132.
ζ Collingwoodii. (y. pu. ve.)	Lord Collingwood.			H.b.	t. 85.
η Leopoldi. (ye. ve.)	Prince Leopold.			H.b.	t. 128.
θ Georgii. (ye. ve.)	George the Fourth			H.b.	t. 89.
ι platyantha. (ye. ve.)	Platonis.			H.b.	t. 77.
κ imperialis. (ye. ve.)	Emperor of Austria.			H.b.	t. 103.
λ Migueli. (ye. ve.)	Don Miguel.			H.b.	t. 19.
μ Polyphemi. (ye. ve.)	Laurence's Polyphemus			H.b.	t. 7.
ν sanguifera. (ye. cr. ve.)	Bataille d' Eyleau			H.b.	t. 4.
ξ Duckettiana. (y. sc. ve.)	Sir George Duckett.			H.b.	t. 66.
ο Canningiana. (y. sc. ve.)	Strong's Canning.			H.b.	t. 135.
π regia. (ye. sc. ve.)	Strong's King.			H.b.	t. 42.
ρ Titiana. (ye. sc. ve.)	Titian.			H.b.	t. 109.
σ Juno. (wh. sc. pu.)	Rose Juno.			H.b.	t. 56.
τ Daphneana. (wh. cr.)	Rose Daphne.			H.b.	t. 83.
υ retusa. (wh. cr.)	Walworth.			H.b.	t. 26.
φ fulminea. (wh. sc.)	Bartlett's thunderbolt.			H.b.	t. 95.
χ Hilliana. (wh. sc.)	Lord Hill.			H.b.	t. 82.
ψ fulgens. (w. ro.)	Rose brillante.			H.b.	t. 5.
ω Crewea. (wh. sc.)	Sherwood's Lady Crewe.			H.b.	t. 153.
αα Victoriāna. (w. ro. cr.)	Princess Victoria.			H.b.	t. 38.
ββ Strongii. (w. cr. ve.)	Strong's high Admiral.			H.b.	t. 11.
γγ puella. (wh. ro.)	Pucelle d'Orleans.			H.b.	t. 50.
δδ principissa. (w. ro. cr.)	Strong's Duchess of Kent.			H.b.	t. 75.
εε purpureo-rosea. (w. ro. pu.)	Rose camusa de craix.			H.b.	t. 116.
ζζ iridiflora. (wh. pu.)	Strong's rainbow.			H.b.	t. 124.
ηη Hollandiana. (w. pu. ve.)	Lord Holland.			H.b.	t. 106.
θθ Ludoriana. (wh. ve.)	Louis XVI.			H.b.	t. 150.
ιι lancastriensis. (w. pu. ve.)	Lancashire hero.			H.b.	t. 119.
κκ marginata. (wh. ve.)	Davey's Trafalgar.			H.b.	t. 145.
λλ Penelopeana. (w. ve.)	Penelope.			H.b.	t. 57.
μμ Jenkinsoni. (w. ve.)	Goldham's Earl of Liverpool.			H.b.	t. 16.
νν Fredericiāna. (w. ve.)	Willmer's Duke of York.			H.b.	t. 121.
ξξ Buonaparteana. (w. ve.)	Buonaparte.			H.b.	t. 72.
οο augusta. (wh. ve.)	Grande Monarque			H.b.	t. 92.
ππ Lampsoniana. (w. ve.)	Lampson.			H.b.	t. 100.
ρρ Aglaiana. (wh. pu.)	Aglaia.			H.b.	t. 87.
σσ Alexandri. (wh. pu.)	Violet Alexander.			H.b.	t. 30.
ττ virginica. (wh. ve.)	Lady of the Lake.			H.b.	t. 62.
υυ Winefrediana. (w. v.)	Winefred.			H.b.	t. 141.
φφ Daceyana. (wh. ve.)	Daceyana.			H.b.	t. 35.
χχ Maria. (wh. ve. pu.)	Goldham's Maria.			H.b.	t. 48.
ψψ majesta. (wh. ve.)	Majestueuse.			H.b.	t. 39.
ωω alba. (wh. ve.)	Gloria alborum.			H.b.	t. 74.
ααα Charlotteana. (w. pu.)	Princess Charlotte's cenotaph.			H.b.	t. 23.
βββ plena. (va.)	double-flowered. Levant.	1577.	4. 5.	H.b.	
γγγ laciniata. (ye. re. pu.)	Parrot.			H.b.	
FRITILLARIA. L. FRITILLARY. Hexandria Monogynia. L.					
1 præcox. (wh.)	early white.	Europe.		3. 4.	H.b.
2 Meleagris β præcox. p.s.					
3 Meleagris. E.B. (pu. wh.)	chequered.	Britain.		3. 5.	H.b.
4 meleagroides. R.s. (d. vi.)	Altaic.	Altay.	1827.		H.b.
5 tenella. M.B. (br. pu.)	slender.	Caucasus.	1824.		H.b.
6 racemosa. α minor. B.M.	orientalis. Adam.				
7 nervosa. s.s. (d. pu.)	nerved-leaved.			4. 5.	H.b.
8 latifolia. β minor. B.M.					
9 lutea. M.B. (ye. pu.)	large yellow.		1812.		H.b.
10 latifolia. W. (pu. br.)	broad-leaved.		1604.		H.b.
11 ruthenica. s.s. (pu.)	Russian.		1820.		H.b.
12 messanensis. s.s. (pu. ye.)	Italian.	Italy.	1825.		H.b.
13 lusitana. s.s. (vi. ye.)	Portugal.	Portugal.			H.b.
14 nigra. B.M. (d. pu. ye.)	dark-flowered.	Pyrenees.	1596.	5.	H.b.
15 pyrenæica. B.M. nec aliorum.	aquitana. Clusius.				
16 racemosa. R.s. (br. pu.)	cluster-flowered.	Russia.	1605.	5. 6.	H.b.
17 pyrenæica. L. (pu.)	Pyrenean.	S. Europe.		4. 5.	H.b.
18 tulipifolia. M.B. (pu. vi.)	Tulip-leaved.	Caucasus.	1816.		H.b.
19 obliqua. B.M. (pu.)	oblique-leaved.			4.	H.b.
20 persica. B.M. (pu.)	Persian.	Persia.	1576.	4. 5.	H.b.
21 β minor. B.M. (pu.)	lesser.				H.b.
					Bot. mag. t. 962.
					Eng. bot. v. 9. t. 622.
					Bot. mag. t. 1216.
					Bot. mag. t. 853.
					Bot. mag. t. 1538.
					t. 1207.
					Bot. mag. t. 664.
					Bot. mag. t. 952.
					Flor. græc. t. 328.
					Bot. mag. t. 857.
					t. 1537.

17	verticillàta. F.	(pu.) acute-leaved.	Siberia.	1820.	4. 5.	H.b.	
18	scândens. F.	(st.) blunt-leaved.	————	1827.	————	H.b.	
19	leucántha. F.	(wh.) white-flowered.	Altay.	————	————	H.b.	
20	Imperiàlis. w.	(y.re.) Crown Imperial.	Persia.	1596.	3. 4.	H.b.	
	<i>a rubra.</i>	(re.) red-flowered.	————	————	————	H.b.	Bot. mag. t. 194.
	<i>β flava.</i>	(ye.) yellow-flowered.	————	————	————	H.b.	———— t. 1215.
CYCLOBO'THRA. S.F.G. CYCLOBO'THRA. Hexandria Monogynia.							
1	barbàta. s.F.G.	(ye.) bearded.	Mexico.	1827.	7. 8.	H.b.	Swt. br. fl. gar. t. 7.
	<i>Fritillària barbàta.</i>	K.S.					
2	purpùrea. s.F.G.	(pu.y.) purple-flowered.	————	————	————	H.b.	Swt. br. fl. gar. ser. 2.
CALOCHO'RTUS. Ph. CALOCHO'RTUS. Hexandria Monogynia.							
1	macrocàrpus. B.R.	(pu.) long-fruited.	Columbia.	1826.	7. 8.	H.b.	Bot. reg. t. 1152.
2	nítidus. D.	(pu.ye.) glossy.	————	————	————	H.b.	
AMBLI'RION. Raf. AMBLI'RION. Hexandria Monogynia.							
1	pùdicum.	(ye.) dwarf.	N. America.	1825.		H.b.	Pursh. fl. amer. t. 3.
	<i>Lilium pùdicum.</i>	Ph.					
2	lanceolàtum.	(pu.) spear-leaved.	————	1823.		H.b.	
	<i>Fritillària lanceolata.</i>	Ph. <i>Lilium affine.</i>	R.S.				
3	camtschateñse. (pu.)	Camtschatka.	Camtschatka.	1759.	5.	H.b.	Linn. trans. 10. t. 11.
	<i>Lilium camtschateñse.</i>	L.T.					
4	álbum.	(wh.) white-flowered.	N. America.	1825.	4.	H.b.	
	<i>Fritillària álba.</i>	N.					
LI'LIIUM. L. LILY. Hexandria Monogynia. L.							
1	cándidum. w.	(wh.) common white.	Levant.	1596.	6. 7.	H.b.	Bot. mag. t. 278.
	<i>β striatum.</i>	(wh.re.) striped-flowered.			————	H.b.	
	<i>γ spicatum.</i>	(wh.) monstros-flowered.			————	H.b.	
	<i>δ variegatum.</i>	(wh.) striped-leaved.			————	H.b.	
2	peregrinum. R.S.	(wh.) drooping-flowered.	————	————	————	H.b.	Hayn. getr. dars. 12.
3	lancifolium. R.S.	(wh.) spear-leaved.	Japan.	1824.		F.b.	
4	longiflorum. R.S.	(wh.) long-flowered.	————	1819.	7. 9.	F.b.	
	<i>β suarèolens.</i>	R.S. (wh.) one-flowered.	————	————	————	F.b.	Bot. reg. t. 599.
5	japónicum. R.S.	(wh.) Japan.	————	1804.	————	F.b.	Bot. mag. t. 1591.
6	bulbíferum. R.S.	(or.) bulb-bearing.	Italy.	1596.	————	H.b.	———— t. 36.
	<i>β umbellatum.</i>	B.M. (or.) umbel-flowering.	————	————	————	H.b.	———— t. 1018.
7	cròceum. R.S.	(sn.) saffron-color'd.	S. Europe.		————	H.b.	Redout. lilac. t. 219.
8	latifolium. L.en.	(or.) broad-leaved.	————		————	H.b.	
9	pubescens. R.S.	(or.) pubescent.	————		————	H.b.	
10	spectàbile. F.	(or.) showy Siberian.	Siberia.	1754.	————	H.b.	Swt. br. fl. gar. t. 7.
	<i>pensylvanicum.</i>	B.M. t. 872. <i>dauricum.</i>	B.M. 1210. in note.				
11	monadélphum. B.M.	(y.) monadelphous.	Caucasus.	1800.	6. 7.	H.b.	Bot. mag. t. 1405.
12	cóncolor. s.s.	(sc.or.) self-coloured.	————	1806.	7. 8.	F.b.	———— t. 1165.
13	pùmilm. s.s.	(sc.) dwarf.	Dahuria.	1816.	6. 8.	H.b.	Bot. reg. t. 132.
	<i>linifolium.</i>	Horn. <i>tenuifolium.</i>	R.S.				
14	andinum. N.	(sc.) umbel-flowered.	Andes.	1811.	7. 8.	H.b.	Bot. reg. t. 504.
	<i>umbellatum.</i>	Ph. <i>philadélphicum</i>	<i>β andinum.</i>	B.R.			
15	philadélphicum. w.	(or.) Philadelphian.	N. America.	1757.	————	H.b.	Bot. mag. t. 519.
16	Catesb'æi. w.	(sc.y.) Catesby's.	Carolina.	1787.	7. 9.	H.b.	———— t. 259.
17	caroliniànum. M.	(ye.) Carolina.	————	1820.	————	H.b.	Bot. reg. t. 580.
18	canadèñse. B.M.	(ye.) Canadian.	N. America.	1629.	7. 8.	H.b.	Bot. mag. t. 899.
	<i>β penduliflorum.</i>	R.L. red-flowered.	————	————	————	H.b.	Redout. lil. t. 105.
	<i>canadèñse</i>	<i>β. rubra.</i>	Bot. mag. t. 858.				
19	supérbum. w.	(ye.) superb.	————	1727.	6. 8.	H.b.	Bot. mag. t. 936.
20	Mártagon. w.	(va.) Turk's-cap.	Germany.	1596.	6. 7.	H.b.	Redout. lil. t. 149.
	<i>a glabrum.</i>	(pu.) smooth-stalked.	————	————	————	H.b.	Bot. mag. t. 1634.
	<i>β pubescens.</i>	(pu.) hairy-stalked.	————	————	————	H.b.	———— t. 893.
	<i>γ pàllidum.</i>	H. (li.) pale-flowered.	————	————	————	H.b.	
	<i>ε elatum.</i>	H. (pu.) tall.	————	————	————	H.b.	
	<i>ε dorsipunctum.</i>	H. (pu.) spotted backed.	————	————	————	H.b.	
	<i>ζ purpureum.</i>	H. (pu.) purple.	————	————	————	H.b.	
	<i>η perpurpureum.</i>	H. (pu.) dark purple.	————	————	————	H.b.	
	<i>θ ocellare.</i>	H. (pu.) eyed.	————	————	————	H.b.	
	<i>ι petiolare.</i>	H. (pu.) petioled.	————	————	————	H.b.	
	<i>κ purpureo-plènum.</i>	H. (pu.) double purple.	————	————	————	H.b.	
	<i>λ álbum.</i>	H. (wh.) white-flowered.	————	————	————	H.b.	
	<i>μ álbo-plènum.</i>	(wh.) double white.	————	————	————	H.b.	
21	tigrinum. B.M.	(or.bh.) tiger-spotted.	China.	1804.	7. 9.	H.b.	Bot. mag. t. 1237.
22	pyrenàicum. s.s.	(ye.) Pyrenean.	Pyrenees.	1596.	6. 7.	H.b.	Redout. lilac. t. 145.
23	chalcedónicum. w.	(sc.) scarlet Martagon.	Levant.	————	————	H.b.	Bot. mag. t. 39.
24	pompòniun. w.	(sc.) scarlet pompone.	Siberia.	1629.	5. 6.	H.b.	———— t. 971.

- palchellum*. F. pretty. Dahuria. 1829. . . . H.b.
GLORIOSA. L. **GLORIOSA**. Hexandria Monogynia. L.
 1 *viridescens*. B.M. (gr.) greenish-flowered. Mozambique. 1822. 7. 8. S. 4. Bot. mag. t. 2539.
 2 *superba*. L. (or.) superb. E. Indies. 1690. — S. 4. Bot. reg. t. 77.
 3 *simplex*. L. (bl.) simple-leaved. Senegal. 1756. — S. 4.
Melchalea gloriosa. Sal.
FRYTHRONIUM. L. **DOG'S TOOTH VIOLET**. Hexandria Monogynia. L.
 1 *Dens canis*. W. (pu.) common. Europe. 1596. 3. 4. H.b. Redout. liliac. t. 194.
 2 *americanum*. B.M. (yc.) yellow-flower'd. N. America. 1665. 4. 5. H.b. Bot. mag. t. 1113.
lanceolatum. Ph.
 3 *albidum*. N. (wh.) white American. — 1825. — H.b.

ORDO CCXVII.

MELANTHACEÆ. *Brown prodr.* 272.

- BULBOCODIUM**. W. **BULBOCODIUM**. Hexandria Monogynia. L.
 1 *vernum*. s.s. (li.) spring-flowering. Spain. 1629. 2. 3. H.b. Bot. mag. t. 153.
 2 *versicolor*. s.s. (li. ye.) various-colour'd. Russia. 1820. 9. 10. H.b. Bot. reg. t. 571.
Cochicum versicolor. B.R.
COLCHICUM. S.S. **MEADOW SAFFRON**. Hexandria Trigynia. L.
 1 *byzantinum*. s.s. (li.) broad-leaved. Levant. 1629. 9. 10. H.b. Bot. mag. t. 1122.
 2 *autumnale*. E.B. (li.) common. Britain. . . . — H.b. Eng. bot. v. 2. t. 133.
β album. (wh.) white flowered. — . . . — H.b.
γ multiplax. (li.) double-flowered. — . . . — H.b.
 3 *crociflorum*. B.M. (li.) Crocus-flowered. — . . . — H.b. Bot. mag. t. 2673.
 4 *variegatum*. W. (std.) chequer-flowered. Greece. 1629. 8. 10. H.b. — t. 1028.
 5 *arenarium*. s.s. (li.) sand. Hungary. 1816. 9. 10. H.b. W. et K. hung. 2. t. 179.
 6 *umbrosum*. F. (li.) wood. Siberia. — — H.b. Bot. reg. t. 541.
 7 *montanum*. s.s. (li.) mountain. S. Europe. 1818. — H.b.
UVULARIA. S.S. **UVULARIA**. Hexandria Monogynia. L.
 1 *perfoliata*. s.s. (gr. ye.) perfoliate. N. America. 1710. 5. 6. H. 4. Sm. exot. bot. 1. t. 49.
 2 *flava*. s.s. (ye.) yellow-flowered. — . . . — H. 4. — 1. t. 50.
 3 *lanceolata*. H.K. (ye.) spear-leaved. — 1710. 7. 8. H. 4. Cornut. canad. t. 41.
 4 *grandiflora*. H.K. (ye.) large yellow. — 1802. 5. 6. H. 4. Sm. exot. bot. 1. t. 51.
 5 *sessilifolia*. s.s. (st.) sessile-leaved. — 1790. 6. H. 4. — 1. t. 52.
 6 *puberula*. s.s. (ye.) pubescent. — 1818. — H. 4. Swt. br. fl. gar. s. 2. t. 21.
DISPORUM. D.P. **DISPORUM**. Hexandria Monogynia.
 1 *parviflorum*. D.P. (ye.) small-flowered. Nepaul. 1823. 6. 8. F. 4.
 2 *pusillum*. D.P. (ye.) umbel-flowered. — 1826. — F. 4.
 3 *fulvum*. Sal. (br. pu.) brown-flowered. China. 1801. 6. 11. F. 4. Bot. mag. t. 916.
Urtaria chinensis. E.M.
SCHELHAMMERA. B.P. **SCHELHAMMERA**. Hexandria Monogynia. S.S.
 1 *undulata*. B.P. (ro.) wave-leaved. N. S. W. 1825. 6. 9. F. 4. Bot. mag. t. 2712.
 2 *multiflora*. B.P. (ro.) many-flowered. — 1826. — F. 4.
BURCHARDIA. B.P. **BURCHARDIA**. Hexandria Monogynia. S.S.
umbellata. B.P. (wh.) umbel-flowered. N. S. W. 1825. 6. 8. F. 4.
ANGUILLARIA. B.P. **ANGUILLARIA**. Hexandria Trigynia.
 1 *dioica*. B.P. (br.) dioecious. N. S. W. 1826. . . . F. 4.
 2 *biglandulosa*. B.P. (br.) two-glanded. — 1822. 6. 8. F. 4.
 3 *indica*. B.P. (d. pu.) Indian. E. Indies. — — F. 4.
Melanthium indicum. L.
ORNITHOGLOSSUM. S.S. **BIRD'S-TONGUE**. Hexandria Trigynia. S.S.
 1 *undulatum*. B.F.G. (g. pu.) wave-leaved. C. B. S. 1825. 8. 10. F. b. Swt. br. fl. gar. t. 131.
 2 *viride*. s.s. (gr. br.) green-flowered. — 1788. 10. 11. F. b. Sal. par. lond. t. 51.
Melanthium viride. Bot. mag. t. 994.
ANDROCYMBIUM. W. **ANDROCYMBIUM**. Hexandria Trigynia. S.S.
 1 *melanthioides*. s.s. (gr.) narrow-leaved. C. B. S. 1825. 8. 10. F. b.
 2 *eucomoides*. s.s. (gr.) Tulip-leaved. — 1794. 3. 5. F. b. Swt. br. fl. gar. t. 165.
Melanthium eucomoides. B.M. 641.
 3 *volutare*. B.T. (gr.) rolled-leaved. — 1816. — F. b.
MELANTHIUM. W. **MELANTHIUM**. Hexandria Trigynia. L.
 1 *juncum*. W. (li.) Rush-leaved. C. B. S. 1788. 6. 11. F. b. Bot. mag. t. 558.
 2 *secundum*. W. (wh.) side-flowering. — 1812. — F. b. Lam. ill. t. 269. f. 2.

- 3 capense. w. (wh.) spotted-flowered. C. B. S. 1768. 5. 6. F.b.
 4 ciliatum. w. (wh.) fringed. ——— 1825. ——— F.b.
 5 gramineum. s.s. (wh.) grassy. Barbary. 1823. ——— F.b. Cavan. icon. t. 587. f. 1
KO'LBÆA. R.S. KO'LBÆA. Hexandria Trigynia.
 Breyniana. R.S. (ye.) Breynius's. C. B. S. 1787. 6. 7. F.b. Bot. mag. t. 707.
Melanthium uniflorum. w.
WURMB'EA. W. WURMB'EA. Hexandria Trigynia. W.
 1 campanulata. w. (wh.) bell-flowered. C. B. S. 1788. 5. 6. F.b. Bot. mag. t. 1291.
Melanthium monopetalum. B.M.
 2 purpurea. H.K. (pu.) purple. ——— ——— F.b. Bot. mag. t. 694.
Melanthium spicatum. B.M. Wurmbæa capensis. Andr. reposit. t. 221.
 3 pumila. w. (wh.) dwarf. C. B. S. 1800. 5. 6. F.b.
 4 longiflora. w. (wh.) long-flowered. ——— ——— F.b.
TOFIELDIA. L.T. TOFIELDIA. Hexandria Trigynia. S.S.
 1 palustris. L.T. (st.) Scotch. Britain. 7. 8. H. 4. Eng. bot. v. 8. t. 116.
 2 racemosa. Hop. (st.) racemed. Germany. 1827. ——— H. 4.
 3 alpina. L.T. (st.) Alpine. Europe. 7. 8. H. 4. Redout. lil. t. 246.
palustris. DC.
 4 pubens. L.T. (st.) downy. N. America. 1790. 4. 5. H. 4. Pluk. mant. 29. t. 342.
 5 glutinosa. L.T. (ye.) glutinous. ——— 1827. ——— H. 4. Linn. trans. v. 12. t. 872.
XEROPHYLLUM. M. XEROPHYLLUM. Hexandria Trigynia. S.S.
 1 gramineum. s.s. (wh.) grass-leaved. N. America. 1812. 5. 6. H. 4. Bot. mag. t. 1599.
Helonias graminea. B.M.
 2 tenax. s.s. (wh.) tough-leaved. ——— 1811. ——— H. 4. Pursh. amer. 1. t. 9.
 3 asphodeloides. s.s. (wh.) Asphodel-like. ——— 1765. ——— H. 4. Bot. mag. t. 718.
Helonias asphodeloides. B.M.
HELONIAS. W. HELONIAS. Hexandria Trigynia. L.
 1 bullata. w. (pu.) broad-leaved. N. America. 1758. 4. 5. H. 4. Bot. mag. t. 747.
latifolia. M.
 2 erythrosperma. M. (wh.) channel-leaved. ——— 1770. 6. H. 4. Bot. mag. t. 803.
lata. B.M. Melanthium latum. w.
 3 angustifolia. M. (wh.) narrow-leaved. ——— 1812. ——— H. 4. Bot. mag. t. 1540.
ZIGAD'ENUS. M. ZIGAD'ENUS. Hexandria Monogynia. S.S.
 1 glaberrimus. w. (wh.) smooth-leaved. N. America. 1811. 5. 6. H. 4. Mich. amer. 1. t. 32.
Helonias glaberrima. Bot. mag. t. 1680.
 2 bracteatus. (wh.) bracted. ——— ——— H. 4. Bot. mag. t. 1706.
Helonias bracteata. B.M.
 3 elegans. Ph. (wh.) elegant. ——— 1830. 6. 7. H. 4.
NOL'INA. M. NOL'INA. Hexandria Trigynia. S.S.
 georgiana. M. (wh.) Georgian. Georgia. 1812. 7. 8. H. 4. Pluk. mant. t. 342.
LEIMANTHIUM. W. LEIMANTHIUM. Polygamia Monœcia.
 virginicum. w. (wh.) Virginian. N. America. 1768. 6. 7. H. 4. Bot. mag. t. 985.
Helonias virginica. B.M. Melanthium virginicum. Ph.
 2 monoicum. (wh.) monoecious. ——— 1817. ——— H. 4.
Melanthium monoicum. Ph.
 3 hybridum. (wh.) hybrid. ——— 1822. ——— H. 4.
Melanthium hybridum. Ph. racemosum. M.
PELIOSA'NTHE. A.R. PELIOSA'NTHE. Hexandria Monogynia.
 1 humilis. A.R. (gr.) small. E. Indies. 1809. 5. 6. S. 4. Bot. mag. t. 1532.
 2 Teta. A.R. (gr.) large. ——— 1807. 4. S. 4. ——— t. 1302.
CYMATION. S.S. CYMATION. Hexandria Trigynia. R.S.
 laevigatum. s.s. (ll.) smooth. C. B. S. 1824. 4. 5. G.b.
Lichtensteinia laevigata. w.
VER'ATRUM. L. WHITE HELLEBORE. Polygamia Monœcia. L.
 1 nigrum. w. (da. pu.) dark-flowered. Siberia. 1596. 6. 7. H. 4. Bot. mag. t. 963.
 2 album. w. (wh.) white-flowered. S. Europe. 1548. 6. 8. H. 4. Flor. dan. t. 1120.
 3 Lobelianum. W.en. (wh.) Lobel's. ——— 1818. ——— H. 4.
 4 viride. w. (gr.) green-flowered. N. America. 1742. 7. 8. H. 4. Bot. mag. t. 1006.
 5 parviflorum. M. (gr.) small-flowered. ——— 1809. ——— H. 4.
 6 angustifolium. Ph. (gr.) narrow-leaved. ——— 1823. ——— H. 4.
CHAMELIRIUM. W. CHAMELIRIUM. Diœcia Hexandria.
 carolinianum. w. (st.) spiked-flowered. N. America. 1759. 7. 8. H. 4. Bot. mag. t. 1002.
Helonias lutea. B.M. dioica. Ph. Ophyostachys virginica. Redout. liliac. t. 464.

ORDO CCXVIII.

PONTEDEREÆ. *Kth. synops.* 1. p. 273.

PONTEDERIA. L.	PONTEDERIA.	Hexandria	Monogynia. L.	
1 cordata. s.s.	(bl.) heart-leaved.	N. America.	1759.	6. 8. H.w. 4. Bot. mag. t. 1156.
2 macro. s.s.	(pu.) large-flowered.	Jamaica.	1822.	— S.w. 4. ——— t. 2932.
3 lanceolata. s.s.	(bl.) lanceolate.	Carolina.		8. 9. G.w. 4. Lodd. bot. cab. t. 613.
4 angustifolia. s.s.	(bl.) narrow-leaved.	N. America.	1806.	6. 8. H.w. 4.
5 crassipes. s.s.	(bl.) thick-footstalked.	Brazil.	1822.	— S.w. 4. Mart. n. pl. bras. t. 4.
6 dilatata. s.s.	(bl.) spreading.	E. Indies.	1836.	5. S.w. 4. Andr. reposit. t. 490.
HETERANTHERA. R.S.	HETERANTHERA.	Triandria	Monogynia. W.	
1 reniformis. R.S.	(wh.) kidney-leaved.	S. America.	1812.	6. 7. G.w. 4. Flor. per. 1. t. 71. f. a.
2 acuta. W.	(wh.) acute-leaved.	N. America.	—	— H.w. 4.
3 ovata. R.S.	(bl.) oval-leaved.	W. Indies.	1822.	— S.w. 4. Mich. amer. 1. t. 5. f. 1.
LEPTANTHUS. M.	LEPTANTHUS.	Triandria	Monogynia. Ph.	
1 gramineus. M.	(gc.) grass-like.	N. America.	1823.	7. 8. H.w. 4. Hook. ex. flor. t. 94.
<i>Heteranthera graminea.</i> Ph. <i>Schöllera graminifolia.</i> w.				

ORDO CCXIX.

COMMELINEÆ. *Brown prodr.* 1. p. 268.

DICHORISANDRA. S.S.	DICHORISANDRA.	Hexandria	Monogynia. S.S.	
1 thyrsiflora. s.s.	(bl.) bunch-flowered.	Brazil.	1820.	8. 10. S. 4. Bot. reg. t. 682.
2 gracilis. s.s.	(ll.) slender.	—	1824.	— S. 4.
3 corymbosa. R.S.	(pu.) sharp-flowered.	—	1825.	6. 9. S. 4. Bot. mag. t. 2721.
4 puberula. s.s.	(bl.) pubescent.	—	—	— S. 4.
CAMPANIA. K.S.	CAMPANIA.	Hexandria	Monogynia. S.S.	
1 Zanonia. K.S.	(wh.) Gentian-leaved.	S. America.	1759.	7. 12. S. 4. Redout. lil. 4. t. 192.
<i>Campania Zanonia.</i> R.L. <i>Tradescantia Zanonia.</i> w. <i>Zanonia bibracteata.</i> Cram.				
TRADESCANTIA. L.	SPIDERWORT.	Hexandria	Monogynia. L.	
1 fuscata. s.s.	(bl.) rusty.	S. America.	1820.	8. 12. S. 4. Bot. reg. t. 482.
2 malabarica. s.s.	(pu.) Grass-leaved.	E. Indies.	1776.	7. 8. S. 4. Rheed. mal. 9. t. 63.
3 tuberifera. s.s.	(bl.) tuberous-rooted.	—	1817.	— S. 4.
4 speciosa. s.s.	(pu.) handsome.	Mexico.	1825.	— S. 4.
5 discolor. s.s.	(wh.) purple-leaved.	S. America.	1783.	4. 9. S. 4. Bot. mag. t. 1192.
6 cordifolia. s.s.	(pu.) heart-leaved.	Jamaica.	1822.	— S. 4.
7 erecta. s.s.	(bl.) upright.	Mexico.	1794.	7. 8. H. 4. Bot. mag. t. 1340.
8 undulata. s.s.	(bl.) wave-leaved.	S. America.	1817.	8. 10. H. 4.
9 pulchella. s.s.	(pu.) pretty.	Mexico.	1825.	— G. 4.
10 crassifolia. s.s.	(pu.) thick-leaved.	—	1796.	7. 10. H. 4. Bot. mag. t. 1598.
11 schaspera. s.s.	(bl.) Lyon's.	N. America.	1812.	5. 10. H. 4. ——— t. 1597.
12 virginica. s.s.	(bl.) Virginian.	—	1629.	5. 8. H. 4. Park. parad. t. 151. f. 4.
13 carulea.	(bl.) blue-flowered.	—	—	— H. 4. Bot. mag. t. 105.
14 rubra.	(re.) red-flowered.	—	—	— H. 4.
15 alba.	(wh.) whitish-flowered.	—	—	— H. 4.
16 nivea.	(wh.) snowy white.	—	1824.	— H. 4.
17 pilosa. B.R.	(bl.) hairy.	—	1827.	— H. 4. Bot. reg. t. 1955.
18 congesta. H.E.	(bl.) close-flowered.	—	1825.	— H. 4.
19 rosea. s.s.	(ro.) rose-coloured.	Carolina.	1802.	5. 10. H. 4. Swt. br. fl. gar. t. 181.
20 multiflora. s.s.	(wh.) many-flowered.	Jamaica.	1824.	— S. 4.
21 crassula. B.M.	(wh.) white-flowered.	Brazil.	1826.	12. 1. S. 4. Bot. mag. t. 2935.
22 procumbens. s.s.	(wh.) procumbent.	Caracas.	1823.	— S. 4. Jacq. ic. 2. t. 355.
<i>multiflora.</i> Jacq. non w.				
23 parviflora. s.s.	(bl.) small-flowered.	Peru.	1822.	— H. 4. Flor. per. 3. t. 272. f. 2.
24 latifolia. s.s.	(ri.) broad-leaved.	Lima.	1820.	9. 11. H. 4. ——— 3. t. 272.
25 divaricata. s.s.	(bl.) spreading.	Trinidad.	—	5. 8. S. 4. Aub. gui. 1. t. 12.
26 geniculata. s.s.	(wh.) knotted.	W. Indies.	1783.	7. 8. S. 4. Jacq. amer. t. 64.
27 paniculata. s.s.	(bl.) panicled.	E. Indies.	1824.	— S. 4.

CYAN'OTIS. D.P.		CYAN'OTIS.	Hexandria Monogynia.				
1 axillàris. D.P.	(bl.)	axil-flowered.	E. Indies.	1822.	8. 10.	S. ☉.	Rheed. mal. 10. t. 1.
2 cristàta. D.P.	(bl.)	crest-bunched.	Ceylon.	1770.	7. 9.	S. ☉.	Bot. mag. t. 1135.
<i>Tradescántia cristàta.</i> B.M.							
3 barbàta. D.P.	(bl.)	bearded.	Nepaul.	1824.	—	H. ☉.	
CARTON'EMA. B.P.		CARTON'EMA.	Hexandria Monogynia.				
spicàtum. B.P.	(ye.)	spiked.	New Holland.	1822.	7. 8.	S. 4.	
CALLISIA. L.		CALLISIA.	Triandria Monogynia. L.				
rèpens. L.	(gr.)	creeping.	W. Indies.	1776.	6. 7.	S. 4.	Jacq. amer. t. 11.
ANEIL'EMA. B.P.		ANEIL'EMA.	Triandria Monogynia.				
1 biflòra. B.P.	(bl.)	two-flowered.	N. S. W.	1820.	7. 8.	F. 4.	
2 acuminàta. B.P.	(bl.)	sharp-pointed.	—	1822.	—	F. 4.	
3 longifòlia. H.E.F.	(bl.)	long-leaved.	Zanzibar.	1823.	8. 9.	S. 4.	Hook. ex. flor. t. 24.
4 sínica. B.R.	(bl.)	Chinese.	China.	1820.	5. 6.	G. 4.	Bot. reg. t. 639.
5 nudiflòra. B.P.	(bl. pu.)	naked-flowered.	E. Indies.	—	8. 10.	S. ☉.	Rheed. mal. 9. t. 6.
6 spiràta. B.P.	(bl.)	spear-leaved.	—	1783.	7. 8.	S. ☉.	
<i>Commelina spiràta.</i> L.							
7 affinis. B.P.	(bl.)	rough-angled.	N. S. W.	1825.	—	F. 4.	
COMMEL'INA. B.P.		COMMEL'INA.	Triandria Monogynia. L.				
1 angustifòlia. R.S.	(bl.)	narrow-leaved.	Carolina.	1812.	7. 8.	F. 4.	
2 truncàta. R.S.	(pa. bl.)	truncate-bracted.	—	1822.	7. 9.	H. 4.	
3 cyànea. E.P.	(bl.)	bright blue.	N. S. W.	1820.	—	F. 4.	
4 dianthifòlia. DC.	(bl.)	Pink-leaved.	—	1816.	—	S. 4.	Redout. lil. 7. t. 3.
5 longicaùlis. R.S.	(bl.)	long-stalked.	Caracas.	1806.	8.	S. 4.	Jacq. ic. 2. t. 234.
6 hirtèlla. R.S.	(bl.)	hairy.	N. America.	1820.	7. 8.	H. 4.	
7 virgínica. R.S.	(bl.)	Virginian.	—	1779.	—	H. 4.	Pluk. alm. t. 174. f. 4.
8 africàna. R.S.	(ye.)	yellow-flowered.	C. B. S.	1759.	5. 10.	G. 4.	Bot. mag. t. 1131.
9 fasciculàta. R.S.	(bl.)	woolly tubered.	Lima.	1817.	—	H. 4.	Flor. per. 1. t. 72. f. 1.
10 communis. R.S.	(bl.)	common.	America.	1732.	6. 7.	H. ☉.	Redout. lil. 4. t. 2.
11 polygàma. R.S.	(bl.)	polygamous.	Japan.		—	H. 4.	Kampf. am. p. 88. f. 1.
12 caroliniàna. R.S.	(bl.)	Carolina.	Carolina.		—	H. 4.	
13 dùbia. R.S.	(bl.)	dubious.	—	1819.	7. 9.	H. 4.	Redout. lil. 6. t. 3.
14 tuberòsa. R.S.	(bl.)	tuberous-rooted.	Mexico.	1732.	—	H. 4.	Andr. reposit. t. 3.
15 cœléstis. R.S.	(bl.)	sky-blue.	—	1813.	7. 10.	H. 4.	Swt. br. fl. gar. t. 2.
16 pàllida. R.S.	(bl.)	pale-flowered.	Mexico.	1822.	—	H. 4.	Willd. hort. ber. 2. 187.
<i>rùbens.</i> Redoute lilac. 7. t. 367.							
17 turbinàta. R.S.	(bl.)	top-shaped.	Santa Cruz.	1824.	—	S. 4.	
18 obliqua. R.S.	(bl.)	oblique-leaved.	S. America.	1827.	—	S. 4.	
19 erécta. R.S.	(bl.)	upright.	Virginia.	1732.	8. 9.	H. 4.	Dill. elt. 91. t. 77. f. 1.
20 móllis. R.S.	(bl.)	soft.	Caracas.	1804.	—	H. 4.	Jacq. ic. 2. t. 236.
21 bengalénsis. R.S.	(bl.)	Bengal.	Bengal.	1794.	6.	S. 4.	Burm. ind. t. 7. f. 3.
22 parviflòra. L.en.	(bl.)	small-flowered.	—	1823.	—	S. 4.	
23 deficiens. B.M.	(bl.)	deficient.	Brazil.	1825.	1. 12.	S. 4.	Bot. mag. t. 2311.

ORDO CCXX.

PALMÆ. *Brown prodr. p. 266.*

CHAM'ED'OREA. W.		CHAM'ED'OREA.	Diœcia Hexandria. W.				
1 grácilis. W.	(st.)	slender.	Caracas.	1803.		S. h.	Jacq. schœn. 2. t. 237.
2 fràgrans. M.P.	(st.)	fragrant.	Pern.	1823.			Martius Palm. ic.
S'ABAL. P.S.		S'ABAL.	Hexandria Trigynia. P.S.				
1 Adansòni. B.M.	(st.)	dwarf.	Florida.	1810.	6. 8.	S. 4.	Bot. mag. t. 1134.
<i>Còrypha minor.</i> Jacq. vind. 3. t. 8. <i>Cham'ærops acàulis.</i> M.							
2 Blackburniàna. L.C.	(st.)	Blackburn's.	S. America.	1824.		S. 4.	
3 graminifòlia. L.C.	(st.)	grass-leaved.	—	1822.		S. 4.	
4 umbraculífera. L.C.	(st.)	umbrella.	—	—		S. 4.	
RHA'PIS. W.		RHA'PIS.	Polygamia Monœcia. W.				
1 flabellifórmis. W.	(st.)	creeping-rooted.	China.	1774.	8.	S. 4.	Bot. mag. t. 1371.
2 arundinàcea. W.	(st.)	simple-leaved.	Carolina.	1765.	9.	G. h.	
CHAM'ÆROPS. W.		CHAM'ÆROPS.	Polygamia Diœcia. W.				
1 excélsa. L.C.	(st.)	tall.	Nepaul.	1822.		S. h.	
2 grácilis. L.C.	(st.)	slender.	S. America.	—		S. h.	
3 guianénsis. L.C.	(st.)	Guiana.	Guiana.	1824.		S. h.	
4 humilis. s.s.	(st.)	dwarf fan palm.	S. Europe.	1731.	2. 3.	G. h.	Andr. reposit. t. 3.

1 serrulata. S.S.	(st.) saw-leaved.	N. America.	1809.		G. h.	
2 Hystrix. S.S.	(st.) Porcupine.	Georgia.	1801.		G. h.	
3 Pinnatifida. S.S.	(st.) smooth-stemm'd.	Carolina.	1809.		G. h.	
LIVISTONA. B.P.	LIVIST'ONA.	Hexandria Monogynia.	S.S.			
1 spinosa. B.P.	(st.) spineless.	N. Holland.	1823.		S. h.	
2 spinosa. B.P.	(st.) dwarf spiny.	—	—		S. h.	
LODICEA. S.S.	DOUBLE COCOA-NUT.	Diœcia Monadelphina.				
Seychellarum. B.M.	(st.) Seychelle's Island.	Seychelle's Isl.	1827.		S. h.	Bot. mag. t. 2734-2738.
LATANIA. W.	LAT'ANIA.	Diœcia Monadelphina.	W.			
1 rubra. W.	(st.) red.	Mauritius.	1788.		S. h.	Jacq. frag. 1. t. 8.
2 glaucophylla. L.C.	(st.) glaucous-leaved.	—	1821.		S. h.	
3 borbonica. W.	(st.) Bourbon.	Bourbon.	—		S. h.	Jacq. frag. 1. t. 11.
4 atrovirens. Jacq.	Livis'ona species? B.P.					
CORYPHA. L.	FAN PALM.	Hexandria Monogynia.	W.			
1 australis. B.P.	(st.) New Holland.	N. S. W.	1822.		S. h.	
2 alta. H.B.	(st.) tall.	E. Indies.	1820.		S. h.	
3 glaucescens. L.C.	(st.) glaucescent.	—	—		S. h.	
4 macrocarpa. W.	(st.) great.	—	1742.		S. h.	Rheed. mal. 3. t. 1-12.
5 Uta. S.S.	(st.) Molucca.	—	1822.		S. h.	
TALIERA. S.S.	TAL'IERA.	Hexandria Monogynia.	S.S.			
1 bengalensis. S.S.	(st.) Bengal.	E. Indies.	1822.		S. h.	
2 cyclophora. H.B.						
PHOENIX. W.	DATE PALM.	Diœcia Hexandria.	W.			
1 dactylifera. W.	(st.) common.	Levant.	1597.		G. h.	Kæmpf. am. 686. t. 1.2.
2 sylvestris. H.B.	(st.) wood.	E. Indies.	1820.		S. h.	
3 paludosa. H.B.	(st.) marsh.	—	—		S. h.	
4 reclinata. W.	(st.) reclining.	C. B. S.	1792.		G. h.	Jacq. frag. 1. t. 24.
5 minor. W.	(st.) small.	E. Indies.	1800.		S. h.	Roxb. corom. 1. t. 74.
6 aridis. S.S.	(st.) stalkless.	—	1820.		S. 4.	
7 africana. L.C.	(st.) African.	Sierra Leon.	—		S. h.	
8 pygmaea. L.C.	(st.) pigmy.	—	—		S. 4.	
SAGUS. W.	SAGO PALM.	Monœcia Hexandria.	W.			
1 Rumphii. W.	(st.) Rumphius's.	E. Indies.	1800.		S. h.	Rumph. amb. 1. t. 17. 18.
2 virens. P.S.	(st.) prickly-leaved.	Africa.	1820.		S. h.	Beauv. fl. d'ow. t. 45.
3 Rafia. W.	(st.) Madagascar.	Madagascar.	—		S. h.	Jacq. frag. p. 7. t. 4. f. 2.
4 palanculata. Poir.	(st.) peduncled.	—	—		S. h.	
HYPH'ENE. G.	HYPH'ENE.	Diœcia Hexandria.				
1 coriacea. G.	(st.) leathery.	Egypt.	1822.		S. h.	
2 thebaica. Del.						
ARECA. W.	CABBAGE-TREE.	Monœcia Monadelphina.	W.			
1 Catechu. W.	(st.) medicinal.	E. Indies.	1690.		S. h.	Roxb. corom. 1. t. 75.
2 latifolia. W.	(st.) dwarf.	—	1814.		S. h.	Rumph. amb. 1. t. 7.
3 rubra. W.	(st.) red.	Isl. France.	1823.		S. h.	
4 cinnam. W.	(st.) hairy.	—	1819.		S. h.	
5 dracaena. W.	(st.) esculent.	W. Indies.	1656.		S. h.	Jacq. amer. t. 170.
6 triandra. H.B.	(st.) three-anthered.	E. Indies.	1819.		S. h.	
7 lutescens. W.	(st.) yellowish.	Mauritius.	—		S. h.	
8 exilis. L.C.	(st.) slender.	—	1822.		S. h.	
9 Manicot. L.C.	(st.) Manicot.	—	—		S. h.	
10 montana. L.C.	(st.) mountain.	—	1819.		S. h.	
CENOCARPUS. M.P.	CENOC'RPUS.	Monœcia Hexandria.				
1 Batana. M.P.	(st.) American.	S. America.	1822.		S. h.	Martius. palm. ic.
ELTERPE. G.	ELTE'RPE.	Polygamia Monœcia.				
1 globosa. G.	(st.) globular.	E. Indies.	1819.		S. h.	
2 spicata. Lam.						
3 pisifera. G.	(st.) Pea-bearing.	—	—		S. h.	
WALLICHIA. S.S.	WALLI'CHIA.	Polygamia Monœcia.				
1 caryotendes. S.S.	(st.) Caryota-like.	E. Indies.	1818.		S. h.	Roxb. corom. ic.
ELAIS. W.	OILY PALM.	Diœcia Hexandria.	W.			
1 guineensis. W.	(st.) Guinea.	Guinea.	1780.		S. h.	Jacq. amer. t. 172.
2 black-fruited. G.	(st.) black-fruited.	S. America.	1820.		S. h.	
3 pernambucana. L.C.	(st.) Pernambuco.	—	—		S. h.	
SYAGRUS. M.P.	SYA'GRUS.	Polygamia Monœcia.				
1 coccolides. M.P.	(st.) Cocoa-like.	Brazil.	1823.		S. h.	Mart. palm. ic.
ELATE. W.	EL'ATE.	Monœcia Hexandria.				
1 spicata. W.	(st.) prickly-leaved.	E. Indies.	1763.	4. 6.	S. h.	Rheed. mal. 3. t. 22-25.
ACROCOMIA. M.P.	ACROC'OMIA.	Monœcia Hexandria.				
1 dry-fruited. M.P.	(st.) dry-fruited.	Brazil.	1822.		S. h.	Mart. palm. ic.
2 prickly. L.C.	(st.) prickly.	W. Indies.	1796.		S. h.	Jacq. amer. 278. t. 109.
3 aculeata. W.						

3 fusifórmis.	(st.) great Macaw-tree.	W. Indies.	1731.		S. h.	
<i>Cocos fusifórmis.</i>	w.					
4 mìnor. L.C.	(st.) lesser.	S. America.	1823.		S. h.	
COCOS. W.	COCOA-NUT-TREE.	Monœcia Hexandria.	W.			
1 nucífera. w.	(st.) common.	E. Indies.	1690.		S. h.	Roxb. corom. 1. t. 7.
2 flexuòsa. M.P.	(st.) flexuose.	Brazil.	1823.		S. h.	Mart. palm. ic.
3 plumòsa. L.C.	(st.) feathered.	W. Indies.	—		S. h.	
MAXIMILI'ANA. M.P.	MAXIMILI'ANA.	Polygamia Monœcia.				
règia. M.P.	(st.) membranous-fl'd.	Brazil.	1822.		S. h.	Mart. palm. ic.
THRINAX. W.	THRINAX.	Hexandria Monogynia.	W.			
parviflòra. w.	(st.) small.	Jamaica.	1778.		S. h.	
ASTROC'ARYUM. M.P.	ASTROC'ARYUM.	Monœcia Hexandria.				
1 acaùle. M.P.	(st.) stalkless.	Brazil.	1823.		S. 4.	Mart. palm. ic.
2 campèstre. M.P.	(st.) field.	—	1824.		S. h.	— ic.
3 aculeàtum. s.s.	(st.) prickly.	Guiana.	—		S. h.	
4 vulgàre. M.P.	(st.) common.	Brazil.	1823.		S. h.	Mart. palm. ic.
5 Murumùru. M.P.	(st.) tall.	—	—		S. h.	— ic.
GEON'OMA. W.	GEON'OMA.	Diœcia Hexandria.				
1 simplici-frons. w.	(st.) simple-fronded.	S. America.	1823.		S. 4.	
2 macrostàchys. M.P.	(st.) large-spiked.	—	—		S. 4.	Mart. palm. ic.
3 acaùlis. M.P.	(st.) stalkless.	Brazil.	1822.		S. 4.	— ic.
4 pinnàtifrons. w.	(st.) pinnated.	S. America.	—		S. 4.	
5 Schottiana. L.C.	(st.) Schott's.	Brazil.	—		S. 4.	
MAURITIA. L.	MAURITIA.	Diœcia Hexandria.	W.			
1 flexuòsa. w.	(st.) flexuose.	W. Indies.	1819.		S. h.	
2 armàta. M.P.	(st.) spiny.	Brazil.	1822.		S. h.	Mart. palm. ic.
3 vinífera. M.P.	(st.) straight-stem'd.	—	—		S. h.	— ic.
LICU'ALA. W.	LICU'ALA.	Hexandria Monogynia.	W.			
1 spinòsa. w.	(st.) spiny.	E. Indies.	1802.		S. h.	Rumph. amb. 1. t. 2.
2 peltàta. H.P.	(st.) peltate.	—	1819.		S. h.	
CA'LAMUS. W.	CA'LAMUS.	Hexandria Monogynia.	S.S.			
1 vèrus. s.s.	(st.) true.	E. Indies.	1820.		S. h.	Rumph. amb. 5. t. 34.
2 nìger. s.s.	(st.) black.	—	—		S. h.	— 5. t. 32.
3 rudéntum. s.s.	(st.) common.	China.	1812.		S. h.	
4 Zalacca. s.s.	(st.) Java.	E. Indies.	—		S. h.	Gært. fr. 2. t. 139. f. 1.
5 àlbus. P.S.	(st.) common.	—	—		S. h.	Rumph. amb. 5. t. 32.
6 Dràco. s.s.	(st.) Dragon.	—	1819.		S. h.	— 5. t. 33. f. 1.
SEAFO'RTHIA. B.P.	SEAFO'RTHIA.	Polygamia Monœcia.				
èlegans. B.P.	(st.) elegant.	N. Holland.	1822.		S. h.	
CARYOTA. W.	CARYOTA.	Monœcia Polyandria.	W.			
1 ùrens. w.	(st.) torn-leaved.	E. Indies.	1788.		S. h.	Rheed. mal. 1. t. 11.
2 hòrrida. w.	(st.) horrid.	S. America.	1820.		S. h.	
DIPLOTH'EMIUM. M.P.	DIPLOTH'EMIUM.	Polygamia Monœcia.				
1 marítimum. M.P.	(st.) sea-side.	Brazil.	1823.		S. 4.	Mart. palm. ic.
2 campèstre. M.P.	(st.) field.	—	—		S. 4.	— ic.
ATT'ALEA. K.S.	ATT'ALEA.	Monœcia Polyandria.				
1 hùmilis. M.P.	(st.) dwarf.	Brazil.	1823.		S. h.	Mart. palm. ic.
2 cómpita. M.P.	(st.) decked.	—	—		S. h.	— ic.
3 funífera. M.P.	(st.) rope-bearing.	—	—		S. h.	— ic.
4 excélsa. M.P.	(st.) lofty.	—	—		S. h.	— ic.
5 speciòsa. M.P.	(st.) handsome.	—	1824.		S. h.	— ic.
6 Róssii. L.C.	(st.) Ross's.	—	—		S. h.	
7 spectábilis. L.C.	(st.) showy.	—	—		S. h.	
GOM'UTUS. S.S.	GOM'UTUS.	Monœcia Polyandria.				
saccharífer. s.s.	(st.) sugar-bearing.	E. Indies.	1820.		S. h.	
MANIC'ARIA. G.	MANIC'ARIA.	Polygamia Monœcia.				
saccífera. G.	(st.) bag-like.	E. Indies.	1822.		S. h.	Gært. sem. 2. t. 172.
BORA'SSUS. W.	BORA'SSUS.	Diœcia Hexandria.	W.			
flabellifórmis. w.	(st.) fan-leaved.	E. Indies.	1771.		S. h.	Roxb. corom. 1. t. 51. f. 2.
N'IPA. W.	N'IPA.	Monœcia Monadelphina.	W.			
fruticans. w.	(st.) shrubby.	E. Indies.	1822.		S. h.	Rumph. amb. 1. t. 16.
DESMO'NCUS. M.P.	DESMO'NCUS.	Monœcia Monadelphina.				
1 polyacáanthus. M.P.	(st.) many-spined.	Brazil.	1822.		S. h.	Mart. palm. ic.
2 orthacáanthus. M.P.	(st.) long-spined.	—	—		S. h.	— ic.
3 americanus. L.C.	(st.) American.	S. America.	1823.		S. h.	
4 dùbius. L.C.	(st.) doubtful.	—	—		S. h.	
BA'CTRIS. W.	BA'CTRIS.	Monœcia Hexandria.	W.			
1 pectinàta. M.P.	(st.) pectinated.	Brazil.	1825.		S. h.	Mart. palm. ic.
2 cuspidàta. M.P.	(st.) sharp-pointed.	—	—		S. h.	

3 minor. w.	(st.) lesser.	S. America.	1691.		S. h.	Jacq. amer. t. 171. f. 1.
4 macracantha. M.P.	(st.) large-spined.	Brazil.	1822.		S. h.	Mart. palm. ic.
5 major. w.	(st.) greater.	Carthageria.	1800.		S. h.	Jacq. amer. t. 171. f. 2.
6 caryotæfolia. n.p.	(st.) Caryota-leaved.	Brazil.	1825.		S. h.	Mart. palm. ic.

ORDO CCXXI.

JUNCEÆ. *Brown prodr. 1. p. 257.*

KINGIA. L.T.		GRASS-TREE. Hexandria Monogynia.					
australis. L.T.	(st.) southern.	N. Holland.	1830.		G. h.		
XEROTES. B.P.		XEROTES. Diœcia Hexandria.					
1 flexifolia. B.P.	(st.) bending-leav'd.	N. S. W.	1819.	6. 8.	F. 4.	Thunb. diss. drac. 17. f. 2.	
2 mucronata. B.P.	(st.) mucronated.	—	1823.	—	F. 4.		
3 filiformis. B.P.	(st.) filiform.	—	—	—	F. 4.	Th. dis. drac. n. 1. ic.	
<i>Dracæna filiformis. Th.</i>							
4 denticulata. B.P.	(st.) toothed.	—	1825.	—	F. 4.		
5 laxa. B.P.	(st.) loose-flowered.	—	1819.	—	F. 4.		
6 rigida. B.P.	(st.) stiff-leaved.	N. Holland.	1796.	6. 7.	F. 4.	Lodd. bot. cab. t. 798.	
<i>Lomandra rigida. Lab. n. hol. 1. t. 120.</i>							
7 montana. B.P.	(st.) mountain.	N. S. W.	1821.	—	F. 4.		
8 longifolia. B.P.	(st.) long-leaved.	—	1796.	—	F. 4.	Lab. nov. hol. 1. t. 19.	
<i>Lomandra longifolia. Lab.</i>							
9 Hystrix. B.P.	(st.) Porcupine.	—	1823.	—	F. 4.		
10 amula. B.P.	(st.) rival.	—	—	—	F. 4.		
11 echinata. M.C.	(st.) bristly.	N. Holland.	1821.	—	F. 4.		
PLEIA. M.		PLEIA. Emœandria Trigynia. Ph.					
tenuifolia. M.	(br.) slender-leaved.	Carolina.	1812.	5. 8.	F. 4.	Bot. mag. t. 1956.	
NARTHÆCIUM. E.B.		NARTHÆCIUM. Hexandria Monogynia.					
1 ossifragum. E.B.	(gc.) Lancashire Asphedel.	Britain.		7. 8.	H. 4.	Eng. bot. v. 8. t. 535.	
2 americanum. B.M.	(gc.) American.	N. America.	1811.	—	H. 4.	Bot. mag. t. 1595.	
LUZULA. DC.		WOODRUSH. Hexandria Monogynia. S.S.					
1 pilosa. R.S.	(br.) spring.	Britain.		3. 5.	H. 4.	Eng. bot. v. 11. t. 736.	
2 flavescens. S.S.	(st.) yellowish.	S. Europe.	1817.	—	H. 4.	Host. gram. 3. t. 94.	
3 Forsteri. DC.	(br.) Forster's.	England.		5. 6.	H. 4.	Eng. bot. v. 18. t. 1293.	
4 glabrata. S.S.	(br.) smooth.	Switzerland.	1825.	—	H. 4.	Desv. j. bot. 1. t. 5. f. 3.	
5 albida. DC.	(wh. br.) white.	—	1815.	—	H. 4.	Leers. herb. t. 13. f. 6.	
6 latea. DC.	(st.) yellow.	—	—	—	H. 4.		
7 spadicea. DC.	(da. br.) light red.	Europe.	1816.	—	H. 4.	Vill. delph. 2. t. 6.	
8 parviflora. S.	(br.) small-flowered.	Switzerland.	1821.	—	H. 4.	Rost. junc. p. 26. t. 1. f. 1.	
9 nivea. DC.	(wh.) snowy.	—	1770.	—	H. 4.	Scheuch. gram. t. 7. f. 7.	
10 sylvatica. S.	(br. wh.) wood.	Britain.		5.	H. 4.	Eng. bot. v. 11. t. 737.	
<i>Juncus sylvaticus. E.B.</i>							
11 palléscens. S.	(br.) palish.	N. Europe.	1828.	—	H. 4.	Linn. fl. lap. t. 10. f. 2.	
12 hyperborea. S.	(br.) northern.	—	—	—	H. 4.		
13 arcuata. S.S.	(wh. br.) fringe-bracted.	Scotland.		7.	H. 4.	Wahl. lapp. t. 4.	
14 spicata. DC.	(br.) spiked.	—		—	H. 4.	Eng. bot. v. 17. t. 1176.	
15 congesta. S.S.	(br.) close-headed.	Britain.		6.	H. 4.	Purt. suppl. t. 9.	
<i>Juncus liniger. Purt.</i>							
16 sudetica. DC.	(br.) Swedish.	Sweden.	1821.	—	H. 4.	Host. gram. 4. t. 99.	
17 pediformis. DC.	(br.) foot-shaped.	S. Europe.	1822.	5. 6.	H. 4.		
18 campestris. DC.	(br.) field.	Britain.		4. 5.	H. 4.	Eng. bot. v. 10. t. 672.	
19 multiflora. S.S.	(br.) many-flowered.	Europe.	1822.	5. 6.	H. 4.		
JUNCUS. DC.		RUSH. Hexandria Monogynia. L.					
1 multicapitatus. S.	(br.) many-headed.	Scotland.		6. 7.	H. 4.		
<i>polycéphalus. E.F. non Mich.</i>							
2 fusco-ater. S.	(br.) dark brown.	Europe.	1825.	—	H. 4.		
3 obtusiflorus. L.T.	(bh.) blunt-flowered.	Britain.		7. 8.	H. 4.	Eng. bot. v. 30. t. 2144.	
4 lampocarpus. L.T.	(br.) shining-fruited.	—		—	H. 4.	— v. 30. t. 2143.	
5 acutiflorus. L.T.	(br.) sharp-flowered.	—		6. 7.	H. 4.	— v. 4. t. 238.	
<i>articulatus. E.B.</i>							
6 Holoschiæmus. B.P.	(br.) stripe-seeded.	N. S. W.	1824.	—	F. 4.		
7 subverticillatus. L.T.	(br.) whorled.	Britain.		7. 8.	H. 4.	Flor. dan. t. 517.	
8 tenuis. S.	(gr. pu.) slender.	N. America.	1826.	—	H. 4.		
9 castaneus. E.B.	(br.) black-spiked.	Scotland.		7.	H. 4.	Eng. bot. v. 13. t. 900.	

10	Jacquini. s. (br.pu.) Jacquin's.	S. Europe.	1824.	7.	H. 2.	Jacq. fl. aust. t. 221.
	biglumis. Jacq. vind. t. 4. f. 2. nec aliorum.					
11	biglumis. E.B. (br.) two-flowered.	Scotland.		8.	H. 2.	Eng. bot. v. 13. t. 8.
12	triglumis. E.B. (br.) three-flowered.	Britain.		7.	H. 2.	— v. 13. t. 8.
13	capitatus. s.s. (br.g.) headed.	—		5. 7.	H. 2.	Weig. obs. t. 2. f. 5.
14	supinus. L.T. (br.) dwarf.	—		7.	H. 2.	Flor. dan. t. 102.
15	uliginosus. E.B. (br.) little bulbous.	—		7. 8.	H. 2.	Eng. bot. v. 12. t. 8.
16	trifidus. E.B. (br.) three-leaved.	Scotland.		—	H. 2.	— v. 21. t. 1.
17	Gesneri. E.F. (g.br.) Gesner's.	—		7.	H. 2.	— v. 31. t. 2.
	gracilis. E.B. non B.P.					
18	bufonius. E.B. (pa.) toad.	Britain.		6. 8.	H. 2.	Eng. bot. v. 12. t. 8.
19	conosus. L.T. (br.) mud.	—		7. 8.	H. 2.	Flor. dan. t. 431.
20	compressus. L.T. (g.br.) round-fruited.	—		—	H. 2.	Eng. bot. v. 13. t. 9.
	bulbosus. E.B.					
21	squarrosus. E.B. (br.) Goose-corn.	—		6. 7.	H. 2.	Eng. bot. v. 13. t. 10.
22	Tenagèja. s.s. (g.br.) annual.	Europe.	1816.	—	H. 2.	Flor. dan. t. 1162.
23	aristulatus. M. (br.) awned.	N. America.	1820.	—	H. 2.	
24	plebeius. B.P. (pa.pu.) linear-leaved.	N. S. W.	1816.	—	F. 2.	
25	planifolius. B.P. (br.pu.) flat-leaved.	—	1822.	7. 8.	F. 2.	
26	pauciflorus. B.P. (pa.) few-flowered.	—	—	—	F. 2.	
27	vaginatus. B.P. (st.) sheathed.	—	1823.	—	F. 2.	
28	polycéphalus. M. (gr.) panicle.	N. America.	1828.	—	H. 2.	
29	macrostemon. s. (gr.) large-stamened.	—	1826.	—	H. 2.	
30	filiformis. E.B. (gr.) least.	Britain.		8.	H. 2.	Eng. bot. v. 17. t. 11.
31	pallidus. B.P. (pa.) pale-flowered.	N. Holland.	1829.	—	F. 2.	
32	arcticus. W. (da.br.) arctic.	Scotland.		7. 8.	H. 2.	Flor. dan. t. 102.
33	balticus. s. (br.) Baltic.	Baltic.	1821.	—	H. 2.	
34	effusus. E.B. (gr.) soft.	Britain.		5. 8.	H. 2.	Eng. bot. v. 12. t. 8.
35	conglomeratus. E.B. (br.) common.	—		6. 7.	H. 2.	— v. 12. t. 8.
36	glaucus. E.B. (br.) glaucous.	—		7. 8.	H. 2.	— v. 12. t. 8.
37	maritimus. E.B. (br.) sea-side.	—		8.	H. 2.	— v. 21. t. 1.
38	acutus. E.B. (g.br.) great sharp sea.	—		7. 8.	H. 2.	— v. 23. t. 1.
39	globulosus. E. (br.) globular.	Egypt.	1829.	—	H. 2.	
?	FLAGELLARIA. L. FLAGELLARIA.	Hexandria Trigynia. L.				
	indica. L. (st.) Indian.	India.	1782.	6. 7.	S. 2.	Redout. lib. t. 255.
?	PHILYDRUM. B.P. PHILYDRUM.	Menandria Monogynia. B.M.				
	lanuginosum. B.P. (ye.) woolly.	N. S. W.	1801.	6. 7.	S. 2. ♂.	Bot. mag. t. 78.
?	BURMA'NNIA. L. BURMA'NNIA.	Triandria Monogynia.				
1	distachya. B.P. (bl.) two-spiked.	N. S. W.	1822.	6. 8.	G. 2.	Burm. zeyl. t. 20.
2	biflora. L. (bl.) two-flowered.	Virginia.		9.	G. 2.	
?	GILLIESIA. B.R. GILLIESIA.	Hexandria Monogynia.				
	graminea. B.R. (st.) Grass-like.	S. America.	1824.	5. 7.	G. 2.	Bot. reg. t. 132.

ORDO CCXXII.

RESTIACEÆ. Brown prodr. p. 243.

X'YRIS. B.P.	X'YRIS. Triandria Monogynia. L.					
1	lavis. B.P. (ye.) smooth.	N. S. W.	1819.	6. 8.	G. 2.	
2	bracteata. B.P. (ye.) bracteate.	—	1825.	—	G. 2.	
3	juncæa. B.P. (ye.) rushy.	—	1822.	—	G. 2.	
4	gracilis. B.P. (ye.) slender.	V. Diem. Isl.	1821.	—	G. 2.	
5	operculata. B.P. (ye.) rush-leaved.	N. S. W.	1804.	6. 7.	G. 2.	Bot. mar. t. 112.
6	Purshii. (ye.) Pursh's.	N. America.	1825.	—	F. 2.	
	indica. Ph. non Vahl.					
7	indica. W. (ye.) Indian.	E. Indies.	1822.	5. 7.	S. 2.	Rheed. mal. 9. t. 5.
8	ancéps. R.S. (ye.) flat-edged.	Malabar.	1824.	—	S. 2.	
9	americana. R.S. (bl.) blue-flowered.	Trinidad.	1825.	—	S. 2.	Aubl. guian. 40. t. 1.
10	caroliniana. R.S. (ye.) Carolina.	N. America.	1812.	—	G. 2.	
11	capensis. R.S. (ye.) Cape.	C. B. S.	1822.	—	G. 2.	
12	brevifolia. M. (ye.) short-leaved.	Carolina.	1812.	6. 8.	F. 2.	
ERIOCA'ULON. L.	PIPEWORT. Triandria Trigynia. L.					
1	septangulare. E.B. (wh.) jointed.	Scotland.		9.	H. 2.	Eng. bot. v. 11. t. 5.
2	australe. B.P. (wh.) New Holland.	N. S. W.	1822.	8. 10.	G. 2.	

DEVA'UNIA. B.P.	DEVA'UNIA.	Monandria	Monogynia.			
1 Patersoni. B.P. (gr.) Paterson's.	N. S. W.	1825.	6. 7.	F. 4.	Linn.trans.v.10.t.12.f.2	
<i>Centropis amula</i> . L.T.						
2 Billardieri. B.P. (gr.) Billardiere's.	————	————	————	F. 4.	Linn.trans.v.10.t.12.f.1	
<i>Centropis cuspidigera</i> . L.T. <i>fascicularis</i> . Lab. nov. holl. I. p. 7. t. 1.						
HYPOLÆNA. B.P.	HYPOLÆNA.	Diœcia	Triandria.			
1 fastigiata. B.P. (br.) crowded.	N. S. W.	1821.	6. 8.	F. 4.		
2 exsalsa. B.P. (br.) round-stalked.	————	————	————	F. 4.		
LEPTOCARPUS. B.P.	LEPTOCARPUS.	Diœcia	Triandria.			
1 tough. B.P. (br.) tough.	N. S. W.	1824.	6. 8.	F. 4.	Lab. nov. holl. 2. t. 229.	
<i>Scleridium tinax femina</i> . Lab.						
2 imbricatus. s.s. (br.) imbricated.	C. B. S.	————	————	G. 4.		
ELEGIA. W.	ELÆGIA.	Diœcia	Triandria. W.			
1 juncea. w. (br.) Rush-like.	C. B. S.	1789.	7. 8.	F. 4.	Rottb.gram.10.t.3. f.2.	
2 racemosa. w. (br.) racemed.	————	1894.	5. 6.	F. 4.	Lam. ill. t. 884. f. 4.	
LEPYRODIA. B.P.	LEPYRODIA.	Diœcia	Triandria. W.			
gracilis. B.P. (br.) slender.	N. S. W.	1823.	5. 6.	F. 4.		
WILDENOVIA. S.S.	WILDENOVIA.	Diœcia	Triandria. W.			
1 striata. s.s. (br.) striated.	C. B. S.	1816.	6. 8.	F. 4.	Th.act.hol.1790.t.2.f.1.	
2 teres. s.s. (br.) round-stalked.	————	1790.	————	F. 4.	———— 1790.t. 2. f.2.	
THAMNOCHORTUS. B.P.	THAMNOCHORTUS.	Diœcia	Triandria.			
1 dichotomus. B.P. (br.) forked.	C. B. S.	1816.	6. 8.	F. 4.	Rottb. gram. t. 2. f. 1.	
2 scariosus. s.s. (br.) scarioso.	————	1822.	————	G. 4.	Berg. cap. t. 5. f. 8.	
RESTIO. B.P.	ROPE-GRASS.	Diœcia	Triandria. L.			
1 australis. B.P. (br.) southern.	V. Diem. Isl.	1812.	4. 6.	F. 4.		
2 gracilis. B.P. (br.) slender.	N. S. W.	1823.	6. 8.	F. 4.		
3 complanatus. B.P. (br.) flat-stemmed.	————	————	————	F. 4.		
4 tectorum. s.s. (br.) thatch.	C. B. S.	1793.	5. 6.	F. 4.	Rottb.gram.10.t.3.f.2.	
5 vaginatus. s.s. (br.) sheathed.	————	1816.	————	F. 4.		
6 fastigiatus. B.P. (br.) crowded.	N. S. W.	1824.	————	F. 4.		
7 virgatus. s.s. (br.) twiggy.	C. B. S.	1816.	————	F. 4.	Rottb. gram. t. 1. f. 2.	
8 paniculatus. s.s. (br.) panicked.	————	————	————	F. 4.	———— t. 2. f. 3.	
9 lateriflorus. B.P. (br.) side-flowering.	N. S. W.	1819.	————	F. 4.	Labil. nov. hol.2. t.228.	
<i>Calorophus elongata</i> . Lab.						
10 tetraphyllus. B.P. (br.) four-leaved.	————	1825.	————	F. 4.	Labil. nov. hol.2. t. 226.	

ORDO CCXXIII.

CYPERACEÆ. *Brown prodr. 1. p. 212.*

CAREX. L.	SEDGE.	Monœcia Triandria L.			
1 dioica. w. (br.) diœcious.	Britain.		5. 6.	H. 4.	Eng. bot. v. 8. t. 543.
2 Davalliæna. w. (br.) Davall's.	————		————	H. 4.	———— v. 39. t. 2123.
3 pauciflora. E.B. (st.) few-flowered.	————		6.	H. 4.	———— v. 29. t. 2041.
4 pyrenæica. s.s. (br.) Pyrenean.	Pyrenees.	1816.	————	H. 4.	Schk. caric.5.t.D.f.15.
5 palicæris. E.B. (br.) Flea.	Britain.		6. 7.	H. 4.	Eng. bot. v. 15. t. 1051.
6 Fraseriæna. H.K. (wh.) Fraser's.	N. America.	1809.	4. 6.	H. 4.	Bot. mag. t. 1391.
7 cyperoides. s.s. (br.) Bohemian.	Bohemia.	1801.	6. 7.	H. 4.	Schk. caric. t. A. f. 5.
8 fetida. s.s. (br.) stinking.	Switzerland.	1791.	7. 8.	H. 4.	———— t. Hh. f.96.
9 incurva. E.B. (br.) curved.	Scotland.		————	H. 4.	Eng. bot. v. 13. t. 927.
10 stenophylla. s.s. (br.) slender-leaved.	Europe.	1824.	————	H. 4.	Schk. caric. t. G. f. 32.
11 chordorrhiza. s.s. (br.) creeping-rooted.	Germany.	————	————	H. 4.	———— t. G. f. 31.
12 baldensis. s.s. (br.) three-styled.	Mount Baldo.	1829.	5. 7.	H. 4.	———— t. Y. f. 81.
13 st. halata. L.B. (br.) little prickly.	Britain.		5. 6.	H. 4.	Eng. bot. v. 12. t. 805.
14 rosea. s.s. (ro.) Rose.	N. America.	1812.	————	H. 4.	Schk. caric. Zzz. f.179.
15 retroflæxa. s.s. (br.) retroflexed.	Pensylvania.	1826.	————	H. 4.	———— t. Kkk. f.140.
16 thæps. s.s. (br.) three-headed.	N. America.	1825.	————	H. 4.	———— t. Zzz. f. 130.
17 funea. s.s. (br.) short-spiked.	————	1819.	————	H. 4.	
18 muricata. E.B. (br.) greater prickly.	Britain.		————	H. 4.	Eng. bot. v. 16. t. 1097.
19 brizoides. s.s. (br.) Briza-like.	Germany.	1815.	5. 7.	H. 4.	Host. gram. 36. t. 47.
20 argyroglochis. s.s. (wh.) silver-spiked.	————	1823.	————	H. 4.	
21 straminea. s.s. (st.) slender-stalked.	N. America.	1803.	6. 7.	H. 4.	Sch. caric. t. Xxx. f.174.
22 stipata. s.s. (br.) sharp-scaled.	————	1820.	————	H. 4.	———— t. Hhh. f.122.
23 Muhlenbergii. s.s. (gr.) Muhlenberg's.	————	1824.	————	H. 4.	———— t. Yyy. f.178.

24	Schrèberi. s.s.	(br.) Schreber's.	Germany.	1800.	6. 7.	H. 4.	Host. gram. 1. t. 45.
25	ovàlis. E.B.	(gr.br.) oval-spiked.	Britain.		—	H. 4.	Eng. bot. v. 5. t. 36.
26	cúrta. E.B.	(wh.) white.	—		6.	H. 4.	— v. 20. t. 12.
27	divisa. E.B.	(bk.) bracteated.	—		5. 7.	H. 4.	— v. 16. t. 1.
28	sparganioides. s.s.	(br.) Sparganium-like.	N. America.	1822.	—	H. 4.	Schk. carie. t. Lll. f. 142.
29	arenària. E.B.	(br.) sand.	Britain.		6. 7.	H. 4.	Eng. bot. v. 13. t. 22.
30	intermèdia. E.B.	(br.) soft brown.	—		5. 7.	H. 4.	— v. 23. t. 2.
31	schænoïdes. w.	(br.) Schoenus-like.	Austria.	1819.	—	H. 4.	Host. gram. 1. t. 41.
32	lagopodioïdes. w.	(br.) Hare's-foot.	N. America.	1805.	6. 7.	H. 4.	Schk. carie. t. Yyy. f. 11.
33	elongàta. E.B.	(br.gr.) elongated.	England.		5. 6.	H. 4.	Eng. bot. v. 27. t. 1.
34	remòta. E.B.	(wh.) remote.	Britain.		—	H. 4.	— v. 12. t. 8.
35	axillàris. E.B.	(br.) axillary.	England.		—	H. 4.	— v. 14. t. 1.
36	divúlta. E.B.	(wh.) gray.	Britain.		5.	H. 4.	— v. 9. t. 12.
37	nemoròsa. s.s.	(gr.) shady wood.	Germany.		5. 7.	H. 4.	—
38	vulpina. E.B.	(gr.) great spiked.	Britain.		5. 8.	H. 4.	Eng. bot. v. 5. t. 37.
39	apprèssa. B.P.	(gr.) close-spiked.	N. S. W.	1802.	—	F. 4.	—
40	invérsa. B.P.	(gr.) inversed.	—	1820.	—	F. 4.	—
41	scopària. w.	(gr.) broom.	N. America.	1812.	6. 7.	H. 4.	Schk. carie. t. Xxx. f. 15.
42	multiflòra. w.	(gr.) many-flowered.	—	1819.	—	H. 4.	— t. Lll. f. 1.
43	paradóxa. w.	(gr.) paradoxical.	Germany.	—	—	H. 4.	— t. E. f. 2.
44	teretiúscula. E.B.	(br.) lesser-panicled.	Britain.		5. 6.	H. 4.	Eng. bot. v. 15. t. 1.
45	paniculàta. E.B.	(br.) great panicled.	England.		6. 7.	H. 4.	— v. 15. t. 1.
46	tenèlla. E.B.	(br.) slender.	Scotland.		6.	H. 4.	Schk. carie. t. P. f. 10.
47	norvègica. w.	(gr.) Norway.	Norway.	1823.	—	H. 4.	— t. S. f. 1.
48	atràta. E.B.	(bk.) black.	Britain.		6. 7.	H. 4.	Eng. bot. v. 29. t. 1.
49	bicolor. w.	(br.ye.) two-coloured.	Switzerland.	1823.	—	H. 4.	Sch. car. t. Aaaa. f. 1.
50	pedunculàta. w.	(gr.) peduncled.	N. America.	—	5. 7.	H. 4.	— t. Ggg. f. 1.
51	longifòlia. B.P.	(gr.) long-leaved.	N. S. W.	—	—	F. 4.	—
52	thuringiaca. w.	(gr.) Thuringian.	Hungary.	—	—	H. 4.	Schk. carie. t. Ppp. f. 1.
53	Buxbaumii. w.	(br.) Buxbaum's.	S. Europe.	1819.	5. 6.	H. 4.	— t. X. f. 1.
54	glareòsa. w.	(br.) narrow-leaved.	Norway.	—	—	H. 4.	— t. Aaa. f. 1.
55	clandestina. E.B.	(wh.) dwarf silvery.	Britain.		5.	H. 4.	Eng. bot. v. 30. t. 1.
56	digitàta. E.B.	(pu.) fingered.	England.		5. 6.	H. 4.	— v. 9. t. 1.
57	plantagínea. w.	(br.) broad-leaved.	N. America.	1805.	—	H. 4.	Schk. carie. t. U. f. 1.
58	pilulífera. E.B.	(br.) round-headed.	Britain.		4. 6.	H. 4.	Eng. bot. v. 13. t. 1.
59	montàna. s.s.	(br.) mountain.	Europe.	1819.	5. 6.	H. 4.	Schk. carie. t. F. f. 1.
	collina. w.	—	—	—	—	—	—
60	ciliàta. w.	(br.) fringed.	Germany.	—	—	H. 4.	Schk. carie. t. I. f. 1.
61	pr'æcox. E.B.	(st.) vernal.	Britain.		4.	H. 4.	Eng. bot. v. 16. t. 1.
62	tomentòsa. E.B.	(st.) downy-fruited.	England.		6.	H. 4.	— v. 23. t. 1.
63	exténsa. E.B.	(gr.) long-bracted.	Britain.		—	H. 4.	— v. 12. t. 1.
64	flàva. E.B.	(ye.) yellow.	—		5. 6.	H. 4.	— v. 18. t. 1.
65	Edèri. E.B.	(ye.) Eder's.	England.		6. 7.	H. 4.	— v. 25. t. 1.
66	álba. w.	(wh.) bristle-leaved.	Germany.	1819.	—	H. 4.	Host. gram. 1. t. 42.
67	Mielichóferi. E.B.	(gr.) loose-spiked.	Scotland.		7. 8.	H. 4.	Eng. bot. v. 32. t. 1.
68	ferrugínea. w.	(br.) ferruginous.	Europe.	1820.	6. 8.	H. 4.	Schk. carie. t. M. f. 1.
69	saxátilis. w.	(st.) rock.	N. Europe.	—	—	H. 4.	— t. I. f. 1.
70	rígida. E.B.	(bk.) rigid.	Britain.		6. 7.	H. 4.	Eng. bot. v. 20. t. 1.
71	púlla. E.B.	(bk.br.) russet.	Scotland.		7.	H. 4.	— v. 20. t. 1.
72	cæspitòsa. E.B.	(gr.) tufted bog.	Britain.		5. 6.	H. 4.	— v. 21. t. 1.
73	stricta. E.B.	(br.) straight-leaved.	—		4. 5.	H. 4.	— v. 13. t. 1.
74	alpéstris. w.	(br.) Alpine.	Europe.	1804.	5. 6.	H. 4.	Schk. carie. t. G. f. 1.
75	nítida. w.	(br.) glossy.	Austria.	1805.	—	H. 4.	Host. gram. 1. t. 41.
76	umbròsa. w.	(gr.) shade.	—	1818.	6. 7.	H. 4.	— t. I. f. 1.
77	granulàris. w.	(gr.) grain-seeded.	N. America.	1807.	—	H. 4.	Sch. carie. t. Vvv. f. 1.
78	ánceps. w.	(gr.) two-edged.	—	1805.	7. 8.	H. 4.	— t. Fff. f. 1.
79	demíssa. s.s.	(br.) low.	Norway.	1825.	—	H. 4.	—
80	binérvis. E.B.	(bk.) green-ribbed.	Britain.		6.	H. 4.	Eng. bot. v. 18. t. 1.
81	dístans. E.B.	(br.) loose.	—		—	H. 4.	— v. 18. t. 1.
82	fúlva. E.B.	(ye.br.) tawny.	—		6. 7.	H. 4.	— v. 18. t. 1.
83	loliàcea. w.	(br.) Ray-grass-like.	Sweden.	1810.	—	H. 4.	Schk. car. t. Pp. f. 1.
84	lucòrum. W.en.	(gr.) grove.	N. America.	1825.	—	H. 4.	—
85	Michèlii. w.	(br.) Micheli's.	Europe.	1818.	—	H. 4.	Host. gram. 1. t. 42.
86	péndula. E.B.	(gr.) great pendulous.	Britain.		5. 6.	H. 4.	Eng. bot. v. 33. t. 1.
87	strigòsa. E.B.	(gr.) loose pendulous.	—		—	H. 4.	— v. 14. t. 1.
88	depauperàta. E.B.	(gr.) starved-wood.	England.		6. 7.	H. 4.	— v. 16. t. 1.
89	pílosa. s.s.	(gr.) hairy.	Germany.	1819.	—	H. 4.	Schk. carie. t. M. f. 1.
90	panicea. E.B.	(bk.) Pink-leaved.	Britain.		5. 7.	H. 4.	Eng. bot. v. 21. t. 1.
91	oligocárpa. w.	(gr.) few-seeded.	N. America.	1825.	—	H. 4.	Schk. carie. t. Vvv. f. 1.

92	rostrata. w.	(gr.) beaked.	N. America.	1818.	5. 7.	H. 4.	Schk. caric. t. Hhh. f. 134
93	conglobata. w.	(gr.) globular-fruited.	Hungary.	—	—	H. 4.	
94	sylvatica. E.B.	(gr.) wood.	Britain.		5. 6.	H. 4.	Eng. bot. v. 14. t. 995.
<i>Drimys</i> . w.							
95	Pseudocyperus. w.	(gr.) Bastard Cypress.	—		6. 7.	H. 4.	Eng. bot. v. 4. t. 242.
96	juncea. s.s.	(gr.) rush-like.	N. America.	1823.	—	H. 4.	
97	pallens. E.B.	(g. ye.) pale.	Britain.		4. 6.	H. 4.	Eng. bot. v. 31. t. 2185.
98	limosa. E.B.	(ye. gr.) green and gold.	—		6.	H. 4.	— v. 29. t. 2043.
99	rariflora. E.B.	(bk.) loose-flowered.	Scotland.		—	H. 4.	— v. 35. t. 2516.
100	capillaris. E.B.	(br.) capillary.	Britain.		7. 8.	H. 4.	— v. 29. t. 2069.
101	lavigata. E.B.	(gr.) smooth-stalked.	—		5. 6.	H. 4.	— v. 20. t. 1387.
102	ustulata. E.B.	(bk.) scorched alpine.	Scotland.		6. 7.	H. 4.	— v. 34. t. 2404.
103	flexuosa. w.	(br.) bending.	N. America.	1807.	—	H. 4.	Schk. car. t. Ddd. f. 121.
104	recurva. E.B.	(bk. br.) glaucous heath.	England.		5. 6.	H. 4.	Eng. bot. v. 21. t. 1506.
<i>β Micheliæna</i> . E.B. (bk.) smooth-fruited.							
105	nutans. w.	(br.) nodding.	Austria.	1815.	6. 7.	H. 4.	Host. gram. 1. t. 83.
106	acuminata. w.	(br.) taper-pointed.	Istria.	1819.	—	H. 4.	— 1. t. 97.
107	hirta. E.B.	(br.) hairy.	Britain.		5. 6.	H. 4.	Eng. bot. v. 10. t. 685.
108	filiformis. E.B.	(bk.) slender-leaved.	—		6. 7.	H. 4.	— v. 13. t. 904.
109	acuta. E.B.	(bk.) slender-spiked.	—		5. 6.	H. w. 4.	— v. 9. t. 580.
110	paludosa. E.B.	(bk.) lesser common.	—		—	H. w. 4.	— v. 12. t. 807.
111	riparia. E.B.	(bk.) great common.	—		4. 6.	H. w. 4.	— v. 9. t. 579.
112	vesicaria. E.B.	(bk.) short-spiked.	—		5. 6.	H. 4.	— v. 11. t. 779.
113	ampullacea. E.B.	(st.) slender-beaked.	—		—	H. 4.	— v. 11. t. 780.
114	bullata. w.	(st.) blistered.	N. America.	1811.	6.	H. 4.	Schk. caric. Uuu. f. 166.
115	hordeiformis. w.	(gr.) Barley-like.	France.	1805.	6. 7.	H. 4.	
116	crinita. w.	(gr.) haired.	N. America.	1807.	—	H. 4.	Schk. caric. t. Eee f. 125.
117	aquatilis. w.	(gr.) water.	Lapland.	1819.	—	H. w. 4.	
118	secalina. w.	(br.) rye-like.	Europe.	1820.	—	H. 4.	Schk. caric. t. Ddd. f. 121
119	salina. w.	(br.) salt marsh.	Norway.		6.	H. 4.	
120	criophora. F.	(wh.) wool-bearing.	Dahuria.	1828.	—	H. 4.	
121	pentastachys. F.	(br.) five-spiked.	Kamtschatka.	1821.	—	H. 4.	
122	corsica. Ot.	(br.) Corsican.	Corsica.	1825.	—	H. 4.	
<i>KOBERESIA</i> . W. <i>KOBERESIA</i> . Monœcia Triandria. W.							
	caricina. w.	(gr.) Carex-like.	Britain.		8.	H. 4.	Eng. bot. v. 20. t. 1410.
<i>Schœnus monoicus</i> . E.B. <i>Carex hybrida</i> . s.s.							
<i>SCLERIA</i> . W. <i>SCLERIA</i> . Monœcia Triandria. W.							
1	Flagellum. s.s.	(gr.) climbing.	W. Indies.	1822.		S. 4.	Gært. sem. 1. p. 13. t. 2.
2	latifolia. s.s.	(gr.) broad-leaved.	—	1824.		S. 4.	
3	verticillata. s.s.	(gr.) whorled.	N. America.	1825.	6. 7.	H. 4.	
4	hirtella. s.s.	(gr.) hairy.	—	1822.	—	H. 4.	
5	auricoma. Ot.	(ye.) golden-locks.	—	1826.	7. 9.	H. ⊙.	
6	ciliata. w.	(gr.) fringed.	—	1823.	—	H. 4.	
<i>SCHÆNUS</i> . B.P. <i>BOG-RUSH</i> . Triandria Monogynia. L.							
1	nigricans. w.	(bk.) black-headed.	Britain.		7.	H. w. 4.	Eng. bot. v. 16. t. 1121.
2	pusillus. R.S.	(br.) small.	W. Indies.	1824.	7. 8.	S. 4.	Swtz. fl. ind. oc. ic. t. 6.
3	mucronatus. R.S.	(br. pu.) clustered.	S. Europe.	1781.	4. 5.	H. w. 4.	Flor. græc. 1. t. 43.
4	imberbis. B.P.	(bk.) beardless.	N. S. W.	1818.	—	F. 4.	
5	melanostachys. B.R.	(br.) black-spiked.	—	1822.	6. 8.	F. 4.	
<i>CHÆTO'SPORA</i> . B.P. <i>CHÆTO'SPORA</i> . Triandria Monogynia. S.S.							
1	ferruginea. s.s.	(br.) brown.	Switzerland.	1818.	7. 8.	H. w. 4.	Host. gram. 4. t. 71.
<i>Schœnus ferrugineus</i> . R.S.							
2	turbinata. B.P.	(br.) turbinate.	N. S. W.	1822.	—	F. 4.	
3	paludosa. B.P.	(br.) marsh.	—	1824.	—	F. w. 4.	
<i>LEPIDOSPERMA</i> . B.P. <i>LEPIDOSPERMA</i> . Triandria Monogynia. S.S.							
1	gladiata. B.P.	(br.) flat-stemmed.	N. Holland.	1819.	7. 8.	F. w. 4.	Lab. nov. hol. 1. t. 12.
2	concava. B.P.	(br.) concave.	—	1824.	—	F. 4.	
3	exaltata. B.P.	(gr.) tall.	—	1816.	—	H. 4.	
<i>DULICHIMUM</i> . P.S. <i>DULICHIMUM</i> . Triandria Monogynia. S.S.							
1	spathaceum. P.S.	(br.) sheathed.	N. America.	1818.	7. 8.	H. w. 4.	Pluk. alm. t. 301. f. 1.
2	canadense. Ph.	(gr.) Canadian.	Canada.	1826.	—	H. 4.	
<i>RHYNCHO'SPORA</i> . R.S. <i>RHYNCHO'SPORA</i> . Triandria Monogynia. S.S.							
1	aurea. R.S.	(ye.) golden.	W. Indies.	1825.	7. 8.	S. 4.	Rottb. gram. t. 21. f. 1.
2	laxa. R.S.	(br.) loose.	N. America.	1827.	—	H. w. 4.	
3	alba. R.S.	(wh.) white-headed.	Britain.		8.	H. w. 4.	Eng. bot. v. 14. t. 985.
<i>Schœnus albus</i> . E.B.							
4	fusca. R.S.	(br.) brown-headed.	—		—	H. w. 4.	Eng. bot. v. 22. t. 1575.
5	distans. Ph.	(br.) filiform-leaved.	N. America.	1820.	7. 8.	H. w. 4.	
6	cemata. R.S.	(br.) leafy.	Brazil.	—	—	S. w. 4.	

CLADIUM. B.P.		CLADIUM.		Diandria Monogynia.		S.S.	
1	Mariscus. B.P.	(br.) prickly.	England.		7. 8.	H.w. 21.	Eng. bot. v. 11. 11.
	<i>germánicum</i> . R.S. <i>Schænus Mariscus</i> . E.B.						
2	occidentale. R.S.	(br.) West Indian.	W. Indies.	1824.	—	S.w. 21.	
3	glomeratum. B.P.	(br.) close-headed.	N. S. W.	1819.	—	F.w. 21.	
4	juncum. B.P.	(br.) rushy.	—	1823.	—	F.w. 21.	
5	schoenoides. B.P.	(br.) Bogrush-like.	—	—	—	F.w. 21.	Lab. nov. hol. 1. t. 19.
	<i>Schænus acutus</i> . Lab.						
FIMBRISTYLIS. B.P.		FIMBRISTYLIS.		Triandria Monogynia.		R.S.	
1	annua. R.S.	(br.) annual.	S. Europe.	1818.	7. 9.	H.w. 21.	Host. gram. 3. t. 1.
2	puberula. R.S.	(br.) pubescent.	N. America.	1820.	7. 8.	H. 21.	
3	dichotoma. R.S.	(br.) forked.	E. Indies.	1817.	7. 9.	S.w. 21.	Rottb. gram. t. 1.
4	autumnalis. R.S.	(br.) autumnal.	N. America.	1822.	7. 9.	H. 21.	
5	ferruginea. R.S.	(br.) rusty.	Jamaica.	1825.	—	S.w. 21.	Sloan. list. 1. t. 3. 3.
ABILDGAARDIA. B.P.		ABILDGAARDIA.		Triandria Monogynia.		R.S.	
	menostachya. B.P.	(wh.) one-spiked.	W. Indies.	1819.	6. 8.	S. 21.	Sloan. jam. 1. t. 7. 4.
ELEOCHARIS. B.P.		ELEOCHARIS.		Triandria Monogynia.		R.S.	
1	acuta. B.P.	(br.) acute-scaled.	N. S. W.	1819.	7. 8.	F.w. 21.	
2	geniculata. R.S.	(br.) jointed.	America.	—	—	F.w. 21.	Sloan. list. 1. t. 3. 3.
3	plantaginea. R.S.	(br.) Plantain-like.	E. Indies.	1823.	7. 9.	S.w. 21.	Rottb. gram. t. 1. 1.
4	palustris. R.S.	(br.) marsh.	Britain.		7.	H.w. 21.	Eng. bot. v. 2. 3. 10.
	<i>Scirpus palustris</i> . E.B.						
5	ovata. R.S.	(br.) ovate.	Germany.	1818.	7. 8.	H.w. 21.	Host. gram. 3. t. 1.
6	multicaulis. E.F.	(br. pu.) many-stalked.	Britain.		7.	H.w. 21.	Eng. bot. v. 15. 11.
	<i>Scirpus multicaulis</i> . E.B.						
7	acicularis. R.S.	(br.) upright needle.	—		—	H.w. 21.	Eng. bot. v. 11. 11.
8	obtusa. R.S.	(br.) obtuse-scaled.	N. America.	1818.	7. 8.	H.w. 21.	
9	glaucescens. R.S.	(br.) glaucous.	—	1819.	—	H.w. 21.	
10	tenuis. R.S.	(br.) slender.	—	—	—	H.w. 21.	
11	capitata. R.S.	(br.) headed.	America.	1824.	—	H.w. 21.	Rottb. gram. t. 1. 1.
12	intermedia. R.S.	(br.) intermediate.	Pensylvania.	1826.	—	H.w. 21.	
ISOLEPIS. B.P.		ISOLEPIS.		Triandria Monogynia.		R.S.	
1	fluitans. R.S.	(br.) floating.	Britain.		7. 8.	H.w. 21.	Eng. bot. v. 3. 3. 2.
	<i>Scirpus fluitans</i> . E.B.						
2	gracilis.	(br.) knotted.	N. Holland.	1820.	—	G.w. 21.	
	<i>nodosa</i> . B.P. <i>Scirpus gracilis</i> . Linn. trans. 10. t. 15. f. 2.						
3	setacea. R.S.	(br. gr.) bristle-like.	Britain.		—	H.w. 21.	Eng. bot. v. 24. 1.
4	Vahlîi. R.S.	(br. gr.) Vahl's.	S. America.	1828.	—	S.w. 21.	
5	Micheliâna. R.S.	(st.) Micheli's.	S. Europe.	—	—	H.w. 21.	Host. gram. 3. t. 1.
6	Holoschænus. R.S.	(br.) round-headed.	Britain.		—	H.w. 21.	Eng. bot. v. 23. 1.
	<i>æ australis</i> . R.S.	(br.) southern.	S. Europe.		—	H.w. 21.	Pluk. phyt. t. 1. 1.
7	romana. w.	(br.) Roman.	England.		—	H.w. 21.	Jacq. aust. 3. t. 1.
8	complanata. R.S.	(br.) flat-stemmed.	E. Indies.	1820.	—	S.w. 21.	
9	angularis. R.S.	(br.) angular-stemmed.	—	1827.	—	S.w. 21.	
10	curvifolia. R.S.	(br.) curve-leaved.	—	—	—	S.w. 21.	
11	pubigera. Schr.	(br.) pubescent.	—	—	—	S.w. 21.	
12	Ehrenbergii. Ot.	(br.) Ehrenberg's.	Egypt.	1825.	—	H.w. 21.	
SCIRPUS. B.P.		CLUB-RUSH.		Triandria Monogynia.		L.	
1	cæspitosus. E.B.	(br.) scaly-stalked.	Britain.		7.	H.w. 21.	Eng. bot. v. 11. 11.
2	campéstris. R.S.	(pu. st.) field.	S. Europe.	1824.	7. 9.	H.w. 21.	Hayn. term. 1. t. 1.
3	pauciflorus. E.B.	(br.) chocolate-headed.	—		8.	H.w. 21.	Eng. bot. v. 11. 11.
	<i>Bæothryon</i> . R.S.						
4	pungens. R.S.	(br.) pungent.	Europe.		8. 9.	H.w. 21.	
5	mucronatus. R.S.	(gr. br.) mucronated.	Britain.		—	H.w. 21.	Scheuch. gar. t. 1.
6	Luzulæ. R.S.	(br.) clustered.	E. Indies.	1776.	7. 9.	S.w. 21.	
7	lacustris. E.B.	(br.) tall.	Britain.		7.	H.w. 21.	Eng. bot. v. 11. 11.
8	glaucus. E.B.	(br.) glaucous.	England.		7. 8.	H.w. 21.	— v. 11. 11.
9	caricinus. s.s.	(br.) compressed.	Britain.		7.	H.w. 21.	— v. 11. 11.
	<i>Schænus compressus</i> . E.B.						
10	rufus. s.s.	(br.) rusty.	—		6. 7.	H.w. 21.	Eng. bot. v. 11. 11.
	<i>Schænus rufus</i> . E.B.						
11	triqueter. E.B.	(re. br.) triangular.	England.		8.	H.w. 21.	Eng. bot. v. 24. 1.
12	carinatus. E.B.	(br.) blunt-edged.	—		7. 8.	H.w. 21.	— v. 11. 11.
13	maritimus. E.B.	(br.) salt marsh.	Britain.		7. 9.	H.w. 21.	— v. 11. 11.
14	sylvaticus. E.B.	(br. gr.) wood.	—		—	H.w. 21.	— v. 11. 11.
15	radicans. R.S.	(br. gr.) rooting.	Germany.		—	H.w. 21.	Schk. in Unt. 1. t. 1.
16	atrovirens. R.S.	(da. g.) dark green.	N. America.	1818.	—	H.w. 21.	
17	quinquangularis. R.S.	(br.) five-angled.	E. Indies.	1823.	—	S.w. 21.	
18	thyrsiflorus. F.	(br.) thyse-flowered.	Siberia.	1821.	7. 9.	H.w. 21.	

CYPERUS. L.	CYPERUS.	Triandria Monogynia. L.				
1 Albidus. R.S. (br.) Aiton's.	C. B. S.		6. 8.	G.w. 2.		
2 articulatus. R.S. (st.) jointed.	S. America.	1820.	—	S.w. 2.	Sloan. hist. 1. t. 81. f. 1.	
3 viscidus. R.S. (gr.br.) clammy.	Jamaica.	1781.	5. 8.	S.w. 2.	Jacq. ic. 2. t. 295.	
4 tenuis. R.S. (gr.br.) slender.	C. B. S.	1819.	7. 9.	H. 2.		
5 mucronatus. R.S. (wh.) pointed.	Levant.	—	—	F.w. 2.	Flor. græc. 1. t. 49.	
6 paniculatus. R.S. (g.w.) dwarf.	Hungary.	1781.	7. 8.	H. 2.	Jacq. aust. ap. t. 6.	
7 margaritaceus. R.S. (wh.) pearl.	Guinea.	1822.	7. 9.	S.w. 2.		
8 monophthalmus. F.L. (da.br.) one-headed.	E. Indies.	1816.	—	S.w. 2.		
9 pygmaeus. R.S. (gr.) dwarf.	—	1827.	—	S.w. 2.	Rottb. gr. 20. t. 14. f. 4-5.	
10 filiformis. R.S. (br.) filiform.	Jamaica.	1825.	—	S.w. 2.		
11 tenuis. R.S. (gr.) slender.	—	—	—	S.w. 2.		
12 polystachyus. R.S. (br.) many-spiked.	E. Indies.	1819.	—	S.w. 2.	Rottb. gram. t. 11. f. 1.	
13 brunneus. R.S. (br.) brown-spiked.	W. Indies.	1826.	—	S.w. 2.		
14 brizans. R.S. (br.) Briza-like.	—	1824.	7. 8.	S.w. 2.		
15 diandrus. R.S. (br.) two-stamened.	N. America.	1827.	—	H.w. 2.		
16 Parshii. R.S. (br.wh.) Parsh's.	—	1816.	—	H.w. 2.		
17 Haspan. R.S. (br.) digitate-spiked.	Trinidad.	1824.	—	S.w. 2.		
18 alternifolius. R.S. (br.) alternate-leaved.	Madagascar.	1781.	—	S.w. 2.	Jacq. ic. 2. t. 298.	
19 elegans. R.S. (re.) elegant.	Jamaica.	1801.	5. 9.	S. 3.	Sloan. jam. 1. t. 75. f. 1.	
20 compressus. R.S. (pu.st.) compressed.	S. America.	1819.	—	S.w. 2.	Rottb. gram. t. 9. f. 3.	
21 vegetus. R.S. (br.) smooth.	America.	1790.	—	G.w. 2.	Jacq. vind. 3. t. 12.	
compressus. Jacq. non w.						
22 formosus. R.S. (ye.) handsome.	N. America.	1827.	7. 9.	H.w. 2.		
23 lazula. R.S. (gr.br.) compact.	W. Indies.		—	S.w. 2.	Rottb. gram. t. 13. f. 2.	
polycephalus. Lam. non L.en.						
24 confertus. R.S. (ye.) crowded-spiked.	W. Indies.	1825.	7. 9.	S.w. 2.		
25 spandus. R.S. (br.) globe-headed.	E. Indies.	1828.	—	S.w. 2.	Rottb. gram. t. 6. f. 3.	
26 paniculatus. R.S. (br.) panicle-d.	W. Indies.	1804.	5. 7.	S.w. 2.	Vahl. ic. pl. am. t. 12.	
27 lutescens. R.S. (br.ye.) yellowish.	Germany.	1776.	6. 9.	F.w. 2.	Flor. græc. t. 47.	
28 fuscus. R.S. (br.) brown.	Fullam.	—	7. 9.	H. 2.	— t. 48.	
29 conglomeratus. R.S. many-flowered.	Java.	1820.	5. 9.	S.w. 2.	Rottb. gram. t. 15. f. 7.	
30 erubescens. L.en. (bh.) blush.		—	—	S.w. 2.		
31 tuberosus. R.S. (g.pu.) tuberous-rooted.	N. America.	1827.	—	H.w. 2.	Rottb. gram. t. 7. f. 1.	
32 rotundus. R.S. (g.pu.) round-rooted.	Africa.	1828.	—	H.w. 2.	Scheuch. agrost. t. 9. f. 3.	
33 glaber. R.S. (br.) smooth.	S. Europe.	1820.	—	H.w. 2.	Reich. ic. C. 3. t. 204.	
34 australis. R.S. (br.) southern.	—	—	—	H. 2.	Seguier. veron. 3. t. 2. f. 2.	
35 Tenoreanus. R.S. (ye.) Tenore's.	Naples.	1825.	—	H.w. 2.	Reich. ic. C. 3. t. 212.	
36 punctatus. R.S. (br.gr.) spotted-seeded.	E. Indies.	1820.	—	S.w. 2.	Pluck. t. 192. f. 3.	
37 Ornithopus. R.S. (st.pu.) bird's-foot.	St. Domingo.	1824.	—	S.w. 2.		
38 esculentus. R.S. (st.) Rush-nut.	S. Europe.	1597.	7.	H. 2.	Host. gram. 3. t. 75.	
39 Hydra. M. (gr.wh.) American.	N. America.	1812.	—	H. 2.		
40 Pangorei. R.S. (br.) Ceylon.	Ceylon.	1823.	7. 9.	S.w. 2.	Rottb. gram. t. 7. f. 3.	
41 ladius. R.S. (br.) saw-leaved.	Algiers.	1800.	—	F.w. 2.	Desf. atl. 1. t. 7. f. 2.	
42 patulus. R.S. (br.st.) spreading.	Hungary.	1818.	—	H.w. 2.	Host. gram. 3. t. 74.	
43 longus. E.B. (br.gr.) sweet.	England.		7.	H.w. 2.	Eng. bot. v. 19. t. 1309.	
44 procerns. R.S. (br.wh.) tall rough.	E. Indies.	1826.	7. 9.	S.w. 2.	Rheed. mal. 12. t. 50.	
45 tenuiflorus. R.S. (br.) slender-flower'd.	S. Europe.	1818.	7. 8.	H.w. 2.	Jacq. ic. 2. t. 296.	
46 Monti. R.S. (pu.gr.) spreading-spiked.	—	—	—	H.w. 2.	Host. gram. 4. t. 67.	
47 Paramatta. R.S. (br.pu.) tuberous-rooted.	—	—	—	H.w. 2.		
48 spectabilis. Schreb. (pu.) showy.	—	1827.	—	H.w. 2.		
49 diandrus. R.S. (st.br.) diandrous.	N. America.	1828.	—	H.w. 2.		
50 planifolius. R.S. (br.) flat-leaved.	W. Indies.	1824.	—	S.w. 2.	Sloan. his. 1. t. 74. f. 2.3.	
51 Linkianus. R.S. (br.gr.) Link's.	S. Europe.	1819.	6. 8.	H.w. 2.		
polycephalus. L. emm. non Lam.						
52 strigosus. R.S. (br.st.) bristle-spiked.	W. Indies.	1786.	7. 9.	S.w. 2.		
53 Michauxianus. R.S. (g.w.) Michaux's.	N. America.	1812.	—	H.w. 2.		
54 flavicomus. R.S. (ye.) yellow-spiked.	—	1826.	—	H.w. 2.		
55 Iria. R.S. (st.gr.) tall.	E. Indies.	1822.	7.	S.w. 2.	Rheed. mal. 12. t. 56.	
56 distans. R.S. (br.st.) distant.	W. Indies.	1820.	7. 8.	S.w. 2.	Jacq. ic. t. 299.	
57 tetrum. R.S. (br.) creeping-rooted.	E. Indies.	1822.	—	S.w. 2.		
58 giganteus. R.S. (st.) gigantic.	Trinidad.	1824.	—	S.w. 2.	Rudg. guian. t. 21.	
59 fastigiatus. R.S. (ye.) lofty.	E. Indies.	1800.	5. 8.	S.w. 2.	Rottb. gram. t. 7. f. 2.	
60 depauroides. R.S. (g.br.) fox-tailed.	C. B. S.	1804.	—	G.w. 2.	— 38. t. 8. f. 2.	
61 cruentus. R.S. (pu.) purple-spotted.	Arabia.	1820.	—	S.w. 2.	— 21. t. 5. f. 1.	
62 glomeratus. R.S. (br.) round-headed.	Italy.	1804.	—	H. 2.	Segu. ver. 3. p. 68. t. 2. f. 2.	
63 ligularis. R.S. (br.gr.) ligulate.	C. B. S.	1820.	—	G.w. 2.	Rottb. gram. t. 11. f. 2.	
64 difformis. R.S. (br.) deformed.	Levant.	1819.	6. 8.	S.w. 2.	Flor. græc. t. 46.	
65 protractus. L.en. (br.) protracted.	Egypt.	1820.	—	H.w. 2.	Delil. æg. 152. t. 5. f. 3.	

66	dives. s.s.	(ye.) large-bracted.	Egypt.	1820.	7.	H.w.⊙.	Delil. æg. 149. t. 4. f. 1.
67	chlorostachys. Stev.	(gr.) green-spiked.	Siberia.	1823.	—	H.w.γ.	
68	múltiplex. Lk.	(br.) many-spiked.		1829.	—	H.w.γ.	
69	scáber. Lag.	(br.) rough.	Spain.	1823.	—	H.w.⊙.	
70	xanthócoma. Ot.	(ye.) yellow-haired.	Sicily.	1829.	—	H.w.γ.	
PAP'YRUS. S.S. PAPER-RUSH. Triandria Monogynia. S.S.							
1	antiquòrum. s.s.	(br.y.) common.	Egypt.	1802.	7. 9.	S.w.γ.	Michel. gen. pl. t. 1.
<i>Cyperus Pap'yrus</i> . R.S.							
2	laxiflórus. s.s.	(br.) loose-flowered.	Madagascar.	1822.	—	S.w.γ.	
3	odorátus. s.s.	(st.) fragrant.	W. Indies.	1819.	—	S.w.γ.	Rudg. guian. p. 17. t. 1.
MARISCUS. R.S. MARI'SCUS. Triandria Monogynia. R.S.							
1	capillàris. R.S.	(st.br.) capillary.	Trinidad.	1824.	7. 10.	S.w.γ.	
2	aggregátus. R.S.	(g.br.) clustered.		1820.	7. 9.	S.w.γ.	
3	lævis. B.P.	(br.g.) smooth.	N. S. W.	1819.	6. 8.	G.w.γ.	
4	ovulàris. R.S.	(br.g.) oval-spiked.	Carolina.	1818.	—	F.w.γ.	Pluk. alm. t. 91. f. 4.
5	retrofráctus. R.S.	(st.pu.) retrofracted.	N. America.	1827.	—	H.w.γ.	— t. 115. f. 1.
6	umbellátus. R.S.	(br.g.) umbelled.	E. Indies.	1789.	—	S.w.γ.	Rottb. gram. t. 4. f. 1.
7	elátus. R.S.	(br.g.) tall.	—	1805.	—	S.w.γ.	Jacq. ic. 2. t. 309.
8	confléxus. L.en.	(br.g.) contracted.	Brazil.	1819.	7. 8.	S.w.γ.	
KYLLINGA. W. KYLLINGA. Triandria Monogynia. L.							
1	monocéphala. R.S.	(wh.) one-headed.	India.	1793.	6. 7.	S.w.γ.	Rottb. gram. t. 4. f. 1.
2	crucifórmis. R.S.	(wh.) cross-formed.	E. Indies.	1825.	—	S.w.γ.	Swartz. hort. g. t. 1.
3	intermèdia. B.P.	(wh.) intermediate.	N. S. W.	1822.	—	G.w.γ.	
4	tríceps. R.S.	(wh.pu.) three-headed.	E. Indies.	1776.	9. 11.	S.w.γ.	Rottb. gram. t. 4. f. 1.
5	uncinàta. L.en.	(gr.) hook-seeded.	Brazil.	1820.	7. 8.	S.w.γ.	
6	odoràta. R.S.	(gr.) fragrant.	S. America.	1822.	—	S.w.γ.	
7	polycéphala. L.en.	(wh.) many-headed.	Brazil.	1820.	—	S.w.γ.	
FUIRENA. B.P. FUIRENA. Triandria Monogynia. L.							
1	umbellàta. R.S.	(br.) umbelled.	W. Indies.	1822.	6. 8.	S.w.γ.	Rottb. gram. t. 12. f. 1.
2	glomeràta. R.S.	(pu.g.) crowded.	E. Indies.	1827.	—	S.w.⊙.	— t. 17. f. 1.
ELYNA. R.S. ELYNA. Triandria Monogynia. R.S.							
	spicàta. R.S.	(br.) simple-spiked.	Europe.	1819.	6. 8.	H.w.γ.	Vill. delph. 2. t. 6.
<i>Cárex Bellàrdi</i> . Host. gram. 4. t. 77.							
TRICHO'PHORUM. P.S. TRICHO'PHORUM. Triandria Monogynia. P.S.							
1	cyperinum. P.S.	(br.st.) cyperine.	N. America.	1802.	5. 9.	H.w.γ.	Pluk. mant. t. 419. f. 1.
2	alpìnum. P.S.	(br.st.) Alpine.	Scotland.		7.	H.w.γ.	Eng. bot. v. 5. t. 311.
<i>Erióphorum alpìnum</i> . E.B.							
ERIO'PHORUM. L. COTTON-GRASS. Triandria Monogynia. L.							
1	vaginàtum. E.B.	(br.) Hare's-tail.	Britain.		3. 4.	H.w.γ.	Eng. bot. v. 13. t. 8.
2	capitatum. E.B.	(br.) round-headed.	Scotland.		8. 9.	H.w.γ.	— v. 34. t. 2.
3	grácile. E.B.	(bk.g.) slender.	—		7. 8.	H.w.γ.	— v. 34. t. 2.
4	angustifòlium. (pu.g.)	narrow-leaved.	Britain.		4. 5.	H.w.γ.	— v. 8. t. 3.
5	virginicum. R.S.	(pu.g.) Virginian.	N. America.	1802.	5. 8.	H.w.γ.	Pluk. alm. t. 200. f. 4.
6	polystàchion. E.B.	(pu.g.) broad-leaved.	Britain.		4.	H.w.γ.	Eng. bot. v. 8. t. 3.
7	pubéscens. E.F.	(bk.) pubescent.	—		4. 5.	H.w.γ.	

ORDO CCXXIV.

GRAMINEÆ. *Juss. gen. p. 28.*

REMIR'EA. R.S. REMIR'EA. Triandria Monogynia.							
	marítima. R.S.	 sea-side.	America.	1822.	7. 8.	G.w.γ.	Aubl. guian. 1. t. 16.
NA'RDUS. R.S. MAT-GRASS. Triandria Monogynia. L.							
	strícta. E.B.	 upright.	Britain.		6. 7.	H.w.γ.	Eng. bot. v. 5. t. 2.
ORYZO'PSIS. M. ORYZO'PSIS. Triandria Monogynia. R.S.							
	asperifòlia. M.	 rough-leaved.	N. America.	1822.	7. 8.	H.γ.	Mich. amer. 1. t. 9.
LYG'EUM. R.S. LYG'EUM. Triandria Monogynia. L.							
	Spártum. R.S.	 rush-leaved.	Spain.	1776.	5. 6.	H.γ.	Schreb. gram. t. 22.
CORNUC'OPIÆ. R.S. HORN OF PLENTY. Triandria Monogynia. L.							
	cucullàtum. R.S.	 hooded.	Levant.	1788.	8.	H.⊙.	Flor. græc. 1. t. 51.
CENCHRUS. R.S. CENCHRUS. Triandria Monogynia. L.							
1	tribuloides. R.S.	 spinous.	N. America.	1818.	5. 8.	H.⊙.	Sloan. hist. 1. t. 65. f. 1.
2	echinátus. R.S.	 rough-spiked.	W. Indies.	1691.	8. 12.	S.♂.	Cavan. ic. 5. p. 39. t. 12.
3	austràlis. B.P.	 New Holland.	N. S. W.	1822.	6. 8.	H.⊙.	

PENNISËTUM. R.S. PENNISËTUM. Triandria Monogynia. R.S.

1 setosum. R.S.	setose.	W. Indies.	1804.	7. 8.	H.⊙.
2 polystachyum. R.S. ..	many-spiked.	E. Indies.	—	—	H.⊙.
3 cenchroides. R.S.	ciliated.	C. B. S.	1777.	7. 8.	H.⊙.
<i>Cenchrus ciliaris</i> . L.					
4 orientale. R.S.	oriental.	Levant.	1819.	—	F. 2.
5 violaceum. R.S.	violet-spiked.	Senegal.	1829.	—	S.⊙.
6 compressum. B.P.	flat-stemmed.	N. S. W.	1820.	—	H. 2.
7 holcoides. R.S.	Holcus-like.	E. Indies.	1823.	—	S.⊙.

Panicum holcoides. F.I.

8 barbatum. R.S.	bearded.	—	—	—	S.⊙.
9 dichotomum. R.S.	forked.	Egypt.	1824.	—	H. 2.
10 nepalense. S.S.	Nepaul.	Nepaul.	1822.	—	H.⊙.
11 asperum. R.S.	rough-leaved.	C. B. S.	1823.	—	G. 1.

PENICILLARIA. R.S. PENICILLARIA. Polygamia Monœcia. W.

1 spicata. R.S.	spiked.	E. Indies.	1592.	6. 7.	H.⊙.
2 alopecuroides.	Fox-tail.	Jamaica.	1739.	7. 10.	H.⊙.

ciliata. W.en. *cylindrica*. R.S. *Panicum alopecuroides*. L. *Alopecurus indicus*. L.

SETARIA. R.S. SETARIA. Triandria Digynia. R.S.

1 sericea. R.S.	silky.	W. Indies.	1780.	5. 9.	H.⊙.
2 verticillata. R.S.	rough.	England.		7. 8.	H.⊙.
3 viridis. R.S.	green.	—		—	H.⊙.

Panicum viride. E.B. *Pennisetum viride*. B.P.

4 pumila. R.S.	dwarf.		1819.	—	H.⊙.
5 macrochaeta. R.S. ..	long-spiked.		—	—	H.⊙.
6 purpurascens. R.S.	purplish.	S. America.	1822.	—	H.⊙.
7 intermedia. R.S.	intermediate.	E. Indies.	1819.	8. 10.	H.⊙.
8 Weinmanni. R.S.	Weinman's.	Teneriffe.	1816.	—	H.⊙.
9 glauca. R.S.	glaucous.	S. Europe.	1771.	7. 8.	H.⊙.
10 helvola. R.S.	pale red.	E. Indies.	1822.	8. 10.	H.⊙.
11 corrugata. R.S.	rugged-flowered.	Carolina.	1828.	—	H.⊙.
12 erubescens. R.S.	blush.	S. America.	1822.	—	H.⊙.
13 geniculata. R.S.	jointed.	Antilles.	1805.	7. 8.	H.⊙.
14 maritima. R.S.	sea-side.		1818.	—	H.⊙.
15 germanica. R.S.	German.	Germany.	1548.	—	H.⊙.
16 italica. R.S.	Italian.	Italy.	1616.	—	H.⊙.

Panicum italicum. Host. gram. 4. t. 14. *Pennisetum italicum*. B.P.

17 composita. R.S.	compound.	S. America.	1823.	—	H.⊙.
18 cylindrica. R.S.	cylindrical.		—	—	H.⊙.
19 setosa. R.S.	bristly.	W. Indies.	1822.	—	H.⊙.
20 polystachia. R.S.	many-spiked.	Brazil.	1824.	—	S. ♂.
21 tenacissima. R.S.	tough.	—	1819.	—	H.⊙.
22 Pennisetum. R.S.	Indian.	E. Indies.	1820.	6. 8.	S.⊙.
23 scandens. R.S.	climbing.		—	—	H.⊙.
24 caudata. R.S.	tailed.	Trinidad.	1824.	—	H.⊙.
25 muricata. R.S.	sea-side.	N. America.	1819.	—	H.⊙.
26 auricoma. Lk.	golden-headed.		1826.	—	H.⊙.

ANTHOXANTHUM. R.S. SPRING-GRASS. Diandria Digynia. L.

1 odoratum. E.B.	sweet-scented.	Britain.		5.	H. 2.
β laxum.	loose-spiked.	—		—	H. 2.
γ pubescens.	downy-spiked.	—		—	H. 2.
δ ramosum.	branching-spiked.	—		—	H. 2.
2 amarum. R.S.	bitter.	S. Europe.	1810.	7.	H. 2.
3 gracile. R.S.	slender.	Italy.	1825.	7. 8.	H.⊙.
4 ovatum. R.S.	oval-spiked.	Spain.	1824.	—	H.⊙.

SPARTINA. R.S. SPARTINA. Triandria Monogynia. R.S.

1 cynosuroides. R.S.	Dog's-tail.	N. America.	1781.	8. 9.	H. 2.
<i>Dactylis cynosuroides</i> . L. <i>Trachynotia cynosuroides</i> . M. <i>Limnætis cynosuroides</i> . P.S.					
2 stricta. R.S.	upright.	Britain.		8.	H. 2.

Dactylis stricta. E.B. *Limnætis pungens*. P.S.

3 glabra. R.S.	smooth.	N. America.	1827.	—	H. 2.
4 alterniflora. R.S.	alternate-flower'd.	S. Europe.	—	—	H. 2.
5 polystachia. R.S.	many-spiked.	N. America.	1781.	8. 9.	H. 2.
6 pumila. R.S.	dwarf.	—	1820.	—	H. 2.
7 pectinata.	pectinated.	—	1827.	—	H. 2.
8 juncea. R.S.	rushy.	—	1781.	7. 8.	H. 2.
9 patens. R.S.	spreading.	—	—	—	H. 2.
10 geniculata. R.S.	jointed.	Java.	1822.	—	S. 2.
11 arundinacea. R.S.	Reed-like.	Tristan d'Acunha.	1820.	—	G. 2.

Rumph. amb. 6. t. 7. f. 2.
Giseck. ic. 1. t. 23.

Delil. ægyp. t. 8. f. 3.

Pluk. alm. t. 32. f. 4.
— t. 92. f. 5.Eng. bot. v. 13. t. 874.
— v. 13. t. 875.

Host. gram. 2. t. 16.

Host. gram. 2. t. 15.
Rumph. amb. 3. t. 76. f. 2.Eng. bot. v. 9. t. 647.
Loes. ic. 22.Trin. ic. gram. t. 14.
— t. 13.

Linn. fil. fasc. 1. t. 9.

Eng. bot. v. 6. t. 380.

Burm. ind. t. 12. f. 3.

ZO'YSIA. R.S.	Zo'ysia.	Triandria Digynia. W.			
pungens. R.S.	pungent.	E. Indies.	1819.	6. 8. S. 4.	
LE'ERSIA. B.P.	Le'ersia.	Triandria Digynia. W.			
1 oryzoides. s.s.	Rice-like.	S. Europe.	1793.	7. 8. H.w. 4.	Host. gram. 1. t. 35.
2 virginica. s.s.	Virginian.	N. America.	—	— H.w. 4.	
3 australis. B.P.	southern.	N. S. W.	1819.	— H.w. 4.	
4 lenticularis. s.s.	round-glumed.	N. America.	1825.	— H.w. 4.	
5 brasiliensis. R.S.	Brazilian.	Brazil.	1826.	— S.w. 4.	
PER'OTIS. R.S.	Per'otis.	Triandria Digynia. W.			
latifolia. R.S.	broad-leaved.	E. Indies.	1777.	8. 9. S. ⊙.	Rheed. mal. 12. t. 62.
ALOPEC'URUS. R.S.	FOXTAIL-GRASS.	Triandria Digynia. L.			
1 agréstit. E.B.	slender.	Britain.	—	7. 8. H. ⊙.	Eng. bot. v. 12. t. 848.
2 utriculatus. R.S.	bladdered.	Italy.	1777.	— H. ⊙.	Flor. grac. t. 63.
3 echinatus. R.S.	rough.	C. B. S.	1822.	— G. ⊙.	
4 pratensis. E.B.	meadow.	Britain.	—	5. H. 4.	Eng. bot. v. 11. t. 72.
5 nigricans. R.S.	blackish.	Europe.	1815.	6. 7. H. 4.	Jacq. ecl. gram. t. 13.
<i>Tauntoniensis. Sinc. gr. wob. p. 232.</i>					
6 trivialis. s.o.	long-awned.	Bohemia.	1827.	— H. 4.	
7 scaber. s.o.	scabrous.	—	—	— H. 4.	
8 Giesekeanus. R.S.	Gieseke's.	N. Europe.	1828.	— H. 4.	Flor. dan. t. 1565.
<i>ovatus. F.D. non Forst.</i>					
9 geniculatus. E.B.	floating.	Britain.	—	5. 8. H.w. 4.	Eng. bot. v. 18. t. 1250.
10 fulvus. E.B.	orange-spiked.	England.	—	6. H.w. 4.	— v. 21. t. 147.
11 alpinus. E.B.	Alpine.	Scotland.	—	5. 6. H. 4.	— v. 16. t. 112.
12 ramosus. R.S.	branching.	N. America.	1823.	— H. 4.	
13 arundinaceus. R.S.	Reed-like.	—	1819.	— H. 4.	
14 macrostachyos. s.s.	large-spiked.	Barbary.	1824.	6. 8. H. 4.	
15 bulbosus. E.B.	bulbous.	England.	—	7. H. 4.	Eng. bot. v. 18. t. 125.
16 colobachnoides. R.S.	Siberian.	Siberia.	1826.	6. 7. H. 4.	
17 Gerardi. Trin.	Gerard's.	S. Europe.	1820.	6. 8. H. 4.	Jacq. ic. t. 301.
<i>Phlèum Gerardi. R.S.</i>					
PHL'EUM. R.S.	CAT'S-TAIL-GRASS.	Triandria Digynia. L.			
1 pratense. R.S.	common.	Britain.	—	7. H. 4.	Eng. bot. v. 15. t. 155.
α majus. S.G.W.	greater.	—	—	— H. 4.	Sinc. gr. wob. p. 155.
β minus. S.G.W.	lesser.	—	—	7. 8. H. 4.	— p. 155.
2 nodosum. W.	knotted.	—	—	7. 9. H. 4.	Flor. dan. t. 320.
3 Bertolonii. R.S.	Bertoloni's.	France.	1818.	— H. 4.	
4 alpinum. R.S.	alpine.	Scotland.	—	7. H. 4.	Eng. bot. v. 8. t. 512.
5 commutatum. R.S.	confused.	Piedmont.	1819.	— H. 4.	
6 felinum. R.S.	Grecian.	Greece.	1822.	— H. ⊙.	
7 echinatum. R.S.	hedgohog.	Dalmatia.	—	8. 9. H. ⊙.	Host. gram. 3. t. 11.
ACHNODO'NTON. R.S.	ACHNODO'NTON.	Triandria Digynia. R.S.			
1 Bellardi. R.S.	bulbous.	Spain.	1798.	6. 7. H. ⊙.	
<i>Phalaris Bellardii. W. bulbosa. L.</i>					
2 tenue. R.S.	slender.	S. Europe.	1826.	— H. ⊙.	Host. gram. t. 36.
3 arenaria. L.en.	sand.	Britain.	—	6. 7. H. ⊙.	Eng. bot. v. 4. t. 222.
<i>Phalaris arenaria. E.B. Phlèum arenarium. F.D. t. 915. Chilochlœa arenaria. R.S.</i>					
CHILOCHL'OA. R.S.	CHILOCHL'OA.	Triandria Digynia. R.S.			
1 Bœhméri. R.S.	Phalaris-like.	England.	—	7. 9. H. 4.	Eng. bot. v. 7. t. 450.
<i>Phalaris phleoides. E.B. Phlèum phalaroides. Kœl. Bœhméri. W.</i>					
2 cuspidata. R.S.	sharp-pointed.	Tyrol.	1824.	7. 8. H. 4.	Host. gram. 4. t. 22.
3 Michèlii. L.en.	Micheli's.	Scotland.	—	6. 7. H. 4.	Eng. bot. v. 32. t. 222.
<i>Phlèum Michèlii. E.B.</i>					
4 aspera. R.S.	rough.	England.	—	7. H. ⊙.	Eng. bot. v. 15. t. 155.
<i>Phlèum paniculatum. E.B. Phlèum asperum. Jacq. ic. t. 14. Phalaris aspera. W.</i>					
5 annua. R.S.	annual.	Caucasus.	1825.	7. 8. H. ⊙.	
SCHMI'DTIA. S.S.	SCHMI'DTIA.	Diandria Digynia. S.S.			
sùbtilis. s.s.	close umbelled.	Bohemia.	1824.	6. 8. H. ⊙.	Tratt. fl. aus. t. 451.
<i>Coleánthus súbtilis. R.S.</i>					
POLYP'OGON. R.S.	POLYP'OGON.	Triandria Digynia. W.			
1 monspeliensis. R.S.	chaffy.	Britain.	—	7. 8. H. ⊙.	Eng. bot. v. 24. t. 173.
<i>Agróstit panicea. E.B.</i>					
2 littoralis. E.F.	sea-side.	—	—	8. H. 4.	Eng. bot. v. 18. t. 124.
3 Lagascae. R.S.	Lagasca's.	Spain.	1824.	— H. 4.	
4 marítimus. R.S.	shore.	S. Europe.	1822.	— H. ⊙.	
5 glomeratus. R.S.	clustered.	N. America.	—	7. 8. H. 4.	
6 tatáricus. F.	Tartarian.	Tartary.	1825.	— H. ⊙.	
CER'ESIA. P.S.	CER'ESIA.	Triandria Digynia. P.S.			
élegans. P.S.	elegant.	Peru.	1818.	8. 9. H. 4.	Jacq. frag. t. 85.
<i>Páspalum membranaceum. s.s.</i>					

PASPALUM. W.	PA'SPALUM.	Triandria Digynia. L.				
1 dissectum. s.s.	 dissected.	S. America.	1822.	8. 10.	H. ⊙.	
2 scrobiculatum. s.s.	 dimpled.	E. Indies.	1778.	7. 9.	S. 4.	Hout. n. his. t. 89. f. 3.
3 stoloniferum. s.s.	 purple.	Peru.	1794.	—	G. 4.	Jacq. ic. 2. t. 302.
4 paniculatum. s.s.	 paniced.	W. Indies.	1782.	—	S. ⊙.	Sloan. hist. 1. t. 72. f. 2.
5 virgatum. s.s.	 twiggy.	—	1822.	—	S. 4.	—1. t. 69. f. 2.
6 l'ave. M.	 smooth.	N. America.	1818.	—	H. 4.	Lecomt. pasp. t. 91.
7 mucronatum. R.S.	 mucronate.	—	1825.	—	H. ⊙.	
8 Lecomteanum. R.S.	 Lecomte's.	—	1827.	—	H. 4.	Lecomt. pas. t. 91.
9 latifolium. R.S.	 broad-leaved.	—	—	—	H. 4.	
10 platense. R.S.	 Monte Video.	Monte Video.	1824.	—	H. 4.	
11 difforme. R.S.	 deformed.	N. America.	1818.	7. 9.	H. 4.	Lecomt. pas. t. 91. p. 284.
12 pusillum. R.S.	 small.	St. Thomas.	1822.	—	S. 4.	
13 conjugatum. s.s.	 conjugate.	W. Indies.	—	—	S. 4.	Gært. fruct. 2. t. 80. f. 4.
14 notatum. s.s.	 two-spiked.	—	1776.	7.	S. ♂.	Swartz obs. t. 2. f. 1.
15 vaginatum. R.S.	 sheathed.	—	1824.	—	S. 4.	
16 platycaule. R.S.	 flat-stalked.	—	—	—	S. 4.	
17 molle. s.s.	 soft.	St. Thomas.	1822.	—	S. 4.	
18 Kora. R.S.	 smooth-flowered.	E. Indies.	1818.	7. 8.	S. 4.	
19 longiflorum. R.S.	 long-flowered.	—	1824.	—	S. 4.	
20 setaceum. M.	 bristly.	N. America.	—	—	H. 4.	
21 pilosum. R.S.	 hairy.	S. America.	1826.	—	S. 4.	
22 incertum. R.S.	 uncertain.		1812.	—	H. 4.	
23 dubium. s.s.	 doubtful.		1818.	—	H. 4.	
24 glabrum. s.s.	 smooth.	W. Indies.	1823.	—	S. 4.	
25 tenellum. W.	 elegant.		1817.	—	S. 4.	
<i>elégans. s.s.</i>						
26 laxum. R.S.	 loose.	S. America.	1819.	—	S. 4.	
27 inaequale. L. en.	 unequal-valved.	Manilla.	1822.	—	S. 4.	
AMPHIPOGON. B.P.	AMPHIPOGON.	Triandria Digynia. S.S.				
strictus. B.P.	 upright.	N. S. W.	1823.	5. 6.	G. 4.	
GASTRIDIVM. R.S.	GASTRIDIVM.	Triandria Digynia. R.S.				
1 australe. R.S.	 yellow.	England.		8.	H. 4.	Eng. bot. v. 16. t. 1107.
<i>Milium lendigerum. E.B.</i>						
2 muticum. R.S.	 beardless.	Sicily.	1819.	7. 8.	H. ⊙.	
CHÆTURUS. R.S.	CHÆTURUS.	Triandria Digynia. R.S.				
fasciculatus. R.S.	 fascicled.	S. Europe.	1815.	7. 9.	H. ⊙.	
MILIUM. R.S.	MILLET-GRASS.	Triandria Digynia. L.				
1 nigricans. R.S.	 Guinea maize.	Peru.	1824.	6. 8.	H. ⊙.	
2 effusum. E.B.	 common.	Britain.		6. 7.	H. 4.	Eng. bot. v. 16. t. 1106.
3 vernale. R.S.	 vernal.	Caucasus.	1819.	4. 5.	H. ⊙.	
4 scabrum. R.S.	 rough.	S. Europe.	1826.	—	H. ⊙.	
5 confertum. R.S.	 close-flowered.	Italy.	—	—	H. 4.	
6 amplexicaule. R.S.	 earth-fruited.	N. America.	1827.	—	H. 4.	Pursh. am. sept. 2. t. 2.
7 gallicicum. R.S.	 capillary.	Gallicia.	1819.	6. 8.	H. 4.	
8 velutinum. R.S.	 downy.	Mexico.	1823.	—	H. ⊙.	
9 filiforme. Lag.	 slender.	New Spain.	1824.	—	H. 4.	
10 microspERMUM. R.S.	 small-seeded.	—	1822.	—	H. ⊙.	
11 phleoides.	 Phleum-like.	E. Indies.	1829.	—	S. 4.	
PIPTATHERUM. R.S.	PIPTATHERUM.	Triandria Digynia. R.S.				
1 paradoxum. R.S.	 black-seeded.	France.	1771.	6. 7.	H. ⊙.	Host. gram. 3. t. 23.
<i>Agróstis paradoxá. L. Milium paradoxum. w. Uráchne viréscens. Trin.</i>						
2 coerulescens. R.S.	 blueish.	Barbary.	1819.	—	H. 4.	Desf. atl. 1. t. 12.
3 multiflorum. R.S.	 many-flowered.	S. Europe.	1778.	—	H. 4.	Host. gram. 3. t. 45.
<i>Milium arundinaceum. F.G. t. 66. Agróstis miliacea. L.</i>						
4 punctatum. R.S.	 dotted.	W. Indies.	1824.	—	S. 4.	
CALAMAGROSTIS. S.S.	CALAMAGROSTIS	Triandria Digynia. S.S.				
1 epigejos. s.s.	 wood.	Britain.		7.	H. 4.	Eng. bot. v. 6. t. 403.
2 intermedia. R.S.	 intermediate.	Carlsruhe.	1827.	—	H. 4.	
3 littorea. s.s.	 sea-side.	Switzerland.	1824.	7. 8.	H. 4.	Schrad. fl. ger. 1. t. 4. f. 2.
4 laxa. Host.	 loose.	—	—	—	H. 4.	Host. gram. 4. t. 23.
5 glauca. R.S.	 glaucous.	N. America.	—	—	H. 4.	
6 Halleriana. s.s.	 Haller's.	Switzerland.	1819.	—	H. 4.	Schrad. fl. ger. 1. t. 4. f. 3.
<i>Arúndo pseudophragmites. R.S.</i>						
7 strieta. s.s.	 upright.	Scotland.		7. 8.	H. 4.	Eng. bot. v. 30. t. 2160.
8 varia. Host.	 various.	S. Europe.	1813.	—	H. 4.	Host. gram. 4. t. 47.
9 acutiflora. DC.	 sharp-flowered.	Germany.	1819.	—	H. 4.	
10 sylvatica. DC.	 wood.	Europe.	1813.	—	H. 4.	Host. gram. 4. t. 49.
<i>arundinacea. Roth. Agróstis arundinacea. L. pyramidalis. Host.</i>						

11	purpurascens.Br.....	purplish.	N. America.	1827.	7. 8.	H. 4.	
12	Schwábii. s.s.	Saxon.	Saxony.	1828.	—	H. 4.	
13	Langsdorffii. s.s.	Langsdorff's.		1823.	—	H. 4.	
14	confinis. s.s.	hairy-flowered.	N. America.	1820.	—	H. 4.	
15	montana. Host.	mountain.	Europe.	—	—	H. 4.	Host. gram. 4. t. 46.
16	Héstii. R.S.	Host's.	—	—	—	H. 4.	— 4. t. 48.
	sylvatica. Host. nec aliorum.						
17	canadensis. N.	Canadian.	N. America.	1826.	—	H. 4.	
18	lanceolata. s.s.	common.	England.		7.	H. 4.	Eng. bot. v. 30. t. 217.
	Arundo Calamagrostis. E.B. Agróstis lanceolata. R.S.						
19	speciosa. Host.	beautiful.	Germany.	1813.	7. 8.	H. 4.	Host. gram. 4. t. 45.
	Agróstis Calamagrostis. R.S.						
STIPA. R.S. FEATHER-GRASS. Triandria Digynia. L.							
1	pennata. E.B.	common.	Britain.		7. 8.	H. 4.	Eng. bot. v. 19. t. 137.
2	tortilis. R.S.	twisted-awned.	S. Europe.	1823.	—	H. 4.	Desf. atl. 1. t. 31. f. 1.
3	junceæ. R.S.	rushy.	France.	1772.	—	H. 4.	Flor græc. 1. t. 85.
4	gigantea. R.S.	gigantic.	Spain.	1823.	—	H. 4.	
5	Lagascæ. R.S.	Lagascæ's.	—	1822.	—	H. 4.	Desf. atl. 1. t. 28.
6	capitata.	capillary.	S. Europe.	—	—	H. 4.	Host. gram. 3. t. 5.
7	tenacissima. R.S.	tough.	—	1822.	—	H. 4.	Desf. atl. 1. t. 30.
8	Aristella. R.S.	awned.	Montpelier.	1806.	—	H. 4.	Host. gram. 4. t. 34.
9	Redóvskii. L.A.	Redowski's.	Altay.	1828.	—	H. 4.	Ledeb. ic. t. 98.
10	mollis. B.P.	soft.	N. S. W.	1824.	—	F. 4.	
11	conferta. R.S.	close paniced.		1819.	—	H. 4.	
12	sibirica. R.S.	Siberian.	Siberia.	1777.	—	H. 4.	Ledeb. ic. t. 99.
AGRAULUS. P.B. AGRAULUS. Triandria Digynia. R.S.							
1	canina. P.B.	brown.	Britain.		7.	H. 4.	Eng. bot. v. 26. t. 1856.
	Agróstis canina. E.B. Trichodium caninum. R.S.						
2	alpina. P.B.	Alpine.	S. Europe.	1818.	7. 8.	H. 4.	Host. gram. 3. t. 49.
3	rupëstris. R.S.	rock.	Pyrenees.	—	—	H. 4.	— 3. t. 50.
4	neglecta. R.S.	neglected.	Hungary.	1822.	—	H. 4.	
5	flavescens.	yellowish.	S. Europe.	—	—	H. 4.	Host. gram. 4. t. 52.
6	setacea.	bristly.	Britain.		—	H. 4.	Eng. bot. v. 17. t. 118.
	Agróstis setacea. E.B. Trichodium setaceum. R.S.						
7	rùbra. R.S.	red.	Lapland.	1820.	—	H. 4.	
8	hy'brida. R.S.	hybrid.	Switzerland.	—	—	H. 4.	
9	diffusa. L.en.	spreading.		1823.	—	H. 4.	
TRICHODIUM. M. WINTER-GREEN-GRASS. Triandria Digynia.							
1	decumbens. R.S.	decumbent.	N. America.	1786.	6. 7.	H. 4.	Fraser mon. c. ic.
2	laxiflorum. R.S.	loose-flowered.	—	1816.	—	H. 4.	Mich. amer. 1. t. 8.
3	élegans. R.S.	elegant.	France.	—	7. 9.	H. 4.	Lois journ.bot.2.t.8.f.1.
AGROSTIS. R.S. BENT-GRASS. Triandria Digynia. R.S.							
1	stolonífera. R.S.	creeping.	Britain.		7. 8.	H. 4.	Eng. bot. v. 22. t. 100.
	a latifolia. S.G.W. Fiorin grass.		—		—	H. 4.	Sinc. gr. wob. p. 225.
	β angustifolia. S.G.W. narrow-leaved.		—		—	H. 4.	— p. 340.
	γ aristata. S.G.W. awned.		—		—	H. 4.	— p. 345.
	δ nemoralis. S.G.W. wood.		—		—	H. 4.	
	ε palustris. S.G.W. marsh.		—		—	H. 4.	
2	dúlcis. Df.	sweet.	S. France.	1824.	—	H. 4.	
3	stolonizans. R.S.	stoloniferous.	Poland.	1827.	—	H. 4.	
4	diffusa. R.S.	spreading.	Europe.	1816.	—	H. 4.	Host. gram. 4. t. 55.
5	neglecta. R.S.	neglected.	Hungary.	—	—	H. 4.	
6	capillaris. R.S.	capillary.	S. Europe.	—	—	H. 4.	
7	tenella. R.S.	slender.	Switzerland.	1824.	—	H. 4.	Sm. ic. ined. 3. t. 54.
8	álba. R.S.	white rooted.	Britain.		7.	H. 4.	Schad.fl.ger.1.t.5.f.1.
	β purpurascens.	purplish.	—		—	H. 4.	Sinc. gr. wob. p. 342.
	γ vivipara.	viviparous.	—		—	H. 4.	Eng. bot. v. 17. t. 118.
9	párvula. R.S.	small.	Hungary.	1826.	—	H. 4.	Leers fl. herb. t. 4. f. 3.
10	tenuifolia. R.S.	slender-leaved.	Caucasus.	1819.	7. 8.	H. 4.	Trin. icon. gr. t. 35.
11	pátula. R.S.	knotted spreading.	Switzerland.	1824.	—	H. 4.	
12	valentina. R.S.	Valentia.	Spain.	—	—	H. 4.	
13	dùbia. R.S.	doubtful.	Germany.	1818.	—	H. 4.	Leers fl. herb. t. 4. f. 4.
14	gigantea. R.S.	gigantic.	Caucasus.	—	—	H. 4.	
15	frondosa. R.S.	frondose.	Naples.	1824.	—	H. 4.	
16	vulgàris. R.S.	fine.	Britain.		—	H. 4.	Eng. bot. v. 24. t. 1071.
17	ambigua. R.S.	ambiguous.	Germany.	1820.	—	H. 4.	Host. gram. t. 56.
18	Juréssi. R.S.	close paniced.	—	—	—	H. 4.	Trin. ic. gram. t. 29.
19	virginica. R.S.	Virginian.	N. America.	—	—	H. 4.	Lab. nov. holl. 1. t. 26.
20	brasiliensis. R.S.	Brazilian.	Brazil.	1828.	—	S. 4.	

21	maritima. R.S.	 sea-side.	S. Europe.	1825.	7. 8.	H. 4.	
22	Forsteri. R.S.	 Forster's.	N. Zealand.	1822.	—	H. 4.	
	<i>Arina filiformis.</i>	Forst.					
23	Billardieri. B.P.	 Labillardiere's.	N. Holland.	1806.	—	H. 4.	Lab. nov. holl. 1. t. 31.
24	plebeia. B.P.	 plebeian.	N. S. W.	1822.	—	H. 4.	
25	annula. B.P.	 flat-leaved.	—	1806.	—	H. 4.	
26	retrofracta. R.S.	 broad-leaved.	—	—	4. 5.	F. 4.	
27	hirsuta. R.S.	 hairy.	Teneriffe.	1810.	—	F. 4.	
28	Spica venti. E.B.	 silky.	England.		6. 7.	H. ⊙.	Eng. bot. v. 14. t. 951.
29	pallida. DC.	 pale.	France.	1818.	—	H. ⊙.	
30	interrupta. R.S.	 interrupted.	S. Europe.	—	—	H. ⊙.	Host. gram. 3. t. 48.
31	purpurea. R.S.	 purple.	—	1820.	—	H. ⊙.	
32	pauciflora. R.S.	 few-flowered.	Switzerland.	1824.	6. 8.	H. 4.	Schrad. fl. ger. 1. t. 3. f. 2.
33	decumbens. Host.	 decumbent.	Hungary.	—	—	H. 4.	Host. gram. 4. t. 54.
	SPORO'BOLUS. B.P.	SPORO'BOLUS.	Triandria Digynia.				
1	diandrus. R.S.	 diandrous.	E. Indies.	1820.	6. 8.	S. ⊙.	
2	pulehellus. R.S.	 pretty.	N. Holland.	1828.	—	F. 4.	
3	indicus. B.P.	 Indian.	India.	1773.	8. 10.	H. ⊙.	Sloan. hist. 1. t. 73. f. 1.
4	purpurascens. R.S.	 purplish.	Jamaica.	1820.	—	S. ⊙.	
5	tenacissimus. L.en.	 tough.	W. Indies.	1801.	—	S. 4.	Jacq. ic. 1. t. 16.
6	elongatus. B.P.	 elongated.	N. S. W.	1822.	—	H. ⊙.	
7	mieranthus.	 small-flowered.	Monte Video.	1825.	—	H. ⊙.	
	COLPODIUM. Trin.	COLPODIUM.	Triandria Digynia.				
1	Stevèni. Trin.	 various-coloured.	Caucasus.	1823.	7. 8.	H. 4.	
	<i>Agróstitis versicolor.</i>	Stev.					
2	latifolium. Br.	 broad-leaved.	Melville Isl.	1821.	—	H. ⊙.	
	TRICHOCHLOA. Tr.	TRICHOCHLOA.	Triandria Digynia.				
1	tenuiflora.	 slender-flowered.	N. America.	1820.	7. 8.	H. 4.	Willd. hort. ber. t. 12.
	<i>longiseta.</i> Tr.	<i>Agróstitis tenuiflora.</i> w. <i>Cinna tenuiflora.</i> L.en.					
2	mexicana. Tr.	 Mexican.	America.	1780.	6. 9.	H. 4.	
3	foliosa. Tr.	 leafy.	N. America.	1819.	7. 8.	H. 4.	
	<i>Agróstitis filiformis.</i> W.en. <i>Cinna filiformis.</i> L.en.						
4	sobolifera. Tr.	 soboliferous.	N. America.	1819.	7. 8.	H. 4.	
5	microspérma. DC.	 small-seeded.	Mexico.	1818.	8. 10.	H. ⊙.	
6	capillaris. DC.	 capillary.	Carolina.	—	—	H. 4.	
7	expansa. DC.	 expanded.	—	1822.	—	H. 4.	P. B. agros. nov. t. 8. f. 2.
	<i>purpurea.</i> P.B.						
8	polypogon. DC.	 many-bearded.	—	1812.	—	H. 4.	P. B. agros. nov. t. 8. f. 3.
	CINNA. L.	CINNA.	Monandria Digynia. L.				
1	arundinacea. L.	 Reed-like.	Canada.	1780.	7.	H. 4.	Schreb. gram. t. 49.
2	crinita. Tr.	 rough-keeled.	N. Zealand.	1822.	—	F. 4.	Lab. nov. hol. 2. t. 263.
3	monandra. R.S.	 monandrous.	N. America.	1826.	—	H. ⊙.	
	KNAPP'IA. E.B.	KN'APP'IA.	Triandria Digynia. S.S.				
	<i>agrostidea.</i> E.B.	 small.	Wales.		3. 4.	H. ⊙.	Eng. bot. v. 16. t. 1127.
	<i>Agróstitis minima.</i> w. <i>Chamagróstitis minima.</i> R.S. <i>Stúrmiá vérna.</i> P.S.						
	COLOBA'CHNE. R.S.	COLOBA'CHNE.	Triandria Digynia. R.S.				
	<i>vaginata.</i> R.S.	 sheathed.	Levant.	1818.	4.	H. 4.	Flor. græc. t. 64.
	<i>Alopecúrus angustifolius.</i> F.G. <i>Polypogon vaginatus.</i> w.						
	HELEOCHLOA. Host.	HELEOCHLOA.	Triandria Monogynia.				
1	alopecuroides. R.S.	 Foxtail-like.	Germany.	1816.	7. 8.	H. ⊙.	Host gram. 1. t. 29.
2	phalaroides. P.B.	 Phalaris-like.	Caucasus.	1827.	—	H. ⊙.	
3	schænoïdes. R.S.	 Schænus-like.	S. Europe.	1783.	—	H. ⊙.	Jacq. ic. 1. t. 15.
	CRYP'SIS. Host.	CRYP'SIS.	Triandria Monogynia.				
	<i>aculeata.</i> R.S.	 prickly.	S. Europe.	1783.	—	H. ⊙.	Host. gram. 1. t. 31.
	LAPP'AGO. W.	LAPP'AGO.	Triandria Digynia. W.				
1	racemosa. w.	 branching.	S. Europe.	1771.	—	H. ⊙.	Flor. græc. t. 101.
	<i>Tragus racemósus.</i> R.S. <i>Cénchrus racemósus.</i> L.						
2	aliema. s.s.	 Brazilian.	Brazil.	1826.	6. 8.	S. ⊙.	
3	biflora. F.I.	 two-flowered.	E. Indies.	1824.	—	S. 4.	
	MUHLENBER'GIA. W.	MUHLENBER'GIA.	Triandria Digynia. W.				
	<i>diffusa.</i> R.S.	 spreading.	N. America.	1816.	5. 6.	H. 4.	Schreb. gram. t. 51.
	CHÆTARIA. R.S.	CHÆTARIA.	Triandria Digynia. R.S.				
1	adscensionis. R.S.	 West Indian.	W. Indies.	1822.	7. 8.	S. 4.	Sloan. hist. 1. t. 2. f. 56.
	<i>Aristida adscensionis.</i> w.						
2	Hystrix. R.S.	 Porcupine.	E. Indies.	—		S. 4.	Pluk. alm. t. 191. f. 5.
3	oligántha. R.S.	 long-glumed.	N. America.	1826.	—	H. w. 4.	
4	pallens. R.S.	 pale.	Chile.	1825.	—	H. 4.	
5	divaricata. R.S.	 spreading.	S. America.	1818.	7. 8.	G. 4.	Jacq. eclog. gram. t. 6.

6	gigantea. R.S.		gigantic.	Teneriffe.	1824.	7. 8.	F. 2.	
7	cœrulescens. R.S.		bluish.	Canaries.	1818.	—	H. ⊙.	Desf. atl. t. 21. f. 2.
CURTOPOGON. R.S. CURTOPOGON. Triandria Digynia.								
	dichotomus. R.S.		forked.	N. America.	1826.	6. 8.	H. ♂.	Spr. act. pot. 2. t. 6.
<i>Aristida dichotoma</i> . Ph.								
ARISTIDA. R.S. ARISTIDA. Triandria Digynia. L.								
1	obtusa. R.S.		blunt-awned.	Egypt.	1828.	6. 8.	H. ⊙.	Delil. ægyp. t. 13. f. 1.
2	vagans. R.S.		spreading-paniced.	N. S. W.	1820.	7. 8.	F. 2.	Cavan. ic. 5. t. 471.
HORDEUM. R.S. BARLEY. Triandria Digynia. L.								
1	vulgare. R.S.		spring.	Levant.		7.	H. ⊙.	Host. gram. 3. t. 34.
	<i>β giganteum</i> .		giant.	—		—	H. ⊙.	
2	cœleste. R.S.		naked-seeded.	Levant.		—	H. ⊙.	Viborg cereal. t. 1.
3	nigrum. R.S.		black-seeded.	—		—	H. ♂.	
4	hexastichon. R.S.		winter.	—		—	H. ⊙.	Viborg cereal. t. 2.
5	bulbosum. R.S.		bulbous.	S. Europe.	1770.	—	H. 2.	Flor. græc. 1. t. 58.
6	jabatum. R.S.		long-bearded.	N. America.	1782.	7. 8.	H. ♂.	
7	Sieberiænum. R.S.		Sieber's.	Egypt.	1828.	—	H. ⊙.	
8	distichum. R.S.		common.	Tartary.		7.	H. ⊙.	Viborg cereal. t. 3.
	<i>β imberbe</i> . R.S.		beardless.	—		—	H. ⊙.	
9	nudum. R.S.		naked seeded.	—		—	H. ⊙.	Arduin. sag. t. II. f. 1.
10	Zœciriton. R.S.		Battledore.	—		8.	H. ⊙.	Viborg cereal. t. 4.
11	murinum. R.S.		wall.	Britain.		4. 8.	H. ⊙.	Eng. bot. v. 28. t. 17.
12	pratense. R.S.		meadow.	—		6.	H. 2.	— v. 6. t. 4.
13	maritimum. E.B.		sea-side.	—		6. 7.	H. ⊙.	— v. 17. t. 17.
14	nepalense.		Nepaul.	Nepaul.	1825.	7. 8.	H. ⊙.	
15	Hy'strix. R.S.		hedgehog.	Spain.	1817.	—	H. ⊙.	
16	bifarium. R.S.		two-ranked.	—	1822.	—	H. ⊙.	
ÆGOPOGON. R.S. ÆGOPOGON. Triandria Digynia. R.S.								
1	pusillus. R.S.		small.	S. America.	1822.	7. 8.	H. ⊙.	Cav. h. r. mad. 1. t. 5. f. 1.
2	trisetus. R.S.		three awned.	—	—	—	H. ⊙.	— 1. t. 5. f. 1.
MICROCHLOA. B.P. MICROCHLOA. Triandria Digynia. R.S.								
	setacea. B.P.		bristly.	Tropics.	1806.	7.	H. ⊙.	Roxb. corem. 2. t. 12.
MELINIS. S.S. MELINIS. Triandria Digynia. S.S.								
	minutiflora. s.s.		glutinous.	Brazil.	1822.	6. 7.	S. 2.	Nees Hor. ber. 51. t. 5.
<i>Tristegis glutinosa</i> . Nees. <i>Suardia picta</i> . Schrank h. mon. 11. t. 58.								
DIGITARIA. R.S. DIGITARIA. Triandria Digynia. R.S.								
1	sanguinalis. R.S.		slender-spiked.	Britain.		8.	H. ⊙.	Eng. bot. v. 12. t. 84.
<i>Panicum sanguinale</i> . E.B.								
2	bicornis. R.S.		two-horned.	E. Indies.	1825.	8. 9.	H. ⊙.	
3	affinis. R.S.		related.	S. America.	1820.	7. 8.	H. ⊙.	
4	ægyptiaca. R.S.		Egyptian.	Egypt.	1791.	—	H. ⊙.	Jacq. obs. 3. t. 30.
5	filiformis. s.s.		filiform.	N. America.	1781.	—	H. ⊙.	
6	Roxburghii. s.s.		Roxburgh's.	E. Indies.	1823.	—	H. ⊙.	
<i>Panicum filiforme</i> . F.I.								
7	villosa. s.s.		villous.	N. America.	1781.	7. 9.	H. ⊙.	
8	debilis. s.s.		weak.	Barbary.	1821.	—	H. ⊙.	
9	glabra. R.S.		smooth.	S. Europe.	1817.	—	H. ⊙.	Schrad. germ. 1. t. 3. f. 1.
<i>Syntherisma glabrum</i> . Schrad.								
10	paspalodes. R.S.		trailing.	N. America.	—	—	H. ⊙.	
11	ciliaris. R.S.		fringed.	S. Europe.	1804.	—	H. ⊙.	Host. gram. 4. t. 15.
12	barbata. R.S.		bearded.	E. Indies.	1824.	—	H. ⊙.	
13	biformis. R.S.		two-formed.	Canaries.	1820.	—	H. ⊙.	
14	marginata. R.S.		marginated.	Brazil.	1825.	—	H. ⊙.	
15	linearis. R.S.		linear-spiked.	India.	1801.	—	H. ⊙.	Earm. ind. 25. t. 19. f. 1.
16	inequalis. s.s.		hairy-sheathed.	Manila.	1824.	7. 8.	S. ⊙.	
17	serotina. M.		late-flowered.	N. America.	—	—	H. ⊙.	
<i>Paspalum serotinum</i> . R.S.								
18	Andersoni. Ot.		Anderson's.	Monte Video.	1825.	6. 8.	F. 2.	
19	erigona. Schr.		woolly-angled.	S. America.	—	—	S. 2.	
20	mollissima. Schr.		soft.	—	1826.	—	S. 2.	
21	piligera. Lk.		hairy.	Monte Video.	—	—	H. ⊙.	
22	violascens. Lk.		violet.	—	—	—	H. ⊙.	
CYNODON. R.S. CYNODON. Triandria Digynia. R.S.								
1	Dactylon. R.S.		creeping.	England.		7. 8.	H. 2.	Eng. bot. v. 12. t. 82.
	<i>β indicus</i> .		Doob-grass.	India.	1820.	—	S. 2.	Sinc. gr. web. p. 23. f. 1.
2	linearis. R.S.		linear-leave'.	E. Indies.	1796.	—	S. 2.	
3	stellatus. R.S.		starry.	St. Helena.	1823.	—	S. 2.	
4	virgatus. R.S.		twiggy.	E. Indies.	1826.	—	S. 2.	

- 5 *præcox*. R.S. early-flowered. N. America. 1823. 6. 7. H. 2.
- Digitaria sanguinalis*. M.
- BRACHYELYTRUM. R.S. BRACHYELYTRUM. Triandria Digynia.
- 1 *aristatum*. R.S. awned. N. America. 1827. 6. 7. H. 2. Schreb. gram. t. 50.
- Muhlenbergia erecta*. Ph. *Dilep'grum aristosum*. M.
- PHALARIS. R.S. CANARY-GRASS. Triandria Digynia. R.S.
- 1 *canariensis*. R.S. common. Britain. 6. 8. H. 2. Eng. bot. v. 19. t. 1310.
- 2 *microstachya*. DC. small-spiked. N. America. 1818. — H. 2.
- 3 *aquatica*. R.S. water. Egypt. 1778. 6. 7. H. 2. Host. gram. 2. t. 38.
- 4 *nitida*. R.S. glossy. Sicily. 1824. — H. 2.
- 5 *commutata*. R.S. changed. Italy. 1823. — H. 2. Barrel. ic. 700. f. 2.
- 6 *capensis*. R.S. Cape. C. B. S. 1804. — G. 2.
- 7 *bulbosa*. R.S. bulb-bearing. Spain. 1824. — H. 2.
- 8 *variegata*. R.S. variegated. Sicily. 1825. — H. 2.
- 9 *cærulescens*. R.S. bluish. S. Europe. 1824. — H. 2. Buxb. cent. 4. t. 53.
- 10 *nodosa*. R.S. knotted. — 1825. — H. 2. Flor. græc. t. 56.
- 11 *paradoxa*. R.S. paradoxical. — — — H. 2. — 1. t. 58.
- 12 *appendiculata*. R.S. .. appendaged. Egypt. 1823. — H. 2.
- DIGRAPHIS. Tr. DIGRAPHIS. Triandria Digynia.
- 1 *arundinacea*. Tr. Reed-like. Britain. 7. H. 2. Eng. bot. v. 6. t. 402.
- Arundo colorata*. E.B. *Phalaris arundinacea*. L. *Baldingera*. Fl. wet.
- 2 *β variegata*. striped-leaved. — — — H. 2.
- 2 *americana*. S.S. American. N. America. — H. 2.
- LAGURUS. R.S. HARE'S-TAIL-GRASS. Triandria Digynia. L.
- 1 *ovatus*. E.B. oval-spiked. Guernsey. 6. H. 2. Eng. bot. v. 19. t. 1331.
- ECHINOPOGON. R.S. ECHINOPOGON. Triandria Digynia.
- 1 *ovatus*. R.S. ovate panicle. N. Holland. 1829. 7. 8. H. 2. Lab. nov. holl. 1. t. 21.
- Agròstis ovata*. Lab.
- HIEROCHLOA. P.B. HIEROCHLOA. Triandria Digynia. R.S.
- 1 *borealis*. R.S. northern. Scotland. 5. 6. H. 2. Sine. gr. web. p. 167. ic.
- Holcus odoratus*. F.D. t. 963. *repens*. Host. gram. 3. t. 3.
- 2 *australis*. R.S. southern. S. Europe. 1777. 6. 7. H. 2. Host. gram. 1. t. 4.
- 3 *fragrans*. R.S. fragrant. N. America. — — H. 2.
- 4 *alpina*. R.S. Alpine. Melville Isl. 1827. — H. 2. Flor. dan. t. 1508.
- 5 *pauciflora*. R.S. few-flowered. — — — H. 2.
- CATABR'OSA. R.S. CATABR'OSA. Triandria Digynia. R.S.
- 1 *aquatica*. R.S. water. Britain. 5. 6. H. 2. Eng. bot. v. 22. t. 1557.
- Aira aquatica*. E.B.
- 2 *viridula*. R.S. close-panicle. 1718. — H. 2.
- 3 *humilis*. Tr. dwarf. Caucasus. 1821. 6. 7. H. 2.
- AIRA. R.S. HAIR-GRASS. Triandria Digynia. L.
- 1 *flexuosa*. E.B. waved. Britain. 7. 8. H. 2. Eng. bot. v. 22. t. 1519.
- 2 *uliginosa*. R.S. marsh. Germany. 1825. — H. 2. Reich. ic. r. C. 2. t. 150.
- 3 *versicolor*. R.S. various-color'd. S. Europe. 1823. — H. 2.
- 4 *caryophyllæa*. E.B. .. silver. Britain. — H. 2. Eng. bot. v. 12. t. 812.
- 5 *elegans*. R.S. elegant. Switzerland. 1824. — H. 2. Host. gram. 4. t. 35.
- 6 *pulchella*. R.S. pretty. Spain. 1820. — H. 2.
- 7 *pallens*. R.S. pale. N. America. — — H. 2.
- 8 *arundinacea*. R.S. Reed-like. Cumana. 1823. — S. 2.
- 9 *semineutra*. S.S. doubtful. Hungary. 1819. 6. 7. H. 2.
- DESCHAMPSIA. R.S. DESCHAMPSIA. Triandria Digynia. R.S.
- 1 *caspitosa*. R.S. turf. Britain. 8. H. 2. Eng. bot. v. 21. t. 1453.
- Aira caspitosa*. E.B.
- 2 *Biebersteiniæna*. R.S. Bieberstein's. Caucasus. 1823. 6. 8. H. 2.
- 3 *refracta*. R.S. reflexed. Spain. 1822. — H. 2.
- 4 *alpina*. R.S. Alpine. Scotland. 5. 6. H. 2. Eng. bot. v. 30. t. 2102.
- Aira lavigata*. E.B. *alpina*. L. *Arëna alpina*. Tr.
- 5 *brevifolia*. R.S. short-leaved. Melville Isl. 1827. — H. 2.
- 6 *bótnica*. Tr. bristle-leaved. Bottnia. 1821. — H. 2.
- Aira bótnica*. R.S. *montana*. R.S.
- SCHISMUS. R.S. SCHISMUS. Triandria Digynia. R.S.
- 1 *Gouani*. Tr. Gouan's. Montpellier. 1820. 6. 7. H. 2.
- Aira média*. Gouan. *Deschampsia média*. et *discolor*. R.S.
- 2 *marginatus*. R.S. margined. Spain. 1781. — H. 2. Cavan. ic. 1. t. 14. f. 2.
- Festuca calycina*. W. *Kalèria calycina*. DC.
- 3 *fasciculatus*. P.B. fascicled. St. Domingo. 1827. — S. 2.
- Digitaria horizontalis*. W.
- DUPO'NTIA. R.S. DUPO'NTIA. Triandria Digynia.
- 1 *Fischèri*. R.S. Fischer's. Melville Isl. 1827. 6. 8. H. 2.

CORYNEPHORUS. R.S. CORYNEPHORUS. Triandria Digynia. R.S.

1 canescens. R.S. canescent. England. 7. 8. H. 2. Eng. bot. v. 17. t. 11.

Aira canescens. E.B.

2 articulatus. R.S. jointed. S. Europe. 1824. — H. 2. Desf. atl. 1. t. 13.

PERIBA'LLIA. Tr. PERIBA'LLIA. Triandria Digynia. R.S.

hispanica. Tr. Spanish. Spain. 1820. 6. 7. H. 3. Cavan. ic. 1. t. 44. 1.

Aira involucrâta. Cav. Airópsis involucrâta. R.S.

AIRO'PSIS. R.S. AIRO'PSIS. Triandria Digynia. R.S.

1 globosa. R.S. globe-flowered. S. Europe. 1823. 6. 8. H. 3. Cavan. ic. 3. t. 274. 1.

2 obtusata. R.S. blunt-flowered. N. America. — 6. 7. H. 2.

3 brevifolia. R.S. short-leaved. Missouri. 1818. — H. 2.

4 agrostidea. R.S. Agrostis-like. S. Europe. 1823. — H. 2. DC. ic. rar. t. 1.

Poa agrostidea. DC. Aira agrostidea. Lois.

ME'LICA. R.S. MELIC-GRASS. Triandria Digynia. L.

1 ciliata. R.S. ciliated. Europe. 1771. 7. H. 2. Flor. græc. 1. t. 7.

2 nutans. R.S. mountain. Britain. 6. 7. H. 2. Eng. bot. v. 15. t. 1.

3 uniflora. R.S. wood. — — — — 5. 6. H. 2. — v. 15. t. 1.

4 minuta. R.S. small. S. Europe. 1825. — H. 2. Cavan. ic. 2. t. 17. 1.

5 Bauhini. R.S. Italian. Italy. 1806. 6. 7. H. 2. Host. gram. 4. t. 2.

6 pyramidalis. R.S. pyramidal. Barbary. 1804. — H. 2. Barrel. ic. t. 96. 1.

7 speciosa. R.S. handsome. N. America. 1812. — H. 2. Schreb. gram. t. 3.

glabra. Ph. rariflora. Schreb.

8 altissima. R.S. tallest. Siberia. 1770. 7. 8. H. 2. Host. gram. 2. t. 3.

9 diffusa. R.S. spreading. N. America. 1824. — H. 2.

10 pallida. R.S. pale. Quito. 1825. — S. 2.

11 exasperata. R.S. exasperate. — — — — H. 2.

12 digitata. R.S. fingered. E. Indies. 1824. — S. 2.

13 refracta. R.S. reflexed. — — — — S. 2.

14 latifolia. R.S. broad-leaved. — — — — 1822. — S. 2.

MOL'NIA. P.B. MOL'NIA. Triandria Digynia. R.S.

1 cœrulea. P.B. purple. Britain. 8. H. 2. Eng. bot. v. 11. t. 7.

varia. s.s. Mélica cœrulea. E.B. Enodium cœruleum. R.S.

2 sylvatica. R.S. wood. Europe. 1824. — H. 2.

DIN'EBA. R.S. DIN'EBA. Triandria Digynia. R.S.

1 americana. R.S. American. S. America. 1822. 6. 8. S. 2.

2 arábica. R.S. Arabian. Levant. 1816. 8. 9. H. 3. Jacq. fragm. t. 12. 1.

3 divaricata. R.S. spreading. Egypt. 1823. — H. 3.

WANGENHE'IMIA. Tr. WANGENHE'IMIA. Triandria Digynia. R.S.

Lima. Tr. imbricated. Spain. 1776. 7. 8. H. 3. Cavan. ic. 1. t. 92.

Cynosurus Lima. Cav. Dinèba Lima. R.S.

SA'CCHARUM. R.S. SUGAR-CANE. Triandria Digynia. L.

1 officinarum. R.S. common. India. 1597. S. 2. Rumph. amb. 5. t. 54. 1.

2 sinense. F.I. Chinese. China. 1822. S. 2. Roxb. corom. 3. t. 2.

3 procerum. F.I. lofty. E. Indies. — S. 2.

4 violaceum. R.S. violet-coloured. W. Indies. 1816. S. 2.

5 caudatum. R.S. tailed. — — — — S. 2. Sloan. hist. 1. t. 70. 1.

6 contractum. R.S. contracted. S. America. 1823. S. 2.

7 exaltatum. F.I. tall. E. Indies. 1826. S. 2.

8 polystachyum. R.S. many-spiked. W. Indies. — S. 2.

9 Múnja. F.I. slender. E. Indies. 1805. S. 2.

IMPER'ATA. R.S. IMPER'ATA. Triandria Digynia. R.S.

1 arundinacea. R.S. Reed-like. N. Holland. 1820. 7. 8. F. 2. Cyril. ic. fasc. 2. t. 11.

2 Thunbergii. R.S. Thunberg's. E. Indies. 1822. S. 2.

3 Kœnigii. R.S. Kœnig's. W. Indies. 1818. S. 2.

4 spontanea. R.S. spontaneous. E. Indies. — S. 2. Rheed. mal. 12. t. 3.

TRICHOL'ÆNA. R.S. TRICHOL'ÆNA. Triandria Digynia. R.S.

mierantha. R.S. small-flowered. S. Europe. 1816. 7. 8. H. 2. Jacq. cel. gram. t. 1.

Saccharum Teneriffæ. Jacq.

ERIA'NTHUS. R.S. ERIA'NTHUS. Triandria Digynia. R.S.

1 saccharoides. R.S. Sugar-cane-like. N. America. 1816. 7. 8. H. 2.

Saccharum giganteum. Ph.

2 brevibarbis. R.S. short-bearded. — — — — 1822. — H. 2.

3 strictus. R.S. upright. — — — — 1823. — H. 2.

RIPID'IDIUM. Tr. RIPID'IDIUM. Polygamia Monœcia. Tr.

1 Ravennæ. Tr. rough. S. Europe. 1816. 7. 8. H. 2. Host. gram. 3. t. 1.

Andropogon Ravennæ. Host. Saccharum Ravennæ. W.

2 strictum. Tr. upright. Hungary. 1802. — H. 2. Host. gram. 2. t. 2.

Saccharum adpressum. Kit. Andropogon strictus. Host.

ANDROPOGON. R.S. ANDROPOGON. Polygamia Monœcia. L.

1 alopecuroides. R.S. . . .	Foxtail.	America.	1818.		G. 2.	Sloan. hist. 1. t. 14.
2 militiformis. R.S.	Millet-like.	E. Indies.	—		S. 2.	
<i>militiformis. F.I. non Forsk.</i>						
3 argenteus. DC.	silvery.	Mexico.	1822.		G. 2.	DC. hort. m. ined. t. 68.
4 saccharoides. R.S.	Sugar-cane-like.	Jamaica.	1818.	—	S. 2.	
5 laguroides. R.S.	hares-tail-like.	New Spain.	1820.		S. 2.	DC. h. mons. ined. t. 69.
6 lartus. R.S.	hairy.	S. Europe.	1802.	7. 8.	S. 2.	Host. gram. 4. t. 1.
7 angustifolius. R.S.	narrow-leaved.	—	1818.	—	H. 2.	Jacq. aust. 4. t. 384.
8 Ischæmum. R.S.	woolly.	—	1768.	—	H. 2.	Gerard. gall. p. 107. t. 4.
9 serratus. R.S.	saw-leaved.	Japan.	1816.		G. 2.	
<i>lartus. w.</i>						
10 comosus. R.S.	tufted.	Egypt.	1824.		H. 2.	
11 annulatus. R.S.	annular.	—	—		H. 2.	Forsk. egyp. t. 7.
12 furcatus. R.S.	forked.	N. America.	1818.	7. 8.	H. 2.	

CHRYSOPOGON. Tr. CHRYSOPOGON. Polygamia Monœcia.

1 Gryllus. Tr.	purple-flowered.	S. Europe.	1791.	6. 7.	H. 2.	Flor. græc. 1. t. 67.
<i>Andropogon Gryllus. F.G. Hólcus Gryllus. B.P.</i>						
2 aciculatus. Tr.	sharp-pointed.	E. Indies.	1825.	6. 8.	S. 2.	Rheed. mal. 12. t. 43.

LEPEOCE'RCIS. Tr. LEPEOCE'RCIS. Polygamia Monœcia.

serrata. Tr.	serrated.	E. Indies.	1812.	6. 8.	S. 2.	
-------------------	-----------	------------	-------	-------	-------	--

Andropogon serratum. w.

POLLINIA. R.S. POLLINIA. Polygamia Monœcia.

1 distachya. R.S.	two-spiked.	S. Europe.	1805.	7. 8.	H. 2.	Flor. græc. 1. t. 69.
2 striata. R.S.	nerve-glumed.	E. Indies.	1793.	8.	S. 2.	
3 undata. R.S.	waved.	Mauritius.	1823.	7. 9.	S. 2.	Jacq. ic. 3. t. 361.

CYMBOPOGON. R.S. CYMBOPOGON. Polygamia Monœcia.

1 elegans. R.S.	elegant.	E. Indies.	1816.	6. 8.	S. 2.	
2 prostratus.	prostrate.	—	—	—	S. 2.	
<i>glandulosus. R.S. Anthistiria prostrata. F.I. Andropogon prostratus. L.</i>						
3 Schœnanthus. R.S. ..	Lemon-grass.	E. Indies.	1786.		S. 2.	Rumph. amb. 5. t. 72. f. 2.
<i>Andropogon Schœnanthus. w.</i>						
4 arundinaceus. R.S. ..	Reed-like.	E. Indies.	1820.	6. 8.	S. 2.	

HETEROPOGON. R.S. HETEROPOGON. Polygamia Monœcia.

1 Allionii. R.S.	Allioni's.	S. Europe.	1816.	7. 8.	H. 2.	Allion. fl. ped. t. 91. f. 4.
2 contortus. R.S.	twisted.	E. Indies.	1779.	7. 9.	S. 2.	Schk. hand. t. 342. f. a.

Andropogon contortus. w.

APLU'DA. R.S. APL'UDA. Polygamia Monœcia. L.

1 aristata. R.S.	awned.	E. Indies.	1820.		S. 2.	Schreb. gram. 2. t. 42.
2 villosa. R.S.	villous.	—	—		S. 2.	

ANATHERUM. R.S. ANATHERUM. Polygamia Monœcia.

1 muricatum. R.S.	muricate.	E. Indies.	1820.		S. 2.	
<i>Andropogon muricatus. Retz. squarrosus. w.</i>						
2 virginicum. R.S.	Virginian.	N. America.	1819.	7. 8.	H. 2.	Sloan. jam. 1. t. 68. f. 2?
3 bicorne. R.S.	two-horned.	W. Indies.	1825.	—	S. 2.	Sloan. hist. 1. t. 15.
4 caudatum. R.S.	tailed.	—	1826.	—	S. 2.	
5 muticum. R.S.	smooth-spiked.	C. B. S.	1794.	7. 9.	G. 2.	

CALAMINA. R.S. CALAMINA. Polygamia Monœcia.

1 gigantea. R.S.	gigantic.	Isl. Luzon.	1822.	7. 8.	G. 2.	Cavan. ic. 5. t. 458.
2 mutica. R.S.	awnless.	E. Indies.	1816.	—	S. 2.	

Apluda mutica. L.

CYMBA'CHNE. R.S. CYMBA'CHNE. Polygamia Monœcia.

ciliata. R.S.	fringed.	E. Indies.	1824.	7. 8.	S. 2.	
--------------------	----------	------------	-------	-------	-------	--

ANTHISTIRIA. R.S. ANTHISTIRIA. Polygamia Monœcia. L.

1 ciliata. R.S.	fringed.	Jamaica.	1821.	8. 10.	S. 2.	Cavan. ic. 5. t. 459.
2 barbata. R.S.	bearded.	Japan.	1816.	—	G. 2.	Desf. j. ph. 40. p. 294. t. 2.
3 polystachya. R.S.	many-spiked.	E. Indies.	1824.	—	S. 2.	
4 heteroclita. R.S.	jointed.	—	—	—	S. 2.	
5 australis. B.P.	New Holland.	N. Holland.	1818.	—	F. 2.	

SORGHUM. R.S. SORGHUM. Polygamia Monœcia.

1 vulgare. R.S.	Indian Millet.	India.	1596.	7.	H. 2.	Host. gram. 4. t. 2.
2 nigrum. R.S.	black-glumed.	—	—	—	H. 2.	Ard. sag. pad. 1. t. 5. f. 1.
3 bicolor. R.S.	two-coloured.	Persia.	1731.	—	H. 2.	Mieg. ac. helv. 8. t. 4. f. 4.
4 cernuum. R.S.	nodding.	—	—	—	H. 2.	Host. gram. 4. t. 3.
5 rubens. R.S.	red.	Africa.	1817.	—	H. 2.	
6 nervosum. R.S.	nerved-leaved.	China.	1827.	—	H. 2.	
7 saccharatum. R.S.	yellow-seeded.	India.	1759.	7. 8.	S. 2.	Host. gram. 4. t. 4.
8 cafferum. R.S.	Cape.	C. B. S.	1816.	—	H. 2.	Ard. sag. pad. 1. t. 1. f. 1.

Arduini. Jacq. ecl. gram. t. 18.

9	avenaceum. R.S.		Oat-like.	C. B. S.	1816.	7. 9.	H. ⊙.	
10	halepense. R.S.		panicled.	Syria.	1691.	7. 8.	H. 4.	Flor. grac. 1. t. 68.
11	elongatum. R.S.		long-panicled.	N. Holland.	1823.	—	F. 4.	
HO'LCUS. R.S.				SOFT-GRASS.		Polygamia Monœcia. L.		
1	mollis. R.S.		creeping.	Britain.		7. 8.	H. 4.	Eng. bot. v. 17. t. 117.
2	lanatus. R.S.		meadow.	—		6. 7.	H. 4.	— v. 17. t. 117.
ARRHENATHERUM. R.S.				ARRHENATHERUM.		Polygamia Monœcia.		
1	avenaceum. R.S.		Oat-like.	Britain.		6. 7.	H. 4.	Eng. bot. v. 12. t. 82.
	<i>Holcus avenaceus.</i> E.B. <i>Arëna elatior.</i> F.D. t. 165.							
	<i>β muticum.</i> awnless.			Scotland.		—	H. 4.	
2	bulbosum. Presl.		bulbous.	Germany.		—	H. 4.	Host. gram. 4. t. 30.
	<i>Holcus bulbosus.</i> Host. <i>Arëna bulbosa.</i> w.							
ATHEROP'OGON. R.S.				ATHEROP'OGON.		Polygamia Monœcia.		
	apludoïdes. R.S.		Apluda-like.	N. America.	1808.	6. 7.	H. 4.	Jacq. ecl. gram. t. 7.
	<i>Chloris cartipendula.</i> M.							
CHL'ORIS. R.S.				CHL'ORIS.		Polygamia Monœcia. L.		
1	foliosa. R.S.		leafy.	St. Thomas.	1822.	7. 9.	S. 4.	
2	ciliata. R.S.		ciliated.	Jamaica.	1779.	—	S. ⊙.	
3	radiata. R.S.		many spiked.	W. Indies.	1739.	8. 9.	S. ⊙.	Hayn. term. bot. t. 4.
4	pallida. R.S.		pale-spiked.	S. France.	1816.	—	H. ⊙.	
5	barbata. R.S.		bearded.	E. Indies.	1777.	6. 7.	S. ⊙.	Jacq. ecl. gram. 1. t. 1.
6	Roxburghiana. R.S.	...	Roxburgh's.	—	1824.	7. 8.	S. ⊙.	
7	inflata. R.S.		inflated.	California.	—	—	H. 4.	
8	fasciculata. R.S.		crowded.	Brazil.	—	—	H. ⊙.	
9	caribæa. R.S.		Caribbean.	W. Indies.	1827.	—	S. ⊙.	
10	polydactyla. R.S.		many-spiked.	—	1818.	—	S. ⊙.	Jacq. ecl. gram. 1. t. 1.
11	elegans. R.S.		elegant.	Mexico.	1825.	—	H. ⊙.	H. et B. n. gen. 1. t. 1.
12	compressa. R.S.		compressed.	S. France.	1820.	6. 8.	H. ⊙.	
13	megastachya. R.S.	..	long-spiked.	N. Holland.	1825.	—	F. 4.	
14	ventricosa. B.P.		swelled.	N. S. W.	1818.	—	G. 4.	
15	truncata. B.P.		truncated.	—	1822.	—	G. 4.	
16	pubescens. R.S.		pubescent.	Peru.	1824.	—	H. ⊙.	
17	filiformis. R.S.		filiform.		1825.	—	H. ⊙.	
18	distichophylla. R.S.	..	fan-leaved.	Chile.	1822.	—	H. 4.	
19	retusa. R.S.		retuse-glumed.	—	—	—	H. ⊙.	
20	dolichostachya. R.S.	...	long-spiked.	Philippine Isl.	1824.	7. 8.	H. ⊙.	
21	crinita. R.S.		crowded-spiked.	—	—	—	H. ⊙.	
22	rufescens. R.S.		rufescent.	—	—	—	H. ⊙.	
23	tenella. R.S.		slender.	E. Indies.	1825.	—	S. ⊙.	
24	gracilis. s.s.		slender.	S. America.	1824.	—	S. 4.	
25	Durandiæna. R.S.		Durand's.		—	—	H. ⊙.	
EUSTACHYS. R.S.				EUSTACHYS.		Polygamia Monœcia.		
1	petræa. R.S.		flat-stalked.	Jamaica.	1779.	7. 8.	S. 4.	Jacq. ecl. gram. 1. t. 1.
	<i>Chloris petræa.</i> w.							
2	submutica. R.S.		Mexican.	Mexico.	1827.	—	H. ⊙.	H. et B. pl. am. 1. t. 1.
CHRYSURUS. R.S.				CHRYSURUS.		Polygamia Monœcia.		
1	aureus. s.s.		golden-spiked.	Levant.	1770.	7.	H. ⊙.	Host. gram. 3. t. 4.
	<i>cynosuroides.</i> R.S. <i>Cynosurus aureus.</i> F.G. 1. t. 79. <i>Lamarckia aurea.</i> DC.							
2	echinatus. R.S.		rough.	England.		8.	H. ⊙.	Eng. bot. v. 19. t. 1.
	<i>Cynosurus echinatus.</i> E.B.							
3	effusus. R.S.		spreading.	S. Europe.	1824.	7. 8.	H. ⊙.	
4	elegans. R.S.		elegant.	—	—	—	H. ⊙.	Desf. atl. 1. t. 17.
ISCHÆMUM. S.S.				ISCHÆMUM.		Polygamia Monœcia. L.		
1	muticum. R.S.		awnless.	E. Indies.	1824.	6. 8.	S. 4.	Rheed. mal. 12. t. 4.
2	conjugatum. R.S.		yoked.	—	1826.	—	S. 4.	
3	australe. B.P.		southern.	N. S. W.	1822.	7. 8.	F. 4.	
4	rugosum. s.s.		rough.	E. Indies.	1791.	—	S. ⊙.	Sal. stirp. rar. 1. t. 1.
MEO'SCHIUM. R.S.				MEO'SCHIUM.		Polygamia Monœcia.		
1	aristatum. R.S.		awned.	E. Indies.	1808.	6. 7.	S. 4.	
	<i>Ischæmum aristatum.</i> s.s.							
2	barbatum. R.S.		bearded.	Java.	—	—	S. 4.	Houtt. syst. 12. t. 93. t. 4.
ROTTBOELLIA. R.S.				ROTTEO'ELLIA.		Triandria Digynia. L.		
1	exaltata. R.S.		tall.	E. Indies.	1806.		S. ♂.	
2	perforata. R.S.		perforated.	—	1822.		S. 4.	Roxb. corem. t. 182.
3	glabra. R.S.		smooth.	—	—	—	S. 4.	
HEMA'RTHRIA. B.P.				HEMA'RTHRIA.		Triandria Digynia.		
	compressa. B.P.		flat-spiked.	N. S. W.	1822.	6. 7.	G. 4.	
LODICULARIA. P.B.				LODICULARIA.		Triandria Digynia.		
	fasciculata. P.B.		fascicled.	S. Europe.	1826.	6. 7.	H. 4.	P. Beauv. agrest. 1. t. 1.
	<i>Rottboellia fasciculata.</i> Desf. atl. 1. t. 36.							

STENOTAPHRUM. Tr. STENOTAPHRUM. Polygamia Monœcia.						
1 glabrum. Tr.	smooth.	Carolina.	1826.	6. 7.	H. 4.	
2 dimidiatum.	creeping-rooted.	W. Indies.	1822.	—	S. 4.	Schrank. h. monac. t. 98.
<i>americanum</i> . Schk.						
3 complanatum. Sek. ...	flat-spiked.	E. Indies.	1824.	—	S. 4.	Burm. ind. t. 8. f. 5.
LEPTURUS. B.P. HARD-GRASS. Triandria Digynia.						
1 incurvatus. Tr.	sea-side.	Britain.		7.	H. ⊙.	Eng. Bot. v. 11. t. 760.
<i>Rottbœllia incurvata</i> . E.B. <i>Ophiurus incurvatus</i> . R.S.						
2 filiformis. Tr.	thready.	S. Europe.	1800.	—	H. 4.	Barrel. ic. t. 6.
3 cylindricus. Tr.	cylindrical.	Portugal.	1806.	—	H. ⊙.	Giorn. pis. 4. f. 4-8.
<i>Rottbœllia cylindrica</i> . W. <i>subulata</i> . DC. <i>Monerma subulata</i> . R.S.						
PHOLIURUS. Tr. PHOLIURUS. Triandria Digynia.						
<i>panonicus</i> . Tr.	Hungarian.	Hungary.	1804.	—	H. ⊙.	Host. gram. 1. t. 24.
MONERMA. R.S. MONERMA. Monandria Digynia.						
<i>monandra</i> . R.S.	monandrous.	Spain.	1804.	—	H. ⊙.	Cavan. ic. t. 39. f. 1.
<i>Rottbœllia monandra</i> . Cav. <i>Nardus aristata</i> . L. <i>Psilurus nardoïdes</i> . Tr.						
MANISURIS. R.S. MANISURIS. Polygamia Monœcia. W.						
<i>granularis</i> . R.S.	round grained.	E. Indies.	1784.	6. 7.	S. ⊙.	Roxb. corom. 2. t. 118.
ANTHEPHORA. R.S. ANTHEPHORA. Triandria Monogynia.						
1 elegans. R.S.	elegant.	Jamaica.	1776.	8. 9.	S. ⊙.	Schreb. gram. t. 44.
<i>Tripsacum hermaphroditum</i> . L. <i>Cénchrus laxigatus</i> . S.S.						
2 villosa. R.S.	villous.	W. Indies.	1824.	—	S. ⊙.	
TRIPSACUM. S.S. TRIPSACUM. Monœcia Triandria. L.						
1 dactyloïdes. S.S.	rough-seeded.	Virginia.	1640.	8.	H. 4.	Lam. ill. t. 750.
2 monostachyon. S.S. ..	single-spiked.	N. America.	1815.	—	H. 4.	Willd. hort. ber. t. 1.
ECHINOCHLOA. R.S. ECHINOCHLOA. Triandria Digynia. R.S.						
1 stagnina. R.S.	pond.	E. Indies.	1802.	7. 8.	H. w. ⊙.	
2 commutata. R.S.	Hungarian.	Hungary.	—	—	H. w. ⊙.	Host. gram. 3. t. 51.
<i>Panicum stagninum</i> . Host.						
3 intermedia. R.S.	intermediate.		1816.	—	H. ⊙.	
4 erythrosperma. R.S. ...	red-seeded.		1825.	—	H. ⊙.	
5 hispida. R.S.	hispid.	Egypt.	1829.	—	H. ⊙.	
6 Crus-Corvi. R.S.	Crow's-foot.	E. Indies.	1781.	—	H. ⊙.	
7 Crus-Galli. R.S.	Cock's-foot.	England.		—	H. ⊙.	Eng. bot. v. 13. t. 876.
<i>Panicum Crus-Galli</i> . E.B.						
8 echinata. R.S.	bristly.	N. America.	1825.	—	H. ⊙.	Jacq. ecl. gram. t. 20.
9 setigera. R.S.	setigerous.	E. Indies.	1820.	—	S. ⊙.	
ORTHOPOGON. B.P. ORTHOPOGON. Triandria Digynia. S.S.						
1 hirtellus. S.S.	hairy.	W. Indies.	1795.	6. 7.	S. ♂.	
2 setarius. S.S.	bristly.	—	1823.	—	S. ⊙.	
3 undulatifolius. S.S. ..	wave-leaved.	S. Europe.	1795.	6. 7.	H. ⊙.	Host. gram. 3. t. 52.
<i>Panicum hirtellum</i> . Host. non L.						
4 Burmanni. R.S.	Burman's.	E. Indies.	1819.		S. ⊙.	Burm. ind. t. 12. f. 1.
5 africanus.	African.	Africa.	1822.	7. 9.	S. ⊙.	Pal. fl. d'ow. 2. t. 67. f. 1.
<i>Optismenus africanus</i> . R.S.						
6 compositus. S.S.	compound spiked.	E. Indies.	1819.	—	S. ⊙.	Linn. pfl. sys. 12. t. 96. f. 1.
7 flaccidus. B.P.	flaccid.	N. S. W.	1824.	—	H. ⊙.	
8 imbecillis. B.P.	feeble.	—	—	—	H. ⊙.	
PANICUM. R.S. PANIC-GRASS. Triandria Digynia. R.S.						
1 colbum. R.S.	purple.	E. Indies.	1699.	7. 8.	H. ⊙.	Ehret pict. t. 3. f. 3.
2 fluitans. R.S.	floating.	—	1825.	—	S. w. ⊙.	
3 brizoides. R.S.	Briza-like.	—	1801.	6. 7.	S. ♂.	Jacq. gram. fasc. t. 2.
4 flavidum. R.S.	yellowish.	—	1823.	—	S. ♂.	
5 molle. R.S.	soft.	W. Indies.	1824.	—	H. ⊙.	
6 Michauxianum. R.S. Michaux's.		N. America.	—	—	H. ⊙.	
<i>Panicum molle</i> . Mich. non Swartz.						
7 fasciculatum. R.S. ..	fascicled.	Jamaica.	1801.	—	H. ⊙.	
8 plicatum. R.S.	plaited.	E. Indies.	1824.	6. 8.	S. 4.	
9 palmifolium. R.S.	Palm-leaved.	—	1804.	—	S. 4.	Jacq. ecl. gram. t. 1.
10 neurôdes. R.S.	nerved-leaved.	Nepaul.	1823.	—	G. 4.	
<i>neurôsum</i> . F.I. non Lam.						
11 costatum. F.I.	ribbed.	Mauritius.	1805.	—	S. 4.	
12 carthaginense. R.S. ..	Carthagera.	S. America.	1818.	—	S. 4.	
13 conglomeratum. R.S. ..	conglomerate.	E. Indies.	—	—	S. 4.	
14 indicum. F.I.	Indian.	—	—	—	S. 4.	
15 hispidulum. R.S.	hispid.	—	1804.	7. 8.	H. ⊙.	
16 frumentaceum. F.I. ...	cultivated.	—	1810.	—	H. ⊙.	
17 dichotomum. R.S.	forked.	N. America.	1817.	—	H. ⊙.	Sp. m. act. pet. 1810. t. 4.
18 coloratum. R.S.	coloured.	Egypt.	1771.	7. 9.	H. ⊙.	Jacq. ic. 1. t. 58?

19	répens. R.S.	slender.	S. Europe.	1777.	7. 9.	H.⊙.	Flor. græc. 1. t. 61.
20	proliferum. R.S.	proliferous.	N. America.	1816.	—	H.⊙.	
21	diffôrme. R.S.	deformed.	E. Indies.	1825.	—	S. 4.	
22	numidiânium. R.S.	Numidian.	Barbary.	1816.	—	H.⊙.	Desf. atl. 1. t. 11.
23	miliâceum. R.S.	Millet.	E. Indies.	1596.	—	H.⊙.	Host. gram. 2. t. 20.
24	ténue. R.S.	slender.	—	1824.	—	S. 4.	
25	tenuíssimum. R.S.	very slender.	Brazil.	1827.	—	S. 4.	
26	attenuâtum. R.S.	attenuated.	—	1825.	—	H.⊙.	
27	gongylôdes. R.S.	branching-flowered.	—	1823.	—	H. 4.	
28	miliàre. R.S.	Millet-like.	E. Indies.	1824.	—	H.⊙.	
29	muricâtum. R.S.	prickly.	—	1805.	—	H.⊙.	
30	capillàre. R.S.	hair-panicled.	America.	1758.	6. 8.	H.⊙.	
	β minor. R.S.	smaller.	—	—	—	H.⊙.	Host. gram. 4. t. 11.
31	tenéllum. R.S.	slender-branch'd.	Sierra Leon.	1820.	—	S.⊙.	
32	grossàrium. R.S.	cultivated.	W. Indies.	1810.	—	H.⊙.	
33	máximum. R.S.	Guinea-grass.	Tropics.	1822.	—	S. 4.	Jacq. ic. 1. t. 13.
34	aspérrimum. R.S.	rough.	S. America.	1824.	7. 9.	H.⊙.	
35	fúscum. R.S.	brown.	Jamaica.	1822.	—	S. 4.	
36	latifôlium. R.S.	broad-leaved.	N. America.	1765.	8. 9.	H. 4.	Moris. his. 3. t. 5. f. 4.
37	macrocárpon. R.S.	large-fruited.	—	1825.	—	H. 4.	
38	microcárpon. R.S.	small-fruited.	—	1822.	—	H. 4.	
39	diffûsum. R.S.	diffuse.	W. Indies.	1823.	—	S.⊙.	
40	oryzoïdes. R.S.	Rice-like.	—	1824.	—	S.⊙.	
41	clandestinum. R.S.	hidden-flowered.	N. America.	1802.	7.	H. 4.	
42	virgâtum. R.S.	twiggy.	—	1781.	8. 9.	H. 4.	Spr. m. act. pet. 2.
43	ánceps. R.S.	flat-edged.	—	1816.	7. 8.	H. 4.	
44	uliginòsum. R.S.	marsh.	E. Indies.	1819.	—	S. w. 4.	
45	nítidum. R.S.	glossy.	N. America.	1811.	—	H.⊙.	
46	arundinâceum. R.S.	Reed-like.	Jamaica.	1819.	—	S. 4.	
47	triphèron. R.S.	brown-seeded.	E. Indies.	1820.	6. 8.	S.⊙.	
	tenéllum. F.I. nec aliorum. Roxbúrghii. s.s.						
48	brevifôlium. R.S.	short-leaved.	—	1800.	7. 8.	S. 4.	Pluk. alm. t. 182. f. 4.
49	divaricâtum. R.S.	divaricate.	Jamaica.	—	—	S. 4.	Jacq. schæn. 1. t. 20.
50	interrúptum. R.S.	interrupted.	E. Indies.	1820.	—	S. 4.	
51	arboréscens. R.S.	arborescent.	—	1776.	3. 4.	S. h.	
52	pàtens. R.S.	spreading.	—	1804.	7. 8.	S. δ.	Burm. ind. t. 10. f. 4.
53	altíssimum. R.S.	lofty.	—	1816.	—	H.⊙.	
54	erigònum. R.S.	woolly-angled.	N. Holland.	1824.	—	G. 4.	
55	marginâtum. B.P.	margin-leaved.	N. S. W.	1822.	—	F. 4.	
56	bícolor. B.P.	two-coloured.	—	—	—	F. 4.	
ISA'CHNE. B.P. ISA'CHNE. Triandria Digynia. R.S.							
	austràlis. B.P.	New Holland.	N. S. W.	1820.	6. 8.	H. w. 4.	
MONA'CHNE. R.S. MONA'CHNE. Triandria Digynia. R.S.							
	unilateràlis. R.S.	one-sided.	Jamaica.	1819.	6. 8.	S. 4.	Sloan. hist. 1. t. 11. f. 4.
	Milium villòsum. w.						
AXO'NOPUS. R.S. AXO'NOPUS. Triandria Digynia. R.S.							
1	digitàtus. R.S.	fingered.	Jamaica.	1818.	6. 8.	H.⊙.	
2	cimicînus. R.S.	spotted.	E. Indies.	1778.	7. 9.	H.⊙.	
	Panicum cimicînum. w. Milium cimicînum. L.						
BECKMA'NNIA. R.S. BECKMA'NNIA. Triandria Digynia. R.S.							
	erucæfôrmis. R.S.	linear-spiked.	Europe.	1773.	7.	H.⊙.	Host. gram. 3. t. 6.
SEC'ALE. R.S. RYE. Triandria Digynia. R.S.							
1	cerèale. R.S.	common.	Tauria.	—	6. 7.	H.⊙.	
	α hybérnum. R.S.	winter.	—	—	—	H. δ.	Blackw. t. 424.
	β vérnum. R.S.	spring.	—	—	—	H.⊙.	Host. gram. 2. t. 4.
	γ compòsitum. R.S.	compound-spiked.	—	—	—	H.⊙.	
2	frágile. R.S.	brittle.	—	1816.	—	H.⊙.	
3	villòsum. F.G.	villous.	S. Europe.	1790.	—	H.⊙.	Flor. græc. t. 97.
	Tríticum villòsum. R.S.						
4	sylvéstre. Host.	wood.	Hungary.	1816.	—	H. δ.	Host. gram. 4. t. 2.
5	créticum. w.	Cretan.	Candia.	—	—	H. 4.	
TETRAPOGON. S.S. TETRAPOGON. Polygamia Monœcia.							
	villòsus. s.s.	villous.	Barbary.	1818.	7. 8.	H.⊙.	Desf. atl. 2. t. 256.
TRITICUM. R.S. WHEAT. Triandria Digynia. L.							
1	æstivum. R.S.	summer.	Baschiros.	—	6. 7.	H.⊙.	Host. gram. 3. t. 2.
	α ambígens. LG.	β Bâhi. LG.	γ Báncos. LG.	δ Cálot. LG.	ε cándidum. LG.	ζ compòsitum. LG.	
	η Lamárckii. LG.	θ Róyo. LG.	ι truncátulum. LG.	κ variegátum. LG.	λ confértum. LG.		
	μ hùmile. LG.	ν mèdium. LG.	ξ màjus. LG.	o Pástor. LG.	π versícolor. LG.		

2	hybérnum. R.S.		Lanmas.			6. 7. H. ♂.	Host. gram. 3. t. 26. f. 8
	<i>a candidissimum. LG.</i>	<i>β compáctum. LG.</i>	<i>γ Morisòni. LG.</i>	<i>δ Pòlo. LG.</i>	<i>ε Tessieri. LG.</i>		
3	sibíricum. R.S.		Siberian.	Siberia.		— H. ⊙.	
4	velutínium. R.S.		velvet-spiked.			— H. ♂.	Rod. Schub. cer. n. 4. f. 4.
5	compósitum. R.S.		Egyptian.	Egypt.	1799.	— H. ⊙.	Host. gram. 3. t. 27.
	<i>a aureum. LG.</i>	<i>β compósitum. LG.</i>	<i>γ edéntulum. LG.</i>	<i>δ prismáticum. LG.</i>	<i>ε rubrum. LG.</i>		
6	Linnaeanum. R.S.		Linnean.	Egypt.		6. 7. H. ⊙.	
	<i>a Caballero. LG.</i>	<i>β dubium. LG.</i>	<i>γ Lajusticia. LG.</i>	<i>δ depilatú. LG.</i>	<i>ε piceo-cæruleum. LG.</i>		
7	turgidum. R.S.		turgid.			6. 7. H. ⊙.	Host. gram. 3. t. 28.
	<i>a Collado. LG.</i>	<i>β compósitum. LG.</i>	<i>γ montanum. LG.</i>	<i>δ Tournefortii. LG.</i>	<i>ε Caumels. LG.</i>		
	<i>ζ Lapidra. LG.</i>						
8	fastuosum. R.S.		thick-grained.			6. 7. H. ⊙.	
	<i>a albillum. LG.</i>	<i>β A'sso. LG.</i>	<i>γ Cannabate. LG.</i>	<i>δ Cástro. LG.</i>	<i>ε Echeandia. LG.</i>	<i>ζ Jurado. LG.</i>	
	<i>η Alvaréz. LG.</i>	<i>θ Lobelii. LG.</i>					
9	Gartnerianum. R.S.	...	Gartner's.			 H. ⊙.	
	<i>a Bernal. LG.</i>	<i>β calvum. LG.</i>	<i>γ ciliosum. LG.</i>	<i>δ Gracells. LG.</i>	<i>ε Olet. LG.</i>	<i>ζ Plà. LG.</i>	
	<i>η speltoides. LG.</i>	<i>θ truncatum. LG.</i>	<i>ι Vasallo. LG.</i>	<i>κ ypes. LG.</i>	<i>λ Halleri. LG.</i>	<i>μ Páreck. LG.</i>	
	<i>ν Valcárcel. LG.</i>	<i>ξ Xixóna. LG.</i>	<i>ο Cleménte. LG.</i>	<i>π Colóna. LG.</i>	<i>ρ Gerárdi. LG.</i>	<i>σ Gleichen. LG.</i>	
	<i>τ Morales. LG.</i>	<i>υ Plukenet. LG.</i>	<i>φ Sanmartín. LG.</i>	<i>χ Theophrásti. LG.</i>	<i>ψ Thouini. LG.</i>		
10	platystachyum. R.S.	...	flat-spiked.			6. 7. H. ⊙.	
11	cochleare. R.S.		spoon-like.			— H. ⊙.	
	<i>a aristatum. LG.</i>	<i>β mucronatum. LG.</i>					
12	Cevallos. R.S.		Trigo Moro.			— H. ⊙.	
13	durum. R.S.		Barbary.			— H. ⊙.	
14	villosum. Host.		villous.			— H. ⊙.	Host. gram. 4. t. 6.
15	siculum. R.S.		Sicilian.			— H. ⊙.	
16	hordeiforme. R.S.		Barley form.			— H. ⊙.	Host. gram. 4. t. 5.
17	compáctum. R.S.		compact.			— H. ⊙.	————— 4. t. 7.
18	polonicum. R.S.		Polish.		1692.	— H. ⊙.	————— 3. t. 31.
19	monococcon. R.S.		one-grained.		1648.	— H. ⊙.	————— 3. t. 32.
	<i>a glabrum. LG.</i>	<i>β pubescens. LG.</i>					
20	dicocum. R.S.		two-grained.			— H. ⊙.	Rod. Schub. cer. n. 15. f. 2
	<i>a album.</i>		white-spiked.			— H. ⊙.	
	<i>β rufum.</i>		brown-spiked.			— H. ⊙.	
21	atratum. R.S.		dark-spiked.			— H. ⊙.	Host. gram. 4. t. 8.
22	tricocum. R.S.		three-grained.			— H. ⊙.	Rod. Schub. cer. n. 17. f. 3
23	Cienfuegos. R.S.		tooth-valved.			— H. ⊙.	
24	Bauhini. R.S.		truncate-valved.			— H. ⊙.	
25	Spelta. R.S.		Spelt.			— H. ⊙.	Host. gram. 3. t. 29.
	<i>Zea. Host.</i>						
	<i>a Asturum. LG.</i>	<i>β rufescens. LG.</i>	<i>γ submáticum. LG.</i>	<i>δ album. LG.</i>	<i>ε cyaneum. LG.</i>		
26	venulosum. R.S.		veined.	Egypt.		6. 7. H. ⊙.	
27	ichyostachyum. R.S.	...	slender-spiked.			— H. ⊙.	
AGROPYRUM. R.S. COUCH-GRASS. Triandria Digynia. R.S.							
1	juncum. R.S.		rushy.	England.		6. 7. H. ♀.	Eng. bot. v. 12. t. 814.
	<i>Triticum juncum. E.B.</i>						
2	acutum. R.S.		acute-glumed.	France.	1816.	— H. ♀.	
3	littorale. Host.		sea-side.	Mediterranean.	—	— H. ♀.	Host. gram. 4. t. 9.
4	rigidum. R.S.		rigid.	S. Europe.	1805.	— H. ♀.	
5	intermedium. Host.		intermediate.	Germany.	—	— H. ♀.	Host. gram. 2. t. 22.
6	glaucum. R.S.		glaucous.	Switzerland.	1824.	— H. ♀.	————— 4. t. 10 ?
7	rupestre. R.S.		rock.	Siberia.	1822.	— H. ♀.	
8	obtusiflorum. R.S.		blunt-flowered.			— H. ♀.	
9	pungens. R.S.		pungent.	S. Europe.	1824.	— H. ♀.	
10	densiflorum. R.S.		close-flowered.	Siberia.	—	— H. ♀.	
11	giganteum. R.S.		gigantic.	S. Europe.	1805.	— H. ♀.	Host. gram. 2. t. 23.
	<i>Triticum elongatum. Host.</i>						
12	repens. R.S.		common.	Britain.		7. 8. H. ♀.	Eng. bot. v. 13. t. 909.
	<i>a arvense. R.S.</i>		field.			— H. ♀.	Trattin. tab. t. 566.
	<i>β subulatum. R.S.</i>		subulate-glumed.			— H. ♀.	Schreb. gram. t. 26. f. 2.
	<i>γ dumetorum. R.S.</i>		many-flowered.			— H. ♀.	————— f. II. IV. f. 3.
	<i>δ Vaillantianum. R.S.</i>		Vaillant's.			— H. ♀.	————— f. 6.
	<i>ε Leersianum. R.S.</i>	...	Leers's.			— H. ♀.	Leers fl. herb. t. 12. f. 4.
	<i>ζ capillare. R.S.</i>		hair-awned.			— H. ♀.	
13	sibíricum. R.S.		Siberian.	Siberia.	1825.	— H. ♀.	
14	dasyanthum. R.S.		thick-flowered.	Russia.	—	— H. ♀.	
15	caninum. R.S.		bearded.	Britain.		— H. ♀.	Eng. bot. v. 20. t. 1372
16	distichum. R.S.		two-ranked.	C. B. S.	1816.	— G. ♀.	
17	prostratum. R.S.		prostrate.	Siberia.	1780.	6. H. ⊙.	Jacq. vind. 3. t. 44.

18	orientale. R.S.		hairy-spiked.	Levant.	1807.	6. 7.	H. ♂.	Will.n.act.ber.2.t.1.50
	<i>Secale orientale.</i>		w.					
19	pátulum. Tr.		spreading.	Egypt.	1800.	—	H. ⊙.	
	<i>Triticum squarròsum.</i>	R.S.	<i>Buonapártis.</i>	Spr.				
20	imbricatum. R.S.		imbricated.	Caucasus.	1824.	6. 8.	H. 2.	Gmel.sib.1. n.51. t.23
21	pectiniforme. R.S.		comb-like.	Tauria.	—	—	H. 2.	Buxb. cent. 1. t.50. f.3
22	cristatum. R.S.		crested.	—	—	—	H. 2.	Eng. bot. v. 32. t.25
23	desertorum. R.S.		desert.	Altay.	1822.	—	H. 2.	Ledeb. ic. alt. t.213
24	angustifolium. R.S.	..	narrow-leaved.	Siberia.	—	—	H. 2.	
25	muricatum. R.S.		bristly.	—	1825.	—	H. 2.	
26	pectinatum. R.S.		pectinated.	V. Diem. Isl.	1822.	—	H. 2.	
27	variegatum. R.S.		variegated.		1818.	—	H. 2.	
	L'OLIUM. R.S.		DARNEL. Triandria Digynia.	L.				
1	peréme. R.S.		Rye-grass.	Britain.		5. 6.	H. 2.	Eng. bot. v. 5. t. 311.
	<i>a vulgare.</i>	R.S.	common.	—		—	H. 2.	Host. gram. 1. t. 27.
	<i>β ténue.</i>	R.S.	slender.	—		—	H. 2.	Sinc. gra.wob. p.211.
	<i>γ compòsitum.</i>	R.S.	compound.	—		—	H. 2.	Scheuch. agr. 1. f.7. 1
	<i>δ ramòsum.</i>	R.S.	branching.	—		—	H. 2.	Leers gram. t.12. f.1
	<i>ε Russellianum.</i>	H.G.W.	Russell's.	—		—	H. 2.	Sinc. gra.wob. p.211.
	<i>ζ Whitwórtii.</i>	H.G.W.	Whitworth's.	—		—	H. 2.	
	<i>η Stickneyanum.</i>	H.G.W.	Stickney's.	—		—	H. 2.	
	<i>θ paniculatum.</i>	H.G.W.	panicled.	—		—	H. 2.	
	<i>i monstròsum.</i>	H.G.W.	monstrous-flowered.	—		—	H. 2.	
	<i>κ viviparum.</i>	R.S.	viviparous.	—		—	H. 2.	
	<i>λ multiflorum.</i>	R.S.	many-flowered.	—	—	—	H. 2.	
	<i>μ hùmile.</i>	R.S.	dwarf.	—		—	H. 2.	
2	multiflorum. R.S.		many-flowered.	Europe.	1816.	—	H. ⊙.	Vaill. par. t.17. f.3.
3	arvense. R.S.		beardless.	England.		7.	H. ⊙.	Eng. bot. v. 16. t.113
4	canadense. Panz.		Canadian.	Canada.	1822.	—	H. ⊙.	
5	complanatum. L.en.		rigid.	Switzerland.	1825.	—	H. ⊙.	
	<i>rigidum.</i>	R.S.						
6	temulentum. R.S.		bearded.	Britain.		7. 8.	H. ⊙.	Eng. bot. v. 16. t.113
7	speciosum. R.S.		pretty.	Tauria.	1824.	—	H. ⊙.	
	ÆGILOPS. R.S.		HARD-GRASS.	Polygamia Monœcia.	L.			
1	caudata. R.S.		tailed.	Candia.	1820.	7. 8.	H. ⊙.	
2	cylindrica. R.S.		cylindrical.	Hungary.	1805.	6. 7.	H. ⊙.	Host. gram. 2. t. 7.
3	ovata. R.S.		oval-spiked.	S. Europe.	1683.	—	H. ⊙.	Flor. græc. 1. t. 98.
4	triaristata. R.S.		three-awned.	—	1739.	7. 8.	H. ⊙.	Host. gram. 2. t. 6.
	<i>triunciàlis.</i>	Host.	non w.					
5	triunciàlis. R.S.		long-spiked.	—	—	—	H. ⊙.	Schreb. gram. t.10. f.1.
6	comosa. R.S.		tufted.	Greece.	1828.	—	H. ⊙.	
7	squarròsa. w.		rough-spiked.	Levant.	1794.	6. 7.	H. 2.	Schreb.gram.2.t.27.f.2.
	<i>Triticum squarròsum.</i>	R.S.						
8	Hy'strix. N.		hedgehog.	Missouri.	1819.	7. 8.	H. 2.	
	E'LYMUS. R.S.		LYME-GRASS.	Triandria Digynia.	L.			
1	arenarius. E.B.		sand.	Britain.		4. 6.	H. 2.	Eng. bot. v. 24. t.167
2	geniculatus. E.B.		pendulous.	England.		7.	H. 2.	— v. 23. t. 15
3	Delileanus. R.S.		Delile's.	Egypt.	1827.	—	H. ⊙.	Delil. egypt. t.13. f.1.
4	sabulosus. R.S.		glaucous.	Siberia.	1806.	6. 7.	H. 2.	
5	giganteus. R.S.		gigantic.	N. America.	1790.	7. 8.	H. 2.	
6	mexicanus. R.S.		Mexican.	Mexico.	1823.	6. 8.	H. 2.	Jacq. ecl. gr. t. 19.
7	sibiricus. R.S.		Siberian.	Siberia.	1758.	6. 7.	H. 2.	Schreb. gram. 1. t. 21. f.1.
8	mollis. R.S.		soft.	Kamtschatka.	1829.	—	H. 2.	
9	racemosus. R.S.		racemed.		1816.	—	H. 2.	
10	tener. R.S.		tender.	Siberia.	1801.	—	H. 2.	
11	philadelphicus. R.S.	..	Philadelphian.	N. America.	1790.	7. 8.	H. 2.	
12	canadensis. R.S.		Canadian.	—	1699.	—	H. 2.	Moris. s. 8. t. 2. f. 10.
13	glaucifolius. R.S.		glaucous.	—	1816.	—	H. 2.	
14	villosus. R.S.		villous.	—	1802.	6. 7.	H. 2.	
15	virginicus. R.S.		Virginian.	—	1781.	—	H. 2.	
16	striatus. R.S.		striated.	—	1790.	—	H. 2.	
	<i>β minor.</i>	R.S.	lesser.	—		—	H. 2.	
17	europæus. R.S.		European.	England.		—	H. 2.	Eng. bot. v. 19. t.1317
18	crinitus. R.S.		long-awned.	Smyrna.	1806.	7. 8.	H. ⊙.	Host. gram. 1. t. 27.
19	intermedius. R.S.		intermediate.	Iberia.	1819.	7. 9.	H. ⊙.	Buxb. cent. 1. t. 52.
20	altaicus. F.		Altaic.	Altay.	1829.	—	H. 2.	
21	pauciflorus. R.S.		few-flowered.		1824.	—	H. ⊙.	
22	Càput Medusæ. R.S.		Portuguese.	Portugal.	1784.	—	H. ⊙.	Schreb.gram.2.t.24.f.2.
23	junceus. R.S.		rushy.	Siberia.	1823.	7. 8.	H. 2.	

24	hordeiformis. R.S.	 Barley-like.		1816.	7. 8.	H.⊙.	
25	Hy'strix. R.S.	 rough.	Levant.	1770.	—	H.⊙.	Jacq. ic. 2. t. 305.
	<i>Asprella Hy'strix</i> . W.en.						
26	pseudo-hy'strix. R.S.	 rough American.	N. America.	1818.	—	H.⊙.	
ENNEAP'OGON. R.S. ENNEAP'OGON. Triandria Digynia. R.S.							
1	nigricans. R.S.	 blackish.	N. S. W.	1822.	7. 8.	F.γ.	
2	pallidus. R.S.	 pale.	—	1824.	—	F.γ.	
	<i>Pappophorum pallidum</i> . B.P.						
3	phleoides. R.S.	 Phleum-like.	S. America.	1822.	—	F.γ.	
PAPPO'PHORUM. B.P. PAPPO'PHORUM. Triandria Digynia. R.S.							
1	alopecuroideum. R.S.	 Foxtail-like.	S. America.	1825.	6. 8.	S.γ.	
2	laguroideum. R.S.	 Harestail-like.	W. Indies.	1826.	—	S.γ.	
ECHIN'ARIA. R.S. ECHIN'ARIA. Triandria Digynia. R.S.							
	capitata. R.S.	 headed.	S. Europe.	1771.	5. 8.	H.⊙.	Flor. græc. 1. t. 100.
	<i>Cenchrus capitatus</i> . F.G. <i>Sisleria echinata</i> . Host. gram. 3. t. 8.						
SESL'ERIA. R.S. SESL'ERIA. Triandria Digynia. R.S.							
1	elongata. R.S.	 long-spiked.	Austria.	1805.	6. 7.	H.γ.	Host. gram. 2. t. 97.
2	cylindrica. R.S.	 cylindrical.	S. Europe.	1818.	—	H.γ.	Sav. Ust. ann. 1800. ic.
3	tenuifolia. R.S.	 slender-leaved.	—	—	4. 6.	H.γ.	Host. gram. 4. t. 22.
4	cœrulea. R.S.	 blue.	Britain.		4. 5.	H.γ.	Eng. bot. v. 23. t. 1613.
5	albicans. R.S.	 whitish.	Carpathian Mt	1826.	—	H.γ.	
6	nitida. R.S.	 glossy.	Italy.	1825.	5. 6.	H.γ.	
7	tenella. R.S.	 weak.	Switzerland.	1810.	—	H.γ.	Host. gram. 2. t. 100.
8	sphaerocéphala. R.S.	 round-headed.	—	—	—	H.γ.	— 2. t. 99.
9	disticha. R.S.	 distichous.	—	1824.	—	H.γ.	— 2. t. 76.
	<i>Poa disticha</i> . Host.						
TRI'ODIA. B.P. TRI'ODIA. Triandria Digynia. R.S.							
	decumbens. R.S.	 decumbent.	Britain.		7. 8.	H.γ.	Eng. bot. v. 11. t. 792.
	<i>Poa decumbens</i> . E.B. <i>Festuca decumbens</i> . W. <i>Danthonia decumbens</i> . DC.						
TRI'DENS. R.S. REDTOP-GRASS. Triandria Digynia. R.S.							
	quinquéfida. R.S.	 five-cleft.	N. America.	1816.	7. 8.	H.γ.	Jacq. ecl. gr. 2. t. 16.
	<i>Triodia cupræa</i> . Jacq. <i>Windsoria poæformis</i> . N. <i>Poa quinquéfida</i> . Ph.						
DANTH'ONIA. DC. DANTH'ONIA. Triandria Digynia. R.S.							
1	longifolia. B.P.	 long-leaved.	N. S. W.	1823.	7. 8.	F.γ.	
2	semiannularis. B.P.	 semiannular.	N. Holland.	1822.	—	F.γ.	Labill. n. holl. 1. t. 33.
	<i>Arundo semiannularis</i> . Lab.						
3	pilosa. B.P.	 hairy.	N. S. W.	1823.	—	F.γ.	
4	provincialis. R.S.	 Provence.	S. Europe.	1818.	6. 7.	H.γ.	Vill. delph. 2. t. 2. f. 9.
5	spicata. R.S.	 spiked.	N. America.	1823.	—	H.γ.	
6	strigosa. R.S.	 bristle-pointed.	Britain.		—	H.γ.	Eng. bot. v. 18. t. 1266.
	<i>Arëna strigosa</i> . E.B.						
7	macrantha. R.S.	 large-flowered.	C. B. S.	1816.	—	H.⊙.	
8	curvifolia. R.S.	 curve-leaved.	—	—	—	G.γ.	
9	calycina. R.S.	 glossy-calyxed.	—	1822.	—	G.γ.	
KÆL'ERIA. R.S. KÆL'ERIA. Triandria Digynia. R.S.							
1	cristata. R.S.	 crested.	Europe.		6. 8.	H.γ.	Host. gram. 2. t. 75.
	β glabra. R.S.	 smooth.	Britain.		7. 8.	H.γ.	Eng. bot. v. 9. t. 648.
	<i>Aira cristata</i> . E.B. <i>Poa cristata</i> . W.						
2	grandiflora. R.S.	 great-flowered.	S. Europe.	1824.	6. 8.	H.γ.	
3	glauca. DC.	 glaucous.	Germany.	1816.	—	H.γ.	
4	pensylvanica. DC.	 Pennsylvanian.	N. America.	1818.	—	H.γ.	Spr. mem. p. 2. 1810. t. 7.
5	nitida. R.S.	 glossy.	—	1828.	—	H.γ.	
6	macrantha. R.S.	 large-flowered.	Russia.	1824.	—	H.γ.	
7	albescens. R.S.	 whitish.	S. France.	1829.	—	H.γ.	
8	valesiaca. R.S.	 Swiss.	Switzerland.	1824.	—	H.γ.	
9	setacea. R.S.	 bristly.	S. Europe.	1825.	—	H.γ.	
10	tuberosa. P.S.	 tuberous.	—	1802.	7. 8.	H.γ.	Lam. ill. t. 45. f. 4.
11	hirsuta. R.S.	 hairy.	Switzerland.	1824.	—	H.γ.	
12	villosa. R.S.	 villous.	S. Europe.	1800.	6. 7.	H.γ.	
	<i>Aira pubescens</i> . W. <i>Phalaris pubescens</i> . Lam.						
13	phleoides. R.S.	 cat's-tail.	Portugal.	1802.	7. 8.	H.⊙.	Desf. atl. 1. t. 23.
14	hispida. R.S.	 hispid.	S. Europe.	1819.	6. 7.	H.⊙.	Savi fl. pis. t. 1. f. 5.
15	brachystachya. R.S.	 short-spiked.		—	—	H.⊙.	
16	parviflora. L.en.	 small-flowered.	S. Europe.	—	—	H.⊙.	Desf. atl. 1. t. 32.
	<i>Arëna parviflora</i> . Desf. <i>Trisetum parviflorum</i> . R.S.						
17	ægyptiaca. Lk.	 Egyptian.	Egypt.	1826.	—	H.⊙.	
18	laxa. Th.	 loose-flowered.	—	1829.	—	H.⊙.	
AV'ENA. R.S. OAT-GRASS. Triandria Digynia. L.							
1	præcox. R.S.	 early-flowering.	Britain.		5. 6.	H.⊙.	Eng. bot. v. 18. t. 1296.
	<i>Aira præcox</i> . E.B.						

2 O 4

2	brèvis. R.S.	 short.	Germany.	1804.	5. 6.	H.⊙.	Host. gram. 3. t. 42.
3	álba. R.S.	 white.	France.		6. 7.	H.⊙.	
4	sativa. R.S.	 common.	S. America.		—	H.⊙.	Host. gram. 2. t. 50.
	<i>a melanospérma.</i>	 black Oat.	—		—	H.⊙.	
	<i>β leucospérma.</i>	 white Oat.	—		—	H.⊙.	
5	orientàlis. R.S.	 Tartarian.	Levant.	1798.	—	H.⊙.	Host. gram. 3. t. 44.
6	nùda. R.S.	 naked.			—	H.⊙.	— 3. t. 43.
7	fátua. R.S.	 wild.	Britain.		8.	H.⊙.	Eng. bot. v. 31. t. 222.
8	hirsùta. R.S.	 hairy.	S. Europe.	—	6. 8.	H.⊙.	
9	stérilis. R.S.	 bearded.	—	1640.	7. 8.	H.⊙.	Jacq. ic. 1. t. 23.
10	sempervirens. R.S.	.. evergreen.	Pyrenees.	1816.	6. 7.	H.⌵.	Host. gram. 3. t. 41.
11	fállax. R.S.	 fallacious.	S. Europe.	1824.	—	H.⌵.	
12	pállens. R.S.	 pale.	Portugal.	—	—	H.⌵.	
13	praténsis. R.S.	 narrow-leaved.	Britain.		—	H.⌵.	Eng. bot. v. 17. t. 122.
14	cantábrica. R.S.	 evergreen.		1825.	—	H.⌵.	
15	bromoídes. R.S.	 Bromus-like.	S. Europe.		—	H.⌵.	
16	planicúlmis. R.S.	 flat-stalked.	Hungary.	1822.	—	H.⌵.	Schrad. fl. ger. 1. t. 6. f. 2.
	<i>latifòlia.</i>	Host. gram. 4. t. 32.					
17	versícolor. R.S.	 various-colored.	Europe.	1816.	6. 8.	H.⌵.	Host. gram. 2. t. 52.
GAUD'INIA. R.S. GAUD'INIA.			Triandria Digynia. R.S.				
	<i>frágilis. R.S.</i>	 brittle.	S. Europe.	1770.	7. 8.	H.⊙.	Host. gram. 2. t. 54.
	<i>Avèna frágilis.</i>	Host.					
TRIS'ETUM. R.S. TRISE'TUM.			Triandria Digynia. R.S.				
1	ténue. R.S.	 slender.	Europe.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 55.
	<i>striatum. P.S.</i>	<i>Avèna ténuis.</i>	Host.				
2	pensylvánicum. R.S.	.. Pennsylvanian.	N. America.	1785.	6. 7.	H.⊙.	
3	micránthum. R.S.	 small-flowered.	S. Europe.	1823.	—	H.⊙.	
4	negléctum. R.S.	 neglected.	—	—	—	H.⊙.	Savi fl. pis. 1. t. 1. f. 4.
5	alopecùrus. R.S.	 Foxtail.		1816.	—	H.⊙.	
6	Loeflingiànum. R.S.	.. Loefling's.	S. Europe.	1770.	—	H.⊙.	W. berl. mag. 2. t. 8. f. 3.
7	condensàtum. R.S.	 close-flowered.	Sicily.	1824.	—	H.⊙.	
8	pilòsum. R.S.	 hairy.	Iberia.	—	—	H.⊙.	
9	pubéscens. R.S.	 pubescent.	Britain.		7. 8.	H.⌵.	Eng. bot. v. 23. t. 1640.
	<i>Avèna pubéscens.</i>	E.B.					
10	rígidum. R.S.	 rigid.	Caucasus.	1825.	—	H.⌵.	
11	alpìnum. R.S.	 Alpine.	Scotland.		7.	H.⌵.	Eng. bot. v. 30. t. 214.
	<i>Avèna planicúlmis.</i>	E.B. non Schrad.					
12	carpáthicum. R.S.	 Carpathian.	Carp. mount.	1818.	7. 8.	H.⌵.	Host. gram. 4. t. 31.
13	flavéscens. R.S.	 golden.	Britain.		6. 7.	H.⌵.	Eng. bot. v. 14. t. 952.
	<i>praténse. P.S.</i>	<i>Avèna flavéscens.</i>	E.B.				
14	alpéstre. R.S.	 mountain.	S. Europe.	1816.	—	H.⌵.	Host. gram. 3. t. 30.
15	brevifòlium. R.S.	 short-leaved.	—	—	—	H.⌵.	— 3. t. 40.
16	argénteum. R.S.	 silvery.	Switzerland.	1791.	—	H.⌵.	— 2. t. 53.
17	distichophy'llum.	 fan-leaved.	—	1796.	—	H.⌵.	Vill. delph. 2. t. 4. f. 4.
18	airoídes. R.S.	 Aira-like.	—	1800.	—	H.⌵.	Flor. dan. t. 228.
	<i>Avèna airoídes.</i>	DC. <i>Aira subspicàta.</i>	W.				
19	glabràtum. R.S.	 smooth.	Portugal.	1818.	7. 8.	H.⊙.	
CENTOTHECA. R.S. CENTOTH'ECA.			Triandria Digynia. R.S.				
	<i>lappàcea. R.S.</i>	 Bur.	India.	1773.	7.	S.⊙.	Pal. de Beau. ag. t. 14. f. 1.
	<i>Cénchrus lappàceus.</i>	L.					
CABR'ERA. LG. CABR'ERA.			Triandria Digynia.				
	<i>chrysoblépharis. LG.</i>	golden-spiked.	S. America.	1822.	6. 7.	S.⌵.	
P'OA. R.S. MEADOW-GRASS.			Triandria Digynia. L.				
1	praténsis. R.S.	 smooth-stalked.	Britain.		5. 6.	H.⌵.	Eng. bot. v. 15. t. 1073.
2	angustifòlia. DC.	 narrow-leaved.	—		5.	H.⌵.	Sinc. gra. wob. p. 184. f. 1.
3	hùmilis. R.S.	 short-blueish.	—		5. 6.	H.⌵.	Eng. bot. v. 14. t. 1004.
	<i>subcarùlea.</i>	E.B.					
4	víridis. R.S.	 green.	N. America.	1812.	—	H.⌵.	
5	hy'brida. R.S.	 hybrid.	Switzerland.	1824.	—	H.⌵.	
6	Torreyàna. R.S.	 Torrey's.	N. America.	1825.	—	H.⌵.	
7	triviàlis. E.B.	 common.	Britain.		6. 8.	H.⌵.	Eng. bot. v. 15. t. 1072.
8	Gmelìni. R.S.	 Gmelin's.	Germany.	1825.	—	H.⌵.	
9	ánnuà. E.B.	 annual.	—		1. 12.	H.⊙.	Eng. bot. v. 16. t. 1141.
10	cæspitòsa. R.S.	 tufted.	N. Zealand.	1822.	6. 8.	H.⌵.	
11	grácilis. R.S.	 slender.	Siberia.	1818.	—	H.⌵.	
12	bulbòsa. R.S.	 bulbous.	England.		5. 6.	H.⌵.	Eng. bot. v. 15. t. 1071.
13	lâxa. R.S.	 loose.	Scotland.		7.	H.⌵.	Host. gram. 3. t. 15.
	<i>flexuòsa.</i>	Eng. bot. v. 16. t. 1123.					
14	distichophy'lla. R.S.	.. fan-leaved.	Switzerland.	1829.	—	H.⌵.	Host. gram. 4. t. 26.

15	àrctica. R.S.	 arctic.	Melville Isl.	1827.	7.	H. 2.	
16	angustàta. R.S.	 narrow.	—————	—————	—————	H. 2.	
17	abbreviàta. R.S.	 shortened.	—————	—————	—————	H. 2.	
18	Hallèri. R.S.	 Haller's.	Switzerland.	—————	—————	H. 2.	
	pállens. Hall.						
19	cenísia. R.S.	 soft.	Mt. Cenis.	1791.	7. 8.	H. 2.	Host. gram. 3. t. 16.
20	alpina. R.S.	 Alpine.	Scotland.		6. 7.	H. 2.	Eng. bot. v. 14. t. 1003.
21	collina. R.S.	 hill.	Europe.	1800.	—————	H. 2.	Host. gram. 2. t. 66.
22	concinna. R.S.	 neat.	Switzerland.	1815.	—————	H. 2.	
23	Molinèri. R.S.	 Molineri's.	—————	1816.	—————	H. 2.	Balb. misc. t. 5. f. 1.
24	badénsis. W.	 Baden.	Baden.	1826.	—————	H. 2.	
25	brevifolia. DC.	 short-leaved.	France.	1822.	—————	H. 2.	
26	supina. R.S.	 trailing.	Switzerland.	—————	—————	H. 2.	Host. gram. 4. t. 27.
27	miliacea. R.S.	 Millet like.	Hungary.	1824.	—————	H. 2.	
28	nemoràlis. R.S.	 wood.	—————		6.	H. 2.	Eng. bot. v. 18. t. 1265.
	β angustifolia. H.G.W.	narrow-leaved.	—————		—————	H. 2.	Sinc. gr. wob. p. 182. ic.
29	Gaudini. R.S.	 Gaudin's.	Switzerland.	1820.	—————	H. 2.	
	áspera. Gaud. non Spreng.						
30	versicolor. R.S.	 various-color'd.	Tauria.	1825.	6. 7.	H. 2.	
31	coarctàta. L.en.	 crowded.	Europe.		—————	H. 2.	
32	glauca. E.B.	 glaucous.	Britain.		—————	H. 2.	Eng. bot. v. 24. t. 1720.
33	càsia. E.B.	 sea-green.	Scotland.		—————	H. 2.	————— v. 24. t. 1719.
34	brachyphylla. R.S.	.. short-leaved.	N. America.	1816.	—————	H. 2.	
35	depauperàta. R.S.	.. few-flowered.	Hungary.	—————	—————	H. 2.	
36	stérilis. R.S.	.. barren-ground.	Tauria.	1824.	—————	H. 2.	
37	nervàta. R.S.	 nerved.	N. America.	1812.	—————	H. 2.	Sinc. gr. wob. p. 190. ic.
38	imbecilla. R.S.	 weak.	N. Zealand.	1822.	7. 8.	H. 2.	
39	anceps. R.S.	 flat-edged.	—————	—————	—————	H. 2.	
40	flàva. R.S.	 yellow.	N. America.	—————	—————	H. 2.	
41	hirsùta. R.S.	 hairy.	—————	—————	—————	H. 2.	
42	índica. R.S.	 Indian.	E. Indies.	—————	—————	S. 2.	
43	Poirètii. R.S.	 Poiret's.		1816.	6. 8.	H. 2.	
44	serotina. R.S.	 late-flowering.	Germany.	1800.	7. 9.	H. 2.	
45	effùsa. R.S.	 spreading.	Hungary.	1823.	6. 8.	H. 2.	
46	sudética. R.S.	 broad-leaved.	Germany.	1802.	7. 8.	H. 2.	Vill. delph. 2. t. 3.
47	áspera. S.S.	 rough-branch'd.	E. Indies.	1829.	—————	S. 2.	
48	víridis. Ph.	 green.	N. America.	1812.	—————	H. 2.	
49	crocàta. M.	 saffron.	—————	1818.	—————	H. 2.	
50	commutàta. R.S.	 changed.	Spain.	1822.	—————	H. 2.	
51	contràcta. R.S.	 contracted.	E. Indies.	1823.	—————	S. 2.	
52	amboinénsis. R.S.	 Amboyna.	—————	1800.	6. 7.	S. 2.	Rumph. amb. 6. t. 7. f. 3.
53	chinénsis. R.S.	 China.	China.	—————	—————	H. 2.	
54	austràlis. B.P.	 southern.	N. S. W.	1822.	—————	H. 2.	Lab. nov. hol. 1. t. 35.
	Arúndo poaefórmis. Lab.						
55	plebèia. B.P.	 plebeian.	—————	—————	—————	H. 2.	
56	compréssa. E.B.	 compressed.	Britain.		6. 8.	H. 2.	Eng. bot. v. 6. t. 365.
57	complanàta. R.S.	 flattened.	Sicily.	1827.	—————	H. 2.	
58	festucaefórmis. R.S.	.. Fescue-like.	Dalmatia.	1800.	7. 9.	H. 2.	Host. gram. 3. t. 17.
59	convolùta. R.S.	 convolute.		1819.	—————	H. 2.	
60	atrovírens. R.S.	 dark green.	Barbary.	1825.	—————	H. 2.	Desf. atl. 1. t. 17.
61	scariòsa. R.S.	 scariose.	Spain.	1826.	—————	H. 2.	
62	coromandeliàna. R.S.	 Coromandel.	E. Indies.	1824.	—————	S. 2.	
63	bromiòides. R.S.	 Bromus-like.		—————	—————	G. 2.	
64	Uniòlæ. R.S.	 Uniola-like.	C. B. S.	1826.	—————	G. 2.	
65	peruviàna. R.S.	 Peruvian.	Peru.	1802.	7. 8.	H. 2.	Jacq. ic. 1. t. 18.
66	papillòsa. R.S.	 papillose.	C. B. S.	1816.	—————	H. 2.	
67	digitàta. B.P.	 fingered.	N. S. W.	1800.	—————	H. 2.	
68	nùtans. R.S.	 nodding.	E. Indies.	1820.	—————	S. 2.	
69	pállens. R.S.	 pale.	Buenos Ayres.	1824.	—————	H. 2.	
70	diándra. F.I.	 diandrous.	E. Indies.	1820.	—————	S. 2.	
71	uniolòides. R.S.	 Uniola-like.	—————	1824.	—————	S. 2.	
72	pellúcida. R.S.	 pellucid.	N. Holland.	1829.	—————	G. 2.	
73	semineùtra. Tr.	 Hairgrass-like.	Hungary.	1818.	—————	H. 2.	
SCLEROCHL'OA. R.S. SCLEROCHL'OA. Triandria Digynia. R.S.							
1	divaricàta. R.S.	 spreading.	S. Europe.	1802.	7. 8.	H. 2.	Gouan. ill. 4. t. 2. f. 1.
2	procúmbens. R.S.	 procumbent.	Britain.		—————	H. 2.	Eng. bot. v. 8. t. 532.
	Poa procúmbens. E.B.	Glycèria procúmbens. E.F.					
3	dùra. R.S.	 rigid.	S. Europe.	1776.	7. 8.	H. 2.	Host. gram. 2. t. 73.
	Poa dùra. Host.	Cynosurus dùrus. L.					

4	<i>rígida</i> . L.en.	 hard.	England.		6. 7.	H.⊙.	Eng. bot. v. 20. t. 127.
	<i>Pòà rígida</i> . E.B.	<i>Glycèria rígida</i> . E.F.	<i>Megastàchya rígida</i> . R.S.				
5	<i>articulàta</i> . L.en.	 jointed.	Barbary.	1816.	—	H.⊙.	Desf. atl. 1. t. 22.
6	<i>marítima</i> .	 sea-side.	Europe.		—	H.⊙.	Cyrrill.neap.fasc.2.t.2.
	<i>dichótoma</i> . L.en.	<i>Tríticum marítimum</i> . L.	<i>Festùca marítima</i> . DC.				
HYDROCHL'OA. Har. HYDROCHL'OA. Triandria Digynia.							
1	<i>dístans</i> . Har.	 distant.	Britain.		7.	H.w. 2.	Eng. bot. v. 14. t. 9.
	<i>Pòà dístans</i> . E.B.	<i>Glycèria dístans</i> . E.F.					
2	<i>aquática</i> . Har.	 water.	—		—	H.w. 2.	Eng. bot. v. 19. t. 13.
	<i>Pòà aquática</i> . E.B.	<i>Glycèria aquática</i> . E.F.					
3	<i>arundinàcea</i> .	 Reed-like.	Caucasus.	1825.	—	H.w. 2.	
	<i>Pòà arundinàcea</i> . M.E.						
4	<i>marítima</i> . Har.	 sea-side.	Britain.		—	H.w. 2.	Eng. bot. v. 16. t. 11.
	<i>Pòà marítima</i> . E.B.	<i>Glycèria marítima</i> . E.F.					
GLYC'ERIA. B.P. SWEET-GRASS. Triandria Digynia. R.S.							
	<i>flùitans</i> . B.P.	 floating.	Britain.		5. 8.	H. 2.	Eng. bot. v. 22. t. 13.
	<i>Pòà flùitans</i> . E.B.	<i>Festùca flùitans</i> . W.					
ERAGRO'STIS. R.S. ERAGRO'STIS. Triandria Digynia. R.S.							
1	<i>poæoídes</i> . R.S.	 Poa-like.	Italy.	1699.	7.	H.⊙.	Flor. græc. t. 73.
	<i>Pòà Eragróstis</i> . F.G.						
2	<i>tephrosánthos</i> . R.S.	.. Martinica.	Martinica.	1824.	7. 9.	S.⊙.	
3	<i>pilòsa</i> . R.S.	 hairy.	Italy.	1804.	7. 8.	H.⊙.	Host. gram. 2. t. 68.
4	<i>verticillàta</i> . R.S.	 whorled.	S. Europe.	1816.	—	H.⊙.	Cavan. ic. 1. t. 93.
5	<i>punctàta</i> . R.S.	 spotted.	E. Indies.	—	—	S.⊙.	
6	<i>ægyptiàca</i> . R.S.	 Egyptian.	Egypt.	1812.	—	H.⊙.	Descr. de l'Egyp. t. 12.
7	<i>purpuráscens</i> . R.S.	.. purplish.		1822.	—	H.⊙.	
8	<i>despíciens</i> . R.S.	 doubtful.		—	—	H.⊙.	
9	<i>tenélla</i> . R.S.	 slender.	E. Indies.	1781.	—	S.⊙.	Rheed. mal. 12. t. 41.
10	<i>cynosuroídes</i> . R.S.	 Dogstail.	Egypt.	1824.	—	H.⊙.	Descr. de l'Egyp. t. 12.
	<i>Pòà cynosuroídes</i> . W.						
11	<i>capillàris</i> . L.en.	 hair-panicled.	N. America.	1781.	10. 11.	H.⊙.	Moris. s. 3. t. 6. f. 33.
	<i>Pòà capillàris</i> . R.S.						
12	<i>mexicàna</i> . L.en.	 Mexican.	Mexico.	1816.	9. 10.	H.⊙.	
13	<i>abyssínica</i> . L.en.	 Abyssinian.	Abyssinia.	1824.	—	H.⊙.	Jacq. icon. 1. t. 17.
14	<i>plumòsa</i> . R.S.	 feathered.	E. Indies.	1826.	—	S.⊙.	Rheed. mal. 12. t. 41.
MEGAST'ACHYA. R.S. MEGAST'ACHYA. Triandria Digynia. R.S.							
1	<i>Eragróstis</i> . R.S.	 Love-grass.	S. Europe.	1776.	7. 8.	H.⊙.	Schreb. gram. t. 33.
	<i>Pòà megastàchya</i> . P.S.	<i>Briza Eragróstis</i> . W.	<i>Eragróstis mājor</i> . Host.	gram. 4. t. 24.			
2	<i>nígricans</i> . R.S.	 blackish.	S. America.	1823.	—	S. 2.	
3	<i>amábilis</i> . R.S.	 purple.	E. Indies.	1802.	—	S.⊙.	L. pfl. syst. 12. t. 91. f. 2.
	<i>Pòà amábilis</i> . L.						
4	<i>spectábilis</i> . R.S.	 showy.	N. America.	1816.	—	H.⊙.	
5	<i>pulchélla</i> . R.S.	 pretty.	Tauria.	1825.	—	H.⊙.	
6	<i>elongàta</i> . R.S.	 long-panicled.	E. Indies.	1812.	—	S. 2.	Jacq. ecl. gr. t. 3.
7	<i>ciliàris</i> . R.S.	 ciliated.	Jamaica.	1776.	—	S.⊙.	Jacq. ic. 2. t. 304.
8	<i>rupéstris</i> . R.S.	 rock.	E. Indies.	1823.	—	S.⊙.	
9	<i>Boryàna</i> . R.S.	 Bory's.	Mauritius.	1822.	—	S.⊙.	
10	<i>ripària</i> . R.S.	 crowded.	E. Indies.	1824.	—	S.⊙.	
11	<i>mucronàta</i> . R.S.	 mucronated.	Africa.	1822.	7. 9.	S. 2.	Beauv. fl. ow. 1. t. 4.
12	<i>polymórpha</i> . R.S.	 variable.	Tropics.	1826.	—	S. 2.	
DA'CTYLIS. R.S. COCK'S-FOOT-GRASS. Triandria Digynia. L.							
1	<i>glomeràta</i> . R.S.	 rough.	Britain.		6. 7.	H. 2.	Eng. bot. v. 5. t. 335.
2	<i>glaucéscens</i> . R.S.	 glaucescent.	Europe.	1816.	—	H. 2.	
3	<i>hispànica</i> . R.S.	 Spanish.	Spain.	1814.	—	H. 2.	
4	<i>glaùca</i> . R.S.	 glaucous.		1823.	—	H. 2.	
5	<i>capitàta</i> . R.S.	 headed.	Sardinia.	1824.	—	H. 2.	
6	<i>altàica</i> . R.S.	 Altaic.	Altay.	1826.	—	H. 2.	
7	<i>marítima</i> . R.S.	 sea-side.	Caucasus.	1823.	—	H. 2.	Schrad. fl. ger. 1. t. 6. f. 1.
8	<i>littoràlis</i> . R.S.	 shore.	S. Europe.	1816.	—	H. 2.	Lam. ill. t. 45. f. 5.
9	<i>repens</i> . R.S.	 creeping.	—	1824.	—	H. 2.	Desf. atl. 1. t. 15.
10	<i>adscéndens</i> . R.S.	 ascending.	C. B. S.	1823.	—	G. 2.	
11	<i>lagopodioides</i> . R.S.	.. harefoot.	E. Indies.	1826.	—	S. 2.	Burm. ind. t. 12. f. 2.
12	<i>brevifolia</i> . R.S.	 short-leaved.	—	—	—	S. 2.	
13	<i>cynosuroídes</i> . R.S.	 Dog's-tailed.	—	1823.	—	S. 2.	
14	<i>aristàta</i> . E.	 awned.	Egypt.	1828.	—	H.⊙.	
BR'IZA. R.S. QUAKING-GRASS. Triandria Digynia. R.S.							
1	<i>minor</i> . R.S.	 small.	England.		7.	H. 2.	Eng. bot. v. 19. t. 1316.
2	<i>virens</i> . R.S.	 green.	S. Europe.	1800.	7. 8.	H.⊙.	Hayn. term. bot. t. 25. f. 6.
3	<i>mèdia</i> . E.E.	 common.	Britain.		5. 6.	H. 2.	Eng. bot. v. 5. t. 319.

4 Clusil. R.S.	 Cluslus's.	S. Europe.	1823.	5. 6.	H. 2.	Fouc. j. bot. 3. t. 24. f. 2.
5 geniculata. R.S.	 jointed.	C. B. S.	1816.	7. 8.	H. 2.	
6 elatior. R.S.	 tall.	Greece.	1788.	—	H. 2.	Flor. græc. 1. t. 75.
7 maxima. R.S.	 great-spiked.	S. Europe.	1633.	6. 7.	H. 2.	— 1. t. 76.
8 humilis. R.S.	 dwarf.	Tauria.	1818.	—	H. 2.	Scheuch. agr. 4. t. 4. f. 10.
9 rubra. R.S.	 red.	S. Europe.	—	—	H. 2.	
CYNOSURUS. R.S.	DOGSTAIL-GRASS.	Triandria Digynia.	L.			
cristatus. E.B.	 crested.	Britain.		8.	H. 2.	Eng. bot. v. 5. t. 316.
UNIOLA. R.S.	SEASIDE OAT.	Triandria Digynia.	L.			
1 paniculata. R.S.	 paniced.	N. America.	1793.	6. 7.	H. 2.	Catesb. car. 1. t. 32.
2 latifolia. R.S.	 broad-leaved.	—	1809.	—	H. 2.	
3 spicata. R.S.	 spiked.	—	1790.	7.	H. 2.	
4 distichophylla. R.S.	 two-ranked.	—	1789.	6. 7.	H. 2.	
	<i>Festuca distichophylla</i> . Ph.					
CERATOCHLOA. R.S.	CERATOCHLOA.	Triandria Digynia.	R.S.			
unioloides. R.S.	 Uniola-like.	N. America.	1796.	6. 7.	H. 2.	Willd. h. ber. t. 3.
	<i>Festuca unioloides</i> . W.					
GRAPHEPHORUM. R.S.	GRAPHEPHORUM.	Triandria Digynia.				
melicoides. R.S.	 Melic-like.	N. America.	1824.	6. 8.	H. 2.	
	<i>A'ira melicoides</i> . M.					
LEPTOCHLOA. R.S.	LEPTOCHLOA.	Triandria Digynia.	R.S.			
1 cynosuroides. R.S.	 filiform.	E. Indies.	1818.	8. 9.	H. 2.	
2 procera. R.S.	 tall.	Brazil.	1823.	—	S. 2.	
3 filiformis. R.S.	 slender.	S. America.	1818.	—	H. 2.	Jacq. ecl. gram. t. 4.
4 virgata. R.S.	 fine-spiked.	—	1727.	7. 9.	H. 2.	Sloan. jam. 1. t. 70. f. 2.
5 tenerima. R.S.	 slenderest.	China.	1820.	—	H. 2.	
6 domingensis. L.en.	 close-spiked.	W. Indies.	—	6. 8.	S. 2.	
ELEUSINE. R.S.	ELEUSINE.	Triandria Digynia.	R.S.			
1 coracana. R.S.	 thick-spiked.	E. Indies.	1714.	7. 9.	H. 2.	Schreb. gram. 2. t. 35.
2 stricta. R.S.	 upright.	—	1822.	—	H. 2.	
3 indica. R.S.	 Indian.	India.	1714.	—	H. 2.	Rheed. mal. 12. t. 69.
4 rigida. R.S.	 rigid.	Monte Video.	1826.	—	H. 2.	
5 verticillata. R.S.	 whorled.	E. Indies.	1823.	—	H. 2.	
6 calycina. R.S.	 calycine.	—	—	—	H. 2.	
7 cerealis. E.	 Rye-like.	Egypt.	1827.	—	H. 2.	
8 ovalis. E.	 oval-spiked.	—	—	—	H. 2.	
9 tristachya. E.	 three-spiked.	—	—	—	H. 2.	
DACTYLOCTENIUM. R.S.	DACTYLOCTENIUM.	Triandria Digynia.	R.S.			
egyptiacum. R.S.	 Egyptian.	Egypt.	1770.	7. 9.	H. 2.	Moris. s. 8. t. 3. f. 7.
	<i>Cynosurus ægyptius</i> . L. <i>Eleusine ægyptiaca</i> . P.S.					
RHABDOCHLOA. R.S.	RHABDOCHLOA.	Triandria Digynia.	R.S.			
1 cruciata. R.S.	 cross-spiked.	W. Indies.	1818.	7. 9.	H. 2.	Sloan. his. 1. t. 69. f. 1.
	<i>Chloris cruciata</i> . W. <i>Agròstis cruciata</i> . L.					
2 mucronata. R.S.	 mucronate.	N. America.	1820.	—	H. 2.	Lam. ill. t. 48. f. 2.
3 virgata. R.S.	 slender.	W. Indies.	—	—	H. 2.	
4 domingensis. R.S.	 West Indian.	—	1820.	—	S. 2.	Jacq. icon. 1. t. 22.
CHONDROSIUM. K.S.	CHONDROSIUM.	Triandria Digynia.	R.S.			
1 procumbens. Desv.	 procumbent.	Philippines.	1816.	7. 9.	H. 2.	Jacq. ecl. gr. t. 12.
	<i>Antinochloda procumbens</i> . R.S. <i>Atheropogon procumbens</i> . Jacq.					
2 tenue. K.S.	 slender.	Mexico.	1823.	—	H. 2.	H. et B. n. gen. 1. t. 57.
3 prostratum.	 prostrate.	—	—	—	H. 2.	
	<i>Antinochloda prostrata</i> . R.S. <i>Bouteloua prostrata</i> . Lag.					
4 hirsutum.	 hairy.	—	—	—	H. 2.	
CORYCA'RPUS. Zea.	CORYCA'RPUS.	Diandria Digynia.	S.S.			
arundinaceus. S.S.	 Reed-like.	N. America.	1810.	6. 7.	H. 2.	Mich. amer. 1. t. 10.
	<i>Festuca diandra</i> . M. <i>Diarrhena americana</i> . R.S. <i>Ramiria Zeæ</i> . R.S.					
DIPLA'CHNE. R.S.	DIPLA'CHNE.	Triandria Digynia.	R.S.			
fascicularis. R.S.	 fascicled.	N. America.	1818.	6. 8.	H. 2.	
	<i>Festuca polystachya</i> . M.					
SCHEDON'ORUS. R.S.	SCHEDON'ORUS.	Triandria Digynia.	R.S.			
1 pratensis. R.S.	 meadow.	Britain.		6. 7.	H. 2.	Eng. bot. v. 23. t. 1592.
	<i>Festuca pratensis</i> . E.B.					
2 phænicoïdes. R.S.	 creeping-rooted.	Switzerland.	1824.	—	H. 2.	
3 elatior. R.S.	 tall.	Britain.		—	H. 2.	Eng. bot. v. 23. t. 1593.
	<i>Festuca elatior</i> . E.B. et Sinc. gr. wob. p. 361. ic.					
4 cœrulæscens. R.S.	 blueish.	Barbary.	1818.	6. 7.	H. 2.	
5 spadiceus. R.S.	 Gerard's.	Italy.	1775.	4. 6.	H. 2.	Host. gram. 3. t. 20.
6 inermis. R.S.	 naked-spiked.	Hungary.	1816.	6. 7.	H. 2.	— 1. t. 9.
7 calamarius. R.S.	 Reed-like.	Scotland.		7. 8.	H. 2.	Eng. bot. v. 14. t. 1005.

8	deciduus. deciduous.	England.	6. 7. H. 4.	Eng. bot. v. 32. t. 227.
	<i>Festuca decídua</i> . E.B.			
9	exaltatus. R.S. high upright.	Sicily. 1827.	— H. 4.	
10	sylvaticus. R.S. wood.	Germany. 1804.	7. 8. H. 4.	Host. gram. 2. t. 78.
11	serotinus. R.S. late-flowering.	S. Europe. 1818.	7. 9. H. 4.	— 2. t. 92.
12	oliaceus. R.S. spiked.	England.	6. 7. H. 4.	Eng. bot. v. 26. t. 187.
13	Scheuchzeri. R.S. Scheuchzer's.	S. Europe. 1822.	— H. 4.	
14	violaceus. R.S. violet coloured.	Europe.	— H. 4.	
15	nutans. R.S. nodding.	Hungary. 1823.	— H. 4.	Host. gram. 4. t. 61.
16	nigrescens. R.S. blackish.	Switzerland. —	— H. 4.	
17	poæformis. R.S. Poa-like.	— 1818.	— H. 4.	Host. gram. 2. t. 81.
18	pumilus. R.S. dwarf.	S. Europe. —	— H. 4.	— 2. t. 91.
19	nitidus. R.S. glossy.	Hungary. 1827.	— H. 4.	
20	tenellus. R.S. slender.	N. America. 1804.	7. 8. H. ⊙.	
	<i>Festuca tenella</i> . Ph. <i>Brachypodium festucoïdes</i> . L.en.			
	FESTUCA. R.S. FESCUE-GRASS. Triandria Digynia. L.			
1	cynosuroides. R.S. .. dogs-tail.	Barbary. 1825.	6. 8. H. ⊙.	Desf. atl. 1. t. 21.
2	Fenas. R.S. tough.	Spain. 1822.	— H. 4.	
	<i>Poa tenax</i> . L.en.			
3	ovina. R.S. Sheep's.	Britain.	6. H. 4.	Eng. bot. v. 9. t. 585.
4	brachyphylla. R.S. .. short-leaved.	Melville Isl. 1827.	— H. 4.	
	<i>brevifolia</i> . Br. non Muhlenberg.			
5	tenuifolia. L.en. slender-leaved.	Britain.	— H. 4.	
6	cæsia. E.B. gray.	England.	6. 7. H. 4.	Eng. bot. v. 27. t. 1917.
7	vivipara. E.B. viviparous.	Britain.	7. H. 4.	— v. 19. t. 1355.
8	glauca. R.S. glaucous.	S. Europe.	6. 7. H. 4.	
9	pallens. R.S. pale.	Germany. 1816.	— H. 4.	Host. gram. 2. t. 88.
10	stricta. Host. upright.	— —	— H. 4.	— 2. t. 86.
11	hirsuta. Host. hairy.	— —	— H. 4.	— 2. t. 85.
12	Halleri. R.S. Haller's.	Europe. 1820.	— H. 4.	
13	curvula. R.S. curved.	Switzerland. —	— H. 4.	
14	alpina. R.S. Alpine.	— —	— H. 4.	
15	amethystina. R.S. blue.	S. Europe. 1804.	— H. 4.	
16	picta. R.S. painted.	Hungary. 1826.	— H. 4.	
17	varia. R.S. variable.	S. Europe. 1823.	— H. 4.	Host. gram. 2. t. 90.
18	vallësiaca. Vallesian.	Vallesia. —	— H. 4.	
19	pannonica. R.S. Hungarian.	Hungary. —	— H. 4.	Host. gram. 4. t. 62.
20	xanthina. R.S. yellow.	Switzerland. 1818.	— H. 4.	— 3. t. 19.
	<i>flavescens</i> . Host. non Bellardi.			
21	flavescens. DC. yellowish.	— —	— H. 4.	
22	duriuscula. E.B. hard.	Britain.	— H. 4.	Eng. bot. v. 7. t. 470.
23	dumetorum. S.G.W. .. pubescent.	— —	— H. 4.	
24	glabra. S.G.W. smooth.	— —	6. H. 4.	Sinc. gr. wob. p. 180. ic.
25	hordeiformis. S.G.W. .. Barley-like.	— —	— H. 4.	— p. 159. ic.
26	cambrica. S.G.W. Welsh.	Wales.	— H. 4.	— p. 157. ic.
27	heterophylla. R.S. .. various-leaved.	S. Europe. 1812.	6. 7. H. 4.	Host. gram. 3. t. 18.
28	rubra. E.B. red creeping.	Britain.	7. H. 4.	Eng. bot. v. 29. t. 2066.
29	vaginata. R.S. sheathed.	Hungary. 1804.	6. 7. H. 4.	
30	Kitaibeliàna. R.S. Kitaibel's.	— 1818.	— H. 4.	
	<i>pubescens</i> . L.en. non Zea.			
31	laxa. R.S. loose.	Switzerland. 1824.	— H. 4.	Host. gram. 2. t. 80.
32	decolorans. R.S. discoloured.	— —	— H. 4.	
	<i>laxa</i> . Gaud. <i>nec aliorum</i> .			
33	nutans. R.S. nodding.	N. America. 1805.	— H. 4.	
34	rubens. R.S. red.	S. Europe. 1776.	— H. ⊙.	Flor. græc. t. 83.
	<i>Brõmus rubens</i> . F.G.			
35	scabra. R.S. rough.	C. B. S. 1826.	— G. 4.	
36	bracteata. DC. leafy-bracted.	— —	— H. 4.	
37	lævis. F. smooth.	Russia. 1806.	7. H. 4.	
38	grandiflora. Ph. large-flowered.	N. America. 1812.	6. 7. H. 4.	
39	asperrima. Ot. roughest.	— 1825.	— H. 4.	
40	rupëstris. Ot. rock.	— —	— H. 4.	
	MYGAL'URUS. L.en. MOUSETAIL-GRASS. Triandria Digynia. L.en.			
1	bromoides. L.en. barren.	Britain.	6. H. ⊙.	Eng. bot. v. 20. t. 1411.
2	caudatus. L.en. wall.	England.	— H. ⊙.	— v. 20. t. 1412.
	<i>Festuca Myûrus</i> . E.B.			
3	alopécuroïdes. L.en. ... Fox-tail.	Barbary. 1799.	6. 8. H. ⊙.	Desf. atl. 1. t. 25.
4	ciliata. Lk. fringed.	Portugal. 1827.	— H. ⊙.	Host. gram. 4. t. 65.
5	uniglumis. L.en. single-husked.	England.	— H. ⊙.	Eng. bot. v. 20. t. 1430.

6	delicatulus. L.en. delicate.	Spain.	1817.	7. 8.	H.⊙.	
7	geniculatus. L.en. jointed.	S. Europe.	1793.	6. 7.	H.⊙.	
<i>Brõmus geniculatus. R.S. Festuca stipoides. R.S.</i>						
BRACHYPODIUM. R.S. BRACHYPODIUM. Triandria Digynia. R.S.						
1	pinnatum. R.S. spiked heath.	Britain.		6. 8.	H. 4.	Eng. bot. v. 11. t. 730.
<i>Brõmus pinnatus. E.B. Triticum pinnatum. DC. Festuca pinnata. E.F.</i>						
2	rupestre. R.S. rock.	S. Europe.	1816.	—	H. 4.	Host. gram. 4. t. 17.
3	strigosum. R.S. strigose.	Tauria.	1821.	—	H. 4.	
4	cæspitosum. R.S. tufted.	S. Europe.	—	—	H. 4.	Host. gram. 4. t. 18.
5	ramosum. R.S. branched.	—	1818.	—	H. 4.	Flor. græc. t. 84.
6	phænicoides. R.S. pointed-leaved.	S. France.	1821.	—	H. 4.	
7	obtusifolium. R.S. blunt-leaved.	Spain.	1818.	—	H. 4.	
8	Tenorianum. R.S. Tenore's.	Naples.	1824.	—	H. 4.	
9	Barrelieri. R.S. Barrelier's.	—	1827.	—	H.⊙.	
10	longifolium. R.S. long-leaved.	Barbary.	1818.	—	H. 4.	
11	sylvaticum. R.S. wood.	Britain.		—	H. 4.	Eng. bot. v. 11. t. 729.
<i>Brõmus sylvaticus. E.B. Triticum sylvaticum. DC. Festuca sylvatica. E.F.</i>						
12	distachyum. R.S. two-spiked.	S. Europe.	1772.	—	H. 4.	Host. gram. 1. t. 20.
13	megastachyum. R.S. long-spiked.	—	1826.	—	H.⊙.	
14	macrostachyum. R.S. large-spiked.	—	—	—	H.⊙.	
15	asperum. R.S. stiff-leaved.	Spain.	1818.	—	H.⊙.	
16	unioloides. L.en. Uniola-like.	Sicily.	1758.	7. 8.	H.⊙.	Jacq. icon. 2. t. 303.
17	brevisetum. R.S. short-awned.		1825.	—	H.⊙.	
18	fragile. R.S. brittle.	Europe.	1824.	—	H. 4.	
19	Halleri. R.S. Haller's.	S. Europe.	1818.	—	H.⊙.	Vivian. fr. fl. it. t. 26. f. 1.
20	hispanicum. Viv. slender-stem'd.	—	—	—	H.⊙.	— t. 23. f. 2.
<i>tenuiculum. R.S.</i>						
21	tenuiflorum. R.S. slender-flowered.	—	1823.	—	H.⊙.	Host. gram. 2. t. 26.
22	Nardus. L.en. slender.	—	—	—	H.⊙.	
<i>tenellum. R.S. Triticum Nardus. DC.</i>						
23	loliaceum. R.S. spiked sea.	Britain.		6. 7.	H.⊙.	Eng. bot. v. 4. t. 221.
<i>Triticum loliaceum. E.B.</i>						
24	Poa. R.S. meadow-grass.	France.	1824.	—	H.⊙.	Pluk. phyt. t. 32. f. 7.
25	biunciale. R.S. small.	S. Europe.	1818.	6. 8.	H.⊙.	Viv. fl. it. fr. t. 24.
26	unilaterale. R.S. one-sided.	—	1824.	—	H.⊙.	Bocc. mus. t. 57. f. 2.
27	mexicanum. Bes. Mexican.	Mexico.	1816.	7. 9.	H.⊙.	
<i>Festuca mexicana. R.S.</i>						
TRICHÆTA. R.S. TRICHÆTA. Triandria Digynia. R.S.						
	ovata. R.S. oval-spiked.	Spain.	1824.	6. 8.	H. 4.	Cavan. ic. 6. t. 591. f. 2.
<i>Brõmus ovatus. Cav. Trisetum ovatum. P.S.</i>						
BRÕMUS. R.S. BROME-GRASS. Triandria Digynia. R.S.						
1	secalinus. R.S. smooth Rye.	England.		6. 8.	H.⊙.	Eng. bot. v. 17. t. 1171.
2	elongatus. R.S. elongated.	Switzerland.	1823.	—	H.⊙.	
3	commutatus. R.S. downy Rye.	Britain.		—	H.⊙.	Host. gram. 1. t. 11.
4	velutinus. R.S. hairy-headed.	—		—	H.⊙.	Eng. bot. v. 27. t. 1884.
<i>multiflorus. E.B.</i>						
5	Triniæus. R.S. Trinius's.	Gilan.	1826.	—	H. 4.	Trin. m. ac. pet. 1813. t. 9.
6	mollis. R.S. soft.	Britain.		5. 7.	H.⊙.	Eng. bot. v. 15. t. 1078.
7	confertus. R.S. close-spiked.	Iberia.	1825.	—	H.⊙.	Jacq. ecl. gr. t. 14.
8	racemosus. R.S. smooth.	England.		6. 8.	H.⊙.	Eng. bot. v. 15. t. 1079.
9	erectus. E.B. upright.	—		—	H. 4.	— v. 7. t. 471.
10	Biebersteinii. R.S. Bieberstein's.	Caucasus.	1825.	—	H. 4.	
11	australis. B.P. southern.	N. S. W.	1823.	—	H.⊙.	
12	lanceolatus. R.S. spear-leaved.	Canaries.	1798.	—	H.⊙.	Buxb. cent. ap. t. 19.
13	lanuginosus. R.S. woolly.	S. Europe.	1824.	—	H.⊙.	
14	variegatus. R.S. variegated.	Caucasus.	—	—	H. 4.	
15	squarrosus. R.S. corn.	England.		—	H. 4.	Eng. bot. v. 27. t. 1885.
16	vestitus. R.S. clothed.	C. B. S.	1816.	—	G. 4.	
17	wolgensis. R.S. Wolga.	Caucasus.	—	—	H.⊙.	Jacq. ecl. gr. t. 15.
18	laxus. R.S. loose.		—	—	H. 4.	
19	alopecuroides. R.S. Fox-tail.	S. Europe.	1799.	—	H. 4.	Desf. atl. 1. t. 25.
<i>contortus. Desf.</i>						
20	purgans. R.S. purging.	Canada.	1793.	—	H. 4.	
21	pubescens. R.S. pubescent.	N. America.	1816.	—	H. 4.	
22	asper. E.B. hairy wood.	England.		—	H. 4.	Eng. bot. v. 17. t. 1172.
23	hirsutissimus. Cyr. very hairy.	S. Europe.	1822.	—	H. 4.	
24	pendulinus. R.S. pendulous.	New Spain.	1823.	—	H.⊙.	
25	glaucus. R.S. glaucous.	Pyrenees.	—	—	H. 4.	Lap. fl. pyren. t. 53. bis.
26	altissimus. R.S. tallest.	N. America.	1812.	—	H. 4.	

27	giganteus. R.S.		gigantic.	Britain.		7. 8. H. 4.	Eng. bot. v. 26. t. 1.
28	triflorus.		three-flowered.	—		— H. 4.	— v. 27. t. 1.
	<i>Festuca triflora.</i> E.B.						
29	montanus. R.S.		mountain.	Switzerland.	1827.	— H. 4.	
30	longiflorus. R.S.		long-flowered.		1818.	— H. 4.	
31	stenophyllus. R.S.		slender-leaved.		1824.	— H. 4.	
32	angustifolius. M.B.		narrow-leaved.	Caucasus.	—	— H. 4.	
33	ciliatus. R.S.		ciliated.	N. America.	1802.	6. 8. H. 4.	
34	arvensis. R.S.		field.	Britain.		7. H. 4.	Eng. bot. v. 28. t. 1.
35	sterilis. R.S.		barren.	—		6. 7. H. 4.	— v. 15. t. 1.
36	tectorum. R.S.		nodding.	Europe.	1776.	6. 8. H. 4.	Flor. græc. t. 82.
37	matritensis. R.S.		wall.	Britain.		6. H. 4.	Eng. bot. v. 14. t. 1.
	<i>diandrus.</i> E.B.						
38	ligusticus. R.S.		contracted.	Italy.	1824.	6. 8. H. 4.	Barrel. ic. 76. n. 2.
39	rigidus. R.S.		rigid.	S. France.	1822.	— H. 4.	Host. gram. 1. t. 18.
40	pilosus. R.S.		hairy wall.	S. Europe.	—	— H. 4.	
41	jubatus. R.S.		loose panicle.	Italy.	1824.	— H. 4.	
42	maximus. R.S.		great.	Morocco.	1804.	— H. 4.	Desf. atl. 1. t. 26.
43	scoparius. R.S.		broom.	S. Europe.	1824.	— H. 4.	Cavan. ic. 1. t. 45. f. 2.
44	humilis. R.S.		low.	Spain.	—	— H. 4.	— ic. 6. t. 589. f. 2.
45	scaberrimus. R.S.		roughest.	Italy.	—	— H. 4.	
46	coarctatus. H.H.		close-flowered.		1826.	— H. 4.	
47	parviflorus. Df.		small-flowered.		1824.	— H. 4.	
48	tortilis. Presl.		twisted.	Sicily.	1825.	— H. 4.	
49	caucasicus. F.		Caucasean.	Caucasus.	—	— H. 4.	
	ROSTRARIA. Tr.		ROSTRARIA.	Triandria Digynia.			
	pubescens. Tr.		pubescent.		1824.	6. 8. H. 4.	
	<i>Brœmus dactyloides.</i> Roth.		<i>Dactylis pungens.</i> Horn.				
	PHRAGMITES. Tr.		REED.	Triandria Digynia. R.S.			
	communis. Tr.		common.	Britain.	...	7. 8. H. w. 4.	Eng. bot. v. 6. t. 401.
	<i>Arundo phragmites.</i> E.B.						
	ARUNDO. S.S.		REED-GRASS.	Triandria Digynia. S.S.			
1	Donax. s.s.		manured.	S. Europe.	1648.	7. 8. H. 4.	Host. gram. 4. t. 38.
	β versicolor.		striped.	—		— H. 4.	Moris. s. 8. t. 8. f. 9.
2	ténax. s.s.		tough.	—	1823.	— H. 4.	Cyrl. neap. f. 2. t. 12.
3	festucæa. W.en.		Fescue-like.	Germany.	—	— H. w. 4.	
	PSAMMA. R.S.		SEA MATWEED.	Triandria Trigynia. R.S.			
	arenaria. R.S.		common.	Britain.		6. 7. H. 4.	Eng. bot. v. 8. t. 520.
	<i>Arundo arenaria.</i> E.B.						
	ARUNDINARIA. R.S.		CANE-BRAKE.	Triandria Monogynia. S.S.			
1	glaucescens. R.S.		glaucous.	E. Indies.	1818.	 S. 4.	
	<i>Ludófia glaucescens.</i> w.						
	OL'YRA. W.		OL'YRA.	Monœcia Triandria. L.			
	paniculata. w.		broad-leaved.	W. Indies.	1783.	7. S. 4.	Sloan. jam. 1. t. 64. f. 2.
	Z'EA. W.		INDIAN CORN.	Monœcia Triandria. L.			
1	Máys. w.		common.	America.	1562.	6. 7. H. 4.	Lam. ill. t. 749.
2	Curagua. s.s.		saw-leaved.	Chile.	1820.	— H. 4.	
	CO'IX. W.		JOB'S-TEARS.	Monœcia Triandria. L.			
1	Láchrýma. s.s.		common.	E. Indies.	1596.	6. 7. S. 4.	Bot. mag. t. 2479.
2	agrêstis. s.s.		round-fruited.	—	1812.	— S. 4.	Rumph. amb 6. t. 9. f. 1.
3	exaltata. s.s.		tall.	China.	1816.	— S. 4.	Jacq. ic. gram.
4	arundinæa. s.s.		reed-like.	Mexico.	1824.	— S. 4.	
5	K'œnigii. s.s.		Kœnig's.	E. Indies.	1818.	— S. 4.	
6	gigantea. H.B.		gigantic.	Bengal.	1820.	— H. 4.	
	BAMBUUSA. W.		BAMBOO-CANE.	Hexandria Monogynia. W.			
1	arundinæa. w.		common.	India.	1730.	 S. 4.	Roxb. corom. 1. t. 79.
2	verticillata. w.		whorl-flowered.	—	1802.	 S. 4.	— 1. t. 80.
	MELOCA'NNA. Tr.		MELOCA'NNA.	Hexandria Monogynia. S.S.			
	bambusoides. Tr.		berry bearing.	E. Indies.	1818.	 S. 4.	
	<i>Bambusa baccifera.</i> Roxb.						
	PH'ARUS. W.		PH'ARUS.	Monœcia Hexandria. W.			
1	latifolius. w.		broad-leaved.	Jamaica.	1793.	7. 8. S. 4.	Brown. jam. t. 38. f. 3.
2	angustifolius. D.L.		narrow-leaved.	Trinidad.	1821.	— S. 4.	
	EHRHA'RTA. W.		EHRHA'RTA.	Hexandria Monogynia. S.S.			
1	panicea. w.		Panic-grass.	C. B. S.	1790.	5. 7. G. 4.	Sm. ined. 1. t. 9.
2	melicoides. s.s.		Melica-like.	—	1816.	— G. 4.	
	MICROL'ÆNA. B.P.		MICROL'ÆNA.	Tetrandria Digynia. B.P.			
	stipoides. B.P.		Stipa-like.	N. S. W.	1822.	7. 8. F. 4.	Lab. n. hol. 1. t. 118.
	<i>Ehrharta stipoides.</i> Lab.						

POTAMO'PHILA. B.P.	POTAMO'PHILA.	Polygamia Monœcia. B.P.			
parviflora. B.P.	 small-flowered.	N. S. W.	1820.	6. 7.	F.w. 4.
ORYZA. W.	Rice.	Hexandria Digynia. L.			
sativa. w.	 common.	Ethiopia.	1596.	7.	S.w. ☉.
ZIZANIA. W.	CANADA RICE.	Monœcia Hexandria. W.			
1 aquática. H.K.	 water.	N. America.	1790.	7. 9.	H.w. 4. Linn. trans. 7. t. 13.
2 miliacea. M.	 Millet-like.	Carolina.	1816.	—	H.w. 4.
3 fluitans. M.	 floating.	N. America.	1821.	7. 8.	H.w. 4.
PARIANA. W.	PARIANA.	Monœcia Polyandria. W.			
campêstris. w.	Cayenne.	Cayenne.	1803.		S. h. Aubl. gui. 2. t. 337.

** SUBCLASSIS II. CRYPTOGAMEÆ. DC.

ORDO CCXXV.

CHARACEÆ. *Kth. synopsis. v. 1. p. 102.*

CHARA. L.	CH'ARA.	Monœcia Monandria. W.			
1 vulgaris. E.B.	 common.	Britain.		7. 8.	H.w. ☉. Eng. bot. v. 5. t. 336.
2 hispida. E.B.	 prickly.	—		6. 9.	H.w. ☉. — v. 7. t. 463.
NITELLA. Ag.	NITELLA.	Monœcia Monandria.			
1 tomentosa. w.	 tomentose.	—		6. 7.	H.w. ☉. Moris. s. 15. t. 4. f. 9.
2 flexilis. Ag.	 smooth.	Britain.		7. 8.	H.w. ☉.
3 opaca. Ag.	 opaque.	—		—	H.w. ☉. Eng. bot. v. 15. t. 1070.
Chara flexilis. E.B.					
4 translucens. Ag.	 great transparent.	—		—	H.w. ☉. Eng. bot. v. 26. t. 1855.
5 nidifica. Ag.	 proliferous.	—		—	H.w. ☉. — v. 24. t. 1703.
6 gracilis. Ag.	 slender.	—		—	H.w. ☉. — v. 30. t. 2140.

ORDO CCXXVI.

EQUISETACEÆ. *DC. fl. fr. ed. 3. v. 2. p. 28.*

EQUISETUM. W.	HORSE-TAIL.	Cryptogamia Gonopterides. W.			
1 arvense. w. (br. ye.)	corn.	Britain.		3. 4.	H. 4. Eng. bot. v. 29. t. 2020.
2 fluviatile. w. (br. ye.)	great water.	—		4. 5.	H. 4. — v. 29. t. 2022.
3 umbròsum. W. en. (br. y.)	shade.	Germany.	1818.	—	H. 4. Eng. bot. v. 27. t. 1874.
4 sylvaticum. w. (br. ye.)	wood.	Britain.		—	H. 4. — v. 13. t. 929.
5 limòsum. w. (br. ye.)	smooth naked.	—		6. 7.	H. 4. — v. 29. t. 2021.
6 palustre. w. (br. ye.)	marsh.	—		—	H. 4. —
7 pratense. w. (br. ye.)	meadow.	Germany.	1820.	—	H. 4. Eng. bot. v. 13. t. 915.
8 scirpoïdes. w. (br. ye.)	American.	N. America.	1812.	—	H. 4. — v. 28. t. 1987.
9 hyemale. w. (br. ye.)	Shave grass.	Britain.		7. 8.	H. 4. —
10 variegatum. w. (br. ye.)	variegated.	Scotland.		6. 7.	H. 4. —
11 filifôrme. (br. ye.)	thready.	N. America.	1800.	7. 8.	H. 4. —

ORDO CCXXVII.

MARSILEACEÆ. *Brown prodr. p. 166.*

PILULARIA. W.	PILLWORT.	Cryptogamia Hydropterides. W.			
globulifera. w. (br.)	Pepper-grass.	Britain.		6. 9.	H.w. 4. Eng. bot. v. 8. t. 521.
ISOETES. W.	QUILLWORT.	Cryptogamia Hydropterides. W.			
la. ústris. w.	 marsh.	Britain.		5. 10.	H.w. 4. Eng. bot. v. 16. t. 1084.

SALVINIA. W.	SALVINIA. Cryptogamia Hydropterides. W.				
nàtans. w.	floating.	Europe.	1818.	5. 8. H. w. 4.	Schkuhr filic. t. 173.
MARSILEA. W.	MARSILEA. Cryptogamia Hydropterides. W.				
quadrifolia. w.	four-leaved.	S. Europe.	1820.	6. 8. H. w. 4.	J. mem. ac. sci. par. 17.

ORDO CCXXVIII.

LYCOPODIACEÆ. *Kth. synops. 1. p. 95.*

LYCOPodium. W.	CLUB-MOSS.	Cryptogamia Stachyopterides. W.			
1 carolinianum. w. (br.)	Carolina.	Carolina.	1812.	7. 8. H. 4.	Dill. muse. t. 62. f. 3.
2 clavatum. w. (br.)	common.	Britain.		— H. 4.	Eng. bot. v. 4. t. 224.
3 complanatum. w. (br.)	Arbor Vitæ-leav'd.	N. America.	1770.	— H. 4.	Flor. dan. t. 78.
4 alpinum. w. (br.)	Savin-leaved.	Britain.		8. H. 4.	Eng. bot. v. 4. t. 234.
5 dendroideum. w. (br.)	fan.	N. America.	1770.	7. H. 4.	Hook. ex. flor. t. 7.
6 annotinum. w. (br.)	interrupted.	Britain.		6. 8. H. 4.	Eng. bot. v. 24. t. 173.
7 inundatum. w. (br.)	marsh.	—		— H. w. 4.	— v. 4. t. 239.
8 alopecuroides. w. (br.)	Fox-tail.	N. America.	1816.	— H. 4.	Schkuhr filic. t. 160.
9 Selaginoïdes. w. (br.)	prickly.	Britain.		8. H. 4.	Eng. bot. v. 16. t. 114.
10 ornithopodioides. w. (br.)	Bird's-claw.	—	1812.	6. 8. H. 4.	Dill. muse. t. 66. f. 1. 2.
11 helveticum. w. (br.)	Swiss.	Switzerland.	1779.	— H. 4.	— t. 64. f. 2.
12 rupestre. w. (br.)	rock.	N. America.	1818.	— H. 4.	— t. 63. f. 11.
13 denticulatum. w. (br.)	toothed.	Switzerland.	1779.	7. H. 4.	— t. 66. f. 1. A.
14 depressum. w. (br.)	depressed.	C. B. S.	1816.	7. 8. G. 4.	
15 Selago. w. (br.)	Fir.	Britain.		6. 8. H. 4.	Eng. bot. v. 4. t. 233.
16 apodum. w. (br.)	distichous.	N. America.	1815.	7. H. 4.	Dill. muse. t. 64. f. 3.
17 lucidulum. w. (br.)	glossy.	—	1822.	— H. 4.	Schkuhr filic. t. 159.
18 densum. B.P. (br.)	dense.	N. S. W.	—	7. 8. G. 4.	Lab. nov. hol. 2. t. 251. f. 1.
PSILO'TUM. B.P.	PSILO'TUM. Cryptogamia Stachyopterides. W.				
triquetrum. B.P. (ye.)	triangular.	N. S. W.	1793.	7. 8. G. 4.	Schkuhr filic. t. 165. f.
Lycopodium nudum. L.	Bernhardia dichotoma. w.				

ORDO CCXXIX.

FILICES. *Juss. gen. 14.*

SUBORDO I. OPHIOGLOSSEÆ. Brown prodr. p. 163.

OPHIOGLO'SSUM. W.	ADDER'S-TONGUE.	Cryptogamia Stachyopterides. W.			
1 vulgatum. E.B. (br.)	common.	Britain.		5. 6. H. 4.	Eng. bot. v. 2. t. 168.
2 bulbosum. w. (br.)	bulbous-rooted.	N. America.		— H. 4.	
3 lusitanicum. w. (br.)	Portugal.	Portugal.		— H. 4.	
4 gramineum. w. (br.)	grass-like.	N. Holland.	1822.	— G. 4.	Willd. s. erf. 1802. t. 151.
5 costatum. B.P. (br.)	ribbed.	N. S. W.	—	— G. 4.	
6 reticulatum. w. (br.)	netted.	W. Indies.	1793.	— S. 4.	Plum. fil. t. 161.
7 petiolatum. w. (br.)	petiolate.	—	1822.	1. 3. S. 4.	Hook. ex. flor. t. 56.
BOTRY'CHIUM. W.	MOONWORT.	Cryptogamia Stachyopterides. W.			
1 Lunaria. w. (br. ye.)	common.	Britain.		5. 6. H. 4.	Eng. bot. v. 5. t. 315.
Osmunda lunaria. E.B.					
2 fumarioides. w. (br. ye.)	Fumitory-leaved.	Carolina.	1806.	7. 8. H. 4.	Schkuhr fil. t. 157.
3 obliquum. w. (br. ye.)	oblique.	N. America.	1821.	6. 7. H. 4.	Pluk. mant. t. 427. f. 7.
4 dissectum. w. (br. ye.)	cut-leaved.	—	1806.	7. H. 4.	Schkuhr fil. t. 158.
5 virginicum. w. (br. ye.)	Virginian.	—	1790.	8. H. 4.	— t. 156.
6 australe. B.P. (br. ye.)	southern.	N. S. W.	1823.	7. 8. H. 4.	
7 gracile. Ph. (br. ye.)	slender.	N. America.	1824.	— H. 4.	

SUBORDO II. *OSMUNDACEÆ*. Brown prodr. p. 161.

LYG'ODIUM. B.P.		SNAKE'S-TONGUE.		Cryptogamia Schismatopterides. W.	
1	polymórphum. K.S. (br.y.) variable.	S. America.	1816.	5. 9. S. 4. ∞.	Cav. ic. 6. t. 595. f. 1.
	<i>Ugena polymórpha</i> . Cav. <i>Hydroglóssum hírsútum</i> . w.				
2	scandens. Sw. (br.ye.) climbing.	E. Indies.	1793.	5. 9. S. 4. ∞.	Lodd. bot. cab. t. 742.
3	microphy'llum. B.P. (br.y.) small-leaved.	N. Holland.	1818.	— S. 4. ∞.	Cavan. icon. 6. t. 595. f. 2.
4	venústum. Sw. (br.y.) elegant.	S. America.	1812.	— S. 4. ∞.	
5	circinátum. Sw. (br.y.) rounded.	W. Indies.	1818.	— S. 4. ∞.	
6	palmátum. Sw. (br.y.) palmate.	N. America.	1823.	— S. 4. ∞.	Schkuhr filic. t. 140.
	<i>Hydroglóssum palmátum</i> . w.				
ANEI'MIA. W.		ANEI'MIA.		Cryptogamia Schismatopterides. W.	
1	fraxinifólia. Rad. (br.y.) Ash-leaved.	Brazil.	1829.	9. 12. S. 4.	
2	hírta. w. (br.ye.) hairy-leaved.	W. Indies.	1824.	— S. 4.	
3	collina. Rad. (br.ye.) hill.	Brazil.	1829.	— S. 4.	
4	hírúta. w. (br.ye.) hairy.	W. Indies.	1794.	 S. 4.	Plum. fil. t. 162.
5	laciniáta. (br.ye.) jagged.	—	—	— S. 4.	
6	adiantifólia. w. (br.ye.) Maiden-hair-leav'd.	—	1793.	8. 9. S. 4.	Plum. fil. t. 158.
7	lanceoláta. w. (br.ye.) spear-leaved.	—	1820.	— S. 4.	
OSMU'NDA. W.		OSMU'NDA.		Cryptogamia Schismatopterides. W.	
1	cinnamómea. w. (br.) woolly.	N. America.	1772.	6. H. 4.	Schkuhr fil. t. 146.
2	regális. w. (br.ye.) flowering fern.	Britain.		7. 8. H. 4.	Eng. bot. v. 3. t. 209.
3	Claytoniána. w. (br.ye.) Clayton's.	N. America.	1772.	8. H. 4.	
4	interrúpta. w. (br.ye.) interrupted.	—		6. 7. H. 4.	Schkuhr fil. t. 144.
5	spectábilis. w. (br.ye.) showy.	—	1811.	7. H. 4.	Pluk. alm. t. 184. f. 4.
6	humilis. w. (br.ye.) dwarf.	—	1823.	6. 8. H. 4.	Hook. ex. flor. t. 28.
TODEA. W.		TODEA.		Cryptogamia Schismatopterides. W.	
	africana. w. (br.ye.) African.	C. B. S.	1805.	5. 8. G. 4.	Schkuhr fil. t. 147.
	<i>Osmunda barbáta</i> . B.P.				
SCHIZ'ÆA. W.		SCHIZ'ÆA.		Cryptogamia Schismatopterides. W.	
1	penicilláta. w. (br.ye.) pencilled.	S. America.	1816.	6. 7. S. 4.	
2	pusilla. Ph. (br.ye.) small.	N. America.	1825.	— H. 4.	H. et G. ic. fil. t. 47.
3	rupéstris. B.P. (br.ye.) rock.	N. S. W.	1822.	— G. 4.	— t. 48.
4	bífida. B.P. (br.ye.) bifid.	—	—	— G. 4.	Willd. mem. farr. t. 3. f. 2.

SUBORDO III. *GLEICHENEÆ*. Brown prodr. p. 160.

GLEICH'ENIA. B.P.		GLEICH'ENIA.		Cryptogamia Poropterides. W.	
1	pubéscens. K.S. (br.) pubescent.	Vera Cruz.	1822.	6. 8. S. 4.	
	<i>Merténsia pubéscens</i> . w.				
2	Spelúnca. B.P. (br.) various-leaved.	N. S. W.	—	— G. 4.	
3	Hermánni. B.P. (br.) Hermann's.	India.	1829.	 S. 4.	H. et G. ic. fil. t. 14.
4	microphy'lla. B.P. (br.) small-leaved.	N. S. W.	1825.	6. 8. G. 4.	
5	flabelláta. B.P. (br.) fan-leaved.	—	1823.	— G. 4.	
MARA'TTIA. W.		MARA'TTIA.		Cryptogamia Poropterides. W.	
	aláta. w. (br.ye.) winged.	Jamaica.	1793.	5. 8. S. 4.	Sm. ic. ined. t. 46.

SUBORDO IV. *PARKERIACEÆ*. Hook et Grev. ic. fil. 97.

PARK'ERIA. H.F.		PARK'ERIA.		Cryptogamia Poropterides.	
1	pteridoides. H.F. (br.) Brake-like.	W. Indies.	1822.	5. 10. S. 4.	H. et G. ic. fil. t. 97.
2	Lockhárti. H.F. (br.) Lockhart's.	Trinidad.	1824.	— S. 4.	
CERATO'PTERIS. S.S.		CERATO'PTERIS.		Cryptogamia Poropterides.	
	thalictroides. s.s. (br.) Thalicttrum-like.	E. Indies.	1818.	6. 10. S. 4.	Pluk. alm. t. 215. f. 3.
	<i>Ellobocárpus oleráceus</i> . Kaulfuss.				

SUBORDO V. *POLYPODIACEÆ*. Brown prodr. p. 145.

ACRO'STICHUM. W.		ACRO'STICHUM.		Cryptogamia Filices. L.	
1	viscòsum. H.F. (br.ye.) viscous.	W. Indies.	1826.	6. 10. S. 4.	H. et G. ic. fil. t. 61.
2	simplex. w. (br.ye.) simple.	Jamaica.	1793.	5. 7. S. 4.	Lodd. bot. cab. t. 709.
3	apòdum. H.F. (br.ye.) stemless.	W. Indies.	1824.	— S. 4.	H. et G. ic. fil. t. 99.

4 crinitum. w. (br.ye.) hairy.	W. Indies.	1793.	5. 7.	S. 4.	H. et G. ic. fil. t. 1.
5 alcicorne. B.P. (br.) Elk's-horn.	N. S. W.	1808.	8. 10.	G. 4.	Bot. reg. t. 262. 3.
6 Stemària. Beau. (br.) Stag's-horn.	Guinea.	1822.	5. 8.	S. 4.	Beau. fl. d'ow. v. 1.
7 appendiculatum. H. (br.) appendaged.	W. Indies.	1824.	6. 8.	S. 4.	Hook. ex. flor. t. 1.
8 aureum. w. (br.ye.) golden.	America.	1820.	7. 8.	G. 4.	Schkuhr fil. t. 1.
NOTHOLÆNA. B.P. NOTHOLÆNA. Cryptogamia Filices.					
1 Marántæ. B.P. (br.ye.) Swiss.	Switzerland.	1824.	6. 8.	H. 4.	Spreng. crypt. t. 2.
<i>Acróstichum Marántæ</i> . w.					
2 distans. B.P. (br.ye.) distant.	N. S. W.	1823.	—	G. 4.	
3 lanuginosa. s.s. (br.ye.) woolly.	Madeira.	1778.	8. 9.	G. 4.	Desf. atl. 2. t. 253.
<i>Acróstichum vélleum</i> . H.K.					
HEMION'ITIS. W. HEMION'ITIS. Cryptogamia Filices. W.					
palmata. w. (br.ye.) palmated.	W. Indies.	1793.	6. 8.	S. 4.	Hook. ex. flor. t. 30.
GYMNOGRA'MMA. GYMNOGRA'MMA. Cryptogamia Filices.					
1 pedata. s.s. (br.ye.) pedate.	New Spain.	1822.	6. 9.	S. 4.	Swtz. syn. fil. t. 1.
2 rufa. s.s. (br.ye.) rusty-haired.	Jamaica.	1793.	6. 8.	S. 4.	Schkuhr fil. t. 17. 21.
<i>Hemionitis rufa</i> . w.					
3 tartarea. s.s. (br.ye.) whitened.	S. America.	1817.	—	S. 4.	Willd. hort. ber. l. t.
<i>Acróstichum tartareum</i> . Swtz. <i>Hemionitis dealbata</i> . w.					
4 peruviana. s.s. (br.ye.) Peruvian.	Peru.	1822.	6. 8.	G. 4.	
5 trifoliata. s.s. (br.ye.) three-leaved.	Jamaica.	1810.	—	S. 4.	Plum. fil. t. 144.
6 calomelanos. s.s. (br.y.) mealy.	W. Indies.	1790.	7. 8.	S. 4.	Willd. hort. ber. l. t.
7 chrysophylla. s.s. (br.y.) golden-leaved.	—	1824.	—	S. 4.	
8 sulphurea. s.s. (br.ye.) sulphur-colored.	Jamaica.	1808.	—	S. 4.	Schkuhr crypt. t. 4.
9 leptophylla. s.s. (br.ye.) slender-leaved.	S. Europe.	1824.	5. 8.	H. 4.	H. et G. ic. fil. t. 2.
10 chærophylla. s.s. (br.y.) Chervil-leaved.	Brazil.	1825.	6. 8.	S. 4.	— t. 45.
MENT'SCIUM. W. MEN'SCIUM. Cryptogamia Filices. W.					
1 triphyllum. s.s. (br.ye.) three-leaved.	E. Indies.	1820.	6. 8.	S. 4.	H. et G. ic. fil. t. 1.
2 sorbifolium. s.s. (br.ye.) Service-leaved.	S. America.	1825.	—	S. 4.	
3 reticulatum. w. (br.ye.) netted.	Martinico.	1793.	6. 8.	S. 4.	Plum. fil. t. 110.
XIPHO'PTERIS. K.F. SWORD FERN. Cryptogamia Filices.					
1 serrulata. K.F. (br.ye.) saw-leaved.	W. Indies.	1823.	6. 8.	S. 4.	Hook. ex. flor. t. 7.
<i>Grammitis serrulata</i> . w.					
2 myosuroides. s.s. (br.y.) Mousetail-like.	—	1824.	—	S. 4.	
GRAMM'ITIS. Sw. GRAMM'ITIS. Cryptogamia Filices. W.					
1 australis. B.P. (br.ye.) southern.	N. S. W.	1822.	6. 8.	G. 4.	
2 linearis. s.s. (br.ye.) linear-leaved.	Jamaica.	1823.	—	S. 4.	
3 lanceolata. s.s. (br.ye.) spear-leaved.	Mauritius.	1824.	—	S. 4.	H. et G. ic. fil. t. 43.
4 elongata. s.s. (br.ye.) long-leaved.	W. Indies.	—	—	S. 4.	Schkuhr crypt. t. 7.
5 furcata. H.F. (br.ye.) forked-leaved.	Trinidad.	1825.	—	S. 4.	H. et G. ic. fil. t. 62.
CÉTERACH. W. CÉTERACH. Cryptogamia Filices.					
officinarium. w. (br.) common.	Britain.		5. 10.	H. 4.	Lodd. bot. cab. t. 15.
<i>Scolopéndrium Céterach</i> . Eng. bot. v. 18. t. 1244.					
POLYB'OTRYA. S.S. POLYB'OTRYA. Cryptogamia Filices.					
1 vivipara. H.E.F. (br.y.) viviparous.	W. Indies.	1823.	5. 8.	S. 4.	Hook. ex. flor. t. 1.
2 cervina. s.s. (br.ye.) hart's-tongue.	—	—	—	S. 4.	H. et G. ic. fil. t. 81.
NIPHO'BOLUS. K.F. NIPHO'BOLUS. Cryptogamia Filices.					
1 pertusus. s.s. (br.ye.) bored.	China.	1817.	7. 10.	G. 4.	Hook. ex. flor. t. 102.
<i>Polypodium pertusum</i> . Hooker.					
2 rupëstris. s.s. (br.ye.) rock.	N. S. W.	1824.	—	G. 4.	H. et G. ic. fil. t. 90.
3 conflüens. s.s. (br.ye.) confluent.	—	1822.	—	G. 4.	
4 Lingua. s.s. (br.ye.) tongue-like.	Japan.	1817.	—	G. 4.	Thunb. jap. t. 38.
POLYPODIUM. W. POLYPODY. Cryptogamia Filices. L.					
1 sérpens. w. (ye.) trailing.	W. Indies.	1822.	3. 8.	S. 4.	Plum. fil. 105. t. 121.
2 angustifolium. w. (ye.) narrow-leaved.	S. America.	—	—	S. 4.	
3 lanceolatum. w. (ye.) spear-leaved.	—	1824.	—	S. 4.	Plum. fil. t. 137.
4 attenuatum. B.P. (ye.) attenuated.	N. S. W.	1823.	—	G. 4.	
5 piloselloides. w. (ye.) Mouse-ear.	W. Indies.	1793.	—	S. 4.	Plum. fil. t. 118.
6 vacciniifolium. s.s. (ye.) Whortle-leaved.	Brazil.	1826.	—	S. 4.	
7 tæniösom. s.s. (ye.) jointed.	S. America.	1815.	—	S. 4.	
8 lycopodioides. w. (ye.) Club-moss.	W. Indies.	1793.	—	S. 4.	Schkuhr fil. t. 8. e. p.
9 phyllitidis. w. (ye.) Hart's-tongue.	—	—	—	S. 4.	Plum. fil. 114. t. 130.
10 irioides. s.s. (ye.) Iris-leaved.	E. Indies.	1821.	—	S. 4.	H. et G. ic. fil. t. 125.
11 crassifolium. w. (ye.) thick-leaved.	W. Indies.	1816.	—	S. 4.	Plum. fil. 107. t. 127.
12 repens. w. (ye.) creeping.	S. America.	—	—	S. 4.	— 115. t. 131.
13 lineare. s.s. (ye.) linear-leaved.	Japan.	1822.	—	G. 4.	Thunb. ic. jap. t. 18.
14 Billardiëri. B.P. (ye.) La Billardiere's.	V. Diem. Isl.	1823.	—	G. 4.	Lab. nov. h. 2. t. 242.
15 aureum. w. (ye.) golden.	W. Indies.	1742.	3. 5.	S. 4.	Plum. fil. 59. t. 76.
16 phymatodes. w. (ye.) warted.	—	1816.	—	S. 4.	

17	quercifolium. s.s. (ye.)	Oak-leaved.	E. Indies.	1824.	3. 5.	S. 2.	Rumph. amb. 6. t. 36.
18	curvatum. s.s. (ye.)	curve-leaved.	Jamaica.	1822.	—	S. 2.	
19	vulgare. F.B. (ye.)	common.	Britain.		5. 10.	H. 2.	Eng. bot. v. 16. t. 1149.
	<i>β cambricum.</i> (ye.)	Welsh.	Wales.		—	H. 2.	Bolt. fil. t. 2. f. 5. a.
20	virginianum. w. (ye.)	Virginian.	N. America.		7.	H. 2.	Plum. fil. t. 77.
21	Scouleri. H.F. (ye.)	Scouler's.	—	1827.	—	H. 2.	H. et G. ic. fil. t. 56.
22	pectinatum. w. (ye.)	comb-leaved.	W. Indies.	1793.	6. 9.	S. 2.	Lodd. bot. cab. t. 748.
23	Plumula. w. (ye.)	feather.	S. America.	1822.	5. 8.	S. 2.	
24	scelopendrioides. H.F. (y.)	hart's-tongue-ld.	Jamaica.	1824.	—	S. 2.	H. et G. ic. fil. t. 42.
25	tenuifolium. w. (ye.)	slender-leaved.	S. America.	1822.	—	S. 2.	Plum. fil. 66. t. 85.
26	asplenifolium. w. (ye.)	Spleenwort-leav'd.	Martinico.	1790.	—	S. 2.	— 85. t. 102. f. A.
27	incanum. w. (ye.)	hoary.	America.	1811.	7.	H. 2.	Schkuhr fil. t. 11. b.
28	trichomanoides. w. (ye.)	Trichomanes-like.	W. Indies.	1822.	5. 8.	S. 2.	— p. 11. t. 10.
29	decumanum. s.s. (ye.)	robust.	Brazil.	1818.	—	S. 2.	
30	juglandifolium. w. (ye.)	Walnut-leaved.	S. America.	1822.	—	S. 2.	
31	proliferum. s.s. (ye.)	proliferous.	Brazil.	1829.	9. 12.	S. 2.	
32	crenatum. w. (ye.)	crenated.	S. America.	1821.		S. 2.	
33	fraxinifolium. w. (ye.)	Ash-leaved.	Caracas.	1822.	5. 8.	S. 2.	
34	tenellum. B.P. (ye.)	slender.	N. S. W.	—	5. 7.	S. 2.	
35	tetragonum. s.s. (ye.)	four-sided.	W. Indies.	1826.	6. 9.	S. 2.	
36	Phegopteris. F.B. (ye.)	sun-fern.	Britain.		6. 7.	H. 2.	Eng. bot. v. 31. t. 2224.
37	hexagonopterum. w. (y.)	triangular.	N. America.	1811.	—	H. 2.	Pluk. alm. t. 284. f. 2.
38	pruinatum. w. (ye.)	white-leaved.	Jamaica.	1793.	5. 8.	S. 2.	
39	effusum. w. (ye.)	spreading.	—	1769.	11.	S. 2.	Sloan. jam. 1. t. 57. f. 3.
40	Dryopteris. w. (ye.)	tender-branched.	Britain.		6. 9.	H. 2.	Eng. bot. v. 9. t. 616.
41	connectile. w. (ye.)	connected.	N. America.	1812.	7.	H. 2.	
42	calcareum. w. (ye.)	rigid-branched.	Britain.		—	H. 2.	Eng. bot. v. 22. t. 1525.
WO'ODSIA, L.T. WO'ODSIA. Cryptogamia Filices. L.							
1	pubescens. s.s. (br.ye.)	pubescent.	Brazil.	1826.	1. 12.	S. 2.	
2	glabella. s.s. (br.ye.)	smooth.	N. America.	1827.	6. 9.	H. 2.	
3	hyperborea. L.T. (br.y.)	hairy Alpine.	Scotland.		7. 9.	H. 2.	Eng. bot. v. 29. t. 2023.
4	ilvensis. L.T. (br.ye.)	rock.	N. America.	1812.	6. 7.	H. 2.	Schkuhr fil. t. 19.
5	vestita. Spr. (br.ye.)	clothed.	—	1816.	—	H. 2.	
6	Perriniàna. H.F. (br.y.)	Perrin's.	—	1825.	8. 11.	G. 2.	H. et G. ic. fil. t. 68.
<i>Alsophila Perriniàna.</i> s.s.							
PLEOPELTIS. K.S. PLEOPELTIS. Cryptogamia Filices.							
1	ensifolia. H.E.F. (br.y.)	sword-leaved.	C. B. S.	1823.	5. 6.	S. 2.	Hook. ex. flor. t. 62.
2	latifolia. L.C. (br.ye.)	broad-leaved.	—	—	—	S. 2.	
3	nuda. D.P. (br.ye.)	naked.	Nepaul.	—	—	S. 2.	Hook. ex. flor. t. 63.
4	angusta. s.s. (br.ye.)	narrow-leaved.	Mexico.	1826.	—	S. 2.	
ASPIDIUM. B.P. SHIELD-FERN. Cryptogamia Filices. W.							
1	Hookeri. (br.ye.)	Hooker's.	W. Indies.	1812.	6. 9.	S. 2.	H. et G. ic. fil. t. 96.
	<i>prolifera.</i> H.F. non B.P.						
2	rhizophyllum. H.F. (br.y.)	rooting-leaved.	Jamaica.	1816.	—	S. 2.	H. et G. ic. fil. t. 59.
3	trifoliatum. w. (br.ye.)	three-leaved.	W. Indies.	1769.	4. 8.	S. 2.	Jacq. ic. 3. t. 638.
4	cicutarium. w. (br.ye.)	Cicuta-leaved.	N. America.	1823.	—	H. 2.	Pluk. alm. t. 289. f. 4.
5	pátens. w. (br.ye.)	pubescent.	W. Indies.	1784.	7. 9.	S. 2.	Schkuhr fil. t. 334.
6	dentatum. w. (br.ye.)	toothed.	Scotland.		7.	H. 2.	Eng. bot. v. 23. t. 1588.
	<i>Cyathea dentata.</i> E.B.						
7	Halleri. w. (br.ye.)	Haller's.	Switzerland.	1824.	4. 8.	H. 2.	
8	bulbiferum. w. (br.ye.)	bulbiferous.	N. America.	1638.	7. 8.	H. 2.	
9	rhæticum. w. (ye.)	stone.	Switzerland.		—	H. 2.	
10	fragile. w. (ye.)	brittle.	Britain.		6. 8.	H. 2.	Eng. bot. v. 23. t. 1587.
11	regium. w. (ye.)	lacinated.	—		6.	H. 2.	— v. 3. t. 163.
	<i>Cyathea incisa.</i> E.B.						
12	'amulum. w. (ye.)	dwarf.	Madeira.	1779.		F. 2.	
13	alpinum. w. (ye.)	Alpine.	S. Europe.	1825.	6. 8.	H. 2.	Jacq. ic. 3. t. 642.
14	montanum. w. (ye.)	mountain.	—	—	—	H. 2.	
15	irriguum. E.B. (ye.)	brook.	Britain.		6.	H. 2.	Eng. bot. v. 31. t. 2199.
16	atomarium. w. (ye.)	small.	N. America.	1822.	6. 8.	H. 2.	
NEPHRODIUM. B.P. NEPHRODIUM. Cryptogamia Filices.							
1	Lonchitis. H.S.L. (ye.)	rough Alpine.	Britain.		5. 8.	H. 2.	Eng. bot. v. 12. t. 797.
	<i>Aspidium Lonchitis.</i> E.B.						
2	auriculatum. H.S.L. (ye.)	eared.	E. Indies.	1793.	7.	S. 2.	Burm. zeyl. t. 44. f. 2.
3	acrostichoides. M. (ye.)	Acrostichum-like.	N. America.	1824.	5. 8.	H. 2.	Schkuhr fil. t. 30.
4	mucronatum. s.s. (ye.)	mucronate.	Jamaica.	1826.	—	S. 2.	
5	exaltatum. B.P. (ye.)	lofty.	—	1793.	5. 8.	S. 2.	Schkuhr fil. t. 32. b.
6	unitum. B.P. (ye.)	smooth united.	E. Indies.	—	—	S. 2.	Burm. zeyl. t. 44. f. 1.
7	propinquum. B.P. (ye.)	pubescent.	—	—	—	S. 2.	

8	mólle. B.P.	(ye.) soft.	N. S. W.	1822.	5. 8. G. 2.	Jacq. ic. t. 640.
9	sesquipedàle. s.s.	(ye.) black-spotted.	W. Indies.	1824.	— S. 2.	
10	hirsutulum. s.s.	(ye.) hairy.	E. Indies.	1823.	— S. 2.	
11	èdule. D.P.	(ye.) eatable-rooted.	Nepaul.	1826.	— G. 2.	
12	semicordatum. s.s.	(ye.) half cordate.	W. Indies.	1822.	— S. 2.	
13	noveboracense. H.S.L.	(y.) river-side.	N. America.	1812.	7. H. 2.	Schkuhr fil. t. 46.
14	pectinatum.	(ye.) comb-like.		1823.	5. 8. S. 2.	— t. 296.
	<i>Aspidium trapezoides</i> . Schk.					
15	Oreópteris. H.S.L.	(ye.) Heath.	Britain.		7. H. 2.	Eng. bot. v. 15. t. 1.
16	Thelypteris. H.S.L.	(ye.) Lady fern.	—		7. 8. H. 2.	— v. 15. t. 10.
17	sérta. s.s.	(ye.) saw-like.	Jamaica.	1819.	— S. 2.	
18	parasiticum. w.	(ye.) parasitical.	E. Indies.	1824.	— S. 2.	
19	Goldianum. H.F.	(ye.) Goldie's.	N. America.	1822.	— H. 2.	H. et G. ic. fil. t. 102.
20	crístatum. H.S.L.	(ye.) crested heath.	Britain.		6. 7. H. 2.	Eng. bot. v. 30. t. 2125.
21	aculéatum. H.S.L.	(ye.) common prickly.	—		6. 8. H. 2.	— v. 22. t. 152.
22	pubescens. H.F.	(ye.) pubescent.	Jamaica.	1824.	— S. 2.	H. et G. ic. fil. t. 162.
23	marginàle. H.S.L.	(ye.) marginal-flower'd.	N. America.	1772.	6. 9. H. 2.	Schkuhr fil. t. 45. b.
24	Filix-más. H.S.L.	(ye.) Male fern.	Britain.		6. 8. H. 2.	Eng. bot. v. 21. t. 14.
	β <i>Smithii</i> .	(ye.) <i>Smith's</i> .	—		— H. 2.	— v. 28. t. 194.
	<i>Aspidium cristatum</i> . E.B. 1949. non 2125.					
	γ <i>eròsum</i> . Ph.	(ye.) jagged.	N. America.	1812.	— H. 2.	Schkuhr fil. t. 45.
25	lancastriense. s.s.	(ye.) Lancaster.	—	1825.	— H. 2.	
26	fràgrans. H.F.	(ye.) fragrant.	Europe.		— H. 2.	H. et G. ic. fil. t. 70.
27	platyphyllum. s.s.	(ye.) flat-leaved.	S. America.	1826.	— S. 2.	
28	lobatum. H.S.L.	(ye.) close-leaved.	England.		6. 9. H. 2.	Eng. bot. v. 22. t. 152.
29	intermedium. w.	(ye.) intermediate.	N. America.	1816.	— H. 2.	
30	spinulosum. H.S.L.	(ye.) crested prickly.	Britain.		6. 8. H. 2.	Eng. bot. v. 21. t. 14.
31	dilatatum. H.S.L.	(ye.) great crested.	—		— H. 2.	— v. 21. t. 14.
32	obtusum. w.	(ye.) blunt leaved.	N. America.	1827.	— H. 2.	Schkuhr fil. t. 21.
33	rigidum. w.	(ye.) rigid.	Germany.	1816.	— H. 2.	
34	elongatum. H.S.L.	(ye.) cut-leaved.	Madeira.	1799.	7. 8. F. 2.	
35	villosum. H.S.L.	(ye.) villous.	W. Indies.	1793.	7. S. 2.	Schkuhr fil. t. 46. b.
36	decompòsitum. B.P.	(ye.) decompound.	N. S. W.	1820.	6. 8. F. 2.	
37?	Bároméz.	 Baromez.	Tartary.	1824.	 S. 2.	
	ALLANTODIA. B.P. ALLANTODIA. Cryptogamia Filices.					
1	umbròsa. B.P.	(ye.) Madeira.	Madeira.	1779.	6. 9. F. 2.	Schkuhr fil. t. 61.
2	axillàris. s.s.	(ye.) slender.	—	—	— F. 2.	
	<i>Polypodium axillare</i> . H.K. <i>Aspidium axillare</i> . Sw.					
3	austràlis. B.P.	(ye.) southern.	V. Diem. Isl.	1820.	— F. 2.	
4	ténera. B.P.	(ye.) membranaceous.	N. S. W.	—	— F. 2.	
	ASPLENIUM. B.P. SPLEENWORT. Cryptogamia Filices. L.					
1	acutum. s.s.	(br.) acute.	Canaries.	1818.	4. 7. F. 2.	
2	fissum. s.s.	(br.) cleft-leaved.	Hungary.	1825.	— H. 2.	
3	fontanum. B.P.	(st.) smooth rock.	England.		6. 8. H. 2.	Eng. bot. v. 29. t. 222.
	<i>Aspidium fontanum</i> . E.B.					
4	Filix-fémína. B.P.	(st.) female fern.	Britain.		6. 9. H. 2.	Eng. bot. v. 21. t. 142.
5	Michauxii. s.s.	(st.) Michaux's.	N. America.	1812.	— H. 2.	
6	Athyrium. s.s.	(st.) American.	—	1820.	— H. 2.	Schkuhr filic. t. 78.
	<i>Nephrodium asplenoides</i> . M.					
7	Hallèri. s.s.	(st.) Haller's.	Switzerland.	1825.	— H. 2.	
8	Adiantum-nigrum. w.	(br.) black.	Britain.		4. 10. H. 2.	Eng. bot. v. 28. t. 192.
9	lanceolatum. E.B.	(br.) lanceolate.	England.		6. 10. H. 2.	— v. 4. t. 240.
10	radicans. s.s.	(br.) rooting-branched.	W. Indies.	1822.	— S. 2.	
11	bisséctum. s.s.	(br.) bifid.	Jamaica.	1821.	— S. 2.	
12	montanum. w.	(br.) mountain.	N. America.	1812.	7. H. 2.	
13	fràgrans. w.	(br.) fragrant.	Jamaica.	1793.	— S. 2.	
14	Rùta murària. w.	(br.) Wall-rue.	Britain.		6. 10. H. 2.	Eng. bot. v. 3. t. 152.
15	cicutarium. H.S.	(br.) Cicuta-like.	S. America.	1822.	— S. 2.	Plum. fil. t. 48. a.
16	formosum. w.	(br.) handsome.	Santa Cruz.	—	— S. 2.	
17	præmòrsum. w.	(br.) snip-leaved.	Jamaica.	1793.	— S. 2.	Pluk. alm. t. 73. f. 5.
18	striatum. w.	(br.) striated.	W. Indies.	—	6. 8. S. 2.	Plum. fil. t. 18. 19.
19	thelypteroides. w.	(br.) Ladyfern-like.	N. America.	1823.	7. H. 2.	Schkuhr fil. t. 76. b.
20	suleatum. s.s.	(br.) furrowed.	W. Indies.	1827.	— S. 2.	Plum. fil. t. 46.
21	pumilum. s.s.	(br.) dwarf.	—	1823.	— S. 2.	— t. 66. A.
22	canariense. s.s.	(br.) Canary Island.	Canaries.	1824.	— G. 2.	
23	rhizóphorum. w.	(br.) root-bearing.	Jamaica.	1793.	6. 8. S. 2.	Sloan. j. l. t. 29. 30. f. 1.
24	viride w.	(br.) green.	Britain.		6. 9. H. 2.	Eng. bot. v. 32. t. 227.
25	melanocaulon. w.	(br.) black-stalked.	N. America.	1812.	7. H. 2.	
26	Trichómanes. w.	(br.) Maiden hair.	Britain.		5. 10. H. 2.	Eng. bot. v. 8. t. 576.

27	germānīcūm. w.	alternate-leaved.Scotland.		6. 10.	H. 4.	Eng. bot. v. 32. t. 2258.
	<i>alternifolium</i> . E.B. <i>Brœynii</i> . Sw.					
28	ebēnēum. w.	(br.) ivory striped. N. America.	1779.	9.	H. 4.	Lodd. bot. cab. t. 5.
	<i>trichomanoides</i> . M.					
29	bipartitūm. s.s.	(br.) two-parted. W. Indies.	1822.	—	S. 4.	
30	dimidiatūm. s.s.	(br.) narrow-leaved. ————	1827.	—	S. 4.	
31	aūritūm. s.s.	(br.) eared. ————	1829.	9. 12.	S. 4.	
32	zamiæfoliūm. s.s.	(br.) Zamia-leaved. S. America.	1818.	6. 10.	S. 4.	Lodd. bot. cab. t. 854.
33	falcātūm. B.P.	(br.) sickle-leaved. N. S. W.	1825.	6. 7.	F. 4.	
34	monanthemūm. w.	(br.) one-flowered. C. B. S.	1790.	7.	G. 4.	Sm. ined. t. 73.
35	resectūm. s.s.	(br.) cut-leaved. Mauritius.	1820.	—	S. 4.	H. et G. ic. fil t. 114.
36	marinūm. w.	(br.) sea-side. Britain.		6. 10.	H. 4.	Eng. bot. v. 6. t. 392.
37	dentatūm. H.F.	(br.) tooth-leaved. Jamaica.	1824.	—	S. 4.	H. et G. ic. fil. t. 72.
38	flabeliæfoliūm. w.	(br.) fan-leaved. N. S. W.	1825.	6. 7.	G. 4.	Hook. ex. flor. t. 208.
39	dētēx. w.	(br.) toothed. C. B. S.	1790.	6. 10.	G. 4.	
40	diffōrme. B.P.	(br.) deformed. N. S. W.	1822.	6. 7.	F. 4.	
41	Shephērdii. s.s.	(br.) Shepherd's. Jamaica.	1824.	6. 9.	S. 4.	
42	angustifoliūm. s.s.	(br.) narrow-leaved. N. America.	1812.	—	H. 4.	Schkuhr fil. t. 69.
43	septentrionāle. w.	(br.) forked. Britain.		6. 10.	H. 4.	Eng. bot. v. 15. t. 1017.
44	palmātūm. s.s.	(br.) palmated. S. Europe.	1816.	7. 10.	F. 4.	Lodd. bot. cab. t. 868.
45	attenuātūm. B.P.	(br.) slender. N. S. W.	1825.	6. 7.	F. 4.	
46	rhizophyllūm. w.	(br.) rooting-leaved. N. America.	1680.	—	H. 4.	
47	serrātūm. w.	(br.) saw-leaved. W. Indies.	1793.	—	S. 4.	Schkuhr fil. t. 64.
48	Nidus. B.P.	(br.) nest. N. Holland.	1822.	—	F. 4.	
CENOPTERIS. S.S. CENOPTERIS. Cryptogamia Filices.						
1	Odontites. s.s.	(br.) long-leaved. N. Holland.	1822.	6. 10.	G. 4.	Thunb. n. ac. pet. t. E. f. 1.
	<i>Asplenium Odontites</i> . B.P. <i>Darcu Odontites</i> . w.					
2	appendiculata. s.s.	(br.) loose. V. Diem. Isl.	—	—	G. 4.	Lab. n. holl. 2. t. 243.
3	rhizophylla. s.s.	(br.) rooting-leaved. W. Indies.	1827.	—	S. 4.	
SCOLOPENDRIUM. W. HART'S-TONGUE. Cryptogamia Filices. W.						
1	officinārum. w.	(br. ye.) common. Britain.		7. 8.	H. 4.	Eng. bot. v. 16. t. 1150.
	<i>β crispum</i> . (br. ye.) curled-leaved. ————			—	H. 4.	
	<i>γ undulatum</i> . (br. ye.) waved-leaved. ————			—	H. 4.	Pluk. phyt. 248. f. 1.
	<i>δ multifidum</i> . (br. ye.) clustered. ————		—	—	H. 4.	
	<i>ε ramosum</i> . (br. ye.) branching. ————			—	H. 4.	Pluk. phyt. 248. f. 2.
2	Hemionitis. s.s.	(br.) Mule's fern. Canaries.	1779.	6. 7.	G. 4.	Schkuhr crypt. t. 66.
	<i>Asplenium Hemionitis</i> . L.					
DOODIA. B.P. DOODIA. Cryptogamia Filices.						
1	aspera. B.P.	(br. ye.) rough-stalked. N. S. W.	1808.	3. 9.	G. 4.	Hook. ex. flor. t. 8.
2	caudata. B.P.	(br. ye.) tailed. ————	1822.	—	G. 4.	— t. 25.
WOODWARDIA. W. WOODWARDIA. Cryptogamia Filices. W.						
1	onocleoides. w.	(br. ye.) Onoclea-like. N. America.	1812.	8. 10.	H. 4.	Schkuhr fil. t. 111.
2	virginica. w.	(br. ye.) Virginian. ————	1774.	8. 9.	H. 4.	Pluk. alm. t. 179. f. 2.
3	radicans. w.	(br. ye.) rooting-leaved. Madeira.	1779.	9. 10.	G. 4.	Schkuhr fil. t. 112.
BLECHNUM. W. BLECHNUM. Cryptogamia Filices. W.						
1	brasiliense. s.s.	(br. ye.) Brazilian. Brazil.	1828.	9. 11.	S. 4.	
2	cartilagineum. B.P.	(br.) cartilaginous. N. S. W.	1822.	6. 8.	F. 4.	
3	denticulatum. s.s.	(br. y.) toothed. Teneriffe.	1826.	6. 9.	F. 4.	
4	laevigatum. B.P.	(br.) smooth. N. S. W.	1820.	3. 9.	G. 4.	
5	angustifolium. s.s.	(br. y.) narrow-leaved. Trinidad.	1824.	—	S. 4.	
6	longifolium. s.s.	(br.) long-leaved. ————	1826.	—	S. 4.	Bot. mag. t. 2818.
7	glandulosum. s.s.	(br.) glandular. Brazil.	1823.	—	S. 4.	
8	occidentale. w.	(br.) American. S. America.	1777.	—	S. 4.	Jacq. ic. 3. t. 644.
9	australe. w.	(br.) Cape. C. B. S.	1691.	—	G. 4.	Schkuhr fil. t. 110. b.
10	polypodioides. s.s.	(br.) Polypody-leav'd. Brazil.	1829.	8. 12.	S. 4.	
11	Lanceola. s.s.	(tr.) spear-leaved. ————	—	—	S. 4.	
LOMARIA. W. LOMARIA. Cryptogamia Filices. W.						
1	nuda. w.	(br.) naked. V. Diem. Isl.	1822.	4. 8.	F. 4.	Lab. n. hol. 2. t. 246.
	<i>Onoclea nuda</i> . Lab. <i>Stegania nuda</i> . B.P.					
2	Spicant. s.s.	(br.) northern. Britain.		7. 9.	H. 4.	Eng. bot. v. 17. t. 1159.
	<i>Osmunda Spicant</i> . L. <i>Bléchnum boreale</i> . E.B.					
3	onocleoides. s.s.	(br.) Onoclea-like. Jamaica.	1824.	—	S. 4.	
4	sorbifolia. s.s.	(br.) Service-leaved. W. Indies.	1793.	—	S. 4.	Plum. fil. t. 117.
	<i>Acróstichum sorbifolium</i> . L.					
5	longifolia. s.s.	(br.) long-leaved. ————	1810.	6. 9.	S. 4.	Plum. fil. t. 117. dextr.
6	prœcera. s.s.	(br.) lofty. N. Holland.	1822.	4. 8.	F. 4.	Lab. n. hol. 2. t. 247.
	<i>Bléchnum prœcerum</i> . Lab. <i>Stegania prœcera</i> . B.P.					
ONOCLEA. W. ONOCLEA. Cryptogamia Filices. L.						
1	sensibilis. w.	(br.) sensitive fern. Virginia.	1799.	8.	H. 4.	Schkuhr fil. t. 102.
2	obtusilobata. Ph.	(br.) blunt-lobed. N. America.	1812.	7.	H. 4.	— t. 103.

STRUTHIO'PTERIS. W. STRUTHIO'PTERIS. Cryptogamia Filices.

- 1 germánica. s.s. (br.) German. Europe. 1760. 7. 8. H. 4. Schkuhr fil. t. 103.
Osmunda Struthiöpteris. L. *Onoclea Struthiöpteris*. w.
 2 pensylvánica. w. (br.) Pensylvanian. N. America. 1812. — H. 4. Schkuhr fil. t. 104.
Onoclea nodulosa. Schkuhr.

VITTARIA. W. VITTARIA. Cryptogamia Filices. W.

- lineata. w. (br.) linear-leaved. America. 1793. S. 4. Schkur fil. t. 101. h.

ANTR'OPHYUM. S.S. ANTR'OPHYUM. Cryptogamia Filices.

- lanceolatum. s.s. (br.) spear-leaved. W. Indies. 1793. 6. 10. S. 4. Schkuhr fil. t. 6.
Hemionitis lanceolata. L.

DIPLAZIUM. W. DIPLAZIUM. Cryptogamia Filices. W.

- 1 plantagineum. s.s. (br.) Plantain-leav'd. W. Indies. 1822. S. 4.
 2 grandifolium. w. (br.) large-leaved. Jamaica. 1793. 8. 10. S. 4.
 3 juglandifolium. s.s. (br.) Walnut-leaved. — 1825. S. 4.
 4 seramporense. s.s. (br.) East Indian. E. Indies. 1827. S. 4.
 5 auriculatum. s.s. (br.) eared. S. America. 1820. 8. 10. S. h.
 6 barbadense. w. (br.) Barbadoes. W. Indies. 1822. S. 4.
 7 malabáricum. s.s. (br.) Malabar. E. Indies. 1818. 6. 8. S. h.
Asplenium ambiguum. Swartz.
 8 arborescens. s.s. (br.) arborescent. Mauritius. 1824. S. h.
 9 esculentum. w. (br.) eatable. Ceylon. 1822. S. h.

CRYPTOGRAMMA. Br. CRYPTOGRAMMA. Cryptogamia Filices.

- 1 acrostichoides. Br. (st.) Acrostichum-like. N. America. 1827. 7. 9. H. 4. H. et G. ic. fil. t. 29.
Allosorus acrostichoides. s.s.
 2 crispa. Br. (st.) curled. Britain. — H. 4. Eng. bot. v. 17. t. 110.
Allosorus crispus. s.s. *Pteris crispa*. E.B. *Osmunda crispa*. L.

PTERIS. W. BRAKE. Cryptogamia Filices. L.

- 1 pedata. w. (st.) pedate. W. Indies. 1816. 5. 8. S. 4. Pet. fil. 176. t. 8. f. 12.
 2 palmata. w. (br. st.) palmated. — 1823. 6. 7. S. 4. Lodd. bot. cab. t. 12.
 3 argentea. w. (st. br.) silvery. Siberia. — — H. 4.
 4 longifolia. w. (st. br.) long-leaved. W. Indies. 1770. 7. 9. S. 4. Jacq. sch. 3. t. 330. f. 1.
 5 grandifolia. w. (st. br.) large-leaved. — 1793. S. 4. Schkuhr fil. t. 89.
 6 serrulata. w. (st. br.) various-leaved. India. 1770. 8. 9. S. 4. — — t. 91.
 7 denticulata. s.s. (st. br.) toothed. Brazil. 1824. 5. 9. S. 4. H. et G. ic. fil. t. 28.
 8 cretica. w. (st. br.) Cretan. Candia. 1818. 5. 7. G. 4.
 9 atropurpurea. w. (br.) dark purple. N. America. 1770. 8. 9. H. 4. Schkuhr fil. t. 101.
 10 nemoralis. W. en. (st. br.) wood. Africa. 1823. 5. 8. S. 4.
 11 biaurita. s.s. (st. br.) two-eared. W. Indies. 1824. — S. 4. H. et G. ic. fil. t. 12.
 12 Plumieri. s.s. (st. br.) Plumier's. S. America. 1818. — S. 4.
 13 arguta. w. (st. br.) sharp-notched. Madeira. 1778. 8. 9. F. 4. Pluk. alm. t. 200. f. 2.
 14 umbrösa. B.P. (st. br.) shade. N. S. W. 1823. 5. 8. F. 4.
 15 cordata. w. (st. br.) heart-leaved. Mexico. 1825. — G. 4.
 16 sagittata. w. (st. br.) arrow-leaved. S. America. 1820. — S. 4.
 17 vespertilionis. B.P. (st.) Bat-winged. N. S. W. 1823. — F. 4. Lab. nov. hol. 2. t. 24.
 18 tremula. B.P. (st. br.) trembling. — 1822. — F. 4.
 19 esculenta. B.P. (st. br.) esculent. — 1815. — F. 4. Lab. nov. hol. 2. t. 24.
 20 gracilis. w. (st. br.) slender. Canada. 1823. 7. H. 4.
 21 hastata. w. (st. br.) hastate. W. Indies. — 5. 8. S. 4.
 22 aculeata. w. (st. br.) prickly-stem'd. — 1793. S. h.
 23 falcata. B.P. (st. br.) falcate. N. S. W. 1820. 5. 7. F. 4.
 24 caudata. w. (st. br.) American. N. America. 1777. 9. 12. H. 4. Jacq. ic. 3. t. 645.
 25 aquilina. E.B. (st. br.) common. Britain. 7. 8. H. 4. Eng. bot. v. 24. t. 167.
 26 lanuginösa. w. (st. br.) woolly. Bourbon. 1818. — S. 4.
 27 intramarginalis. R.F. (br.) Mexican. Mexico. 1828. 7. 12. S. 4.

TEN'ITIS. W. TEN'ITIS. Cryptogamia Filices. W.

- 1 lanceolata. s.s. (br.) spear-leaved. W. Indies. 1818. 6. 9. S. 4. Plum. fil. t. 132.
 2 angustifolia. s.s. (br.) narrow-leaved. — 1823. — S. 4.
 3 graminifolia. H.E.F. (br.) grass-leaved. Trinidad. 1820. 6. 8. S. 4. Hook. ex. fler. t. 77.
 4 furcata. s.s. (br.) forked. — 1824. — S. 4. H. et G. ic. fil. t. 7.
 5 chinensis. s.s. (br.) Chinese. China. 1828. — G. 4.

ADIA'NTUM. W. MAIDENHAIR. Cryptogamia Filices. L.

- 1 reniforme. w. (br.) kidney-leaved. Madeira. 1699. 6. 9. G. 2. Lodd. bot. cab. t. 84.
 2 obliquum. s.s. (br.) oblique-leaved. W. Indies. 1826. 4. 8. S. 2.
 3 macrophyllum. w. (br.) large-leaved. Jamaica. 1793. — S. 4. H. et G. ic. fil. t. 132.
 4 lunulatum. s.s. (br.) lunulate. E. Indies. 1826. — S. 4. — — t. 134.
 5 deltoideum. s.s. (br.) deltoid-leaved. Jamaica. 1824. — S. 4.
 6 denticulatum. s.s. (br.) toothed-leaved. W. Indies. 1825. — S. 4.
 7 serrulatum. w. (br.) saw-leaved. Jamaica. 1823. 6. 8. S. 4. Sloan. j. 17. t. 26. f. 2.
 8 radiatum. w. (br.) radiated. W. Indies. 1776. 4. 8. S. 4. Plum. fil. t. 100.
 9 pedatum. w. (br.) Canadian. N. America. 1640. 8. 9. H. 4. Schkuhr fil. t. 115.

10 hispidulum. B.P.	(br.) bristly.	N. Holland.	1822.	3. 8.	G. 2.	
11 striatum. s.s.	(br.) streaked.	W. Indies.	—	—	S. 2.	
12 villòsum. w.	(br.) hairy-stalked.	Jamaica.	1773.	6. 9.	S. 2.	Schubert fl. t. 100.
13 pulverulentum. w.	(br.) dusty.	W. Indies.	1793.	—	S. 2.	— t. 110.
14 triangulatum. s.s.	(br.) triangular.	Trinidad.	1824.	—	S. 2.	
15 Capillus-veneris. w.	(br.) true.	Britain.	—	5. 9.	H. 2.	Eng. bot. v. 22. t. 100.
16 trapeziforme. w.	(br.) rhomb-leaved.	—	1793.	—	S. 2.	Schubert fl. t. 122.
17 pentadactylon. s.s.	(br.) five-fingered.	Brazil.	1828.	—	S. 2.	H. et G. ic. fl. t. 98.
18 cuneatum. s.s.	(br.) wedge-leaved.	—	1824.	—	S. 2.	— in fl. t. 98.
19 assimile. B.P.	(br.) likened.	N. S. W.	1823.	3. 8.	G. 2.	Labillard. t. 248. f. 2
trigònum. Lab.						
20 formosum. B.P.	(br.) handsome.	—	1822.	—	G. 2.	
21 tenerum. w.	(br.) tender.	Jamaica.	1793.	7.	S. 2.	Phœd. dia. t. 204. f. 1.
CHEILA'NTHE. W.	CHEILA'NTHE. Cryptogamia Filices. W.					
1 ferruginea. s.s.	(br.) ferruginous.	Peru.	1816.	3. 8.	S. 2.	
2 gracilis. s.s.	(br.) slender.	Canada.	1827.	—	H. 2.	
3 pteroides. s.s.	(br.) Pteris-like.	C. B. S.	1775.	7. 9.	G. 2.	Hook. & G. ic. t. 90. f. 9.
4 odora. s.s.	(br.) sweet-scented.	S. Europe.	1824.	—	F. 2.	
5 suavèolens. s.s.	(br.) scented.	Madeira.	1778.	—	G. 2.	
6 fragrans. s.s.	(br.) fragrant.	E. Indies.	—	—	S. 2.	Sw. syn. fl. t. 5. f. 6.
7 microphylla. s.s.	(br.) small-leaved.	W. Indies.	1822.	3. 8.	S. 2.	
8 vestita. s.s.	(br.) clothed.	N. America.	1812.	7.	H. 2.	Schubert fl. t. 124.
9 hirta. s.s.	(br.) hairy.	C. B. S.	1816.	5. 8.	G. 2.	
10 lendigera. w.	(br.) chaffy.	S. America.	1822.	—	S. 2.	
11 tenuifolia. B.P.	(br.) slender-leaved.	N. S. W.	1824.	—	G. 2.	
12 spectabilis. s.s.	(br.) showy.	Brazil.	1829.	9. 12.	S. 2.	
13 repens. s.s.	(br.) creeping.	W. Indies.	1824.	6. 10.	S. 2.	
LONCH'ITIS. W.	LONCH'ITIS. Cryptogamia Filices. W.					
1 pedata. s.s.	(br.) pedate.	Jamaica.	1793.	6. 8.	S. 2.	Brown, Jacq. 80. t. 1
Pteris podophylla. w.						
2 hirsuta. s.s.	(br.) hairy.	W. Indies.	—	—	S. 2.	Schubert fl. t. 88.
LINDS'ÆA. B.P.	LINDS'ÆA. Cryptogamia Filices. W.					
1 reniformis. L.T.	(br.) kidney-leaved.	Trinidad.	1826.	5. 7.	S. 2.	Lin. trans. v. 3. t. 7. f. 1.
2 linearis. B.P.	(br.) linear-leaved.	N. S. W.	1820.	4. 6.	G. 2.	Sw. fl. 118. t. 8. f. 3.
3 falcata. L.T.	(br.) sickle-leaved.	—	1824.	5. 8.	S. 2.	Lin. trans. v. 5. t. 7. f. 1.
4 trapeziformis. L.T.	(br.) rhomb-leaved.	W. Indies.	1825.	—	S. 2.	— v. 5. t. 9.
5 microphylla. B.P.	(br.) small-leaved.	N. S. W.	1820.	4. 6.	G. 2.	
DAVA'LLIA. W.	DAVA'LLIA. Cryptogamia Filices. W.					
1 pyxidata. B.P.	(ye.) shining.	N. S. W.	1808.	4. 9.	G. 2.	
2 canariensis. w.	(ye.) Hare's-foot fern.	Canaries.	1699.	—	G. 2.	Jacq. ic. 1. t. 200.
3 gibberosa. s.s.	(br.ye.) gibbous-flower'd.	N. Zealand.	1825.	—	G. 2.	Sw. fl. 118. t. 8. f. 3.
4 fumarioides. s.s.	(br.ye.) Fumitory-like.	W. Indies.	1828.	6. 10.	S. 2.	
5 flaccida. B.P.	(br.ye.) flaccid.	N. Holland.	1826.	—	G. 2.	
BALA'NTIUM. K.F.	BALA'NTIUM. Cryptogamia Filices.					
Culcita. K.S.	(br.ye.) shining-leaved.	Madeira.	1779.	9. 10.	F. 2.	
Dicksònia Culcita. w.						
DICKS'ONIA. W.	DICKS'ONIA. Cryptogamia Filices. W.					
1 pilosiuscula. w.	(br.ye.) hairy.	N. America.	1811.	7. 9.	H. 2.	Schubert fl. t. 101.
2 arborëscens. w.	(br.ye.) tree.	S. Helena.	1786.	6. 12.	S. 2.	Jacq. ic. 1. 201.
3 dissècta. w.	(br.ye.) cut-leaved.	Jamaica.	1793.	9. 10.	S. 2.	
4 adiantoides. s.s.	(br.st.) Adiantum-like.	W. Indies.	1828.	8. 12.	S. 2.	
CYATHEA. B.P.	CYATHEA. Cryptogamia Filices. W.					
1 arborea. w.	(br.ye.) tree.	W. Indies.	1793.	—	S. 2.	Phœd. fl. 1. t. 1. 2.
2 excelsa. s.s.	(br.ye.) tall.	Mauritius.	1825.	—	S. 2.	
ALSO'PHILA. B.P.	ALSO'PHILA. Cryptogamia Filices.					
1 australis. B.P.	(br.st.) southern.	N. S. W.	1820.	—	G. 2.	
2 aspera. s.s.	(br.ye.) rough.	W. Indies.	1824.	—	S. 2.	
HEMIT'ELIA. B.P.	HEMIT'ELIA. Cryptogamia Filices.					
multiflora. s.s.	(br.ye.) many-flowered.	Jamaica.	1824.	—	S. 2.	
TRICHO'MANES. W.	TRICHO'MANES. Cryptogamia Filices. W.					
1 membranaceum. w.	(br.) membranaceous.	W. Indies.	1820.	5. 8.	S. 2.	Hook. ex. flor. t. 70.
2 floribundum. s.s.	(br.ye.) many-flowered.	—	1825.	—	S. 2.	H. et G. ic. fl. t. 9.
3 brevisetum. H.K.	(br.ye.) short-styled.	Britain.	—	5. 6.	H. 2.	Eng. bot. v. 20. t. 1417
Hymenophyllum alatum. E.B.						
4 alatum. s.s.	(br.ye.) wing-leaved.	W. Indies.	1824.	—	S. 2.	H. et G. ic. fl. t. 11.
5 crispum. s.s.	(br.ye.) curled.	—	1828.	—	S. 2.	— in fl. t. 12.
HYMENOPHYLLUM. FILMY-LEAF. Cryptogamia Filices. W.						
1 polyanthos. s.s.	(br.ye.) many-flowered.	W. Indies.	1824.	6. 9.	S. 2.	H. et G. ic. fl. t. 128.
2 tunbridgense. w.	(br.) Tunbridge.	Britain.	—	5. 6.	H. 2.	Eng. bot. v. 3. t. 102.
3 hirsutum. s.s.	(br.ye.) hairy.	Trinidad.	1823.	5. 9.	S. 2.	H. et G. ic. fl. t. 84.

ADDENDA et CORRIGENDA.

RANUNCULACEÆ. p. 1.

CLEMATIS. p. 1.		VIRGIN'S BOWER.					
grandiflora. p. 1. (gr.)	large-flowered.	Sierra Leone.	1822.	7. 9.	S. h. ∪.	Bot. reg. t. 1234.	
chlorantha. B. Reg.							
43 viornoïdes. Jac. (li.)	Viorna-like.	N. America.	1826.	6. 9.	H. h. ∪.		
ANEMONÆ. p. 3.		ANEMONE.					
26 Richardsoni. H.A. (ye.)	Richardson's.	N. America.	1827.	4. 7.	H. 2.	Hook. fl. b. am. t. 4. A.	
27 deltoïdea. H.A. (wh.)	deltoid.	Columbia.	—	—	H. 2.	— t. 3. A.	
RANUNCULUS. p. 4.		CROWFOOT.					
98 rhomboïdeus. H.A. (ye.)	rhomboid-leav'd.	N. America.	1825.	5. 6.	H. 2.	Edin. phi. jou. 6. t. 11. 51	
99 glaberrimus. H.A. (ye.)	smoothest.	—	1827.	—	H. 2.	Hook. fl. b. am. t. 5. A.	
100 ovâlis. H.A. (ye.)	oval-leaved.	—	—	—	H. 2.	— t. 6. B.	
101 brevicaulis. H.A. (ye.)	short-stalked.	—	—	—	H. 2.	— t. 7. A.	
102 cardiophyllus. H.A. (y.)	heart-leaved.	—	—	—	H. 2.	Bot. mag. t. 2999.	
103 pygmæus. DC. (ye.)	pygmy.	—	—	—	H. 2.	Wahl. lapp. t. 8. f. 1.	
104 Eschscholtzii. H.A. (ye.)	Eschscholtz's.	—	—	—	H. 2.		
105 pedatifidus. DC. (ye.)	pedatifid.	—	—	—	H. 2.		
106 recurvatus. DC. (ye.)	recurved.	—	—	—	H. 2.		
107 Schlechtendalii. H.A. (ye.)	Schlechtendahl's.	—	—	—	H. 2.	Schlec. an. s. 2. t. 2.	
fasciculâris. Schlec. non Muhl.							
CALTHA. p. 7.		MARSH MARYGOLD.					
9 biflora. H.A. (wh.)	two-flowered.	N. America.	1827.	5. 7.	H. w. 2.		
10 leptosépala. H.A. (wh.)	slender-sepaled.	—	—	—	H. w. 2.	Hook. fl. b. am. t. 11.	
COPTIS. p. 7.		COPTIS.					
2 aspleniifolia. H.A. (wh.)	Fern-leaved.	N. America.	1827.	6. 7.	H. 2.	Hook. fl. b. am. t. 11.	
ACONITUM. p. 9.		MONKSHOOD.					
129 Nuttallii. (pa.)	Nuttall's.	N. America.	1828.	7. 8.	H. 2.		
pallidum. N. non R.A.							
130 glabrum. DC. (pa.)	smooth.		1829.	—	H. 2.		

DILLENIACEÆ. p. 12.

TRACHYTELLA. DC. TRACHYTELLA.		Polyandria Monogynia.					
Actæa. DC. (wh.)	spear-leaved.	China.	1826.	6. 8.	H. h. ∪.		

MAGNOLIACEÆ. p. 13.

TALAUMA. DC.		TALAUMA. Polyandria Polygynia.					
Candollii. Bl. (st.)	De Candolle's.	Java.	1827.	4. 6.	S. h.	Blum. pl. jav. c. 1c.	
Magnolia odoratissima. Hort.							

BERBERIDEÆ. p. 16.

BERBERIS. p. 16.		BARBERRY.					
19 caroliniæna. N. (ye.)	Carolina.	Carolina.	1828.	5. 7.	H. h.		
20 cratægina. DC. (ye.)	Hawthorn-like.	Levant.	1829.		H. h.		
21 glumacea. DC. (ye.)	glumaceous.	N. America.	1827.		H. h.		
A'CHLYS. DC.		A'CHLYS. Polyandria Monogynia.					
triphylla. DC. (wh.)	three-leaved.	N. America.	1827.	4. 6.	H. 2.	Hook. fl. b. am. t. 12.	
EPIMEDIUM. p. 16.		BARRENWORT.					
2 hexândrum. H.A. (li.)	hexandrous.	N. America.	1827.	4. 5.	H. 2.	Hook. fl. b. am. t. 13.	

NYMPHEACEÆ. p. 17.

NYMPHÆA. p. 17.	WATER-LILY.				
odorata. p. 18.	sweet-scented.	N. America.			
β maxima. N.	(wh.) largest.	————	1828.	7. 8.	H. w. 2.
20 sanguinea. N.	(re.) bloody.	————	—	—	H. w. 2.
NUPHAR. p. 18.	NUPHAR.				
advena. p. 18.	striped-flowered.	N. America.			
β lutea. N.	(ye.) yellow-flowered.	————	1828.	—	H. w. 2.

SARRACENIÆ. p. 18.

SARRACENIA. p. 18.	SIDE-SADDLE-FLOWER.				
1 minor. N.	(pu.) small.	Carolina.	1829.	6. 7.	H. 2. Swt. br. fl. gar. s. 2.

PAPAVERACEÆ. p. 18.

ARGEMONE. p. 19.	ARGEM'ONE.				
5 intermedia.	(wh.) intermediate.	Mexico.	1828.	7. 10.	H. 2.
SANGUINARIA. p. 19.	PUCCOON.				
2 grandiflora. Ros.	(wh.) large-flowered.	N. America.	1812.	3. 5.	H. 2. Rose. flor. ill. soc. t. 8.
ROEMERIA. p. 19.	ROEM'ERIA.				
vermiculata. Lehm.	(re.) red-flowered.	Persia.	1829.	6. 9.	H. 2.
GLAUCIUM. p. 19.	HORN POPPY.				
5 rubrum. DC.	(re.) red-flowered.	Levant.	—	—	H. 2. Flor. grac. t. 488.
6 persicum. DC.	(re, re.) red and velvet.	Persia.	—	—	H. 2.

CRUCIFERÆ. p. 21.

NASTURTIUM. p. 22.	NASTU'RTIUM.				
1 natans. DC.	(st.) floating.	N. America.	1827.	5. 9.	H. w. 2. Delos. ic. sel. 2. t. 15.
BRA'YA. p. 22.	BRA'YA.				
3 pilosa. H. A.	(pu.) hairy.	N. America.	—	4. 6.	H. 2. Hook. fl. b. am. t. 17. f. A.
ARABIS. p. 22.	WALL-CRESS.				
47 retrofracta. Gr.	(bh.) bending.	N. America.	—	4. 7.	H. 2.
	Turrilis retrofracta. H. A.				
48 patula. W. K.	(pu.) spreading.	Hungary.	—	—	H. 2. W. et K. lang. 1. t. 59.
49 laevigata. DC.	(wh.) smooth.	N. America.	—	—	H. 2.
MACROP'ODIUM. p. 2.	MACROP'ODIUM.				
2 laciniatum. H. A.	(wh.) cut-leaved.	N. America.	—	6. 9.	H. 2. Hook. bot. mis. p. 111. ie
PA'RRYA. p. 24.	PA'RRYA.				
3 macrocarpa. Br.	(pu.) large-podded.	N. America.	—	5. 6.	H. 2. Hook. fl. b. am. t. 15.
DR'ABA. p. 25.	WILLOW-GRASS.				
35 crassifolia. Gr.	(ye.) thick-leaved.	N. America.	—	4. 5.	H. 2.
ERY'SIMUM. p. 30.	ERY'SIMUM.				
crepidifolium. S. S.	(ye.) Crepis-leaved.	N. America.	1829.	5. 6.	H. 2.
ÆTHION'EMA. p. 32.	ÆTHION'EMA.				
5 membranaceum. DC.	(li.) membranous-podded.	Persia.	—	6. 8.	H. 2. Swt. br. fl. gar. s. 2. t. 69.
SIN'APIS. p. 34.	MUSTARD.				
30 amplexicaulis. DC.	(ye.) stem-clasping.	Algiers.	—	6. 9.	H. 2. Desf. atl. 2. t. 153.

CAPPARIDEÆ. p. 37.

CLE'OME. p. 37.	CLE'OME.				
20 speciosissima. B. R.	(pu.) pretty.	Mexico.	1827.	8. 11.	H. 2. Bot. reg. t. 1312.
CAPPARIS. p. 38.	CAPER-TREE.				
acutifolia.	(wh.) sharp-pointed.	S. America.	—	6. 8.	S. 2. Bot. reg. t. 1320.
acuminata. Bot. reg.	nec aliorum.				

VIOLARIEÆ. p. 43.

VIOLA. p. 43.	VIOLET.				
89 pedatífida. G.D. (bl.) pedatifid.		N. America.	1827.	5. 7. H. 4.	
90 attenuàta. B.F.G. (wh.) attenuated.		————	1812.	4. 8. H. 4.	Swt. br. fl. gar. 11
lanceolàta. Pursh et Nuttall non Lin.					
91 præmórsa. B.R. (ye.) bitten-rooted.		————	1827.	4. 6. H. 4.	Bot. reg. t. 1251.
HYMENANTH'ERA. DC. HYMENANTH'ERA. Monadelphia Pentandria.					
dentàta. DC. (ye.) toothed.		N. S. W.	1822.	3. 5. G. 2.	

POLYGALEÆ. p. 46.

POLY'GALA. p. 46.	MILKWORT.				
42 rubélla. Ph. (ro.) pale red.		N. America.	1828.	6. 7. H. 4.	

FRANKENIACEÆ. p. 48.

FRANK'ENIA. p. 48.	SEA HEATH.				
9 corymbòsa. DC. (ro.) corymb-flowered.	Barbary.	1829.	6. 8. F. 2.		Desf. atl. 1. t. 93.

CARYOPHYLLÆ. p. 48.

DIA'NTHUS. p. 49.	PINK.				
97 ciliàtus. Lehm. (pi.) fringed.			1829.	6. 8. H. 4.	
98 sículus. s.s. (pi.) Sicilian.		Sicily.	——	—— H. 4.	
AREN'ARIA. p. 56.	SANDWORT.				
68 glomeràta. DC. (wh.) close-headed.		Tauria.	1829.	7. 9. H. ⊙.	
SPERG'ULA. p. 55.	SPURREY.				
9 pilífera. DC. (wh.) piliferous.		Corsica.	1829.	6. 8. H. 4.	

LINEÆ. p. 58.

L'INUM. p. 58.	FLAX.				
41 altaícum. F. (bl.) Altay.		Altay.	1829.	6. 8. H. 4.	

MALVACEÆ.

MA'LVA. p. 59.	MALLOW.				
72 Munroàna. B.R. (sc.) Munro's.		N. America.	1827.	5. 10. H. 4.	Bot. reg. t. 1306.
HIBI'SCUS. p. 61.	HIBI'SCUS.				
86 Telfairiæ.	(va.) Mrs. Telfair's.	Hybrid.	1825.	1. 12. S. 2.	
α ròscus.	(ro.) rose-coloured.	——	——	—— S. 2.	Bot. mag. t. 2891.
β lilacínus.	(li.) pink.	——	——	—— S. 2.	
γ cárneus.	(fl.) flesh-coloured.	——	——	—— S. 2.	
δ fulvéscens.	(bf.) buff-coloured.	——	——	—— S. 2.	
ε òchroleùcus.	(st.) straw-coloured.	——	——	—— S. 2.	
S'IDA. p. 63.	S'IDA.				
59 repànda. DC. (st.) repanded.			1829.	6. 8. S. 2.	

BUTTNERIACEÆ. p. 66.

RE'EVESIA. B.R.	RE'EVESIA. Polyadelphia Polyandria.				
thyrsóidea. B.R. (wh.) thyse-flowered.	China.	1818.	1. 7. G. 2.		Bot. reg. t. 1236.
STERC'ULIA. p. 66.	STERC'ULIA.				
16 lanceolàta. B.R. (br.) spear-leaved.		——	1822.	5. 6. G. 2.	Bot. reg. t. 1256.
DOMB'EYA. p. 69.	DOMB'EYA.				
4 angulàta. DC. (ro.) angle-leaved.	Mauritius.	1826.	4. 8. S. 2.		Bot. mag. t. 2905.

HYPERICINÆ. p. 76.

HYPERICUM. p. 76. ST. JOHN'S-WORT.

77 Gebleri. Led. (ye.) Gebler's. Altay. 1829. 6. 8. H. h.

GUTTIFERÆ. p. 78.

GARCINIA. p. 78. GARCINIA.

5 purpurea. H.B. (pu.) purple. E. Indies. 1828. S. h.

GERANIACEÆ. p. 88.

PHYMATA'NTHUS. p. 89. WART-FLOWER.

6 interinctus. s.g. (re.w.r.) stained.	Hybrid.	1827.	2. 10.	G. h.	Swt. ger. ser. 2. t. 54.
PELARGONIUM. p. 92. STORK'S-BILL.					
504 nodosum. s.g. (cr.v.) knotted-stalked.	Hybrid.	1824.	4. 11.	G. h.	Swt. ger. ser. 2. t. 68.
505 bipinnatifidum. s.g. (pu.) bipinnatifid.	_____	1827.	_____	G. h.	_____ ser. 2. t. 62.
506 Darnleyanum. s.g. (cr.) Earl of Darnley's.	_____	1826.	_____	G. h.	_____ ser. 2. t. 63.
507 pullaceum. s.g. (sc.v.) dark brown.	_____	1827.	5. 10.	G. h.	_____ ser. 2. t. 76.
508 contiguum. s.g. (sc.) contiguous.	_____	1828.	_____	G. h.	_____ ser. 2. t. 73.
509 iconicum. s.g. (sc.bk.) figured.	_____	_____	_____	G. h.	_____ ser. 2. t. 88.
510 Bluntianum. s.g. (sc.re.) Miss Blunt's.	_____	_____	_____	G. h.	_____ ser. 2. t. 79.
511 eriophorum. s.g. (sc.re.) wool-bearing.	_____	_____	_____	G. h.	_____ ser. 2. t. 90.
512 obtusidentatum. s.g. (sc.) blunt-toothed.	_____	_____	_____	G. h.	_____ ser. 2. t. 92.
513 melancholicum. s.g. (sc.re.) dark-edged.	_____	1827.	_____	G. h.	_____ ser. 2. t. 53.
514 Speculum. s.g. (re.re.) looking-glass.	_____	_____	_____	G. h.	_____ ser. 2. t. 52.
515 anacampton. s.g. (re.re.) recurved-calyx'd.	_____	_____	_____	G. h.	_____ ser. 2. t. 64.
516 Peytonia. s.g. (re.re.) Lady Peyton's.	_____	_____	_____	G. h.	_____ ser. 2. t. 46.
517 ursinum. s.g. (re.) shaggy-calyxed.	_____	1828.	_____	G. h.	_____ ser. 2. t. 94.
518 suffusum. s.g. (pi.re.) suffused.	_____	1827.	_____	G. h.	_____ ser. 2. t. 47.
519 laxulum. s.g. (ro.re.) loose-umbelled.	_____	1828.	_____	G. h.	_____ ser. 2. t. 75.
520 conchylatum. s.g. (ri.re.) violet-purple.	_____	_____	_____	G. h.	_____ ser. 2. t. 95.
521 porphyreon. s.g. (pu.) bright-purple.	_____	_____	_____	G. h.	_____ ser. 2. t. 89.
522 mollifolium. s.g. (pi.re.) soft-leaved.	_____	1827.	_____	G. h.	_____ ser. 2. t. 77.
523 Colleyanum. s.g. (pu.) Colley's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 83.
524 Littleanum. s.g. (pu.li.) Little's.	_____	1827.	_____	G. h.	_____ ser. 2. t. 72.
525 dædaleum. s.g. (pi.re.) variable-coloured.	_____	_____	_____	G. h.	_____ ser. 2. t. 100.
526 Veitchianum. s.g. (pu.) Veitch's.	_____	_____	_____	G. h.	_____ ser. 2. t. 81.
527 implicatum. s.g. (pu.) implicated.	_____	_____	_____	G. h.	_____ ser. 2. t. 86.
528 insculptum. s.g. (li.pu.) engraved-petal'd.	_____	1828.	_____	G. h.	_____ ser. 2. t. 65.
529 lanosum. s.g. (li.re.) wool-bearing.	_____	_____	_____	G. h.	_____ ser. 2. t. 84.
530 flabellifolium. s.g. (std.) fan-leaved.	_____	_____	_____	G. h.	_____ ser. 2. t. 48.
531 cordiforme. s.g. (bh.pu.) heart-shaped.	_____	1827.	_____	G. h.	_____ ser. 2. t. 49.
532 præclarum. s.g. (wh.pu.) clear-coloured.	_____	_____	_____	G. h.	_____ ser. 2. t. 67.
533 clathratum. s.g. (pi.re.) burred-petaled.	_____	_____	_____	G. h.	_____ ser. 2. t. 85.
534 instratum. s.g. (wh.re.) spreading-spotted.	_____	1828.	_____	G. h.	_____ ser. 2. t. 78.
535 Yeatmanianum. s.g. (pu.re.) Miss Yeatman's.	_____	1827.	_____	G. h.	_____ ser. 2. t. 59.
536 mirabile. s.g. (li.re.) admirable.	_____	_____	_____	G. h.	_____ ser. 2. t. 57.
537 laetum. s.g. (pi.pu.) genteel.	_____	_____	_____	G. h.	_____ ser. 2. t. 91.
538 commixtum. s.g. (re.re.) mingled.	_____	_____	_____	G. h.	_____ ser. 2. t. 71.
539 compactum. s.g. (bh.re.) compact.	_____	1828.	_____	G. h.	_____ ser. 2. t. 70.
540 exquisitum. s.g. (w.pu.) dainty-flowered.	_____	1824.	_____	G. h.	_____ ser. 2. t. 55.
541 politum. s.g. (bh.re.) polished.	_____	1827.	_____	G. h.	_____ ser. 2. t. 87.
542 Atkinsianum. s.g. (bh.pu.) Mr. Atkins's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 99.
543 atrovirens. s.g. (bh.pu.) dark green-leav'd.	_____	1827.	_____	G. h.	_____ ser. 2. t. 74.
544 adventitium. s.g. (pu.re.) adventitious.	_____	1826.	_____	G. h.	_____ ser. 2. t. 80.
545 peramplum. s.g. (li.) very large-flower'd.	_____	_____	_____	G. h.	_____ ser. 2. t. 61.
546 glabrescens. s.g. (w.pu.) smoothish-leav'd.	_____	1824.	_____	G. h.	_____ ser. 2. t. 45.
547 Hillianum. s.g. (w.pu.) Hill's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 51.
548 pallidulum. s.g. (pi.) pale pink.	_____	_____	_____	G. h.	_____ ser. 2. t. 97.
549 urbanum. s.g. (pi.) home bred.	_____	_____	_____	G. h.	_____ ser. 2. t. 50.
550 dissimile. s.g. (re.l.re.) dissimilar.	_____	_____	_____	G. h.	_____ ser. 2. t. 60.
551 fastuosum. s.g. (re.re.) fastuous.	_____	_____	_____	G. h.	_____ ser. 2. t. 93.
552 succulentum. s.g. (sc.re.) succulent-leav'd.	_____	1827.	_____	G. h.	_____ ser. 2. t. 69.
553 Drakeæ. s.g. (cr.re.) Mrs. Drake's.	_____	1828.	_____	G. h.	_____ ser. 2. t. 96.

554	Annesleyanum. s. G. (re. ve.)	Miss Annesley's Hybrid.	1828.	5. 10.	G. h.	Swt. ger. ser. 2. t. 56.
555	Glorianum. s. G. (cr. ve.)	Queen of Portugal's.	—	—	G. h.	— ser. 2. t. 82.
556	Kenrickæ. s. G. (re. ve.)	Mrs. Kenrick's.	—	—	G. h.	— ser. 2. t. 58.
557	nūtans. s. G. (sc. ve.)	nodding-flowered.	1827.	—	G. h.	— ser. 2. t. 60.
558	Sweetianum. Sm. (cr. ve.)	Sweet's.	1829.	—	G. h.	—
559	staphysagroides. s. G. (pu.)	Stavesacre-ld. C. B. S.	1827.	—	G. h.	Swt. ger. ser. 2. t. 98.

BALSAMINEÆ. p. 101.

IMP'ATIENS. p. 102. TOUCH-ME-NOT.

pállida. p. 102.	pale-flowered.	N. America.	1812.	6. 10.	H. ☉.	Eng. bot. v. 14. t. 937.
<i>Nòli-tàngere. E. B. nec aliorum.</i>						
7 boreàlis.	(ye.) northern.	Denmark.		—	H. ☉.	Flor. dan. t. 582.
<i>Nòli-tàngere. F. D. non L.</i>						
Nòli-tàngere. L. (y. re.)	English.	England.		—	H. ☉.	

OXALIDEÆ. p. 102.

O'XALIS. p. 102. WOOD-SORREL.

113 tortuòsa. B. R.	(ye.) twisted.	Chile.	1825.	6. 8.	G. h.	Bot. reg. t. 1219.
114 floribúnda. Leh. (ro.)	many-flowered.	Brazil.	1829.	4. 9.	F. 4.	Swt. br. fl. gar. s. 2.
úrlica. Hil. (li.)	Martius's.	—	1828.	5. 9.	F. 4.	
<i>Martiàna. Zuc. p. 102. ex S. S. Lodd. bot. cab. ic.</i>						

ZYGOPHYLLÆ. p. 104.

LA'RREA. p. 104.

LA'RREA.

2 divaricàta. DC.	(ye.) spreading-lobed.	Buenos Ayres.	1829.	6. 9.	G. h.	Cavan. icon. 6. t. 560. f. 1.
-------------------	------------------------	---------------	-------	-------	-------	-------------------------------

RUTACEÆ. p. 105.

APLOPHY'LLUM. p. 105. APLOPHY'LLUM.

patavina, tuberculàta, villòsa, linifòlia et dahùrica, lege patavinum, tuberculàtum, villòsum, linifolium, et dahùricum.

9 Buxbàumii. J. R.	(ye.) Buxbaum's.	Levant.	1828.	6. 8.	H. 4.	Buxb. cent. 2. t. 28. f. 2.
<i>Rùta Buxbàumii. DC.</i>						

DICTA'MNUS. p. 105. FRAXINELLA.

3 angustifòlius. s. F. G. (pu.)	narrow-leaved.	Siberia.	1829.	5. 7.	H. 4.	Swt. br. fl. gar. ser. 2.
---------------------------------	----------------	----------	-------	-------	-------	---------------------------

CELASTRINEÆ. p. 109.

EUO'NYMUS. p. 109. SPINDLE-TREE.

16 nànus. DC.	(st.) dwarf.	Caucasus.	1829.	5. 7.	H. h.	
17 gróssus. F. I.	(wh.) large.	Nepaul.	1828.	6. 8.	F. h.	

RHAMNEÆ. p. 112.

TRAV'OA. H. M.

TRAV'OA. Pentandria Monogynia.

quinquenervia. H. M. (w.)	five-nerved.	Chile.	1827.	5. 7.	F. h.	
---------------------------	--------------	--------	-------	-------	-------	--

HOMALINEÆ. p. 116.

BLACKWELLIA. p. 11. BLACKWELLIA.

7 padifòlia. B. R. (wh.)	Padus-leaved.	China.	1826.	8. 9.	G. h.	Bot. reg. t. 1308.
--------------------------	---------------	--------	-------	-------	-------	--------------------

CASSUVIEÆ. p. 117.

MELANORRH'ŒA. W. MELANORRH'ŒA. Polygamia Diœcia.

usitàta. W. I. (re.) useful.

HOLIGA'RNA. DC.	HOLIGA'RNA. Polygamia Monœcia.	E. Indies.	1828.		S. h.	Wall. ind. pl. t. 11. 12.
longifòlia. DC. (wh.)	long-leaved.	E. Indies.	1828.		S. h.	Roxb. corom. 3. t. 282.

BURSERACEÆ. p. 120.

ICICA. DC.	ICICA. Octo-Decandria Monogynia.				
1 emicandra. DC. (wh.)	nine-stamened.	Guiana.	1825.	 S. h.	Aubl. guian. 1. t. 134.
2 decandra. DC. (wh.)	ten-stamened.	————	————	 S. h.	
3 altissima. DC. (wh.)	tallest.	————	1822.	 S. h.	Aubl. guian. 1. t. 132.

LEGUMINOSÆ. p. 122.

Subordo I. PAPILIONACEÆ.

SOPHORA. p. 122.	SOPHORA.				
12 velutina. B.R. (pu.)	velvety.	China.	1826.	6. 7. G. h.	Bot. reg. t. 1185.
BAPTISIA. p. 123.	BAPTISIA.				
10 minor. Lehmann. (bl.)	lesser.	N. America.		6. 7. H. 4.	
ANTHYLLIS. p. 132.	KIDNEY-VETCH.				
22 polycéphala. DC. (ye.)	many-headed.	Barbary.	1829.	6. 7. H. 4.	Desf. atl. 2. t. 195.
HOSACKIA. B.R.	HOSACKIA. Diadelphia Decandria.				
1 bicolor. B.R. (y.w.)	two-coloured.	N. America.	1823.	7. 9. H. 4.	Bot. reg. t. 1257.
	<i>Latus pinnatus.</i>				Bot. mag. t. 2913.
2 Purshiana. B.R. (ye.)	Pursh's.	————	1827.	— H. 4.	
3 decumbens. B.R. (ye.)	decumbent.	————	—	— H. 4.	
4 parviflora. B.R. (ye.)	small-flowered.	————	—	— H. 4.	
TEPHROSIA. p. 141.	TEPHROSIA.				
38 chinensis. B.C. (li.)	Chinese.	China.	1822.	5. 8. G. h.	
ASTRAGALUS. p. 145.	MILK VETCH.				
120 succulentus. B.R. (pu.)	succulent.	N. America.	1827.	6. 7. H. 4.	Bot. reg. t. 1324.
KENNEDYA. p. 156.	KENNEDYA.				
	monophylla. p. 157.	simple-leaved.	N. S. W.	1790.	3. 8. G. h. ∪. Vent. malm. t. 106.
	3 longeracemosa. (pi.)	long-racemed.	————	1828.	— G. h. ∪. Bot. reg. t. 1336.
LUPINUS. p. 159.	LUPINE.				
34 pulchellus. (bl.)	handsome.	Mexico.	—	6. 10. F. h.	Swt. br. fl. gar. s. 2. t. 67.

Subordo III. MIMOSEÆ.

ACACIA. p. 164.	ACACIA.				
299 graveolens. L.C. (ye.)	strong-scented.	N. Holland.	1825.	3. 5. G. h.	Lodd. bot. cab. t. 1460.
	uncinata. p. 165. (st.)	hooked.	N. Holland.	1823.	8. 1. G. h.
210 albida. B.R. (ye.)	white spiny.	Pern.	1824.	4. 6. G. h.	Bot. reg. t. 1332.
					———— t. 1317.

Subordo IV. CÆSALPINEÆ.

CASTANOCARPUS.	MORETON BAY CHESTNUT. Decandria Monogynia.				
	australis. (wh.)	southern.	N. Holland.	1829.	 G. h.
CASSIA. p. 169.	CASSIA.				
116 brevifolia. DC. (ye.)	short-leaved.	Madagascar.	1824.	6. 7. S. h.	

ROSACEÆ. p. 178.

RUBUS. p. 187.	BRAMBLE AND RASPBERRY.				
85 flavus. D.P. (wh.)	yellow-fruited.	Nepaul.	1827.	 F. h.	
86 setosus. DC. (wh.)	bristly-stalked.	N. America.	—	5. 7. H. h.	
87 nutkanus. DC. (wh.)	Nootka sound.	————	—	— H. h.	Swt. br. fl. gar. s. 2.
DRYAS. p. 190.	DRYAS.				
3 Drummondii. B.M. (ye.)	Drummond's.	————	—	4. 8. H. 4.	Bot. mag. t. 2972.
POTENTILLA. p. 190.	CINQUEFOIL.				
	nivea. p. 190. (ye.)	snowy-leaved.	N. Europe.	1816.	6. 8. H. 4.
	β macrophylla. B.M. (y.)	large-leaved.	N. America.	1827.	— H. 4.
101 gracilis. B.M. (ye.)	slender.	————	—	— H. 4.	Bot. mag. t. 2982.
102 Hopwoodiana. S.F.G. (ro.s.)	Hopwood's.	Recto-formosa.	1829.	6. 9. H. 4.	— t. 2984.
					Swt. br. fl. gar. s. 2. t. 61.

COMBRETACEÆ. p. 195.

- POI'VREA. p. 196. POI'VREA.
 6 Afzèlii. D.D. (sc.) Afzelius's. Sierra Leone. 1824. 7. 10. S. h. ∪. Bot. mag. t. 2944.
Combrètum grandiflòrum. B.M. not G.D. in Linn. trans., which is a true *Combrètum*, with 8 stamens; we have adopted M. Decandolle's division of the genus, as Mr. Don informed us, he found the same distinctions as given by Decandolle, and was inclined to divide them himself, but afterwards arranged them in distinct sections, by which they might be readily divided, one genus having irregular convolute cotyledons, and the other straight plaited ones; this circumstance he mentioned to us before his paper was published, and before M. Decandolle's volume had arrived.

VOCHYSIÆ. p. 197.

- QU'ALEA. M.P. QU'ALEA. Monandria Monogynia.
 violàcea. M.P. (vi.) violet-coloured. Brazil. 1824. S. h. Mart. pl. bras. 1. t. 81.
 ERI'SMA. DC. ERI'SMA. Monandria Monogynia.
 floribúnda. DC. (bl.) many-flowered. Guiana. 1825. S. h. Tratt. tab. t. 105.

ONAGRARIÆ. p. 197.

- FU'CHSIA. p. 197. FU'CHSIA.
 11 thymifòlia. DC. (re.) Thyme-leaved. Mexico. 1829. 4. 10. F. h. Swt. br. fl. gar. s. 2. t. 25.

MELASTOMACEÆ. p. 203.

- PLER'OMA. p. 204. PLER'OMA.
 3? villòsum. DC. (pu.) villous. S. America. 1820. 5. 10. S. h. Bot. mag. t. 2630.
Melástoma villòsa. B.M.

PASSIFLOREÆ. p. 216.

- PASSIFL'ORA. p. 216. PASSION-FLOWER.
 65 Cavanillèsii. DC. (co.) Cavanille's. W. Indies. 1822. 7. 10. S. h. ∪. Cavan. dis. 10. t. 273.
 66 Andersòonii. DC. (st.) Anderson's. St. Vincent. 1823. — S. h. ∪.
 67 Raddiàna. DC. (st. pu.) Raddi's. Brazil. 1829. — S. h. ∪.
 68 cephaléima. DC. crowded-leaved. — 1826. S. h. ∪. Bory. an. gen. 2. t. 22. f. 2.
 69 obscùra. H.C. (gr. st.) obscure. S. America. 1823. 2. 10. S. h. ∪.

CACTEÆ. p. 235.

- MAMMILL'ARIA. p. 235. MAMMILL'ARIA.
 23 fulvispina. H.P. (re.) brown-spined. Brazil. 1822. 8. 10. D.S. h.
 24 pùlchra. H.B.R. (pu.) pretty. Mexico. 1828. 6. 10. D.S. h. Bot. reg. t. 1329.
 25 depréssa. DC. (wh. re.) depressed. S. America. 1800. 6. 8. D.S. h. DC. diss. t. 2. f. 2.
 discolor. DC. dis. non Haw. Spinii. Colla hort. rip. ic.
 discolor. H.S. (wh. re.) two-coloured. S. America. — — D.S. h.
 26 stellàris. H.S. (ro.) starry. — 1816. 6. 9. D.S. h. Lodd. bot. cab. t. 79.
 non pusilla. DC. ex. H.P.
 ECHINOCA'CTUS. p. 235. ECHINOCA'CTUS.
 22 cornigerus. DC. (wh.) horn-spined. Mexico. 1830. 6. 9. D.S. h. DC. diss. cact. t. 7.
 23 nóbilis. H.P. (wh.) noble. — 1796. — D.S. h.
 24 Hy'strix. H.P. (wh.) Porcupine. S. America. 1818. — D.S. h.
 C'EREUS. p. 236. C'EREUS.
 74 mágnus. H.P. (wh.) great 12-angled. St. Domingo. 1830. 6. 10. D.S. h.
 75 fèrox. H.P. (wh.) fierce upright. Brazil. 1828. — D.S. h.
 76 Æthiops. H.P. (wh.) black-spined. — — D.S. h.
 77 setiger. H.P. small quadrangular. — 1826. D.S. h.
 78 undàtus. H.P. triangular China. China. 1824. D.S. h.
 79 crispàtus. H.P. curly-edged. Brazil. 1826. D.S. h.
 80 Colvillii. (ro.) Colvill's. Grandiflora-speciosissimus. — D.S. h.

OPUNTIA. p. 237. INDIAN FIG.

38 longispina. H.P. (ye.) long-spined.	Brazil.	1826.	6. 10.	D.S. h.	
39 glomerata. H.P. (ye.) long flat-spined.	—	—	—	D.S. h.	
40 rosea. DC. (ro.) rose-coloured.	Mexico.	1830.		D.S. h.	DC. diss. cact. t. 15.
41 imbricata. DC. (ro.) imbricated.	S. America.	1820.		D.S. h.	
<i>Cereus imbricatus</i> . p. 237.					
42 cylindrica. DC. (ro.) cylindrical.	Peru.	1779.		D.S. h.	
<i>Cereus cylindricus</i> . p. 237.					
RHIPSALES. p. 238. RHIPSALES.					
8 cereuscula. H.P. Cereus-like.	Brazil.	1828.		D.S. h.	

GROSSULARIÆ. p. 238.

RIBES. p. 238.

CURRANT AND GOOSEBERRY.

45 punctatum. DC. (st.) spotted.	Chile.	1825.	3. 5.	H. h.	Bot. reg. t. 1278.
----------------------------------	--------	-------	-------	-------	--------------------

ESCALLONEÆ. p. 239.

ESCALLONIA. p. 239. ESCALLONIA.

5 bifida. Ot. (pi.) bifid.	Mexico.	1827.		F. h.	
6 viscosa. Ot. (wh.) viscous.	Mendoza.	1829.		G. h.	

SAXIFRAGÆ. p. 239.

SAXIFRAGA. p. 239. SAXIFRAGE.

102 spicata. L.T. (sp.) spiked.	N. America.	1827.	5. 6.	H. 4.	
103 arguta. L.T. (sp.) deep-notched.	—	—	—	H. 4.	
104 nudicaulis. L.T. (wh.) naked-stalked.	—	—	—	H. 4.	
105 ferruginea. Gr. (wh.) ferruginous.	—	—	—	H. 4.	
106 pyrolifolia. L.T. (wh.) Pyrola-leaved.	—	—	—	H. 4.	
107 tricuspidata. L.T. (ye.) three-pointed.	Greenland.	1827.	—	H. 4.	

HEUCHERA. p. 242. HEUCHERA.

1 micrantha. B.R. (gr.) small-flowered.	Columbia.	—	6. 7.	H. 4.	Bot. reg. t. 1302.
2 Richardsoni. D. (gr.) Richardson's.	N. America.	—	—	H. 4.	

TIARELLA. p. 242. TIARELLA.

5 colorans. Gr. (wh.) coloured.	N. America.	—	4. 6.	H. 4.	
---------------------------------	-------------	---	-------	-------	--

MITELLA. p. 242. MITELLA.

5 trifida. Gr. (wh.) trifid.	N. America.	—	5. 7.	H. 4.	
------------------------------	-------------	---	-------	-------	--

DRUMMONDIA. DC. DRUMMONDIA. Pentandria Digynia.

Mitella pentandra. Bot. mag. t. 2933.

UMBELLIFERÆ. p. 243.

ERYNGIUM. p. 244. ERYNGO. Pentandria Digynia.

36 Andersoni. LG. (bl.) Anderson's.			8. 9.	H. 4.	
-------------------------------------	-------	------	-------	-------	--

DISCOLEURA. p. 245. DISCOLEURA.

2 capillacea. DC. (wh.) capillary.	N. America.	1824.	7. 9.	H. 4.	
------------------------------------	-------------	-------	-------	-------	--

Ammi capillaceum. M.

FERULA. p. 250. GIANT-FENNEL.

21 linearis. Cerv. (ye.) linear-leaved.	Mexico.	1828.	8. 10.	F. 4.	
---	---------	-------	--------	-------	--

ANTHRISCUS. p. 254. ROUGH CHERVILL.

9 torquata. DC. (wh.) twisted.	France.	1726.	6. 7.	H. 4.	Jacq. aust. 1. t. 63.
--------------------------------	---------	-------	-------	-------	-----------------------

Cherophyllum bulbosum. Jacq.

ARPIITIUM. Neck. ARPIITIUM. Pentandria Digynia.

simplex. (wh.) simple-stalked.	Switzerland.	1824.	6. 8.	H. 4.	Jacq. misc. 2. t. 2.
--------------------------------	--------------	-------	-------	-------	----------------------

Laserpitium simplex. L. *Gaya simplex*. Gaud. fl. helv. 2. t. 6. non *Gaya*. Kth.

ARALIACEÆ. p. 256.

ADA'MIA. W.I.

ADA'MIA. Didynamia Angiospermia.

cyanea. W.I. (bl.) blue-flowered.	E. Indies.	1829.		S. h.	Wall. ind. t. 26.
-----------------------------------	------------	-------	------	-------	-------------------

CAPRIFOLIACEÆ. p. 257.

SYMPHORIA. p. 258. ST. PETER'S-WORT.

3 montana. K.S. (li.) mountain. Mexico. 1829. 7. 10. H. h. H. et B. nov. gen. 3. t. 5.

LORANTHÆ. p. 259.

A'UCUBA. W. A'UCUBA. Diœcia Tetrandria.

japónica. (pu.) blotch-leaved. Japan. 1783. 5. 7. H. h. Bot. mag. t. 1197.

LORA'NTHUS. p. 259. LORA'NTHUS.

2 terrêstris. terrestrial. N. Holland. 1830. G. h.

RUBIACEÆ. p. 260.

ASPERULA. p. 266. WOODRUFF.

25 nítida. F.G. (br.) glossy. Greece. 1829. 7. 9. H. 4. Flor. græc. t. 121.

DIPSACEÆ. p. 269.

ASTEROCEPHALUS. p. 270. STARHEAD.

paucisêtus. Jac. (st.) few-bristled. S. Europe. 1827. 7. 9. H. 4.

COMPOSITÆ. p. 271.

CR'EPIS. p. 273. CR'EPIS.

33 macrorrhiza. B.M. (ye.) large-rooted. Madeira. 1829. 7. 9. H. 4. Bot. mag. t. 2988.

CHUQUIR'AGA. p. 280. CHUQUIR'AGA.

2 spinôsa. L.T. (ye.) spiny. Peru. 1825. 4. 5. F. h.

Bacàzia spinôsa. p. 286.

JU'NGIA. L. JU'NGIA. LABIATIFLORÆ. Syngenesia Æqualis.

paniculâta. D.D. (ye.) paniced. Chile. 1825. 7. 9. H. 4. DC. an. mus. 19. t. 7.

Dumerília paniculâta. p. 260.

CENTA'UREA. p. 285. CENTAURY.

141 argûta. s.s. (st.) sharp notched. Canaries. 1829. — F. h.

142 decípiens. Thu. (pu.) deceiving. France. — — H. 4.

VERN'ONIA. p. 289. VERN'ONIA.

14 tomentôsa. Ot. (pu.) tomentose. Brazil. 1827. 9. 11. S. h.

DELISLIA. S.S. DELISLIA. Syngenesia Necessaria.

Bertèrii. s.s. (ye.) Bertero's. Isl. Magdalen. 1829. 6. 8. G. ⊙. Mart. dec. 47. f. 1.

Millèria biflôra. p. 313.

CALE'NDULA. p. 313. MARYGOLD.

22 tomentôsa. s.s. (ye.) tomentose. C. B. S. 1828. — H. ⊙.

CLADA'NTHUS. p. 319. CLADA'NTHUS.

2 canéscens. s.F.G. (ye.) canescent. Canaries. 1829. 3. 8. F. h. Swt. br. fl. gar. ser. 2.

LOBELIACEÆ. p. 322.

LOB'ELIA. p. 322. LOB'ELIA.

84 purpûrea. B.R. (pu.) purple. Chile. 1825. 8. 9. G. h. Bot. reg. t. 1325.

CAMPANULACEÆ. p. 325.

LIGHTFO'OTIA. p. 325. LIGHTFO'OTIA.

Loddigésii. A.DC. (pu.) Loddiges'. C. B. S. 1824. 6. 8. G. h. Lodd. bot. cab. t. 1038.

tenélla. B.C.

PLATYC'ODON. A.DC. PLATYC'ODON. Pentandria Monogynia.

grandiflôrum. DC. (bl.) great-flowered. Siberia. 1782. 6. 8. H. 4. Bot. mag. t. 252.

Campânula grandiflôra. B.M. Wahlenbèrgia grandiflôra. p. 325.

WAHLENBERGIA. A.DC. WAHLENBERGIA.

- 3 Kitaibellii. A.DC. (vi.) Kitaibel's. Hungary. 1823. 6. 8. H. 4. W. et K. hung. 2. t. 154.
Campánula graminifolia. p. 327. W. et K. hung. non Flor. grac.
- 4 tenuifolia. A.DC. (vi.) slender-leaved. Hungary. 1820. 5. 9. H. 4. W. et K. hung. 2. t. 155.
 5 capensis. A.DC. (vi.) Cape. C. B. S. 1803. 7. 10. H. 4. Bot. mag. t. 782.
Campánula capensis. B.M. *Redlha decurrens*. Andr. rep. t. 238.
- 6 cernua. A.DC. (wh.) nodding-flowered. C. B. S. 1804. 7. 9. G. 3.
- 7 linearis. A.DC. (wh.) linear-leaved. ——— 1822. 7. 10. H. 4.
- 8 procumbens. A.DC. (bl.) procumbent. ——— 1824. — H. 4.
- 9 hederacea. A.DC. (pa. bl.) Ivy-leaved. England. 5. 6. H. 4. Alph. DC. camp. t. 15.
Campánula hederacea. p. 328. *Aikinia hederacea*. Salish. Eng. bot. v. 2. t. 73.
- 10 arvensis. (bl.) Spanish. Spain. 1825. 5. 7. H. 4. Pluk. phyt. t. 23. f. 1.
Campánula arvensis. L.G.
- 11 gracilis. A.DC. (bl.) slender. N. S. W. 1794. 4. 8. G. 3. Bot. mag. t. 691.
Campánula gracilis. B.M.
- 12 stricta. (bl.) upright. ——— ——— G. 3. Sm. exot. bot. t. 45.
Campánula stricta. Exot. bot. non Linn. *erecta*. p. 326.
- 13 capillaris. B.C. (bl.) capillary. N. Holland. 1824. ——— G. 3. Lodd. bot. cab. t. 1406.
- 14 littoralis. Lab. (bl.) sea side. V. Diem. Isl. 1820. ——— G. 3. Lab. nov. holl. 1. t. 70.
- 15 quadrifida. A.DC. (bl.) four-cleft. N. S. W. 1822. ——— G. 3.
- 16 saxicola. A.DC. (bl.) small rock. V. Diem. Isl. 1825. 5. 10. G. 3.
- 17 Sieberi. A.DC. (bl.) Sieber's. N. S. W. 1820. ——— G. 3.
- 18 undulata. A.DC. (bl.) waved. C. B. S. 1822. 5. 7. G. 4.
- Campánula undulata*. p. 326.
- 19 hispidula. A.DC. (bl. wh.) hispid-calyced. ——— 1816. 6. 9. H. 4. Comm. hort. 2. t. 37.
Campánula hispidula. p. 326.
- 20 capillacea. A.DC. (wh.) capillary. C. B. S. 1822. 5. 7. H. 4.
- lobelioides. A.DC. (bh.) Lobelia-like. Canaries. 1777. 7. 8. H. 4. Alph. DC. camp. t. 17.
pendula. p. 323.

SYMPHIA'NDRA. A.DC. SYMPHIA'NDRA. Monadelphia Pentandria.

- pendula*. A.DC. (st.) pendulous. Caucasus. 1824. 6. 8. H. 4. Swt. br. fl. gar. s. 2. t. 66.
Campánula pendula. p. 327. n. 102.

SPECULARIA. A.DC. VENUS-LOOKING-GLASS. Pentandria Monogynia.

- 1 Spéculum. A.DC. (bl.) common. S. Europe. 1596. 5. 8. H. 4. Bot. mag. t. 102.
Campánula Spéculum. B.M. *Primatocarpus Spéculum*. L'n. *Lagotis arvensis*. Dur.
- 2 *β álba*. (wh.) white-flowered. ——— ——— H. 4.
- 3 hirsuta. A.DC. (bl.) hairy. Italy. 1822. 5. 8. H. 4. Ten. fl. nap. t. 19.
- 4 hy'brida. A.DC. (bl.) corn. England. ——— H. 4. Eng. bot. v. 6. t. 375.
Campánula hy'brida. E.B. *Primatocarpus hy'bridus*. L'n.
- 5 falcata. A.DC. (bl.) falcate. Italy. 1822. ——— H. 4. Ten. fl. nap. t. 20.
- 6 pentagonia. A.DC. (H.) large-flowered. Turkey. 1686. ——— H. 4. Bot. reg. t. 56.
Campánula pentagonia. B.R.
- 7 perfoliata. A.DC. (H.) perfoliate. N. America. 1680. ——— H. 4. Moris. s. 5. t. 2. f. 23.

MU'SSCHIA. A.DC. MU'SSCHIA. Pentandria Monogynia.

- aurea*. A.DC. (ye.) golden-flowered. Madeira. 1777. 7. 9. G. 4. Bot. reg. t. 57.
Campánula aurea. p. 326. n. 38.
- 2 *α latifolia*. A.DC. (ye.) broad-leaved. ——— ——— G. 4. Duham. ed. nov. t. 41.
- 3 *β angustifolia*. A.DC. (ye.) narrow-leaved. ——— ——— G. 4. Jacq. schæn. 4. t. 472.
- PETROMAR'ULA. A.DC. PETROMAR'ULA. Pentandria Monogynia.
- pinnata*. A.DC. (bl.) winged-leaved. Candia. 1640. 6. 8. F. 4. Flor. grac. t. 220.
Phyteuma pinnatum. p. 328.

JAS'IONE. p. 328. JAS'IONE. Monadelphia Pentandria.

- 4 humilis. A.DC. (bl.) dwarf. S. France. 1824. 6. 7. H. 4.

ERICAÆ. p. 330.

ANDRO'MEDA. p. 331. ANDRO'MEDA.

- 23 tetragona. s.s. (bh.) four-sided. N. America. 1827. H. 4. Pall. ross. 2. t. 73. f. 4.

EBENACEÆ. p. 349.

DIO'SPYROS. p. 349. DATE PLUM.

- 19 Mabola. B.R. (st.) Mabola-tree. Philippines. 1822. 4. 5. S. 4. Bot. reg. t. 1139.

APOCINEÆ. p. 353.

PACHYPODIUM. B.R. PACHYPODIUM. Pentandria Monogynia.

succulentum. (wh.re.) succulent. C. B. S. 1820. 4. 6. D.G. ♀. Bot. reg. t. 1321.
tuberosum. B.R. Echites succulenta. Jacq. fragm. t. 117. see p. 355.

ASCLEPIADEÆ. p. 356.

ASCLEPIAS. p. 360.

SWALLOW-WORT.

33 Greeniana. N.

Green's.

N. America. 1828. 6. 8. H. ♀.

POLEMONIACEÆ. p. 367.

POLEMONIUM. p. 367. GREEK VALERIAN.

9 pulcherrimum. B.M. (bl.) bright blue. N. America. 1827. 7. 8. H. ♀. Bot. mag. t. 2971.
10 moschatum. Gr. (bl.) musk-scented. ———— ———— ———— H. ♀.

GILIA. p. 368. GILIA.

3 pungens. B.M. (bl.) pungent-leaved. N. America. 1827. 6. 8. H. ⊙. Bot. mag. t. 2977.

BONPLANDIA. Cav. BONPLANDIA. Pentandria Monogynia.

geminiflora. Cav. (bl.) twin-flowered. New Spain. 1813. 5. 12. S. ⊙. Bot. reg. t. 92.

Caldasia heterophylla. W. non Caldasia. DC.

BORAGINEÆ. p. 374.

ONOSMA. p. 375.

ONOSMA.

16 Gmelini. L.A. (st.) Gmelin's. Altay. 1829. 4. 8. H. ♀. Ledeb. ic. alt. t. 291.

17 polyphyllum. L.A. (st.) crowded-leav'd. Tauria. ———— 7. 8. H. ♀. ———— t. 291.

18 rigidum. L.A. (pa.ye.) rigid. ———— 1826. ———— H. ♀. ———— t. 291.

HYDROPHYLLEÆ. p. 380.

EUTOCA. p. 380.

EUTOCA.

3 sericea. B.M. (bl.) silky. N. America. 1827. 5. 7. H. ♀. Bot. mag. t. 3003.

To Franklinii, p. 380, add Bot. mag. t. 2985.

SOLANEÆ. p. 380.

CELSIA. p. 380.

CELSIA.

9 heterophylla. P.S. (ye.) various-leaved. 1829. 7. 9. F. ♂.

SALPIGLOSSIS. p. 383. SALPIGLOSSIS.

5 intermedia. S.F.G. (br.ye.) intermediate. Chile. 1829. 6. 9. F. ♀.

Swt. br. fl. gar. s. 2.

SCROPHULARINÆ. p. 389.

SCROPHULARIA. p. 391. FIGWORT.

51 lanata. F. (br.) woolly. Siberia. 1823. 7. 11. H. ♀.

MIMULUS. p. 394. MONKEY-FLOWER.

9 propinquus. B.R. (ye.) related. N. America. 1827. 4. 10. H. ♀. Bot. reg. t. 1339.

CALCEOLARIA. p. 396. SLIPPERWORT.

15 Herbertiana. B.R. (ye.) Mr. Herbert's. Chile. 1828. 5. 10. G. ♀. Bot. reg. t. 1313.

LABIATÆ. p. 399.

STACHYS. p. 406.

HEDGE-NETTLE.

49 sericea. (li.) silky. Nepaul. 1830. 7. 9. H. ♀.

O'CYMUM. p. 413. BASIL.

21 montanum. B.M. (wh.) mountain. W. Indies. 1825. 5. 8. S. ⊙. Bot. mag. t. 2996.

HYPTIS. p. 414. HYPTIS.

14 madagascariensis. (bl.) Madagascar. Madagascar. 1828. 6. 8. S. ♂.

VERBENACEÆ. p. 415.

LANTANA. p. 417.	LANTANA.				
25 mollis. Gr.	(ro.) soft.	Mexico.	1826.	4. 8. G. 6.	

ACANTHACEÆ. p. 419.

RUELLIA. p. 420.	RUELLIA.				
28 picta. B.R.	(bl.) painted.	St. Domingo.	1826.	4. 8. S. 6.	Leidl. bot. cab. t. 1448.
JUSTICIA. p. 421.	JUSTICIA.				
60 guttata. B.R.	(ye.sp.) spotted.	E. Indies.	1828.	4. 8. S. 2.	Bot. reg. t. 1334.

PRIMULACEÆ. p. 423.

DODECATHEON. p. 423.	AMERICAN COWSLIP.				
1 Meadia. p. 423.	Mead's.	Virginia.	1744.	4. 6. H. 2.	Bot. mag. t. 12.
a lilacinum.	(li.) common lilac.	————	————	———— H. 2.	Trew Placet. t. 12.
2 albiflorum.	(wh.) white-flowered.	————	1824.	———— H. 2.	Leidl. bot. cab. t. 1489.
3 elegans. S.F.G.	(ro.) rose-coloured.	————	1827.	4. 7. H. 2.	Swt. br. fl. gar. n. 2, t. 60.
4 giganteum.	(li.) gigantic.	————	————	———— H. 2.	
2 integrifolium.	(ri.) entire-leaved.	N. America.	1829.	———— H. 2.	Phok. bot. t. 70, f. 6.
ANDROSACE. p. 425.	ANDROSACE.				
17 carinata. Tor.	(st.) keeled.	N. America.	1827.	4. 7. H. 2.	
18 linearis. Gr.	(bh.) linear-leaved.	————	————	———— H. 2.	

BEGONIACEÆ. p. 437.

BEGONIA. p. 437.	BEGONIA.				
40 longipes. B.M.	(wh.) long-stalked.	Mexico.	1828.	3. 8. S. 6.	Bot. mag. t. 3091.

POLYGONEÆ. p. 438.

POLYGONUM. p. 438.	PERSICARIA.				
61 injucundum. B.R.	(st.) unattractive.	————	1825.	5. 6. G. 6.	Bot. reg. t. 1250.
RHEUM. p. 440.	RHUBARB.				
15 leucorhizum. F.	(st.) white-rooted.	Siberia.	1827.	5. 6. H. 2.	

AROIDEÆ. p. 479.

POTHOS. p. 479.	POTHOS.				
29 longifolia. R.S.	(br.) long-leaved.	Brazil.	1828.	9. 10. S. 2.	
30 reflexa. Ot.	(br.) reflexed.	————	————	———— S. 2.	
31 reptans. Ot.	(br.) creeping.	————	————	———— S. 6.	
32 rubescens. Ot.	(br.) reddish.	————	————	———— S. 2.	

ORCHIDEÆ. p. 483.

APLECTRUM. N.	APLECTRUM.	Gynandria Monandria.			
hyemale. N.	(br.) winter.	N. America.	1827.		H. 2.
RODRIGUEZIA. p. 487.	RODRIGUEZIA.				
2 planifolia. H.C.	(re.) flat-leaved.	S. America.	1826.	6. 12.	S. 2.

CANNEÆ. p. 494.

PHRYNIUM. p. 494.	PHRYNIUM.				
28 coloratum. B.M.	(or.) orange-coloured.	Brazil.	1828.	4. 5. S. 2.	Bot. mag. t. 3010.

MUSACEÆ. p. 495.

MUSA. p. 495.	PLANTAIN-TREE.			
chinensis.	(sc.) dwarf Chinese. China.	1829.		S. 4.

IRIDEÆ. p. 495.

TRICHON'EMA. p. 503.	TRICHON'EMA.			
ramiflora.	(pu.) branching-flower'd. Naples.	1830.	5. 6.	H.b.
<i>Ixia ramiflora</i> . T.N.				
CR'OCUS. p. 503.	CR'OCUS.			
24 Thomàsii. T.N.	(bl.) Thomas's. Naples.	1830.		H.b.
25 odorus. T.N.	 sweet-scented.	—		H.b.
26 suavèolens. T.N.	 fragrant.	—		H.b.
27 Imperàti. s.s.	(vi.) Imperati's.	—	2. 4.	H.b.

Ten. mem. croc. t. 1.

AMARYLLIDEÆ. p. 505.

ZEPHYRA'NTHEs. p. 505.	ZEPHYRA'NTHEs.			
10 mesochlòa. W.H. (bh.)	green-centred. S. America.	1828.	6. 9.	F.b.
BRUNSVI'GIA. p. 510.	BRUNSWICK-LILY.			
7 grandiflora. B.R. (pi.)	large-flowered. C. B. S.	1827.	8. 9.	F.b.
PHYCE'LLA. p. 510.	PHYCE'LLA.			
3 Herbertiana. B.R. (re.y.)	Mr. Herbert's. Chile.	1825.	5. 7.	F.b.
4 corúsca. Gr. (sc.or.)	glossy.	—	—	F.b.
NARCI'SSUS. p. 514.	NARCI'SSUS.			
82 negléctus. Ten. (wh.y.)	neglected. Naples.	1830.	4. 5.	H.b.

Bot. reg. t. 1335.

Bot. reg. t. 1341.

ASPHODELEÆ. p. 524.

SCI'LLA. p. 527.	SQUILL.			
30 odoràta. R.S. (bl.)	sweet-scented. Portugal.	1818.	5. 6.	H.b.
31 pratensis. R.S. (bl.)	meadow. Hungary.	1827.	—	H.b.
32 ròsea. Leh. (ro.)	rose-coloured. Numidia.	—	—	H.b.
33 mauritànica. R.S. (bl.)	Mauritanian. Africa.	1819.	—	H.b.
DRI'MIA. p. 513.	DRI'MIA.			
14 villòsa. B.R. (g.st.)	villous. C. B. S.	1826.	5. 6.	F.b.
A'LLIUM. p. 530.	GARLICK.			
118 enòsmon. Ot. (br.)	good-scented. S. America.	1829.	5. 6.	F.b.
119 glandulòsum. Ot. (br.)	glandular.	—	—	F.b.
120 nudicaùle. Leh.	naked-stalked. Altay.	—		H.b.
121 guttatum. G.D. (wh.)	spotted. Odessa.	1819.	7. 8.	H.b.
122 Fischèri.	Fischer's. Siberia.	1829.		H.b.
123 acutum. s.s. (li.)	acute.	1819.	7. 8.	H.b.
124 intermèdium. G.D. (w.)	intermediate. S. Europe.	1827.	—	H.b.
125 fúscum. W.K. (br.)	brown-flowered. Hungary.	1820.	—	H.b.
126 juncifolium. G.D. (wh.)	Rush-leaved. Chile.	1826.	—	H.b.
127 striatèllum. G.D. (st.)	striped.	1823.	—	H.b.
128 cinèreum. Lehm. (st.)	grey. Siberia.	1829.	—	H.b.
MI'LLA. C.I.	MI'LLA. Hexandria Monogynia.			
biflora. C.I. (wh.)	two-flowered. Mexico.	1826.	5. 6.	F. 4.

W. et K. hung. t. 18.

Bot. reg. t. 1346.

W. et K. hung. t. 21.

Bot. mag. t. 2119.

Cavan. icon. 2. t. 19.

BROMELIACEÆ. p. 534.

POURR'ETIA. p. 535.	POURR'ETIA.			
4 cœrùlea. Miers. (bl.)	blue. Chile.	1827.	4. 8.	S. 4.
5 rubricaùlis. Mier. (bl.re.)	red-stemmed.	—	—	S. 4.
6 magnispátha. Col. (g.w.)	large-spathed. S. America.	1829.	—	S. 4.
CARAGU'ATA. Plum.	CARAGU'ATA. Hexandria Monogynia.			
lingulàta. Ly. (ye.)	tongue-leaved. Jamaica.	1776.	6. 7.	S. 4.
<i>Tillandsia lingulàta</i> . p. 535.				

Coll. h. rip. t. 19.

Jacq. amer. t. 62.

BUONAPA'RTEA. p. 536. BUONAPA'RTEA.
2 græcilis. slender. Mexico. 1828. G. 4.

TULIPACEÆ. p. 536.

YU'CCA. p. 536. ADAM'S-NEEDLE.
23 græcilis. Lk. (wh.) slender. Mexico. 1829. G. 4.
ERYTHR'ONIUM. p. 539. DOG'S-TOOTH VIOLET.
Dens cànis. L. (pu.) common. Europe. 1596. 3. 4. H. b. Swt. br. fl. gar. s. 2.
Dens cànis. Redoute liliac. t. 193. non Bot. mag.
4 bifida. S.F.G. (ro.) cleft-stigma'd. Switzerland. — H. b. Swt. br. fl. gar. s. 2.
β albiflora. (wh.) white-flowered. — H. b. — s. 2.

MELANTHACEÆ. p. 539.

ZIGAD'ENUS. p. 540. ZIGAD'ENUS. Hexandria Trigynia.
3 elegans. Ph. (wh.) elegant. N. America. 1828. 5. 6. H. 4.

COMMELINEÆ. p. 541.

TRADESCA'NTIA. p. 541. SPIDERWORT.
23 crassipes. (bl.) thick-stalked. Mexico. 1827. 5. 10. H. 4.
24 diurética. M.P. (bl.) diuretic. Brazil. 1825. 6. 8. S. 4.
COMMEL'INA. p. 542. COMMEL'INA.
24 cucullata. H.C. (bl.) hooded. Brazil. 1825. 6. 9. G. ⊙.
25 caripensis. H.S. (bl.) rough-leaved. Trinidad. 1826. 6. 8. S. 4.

RESTIACEÆ. p. 546.

ERIOCA'ULON. p. 546. PIPEWORT.
3 decangulare. Ph. (wh.) ten-angled. N. America. 1826. 8. 10. H. w. 4. Lodd. bot. cab. t. 1310.
4 fasciculatum. R.S. (wh.) fascicled. Guiana. 1825. — S. w. 4. Lam. enc. 3. t. 50. f. 3.

CYPERACEÆ. p. 547.

CA'REX. p. 547. SEDGE.
123 rupéstris. s.s. (br.) rock. Switzerland. 1819. 6. 7. H. 4. All. ped. t. 92. f. 1.
124 cúrvula. s.s. (br.) curved. S. Europe. 1824. — H. 4. Schk. caric. t. D. f. 17.
125 lobata. w. (br.) lobed. Switzerland. 1819. 5. 7. H. 4. — t. D. f. 18.
126 repens. s.s. (br.) creeping. — 1823. 6. 7. H. 4. — t. I. f. 11.
127 leporina. w. (br.) hare. — 1819. — H. 4. — t. Fff. f. 1. 29.
128 longipes. D.P. (br.) long-stalked. Nepaul. 1823. — H. 4.
129 microstachya. s.s. (br.) small-spiked. N. Europe. 1822. 5. 6. H. 4. Schk. caric. t. 6. f. 11.
130 mucronata. s.s. (br.) bristle-pointed. S. Europe. 1819. 6. 7. H. 4. — t. K. f. 44.
131 phæostachys. E.F. (br.) brown-spiked. Scotland. 6. H. 4.
132 stictocarpa. E.F. (br.) dotted-fruited. — 6. 7. H. 4.
133 angustifolia. E.F. (br.) narrow-leaved. — — H. 4.
134 podocarpa. s.s. (br.) foot-podded. N. America. 1827. — H. 4.
135 brachystachys. s.s. (br.) short-spiked. S. Europe. 1819. — H. 4. Schk. car. t. P. f. 58.
SCH'ÆNUS. p. 549. BOG-RUSH.
6 ferrugineus. R.S. (br.) rusty. Europe. 1829. 7. 8. H. w. 4. Host. gram. 4. t. 71.
DICHROM'ENA. R.S. DICHROM'ENA. Triandria Monogynia.
leucocéphala. R.S. (wh.) white-spiked. W. Indies. 1822. 9. 12. S. w. 4.
Sch'ænus stellatus. w.
FIMBRI'STYLIS. p. 550. FIMBRI'STYLIS.
6 diphy'lla. R.S. (br.) two-leaved. E. Indies. 1822. 6. 8. S. w. 4.
ABILDGAA'RDIA. R.S. ABILDGAA'RDIA.
2 tristachya. R.S. (wh.) three-spiked. E. Indies. 1824. 6. 8. S. 4.
ISO'LEPIS. p. 550. ISO'LEPIS.
13 supina. R.S. (br.) trailing. Europe. 1826. 7. 8. H. w. 4. Host. gram. 3. t. 64.
2 Q 3

SCI'RPUS. p. 550. CLUB-RUSH.							
19	elongatus. D.P. (br.)	elongated.	Nepaul.	1825.	7. 9.	H.w. 4.	
20	articulatus. R.S. (br.)	jointed.	E. Indies.	1826.	8. 10.	S.w. 4.	Rheed. mal. 12. t. 71.
CYP'ERUS. p. 551. CYP'ERUS.							
71	niloticus. R.S. (br.)	Nile.	Egypt.	1810.	8. 10.	H. 4.	
72	compactus. R.S. (br. pu.)	compact.	China.	1819.	7. 8.	H. 4.	
73	kyllingæoides. R.S. (br.)	Kyllinga-like.	N. America.	1828.	—	H. 4.	
74	dubius. w. (br.)	doubtful.	E. Indies.	1802.	7. 9.	S. 4.	Rottb. gram. t. 4. f. 1.
75	leucocéphalus. R.S. (wh.)	white-headed.	—	1819.	—	S. 4.	
76	trisulcus. D.P. (br.)	three-furrowed.	Nepaul.	1830.	—	H. 4.	
77	caricinus. D.P. (br.)	Carex-like.	—	1826.	—	H. 4.	
78	rigidus. R.S. (re. wh.)	rigid.	Madagascar.	—	—	S. 4.	
HYP'OELYTRUM. R. HYP'OELYTRUM. Triandria Monogynia.							
	argenteum. R.S. (wh. pu.)	silvery.	E. Indies.	1824.	7. 8.	S. 4.	
MARISCUS. p. 552. MARISCUS.							
9	panicus. R.S. (br. st.)	Panic-like.	E. Indies.	1820.	6. 7.	S.w. 4.	Rottb. gram. t. 4. f. 1.
KYLLINGA. p. 552. KYLLINGA.							
8	brevifolia. R.S. (gr.)	short-leaved.	E. Indies.	1817.	5. 6.	S.w. 4.	Rottb. gram. t. 4. f. 1.

FILICES. p. 576.

LYG'ODIUM. p. 577. SNAKE'S-TONGUE.							
7	volubile. s.s. (br.)	twining.	W. Indies.	1819.	5. 9.	S. 4. ∪.	Sloan. jam. 1. t. 46. f. 1.
8	hastatum. w. (br.)	halberd-leaved.	Maranham.	1820.	—	S. 4. ∪.	
ANEI'MIA. p. 577. ANEI'MIA.							
8	Phyllitidis. s.s. (br.)	flat-leaved.	Trinidad.	1824.	5. 8.	S. 4. ∪.	Plum. fil. t. 156.
SCHIZ'ÆA. p. 577. SCHIZ'ÆA.							
5	élegans. s.s. (br.)	elegant.	Trinidad.	1825.	5. 8.	S. 4.	Vahl. symb. 2. t. 50.
GLEICH'ENIA. p. 577. GLEICH'ENIA.							
6	pectinata. s.s. (br.)	pectinated.	S. America.	1824.	6. 8.	S. 4.	
DAN'ÆA. S.S. DAN'ÆA. Cryptogamia Poropterides.							
	alata. s.s. (br.)	winged.	W. Indies.	1823.	6. 8.	S. 4.	Plum. fil. t. 109.
ACRO'STICHUM. p. 577. ACRO'STICHUM.							
9	longifolium. s.s. (br.)	long-leaved.	W. Indies.	1827.	5. 10.	S. 4.	
10	glandulosum. H.F. (br.)	glandular.	Jamaica.	1825.	—	S. 4.	H. et G. ic. fil. t. 3.
11	fimbriatum. s.s. (br.)	fringed.	S. America.	1824.	—	S. 4.	
NOTHOL'ÆNA. p. 578. NOTHOL'ÆNA.							
4	piloselloides. s.s. (br. ye.)	simple-leaved.	E. Indies.	1822.	6. 8.	S. 4.	Houtt. pflanz. t. 96. f. 2.
MENISCIUM. p. 578. MENISCIUM.							
4	proliferum. s.s. (br.)	proliferous.	E. Indies.	1820.	5. 6.	S. 4.	
NIPHO'BOLUS. p. 578. NIPHO'BOLUS.							
5	adnascens. s.s. (br.)	woolly-leaved.	E. Indies.	1824.	4. 8.	S. 4.	
ASPLENIUM. p. 580. SPLEENWORT.							
49	viviparum. H.K. (br.)	viviparous.	Mauritius.	1820.	6. 9.	S. 4.	
50	bulbiferum. s.s. (br.)	bulb-bearing.	N. Zealand.	—	—	G. 4.	Schk. crypt. t. 79.
51	difforme. B.P. (br.)	two-formed.	N. Holland.	1823.	—	G. 4.	
52	Petrarchæ. DC. (br.)	Petrarch's.	France.	1819.	—	H. 4.	H. et G. ic. fil. t. 152.
53	obtusatum. s.s. (br.)	obtuse.	N. Zealand.	1824.	—	F. 4.	Lab. nov. hol. 2. t. 242.
54	cultrifolium. s.s. (br.)	keen-leaved.	W. Indies.	1820.	—	S. 4.	Plum. fil. t. 3. f. 1.
55	brasiliense. s.s. (br.)	Brazilian.	Brazil.	1822.	—	S. 4.	
DOO'DIA. p. 581. DOO'DIA.							
3	mèdia. B.P. (br.)	middle-sized.	N. Holland.	1823.	3. 9.	G. 4.	
BLE'CHNUM. p. 581. BLE'CHNUM.							
12	pectinatum. s.s. (br.)	pectinate.	S. America.	1827.	5. 8.	S. 4.	
13	serrulatum. s.s. (br.)	saw-leaved.	N. America.	1818.	—	H. 4.	
14	striatum. s.s. (br.)	striated.	N. Holland.	1824.	—	F. 4.	
LOM'ARIA. p. 581. LOM'ARIA.							
7	falcata. s.s. (br.)	falcate.	—	1823.	5. 8.	F. 4.	Lab. nov. hol. 2. t. 246.
DIPL'AZIUM. p. 582. DIPL'AZIUM.							
10	castaneæfolium. s.s. (br.)	Chestnut-leaved.	Guinea.	1824.	8.	S. 4.	
PTERIS. p. 582. BRAKE.							
28	sagittæfolia. s.s. (br.)	arrow-leaved.	Brazil.	1825.	6. 8.	S. 4.	
29	rotundifolia. s.s. (br.)	round-leaved.	N. Zealand.	1824.	7. 8.	F. 4.	
30	élegans. s.s. (br.)	elegant.	E. Indies.	—	8. 10.	S. 4.	
31	discolor. s.s. (br.)	discoloured.	Brazil.	1825.	—	S. 4.	
32	heterophylla. s.s. (br.)	various-leaved.	W. Indies.	—	—	S. 4.	Plum. fil. t. 37.
33	leptophylla. s.s. (br.)	slender-leaved.	Brazil.	—	—	S. 4.	
34	chinensis. L.C. (br.)	Chinese.	China.	—	—	G. 4.	

35 crenulata. L.C.	(br.) crenulated.		1827.	7. 8.	S. 4.	
36 Cervantesii. H.L.	(br.) Cervantes'.	Mexico.	1824.	—	G. 4.	
ADIAN'TUM. p. 582. MAIDENHAIR.						
22 varium. S.S.	(br.) variable.	S. America.	1820.	7. 9.	S. 4.	
23 ternatum. S.S.	(br.) ternate.	—	—	—	S. 4.	
24 patens. W.	(br.) spreading.	Brazil.	1824.	8. 10.	S. 4.	
25 rhomboidum. S.S.	(br.) rhomboid.	S. America.	1820.	6. 9.	S. 4.	
CHEILANTHES. p. 583. CHEILANTHES.						
14 caudata. B.P.	(br.) tailed.	N. Holland.	1824.	6. 8.	F. 4.	
LINDSÆA. p. 583. LINDSÆA.						
6 media. B.P.	(br.) intermediate.	N. Holland.	1823.	4. 6.	F. 4.	
DAVALLIA. p. 583. DAVALLIA.						
6 elegans. S.S.	(br.) elegant.	N. Holland.	1824.	4. 9.	G. 4.	Schk. crypt. t. 127.
7 dubia. B.P.	(br.) doubtful.	—	1826.	—	G. 4.	
8 concavadenensis. L.C.	(br.) Concavado.	Brazil.	1823.	—	S. 4.	
CIBOTIUM. S.S. CIBOTIUM. Cryptogamia Filices.						
Billardieri. S.S.	(br.) Labillardiere's.	N. Holland.	1824.		G. 4.	

VIOLARIÆ. p. 43.

ANCHIETIA. Hil.	ANCHIETIA. Pentandria Monogynia.					
pyrifolia. Hil.	(wh.) Pear-leaved.	Brazil.	1822.		S. 4.	Mart. bras. t. 16.
Neiseltia pyrifolia. Martius. see our p. 43.						

TILIACEÆ. p. 70

LUKEA. W.	LUKEA. Polyadelphia Polyandria.					
paniculata. M.P.	(ro.) panicled.	Brazil.	1828.		S. 4.	Mart. bras. t. 62.

RUBIACEÆ. p. 260.

LIPOSTOMA. D.D.	LIPOSTOMA. Tetrandria Monogynia.					
campanuliflora. D.D.	(bl) bell-flowered.	Brazil.	1825.	2. 10.	S. 4.	Bot. mag. t. 2840.
Hedyotis campanuliflora. p. 263. Æginetia capitata. Gr.						

PROTEACEÆ. p. 443.

SIMSIA. B.P.	SIMSIA. Tetrandria Monogynia.					
anethifolia. B.P.	(ye.) Dill-leaved.	N. Holland.	1825.		G. 4.	
ANADENIA. B.P.	ANADENIA. Tetrandria Monogynia.					
pulchella. B.P.	(ro.) pretty.	N. Holland.	1824.		G. 4.	
GUEVINA. Mol.	GUEVINA. Tetrandria Monogynia.					
Avellana. L.T.	(st.) variable-leaved.	Chile.	1826.		G. 4.	Feuil. per. 3. t. 33.
Quadraria heterophylla. Flor. per. 1. t. 99. f. b.						

NATURAL ORDER NOT DETERMINED.

BREXIA. B.R.	BREXIA. Pentandria Monogynia.					
1 spinosa. B.R.	(wh.) spiny-leaved.	Madagascar.	1815.	7. 8.	S. 4.	Bot. reg. t. 872.
2 madagascariensis.	(wh.) Madagascar.	—	—	—	S. 4.	— t. 730.
Vexera madagascariensis. Lamarck.						
3 chrysophylla.	(wh.) golden-leaved.	—	1820.		S. 4.	
LAUROPHYLLUS. Th. LAUROPHYLLUS. Polygamia Dioecia.						
capensis. W.	(gr.) Cape.	C. B. S.	1801.		G. 4.	
PORANTHERA. L.T. PORANTHERA. Pentandria Trigynia.						
ericifolia. L.T.	(st.) Heath-leaved.	N. S. W.	1825.	5. 8.	G. 4.	Linn. trans. 10. t. 22. f. 2

- PHLO'X. p. 368. LYCHNIDEA.
 36 speciòsa. B.R. (ro.) showy. N. America. 1827. 5. 7. H. 4. Bot. reg. t. 1351.
- STERC'ULIA. p. 66. STERC'ULIA.
 Tragacantha. B.R. (st.) Tragacanth-tree. Sierra Leone. 1822. 5. 6. S. ½. Bot. reg. t. 1353.
- SCI'LLA. p. 527. SQUILL.
 34 plúmbea. B.R. (bl.) lead-coloured. C. B. S.? 1812. 4. 6. F. b. Bot. reg. t. 1355.
- LOB'ELIA. p. 322. LOB'ELIA.
 85 Kraúsii. B.M. (sc.) Krauss's. St. Domingo. 1828. 1. 3. S. 4. Bot. mag. t. 3012.
- VANGU'ERIA. p. 260. VANGU'ERIA.
 3 velutina. B.M. (gr.) velvety. Madagascar. 1828. 5. 6. S. ½. Bot. mag. t. 3014.
- BRACHYSTE'LMA. p. 359. BRACHYSTE'LMA.
 2 spathulatum. B.R. (br.) spatulate-leaved. C. B. S. 1824. 8. 10. D. G. 4. Bot. reg. t. 1113.
 3 crispum. B.M. (br. y.) wave-leaved. ——— 1829. ——— D. G. 4. Bot. mag. t. 3016.
- CEROP'EGIA. p. 359. CEROP'EGIA.
 9 elegans. B.M. (pu.) elegant. E. Indies. 1828. 8. 10. S. ½. Bot. mag. t. 3015.
- ENCY'CLIA. p. 490. ENCY'CLIA.
 2 pápens. B.M. (br.) spreading-flowered. Brazil. 1829. 4. 8. S. 4. Bot. mag. t. 3013.
- Omitted at page 378.
- COLD'ENIA. L. COLD'ENIA. Tetrandria Tetragynia.
 procumbens. L. (wh.) procumbent. E. Indies. 1699. 7. 8. S. ⊙. Lamarck. illus. t. 89.
- Page 75.
- G'ELA. Lour. G'ELA. Octandria Monogynia
 lanceolata. B.C. (st.) spear-leaved. China. 1820. 4. 8. G. ½. Lodd. bot. cab. t. 932.
Ximènia? lanceolata. DC. *Sèlas lanceolata*. s.s.
- Page 364.
- OPHIORRH'IZA. L. SNAKE-ROOT.
 Múngos. L. (wh.) petiolate. E. Indies. 1820. 5. 8. S. 4.

INDEX GENERUM.

	Page.		Page.		Page.		Page.
' <i>Abies</i>	475	<i>Adámsia</i>	525	<i>Agrimònia</i>	192	<i>Alternanthera</i> ..	432
ABIE'TINÆ ..	474	<i>Adansònia</i>	65	<i>Agropyrum</i>	565	<i>Alternanthera</i> ..	432
<i>Abildgaárdia</i> ..	550, 597	<i>Adèlia</i>	459	<i>Agrostemma</i>	54	<i>Alth'ea</i>	60
<i>Abròma</i>	67	<i>Adèlia</i>	460	<i>Agrostemma</i>	54	<i>Alysicárpus</i>	152
<i>Abrònia</i>	430	<i>Adenándra</i>	105	<i>Agróstis</i>	556	ALYSS'INÆ ..	24
<i>A'brus</i>	156	<i>Adenándra</i>	106	<i>Agróstis</i> 554, 555, 556,		<i>Aly'ssum</i>	25
<i>Abùta</i>	16	<i>Adenanthèra</i>	164	557, 559, 571		<i>Aly'ssum</i> ..	24, 25, 31
<i>Abùtilon</i>	64	<i>Adenánthos</i>	446	<i>Agynèja</i>	458	<i>Aly'xia</i>	353
<i>Acàcia</i> ..	164, 589	<i>Adenàrium</i>	57	<i>Ailanthus</i>	121	AMARANTH'ACEÆ	
<i>Acàcia</i> ..	162, 163	<i>Adenocárpus</i>	131	<i>Aíra</i>	559		430
<i>Ac'æna</i>	192	<i>Adenóphora</i>	325	<i>Aíra</i> 559, 560, 567, 568,		<i>Amaránthus</i>	430
<i>Acálypha</i>	456	<i>Adenóstiles</i>	302		569, 571	<i>Amaránthus</i>	431
ACANTH'ACEÆ	419	<i>Adenotrícha</i>	304	<i>Airópsis</i>	560	AMARYLL'IDÆ	
<i>Acánthus</i>	419	<i>Adésmia</i>	149	<i>Airópsis</i>	560		505
<i>Acárna</i>	285	<i>Adiántum</i>	582, 599	<i>Aitònia</i>	85	<i>Amary'llis</i>	506
' <i>Acer</i>	82	<i>Adína</i>	263	<i>Aizoon</i>	234	<i>Amary'llis</i> 505, 506, 509,	
' <i>Acer</i>	82	<i>Adlúmia</i>	20	<i>Aizoon</i>	234	510, 511, 512, 532	
<i>A'ceras</i>	483	<i>Adónis</i>	4	<i>A'jax</i>	514	<i>Amasònia</i>	417
<i>Acérates</i>	361	<i>Adóxa</i>	242	<i>Ajúga</i>	402	<i>Amblirion</i>	538
<i>Acerátium</i>	71	<i>Adysèton</i>	25	<i>Ajúga</i>	407	AMBROS'ACEÆ ..	314
ACER'INÆ ..	82	<i>Ægicèras</i>	348	AJUGO'IDÆ ..	402	<i>Ambròsia</i>	314
<i>Achània</i>	61	<i>Ægilops</i>	566	ALANG'IEÆ ..	206	<i>Ambrosínia</i>	481
<i>Achillèa</i>	319	<i>Æginètia</i>	599	<i>Alángium</i>	206	<i>Amelánchier</i>	177
<i>Achillèa</i>	316	<i>Ægiphila</i>	416	<i>Albùca</i>	525	<i>Améllus</i>	298
<i>Achímenes</i>	390	' <i>Ægle</i>	75	<i>Alchimilla</i>	192	<i>Améllus</i>	298
<i>A'chlys</i>	584	<i>Ægopòdium</i>	245	<i>Alcina</i>	313	<i>Amerímnum</i>	162
<i>Achnodónton</i>	554	<i>Ægopògon</i>	558	<i>Aldèa</i>	380	<i>Amerímnum</i> 143, 161	
' <i>Achras</i>	349	<i>Æollánthus</i>	414	<i>Aldrovánda</i>	46	<i>Amethy'stea</i>	403
<i>Achyránthes</i>	432	<i>Æránthes</i>	491	<i>Alètris</i>	517	<i>Ammánia</i>	201
<i>Achyránthes</i> 431, 432,		<i>Ærèides</i>	491	<i>Alètris</i>	517	<i>A'mmi</i>	245
.....	433	<i>Æ'rua</i>	432	<i>Aleurites</i>	458	<i>A'mmi</i> 245, 246, 248, 591	
<i>Achyrònia</i>	127	<i>Æschynómene</i> ..	149	<i>Aleurites</i>	457	AMM'INÆ ..	244
<i>Achyróphorus</i>	276	<i>Æschynómene</i> 143, 148,		ALH'AGEÆ ..	15	<i>Ammòbium</i>	291
<i>Aciánthus</i>	486		150	<i>Alhàgi</i>	152	<i>Ammócharis</i>	510
<i>Acicárpha</i>	271	<i>Æ'sculus</i>	83	<i>Alisma</i>	477	<i>Ammyrsine</i>	344
<i>Acidòton</i>	456	<i>Æ'sculus</i>	83	<i>Alisma</i>	477	<i>Amòmum</i>	492
<i>Acilèpis</i>	284	<i>Ætheilèma</i>	420	ALISM'ACEÆ	477	<i>Amòmum</i> ..	492, 493
<i>Acìotìs</i>	204	<i>Æthionèma</i> ..	32, 585	<i>Allamánda</i>	354	<i>Amòra</i>	86
' <i>Acis</i>	516	<i>Æthònia</i>	275	<i>Allantòdia</i>	580	<i>Amórpha</i>	142
<i>Acisanthèra</i>	202	<i>Æthùsa</i>	247	<i>Alliària</i>	30	AMPELI'DEÆ	86
<i>Aemadènia</i>	106	<i>Æthùsa</i>	245	<i>Alliònia</i>	430	<i>Ampelópsis</i>	87
<i>Aemèlla</i>	307	<i>Afzèlia</i>	171	<i>Alliònia</i>	429	<i>Ampherèphis</i>	288
<i>Aemèna</i>	212	<i>Afzèlia</i>	86, 396	<i>A'llium</i> ..	530, 596	<i>Amphicárpæa</i> ..	156
<i>Aenida</i>	436	<i>Agapánthus</i>	517	<i>Allosòrus</i>	582	<i>Amphilòphium</i> ..	366
<i>Aconitum</i>	9, 584	<i>Agapánthus</i>	530	<i>A'lnus</i>	468	<i>Amphipògon</i> ..	555
<i>A'corus</i>	480	<i>Agástachys</i>	446	<i>A'loe</i>	518	<i>A'mphodus</i>	157
<i>Acrocéphalus</i>	414	<i>Agasy'llis</i>	252	<i>A'loe</i> 517, 519, 520, 521		<i>Amsònia</i>	355
<i>Acrocòmia</i>	543	<i>Agath'æa</i>	305	<i>Alòmia</i>	301	AMYDAL'INÆ	173
<i>Acroglóchin</i>	434	<i>A'gathis</i>	474	<i>Alonsòa</i>	394	<i>Amy'dalus</i>	173
<i>Acróstichum</i> 577, 598		<i>Agathélpis</i>	415	<i>Alopecùrus</i>	554	AMYRI'DEÆ ..	119
<i>Acróstichum</i> 578, 581		<i>Agathósma</i>	106	<i>Alopecùrus</i> ..	553, 557	<i>Am'yris</i>	119
<i>Acrótriche</i>	346	<i>Agathy'rsus</i>	277	<i>Aloy'sia</i>	418	<i>Am'yris</i>	119
<i>Act'æa</i>	11	<i>Agàti</i>	143	<i>Alpinia</i>	493	<i>Anábasis</i>	434
<i>Act'æa</i>	11	<i>Agàve</i>	534	<i>Alpinia</i>	493	<i>Anacámpseros</i> ..	219
<i>Actinèlla</i>	322	<i>Agàre</i>	534	<i>Alsine</i>	55, 56	<i>Anacámpseros</i> ..	225
<i>Actinocárpus</i>	477	<i>Agènora</i>	276	ALS'INÆ ..	54	<i>Anacámpsis</i>	483
<i>Actinóchloa</i>	571	<i>Agerátum</i>	301	<i>Alsodèia</i>	45	<i>Anacárdium</i>	117
<i>Actinómeris</i>	309	<i>Agerátum</i>	301	ALSOD'INÆ ..	45	<i>Anac'yclus</i>	318
<i>Actinophy'llum</i> ..	256	<i>Aglàia</i>	75	<i>Alsóphila</i>	583	<i>Anadènia</i>	599
<i>Actinòtus</i>	243	<i>Agònis</i>	209	<i>Alsóphila</i>	579	<i>Anagállis</i>	425
<i>Ac'ynos</i>	409	<i>Agraùlus</i>	556	<i>Alstònia</i>	355	<i>Anag'yris</i>	122
<i>Adámia</i>	591	<i>Agrimònia</i>	192	<i>Alstræmèria</i>	516	<i>Ananássa</i>	534

	Page.		Page.		Page.		Page.
Anántherix	361	Anthéricum	524	Arduina	353	Astartèa	207
Anarrhinum	390	Anthéricum	524, 525, 526	Arèca	543	Astélma	292
Anastática	28	Anthistíria	561	Arèca	543	Astélma	292
Anastática	28	Anthistíria	561	Aremònia	192	Astéphanus	302
ANASTATI'CEÆ	28	Anthocércis	380	Arenària	56, 856	A'ster	295
Anathèrum	561	A'nthodon	79	Arenària	56, 57	A'ster	294, 295, 297
Anchiétia	599	Antholòma	79	Arethusa	486	AST'EREÆ	288
ANCHON'IEÆ	32	Anthol'ya	500	Arètia	425	Asterocéphalus	270
Anchusa	377	Anthol'ya	500	Argània	349	Asterolìnon	425
Anchusa	376, 377, 378	Anthospèrmum	265	Argemone	19	Astilbe	242
Ancistrocàrpus	433	Anthoxànthum	553	Argemone	19	ASTR'AGALEÆ	145
Andersonia	345	Anthriscus	254, 591	Argyreia	373	Astrágalus	145, 589
Andira	168	Anthriscus	254	Argyroch'æta	314	Astrágalus	122, 145, 151
Andràchne	459	Anthyllis	132, 589	Aristea	499	Astránthus	117
Andreóskia	29	Anthyllis	128, 147, 152	Aristida	558	Astrántia	244
Androcýmbium	539	Antidésma	460	Aristida	557, 558	Astrántia	244
Andromúchia	298	ANTIDE'SMEÆ	460	Aristolòchia	451	Astrap'æa	69
Andrómeda	331, 593	Antiphy'lla	241	Aristotèlia	117	Astrocàryum	544
Andrómeda	331, 332	Antirrhinum	390	Armeniaca	174	Astrolòbium	148
Andropògon	561	Antirrhinum	390	Armèria	426, 427	Astrolòma	346
Andropògon	560, 561	Antròphyum	582	Armoràcia	26	Astronium	119
Androsàce	425	Aòtus	124	A'rnica	299	Astrótricha	243
Androsàce	425	Apalatòia	172	A'rnica	299	Astydamia	251
Andros'æmum	76	Apàrgia	274	Arnopògon	279	Atalánthus	277
Andr'yala	274	Apàrgia	275	Arnóseris	275	Atalántia	75
Andr'yala	274	Apèiba	71	AROIDEÆ	475	Athamánta	248
Aneilèma	542	Aphànes	192	Arònia	177	Athamánta	248, 250, 255
Aneimia	577, 598	Aphanochilus	400	Arpítium	591	Athanàsia	315
Anemone	3	Aphelándra	420	Arracàcia	255	Atheropògon	571
Anemone	3	Apheléxis	293	Arrhenathèrum	562	Athríxia	307
Anesorhiza	247	Aphyllánthes	532	Artabòtrys	15	Atráctylis	285
Anèthum	251	Apiera	521	Artèdia	253	Atráctylis	280, 285
Anèthum	247	Apios	157	Artemisia	316	Atragène	2
Angélica	249	Apios	157	Arthropodium	525	Atragène	3
Angélica	218, 249, 251	Apium	245	Arthrostemma	204	Atraphaxis	438
ANG'ELICEÆ	249	Aplèctrum	595	Arthrostemma	203	Atrèma	276
Angelonia	394	Aplophy'llum	105, 588	Artocàrpus	462	A'triplex	435
Angiánthus	288	Apluda	561	'Arum	480	A'tropa	383
Angóphora	209	Apluda	561	'Arum	481	A'tropa	383, 384, 388
Angr'æcum	490	APOC'INEÆ	353	Arundinària	574	Attàlea	544
Anguillària	539	Apócynum	356	Arúndo	574	Aublètia	71
Angulòia	488	Apócynum	361	Arúndo	555, 556, 559, 567, 569, 574	Aubriètia	24
Angùria	216	Aponogèton	478	Arungàna	76	Aucuba	592
Anigozánthus	504	AQUIFOLI'ACEÆ	110	ASA'RINEÆ	451	Audibértia	399
Anisánthus	590	Aquilària	117	A'sarum	451	Audouínia	116
Anisochilus	414	AQUILARINEÆ	117	Ascaricida	289	Aúlux	442
Anisòdus	383	Aquilègia	8	ASCLEPTADEÆ	355	Aulaxis	249
Anisómeles	403	A'rabis	22, 485	Asclèpias	360, 394	AURANTI'ACEÆ	75
Anisómeles	407	ARABI'DEÆ	21	Asclèpias	360, 361	Avèna	567
Anisopétalum	488	A'rachis	167	Ascyrum	77	Avèna	557, 562, 567, 568
Anisum	246, 247	A'rachis	149	Asímima	14	Averrhòia	102
Anneslèa	17	Aràlia	256	Aspálathus	129	Avicènnia	419
Anneslèia	163	Aràlia	256, 257	Aspàracus	533	Axonopus	564
Annòna	14, 15	ARALI'ACEÆ	256	Asperugo	377	A'xyris	437
Anòda	63	Araucària	474	Asperugo	377	A'xyris	437
Anòda	63	A'rbutus	331	Aspérula	266, 592	Ayènia	67
Anodóntea	25	A'rbutus	330	Aspérula	264	Azàlea	344
Anomathèca	499	Archangélica	249	ASPHOD'ELEÆ	524	Azàlea	343, 344
Anòna	14	Archemòra	251	Asphòdelus	524	Azima	261
ANON'ACEÆ	14	A'rtium	280	Asphòdelus	524	Azorèlla	243
Anópterus	239	A'rtium	284	Aspidistra	480	Babiàna	498
Anredèra	434	Arctòpus	255	Aspidium	579	Bacàzia	280, 592
Antennària	291	Arctostáphylos	330	Aspidium	579, 580	Baccharis	289
ANTHEMI'DEÆ	315	Arctotheca	312	Asplénium	580, 598	Baccharis	289, 290
A'nthemis	318	Arctòtis	312	Asplénium	581, 582	Báctris	544
A'nthemis	317, 318, 319, 321	Ardisia	348	Asprèlla	567	Báctris	210
Anthéphora	563			Assonia	69	Bæ'ckia	104

	Page.		Page.		Page.		Page.
Balbisia	308	Besleria	329	Botry'ceras	417	Buchnera	391
Ballota	405	Beta	436	Botry'chium	576	Buchnera	391
Ballota .. 405,	414	Betonica	406	Bouteloua	571	Bucholzia	432
Balsamina	101	BETULINEÆ	467	Bouvardia	263	Bucida	195
BALSAMINEÆ	101	Bétula	467	Bowia	520	Buddlea	389
Balsamita	315	Beurreria	379	Bowlisia	243	Bullonia	54
Balsamodendron	120	Bidens	311	Brachyum	446	Bulbine	525
Baltimora	314	Bidens	306	Brachyach'yris ..	298	Bulbocodium	539
Bambusa	574	Bitoris	256	Brachelytrum ..	559	Bulbocodium	539
Bambusa	574	Bigelovia	265	Brachyl'ana ..	289	Bulliarda	222
Banisteria	81	Bignonia	365	Brachypodium ..	573	Bumalda	109
BANISTERI'Æ ..	81	Bignonia 353, 365,	366	Brachypodium ..	572	Bumelia	348
Banksia	447	BIGNONTACEÆ		Brach'yris	298	Bunchosia	81
Baphia	162		365	Brachysema	123	BUNTADÆ ..	36
Baptisia 123,	589	Billardiæra	48	Brachystelma 359,	600	Bunias	36
Baptisia	122	Billbergia	534	Bradleja	458	Bunias 28,	35
Barbacenia	505	Billottia	210	Brandesia	423	Bunium	246
Barbarea	22	Biophytum	102	Brasenia	17	Bunium 245, 246,	247,
Barkhausia	278	Biscutella	27	Brassavola	490		249
Barleria	420	Biscutella	28	Brassia	488	Buonapartea .. 586,	597
Barnardia	527	Biserrula	148	Brassica	33	Buonapartea	584
Barosma	105	Bivon'æa	32	Brassica .. 31, 31,	35	Buphone	510
Barringtonia	213	Bixa	40	BRASSI'CEÆ ..	33	Buphthalmum ..	309
Barringtonia	213	BIXINEÆ ..	40	Braya 22,	485	Buphthalmum ..	309
BARRINGTONI'Æ ..	213	Blackwellia 116,	588	Bræxia	599	Bupleurum	246
Bartholina	484	Bl'aria	332	Bridelia	459	Bupleurum .. 247,	251
Bartonia	218	Bl'aria	332	Brignolia	247	Burchardia	539
Bartsia	395	Blakea	206	Briza	570	Burchellia	262
Bartsia	395	Blandfordia	517	Briza	570	Burglaria	111
Baryosma	168	Bléchnum .. 581,	598	Brodia'ea	517	Burmanna	546
Basella	443	Bléchnum	581	Brodia'ea	532	Bursaria	48
Basella	434	Bléchnum	420	Brogniartia	168	Bursera	120
Bassia	349	Blépharis	419	Bromelia	535	BURSERACEÆ ..	120
Bastardia	64	Blephilia	404	Bromelia	535	Burtonia	124
Batschia	374	Blétia	487	BROMELIACEÆ ..		Butea	161
Bauera	243	Blighia	84		534	BUTOMEÆ ..	477
Bauhinia	172	Blitum	436	Bròmus	573	Butomus	477
Beaufortia	207	Blumenbachia ..	218	Bròmus	573	Butneria	67
Beaumontia	356	Bobartia	497	Brósimum	462	BUTTNERIACEÆ ..	
Beckmannia	564	Bocconia	19	Bross'æa	332		66
Befaria	345	Bocconia	19	Brotera	288	BUTNERIÆ ..	67
Begonia .. 437,	595	Bœbæra	305	Bròtera .. 69,	287,	Buxus	456
BEGONTACEÆ ..	437	Bœhméria	462	Broughtonia	490	Buxus	472
Behrnia	274	Bœobotrys	347	Broussonetia	462	B'yblis	46
Bejaria	345	Boerhaavia	430	Broussonetia .. 122,	462	Byrsónima	80
Belis	475	Boerhaavia	430	Browallia	394	Bystropogon ..	401
Belladonna	506	Boldoa	430	Bròwnia	168	Cabomba	17
Bellevàlia	528	Boltonia	298	Brownlowia	71	Cabrera	568
Bellidiástrum ..	299	BOMBACEÆ ..	65	Brúcea	121	Cacalia	302
Bellinia	383	Bombax	66	Brúcea	121	Cacalia 302,	303
Bellis	299	Bombax 66,	73	Brugmansia	383	Cachrys	255
Bellium	299	Bonatea	484	Brunellia	121	Cachrys 244, 249,	252,
Benincasa	214	Bonnaya	396	Brunfelsia	389		255
Berardia	116	Bonplandia	594	Brùnia	115	CA'CTEÆ ..	235
Berardia	284	Bontia	419	Brùnia	115	Cactus 235, 236,	237,
BERBERI'DEÆ ..	16	BORAGINEÆ ..	375	BRUNFACEÆ ..	115	238	
Berberis .. 16,	581	Borago	378	Brunnichia	438	Cacoucia	196
Berchemia	112	Borago	378	Brunsvigia .. 510,	596	Cadia	169
Berckheya	312	Borassus	544	Brunstigia	510	Calestina	301
Bergenia	239	Borbônia	126	Br'ya	162	Cænópteris	581
Bergera	75	Borbônia .. 126,	127	Bryonia	214	Casalpina	168
Bergia	55	Borkhousenia ..	389	Bryonia	214	Casalpina .. 168,	169
Beringeria	405	Boronia	107	Bryophyllum ..	224	CÆSALPI'NEÆ ..	167
Bernhardia	576	Borya	460	Bubon	251	C'æsia	525
Berrya	71	Bóscia	38	Bubon .. 247,	248,	Cæsulia	288
Berteroa	24	Bòsea	436	Bubon .. 247,	248,	Cajanus	159
Berthollétia	213	Bossi'æa	126	Bubroma	67	Cakile	28
Berzèlia	115	Boswellia	120	Bucco	106	Cakile	36
				Buchanania	117	CAKILI'NEÆ	28

	Page.		Page.		Page.		Page.
<i>Chàra</i>	575	<i>Cibotium</i>	599	COBETACEÆ ..	367	<i>Cònium</i> 247, 251, 255	
CHARACEÆ ..	575	<i>Cicca</i>	456	<i>Coburgia</i>	513	CONNARACEÆ	
<i>Chardinia</i>	291	<i>Cicéndia</i>	364	<i>Coccocypselum</i> ..	262		121
<i>Charlwoodia</i>	533	<i>Cicer</i>	153	<i>Coccocypselum</i> ..	262	<i>Connarus</i>	121
<i>Chasmonia</i>	405	<i>Cicer</i>	154	<i>Coccoloba</i>	438	<i>Conocarpus</i>	196
<i>Cheilanthes</i> ..	583, 599	CICHORACEÆ ..	271	<i>Cocculus</i>	15	<i>Conocéphalus</i>	462
<i>Cheiranthus</i>	21	<i>Cichorium</i>	279	<i>Cocculus</i>	15	<i>Conospermum</i> ..	446
<i>Cheiranthus</i> 22, 29, 30		<i>Cicòonium</i>	100	<i>Cochleària</i>	26	<i>Conostegia</i>	205
..... 31, 32, 37		<i>Cicuta</i>	244	<i>Cochleària</i> ..	26, 31	<i>Conostylis</i>	504
<i>Cheirinia</i> ..	29, 30, 31	<i>Ciliària</i>	210	<i>Cochlospermum</i> ..	73	<i>Conringia</i>	31
<i>Cheirostemon</i>	66	<i>Cimicifuga</i>	11	<i>Cocos</i>	544	<i>Convallària</i>	523
<i>Chelidonium</i>	19	CINCHONEÆ ..	262	<i>Cocos</i>	543, 544	<i>Convallària</i>	523
<i>Chelidonium</i>	19	<i>Cinchona</i> ..	260, 262	<i>Codonium</i>	172	CONVOLVULACEÆ	
<i>Chelone</i>	393	<i>Cinerària</i>	304	<i>Codon</i>	383		369
<i>Chenolea</i>	434	<i>Cinerària</i> ..	304, 305	<i>Codonophora</i>	329	<i>Convolvulus</i>	369
CHENOPODEÆ 433		<i>Cinua</i>	557	<i>Cologyne</i>	488	<i>Convolvulus</i> 370, 371,	
<i>Chenopodium</i> ..	434	<i>Cinnamomum</i> ..	441	CALOSPERMEÆ 256		 372, 373	
<i>Chenopodium</i> 431, 434		<i>Circæa</i>	200	<i>Collæa</i>	264	<i>Conyza</i>	289
<i>Cherleria</i>	57	CIRCEÆ	200	<i>Coffea</i>	264	<i>Conyza</i>	289, 294
<i>Chilochloa</i>	554	<i>Cirrhæa</i>	488	COFFEACEÆ	263	<i>Cobkia</i>	75
<i>Chilochloa</i>	554	<i>Cirsium</i>	282	<i>Coin</i>	574	<i>Copaifera</i>	171
<i>Chiloglottis</i>	486	<i>Cissampelos</i>	15	<i>Colbertia</i>	13	<i>Coptis</i>	7, 584
<i>Chilopsis</i>	365	<i>Cissampelos</i>	16	<i>Colchicum</i>	539	<i>Coralorrhiza</i> ..	487
<i>Chimaphila</i>	341	<i>Cissus</i>	86	<i>Colchicum</i>	539	<i>Corbularia</i>	514
<i>Chimonanthus</i> ..	195	<i>Cissus</i>	87	<i>Coldenia</i>	600	<i>Corchorus</i>	70
<i>Chiococca</i>	264	CISTINEÆ ..	40	<i>Coleanthus</i>	554	<i>Corchorus</i>	194
<i>Chionanthus</i>	351	<i>Cistus</i>	40	<i>Colebrookia</i>	400	<i>Cordia</i>	379
<i>Chiranthodendron</i>	66	<i>Cistus</i>	41, 42	<i>Coleonema</i>	106	<i>Cordia</i>	380
<i>Chironia</i>	363	<i>Citharoxylum</i> ..	417	<i>Coleus</i>	413	<i>Cordylone</i>	534
<i>Chlamysporum</i> ..	532	<i>Citrus</i>	75	<i>Collæa</i>	140	<i>Cordylocarpus</i> ..	36
CHLENACEÆ 72		<i>Cladanthus</i> 319, 592		<i>Collæta</i>	113	<i>Corèma</i>	460
<i>Chlidanthus</i>	513	<i>Cladium</i>	550	<i>Collæta</i>	113	<i>Corèopsis</i>	311
<i>Chloanthus</i>	417	<i>Cladostachys</i>	91	<i>Collinsia</i>	390	<i>Corèopsis</i> 307, 309, 311	
<i>Chlora</i>	363	<i>Clarkia</i>	199	<i>Collinsonia</i>	412	CORIANDREÆ ..	256
CHLORANTHÆ		<i>Clausenia</i>	75	<i>Collomia</i>	368	<i>Coriandrum</i>	256
..... 259		<i>Clavija</i>	353	<i>Colobachne</i>	557	<i>Coriandrum</i>	256
<i>Chloranthus</i>	259	<i>Claytonia</i>	220	<i>Cologania</i>	140	CORIARIEÆ ..	109
<i>Chloraster</i>	516	CLEMATIDÆ ..	1	<i>Colophonia</i>	120	<i>Coriaria</i>	109
<i>Chlòris</i>	562	<i>Clématis</i>	1, 584	<i>Colpodium</i>	557	<i>Còrion</i>	256
<i>Chlòris</i> ..	562, 571	<i>Clématis</i>	2	<i>Colubrina</i>	113	<i>Còris</i>	425
<i>Chlorophytum</i> ..	525	<i>Cleome</i>	37, 585	<i>Columellia</i>	308	<i>Corispèrmum</i> ..	436
<i>Chloroxylon</i> ..	86	<i>Cleome</i> ..	31, 37, 38	<i>Columnea</i>	390	<i>Cornucopiæ</i>	552
<i>Chomelia</i>	264	CLEOMEÆ	37	<i>Coluria</i>	189	<i>Còrnus</i>	257
<i>Chondrilla</i>	277	<i>Cleonia</i>	410	<i>Colutea</i>	144	<i>Cornutia</i>	417
<i>Chondrøsea</i>	240	<i>Clerodendrum</i> ..	415	<i>Colutea</i>	144	<i>Cornutia</i>	417
<i>Chondrosium</i> ..	571	<i>Clèthra</i>	332	<i>Comandra</i>	450	COROLLIFLOREÆ	
<i>Chorisma</i>	274	<i>Cleyera</i>	72	<i>Comaropsis</i>	189		347
<i>Chorispora</i>	28	<i>Clidemia</i>	205	<i>Cómarum</i>	192	<i>Coronilla</i>	148
<i>Chorizema</i>	123	<i>Cliffortia</i>	193	COMBRETACEÆ		<i>Coronilla</i>	143
<i>Chorozema</i>	123	<i>Cliftonia</i>	332		195	CORONILLEÆ ..	148
<i>Christia</i>	149	<i>Clinopodium</i>	409	<i>Combretum</i>	196	<i>Coronopus</i>	31
<i>Chrysanthellum</i> ..	308	<i>Clintonia</i>	324	<i>Combretum</i> 196, 590		<i>Corrèa</i>	107
<i>Chrysanthemum</i>	320	<i>Clitoria</i>	140	<i>Comesperma</i>	47	<i>Corrigiola</i>	220
<i>Chrysanthemum</i> 321,		<i>Clitoria</i>	140	<i>Commelina</i> ..	542, 597	<i>Cortusa</i>	423
..... 322		CLITORIÆ	138	<i>Commelina</i> ..	541, 542	<i>Còrybas</i>	487
<i>Chrysiphiala</i>	513	<i>Clivia</i>	516	COMMELINEÆ 541		<i>Corycarpus</i>	571
CHRYSOBALA-		<i>Clusia</i>	78	<i>Commersonia</i>	67	<i>Corycium</i>	485
NEÆ	173	CLUSIÆ	78	<i>Commersonia</i>	67	<i>Corydalis</i>	20
<i>Chrysobalanus</i> ..	173	<i>Cluytia</i>	459	<i>Comocladia</i>	119	<i>Còrylus</i>	467
<i>Chrysocoma</i>	298	<i>Clypeola</i>	25	COMPOSITÆ ..	271	<i>Corynella</i>	144
<i>Chrysocoma</i> 291, 298		<i>Cnemidostachys</i> ..	460	<i>Comptonia</i>	472	<i>Corynéphorus</i> ..	560
<i>Chrysophyllum</i> ..	349	<i>Cneorum</i>	121	<i>Conanthera</i>	532	<i>Còrypha</i>	543
<i>Chrysopogon</i>	561	<i>Cnéstis</i>	121	<i>Cónchium</i>	447	<i>Còrypha</i>	542, 543
<i>Chrysopsis</i>	291	<i>Cnicus</i> ..	282, 283, 287	<i>Condalia</i>	112	<i>Corysanthes</i> ..	487
<i>Chrysopsis</i>	295	<i>Cnidium</i>	248	<i>Condylocarpus</i> ..	252	<i>Cosciniun</i>	15
<i>Chrysosplenium</i> ..	242	<i>Cnidium</i>	248, 249	CONIFERÆ ..	473	<i>Còsmos</i>	310
<i>Chrysurus</i>	562	<i>Cnidioscolus</i>	457	<i>Conioselinum</i>	249	<i>Còsmica</i>	311
<i>Chuquiraga</i> 280, 592		<i>Cobæa</i>	367	<i>Cònium</i>	255	<i>Cosmelia</i>	345

	Page.		Page.		Page.		Page.
Cossígnia	84	CUCURBITACEÆ	213	Cy'phia	324	Deschámpsia ..	559
Cóstus	492	Cullùmia	312	Cypripèdium ..	491	Desmánthus	163
Cotoneáster	176	CUMINEÆ	252	Cyrilla	332	Desmoch'æta ..	432
Cótula	318	Cumìnum	252	Cyrilla	390	Desmoch'æta ..	432
Cótula	318	Cummingia	352	Cyrtánthus	512	Desmòdium	140
Cotylèdon	224	Cùnila	404	Cyrtánthus	512	Desmòdium	149
Cotylèdon	225	Cùnila	404	Cyrtopòdium ..	488	Desmóneus	544
Coulterà	168	Cunninghàmia ..	475	Cyrtóstylis	486	DET'ARIEÆ	173
Coumarolína	168	Cunònia	243	Cysticápnos ..	20	Detàrium	173
Couroúpita	213	CUNONTACEÆ ..	242	CYTI'NEÆ	452	Devaúxia	547
Coursétia	143	Cupània	84	Cy'tisus	130	Devèrra	247
Coutària	262	Cùphea	202	Cy'tisus 123, 126, 131,		Diàlium	172
Coutoúbea	364	CUPRE'SSINEÆ ..	473	 143, 144, 159		Dianélla	532
Crámbe	35	Cupréssus	474	Czáckia	524	Diánthus .. 49,	586
Craniolària	367	Cupréssus	474	Dacry'dium	473	Diapénsia	342
Craniótome	407	CUPULIFERÆ ..	465	Dactylánthes ..	453	Diapénsia	342
Crássula	222	Curatèlla	13	Dáctylis	570	Diarrhèna	571
Crássula 222, 223, 224,		Curcùligo	505	Dáctylis .. 553,	574	Diàscia	394
..... 226		Curcùma	491	Dactyloctènium ..	571	Diàsia	502
CRASSULACEÆ	222	Curtisia	111	Dáhlia	310	Diastella	444
Crat'ægus 175, 176, 177		Curtogyne	223	D'æmia	361	Dicèra	72
Crat'æva	38	Curtopògon	558	Dàis	449	Dicérma	151
Creòdus	259	Cuscùta	373	Dalbèrgia	161	Dichilus	128
Crepidària	452	CUSP'ARIEÆ	108	Dalbèrgia	142	Dichóndra	373
Crèpis	273, 592	Cussònia	256	DALBERGLI'Æ ..	161	Dichorisàndra ..	126
Crèpis 273, 274, 275,		Cyámus	17	Dàlea	141	Dichromèna	597
..... 276, 278, 279		Cyanélla	532	Dàlea	141	Dicksònia	583
Crescéntia	389	Cyanòtis	542	Dalechámptia ..	456	Dicksònia	583
Crescéntia	389	Cyànus	286	Dalibárda	189	Diclíptera	422
Créssa	373	Cyathèa	583	Dalibárda	189	Diclytra	20
Crinum	511	Cyathèa	579	Dalry'mplea	109	DICOTYLED'ONÆ ..	1
Crinum	513, 532	Cyathòdes	346	Dalry'mplea	109	Dictámnus .. 105,	588
Cristària	63	CYCADÆÆ	476	Damasòonium ..	476	Didélta	312
Críthmum	249	C'ycas	476	Damasòonium ..	477	Didiscus	243
Críthmum	251	Cy'clamen	423	Dámmara	474	DIDYMOCA'RPEÆ ..	367
Critònia	290	Cyclánthus	400	Dampièra	325	 367	
Cròcus	503, 596	Cyclobóthra	538	Dan'æa	598	Didymocárpus ..	367
Crossàndra	420	Cyclòpia	123	Danthònia	567	Diervílla	258
Crotalària	127	Cydònia	178	Danthònia	567	Diètes	497
Crotalària 123, 126, 128		Cylipògon	141	Dáphne	448	Digitàlis	392
Cròton	457	Cylista	160	Darèa	581	Digitàlis	558
Cròton .. 456, 457, 458		Cymàtion	540	Darlingtonia	163	Digitària	559
Crówea	107	Cymbáchne	561	Darwínia	207	Digitària	559
Crozóphora	457	Cymbària	390	Dasystèmon	222	Digráphis	559
Crucianélla	265	Cymbídium	488	Datísca	39	Dilàtris	504
CRUCIFERÆ	21	Cymbídium 487, 488, 489		DATI'SCEÆ	39	Dilàtris	504
Crúdya	172	Cymbopògon	561	Datùra	383	Dilep'yrum	559
Crupina	285	Cymbùrus	418	Datùra	383	Dillènia	13
Cry'psis	557	Cyminósma	107	Daubentònia	144	Dillènia	13
Cryptàndra	114	Cymópterus	252	Daucus	253	DILLENTACEÆ ..	12
Cryptarrhèna ..	490	Cynánchum	361	DAUCI'NEÆ	253	Dillwy'nia	124
Cryptocàrya	411	Cynánchum 360, 361,		Davállia	583, 599	Dillwy'nia	124
CRYPTOGAMEÆ	575	 362		Davièsia	125	Dimàcria	91
Cryptogràmma ..	582	Cy'nara	284	Davièsia	124	Dimocárpus	84
Cryptólepis	355	Cy'nara	284	Décodon	202	Dimórpha	171
Cryptospermum ..	268	Cy'nodon	558	Decumària	206	Dimórpha	560
Cryptostègia	356	Cynoglóssum ..	378	Deeringia	432	Dinèba	560
Cryptostémma ..	312	Cynoglóssum ..	378	Delima	13	Dinèba	373
Cryptóstylis	485	Cynomètra	171	DELIM'ACEÆ ..	12	Dinètus	159
Cryptot'ænia	246	Cynosùrus	571	Delísia	592	Diòclea	265
Cucífera	543	Cynosùrus 560, 562, 569,		Delphinium	8	Diòdia	399
Cucùbalus	51	 571		Dendrobium	489	Diomèdea	514
Cucùbalus	51, 53	Cy'nthia	276	Dendrobium	489	Diomèdes	46
Cuculària	197	Cypèlla	497	Dentària	24	Dion'æa	521
Cùcumis	214	CYPERACEÆ	547	Dentèlla	263	Dioscòrea	521
Cùcumis	214	Cypèrus .. 551, 598		Dermàsea	240	DIOSCOR'Æ	106
Cucúrbita	215	Cypèrus	552	Dérris	161	Diósma	106
				Deschámpsia ..	559	Diósma 105, 106,	116
						DIO'SMEÆ	105

	Page.		Page.		Page.		Page.
Diosp'yros ..	349, 593	Dryandra	448	Embóthrium	447	Eriosynáphe	250
Diótis	437	Dryas	190, 589	Embóthrium	447	Erisma	590
Diphyllëia	16	Dryas	189	Embryopteris	350	Erithalis	260
Diplachne	571	Drymaria	55	Emericia	356	Ernòdea	264
Diplazium	582, 598	Drypis	54	Emex	440	Erodéndrum	443, 444
DIPLECOLOBEE	36	Duchésnia	189	Emilia	302	Eródium	89
Diplochita	205	Dulichium	549	EMPETREE	460	Eróphila	26
Diplócoma	299	Dumasia	140	Empetrum	460	Erpetion	45
Diplolépis	361	Dumerilia	280	Empetrum	460	Eruca	35
Diplopappus	294	Dumerdia	592	Empleurum	107	Erucaria	36
Diplophyllum	399	Dupontia	559	Enarthrocarpus	36	ERUCARIEE	36
Diplostégium	204	Duranta	417	Enclia	308	Ervdia	154
Diplostèphium	295	Duroia	261	Enchylæna	434	Ervum	154
Diploxix	34	Duvallia	356	Encyclia	490	Eryngium	244, 591
Diplothémium	544	Duvaia	119	ENDOGENE	476	Ery'simum	30, 585
Dipodium	489	Dyssodia	305	Enkianthus	331	Ery'simum	22, 29, 30, 31
DIPSACEE	269	EBENACEE	349	Enneapogon	567	Erythra	363
Dipsacus	230	Ebenus	152	Enodium	560	Erythrina	160
Diptera	240	Ecastaphyllum	162	Enslenia	360	Erythrina	161
Dipterix	168	Eccremocarpus	566	Entada	162	Erythrolana	283
Dirca	448	Eccremocarpus	366	Entelca	70	Erythronium	539, 597
Disa	484	Echeveria	225	EPACRIDEE	345	Erythrophileum	163
Disandra	394	Echinacea	310	Epacris	345	ERYTHROXYLEE	80
Dischidia	360	Echinaria	567	Epacris	345, 346	Erythroxylum	80
Dischisma	414	Echinocactus	235, 590	Epallies	315	Erythroxylon	80
Discopleura	245, 591	Echinochloa	563	Ephedra	474	ESCALLONEE	239
Disemma	217	Echinophora	255	Ephedra	84	Escallonia	239, 591
Disophylla	400	Echinopogon	559	Epidendrum	470	Eschscholtzia	19
Dispëris	485	Echinops	287	Epidendrum	488, 489,	E'sula	454, 455
Disporum	539	ECHINOPSIDEE	287		490	Ethulia	315
Dissolena	354	Echinospërmum	377	Epigæa	342	Ethulia	315
Diurus	485	Echites	355	Epilobium	198	Eucalyptus	208
Dodartia	390	Echites	356	Epilobium	197, 198	Euchetes	106
Dodecatheon	423, 595	Echium	375	Epipactis	486	Euchilus	124
Dodonæa	85	Echipta	308	Epipactis	486	Euchroma	395
DODONÆACEE	85	Edwardsia	122	Epiphyllum	237	Euelca	457
Dolichos	158	Ehrëtia	379	EQUISETACEE	575	EUCLIDEE	28
Dolichos	158, 159	Ehrharta	574	Equisetum	575	Euclidium	28
Dolicoarpus	12	Ehrharta	574	Eragrostis	570	Eucomis	530
Dombeya	69, 586	Ekebergia	86	Eragrostis	570	Eucrosia	513
Dombeya	367, 475	ELEAGNEE	451	Eranthemum	422	Eudësia	208
DOMBEYACEE	69	Elæagnus	451	Eranthemum	415, 420	Eugenia	212
Dondia	244	ELEOCARPÉE	71	Eranthus	7	Eugenia	211, 212, 213
Donia	298, 299	Elæocarpus	71	Eremurus	524	EUPHEDYSAREE	148
Doodia	581, 598	Elæodendron	110	Eria	489	EULEPTOSPERMEE	208
Doodia	149	Elæodendron	111, 349	Eria	332	Eulophia	490
Doronicum	299	Elais	543	Eria	332, 341	EUCONYMEE	109
Doronicum	298, 299	Eléphrium	120	ERICEE	330	Euconymus	109, 588
Dorstënia	464	Eläte	543	Erigenia	213	Euosma	364
Doryanthes	516	Elatërium	215	Erigeron	294	EUPATOREE	299
Doryenium	137	Elatine	55	Erigeron	290	Eupatorium	300
Draba	25, 585	Elëgia	547	Erinus	394	Eupatorium	291, 301
Draba	25, 26	Eleiëtis	152	Eriobotrya	176	Euphorbia	453
Dracæna	533	Eleocharis	550	Eriocalia	243	Euphorbia	452
Dracæna	517, 532, 533	Elephantopus	288	Eriocaulon	546, 597	EUPHORBACEE	452
Dracocéphalum	408	Elettaria	492	Eriocaulus	317	Euphoria	84
Dracocéphalum	406	Eleusine	571	Eriocaulon	314	Euphrasia	394
Dracontium	479	Eleusine	571	Eriocaulon	66	Eurya	72
Dracontium	479, 480	Elichr'ysum	292, 293	Eriocaulon	440	Euryale	17
Dracophyllum	345	Ellisia	380	Eriocaulon	552	Eurycles	513
Drepania	275	Ellobocarpus	577	Eriocaulon	552	Euryspermum	443
Drepanocarpus	161	Elodea	76	Eriocaulon	322	Eurycoma	121
Drepanophyllum	245	Elsholtzia	400	Eriocaulon	529	Eustachys	562
Drimia	529	Elymus	566	Eriocaulon	107	Eustegia	361
Drimys	13	El'yna	552	Eriocaulon	407	Eustoma	364
Drósera	45	Elytraria	420				
DROSERACEE	45	Embëlia	348				
Drummondia	591	Emblica	459				

	Page.		Page.		Page.		Page.
Eùstrephus	533	Fragària	189	Gaúra	198	Glossòdia	497
Eutàxia	124	<i>Fragària</i>	192	Gay'a	64	Glóssula	485
Eutérpe	543	<i>Francisceca</i>	389	<i>Gay'a</i>	591	Glottídium	143
Eùthales	321	Frankènia	48, 586	Gazània	312	Gloxínia	329
Euthàmia	298	FRANKENIACEÆ	48	Geissomèria	420	Glycèria	570
Eùtoea	380, 594	Fransèria	315	Geissorhiza	503	<i>Glycèria</i>	569, 570
<i>Euxènia</i>	315	Frasèra	363	Gèla	600	Gly'cine	140
Euzònum	35	Fráxinus	350	Gelònum	457	<i>Gly'cine</i>	127, 141, 149,
<i>Evax</i>	294	<i>Fráxinus</i>	351	Gelsèmium	353		156, 157, 168
Evòdia	107	Frezièra	72	Genety'llis	207	Glycòsmis	75
Evólvulus	373	FREZI'EREÆ	72	Geniòsporum	414	Glycirrhiza	141
E'xacum	361	Frièsia	72	Genipa	261	Gmelina	417
<i>E'xacum</i>	364	Fritillària	537	Genísta	129	Gnaphàlium	291
Excæcària	459	<i>Fritillària</i>	538	<i>Genísta</i>	131	<i>Gnaphàlium</i>	291, 292,
Exocàrpus	450	Fúchsia	197, 590	GENI'STEÆ	125		293, 308
EXOGE'ENÆ	1	FUCHSI'EÆ	197	Gentiàna	362	Gnètum	461
Exostemma	262	Fuirèna	552	<i>Gentiàna</i>	364	Gnídia	449
Fàba	153	Fumària	20	GENTI'ANEÆ	362	Godóya	78
Fabrícia	210	<i>Fumària</i>	20	Geodòrum	487	Goldbáchia	32
<i>Fabrícia</i>	209	FUMARI'ACEÆ	20	GEO'FFREÆ	167	Gomèza	487
<i>Fagàra</i>	107, 120	Fúncia	517	Geoffròya	168	<i>Gomèza</i>	487
Fagèlia	157	Furer'cea	534	Geónoma	544	Gómphia	109
Fagònia	104	Fusànus	450	Geóphila	264	Gomphocàrpus	361
Fagr'æa	353	<i>Gærtnera</i>	81	Georgina	310	<i>Gomphocàrpus</i>	361
Fàgus	467	Gàgea	527	GERANI'ACEÆ	88	Gompholòbium	124
Falcària	245	<i>Gàgea</i>	527	GERANI'EÆ	88	<i>Gompholòbium</i>	123
Fálkia	373	Gagnebina	163	Geranium	88	Gomphrèna	432
Farsètia	24	Gaillàrdia	310	<i>Geranium</i>	88, 90, 91,		
<i>Farsètia</i>	24	GALACI'NEÆ	345	92, 93, 94, 97, 98, 99,			
Fèdia	268	Galàctia	140		100, 101	Goniùtus	544
<i>Fèdia</i>	269	Galactites	285	Geràrdia	395	Gongòra	489
Ferdinándia	318	<i>Galactodéndron</i>	462	<i>Geràrdia</i>	396	Goniocàrpus	200
Fernandèsia	490	Galánthus	516	Gerbèria	299	Gonolobus	360
Fernèlia	262	<i>Galarh'æus</i>	455	Geropògon	279	Gonostèmon	358
Ferònia	75	Gálex	345	Gesneria	329	<i>Gonostèmon</i>	357
Ferrària	499	Galàxia	499	<i>Gesneria</i>	329	Goodènia	324
<i>Ferrària</i>	497, 499	<i>Galàxia</i>	499	GESNER'EÆ	329	<i>Goodènia</i>	324, 325
<i>Ferreola</i>	319	G'ALEÆ	265	Gethy'llis	516	GOODENOVIÆ	324
Férula	250, 591	<i>Galedùpa</i>	161	Getònia	196	Goódia	126
<i>Férula</i>	249, 250, 253	Galèga	141	Gèum	190	<i>Goódia</i>	126
Festùca	572	<i>Galèga</i>	142, 141, 156	<i>Gèum</i>	189, 190	Goodyèra	485
<i>Festùca</i>	559, 567, 570,	Galènia	437	<i>Ghènia</i>	418	Gordònia	73
.....	571, 572, 573, 574	Galeóbdolon	405	Gília	368, 594	GORDONI'EÆ	73
<i>Feuillæa</i>	215	Galeópsis	405	<i>Gília</i>	368	Gortèria	312
Fibígia	24	Galinsògea	308	Gillènia	194	Gossy'pium	63
Ficària	7	<i>Galinsògea</i>	308	Gillièsia	546	Gouània	114
FICOI'DEÆ	227	Galipèa	108	Gingínsia	220	<i>Gr'æmia</i>	315
Ficus	460	Gàlium	266	<i>Gínkgo</i>	473	GRAMI'NEÆ	552
Fièldia	366	<i>Gàlium</i>	266	Ginòria	202	Grammáthes	223
Filàgo	294	Galphímia	81	Gisèkia	433	Grammitis	578
FI'LICES	576	Garcinia	78, 587	Githàgo	54	<i>Grammitis</i>	578
Fimbristylis	550, 597	GARCI'NIEÆ	78	Gladiolus	500	GRAN'ATEÆ	195
Fischèria	358	Gardènia	261	<i>Gladiolus</i>	499, 500, 501,		
Flacoúrtia	40	<i>Gardènia</i>	260, 261		502	Grángèa	318
FLACOURTI'ANEÆ		GARD'ENIÆ	260	Glaúcium	19, 585	Grangèria	173
.....	40	Gardòquia	409	Glaúx	428	Graphéporum	571
Flagellària	546	Garidèlla	8	Glechòma	408	Gratiola	396
Flavèria	313	Garùga	120	Gledítschia	168	<i>Gratiola</i>	396
Flemíngia	152	Gastèria	519	Gleichènia	577, 598	Grenvìllea	96
Flindèrsia	86	Gastònia	256	GLEICHEN'EÆ	577	Grevillea	416
<i>Florestina</i>	306	Gastrídium	555	Glinus	234	Grèwia	70
FLUVIALES	478	Gastrocàrpha	280	Glóbba	491	<i>Grèwia</i>	206
Fœniculum	247	Gastrolòbium	124	<i>Glóbba</i>	491		213
<i>Fœniculum</i>	245	Gastronèma	512	Globulària	426	Grías	89
Fontanèsia	351	Gaudichaúdia	81	GLOBUL'ARIEÆ		GRI'ELEÆ	89
Forskòhlea	463	Gaudinia	568		426	Grièlum	510
Fothergílla	473	Gaulthèria	331	Globùlea	223	Griffínia	298
<i>Fothergílla</i>	205	<i>Gaulthèria</i>	330	Gloriosa	539	Grindèlia	202
						Gríslea	216
						Gronòvia	216
						GROSSULARI'EÆ	
							238

	Page.		Page.		Page.		Page.
Guaiacum	101	Hebenstreitia	414, 415	Hesperantha	503	Houstonia	361
Guarea	86	Hedeoma	404	Hesperis	29	Houttuy'nia	479
Guatteria	15	Hedera	256	Hesperis	22, 29, 30	Hovea	125
Guazuma	67	Hedera	87	Hesperoscordum	532	Hovenia	113
Guepinia	27	Hedy'chium	493	Heteranthemis	321	Hoya	359
Guettarda	260	HEDYOTI'DEÆ	262	Heteranthera	541	Hudsonia	43
GUETTA'RDEÆ	260	Hedyotis	262	Heteromorpha	247	Huernia	359
Guevina	599	Hedyotis	599	Heteropogon	561	Hugonia	72
Guilandina	168	Hedy'pnois	275	Heteropteris	82	Humea	291
Guilandina	168	Hedy'pnois	275	Heterospermum	306	Humulus	463
Gundelia	288	HEDYS'AREÆ	148	Heterotaxis	489	Hunnemannia	19
Gunnera	12	Hedy'sarum	151	Heterotrichum	205	Hura	458
Gustavia	213	Hedy'sarum	127, 149, 149, 150, 151, 152, 153	Heterotrichum	281	Hutchinsia	27
GUTTI'FERÆ	78	Heimia	202	Heuchera	242	Hutchinsia	27
Guzmania	533	Helonium	307	Heylandia	127	Hyacinthus	523
Gymnadenia	483	Heleochloa	557	Hey'nea	86	Hyacinthus	527, 528, 529, 530
Gymnema	360	Heliánthemum	41	Hexaglottis	498	Hyàlis	502
Gymnocladus	168	HELIA'NTHEÆ	306	Hexaglottis	502	Hyænánche	457
Gymnogramma	578	Heliánthus	309	Hibbertia	13	Hydrangea	212
Gymnoloma	309	Heliánthus	312	Hibiscus	61, 586	Hydrastis	4
Gymnostachys	479	Helichr'ysum	292	Hicorius	465	HYDROCHARI'-	
Gymnostylis	317	Helichr'ysum	294	Hieracium	271	DEÆ	476
Gynandropsis	37	Heliconia	495	Hieracium	271	HYDROC'ARVEÆ	200
Gypsophila	48	Helicteres	65	Hieracium	273, 275	Hydrocharis	476
Gypsophila	51	Heliocarpus	70	Hierochloe	559	Hydrochloa	570
Gyrocarpus	442	Heliophila	36	Hillia	262	Hydrocotyle	243
Gyromia	523	HELIOPHI'LEÆ	36	Hippeastrum	508	Hydrocotyle	243
Gyrostemon	71	Heliopsis	309	Hippia	317	HYDROCOTYL'INEÆ	
Habenaria	484	Heliotropium	374	Hippia	317		243
Habenaria	483	Heliotropium	374, 379	Hippion	364	Hydroglóssum	577
Hablitzia	434	Helleborine	485	HIPPOCAST'A-		Hydròlea	369
Habranthus	506	HELLEB'OREÆ	7	NEÆ	83	HYDROLE'ACEÆ	
Haequetia	244	Helleborus	7	Hippocratea	79		369
Hæmadietyon	356	Hellènia	493	HIPPOCRATE'A-		HYDROPELTID'Æ	17
Hæmáanthus	510	Hellènia	493	CEÆ	79	Hydropeltis	17
Hæmatóxylon	169	Helmínthia	276	Hippocrèpis	148	HYDROPHY'LLÆ	
HEMODOR'ACEÆ		Helonias	540	Hippomane	458		380
	504	Helonias	510	Hippomarathrum	255	Hydrophy'llum	380
Hæmodorum	501	Helosciadium	245	Hippophae	451	Hydrophy'llum	380
Hægea	221	Hemarthria	562	Hippophae	451	Hygróphila	420
Hækea	446	HEMEROCALLI-		HIPPURI'DEÆ	201	Hymen'æa	172
Halèsia	347	DEÆ	516	Hippuris	201	Hymenanthera	586
Halimodéndron	144	Hemerocallis	516	Hiptage	81	Hymenocallis	513
Hallèria	389	Hemerocallis	517	HIPT'AGEÆ	81	Hymenocarpus	132
Hallia	127	Hemidésmus	356	Hir'æa	81	Hymenodictyon	262
Halocharis	282	Hemigènia	408	Hirculus	210	Hymenogyne	234
Halocnemum	437	Hemimeris	399	Hirtella	173	Hymenopappus	306
HALOR'AGEÆ	200	Hemimeris	394	Hòarea	90	Hymenophy'llum	583
Haloragis	200	Hemionitis	578	Hoffmanséggia	169	Hymenophy'llum	583
Haloragis	201	Hemionitis	578, 582	Hoitzia	368	Hyosc'yamus	382
HAMAMELI'DEÆ		Hemionitis	583	Hólcus	562	Hyosc'yamus	382
	473	Hemitelia	583	Hólcus	559, 561, 562	Hyóseris	276
Hamamelis	473	Hepática	4	Holigarna	588	Hyóseris	275, 276
Hamelia	260	Heracantha	284	Holmskiöldia	417	Hypécoum	19
HAMELI'ACEÆ	260	Heracleum	251	Holosteum	55	Hyperanthera	168
Hamiltônia	451	Heracleum	252	Holosteum	55	HYPERICI'NEÆ	76
Hamiltônia	263	Herbertia	497	HOMALI'NEÆ	116	Hypéricum	76
Hapalostèphium	273	Heritièra	66	Homalium	116	Hyph'æne	543
Hardwíckia	169	Heritièra	504	Homèria	498	Hypocaly'ptus	128
Harónga	76	Hermánia	68	Hoòdia	359	HYPOCHÆRI'DEÆ	276
Harpályce	274	Hermánia	69	Hookera	517	Hypoch'æris	276
Harráchia	420	HERMANNI'EÆ	67	Hòpea	347	Hypoch'æris	276
Harrisônia	361	Hérmias	255	Hórdeum	558	Hypòelytrum	598
Hartògia	111	Hermínium	483	Horkèlia	189	Hypoestes	422
Hasselquistia	252	Hermione	515	Hornemánia	393, 394	Hypol'æna	517
Hastíngia	417	Hernándia	412	Hosáckia	589	Hypopíthys	342
Havètia	78	Herniària	220	Hósta	417	HYPOXI'DEÆ	505
Hawóρθia	520	Herpéstis	393	Hósta	417	Hypóxis	505
Hebenstreitia	414	Herrèria	533	Hottônia	425		

	Page.		Page.		Page.		Page.
Hy'ptis	414, 594	Jacaranda	366	Kundmannia	247	Lawsônia	292
Hyssòpus	402	Jacksônia	124	Kùhnia	299	Laxmânia	332
Hyssòpus	402	Jacquinia	348	Kuhnistèria	141	Lebéckia	120
Iántha	490	JACOB'Æ	301	Ky'dia	69	Lebéckia	130
Ibèris	27	Jambolifera	107	Kyllinga	552, 598	Lebretônia	61
Ibèris	27	Jambôsa	212	LABI'ATÆ	399	Lecanocárpus	431
Ibbetsônia	123	Janipha	458	LABIATIFL'ORÆ	280	Lechèa	43
Ichnocárpus	356	Jasione	328, 593	Láblab	159	Lechenaúltia	324
I'cica	589	JASMI'NEÆ	352	Lachenàlia	529	LECYTHI'DEÆ	213
'Ilex	111	Jasminum	352	Lachn'æa	449	Lécythis	213
'Ilex	110, 111	Jasônia	294	Lachnánthes	504	Lécythis	213
ILLECEBREÆ	220	Játropha	457	Lactùca	277	Ledebùria	246
Illécebrum	220	Játropha	457, 458	Lactùca	277	Lèdum	344
Illécebrum	220, 221, 431, 432	Jeffersônia	17	LACT'UCEÆ	277	Lèdum	344
Illicium	13	Jenkinsônia	100	L'ætia	40	Leèa	87
Imatophy'llum	516	Johannia	280	Lagásca	288	LEE'ACEÆ	87
Imbricària	349	Jóhnia	80	Lagáscea	288	Leérsia	544
Imhòfia	510	Joliffia	215	Lagenària	213	LEGUMIN'OSE	122
Impàtiens	102, 588	Jonèsia	169	Lagerstr'œmia	202	Leimánthium	549
Impàtiens	101	Jonídium	45	LAGERSTR'œMIEÆ	202	Leiophy'llum	341
Imperàta	560	Jonídium	43, 45	Lagétta	448	Lémna	478
Imperatòria	251	Jossinia	211	Lag'œcia	255	Léns	154
Imperatòria	249, 250, 251	JUGLA'NDEÆ	465	Lagony'chium	164	LENTIBUL'ARIEÆ	422
Indigófera	139	Júglans	465	Lagosèris	273	Leonòtis	441
I'nga	163	Júglans	465	Lagosèris	278	Leóntice	16
I'nga	163	JUNCAGI'NEÆ	477	Lagunculària	196	Leóntodon	274
Inocárpus	348	JU'NCEÆ	545	Lagunèa	65	Leóntodon	275
Inùla	290	Júncus	545	Lagun'æa	62	Leontopòdium	291
Inùla	291	Júncus	545	Lagùrus	559	Leonùrus	435
Ionópsis	490	Júngia	592	Laháya	221	Leonùrus	437
Ipom'œa	370	Juníperus	474	Lamárckia	110, 562	Lepechinia	439
Ipom'œa	373	Jussi'æa	199	Lambértia	447	Lepeocércis	561
Ipomópsis	368	JUSSI'ÆÆ	199	Làmium	406	Lepidagáthis	420
Ipomópsis	368	Justicia	421, 595	Làmium	406	LEPIDI'NEÆ	31
Iresine	433	Justicia	420, 422	Lanària	504	Lepídium	31
Iresine	433	Kæmpfèria	492	Lancisia	318	Lepídium	27
IRI'DEÆ	495	Kalanchòe	224	Lantàna	417, 595	Lepidospérma	549
'Iris	495	Kálmia	312	Lapeyroúsia	499	Leptándra	395
'Iris	497, 498	Kalosánthes	224	LAPL'ACEÆ	73	Leptánthus	541
Isáchne	564	Kaulfússia	305	Láppa	281	Leptàsea	240
Isánthus	399	Kennèdya	156, 589	Lappàgo	557	Leptocarp'æa	22
ISATI'DEÆ	32	Kernèra	26	Lapsàna	274	Leptocárpus	547
Isàtis	32	Kérria	194	Lapsàna	275, 276	Leptocaúlis	245
Isch'æmum	562	Kiggelària	40	Larbrèa	55	Leptóchloa	571
Isch'æmum	562	KIGGEL'ARIEÆ	40	Làrix	475	Leptomèria	459
Isértia	260	Kíngia	545	Lárrea	104, 588	LEPTOSPE'RMEÆ	207
Ismène	513	Kirganèlia	459	Laserpítium	252	Leptospérmum	210
Isnárda	200	Kitaibèlia	60	Laserpítium	249, 252, 355, 591	Leptospérmum	210
Isocárpha	307	Kleinhòvia	67	Lasiándra	204	Leptostélma	543
Isochilus	489	Kleinia	301	Lasiospérmum	279	Leptùrus	547
Isoètes	575	Knáppia	557	Lasiospérmum	308	Lepyròdia	280
Isólepis	550, 597	Knaútia	271	Lasiopétalum	67	Lèria	152
Isopétalum	101	Knaútia	271	Lasiopétalum	67	Lespedèza	149
Isopògon	442	Knowltônia	4	Latània	543	Lespedèza	144
Isop'yrum	7	Knóxia	265	Lathr'æa	422	Lessértia	431
Isótoma	324	Kobrèsia	519	Láthyrus	155	Lestibudèsia	72</

	Page.		Page.		Page.		Page.
Leucostemma ..	293	Loddigèsla ..	128	Lyónsla	356	Mariálva	78
Leúzea	285	Lodiculària	562	Lyperánthus	486	Márica	497
Leúzea	282	Lodoicea	543	Lysimàchia	425	Márica	498
Levisticum	249	Læflíngia	222	Lysimàchia	425	Márla	78
Lewisia	227	Logània	364	Lysinèma	345	Maríscus ..	552, 598
Leysèra	301	Loiselcùria ..	314	LYTHRARIÆ ..	201	Márlea	213
Leysèra 281, 307, 308		Lòlium	566	Lythrum	202	Marrùbium	408
Liàtris	289	Lomándra	545	Lythrum	202	Marrùbium	405
Libanòtis	248	Lomària 581, 598		Màba	349	Marsdènia	360
Libértia	498	Lomàtia	447	Macbrídea	409	Marshállia	306
Lichtensteínia ..	247	Lomatophy'llum	517	Macleàya	19	Marsilea	576
Lichtensteínia ..	540	Lonchitis	583	Maclùra	462	MARSILEACEÆ	576
Lienàla	544	Lonchocárpus ..	143	Macradènia	488	Marty'nia	367
Lidbéckia	318	Longchámpsia	308	Macránthus	156	Massònia	530
Lidbéckia	318	Lonícera	258	Macrocnèmum ..	262	Massònia	527
Lightfoótia 325, 592		Lonícera 258, 259		Macrocnèmum ..	261	Matáxa	308
Ligulària	240	Lopèzia	200	Macrolòbium ..	172	Matáyba	84
Ligústicum	248	Lophánthus ..	402	Macropòdium 23, 585		Mathiòla	21
Ligústicum 245, 248,		Lophiòla	504	Macróstylis	106	Matricària	319
..... 249, 250, 255		Lophira	259	Macròtropis	122	Matthiòla	260
Ligústrum	352	LOPHIREÆ ..	259	Macròtys	11	Máttia	378
Lilium	538	Lophosciàdium ..	253	Màdia	306	Maurándia	390
Lilium	538	Lophospérmum ..	390	M'asa	347	Maúria	119
Limeum	220	Lopímia	63	Magnòlia	14	Maurítia	544
Limnitis	553	LORANTHÆ ..	259	Magnòlia	484	Maxillària	489
Limnócharis ..	477	Loránthus 259, 592		MAGNOLIACEÆ	13	Maxillària	489
Limodòrum 487, 490		Lorèya	205	Magydàris	255	Maximiliàna	544
Limònia	75	L'OTÆ	125	Mahérnia	68	Máytenus	110
Limònia	75	Lòtus	137	Mahònia	16	Mázus	393
Limosélla	394	Lòtus 132, 137, 138,		Mahùrea	78	Meconópsis	19
Linària	390	 139		Maièta	205	Medèola	523
Lincònia	116	Loúrea	149	Mairània	330	Medèola	533
Lindérnia	394	Loureira	460	Majánthemum ..	523	Medicàgo	132
Lindérnia	394	Lówea	178	Malabuíla	251	Medùsea	453
Linds'æa 583, 599		Lubínia	425	Malachodéndron	73	Megacarp'æa ..	28
L'INEÆ	58	Lucùlia	260	Málachra	60	Megaclínium	488
Linn'æa	259	Lucùma	349	Maláxis	487	Megàsea	239
Linocièra	351	Lùdia	40	Maláxis ..	485, 486	Megastàchya ..	570
Linum	58, 586	Lùdia	40	Malcòmia	28	Melaleuca	207
Linum	58	Ludólfia	574	Mallocócca	70	Melaleuca ..	207, 210
Lipària	127	Ludòvia	480	Malócchia	159	MELALEUCEÆ	207
Lipària	127	Ludwígia	200	Málope	58	Melamp'yrum ..	395
Líparis	486	Ludwígia	200	Malpíghia	80	Melampòdium ..	313
Lipóstoma	599	Lúffa	214	Malpíghia ..	80, 81	Melananthèra ..	306
Líppia	419	Luhèa	599	MALPIGHIACEÆ		Melanorrh'æa ..	588
Líppia	418	Lumnitzèra 413, 414		 80		Melanoselinum ..	253
Liquidámbar ..	472	Lunària	24	Málva	59, 586	Melanosticta ..	169
Liriodéndron ..	14	Lunària	24	MALVACEÆ ..	58	MELANTHACEÆ	
Lisiánthus	364	Lupinàster	137	Malvavíscus	61	 539	
Lisiánthus	364	Lupínus	159, 589	Mammèa	78	Melánthium	539
Lissánthe	346	Lùzula	545	Mammillària 235, 590		Melánthium 539, 540	
Lissochilus	488	Luzuriàga	532	Mandràgora ..	383	Melasph'ærule ..	502
Listèra	486	Ly'chnis	54	Manéttia	263	Melástoma	204
Lita	363	Ly'chnis ..	52, 53, 54	Mangífera	117	Melástoma 203, 204, 205,	
Lithospérmum	374	Ly'cium	389	Mangífera	117	 206	
Litt'æa	534	Lycopérsicum ..	385	Manglilla	348	MELASTOMACEÆ	
Littorélla	429	LYCOPODIACEÆ		Manicària	544	 203	
Livistòna	543	 576		Manisùris	563	Melhània	69
Llòydia	527	Lycopòdium	576	Mantisia	491	Mèlia	85
Loàsa	218	Lycopòdium	576	Manùlea	394	MELIACEÆ ..	85
Loàsa	218	Lycópsis	377	Máppa	458	Meliánthus	104
LO'ASEÆ ..	218	Lycópsis ..	376, 377	Maránta	495	Mélica	560
Lobádium	119	Lycopus	399	Maránta	494	Mélica	560
Lobària	240	Lycòris	509	Maráttia	577	Mélichrus	346
Lobèlia ..	322, 592	Lygèum	552	Maregràvia	79	Melicócca	84
Lobèlia ..	324, 325	Lygodésmia	277	MARCGRAVIA-		Melicope	107
LOBELTACEÆ	322	Lygòdium ..	577, 598	CEÆ	79	Melicytus	40
Lockhártia	490	Lyònia	331	Margyricárpus ..	192	Melilòtus	134

	Page.		Page.		Page.		Page.
<i>Melilòtus</i>	134	<i>Millum</i>	555	<i>Moronòbea</i>	79	<i>Narthècium</i>	515
<i>Melinis</i>	558	<i>Milium</i>	555, 564	<i>Morphixia</i>	502	<i>Nasturtium</i> ..	21, 585
<i>Melissa</i>	409	<i>Milla</i>	596	<i>Morus</i>	462	<i>Nauclea</i>	263
<i>Melissa</i>	409	<i>Millèria</i>	313	<i>Morus</i>	462	<i>Nauenburgia</i> ..	288
<i>Melittis</i>	409	<i>Millingtonia</i>	366	<i>Moschósma</i>	413	<i>Nebèlia</i>	116
<i>Melocactus</i>	235	<i>Mimètes</i>	444	<i>Mougeòtia</i>	68	<i>Negundo</i>	82
<i>Melocánna</i>	574	<i>Mimosa</i>	163	<i>Mouríria</i>	195	<i>Nèja</i>	299
<i>Melòchia</i>	67	<i>Mimosa</i> 163, 161, 165,		<i>Mozinna</i>	460	<i>Nélitris</i>	216
<i>Melodinus</i>	356		166, 167	<i>Mucuna</i>	159	<i>Nelsonia</i>	422
<i>Melóthria</i>	215	<i>MIMOSEÆ</i>	163	<i>Muhlenbergia</i> ..	557	<i>Nelumbium</i> ..	17
MEMECY'LEÆ	195	<i>Mimulus</i> ..	394, 591	<i>Muhlenbergia</i> ..	559	NELUMB'ONÆ ..	17
<i>Memècydon</i>	195	<i>Mimùsops</i>	349	MUL'INÆ	243	<i>Nectoxia</i> ..	383
<i>Meniocus</i>	25	<i>Minuártia</i>	221	<i>Mullera</i>	142	<i>Néctris</i>	17
<i>Meniscium</i> ..	578, 598	MIXUA'RTIÆ ..	221	<i>Múndia</i>	47	<i>Negrètia</i>	159
MENISPERM'A-		<i>Mirabilis</i>	429	<i>Muntingia</i>	71	<i>Nemèsia</i>	399
CEÆ	15	<i>Mirbèlia</i>	125	<i>Muráltia</i>	47	<i>Nemopánthes</i> ..	111
<i>Menispèrmum</i> ..	15	<i>Miscopétalum</i> ..	240	<i>Murràya</i>	75	<i>Nemóphila</i> ..	380
<i>Menispèrmum</i> ..	15	<i>Mitchèlla</i>	263	<i>Murucùia</i>	218	<i>Neóttia</i>	485
<i>Méntha</i>	399	<i>Mitèlla</i>	242	<i>Musa</i>	495, 596	<i>Neóttia</i> ..	485, 486
<i>Méntha</i>	400	<i>Mitèlla</i>	242, 591	MUS'ACEÆ ..	495	<i>Nepénthes</i> ..	422
MENTHOI'DEÆ ..	399	<i>Mitrasácme</i>	364	<i>Muscària</i>	241	<i>Nepèta</i>	497
<i>Mentzèlia</i>	218	<i>Mniàrum</i>	221	<i>Muscàri</i>	528	<i>Nepèta</i> ..	402, 100
<i>Menyánthes</i>	364	<i>Modècea</i>	218	<i>Mussæ'nda</i>	260	NEP'ETEÆ	444
<i>Menyánthes</i>	364	<i>Mœhringia</i>	55	<i>Mussæ'nda</i> 260, 261, 262		<i>Nephèlium</i>	84
<i>Menzièsia</i>	341	<i>Mœ'nychia</i>	55	<i>Músschia</i>	593	<i>Nephrodium</i> ..	579
<i>Meóschium</i>	562	<i>Mogiphànes</i>	432	<i>Mutisia</i>	280	<i>Nephrodium</i>	589
<i>Mercuriàlis</i>	452	<i>Moldenháweria</i> ..	169	<i>M'yagrum</i>	32	<i>Nerine</i>	509
<i>Meriània</i>	203	<i>Molin'æa</i>	84	<i>M'yagrum</i>	31, 36	<i>Nèrium</i>	354
<i>Meriània</i>	204	<i>Molinia</i>	560	<i>Mygalùrus</i>	572	<i>Nèrium</i>	354, 355
<i>Merténsia</i>	464	<i>Móllia</i>	221	<i>Mygínda</i>	111	<i>Nes'æa</i>	202
<i>Merténsia</i>	577	<i>Mollùgo</i>	55	<i>Mylocàrium</i>	332	<i>Nes'æa</i>	202
<i>Mesembryánthemum</i>		<i>Mollùgo</i>	55	MYOPO'RINÆ ..	419	<i>Nésia</i>	31
.....	227	<i>Molopospèrmum</i> ..	255	<i>Myóporum</i>	419	<i>Nestlèra</i>	308
<i>Mesembryánthemum</i>		<i>Móltkia</i>	375	<i>Myóseris</i>	278	<i>Neurocárpum</i> ..	140
.....	234	<i>Moluccèlla</i>	405	<i>Myosòtis</i>	377	<i>Neurof'æna</i>	397
MESEMBRYANTH'E-		<i>Moluccèlla</i>	405	<i>Myosòtis</i>	377	<i>Neurolòma</i>	24
MEÆ	227	<i>Momórdica</i>	215	<i>Myosùrus</i>	4	<i>Nicándra</i>	383
<i>Méspilus</i>	175	<i>Momórdica</i>	214	<i>My'rcia</i>	210	<i>Nicolsònia</i>	149
<i>Méspilus</i> ..	176, 177	<i>Monáchne</i>	564	<i>Myrica</i>	472	<i>Nicotiana</i>	382
<i>Messerschmídia</i> ..	378	<i>Monánthes</i>	226	<i>Myrica</i>	472	<i>Niebhùria</i>	30
<i>Messerschmídia</i> ..	378	<i>Monárda</i>	403	<i>Myricària</i>	203	<i>Nigèlla</i>	
<i>Metalàsia</i>	292	<i>Monárda</i>	404	MYRI'CEÆ	472	<i>Nigritèlia</i>	483
<i>Metastélma</i>	362	MONA'RDEÆ ..	403	<i>Myriophy'llum</i> ..	201	<i>Nintoà</i>	288
<i>Methónica</i>	539	<i>Monérma</i>	563	<i>Myristica</i>	442	<i>Nipa</i>	544
<i>Metrosidèros</i>	209	<i>Monérma</i>	563	MYRISTI'CEÆ ..	442	<i>Niphóbolus</i>	578
<i>Metrosidèros</i> ..	207, 209	<i>Monètia</i>	261	<i>Myròdia</i>	65	<i>Nissòlia</i>	142
<i>Mèum</i>	249	<i>Monnièra</i>	108	<i>Myrospèrmum</i> ..	122	<i>Nitèlla</i>	575
<i>Mèum</i>	245, 247	MONOCHLAMY'-		<i>Myroxylum</i>	122	<i>Nitrària</i>	236
<i>Meyèra</i>	308	DEÆ	426	<i>My'rrhis</i>	255	<i>Nivènia</i>	446
<i>Michaúxia</i>	325	MONOCOTYLE-		<i>My'rrhis</i> 246, 254, 255		<i>Nócca</i>	288
<i>Michèlia</i>	13	D'ONEÆ	476	<i>My'rsine</i>	348	<i>Noisettia</i>	46
<i>Micònia</i>	295	<i>Monodòra</i>	14	<i>My'rsine</i>	348	<i>Nolàna</i>	383
MICONIEÆ	205	<i>Monópsis</i>	324	MYRSI'NEÆ ..	347	<i>Nolina</i>	549
<i>Micranthèra</i>	78	<i>Monótoca</i>	346	<i>Myrsiphy'llum</i> ..	533	<i>Nonatèlia</i>	299
<i>Micránthes</i>	240	<i>Monótropa</i>	342	MYRT'ACEÆ ..	206	<i>Nònea</i>	278
<i>Microcàle</i>	364	MONOTRÒPEÆ ..	342	MYRT'Æ	210	<i>Norántea</i>	79
<i>Micròchloa</i>	558	<i>Monsònia</i>	88	<i>My'rtus</i>	210	NORA'NTEÆ	79
<i>Micròcos</i>	70	<i>Monsònia</i>	88	<i>My'rtus</i> ..	211, 212	<i>Notel'æa</i>	351
<i>Micròdon</i>	415	<i>Móntia</i>	220	<i>Nagèia</i>	472	<i>Nothol'æna</i> ..	578, 588
<i>Microl'æna</i>	574	<i>Montinia</i>	197	<i>Nàjas</i>	472	<i>Notóceras</i>	4
<i>Microlícia</i>	203	MONTI'NIEÆ ..	197	<i>Nàma</i>	369	<i>Nóthria</i>	4
<i>Microlòma</i>	362	<i>Mor'æa</i>	497	<i>Nandina</i>	16	NOTORH'IZEÆ ..	28
<i>Micropus</i>	294	<i>Mor'æa</i> ..	497, 498	<i>Nap'æa</i>	64	<i>Noty'lia</i>	487
<i>Microstàchys</i>	460	<i>Moricándia</i>	34	<i>Naravèlia</i>	2	<i>Nùphar</i>	18, 596
<i>Micròstylis</i>	487	<i>Morina</i>	269	<i>Narcíssus</i> ..	514, 596	<i>Nuttállia</i>	66
<i>Microtía</i>	433	<i>Morinda</i>	263	<i>Narcíssus</i>	515	NYCTAGI'NEÆ ..	429
<i>Micròtis</i>	486	<i>Morínga</i>	168	<i>Nárdus</i>	552	<i>Nyctánthes</i>	352
<i>Mikània</i>	300	<i>Morisònia</i>	39	<i>Nárdus</i>	563	<i>Nycterisition</i>	345

	Page.		Page.		Page.		Page.
Nyctarium ..	387	Oplothea	432	Oxystelma	361	Patrisia	40
Nymphæa ..	17, 585	Opépanax	249	Oxytropis	145	PATRI'SIÆ ..	40
Nymphæa	18	Oporinia	275	Oxytropis	146	Paullinia	84
NYMPHÆACEÆ ..	17	Opuntia ..	237, 591	Ozothamnus ..	291	Paullinia	84
Nyssa	451	OPUNTI'ACEÆ ..	235	Pachidéndron ..	517	PAULLI'NIÆ ..	83
Olesia	358	O'rbea	357	Pachira	66	Pavetta	263
Oelma	168	ORCHI DEÆ ..	483	Pachypodium ..	594	Pavia	83
Oelma	109	O'rehis	483	Pachyrhizus ..	159	Pavonia	61
OCHIN'ACEÆ ..	108	O'rehis ..	483, 484	Pachysandra ..	456	Pectinaria	357
Ochrôma	66	Orcoselinum ..	250	Pachysandra ..	456	Pectis	306
Ochrôsia	354	Origanum ..	402	Pæderia	265	Pectis	308
Ochrus	155	Orlaya	253	Pæderota	396	PEDALI'NEÆ ..	367
Ochthodium ..	28	Ormocarpum ..	149	Pælimbia	250	Pedâlium	367
Ocotea	441	Ormôsia	122	Pæonia	12	Pedicularis	395
Oetomeria ..	488	Ornithidium ..	489	PEONI'ACEÆ ..	11	Pedilanthus	452
O'cymum ..	413, 594	Ornithocéphalus	488	Palafoxia	301	Péganum	105
O'cymum ..	413, 414	Ornithogalum ..	526	Palavia	63	Péganum	105
OCCYMOI'DEÆ ..	413	Ornithogalum 527, 532		Paliurus	112	Pêkea	213
Odontites ..	247	Ornithoglossum ..	539	Pallasia	308	PELARGONI'Æ ..	89
Odéra	288	Ornithopus ..	148	PA'LMÆ	542	Pelargonium 92, 587	
Edmännia ..	126	Ornithopus ..	148	Panax	256	Pelargonium 89, 90, 91,	
Enánthe	247	Ornitrophe	84	Pancrätium	513	 92, 100, 101	
Enánthe ..	247, 251	O'rnus	351	Pancrätium	513	Peléxia	485
Enocarpus ..	543	Orobánche	422	PAND'ANEÆ ..	478	Peliosánthes ..	540
Enoplia	112	OROBANCH'Æ 422		Pandanus	478	Peltaria	25
Enothera ..	198	O'robis	156	Panicum	563	Pen'æa	346
Enothera	200	O'robis 143, 155, 156		Panicum 553, 558, 563,		PEN'Æ'ACEÆ ..	346
OLACT'NEÆ ..	74	ORONI'ACEÆ ..	479	 564		Penicillaria ..	553
'Olax	74	Orontium	480	Papâver	18	Pennisetum ..	553
Oldenlandia ..	262	Orontium	480	PAPAVER'ACEÆ		Pennisetum ..	553
'Olea	351	Oróstachys	225	 18		Pentadésma ..	78
'Olea	110, 351	Ortégia	221	PAPILION'ACEÆ	122	Pentâpetes	69
OLEIN'Æ ..	350	Orthoceras	485	Pappóphorum ..	567	Pentaphy'llon ..	137
Olinia	115	Orthopogon	563	Pappóphorum ..	567	Pentaptera	196
O'isbea	197	Orthosánthus ..	498	Pap'yrus	552	Pentatáxis	292
Olivéria	255	Orthosiphon ..	413	Pardanthus ..	498	PENTH'OREÆ ..	227
Olyra	574	ORTHOSPERMEÆ	243	Pariâna	575	Penthòrum	227
Omalanthus ..	456	Orvâla	406	Parietaria ..	463	Pentstemon	383
Omphalea ..	458	Or'ya	575	Parinarium	173	Péntzia	316
Omphalobium ..	121	Oryzopsis	552	Pâris	524	Peperomia ..	482
Omphalodes ..	378	Osbeckia	204	Parivôa	171	Péplis	201
ONAGR'ARIEÆ	197	OSBE'CKIÆ	204	Parkéria	577	Peráltea	168
Oncidium ..	488	Osmites	311	PARKERI'ACEÆ	577	Perdícium	280
Onobroma	284	Osmorhiza	255	Parkia	163	Perdícium	280
Onobroma ..	284	Osmúnda	577	Parkinsonia	169	Pereskia	238
Onobr'yhis ..	151	Osmúnda 577, 581, 582		Parnássia	46	Pergulària	359
Onoclea	581	OSMUND'ACEÆ ..	577	Paróchetus ..	159	Pergulària	356
Onoclea ..	581, 582	Oss'aa	205	Parony'chia ..	220	Peribállia	560
Ononis	131	Osteospermum ..	314	PARONYCH'Æ ..		Perilla	400
Onopórdum ..	283	Ostéricum	249	 220		Periplôca	356
Onopórdum ..	284	O'strya	467	PAROPSI'Æ ..	216	Periplôca	356
Onoseris	278	OSYRI'DEÆ ..	450	Párrya	24, 485	Periptera	63
Onósma ..	375, 594	Os'yris	450	Parónsia	356	Perítoma	37
Onosmodium ..	375	Otánthus ..	315	Parthénium	314	Perlèbia	255
Opercularia ..	268	Othónna	305	Pascàlia	308	Perojôa	346
Opercularia ..	268	Otidia	90	Páspalum	555	Perôtis	554
OPERCULARTEÆ		Otóptera	140	Páspalum ..	554, 558	Pérsea	411
..... 268		Oútea	172	Passerina	449	Pérsea	411
OPHIOGLO'SSEÆ	576	Ovidia	499	Passerina	449	Persoônia	446
Ophioglossum ..	576	OXALI'DEÆ ..	102	Passiflora ..	216, 590	Persoônia	306
Ophiopogon ..	523	O'xalis	102, 588	Pasyflôra ..	217, 218	Petalacte	292
Ophiorhiza ..	600	Oxyánthus ..	261	PASSIFLOREÆ	216	Petalôma	196
Ophiostachys ..	540	Oxybáphus ..	429	Pastinâca	251	Petalostemum ..	141
Ophiorylon ..	354	Oxycoccus	330	Pastinâca ..	249, 251	Petâmenes	500
Ophiurus	563	Oxylôbium ..	123	Patagónium ..	149	Petivéria	433
'Ophrys	484	Oxypétalum	361	Patagónula	380	Petr'æa	417
'Ophrys ..	483, 485	Oxy'ria	439	Patersonia ..	499	Petriobium	306
Oplismenus	563	Oxy'spora	203	Patrínia	268	Petrocallis	25

	Page.		Page.		Page.		Page.
Petromarula ..	593	PHYTOL'ACEÆ	433	Podaly'ria	123	Portulaca	210
Petróphila	443	Piaránthus	359	Podaly'ria	123	Portulaca	210
Petroselinum ..	245	Picòtia	378	Podánthes ..	358	Portulacària ..	200
Petunia	383	Pieránnia	119	Podánthus	315	PORTULACEÆ	210
Peuce	475	Picridium	279	Podocárpus ..	473	Posoquèria ..	201
PEUCED'ANEÆ ..	249	Pieris	276	Podocárpus	473	Póssira	102
Peucedanum ..	250	Picris	273, 275	Podólepis	299	Potamogèton ..	478
Peucedanum ..	249, 252	Pictètia	148	Podolòbium ..	123	Potamóphila	575
Peyrouisia	499	Pilea	463	PODOPHY'LLÆ		Potentilla	190, 580
Pfáffia	433	Pileáanthus	207		17	POTENTI'LLÆ ..	187
Phaca	145	Pilulària	575	Podophy'llum ..	17	Potèrium	103
Phaca 143, 144, 145, 147		Pimelèa	450	Podophy'llum ..	17	Pòthos	479, 505
Phacèlia	380	Pimpinèlla	246	Podópterus	440	Pòthos	479
Phalángium ..	524	Pimpinèlla ..	245	Podospérmum....	279	Poupártia	120
Phalángium ..	525, 527,	Pincknèya	262	Podostigma ..	361	Pourrètia	535, 500
.....	528	Pinguicula ..	422	Pogonia	486	Pozòà	240
Phálaris	559	Pinus	475	Pogonia	419	PRASI'Æ ..	413
Phálaris 554, 559, 567		Pinus	474, 475	Pogostèmon ..	400	Pràsium	413
PHANEROG'ANEÆ	476	Piper	481	Poinciàna	169	Prasophy'llum ..	485
Pharnàceum ..	55	Piper	482	Poirètia	149	Prémna	417
Pharnàceum	220	PIPER'ACEÆ ..	481	Poit'æa	143	Prenánthes ..	274
Phàrus	574	Piptánthus ..	122	Póivrea	196, 590	Prenánthes ..	274, 277
PHASE'OLEÆ ..	156	Piptàtherum ..	555	Polanisia	38	Prescòtia	480
Phaseolus	157	Piquèria	301	POLEMONT'ACEÆ		Prestònia	300
Phaylópsis ..	420	Piriquèta	218		367	Priestlèya	107
Phebàlium	107	Piscidia	143	Polemònium ..	367, 594	Prímula	413
Phellándrium ..	247, 249	Pisònia	430	Poliánthes	517	Prímula	420
PHILADE'LPHEÆ		Pistàcia	119	Pollíchia	221	PRIMUL'ACEÆ ..	413
.....	206	Pistorinia	225	POLLICHI'Æ ..	221	Prínos	111
Philadélphus ..	206	Pisum	154	POLLINIA	561	Prismatocárpus ..	300
Philly'rea	351, 352	Pisum	155	Polybótrya	578	Priva	418
Philothèca	107	Pitcairnia	535	Polycarp'æa	221	Priva	418
Philóxerus ..	432	PITTOSP'OREÆ	48	POLYCARP'Æ ..	221	Próckia	40
Philóxerus	432	Pittósporum ..	48	Polycárpion	221	Pròcris	402
Philydrum ..	546	Plagiánthus	65	Polycènia	414	Proiphys	513
Phlèum	554	Plagiolòbium ..	126	Polycnènum ..	437	Proserpinàca ..	201
Phlèum	554	Planera	464	Poly'gala	46, 586	Prósopis	164
Phlomis	405	PLANTAGI'NEÆ	428	Poly'gala	47	Prostánthera ..	414
Phlomis ..	404, 405	Plantàgo	428	POLYG'ALEÆ	46	Pròtea	413
Phlóx	368, 599	Platanthèra ..	483	Polygonàtum ..	523	Pròtea 442, 443, 444, 445	
Ph'œnix	543	PLAT'ANEÆ ..	472	POLYGO'NEÆ	438	PROTE'ACEÆ	442
Phœnócoma ..	293	Plátamus	472	Poly'gonum ..	438, 595	Prunèlla	410
Pholidòta	489	Platycòdon ..	592	Poly'gonum ..	434, 439	Prúnus	174
Pholiurus ..	563	Platylòbium	126	Poly'mnia	313	Prúnus ..	173, 174
Phórmium	534	Platylòbium ..	126	POLYPODIA'CEÆ		Psámma	574
Photinia	176	Platypétalum ..	21		577	Pseudosophòra ..	122
Phragmites ..	574	Platy'pteris	306	Polypòdium ..	578	Psiàdia	210
Phr'yma	413	Platy'stylis ..	155	Polypòdium ..	578, 580	Psídium	210
Phry'nium ..	494, 595	Plectránthus ..	413	Polypògon	554	Psilòtum	570
Phycèlla ..	510, 596	Plectránthus ..	413	Poly'spora ..	72	Psilurus	503
Phy'lica	114	Plectrònia	110	Polystàchya	489	Psophocárpus ..	150
Phy'lica ..	114, 115	Plèea	545	POM'ACEÆ	175	Psoràlea	138
Phyllánthus ..	458	Pleopéltis	578	Pomadèrris ..	113	Psoràlea	141
Phyllánthus ..	459	Pleròma ..	204, 590	Pomària	169	Psychine	35
Phy'llis	265	Pleuràndra ..	13	Pombàlia	45	PSYCHI'NEÆ ..	35
Phylloclàdus ..	473	PLEURORH'IZEÆ	21	Poncelètia	345	Psychòtria	204
Phyllòdium	151	Pleurospérmum ..	255	Pongàmia	161	Psychòtria ..	260, 264
Phyllolòbium ..	159	Pleurothállis ..	488	PONTED'EREÆ	541	Ptèlea	121
Phyllòma	517	Pleurothállis ..	487	Pontedèria ..	541	PTELE'ACEÆ	121
Phylógyne ..	515	Plócama	265	Ponthièva	485	Ptelídium	110
Phymatánthus ..	89, 587	Plukenètia ..	56	Pópulus	471	Ptèris	582, 598
Physàlis	383	PLUMBAGI'NEÆ		Poràna	373	Ptèris	582, 583
Physospérmum ..	255		426	Poràna	373	Pterocárpus ..	161
Physostègia ..	406	Plumbàgo	427	Poranthèra	599	Pterocárpus ..	161, 162
Phyteléphas ..	478	Plumèria	355	Porlièra	104	Pterocéphalus....	271
Phyteuma	328	Pòà	568	Portenschlàgia ..	110	Pteroneùrum ..	24
Phyteuma	593	Pòà	567, 569, 570	Portlàndia	262	Pterònia	285
Phytolacca ..	433	Pocóckia	134	Portlàndia	262	Pterospérmum....	60

	Page.		Page.		Page.		Page.
<i>Pterostylis</i>	487	<i>Retanilla</i>	113	<i>Réthia</i>	274	SANTAL'ACEÆ	450
<i>Pterygodium</i> ..	484	<i>Rétzia</i>	369	<i>Réthia</i>	156	<i>Santalum</i>	450
<i>Pulicaria</i> ..	348	<i>Rhabdodochloa</i>	571	<i>Rottboellia</i>	562	<i>Santolina</i>	315
<i>Ptychotis</i>	245	<i>Rhagadiolus</i>	275	<i>Rottboellia</i> ...	562, 563	<i>Santolina</i>	315
<i>Pueraria</i>	140	<i>Rhagadiolus</i> ..	275	<i>Rottlera</i>	457	<i>Sanvitalia</i>	308
<i>Pulicaria</i>	291	<i>Rhagodia</i>	434	<i>Roorea</i> !.....	121	SAPIND'ACEÆ ..	83
<i>Pulmonaria</i>	375	RHAMN'ACEÆ ..	112	<i>Roxburghia</i>	531	<i>Sapindus</i>	84
<i>Pulmonaria</i>	374	<i>Rhamnus</i>	112	<i>Royena</i>	350	<i>Sapium</i>	458
<i>Pulsatilla</i>	3	<i>Rhamnus</i> 112, 113,	464	<i>Rubia</i>	266	<i>Sapium</i>	458
<i>Pultenaea</i>	124	<i>Rhamnus</i>	542	RUB'ACEÆ ..	260	<i>Saponaria</i> ..	51
<i>Pultenaea</i>	123	<i>Rhapis</i>	287	<i>Rubus</i>	187, 589	<i>Saponaria</i>	51
<i>Punica</i>	195	<i>Rhapontica</i> ..	287	<i>Rubus</i>	189	SAP'OTEÆ ..	348
<i>Papilio</i>	432	<i>Rheum</i>	440	<i>Rudbeckia</i> ..	310	<i>Saraca</i> ..	169
<i>Pargosia</i>	223	<i>Rhexia</i>	203	<i>Rudbeckia</i> ..	307, 310	<i>Saracha</i>	383
<i>Purshia</i>	193	<i>Rhexia</i> ..	203, 204	<i>Rudolphia</i>	161	<i>Sarcanthus</i>	491
<i>Puschkinia</i>	525	RHEX'ACEÆ ..	203	<i>Ruellia</i>	420, 595	<i>Sarcocarpus</i> ..	20
<i>Pyrenanthemum</i> ..	401	<i>Rhinanthus</i> ..	395	<i>Ruellia</i>	420	<i>Sarcocaulon</i> ..	88
<i>Pycnostachys</i> ..	414	<i>Rhipidodendron</i> ..	519	<i>Ruizia</i>	69	<i>Sarcocephalus</i> ..	263
<i>Pyranthrum</i>	321	RHIPSAL'IDEÆ ..	238	<i>Ruizia</i>	84	<i>Sarcophilus</i> ..	489
<i>Pyrola</i>	341	<i>Rhipsalis</i>	238, 591	<i>Rulingia</i>	67	<i>Sarcococca</i>	456
<i>Pyrolaria</i>	451	RHIZOB'OLEÆ ..	83	<i>Rulingia</i>	219	<i>Sarcobolus</i> ..	360
<i>Pyrus</i>	177	<i>Rhizophora</i>	197	<i>Rumex</i>	439	<i>Sarcophyllum</i> ..	129
<i>Pyrus</i> ... 176, 177,	178	RHIZOPHOREÆ ..	197	<i>Rumex</i>	439, 440	<i>Sarcostemma</i> ..	361
<i>Pyxidanthera</i>	342		197	<i>Rumia</i>	244	<i>Sarothra</i>	77
<i>Quadrifida</i>	599	<i>Rhodiola</i>	225	<i>Rumia</i>	251	<i>Sarracenia</i> ..	18, 585
<i>Qualea</i>	590	<i>Rhododendron</i> ..	342	<i>Rupia</i>	478	SARRACENT'ACEÆ ..	18
<i>Quassia</i> ..	108	<i>Rhodora</i> ..	343	<i>Ruscus</i>	523	SATUREI'NÆ ..	401
<i>Queltia</i>	514	RHODOR'ACEÆ ..	342	<i>Russelia</i>	390	<i>Satureja</i>	401
<i>Quercus</i>	465	<i>Rhopala</i>	447	<i>Ruta</i>	105	<i>Satyrium</i>	484
<i>Queria</i>	221	<i>Rhus</i>	117	<i>Ruta</i>	105	<i>Satyrium</i> ..	483, 485
<i>Queria</i>	220	<i>Rhus</i> 84, 118, 119,	465	RUT'ACEÆ ..	105	<i>Saurauja</i> ..	72
QUERI'ACEÆ ..	221	<i>Rhynchosia</i> ..	157	<i>Rutyschia</i>	79	SAURAU'JEÆ ..	72
<i>Quisqualis</i>	196	<i>Rhynchospora</i> ..	549	<i>Ryanea</i> ..	40	<i>Saururus</i> ..	481
<i>Quivisia</i>	85	<i>Ribes</i>	238, 591	<i>Sabal</i>	542	<i>Saussurea</i> ..	281
<i>Radiola</i>	58	<i>Richardia</i>	480	<i>Sabbatia</i>	363	<i>Sauvagesia</i>	45
<i>Rafnia</i>	126	<i>Richardsonia</i> ..	265	<i>Sabicea</i>	260	<i>Saxifraga</i> ...	239, 591
<i>Rafnia</i>	123, 126	<i>Ricinus</i>	458	<i>Saccharum</i> ..	560	SAXIFR'AGEÆ ..	239
<i>Rajania</i>	521	<i>Ricinus</i> ..	458	<i>Saccharum</i> ..	560	<i>Scabiösa</i> ..	269
<i>Ramonda</i> ..	382	<i>Ricötia</i>	24	<i>Sageretia</i>	112	<i>Scabiösa</i> 269, 270,	271
<i>Randia</i>	260	<i>Riedleia</i>	68	<i>Sagina</i>	54	<i>Scævola</i> ..	324
RANUNCUL'ACEÆ ..	1	<i>Rindera</i>	578	<i>Sagittaria</i>	477	<i>Scalia</i>	299
.....	1	<i>Ripidium</i>	560	<i>Sagræa</i>	205	SCANDICI'NÆÆ ..	254
RANUNCUL'ÆÆ ..	4	<i>Ripogonum</i>	523	<i>Sagus</i>	543	<i>Scandix</i>	254
<i>Ranunculus</i>	4	<i>Ritchiea</i>	48	SALIC'ARIEÆ ..	201	<i>Scandix</i> ..	254
<i>Ranunculus</i> ..	7	<i>Rittera</i>	162	SALIC'ÆÆ ..	468	<i>Schæfferia</i>	115
RAPH'ANÆÆ ..	35	<i>Rivina</i>	433	<i>Salicornia</i>	436	<i>Schedonorus</i> ..	571
<i>Raphanus</i>	36	<i>Robertia</i>	276	<i>Salisburya</i> ..	473	<i>Schelhammèra</i> ..	539
<i>Raphiolepis</i> ..	176	<i>Robertsönia</i> ..	239, 240	<i>Salix</i>	468	<i>Scheuchzeria</i> ..	477
<i>Rapistrum</i> ..	36	<i>Robinia</i>	143	<i>Salmea</i>	307	<i>Schinus</i> ..	119
<i>Rapistrum</i> ..	31	<i>Robinia</i> 141, 142, 143,	141, 168	<i>Salmia</i>	480	<i>Schinus</i>	119
<i>Raspalia</i> ..	115		141, 168	<i>Salomonia</i>	47	<i>Schismus</i>	559
<i>Rauwolfia</i>	353	<i>Röchea</i>	223	<i>Salpianthus</i> ..	430	<i>Schiveréckia</i> ..	25
<i>Rauwolfia</i>	353	<i>Rodigia</i>	276	<i>Salpiglossis</i> ..	383, 594	<i>Schizæa</i> ..	577, 598
<i>Rauwolfia</i>	495	<i>Rodigia</i>	276	<i>Salsola</i>	434	<i>Schizandra</i>	16
<i>Reaumuria</i>	235	<i>Rodriguezia</i> ..	487	<i>Salsola</i>	434, 435	SCHIZA'NDREÆ ..	16
REAUM'URIEÆ ..	235	<i>Roëlla</i>	328	<i>Salvia</i>	410	<i>Schizanthus</i>	396
<i>Redoutèa</i>	63	<i>Roëlla</i>	327	<i>Salvinia</i> ..	576	SCHIZOPE'TALEÆ ..	37
<i>Reevèsia</i>	586	<i>Rœmèria</i> ..	19, 585	<i>Sámara</i> ..	348	<i>Schizopetalum</i> ..	37
<i>Relbani</i>	307	<i>Rœmèria</i>	571	<i>Sambucus</i>	257	<i>Schkuhria</i>	306
<i>Remirea</i>	552	<i>Roepèria</i>	101	<i>Samolus</i> ..	426	<i>Schmaltzia</i>	119
<i>Renanthèra</i> ..	491	<i>Röhdea</i>	480	<i>Samyda</i> ..	116	<i>Schmidelia</i> ..	84
<i>Renealmia</i>	493	<i>Rolandra</i>	287	SAMY'DEÆ ..	116	<i>Schmidtia</i>	554
<i>Renealmia</i> ..	493, 498	<i>Rondeletia</i>	262	<i>Sandoricum</i> ..	85	<i>Schandodum</i>	547
<i>Requienia</i>	132	<i>Rosa</i>	178	<i>Sanguinaria</i> ..	19, 585	<i>Schœnus</i> ..	549, 597
<i>Reseda</i> ..	39	ROS'ACEÆ ..	178	<i>Sanguisorba</i>	193	<i>Schœnus</i> ..	549, 550
RESED'ACEÆ ..	39	<i>Roscöea</i>	492	SANGUISO'RBÆÆ ..	192	<i>Schœpfia</i>	347
RESTI'ACEÆ ..	546	<i>Rosèa</i>	433	<i>Sanicula</i> ..	244	<i>Schöllera</i> ..	330, 541
<i>Réstitio</i>	547	<i>Rosmarinus</i>	404	SANIC'ULEÆ ..	243	<i>Schötia</i>	172
		<i>Rostraria</i>	574	<i>Sansevieria</i>	517	<i>Schötsb'æa</i>	196

	Page.		Page.		Page.		Page.
Streptocarpus ..	397	Támarix	203	Thely'mitra	486	Tradescántia ..	541, 542
Stréptopus	523	Támarix	203	Thenárdia	355	Tragacántha ..	147
Stròbus	475	T'AMEÆ	522	Theobròma	67	Tràgia	460
Strophanthus	354	Tamònia	418	Theophrásta	353	Tràgia	460
Strumària	510	Tàmus	522	Thermópsis	123	Tràgium	246
Struthiòla	449	Tanacètum	316	Thesium	450	Tragopògon	279
Struthiòpteris ..	582	Tanacètum	316	Thesium	450	Tragop'yrum ..	439
Stry'chnos	353	Tan'æcium	389	Thespèsia	63	Tràgus	557
Stuártia	73	TARAX'ACEÆ	274	Thlâspi	27	Tràpa	200
Stuártia	73	Tarchonánthus ..	315	Thlâspi .. 27, 31, 32		Tratteníckia ..	306
Stúrmia	557	Tasmánia	13	THLASPI'DEÆ ..	27	Travòla	588
Stylándra	361	Tauschèria	32	Thomàsia	67	Trèisia	453
STYLI'DEÆ ..	324	Taxánthema ..	427	Thrinax	544	TREMA'NDREÆ ..	47
Stylídium	324	Taxòdium	474	Thríncia	275	Trevirània	390
Stylosánthes ..	149	TAXI'NEÆ	473	Thryállis	81	Tréwia	557
Stypándra	525	Táxus	473	Thùja	474	Triánthema	219
Styphèlia	346	Táxus	473	Thùja	473	Tribráchia	489
Styphèlia	346	Tecòma	366	Thunbérgia	419	Tríbulus	104
STYPH'ELLÆ ..	346	Tectòna	418	Thy'mbra	409	Trich'æta	573
STYRACI'NEÆ ..	347	Teèdia	389	Thy'mbra	409	Trichèra	269
St'yrax	347	Teesdàlia	27	THYMEI'ÆÆ ..	448	Trichília	85
Suaèda	435	TELEPHI'ÆÆ ..	220	Th'yimus	401	TRICHI'LIEÆ ..	85
Suárdia	558	Telèphium	220	Th'yimus	399, 409	Trichocéphalus ..	114
Subulària	37	Telfaíria	215	Thysanòtus	532	Trichóchloa	557
SUBUL'ARIEÆ ..	37	Tellima	242	Thysselinum ..	250, 251	Trichodésma	378
Succisa	269	Telopèa	417	Tiarèlla	242	Trichòdium	556
Succòwia	35	Templetònia ..	126	Tiarèlla	242	Trichòdium	556
Sutherlándia ..	144	Tendòria .. 247, 251		Tiarídium ..	374	Trichol'æna	560
Swainsòna	144	Tephrosia .. 141, 589		Tibouchina	204	Trichómanes	583
Swártzia	162	Tephrosia ..	156	Ticorèa	108	Trichonèma .. 503, 596	
SWARTZI'ÆÆ ..	162	Tephrothámnus ..	126	Tigàrea	193	Trichóphorum ..	552
Sweètia	156	Terámnus	156	Tigrídia	499	Trichophy'llum ..	322
Swértia	363	TEREBINTH'ACEÆ		Tigrídia	497	Trichorhiza	491
Swietènia	86		119	Tilia	71	Trichosánthes ..	215
Swietènia	86	Terminàlia	195	TILI'ACEÆ ..	70	Trichosánthes ..	215
S'yagrus	543	TERMIN'ALIEÆ ..	195	Tiliacòra	15	Trichostèma ..	403
Symphíandra ..	593	Ternstroemia ..	72	Till'æa	222	Trichostèma ..	399
Symphònia	79	TERNSTRÆMIA-		Tillándsia	535	Tricóryne	525
SYMPH'ONIEÆ ..	79	CEÆ	72	Tithònia	312	Tridactylites ..	241
Symphòria .. 258, 592		Terpnánthus ..	108	Tithy'malus ..	453, 454	Tridax	308
Sy'mphytum ..	375	Testudinària ..	522	Tittmánnia	116	Tridens	567
Sympicèza	332	Tetràcera	12	Tittmánnia .. 393, 394		Tridénteia	358
Symplocarpus ..	479	Tetràdium	121	Tocòca	205	Trientalis	425
SYMPLOCI'NEÆ		Tetragònia	234	Toddàlia	121	TRIFOLI'ÆÆ	132
.....	347	Tetragònia	201	Tòdea	577	Trifolium	135
Sy'mplocos	347	Tetragonólobus ..	138	Tofièldia	540	Trifolium .. 134, 137	
Synándra	404	Tetragonothèca ..	307	Tólpis	275	Triglóchin	477
Syncárpha	281	Tetramèrium ..	264	Tonsèlla	79	Trigonèlla	134
Synedrèlla	308	Tetranèma	149	Tontèlea	79	Trigònia	80
Synnòtia	501	Tetranthèra	441	TORDYLI'NEÆ ..	252	Trigònis	84
Syntherisma ..	558	Tetrapògon	564	Tordy'lium	252	Tríllium	523
Syrènia	30	Tetrápteris	81	Tordy'lium .. 251, 252		Trìnia	245
Syrínga	352	Tetrathèca	47	Torènia	393	Triòdia	567
Syzy'gium	211	Tetrazy'gia	205	Torilis	254	Triòdia	567
Tabernæmontàna	354	Teùcrium	402	Torilis	253	Triópteris	81
Tacca	481	Thalàmia	473	Tormentilla	190	Triósteum	259
TACC'ACEÆ ..	481	THALAMIFL'ORÆI		Tórtula	418	Triphàsia	75
Tachigàlia	169	Thàlia	494	Tournefórtia	378	Triphora	486
Tacsònia	218	Thalicttrum	2	Tournefórtia .. 374, 379		Tripinnària ..	389
Tanitis	582	Thamnèa	116	Tourrètia	367	Triplaris	440
Tagètes	305	Thamnochórtus ..	547	Touchiròla	172	Tripsacum	563
Talièra	543	Thápsia	252	Trachèlium	328	Tripsacum	563
Talaúma	584	Thápsia	248	Trachymène	243	Triptilion	280
Talinum	219	THAPSI'ÆÆ	252	Trachymène	243	Trisètum	518
Talinum	219	Tháspium	248	Trachynòtia	553	Trisètum .. 567, 573	
Tamaríndus	169	Tháspium	245	Trachyspèrmum ..	245	Tristània	207
TAMARISCI'NEÆ		Thèa	73	Trachytèlla	584	Tristegis	558
.....	203	Thely'gonum	463	Tradescántia ..	541, 597	Triteleia	532

	Page.		Page.		Page.		Page.
<i>Tríticum</i>	564	VACCINIEÆ	329	<i>Viola</i>	43, 45	<i>Wulfènia</i>	396
<i>Tríticum</i> 564, 565, 566,		<i>Vaccínium</i>	329	VIOLARIEÆ	43	<i>Wurmbèa</i>	549
.....	573	<i>Vaccínium</i>	330	<i>Virgília</i>	122	<i>W'ylia</i>	254
<i>Tritòma</i>	517	<i>Valántia</i>	266	<i>Virgília</i>	122	<i>Xánthium</i> ..	311
<i>Tritònia</i>	502	<i>Valántia</i> 266, 267		<i>Viscària</i>	53	<i>Xanthóchymus</i> ..	78
<i>Triumfétta</i>	70	<i>Valeriàna</i>	268	<i>Viscum</i>	259	<i>Xanthorrh'æa</i> ..	534
<i>Trixàgo</i>	395	<i>Valeriàna</i> 268, 269		<i>Vísmia</i>	76	<i>Xanthòsia</i>	243
<i>Tríxis</i>	280	VALERIANEÆ 268		<i>Vismi'eæ</i>	76	<i>Xenopòma</i>	419
<i>Tríxis</i>	280	<i>Valerianélla</i>	269	<i>Visnàga</i>	245	<i>Xeránthemum</i> ..	294
<i>Trizeùxis</i>	488	<i>Vallàris</i>	356	<i>Vísnea</i>	350	<i>Xeránthemum</i> 292, 293,	
<i>Trochiscánthes</i> ..	248	<i>Vallèsia</i>	353	<i>Vítex</i> ..	416		294
<i>Trochocárpa</i> ..	346	<i>Vallisnèria</i>	476	<i>Vítex</i>	417	<i>Xerophy'llum</i> ..	549
<i>Tróllius</i>	7	<i>Vallòta</i>	512	<i>Vitis</i>	87	<i>Xeròtes</i> ..	546
<i>Tromótriche</i> ..	358	<i>Vánda</i>	491	<i>Vitis</i>	87	<i>Ximenèsia</i> ..	307
TROPÆOLEÆ 101		<i>Vánda</i>	491	<i>Vittària</i>	582	<i>Ximènia</i>	75
<i>Trop'æolum</i> ..	101	<i>Vandéllia</i>	394	<i>Voandzèia</i>	168	<i>Ximènia</i>	104
<i>Tròphis</i>	450	<i>Vanguèria</i> 260, 600		<i>Vochy'sia</i> '	197	<i>Xiphídium</i> ..	504
<i>Tróximón</i>	276	<i>Vanilla</i>	491	VOCHY'SIEÆ ..	197	<i>Xiphópteris</i>	578
<i>Tróximón</i>	276	<i>Varrònia</i> 379, 380		<i>Vohíria</i>	363	<i>Xylòbium</i>	489
<i>Tulbàgia</i>	517	<i>Vascòa</i>	126	<i>Volkamèria</i>	416	<i>Xylomèlum</i> ..	447
<i>Tùlipa</i>	536	<i>Vauánthes</i>	223	<i>Volkamèria</i> ..	415, 416	<i>Xylophy'lla</i> ..	459
TULIP'ACEÆ 536		<i>Velèzia</i>	54	<i>Vouàpa</i> ..	172	<i>Xylòpia</i> ..	15
<i>Tupístra</i>	480	<i>Vélla</i>	35	<i>Wachendórfia</i> ..	504	<i>Xylòsteum</i> ..	258
<i>Turgènia</i>	254	<i>Vélla</i>	35	<i>Wahlenbérgia</i> 325, 593		<i>Xyris</i>	546
<i>Turnèra</i>	218	VE'LLEÆ	35	<i>Waldsteínia</i>	189	<i>Xysmalòbium</i> ..	361
TURNER'ACEÆ 218		<i>Vellèia</i>	324	<i>Waldsteínia</i>	189	<i>Yúcca</i>	536, 597
<i>Turpínia</i>	109	<i>Vellèia</i>	324	<i>Walkèra</i>	109	<i>Zacíntha</i>	276
<i>Turpínia</i> ..	109, 149	<i>Vellòsia</i>	505	<i>Wallíchia</i>	543	<i>Zaluzània</i> ..	318
<i>Turr'æa</i>	85	<i>Veltheímia</i>	517	WALLICH'IEÆ ..	69	<i>Zàmia</i> ..	476
<i>Turrítis</i>	22	<i>Venàna</i>	599	<i>Wallróthia</i>	249	<i>Zannichéllia</i>	478
<i>Turrítis</i> 22, 23, 34, 585		<i>Ventenàtia</i> ..	324, 346	<i>Wallróthia</i>	417	<i>Zanònia</i>	549
<i>Tussilàgo</i>	302	<i>Ventilàgo</i>	114	<i>Walthèria</i>	68	<i>Zapània</i> ..	418
<i>Tussilàgo</i>	280	<i>Veràtrum</i>	540	<i>Wangenheimia</i> ..	560	<i>Zanthorhiza</i> ..	12
<i>Tylóphora</i>	589	<i>Verbáscum</i>	380	<i>Watsònia</i>	500	<i>Zanthoxylum</i> ..	107
<i>Typha</i>	479	<i>Verbáscum</i>	382	<i>Webèra</i>	261	<i>Zèa</i>	574
TY'PHINEÆ ..	479	<i>Verbèna</i>	418	<i>Webèra</i>	261	<i>Zephyránthes</i> ..	595
<i>Ugèna</i>	577	<i>Verbèna</i>	418	<i>Wedèlia</i>	309	<i>Zexmènia</i>	390
<i>'Ulex</i>	129	VERBEN'ACEÆ 415		<i>Wedèlia</i>	313	<i>Zièria</i> ..	107
<i>U'lmus</i>	464	<i>Verbesína</i>	308	<i>Weinmánnia</i>	242	<i>Zietènia</i> ..	407
<i>U'lmus</i>	464	<i>Verbesína</i>	308	<i>Wendlándia</i> ..	15	<i>Zigadènus</i> ..	549
UMBELLI'FERÆ		<i>Vernònia</i> ..	289, 592	<i>Westònia</i>	156	<i>Zílla</i>	35
.....	243	<i>Vernònia</i>	289	<i>Westríngia</i> ..	402	<i>ZILL'EÆ</i> ..	35
<i>Umbilicus</i>	225	VERNONI'ACEÆ 288		<i>Whitlèya</i>	383	<i>Zíngiber</i> ..	492
<i>Uncària</i>	263	<i>Verónica</i>	396	<i>Wibèlia</i>	274	<i>Zínnia</i>	307
<i>Unìola</i>	571	<i>Verónica</i> ..	396, 399	<i>Wibórgia</i>	308	<i>Zínnia</i>	575
<i>Unòna</i>	15	<i>Verticórdia</i>	207	<i>Wigándia</i> ..	369	<i>Zizània</i>	245
<i>Uráchne</i>	555	<i>Vesicària</i> ..	24	<i>Willdenòvia</i> ..	547	<i>Zizia</i>	245
<i>Urània</i>	495	<i>Véstia</i>	383	<i>Willemètia</i>	113	<i>Zizíphora</i>	404
<i>Urària</i>	149	<i>Vibórgia</i>	128	<i>Willughbèia</i> ..	356	<i>Zizyphus</i>	112
<i>Uraspèrmum</i> ..	255	<i>Vibúrnium</i>	257	<i>Windsòria</i>	567	<i>Zizyphus</i> ..	112, 464
<i>Urèna</i>	60	<i>Vícia</i>	153	<i>Wintèra</i> ..	13	<i>Z'ægea</i> ..	285
<i>Uropétalon</i> ..	528	<i>Vícia</i> ..	143, 154, 156	<i>Winteràna</i> ..	13	<i>Zórnia</i>	149
<i>Urtica</i>	462	VICI'EÆ	153	WINTEREÆ ..	13	<i>Zórnia</i>	150
<i>Urtica</i>	462	<i>Vieusseùxia</i>	498	<i>Wistèria</i>	157	<i>Zosímia</i> ..	252
URTI'CEÆ	460	<i>Vígna</i>	159	<i>Wistèria</i>	157	<i>Zostèra</i> ..	478
<i>Urvill'æa</i>	83	<i>Viguièra</i>	310	<i>Witheríngia</i> ..	388	<i>Zóysia</i> ..	554
<i>Utriculària</i>	423	<i>Villàrsia</i>	364	<i>Witsènia</i>	499	<i>Zuccagnia</i> ..	528
<i>Uvària</i>	15	<i>Vilmorínia</i>	140	<i>Wittlesbäckia</i> ..	73	<i>Zuringèra</i> ..	108
<i>Uvària</i>	15	<i>Viminària</i>	124	<i>Woodfórdia</i> ..	202	<i>Zygopetalum</i> ..	496
<i>Uvulària</i>	539	<i>Vínca</i>	354	<i>Woodsia</i>	579	ZYGOPHY'LLÆ	
<i>Uvulària</i> 523, 539		VINI'FERÆ ..	86	<i>Woodwàrdia</i> ..	581		104
<i>Vaccària</i>	51	<i>Viola</i>	43, 586	<i>Wórmia</i>	13	<i>Zygophy'llum</i> ..	104
				<i>Wrightia</i>	354	<i>Zygophy'llum</i> ..	104

ENGLISH INDEX.

	Page.		Page.		Page.		Page.
Abele-tree	471	Balsam-herb	421	Birch-tree	467	Burnet	193
Achania	61	Balsam of Capevi	171	Bird Cherry	175	Burnet Saxifrage	246
Adam's needle	536	Balsam of Peru	122	Bird's-eye Primrose	424	Bur Parsley	253
Adder's-tongue	576	Balsam of Tolu	122	Bird's-foot	148	Bur-reed	479
African Almond	446	Balsam-seed	122	Bird's-foot Trefoil	134,	Butcher's Broom	523
African fleabane	315	Balsam-tree	78, 220		137	Butter and eggs	514
African Lily	517	Balsam-wood	122	Bird's-head	488	Butter-bur	302
African Marygold	305	Bamboo-cane	574	Bird's-nest	486	Butterfly-plant	483, 488
Agrimony	192	Bane-berries	11	Bird Pepper	384	Butter-nut	83
Akee-tree	84	Banana tree	495	Bird's-tongue	304, 539	Butter-tree	78, 349
Alaternus	112	Barbadoes Gooseberry		Birthwort	451	Butterwort	422
Alder	468		238	Bishop's-weed	245	Button-tree	196
Alexander's	255	Barberry	16, 584	Bitter-sweet	385	Button-weed	265
Alkekengi	384	Barley	558	Bitter Vetch	156	Button-wood	263
Alligator Pear	441	Barren-wort	16, 584	Bitter-wood	15	Cabbage	33
All-seed	58, 221, 435	Base Rocket	39	Blackberry	188	Cabbage-tree	543
Allspice	212	Basil	413	Black Bryony	522	Cajuputi-tree	207
Allspice-tree	194	Bastard Balm	409	Black Knapweed	285	Calabash-tree	389
Allum-root	242	Bastard Cabbage-tree		Black Parsley	253	Calaba-tree	78
Almond	173		168	Black Saltwort	428	Calamint	409
Almond Peach	173	Bastard Cardamon	492	Bladder Ketmia	62	Calathian Violet	362
Aloe-wood	117	Bastard Cedar	67, 86	Bladder-nut	109	Calf's-snout	390
Althaea-frutex	61	Bastard Cress	27	Bladder Senna	144	Caltrops	104
Amaranth	430	Bastard Cypress	549	Bleaberry	329	Cammock	132
Amber-tree	265	Bastard Flower-fence		Blessed Thistle	287	Campion	51
Amboynapitch tree	474		164	Bloodwort	19	Camphire-tree	441
American birds-eye	424	Bastard Hare's-ear	265	Blue-bottle	286	Canada Rice	575
American Cowslip	423	Bastard Indigo	142	Bog-rush	549	Canary Tea	63
Anchovy Pear	213	Bastard Mangeneel	355	Bonace-bark	449	Candleberry Myrtle	472
Andaman red wood	161	Bastard Orpine	459	Borage	378	Candy-tuft	27
Angelica	249	Bastard Pimpernell	426	Borecole	33	Cane-brake	574
Angelica-tree	256	Bastard Quince	177	Box-thorn	388	Canterbury bells	327
Anise	246	Bastard Saffron	284	Box-tree	456	Cape Aster	305
Aniseed-tree	13	Bastard Vervain	418	Brake	582	Cape Holly	110
Anotta	40	Bastard Vetch	145	Bramble	178	Cape Jasmine	261
Ape Orchis	483	Bawd-money	249	Brasiletto	168	Cape Phillyrea	110
Apple	177	Bay-tree	441	Bread-fruit	462	Caper-bush	38, 585
Apple-berry	48	Bead-tree	85	Bread-nut	462	Caper Sponge	454
Apricot	174	Bean	153	Bread-root	138	Carambola-tree	102
Arbor-vitæ	474	Bean-caper	104	Broccoli	33	Caraway	245
Archangel	406	Bean-trefoil	122	Brome-grass	573	Cardamon	493
Arracacha	255	Bear-berry	330	Brook-lime	398	Cardinal-flower	323
Arrow-grass	477	Bearbind	370	Brookweed	426	Cardoon	284
Arrow-head	477	Bear's-breech	419	Broom	131	Carline thistle	284
Arrow-root	495	Bear's-ear Sanicle	423	Broom-rape	422	Carnation	50
Artichoke	284	Bedstraw	266	Brown Knapweed	286	Carob-tree	169
Asarabacca	451	Beech-tree	467	Brussels sprouts	33	Carrion-flower	357
Ash-tree	350	Bee Ophrys	484	Bryony	214	Carrot	253
Asparagus	533	Beet	436	Buck-bean	364	Cascarilla	457
Aspen	472	Belladonna Lily	506	Buckler Mustard	27	Cashew-nut	117
Asphodel	524	Bell-flower	325	Buck's-eye tree	83	Cassava	458
Atamasco Lily	505	Bengal Quince	75	Buckthorn	112	Cassia	411
Auricula	425	Benjamin-tree	441	Buck-wheat	438	Cassioberry-bush	258
Avens	190	Bent-grass	556	Buck-wheat tree	332	Castor-oil nut	458
Awl-wort	37	Berry-bearing Alder		Buffalo-clover	136	Catalpa-tree	365
Azarole	176		113	Bugle	403	Catchfly	51
Bahama red-wood	113	Betle	482	Bugloss	377	Cat-chop	228
Balm	409	Betony	406	Bugwort	11	Catmint	407
Balm of Gilead	409	Bilimbi-tree	102	Bullace-tree	174	Cat's-ear	276
Balsam	101	Billberry	329	Bullet-grape	87	Cat's-tail	479
Balsam Apple	215	Bindweed	369	Burdock	280	Cat's-tail grass	554

	Page.		Page.		Page.		Page.
Cat Thyme . . .	403	Cornellian Cherry	257	Dragon's-head . .	408	Fox-chop . . .	227
Cauliflower . . .	33	Corn Cockle . . .	54	Dragon-tree . . .	533	Foxglove . . .	392
Cedar . . .	474, 475	Corn-flag . . .	500	Dropwort . . .	194	Fox-Grape . . .	87
Cedar of Goa . . .	474	Cornish Moneywort	394	Drumstick-tree . .	169	Foxtail-grass . .	554
Cedar of Lebanon	475	Costmary . . .	315	Duck-weed . . .	478	Fraxinella . . .	105, 588
Celandine . . .	19	Cotton-grass . . .	552	Duck's-foot . . .	17	French Honeysuckle	
Celery . . .	245	Cotton-Rose . . .	294	Dumb Cane . . .	481		136
Centaury . . .	285, 592	Cotton-Thistle . .	283	Dwarf fan palm . .	542	French Marygold	365
Chamomile . . .	318	Cotton-tree . . .	63	Dyer's green-weed	130	French Sorrel . .	419
Charlock . . .	34	Couch-grass . . .	565	Dyer's-weed . . .	39	Friar's-cowl . . .	489
Chaste-tree . . .	416	Cowbane . . .	244	Earth-nut . . .	167, 246	Fringe-tree . . .	351
Chaw-stick . . .	114	Cow-berry . . .	330	Earth Pea . . .	155	Fritillary . . .	537
Cheese-rennet . .	267	Cow-grass . . .	135	Egg-plant . . .	387	Frog-bit . . .	476
Cherimolli . . .	14	Cowitch . . .	159	Egyptian-thorn . .	166	Frog Orchis . . .	483
Cherry-tree . . .	174	Cow Parsnep . . .	251	Elastic gum tree . .	458	Fumitory . . .	29
Chervil . . .	254	Cowrie Pine . . .	471	Elder . . .	257	Furze . . .	129
Chestnut . . .	467	Cowslip . . .	423	Elecampane . . .	290	Fustick-wood . .	463
Chestnut Oak . .	466	Cow-tree . . .	462	Elephant Apple . .	75	Gambier-tree . .	263
Chicasaw . . .	174	Cow-wheat . . .	395	Elephant-foot . . .	288	Garden Balsam . .	421
Chickling Vetch .	155	Crab . . .	177	Elephant's-foot . .	522	Garland flower . .	493
Chick Pea . . .	153	Cranberry . . .	330	Elm-tree . . .	464	Garlic . . .	58
Chickweed . . .	55	Crane's-bill . . .	88	Enchanter's Nightshade		Garlic-Pear . . .	18
Chile Pine . . .	474	Creeping Cereus . .	236		200	Genip-tree . . .	21
China Aster . . .	297	Cress Rocket . . .	35	Endive . . .	280	Gentian . . .	392
Chinese varnish . .	118	Crosswort . . .	265	English Mercury . .	434	Germander . . .	492
Chives . . .	530	Crown Imperial . .	538	Ermine-chop . . .	228	German madwort	377
Chocho . . .	215	Crow-foot . . .	4, 584	Eryngo . . .	244, 591	Giant Fennel . .	250, 591
Chocolate-nut . .	67	Crow-garlic . . .	530	Evening-flower . .	503	Ginger . . .	492
Christmas Rose . .	7	Crow's-foot-grass . .	563	Evening Primrose . .	198	Gingerbread Plum	173
Christ's thorn . .	112	Cuckold-tree . . .	166	Evergreen Thorn . .	175	Ginseng . . .	236
Cicely . . .	254	Cuckoo-flower . . .	23	Everlasting . . .	291	Gladwyn . . .	49
Cinnamon . . .	441	Cucumber . . .	214	Everlasting Pea . .	155	Glasswort . . .	436
Cinquefoil . . .	190, 589	Cumin . . .	252	Eye-bright . . .	394	Glastonbury-thorn	174
Citron . . .	75	Cup-flower . . .	218	Fan Palm . . .	543	Globe Amaranth . .	492
Clary . . .	412	Currant . . .	238, 591	Feather-grass . . .	556	Globe-flower . . .	7
Clearing-nut . . .	353	Custard Apple . . .	14	Felwort . . .	363	Globe Thistle . .	287
Cleavers . . .	267	Cypress . . .	474	Female Fern . . .	580	Goat's-beard . .	191, 279
Cloth of Gold . .	504	Daffodil . . .	514	Fennel . . .	247	Goat's Rue . . .	141
Clove . . .	49	Dahlia . . .	310	Fenugreek . . .	134	Goat's Thorn . . .	147
Clover . . .	136	Dahoon Holly . . .	111	Fescue-grass . . .	572	Gold of pleasure	31
Clove-tree . . .	212	Daisy . . .	299	Feverfew . . .	321	Golden-pert . . .	365
Clown's all heal . .	407	Dammar Pine . . .	474	Feverwort . . .	259	Golden Poley . .	463
Club-moss . . .	576	Dandelion . . .	274	Fiddle-wood . . .	417	Golden-rod . . .	27
Club-rush . . .	550	Darnel . . .	567	Fig Marygold . . .	227	Golden-rod tree . .	45
Cochineal-fig . . .	237	Date Palm . . .	543	Fig-tree . . .	460	Golden Saxifrage . .	242
Cockscomb . . .	431	Date Plum . . .	349	Figwort . . .	391	Golden Thistle . .	28
Cocksfoot-grass . .	570	Day Lily . . .	516	Filbert . . .	467	Goldy-locks . . .	28
Cockshead . . .	152	Deadly Carrot . . .	215	Filmy-leaf . . .	583	Gooseberry . . .	23
Cockspur-thorn . .	175	Deadly Nightshade	383	Fiorin-grass . . .	556	Goosefoot . . .	434
Cocoa-nut-tree . .	544	Dead Nettle . . .	405	Fir-tree . . .	475	Gourd . . .	213
Cocoa-Plum . . .	173	Deodar . . .	475	Fishbone Thistle . .	283	Gout-weed . . .	265
Codlins and cream	198	Deptford Pink . . .	49	Fish-poison . . .	142	Grains of Paradise	492
Coffee-tree . . .	261	Devil's-bit . . .	269	Flat Pea . . .	126	Grape . . .	528
Cogwood-tree . . .	441	Dewberry . . .	188	Flax . . .	58, 586	Grape Hyacinth . .	528
Coleseed . . .	33	Dill . . .	251	Flax Lily . . .	534	Grass-tree . . .	546
Colewort . . .	35	Dittany of Crete . .	402	Fleabane . . .	289	Great Burnet . .	193
Colic-root . . .	517	Dock . . .	439	Fleawort . . .	291	Greater Knapweed	253
Colpoon-tree . . .	110	Dodder . . .	373	Flixweed . . .	29	Greek Valerian . .	367
Coltsfoot . . .	302	Dog-chop . . .	227	Flower de luce . .	495	Green Dragon . . .	480
Columbine . . .	8	Dog's-bane . . .	356	Flower-fence . . .	169	Green-man . . .	483
Comfrey . . .	375	Dog's Cabbage . . .	463	Flowering Ash . . .	351	Green Quinoa . . .	435
Common Cress . .	31	Dog's-tail grass . .	553	Flowering Fern . .	577	Gromwell . . .	374
Common Dragon . .	480	Dog's-tooth Violet	539, 597	Flowering Raspberry		Ground Ivy . . .	408
Common Orpine . .	225		597		188	Ground Pine . . .	473
Contrajerva-root .	464	Dogwood . . .	257	Flowering Rush . .	477	Groundsel . . .	302
Coral-tree . . .	160	Doob-grass . . .	558	Fly Honeysuckle . .	258	Groundsel-tree . .	280
Coriander . . .	256	Double Cocoa-nut	543	Fly Ophrys . . .	481	Guaco . . .	300
Cork-tree . . .	466	Dragon . . .	479	Fool's Parsley . . .	247	Guava . . .	219
						Guelder Rose . . .	257

	Page.		Page.		Page.		Page.
Guernsey Lily . . .	509	Indian-corn . . .	574	Lettuce . . .	277	Meadow Rue . . .	2
Gum Arabic . . .	166	Indian Cress . . .	101	Licca-tree . . .	108	Meadow Saffron . . .	539
Gum Cistus . . .	41	Indian Cucumber . . .	523	Lignum vitæ . . .	104	Meadow Saxifrage . . .	248
Gum Succory . . .	277	Indian Fig . . .	237, 591	Lilac . . .	352	Meadow-sweet . . .	194
Gum-tree . . .	534	Indian Lotus . . .	17	Lily . . .	538	Medick . . .	132
Hair-grass . . .	559	Indian Madder . . .	262	Lily of the valley . . .	523	Medlar . . .	175
Hairy green-weed . . .	130	Indian Millet . . .	561	Lily Pink . . .	532	Medusa's-head . . .	453
Hard-grass . . .	563, 567	Indian Shot . . .	494	Lily-thorn . . .	262	Melic-grass . . .	560
Hare's-ear . . .	246	Indigo . . .	139	Lime . . .	75	Melilot . . .	134
Hare's-foot Fern . . .	583	Ipecacuanha . . .	454	Lime-tree . . .	71	Melon . . .	214
Hare's-foot Trefoil . . .	135	Irish Heath . . .	341	Lion's-ear . . .	404	Melon Thistle . . .	235
Hare's-tail Grass . . .	559	Iron-tree . . .	264	Lion's-foot . . .	274, 291	Mercury . . .	452
Hart's-tongue . . .	581	Iron-wood . . .	209, 349	Lion's-leaf . . .	16	Mexican Lily . . .	507
Hartwort . . .	252	Ironwort . . .	408	Liquorice . . .	141	Mezereum . . .	448
Hassagay-tree . . .	111	Ivy . . .	256	Lizard Orchis . . .	483	Michaelmas daisy . . .	296
Hatchet Vetch . . .	148	Jaca-tree . . .	464	Lizard's-tail . . .	481	Mignonette . . .	39
Hawkweed . . .	271	Jack in a box . . .	442	Lobel's Catchfly . . .	53	Milfoil . . .	319
Hawthorn . . .	176	Jacobea Lily . . .	509	Locust-tree . . .	143, 172	Milk Parsley . . .	249
Heart's-ease . . .	45	Jalap . . .	371	Logwood . . .	169	Milk Thistle . . .	282
Heart-seed . . .	83	Jamaica Birch . . .	120	London-pride . . .	240	Milk Vetch . . .	145, 589
Heath . . .	332	Jamaica Dogwood . . .	143	London Rocket . . .	29	Milkwort . . .	46, 586
Hedgehog . . .	134	Jamaica Ebony . . .	162	Looking-glass plant . . .	66	Milk-wood . . .	462
Hedge Hyssop . . .	396	Jambolana-tree . . .	211	Loose-strife . . .	425	Mint . . .	399
Hedge Mustard . . .	29	Japan Allspice . . .	195	Loquat . . .	176	Misseltoe . . .	259
Hedge Nettle . . .	406	Jasmine . . .	352	Lord Anson's Pea . . .	155	Mocker-nut . . .	465
Hellebore . . .	7	Jerusalem Artichoke . . .	309	Lousewort . . .	395	Moldavian balm . . .	409
Hemlock . . .	255	Jerusalem Sage . . .	405	Lovage . . .	249	Molucca balm . . .	405
Hemp . . .	463	Job's-tears . . .	574	Love Apple . . .	385	Moly . . .	530
Hemp Agrimony . . .	300	Jonquill . . .	515	Love-grass . . .	570	Monkey-flower . . .	394
Hen and chicken . . .	299	Judas-tree . . .	172	Love lies bleeding . . .	431	Monk's Basil . . .	413
Henbane . . .	382	Juniper . . .	474	Lucerne . . .	133	Monkshood . . .	9, 584
Henbit . . .	406	Jupiter's-beard . . .	132	Lungwort . . .	375	Moon-seed . . .	15
Herb Paris . . .	524	Kanguru Vine . . .	86	Lupine . . .	159, 589	Moonwort . . .	576
Herb Robert . . .	89	Kentucky Coffee-tree . . .	168	Lychnidea . . .	368	Moreton bay Chestnut . . .	589
Heron's-bill . . .	89	Kidney-bean . . .	157	Lyme-grass . . .	566	Morning-flower . . .	498
Hickory-nut . . .	465	Kidney Vetch . . .	132, 589	Madder . . .	266	Moschatel . . .	242
Hog Plum . . .	120	Knawel . . .	221	Madwort . . .	25	Motherwort . . .	405
Hogweed . . .	430	Knotted Marjoram . . .	402	Maidenhair . . .	582	Mountain Ash . . .	177
Holly . . .	111	Knot-grass . . .	220, 438	Maidenhair-tree . . .	473	Mountain Rose . . .	168, 203
Hollyhock . . .	60	Laburnum . . .	130	Maiden Plum . . .	119	Mountail Sorrel . . .	439
Honesty . . .	24	Lace-bark . . .	448	Mahogany-tree . . .	86	Mouse-chop . . .	228
Honey-berry . . .	84	Lady Fern . . .	580	Malabar nightshade . . .	433	Mouse-ear . . .	271
Honey-flower . . .	104	Ladies-mantle . . .	192	Malabar-nut . . .	420	Mouse-eat Chickweed . . .	57
Honeysuckle . . .	258	Ladies-slipper . . .	491	Malay Apple . . .	212	Mouse-tail . . .	4
Honeywort . . .	375	Ladies-smock . . .	23	Male Fern . . .	580	Mouse-tail grass . . .	572
Hooded Milfoil . . .	423	Ladies-traces . . .	485	Mallow . . .	59, 586	Moving-plant . . .	150
Hop . . .	463	Lamb's-chop . . .	228	Mammee-tree . . .	78	Moxa . . .	317
Hop Hornbeam . . .	467	Lamb's Lettuce . . .	269	Manchineel-tree . . .	458	Mudwort . . .	394
Horehound . . .	408	Lamp-wick . . .	405	Mandrake . . .	383	Mugwort . . .	317
Hornbeam . . .	467	Lancashire Asphodel . . .	545	Mango-ginger . . .	492	Mulberry . . .	462
Horn Gourd . . .	215	Lance-wood . . .	15	Mango-tree . . .	117	Mule Fern . . .	581
Horn Poppy . . .	19, 585	Larch . . .	475	Mangosteen . . .	78	Mullein . . .	380
Hornwort . . .	201	Larkspur . . .	8	Manna Ash . . .	351	Musk Melon . . .	215
Horse Chestnut . . .	83	Laserwort . . .	252	Maple . . .	82	Musk Okro . . .	62
Horse Radish . . .	26	Laurel . . .	175	Mare's-tail . . .	201	Musk Thistle . . .	281
Horse-radish tree . . .	168	Laurestine . . .	258	Marjoram . . .	402	Mustard . . .	34, 585
Horse-shoe Vetch . . .	148	Lavender . . .	408	Marrowfat Pea . . .	154	Myrobalan . . .	174
Horse-thistle . . .	282	Lavender-cotton . . .	315	Marsh Mallow . . .	60	Myrrh . . .	255
Hottentot Cherry . . .	110	Leadwort . . .	427	Marsh Marygold . . .	7, 584	Myrtle . . .	211
Hottentot Fig . . .	230	Leather-wood . . .	448	Marsh Pennywort . . .	243	Mysore-thorn . . .	169
Hound's-tongue . . .	378	Lee Chee . . .	84	Marsh Thistle . . .	282	Naseberry-tree . . .	349
Houseleek . . .	226	Leek . . .	530	Martagon . . .	538	Navelwort . . .	224
Humble plant . . .	162	Lemon . . .	75	Marygold . . .	313, 592	Navew . . .	33
Hyacinth . . .	528	Lemon-grass . . .	561	Marvel of Peru . . .	429	Nectarine . . .	173
Hyæna-poison . . .	457	Lentil . . .	154	Masterwort . . .	250, 251	Nettle . . .	462
Hyssop . . .	402	Leopard's-bane . . .	299	Mastick-tree . . .	119	Nettle-tree . . .	464
Ice-plant . . .	232			May Apple . . .	17		
Indian buckwheat . . .	438			Meadow-grass . . .	568		

	Page.		Page.		Page.		Page.
New Jersey Tea	113	Pepper	481	Redtop-grass	567	Screw-tree	65
New Zealand cork-tree	70	Peppermint	399	Red-water tree	163	Scrubby Oak	259
New Zealand Spruce	473	Peppermint-tree	208	Reed	574	Scurvy-grass	26
New Zealand Tea	210	Pepper Vine	87	Reed-grass	574	Sea-buckthorn	451
Nicker-tree	198	Perriwinkle	354	Rest-harrow	131	Sea Chickweed	57
Nightshade	385	Petty whin	130	Rhubarb	440	Sea Daffodil	513
Nipplewort	274	Pheasant's eye	4	Ribbon-flower	503	Sea-egg	134
Norfolk Island Pine	475	Phillyrea	351, 352	Rib-grass	428	Sea Heath	48, 586
Nutmeg	442	Physic-nut	457	Rice	575	Sea Holly	244
Nut-tree	467	Picotee	49, 50	Rocamboles	530	Sea Kale	35
Oak	465	Pigeon Pea	159	Rocket	29	Sea Lavender	427
Oat-grass	567	Pigeon Plum	173	Rock-Rose	40	Sea Matweed	478, 574
Oats	568	Pig-nut	465	Rope-grass	547	Sea Parsnep	255
Ogechee-Lime	451	Pilewort	7	Rose	178	Sea Rocket	28
Oil-nut	451	Pillwort	575	Rose Acacia	143	Seaside Balsam	457
Oil-seed	308	Pimpernell	425	Rose Campion	54	Seaside grape	438
Oily-grain	367	Pine Apple	534	Rosemary	404	Seaside Laurel	458
Oily-Palm	543	Pine-tree	475	Rose of Jericho	28	Seaside Oat	571
Old man's beard	279	Pink	49, 50, 586	Rose-root	225	Sedge	547
Oleander	354	Pin-pillow	237	Rough Chervil	254, 591	Self-heal	410
Oleaster	451	Pipewort	546	Rough Plum	173	Sengreen	25
Olibanum-tree	120	Pishamin	355	Rue	105	Senna	170
Olive	351	Pistachia-tree	118	Rupture-wort	220	Sensitive Fern	581
Olive-bark tree	195	Pitcher-leaf	192	Rush	545	Sensitive-plant	162
Olive-wood	110	Pitcher-plant	452	Rush-nut	551	Septfoil	190
Omime-root	414	Plane-tree	472	Rye	564	Serpent-wood	353
Onion	513	Plantain	428	Rye-grass	566	Service-tree	177
Opera girls	491	Plantain-tree	495	Sacred Bean	17	Shaddock	75
Orache	435	Plank-plant	126	Sage	410	Shallon	331
Orange-Gourd	216	Plowman's spikenard	289	Sago-Palm	543	Shallot	530
Orange-tree	75	Plum-tree	174	Saintfoin	151	Sheep's-beard	279
Orpine	220	Poet's Cassia	450	St. Andrew's cross	77	Sheep's Scabious	328
Osage Apple	462	Poison bulb	510, 511	St. Barnaby's thistle	287	Sheep's Sorrel	440
Oswego Tea	404	Poison-nut	353, 354	St. Brunos's Lily	524	Shepherd's club	380
Otaheite Apple	120	Poison Oak	118	St. John's bread	169	Shepherd's Cress	27
Otaheite Chestnut	348	Poley	403	St. John's wort	76, 587	Shepherd's purse	27
Otaheite Myrtle	460	Polypody	578	St. Martin's flower	516	Shield Fern	579
Ox-eye	309	Pomegranate	195	St. Peter's-wort	258, 592	Shore-weed	429
Ox-eye Daisy	320	Pond-weed	478	Salep	481	Shrubby-horsetail	472
Ox-lip	424	Poplar	478	Salt-tree	144	Shrubby Trefoil	121
Ox-tongue	276	Poppy	18	Saltwort	434	Shumee-tree	166
Pæony	12	Portugal Laurel	175	Samphire	249	Siberian bird's-eye	424
Palma Christi	458	Potatoe	385	Sandal-wood	450	Siberian Crab	177
Palms	542, 545	Primrose	423	Sandbox-tree	457	Side-saddle flower	18, 585
Palo de vacca	462	Prince's feather	431	Sand Myrtle	344	Silk cotton tree	66
Panic-grass	563	Privet	352	Sandwort	56, 586	Silver Fir	475
Papaw-tree	216	Puccoon	98, 585	Sanicle	244	Silver-tree	442
Paper Mulberry	462	Pumpkin	215	Sapota	349	Single-seeded Cucum-	
Paper Rush	552	Purslane	219	Sappan fruit	163	ber	215
Paraguay Tea	111	Purslane-tree	220	Sarsaparilla	522	Skirret	240
Parsley	245	Pyracantha	175	Satin-wood	86	Skull-cap	410
Parsley-piert	192	Quaking-grass	570	Savanna-flower	355	Slipper Spurge	452
Parsnep	251	Quamash	528	Savin	474	Slipperwort	396
Pasque-flower	3	Quillwort	575	Savory	401	Sloe-tree	174
Passion-flower	216, 590	Quince	178	Savoy	33	Small Burdock	314
Patience Dock	439	Radish	36	Savoy Spiderwort	524	Snail-flower	157
Pea	154	Ragged Robin	54	Sawfly Ophrys	484	Snake Cucumber	214
Peach	173	Ragwort	303, 305	Sawwort	281	Snake Gourd	215
Pear	177	Rambootan	84	Saxifrage	239, 591	Snakeroot	11, 452
Pearlwort	54	Ramoon-tree	450	Scabious	269	Snake's-beard	523
Pecan-nut	465	Rampion	326	Scallion	530	Snake's-tongue	577
Pellitory	463	Ramson	532	Scammony	369	Snake's-weed	438
Pellitory of Spain	318	Rape	34	Scarlet-runner	157	Snakewood	464
Penny-cress	27	Raspberry	188	Scorpion-grass	377	Snakewort	300
Pennyroyal	400	Red Cedar	474	Scorpion Senna	148	Snap-dragon	390
Pennyroyal-tree	401	Red Quinoa	435	Scotch bird's-eye	424	Sneezewort	319
Pennywort	225	Red Sandal-wood	161	Scotch Laburnum	130	Snowball-tree	257
				Screw-Pine	478		

	Page.		Page.		Page.		Page.
Snowberry . . .	258	Stork's-bill . .	92, 587	Tree Mallow . .	60	Water-soldier . .	476
Snowberry-bush .	264	Stramonium . .	383	Tree Onion . . .	530	Water Starwort .	201
Snowdrop . . .	516	Strapwort . . .	220	Trefoil	135	Water Violet . .	425
Snowdrop-tree .	347	Strawberry . . .	89	Tricolor	430	Water-weed . . .	478
Snowflake . . .	516	Strawberry-blite	436	Trompet Marin .	514	Waterwort . . .	55
Soap-berry . . .	84	Strawberry-tree .	331	True Chervil . .	254	Wax Dammar . .	473
Soapwort . . .	51	Succory	279	Trumpet-flower .	365	Wayfaring-tree .	257
Soft-grass . . .	562	Sugar-cane . . .	560	Trumpet Honeysuckle		Weasel-chop . . .	228
Soldier-wood . .	163	Sulphurwort . . .	250		259	Weymouth Pine .	475
Solomon's seal .	523	Sumach	117	Tuberose	517	Wheat	564
Sorrel	440	Summer Cypress .	434	Tulip	536	Whipcord	222
Sorrel-tree . . .	331	Sundew	45	Tulip-tree	14	Whiplash	227
Sour-gourd . . .	65	Sunflower	309	Tupelo	451	Whitebeam	177
Soursop	14	Sun-Rose	41	Turk's-cap	235	White Cedar . . .	474
Southernwood . .	316	Supple Jack . . .	84	Turmeric	491	White Hellebore .	540
South-sea Myrtle	210	Swallow-wort . .	360	Turnep	33	White Ipecacuanha	35
South-sea Tea . .	111	Sweet Bay	441	Turnep Cabbage .	33	Whitlow-grass 25,	585
Sow-thistle . . .	278	Sweet Briar . . .	179	Turnsole	374	Whortle-berry . .	329
Soy	158	Sweet-flag	480	Turpentine-tree .	119	Widow wail . . .	121
Spanish Broom . .	129	Sweet Gale	472	Twayblade	486	Wild Basil	409
Spanish Cress . .	31	Sweet-grass . . .	570	Umbrella-wort . .	429	Wild Bugloss . . .	377
Spanish Elm . . .	379	Sweet-gum tree . .	472	Valerian	268	Wild Chamomile .	319
Spanish-nut . . .	497	Sweet Maudlin . .	319	Velvet-leaf	15	Wild Cumin	255
Sparrow-wort . . .	449	Sweet Pea	155	Velvet Tamarind .	172	Wild Liquorice . .	156
Spear-mint	399	Sweet Potatoe . .	371	Venus Flytrap . .	46	Wild Rosemary . .	331
Speedwell	396	Sweet Scabious . .	270	Venus looking-glass	593	Wild Service . . .	177
Spider Ophrys . .	484	Sweet-sop	14	Venus Navelwort .	378	Wild Tansey . . .	191
Spiderwort	541	Sweet Sultan . . .	285	Venus's comb . . .	254	Willow	468
Spignel	248	Sweet William . .	49	Vervain	418	Willow-herb . . .	198
Spinage	436	Sword Fern	578	Vetch	153	Winged Pea	138
Spindle-tree . . .	109, 588	Syrian Rue	105	Vine	87	Winter Aconite . .	7
Spleenwort	580	Syringa	206	Violet	43, 586	Winter-bark . . .	13
Sponge-tree . . .	166	Tacamahac	472	Viper's Bugloss . .	375	Winter-berry . . .	111
Spread-eagle . . .	488	Tallow-tree	458	Viper's-grass . . .	278	Winter Cherry . .	383
Spring-grass . . .	553	Tamarind	169	Virginian creeper .	87	Winter Cress . . .	22
Spruce Fir	475	Tamarisk	203	Virginian Hemp . .	436	Winter Grape . . .	77
Spurge	453	Tangier Pea	155	Virginian Silk . . .	356	Winter-green 341,	425
Spurge Laurel . .	449	Tansy	316	Virgin's Bower . .	1	Winter-green grass	556
Spurless Violet .	45	Tare	154	Wall-cress	22, 585	Witch-Hazel . . .	473
Spurrey	55, 586	Tarragon	317	Wallflower	21	Woad	32
Squash	215	Teak-wood	418	Wall Rocket . . .	34	Wolfbane	11
Squill	527	Teasel	269	Wall Rue	580	Wolf-chop	228
Squirting Cucumber		Tea-tree	73	Walnut-tree . . .	465	Woodbine	259
.	215	Thistle	281	Wampee-tree . . .	75	Wooden-pear-tree	447
Staff tree	110	Thorn Apple . . .	383	Waratah	447	Woodruff	266, 592
Star Apple	345	Thrift	426	Wart-flower . . .	89, 587	Wood-rush	545
Starch Hyacinth .	528	Throatwort	328	Wartwort	455	Wood-sage	403
Starfish	357	Tick-seed	436	Water-caltrops . .	200	Wood Sorrel 102,	588
Star-flower	117	Tiger-chop	228	Water Chickweed .	220	Woolhead	307
Starhead	270, 592	Tiger-flower . . .	499	Water Cress	22	Worm-grass	364
Star of Bethlehem	526	Tile-root	503	Water Dropwort .	247	Wormwood	316
Star of the earth .	429	Toad-flax	390	Water Hemlock . .	247	Yam	521
Starry Scabious . .	285	Tobacco	382	Water Horehound .	398	Yarrow	320
Star-thistle	287	Tonquin Bean . . .	168	Water-leaf	380	Yellow bird's-nest	342
Starwort	295	Toothpick	245	Water Lily	17, 585	Yellow Poley . . .	403
Sterile Strawberry	192	Toothwort	24, 422	Water Melon . . .	214	Yellow rattle . . .	395
Stichwort	55	Touch me not 102,	588	Water Milfoil . . .	201	Yellow-root	4, 12
Stinking Horehound	405	Tower Mustard . .	22	Water Parsnep . .	246	Yellow Sultan . . .	285
Stock	21	Traveller's joy . .	1	Water Pepper . . .	439	Yellow-wort	363
Stonecrop	225	Treacle Mustard . .	25	Water Plantain . .	477	Yew-tree	473
Storax	347	Tree Celadine . . .	19	Water Purslane . .	201	Zebra-plant	494

Achillea Millefolium
Polygonum Persicifolium very fine
Conspicua Rosea Orchid -
Epilobium Spinosum Lucernifera

N.B. Mr. SWEET having now finished several of his Botanical Works,
 and many of his Friends having expressed a wish, that he would Cultivate
 some handsome, rare, and choice Plants for Sale, finding them at present
 so difficult to attain, has some intention of commencing in that way; and will
 be obliged to any of his Friends for their Orders, which will be punctually
 Executed, and the Plants sent with their proper Names.

Pinus sylvestris
Pinus murrayana
Pinus lambertiana with red bark
Abies Nobilis
Abies Douglasii
Abies balsamea
Parnassia Palustris { Violet
 very large - { Saxifrage
 1861