U.S. Coast Guard Oceanographic Report

UNITED STATES COAST GUARD
OCEANOGRAPHIC
REPORT No. 41

CG 373-41

Woods Hole Oceanographic Institution
ATLAS - GAZETTEER COLLECTION

THE LABRADOR CURRENT BETWEEN
HAMILTON INLET AND THE STRAIT OF BELLE ISLE

July 1968

PLEASE RETURN
TO
INSTITUTION DATA LIBRARY
MCLEAN

GC
3
.U7
A3
no 41

Atlas
~~532-AA~~
~~CG-373-41~~
shelf

UNITED STATES COAST GUARD
OCEANOGRAPHIC

UNITED STATES COAST GUARD OCEANOGRAPHIC UNIT

REPORT No. 41 CG 373-41

THE LABRADOR CURRENT BETWEEN HAMILTON INLET AND THE STRAIT OF BELLE ISLE

July 1968

By Henry S. Andersen

Frontispiece: USCGC EVERGREEN (WAGO 295)

ABSTRACT

In July and August 1968, the Coast Guard Oceanographic Unit conducted a cruise aboard the USCGC EVERGREEN to monitor the movements and deterioration of an iceberg and associated meteorological and oceanographic conditions. Only the results of the oceanographic observations are presented. Four oceanographic sections were occupied across the Labrador Current between Hamilton Inlet and the Strait of Belle Isle. Analysis of the surface dynamic topography and selected isopycnal surfaces indicates strong topographic control of the currents in this area. The temperature distribution along the southernmost section suggests that the coldest component of the shelf band of the Labrador Current passed landward of the area under study, reinforcing previously published information that the shelf band of the Labrador Current bifurcates east of Hamilton Inlet.

Editor's note: Reference to a product or comment with respect to it in this publication does not indicate, or permit any person to hold out by republication in whole or in part or otherwise, that the product has been endorsed, authorized, or approved by the Coast Guard.

TABLE OF CONTENTS

	Page
Title Page	i
Abstract	iii
Table of Contents	v
List of Illustrations	v
Introduction	1
Data Collection and Processing	1
Interpretation of Results	1-3
References	3
Illustrations	4-25
Appendix A—Oceanographic Data	26-57

LIST OF ILLUSTRATIONS

Figure	Page
1. Bathymetric chart of survey area in the western Labrador Sea between Strait of Belle Isle and Hamilton Inlet. Station positions are included	4
2. Sea surface dynamic topography relative to 600 decibars, 22-26 July 1968	5
3. Distribution of temperature upon the 26.50 σ_t surface, 22-26 July 1968	6
4. Depth of the 26.50 σ_t surface, 22-26 July 1968	7
5. Distribution of temperature upon the 26.75 σ_t surface, 22-26 July 1968	8
6. Depth of the 26.75 σ_t surface, 22-26 July 1968	9
7. Distribution of temperature upon the 27.00 σ_t surface, 22-26 July 1968	10
8. Depth of the 27.00 σ_t surface, 22-26 July 1968	11
9. Distribution of temperature upon the 27.25 σ_t surface, 22-26 July 1968	12
10. Depth of the 27.25 σ_t surface, 22-26 July 1968	13
11. Temperature profile for section A, 22-23 July 1968	14
12. Salinity profile for section A, 22-23 July 1968	15
13. Temperature profile for section B, 24 July 1968	16
14. Salinity profile for section B, 24 July 1968	17
15. Temperature profile for section C, 25 July 1968	18
16. Salinity profile for section C, 25 July 1968	19
17. Temperature profile for section D, 26 July 1968	20
18. Salinity profile for section D, 26 July 1968	21
19. Density (σ_t) profile for section A, 22-23 July 1968	22
20. Density (σ_t) profile for section B, 24 July 1968	23
21. Density (σ_t) profile for section C, 25 July 1968	24
22. Density (σ_t) profile for section D, 26 July 1968	25

The Labrador Current Between Hamilton Inlet and the Strait of Belle Isle

July 1968

Henry S. Andersen ¹

INTRODUCTION

From 17 July to 16 August 1968, the Coast Guard Oceanographic Unit conducted a cruise aboard the USCGC EVERGREEN (WAGO 295) to collect information about iceberg drift and deterioration. This cruise was part of a continuing Coast Guard program to monitor the movements and deterioration of icebergs and associated meteorological and oceanographic conditions. The results of the oceanographic observations are presented here; iceberg drift and deterioration will be the subject of a future publication.

The USCGC EVERGREEN sailed from Boston, Massachusetts on 17 July 1968 en route to the area of operation in the western Labrador Sea between Hamilton Inlet and the Strait of Belle Isle (fig. 1). A medium-size drydock iceberg was located on 22 July and tracked until 9 August 1968. The trajectory of the iceberg was determined by using moored reference markers and periodic radar plotting. Concurrent with the tracking of the iceberg, direct current measurements were obtained by parachute drogues. A four-section hydrographic survey consisting of 48 Nansen stations was conducted during 22–26 July to determine the dynamic topography of the area. The USCGC EVERGREEN returned to Boston on 16 August.

Mr. Thomas C. Wolford, Oceanographer, served as Field Party Chief for this cruise. He was assisted by Lieutenant Commander Martin J. Moynihan, USCG, and Ensign Henry S. Andersen, USCGR. Technical assistance was provided by Danny L. Allen, Aerographer's Mate

Third Class; Michael L. Combs, Aerographer's Mate Third Class; Kenneth L. Mitchell, Sonarman Third Class; and Mr. Ronald B. Lorenz, student trainee.

DATA COLLECTION AND PROCESSING

Temperature data was acquired with paired reversing thermometers mounted on Teflon-lined Nansen bottles. Salinities were determined on board with an inductive salinometer, using tables prepared by UNESCO/NIO (UNESCO, 1966) for computing salinity from the measured conductivity ratios. Depths of sampling were determined from the wire angle of the cast and pairs of unprotected and protected thermometers on selected Nansen bottles. Dynamic heights were computed on board using a PDP-8/S computer. Dynamic heights in water shallower than the reference level were computed in a manner described by Kollmeyer (1967).

The data presented in the Tables of Oceanographic Data are reproduced from a computer listing from the National Oceanographic Data Center (Cruise No. 31-1260). Anomalies of dynamic height in the listing were computed by NODC, but all discussion of dynamic heights in the text and related computations in this report were based on dynamic heights computed on board USCGC EVERGREEN or by the Coast Guard Oceanographic Unit.

INTERPRETATION OF RESULTS

The Labrador Current comprises two distinct bands—one over the continental shelf and the other over the steepest part of the continental slope (Smith, et al., 1937). Near Hamilton Inlet, the inshore band over the continental shelf possesses colder ($<1^{\circ}\text{C}$), fresher ($<33.5\%$) wa-

¹ U.S. Coast Guard Oceanographic Unit, Washington, D.C. 20390. Present address, Office of Environmental Affairs, U.S. Department of State, Washington, D.C. 20520.

ter, while the offshore band over the slope possesses warmer ($>1^{\circ}\text{C}$), more saline ($>34.0\%$) water, greater velocities, and a greater thickness.

A chart of sea surface dynamic topography relative to 600 decibars was prepared for the survey area to estimate the component of motion of the study iceberg resulting from ocean currents. Defant's method of estimating the level of no motion by comparing the differences in dynamic height between pairs of stations at varying pressures (Defant, 1961) was applied to several of the deeper stations in the area surveyed, and 600 decibars was chosen as a reference level. The 600 decibar level also was a suitable compromise between the deeper levels previously used and shallower levels desired to reduce errors in the integration procedure in shallow waters. Defant (1961), on a chart of the entire Atlantic Ocean, presented a depth exceeding 1900 meters as a suitable reference level for the survey area. Previous work done by the Oceanographic Unit in the region utilized a reference level of 1500 decibars.

In the area surveyed, the slope band of the Labrador Current appears on the chart of dynamic topography (fig. 2) as a concentration of contours near the eastern ends of the occupied sections. The shelf band is exhibited most clearly by the presence of negative-temperature water centered at about 75 meters (figs. 11, 13, 15, and 17) and appears to be split into several bands.

The trajectory of the iceberg under study was generally consistent with the dynamic topography of the sea surface relative to 600 decibars (fig. 2) until 4 August when it began moving westward against the geopotential gradient of an anticyclonic gyre. On 6 August the iceberg began moving northwestward against the circulation of the gyre. This seemingly anomalous motion probably is the result of a change in the wind observed at this time. The wind shifted from about 320° at approximately 7 knots to 170° at approximately 15 knots and continued to blow at this velocity for the next 28 hours. The final part of the trajectory up to 1900Z 9 August is difficult to explain in terms of the observed winds or dynamic topography. The relationship between this portion of the iceberg's trajectory and the dynamic topography should be inferred with caution because this

portion of the trajectory occurred midway between two lines of stations (sections B and C) and two weeks after the completion of the oceanographic survey.

Because of the complexity of the surface dynamic topography and the uncertainty of the dynamic method in regions shallower than the reference level, an investigation of the region by isentropic analyses was conducted (figs. 3–10). It was recognized that in a comparatively shallow region such as the study area, where vertical mixing probably is extensive, isentropic analysis is not an entirely suitable tool of investigation either, but the analysis was performed to see if it would corroborate the results attained by the dynamic method.

Comparison of the variation of depth of the 27.00 σ_t and 27.25 σ_t surfaces (figs. 8 and 10) with the sea surface dynamic topography relative to 600 decibars (fig. 2) indicates agreement in the basic features of the current regime. Although this agreement might be expected because the distribution of sea surface dynamic heights and the configuration of density surfaces are both functions of the mass distribution, it is still encouraging that such agreement was found in view of the approximations used to integrate the dynamic height along the shoaling sea bottom.

The chart of dynamic topography (fig. 2) indicates a weak cyclonic gyre centered on the third station (station 10349) from the western end of section C. That this gyre plays a more important role in the circulation of the area than is apparent from its manifestation at the sea surface may be appreciated after examining the distribution of density along section C (fig. 21). A doming of the density surfaces, with its axis inclined to the west, arises out of a bathymetric depression centered on station 10350. The dome is associated with a cyclonic vortex whose speed of rotation below the pycnocline (located at about 20 meters) decreases with depth.

The vortex appears to be a direct consequence of a depression in the shelf at $53^{\circ}\text{N } 53.5^{\circ}\text{W}$ (fig. 1), near stations 10348–51 (figs. 15, 16, and 21). The bathymetric chart suggests that the sill depth is greater to the east of this depression north of section C. Vertical sections of temperature, salinity, and density through the bathymetric depression (figs. 15, 16, and 21) revealed an incursion into the depression

of slope water that is warmer, more saline, and denser than the adjacent shelf water. From comparison with sections B and D, it may be inferred that the lens of warm, salty water in the depression is the result of an influx of slope water between sections B and C.

Further evidence of the effect of the bathymetry upon the circulation in this area is afforded by the zigzag near 53°N 52°W of the slope component of the Labrador Current (figs. 2 and 10). This feature coincides with a northward projecting spur in the bottom topography (fig. 1). The 27.25 σ_t surface, which is 200 to 300 meters shallower than the bottom, possesses relief that is the approximate inverse of the bottom topography. As would be expected, the successively

shallower σ_t surfaces (figs. 4, 6, and 8) exhibit a decreasing correlation with the bottom topography.

The coldest water observed (−1.62°) occurred at stations 10370 and 10371 at the western end of section D (fig. 17). The absence of such extreme temperatures at the other more northern sections suggests that the source of this cold water was a filament of the Labrador Current inshore of the sections occupied by USCGC EVERGREEN. Bullard, et al. (1961), mention a division of the Labrador Current by the shoal off Hamilton Inlet. The bottom topography (fig. 1) includes a rise (<100 fathoms) near 54° 45'N, 55° 15'W which may be responsible for this division.

REFERENCES

- Bullard, R. P., R. P. Dinsmore, A. P. Franceschetti, P. A. Morrill, and F. M. Soule (1961) Report of the International Ice Observation and Ice Patrol Service in the North Atlantic Ocean—Season of 1960, U.S. Treasury Department—Coast Guard Bulletin No. 46, 114 pp.
- Defant, A. (1961) *Physical Oceanography*, Pergamon Press, 1, 729 pp.
- Kollmeyer, R. C. (1967) Contribution to and effect of the Hudson Strait outflow on the Labrador Current. Oceanography of the Labrador Sea in the vicinity of Hudson Strait in 1965. U.S. Coast Guard Oceanographic Report No. 12, CG-373-12.
- Smith, E. H., F. M. Soule, and O. Mosby (1937) The Marion and General Greene Expeditions to Davis Strait and Labrador Sea. Scientific results, part 2, physical oceanography, U.S. Treasury Department—Coast Guard Bulletin No. 19, 259 pp.
- UNESCO (1966) International oceanographic tables. UNESCO office of Oceanography, Paris, 118 pp.

Figure 1. Bathymetric chart of survey area in the western Labrador Sea between Strait of Belle Isle and Hamilton Inlet. Contour interval is 100 fathoms to a depth of 500 fathoms and 500 fathoms thereafter. The chart is adapted from U.S. Naval Oceanographic Office charts BC0610N and BC0611N. Station positions are included.

Figure 2. Sea surface dynamic topography (dynamic meters) relative to 600 decibars, 22-26 July 1968. Contour interval is 0.02 dynamic meters. Track line indicates trajectory of iceberg under study.

Figure 3. Distribution of temperature (°C) upon the 26.50 σ_t surface, 22-26 July 1968. Dashed line indicates intersection of the 26.50 σ_t surface with the sea surface.

Figure 4. Depth (meters) of the 26.50 σ_t surface, 22–26 July 1968. Dashed line indicates intersection of the 26.50 σ_t surface with the sea surface.

Figure 5. Distribution of temperature (°C) upon the 26.75 σ_t surface, 22–26 July 1968.

Figure 6. Depth (meters) of the 26.75 σ_t surface, 22-26 July 1968.

Figure 7. Distribution of temperature (°C) upon the 27.00 σ_t surface, 22-26 July 1968.

Figure 8. Depth (meters) of the 27.00 σ_t surface, 22-26 July 1968.

Figure 9. Distribution of temperature (°C) upon the 27.25 σ_t surface, 22-26 July 1968.

Figure 10. Depth (meters) of the 27.25 σ_t surface, 22-26 July 1968.

Figure 11. Temperature ($^{\circ}\text{C}$) profile for section A, 22-23 July 1968.

Figure 12. Salinity (‰) profile for section A, 22-23 July 1968.

Figure 13. Temperature ($^{\circ}\text{C}$) profile for section B, 24 July 1968.

Figure 14. Salinity (‰) profile for section B, 24 July 1968.

Figure 15. Temperature ($^{\circ}\text{C}$) profile for section C, 25 July 1968.

Figure 16. Salinity (%) profile for section C, 25 July 1968.

Figure 17. Temperature ($^{\circ}\text{C}$) profile for section D, 26 July 1968.

Figure 18. Salinity (%) profile for section D, 26 July 1968.

Figure 19. Density (σ_t) profile for section A, 22-23 July 1968. Contour interval is 0.25 for values up to 27.25 and 0.10 for values greater than 27.40.

Figure 20. Density (σ_t) profile for section B, 24 July 1968. Contour interval is 0.25 for values up to 27.25 and 0.10 for values greater than 27.40.

Figure 21. Density (σ_t) profile for section C, 25 July 1968. Contour interval is 0.25 for values up to 27.25 and 0.10 for values greater than 27.40.

STATION NUMBER

Figure 22. Density (σ_t) profile for section D, 26 July 1968. Contour interval is 0.25 for values up to 27.25 and 0.10 for values greater than 27.40.

APPENDIX A

OCEANOGRAPHIC DATA

A complete description of the codes utilized in the tabulation of oceanographic station data can be found in National Oceanographic Data Center publication M-2, *Processing Physical and Chemical Data from Oceanographic Stations*. (Rev. August 1964, supplement issued May 1966.)

To facilitate use of the oceanographic station data listing, entry headings which are not self-explanatory are described below.

Depth to Bottom	Corrected or uncorrected sounding in meters.
Max. Depth of Samples.	Depth of deepest sample to nearest multiple of one hundred meters.
Wave observations:	
DIR.	Round to nearest multiple of ten degrees.
HGT.	In increments of ½ m. Sum of 5 meters plus increments of ½ m if 50 is added to direction.
PER.	If numerals 2 through 9 are entered, period in seconds is twice the numeric entry or $2 \times (\text{numeric entry}) + 1$. For other entries see WMO Code 3155.
SEA	Sea state according to WMO Code 3700.
Weather Code.....	If preceded by X, weather according to WMO Code 4501. If a two-digit entry, weather according to WMO Code 4677.
Cloud Code:	
Type	Cloud type according to WMO Code 0500.
Amount	Cloud amount in eights. Entry of the numeral 9 indicates cloud amount could not be estimated.
Water:	
Color Code	Color according to Forel-Ule scale.
Trans.	Transparency in whole meters as determined by Secchi disc.
Wind:	
Dir.	Rounded to nearest multiple of ten degrees.
Speed or Force.	If preceded by letter S, wind speed in knots, if preceded by letter F, wind force according to Beaufort scale.
Barometer	Barometric pressure given in tens, units and tenths of millibars.
Air Temp. °C.....	Air temperature to tenths of a degree centigrade.
Vis. Code	Visibility according to WMO Code 4300.
No obs. depths.....	Number of observed levels associated with the station.
Messenger time.....	Entered in hours and tenths of an hour GMT. For Nansen casts, indicates time of release of messenger applicable to the observational level. For STD casts, indicates the starting time of lowering the sensor.
Card type	OBS designates observed levels. STD indicates the values at this standard level were interpolated by a modified 3-point LaGrange formula.
Depth (m)	Depth to nearest meter. A postscript T indicates depth was obtained thermometrically; S indicates uncorrected "wire out" depth. Postscript Q indicates value was marked doubtful by originator; P indicates value was considered doubtful by NODC. Postscripts P and Q retain this meaning throughout the following entries.
T °C	Temperature to hundredths of a degree Centigrade.
S ‰	Salinity in parts-per-thousand.
SIGMA-T.....	Entered to hundredths.
Specific-volume	
Anomaly — $\times 10^7$	Multiply entry by 10^{-7} to obtain specific-volume anomaly in cubic centimeters per gram.
$\Sigma \Delta D$ Dyn. M $\times 10^3$	Multiply entry by 10^{-3} to obtain anomaly of dynamic height in dynamic meters referenced to the sea surface.
Sound Velocity	Sound velocity according to Wilson's formula entered to tenths of a meter per second.
O ₂ ml/l	Dissolved oxygen in milliliters per liter entered to hundredths.
PO ₄ -P $\mu\text{g-at/l}$	Inorganic phosphate in microgram-atoms per liter entered to hundredths.
Total-P $\mu\text{g-at/l}$	Total phosphorus in microgram-atoms per liter entered to hundredths.
NO ₂ -N $\mu\text{g-at/l}$	Nitrite-nitrogen in microgram-atoms per liter entered to hundredths.
NO ₃ -N $\mu\text{g-at/l}$	Nitrate-nitrogen in microgram-atoms per liter entered to tenths.
SiO ₄ -Si $\mu\text{g-at/l}$	Silicate-silicon in microgram-atoms per liter entered to whole units.
pH	Entered to hundredths.

Table 1. Observed and interpolated data for stations taken by USCGC EVERGREEN from 22 to 26 July during the 1968 International Ice Patrol. The data listings were prepared from NODC listing No. 31-1260.

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DEPTH METER	M/PSOEN SQUARE		STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF S'MPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CITY CODE	IO. NO.					10"	1"	MO	DAY	HR./10		CRUISE NO.	STATION NUMBER			DIR.	HGT	PER		SEA	TYPE		AMT
311260	EV		54134N	054565W	186	44	07	22	224	1968	11P	10324	0174	02	34	2	3		X1	4	1	0001	
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS							
						COLOR CODE	TRANS. MM	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB										
										09	508	230	117	094	9	09							
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ σ DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	1 C						
		STD	0000	0656	3206	2518	0027929	0000	14734														
	224	OBS	0000	0656	32056	2518			14734														
		STD	0010	0492	3219	2548	0025125	0027	14671														
	224	OBS	0010	0492	32185	2548			14671														
		STD	0020	0465	3222	2553	0024594	0051	14662														
	224	OBS	0020	0465	32220	2553			14662														
		STD	0030	0099	3269	2622	0018107	0073	14511														
	224	OBS	0030	0099	32693	2622			14511														
		STD	0050	-0127	3321	2673	0013206	0104	14417														
	224	OBS	0050	-0127	33205	2673			14417														
		STD	0075	-0143	3338	2687	0011826	0135	14416														
	224	OBS	0075	-0143	33377	2687			14416														
		STD	0100	-0136	3350	2697	0010857	0164	14425														
	224	OBS	0100	-0136	33504	2697			14425														
		STD	0125	-0131	3357	2703	0010352	0190	14433														
	224	OBS	0125	-0131	3357	2703			14433														
		STD	0150	-0078	3375	2715	0009193	0215	14464														
	224	OBS	0150	-0078	33745	2715			14464														
	224	OBS	0160	-0043	33841	2721			14483														

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DEPTH METER	MPS/SDEN SQUARE		STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF S'MPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CITY CODE	ID. NO.					10"	1"	MO	DAY	HR./10		CRUISE NO.	STATION NUMBER			DIR.	HGT	PER		SEA	TYPE		AMT
311260	EV		54207N	05442 W	186	44	07	23	007	1968	11P	10325	0192	02	34	2	3		X1	0	2	0002	
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS							
						COLOR CODE	TRANS. MM	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB										
										12	506	230	078	061	8	09							
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ σ DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	1 C						
		STD	0000	0515	3210	2538	0026034	0000	14678														
	007	OBS	0000	0515	32095	2538			14678														
		STD	0010	0384	3212	2553	0024587	0025	14625														
	007	OBS	0010	0384	32117	2553			14625														
		STD	0020	0281	3225	2573	0022727	0049	14584														
	007	OBS	0020	0281	32248	2573			14584														
		STD	0030	0028	3261	2619	0018365	0070	14478														
	007	OBS	0030	-0113	32856	2644			14417														
		STD	0050	-0128	3300	2656	0014775	0103	14414														
	007	OBS	0050	-0134	33096	2664			14414														
	007	OBS	0074	-0134	33186	2672			14418														
		STD	0075	-0134	3319	2672	0013285	0138	14418														
	007	OBS	0098	-0131	33319	2682			14425														
		STD	0100	-0131	3333	2683	0012205	0170	14425														
		STD	0125	-0129	3343	2691	0011429	0199	14432														
	007	OBS	0148	-0128	33564	2702			14438														
		STD	0150	-0125	3358	2703	0010280	0226	14440														
	007	OBS	0177	-0058	33779	2717			14479														

REFERENCE		SHIP CODE	LATITUDE " 10	LONGITUDE " 10	WIND SPEED SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS	WIND CODE	CLOUD CODE	NODC STATION NUMBER				
CRUISE CODE	ID. NO.				10"	1'	M/D	DAY		HR 1/10	CRUISE NO.						STATION NUMBER			
311260	EV	54285N	054275W	186	44	07	23	014	1968	IIP	10326	0234	02	34	2	3	X1	3	2	0003
WAVE		WIND		BARO- METER (mmHg)	AIR TEMP. °C		NO. OBS. DEPTHS	SPECIAL OBSERVATIONS		CLOUD CODE		WAVE OBSERVATIONS		WIND CODE		CLOUD CODE		NODC STATION NUMBER		
CRUISE CODE	WAVE CODE	WIND CODE	WIND CODE		DRY BULB	WET BULB														
				12	504	227	072	061	8	10										
MESSAGE TIME HR 1 10	CARD NO.	CARD TYPE	DEPTH m	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_t	$\Sigma \Delta$ DYN. M $\times 10^3$	SOUND VELOCITY	D ₂ m	PO ₄ -P $\mu\text{g} \cdot \text{g}^{-1}$	TOTAL-P $\mu\text{g} \cdot \text{g}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{g}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{g}^{-1}$	SiO ₄ -Si $\mu\text{g} \cdot \text{g}^{-1}$	BM	1 C			
		STD	0000	0378	3075	2446	0034821	0000	14602											
	014	OBS	0000	0378	30754	2446			14602											
		STD	0010	0297	3078	2455	0033943	0034	14569											
	014	OBS	0010	0297	30783	2455			14569											
		STD	0020	0174	3116	2494	0030207	0066	14522											
	014	OBS	0020	0174	31162	2494			14522											
	014	OBS	0025	-0032	32450	2609			14447											
		STD	0030	-0081	3262	2624	0017846	0090	14427											
	014	OBS	0036	-0124	32781	2639			14410											
		STD	0050	-0150	3295	2653	0015101	0123	14403											
	014	OBS	0051	-0151	32956	2653			14403											
		STD	0075	-0136	3312	2666	0013817	0160	14416											
	014	OBS	0076	-0135	33128	2667			14417											
		STD	0100	-0135	3323	2675	0012959	0193	14422											
	014	OBS	0102	-0135	33240	2676			14423											
		STD	0125	-0131	3336	2686	0011960	0224	14430											
		STD	0150	-0122	3348	2695	0011055	0253	14440											
	014	OBS	0152	-0121	33485	2695			14441											
		STD	0200	-0092	3364	2707	0009917	0305	14465											
	014	OBS	T0207	-0087	33662	2709			14468											

REFERENCE CRUISE NO.	SHIP CODE	LATITUDE * 1/10	LONGITUDE * 1/10	WIND SPEED SQUARE	STATION TIME (GMT)				YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS	WIND THER CODE	CLOUD CODE	NODC STATION NUMBER				
					10°	1'	M/D	DAY		HR.	0						CRUISE NO.	STATION NUMBER		
311260	EV	54352N	054128W	186	44	07	23	030	1968	IIP	10327	0241	02	34	2	3	X1	4	2	0004
WAVE		WIND		BARO- METER (mb)	AIR TEMP. °C		NO. OBS. DEPTHS	SPECIAL OBSERVATIONS		CLOUD CODE		WAVE OBSERVATIONS		WIND CODE		CLOUD CODE		NODC STATION NUMBER		
CRUISE CODE	WAVE CODE	WIND CODE	WIND CODE		DRY BULB	WET BULB														
				13	504	227	072	056	8	09										
MESSAGE TIME HR 1 10	CASE NO.	CARD TYPE	DEPTH m	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ DYN. M. 10 ³	SOUND VELOCITY	D ₂ =	PO ₄ -P μg · g ⁻¹	TOTAL-P μg · g ⁻¹	NO ₃ -N μg · g ⁻¹	NO ₃ -N μg · g ⁻¹	SiO ₄ -Si μg · g ⁻¹	BM	1 C			
		STD	0000	0357	3088	2458	0033705	0000	14595											
	030	OBS	0000	0357	30878	2458			14595											
		STD	0010	0286	3106	2478	0031737	0033	14568											
	030	OBS	0010	0286	31063	2478			14568											
	030	OBS	0017	0330	31617	2519			14596											
		STD	0020	0181	3169	2536	0026238	0062	14532											
	030	OBS	0026	-0053	31873	2563			14429											
		STD	0030	-0066	3210	2582	0021881	0086	14427											
		STD	0050	-0122	3303	2659	0014532	0122	14417											
	030	OBS	0050	-0122	33034	2659			14417											
		STD	0075	-0122	3317	2670	0013475	0157	14423											
		STD	0100	-0121	3330	2680	0012466	0190	14430											
		STD	0125	-0120	3344	2692	0011381	0219	14436											
	030	OBS	0143	-0120	33545	2700			14441											
		STD	0150	-0119	3359	2703	0010255	0246	14443											
		STD	0200	0003	3388	2722	0008535	0293	14512											
	030	OBS	0201	0007	33885	2722			14514											
	030	OBS	0210	0051	34045	2733			14538											
	030	OBS	T0224	0371	34708	2761			14689											

REFERENCE		SHIP CODE	LATITUDE " L 12	LONGITUDE " 12	TIME MO DAY HR 12	WATERS SQUARE " 12	STATION TIME GMT MO DAY HR 12	YEAR	ORIGINATOR		DEPTH TO BOTTOM	WAVE DEPTH OF SURF	WAVE OBSERVATIONS	WAVE TYPE SEA	CLOUD CODE	WIND CODE
CRUISE NO.	NO.								CRUISE NO.	STATION NUMBER						
311260	EV	54429N	053578W	186	43 07 23	044	1968	JIP 10328	0265	02	34	1	3	X1	4	2
WAVE		WIND		BARO- METER		AIR TEMP °C		WAVE OBSERVATIONS		SPECIAL OBSERVATIONS						
CRUISE CODE	WAVE NO.	WIND NO.	WIND DIR	BARO- METER NO.	BARO- METER DIR	WAVE TEMP NO.	WAVE TEMP DIR	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS
11	S03	220	072	061	8	12										
MESSAGE TIME MO DAY HR 12	CAST NO.	CARD TYPE	DEPTH M	T °C	S °..	SGMA-T	SPECIFIC VOLUME ANOMALY-DB	ΔΔD CM, M S, B	SOUND VELOCITY	DZ M	PO-1-P PS, B	TOTAL-P PS, B	NO2-N PS, B	NO3-N PS, B	SiO2-S PS, B	PH
		STD	0000	0406	3051	2424	0036933	0000	14611							
044	OBS	0000	0406	30507	2424				14611							
044	OBS	0004	0351	30469	2426				14587							
	STD	0010	0274	3051	2435	0035839	0036		14556							
044	OBS	0013	0226	30718	2455				14538							
	STD	0020	0060	3209	2575	0022493	0066		14483							
044	OBS	0024	-0008	32554	2616				14459							
	STD	0030	-0072	3278	2637	0016651	0085		14434							
044	OBS	0031	-0081	32809	2639				14430							
044	OBS	0040	-0147	32931	2651				14402							
	STD	0050	-0145	3301	2658	0014654	0116		14406							
	STD	0075	-0139	3319	2672	0013271	0151		14416							
044	OBS	0099	-0133	33334	2684				14424							
	STD	0100	-0125	3334	2684	0012147	0183		14428							
	STD	0125	0041	3344	2685	0012088	0213		14511							
044	OBS	0148	0115	33534	2688				14549							
	STD	0150	0115	3354	2689	0011771	0243		14550							
044	OBS	0179	0095	33647	2698				14547							
044	OBS	0198	0059	33722	2707				14535							
	STD	0200	0039	3373	2708	0009865	0297		14526							
044	OBS	0213	0003	33869	2721				14514							
044	OBS	0228	0170	34296	2745				14597							

REFERENCE		SHIP CODE	LATITUDE " L 12	LONGITUDE " 12	TIME MO DAY HR 12	WATERS SQUARE " 12	STATION TIME GMT MO DAY HR 12	YEAR	ORIGINATOR		DEPTH TO BOTTOM	WAVE DEPTH OF SURF	WAVE OBSERVATIONS	WAVE TYPE SEA	CLOUD CODE	WIND CODE
CRUISE NO.	NO.								CRUISE NO.	STATION NUMBER						
311260	EV	54498N	053423W	186	43 07 23	082	1968	JIP 10329	0410	04	34	1	2	X1	4	2
WAVE		WIND		BARO- METER		AIR TEMP °C		WAVE OBSERVATIONS		SPECIAL OBSERVATIONS						
CRUISE CODE	WAVE NO.	WIND NO.	WIND DIR	BARO- METER NO.	BARO- METER DIR	WAVE TEMP NO.	WAVE TEMP DIR	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS	WAVE OBSERVATIONS
08	S05	210	072	058	8	13										
MESSAGE TIME MO DAY HR 12	CAST NO.	CARD TYPE	DEPTH M	T °C	S °..	SGMA-T	SPECIFIC VOLUME ANOMALY-DB	ΔΔD CM, M S, B	SOUND VELOCITY	DZ M	PO-1-P PS, B	TOTAL-P PS, B	NO2-N PS, B	NO3-N PS, B	SiO2-S PS, B	PH
		STD	0000	0346	3141	2501	0029620	0000	14597							
082	OBS	0000	0346	31406	2501				14597							
	STD	0010	0047	3229	2592	0020912	0025		14478							
082	OBS	0010	0047	32289	2592				14478							
	STD	0020	-0144	3281	2642	0016190	0044		14399							
082	OBS	0020	-0144	32813	2642				14399							
	STD	0030	-0143	3295	2653	0015133	0059		14403							
082	OBS	0041	-0142	33075	2663				14407							
	STD	0050	-0141	3314	2668	0013666	0088		14410							
082	OBS	0070	-0135	33287	2680				14418							
	STD	0075	-0131	3332	2682	0012328	0121		14421							
	STD	0100	-0111	3346	2693	0011267	0150		14437							
	STD	0125	-0090	3361	2704	0010218	0177		14453							
082	OBS	0140	-0078	33693	2711				14462							
082	OBS	0145	-0033	33802	2718				14485							
	STD	0150	0025	3383	2717	0009070	0201		14513							
082	OBS	0150	0025	33825	2717				14513							
082	OBS	0160	0000	33855	2720				14503							
	STD	0200	0109	3418	2740	0006889	0241		14564							
082	OBS	T0203	0119	34200	2741				14569							
	STD	0250	0312	3459	2757	0005462	0272		14667							
082	OBS	0260	0334	34656	2760				14679							
082	OBS	T0276	0355	34738	2765				14692							
	STD	0300	0358	3483	2772	0004149	0296		14698							
082	OBS	T0386	0368	34866	2773				14717							

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	W. RESIDEN SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER	
CRUISE CODE	ID. NO.					10°	1°	10'		CRUISE NO.	STATION NUMBER			DR.	HC	PER	SEA			TYPE
311260	EV	54525N	05336 W	186	43	07	23	102	1968	IIP	10330	0600	05	11	1	2	X1	4	2	0007
WATER		WIND		BARO- METER (mba)	AIR TEMP. °C		VIL CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS											
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB														
			14	502	217	089	078	8	14											
MESSAGE TIME HR 1/10	CARD NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY (T=15°)	Σ Δ σ DTN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₂ -Si μg - ml/l	pH	END			
		STD	0000	0408	3176	2523	0027495	0000	14628											
102		OBS	0000	0408	31760	2523			14628											
		STD	0010	0294	3204	2555	0024431	0026	14585											
102		OBS	0010	0294	32036	2555			14585											
		STD	0020	-0037	3293	2648	0015638	0046	14450											
102		OBS	0025	-0124	33203	2673			14414											
		STD	0030	-0123	3330	2680	0012501	0060	14417											
102		OBS	0037	-0122	33415	2690			14420											
102		OBS	0044	-0079	33515	2696			14443											
		STD	0050	-0087	3355	2700	0010692	0083	14441											
102		OBS	0074	-0095	33678	2710			14443											
		STD	0075	-0094	3368	2710	0009661	0109	14444											
102		OBS	0098	-0065	33761	2716			14462											
		STD	0100	-0062	3377	2716	0009086	0132	14464											
		STD	0125	-0008	3393	2727	0008103	0154	14495											
		STD	0150	0077	3412	2737	0007131	0173	14541											
102		OBS	0157	0106	34176	2740			14555											
102		OBS	0183	0235	34421	2750			14620											
102		OBS	0194	0188	34398	2752			14601											
		STD	0200	0213	3444	2753	0005695	0205	14614											
102		OBS	0210	0250	34515	2756			14632											
		STD	0250	0332	3473	2766	0004602	0230	14677											
102		OBS	0259	0346	34766	2768			14685											
		STD	0300	0354	3482	2771	0004186	0252	14696											
102		OBS	T0392	0366	34889	2775			14717											
		STD	0400	0366	3489	2775	0003880	0293	14719											
		STD	0500	0365	3490	2776	0003916	0332	14735											
102		OBS	T0550	0365	34898	2776			14743											

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	ORIG BUOY	W. RESIDEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER	
CRUISE CODE	ID. NO.					10°	1°	10'	DAY		HR.	1/10			CRUISE NO.	STATION NUMBER	DIR.				HGT
311260	EV	54558N	053276W			186	43	07	23	115	1968	IIP	10331	1134	09	11	2	3	X0	0	0008
WATER		WIND		BARO- METER (mba)	AIR TEMP. °C		VIL CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS												
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB															
			17	506	210	083	072	13													
MESSAGE TIME HR 1/10	CARD NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY (T=15°)	Σ Δ σ DTN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₂ -Si μg - ml/l	pH	END				
		STD	0000	0448	3230	2562	0023815	0000	14652												
115		OBS	0000	0448	32299	2562			14652												
		STD	0010	0359	3263	2597	0020461	0022	14621												
115		OBS	0010	0359	32634	2597			14621												
		STD	0020	0250	3309	2643	0016089	0040	14582												
115		OBS	0020	0250	33093	2643			14582												
		STD	0030	0059	3364	2700	0010711	0054	14506												
115		OBS	0030	0059	33635	2700			14506												
		STD	0050	0163	3402	2723	0008467	0073	14561												
115		OBS	0050	0163	34016	2723			14561												
115		OBS	0074	0082	34080	2734			14530												
		STD	0075	0084	3409	2735	0007395	0093	14531												
115		OBS	0099	0125	34226	2743			14555												
		STD	0100	0128	3423	2743	0006618	0110	14557												
		STD	0125	0192	3435	2748	0006177	0126	14591												
115		OBS	0149	0244	34461	2753			14619												
		STD	0150	0245	3447	2753	0005706	0141	14620												
		STD	0200	0303	3465	2762	0004891	0168	14656												
		STD	0250	0343	3478	2769	0004334	0191	14683												
115		OBS	0297	0366	34852	2773			14701												
		STD	0300	0366	3485	2773	0004068	0212	14702												
115		OBS	0396	0365	34864	2774			14717												
		STD	0400	0365	3486	2774	0004056	0252	14718												
		STD	0500	0364	3487	2774	0004096	0293	14734												
115		OBS	T0595	0363	34874	2775			14750												
		STD	0600	0363	3487	2774	0004164	0334	14750												
		STD	0700	0360	3487	2775	0004217	0376	14766												
115		OBS	0794	0359	34868	2774			14781												
		STD	0800	0359	3487	2775	0004292	0419	14782												
		STD	0900	0361	3487	2774	0004399	0462	14799												
115		OBS	T0944	0362	34878	2775			14807												

REFERENCE		SHIP CODE	LATITUDE ° ' /10	LONGITUDE ° ' /10	DATE DD-MN-YY	M/R SDEEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAR. DEPTH OF SAMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CTRY CODE	ID. NO.					10"	1"	MO	DAY		CRUISE NO.	STATION NUMBER			DIR	HGT	PER	SEA		TYPE	AMT		
311260	EV		54582N	053203W		186	43	07	23	139	1968	IIP	10332	1426	14	16	2	3		X1	3	2	0009

WATER		WIND		BARO- METER (mb)	AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS
COLOR CODE	TRANS- M.	DIR.	SPEED OR FORCE		DRY BULB	WET BULB			
			17	506	203	083	072	8	15

MESSNGR TIME NR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_t	Δ D CTN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} - \text{ml/l}$	TOTAL-P $\mu\text{g} - \text{ml/l}$	NO ₃ -N $\mu\text{g} - \text{ml/l}$	NO ₃ -N $\mu\text{g} - \text{ml/l}$	SiO ₄ -Si $\mu\text{g} - \text{ml/l}$	pH	T C
		STD	0000	0604	3271	2576	0022451	0000	14722								
139		OBS	0000	0604	32705	2576			14722								
		STD	0010	0463	3290	2608	0019437	0021	14668								
139		OBS	0010	0463	32902	2608			14668								
		STD	0020	0167	3354	2685	0012097	0037	14551								
139		OBS	0028	0036	33880	2721			14498								
		STD	0030	0042	3390	2722	0008600	0047	14502								
139		OBS	0047	0098	34052	2731			14532								
		STD	0050	0113	3408	2732	0007648	0063	14540								
139		OBS	0070	0192	34252	2740			14580								
		STD	0075	0202	3429	2742	0006686	0081	14586								
		STD	0100	0253	3447	2753	0005744	0097	14615								
139		OBS	0100	0253	34470	2753			14615								
		STD	0125	0320	3465	2761	0004993	0110	14651								
		STD	0150	0362	3477	2767	0004481	0122	14674								
139		OBS	0150	0362	34774	2767			14674								
		STD	0200	0368	3484	2771	0004112	0144	14686								
139		OBS	0200	0368	34837	2771			14686								
		STD	0250	0365	3485	2772	0004029	0164	14693								
		STD	0300	0363	3487	2774	0003940	0184	14701								
139		OBS	0300	0363	34865	2774			14701								
		STD	0400	0362	3487	2775	0003958	0223	14717								
139		OBS	0400	0362	34873	2775			14717								
		STD	0500	0362	3487	2775	0004032	0263	14733								
		STD	0600	0361	3487	2775	0004113	0304	14750								
139		OBS	0600	0361	34874	2775			14750								
		STD	0700	0361	3488	2775	0004154	0345	14766								
		STD	0800	0361	3488	2775	0004239	0387	14783								
139		OBS	T0802	0361	34882	2775			14783								
		STD	0900	0350	3487	2776	0004272	0430	14795								
		STD	1000	0347	3486	2775	0004362	0473	14810								
139		OBS	1000	0347	34864	2775			14810								
		STD	1100	0356	3488	2776	0004429	0517	14831								
		STD	1200	0365	3490	2776	0004470	0561	14852								
139		OBS	T1204	0365	34901	2776			14852								
		STD	1300	0365	3491	2777	0004479	0606	14868								
139		OBS	T1388	0364	34919	2778			14883								

REFERENCE		SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	WASDEN SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAIL DEPTH OF SAMPLE	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NOO STATION NUMBER
CHY CODE	ID. NO.					10"	1"	MO DAY HR.1/10		CRUISE NO.	STATION NUMBER			DIR	HGT	PER		SEA	TYPE	
311260	EV	55009N	053141W	186	53	07	23	165	1968	11P	10333	2030	13	34	1	2	X1	3	5	0010
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIL CODE	NO. OBS. DEPTH	SPECIAL OBSERVATIONS				
						COLOR CODE	TEMP. (°C)	DIR	SPEED OF FORCE	DRY BULB	WET BULB									
								17	S11	166	094	072	8	13						
MISSING TIME HR 1/10	CAS ND.	CARD TYPE	DEPTH (m)	T °C	S %	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	Σ Δ D DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SIO ₄ -Si μg - ml/l	pH	1 C			
		STD	0000	0660	3313	2602	0019939	0000	14750											
165		OBS	0000	0660	33131	2602			14750											
		STD	0010	0632	3356	2640	0016393	0018	14746											
165		OBS	0010	0632	33561	2640			14746											
		STD	0020	0267	3405	2718	0009009	0031	14602											
165		OBS	0020	0267	34047	2718			14602											
		STD	0030	0291	3441	2745	0006468	0039	14619											
165		OBS	0030	0291	34411	2745			14619											
		STD	0050	0242	3444	2751	0005868	0051	14602											
165		OBS	0050	0242	34438	2751			14602											
		STD	0075	0306	3461	2759	0005130	0065	14636											
165		OBS	0099	0351	34732	2764			14661											
		STD	0100	0351	3473	2765	0004641	0077	14661											
		STD	0125	0356	3476	2766	0004479	0088	14668											
		STD	0150	0361	3480	2768	0004316	0099	14674											
165		OBS	0198	0371	34854	2772			14687											
		STD	0200	0371	3485	2772	0004013	0120	14687											
		STD	0250	0368	3486	2773	0003976	0140	14694											
		STD	0300	0365	3487	2774	0003939	0160	14702											
165		OBS	T0302	0365	34868	2774			14702											
165		OBS	T0398	0364	34876	2775			14717											
		STD	0400	0364	3488	2775	0003956	0199	14718											
		STD	0500	0362	3488	2775	0004007	0239	14733											
165		OBS	0595	0360	34880	2775			14748											
		STD	0600	0360	3488	2775	0004057	0279	14749											
		STD	0700	0360	3488	2775	0004128	0320	14766											
		STD	0800	0359	3488	2776	0004187	0362	14782											
165		OBS	0800	0359	34884	2776			14782											
		STD	0900	0357	3489	2776	0004198	0404	14798											
		STD	1000	0354	3489	2777	0004253	0446	14813											
165		OBS	1043	0353	34896	2777			14820											
		STD	1100	0354	3490	2777	0004271	0489	14830											
		STD	1200	0357	3490	2778	0004350	0532	14848											
		STD	1300	0359	3491	2778	0004429	0576	14866											
165		OBS	T1312	0359	34908	2778			14868											

REFERENCE		SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	MO 1/10	MARS DEN SQUARE		STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF S'AMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER
CTRY CODE	ID. NO.					10"	1"	MO	DAT	HR.1/10		CRUISE NO.	STATION NUMBER			DIR	HGT	PER	SEA		TYPE	AMT	
311260	EV		55107N	052532W		186	52	07	23	187	1968	11P	10334	2752	16	34	1	2		X1	3	6	0011
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE		ND. OBS. DEPTHS		SPECIAL OBSERVATIONS					
						COLOR CODE	TRANS. MM	DIR.	SPEED OR FORCE	MMHG	MMHG	DRY BULB	WET BULB	COOL	WET BULB	COOL	DEPTHS						
									17	510	159	122	100	8	14								
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ D DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₂ -N μg - ml/l	SIO ₄ -Si μg - ml/l	PH	S C						
		STD	0000	0672	3381	2654	0015041	0000	14764														
187		OBS	0000	0672	33807	2654			14764														
		STD	0010	0606	3410	2686	0012048	0014	14743														
		STD	0020	0544	3434	2712	0009535	0024	14723														
187		OBS	0025	0514	34437	2723			14713														
		STD	0030	0477	3450	2733	0007602	0033	14699														
		STD	0050	0380	3469	2758	0005229	0046	14664														
187		OBS	0050	0380	34686	2758			14664														
		STD	0075	0371	3476	2765	0004592	0058	14666														
187		OBS	0075	0371	34762	2765			14666														
		STD	0100	0370	3483	2770	0004087	0069	14670														
187		OBS	0100	0370	34831	2770			14670														
		STD	0125	0367	3484	2771	0004012	0079	14673														
187		OBS	0149	0365	34853	2773			14676														
		STD	0150	0365	3485	2773	0003917	0089	14677														
187		OBS	0199	0367	34863	2773			14686														
		STD	0200	0367	3486	2773	0003907	0108	14686														
		STD	0250	0367	3487	2774	0003914	0128	14694														
187		OBS	0299	0367	34873	2774			14702														
		STD	0300	0367	3487	2774	0003921	0148	14702														
187		OBS	0398	0369	34881	2775			14720														
		STD	0400	0369	3488	2775	0003971	0187	14720														
		STD	0500	0364	3488	2775	0003999	0227	14734														
		STD	0600	0361	3488	2775	0004053	0267	14750														
187		OBS	T0600	0361	34882	2775			14750														
		STD	0700	0360	3488	2775	0004128	0308	14766														
187		OBS	T0796	0359	34881	2776			14781														
		STD	0800	0359	3488	2775	0004210	0350	14782														
		STD	0900	0362	3489	2776	0004253	0392	14800														
		STD	1000	0365	3490	2777	0004298	0435	14818														
187		OBS	T1003	0365	34901	2776			14819														
		STD	1100	0365	3491	2777	0004317	0478	14835														
187		OBS	1196	0364	34922	2778			14851														
		STD	1200	0364	3492	2778	0004301	0521	14852														
		STD	1300	0361	3492	2779	0004332	0564	14867														
		STD	1400	0356	3493	2779	0004337	0608	14882														
		STD	1500	0350	3493	2780	0004326	0651	14896														
187		OBS	T1595	0342	34930	2781			14909														

REFERENCE		SHIP CODE	LATITUDE ° ' / 10	LONGITUDE ° ' / 10	TIME 10° 1'	MARS DEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CTRY CODE	ID. NO.					10°	1'	MO	DAY	HR.1/10	CRUISE NO.	STATION NUMBER			DIR.	HGT	PER	SEA	TYPE	AMT		
311260	EV		55184N	052374W		186	52	07	23	208	11P	10335	3091	16	12	1	2		X1	4	7	0012
WATER		WIND		BARO- METER		AIR TEMP. °C		VIS CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS												
COLOR CODE	TRANS. (m)	DIR.	SPEED OF FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB															
				16	511	159	106	089	8	14												
MESSAGE TIME HR 1/10	CAS NO.	CARD TYPE	DEPTH m	T °C	S %	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ D DTN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	IO ₄ L-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₂ -Si μg - ml/l	PH	REU					
		STD	0000	0654	3346	2629	0017376	0000	14752													
208		OBS	0000	0654	33464	2629			14752													
		STD	0010	0581	3394	2676	0012947	0015	14731													
		STD	0020	0520	3428	2710	0009713	0026	14712													
208		OBS	0025	0494	34395	2722			14704													
		STD	0030	0474	3441	2726	0008275	0035	14696													
		STD	0050	0408	3445	2736	0007265	0051	14673													
208		OBS	0050	0408	34452	2736			14673													
		STD	0075	0358	3470	2761	0004941	0066	14659													
208		OBS	0075	0358	34699	2761			14659													
		STD	0100	0369	3477	2766	0004528	0078	14669													
208		OBS	0100	0369	34771	2766			14669													
		STD	0125	0365	3481	2769	0004218	0089	14672													
		STD	0150	0364	3483	2771	0004050	0099	14676													
208		OBS	0150	0364	34834	2771			14676													
		STD	0200	0368	3486	2773	0003909	0119	14686													
208		OBS	0200	0368	34864	2773			14686													
		STD	0250	0368	3487	2774	0003904	0139	14694													
		STD	0300	0367	3487	2774	0003943	0158	14702													
208		OBS	0302	0367	34871	2774			14703													
208		OBS	0399	0365	34874	2774			14718													
		STD	0400	0365	3487	2774	0003981	0198	14718													
		STD	0500	0364	3488	2775	0004036	0238	14734													
		STD	0600	0363	3488	2775	0004097	0279	14750													
208		OBS	T0600	0363	34879	2775			14750													
		STD	0700	0364	3488	2775	0004182	0320	14767													
208		OBS	T0796	0364	34885	2775			14784													
		STD	0800	0364	3488	2775	0004271	0362	14784													
		STD	0900	0360	3488	2775	0004306	0405	14799													
		STD	1000	0355	3488	2776	0004338	0449	14814													
208		OBS	T1002	0355	34878	2776			14814													
		STD	1100	0361	3490	2777	0004343	0492	14833													
208		OBS	1197	0365	34910	2777			14851													
		STD	1200	0365	3491	2777	0004400	0536	14852													
		STD	1300	0362	3492	2778	0004408	0580	14868													
		STD	1400	0360	3492	2779	0004415	0624	14883													
		STD	1500	0357	3493	2779	0004421	0668	14899													
208		OBS	T1597	0355	34934	2780			14915													

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DATE MO DAY	MARSDEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NDDC STATION NUMBER
CHRY CODE	ID. NO.					10"	1"	MO	DAY		HR.1/10	CRUISE NO.			STATION NUMBER	DIR	HGT	PER		SEA	11/1	
311260	EV		54111N	05206 W	186	42	07	24	036	1968	11P	10336	2615	16	15	2	3		X2	5	8	0013
		WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS										
COLOR CODE	TEMP. °C	DIR	SPEED OR FORCE	DRY BULB	WET BULB																	
						15	S20	444	072	072	6	14										
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ D OYN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₂ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S CC					
		STD	0000	0672	3380	2653	0015108	0000	14764													
036		OBS	0000	0672	33798	2653			14764													
		STD	0010	0639	3390	2666	0013946	0015	14754													
		STD	0020	0593	3404	2683	0012354	0028	14739													
036		OBS	0025	0566	34113	2692			14729													
		STD	0030	0516	3424	2708	0009979	0039	14712													
		STD	0050	0381	3461	2752	0005810	0055	14664													
036		OBS	0051	0377	34621	2753			14662													
		STD	0075	0363	3479	2768	0004301	0067	14662													
036		OBS	0076	0362	34792	2768			14662													
		STD	0100	0365	3483	2771	0004067	0078	14668													
036		OBS	0101	0365	34828	2771			14668													
		STD	0125	0365	3485	2772	0003942	0088	14672													
		STD	0150	0364	3487	2774	0003817	0097	14676													
036		OBS	0152	0364	34867	2774			14677													
		STD	0200	0365	3487	2774	0003833	0117	14685													
036		OBS	0203	0365	34873	2774			14686													
		STD	0250	0365	3487	2774	0003849	0136	14693													
		STD	0300	0365	3488	2775	0003878	0155	14702													
036		OBS	T0305	0365	3477P	2766P																
		STD	0400	0364	3488	2775	0003935	0194	14718													
036		OBS	0404	0364	34879	2775			14718													
		STD	0500	0363	3488	2775	0004004	0234	14734													
		STD	0600	0362	3488	2775	0004080	0274	14750													
036		OBS	T0605	0362	34884	2775			14751													
		STD	0700	0360	3488	2776	0004109	0315	14766													
		STD	0800	0357	3488	2776	0004173	0357	14781													
036		OBS	T0802	0357	34883	2776			14782													
		STD	0900	0359	3489	2776	0004224	0399	14799													
		STD	1000	0361	3489	2776	0004330	0441	14816													
036		OBS	T1014	0361	34896	2777			14819													
		STD	1100	0363	3491	2777	0004291	0484	14834													
		STD	1200	0365	3492	2778	0004325	0528	14852													
036		OBS	T1210	0365	34925	2778			14854													
		STD	1300	0363	3493	2779	0004335	0571	14868													
		STD	1400	0358	3493	2780	0004333	0614	14883													
		STD	1500	0350	3493	2780	0004297	0657	14896													
036		OBS	T1619	0337	34935	2782			14911													

36

REFERENCE CTRY CODE	IO. NO.	SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	DEPTH FATHOMS	MARSDEN SQUARE		STATION TIME (GMT)				YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLES	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NOOC STATION NUMBER
						10'	1'	MO	DAY	HR	1/10		CRUISE NO.	STATION NUMBER			DIR	NGT	PER	SEA		TYPE	AMT	

311260	EV	54032N	05236 W	186	42	07	24	100	1968	11P	10338	1335	13	15	1	2		X2	5	8				0015
				WATER		WIND		BARO-		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS										
COLOR CODE		TRANS. (m)		DIR.	SPEED OR FORCE	METER (mb)		DRY BULB	WET BULB															
							17	S10	058	064	064	6	14											

MESSAGE TIME HR 1/10	CST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_t	$\Sigma \Delta \sigma$ DYN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu g \cdot dl/l$	TOTAL-P $\mu g \cdot dl/l$	NO ₃ -N $\mu g \cdot dl/l$	NO ₃ -N $\mu g \cdot dl/l$	SiO ₂ -Si $\mu g \cdot dl/l$	pH	1 CCT
		STD	0000	0516	3203	2533	0026533	0000	14677								
100		OBS	0000	0516	32030	2533			14677								
		STD	0010	0575	3372	2659	0014538	0021	14725								
100		OBS	0010	0575	33718	2659			14725								
		STD	0020	0506	3394	2685	0012084	0034	14702								
100		OBS	0020	0506	33943	2685			14702								
		STD	0030	0362	3420	2721	0008720	0044	14647								
100		OBS	0030	0362	34197	2721			14647								
		STD	0050	0276	3431	2738	0007115	0060	14615								
100		OBS	0061	0274	34407	2746			14617								
100		OBS	0071	0301	34513	2752			14632								
		STD	0075	0306	3458	2757	0005356	0076	14635								
100		OBS	0091	0323	34759	2769			14648								
		STD	0100	0331	3476	2768	0004263	0088	14653								
		STD	0125	0347	3475	2767	0004464	0099	14663								
100		OBS	0127	0348	34754	2766			14664								
		STD	0150	0353	3477	2767	0004423	0110	14670								
100		OBS	0162	0355	34785	2768			14673								
		STD	0200	0360	3485	2773	0003930	0131	14682								
100		OBS	0203	0360	34851	2773			14683								
		STD	0250	0360	3486	2774	0003905	0150	14691								
		STD	0300	0361	3486	2774	0003952	0170	14699								
		STD	0400	0361	3487	2774	0003970	0209	14716								
100		OBS	0406	0361	34871	2775			14717								
		STD	0500	0360	3488	2775	0003971	0249	14733								
		STD	0600	0359	3488	2775	0004044	0289	14749								
		STD	0700	0358	3488	2776	0004117	0330	14765								
100		OBS	0761	0357	34882	2776			14775								
		STD	0800	0355	3488	2776	0004171	0371	14780								
		STD	0900	0350	3487	2776	0004270	0414	14795								
		STD	1000	0345	3487	2776	0004293	0456	14809								
100		OBS	1015	0344	34869	2776			14811								
		STD	1100	0347	3488	2777	0004324	0500	14827								
		STD	1200	0355	3490	2777	0004353	0543	14847								
100		OBS	1270	0364	34918	2778			14863								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	UNIT SUFFIX	MARSOEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER
CTRY CODE	IO. NO.					10°	1°	MO	DAY	HR./10	CRUISE NO.	STATION NUMBER			DIR.	HGT PER	SEA		TYPE	AMT	

311260 EV 5400 N 052439W 186 42 07 24 116 1968 JIP 10339 0933 08 16 2 3 X4 4 8 0016

WAVE		WIND		BARO- METER (mb)	AIR TEMP. °C		VIS CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB			
		19	110	058	061	061	3	13	

19 S10 058 061 061 3 13

MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_{θ}	$\Sigma \Delta \theta$ DTN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} \cdot \text{g}^{-1}$	TOTAL-P $\mu\text{g} \cdot \text{g}^{-1}$	NO ₂ -N $\mu\text{g} \cdot \text{g}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{g}^{-1}$	SiO ₄ -Si $\mu\text{g} \cdot \text{g}^{-1}$	PH	ST CODE
		STD	0000	0426	3171	2517	0028078	0000	14635								
116		OBS	0000	0426	31705	2517			14635								
		STD	0010	0390	3367	2676	0012960	0021	14648								
116		OBS	0010	0390	33667	2676			14648								
		STD	0020	0157	3386	2711	0009601	0032	14551								
116		OBS	0025	0109	33956	2722			14532								
		STD	0030	0151	3407	2729	0007970	0041	14553								
116		OBS	0038	0199	34197	2735			14577								
		STD	0050	0223	3429	2741	0006829	0055	14591								
116		OBS	0050	0223	34291	2741			14591								
		STD	0075	0256	3442	2748	0006147	0072	14612								
116		OBS	0075	0256	34418	2748			14612								
		STD	0100	0312	3458	2756	0005443	0086	14642								
116		OBS	0100	0312	34578	2756			14642								
		STD	0125	0327	3469	2763	0004757	0099	14654								
		STD	0150	0339	3476	2768	0004333	0110	14664								
116		OBS	0150	0339	34764	2768			14664								
116		OBS	0199	0355	34834	2772			14680								
		STD	0200	0355	3483	2772	0004006	0131	14680								
		STD	0250	0359	3485	2773	0003962	0151	14691								
116		OBS	0299	0363	34867	2774			14700								
		STD	0300	0363	3487	2774	0003903	0171	14701								
116		OBS	T0398	0363	34873	2774			14717								
		STD	0400	0363	3487	2774	0003968	0210	14717								
		STD	0500	0362	3488	2775	0004030	0250	14733								
116		OBS	T0595	0361	34877	2775			14749								
		STD	0600	0361	3488	2775	0004068	0290	14750								
		STD	0700	0360	3488	2775	0004143	0332	14766								
		STD	0800	0359	3488	2775	0004216	0373	14782								
116		OBS	T0842	0359	34880	2775			14789								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	UNIT SUFFIX	MARSOEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER
CTRY CODE	IO. NO.					10°	1°	MO	DAY	HR./10	CRUISE NO.	STATION NUMBER			DIR.	HGT PER	SEA		TYPE	AMT	

311260 EV 53558N 052589W 186 32 07 24 135 1968 JIP 10340 0357 03 16 2 2 X1 7 2 0017

WATER		WIND		BARO- METER (mb)	AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB			
		17	12	058	067	061	7	13	

17 S12 058 067 061 7 13

MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_{θ}	$\Sigma \Delta \theta$ DTN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} \cdot \text{g}^{-1}$	TOTAL-P $\mu\text{g} \cdot \text{g}^{-1}$	NO ₂ -N $\mu\text{g} \cdot \text{g}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{g}^{-1}$	SiO ₄ -Si $\mu\text{g} \cdot \text{g}^{-1}$	PH	ST CODE
		STD	0000	0400	3063	2434	0035951	0000	14610								
135		OBS	0000	0400	30630	2434			14610								
		STD	0010	0377	3201	2546	0025331	0031	14620								
135		OBS	0014	0315	32378	2581			14599								
		STD	0020	0138	3263	2614	0018820	0053	14526								
135		OBS	0023	0065	32803	2632			14496								
135		OBS	0028	-0035	33156	2666			14456								
135		OBS	0029	-0050	33280	2676			14451								
		STD	0030	-0050	3330	2678	0012752	0069	14451								
135		OBS	0044	-0052	33480	2693			14455								
		STD	0050	-0078	3353	2698	0010878	0092	14445								
135		OBS	0053	-0083	33553	2700			14443								
135		OBS	0057	-0081	33592	2703			14445								
		STD	0075	-0083	3369	2711	0009625	0118	14449								
135		OBS	0076	-0083	33701	2712			14449								
135		OBS	0084	-0063	33772	2717			14461								
		STD	0100	0055	3400	2729	0007910	0140	14521								
		STD	0125	0195	3429	2743	0006653	0158	14591								
135		OBS	T0132	0225	34357	2746			14607								
		STD	0150	0251	3444	2750	0005982	0174	14622								
135		OBS	T0194	0303	34616	2760			14654								
		STD	0200	0309	3463	2760	0005097	0201	14658								
		STD	0250	0345	3475	2766	0004579	0226	14683								
135		OBS	T0285	0357	34776	2767			14694								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DATE MO DAY HR/10	MARSOEN SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF S'AMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES	NOOC STATION NUMBER	
CTRY CODE	IO. NO.						10'	1'	MO		DAY	HR/10			CRUISE NO.	STATION NUMBER	DIR.	HGT				PER
311260	EV		53501N	053103W	186	33	07	24	151	1968	11P	10341	0250	02	16	2	2		X1	7	5	0018
		WATER		WIND		BARO- METER		AIR TEMP. °C		VIL CODE		NO. OBS. DEPTH		SPECIAL OBSERVATIONS								
		COLOR CODE	TRANS. mm	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB													
						17	514	058	067	061	8	08										
MESSINGR TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	$\Sigma \Delta \sigma$ OYN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} \cdot \text{dl/l}$	TOTAL-P $\mu\text{g} \cdot \text{dl/l}$	NO ₃ -N $\mu\text{g} \cdot \text{dl/l}$	NO ₃ -N $\mu\text{g} \cdot \text{dl/l}$	SiO ₄ -Si $\mu\text{g} \cdot \text{dl/l}$	pH	S C					
		STD	0000	0460	3173	2515	0028240	0000	14650													
151		OBS	0000	0460	31727	2515			14650													
		STD	0010	0189	3225	2580	0022036	0025	14542													
		STD	0020	-0006	3265	2624	0017908	0045	14461													
		STD	0030	-0125	3292	2650	0015396	0062	14411													
151		OBS	0030	-0125	32922	2650			14411													
		STD	0050	-0135	3309	2664	0014096	0091	14412													
151		OBS	0050	-0135	33086	2664			14412													
		STD	0075	-0135	3322	2674	0013067	0125	14418													
151		OBS	0075	-0135	33218	2674			14418													
		STD	0100	-0128	3335	2685	0012038	0157	14427													
151		OBS	0100	-0128	33353	2685			14427													
		STD	0125	-0126	3342	2690	0011516	0186	14433													
		STD	0150	-0108	3353	2698	0010744	0214	14447													
151		OBS	0150	-0108	33527	2698			14447													
151		OBS	0190	-0046	33760	2715			14486													
		STD	0200	-0023	3383	2719	0008775	0263	14499													
151		OBS	T0231	0066	34059	2733			14548													

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DATE MO DAY HR/10	MARSOEN SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF S'AMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES	NOOC STATION NUMBER	
CTRY CODE	IO. NO.						10'	1'	MO		DAY	HR/10			CRUISE NO.	STATION NUMBER	DIR.	HGT				PER
311260	EV		5347 N	053266W	186	33	07	24	174	1968	11P	10342	0218	02	16	2	2		X1	7	5	0019
		WATER		WIND		BARO- METER		AIR TEMP. °C		VIL CODE		NO. OBS. DEPTH		SPECIAL OBSERVATIONS								
		COLOR CODE	TRANS. mm	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB													
						17	518	054	094	072	8	09										
MESSINGR TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	$\Sigma \Delta \sigma$ OYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P µg - dl/l	TOTAL-P µg - dl/l	NO ₃ -N µg - dl/l	NO ₃ -N µg - dl/l	SiO ₄ -Si µg - dl/l	pH	S C					
		STD	0000	0425	3164	2512	0028543	0000	14634													
174		OBS	0000	0425	31642	2512			14634													
		STD	0010	0417	3164	2512	0028486	0029	14632													
174		OBS	0012	0415	31640	2513			14632													
		STD	0020	0077	3240	2599	0020217	0053	14495													
174		OBS	0025	-0074	32747	2634			14432													
		STD	0030	-0091	3281	2640	0016357	0071	14425													
		STD	0050	-0134	3303	2659	0014536	0102	14411													
174		OBS	0050	-0134	33029	2659			14411													
		STD	0075	-0128	3319	2671	0013341	0137	14421													
174		OBS	0075	-0128	33185	2671			14421													
		STD	0100	-0124	3330	2680	0012479	0169	14428													
174		OBS	0100	-0124	33297	2680			14428													
		STD	0125	-0128	3339	2688	0011741	0199	14432													
		STD	0150	-0131	3349	2696	0010965	0228	14436													
174		OBS	0150	-0131	33488	2696			14436													
174		OBS	0180	-0106	33630	2707			14455													
		STD	0200	-0033	3383	2720	0008726	0277	14495													
174		OBS	T0213	0038	34012	2731			14532													

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MARS DEN SQUARE	STATION TIME (GMT)				YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		HOOC STATION NUMBER
CTRY CODE	ID. NO.					10"	1"	MO	DAY	HR./10	CRUISE NO.	STATION NUMBER			DIR	HGT	PER	SEA		TPP	AMT	
311260	EV	53455N	053411W	186	33	07	24	188	1968	11P	10343	0207	02	18	2	2			X1	4	6	0020
		WATER		WIND		BARO- METER		AIR TEMP. °C		VIL CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS										
COLOR CODE	TRANS. UNIT	DIR	SPEED OR FORCE	DRY BULB	WET BULB																	
				21	512	041	083	078	8	08												

MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	$\Sigma \Delta$ DYN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} \cdot \text{ml}^{-1}$	TOTAL-P $\mu\text{g} \cdot \text{ml}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{ml}^{-1}$	NO ₃ -H $\mu\text{g} \cdot \text{ml}^{-1}$	SiO ₄ -Si $\mu\text{g} \cdot \text{ml}^{-1}$	pH	1 C
		STD	0000	0558	3210	2534	0026462	0000	14695								
188		OBS	0000	0558	32100	2534			14695								
		STD	0010	0496	3214	2544	0025505	0026	14672								
		STD	0020	0434	3218	2554	0024588	0051	14648								
188		OBS	0020	0434	32180	2554			14648								
		STD	0030	0000	3285	2639	0016403	0072	14468								
188		OBS	0034	-0103	33023	2657			14423								
188		OBS	0049	-0133	33160	2669			14414								
		STD	0050	-0132	3317	2670	0013460	0101	14414								
188		OBS	0073	-0119	33347	2684			14427								
		STD	0075	-0119	3336	2685	0012028	0133	14427								
		STD	0100	-0116	3349	2696	0011026	0162	14435								
188		OBS	0103	-0116	33508	2697			14435								
		STD	0125	-0102	3359	2703	0010297	0189	14447								
188		OBS	0147	-0055	33746	2714			14474								
		STD	0150	-0046	3377	2716	0009138	0213	14479								
188		OBS	T0186	0108	34187	2741			14561								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MARS DEN SQUARE	STATION TIME (GMT)				YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		HOOC STATION NUMBER
CTRY CODE	ID. NO.					10"	1"	MO	DAY	HR./10	CRUISE NO.	STATION NUMBER			DIR	HGT	PER	SEA		TPP	AMT	
311260	EV	53442N	053554W	186	33	07	24	202	1968	11P	10344	0190	02	18	2	2			X1	6	7	0021
		WATER		WIND		BARO- METER		AIR TEMP. °C		VIL CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS										
COLOR CODE	TRANS. UNIT	DIR	SPEED OR FORCE	DRY BULB	WET BULB																	
				23	510	041	083	072	7	08												

MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	$\Sigma \Delta$ DYN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} \cdot \text{ml}^{-1}$	TOTAL-P $\mu\text{g} \cdot \text{ml}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{ml}^{-1}$	NO ₃ -H $\mu\text{g} \cdot \text{ml}^{-1}$	SiO ₄ -Si $\mu\text{g} \cdot \text{ml}^{-1}$	pH	1 C
		STD	0000	0585	3192	2517	0028092	0000	14704								
202		OBS	0000	0585	31923	2517			14704								
		STD	0010	0516	3204	2534	0026466	0027	14679								
202		OBS	0015	0392	32253	2563			14631								
		STD	0020	0151	3267	2616	0018597	0050	14532								
202		OBS	0025	-0035	33001	2653			14453								
		STD	0030	-0057	3308	2660	0014409	0066	14445								
		STD	0050	-0117	3332	2682	0012354	0093	14424								
202		OBS	0051	-0119	33326	2682			14423								
		STD	0075	-0130	3348	2695	0011075	0122	14424								
202		OBS	0076	-0130	33489	2696			14424								
		STD	0100	-0121	3359	2704	0010245	0149	14434								
202		OBS	0101	-0120	33593	2704			14434								
		STD	0125	-0079	3380	2719	0008779	0173	14460								
		STD	0150	-0004	3391	2725	0008271	0194	14501								
202		OBS	0152	0003	33920	2725			14504								
202		OBS	T0185	0159P	33921	2716P											

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	HAZARD SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLES	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NOOC STATION NUMBER		
CTRY CODE	IO. NO.					10"	1"	M.O.		QAT	HR. 1/10			CRUISE NO.	STATION NUMBER	DIR.		HGT	PER		SEA	TYPE
311260	EV		53411N	054111W	186	34	07	24	216	1968	JIP	10345	0181	02	17	2	2		X1	6	7	0022
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS						
						COLOR CODE	TRANS. M	DIR.	SPEED OR FORCE	(mbars)	DRY BULB	WET BULB										
									20	S10	041	089	078	7	08							
MESSAGE TIME HR 1/10	CARD NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ O DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg · ml ⁻¹	TOTAL-P μg · ml ⁻¹	NO ₃ -N μg · ml ⁻¹	NO ₂ -N μg · ml ⁻¹	SiO ₄ -Si μg · ml ⁻¹	pH	S C					
		STD	0000	0540	3191	2521	0027669	0000	14685													
	216	OBS	0000	0540	31913	2521			14685													
		STD	0010	0440	3202	2540	0025845	0027	14647													
		STD	0020	0273	3257	2599	0020242	0050	14585													
	216	OBS	0020	0273	32568	2599			14585													
	216	OBS	0025	0165	33007	2642			14544													
		STD	0030	0059	3314	2660	0014481	0067	14499													
	216	OBS	0035	-0027	33257	2673			14462													
		STD	0050	-0061	3337	2684	0012166	0094	14450													
	216	OBS	0070	-0084	33521	2697			14445													
		STD	0075	-0077	3355	2699	0010701	0122	14449													
		STD	0100	-0045	3371	2710	0009656	0148	14471													
		STD	0125	-0012	3386	2721	0008634	0171	14492													
	216	OBS	0130	-0005	33889	2723			14497													
		STD	0150	0155	3428	2745	0006441	0190	14578													
	216	OBS	0160	0192	34370	2750			14597													
	216	OBS	T0173	0198	34388	2751			14602													

REFERENCE		SHIP CODE	LATITUDE " 1/10	LONGITUDE " 1/10	HAZARD SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS			CLOUD CODES	NOOC STATION NUMBER				
CTRY CODE	IG. NO.					10"	1"	M.O.		QAT	HR. 1/10		CRUISE NO.	STATION NUMBER	DIR.			HGT	PER	SEA	WEA- THER CODE
311260	EV	53366N	05429 W	186	34	07	24	231	1968	JIP	10346	0180	02	19	2	3		X1	7	7	0023
						WATER		WIND		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS							
						COLOR CODE	TRANS. M	DIR.	SPEED OR FORCE	BARO- METER (mbars)	DRY BULB				WET BULB						
									21	S08	041	072	067	8	08						
MESSAGE TIME HR 1/10	CARD NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_t	$\Sigma \Delta$ O DYN. M. $\times 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P $\mu\text{g} \cdot \text{ml}^{-1}$	TOTAL-P $\mu\text{g} \cdot \text{ml}^{-1}$	NO ₃ -N $\mu\text{g} \cdot \text{ml}^{-1}$	NO ₂ -N $\mu\text{g} \cdot \text{ml}^{-1}$	SiO ₄ -Si $\mu\text{g} \cdot \text{ml}^{-1}$	pH	S				
		STD	0000	0513	3183	2517	0028035	0000	14673												
	231	OBS	0000	0513	31826	2517			14673												
		STD	0010	0500	3186	2521	0027639	0028	14670												
	231	OBS	0015	0494	31880	2524			14669												
		STD	0020	0242	3228	2579	0022186	0053	14567												
	231	OBS	0025	0055	32591	2616			14489												
		STD	0030	-0016	3276	2633	0017020	0072	14459												
	231	OBS	0040	-0123	33036	2659			14415												
		STD	0050	-0124	3314	2668	0013713	0103	14418												
		STD	0075	-0127	3335	2684	0012094	0135	14423												
	231	OBS	0075	-0127	33348	2684			14423												
		STD	0100	-0113	3350	2697	0010930	0164	14436												
	231	OBS	0100	-0113	33504	2697			14436												
		STD	0125	-0069	3370	2711	0009582	0190	14464												
		STD	0150	-0031	3385	2721	0008619	0213	14487												
	231	OBS	0150	-0031	33847	2721			14487												
	231	OBS	T0168	-0007	33919	2726			14502												

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MOON PHASE	PARSON SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MATH. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CITY NO.	ID. NO.					10"	1"	MO	DAY		HR./10	CRUISE NO.			STATION NUMBER	DR.	HGT		PER	SEA		TRF
311260	EV	52500N	054060W		186	24	07	25	036	1968	11P 10347	0309	03	22	1	3		X1	7	6	0024	
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTH	SPECIAL OBSERVATIONS						
						COLOR CODE	TRANS. UNIT	DIR.	SPEED OR FORCE	UNIT	DRY BULB	WET BULB										
									26	507	088	083	072	7	10							
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ O OYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	SC					
		STD	0000	0594	3196	2519		0027902	0000	14708												
036	08S	0000	0594	31962	2519					14708												
	STD	0010	0594	3197	2519		0027874	0028	14710													
036	08S	0010	0594	31967	2519					14710												
	STD	0020	0207	3266	2612		0019051	0051	14557													
036	08S	0020	0207	32660	2612					14557												
	STD	0030	-0026	3299	2652		0015197	0068	14458													
036	08S	0030	-0026	32993	2652					14458												
	STD	0050	-0115	3325	2676		0012882	0097	14424													
036	08S	0050	-0115	33252	2676					14424												
	STD	0075	-0114	3341	2689		0011662	0127	14431													
	STD	0100	-0112	3355	2700		0010612	0155	14437													
036	08S	0100	-0112	33546	2700					14437												
	STD	0125	-0087	3367	2709		0009741	0181	14455													
	STD	0150	-0066	3376	2715		0009158	0204	14470													
036	08S	0150	-0066	33756	2715					14470												
036	08S	0199	-0035	33852	2722					14494												
	STD	0200	-0034	3385	2722		0008539	0248	14494													
	STD	0250	0024	3397	2729		0007936	0290	14531													
036	08S	0279	0057	34041	2732					14552												
036	08S	T0291	0087	34125	2737					14568												

REFERENCE		SHIP CODE	LATITUDE * 1/10	LONGITUDE * 1/10	MOON PHASE	PARSON SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF S'AMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CITY CODE	ID. NO.					10"	1"	MO	DAY		HR./10	CRUISE NO.			STATION NUMBER	DIR.	HGT/PER		SEA	TRF		AMT
311260	EV	52535N	053507W	186	23	07	25	052	1968	11P	10348	0455	04	22	2	3		X1	7	6	0025	
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTH	SPECIAL OBSERVATIONS						
						COLOR CODE	TRANS. UNIT	DIR.	SPEED OR FORCE	UNIT	DRY BULB	WET BULB										
									26	507	095	083	079	7	10							
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ O OYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	SC					
		STD	0000	0500	3189	2524	0027403	0000	14669													
	052	08S	0000	0500	31892	2524			14669													
		STD	0010	0495	3188	2524	0027434	0027	14668													
	052	08S	0010	0495	31882	2524			14668													
		STD	0020	0072	3247	2605	0019688	0051	14494													
	052	08S	0020	0072	32466	2605			14494													
		STD	0030	0071	3284	2635	0016801	0069	14500													
	052	08S	0030	0071	32844	2635			14500													
		STD	0050	-0135	3304	2660	0014457	0100	14411													
	052	08S	0050	-0135	33039	2660			14411													
		STD	0075	-0130	3321	2673	0013143	0135	14420													
		STD	0100	-0124	3335	2684	0012081	0167	14429													
	052	08S	0100	-0124	33349	2684			14429													
		STD	0125	-0118	3345	2692	0011312	0196	14437													
		STD	0150	-0112	3356	2701	0010516	0223	14446													
	052	08S	0150	-0112	33555	2701			14446													
		STD	0200	-0050	3378	2717	0009028	0272	14486													
	052	08S	T0201	-0048	33785	2717			14487													
		STD	0250	0112	3398	2724	0008430	0316	14571													
		STD	0300	0233	3416	2729	0008017	0357	14635													
	052	08S	T0312	0255	3378P	2697P																
		STD	0400	0343	3443	2741	0007076	0432	14703													
	052	08S	T0425	0343	34479	2745			14708													

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DRIFT INCHES	M/R SCEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLES	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER	
CRUISE CODE	ID. NO.					10"	1"	M/D	DAY		HR./10	CRUISE NO.			STATION NUMBER	DIR.	HGT				PER
311260	EV	52565N	053357W	186	23	07	25	071	1968	11P	10349	0528	05	19	1	2		X1	7	7	0026
WAVE						WIND		AIR TEMP. °C													
COLOR CODE		TRANS. MM	DIR.	SPEED OF FORCE	BARO- METER MMHG		OBS. BULB		WET BULB		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS								

MESSAGE TIME HR 1/10	CASE NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME AND MALT-210°	Σ Δ D DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SIO ₄ -Si μg - ml/l	pH	3 C
		STD	0000	0364	3091	2460	0033514	0000	14598								
071		OBS	0000	0364	30911	2460			14598								
		STD	0010	0351	3152	2509	0028812	0031	14603								
071		OBS	0010	0351	31519	2509			14603								
		STD	0020	0323	3170	2526	0027235	0059	14594								
071		OBS	0020	0323	31697	2526			14594								
		STD	0030	0025	3289	2642	0016191	0081	14480								
071		OBS	0030	0025	32893	2642			14480								
		STD	0050	-0111	3315	2668	0013714	0111	14424								
071		OBS	0050	-0111	33145	2668			14424								
		STD	0075	-0001	3359	2699	0010739	0141	14485								
		STD	0100	0083	3393	2721	0008637	0166	14532								
071		OBS	0100	0083	33926	2721			14532								
		STD	0125	0128	3409	2732	0007685	0186	14559								
		STD	0150	0171	3425	2741	0006822	0204	14584								
071		OBS	0150	0171	34245	2741			14584								
		STD	0200	0250	3449	2754	0005625	0235	14630								
071		OBS	0200	0250	34490	2754			14630								
		STD	0250	0284	3459	2759	0005203	0262	14655								
		STD	0300	0313	3468	2764	0004803	0287	14677								
071		OBS	0300	0313	34684	2764			14677								
		STD	0400	0357	3482	2771	0004302	0333	14714								
071		OBS	T0406	0358	34827	2771			14715								
		STD	0500	0361	3486	2774	0004128	0375	14733								
071		OBS	T0510	0361	34863	2774			14734								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	DRIFT INCHES	M/R SCEN SQUARE		STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLES	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER
CRUISE NO.	IO. NO.					10"	1"	M/D	DAY	HR./10		CRUISE NO.	STATION NUMBER			DIR.	HGT	PER	SEA			
311260	EV	53004N	053180W	186	33	07	25	087	1968	11P	10350	0549	05	22	1	2			X1	6	7	0027
WAVE		WIND		BAR- METER (mb)	AIR TEMP. °C		VIS. COE.	ND, DYS. DEPTHS	SPECIAL OBSERVATIONS													
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB																
			25	510	105	067	061	7	11													

MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME AND MALT-210°	Σ Δ D DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	3 C
		STD	0000	0418	3136	2490											
087		OBS	0000	0418	31359	2490	0030612	0000	14627								
		STD	0010	0529	3175	2510											
087		OBS	0010	0529	31754	2510	0028753	0030	14680								
087		OBS	0019	0528	31992	2529			14685								
		STD	0020	0511	3207	2537	0026197	0057	14679								
087		OBS	0028	0413	32637	2592			14647								
		STD	0030	0417	3274	2600	0020214	0080	14650								
087		OBS	0047	0420	33488	2659			14664								
		STD	0050	0401	3352	2663	0014204	0115	14657								
		STD	0075	0257	3378	2697	0010974	0146	14603								
087		OBS	0095	0164	3235P	2590P											
		STD	0100	0134	3399	2723	0008478	0171	14556								
		STD	0125	0037	3415	2742	0006667	0189	14519								
087		OBS	0142	0019	34234	2750			14514								
		STD	0150	0050	3425	2749	0005981	0205	14530								
087		OBS	T0190	0180	34334	2748			14596								
		STD	0200	0198	3438	2750	0006027	0235	14606								
		STD	0250	0276	3459	2760	0005131	0263	14651								
087		OBS	0294	0324	34730	2767			14681								
		STD	0300	0328	3475	2768	0004453	0287	14684								
087		OBS	T0396	0366	34918	2778			14718								
		STD	0400	0366	3492	2778	0003653	0328	14719								
		STD	0500	0360	3493	2780	0003573	0364	14733								
087		OBS	T0507	0360	34935	2780			14735								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	HAZARD SQUARE	STATION TIME IGMT		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER		
CRUISE NO.	ID. NO.					10'	1"		W/O	DAY		HR. 1/10	CRUISE NO.	STATION NUMBER		DIR.	HGT		PER	STA
311260	EV	53040N	053006W	186	33	07	25	104	1968	11P 10351	0497	05	19	1	2		X1	6	6	0028
WAVE'S		WIND		BARO- METER		AIR TEMP. °C		VIS.		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS								
COLOR CODE	TRANSL (m)	DIR.	SPEED OF FORCE	METER (mbal)	DRY BULB	WET BULB	VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS											
			24	S10	102	061	056	7	11											
MESSAGE TIME HR 1/10	CAS NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ O DYN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S CODE			
		STD	0000	0335	3148	2507	0028968	0000	14593											
	104	OBS	0000	0335	31480	2507			14593											
		STD	0010	0283	3183	2539	0025919	0027	14577											
	104	OBS	0010	0283	31828	2539			14577											
		STD	0020	-0096	3290	2647	0015642	0048	14423											
	104	OBS	0020	-0096	32902	2647			14423											
	104	OBS	0029	-0142	33091	2664			14405											
		STD	0030	-0142	3310	2665	0013985	0063	14406											
	104	OBS	0049	-0133	33326	2683			14416											
		STD	0050	-0133	3333	2683	0012231	0089	14416											
		STD	0075	-0121	3348	2695	0011101	0118	14428											
	104	OBS	0098	-0111	33644	2708			14439											
		STD	0100	-0101	3367	2710	0009701	0144	14444											
		STD	0125	0003	3393	2726	0008159	0167	14500											
	104	OBS	0147	0073	34116	2737			14538											
		STD	0150	0078	3413	2738	0007061	0186	14541											
	104	OBS	T0197	0154	34386	2754			14586											
		STD	0200	0159	3440	2754	0005578	0217	14589											
		STD	0250	0230	3459	2764	0004730	0243	14631											
	104	OBS	0295	0281	34732	2771			14663											
		STD	0300	0286	3474	2771	0004128	0265	14666											
	104	OBS	0394	0347	34918	2780			14710											
		STD	0400	0349	3493	2780	0003397	0303	14712											
	104	OBS	0493	0363	34993	2784			14734											

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	HAZARD SQUARE	STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAR. DEPTH OF SAMPLE'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CRUISE NO.	ID.					10'	1"		CRUISE NO.	STATION NUMBER			DIR.	HGT	PER		TYPE	AMT		
311260	EV	53075N	052428W	186	32	07	25	121	1968	11P 10352	0459	04	19	1	3		X4	X	9	0029
WAVE		WIND		BARO- METER		AIR TEMP. °C		VIS.		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS								
COLOR CODE	TRANSL (m)	DIR.	SPEED OF FORCE	METER (mbal)	DRY BULB	WET BULB	VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS											
			24	S10	105	072	067	3	12											
MESSAGE TIME HR 1/10	CAS NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ O DYN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S CODE			
		STD	0000	0327	3133	2496	0030067	0000	14588											
	121	OBS	0000	0327	31326	2496			14588											
		STD	0010	0317	3135	2498	0029837	0030	14586											
	121	OBS	0010	0317	31346	2498			14586											
		STD	0020	0249	3177	2538	0026087	0058	14563											
	121	OBS	0020	0249	31772	2538			14563											
		STD	0030	0236	3315	2649	0015554	0079	14578											
	121	OBS	0034	0218	33520	2680			14576											
		STD	0050	0004	3358	2698	0010844	0105	14483											
	121	OBS	0058	-0050	33669	2708			14461											
	121	OBS	0061	-0061	33711	2712			14457											
	121	OBS	0071	-0053	33754	2715			14463											
		STD	0075	-0035	3379	2717	0009056	0130	14472											
	121	OBS	0079	-0017	33821	2718			14482											
		STD	0100	0043	3397	2727	0008070	0151	14515											
		STD	0125	0106	3413	2736	0007236	0171	14550											
		STD	0150	0160	3427	2744	0006552	0188	14580											
	121	OBS	T0158	0176	34310	2746			14589											
		STD	0200	0234	3447	2754	0005641	0218	14623											
		STD	0250	0292	3462	2761	0005051	0245	14659											
	121	OBS	T0252	0294	34626	2761			14660											
		STD	0300	0340	3475	2767	0004571	0269	14689											
	121	OBS	0326	0357	34796	2769			14701											
		STD	0400	0362	3484	2772	0004229	0313	14716											
	121	OBS	T0440	0364	34858	2773			14724											

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	W/RSQEN SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER	
CTRY CODE	IO. NO.					10"	1"	M.O.		CRUISE NO.	STATION NUMBER		DIR.	HGT	PER		SEA	FTS		AMT
311260	EV		53104N	052248W	186	32	07	25	136	1968	IIP 10353	0430	04	19	13		x1	6 6	0030	
						WAVE		WIND		BARO- METER		AIR TEMP. °C		VSL CODE		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS		
						COLOR CODE	TRANS. (m)	DIR.	SPEED OF FORCE	DRY BULB		WET BULB								
									24	S08	112	083	072	8	11					
MESSAGE TIME HR 1/10	CST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T		SPECIFIC VOLUME ANOMALY-20°		Σ Δ D DYN. M. x 10 ³		SOUND VELOCITY	O ₂ (ml)	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S C
		STD	0000	0582	3194	2518			0027945	0000	14703									
136		OBS	0000	0582	31938	2518					14703									
136		OBS	0009	0592	32095	2529					14711									
		STD	0010	0528	3221	2546			0025318	0027	14686									
136		OBS	0019	0154	33057	2647					14539									
		STD	0020	0153	3313	2653			0015114	0047	14539									
136		OBS	0028	0142	33583	2690					14542									
		STD	0030	0112	3360	2694			0011286	0060	14529									
136		OBS	0047	-0041	33742	2713					14464									
		STD	0050	-0029	3379	2717			0009089	0080	14471									
136		OBS	0070	0045	34012	2731					14511									
		STD	0075	0061	3404	2732			0007640	0101	14520									
136		OBS	0094	0116	34142	2737					14549									
		STD	0100	0130	3418	2739			0007011	0120	14557									
		STD	0125	0179	3432	2747			0006306	0136	14585									
136		OBS	T0141	0201	34378	2749					14598									
		STD	0150	0205	3438	2749			0006061	0152	14601									
136		OBS	T0190	0222	34417	2751					14616									
		STD	0200	0226	3442	2751			0005951	0182	14619									
		STD	0250	0247	3447	2753			0005778	0211	14637									
136		OBS	T0292	0270	34540	2757					14655									
		STD	0300	0275	3455	2757			0005454	0239	14659									
		STD	0400	0349	3481	2770			0004332	0288	14710									
136		OBS	T0400	0349	34805	2770					14710									

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	W/RSQEN SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS	WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER	
CTRY CODE	IO. NO.					10"	1"	M.O.		CRUISE NO.	STATION NUMBER						
311260	EV		53130N	052069W	186	32	07	25	152	1968	IIP 10354	0695	06	19	22		0031
		WATER		WIND		BARO- METER		AIR TEMP. °C		VSL CODE		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS			
COLOR CODE	TRANS. (m)	DIR.	SPEED OF FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB
				22	S10	122	078	067	7	11							
MESSAGE TIME HR 1/10	CST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	Σ Δ D DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	CTD
		STD	0000	0657	3234	2540	0025824	0000	14739								
152		OBS	0000	0657	32339	2540			14739								
		STD	0010	0568	3242	2558	0024183	0025	14705								
152		OBS	0017	0386	32780	2606			14636								
		STD	0020	0259	3306	2640	0016409	0045	14585								
152		OBS	0023	0152	33296	2666			14542								
		STD	0030	0012	3343	2686	0012031	0060	14482								
152		OBS	0047	-0023	33777	2715			14473								
		STD	0050	0046	3385	2718	0009002	0081	14506								
152		OBS	0056	0133	33961	2721			14548								
152		OBS	0070	0068	33988	2727			14521								
		STD	0075	0073	3401	2729	0007938	0102	14525								
152		OBS	0094	0101	34097	2734			14542								
		STD	0100	0124	3414	2736	0007274	0121	14554								
		STD	0125	0206	3431	2744	0006587	0138	14596								
		STD	0150	0264	3446	2751	0005949	0154	14628								
152		OBS	T0150	0264	34459	2751			14628								
152		OBS	0187	0306	34637	2761			14655								
		STD	0200	0312	3466	2762	0004900	0181	14660								
		STD	0250	0332	3473	2766	0004602	0205	14677								
		STD	0300	0347	3479	2769	0004341	0227	14693								
152		OBS	T0374	0362	34849	2773			14712								
		STD	0400	0362	3485	2773	0004109	0269	14716								
		STD	0500	0359	3487	2774	0004076	0310	14732								
152		OBS	T0562	0358	34873	2775			14742								

REFERENCE		SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	WATERSIN SQUARE	STATION TIME (GMT)				YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS	WEA- THER CODE	CLOUD CODES	NOOC STATION NUMBER			
CHIT NO.	ID. NO.					10"	1"	MO	OAT		HEI/10	CRUISE NO.						STATION NUMBER		
311260	EV	53144N	051574W	186	31	07	25	172	1968	JIP	10355	1317	12	20	2	3	x1	7	7	0032
WAVE		WIND		SARD- METER (mbal)	AIR TEMP. °C		VIL CODE	NO. OBS. DEPTH	SPECIAL OBSERVATIONS											
COLOR CODE	TRANSL WAT	DIR.	SPEED OF FORCE		DRY BULB	WET BULB														
				25	S08	122	083	078	7	13										
MESSENGER TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20	Σ Δ D OTN. M. 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₂ -N μg - ml/l	SiO ₄ -S μg - ml/l	pH	T °C			
		STD	0000	0571	3139	2476	0031949	0000	14691											
172	OBS	0000	0571	31388	2476				14691											
	STD	0010	0321	3294	2625		0017820	0025	14609											
172	OBS	0018	0180	33568	2686				14557											
	STD	0020	0154	3360	2691		0011554	0040	14546											
172	OBS	0025	0099	33676	2700				14524											
	STD	0030	0062	3371	2705		0010156	0050	14508											
172	OBS	0045	0027	33848	2718				14497											
	STD	0050	0058	3391	2722		0008611	0069	14513											
172	OBS	0060	0103	34034	2729				14536											
172	OBS	0065	0118	34099	2733				14545											
	STD	0075	0137	3418	2738		0007052	0089	14556											
	STD	0100	0184	3437	2750		0005985	0105	14583											
172	OBS	0100	0184	34366	2750				14583											
	STD	0125	0234	3448	2755		0005526	0119	14611											
172	OBS	0149	0271	34590	2761				14633											
	STD	0150	0272	3459	2761		0005001	0133	14633											
172	OBS	T0199	0316	34780	2772				14663											
	STD	0200	0316	3478	2772		0004030	0155	14663											
	STD	0250	0325	3481	2773		0003909	0175	14675											
	STD	0300	0333	3485	2775		0003791	0194	14688											
	STD	0400	0350	3491	2779		0003558	0231	14712											
172	OBS	T0476	0363	34959	2781				14731											
	STD	0500	0363	3496	2781		0003406	0266	14735											
	STD	0600	0362	3497	2782		0003409	0300	14751											
	STD	0700	0362	3497	2782		0003496	0334	14768											
172	OBS	T0760	0361	34974	2783				14777											
	STD	0800	0361	3498	2783		0003493	0369	14784											
	STD	0900	0360	3498	2783		0003567	0405	14800											
172	OBS	0954	0359	34983	2784				14809											
	STD	1000	0359	3499	2784		0003571	0440	14817											
	STD	1100	0358	3499	2784		0003643	0476	14833											
172	OBS	T1199	0358	34996	2785				14850											

REFERENCE		SHIP CODE	LATITUDE " 1/10	LONGITUDE " 1/10	DEPTH FOOT	W. F. S. D. N. E.		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLING	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES	NOOC STATION NUMBER	
CRUISE NO.	STATION NUMBER					DM	HGT	PER	SEA		TYPE	AUT									
311260	EV	53155N	051478W	186	31	07	25	188	1968	11P	10356	1737	15	22	2	3		X1	7	7	0033
						WAVE		WIND		BARO- METER		AIR TEMP. °C		VIS CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS					
COLOR CODE	TRANS. (M)	DIR.	SPEED OR FORCE	UNITS	DRY BULB	WET BULB	TEMP.														
				26	S08	122		083	078	8	14										
MESSAGE TIME HR 1/10	CAS NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-216°	Σ Δ O DYN. M. × 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - dl/l	TOTAL-P μg - dl/l	NO ₂ -N μg - dl/l	NO ₃ -N μg - dl/l	SIO ₄ -Si μg - dl/l	PH	C				
		STD	0000	0598	3150	2481	0031441	0000	14704												
188		OBS	0000	0598	31496	2481			14704												
		STD	0010	0526	3191	2522	0027557	0029	14681												
188		OBS	0015	0430	32116	2549			14645												
		STD	0020	0294	3360	2680	0012618	0050	14608												
188		OBS	0020	0294	33599	2680			14608												
		STD	0030	0253	3399	2714	0009370	0061	14597												
188		OBS	0030	0253	33985	2714			14597												
188		OBS	0040	0295	34202	2728			14620												
		STD	0050	0140	3417	2737	0007157	0077	14553												
188		OBS	0050	0140	34168	2737			14553												
		STD	0075	0189	3431	2745	0006474	0094	14581												
188		OBS	0075	0189	34305	2745			14581												
		STD	0100	0257	3447	2752	0005808	0110	14617												
188		OBS	0100	0257	34466	2752			14617												
		STD	0125	0284	3456	2757	0005346	0123	14634												
		STD	0150	0308	3464	2761	0004976	0136	14649												
		STD	0200	0345	3477	2768	0004388	0160	14675												
188		OBS	T0201	0346	34775	2768			14676												
		STD	0250	0350	3481	2771	0004179	0181	14686												
		STD	0300	0354	3483	2772	0004115	0202	14696												
		STD	0400	0363	3487	2774	0003988	0242	14717												
188		OBS	T0402	0363	34871	2774			14718												
		STD	0500	0362	3487	2775	0004045	0283	14733												
188		OBS	T0597	0361	34874	2775			14749												
		STD	0600	0361	3487	2775	0004113	0323	14750												
		STD	0700	0359	3487	2775	0004184	0365	14765												
188		OBS	T0796	0356	34872	2775			14780												
		STD	0800	0356	3487	2775	0004242	0407	14781												
		STD	0900	0351	3487	2775	0004298	0450	14795												
		STD	1000	0348	3487	2775	0004367	0493	14811												
188		OBS	T1051	0347	34863	2775			14819												
		STD	1100	0348	3487	2776	0004404	0537	14827												
		STD	1200	0349	3488	2777	0004400	0581	14844												
		STD	1300	0350	3490	2778	0004398	0625	14862												
		STD	1400	0351	3491	2779	0004387	0669	14879												
		STD	1500	0352	3492	2780	0004383	0713	14897												
188		OBS	T1536	0352	34928	2780			14903												

REFERENCE		SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	WATERSIDE SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAR. DEPTH OF SAMPLE'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER		
CTRY CODE	ID. NO.					10'	1'	MO		DAY	HR.1/10			CRUISE NO.	STATION NUMBER	DIR.		NG	PER		SIA	TYPE
311260	EV		53190N	05126 W	186	31	07	25	211	1968	11P	10357	2487	16	26	2	2		X1	6	3	0034
		WATER		WIND		BARO- METER		AIR TEMP. °C		VIL		ND. OBS. DEPTHS		SPECIAL OBSERVATIONS								
		COLOR CODE	TEMP. (°C)	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	CODE	NO.													
						23	S10	125	089	078	8	14										
MESSAGE TIME HR 1/10	CARD NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME AND SALTY-187	Σ Δ D DTN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P pg - ml/l	TOTAL-P pg - ml/l	NO ₃ -N pg - ml/l	NO ₃ -N pg - ml/l	SIO ₄ -Si pg - ml/l	pH	S C					
		STD	0000	0752	3369	2634	0016932	0000	14794													
211		OBS	0000	0752	33694	2634			14794													
		STD	0010	0729	3394	2657	0014806	0016	14790													
211		OBS	0015	0669	34021	2671			14768													
		STD	0020	0537	3403	2689	0011755	0029	14716													
		STD	0030	0299	3406	2716	0009209	0040	14618													
211		OBS	0030	0299	34057	2716			14618													
211		OBS	0038	0134	34120	2734			14548													
		STD	0050	0211	3432	2744	0006517	0055	14586													
		STD	0075	0330	3464	2759	0005137	0070	14646													
211		OBS	0075	0330	34638	2759			14646													
		STD	0100	0338	3470	2763	0004765	0082	14655													
		STD	0125	0344	3476	2767	0004391	0094	14662													
		STD	0150	0350	3481	2771	0004109	0104	14670													
211		OBS	0150	0350	34808	2771			14670													
		STD	0200	0355	3485	2773	0003887	0124	14681													
		STD	0250	0360	3487	2774	0003832	0144	14691													
		STD	0300	0366	3487	2774	0003929	0163	14702													
211		OBS	T0304	0366	34873	2774			14703													
211		OBS	T0312	0365	34872	2774			14704													
		STD	0400	0358	3487	2775	0003941	0202	14715													
211		OBS	T0402	0358	34869	2775			14715													
		STD	0500	0359	3487	2775	0004030	0242	14732													
211		OBS	T0597	0359	34877	2775			14748													
		STD	0600	0359	3488	2775	0004068	0283	14749													
		STD	0700	0357	3488	2775	0004121	0324	14764													
		STD	0800	0355	3488	2776	0004173	0365	14780													
		STD	0900	0352	3488	2776	0004223	0407	14796													
		STD	1000	0350	3488	2776	0004272	0450	14812													
211		OBS	T1000	0350	34881	2776			14812													
		STD	1100	0358	3490	2777	0004311	0493	14832													
		STD	1200	0367	3492	2778	0004353	0536	14853													
211		OBS	T1206	0367	34920	2778			14854													
		STD	1300	0362	3492	2778	0004408	0580	14868													
		STD	1400	0358	3491	2778	0004459	0624	14882													
		STD	1500	0353	3491	2778	0004513	0669	14897													
211		OBS	1574	0349	34904	2778			14908													
211		OBS	T1576	0351	34934	2781			14910													

REFERENCE CTRY CODE	SHIP NO.	LATITUDE ° 1/10	LONGITUDE ° 1/10	DATE MO/DA/YR	STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE DEPTH OF SAMPLING	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES	HODC STATION NUMBER			
					° 1/10			CRUISE NO.	STATION NUMBER			DIR	HGT PER	SEA						
					10"	1"												MO	DA	HR.1/10
311260	EV	52451N	051096W	186	21	07	26	012	1968	11P	10358	2085	15	22	1	2	X1	6	6	0035
					WATER		WIND		BARO-		AIR TEMP. °C		VTL CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS					
					COLOR CODE	TRANL (m)	DIR	SPEED OF FORCE	METER (mbars)	DRY BULB	WET BULB									
								24	S11	139	072	067	8	13						
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T		SPECIFIC VOLUME ANOMALY-35°		Σ Δ D DYN. M x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -H μg - ml/l	SiO ₂ -Si μg - ml/l	PH	T C	
		STO	0000	0777	3396	2651		0015316		0000	14807									
012		OBS	0000	0777	33957	2651					14807									
		STO	0010	0738	3406	2665		0014033		0015	14795									
012		OBS	0015	0719	34105	2671					14789									
		STO	0020	0704	3413	2675		0013074		0028	14784									
012		OBS	0024	0685	34160	2680					14778									
		STO	0030	0606	3427	2699		0010804		0040	14749									
012		OBS	0048	0429	34533	2741					14682									
		STO	0050	0414	3456	2744		0006514		0057	14677									
012		OBS	0058	0371	34630	2754					14661									
012		OBS	0073	0366	34708	2761					14662									
		STO	0075	0365	3471	2761		0004925		0072	14662									
012		OBS	0097	0356	34778	2768					14663									
		STO	0100	0356	3478	2768		0004335		0083	14664									
		STO	0125	0357	3480	2769		0004217		0094	14668									
		STO	0150	0358	3482	2771		0004098		0104	14673									
012		OBS	0193	0360	34853	2773					14682									
		STO	0200	0360	3485	2773		0003904		0124	14683									
		STO	0250	0359	3486	2774		0003901		0144	14691									
		STO	0300	0359	3486	2774		0003907		0163	14699									
012		OBS	T0389	0358	34874	2775					14713									
		STO	0400	0358	3487	2775		0003939		0203	14715									
		STO	0500	0357	3487	2775		0004014		0242	14731									
		STO	0600	0357	3487	2775		0004099		0283	14748									
012		OBS	0683	0356	34869	2775					14761									
		STO	0700	0356	3487	2775		0004180		0324	14764									
012		OBS	T0780	0355	34869	2775					14777									
		STO	0800	0356	3487	2775		0004252		0367	14780									
		STO	0900	0358	3487	2775		0004368		0410	14798									
		STO	1000	0361	3488	2775		0004410		0454	14816									
012		OBS	T1029	0362	34881	2775					14822									
		STO	1100	0362	3489	2776		0004429		0498	14834									
		STO	1200	0361	3489	2776		0004500		0542	14850									
		STO	1300	0358	3490	2777		0004472		0587	14866									
		STO	1400	0354	3492	2779		0004356		0631	14881									
		STO	1500	0348	3493	2780		0004286		0675	14895									
012		OBS	T1529	0346	34932	2781					14899									

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MOON PHASE	P/250IN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAL. DEPTH OF SAMPLE'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NOOC STATION NUMBER
TYPE	NO.					10"	1"	DAY	HR.1/10		CRUISE NO.	STATION NUMBER			DR	NG	PER	SEA		TYPE	AMT	

311260 EV 52417N 05120 W 186 21 07 26 030 1968 IIP 10359 1591 15 26 2 2 X1 6 5 0036

WATER		WIND		BARO- METER (mb)	AIR TEMP °C		VIL CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS
COLOR CODE	TRANS. (m)	DIR.	SPEED OF FORCE		DRY BULB	WET BULB			
		23	510	135	094	083	8	13	

23 S10 135 094 083 8 13

MESSAGE TIME HR 1 10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S %	SIGMA-T	SPECIFIC VOLUME ANOMALY (σ _t)	Σ Δ D OTN, M. 1 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SIO ₄ -S μg - ml/l	pH	1 CODE
		STD	0000	0702	3258	2554	0024569	0000	14760								
		OBS	0000	0702	32582	2554			14760								
030		STD	0010	0577	3290	2594	0020710	0023	14715								
		OBS	0010	0577	32897	2594			14715								
030		OBS	0018	0677	33944	2664			14771								
		STD	0020	0674	3397	2666	0013883	0040	14770								
030		OBS	0025	0668	34038	2673			14769								
		STD	0030	0550	3414	2696	0011114	0052	14724								
030		OBS	0049	0275	34435	2748			14616								
		STD	0050	0279	3445	2749	0006084	0070	14618								
		STD	0075	0350	3467	2760	0005083	0084	14655								
030		OBS	0076	0351	34672	2760			14656								
030		OBS	0098	0348	34739	2765			14659								
		STD	0100	0348	3474	2765	0004561	0096	14660								
		STD	0125	0352	3479	2769	0004238	0107	14666								
		STD	0150	0355	3483	2772	0003992	0117	14672								
030		OBS	0195	0361	34878	2775			14683								
		STD	0200	0361	3488	2775	0003734	0136	14683								
		STD	0250	0360	3488	2775	0003783	0155	14691								
		STD	0300	0360	3488	2775	0003835	0174	14699								
030		OBS	0389	0359	34872	2775			14714								
		STD	0400	0359	3487	2775	0003934	0213	14716								
		STD	0500	0358	3488	2775	0003992	0253	14732								
030		OBS	0583	0358	34878	2775			14746								
		STD	0600	0358	3488	2775	0004058	0293	14748								
		STD	0700	0358	3487	2775	0004195	0334	14765								
030		OBS	T0779	0358	34865	2774			14778								
		STD	0800	0357	3487	2775	0004295	0377	14781								
		STD	0900	0355	3488	2776	0004272	0419	14797								
		STD	1000	0352	3489	2777	0004247	0462	14812								
030		OBS	T1026	0351	34890	2777			14816								
		STD	1100	0352	3489	2777	0004317	0505	14829								
		STD	1200	0353	3489	2777	0004430	0549	14847								
		STD	1300	0355	3489	2776	0004535	0593	14864								
		STD	1400	0356	3488	2776	0004648	0639	14881								
		STD	1500	0358	3488	2776	0004753	0686	14899								
030		OBS	T1525	0358	34882	2776			14903								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MOON PHASE	STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS		WEA- THER CODE	CLOUD CODES		NOOC STATION NUMBER					
CTRY CODE	IO NO.					10"	1"		CRUISE NO.	STATION NUMBER		DIR	HGT PER		SEA	TYPE		AMT				
311260	EV		52399N	051269W	186	21	07	26	057	1968	11P	10360	1298	12	22	213		X1	3	7		0037
WATER		WIND		BARO- METER		AIR TEMP. °C		VIL CODE	NO. OBS. DEPTH	SPECIAL OBSERVATIONS												
COLOR CODE	TRANS UNIT	DIR	SPEED OF FORCE	UNIT	DRY BULB	WET BULB																
			24	508	125	083	072	7	13													
MISSION TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20P	± Δ σ DYN. M. ± 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	1 C C					
		STD	0000	0659	3236	2541	0025729	0000	14740													
	057	OBS	0000	0659	32355	2541			14740													
		STD	0010	0592	3280	2585	0021640	0024	14720													
	057	OBS	0010	0592	32796	2585			14720													
	057	OBS	0019	0632	34021	2676			14754													
		STD	0020	0618	3402	2678	0012805	0041	14748													
	057	OBS	0026	0502	33998	2690			14702													
		STD	0030	0356	3398	2704	0010298	0052	14641													
	057	OBS	0038	0112	33952	2722			14535													
		STD	0050	0194	3414	2731	0007751	0071	14576													
		STD	0075	0294	3443	2746	0006381	0088	14628													
	057	OBS	0096	0303	34534	2753			14637													
		STD	0100	0294	3454	2755	0005568	0103	14634													
	057	OBS	0106	0283	34545	2756			14630													
		STD	0125	0302	3462	2760	0005054	0116	14642													
		STD	0150	0324	3470	2765	0004673	0129	14657													
	057	OBS	0193	0353	34810	2770			14678													
		STD	0200	0353	3481	2771	0004145	0151	14679													
		STD	0250	0355	3483	2772	0004069	0171	14688													
		STD	0300	0356	3485	2773	0003992	0191	14698													
	057	OBS	T0387	0359	34880	2775			14713													
		STD	0400	0359	3488	2776	0003867	0231	14716													
		STD	0500	0359	3489	2776	0003916	0269	14732													
	057	OBS	0582	0358	34891	2776			14746													
		STD	0600	0358	3489	2776	0003954	0309	14748													
		STD	0700	0356	3489	2777	0003995	0349	14764													
	057	OBS	T0782	0355	34896	2777			14778													
		STD	0800	0355	3490	2777	0004023	0389	14781													
		STD	0900	0355	3490	2777	0004106	0429	14797													
	057	OBS	0971	0355	34901	2777			14809													
		STD	1000	0356	3490	2777	0004194	0471	14814													
		STD	1100	0359	3490	2777	0004305	0513	14832													
	057	OBS	T1166	0362	34902	2777			14845													

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	WRS SQUAD	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLES	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES	TYPE (A.M.T)	NOOC STATION NUMBER			
CRUISE NO.	ID. NO.					10°	1°	M/O DAY		HR./10	CRUISE NO.			STATION NUMBER	DR	HGT					PER	SEA	TYPE (A.M.T)
311260	EV		52375N	051328W	186	21	07	26	075	1968	11P	10361	0923	08	29	2	2		X1	8	7		0038
WAVE		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS											
COLOR CODE	TRANS. UNIT	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB										
				30	508	115	086	081	7	13													
MESSAGE TIME HR 1/10	CAS NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-30°	Σ Δ D DTN. M x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₂ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S C						
		STD	0000	0695	3238	2538	0026012	0000	14754														
075		OBS	0000	0695	32377	2538			14754														
		STD	0010	0618	3244	2554	0024588	0025	14726														
075		OBS	0010	0618	32443	2554			14726														
		STD	0020	0169	3301	2642	0016148	0046	14545														
075		OBS	0020	0169	33008	2642			14545														
075		OBS	0029	0045	33377	2680			14496														
		STD	0030	0041	3339	2681	0012480	0060	14494														
		STD	0050	-0043	3362	2703	0010326	0083	14462														
075		OBS	0058	-0077	33697	2711			14449														
075		OBS	0073	-0006	33830	2719			14486														
		STD	0075	0063	3391	2721	0008640	0106	14519														
075		OBS	0081	0172	34063	2726			14571														
075		OBS	0087	0131	34076	2730			14554														
		STD	0100	0151	3417	2737	0007231	0126	14566														
		STD	0125	0192	3434	2747	0006252	0143	14591														
075		OBS	T0144	0223	34451	2754			14609														
		STD	0150	0235	3448	2755	0005547	0158	14616														
075		OBS	0191	0304	34662	2763			14655														
		STD	0200	0308	3467	2764	0004787	0184	14658														
		STD	0250	0327	3474	2767	0004479	0207	14675														
		STD	0300	0342	3479	2770	0004291	0229	14691														
075		OBS	T0378	0358	34848	2773			14711														
		STD	0400	0358	3485	2773	0004087	0271	14715														
		STD	0500	0357	3486	2774	0004093	0312	14731														
075		OBS	T0591	0357	34872	2775			14746														
		STD	0600	0357	3487	2775	0004084	0353	14748														
		STD	0700	0358	3488	2775	0004145	0394	14765														
		STD	0800	0358	3488	2775	0004213	0435	14782														
075		OBS	T0808	0358	34879	2775			14783														

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	WRS SQUAD	STATION TIME (GMT)			ORIGINATOR'S		DEPTH TO BOTTOM	MAR. DEPTH OF SAMPLES	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NOOC STATION NUMBER				
CRUISE NO.	ID. NO.					10°	1°	M.O. DAY	HR./10	YEAR			CRUISE NO.	STATION NUMBER	DIR.		HGT	PER		SEA	TYPE	AMT	
311260	EV		5235 N	051395W	186	21	07	26	088	1968	11P	10362	0439	04	34	2	2		X2	6	8		0039
WAVE		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS											
COLOR CODE	TRANS. UNIT	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB	DRY BULB	WET BULB										
				30	502	119	083	072	7	11													
MESSAGE TIME HR 1/10	CAS NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-30°	Σ Δ D DTN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₂ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S C						
		STD	0000	0655	3250	2553	0024633	0000	14740														
088		OBS	0000	0655	32495	2553			14740														
		STD	0010	0568	3251	2565	0023523	0024	14706														
088		OBS	0010	0568	32508	2565			14706														
		STD	0020	0221	3285	2626	0017689	0045	14566														
088		OBS	0020	0221	32853	2626			14566														
		STD	0030	-0023	3323	2671	0013414	0060	14463														
088		OBS	0030	-0023	33228	2671			14463														
088		OBS	0030	-0104	33488	2695			14429														
		STD	0050	-0101	3352	2697	0010905	0085	14434														
088		OBS	0074	-0097	33549	2700			14440														
		STD	0075	-0096	3355	2700	0010649	0111	14441														
088		OBS	0099	-0054	33696	2710			14466														
		STD	0100	-0050	3371	2711	0009594	0137	14469														
		STD	0125	0047	3392	2723	0008472	0159	14520														
088		OBS	0148	0115	34090	2733			14557														
		STD	0150	0118	3410	2733	0007546	0179	14559														
088		OBS	T0197	0190	34327	2746			14601														
		STD	0200	0196	3434	2747	0006314	0214	14605														
		STD	0250	0283	3457	2758	0005344	0243	14654														
		STD	0300	0340	3473	2765	0004720	0268	14689														
088		OBS	T0300	0340	34730	2765			14689														
088		OBS	T0399	0363	34822	2770			14716														

REFERENCE	SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	WAVE SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLING	WAVE OBSERVATIONS			CLOUD CODES	WIND CODE	WIND TYPE	WIND AMT	NODC STATION NUMBER
					10°	1°	M/D		CRUISE NO.	STATION NUMBER			DIR	HGT	PER					

MESSAGE TIME OF HR 1/10		CASE NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-30°	Σ Δ σ DYN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SIO ₂ -Si μg - ml/l	pH	1 C
			STD	0000	0659	3225	2533		0026551	0000	14738							
104		OBS	0000	0659	32245	2533					14738							
104		OBS	0008	0572	32346	2551					14706							
		STD	0010	0553	3236	2555		0024476	0026		14699							
104		OBS	0017	0488	32406	2566					14673							
		STD	0020	0282	3266	2606		0019618	0048		14590							
104		OBS	0023	0115	32875	2635					14519							
		STD	0030	0014	3303	2653		0015093	0065		14477							
104		OBS	0040	-0103	33226	2674					14427							
		STD	0050	-0102	3330	2680		0012557	0093		14431							
		STD	0075	-0098	3347	2693		0011255	0122		14439							
		STD	0100	-0094	3363	2706		0010033	0149		14447							
104		OBS	0105	-0093	33662	2709					14449							
		STD	0125	-0046	3381	2719		0008840	0173		14476							
		STD	0150	0007	3396	2728		0007947	0194		14506							
104		OBS	0170	0044	34052	2734					14528							
104		OBS	T0190	0077	34116	2737					14547							
		STD	0200	0097	3416	2739		0006960	0231		14558							
		STD	0250	0232	3449	2756		0005499	0262		14631							
104		OBS	0280	0340	34772	2769					14686							

REFERENCE	SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	WAVE SQUARE	STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPLING	WAVE OBSERVATIONS			CLOUD CODES	WIND CODE	WIND TYPE	WIND AMT	NODC STATION NUMBER
					10°	1°	M/D		CRUISE NO.	STATION NUMBER			DIR	HGT	PER					

MESSAGE TIME OF HR 1/10	CASST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-30°	Σ Δ σ DYN. M. X 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SIO ₂ -Si μg - ml/l	pH
		STD	0000	0652	3250	2554	0024574	0000	14739							
120		OBS	0000	0652	32498	2554			14739							
		STD	0010	0486	3273	2592	0020967	0023	14676							
		STD	0020	0274	3295	2629	0017375	0042	14590							
120		OBS	0020	0274	32948	2629			14590							
		STD	0030	-0060	3315	2666	0013862	0058	14444							
120		OBS	0035	-0132	33258	2677			14413							
120		OBS	0037	-0143	33300	2681			14409							
		STD	0050	-0117	3340	2688	0011741	0083	14425							
		STD	0075	-0077	3359	2702	0010412	0111	14450							
120		OBS	0095	-0056	33715	2712			14465							
		STD	0100	-0055	3374	2714	0009343	0136	14467							
		STD	0125	-0051	3387	2724	0008360	0158	14474							
		STD	0150	-0047	3399	2734	0007441	0177	14482							
120		OBS	0150	-0047	33992	2734			14482							
		STD	0200	0137	3424	2743	0006666	0213	14577							
120		OBS	0200	0137	34235	2743			14577							
		STD	0250	0250	3452	2757	0005428	0243	14639							
120		OBS	T0251	0255	34539	2758			14642							
120		OBS	0265	0342	34779	2769			14685							

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	NODC STATION NUMBER	HARBOR SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS	WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER
CITY CODE	IO. NO.					10°	1°	MO	DAY		CRUISE NO.	STATION NUMBER					
311260	EV		52217N	052230W		186	22	07	26	1968	11P	10365	0275	03	33	2 2	0042
WAVE		WIND		BARO- METER (mb)	AIR TEMP. °C		VIR CODE	NO. OBS. DEPTH	SPECIAL OBSERVATIONS								
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB											
			33	504	122	094	083	8	10								
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	Σ Δ ρ DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S C C
		STD	0000	0681	3250	2550	0024954	0000	14750								
135		OBS	0000	0681	32495	2550			14750								
		STD	0010	0558	3272	2583	0021821	0023	14705								
135		OBS	0015	0477	32834	2601			14674								
		STD	0020	0334	3296	2625	0017786	0043	14616								
		STD	0030	0103	3318	2660	0014425	0059	14519								
135		OBS	0035	0016	33272	2673			14482								
		STD	0050	-0070	3340	2687	0011902	0086	14447								
135		OBS	0065	-0111	33511	2697			14432								
		STD	0075	-0093	3358	2702	0010430	0114	14443								
135		OBS	0095	-0056	33697	2710			14465								
		STD	0100	-0048	3372	2712	0009526	0138	14470								
		STD	0125	0005	3386	2720	0008717	0161	14500								
135		OBS	0125	0005	33858	2720			14500								
		STD	0150	0076	3405	2732	0007656	0182	14539								
135		OBS	0150	0076	34050	2732			14539								
135		OBS	0160	0069	34080	2735			14538								
135		OBS	0190	0120	34226	2743			14568								
		STD	0200	0144	3429	2747	0006300	0217	14581								
		STD	0250	0311	3468	2764	0004777	0244	14668								
135		OBS	T0251	0315	34694	2765			14670								

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	NODC STATION NUMBER	HARBOR SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	WAVE OBSERVATIONS	WEA- THER CODE	CLOUD CODES	NODC STATION NUMBER	
CITY CODE	IO. NO.					10°	1°	MO	DAY		CRUISE NO.	STATION NUMBER						
311260	EV		52177N	052401W		186	22	07	26	1968	11P	10366	0280	03	34	2 3		0043
WAVE		WIND		BARO- METER (mb)	AIR TEMP. °C		VIR CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS									
COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE		DRY BULB	WET BULB												
			33	511	122	106	083	8	08									
MESSNGR TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-20°	Σ Δ ρ DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	pH	S C C	
		STD	0000	0738	3262	2552		0024730	0000	14774								
150		OBS	0000	0738	32623	2552				14774								
		STD	0010	0590	3266	2574		0022636	0024	14717								
		STD	0020	0429	3276	2600		0020173	0045	14654								
150		OBS	0022	0396	32783	2605				14641								
		STD	0030	0209	3301	2640		0016414	0063	14564								
		STD	0050	-0123	3343	2691		0011485	0091	14422								
150		OBS	0050	-0123	33431	2691				14422								
		STD	0075	-0113	3353	2699		0010746	0119	14433								
		STD	0100	-0102	3365	2708		0009850	0145	14443								
150		OBS	0100	-0102	33650	2708				14443								
		STD	0125	-0044	3380	2718		0008926	0168	14477								
		STD	0150	0007	3393	2726		0008183	0190	14506								
150		OBS	0150	0007	33929	2726				14506								
		STD	0200	0087	3415	2739		0006971	0228	14554								
150		OBS	0210	0103	34192	2742				14563								
		STD	0250	0168	3433	2748		0006214	0261	14601								
150		OBS	0250	0168	34327	2748				14601								
150		OBS	0260	0219	34429	2752				14626								

REFERENCE		SHIP CODE	LATITUDE * 1/10	LONGITUDE * 1/10	TIME ZONE	MARSEN SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH OF BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER									
CIRCUIT NO.	IO. NO.					10"	1"	M	O		CRUISE NO.	STATION NUMBER				DIR	HGT	PER		SEA			TYPE	AMT							
						10"	1"	M	O																						
311260	EV		52132N	052538W		186	22	07	26	1968	11P	10367		0252	02	32	2	2			X1	7	6	0044							
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS.		NO. OBS. DEPTHS		SPECIAL OBSERVATIONS													
						COLOR CODE	TRANS. (m)	DIR.	SPEED OF FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB	CODE	CODE	CODE	CODE														
									33	514	108	094	083	7	08																
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ σ DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₃ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₄ -Si μg - ml/l	PH															
		STD	0000	0711	3269	2561	0023908	0000	14764																						
	165	OBS	0000	0711	32686	2561			14764																						
		STD	0010	0674	3270	2566	0023382	0024	14752																						
		STD	0020	0637	3270	2572	0022870	0047	14738																						
	165	OBS	0025	0618	32708	2574			14732																						
		STD	0030	0438	3291	2611	0019141	0068	14661																						
		STD	0050	-0033	3350	2693	0011287	0098	14465																						
	165	OBS	0050	-0033	33500	2693			14465																						
		STD	0075	-0063	3369	2710	0009687	0124	14458																						
	165	OBS	0075	-0063	33692	2710			14458																						
		STD	0100	-0019	3384	2720	0008726	0147	14485																						
	165	OBS	0100	-0019	33842	2720			14485																						
		STD	0125	0032	3397	2728	0008008	0168	14514																						
		STD	0150	0076	3409	2735	0007345	0188	14540																						
	165	OBS	0150	0076	34091	2735			14540																						
	165	OBS	T0199	0142	34292	2747			14580																						
		STD	0200	0144	3430	2747	0006225	0221	14581																						
	165	OBS	T0237	0204	34431	2753			14616																						

REFERENCE		SHIP CODE	LATITUDE 1°/10	LONGITUDE 1°/10	DEPTH METER	MARSON SQUARE		STATION TIME (GMT)		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH OF SAMPL'S	WAVE OBSERVATIONS				WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER									
CIRCUIT NO.	IO. NO.					10"	1"	M	O		CRUISE NO.	STATION NUMBER				DIR	HGT	PER		SEA			TYPE	AMT							
						10"	1"	M	O																						
311260	EV		52084N	053086W		186	23	07	26	184	1968	11P	10368		0232	1	34	2	3			X1	7	7		0045					
						WATER		WIND		BARO- METER		AIR TEMP. °C		VIS. CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS															
						COLOR CODE	TRANS. (m)	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB																		
									33	512	108	094	083	8	08																
MESSAGE TIME HR 1/10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ σ DYN. M. x 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₄ -P μg - σ _t /l	TOTAL-P μg - σ _t /l	NO ₃ -N μg - σ _t /l	NO ₃ -N μg - σ _t /l	Si O ₄ -Si μg - σ _t /l	PH															
		STD	0000	0729	3250	2544	0025507	0000	14769																						
	184	OBS	0000	0729	32504	2544			14769																						
		STD	0010	0659	3250	2553	0024676	0025	14743																						
	184	OBS	0010	0659	32498	2553			14743																						
		STD	0020	0421	3265	2592	0020943	0047	14649																						
		STD	0030	0212	3283	2625	0017793	0067	14563																						
	184	OBS	0030	0212	32831	2625			14563																						
		STD	0050	-0121	3331	2681	0012416	0097	14421																						
	184	OBS	0051	-0129	33328	2683			14418																						
	184	OBS	0071	-0108	33522	2698			14434																						
		STD	0075	-0100	3354	2699	0010717	0126	14439																						
		STD	0100	-0049	3367	2707	0009934	0152	14468																						
	184	OBS	0100	-0049	33667	2707			14468																						
		STD	0125	-0005	3382	2718	0008922	0175	14495																						
	184	OBS	T0149	0049	33984	2728			14526																						
		STD	0150	0052	3399	2729	0007959	0196	14527																						
		STD	0200	0205	3435	2747	0006313	0232	14609																						
	184	OBS	T0210	0242	34426	2750			14628																						

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MO 1/10	STATION TIME IGMTI		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAR. DEPTH OF S'AMPL.	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER		
CTRY NO.	ID. NO.					TO*	1*		CRUISE NO.	STATION NUMBER			DIR.	HGT	PER		SEA	TYPE		AMT	
311260	EV	52035N	053200W	186	23	07	26	199	1968	11P	10369	0320	03	34	2	2		X1	3	7	0046
		WAVE		WIND		BARO- METER		AIR TEMP. °C		VIS CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS									
		COLOR CODE	SEAS (m)	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB												
						33	514	108	089	075	7	09									
MESSAGE TIME HR 1/10	CASST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ D DYN. M. E 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₂ -Si μg - ml/l	pH	1 C C				
		STD	0000	0738	3235	2531	0026751	0000	14771												
199		OBS	0000	0738	32352	2531			14771												
		STD	0010	0657	3230	2537	0026135	0026	14740												
199		OBS	0010	0657	32299	2537			14740												
		STD	0020	0598	3238	2551	0024837	0052	14719												
199		OBS	0021	0577	32407	2556			14711												
		STD	0030	0173	3289	2633	0017072	0073	14547												
199		OBS	0034	0052	33044	2652			14495												
		STD	0050	-0068	3335	2683	0012285	0102	14447												
199		OBS	0050	-0068	33351	2683			14447												
		STD	0075	-0077	3354	2698	0010795	0131	14450												
199		OBS	0098	-0085	33685	2710			14452												
		STD	0100	-0083	3369	2711	0009614	0157	14453												
		STD	0125	-0050	3379	2717	0008975	0180	14474												
199		OBS	T0148	-0001	33909	2725			14502												
		STD	0150	0007	3392	2725	0008252	0201	14506												
199		OBS	T0196	0159	34239	2742			14586												
		STD	0200	0170	3426	2742	0006718	0239	14592												
		STD	0250	0268	3450	2754	0005736	0270	14647												
		STD	0300	0303	3464	2762	0005038	0297	14672												
199		OBS	T0306	0303	34648	2762			14673												

REFERENCE		SHIP CODE	LATITUDE 1/10	LONGITUDE 1/10	MO 1/10	STATION TIME IGMTI		YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAR. DEPTH OF SAMPL'S	WAVE OBSERVATIONS			WEA- THER CODE	CLOUD CODES		NODC STATION NUMBER			
CTRY NO.	ID. NO.					TO*	1*		CRUISE NO.	STATION NUMBER			DIR.	HGT	PER		SEA	TYPE		AMT		
311260	EV	51586N	053329W	186	13	07	26	216	1968	11P	10370	0380	03	34	2	2		X1	3	6		0047
		WAVE		WIND		BARO- METER		AIR TEMP. °C		VIS CODE	NO. OBS. DEPTHS	SPECIAL OBSERVATIONS										
		COLOR CODE	SEAS (m)	DIR.	SPEED OR FORCE	DRY BULB	WET BULB	DRY BULB	WET BULB													
						33	512	115	089	078	7	09										
MESSAGE TIME HR 1/10	CASST NO.	CARD TYPE	DEPTH (m)	T °C	S ‰	SIGMA-T	SPECIFIC VOLUME ANOMALY-σ _t	Σ Δ D DYN. M. E 10 ³	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P μg - ml/l	TOTAL-P μg - ml/l	NO ₂ -N μg - ml/l	NO ₃ -N μg - ml/l	SiO ₂ -Si μg - ml/l	pH	1 C C					
		STD	0000	0747	3264	2552	0024736	0000	14778													
216		OBS	0000	0747	32638	2552			14778													
		STD	0010	0662	3231	2537	0026151	0025	14742													
216		OBS	0010	0662	32305	2537			14742													
		STD	0020	0587	3244	2557	0024252	0051	14715													
216		OBS	0020	0587	32441	2557			14715													
		STD	0030	0166	3284	2629	0017405	0071	14543													
216		OBS	0040	-0129	33129	2667			14414													
		STD	0050	-0145	3317	2671	0013425	0102	14408													
		STD	0075	-0162	3329	2681	0012442	0135	14406													
216		OBS	0075	-0162	33290	2681			14406													
		STD	0100	-0099	3351	2697	0010932	0164	14443													
		STD	0125	-0048	3370	2710	0009671	0190	14473													
		STD	0150	-0011	3385	2720	0008731	0213	14497													
216		OBS	0150	-0011	33845	2720			14497													
216		OBS	T0178	0015	33962	2728			14515													
		STD	0200	0104	3413	2737	0007234	0253	14561													
		STD	0250	0247	3443	2750	0006079	0286	14637													
216		OBS	T0258	0262	34471	2752			14645													
		STD	0300	0287	3461	2761	0005110	0314	14664													
216		OBS	T0333	0306	34648	2762			14679													

REFERENCE		SHIP CODE	LATITUDE ° 1/10	LONGITUDE ° 1/10	DEPTH FOOT	W/SQUARE		STATION TIME (GMT)			YEAR	ORIGINATOR'S		DEPTH TO BOTTOM	MAX. DEPTH SAMPLES	WAVE OBSERVATIONS				W/L- THR CODE	CLOUD CODES TYPE AMT	NOO- STATION NUMBER
CTRY CODE	IO. NO.					10"	1"	M/D	DAY	HR/3/10		CRUISE NO.	STATION NUMBER			DR	HGT	PER	SEA			
311260	EV	51538N	053454W	186	13	07	26	231	1968	11P	10371	0417	04	34	2	2	X1	4	2		0049	

MESSAGE TIME HR / 10	CAST NO.	CARD TYPE	DEPTH (m)	T °C	S %	SIGMA-T	SPECIFIC VOLUME ANOMALY- σ_t	$\Sigma \Delta \sigma$ OTN. M. $\pm 10^3$	SOUND VELOCITY	O ₂ ml/l	PO ₂ -P $\mu\text{g} \cdot \text{at}/$	TOTAL-P $\mu\text{g} \cdot \text{at}/$	NO ₃ -N $\mu\text{g} \cdot \text{at}/$	NO ₃ -N $\mu\text{g} \cdot \text{at}/$	SiO ₂ -S $\mu\text{g} \cdot \text{at}/$	pH
		STD	0000	0764	3245	2534	0026394	0000	14782							
231		OBS	0000	0764	32446	2534			14782							
		STD	0010	0571	3253	2566	0023362	0025	14708							
		STD	0020	0342	3262	2598	0020400	0047	14615							
231		OBS	0025	0214	32667	2612			14561							
		STD	0030	0050	3287	2639	0016491	0065	14491							
231		OBS	0035	-0070	33035	2657			14439							
		STD	0050	-0162	3323	2676	0012921	0095	14401							
231		OBS	0050	-0162	33230	2676			14401							
		STD	0075	-0133	3343	2691	0011448	0125	14422							
		STD	0100	-0102	3359	2704	0010279	0152	14443							
231		OBS	0100	-0102	33594	2704			14443							
		STD	0125	-0080	3370	2711	0009539	0177	14459							
		STD	0150	-0036	3383	2720	0008741	0200	14485							
231		OBS	0150	-0036	33828	2720			14485							
		STD	0200	0118	3414	2736	0007290	0240	14567							
231		OBS	0200	0118	34135	2736			14567							
		STD	0250	0223	3436	2746	0006403	0274	14625							
		STD	0300	0295	3452	2753	0005863	0305	14667							
231		OBS	T0308	0304	34545	2754			14672							
		STD	0400	0338	3468	2761	0005165	0360	14704							
231		OBS	T0407	0340	34688	2762			14706							

532. AA

Woods Hole Oceanographic Institution
ATLAS - GAZETTEER COLLECTION