UC-NRLF

B 3 378 794

PLANT INDUSTRY AGRICULTURE DEPT

BIOLOGY
LIBRARY
G

W. 392

THE
COLUMBIAN

PART I.

TO VINDI
AUSORI. 180

Cambridge:

PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS.

2nd Edition.

A

LIST

OF

BRITISH DIPTERA.

By G. H. VERRALL,

FELLOW OF THE ENTOMOLOGICAL SOCIETY OF LONDON.

Cambridge :

PRINTED AT THE UNIVERSITY PRESS.

1901

QL535
V.4
1901

BRITISH MUSEUM
NATURAL HISTORY

BIOLOGY
LIBRARY
G

MAN LIBRARY AGRICULTURE DEPT.

PREFACE.

A SECOND Edition of the "List of British Diptera" has become imperative, not only because the First Edition is exhausted, but because of the numerous additions, subtractions, and alterations. About 300 species have been added to the old "List," and about 500 names have been altered in some way or other, such as being confirmed as British, placed under a different genus, changed in synonymy, &c. Beyond that numerous other changes have been suggested which have not been at present adopted, as I have refused to make any change which might upon being tested have to go back to the previous name.

The "List" of 1888 was entirely my own composition, but as a proof of the increased attention now given to British Diptera I have to thank Messrs N. Rothschild, Theobald, Austen, Wainwright, Collin, and many others, for assistance in forming this "List."

A few words of explanation may be of use as to the value of this "List" in certain families :

Cecidomyiidae ; no attempt has been made to cope with the vast increase in genera and species which have been added to the European Fauna in the last few years, because no British worker has attended to this family ; the alphabetical order of species and the old genera have been retained, and only specially recorded species have been added.

Mycetophilidae ; this family, though much improved, is still in a most unfinished condition.

Chironomidæ; I hope to make this the third volume of "British Flies," in which case I can say that probably over a hundred new British species will be added, and consequently I have unloaded the burden of most of Walker's names (not species!) to the Expurgated List.

Stratiomyidæ to *Cyrtidæ*; these families are intended to be included in the second volume of "British Flies," which is now considerably worked out.

Tachinidæ; the nomenclature and arrangement of this family have been revolutionised, but are still very far from being complete, though the improved arrangement will undoubtedly be of assistance to students.

Numerous unrecorded British species are included in this Second Edition of which records will probably soon appear; at present such species stand only on a level with those recorded in the catalogues of Curtis and Stephens.

I have great hope that the increased interest in British *Diptera* will soon enable us to have Faunal Lists almost as accurate as those which are possessed by at least the *Coleoptera* &c., even if we cannot hope to equal those of the *Lepidoptera*.

The imperfections of this "List" are as fully recognised as they were in the "List" of 1888, but the improvements are obvious. A fairly complete "List" could be issued if only some sharp-sighted young Entomologist would master the *Cecidomyidæ*.

I may well repeat the words used at the conclusion of the preface of the First Edition of my "List of British Diptera" and say again "let this list quickly give place to another."

G. H. VERRALL.

SUSSEX LODGE, NEWMARKET,

December, 1901.

BRITISH DIPTERA.

One specimen & More than one & Full

ORTHORRHAPHA.

NEMATOCERA.

PULICIDÆ.

PULEX, L.

irritans, L.
canis, Curt.
felis, Bouché.
erinacei, Bouché.
goniocephalus, Tschb.

TRICHOPSYLLA,
Kolen.

fasciatus, Bosc.
sciurorum, Bouché.
melis, Wlk.
mustelæ, Wagner.
penicilliger, Grube.
lagomys, Wagner?
gallinæ, Schrk.
hirundinis, Curt.
columbæ, Walck.
styx, Rothsch.
Newsteadi, Rothsch.

TYPHLOPSYLLA,
Tschb.

agertes, Heller.
var. nobilis, Rothsch.
dasycnemus, Rothsch.
bisectodentatus, Kolen.
gracilis, Tschb.
pentacanthus, Rothsch.

CTENOPSYLLUS,
Kolen.

musculi, Dugés.
spectabilis, Rothsch.

HYSTRICHOPSYLLA,
Tschb.

talpæ, Curt.
obtusiceps, Rits.

CERATOPSYLLUS,
Curt.

elongatus, Curt.
intermedius, Rothsch.
jubatus, Wagner.
octactenus, Kolen.
hexactenus, Kolen.
pentactenus, Kolen.

CECIDOMYIDÆ.

CECIDOMYINÆ.

LASIOPTERA, Mg.

obfuscata, Mg.
fuliginosa, Steph.
stygia, Mg.
albipennis, Mg.
rubi, Schrk.

ASPHONDYLIA, Lw.

pimpinellæ, F. Lw.
genistæ, Lw.
sarothamni, Lw. *W*
ulicis, Traill.

CECIDOMYIA, Mg.

acrophila, Winn.
alpina, F. Lw.
betulæ, Winn.
brassicæ, Winn.
bursaria, Bremi.
campanulæ, Müll.
cardaminis, Winn.
cerastii, Binnie.

clausilia, Meade.
corrugans, F. Lw.
cratægi, Winn.
destructor, Say.
euphorbiæ, Lw. ✓
filicina, Kief.
pteridis, Müll.
foliorum, Lw.
galeobdolonit, Winn.
galii, Lw.
Giraudi, Frfld.
heraclei, Klth.
heterobia, Lw.
lathyr, Frfld.
marginemtorquens, Bremi.
medicaginis, Bremi.
muricata, Meade.
onobrychidis, Bremi.
persicariæ, L.
pilosellæ, Binnie.
plicatrix, Lw.
potentillæ, F. Lw.
pruni, Klth.
pustularis, Bremi.
pyri, Bouché.
quercus, Binnie.
ranunculi, Bremi.
rhododendri, Vallot.
rosaria, Lw.
rosarum, Hardy.
salicina, Schrk.
saliciperda, Duf.
salicis, Schrk.
serotina, Winn.
sisymbrii, Schrk.
taxi, Inch.
terminalis, Lw.
thalietri, Traill.
tiliæ, Schrk.

tornatella, *Bremi.*
 trifolii, *F. Lw.*
 tubicola, *Kief.*
 ulmariae, *Bremi.*
 urticae, *Perris.*
 veronicae, *Vallot.*
 violae, *F. Lw.*

DIPLOSIS, *Lw.*

betulina, *Kief.*
 botularia, *Winn.*
 buxi, *Laboulb.*
 callida, *Winn.*
 centralis, *Winn.*
 coniophaga, *Winn.*
 dryobia, *F. Lw.*
 flava, *Mg.*
 fraxinella, *Meade.*
 helianthemii, *Hardy.*
 jacobæae, *Lw.*
 linariae, *Winn.*
 loti, *Deg.*
 pini, *Deg.*
 pyrivora, *Riley.*
 tremulae, *Winn.*
 tritici, *Kirby.*
 verna, *Nat.*
 volvens, *Kief.*

SCHIZOMYIA, *Kief.*

galiorum, *Kief.*

HORMOMYIA, *Lw.*

abrotani, *Trail.*
 annulipes, *Hart.*
 piligera, *Lw.*
 capreae, *Winn.*
 corni, *Gir.*
 fagi, *Hartig.*
 fasciata, *Mg.*
 Fischeri, *Frfld.*
 juniperina, *L.*
 millefolii, *Lw.*
 poe, *Bosc.*
 ptarmicae, *Vallot.*
 rubra, *Kief.*

DIRRHIZA, *Lw.*

rhodophila, *Hardy.*

EPIDOSIS, *Lw.*

longipes, *Lw.*

WINNERTZIA, *Rnd.*
 tenella, *Wlk.*

LESTREMINÆ.

CAMPYLOMYZA, *Mg.*

flavipes, *Mg.*
 bicolor, *Mg.*
 halterata, *Ztt.*
 aceris, *Mg.*
 brevipennis, *Wlk.*

MICROMYIA, *Rnd.*

globifera, *Hal.*

CATOCHA, *Hal.*

latipes, *Hal.*
 brevinervis, *Ztt.*

LESTREMIA, *Mcq.*

leucophæa, *Mg.*
 cinerea, *Mcq.*
 carnea, *Mcq.*
 fusca, *Mg.*

MYCETOPHILIDÆ.

SCIARINÆ.

SCIARA, *Mg.*

Thomæ, *L.* ✓
 carbonaria, *Mg.* ✓
 præcox, *Mg.* ✓
 brunnipes, *Mg.*
 quinquelineata, *Mcq.*
 bilineata, *Stæg.*
 confinis, *Winn.*
 macilentia, *Winn.*
 fuscipennis, *Mg.*
 fucata, *Mg.*
 pulicaria, *Mg.* ✓
 flavipes, *Pz.* ✓
 hyalipennis, *Mg.*
 pallipes, *F.* ✓
 nitidicollis, *Mg.*
 caudata, *Wlk.* ✓
 vitripennis, *Mg.*
 minima, *Mg.* ✓
 scatopsoides, *Mg.* ✓
 extrema, *Wlk.*
 fenestrata, *Mg.* ✓
 longipes, *Mg.*

aprilina, *Mg.*
 pusilla, *Mg.*
 gracilis, *Wlk.*
 pallida, *Wlk.*
 compressa, *Wlk.*
 tilicola, *Lw.*

TRICHOSIA, *Winn.*

splendens, *Winn.*
 absurda, *Winn.*

BRADYSIA, *Winn.*

brevipennis, *Wlk.*
 angustipennis, *Winn.?*

EPIDAPUS, *Hal.*

venaticus, *Hal.*

ZYGONEURA, *Mg.*

sciarina, *Mg.*

MYCETOPHILINÆ.

CORDYLA, *Mg.*

crassicornis, *Mg.*
 flaviceps, *Stæg.*
 semiflava, *Stæg.*
 brevicornis, *Stæg.*
 fasciata, *Mg.?*

DYNATOSOMA, *Winn.*

fusiceorne, *Mg.*
 nigricoxa, *Ztt.*

MYCETOPHILA, *Mg.*

punctata, *Mg.* ✓
 lineola, *Mg.* ✓
 stolidia, *Wlk.* ✓
 pumila, *Winn.*
 unnotata, *Ztt.*
 unicolor, *Stan.*
 nigrifolia, *Wlk.*
 vittipes, *Ztt.*
 bimaculata, *F.* ✓
 luctuosa, *Mg.*
 lutescens, *Ztt.*
 obscura, *Dzied.* ✓
 signata, *Mg.* ✓
 lunata, *Mg.* ✓
 reciproca, *Wlk.* ✓
 cingulum, *Mg.* ✓

Lyomyza
pictipennis
Lyubkush 3/4/87 }
+ 17/11/88 }

TRICHONTA, Winn.

Spec. plures.

RHYMOSIA, Winn.

fasciata, Mg. ✓
cristata, Stæg.
truncata, Winn.
maculosa, Mg.
fenestralis, Mg.
selecta, Wlk.
sericea, Mcq.

EXECHIA, Winn.

leptura, Mg.
fungorum, Deg.
lateralis, Mg. ✓
tenuicornis, v. d. Wulp.
dorsalis, Stæg.
interrupta, Ztt. ✓
indecisa, Wlk.
spinigera, Winn.
tarsata, Stæg.
leioides, Wlk.
ferruginea, Wlk.
flava, Wlk.
fuscula, Ztt.

ALLODIA, Winn.

ornaticollis, Mg. ✓
crassicornis, Stan. ✓
sobria, Wlk.
conformis, Wlk.
terminalis, Wlk.
finalis, Wlk.

MYCOTHERA, Winn.

semifusca, Mg.
dimidiata, Stæg.
ocellus, Wlk. ?

BRACHYCAMPTA,
Winn.

alternans, Winn.
bicolor, Mcq.
serena, Winn.
amœna, Winn.
hastata, Winn.
griseicollis, Stæg.

DOCOSIA, Winn.

sciarina, Mg. ✓
valida, Winn. ✓
 ?
crassicornis, Curt.

ANATELLA, Winn.

gibba, Winn.
ciliata, Winn.

PHRONIA, Winn.

nitidiventris, v. d. Wulp.
signata, Winn.
austriaca, Winn.
flavipes, Winn.
basalis, Winn.
cinerascens, Winn.
forcipula, Winn.
crassipes, Winn.
Girschneri, Dzied.
dubia, Dzied.

SCEPTONIA, Winn.

nigra, Mg.

ZYGOMYIA, Winn.

valida, Winn.
notata, Stan.
ictipennis, Stæg.
vara, Stæg.
paludosa, Stæg.

AZANA, Wlk.

anomala, Stæg.

ACNEMIA, Winn.

nitidicollis, Mg. ✓
amœna, Winn.
defecta, Wlk. ✓

CÆLOSIA, Winn.

flava, Stæg.

ALLOCOTOCERA, Mik.

pulchella, Curt. ✓GLAPHYROPTERA,
Winn.

fascipennis, Mg. ✓
subfasciata, Mg.
fasciola, Mg.

Winthemii, Lehm.
bimaculata, Mg. ✓
picta, Mg.
octomaculata, Curt.
fumosa, Wlk.
basalis, Wlk.
infera, Wlk.
parallela, Wlk.
pubescens, Wlk.
diversa, Wlk.

LEIA, Mg.

elegans, Winn.

ANACLINIA, Winn.

memoralis, Mg.

BOLETINA, Stæg.

trivittata, Mg.
Winnertzii, Dzied.
dubia, Stæg.
sciarina, Stæg.
borealis, Ztt.
plana, Wlk.
analis, Mg.

LEPTOMORPHUS,
Curt.*Walkeri*, Curt.

SCIOPHILINÆ.

EMPALIA, Winn.

vitripennis, Mg.

POLYLEPTA, Winn.

splendida, Winn.

EMPHERIA, Winn.

pictipennis, Hal.
compressa, Wlk.
aliena, Wlk.

TETRAGONEURA,
Winn.

hirta, Winn.
sylvatica, Curt.
melanoceras, Hal.

LASIOSOMA, Winn.

luteum, Mcq.
rufilaterum, Wlk.

hirtum, Mg.
ochraceum, Wlk.
maura, Wlk.
fenestella, Curt.
rufum, Mg.

MONOCLONA, Mik.

halterata, Stæg.
unicornuta, Dzied.

SCIOPHILA, Mg.

tenuis, Wlk.
hyalinata, Mg.
marginata, Mg.
fasciata, Ztt.
occultans, Winn.
hilaris, Wlk.
cinerascens, Ztt.
exigua, Winn.
tumida, Winn.
fraterna, Winn.
congrua, Wlk.
trivittata, Ztt.
cingulata, Mg.
ornata, Mg.
fimbriata, Mg.
ferruginea, Mg.
rufoicollis, Ztt.
punctata, Mg.
trilineata, Ztt.
incisurata, Ztt.

CEROPLATINÆ.

ASINDULUM, Ltr.

flavum, Winn.

PLATYURA, Mg.

marginata, Mg.
atrata, F.
semirufa, Mg.
cincta, Winn.
nana, Mcq.
mycetophiloides, Wlk.
nigriceps, Wlk.
vitripennis, Wlk.
antica, Wlk.
fasciata, Ltr.
flavipes, Mg.
unicolor, Wlk.
sercula, Wlk.
discoloria, Mg.
concisa, Wlk.

CEROPLATUS, Bosc.

lineatus, F.
tipuloides, F.

MACROCERINÆ.

MACROCERA, Pz.

fasciata, Mg.
crassicornis, Winn.
lutea, Mg.
pusilla, Mg.
vittata, Mg.
centralis, Mg.
angulata, Mg.
stigma, Curt.
phalerata, Mg.

BOLITOPHILINÆ.

BOLITOPHILA, Mg.

Saundersii, Curt.
fusca, Mg.
tenella, Winn.
cinerea, Mg.

MYCETOBINÆ.

MYCETOBIA, Mg.

pallipes, Mg.

DITOMYIA, Winn.

fasciata, Mg.

PLESIASTINA, Winn.

annulata, Mg.
vittata, Wlk.

DIADOCIDINÆ.

DIADOCIDIA, Ruthé.

ferruginosa, Mg.

BIBIONIDÆ.

ANARETE, Hal.

candidata, Hal.

SCATOPSE, Geoff.

notata, L.
bifilata, Hal.
geniculata, Ztt.
pulicaria, Lw.
scutellata, Lw.

flavicollis, Mg.
incompleta, Verr.
tristis, Ztt.
infumata, Hal.
integrata, Wlk.
simplex, Wlk.
albitarsis, Ztt.
transversalis, Lw.
inermis, Ruthé.
talpæ, Verr.
coxendix, Verr.
halterata, Mg.
platyscelis, Lw.
clavipes, Lw.
minutissima, Verr.
recurva, Lw.
subnitens, Verr.
brevicornis, Mg.

ASPISTES, Mg.

berolinensis, Mg.

DILOPHUS, Mg.

febrilis, L.
albipennis, Mg.
humeralis, Ztt.

BIBIO, Geoff.

pomonæ, F.
Marci, L.
leucopterus, Mg.
hortulanus, L.
anglicus, Verr.
ferruginatus, Gmel.
venosus, Mg.
reticulatus, Lw.
nigriventris, Hal.
varipes, Mg.
laniger, Mg.
Johannis, L.
lacteipennis, Ztt.
lepidus, Lw.
clavipes, Mg.

SIMULIDÆ.

SIMULIUM, Ltr.

ornatum, Mg.
reptans, L.
maculatum, Mg.
latipes, Mg.
nanum, Ztt.

Ceroplatus
testaceus Osh.
h. Fresh
+ca.

ionomus Mg
ialis Wlk.
rest. 7ca 16/7/07.

CHIRONOMIDÆ.**CORYNONEURA,**

Winn.

minuta, Winn.*atomaria*, Ztt.**THALASSOMYIA,**

Schin.

Frauenfeldi, Schin.**CHIRONOMUS, Mg.***plumosus*, L.*ferrugineovittatus*, Ztt.*prasinus*, Mg.*viridicollis*, v. d. Wulp.*annularis*, Deg.*pallens*, Mg.*riparius*, Mg.*tendens*, F.*flaveolus*, Mg.*dorsalis*, Mg.*aprilinus*, Mg.*flavimanus*, Mg.*anthracinus*, Ztt.*tentans*, F.*scalenus*, Schrk.*rufipes*, L.*flexilis*, L.*chloris*, Mg.*dispar*, Mg.*pedellus*, Deg.*pedestris*, Mg.*fuscipennis*, Mg.*psittacinus*, Mg.*viridis*, Mcq.*brev. tibialis*, Ztt.*viridulus*, L.*paganus*, Mg.*nigrimanus*, Stæg.*biannulatus*, Stæg.*virescens*, Mg.*pusillus*, L.*prasinatus*, Stæg.*pictulus*, Mg.*histrion*, F.*albimanus*, Mg.*nubeculosus*, Mg.*nubilus*, Mg.*albipennis*, Mg.*rufovittatus*, Stæg.*glabricollis*, Mg.*longipes*, Stæg.*nervosus*, Stæg.*sulphuricollis*, Mg.*lividus*, Mg.*maculipennis*, Mg.*vagans*, Mg.*opacus*, Mg.*brunnipes*, Ztt.*albidus*, Mg.*perennis*, Mg.*lugubris*, Ztt.*leucopus*, Mg.*carbonarius*, Mg.*memoralis*, Ztt.*stramineipes*, Ztt.**CRICOTOPUS, v. d.**

Wulp.

tremulus, L.*pulchripes*, Verr.*tibialis*, Mg.*motitator*, L.*pilitarsis*, Ztt.*ephippium*, Ztt.*bicinctus*, Mg.*annulipes*, Mg.*sylvestris*, F.*venosus*, Mg.*rubicundus*, Mg.*plebeius*, Mg.**ORTHOCADIUS,**

v. d. Wulp.

dolens, Wlk.*variabilis*, Stæg.*albolineatus*, Mg.*olivaceus*, Mg.*testaceus*, Mcq.*barbicornis*, F.*sordidellus*, Ztt.*frigidus*, Ztt.*notatus*, Mg.*stercorarius*, Deg.*lucens*, Ztt.*minutus*, Ztt.*melaleucus*, Mg.*pygmæus*, Mg.*ictericus*, Mg.**CAMPTOCLADIUS,**

v. d. Wulp.

aterrimus, Mg.*hyssinus*, Schrk.*minimus*, Mg.**TANYTARSUS, v. d.**

Wulp.

punctipes, W.*tenuis*, Mg.*flabellatus*, Mg.*pusio*, Mg.*præcor*, Mg.*debilis*, Mg.*vernus*, Mg.*flavipes*, Mg.**EURYCNEMUS,**

v. d. Wulp.

elegans, Mg.**METRICNEMUS,**

v. d. Wulp.

fuscipes, Mg.*modestus*, Mg.

?

lacustris, Hal.**DIAMESA, Mg.***obscurimanus*, Mg.*Chiron*, Hal.*Waltlii*, Mg.*Ammon*, Hal.*Typhon*, Hal.*tonsa*, Hal.*notata*, Stæg.**TANYPUS, Mg.***varius*, F.*nebulosus*, Mg.*choreus*, Mg.*punctatus*, F.*punctipennis*, Mg.*guttipennis*, v. d. Wulp.*carneus*, F.*lentiginosus*, Fries.*ornatus*, Mg.*trifascipennis*, Ztt.*zonatus*, F.*lætus*, Mg.*dubius*, Stæg.*culiciformis*, L.*monilis*, L.*phatta*, Egg.*plumpipes*, Fries.*notatus*, Mg.*melanops*, Mg.*ferrugineicollis*, Mg.*griseipennis*, v. d. Wulp.

pygmæus, v. d. Wulp.
melanurus, Mg.
pusillus, Mg.
nervosus, Mg.

CLUNIO, Hal.

marinus, Hal.

CERATOPOGON, Mg.

niger, Winn.
bipunctatus, L.
vexans, Ztt.
piceus, Winn.
ciliatus, Winn.
Kaltenbachii, Winn.
myrmecophilus, Egg.
crassipes, Winn.
brevipennis, Mcg.
alacer, Winn.
murinus, Winn.
titillans, Winn.

halteratus, Winn.
velox, Winn.
frutetorum, Winn.
lucorum, Mg.
rostratus, Winn.
brunnipes, Mg.
pavidus, Winn.
fuscus, Mg.
minutus, Mg.
amænus, Winn.
varius, Winn.
fascipennis, Stæg.
pictipennis, Stæg.
arcuatus, Winn.
pulicaris, L.
albicans, W.
æstivus, Winn.
scutellatus, Mg.
pumilus, Winn.
neglectus, Winn.
gracilis, Hal.
ochraceus, Winn.
lacteipennis, Ztt.
nitidus, Mcg.
candidatus, Winn.
illustris, Winn.
leucopeza, Mg.
flavipes, Mg.
spinipes, Mg.
brachialis, Hal.
distinctus, Hal.
unimaculatus, Mcg.

fulvus, Mcg.
serripes, Mg.
rufipectus, Winn.
lineatus, Mg.
tibialis, Mg.
fasciatus, Mg.
rubiginosus, Winn.
femoratus, Mg.
bicolor, Mg.
venustus, Mg.
albipes, Winn.
signatus, Mg.
ornatus, Mg.
taeniatus, Hal.
calceatus, Hal.
pictus, Mg.
solstitialis, Winn.
varipes, Curt.

ORPHNEPHILIDÆ.

ORPHNEPHILA, Hal.
testacea, Ruthé.

PSYCHODIDÆ.

PERICOMA, Hal.

palustris, Mg.
mutua, Eat.
cognata, Eat.
compta, Eat.
extricata, Eat.
nubila, Mg.
trivialis, Eat.
neglecta, Eat.
canescens, Mg.
exquisita, Eat.
fallax, Eat.
gracilis, Eat.
blandula, Eat.
trifasciata, Mg.
pulchra, Eat.
ocellaris, Mg.
Dalii, Eat.
notabilis, Eat.
ambigua, Eat.
decipiens, Eat.
soleata, Hal.
consors, Eat.
labeculosa, Eat.
advena, Eat.
morula, Eat.
fratercula, Eat.

ustulata, Hal.
caliginosa, Eat.
incerta, Eat.
revisenda, Eat.
fusca, Mcg.

calceata, Mg.
auriculata, Curt.
fulvicornis *Wlk.*
ULOMYIA, Hal.

fuliginosa, Mg.
hirta Wlk. nec L.

PSYCHODA, Ltr.

lucifuga, Hal.
phalænoides, L.
albipennis, Ztt.
sempunctata, Curt.
erminea, Eat.
humeralis, Mg.
bullata, Hal.

TRICHOMYIA, Hal.

urbica, Hal.

SYCORAX, Hal.

silacea, Hal.

CULICIDÆ.

CORETHRA, Mg.

* culiciformis, Mg.
* plumicornis, F.
pallida, F.

MOCHLONYX, Lw.

velutinus, Ruthé.

ÆDES, Mg.

cinereus, Mg.

ANOPHELES, Mg.

nigripes, Stæg.
bifurcatus, L.
maculipennis, Mg.

CULEX, L.

* annulatus, Schrk.
* cantans, Mg.
* fumipennis, Steph.
vexans, Mg.
* annulipes, Mg.
morsitans, Theob.
pulchripalpis, Rnd.
dorsalis, Mg.

lateralis, *Mg.*
 ornatus, *Mg.*
 diversus, *Theob.*
 nemorosus, *Mg.*
 nigripes, *Ztt.*
 var. sylvæ, Theob.
 rusticus, *Rossi.*
 nigrifolius, *Ztt.*
 pipiens, *L.*
 ciliaris, L.
 lutescens, *F.*

TÆNIORHYNCHUS,
Arrib.

Richardii, *Fic.*

DIXIDÆ.

DIXA, *Mg.*

maculata, *Mg.*
 nebulosa, *Mg.*
 æstivalis, *Mg.*
 aprilina, *Mg.*

PTYCHOPTERIDÆ.

PTYCHOPTERA, *Mg.*

contaminata, *L.*
 paludosa, *Mg.*
 lacustris, *Mg.*
 albimana, *F.*
 scutellaris, *Mg.*

LIMNOBIDÆ.

LIMNOBINÆ.

LIMNOBIA, *Mg.*

bifasciata, *Schrk.*
 annulus, *Mg.*
 quadrinotata, *Mg.*
 nubeculosa, *Mg.*
 flavipes, *F.*
 analis, *Mg.*
 nitida, Verr.
 nigropunctata, *Schum.*
 tripunctata, *F.*
 stigma, *Mg.*
 trivittata, *Schum.*
 macrostigma, *Schum.*

DICRANOMYIA, *Steph.*

aquosa, *Verr.*
 pilipennis, *Egg.*
 modesta, *Mg.*

mitis, *Mg.*
 lutea, *Mg.*
 chorea, *Mg.*
 sericata, *Mg.*
 stigmatica, *Mg.*
 didyma, *Mg.*
 dumetorum, *Mg.*
 ornata, *Mg.*
 goritiensis, *Mik.*
 morio, *F.*

RHIPIDIA, *Mg.*

maculata, *Mg.*
 ctenophora, *Lw.*

GERANOMYIA, *Hal.*

unicolor, *Hal.*

RHAMPHIDINÆ.

RHAMPHIDIA, *Mg.*

longirostris, *Mg.*

ORIMARGA, *O-Sack.*

virgo, *Ztt.*

ANTOCHA, *O-Sack.*

opalizans, *O-Sack.*

THAUMASTOPTERA,
Mik.

calceata, *Mik.*

ERIOPTERINÆ.

EMPEDA, *O-Sack.*

flava, *Schum.*
 nubila, *Schum.*

GONIOMYIA, *Steph.*

tenella, *Mg.*
 connexa, *Lw.*
 jucunda, *Lw.*
 schistacea, *Schum.*
 lateralis, *Mg.*
 scutellata, *Egg.*
 sexguttata, *Dale.*

CHILOTRICHIA, *Rnd.*

imbuta, *Mg.*

ACYPHONA, *O-Sack.*

maculata, *Mg.*

MOLOPHILUS, *Curt.*

ochraceus, *Mg.*
 appendiculatus, *Stæg.*
 propinquus, *Egg.*
 bifiliatus, *Verr.*
 obscurus, *Mg.*
 murinus, *Mg.*
 ater, *Mg.*

RHYPHOLOPHUS,
Kolen.

lineatus, *Mg.*
 nodulosus, *Mg.*
 pentagonalis, *Lw.*
 similis, *Stæg.*
 varius, *Mg.*
 hæmorrhoidalis, *Ztt.*

ERIOPTERA, *Mg.*

flavescens, *Mg.*
 macrophthalma, *Lw.*
 lutea, *Mg.*
 tæniotota, *Mg.*
 fuscipennis, *Mg.*
 trivialis, *Mg.*

SYMPLECTA, *Mg.*

punctipennis, *Mg.*
 stictica, *Mg.*

TRIMICRA, *O-Sack.*

pilipes, *F.*

LIPSOTHRIX, *Lw.*

errans, *Wlk.*

LIMNOPHILINÆ.

IDIOPTERA, *Mg.*

fasciata, *L.*
 pulchella, *Mg.*
 trimaculata, *Ztt.*

EPHELIA, *Schin.*

miliaria, *Egg.*
 apicata, *Lw.*
 submarmorata, *Verr.*
 marmorata, *Mg.*
 varinervis, *Ztt.*

DACTYLOLABIS,
O-Sack.

Frauenfeldi, *Egg.*
 gracilipes, *Lw.*

PECILOSTOLA, *Schin.*

- punctata*, *Schrk.*
picipennis, *Mg.*

EPIPHRAGMA,
O-Sack.

- picta*, *F.*

LIMNOPHILA, *Mcq.*

- Meigenii*, *Verr.*
dispar, *Mg.*
lineola, *Mg.*
lineolella, *Verr.*
aperta, *Verr.*
ferruginea, *Mg.*
ochracea, *Mg.*
bicolor, *Mg.*
punctum, *Mg.*
fuscipennis, *Mg.*
discicollis, *Mg.*
subtincta, *Ztt.*
lucorum, *Mg.*
sepium, *Verr.*
nemoralis, *Mg.*
filata, *Wlk.*

ADELPHOMYIA,
Bergr.

- senilis*, *Hal.*

TRICHOCERA, *Mg.*

- annulata*, *Mg.*
hiemalis, *Deg.*
fuscata, *Mg.*
regelationis, *L.*

ANISOMERINÆ.**ANISOMERA**, *Mg.*

- æqualis*, *Lw.*
Burmeisteri, *Lw.*

PERONECERA, *Curt.*

- fuscipennis*, *Curt.*
lucidipennis, *Curt.*

AMALOPINÆ.**ULA**, *Hal.*

- pilosa*, *Schum.*

DICRANOTA, *Ztt.*

- pavida*, *Hal.*
bimaculata, *Schum.*

AMALOPIS, *Hal.*

- immaculata*, *Mg.*
unicolor, *Schum.*
claripennis, *Verr.*
occulta, *Mg.*
straminea, *Mg.*
littoralis, *Mg.*

PEDICIA, *Ltr.*

- rivosa*, *L.*

CYLINDROTOMINÆ.**CYLINDROTOMA**,
Mcq.

- distinctissima*, *Mg.*
diversa, *Wlk.*

LIOGMA, *O-Sack.*

- glabrata*, *Mg.*

PHALACROCERA,
Schin.

- replicata*, *L.*

TIPULIDÆ.**DOLICHOPEZA**, *Curt.*

- sylvicola*, *Curt.*

NEPHROTOMA, *Mg.*

- dorsalis*, *F.*

PACHYRRHINA, *Mcq.*

- ærocata*, *L.*
imperialis, *Mg.*
scurra, *Mg.*
histrio, *F.*
maculosa, *Mg.*
cornicina, *L.*
guestfalica, *Westh.*
analisis, *Schum.*
quadrifaria, *Mg.*
annulicornis, *Mg.*
lunulicornis, *Schum.*

TIPULA, *L.*

- nigra*, *L.*
pagana, *Mg.*
obsoleta, *Mg.*

signata, *Stæg.*

- confusa*, *v. d. Wulp.*
marmorata, *Mg.*
rufina, *Mg.*
longicornis, *Schum.*
truncorum, *Mg.*
Winnertzii, *Egg.*
hortensis, *Mg.*
pabulina, *Mg.*
hortulana, *Mg.*
varipennis, *Mg.*
nubeculosa, *Mg.*
scripta, *Mg.*
excisa, *Schum.*

- melanoceras*, *Schum.*
plumbea, *F.*
pruinosa, *W.*
luteipennis, *Mg.*
flavolineata, *Mg.*
tunata, *L.*
marginata, *Mg.*
lateralis, *Mg.*
montium, *Egg.*
Diana, *Mg.*
vernalis, *Mg.*
vaga, *Wlk.*

- vittata*, *Mg.*
gigantea, *Schrk.*
hutescens, *F.*
toleracea, *L.*
paludosa, *Mg.*
selene, *Mg.*
fascipennis, *Mg.*
pelio stigma, *Schum.*
ochracea, *Mg.*

DICTENIDIA, *Brul.*
bimaculata, *L.***XIPHURA**, *Brul.*

- atrata*, *L.*
nigricornis, *Mg.*

CTENOPHORA, *Mg.*

- ornata*, *Mg.*
flaveolata, *F.*
pectinicornis, *L.*

RHYPHIDÆ.**RHYPHUS**, *Ltr.*

- fenestralis*, *Scop.*
teinctus, *F.*
punctatus, *F.*

BRACHYCERA.

STRATIOMYIDÆ.

PACHYGASTRINÆ.

PACHYGASTER, *Mg.**atra*, *Pz.**Leachii*, *Curt.**tarsalis*, *Ztt.**orbitalis*, *Whlbg.**meromelæna*, *Aust.*

CLITELLARINÆ.

EPHIPPIUM, *Ltr.**thoracicum*, *Ltr.*NEMOTELUS, *Geoff.**pantherinus*, *L.**uliginosus*, *L.**notatus*, *Ztt.**nigrinus*, *Fln.*OXYCERA, *Mg.**analís*, *Mg.**pygmæa*, *Fln.**nigripes*, *Verr.**formosa*, *Mg.**tenuicornis*, *Mcq.**longicornis*, *Dale.**Morrisii*, *Curt.**terminata*, *Mg.**pardalina*, *Mg.**dives*, *Lw.**Fallenii*, *Stæg.**pulchella*, *Mg.**trilineata*, *F.*

STRATIOMYINÆ.

STRATIOMYS, *Geoff.**chamæleon*, *L.**potamida*, *Mg.**riparia*, *Mg.**furcata*, *F.**longicornis*, *Scop.*ODONTOMYIA, *Mg.**argentata*, *F.**microleon*, *L.**ornata*, *Mg.**hydrodromia*, *Mg.**angulata*, *Pz.**felina*, *Pz.**tigrina*, *F.**hydroleon*, *L.**viridula*, *F.*

SARGINÆ.

CHRYSONOTUS, *Lw.**bipunctatus*, *Scop.* 2-2-SARGUS, *F.**flavipes*, *Mg.**rufipes*, *Whlbg.?**cuparius*, *L.**var. nubeculosus*, *Ztt.**iridatus*, *Scop.**infuscatus*, *Mg.*CHLOROMYIA, *Dunc.**formosa*, *Scop.*MICROCHRYSA, *Lw.**polita*, *L.**flavicornis*, *Mg.**cyaneiventris*, *Ztt.*

BERINÆ.

BERIS, *Ltr.**clavipes*, *L.**vallata*, *Forst.**chalybeata*, *Forst.**fuscipes*, *Mg.**geniculata*, *Curt.**Morrisii*, *Dale.*CHORISOPS, *Rnd.**tibialis*, *Mg.*

XYLOMYINÆ.

XYLOMYIA, *Rnd.**maculata*, *F.**varia*, *Mg.**marginata*, *Mg.*

TABANIDÆ.

HEMATOPOTA, *Mg.**pluvialis*, *L.**crassicornis*, *Whlbg.**italica*, *Mg.*

THERIOPECTES,

*Zlr.**micans*, *Mg.**montanus*, *Mg.**tropicus*, *Mg.**var. bisignatus*, *Jaen.**solstitialis*, *Mg.*ATYLOTUS, *O-Sack.**rusticus*, *F.**fulvus*, *Mg.*TABANUS, *L.**bovinus*, *L.**sudeticus*, *Zlr.**autumnalis*, *L.**græcus*, *F.**bromius*, *L.**maculicornis*, *Ztt.**cordiger*, *W.**glaucoptis*, *Mg.*CHRYSOPS, *Mg.**cæcutiens*, *L.**quadrata*, *Mg.**relicta*, *Mg.**sepulcralis*, *F.*

LEPTIDÆ.

LEPTIS, *F.**scolopacea*, *L.**strigosa*, *Mg.**notata*, *Mg.**tringaria*, *L.**nigriventris*, *Lw.**conspicua*, *Mg.**lineola*, *F.*CHRYSOPILUS, *Mcq.**aureus*, *Mg.**auratus*, *F.*ATHERIX, *Mg.**marginata*, *F.**ibis*, *F.**crassipes*, *Mg.*PTIOLINA, *Stæg.**Wodzickii*, *Frfld.**unicolor*, *Curt.*

SYMPHOROMYIA,

*Frfld.**crassicornis*, *Pz.**melæna*, *Mg.**immaculata*, *F.*SPANIA, *Mg.**nigra*, *Mg.*

EMPIS, L.

- tessellata*, F.
livida, L.
opaca, F.
borealis, L.
stercorea, L.
trigramma, Mg.
punctata, Mg.
bilineata, Lw.
concolor, Verr.
lutea, Mg.
scutellata, Curt.
nigritarsis, Mg.
lucida, Ztt.
brunnipennis, Mg.
pennipes, L.
pennaria, Fln.
vernalis, Mg.
decora, Mg.
albipennis, Mg.
albinervis, Mg.
vitripennis, Mg.
volucris, Mg.
prodromus, Lw.
caudatula, Lw.
chioptera, Fln.
aestiva, Lw.
lepidopus, Mg.
brevicornis, Lw.
grisea, Fln.
var. nodosa, Beling.

PACHYMERIA, Steph.

- femorata*, F.
palparis, Egg.

RAGAS, Wlk.

- unica*, Wlk.

HILARA, Mg.

- matrona*, Hal.
cilipes, Mg.
pilosa, Ztt.
interstincta, Fln.
maura, F.
nitidula, Ztt.
niveipennis, Ztt.
squalens, Ztt.
pinetorum, Ztt.
manicata, Mg.
clypeata, Mg.

- nigrina*, Fln.
fuscipes, F.
quadrivittata, Mg.
cornicula, Lw.
canescens, Ztt.
litorea, Fln.
lurida, Fln.
chorica, Fln.
rufipes, Mcq.
recedens, Hal.
tenella, Fln.
obscura, Mg.
thoracica, Mcq.

OREOGETON, Schin.

- flavipes*, Mg.

OCYDROMINÆ.

TRICHINA, Mg.

- clavipes*, Mg.
flavipes, Mg.
elongata, Hal.

MICROPHORUS, Mcq.

- anomalus*, Mg.
velutinus, Mcq.

CEDALEA, Mg.

- flavipes*, Ztt.
stigmatella, Ztt.
Holmgreni, Ztt.

OCYDROMIA, Mg.

- glabricula*, Fln.
dispar, Curt.

LEPTOPEZA, Mcq.

- flavipes*, Mg.
ruficollis, Mg.

EUTHYNEURA, Mcq.

- myrtilli*, Mcq.
myricæ, Wlk.

CLINOCERA, Mg.

KOWARZIA, Mik.

- barbatula*, Mik.
bipunctata, Hal.
plectrum, Mik.

CLINOCERA, Mg.

- nigra*, Mg.

HELEODROMIA, Hal.

- stagnalis*, Hal.
fontinalis, Hal.

CHAMÆDIPSIA, Mik.

- lota*, Hal.

WIEDEMANNIA, Ztt.

- bistigma*, Curt.
lamellata, Lw.
rhynchops, Now.

HEMERODROMIA, Mg.

- precatoria*, Fln.
melanocephala, Hal.
albicornis, Mg.
oratoria, Fln.
unilineata, Ztt.

ARDOPTERA, Mcq.

- irrorata*, Fln.
guttata, Hal.
exoleta, Hal.

GLOMA, Mg.

- fuscipennis*, Mg.

TRICHOPEZA, Rnd.

- longicornis*, Mg.

LEPIDOMYIA, Bigot.

- melanocephala*, F.

THAMNODROMIA, Mik.

- albiseta*, Ztt.
vocatoria, Fln.

SCIODROMIA, Hal.

- immaculata*, Hal.

TACHYDROMINÆ.

DRAPETIS, Mg.

- assimilis*, Fln.
nervosa, Lw.
exilis, Mg.
pusilla, Lw.
aterrima, Hal.

STILPON, Lw.

- graminum*, Fln.
lunata, Wlk.

TACHYPEZA, *Mg.*

- ✓ *nubila*, *Mg.*
 ✓ *fuscipennis*, *Fln.*
prælusio, *Wlk.*

TACHISTA, *Lw.*

- ✓ *arrogans*, *L.*
 ✓ *connexa*, *Mg.*
 ✓ *annulimana*, *Mg.*
æmula, *Lw.*
morio, *Wlk.*

DYSALETRIA, *Lw.*

sp. ?

ELAPHROPEZA, *Mcq.*

ephippiata, *Fln.*

CHERSODROMIA,
Wlk.

- ✓ *arenaria*, *Hal.*
cursitans, *Ztt.*
hirta, *Wlk.*
incana, *Wlk.*
speculifera, *Wlk.*

TACHYDROMIA, *Mg.*

- lutea*, *Fln.*
glabra, *Mg.*
 ✓ *pectoralis*, *Fln.*
stramineipes, *Ztt.*
flavipennis, *Wlk.*
formalis, *Wlk.*
pulchella, *Wlk.*
munda, *Wlk.*
 ✓ *ciliaris*, *Fln.*
nigritarsis, *Fln.*
 ✓ *longicornis*, *Mg.*
dissimilis, *Fln.*
 ✓ *compta*, *Wlk.*
stigmatella, *Ztt.*
pubicornis, *Ztt.*
albiseta, *Pz.*
 ✓ *pallipes*, *Fln.*
 ✓ *minuta*, *Mg.*
fulvipes, *Mg.*
 ✓ *agilis*, *Mg.*
 ✓ *dubia*, *Mg.*
castanipes, *Mg.*
exigua, *Mg.*
cothurnata, *Mcq.*

- notata*, *Mg.*
 ✓ *dichroa*, *Mg.*
commiles, *Wlk.*
maculipes, *Mg.*
flavipes, *F.*
compungens, *Wlk.*
robusta, *Wlk.*
annulata, *Fln.*
fasciata, *Mg.*
varia, *Wlk.*
divisa, *Wlk.*
infuscata, *Mg.*
 ✓ *cursitans*, *F.*
ecalceata, *Ztt.*
laticincta, *Wlk.*
candicans, *Fln.*
calceata, *Mg.*
articulata, *Mcq.*
pallidiventris, *Mg.*
 ✓ *bicolor*, *F.*
albicornis, *Ztt.*
flavicornis, *Mg.*

DOLICHOPODIDÆ.

PSILOPUS, *Mg.*

- ✓ *platypterus*, *F.*
 ✓ *Wiedemanni*, *Fln.*
longulus, *Fln.*
obscurus, *Mg.*
lætus, *Mg.*
contristans, *W.*

NEURIGONA, *Rnd.*

- ✓ *pallida*, *Fln.*
suturalis, *Fln.*
 ✓ *quadrifasciata*, *F.*

EUTARSUS, *Lw.*

aulicus, *Mg.*

HYGROCELEUTHUS,

Lw.

- ✓ *diadema*, *Hal.*
latipennis, *Fln.*

DOLICHOPUS, *Ltr.*

- ✓ *atripes*, *Mg.*
phæopus, *Hal.*
 ✓ *vitripennis*, *Mg.*
 ✓ *atratus*, *Mg.*

- ✓ *picipes*, *Mg.*
 ✓ *lepidus*, *Stæg.*
campestris, *Mg.*
Falleni, *Lw.*
melanopus, *Mg.*
plantarsis, *Fln.*
 ✓ *clavipes*, *Hal.*
rupestris, *Hal.*
 ✓ *nubilus*, *Mg.*
 ✓ *latelimatus*, *Mcq.*
claviger, *Stan.*
confusus, *Ztt.*
 ✓ *discifer*, *Stan.*
 ✓ *plumipes*, *Scop.*
 ✓ *Wahlbergi*, *Ztt.*
 ✓ *pennatus*, *Mg.*
 ✓ *popularis*, *W.*
 ✓ *signatus*, *Mg.*
 ✓ *urbanus*, *Mg.*
acuticornis, *W.*
longicornis, *Stan.*
mediicornis, *Verr.*
puncticornis, *Ztt.*
linearis, *Mg.*
Scotti, *Verr.*
nitidus, *Fln.*
 ✓ *griseipennis*, *Stan.*
signifer, *Hal.*
sabinus, *Hal.*
simplex, *Mg.*
thalassinus, *Hal.*
strigipes, *Verr.*
virgultorum, *Hal.*
arbustorum, *Stan.*
 ✓ *festivus*, *Hal.*
trivialis, *Hal.*
 ✓ *brevipennis*, *Mg.*
longitarsis, *Stan.*
 ✓ *æneus*, *Deg.*

TACHYTRECHUS,
Stan.

- notatus*, *Stan.*
consobrinus, *Wlk.*
insignis, *Stan.*

PÆCIOBOTHRUS,
Mik.

- ✓ *nobilitatus*, *L.*
ducalis, *Lw.*
principalis, *Lw.*

Dolichopus
x *laticola* Verr.

HERCOSTOMUS, *Lw.*

fulvicaudis, *Wlk.*
cretifer, *Wlk.*
gracilis, *Stan.*
chrysozygos, *W.*
chaerophylli, *Mg.*
germanus, *W.*
nigriplantis, *Stan.*
nigripennis, *Fln.*
plagiatus, *Lw.*
atrovirens, *Lw.*
nanus, *Mcq.*
parvilamellatus, *Mcq.*

HYPOPHYLLUS, *Lw.*

discipes, *Ahr.*
obscurus, *Fln.*

ORTHOCHILE, *Ltr.*

nigrocerulea, *Ltr.*

GYMNOPTERNUS,
Lw.

cupreus, *Fln.*
celer, *Mg.*
metallicus, *Stan.*
chalybæus, *W.*
aerosus, *Fln.*
assimilis, *Stæg.*
prætextatus, *Hal.*

CHRYSOTUS, *Mg.*

neglectus, *W.*
cilipes, *Mg.*
pulchellus, *Kow.*
blepharosceles, *Kow.*
cupreus, *Mcq.*
angulicornis, *Kow.*
palustris, *Verr.*
læsus, *W.*
amplicornis, *Ztt.*
gramineus, *Fln.*
microcerus, *Kow.*

MELANOSTOLUS,
Kow.

melancholicus, *Lw.*

DIAPHORUS, *Mg.*

nigricans, *Mg.*
oculatus, *Fln.*
Hoffmanseggii, *Mg.*
Winthemi, *Mg.*

ARGYRA, *Mcq.*

atriceps, *Lw.*
diaphana, *F.*
confinis, *Ztt.*
argentina, *Mg.*
argyria, *Mg.*
leucocephala, *Mg.*
elongata, *Ztt.*

LEUCOSTOLA, *Lw.*
vestita, *W.*THRYPTICUS, *Gerst.*
bellus, *Lw.*RHAPHIUM, *Mg.*

longicorne, *Fln.*

PORPHYROPS, *Mg.*

antennata, *Carl.*
spinicoxa, *Lw.*
fascipes, *Mg.*
nemorum, *Mg.*
penicillata, *Lw.*
nasuta, *Fln.*
pectinata, *Lw.*
consobrina, *Ztt.*
micans, *Mg.*
elegantula, *Mg.*
crassipes, *Mg.*
gravipes, *Wlk.*
prærosa, *Lw.*

SYNTORMON, *Lw.*

Zelleri, *Lw.*
biseriatus, *Lw.*
pumilus, *Mg.*
tarsatus, *Fln.*
sulcipes, *Mg.*
monilis, *Wlk.*
pallipes, *F.*

MACHÆRIUM, *Hal.*

maritimæ, *Hal.*

XIPHANDRIUM, *Lw.*

fissum, *Lw.*
caliginosum, *Mg.*
monotrichum, *Lw.*
appendiculatum, *Ztt.*
brevicorne, *Curt.*
auctum, *Lw.*
fasciatum, *Mg.*

ACHALCUS, *Lw.*

cinereus, *Wlk.*
flavicollis, *Mg.*

MEDETERUS, *Fisch.*

micaceus, *Lw.*
muralis, *Mg.*
tristis, *Ztt.*
apicalis, *Ztt.*
pallipes, *Ztt.*
diadema, *L.*
flavipes, *Mg.*
jaculus, *Mg.*
truncorum, *Mg.*
dendrobæus, *Kow.*
petrophilus, *Kow.*

SCELLUS, *Lw.*

notatus, *F.*

HYDROPHORUS,
Whlbg.

nebulosus, *Fln.*
bipunctatus, *Lehm.*
borealis, *Lw.*
balticus, *Mg.*
litoreus, *Fln.*
præcox, *Lehm.*
viridis, *Mg.*
bisetus, *Lw.*

LIANCALUS, *Lw.*

virens, *Scop.*

ALLÆONEURUS, *Mik.*

lacustris, *Scop.*

CAMPSICNEMUS,
Wlk.

magius, *Lw.*
scambus, *Fln.*
curvipes, *Fln.*
loripes, *Hal.*
armatus, *Ztt.*
pusillus, *Mg.*
pectinulatus, *Lw.*
picticornis, *Ztt.*

ECTOMUS, *Mik.*

alpinus, *Hal.*

TEUCHOPHORUS,
Lw.

spinigerellus, *Ztt.*
 pectinifer, *Kov.*
 monacanthus, *Lw.*
 simplex, *Mik.*

SYMPYCNUM, *Lw.*

cirrhipes, *Wlk.*
 ✓ annulipes, *Mg.*
 ✓ aeneicoxa, *Mg.*
 nigritibialis, Ztt.

LAMPROCHROMUS,
Mik.

elegans, *Mg.*
bifasciellus, Ztt.

CHRYSOTIMUS, *Lw.*

molliculus, *Fln.*
concinus, Ztt.

XANTHOCHLORUS,
Lw.

ornatus, *Hal.*
 tenellus, *W.*

BATHYCRANIUM,
Strobl.

bicolorellus, *Ztt.*

ANEPSIUS, *Lw.*

flaviventris, *Mg.*

MICROMORPHUS,
Mik.

albipes, *Ztt.*

THINOPHILUS,
Whlbg.

flavipalpis, *Ztt.*
 ruficornis, *Hal.*

SCHENOPHILUS,
Mik.

versutus, *Wlk.*

APHROSYLUS, *Wlk.*

celtiber, *Hal.*
 raptor, *Hal.*
 ferox, *Hal.*

LONCHOPTERIDÆ.**LONCHOPTERA,** *Mg.*

lutea, *Pz.*
 ✓ punctum, *Mg.*
 ✓ flavicauda, *Mg.*
 ✓ lacustris, *Mg.*
 ✓ tristis, *Mg.*
 fuscipennis, *Boh.*

CYCLORRHAPHA.**PROBOSCIDEA.****PLATYPEZIDÆ.****OPETIA,** *Mg.*

✓ nigra, *Mg.*
 lonchopteroides, Curt.

PLATYCHEMA, *Ztt.*

pulicaria, *Fln.*

CALLIMYIA, *Mg.*

speciosa, *Mg.*
 amœna, *Mg.*
 var. leptiformis, Fln.
 elegans, *Mg.*

AGATHOMYIA, *Verr.*

antennata, *Ztt.*
 Collini, *Verr.*

PLATYPEZA, *Mg.*

consobrina, *Ztt.*
 ✓ modesta, *Ztt.*
 ✓ rufa, *Mg.*
 ✓ atra, *Mg.*
 ✓ furcata, *Fln.*
 dorsalis, Mg.
 holosericea, Mg.
 fasciata, Mg.
 aterrima, Wlk.
 ✓ hirticeps, *Verr.*
 infumata, Hal.
 picta, Mg.
 fumipennis, Wlk.

PIPUNCULIDÆ.**CHALARUS,** *Wlk.*

✓ spurius, *Fln.*
 holosericeus, Mg.

VERRALLIA, *Mik.*

✓ pilosa, *Ztt.*
 var. setosa, Verr.
 villosa, *v. Ros.*
 ✓ aucta, *Fln.*

NEPHROCERUS, *Ztt.*

✓ flavicornis, *Ztt.*

PIPUNCULUS, *Ltr.*

✓ furcatus, *Egg.*
 ✓ zonatus, *Ztt.*
 fascipes, Ztt.
 ✓ modestus, *Hal.*
 fuscipes, Ztt.
 ruralis, Mg.
 unicolor, Ztt.
 terminalis, Thoms.
 obtusinervis, Ztt.
 halteratus, Mg.
 ✓ varipes, *Mg.*
 ✓ campestris, *Ltr.*
 ✓ ater, *Mg.*
 ✓ pratorum, *Fln.*
 carinatus, Verr.
 ✓ vittipes, *Ztt.*
 ✓ flavipes, *Mg.*
 ✓ Strobl, *Verr.*
 strigulipes, Verr.
 seminitidus, Beck.
 incognitus, Verr.
 geniculatus, Auct.
 confusus, Verr.
 ✓ rufipes, *Mg.*
 hæmorrhoidalis, Ztt.
 xanthopus, Thoms.
 maculatus, Wlk.
 lateralis, Mcg.
 semimaculatus, Beck.
 ✓ geniculatus, *Mg.*
 nigritulus, Ztt.
 ✓ littoralis, *Beck.*
 ✓ sylvaticus, *Mg.*

SYRPHIDÆ.**SYRPHINÆ.****PARAGUS,** *Ltr.*

✓ tibialis, *Fln.*
 bicolor *F.*
 var. lacerus, Lw.

PIPIZELLA, Rnd.

- + virens, F.
 + maculipennis, Mg.
 + flavitarsis, Mg.
 + biguttata, Curt.
 + Heringi, Ztt.

PIPIZA, Flin.

- + luteitarsis, Ztt.
 + quadrimaculata, Pz.
 + noctiluca, L.
 + fenestrata, Mg.
 + bimaculata, Mg.
 + guttata, Mg.
 + signata, Mg.
 + notata, Mg.
 + lugubris, F.

CNEMODON, Egg.

- + vitripennis, Mg.
 + acuminatus, Lw.

PSILOTA, Mg.

- + anthracina, Mg.

ORTHONEURA, Mcq.

- + elegans, Mg.
 + brevicornis, Lw.
 + nobilis, Flin.

LIOGASTER, Rnd.

- + splendida, Mg.
 + metallina, F.

CHRYSGASTER, Mg.

- + splendens, Mg.
 + hirtella, Lw.
 + Macquarti, Lw.
 + virescens, Lw.
 + chalybeata, Mg.
 + solstitialis, Flin.
 + cæmeteriorum, Auct.
 + fumipennis, Wlk. (nec Lw.)

CHILOSIA, Mg.

- + maculata, Flin.
 + sparsa, Lw.
 + antiqua, Mg.
 + longula, Ztt.
 + scutellata, Flin.
 + soror, Ztt.
 + pulchripes, Lw.

- + variabilis, Pz.
 + honesta, Rnd.
 + vulpina, Mg.
 + barbata, Lw.
 + intonsa, Lw.
 + illustrata, Harr.
 + oestracea, Auct.

- + grossa, Flin.
 + chrysocoma, Mg.

- + albipila, Mg.
 + flavicornis, Auct.

- + nebulosa, Verr.

- + impressa, Lw.

- + albitarsis, Mg. *Swent.*

- + flavimana, Mg.

- + fraterna, Mg.

- + chloris, Wlk.

- + Bergenstammi, Beck.

- + præcox, Ztt.

- + mutabilis, Flin.

- + vernalis, Flin.

- + proxima, Ztt.

- + cynocephala, Lw.

- + rostrata, Ztt.

PLATYCHIRUS, St. Farg.

- + manicatus, Mg.

- + tarsalis, Schum.

- + discimanus, Lw.

- + melanopsis, Lw.

- + peltatus, Mg.

- + scutatus, Mg.

- + albimanus, F.

- + podagratus, Ztt.

- + scambus, Stæg.

- + immarginatus, Ztt.

- + fulviventris, Mcq.

- + perpallidus, Verr.

- + clypeatus, Mg.

- + angustatus, Ztt.

- + sticticus, Mg.

- + spatulatus, Rnd.

PYROPHÆNA, Schin.

- + granditarsa, Forst.

- + ocyini, F.

- + rosarum, F.

MELANOSTOMA, Schin.

- + ambiguum, Flin.

- + dubium, Ztt.

- + mellinum, L.

- + scalare, F.

MELANGYNA, Verr.

- + quadrimaculata, Verr.

XANTHANDRUS, Verr.

- + comtus, Harr.

- + hyalinatus, Flin.

LEUCOZONA, Schin.

- + lucorum, L.

ISCHYROSYPHUS, Big.

- + glaucius, L.

- + laternarius, Müll.

DIDEA, Mcq.

- + alneti, Flin.

- + fasciata, Mcq.

- + intermedia, Lw.

CATABOMBA, O.-S.

- + pyrastris, L.

- + selenitica, Mg.

SYRPHUS, F.

- + albostrigatus, Flin.

- + tricinatus, Flin.

- + venustus, Mg.

- + lunulatus, Mg.

- + nigricornis, Verr.

- + quadrilunulatus, Lw.

- + annulipes, Ztt.

- + torvus, O.-S.

- + topiarius, Mg.

- + annulatus, Ztt.

- + lineola, Ztt.

- + vittiger, Ztt.

- + grossulariæ, Mg.

- + diaphanus, Ztt.

- + ribesii, L.

- + vitripennis, Mg.

- + latifasciatus, Mcq.

- + nitidicollis, Mg.

- + nitens, Ztt.

- + arcuatus, Flin.

- + lapponicus, Ztt.

- + corollæ, F.

- + luniger, Mg.

- + bifasciatus, F.

~~st~~ balteatus, Deg.
~~st~~ cinctellus, Ztt.
~~st~~ cinctus, Fln.
~~st~~ auricollis, Mg.
 decorus, Mg.
 var. maculicornis, Ztt.
 var. nigratibius, Rnd.

~~st~~ euehromus, Kow.
~~st~~ triangulifer, Ztt.
~~st~~ punctulatus, Verr.
~~st~~ guttatus, Fln.
 flavifrons, Verr.
~~st~~ umbellatarum, F.
 compositarum, Verr.
~~st~~ labiatarum, Verr.
~~st~~ lasiophthalmus, Ztt.
~~st~~ arcticus, Ztt.
~~st~~ barbifrons, Fln.

SPHÆROPHORIA, St. Farg.

~~st~~ scripta, L.
~~st~~ var. dispar, Lw.
~~st~~ var. nigricoxa, Ztt.
 var. strigata, Stæg.
~~st~~ menthastri, L.
~~st~~ var. picta, Mg.
 var. tæniata, Mg.
 var. dubia, Ztt.
 flavicauda, Ztt.
 var. nitidicollis, Ztt.

XANTHOGRAMMA, Schin.

~~st~~ ornatum, Mg.
~~st~~ citrofasciatum, Deg.

DOROS, Mg. conopseus, F.

BACCHA, F.
~~st~~ obscuripennis, Mg.
 elongata, F.

PELECOCERA, Mg.
~~st~~ tricineta, Mg.

CHAMÆSYRPHUS, Mik.

~~st~~ scævovides, Fln.

SPEGHINA, Mg.

~~st~~ clunipes, Fln.

ASCIA, Mg.

~~st~~ podagrica, F.
 dispar, Mg.
 floralis, Mg.
 geniculata, Mg.

BRACHYOPA, Mg.

~~st~~ bicolor, Fln.

RHINGIA, Scop.

rostrata, L.
~~st~~ campestris, Mg.

VOLUCELLINÆ.

VOLUCELLA, Geoff.

~~st~~ bombylans, L.
~~st~~ inanis, L.
~~st~~ inflata, F.
~~st~~ pellucens, L.

ERISTALINÆ.

ERISTALIS, Ltr.

~~st~~ sepulchralis, L.
~~st~~ æneus, Scop.
~~st~~ cryptarum, F.
~~st~~ tenax, L.
~~st~~ intricarius, L.
~~st~~ var. furvus, Verr.
~~st~~ arbustorum, L.
 nemorum, L.
~~st~~ pertinax, Scop.
~~st~~ rupium, F.
~~st~~ horticola, Deg.

MYIATROPA, Rnd.

~~st~~ florea, L.

HELOPHILUS, Mg.

~~st~~ trivittatus, F.
~~st~~ hybridus, Lw.
~~st~~ pendulus, L.
 frutetorum, F.
~~st~~ versicolor, F.
 lunulatus, Mg.
 transfugus, L.
~~st~~ lineatus, F.
 vittatus, Mg.

MALLOTA, Mg.

~~st~~ cristatoides, Lw.

MERODON, Mg.

equestris, F.
~~st~~ var. narcissi, F.
 var. transversalis, Mg.
 var. validus, Mg.

MILESINÆ.

TROPIDIA, Mg.

~~st~~ scita, Harr.
 milesiformis, Fln.

MYIOLEPTA, Newm.

~~st~~ luteola, Gmel.

CRIORRHINA, Mcq.

~~st~~ ranunculi, Pz.
~~st~~ ruficauda, Mg.
~~st~~ berberina, F.
~~st~~ oxyacanthæ, Mg.
~~st~~ floccosa, Mg.
~~st~~ asilica, Fln.

POCOTA, St. Farg.

~~st~~ apiformis, Schrk.

CYNORRHINA, Willist. fallax, L.

BRACHYPALPUS, Mcq.

~~st~~ bimaculatus, Mcq.

XYLOTA, Mg.

~~st~~ segnis, L.
~~st~~ tarda, Mg.
 confinis, Ztt.
~~st~~ lenta, Mg.
~~st~~ sylvarum, L.
 nemorum, F.
~~st~~ florum, F.
 abiens, W.

SYRITTA, St. Farg.

~~st~~ pipiens, L.

EUMERUS, Mg.

~~st~~ sabulonum, Fln.
~~st~~ ornatus, Mg.
~~st~~ strigatus, Fln.
 lunulatus, Mg.

CHRYSOCHLAMYS, Rnd.

~~st~~ cuprea, Scop.
~~st~~ ruficornis, F.

Brattota
tail

CALLIPROBOLA, *Rnd.*

† speciosa, *Rossi.*

ARCTOPHILA, *Schin.*

† muscitans, *F.*

SERICOMYIA, *Mg.*

† borealis, *Fln.*
† lappona, *L.*

CHRYSHOTOXINÆ.

CHRYSHOTOXUM, *Mg.*

† cautum, *Harr.*
† sylvarum, *Mg.*
† arcuatum, *L.*
† octomaculatum, *Curt.*
† elegans, *Lw.*
† festivum, *L.*
† vernale, *Lw.*
† bicinetum, *L.*

CALLICERA, *F.*

† ænea, *F.*

MICRODONTINÆ.

MICRODON, *Mg.*

† mutabilis, *L.*
† devius, *L.*
† latifrons, *Lw.*

CONOPIDÆ.

CONOPINÆ.

CONOPS, *L.*

† vesicularis, *L.*
† quadrifasciata, *Deg.*
† ceriiformis, *Mg.*
† strigata, *Mg.*
† flavipes, *L.*

PHYSOCEPHALA,

Schin.

† nigra, *Deg.*
† rufipes, *F.*

MYOPINÆ.

ZODION, *Ltr.*

† cinereum, *F.*

ONCOMYIA, *Dsv.*

† atra, *F.*
† pusilla, *Mg.*

SICUS, *Scop.*

† ferrugineus, *L.*

MYOPA, *F.*

† buccata, *L.*
† testacea, *L.*
† polystigma, *Rnd.*
† fasciata, *Mg.*
† dorsalis, *F.*

GASTROPHILUS,

Leach.

† equi, *F.*
† hæmorrhoidalis, *L.*
† nasalis, *L.*

CEPHENOMYIA, *Ltr.*

† rufibarbis, *Mg.*
† auribarbis, *Mg.*

HYPODERMA, *Ltr.*

† lineatum, *Vill.*
† bovis, *Deg.*
† Diana, *Brau.*

CESTRUS, *L.*

† ovis, *L.*
† biangulatus, *Cooke.*

PHARYNGOMYIA,

Schin.

† picta, *Mg.*

TACHINIDÆ.

TACHININÆ.

MEIGENIA, *Dsv.*

† egens, *Egg.*
† bisignata, *Mg.*
† dorsalis, *Mg.*
† vernalis, *Dsv.*
† floralis, *Mg.*
† majuscula, *Rnd.*

VIVIANIA, *Rnd.*

† cinerea, *Fln.*
† pacta, *Mg. (pt.).*

MERIANIA, *Dsv.*

† puparum, *F.*

MASICERA, *Mcg.*

† sylvatica, *Fln.*
† pratensis, *Mg.*

CEROMASIA, *Rnd.*

† machairopsis, *Br. & Berg.*
† angelica, *Mg.*
† agilis, *Mg.*
† florum, *Mcg.*
† rutila, *Mg.*
† festinans, *Mg.*
† hortensis, *Mg.*
† juvenilis, *Rnd.*
† senilis, *Mg.*
† myioidea, *Dsv.*
† brevipennis, *Mg.*
† parva, *Mcg.*
† stabulans, *Mg.*
† spectabilis, *Mg.*

GYMNOCHÆTA, *Dsv.*

† viridis, *Fln.*

EXORISTA, *Mg.*

† vetula, *Mg.*
† chelonias, *Rnd.*
† agnata, *Rnd.*
† affinis, *Mg. (Fln. ?).*
† fimbriata, *Mg.*
† biserialis, *Mcg.*
† flavicans, *Rnd.*
† notabilis, *Mg.*
† intersita, *Wlk.*
† intermixta, *Wlk.*
† floralis, *Meade.*
† mutabilis, *Fln.*
† perturbans, *Ztt.*
† ruficauda, *Ztt.*
† noctuicida, *Rnd.*
† jucunda, *Mg.*
† lucorum, *Mg.*

EPICAMPOCERA, *Mcg.*

† succincta, *Mg.*
† ambulans, *Mg.*

BLEPHARIDEA, *Rnd.*

† vulgaris, *Fln.*

MYXEXORISTA,

Br. & Berg.

† fauna, *Mg.*

macrops, Br. & Berg.
libatrix, Mg.

FRONTINA, Mg.

nigricans, Egg.
læta, W.
fugax, Rnd.

CAMPYLOCHÆTA, Rnd.

obscura, Fln.

PHOROCERA, Dsv.

serriventris, Rnd.
concinata, Mg.
cilipeda, Rnd.
internexa, Wlk.
pumicata, Mg.
gracilis, Egg.

BOTHRIA, Rnd.

assimilis, Fln.
cæsifrons, Mcq.
segregata, Rnd.
frontosa, Mg.
pascuorum, Rnd.

BLEPHARIPODA, Rnd.

scutellata, Dsv.
major, Mcq.
atropivora, Rnd.
morosa, Mg.

SISYROPA, Br. & Berg.

angusta, Br. & Berg.
hortulana, Egg.
? acronyctarum, Mcq.
lucorum, Rnd.
gnava, Mg.
lota, Mg.
excisa, Fln.

CHÆTOLYGA, Rnd.

analis, Mcq.
amœna, Mg.
glabrata, Mg.
exacta, Wlk.
apicalis, Mg.
quadripustulata, F.
dispecta, Wlk.
nigrithorax, Egg.

TACHINA, Mg.

larvarum, L.
grandis, Egg.
erucarum, Rnd.
rustica, Mg.
noctuarum, Rnd.
latifrons, Rnd.
nigricans, Egg.
præpotens, Mg.?

STOMATOMYIA, Br. & Berg.

filipalpis, Rnd.

PERICHÆTA, Br. & Berg.

unicolor, Fln.

GERMARIA, Dsv.

ruficeps, Fln.

GONIA, Mg.

fasciata, Mg.
divisa, Mg.
capitata, Deg.
ornata, Mg.
trifaria, Zlr.
lateralis, Zlr.
Førsteri, Mg.

THELYMORPHA, Br. & Berg.

vertiginosa, Fln.
marmorata, F.

BRACHYCHÆTA, Br. & Berg.

DESVOIDIA, Meade.
spinigera, Rnd.
fusca, Meade.

MONOCHÆTA, Br. & Berg.

leucophæa, Mg.
albicans, Fln.

APOROMYIA, Rnd.

dubia, Fln.

SOMOLIA, Rnd.

rebaptizata, Rnd.
crassitarsis (Polidea), Ztt.
ænea, Mg.

MICRONYCHIA, Br. & Berg.

ruficauda, Ztt.

MINTHO, Dsv.

præceps, Scop.
compressa, F.

MELANOTA, Rnd.

volvulus, F.

PELATACHINA, Meade.

tibialis, Fln.

MACQUARTIA, Dsv.

dispar, Fln.
tenebricosa, Mg.
nitida, Ztt.
affinis, Schin.
grisea, Fln.
spinicincta, Meade.
ciliaris, Ztt.
flavipes, Mg.
celebs, Mcq.

MACROPROSOPA, Br. & Berg.

atrata, Mg.

LOEWIA, Egg.

setibarba, Egg.
brevifrons, Rnd.

PTILOPS, Rnd.

chalybeata, Mg.

ANTHRACOMYIA, Rnd.

melanoptera, Mg.
nana, Mg.
anthracina, Mg.

DEGEERIA, Mg.

ornata, Mg.
collaris, Fln.
medorina, Schin.
pulchella, Mg.
luctuosa, Mg.
pygmæa, Mcq.
grandicornis, Ztt.

THELAIRA, Dsv.

leucozona, Pz.
nigripes, F.

DEMOTICUS, Mcq.

plebeius, *Fln.*
 longirostris, *Mg.*
 frontatus, *Boh.*
 spretus, *Mg.*

MYIOBIA, Dsv.

aurea, *Fln.*
 fenestrata, *Mg.*
 longipes, *Mg.*
 inanis, *Fln.*
 pacifica, *Mg.*

RHYNCHISTA, *Rnd.*
 prolixa, *Mg.*

ZOPHOMYIA, *Mcq.*
 temula, *Scop.*

OLIVIERIA, *Dsv.*
 lateralis, *F.*
 rufomaculata, *Deg.*

OCYPTERA, *Ltr.*
 brassicaria, *F.*
 cylindrica, *F.*

OCYPTERULA, *Rnd.*
 pusilla, *Mg.*

LOPHOSIA, *Mg.*
 fasciata, *Mg.*

MICROPALPUS, Mcq.

vulpinus, *Fln.*
 comptus, *Fln.*
 fulgens, *Mg.*
 pietus, *Mg.*
 hæmorrhoidalis, *Fln.*
 pudicus, *Rnd.*
 quadraticornis (Nemoræa), *Meade.*

ERIGONE, Dsv.

radicum, *F.*
 strenua, *Mg.*
 conjuncta, *Wlk.*
 vagans, *Mg.*
 cæsia, *Fln.*
 rudis, *Fln.*
 nemorum, *Mg.*

consobrina, *Mg.*
 appendiculata, *Mcq.*
 intermedia, *Ztt.*
 setosa, *Mcq.*?
 vivida, *Ztt.*

ECHINOMYIA, Dum.

grossa, *L.*
 tera, *L.*

FABRICIA, Dsv.

ferox, *L.*

PELETERIA, *Dsv.*
 tessellata, *F.*

SERVILLIA, Dsv.

lurida, *F.*
 leucocoma, *Mg.*
 ursina, *Mg.*

PLAGIA, Mg.

ruralis, *Fln.*
 curvinervis, *Ztt.*
 trepida, *Mg.*

THRYPTOCERINÆ.

ANACHÆTOSIS,
Br. & Berg.
 ocypterina, *Ztt.*

PHORICHÆTA, Rnd.

lugens, *Mg.*
 carbonaria, *Pz.*
 tricineta, *Rnd.*

PTYCHONEURA,
Br. & Berg.

rufitarsis, *Mg.*
 ?rubritarsis, (*Ztt.*)
Meade.

DISCOCHÆTA,
Br. & Berg.

muscaria, *Fln.*
 cognata, *Schin.*

UROPHYLLA,
Br. & Berg.

blanda, *Fln.*
 ?seria, *Mg.*
 ?Dalii (Degeeria),
Meade.

RŒSELIA, Dsv.

antiqua, *Fln.*
 pallipes, *Fln.*
 atra, *Dsv.*

STAUFERIA, Br. &
Berg.

procera, *Mg.*

DIGONCHÆTA, Rnd.

spinipennis, *Mg.*
 setipennis, *Fln.*

THRYPTOCERA, Mcq.

pilipennis, *Mg.*
 crassicornis, *Mg.*
 bicolor, *Mg.*
 minutissima, *Ztt.*
 latifrons, *Mg.*

BLEPHAROMYIA,
Br. & Berg.

amplicornis, *Ztt.*
 incerta, *Meade* (Phorocera).

HYPOSTENA, *Mg.*
 procera, *Mg.*

SIPHONA, Mg.

cristata, *F.*
 geniculata, *Deg.*

GYMNOSOMINÆ.

GYMNOSOMA, *Mg.*
 rotundatum, *L.*

CERCOMYIA, Br. &
Berg.

curvicauda, *Fln.*
 thoracica, *Mg.*?

PSALIDA, *Rnd.*
 simplex, *Fln.*

PHASINÆ.

PHASIA, *Ltr.*
 rothi, *Ztt.*

ALOPHORA, Dsv.

hemiptera, *F.*
 obesa, *F.*
 pusilla, *Mg.*

CLYTIA, *Dsv.*
continua, Pz.
rotundiventris, Fln.

TRIXINÆ.

TRIXA, *Mg.*

✓ *alpina, Mg.*
ferruginea, Mg.
 ✓ *œstroidea, Dsv.*
scutellata, Newm.
 ✓ *grisea, Mg.*

FORTISIA, *Rnd.*
fœda, Mg.

REDTENBACHERIA,
Schin.

insignis, Egg.

PHYTO, *Dsv.*
melanocephala, Mg.
parvicornis, Mg.
nigra, Dsv.

✓ STEVENIA, *Dsv.*
maculata, Fln.

MELANOPHORA, *Mg.*

✓ *roralis, L.*
 ✓ *atra, Mcq.*

RHINOPHORA, *Dsv.*
atramentaria, Mg.
melania, Mg.
simplicissima, Lw.

FRAUENFELDIA, *Egg.*
rubricosa, Mg.
trilineata, Mg.

BRACHYCOMA, *Rnd.*
devia, Fln.
smerinths, Meade.
erratica, Mg.

CLISTA, *Mg.*

✓ *lepida, Mg.*
mœrens, Mg.
œnescens, Ztt.

SARCOPHAGINÆ.

TEPHROMYIA,
Br. & Berg.

grisea, Mg.

CYNOMYIA, Dsv.

✓ *alpina, Ztt.*
 ✓ *mortuorum, L.*

ONESIA, *Dsv.*

✓ *sepulchralis, L.*
cognata, Mg.

SARCOPHAGA, *Mg.*

✓ *carnaria, L.*
similis, Meade.
 ✓ *albiceps, Mg.*
 ✓ *atropos, Mg.*
melanura, Mg.
agricola, Mg.
laticornis, Mg.
nigriventris, Mg.
juvenis, Rnd.
 ✓ *clathrata, Mg.*
adolescens, Rnd.
affinis, Fln.
dissimilis, Mg.
infantula, Rnd.
fulvicauda, Meade.
haemorrhoidalis, Mg.
nurus, Rnd.
cruentata, Mg.
haematodes, Mg.
 ✓ *vulnerata, Schin.*
hæmorrhœa, } t. Austen.
Meade.
hæmorrhœa, Mg.
offuscata, } t. Austen.
Schin.
setipennis, } Rnd.
erythrura, Fln.

SARCOPHILA, *Rnd.*
latifrons, Fln.

THERIA, *Dsv.*

muscaria, Mg.

HETERONYCHIA,
Br. & Berg.

chætoneura, Br. & Berg.

NYCTIA, *Dsv.*

✓ *halterata, Pz.*

ENGYOPS, *Rnd.*
micronyx, Br. & Berg.

MILTOGRAMMA, *Mg.*
 ✓ *punctatum, Mg.*

METOPIODIA,
Br. & Berg.

sp.? cylindrica, Fln. ?

METOPIA, *Mg.*

✓ *campestris, Fln.*
argyrocephala, Mg.
 ✓ *leucocephala, Rossi.*
amabilis, Mg.
argentata, Mcq.
forficula, Newp.

SPHIXAPATA, *Rnd.*

conica, Fln.
? piligena (Arrenopus), Rnd.

NEMORÆA, *Dsv.*
nupta, Rnd.
rubrica, Mg. ?

DEXINÆ.

MACRONYCHIA, *Rnd.*

✓ *agrestis, Fln.*
polyodon, Mg.

DEXIOSOMA, *Rnd.*

✓ *caninum, F.*

MYIOSTOMA, *Dsv.*

✓ *cristatum, Rnd.*

DEXIA, *Mg.*

✓ *rustica, F.*
 ✓ *vacua, Fln.*

PROSENA, *St. Farg.*

✓ *sybarita, F.*
angustifrons (Aphria), Meade.

DINERA, *Mcq.*

✓ *grisesens, Fln.*

MYIOCERA, *Dsv.*

✓ *carinifrons, Fln.*

MUSCIDÆ.IDIA, *Mg.*lunata, *F.*STOMOXYS, *Geoff.*calcitrans, *L.*HÆMATOBIA, *Dsv.*stimulans, *Mg.*irritans, *L.*serrata, *Dsv.*POLLENIA, *Dsv.*vespillo, *F.*rudis, *F.*varia, *Mg.*MYIOSPILA, *Rnd.*meditabunda, *F.*GRAPHOMYIA, *Dsv.*maculata, *Scop.*picta, *Ztt.*MUSCA, *L.*domestica, *L.*corvina, *F.*CYRTONEURA, *Mcq.*stabulans, *Fln.*pabulorum, *Fln.*pascuorum, *Mg.*cæsia, *Mg.*MORELLIA, *Dsv.*simplex, *Lw.*hortorum, *Fln.*curvipes, *Mcq.*MESEMBRINA, *Mg.*meridiana, *L.*PYRELLIA, *Dsv.*cadaverina, *L.*cyanicolor, *Ztt.*lasiophthalma, *Mcq.*eriphthalma, *Mcq.*serena, *Mg.*

PROTOCOLLIPHORA,

*Hough.*AVIHOSPITA, *Hendel.*azurea, *Fln.*groenlandica, *Ztt.*CALLIPHORA, *Dsv.*erythrocephala, *Mg.*vomitoria, *L.*EUPHORIA, *Dsv.*PSEUDOPYRELLIA, *Girsch.*cornicina, *F.*LUCILIA, *Dsv.*cæsar, *L.*sylvarum, *Mg.*sericata, *Mg.*ruficeps, *Mg.*illustris, *Mg.*micans, *Mg.*nobilis, *Mg.*splendida, *Mg.*equestris, *Mg.*regina, *Mg.***ANTHOMYIDÆ.**

MYDÆINÆ.

POLIETES, *Rnd.*lardaria, *F.*hirticrura, *Meade.*albolineata, *Fln.*HYETODESIA, *Rnd.*incana, *W.*lucorum, *Fln.*marmorata, *Ztt.*serva, *Mg.*dispar, *Fln.*Goberti, *Mik.*consobrina, *Ztt.*obscurata, *Mg.*variabilis, *Fln.*longipes, *Ztt.*tûmbatica, *Mg.*semicinerea, *W.*leta, *Fln.*perdita, *Mg.*errans, *Mg.*signata, *Mg.*lasiophthalma, *Mcq.*erratica, *Fln.*basalis, *Ztt.*quadrinotata, *Mg.*boleticola, *Rnd.*rufipalpis, *Mcq.*abdominalis, *Ztt.*scutellaris, *Fln.*populi, *Mg.*pallida, *F.*ALLÆOSTYLUS,
*Schnbl.*simplex, *W.*sudeticus, *Schnbl.*flaveola, *Fln.*MYDÆA, *Dsv.*vespertina, *Fln.*nigritella, *Ztt.*allotalla, *Mg.*urbana, *Mg.*angelicæ, *Scop.*tincta, *Ztt.*pagana, *F.*affinis, *Meade.*nigricolor, *Fln.*impuncta, *Fln.*separata, *Mg.*SPHECOLYMA, *Perr.*inanis, *Fln.*SPILOGASTER, *Mcq.*nigrinervis, *Ztt.*maculosa, *Mg.*notata, *Fln.*quadrimaculata, *Fln.*duplicata, *Mg.*communis, *Dsv.*atripes, *Meade.*duplaris, *Ztt.*obscrum, *F.*fratercula, *Ztt.*depuncta, *Fln.*tetrastigma, *Mg.*flagripes, *Rnd.*protuberans, *Ztt.*uliginosa, *Fln.*ungulata, *Rnd.*consimilis, *Fln.*pertusa, *Mg.*spinifemorata, *Meade.*fuscata, *Fln.*trigonalis, *Mg.*ciliatocosta, *Ztt.*scrupulosa, *Ztt.?*

LIMNOPHORA, Dsv.

- + punctata, W.
- + sororecula, Ztt.
- + trianguligera, Ztt.
- contractifrons, Ztt.
- + septemnotata, Ztt.
- + solitaria, Ztt.
- + litorea, Fln.
- + triangula, Fln.

MELANOCCHILA,
Rnd.

- + riparia, Fln.

MACRORCHIS, Rnd.

- + meditata, Fln.

CHELISIA, Rnd.

- monilis, Mg.

HYDROTÆA, Dsv.

- + ciliata, F.
- + occulta, Mg.
- curvipes, Ztt.
- + cyrtoneurina, Ztt.
- + irritans, Fln.
- dentimana, Mg.
- + dentipes, F.
- + palæstrica, Mg.
- similis, Meade.
- Rondanii, Meade.
- + impexa, Lw.
- velutina, Dsv.
- brevipennis, Lw.
- meteorica, L.
- armipes, F.
- albiguncta, Ztt.
- fasciculata, Meade.
- parva, Meade.
- glabricula, Fln.

OPHYRA, Dsv.

- leucostoma, W.
- anthrax, Mg.

DRYMIA, Mg.

- + hamata, Fln.

POGONOMYIA, Rnd.

- + alpicola, Rnd.

TRICHOPTICUS,
Rnd.

- + cunctans, Mg.
- + semipellucidus, Ztt.
- rostratus, Meade.
- aculeipes, Ztt.
- hirsutulus, Ztt.
- innocuus, Ztt.
- + pulcher, Meade.

ANTHOMYINÆ.

HYDROPHORIA, Dsv.

- + ambigua, Fln.
- + divisa, Mg.
- caudata, Ztt.
- + conica, W.
- brunneifrons, Ztt.
- + linogrisea, Mg.
- + anthomyia, Rnd.
- socia, Fln.
- + albifrons, Meade.

HYLEMYIA, Dsv.

- + virginea, Mg.
- + variata, Fln.
- spinosa, Rnd.?
- lasciva, Ztt.
- + flavipennis, Fln.
- + seticrura, Rnd.
- + cardui, Mg.
- negrescens, Rnd.
- pullula, Ztt.
- cinerella, Mg.
- cinerosa, Ztt.
- antiqua, Mg.
- grisea, Fln.
- + strigosa, F.
- + nigrimana, Mg.
- præpotens, W.
- puella, Mg.
- operosa, Mg.
- coarctata, Fln.
- penicillaris, Rnd.
- criniventris, Ztt.
- tibiaria, Rnd.

EUSTALOMYIA, Kow.

- hilaris, Fln.
- festiva, Ztt.

MYCOPHAGA, Rnd.

- + fungorum, Deg.

LASIOPS, Rnd.

- Rœderi, Kow.
- ctenocetema, Kow.
- Meadii, Kow.

ANTHOMYIA, Mg.

- + pluvialis, L.
- + albicincta, Fln.
- + pratincola, Pz.
- + radicum, L.
- + sulciventris, Ztt.

CHORTOPHILA, Mcq.

- + buccata, Fln.
- unilineata, Ztt.
- albescens, Ztt.
- + arenosa, Ztt.
- striolata, Fln.
- cinerea, Fln.
- cinerella, Fln.
- curvicauda, Ztt.
- trapezina, Ztt.
- impudica, Rnd.
- odontogaster, Ztt.
- cinerea, ♀ Meade.
- sepia, Mg.
- Billbergi, Ztt.
- sylvestris, Fln.
- longula, Fln.

PHORBIA, Dsv.

- + floccosa, Mcq.
- + transversalis, Ztt.
- + discreta, Mg.
- + pudica, Rnd.
- + dissecta, Mg.
- lactuæ, Bouché.
- + seneciella, Meade.
- intersecta, Mg.?
- obscura, Mcq.
- + muscaria, Mg.
- histrio, Ztt.
- cilicrura, Rnd.
- + trichodactyla, Rnd.
- + florilega, Ztt.
- vetula, Ztt.?
- + ignota, Rnd.
- cepetorum, Meade.
- cinerea, ♂ Meade.
- neglecta, Meade.
- exigua, Meade.

PEGOMYIA, Dsv.

- betæ, Curt.
 ✓ conformis, Fln.
 ✓ palliceps, Ztt.
 ✓ hæmorrhoum, Ztt.
 ✓ rufipes, Fln.
 ✓ transversa, Fln.
 ✓ transgressa, Ztt.
 ✓ latitarsis, Ztt.
 ✓ bicolor, W.
 ✓ nigratarsis, Ztt.
 ✓ fulgens, Mg.
 ✓ exilis, Mg.
 ✓ ephippium, Ztt.
 ✓ versicolor, Mg.
 ✓ flavipes, Fln.
 ✓ vittigera, Ztt.
 ✓ silacea, Mg.

CHIROZIA, Rnd.

- ✓ albitarsis, Ztt.

HOMALOMYINÆ.

HOMALOMYIA,

Bouché.

- ✓ hamata, Mcq.
 ✓ aprica, Hal.
 ✓ fuscula, Fln.
 ✓ pretiosa, Schin.
 ✓ Roserii, Rnd.
 ✓ pallitibia, Rnd.
 ✓ manicata, Mg.
 ✓ monilis, Hal.
 ✓ scalaris, F.
 ✓ canicularis, L.
 ✓ armata, Mg.
 ✓ aërea, Ztt.
 ✓ carbonaria, Meade.
 ✓ umbrosa, Stein.
 ✓ coracina, Lw.
 ✓ Kowarzi, Verr.
 ✓ Verrallii, Stein.
 ✓ postica, Stein.
 ✓ sociella, Ztt.
 ✓ ?lepada, W.
 ✓ triangulifera, Meade.
 ✓ similis, Stein.
 ✓ parva, Stein.
 ✓ serena, Fln.
 ✓ corvina, Verr.
 ✓ polychæta, Stein.
 ✓ ?lepada, W.

glaucescens, Ztt.

hermosa, Rnd.

✓ incisurata, Ztt.

vesparia, Meade.

✓ mutica, Ztt.

triangulifera, Rnd.

nigrisquama, Meade.

genualis, Stein.

PIEZURA, Rnd.

✓ pardalina, Rnd.

AZELIA, Dsv.

✓ Macquarti, Stæg.

✓ Zetterstedti, Rnd.

✓ ciliipes, Hal.

✓ triquetra, W.

✓ gibbera, Mg.

✓ aterrima, Mg.

CÆLOMYIA, Hal.

✓ mollissima, Hal.

CÆNOSINÆ.

CARICEA, Dsv.

✓ tigrina, F.

✓ exsul, Ztt.

✓ humilis, Mg.

✓ sexmaculata, Mg.

✓ intermedia, Fln.

✓ means, Mg.

ALLOGNOTA, Pok.

agromyzella, Rnd.

CÆNOSIA, Mg.

✓ infantula, Rnd.

✓ elegantula, Rnd.

tricolor, Meade.

✓ pallicornis, Ztt.

✓ sexnotata, Mg.

✓ genualis, Rnd.

✓ geniculata, Fln.

✓ verna, F.

✓ pedella, Fln.

✓ costata, Mg.

✓ pictipennis, Lw.

ATHERIGONA, Rnd.

✓ varia, Mg.

HOPOGASTER, Rnd.

✓ mollicula, Fln.

LISPE, Ltr.

✓ tentaculata, Deg.

litorea, Fln.

gemina, v. d. Wulp.

crassiuscula, Lw.

uliginosa, Fln.

pulchella, Lw.

FUCELLIA, Dsv.

✓ fucorum, Fln.

maritima, Hal.

muscaria, Ztt.

CORDYLURIDÆ.

CORDYLURA, Fln.

✓ pudica, Mg.

✓ rufimana, Mg.

✓ pubera, F.

✓ ciliata, Mg.

✓ umbrosa, Mg.

✓ biseta, Lw.

✓ similis, Siebke.

✓ rufipes, Mg.

PARALLELOMMA,

Beck.

✓ albipes, Fln.

vittata, Mg.

CNEMOPOGON, Rnd.

✓ apicalis, Mg.

LEPTOPA, Ztt.

✓ filiformis, Ztt.

AMAUROSOMA, Beck.

✓ fasciata, Mg.

✓ brevipennis, Curt.

tibiella, Ztt.

NORELLIA, Dsv.

✓ spinimana, Fln.

✓ flavicauda, Mg.

✓ nervosa, Mde. (nec Mg.).

✓ striolata, Mg. pt.

✓ liturata, Mg.

spinigera, Ztt.

HYDROMYZA, Fln.

✓ livens, F.

POGONOTA, Ztt.
hircus, Ztt.

MICROPROSOPA,
Beck.

pallipes, Ztt.
heteromyzina, Ztt.

TRICHOPALPUS, Rnd.

fraternus, Mg.
punctipes, Mg.

SPATHIOPHORA, Rnd.
hydromyzina, Fln.
Falleni, Schin.

SCATOPHAGA, Mg.

scybalaria, L.
tæniopa, Rnd.
suilla, F.

spurca, Mg.
scatomyzoides, Ztt.

inquinata, Mg.
maculipes, Ztt.
ordinata, Beck.
analís, Mg.

lutaria, F.
stercoraria, L.
merdaria, F.

squalida, Mg.
litorea, Fln.
villipes, Ztt.

fontanalis, Rnd.
maculipennis, Beck. (in
litt.)

arrogans, Hal.
calida, Hal.
rudis, Hal.
decipiens, Hal.

dalmatica, Beck.
eximia, Hal.

CERATINOSTOMA,
Meade.

ostiorum, Hal.

CONIOSTERNUM,
Beck.

obscurum, Fln.

CLIDOGASTRA, Mcq.
nigrita, Fln.

GYMNOMERA, Rnd.
tarsea, Fln.
dorsata, Ztt.

THYREOPHORA, Mg.
furcata, F.

PHYCODROMIDÆ.

ORYGMA, Mg.
luctuosum, Mg.

PHYCODROMA, Stnh.
sciomyzina, Hal.

CÆLOPA, Mg.
pilipes, Hal.
frigida, Mg.

FUCOMYIA, Hal.
gravis, Hal.
eximia, Stnh.
frigida, Fln.
parvula, Hal.
glabra, Wlk.

HELOMYZIDÆ.

HELOMYZA, Fln.

humilis, Mg.
inornata, Lw.
rufa, Fln.
variegata, Lw.

pectoralis, Lw.
affinis, Mg.

flava, Mg.
similis, Mg.
lævifrons, Lw.
suilloidea, (Desv.) Hal.
ustulata, Mg.
montana, Lw.

Zetterstedtii, Lw.
pallida, Fln. (nec Ztt.)
olens, (Mg.?) Lw.
flavifrons, Ztt.

ALLOPHYLIA, Lw.

atricornis, Lw.

SCOLIOCENTRA, Lw.
villosa, Mg.

ECOTHEA, Hal.
fenestralis, Fln.

ECCOPTOMERA, Lw.
sp.?

BLEPHAROPTERA, Lw.

spectabilis, Lw.
ruficauda, Ztt.
inscripta, Mg.
humeralis, Ztt.
flavicornis, Lw.
ruficornis, Mg.
serrata, L.
modesta, Mg.

HETEROMYZA, Fln.

atricornis, Mg.
commixta, Coll.
rotundicornis, Meade
(nec Ztt.)
oculata, Fln.
magnicornis, Lw.

TEPHROCHLAMYS, Lw.

rufiventris, Mg.
flavipes, Ztt.

HETERONEURIDÆ.

HETERONEURA, Fln.

albimana, Mg.
alpina, Lw.
nigrimana, Lw.

STOMPHASTICA, Lw.

flava, Mg.
tigrina, Fln.
decora, Lw.

TRIGONOMETOPUS,
Mcq.

frontalis, Mg.

SCIOMYZIDÆ.

LUCINA, Mg.

fasciata, Mg.

ACTORA, Mg.

æstuum, Mg.

CEOPAREA, Lw.

buccata, Fln.

DRYOMYZA, Fln.

flaveola, F.
decrepita, Ztt.

PLATYSTOMINÆ.PLATYSTOMA, *Mg.*✓ *seminationis*, *F.*RIVELLIA, *Dsv.*✓ *syngenesiæ*, *F.***ULIDINÆ.**SEOPTERA, *Kirby.*✓ *vibrans*, *L.*ULIDIA, *Mg.**erythroptalma*, *Mg.*CHRYSOMYZA, *Fln.**demandata*, *F.***TRYPETIDÆ.**CERATITIS, *McLeay.**capitata*, *W.*PLATYPAREA, *Lw.**discoidea*, *F.*ANOMCEA, *Wlk.*✓ *antica*, *W.*ACIURA, *Dsv.*✓ *rotundiventris*, *Fln.*ACIDIA, *Dsv.*✓ *cognata*, *W.*✓ *heraclei*, *L.*✓ *lychnidis*, *F.*GONYGLOSSUM, *Rnd.**Wiedemanni*, *Mg.*CHÆTOSTOMA, *Rnd.**curvinervis*, *Rnd.*SPIOLOGRAPHA, *Lw.**abrotani*, *Mg.*✓ *Zoë*, *Mg.**hamifera*, *Lw.**artemisiæ*, *F.*✓ *alternata*, *Fln.**Meigenii*, *Lw.*RHAGOLETIS, *Lw.**cerasi*, *L.*RHACOCHELENA, *Lw.**toxoneura*, *Lw.*TRYPETA, *Mg.**jaceæ*, *Dsv.**falcata*, *Scop.*✓ *onotrophes*, *Lw.*✓ *cornuta*, *F.*✓ *tussilaginis*, *F.**lappæ*, *Cedj.*✓ *florescentiæ*, *L.**colon*, *Mg.**serratulæ*, *L.*MYOPITES, *Breb.**Blotii*, *Breb.**inulæ*, *v. Roser.**Frauenfeldi*, *Schin.*UROPHORA, *Dsv.**spoliata*, *Hal.**macrura*, *Lw.*✓ *solstitialis*, *L.*✓ *stylata*, *F.**aprica*, *Fln.*✓ *quadrifasciata*, *Mg.*✓ *cardui*, *L.*SPHENELLA, *Lw.*✓ *marginata*, *Fln.*CARPHOTRICHIA, *Lw.*✓ *guttularis*, *Mg.*✓ *pupillata*, *Fln.*ICTERICA, *Lw.*✓ *Westermanni*, *Mg.*ENSINA, *Dsv.*✓ *sonchi*, *L.*TEPHRITIS, *Ltr.**parietina*, *L.*✓ *miliaria*, *Schrk.*✓ *corniculata*, *Fln.**flavipennis*, *Lw.*✓ *proboscidea*, *Lw.*✓ *plantaginis*, *Hal.**tessellata*, *Lw.**absinthii*, *F.**elongatula*, *Lw.**hyoscyami*, *L.**formosa*, *Lw.**conura*, *Lw.**ruralis*, *Lw.*✓ *vespertina*, *Lw.**dioscurea*, *Lw.**leontodontis*, *Deg.*✓ *bardanæ*, *Schrk.*EUARESTA, *Lw.**conjuncta*, *Lw.**guttata*, *Fln.*URELLIA, *Dsv.**cometa*, *Lw.**eluta*, *Mg.**amena*, *Frfd.*✓ *stellata*, *Fuessl.***LONCHÆIDÆ.**LONCHÆA, *Fln.*✓ *vaginalis*, *Fln.**chorea*, *F.**tarsata*, *Fln.*✓ *palposa*, *Ztt.**anea*, *Mg.**pusilla*, *Mg.**latifrons*, *Mg.**nigra*, *Mg.**nigrimana*, *Mg.*PALLOPTERA, *Fln.*✓ *saltuum*, *L.*✓ *ustulata*, *Fln.*✓ *umbellatarum*, *F.**parallela*, *Lw.**ambusta*, *Mg.*✓ *trimacula*, *Mg.*✓ *arcuata*, *Fln.*✓ *usta*, *Mg.*TOXONEURA, *Mcq.*✓ *muliebris*, *Harr.**fasciata*, *Mcq.***SAPROMYZIDÆ.**PEPLOMYZA, *Hal.*✓ *Wiedemanni*, *Lw.*? *Baumhaueri*, *Lw.*SAPROMYZA, *Fln.*✓ *longipennis*, *F.**lupulina*, *F.*

- fasciata*, Flin.
inusta, Mg.
spectabilis, Lw.
flaviventris, Costa.
decempunctata, Flin.
notata, Flin.
pallidiventris, Flin.
bipunctata, Mg.
quadripunctata, L.
obsoleta, Flin.
pallida, Flin.
sordida, Hal.
biumbrata, Lw.
rorida, Flin.
præusta, Flin.
albiceps, Flin.
placida, Mg.
plumicornis, Flin.
tarsella, Ztt.
decipiens, Lw.
apicalis, Lw.
anisodactyla, Lw.
difformis, Lw.

LAUXANIA, Ltr.

- cylindricornis*, F.
Elise, Mg.
atrimana, Mg.
ænea, Flin.
geniculata, F.
hyalinata, Mg.
amica, Hal.

OPOMYZIDÆ.

BALIOPTERA, Lw.

- tripunctata*, Flin.
combinata, L.
venusta, Mg.

OPOMYZA, Flin.

- germinationis*, L.
florum, F.
asteia, Hal.

PELETHOPHILA,
Hagenb.

- lutea*, Flin.
flava, L.

RHICNOËSSA, Lw.
cinerella, Hal.TETANURA, Flin.
pallidiventris, Flin.

SEPSIDÆ.

SEPSIS, Flin.

- punctum*, F.
pectoralis, Mcq.
violacea, Mg.
cynipsea, L.
flavimana, Mg.
nigripes, Mg.
pilipes, v. d. Wulp.
ornata, Mg.
maculipes, Wlk.
concinna, Wlk.
duplicata, Hal.

NEMOPODA, Dsv.

- cylindrica*, F.
stercoraria, Dsv.
nigricornis, Mg.
tarsalis, Wlk.
fumipennis, Wlk.

HENICITA, Westw.

- annulipes*, Mg.
Leachi, Mg.

THEMIRA, Dsv.

- putris*, L.
pilosa, Dsv.
spinosa, Verr.
superba, Hal.
minor, Hal.

SALTELLA, Dsv.

- sphondylii*, Schr.
scutellaris, Flin.
nigripes, Dsv.

MYCETAULUS, Lw.
bipunctatus, Flin.

PIOPHILIDÆ.

PIOPHILA, Flin.

- casei*, L.
luteata, Hal.
atrata, F.
varipes, Mg.
affinis, Mg.

- nigrimana*, Mg.
nigriceps, Mg.
latipes, Mg.
nigricornis, Mg.
apii, Westw.

MADIZA, Flin.

- glabra*, Flin.
latipes, Mg.

GEOMYZIDÆ.

ANTHOMYZA, Flin.

- grisea*, Flin.
gracilis, Flin.
flavipes, Ztt.

GEOMYZA, Flin.

- marginella*, Flin.
sabulosa, Hal.
cingulata, Hal.
obscura, Flin.

DIASTATA, Mg.

- punctum*, Mg.
obscuripennis, Mg.
nigripennis, Lw.
unipunctata, Ztt.
costata, Mg.
fulvifrons, Hal.
nebulosa, Flin.

TETHINA, Hal.

- illota*, Hal.

EPHYDRIDÆ.

NOTIPHILINÆ.

DICHÆTA, Mg.

- caudata*, Flin.

NOTIPHILA, Flin.

- uliginosa*, Hal.
nigricornis, Stnh.
stagnicola, Mcq. (nec
Stnh.).

- australis*, Lw.
guttiventris, Stnh.
maculata, Stnh.
venusta, Lw.
riparia, Mg.
cinerea, Flin.
dorsata, Stnh.
annulipes, Stnh.

TRIMERINA, *Mcq.*
madizans, *Fln.*

DISCOMYZA, *Mg.*
incurva, *Fln.*
cimiciformis, *Hal.*

PSILOPA, *Fln.*
leucostoma, *Mg.*
nitidula, *Fln.*
compta, *Mg.*
nigritella, *Stnh.*

DISCOCERINA, *Mcq.*
obsurella, *Fln.*
nigrina, *Mg.*
calceata, *Mg.*
✓ pulicaria, *Hal.*

ATHYROGLOSSA, *Lw.*
glabra, *Mg.*

HECAMEDE, *Hal.*
albicans, *Mg.*

HYDRELLINÆ.

GLENANTHE, *Hal.*
ripicola, *Hal.*

HYDRELLIA, *Dsv.*
albilabris, *Mg.*
thoracica, *Hal.*
laticeps, *Stnh.*
flavilabris, *Stnh.*
discolor, *Stnh.*
hydrocotyles, *Hal.*
✓ porphyrops, *Hal.*
griseola, *Fln.*
✓ chrysostoma, *Mg.*
nigripes, *Ztt.*
cochleariæ, *Hal.*
✓ ranunculi, *Hal.*
tarsata, *Hal.*
albiceps, *Mg.*

ATISSA, *Hal.*
pygmæa, *Hal.*

PHILHYGRIA, *Stnh.*
picta, *Fln.*
punctatovenosa, *Fln.*
stictica, *Mg.*

interrupta, *Hal.*
flavipes, *Fln.*
posticata, *Mg.*
interstincta, *Fln.*

HYADINA, *Hal.*
scutellata, *Hal.*
guttata, *Fln.*

AXYSTA, *Hal.*
cesta, *Hal.*

PELINA, *Hal.*
ænea, *Hal.*
ænescens, *Stnh.*

○CHTHERA, *Ltr.*
✓ mantis, *Deg.*

EPHYDRINÆ.

CANACE, *Hal.*
nasica, *Hal.*
ranula, *Lw.*

PARHYDRA, *Stnh.*
pusilla, *Mg.*
pubera, *Lw.*
fossarum, *Hal.*
✓ quadripunctata, *Mg.*
✓ aquila, *Fln.*
coarctata, *Fln.*
litoralis, *Mg.*

HALMOPOTA, *Hal.*
salinarum, *Bouché.*

EPHYDRA, *Fln.*
riparia, *Fln.*
halophila, *v. Heyd.*
✓ micans, *Hal.*
breviventris, *Lw.*

ILYTHEA, *Hal.*
spilota, *Hal.*

CÆNIA, *Dsv.*
defecta, *Hal.*
obscura, *Mg.*
palustris, *Fln.*
albula, *Mg.*

SCATELLA, *Dsv.*
quadrata, *Fln.*
sibilans, *Hal.*

sorbillans, *Hal.*
æstuans, *Hal.*
✓ stagnalis, *Fln.*
lutosus, *Hal.*
noctula, *Mg.*
leucostoma, *Mg.*

SCATOPHILA, *Beck.*
cribrata, *Stnh.*
despecta, *Hal.*

TICHOMYZA, *Mcq.*
fusca, *Mcq.*

MOSILLUS, *Ltr.*
✓ subsultans, *F.*

DROSOPHILIDÆ.

LEUCOPHENGIA, *Mik.*
✓ maculata, *Duf.*
SCAPTOMYZA, *Hardy.*
flaveola, *Mg.*
graminum, *Fln.*
flava, *Fln.*
gracilis, *Wlk.*

DROSOPHILA, *Fln.*
✓ transversa, *Fln.*
phalerata, *Mg.*
melanogaster, *Mg.*
fenestrarum, *Fln.*
confusa, *Steg.*
funebris, *F.*
tristis, *Fln.*
obscura, *Fln.*
litoralis, *Mg.*
cameraria, *Hal.*
nigrita, *Hal.*
ingrata, *Hal.*

NOTEROPHILA, *Rnd.*
glabra, *Fln.*

AULACIGASTER, *Mcq.*
rufitarsis, *Mcq.*
ACLETIXENUS, *Frfd.*
syrrhoides, *Frfd.*

STEGANA, *Mg.*
✓ coleoptrata, *Scop.*
curvipennis, *Fln.*

CHLOROPIDÆ.**LIPARA, Mg.**

✓ *lucens, Mg.*
rufitarsis, Lw.

EURINA, Mg.

lurida, Mg.

PLATYCEPHALA, Fln.

umbraculata, F.
planifrons, F.

CAMAROTA, Mg.

flavitarsis, Mg.

SELACHOPS, Whlb.

flavocincta, Whlb.

MEROMYZA, Mg.

✓ *pratorum, Mg.*
 ✓ *saltatrix, L.*
 ✓ *variegata, Mg.*
nigriventris, Mcq.
læta, Mg.

CENTOR, Lw.

cereris, Fln.
myopinus, Lw.
nudipes, Lw.

ANTHRACOPHAGA,

Lw.

strigula, F.
frontosa, Mg.

HAPLEGIS, Lw.

tarsata, Fln.
divergens, Lw.
rufifrons, Lw.

EUTROPHA, Lw.

fulvifrons, Hal.

DIPLOTOXA, Lw.

messoria, Fln.

CHLOROPS, Mg.

✓ *Meigenii, Lw.*
brevimana, Lw.
 ✓ *tæniopus, Mg.*
 ✓ *puncticollis, Ztt.*
speciosa, Mg.
læta, Mg.
rufina, Ztt.

✓ *scalaris, Mg.*
gracilis, Mg.
cinctipes, Mg.
lateralis, Hal.

CHLOROPISCA, Lw.

ornata, Mg.
 ✓ *glabra, Mg.*

OSCINIS, Ltr.

albiseta, Mg.
maura, Fln.
rapta, Hal.
frit, L.
vastator, Curt.
granarius, Curt.
pusilla, Mg.

SIPHONELLA, Mcq.

lævigata, Fln.
capreolus, Hal.
palposa, Fln.

ELACHYPTERA, Mcq.

brevipennis, Mg.
 ✓ *cornuta, Fln.*

MILICHIDÆ.**CACOXENUS, Lw.**

indagator, Lw.

MILICHIA, Mg.

✓ *ornata, Ztt.*

PHYLLOMYZA, Fln.

securicornis, Fln.

AGROMYZIDÆ.**DESMOMETOPA, Lw.**

M-atrum, Mg.

AGROMYZA, Fln.

vagans, Fln.
lacteipennis, Fln.
obscura, Fln.
lutea, Mg.
pusilla, Mg.
 ✓ *nigripes, Mg.*
 ✓ *flaveola, Fln.*
nana, Mg.
exigua, Mg.
latipes, Mg.

pistaciæ, Curt.
violæ, Curt.
flavonotata, Hal.
geniculata, Fln.

CERATOMYZA, Schin.

denticornis, Pz.

LIOMYZA, Mcq.

glabricula, Mg.
flavipes, Fln.

LEUCOPIS, Mg.

puncticornis, Mg.
obscura, Hal.
griseola, Fln.
annulipes, Ztt.

OCHTHIPHILA, Fln.

polystigma, Mg.
juncorum, Fln.
aridella, Fln.
geniculata, Hal.
flavipalpis, Hal.
maritima, Ztt.
spectabilis, Lw.

SCHÆNOMYZA, Hal.

litorella, Fln.
fasciata, Mg.

PHYTOMYZIDÆ.**NAPOMYZA, Hal.**

lateralis, Fln.

PHYTOMYZA, Fln.

plantaginis, Gour.
nigricans, Mcq.
albipennis, Fln.
notata, Mg.
 ✓ *rufipes, Mg.*
analis, Ztt.
Zetterstedtii, Schin.
 ✓ *flava, Fln.*
flaviventris, Ztt.
populicola, Wlk.
aquilegiæ, Hardy.

CHROMATOMYZIA,

Hardy.

ilicis, Curt.
obscura, Fln.
nigra, Mg.

affinis, *Mg.*
albiceps, *Mg.*
flaviceps, *Mcq.*
cinereifrons, *Hardy.*

ASTIADÆ.

ASTIA, *Mg.*
concinna, *Mg.*
amœna, *Mg.*

BORBORIDÆ.

BORBORUS, *Mg.*
nitidus, *Mg.*
notabilis, *Coll.*
niger, *Mg.*
suillorum, *Hal.*
Roseri, *Rnd.*
pallifrons, *Fln.*
pedestris, *Mg.*
longipennis, *Hal.*
vitripennis, *Mg.*
sordidus, *Ztt.*
equinus, *Fln.*
nigrifemoratus, *Mcq.*
geniculatus, *Mcq.*

SPHEROCERA, Ltr.

subsultans, *F.*
monilis, *Hal.*
eximia, *Coll.*
denticulata, *Mg.*
vaporariorum, *Hal.*
pusilla, *Fln.*
scabricula, *Hal.*

LIMOSINA, Mcq.

lugubris, *Hal.*
acutangula, *Ztt.*
vagans, *Hal.*
ferruginata, *Stnh.*
fuscipennis, *Hal.*
fontinalis, *Fln.*
roralis, *Rnd.*
lutosa, *Stnh.*
Halidayi, *Coll.*
limosa, *Fln.*
geniculata, *Mcq.*
Zosteræ, *Hal.*
pumilio, *Mg.*
flaviceps, *Stnh.*
sylvatica, *Mg.*
curtiventris, *Stnh.*

ochripes, *Mg.*
scutellaris, *Hal.*
erratica, *Hal.*
nivalis, *Hal.*
clunipes, *Mg.*
heteroneura, *Hal.*
rufulabris, *Stnh.*
crassimana, *Hal.*
quisquilia, *Hal.*
fungicola, *Hal.*
vitripennis, *Ztt.*
coxata, *Stnh.*
spinipennis, *Hal.*
minutissima, *Ztt.*
mirabilis, *Coll.*
nigerrima, *Hal.*
atomus, *Rnd.*
melania, *Hal.*
leucoptera, *Hal.*

PHORIDÆ.

CONICERA, Mg.

atra, *Mg.*
similis, *Hal.*

PLATYPHORA, Verr.

Lubbocki, *Verr.*

GYMNOPHORA, Mcq.

arcuata, *Mg.*

TRINEURA, Mg.

aterrima, *F.*
velutina, *Mg.*
stictica, *Mg.*

PHORA, Ltr.

opaca, *Mg.*
trinervis, *Beck.*
lugubris, *Mg.*
thoracica, *Mg.*
urbana, *Mg.*
fennica, *Beck.*
crassicornis, *Mg.*
concinna, *Mg.*
maculata, *Mg.*
unispinosa, *Ztt.*
dorsalis, *Beck.*
erythronota, *Strobl.*
curvinervis, *Beck.*
abdominalis, *Fln.*
incrassata, *Mg.*
carinifrons, *Ztt.*

autumnalis, *Beck.*
formicarum, *Verr.*
pygmæa, *Ztt.*
fasciata, *Fln.*

lutea, *Mg.*
melanocephala, *v. Ros.*
rufipes, *Mg.*
pulicaria, *Fln.*
minor, *Ztt.*
ciliata, *Ztt.*
flava, *Fln.*
gracilipes, *Mg.*
pumila, *Mg.*
fuscipes, *Mcq.*
junebris, *Mg.*
floreæ, *F.*

METOPINA, *Mcq.*
galeata, *Hal.*

EPROBOSCIDEA.

HIPPOBOSCIDÆ.

HIPPOBOSCA, L.

equina, *L.*

ORNITHOMYIA, Ltr.

avicularia, *L.*

STENOPTERYX, Leach.

hirundinis, *L.*

OXYPTERUM, Leach.

pallidum, *Leach.*
Kirbyanum, *Leach.*

LIPOPTENA, Nitz.

cervi, *L.*

MELOPHAGUS, Ltr.

ovinus, *L.*

BRAULIDÆ.

BRAULA, Nitz.

cæca, *Nitz.*

NYCTERIBIDÆ.

NYCTERIBIA, Ltr.

Latreillii, *Leach.*
Hermanni, *Leach.*

Chora.
✓ inaequalis Wd.
✓ picta Lhu
✗ maffelliana Hu
✗ pubescens

INDEX.

PAGE	PAGE	PAGE	PAGE
Achalcus..... 19	Atherix 15	Ceratinostoma 30	Conops. 23
Acidia 32	Athyroglossa..... 34	Ceratitis 32	Cordyla 8
Aciura 32	Atissa 34	Ceratomyza 35	Cordylura 29
Acletoxenus 34	Atylotus 15	Ceratopogon 12	Corethra 12
Acnemia 9	Aulacigaster 34	Ceratopsyllus 7	Corynoneura 11
Acrocera 16	Axysta 34	Ceromyia 25	Cricotopus 11
Actora 30	Azana 9	Ceromasia 23	Criorrhina 22
Acyphona 13	Azelia 29	Ceroplatus 10	Ctenophora 14
Adelphomyia 14	Baccha 22	Ceroxys 31	Ctenopsyllus 7
Aedes 12	Balioptera 33	Chaetolyga 24	Culex 12
Agathomyia 20	Bathycranium 20	Chaetostoma 32	Cylindrotoma 14
Agromyza 35	Beris 15	Chalarus 20	Cynomyia 26
Alloctocera 9	Biblio 10	Chamaedipsia 17	Cynorrhina 22
Alloidia 9	Blepharidea 23	Chamaesyrphus 22	Cyrtonia 16
Allooneurus 19	Blepharipoda 24	Chelisia 18	Cyrtoneura 27
Alloostylus 27	Blepharomyia 25	Chersodromia 23	Dactylolabis 13
Allognota 29	Blepharoptera 30	Chilosia 21	Degeeria 24
Allophyla 30	Boletina 9	Chilotrichia 13	Demoticus 25
Allophora 25	Bolitophila 10	Chironomus 11	Desmometopa 35
Amalopis 14	Bombylus 16	Chirosia 29	Dexia 26
Amaurosoma 29	Borborus 36	Chloromyia 15	Dexiosoma 26
Anacampta 31	Bothria 24	Chloropisca 35	Diadocidia 10
Anachætopsis 25	Brachycampta 9	Chlorops 35	Dialineura 16
Anaclinia 9	Brachychæta 24	Chorisops 15	Djamesa 11
Anarete 10	Brachycoma 26	Chortophila 23	Diaphorus 19
Anatella 9	Brachyopa 22	Chromatomyia 35	Diastata 33
Anepsius 20	Brachypalpus 22	Chrysochlamys 22	Dichæta 33
Anisomera 14	Bradysia 8	Chrysogaster 21	Dicranomyia 13
Anomæa 32	Braulta 36	Chrysomyza 32	Dicranota 14
Anopheles 12	Cacoxenus 35	Chrysonotus 15	Dietenidia 14
Anthomyia 23	Cænia 34	Chrysopilus 15	Didea 21
Anthomyza 33	Callicera 23	Chrysops 15	Digonochæta 25
Anthracomia 24	Callimya 20	Chrysotimus 20	Diplophus 10
Anthracocephala 35	Calliphora 27	Chrysotoxum 23	Dinera 26
Anthrax 16	Calliprobola 23	Chrysotus 19	Dioctria 16
Antipalus 16	Calobata 31	Chyliza 31	Dirrhiza 8
Antocha 13	Camarota 35	Clidogastra 30	Diplotox 35
Aphrosylus 20	Campsicnemus 19	Clinocera 17	Dirrhiza 8
Aporomyia 24	Campocladius 11	Clista 26	Discoceerina 34
Arctophila 23	Campylochæta 24	Clunio 12	Discochæta 25
Ardoptera 17	Campylomyza 8	Clytia 26	Discomyza 34
Arkyra 19	Cance 34	Cnemodon 21	Ditomyia 10
Ascia 22	Caricea 29	Cnemopogon 29	Dixa 13
Asilus 16	Carphotricha 32	Cœlomyia 29	Docosia 9
Asindulum 10	Catabomba 21	Cœlopa 30	Dolichohepa 14
Asphondylia 7	Catocha 8	Cœlosia 9	Dolichopus 18
Aspistes 10	Cecidomyia 7	Cœnosia 36	Doros 22
Astia 36	Centor 35	Conicera 36	Dorycera 31
Atherigona 29	Cephenomyia 23	Coniosternum 30	Drapetis 17

	PAGE		PAGE		PAGE		PAGE
Drosophila.....	34	Hecamede.....	34	Lispe.....	29	Myiostoma.....	26
Drymia.....	28	Heleodromia.....	17	Lissa.....	31	Myopa.....	23
Dryomyza.....	30	Helomyza.....	30	Lewia.....	24	Myopites.....	32
Dynatosoma.....	8	Helophilus.....	22	Lonchæa.....	32	Myxexorista.....	23
Dysaletria.....	18	Hemerodromia.....	17	Lonchoptera.....	20	Napomyza.....	35
Dysmachus.....	16	Henicita.....	33	Lophosia.....	25	Nemopoda.....	33
Eccoptomera.....	30	Herostomus.....	19	Loxocera.....	31	Nemoræa.....	26
Echinomyia.....	25	Heteromyza.....	30	Loxodesma.....	31	Nemotelus.....	15
Ectomus.....	19	Heteroneura.....	30	Lucilia.....	27	Neotamus.....	16
Elachyptera.....	35	Heteronychia.....	26	Lucina.....	30	Neottiophilum.....	31
Elaphropeza.....	18	Hilara.....	17	Machærium.....	19	Nephrocera.....	20
Elgiva.....	31	Hippobosca.....	36	Machimus.....	16	Nephrotoma.....	14
Empalia.....	9	Homalomyia.....	29	Macquartia.....	24	Neurigona.....	18
Empeda.....	13	Hoplogaster.....	29	Macrocera.....	10	Neuroctena.....	31
Empheria.....	9	Hormomyia.....	8	Macronychia.....	26	Norellia.....	29
Empis.....	17	Hyadina.....	34	Macroprosopa.....	24	Noterophila.....	34
Engyops.....	26	Hybos.....	16	Macrorchis.....	28	Notiphila.....	33
Ensina.....	32	Hydrellia.....	34	Madiza.....	33	Nycteribia.....	36
Ephelia.....	13	Hydromyza.....	29	Mallota.....	22	Nyctia.....	26
Ephippium.....	15	Hydrophoria.....	28	Masicera.....	23	Ochthera.....	34
Ephydra.....	34	Hydrophorus.....	19	Medeterus.....	19	Ochthiphila.....	35
Epicampocera.....	23	Hydrotea.....	23	Meigenia.....	23	Ocydromia.....	17
Epidapus.....	8	Hyetodesia.....	27	Melangyna.....	21	Oelalea.....	25
Epidosis.....	8	Hygroceleuthus.....	18	Melanochila.....	28	Ocypterula.....	25
Epiphragma.....	14	Hylemyia.....	28	Melanophora.....	26	Odontomyia.....	15
Epitriptus.....	16	Hypoderma.....	23	Melanostolus.....	19	Oeothæa.....	30
Erigone.....	25	Hypophyllus.....	19	Melanostoma.....	21	Oelalea.....	17
Erioptera.....	13	Hypostena.....	25	Melanota.....	24	Edoparea.....	30
Eristalis.....	22	Hystrichopsylla.....	7	Melophagus.....	36	Oestrus.....	23
Euaerista.....	32	Ictericæ.....	32	Meriania.....	23	Olivieria.....	25
Eumerus.....	22	Idia.....	27	Merodon.....	22	Oncodes.....	16
Euphoria.....	37	Idioptera.....	13	Meromyza.....	35	Oncomyia.....	23
Eurina.....	35	Ilythea.....	34	Mesembrina.....	27	Onesia.....	26
Eurycnemus.....	11	Ischyrosyrphus.....	21	Metopia.....	26	Opetia.....	20
Eustalomyia.....	28	Isopogon.....	16	Metopina.....	36	Ophyra.....	28
Eutarsus.....	18	Kowarzja.....	17	Metopodia.....	26	Opomyza.....	33
Euthyneura.....	17	Lamprochromus.....	20	Metricnemus.....	11	Oreogeton.....	17
Eutolmus.....	16	Laphria.....	16	Microchrysa.....	15	Orinarga.....	13
Eutropha.....	35	Lasiopogon.....	16	Microdon.....	23	Ornithomyia.....	36
Exechia.....	9	Lasiops.....	28	Micromorphus.....	20	Orphnephila.....	12
Exorista.....	23	Lasioptera.....	7	Micromyia.....	8	Ortalis.....	31
Fabricia.....	25	Lasiotoma.....	9	Micronychia.....	24	Orthochile.....	19
Fortisia.....	26	Lauxania.....	33	Micropalpus.....	25	Orthocladus.....	11
Frauenfeldia.....	26	Leia.....	9	Micropeza.....	31	Orthoneura.....	21
Frontina.....	24	Lepidomyia.....	17	Microporus.....	17	Orygma.....	30
Fucellia.....	29	Leptis.....	15	Microprosopa.....	30	Oscinus.....	35
Fucomyia.....	30	Leptogaster.....	16	Milichia.....	35	Oxycera.....	15
Gastrophilus.....	28	Leptomorphus.....	9	Miltogramma.....	26	Oxypterum.....	36
Geomyza.....	33	Leptopa.....	29	Minto.....	24	Pachygaster.....	15
Geranomyia.....	13	Leptopeza.....	17	Mochlonyx.....	12	Pachymeria.....	17
Germaria.....	4	Lestremia.....	8	Molophilus.....	13	Pachyrrhina.....	14
Glaphyoptera.....	9	Leucophenga.....	34	Monochaeta.....	24	Palloptera.....	32
Glenanthe.....	34	Leucopsis.....	35	Monocloa.....	10	Pamponerus.....	16
Gloma.....	17	Leucostola.....	19	Morella.....	27	Paragus.....	20
Gonia.....	24	Leucozona.....	21	Mosillus.....	27	Parallelomma.....	29
Goniomyia.....	13	Liancalus.....	19	Musca.....	34	Parhydra.....	34
Gonyglossum.....	32	Limnia.....	31	Mycetanthus.....	33	Pedicia.....	14
Graphomyia.....	27	Limnobia.....	13	Mycetobia.....	10	Pegomyia.....	29
Gymnochæta.....	23	Limnophila.....	14	Mycetophila.....	8	Pelatachina.....	24
Gymnomera.....	30	Limnophora.....	28	Mycophaga.....	28	Peleocera.....	22
Gymnophora.....	36	Limosina.....	36	Mycothera.....	9	Peleteria.....	25
Gymnopternus.....	19	Liogaster.....	21	Mydæa.....	27	Peletephila.....	33
Gymnosoma.....	25	Liogma.....	14	Myiatropa.....	22	Pelidnoptera.....	31
Hæmatobia.....	27	Liomyza.....	35	Myiobia.....	25	Pelina.....	34
Hæmatopota.....	15	Lipara.....	35	Myiocera.....	26	Peplomyza.....	32
Halmopota.....	34	Lipoptena.....	36	Myiolepta.....	22	Perichata.....	24
Haplegis.....	35	Lipsothrix.....	13	Myiospila.....	27	Pericoma.....	12

	PAGE		PAGE		PAGE		PAGE
Peronecera.....	14	Ptilonota	31	Sicus	23	Thelaira	24
Phacomyia	31	Ptilops	24	Simulium	10	Thelymorpha	24
Phalacropera	14	Ptiolina	15	Siphona	25	Themira	33
Pharyngomyia	23	Ptychoneura	25	Siphonella	35	Thereva	16
Phasia	25	Ptychoptera	13	Sisyropa	24	Theria	26
Philhygia	34	Pulex	7	Somolia	24	Theriopectes	15
Philonicus	16	Pyrellia	27	Spania	15	Tichonophila	20
Phora	36	Pyrophana	21	Sphaerocera	36	Thrypticus	19
Phorbia	28	Ragas	17	Sphaerophoria	22	Thryptocera	25
Phorichæta	25	Redtenbacheria	26	Spathiophora	30	Thyreophora	30
Phorocera	24	Rhacochlæna	32	Sphecolyma	27	Tichomyza	34
Phronia	9	Rhadiurgus	16	Sphegina	22	Tipula	14
Phthiria	16	Rhagoletis	32	Sphenella	32	Toxoneura	32
Phycodroma	30	Rhamphidia	13	Sphixapata	26	Trichina	17
Phyllomyza	35	Rhamphomyia	16	Spilogaster	27	Trichocera	14
Physocephala	23	Rhaphium	19	Spilographa	32	Trichomyia	12
Phyto	26	Rhinoessa	33	Stauferia	25	Trichonta	9
Phytomyza	35	Rhingia	22	Stegana	34	Trichopalpus	30
Piezura	29	Rhinophora	26	Stenopteryx	36	Trichopeza	17
Piophila	33	Rhipidia	13	Stevenia	26	Trichopticus	28
Pipiza	21	Rhymosia	9	Stilpon	17	Trichopsylla	7
Pipizella	21	Rhynchista	25	Stomatomyia	24	Trichosia	8
Pipunculus	20	Rhypholophus	13	Stomoxys	27	Trigonometopus	30
Plagia	25	Rhyphus	14	Stomphastica	30	Trimerina	34
Platycephala	35	Rivellia	32	Stratiomys	15	Trimera	13
Platycheirus	21	Roselia	25	Sycorax	12	Trineura	36
Platynema	20	Rosalia	33	Symphoromyia	15	Trixa	26
Platyparea	32	Sapromyza	32	Symplecta	13	Tropidia	22
Platypeza	20	Sarcophaga	26	Sympyenus	20	Trypeta	32
Platypheza	36	Sarcophila	26	Syntormon	19	Typhlopsylla	7
Platystoma	32	Sargus	15	Syrpeta	22	Ula	14
Platyura	10	Scaptomyza	34	Syrphus	21	Ulidia	32
Plesiastina	10	Scatella	34	Tabanus	15	Ulmomyia	12
Pocota	22	Scatophaga	30	Tachina	24	Urellia	32
Pœcilobothrus	18	Scatophila	34	Tachista	18	Urophora	32
Pœcilstola	14	Scatopse	10	Tachydromia	18	Urophylla	25
Pogonomyia	28	Scellus	19	Tachypeza	18	Verrallia	20
Pogonota	29	Scenopinus	16	Tachytrechus	18	Viviania	23
Poliates	27	Scenotonia	9	Tæniorhynchus	13	Volucella	22
Pollenia	9	Schizomyia	8	Tanytus	11	Wiedemannia	17
Polylepta	7	Schœnomyza	35	Tanytarsus	11	Winnertzia	8
Porphyrops	19	Schœnophilus	20	Tephritis	32	Xanthandrus	21
Proserna	26	Sciara	8	Tephrochlamys	30	Xanthochlorus	20
Protocalliphora	27	Sciomyza	17	Tephromyia	26	Xanthogramma	22
Psalida	31	Sciomyza	31	Tetanocera	31	Xiphandrium	19
Psila	16	Sciophila	10	Tetanops	31	Xiphura	14
Psilocephala	31	Scolocentra	30	Tetanura	33	Xylomyia	15
Psilopa	34	Selachops	35	Tethina	33	Xylophagus	16
Psilopus	19	Seoptera	32	Tetraneura	9	Xyloia	22
Psilosoma	31	Sepeidon	31	Teucophorus	20	Zodion	23
Psilota	21	Sepsis	33	Thalassomyia	11	Zophomyia	25
Psychoda	12	Sericomyia	23	Thamnodromia	17	Zygomyia	9
Pteropactria	31	Servilia	25	Thaumastoptera	13	Zygoneura	8

PART II.

ADDITIONAL
SPECIES ORIGINALLY DESCRIBED FROM BRITAIN,
BUT PROBABLY UNRECOGNIZABLE UNLESS FROM TYPES.

CHIRONOMIDÆ.**CHIRONOMUS, Mg.**

dissidens, *Wlk.*
 ejuncidus, *Wlk.*
 eminulus, *Wlk.*
 futilis, *Wlk.*
 notescens, *Wlk.*
 objectans, *Wlk.*
 perlevis, *Wlk.*
 dispessus, *Wlk.*
 mancus, *Wlk.*
 convictus, *Wlk.*
 incertus, *Wlk.*
 tritus, *Wlk.*
 modicellus, *Wlk.*
 disclusus, *Wlk.*
 inopertus, *Wlk.*
 occipiens, *Wlk.*
 obnixus, *Wlk.*
 pulsus, *Wlk.*
 malacus, *Wlk.*
 imbecillis, *Wlk.*
 obreptans, *Wlk.*
 trichopus, *Wlk.*
 pallidicornis, *Wlk.*
 discrepans, *Wlk.*
 tarsalis, *Wlk.*
 enotatus, *Wlk.*
 involitans, *Wlk.*
 convectus, *Wlk.*
 separatus, *Wlk.*
 irretitus, *Wlk.*
 morulus, *Wlk.*
 patibilis, *Wlk.*
 obvius, *Wlk.*
 impar, *Wlk.*
 incoactus, *Wlk.*
 conversus, *Wlk.*
 zonarius, *Wlk.*
 intextus, *Wlk.*
 appetitus, *Wlk.*
 marcidus, *Wlk.*
 obvertens, *Wlk.*
 convestitus, *Wlk.*
 perreptans, *Wlk.*

hebesceus, *Wlk.*
 lentulus, *Wlk.*
 peressus, *Wlk.*
 incendens, *Wlk.*
 minusculus, *Wlk.*
 ingratus, *Wlk.*
 nexilis, *Wlk.*
 inserpens, *Wlk.*
 mœrens, *Wlk.*
 irritus, *Wlk.*
 intrudens, *Wlk.*
 pervulsus, *Wlk.*
 excerptus, *Wlk.*
 nactus, *Wlk.*
 oblidens, *Wlk.*
 effusus, *Wlk.*
 incomptus, *Wlk.*
 persidens, *Wlk.*
 obditus, *Wlk.*
 exspatiens, *Wlk.*
 pertenuis, *Wlk.*
 permacer, *Wlk.*
 incallidus, *Wlk.*
 obsepiens, *Wlk.*
 paganicus, *Wlk.*
 oppertus, *Wlk.*
 novatus, *Wlk.*
 effectus, *Wlk.*
 opplens, *Wlk.*
 nitidicollis, *Wlk.*
 pergens, *Wlk.*
 obtexens, *Wlk.*
 deproperans, *Wlk.*
 obsistens, *Wlk.*
 pertractus, *Wlk.*
 moturus, *Wlk.*
 denotatus, *Wlk.*
 alligatus, *Wlk.*
 adjunctus, *Wlk.*
 cœquatus, *Wlk.*
 appositus, *Wlk.*
 perexilis, *Wlk.*
 compertus, *Wlk.*
 contingens, *Wlk.*
 fertus, *Wlk.*
 habilis, *Wlk.*

ictericus, *Wlk.*
 parilis, *Wlk.*
 affinis, *Wlk.*
 patens, *Wlk.*
 cingulatus, *Wlk.*
 expalpanus, *Wlk.*
 interseptus, *Wlk.*
 impensus, *Wlk.*
 nugax, *Wlk.*
 divisus, *Wlk.*

LEPTIDÆ.**LEPTIS, F.**

inutilis, Wlk.

EMPIDÆ.**RHAMPHOMYIA, Mg.**

saniculæ, Curt.

EMPIS, L.

gracilis, Curt.
unicolor, Wlk.
bistortæ, Wlk.

TACHINIDÆ.**TACHINA, Mg.**

flexa, Wlk.
interna, Wlk.
dispartita, Wlk.
disjuncta, Wlk.
nigrolineata, Wlk.
discrepans, Wlk.
immissa, Wlk.
retracta, Wlk.
comitata, Wlk.
intersecta, Wlk.
insuscepta, Wlk.
commissa, Wlk.
defecta, Wlk.

DEXIA, Mg.

figens, Wlk.

PART III.

ADDITIONAL
REPUTED BRITISH DIPTERA.

PULICIDÆ.

TYPHLOPSYLLA,
Tasch.

assimilis, *Tasch.*
orientalis, *Wagn.*

MYCETOPHILIDÆ.

CEROPLATUS, *Bosc.*
sesioides, *Whlbg.*

CULICIDÆ.

CULEX, *L.*
bicolor, *Mg.*

ASILIDÆ.

ISOPOGON, *Lw.*
hottentotus, *F.*

DYSMACHUS, *Lw.*
forcipatus, *L.*

THEREVIDÆ.

DIALINEURA, *Rnd.*
fuscipennis, *Mg.*

DOLICHOPODIDÆ.

NEURIGONA, *Rnd.*
Erichsonii, *Ztt.*

LONCHOPTERIDÆ.

LONCHOPTERA, *Mg.*
trilineata, *Ztt.*

PLATYPEZIDÆ.

PLATYPEZA, *Mg.*
boletina, *Fln.*

SYRPHIDÆ.

PARAGUS, *Ltr.*
albifrons, *Fln.*

CHILOSIA, Mg.

pubera, *Ztt.*
chloris, *Mg.*
olivacea, *Ztt.*

PLATYCHIRUS,
St. Farg.

latimanus, *Whlbg.*

SYRPHUS, F.

nigritarsis, *Ztt.*

CONOPIDÆ.

CONOPS, *L.*
vitellina, *Lw.*

TACHINIDÆ.

MASICERA, *Mcq.*
usta, *Ztt.*

EXORISTA, Mg.

hortulana, *Mg.*
arvensis, *Mg.*
volatica, *Mcq.*
angustipennis, *Mg.?*
heraclei, *Mg.*
laticella, *Mcq.*
consanguinea, *Mcq.*
impavida, *Mcq.*
pallipes, *Fln.*
parens, *Rnd.*

PHOROCERA, Dsv.

angusta, *Mcq.*

EXORISTA, Mg.

aratoria, *Mg.*
grandis, *Ztt.*

TRIXA, Mg.

dorsalis, *Mg.*
variegata, *Mg.*

NEMORÆA, Dsv.

histrio, *Mg.*

TACHINA, Mg.

morosa, *Mg.*
terminalis, *Mg.*

PHOROSTOMA, Dsv.

maritima, *Schin.*

ANTHOMYIDÆ.

LIMNOPHORA, *Dsv.*
albifrons, *Rnd.*

PEGOMYIA, Dsv.

hyoseyami, *Pz.*
Winthemi, *Mg.*

CORDYLURIDÆ.

MICROPROSOPA, *Beck.*
pallicauda, *Ztt.*

SCIOMYZIDÆ.

LUCINA, *Mg.*
maculipes, *Rnd.*

ORTALIDÆ.

PTEROPECILA, *Lw.*
lamed, *Schrk.*

TRYPETIDÆ.

TRYPETA, *Mg.*
matricariæ, *Lw.*

SAPROMYZIDÆ.

SAPROMYZA, *Fln.*
platycephala, *Lw.*

GEOMYZIDÆ.

DIASTATA, *Mg.*
fumipennis, *Mg.*
basalis, *Mg.*

PHYTOMYZIDÆ.

PHYTOMYZA, *Fln.*
nigricornis, *Mcq.*
chaerophylli, *Kalt.*

BORBORIDÆ.

LIMOSINA, *Mg.*
oilifera, *Rnd.*

PHORIDÆ.

PHORA, *Ltr.*
nigricornis, *Egg.*

Cambridge:

PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS.

THIS BOOK IS DUE ON THE LAST DATE
STAMPED BELOW

AN INITIAL FINE OF 25 CENTS

WILL BE ASSESSED FOR FAILURE TO RETURN
THIS BOOK ON THE DATE DUE. THE PENALTY
WILL INCREASE TO 50 CENTS ON THE FOURTH
DAY AND TO \$1.00 ON THE SEVENTH DAY
OVERDUE.

BIOLOGY LIBRARY

DUE

JUN 12 1981

Subject to Recall
Immediately

STANFORD

INTERLIBRARY LOAN
RETURNED TO

MAY 13 1981

MAY 29 1981

BIOLOGY LIBRARY

SENT ON ILL

JUL 02 1996

U. C. BERKELEY

A list of British Dip-
tera.

1901

BIOLOGY
LIBRARY
G

641423

BIOLOGY
LIBRARY
G

UNIVERSITY OF CALIFORNIA LIBRARY