3 1761 04901168 7

Weiss, Frederick Ernest
Outline classification of
the vegetable kingdom

QK
15
W4

Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

Victoria University of Manchester
Manchester Museum
(The Manchester Museum
Owens College)

MUSEUM HANDBOOKS

[No 21]

OUTLINE CLASSIFICATION
OF THE
VEGETABLE KINGDOM

by F. E. W. W. W.

3074

Price Twopence

The Manchester Museum
Owens College

MUSEUM HANDBOOKS

OUTLINE
CLASSIFICATION
OF THE
VEGETABLE KINGDOM

MANCHESTER:
J. E. CORNISH

—
1892

QK
95
W4

1139423

PREFACE.

In drawing up an Outline Classification of the Vegetable Kingdom, similar to the one published for the Animal Kingdom, I have included among the plants some organisms the nature of which is still under discussion, but which have at least as many affinities with plants as they have with animals. Thus the Peridinea and Myxomycetes will be found in both classifications, under different names it is true, but in each case placed among the organisms to which they seem most nearly allied.

Just as in the companion Outline both recent and fossil groups are included in this classification.

The natural orders of flowering plants are arranged according to Hooker's plan, which, if not always in agreement with the most recent research in systematic botany, is at least the classification most generally adopted in English Museums and Herbaria.

F. E. WEISS.

November, 1892.

I. CRYPTOGRAMÆ.

I. THALLOPHYTA.

II. BRYOPHYTA.

III. PTERIDOPHYTA.

II. PHANEROGAMÆ.

IV. GYMNOSPERMÆ.

V. ANGIOSPERMÆ.

THALLOPHYTA.

ALGÆ.

PERIDINEA.

DIATOMEÆ (BACILLARIACEÆ).

SCHIZOPHYCEÆ.

CYANOPHYCEÆ.

CHROOCOCCACEÆ.

OSCILLARIACEÆ.

NOSTOCACEÆ.

CHLOROPHYCEÆ.

CONJUGATÆ.

ZYGNEMACEÆ.

MESOCARPEÆ.

DESMIDIACEÆ.

PROTOCOCCOIDEÆ.

EREMOBIACEÆ (PROTOCOCCACEÆ).

HYDRODICTYACEÆ.

PALMELLACEÆ.

VOLVOCINEÆ.

SIPHONEÆ.

CODIACEÆ (GAMOSPORÆ).

DASYCLADIACEÆ.

CAULERPEÆ.

BOTRYDEÆ.

VAUCHERIAACEÆ.

CONFERVOIDEÆ.

ULOTHRICACEÆ.

CLADOPHORÆ.

CHÆTOPHORÆ.

ULVACEÆ.

COLEOCHÆTEÆ.

CEDOGONIACEÆ.

SPHÆROPLEACEÆ.

CHARACEÆ.

PHÆOPHYCEÆ (FUCOIDEÆ).

FUCACEÆ.

TILOPTERIDEÆ.

PHÆOSPORÆ.

THALLOPHYTA.—*Continued.*

ECTOCARPEÆ.
 SPHACELARIACEÆ.
 CUTLERIACEÆ.
 LAMINARIACEÆ.

RHODOPHYCEÆ (FLORIDEÆ).

CERAMIACEÆ.
 LEMNACEÆ.
 NEMALIEÆ.
 CORALLINEÆ.
 RHODOMELEÆ.

FUNGI.

SCHIZOMYCETES (BACTERIA).
 MYXOMYCETES (MYCETOZOA).
 EUMYCETES.

PHYCOMYCETES.

MUCORACEÆ.
 CHYTRIDIACEÆ.
 ENTOMOPHTHOREÆ.
 PERENOSPORACEÆ.
 SAPROLEGNIACEÆ.

ASCOMYCETES.

SACCHAROMYCETES.
 GYMNOASCI.
 PERISPORIACEÆ.

ERYSIPHEÆ.
 ASPERGILEÆ.
 TUBERACEÆ.

PYRENOMYCETES.
 DISCOMYCETES.

USTILAGINEÆ.

BASIDIOMYCETES.

PROTO-BASIDIOMYCETES.
 UREDINEÆ.
 TREMELLINEÆ.
 AUTO-BASIDIOMYCETES.
 HYMENOMYCETES.
 GASTROMYCETES.

LICHENES.

BRYOPHYTA (MUSCINEÆ).

HEPATICÆ.

- MARCHANTIACEÆ.
- ANTHOSCEROTACEÆ.
- JUNGERMANNIACEÆ.
- ACROGYNÆ.
- ANACROGYNÆ.

MUSCI.

- SPHAGNACEÆ.
- ANDREÆACEÆ (SCHIZOCARPÆ).
- PHASCACEÆ (CLEISTOCARPÆ).
- BRYINÆ (STEGOCARPÆ).
- ACROCARPÆ.
- PLEUROCARPÆ.

PTERIDOPHYTA.

EQUISETINEÆ.

- EQUISETACEÆ.
- CALAMARIEÆ.

SPHENOPHYLLÆ.

LYCOPODINEÆ.

- LYCOPODIACEÆ.
- PSILOTACEÆ.
- SELAGINELLACEÆ.
- ISOËTACEÆ.
- LEPIDODENDREÆ.
- SIGILLARIEÆ.

FILICINEÆ.

- EUSPORANGIATÆ.
- MARATTIACEÆ.
- OPHIOGLOSSACEÆ.
- LEPTOSPORANGIATÆ.
- OSMUNDACEÆ.
- SCHIZACACEÆ.
- GLEICHENIACEÆ.
- CYOTHACEÆ.
- POLYPODIACEÆ.
- HYMENOPHYLLACEÆ.

RHIZOCARPÆ (HYDROPTERIDES).

- MARSILACEÆ.
- SALVINIACEÆ.

GYMNOSPERMÆ.

CYCADACEÆ.

CYCADEÆ.

ZAMIEÆ.

STANGERIÆ.

EUZAMIEÆ.

CORDAITACEÆ.

CONIFERÆ.

PINOIDEÆ.

ABIETINEÆ.

ARAUCARINEÆ.

ABIETINÆ.

TAXODIINÆ.

CUPRESSINEÆ.

ACTINOSTROBINÆ.

THUJOPSIDINÆ.

CUPRESSINÆ.

JUNIPERINÆ.

TAXOIDEÆ.

PODOCARPEÆ.

TAXEÆ.

GNETACEÆ.

EPHEDREÆ.

GNETEÆ.

WELWITSCHIEÆ.

ANGIOSPERMÆ.

MONOCOTYLEDONES.

MICROSPERMÆ.

HYDROCHARIDEÆ.

BURMANNIACEÆ.

ORCHIDEÆ.

EPIGYNÆ.

SCITAMINEÆ.

BROMELIACEÆ.

HÆMODORACEÆ.

IRIDEÆ.

AMARYLLIDEÆ.

TACCACEÆ.

DIOSCOREACEÆ.

CORONARIÆÆ.

ROXBURGHIACEÆ.

LILIACEÆ.

PONTEDERIACEÆ.

PHILYDRACEÆ.

XYRIDEÆ.

MAYACEÆ.

COMMELINACEÆ.

RAPATEACEÆ.

CALYCINEÆ.

FLAGELLARIEÆ.

JUNCACEÆ.

PALMÆ.

NUDIFLORÆ.

PANDANEÆ.

CYCLANTHACEÆ.

TYPHACEÆ.

AROIDEÆ.

APOCARPÆ.

TRIURIDEÆ.

ALISMACEÆ.

NAIADACEÆ.

GLUMACEÆ.

ERIOCAULEÆ.

CENTROLEPIDÆÆ.

RESTIACEÆ.

CYPERACEÆ.

GRAMINEÆ.

ANGIOSPERMÆ.—*Continued.*

DICOTYLEDONES.

POLYPETALÆ.

THALAMIFLORÆ.

RANALES.

RANUNCULACEÆ.
 DILLENIACEÆ.
 CALYCANTHACEÆ.
 MAGNOLIACEÆ.
 ANONACEÆ.
 MENISPERMACEÆ.
 BERBERIDEÆ.
 NYMPHACEÆ.

PARIETALES.

SARRACENIACEÆ.
 PAPAVERACEÆ.
 CRUCIFERÆ.
 CAPPARIDEÆ.
 RESEDACEÆ.
 CISTINEÆ.
 VIOLARIEÆ.
 CANELACEÆ.
 BIXINEÆ.

POLYGALINÆ.

PITTOSPOREÆ.
 TREMANDREÆ.
 POLYGALEÆ.

CARYOPHYLLINÆ.

FRANKENIACEÆ.
 CARYOPHYLLEÆ.
 PORTULACEÆ.
 TAMARISCINEÆ.
 ELATINEÆ.
 HYPERICINEÆ.
 GUTTIFERÆ.
 TERNSTRÆMIACEÆ.
 DIPTEROCARPEÆ.
 CHLÆNACEÆ.

ANGIOSPERMÆ.—*Continued.*

MALVALES.

MALVACEÆ.
STERCULIACEÆ.
TILIACEÆ.

DISCIFLORÆ.

GERANIALES.

LINEÆ.
HUMIRIACEÆ.
MALPIGHIACEÆ.
LYGOPHYLLÆÆ.
GERANIACEÆ.
RUTACEÆ.
SIMARUBEÆ.
OCHNACEÆ.
BURSERACEÆ.
MELIACEÆ.
CHAILLETIACEÆ.

OLACALES.

OLACINEÆ.
ILICINEÆ.

CELASTRALES.

CELASTRINEÆ.
STACKHOUSIEÆ.
RHAMNEÆ.
AMPELIDÆ.

SAPINDALES.

SAPINDACEÆ.
SABIACEÆ.
ANACARDIACEÆ.

CORIAREÆ.
MORINGEÆ.

CALYCIFLORÆ.

ROSALES.

CONNARACEÆ.
LEGUMINOSÆ.
ROSACEÆ.
SAXIFRAGEÆ.

ANGIOSPERMÆ.—*Continued.*

CRASSULACEÆ.
 DROSERACEÆ.
 HAMAMELIDEÆ.
 BRUNIACEÆ.
 HALORAGEÆ.

MYRTALES.

RHIZOPHOREÆ.
 COMBRETACEÆ.
 MYRTACEÆ.
 MELASTOMACEÆ.
 LYTHRARIÆ.
 ONAGRARIÆ.

PASSIFLORALES.

SAMYDACEÆ.
 LOASEÆ.
 TURNERACEÆ.
 PASSIFLOREÆ.
 CUCURBITACEÆ.
 BEGONIACEÆ.
 DATISCEÆ.

FICOIDALES.

CACTACEÆ.
 FICOIDEÆ.

UMBELLALES.

UMBELLIFERÆ.
 ARALIACEÆ.
 CORNACEÆ.

GAMOPETALÆ.

INFERÆ.

RUBIALES.

CAPRIFOLIACEÆ.
 RUBIACEÆ.

ASTERALES.

VALERIANEÆ.
 DIPSACEÆ.
 CALYCEREÆ.
 COMPOSITÆ.

ANGIOSPERMÆ.—*Continued.*

CAMPANALES.

STYLIDIÆ.
GOODENOVIEÆ.
CAMPANULACEÆ.

HETEROMERÆ.

ERICALES.

VACCINIACEÆ.
ERICACEÆ.
MONOTROPEÆ.
EPACRIDÆ.
DIAPENSIACEÆ.
LENNOACEÆ.

PRIMULALES.

PLUMBAGINEÆ.
PRIMULACEÆ.
MYRSINÆ.

EBENALES.

SAPOTACEÆ.
EBENACEÆ.
STYRACEÆ.

BICARPELLATÆ.

GENTIANALES.

OLEACEÆ.
SALVADORACEÆ.
APOCYNACEÆ.
ASCLEPIADEÆ.
LOGANIACEÆ.
GENTIANÆÆ.

POLEMONIALES.

POLEMONIACEÆ.
HYDROPHYLLACEÆ.
BORAGINEÆ.
CONVOLVULACEÆ.
SOLANACEÆ.

PERSONALES.

SCROPHULARINEÆ.
OROBANCHACEÆ.

ANGIOSPERMÆ.—*Continued.*

LENTIBULARIÆ.
 COLUMELLIACÆ.
 GESNERACÆ.
 BIGNONIACÆ.
 PEDALINEÆ.
 ACANTHACÆ.

LAMIALES.

MYOPORINEÆ.
 SELAGINEÆ.
 VERBENACÆ.
 LABIATÆ.

 PLANTAGINEÆ.

MONOCHLAMYDEÆ.

CURVEMBRYÆ.

NYCTAGINEÆ.
 ILLECEBRACÆ.
 AMARANTACÆ.
 CHENOPODIACÆ.
 PHYTOLACCACÆ.
 BATIDEÆ.
 POLYGONACÆ.

MULTIOVULATÆ AQUATICÆ.

PODOSTEMACÆ.

MULTIOVULATÆ TERRESTRES.

NEPENTHACÆ.
 CYTINACÆ.
 ARISTOLOCHIACÆ.

MICREMBRYÆ.

PIPERACÆ.
 CHLORANTHACÆ.
 MYRISTICÆ.
 MONIMIACÆ.

DAPHNALES.

LAURINEÆ.
 PROTEACÆ.
 THYMELÆACÆ.
 PENÆACÆ.
 ELÆAGNACÆ.

ANGIOSPERMÆ.—*Continued.***ACHLAMYDOSPOREÆ.**

LORANTHACEÆ.
SANTALACEÆ.
BALANOPHOREÆ.

UNISEXUALES.

EUPHORBIACEÆ.
BALANOPSEÆ.
URTICACEÆ.
PLANTANACEÆ.
LEITNERIEÆ.
JUGLANDEÆ.
MYRICACEÆ.
CASUARINEÆ.
CUPULIFERÆ.

ORDINES ANOMALI.

SALINICEÆ.
LACISTEMACEÆ.
EMPETRACEÆ.
CERATOPHYLLEÆ.

QK
95
W4

Weiss, Frederick Ernest
Outline classification of
the vegetable kingdom

Biological
& Medical

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY