RB
1
C15
v.2
no.21

Harris, Franklin I.

The action of ultraviolet
light on certain bacteria in
relation to specific absorption
by amino acids

UNIVERSITY OF CALIFORNIA PUBLICATIONS
IN
PATHOLOGY

Vol. 2, No. 21, pp. 245-250

March 25, 1919

THE ACTION OF ULTRAVIOLET LIGHT ON
CERTAIN BACTERIA IN RELATION
TO SPECIFIC ABSORPTION
BY AMINO ACIDS

BY

FRANKLIN I. HARRIS AND HUBBARD S. HOYT

UNIVERSITY OF CALIFORNIA PRESS
BERKELEY

UNIVERSITY OF CALIFORNIA PUBLICATIONS

Note.—The University of California Publications are offered in exchange for the publications of learned societies and institutions, universities and libraries. Complete lists of all the publications of the University will be sent upon request. For sample copies, lists of publications or other information, address the Manager of the University Press, Berkeley, California, U. S. A. All matter sent in exchange should be addressed to The Exchange Department, University Library, Berkeley, California, U. S. A.

PATHOLOGY.—Frederick P. Gay, Editor. Price per volume \$2.50. Volume I (pp. 349) completed. Volume II in progress.

Cited as Univ. Calif. Publ. Path.

Vol. 1.	1. On the Quantitative Separation of the Globulins of Hemolytic Serum, with Special Reference to the Carbon Dioxide Group, by Clarence Quinan. Pp. 1-5. July 11, 1903	.05
	2. On the Hydrolysis of Protamine, with Especial Reference to the Action of Trypsin, by Alonzo Englebert Taylor. Pp. 7-31. February 17, 1904	.25
	3. On the Synthesis of Fat through the Reversed Action of a Fat-splitting Enzyme, by Alonzo Englebert Taylor. Pp. 33-42. March 29, 1904.	
	4. On the Occurrence of Amido-Acids in Degenerated Tissues, by Alonzo Englebert Taylor. Pp. 43-47. March 30, 1904.	
	Nos. 3 and 4 in one cover	.25
	5. On the Autolysis of Protein, by Alonzo Englebert Taylor. Pp. 49-63. June 24, 1904.	
	6. On the Reversion of Tryptic Digestion, by Alonzo Englebert Taylor. Pp. 65-70. June 24, 1904.	
	Nos. 5 and 6 in one cover	.25
	7. Studies on an Ash-Free Diet, by Alonzo Englebert Taylor. Pp. 71-86. July 30, 1904	.20
	8. On Fermentation, by Alonzo Englebert Taylor. Pp. 87-341. February 16, 1907	\$2.00
	9. On the Synthesis of Protein through the Action of Trypsin, by Alonzo Englebert Taylor. Pp. 343-347. February 21, 1907	.05
	No. 8, On Fermentation, is also published separately, in a brochure of 255 pages. Price \$2.	
Vol. 2.	1. The Fixation Reaction in Relation to the Formation of Specific Serum Precipitates, by Frederick P. Gay. Pp. 1-22. August 22, 1911	.20
	2. A Comparison between the Bordet-Gengou Fixation Reaction and the Wassermann Reaction, based on the Relative Dosage of the Reacting Substances, by Frederick P. Gay. Pp. 23-28. August 22, 1911	.05
	3. On the Relation between Rat and Human Leprosy, by L. S. Schmitt. Pp. 29-37. September 2, 1911	.05
	4. The Non-Antigenic Properties of Lipoids Extracted from Human Livers with a Method of Preparation of Antigen for Use in the Wassermann Reaction, by J. G. Fitzgerald and J. B. Leathes. Pp. 39-46. May 17, 1912	.10
	5. Systemic Oidiomycosis, a Study of Two Cases Developing Terminal Oidiomycotic Meningitis, by Glanville Y. Rusk. Pp. 47-58. June 21, 1912	.15
	6. Studies on the Origin of Antibodies I. The Persistence of a Soluble Antigen in the Serum of Immunized Rabbits, by Frederick P. Gay and G. Y. Rusk. Pp. 59-72. June 21, 1912.	
	7. Note on the Negative Effect of Iodipin on the Output of Artificial Hemolysins, by Frederick P. Gay and G. Y. Rusk. Pp. 73-76. June 21, 1912.	
	Nos. 6 and 7 in one cover	.20
	8. An Improved Rapid Method of Producing Precipitins and Hemolysins, by Frederick P. Gay and J. G. Fitzgerald. Pp. 77-82. June 26, 1912	.05
	9. A Comparison of Chemical with Microchemical Methods for the Determination of Varying Amounts of Glycogen in the Liver, by G. Y. Rusk. Pp. 83-89. October 31, 1912	.05
	10. A Rapid Method of Producing Bacterial Agglutinins, by Edna Locke. Pp. 91-96. October 31, 1912	.05

UNIVERSITY OF CALIFORNIA PUBLICATIONS
IN
PATHOLOGY

Vol. 2, No. 21, pp. 245-250

March 25, 1919

THE ACTION OF ULTRAVIOLET LIGHT ON
CERTAIN BACTERIA IN RELATION
TO SPECIFIC ABSORPTION
BY AMINO ACIDS

BY

FRANKLIN I. HARRIS AND HUBBARD S. HOYT

(From the Department of Pathology and Bacteriology, University of California)

Within recent years considerable interest has been shown in the study of the ultraviolet radiations in relation to their toxicity for living protoplasm. It was early found that these radiations exert a highly toxic influence on protoplasm exposed to them. Henri,^{1, 2} in conjunction with various co-workers, has done pioneer work in this field, and was the first worker to point out the possibility of a practical application of this subject, namely, in the sterilization of various substances and solutions. Further work on the germicidal effect of ultraviolet light has been done by Houghton and Davis,³ who found that the rays produced by the Cooper-Hewitt mercury arc exert a strong bacterial action on various species of bacteria, including spore forming organisms.

The action of these radiations was recognized as a photochemical process, and was supposed to be due to the absorption of the rays by the bacterial protoplasm. In a previous report^{4, 5} we studied this phase of the problem and proceeded on the basis of the first law of photochemical action, that in a photochemical system, to be effective, the rays must be absorbed, usually by specific constituents. We have further shown that the toxic

action of ultraviolet light obeys this law and is due to the absorption of the rays by certain constituents of all living protoplasm, namely, the tyrosine and phenylalanin radicals of the protein molecules. These two acids are the specific absorbents in living protoplasm for the rays of the mercury arc.

The object of the present work was to confirm this work, using bacteria as a biological test, and further to study the relative speed of absorption of the ultraviolet rays by the protoplasm of the various types of bacteria.

METHODS

Three organisms were selected as typifying three general groups of bacteria, which are classed on the basis of the possession or lack of protective structures, spores and capsules.

1. A non-sporulating, non-capsulated organism, *Staphylococcus aureus*.
2. A sporulating, non-capsulated organism, *Bacillus subtilis*.
3. A capsulated, non-sporulating organism, *B. mucosus capsulatus*.

For the exposure of these organisms various methods were tried. The organisms were grown on agar slants for twenty-four hours, and then washed off with sterile 0.85% NaCl. A preliminary exposure was made with a given amount of each saline suspension exposed directly to the rays. As no consistent results were obtained by this method, due undoubtedly to the absorption of the rays by the upper layers of the bacterial suspension, this method was abandoned.

A number of plating methods were then tried. Melted agar was poured at 42° C and allowed to harden in ten centimeter petri dishes. To prevent condensation it was found best to cover with sterile tile covers. After hardening three methods of inoculation were tried.

a. Two separate streaks were made with a loop full of saline suspension, one on either side of the diameter of the plate. Half of the plate was then exposed, the other half being protected by a glass cover, covered with black paper. The plate was then

incubated twenty-four hours, and the colonies were identified directly, or, in suspicious cases, smears were made. The objection to this method was that there was no certainty that the control streak and the exposed streak were similarly inoculated.

b. To overcome this objection a single large streak in the shape of the letter "Z" was made of one loopful of bacterial suspension, and half the plate exposed as before.

c. Another plating method experimented with was to flood the entire plate with a definite amount of saline suspension and then expose one side, as in the above.

Plating methods were also abandoned finally because they did not yield uniform results, due undoubtedly to some organisms getting in under the agar and being protected by the protein material.

The method finally employed was a cover slip method suggested by Professor Ivan C. Hall. Upon one surface of a sterile cover slip one loopful of saline suspension of a twenty-four hour agar growth was placed and allowed to dry in a sterile petri dish. Assuming the saline suspension to be uniform each cover slip therefore had approximately the same number of organisms. When dry the cover slips were exposed directly to the rays by placing them in a petri dish 12 cm. below the arc of the Cooper-Hewitt machine. After the given exposure the cover slip was picked up with sterile forceps, dropped into a tube of broth, the broth was incubated for forty-eight hours, and the results observed. The growth of these three organisms in broth is quite characteristic, and no further examination was usually necessary. In doubtful cases agar plates were streaked from the broth and the organisms were identified by the usual methods.

The exposures varied from five seconds to 200 seconds. Somewhat over 100 exposures were made, and although there were slight discrepancies in the results, due to the objections mentioned to plating methods, consistent results were obtained by the cover slip method, so that we may definitely say that:

Bacillus mucosus capsulatus was killed after 20 seconds.

Staphylococcus " " " 90 "

B. subtilis " " " 150 "

These figures represent the relative resistance of these three organisms.

The protective action of the amino acids was then studied. The cover slips were exposed as before, but between the cover slip and the are a quartz beaker containing the given amino acid was interposed, so that the rays before striking the organisms passed through the amino acids. The results obtained confirm our previous work. With *B. subtilis*, whose normal extermination period is 150 seconds, we found exposure for forty minutes to ultraviolet light passed through 1% tyrosin solution exerted no toxic effect upon the bacilli, a good growth being obtained in forty-eight hours. Similarly, *Staphylococcus aureus* gave good growth after forty minutes; *B. mucosus capsulatus*, though not tested after longer exposure, gave satisfactory growth after ten minutes.

A good growth was also obtained with amino-benzoic acid after exposure of these organisms for 3200 seconds to ultraviolet light detoxicated by passing through this substance. Phenylalanin could not be secured, but there is little doubt that similar results could be obtained with it.

These results confirm those of our previous report^{4,5} and indicate that the aromatic amino-acid radicals are the absorbing substances in bacteria as well as in protozoa. Kober's⁶ work placed the absorption band for tyrosin at 248 to 297 μ , or 2480–2970 Angstrom units, of wave length, and for phenylalanin 236–271 μ , or 2360–2710 Angstrom units.

Therefore ultraviolet light, of wave lengths 2360–2970 Angstrom units, should contain practically all of the rays toxic for protoplasm. Two recent papers have appeared, however, which report different results. Browning and Russ⁷ found the toxic action of ultraviolet light falling off sharply at 2960 A.U., which would apparently correspond with one edge of the tyrosine band. They report, however, an apparently constant toxicity from 2960–2100 A.U., and did not investigate below 2100 A.U. Newcomer^{8, 9} reported also a constant toxicity from 2100 A.U. up to a little less than 2900 A.U., the toxicity falling off to practically zero at 2970 A.U. The region in which tyrosine and phenylalanin

are both absorbed, i.e. 2480 to 2710 A.U., should be the most toxic for protoplasm, whereas the region containing wave lengths shorter than 2300 A.U. should be relatively non-toxic.

Our former experiments conclusively demonstrated that a solution of tyrosine will absorb practically all of the toxic rays, those getting through not being sufficiently toxic to kill paramecia after exposure for forty minutes, whereas if the rays absorbed by tyrosine were allowed to act the paramecia were killed in 100 seconds.

CONCLUSIONS

1. The aromatic amino acid radicals are among the substances in bacteria affected by the action of ultraviolet light, as was shown for paramecium in a previous report.

2. The ultraviolet radiations produced by the mercury are of wave lengths not absorbed by tyrosine and phenylalanin are relatively non-toxic. Therefore, using Kober's determinations for the wave lengths corresponding to these two absorption bands, the ultraviolet radiations which are toxic for protoplasm are of wave lengths from 2480-2710 A.U.

3. In the three types of bacteria studied capsulated organisms were found to be most susceptible and sporulating organisms most resistant to the action of ultraviolet light. The work suggests strongly that the protoplasm of *Bacillus mucosus capsulatus* contains greater amounts of the above mentioned substances than the non-capsulated staphylococcus and the sporulating hay bacillus.

Transmitted February 6, 1919.

LITERATURE CITED

- ¹ Henri, Victor, Helbronner, André, and de Recklinghausen, Max. Stérilisation de grandes quantités d'eau par les rayons ultraviolets. *Compt. rend. de l'Acad. d. Sci.*, T. 150, 1910, pp. 932-934.
- ² Bielecki, Jean, and Henri, Victor. Étude quantitative de l'absorption des rayons ultraviolets par les cétones, les dicétones et les acides cétoniques. *Compt. rend. de l'Acad. d. Sci.*, T. 156, 1913, pp. 1322-1324.
- ³ Houghton, E. M., and Davis, Lewis. A Study of the Germicidal Action of the Ultraviolet Rays. *Am. Jour. of Public Health*, vol. iv, 1914, pp. 224-240, 3 text figs.
- ^{4, 5} Harris, F. I., and Hoyt, H. S. The Possible Origin of the Toxicity of Ultra-violet Light. *Science*, n.s., vol. xlv, 1917, pp. 318-320. Review in *The Jour. of the Am. Med. Assoc.*, vol. lxix, 1917, pp. 1433-1434.
- ⁶ Kober, P. A. Spectrographic Study of Amino Acids and Polypeptides. *Jour. Biol. Chem.*, vol. xxii, 1915, pp. 433-441.
- ⁷ Browning, C. H., and Russ, Sidney. The Germicidal Action of Ultra-Violet Radiation, and its Correlation with Selective Absorption. *Proc. of the Roy. Soc., Ser. B.*, vol. 90, 1917, pp. 33-38, pl. 3.
- ⁸ Newcomer, H. S. Bactericidal Fluorescence Excited by X-rays. *Jour. Exp. Med.*, vol. xxvi, 1917, pp. 657-668.
- ⁹ — Abiotic Action of Ultra-violet Light. *Jour. Exp. Med.*, vol. xxvi, pp. 841-848, pl. 66.

UNIVERSITY OF CALIFORNIA PUBLICATIONS—(Continued)

11. A Stable Medium for the Production of Potent Tetanus Toxin, by Ivan C. Hall. Pp. 97-102. August 30, 1913	.05
12. The Impossibility of Differentiation Between Monkey Blood and Human Blood by Means of Antisera Derived from Monkeys, by Hugh K. Berkeley. Pp. 105-110. September, 1913	.05
13. Studies on Conglutination, by Ivan C. Hall. Pp. 111-125. September, 1913	.15
14. Preliminary Note on a Skin Reaction Indicating Protection Against Typhoid Fever, by F. P. Gay and J. N. Force. Pp. 127-130. November, 1913	.05
15. Forensic Value of the Precipitin Test in the Enforcement of the Game Laws in California, by Frank C. Clarke. Pp. 131-138. April, 1914....	.05
16. Studies on the Locus of Antibody Formation II. The Effect of Benzol Intoxication and Consequent Leucopenia on the Formation of Artificial Hemolysins and Precipitins, by G. Y. Rusk. Pp. 139-145. September 1914	.05
17. A New Aerobic-Anaerobic Culture Tube, by Ivan C. Hall. Pp. 147-155. September, 1915	.10
18. Studies on the Formation and Antigenic Properties of Certain Compound Proteins, by Carl L. A. Schmidt. Pp. 157-204. August, 1916	.50
19. An Investigation of the Ratio of Globulins to Albumins in the Blood-Serum of Normal Rabbits and of Rabbits Immunized Against Bacillus Typhosus, by Homer Righetti. Pp. 205-214. September, 1916..	.10
20. The Effect of Certain Aluminum Compounds on the Metabolism of Man, by Carl L. A. Schmidt and D. R. Hoagland. Pp. 215-244. March, 1919	.35
21. The Action of Ultraviolet Light on Certain Bacteria in Relation to Specific Absorption by Amino Acids, by Franklin I. Harris and Hubbard S. Hoyt. Pp. 245-250. March, 1919	.10

PHYSIOLOGY.—S. S. Maxwell, Editor. Price per volume \$2. Volumes I (pp. 217), II (pp. 215), III (pp. 197), and IV (pp. 228) completed. Volume V in progress.

Vol. 4. 1. Experiments on the Functions of the Internal Ear, by S. S. Maxwell. Pp. 1-4. September, 1910	.05
2. On the Rise of Temperature in Rabbits, caused by the Injection of Salt Solutions, by Theo. C. Burnett. Pp. 5-7. September, 1910	.05
3. A Biochemical Conception of Dominance, by A. B. Moore. Pp. 9-15. September, 1910	.05
4. Galvanotropic Orientation in Gonium Pectorale, by A. B. Moore and T. H. Goodspeed. Pp. 17-23. May, 1911	.05
5. On a Possible Source of the Biological Individuality of the Tissues and Tissue-fluids of Animal Species, by T. Brailsford Robertson. Pp. 25-30. May, 1911	.05
6. Some Factors Influencing the Quantitative Determination of Gliadin, by J. E. Greaves. Pp. 31-74. August, 1911	.40
7. Errors in Refraction Occurring in the Students of the University of California, by Theo. C. Burnett. Pp. 75-77. August, 1911	.05
8. On the Cytolytic Action of Ox-Blood Serum upon Sea-urchin Eggs, and Its Inhibition by Proteins, by T. Brailsford Robertson. Pp. 79-88. February, 1912	.10
9. On the Nature of the Cortical Layer in Sea-urchin Eggs, by A. B. Moore. Pp. 89-90.	
10. On the Nature of the Sensitization of Sea-urchin Eggs by Strontium Chloride, by A. B. Moore. Pp. 91-93.	
Nos. 9 and 10 in one cover. March, 1912	.05
11. On the Isolation of Oöcytase, the Fertilizing and Cytolyzing Substance in Mammalian Blood Sera, by T. Brailsford Robertson. Pp. 95-102.	
12. On the Extraction of a Substance from the Sperm of the Sea-urchin (<i>Strongylocentrotus purpuratus</i>) which will Fertilize the Eggs of that Species, by T. Brailsford Robertson. Pp. 103-105.	
13. The Demonstration of "Masked" Iron in Blood, by C. B. Bennett. Pp. 107-108.	
Nos. 11, 12, and 13 in one cover. March, 1912	.10

UT		(continued)	
14.		derms, by A.	
15.		Living Muscle?	
		Glucose, a New	.05
		-183. September	.75
		rychnine, by A. R.	.05
18.	On the Volume Changes in the Arm during	Muscular Exercise, by	
	Esther V. Starkweather. Pp. 187-200. October, 1913		.15
19.	The Blood-pressure Effects of the Application of Creatin to the		
	Cerebral Cortex, by R. S. Sherman. Pp. 201-206, plate 1. Septem-		.05
	ber, 1914		
20.	A Comparison of the Weights at Birth of British Infants Born in the		
	British Isles, the United States, and Australia (Preliminary Com-		.05
	munication), by T. Brailsford Robertson. Pp. 207-210. January, 1915		
21.	Tables for the Computation of Curves of Autocatalysis, with Especial		
	Reference to Curves of Growth, by T. Brailsford Robertson. Pp. 211-		.20
	228. March, 1915		
Vol. 5.	1. The Effect of Lecithin and Cholesterol upon the Division Rate of Para-		
	mecium, by Aline Browder. Pp. 1-3. September, 1915		.05
	2. The Simultaneous Administration of Pituitary and Thymus to Growing		
	Chicks, by Samuel S. Maxwell. Pp. 5-8. March, 1916		.05
	3. The Growth of Normal and Hypophysectomized Tadpoles as Influenced		
	by Endocrine Diets, by P. E. Smith. Pp. 11-22, 2 figures in text.		.15
	April, 1918		
	4. Table of P_H , H^+ and OH^- Values Corresponding to Electromotive Forces		
	Determined in Hydrogen Electrode Measurements, with a Bibliog-		
	raphy, by Carl L. A. Schmidt and D. R. Hoagland. Pp. 23-68....(In press)		

MEMOIRS OF THE UNIVERSITY OF CALIFORNIA (Quarto).

Vol. 1.	1. Triassic Ichthyosauria, with special reference to the American Forms,		
	by John C. Merriam. Pp. 1-196, plates 1-18, 154 text figures. Sep-		
	tember, 1903		\$3.00
	2. The Fauna of Rancho La Brea. Part 1, Occurrence, by John C. Mer-		
	riam. Pp. 197-213, plates 19-23. November, 1911		.30
	The Fauna of Rancho La Brea. Part 2, Canidae, by John C. Merriam.		
	Pp. 215-272, plates 24-28, 35 text figures. October, 1912		.80
Vol. 2.	The Silva of California, by Willis Linn Jepson. 480 pages, 85 plates, 3		
	maps. December, 1910. Cloth \$7.50, paper		5.00
Vol. 3.	Business Cycles, by Wesley C. Mitchell. xviii + 610 pages, with 77		
	charts. September, 1913. Cloth, \$7.50, paper		5.00
Vol. 4.	1. The <i>Battle of the Seven Arts</i> ; a French Poem by Henri d'Andeli,		
	Trouvère of the Thirteenth Century. Edited and Translated, with		
	Introduction and Notes, by Louis J. Paetow. July, 1914		.75

Other series in Agricultural Sciences, American Archaeology and Ethnology, Botany, Classical Philology, Economics, Education, Egyptian Archaeology, Engineering, Entomology, Geography, Geology, Graeco-Roman Archaeology, History, Mathematics, Modern Philology, Psychology, Semitic Philology, Zoology.

UNIVERSITY OF CALIFORNIA CHRONICLE.—An official record of University life, issued quarterly, edited by a committee of the faculty. Price \$1.00 per year. Current volume No. XXI.

ADMINISTRATIVE BULLETINS OF THE UNIVERSITY OF CALIFORNIA.—Edited by the Recorder of the Faculties. Includes the Register, the President's Report, the Secretary's Report, and other official announcements.

Address all orders or requests for information concerning the above publications to The University of California Press, Berkeley, California.

3 1970 00540 3503

UC SOUTHERN REGIONAL LIBRARY FACILITY

D 000 625 611 9