3 1761 02463691 2

LIBRARY
FACULTY OF FORESTRY
UNIVERSITY OF TORONTO

11040

THE TREES OF GREAT BRITAIN AND IRELAND

THE TREES
OF
GREAT BRITAIN
AND IRELAND

BY
HENRY JOHN ELWES, F.R.S.

AND
AUGUSTINE HENRY, M.A.

INDEX, ETC.

EDINBURGH: PRIVATELY PRINTED
MCMXIII

131138
31/11/14

QK

488

E5

1906

Index

CONTENTS

LIST OF SUBSCRIBERS	PAGE vii
POSTSCRIPT BY H. J. ELWES	xiii
POSTSCRIPT BY A. HENRY	xxi
LIST OF ERRATA AND ADDENDA	1935
INDEX	1943

Digitized by the Internet Archive
in 2007 with funding from
Microsoft Corporation

LIST OF SUBSCRIBERS

Ackers, B. St. John, Esq., Huntley Manor.	Beaufort, The Duchess of, Badminton.
Acland, Sir C. T. D., Bart., Killerton, Exeter.	Bedford, The Duchess of, The Abbey, Woburn.
Addington, Lord, 24 Princes Gate, London.	Bedford, The Duke of, K.G., The Abbey, Woburn (two copies).
Ailsa, The Marquess of, Culzean Castle, Maybole, Scotland.	Benson, Lieut.-Col. L., Whinfold, Hascombe, Godalming.
Andrews, Hugh, Esq., Toddington Manor, Winchcombe.	Bentham Trustees, The, Royal Botanic Gardens, Kew (two copies).
Ashton Court Estate, The, Long Ashton, Bristol.	Berkeley, The Earl of, Foxcombe, near Oxford.
Avondale Forestry Station, Rathdrum, Co. Wicklow.	Biddulph, Lord, Ledbury, Herefordshire.
Backhouse, R. O., Esq., Sutton Court, Herefordshire.	Birkbeck, Robert, Esq., 20 Berkeley Square, London.
Bacon, R. C., Esq., Willingham by Stow, near Gainsborough.	Bosanquet, Percival, Esq., Ponfield, Herts.
Bagot, Lord, Blithfield, Rugeley.	Bowles, E. A., Esq., Myddelton House, Waltham Cross, Herts.
Baird, H. R., Esq., Durris House, Drumoak, Aberdeenshire.	Bradford, The Earl of, Weston Park, Shifnal.
Baker, H. Clinton, Esq., Bayfordbury, Herts.	Brassey, Albert, Esq., Heythrop, Chipping Norton.
Balfour, F. R. S., Esq., 39 Phillimore Gardens, London.	Brodie of Brodie, Brodie Castle, Forres, Scotland (two copies).
Barclay, F. H., Esq., The Warren, Cromer.	Brownlow, Earl, Belton House, Grantham.
Barclay, R. L., Esq., Gaston House, Bishop Stortford.	Bubb, Henry, Esq., Ullenwood, Cheltenham.
Barrymore, Lord, Fota, Quecstown, Ireland.	Buchanan, J. Hamilton, Esq., Leny, Calander, Scotland.
Bath, The Marquess of, Longleat, Warminster.	Burroughes, T. H., Esq., 16 Lower Berkeley Street, London.
Bathurst, Earl, Cirencester.	
Battersea, the late Lord, The Pleasaunce, Overstrand, Cromer.	Carlile, W. W., Esq., Gayhurst, Newport-Pagnell.
Battye, A. Trevor, Esq., Ashford Chase, Petersfield, Hants.	Carlton Club Library, Pall Mall, London.
Bazley, the late Gardner S., Esq., Hatherop Castle, Fairford, Gloucestershire.	Castletown of Upper Ossory, Lord, Done-rail Court, Ireland.
Bazley, Sir T. S., Bart., Kilmore, Torquay.	Cator, Mrs., Trewsbury, Coates, Cirencester.
Beauchamp, the late Sir R. P., Bart., Langley Park, Norfolk.	Cawdor, the late Earl, Stackpole Court.
	Chadwick, the late Major, Findhorn House, Forres, Scotland.

- Chambers, the late B. E. C., Esq., Grayswood Hill, Haslemere.
- Champion, W. N. L., Esq., Riddlesworth Hall, Thetford, Norfolk.
- Charterhouse School, The, Godalming.
- Cheylesmore, Lord, K.C.V.O., 16 Princes Gate, London.
- Chichester, Major C. H., Hall, Barnstaple.
- Childe, Mrs. Baldwyn, Kyre Park, Tenbury.
- Cirencester, The Royal Agricultural College.
- Clark, Kenneth M., Esq., Sudbourne Hall, Orford, Suffolk.
- Clarke, Harvey R. G., Esq., Brook House, Hayward's Heath, Sussex.
- Clarke, Stephenson R., Esq., C.B., Borde Hill, Cuckfield, Sussex.
- Clifford, Henry F., Esq., The Grange, Frampton-on-Severn, Gloucestershire.
- Clinton, Lord, Heanton Satchville, Dolton, N. Devon.
- Cockburn, N. C., Esq., Harmston Hall, Lincoln.
- Colley, T. H. Davies-, Esq., 71 Princess Street, Manchester.
- Conant, E. W. P., Esq., Lyndon Hall, Oakham.
- Cookson, Hugh, Esq., Trelissick, Truro.
- Cornwall, the late Rev. Sir George H., Bart., Moccas Court, Hereford.
- Cowdray, Lady, Dunecht House, Aberdeenshire.
- Cranbrook, the late Earl of.
- Crewdson, Theodore, Esq., Spurs, Styal, Handforth, Cheshire.
- Crichton, The Hon. Arthur, 8 Southwick Crescent, London.
- Dalrymple, The Hon. Hew, Lochinch, Castle Kennedy, Wigtownshire.
- Darnley, The Earl of, Cobham Hall, Kent.
- Davies, Capt. H. Kevill-, Croft Castle, Kingsland, Herefordshire.
- Dawnay, The Hon. Mrs., Ruston, Wykeham, Yorkshire.
- De Mauley, Lord, Langford House, Lechlade, Oxfordshire.
- Dent, Major John W., Ribston Hall, Wetherby, Yorkshire.
- De Vesci, Viscount, Abbey Leix, Ireland.
- Dimsdale, R., Esq., Eastleach, Lechlade, Oxfordshire.
- Dorington, the late Rt. Hon. Sir John E., Bart.
- Drummond, Mrs. Hay, Cromlix, Dunblane.
- Duchesne, M. C., Esq., Farnham Common, Slough, Bucks.
- Ducie, The Earl of, Tortworth Court, Gloucestershire (two copies).
- Dunsmuir, The Hon. James, Victoria, B.C.
- Dyer, Sir William T. Thiselton-, F.R.S., Great Witcombe, Gloucester.
- Eldon, The Earl of, Stowell Park, Gloucestershire.
- Elwes, the late Arthur H. S., Esq., Congham House, King's Lynn.
- Elwes, the late V. D. H. Cary-, Esq., Billing Hall, Northamptonshire.
- Enys, the late John D., Esq., Enys, Penryn, Cornwall.
- Evans, John D. D., Esq., Ffrwdgrech, Brecon.
- Fenwick, Mark, Esq., Abbotswood, Stow-on-the-Wold.
- Fenwick, Walter L., Esq., Witham Hall, Bourne.
- Firebrace, C. W., Esq., Danehurst, Uckfield, Sussex.
- Fletcher, W. H. B., Esq., Aldwick Manor, Bognor.
- Flux, the late William, Esq.
- Ford, the late Mrs., Pencarrow, Cornwall.
- Foster, P. S., Esq., Canwell Hall, Sutton Coldfield.
- Foster, W. R., Esq., The Granville, Ilfracombe.
- Fotheringham, W. Steuart, Esq., Murthly Castle, Perthshire.
- Francis, T. Musgrave, Esq., Quy Hall, near Cambridge.
- Garnett, W., Esq., Quernmore Park, Lancaster.
- Gascoigne, Col., Lotherton, Aberford, Leeds.
- Gibbs, the late Antony, Esq., Tyntesfield, Bristol.
- Gibbs, The Hon. Herbert C., 9 Portman Square, London.

List of Subscribers

ix

Gibbs, The Hon. Vicary, Aldenham House,
Elstree.

Gilbey, Lieut.-Col. Alfred, Twyford Lodge,
Winchester.

Glasgow, The Mitchell Library.

Glasnevin, The Royal Botanic Gardens.

Godman, F. Ducane, Esq., F.R.S., South
Lodge, Horsham.

Goold, John C., Esq., Killeen Glebe, Duns-
haughlin, Co. Meath.

Greaves, R. M., Esq., Wern, Portmadoc.

Grosvenor, Lady Hugh, 9 Southwick Cres-
cent, London.

Gull, Sir W. Cameron, Bart., Frilsham House,
Yattendon, Newbury.

Hamilton, The Duke of, Hamilton Palace.

Hanbury, Cecil, Esq., Queen Anne's Man-
sions, London.

Hardy, Laurence, Esq., Sandling Park,
Hythe, Kent.

Harford, H. W. L., Esq., Horton, Chipping
Sodbury, Gloucestershire.

Harford, John C., Esq., Falcondale, Lam-
peter.

Harlech, Lord, Brogyntyn, Oswestry.

Havelock, W. B., Esq., The Nurseries,
Brocklesby Park, Lincolnshire.

Hawkshaw, John C., Esq., Hollycomb, Lip-
hook, Hampshire.

Hazlerigg, Sir Arthur G., Bart., Noseley
Hall, Leicester.

Hindmarsh, the late W. T., Esq., Alnwick.

Holford, Sir George L., K.C.V.O., Weston
Birt House, Tetbury.

Horlick, James, Esq., Cowley Manor, near
Cheltenham (three copies).

Howard, Sir E. Stafford, K.C.B., Thornbury
Castle, Gloucestershire.

Hudson, Edward, Esq., 15 Queen Anne's
Gate, London.

Izquierdo, Señor Don Salvador, Santiago de
Chile.

James, A. J., Esq., Edgeworth Manor, Ciren-
cester.

James, Henry A., Esq., Hurstmonceaux
Place, Hailsham, Sussex.

James, the late William D., Esq., West Dean
Park, Chichester.

Joicey, James, Esq., Poulton Priory, Ciren-
cester.

Kekewich, T. H., Esq., Peamore, Exeter.

Kesteven, Lord, Casewick, Stamford.

Keyser, Charles E., Esq., Aldermaston Court,
near Reading.

Kingscote, Thomas, Esq., Watermoor House,
Cirencester.

Lawrence, C. W., Esq., Sandywell Park,
Gloucestershire.

Leatham, A. W., Esq., Miserden Park,
Gloucestershire.

Leicester, The Earl of, Holkham, Norfolk.

Lennard, Sir Henry A. H. F., Bart., Wick-
ham Court, West Wickham, Kent.

Lewis, John B., Esq., 65 Goulbourn Avenue,
Ottawa, Canada.

Llewellyn, Sir John T. D., Bart., Penllergaer,
Swansea.

Loder, Sir Edmund G., Bart., Leonardslee,
Horsham.

Loder, G. W. E., Esq., Wakehurst Place,
Ardingly, Hayward's Heath.

Longchamps, Baron de Selys-Longchamps,
Waremmes, Belgium.

Lucas, C. J., Esq., Warnham Court, Horsham.

Luttrell, the late G. F., Esq., Dunster Castle,
Somerset.

M'Clellan, Frank C., Esq., 38, The Avenue,
Kew Gardens, Surrey.

Mackenzie, Sir Kenneth, Bart., of Gairloch,
Conan House, Ross-shire.

Mackenzie, W. D., Esq., Fawley Court,
Henley-on-Thames.

M'Laren, H. D., Esq., 43 Belgrave Square,
London.

Malcolm, Col., C.B., of Poltalloch, Lochgilp-
head.

Manvers, Earl, Thoresby Park, Nottingham-
shire.

Mason, W. H., Esq., Morton Hall, East
Retford.

Maxwell, The Rt. Hon. Sir Herbert W., Bart.,
Monreith, Whauphill, Wigtownshire.

Maxwell, Sir John M. Stirling, Bart., Pollok House, Pollokshaws, Scotland.
 Menzies, the late Sir Neil, Bart., Castle Menzies, Aberfeldy.
 Messel, L., Esq., Nymans, Handcross, Sussex.
 Methuen, Field-Marshal Lord, G.C.B., Corsham Court, Wiltshire.
 Middleton, Lord, Birdsall House, York.
 Mitchell, Mrs. A. C., Highgrove, Tetbury.
 Moiser, Cyril, Esq., Heworth Grange, York.
 Moncrieffe, Sir Robert D., Bart., Moncrieffe House, Perthshire.
 Montana, U.S.A., The University Library, Missoula.
 Moore, Sir F. W., Royal Botanic Gardens, Glasnevin, Dublin.
 Moore, G. F., Esq., Chardwar, Bourton-on-the-Water.
 Moore, Dr. Norman, Hancox, Battle, Sussex.
 More, T. J. M., Esq., 31 St. George's Road, London.
 Munich, Die K. B. Forstliche Versuchsanstalt.
 Nelson, T. A., Esq., Ach-na-Cloich, Connel, Argyllshire.
 Newcastle, The Duke of, Clumber Park, Worksop.
 Newman, Sir Robert L., Bart., Mamhead Park, Exeter.
 Newman, Robert L., Esq., 11 Cadogan Square, London.
 Nicholl, Mrs., Merthyr Mawr, Bridgend.
 Northbourne, Lady, Betteshanger, Kent.
 Norwich, The Free Library.
 Ogilvie, F. M., Esq., 72 Woodstock Road, Oxford.
 Oxford, Magdalen College.
 Palmer, Charles, Esq., Stewkley Grange, Leighton Buzzard.
 Palmer, the late General William J., Colorado Springs, Colorado, U.S.A. (seven copies).
 Parsons, Alfred, Esq., A.R.A., 54 Bedford Gardens, Kensington, London.
 Peckover of Wisbech, Lord, Bank House, Wisbech.
 Peirse, E. Beresford-, Esq., Gredington, Whitchurch, Salop.

Pember, the late E. H., Esq., Vicar's Hill, Lymington, Hants.
 Pembroke, the late Earl of, Wilton House, Wiltshire.
 Phillimore, Lady, Cam House, Campden Hill, London.
 Phillips, Lady Faudel, Balls Park, Hertford.
 Pinchot, Gifford, Esq., Washington, D.C., U.S.A.
 Platt, Col. Henry, C.B., Gorddinog, Llanfairfechan, N. Wales.
 Portland, The Duke of, K.G., Welbeck Abbey, Worksop.
 Potts, W. Trumperant, Junr., Esq., Correen Castle, Ballinasloe, Co. Roscommon.
 Powis, The Earl of, Powis Castle, Welshpool.
 Prain, Sir David, F.R.S., Royal Botanic Gardens, Kew.
 Pratt, E. R., Esq., Ryston Hall, Norfolk.
 Price, M. P., Esq., Tibberton Court, Gloucester.
 Price, T. P., Esq., Mark's Hall, Essex.
 Price, W. R., Esq., Pen Moel, Chepstow.
 Probyn, General The Rt. Hon. Sir Dighton M., G.C.B., Buckingham Palace.
 Pryor, Marlborough R., Esq., Weston Park, Stevenage, Herts.
 Quaritch, Mr. Bernard, 11 Grafton Street, London.
 Radnor, The Earl of, Longford Castle, Wiltshire.
 Ralli, Pandeli, Esq., Alderbrook, Cranleigh, Surrey.
 Ralli, Pantia, Esq., Ashted Park, Surrey.
 Rayleigh, Lady, Terling Place, Witham, Essex.
 Redesdale, Lord, 1 Kensington Court, London.
 Richmond and Gordon, The Duke of, K.G., Goodwood, Chichester.
 Rogers, C. Coltman, Esq., Stanage Park, Brampton Bryan, Herefordshire.
 Rogers, Lieut.-Col. J.M., Riverhill, Sevenoaks.
 Rolle, the late Hon. Mark.
 Rolleston, Sir John F. L., Glen Parva Grange, Leicester.
 Rothschild, The Hon. Walter, F.R.S., Tring Park, Herts.

List of Subscribers

xi

St. Oswald, Lady, Appleby Hall, Doncaster.	Turner, T. Warner, Esq., Langwith Lodge, Mansfield, Nottinghamshire.
Sanderson, Finlay, Esq., University College, Oxford.	Underdown, H. C. B., Esq., Buckenham Hall, Mundford, Norfolk.
Sawyer, Charles, Esq., 74 New Oxford Street, London.	Victoria, B.C., The Provincial Library.
Schlich, Sir William, F.R.S., 29 Banbury Road, Oxford.	Vienna, Die Dendrologische Gesellschaft für Oesterreich-Ungarn.
Sherborne, Lord, Sherborne House, Gloucestershire.	Vilmorin, M. Maurice L. de, 13 Quai d'Orsay, Paris.
Soames, A. G., Esq., Sheffield Park, Sussex.	Vilmorin, M. Philippe L. de, 23 Quai d'Orsay, Paris.
Stanhope, The Hon. Richard, Revesby Abbey, Boston, Lincolnshire.	Vines, Prof., F.R.S., Botanic Garden, Oxford.
Stern, Capt. H. J. J., Bective House, Navan, Co. Meath.	Waldo, E. G. B. Meade-, Esq., Stonewall Park, Edenbridge, Kent.
Stewart, Lady Alice Shaw-, Ardgowan, Greenock, Scotland.	Watney, Daniel, Esq., 33 Poultry, London.
Stewart, Lady Octavia Shaw-, Fonthill Abbey, Tisbury, Wiltshire.	Watney, Herbert, Esq., M.D., Buckhold, Pangbourne, Berks.
Stirling, J. A., Esq., 41, The Pryors, East Heath Road, Hampstead, London.	Watney, Vernon J., Esq., Cornbury Park, Charlbury, Oxfordshire (two copies).
Stooke, J. E. Hellyar, Esq., 2 Palace Yard, Hereford.	Wilding, E. H., Esq., Wexham Place, Stoke Poges, Buckinghamshire.
Strickland, Algernon, Esq., Apperley Court, Tewkesbury.	Wilkinson, C. J., Esq., Sebergham Castle, Cumberland.
Strickland, the late Sir Charles W., Bart.	Willmott, Miss, F.L.S., Warley Place, Great Warley, Essex (three copies).
Talbot, G. J., Esq., 36 Wilton Crescent, London.	Wilson, Sir Maurice Bromley-, Bart., Dallam Tower, Milnthorpe, Westmorland.
Toronto, Canada, The University Library.	Woodward, Robert, Esq., Arley Castle, Bewdley.
Tottenham, Col. C. G., Ballycurry, Ashford, Co. Wicklow.	Wythes, E. J., Esq., Copped Hall, Epping.
Trench, R. C., Esq., Penrhyn Estate Office, Bangor, North Wales.	Yarborough, The Earl of, Brocklesby Park, Lincolnshire.
Trotter, John, Esq., Brickendon Grange, Hertford.	

PRESENTATION COPIES

His late Majesty King Edward VII.
King Edward VII. Convalescent Home for
Officers of the Navy and Army,
Osborne, Isle of Wight.
The Royal Society, London.
The Linnean Society, London.
The Athenæum, Pall Mall, London.

The Bodleian Library, Oxford.
The University Library, Cambridge.
Harvard University, U.S.A.
The Imperial Japanese Bureau of Forestry.
Beevor, Sir Hugh R., Hargham, Norfolk.
Elrod, Prof. M. J., Missoula, Montana, U.S.A.
Elwes, A. L., Esq., Staple Grove, Beckenham.

POSTSCRIPT

BY

HENRY JOHN ELWES, F.R.S.

AND

AUGUSTINE HENRY, M.A.

IN the Introduction to the first volume of this work, published in 1906, we stated the objects which we had in view, and which, during the seven years which have now elapsed, we have endeavoured to carry out to the best of our power. If the patience of our Subscribers has been unduly taxed, we can only say that the magnitude of the task which we set before us was even then hardly realised; and that the difficulty of discovering, identifying, describing, and figuring the rare and remarkable trees in Great Britain is one which grew with our knowledge, and with each succeeding volume. The want of order in this work, on which some of our reviewers have remarked, has been really of the greatest service; for by leaving the more difficult and little-known genera to the last, we have been able to make the work more complete and accurate than it would have been if every genus had been taken in its accepted botanical sequence; and though a few additions may be made to the earlier volumes, we know of no really important omissions in them.

Though some local botanists and arboriculturists have studied the native trees of their own counties with more or less care, British botanists, until recently, have taken little notice of the trees which form so conspicuous a feature in the vegetation and scenery of England; and in many counties, whose flora, birds, and insects have been most carefully and accurately studied by local naturalists, we have found no one who, apparently, knew or cared for the trees, and have had to depend largely on our own observations.

An immense quantity of foreign as well as British literature has been referred to, as evidenced by almost every page of the work; but a general bibliography seems unnecessary, as the references are fully given; as well as the authority for nearly every fact, opinion, or observation not made by ourselves.

As it is possible that in the future, questions may arise as to the correct nomenclature of some of the numerous trees that we have described and figured, it is well to say that the herbarium accumulated by us in the course of our work is preserved at Cambridge and at Kew, so that the actual specimens from which

the descriptions and identifications were made can be referred to in case of doubt.

It is impossible to acknowledge in full detail the help that we have received from landowners and their agents, foresters, gardeners, and friends in all parts of Great Britain which we have visited during the course of the work; but we have felt on many occasions that without this help the work would have been impossible.

Amongst those to whom we are most indebted for help, I must especially mention the following :—

Sir William T. Thiselton-Dyer, F.R.S., who has carefully read the proofs of all the volumes except the first, and whose suggestions and advice we have followed in many difficult questions; Mr. Charles Palmer of Stewkley Grange and Manchester, who has also read the proofs with extraordinary care; the Director and staff of the Royal Gardens at Kew, who from first to last have shown a personal interest in our work which has been of the greatest support and assistance. We must here call attention to the fact that the collection of living trees at Kew is, and we hope always will be, so far as its soil and climate will allow, the most complete, correctly named, and well-cared-for in Europe; while its unrivalled library and herbarium, where much of our work has been prepared, and the references checked, have been indispensable in connection with the living specimens.

The staff of the Botanical Department of the British Museum of Natural History, as well as the Directors of the Botanical Gardens at Edinburgh, Glasnevin, Oxford, and Cambridge have afforded us every facility for studying both the trees and herbaria in their charge, and we gratefully acknowledge their assistance.

In the United States we have received much help from the officials of the National Bureau of Forestry, and from many private individuals, amongst whom I must mention Prof. Elrod of the Montana University, Mr. Gifford Pinchot, the late Chief Forester of the United States, and especially Mr. Charles S. Sargent of the Arnold Arboretum, who has given us much valuable information and help on many occasions.

In Canada Messrs. J. M. and W. T. Macoun of Ottawa have been on many occasions most helpful and obliging.

In France we have to thank numerous friends for shewing us many of the finest trees and forests in all parts of the country; amongst them we are especially grateful to MM. Maurice and Philippe de Vilmorin of Paris, Prof. Flahault of Montpellier, M. Leon Pardé, Inspecteur des Eaux et Forêts of Beauvais, M. Hickel of Versailles, M. Guinier of Nancy, M. Jouin of Plantières near Metz, and Mr. Cecil Hanbury of La Mortola in Italy.

In Holland Mr. L. A. Springer of Haarlem, in Belgium Prof. Bommer of Brussels, M. Huberty, Inspector of Forests, Verviers, and the late Baron de Selys-Longchamps, in Germany the late Herr Späth of Berlin and the late Prof. Blasius of Brunswick, and the Directors of the Botanic Gardens we have visited in Germany, Russia, Italy, Sweden, Norway, Spain and Portugal, Bulgaria, and Servia, have all given us most valuable notes and assistance.

In Denmark we have also received much help and information from Forest Inspectors Mundt and Bramsen, who personally conducted us through many interesting forests and private arboreta.

In Japan I have on two occasions received unusual attention and assistance in visiting the most interesting forests, and in procuring good photographs of the trees, for which I shall be ever grateful both to the past and present Ministers of Agriculture, and especially to Dr. H. Shirasawa of Tokyo, and numerous other officials and friends.

Amongst the English landowners, who have afforded us the greatest assistance and kindness on all occasions, I must specially mention His late Majesty King Edward, to whom our work is dedicated, and whose fine trees at Windsor, Sandringham, Balmoral, and Osborne have been frequently mentioned in our pages. The Earl of Ducie, who during a long life has had the pleasure of seeing many rare trees planted by himself come to maturity, and who, perhaps better than any English landowner, has realised the importance of attending to his trees after they were planted. The late Sir Charles Strickland, who often told me that the pleasure of watching the growth of trees which he had himself raised and planted, was the one interest in life which remains undiminished in extreme old age. Sir Hugh Beevor, who has inherited a taste for arboriculture and forestry, and on many occasions has contributed most valuable notes and measurements of remarkable trees in many places. The Dukes of Argyll, Bedford, Northumberland, Portland, Richmond, and Wellington. The Marquesses of Bath, Lansdowne, Ripon, and Waterford. The Earls of Annesley, Bathurst, Bradford, Brownlow, Cawdor, Coventry, Darnley, Fortescue, Ilchester, Leicester, Manvers, Pembroke, Portsmouth, Powis, Radnor, Selborne, Spencer, and Yarborough. The Viscounts Falmouth and Powerscourt. The Lords Bagot, Barrymore, Clinton, Dynevor, Kesteven, Llangattock, Lovat, Methuen, Northbourne, Peckover of Wisbech, Penrhyn, Rayleigh, Redesdale, Sackville, Scarsdale, Sherborne, and Walsingham. Sir C. T. D. Acland, Sir E. Stafford Howard, Sir George Holford, Sir E. Loder, Sir John Stirling Maxwell, Sir Herbert Maxwell, Sir Frederick Moore, Sir John Ross-of-Bladensburg. The Hon. Vicary Gibbs, Mr. H. Clinton Baker, Mr. R. Birkbeck, Mr. F. R. S. Balfour, Brodie of Brodie, Mrs. Baldwin Childe, Capt. D. Cameron of Lochiel, Major Dent, Mr. W. Steuart Fotheringham, Major Lloyd, Col. Malcolm of Poltalloch, Mr. E. R. M. Pratt, Mr. C. Coltman Rogers, Dr. Herbert Watney, and Mr. R. Woodward, Jr.

For special information respecting the trees of Scotland we are indebted to Mr. John Renwick of Glasgow, and for notes on Irish trees to Mr. R. A. Phillips of Cork and Sir F. W. Moore.

The conditions which determine the successful cultivation of exotic trees in different parts of Great Britain are so complicated by local variations of soil, climate, and elevation that after many attempts I have failed to construct a map which would divide the country into arboricultural regions. The best guide to the possibility of growing any particular species in any given locality is to know

whether it has succeeded reasonably well in any place of similar soil and climate ; and as we have recorded the accumulated experience of our predecessors, it may usually be presumed that if no degree of success has been attained it is only a waste of time and money to plant species which have died out or remained in a stunted condition. Generally speaking it may be said that there are four principal types of climate in Great Britain.

The first is characterised by a high summer and a low winter temperature, combined with a low average rainfall ; and this includes all those districts in which wheat is the most important agricultural crop, namely the eastern counties as far north as the Humber, and the southern counties as far west as Dorset and the Severn Valley. In many parts of this region where, owing to the influence of sea air or elevation, late spring and early autumn frosts rarely occur, the best climatic conditions for the growth of most exotic trees are found.

Secondly, the south-western counties and the maritime districts of Wales, the greater part of Ireland and western Scotland, where the summer temperature is lower and the winters shorter and milder, and where the rainfall and the humidity of the air is much greater. In this region alone a great many of the rarer trees and shrubs thrive wherever suitable soil and shelter from wind are found ; but the trees which require a high summer temperature and abundant sunshine to ripen their wood, such as walnuts, hickories, Catalpas, and many North American species, are not often successful, and do not attain large dimensions or ripen their seeds in normal seasons.

Thirdly, the north-eastern and midland counties and those districts of southern England where the summers are shorter, where late and early frosts are prevalent, or where the soil is too heavy or too wet to suit a great many exotic trees ; but many exceptions will be found in this region, especially near the sea, and in this district may be included parts of Scotland bordering on the Moray Firth, where the climate is distinctly more suitable to arboriculture than in the northern and midland counties of England generally.

Fourthly, the mountains of central and northern England, Wales, Scotland, and Ireland, at elevations over 1000 feet, where only a few of the hardier conifers can be grown with much hope of success.

Next to climate, the geological formation and depth of the soil is the most important factor in the successful growth of trees ; and this again is variable even in the districts where climate is favourable ; so that we find the best instances of arboriculture are scattered in all parts of the country. Generally speaking, the soils which produce the finest hardwoods are on the old red sandstone and lower greensand formations ; and though some species attain a large size on other soils, yet wherever heavy clay or thin rocky soils prevail, especially on limestone, many exotic trees will not grow at all, or become stunted and unhealthy as soon as their roots get into the subsoil. As a result of careful soil preparation trees may appear to thrive for a number of years, yet they eventually become sickly or die if nature has not provided a suitable subsoil. Want of knowledge or of attention to these two factors, has led in the past to immense waste of time and money in planting trees which are quite

unsuited to their surroundings, and we have seen numerous instances in all parts of Great Britain which prove how little man can do where nature does not favour his efforts.

Another point which has been insufficiently realised by most planters, but which my own experience has repeatedly proved, is the remarkable variation in the individual constitution of trees of the same species, even when raised from seeds of the same tree under precisely similar conditions. In a state of nature there is a continual struggle for existence among individuals under which only a few of the strongest survive, and these are the seed-bearers from which future generations arise; but when we sow a number of seeds under the most favourable conditions which we can devise, and protect them artificially in their youth against their natural enemies, or when we propagate trees by other means, which are often adopted not because they are the fittest but because they are the quickest and cheapest means of reproducing them, we obtain a variable percentage of weaklings which thrive only under the best conditions, and which when transplanted to less favourable environment are sure sooner or later to succumb. For this reason I have always advocated the raising of forest trees when possible from seed of known healthy parents growing in the same or a similar locality to that where they are to be planted, and rejecting in the nursery all but the most vigorous. This may prove a slower and more costly method than that of buying the trees from a nursery, but I believe it to be the most economical in the end wherever conditions are not very favourable for their growth. With regard to exotic trees which only ripen their seed in this climate in very favourable seasons, I have often found that the seedlings raised from imported seed are more vigorous than those raised from home-grown seed, but my observations, though they have been carried on since 1900, are insufficient to enable me to express a decided opinion on this subject.

When we consider how remarkably variable our climate is, it is clear that a great deal of the success of planting any trees which are more exacting as regards heat, sunshine, or moisture¹ than indigenous species, must depend on a good series of seasons in their youth; for if trees are severely checked by drought, or by late spring or early autumn frosts when young, they suffer much more than when older and better established. Therefore in planting exotic trees it is wise not to depend on one or two individuals, but to plant several of the same species in a group, with the object of selecting the most vigorous and well-shaped when they begin to crowd each other.

Another point which is often forgotten by planters of ornamental trees is the fact that in nature these grow gregariously or mixed with other trees, in more or less thick or shady woods, and not isolated in grass. To use a gardener's expression, "a well-furnished tree" such as a cedar, a Sequoia, or a beech with spreading branches resting on the ground, may be a very beautiful object on a lawn or in a park; but it is not the usual natural shape of these trees; and if the trunk is always

¹ As an instance I may say that at Colesborne the rainfall of June, July, and August, during which months most of the growth of the majority of trees is made, was, in 1911, 3.39 inches, with only 21 days on which rain fell, and in 1912, 22.30 inches, with only 21 days without rain.

sacrificed to the branches, we rarely get such magnificent boles as these trees are capable of producing when planted under more natural conditions.

Another point too often neglected by English arboriculturists is early and regular pruning, which, unless they are planted in close order, is necessary in the case of most broad-leaved and some coniferous trees, until they have attained a considerable size and age. Though the lower branches should not be cut off close to the trunk before it is thick enough to support a well-shaped crown, yet the earlier it is done after the tree has become established, the quicker and better is the wound healed; and the careful planter must continually watch that no branches are allowed to attain undue proportions at the expense of the trunk. With some trees pruning and shortening of large branches is best done in early spring before the sap rises; with others, in July or August, when the tree is in vigorous growth; but though art may do a great deal to form a well-shaped tree, yet unless the soil is deep enough and fertile enough to keep it in health, stunted and stag-headed trees will be the result.

The influence of grass on the roots of trees is a subject upon which a great deal of light has been thrown by the experiments carried on by the Duke of Bedford and Mr. Spencer Pickering.¹ Though opinions differ on the extent to which their conclusions apply to trees universally, and how far they are due to particular soils, yet there can be no doubt that as a general rule the soil should be kept free from grass for a distance of about three feet all round the trunk for some years at least. On the peculiar soil of Colesborne I have found that some trees, among which Scots and Corsican Pine are conspicuous, do not suffer when planted in a thick sward, and actually seem to grow faster and to be more healthy. I am inclined to believe that wherever the soil is deficient in fertility, grass over the roots of trees, though it may check their growth in dry seasons, is better in most cases than a bare soil which has been impoverished by cultivation. Good soil will overcome almost all other obstacles to the growth of trees, and this fact leads me to speak of another question which planters and foresters often insufficiently consider.

Is it more economical and profitable to plant land, which, like many of the natural woods and plantations in Great Britain, has been allowed to remain as woodland only because it was not thought good enough to cultivate; or to plant land which is producing more or less profitable crops? We rarely see the dimensions that trees are capable of attaining in Great Britain, except on the estates of families which for centuries have been rich enough to plant good land, and to leave trees standing after they have attained maturity; and though the largest trees are not always the most valuable, yet the highest quality of timber, which usually fetches a higher price per foot, is rarely produced on inferior land, whilst the quantity per acre that can be grown in a short time is the most important factor in the profit or loss of planting.

In forestry as in agriculture the best land is the most profitable and therefore the cheapest. But when I speak of good land I do not mean that the best land for farming is the best for trees, because trees root so much more deeply than agricultural plants that they can penetrate and feed where the roots of plants cannot reach; and on steep hill-sides especially, trees seem to thrive wherever the rock is suffi-

¹ *Thirteenth Report of the Woburn Experimental Fruit Farm*, London, 1911. See also *Ninth Report*, 1908.

ciently broken up, provided that it contains the chemical elements of fertility ; so that the agricultural or grazing value of any particular spot often affords no indication of its value for tree-planting.

Though the world has now been nearly everywhere explored, and the number of trees capable of growing in Great Britain has been more than doubled by fresh introductions since Loudon wrote in 1838, it is very surprising how few, if any, of the newer introductions seem likely to supersede or even to equal our long-tried native and introduced trees. Though no one can be a stronger advocate than I am, both in principle and in practice, of the planting of a great variety of exotic trees, and though in localities where somewhat unusual conditions are found, some of these species—such as Japanese larch, Sitka spruce, Lawson and Nootka cypress, and Douglas fir—do seem likely to be more profitable than older introductions like the European larch, Silver and Spruce firs, yet I can hardly think of any broad-leaved tree, except some poplars which are not yet fully proved, and possibly the grey alder, which seems likely to have much economic value or to supersede our native oak, beech, ash, elm, and sycamore, which to timber merchants are at present the only trees really worth looking at, and which will grow to a large size in almost all parts of our islands. Whether time will prove this to be a fact or not, we have done our best to describe every tree as yet introduced, with the exception of some of the latest introductions from China.

When trees have passed the age of maturity and are beginning to decline in health they usually show it by the death of the upper branches, which is particularly noticeable on very heavy or very dry soils after a long hot summer. If there is no serious decay in the trunk, this decline may often be checked, for a considerable time at any rate, by a top-dressing of leaf-mould mixed with old rotten manure and fertile soil, spread about three inches deep over the area covered by the branches ; but such dressing must not be too thick or too strong, especially in the case of conifers, for which pure leaf-mould is perhaps the best manure. When wounds caused by broken branches, fungi, or other injuries appear on the trunk, it is important to fill them as soon as possible. The same principles adopted in filling decayed teeth are perfectly applicable to trees, namely, to clear out all decayed wood as far as possible, to apply an antiseptic to the exposed surface, to fill up the cavity with cement, and to cover with lead any cracks or holes by which water can get into the trunk. When branches become dangerous or inclined to split off, they are often supported by iron rods, bands, and chains ; and I believe that when this is done in such a way that the band can be loosened as the branch thickens, it is a safer and more permanent method than passing a rod through a hole in the branch and putting a nut on it to keep it in place.

There are many other special points in the cultivation of trees which only experience can teach, though the general principles are given in works on forestry and arboriculture ; and in many cases these special points are dealt with in the pages of our work. Opinions vary and always will vary as to the best systems of planting, and the best mixture to adopt, which depend on the peculiar conditions we have to deal with ; but in tree-planting, whether for economic or other objects, it cannot be

too strongly emphasised that a study of local conditions is always essential. The more a man knows of the risks and difficulties which planters have to contend with in most parts of the country, the less willing will he be to offer advice, or to form estimates of cost and expected profits based on experience which is not local. For this reason I look with suspicion on hastily considered working plans and estimates of costs and results which are not supported by local knowledge. Even in old-established forests abroad, where the expenses and profits are based on the experience of centuries, and where nothing is done without the approval of Government foresters, changes are constantly being made in practice to meet the changing conditions of the times; and when we remember that our long-established systems of woodcraft in England have been completely revolutionised in the last fifty years by changes in economic conditions, the duration of which cannot be foreseen, it seems evident that what we think right to-day may turn out to be wrong long before the trees we plant are mature.

Before concluding I should again like to offer a warning word on the question of planting and management for profit, as contrasted with planting for ornament, sport, and shelter. English landowners are sometimes reproached with ignorance and neglect of the principles of pure forestry; but it must always be remembered that the economic, social, and in many districts the climatic conditions of Great Britain, make planting for profit a very uncertain and often a very risky investment. In our work we have endeavoured to show the possibility of cultivating a great number of exotic trees which have not, and probably never will have, any economic value from the forester's point of view, because we believe that when planted in small quantities with sufficient knowledge of their cultural requirements, they will add greatly to the interest, beauty, and residential value of British country homes; and we have illustrated the finest examples of most of the trees which exist in Britain. We ought to aim as far as possible at planting those species which local experience has tested, in situations which are most suitable to them. This warning must apply not only to the rarer species, but to some which have been very extensively planted of late years by enthusiasts in arboriculture, who look only at the successes of others and refuse to look at the failures. I have myself learnt more from my failures than from my successes; and have never been able to understand why in so many cases people are unwilling to show or to write of their failures, when these are due—as they often are—to natural obstacles rather than to want of care or knowledge.

The future of arboriculture in Great Britain is a brilliant one, if landowners are not deterred from planting by ill-considered or hostile legislation; but the future of pure forestry—in England at least—is very problematical. For though there are districts where the land may—under State foresters working on a larger scale than private owners—produce a more profitable return under timber than when used for other purposes, yet I believe that these districts are so few and far between that the establishment of a State industry, financed by taxation, to compete with the long-established private industry of timber-growing would not be justified by any advantage that would result to the country.

(H. J. E.)

In concluding our work there are a few points about which I think it advisable to add some explanatory remarks. First, with regard to its scope, it was intended at the outset to include only those trees which attain timber size in the British Isles. It was found, however, impossible in practice to draw a rigid line between the timber trees and the smaller trees, which like shrubs are cultivated for ornament or curiosity. In the case of genera, which comprise both large and small trees as well as shrubs, our treatment has not been logically uniform. All the species of oak in cultivation have been described in detail, because in this genus shrubs are of exceptional occurrence. On the other hand, only the larger maples have been the subject of separate articles, as it was evident that a brief notice would suffice for the shrubby species. In the case of genera of exceptional interest, as *Pinus*, *Juniperus*, *Cephalotaxus*, all the introduced species, even those of small size, have been treated in full.

The keys for the identification of species are based upon the characters of the twigs, leaves, and buds, and not upon those of the flowers and fruits, as has been usual in botanical works. The latter characters are often not available in the case of trees, the determination of which may be required when they are in the young state, or at some period of the year when flowers and fruit are not present.

When the preparation of the seventh volume was drawing near a close, we saw that it would be impracticable, without unduly deferring the completion of the work, to include many of the new species that of late years have been introduced from China and Japan. On this account, *Eucommia*, *Tetracentron*, *Cercidiphyllum*, *Pistacia*, *Phellodendron*, *Idesia*, *Poliothyrsis*, *Davidia*, etc., have been necessarily omitted. For obvious reasons, I was unable to take up the complete study of such genera as *Cratægus*, which is almost exclusively composed either of shrubs or small trees that are merely ornamental in character; and I have limited my account in this case to a full description of the two indigenous species. Generally speaking, the Conifers have been described exhaustively in our book; but certain rare kinds of which there are only a few specimens of small size in Cornwall and in the mild districts of Ireland, have been left untouched, as *Podocarpus*, *Callitris*, *Tetraclinis*, *Widdringtonia*, *Dacrydium*, and *Phyllocladus*.

Though, as just explained, all the species of trees in cultivation in England, Scotland, Wales, and Ireland, are not included, yet a vast number have been described, as is evidenced by the Index, which extends over 80 pages. The Index has been compiled with great care, and should prove of service to our readers, as it embraces, in addition to the common names and the usually accepted scientific names, nearly all the appellations which have been applied to the various species and their varieties and sports in countless lists, catalogues, and books. The compilation of this synonymy has been a heavy labour and a thankless task. The choice of the correct name of each species has not been always easy.

As some of the reviews of the published volumes criticise certain names which I have adopted, it will be well for me to explain my views on the vexed question of nomenclature. That in a work of this magnitude, I have refrained from the

invention of new names, except in one case for a species¹ and in two or three cases for hybrids,² gives me a claim to be heard on the subject. In the earlier volumes, I followed the Kew practice of the time, that of selecting as the correct name the oldest one, which had been used under the genus to which the species is now referred. In the latter volumes, I have followed, except in a few instances, the Vienna Rule, that of adopting the oldest specific name, no matter to what genus it had been attached. Most German and American botanists follow this rule "blindly," as one of them remarked to me.

As a result names which have been current for a century, not only in scientific books but in popular literature, have now to give way to supposed earlier names, which have been resuscitated from the works of writers whose descriptions are often so ambiguous as to render it impossible to say what species was actually meant. The strict application of the Vienna Rule is sometimes so difficult that the best authorities disagree thereon. As an example, we are bidden to change the name *Alnus glutinosa*, Gaertner, which has been used for the common alder for over a century in every botanical text-book and Flora. Certain botanists substitute for it the name *Alnus rotundifolia*, Miller, whilst one authority puts forth a strong claim for *Alnus vulgaris*, Hill.³ This displacement of a well-known scientific name by an obscure one is a pedantic and harmful practice. Its absurdity is shown by the fact that some recent writers, who adopt under all circumstances the Vienna Rule, are obliged, in order to specify clearly the species which they mean, to use two names, the second of which is the old-established name in brackets. The common oak is called by these writers⁴ "*Quercus Robur*, Linn. (*Q. pedunculata*)"; while the wych elm is cumbered⁵ with the appellation "*Ulmus glabra*, Huds. = *U. montana*." The confusion of the new practice is doubled, when the Vienna name for a species happens to be (as in the last case) the same as the old-established name for another species of the same genus. Thus, no one now knows without some explanation which species of elm is meant by the term *Ulmus glabra*.

In order to avoid such confusion, I have preserved in certain cases the old-established name, if its use involves no ambiguity. I have thus kept up *Larix europæa*, *Larix americana*, *Larix leptolepis*, *Abies pectinata*, *Quercus pedunculata*, *Betula pubescens*, *Betula verrucosa*, a series of names which have been consecrated by long usage in books on botany, arboriculture, and forestry. If I am wrong in using these names, I err in company with nearly all the writers who have mentioned these trees during the last century.

The postponement to the last volume of the more difficult genera has enabled me to devote time, labour, and travel to their study; and has resulted in a clearer knowledge of the numerous cultivated kinds of elms and poplars, the systematic position of which has been the despair of botanists. The results of the experimental sowings of the seeds of various elms, which I made in 1909, together with a study

¹ Cf. *Populus Maximowiczii*, vol. vii. 1838.

² Cf. *Populus Lloydii*, vol. vii. 1830, *Ulmus Mossii*, vol. vii. 1865, note 2.

³ Cf. Schneider, *Laubholzkunde*, ii. 890 (1912).

⁴ Cf. Schneider, *Laubholzkunde*, i. 197 (1904).

⁵ Cf. Tansley, *British Vegetation*, 148 (1911).

of the history of the Lucombe Oak and its descendants, have thrown much light on a class of trees, which though common in cultivation on account of their vigour of growth, are unknown in the wild state.

These trees undoubtedly originated as chance seedlings, due to accidental cross-fertilisation of two distinct species, and were immediately selected by observant nurserymen as desirable varieties to propagate. Trees like the Black Italian Poplar and the London Plane, which in botanical characters appear to be first crosses in each case, between an American and a European species, can be traced back to 1700, about which date the introduced species was long enough in the country to produce flowers and to fertilise the native species growing beside it.

Other trees, which I consider to be also first crosses, on account not only of their botanical characters but because they are unknown in the wild state, are:—the Common Lime, Huntingdon Elm, and Cricket-Bat Willow, the parents in their case being closely allied European species. All the preceding hybrids were produced accidentally; and similar cases occur periodically in certain nurseries, as at Plantières, near Metz, where two splendid hybrid poplars (*Populus Eugenei* and *P. robusta*) have been picked out of the seed-bed. The first to produce artificial crosses between forest trees was Klotzsch in 1845; and his experiments, though on a small scale, were successful in indicating that extra vigour of growth was obtainable with certainty.

Practically nothing, however, has been done, since his time, to improve the breeds of forest trees; and foresters have never even thought of the possibilities in this direction, though gardeners and farmers have shown the way for centuries. I suggested in a paper read on 7th April 1910 before the Linnean Society that artificial crossing should be tried in the Ash and Walnut, as the quality of the wood of these two valuable trees would be improved by more rapid growth.

During the past three years I have carried on cross-pollination of trees of certain kinds at Cambridge, in Kew Gardens, and near Exeter and Gloucester. These experiments have shown that there are obstacles in the way of obtaining successful results, owing to the difficulty of manipulation on trees swaying in the wind, and to the spring frosts which often injure the pollinated flowers. Moreover, suitable exotic trees, especially of the broad-leaved sorts, are hard to find, as those that exist rarely produce good flowers. I am convinced that such experiments could be carried on much more successfully in stations like Montpellier in France, or Washington in the United States, where suitable trees and a warm climate can be readily found. Nevertheless, I have raised a considerable number of hybrid seedlings, which are now under observation. First-crosses once obtained can readily be reproduced by cuttings or by layers; and the cost of propagation would be very moderate. That this is feasible, is shown by the splendid hybrid elms in Belgium and Holland, all of which are raised by layering in nurseries.

Many interesting problems, which had to be laid aside for the time, arose in the course of the researches which were undertaken in the work of preparation of the seven volumes. To some of these problems, especially those connected with the origin of sports and varieties, I hope to return. The belief is rapidly gaining

ground that all species of trees are comparable, in a greater or less degree, as regards their variation, to the remarkable instance of the Douglas Fir, the Rocky Mountain variety of which differs so much from that growing on the Pacific Coast, while between these two extremes lie a series of intermediate forms. Similar variation is well known in the case of *Pinus Laricio*, the geographical forms of which behave very differently in cultivation. Such differences probably exist in all species with a wide distribution; and in the future, care in the selection of seed may be the most important point in silviculture.

All the bibliographical references in the work have been checked independently, and no effort has been spared to indicate with accuracy the source of our information, where it is not the result of our own observations. Though in the course of our labours, we have had the benefit of mutual criticism, it should be clearly understood that each of us is only responsible for the parts which are signed by his initials. It would be inaccurate to quote both our names, when only one of us has verified the fact or studied the question at issue. As an example,—“Elwes, in Elwes and Henry, *Trees of Great Britain*, v. 1179,” is the correct citation for the account of *Cupressus lusitanica* in Portugal; whereas, “Henry, in Elwes and Henry, *Trees of Great Britain*, v. 1183,” is responsible for the article on *Cupressus arizonica*. It will readily be seen, that while the purely botanical part (including the identification of specimens) has been done by me, that the other part, dealing with distribution, history, and cultivation, has been divided in varying proportions between the two authors.

(A. H.)

ERRATA AND ADDENDA

Vol. i. p. vii, line 15. The English Elm was not introduced from Italy. Cf. vol. vii. p. 1907.

i. p. 2, line 32. For Dryander, in Ait. read Aiton.

The leaves of the North American beech are figured in vol. iii. Pl. 202, Fig. 6.

Rehder, in *Rhodora*, ix. 113 (1907), and in *Mitt. Deut. Dend. Ges.* 1907, p. 70, states that the correct name of the American beech is *Fagus grandifolia*, Ehrhart, *Beit.* iii. 22 (1788), and describes three varieties: (1) var. *typica*, Rehder; (2) var. *pubescens*, Fernald and Rehder; and (3) var. *caroliniana*, Fernald and Rehder, the latter having a sub-variety *mollis*.

i. p. 2, line 39. For north read the north.

i. p. 4, line 1. Add *Fagus Hohenackeriana*, Palibin, in *Bull. Herb. Boiss.* viii. 378 (1908), is probably a form with large leaves of *F. orientalis*, Lipski.

i. p. 6, note 2, line 2. Omit the hazel, the cotyledons of which are not aerial. Cf. vol. iii. p. 521.

i. p. 8, line 40. This is var. *Rohanii*, Masek, in *Mitt. Deut. Dend. Ges.* 1905, p. 196 and 1908, p. 140, described as a purple beech with deeply cut leaves like those of var. *quercoides*, from a tree of which it is said to have arisen through pollination by a purple beech that stood near.

i. p. 10, line 21. The Weeping Beech at Endsleigh is figured in vol. ii. Pl. 58A.

i. p. 13, line 31. For Lyons-le-Forêt read Lyons-la-Forêt.

i. p. 17, line 42. For Buckholt read Buckhold.

i. p. 29, line 13. For *Vilmoriana* read *Vilmoriniana*.

i. p. 30, note 1. For 14 read 15.

i. p. 31, note 1. Add vol. ii. Pl. 126, Fig. 3.

i. p. 32, line 2. For *Japan* read *Japon*.

i. p. 38. Concerning *Sophora japonica*, var. *pendula*—

Bretschneider, in *Journ. N. China Br. R. Asiat. Soc.* xv. 15 (1880), states: "The Chinese produce this tree artificially by causing two young trees of *Sophora japonica*, growing close together, to join by grafting, and then turning upwards the roots of one of them." De Vries, *Mutation Theory*, 101 (1911), says, however, that the Weeping *Sophora* originated in Joly's nursery at Paris in 1800.

i. p. 38, note 1. This note is to be deleted, as the plate mentioned has not been published.

1936 The Trees of Great Britain and Ireland

Vol. i. p. 44. *Araucaria araucana*, Koch, is the correct name of the Chilean Araucaria, according to the Vienna Rules.

i. p. 44, line 2. For iv. 2432 (1844) read iv. 2432 (1838).

i. p. 44, line 4. For Rich. read Richard.

i. p. 44, line 5. For Mirb. read Mirbel.

i. p. 57, line 31. For develops read develop.

i. p. 64, line 4. For var. ? *chinensis* read var. ? *chinense*.

i. p. 65, line 2. For *tulipifera* read *Tulipifera*.

i. p. 65, line 8. After leaves insert (Vol. iii. Pl. 204, Fig. 7).

i. p. 66, line 30. After buds insert (Vol. ii. Pl. 126, Fig. 1).

i. p. 76, line 33. Omit opening red.

i. p. 76, line 37. Omit the buds open green, and

i. p. 77, line 1. *Picea morindoides* is fully described under the correct name, *Picea spinulosa*, Henry, in vol. vi. p. 1392. Its native country is Sikkim and Bhutan.

i. p. 80, line 37. For Serajevo read Sarajevo.

i. pp. 85, 89. If, as is probable, both the Ajan spruce (*Picea ajanensis*) and the Hondo spruce (*Picea hondoensis*) constitute only one species, its correct name is *Picea jezoensis*, Carrière.

i. p. 85, line 16, and i. p. 89, line 13. It is doubtful if the distinctions here noted, as regards the colour of the opening buds, are valid. In the specimens of *P. hondoensis* which I have examined, the buds open with a slightly reddish tinge.

i. p. 88, line 10. For *tremula* read *Sieboldii*.

i. p. 92, line 26. The specimens in the Kew Herbarium with pubescent branchlets, from the Columbia river, which are mentioned as a variety of *Picea sitchensis*, must be referred to *Picea Engelmanni*.

i. p. 93, line 3. After 1892 insert xiv. 184.

i. p. 99, line 6. For *Pruminopitys* read *Prumnopitys*.

i. p. 100, line 32. *Taxus canadensis*, Marshall, is undoubtedly a distinct species, and is peculiar not only in its shrubby habit but in having monœcious flowers.

i. p. 107, line 21. For 53 read 31.

i. p. 107, line 22. For the Hokkaido read Hokkaido.

i. p. 110, line 32. For 58 read 34.

i. p. 111, lines 13, 14. For *Cesthuntensis* read *Cheshuntensis*.

i. p. 114, line 18. After mentioned above add (p. 107).

i. p. 117, line 24. For Low read Lowe.

i. p. 117, line 32. R. J. Moss, in *Scient. Proc. R. Dublin Soc.* xii. 92 (1909), found 0.6 per cent of taxine in the leaves of the Irish yew (var. *fastigiata*) as compared with 0.12 per cent in the leaves of the female common yew and 0.18 per cent in those of the male common yew, recorded by Thorpe and Stubbs in *Journ. Chem. Soc. Trans.* 1902, p. 874. Moss refers to a case, in which pheasants, which are believed to eat common yew with impunity, were poisoned by the leaves of the Irish yew.

i. p. 120, line 35. For 54, 55 read 32, 33.

- Vol. i. p. 122, line 22. For Low read Lowe.
- i. p. 123, line 9. For Whittinghame read Whittingehame.
- i. p. 132, line 34. The article on Distribution in China should be signed (A. H.).
- i. p. 139, line 1. For Hempsted read Hemsted.
- i. p. 139, line 28. For Worcestershire read Herefordshire.
- i. p. 142, line 17. The species of the sections *Aucuparia* are treated in detail in vol. vi. p. 1574.
- i. p. 142, line 25. For *Pyrus thianschanica*, Regel, read *Pyrus tianschanica*, Franchet.
- i. p. 142, line 30. For Torrey and Gray read De Candolle. See vol. vi. p. 1574.
- i. p. 142, line 32. *Pyrus sambucifolia*. Add the following note :—Cf. vol. vi. p. 1574, note 3.
- i. p. 144, line 32. For Linnæus read Ehrhart.
- i. p. 148, line 19. For Mountmorris read Mountnorris ; for rector read late vicar.
- i. p. 148, line 23. For Lee's read Lees.
- i. p. 149, line 33. For Connaught read Albany.
- i. p. 149, line 34. For Snell read Smelt.
- i. p. 159, line 3. For 915 read 912.
- i. p. 175, line 26. For Seeman read Seemann.
- i. p. 177, last line. For *uniflora* read *aquatica* (cf. vol. iii. 513).
- i. p. 182, and note 1. *Thuja*, the spelling adopted by Linnæus, *Sp. Pl.* 1002 (1753), is to be preferred to that of *Thuya*.
- i. p. 184, line 8. For non A. Murray read not Balfour in A. Murray.
- i. p. 192, lines 6 and 15, and i. 198, line 16. For *Retinospora* read *Retinispora*. Regarding the correct spelling of the word, see vol. v. p. 1146, note 2.
- i. p. 195. The correct name, according to the Vienna Rules, of *Thuya japonica*, Maximowicz, is *Thuya Standishii*, Carrière.
- i. p. 196, line 1. For Komaror read Komarov.
- ii. p. vi, last line. Insert a comma between Ailanthus and Cladrastis.
- ii. p. 202, line 36. For *Cryptomera* read *Cryptomeria*.
- ii. p. 202, line 4. For *Thoujopsis* read *Thujopsis*.
- ii. p. 203, last line. Read *Thujopsis Hondai*, A. Henry.
- ii. p. 208, line 41. For *A.* read *Æ*.
- ii. p. 218, line 10. For *A.* read *Æ*.
- ii. p. 225, line 6. Add the note :—*Pavia rubra*, Poiret, in Lamarck, *Ency.* v. 94 (1804), is *Æsculus Pavia* (cf. p. 207).
- ii. p. 225, line 17. For *A.* read *Æ*.
- ii. p. 228, line 34. For Maximowicz read Masters.
- ii. p. 234. It will probably be better to adopt for this species the name *Tsuga heterophylla*, Sargent, as the correct one under the Vienna Rules.
- ii. p. 240, line 9. For *loc. cit.* read *Timber Trees and Forests of North Carolina*, 1898.
- ii. p. 244. The correct name for this species is *Tsuga dumosa*, Sargent.
- ii. p. 282. Moss, in *Journ. Bot.* 1910, p. 6, and Schneider, *Laubholzkunde*, i. 197 (1904), adopt the name, *Quercus Robur*, Linnæus, for the pedunculate or common oak.
- ii. p. 282, line 25. After Branchlets insert (Pl. 78, Fig. 1).

1938 The Trees of Great Britain and Ireland

Vol. ii. p. 283, line 3. **After** Leaves insert (Plate 79, Fig. 1).

ii. p. 285, line 12. **For** (1844) **read** (1838).

ii. p. 285, line 15. **For** *comptonæfolia* **read** *comptoniæfolia*.

ii. p. 288, line 30. **For** Boenn. **read** Boenninghausen. A fuller account of the hybrid oak, *Quercus intermedia*, Boenninghausen, is given by Dr. C. E. Moss, in *Journ. Bot.* 1910, pp. 1, 34, plate 502.

ii. p. 291, line 14. *Quercus sessilis*, Ehrhart, cannot be adopted as the correct name of the sessile oak, as it was unaccompanied by any description. Cf. Moss, in *Journ. Bot.* 1910, p. 2, and Schneider, *Laubholzkunde*, i. 196 (1904), and ii. 901 (1912).

ii. p. 291, line 22. **After** Branchlets insert (Pl. 78, Fig. 2).

ii. p. 291, line 25. **After** Leaves insert (Pl. 79, Fig. 8).

ii. 294, line 2. **Read** *Quercus lanuginosa*, Lamarck, *Fl. Franc.* ii. 209 (1778); Thuillier. **Insert** the following reference as a new line:—*Quercus Robur*, var. *lanuginosa*, Lamarck, *Encyc.* i. 717 (1783).

ii. p. 376, line 18. **For** unlikely **read** likely.

ii. p. 379, title. **Add** Dahurian Larch.

ii. p. 382, line 5. **Insert** A remarkable tree at Henham Hall, Suffolk, which according to the Earl of Stradbroke was planted between 1790 and 1803, is grafted on a common larch stock, forming a trunk about 6 ft. high and 7 ft. 4 in. in girth. It divides into numerous branches, which extend horizontally for a distance of about 100 ft., supported on larch poles. None of the branches rise more than two or three feet above this level; and when Elwes saw the tree in August 1909, they were covered with new and old cones.

There are two good specimens of the Dahurian larch at Stanage Park, Herefordshire, which measured about 80 ft. by 5 ft. in 1910. They were planted as *Larix pendula* in 1836.

ii. p. 383, title. **Add** Kurile Larch.

ii. p. 384, title. **Add** Japanese Larch.

ii. p. 393, note. **Insert** reference ¹.

ii. p. 398, line 27. **For** *albertiana* **read** *Albertiana*.

ii. p. 409, line 18, and ii. 410, line 18. The form of *Pinus Laricio*, which occurs in the mountains of the central, north-eastern and south-eastern provinces of Spain is identical with that of the Cevennes and Pyrenees, and is to be referred to var. *tenuifolia*. The best account of the *Pinus Laricio* of Spain is given by S. E. Cook, *Sketches in Spain*, ii. 228, 234, 237, 244 (1834); and the name *P. hispanica*, Cook, *op. cit.* 234, may be added to the synonymy of this tree. Laguna, *Flora Forestal Española*, i. 80 (1883), gives full details of its distribution.

ii. p. 424, line 6. **Omit** rarely. **For** 6 **read** 8.

ii. p. 428, line 23. **For** *Guilandina diocus* **read** *Guilandina dioica*.

ii. p. 433, line 6. **After** regular insert full-stop.

ii. p. 435, line 11. **Insert** A tree standing close to Weston Birt House, measured by Elwes in October, 1912, was 47 ft. by 3½ ft.

- Vol. ii. p. 437, line 18. For DIPTERA (*sectio nova*) read DIPTERA, A. Henry (*sectio nova*).
- ii. p. 438, line 26. For *Juglans fraxinifolium* read *Juglans fraxinifolia*.
- iii. p. 452, line 23. Add Interesting details concerning the flowers, cones, and seedlings, as well as the rate of growth of the cedars, are given by Hutchison, in *Trans. Roy. Scott. Arbor. Soc.* xiii. 200 (1893).
- iii. p. 452, line 24. The seedling here described was that of *Pinus halepensis*; and this paragraph should be transferred to vol. v. p. 1100.
- iii. p. 471, line 12. For last January read in January 1907.
- iii. p. 475, line 25. After now add (1907).
- iii. p. 480, line 23. For *albertiana* read *Albertiana*.
- iii. p. 485, line 25. For Endlichler read Endlicher.
- iii. p. 489, line 10. For 1888 read 1870.
- iii. p. 489, line 27. For *Thuja Craigana*, Murray, read *Thuja Craigana*, Balfour, in Murray. The correct name of the Incense Cedar of North America is *Libocedrus Craigana*, Low, ex R. Brown, in *Trans. Bot. Soc. Edin.* ix. 373 (1868). Cf. A. Henry, in *Gard. Chron.* liii. 325 (1913).
- iii. p. 490, line 30. For Murray read Balfour, and for *Thuya* read *Thuja*.
- iii. p. 492, line 35. For Park read Place.
- iii. p. 494, note 2. The new species from Formosa has been named *Cunninghamia Konishii*, Hayata, in *Gard. Chron.* xliii. 194 (1908). Cf. Clinton-Baker, *Illust. Conif.* iii. 84 (1913), and Elwes, in *Quart. Journ. Forestry*, vi. 274 (1912). It has not yet been introduced.
- iii. p. 513, note 1. For 1904 read for 1903. Add Cf. vol. i. p. 177 and note 3.
- iii. p. 540, line 29. For *Ostrya Ostrya*, Sargent, read *Ostrya Ostrya*, Karsten, *Deutsch. Fl.* 20 (1895); Sargent.
- iii. p. 545, lines 1 and 23; 546, lines, 8, 11, 21, 24, and 37; 547, lines 9, 11, and 16; 548, line 13; 549, line 1; 550, line 18; 553, line 29. For Oerstedt read Oersted.
- iii. p. 553, line 21. After now add (October, 1907).
- iii. p. 553, line 33. For Foster read Forster.
- iii. p. 558, note 1. *Arbutus canariensis* is said, by W. Fitzherbert in *Gard. Chron.* lii. 44 (1912), to be 30 ft. high at Abbotsbury. It is perfectly hardy at Rostrevor, where I saw a shrub 10 ft. high in May 1913.
- iii. p. 563, line 33. For *Brit.* 1119 read *Brit.* ii. 1119.
- iii. p. 564, line 28. For Klotzch read Klotzsch.
- iii. p. 565, line 31. For *procera*, Lindley, read *procera*, Douglas, ex Lindley.
- iii. p. 573, line 27. After var. *scotica* add A. Henry.
- iii. p. 576, note 2. Add Cf. vol. v. p. 1130, note 2.
- iii. p. 586, line 5. For 162 read 131.
- iii. p. 595, line 23. For *Primer* read *Pruner*.
- iii. p. 599, line 5. For Schneider ex read Schneider, *Laubholzkunde*, i. 803 (1906);
- iii. p. 600, line 17. For *cordifolia*, Schneider, ex read *cordiformis*, Schneider, *Laubholzkunde*, i. 803 (1906), and ii. 1008 (1912);
- iii. p. 601, line 32. For Schneider ex read Schneider, *Laubholzkunde* i. 803 (1906);

1940 The Trees of Great Britain and Ireland

- Vol. iii. p. 604, note. For Schneider by read Schneider, *Laubholzkunde*, i. 803 (1906) and ii. 872 (1912);
- iii. p. 605, line 29. For Schneider *ex* read Schneider, *Laubholzkunde*, i. 804 (1906);
- iii. p. 620, line 18. The evidence is now almost conclusive that *Platanus acerifolia*, Willdenow, the London Plane, is of hybrid origin, the parents being *P. occidentalis*, Linnæus, and *P. orientalis*, Linnæus.
- iii. p. 627, line 5. For *hybridus* read *hybrida*.
- iii. p. 640, note. For *mandschuricum* read *mandshuricum*.
- iii. p. 642, line 31. For *villosa* read *villosum*.
- iii. p. 652, line 22. For *austriaca* read *austriacum*.
- iii. p. 654, line 30. After paces add (Plate 185).
- iii. p. 657, line 38. For sugar maple read common sycamore.
- iii. p. 664, note 3. For 1889 read 1899.
- iii. p. 669, line 20. For M. E. Louis read M. Jouin.
- iii. p. 677, line 24. For *nigra* read *nigrum*.
- iii. p. 690, line 31. For trees, read trees (Plate 195).
- iii. p. 703, note. Add *Silva of California*, 143 (1910).
- iii. p. 706, line 7. For he wrote read this was written.
- iii. p. 706, line 35. After now add (1907).
- iii. p. 707, line 5. For 106 read 196.
- iii. p. 709, line 27. After now add (1907).
- iii. p. 709, line 28. After now add (1907).
- iv. p. 714, line 23. For all other conifers by read all other conifers except *Keteleeria* by. Cf. vol. vi. 1473.
- iv. p. 728, line 25. Insert The Marquess of Bath informed Elwes in 1910 that Col. Thynne had measured a silver fir near the house at Longleat which was 144 ft. by 17 ft. 4 in. in 1909.
- iv. p. 731, note 2. For 1896 read 1894.
- iv. p. 739, line 21. For *Panachaica* read *panachaica*.
- iv. p. 747, line 33. For a read at.
- iv. p. 756, line 15. For inch read inches.
- iv. p. 782, line 2. For 1840 read 1839.
- iv. p. 812, line 37. For *Pseudotsuga japonica*, Sargent, read *Pseudotsuga japonica*, Beissner, in *Mitt. Deut. Dend. Ges.* 1896, p. 62; Sargent.
- iv. p. 817, line 22. For in the Yellowstone Park in read from the Yellowstone Park in Wyoming to.
- iv. p. 818, line 11. For 3 read 1.
- iv. p. 824, line 10. For pine read fir.
- iv. p. 854, lines 9, 10. For *Icon. Forest. Japon.* read *Icon. Ess. Forest. Japon.*
- iv. p. 854, line 12. For Seeman read Seemann.
- iv. p. 860, line 20. For 898 read 900.
- iv. p. 862, line 1. For 907 read 905.
- iv. p. 862, line 5. For 904 read 912.
- iv. p. 862, line 19. For *longicuspis*, Blume, read *longicuspis*, Siebold and Zuccarini.

- Vol. iv. p. 862, line 36. For 906 read 907.
- iv. p. 862, note 1. For 21 read 25.
- iv. p. 863, line 15. For 905 read 906.
- iv. p. 876, line 2. For 124 feet read 97 feet.
- iv. p. 884, line 5. Schneider, *Laubholzkunde*, ii. 832 (1912) adopts the earlier name, *Fraxinus obliqua*, Tausch, in *Flora*, xvii. 521 (1834) for *F. Willdenowiana*, Koehne; and states that Lingelsheim identifies it with a wild specimen found by Bornmüller in Anatolia.
- iv. p. 904, line 13. For Hildenley at read Hildenley in.
- iv. p. 912, line 33. For 265 read 264.
- iv. p. 915, line 21. For *Pittcursii* read *Pitteursii*.
- iv. p. 918, line 8. For Hertfordshire read Herefordshire.
- iv. p. 918, line 38. For University Park read Christ Church Meadows.
- iv. p. 919, line 10. For 61 feet in girth read 61 feet in height.
- iv. p. 922, line 25. For Stukeley read Stewkley.
- iv. p. 940, line 17, and note 2. The variety in Japan has been described as a distinct species, *Alnus serrulatoides*, Callier, in Fedde, *Repert.* x. 229 (1911).
- iv. p. 946, line 24. For *montrosa* read *monstrosa*.
- iv. p. 952, line 16. For *multinervis*, Schneider, read *multinervis*, Callier, *ex* Schneider.
- iv. p. 953, line 24. Delete comma after *Flora*.
- iv. p. 963, note 2. For *Eriophes* read *Eriophyes*.
- iv. p. 971, line 21. For 225 read 255.
- iv. p. 989, line 6. For *dahurica* read *davurica*.
- iv. Plate 264, Fig. 16. For lanceolata read lanceolata.
- v. p. 1013, line 15. For Bewdley read Bromsgrove.
- v. p. 1029, note 1. For *Rusticanum* read *Rusticum*.
- v. p. 1031, line 24. For Burwood House, near Cobham, Surrey, read Bearwood, near Wokingham.
- v. p. 1080, note 7. For saved read sowed.
- v. p. 1100, line 24. For *Pithyusa* read *pithyusa*.
- v. p. 1100, line 31. For *Eldarica* read *eldarica*.
- v. p. 1102, line 38. After *P. halepensis* insert (Plate 287).
- v. p. 1103, note 3. For Strangways read Steven. Cf. p. 1100 and note.
- v. p. 1107, line 32. For Solander in Aiton read Aiton.
- v. p. 1113, line 12. For Solander in Aiton read Aiton.
- v. p. 1124, line 36. For Burwood House, Surrey, read Bearwood, Berks.
- v. p. 1130, note 2. For Klotsch read Klotzsch.
- v. p. 1134, line 26. For *Mackintoshiana* read *Macintoshiana*.
- v. p. 1139, line 23. For *Aboretum* read *Arboretum*.
- v. p. 1140, line 1. For Solander in Aiton read Aiton.
- v. p. 1142, line 5. For 5 ft. 3 in. read 5.23 in.
- v. p. 1142, line 6. For 6 ft. 4 in. read 6.4 in. ; for 8 ft. 3 in. read 8.3 in.

1942 The Trees of Great Britain and Ireland

Vol. v. p. 1150, line 9. *Cupressus Hodginsii*, Dunn, has been made the type of a new genus, and is now known as *Fokienia Hodginsii*, A. Henry and H. H. Thomas, in *Gard. Chron.* xlix. 66, 84, figs. (1911). Cf. Clinton-Baker, *Illust. Conif.* iii. 85 (1913), who gives particulars regarding its introduction into cultivation.

v. p. 1179, note 1, line 4. For Parlatore read Antoine.

v. p. 1188, line 18. For Maichi read Imaichi.

v. p. 1200, line 28. Insert (H. J. E.).

v. p. 1203, note 2. For *pygmea* read *pygmæa*.

v. p. 1229, note 5. For *schochiana* read *Schochiana*.

v. p. 1235, note 2. After Small, read in *Bull. Torrey Bot. Club*, 1901, p. 157.

v. p. 1257, line 21. For 317 read 318.

v. p. 1257, line 24. For 318 read 317.

v. p. 1289, between lines 19 and 20. Add as a synonym, *Quercus austriaca sempervirens*, Hort., a name by which this oak is still occasionally known in some nurseries.

v. p. 1315, line 17. For *cerquhino* read *cerquinho*.

vi. p. 1372. Two varieties of the Hondo spruce, vars. *reflexa* and *acicularis*, have recently been described by Shirasawa and Koyama, in *Tokyo Bot. Mag.* xxvii. 129, pl. ii. figs. 1-17 (1913).

An allied species, *Picea Koyamai*, Shirasawa, was published in *Tokyo Bot. Mag.* xxvii. 128, pl. ii. figs. 28-35 (1913).

vi. p. 1374, line 3. Add Shirasawa and Koyama describe and figure *Picea Maximowiczii* in *Tokyo Bot. Mag.* xxvii. 130, pl. ii. figs. 18 to 27 (1913).

vi. p. 1380, line 25. For Solander in Aiton read Aiton.

vi. p. 1411, line 3. For Timbal read Timbal-Lagrave.

vi. p. 1481, line 3; 1483, line 6; 1485, line 11; 1487, line 22; 1489, lines 12 and 23; 1490, line 29. For *Bull. Soc. Dend. France*, i. read *Bull. Soc. Dend. France*, ii.

vi. p. 1487, line 18 and note 2. It will be advisable to adopt for this species the oldest name, *Catalpa ovata*, Don, and to abandon that of *C. Kaempferi*. Rehder, in Sargent, *Plant. Wilson*, ii. 304 (1912) agrees with me that this species is truly wild in Central China, and that *C. Henryi*, Dode, cannot be maintained even as a variety.

vi. p. 1489, line 24. *Catalpa Duclouxii*, Dode, and *C. sutchuenensis*, Dode, in *Bull. Soc. Dend. France*, ii. 204 (1907), are considered by Rehder, in Sargent, *Plant. Wilson*, ii. 304 (1912), to be identical, and constitute a glabrous variety of *C. Fargesii*, Bureau, which varies much in pubescence.

vi. p. 1569, line 11. For Solander in Aiton read Aiton.

vi. p. 1580, note. Add The rowan (*Pyrus Aucuparia*) is called quicken tree in Wicklow and other parts of Ireland.

vi. p. 1585, line 1. Schneider, *Laubholzkunde*, i. 806 (1906), adopts for this species the name *Magnolia virginiana*, Linnæus, *Sp. Pl.* 535 (1753), instead of *Magnolia glauca*.

vi. p. 1616, note 2. For *E. Gunnii* read *E. coccifera*.

vii. p. 1736, note 3. For Chevallier read Blin. Cf. *Bull. Dend. Soc. France*, 1913, p. 122.

(A. H.)

INDEX

Abel (Abele) tree, vii. 1780, 1783
 „ etymology, vii. 1780 note 1
ABELICEA, Reichenbach, iv. 914
Abelicea hirta, Schneider, iv. 920
 „ *Keaki*, Schneider, iv. 920
 „ *ulmoides*, Kuntze, iv. 915
 Abelude n'zân tree, v. 1321
ABIES, Bentham et Hooker, vi. 1473
 „ A. L. de Jussieu, ii. 345
ABIES, Linnæus, iv. 713
 „ key to species, iv. 715
ABIES, Linnæus (Spruce Firs), i. 75
 „ Poiret, iii. 451
Abies adicularis, Maximowicz, vi. 1372, 1373
 „ *aclada*, Salvi, vi. 1342
 „ *ajanensis*, Lindley and Gordon, i. 85
 „ *alba*, Michaux, vi. 1380
 „ „ Miller, iv. 720
 „ *Albertiana*, A. Murray, ii. 234
 „ *Alcockiana*, Gordon, vi. 1372
 „ *Alcoquiana*, Veitch, i. 90; vi. 1372
 „ *amabilis*, Forbes, iv. 782, 717, 787
 „ „ British Columbia, tree in, iv. 783,
 Pl. 220
 „ „ distribution and history, iv. 782
 „ „ remarkable trees, iv. 784
 „ *amabilis*, Murray, iv. 773
 „ *Apollinis*, Link, iv. 723, 739, 740
 „ *Araragi*, Loudon, ii. 246
 „ *arctica*, Murray, vi. 1381
 „ *arizonica*, Merriam, iv. 800, 801
 „ *atlantica*, Lindley and Gordon, iii. 469
 „ *baborensis*, Letourneux, iv. 737
 „ *balsamea*, Miller, iv. 803; i. 96; iv. 716,
 807
 „ „ distribution, iv. 804
 „ „ in England, iv. 805
 „ „ in Norway, iv. 805
 „ „ in Scotland, iv. 805
 „ „ remarkable trees, iv. 805
 „ „ resin, iv. 805
 „ „ timber, iv. 805
 „ „ var. *Hudsonia*, iv. 804
 „ „ *macrocarpa*, iv. 804
 „ *balsamifera*, Michaux, iv. 803
 „ *bicolor*, Maximowicz, vi. 1372, 1373
 „ *bifida*, Siebold and Zuccarini, iv. 762
 „ *bifolia*, Murray, iv. 800

Abies—continued

„ *brachyphylla*, Maximowicz, iv. 765, 715,
 717, 764, 768
 „ „ cultivation, iv. 767
 „ „ distribution, iv. 766
 „ „ identification, iv. 766
 „ *bracteata*, Nuttall, iv. 796; i. 83; iv. 713
 note 1, 715, 716
 „ „ cultivation, iv. 798
 „ „ distribution and history, iv. 797
 „ „ Eastnor Castle, tree at, iv. 798,
 Pl. 224
 „ „ remarkable trees, iv. 798
 „ *Brunoniana*, Lindley, ii. 244
 „ *canadensis*, Michaux, ii. 239
 „ „ Miller, vi. 1380
 „ *carpatica*, Lawson, vi. 1337
 „ *Cedrus*, Poiret, iii. 453
 „ *cephalonica*, Loudon, iv. 739, 713 note 3,
 715, 732
 „ „ Barton, tree at, iv. 742, Pl.
 214
 „ „ Blairadam, trees at, iv. 743
 „ „ cultivation, iv. 741
 „ „ distribution, iv. 740
 „ „ in England, iv. 742
 „ „ in Ireland, iv. 743
 „ „ in Scotland, iv. 742
 „ „ remarkable trees, iv. 742
 „ „ var. *Apollinis*, iv. 740, 715,
 741 and note 6, 743
 „ *chinensis*, Franchet, ii. 229 note 1
 „ *cilicica*, Carrière, iv. 744, 716 note 1, 717
 note 3, 718
 „ „ cultivation, iv. 745
 „ „ distribution, iv. 744
 „ *cœrulea*, Forbes, vi. 1382
 „ *commutata*, Murray, vi. 1387
 „ *concolor*, Lindley and Gordon, iv. 777, 719,
 745, 779, 801
 „ „ cultivation, iv. 778
 „ „ history and distribution, iv. 778
 „ „ var. *aurea*, iv. 778
 „ „ *brevifolia*, iv. 778
 „ „ *falcata*, iv. 777
 „ „ *glabosa*, iv. 777
 „ „ *lasiocarpa*, iv. 779
 „ „ *Lowiana*, iv. 779

1944 The Trees of Great Britain and Ireland

Abies—continued

- „ *concolor*, Sargent, iv. 779
- „ *curvifolia*, Salisbury, vi. 1380
- „ *Davidiana*, Franchet, vi. 1475
- „ Delavayi, Franchet, iv. 719
- „ *densa*, Griffith, iv. 751 note, 752
- „ *denticulata*, Michaux, vi. 1375
- „ *Deodara*, Lindley, iii. 476
- „ *diversifolia*, Maximowicz, ii. 247
- „ *Douglasii*, Lindley, iv. 814
- „ „ var. *macrocarpa*, iv. 812
- „ *dumosa*, Loudon, ii. 244
- „ *Eichleri*, Lauche, iv. 768, 769
- „ *Engelmanni*, Parry, vi. 1387
- „ „ var. *glauca*, vi. 1390 note 3
- „ „ *pseudopungens*, vi. 1387 note
- „ *excelsa*, De Candolle, vi. 1337
- „ „ var. *alpestris*, vi. 1360
- „ „ *Clanbrassiliana*, vi. 1343
- „ „ *Cranstonii*, vi. 1342
- „ „ *inverta*, vi. 1340
- „ „ *medioxima*, vi. 1360
- „ „ *monstrosa*, vi. 1342
- „ „ *pendula*, vi. 1340
- „ „ *virgata*, vi. 1342
- „ *Fargesii*, Franchet, iv. 719
- „ *firma*, Siebold and Zuccarini, iv. 762, 715, 716, 765, 768
- „ „ distribution, iv. 763
- „ „ Narai (Japan), tree at, iv. 763, Pl. 216
- „ „ remarkable trees, iv. 764
- „ *Fortunei*, Murray, vi. 1474
- „ *Fraseri*, Poiret, iv. 806, 716
- „ „ distribution, iv. 807
- „ „ history and cultivation, iv. 807
- „ „ identification, iv. 806
- „ *Glehni*, Schmidt, vi. 1369
- „ *Gmelini*, Ruprecht, ii. 379
- „ *Gordoniana*, Carrière, iv. 773
- „ *gracilis*, Komarov, iv. 759
- „ *grandis*, Lindley, iv. 773; i. 96; ii. 236, 398; iv. 715, 716, 778, 779, 780 note 1, 789 note
- „ „ distribution, iv. 774
- „ „ Eastnor Castle, tree at, iv. 775, Pl. 217
- „ „ identification, iv. 773
- „ „ in England, iv. 775
- „ „ in Germany, North-western, iv. 776
- „ „ in Ireland, iv. 776
- „ „ in Scotland, iv. 775
- „ „ in Vancouver Island, iv. 774, Pl. 218
- „ „ remarkable trees, iv. 774
- „ „ var. *Lowiana*, iv. 779
- „ *grandis*, Murray, iv. 782
- „ *Griffithiana*, Lindley and Gordon, ii. 388
- „ *heterophylla*, Rafinesque, ii. 234
- „ *hirtella*, Lindley, iv. 808
- „ *holophylla*, Maximowicz, iv. 763
- „ *homolepis*, Mayr, iv. 765
- „ *homolepis*, Siebold and Zuccarini, iv. 764, 716, 765 note 3, 766
- „ *Hookeriana*, Murray, ii. 229, 230

Abies—continued

- „ *Hudsonia*, Bosc, iv. 804
- „ *insignis*, Carrière, iv. 733
- „ *japonica*, iv. 770
- „ *jezoensis*, Lindley, vi. 1474
- „ „ Siebold and Zuccarini, i. 85
- „ *Kaempferi*, Lindley (*Larix leptolepis*), ii. 384
- „ „ „ (*Pseudolarix Fortunei*), vi. 1477 and note 2
- „ *kamtschatika*, Ruprecht, ii. 346
- „ *Khutrow*, Loudon, vi. 1366
- „ *Larix*, Poiret, ii. 349
- „ *lasiocarpa*, Masters, iv. 779
- „ *lasiocarpa*, Nuttall, iv. 800; ii. 398; iv. 716 note 2, 719, 759, 783; vi. 1389
- „ „ distribution, iv. 801
- „ „ history and cultivation, iv. 802
- „ „ identification, iv. 801
- „ „ Montana, tree in, iv. 802, Pl. 225
- „ „ var. *arizonica*, iv. 801
- „ *laxa*, Koch, vi. 1380
- „ *Ledebourii*, Ruprecht, ii. 374
- „ *leptolepis*, Lindley, ii. 385 note
- „ „ Siebold and Zuccarini, ii. 384
- „ *Lowiana*, A. Murray, iv. 779, 716, 777 note 1, 778, 794
- „ „ distribution, iv. 780
- „ „ history and cultivation, iv. 780
- „ „ identification, iv. 779
- „ „ Linton Park, tree at, iv. 781, Pl. 219
- „ „ remarkable trees, iv. 781
- „ *macrocarpa*, Vasey, iv. 812
- „ *magnifica*, A. Murray, iv. 792, 715, 718, 780, 781, 787
- „ „ Bayfordbury, tree at, iv. 794, Pl. 222
- „ „ Bonskeid, tree at, iv. 795, Pl. 223
- „ „ distribution, iv. 793
- „ „ identification, iv. 793
- „ „ introduction, iv. 794
- „ „ remarkable trees, iv. 794
- „ „ var. *shastensis*, iv. 793
- „ „ *xanthocarpa*, iv. 793
- „ *Mariana*, Miller, vi. 1375
- „ *Mariesii*, Masters, iv. 771, 715, 717, 761 note 2, 770
- „ „ cultivation, iv. 772
- „ „ distribution and history, iv. 772
- „ „ identification, iv. 772
- „ *Mariesii*, Masters, iv. 750, 754 note
- „ *marocana*, Trabut, iv. 738
- „ *Maximowiczii*, Neumann, vi. 1374
- „ *medioxima*, Lawson, vi. 1360
- „ *Menziesii*, Engelmann, vi. 1389
- „ „ var. *Parryana*, vi. 1389
- „ *Menziesii*, Lindley, i. 92, 94
- „ *Mertensiana*, Gordon, ii. 234
- „ *microcarpa*, Poiret, ii. 392
- „ *microsperma*, Lindley, i. 87
- „ *Momi*, Siebold, iv. 762

Abies—continued

- „ *Morinda*, Lindley, vi. 1392
 „ „ Nelson (Senilis), vi. 1366
 „ *mucronata*, Rafinesque, iv. 814
 „ *nephrolepis*, Maximowicz, iv. 769, 759
 „ *nigra*, Du Roi, vi. 1375
 „ *nobilis*, Lindley, iv. 786; ii. 397 note; iv. 715, 718, 774, 780, 784 note, 792, 793, 795 note 3
 „ „ Cascade Mountains, trees in, iv. 787, Pl. 221
 „ „ cultivation, iv. 788
 „ „ distribution, iv. 787
 „ „ history, iv. 788
 „ „ in England, iv. 789
 „ „ in Ireland, iv. 791
 „ „ in Scotland, iv. 790
 „ „ remarkable trees, iv. 789
 „ „ var. *magnifica* (Kellogg), iv. 792
 „ „ „ (Masters), iv. 793
 „ „ *robusta*, iv. 793, 794
 „ Nordmanniana, Spach, iv. 746, 713 note 3, 717, 732, 733, 770, 782, 785
 „ „ cultivation, iv. 748
 „ „ distribution, iv. 747
 „ „ hybrids, iv. 733
 „ „ remarkable trees, iv. 749
 „ „ varieties, iv. 746
 „ „ var. *equi-Trojani*, iv. 747
 „ „ *speciosa*, iv. 733
 „ *numidica*, De Lannoy, iv. 737, 716 note 1, 717 note 2, 718, 724
 „ „ distribution, iv. 738
 „ „ history and cultivation, iv. 738
 „ „ identification, iv. 738
 „ *obovata*, Don, vi. 1359
 „ „ Loudon, var. *japonica*, vi. 1374
 „ *orientalis*, Poiret, vi. 1362
 „ *panachaica*, Heldreich, iv. 739, 740
 „ *Pattoniana*, Balfour, ii. 229, 230
 „ *pectinata*, De Candolle, iv. 720, 713 note 3, 716, 733, 748 note 2, 799 note 2
 „ „ Ardkinglas, trees at, iv. 729
 „ „ bark, iv. 726
 „ „ Cowdray Park, tree at, iv. 727, Pl. 208
 „ „ cultivation, iv. 726
 „ „ „ Mr. Crozier's experience, iv. 727
 „ „ distribution, iv. 722
 „ „ in Corsica, iv. 724
 „ „ in England, iv. 726-729
 „ „ in France, iv. 723
 „ „ in Germany, iv. 724
 „ „ in Ireland, iv. 727, 730
 „ „ in Italy, iv. 724
 „ „ in Scotland, iv. 727 note 2, 729
 „ „ in Silesia and Bohemia, immense size, iv. 724
 „ „ in Switzerland, iv. 724
 „ „ Inveraray Castle, trees near, iv. 729

Abies pectinata, De Candolle—continued

- „ „ Jägersborg, plantation in the Royal Park, iv. 725
 „ „ Longleat, trees at, iv. 728, Pl. 209. See Errata, 1940
 „ „ mistletoe on, iv. 726
 „ „ remarkable trees, iv. 727
 „ „ Roseneath, champion tree at, iv. 729, Pl. 210
 „ „ seedling, iv. 721
 „ „ timber, iv. 731
 „ „ Tullymore Park, tree at, iv. 730, Pl. 211
 „ „ varieties, iv. 721
 „ „ var. *brevifolia*, iv. 722
 „ „ *columnaris*, iv. 722
 „ „ *pendula*, iv. 722
 „ „ *pyramidalis*, iv. 722
 „ „ *tortuosa*, iv. 722
 „ „ *virgata*, iv. 722; vi. 1342 note 1
 „ *pendula*, Poiret, ii. 379
 „ *Picea*, Lindley, iv. 720
 „ „ Miller, vi. 1337
 „ *Pichta*, Forbes, iv. 758
 „ Pindrow, Spach, iv. 755, 715, 719, 751
 „ „ distribution, iv. 756
 „ „ identification, iv. 755
 „ „ remarkable trees, iv. 757
 „ „ var. *intermedia*, iv. 756
 „ Pinsapo, Boissier, iv. 732; i. 96; iv. 715, 741
 „ „ cultivation, iv. 735
 „ „ distribution, iv. 733
 „ „ dwarf form, iv. 735 and note 3
 „ „ history, iv. 735
 „ „ hybrids, iv. 732
 „ „ „ Moser's, iv. 733
 „ „ in Andalusia, iv. 734, Pl. 212
 „ „ Longleat, tree at, iv. 736, Pl. 213
 „ „ remarkable trees, iv. 735
 „ „ var. *baborensis*, iv. 737
 „ „ Hammondi, iv. 735 note 3
 „ *polita*, Siebold and Zuccarini, vi. 1370
 „ *recurvata*, Masters, iv. 719
 „ *Reginæ Amaliæ*, Heldreich, iv. 739, 740, 741
 „ *religiosa*, Hooker and Arnott, iii. 688
 „ *religiosa*, Schlechtendal, iv. 808, 717; v. 1183
 „ „ distribution, iv. 808
 „ „ Fota, tree at, iv. 810, Pl. 226
 „ „ remarkable trees, iv. 809
 „ *rubra*, Poiret, vi. 1377
 „ „ var. *cærulea*, vi. 1382
 „ *sachalinensis*, Masters, iv. 760; i. 86, 87; iv. 718, 759, 770, 801 note 2
 „ „ distribution and cultivation, iv. 761
 „ „ varieties, iv. 760
 „ „ var. *nemorensis*, iv. 760, 770 note 3
 „ *sacra*, Franchet, vi. 1475
 „ *Schrenkiana*, Lindley and Gordon, vi. 1364

1946 The Trees of Great Britain and Ireland

Abies—continued

- „ *selinusia*, Carrière, iv. 744
- „ *Semenovii*, Fedtschenko, iv. 758
- „ *shastensis*, Lemmon, iv. 792, 793
- „ *sibirica*, *Ledebour*, iv. 758, 718, 761, 801
note 2
- „ „ distribution and cultivation, iv. 759
- „ *sitchensis*, Lindley and Gordon, i. 92
- „ *Smithiana*, Hooker, vi. 1392
- „ „ Lindley, vi. 1366
- „ *spectabilis*, Spach, iv. 750
- „ *spinulosa*, Griffith, vi. 1392
- „ *squamata*, *Masters*, iv. 719
- „ *subalpina*, Engelm., iv. 783, 800
- „ *taxifolia*, Poir., iv. 814
- „ *Torano*, Siebold, vi. 1370
- „ *Tschonoskiana*, Regel, iv. 764
- „ *Tsuga*, Siebold and Zuccarini, ii. 246
- „ „ var. *nana*, ii. 248
- „ *umbellata*, *Mayr*, iv. 768, 717 note 1
- „ *umbilicata*, Beissner, iv. 768
- „ *Veitchii*, *Lindley*, iv. 768; i. 90; iv. 717,
760, 765 note 2
- „ „ cultivation, iv. 771
- „ „ distribution and history, iv. 770
- „ „ identification, iv. 770
- „ „ trees associated with, iv. 770
- „ „ var. *Nikkoensis*, iv. 769
- „ „ *sachalinensis*, iv. 760
- „ „ *typica*, iv. 769
- „ *venusta*, Koch, iv. 796
- „ *Vilmorini*, *Masters*, iv. 732
- „ *vulgaris*, Poir., iv. 720
- „ *Webbiana*, *Lindley*, iv. 750, 715, 716, 755,
756, 766, 771 and note 2;
vi. 1394
- „ „ cultivation, iv. 753
- „ „ distribution, iv. 752
- „ „ history, iv. 753
- „ „ remarkable trees, iv. 753
- „ „ Sikkim, trees in, iv. 752, Pl. 215
- „ „ varieties, iv. 751
- „ „ var. *brevifolia*, iv. 751 and note
- „ „ *Pindrow*, iv. 755
- „ *Williamsonii*, Newberry, ii. 229
- „ *yezoensis*, i. 87
- „ *yunnanensis*, Franchet, ii. 229 note 2
- ABIETIA, Kent, iv. 811
- Abietia Douglasii*, Kent, iv. 814
- „ „ var. *macrocarpa*, iv. 812
- „ *Fortunei*, Kent, vi. 1474
- ACACIA, Adanson, vii. 1697
- Acacia, False, vi. 1497. See *Robinia Pseudacacia*
- „ Rose, vi. 1508. See *Robinia hispida*
- Acacia *arcuata*, Sieber, vii. 1699
- „ *brevipes*, Cunningham, vii. 1699
- „ *dealbata*, *Link*, vii. 1697
- „ „ Derreen, tree at, vii. 1698, Pl. 376
- „ *decurrens*, *Willdenow*, vii. 1698
- „ „ var. *dealbata*, vii. 1697
- „ „ *mollis*, vii. 1698 note 1
- „ *irrorata*, Sieber, vii. 1697
- „ *latifolia*, Desfontaines, vii. 1699
- „ *melanoxylon*, *R. Brown*, vii. 1699

Acacia—continued

- „ *seyal*, *Delile*, v. 1157 note 6
- ACANTHOPANAX, Miquel, vii. 1694
- Acanthopanax acerifolium*, Schelle, vii. 1694
- „ *ricinifolium*, *Seemann*, vii. 1694
- „ „ timber, vii. 1696
- „ „ var. *Maximowiczii*, vii.
1695
- ACER, Linnæus, iii. 630. See also *Maple*
- „ synopsis of species in cultivation, iii. 631
- Acer argutum*, *Maximowicz*, iii. 638
- „ *barbatum*, Michaux, iii. 677, 678
- „ „ var. *nigrum*, iii. 678
- „ *Bornmülleri*, *Borbas*, iii. 652
- „ *californicum*, Dietrich, iii. 684
- „ *campestre*, *Linnaeus*, iii. 651, 638
- „ „ distribution, etc. See *Maple*, Com-
mon
- „ „ var. *collinum*, iii. 652
- „ „ *hebecarpum*, iii. 652
- „ „ „ *acutilobum*, iii. 652
- „ „ „ *lobatum*, iii. 652
- „ „ „ *subtrilobum*, iii. 652
- „ „ *leiocarpum*, iii. 652
- „ „ „ *austriacum*, iii. 652
- „ „ „ *normale*, iii. 652
- „ „ „ *pseudomarsicum*,
iii. 652
- „ „ *pulverulentum*, iii. 652
- „ „ *variegatum*, iii. 652
- „ *capillipes*, *Maximowicz*, iii. 633
- „ *carpinifolium*, *Siebold and Zuccarini*, iii. 631;
iv. 953
- „ *circinatum*, *Pursh*, iii. 639
- „ „ leaves, iii. 639, Pl. 205, Fig. 5
- „ *cissifolium*, *Koch*, iii. 640
- „ *coccineum*, Michaux f., iii. 671
- „ *colchicum*, Booth, iii. 660
- „ *coriaceum*, *Tausch*, iii. 634
- „ *cratægifolium*, *Siebold and Zuccarini*, iii. 633,
632
- „ „ var. *Veitchii*, iii. 633
- „ *creticum*, *Linnaeus*, iii. 632
- „ „ leaves, iii. 632, Pl. 207, Fig. 32
- „ *cultratum*, Wallich, iii. 660, 661
- „ *dasycarpum*, *Ehrhart*, iii. 674, 636, 672
- „ „ distribution, etc. See *Maple*,
Silver
- „ „ var. *laciniatum*, iii. 675
- „ „ *tripartitum*, iii. 675
- „ *Davidi*, *Franchet*, iii. 632
- „ *diabolicum*, *Blume*, iii. 638
- „ „ leaves, iii. 638, Pl. 207, Fig. 26
- „ *Dieckii*, *Pax*, iii. 637, 657
- „ „ leaves, iii. 637, Pl. 207, Fig. 30
- „ *distylum*, *Siebold and Zuccarini*, iii. 631
- „ *Drummondii*, Hooker and Arnott, iii. 671
- „ *eriocarpum*, Michaux, iii. 674
- „ *Fargesii*, *Rehder*, iii. 632
- „ *floridanum*, *Pax*, iii. 678
- „ *Francheti*, *Pax*, iii. 638 note 2
- „ *ginnala*, *Maximowicz*, iii. 633
- „ „ var. *Semenovii*, iii. 633
- „ *glabrum*, *Torrey*, iii. 634

Acer—continued

- „ grandidentatum, *Nuttall*, iii. 635
 „ „ leaves, iii. 635, Pl. 205, Fig. 4
 „ griseum, *Pax*, iii. 641
 „ Heldreichii, *Orphanides*, iii. 636
 „ „ leaves, iii. 636, Pl. 206, Fig. 17
 „ Henryi, *Pax*, iii. 640
 „ hispanicum, *Pourret*, iii. 663
 „ hybridum, *Spach*, iii. 634
 „ hyrcanum, *Fischer et Meyer*, iii. 635
 „ „ leaves, iii. 636, Pl. 207, Fig. 22
 „ insigne, *Boissier et Buhse*, iii. 667, 636, 668, 669
 „ „ leaves, iii. 636, 667, Pl. 206, Fig. 18
 „ „ var. glabrescens, iii. 667, 668
 „ „ longiloba, iii. 667 note 2
 „ „ obtusiloba, iii. 667 note 2
 „ „ typica, iii. 667 note 2
 „ „ *Van Volxemi*, iii. 668
 „ „ velutina, iii. 667
 „ „ *Wolff*, iii. 669
 „ insigne, *Nicholson*, iii. 669
 „ italicum, *Lauth*, iii. 663
 „ japonicum, *Thunberg*, iii. 639
 „ „ var., leaves, iii. 640, Pl. 207, Fig. 29
 „ latum, *C. A. Meyer*, iii. 660, 661
 „ levigatum, *Wallich*, var. *Fargesii*, iii. 632
 „ leucoderme, *Small*, iii. 678
 „ Lobelii, *Tenore*, iii. 659, 637
 „ „ leaves, iii. 637, 660, Pl. 205, Fig. 8
 „ Lorbergi, *Van Houtte*, iii. 656
 „ macrophyllum, *Pursh*, iii. 681, 638
 „ „ distribution, etc. See *Maple*, Oregon
 „ mandshuricum, *Maximowicz*, iii. 640 note
 „ Martini, *Jordan*, iii. 663
 „ Mayri, von *Schwerin*, iii. 660, 662
 „ Miyabei, *Maximowicz*, iii. 638
 „ Mono, *Maximowicz*, iii. 660, 662
 „ monspessulanum, *Linnaeus*, iii. 665, 632, 634, 652
 „ „ distribution, etc. See *Maple*, Montpellier
 „ „ var. rumelicum, iii. 666
 „ neapolitanum, *Tenore*, iii. 664
 „ neglectum, *Lange*, iii. 637, 652
 „ „ leaves, iii. 637, Pl. 205, Fig. 7
 „ Negundo, *Linnaeus*, iii. 684, 640, 673
 „ „ distribution, etc. See *Maple*, Ash-leaved
 „ „ var. auratum, iii. 685
 „ „ aureo-maculatum, iii. 685
 „ „ aureo-marginatum, iii. 685
 „ „ californicum, iii. 684, 640, 685
 „ „ „ leaves, iii. 640, 685, Pl. 205, Fig. 1
 „ „ crispum, iii. 685
 „ „ variegatum, iii. 685
 „ „ violaceum, iii. 685
 „ nigrum, *Michaux f.*, iii. 678
 „ nikoense, *Maximowicz*, iii. 641
 „ oblongum, *Wallich*, iii. 631
 „ obtusatum, *Kitaibel*, iii. 663
 „ Oliverianum, *Pax*, iii. 638

Acer—continued

- „ Opalus, *Miller*, iii. 663, 635, 666
 „ „ distribution, etc. See *Maple*, Italian
 „ „ var. neapolitanum, iii. 664, 635
 „ „ „ leaves, iii. 635, Pl. 206, Fig. 15
 „ „ obtusatum, iii. 663, 634, 664, 666
 „ „ „ leaves, iii. 634, 663, Pl. 206, Fig. 16
 „ opulifolium, *Villar*, iii. 663
 „ palmatum, *Thunberg*, iii. 639, 638
 „ pennsylvanicum, *Linnaeus*, iii. 633
 „ „ leaves, iii. 633, Pl. 206, Fig. 13
 „ Peronai, von *Schwerin*, iii. 666
 „ pictum, *Thunberg*, iii. 660, 637
 „ „ distribution, iii. 662
 „ „ leaves, iii. 637, 660, Pl. 205, Fig. 9
 „ „ var. colchicum, iii. 661, 637, 652, 657
 „ „ „ rubrum, iii. 661, 662
 „ „ cultratum, iii. 661
 „ „ eu-pictum, iii. 661
 „ „ Mayri, iii. 662
 „ „ Mono, iii. 662
 „ „ tomentosulum, iii. 661
 „ „ tricaudatum, iii. 661
 „ platanoides, *Linnaeus*, iii. 656, 637, 662, 670 and note 2
 „ „ distribution, etc. See *Maple*, Norway
 „ „ var. albo-variegatum, iii. 657
 „ „ aureo-marginatum, iii. 657
 „ „ aureo-variegatum, iii. 657 note 5
 „ „ columnare, iii. 657
 „ „ cucullatum, iii. 657
 „ „ dissectum, iii. 656
 „ „ „ leaves, iii. 656, Pl. 206, Fig. 21
 „ „ globosum, iii. 657
 „ „ heterophyllum, iii. 657
 „ „ integrilobum, iii. 637 note 2
 „ „ laciniatum, iii. 656
 „ „ „ leaves, iii. 656, Pl. 205, Fig. 10
 „ „ Lobelii, iii. 659, 660
 „ „ maculatum, iii. 657
 „ „ palmatum, iii. 656
 „ „ Reitenbachii, iii. 657
 „ „ rubrum, iii. 657
 „ „ Schwedleri, iii. 657
 „ Pseudoplatanus, *Linnaeus*, iii. 641, 634, 636
 „ „ distribution, etc. See *Sycamore*
 „ „ var. albo-variegatum, iii. 643
 „ „ atropurpureum, iii. 644
 „ „ aucubæfolium, iii. 644
 „ „ clausum, iii. 643
 „ „ corstorphinense, iii. 643
 „ „ crispum, iii. 643
 „ „ cruciatum, iii. 643
 „ „ cupreum, iii. 643
 „ „ erythrocarpum, iii. 643
 „ „ euclorum, iii. 643
 „ „ flava-variegata, iii. 643

1948 The Trees of Great Britain and Ireland

Acer Pseudoplatanus, *Linnaeus*—continued

- " " var. *flavo-variegatum*, iii. 644
- " " *Handjeryi*, iii. 644
- " " *jaspeum*, iii. 643
- " " *Leopoldi*, iii. 644
- " " *longifolium*, iii. 643 note 3
- " " *metallicum*, iii. 643
- " " *Nizeti*, iii. 644
- " " *palmatifidum*, iii. 643
- " " *purpureo-variegatum*, iii. 644
- " " *purpureum*, iii. 644
- " " *pyramidale*, iii. 643
- " " *Rafinesquianum*, iii. 643
- " " *splendens*, iii. 643
- " " *ternatum*, iii. 643
- " " *variegatum*, iii. 644
- " " *villosum*, iii. 642
- " " *vitifolium*, iii. 643
- " " *Webbianum*, iii. 644
- " " *Worlei*, iii. 644
- " *rectangulum*, Dulac, iii. 665
- " *rotundifolium*, Lamarck, iii. 663
- " *rotundilobum*, von *Schwerin*, iii. 634, 666
- " *rubrum*, *Linnaeus*, iii. 671, 635
- " " distribution, etc. See *Maple*, Red
- " " var. *Drummondii*, iii. 671
- " " *globosum*, iii. 673
- " " *sanguineum*, iii. 672
- " " *tridens*, iii. 672
- " *rufinerve*, *Siebold and Zuccarini*, iii. 633
- " *Rugelii*, Pax, iii. 678
- " *saccharinum*, *Linnaeus*, iii. 674
- " " *Wangenheim*, iii. 677 and note
- " *saccharum*, *Marshall*, iii. 677, 635, 674 note
- " " distribution, etc. See *Maple*, Sugar
- " " var. *floridanum*, iii. 679
- " " *leucoderme*, iii. 679
- " " *monumentale*, iii. 678
- " " *nigrum*, iii. 678, 677, 679
- " " *Rugelii*, iii. 678, 679
- " *sanguineum*, Spach, iii. 671
- " *Sieboldianum*, *Miquel*, iii. 640
- " *spicatum*, *Lamarck*, iii. 633
- " *sutchuense*, *Franchet*, iii. 640 note
- " *tataricum*, *Linnaeus*, iii. 631
- " " leaves, iii. 631, Pl. 207, Fig. 33
- " *tetramerum*, Pax, iii. 635
- " *Trautvetteri*, *Medvedjeff*, iii. 669, 636, 668
- " " leaves, iii. 636, 670, Pl. 206, Fig. 19
- " *trifidum*, *Hooker et Arnott*, iii. 632
- " *trifolium*, Duhamel, iii. 665
- " *trilobatum*, Lamarck, iii. 665
- " *trilobum*, Moench, iii. 665
- " *trinerve*, *Dippel*, iii. 632
- " *truncatum*, *Bunge*, iii. 637
- " " leaves, iii. 637, Pl. 205, Fig. 6
- " *Van Volxemi*, Masters, iii. 668
- " *villosum*, *Wallich*, iii. 639
- " *Volxemi*, Masters, iii. 668, 636
- " " variety, iii. 669
- Acidium cedri*, etc. See *Fungi*

ÆSCULUS, *Linnaeus*, ii. 206

- " key to species, ii. 209
- " section *CALOTHYRSUS*, ii. 208
- " " *HIPPOCASTANUM*, ii. 206
- " " *MACROTHYRSUS*, ii. 208
- " " *PAVIA*, ii. 207
- Æsculus arguta*, Buckley, ii. 223
- " *austrina*, *Small*, ii. 208
- " *balgiana*, André, ii. 218
- " *californica*, *Nuttall*, ii. 226, 208, 209
- " " branchlets and buds, ii. 209, 226, Pl. 62, Fig. 5
- " " leaves, etc., ii. 209, 226, Pl. 61, Fig. 5
- " *carnea*, *Hayne*, ii. 217, 207, 208, 209
- " " branchlets and buds, ii. 209, 217, Pl. 62, Fig. 2
- " " history, ii. 218
- " " identification, ii. 217
- " " leaves, etc., ii. 209, 217, Pl. 61, Fig. 4
- " " var. *alba*, ii. 218
- " " *aureo-maculata*, ii. 218
- " " *aureo-marginata*, ii. 218
- " " *Briotii*, ii. 218
- " " *pendula*, ii. 218
- " *chinensis*, *Bunge*, ii. 207
- " *chinensis*, Masters, ii. 221
- " *discolor*, Pursh, ii. 224
- " *flava*, Aiton, ii. 224
- " *glabra*, *Willdenow*, ii. 223, 207, 209
- " " branchlets and buds, ii. 223, Pl. 62, Fig. 3
- " " leaves, etc., ii. 209, 223, Pl. 61, Fig. 9
- " " var. *Buckleyi*, ii. 223
- " *Hippocastanum*, *Linnaeus*, ii. 210, 207, 209
- " " distribution, etc. See *Horse-Chestnut*, Common
- " " var. *asplenifolia*, ii. 212
- " " *aureo-variegata*, ii. 212
- " " *crispa*, ii. 212
- " " *flore pleno*, ii. 211
- " " *incisa*, ii. 212
- " " *laciniata*, ii. 212
- " " *Memmingeri*, ii. 212
- " " *pyramidalis*, ii. 212
- " " *tortuosa*, ii. 212
- " " *umbraculifera*, ii. 212
- " *Hippocastanum* × *A. Pavia*, Koch, ii. 217
- " hybrids, ii. 208
- " *indica*, *Colebrooke*, ii. 219, 207, 209, 212
- " " Barton, tree at, ii. 220, Pl. 65
- " " branchlets and buds, ii. 209, 219, Pl. 62, Fig. 6
- " " cultivation, ii. 220
- " " distribution, ii. 219
- " " identification, ii. 219
- " " leaves, etc., ii. 209, 219, Pl. 61, Fig. 2
- " *intermedia*, André, ii. 218
- " *lutea*, *Wangenheim*, ii. 224
- " *Lyoni*, Hort., ii. 225

Æsculus—continued

- „ *macrostachya*, Michaux, ii. 208
 „ *neglecta*, Lindley, ii. 224
 „ octandra, Marshall, ii. 224, 207, 209, 223
 „ „ branchlets and buds, ii. 224,
 Pl. 62, Fig. 4
 „ „ cultivation, ii. 225
 „ „ distribution, ii. 225
 „ „ identification, ii. 224
 „ „ leaves, etc., ii. 209, 224, Pl.
 61, Fig. 6
 „ „ var. *hybrida*, ii. 224
 „ „ *purpurascens*, ii. 224
 „ *pallida*, Willdenow, ii. 223
 „ Parryi, A. Gray, ii. 208
 „ parviflora, Walter, ii. 208, 209
 „ „ leaves, etc., ii. 208, 209, Pl.
 61, Fig. 7
 „ Pavia, Linnæus, ii. 207, 209, 218, 225
 „ „ leaves, etc., ii. 207, 209, Pl. 61,
 Fig. 8
 „ „ var. *discolor*, ii. 208
 „ plantierensis, André, ii. 218, 209
 „ punduana, Wallich, ii. 207
 „ rubicunda, Loiseleur, ii. 217
 „ turbinata, Blume, ii. 221, 207, 209, 211
 „ „ distribution, ii. 221
 „ „ identification, ii. 221
 „ „ in Japan, ii. 222, Pl. 66
 „ „ leaves, etc., ii. 209, 221, Pl.
 61, Fig. 3
 „ „ timber, ii. 222
 „ versicolor, Dippel, ii. 224, 207, 209
 „ Whitleyi, Hort., ii. 225
 Aethnen tree, vii. 1789
 Agaricus melleus. See Fungi
 AGATHISANTHES, Blume, iii. 508
 AILANTHUS, Desfontaines, i. 29
 Ailanthus *flavescens*, Carrière, i. 31; ii. 433, 434
 „ „ glandulosa, Desfontaines, i. 30, 29; vii.
 1933 and note 4
 „ „ Belton Park, tree at, i. 35,
 Pl. 14
 „ „ branchlets and buds, i. 31;
 ii. Pl. 126, Fig. 3
 „ „ Broom House, tree at, i. 35,
 Pl. 13
 „ „ cultivation, i. 33
 „ „ distribution, i. 31
 „ „ identification, i. 31
 „ „ introduction, i. 32
 „ „ leaves, i. 30, Pl. 15, Fig. B
 „ „ old tree at Cambridge, vii.
 1933 note 4
 „ „ remarkable trees, i. 35
 „ „ seedling, i. 30, Pl. 15, Fig. A
 „ „ var. *aucubæfolia*, i. 31
 flavescens, i. 31
 pendula, i. 31
 pendulifolia, i. 31
 rubra, i. 31
 spinosa, i. 29 note 2
 „ grandis, Prain, i. 29
 „ malabarica, i. 32

Ailanthus—continued

- „ moluccana, i. 33
 „ "Tree of Heaven," i. 33
 „ Vilmoriniana, Dode, i. 29
 Aka-eso tree, vi. 1370
 Aka-matsu tree, v. 1126
 Akfadou, Forest of, v. 1319
 Ak Illeden tree, iv. 745
 Alain tree, vii. 1814 note 7
 Alcornoque tree, v. 1295
 Alder, Caucasian, iv. 951. See *Alnus subcordata*
 „ Common, iv. 937. See also *Alnus glutinosa*
 „ „ culture, iv. 941
 „ „ distribution, iv. 940
 „ „ etymology, iv. 940
 „ „ hybrids, iv. 939-940, 949; vii.
 1852 note 2
 „ „ in England, iv. 942
 „ „ in Ireland, iv. 943
 „ „ in Scotland, iv. 943
 „ „ Kilmacurragh, trees at, iv. 943,
 Pl. 253
 „ „ leaves, iv. 937, Pl. 268, Fig. 6
 „ „ Lilford, trees at, iv. 942, Pl.
 252
 „ „ propagation, iv. 941
 „ „ remarkable trees, iv. 942
 „ „ timber, iv. 943
 „ „ „ clog soles from, iv. 944
 „ „ varieties, iv. 938
 „ Cut-leaved, iv. 939
 „ Grey, iv. 945. See also *Alnus incana*
 „ „ cultivation, iv. 948
 „ „ distribution, iv. 946
 „ „ hybrid, vii. 1852 note 2
 „ „ leaves, iv. 945, Pl. 268, Fig. 1
 „ Himalayan, iv. 954. See *Alnus nitida*
 „ Italian, iv. 949. See also *Alnus cordata*
 „ „ distribution, restricted, iv. 950
 „ „ hybrid, iv. 949
 „ „ leaves, iv. 949, Pl. 268, Fig. 4
 „ „ Tottenham House, tree at, iv. 950,
 Pl. 254
 „ Japanese, iv. 953. See *Alnus japonica*
 „ Oregon, iv. 956. See *Alnus rubra*
 Aleppo galls, v. 1326
 Alerce tree (*Fitzroya patagonica*), vi. 1455
 „ „ (Larch and Cedar), vi. 1455 note 2
 „ „ (*Libocedrus tetragona*), iii. 486 and
 note 1
 Alisier de Fontainebleau, i. 156 note 2
 ALNASTER, Spach, iv. 935
 ALNOBETULA, Schur, iv. 935
 ALNUS, Linnæus, iv. 935. See also Alder
 „ key to species, iv. 935
 Alnus *Alnobetula*, Hartig, iv. 936 note 1
 „ „ *barbata*, C. A. Meyer, iv. 937, 938
 „ „ *communis*, Desfontaines, iv. 937
 „ „ *cordata*, Desfontaines, iv. 949, 936
 „ „ distribution, etc. See Alder, Italian
 „ „ *cordifolia*, Tenore, iv. 949
 „ „ var. *subcordata*, iv. 951
 „ „ *denticulata*, C. A. Meyer, iv. 939 note 1
 „ „ *elliptica*, Requier, iv. 949, 936

1950 The Trees of Great Britain and Ireland

Alnus—continued

- „ *firma*, Siebold and Zuccarini, iv. 952, 935
- „ „ leaves, iv. 952, Pl. 268, Fig. 2
- „ „ var. *multinervis*, iv. 952, 953
- „ „ *Sieboldiana*, iv. 953
- „ „ *yasha*, iv. 953
- „ *glauca*, Michaux f., iv. 945
- „ *glutinosa*, Gaertner, iv. 937, 945, 949
- „ „ distribution, etc. See Alder, Common
- „ „ var. *aurea*, iv. 939
- „ „ *barbata*, iv. 938, 937
- „ „ *denticulata*, iv. 939
- „ „ *imperialis*, iv. 939
- „ „ „ leaves, iv. 939, Pl. 268, Fig. 8
- „ „ *incisa*, iv. 939, 946
- „ „ „ leaves, iv. 939, Pl. 268, Fig. 10
- „ „ *japonica*, iv. 940, note 2
- „ „ *laciniata*, iv. 939
- „ „ „ leaves, iv. 939, Pl. 268, Fig. 7
- „ „ *maculata*, iv. 939
- „ „ *oxyacanthifolia*, iv. 939
- „ „ *pyramidalis*, iv. 939
- „ „ *quercifolia*, iv. 939
- „ „ *rubrinervia*, iv. 939
- „ „ *sorbifolia*, iv. 939
- „ *glutinosa* × *A. incana*, iv. 939 note 2
- „ „ × *A. serrulata*, iv. 940
- „ *hirsuta*, Turczaninow, iv. 946
- „ *imperialis*, Desfossé-Thuillier, iv. 939
- „ *incana*, Moench, iv. 945, 936, 939, 956
- „ „ distribution, etc. See Alder, Grey
- „ „ var. *acuminata*, iv. 946
- „ „ „ leaves, iv. 946, Pl. 268, Fig. 9
- „ „ *argentata*, iv. 946
- „ „ *aurea*, iv. 946
- „ „ *glauca*, iv. 946
- „ „ *glauca* (Regel in part), iv. 957
- „ „ „ (Shirasawa), iv. 946 and note 4
- „ „ *hirsuta*, iv. 946 note 3, 947 note
- „ „ *monstrosa*, iv. 946
- „ „ *orbicularis*, iv. 946
- „ „ *parvifolia*, iv. 946
- „ „ *pinnatifida*, iv. 946
- „ „ *rubra*, iv. 956
- „ „ *virescens*, iv. 957
- „ *japonica*, Siebold and Zuccarini, iv. 953, 936, 947
- „ „ leaves, iv. 953, Pl. 268, Fig. 12
- „ *languinosa*, Gilibert, iv. 945
- „ *maritima*, Nuttall, iv. 955, 936, 953 and note, 954
- „ „ leaves, iv. 955, Pl. 268, Fig. 11
- „ „ var. *formosana*, iv. 953
- „ „ *japonica*, iv. 953
- „ *multinervis*, Callier, iv. 952
- „ *nigra*, Gilibert, iv. 937
- „ *nitida*, Endlicher, iv. 954, 936
- „ „ leaves, iv. 954, Pl. 268, Fig. 3

Alnus—continued

- „ *oblongata*, Regel, iv. 955
- „ *oblongifolia*, Watson, iv. 958
- „ *occidentalis*, Dippel, iv. 957
- „ *oregona*, Nuttall, iv. 956
- „ *orientalis*, Decaisne, iv. 952
- „ *pendula*, Matsumura, iv. 952
- „ *rhombifolia*, Nuttall, iv. 958, 936
- „ „ leaves, iv. 958, Pl. 268, Fig. 13
- „ *rubra*, Bongard, iv. 956, 936
- „ „ leaves, iv. 956, Pl. 268, Fig. 16
- „ *serrulata*, Willdenow, iv. 935, 940
- „ *serrulatoides*, Callier. See Errata, 1941
- „ *Sieboldiana*, Matsumura, iv. 952, 953
- „ *silesiaca*, Fiek, iv. 940 note 1
- „ *spuria*, Callier, iv. 939 note 2
- „ *subcordata*, C. A. Meyer, iv. 951, 937, 949
- „ „ leaves, iv. 951, Pl. 268, Fig. 5
- „ *tenuifolia*, Nuttall, iv. 957, 937
- „ „ var. *occidentalis*, iv. 957, 958
- „ „ „ leaves, iv. 957, Pl. 268, Fig. 14
- „ „ *virescens*, iv. 957
- „ „ „ leaves, iv. 957, Pl. 268, Fig. 15
- „ *tinctoria*, Sargent, iv. 947, 936 note 2, 946
- „ *viridis*, De Candolle, iv. 936; v. 1132
- „ *vulgaris*, Persoon, iv. 937
- „ *yasha*, Matsumura, iv. 952, 953
- Altingia excelsa*, Noronha, iii. 505 note 2
- Andys tree*, vi. 1418
- Anisopteryx æscularia*. See Insects
- Antheraea cytherea*. See Insects
- Aomori-todo-matsu tree*, iv. 772
- Apple*, Common, vi. 1570. See *Pyrus Malus*
- APTEROCARYON*, Opiz, iv. 959
- AQUIFOLIUM*, Haller, vii. 1702
- '*Arabim trees*, vii. 1771
- Aralia Maximowiczii*, Van Houtte, vii. 1695
- ARAUCARIA*, Jussieu, i. 43
- Auracaria araucana*, C. Koch, i. 44; Errata, 1936
- „ *Bidwilli*, i. 43 and note 1
- „ *Chilean*. See *Auracaria imbricata*
- „ *chilensis*, Mirbel, i. 44
- „ *Cookii*, i. 43
- „ *Cunninghami*, i. 43 and note 2, 131
- „ *Dombeyi*, A. Richard, i. 44
- „ *excelsa*, i. 43
- „ *imbricata*, Pavon, i. 44, 43
- „ „ Beauport, trees at, i. 51, Pl. 20
- „ „ cultivation and soil, i. 53
- „ „ distribution, i. 45
- „ „ Dropmore, tree at, i. 51, Pl. 19
- „ „ in Chile, i. 49, Plates 17 and 18
- „ „ in England, i. 51
- „ „ in Ireland, i. 53
- „ „ in Scotland, i. 52
- „ „ remarkable trees, i. 51
- „ „ resin, i. 46
- „ „ root-suckers, i. 52; iii. 495
- „ „ seedlings, i. 45, Pl. 15 F; 51, Pl. 15 E

Araucaria imbricata, *Pavon*—*continued*
 " " timber, i. 54
 " " uses, i. 54
Arbor Vitæ, Chinese, i. 197. *See* *Thuya orientalis*
 " " New Zealand, iii. 488
 " " Western, i. 191. *See* *Thuya occidentalis*
ARBUTUS, *Linnaeus*, iii. 558
 " key to species, iii. 558
Arbutus Andrachne, *Linnaeus*, iii. 564, 559, 563
 " " distribution, iii. 565
 " " *andrachnoides*, Link, iii. 563
 " " *arizonica*, *Sargent*, iii. 558 note
 " " *canariensis*, *Lamarck*, iii. 558 note. *See* Errata, 1939
 " " *hybrida*, *Ker-Gawler*, iii. 563, 559
 " " Sedbury Park, tree at, iii. 564, Pl. 158
 " " var. *Milleri*, iii. 564
 " " *integrifolia*, *Salisbury*, iii. 564
 " " *intermedia*, *Heldreich*, iii. 563
 " " *laurifolia*, *Hooker*, iii. 565
 " " *Menziesii*, *Pursh*, iii. 565, 559
 " " distribution, iii. 566
 " " *procera*, *Douglas*, iii. 565, 566
 " " *serratifolia*, *Loddiges*, iii. 563
 " " *Sieberi*, *Klotzsch*, iii. 564
 " " *Unedo*, *Linnaeus*, iii. 559, 558, 563, 564
 " " cultivation, iii. 563
 " " distribution, iii. 560
 " " etymology, iii. 561
 " " in England, iii. 562, 563
 " " in France, iii. 560
 " " in Ireland, iii. 559, 561, 562
 " " introduction, iii. 562
 " " Killarney, tree at, iii. 562, Pl. 157
 " " var. *crispa*, iii. 560
 " " *Croomei*, iii. 560
 " " *integerrima*, iii. 560
 " " *integrifolia*, iii. 560
 " " *plena*, iii. 560
 " " *quercifolia*, iii. 560
 " " *rotundifolia*, iii. 560
 " " *rubra*, iii. 560
 " " *salicifolia*, iii. 560
 " " *turbinata*, iii. 560
 " " *Unedo-Andrachne*, *Boissier*, iii. 563
Arceuthobium occidentale, etc. *See* Plants, Miscellaneous
ARCEUTHOS, *Antoine and Kotschy*, vi. 1395
Arceuthos drupacea, *Antoine and Kotschy*, vi. 1417
Aria Decaisneana, *Lavallée*, i. 167 note 4
 " *græca*, *Decaisne*, i. 167
 " *nivea*, *Host*, i. 166
Armillaria mellea. *See* Fungi
Arole tree, v. 1036
Arve tree, v. 1037
Arytsch tree, vi. 1447
Arz tree, iii. 457, 486 note 1; vi. 1455 note 2
Ash, iv. 859. *See also* *Fraxinus*
 " Bastard Mountain, i. 163. *See* *Pyrus pinnatifida*
 " Biltmore, iv. 906. *See also* *Fraxinus Biltmoreana*

Ash, Biltmore—*continued*
 " " Fawley Court, tree at, iv. 906, Pl. 247
 " " leaves, iv. 906, Pl. 266, Fig. 30
 " " Black, iv. 898. *See* *Fraxinus nigra*
 " " Blue, iv. 900. *See* *Fraxinus quadrangulata*
 " " Chinese, ii. 444
 " " Common, iv. 864. *See also* *Fraxinus excelsior*
 " " Ashridge Park, tree at, iv. 873, Pl. 241
 " " black-hearted, iv. 870
 " " burrs used for veneers, iv. 879
 " " canker in, at Staple, near Colborne, iv. 878, Pl. 244
 " " Castlwellan, tree at, iv. 877, Pl. 243
 " " Cirencester, deformed tree at, iv. 878, Pl. 244
 " " Cobham Park, tall tree at, iv. 873, Pl. 239
 " " " " twisted tree at, iv. 873, Pl. 240
 " " coppice, iv. 872
 " " cultivation, iv. 870
 " " diseases, iv. 877
 " " distribution, iv. 869
 " " etymology, iv. 870
 " " fossil, iv. 869
 " " identification, iv. 865
 " " in England, iv. 872-875
 " " in Ireland, iv. 876
 " " in Scotland, iv. 875
 " " in Wales, iv. 875
 " " leaves, etc., iv. 864, Pl. 262, Fig. 4
 " " remarkable trees, iv. 872
 " " seedling, iv. 864
 " " self-sown, iv. 871
 " " timber, iv. 878
 " " trees bearing only male or female flowers, iv. 864 note 3
 " " varieties, iv. 865
 " " Woodstock, Kilkenny, tree at, iv. 877, Pl. 242
 " " Fiddle-back, iv. 879
 " " Flowering, iv. 887. *See also* *Fraxinus Ornus*
 " " distribution, iv. 889
 " " identification, iv. 888
 " " leaves, iv. 887, Pl. 265, Fig. 26
 " " remarkable trees, iv. 889
 " " varieties, iv. 888
 " " Green, iv. 907. *See* *Fraxinus lanceolata*
 " " Manna. *See* *Ash*, Flowering
 " " Mountain, vi. 1576, 1574 note 1; i. 142. *See* *Pyrus Aucuparia*
 " " Narrow-leaved, iv. 879. *See also* *Fraxinus angustifolia*
 " " distribution, iv. 880
 " " leaves, iv. 879, Pl. 262, Fig. 6
 " " Rougham Hall, tree at, iv. 881, Pl. 245
 " " varieties, iv. 880
 " " Oregon, iv. 910. *See* *Fraxinus oregona*
 " " Pollard, at Selborne, iv. 875

1952 The Trees of Great Britain and Ireland

Ash—*continued*

- " Red, iv. 908. *See also* *Fraxinus pennsylvanica*
- " " hybrid, iv. 909
- " " leaves, iv. 909, Pl. 263, Fig. 13
- " " varieties, iv. 909
- " Swamp, iv. 912. *See* *Fraxinus caroliniana*
- " Texan, iv. 905. *See* *Fraxinus texensis*
- " Tiflis, species from, iv. 886
- " " " leaves, iv. 886, Pl. 265, Fig. 25
- " Utah, iv. 900. *See* *Fraxinus anomala*
- " Weeping, iv. 868
- " " Elvaston Castle, tree at, iv. 868, Pl. 238
- " White, iv. 901. *See also* *Fraxinus americana*
- " " cultivation, iv. 903
- " " distribution, iv. 902
- " " identification, iv. 902
- " " Kew, tree at, iv. 904, Pl. 246
- " " leaves, iv. 901, Pl. 265, Fig. 21
- " " timber, iv. 904
- " " varieties, iv. 902

Ash-bark beetle, iv. 878

Aspe, White, vii. 1779

Aspen, vii. 1787, 1772. *See* *Populus tremula*

" American, vii. 1791, 1772. *See* *Populus tremuloides*

" Japanese, vii. 1794. *See* *Populus Sieboldii*

Asten trees, vi. 1407

ATHROTAXIS, Baillon, iii. 687

ATHROTAXIS, Don, vi. 1449

Athrotaxis cupressoides, Don, vi. 1452, 1450

" *Doniana*, Maule, vi. 1451

" *Gunniana*, Carrière, vi. 1450

" *Gunniana*, Gordon, vi. 1450

" *laxifolia*, W. J. Hooker, vi. 1451, 1450

" *selaginoides*, Don, vi. 1450

" *?tetragona*, W. J. Hooker, vi. 1449 note 5

Atlasholz tree, i. 152

Aucuparia silvestris, Medicus, vi. 1576

Auvier tree, v. 1036

Avies selvadi tree, vi. 1361

Axelbar tree, i. 161

Ayacahuite colorado, or Red Pine, v. 1018

Azareiro tree, vi. 1554

AZAROLUS, Borkhausen, vii. 1731

Azinheira tree, v. 1284

Azinho tree, v. 1284

Balsam Fir, iv. 803, 802. *See* *Abies balsamea*

Barlind, i. 103

Bass-Wood, vii. 1685. *See* *Tilia americana*

Bay, Sweet or Swamp, vi. 1586

Beaumier du Pérou, vii. 1835 note 6

Beech, i. 1. *See also* *Fagus*

" American, i. 2

" Antarctic, iii. 545. *See* *Nothofagus*

" Australian, iii. 545. *See* *Nothofagus*

" Caucasian, i. 3, 2

" Chinese, i. 5, 2

" Common, i. 6, 2. *See also* *Fagus sylvatica*

Beech, Common—*continued*

- " " Ashridge, inarched tree at, i. 21, Pl. 4
- " " " Queen Beech at, i. 20-21, Frontispiece and Pl. 3
- " " " tree with burr, i. 21, Pl. 5
- " " avenues, i. 18
- " " Cirencester, drive at, i. 20, Pl. 1
- " " Cornbury Park, giant tree at, i. 22, Pl. 7
- " " cultivation, i. 14
- " " Dawyck House, fastigate tree at, vii. Pl. 406
- " " distribution, i. 11
- " " etymology, i. 11
- " " Gordon Castle, tree at, i. 24, Pl. 10
- " " Mickleour, hedge at, i. 25, Pl. 11
- " " in England, i. 11, 15-23
- " " in Europe, i. 12-14
- " " in Ireland, i. 11, 26-27
- " " in Scotland, i. 11, 23-26
- " " Knole Park, King Beech at, i. 20, Pl. 12
- " " Newbattle Abbey, self-layered tree at, i. 23, 24 note, Plates 8 and 9
- " " remarkable trees, i. 13, 19
- " " Slindon Wood, at, i. 22, Pl. 6
- " " soil and situation, i. 15
- " " timber, i. 27
- " " varieties, i. 7
- " " Watford, avenue at, i. 18, Pl. 2
- " Copper, i. 8
- " Fern-leaved, i. 9
- " Gladstone, at Pinbury Park, i. Pl. 58
- " Golden, i. 9
- " Japanese, Common, i. 4, 2
- " " Small, i. 4, 1
- " New Zealand, iii. 545. *See* *Nothofagus*
- " Northern, i. 1. *See* *Fagus*
- " Oak-leaved, i. 9
- " Parasol, i. 10, 11 note 1
- " Purple, i. 7
- " Round-leaved, i. 10
- " South American, iii. 545. *See* *Nothofagus*
- " " distribution, iii. 554
- " " timber, iii. 554
- " Tasmanian, iii. 545. *See* *Nothofagus*
- " " Fota, tree at, iii. 551, Pl. 154
- " Weeping, i. 10
- " " Endsleigh, tree at, i. 10; ii. Pl. 58A

Beech coccus (*Cryptococcus fagi*). *See* Insects

BELIS, Salisbury, iii. 494, 496 note 1

Belis jaculifolia, Salisbury, iii. 494

" *lanceolata*, Sweet, iii. 494

BETULA, Linnæus, iv. 959. *See also* Birch

" key to species, iv. 960

BETULA, Linnæus, iv. 935

Betula acuminata, Ehrhart, iv. 987

" *alaskana*, Sargent, iv. 993 note 4

" *alba*, Linnæus, iv. 966

" " sub-species *latifolia*, iv. 967

Betula alba, Linnæus—continued

- " " sub-species *populifolia*, iv. 987
 " " var. *communis* (Regel), iv. 978 note 4
 " " " (Shirasawa), iv. 978
 " " *latifolia*, iv. 968
 " " *papyrifera*, iv. 983
 " " *pendula*, iv. 966
 " " " *elegans*, iv. 968 note 4
 " " *populifolia*, iv. 987
 " " *pubescens*, iv. 962
 " " *Tauschii*, iv. 967
 " *alta-sinensis*, Burkill, iv. 981
 " *Alnobetula*, Ehrhart, iv. 936 note 1
 " *alnoides*, Buchanan-Hamilton, iv. 976 note 1
 " " var. *pyrifolia*, iv. 960
 " *Alnus*, Scopoli, iv. 937
 " " var. *glutinosa*, iv. 937
 " " *incana*, iv. 945
 " " *maritima*, iv. 955
 " *ambigua*, Hampe, iv. 964
 " *Andrewsii*, Nelson, iv. 985
 " *antarctica*, Forster, iii. 551
 " *aurata*, Borkhausen, iv. 964
 " *Bæumkeri*, Winkler, iv. 976 note 1
 " *Bhojpattra*, Wallich, iv. 980
 " " var. *subcordata*, iv. 978 note 1
 " " *typica*, iv. 982 note 1
 " *cærulea*, Blanchard, iv. 988
 " *carpatica*, Waldstein and Kitaibel, iv. 963 note 5
 " *carpinifolia*, Ehrhart, iv. 991
 " *carpinifolia*, Siebold and Zuccarini, iv. 979
 " *cordata*, Loiseleur, iv. 949
 " *cordifolia*, Regel, iv. 983
 " *corylifolia*, Regel and Maximowicz, iv. 975, 960, 961, 978, 980 note
 " " leaves, etc., iv. 975, Pl. 270, Fig. 14
 " *costata*, Trautvetter, iv. 979
 " *cuspidata*, Schrader, iv. 987
 " " (of Späth's nursery), iv. 986
 " *davurica*, Pallas, iv. 974, 960, 989
 " *Ermani*, Chamisso, iv. 977, 961, 968, 979, 980 note, 982 note 2
 " " distribution, iv. 978
 " " leaves, etc., iv. 977, Pl. 270, Fig. 12
 " " var. *nipponica*, iv. 978, 977 note 3, 982 note 2
 " *excelsa*, Aiton, iv. 986
 " " var. *canadensis*, iv. 987
 " *excelsa*, Pursh, iv. 990
 " *fontinalis*, Sargent, iv. 992, 961
 " " timber, iv. 994
 " *fontinalis* × *B. papyrifera*, iv. 993
 " " " leaves, etc., iv. 993, Pl. 269, Fig. 8
 " *globispica*, Shirai, iv. 960, 980 note
 " *glutinosa*, Lamarck, iv. 937
 " *glutinosa*, Wallroth, iv. 964
 " *grandis*, Schrader, iv. 983
 " *grossa*, Siebold and Zuccarini, iv. 979, 980 note
 " *hybrida*, Bechstein, iv. 964

Betula—continued

- " *incana*, Linnæus f., iv. 945
 " *intermedia*, Thomas, iv. 964
 " *Jacquemontii*, Spach, iv. 980, 981
 " *japonica*, Siebold, iv. 967
 " *kenaica*, Evans, iv. 984, 993 note 4
 " *Koehnei*, Schneider, iv. 986
 " *lanulosa*, Michaux, iv. 988
 " *latifolia*, Tausch, iv. 967, 983
 " *lenta*, Linnæus, iv. 991, 961, 989 note 1
 " " hybrid, iv. 991
 " " leaves, etc., iv. 991, Pl. 269, Fig. 3
 " " timber, iv. 994 and note
 " " var. *genuina*, iv. 990
 " " *laciniata*, iv. 991
 " " *lutea*, iv. 990
 " *lenta*, Wangenheim, iv. 983
 " *lobulata*, Kanitz, iv. 966
 " *luminifera*, Winkler, iv. 980, 961, 976 note 1
 " " leaves, etc., iv. 980, Pl. 270, Fig. 16
 " *lutea*, Michaux f., iv. 990, 961, 979
 " " bark, iv. 994 note
 " " leaves, etc., iv. 990, Pl. 270, Fig. 11
 " " Oriel Temple, tree at, iv. 990, Pl. 260
 " *Lyalliana*, Koehne, iv. 984
 " *Maackii*, Ruprecht, iv. 974
 " *macrophylla*, Hort., iv. 983, 986
 " *Maximowicziana*, Regel, iv. 976
 " *Maximowiczii*, Regel, iv. 976, 960, 980 and note
 " " leaves, etc., iv. 976, Pl. 269, Fig. 6
 " *Maximowiczii*, Ruprecht, iv. 974
 " *Murithii*, Gaudichaud, iv. 963
 " *nana*, iv. 964
 " *nigra*, Du Roi, iv. 991
 " *nigra*, Linnæus, iv. 988, 959 note 2, 961
 " " bark, iv. 994 note
 " " leaves, etc., iv. 988, Pl. 270, Fig. 13
 " *occidentalis*, Hooker, iv. 993
 " " Lyall, iv. 984
 " " Sargent, iv. 984 note 1, 992
 " *odorata*, Bechstein, iv. 962
 " " Reichenbach, iv. 966
 " *palustris*, Salisbury, iv. 937
 " *papyracea*, Aiton, iv. 983
 " " var. *occidentalis*, iv. 984 note 2
 " *papyrifera*, Marshall, iv. 983, 961, 978, 993
 " " distribution, etc. See Birch, Paper
 " " var. *cordifolia*, iv. 984
 " " *grandis*, iv. 986, 984 note 2
 " " *kenaica*, iv. 984
 " " *Lyalliana*, iv. 984, 993
 " *pendula*, Roth, iv. 966
 " *populifolia*, Marshall, iv. 987, 960
 " " bark, iv. 994 note
 " " hybrid, iv. 986
 " " leaves, etc., iv. 987, Pl. 269, Fig. 4
 " " var. *laciniata*, iv. 987
 " " *pendula*, iv. 987
 " " *purpurea*, iv. 988

1954 The Trees of Great Britain and Ireland

Betula—continued

- „ pubescens, *Ehrhart*, iv. 962, 960, 967
- „ „ distribution, etc. *See* Birch, Common
- „ „ var. aurea, iv. 964
- „ „ carpatica, iv. 963 note 5
- „ „ carpatica, iv. 963
- „ „ denudata, iv. 963
- „ „ Murithii, iv. 963
- „ „ nana, iv. 964
- „ „ odorata, iv. 963
- „ „ pontica, iv. 963 and note 4
- „ „ tortuosa, iv. 963
- „ „ urticifolia, iv. 963
- „ „ „ leaves, etc., iv. 964, Pl. 269, Fig. 2
- „ pumila, *Linnaeus*, iv. 986, 991
- „ rhombifolia, *Tausch*, iv. 966
- „ rubra, *Michaux f.*, iv. 988
- „ tomentosa, *Reitter et Abel*, iv. 962
- „ ulmifolia, *Siebold and Zuccarini*, iv. 979, 960, 968, 978, 980 note
- „ urticifolia, *Regel*, iv. 963
- „ utilis, *Don*, iv. 980
- „ „ distribution, etc. *See* Birch, Himalayan
- „ „ var. Jacquemontii, iv. 981, 961, 982
- „ „ „ leaves, etc., iv. 981, Pl. 270, Fig. 15
- „ „ Prattii, iv. 981
- „ „ sinensis, iv. 981
- „ verrucosa, *Ehrhart*, iv. 966, 960, 962 and note 1, 964, 965, 986, 987
- „ „ distribution, etc. *See* Birch, Silver
- „ „ var. arbuscula, iv. 967
- „ „ atrosanguinea, iv. 968 note 5
- „ „ dalecarlica, iv. 967, 991
- „ „ elegans, iv. 968
- „ „ fastigiata, iv. 968
- „ „ japonica, iv. 967, 968, 980 note
- „ „ laciniata, iv. 967
- „ „ oycowiensis, iv. 967
- „ „ purpurea, iv. 968
- „ „ Youngi, iv. 968
- BETULASTER*, *Spach*, iv. 959
- Big Tree, iii. 699. *See* *Sequoia gigantea*
- Bignonia Catalpa*, *Linnaeus*, vi. 1485
- „ „ *Thunberg*, vi. 1487
- „ „ tomentosa, *Thunberg*, vi. 1493
- BIOTA*, *Endlicher*, i. 182
- Biota Meldensis*, *Lawson*, i. 198
- „ „ orientalis, *Endlicher*, i. 197
- „ „ var. intermedia, i. 198
- „ pendula, *Endlicher*, i. 197
- Birch, iv. 959. *See also* *Betula*
- „ Black, iv. 991, 989 note 1. *See* *Betula lenta*
- „ „ New Zealand, iii. 549. *See* *Nothofagus fusca*
- „ Canoe. *See* Birch, Paper
- „ Cherry, iv. 991. *See* *Betula lenta*
- „ Common, iv. 962. *See also* *Betula pubescens*
- „ „ bark, iv. 974

Birch, Common—continued

- „ „ cultivation, iv. 969
- „ „ distribution, iv. 964
- „ „ etymology, iv. 966
- „ „ Glenmore, gnarled trees in, iv. 972, Pl. 258
- „ „ hybrids, iv. 964
- „ „ in England, iv. 971
- „ „ in Scandinavia, iv. 973
- „ „ in Scotland, iv. 972
- „ „ in Wales, iv. 972
- „ „ leaves, etc., iv. 962, Pl. 269, Fig. 1
- „ „ Merton, tree at, iv. 971, Pl. 256
- „ „ remarkable trees, iv. 971
- „ „ Savernake Forest, tree at, iv. 971, Pl. 255
- „ „ Sherwood Forest, self-sown trees in, iv. 971, Pl. 257
- „ „ timber, iv. 973
- „ „ varieties, iv. 963
- „ „ “Curly,” iv. 994
- „ Fern-leaved, iv. 967
- „ „ leaves, etc., iv. 967, Pl. 270, Fig. 10
- „ Grey, iv. 987. *See* *Betula populifolia*
- „ Himalayan, iv. 980. *See also* *Betula utilis*
- „ „ distribution, iv. 982
- „ „ leaves, etc., iv. 981, Pl. 269, Fig. 7
- „ „ varieties, iv. 981
- „ Mountain, New Zealand, iii. 547
- „ oil of, iv. 992
- „ Paper, iv. 983. *See also* *Betula papyrifera*
- „ „ bark, iv. 994 and note
- „ „ Bieton, tree at, iv. 987, Pl. 259
- „ „ cultivation, iv. 986
- „ „ distribution, iv. 986
- „ „ hybrids, iv. 986
- „ „ leaves, etc., iv. 983, Pl. 269, Fig. 5
- „ „ varieties, iv. 983
- „ Red, iv. 988. *See* *Betula nigra*
- „ „ New Zealand, iii. 548, 549
- „ River, iv. 989 note 1
- „ Silver, iv. 966, 965
- „ „ bark, iv. 974
- „ „ cultivation, iv. 969
- „ „ distribution, iv. 968
- „ „ leaves, etc., iv. 966, Pl. 270, Fig. 9
- „ „ remarkable trees, iv. 971
- „ „ timber, iv. 973
- „ „ varieties, iv. 967
- „ Silver, New Zealand, iii. 548
- „ Weeping, *Bonamy's*, iv. 968
- „ „ Young's, iv. 968
- „ Yellow, iv. 990. *See* *Betula lutea*
- Bitternut, iii. 600. *See* *Carya amara*
- Black Jack, v. 1236. *See* *Quercus marylandica*
- Blackwood, vii. 1699. *See* *Aeacia melanoxylon*
- Blue Jack, v. 1230. *See* *Quercus cinerea*
- Bois de resonance, vi. 1358
- Botrytis Douglasii. *See* *Fungi*
- Box, vii. 1721. *See* *Buxus*
- „ etymology, vii. 1727

Box—*continued*

- „ Hill, vii. 1727
 „ place-names, vii. 1727, 1728
 Box, Common, vii. 1724. *See* Buxus sempervirens
 Box Elder, iii. 684. *See* Acer Negundo and Maple, Ash-leaved
 Boxwood, vii. 1730
 „ “West Indian,” vii. 1730 and note 3
BRASSAIOPSIS, Seemann, vii. 1694
Brassaiopsis ricinifolia, Seemann, vii. 1694
 Buckeye, Californian, ii. 226. *See* *Æsculus californica*
 „ Ohio, ii. 223. *See* *Æsculus glabra*
 „ Sweet, ii. 224. *See* *Æsculus octandra*
Buergeria (?) *salicifolia*, Siebold and Zuccarini, vi. 1595
 „ *stellata*, Siebold and Zuccarini, vi. 1599
 Buna tree, i. 4
 Burgundy pitch, vi. 1358
 Butternut, ii. 271. *See* *Juglans cinerea*
 Buttonwood, iii. 627. *See* Plane, Western
 BUXUS, Linnæus, vii. 1721
 „ section BUXELLA, vii. 1721 note 2
 „ „ EU-BUXUS, vii. 1721
 „ „ TRICERA, vii. 1721 note 2
 Buxus *angustifolia*, Miller, vii. 1724
 „ *arborescens*, Miller, vii. 1724
 „ *balearica*, Lamarck, vii. 1722, 1723 note 2
 „ *Fortunei*, Carrière, vii. 1722 note 4
 „ „ *rotundifolia*, vii. 1722 note 1
 „ Harlandi, Hance, vii. 1722
 „ Henryi, Mayr, vii. 1723 note 4
 „ *japonica*, Müller, vii. 1721
 „ „ var. *microphylla*, vii. 1722, 1723 note 3
 „ *liukiuensis*, Makino, vii. 1723
 „ *longifolia*, Boissier, vii. 1723 note 1
 „ *longifolia*, Hort., vii. 1722 note 4, 1723 note 1
 „ Macowani, vii. 1730
 „ *microphylla*, Siebold and Zuccarini, vii. 1722
 „ *myrtifolia*, Lamarck, vii. 1725
 „ *sempervirens*, J. D. Hooker, vii. 1723
 „ *sempervirens*, Linnæus, vii. 1724, 1723
 „ „ distribution, vii. 1725
 „ „ remarkable trees, vii. 1729
 „ „ timber, vii. 1730
 „ „ var. *angustifolia*, vii. 1724
 „ „ *arborescens*, vii. 1724 note 2
 „ „ *argentea*, vii. 1725
 „ „ *argenteo-marginata*, vii. 1725
 „ „ *aureo-maculata*, vii. 1725
 „ „ *aureo-marginata*, vii. 1725
 „ „ *elegantissima*, vii. 1725
 „ „ *gigantea*, vii. 1722
 „ „ *grandifolia*, vii. 1724 note 2
 „ „ *handsworthensis*, vii. 1725

Buxus sempervirens, Linnæus—*continued*

- „ „ var. *humilis*, vii. 1725
 „ „ *japonica*, vii. 1721
 „ „ *latifolia*, vii. 1725
 „ „ „ *bullata*, vii. 1725
 „ „ *liukiuensis*, vii. 1723
 „ „ *microphylla*, vii. 1722
 „ „ *myosotifolia*, vii. 1725
 „ „ *myrtifolia*, vii. 1725
 „ „ *nana*, vii. 1725
 „ „ *pendula*, vii. 1725
 „ „ *pyramidalis*, vii. 1725
 „ „ *riparia*, vii. 1722 note 2
 „ „ *rosmarinifolia*, vii. 1725
 „ „ *salicifolia elata*, vii. 1725
 „ „ *suffruticosa*, vii. 1725
 „ „ *thymifolia*, vii. 1725
 „ *stenophylla*, Hance, vii. 1722 note 2
 „ *suffruticosa*, Miller, vii. 1725
 „ *Wallichiana*, Baillon, vii. 1723
 Bya Kushin tree, vi. 1433

Caithne tree, iii. 561

CALLÆOCARPUS, Miquel, vi. 1528

CALOEDRUS, Kurz, iii. 484

Calocedrus macrolepis, Kurz, iii. 488*CALUCECHINUS*, Hombron et Jacquinot, iii. 545*Calucechinus antarctica*, Hombron et Jacquinot, iii. 553„ *Montagnei*, Hombron et Jacquinot, iii. 545 note 3*CALUSPARASSUS*, Hombron et Jacquinot, iii. 545*Calusparassus betuloides*, Hombron et Jacquinot, iii. 551„ *Forsteri*, Hombron et Jacquinot, iii. 551

Camata, v. 1271

Camatina, v. 1271

Canary-wood, i. 73

CARGILLIA, R. Brown, iv. 995*CARLOMOHRIA*, Greene, vi. 1600*Carlomohria carolina*, Greene, vi. 1602

CARPINUS, Linnæus, iii. 525

„ key to species, iii. 526

„ section DISTEGOCARPUS, Sargent, iii. 525

„ „ EU-CARPINUS, Sargent, iii. 525

CARPINUS (*Ostrya*), Linnæus, iii. 540*Carpinus americana*, Michaux, iii. 531„ *Betulus*, Koehne, iii. 531„ *Betulus*, Linnæus, iii. 532, 526, 531„ „ distribution, etc. *See* Hornbeam, Common„ „ var. *carpinizza*, iii. 533„ „ *incisa*, iii. 533„ „ *purpurea*, iii. 533„ „ *quercifolia*, iii. 533„ *caroliniana*, Walter, iii. 531, 526

„ „ leaves, iii. 526, 531, Pl. 201, Fig. 6

„ „ var. *tropicalis*, iii. 532 note„ *carpinizza*, Host, iii. 532„ *Carpinus*, Sargent, iii. 528„ *compressa*, Gilbert, iii. 532„ *cordata*, Blume, iii. 529, 525, 526

1956 The Trees of Great Britain and Ireland

Carpinus cordata, Blume—continued

- " " leaves, iii. 526, 529, Pl. 201, Fig. 2
 " " var. *chinensis*, iii. 530
 " *duinensis*, Scopoli, iii. 527
 " *Fargesii*, Franchet, iii. 530
 " *intermedia*, Wierzbicki, iii. 532
 " *japonica*, Blume, iii. 528, 525, 526, 530
 " " leaves, iii. 526, 528, Pl. 201, Fig. 1
 " *laxiflora*, Blume, iii. 530, 526
 " " leaves, iii. 526, 530, Pl. 201, Fig. 8
 " " varieties, iii. 531 note
 " *nervata*, Dulac, iii. 532
 " *nigra*, Moench, iii. 527
 " *orientalis*, Miller, iii. 527, 526
 " " leaves, iii. 526, 527, Pl. 201, Fig. 7
 " *Ostrya*, Linnæus, iii. 540, 543
 " *polyneura*, Franchet, iii. 527, 526
 " " leaves, iii. 526, 527, Pl. 201, Fig. 5
 " *sepium*, Lamarck, iii. 532
 " *Turczaninowii*, Hance, iii. 528
 " " var. *polyneura*, iii. 527
 " *ulmoides*, Gray, iii. 532
 " *virginiana*, Miller, iii. 543
 " *vulgaris*, Miller, iii. 532
 " *yedoensis*, Maximowicz, iii. 529, 526
 " " leaves, iii. 526, 529, Pl. 201, Fig. 3

Carrasca tree, v. 1284

Carvalho negro tree, v. 1315

" cerquinho tree, v. 1315

CARVA, Nuttall, iii. 597

" key to species, iii. 598

" section APOCARVA, De Candolle, iii. 598

" " EUCARVA, De Candolle, iii. 598

Carya *alba*, Koch, iii. 606

" *alba*, Nuttall, iii. 601, 597 note 2, 598

" " Brocklesby Park, tree at, iii. 603, Pl. 173

" " distribution, iii. 602

" " in England, iii. 602, 603

" " in Ireland, iii. 604

" " in Scotland, iii. 604

" " leaves, iii. 598, 602, Pl. 203, Fig. 1

" *amara*, Nuttall, iii. 600, 598

" " Bute House, tree at, iii. 601, Pl. 170

" " distribution, iii. 600

" " leaves, iii. 598, 600, Pl. 203, Fig. 5

" " Syston Park, trees at, iii. 601, Pl. 171

" *angustifolia*, Sweet, iii. 599

" *aquatica*, Nuttall, iii. 598 note

" *cordiformis*, Koch, iii. 605

" " Schneider, iii. 600; Errata, 1939

" *glabra*, Schneider, iii. 604 note

" " Spach, iii. 604

" *illinoensis*, Koch, iii. 599

" *laciniosa*, Schneider, iii. 605

" *microcarpa*, Nuttall, iii. 605

" *obcordata*, Sweet, iii. 604

" *olivæformis*, Nuttall, iii. 599, 598; iv. 899

Carya olivæformis, Nuttall—continued

- " " introduction into England, iii. 600
 " " leaves, iii. 598, 599, Pl. 203, Fig. 6
 " *ovata*, Schneider, iii. 601
 " *Pecan*, Schneider, iii. 599
 " *porcina*, Nuttall, iii. 604, 597 note 2, 598
 " " Kew, tree at, iii. 605, Pl. 172
 " " leaves, iii. 598, 604, Pl. 203, Fig. 2
 " " var. *odorata*, iii. 605
 " *pubescens*, Sweet, iii. 605
 " *sulcata*, Nuttall, iii. 605, 598
 " " leaves, iii. 598, 606, Pl. 203, Fig. 4
 " *tomentosa*, Nuttall, iii. 606, 598, 602 note 1
 " " distribution, iii. 607
 " " leaves, iii. 607, Pl. 203, Fig. 3
 CARYOTAXUS, Zuccarini, vi. 1461
Caryotaxus grandis, Henkel and Hochstetter, vi. 1464
 " *Myristica*, Henkel and Hochstetter, vi. 1465
 " *nucifera*, Zuccarini, vi. 1463
 " *taxifolia*, Henkel and Hochstetter, vi. 1466
 CASANOPHORUM, Necker, iv. 837
 Castagno della Nave, iv. 843
 " della Navota, iv. 843
 " di Cento Cavalli, iv. 842, 843
 " di Santa Agata, iv. 843
 CASTANEA, Adanson, iv. 837. See also Chestnut
 " key to species, iv. 838
 CASTANEA, Endlicher, vi. 1528
 Castanea *alnifolia*, Nuttall, iv. 838
 " *americana*, Rafinesque, iv. 856
 " *Castanea*, Karsten, iv. 839
 " *chrysophylla*, Douglas, vi. 1528
 " " var. *minor*, vi. 1529
 " *crenata*, Siebold and Zuccarini, iv. 854, 838. See also Chestnut, Japanese
 " *Davidii*, Dode, iv. 855 note 1
 " *dentata*, Borkhausen, iv. 856, 838, 858 note 3. See also Chestnut, American
 " *Duclouxii*, Dode, iv. 854 note 4
 " *equina*, Matthioli, ii. 213
 " *Fargesii*, Dode, iv. 854 note 4
 " *hupehensis*, Dode, iv. 855 note 1
 " *japonica*, Blume, iv. 854
 " *mollissima*, Blume, iv. 855
 " *neglecta*, Dode, iv. 858 note 3
 " *pubinervis*, Schneider, iv. 854
 " *pumila*, Miller, iv. 857, 838, 855
 " " leaves, iv. 858, Pl. 202, Fig. 12
 " *sativa*, Miller, iv. 839, 838, 856
 " " distribution, etc. See Chestnut, Spanish
 " " var. *acuminatissima*, iv. 854
 " " *americana*, iv. 856
 " " *argentea*, iv. 840
 " " *argenteo-marginata*, iv. 840
 " " *argenteo-variegata*, iv. 840
 " " *aspleniifolia*, iv. 840
 " " *aureo-maculata*, iv. 840
 " " *aureo-marginata*, iv. 840

Castanea sativa, Miller—continued

- " " var. aureo-variegata, iv. 840
 " " cochleata, iv. 841
 " " glabra, iv. 841
 " " heterophylla, iv. 840
 " " laciniata, iv. 840
 " " marginata, iv. 840
 " " pendulifolia, iv. 841
 " " prolifera, iv. 841
 " " rotundifolia, iv. 841
 " Seguinii, Dode, iv. 855 note 1
 " sempervirens, Kellogg, vi. 1529
 " vesca, Gaertner, iv. 839
 " " var. americana, iv. 856
 " " pubinervis, iv. 854
 " vulgaris, Lamarck, iv. 839
 " " var. americana, iv. 856
 " " japonica, iv. 854
 " " yunnanensis, iv. 854
 CASTANOPSIS, Spach, vi. 1528; iv. 838 note 1, 841
 Castanopsis chrysophylla, A. de Candolle, vi. 1528
 " " leaves, iii. Pl. 202, Fig. 10, vi. 1528
 " " var. minor, vi. 1529, 1530
 " " pumila, vi. 1529
 " " sempervirens, vi. 1529
 " " sempervirens, Dudley, vi. 1529
 CATALPA, Scopoli, vi. 1481
 " section CORYMBOSÆ, Bureau, vi. 1481 note 2
 " " THYRSOIDEÆ, Bureau, vi. 1481 note 2
 Catalpa bignonioides, Walter, vi. 1485, 1482, 1483, 1489
 " " Ham Manor, tree at, vi. 1487, Pl. 350
 " " leaves, iii. Pl. 204, Fig. 5; vi. 1485
 " " var. aurea, vi. 1485
 " " erubescens, vi. 1486
 " " Koehnei, vi. 1486
 " " nana, vi. 1486
 " " purpurea, vi. 1485
 " " variegata, vi. 1486
 " Bungei, Decaisne, vi. 1487
 " Bungei, C. A. Meyer, vi. 1489, 1482
 " " var. heterophylla, vi. 1490
 " Catalpa, Karsten, vi. 1485
 " Common, vi. 1485. See Catalpa bignonioides
 " communis, Dumont de Courset, vi. 1485
 " cordifolia, Jaume, vi. 1483
 " " Moench, vi. 1485
 " Duclouxii, Dode, vi. 1489; Errata, 1942
 " erubescens, Carrière, vi. 1486
 " Fargesii, Bureau, vi. 1490, 1482
 " Henryi, Dode, vi. 1487
 " heterophylla, Dode, vi. 1489
 " hybrida, Späth, vi. 1488
 " japonica, Dode, vi. 1489
 " × J. C. Teas, Sargent, vi. 1488
 " Kaempferi, Siebold and Zuccarini, vi. 1487, 1482

Catalpa Kacmpferi, Siebold and Zuccarini—cont.

- " " leaves, iii. Pl. 204, Fig. 6; vi. 1487
 " ovata, G. Don, vi. 1487; Errata, 1942
 " speciosa, Warder, vi. 1483, 1482, 1489
 " " cultivation, vi. 1484
 " sutchuenensis, Dode. See Errata, 1942
 " syringifolia, Bunge, vi. 1489
 " syringifolia, Sims, vi. 1485
 " Teasiana, Dode, vi. 1488
 " vestita, Diels, vi. 1490
 " Western, vi. 1483. See Catalpa speciosa
 Cedar, iii. 451; i. 185. See also Cedrus
 " Atlas or Algerian, iii. 469. See also Cedrus atlantica
 " " Ashampstead, tree at, iii. 475, Pl. 137
 " " cultivation, iii. 473
 " " distribution, iii. 470
 " " Fota, tree at, iii. 476, Pl. 138
 " " hardiness of, iii. 481
 " " in England and Scotland, iii. 475
 " " in France, iii. 476
 " " in Ireland, iii. 476
 " " in Italy, iii. 476
 " " relative rate of growth of Lebanon and, iii. 474
 " " remarkable trees, iii. 475
 " " Téniet-el-Hâad, trees at, iii. 473, Pl. 136
 " " timber, iii. 473
 " " varieties, iii. 469
 " Cyprus, iii. 467. See also Cedrus brevifolia
 " " in England, iii. 469
 " Incense, iii. 489. See also Libocedrus decurrens
 " Lebanon, iii. 453. See also Cedrus Libani
 " " adventitious roots, iii. 460
 " " Arabic name, iii. 457
 " " Bayfordbury, trees at, iii. 462
 " " Birchanger Place, tree at, iii. 463, Pl. 134
 " " Blenheim, tree at, iii. 462, Pl. 132
 " " cultivation, iii. 459
 " " distribution, iii. 454
 " " Dropmore, avenue at, iii. 464, Pl. 135
 " " dwarf, iii. 453
 " " glaucous, iii. 464, 475
 " " Goodwood, tree at, iii. 460, Pl. 129
 " " Highclere Castle, trees at, iii. 461 and Frontispiece
 " " hybrids, iii. 454
 " " in England, iii. 458-464, 466
 " " in France, iii. 466
 " " in Ireland, iii. 466
 " " in Scotland, iii. 464
 " " in Wales, iii. 464
 " " introduction, iii. 458
 " " Langley Park, tree at, v. 1257
 " " Mount Lebanon, tree on, iii. 457, Pl. 127

1958 The Trees of Great Britain and Ireland

Cedar, Lebanon—*continued*

- " " Pains Hill, tree at, iii. 460, Pl. 128
- " " Petworth, tree at, iii. 462, Pl. 131
- " " relative rate of growth of Atlas and, iii. 474
- " " remarkable trees, iii. 460
- " " Strathfieldsaye, tree at, iii. 461, Pl. 130
- " " Stratton Strawless, tree at, iii. 463, Pl. 133
- " " timber, iii. 466
- " " transplantation, iii. 460
- " " trees associated with, iii. 457
- " " varieties, iii. 453
- " " Wilton, tree at, iii. 459
- " of Goa, v. 1177, 1178
- " oil of, vi. 1443
- " Pencil, vi. 1435, 1399. *See* Juniperis virginiana
- " Red (*Thuya plicata*), i. 185
- " seedling, iii. 452; Errata, 1939
- " of West Indies. *See* Cedrela odorata
- " White (*Cupressus thyoides*), v. 1212
- " " in North Carolina, v. 1212, Pl. 311
- " " (Lawson Cypress), v. 1209
- " " submerged forests, v. 1213
- " " (*Tabebuia pentaphylla*), vii. 1730 note 3
- " " (*Thuya occidentalis*), i. 193
- " Yellow (*Cupressus nootkatensis*), v. 1195
- CEDRELA, Linnæus, ii. 433
- " section EU-CEDRELA, ii. 433
- " " TOONA, ii. 433
- Cedrela odorata, ii. 435; iii. 466; iv. 944
- " " timber, vi. 1442
- " sinensis, *A. Jussieu*, ii. 433; i. 31
- " " branchlets and buds, ii. 434, Pl. 126, Fig. 2
- " " Chinese name, ii. 434
- " " leaves, ii. 433, Pl. 125, Fig. 7
- Cedro tree, vi. 1413
- CEDRUS, Lawson, iii. 451. *See also* Cedar
- Cedrus africana, Knight, iii. 469
- " argentea, Hort., iii. 454
- " " Renou, iii. 469 note 3
- " atlantica, *Manetti*, iii. 469, 455, 464, 481; iv. 815
- " " distribution, etc. *See* Cedar, Atlas or Algerian
- " " var. aurea, iii. 469 note 7
- " " columnaris, iii. 469
- " " fastigiata, iii. 469 and note 6, 475
- " " glauca, iii. 469
- " " pyramidalis, iii. 469
- " brevifolia, iii. 467
- " Deodara, *Lawson*, iii. 476, 455
- " " distribution, etc. *See* Deodar
- " " var. albo-spica, iii. 477
- " " crassifolia, iii. 477
- " " fastigiata, iii. 477
- " " nivea, iii. 477
- " " robusta, iii. 477

Cedrus Deodara, *Lawson*—*continued*

- " " var. verticillata, iii. 477
- " " viridis, iii. 477
- " indica, *Chambray*, iii. 476
- " Libani, *Barrelier*, iii. 453, 474, 481, 486 note 1; v. 1038
- " " distribution, etc. *See* Cedar, Lebanon
- " " var. argentea, iii. 453
- " " brevifolia, iii. 467
- " " decidua, iii. 453
- " " Deodara, iii. 476
- " " nana, iii. 453
- " " pendula, iii. 453
- " " stricta, iii. 453
- " " tortuosa, iii. 453
- " " viridis, iii. 453
- " Libani, *Mathieu*, iii. 469
- " patula, *Koch*, iii. 453
- CELTIS, Linnæus, iv. 925
- " key to species, iv. 925
- " sub-genera EUCELTIS, iv. 925
- Celtis Audibertiana, *Spach*, iv. 932
- " australis, *Brandis*, iv. 928
- " australis, *Linnaeus*, iv. 926, 931
- " " leaves, iv. 926, Pl. 267, Fig. 5
- " Bungeana, *Blume*, iv. 929
- " caucasica, *Willdenow*, iv. 928, 926, 927
- " " var. cuspidata, iv. 928
- " cordata, *Persoon*, iv. 932
- " crassifolia, *Lamarck*, iv. 932, 926, 930, 931
- " Davidiana, *Carrière*, iv. 929, 925
- " " leaves, iv. 929, Pl. 267, Fig. 11
- " glabrata, *Steven*, iv. 929, 926
- " " leaves, iv. 929, Pl. 267, Fig. 10
- " levigata, *Willdenow*, iv. 933
- " mississippiensis, *Bosc*, iv. 933, 926, 931
- " " leaves, iv. 933, Pl. 267, Fig. 9
- " " var. reticulata, iv. 934 note
- " occidentalis, *Linnaeus*, iv. 930, 926, 927, 932, 933
- " " leaves, iv. 930, Pl. 267, Fig. 4
- " " var. integrifolia, iv. 933
- " " reticulata, iv. 934 note
- " " West Dean Park, tree at, iv. 931, Pl. 251
- " occidentalis, *Sargent*, iv. 932, 933
- " pumila, *Pursh*, iv. 930
- " reticulata, *Torrey*, iv. 931, 934
- " sinensis, *Persoon*, iv. 929
- " Tournefortii, *Lamarck*, iv. 929
- " " var. glabrata, iv. 929
- CEPHALOTAXUS, *Siebold and Zuccarini*, vi. 1468; i. 99; vi. 1462
- Cephalotaxus Buergeri, *Miquel*, vi. 1471
- " coriacea, *Knight and Perry*, vi. 1469 note 4
- " drupacea, *Siebold and Zuccarini*, vi. 1469, 1472
- " " var. Harringtonia, vi. 1471
- " " pedunculata, vi. 1471
- " Fortuni, *W. J. Hooker*, vi. 1470, 1468 note 1, 1472
- " Griffithii, *Hooker*, vi. 1468 note 4
- " Harringtonia, *Koch*, vi. 1471

Cephalotaxus—continued

- „ Mannii, *Hooker*, vi. 1468 note 4
 „ Oliveri, *Masters*, vi. 1468 note 4
 „ pedunculata, *Siebold and Zuccarini*,
 vi. 1471
 „ „ var. fastigiata, vi. 1471
 „ „ sphaeralis, vi. 1471
Cerasus acida, *Gaertner*, vi. 1541
 „ *Avium*, *Moench*, vi. 1535
 „ *Capollin*, *De Candolle*, vi. 1547
 „ *Capuli*, *Lavallée*, vi. 1547
 „ *cornuta*, *Royle*, vi. 1544
 „ *Fontanesiana*, *Spach*, vi. 1536
 „ *Laurocerasus*, *Loiseleur*, vi. 1551
 „ *lusitanica*, *Loiseleur*, vi. 1553
 „ *Mahaleb*, *Miller*, vi. 1542
 „ *Padus*, *De Candolle*, vi. 1543
 „ *semperflorens*, *De Candolle*, vi. 1541
 „ *serotina*, *Loiseleur*, vi. 1546
 „ *sylvestris*, *Loudon*, vi. 1535
 „ *virginiana*, *Michaux*, vi. 1546
 „ *vulgaris*, *Miller*, vi. 1541
CERATOSTACHYS, *Blume*, iii. 508
Cerquinho tree, v. 1315
Cerro tree, v. 1264
CHÆTOPTOLEA, *Liebmann*, vii. 1847
CHAMÆBETULA, *Opiz*, iv. 959
CHAMÆCYPARIS, *Spach*, v. 1146
Chamæcyparis Boursierii, *Carrière*, v. 1200
 „ „ *Decaisne*, v. 1200 note 3
 „ *breviramea*, *Maximowicz*, v. 1185,
 1186
 „ *formosensis*, *Matsumura*, v. 1149
 „ *Lawsoniana*, *Parlatore*, v. 1200
 „ *leptoclada*, *Henkel and Hochstetter*,
 v. 1211
 „ *nootkatensis*, *Sargent*, v. 1194
 „ *nutkaënsis*, *Spach*, v. 1194
 „ *obtus*, *Siebold and Zuccarini*, v.
 1185
 „ „ var. *lycopodioides*, v. 1186
 „ „ *pendula*, v. 1187 note 1
 „ „ *tetragona aurea*, v. 1186
 „ *pendula*, *Maximowicz*, v. 1185, 1187
 „ *pisifera*, *Siebold and Zuccarini*, v.
 1190
 „ „ var. *filifera*, v. 1192
 „ „ *plumosa*, v. 1191
 „ *sphaeroidea*, *Spach*, v. 1210
 „ *squarrosa*, *Siebold and Zuccarini*,
 v. 1190
 „ *thurifera*, *Endlicher*, v. 1150
 „ *thyoides*, *Britton, Steens, and Poggen-*
 burg, v. 1210
CHAMÆROPS, *Martius*, vii. 1690
Chamærops excelsa, *Martius*, vii. 1690, 1691
 „ „ *Thunberg*, vii. 1690 note 2
 „ *Fortunei*, *W. J. Hooker*, vii. 1690, 1691
 „ *humilis*, *Linnaeus*, vii. 1691, 1693 and
 note 4
Chaparro tree, v. 1284
Cheimatobia boreata, etc. See Insects
Chêne à feuilles d'Ægilops, v. 1259
 „ blanc, v. 1263

Chêne de Gibraltar, v. 1261

„ de juin, ii. 286

„ Turnère, v. 1288, 1289

Chengey-ny-mraane tree, vii. 1789

Chequers, fruit of *Pyrus torminalis*, i. 153

Chermes. See Insects

Cherry, vi. 1534

„ “All Saints,” vi. 1541

„ American Black, vi. 1546. See *Prunus*
serotina

„ Bigarreau, vi. 1536

„ Bird, vi. 1543, 1534. See *Prunus Padus*

„ Duke, vi. 1536

„ Dwarf, vi. 1541. See *Prunus Cerasus*

„ Gean, vi. 1536

„ Laurels, vi. 1535

„ St. Lucie, vi. 1542. See *Prunus Mahaleb*„ Wild, vi. 1535. See *Prunus Avium*Chestnut, iv. 837. See also *Castanea*„ American, iv. 856. See also *Castanea*
dentata

„ „ leaves, iv. 856, Pl. 202, Fig. 13

„ „ timber, iv. 857

„ bark disease, iv. 858 note 6

„ Japanese, iv. 854. See also *Castanea*
crenata

„ „ Atera, tree at, iv. 855, Pl. 237

„ „ Chinese names, iv. 855

„ „ Japanese name, iv. 855

„ Spanish, iv. 839. See also *Castanea*
sativa

„ „ an avenue tree, iv. 847

„ „ Bicton, grove at, iv. 846, Pl.
 232„ „ branchlets and buds, iv. 839,
 Pl. 200, Fig. 1

„ „ coppice-wood, iv. 845

„ „ cultivation, iv. 844

„ „ distribution, iv. 841

„ „ etymology, iv. 844

„ „ finest existing, iv. 850

„ „ fruit, iv. 853

„ „ grafting of, on oak, iv. 845

„ „ Harleston, Althorp, tree at, iv.
 849, Pl. 233

„ „ identification, iv. 839

„ „ in England, iv. 847-850

„ „ in Ireland, iv. 851

„ „ in Scotland, iv. 850

„ „ in Wales, iv. 850

„ „ leaves, iv. 839, Pl. 202, Fig. 11

„ „ park fencing, iv. 853

„ „ products, miscellaneous, iv. 852

„ „ remarkable trees, iv. 847

„ „ Rossanagh, tree at, iv. 851,
 Pl. 236„ „ Rydal Hall, tree at, iv. 850,
 Pl. 235

„ „ seedlings, natural, iv. 844

„ „ tanning extract, iv. 854 and
 note 1„ „ Thoresby, tree at, iv. 849,
 Pl. 234

„ „ timber, iv. 852

1960 The Trees of Great Britain and Ireland

Chestnut, Spanish—*continued*

- " " timber used for chancel screen,
iv. 852 note 1
- " " Tortworth, tree at, iv. 847
- " " variegated forms, iv. 840
- " " varieties, iv. 840
- " " Wymondley, tree at, vii. 1728
note 9
- " Sweet. *See* Chestnut, Spanish
- Chilghoza, seeds of *Pinus Gerardiana* used for
food, v. 1053
- Chinquapin, iv. 857. *See* *Castanea pumila*
- Chin-sung or Chin-lo-sung tree, vi. 1479
- Chip-braid, i. 88
- Ch'iu tree, vi. 1490
- Chosen-gaya tree, vi. 1472
- Chosen-matsu tree, v. 1042 note 6
- Ch'ui-yang-liu tree, vii. 1752 note 4
- Ch'un trees, i. 32
- Chusan Palm, vii. 1690
- Cladopsis, vii. 1771 note
- CLADRASTIS, Rafinesque, ii. 445
- " section EU-CLADRASTIS, ii. 445
- " " MAACKIA, ii. 445; i. 39 and
note 8
- Cladrastis amurensis, *Bentham et Hooker*, ii. 449;
i. 39 note 8; ii. 446
- " " branchlets and buds, ii. 449,
Pl. 126, Fig. 5
- " " leaves, ii. 449, Pl. 125, Fig. 6
- " " var. *Buergeri*, ii. 449
- " *fragrans*, Rafinesque, ii. 446
- " *lutea*, Koch, ii. 446
- " *sinensis*, *Hemsley*, ii. 450, 445
- " sp.? *Hemsley*, ii. 446 note 3
- " *Tashiroi*, *Yatabe*, ii. 446
- " *tinctoria*, *Rafinesque*, ii. 446, 445
- " " branchlets and buds, ii. 447,
Pl. 126, Fig. 4
- " " cultivation, ii. 447
- " " distribution, ii. 447
- " " identification, ii. 447
- " " leaves, ii. 446, Pl. 125, Fig. 5
- " " remarkable trees, ii. 448
- " " seedling, ii. 447
- " " Syon, tree at, ii. 448, Pl. 124
- " " timber, ii. 448
- CLETHROPSIS, Spach, iv. 935
- Clethropsis nitida*, Spach, iv. 954
- Clogs, iv. 943, 944
- Coccus, Beech, etc. *See* Insects
- Coelogyne ochracea. *See* Plants, Miscellaneous
- Coffee tree, Kentucky, ii. 428. *See* *Gymnocladus*
canadensis
- Coigue tree, i. 48; iii. 555
- Coleophora laricella. *See* Insects
- Coleosporium Pini. *See* Fungi
- Corchorus hirtus*, Thunberg, iv. 920
- Cork, v. 1276, 1296
- Cormus domestica*, Spach, i. 146
- " *foliolosa*, Franchet, vi. 1576 note 2
- CORYLUS, Linnæus, iii. 520
- Corylus avellana* × *C. Colurna*, Rehder, iii. 522
- " *chinensis*, Franchet, iii. 521

Corylus—*continued*

- " *Colurna*, Linnæus, iii. 520
- " " branchlets and buds, iii. 522,
Pl. 126, Fig. 6
- " " cultivation, iii. 523
- " " distribution, iii. 522
- " " hybrid, iii. 522
- " " identification, iii. 522
- " " remarkable trees, iii. 523
- " " seedling, iii. 521
- " " timber, iii. 524
- " " var. *chinensis*, iii. 521
- " " glandulifera, iii. 521
- " " lacera, iii. 521
- " " Wollaton Hall, tree at, iii. 524,
Pl. 147
- " intermedia, *Loddiges*, iii. 522
- " lacera, Wallich, iii. 521
- Cratægo-Mespilus Asnieresii, vii. 1732
- " " Dardari, vii. 1732
- CRATÆGUS, Linnæus, vii. 1731
- " hybrids, vii. 1732
- Cratægus Aria, Linnæus, i. 166
- " " var. *scandica*, i. 159
- " " *suecica*, i. 159
- " azarella, *Grisebach*, vii. 1734 note 3
- " brevispina, *Kunze*, vii. 1734 note 3
- " flabellifolia, Spach, i. 167 note 3
- " granatensis, *Boissier*, vii. 1734 note 3
- " grandiflora, Koch, vii. 1732
- " hirsuta, *Schur*, vii. 1734 note 3
- " Insegnæ, *Bertolini*, vii. 1734 note 3
- " intermixta, *Beck*, vii. 1734
- " kyrtostyla, *Fingerhut*, vii. 1733 note 3
- " latifolia, Lamarck, i. 155
- " lobata, Bosc, vii. 1732
- " macrocarpa, Hegtschweiler, vii. 1741,
note
- " media, *Beckstein*, vii. 1734
- " microphylla, Koch, vii. 1736 note 2
- " monogyna, *Jacquin*, vii. 1733, 1732
- " " cultivation, vii. 1738
- " " Hethel, tree at, vii. 1738,
Pl. 378
- " " hybrids, vii. 1734
- " " timber, vii. 1739
- " " var. *alba plena*, vii. 1740
- " " eriocarpa, vii. 1736
- " " ferox, vii. 1735
- " " filicifolia, vii. 1735
- " " flexuosa, vii. 1734
- " " foliis argenteis, vii. 1735
- " " aureis, vii. 1735
- " " inermis compacta, vii.
1734 note 4
- " " laciniata, vii. 1735
- " " macrocarpa, vii. 1737
note 3
- " " maurianensis, vii. 1737
- " " Pauli, vii. 1741
- " " pendula, vii. 1734
- " " rosea, vii. 1735
- " " variegata, vii.
1735

Crataegus monogyna, Jacquin—continued

- „ „ var. *pinnatifida*, vii. 1736
 note 2
 „ „ *præcox*, vii. 1736
 „ „ *ramulis aureis*, vii. 1735
 „ „ *reginae*, vii. 1735
 „ „ *salisburifolia*, vii. 1734
 „ „ *semperflorens*, vii. 1736
 „ „ *splendens* (Druce), vii.
 1737 note 4
 „ „ „ (Koch), vii.
 1737 note 4
 „ „ *stricta*, vii. 1735
 „ „ *xanthoclada*, vii. 1735
 „ *oxyacantha*, Linnæus, vii. 1739, 1737
 distribution, vii. 1742
 hybrids, vii. 1732, 1734
 sub-sp. *monogyna*, Hooker, vii.
 1733
 „ var. *polyacantha*,
 vii. 1741
 „ *oxyacanthoides*, Hooker,
 vii. 1739
 var. *aurea*, vii. 1741
 auriculata, vii. 1740 note 1
 candido-plena, vii. 1740
 note 2
 coccinea flore pleno, vii.
 1741
 eriocarpa, vii. 1736
 ferox, vii. 1735
 filicifolia, vii. 1735
 flexuosa, vii. 1734
 flore pleno albo, vii. 1740
 „ *puniceo*, vii. 1740
 „ *rubro pleno*, vii. 1741
 floribus coccineis plenis, vii.
 1741
 folio et fructu majore, vii.
 1737 note 4
 Gireoudi, vii. 1741
 Gumpperii bicolor, vii.
 1740
 horrida, vii. 1735
 integrifolia, vii. 1740 note 1
 laciniata, vii. 1735
 leucocarpa, vii. 1741
 macrocarpa, vii. 1741 note
 monogyna, vii. 1733
 multiplex, vii. 1740
 pendula, vii. 1734
 præcox, vii. 1736
 punicea, vii. 1740
 „ *flore pleno*, vii. 1741
 rosea, vii. 1740
 salisburiaefolia, vii. 1734
 semperflorens, vii. 1736
 stricta, vii. 1735
 vulgaris, vii. 1739
 xanthocarpa, vii. 1741
 „ *oxyacantha*, Linnæus, vii. 1733
 „ *oxyacantho-germanica*, Gillot, vii. 1732
 „ *oxyacanthoides*, Thuillier, vii. 1733 note 1,
 1739

Crataegus—continued

- „ *polyacantha*, Jan, vii. 1741
 „ *terminalis*, Linnæus, i. 151
Crataemespilus grandiflora, Camus, vii. 1732
 Crithean or Critheac tree, vii. 1789
 Cryptococcus fagi. See Insects
 CRYPTOMERIA, D. Don, i. 127
Cryptomeria elegans, Veitch, i. 130; vi. 1449
 „ *Fortunei*, Hooibrenk, i. 129 note 2
 „ *japonica*, Don, i. 128; ii. 202
 „ „ Chinese names, i. 132
 „ „ cultivation, i. 138
 „ „ fossil, i. 134 note
 „ „ Hemsted, tree at, i. 139,
 Pl. 42; iii. 696
 „ „ identification, i. 131
 „ „ in China, i. 131
 „ „ in England, i. 139
 „ „ in Ireland and Scotland, i. 140
 „ „ in Japan, i. 132-136, Plates
 38, 39, 40, and 41
 „ „ introduction, i. 131
 „ „ layering at Kitlands, i. 139
 „ Woodstock, i. 140
 „ „ remarkable trees, i. 139
 „ „ resin, i. 138
 „ „ self-sown, i. 138
 „ „ timber, i. 136
 „ „ variegated forms, i. 130
 „ „ var. *araucarioides*, i. 129, 140
 „ „ *dacrydioides*, i. 130
 „ „ *elegans*, i. 130, 140
 „ „ „ Japanese name,
 i. 130
 „ „ „ Tregothnan, tree
 at, i. 130, Pl. 37
 „ „ *elegans nana*, i. 130
 „ „ *Fortunei*, i. 129, 140
 „ „ *japonica*, i. 129
 „ „ *Lobbii*, i. 129, 131, 139,
 140
 „ „ *nana*, i. 130
 „ „ *pungens*, i. 129
 „ „ „ *rubiginosa*, i.
 129 note 6
 „ „ *sinensis*, i. 129
 „ „ *spiralis*, i. 130, 140
 Cucumber tree, vi. 1586. See *Magnolia acuminata*
 Cucurbitaria piceæ. See Fungi
 Cuerun tree, vi. 1580
 Cuince tree, iii. 561
 CUNNINGHAMIA, R. Brown, iii. 494
 „ new species in Formosa, iii. 494
 note 2; Errata, 1939
 „ root-suckers in, iii. 495
 Cunninghamia *cupressoides*, Zuccarini, vi. 1452
 „ *Konishii*, Hayata. See Errata, 1939
 „ *lanceolata*, W. J. Hooker, iii. 494
 „ *selaginoides*, Zuccarini, vi. 1450
 „ *sinensis*, R. Brown, iii. 494; i. 43
 „ „ Bagshot Park, tree at, iii.
 497, Pl. 143
 „ „ remarkable trees, iii. 497
 „ „ timber, iii. 497

1962 The Trees of Great Britain and Ireland

Cunninghamites, iii. 494 note 3

CUPRESSUS, Linnæus, v. 1146

" key to species, v. 1147

" section CHAMÆCYPARIS, v. 1149, 1147

" " EU-CUPRESSUS, v. 1147

CUPRESSUS, Masters, ii. 201

Cupressus americana, Parkinson, i. 178

" " Trautvetter, v. 1194

" amœna, Koch, v. 1162

" arizonica, Greene, v. 1183, 1178

" attenuata, Gordon, v. 1171, 1172

" australis, Koch, v. 1152

" Bakerii, Jepson, v. 1174

" Benthami, Endlicher, v. 1177, 1178, 1183

" " var. arizonica, v. 1183

" californica, Carrière, v. 1171, 1172

" cashmeriana, Royle, v. 1161, 1148

" conoidea, Spadoni, v. 1152

" Corneyana, Knight and Perry, v. 1158, 1159

" cornuta, Carrière, v. 1171 note 2

" Coulteri, Forbes, v. 1176, 1179 note 2

" disticha, Linnæus, i. 173

" " var. imbricaria, i. 173

" Doniana, Koch, v. 1152

" Ehrenbergii, Kunze, v. 1176

" elegans, Low, v. 1177, 1183

" excelsa, Scott, v. 1177

" fastigiata, De Candolle, v. 1151, 1152

" flagelliformis, Knight and Perry, v. 1159 note 1

" formosensis, Henry, v. 1149

" fragrans, Kellogg, v. 1200

" funebris, Endlicher, v. 1162, 1147; vi. 1435

" " var. glauca, v. 1161

" funebris, Koch, v. 1159

" glandulosa, Hooker, v. 1174

" glauca, Lamarck, v. 1176

" Goveniana, Gordon, v. 1171, 1148, 1167 note 2

" " Dropmore, tree at, v. 1173, Pl. 299

" " var. attenuata, v. 1172

" " pendula, v. 1172

" " pygmæa, v. 1172, 1173 note 3

" " Sargentii, v. 1173 note 5

" Goveniana, Jepson, v. 1172

" guadalupensis, Sargent, v. 1183, 1185

" " S. Watson, v. 1165, 1166

" Hartwegii, Carrière, v. 1165

" Hodginsii, Dunn, v. 1150

" horizontalis, Miller, v. 1151, 1152

" Hügelii, v. 1183

" Karwinskyana, Regel, v. 1176

" Knightiana, Knight and Perry, v. 1177, 1181, 1183 note 1

" Lambertiana, Carrière, v. 1165, 1169

" Lawsoniana, Murray, v. 1200, 1146 notes 2 and 3, 1149, 1194

" " Castlewellan, trees at, v. 1209, Pl. 310

Cupressus Lawsoniana, Murray—continued

" " cultivation, v. 1205

" " distribution, v. 1204

" " Killerton, trees at, v. 1208, Pl. 309

" " in England, v. 1207, 1208

" " in Germany, v. 1207

" " in Ireland, v. 1209

" " in Oregon, v. 1204, 1205

" " in Scotland, v. 1208

" " in Wales, v. 1208

" " remarkable trees, v. 1208

" " timber, v. 1209

" " varieties, v. 1201

" " var. albo-maculata, v. 1203

" " albo-picta, v. 1203

" " albo-spica, v. 1203

" " albo-variegata, v. 1203

" " Allumi, v. 1202

" " argentea, v. 1203

" " argenteo-variegata, v. 1203

" " aurea, v. 1203

" " Bowleri, v. 1203

" " californica, v. 1203

" " erecta filiformis, v. 1202

" " " viridis, v. 1201, 1206 note 4

" " ericoides, v. 1202

" " filifera, v. 1203

" " forsteckensis, iii. 594 note 3

" " fragrans, v. 1201 note 4

" " Fraseri, v. 1202

" " glauca, v. 1203

" " gracilis, v. 1202

" " " aurea, v. 1202

" " " pendula, v. 1202

" " intertexta, v. 1203

" " juniperina, v. 1203

" " lutea, v. 1204

" " nana, v. 1203

" " " alba, v. 1203

" " " glauca, v. 1203

" " ochroleuca, v. 1204

" " patula, v. 1203

" " pendula alba, v. 1202

" " pygmæa, v. 1203 note 2

" " Smithii, v. 1202

" " stricta, v. 1201

" " Wisseli, v. 1202

" " Youngi, v. 1203

" " Lindleyana, Hort., v. 1183

" " Lindleyi, Klotzsch, v. 1176, 1179, 1183 note 1

" " lugubris, Salisbury, v. 1151

" " lusitanica, Miller, v. 1176, 1148, 1160 note 2, 1184

" " distribution, v. 1178

" " Hemsted Park, tree at, v. 1182, Pl. 300

" " history, v. 1178

" " introduction, v. 1181

Cupressus lusitanica, Miller—continued

- " " Oriel Temple, tree at, v. 1182,
 Pl. 301
 " " remarkable trees, v. 1182
 " " varieties, v. 1177
 " " var. Benthami, v. 1177, 1147,
 1150 note 4,
 1178 and note
 2, 1181, 1183
 " " " Fota, tree at, v.
 1183, Pl. 302
 " " glauca, v. 1178, 1184
 note 1
 " " Skinneri, v. 1177
 " Macnabiana, Murray, v. 1174, 1148,
 1176 note 1, 1183
 " macrocarpa, Hartweg, v. 1165; iii. 708;
 v. 1105 note 1, 1148,
 1160 note 2
 " " Beauport, tree at, v. 1169,
 Pl. 296
 " " California, trees in, v.
 1167, Pl. 295
 " " cultivation, v. 1167
 " " distribution, v. 1167
 " " Osborne, tree at, v. 1170,
 Pl. 298
 " " remarkable trees, v. 1169
 " " Tykillen, tree at, v. 1171,
 Pl. 297
 " " varieties, v. 1166
 " " var. Crippsii, v. 1166
 " " farallonensis, v. 1166
 " " fastigiata, v. 1166
 " " guadalupensis, v. 1166
 " " Lambertiana, v. 1166,
 1170
 " " lutea, v. 1166
 " " variegata, v. 1166
 " majestica, Knight and Perry, v. 1158,
 1159 note 1
 " mexicana, Koch, v. 1176
 " nivalis, Lindley, v. 1174, 1175 note 4
 " nootkatensis, Don, v. 1194, 1149 and
 note
 " " cultivation, v. 1196
 " " distribution, v. 1195
 " " history, v. 1196
 " " Mount Rainier, tree on, v.
 1196, Pl. 306
 " " Nisqually Valley, Washing-
 ton, trees in, v. 1196,
 Pl. 307
 " " remarkable trees, v. 1198
 " " Snohomish County, Wash-
 ington, trees in, v. 1196,
 Pl. 307
 " " timber, v. 1199, 1209,
 1210
 " " timber lands, leases of, in
 British Columbia, v. 1200
 " " Tortworth, tree at, v. 1198,
 Pl. 308
 " " varieties, v. 1195

Cupressus nootkatensis, Don—continued

- " " var. argenteo-variegata, v.
 1195
 " " aureo-variegata, v.
 1195
 " " compacta, v. 1195
 " " glauca, v. 1195
 " " gracilis, v. 1195
 " " lutea, v. 1195
 " " nidifera, v. 1195
 " " pendula, v. 1195
 " nutkaensis, Hooker, v. 1194
 " nutkanus, Torrey, v. 1200
 " obtusa, Koch, v. 1185; i. 134; v. 1149,
 1193, 1194
 " " cultivation, v. 1188
 " " distribution, v. 1188
 " " Imaichi, tree at, v. 1188, Pl. 303
 " " in Japan, grown for timber, v.
 1188, Pl. 304
 " " timber, i. 136; ii. 247; v. 1189
 " " varieties, v. 1185
 " " var. albo-spica, v. 1187
 " " argentea, v. 1187
 " " aurea, v. 1187
 " " breviramea, v. 1186
 " " compacta, v. 1187
 " " Crippsii, v. 1187
 " " erecta, v. 1187
 " " filicoides, v. 1186
 " " " aurea, v. 1186
 " " forma formosana, v. 1188
 note
 " " gracilis aurea, v. 1187
 " " Keteleeri, v. 1187
 " " lycopodioides, v. 1186
 " " nana, v. 1187
 " " " aurea, v. 1187
 " " pendula, v. 1187
 " " pygmæa, v. 1187
 " " tetragona aurea, v. 1186
 " " Troubetzkoyana, v. 1187
 " patula, Spadoni, v. 1151
 " pendula, Hopf, v. 1158
 " " L'Héritier, v. 1176, 1179 note 2
 " " Staunton, v. 1162
 " " Thunberg, i. 197; v. 1162
 note 4
 " pisifera, Koch, v. 1190, 1149
 " " Bicton, tree at, v. 1193, Pl. 305
 " " cultivation, v. 1193
 " " distribution, v. 1193
 " " varieties, v. 1190
 " " var. aurea, v. 1192
 " " filifera, v. 1192
 " " plumosa, v. 1191
 " " " albo-picta, v. 1192
 " " " argentea, v. 1192
 " " " aurea, v. 1192
 " " squarrosa, v. 1190; i. 192;
 v. 1191
 " " sulphurea, v. 1191
 " pygmæa, Sargent, v. 1172
 " pyramidalis, Targioni-Tozzetti, v. 1152

1964 The Trees of Great Britain and Ireland

Cupressus—continued

- " *Reinwardtii*, Beissner, v. 1165
- " *religiosa*, v. 1183
- " *Royleana*, Koch, v. 1152
- " *Sargentii*, Jepson, v. 1171, 1172 note 3
- " *sempervirens*, *Linnaeus*, v. 1151, 1148,
1150 note 4, 1160 note
2, 1179
- " " cultivation, v. 1155
- " " distribution, v. 1152
- " " dwarf forms, v. 1152
- " " Heron Court, tree at, v.
1156, Pl. 293
- " " Montpellier, tree at, v.
1154, Plate 293A
- " " remarkable trees, v. 1156
- " " timber, v. 1157, 1180
- " " variegated forms, v. 1152
- " " varieties, v. 1151
- " " var. *fastigiata*, v. 1152
- " " *horizontalis*, v. 1152,
1153-1155
- " " *indica*, v. 1152
- " " *pyramidalis*, v. 1152
- " " *stricta*, v. 1152
- " " *thujæfolia*, v. 1152
- " *sinensis*, Lee, v. 1176, 1179 note 4
- " *Skinneri*, Carrière, v. 1177
- " *squarrosa*, Lawson, v. 1190
- " *thurifera*, *Humboldt*, *Bonpland*, and
Kunth, v. 1150
- " *thurifera*, *Schlechtendal*, v. 1177,
1181
- " *thyoides*, *Linnaeus*, v. 1210; i. 193; v.
1149
- " " cultivation, v. 1212
- " " distribution, v. 1211
- " " North Carolina, trees in, v.
1212, Pl. 311
- " " submerged forests, v. 1213
- " " timber, v. 1213
- " " varieties, v. 1211
- " " var. *andelyensis*, v. 1211
- " " *ericoides*, v. 1211
- " " *glauca*, v. 1211
- " " *Hoveyi*, v. 1211
- " " *kewensis*, v. 1211
- " " *leptoclada*, v. 1211
- " " *nana*, v. 1211
- " " *variegata*, v. 1211
- " *torulosa*, *Don*, v. 1158, 1147, 1179 and
note 4, 1183
- " " Cuffnells, avenue at, v. 1160,
Pl. 294
- " " cultivation, v. 1159
- " " distribution, v. 1159
- " " remarkable trees, v. 1160
- " " timber, v. 1161; iii. 483
- " " var. *Cornezyana*, v. 1159, 1160
- " " *kashmiriana*, v. 1161
- " " *majestica*, v. 1159, 1161
- " *torulosa*, *Lindley*, v. 1165
- " *Tournefortii*, *Audibert*, v. 1151
- " " *Tenore*, v. 1158

Cupressus—continued

- " *Uhdeana*, Carrière, v. 1177, 1181
- " *Whitleyana*, Carrière, v. 1152
- CYCLOBALANOPSIS*, *Oersted*, v. 1215
- CYCLOBALANUS*, *Oersted*, v. 1215
- Cyllene Robinia. See Insects
- Cynips Toza. See Insects
- Cypress, Chinese Weeping, v. 1162. See Cupressus
funnebris
- " Deciduous, i. 173. See *Taxodium distichum*
- " Gowen's, v. 1171. See *Cupressus Goveniana*
- " Himalayan, v. 1158. See *Cupressus torulosa*
- " *Hinoki*, v. 1185. See *Cupressus obtusa*
- " *Lawson*, v. 1200. See *Cupressus Lawsoniana*
- " *Macnab's*, v. 1174. See *Cupressus Macnabiana*
- " Mediterranean, v. 1151. See *Cupressus sempervirens*
- " Mexican, v. 1176. See *Cupressus lusitanica*
- " Monterey, v. 1165. See *Cupressus macrocarpa*
- " *Sawara*, v. 1190. See *Cupressus pisifera*
- " *Sitka*, v. 1194. See *Cupressus nootkatensis*
- Cypripedium Calceolus. See Plants, Miscellaneous
- Cytisine, vi. 1525
- CYTISUS*, *Linnaeus*, section *LABURNUM*, *Wettstein*,
vi. 1521
- Cytisus Adami*, *Poiteau*, vi. 1524
- " *alpinus*, *Miller*, vi. 1521
- " *Alschingeri*, *Visiani*, vi. 1523
- " *angustifolius*, *Moench*, vi. 1521
- " *Laburnum*, *Linnaeus*, vi. 1522
- " " var. *coccineum*, vi. 1524
- " " *purpurascens*, vi. 1524
- " *purpureus*, *Scopoli*, vi. 1524
- " *Watereri*, *Wettstein*, vi. 1523
- Dacrydium Franklini*, *Hooker*, v. 1147 note 1
- " *plumosum*, *D. Don*, iii. 487
- Dake-momi tree, iv. 767
- DAPHNIPHYLLOPSIS*, *Kurz*, iii. 508
- Dasyscypha calycina*. See Fungi
- Date-Plum, iv. 999. See *Diospyros Lotus*
- Dates, Black, iv. 1000
- Deal apple, iii. 577 note 8
- " tree, iii. 557 and note 8
- Deal, White, vi. 1357
- " Yellow, v. 1033 note
- Deodar, iii. 476. See also *Cedrus Deodara*
- " *Bicton*, tree at, iii. 482, Pl. 140
- " cause of deaths of, iii. 479, 480
- " cultivation, iii. 479
- " distribution, iii. 477
- " hardiness of, iii. 481
- " Himalaya, group in the, iii. 478, Pl. 139
- " in England, iii. 481, 482
- " in Ireland, iii. 481, 483
- " in Scotland, iii. 481, 482

Deodar—*continued*

- „ New, Dean, and Delamere forests, trees in, iii. 479
- „ remarkable trees, iii. 482
- „ timber, iii. 483
- „ trees associated with, iii. 477
- „ varieties, iii. 477
- Dialium* sp.?, Hanbury, ii. 427
- Diaporthe parasitica*. See Fungi
- Didymosphæria populina*. See Fungi
- Diospyros, Linnæus, iv. 995
- Diospyros caroliniana*, Rafinesque, iv. 996
- „ *concolor*, Moench, iv. 996
- „ *guajacana*, Romans, iv. 996
- „ *japonica*, Siebold and Zuccarini, iv. 999
- „ Kaki, Linnæus f., iv. 995, 1000
- „ „ timber, vi. 1495
- „ Lotus, Linnæus, iv. 999, 996
- „ „ branchlets and buds, iv. 999, Pl. 200, Fig. 3
- „ „ leaves, iv. 999, Pl. 199, Fig. 4
- „ *microcarpa*, Siebold, iv. 999
- „ *Persimmon*, Wikström, iv. 996
- „ *pubescens*, Pursh, iv. 996
- „ *virginiana*, Linnæus, iv. 996
- „ „ branchlets and buds, iv. 997, Pl. 200, Fig. 4
- „ „ cultivation, iv. 997
- „ „ Kew Gardens, tree in, iv. 998, Pl. 261
- „ „ leaves, iv. 996, Pl. 199, Fig. 3
- „ „ timber, iv. 998
- Diplosis pini-radiatæ. See Insects
- DISELMA, J. D. Hooker, vi. 1454
- Diselma Archeri*, J. D. Hooker, vi. 1454
- DISTEGOCARPUS*, Siebold and Zuccarini, iii. 525
- Distegocarpus Carpinus*, Siebold and Zuccarini, iii. 528
- „ ? *cordata*, De Candolle, iii. 529
- Dolbe tree, iii. 617
- DOMBEYA, Lamarck, i. 43
- Dombeya chilensis*, Lamarck, i. 44, 46
- Doro-noki tree, vii. 1838
- DRIMOPHYLLUM, Nuttall, vi. 1531
- Drimophyllum pauciflorum*, Nuttall, vi. 1531
- Drouin tree, v. 1264
- DRYOPTELEA, Spach, vii. 1848
- Duffran tree, vi. 1418
- Dzelkwa tree, iv. 919

Echinopanax horridum. See Plants, Miscellaneous
 Elm, vii. 1847. See also Ulmus

- „ American White, vii. 1855. See also Ulmus americana
- „ „ „ cultivation, vii. 1858
- „ „ „ Hargham, tree at, vii. 1858, Pl. 392
- „ „ „ leaves, vii. 1855, Pl. 411, Fig. 11
- „ „ „ Massachusetts, tree in, vii. 1857, Pl. 391
- „ „ „ so-called, of some nurseries, vii. 1879 note 2

Elm, American White—*continued*

- „ „ „ timber, vii. 1859
- „ „ „ varieties, vii. 1856
- „ Beebe's Weeping, vii. 1857
- „ Belgian, vii. 1869. See Ulmus belgica
- „ Chichester, vii. 1879, 1880. See Ulmus vegeta
- „ Cork-barked, vii. 1888. See Ulmus nitens, var. suberosa
- „ Cornish, vii. 1888. See Ulmus nitens, var. stricta
- „ Downton, vii. 1868. See Ulmus Smithii
- „ Dumont, vii. 1871. See Ulmus belgica, var. Dumontii
- „ Dutch, vii. 1883, 1868, 1869 note 2. See also Ulmus major
- „ „ „ cultivation, vii. 1885
- „ „ „ distribution, vii. 1884
- „ „ „ Kensington Gardens, trees in, vii. 1885, Pl. 396
- „ „ „ leaves, vii. 1883, Pl. 412, Fig. 15
- „ „ „ seeds rarely fertile, vii. 1885
- „ „ „ timber, vii. 1886
- „ „ „ varieties, vii. 1884
- „ English, vii. 1903. See also Ulmus campestris
- „ „ „ as a woodland tree, vii. 1912
- „ „ „ cultivation, vii. 1908
- „ „ „ distribution, vii. 1907
- „ „ „ Huntly Manor, remarkable tree at, vii. 1916, 1917
- „ „ „ in England, vii. 1913
- „ „ „ in Ireland, vii. 1920
- „ „ „ in Scotland, vii. 1920
- „ „ „ in Spain, vii. 1907
- „ „ „ in Wales, vii. 1920
- „ „ „ leaves, vii. 1903, Pl. 412, Fig. 14
- „ „ „ Powderham, tree at, vii. 1915, Pl. 404
- „ „ „ remarkable trees, vii. 1913
- „ „ „ seedlings from Spanish seed, vii. 1908
- „ „ „ seeds rarely fertile in England, vii. 1904
- „ „ „ timber, vii. 1920
- „ „ „ unknown in Italy, vii. 1907
- „ „ „ varieties, vii. 1904
- „ „ „ Well Vale, tree at, vii. 1918, Pl. 405
- „ European White, vii. 1851. See also Ulmus pedunculata
- „ „ „ „ distribution, vii. 1853
- „ „ „ „ hybrid, vii. 1852
- „ „ „ „ leaves, vii. 1851, Pl. 411, Fig. 7
- „ „ „ „ pyramidal form, vii. 1853
- „ „ „ „ Syon, tree at, vii. 1855, Pl. 389
- „ „ „ „ Ugbrooke, tree at, vii. 1855, Pl. 390
- „ „ „ „ varieties, vii. 1852
- „ „ „ „ exudation from stem of, vii. 1929 note 2
- „ „ „ „ Flanders, vii. 1872. See Ulmus Klemerei
- „ „ „ „ Goodyer's, vii. 1901. See also Ulmus minor
- „ „ „ „ leaves, vii. 1901, Pl. 411, Fig. 3

1966 The Trees of Great Britain and Ireland

Elm, Goodyer's—*continued*

- " " timber, vii. 1902 note 3
- " " Westonbirt, tree at, vii. 1902, Pl. 403
- " Guernsey, vii. 1891. *See* *Ulmus nitens*, var. *Wheatleyi*
- " "Hinchingsbrooke," vii. 1881
- " of Holland, vii. 1870
- " Huntingdon, vii. 1879, 1868. *See* *Ulmus vegeta*
- " Italian, vii. 1892
- " Japanese, vii. 1923
- " Jersey, vii. 1891. *See* *Ulmus nitens*, var. *Wheatleyi*
- " Kidbrook, vii. 1896
- " Klemmer, vii. 1872. *See* *Ulmus Klemmeri*
- " Lancaster, in Massachusetts, vii. 1857, Pl. 391
- " "lock," vii. 1902 and note 3
- " Mediterranean, vii. 1892. *See* *Ulmus nitens*, var. *italica*
- " Parasol, vii. 1884
- " Persian, vii. 1893
- " Rock, vii. 1860. *See* *Ulmus racemosa*
- " Scampston, vii. 1894
- " Slippery, vii. 1862. *See* *Ulmus fulva*
- " Smooth-leaved, vii. 1887. *See also* *Ulmus nitens*
- " " Briggs Park, trees at, vii. 1899, Pl. 401
- " " distribution, vii. 1896
- " " hybrid, vii. 1872
- " " leaves, vii. 1887, Pl. 412, Fig. 23
- " " remarkable trees, vii. 1898
- " " Saling, tree at, vii. 1899, Pl. 402
- " " Sharpham, tree at, vii. 1898, Pl. 399
- " " varieties, vii. 1888
- " Southampton, vii. 1892
- " Wheatley, vii. 1891. *See* *Ulmus nitens*, var. *Wheatleyi*
- " Winged, vii. 1924. *See* *Ulmus alata*
- " Wych, vii. 1864. *See also* *Ulmus montana*
- " " Cassiobury, tree with burry trunk at, vii. 1876, Pl. 400
- " " distribution, vii. 1874
- " " hybrids, vii. 1865, 1868, 1872
- " " in England, vii. 1875
- " " in Ireland, vii. 1879
- " " in Scotland, vii. 1878
- " " leaves, vii. 1864, Pl. 412, Fig. 13
- " " place-names derived from, vii. 1875
- " " remarkable trees, vii. 1875
- " " Studley Royal, tree at, vii. 1875, Pl. 394
- " " timber, vii. 1922
- " " varieties, vii. 1865
- " " Weeping, vii. 1867. *See* *Ulmus montana*, var. *pendula*
- Elm-bark beetle, vii. 1911
- Elm-leaf beetle, vii. 1854 and note 2
- Elm Psylla, vii. 1855 note 2

- Encina tree, v. 1284
- Engraving, wood for, vii. 1730, 1739
- Épine miraculeuse, vii. 1736 note 3
- Eriophyes rudis, etc. *See* Insects
- Eso-Matsu tree, i. 87
- EUCALYPTUS, L'Heritier, vi. 1612
- " cultivation, vi. 1618
- " key to species, vi. 1617
- " tender and hardy species, vi. 1619
- Eucalyptus acervula*, Miquel, vi. 1645, 1618, 1639, 1640 note 3
- " " varieties, vi. 1645 note 4
- " *acervula*, Sieber, vi. 1645 note 1
- " *alpina*, Lindley, vi. 1614
- " *amygdalina*, Labillardière, vi. 1614; iii. 690 note 3; vi. 1613
- " " var. *regnans*, vi. 1634 notes 4 and 5
- " Apple, vi. 1615
- " *Beauchampiana*, Treseder, vi. 1615
- " *botryoides*, Smith, vi. 1615
- " *calophylla*, vi. 1613 note 1
- " *cinerea*, Mueller, vi. 1622
- " *citriodora*, Hooker, vi. 1615
- " *coccifera*, J. D. Hooker, vi. 1635, 1617
- " " leaves, etc., vi. 1635, Pl. 365, Fig. 9
- " " Powderham Castle, tree at, vi. 1636, Pl. 361
- " " remarkable trees, vi. 1636
- " *cordata*, Labillardière, vi. 1620, 1617
- " " leaves, etc., vi. 1620, Pl. 365, Fig. 1
- " *cordata*, Loddiges, vi. 1622
- " " Miquel, vi. 1623
- " *coriacea*, A. Cunningham, vi. 1631
- " *cornigera*, Earl Annesley, vi. 1649
- " *dextropinea*, R. T. Baker, vi. 1647 note 4
- " *diversifolia*, Miquel, vi. 1623
- " *ficifolia*, Mueller, vi. 1615
- " *gigantea*, Dehnhardt, vi. 1623, 1626
- " *glauca*, De Candolle, vi. 1625 note 4
- " *globulus*, Labillardière, vi. 1623, 1617
- " " distribution, vi. 1625
- " " history, vi. 1625
- " " leaves, etc., vi. 1624, Pl. 365, Fig. 10
- " " Penmere, tree at, vi. 1627, Pl. 360
- " " plantations and malaria, vi. 1627
- " " remarkable trees, vi. 1627
- " " timber, vi. 1629
- " " Torquay, tree at, vi. 1627, Pl. 359
- " " varieties, vi. 1624
- " *Gunnii*, J. D. Hooker, vi. 1638, 1617
- " " Brightlingsea, tree at, vi. 1640, Pl. 362
- " " leaves, etc., vi. 1639, Pl. 365, Fig. 5
- " " remarkable trees, vi. 1640
- " " var. *glauca*, vi. 1638
- " " *montana*, vi. 1638

Eucalyptus—*continued*

- „ hæmastoma, *Smith*, vi. 1616
 „ incrassata, *Labillardière*, vi. 1647 note 3
 „ leucoxylon, *Mueller*, vi. 1616
 „ Maideni, *Mueller*, vi. 1625 note 2
 „ montana, *Hort.*, vi. 1650 note 3
 „ Muellieri, *Miquel*, vi. 1647 note 3
 „ Muellieri, *T. B. Moore*, vi. 1647, 1618, 1630 note 2
 „ „ Derreen, tree at, vi. 1648, Pl. 364
 „ „ leaves, etc., vi. 1647, Pl. 365, Fig. 6
 „ Muellieri, *Naudin*, vi. 1647 note 4
 „ Muellieriana, *A. W. Howitt*, vi. 1647 note 4
 „ Naudiniana, *Mueller*, vi. 1614 note 4
 „ nova-anglica, *Dean and Maiden*, vi. 1622
 „ obliqua, *L'Héritier*, vi. 1616
 „ pauciflora, *Sieber*, vi. 1631, 1617
 „ „ leaves, etc., vi. 1631, Pl. 365, Fig. 7
 „ perfoliata, *Desfontaines*, vi. 1625 note 4
 „ „ Noisette, vi. 1625 note 4
 „ persicifolia, *Loddiges*, vi. 1645 note 3
 „ phlebophylla, *Mueller*, vi. 1631
 „ polyanthemos, *Smith*, vi. 1640 note 1
 „ pulverulenta, *Link*, vi. 1625 note 4
 „ pulverulenta, *Sims*, vi. 1622, 1617
 „ „ leaves, etc., vi. 1622, Pl. 365, Fig. 3
 „ „ var. lanceolata, vi. 1622
 „ pulviger, *A. Cunningham*, vi. 1622
 „ radiata, *Sieber*, var. 4, vi. 1636 note
 „ regnans, *Mueller*, vi. 1614, 1615
 „ resinifera, *Smith*, vi. 1616
 „ Risdoni, *Hooker*, vi. 1636 note
 „ „ var. elata, vi. 1635 note 3
 „ rudis, *Endlicher*, vi. 1616
 „ salmonophloia, *Mueller*, vi. 1647 note 4
 „ stellulata, *Sieber*, vi. 1616
 „ Stuartiana, *Mueller*, vi. 1615, 1645
 „ „ var. cordata, vi. 1622
 „ submultiplinervis, *Miquel*, vi. 1631
 „ urnigera, *J. D. Hooker*, vi. 1649, 1618
 „ „ leaves, etc., vi. 1649, Pl. 365, Fig. 11
 „ „ var. elongata, vi. 1649, 1650
 „ urnigera, *Masters*, vi. 1642
 „ vernicosa, *J. D. Hooker*, vi. 1646, 1618, 1644
 „ „ leaves, etc., vi. 1646, Pl. 365, Fig. 2
 „ verrucosa, *Landsborough*, vi. 1646 note 2
 „ viminalis, *Labillardière*, vi. 1633, 1617, 1645 note 3
 „ „ leaves, etc., vi. 1633, Pl. 365, Fig. 8
 „ whittinghamii, *Landsborough*, vi. 1642
 „ whittinghamensis, *Nicholson*, vi. 1642, 1617

Eucalyptus whittinghamensis, *Nicholson*—*contd.*

- „ „ leaves, etc., vi. 1642, Pl. 365, Fig. 4
 „ „ Whittinghame, tree at, vi. 1643, Pl. 363
 Eurabbie tree, vi. 1625
 Exoascus betulinus, etc. See Fungi
 Ezo-no-take-kamba tree, iv. 977 note 3
 Fagara horrida, *Thunberg*, vi. 1516
 FAGUS, *Linnæus*, i. 1; iii. 545. See also Beech
 „ key to species, i. 1
 „ section NOTHOFAGUS, *Bentham et Hooker*, iii. 545
 FAGUS (Castanea), *Linnæus*, iv. 837
 Fagus alpina, *Poeppig et Endlicher*, iii. 545 note 2
 „ americana, *Sweet*, i. 2
 „ antarctica, *Forster*, i. 48; iii. 553
 „ „ var. bicornata, iii. 546 note 1
 „ apiculata, *Colenso*, iii. 546 note 4
 „ atropunicea, *Sudworth*, i. 2
 „ betuloides, *Mirbel*, iii. 551
 „ Blairii, *Kirk*, iii. 547 note 2
 „ Castanea, *Linnæus*, iv. 839
 „ „ var. dentata, iv. 856
 „ cliffortioides, *J. D. Hooker*, iii. 547
 „ Cunninghami, *J. D. Hooker*, iii. 550
 „ Dombeyi, *Mirbel*, i. 48; iii. 546 note 5
 „ Engleriana, v. *Seemen*, i. 5, 2
 „ ferruginea, *Aiton*, i. 2; iii. Pl. 202, Fig. 6
 „ „ var. caroliniana, i. 3
 „ Forsteri, *Hooker*, iii. 551
 „ fusca, *J. D. Hooker*, iii. 549
 „ glauca, *Philippi*, iii. 552
 „ grandifolia, *Ehrhart*. See Errata, 1935
 „ Gunnii, *Hooker*, iii. 546 note 3
 „ Hohenackeriana, *Palibin*. See Errata, 1935
 „ japonica, *Maximowicz*, i. 4, 1
 „ longipetiolata, v. *Seemen*, i. 5
 „ Menziesii, *J. D. Hooker*, iii. 548
 „ Montagnei, *Philippi*, iii. 545 note 3
 „ Moorei, *F. v. Mueller*, iii. 549
 „ nitida, *Philippi*, iii. 546 note 6
 „ obliqua, *Mirbel*, i. 48; iii. 552
 „ orientalis, *Lipski*, i. 3, 2, 12
 „ procera, *Poeppig et Endlicher*, iii. 546 note 2
 „ pumila, *Linnæus*, iv. 857
 „ pumilio, *Poeppig et Endlicher*, iii. 546 note 1
 „ Sieboldi, *Endlicher*, i. 4, 2
 „ silvestris, *Mich. fil.* i. 2
 „ sinensis, *Oliver*, i. 5, 2
 „ Solandri, *Hooker*, iii. 547 note 1
 „ sylvatica, *Linnæus*, i. 6, 1, 2
 „ „ distribution, etc. See Beech, Common
 „ „ var. ansorgei, i. 7 note 3
 „ „ argenteo-variegata, i. 9
 „ „ asiatica, i. 3, 4
 „ „ asplenifolia, i. 9
 „ „ atropunicea, i. 2
 „ „ atropurpurea, i. 8
 „ „ „ Rohani, i. 8
 „ „ aureo-variegata, i. 9
 „ „ chinensis, i. 5

1968 The Trees of Great Britain and Ireland

Fagus sylvatica, *Linnaeus*—continued

- " " var. *comptoniaefolia*, i. 9
- " " *crispa*, i. 9
- " " *cristata*, i. 9
- " " *cuprea*, i. 8
- " " *Dawycki*, vii. Pl. 406
- " " *grandidentata*, i. 10
- " " *heterophylla*, i. 9
- " " *incisa*, i. 9
- " " *laciniata*, i. 9
- " " *latifolia*, i. 9
- " " *longipes*, i. 5
- " " *macrophylla*, i. 9
- " " *macrophylla*, i. 3
- " " *pendula*, i. 10
- " " " *borneyensis*, i. 10
- " " " *miltonensis*, i. 10
- " " " *pagnyensis*, i. 10
- " " " *remillyensis*, i. 10
- " " *purpurea*, i. 7
- " " " *pendula*, i. 8, 10
- " " " *roseo-marginata*, i. 8
- " " *quercoides*, i. 9
- " " *Rohanii*. See Errata, 1935
- " " *rotundifolia*, i. 10
- " " *salicifolia*, i. 9
- " " *Sieboldi*, i. 4
- " " *striata*, i. 9
- " " *tortuosa*, i. 10
- " " *tricolor*, i. 9
- " " *variegata*, i. 9
- " " *Zlatia*, i. 9

Falso-sughero tree, v. 1264

Fei tree and fei-shih, vi. 1464

Fei-tsao, ii. 428

Fêng tree, iii. 507

Fêng-hsiang, resin, iii. 507 note 2

- Fir, Algerian, iv. 737. See *Abies numidica*
- " Balsam, iv. 803, 802. See *Abies balsamea*
- " Bristle-cone, iv. 796. See *Abies bracteata*
- " Californian, iv. 779. See *Abies Lowiana*
- " Caucasian, iv. 746. See *Abies Nordmanniana*
- " Cilician, iv. 744. See *Abies cilicica*
- " Colorado, iv. 777. See *Abies concolor*
- " " Douglas, iv. 814, 825, 826
- " Common Silver, iv. 720. See *Abies pectinata*
- " Cornish, vi. 1341
- " "Crimean" Silver, so-called, iv. 748
- " Douglas, iv. 814. See *Pseudotsuga Douglasii*
- " Giant, iv. 773. See *Abies grandis*
- " Greek, iv. 739. See *Abies cephalonica*
- " Himalayan, iv. 750. See *Abies Webbiana*
- " Japanese, iv. 762. See *Abies firma*
- " Lovely, iv. 782. See *Abies amabilis*
- " Maries', iv. 771. See *Abies Mariesii*
- " Mexican, iv. 808. See *Abies religiosa*
- " Nikko, iv. 765. See *Abies brachyphylla*
- " Noble, iv. 786. See *Abies nobilis*
- " Oregon Douglas, iv. 825, 826
- " Pindrow, iv. 755. See *Abies Pindrow*
- " Red, iv. 792, 819. See *Abies magnifica* and *Pseudotsuga Douglasii*
- " Rocky Mountain, iv. 800. See *Abies lasiocarpa*

Fir—continued

- " Saghalien, iv. 760. See *Abies sachalinensis*
- " Scots. See Pine, Scots
- " Shasta, iv. 792. See *Abies magnifica*
- " Siberian, iv. 758. See *Abies sibirica*
- " Silver, Common, iv. 720. See *Abies pectinata*
- " Southern Balsam, iv. 806. See *Abies Fraseri*
- " Spanish, iv. 732. See *Abies Pinsapo*
- " Spruce, i. 75. See *Picea*
- " Veitch's, iv. 768. See *Abies Veitchii*
- " Yellow, iv. 819
- Firs, Silver, iv. 713. See *Abies*
- FITZROYA, J. D. Hooker, vi. 1454
- Fitzroya patagonica*, J. D. Hooker, vi. 1454; iii. 485 note 3, 486
- " " timber, vi. 1457
- Fokienia Hodginsii, A. Henry and H. H. Thomas. See Errata, 1942
- Franc-picard tree, vii. 1783
- FRAXINUS, *Linnaeus*, iv. 859. See also Ash
- " key to species, iv. 860
- " " sub-genera, iv. 859
- " section FRAXINASTER, De Candolle, iv. 860
- " " LEPTALIX, Rafinesque, iv. 860
- " " ORNASTER, Koehne and Lingelshausen, iv. 860
- " " ORNUS, Persoon, iv. 859
- " " SCIADANTHUS, Cosson et Durieu, iv. 860
- Fraxinus *acuminata*, Lamarck, iv. 901
- " *alba*, Marshall, iv. 901
- " *albicans*, Buckley, iv. 905
- " *americana*, *Linnaeus*, iv. 901, 859 note 1, 861, 906 and note, 907 and note 2, 908, 911
- " " distribution, etc. See Ash, White
- " " var. *acuminata*, iv. 902
- " " *albicans*, iv. 905
- " " *albo-marginata*, iv. 902
- " " *aucubaeifolia*, iv. 909 note 3
- " " *juglandifolia*, iv. 902
- " " *microcarpa*, iv. 902 and note 1
- " " *texensis*, iv. 905
- " *angustifolia*, Vahl, iv. 879, 861, 869 note 2, 882
- " " distribution, etc. See Ash, Narrow-leaved
- " " var. *lenticifolia*, iv. 880, 881
- " " *monophylla*, iv. 880, 860
- " " leaves, etc., iv. 880, Pl. 262, Fig. 3
- " " *numidica*, iv. 881 note 1
- " *anomala*, Watson, iv. 900, 860
- " " leaves, etc., iv. 900, Pl. 262, Fig. 7
- " *argentea*, Loiseleur, iv. 888 note 3
- " *aucubaeifolia*, Kirchner, iv. 909
- " *australis*, Gay, iv. 879
- " *Berlandieriana*, De Candolle, iv. 862, 859 note 1, 907 note 1

Fraxinus Berlandieriana, *De Candolle*—continued
 „ „ leaves, iv. 907 note 1,
 Pl. 263, Fig. 14
 „ *Biltmoreana*, *Beadle*, iv. 906, 863, 909.
See also Ash, *Biltmore*
 „ *Boscii*, Hort., iv. 909
 „ *Bungeana*, *De Candolle*, iv. 891, 863,
 893 note 1, 895
 „ „ leaves, iv. 891, Pl. 266,
 Fig. 31
 „ „ var. *pubinervis*, iv. 896
 „ *Bungeana*, *Maximowicz*, iv. 892, 895
 „ *caroliniana*, *Miller*, iv. 912, 859 notes 1
 and 2, 862, 863
 „ „ leaves, etc., iv. 912, Pl. 263,
 Fig. 12
 „ *catawbiensis*, *Ashe*, iv. 906
 „ *chinensis*, *Roxburgh*, iv. 895, 862, 884
 note 1, 893
 „ „ varieties, iv. 895
 „ „ var. *rhynchophylla*, iv. 892
 „ *cilicica*, *Lingelsheim*, iv. 889 note 1
 „ *coriacea*, *Watson*, iv. 907 note 1
 „ *coriariaefolia*, *Scheele*, iv. 865
 „ *cubensis*, *Grisebach*, iv. 912
 „ *dimorpha*, *Cosson et Durieu*, iv. 884, 863
 „ „ leaves, etc., iv. 884, Pl. 262,
 Fig. 1
 „ *Eedenii*, *Boerl et Koord*, iv. 859
 note 2
 „ *Elonza*, *Dippel*, iv. 883, 861, 862 note 3
 „ „ leaves, etc., iv. 883, Pl. 266,
 Fig. 27
 „ *epiptera*, *Michaux*, iv. 901
 „ *excelsior*, *Linnaeus*, iv. 864, 861, 881
 „ „ distribution, etc. *See* Ash,
 Common
 „ „ var. *albo-marginata*, iv. 868
 „ „ *albo-variegata*, iv. 868
 „ „ *angustifolia*, iv. 867
 „ „ „ leaves, etc., iv. 867,
 Pl. 262, Fig. 5
 „ „ *asplenifolia*, iv. 867
 „ „ *atrovirens*, iv. 867
 „ „ *aurea*, iv. 867
 „ „ *australis*, iv. 865
 „ „ *crispa*, iv. 867
 „ „ *cucullata*, iv. 867
 „ „ *diversifolia*, iv. 866
 „ „ *elegantissima*, iv. 867 note 5
 „ „ *erosa*, iv. 867
 „ „ *fungosa*, iv. 867
 „ „ *globosa*, iv. 867
 „ „ *monophylla*, iv. 866, 860,
 880
 „ „ „ leaves, etc., iv. 866,
 Pl. 262, Fig. 2
 „ „ *monophylla laciniata*, iv.
 866
 „ „ *monstrosa*, iv. 867
 „ „ *nana*, iv. 867
 „ „ *pendula*, iv. 868. *See also*
 Ash, *Weeping*
 „ „ *polemoniifolia*, iv. 867

Fraxinus excelsior, *Linnaeus*—continued
 „ „ var. *rotundifolia*, iv. 866, 861,
 888
 „ „ „ leaves, etc., iv. 867,
 Pl. 266, Fig. 32
 „ „ *verrucosa*, iv. 868
 „ „ *verticillata*, iv. 867
 „ „ *expansa*, Hort., iv. 865
 „ „ *floribunda*, *Bunge*, iv. 891 note 1
 „ „ *floribunda*, *Wallich*, iv. 890, 862
 „ „ „ leaves, etc., iv. 890, Pl. 264,
 Fig. 17
 „ „ *florifera*, *Scopoli*, iv. 887
 „ „ *glabra*, Hort., iv. 909
 „ „ *heterophylla*, *Vahl*, iv. 866
 „ „ *holotricha*, *Koehne*, iv. 887, 864
 „ „ *Hookeri*, *Wenzig*, iv. 869 note 3
 „ „ *juglandifolia*, *Lamarck*, iv. 901
 „ „ *Willdenow*, iv. 907
 „ „ *lanceolata*, *Borkhausen*, iv. 907, 862 and
 note 1, 903 and note 5,
 906 note, 909
 „ „ „ leaves, etc., iv. 907, Pl. 264,
 Fig. 16
 „ „ *lentiscifolia*, *Desfontaines*, iv. 880
 „ „ *longicuspis*, *Siebold and Zuccarini*, iv. 897,
 862, 895
 „ „ „ Japanese names, iv. 898 note
 „ „ *mandshurica*, *Ruprecht*, iv. 893, 861, 899
 „ „ „ Japanese name, iv. 894
 „ „ „ leaves, etc., iv. 893, Pl.
 266, Fig. 28
 „ „ *Mariesii*, *J. D. Hooker*, iv. 892, 863
 „ „ „ leaves, etc., iv. 892, Pl. 264,
 Fig. 18
 „ „ *monophylla*, *Desfontaines*, iv. 866
 „ „ *nigra*, *Marshall*, iv. 898, 861, 894
 „ „ „ leaves, etc., iv. 898, Pl. 264,
 Fig. 19
 „ „ *numidica*, *Dippel*, iv. 881 note 1
 „ „ *obliqua*, *Tausch*. *See* Errata, 1941
 „ „ *obovata*, *Blume*, iv. 895, 862
 „ „ *oregona*, *Nuttall*, iv. 910, 863, 903
 „ „ „ leaves, etc., iv. 910, Pl. 263,
 Fig. 15
 „ „ var. *glabra*, iv. 911
 „ „ *Ornus*, *Linnaeus*, iv. 887, 862
 „ „ distribution, etc. *See* Ash, *Flower-*
ing
 „ „ var. *argentea*, iv. 888
 „ „ *diversifolia*, iv. 889
 „ „ *lanceolata*, iv. 888 note 1
 „ „ *rotundifolia*, iv. 888 and note 1
 „ „ *oxycarpa*, *Willdenow*, iv. 882, 861, 880,
 884
 „ „ „ leaves, etc., iv. 882, Pl. 263,
 Fig. 11
 „ „ var. *parvifolia*, iv. 882
 „ „ „ leaves, etc., iv. 882,
 Pl. 263, Fig. 9
 „ „ *oxyphylla*, *M. Bieberstein*, iv. 880 note 7,
 882
 „ „ var. *oligophylla*, iv. 883
 „ „ *paniculata*, *Miller*, iv. 887

1970 The Trees of Great Britain and Ireland

Fraxinus—continued

- „ *parvifolia*, Lamarck, iv. 880, 882
 „ „ Lingelsheim, iv. 891
 „ „ Willdenow, iv. 884
 „ *pennsylvanica*, Marshall, iv. 908, 863, 903
 note 5, 906 and note, 907,
 910. See also Ash, Red
 „ „ var. *aucubæfolia*, iv. 909
 „ „ *lanceolata*, iv. 907
 „ *philippinensis*, Merrill, iv. 859 note 2
 „ *pistaciæfolia*, Torrey, iv. 912
 „ *platycarpa*, Michaux, iv. 912
 „ *platypoda*, Oliver, iv. 897 note
 „ *potamophila*, Herder, iv. 885, 860
 „ „ leaves, etc., iv. 885, Pl.
 262, Fig. 8
 „ *profunda*, Bush, iv. 909
 „ *pubescens*, Lamarck, iv. 908
 „ *pubinervis*, Blume, iv. 896, 863
 „ *quadrangulata*, Michaux, iv. 900, 862
 „ „ leaves, etc., iv. 900, Pl.
 265, Fig. 22
 „ *raibocarpa*, Regel, iv. 886, 863
 „ „ leaves, etc., iv. 886, Pl. 266,
 Fig. 29
 „ *Regelii*, Dippel, iv. 886
 „ *rhynchophylla*, Hance, iv. 892, 862, 891
 note 1, 893 note 1
 „ „ leaves, etc., iv. 892, Pl.
 265, Fig. 23
 „ *Richardi*, Hort., iv. 909
 „ *rostrata*, Gussone, iv. 882
 „ *rotundifolia*, Aiton, iv. 867, 884, 888
 „ „ Lamarck, iv. 888
 „ „ Tenore, iv. 889 note 1
 „ „ Willdenow, iv. 888, 889
 note 1
 „ *sambucifolia*, Lamarck, iv. 898
 „ *serratifolia*, Hort., iv. 897
 „ *Sieboldiana*, Blume, iv. 897
 „ „ Dippel, iv. 897
 „ *simplicifolia*, Willdenow, iv. 866
 „ *sogdiana*, Bunge, iv. 883 note, 886 note 1
 „ *Spaethiana*, Lingelsheim, iv. 897, 862,
 898 note
 „ *syriaca*, Boissier, iv. 883, 860
 „ „ leaves, etc., iv. 883, Pl. 263,
 Fig. 10
 „ *tamariscifolia*, Vahl, iv. 880
 „ *texensis*, Sargent, iv. 905, 862, 902
 „ *Tiflis*, species from, iv. 886, Pl. 265,
 Fig. 25
 „ *triptera*, Nuttall, iv. 912
 „ *Veltheimi*, Dieck, iv. 880
 „ *velutina*, Torrey, iv. 912, 863
 „ „ leaves, etc., iv. 912, Pl. 264,
 Fig. 20
 „ *viridis*, Michaux, iv. 902, 907
 „ *Willdenowiana*, Koehne, iv. 884, 861
 „ „ leaves, etc., iv. 884, Pl.
 265, Fig. 24
 „ *xanthoxyloides*, Wallich, iv. 885, 863, 913
 „ „ var. *dimorpha*, iv. 884
 French Hales, i. 157 note 1

Fuji-ki tree, i. 36

Fumago. See Fungi

Fungi—

- Æcidium cedri*, iii. 481
 „ *elatinum*, iv. 725, 784 note
 „ *Thomsoni*, vi. 1367
Armillaria mellea (*Agaricus melleus*), iii. 480;
 v. 1016, 1029, 1035, 1207
Botrytis Douglasii, iv. 826
Coleosporium Pini, v. 1108 note 3
Cucurbitaria piceæ, vi. 1391 note 5
Dasyscypha calycina, ii. 361
Diaporthe parasitica, iv. 858 note 6
Didymosphæria populina, vii. 1819
Exoascus betulinus, iv. 963
 „ *Carpini*, iii. 538
Fumago, vii. 1666
Glœosporium nervisequium, iii. 618
Gnomonia Veneta, iii. 618
Gymnosporangium Cunninghamianum, v. 1159
Lophodermium Pinastri, v. 1076
Melanconis stilbostoma, iv. 963
Peridermium incarcerans, vi. 1367
 „ *pini*, v. 1024 and note 3
 „ *Strobi*, v. 1016, 1024 note 3, 1029,
 1030
Peronospora sp., v. 1123 note 3
Pestalozzia funerea, i. 186; v. 1189, 1198 note,
 1207
Peziza Willkommii, ii. 353, 361, 386, 400, 419
Physalospora gregaria, vii. 1765
Polyporus, v. 1257; vi. 1441
 „ *squamosus*, vii. 1871
Rhytisma acerinum, iii. 641
Trametes radiciperda, iii. 481
Valsonectria parasitica, iv. 858 note 6
Galerucella luteola, etc. See Insects
 Galls on oak, ii. 333 note 2
 Gean tree, vi. 1535. See *Prunus Avium*
GIGANTABIES, Nelson, iii. 687
Gindai-boku, semi-fossil wood, i. 107
GINKGO, Linnæus, i. 55
Ginkgo biloba, Linnæus, i. 56
 „ „ burrs, i. 57
 „ „ Chinese names, i. 59
 „ „ cultivation, i. 60
 „ „ distribution and history, i. 58
 „ „ fossil, in Isle of Mull, i. 55
 „ „ Frogmore, tree at, i. 61, Pl. 22
 „ „ identification, i. 58
 „ „ in China, i. 58, Pl. 23
 „ „ introduction, i. 60
 „ „ Japanese name, i. 60
 „ „ Kew, tree at, i. 60, Pl. 21
 „ „ remarkable trees, i. 60
 „ „ seedling, i. 57, Pl. 15, Figs. c, d
 „ „ var. *fastigiata*, i. 58
 „ „ *macrophylla laciniata*, i. 58
 „ „ *pendula*, i. 58
 „ „ *triloba*, i. 58
 „ „ *variegata*, i. 58
GLEDITSCHIA, Clayton, vi. 1510
 „ key to species, vi. 1511

Gleditsia—continued

- „ *aquatica*, Marshall, vi. 1520, 1511
 „ *australis*, Hemsley, vi. 1513 note
 „ *brachycarpa*, Pursh, vi. 1517
 „ *brachyloba*, Nuttall, vi. 1518
 „ *Bujoti*, Neumann, vi. 1518
 „ *carolinensis*, Lamarck, vi. 1520
 „ *caspica*, Desfontaines, vi. 1512, 1511
 „ *Delavayi*, Franchet, vi. 1513, 1511
 „ *elegans*, Salisbury, vi. 1517
 „ *ferox*, Desfontaines, vi. 1511, 1512
 note 1
 „ „ var. *nana*, vi. 1518
 „ *Fontanesii*, Spach, vi. 1514
 „ *heterophylla*, Rafinesque, vi. 1517
 „ *horrida*, Makino, vi. 1516
 „ „ var. *caspica*, vi. 1512
 „ *horrida*, Willdenow, vi. 1513, 1516
 note 1
 „ *inermis*, Miller, vi. 1520
 „ *japonica*, Miquel, vi. 1516, 1511
 „ *macracantha*, Desfontaines, vi. 1514,
 1511
 „ *meliloba*, Walter, vi. 1517
 „ *monosperma*, Walter, vi. 1520
 „ *officinalis*, Hemsley, vi. 1514
 „ *sinensis*, Benth, vi. 1513 note
 „ *sinensis*, Lamarck, vi. 1513, 1511
 „ „ var. *nana*, vi. 1518
 „ *spinosa*, Marshall, vi. 1517
 „ *texana*, Sargent, vi. 1518
 „ *triacanthos*, Linnaeus, vi. 1517, 1511
 „ „ distribution and cultiva-
 tion, vi. 1518
 „ „ hybrid, vi. 1518
 „ „ timber, vi. 1519
 „ „ var. *Bujoti*, vi. 1518
 „ „ *inermis*, vi. 1517
 „ „ *nana*, vi. 1518
 „ *xylocarpa*, Hance, vi. 1513
GLEDITSIA, Linnaeus, vi. 1510
Gloeosporium nervisequium. See Fungi
GLYPTOSTROBUS, Endlicher, i. 171
Glyptostrobos heterophyllus, Endlicher, i. 172, 175
 „ *pendulus*, Endlicher, i. 173
Gnomonia Veneta. See Fungi
 “Goboku,” or Five Trees, ii. 204
Goodyera repens. See Plants, Miscellaneous
Goyo-matsu trec, v. 1034
 Graft Hybrids. See Laburnum Adami and
 Cratægo-Mespilus
 Gran tree, vi. 1348
 Grisard tree, vii. 1783, 1785
 Guerigo tree, vii. 1778
GUILANDINA, Linnaeus, ii. 427
Guilandina dioica, Linnaeus, ii. 428
 Gum, Australian Heart-leaved, vi. 1622. See
 Eucalyptus pulverulenta
 „ Black, iii. 509. See *Nyssa sylvatica*
 „ Blue, vi. 1623. See *Eucalyptus globulus*
 „ Cabbage, vi. 1631.
 „ Cider, vi. 1638. See *Eucalyptus Gunnii*
 „ Cotton, iii. 512. See *Nyssa aquatica*
 „ Drooping, vi. 1636 note

Gum—continued

- „ Dwarf, vi. 1646. See *Eucalyptus vernicosa*
 „ Manna, vi. 1633. See *Eucalyptus viminalis*
 „ Mueller's Red, vi. 1647. See *Eucalyptus*
 Muelleri
 „ Red (*Eucalyptus acervula*), vi. 1639
 „ „ (*Liquidambar*), timber, iii. 503
 „ Swamp, vi. 1645, 1639. See *Eucalyptus*
 acervula
 „ Sweet, iii. 500. See *Liquidambar styraciflua*
 „ Tasmanian Heart-leaved, vi. 1620. See
 Eucalyptus cordata
 „ Tupelo, iii. 512. See *Nyssa aquatica*
 „ Urn-bearing, vi. 1649. See *Eucalyptus*
 urnigera
 „ Weeping, vi. 1631. See *Eucalyptus pauci-*
 flora
 „ White, vi. 1631, 1633
 „ Whittingehame, vi. 1642. See *Eucalyptus*
 whittingehamensis
 Gunstocks, Maple, ii. 260
 „ Walnut, ii. 260
GYMNOCLADUS, Lamarck, ii. 427
Gymnocladus canadensis, Lamarck, ii. 428
 „ „ Claremont, tree at, ii.
 431, Pl. 120
 „ „ cultivation, ii. 430
 „ „ distribution, ii. 429
 „ „ identification, ii. 429
 „ „ leaves, ii. 428, Pl. 125,
 Fig 4
 „ „ remarkable trees, ii. 431
 „ *chinensis*, Baillon, ii. 427
 „ *dioicus*, Koch, ii. 428
 „ *Williamsii*, Hance, vi. 1513
Gymnosporangium Cunninghamianum. See Fungi
 Habhel tree, vi. 1418
 Hackberry, iv. 930, 932. See *Celtis occidentalis*
 and *C. crassifolia*
 Hagberry, vi. 1545
 Hai-matzu tree, v. 1046
HALESIA, Ellis, vi. 1600
Halesia carolina, Linnaeus, vi. 1602
 „ „ distribution, vi. 1603
 „ „ var. *glabrescens*, vi. 1603
 „ „ Meehani, vi. 1603
 „ „ mollis, vi. 1603
 „ *diptera*, Ellis, vi. 1601
 „ *Meehani*, Meehan, vi. 1603
 „ *parviflora*, Michaux, vi. 1600 and note 3
 „ *reticulata*, Buckley, vi. 1601
 „ *stenocarpa*, Koch, vi. 1602
 „ *tetraptera*, Ellis, vi. 1602
 „ „ var. *dialypetala*, vi. 1603 note 1
 Hari-giri tree, vii. 1695
 Hawthorn, vii. 1733, 1739. See *Cratægus mono-*
 gyna and *C. oxyacantha*
 „ “Paul's New Double Scarlet,” vii. 1741
 Hazel, Constantinople, iii. 520. See *Corylus*
 Columna
 „ pine, iii. 504
 „ Turkish, iii. 520. See *Corylus Columna*
 „ Wych, vii. 1874, 1876

1972 The Trees of Great Britain and Ireland

Heaven, Tree of, i. 33
 Hegg tree, vi. 1545
 Hei-tsao, iv. 1000
 Hemiptelea Davidii, *Planchon*, iv. 914 note 2
 Hemlock, ii. 239. *See* Tsuga canadensis
 „ bark used for tanning, ii. 243 note
 „ Carolina, ii. 243. *See* Tsuga Caroliniana
 „ Himalayan, ii. 244. *See* Tsuga Brunoniana
 „ Hooker's, ii. 229. *See* Tsuga Pattoniana
 „ Japanese, ii. 247. *See* Tsuga diversifolia
 „ Siebold's, ii. 246. *See* Tsuga Sieboldii
 „ Western, ii. 234. *See* Tsuga Albertiana
 „ „ growing on fallen log of Giant Thuya in America, i. Pl. 59; ii. 236
 Henekkeri tree, v. 1046
 Heptane, v. 1070
 HESPEROPEUCE, Lemmon, ii. 227
 Hesperopeuce Pattoniana, Lemmon, ii. 229
 HEYDERIA, Koch, iii. 484
 Heyderia decurrens, Koch, iii. 489
 Hiba tree, ii. 203
 HICKORIA, Rafinesque, iii. 597
 Hickoria alba, Britton, iii. 606
 „ borealis, Ashe, iii. 602
 „ glabra, Britton, iii. 604
 „ laciniata, Sargent, iii. 605
 „ microcarpa, Britton, iii. 605
 „ minima, Britton, iii. 600
 „ ovata, Britton, iii. 601
 „ Pecan, Britton, iii. 599
 Hickory, cultivation, iii. 607
 „ timber, iii. 609
 „ various species. *See* Carya
 HICORIUS, Rafinesque, iii. 597
 Hicorius albus, Sargent, iii. 606
 „ glaber, Sargent, iii. 604
 Himeko-matsu tree, v. 1034
 Himuro tree, v. 1191
 Hinoki tree, v. 1188
 Hiyoku-hiba tree, v. 1192
 Holly, Common, vii. 1704. *See* Ilex Aquifolium
 „ Gold-blotched Hedgehog, vii. 1707
 „ "Gold Milkmaid," vii. 1712
 „ "Golden Queen," vii. 1709
 „ Handsworth New Silver, vii. 1712
 „ Hedgehog, vii. 1706
 „ Leather-leaf, vii. 1708
 „ "Milkmaid," vii. 1707
 „ Moonlight, vii. 1712
 „ Saw-leaved, vii. 1708
 „ Screw-leaved, vii. 1711
 „ "Silver Milkmaid," vii. 1707
 „ "Silver Queen," vii. 1712
 „ Silver-striped Hedgehog, vii. 1707
 „ Waterer's Golden, vii. 1710
 „ Weeping, Perry's, vii. 1706
 „ „ Waterer's, vii. 1706
 „ yellow-berried, vii. 1706 and note 2
 Honey dew on lime trees, vii. 1666
 Honoki tree, vi. 1593
 Hornbeam, American, iii. 531. *See* Carpinus caroliniana

Hornbeam—continued

„ American Hop, iii. 53. *See* Ostrya virginica
 „ Common, iii. 532. *See also* Carpinus Betulus
 „ „ Cobham Park, trees at, iii. 536
 „ „ Cornbury Park, tree at, iii. 536, Pl. 148
 „ „ cultivation, iii. 535
 „ „ distribution, iii. 533
 „ „ Gordon Castle, tree at, iii. 538, Pl. 152
 „ „ leaves, iii. 526, 532, Pl. 201, Fig. 4
 „ „ in England, iii. 536
 „ „ in Ireland, iii. 538
 „ „ in Scotland, iii. 538
 „ „ remarkable trees, iii. 536
 „ „ soil and climate, iii. 535
 „ „ timber, iii. 538
 „ „ varieties, iii. 533
 „ „ Weald Park, trees at, iii. 537, Pl. 151
 „ Hop, iii. 540. *See* Ostrya carpinifolia
 „ Japanese Hop, iii. 544. *See* Ostrya japonica
 „ Pollard, at Bayfordbury, iii. 537, Pl. 149
 „ „ at Easton Lodge, iii. 537, Pl. 150
 Horse-Chestnut, Common, ii. 210. *See also* Aesculus Hippocastanum
 „ „ „ abnormal flowering, ii. 211
 „ „ „ branchlets and buds, ii. 210, Pl. 62, Fig. 1
 „ „ „ Colesborne, tree at, ii. 215, Pl. 63
 „ „ „ cultivation, ii. 213
 „ „ „ distribution and history, ii. 212
 „ „ „ identification, ii. 211
 „ „ „ in England, ii. 215
 „ „ „ in Ireland, ii. 216
 „ „ „ in Scotland, ii. 216
 „ „ „ leaves, etc., ii. 209, 210, Pl. 61, Fig. 1
 „ „ „ remarkable trees, ii. 214
 „ „ „ seedling, ii. 210
 „ „ „ timber, ii. 217
 „ „ „ varieties, ii. 211
 „ „ „ weeping, at Dunkeld, ii. 216, Pl. 64
 „ „ Indian, ii. 219. *See* Aesculus indica
 „ „ Japanese, ii. 221. *See* Aesculus turbinata
 „ „ Red, ii. 217. *See* Aesculus carnea
 Hou-p'o tree, vi. 1592
 Hsiang-ch'un tree, ii. 434
 Huai tree, i. 40
 Huang ch'iu tree, iii. 515
 Huang-yang tree, vii. 1723
 Huan-huan tree, vii. 1701

Hybernia aurantiaria, etc. *See* Insects
 Hybrid trees, raising, vii. 1852 note 2
 Hylesinidae. *See* Insects
 Hylesinus Fraxini. *See* Insects

Ichii tree, i. 107

ILEX, Linnæus, vii. 1702

Ilex altaclerensis, *Dallimore*, vii. 1713

„ Aquifolium, *Linnaeus*, vii. 1704

„ „ cultivation, vii. 1715

„ „ distribution, vii. 1715

„ „ Gordon Castle, group of hollies

„ „ at, vii. 1719, Pl. 377

„ „ hybrids, vii. 1703 note 4, 1712

„ „ in England, vii. 1717

„ „ in Ireland, vii. 1720

„ „ in Scotland, vii. 1718

„ „ remarkable trees, vii. 1716

„ „ timber, etc., vii. 1720

„ „ varieties, vii. 1705

„ „ var. albo-marginata, vii. 1712

„ „ albo-picta, vii. 1707

„ „ alcornis, vii. 1710

„ „ altaclerensis, vii. 1713

„ „ angustifolia (Hohenacker),
 vii. 1708 note 3

„ „ angustifolia (Loudon), vii.
 1708

„ „ „ albo-marginata, vii.
 1709

„ „ „ aureo-maculata, vii.
 1709

„ „ argentea marginata pendula,
 vii. 1706, 1712

„ „ argentea medio-picta, vii. 1707

„ „ argentea regina, vii. 1712

„ „ atrovirens, vii. 1714

„ „ aurea medio-picta, vii. 1712

„ „ aurea pendula, vii. 1706

„ „ „ regina, vii. 1709, 1712

„ „ aureo-marginata, vii. 1712

„ „ „ „ angustifolia, vii.
 1712

„ „ „ „ bromeliæfolia,
 vii. 1712

„ „ aureo-picta, vii. 1712

„ „ balearica, vii. 1703

„ „ Beetii, vii. 1707

„ „ belgica, vii. 1714

„ „ calamistrata, vii. 1711

„ „ camelliæfolia, vii. 1714

„ „ caspia, vii. 1705 note 6,
 1708 note 3

„ „ chinensis, vii. 1705 note 6

„ „ chrysocarpa, vii. 1706

„ „ ciliata, vii. 1709

„ „ contorta, vii. 1711

„ „ crassifolia, vii. 1708

„ „ crispa, vii. 1711, 1707

„ „ „ aureo-picta, vii. 1711

„ „ donningtonensis, vii. 1710

„ „ echinata, vii. 1706

„ „ fastigiata, vii. 1706

„ „ ferox, vii. 1706

Ilex Aquifolium, *Linnaeus*—continued

„ „ var. ferox argentea, vii. 1707

„ „ „ aurea, vii. 1707

„ „ Fisheri, vii. 1709

„ „ flavescens, vii. 1712

„ „ Foxii, vii. 1709

„ „ fructu luteo, vii. 1706

„ „ handsworthensis, vii. 1709

„ „ „ argenteo-varie-
 gata, vii. 1712

„ „ hastata, vii. 1707

„ „ Hendersoni, vii. 1714

„ „ heterophylla, vii. 1710

„ „ „ aureo-marginata,
 vii. 1710

„ „ „ aureo-picta, vii.
 1710

„ „ Hodginsii, vii. 1713

„ „ Ingrams, vii. 1708

„ „ integrifolia, vii. 1710

„ „ keavensis, vii. 1707

„ „ latifolia, vii. 1712, 1713

„ „ latispina, vii. 1707

„ „ laurifolia, vii. 1711

„ „ „ aurea, vii. 1711

„ „ „ aureo-picta, vii. 1711

„ „ „ sulphurea, vii. 1711

„ „ Lawsoniana, vii. 1713

„ „ leucocarpa, vii. 1706 note 4

„ „ Lichtenthalii, vii. 1710

„ „ lineata, vii. 1708

„ „ lutescens, vii. 1712

„ „ maderensis, vii. 1714

„ „ maderensis atrovirens, vii.
 1714

„ „ marginata (Loudon), vii.
 1711

„ „ marginata (Moore), vii. 1711
 and note 1

„ „ Marnocki, vii. 1715

„ „ microphylla, vii. 1708

„ „ monstrosa, vii. 1707

„ „ myrtifolia, vii. 1708

„ „ myrtifolia aureo-maculata,
 vii. 1708

„ „ „ aureo-marginata,
 vii. 1708

„ „ „ elegans, vii. 1708

„ „ ? nigra, vii. 1713

„ „ nigrescens, vii. 1713 note 1,
 1714

„ „ nigricans, vii. 1714

„ „ nobilis, vii. 1714

„ „ „ variegata, vii. 1714

„ „ ovata, vii. 1709

„ „ pendula, vii. 1706

„ „ platyphylla, vii. 1704 note 2,
 1714

„ „ platyphylloides, vii. 1704
 note 1

„ „ princeps, vii. 1712, 1713

„ „ recurva, vii. 1708

„ „ revoluta, vii. 1711

„ „ Robinsoniana, vii. 1710

1974 The Trees of Great Britain and Ireland

Ilex Aquifolium, *Linnaeus*—continued

- " " var. *scotica*, vii. 1711
- " " *scotica aurea*, vii. 1711
- " " " *aureo-picta*, vii. 1711
- " " *serratifolia*, vii. 1708
- " " ? *Shepherdii* (Goeppert), vii. 1713
- " " *Shepherdii* (Moore), vii. 1713
- " " note 3
- " " *Smithiana*, vii. 1710
- " " *tortuosa*, vii. 1711
- " " *trapeziformis*, vii. 1707
- " " *Wateriana*, vii. 1710, 1712
- " " *whittingtonensis*, vii. 1709
- " " *xanthocarpa*, vii. 1706
- " *balearica*, *Desfontaines*, vii. 1703
- " " hybrids, vii. 1703 note 4, 1704, 1712
- " *camelliaefolia*, *Henry*, vii. 1714
- " *Dahoon*, *Walter*, vii. 1711 and note 2
- " *echinata*, *Miller*, vii. 1706
- " *Hendersoni*, *Dallimore*, vii. 1714, 1713 note 3
- " *Hodginsii*, *Dallimore*, vii. 1713
- " " var. "King Edward VII.", vii. 1714
- " *Lawsoniana*, *Dallimore*, vii. 1713
- " *maderensis*, *Willdenow*, vii. 1703
- " *maderiensis*, *Lamarck*, vii. 1702
- " *Mundy*, *Dallimore*, vii. 1713
- " *nigricans*, *Henry*, vii. 1714
- " *opaca*, *Aiton*, vii. 1704
- " *ovata*, *Goeppert*, vii. 1709
- " *Perado*, *Aiton*, vii. 1702
- " " hybrids, vii. 1712 note
- " " var. *azorica*, vii. 1703 note 1
- " *platyphylla*, *Webb and Berthelot*, vii. 1703
- " *Shepherdii*, vii. 1714
- " *Wilsni*, *Fisher*, vii. 1712

Ilex tree, v. 1264

Insects—

- Anisopteryx æscularia*, vii. 1668
- Antheraea cytherea*, v. 1084
- Cheimatobia boreata*, vii. 1668
- " *brumata*, vii. 1668
- Chermes*, iv. 727 note 2, 741 note 6, 748 note 2
- " *abietis*, vi. 1367
- " *corticalis*, v. 1031 note
- " *ilicis*, v. 1280
- " *laricis*, ii. 363, 377
- " *piceæ*, iv. 784 note
- " " var. *Bouvieri*, iv. 784 note
- Coccus*, i. 27; v. 1271
- " *laricis*, ii. 390
- Coleophora laricella*, ii. 364
- Cryptococcus fagi*, i. 27; v. 1031 note
- Cyllene Robinia*, vi. 1501
- Cynips Tozæ*, v. 1315
- Diplosis pini-radiatæ*, v. 1080 note 9
- Eriophyes rudis*, iv. 963 note 2
- " *salicis*, vii. 1761
- Galerucella luteola*, vii. 1854 note 2
- " *xanthomelena*, vii. 1854 note 2
- Hybernica aurantiaria*, vii. 1668
- " *defoliaria*, vii. 1668
- " *progemmaria*, vii. 1668
- Hylesinidæ*, vii. 1912

Insects—continued

- Hylesinus Fraxini*, iv. 878
- Larch bug, ii. 363
- " leaf-miner of the, ii. 364
- Megastigmus pini*, iv. 788
- " *spermotrophus*, iv. 827
- Nematus Erichsonii*, ii. 364
- Prays curtisellus*, iv. 878
- Psylla alni*, vii. 1855 note 2
- " *ulmi*, vii. 1855 note 2
- Saperda carcharias*, vii. 1765
- Scolytus destructor*, vii. 1911, 1912
- " *pruni*, vii. 1912
- Tinea curtisella*, iv. 878 note 2
- Tortrix viridana*, ii. 290; v. 1245
- Inubuna tree, i. 4
- Inu-enju tree, ii. 449
- Inu-gaya tree, vi. 1469
- Iron tree, iv. 917
- Ironwood, iii. 543. See *Ostrya virginica*
- JACULARIA*, *Rafinesque*, iii. 494
- Jizo-kamba tree, iv. 960 note
- JUGLANS, *Linnaeus*, ii. 249. See also Walnut
- " key to species, ii. 250
- Juglans ailantifolia*, *Hort.*, ii. 280, 281
- " *alata*, *Carrière*, ii. 255
- " *alba*, *Linnaeus*, iii. 606
- " " *Michaux*, iii. 601
- " " var. *minima*, iii. 600
- " " *odorata*, iii. 605 note 3
- " *amara*, *Michaux f.*, iii. 600
- " *angustifolia*, *Aiton*, iii. 599
- " " *Poiret*, iii. 600
- " *californica*, *Watson*, ii. 249 note 3
- " *cinerea*, *Linnaeus*, ii. 271, 250, 262
- " " cultivation, ii. 272
- " " distribution, ii. 272
- " " hybrids, ii. 271
- " " identification, ii. 271
- " " introduction, ii. 272
- " " leaves, etc., ii. 250, 271, Pl. 73, Fig. 7
- " " timber, ii. 273
- " " uses, ii. 273
- " *cinerea-nigra*, *Wender*, ii. 263
- " *compressa*, *Gaertner*, iii. 601
- " *cordiformis*, *Maximowicz*, ii. 277, 250, 280
- " " distribution, etc. See Walnut, Cordate
- " *cordiformis*, *Wangenheim*, iii. 600
- " *cylindrica*, *Poiret*, iii. 599
- " *fraxinifolia*, *Lamarck*, ii. 438
- " *glabra*, *Miller*, iii. 604
- " *illinoensis*, *Wangenheim*, iii. 599
- " *insularis*, *Grisebach*, ii. 249 note 2
- " *intermedia quadrangulata*, *Carrière*, ii. 255 note 3
- " *jamaicensis*, *De Candolle*, ii. 249 note 2
- " *laciniata*, *Michaux f.*, iii. 605
- " *longirostris*, *Carrière*, ii. 274 note 2
- " *mandshurica*, *Maximowicz*, ii. 276, 250, 279
- " *mexicana*, *Watson*, ii. 249 note 1

Juglans—continued

- „ *minima*, Borkhausen, iii. 600
 „ *mollis*, Engelmann, ii. 249 note 1
 „ *mucronata*, Michaux, iii. 600
 „ *nigra*, Linnæus, ii. 262, 250, 255, 272, 273
 „ distribution, etc. See Walnut, Black
 „ *nigra* × *J. californica*, Burbank, ii. 263
 „ „ × *J. cinerea*, ii. 263
 „ *obcordata*, Muehlenberg u. Willdenow, iii. 604
 „ „ Poiret, iii. 601
 „ *olivæformis*, Michaux, iii. 599
 „ *ovalis*, Wangenheim, iii. 601
 „ *ovata*, Miller, iii. 601
 „ *Pecan*, Marshall, iii. 599
 „ *porcina*, Michaux f., iii. 604
 „ *pterocharpa*, Michaux, ii. 438
 „ *pyriformis*, Carrière, ii. 254, 250, 262
 „ „ Liebmann, ii. 249 note 1
 „ *regia*, Linnæus, ii. 251, 250, 272
 „ „ distribution, etc. See Walnut, Common
 „ „ var. *Bartheriana*, ii. 254
 „ „ *cordata*, ii. 276
 „ „ *elongata*, ii. 254
 „ „ *fragilis*, ii. 254
 „ „ *gibbosa*, ii. 255
 „ „ *heterophylla*, ii. 253
 „ „ *intermedia*, ii. 255
 „ „ *laciniata*, ii. 253
 „ „ *macrocarpa*, ii. 254
 „ „ *maxima*, ii. 254
 „ „ *monophylla*, ii. 253
 „ „ *octagona*, ii. 276
 „ „ *pendula*, ii. 253
 „ „ *præcox*, ii. 253
 „ „ *præparturiens*, ii. 253
 „ „ *racemosa*, ii. 254
 „ „ *rostrata*, ii. 254
 „ „ *rotundifolia*, ii. 253
 „ „ *rubra*, ii. 254
 „ „ *rubrocarpa*, ii. 254
 „ „ *serotina*, ii. 253
 „ „ *serratifolia*, ii. 253
 „ „ *sinensis*, ii. 252
 „ „ *tenera*, ii. 254
 „ „ *typica*, ii. 252
 „ „ *variegata*, ii. 253
 „ *regia* × *J. californica*, ii. 255
 „ „ × *J. cinerea*, ii. 255
 „ „ × *J. nigra*, ii. 254, 250
 „ *rubra*, Gaertner, iii. 606
 „ *rupestris*, Engelmann, ii. 274, 250, 262
 „ „ distribution, etc. See Walnut, Texan
 „ „ var. *major*, ii. 274
 „ *Sieboldiana*, Maximowicz, ii. 280, 250
 „ „ distribution, etc. See Walnut, Siebold's
 „ „ var. *cordiformis*, ii. 277
 „ *squamosa*, Michaux f., iii. 601
 „ „ Poiret, iii. 604
 „ *stenocarpa*, Maximowicz, ii. 279, 250, 262.
 „ See also Walnut, Narrow-fruited

Juglans—continued

- „ *sulcata*, Pursh, iii. 605
 „ „ Willdenow, iii. 600
 „ *tomentosa*, Poiret, iii. 606
 „ *Vilmoriniana*, Carrière, ii. 254, 250, 262
 „ „ leaves, etc., ii. 250, 254,
 „ „ Pl. 73, Fig. 3
 Juniper, vi. 1395. See Juniperus
 „ Black, vi. 1423
 „ Common, vi. 1400
 „ Irish, vi. 1402
 „ oil. See Oil of Juniper
 „ Waukegan, vi. 1445 note 1
 JUNIPERUS, Linnæus, vi. 1395
 „ key to species, vi. 1396
 „ section CARYOCEDRUS, Endlicher, vi. 1397
 „ „ OXYCEDRUS, Endlicher, vi. 1385
 „ „ SABINA, Spach, vi. 1397
 Juniperus *ægea*, Grisebach, vi. 1446
 „ *alpina*, J. E. Gray, vi. 1401
 „ *arborescens*, Moench, vi. 1435
 „ *attica*, Orphanides, vi. 1412
 „ *bacciformis*, Carrière, vi. 1436
 „ *barbadensis*, Linnæus, vi. 1437
 „ *Bedfordiana*, Loudon, vi. 1437
 „ *bermudiana*, Linnæus, vi. 1434, 1398
 „ *bermudiana*, Lunan, vi. 1437
 „ *Biasoletti*, Link, vi. 1412
 „ *Biebersteiniana*, Koch, vi. 1409
 „ *brevifolia*, Antoine, vi. 1413, 1396; v. 1179 note 1
 „ *canadensis*, Loddiges, vi. 1401
 „ *canariensis*, Knight, vi. 1414
 „ *caroliniana*, Miller, vi. 1435
 „ *Cedrus*, Webb and Berthelot, vi. 1414, 1396
 „ *cernua*, Roxburgh, vi. 1430
 „ *chinensis*, Linnæus, vi. 1430; v. 1164 note 1; vi. 1398
 „ „ distribution, vi. 1433
 „ „ var. *albo-variegata*, vi. 1432
 „ „ *argentea*, vi. 1432
 „ „ *argenteo-variegata*, vi. 1432
 „ „ *aurea*, vi. 1432
 „ „ *japonica*, vi. 1432
 „ „ „ *aurea*, vi. 1432
 „ „ „ *aureo-variegata*, vi. 1432
 „ „ *pendula*, vi. 1433 note 5
 „ „ *Pfitzeriana*, vi. 1432
 „ „ *procumbens*, vi. 1422
 „ „ *Sargenti*, vi. 1432
 „ „ *Smithii*, vi. 1431 and note 1
 „ „ *variegata*, vi. 1432
 „ *chinensis*, Parlatore, vi. 1448
 „ *cinerea*, Carrière, vi. 1427
 „ *communis*, Linnæus, vi. 1400, 1396
 „ „ berries, uses of, vi. 1408 and note 2
 „ „ Colesborne, tree at, vi. 1405, Pl. 348

1976 The Trees of Great Britain and Ireland

Juniperus communis, *Linnaeus—continued*

- " " cultivation, vi. 1405
- " " distribution, vi. 1403
- " " remarkable trees, vi. 1405
- " " timber, vi. 1408
- " " var. *alpina*, vi. 1401
- " " β (*Linnaeus*), vi. 1402
- " " *caucasica*, vi. 1402
- " " *compressa*, vi. 1402
- " " *coronata*, vi. 1400 note 3
- " " *cracovia*, vi. 1403
- " " *depressa*, vi. 1401
- " " *echiniformis*, vi. 1402
- " " *fastigiata*, vi. 1402
- " " γ (*Linnaeus*), vi. 1401
- " " *hemisphaerica*, vi. 1402
- " " *intermedia*, vi. 1401
- " " note 2
- " " *montana*, vi. 1401
- " " *nana*, vi. 1401, 1403, 1407
- " " *oblonga*, vi. 1402
- " " *saxatilis*, vi. 1401
- " " *sibirica*, vi. 1401
- " " *suecica*, vi. 1402, 1404
- " " *thiocarpus*, vi. 1400 note 3
- " " *variegata aurea*, vi. 1403
- " *conferta*, *Parlatore*, vi. 1422 note 8
- " *cracovia*, *Loddiges*, vi. 1403
- " *dealbata*, *Douglas*, vi. 1401 note 1, 1436 note 2
- " " *Loudon*, vi. 1436
- " *densa*, *Gordon*, vi. 1420
- " *depressa*, *Rafinesque*, vi. 1401
- " *dimorpha*, *Roxburgh*, vi. 1430
- " *drupacea*, *Labillardière*, vi. 1417, 1397
- " *excelsa*, *Bieberstein*, vi. 1446; iii. 454; vi. 1399
- " " var. *Perkinsii*, vi. 1447
- " " *stricta*, vi. 1446
- " " *venusta*, vi. 1447
- " *excelsa*, *Brandis*, vi. 1448
- " " *Loudon*, vi. 1446 note 2
- " " *Pursh*, vi. 1436
- " *flaccida*, *Schlechtendal*, vi. 1426, 1398
- " *flagelliformis*, *Loudon*, vi. 1431
- " *fœtida*, var. *excelsa*, vi. 1446
- " " *flaccida*, vi. 1426
- " *formosana*, *Hayata*, vi. 1415, 1396
- " *Fortunii*, *Van Houtte*, vi. 1431
- " ?*fragrans*, *Knight and Perry*, vi. 1436
- " " *Salisbury*, vi. 1435
- " *gossainthanea*, *Loddiges*, vi. 1438 note, 1448
- " *gracilis*, *Endlicher*, vi. 1437
- " " *Koch*, vi. 1426
- " *hemisphaerica*, *Presl*, vi. 1402
- " *Henryana*, *Brown*, vi. 1436
- " *heterocarpa*, *Timbal-Lagrave*, vi. 1409, 1411
- " *hibernica*, *Loddiges*, vi. 1402
- " *hispanica*, *Booth*, vi. 1402
- " " *Miller*, vi. 1427
- " *hudsonica*, *Loddiges*, vi. 1445

Juniperus—continued

- " *intermedia*, *Schur*, vi. 1401 note 2
- " *isophyllos*, *Koch*, vi. 1446
- " *japonica*, *Carrière*, vi. 1432
- " " var. *aurea*, vi. 1432
- " " *pyramidalis*, vi. 1433
- " " *variegata*, vi. 1432
- " *japonica*, *Sargent*, vi. 1433
- " *litoralis*, *Maximowicz*, vi. 1422 note 8
- " *Lobelii*, *Gussone*, vi. 1412
- " *lucayana*, *Britton*, vi. 1437
- " *lusitanica*, *Miller*, vi. 1444
- " *Lycia*, *Linnaeus*, vi. 1424
- " *macrocarpa*, *Sibthorp and Smith*, vi. 1412, 1396
- " " var. *ellipsoidea*, vi. 1412
- " *macrocarpa*, *Tenore*, vi. 1410
- " *macropoda*, *Boissier*, vi. 1447
- " " *Hooker*, vi. 1448
- " *Marschalliana*, *Steven*, vi. 1409
- " *mexicana*, *Sprengel*, vi. 1444 note 2
- " *morisonicola*, *Hayata*, vi. 1420
- " *myosuros*, *Sénéclauze*, vi. 1425
- " *nana*, *Willdenow*, vi. 1401, 1436 note 2
- " *nipponica*, *Maximowicz*, vi. 1422 and note 4
- " *oblonga*, *Bieberstein*, vi. 1402
- " " var. *pendula*, vi. 1415, 1416
- " *occidentalis*, *Hooker*, v. 1200 note 3; vi. 1399
- " *Olivierii*, *Carrière*, vi. 1446
- " *oophora*, *Kunze*, vi. 1424
- " *oppositifolia*, *Moench*, vi. 1434
- " *Oxycedrus*, *Linnaeus*, vi. 1409, 1396
- " " distribution, vi. 1411
- " " sub-species *macrocarpa*, vi. 1412
- " " var. *brachyphylla*, vi. 1411
- " " *brevifolia*, vi. 1413
- " " *echiniformis*, vi. 1402 note 2
- " " *grandifolius*, vi. 1414
- " " *maderensis*, vi. 1411
- " " *umbilicata*, vi. 1410
- " " *viridis*, vi. 1410
- " *pachyphlæa*, *Torrey*, vi. 1429, 1398
- " " var. *conspicua*, vi. 1429
- " " *elegantissima*, vi. 1429
- " " *ericoides*, vi. 1429
- " *phoenicea*, *Linnaeus*, vi. 1424, 1398
- " " var. *filicaulis*, vi. 1425
- " " *Lycia*, vi. 1424 note 2
- " " *turbinata*, vi. 1424
- " *plochyderma*, *Parlatore*, vi. 1429
- " *polycarpus*, *Koch*, vi. 1446
- " *procera*, *Hochstetter*, vi. 1399
- " *procumbens*, *Sargent*, vi. 1422 note 1, 1432
- " *procumbens*, *Siebold*, vi. 1422, 1397
- " *prostrata*, *Persoon*, vi. 1444
- " *pseudosabina*, *Fischer and Meyer*, vi. 1421 note 2, 1423 note 1
- " *pseudosabina*, *J. D. Hooker*, vi. 1423

Juniperus—continued

- „ *pygmaea*, Koch, vi. 1401
 „ *pyramidalis*, Salisbury, vi. 1434
 „ *recurva*, *Buchanan-Hamilton*, vi. 1419,
 1397
 „ *Castlewellan*, tree at, vi. 1420,
 Pl. 349
 „ *var. squamata*, vi. 1420
 „ *Reevesiana*, *Knight*, vi. 1431
 „ *religiosa*, *Carrière*, vi. 1448
 „ *religiosa*, Royle, vi. 1420, 1448
 „ *repanda*, Hort., vi. 1420 note 2
 „ *repens*, Nuttall, vi. 1444
 „ *rigida*, *Siebold and Zuccarini*, vi. 1408,
 1396
 „ *var. filiformis*, vi. 1409
 „ *rufescens*, Link, *var. brevifolia*, vi.
 1413
 „ *Sabina*, *Linnaeus*, vi. 1443, 1399
 „ *distribution*, vi. 1445
 „ *oil*, vi. 1446
 „ *var. arborea*, vi. 1427
 „ *excelsa*, vi. 1446
 „ *gymnosperma*, vi. 1444
 note 1
 „ *lusitanica*, vi. 1444
 „ *procumbens*, vi. 1444
 „ *prostrata*, vi. 1444
 „ *tamariscifolia*, vi. 1444
 „ *taurica*, vi. 1446
 „ *variegata*, vi. 1444
 „ *sabinoides*, *Endlicher*, vi. 1427
 „ *Grisebach*, vi. 1444
 „ *Nees*, vi. 1444
 „ *scopulorum*, *Sargent*, vi. 1436
 „ *sibirica*, *Burgsdorf*, vi. 1401
 „ *sphaerica*, *Lindley*, vi. 1431
 „ *sphaerica Sheppardi*, vi. 1431
 „ *sphaerocarpa*, *Antoine*, vi. 1412
 „ *squamata*, *Buchanan-Hamilton*, vi. 1420,
 1397, 1419
 „ *struthiacea*, *Knight*, vi. 1431
 „ *suecica*, *Miller*, vi. 1402
 „ *taxifolia*, *Hooker and Arnott*, vi. 1416
 note 1
 „ *taxifolia*, *Masters*, vi. 1415
 „ *tenella*, *Antoine*, vi. 1409
 „ *Thunbergii*, *Hooker and Arnott*, vi. 1432
 note
 „ *thurifera*, *Linnaeus*, vi. 1427, 1398
 „ *var. gallica*, vi. 1427
 „ *hybrida myosuroides*, vi. 1425
 „ *turbinata*, *Gussone*, vi. 1424
 „ *umbilicata*, *Grenier et Godron*, vi.
 1410
 „ *virginiana*, *Linnaeus*, vi. 1435, 1399
 „ *allied species and varieties*,
 vi. 1436
 „ *cultivation*, vi. 1440
 „ *distribution*, vi. 1439
 „ *dwarf forms*, vi. 1439
 „ *oil*, vi. 1442
 „ *remarkable trees*, vi. 1441
 „ *timber*, iii. 466; vi. 1442

Juniperus virginiana, *Linnaeus*—continued

- „ „ *var. alba variegata*, vi. 1438
 „ „ *aurea variegata*, vi. 1438
 „ „ *australis*, vi. 1437
 „ „ *barbadensis*, vi. 1437
 „ „ *Bedfordiana*, vi. 1437
 „ „ *Chamberlainii*, vi. 1438
 „ „ *dumosa*, vi. 1438
 „ „ *elegantissima*, vi. 1438
 „ „ *glaucula*, vi. 1438, 1441
 „ „ *gracilis*, vi. 1437
 „ „ *pendula*, vi. 1438
 „ *viridis*, vi. 1438
 „ „ *pyramidalis*, vi. 1438
 „ „ *Schottii*, vi. 1438
 „ „ *scopulorum*, vi. 1436
 „ „ *Triomphe d'Angers*, vi.
 1438
 „ *tripartita*, vi. 1438
 „ *Wallichiana*, *J. D. Hooker*, vi. 1423,
 1398
 „ *Webbii*, *Carrière*, vi. 1414

Kaki, iv. 995, 1000. See *Diospyros kaki*

KALOPANAX, *Miquel*, vii. 1694

Kalopanax ricinifolium, *Miquel*, vii. 1694

„ ? *sp.*, *Zabel*, vii. 1694

Kara jcham tree, v. 1102

“Karelsky” (birchwood), iv. 974

Kawaka, iii. 488

Kaya tree, vi. 1463

Keaki (Keyaki) tree, iv. 921 and note 2

KETELEERIA, *Carrière*, vi. 1473

Keteleeria Davidiana, *Beissner*, vi. 1475

„ *formosana*, *Hayata*, vi. 1475, 1476

„ *Fortunei*, *Carrière*, vi. 1474

„ *sacra*, *Beissner*, vi. 1475

Kingnut, iii. 605. See *Carya sulcata*

Kino, vi. 1613 note 3

Kiri wood, vi. 1495

Ki-sasage tree, vi. 1488

Kniehholz tree, v. 1132 note 2

Kobushi tree, vi. 1594

KOELREUTERIA, *Laxmann*, vii. 1930

Koelreuteria bipinnata, *Franchet*, vii. 1931

„ *chinensis*, *Hoffmannsegg*, vii. 1932

„ *Henryi*, *Dümmmer*, vii. 1931

„ *japonica*, *Hasskarl*, vii. 1933 note 2

„ *Siebold*, vii. 1932 note 3

„ *minor*, *Hemsley*, vii. 1930

„ *paniculata*, *Laxmann*, vii. 1932, 1931

„ *distribution*, vii. 1932

„ *varieties*, vii. 1932

„ *paullinoides*, *L'Héritier*, vii. 1932

Kome-tsuga, ii. 247

Koyamaki tree, iii. 568

Kuan-yin-sha tree, i. 108, 132

Kung-ch'io-sung tree, i. 132

Kuo-sung tree, v. 1044

Kuri tree, iv. 855

Kuro-matsu tree, v. 1144

Kuro-tsuga tree, ii. 247

Kurumi tree, ii. 281

Kuwa tree, vi. 1611

1978 The Trees of Great Britain and Ireland

LABURNUM, Linnæus, vi. 1521

- " etymology, vi. 1525 note 7
- Laburnum, vi. 1522. *See* Laburnum vulgare
- " Adami, *Kirchner*, vi. 1524
- " Alpine, vi. 1521. *See* Laburnum alpinum
- " alpinum, *Berchtold and Presl*, vi. 1521, 1523 note 5
- " " Countesswells, tree at, vi. Pl. 370
- " " var. microstachys, vi. 1522
- " " pilosum, vi. 1522
- " *anagyroides*, *Medicus*, vi. 1522
- " caramanicum, *Bentham and Hooker*, vi. 1521
- " *Parksii*, vi. 1524
- " Scotch, vi. 1522
- " vulgare, *Berchtold and Presl*, vi. 1522
- " " cultivation, vi. 1525
- " " distribution, vi. 1525
- " " hybrids, vi. 1523
- " " remarkable trees, vi. 1526
- " " timber, vi. 1527
- " " var. *Alschingeri*, vi. 1523
- " " aureum, vi. 1523
- " " bullatum, vi. 1523
- " " *Carlieri*, vi. 1523
- " " *intermedium*, vi. 1523
- " " *Parksii*, vi. 1523
- " " pendulum, vi. 1523
- " " quercifolium, vi. 1523
- " " sessilifolium, vi. 1523
- " " *Watereri*, vi. 1523
- " *Watereri*, *Dippel*, vi. 1523
- Lamp-black, v. 1118
- Lang-yü tree, vii. 1928
- Larch, ii. 345. *See also* Larix
- " American, ii. 392. *See* Larix americana
- " Chinese, ii. 391. *See* Larix Potanini
- " Common, ii. 349. *See also* Larix europæa
- " " aphis, ii. 363
- " " bark, ii. 373
- " " Colesborne, trees at, ii. 366, Pl. 100
- " " cultivation, ii. 358
- " " diseases, ii. 361
- " " distribution, ii. 351
- " " Dunkeld, mother larch at, ii. 367, Pl. 103
- " " Gordon Castle, forked tree at, ii. 368, Pl. 104
- " " heart-rot, ii. 363
- " " in the Alps, ii. 371, Pl. 105
- " " in England, ii. 365
- " " in Ireland, ii. 369
- " " in Scotland, ii. 367
- " " in other countries, ii. 372
- " " introduction, ii. 353
- " " Oakley Park, trees in, ii. 365, Pl. 98; v. 1207
- " " Poltalloch, tree at, vi. Pl. 369
- " " produce per acre, ii. 359
- " " propagation, ii. 353
- " " remarkable trees, ii. 365

Larch, Common—continued

- " " root-rot, ii. 363
- " " seed, from the French Alps, ii. 354, 355
- " " " from Scotland, ii. 354
- " " " from the Tyrol, ii. 354
- " " germination, ii. 356
- " " Sherborne, trees at, ii. 366, Pl. 99
- " " Taymouth, champion tree at, ii. 367, Pl. 101
- " " " forked tree at, ii. 367, Pl. 102
- " " timber, ii. 372
- " " underplanting, ii. 358 note
- " " varieties, ii. 350
- " " weeping, ii. 350
- " Dahurian, ii. 379. *See also* Larix dahurica
- " " distribution and history, ii. 380
- " " remarkable trees, ii. 381; Errata, 1938
- " " Woburn, tree at, ii. 381, Pl. 106
- " Japanese, ii. 384. *See also* Larix leptolepis
- " " cultivation, ii. 386
- " " disease, ii. 386
- " " distribution, ii. 385
- " " introduction, ii. 385
- " " remarkable trees, ii. 387
- " " Tortworth, tree at, ii. 387, Pl. 108
- " Kurile, ii. 383, Pl. 107. *See* Larix kurilensis
- " Lyall's, ii. 403. *See also* Larix Lyallii
- " " in Alberta, ii. 403, Pl. 112
- " " in Montana, ii. 405
- " Russian, ii. 374. *See also* Larix sibirica
- " " cultivation, ii. 376
- " " distribution, ii. 375
- " " timber, ii. 377
- " " varieties, ii. 348, 375
- " Siberian, ii. 376. *See* Larch, Russian
- " Sikkim, ii. 388. *See also* Larix Griffithii
- " " remarkable trees, ii. 390
- " " Strete Raleigh, tree at, ii. 390, Pl. 109
- " Silesian, ii. 352
- " Western, ii. 395. *See also* Larix occidentalis
- " " distribution and history, ii. 396
- " " Montana, trees in, ii. 401, Pl. 111
- " " timber, ii. 402
- " " varieties, ii. 348, 395
- Larch bug, leaf-miner. *See* Insects
- LARICOPSIS, Kent, vi. 1477
- Laricopsis Kaempferi, Kent, vi. 1477
- LARIX, Adanson, ii. 345; i. 172. *See also* Larch
- " " key to species, ii. 347
- LARIX, Miller, iii. 451
- Larix altaica, Nelson, ii. 374
- " " americana, *Michaux*, ii. 392, 346, 348, 381, 382, 402
- " " distribution, ii. 393
- " " Dropmore, tree at, ii. 394, Pl. 110

- Larix americana*, Michaux—continued
 „ „ remarkable trees, ii. 394
 „ „ var. *pendula*, ii. 379
 „ „ *rubra*, ii. 392
 „ *archangelica*, Lawson, ii. 374
 „ Cajanderi, Mayr, ii. 346, 375, 380
 „ *Cedrus*, Miller, iii. 453
 „ *chinensis*, Beissner, ii. 346
 „ *dahurica*, Turczaninow, ii. 379, 346, 348, 375, 394
 „ „ distribution, etc. See Larch, Dahurian
 „ „ var. *japonica*, ii. 383
 „ *decidua*, Miller, ii. 349
 „ „ var. *rossica*, ii. 374
 „ „ *sibirica*, ii. 374
 „ *europæa*, De Candolle, ii. 349, 348, 374, 379
 „ „ distribution, etc. See Larch, Common
 „ „ var. *dahurica*, ii. 379
 „ „ *pendula*, ii. 350
 „ „ *pendulina*, ii. 350
 „ „ *sibirica*, ii. 374
 „ *Griffithiana*, Carrière, ii. 388
 „ Griffithii, J. D. Hooker, ii. 388, 347, 381.
 See also Larch, Sikkim
 „ *Griffithii*, Masters, ii. 391
 „ *intermedia*, Lawson, ii. 374
 „ *japonica*, Carrière, ii. 384
 „ „ var. *microcarpa*, ii. 385 note
 „ *japonica*, A. Murray, ii. 385 note
 „ *Kaempferi*, Carrière, vi. 1477
 „ „ Sargent, ii. 384
 „ „ var. *minor*, ii. 385 note
 „ *kamtschatika*, Carrière, ii. 346, 380 note 2
 „ *kurilensis*, Mayr, ii. 383, 347
 „ „ in Kurile Islands, ii. 383, Pl. 107
 „ *laricina*, Koch, ii. 392
 „ *Larix*, Karsten, ii. 349
 „ *leptolepis*, Endlicher, ii. 384; i. 90; ii. 204, 347; vi. 1477 note 2
 „ „ distribution, etc. See Larch, Japanese
 „ „ var. *minor*, ii. 385 note
 „ „ *Murrayana*, ii. 385 note
 „ *Lyallii*, Parlatores, ii. 403, 347, 395. See also Larch, Lyall's
 „ *microcarpa*, Desfontaines, ii. 377, 381, 392
 „ *occidentalis*, Nuttall, ii. 395, 347, 403
 „ „ distribution, etc. See Larch, Western
 „ *patula*, Salisbury, iii. 453
 „ *pendula*, Masters, ii. 392
 „ „ Salisbury, ii. 379, 381
 „ Potanini, Batalin, ii. 391, 347
 „ Principis Rupprechtii, Mayr, ii. 346, 376
 „ *pyramidalis*, Salisbury, ii. 349
 „ *rossica*, Sabine, ii. 374
 „ *sibirica*, Ledebour, ii. 374, 347, 348, 353
 „ „ distribution, etc. See Larch, Russian
 „ „ var. *rossica*, ii. 375
 „ *tenuifolia*, Salisbury, ii. 392

- Larix*—continued
 „ *thibetica*, Franchet, ii. 391
 „ *vulgaris*, Fischer, ii. 349
Lathræa squamaria. See Plants, Miscellaneous
Latsche tree, v. 1132 note 2
Laurel, Californian, vi. 1531. See *Umbellularia californica*
 „ Cherry, vi. 1535
 „ Common, vi. 1551. See *Prunus Lauro-cerasus*
 „ Portugal, vi. 1553. See *Prunus lusitanica*
LAURELIA, Jussieu, vii. 1700
Laurelia aromatica, Masters, vii. 1701
 „ „ Poiret, vii. 1700
 „ „ Novæ-Zelandiæ, Cunningham, vii. 1700
 „ *sempervirens*, Tulasne, vii. 1700
 „ *serrata*, Bertero, vii. 1701 note
 „ *serrata*, Philippi, vii. 1701, 1700 note 1
Laurocerasus lusitanica, Roemer, vi. 1553
 „ *officinalis*, Roemer, vi. 1551
Laurus nobilis, vii. 1748
 „ *regalis*, Standish and Noble, vi. 1531
 „ *regia*, Douglas, vi. 1532 note 2
 „ *Sassafras*, Linnæus, iii. 516
Legföhre tree, v. 1132
LEUCOXYLUM, Blume, iv. 995
Liard tree, vii. 1835 note 1
Libanol, resin, iii. 473
LIBOCEDRUS, Endlicher, iii. 484
Libocedrus austro-caledonica, Brongniart et Gris, iii. 485
 „ Bidwilli, J. D. Hooker, iii. 488, 485
 „ *chilensis*, Endlicher, iii. 486, 485
 „ „ in Chile, iii. 487, Pl. 141
 „ Craigana, Low. See Errata, 1939
 „ *cupressoides*, Sargent, iii. 485
 „ *decurrens*, Torrey, iii. 489; i. 185; iii. 485, 698
 „ „ cultivation, iii. 491
 „ „ distribution, iii. 490
 „ „ Frogmore, tree at, iii. 492, Pl. 142
 „ „ in England, iii. 492
 „ „ in France, iii. 493
 „ „ in Ireland, iii. 493
 „ „ in Italy, iii. 493
 „ „ in Scotland, iii. 492
 „ „ remarkable trees, iii. 492
 „ Doniana, Endlicher, iii. 487, 485
 „ *macrolepis*, Benthams et Hooker, iii. 488, 485; v. 1164 note 1
 „ *papuana*, F. v. Mueller, iii. 485
 „ *plumosa*, Sargent, iii. 487
 „ *tetragona*, Endlicher, iii. 485
Lime, vii. 1653. See also *Tilia*
 „ American, vii. 1685. See *Tilia americana*
 „ Common, vii. 1664. See *Tilia vulgaris*
 „ Large-leaved, vii. 1661. See *Tilia platyphyllos*
 „ Small-leaved, vii. 1656. See *Tilia cordata*
 „ White, vii. 1675. See *Tilia tomentosa*
 „ „ Weeping, vii. 1677. See *Tilia petiolaris*
Lindera Tzumu, Hemsley, iii. 515

1980 The Trees of Great Britain and Ireland

LIQUIDAMBAR, Linnæus, iii. 499

Liquidambar *acerifolia*, Maximowicz, iii. 506

„ *formosana*, Hance, iii. 506, 500

„ „ Chinese name, iii. 507

„ „ leaves, iii. 506, Pl. 199,

Fig. 8

„ *imberbe*, Aiton, iii. 505

„ *macrophylla*, Oersted, iii. 500

„ *Maximowiczii*, Miquel, iii. 506

„ *orientalis*, Miller, iii. 505, 500

„ „ cultivation, iii. 506

„ „ distribution, iii. 505

„ „ leaves, iii. 505, Pl. 199,

Fig. 6

„ *Rosthornii*, Diels, iii. 499 note

„ sp., Hemsley, iii. 499 note

„ *styraciflua*, Linnæus, iii. 500, 506

„ „ branchlets and buds, iii.

501, Pl. 200, Fig. 2

„ „ branchlets with corky

wings, iii. 500

„ „ cultivation, iii. 502

„ „ distribution, iii. 501

„ „ history, iii. 502

„ „ identification, iii. 501

„ „ in America, near Mount

Carmel, iii. 502, Pl.

144 A

„ „ in England, iii. 502-503

„ „ in Ireland, iii. 503

„ „ in Scotland, iii. 503

„ „ leaves, iii. 500, Pl. 199,

Fig. 7

„ „ remarkable trees, iii. 503

„ „ timber, iii. 503

„ „ varieties, iii. 501

„ „ wild species in China, iii. 499

LIRIODENDRON, Linnæus, i. 63; iii. 514. See also

Tulip tree

Liriodendron *chinense*, Hemsley, i. 64

„ *chinense*, Sargent, i. 64

„ *Tulipifera*, Linnæus, i. 65, 64

„ „ distribution, etc. See Tulip tree

„ „ var. *argenteo-variegata*, i. 66

„ „ *aurea*, i. 66

„ „ *aureo-marginata*, i. 66

„ „ *aureo-variegata*, i. 66

„ „ *chinense*, i. 64

„ „ *crispa*, i. 66

„ „ *heterophylla*, i. 66

„ „ *integrifolia*, i. 66

„ „ *medio-picta*, i. 66

„ „ *obtusiloba*, i. 66

„ „ *pyramidalis*, i. 66

„ „ *variegata*, i. 66

LITHOCARPUS, Blume, v. 1215

Litsea *laxiflora*, Hemsley, iii. 515

„ *parvifolia*, Mez, vi. 1531 note

Locust tree, vi. 1497. See Robinia Pseudacacia

„ *Clammy*, vi. 1507. See Robinia viscosa.

„ *Honey*, vi. 1517. See Gleditschia tri-

acanthos

„ *Western*, vi. 1506. See Robinia neomexicana

Lon or lönn tree, iii. 657

Lophodermium Pinastri. See Fungi

LOPHOZONIA, Turczaninow, iii. 545

Lophozonia heterocarpa, Turczaninow, iii. 552

Loranthus europæa, etc. See Plants, Miscellaneous

Luan tree, vii. 1933

MAACKIA, Ruprecht et Maximowicz, ii. 445

Maackia amurensis, Ruprecht et Maximowicz, ii.

449

Maave tree, i. 161

Madroña, iii. 565. See Arbutus Menziesii

MAGNOLIA, Linnæus, vi. 1581

„ key to species, vi. 1581

Magnolia acuminata, Linnæus, vi. 1586, 1582

„ „ distribution and cultivation,

vi. 1587

„ „ timber, i. 74 and note

„ „ var. *cordata*, vi. 1586

„ „ West Dean Park, tree at, vi.

1587, Pl. 358

„ *auricularis*, Salisbury, vi. 1590

„ *auriculata*, Lamarck, vi. 1590

„ *Campbelli*, Hooker and Thomson, vi.

1590, 1582

„ *conspicua*, Salisbury, vi. 1596, 1583

„ „ var. *Alexandrina*, vi. 1597

„ „ *nigra*, vi. 1597

„ „ *Norbertiana*, vi. 1597

„ „ *purpurascens*, vi. 1596

note 2

„ „ *Soulangiana*, vi. 1596

„ *cordata*, Michaux, vi. 1586

„ *Delavayi*, Franchet, vi. 1592, 1581

„ *denudata*, Thunberg, vi. 1597, 1583

„ „ var. *gracilis*, vi. 1598

„ *discolor*, Ventenat, vi. 1597

„ *fatida*, Sargent, vi. 1583

„ *Fraseri*, Walter, vi. 1590, 1582

„ „ var. *pyramidalis*, vi. 1590

„ „ *frondosa*, Salisbury, vi. 1588

„ *glaucæ*, Linnæus, vi. 1585, 1581

„ „ timber, i. 74 and note

„ „ var. *a* (Thunberg), vi. 1594

„ „ *longifolia*, vi. 1585

„ „ *major*, vi. 1585

„ „ *Thompsoniana*, vi. 1585

„ *gracilis*, Salisbury, vi. 1598

„ *grandiflora*, Linnæus, vi. 1583, 1581

„ „ North Carolina, evergreen

tree in, vi. 1584, Pl. 353

„ „ timber, i. 74 and note;

vi. 1584

„ „ var. *angustifolia*, vi. 1583

„ „ *exoniensis*, vi. 1583

„ „ *Gallisoniensis*, vi. 1583

„ „ *lanceolata*, vi. 1583

„ „ with double flowers, vi.

1583

„ *Halleana*, Parsons, vi. 1599

„ *hypoleuca*, Siebold and Zuccarini, vi.

1592, 1582

„ *Kobus*, De Candolle, vi. 1594, 1582

„ „ var. *borealis*, vi. 1594

„ *Kobus*, Sargent, vi. 1594

Magnolia—*continued*

- „ *Lennei*, *Toppf*, vi. 1596
- „ „ var. *rosea-grandiflora*, vi. 1597
- „ *macrophylla*, *Michaux*, vi. 1589, 1582
- „ *major*, *Schneider*, vi. 1585
- „ *obovata*, *Thunberg*, vi. 1597
- „ *parviflora*, *Siebold and Zuccarini*, vi. 1598, 1582
- „ *precia*, *Correa*, vi. 1596
- „ *purpurea*, *Curtis*, vi. 1597
- „ *pyramidata*, *Pursh*, vi. 1590
- „ *salicifolia*, *Maximowicz*, vi. 1595, 1582
- „ *Soulangiana*, *Soulang-Bodin*, vi. 1596
- „ *stellata*, *Maximowicz*, vi. 1599, 1583
- „ „ var. *rosea*, vi. 1599 note 3
- „ *Thompsoniana*, *Koch*, vi. 1585, 1582
- „ *Thurberi*, vi. 1594
- „ *tomentosa*, *Thunberg*, vi. 1594
- „ *tripetala*, *Linnaeus*, vi. 1588, 1582
- „ „ hybrid, vi. 1585
- „ *umbrella*, *Lamarck*, vi. 1588
- „ *virginiana*, *Linnaeus*. See *Errata*, 1942
- „ *Watsoni*, *Hooker*, vi. 1598, 1582
- „ *yulan*, *Desfontaines*, vi. 1596

Maidenhair tree, i. 56. See *Ginkgo biloba*

Ma-liu tree, ii. 444

MALUS, *Ruppius*, i. 141

Malus acerba, *Mérat*, vi. 1570

„ *astracantha*, *Dumont de Courset*, vi. 1571

„ *floribunda*, *Siebold*, vi. 1569

„ *Medwietzkyana*, vi. 1571 note 1

„ *paradisiaca*, *Medicus*, vi. 1570

„ *pumila*, *Miller*, vi. 1570

„ *Sargenti*, *Rehder*, vi. 1569 note 3

„ *sylvestris*, *Miller*, vi. 1570

„ *Toringo*, *Siebold*, vi. 1569

Mañiu tree, vi. 1459

Manna, iv. 889; v. 1270

„ ash, iv. 887

„ of *Briançon*, ii. 373

Mao-li tree, iv. 855

Maple, iii. 630. See also *Acer*

„ Ash-leaved, iii. 684. See also *Acer*

„ *Negundo*

„ „ cultivation, iii. 686

„ „ distribution, iii. 685

„ „ leaves, iii. 640, 684, Pl. 205,

„ Fig. 2

„ „ remarkable trees, iii. 686

„ „ timber, iii. 686

„ „ varieties, iii. 684

„ „ “Bird’s-eye,” iii. 680

„ „ “Blister,” iii. 680

„ Common, iii. 651. See also *Acer campestre*

„ „ *Cassiobury*, tree at, iii. 654, Pl. 184

„ „ cultivation, iii. 653

„ „ distribution, iii. 652

„ „ fossil, iii. 653

„ „ hybrids, iii. 652

„ „ *Langley Park*, tree at, iii. 654, Pl. 185

„ „ leaves, iii. 638, 651, Pl. 207, Figs. 23, 24, 25

Maple, Common—*continued*

- „ „ remarkable trees, iii. 654
- „ „ timber, iii. 655
- „ „ varieties, iii. 652
- „ “Curly,” iii. 680
- „ *Eagle’s Claw*, iii. 656
- „ *Hawk’s-foot*, iii. 656
- „ hybrids, iii. 634, 637, 652, 657, 666
- „ Italian, iii. 663. See also *Acer Opalus*
- „ „ cultivation, iii. 664
- „ „ distribution, iii. 664
- „ „ *Hargham*, tree at, iii. 665, Pl. 189
- „ „ leaves, iii. 635, 663, Pl. 206, Fig. 14
- „ „ remarkable trees, iii. 665
- „ „ timber, iii. 665
- „ „ varieties, iii. 663
- „ *Montpellier*, iii. 665. See also *Acer Mons-*
 pessulanum
- „ „ distribution, iii. 666
- „ „ hybrid, iii. 666
- „ „ leaves, iii. 632, 665, Pl. 207,
 Fig. 31
- „ „ *Rickmansworth*, tree at, iii.
 666, Pl. 190
- „ *Norway*, iii. 656. See also *Acer platanoides*
- „ „ *Colesborne*, tree at, iii. 659, Pl.
 188
- „ „ cultivation, iii. 658
- „ „ distribution, iii. 657
- „ „ *Emsworth*, tree at, iii. 659, Pl.
 186
- „ „ hybrid, iii. 657
- „ „ in *England*, iii. 658
- „ „ in *Ireland*, iii. 659
- „ „ in *Scotland*, iii. 659
- „ „ leaves, iii. 637, 656, Pl. 206, Fig.
 11
- „ „ mistletoe on, iii. 658
- „ „ *Park Place*, tree at, iii. 659, Pl. 187
- „ „ remarkable trees, iii. 658
- „ „ varieties, iii. 656
- „ *Oregon*, iii. 681. See also *Acer macro-*
 phyllum
- „ „ cultivation, iii. 682
- „ „ distribution, iii. 682
- „ „ in the *Olympic Mountains*, iii.
 682, Pl. 193
- „ „ leaves, iii. 638, 681, Pl. 205,
 Fig. 3
- „ „ remarkable trees, iii. 683
- „ „ timber, iii. 683
- „ Red, iii. 671. See also *Acer rubrum*
- „ „ *Bagshot Park*, tree at, iii. 673, Pl.
 177
- „ „ cultivation, iii. 673
- „ „ distribution, iii. 672
- „ „ fastigate tree, iii. 672
- „ „ in *England*, iii. 673
- „ „ in *Ireland*, iii. 674
- „ „ in *Scotland*, iii. 674
- „ „ leaves, iii. 635, 671, Pl. 207, Fig. 27
- „ „ remarkable trees, iii. 673
- „ „ varieties, iii. 671, 673
- „ „ *Whitton*, tree at, iii. 673, Pl. 192

1982 The Trees of Great Britain and Ireland

Maple—*continued*

- „ Silver, iii. 674. *See also* *Acer dasycarpum*
- „ „ cultivation, iii. 676
- „ „ distribution, iii. 675
- „ „ leaves, iii. 636, 674, Pl. 207, Fig. 28
- „ „ remarkable trees, iii. 676
- „ „ timber, iii. 677
- „ „ varieties, iii. 675
- „ Sugar, iii. 677. *See also* *Acer saccharum*
- „ „ distribution, iii. 679
- „ „ leaves, iii. 635, 677, Pl. 206, Fig. 12
- „ „ Park Place, tree at, iii. 680, Pl. 191
- „ „ remarkable trees, iii. 679
- „ „ timber, iii. 680
- „ „ varieties, iii. 678
- „ Wager's, iii. 676
- Maple gunstocks, ii. 260
- „ sugar, iii. 681
- Marron de Lyons, iv. 841
- Marrone, iv. 841
- Marrons, iv. 853
- “Masur” (birchwood), iv. 974
- Mazer bowls, iii. 655
- Megastigmus pini, etc. *See* Insects
- Melanconis stilbostoma. *See* Fungi
- Mélèze, v. 1154
- Melojo tree, v. 1315
- Me-matsu tree, v. 1126
- MERTENSIA*, Humboldt, Bonpland, et Kunth, iv. 925
- MESPILUS*, sub-genus *CRATÆGUS*, Ascherson and Graebner, vii. 1731
- Mespilus germanica*, hybrid, vii. 1732
- „ *grandiflora*, Smith, vii. 1732
- „ *lobata*, Poirét, vii. 1732
- „ *monogyna*, Allioni, vii. 1733
- „ *oxyacantha*, Crantz, vii. 1739
- „ *Smithii*, De Candolle, vii. 1732
- Microcachrys tetragona*, J. D. Hooker, vi. 1449 note 5
- MICROPTOLEA*, Spach, vii. 1847
- Microptelea parvifolia*, Spach, vii. 1928
- Mistletoe. *See* Plants, Miscellaneous
- Mockernut, iii. 606. *See* *Carya tomentosa*
- MOHRIA*, Britton, vi. 1600
- Mohria carolina*, Britton, vi. 1602
- „ *diptera*, Britton, vi. 1601
- MOHRDENDRON*, Britton, vi. 1600
- Mohrodendron carolinum*, Britton, vi. 1602
- „ *dipterum*, Britton, vi. 1601
- MOMISIA*, F. G. Dietrich, iv. 925
- MOROPHORUM*, Necker, vi. 1605
- MORUS*, Linnæus, vi. 1605
- Morus alba*, Linnæus, vi. 1609, 1606
- „ „ leaves, iv. Pl. 267, Fig. 2; vi. 1609
- „ „ var. *colombassa*, vi. 1611
- „ „ *constantinopolitana*, vi. 1611
- „ „ *latifolia*, vi. 1610
- „ „ *macrophylla*, vi. 1610
- „ „ *mongolica*, vi. 1609
- „ „ *Morettiana*, vii. 1868 note 2
- „ „ *multicaulis*, vi. 1610
- „ „ *pendula*, vi. 1611
- „ „ *pyramidalis*, vi. 1611

Morus alba, Linnæus—*continued*

- „ „ var. *stylosa*, vi. 1610
- „ „ *tatarica*, vi. 1610
- „ „ *venosa*, vi. 1610
- „ *canadensis*, Poirét, vi. 1608
- „ *cathayana*, Hemsley, vi. 1606
- „ *constantinopolitana*, Poirét, vi. 1611
- „ *indica*, Linnæus, vi. 1609 note 3
- „ *japonica*, Audibert, vi. 1610
- „ *laciniata*, Miller, vi. 1606 note 1
- „ *lævigata*, Wallich, vi. 1609 note 3
- „ *latifolia*, Poirét, vi. 1610
- „ *multicaulis*, Perrottet, vi. 1610
- „ *nigra*, Linnæus, vi. 1606, 1605
- „ „ leaves, iv. Pl. 267, Fig. 1; vi. 1606
- „ „ var. *laciniata*, vi. 1606 note 1
- „ *reticulata*, Rafinesque, vi. 1608
- „ *riparia*, Rafinesque, vi. 1608
- „ *rubra*, Linnæus, vi. 1608, 1606
- „ „ leaves, iv. Pl. 267, Fig. 3; vi. 1608
- „ „ var. *tomentosa*, vi. 1608
- „ *scabra*, Willdenow, vi. 1608
- „ *serrata*, Roxburgh, vi. 1609 note 3
- „ *stylosa*, Seringe, vi. 1610
- „ *tatarica*, Linnæus, vi. 1610
- „ *tiliaefolia*, Makino, vi. 1608 note 3
- „ *tomentosa*, Rafinesque, vi. 1608
- Mu-lan tree, vi. 1598
- Mu-lan-tze tree, vii. 1933
- Mulberry, Black, vi. 1606. *See* *Morus nigra*
- „ Red, vi. 1608. *See* *Morus rubra*
- „ White, vi. 1609. *See* *Morus alba*
- Mura tree, v. 1015
- Muttee-pal resin, i. 32
- Myrtle, Oregon, vi. 1533
- „ Red and White Tasmanian, iii. 551
- Myzodendron linearifolium*, etc. *See* Plants, Miscellaneous
- Narwan tree, vii. 1893 and note 2
- Negral tree, v. 1315
- NEGUNDO*, Ludwig, iii. 630
- Negundo aceroides*, Moench, iii. 684
- „ „ var. *violaceum*, iii. 685 note 2
- „ *californicum*, Torrey and Gray, iii. 684
- „ *fraxinifolium*, Nuttall, iii. 684
- Nematus Erichsonii*. *See* Insects
- Neoza*, seeds of *Pinus Gerardiana* used for food, v. 1053
- Nettle tree, iv. 926. *See* *Celtis australis*
- „ „ American, iv. 931
- „ „ Virginian, iv. 927 note 3
- Nezuko tree, i. 196
- Niu-sung tree, v. 1044
- NOLTIA*, Schumacher, iv. 995
- NOTHOFAGUS*, Blume, iii. 545
- „ key to species, iii. 545
- Nothofagus alpina*, Reiche, iii. 545 note 2
- „ *antarctica*, Oersted, iii. 553, 545, 551, 555 and note, 556
- „ „ distribution, iii. 555
- „ „ leaves, iii. 553, Pl. 202, Fig. 1

Nothofagus antarctica, Oersted—continued

- " " var. *bicrenata*, iii. 554 note
 1, 556
 " " sublobata, iii. 554
 " " uliginosa, iii. 554
 " apiculata, Krasser, iii. 546
 " betuloides, Blume, iii. 551, 546, 555,
 556 and note 3
 " " Bicton, tree at, iii. 552,
 Pl. 155
 " " distribution, iii. 555
 " " leaves, iii. 551, Pl. 202,
 Fig. 3
 " Blairii, Krasser, iii. 547
 " cliffortioides, Oersted, iii. 547
 " " leaves, iii. 547, Pl. 202,
 Fig. 4
 " Cunninghamsii, Oersted, iii. 550, 546
 " " Fota, tree at, iii. 551,
 Pl. 154
 " " leaves, iii. 550, Pl. 202,
 Fig. 5
 " Dombeyi, Blume, iii. 546, 554, 555
 and note, 556
 " " distribution, iii. 555
 " fusca, Oersted, iii. 549, 546
 " " leaves, iii. 549, Pl. 202, Fig. 8
 " Gunnii, Oersted, iii. 546
 " Menziesii, Oersted, iii. 548, 546
 " " leaves, iii. 548, Pl. 202,
 Fig. 9
 " Montagnei, Reiche, iii. 545
 " Moorei, Krasser, iii. 549, 547
 " " leaves, iii. 549, Pl. 202, Fig. 7
 " nitida, Krasser, iii. 546, 556
 " " distribution, iii. 555
 " obliqua, Blume, iii. 552, 546
 " " Chile, forest in, iii. 555, Pl.
 156
 " " distribution, iii. 554
 " " leaves, iii. 553, Pl. 202, Fig. 2
 " " var. *macranthera*, iii. 553
 " " macrocarpa, iii. 553
 " " valdiviana, iii. 553
 " procera, Oersted, iii. 546
 " " distribution, iii. 555
 " pumilio, Krasser, iii. 546, 554 note 1,
 555, 556
 " Solandri, Oersted, iii. 547

Nyssa, Linnæus, iii. 508

- Nyssa acuminata, Small, iii. 508
 " angulisans, Michaux, iii. 512
 " aquatica, Marshall, iii. 512, 509
 " " cultivation, iii. 513
 " " distribution, iii. 513
 " " identification, iii. 513
 " " leaves, iii. 512, Pl. 199, Fig. 10
 " " timber, iii. 514
 " biflora, Walter, iii. 508, 510
 " denticulata, Aiton, iii. 512
 " grandidentata, Michaux f., iii. 512
 " multiflora, Wangenheim, iii. 509
 " Ogeche, Marshall, iii. 508
 " sessiliflora, Hooker, iii. 508

Nyssa—continued

- " sinensis, Oliver, iii. 514, 508, 509
 " " leaves, iii. 514, Pl. 199, Fig. 1
 " sylvatica, Marshall, iii. 509, 513
 " " branchlets and buds, iii. 509-510,
 Pl. 200, Fig. 5
 " " cultivation, iii. 511
 " " distribution, iii. 510
 " " identification, iii. 509
 " " in America, iii. 510-511, Pl. 144 B
 " " in England, iii. 511
 " " leaves, iii. 509, Pl. 199, Figs. 2
 and 9
 " " Strathfieldsaye, tree at, iii. 511,
 Pl. 145
 " " timber, iii. 512
 " " var. *biflora*, iii. 510
 " tomentosa, Michaux, iii. 512
 " uniflora, Wangenheim, i. 177; iii. 512
 " villosa, Michaux, iii. 509

Oak, ii. 282; v. 1215. See also Quercus

- " Abraham's, v. 1280
 " Algerian, v. 1318. See Quercus Mirbeckii
 " American, cultivation of, v. 1224
 " apples, ii. 333
 " Asiatic, cultivation of, v. 1227
 " Audley End, Essex, hybrid at, v. 1291, Pl.
 327. See Quercus audleyensis
 " Bartram's, v. 1233. See Quercus hetero-
 phylla
 " Bear, v. 1238. See Quercus ilicifolia
 " Black, v. 1239. See Quercus velutina
 " bog, ii. 343
 " brown, ii. 337, 323
 " " in Rockingham Park, ii. 323, Pl. 96
 " Burr, v. 1304. See Quercus macrocarpa
 " Californian Black, v. 1241. See Quercus
 Kelloggii
 " " Live, v. 1252. See Quercus
 agrifolia
 " " Valley, v. 1306. See Quercus
 lobata
 " Chestnut, v. 1309. See Quercus Prinus
 " Chestnut-leaved, v. 1271. See Quercus
 castaneæfolia
 " Chilean, iii. 554
 " Common, ii. 282. See also Quercus peduncu-
 lata
 " " bark, ii. 335
 " " branchlets and buds, ii. 282, Pl.
 78, Fig. 1
 " " cleaving or splitting, ii. 339
 " " culture, ii. 298
 " " distribution, ii. 296
 " " etymology, ii. 297
 " " in Forest of Dean, ii. 300, 301, 335
 " " in France, ii. 330
 " " galls, ii. 333 note 2
 " " growth, rapid, ii. 308
 " " " rate of, ii. 290, 302, 303
 " " hybrids, ii. 288; v. 1283, 1288 and
 note, 1314 and note 2, 1316; vii.
 1852 note 2

1984 The Trees of Great Britain and Ireland

Oak, Common—*continued*

- " " injured by lightning, ii. 332
- " " injured by mice, ii. 299
- " " insects which attack, ii. 333
- " " leaves, ii. 283, Pl. 79
- " " medullary rays, ii. 339
- " " mistletoe on, ii. 331 note 2, 333
- " " mistletoe-bearing trees in England,
ii. 334
- " " panelling, ii. 339
- " " piles, ii. 344
- " " planting in the New Forest, ii. 303
- " " prehistoric boat, ii. 343
- " " propagation, ii. 298
- " " quartering, ii. 340, 341
- " " remarkable trees—
at Althorp, ii. 321, Pl. 94
in Bagot's Park, ii. 316, 317, Pl. 90
" " King Oak, ii. 317,
Pl. 91
Beggar's, ii. 317, 327, Pl. 89
Billy Wilkin's, ii. 298, 315, Pl. 88
at Bourton-on-the-Water, ii. 317,
Pl. 93; v. 1302
Cowthorpe, ii. 298, 325
in Devonshire, ii. 316
"Duke's Walking-Stick," ii. 322
in Essex, ii. 324
in Gloucestershire, ii. 320
Greendale, ii. 322
in Hampshire, ii. 316
in Herefordshire, ii. 309
Hereford Monarch, ii. 309, 310
in Ireland, ii. 329
Kett's, Norfolk, ii. 324
Kyre Park, grove at, ii. 311-313,
Plates 86 and 87
at Longleat, ii. 315
Marriage, ii. 326
in Norfolk, ii. 324
Nunupton, ii. 314
Porter, ii. 322
at Powis Castle, ii. 308, 309, Pl. 83
" " champion, ii. 309,
Pl. 82
" " Lady Powis', ii.
309, Pl. 84
in Scotland, ii. 328
Shakespeare's, ii. 311
in Sherwood Forest, ii. 307, 322
" " Major Oak, ii.
317, 322, Pl. 95
Simon Foster's, ii. 322
in Somersetshire, ii. 314
in Staffordshire, ii. 318
Strutt's, ii. 327
at Tortworth, ii. 287
" leaves, ii. 287, Pl.
79, Fig. 2
Umbrella, at Castlehill, ii. 325,
Pl. 97
at Vaynor Park, ii. 309
Wallace's, ii. 328
in Warwickshire, ii. 311

Oak, Common, remarkable trees—*continued*

- at Whitfield, ii. 311, Pl. 85
- at Windsor, ii. 319
- in Wistman's Wood, ii. 287, 307,
326
- in Worcestershire, ii. 314
- in Yorkshirc, ii. 325
- " " remarkable trees abroad, ii. 330
- " " seedling, ii. 283
- " " Thornbury, self-sown tree at, ii.
300, Pl. 81
- " " timber, ii. 335
- " " transplantation, ii. 299, 301
- " " varieties, ii. 284
- " Cork, v. 1292. *See* Quercus Suber
- " Cypress, ii. 284
" " Melbury, tree at, ii. 284, Pl. 80
- " Durmast. *See* Oak, Sessile
- " Fastigate. *See* Oak, Cypress
- " Fern-leaved, ii. 285
- " Fulham, v. 1262. *See* Quercus Lucombeana,
var. fulhamensis
- " galls, ii. 333 note 2
- " Golden, ii. 285
- " Holm, v. 1281. *See* Quercus Ilex
- " " etymology, v. 1285
- " Hungarian, v. 1316. *See* Quercus conferta
- " Ilex, v. 1281. *See* Quercus Ilex
- " Kermes, v. 1279. *See* Quercus coccifera
- " Lucombe, v. 1259. *See* Quercus Lucombeana
- " Mediterranean species, cultivation of, v. 1227
- " Overcup, v. 1303. *See* Quercus lyrata
- " Pedunculate, ii. 282
- " Pin, v. 1250. *See* Quercus palustris
- " pollard, ii. 326, 339
- " Portuguese, v. 1322. *See* Quercus lusitanica
- " Pubescent, ii. 294. *See also* Quercus lanu-
ginosa
- " " hybrids, v. 1264, 1316
- " " leaves, etc., ii. 294, Pl. 79, Fig. 13
- " " varieties, ii. 294
- " Purple, ii. 285
- " Pyrenean, v. 1313. *See* Quercus Toza
- " Quercitron, v. 1239. *See* Quercus velutina
- " "Raglan," v. 1258
- " Red, v. 1242. *See* Quercus rubra
- " Scarlet, v. 1247. *See* Quercus coccinea
- " Sessile, ii. 291, 289, 330. *See also* Quercus
sessiliflora
- " " branchlets and buds, ii. 291, Pl. 78,
Fig. 2
- " " distribution, ii. 297
- " " in France, ii. 331
- " " hybrids, v. 1283, 1291, 1314 and
note 2, 1316; vii. 1852 note 2
- " " leaves, ii. 291, Pl. 79, Fig. 8
- " " Merevale Park, tree at, ii. 318, Pl. 92
- " " seedling, ii. 292
- " " timber, ii. 289; iv. 852 note 2
- " " varieties, ii. 292
- " Shingle, v. 1231. *See* Quercus imbricaria
- " Spanish, v. 1237. *See* Quercus cuneata
- " Stalk-cupped. *See* Oak, Common
- " Swamp White, v. 1307. *See* Quercus bicolor

Oak—continued

- „ Turkey, v. 1254. See *Quercus Cerris*
- „ Turner's, v. 1288. See *Quercus Turneri*
- „ Valonia, v. 1268. See *Quercus Ægilops*
- „ Various-leaved, ii. 285
- „ Wainscot, ii. 342
- „ Water, v. 1235. See *Quercus nigra*
- „ Weeping, ii. 284
- „ White, v. 1301. See *Quercus alba*
- „ Willow, v. 1228. See *Quercus Phellos*
- „ with variegated leaves, ii. 286
- „ Yellow, v. 1310. See *Quercus Muehlenbergii*

Oil of birch, iv. 974, 992

- „ of cedar, vi. 1443
- „ of juniper, vi. 1408, 1412 note 1, 1443
- „ of savin, vi. 1446
- „ of winter-green, iv. 992

Olm, Hollander's, vii. 1870

Olmo negro tree, vii. 1908

O-matsu tree, v. 1144

Onara tree, v. 1328

Onko tree, i. 107

OREODAPHNE, sub-genus *UMBELLULARIA*, Nees, vi. 1531

Oreodaphne californica, Nees, vi. 1531

OREOPTOLEA, Spach, vii. 1848

Orme blanc, vii. 1854 note 3

- „ Dumont, vii. 1870 note 4, 1871 and note 5
- „ gras, in Belgium, vii. 1870 and notes, 1871 note 5

„ „ in Canada, vii. 1862

„ gras de Malines, vii. 1870 note 2

„ maigre, vii. 1894 note 4, 1897

„ Pitteurs, *Morren*, vii. 1873

„ St. Trond, vii. 1873

„ tortillard, vii. 1894 and notes 3 and 4, 1895

Ornus europæa, Persoon, iv. 887

„ *floribunda*, A. Dietrich, iv. 890

Osier blanc, vii. 1814 note 7

„ White Welsh, vii. 1755 note 1

OSTRYA, Scopoli, iii. 540

„ key to species, iii. 526

Ostrya carpinifolia, Scopoli, iii. 540, 526, 544

„ „ cultivation, iii. 541

„ „ Langley Park, tree at, iii. 542, Pl. 153

„ „ leaves, iii. 526, 541, Pl. 201, Fig. 11

„ „ remarkable trees, iii. 542

„ *italica*, Spach, iii. 540

„ „ sub-species *carpinifolia*, Winkler, iii. 540

„ „ „ *virginiana*, Winkler, iii. 543, 544

„ *japonica*, Sargent, iii. 544, 527

„ „ leaves, iii. 527, 544, Pl. 201, Fig. 10

„ Knowltoni, Coville, iii. 540

„ *mandschurica*, Budischschew, iii. 544

„ *Ostrya*, Macmillan, iii. 543

„ „ Karsten, iii. 540; Errata, 1939

„ *virginiana*, Koch, iii. 543

„ *virginica*, Maximowicz, iii. 544

Ostrya—continued

- „ *virginica*, Willdenow, iii. 543, 527
- „ „ leaves, iii. 527, 543, Pl. 201, Fig. 9

„ „ var. *eglandulosa*, iii. 543

„ „ *glandulosa*, iii. 543

„ *vulgaris*, Willdenow, iii. 540

Oxel tree, i. 161

OXYACANTHA, Medicus, vii. 1731

Padus cornuta, Carrière, vi. 1544

„ *eglandulosa*, Moench, vi. 1553

„ *eximia*, Small, vi. 1546 note 2

„ *Laurocerasus*, Miller, vi. 1551

„ *lusitanica*, Miller, vi. 1553

„ *Mahaleb*, Borkhausen, vi. 1542

„ *racemosa*, Schneider, vi. 1543

„ *serotina*, Agardh, vi. 1546

„ *vulgaris*, Borkhausen, vi. 1543

Pai-kuo-sung tree, v. 1051

Pai-li tree, vi. 1556 note 2

Pai-sung tree, v. 1051

Pai-yang tree, vii. 1786

Palm, Chusan, vii. 1690. See *Trachycarpus Fortunei*

PANAX, sub-genus *ACANTHOPANAX*, Decaisne and Planchon, vii. 1694

Panax ricinifolium, Siebold and Zuccarini, vii. 1694

Pan-li tree, iv. 855

Pao-tung tree, vi. 1494 note 1

Parasol de St. Julien, vii. 1791

PASANIA, Oersted, v. 1215

Pasania cuspidata, Oersted, v. 1332

„ *densiflora*, Oersted, v. 1331

„ *glabra*, Oersted, v. 1332

PAULOWNIA, Siebold and Zuccarini, vi. 1492

Paulownia Duclouxii, Dode, vi. 1493

„ *Fargesii*, Franchet, vi. 1493

„ Fortunei, Hemsley, vi. 1492

„ *imperialis*, Siebold and Zuccarini, vi. 1493

„ *meridionalis*, Dode, vi. 1493 note 1

„ *tomentosa*, Koch, vi. 1493

„ „ timber, vi. 1495

„ „ var. *Fargesii*, vi. 1493

Pavame tree, iii. 519

PAVIA, Boerhave, ii. 206

Pavia flava, Moench, ii. 224

„ *indica*, Wallich, ii. 219

„ *macrostachya*, Loiseleur, ii. 208

„ *rubra*, Hort., ii. 225

PAVONIA, Ruiz and Pavon, vii. 1700

Pavonia sempervirens, Ruiz and Pavon, vii. 1700

Pear, Barland, vi. 1564

„ Chaumontel, vi. 1565

„ Common, vi. 1560. See *Pyrus communis*

„ Golden Knap, vi. 1565

„ Hufcap, vi. 1564

„ Manchurian, vi. 1556 note

„ Snow, vi. 1559

Pecan Nut, iii. 599. See *Carya olivæformis*

Peh tree, i. 199; v. 1164

Pehuen tree, i. 44

1986 The Trees of Great Britain and Ireland

Pepperidge, iii. 509. See *Nyssa sylvatica*

Peppermint, Black, vi. 1623

" Mountain, vi. 1635. See *Eucalyptus*
coccifera

Peridermium pini, etc. See *Fungi*

Peronospora. See *Fungi*

"Perpignans," iv. 927

Persimmon, American, iv. 996. See *Diospyros*
virginiana

" Chinese, iv. 994

Pestalozzia funerea. See *Fungi*

Peuplier blanc de Hollande, vii. 1780

" Bujot, vii. 1825

" de Canada, vii. 1807 note 4, 1814, 1815

" de Caroline, vii. 1815

" de Virginie, vii. 1807 note 4, 1815, 1828
note 3

" Eugène, Carrière, vii. 1826

" régénéré, Carrière, vii. 1817 note 1, 1823,
1824

" Suisse, vii. 1807 note 4, 1814, 1815

" " blanc, vii. 1825

" " rouge, vii. 1825

Peziza Willkommii. See *Fungi*

Physalospora gregaria. See *Fungi*

PICEA, D. Don, iv. 713

PICEA, Link, i. 75

" section EU-PICEA, vi. 1335; i. 76

" " " key to, vi. 1335

" " OMORICA, i. 76

" " " key to, i. 76

Picea *Abies*, Karsten, vi. 1337

" *acicularis*, Beissner, vi. 1372

" *acutissima*, Jack, vi. 1377

" *ajanensis*, Fischer, i. 85, 76, 80, 89, 90, 92

" " distribution, i. 85

" " identification, i. 89

" " introduction, i. 86

" " Japanese name, i. 87

" " timber, i. 87

" " var. *microsperma*, i. 85, 86 note 4

" *ajanensis*, Hooker, i. 89

" *alba*, Link, vi. 1380; i. 96; vi. 1336

" " cultivation, vi. 1382

" " distribution, vi. 1382

" " timber, vi. 1383

" " varieties, vi. 1381

" " var. *arctica*, vi. 1381

" " *cœrulea*, vi. 1382

" " *nana*, vi. 1381

" *alba*, Mayr, vi. 1385

" *albertiana*, Stewardson Brown, vi. 1385,
1336

" *Alcockiana*, Carrière, i. 77 note, 87, 89, 90;
vi. 1372

" " var. *morindoides*, vi. 1392

" *alpestris*, Stein, vi. 1360

" *amabilis*, Loudon, iv. 782

" *australis*, Small, vi. 1378

" *balsamea*, Loudon, iv. 803

" *bicolor*, Mayr, vi. 1372, 1336; i. 90

" " distribution, vi. 1373

" " history, vi. 1372

" *bifolia*, Murray, iv. 800

Picea—continued

" *brachyphylla*, Gordon, iv. 765

" *brachytila*, Masters, i. 85

" *bracteata*, Loudon, iv. 796

" *brevifolia*, Peck, vi. 1375

" *Breweriana*, Watson, i. 82, 76, 77; vi. 1340
note 2

" " in America, i. 82, Pl. 29

" " timber, i. 84

" *canadensis*, Britton, Sterns, and Poggenburg,
vi. 1380

" " var. *glauca*, vi. 1382

" *canadensis*, Link, ii. 239

" *cephalonica*, Loudon, iv. 739

" *cilicica*, Gordon, iv. 744

" *cœrulea*, Link, vi. 1382

" *columbiana*, Lemmon, vi. 1385 note 1, 1387,
1388

" " Rydberg, vi. 1385

" *concolor*, Gordon, iv. 777

" " var. *violacea*, iv. 777, 778

" *Douglasii*, Link, iv. 814

" *ellipsoconis*, Borbas, vi. 1344 note 7

" *Engelmanni*, Engelmann, vi. 1387; iii. 698;
vi. 1337

" " distribution, vi. 1388

" " var. *argentea*, vi. 1387

" " Fendleri, vi. 1387

" " *glauca*, vi. 1387, 1390

" " *microphylla*, vi. 1387

" *excelsa*, Link, vi. 1337, 1336

" " Coombe plantation, vi. 1352

" " cultivation, vi. 1351

" " decay at the heart, vi. 1358

" " distribution, vi. 1345

" " Durris estate, plantation, vi. 1352

" " dwarf forms, vi. 1343-1344

" " fossil, vi. 1351

" " Glenshiskin Wood, vi. 1356

" " Gwydyr Castle, tree at, vi. 1355,
Pl. 343

" " in America, vi. 1353, Pl. 340

" " Kilworth, Ireland, trees at, vi. 1356,
Pl. 344

" " layering, vi. 1355

" " Oakley Park, avenue at, vi. 1354,
Pl. 342

" " remarkable forms, vi. 1348

" " remarkable trees, vi. 1353

" " Studley, trees at, vi. 1354, Pl. 341

" " timber, vi. 1357

" " var. *acuminata*, vi. 1339

" " *alpestris*, vi. 1360

" " *argenteo-spica*, vi. 1344

" " *aurea*, vi. 1344

" " *chlorocarpa*, vi. 1339

" " *Clanbrassiliana*, vi. 1343, 1348

" " *columnaris*, vi. 1341

" " *corticata*, vi. 1344

" " *denudata*, vi. 1342

" " *echiniformis*, iii. 594 note 3

" " *eremita*, vi. 1341

" " *erythrocarpa*, vi. 1339

" " *europæa*, vi. 1339

Picea excelsa, *Link—continued*

- „ „ var. *fennica*, vi. 1360
 „ „ *finendonensis*, vi. 1344
 „ „ *globosa*, vi. 1343
 „ „ *Gregoryana*, vi. 1343
 „ „ *inversa*, vi. 1340 note 13
 „ „ *inverta*, vi. 1340, 1348
 „ „ *Maxwelli*, vi. 1343
 „ „ *medioxima*, vi. 1360
 „ „ *monocaulis*, vi. 1342
 „ „ *monstrosa*, vi. 1342
 „ „ *montana*, vi. 1339
 „ „ *mutabilis*, vi. 1344
 „ „ *nana*, vi. 1348
 „ „ *obovata*, vi. 1359
 „ „ *pendula*, vi. 1340
 „ „ *pumila*, vi. 1343
 „ „ *pygmæa*, vi. 1343
 „ „ *pyramidata*, vi. 1341
 „ „ *Remonti*, vi. 1341
 „ „ *stricta*, vi. 1341
 „ „ *strigosa*, vi. 1341
 „ „ *tabulæformis*, vi. 1343
 „ „ *triloba*, vi. 1339
 „ „ *tuberculata*, vi. 1344
 „ „ *variegata*, vi. 1344
 „ „ *viminalis*, vi. 1339
 „ „ *virgata*, vi. 1342, 1348
 „ „ Wellesley, Mass., tree at, vi. 1353,
 Pl. 340
 „ „ witches' broom on, vi. 1345
 „ *firma*, Gordon, iv. 762
 „ *Fortuni*, Murray, vi. 1474
 „ *Fraseri*, Loudon, iv. 806
 „ *glauca*, Voss, vi. 1380 note 1
 „ *Glehnii*, *Masters*, vi. 1369; i. 86, 87; vi.
 1336
 „ „ cultivation, vi. 1370
 „ „ distribution, vi. 1369
 „ *grandis*, Loudon, iv. 773
 „ *hirtella*, Loudon, iv. 808
 „ *hondoensis*, *Mayr*, i. 89, 76, 85 note 1, 87
 „ „ distribution, i. 90
 „ „ identification, i. 89
 „ „ introduction, i. 90
 „ „ varieties. See Errata, 1942
 „ *japonica*, Regel, vi. 1372
 „ *jezoensis*, *Carrière*, i. 85; Errata, 1936
 „ *Khutrow*, *Carrière*, vi. 1366
 „ *Koyamai*, *Shirasawa*. See Errata, 1942
 „ *lasiocarpa*, Murray, iv. 800
 „ *laxa*, Sargent, vi. 1380
 „ *Lowiana*, Gordon, iv. 779, 780
 „ *magnifica*, Gordon, iv. 792
 „ *Mariana*, Britton, Sterns, and Poggenburg,
 vi. 1375
 „ *Mastersii*, *Mayr*, vi. 1365
 „ *Maximowiczii*, *Regel*, vi. 1374, 1335; Errata,
 1942
 „ *Menziesii*, *Carrière*, i. 92
 „ „ *Engelmann*, vi. 1389
 „ *Morinda*, *Link*, i. 76, 77 note; ii. 441; vi.
 1366
 „ *morindoides*, *Rehder*, i. 77; vi. 1392, 1393

Picea—continued

- „ *morrisonicola*, *Hayata*, vi. 1369 note 1
 „ *nigra*, *Link*, vi. 1375; i. 96; vi. 1336
 „ „ *Colesborne*, tree at, vi. 1377, Pl. 346
 „ „ distribution and cultivation, vi. 1376
 „ „ timber, vi. 1383
 „ „ var. *Doumetii*, vi. 1376
 „ „ *rubra*, vi. 1377
 „ „ *virgata*, vi. 1378 note 2
 „ *nobilis*, Loudon, iv. 786
 „ *Nordmanniana*, Loudon, iv. 746
 „ *numidica*, Gordon, iv. 737
 „ *obovata*, *Ledebour*, vi. 1359, 1337, 1341,
 1346-1348
 „ „ var. *alpestris*, vi. 1360
 „ „ *fennica*, vi. 1360
 „ „ *japonica*, vi. 1374
 „ „ *Schrenkiana*, vi. 1364
 „ *Omorika*, *Bolle*, i. 78, 77
 „ „ distribution, i. 79
 „ „ in Bosnia, i. 80, Pl. 28
 „ *omorikoides*, *Webber*, i. 80
 „ *orientalis*, *Carrière*, vi. 1362, 1337
 „ „ cultivation, vi. 1363
 „ „ distribution, vi. 1363
 „ „ growths on, iii. 594 note 3
 „ „ remarkable trees, vi. 1363
 „ *Parryana*, Sargent, vi. 1389
 „ *Parsonsiana*, Barron, iv. 779, 780
 „ *pectinata*, Loudon, iv. 720
 „ *Pichta*, Loudon, iv. 758
 „ *Pindrow*, Loudon, iv. 755
 „ *Pinsapo*, Loudon, iv. 732
 „ *polita*, *Carrière*, vi. 1370, 1336; i. 90
 „ *pseudopungens*, *Dieck*, vi. 1387
 „ *pungens*, *Engelmann*, vi. 1389; iv. 815; vi.
 1335
 „ „ distribution and cultivation, vi. 1391
 „ „ var. *argentea*, vi. 1390
 „ „ *glauca*, vi. 1390
 „ „ *glauca pendula*, vi. 1390
 „ „ *König Albert von Sachsen*, vi.
 1390
 „ „ *Kosteri pendula*, vi. 1390 note 5
 „ „ *Kosteriana*, vi. 1390
 „ „ *prostrata*, vi. 1390
 „ „ *tabuliformis*, vi. 1390
 „ „ *viridis*, vi. 1390
 „ *religiosa*, Loudon, iv. 808
 „ *rubens*, Sargent, vi. 1377
 „ *rubra*, *Dietrich*, vi. 1337, 1377 note 2
 „ *rubra*, *Link*, vi. 1377, 1336
 „ „ cultivation, vi. 1378
 „ „ distribution, vi. 1378
 „ „ *forma virgata*, vi. 1378 note 2
 „ „ timber, vi. 1383
 „ „ varieties, vi. 1378
 „ *Schrenkiana*, *Fischer and Meyer*, vi. 1364,
 1335
 „ *sitchensis*, *Carrière*, i. 92, 76, 80, 83; iii. 480
 „ „ *Beauport*, tree at, i. 96, Pl. 30
 „ „ cultivation, i. 94
 „ „ distribution, i. 93
 „ „ identification, i. 90, 92

1988 The Trees of Great Britain and Ireland

Picea sitchensis, *Carrière*—continued

- " " introduction, i. 94
- " " remarkable trees, i. 95
- " " timber, i. 97
- " " var. *speciosa*, i. 93
- " *silkaensis*, Mayr, i. 92
- " *Smithiana*, *Boissier*, vi. 1366, 1335
- " " cultivation, vi. 1367
- " " Melbury, tree at, vi. 1367, Pl. 345
- " " Nagkunda, tree near, v. Frontis-
piece; vi. 1366 note
- " " timber, vi. 1368
- " *spinulosa*, *Henry*, vi. 1392
- " " Castlewellan, tree at, vi. 1394,
Pl. 347
- " *tianschanica*, *Ruprecht*, vi. 1364
- " *Torano*, *Koehne*, vi. 1370
- " *Tschonoskii*, Mayr, vi. 1374
- " *Veitchii*, *Murray*, iv. 768
- " *vulgaris*, *Link*, vi. 1337
- " " var. *altaica*, vi. 1359
- " " *europæa*, vi. 1339
- " " *uralensis*, vi. 1360
- " *Webbiana*, *Loudon*, iv. 750

Pign tree, vi. 1361

Pignut, iii. 604. See *Carya porcina*

Pin de Briançonnais, v. 1133 note 3

Pine, iii. 571; v. 1001. See also *Pinus*

- " *Aleppo*, v. 1099. See *Pinus halepensis*
- " *Alpine*, v. 1035. See *Pinus Cembra*
- " *Austrian*, ii. 408; iii. 709; v. 1101. See
also *Pinus Laricio*, var. *austriaca*
- " " cultivation, ii. 420
- " " distribution, ii. 415
- " " Elveden, tree at, ii. 423, Pl. 118
- " " hybrids, ii. 416; vii. 1852 note 2
- " " introduction, ii. 410
- " " remarkable trees, ii. 423
- " *Bishop's*, v. 1104. See *Pinus muricata*
- " *Black*, v. 1102
- " *Bristle-cone*, v. 1055. See *Pinus aristata*
- " *Calabrian*, ii. 408. See also *Pinus Laricio*,
var. *calabrica*
- " " cultivation, ii. 421
- " " distribution, ii. 414
- " *Canary*, v. 1096. See *Pinus canariensis*
- " *Carolina*, v. 1096
- " *Corsican*, ii. 408; v. 1081, 1101. See also
Pinus Laricio, var. *corsicana*
- " " Arley Castle, tree at, ii. 422, Pl.
117
- " " climate, ii. 412
- " " cultivation, ii. 418
- " " distribution, ii. 411
- " " geographical forms, ii. 408
- " " Holkham, trees at, ii. 420, 422,
Plates 115 and 116
- " " in Corsica, ii. 413, Frontispiece
and Plates 113 and 114
- " " in Spain. See *Errata*, 1938
- " " introduction, ii. 410
- " " remarkable trees, ii. 422
- " " unharmed by rabbits, ii. 419
- " *Coulter's*, v. 1067. See *Pinus Coulteri*

Pine—continued

- " *Curly Pitch*, v. 1093
- " *Digger*, v. 1069. See *Pinus Sabiniana*
- " *Foxtail*, v. 1054, 1006. See *Pinus Balfouriana*
- " *Gerard's*, v. 1052. See *Pinus Gerardiana*
- " *Haguenau*, iii. 573, 580
- " *Hard*, v. 1006, 1003
- " *Herzegovinian*, ii. 424. See *Pinus leuco-*
dermis
- " *Himalayan Blue*, v. 1011. See *Pinus excelsa*
- " *Huon*, v. 1147 note 1
- " *Jack*, v. 1109. See *Pinus Banksiana*
- " *Japanese Black*, v. 1143. See *Pinus Thun-*
bergii
- " " *Red*, v. 1125. See *Pinus densi-*
flora
- " " *White*, v. 1033. See *Pinus parvi-*
flora
- " *Jersey*, v. 1107. See *Pinus virginiana*
- " *King William*, vi. 1450
- " *Knob-cone*, v. 1077. See *Pinus tuberculata*
- " *Korean*, v. 1041. See *Pinus koraiensis*
- " *"Lace-Bark,"* v. 1050 note 1
- " *Loblolly*, v. 1094. See *Pinus Tæda*
- " *Lodge-Pole*, v. 1135
- " *Long-leaf*, v. 1091. See *Pinus palustris*
- " *Macedonian*, v. 1014. See *Pinus Peuke*
- " *Maritime*, v. 1113. See *Pinus Pinaster*
- " *Mexican*, v. 1085. See *Pinus patula*
- " " *White*, v. 1017. See *Pinus Ayaca-*
huite
- " *Monterey*, v. 1079. See *Pinus radiata*
- " *Montezuma*, v. 1061. See *Pinus Montezumæ*
- " *Mountain*, v. 1127. See *Pinus montana*
- " *North Carolina*, v. 1095 note 3
- " *Norway*, v. 1093, 1140
- " *Nut*, v. 1006
- " *One-leaf Nut*, v. 1056. See *Pinus mono-*
phylla
- " *Oregon*, iv. 819
- " *Pitch*, v. 1091. See *Pinus palustris*
- " " *Northern*, v. 1087. See *Pinus rigida*
- " *Plane-Bark*, v. 1005
- " *Pond*, v. 1090. See *Pinus serotina*
- " *Pyrenean*, ii. 409. See also *Pinus Laricio*,
var. *tenuifolia*
- " " distribution, ii. 410
- " *Red*, v. 1140, 1110. See *Pinus resinosa*
- " " (*Ayacahuite colorado*), v. 1018
- " *Riga*, iii. 573, 581, 596
- " *Rosemary*, v. 1095
- " *Scots*, iii. 571; v. 1081. See also *Pinus*
sylvestris
- " " *Abernethy Forest*, iii. 589, Plates 166
and 167
- " " *Ballochbuie Forest*, iii. 589, Plates
168 and 169
- " " *Bramshill Park*, tree at, iii. 586, Pl.
161
- " " *Carclew*, avenue at, iii. 585, Pl. 160
- " " cultivation, iii. 582
- " " distribution, iii. 575
- " " *Dunkeld*, tree at, iii. 586, Pl. 163
- " " dwarf forms, iii. 575

Pine, Scots—*continued*

- " " etymology, iii. 578
 " " Glen Maillie Forest, iii. 587; vi. Pl. 368
 " " Glenmore Forest, iii. 588
 " " Gordon Castle, trees at, iii. 588, Pl. 164
 " " hybrids, v. 1129; vii. 1852 note 2
 " " in England, in a wild state, iii. 577
 " " " introduction, iii. 578
 " " " yield of, iii. 583
 " " in France, iii. 579, 594, 596
 " " in Germany, iii. 580, 594
 " " in Iceland, iii. 581
 " " in Ireland, iii. 579, 591
 " " in Norway and Sweden, iii. 580
 " " in Scotland, iii. 576, 586-591
 " " in Spain, iii. 580
 " " in Switzerland, iii. 580
 " " in the United States, iii. 593
 " " in Wales, iii. 586
 " " inosculation, iii. 594
 " " Inveraray Castle, tree at, iii. 586, Pl. 162
 " " Invergarry, tree at, iv. Frontispiece
 " " Les Barres, trees at, iii. 596
 " " Loch Morlich, tree at, iii. 589, Pl. 165
 " " natural reproduction, iii. 583
 " " place names, iii. 578
 " " propagation, iii. 584
 " " Rannoch, Black Wood of, iii. 590
 " " remarkable trees, iii. 585
 " " timber, iii. 594; v. 1041, 1127, 1142
 " " varieties, iii. 572
 " " witches' broom on, iii. 594
 " Scrub, v. 1107. *See* Pinus virginiana
 " seeds, edible, v. 1038, 1042, 1044, 1046, 1051, 1053, 1057, 1058, 1059, 1067 note 2, 1069, 1122
 " Shore, v. 1135
 " Short-leaf, v. 1098. *See* Pinus echinata
 " Soft, v. 1003.
 " Stone, v. 1119, 1004. *See* Pinus Pinea
 " Sugar, v. 1020. *See* Pinus Lambertiana
 " Umbrella, iii. 568. *See* Sciadopitys verticillata
 " Western White, v. 1022. *See* Pinus monticola
 " Weymouth, v. 1025, 1016, 1019. *See* Pinus Strobis
 " White, v. 1025; iv. 819; v. 1004. *See* Pinus Strobis
 " White-Bark, v. 1048. *See* Pinus albicaulis
 " Yellow, v. 1071. *See* Pinus ponderosa
 " " v. 1033 and note, 1093
 Pine-wood, v. 1094
 Pino bravo, v. 1116
 " manzo, v. 1116
 Piñon tree, i. 44
 " " four-leaved, v. 1060
 PINUS, Linnæus, v. 1001. *See also* Pine
 " key to species, v. 1003
 " section BALFOURIANÆ, Engelmann, v. 1006
 " " BANKSIA, Mayr, v. 1009
 " " CEDRUS, Parlatores, iii. 451

Pinus—*continued*

- " section CEMBRA, Spach, v. 1004, 1015
 " " CEMBROIDES, Engelmann, v. 1006
 " " DIPLOXYLON, Koehne, v. 1006
 " " GERARDIANÆ, Engelmann, v. 1005
 " " HAPLOXYLON, Koehne, v. 1003
 " " PINASTER, Mayr, v. 1009
 " " PSEUDOSTROBUS, Engelmann, v. 1007
 " " STROBUS, Spach, v. 1004, 1015, 1020
 " " TÆDA, Mayr, v. 1007
 " " TSUGA, Endlicher, iv. 811
 PINUS (Cedar), Linnæus, iii. 451
 " (Larch), Linnæus, ii. 345
 Pinus Abies, Du Roi, iv. 720
 " " Linnæus, vi. 1337
 " " var. *fennica*, vi. 1360
 " " *medioxima*, vi. 1360
 " *Abies*, Pallas, vi. 1359
 " *adunca*, Poirer, v. 1079 note 1
 " *alba*, Aiton, vi. 1380
 " " var. *arctica*, vi. 1381
 " " *canadensis*, v. 1025
 " albicaulis, Engelmann, v. 1048, 1003, 1005
 " " distribution, v. 1049
 " " in Montana, North-Western, v. 1049, Pl. 276
 " " timber, v. 1049
 " *Alcoquiana*, Parlatores, vi. 1372
 " *alepensis*, Poirer, v. 1099
 " *amabilis*, Douglas, iv. 782
 " " Parlatores, iv. 792
 " *apachea*, Lemmon, v. 1072 note 2, 1074
 " *apulcensis*, Lindley, v. 1064
 " *Araragi*, Siebold, ii. 246
 " *araucana*, Molina, i. 44, 46
 " aristata, Engelmann, v. 1055, 1006
 " *arizonica*, Engelmann, v. 1073, 1074
 " Armandi, Franchet, v. 1043, 1005, 1042
 " " var. *Mastersiana*, v. 1043, 1044
 " *armena*, Koch, iii. 576 note 2; v. 1130 note 2
 " *ascarena*, Gordon, v. 1114 note 3
 " *atlantica*, Endlicher, iii. 469
 " *attenuata*, Lemmon, v. 1077
 " *australis*, Michaux, v. 1091
 " *austriaca*, Höss, ii. 407, 408, 417
 " Ayacahuite, Ehrenberg, v. 1017, 1004, 1047
 " " cultivation, v. 1018
 " " distribution, v. 1018
 " " varieties, v. 1017
 " " var. *brachyptera*, v. 1018
 " " Veitchii, v. 1017, 1018 and note 1, 1019
 " Balfouriana, Balfour, v. 1054, 1006
 " " in Sierra Nevada Mountains, v. 1054, Pl. 277
 " " var. *aristata*, v. 1055
 " *balsamea*, Linnæus, iv. 803
 " Banksiana, Lambert, v. 1109, 1009, 1027, 1136
 " " cultivation, v. 1112
 " " in Minnesota, v. 1111, Pl. 289
 " " timber, v. 1111

1990 The Trees of Great Britain and Ireland

Pinus—continued

- " *Beardsleyi*, Murray, v. 1071
- " *Benthamiana*, Hartweg, v. 1071, 1075
- " *bifida*, Antoine, iv. 762
- " *Bolanderi*, Parlatores, v. 1134, 1139
- " *Bonapartei*, Roetzl, v. 1017, 1018
- " *Boursieri*, Carrière, v. 1134
- " *brachyphylla*, Parlatores, iv. 765
- " *brachyptera*, Engelmann, v. 1071
- " *bracteata*, Don, iv. 796
- " *Brunoniana*, Wallich, ii. 244
- " *Brutia*, Tenore, ii. 407 note 2; v. 1100, 1102, 1103
- " *Bungeana*, Zuccarini, v. 1050, 1003, 1005
- " *calabrica*, Hort., ii. 407
- " *californiana*, Loiseleur, v. 1078 note 2
- " *californica*, Hartweg, v. 1077
- " *canadensis*, Du Roi, vi. 1380
- " " Linnæus, ii. 239
- " *canariensis*, Ch. Smith, v. 1096, 1009
- " " Spanish name, v. 1097
- " " timber, v. 1097
- " *caramanica*, Bosc, ii. 407
- " *caribæa*, v. 1093, 1096
- " *cebennensis*, Hort., ii. 407
- " *Cedrus*, Linnæus, iii. 453
- " " var. *atlantica*, iii. 469
- " *Cembra*, Linnæus, v. 1035; i. 96; v. 1003, 1005, 1025, 1041 and note 3
- " " cultivation, v. 1039
- " " distribution, v. 1036
- " " in England, v. 1039
- " " in Ireland, v. 1040
- " " in Norway, v. 1040
- " " in Scotland, v. 1040
- " " in the Swiss Alps, v. 1037, Pl. 275
- " " remarkable trees, v. 1039
- " " timber, v. 1040, 1042
- " " var. *aurea*, v. 1036
- " " *helvetica*, v. 1036
- " " *pumila*, v. 1036, 1045
- " " *pygmæa*, v. 1045
- " " *sibirica*, v. 1036
- " *cembroides*, Zuccarini, v. 1059, 1003, 1006
- " " var. *edulis*, v. 1058
- " " *monophylla*, v. 1056
- " " *Parryana*, v. 1060
- " *cephalonica*, Endlicher, iv. 739
- " *chihuahuana*, v. 1002 note 5
- " *Chilghoza*, Elphinstone, v. 1052 note 1
- " *cilicica*, Kotschy, iv. 744
- " *clausa*, Sargent, v. 1108 note 2
- " *commutata*, Parlatores, vi. 1387
- " *concolor*, Engelmann, iv. 777, 778
- " *contorta*, Loudon, v. 1134, 1010, 1078, 1105 and note 1
- " " cultivation, v. 1138
- " " history, v. 1138
- " " Merton Hall, tree at, v. 1139, Pl. 292
- " " timber, v. 1139
- " " typical variety, v. 1135, 1136, 1138, 1139
- " " var. *latifolia*, v. 1136

Pinus contorta, Loudon—continued

- " " var. *Murrayana*, v. 1135, 1136, 1137, 1138
- " " " Rocky Mountain form, v. 1136
- " " " Sierra Nevada form, v. 1136
- " *contorta*, Newberry, v. 1136
- " *Coulteri*, Don, v. 1067, 1007, 1069, 1076 note 3
- " " St. Cross, Hoddesdon, tree at, v. 1068, Pl. 279
- " *Craigana*, Murray, v. 1071
- " *cupressoides*, Molina, iii. 485
- " *dahurica*, Fischer, ii. 379
- " *dalmatica*, Visiani, ii. 407
- " *deflexa*, Torrey, v. 1072
- " *densiflora*, Siebold and Zuccarini, v. 1125; iii. 571 note; v. 1010, 1143, 1144
- " " cultivation, v. 1127
- " " hybrids, v. 1144
- " " Japanese name, v. 1126
- " " timber, v. 1127, 1145
- " *Deodara*, Roxburgh, iii. 476
- " *Devoniana*, Lindley, v. 1061
- " *divaricata*, Dumont de Courset, v. 1109
- " *Donnell-Smithii*, Masters, v. 1062
- " *Don Pedri*, Roetzl, v. 1017 note 2
- " *Douglasii*, D. Don, iv. 814
- " *dumosa*, D. Don, ii. 244
- " *durangensis*, Roetzl, v. 1017 note 1
- " *echinata*, Miller, v. 1098, 1009, 1027, 1093
- " " distribution, v. 1098
- " " timber, v. 1095, 1099
- " *Edgariana*, Hartweg, v. 1104, 1105
- " *edulis*, Engelmann, v. 1058, 1006, 1057
- " *Ehrenbergii*, Endlicher, v. 1062
- " *eldarica*, Medwejew, v. 1100, 1103 note 3
- " *Engelmanni*, Carrière, v. 1073
- " " Lemmon, v. 1072
- " " Torrey, v. 1071
- " *Escarena*, Risso, v. 1114 and note 3, 1117 note 2
- " *excelsa*, J. D. Hooker, v. 1014
- " " Lamarck, vi. 1337
- " *excelsa*, Wallich, v. 1011, 1004
- " " cultivation, v. 1012
- " " distribution, v. 1011
- " " remarkable trees, v. 1013
- " " timber, v. 1012
- " " var. *monophylla*, v. 1011 note 2
- " " *Peuce*, v. 1014
- " " *zebrina*, v. 1011 note 1
- " *excorticata*, Lindley and Gordon, v. 1050
- " *fastuosa*, Salisbury, v. 1119
- " *Fenzleyi*, Carrière, ii. 407
- " *Fenzlii*, Antoine et Kotschy, ii. 407
- " " Carrière, ii. 409
- " *filifolia*, Lindley, v. 1061
- " *firma*, Antoine, iv. 762
- " *flexilis*, Balfour, v. 1048
- " *flexilis*, James, v. 1046, 1005, 1049
- " " cultivation, v. 1047

Pinus flexilis, James—continued

- „ „ distribution, v. 1047
 „ „ var. *albicaulis*, v. 1048
 „ „ *macrocarpa*, v. 1047 note 2
 „ „ *reflexa*, v. 1047
 „ „ *serrulata*, v. 1047 note 1
 „ *formosana*, Hayata, v. 1034 note 3
 „ *Fortunei*, Parlatores, vi. 1474
 „ *Fraseri*, Lambert, iv. 806
 „ *Fremontiana*, Endlicher, v. 1056
 „ *funbris*, Komarov, v. 1126 note 3, 1144
 „ note 2
 „ *Gerardi*, Forbes, v. 1052
 „ *Gerardiana*, Wallich, v. 1052, 1005
 „ „ seeds as an article of food, v. 1053
 „ *glauca*, Moench, vi. 1380 note 1, 1382
 „ *Gordoniana*, Hartweg, v. 1061
 „ *grandis*, Don, iv. 782
 „ „ Hooker, iv. 773
 „ *Grenvilleae*, Gordon, v. 1061
 „ *Griffithii*, McClelland, v. 1011
 „ „ Parlatores, ii. 388
 „ *Grozelieri*, Carrière, v. 1022
 „ *halepensis*, Miller, v. 1099; iii. 468 note 1;
 „ v. 1009, 1115, 1154
 „ „ cultivation, v. 1103
 „ „ distribution, v. 1101
 „ „ hybrids, v. 1115
 „ „ Margam Park, tree at, v. 1103,
 „ Pl. 288
 „ „ seedling. See Errata, 1939
 „ „ Syria, tree in, v. 1102, Pl. 287
 „ „ timber, v. 1104
 „ „ var. *Brutia*, v. 1100, 1102, 1103
 „ „ „ in Lycia, v. 1102
 „ *halepensi-Pinaster*, Saporta, v. 1115 note 2
 „ *hamata*, Roetzl, v. 1017 note 2
 „ *Hamiltoni*, Tenore, v. 1113, 1114-²₃
 „ *Harryana*, McNab, iv. 764
 „ *Hartwegii*, Lindley, v. 1062
 „ „ Parlatores, v. 1062
 „ *Heldreichii*, Christ, ii. 425
 „ *Henryi*, Masters, v. 1126
 „ *hierosolymitana*, Duhamel, v. 1099
 „ *hirtella*, Humboldt, Bonpland, et Kunth, iv.
 „ 808
 „ *hispanica*, Cook. See Errata, 1938
 „ *Hudsoni*, Poirer, v. 1109
 „ *Hudsonica*, Parlatores, v. 1109
 „ *humilis*, Link, v. 1127
 „ *hybrida*, Liljeblad, vi. 1339
 „ *inops*, Aiton, v. 1107
 „ „ Benthams, v. 1136
 „ „ Bongard, v. 1134
 „ *insignis*, Douglas, v. 1079
 „ *intermedia*, Fischer, ii. 374
 „ „ Wangenheim, ii. 392
 „ *japonica*, Forbes, v. 1127 note 1
 „ *Jeffreyi*, Balfour, v. 1072, 1075 note 2
 „ „ var. *peninsularis*, v. 1075 note 1
 „ *Kaempferi*, Lambert, ii. 384; vi. 1477 note 2
 „ „ Parlatores, vi. 1477
 „ *kamtschatika*, Endlicher, ii. 346
 „ *Khutrow*, Royle, vi. 1366

Pinus—continued

- „ *Kochiana*, Klotzsch, iii. 576 note 2; v. 1130
 „ note 2
 „ *koraensis*, Masters, v. 1043
 „ *koraensis*, Siebold and Zuccarini, v. 1041,
 „ 1005, 1038, 1044 notes 1
 „ and 2, 1045 note 1
 „ „ cultivation, v. 1043
 „ „ distribution, v. 1042
 „ „ Japanese name, v. 1042 note 6
 „ „ var. *variegata*, v. 1042
 „ *leta*, Salisbury, ii. 349
 „ *Lambertiana*, Douglas, v. 1020, 1004, 1075
 „ note 2
 „ „ cultivation, v. 1021
 „ „ distribution, v. 1020
 „ „ Eastnor Castle, tree at, v.
 „ 1021, Pl. 272
 „ „ Shasta County, California, tree
 „ in, v. 1021, Pl. 271
 „ *lanceolata*, Lambert, iii. 494
 „ *lapponica*, Mayr, iii. 573; vi. 1362 note 1
 „ *laricina*, Du Roi, ii. 392
 „ *Laricio*, Poirer, ii. 407; v. 1010, 1113 note
 „ 1, 1140
 „ „ var. *austriaca*, ii. 408; v. 1094
 „ note 2
 „ „ „ distribution, etc. See
 „ Pine, Austrian
 „ „ *calabrica*, ii. 408
 „ „ „ distribution, etc. See
 „ Pine, Calabrian
 „ „ *caramanica*, ii. 409
 „ „ *cebennensis*, ii. 409
 „ „ *corsicana*, ii. 408
 „ „ „ distribution, etc. See
 „ Pine, Corsican
 „ „ *Karamana*, ii. 409
 „ „ *leucodermis*, ii. 424
 „ „ *nigricans*, ii. 408
 „ „ *Pallasiana*, ii. 408, 410, 417, 423
 „ „ *Poireriana*, ii. 408
 „ „ *pyrenaiaca*, ii. 409
 „ „ *tenuifolia*, ii. 409
 „ „ „ distribution, etc. See
 „ Pine, Pyrenean
 „ *Larix*, Linnæus, ii. 349
 „ „ Pallas, ii. 377
 „ „ Thunberg, ii. 384
 „ „ var. *americana nigra*, ii. 392
 „ *lasiocarpa*, W. J. Hooker, iv. 800
 „ *latifolia*, Sargent, v. 1072
 „ *laxa*, Ehrhart, vi. 1380
 „ *Ledebourii*, Endlicher, ii. 374
 „ *leiophylla*, Benthams, v. 1086
 „ „ Schiede and Deppe, v. 1086-7,
 „ 1002 note 5
 „ *Lemoniana*, Benthams, v. 1113, 1114
 „ *leptolepis*, Endlicher, ii. 384
 „ *leucodermis*, Antoine, ii. 424, 409; v. 1010
 „ „ distribution, ii. 425
 „ „ „ in Bosnia, ii. 425, Pl. 119
 „ *Lindleyana*, Gordon, v. 1062
 „ *Llaveana*, Schlechtendal, v. 1059 and note

1992 The Trees of Great Britain and Ireland

Pinus—continued

- „ *Loiseleuriana*, Carrière, v. 1100
- „ *longifolia*, Salisbury, v. 1091
- „ *lophosperma*, Lindley, v. 1065, 1066
- „ *Loudoniana*, Gordon, v. 1017
- „ *Lowiana*, M'Nab, iv. 779
- „ *lutea*, Walter, v. 1091
- „ *Macintoshiana*, Lawson, v. 1134, 1138
- „ *macrocarpa*, Lindley, v. 1067
- „ *macrophylla*, Engelmann, v. 1073, 1074
- „ „ Lindley, v. 1061
- „ *maderiensis*, Tenore, v. 1119
- „ *magnifica*, M'Nab, iv. 792
- „ *majellensis*, Schouw, v. 1132 note 1
- „ *mandshurica*, Murray, v. 1045
- „ „ Ruprecht, v. 1041
- „ *Mariana*, Du Roi, vi. 1375
- „ *maritima*, Lamarck, v. 1113
- „ „ Lambert, v. 1099
- „ „ Miller, v. 1113 note 1
- „ *Massoniana*, Lambert, v. 1126 note 3
- „ „ var. *planiceps*, v. 1126 note 3
- „ *Massoniana*, Siebold and Zuccarini, v. 1143
- „ *Mastersiana*, Hayata, v. 1043, 1044 note 4
- „ *Mayriana*, Sudworth, v. 1072, 1074
- „ *Mertensiana*, Bongard, ii. 229
- „ *microcarpa*, Lambert, ii. 377, 380, 381, 392
- „ *mitis*, Michaux, v. 1098
- „ *monophylla*, Torrey, v. 1056, 1002 note 2, 1006
- „ „ seeds used for food, v. 1057, 1067 note 2
- „ „ var. *edulis*, v. 1058
- „ *monspeiliensis*, Salzmann, ii. 407, 409
- „ *montana*, Miller, v. 1127; iii. 574; v. 1010, 1108 note 5
- „ „ cultivation, v. 1132
- „ „ distribution, v. 1130
- „ „ dwarf form, v. 1129, 1131, 1132
- „ „ hybrids, v. 1129
- „ „ var. *gallica*, v. 1133 note 3
- „ „ *mughus*, v. 1129, 1131
- „ „ *pumilio*, v. 1129, 1131, 1132, 1134
- „ „ *rotundata*, v. 1129
- „ „ *uncinata*, v. 1128; iii. 574
- „ *Montereyensis*, Rauch, v. 1079
- „ *Montezumæ*, Gordon, v. 1062
- „ *Montezumæ*, Lambert, v. 1061, 1007, 1064
- „ „ bark, v. 1065
- „ „ cultivation, v. 1063
- „ „ Fota, tree at, v. 1064, Pl. 278
- „ „ var. *Hartwegii*, v. 1062, 1007, 1063, 1064
- „ „ Lindleyi, v. 1062
- „ „ *rudis*, v. 1062, 1063, 1064
- „ *monticola*, Don, v. 1022; ii. 398; v. 1004
- „ „ cultivation, v. 1024
- „ „ distribution, v. 1023
- „ „ Murthly Castle, tree at, v. 1025, Pl. 273
- „ „ var. *porphyrocarpa*, v. 1023
- „ *morrisonicola*, Hayata, v. 1034 note 3

Pinus—continued

- „ *nugus*, Scopoli, v. 1127
- „ *muricata*, Don, v. 1104, 1009
- „ *Murrayana*, Balfour, v. 1136
- „ „ var. *Sargenti*, v. 1136
- „ *Napoleoni*, Simon, v. 1050
- „ *Neozæ*, Govan, v. 1052 note 1
- „ *nepalensis*, De Chambray, v. 1011
- „ *nigra*, Arnold, ii. 407, 408
- „ „ Solander, vi. 1375
- „ *nigricans*, Host, ii. 407, 408
- „ *nobilis*, Douglas, iv. 786
- „ *Nordmanniana*, Steven, iv. 746
- „ *Nuttalli*, Parlatore, ii. 395
- „ *obliqua*, Sauter, v. 1127
- „ *obovata*, Antoine, vi. 1359
- „ „ var. *Schrenkiana*, vi. 1364
- „ *occidentalis*, Humboldt, Bonpland, and Kunth, v. 1061, 1062
- „ *Omorika*, Pančić, i. 78
- „ *oocarpa*, v. 1087 note 2
- „ *orientalis*, Ledebour, vi. 1359
- „ „ Linnæus, vi. 1362
- „ „ var. *longifolia*, vi. 1364
- „ *orizabæ*, Gordon, v. 1064
- „ *osteosperma*, Engelmann, v. 1059
- „ *pallasiana*, Lambert, ii. 407 note 2
- „ „ Loudon, ii. 408
- „ *palustris*, Miller, v. 1091, 1003, 1008, 1095
- „ „ in America, v. 1091
- „ „ in France, v. 1092
- „ „ resin, v. 1093, 1096
- „ „ timber, v. 1092, 1142
- „ *Parolinii*, Visiani, v. 1100
- „ *Parryana*, Engelmann, v. 1060, 1006
- „ „ seeds used for food, v. 1067 note 2
- „ *Parryana*, Gordon, v. 1071, 1075 note 2
- „ *parvifolia*, Siebold and Zuccarini, v. 1033, 1004
- „ „ cultivation, v. 1035
- „ „ Japanese names, v. 1034
- „ „ Kisogawa, Japan, tree in, v. 1034, Pl. 274
- „ „ var. *pentaphylla*, v. 1033, 1034, 1035 note 1
- „ *Pattoniana*, Parlatore, ii. 229
- „ *patula*, Schlechtendal et Chamisso, v. 1085; iii. 571 note; v. 1008, 1183
- „ „ Carclew, tree at, v. 1086, Pl. 285
- „ *pectinata*, Lamarck, iv. 720
- „ *pendula*, Aiton, ii. 379, 380
- „ „ Griffith, v. 1011
- „ *pentaphylla*, Mayr, v. 1033, 1034 note 2
- „ *persica*, Strangways, v. 1100
- „ *Peuke*, Grisebach, v. 1014, 1004
- „ „ cultivation, v. 1016
- „ „ distribution, v. 1015
- „ „ var. *verniculata*, v. 1015
- „ *Picea*, Du Roi, vi. 1337
- „ „ Linnæus, iv. 720
- „ „ var. *medioxima*, vi. 1360
- „ *Pichta*, Endlicher, iv. 758
- „ *Pinaster*, Aiton, v. 1113; ii. 411; v. 1010, 1092

Pinus Pinaster, Aiton—continued

- " " cultivation, v. 1117
 " " distribution, v. 1115
 " " Foxley Hall, tree at, v. 1117, Pl. 290
 " " hybrids, v. 1115
 " " in Cape Colony, v. 1116
 " " in England, v. 1117
 " " in Ireland, v. 1118
 " " in Scotland, v. 1118
 " " in the Landes, v. 1115
 " " resin, v. 1096
 " " timber, v. 1104, 1118, 1119, 1125
 " " " pit props, v. 1118
 " " " preferential rate, v. 1119
 " " var. *Aberdoniae*, v. 1114
 " " *Hamiltoni*, v. 1114
 " " *Lemoniana*, v. 1114
 " " minor, v. 1114
 " " Westwick, trees at, v. 1117
 " *pindica*, Formanek, ii. 407, 409
 " *Pindrow*, Royle, iv. 755
 " *Pinea*, *Linnaeus*, v. 1119, 1002 note 5, 1003, 1010, 1081 note 2, 1097, 1116
 " " Covilha, tree near, v. 1121, Pl. 291
 " " cultivation, v. 1123
 " " distribution, v. 1120
 " " fossil species, v. 1123
 " " in England, v. 1123
 " " in Ireland, v. 1125
 " " in Italy, celebrated forest, v. 1122
 " " in Scotland, v. 1125
 " " in South Africa, v. 1123
 " " remarkable trees, v. 1123
 " " timber, v. 1125
 " " var. *fragilis*, v. 1120
 " *Pinsapo*, Antoine, iv. 732
 " " *Parlatore*, iv. 737
 " *pithyusa*, Steven, v. 1100, 1103 note 3
 " *Poiretiana*, Hort., ii. 407
 " *polita*, Antoine, vi. 1370
 " *ponderosa*, Engelmann, v. 1072
 " *ponderosa*, *Lawson*, v. 1071; ii. 236, 398; iii. 698, 708; iv. 824; v. 1003, 1007, 1092 note 1
 " " cultivation, v. 1075
 " " distribution, v. 1073
 " " history, v. 1073
 " " Montana, tree in, v. 1074, Pl. 281
 " " var. *arizonica*, v. 1073
 " " *Jeffreyi*, v. 1072, 1008, 1071, 1074, 1075, 1076
 " " *macrophylla*, v. 1073
 " " *Mayriana*, v. 1072
 " " *pendula*, v. 1077
 " " *scopulorum*, v. 1072, 1076
 " *pontica*, Koch, iii. 576 note 2
 " *Popocatepetli*, Roehl, v. 1017 note 2
 " *porphyrocarpa*, Murray, v. 1022, 1023 note 2
 " *pseudostrobus*, *Lindley*, v. 1064, 1007
 " " bark, v. 1065

Pinus pseudostrobus, Lindley—continued

- " " var. *apulcensis*, v. 1064, 1065
 " " *tenuifolia*, v. 1065
 " *pumila*, *Regei*, v. 1045, 1003, 1005, 1036 note 2, 1038, 1042 note 2
 " " distribution, v. 1046
 " " Japanese name, v. 1046
 " " seeds as an article of diet, v. 1046 and note 3
 " *pumilio*, Haenke, v. 1127
 " *pungens*, *Lambert*, v. 1106, 1009
 " *pygmaea*, Fischer, v. 1045
 " *pyrenaica*, *Carrière*, v. 1100, 1104
 " " *Lapeyrouse*, ii. 407 note 2; v. 1100 note 2
 " *quadrifolia*, *Parry*, v. 1060
 " *quinquefolia*, *David*, v. 1043
 " *radiata*, *Don*, v. 1079, 1008, 1105 and note 1
 " " cultivation, v. 1081
 " " distribution, v. 1080
 " " Goodwood, tree at, v. 1083, Pl. 283
 " " in England, v. 1081-1083
 " " in Ireland, v. 1084
 " " in Madeira, v. 1084
 " " in New Zealand, v. 1084, 1080 note 7
 " " in Scotland, v. 1083
 " " in South Africa, v. 1084
 " " in the United States, v. 1080, 1084
 " " *Lyndhurst*, tree near, v. 1082, Pl. 282
 " " *Muckcross*, tree at, v. 1084, Pl. 284
 " " remarkable trees, v. 1082
 " " timber, v. 1081
 " " var. *aurea*, v. 1080
 " " *binata*, v. 1080
 " " *macrocarpa*, v. 1080 note 2
 " *reflexa*, *Engelmann*, v. 1047
 " *religiosa*, *Humboldt*, *Bonpland*, et *Kunth*, iv. 808, 809
 " *resinosa*, *Aiton*, v. 1140, 1003, 1010, 1027, 1093
 " " cultivation, v. 1142
 " " distribution, v. 1140
 " " timber, v. 1110, 1142
 " *resinosa*, *Loiseleur*, v. 1100
 " *rigensis*, *Desfontaines*, iii. 573
 " *rigida*, *Miller*, v. 1087, 1008, 1027, 1090, 1092, 1093, 1096 note 1
 " " *Arley Castle*, tree at, v. 1089, Pl. 286
 " " cultivation, v. 1089
 " " distribution, v. 1088
 " " tapped for resin, v. 1094
 " " timber, v. 1090
 " " var. *serotina*, v. 1090
 " *Royleana*, *Jamieson*, v. 1107
 " *rubra*, *Lambert*, vi. 1377
 " " *Michaux f.*, v. 1140
 " " *Miller*, vi. 1377 note 3
 " " var. *violacea*, vi. 1382
 " *rudis*, *Endlicher*, v. 1062

1994 The Trees of Great Britain and Ireland

Pinus—continued

- " *rupestris*, Michaux f., v. 1109
- " *Russelliana*, Lindley, v. 1061, 1063
- " *Sabiniana*, Douglas, v. 1069, 1007, 1067,
1076 note 3
- " " Ledbury, tree at, v. 1070, Pl.
280
- " " liquid exudation, v. 1070
- " *Salzmanni*, Dunal, ii. 407, 409
- " *Schrenkiana*, Antoine, vi. 1364
- " *scipioniformis*, Masters, v. 1043
- " *scopulorum*, Lemmon, v. 1072
- " *selenolepis*, Parlatores, iv. 768
- " *serotina*, Michaux, v. 1090, 1008, 1093
note 3
- " *Shasta*, Carrière, v. 1048
- " *sibirica*, Mayr, v. 1035, 1036
- " " Turczaninow, iv. 758
- " *Sinclairii*, Hooker et Arnott, v. 1079 and
note 2
- " *sitchensis*, Bongard, i. 92
- " *Smithiana*, Wallich, vi. 1366
- " *spectabilis*, D. Don, iv. 750
- " *spinulosa*, Griffith, vi. 1392
- " *squarrosa*, Walter, v. 1098
- " *strobiformis*, Engelmann, v. 1018, 1047
note 4
- " " Sudworth, v. 1047
- " *Strobus*, Linnaeus, v. 1025; iv. 819; v.
1003, 1004, 1024, 1088, 1093,
1141
- " " cultivation, v. 1028
- " " distribution, v. 1026
- " " history, v. 1028
- " " in Belgium, v. 1030
- " " in England, v. 1030
- " " in Germany, v. 1029
- " " in Ireland, v. 1032
- " " in Scotland, v. 1031
- " " in Wales, v. 1031
- " " remarkable trees, v. 1030
- " " reproductive power, v. 1028
- " " timber, v. 1029, 1032, 1042,
1095, 1099, 1110, 1141, 1142
- " " var. *aurea*, v. 1026
- " " monophylla, v. 1026
- " " *monticola*, v. 1022
- " " *nana*, v. 1026
- " " *nivea*, v. 1026
- " " *variegata*, v. 1026
- " " *zebrina*, v. 1026
- " *sylvestris*, Linnaeus, iii. 571; v. 1010, 1116,
1127, 1129, 1130, 1133
- " " distribution, etc. See Pine, Scots
- " " var. *argentea*, iii. 575
- " " *aurea*, iii. 575
- " " *divaricata*, v. 1109
- " " *engadinensis*, iii. 573, 574;
vi. 1362 note 1
- " " *genuina*, iii. 573
- " " *globosa*, iii. 575
- " " *Haguenensis*, iii. 573
- " " *hamata*, v. 1130 note 2
- " " *lapponica*, iii. 573

Pinus sylvestris, Linnaeus—continued

- " " var. *maritima*, ii. 410
- " " *microphylla*, iii. 575
- " " *monophylla*, iii. 575; v. 1056
note 2
- " " *nana*, iii. 575
- " " *nevadensis*, iii. 574
- " " *norvegica*, v. 1140
- " " *pendula*, iii. 575
- " " *pumila*, iii. 575
- " " *pyramidalis*, iii. 575
- " " *reflexa*, iii. 574
- " " *rigensis*, iii. 573
- " " *scotica*, iii. 573
- " " *uralensis*, iii. 574
- " " *variegata*, iii. 575
- " " *virgata*, iii. 574
- " *syratica*, Thore, v. 1113
- " *Taeda*, Linnaeus, v. 1094, 1009, 1093 and
note 3
- " " distribution, v. 1094, 1098
- " " timber, v. 1095, 1099 note 1
- " " var. *A*, v. 1087
- " " *echinata*, v. 1098
- " " *rigida*, v. 1087
- " " *variabilis*, v. 1098
- " *Tamrac*, A. Murray, v. 1136
- " *taurica*, Loddiges, ii. 407
- " *taxifolia*, Lambert, iv. 814
- " *tenuifolia*, Benthams, v. 1065
- " " Salisbury, v. 1025
- " *tenuis*, Lemmon, v. 1136
- " *Teocote*, Schlechtendal et Chamisso, v. 1086,
1008
- " " etymology, v. 1086 note 2
- " " var. *macrocarpa*, v. 1086
- " *Thunbergii*, Parlatores, v. 1143, 1010, 1126
note 5
- " " cultivation, v. 1145
- " " distribution, v. 1144
- " " hybrids, v. 1144
- " " timber, v. 1144
- " " var. *aurea*, v. 1143
- " " monophylla, v. 1143
- " " *variegata*, v. 1144
- " *Torreyana*, Parry, v. 1065, 1007
- " " distribution, v. 1066
- " *Tschugatskoi*, v. 1197 note 2
- " *tuberculata*, Don, v. 1079
- " *tuberculata*, Gordon, v. 1077, 1008, 1113
note 3
- " *uliginosa*, Neumann, v. 1127
- " *uncinata*, Ramond, v. 1127
- " *variabilis*, Lambert, v. 1098, 1099
- " *Veitchii*, Roetzl, v. 1017
- " *venusta*, Douglas, iv. 796, 797
- " *viminialis*, Sparman, vi. 1339
- " *virginiana*, Miller, v. 1107, 1009
- " " var. *echinata*, v. 1098
- " *Webbiana*, Wallich, iv. 750, 751 note
- " *Winchesteriana*, Gordon, v. 1061
- Plane, iii. 611. See also Platanus
- " American. See Plane, Western
- " fossil species, iii. 612

Plane—*continued*

- „ London, iii. 616. *See also* *Platanus orientalis*, var. *acerifolia*
- „ „ Albury, tree at, iii. 625, Pl. 178
- „ „ disease, iii. 618
- „ „ history, iii. 619; Errata, 1940
- „ „ in England, iii. 624
- „ „ in Ireland, iii. 626
- „ „ in Scotland, iii. 626
- „ „ in Wales, iii. 626
- „ „ leaves, iii. 616, Pl. 204, Fig. 1
- „ „ remarkable trees, iii. 624
- „ „ various forms, iii. 616
- „ Maple-leaved. *See* Plane, London
- „ Oriental, iii. 614. *See also* *Platanus orientalis*
- „ „ Arabic name, iii. 617
- „ „ Corsham Court, tree at, iii. 622, Pl. 175
- „ „ cultivation, iii. 620
- „ „ distribution, iii. 617
- „ „ Ely, tree at, iii. 621, Pl. 174
- „ „ history, iii. 619
- „ „ in Crete, evergreen, iii. 617
- „ „ in Eastern Europe, iii. 623
- „ „ in England, iii. 621
- „ „ in Ireland, iii. 623
- „ „ in Scotland, iii. 623
- „ „ in Syria, iii. Pl. 176 B
- „ „ remarkable trees, iii. 621
- „ „ timber, iii. 626
- „ „ varieties, iii. 615
- „ „ Weston Park, tree at, vi. Pl. 367
- „ Western, iii. 627, 618. *See also* *Platanus occidentalis*
- „ „ cultivation, iii. 628
- „ „ distribution, iii. 627
- „ „ history, iii. 619
- „ „ in America, iii. Pl. 176 A
- „ „ largest in N. America, iii. 628
- „ „ leaves, iii. 627, Pl. 204, Fig. 2
- PLANERA, Gmelin, sub-genus *ABELICEA*, Planchon, iv. 914
- Planera *acuminata*, Lindley, iv. 920
- „ *aquatica*, Gmelin, iv. 917 note 3
- „ *carpinifolia*, Watson, iv. 915
- „ *crenata*, Desfontaines, iv. 915
- „ *japonica*, Miquel, iv. 920
- „ *Keaki*, Koch, iv. 920
- „ *parvifolia*, Sweet, vii. 1928
- „ *Richardii*, Michaux, iv. 915
- Plants, Miscellaneous, and Witches' Brooms—
- Arceuthobium *occidentale*, v. 1075 note 3, 1080 note 9
- „ *oxycedri*, v. 1075 note 3; vi. 1410
- Coelogyne *ochracea*, i. 106
- Cypripedium *Calceolus*, i. 121; iii. 581
- Echinopanax *horridum*, iv. 956 note
- Goodyera *repens*, iii. 577 note 2
- Lathraea *squamaria*, vii. 1806
- Loranthus *europæus*, v. 1269
- „ *tetrandus*, vii. 1801 note 5

Plants, Miscellaneous, and Witches' Brooms—*cont.*

- Mistletoe, on Black Walnut, ii. 268
- „ on Chestnut, in Italy, iv. 843
- „ on Lime, vii. 1672
- „ on Monterey Pine, v. 1080 note 9
- „ on Norway Maple, iii. 658
- „ on Oak, ii. 331 note 2, 333; v. 1269
- „ on Poplars, vii. 1820
- „ on Silver Fir, iv. 726
- „ on Whitethorn, vii. 1738
- Myzodendron *linearifolium*, iii. 555
- „ *oblongifolium*, iii. 555 note
- „ *punctulatum*, iii. 555 note
- Polypodium *falcatum*, iv. 956 note
- Reseda *Luteola*, v. 1240 note 2
- Tillandsia *usneoides*, i. 178
- Viscum *album*. *See* Mistletoe *above*
- „ *laxum*, iv. 843
- Vitis *Coignetiae*, i. 133
- Wistaria, i. 133
- Witches' Broom, on Birch, iv. 963
- „ „ on Elm, vii. 1899
- „ „ on Larch, vi. Pl. 369
- „ „ on Lawson Cypress, iii. 594 note
- „ „ on Scots Pine, iii. 594
- „ „ on Silver Fir, iv. 725
- „ „ on Spruce, iii. 594 note; vi. 1345
- „ „ on Whitethorn, vii. 1734
- „ „ on White Willow, vii. 1761
- PLATANUS, Linnæus, iii. 611. *See also* Plane
- „ key to species, iii. 612
- Platanus *acerifolia*, Willdenow, iii. 614, 616; Errata, 1940
- „ *aceris folio*, Miller, iii. 619
- „ *cuneata*, Willdenow, iii. 614, 615
- „ *digitata*, Gordon, iii. 614, 616
- „ *glabrata*, Fernald, iii. 612 note 3
- „ *hispanica*, Tenore, iii. 614
- „ *hybrida*, Brotero, iii. 627
- „ *laciniata*, Dumont de Courset, iii. 614
- „ *Lindeniana*, Martens et Galeotti, iii. 613
- „ *lobata*, Moench, iii. 627
- „ *mexicana*, Moricand, iii. 613
- „ *occidentalis*, Linnæus, iii. 627, 612, 616, 619
- „ „ distribution, etc. *See* Plane, Western
- „ *occidentalis*, Miller, iii. 619
- „ *orientalis*, Linnæus, iii. 614, 612
- „ „ distribution, etc. *See* Plane, Oriental
- „ „ var. *acerifolia*, iii. 616, 614 note 1, 618, 619, 624
- „ „ „ history, etc. *See* Plane, London
- „ „ „ kelseyana, iii. 616
- „ „ „ pyramidalis, iii. 616
- „ „ „ Suttneri, iii. 616
- „ „ *argenteo-variegata*, iii. 616
- „ „ *californica*, iii. 616
- „ „ *cuneata*, iii. 615, 618
- „ „ „ leaves, iii. 615, Pl. 204, Fig. 3

1996 The Trees of Great Britain and Ireland

Platanus orientalis—continued

- " " var. *digitata*, iii. 616
- " " *insularis*, iii. 615, 619
- " " *liquidambarifolia*, iii. 615
note 1
- " " *typica*, iii. 615, 616, 621, 626
- " " " leaves, iii. 615, Pl. 204,
Fig. 4
- " " *undulata*, iii. 615
- " " *vera*, iii. 619
- " *palmata*, Moench, iii. 614
- " *racemosa*, Nuttall, iii. 613
- " *vulgaris*, Spach, iii. 614
- " var. *angulosa*, iii. 627
- " *Wrightii*, Watson, iii. 613

PODOCARPUS, vi. 1459

- Podocarpus argotaenia*, Hance, vi. 1468 note 4
- " *koriana*, Siebold, vi. 1471
- " *nucifera*, Persoon, vi. 1463
- " *sutchuenensis*, Franchet, vi. 1475

Poh or Peh tree, i. 199; v. 1164

Polypodium falcatum. See Plants, Miscellaneous

Polyporus. See Fungi

Poplar, vii. 1770. See also *Populus*

- " *Balsam*, vii. 1832, 1774. See *Populus balsamifera*
- " *Black*, vii. 1795, 1772. See also *Populus nigra*
- " " distribution, vii. 1802
- " " hybrids, vii. 1773, 1814
- " " leaves, vii. 1797, Pl. 409, Fig. 12
- " " remarkable trees, vii. 1804
- " " timber, vii. 1823, 1824
- " " varieties, vii. 1796
- " *Black Italian*, vii. 1816. See also *Populus serotina*
- " " " Belgium, trees in, vii. 1817,
Pl. 385
- " " " Belton, tree at, vii. 1821,
Pl. 386
- " " " cultivation, vii. 1818
- " " " leaves, vii. 1811 note 2,
1816, Pl. 409, Fig. 16
- " " " remarkable trees, vii. 1820
- " " " timber, vii. 1822, 1785, 1824
- " " " varieties, vii. 1817
- " " "blistered," i. 74. See *Liriodendron Tulipifera*
- " *Canadian Black*, vii. 1807. See also *Populus monilifera*
- " " " distribution, vii. 1808
- " " " history, vii. 1814
- " " " hybrids, vii. 1773, 1814
- " " " leaves, vii. 1807, Pl. 409,
Fig. 14
- " " " timber, vii. 1810
- " " " variety, vii. 1808
- " *Carolina*, vii. 1810. See also *Populus angulata*
- " " *Danny Park*, tree at, and ground
plan, vii. 1812, 1813, Pl. 384
- " " distribution, vii. 1808
- " " history, vii. 1814
- " " hybrids, vii. 1773, 1814

Poplar, Carolina—continued

- " " leaves, vii. 1810, 1811 note 2,
Pl. 409, Fig. 15
 - " " remarkable trees, vii. 1812
 - " " varieties, vii. 1811
 - " *Continental Black*, vii. 1796. See *Populus nigra*, var. *typica*
 - " *English Black*, vii. 1796. See *Populus nigra*, var. *betulifolia*
 - " "Eucalyptus," vii. 1825
 - " *Grey*, vii. 1780. See also *Populus canescens*
 - " " *Colesborne*, tree at, vii. 1784, Pl. 382
 - " " hybrid, vii. 1782
 - " " leaves, vii. 1781, Pl. 408, Fig. 3
 - " " remarkable trees, vii. 1784
 - " " timber, vii. 1785, 1823, 1824
 - " hybrids, vii. 1814, 1773, 1775 note 2
 - " *Lombardy*, vii. 1798, 1773. See *Populus nigra*, var. *italica*
 - " *Ontario*, vii. 1834. See *Populus canadensis*
 - " raising from seed, vii. 1776
 - " *White*, vii. 1777, 1772. See also *Populus alba*
 - " " distribution, vii. 1779
 - " " hybrids, vii. 1782 note 4
 - " " leaves, vii. 1777, Pl. 408, Fig. 1
 - " " timber, vii. 1823, 1824
 - " " varieties, vii. 1777
 - " *Yellow*, i. 65 note 1; iii. 514. Cf. *Liriodendron Tulipifera*
- POPULUS, Linnæus, vii. 1770. See also *Poplar*
- " section *AIGEIROIS*, Duby, vii. 1772
 - " " *LEUCE*, Duby, vii. 1772
 - " " *LEUCOIDES*, Spach, vii. 1775
 - " " *TACAMAHACA*, Spach, vii. 1774
 - " " *TURANGA*, Bunge, vii. 1771,
1770 note 1
- Populus alba*, Burkill, vii. 1786
- " " *Dode*, vii. 1780
 - " *alba*, Linnæus, vii. 1777, 1772, 1776,
1781 note 3, 1782
 - " " distribution, etc. See *Poplar*, *White*
 - " " var. *acerifolia*, vii. 1777
 - " " *arembergiana*, vii. 1777
 - " " *argentea*, vii. 1777
 - " " *Bolleana*, vii. 1778
 - " " *canescens*, vii. 1780
 - " " *croatica*, vii. 1778 note 4
 - " " *denudata* (Maximowicz), vii.
1786
 - " " *denudata* (Wesmael), vii. 1777
 - " " *foliis minoribus*, vii. 1780
 - " " *genuina*, vii. 1780
 - " " *globosa*, vii. 1779
 - " " *integrifolia*, vii. 1778
 - " " *nivea*, vii. 1777
 - " " *pendula*, vii. 1779
 - " " *pyramidalis*, vii. 1778 and note 7,
1799 note 7
 - " " *Richardi*, vii. 1779
 - " " *subintegerima*, vii. 1778
 - " " *tomentosa*, vii. 1786
 - " " *typica*, vii. 1780
 - " *alba*, Willdenow, vii. 1780

Populus—continued

- „ *albo-tremula*, Krause, vii. 1782 note 4
 „ *angulata*, Aiton, vii. 1810, 1773, 1807, 1815, 1830
 „ „ distribution, etc. See Poplar, Carolina
 „ „ var. *cordata*, vii. 1811
 „ „ „ *robusta*, vii. 1829
 „ „ *missouriensis*, vii. 1811, 1809 note 2
 „ *angulosa*, Michaux, vii. 1810
 „ *angustifolia*, James, vii. 1831, 1775
 „ „ leaves, vii. 1831, Pl. 410, Fig. 26
 „ *angustifolia*, Newberry, vii. 1836
 „ *atheniensis*, Ludwig, vii. 1791
 „ *australis*, Tenore, vii. 1787
 „ *Bachofenii*, Reichenbach, vii. 1780
 „ „ Wierzbicki, vii. 1780 note 5
 „ *balsamea*, vii. 1835 note 7
 „ ? *balsamifera*, J. D. Hooker, vii. 1840
 „ *balsamifera*, Linnæus, vii. 1832, 1774, 1834, 1837, 1840 note 1
 „ „ Bute House, Petersham, tree at, vii. 1833, Pl. 387
 „ „ leaves, vii. 1832, Pl. 410, Fig. 27
 „ „ var. *angustifolia*, vii. 1831
 „ „ *candicans*, vii. 1834
 „ „ γ (Hooker), vii. 1836
 „ „ *intermedia*, vii. 1841
 „ „ *laurifolia*, vii. 1842
 „ „ *Simonii*, vii. 1839
 „ „ *suaveolens* (Burkill), vii. 1838
 „ „ „ (Loudon), vii. 1841
 „ „ *viminalis*, vii. 1842
 „ *balsamifera*, Lyall, vii. 1836
 „ „ Miller, vii. 1810
 „ „ Pallas, vii. 1841
 „ *berolinensis*, Dippel, vii. 1844, 1775
 „ „ leaves, vii. 1844, Pl. 410, Fig. 29
 „ *Besseyana*, Dode, vii. 1810
 „ *betulifolia*, Pursh, vii. 1796
 „ *Bogueana*, Dode, vii. 1781, 1786 note 3
 „ *Bolleana*, Carrière, vii. 1778
 „ *Brandegeei*, Schneider, vii. 1778
 „ *canadensis*, Desfontaines, var. *angustifolia*, vii. 1831
 „ „ Hartig, vii. 1827, 1828
 „ „ Mathieu, vii. 1816
 „ „ Michaux, vii. 1807, 1809 note 3, 1814
 „ „ Moench, vii. 1807 note 5
 „ „ Poirét, vii. 1815
 „ „ var. *aurea van Geerti*, vii. 1817
 „ „ *grandifolia*, vii. 1824
 „ *candicans*, Aiton, vii. 1834, 1774, 1807 note 5, 1832, 1833
 „ „ leaves, vii. 1834, Pl. 410, Fig. 22
 „ „ variegated form, vii. 1834

Populus—continued

- „ *canescens*, Dode, vii. 1782 note 1
 „ „ Reichenbach, vii. 1788
 „ *canescens*, Smith, vii. 1780, 1770, 1772, 1776, 1777, 1779 and note 2, 1790
 „ „ remarkable trees, etc. See Poplar, Grey
 „ „ var. *pendula*, vii. 1791 note 2
 „ *carolinensis*, Fougereux de Bondaroy, vii. 1810
 „ „ Moench, vii. 1810
 „ *cercidiphylla*, Britton, vii. 1791
 „ *certinensis*, Dieck, vii. 1844, 1845
 „ *ciliata*, vii. 1834, 1838, 1840 note 4
 „ *coloradensis*, Dode, vii. 1831
 „ *cordata*, Simon-Louis, vii. 1811 note 1
 „ *croatia*, Waldstein and Kitaibel, vii. 1778 note 4, 1798 note 4
 „ *deltoides*, Marshall, vii. 1807 note 6
 „ *deltoides*, Marshall, vii. 1808
 „ „ Sargent, vii. 1807
 „ „ var. *erecta*, vii. 1826
 „ *deltoides*, Sudworth, vii. 1807
 „ *dilatata*, Aiton, vii. 1798
 „ *elegans*, Ellwanger and Barry, vii. 1798
 „ *Eugenei*, Simon-Louis, vii. 1826, 1773, 1776, 1818, 1830
 „ „ leaves, vii. 1826, Pl. 409, Fig. 17
 „ *euphratica*, Olivier, vii. 1771, 1752
 „ *euxylon*, Dode, vii. 1828
 „ *Fargesii*, Franchet, vii. 1846
 „ *fastigiata*, Poirét, vii. 1798
 „ „ var. *pannonica*, vii. 1798 note 4
 „ „ *plantiensis*, vii. 1802
 „ *Fremontii*, Watson, vii. 1794, 1773
 „ „ leaves, vii. 1795, Pl. 409, Fig. 13
 „ „ var. *Wislizeni*, vii. 1795
 „ *græca*, Aiton, vii. 1791 note 1
 „ „ Grisebach, vii. 1787
 „ „ Loudon, vii. 1791
 „ *grandidentata*, Michaux, vii. 1792, 1772
 „ „ leaves, vii. 1792, Pl. 408, Fig. 7
 „ „ var. *pendula*, vii. 1793, 1794 notes 1 and 2
 „ *hastata*, Dode, vii. 1836, 1837
 „ *helvetica*, Poederlé, vii. 1816
 „ *Henryana*, Dode, vii. 1829, 1774
 „ „ leaves, vii. 1829, Pl. 409, Fig. 18
 „ *heteroloba*, Dode, vii. 1777 note 3, 1780 note 5
 „ *heterophylla*, Du Roi, vii. 1810
 „ *heterophylla*, Linnæus, vii. 1775, 1846 note 2, Pl. 408, Fig. 10
 „ *hispida*, Haussknecht, vii. 1797 note 2
 „ *hudsonica*, Michaux f., vii. 1796, 1797 note 5
 „ *hybrida*, Bieberstein, vii. 1780 note 4
 „ „ Reichenbach, vii. 1780
 „ *hybrida berolinensis*, Koch, vii. 1844

1998 The Trees of Great Britain and Ireland

Populus—continued

- " *illicitana*, Dode, vii. 1771 note 2
- " *incrassata*, Dode, vii. 1826 note 1
- " *italica*, Moench, vii. 1798
- " *lasiocarpa*, Oliver, vii. 1846, 1775
- " " leaves, vii. 1846, Pl. 408, Fig. 9
- " *latifolia*, Moench, vii. 1807 note 5
- " *laurifolia*, Ledebour, vii. 1842, 1775
- " " hybrids, vii. 1843
- " " leaves, vii. 1842, Pl. 410, Fig. 30
- " *Lindleyana*, Carrière, vii. 1842
- " *Lloydii*, A. Henry, vii. 1830, 1774, 1796 note 1, 1816
- " " leaves, vii. 1830, Pl. 409, Fig. 21
- " *macrophylla*, Lindley, vii. 1834
- " " Loddiges, vii. 1810
- " *major*, Miller, vii. 1777
- " *marilandica*, Bosc, vii. 1828, 1774, 1776, 1815, 1827
- " " leaves, vii. 1828, Pl. 409, Fig. 19
- " Maximowiczii, A. Henry, vii. 1838, 1774
- " " leaves, vii. 1838, Pl. 410, Fig. 24
- " *megaleuce*, Dode, vii. 1780
- " *Michauxi*, Dode, vii. 1832
- " *monilifera*, Aiton, vii. 1807, 1773, 1776, 1815
- " " distribution, etc. See Poplar, Canadian Black
- " " var. *erecta*, vii. 1817
- " " occidentalis, vii. 1808, 1809
- " *monilifera*, Hort. Paris, vii. 1815
- " " Michaux f., vii. 1816
- " " Torrey, vii. 1794
- " *monticola*, Brandegee, vii. 1778
- " *Morisetiana*, Dode, vii. 1777 note 3
- " *Muelleriana*, Dode, vii. 1796
- " *nigra*, Dode, vii. 1796
- " *nigra*, Linnæus, vii. 1795, 1773, 1776, 1815, 1831 note
- " " distribution, etc. See Poplar, Black
- " " var. *betulaefolia*, vii. 1796
- " " *betulifolia*, vii. 1796, 1773, 1797, 1802, 1830
- " " *helvetica*, vii. 1815, 1816
- " " *hudsonica*, vii. 1796
- " " *italica*, vii. 1798
- " " Brunswick, tree at, vii. 1798, Pl. 383
- " " timber, vii. 1824
- " " *italica* × *P. laurifolia*, vii. 1844
- " " *pannonica*, vii. 1798 note 4
- " " *plantierensis*, vii. 1802, 1773
- " " *pubescens*, vii. 1797 note 2
- " " *pyramidalis*, vii. 1798
- " " *typica*, vii. 1796, 1773
- " " leaves, vii. 1796, Pl. 409, Fig. 11
- " " *viadri*, vii. 1802
- " " *viridis*, vii. 1796

Populus—continued

- " *nigra*, Michaux, vii. 1796
- " *nivea*, Willdenow, vii. 1777
- " *occidentalis*, Britton, vii. 1808
- " *ontariensis*, Desfontaines, vii. 1834
- " *Paletskyana*, Dode, vii. 1777 note 3
- " *palmata*, Dode, vii. 1777 note 3
- " *pannonica*, Kitaibel, vii. 1798 note 4
- " *pekinensis*, L. Henry, vii. 1786
- " *pendula*, Burgsdorf, vii. 1788
- " *petrowskyana*, Schroeder, vii. 1844, 1775 note 2, 1841 note 2
- " *plantierensis*, Dode, vii. 1802
- " *pruinosa*, Schrenk, vii. 1771 note 2
- " Przewalskii, Maximowicz, vii. 1841
- " ? *pseudobalsamifera*, Fischer, vii. 1844
- " pseudo-grandidentata, Dode, vii. 1793
- " " leaves, vii. 1793, Pl. 408, Fig. 8
- " *pyramidalis*, Borkhausen, vii. 1798
- " " var. *meetenensis*, vii. 1826
- " " *Thaysiana*, vii. 1801 note 6
- " *pyramidata*, Moench, vii. 1798
- " *rasumowskyana*, Schroeder, vii. 1843, 1775 note 2, 1841 note 2, 1844 and note 2
- " *regenerata*, Schneider, vii. 1824, 1773, 1815
- " " Beauport, peculiar hybrid at, vii. 1826
- " *robusta*, Schneider, vii. 1829, 1774, 1776, 1818, 1831
- " " leaves, vii. 1829, Pl. 409, Fig. 20
- " *rotundifolia*, Simon-Louis, vii. 1794
- " *salicifolia*, Rafinesque, vii. 1831
- " *Sargentii*, Dode, vii. 1808
- " *serotina*, Hartig, vii. 1816, 1773, 1803, 1805, 1807 note 4, 1828 note 3, 1830
- " " cultivation, etc. See Poplar, Black Italian
- " " var. *aurea*, vii. 1817
- " " *erecta*, vii. 1817
- " *Sieboldii*, Miquel, vii. 1794, 1772
- " " leaves, vii. 1794, Pl. 408, Fig. 6
- " *Simonii*, Carrière, vii. 1839, 1775
- " " leaves, vii. 1839, Pl. 410, Fig. 28
- " *Steiniana*, Bornmüller, vii. 1780
- " *suaveolens*, Fischer, vii. 1841, 1774, 1838
- " " leaves, vii. 1841, Pl. 410, Fig. 25
- " *suaveolens*, Regel, vii. 1838
- " *subintegerrima*, Dode, vii. 1778
- " *Tacamahaca*, Miller, vii. 1834
- " *thevestina*, Dode, vii. 1798 note 2
- " *tomentosa*, Carrière, vii. 1786, 1772, 1777
- " " leaves, vii. 1786, Pl. 408, Fig. 2
- " *tremula*, Linnæus, vii. 1787, 1772, 1781, 1782
- " " fossil, vii. 1783 note 2
- " " hybrids, vii. 1782 and note 4
- " " leaves, vii. 1787, Pl. 408, Fig. 4
- " " timber, vii. 1790, 1823, 1824
- " " var. *ampliori folio*, vii. 1793 note 2
- " " Freyni, vii. 1787
- " " *pendula*, vii. 1788

Populus tremula, *Linnaeus*—continued

- " " var. *pseudo-grandidentata*, vii. 1793
 " " *purpurea*, vii. 1787 note 2
 " " *villosa* (Franchet and Savatier), vii. 1794
 " " *villosa* (Wesmael), vii. 1788, 1782 note 4
 " *tremuliformis*, Emerson, vii. 1791
 " *tremuloides*, *Michaux*, vii. 1791, 1772, 1790, 1793
 " " leaves, vii. 1791, Pl. 408, Fig. 5
 " " var. *pendula*, vii. 1791
 " *trepida*, Willdenow, vii. 1791
 " *Treyviana*, Dode, vii. 1777 note 3
 " *trichocarpa*, *Torrey et Grey*, vii. 1836, 1775, 1834
 " " leaves, vii. 1836, Pl. 410, Fig. 31
 " " Vancouver Island, tree in, vii. 1837, Pl. 388
 " " var. *cupulata*, vii. 1837 note 1
 " " *hastata*, vii. 1837
 " " *ingrata*, vii. 1837
 " *triloba*, Dode, vii. 1777 note 3
 " *tristis*, *Fischer*, vii. 1840, 1774
 " " leaves, vii. 1840, Pl. 410, Fig. 23
 " *Vaillantiana*, Dode, vii. 1796
 " *viadri*, Rüdiger, vii. 1802
 " *villosa*, Lange, vii. 1788
 " *virginiana*, Fougereux de Bondaroy, vii. 1807, 1814
 " " Hort., vii. 1815
 " " Mirbel, vii. 1816
 " *vistulensis*, Hort., vii. 1803 note 1
 " *Wisliczeni*, Sargent, vii. 1795
 " *Wobstii*, *Schroeder*, vii. 1843, 1775
 " *wutaica*, Mayr, vii. 1786 note 1
 " *yunnanensis*, Dode, vii. 1840

Prays curtisellus. See Insects

PRINOS, *Linnaeus*, vii. 1702

PRUMNOPITYS, i. 99

PRUNUS, *Linnaeus*, vi. 1534. See also Cherry

- " section CERASUS, vi. 1534
 " LAUROCERASUS, vi. 1535
 " PADUS, vi. 1534

Prunus acida, Ehrhart, vi. 1541 note 1

- " " Koch, vi. 1541
 " *alabamensis*, *Mohr*, vi. 1547
 " *australis*, *Beadle*, vi. 1547
 " *Avium*, *Linnaeus*, vi. 1535, 1534
 " " cultivation, vi. 1537
 " " distribution, vi. 1536
 " " fossil, vi. 1537
 " " George's Green, Slough, tree at, vi. 1539, Pl. 355
 " " hybrid, vi. 1536
 " " remarkable trees, vi. 1537
 " " Savernake Forest, tree in, vi. 1538, Pl. 354
 " " timber, vi. 1540
 " " var. *aspleniifolia*, vi. 1536
 " " *decumana*, vi. 1536
 " " *duracina*, vi. 1536
 " " *flore pleno*, vi. 1536
 " " *Juliana*, vi. 1536

Prunus Avium, *Linnaeus*—continued

- " " var. *regalis*, vi. 1536
 " " *salicifolia*, vi. 1536
 " *borealis*, Salisbury, vi. 1544
 " *Capuli*, *Cavanilles*, vi. 1547
 " *Cerasus*, *Linnaeus*, vi. 1541, 1534
 " " var. *acida*, vi. 1541
 " " *aucubæfolia*, vi. 1541
 " " *Avium*, vi. 1535
 " " *cucullata*, vi. 1541
 " " *globosa*, vi. 1541
 " " *persiciflora*, vi. 1541
 " " *ranunculiflora*, vi. 1541
 " " *Rhexii*, vi. 1541
 " " *semperflorens*, vi. 1541
 " *cornuta*, Steudel, vi. 1544
 " *Cupaniana*, Gussone, vi. 1542
 " *Cuthbertii*, *Small*, vi. 1546
 " *domestica*, *Linnaeus*, i. 148
 " *Fontanesiana*, *Schneider*, vi. 1536
 " *græca*, Desfontaines, vi. 1536
 " *Grayana*, *Maximowicz*, vi. 1544 note 3
 " *Lauchiana*, *Bolle*, vi. 1544 note 2
 " *Laurocerasus*, *Linnaeus*, vi. 1551, 1535
 " " distribution and cultivation, vi. 1552
 " " var. *angustifolia*, vi. 1552
 " " *brachystachius*, vi. 1551
 " " *camelliaefolia*, vi. 1552
 " " *laurifolius*, vi. 1551
 " " *parvifolia*, vi. 1552
 " " *rotundifolia*, vi. 1552
 " " *schipkaensis*, vi. 1551
 " " *serbica*, vi. 1552
 " " *variegata*, vi. 1552
 " *lusitanica*, *Linnaeus*, vi. 1553, 1535
 " " distribution and cultivation, vi. 1554
 " " var. *azorica*, vi. 1554
 " " *Hixa*, vi. 1554
 " " *myrtifolia*, vi. 1554
 " " *variegata*, vi. 1554
 " *Mahaleb*, *Linnaeus*, vi. 1542, 1534
 " " var. *albo-marginata*, vi. 1543
 " " *chrysocarpa*, vi. 1542
 " " *Cupaniana*, vi. 1542
 " " *globosa*, vi. 1542
 " " *monstrosa*, vi. 1543
 " " *transilvanica*, vi. 1542
 " " *variegata*, vi. 1543
 " *odorata*, Lamarck, vi. 1542
 " *Padus*, *Linnaeus*, vi. 1543, 1535
 " " distribution, vi. 1545
 " " fossil, vi. 1545
 " " var. *aucubæfolia*, vi. 1545
 " " *aurea*, vi. 1545
 " " *borealis*, vi. 1544
 " " *bracteosa*, vi. 1545
 " " *commutata*, vi. 1544
 " " *cornuta*, vi. 1544
 " " *leucocarpa*, vi. 1544
 " " *petræa*, vi. 1544
 " " *pubescens*, vi. 1544
 " " *rotundifolia*, vi. 1544 note 2

2000 The Trees of Great Britain and Ireland

Prunus—continued

- „ *petraea*, Tausch, vi. 1544
- „ *racemosa*, Lamarck, vi. 1543
- „ *salicifolia*, *Humboldt, Bonpland, and Kunth*, vi. 1547
- „ *semperflorens*, Ehrhart, vi. 1541
- „ *serotina*, *Ehrhart*, vi. 1546, 1535
- „ „ bark, vi. 1550
- „ „ cultivation, vi. 1548
- „ „ distribution, vi. 1548
- „ „ timber, vi. 1550
- „ „ var. *aspleniifolia*, vi. 1547
- „ „ *cartilaginea*, vi. 1547
- „ „ *neomontana*, vi. 1546
- „ „ *pendula*, vi. 1547
- „ „ *phelloides*, vi. 1547
- „ „ *salicifolia*, vi. 1547
- „ „ *variegata*, vi. 1547
- „ *spinosa*, var. *præcox*, vii. 1736 note 3
- „ *virginiana*, *Linnaeus*, vi. 1546
- „ *virginiana*, *Miller*, vi. 1546

PSEUDACACIA, Moench, vi. 1496

Pseudacacia hispida, Moench, vi. 1508

„ *odorata*, Moench, vi. 1497

PSEUDOLARIX, Gordon, vi. 1477; i. 172

Pseudolarix Fortunei, *Mayr*, vi. 1477

„ „ remarkable trees, vi. 1479

„ „ var. *nana*, vi. 1479 and note 4

„ *Kaempferi*, Gordon, ii. 384 note 2; vi. 1477

PSEUDOTSUGA, *Carrière*, iv. 811

„ key to species, iv. 812

Pseudotsuga Davidiana, *Bertrand*, vi. 1475

„ *Douglasii*, *Carrière*, iv. 814, 812

„ „ age of mature trees, iv. 820

„ „ blight, iv. 826

„ „ Buckhold, rate of growth at, iv. 826

„ „ cultivation, iv. 824

„ „ distribution, iv. 816

„ „ “Douglas Flagstaff,” in Kew Gardens, iv. 822

„ „ Dunster Castle, plantation, iv. 830

„ „ Eggesford, tree at, iv. 827, Pl. 229

„ „ Endsleigh, plantation, iv. 829

„ „ fungus attacks, iv. 826

„ „ in America, iv. 816

„ „ in England, iv. 827-830

„ „ in Germany, at Sachsenwald, iv. 835

„ „ in Ireland, iv. 835

„ „ in Scotland, iv. 831

„ „ in Vancouver, forest, iv. 819, Pl. 228; largest tree, at Barkley's Farm, iv. 818, Pl. 227

„ „ introduction, iv. 824

„ „ lumbering, iv. 821

„ „ Lynedoch, tree at, iv. 831, Pl. 230

„ „ masts of racing yachts, used for, iv. 823

Pseudotsuga Douglasii, *Carrière*—continued

„ „ Powis Castle, trees at, iv. 828

„ „ rapid growth, iv. 819

„ „ remarkable trees, iv. 827

„ „ Scone Palace, one of the oldest trees at, iv. 831

„ „ Taymount, plantation, iv. 832

„ „ tendency to form large branches, iv. 834

„ „ timber, iii. 698; iv. 819, 836

„ „ Tortworth, plantation, iv. 830, Pl. 231

„ „ trees associated with, iv. 817, 818

„ „ var. *elongata*, iv. 816

„ „ *Fretsii*, iv. 816

„ „ *glauca*, iv. 814, 825

„ „ *macrocarpa*, iv. 812

„ „ *palustris*, iv. 816

„ „ *Stairii*, iv. 816

„ „ *suberosa*, iv. 816

„ „ Woburn, plantation, iv. 829

„ *glauca*, *Mayr*, iv. 814, 815

„ *glaucescens*, *Baillly*, iv. 814, 815 note 1

„ *japonica*, *Beissner*, iv. 812

„ „ Japanese name, iv. 813

„ *jezoensis*, *Bertrand*, vi. 1474

„ *Lindleyana*, *Carrière*, iv. 814, 815 note 1

„ *macrocarpa*, *Mayr*, iv. 812

„ *mucronata*, *Sudworth*, iv. 814

„ *taxifolia*, *Britton*, iv. 814

Psylla alni, etc. See Insects

Pterocarpus Marsupium, vi. 1613 note 3

PTEROCARYA, *Kunth*, ii. 436

„ section CYCLOPTERA, *Franchet*, ii. 437

„ „ DIPTERA, A. Henry, ii. 437

Pterocarya caucasica, C. A. Meyer, ii. 438, 436, 437

„ „ Cambridge, tree at, ii. 442, Pl. 123

„ „ Claremont, tree at, ii. 441, Pl. 122

„ „ cultivation, ii. 440

„ „ distribution, ii. 440

„ „ hybrid, ii. 439

„ „ identification, ii. 439

„ „ leaves, ii. 438, Pl. 125, Fig. 1

„ „ Melbury, tree at, ii. 441, Pl. 121

„ „ remarkable trees, ii. 441

„ „ var. *dumosa*, ii. 439

„ *Delavayi*, *Franchet*, ii. 437

„ *dumosa*, *Lavallée*, ii. 439

„ *fraxinifolia*, *Spach*, ii. 438

„ *hupehensis*, *Skan*, ii. 437

„ *macroptera*, *Batalin*, ii. 438

„ *Paliurus*, *Batalin*, ii. 437, 436

„ *Rehderiana*, *Schneider*, ii. 439

„ *rhoifolia*, *Siebold and Zuccarini*, ii. 442, 436, 438, 439

„ „ Japanese name, ii. 443

„ „ leaves, ii. 442, Pl. 125, Fig. 3

„ *sorbifolia*, *Dippel*, ii. 438

„ „ *Siebold and Zuccarini*, ii. 442

Pterocarya—continued

- „ *Spachiana*, Lavallée, ii. 438
 „ stenoptera, *C. de Candolle*, ii. 443, 436,
 437
 „ „ Chinese name, ii. 444
 „ „ hybrid, ii. 439
 „ „ leaves, ii. 443, Pl. 125, Fig. 2
 „ „ var. *tonkinensis*, ii. 444 note 1
 PTEROSTYRAX, Siebold and Zuccarini, vi. 1600
 Pterostyrax corymbosa, Siebold and Zuccarini, vi.
 1601 note 1
 „ hispida, Siebold and Zuccarini, vi. 1601
 „ psilophylla, Diels, vi. 1601 note 1
 Pyrobutulin, iv. 974 note
 PYRUS, Linnæus, i. 141; vi. 1556
 „ section ARIA, i. 142
 „ „ ARONIA, i. 141, 144
 „ „ AUCUPARIA, vi. 1574
 „ „ HAHNIA, i. 141
 „ „ MALUS, vi. 1566; i. 141
 „ „ „ sub-sect. EUMALUS, vi. 1566
 „ „ „ „ SORBOMALUS, vi. 1568
 „ „ MICROMELES, i. 142
 „ „ PYROPHORUM, vi. 1556; i. 141
 „ „ SORBUS, i. 142
 „ „ „ sub-sect. AUCUPARIA, i. 142
 „ „ „ „ CORMUS, i. 142
 „ species in cultivation, synopsis of, i. 142;
 vi. 1556, 1566
 Pyrus acerba, De Candolle, vi. 1570
 „ alnifolia, Franchet and Savatier, i. 144
 „ alpina, Willdenow, i. 144
 „ americana, De Candolle, vi. 1574; i. 142
 „ „ leaves, i. 142, Pl. 43, Fig. 1
 „ „ var. *decora*, vi. 1574
 „ amygdaliformis, Villar, vi. 1559
 „ angustifolia, Aiton, vi. 1569
 „ apetala, Muenchhausen, vi. 1571
 „ arbutifolia, Linnæus fil., i. 144, 143
 „ Aria, Ehrhart, i. 166, 144, 155, 160, 164
 „ „ branchlets and buds, i. 166, Pl. 45,
 Fig. 5
 „ „ Camp Wood, tree at, i. 168, Pl. 51
 „ „ distribution, i. 168
 „ „ hybrid, vi. 1562
 „ „ identification, i. 166
 „ „ leaves, i. 144, 166, 168, Pl. 44, Fig. 18
 „ „ remarkable trees, i. 168
 „ „ timber, i. 169
 „ „ var. *chrysophylla*, i. 167
 „ „ „ *Decaisneana*, i. 167, 145
 „ „ „ leaves, i. 145, 166,
 167, Pl. 43, Fig. 8
 „ „ flabellifolia, i. 167, 144
 „ „ græca, i. 167, 144
 „ „ lutescens, i. 167
 „ „ meriodionalis, i. 167 note 2
 „ „ quercoides, i. 167
 „ „ rupicola, i. 167, 168
 „ „ „ leaves, i. 145, 166, 167,
 Pl. 44, Fig. 13
 „ „ salicifolia, i. 167
 „ „ „ leaves, i. 166, 167, Pl.
 44, Fig. 16

Pyrus Aria, Ehrhart—continued

- „ „ var. *sinensis*, i. 167
 „ „ sulphurea, i. 167
 „ Ario-torminalis, Garcke, i. 155 note 1
 „ astracantha, De Candolle, vi. 1571
 „ Aucuparia, Gaertner, vi. 1576; i. 142, 143,
 147, 160, 163, 164; vi. 1575
 „ „ cultivation, vi. 1579
 „ „ distribution, vi. 1578
 „ „ hybrids, i. 161; vi. 1578
 „ „ leaves, i. 142, Pl. 43, Fig. 2
 „ „ var. *asplenifolia*, vi. 1577
 „ „ „ *decurrens*, i. 143, 163
 „ „ „ *Dirkenii* (aurea), vi. 1578
 „ „ „ *dulcis*, vi. 1577
 „ „ „ *fastigiata*, vi. 1577
 „ „ „ *Fifeana*, vi. 1577
 „ „ „ *fructu luteo*, vi. 1577
 „ „ „ *glabrata*, vi. 1576
 „ „ „ *integerrima*, vi. 1577
 „ „ „ *laciniata*, vi. 1577
 „ „ „ *lanuginosa*, vi. 1577
 „ „ „ *moravica*, vi. 1577
 „ „ „ *pendula*, vi. 1577
 „ „ „ *rossica*, vi. 1577
 „ „ „ *satureifolia*, i. 143, 163
 „ „ *auricularis*, Knoop, vi. 1562
 „ „ „ var. *bulbiformis*, vi. 1562
 „ „ *baccata*, Linnæus, vi. 1567
 „ „ *Balansæ*, Decaisne, vi. 1557 note 2
 „ „ *betulæfolia*, Bunge, vi. 1557
 „ „ *Boissieriana*, Buhse, vi. 1561
 „ „ *Bollwyleriana*, De Candolle, vi. 1562
 „ „ *Bourgeana*, Decaisne, vi. 1562
 „ „ *bucharica*, Litwinow, vi. 1558 note 1
 „ „ *canescens*, Spach, vi. 1560
 „ „ *Chamæmespilus*, Ehrhart, i. 144, 168
 „ „ „ × *P. Mougeoti*, i. 168
 „ „ *commixta*, Ascherson and Graebner, vi. 1574
 „ „ „ var. *rufo-ferruginea*, vi. 1574
 note 5
 „ „ *communis*, Linnæus, vi. 1560, 1558
 „ „ „ distribution, vi. 1562
 „ „ „ hybrid, vi. 1562
 „ „ „ *Lassington*, tree at, vi. 1563, Pl.
 356
 „ „ „ remarkable trees, vi. 1563
 „ „ „ *Stockton*, Worcester, tree at, vi.
 1564, Pl. 357
 „ „ „ timber, vi. 1565
 „ „ „ var. *azarolifera*, vi. 1561
 „ „ „ *Briggsii*, vi. 1561
 „ „ „ *cordata*, vi. 1561
 „ „ „ *longipes*, vi. 1561
 „ „ „ *Mariana*, vi. 1562
 „ „ „ *Pyraster*, vi. 1561
 „ „ „ *sativa*, vi. 1561
 „ „ *cordata*, Desvaux, vi. 1561 and note 5
 „ „ *coronaria*, Linnæus, vi. 1569
 „ „ *crætægifolia*, Savi, i. 143
 „ „ *Decaisneana*, Nicholson, i. 167 note 4
 „ „ *decipiens*, Bechstein, i. 155 note 4
 „ „ *decurrens*, Ascherson and Graebner, vi. 1578
 „ „ *dioica*, Moench, vi. 1571

2002 The Trees of Great Britain and Ireland

Pyrus—continued

- " discolor, *Maximowicz*, vi. 1575
- " *diversifolia*, *Bongard*, vi. 1569 note 2
- " *domestica*, *Ehrhart*, i. 146
- " *elæagrifolia*, *Pallas*, vi. 1558
- " *fennica*, *Babington*, i. 161, 163, 164
- " *fennica* × *P. Aucuparia*, i. 161
- " *floribunda*, *Nicholson*, vi. 1569
- " *foliolosa*, *Wallich*, vi. 1576 note 2
- " *glabra*, *Boissier*, vi. 1557 note 6
- " *Halleana*, *Sargent*, vi. 1568
- " *heterophylla*, *Regel and Schmalhausen*, vi. 1556
- " *Hostii*, *Hort.*, i. 167, 145
- " " leaves, i. 168, Pl. 44, Fig. 15
- " *hybrida*, *Moench*, i. 143, 162, 163
- " *intermedia*, *Ehrhart*, i. 159, 143, 156, 157, 161, 163, 164, 168
- " " branchlets and buds, i. 160, Pl. 45, Fig. 4
- " " distribution, i. 160
- " " hybrids, i. 160, 163, 168
- " " identification, i. 159
- " " leaves, i. 143, 159, Pl. 44, Fig. 10
- " " remarkable trees, i. 162
- " " var. *minima*, i. 159, 160
- " " " leaves, i. 144, 159, Pl. 44, Fig. 17
- " " *Mougeoti*, i. 159, 143, 160
- " " *scandica*, i. 159, 160, 164
- " " " leaves, i. 144, 159, Pl. 44, Fig. 19
- " " " *Syon*, tree at, i. 162, Pl. 50
- " *ioensis*, *Bailey*, vi. 1568
- " *irregularis*, *Muenchhausen*, vi. 1562
- " *Korshinskyi*, *Litwinow*, vi. 1557
- " *lanata*, *D. Don*, i. 145; 144, 168
- " " leaves, i. 144, 145, Pl. 43, Fig. 6
- " *lanuginosa*, *De Candolle*, i. 142; vi. 1577
- " *lanuginosa*, *Hort.*, i. 143, 163 note 4; vi. 1578
- " *latifolia*, *Boswell Syme*, i. 155, 143, 151, 160, 164; vii. 1663
- " " branchlets and buds, i. 156, Pl. 45, Fig. 3
- " " distribution, i. 156
- " " identification, i. 156
- " " leaves, i. 143, 156, Pl. 44, Figs. 9, 11, and 12
- " " *Oakley Park*, tree at, i. 158, Pl. 49
- " " remarkable trees, i. 157
- " " var. *decipiens*, i. 155, 143, 157
- " " *rotundifolia*, i. 155, 157
- " " *semilobata*, i. 156, 157
- " *lobata*, *Nicholson*, vii. 1732
- " *longipes*, *Cosson and Durieu*, vi. 1561
- " *Malus*, *Linnaeus*, vi. 1570, 1566
- " " distribution, vi. 1571
- " " var. *apetala*, vi. 1571
- " " *astracantha*, vi. 1571
- " " *aucubæfolia*, vi. 1571
- " " *mitis*, vi. 1570
- " " *Niedzwetzkyana*, vi. 1571

Pyrus Malus, *Linnaeus*—continued

- " " var. *pendula*, vi. 1571
- " " *pumila*, vi. 1570
- " " *sylvestris*, vi. 1570
- " *Meinickii*, *Brunchorst*, i. 161
- " *minima*, *Ley*, i. 159 note 3
- " *Niedzwetzkyana*, *Hemsley*, vi. 1571
- " *nigra*, *Sargent*, i. 144
- " *nivalis*, *Jacquin*, vi. 1559
- " *Pashia*, *Buchanan-Hamilton*, vi. 1558; v. 1159 note 6
- " " var. *Kumaoni*, vi. 1558
- " *persica*, *Persoon*, vi. 1559 note 1
- " *pinnatifida*, *Ehrhart*, i. 163, 143, 144, 161; vi. 1578 note 1
- " " branchlets and buds, i. 164, Pl. 45, Fig. 6
- " " distribution, i. 164
- " " identification, i. 163
- " " leaves, i. 143, 163, Pl. 43, Fig. 5
- " " varieties, i. 163
- " *pohuashanensis*, *Hance*, vi. 1575
- " *Pollveria*, *Linnaeus*, vi. 1562
- " *præmorsa*, *Gussone*, vi. 1578 note 4
- " *prunifolia*, *Willdenow*, vi. 1567
- " *pumila*, *Koch*, vi. 1570
- " *Ringo*, *Koch*, vi. 1566
- " " var. *fastigiata bifera*, vi. 1566
- " *rivularis*, *Douglas*, vi. 1569
- " *rotundifolia*, *Bechstein*, i. 155
- " *rupicola*, *Boswell Syme*, i. 167 note 1
- " *salicifolia*, *Pallas*, vi. 1560
- " *salvifolia*, *De Candolle*, vi. 1559
- " *sambucifolia*, *Chamisso and Schlechtendal*, i. 142; vi. 1574 note 3
- " *sambucifolia*, *Hort.*, vi. 1574
- " *satureiifolia*, *Ascherson and Graebner*, vi. 1578
- " *scandica*, *Ascherson*, i. 159
- " *Scheideckeri*, *Späth*, vi. 1567
- " *semilobata*, *Bechstein*, i. 156 note 1
- " *semipinnata*, *Roth*, i. 163
- " *sikkimensis*, *J. D. Hooker*, vi. 1568
- " *Simonii*, *Carrière*, vi. 1556
- " *sinaica*, *Thouin*, vi. 1558, 1559 note 1
- " *sinensis*, *Lindley*, vi. 1556
- " *Sorbus*, *Gaertner*, i. 146, 143, 166
- " " *Arley Castle*, tree at, i. 148, Pl. 46
- " " branchlets and buds, i. 147, Pl. 45, Fig. 2
- " " distribution, i. 147
- " " identification, i. 147
- " " leaves, i. 143, 146, Pl. 43, Fig. 3
- " " remarkable trees, i. 147
- " " timber, i. 149
- " " var. *maliformis*, i. 146, 149 and note 2
- " " *pyriformis*, i. 146, 149 and note 2
- " *Soulardi*, *Bailey*, vi. 1568
- " *spectabilis*, *Aiton*, vi. 1566
- " " var. *Riversii*, vi. 1567
- " *succica*, *Gærcke*, i. 159
- " *syriaca*, *Boissier*, vi. 1557
- " *Thuringiaca*, *Ilse*, i. 163

Pyrus—continued

- „ tianshanica, *Franchet*, vi. 1575; i. 142
- „ Toringo, *Siebold*, vi. 1569
- „ torminalis, *Ehrhart*, i. 151, 141, 143, 156
note 2, 158, 161
- „ „ branchlets and buds, i. 151, Pl.
45, Fig. 1
- „ „ distribution, i. 152
- „ „ hybrid, i. 155
- „ „ identification, i. 151
- „ „ leaves, i. 151, Pl. 44, Fig. 14
- „ „ remarkable trees, i. 152
- „ „ Rickmansworth Park, tree at, i.
153, Pl. 48
- „ „ timber, i. 154
- „ „ Tortworth, tree at, i. 153, Pl.
47
- „ „ var. pinnatifida, i. 151
- „ ussuriensis, *Maximowicz*, vi. 1556
- „ vestita, *Wallich*, i. 145
- „ „ leaves, i. 145, Pl. 43, Fig. 7
- „ Vilmorini, *Ascherson and Graebner*, vi. 1575

Quebracho wood, ii. 243 note

Quejigo, v. 1324

Quercitron, v. 1240

QUERCUS, *Linnæus*, v. 1215; ii. 282. *See also*
Oak

- „ key to species, v. 1217
- „ sect. CYCLOBALANOPSIS, v. 1216
- „ „ LEPIDOBALANUS, *Endlicher*, v. 1215
- „ „ „ sub-sect. CERRIS, v. 1216
- „ „ „ „ ERYTHROBALANUS,
v. 1216
- „ „ „ „ LEUCOBALANUS, v.
1216
- „ „ PASANIA, v. 1217, 1215
- Quercus acroglandis, *Kellogg*, v. 1252
- „ acuminata, *Sargent*, v. 1310
- „ acuta, *Thunberg*, v. 1330, 1217, 1223
- „ „ leaves, etc., v. 1223, 1330, Pl. 338,
Fig. 56
- „ „ var. bambusæfolia, v. 1329
- „ acutissima, *Carruthers*, v. 1276
- „ Ægilops, *Grisebach*, v. 1273
- „ Ægilops, *Linnæus*, v. 1268, 1216, 1219,
1227
- „ „ acorn cups used for tanning, v.
1270
- „ „ cultivation, v. 1269
- „ „ distribution, v. 1269
- „ „ leaves, etc., v. 1219, 1268, Pl.
335, Fig. 19
- „ „ Lyndon Hall, tree at, v. 1270,
Pl. 322
- „ „ var. græca, v. 1268
- „ „ ithaburensis, v. 1268
- „ „ macrolepis, v. 1268
- „ „ Pyrami, v. 1268
- „ „ Unger, v. 1268
- „ ægylopiifolia, *Persoon*, v. 1259
- „ Afares, *Pomel*, v. 1271
- „ affinis, *Martens et Galeotti*, v. 1312
- „ afghanistanica, *Hort.*, v. 1320

Quercus—continued

- „ agrifolia, *Née*, v. 1252, 1216, 1224
- „ „ leaves, etc., v. 1224, 1252, Pl.
338, Fig. 57
- „ aizoon, *Koehne*, v. 1289
- „ alba, *Linnæus*, v. 1301, 1216, 1221
- „ „ distribution, v. 1301
- „ „ hybrids, v. 1301, 1304, 1305, 1307
- „ „ leaves, etc., v. 1221, 1301, Pl. 336,
Fig. 33
- „ „ var. palustris, v. 1307
- „ alnifolia, *Poeck*, v. 1278, 1216, 1223, 1227
- „ „ leaves, etc., v. 1223, 1278, Pl.
338, Fig. 60
- „ alpestris, *Boissier*, v. 1323
- „ ambigua, *Humboldt and Bonpland*, v. 1312
- „ ambigua, *Michaux f.*, v. 1247, 1248
- „ andegavensis, *Hy*, v. 1314 note 2
- „ annulata, *Smith*, v. 1328
- „ anodonta, *Borbas*, v. 1279
- „ apennina, *Lamarck*, ii. 288
- „ apennina, *Loiseleur*, v. 1316
- „ aquatica, *Walter*, v. 1235
- „ „ var. heterophylla, v. 1233
- „ armeniaca, *Kotschy*, ii. 289
- „ audleyensis (hybrid oak at Audley End),
v. 1291, 1283, Pl. 327
- „ „ leaves, etc., v. 1291, Pl. 338,
Fig. 59
- „ aurea, *Kitaibel*, ii. 293
- „ „ Wierzbicki, ii. 293 note 2
- „ australis, *Link*, v. 1228, 1322, 1325
- „ austriaca, *Willdenow*, v. 1255
- „ „ sempervirens, *Hort.* *See Errata*,
1942
- „ Auzandri, *Grenier et Godron*, v. 1279
- „ Ballota, *Desfontaines*, v. 1282
- „ Baloot, *Griffith*, v. 1283
- „ bambusifolia, *Fortune*, v. 1329, 1330
- „ Banisteri, *Michaux*, v. 1238
- „ Bebbiana, *Schneider*, v. 1304 note 4
- „ Benderi, *Baenitz*, v. 1248 note 2
- „ berberidifolia, *Liebmann*, v. 1252
- „ Bertrandi, *Albert et Reynier*, v. 1283 note 3
- „ bicolor, *Willdenow*, v. 1307, 1216, 1220
- „ „ hybrid, v. 1307
- „ „ leaves, etc., v. 1220, 1307, Pl.
336, Fig. 37
- „ „ Lyndon Hall, tree at, v. 1308,
Pl. 329
- „ Bivoniana, *Gussone*, v. 1292
- „ Boissieri, *Reuter*, v. 1325
- „ borealis, *Michaux f.*, v. 1247
- „ Brantii, *Lindley*, v. 1228 and note 3
- „ brevifolia, *Sargent*, v. 1230
- „ Brutia, *Tenore*, ii. 288
- „ Buergerii, *Blume*, v. 1330
- „ Bungeana, *Forbes*, v. 1276
- „ calicina, *Poiret*, v. 1281
- „ californica, *Cooper*, v. 1241
- „ Calliprinos, *Webb*, v. 1279
- „ Cassura, *Don*, v. 1297
- „ Castanea, *Emerson*, v. 1309
- „ „ Willdenow, v. 1310

2004 The Trees of Great Britain and Ireland

Quercus—continued

- „ *castaneæfolia*, Meyer, v. 1271, 1216, 1220, 1293, 1319
 „ „ branchlets and buds, v. 1271, Pl. 78, Fig. 4
 „ „ cultivation, v. 1272
 „ „ hybrids, v. 1272
 „ „ in Algeria, v. 1272, Pl. 323
 „ „ leaves, etc., v. 1220, 1271, Pl. 337, Fig. 47
 „ *Catesbæi*, Michaux, v. 1218
 „ „ leaves, etc., v. 1218, Pl. 333, Fig. 1
 „ *Cerris*, Linnaeus, v. 1254, 1216, 1221, 1225, 1259, 1261, 1264
 „ „ Belton, tree at, v. 1257, Pl. 316
 „ „ branchlets and buds, ii. Pl. 78, Fig. 3; v. 1254
 „ „ cultivation, v. 1256
 „ „ distribution, v. 1256
 „ „ hybrids, v. 1255, 1260, 1263, 1264 and note 2, 1265 note
 „ „ leaves, etc., v. 1221, 1254, Pl. 335, Fig. 22
 „ „ Mamhead Park, trees at, v. 1257, Plates 317 and 318
 „ „ remarkable trees, v. 1257
 „ „ timber, v. 1258
 „ „ var. *austriaca*, v. 1255
 „ „ *cana major*, v. 1261
 „ „ *dentata*, v. 1261
 „ „ *fulhamensis*, v. 1261
 „ „ *laciniata*, v. 1255
 „ „ *Lucombeana*, v. 1259
 „ „ *pendula*, v. 1255
 „ „ *pseudocerris*, v. 1255
 „ „ *variegata*, v. 1255
 „ *chinensis*, Bunge, v. 1276
 „ *Chinquapin*, Pursh, v. 1311
 „ *chrysolcpis*, Liebmann, v. 1299, 1216, 1224
 „ „ leaves, etc., v. 1224, 1299, Pl. 338, Fig. 61
 „ „ var. *vaccinifolia*, v. 1299
 „ *cinerea*, Michaux, v. 1230, 1216, 1217
 „ „ leaves, etc., v. 1217, 1230, Pl. 339, Fig. 72
 „ *coccifera*, Linnaeus, v. 1279, 1216, 1224, 1253
 „ „ leaves, etc., v. 1224, 1279, Pl. 338, Fig. 62
 „ „ var. *Auzandri*, v. 1279
 „ „ „ leaves, etc., v. 1279, Pl. 339, Fig. 65
 „ „ *Calliprinos*, v. 1279
 „ „ *pseudococcifera*, v. 1279
 „ *coccinea*, Muenchhausen, v. 1247, 1216, 1218, 1234, 1243
 „ „ hybrids, v. 1248
 „ „ leaves, etc., v. 1218, 1247, Pl. 333, Fig. 6
 „ „ remarkable trees, v. 1249
 „ „ var. *ambigua*, v. 1247
 „ „ *nigrescens*, v. 1239
 „ „ *splendens*, v. 1248
 „ „ *tinctoria*, v. 1239

Quercus—continued

- „ *conferta*, Kitaibel, v. 1316, 1216, 1222, 1227; vii. 1676 note 2
 „ „ branchlets and buds, ii. Pl. 78, Fig. 5; v. 1316
 „ „ cultivation, v. 1317
 „ „ distribution, v. 1316
 „ „ hybrids, v. 1316
 „ „ leaves, etc., v. 1222, 1316, Pl. 335, Fig. 26
 „ „ Orton Hall, tree at, v. 1318, Pl. 331
 „ *confertifolia*, Hort., v. 1254
 „ *Cookii*, Loudon, v. 1228, 1282
 „ *crassifolia*, Humboldt and Bonpland, v. 1254, 1313 note
 „ *crassipes*, Humboldt and Bonpland, v. 1254, 1216, 1223
 „ „ leaves, etc., v. 1223, 1254, Pl. 335, Fig. 24
 „ *crassipocula*, Torrey, v. 1299
 „ *crinita*, Lamarck, v. 1254
 „ *crispata*, Steven, ii. 295 note
 „ *crispula*, Blume, v. 1327 and note, 1328
 „ „ var. *grosseserrata*, v. 1327
 „ *cuneata*, Wangenheim, v. 1237, 1216, 1218
 „ „ hybrid, v. 1229
 „ „ leaves, etc., v. 1218, 1237, Pl. 334, Fig. 14
 „ *cupressoides*, Hort., ii. 284
 „ *cuspidata*, Thunberg, v. 1332, 1217, 1223
 „ „ leaves, etc., v. 1223, 1332, Pl. 338, Fig. 51
 „ „ *variegata*, v. 1333
 „ *cypria*, Jaubert et Spach, v. 1278
 „ *Daimio*, Koch, v. 1277
 „ *Dalechampii*, Tenore, ii. 295
 „ *dealbata*, Wallich, v. 1228 and note 4, 1298
 „ *densiflora*, Hooker and Arnott, v. 1331, 1215, 1217, 1224
 „ „ leaves, etc., v. 1224, 1331, Pl. 338, Fig. 54
 „ „ var. *echinoides*, v. 1331
 „ *dentata*, Thunberg, v. 1277, 1216, 1222
 „ „ leaves, etc., v. 1222, 1277, Pl. 337, Fig. 43
 „ „ var. *M'Cormickii*, v. 1277 note
 „ „ *oxyloba*, v. 1277 note
 „ „ *pinnatifida*, v. 1277
 „ *digitata*, Sudworth, v. 1237
 „ *discolor*, Aiton, v. 1239
 „ „ Spach, v. 1237
 „ *dschorochensis*, C. Koch, ii. 293 note 3
 „ *echinacea*, Torrey, v. 1331
 „ *echinata*, Salisbury, v. 1254
 „ *elongata*, Willdenow, v. 1237
 „ *Esculus*, v. 1311
 „ *exoniensis*, Loddiges, v. 1259
 „ *expansa*, Poirer, v. 1281
 „ *faginea*, Lamarck, v. 1323
 „ *falcata*, Michaux, v. 1237
 „ *falkenbergensis*, ii. 289
 „ *farnetto*, Tenore, v. 1316
 „ *fastigiata*, Lamarck, ii. 284

Quercus—continued

- „ *ferruginea*, Michaux f., v. 1236
 „ *Fontanesii*, Gussone, v. 1263
 „ *Fordii*, Koch, v. 1282
 „ *fruticosa*, Brotero, v. 1324
 „ *fulvescens*, Kellogg, v. 1299
 „ Gambelli, *Nuttall*, v. 1225 note 4
 „ „ leaves, etc., v. 1225 note 4, Pl. 333, Fig. 7
 „ Garryana, *Hooker*, v. 1225, 1241
 „ *genuensis*, Hort. Kew, v. 1313
 „ glabra, *Thunberg*, v. 1332, 1217, 1222, 1228
 „ „ leaves, etc., v. 1222, 1332, Pl. 338, Fig. 50
 „ „ var. *latifolia*, v. 1332
 „ glabrescens, *Bentham*, v. 1300, 1216, 1223
 „ „ leaves, etc., v. 1223, 1300, Pl. 339, Fig. 67
 „ glandulifera, *Blume*, v. 1327, 1216, 1219
 „ „ leaves, etc., v. 1219, 1327, Pl. 335, Fig. 27
 „ glandulifera, *Masters*, v. 1289
 „ glauca, *Thunberg*, v. 1328, 1217, 1223
 „ „ leaves, etc., v. 1223, 1328, Pl. 338, Fig. 52
 „ „ var. *lacera*, v. 1329
 „ *græca*, *Kotschy*, v. 1268
 „ *Gramuntia*, *Linnaeus*, v. 1228, 1281, 1282
 „ *Grisebachii*, *Kotschy*, v. 1273
 „ grosseserrata, *Blume*, v. 1327, 1216, 1220
 „ „ leaves, etc., v. 1327, Pl. 337, Fig. 49
 „ *Guerangeri*, Hy, v. 1314 note 2
 „ Haas, *Kotschy*, ii. 287
 „ „ leaves, etc., ii. 287, Pl. 79, Fig. 7
 „ *hæmisphærica*, *Willdenow*, v. 1235
 „ *Hartwegi*, *Bentham*, v. 1312, 1313
 „ *Hartwissiana*, *Steven*, ii. 294 note
 „ heterophylla, *Michaux f.*, v. 1233, 1217, 1229
 „ „ leaves, etc., v. 1217, 1233, Pl. 334, Fig. 16
 „ *Hindsii*, *Bentham*, v. 1306
 „ *hispanica*, *Lamarck*, v. 1261 note
 „ „ var. α , chêne de Gibraltar, v. 1261
 „ „ β , chêne à feuilles d'Ægilops, v. 1259
 „ „ γ , chêne Turnère, v. 1288
 „ *Hollickii*, *Schneider*, v. 1233, 1234 note 4
 „ *humilis*, *Lamarck*, v. 1324
 „ „ *Walter*, v. 1230
 „ *hungarica*, *Hubeny*, v. 1316
 „ *hybrida nana*, *Loudon*, v. 1288, 1289
 „ *Ilex*, *Linnaeus*, v. 1281; iii. 646 note; v. 1216, 1223, 1225, 1228
 „ „ cultivation, v. 1285
 „ „ distribution, v. 1283
 „ „ Holkham, grove at, v. 1287, Pl. 325
 „ „ „ tree at, v. 1287, Pl. 324
 „ „ hybrids, v. 1279, 1283, 1288 and note, 1291
 „ „ in England, v. 1285

Quercus Ilex, *Linnaeus*—continued

- „ „ in Ireland, v. 1288
 „ „ in Scotland, v. 1287
 „ „ in Wales, v. 1287
 „ „ leaves, etc., v. 1223, 1281, Pl. 339, Fig. 69
 „ „ Mamhead, trees at, v. 1285-1286, Pl. 326
 „ „ remarkable trees, v. 1285
 „ „ varieties, v. 1281
 „ „ var. *avellanæformis*, v. 1282
 „ „ *Ballota*, v. 1282
 „ „ *crispa*, v. 1282
 „ „ *diversifolia*, v. 1262
 „ „ *Fordii*, v. 1282
 „ „ *Genabii*, v. 1283
 „ „ *Gramuntia*, v. 1282, 1228 note 6
 „ „ „ leaves, etc., v. 1282, Pl. 339, Fig. 68
 „ „ *latifolia*, v. 1283
 „ „ *phillyræoides*, v. 1283 note 2, 1298
 „ „ *Smilax*, v. 1282
 „ *Ilex* $\times$ *Q. sessiliflora* (?). See *Quercus audleyensis*
 „ *ilicifolia*, *Salisbury*, v. 1281
 „ *ilicifolia*, *Wangenheim*, v. 1238, 1218
 „ „ hybrid, v. 1229
 „ „ leaves, etc., v. 1218, 1238, Pl. 334, Fig. 13
 „ *imbricaria*, *Michaux*, v. 1231, 1216, 1217, 1232 note 1, 1234
 „ „ hybrids, v. 1229, 1231, 1233
 „ „ leaves, etc., v. 1217, 1231, Pl. 339, Fig. 73
 „ *imbricaria* $\times$ *Q. coccinea*, *Engelmann*, v. 1232
 „ *imbricaria* $\times$ *Q. marylandica*, *Sargent*, v. 1231 note 2
 „ „ $\times$ *Q. palustris*, *Engelmann*, v. 1231 note 4
 „ „ $\times$ *Q. Phellos*, *Zabel*, v. 1229 note 1
 „ „ $\times$ *Q. rubra*, *Bush*, v. 1231, note 3
 „ *imbricaria* $\times$ *Q. velutina*, *Sargent*, v. 1232
 „ *incana*, *Roxburgh*, v. 1298, 1216, 1223, 1228 note 4
 „ „ leaves, etc., v. 1223, 1298, Pl. 335, Fig. 18
 „ *infectoria*, *Olivier*, v. 1325, 1216, 1222, 1324
 „ „ galls, v. 1326
 „ „ var. *Boissieri*, v. 1325, 1326
 „ „ *petiolaris*, v. 1325
 „ *intermedia*, *Boenninghausen*, ii. 288. See *Errata*, 1938
 „ *intermedia*, *Don*, ii. 288
 „ *ithaburensis*, *Decaisne*, v. 1268
 „ *Jackiana*, *Schneider*, v. 1307 note 2
 „ *kabylica*, *Trabut*, v. 1272
 „ *Kelloggii*, *Newberry*, v. 1241, 1216, 1218
 „ „ hybrid, v. 1241
 „ „ leaves, etc., v. 1218, 1241, Pl. 333, Fig. 2

2006 The Trees of Great Britain and Ireland

Quercus—continued

- " *lacera*, Blume, v. 1329
- " *lanata*, Don, var. *incana*, v. 1298
- " *lanuginosa*, *Lamarck*, ii. 294; v. 1216, 1222, 1264 note 1, 1328 note. See also Oak, Pubescent, and Errata, 1938
- " " var. *Dalechampii*, ii. 295
- " " " leaves, etc., ii. 295, Pl. 79, Fig. 14
- " " *dissecta*, ii. 295
- " " *Hartwissiana*, ii. 294
- " *laurifolia*, *Michaux*, v. 1232 note 1, Pl. 339, Fig. 74
- " *Leana*, *Nuttall*, v. 1232, 1217, 1234
- " " leaves, etc., v. 1217, 1232, Pl. 334, Fig. 10
- " *Libani*, *Olivier*, v. 1274, 1216, 1219, 1227
- " " leaves, etc., v. 1219, 1274, Pl. 337, Fig. 39
- " *lobata*, *Née*, v. 1306, 1216, 1222
- " " leaves, etc., v. 1222, 1306, Pl. 336, Fig. 30
- " *longiglanda*, *Frémont*, v. 1306
- " *longipes*, *Steven*, ii. 285
- " *Lucombeana*, *Sweet*, v. 1259, 1220
- " " *Castle Hill*, Devon, tree at, v. 1265, Pl. 320
- " " *Cornwall*, trees in, v. 1265
- " " *Killerton*, tree at, v. 1265, Pl. 321
- " " leaves, etc., v. 1220, 1259, Pl. 335, Fig. 23
- " " rate of growth, v. 1260 note 3
- " " remarkable trees, v. 1264
- " " seedlings, v. 1260, 1266
- " " var. *crispa*, v. 1261, 1260 note 3, 1267
- " " *dentata*, v. 1261
- " " *diversifolia*, v. 1262
- " " " leaves, etc., v. 1263, Pl. 339, Fig. 71
- " " *fulhamensis*, v. 1261
- " " " *Kew*, tree at, v. 1262, Pl. 319
- " " " leaves, etc., v. 1262, Pl. 335, Fig. 21
- " " *fulhamensis latifolia*, v. 1262
- " " *heterophylla*, v. 1261, 1263
- " " *incisa*, v. 1261, 1260 note 3
- " " *suberosa*, v. 1261, 1260 note 3, 1267
- " " " leaves, etc., v. 1261, Pl. 339, Fig. 64
- " *lusitanica*, *Boissier*, v. 1325
- " *lusitanica*, *Lamarck*, v. 1322, 1216, 1220, 1222, 1227, 1291
- " " cultivation, v. 1325
- " " distribution, v. 1324
- " " hybrids, v. 1314, 1325
- " " leaves, etc., v. 1222, 1323, Pl. 335, Fig. 25
- " " sub-species *batica*, v. 1318
- " " " *orientalis*, v. 1325

Quercus lusitanica, Lamarck—continued

- " " var. *alpestris*, v. 1323
- " " *Broteri*, v. 1323, 1324, 1325
- " " *faginea*, v. 1323
- " " *humilis*, v. 1324
- " *lyrata*, *Walter*, v. 1303, 1216, 1221
- " " leaves, etc., v. 1221, 1303, Pl. 336, Fig. 31
- " *macedonica*, *A. de Candolle*, v. 1273, 1216, 1219, 1227
- " " leaves, etc., v. 1219, 1273, Pl. 337, Fig. 41
- " *macranthera*, *Fischer et Meyer*, v. 1322; ii. 295 note; v. 1216, 1221, 1227
- " " leaves, etc., v. 1221, 1322, Pl. 337, Fig. 42
- " *macrocarpa*, *Michaux*, v. 1304, 1216, 1222
- " " branchlets with corky wings, v. 1304
- " " hybrid, v. 1301, 1304, 1305
- " " leaves, etc., v. 1222, 1304, Pl. 336, Fig. 29
- " *macrolepis*, *Kotschy*, v. 1268
- " *marginata*, *Blume*, v. 1330
- " *marylandica*, *Muenchhausen*, v. 1236, 1216, 1218
- " " hybrids, v. 1229, 1231
- " " leaves, etc., v. 1218, 1236, Pl. 334, Fig. 11
- " *Mesto*, *Boissier*, v. 1279
- " *mexicana*, *Bentham*, v. 1254
- " *Michauxii*, *Nuttall*, v. 1220, 1309
- " " leaves, etc., v. 1220, Pl. 336, Fig. 34
- " *microcarya*, *Small*, v. 1235 note 2
- " *Mirbeckii*, *Durieu*, v. 1318; iii. 473; v. 1216, 1220, 1227, 1293, 1309, 1321
- " " branchlets and buds, ii. Pl. 78, Fig. 6; v. 1318
- " " cultivation, v. 1320
- " " distribution, v. 1319
- " " *Hursley Park*, tree at, v. 1320, Pl. 332
- " " hybrids, v. 1263 note 2, 1319
- " " in *Algeria*, v. 1319, Pl. 323
- " " leaves, etc., v. 1220, 1318, Pl. 337, Fig. 44
- " " var. *tlemcensis*, v. 1319
- " *mongolica*, *Fischer*, v. 1328 note, 1228, Pl. 337, Fig. 48
- " *montana*, *Willdenow*, v. 1309
- " *Morehus*, *Kellogg*, v. 1241
- " *Morisii*, *Borzi*, v. 1283 note 4
- " *Muehlenbergii*, *Engelmann*, v. 1310, 1216, 1221
- " " leaves, etc., v. 1221, 1311, Pl. 336, Fig. 35
- " " var. *humilis*, v. 1311
- " *nana*, *Sargent*, v. 1238
- " *nigra*, *Du Roi*, v. 1239
- " *nigra*, *Linnaeus*, v. 1235, 1216, 1217, 1218 note, 1234

Quercus nigra, *Linnaeus*—continued

- „ „ leaves, etc., v. 1217, 1235, Pl. 334,
 Fig. 9
 „ „ Lyndon Hall, tree at, v. 1236,
 Pl. 312
 „ „ var. *aquatica*, v. 1235
 „ „ β (*Linnaeus*), v. 1236
 „ „ (*Cooper*), v. 1233
 „ „ *digitata*, v. 1237
 „ „ *latifolia*, v. 1236
 „ „ *tridentata*, v. 1231 note 2
 „ „ *nigra*, *Wangenheim*, v. 1236
 „ „ *nudinervis*, *Liebmann*, v. 1312
 „ „ *numidica*, *Trabut*, v. 1272
 „ „ *obovata*, *Bunge*, v. 1277
 „ „ *obtusata*, *Humboldt and Bonpland*, v. 1312,
 1216, 1221
 „ „ leaves, etc., v. 1221, 1312, Pl.
 333, Fig. 4
 „ „ var. *Hartwegi*, v. 1313
 „ „ *pandurata*, v. 1313
 „ „ *obtusifolia*, *Don*, v. 1297
 „ „ *occidentalis*, *Gay*, v. 1292
 „ „ *oliveformis*, *Michaux f.*, v. 1304
 „ „ *ostryaefolia*, *Borbas*, v. 1273
 „ „ *oxyadenia*, *Torrey*, v. 1252
 „ „ *pagodaefolia*, *Ashe*, v. 1218, 1237 note 2
 „ „ leaves, etc., v. 1237 note 2,
 Pl. 334, Fig. 12
 „ „ *palustris*, *Muenchhausen*, v. 1250, 1216,
 1219, 1229, 1243, 1251
 „ „ cultivation, v. 1250
 „ „ hybrids, v. 1229, 1231
 „ „ leaves, etc., v. 1219, 1250, Pl.
 334, Fig. 17
 „ „ Windsor Park, trees in, v. 1251,
 Pl. 315
 „ „ *pandurata*, *Humboldt and Bonpland*, v.
 1312
 „ „ *pannonica*, *Booth*, v. 1316, 1318
 „ „ *parvula*, *Greene*, v. 1253
 „ „ *pedunculata*, *Ehrhart*, ii. 282, 293, 294,
 297, 335, 336; v. 1216,
 1221, 1225, 1317, 1326
 „ „ distribution, etc. See Oak,
 Common
 „ „ var. *argenteo-marginata*, ii. 286
 „ „ *argenteo-picta*, ii. 286
 „ „ *asplenifolia*, ii. 285
 „ „ *atropurpurea*, ii. 286
 „ „ *atrosanguinea*, ii. 286
 „ „ *aurea*, ii. 285
 „ „ *aureo-bicolor*, ii. 286
 „ „ *aureo-tricolor*, ii. 286
 „ „ *aureo-variegata*, ii. 286
 „ „ *bullata*, ii. 285
 „ „ *cochleata*, ii. 285
 „ „ *comptoniaefolia*, ii. 285
 „ „ *Concordia*, ii. 285
 „ „ *crispa*, ii. 285
 „ „ *cucullata*, ii. 285
 „ „ *cuprea*, ii. 286
 „ „ *dissecta*, ii. 285
 „ „ *diversifolia*, ii. 285

Quercus pedunculata, *Ehrhart*—continued

- „ „ var. *fastigiata*, ii. 284
 „ „ *Fenessi*, ii. 285
 „ „ *Fenzleyi*, ii. 285
 „ „ *filicifolia*, ii. 285
 „ „ „ leaves, ii. 285, Pl. 79,
 Fig. 6
 „ „ *heterophylla*, ii. 285
 „ „ „ leaves, ii. 285,
 Pl. 79, Fig. 5
 „ „ *hyemalis*, ii. 285
 „ „ *incisa*, ii. 285
 „ „ *laciniata*, ii. 285
 „ „ *nigra*, ii. 286
 „ „ *nigricans*, ii. 286
 „ „ *pectinata*, ii. 285
 „ „ *pendula*, ii. 284
 „ „ *pinnata*, ii. 285
 „ „ *purpurascens*, ii. 285
 „ „ *purpurea*, ii. 286
 „ „ *rubrinervia*, ii. 286
 „ „ *salicifolia*, ii. 285
 „ „ *sanguinea*, ii. 286
 „ „ *scolopendrifolia*, ii. 285
 „ „ „ leaves, ii. 285,
 Pl. 79, Fig. 3
 „ „ *taraxacifolia*, ii. 285
 „ „ *tardissima*, ii. 286
 „ „ *variegata*, ii. 286
 „ „ *persica*, *Jaubert et Spach*, v. 1271
 „ „ *Pfaeffingeri*, var. *cyprica*, v. 1326 note 1
 „ „ *Phellos*, *Linnaeus*, v. 1228, 1216, 1217,
 1230, 1233, 1234
 „ „ hybrids, v. 1229
 „ „ leaves, v. 1217, 1229, Pl. 339,
 Fig. 75
 „ „ var. *brevifolia*, v. 1230
 „ „ *humilis*, v. 1230
 „ „ *imbricaria*, v. 1231
 „ „ *sericea*, v. 1230
 „ „ *subimbricaria*, v. 1229 note 1
 „ „ *Phellos* $\times$ *Q. coccinea*, *Engelmann*, v. 1233
 „ „ *Phellos* $\times$ *Q. ilicifolia*, *Peters*, v. 1229
 note 3
 „ „ $\times$ *Q. marylandica*, *Sargent*, v. 1229
 note 2
 „ „ $\times$ *Q. palustris*, *Schneider*, v. 1229
 note 5
 „ „ *Phellos* $\times$ *Q. rubra*, v. 1233
 „ „ $\times$ *Q. velutina*, *Sargent*, v. 1233
 „ „ *phillyraeoides*, *A. Gray*, v. 1298, 1216,
 1224
 „ „ „ leaves, etc., v. 1224, 1298,
 Pl. 339, Fig. 66
 „ „ *phullata*, *Buchanan-Hamilton*, v. 1328
 „ „ *pinnatifida*, *Franchet et Savatier*, v.
 1277
 „ „ *platanoides*, *Sudworth*, v. 1307
 „ „ *pontica*, *Koch*, v. 1321, 1216, 1220
 „ „ „ leaves, etc., v. 1220, 1321, Pl. 339,
 Fig. 70
 „ „ *prinoides*, *Willdenow*, v. 1311, 1216, 1220
 „ „ „ leaves, etc., v. 1220, 1311, Pl.
 336, Fig. 38

2008 The Trees of Great Britain and Ireland

Quercus—continued

- „ *Prinus*, *Linnaeus*, v. 1309, 1216, 1220
 „ „ leaves, etc., v. 1220, 1309, Pl. 336, Fig. 36
 „ „ timber, v. 1310
 „ „ var. *acuminata*, v. 1310
 „ „ *bicolor*, v. 1307
 „ „ *Chincapin*, v. 1311
 „ „ *discolor*, v. 1307
 „ „ *humilis*, v. 1311
 „ „ *platanoides*, v. 1307
 „ „ *pumila*, v. 1311
 „ „ *tomentosa*, v. 1307
 „ *Prinus*, *Masters*, v. 1318
 „ *pseudococcifera*, *Desfontaines*, v. 1279 note 2
 „ „ *Labillardière*, v. 1279
 „ *pseudoilex*, *Chatin*, v. 1281
 „ *Pseudosuber*, *Desfontaines*, v. 1263 note 2, 1319
 „ *Pseudosuber*, *Santi*, v. 1263, 1264 and notes
 „ „ var. *ægyllophifolia*, v. 1259
 „ „ *gibraltarica*, v. 1261
 „ *pseudoturneri*, *Schneider*, v. 1289
 „ *pubescens*, *Willdenow*, ii. 294
 „ *pumila*, *Walter*, v. 1230 note
 „ *Pyrami*, *Kotschy*, v. 1268
 „ „ leaves, etc., v. 1268, Pl. 335, Fig. 20
 „ *pyramidalis*, *Gmelin*, ii. 284
 „ *pyrenaica*, *Willdenow*, v. 1313
 „ *Quexigo*, *Widdrington*, v. 1324
 „ *Rechini*, *Hy*, v. 1314 note 2
 „ *regia*, *Lindley*, v. 1274 note 3
 „ *Robur*, *Linnaeus*, ii. 282, 287; *Errata*, 1937
 „ „ sub-sp. *pedunculata*, ii. 282
 „ „ „ var. *Haas*, ii. 287
 „ „ „ *sessiliflora*, ii. 291
 „ „ „ var. *lanuginosa*, ii. 294
 „ „ var. *pedunculata*, ii. 282
 „ „ *sessiliflora*, ii. 291
 „ *Robur*, *Miller*, ii. 291
 „ *rotundifolia*, *Lamarck*, v. 1282
 „ *rubra*, *Bentham*, v. 1241
 „ *rubra*, *Linnaeus*, v. 1242, 1216, 1218, 1225, 1229, 1234
 „ „ cultivation, v. 1244
 „ „ distribution, v. 1243
 „ „ hybrids, v. 1229, 1231, 1248
 „ „ *Kedleston Hall*, tree at, v. 1245, Pl. 314
 „ „ leaves, etc., v. 1218, 1242, Pl. 333, Figs. 3 and 8
 „ „ on the Continent, v. 1244, 1246
 „ „ remarkable trees, v. 1245
 „ „ timber, v. 1246
 „ „ var. *dissecta*, v. 1250
 „ „ *hispanica*, v. 1237
 „ „ *macrophylla*, v. 1240
 „ „ *nana*, v. 1238
 „ „ *ramosissima*, v. 1250
 „ *Rudkini*, *Britton*, v. 1229 note 2

Quercus—continued

- „ *rugosa*, *Née*, v. 1313 note
 „ „ *genuensis*, *Smith*, v. 1313
 „ *sanguinea*, *Beckstein*, ii. 286
 „ *Schneckii*, *Britton*, v. 1251, 1216, 1219, 1243
 „ „ leaves, etc., v. 1251, Pl. 334, Fig. 15
 „ *Schochiana*, *Zabel*, v. 1229 note 5
 „ *sclerophylla*, v. 1228
 „ *semecarpifolia*, *Smith*, v. 1297, 1216, 1219
 „ „ leaves, etc., v. 1219, 1297, Pl. 338, Fig. 53
 „ *sempervirens*, *Miller*, v. 1281
 „ *serrata*, *Thunberg*, v. 1275, 1216, 1219
 „ „ leaves, etc., v. 1219, 1275, Pl. 337, Fig. 46
 „ „ var. *chinensis*, v. 1276
 „ „ *pendula*, v. 1275
 „ *serratifolia*, v. 1324
 „ *sessiliflora*, *Salisbury*, ii. 291, 296, 297, 335, 337; v. 1216, 1221, 1225, 1316
 „ „ distribution, etc. *See* Oak, Sessile
 „ „ var. *afghanistanensis*, ii. 292
 „ „ „ leaves, ii. 292, Pl. 79, Fig. 11
 „ „ *alnoides*, ii. 293
 „ „ „ leaves, ii. 293, Pl. 79, Fig. 12
 „ „ *aurea*, ii. 293
 „ „ *cochleata*, ii. 292
 „ „ *dschorochensis*, ii. 293
 „ „ „ leaves, ii. 293, Pl. 79, Fig. 10
 „ „ *falkenbergensis*, ii. 293
 „ „ *geltoviana*, ii. 292
 „ „ *iberica*, ii. 293
 „ „ *laciniata*, ii. 292
 „ „ *longifolia*, ii. 292
 „ „ *Louetti*, ii. 292
 „ „ *macrophylla*, ii. 292
 „ „ *mespilifolia*, ii. 292
 „ „ „ leaves, ii. 292, Pl. 79, Fig. 9
 „ „ *pannonica*, v. 1318 note 3
 „ „ *pinnata*, ii. 293
 „ „ *pubescens*, ii. 294
 „ „ *purpurea*, ii. 293
 „ „ *rubicunda*, ii. 293
 „ „ *sublobata*, ii. 292
 „ „ *Tenorei*, ii. 295
 „ „ *variegata*, ii. 293
 „ *sessiliflora* (?) × *Q. Ilex*. *See* *Quercus audleyensis*
 „ *sessilis*, *Ehrhart*, ii. 291; *Errata*, 1938
 „ *Smilax*, *Linnaeus*, v. 1282
 „ *sonomensis*, *A. de Candolle*, v. 1241
 „ *squarrosa*, *Kotschy*, v. 1274
 „ *stellata*, *Wangenheim*, v. 1222
 „ „ leaves, etc., v. 1222, Pl. 336, Fig. 32
 „ *stolonifera*, *Lapeyrouse*, v. 1313

Quercus—continued

- „ Suber, *Linnaeus*, v. 1292, 1216, 1223,
 1228, 1264 note 1
 „ „ cork, v. 1296
 „ „ cultivation, v. 1295
 „ „ distribution, v. 1293
 „ „ hybrids, v. 1261, 1263 and note 2,
 1264 note 2, 1265 note, 1272,
 1319
 „ „ in Algeria, v. 1293
 „ „ in England, v. 1295
 „ „ in France and Spain, v. 1293
 „ „ in Ireland, v. 1296
 „ „ in Italy, v. 1295
 „ „ in Portugal, v. 1294
 „ „ in Scotland, v. 1296
 „ „ in Wales, v. 1296
 „ „ leaves, etc., v. 1223, 1292, Pl. 339,
 Fig. 63
 „ „ Mamhead, tree at, v. 1295, Pl. 328
 „ „ timber, v. 1296
 „ „ var. *occidentalis*, v. 1292, 1216
 note 3
 „ *suberosa*, Salisbury, v. 1292
 „ *sublobata*, Kitaibel, ii. 292
 „ *Tauzin*, Persoon, v. 1313
 „ *Tchihatchewi*, Kotschy, v. 1274 note 3
 „ *texana*, Buckley, v. 1251 note 1
 „ „ Sargent, v. 1251 and notes 1 and 2
 „ *Thomasii*, Tenore, ii. 288
 „ „ leaves, ii. 288, Pl. 79, Fig. 4
 „ *tinctoria*, Michaux, v. 1239
 „ „ var. *californica*, v. 1241
 „ *Toza*, Bosc, v. 1313, 1216, 1222, 1227,
 1317
 „ „ Clonmannon, tree at, v. 1315, Pl. 330
 „ „ cultivation, v. 1315
 „ „ distribution, v. 1314
 „ „ hybrids, v. 1314
 „ „ leaves, etc., v. 1222, 1314, Pl. 335,
 Fig. 28
 „ *Trabuti*, Hy, v. 1314 note 2
 „ *tridentata*, Engelmann, v. 1231 note 2
 „ *triloba*, Michaux, v. 1237
 „ *Turneri*, Willdenow, v. 1288, 1219, 1222,
 1283
 „ „ remarkable trees, v. 1290
 „ „ var. *pseudoturneri*, v. 1289, 1220
 note, 1290
 „ „ „ leaves, etc., v. 1289,
 Pl. 337, Fig. 45
 „ *uliginosa*, Wangenheim, v. 1235
 „ *Ungeri*, Kotschy, v. 1268
 „ *valentina*, Cavanilles, v. 1323
 „ *Vallonea*, Kotschy, v. 1268
 „ *variabilis*, Blume, v. 1276, 1216, 1219
 „ „ acorn-cups used for dyeing pur-
 poses, v. 1276
 „ „ leaves, etc., v. 1219, 1276, Pl.
 337, Fig. 40
 „ *velutina*, Lamarck, v. 1239, 1216, 1218,
 1234
 „ „ bark, v. 1240
 „ „ Bayfordbury, tree at, v. 1240, Pl. 313

Quercus velutina, Lamarck—continued

- „ „ hybrids, v. 1229, 1231
 „ „ leaves, etc., v. 1218, 1239, Pl.
 333, Fig. 5
 „ „ remarkable trees, v. 1240
 „ „ timber, v. 1240
 „ „ var. *missouriensis*, v. 1239
 „ *veneris*, Kerner, v. 1326 note 1
 „ *vesca*, Kotschy, v. 1274 note 3
 „ *Vibrayeana*, Franchet et Savatier, v. 1329,
 1217, 1224
 „ „ leaves, etc., v. 1224, 1329, Pl.
 338, Fig. 55
 „ *villosa*, Hort., v. 1233
 „ *virens*, Aiton, v. 1225
 „ *virginiana*, Miller, v. 1225
 „ *Wislizeni*, A. de Candolle, v. 1253, 1216,
 1224
 „ „ hybrid, v. 1241
 „ „ leaves, etc., v. 1224, 1253, Pl.
 338, Fig. 58
 „ „ *yunnanensis*, Franchet, v. 1277 and note
 Quickbeam, vi. 1580 note, and Errata, 1942
 Quicken pear tree, i. 148

Rassamala tree, iii. 505 note 2

Rauli tree, iii. 555

RAXOPITYS, Nelson (Senilis), iii. 494

Redwood, iii. 688. See *Sequoia sempervirens*

Reseda Luteola. See Plants, Miscellaneous

Resin, v. 1012, 1093, 1118

RETINISPORA, Siebold and Zuccarini, v. 1146

„ forms, explanation of origin of,
 v. 1191

Retinispora andelyensis, Carrière, v. 1211

„ *dubia*, Carrière, i. 192

„ *Ellwangeriana*, Carrière, i. 192

„ *filicoides*, Veitch, v. 1186

„ *filifera*, Standish, v. 1192

„ *juniperoides*, Carrière, i. 198

„ *leptoclada*, Gordon, v. 1211

„ *lycopodioides*, Standish, v. 1186

„ *monstrosa*, Gordon, v. 1186

„ *Nobleana*, Beissner, v. 1186

„ *obtusa*, Siebold and Zuccarini, v. 1185

„ *pisifera*, Siebold and Zuccarini, v. 1190

„ *plumosa*, Veitch, v. 1191

„ *squarrosa*, Siebold and Zuccarini, v.
 1190

„ *tetragona aurea*, Kent, v. 1186

Retinospora, v. 1146 note 2

Rhamnus carpinifolius, Pallas, iv. 915

„ *ulmoides*, Gleditsch, iv. 915

Rhaphis flabelliformis, Aiton, vii. 1690 note 2

Rhus obscura, Bieberstein, ii. 438

Rhytisma acerinum. See Fungi

Ribes sanguineum, v. 1024 note 3

“Rie” wood, iii. 595

ROBINIA, Linnaeus, vi. 1496

Robinia ambigua, Poiret, vi. 1500

„ *bella-rosea*, Nicholson, vi. 1500

„ *Boyntoni*, Ashe, vi. 1508 note 3

„ *coloradensis*, Dode, vi. 1501

„ *coluteoides*, Koch, vi. 1499

2010 The Trees of Great Britain and Ireland

Robinia—continued

- „ *dubia*, *Foucault*, vi. 1500
- „ *echinata*, *Miller*, vi. 1500 note 1
- „ *fragilis*, *Salisbury*, vi. 1497
- „ *glutinosa*, *Sims*, vi. 1507
- „ *hispida*, *Linnaeus*, vi. 1508, 1497
- „ „ var. *inermis*, vi. 1508
- „ „ *macrophylla*, vi. 1508
- „ „ *rosea*, vi. 1508 note 3
- „ „ *typica*, vi. 1508
- „ *hispida-rosea*, *Loiseleur*, vi. 1508
- „ *Holdtii*, *Beissner*, vi. 1500
- „ „ var. *Britzensis*, vi. 1501
- „ *intermedia*, *Soulange-Bodin*, vi. 1500
- „ *Kelseyi*, *Cowell*, vi. 1508
- „ *macrophylla*, *Schrader*, vi. 1508
- „ *neomexicana*, *Gray*, vi. 1506, 1497
- „ „ *hybrid*, vi. 1500
- „ *Pseudacacia*, *Linnaeus*, vi. 1497, 1496
- „ „ *America*, trunk of tree in, vi. 1501, Pl. 353
- „ „ *cultivation*, vi. 1502
- „ „ *distribution*, vi. 1501
- „ „ *Frogmore*, tree at, vi. 1504, Pl. 351
- „ „ *hybrids*, vi. 1500
- „ „ *introduction*, vi. 1501
- „ „ *remarkable trees*, vi. 1504
- „ „ *The Mote*, *Maidstone*, tree at, vi. 1504, Pl. 352
- „ „ *timber*, vi. 1505
- „ „ var. *amorphaeifolia*, vi. 1499
- „ „ *argenteo-variegata*, vi. 1499
- „ „ *aurea*, vi. 1499
- „ „ *aureo-variegata*, vi. 1499
- „ „ *Bessoniana*, vi. 1499
- „ „ *bullata*, vi. 1499
- „ „ *crispa*, vi. 1499
- „ „ *Decaisneana*, vi. 1500
- „ „ *dissecta*, vi. 1499
- „ „ *fastigiata*, vi. 1498
- „ „ *flore luteo*, vi. 1500
- „ „ *inermis*, vi. 1499
- „ „ *linearis*, vi. 1499
- „ „ *lutea*, vi. 1500
- „ „ *monophylla*, vi. 1499
- „ „ *myrtifolia*, vi. 1499
- „ „ *pendula nova*, vi. 1499
- „ „ *purpurea*, vi. 1499
- „ „ *pyramidalis*, vi. 1498
- „ „ *semperflorens*, vi. 1500
- „ „ *sophoraefolia*, vi. 1499
- „ „ *stricta*, vi. 1498
- „ „ *tortuosa*, vi. 1499
- „ „ *tragacanthoides*, vi. 1499
- „ „ *Ultriciana*, vi. 1498
- „ „ *umbraculifera*, vi. 1499
- „ „ *viscosa*, *Ventenat*, vi. 1507, 1497
- „ „ *hybrid*, vi. 1500
- „ *Roble negro tree*, v. 1315
- „ *Pellin tree*, iii. 554
- „ *Robore tree*, v. 1264
- „ *Rogn tree*, vi. 1579
- „ *Rose Acacia*, vi. 1508. See *Robinia hispida*
- „ *maloes*, iii. 505

ROSPIDIOS, A. de Candolle, iv. 995
Rowan, vi. 1576. See *Pyrus Aucuparia*

SABINA, Haller, vi. 1395

- Sabina barbadensis*, *Small*, vi. 1437
- „ *Cabianca*, *Antoine*, vi. 1430
- „ *chinensis*, *Antoine*, vi. 1430
- „ *excelsa*, *Antoine*, vi. 1446
- „ *flaccida*, *Antoine*, vi. 1426
- „ *isophyllos*, *Antoine*, vi. 1446
- „ *Lycia*, *Antoine*, vi. 1424
- „ *officinalis*, *Garcke*, vi. 1443
- „ *pachyphleæ*, *Antoine*, vi. 1429
- „ *phœnicia*, *Antoine*, vi. 1424
- „ *plochyderma*, *Antoine*, vi. 1429
- „ *polycarpus*, *Antoine*, vi. 1446
- „ *recurva*, *Antoine*, vi. 1419
- „ *scopulorum*, *Rydberg*, vi. 1436
- „ *squamata*, *Antoine*, vi. 1420
- „ *virginiana*, *Antoine*, vi. 1435

Sabino tree, i. 175

Saikachi tree, vi. 1516

SALISBURIA, *Smith*, i. 55

Salisburia adiantifolia, *Smith*, i. 56

SALIX, *Linnaeus*, vii. 1743

„ section *CHAMÆTIA*, *Dumortier*, vii. 1743
 note 1

Salix alba, *Linnaeus*, vii. 1759, 1745, 1763, 1768

„ „ *distribution*, etc. See *Willow*, *White*

„ „ var. *argentea*, vii. 1760

„ „ *caerulea*, vii. 1763 and note 5

„ „ *leucophylla*, vii. 1760

„ „ *regalis*, vii. 1760

„ „ *splendens*, vii. 1760

„ „ *tristis*, vii. 1750 note 3

„ „ *vitellina*, vii. 1768

„ *alopecuroides*, *Tausch*, vii. 1756 note 2

„ *annularis*, *Forbes*, vii. 1750

„ *aurita*, vii. 1746

„ „ *hybrid*, vii. 1746

„ *babylonica*, *Linnaeus*, vii. 1749, 1744, 1771
 note 4

„ „ *distribution*, etc. See *Willow*,
Weeping

„ „ var. *annularis*, vii. 1750

„ „ *aurea*, vii. 1769

„ „ *crispa*, vii. 1750

„ „ *pekinensis*, vii. 1752

„ „ *Salamonii*, vii. 1750

„ ? *basfordiana*, *Scaling*, vii. 1757 note 1, 1768

„ *blanda*, *Andersson*, vii. 1751 and notes 3
 and 4

„ *Bonplandiana*, *Humboldt*, *Bonpland*, et *Kunth*,
 vii. 1743 note 2

„ *Caprea*, *Linnaeus*, vii. 1745, 1743, 1744

„ „ *distribution*, etc. See *Willow*, *Goat*

„ „ var. *alpina*, vii. 1746

„ „ *elliptica*, vii. 1746

„ „ *orbiculata*, vii. 1746

„ „ *pendula*, vii. 1746

„ „ *sphacelata*, vii. 1746

„ *capreola*, *Kerner*, vii. 1746

„ *cardinalis*, *Veitch*, vii. 1755

„ *chrysocoma*, *Dode*, vii. 1769 note 2

Salix—continued

- „ cinerea, vii. 1746
 „ „ hybrid, vii. 1746
 „ cœrulea, Smith, vii. 1763, 1745, 1758
 „ „ cultivation, etc. See Willow, Cricket-Bat
 „ cuspidata, Schultz, vii. 1748
 „ decipiens, Hoffmann, vii. 1755, 1744
 „ Ehrhartiana, Smith, vii. 1748
 „ elegantissima, Koch, vii. 1744, 1751
 „ excelsior, Host, vii. 1756
 „ fragilis, Linnæus, vii. 1754, 1744, 1761
 „ „ distribution, etc. See Willow, Crack
 „ „ var. britannica, vii. 1755
 „ „ decipiens, vii. 1755
 „ „ genuina, vii. 1755
 „ „ latifolia, vii. 1756
 „ „ Russelliana, vii. 1757
 „ fragilis-alba, Wimmer, vii. 1756
 „ fragrans, Salisbury, vii. 1747
 „ hexandra, Ehrhart, vii. 1748
 „ Kilmarnocki, Nicholson, vii. 1746
 „ Meyeriana, Rostkovius, vii. 1748
 „ montana, Forbes, vii. 1756
 „ Napoleonis, Schultz, vii. 1749
 „ palustris, Host, vii. 1756
 „ pendula, Moench, vii. 1749
 „ pendulina, Wender, vii. 1751
 „ pentandra, Linnæus, vii. 1747, 1744. See also Willow, Bay
 „ „ var. angustifolia, vii. 1748
 „ „ latifolia, vii. 1748
 „ Petzoldii pendula, Hort., vii. 1751
 „ propendens, Seringe, vii. 1749
 „ regalis, Wesmael, vii. 1760
 „ Reichardtii, Kerner, vii. 1746
 „ reticulata, Linnæus, vii. 1743 note 1
 „ ?rubens, Schrank, vii. 1756
 „ Russelliana, Smith, vii. 1757
 „ Safsaf, Dode, vii. 1754 note 1
 „ Salamonii, Carrière, vii. 1750, 1744, 1753
 „ sanguinea, Scaling, vii. 1757 note 1
 „ sepulcralis, Simonkai, vii. 1750 note 3, 1751 note 4
 „ Sieboldii, Hort., vii. 1751
 „ speciosa, Host, vii. 1756, 1744
 „ sphacelata, Smith, vii. 1746
 „ splendens, Bray, vii. 1760
 „ tinctoria, Smith, vii. 1748
 „ triandra, hybrids, vii. 1755, 1756 and note 2
 „ viridis, Fries, vii. 1756, 1763
 „ viridis, Pratt, vii. 1763
 „ vitellina, Linnæus, vii. 1768, 1744, 1745
 „ „ var. britzensis, vii. 1769
 „ „ pendula, vii. 1769
 Sallow, vii. 1745. See Willow, Goat
 Saperda carcharias. See Insects
 Sapindus chinensis, Linnæus, vii. 1932
 „ „ sinensis, Gmelin, vii. 1932
 Saru tree, v. 1153
 SASSAFRAS, Nees, iii. 515
 Sassafras, iii. 516. See Sassafras officinale
 „ Chinese, iii. 515. See Sassafras Tzumu

Sassafras—continued

- „ officinale, Nees, iii. 516
 „ „ branchlets and buds, iii. 517, Pl. 200, Fig. 6
 „ „ Claremont, tree at, iii. 518, Pl. 146
 „ „ cultivation, iii. 518
 „ „ distribution, iii. 517
 „ „ identification, iii. 517
 „ „ leaves, iii. 516, Pl. 199, Fig. 5
 „ „ medicinal properties, iii. 519
 „ „ remarkable trees, iii. 518
 „ „ seedling, iii. 516
 „ „ timber, iii. 519
 „ Sassafras, Karsten, iii. 516
 „ Tzumu, Hemsley, iii. 515; vi. 1490 note 2
 „ „ variifolium, O. Kuntze, iii. 516
 Satin Walnut, iii. 503, 504
 Savin, vi. 1443. See Juniperus Sabina
 Sawa gurumi tree, ii. 443
 Sawara tree, v. 1193
 SAXEGOTHEA, vi. 1458; i. 99
 Saxegothæa conspicua, Lindley, vi. 1458
 Schember tree, v. 1037
 Schnee birn tree, vi. 1559
 SCHUBERTIA, Mirbel, i. 171
 Schubertia disticha, Mirbel, i. 173
 „ „ sempervirens, Spach, iii. 688
 SClADOPITYS, Siebold and Zuccarini, iii. 567
 Sciadopitys verticillata, Siebold and Zuccarini, iii. 568
 „ „ cultivation, iii. 569
 „ „ Hemsted, tree at, iii. 570, Pl. 159 B
 „ „ in Japan, iii. 568, 569, Pl. 159 A
 Scolytus destructor, etc. See Insects
 SCORIA, Rafinesque, iii. 597
 SEMIDOPSIS, Zumaglini, iv. 935
 SEQUOIA, Endlicher, iii. 687
 Sequoia Couttsiæ, Heer, vi. 1449
 „ gigantea, Decaisne, iii. 699; i. 131; iii. 688
 „ „ age of largest tree, iii. 705
 „ „ Aston Clinton, trees at, iii. 708, Pl. 197
 „ „ Big Tree Groves and Forests, table of, iii. 704
 „ „ Calaveras Grove, iii. 701 note 6, 702
 „ „ Cloverley Hall, measurements of trees at, iii. 709
 „ „ Crane Flat Grove, iii. 702
 „ „ cultivation, iii. 706
 „ „ distribution, iii. 701
 „ „ Fonthill Abbey, tree at, iii. 707, Pl. 196
 „ „ Fresno Grove, iii. 703
 „ „ in California, iii. 701-705
 „ „ in England, iii. 706-709
 „ „ in Ireland, iii. 710
 „ „ in Scotland, iii. 709
 „ „ introduction, iii. 706

2012 The Trees of Great Britain and Ireland

Sequoia gigantea, *Decaisne*—continued

- " " Kaweah River, forest, iii. 703, 705
- " " King's River, forest, iii. 703
- " " Mariposa Grove, iii. 703
- " " North Grove in Placer County, iii. 701
- " " on the Continent, iii. 710
- " " rate of growth, compared with other trees, iii. 709
- " " remarkable trees, iii. 706
- " " Stanislaus or South Calaveras Grove, iii. 702
- " " Strathfieldsaye, avenue at, iii. 707
- " " timber, iii. 710
- " " Tule River, groves on, iii. 703, 705
- " " var. *argentea*, iii. 701
- " " *aurea*, iii. 701
- " " *aureo-variegata*, iii. 701
- " " *Barroni pendula*, iii. 701
- " " *glauca*, iii. 701
- " " *Holmsii*, iii. 701
- " " *pendula*, iii. 700
- " " *pygmæa*, iii. 701
- " " Wellington College, avenue near, iii. 708, Pl. 198
- " *gigantea*, Endlicher, iii. 688
- " *religiosa*, Presl, iii. 688
- " *sempervirens*, Endlicher, iii. 688, 687
- " " Claremont, tree at, iii. 696, Pl. 194
- " " climate, iii. 692
- " " coppice shoots, iii. 689 note 5
- " " cultivation, iii. 694
- " " distribution, iii. 689
- " " in California, iii. 689, Pl. 195
- " " in England, iii. 695-697
- " " in Ireland, iii. 696, 697
- " " in Oregon, iii. 690
- " " in Scotland, iii. 695, 697
- " " introduction, iii. 694
- " " remarkable trees, iii. 696
- " " root-suckers, iii. 689
- " " tallest tree in the world, iii. 690 note 3, 692; vi. 1614
- " " timber, iii. 698; v. 1093
- " " trees associated with, iii. 691
- " " var. *adpressa*, iii. 689
- " " *albospica*, iii. 689
- " " *glauca*, iii. 689
- " " *taxifolia*, iii. 689
- " *Washingtoniana*, Sudworth, iii. 699
- " *Wellingtonia*, Seemann, iii. 699
- Service tree, etymology, i. 146 note 1
- " " Gripping, i. 152
- " " of Fontainebleau, i. 155. See *Pyrus latifolia*
- " " True, i. 146, 142. See *Pyrus Sorbus*
- " " Wild, i. 151. See *Pyrus torminalis*
- Sex and habit of *Araucaria*, i. 45
- " " Ginkgo, i. 57
- " " Yew, i. 116
- Sha tree, i. 108, 132
- Shagbark Hickory, iii. 601. See *Carya alba*

- Sha-li tree, vi. 1557
- Shellbark, Big, iii. 605. See *Carya sulcata*
- Shima-guwa tree, vi. 1611 note 3
- Shima-momi tree, vi. 1476 note 1
- Shimofuri hiba tree, v. 1191
- Shinko matsu tree, vi. 1370
- Shinobu-hiba tree, v. 1192
- Shirabiso or Shiramomi tree, iv. 770
- Shira-Kamba tree, iv. 968 note 1
- Shittim wood, v. 1157 note 6
- Shuro tree, vii. 1692
- Silkworms, i. 32; vi. 1611
- Silver Birch. See Birch, Silver
- " Firs. See *Abies*
- Sleep of plants, i. 40; ii. 431
- Snowdrop tree, vi. 1602. See *Halesia carolina*
- Soap tree, Chinese, ii. 427. See *Gymnocladus chinensis*
- Sobreiro tree, v. 1295
- SOLENOSTIGMA*, Endlicher, iv. 925
- SOPHORA, Linnæus, i. 36
- " *japonica*, Linnæus, i. 37, 36; ii. 450; vii. 1933 and note 4
- " " branchlets and buds, i. 37-38
- " " Cambridge, tree at, i. 42, Pl. 16; vii. 1933 note 4
- " " cultivation, i. 41
- " " distribution and history, i. 39
- " " identification, i. 37
- " " introduction, i. 41
- " " remarkable trees, i. 42
- " " uses in China, i. 40
- " " var. *crispa*, i. 38
- " " *Korolkowii*, i. 38
- " " *oligophylla*, i. 39
- " " *pendula*, i. 38. See Errata, 1935
- " " *variegata*, i. 38
- " " *violacea*, i. 39
- " *Korolkowii*, Cornu, i. 38
- " *macrocarpa*, i. 36
- " *platycarpa*, Maximowicz, i. 36, 39 note 8
- " *shikokiana*, Makino, i. 36 note 3
- " *tetraptera*, i. 36
- " Weeping, i. 38
- Sorb tree, i. 148. See *Pyrus Sorbus*
- SORBUS*, Linnæus, i. 141; vi. 1574 note 1
- Sorbus ambigua*, Michalet, i. 168
- " *americana*, Marshall, vi. 1574 note 2
- " *Aria*, Crantz, i. 166
- " *arioides*, Michalet, i. 168
- " *arranensis*, Hedlund, i. 163
- " *Aucuparia*, Linnæus, vi. 1576
- " " var. *japonica*, vi. 1574 note 4
- " *commixta*, Hedlund, vi. 1574 note 4
- " *cretica*, Fritsch, i. 167
- " *Decaisneana*, Zabel, i. 167 note 4
- " *decurrens*, Hedlund, vi. 1578
- " *domestica*, Linnæus, i. 146
- " *fennica*, Fries, i. 163, 164
- " *hybrida*, Linnæus, i. 163; vi. 1578 note 1
- " *intermedia*, Persoon, i. 159
- " *japonica*, Koehne, vi. 1574 note 4
- " *lanuginosa*, Kitaibel, vi. 1577

Sorbus—continued

- „ *latifolia*, Persoon, i. 155
 „ *magnifica*, Hort., i. 145
 „ *majestica*, Hort., i. 145
 „ *minima*, Hedlund, i. 159 note 3
 „ *Mougeoti*, Soyer-Willemet et Godron, i. 159
 „ *nepalensis*, Hort., i. 145
 „ *neuillyensis*, Dippel, vi. 1578
 „ *pekinensis*, Koehne, vi. 1575
 „ *pohuashanensis*, Rehder, vi. 1575 note 5
 „ *pyriformis*, L'Obelius, i. 147, 148
 „ *sativa*, Miller, 148 note 2
 „ „ var. *pyriformis*, i. 148
 „ *satureiifolia*, Koehne, vi. 1578
 „ *saturejaefolia*, Koch, vi. 1578
 „ *scandica*, Fries, i. 159
 „ *subserrata*, Opiz, vi. 1578
 „ *thianshanica*, Ruprecht, vi. 1575 note 4
 „ *tormalis*, Crantz, i. 151
 „ *Vilmorini*, Schneider, vi. 1576 note 1
 Spirke tree, v. 1132 note 2
 Spitzfichte, vi. 1341
 Spruce, Ajan, i. 85. See *Picea ajanensis*
 „ Alberta White, vi. 1385. See *Picea albertiana*
 „ Black, vi. 1375. See *Picea nigra*
 „ Brewer's, i. 82. See *Picea Breweriana*
 „ Candelabra, vi. 1344
 „ "Cat," vi. 1380 note 2
 „ Colorado, vi. 1389. See *Picea pungens*
 „ "Columnar," vi. 1341
 „ Common, vi. 1337. See *Picea excelsa*
 „ Engelmann's, vi. 1387. See *Picea Engelmanni*
 „ "German," vi. 1340
 „ Hemlock, ii. 239. See *Tsuga canadensis*
 „ Himalayan, vi. 1366. See *Picea Smithiana*
 „ Hondo, i. 89. See *Picea hondoensis*
 „ Menzies', i. 92. See *Picea sitchensis*
 „ Morinda, vi. 1366. See *Picea Smithiana*
 „ Norway, iv. 825
 „ Red, vi. 1377. See *Picea rubra*
 „ Schrenk's, vi. 1364. See *Picea Schrenkiana*
 „ Servian, i. 78. See *Picea Omorika*
 „ Siberian, vi. 1359. See *Picea obovata*
 „ Sikkim, vi. 1392. See *Picea spinulosa*
 „ Sitka, i. 92. See *Picea sitchensis*
 „ Snake, vi. 1342
 „ Tideland, i. 92 note 1
 „ Weeping, vi. 1340
 „ Western Himalayan, vi. 1366. See *Picea Smithiana*
 „ White, vi. 1380. See *Picea alba*
 „ Yezo, i. 87
 Spruce-Firs, i. 75. See *Picea*
 STEINHAUERA, Kuntze, iii. 687
 Storax, balsamic resin, iii. 505
 Strasburg turpentine, iv. 731
 Strawberry tree, iii. 559. See *Arbutus Unedo*
 Sugar, Maple, iii. 681
 „ Pine, v. 1020 note 3
 Sughero tree, v. 1264
 Sugi-no-janai, resin, i. 138

- Suro tree, v. 1295
 Sycamore, iii. 641. See also *Acer Pseudoplatanus*
 „ Castle Menzies, tree at, iii. 648, Pl. 182
 „ Colesborne, tree at, iii. 647, Pl. 179
 „ Corstorphine, iii. 643, 644
 „ cultivation, iii. 646
 „ distribution, iii. 645
 „ Drumlanrig Castle, tree at, iii. 648, Pl. 181
 „ fossil, iii. 645
 „ Golden, iii. 643, 644
 „ identification, iii. 642
 „ in England, iii. 647
 „ in Ireland, iii. 649
 „ in Scotland, iii. 648
 „ in Switzerland, iii. 650, Pl. 183
 „ in Wales, iii. 648
 „ leaves, iii. 636, 641, Pl. 206, Fig. 20
 „ Newbattle Abbey, tree at, iii. 648, Pl. 180
 „ Purple-leaved, iii. 644
 „ remarkable trees, iii. 647
 „ Stripe-leaved, iii. 643
 „ Studley Royal, tree at, iii. 647
 „ timber, iii. 650
 „ varieties, iii. 642
 SYNEDRYS, Lindley, v. 1215
 Tabebuia pentaphylla, *Bentham and Hooker*, vii. 1730 note 3
 Tafoden merched tree, vii. 1789
 Take-kamba tree, iv. 977 note 3
 Tamarack, ii. 392. See *Larix americana*
 TAXODIUM, Richard, i. 171
 Taxodium distichum, *Richard*, i. 173; iii. 513
 „ „ cultivation, i. 178
 „ „ distribution, i. 177
 „ „ Mitla (near Oaxaca), tree at, i. 175 note 3
 „ „ North Carolina, swamp, i. 178, Pl. 53
 „ „ remarkable trees, i. 179
 „ „ Syon, tree at, i. 179, Pl. 54
 „ „ sub-varieties, i. 176
 „ „ timber, i. 181
 „ „ var. *imbricaria*, i. 173, 171
 „ „ *mexicanum*, i. 175
 „ „ *mucronatum*, i. 175
 „ „ *pendulum*, i. 173
 „ „ *typica*, i. 173
 „ „ Virginia, tree in, i. 178, Pl. 52
 „ „ Whitton, tree at, i. 179, Pl. 55
 „ *giganteum*, Kellogg and Behr, iii. 699
 „ *imbricarium*, Harper, i. 173
 „ *mexicanum*, Carrière, i. 175
 „ *Montezumæ*, Decaisne, i. 175
 „ *mucronatum*, Tenore, i. 175
 „ *mucronulatum*, Sargent, i. 175
 „ *sempervirens*, Lambert, iii. 688
 „ *sinense*, Gordon, i. 173
 „ *Washingtonianum*, Winslow, iii. 699
 TAXUS, Linnæus, i. 98. See also Yew
 Taxus adpressa, Gordon, i. 114

2014 The Trees of Great Britain and Ireland

Taxus—continued

- „ *baccata*, Linnæus, i. 100
 „ „ distribution, etc. See Yew
 „ „ sub-species *Wallichiana*, Pilger, i. 100 note 1
 „ „ var. *adpressa*, i. 114, 113, 115; iii. 689
 „ „ „ *aurea*, i. 115
 „ „ „ *stricta*, i. 115
 „ „ „ *variegata*, i. 115
 „ „ *aurea*, i. 113
 „ „ *Barroni*, i. 113
 „ „ *brevifolia*, i. 108, 100
 „ „ *canadensis*, i. 109, 100
 „ „ *cheshuntensis*, i. 111
 „ „ *Crowderi*, i. 111
 „ „ *cuspidata*, i. 107, 100
 „ „ *Dovastoni*, i. 112
 „ „ „ *aureo-variegata*, i. 112
 „ „ „ *variegata*, i. 112
 „ „ *elegantissima*, i. 111, 113
 „ „ *empetrifolia*, i. 112
 „ „ *erecta*, i. 111, 113
 „ „ *ericoides*, i. 112
 „ „ *fastigiata*, i. 110
 „ „ „ *argentea*, i. 111
 „ „ „ *aurea*, i. 111
 „ „ *floridana*, i. 109, 100
 „ „ *fructu luteo*, i. 114
 „ „ *glauca*, i. 114
 „ „ *globosa*, i. 109, 101
 „ „ *gracilis pendula*, i. 113
 „ „ *horizontalis*, i. 113
 „ „ *imperialis*, i. 111
 „ „ *nana*, i. 112
 „ „ *pendula*, i. 112
 „ „ *procumbens*, i. 113
 „ „ *recurvata*, i. 113
 „ „ *sinensis*, i. 108, 100
 „ „ *stricta*, i. 111
 „ „ *typica*, i. 101, 100
 „ „ *Washingtoni*, i. 113
 „ *baccata*, Thunberg, vi. 1469
 „ *brevifolia*, Nuttall, i. 100, 108
 „ *canadensis*, Marshall, i. 100; Errata, 1936
 „ „ var. *aurea*, i. 100 note 5
 „ *coriacea*, Knight and Perry, vi. 1469 note 4
 „ *cuspidata*, Siebold and Zuccarini, i. 100, 108
 „ „ var. *compacta*, i. 108
 „ *fastigiata*, Lindley, i. 110
 „ *floridana*, Chapman, i. 100
 „ *Foxii*, Hort., i. 112
 „ *globosa*, Schlechtendal, i. 101
 „ *Harringtonia*, Knight, vi. 1471
 „ *hibernica*, Hooker, i. 110
 „ *montana*, Nuttall, vi. 1466
 „ *nucifera*, Linnæus, vi. 1463
 „ *sinensis tardiva*, Knight, i. 114
 „ *tardiva*, Lawson, i. 114
 „ *verticillata*, Thunberg, iii. 568
 „ *Wallichiana*, Zuccarini, i. 100 note 1
 „ „Tea,” v. 1097. See *Pinus canariensis*
 Tejo, i. 105

- Tetranthera* (?) *californica*, Hooker and Arnott, vi. 1531
THEYGA, Molina, vii. 1700
THIGA, Molina, vii. 1700
 Thorn, Glastonbury, vii. 1736
 „ of St. Patrice, vii. 1736 note 3
 „ Queen Mary's, vii. 1735
THUIÆCARPUS, Trautvetter, vi. 1395
Thuicarpus juniperinus, Trautvetter, vi. 1400 note 3
THUJA, Linnæus, i. 182 note 1; Errata, 1937
THUJOPSIS, Siebold and Zuccarini, ii. 201
Thujopsis borealis, Carrière, v. 1194, 1197
 „ *dolabrata*, Siebold and Zuccarini, ii. 202; i. 136
 „ „ cultivation, ii. 205
 „ „ distribution, ii. 203
 „ „ in Japan, i. Pl. 60; ii. 204
 „ „ timber, ii. 204
 „ „ var. *australis*, ii. 202
 „ „ *Hondai*, ii. 202, 203
 „ „ *latevirens*, ii. 203
 „ „ *nana*, ii. 203
 „ „ *variegata*, ii. 203
 „ *Hondai*, A. Henry, ii. 202
 „ *latevirens*, Lindley, ii. 203
 „ *Standishii*, Gordon, i. 195
 „ *Tschugatskoi*, Fischer, v. 1197
THUYA, Baillon, iii. 484
 „ Bentham et Hooker, ii. 201
THUYA, Linnæus, i. 182
 „ section *BIOTA*, i. 183, 182
 „ „ *CHAMÆCYPARIS*, Bentham et Hooker, v. 1146
 „ „ *EUTHUYA*, i. 183, 182
Thuya andina, Poeppig et Endlicher, iii. 486
 „ *chilensis*, Don, iii. 486
 „ *Craigana*, Balfour, iii. 489, 490
 „ *Craigiana*, Hort., i. 184
 „ *dolabrata*, Linnæus, ii. 202
 „ *Doniana*, Hooker, iii. 487
 „ *excelsa*, Bongard, v. 1194
 „ *filiformis*, Lindley, i. 197
 „ Giant. See *Thuya plicata*
 „ *gigantea*, Carrière, iii. 489, 490
 „ „ Nuttall, i. 184, 185
 „ „ var. *japonica*, i. 195
 „ Japanese. See *Thuya japonica*
 „ *japonica*, Maximowicz, i. 195, 183, 191, 200
 „ „ in Great Britain, i. 196
 „ *Lobbi*, Hort., i. 184, 185
 „ *Menziesii*, Douglas, i. 184
 „ *obtusata*, Masters, v. 1185
 „ „ var. *breviramea*, v. 1186
 „ „ *filicoides*, v. 1186
 „ „ *lycopodioides*, v. 1186
 „ *occidentalis*, Linnæus, i. 191, 183, 185, 195, 200
 „ „ distribution, i. 193
 „ „ remarkable trees, i. 194
 „ „ var. *aurea*, i. 193
 „ „ *dumosa*, i. 193
 „ „ *Ellwangeriana*, i. 192

Thuya occidentalis, Linnæus—continued

- " " var. *erecta*, i. 193
 " " " *viridis*, i. 193
 " " *ericoides*, i. 192, 198
 " " *lutea*, i. 193
 " " *pendula*, i. 193
 " " *plicata*, i. 192, 185 note 2
 " " Späthi, i. 193
 " " *vervæneana*, i. 193
 " " *Wareana*, i. 192
 " *orientalis*, Linnæus, i. 197, 183; v. 1164
 " " notes 1 and 5
 " " Chinese name, i. 199
 " " distribution, i. 199
 " " var. *argenteo-variegata*, i. 198
 " " *aurea*, i. 198
 " " *aureo-variegata*, i. 198
 " " *decussata*, i. 198
 " " *ericoides*, i. 198
 " " *funiculata*, i. 198
 " " *gracilis*, i. 198
 " " *intermedia*, i. 198
 " " *Meldensis*, i. 198
 " " *pendula*, i. 197; v. 1164
 " " note 5, 1187
 " " *pyramidalis*, i. 198
 " *pendula*, Lambert, i. 197
 " *pensilis*, Staunton, i. 172 note 1
 " *pisifera*, Masters, v. 1190
 " " var. *filifera*, v. 1192
 " " *plumosa*, v. 1191
 " " *squarrosa*, v. 1190
 " *plicata*, D. Don, i. 184, 183, 191, 195; ii.
 " 397, 398; iii. 491
 " " cultivation, i. 186
 " " distribution, i. 185
 " " Fonthill Abbey, tree at, i. 188,
 " Pl. 57
 " " history, i. 185
 " " in England, i. 188
 " " in Ireland, i. 189
 " " in Scotland, i. 189
 " " in Vancouver Island, i. 186, Pl. 56
 " " in Wales, i. 189
 " " remarkable trees, i. 187
 " " timber, i. 190
 " " Western Hemlock growing on
 " " fallen log of, in America, i. Pl.
 " 59; ii. 236
 " *plicata*, Hort., i. 185, 191
 " " Parlatores, i. 192
 " *sphaeroidalis*, Richard, v. 1210
 " *sphaeroidea*, Sprengel, v. 1210
 " *Standishii*, Carrière, i. 195; Errata, 1937
 " *sutchuenensis*, Franchet, i. 183
 " *tetragona*, Hooker, iii. 485
 TILIA, Linnæus, vii. 1653
 " key to species, vii. 1654
Tilia alba, Aiton, vii. 1675
 " " Koch, vii. 1677
 " " Michaux, vii. 1689
 " *alba spectabilis*, vii. 1686 note 4
 " *americana*, Linnæus, vii. 1685, 1654
 " " distribution, vii. 1687

Tilia americana, Linnæus—continued

- " " hybrids, vii. 1685 note 1, 1686,
 " 1687, 1688, 1689
 " " leaves, vii. 1685, Pl. 407, Fig. 1
 " " timber, vii. 1687
 " " var. *heterophylla*, vii. 1688
 " " *Moltkei*, vii. 1686 note 2
 " " *pendula*, vii. 1678
 " " *pubescens*, vii. 1689
 " " *rubra*, vii. 1689
 " *amurensis*, Ruprecht, vii. 1657 note 3
 " *argentea*, Desfontaines, vii. 1675, 1676
 " " var. *virescens*, vii. 1687
 " *argentea-nigra*, Bayer, vii. 1687 note 1
 " *Beaumontia*, Hort., vii. 1666
 " *Blechiiana*, Hort., vii. 1686 note 4
 " *Blockiana*, Borbas, vii. 1657 note 1
 " *canadensis*, Michaux, vii. 1685
 " *caroliniana*, Miller, vii. 1685
 " *caucasica*, Ruprecht, vii. 1663
 " " hybrid, vii. 1674
 " *chinensis*, Maximowicz, vii. 1684 note 2
 " *corallina*, Smith, vii. 1661
 " *cordata*, Miller, vii. 1656, 1654, 1665, 1669
 " " distribution, vii. 1657
 " " hybrids, vii. 1665, 1674
 " " leaves, vii. 1656, Pl. 407, Fig. 8
 " " remarkable trees, vii. 1660
 " " Sprowston Hall, tree at, vii. 1660,
 " Pl. 372
 " " var. *aureo-variegata*, vii. 1657
 " " *Blockiana*, vii. 1657 note 1
 " " *cucullata*, vii. 1657
 " " *japonica*, vii. 1657 note 3
 " " *mandshurica*, vii. 1657 note 3
 " " *ovalifolia*, vii. 1657 note 1
 " " *sibirica*, vii. 1657 note 3
 " " *vitifolia*, vii. 1657
 " *cordata* × *T. platyphyllos*, Schneider, vii. 1664
 " " × *T. tomentosa*, vii. 1687 note 1
 " *corinthiaca*, Bosc, vii. 1663
 " *cucullata*, Jacquin, vii. 1662
 " *dasystyla*, Jack, vii. 1674
 " *dasystyla*, Steven, vii. 1674
 " *eburnea*, Ashe, vii. 1688 and note 2
 " *euchlora*, Koch, vii. 1674, 1654, 1669
 " " leaves, vii. 1674, Pl. 407, Fig. 10
 " *europæa*, Linnæus, vii. 1656, 1661, 1664
 " *flavescens*, A. Braun, vii. 1665
 " *floribunda*, A. Braun, vii. 1665
 " *fœmina*, *folio minore*, C. Bauhin, vii. 1656
 " note 1
 " *Franchetiana*, Schneider, vii. 1684
 " *gigantea*, Hort., vii. 1689
 " *glabra*, Ventenat, vii. 1685
 " *grandifolia*, Ehrhart, vii. 1661
 " *heterophylla*, Ventenat, vii. 1688, 1655
 " " hybrids, vii. 1686 note 1, 1689
 " *hybrida superba*, Hort., vii. 1689
 " *intermedia*, De Candolle, vii. 1664
 " *japonica*, Simonkai, vii. 1657 note 3
 " *Kinashii*, Léveillé and Vaniot, vii. 1684
 " *latifolia*, Salisbury, vii. 1685
 " *macrophylla*, Hort., vii. 1689

2016 The Trees of Great Britain and Ireland

Tilia—continued

- „ *mandshurica*, Miquel, vii. 1684
- „ *mandshurica*, Ruprecht and Maximowicz, vii. 1682, 1655
- „ „ var. *pekinensis*, vii. 1682 note
- „ *mandshurica*, Szyszyłowicz, vii. 1681
- „ Maximowicziana, Shirasawa, vii. 1683, 1655
- „ *Maximowiczii*, Baker, vii. 1657 note 3, 1683 note 1
- „ Michauxii, Nuttall, vii. 1689, 1655, 1685 note 1, 1686 note 3, 1688
- „ „ leaves, vii. 1689, Pl. 407, Fig. 5
- „ *microphylla*, Ventenat, vii. 1656
- „ Miqueliana, Maximowicz, vii. 1684, 1656
- „ „ leaves, vii. 1684, Pl. 407, Fig. 9
- „ „ var. *chinensis* (Diels), vii. 1680
- „ „ „ (Szyszyłowicz), vii. 1684 note 2
- „ *Miqueliana*, Sargent, vii. 1683
- „ *Miyabei*, Jack, vii. 1683
- „ *mollis*, Spach, vii. 1661
- „ Moltkei, Schneider, vii. 1686, 1654, 1685 note 1
- „ *mongolica*, Maximowicz, vii. 1679, 1654
- „ „ leaves, vii. 1679, Pl. 407, Fig. 7
- „ *multiflora*, Simonkai, vii. 1674
- „ *nigra*, Borkhausen, vii. 1685
- „ *obliqua*, Host, vii. 1662 note 1
- „ Oliveri, Szyszyłowicz, vii. 1681, 1655
- „ *orbicularis*, Carrière, vii. 1678
- „ *pallida*, Salisbury, vii. 1675
- „ *pallida*, Wierzbicki, vii. 1665
- „ *parvifolia*, Ehrhart, vii. 1656
- „ *paucicostata*, Maximowicz, vii. 1680, 1654
- „ *pauciflora*, Hayne, vii. 1661
- „ *pekinensis*, Ruprecht, vii. 1682
- „ *pendula*, V. Engler, vii. 1681
- „ *petiolaris*, De Candolle, vii. 1675, 1678 and note 1
- „ *petiolaris*, J. D. Hooker, vii. 1677, 1655, 1669
- „ „ flowers poisonous to bees, vii. 1677 note 1, 1679 and note 1
- „ „ Hatherop Castle, tree at, vii. 1679, Pl. 374
- „ „ leaves, vii. 1677, Pl. 407, Fig. 2
- „ *platyphyllos*, Scopoli, vii. 1661, 1654, 1658, 1664, 1665, 1667 note 1, 1669
- „ „ distribution, vii. 1662
- „ „ hybrids, vii. 1665
- „ „ leaves, vii. 1661, Pl. 407, Fig. 6
- „ „ remarkable trees, vii. 1663
- „ „ varieties, vii. 1661
- „ „ var. *albo-marginata*, vii. 1662
- „ „ *asplenifolia*, vii. 1662
- „ „ *aurantia*, vii. 1662
- „ „ *aurea*, vii. 1662
- „ „ *corallina*, vii. 1662
- „ „ *cucullata*, vii. 1662
- „ „ *filicifolia*, vii. 1662
- „ „ *laciniata*, vii. 1662
- „ „ *multibracteata*, vii. 1662
- „ „ *obliqua*, vii. 1662
- „ „ *pyramidalis*, vii. 1662

Tilia platyphyllos, Scopoli—continued

- „ „ var. *tortuosa*, vii. 1662
- „ „ *vitifolia*, vii. 1662
- „ *pubescens*, Aiton, vii. 1688
- „ *rotundifolia*, Ventenat, vii. 1675
- „ *rubra*, De Candolle, vii. 1674 note 3
- „ „ var. *euchlora*, vii. 1674
- „ *sibirica*, Bayer, vii. 1657 note 3
- „ *spectabilis*, Dippel, vii. 1686, 1655, 1685 note 1
- „ „ leaves, vii. 1686, Pl. 407, Fig. 11
- „ *stenopetala*, Rafinesque, vii. 1685
- „ *subparvifolia*, Borbas, vii. 1665 note 1
- „ *sylvestris*, Desfontaines, vii. 1656
- „ *tomentosa*, Moench, vii. 1675, 1655, 1686 note 3
- „ „ Albury Park, tree at, vii. 1677, Pl. 373
- „ „ cultivation, vii. 1676
- „ „ flowers poisonous to bees, vii. 1677
- „ „ hybrids, vii. 1686, 1687
- „ „ leaves, vii. 1675, Pl. 407, Fig. 3
- „ „ var. *argentea*, vii. 1676
- „ „ *petiolaris* (V. Engler), vii. 1676
- „ „ *petiolaris* (Kirchner), vii. 1677, 1678
- „ „ *sphaerobalana*, vii. 1677
- „ „ *typica*, vii. 1676
- „ *ulmifolia*, Scopoli, vii. 1656
- „ „ *foliis variegatis*, vii. 1657 note 2
- „ *viridis*, Simonkai, vii. 1687
- „ *vulgaris*, Hayne, vii. 1664, 1654
- „ „ abnormal growths, vii. 1667
- „ „ attacked by moths, vii. 1668
- „ „ avenues, vii. 1667
- „ „ cultivation, vii. 1666
- „ „ honey dew on, vii. 1666
- „ „ layering, vii. 1670, 1671
- „ „ leaves, vii. 1664, Pl. 407, Fig. 4
- „ „ mistletoe on, vii. 1672
- „ „ remarkable trees, vii. 1669
- „ „ saccharine excretion, vii. 1666
- „ „ timber, vii. 1673
- „ „ var. *pallida*, vii. 1665 note 1
- Tillandsia usneoides. See Plants, Miscellaneous
- Tinea curtisella. See Insects
- Tochinoki tree, ii. 221
- Tocio tree, v. 1315
- Todo-matsu tree, iv. 761
- Todonup tree, v. 1046
- Togasawara tree, iv. 813
- To-gaya tree, vi. 1472
- Tohi tree, i. 90
- Toneriko tree, iv. 896
- TOONA, Roemer, ii. 433
- Toona sinensis, Roemer, ii. 433
- Torminaria Clusii, Roemer, i. 151
- TORREYA, Arnott, vi. 1461; i. 99
- Torreya californica, Torrey, vi. 1465, 1462
- „ *Fargesii*, Franchet, vi. 1464
- „ *grandis*, Fortune, vi. 1464, 1462
- „ *Myristica*, J. D. Hooker, vi. 1465, 1466

Torreya—continued

- „ nucifera, Siebold and Zuccarini, vi. 1463, 1462
 „ „ var. grandis, vi. 1464
 „ taxifolia, Arnott, vi. 1466, 1462
 Tortrix viridana. See Insects
 To-sugi tree, i. 130
 TRACHYCARPUS, H. Wendland, vii. 1690
 Trachycarpus excelsa, H. Wendland, vii. 1690
 „ Fortunei, H. Wendland, vii. 1690
 „ „ Lamorran, tree at, vii. 1692, Pl. 375
 „ „ var. Fortunei, vii. 1692 note 2
 „ „ gracilis, vii. 1691
 „ „ surculosa, vii. 1691
 „ „ typica, vii. 1692 note 2
 „ Martiana, Wendland, vii. 1690 note 1
 „ Takil, Beccari, vii. 1690 note 1
 Trametes radiciperda. See Fungi
 TSUGA, Carrière, ii. 227
 „ key to species, ii. 227
 „ section HESPEROPEUCE, Engelmann, ii. 227
 „ „ MICROPEUCE, Spach, ii. 228
 „ „ PEUCOIDES, Engelmann, iv. 811
 Tsuga Albertiana, Sénéclauze, ii. 234, 228, 230, 398; iii. 480
 „ „ cultivation, ii. 236
 „ „ distribution, ii. 235
 „ „ Dropmore, tree at, ii. 237, Pl. 68.
 „ „ growing on fallen log of Giant Thuya in America, i. Pl. 59; ii. 236
 „ „ Murthly, tree at, ii. 237, Pl. 69
 „ „ remarkable trees, ii. 237
 „ „ timber, ii. 238; iii. 698
 „ Araragi, Koehne, ii. 246
 „ Brunoniana, Carrière, ii. 244, 228
 „ „ Boconnoc, tree at, ii. 245, Pl. 72
 „ „ trees associated with, ii. 245
 „ „ var. chinensis, ii. 245
 „ canadensis, Carrière, ii. 239, 228
 „ „ bark, used for tanning, ii. 243 note
 „ „ cultivation, ii. 241
 „ „ distribution, ii. 240
 „ „ Foxley, trees at, ii. 241, Pl. 70
 „ „ remarkable trees, ii. 241
 „ „ Strathfieldsaye, tree at, ii. 242, Pl. 71
 „ „ timber, ii. 242
 „ „ var. albo-spica, ii. 239
 „ „ argentea, ii. 239
 „ „ parvifolia, ii. 239
 „ „ pendula, ii. 239
 „ „ Sargentii, ii. 239
 „ Caroliniana, Engelmann, ii. 243, 228
 „ chinensis, Masters, ii. 229, 245
 „ diversifolia, Masters, ii. 247; i. 90; ii. 228, 229, 247
 „ „ cultivation, ii. 248
 „ „ distribution, ii. 247
 „ Douglasii, Carrière, iv. 814

Tsuga—continued

- „ dumosa, Sargent, ii. 244; Errata, 1937
 „ heterophylla, Sargent, ii. 234; Errata, 1937
 „ Hookeriana, Carrière, ii. 229
 „ Japanese, distribution, ii. 247
 „ japonica, Shirasawa, iv. 812
 „ Lindleyana, Roetz, iv. 814
 „ macrocarpa, Lemmon, iv. 812
 „ Mertensiana, Carrière, ii. 234
 „ „ Sargent, ii. 229, 230
 „ Pattoniana, Sénéclauze, ii. 229, 228
 „ „ distribution, ii. 232
 „ „ Murthly Castle, tree at, ii. 233, Pl. 67
 „ „ remarkable trees, ii. 233
 „ „ trees associated with, ii. 232
 „ „ var. Jeffreyi, ii. 231
 „ „ typica, ii. 231
 „ Sieboldii, Carrière, ii. 246, 228, 229, 247, 248
 „ „ var. nana, ii. 248
 „ taxifolia, Kuntze, iv. 814
 „ Tsuja, A. Murray, ii. 246
 „ yunnanensis, Masters, ii. 229
 Tsung tree, vii. 1691
 Tuan tree, vii. 1682
 Tu-li tree, vi. 1557
 Tulip tree, i. 65. See also Liriodendron Tulipifera
 „ „ branchlets and buds, i. 66; ii. Pl. 126, Fig. 1
 „ „ Chinese, i. 64
 „ „ cultivation, i. 68
 „ „ distribution, i. 67
 „ „ identification, i. 66
 „ „ in England, i. 70
 „ „ in France, i. 73
 „ „ in Ireland, i. 73
 „ „ in North Carolina, i. 67, Pl. 24
 „ „ in Scotland, i. 72
 „ „ introduction, i. 68
 „ „ Killerton, tree at, i. 71, Pl. 26
 „ „ leaves, i. 65, 66; iii. Pl. 204, Fig. 7
 „ „ Leonardslee, tree at, i. 70, Pl. 27
 „ „ Longleat, self-sown tree at, i. 69
 „ „ remarkable trees, i. 70
 „ „ soil and situation, i. 69
 „ „ timber, i. 73; v. 1033
 „ „ varieties, i. 66
 „ „ Woolbeding, tree at, i. 70, Pl. 25
 TUMION, Rafinesque, vi. 1461
 Tumion californicum, Greene, vi. 1465
 „ grande, Greene, vi. 1464
 „ nuciferum, Greene, vi. 1463
 „ taxifolium, Greene, vi. 1466
 Tung tree, vi. 1493
 Tung-yu tree, vi. 1494 note 1
 TUPELO, Adanson, iii. 508
 Tupelo, iii. 509. See Nyssa sylvatica
 „ Chinese, iii. 514. See Nyssa sinensis
 Turpentine, v. 1012, 1093
 „ Strasburg, iv. 731
 „ Venice, ii. 373
 Tysk gran tree, vi. 1340
 Tze tree, vi. 1490 note 2

2018 The Trees of Great Britain and Ireland

Tz'e ch'iu tree, vii. 1695

Tz'e Poh tree, vi. 1416

Tzu-mu tree, iii. 515

Ubhul tree, iii. 457

Udai-kamba tree, iv. 976

ULMUS, Linnæus, vii. 1847. *See also* Elm

„ key to species, vii. 1848

„ section BLEPHAROCARPUS, Dumortier, vii. 1848

„ „ MADOCARPUS, Dumortier, vii. 1848

„ „ MICROPTOLEA, Planchon, vii. 1848

Ulmus alata, Michaux, vii. 1924, 1848, 1850

„ „ leaves and branchlets with corky wings, vii. 1924, Pl. 411, Fig. 12

„ alata, Hort., vii. 1888

„ alba, Besser, vii. 1851 note 2

„ „ Kitaibel, vii. 1851 note 2

„ „ Rafinesque, vii. 1855

„ americana, Linnæus, vii. 1855, 1848, 1851

„ „ cultivation, etc. *See* Elm, American White

„ „ var. aurea (Temple), vii. 1857

„ „ aurea, vii. 1868

„ „ pendula, vii. 1856

„ „ rubra, vii. 1862

„ americana, W. Masters, vii. 1879

„ antarctica, Petzold and Kirchner, vii. 1906

„ arbuscula, Wolf, vii. 1927

„ atinia, Walker, vii. 1903

„ batavina, Koch, vii. 1869

„ belgica, Burgsdorf, vii. 1869, 1886

„ „ leaves, vii. 1870, Pl. 412, Fig. 18

„ „ var. Dumontii, vii. 1871

„ betulæfolia, Loddiges, vii. 1896

„ campestris, Komarov, vii. 1923

„ „ Linnæus (in part), vii. 1864

„ „ of French nurseries, vii. 1898

„ campestris, Linnæus, vii. 1903, 1848, 1850, 1888 note 2

„ „ distribution, etc. *See* Elm, English

„ „ var. antarctica, vii. 1906

„ „ „ aurea, vii. 1907

„ „ aurea, vii. 1907

„ „ australis, vii. 1904

„ „ „ leaves, vii. 1904, Pl. 412, Fig. 17

„ „ bataviana, vii. 1869

„ „ belgica, vii. 1869

„ „ Berardii, vii. 1906

„ „ betulæfolia, vii. 1906

„ „ chinensis, vii. 1928

„ „ concavæfolia, vii. 1895

„ „ cornubiensis, vii. 1889, 1891 note 1

„ „ dalmatica, vii. 1905 and note 1

„ „ Dampieri, vii. 1894

„ „ Dumontii, vii. 1871

„ „ foliis variegatis, vii. 1905

„ „ glabra, vii. 1887

„ „ japonica, vii. 1923

„ „ Klemmer, vii. 1872

Ulmus campestris, Linnæus—continued

„ „ var. lævis (Fr. Schmidt), vii.

1923

„ „ „ (Spach), vii. 1887

„ „ latifolia (Gillekens), vii. 1869

„ „ „ (Persoon), vii. 1869 note 4

„ „ Louis van Houtte, vii. 1905

„ „ macrophylla, vii. 1873 note 1

„ „ microphylla pendula, vii. 1888

„ „ modiolina, vii. 1884, 1894 note 3

„ „ monumentalis, vii. 1891

„ „ myrtifolia purpurea, vii. 1905

„ „ parvifolia, vii. 1926

„ „ pendula nova, vii. 1884

„ „ plumosa, vii. 1894

„ „ pumila, vii. 1926, 1927 note 1

„ „ purpurascens, vii. 1905

„ „ purpurea, vii. 1905

„ „ rubra, vii. 1868 note 1

„ „ suberosa, vii. 1888

„ „ Van Houttei, vii. 1905

„ „ variegata, vii. 1905

„ „ „ nova, vii. 1895

„ „ viminalis, vii. 1906, 1901 notes 1 and 3

„ „ „ leaves, vii. 1906, Pl. 412, Fig. 22

„ „ viminalis aurea, vii. 1907

„ „ „ marginata, vii. 1907

„ „ „ variegata, vii. 1907

„ „ virens, vii. 1896

„ „ vulgaris, vii. 1923

„ campestris, Miller, vii. 1903 note 1

„ „ Smith, vii. 1901

„ „ celtidea, Litwinow, vii. 1852

„ „ chinensis, Persoon, vii. 1928

„ „ ciliata, Ehrhart, vii. 1851

„ „ cinerea, Planchon, vii. 1867

„ „ corylifolia, Host, vii. 1885 note 2

„ „ crassifolia, Nuttall, vii. 1925, 1848, 1850, 1924

„ „ „ leaves, vii. 1925, Pl. 411, Fig. 2

„ „ crispa, Willdenow, vii. 1867

„ „ Dampieri, Petzhold and Kirchner, vii. 1894

„ „ aurea, vii. 1894

„ „ Wredei, vii. 1894

„ „ Dauvessei, Henry, vii. 1874

„ „ densa, Litwinow, vii. 1893 note 1

„ „ effusa, Willdenow, vii. 1851

„ „ elliptica, Koch, vii. 1863

„ „ elliptica, Koehne, vii. 1863 note 4

„ „ exoniensis, Loudon, vii. 1866

„ „ floridana, Chapman, vii. 1855

„ „ foliacea, Gilibert, vii. 1887

„ „ „ Sargent, vii. 1897 note 6

Ulmus—continued

- „ *folio glabro eleganter variegata*, vii. 1895
 note 3
 „ *Fordii*, Loudon, vii. 1866
 „ *fulva*, *A. Michaux*, vii. 1862, 1848, 1849,
 1864
 „ „ leaves, vii. 1862, Pl. 411, Fig. 8
 „ „ var. *pendula*, vii. 1857
 „ *fungosa*, Aiton, vii. 1883
 „ *glabra*, Hudson, vii. 1864, 1887 note 1
 „ „ Miller, iv. 915; vii. 1864 note 2,
 1887, 1894 note 3
 „ „ var. *minor*, vii. 1901
 „ „ *pendula*, vii. 1868
 „ „ „ *nova*, vii. 1893 note 5
 „ „ *propendens*, vii. 1888 note 4
 „ „ *scampstoniensis*, vii. 1894
 „ „ *suberosa*, vii. 1888
 „ „ *vegeta*, vii. 1879
 „ *Heyderi*, vii. 1863
 „ *hollandica*, Miller, vii. 1869 note 2, 1883
 „ „ Moss, vii. 1883
 „ „ Pallas, vii. 1888
 „ „ Plukenet, vii. 1870 note 1
 „ „ Späth, vii. 1869
 „ *horizontalis*, Loudon, vii. 1867
 „ *humilis*, Gmelin, vii. 1926 and note
 „ *intermedia*, Hort., vii. 1866 note 1
 „ *japonica*, *Sargent*, vii. 1923, 1848, 1850
 „ „ leaves, vii. 1923, Pl. 411,
 Fig. 4
 „ *Keaki*, Siebold, iv. 920
 „ *Klemeri*, Späth, vii. 1872
 „ *Koopmannii*, *Lauche*, vii. 1927
 „ *laciniata*, Mayr, vii. 1866
 „ *lævis*, Pallas, vii. 1851
 „ *latifolia*, Moench, vii. 1869 note 3
 „ „ Poederlé, vii. 1869
 „ *major*, Reichenbach, vii. 1885 note 1
 „ *major*, *Smith*, vii. 1883, 1848, 1849, 1868,
 1917
 „ „ distribution, etc. See Elm, Dutch
 „ „ var. *Daveyi*, vii. 1884
 „ „ *heterophylla*, vii. 1866
 „ „ *hollandica*, vii. 1883 note 1
 „ „ *serpentina*, vii. 1884
 „ *microphylla*, Persoon, vii. 1926 and note
 „ *minor*, *Miller*, vii. 1901, 1848, 1849, 1918.
 See also Elm, Goodyer's
 „ *minor foliis flavescentibus*, vii. 1905 note 4
 „ *minor folio angusto glabro*, vii. 1901
 note 1
 „ *minor folio angusto scabro*, vii. 1902, 1903
 note 4
 „ *minor*, Reichenbach, vii. 1901 notes 1
 and 2
 „ *modiolina*, Dumont de Courset, vii. 1884,
 1894
 „ *mollifolia*, Marshall, vii. 1855
 „ *montana*, *Stokes*, vii. 1864, 1848, 1849,
 1897, 1913
 „ „ distribution, etc. See Elm, Wych
 „ „ sub-sp. *major*, var. *serpentina*, vii.
 1884

Ulmus montana, Stokes—continued

- „ „ var. *atropurpurea*, vii. 1868
 „ „ *cinerea*, vii. 1867
 „ „ *corylifolia*, vii. 1866 note 1
 „ „ *crispa*, vii. 1867
 „ „ „ *aurea*, vii. 1868
 „ „ *Dampieri*, vii. 1894
 „ „ *Dauvesset*, vii. 1874
 „ „ *Dumontii*, vii. 1871
 „ „ *etrusca*, vii. 1866 note 3
 „ „ *fastigiata*, vii. 1866
 „ „ „ *aurea*, vii. 1867
 „ „ *gigantea*, vii. 1866 note 3
 „ „ *hollandica* (Huberty), vii. 1869
 „ „ „ (Planchon), vii. 1869
 note 6
 „ „ *horizontalis*, vii. 1867
 „ „ *laciniata*, vii. 1865
 „ „ *libro rubro*, vii. 1868
 „ „ *lutescens*, vii. 1868
 „ „ *macrophylla*, vii. 1873
 „ „ „ *fastigiata*, vii. 1866
 note 3, 1873
 „ „ *nana*, vii. 1868
 „ „ *pendula*, vii. 1867
 „ „ „ Glasnevin, tree at, vii.
 1867, Pl. 393
 „ „ *pendula* Camperdowni, vii.
 1867
 „ „ *purpurea*, vii. 1905
 „ „ *Smithii*, vii. 1868
 „ „ *superba* (Morren), vii. 1873
 note 5
 „ „ „ (Späth), vii. 1873
 „ *Mossii*, *A. Henry*, vii. 1865 note 2
 „ *nitens*, *Moench*, vii. 1887, 1848, 1849, 1874,
 1909 note, 1914, 1918
 „ „ distribution, etc. See Elm, Smooth-
 leaved
 „ „ var. *argenteo-variegata*, vii. 1895
 note 3
 „ „ *betulæfolia*, vii. 1896
 „ „ *Dampieri*, vii. 1894
 „ „ *folio argenteo-marginata*, vii.
 1895 note 3
 „ „ *italica*, vii. 1892
 „ „ „ leaves, vii. 1892, Pl. 411,
 Fig. 9
 „ „ *modiolina*, vii. 1894
 „ „ *pendula*, vii. 1893
 „ „ *Rueppellii*, vii. 1893
 „ „ *stricta*, vii. 1888, 1884
 „ „ „ Coldrenick, trees at,
 vii. 1890, Pl. 397
 „ „ „ leaves, vii. 1889, Pl. 412,
 Fig. 20
 „ „ „ timber, vii. 1889
 „ „ *suberosa*, vii. 1888, 1883 note
 2, 1885 note 2
 „ „ „ leaves, vii. 1888, Pl.
 412, Fig. 19
 „ „ *umbraculifera*, vii. 1893
 „ „ „ *gracilis*, vii. 1893
 „ „ *variegata*, vii. 1895

2020 The Trees of Great Britain and Ireland

Ulmus nitens, Moench—continued

- " " var. *virens*, vii. 1896
- " " *Webbiana*, vii. 1895
- " " *Wheatleyi*, vii. 1891
- " " " leaves, vii. 1891, Pl. 412, Fig. 21
- " " " Richmond, tree at, vii. 1892, Pl. 398
- " *nuda*, Ehrhart, vii. 1864 note 3
- " *octandra*, Schkuhr, vii. 1851
- " *opaca*, Nuttall, vii. 1925
- " *parvifolia*, Jacquin, vii. 1928, 1848, 1850, 1927 note 5
- " " leaves, vii. 1928, Pl. 411, Fig. 5
- " *pedunculata*, Fougereux, vii. 1851, 1848, 1897
- " " distribution, etc. See Elm, European White
- " " var. *aureo-variegata*, vii. 1853
- " " *celtidea*, vii. 1852
- " " *erubescens*, vii. 1853
- " " *glabra*, vii. 1852
- " " *punctata*, vii. 1852
- " " *urticaefolia*, vii. 1853
- " *pekinensis*, vii. 1927
- " *pendula*, Loddiges, vii. 1867
- " " W. Masters, vii. 1868
- " " Willdenow, vii. 1855
- " *pendula laciniata Pitteursii*, iv. 915
- " *picturata*, Cripps, vii. 1905
- " *pinnato ramosa*, Dieck, vii. 1926
- " *Pitteursii*, Petzola and Kirchner, vii. 1873
- " *Pitteursii*, Hort., vii. 1871
- " *Plotii*, Druce, vii. 1901, 1906 note 2
- " *praestans*, Schoch, vii. 1873 note 5
- " ? *pubescens*, Walter, vii. 1862
- " *pumila*, Linnaeus, vii. 1926, 1848, 1850
- " " distribution, vii. 1927
- " " leaves, vii. 1926, Pl. 411, Fig. 1
- " " varieties, vii. 1926
- " " var. *pinnato-ramosa*, vii. 1926
- " " " leaves, vii. 1926, Pl. 411, Fig. 6
- " " *transbaicalensis*, vii. 1926 and note
- " *pumila*, Plukenet, vii. 1926 note 1
- " " Walter, vii. 1924
- " *purpurea*, Koch, vii. 1868
- " *pyrenaica*, Lapeyrouse, vii. 1874 note 2
- " *racemosa*, Borkhausen, vii. 1851, 1860 note
- " *racemosa*, Thomas, vii. 1860, 1848, 1849
- " " leaves, vii. 1860, Pl. 411, Fig. 10
- " " timber, vii. 1861, 1921
- " *Rosseelsii*, Koch, vii. 1907
- " *rubra*, F. A. Michaux, vii. 1862
- " ? *sarniensis*, Loddiges, vii. 1891
- " *sativa*, Miller, vii. 1903
- " " var. *Lockii*, vii. 1901
- " *sativa*, Moss, vii. 1901
- " *scabra*, Miller, vii. 1864
- " " var. *heterophylla*, vii. 1866
- " " *major*, vii. 1883
- " *serpentina*, Koch, vii. 1884

Ulmus—continued

- " *Smithii*, A. Henry, vii. 1868
- " " leaves, vii. 1868, Pl. 412, Fig. 24
- " *stricta*, Lindley, vii. 1889
- " *suberosa*, Ehrhart, vii. 1888 note 2
- " " Michaux, vii. 1864
- " " Moench, vii. 1888, 1903 note 3
- " " Smith, vii. 1903
- " *superba*, A. Henry, vii. 1873
- " *surculosa*, Stokes, var. *latifolia*, vii. 1903
- " *tetrandra*, Schkuhr, vii. 1888
- " *Thomasi*, Sargent, vii. 1860
- " *tortuosa*, Host, vii. 1901 note 2
- " " Loddiges, vii. 1894
- " *tricuspis*, Hort., vii. 1866 note 1
- " *tridens*, Hort., vii. 1866 note 1
- " *triserrata*, Hort., vii. 1866 note 1
- " *turkestanica*, Regel, vii. 1926
- " *urticaefolia*, Audibert, vii. 1867
- " *vegeta*, Lindley, vii. 1879, 1849, 1868
- " " leaves, vii. 1880, Pl. 412, Fig. 16
- " " Oxford, tree at, vii. 1881, Pl. 395
- " " seedlings, vii. 1880
- " *Verschaffeltii*, iv. 915
- " *viminalis*, Loddiges, vii. 1906
- " *virgata*, Roxburgh, vii. 1928
- " *viscosa*, Koch, vii. 1896
- " *vulgatissima folio lato scabro*, Gerard, vii. 1903 note 1
- " *Wredei aurea*, Hort., vii. 1894 note 2
- UMBELLULARIA, Nuttall, vi. 1531
- Umbellularia californica*, Nuttall, vi. 1531
- " *parvifolia*, Hemsley, vi. 1531 note
- Umbrella tree, vi. 1588. See *Magnolia tripetala*
- UNEDO, Hoffmannsegg et Link, iii. 558
- Unedo edulis*, Hoffmannsegg et Link, iii. 559
- Urajiro-kamba tree, iv. 975 note 2
- Valonia, v. 1270
- Valsonectria parasitica. See Fungi
- Venice turpentine, ii. 373
- Vernis du Japon, i. 32
- Virgilia lutea*, Michaux, ii. 446
- Viscum album* and *laxum*. See Plants, Miscellaneous
- Vitis Coignetiae*. See Plants, Miscellaneous
- Wahoo tree, vii. 1924. See *Ulmus alata*
- Walnut, Black, ii. 262. See also *Juglans nigra*
- " " cultivation, ii. 265
- " " distribution, ii. 263
- " " hybrids, ii. 263
- " " identification, ii. 262
- " " in England, ii. 267
- " " in France, ii. 267.
- " " in Germany, ii. 266, 267 note 1, 269
- " " in Ireland, ii. 269
- " " leaves, etc., ii. 250, 262, Pl. 73, Fig. 6
- " " remarkable trees, ii. 267
- " " The Mote, Maidstone, tree at, ii. 267, Pl. 77
- " " timber, ii. 269

Walnut, Black—*continued*

- " " Twickenham, tree at, ii. 267, Pl. 76
 " " varieties, ii. 263
 " Common, ii. 251. *See also* *Juglans regia*
 " " Barrington Park, tree at, ii. 258,
 Pl. 74
 " " Cam-yr-Alyn Park, tree at, vi.
 Pl. 366
 " " cultivation, ii. 256
 " " distribution, ii. 255
 " " Gordon Castle, tree at, ii. 259,
 Pl. 75
 " " gunstocks, ii. 260
 " " hybrids, ii. 254
 " " identification, ii. 252
 " " leaves, ii. 250, 251, Pl. 73, Figs.
 2 and 4
 " " panelling, ii. 261
 " " remarkable trees, ii. 258
 " " St. John's, ii. 253 note 2
 " " seedling, ii. 252
 " " self-sown, ii. 257
 " " timber, ii. 260
 " " varieties, ii. 252
 " Cordate, ii. 277. *See also* *Juglans cordi-*
formis
 " " distribution, ii. 277
 " " identification, ii. 277
 " huskless, ii. 254
 " Manchurian, ii. 276. *See* *Juglans mand-*
shurica
 " Narrow-fruited, ii. 279. *See also* *Juglans*
stenocarpa
 " " leaves, etc., ii. 250, 279,
 Pl. 73, Fig. 1
 " Satin, iii. 503, 504
 " Siebold's, ii. 280. *See also* *Juglans*
Sieboldiana
 " " cultivation, ii. 281
 " " distribution, ii. 281
 " " identification, ii. 280
 " " leaves, etc., ii. 250, 280, Pl.
 73, Fig. 8
 " Texan, ii. 274. *See also* *Juglans rupestris*
 " " cultivation, ii. 275
 " " distribution, ii. 275
 " " identification, ii. 275
 " " leaves, etc., ii. 250, 274, Pl. 73,
 Fig. 5
 " " variety, ii. 274
WASHINGTONIA, Winslow, iii. 687
Washingtonia californica, Winslow, iii. 699
 Wattle, Green or Black, vii. 1698 note 1
 " Silver, vii. 1697. *See* *Acacia dealbata*
 Weld, v. 1240 note 2
 Wellingtonia, iii. 699. *See* *Sequoia gigantea*
WELLINGTONIA, Lindley, iii. 687
Wellingtonia gigantea, Lindley, iii. 699
 Whip handles, *Celtis*, iv. 926
 " " Holly, vii. 1717, 1720
 Whitebeam, i. 166. *See* *Pyrus Aria*
 " Swedish, i. 159. *See* *Pyrus intermedia*
 Whitethorn, vii. 1733, 1739. *See* *Cratægus mono-*
gyna and *C. oxyacantha*

- White-wood, i. 65 note 1, 73; v. 1033. *See*
Liriodendron Tulipifera
 Willow, vii. 1743. *See also* *Salix*
 " Bay, vii. 1747. *See also* *Salix pentandra*
 " " hybrids, vii. 1748
 " " varieties, vii. 1748
 " "Belgian Red," vii. 1756
 " "Close-Bark," vii. 1763, 1765 note 2
 " Crack, vii. 1754. *See also* *Salix fragilis*
 " " distribution, vii. 1758
 " " hybrids, vii. 1748, 1751, 1755
 " " varieties, vii. 1755
 " Cricket-Bat, vii. 1763. *See also* *Salix*
cerulea
 " " cultivation, vii. 1765
 " " Hertford, tree at, vii. 1768,
 Pl. 381
 " Goat, vii. 1745. *See also* *Salix Caprea*
 " " distribution, vii. 1746
 " " hybrids, vii. 1746
 " " varieties, vii. 1745
 " Golden, vii. 1768. *See also* *Salix vitel-*
lina
 " " varieties, vii. 1769
 " Johnson's, vii. 1758
 " Kilmarnock, vii. 1746
 " Leicester, vii. 1758 note 1
 " "Open-Bark," vii. 1755, 1756
 " Purple King, vii. 1748
 " Red, vii. 1757 note 1, 1769
 " Ring-leaved, vii. 1750
 " Weeping, vii. 1749. *See also* *Salix baby-*
lonica
 " " Cheltenham, tree at, vii. 1753,
 Pl. 379
 " " Chinese names, vii. 1752 note 4
 " " distribution, vii. 1752
 " " hybrids, vii. 1750
 " " of the Psalms, vii. 1771
 " " variety, vii. 1750
 " White, vii. 1759. *See also* *Salix alba*
 " " distribution, vii. 1760
 " " Haverholme, tree at, vii. 1761, Pl.
 380
 " " hybrids, vii. 1749, 1750, 1756
 " " remarkable trees, vii. 1761
 " " timber, vii. 1762, 1765 note 3
 " " variety, vii. 1760
 Wistaria. *See* Plants, Miscellaneous
 Witches' brooms. *See* Plants, Miscellaneous
 Wo-ch'ang-ch'iu tree, i. 64
 Wollaghan tree, iii. 562
 Wu-t'ung tree, vi. 1494 note 1
 Yachidamo tree, iv. 894
 Yama-harinoki tree, iv. 946 note 4
 Yang-liu tree, vii. 1752 note 4
 Ya-tsao, vi. 1515
 Yellow-wood, ii. 446. *See* *Cladrastis tinctoria*
 Yew, i. 100. *See also* *Taxus baccata*
 " age, i. 116
 " bog, i. 102
 " Canadian, i. 109, 100
 " Chinese, i. 108, 100

2022 The Trees of Great Britain and Ireland

Yew—*continued*

- „ Common, i. **101**, 100
- „ „ varieties in cultivation, i. 109
- „ cultivation, i. 119
- „ distribution, i. 101
- „ Dovaston, i. **112**
- „ dwarf forms, i. 112
- „ etymology, i. 101
- „ fastigate forms, i. 110
- „ Florencecourt, i. **110**
- „ Florida, i. **109**, 100
- „ flowers, fruit, and buds, i. 115
- „ fossil, i. 101, 102, 107
- „ Golden, i. **113**
- „ hardiness, i. 116
- „ hedges, i. 123
- „ Irish, i. **110**
- „ „ at Seaforde, i. 110, Pl. 34
- „ Japanese, i. **107**, 100
- „ „ at Nikko, i. 107, Pl. 31
- „ Mexican, i. **109**, 101
- „ Midhurst, avenue at, i. 120, Pl. 32
- „ „ grove at, i. 120, Pl. 33
- „ Nidpath, i. **111**
- „ Pacific Coast, i. **108**, 100
- „ poisonous properties, i. 117; Errata, 1936
- „ remarkable trees, i. 120
- „ seedling, i. 115
- „ sex, i. 115
- „ soil and situation, i. 119
- „ timber, i. 124
- „ Tisbury, tree at, i. 122, Pl. 35
- „ topiary work, i. 124
- „ varieties, i. 100, 107-115
- „ Whittingehame, tree at, i. 123, Pl. 36
- „ yellow-berried, i. 114
- Yoguso-minebari tree, iv. 979 note 2
- Ypreau, vii. 1869 note 2, 1870 note 1
- Yü-lan tree, vi. 1597
- Yu-san tree, vi. 1476 note 1
- Zéen tree, v. 1321
- ZELKOVA, Spach, iv. **914**
- Zelkova acuminata, *Planchon*, iv. **920**, 914, 916
- „ „ Carlsruhe, tree at, iv. 922, Pl. 250
- „ „ cultivation, iv. 922
- „ „ distribution, iv. 920
- „ „ leaves, iv. 920, Pl. 267, Fig. 7
- „ „ timber, iv. 923
- „ *carpinifolia*, Dippel, iv. 915
- „ *crenata*, *Spach*, iv. **915**
- „ „ cultivation, iv. 917
- „ „ distribution, iv. 916
- „ „ Glasnevin, tree at, iv. 919, Pl. 249
- „ „ leaves, iv. 916, Pl. 267, Fig. 6
- „ „ remarkable trees, iv. 917
- „ „ timber, iv. 919
- „ „ Wardour Castle, tree at, iv. 917, Pl. 248
- „ *cretica*, *Spach*, iv. 915
- „ *hirta*, Schneider, iv. 920
- „ *japonica*, Dippel, var. *Verschaffeltii*, iv. 915
- „ *Keaki*, Maximowicz, iv. 920
- „ *serrata*, Makino, iv. 920
- „ *ulmoides*, Schneider, iv. 915
- „ *Verschaffeltii*, *Nicholson*, iv. **915**
- „ „ leaves, iv. 915, Pl. 267, Fig. 8
- Zembra tree, v. 1037
- Zimbro tree, v. 1037
- Zirbe tree, v. 1037
- Zladna bukwa tree, i. 9
- Zunder tree, v. 1132 note 2
- Zürbel tree, v. 1037

THE END

LIBRARY
FACULTY OF FORESTRY
UNIVERSITY OF TORONTO

OVERSIZE IN LIBRARY OFFICE

QK
488
E5
1906
Index

Elwes, Henry John
The trees of Great
Britain & Ireland

Forestry

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

[131138]