1877.

WHOLESALE
CATALOGUE

OF

AMERICAN TREES, SHRUBS,
PLANTS, AND SEEDS,

CULTIVATED AND FOR SALE AT THE
LINNÆAN BOTANIC GARDEN AND NURSERIES,
NEAR NEW-YORK.

WILLIAM PRINCE, *Proprietor*,

C. M. of the Linnæan Society of Paris, of the Horticultural
Society of London, and of the Imperial Society of the
Georgofili at Florence, &c. &c.

*The Botanic Names generally are according to Pursh's Flora of
North-America, and others to Michaux, Nuttall, Torrey,
Elliott, Hortus-Britannicus, &c.*

TWENTY-FOURTH EDITION.

NEW-YORK:

PRINTED BY T. AND J. SWORDS,
No. 127 Broadway, corner of Cedar-street, first door
north of the City Hotel.

1827.

N. B. Distinct Catalogues and Publications relative to this Establishment may be obtained of the different Agents, or by application to the Proprietor, as follow.

The four first mentioned being distributed *gratis*.

No. 1. Fruit and Hardy Ornamental Trees, Shrubs, and Plants.

No. 2. Bulbous and Tuberous rooted Plants.

No. 3. Green-House Trees, Shrubs, and Plants.

No. 4. American Indigenous Trees, Shrubs, and Plants.

No. 5. A Short Treatise on the Culture of Trees and Plants generally. *Price 50 cents.*

Nos. 1, 3, and 4, ready for delivery. Nos. 2 and 5 in the press, and will be published speedily.

Mr. Prince expects also to be shortly able to announce the publication of the first part of his work on American Horticulture, which will be issued in four parts.

AGENTS IN EUROPE,

Of whom Catalogues may be obtained, and who will forward orders to the Proprietor.

Thomas Aspinwall, Esq., American Consul, London.	Messrs. William Hesses & Goetze, Hamburg.
James Maury, Esq., American Consul, Liverpool.	John Cuthbert, Esq., American Consul, Hamburg.
David Walker, Esq., American Consul, Glasgow.	John W. Parker, Esq., American Consul, Amsterdam.
Thomas Wilson, Esq., American Consul, Dublin.	Abraham P. Gibson, Esq., American Consul, St. Petersburg.
Isaac Cox Barnet, Esq., American Consul, Paris.	George Moore, Esq., American Consul, Trieste.
Professor Bosc, Jardin du Roi, Paris.	Alexander Burton, Esq., American Consul, Cadiz.
Messrs. Eyries, frères, Havre.	Israel P. Hutchinson, Esq., American Consul, Lisbon.
Joshua Dodge, Esq., American Consul, Marseilles.	

At other places the Consuls of the United States will forward any communications for the Proprietor.

ABBREVIATIONS AND REFERENCES.

Ph.—Pursh's Flora Americæ Septentrionalis.

Nut.—Nuttall's Genera of American Plants, &c.

Tor.—Torrey's Flora of the Northern and Middle States.

Big.—Bigelow's Flora Bostoniensis, &c.

Ell.—Elliott's Flora of South-Carolina and Georgia.

Le Conte.—In various publications.

H. B.—Sweet's Hortus Britannicus.

Geo.—Georgia.

Mex.—Mexico.

* denotes Annuals.

§ ——— Dollars.

Cts. — Cents.

Dol. — Dollar.

Dols. — Dollars.

VALUE OF MONEY.

\$ 1, or dollar, contains 100 *cents*, and is equal to *four shillings and six-pence* (British) sterling; or to *five francs and thirty centimes* of France; or to *two and a half guilders* of Holland.

22 cents make *one shilling* sterling.

19 cents are equal to *one franc* of France.

40 cents are equal to *one Dutch guilder*.

\$ 1 is equal to *one dollar and nine groschen* Saxon currency, or to *one and a half dollars* Prussian currency.

MEASURES AND WEIGHTS.

A bushel of seeds contains 32 *quarts*, or 8 *gallons*.

A quart is the quarter of a gallon.

A lb. is nearly the same as the lb. of Europe.

A Prussian *scheffel* is equal to $1\frac{1}{3}$ bushels.

N. B. Where no prices are stated in the Catalogue for seeds, packages can be put up at 50 cents each, or upwards.

NORTH AMERICAN INDIGENOUS TREES AND SHRUBS.

- 1 *Acer rubrum*
- 2 *saccharinum*
- 3 *negundo*
- 4 *v. femina*
- 5 *v. crispa*
- 6 *nigrum*
- 7 *striatum*
- 8 *coccineum*
- 9 *montanum*
- 10 *dasy carpum*
- 11 *barbatum, vera*
- 12 *Æsculus flava*
- 13 *pavia*
- 14 *macrostachya*
- 15 *pallida*
- 16 *discolor*
- 17 *glabra*
- 18 *Alnus serrulata*
- 19 *glauca*
- 20 *glutinosa*
- 21 *canadense*
- 22 *autumnale*
- 23 *cordata*
- 24 *crispa*
- 25 *Amorpha fruticosa*
- 26 *v. angustifolia*
- 27 *emarginata*
- 28 *canescens*
- 29 *microphylla*
- 30 *pubescens*
- 31 *scabra*
- 32 *Amyrsine buxifolia*
- 33 *Andromeda acuminata*
- 34 *angustifolia*

- 35 *Andromeda arborea*
- 36 *axillaris*
- 37 *v. longifolia*
- 38 *calyculata*
- 39 *v. ventricosa*
- 40 *v. latifolia*
- 41 *v. nana*
- 42 *canescens*
- 43 *cassinifolia*
- 44 *catesbæi*
- 45 *ferruginea, vera*
- 46 *floribunda, vera*
- 47 *frondosa*
- 48 *glaucophylla*
- 49 *hypnoides, white mountains*
- 50 *ligustrina*
- 51 *mariana*
- 52 *nitida, vel coriacea*
- 53 *paniculata*
- 54 *pilulifera*
- 55 *polifolia*
- 56 *v. angustifolia*
- 57 *pulverulenta*
- 58 *racemosa*
- 59 *rigida*
- 60 *speciosa*
- 61 *v. glauca*
- 62 *spinulosa*
- 63 *Anona cherimolia*
- 64 *guanabauis*
- 65 *muricata*
- 66 *palustris*
- 67 *sp. ? Rinyon*
- 68 *squamosa*
- 69 *Apios frutescens*
- 70 *Aralia spinosa*
- 71 *hispida*
- 72 *Arbutus uva ursi*
- 73 *alpina*
- 74 *Aristolochia siphon*
- 75 *arkansa*
- 76 *tomentosa*
- 77 *sp. ? Brazil*
- 78 *sp. ? Mexico*
- 79 *Artemesia chinensis*
- 80 *Asclepias matelea, Nut.*
- 81 *curassavica*
- 82 *v. alba*
- 83 *Ascyrum hypericifolium*
- 84 *amplexicaule*
- 85 *crux andreae*
- 86 *pumilum*
- 87 *Atragene americana*
- 88 *Atriplex halimus*
- 89 *Azalea arborescens*

90	<i>Azalea aurantia</i>
91	<i>v. humilis</i>
92	<i>v. major</i>
93	<i>bicolor</i>
94	<i>calendulacea</i>
95	<i>v. crocea</i>
96	<i>v. chrysolectra</i>
97	<i>v. cupræa</i>
98	<i>v. cuprina</i>
99	<i>v. flammea</i>
100	<i>v. grandiflora</i>
101	<i>v. ignescens</i>
102	<i>v. splendens</i>
103	<i>v. triumphans</i>
104	<i>canescens</i>
105	<i>coccinea</i>
106	<i>v. crispa</i>
107	<i>v. major</i>
108	<i>v. præcox</i>
109	<i>glaucæ</i>
110	<i>v. glabra</i>
111	<i>v. pleno</i>
112	<i>hirta</i>
113	<i>hispida</i>
114	<i>lucida</i>
115	<i>nitida</i>
116	<i>nudiflora, rubra</i>
117	<i>v. alba</i>
118	<i>v. alba pleno</i>
119	<i>v. alba et rubra</i>
120	<i>v. blanda</i>
121	<i>v. carnea</i>
122	<i>v. caroliniana</i>
123	<i>v. colorata</i>
124	<i>v. crispa</i>
125	<i>v. cumulata</i>
126	<i>v. discolor</i>
127	<i>v. fastigiata</i>
128	<i>v. florida</i>
129	<i>v. globosa</i>
130	<i>v. incana</i>
131	<i>v. incarnata</i>
132	<i>v. mirabilis</i>
133	<i>v. montana</i>
134	<i>v. pallida</i>
135	<i>v. pulidosa</i>
136	<i>v. papilionacea</i>
137	<i>v. purpurascens</i>
138	<i>v. purpurea</i>
139	<i>v. purp-pleno</i>
140	<i>v. rosea</i>
141	<i>v. ruberrima</i>
142	<i>v. rubicunda</i>
143	<i>v. rubra</i>
144	<i>v. rufa</i>

- 145 *Azalea v. rutilans*
 146 *v. serotina*
 147 *v. staminea*
 148 *v. stellata*
 149 *v. tricolor*
 150 *v. varicbilis*
 151 *v. variegata*
 152 procumbens, *white mountains*
 153 scabra
 154 *v. floribunda*
 155 *v. humilis*
 156 tomentosa
 157 verticillata
 158 villosa
 159 viscosa, *alba*
 160 *v. crispa*
 161 *v. dealbata*
 162 *v. odora-viola*
 163 *v. pennicellata*
 164 *v. præcox*
 165 *v. pubescens*
 166 *v. rubrescens*
 167 *v. variegata*
 168 *v. vittata*
 169 versicolor
 170 *v. coburgii*
 171 *v. grandiflora*
 172 *v. magnifica*
 173 *v. papilionacea*
 174 *Baccharis halimifolia*
 175 *ivæfolia*
 176 *angustifolia*
 177 *glomeruliflora*
 178 *Befaria hirsuta*
 179 *Berberis canadensis*
 180 *aquifolium, Ph.*
 181 *carolinensis, sp. nova, Nut.*
 182 *pinnata*
 183 *Betula lenta*
 184 *populifolia*
 185 *papyracea*
 186 *excelsa*
 187 *nigra vel rubra*
 188 *pumila*
 189 *nana*
 190 *glandulosa*
 191 *Bignonia crucigera*
 192 *capréolata*
 193 *radicans coccinea*
 194 *flammea*
 195 *jasminifolia, Mexico, H. B.*
 196 *Borya ligustrina*
 197 *acuminata*
 198 *porulosa*
 199 *Bouvardia triphylla*

- 200 *Bouvardia v. pubescens, H. B.*
 201 *Buddlea globosa*
 202 *Bumelia lycioides*
 203 *chrysophylloides*
 204 *lanuginosa*
 205 *reclinata*
 206 *Bupthalmuin frutescens*
 207 *angustifolium*
 208 *Cactus fragile*
 209 *Longi*
 210 *missouriense*
 211 *opuntia*
 212 *pes Corvi*
 213 *polyacanthos*
 214 *pusillus*
 215 *viviparus, Ph.*
 216 *sp. ? Arkansa*
 217 *sp. ? Georgia*
 218 *Callicarpa americana*
 219 *Calycanthus floridus*
 220 *glaucus*
 221 *lævigatus*
 222 *pensylvanicus*
 223 *Caprifolium sempervirens*
 224 *v. minor*
 225 *parviflorum, vel bracteosum*
 226 *v. fulvum*
 227 *Fraseri*
 228 *pubescens*
 229 *chamæcerasa*
 230 *gratum*
 231 *sp. ? nova*
 232 *Carpinus americana*
 233 *Cassia occidentalis*
 234 *sp. ? Mexico*
 235 *Castanea americana*
 236 *pumila*
 237 *v. Princei, fructo major*
 239 *Catalpa syriæfolia*
 240 *Ceanothus americanus*
 241 *microphyllus*
 242 *perennis*
 243 *sp. ? Carolina*
 244 *Celastrus scandens*
 245 *bullatus*
 246 *Celtis occidentalis*
 247 *v. fol. var.*
 248 *crassifolia*
 249 *pumila*
 250 *Cephalanthus occidentalis*
 251 *Ceratiola ericoides*
 252 *Cercis canadensis*
 253 *Chamærops palmetto*
 254 *hystrix*
 255 *serrulata*

- 256 *Chamærops? palma regalis, Cuba*
 257 *Chinaphila corymbosa*
 258 *maculata*
 259 *Cheirostemon platanoides*
 260 *Chionanthus montanus*
 261 *maritimus*
 262 *Chrysobalanus oblongifolius*
 263 *Cissus hederacea*
 264 *ampelopsis*
 265 *stans*
 266 *hirsuta*
 267 *Citrus pyramidalis, with pyramidal }*
 fruit, from Brazil }
 268 *Clematis virginica*
 269 *crispa*
 270 *cylindrica*
 271 *sericea*
 272 *viorna*
 273 *hybrida*
 274 *triternata*
 275 *reticulata*
 276 *Clethra alnifolia*
 277 *acuminata*
 278 *tomentosa*
 279 *nana*
 280 *paniculata*
 281 *scabra*
 282 *Cobæa scandens*
 283 *Cocos nucifera*
 284 *Comptonia asplenifolia*
 285 *Cornus florida*
 286 *sericea*
 287 *alba*
 288 *sanguinea*
 289 *v. fol. var.*
 290 *paniculata*
 291 *cercinata*
 292 *alternifolia*
 293 *stricta*
 294 *fol. var.*
 295 *asperifolia*
 296 *fastigiata*
 297 *Corylus americana*
 298 *rostrata*
 299 *Cratægus coccinea*
 300 *parvifolia*
 301 *crus galli*
 302 *v. splendens*
 303 *v. pyracanthifolia*
 304 *apiifolia*
 305 *elliptica*
 306 *cordata*
 307 *flava*
 308 *glandulosa*
 309 *punctata*

- 310 *Cratægus pyrifolia*
- 311 *fissa*
- 312 *linearis*
- 313 *pænnifolia*
- 314 *populifolia*
- 315 *salicifolia*
- 316 *sanguinea*
- 317 *spathulata*
- 318 *virginica*
- 319 *viridis*
- 320 *Crescentia cucurbitana, Mexico*
- 321 *Croton maritimum*
- 322 *Cupressus disticha*
- 323 *v. nutans*
- 324 *v. nigra*
- 325 *thyoides*
- 326 *Cyrilla caroliniana*
- 327 *Decumaria sarmentosa*
- 328 *barbara*
- 329 *Diervilla lutea*
- 330 *Diospyros virginiana*
- 331 *v. dulce*
- 332 *pubescens*
- 333 *sp. ? Texas*
- 334 *Dirca palustris*
- 335 *Echites difformis*
- 336 *Eleagnus argentea*
- 337 *Empetrum nigrum*
- 338 *Epigæa repens*
- 339 *Euonymus americanus*
- 340 *v. sarmentosus*
- 341 *atropurpureus*
- 342 *v. fructo pallido*
- 343 *angustifolius*
- 344 *obovatus, Torrey*
- 345 *Eupatorium melliflora*
- 346 *sp. ? Mexico*
- 347 *Euphorbia sp. ? Mexico*
- 348 *Fagus ferruginea, vera*
- 349 *sylvatica*
- 350 *Fothergilla albifolia*
- 351 *latifolia*
- 352 *major*
- 353 *gardeni*
- 354 *serotina*
- 355 *Fraxinus acuminata*
- 356 *v. latifolia*
- 357 *carolina*
- 358 *v. latifolia*
- 359 *cinerea*
- 360 *elliptica*
- 361 *epiptera*
- 362 *juglandifolia*
- 363 *lancea*
- 364 *ovata*

- 365 Fraxinus pallida
 366 pannosa
 367 pubescens
 368 platicarpa
 369 quadrangulata
 370 Richardi
 371 sambucifolia
 372 *v. crispa*
 373 viridis
 374 *sp. ? Brazil*
 375 Fuchsia arborescens, *Mexico*
 376 Gardenia mexicana
 377 Gaultheria procumbens
 378 serphyllifolia
 379 Gelsemium nitidum
 380 Gleditschia triacanthos
 381 *v. inermis*
 382 monosperma
 383 Gordonia pubescens, *or Franklinia*
 384 lasianthus
 385 Gymnocladus canadensis
 386 Halesia tetraptera
 387 • *v. parviflora*
 388 diptera
 389 Hamamelis virginica
 390 Hibiscus syriacus, *plur. var.*
 391 *albo pleno*
 392 *striato pleno*
 393 *rubro pleno*
 394 *purpureo pleno*
 395 *ceruleo pleno*
 396 arborescens, *roseo, from Mexico*
 397 *v. alba, do. do.*
 398 Hippophæa argentea
 399 canadensis
 400 Hopea tinctoria
 401 Hudsonia ericoides } *in pots*
 402 tomentosa }
 403 Hydrangea vulgaris
 404 nivea
 405 quercifolia
 406 cordata
 407 Hypericum Kalmianum
 408 prolificum
 409 fasciculatum
 410 galioides
 411 densiflorum
 412 aspalathoides
 413 frondosum
 414 glaucum (*elegans*)
 415 nudiflorum
 416 rosmarinifolium
 417 *sp. ? Georgia*
 418 *sp. ? Carolina*
 419 Illicium parviflorum

- 420 *Illicium floridanum*
 421 *Ilex opaca*
 422 *prinoides*
 423 *cassine vera*
 424 *vomitorea vera*
 425 *angustifolia*
 426 *canadensis*
 427 *dahoon vera*
 428 *laxiflora*
 429 *Indigofera, sp. ? Florida*
 430 *Itea virginica*
 431 *Iva frutescens*
 432 *Juglans nigra*
 433 *cinerea*
 434 *tomentosa*
 435 *aquatica vera*
 436 *amara*
 437 *alba*
 438 *porcina obcordata*
 439 *v. ficiformis*
 440 *olivæformis*
 441 *hybrida, nova*
 442 *sulcata, vera*
 443 *myristicæformis*
 444 *Juniperus virginica*
 445 *v. humilis*
 446 *v. fol. var.*
 447 *sabina*
 448 *barbadensis*
 449 *bermudiana*
 450 *excelsa*
 451 *prostrata*
 452 *Jussieuia grandiflora*
 453 *Kalmia latifolia*
 454 *angustifolia*
 455 *fol. var.*
 456 *v. ovata*
 457 *hirsuta*
 458 *glauca*
 459 *Lagerstræmia indica, purpurea exotic*
 460 *var. carnea*
 461 *var. atrorubra*
 462 *v. alba*
 463 *Laurus sassafras*
 464 *benzoin*
 465 *geniculata*
 466 *caroliniensis*
 467 *diospyros*
 468 *catesbyana*
 469 *mexicana?*
 470 *persea*
 471 *Ledum latifolium*
 472 *palustre*
 473 *v. decumbens*
 474 *Linnæa borealis*

- 475 *Ligustrum vulgare*
 476 *v. fructo albo*
 477 *v. sempervirens*
 478 *v. fol. var.*
 479 *Liquidamber styraciflua*
 480 *Liriodendron tulipifera*
 481 *v. integrifolia*
 482 *Lycium carolinianum*
 483 *boerhavianum*
 484 *Lythrum alatum*
 485 *Maclura aurantiaca, fœmina*
 486 *v. mascula*
 487 *Magnolia tripetala*
 488 *glauca, latifolia*
 489 *sempлено*
 490 *longifolia*
 491 *acuminata, vera*
 492 *auriculata*
 493 *grandiflora*
 494 *v. elliptica*
 495 *v. lanceolata*
 496 *v. obovata*
 497 *v. præcox*
 498 *v. crispa*
 499 *v. exoniensis*
 500 *v. semipлено*
 501 *v. Thompsoniana*
 502 *cordata*
 503 *macrophylla*
 504 *pyramidalata*
 505 *Malva arborea, rosea ? Mexico*
 506 *v. alba, Mexico*
 507 *Mammea americana*
 508 *Mangifera indica, exotic*
 509 *Melia azederach, exotic*
 510 *Menispermum canadense*
 511 *Menziesia globularis*
 512 *cærulea*
 513 *ferruginea*
 514 *Mimosa julibrissis, exotic*
 515 *Mitchella repens*
 516 *Moutanoe? arborescens, Mexico*
 517 *Morus rubra*
 518 *pensylvania?*
 519 *missouriensis, sp. nova*
 520 *Mylocarium ligustrinum*
 521 *Myrica cerifera*
 522 *caroliniensis*
 523 *gale*
 524 *v. fœmina*
 525 *pennsylvanica*
 526 *Myristica mexicana*
 527 *Nyssa villosa*
 528 *biflora*
 529 *candicans*

- 530 *Nyssa tomentosa*
- 531 *denticulata*
- 532 *Olea americana*
- 533 *Ornus americana*
- 534 *Ostrya virginica*
- 535 *Oxycoccus macrocarpus*
- 536 *v. fol. var.*
- 537 *vulgaris*
- 538 *erectus*
- 539 *Passiflora peltata*, *Ph.*
- 540 *Petiveria alliacea*, *Florida*
- 541 *Philadelphus grandiflorus*
- 542 *inodorus*
- 543 *hirsutus (sp. nova) Nut.*
- 544 *Physalis somnifera*
- 545 *Pinckneya pubescens*
- 546 *Pinus strobus*
- 547 *palustris*
- 548 *rigida*
- 549 *serotina*
- 550 *inops*
- 551 *balsamea*
- 552 *fraseri*
- 553 *canadensis*
- 554 *nigra*
- 555 *alba*
- 556 *rubra*
- 557 *variabilis*
- 558 *œda*
- 559 *pendula*
- 560 *resinosa*
- 561 *banksiana*
- 562 *microcarpa*
- 563 *pungens*
- 564 *taxifolia*
- 565 *Planera aquatica*
- 566 *Platanus occidentalis*
- 567 *Populus balsamifera*
- 568 *trepida*
- 569 *grandidentata*
- 570 *angulata*
- 571 *candicans*
- 572 *lævigata*
- 573 *heterophylla*
- 574 *monilifera*
- 575 *betulifolia*
- 576 *hudsoniana*
- 577 *nana*
- 578 *ontariensis*
- 579 *Porcelia triloba*
- 580 *glabra*
- 581 *parviflora, vera*
- 582 *pygmæa*
- 583 *grandiflora*
- 584 *Potentilla fruticosa*

- 585 *Potentilla floribunda*
 586 *Prinos verticillatus*
 587 glaber
 588 lævigatus
 589 ambiguus
 590 canadense
 591 lanceolatus
 592 prunifolius
 593 *Prunus* *chicassa, rubra*
 594 *v. fructo flava*
 595 depressa
 596 pubescens
 597 cerasifera
 598 serotina
 599 borealis
 600 pensylvanica
 601 maritima
 602 virginiana
 603 caroliniana
 604 hiemalis
 605 americana, *rubra*
 606 *v. fructo flava*
 607 floridana
 608 nigra
 609 depressa
 610 persicifolia
 611 pumila
 612 pygmæa
 613 rubra
 614 semperflorens
 615 sphærica
 616 spinosa
 617 *v. pleno*
 618 susquehanna
 619 *sp. ? Georgia*
 620 *sp. ? nana, Texas*
 621 *Psychotria floridana, sp. nova*
 622 *sp. ? S. America*
 623 *Psidium pyriferum*
 624 *Ptelea trifoliata*
 625 *Punica granatum, albo pl. nova var, exotic*
 626 *Pyrola rotundifolia*
 627 asarifolia
 628 elliptica, *Nut.*
 629 secunda
 630 *Pyrus melanocarpa*
 631 arbutifolia
 632 ovalis
 633 botryapium
 634 coronaria
 635 americana
 636 angustifolia
 637 sanguinea
 638 caroliniana
 639 pensylvanica

- 640 *Quercus alba*
 641 *rubra*
 642 *coccinea*
 643 *tinctoria*
 644 *prinus*
 645 *montana*
 646 *bicolor*
 647 *chinquapin*
 648 *banisteri*
 649 *ambigua, vel borealis*
 650 *palustris*
 651 *obtusiloba*
 652 *falcata*
 653 *virens*
 654 *phellos*
 655 *aquatica*
 656 *v. heterophylla*
 657 *sericea, vera*
 658 *laurifolia, vera*
 659 *cinerea*
 660 *catesbaei*
 661 *nigra*
 662 *lyrata*
 663 *macrocarpa*
 664 *castanea, vera*
 665 *triloba*
 666 *maritima*
 667 *nana*
 668 *discolor*
 669 *imbricaria*
 670 *Rhamnus alnifolius*
 671 *frauguloides*
 672 *carolinianus*
 673 *Rhododendron maximum*
 674 *v. album*
 675 *catawbiense*
 676 *punctatum*
 677 *Rhodora canadensis*
 678 *Rhus glabrum*
 679 *v. coccineum*
 680 *typhinum*
 681 *vernix*
 682 *toxicocendron*
 683 *copallinum*
 684 *aromaticum, mas.*
 685 *v. semina*
 686 *pumilum*
 687 *radicans*
 688 *viridiflorum*
 689 *Ribes floridum*
 690 *aureum, fructo nigra*
 691 *v. fructo flava*
 692 *triflorum*
 693 *oxycanthoides*

- 694 *Ribes cynosbati*
 695 *resinosum*
 696 *canadense*
 697 *coccineum*
 698 *glandulosum*
 699 *lacustris*
 700 *prostratum*
 701 *Robinia pseudacacia*
 702 *viscosa*
 703 *hispida*
 704 *arborea*
 705 *Rosa blanda*
 706 *v. semipleno*
 707 *v. pleno*
 708 *carolina*
 709 *v. pleno*
 710 *corymbosa*
 711 *fenestrata*
 712 *florida*
 713 *fraxinifolia*
 714 *v. pleno*
 715 *gemella*
 716 *lævigata*
 717 *Lindleyi*
 718 *Longii*
 719 *lucida*
 720 *v. pleno*
 721 *lutescens*
 722 *Lyonii?*
 723 *missouriensis*
 724 *montezunæ*
 725 *nitida*
 726 *parviflora*
 727 *v. pleno*
 728 *pendulina*
 729 *v. pallida*
 730 *v. pallida plena*
 731 *v. rubra plena*
 732 *rapa*
 733 *rubifolia*
 734 *setigera*
 735 *stricta*
 736 *suaveolens*
 737 *v. semiplena*
 738 *v. rubra plena*
 739 *v. incurvata*
 740 *v. alba plena*
 741 *v. maxima plena*
 742 *v. pumila plena*
 743 *Woodsii*
 744 *sp. nova, Michigan*
 745 *sp. nova, Albany*
 746 *sp. ? Virginia*
 HYBRIDÆ
 748 *Champneyana, pleno*

- 749 Rosa *v. simplicifolia*
 750 *v. Noisettii*
 751 *v. Herbemonti*
 752 *& Bradleyi*
 753 *indica, odorata simplicifolia*
 754 Rubus *trivialis*
 755 *odoratus*
 756 *villosus*
 757 *idæus*
 758 *strigosus*
 759 *cuneifolius*
 760 *occidentalis*
 761 *arcticus*
 762 *canadense*
 763 *chamæmorus*
 764 *flagellaris*
 765 *inermis*
 766 *novæboracensis*
 767 *pensylvanicus*
 768 *pistillatus*
 769 *saxatilis*
 770 *sp. ? Georgia*
 771 *sp. ? Maine.*
 772 Sabal *adansoni*
 773 Salix *ambigua*
 774 *candida*
 775 *conifera*
 776 *cordata*
 777 *cordifolia*
 778 *decipiens, fam.*
 779 *v. mas.*
 780 *discolor, fam.*
 781 *v. mas.*
 782 *falcata*
 783 *fuscata, fam.*
 784 *v. mas.*
 785 *glabra, sp. nova*
 786 *grisea*
 787 *herbacea*
 788 *lambertiana, fam.*
 789 *v. mas.*
 790 *longifolia*
 791 *lucida*
 792 *muhlenbergiana*
 793 *myricoides*
 794 *myrsinites*
 795 *nigra*
 796 *pedicellaris*
 797 *pensylvanica*
 798 *petiolaris*
 799 *recurvata*
 800 *repens*
 801 *reticulata*
 802 *rigida*
 803 *rosmarinifolia*

- 804 *Salix* *rostrata*
- 805 *sericea*
- 806 *tetrapla*
- 807 *triandra*, *Maine*
- 808 *tristis*
- 809 *sp. ? nova minima*, *white mountains*
- 810 *sp. ? Maine*
- 811 *sp. ? Canada*
- 812 *Salvia* *mexicana*, *nova*
- 813 *coccinea*
- 814 *splendens*
- 815 *Sambucus* *canadensis*
- 816 *pubescens*
- 817 *Sapindus* *saponaria*, *exotic*
- 818 *Schinus* *tererebinthus*
- 819 *sp. Mexico*
- 820 *Schisandra* *coccinea*
- 821 *Shephardia* *eleagnoides*, *Genus nova*, }
 Missouri, *Nut.*
- 822 *Smilax* *rotundifolia*
- 823 *herbacea*
- 824 *laurifolia*
- 825 *lanceolata*
- 826 *pseudochina*
- 827 *aspera*
- 828 *bona nox*
- 829 *caduca*
- 830 *glauca*
- 831 *hastata*
- 832 *peduncularis*
- 833 *quadrangularis*
- 834 *sassaparilla*
- 835 *tamnoides*
- 836 *sp. Georgia*
- 837 *Solanum* *dulcamara*
- 838 *v. fol. var.*
- 839 *Sorbus* *americana*
- 840 *microcarpa*
- 841 *Spiræa* *opulifolia*
- 842 *tomentosa*
- 843 *salicifolia*
- 844 *paniculata*
- 845 *sorbifolia*
- 846 *chamædrifolia*
- 847 *hypericifolia*
- 848 *v. fol. lutea*
- 849 *v. rosea*
- 850 *betulifolia*
- 851 *corymbosa*
- 852 *Staphylea* *trifolia*
- 853 *Sterculea* *platanifolia*, *exotic*
- 854 *Stuartia* *virginica*
- 855 *pentagynia*
- 856 *Stillingia* *sebifera*, *exotic*
- 857 *Styrax* *grandifolium*
- 858 *pulverulentum*

- 859 *Styrax glabrum*
 860 *Symphoria racemosa*
 861 *glomerata*
 862 *glauca, sp. nova*
 863 *Taxus canadensis*
 864 *Thuya occidentalis*
 865 *orientalis, exotic*
 866 *Tilia glabra*
 867 *pubescens*
 868 *laxiflora*
 869 *heterophylla*
 870 *Ulmus americana*
 871 *fulva*
 872 *alata*
 873 *nemoralis*
 874 *Vaccinium album*
 875 *amœnum*
 876 *angustifolium*
 877 *arborescens*
 878 *buxifolium*
 879 *carolinianum*
 880 *corymbosum*
 881 *crassifolium*
 882 *diffusum*
 883 *dumosum*
 884 *elevatum*
 885 *erythrocarpum*
 886 *formosum*
 887 *frondosum*
 888 *fuscatum*
 889 *halleriæfolium*
 890 *latifolium*
 891 *ligustrinum*
 892 *myrsinitis*
 893 *nitidum*
 894 *pensylvanicum*
 895 *prunifolium*
 896 *pumilum*
 897 *resinosum*
 898 *speciosum*
 899 *stamineum*
 900 *tenellum*
 901 *venustum*
 902 *virgatum*
 903 *uliginosum*
 904 *vitisidæa, white mountains*
 905 *Viburnum prunifolium*
 906 *pyrifolium*
 907 *oxycoctus*
 908 *acerifolium*
 909 *pubescens*
 910 *nudum*
 911 *v. latifolium*
 912 *dentatum*
 913 *v. fol. var.*

- 914 *Viburnum prinoïdes*
 916 *lentago*
 917 *lævigatum*
 918 *lantanoïdes*
 919 *alnifolium*
 920 *cassinoides*
 921 *edule*
 922 *molle*
 923 *nitidum*
 924 *obovatum*
 925 *Virgilia lutea*
 926 *Viscum flavesceus*
 927 *Vitis riparia, mas.*
 928 *cordifolia*
 929 *Isabellæ*
 930 *Scuppernon, albo*
 931 *v. rosea*
 932 *labrusca*
 933 *Elsingburghii*
 934 *Orwigsburghii*
 935 *Catawba*
 936 *Alexanderi*
 937 *Worthingtoni*
 938 *Elktoni*
 939 *Nortoni*
 940 *Columbia*
 941 *Lufborough*
 942 *Muncy*
 943 *rotundifolia, vera*
 944 *æstivalis, nigra*
 945 *v. rubra, vera*
 946 *v. alba*
 947 *v. sinuata*
 948 *v. virginica*
 949 *blandii*
 950 *Longii, sp. nova*
 951 *missouriensis, sp. nova*
 952 *sp. ? Texas*
 953 *sp. ? Tennessee*
 954 *sp. ?*
 955 *Verdilho*
 956 *Nigrinho*
 957 *Tinto* } *These are celebrated*
 } *Madeira grapes.*
 958 *Wendlandia populifolia*
 959 *Xylosteum ciliatum, vera*
 960 *v. album, Ph.*
 961 *solonis, sp. nova*
 962 *villosum, vera, Ph.*
 963 *sp. nova, white mountains*
 964 *Yucca gloriosa*
 965 *filamentosa*
 966 *v. fol. var.*
 967 *recurvifolia*
 968 *angustifolia*

969	<i>Yucca aloifolia</i>
970	<i>v. fol. var.</i>
971	<i>glauca</i>
972	<i>crenulata</i>
973	<i>tenuifolia</i>
974	<i>Zanthorhiza apiifolia</i>
975	<i>Zanthoxylum fraxineum</i>
976	<i>- tricarpon, vera</i>
977	<i>Zizyphusvolubilis</i>

NORTH AMERICAN HERBACEOUS PLANTS.

	Each. \$ cts.		Each. \$ cts.
1	25	30	30
2	25	31	40
3	1 00	32	50
4	33		10
5	30	34	75
6	12	35	75
7	12	36	1 00
8	20	37	
9	50		
10	40	38	
11	40	39	15
12	50		
13	12	40	50
14	25	41	25
15	25		
16	40	42	40
17	50		
18	50	43	15
19	12	44	30
20	15	45	12
21	30	46	15
22	15	47	20
23	25	48	25
24	15	49	15
25	15	50	50
26	30	51	25
27	15	52	
28	8		25
29	50	54	25

	Each. \$ cts.		Each. \$ cts.
55 Antirrhinum linaria	12	104 Asclepias nivea	35
56 Apios tuberosa, 15 dols. }	25	105 obovata, <i>Ell.</i>	2 00
per 100		106 obtusifolia	25
57 Apocynum androsæmifolium	25	107 parviflora	
58 cannabinum	25	108 paupercula	2 00
59 hypericifolium	25	109 pulchra, 15 dols. }	20
60 Aquilegia canadensis, 15 dols. }	25	per 100	
per 100		110 phytolaccoides	25
61 <i>v. lutea</i>	40	111 purpurascens	25
62 Arabis alpina	30	112 quadrifolia	25
63 falcata	25	113 suaveolens	2 00
64 *lyrata		114 syriaca, 15 dols. }	20
65 rhomboidea	25	per 100	
66 Aralia nudicaulis	15	115 <i>v. nova</i>	50
67 racemosa	15	116 tomentosa, <i>Ell.</i>	2 00
68 Arenaria laricifolia	30	117 tuberosa, 15 dols. }	20
69 peploides	30	per 100	
70 squarrosa	25	118 <i>v. decumbens</i>	25
71 Arethusa bulbosa	25	119 variegata, <i>veru</i>	
72 divaricata	25	<i>hybrida, Mi-</i>	1 00
73 medeoloides	25	<i>chaux</i>	
74 ophioglossoides	25	120 verticillata, 15 }	25
75 pendula	25	dols. per 100 }	
76 verticillata	25	121 viridiflora, <i>Ph.</i>	2 00
77 *Argemone mexicana	122	<i>sp. ? Florida</i>	2 00
78 * albiflora	123	<i>sp. ? Louisiana</i>	2 00
79 Aristolochia serpentaria	15	<i>sp. ? Georgia</i>	2 00
80 Artemesia canadensis	35	<i>sp. ? Carolina</i>	2 00
81 draeunculoides	15	<i>sp. ? Mexico</i>	
82 santonica	25	127 Aster acuminatus	35
83 Arum atrorubens	128	æstivus	25
84 dracontium	40	129 amplexicaulis	25
85 sagittifolium	50	130 amygdalinus	25
86 triphyllum, 12 dols. }	15	131 blandus	25
per 100		132 carolinianus	40
87 <i>v. viridiflorum</i>	25	133 concolor	25
88 virginicum	25	134 conyzoides	25
89 Arundo phragmites	50	135 cordifolius	25
90 Asarum arifolium	50	136 corymbosus	15
91 canadense	25	137 cyaneus	25
92 virginicum	25	138 diffusus	15
93 Asclepias acuminata	25	139 dumosus	15
94 amœna, 20 dols. }	25	140 ericoides	25
per 100		141 floribundus	25
95 amplexicaulis	2 00	142 foliosus	25
96 angustifolia, <i>Ell.</i>	2 00	143 fragile	25
97 cinerea, <i>Ell.</i>	2 00	144 gracilis	40
98 connivens, <i>Ell.</i>	2 00	145 grandiflorus	25
99 debilis, <i>Ph.</i>	2 00	146 graveolens, <i>sp. nova</i>	50
100 furcata		147 hyssopifolius	15
101 incarnata, 15 dols. }	20	148 inuloides, <i>Georgia</i>	1 00
per 100		149 junceus	25
102 laurifolia	1 00	150 lævis	25
103 longifolia, <i>vel.</i>		151 ledifolius	25
<i>Acerates lon-</i>	2 00	152 linariifolius	25
<i>gifolia</i>		153 linifolius	25

	Each. \$ cts.		Each. \$ cts.
154 Aster macrophyllus	15	205 Caladium v. auriculatum	1 00
155 miser	25	206 Calla palustris	50
156 multiflorus	15	207 Caltha ficaroides	35
157 mutabilis	25	208 flabellifolia	50
158 novæ anglæ	20	209 palustris	25
159 nova belgica	25	210 v. plena	50
160 paludosus, elegans	1 50	211 Calypso borealis	1 00
161 paniculatus	25	212 Calystegia catesbyana	
162 patens	25	213 sepium	25
163 patula	35	214 spithamea	25
164 phlogifolius	25	215 Campanula acuminata	25
165 puniceus	25	216 americana	15
166 radule	25	217 *perfoliata	
167 rigidus	25	218 rotundifolia	25
168 salicifolius	25	219 v. alba	40
169 solidagonoides	25	220 sp. nova	50
170 spectabilis	25	221 } white mountains }	1 00
171 squarrosus		222 Canna angustifolia	50
172 suaveolens	35	223 flaccida	50
173 tardiflorus	25	224 glauca	50
174 tenuifolius	15	225 } sp. nova, gigan- }	1 50
175 tradescantii	25	226 } tea, Georgia }	
176 undulatus	25	226 Cantua coronopifolia	
177 versicolor	15	227 Cardamine virginica	15
178 sp. nova, Boston, Nut.	50	228 *Cardiospermum halica-	
179 sp. ? Niagara	50	229 } cabum, seed \$3 per lb. }	
180 sp. ? Georgia	1 00	229 *Cassia chamaecrista	
181 sp. ? Georgia	1 50	230 } marylandica, 12 }	15
182 sp. ? S. Carolina	1 00	231 } dols. per 100 }	
183 sp. ? N. Carolina	1 00	231 * nicotians	
184 Astragalus canadensis	25	232 } sp. Florida }	1 00
185 missouriensis	50	233 Caulophyllum thalictroides	25
186 Baptisia alba-vera, vel. }		234 *Centauria americana	20
Podalyria }	50	235 Chærophyllum claytoni	
alba }		236 } *procumbens }	
187 cerulea, 15 dols. }	25	237 Chaptalia tomentosa	75
per 100 }		238 Chelidonium majus	15
188 v. alba	35	239 } v. pleno }	30
189 v. rosea	50	240 Chelone barbata	35
190 v. purpurea	50	241 campanulata	30
191 perfoliata		242 glabra	25
192 tinctoria, 20 dols. }	25	243 lyoni	75
per 100 }		244 obliqua	20
193 uniflora	1 00	245 speciosa	50
194 Bartsia corceinea	15	246 *Chenopodium anthelminticum	
195 Betonica sp. ? Mexico	1 00	247 } ambrosoides }	
196 *Blitum capitatum	50	248 Chrysoplegium oppositifolium	25
197 Boltonia asteroides	50	249 Cichorium intybus	15
198 Boottia, Genus nova, Big.	1 00	250 Cicuta bulbifera	25
199 Brasenia peltata	60	251 maculata	25
200 Buchnera americana	30	252 Cimicifuga cordifolia	50
201 Cacalia atriplicifolia	25	253 foetida	50
202 reniformis	25	254 palmata	50
203 suaveolens	25	255 serpentaria, 15 }	25
204 Caladium esculentum, 5 }	75	dols. per 100 }	
dols. per dozen }			

	Each. \$ cts.		Each. \$ cts.
256 <i>Circæa lutetiana</i>	25	307 <i>Coreopsis verticillata</i>	25
257 <i>canadensis</i>	25	308 <i>sp. ? Carolina</i>	50
258 <i>Claytonia alsinoides</i>	35	309 <i>sp. ? Mexico</i>	
259 <i>lanceolata</i>	75	310 <i>Cornus canadensis</i>	25
260 <i>v. rubra</i>	75	311 <i>Corydalis cucullaria</i>	25
261 <i>spathulæfolia</i>	50	12 <i>formosa</i>	25
262 <i>virginica, 14 } dols. per 100</i>	15	313 <i>v. alba</i>	1 00
263 * <i>Cleome dodecandra</i>		314 <i>fungosa</i>	15
264 <i>Clinopodium vulgare</i>	15	315 <i>glauca</i>	25
265 <i>Clitoria mariana</i>	25	316 <i>Crinum americanum</i>	1 00
266 <i>virginica</i>	25	317 <i>v. antheræ alba</i>	1 50
267 <i>Cnicus plur. sp.</i>	15	318 <i>v. antheræ rubra</i>	2 00
268 <i>Collinsonia anisata</i>	50	319 * <i>Crotalaria parviflora</i>	
269 <i>canadensis, 15 } dols. per 100</i>	25	320 <i>Cucubalus behen</i>	15
270 <i>tuberosa</i>	1 00	321 <i>stellatus</i>	25
271 <i>sp. ? Mexico</i>	1 00	322 <i>Cunila glabella</i>	50
272 <i>Comarum palustre</i>	25	323 <i>glabra</i>	50
273 <i>v. fol. var.</i>	40	324 <i>mariana</i>	15
274 <i>Commelina communis</i>	25	325 * <i>Cuseuta americana</i>	
275 <i>erecta</i>	25	326 <i>Cyamus flaccicomus, vel. } <i>Nelumbium luteum</i></i>	1 00
276 <i>virginica</i>	25	327 <i>Cymbidium hyemale</i>	25
277 <i>sp. nova, Geo.</i>	1 50	328 <i>odontorhizon</i>	25
278 <i>Conium aracachâ</i>	3 00	329 <i>pulchellum</i>	25
279 <i>Conostylis americana</i>	50	330 <i>Cynoglossum amplexicaule</i>	15
280 <i>Convallaria majalis, 10 dols. } per 100</i>	12	331 <i>officinale</i>	15
281 <i>v. pleno</i>	25	332 <i>sylvaticum</i>	25
282 <i>v. rubra</i>	25	333 <i>Cypripedium arietinum</i>	1 00
283 <i>verticillata</i>	50	334 <i>candidum</i>	1 00
284 <i>Convolvulus arvensis ame- } ricani</i>	25	335 <i>humile</i>	25
285 <i>batatas, alba</i>	25	336 <i>parviflorum</i>	50
286 <i>v. rubra</i>	25	337 <i>pubescens</i>	50
287 <i>v. flava</i>	25	338 <i>spectabile</i>	50
288 <i>panduratus</i>	50	339 <i>Dahlia superflua, 90 varieties</i>	
289 <i>v. pleno</i>	1 00	340 <i>Dalea sp. ?</i>	
290 <i>spithameus</i>	25	341 <i>Calibarda fragaroides</i>	35
291 <i>sp. ? Florida</i>	1 00	342 <i>repens</i>	25
292 <i>Conyza bifrons</i>	30	343 * <i>Datura stramonium</i>	
293 * <i>marylandica</i>	347	344 * <i>tatula</i>	
294 <i>pyncostachya</i>	50	345 <i>Delphinium azureum</i>	25
295 <i>Coptis trifolia</i>	25	346 <i>exaltatum</i>	50
296 <i>Coreopsis aurea</i>	25	347 <i>tricornæ</i>	30
297 <i>auriculata</i>	25	348 <i>urceolatum</i>	50
298 <i>crassifolia</i>	30	349 <i>Dentaria diphylla</i>	35
299 <i>grandiflora</i>	50	350 <i>lasciniata</i>	25
300 <i>lanceolata</i>	35	351 <i>Diapensia cuneifolia, white } <i>mountains</i></i>	2 00
301 <i>pinnata</i>	35	452 <i>obtusifolia, idem</i>	2 00
302 <i>procera</i>	35	353 <i>Dionæa muscipula</i>	50
303 <i>tenuifolia</i>	35	354 <i>Dioscorea sativa</i>	75
304 <i>tinctoria</i>	25	355 <i>villosa</i>	25
305 <i>trichosperma</i>	25	356 <i>Diphylleja cymosa</i>	50
306 <i>tripteris</i>	25	357 <i>Dodecatheon meadia</i>	35
		358 <i>v. alba, vera</i>	1 00
		359 <i>Donia ciliata</i>	2 00

	Each. \$ cts.		Each. \$ cts.
360 <i>Donia squarrosa</i>	50	414 <i>Eupatorium teucrifolium</i>	50
361 <i>Dracocephalum denticulatum</i>	35	415 <i>trifoliatum</i>	25
362 <i>variegatum</i>	1 00	416 <i>verticillatum</i>	35
363 <i>virginicum</i>	25	417 <i>sp. ? Louisiana</i>	50
364 <i>sp. nova</i>	1 00	418 <i>Euphorbia corollata</i>	25
365 <i>Drosera filiformis</i>	25	419 <i>*cyathophora</i>	
366 <i>longifolia</i>	25	420 <i>ipecaeuanha</i>	25
367 <i>rotundifolia</i>	25	421 <i>*variegata</i>	
368 <i>Dryas octopetala</i>	40	422 <i>Ferula angustifolia, Mexico</i>	1 50
369 <i>Echium vulgare</i>	20	423 <i>villosa</i>	25
370 <i>Elephantopus carolinianus</i>	2 00	424 <i>sp. ? Mexico</i>	1 50
371 <i>Elliottia racemosa, Gen. nov.</i>	2 00	425 <i>Fragaria canadensis</i>	15
372 <i>Elodea campanulata</i>	15	426 <i>hudsonica</i>	15
373 <i>Elytraria virgata</i>	1 00	427 <i>virginica</i>	15
374 <i>Epilobium angustifolium</i>	25	428 <i>v. maxima, Peru</i>	50
375 <i>v. album</i>	40	429 <i>Frasera walteri</i>	1 00
376 <i>coloratum</i>	25	430 <i>Fritillaria lanceolata</i>	1 00
377 <i>latifolium</i>	35	431 <i>*Fumaria officinalis</i>	
378 <i>rosmarinifolium</i>	25	432 <i>Galactia glabella</i>	50
379 <i>spicatum</i>	50	433 <i>molliis</i>	25
380 <i>Epipactis convallaroides</i>		434 <i>*Galardia bicolor</i>	
381 <i>Erigeron canadense</i>		435 <i>Galax cordifolia</i>	50
382 <i>bellidifolium</i>	15	436 <i>Galium boreale</i>	50
383 <i>graminifolium</i>	1 00	437 <i>circæsans</i>	15
384 <i>philadelphicum</i>	15	438 <i>pilosum</i>	15
385 <i>plataginæum</i>	25	439 <i>tinctorium</i>	25
386 <i>purpureum</i>	30	440 <i>trifidum</i>	15
387 <i>strigosum</i>	35	441 <i>Gaura biennis</i>	15
388 <i>Eriocaulon plur. sp.</i>	35	442 <i>Gentiana alba</i>	50
389 <i>Eriogonum longifolium, } Arkansa }</i>	1 50	443 <i>amarelloides</i>	50
390 <i>Eryngium aquaticum</i>	50	444 <i>angustifolia</i>	50
391 <i>fœtidum</i>	25	445 <i>catesbæi</i>	50
392 <i>gracile</i>	1 50	446 <i>crinita</i>	40
393 <i>virginianum</i>	25	447 <i>ochroleuca</i>	25
394 <i>sp. nova, Geo.</i>	1 50	448 <i>pneumonanthe</i>	50
395 <i>Erythrina herbacea</i>	50	449 <i>saponaria</i>	15
396 <i>Erythronium albidum</i>	1 00	450 <i>sp. ? Mexico</i>	1 50
397 <i>lanceolatum</i>	15	451 <i>Geranium carolinianum</i>	15
398 <i>Eupatorium ageratoides</i>	50	452 <i>maculatum</i>	15
399 <i>album</i>	25	453 <i>robertianum</i>	15
400 <i>altissimum</i>	30	454 <i>Gerardia flava</i>	25
401 <i>americanum</i>	30	455 <i>pedicularia</i>	15
402 <i>amœnum</i>	25	456 <i>*purpurea</i>	
403 <i>aromaticum</i>	40	457 <i>quercifolia</i>	25
404 <i>cælestium</i>	15	458 <i>*tenuifolia</i>	
405 <i>hyssopifolium</i>	25	459 <i>Geum agrimonoides</i>	25
406 <i>lanceolatum</i>	40	460 <i>album</i>	20
407 <i>maculatum</i>	35	461 <i>canadense</i>	25
408 <i>melissoides</i>	15	462 <i>latifolium, sp. } nova, Nut } white moun- } tain }</i>	1 00
409 <i>perfoliatum</i>	15		
410 <i>purpureum</i>	50	463 <i>Peckii, white mount.</i>	1 00
411 <i>rotundifolium</i>	30	464 <i>rivale</i>	15
412 <i>senifolium</i>	50	465 <i>v. fol. var.</i>	35
413 <i>sessilifolium</i>	25		

	Each. \$ cts.		Each. \$ cts.
466 <i>Geum strictum</i>	25	518 <i>Helianthus scaber</i>	30
467 <i>virginianum</i>		519 <i>strumosus</i>	25
468 <i>Glaucium luteum</i>	15	520 <i>trachelifolius</i>	35
469 <i>Glechoma hederacea</i>	12	521 <i>tuberosus</i>	25
470 <i>Glycine comosa</i>	25	522 <i>sp. ? Florida</i>	1 00
471 <i>*monoica</i>		523 <i>sp. ? Georgia</i>	1 00
472 <i>tomentosa</i>	25	524 <i>Heliopsis lævis</i>	25
473 <i>v. erecta</i>	50	525 <i>Helonias angustifolia</i>	50
474 <i>Gnaphalium americanum</i>	25	526 <i>asphodeloides</i>	25
475 <i>decurrens</i>	50	527 <i>dioica, mas.</i>	25
476 <i>margaritaceum</i>	25	528 <i>v. femina</i>	25
477 <i>platagineum</i>	25	529 <i>erythrosperma</i>	50
478 <i>polycephalum</i>	40	530 <i>latifolia</i>	25
479 <i>purpureum</i>	25	531 <i>Hemerocallis fulva</i>	20
480 <i>uliginosum</i>	20	532 <i>v. fol. var.</i>	50
481 <i>sp. ? Florida</i>		533 <i>v. pleno</i>	50
482 <i>Gonolobium hirsutum</i>	30	534 <i>Hepatica americana</i>	15
483 <i>læve</i>	30	535 <i>v. alba</i>	25
484 <i>macrophyllum</i>	50	536 <i>v. cerulea pl.</i>	50
485 <i>niger ? Mex.</i>	1 00	537 <i>v. rubra pl.</i>	50
<i>obliquum</i>		538 <i>Heracleum lanatum</i>	25
486 <i>*Gossypium herbaceum</i>		539 <i>Herpestris sp. nova, Geo.</i>	1 00
487 <i>barbadense</i>		540 <i>Heteranthera acuta</i>	25
488 <i>Gratiola aurea</i>	25	541 <i>graminea</i>	25
489 <i>virginica</i>	25	542 <i>Heuchera caulescens</i>	40
490 <i>Gyrotheca tinctoria, H.</i>		543 <i>hispida</i>	30
<i>B., Dilatris tinctoria, Ph.</i>	1 00	544 <i>lucida</i>	30
491 <i>*Hedeoma pulegioides</i>		545 <i>macrophylla</i>	30
492 <i>Hedysarum canadense</i>	15	546 <i>pubescens</i>	25
493 <i>marylandicum</i>	15	547 <i>villosa</i>	40
494 <i>nudiflorum</i>	15	548 <i>viscida</i>	25
495 <i>paniculatum</i>	25	549 <i>*Hibiscus esculentus</i>	
496 <i>strictum</i>	15	550 <i>grandiflorus, 3</i>	} 40
497 <i>viridiflorum</i>	15	<i>dols per doz. }</i>	
498 <i>sp. ? Florida</i>	1 00	551 <i>manihot</i>	50
499 <i>Helenium autumnale</i>	15	552 <i>militaris</i>	25
500 <i>mexicanum, &c.</i>	1 00	553 <i>moscheutos</i>	25
501 <i>Helianthemum canadense</i>	15	554 <i>v. rubra</i>	50
502 <i>carolinianum</i>	1	555 <i>v. alba</i>	50
503 <i>ramuliflorum</i>	15	556 <i>palustris</i>	25
504 <i>Helianthus altissimus</i>	20	557 <i>v. rosea pallida</i>	50
505 <i>angustifolius</i>	50	558 <i>scaber, vera</i>	1 00
506 <i>atrorubens</i>	50	559 <i>speciosus, 3 dols.</i>	} 40
507 <i>decapetalus</i>	35	<i>per dozen</i>	
508 <i>diffusus</i>	30	560 <i>virginicus, vera</i>	75
509 <i>divaricatus</i>	25	561 <i>Hieraceum gronovii</i>	35
510 <i>frondosus</i>	50	562 <i>kalmii</i>	25
511 <i>giganteus</i>	25	563 <i>paniculatum</i>	40
512 <i>macrophyllus</i>	30	564 <i>venosum</i>	15
513 <i>missouriensis</i>	35	565 <i>Houstonia alba, sp. no- }</i>	} 1 00
514 <i>mollis</i>	30	<i>va, Nut.</i>	
515 <i>multiflorus</i>	20	566 <i>cerulea</i>	15
516 <i>v. pleno</i>	30	567 <i>ciliolata, Tor.</i>	1 00
517 <i>pubescens</i>	50	568 <i>purpurea</i>	35
		569 <i>rotundifolia</i>	1 00

	Each. \$ cts.		Each. \$ cts.
570 <i>Humulus americanus</i>	15	616 <i>Iris v. rubro</i>	1 00
571 <i>Hydrastis canadensis</i>	25	617 <i>v. pleno</i>	1 00
572 <i>Hydrocotyle americana</i>	15	618 <i>prismatica</i>	25
573 <i>umbellata</i>	15	619 <i>tridentata, vera</i>	50
574 <i>vulgaris</i>	25	620 <i>verna</i>	50
575 <i>Hydrolea corymbosa</i>	1 00	621 <i>versicolor</i>	15
576 <i>quadrivalvis</i>	1 00	622 <i>virginica</i>	25
577 <i>Hydrophyllum canadense</i>	25	623 <i>sp. nova, Big.</i>	1 00
578 <i>virginicum</i>	25	624 <i>Ixia caelestina</i>	2 00
579 <i>Hypericum angulosum</i>	50	625 <i>Jatropha stimulosa</i>	3 00
580 <i>ascyroides</i>	25	626 <i>Jeffersonia diphylla</i>	50
581 <i>corymbosum</i>		627 <i>Justicia humilis</i>	2 00
582 <i>marylandicum</i>	50	628 <i>Kuhnia eupatoroides</i>	25
583 <i>mutilum</i>	15	629 <i>Lactuca elongata</i>	15
584 <i>parviflorum</i>	15	630 <i>Lathyrus maritimus, Big.</i>	1 00
585 <i>pyramidatum</i>	50	631 <i>myrtifolius</i>	15
586 <i>Hypoxis erecta</i>	15	632 <i>venosus</i>	15
587 <i>graminea</i>		633 <i>Lechea major</i>	15
588 <i>juncea</i>	1 00	634 <i>minor</i>	15
589 <i>Hyssopus nepetoides</i>	15	635 <i>Leontodon taraxacum</i>	12
590 <i>serophularoides</i>	15	636 <i>Leonurus cardiaca</i>	12
591 <i>*Impatiens biflora</i>		637 <i>Lepidium virginicum</i>	15
592 <i>Indigofera caroliniana</i>	2 00	638 <i>Leptandra virginica</i>	50
593 <i>Inula falcata</i>	50	639 <i>Lespedeza angustifolia</i>	50
594 <i>graminea</i>		640 <i>capitata</i>	15
595 <i>helenium</i>	15	641 <i>polystachya</i>	50
596 <i>mariana</i>	15	642 <i>procumbens</i>	50
597 <i>*Ipomæa coccinea, seed 2 }</i>		643 <i>prostrata</i>	75
<i>dols. per lb. }</i>		644 <i>repens</i>	15
598 <i>dissecta</i>		645 <i>reticulata</i>	75
599 <i>jalapa</i>	75	646 <i>sessiliflora</i>	15
600 <i>*lacunosa, seed 4 }</i>		647 <i>violacea</i>	15
<i>dols. per lb. }</i>		648 <i>sp. ? New-Jersey</i>	75
601 <i>macrorrhiza, vel</i>		649 <i>Liatris elegans</i>	50
<i>Michauxii, 9 }</i>	1 00	650 <i>gracilis</i>	75
<i>dols. per doz. }</i>		651 <i>intermedia</i>	1 00
602 <i>*nil, seed 3 dols. }</i>		652 <i>macrostachya</i>	35
<i>per lb. }</i>		653 <i>odoratissima</i>	50
603 <i>*purpurea, seed 2 }</i>		654 <i>paniculata</i>	1 00
<i>dols. per lb. }</i>		655 <i>pilosa</i>	25
604 <i>*v. striata su-</i>		656 <i>pumila</i>	50
<i>perba, seed 4 }</i>		657 <i>pycnostachya</i>	75
<i>dols. per lb. }</i>		658 <i>secunda</i>	1 00
605 <i>*quamoclit, seed }</i>		659 <i>scariosa, 15 dols. }</i>	
<i>1 dol per oz }</i>		<i>per 100 }</i>	25
606 <i>sagittifolia, vel speciosa</i>	3 00	660 <i>sphæroidea, 25 }</i>	
607 <i>sp. ? Florida</i>		<i>dols. per 100 }</i>	35
608 <i>Iresine elatior</i>	50	661 <i>squarrosa</i>	25
609 <i>Iris caelestina</i>	25	662 <i>tenuifolia</i>	1 00
610 <i>cristata</i>	25	663 <i>sp. ? Tennessee</i>	75
611 <i>euphræa</i>	25	664 <i>sp. ? Carolina</i>	1 00
612 <i>hexagona, vera</i>	50	665 <i>sp. ? Georgia</i>	1 00
613 <i>lacustris, sp. nova, Tor.</i>	2 00	666 <i>Ligusticum scoticum, Maine</i>	25
614 <i>missouriensis</i>	50	667 <i>Lilium canadense</i>	15
615 <i>v. albo</i>	50	668 <i>carolinianum</i>	50

		Each. \$ cts.		Each. \$ cts.
669	<i>Lilium catesbæi</i> , 8 dols. per dozen }	75	723	<i>Melananthera hastata</i> 50
670	<i>pensylvanicum</i>	50	724	<i>Melanthium virginicum</i> 40
671	<i>philadelphicum</i>	20	725	<i>Monispermum canadense</i> 15
672	<i>superbum</i>	15	726	<i>Mentha borealis</i> 15
673	<i>umbellatum</i> 2	00	727	<i>tennis</i> 15
674	* <i>Lindernia pyxidaria</i>		728	<i>viridis</i> 15
675	<i>Linum lewisii</i>	25	729	<i>Menyanthes americana</i> 25
676	<i>perenne</i>	25	730	<i>Micranthemum orbiculatum</i> 50
677	<i>Lithospermum officinale</i>	35	731	<i>Miegia macrosperma, vera</i> 1 00
678	<i>latifolium</i>	15	732	<i>tecta</i> 50
679	<i>virginianum</i>	25	733	<i>Mikania scandens</i> 25
680	<i>Lobelia amœna</i> 1	00	734	<i>Milleria</i> sp.? <i>Mexico</i> 1 50
681	<i>cardinalis</i>	15	735	<i>Mimosa pudica</i> , seed 16 } dols. per lb. }
682	<i>claytoniana</i>	15	736	<i>sp ? Florida</i>
683	<i>dortmanna</i>		737	<i>Mimulus alatus</i> 15
684	<i>fulgens</i>	30	738	<i>glutinosus</i> 40
685	<i>glandulosa</i> 1	00	739	<i>luteus vel guttatus</i> 25
686	<i>inflata</i>	15	740	<i>ringens</i> 15
687	<i>kalmii</i>	15	741	<i>Mitella ciliaris</i> 50
688	<i>pallida</i>	25	742	<i>cordifolia</i> 25
689	<i>siphilitica</i>	15	743	<i>diphylla</i> 25
690	<i>Lotus gracilis</i>	50	744	<i>Monarda altissima</i> 50
691	<i>Ludwigia hirsuta</i>	15	745	<i>clinopodia</i> 25
692	<i>macrocarpa</i>	15	746	<i>didyma</i> 15
693	<i>nitida</i>	15	747	<i>fistulosa</i> 25
694	<i>Lupinus nootkatensis</i>	50	748	<i>v. alba</i> 50
695	<i>perennis</i>	25	749	<i>gracilis</i> 50
696	<i>villosus</i>		750	<i>hirsuta</i> 50
697	<i>Lycopus exaltatus</i>	15	751	<i>kalmiana, vera</i> 50
698	<i>virginicus</i>	15	752	<i>mollis</i> 50
699	<i>Lychnis alpina</i>	20	753	<i>oblongata</i> 50
700	<i>Lysimachia angustifolia</i>	50	754	<i>punctata</i> 25
701	<i>capitata</i>	25	755	<i>purpurascens</i> 35
702	<i>ciliata</i>	15	756	<i>rugosa</i> 35
703	<i>heterophylla</i>	25	757	<i>Russeliana</i> 50
704	<i>hybrida</i>	15	758	<i>Monotropa uniflora, &c.</i> 15
705	<i>quadrifolia</i>	15	759	<i>Myosotis arvensis</i> 20
706	<i>racemosa</i>	15	760	<i>palustris</i> 25
707	<i>thyrsiflora</i>	35	761	<i>scorpioides</i> 25
708	<i>Lythrum salicaria</i>	25	762	<i>Nartheceum americanum</i> 50
709	<i>verticillatum</i>	25	763	<i>Neottia cernua</i> 25
710	<i>virgatum</i>	30	764	<i>pubescens</i> 25
711	<i>Malaxis liliifolia</i>	30	765	<i>repens</i> 25
712	<i>longifolia</i>	30	766	<i>tortilis</i> 25
713	<i>ophioglossoides</i>	30	767	* <i>Nicandra physaloides</i>
714	* <i>Malva caroliniana</i>		768	* <i>Nicotiana paniculata</i>
715	<i>rotundifolia</i>	15	769	* <i>tabacum</i>
716	<i>Marrubium vulgare</i>	15	770	* <i>sp. nova</i>
717	* <i>Martynia diandra</i>		771	<i>Nuphar advena</i> 25
718	* <i>proboscidea</i>		772	<i>kalmiana</i> 50
719	<i>Maurandia semperflorens</i>	50	773	<i>lutea</i> 25
720	<i>Medeola virginica</i>	15	774	<i>Nuttalia digitata</i> 50
721	<i>Medicago lupulina</i>	12	775	<i>pedata</i> 1 00
722	<i>Melampyrum americanum</i>		776	<i>Nymphæa odorata</i> 30

	Each. \$ cts.		Each. \$ cts.
777 <i>Nymphæa v. rosea</i>	50	832 <i>Panax trifolium</i>	25
778 <i>Obolaria virginica</i>	25	833 <i>Pancratium angustum</i>	
779 <i>Oenothera biennis</i>	12	834 <i>caribæum</i>	1 00
780 <i>cæspitosa</i>	50	835 <i>carolinianum</i>	1 00
781 <i>cruciata</i>	35	836 <i>fluitans</i>	1 00
782 <i>fraseri</i>	25	837 <i>littorale</i>	1 50
783 <i>fruticosa</i>	20	838 <i>maritimum</i>	50
784 <i>v. fol. var.</i>	40	839 <i>mexicanum</i>	50
785 <i>glauca</i>	20	840 <i>v. altissimum</i>	1 50
786 <i>grandiflora</i>	20	841 <i>rotatum</i>	1 00
787 <i>macrocarpa</i>		842 <i>v. altissimum</i>	1 50
788 <i>pumila</i>	25	843 <i>speciosum</i>	
789 <i>rosea</i>		844 <i>sp. nova, Florida</i>	2 00
790 <i>serrulata</i>	35	845 <i>sp. fragrans, Brazil</i>	3 00
791 <i>speciosa</i>	50	846 <i>sp. nova, Georgia</i>	2 00
792 <i>* triloba</i>		847 <i>Parnassia caroliniana</i>	25
793 <i>sp. ? Florida</i>		848 <i>palustris</i>	35
794 <i>Onosmodium hispidum</i>	40	849 <i>Parthenium integrifolium</i>	1 00
795 <i>Ophiotheca floridana</i>	1 00	850 <i>Passiflora incarnata</i>	35
796 <i>Orchis bephariglottis</i>	40	851 <i>lutea</i>	35
797 <i>bifolia</i>	50	852 <i>Pedicularis canadensis</i>	40
798 <i>bracteata</i>	30	853 <i>gladiata</i>	25
799 <i>ciliaris</i>	30	854 <i>pallida</i>	50
800 <i>cristata</i>	40	855 <i>Penstemon digitalis</i>	35
801 <i>dilatata</i>	75	856 <i>lævigata</i>	50
802 <i>discolor</i>	40	857 <i>pubescens</i>	25
803 <i>fimbriata</i>	40	858 <i>Penthorum sedoides</i>	25
804 <i>flava</i>	1 00	859 <i>Phalangium quamash</i>	3 00
805 <i>fuscescens</i>	50	860 <i>Phaseolus helvolus</i>	25
806 <i>herbiola</i>	75	861 <i>perennis</i>	25
807 <i>hyperborea</i>	75	862 <i>* trilobus</i>	
808 <i>incisa</i>	50	863 <i>Phlox acuminata, vel decussata</i>	25
809 <i>lacera</i>	75	864 <i>amœna</i>	50
810 <i>macrophylla</i>	1 00	865 <i>aristata</i>	50
811 <i>obsoleta</i>	50	866 <i>canadense</i>	50
812 <i>orbiculata</i>	1 00	867 <i>carnea</i>	40
813 <i>pyscodes</i>	50	868 <i>carolina</i>	40
814 <i>spectabilis</i>	30	869 <i>divaricata</i>	25
815 <i>tridentata</i>	30	870 <i>v. atrorubra</i>	1 00
816 <i>unifolia</i>	50	871 <i>v. alba</i>	1 00
817 <i>virescens</i>	40	872 <i>floridana</i>	1 00
818 <i>viridis</i>	50	873 <i>glaberrima</i>	35
819 <i>2 sp. Georgia</i>	75	874 <i>intermedia</i>	40
820 <i>Origanum vulgare</i>	15	875 <i>latifolia</i>	
821 <i>Orobanchæ americana</i>	50	876 <i>maculata</i>	25
822 <i>uniflora</i>	50	877 <i>nitida, vel suffruticosa</i>	35
823 <i>Orontium aquaticum</i>	30	878 <i>nivalis</i>	40
824 <i>Oxalis acetosella</i>	35	879 <i>ovata, vel listoniana</i>	25
825 <i>corniculata</i>	15	880 <i>paniculata</i>	25
826 <i>dillenii</i>	25	881 <i>v. alba</i>	50
827 <i>stricta</i>	15	882 <i>pilosa</i>	50
828 <i>tetraphylla</i>	35	883 <i>pyramidalis</i>	25
829 <i>violacea</i>	15	884 <i>setacea</i>	25
830 <i>Pachysandra procumbens</i>	50	885 <i>stolonifera</i>	25
831 <i>Panax quinquefolium</i>	35	886 <i>suaveolens</i>	25

	Each.	\$ cts.		Each.	\$ cts.
887 Phlox v. tardiflora	50		933 Potentilla norwegica	15	
888 v. fol. var.	35		934 opaca	30	
889 subulata	25		935 palustris	30	
890 v. alba			936 pensylvanica	30	
891 triflora	35		937 simplex	15	
892 undulata	25		938 tridentata, &c.	25	
893 virginica	50		939 Pothos fœtida	25	
894 sp. nova	1 00		940 Prenanthes alba	25	
895 Phryma leptostachya	25		941 altissima	25	
896 Physalis obscura	25		942 cordata	25	
897 pensylvanica	25		943 rubicunda	50	
898 viscosa, &c.	25		944 serpentaria, &c.	35	
899 Phytolacca decandra	20		945 Primula mistassinica		
900 Pisum maritimum, &c.	35		946 pusilla		
901 Plantago cucullata	25		947 Prunella pensylvanica	15	
902 lanceolata	15		948 vulgaris	12	
903 maritima	20		949 Psoralea lupinellus	5 00	
904 v. fol. var.	50		950 melilotoides	5 00	
905 virginica, &c.	15		951 sp.? Georgia, &c.	5 00	
906 Podophyllum peltatum	25		952 Pulmonaria virginica, &c.	40	
907 Podostigma pubescens, Ell., Asclepias pedicellata, Ph.	2 00		953 Pycnanthemum incanum	25	
908 viridis, Ell., Asclepias viridis, Pursh.	2 00		954 linifolium	25	
			955 verticillatum, &c.	50	
909 Polemonium reptans	25		956 Pyrola media	25	
910 v. album, &c.	75		957 minor	25	
911 Polyanthes tuberosa, pl. exotic, 6 dols. per 100 roots	40		958 uniflora, &c.	25	
912 v. fol. var. 3 dols. per dozen	40		959 Ranunculus abortivus	20	
913 Polygala lutea	25		960 aeris	15	
914 rubella	25		961 v. pleno	20	
915 *sanguinea	25		962 auricomus	30	
916 senega, &c.	25		963 bulbosus	20	
917 Polygonatum angustifolium	15		964 v. pleno	30	
918 latifolium	50		965 filiformis	25	
919 multiflorum	15		966 fluvialis	25	
920 vulgare, &c.	25		967 hirsutus	25	
921 Polygonum coccineum	25		968 lingua	25	
922 scandens	15		969 pensylvanicus	15	
923 virginianum	15		970 repens	15	
924 viviparum, &c.	25		971 v. pleno	30	
925 Pontederia angustifolia	50		972 sceleratus	15	
926 cordata	30		973 sp. nova	50	
927 lanceolata, &c.	1 00		974 Rhexia glabella	1 00	
928 Potamogeton, plur. sp.	25		975 lutea	1 00	
929 Potentilla argentea	30		976 mariana	25	
930 canadensis	15		977 virginica	25	
931 confertiflora, Tor.	50		978 3 sp.? Georgia	1 00	
932 nivea	40		979 *Ricinus communis		
			980 Rubia Brownei	2 00	
			981 Rubus arcticus	35	
			982 chamæmorus	40	
			983 saxatilis	30	
			984 Rudbeckia amplexifolia	40	
			985 columnaris	35	
			986 digitata	30	
			987 fulgida	35	

		Each. \$ cts.		Each. \$ cts.	
988	Rudbeckia hirta	25	1041	Saxifraga sibirica	25
989	lasiantha	35	1042	virginensis	15
990	laciniata	25	1043	Scheuchzeria palustris	25
991	moschata	50	1044	Schrankia uncinata	1 50
992	pinnata	50	1045	Scolopendrum officinalis	30
993	purpurea	25	1046	Scrophularia marylandica	15
994	triloba	25	1047	Scutellaria integrifolia	15
995	<i>sp. nova, alba</i>	1 00	1048	galericulata	15
996	Ruellia ciliosa	1 00	1049	hyssopifolia	15
997	hybrida	1 00	1050	lateriflora	15
998	oblongifolia	1 00	1051	ovalifolia, &c.	30
999	strepens	35	1052	Sedum pusillum	25
1000	Rumex acetosella	15	1053	telephioides	35
1001	obtusifolius	25	1054	ternatum, &c.	25
1002	sanguineus	20	1055	Senecio aureus	15
1003	verticillatus, &c.	15	1056	hieracifolius	15
1004	Sabbatia angularis	15	1057	obovatus, &c.	15
1005	paniculata	50	1058	Sibbaldia procumbens	40
1006	stellaris	15	1059	*Sida abutilon	
1007	*Sagina procumbens		1060	dioica	25
1008	Sagittaria acutifolia	25	1061	mexicana	1 00
1009	heterophylla	50	1062	napæa, &c.	25
1010	latifolia	25	1063	Silene pensylvanica	25
1011	sagittifolia	25	1064	virginica, &c.	
1012	<i>v. pleno</i>	1 00	1065	Silphium asteriscus	40
1013	<i>2 sp. ? Geo.</i>	1 50	1066	connatum	40
1014	*Salicornia herbacea		1067	conjugatum	35
1015	*Salsola salsa		1068	laciniatum	25
1016	Salvia angustifolia	75	1069	perfoliatum	25
1017	azurea	30	1070	squarrosus	40
1018	coccinea	30	1071	ternatum	25
1019	lyrata	25	1072	teribinthinaceum	40
1020	maculata, Florida	1 00	1073	trifoliatum	25
1021	<i>sp. ? Florida</i>	1 00	1074	verticillatum	40
1022	Sanguinaria canadensis	15	1075	<i>2 sp. ? Geo., &c.</i>	1 00
1023	Sanguisorba canadensis	25	1076	Sison aureus	35
1024	Sanicula marylandica	15	1077	Sisymbrium amphibium	25
1025	Saponaria officinalis	15	1078	nasturtium	25
1026	<i>v. albo pleno</i>	25	1079	sophia, &c.	25
1027	<i>v. rubro pleno</i>	35	1080	Sisyrinchium anceps	25
1028	Sarracenia flava	50	1081	bermudianum	40
1029	purpurea, 25 } dols. per 100 }	30	1082	iridifolium	40
1030	<i>v. lutea</i>	1 00	1083	mucronatum	25
1031	psittacina, vel } rubra }	50	1084	Nuttallii	50
1032	variolaris	75	1085	striatum, &c.	50
1033	Saururus cernuus	25	1086	Sium lineare	25
1034	Saxifraga aizoides	25	1087	rigidius	25
1035	aizoon	25	1088	Smilacina borealis	35
1036	androsacea	25	1089	canadensis	25
1037	cæspitosa	25	1090	racemosa	25
1038	geum	35	1091	stellata	25
1039	oppositifolia	25	1092	trifolia	50
1040	pensylvanica	15	1093	umbellata	50
			1094	Smyrniun atropurpureum	50
			1095	cordatum	25

	Each. \$ cts.		Each. \$ cts.
1096 <i>Smyrnum integerrimum</i>	25	1149 <i>Streptopus distortus</i>	
1097 <i>Solanum carolinense</i>	40	1150 <i>lanuginosus</i>	
1098 <i>sp. ? tubero- }</i>	2 00	1151 <i>roseus</i>	2 00
<i>sa, Brazil }</i>		1152 <i>Strophostylis angulosa</i>	75
1099 <i>sp. ? tubero- }</i>	3 00	1153 <i>Stylosanthes elatior</i>	25
<i>sa, Texas }</i>		1154 <i>hispida</i>	25
1100 <i>Solidago altissima</i>	20	1155 <i>verticillata</i>	25
1101 <i>angustifolia</i>	50	1156 <i>Talinum teretifolium</i>	1 00
1102 <i>arguta</i>	25	1157 <i>Tephrosia virginica</i>	35
1103 <i>aspera</i>	25	1158 <i>Teucrium canadense</i>	15
1104 <i>axillaris</i>	25	1159 <i>virginicum</i>	15
1105 <i>bicolor</i>	25	1160 <i>Thalia dealbata</i>	75
1106 <i>cæsia</i>	25	1161 <i>Thalictrum cornutum</i>	30
1107 <i>canadensis</i>	25	1162 <i>dioicum</i>	25
1108 <i>discolor</i>	40	1163 <i>pubescens</i>	30
1109 <i>elliptica</i>	25	1164 <i>purpurascens</i>	37
1110 <i>erecta</i>	55	1165 <i>rugosum</i>	25
1112 <i>flexicaulis</i>	25	1166 <i>sibiricum</i>	50
1113 <i>gigantea</i>	25	1167 <i>Thesium umbellatum</i>	25
1114 <i>hispida</i>	25	1168 <i>Tiarella cordifolia</i>	25
1115 <i>lævigata</i>	25	1169 <i>Tigridia pavonia</i> , 5 } <i>dols. per 100</i>	15
1116 <i>lanceolata</i>	25	1170 <i>Tillandsia Bartramii</i>	1 00
1117 <i>lateriflora</i>	25	1171 <i>usneoides</i>	1 00
1118 <i>latifolia</i>	25	1172 <i>sp. ?</i>	2 00
1119 <i>mexicana</i>	25	1173 <i>Tofieldia glaberrima</i>	1 00
1120 <i>novaboracensis</i>	25	1174 <i>pubescens</i>	50
1121 <i>odorata</i>	25	1175 <i>Tradescantia ciliata</i>	50
1122 <i>patula</i>	25	1176 <i>rosea</i>	35
1123 <i>petiolaris</i>	25	1177 <i>subaspera</i>	50
1124 <i>procera</i>	25	1178 <i>virginica</i>	25
1125 <i>puberula, Nut.</i>	50	1179 <i>pallida</i>	50
1126 <i>reflexa</i>	25	1180 <i>alba</i>	35
1127 <i>rugosa</i>	50	1181 <i>rubra</i>	35
1128 <i>scabra</i>	25	1182 <i>rubra plena</i>	35
1129 <i>sempervirens</i>	25	1183 * <i>Trichostema dichotoma</i>	
1130 <i>stricta</i>	25	1184 <i>Trientalis americana</i>	25
1131 <i>virga-aurea</i>	25	1185 <i>Trifolium pensylvanicum</i>	20
1132 <i>virgata</i>	25	1186 <i>reflexum</i>	20
1133 <i>ulmifolia</i>	25	1187 <i>repens, &c.</i>	15
1134 <i>sp. nana, white }</i>	1 00	1188 <i>Trillium cernuum</i>	25
<i>mountains }</i>		1189 <i>erectum</i>	25
1135 <i>sp. Florida</i>	1 00	1190 <i>album</i>	50
1136 <i>Sonchus, plur. sp.</i>	20	1191 <i>grandiflorum</i>	50
1137 <i>Spargonophorus verticillatus</i>	50	1192 <i>obovatum</i>	50
1138 <i>Spartina glabra</i>	40	1193 <i>pendulum</i>	50
1139 <i>Spigelia marylandica</i>	30	1194 <i>pictum</i>	50
1140 <i>Spiræa aruncus</i>	15	1195 <i>sessile</i>	25
1141 <i>lobata</i>	25	1196 <i>Triosteum angustifolium</i>	1 00
1142 <i>stipulacea</i>	1 00	1197 <i>perfoliatum</i>	25
1143 <i>trifoliata</i>	25	1198 <i>Trollius laxus</i>	50
1144 <i>Stachys aspera</i>	25	1199 <i>Troximum glaucum</i>	35
1145 <i>hispida</i>	25	1200 <i>virginicum</i>	25
1146 <i>Statice armeria</i>	25	1201 <i>Fussillago palmata</i>	75
1147 <i>caroliniana</i>	15	1202 <i>Lypa angustifolia</i>	25
1148 <i>Stevia alba, Mexico</i>	1 00		

	Each. \$ cts		Each. \$ cts.
1203 <i>Typha latifolia</i>	25	1244 <i>Viola striata superba, nova</i>	75
1204 <i>Urtica ca. adensis</i>	25	1245 <i>debilis</i>	20
1205 <i>dioica</i>	25	1246 <i>dentata</i>	25
1206 <i>pumila</i>	25	1247 <i>digitata</i>	50
1207 <i>Utricularia, plur. sp.</i>	25	1248 <i>hastata</i>	20
1208 <i>Uvularia flava</i>	50	1249 <i>heterophylla, Le</i>	} 1 00
1209 <i>grandiflora</i>	30	<i>Conte</i>	
1210 <i>perfoliata</i>	15	1250 <i>lanceolata</i>	15
1211 <i>puberula</i>	50	1251 <i>ovata</i>	25
1212 <i>sessilifolia</i>	15	1252 <i>palmata</i>	15
1213 <i>Valeriana pauciflora</i>	25	1253 <i>palustris, white mount.</i>	50
1214 <i>Valisneria americana</i>	50	1254 <i>papilionacea</i>	25
1215 <i>Veratrum viride</i>	25	1255 <i>pedata</i>	15
1216 <i>Verbascum blattaria</i>	15	1256 <i>primulifolia</i>	20
1217 <i>lychnitis, &c.</i>	25	1257 <i>pubescens</i>	20
1218 <i>Verbena aubletia</i>	20	1258 <i>rostrata</i>	50
1219 <i>bipinnatifida</i>	75	1259 <i>rotundifolia</i>	40
1220 <i>hastata</i>	15	1260 <i>sagittata</i>	25
1221 <i>v. alba</i>	25	1261 <i>selkuki</i>	75
1222 <i>urticifolia</i>	15	1262 <i>septemloba, Le Conte</i>	1 00
1223 <i>Verbesina coreopsis</i>	25	1263 <i>striata</i>	20
1224 <i>siegesbeckia</i>	25	1264 <i>villosa, Walter</i>	1 00
1225 <i>virginica</i>	25	1265 <i>sp. ? Georgia</i>	1 00
1226 <i>Vernonia noveboracensis</i>	25	1266 <i>sp. ? Carolina</i>	1 00
1227 <i>præalta</i>	25	1267 <i>sp. ? Nova-Scotia, &c.</i>	50
1228 <i>Veronica officinalis</i>	15	1268 <i>Xyris brevifolia</i>	25
1229 <i>*peregrina</i>		1269 <i>caroliniana</i>	25
1230 <i>virginica</i>	25	1270 <i>fimbriata</i>	40
1231 <i>Vicia americana</i>	25	1271 <i>Zamia integrifolia, vel</i>	} 8 00
1232 <i>cracca</i>	25	<i>pumila</i>	
1233 <i>sativa</i>	25	1272 * <i>Zea mays, pluribus</i>	} 100 ears
1234 <i>3 sp. ? Florida</i>		<i>varietas, 2 dols. per</i>	
1235 <i>Villarsia lacunosa</i>	25		
1236 <i>Viola asarifolia</i>	50	1273 <i>Zephyranthes carinata</i>	2 00
1237 <i>*bicolor</i>		1274 * <i>Zinnia multiflora</i>	
1238 <i>blanda</i>	20	1275 * <i>pauciflora</i>	
1239 <i>canadensis</i>	20	1276 * <i>violacea</i>	
1240 <i>canina</i>	25		
1241 <i>clandestina</i>	25	1277 Genus ? <i>volubilis tube-</i>	} 1 00
1242 <i>coecolor</i>	20	<i>rosus, new nonde-</i>	
1243 <i> cucullata, 12 dols. }</i> <i>per 100</i>	75	<i>script vine, tube-</i> <i>rous root</i>	

N. B. Those species to which the word *vera* is attached, have been hitherto almost invariably sent to Europe with inaccuracy, for the *Juglans sulcata*, they have been sent a variety of *J. alba* vel *squamosa*; for *Fagus ferruginea*, the *sylvatica*; for *Asclepias variegata*, a variety of *syriaca*; for *Juglans aquatica*, a variety of *Juglans amara*; for *Quercus laurifolia*, a variety of *virens*; for *Vitis rotundifolia*, *Xylosteum solonis* and *ciliatum*, and some species of *Ilex*, other species and varieties; for *Hibiscus virginicus* a variety of *palustris*; for *Baptisia alba*, the *cerulea v. alba*; for *Mieigia macrosperma*, the *Arundo donax*; and, in the same manner, with many other species; and some species which are now enumerated in the European catalogues, will be found on examination not to have yet found their way to Europe.

GRASSES.

GRAMINÆ.

15 to 25 Cents each.

1 Agrostis alba	47 Carex virescens
2 compressa	48 xanthophylla
3 stricta	49 sp? <i>white mountains</i> , 50 cts.
4 vulgaris, &c.	50 Cyperus odoratus
5 Andropogon avenaceus	51 parviflorus
6 nutans	52 repens
7 scoparium, &c.	53 strigosus
8 Anthoxanthum odoratum	54 tuberosus, &c.
9 Aira melicoides	55 Dactylis glomerata
10 truncata, &c.	56 Digitaria sanguinalis
11 Bromus ciliatus	57 Dulichium spathaceum
12 purgans	58 Elymus glaucifolius
13 sp?	59 hystrix
14 Carex acuta	60 virginicus, &c.
15 ampullacea	61 Eriophorum angustifolium
16 anceps	62 polystachyon
17 bullata	63 virginicum, &c.
18 cespitosa	64 Holcus fragrans
19 curta	65 lanatus
20 Deweyana	66 Juncus acuminatus
21 disperma	67 bicornis
22 flava	68 effusus
23 flexuosa	69 nodosus
24 folliculata	70 polycephalus
25 fraseri, 50 cents	71 spicatus, <i>white mountains</i> , 50 cents
26 lacustris	72 tenuis, &c.
27 latifolia	73 Leersia virginica
28 limosa	74 oryzoides, &c.
29 marginata	75 Milium ampicarpon, 1 dollar
30 mihacea	76 Muhlenburghia diffusa
31 multiflora	77 erecta, &c.
32 oligocarpa	78 Panicum crus galli
33 pallens	79 glaucum
34 pseudocyperus	80 hispidum
35 retrorsa, 50 cents	81 latifolium
36 rosea	82 nitidum, &c.
37 scabrata	83 Paspalum ciliatifolium, &c.
38 scoparia	84 Phalaris arundinacea, &c.
39 stellulata	85 Poa canadensis
40 stipata	86 compressa
41 straminea	87 dentata
42 sylvatica	88 elongata, 50 cents
43 tentaculata	89 Rhynchospora alba, &c.
44 teretiuscula	90 Saccharum giganteum, &c.
45 varia	91 Scirpus acicularis
46 vestita	

92	Scirpus americanus	100	Sparganium ramosum, &c.
93	atrovirens	101	Stipa bicolor, &c.
94	capitatus	102	Trichodium laxiflorum
95	debilis	103	Tripsacum dactaloides, &c.
96	eriphorum	104	Uniola gracilis
97	lineatus, &c.	105	spicata, &c.
98	Sorghum saccharatum	106	Zizania aquatica, &c.
99	Sparganium americanum		

N. B. A collection of *Grasses*, of more than double the number of species above enumerated, can be supplied by timely notice.

F E R N S.

CRYPTOGAMIA FILICES.

25 to 50 Cents each.

The Proprietor is determined to extend the collection of Ferns so as to comprise every American species, as no person has yet paid much attention to forming an extensive living collection of this highly interesting class.

1	Agrostichum aureum	27	Asplenium ruta muraria
2	Adiantum pedatum	28	trichomanes, &c.
3	Aspidium acrostichoides	29	Blechnum boreale
4	aculeatum	30	Botrychium dissectum
5	angustum	31	fumarioides
6	asplenoides	32	gracile
7	auriculatum	33	simplex
8	bulbiferum	34	virginicum
9	cristatum	35	Cheilanthes vestita
10	dentatum	36	Dicksonia pilosiuscula
11	exaltatum	37	Equisetum arvense
12	filix, <i>fœmina</i>	38	hyemale
13	filix, <i>mascula</i>	39	palustre
14	intermedium	40	scirpoides
15	marginale	41	uliginosum
16	novaboracense	42	variegatum, <i>Tor.</i>
17	obtusum	43	Torreyanum, &c.
18	spinulosum	44	Hydroglossum palmatum
19	tenue	45	Isoetis lacustris
20	thelypteris	46	Lycopodium clavatum
21	<i>sp. ? North-Carolina</i>	47	complanatum
22	Asplenium angustifolium	48	dendroideum
23	ebeneum	49	lucidulum, &c.
24	elatum	50	Onoclea obtusilobata
25	montanum	51	sensibilis
26	rhizophyllum	52	Ophioglossum bulbosum

53	<i>Ophioglossum vulgatum</i>	66	<i>Pteris atropurpurea</i>
54	<i>Osmunda cinamomea</i>	67	caudata
55	interrupta	68	elegans
56	regalis	69	gracilis
57	spectabilis	70	hastata
58	<i>Polypodium aureum</i>	71	pedata
59	calcareum	72	plumieri, &c.
60	connectile	73	<i>Schizæa pusilla</i>
61	hexagonopterum	74	<i>Scolopendrium officinarum</i>
62	hyperboreum	75	<i>Woodsia hyperborea</i>
63	vulgare, &c.	76	ilvensis
64	<i>sp. ? West India</i>	77	<i>Woodwardia onocleoides</i>
65	<i>Pteris aquilina</i>	78	virginica, &c.

Musci, Algæ, and Fungi, of many species.

SOUTH AMERICAN AND WEST INDIA TREES, SHRUBS, AND PLANTS.

	Each. \$ cts.		Each. \$ cts.
1 <i>Acacia acanthocarpa</i>	50	22 <i>Amaryllis psittacina</i>	5 00
2 farnesiana	50	23 reginæ	1 00
3 glauca	50	24 reticulata	2 00
4 latisiliqua	75	25 rutila	1 00
5 pelegrina, &c.	75	26 solandrifolia	
6 <i>Achania mollis</i>	50	27 striatifolia	2 00
7 pilosa	50	28 tubispatha	
8 <i>Alonsoa acutifolia</i>	50	29 vitata, 6 dols. }	50
9 <i>Amaryllis advena</i>		per dozen }	
10 aulica		30 <i>Anacardium occidentale</i>	1 50
11 belladonna	50	31 <i>Aristolelia macqui</i>	75
12 calyptrata	3 00	32 <i>Antocarpus nucifera</i> , &c.	5 00
13 candida		33 <i>Angræcum maculatum</i>	1 00
14 crocata		34 <i>Begonia arystigma</i>	40
15 equestris	1 00	35 hirsuta	30
16 <i>v. pleno</i> , 18 dols. }	1 75	36 odorata, &c.	30
per dozen }		37 <i>Bignonia equinoctialis</i>	1 00
17 formosissima, 14 }	15	38 purpurea	1 50
dols. per 100 }		39 stans, &c.	50
18 longifolia, rosea, }	40	40 <i>Bixa orellana</i>	1 00
4 dols. per doz. }		41 <i>Bletia florida</i>	75
19 <i>v. alba</i>		42 verecunda, &c.	75
20 miniata	1 00	43 <i>Bromelia ananas</i>	1 00
21 purpurea, hybrid, }	50	44 kar-tas,	1 00
5 dols. per doz. }		45 pinguin, &c.	1 50

	Each. \$ cts.		Each. \$ cts.
46 <i>Brunfelsia americana</i>	1 00	101 <i>Fuchsia coccinea</i>	25
47 <i>Rubroma gauzuma</i>	75	102 <i>gracilis</i>	50
48 <i>Cactus braziliensis</i>	50	103 <i>macrostema</i>	75
49 <i>cochenillifer</i>	50	104 <i>Gardenia randia</i>	3 00
50 <i>cylindricus</i>	50	105 <i>rotundifolia</i>	5 00
51 <i>ficus indica</i>	50	106 <i>tetracantha, &c.</i>	3 00
52 <i>flagellaris</i>	50	107 <i>Genipa americana</i>	3 00
53 <i>grandiflorus</i>	60	108 <i>Genus? poma aurea, of</i>	} 2 00
54 <i>hexagonus</i>	75	<i>Barbadoes</i>	
55 <i>mammillaris</i>	50	109 <i>Gesneria bulbosa</i>	75
56 <i>melocactus</i>	3 00	110 <i>Gloxinia maculata</i>	50
57 <i>pereskia</i>	50	111 <i>speciosa, &c.</i>	50
58 <i>phyllanthus</i>	75	112 <i>Gonolobus suberosus?</i>	1 50
59 <i>repandus</i>	60	113 <i>Gossypium hirsutum?</i>	1 50
60 <i>speciosus</i>	50	114 <i>Gouania tomentosa</i>	1 00
61 <i>speciosissimus</i>	75	115 <i>Guatteria virgata</i>	1 00
62 <i>spinossissimus</i>	75	116 <i>Guaiacum officinale</i>	2 00
63 <i>tetragonus</i>	75	117 <i>Hæmatoxylon campechi-</i>	} 3 00
64 <i>triangularis</i>	50	<i>anum</i>	
65 <i>truncatus</i>	60	118 <i>Hippomane mancinella</i>	3 00
66 <i>tuna, &c.</i>	60	119 <i>Homalium racemosum</i>	2 00
67 <i>Caladium bicolor</i>	60	120 <i>Hura crepitans</i>	1 00
68 <i>maculatum</i>	60	121 <i>Hymenæa courbaril</i>	1 50
69 <i>violaceum</i>	75	122 <i>Indigofera, sp ? S. America</i>	1 50
70 <i>sp. ? Brazil</i>	1 50	123 <i>Ipomæa digitata</i>	1 00
71 <i>Calophyllum esalaba</i>	4 00	124 <i>multiflora</i>	1 00
72 <i>Cameraria latifolia</i>	1 00	125 <i>sanguinea</i>	2 00
73 <i>Canna coccinea</i>	40	126 <i>tuberosa</i>	50
74 <i>esculenta</i>	50	127 <i>umbellata</i>	1 00
75 <i>iridiflora, &c.</i>	2 00	128 <i>Jatropha curcas</i>	75
76 <i>Caryophyllus aromaticus</i>		129 <i>multifida</i>	75
77 <i>Cassia bicapsularis</i>	75	130 <i>panduræfolia, &c.</i>	1 00
78 <i>corymbosa</i>	50	131 <i>Justicia coccinea</i>	40
79 <i>sp. ? St. Vincent's</i>	1 00	132 <i>lucida</i>	1 50
80 <i>Catesbæi latifolia</i>	1 00	133 <i>peruviana</i>	75
81 <i>spinosa</i>	1 00	134 <i>picta</i>	75
82 <i>Cestrum diurnum</i>	40	135 <i>v. viridifolia</i>	75
83 <i>foetidissimum</i>	40	136 <i>Lantana aculeata</i>	30
84 <i>laurifolium</i>	75	137 <i>camara</i>	30
85 <i>parqui, &c.</i>	50	138 <i>involverata</i>	30
86 <i>Cinchona peruviana</i>		139 <i>melissæfolia</i>	30
87 <i>Cocoloba pubescens</i>	3 00	140 <i>nivea</i>	40
88 <i>uvifera</i>	1 00	141 <i>trifolia, &c.</i>	30
89 <i>Cordia sebestena</i>	1 50	142 <i>Lettsonia, sp. ? S. Amer.</i>	1 50
90 <i>Crinum erubescens</i>	1 50	143 <i>Littæa geminiflora</i>	
91 <i>Dorstenia contrayerva</i>	50	144 <i>Mammea americana</i>	4 00
92 <i>Durantia plamieri</i>	1 00	145 <i>Maranta arundinacea</i>	50
93 <i>Eclites, sp. ? Brazil</i>	1 50	146 <i>zebrina, &c.</i>	1 00
94 <i>Erythrina crista galli</i>	2 00	147 <i>Marica cærulea</i>	1 50
95 <i>corallodendron</i>	1 50	148 <i>martinicensis</i>	75
96 <i>sp ? S. America</i>	2 00	149 <i>northiana, &c.</i>	1 00
97 <i>Eugenia uniflora</i>	1 50	150 <i>Maurandia semperflorens</i>	40
98 <i>sp ? Brazil</i>	2 00	151 <i>Mimosa pigra</i>	75
99 <i>Ficus braziliensis</i>	1 00	152 <i>Morus tinctoria</i>	2 00
100 <i>crassinervis, &c.</i>	1 00	153 <i>Musa sapientum</i>	2 00

	Each. \$ cts.		Each. \$ cts.
154 <i>Myrtus dumosa</i>	2 00	193 <i>Passiflora picta</i>	1 00
155 <i>pimenta</i>	5 00	194 <i>picturata</i>	1 00
156 <i>Oncidium uncinatum</i>	1 00	195 <i>punctata</i>	75
157 <i>Oxalis fruticosa</i> ?	1 00	196 <i>quadrangularis</i>	50
158 <i>rosea, &c.</i>	50	197 <i>racemosa</i>	60
159 <i>Pancratium caribæum</i>	1 00	198 <i>rubra</i>	75
160 <i>fragrans</i>	2 00	199 <i>serrata</i>	75
161 <i>littorale</i>	1 00	200 <i>serratifolia</i>	50
162 <i>speciosum, &c.</i>	2 00	201 <i>suberosa</i>	50
163 <i>Parkinsonia aculeata</i>	75	202 <i>tuberosa</i>	75
164 <i>Passiflora adiantifolia</i>	75	203 <i>vespertilio</i>	1 00
165 <i>alata</i>	75	204 <i>Physalis edulis</i>	75
166 <i>alba</i>	1 00	205 <i>Pithecia, sp.? Brazil</i>	2 00
167 <i>albida</i>	75	206 <i>Plumeria alba</i>	2 00
168 <i>angulata</i>	1 00	207 <i>rubra</i>	3 00
169 <i>angustifolia</i>	75	208 <i>Poinciana pulcherrima</i>	75
170 <i>cærulea</i>	40	209 <i>v. lutea</i>	75
171 <i>ciliata</i>	75	210 <i>Portlandia grandiflora</i>	
172 <i>cupræa</i>	75	211 <i>Prunus barbadensis?</i>	2 00
173 <i>discolor</i>	75	212 <i>Punica nana</i>	75
174 <i>edulis</i>	60	213 <i>Rhexia, sp.? Brazil</i>	75
175 <i>fœtida</i>	75	214 <i>Richardsonia laurifolia</i>	5 00
176 <i>filamentosa</i>	75	215 <i>Rivina lævis</i>	50
177 <i>glauca</i>	75	216 <i>Rondeletia americana</i>	1 00
178 <i>heterophylla</i>	75	217 <i>Ruellia formosa</i>	40
179 <i>hirsuta</i>	75	218 <i>Sapindus saponaria</i>	1 00
180 <i>holosericea</i>	75	219 <i>Schinus terebinthinus</i>	1 00
181 <i>laurifolia</i>	60	220 <i>Solanum, sp.? S. America</i>	2 00
182 <i>ligularis</i>	1 00	221 <i>Swietenia mahagoni</i>	5 00
183 <i>lunata</i>	60	222 <i>Tamarindus occidenta-</i>	} 75
184 <i>maculata</i>	1 00	<i>lis, H. B.</i>	
185 <i>maliformis</i>	75	223 <i>Tillandsia, sp.? Brazil</i>	2 00
186 <i>mucronata</i>	75	224 <i>Tradescantia discolor</i>	75
187 <i>multiflora</i>	75	225 <i>Trevirania coccinea</i>	50
188 <i>murucuya</i>	60	226 <i>Triumphetta grandiflora</i>	1 00
189 <i>normalis</i>	75	227 <i>Xylophylla latifolia</i>	1 00
190 <i>pallida</i>	75		
191 <i>pedata</i>	75	228 <i>Genus? air plant, Ca-</i>	} 2 00
192 <i>peltata</i>	75	<i>raccas</i>	

AMERICAN FRUIT TREES.

APPLES. *Pommiers. Pyrus malus.* 37 Cents each.

TABLE FRUIT.

C denotes those which have proved good for Cider also.

P ——— those which are also proper for preserving or cooking.

1 Yellow harvest	<i>ripe in July.</i>	70 Red winter sweeting r.	Nov. to Mar.
2 Sine qua non, <i>very fine</i>	do	71 Yellow bellflower	do
4 Red juneating	do	73 Vandervere, P	do
7 American summer queen	Aug.	74 Dickskill	do
11 Marygold	do	75 Swaar	do
12 Red and green sweeting, <i>weighs</i>	do	76 Craam	do
a lb.	Aug. & Sept.	77 Pomme gris, <i>grey apple of</i>	
20 Maiden's blush P	Sept.	Canada	do
22 Rambo, or <i>Romanite</i> , P	Sept. & Oc.	78 Wood's greening	do
27 Fall pippin, <i>weighs a lb.</i>	Nov.	81 Winter queening, <i>of Ohio</i>	do
28 Corlies' sweeting, C	Sept. to Dec.	82 Lady's finger	Nov. to April.
29 Large white sweeting	do	84 Rhode-Island greening, <i>weighs</i>	
33 American nonpareil, <i>doctor</i>	do	a lb.	do
apple	Oct. & Nov.	85 Jersey greening	Nov. to June.
34 Monstrous bellflower	do	87 Priestley, P	Dec. to April.
36 Catline, <i>of Maryland</i> , C	Oc. to Jan.	88 Moore's sweeting	Dec. to June.
37 Michael Henry pippin	D. to Feb.	89 Green everlasting	do
38 Newtown Spitzenburgh	O. to Jan.	90 Red everlasting	do
40 Monstrous pippin, <i>or apple, or</i>	do	91 Boston russeting, <i>Roxbury</i>	
<i>New-York gloria mundi,</i>		<i>russeting</i>	do
<i>has weighed 27 to 35 oz.</i>	P	N. B. <i>These four last apples</i>	
41 Newark king	do	<i>have been preserved sound</i>	
42 Morgan	Oct. to Feb.	<i>above a year</i>	
43 American wine, C P	do	92 Green Newtown pippin, C	do
44 Cumberland spice	Nov. to Feb.	93 Yellow Newtown pippin, C P	do
45 Bullock's pippin, <i>or sheep</i>	do	94 Carthouse, <i>or Gil-</i>	
<i>nose</i> , C P	do	<i>pin</i> , C	Jan. to May
45 Pennoek's winter	do	95 Redling	do
49 Long-Island russet	Nov. to Mar.	96 Fewksbury blush	Jan. to July.
51 Federal pearmain	do	97 Newark yellow, <i>or French</i>	
54 Winter sweet pearmain	do	<i>pippin</i>	Nov. to Jan.
56 Belden, <i>or red cheek</i>	do	98 Shippin's russeting	do
57 Fameuse, <i>or de niege</i>	do	99 Roman stem	Dec. to Feb.
58 Red Baldwin pippin	do	100 Buck's county, <i>or Salisbury</i>	
59 Red jellyflower	do	<i>cider</i> , C	do
61 Bourassa	do	101 American pippin, C	Jan. to Ap.
62 Surprise, <i>yellow outside, and</i>	do	102 Chandler	do
<i>red to the core within</i>	do	147 Canada reinette	do
64 Seek-no-farther	do	152 American violet	do
67 Æsopus Spitzenburgh, <i>thought</i>	do	57 Grand sachem	do
<i>by many inferior to none</i>	do	75 Early sweet redstreak	Aug.
68 Flushing Spitzenburgh	do		

176 Scales large summer redstreak	} r. in Aug	195 American black	r. Dec. to Feb.
178 Trenton early redstreak	Sept	196 Coate's red winter	do
179 Large spiced crab, P	do	197 Aunt's large red	do
180 Cathead	Oct. & Nov	198 Orange	do
181 Pumpkin sweeting	do	199 Mansfield large red	Jan. to Ap.
182 Taylor's, or Freehold red- streak	d	200 Long green pippin	do
183 Carroll's striped	do	201 Warren	do
184 Barnes' fancy	do	202 Lob	do
185 Sweet and sour	do	203 Vout	do
186 New-England seek- no-farther	} Nov. to Jan.	204 Ninepartner's little russet, will keep above a year	will
187 Brownite	do	205 Poughkeepsie russeting	
188 White doctor	do	206 Porter's favourite	
189 Red sweet pippin	do	209 East-Jersey redstreak	
190 American quince	r. Nov. to Jan	210 Maryland grey redstreak	
191 Golden lady	Dec. to Feb	211 Dutchess county redstreak	
192 Woolman's long pippin	do	212 Virginia redstreak	
193 Dumpling	do	213 Belt's Berton crab	
194 Monmouth large green	do	214 Williams' favourite	
		215 Fall sopswine	

CIDER APPLES.

T denotes those that are good table fruit also.

P ——— those that are best for preserving.

107 Hughes' Virgi- nia crab	} r. Oct. & Nov.	114 Campfield, or Newark sweeting, ripe from Oct. to Jan.
108 Gloucester white, of Virgi- nia, T	do	116 Cooper's russet- ing, T P
111 Roane's white crab	Oct. to Jan.	117 Harrison's Newark
		do

APPLES for Preserves or Ornament.

169 Prince's new double flowering with small green fruit, 1 dol.	167 Prince's new double flowering, with yellow fruit, 1 dol.
163 American green crab	168 Prince's new double flowering, with large green fruit, 1 dol.
164 Fort Magee do. 1 dol.	

PEARS. *Poiriers. Pyrus communis.* 37 Cents each.

7 Sugartop, or harvest	r. July.	59 Prince's late virgalieu	r. Oct.
27 Peach pear	Sept.	61 Rushmore's bon chretien	do
40 Prince's sugar	do	63 Boston epargne	do
41 ——— early virgalieu	do	68 Newtown virgalieu	Nov. to Jan.
46 Rockland	Oct. to Dec.	72 Prince's St. Germain	Nov. to Feb.
47 Buffum's	do	88 Flushing grey russet	Dec. to Jan.
48 Washington	Sept. & Oct	194 Bartlett	
50 Pope's scarlet major	d	204 Somerindyke	
51 Pope's Quaker	do		

CHERRIES. *Cerices. Prunus cerasus.* 50 Cents each.

3 Richmond, or early Kentish	} r. in May & June.	32 Yellow honey ripe in May & June.	
9 American heart, or large white heart		38 Elkhorn	do
12 China heart	June.	39 Remington white heart	July & Aug.
23 American amber	do	40 Forman's late	July
28 Prince's duke	do	44 Plumstone morello	do
		54 Norton's encysted, curious	do
		77 Downer's favourite	do

PLUMS. *Pruniers. Prunus domestica.* 50 Cents each.

† denotes those of large size.

‡ ——— those of superior flavour.

P ——— those for preserves.

2 † American cherry, myrobalan, or cerise	ripe in July.	29 ‡ White gage	ripe in Aug.
3 Red chिकासaw	do	31 † Smith's Orleans	do
4 Yellow do.	do	32 † Huling's superb, weighs near 4 oz. 1 dol.	Sept.
5 Early purple	Aug.	34 ‡ American yellow gage	do
6 American red, P	do	36 Peter's large yellow	Aug. & Sept.
7 Ditto yellow, P	do	38 Lewistown egg	Sept.
9 Wetherill's sweet	do	39 ‡ Huling's fine blue	Aug.
12 ‡ Burlington red	do	40 Elfrey	do
16 † Cooper's large	do	41 Tomlinson's Charlotte	do
23 † Washington, or Bolmer, weighs near 4 oz. 1 dol.	do	45 Miller's Spanish	Sept.
24 † Prince's gage, new, very large, 1 dol.	do	52 ‡ Yellow honey, new, 1 dol.	Aug.
27 ‡ Red gage	do	53 Prince's blue primordian, earliest of all, 1 dol.	July.

PEACHES. *Pêchers. Amygdalus persica.* 37 Cents each

‡ denotes those of superior flavour.

† ——— those of remarkable size.

M ——— those which are melting.

C ——— clingstones or paves.

2 ‡ Yellow nutmeg	ripe in July.	12 Early white, C	ripe in Aug.
3 ‡ Red nutmeg	do	13 Jacques' new yellow rare-ripe, M	do
4 ‡ White nutmeg	do	14 New white rareripe, M	do
6 ‡ Sweet water, or large American nutmeg, M	Aug.	15 Lemon freestone	do
7 ‡ Red rareripe	do	17 Freestone beath, M	do
8 ‡ White rareripe	do	18 Gold and purple, C	do
9 Yellow rareripe, M	do	25 Morris red rareripe	Sept.
11 Early red, C	do	26 Ditto white ditto	do

27 Oldmixon freestone	ripe in Sept	71 Freestone winter	r. Sept. & Oct.
28 Oldmixon, C	do	85 Haines' early red	
33 Cut-leaved, or serrated	do	86 Coate's early yellow	
34 †† Columbia	do	87 Diana, C	
35 Washington, C	do	88 Taylor's large yellow freestone	
36 †† Red pine apple, C	do	89 Late freestone heath	
37 †† Kennedy's Carolina, early lemon, C	do	90 Large yellow freestone	
39 †† Red cheek mélécoton, M	do	91 Latest yellow freestone	
42 † Orange peach, M	do	92 Nagle's favourite	
44 † President	do	93 Elizabethtown fine	
45 † Congress, C	do	94 Mammoth	
48 White blossom	do	95 Yellow pine apple	
52 Western Newington, C	do	96 New natural	
53 White pine apple	do	97 Nonpareil, very large	
54 Hyslops, C	do	98 Late red freestone	
59 † Large red October, C	do	99 Rodman's late yellow	
60 Long red, C	Oct.	100 Rodman's red, C	
66 Sargent's rareripe, M	do	101 Favourite red freestone	
67 Late red ditto, M	Aug	102 Binney's red, C	
68 Kenrick's heath	Sept.	103 Cole's red	
70 Heath, C very su- perior,	do	104 Red Catharine	
			Oct. & Nov.

In enumerating the foregoing fruits I have only included those of acknowledged merit, and in addition thereto, there are various American varieties of Apricots, Nectarines, Raspberries, Strawberries, Persimmons, Papaws, Blackberries, Cranberries, Whortleberries, Walnuts, Chesnuts, Hazlenuts, Grapes, &c. &c. &c.

A D D E N D E.

1 Aspidium dilatatum, (<i>Cryptogamia</i>)
2 Carex sylvatica, (<i>Graminæ</i>)
3 *Cassia tora
4 Elephantopus tomentosus
5 Gerardia setacea
6 Graminæ, 3 species? from Illinois | 7 Osmunda interrupta, (<i>Cryptogamia</i>)
8 Poa elongata, <i>Tor.</i>
9 *Rhexia purpurea
10 Viola crenata
11 Zizadenus glaberrimus |
|---|---|

CIRCULAR.

THE Proprietor, in offering to the public this *Catalogue of the American Trees, Shrubs, Plants, and Seeds* contained in his establishment—and which are annually exported to the different quarters of the world—avails himself also of the present opportunity to tender his acknowledgements to those gentlemen who have politely contributed to his establishment, from various countries, and to express his desire to continue, with renewed ardour, his intercourse with all those who have hitherto honoured him with their correspondence; and to receive also the communications of others who may wish to cultivate an intercourse with America in any way connected with Botany or Horticulture. He particularly wishes to extend his intercourse with all the principal Nurseries of Europe, and elsewhere, on the most liberal principles, and in a manner mutually beneficial and advantageous. Comprising, as this Garden does, an extent of more than thirty acres *compactly filled*, and being the source whence large supplies are distributed through its Agents, &c. to every part of the United States, and to foreign countries; and its collection being surpassed, or even equalled, but by few of those which have received in other countries the patronage of royalty, this establishment may be justly considered as a *National Institution*.

Those persons who may desire American Trees, Plants, or Seeds, will find the annexed Catalogue by far the most complete, and extensive of its kind, that has ever been offered to the world. Several hundred species which it contains are of great rarity, and are found in no other collection in America, nor are yet in those of Europe. Orders for any of the articles enumerated will be executed at the prices annexed to them—where no prices are stated for Seeds, they will be regulated by the plenty or scarcity of the season; but many species of Seeds are so rare that they can seldom be obtained. In such cases it is recommended that the Proprietor be authorized to send Plants, when their Seeds cannot be procured, as this course will prevent disappointments.

The Trees, Plants, and Seeds will be arranged and packed with the greatest care and attention—the long course of years in which the Proprietor has pursued this business having furnished him with ample knowledge on this point, so necessary to insure success—and the Seeds will all be fresh and the growth of the year they are sent. The magnitude of this establishment (it being so much greater than any other in America, together with its extensive connections in every part of North and South America, and the West Indies) gives it decided advantages in the execution of any demands for American Seeds and Plants. In the United States alone, the Proprietor has more than seventy Agencies established in the various Cities and Towns in every section of the country, which serve as well for the

sale of the various productions of this Garden, as for the acquisition of such Seeds and Plants as are natural to their respective localities. In addition to these advantages, New-York is the principal seaport from which ships are despatched to all parts of the world, and its vessels are also celebrated for their safety and speedy passages. Its harbour being also contiguous to the Ocean, is open at all seasons of the year, while the neighbouring ports are frequently closed for several months by ice.

The freight from New-York to foreign countries is also much cheaper than from other ports in the United States, and arrangements have been made to send all packages at the lowest freight.

The Proprietor has been in the habit of annually supplying large quantities of Seeds for the different Governments of Europe to plant the National Forests, and for different Botanic Gardens, &c.; and he is prepared to supply similar orders to any extent. In addition to those enumerated in the Catalogue, the Proprietor has received a great number of new species of Seeds, from some of which he will be enabled to supply Plants in the fall of 1827—and, in fact, the extension of the interests of the establishment, through its numerous Agents in those sections of country hitherto least explored, promise a more auspicious result, from the rich field of science which America presents, than has been displayed from the same quarter for a lapse of years; and in the attainment of objects so desirable, neither exertion nor expense are spared.

It will be perceived that the prices are in many cases *much reduced*—in fact, they are now as low as can be afforded, *to do justice to the purchasers in their quality*, for in Seeds there is an immense difference between those that are preserved with a particular regard to their vegetative powers, and the large quantities which are sent without any regard to that point. It should, however, be understood, that some Seeds never vegetate till the second year, and that some others with difficulty preserve their vegetative powers. The best period for the shipment of Plants is the months of October, November, December, and March—and for Seeds, November, December, and January. It is preferable, however, that the orders be received at a much earlier date, which will insure more complete execution.

The Catalogue annexed is extracted from the *large Catalogue*, which is too bulky for general distribution, and forms a pamphlet of above 170 pages, but those who desire it can have the other parts forwarded to them, consisting of those enumerated at the commencement of this Catalogue. The whole can be sent put up as *printed sheets*, which will make the postage but trifling. The collection of Fruits of all the various kinds is very extensive and select, and will be found particularly noticed in Loudon's Gardeners' Magazine, in No. v. p. 90, in No. vii. pp. 345 and 350, and elsewhere; and a large number of which are also enumerated in the Catalogue recently published by the Horticultural Society of London. The Proprietor prefers that all orders should be sent *direct to him*, instead of their being sent, as is sometimes the case, through other establishments of this country, who apply to him to execute them, and such a course will be found more *economical* and *advantageous* to those who send orders.

It will be gratifying to the Proprietor if those persons who are strangers to him will, when sending their orders, authorize the payments to be made by some house in London, Liverpool, Paris, or Havre, or in some city of the United States, or tender him a suitable reference—but with respectable Nurseries, Botanists, &c. he is not disposed to create difficulties on this point. But will endeavour to meet their convenience by drawing on them *direct*, where the above arrangements cannot well be made.

Insurance will be made on shipments when desired; and where not done, the packages are of course, *after shipment, at the risk of the persons ordering them.*

Such persons as may please to present to the establishment collections of rare Seeds and Plants, will receive a prompt reciprocity of favours; and Seeds of the Cape of Good-Hope, Botany-Bay, and New-Holland, will be particularly acceptable. With all his Botanic correspondents, and with amateurs of the science throughout the world, the Proprietor solicits a frequent correspondence, and requests from them every information respecting new discoveries, and the diversified interests of Botany and Horticulture. Every such favour will be cheerfully reciprocated; and as activity is the very essence of improvement, such intercourse will be conducted with that promptitude and despatch which characterize the general transactions of the establishment. It is also particularly requested, that all orders for Trees, Plants, and Seeds, should be forwarded as early in the season as possible.

WILLIAM PRINCE.