UC-NRLF

B 4 314 714

ILLUSTRATIONS
OF THE
BRITISH FLORA.

ILLUSTRATIONS
OF
THE BRITISH FLORA:

A SERIES OF
WOOD ENGRAVINGS, WITH DISSECTIONS,
OF
British Plants,

DRAWN BY
W. H. FITCH, F.L.S.,
AND
W. G. SMITH, F.L.S.

FORMING AN ILLUSTRATED COMPANION TO MR. BENTHAM'S HANDBOOK
AND OTHER BRITISH FLORAS.

SECOND EDITION, REVISED AND ENLARGED.

LONDON:

L. REEVE & CO., 5, HENRIETTA STREET, COVENT GARDEN.

1887.

QK306

FS

1887

BIOLOGY
LIBRARY

Revised

LONDON:

PRINTED BY GILBERT AND RIVINGTON, LIMITED,
ST. JOHN'S HOUSE, CLERKENWELL ROAD, E.C.

P R E F A C E

TO THE FIRST EDITION.

THE Illustrated Edition of Mr. Bentham's "Handbook of the British Flora" being exhausted, the Wood engravings of that work are here reproduced as an Illustrated Companion to the "Handbook" and other British Floras. The Cuts are arranged according to the last Edition of the "Handbook," and new Cuts of the species admitted in recent Editions are added. To facilitate reference from other Floras, where the nomenclature differs from that of the "Handbook," synonyms, in italics, are incorporated in the Index. In this volume and the "Handbook" combined, Students will have, in a more convenient and portable form, all that the Illustrated Edition contained, at little more than one-third the cost.

P R E F A C E

TO THE SECOND EDITION.

THE exhaustion of a large Edition of this work in the course of a few years is a gratifying proof of its utility to, and appreciation by, Students of Botany, and has encouraged the Publishers, in preparing a new Edition for the press, to endeavour to render it still more useful and worthy of the patronage it has already received. In the present Edition, five new cuts have been added, and the whole have been rearranged according to the New Edition (the Fifth, just published) of Bentham's "Handbook" as revised by Sir J. D. Hooker. The Index has been greatly enlarged to facilitate reference from other Floras, and a new Index of English and popular names has been added. Lastly, to meet the convenience of Students of limited means, the price of this volume, and also of the Handbook, has been reduced from 12*s.* to 10*s.* 6*d.*, the Publishers relying upon an increased sale to compensate them for the surrender thus made. In this volume and the "Handbook" combined, therefore, Students will now have a complete Illustrated British Flora, the best, especially for beginners, for one guinea.

LONDON, *March 22nd*, 1887.

NATURAL ORDERS

ILLUSTRATED IN THIS VOLUME.

	FIGURES		FIGURES
i. RANUNCULACEÆ .	1-32	xxxi. REBESIIACEÆ .	370-373
ii. BERBERIDEÆ .	33	xxxii. SAXIFRAGACEÆ .	374-389
iii. NYMPHÆACEÆ .	34, 35	xxxiii. DROSERACEÆ .	390-392
iv. PAPAVERACEÆ .	36-44	xxxiv. HALORAGEÆ .	393-395
v. FUMARIACEÆ .	45-47	xxxv. UMBELLIFERÆ .	396-454
vi. CRUCIFERÆ .	48-112	xxxvi. ARALIACEÆ .	455
vii. RESEDACEÆ .	113-115	xxxvii. LORANTHACEÆ .	456
viii. CISTACEÆ .	116-119	xxxviii. CORNACEÆ .	457, 458
ix. VIOLACEÆ .	120-125	xxxix. CAPRIFOLIACEÆ .	459-467
x. POLYGALACEÆ .	126	xl. STELLATÆ .	468-481
xi. FRANKENIACEÆ .	127	xli. VALERIANEÆ .	482-489
xii. CARYOPHYLLACEÆ	128-172	xlii. DIPSACEÆ .	490-494
xiii. PORTULACEÆ .	173, 174	xliii. COMPOSITE .	495-609
xiv. TAMARISCINEÆ .	175	xliv. CAMPANULACEÆ .	610-623
xv. ELATINACEÆ .	176, 177	xlv. ERICACEÆ .	624-646
xvi. HYPERICINEÆ .	178-188	xlvi. PRIMULACEÆ .	647-661
xvii. LINACEÆ .	189-193	xlvii. LENTIBULACEÆ .	662-667
xviii. MALVACEÆ .	194-199	xlviii. OLEACEÆ .	668, 669
xix. TILIACEÆ .	200	xlix. APOCYNACEÆ .	670, 671
xx. GERANIACEÆ .	201-219	l. GENTIANACEÆ .	672-682
xxi. ACERACEÆ .	220, 221	li. POLEMONIACEÆ .	683
xxii. AQUIFOLIACEÆ .	222	lii. CONVULVULACEÆ .	684-689
xxiii. CELUSTRACEÆ .	223	liii. BORAGINEÆ .	690-710
xxiv. RHAMNACEÆ .	224, 225	liv. SOLANACEÆ .	711-715
xxv. PAPILIONACEÆ .	226-296	lv. OROBANCHACEÆ .	716-723
xxvi. ROSACEÆ .	297-340	lvi. SCROPHULARINEÆ .	724-774
xxvii. ONAGRACEÆ .	341-353	lvii. LABIATÆ .	775-819
xxviii. LYTHRARIÆ .	354-356	lviii. VERBENACEÆ .	820
xxix. CUCURBITACEÆ .	357	lix. PLUMBAGINEÆ .	821-825
xxx. CRASSULACEÆ .	358-369	lx. PLANTAGINEÆ .	826-831

	FIGURES		FIGURES
lxi. ILLECEBRACEÆ	832-836	lxxix. ALISMACEÆ	967-975
lxii. CHENOPODIACEÆ	837-855	lxxx. HYDROCHARIDEE	976-978
lxiii. POLYGONACEÆ	856-877	lxxxi. ORCHIDACEÆ	979-1014
lxiv. THYMELEACEÆ	878, 879	lxxxii. IRIDEE	1015-1021
lxv. ELÆAGNACEÆ	880	lxxxiii. AMARYLLIDEE	1022-1025
lxvi. SANTALACEÆ	881	lxxxiv. DIOSCORIDEE	1026
lxvii. ARISTOLOCHIACEÆ	882	lxxxv. LILIACEÆ	1027-1057
lxviii. EUPHORBIACEÆ	883-897	lxxxvi. JUNCACEÆ	1058-1079
lxix. EMPETRACEÆ	898	lxxxvii. RESTIACEÆ	1080
lxx. CALLITRICHINEÆ	899-900	lxxxviii. CYPERACEÆ	1081-1154
lxxi. URTICACEÆ	901-905	lxxxix. GRAMINEÆ	1155-1254
lxxii. ULMACEÆ	906, 907	xc. LYCOPODIACEÆ	1255-1259
lxxiii. AMENTACEÆ	908-933	xc. SELAGINEL- LACEÆ	1260, 1261
lxxiv. CONIFERÆ	934-936	xcii. MARSILEACEÆ	1262
lxxv. TYPHACEÆ	937-941	xciii. EquisetACEÆ	1263-1272
lxxvi. AROIDEE	942, 943	xciv. FILICES	1273-1310
lxxvii. LEMNACEÆ	944-948		
lxxviii. NALADEÆ	949-966

ILLUSTRATIONS
OF THE
BRITISH FLORA.

RANUNCULACEÆ.

1. Clematis Vitalba.

2. Thalictrum alpinum

3. Thalictrum minus.

4. Thalictrum flavum.

5. *Anemone Pulsatilla*. 6. *Anemone nemorosa*. 7. *Adonis autumnalis*. 8. *Myosurus minimus*. 9. *Ranunculus aquatilis*. 10. *Ranunculus hederaceus*.

11. *Ranunculus Lingua*

12. *Ranunculus Flammula*.

13. *Ranunculus ophioglossifolius*.

15. *Ranunculus sceleratus*.

14. *Ranunculus Ficaria*.

16. *Ranunculus auricomus*.

17. *Ranunculus acris*. 18. *Ranunculus repens*. 20. *Ranunculus bulbosus*. 19. *Ranunculus chærophyllus*. 21. *Ranunculus hirsutus*. 22. *Ranunculus parviflorus*.

23. *Ranunculus arvensis*.

24. *Caltha palustris*.

25. *Trollius europæus*.

26. *Helleborus viridis*.

27. *Helleborus fœtidus*.

28. *Aquilegia vulgaris*. 29. *Delphinium Ajacis*. 30. *Aconitum Napellus*. 31. *Actæa spicata*.

32. *Pæonia officinalis*.

33. *Berberis vulgaris*.

34. *Nymphæa alba*.

35. *Nuphar luteum*.

36. *Papaver somniferum*. 37. *Papaver Rhœas*. 38. *Papaver dubium*. 39. *Papaver hybridum*.

40. *Papaver Argemone*.

41. *Meconopsis cambrica*.

42. *Chelidonium majus*.

43. *Roemeria hybrida*.

44. *Glaucium luteum*. 46. *Corydalis lutea*. 47. *Corydalis claviculata*. 45. *Fumaria officinalis*. 48. *Matthiola incana*.

49. *Matthiola sinuata*.

51. *Barbarea vulgaris*.

50. *Cheiranthus Cheiri*.

52. *Nasturtium officinale*.

53. *Nasturtium sylvestre*. 54. *Nasturtium palustre*. 55. *Nasturtium amphibium*. 56. *Arabis perfoliata*.

57. *Arabis Turrita*.

59. *Arabis ciliata*.

60. *Arabis Thaliana*.

58. *Arabis hirsuta*.

61. *Arabis stricta*.

62. *Arabis petræa*. 63. *Cardamine amara*. 64. *Cardamine pratensis*. 65. *Cardamine impatiens*.

66. *Cardamine hirsuta*.

67. *Cardamine bulbifera*.

68. *Hesperis matronalis*.

69. *Sisymbrium officinale*.

70. *Sisymbrium Irio*. 71. *Sisymbrium Sophia*. 72. *Alliaria officinalis*. 73. *Erysimum cheiranthoides*.

74. *Erysimum orientale*.

75. *Brassica tenuifolia*.

76. *Brassica muralis*.

77. *Brassica monensis*.

78. *Brassica oleracea*. 79. *Brassica campestris*. 80. *Brassica alba*. 81. *Brassica Sinapis*.

82. *Brassica nigra*.

83. *Brassica adpressa*.

84. *Cochlearia Armoracia*.

85. *Cochlearia officinalis*.

86. *Alyssum calycinum*. 87. *Alyssum maritimum*. 88. *Draba aizoides*. 89. *Draba hirta*. 90. *Draba incana*.

91. *Draba muralis*.

93. *Camelina sativa*.

92. *Draba verna*.

94. *Subularia aquatica*.

95. *Thlaspi arvense*.

96. *Thlaspi perfoliatum*.

97. *Thlaspi alpestre*. 98. *Teesdalia nudicaulis*. 99. *Iberis amara*. 101. *Capsella Bursa-pastoris*. 100. *Hutchinsia petraea*.

102. *Lepidium campestre*.

104. *Lepidium Draba*.

103. *Lepidium Smithii*.

105. *Lepidium latifolium*.

106. *Lepidium ruderales*. 108. *Senebiera didyma*. 107. *Senebiera Coronopus*. 109. *Isatis tinctoria*.

110. *Cakile maritima*.

112. *Raphanus Raphanistrum*.

111. *Crambe maritima*.

113. *Reseda luteola*.

114. *Reseda lutea*. 115. *Reseda alba*. 116. *Helianthemum guttatum*. 117. *Helianthemum canum*.

118. *Helianthemum vulgare*.

121. *Viola odorata*.

119. *Helianthemum polifolium*.

122. *Viola hirta*.

120. *Viola palustris*.

123. *Viola arenaria*.

124. *Viola canina*. 126. *Polygala vulgaris* 125. *Viola tricolor*. 127. *Frankenia laevis*. 128. *Dianthus prolifer*.

129. *Dianthus Armeria*.

130. *Dianthus deltoides*.

131. *Dianthus cæsius*.

132. *Saponaria officinalis*.

133. *Silene acaulis*.

134. *Silene Cucubalus*. 135. *Silene Otites* 36. *Silene nutans*. 137. *Silene gallica*.

138. *Silene conica*. 139. *Silene noctiflora*. 140. *Lychnis vespertina*. 141. *Lychnis diurna*.

142. *Lychnis Githago*. 143. *Lychnis Flos-cuculi*. 144. *Lychnis Viscaria*. 145. *Lychnis alpina*.

146. *Sagina procumbens*.

147. *Sagina Linnæi*.

148. *Sagina nodosa*.

149. *Cherleria sedoides*.

150. *Arenaria verna*. 151. *Arenaria uliginosa*. 152. *Arenaria tenuifolia*. 153. *Arenaria peploides*

154. *Arenaria serpyllifolia*.

156. *Arenaria trinervis*

155. *Arenaria ciliata*.

157. *Moenchia erecta*.

158. *Holosteum umbellatum*. 159. *Cerastium vulgatum*. 160. *Cerastium arvense*. 161. *Cerastium alpinum*. 162. *Cerastium trigynum*.

163. *Stellaria aquatica*. 165. *Stellaria media*. 164. *Stellaria nemorum*. 166. *Stellaria uliginosa*.

167. *Stellaria graminea*. 168. *Stellaria palustris*. 169. *Stellaria Holostea*. 170. *Spergularia rubra*.

171. *Spargula arvensis*.

172. *Polycarpon tetraphyllum*.

173. *Claytonia perfoliata*.

175. *Tamarix gallica*.

174. *Montia fontana*.

176. *Elatine hexandra*. 177. *Elatine Hydropiper*. 178. *Hypericum calycinum*. 179. *Hypericum Androsæmum*.

180. *Hypericum perforatum*. 181. *Hypericum dubium*. 182. *Hypericum quadrangulum*. 183. *Hypericum humifusum*.

184. *Hypericum linarifolium*. 186. *Hypericum hirsutum*. 185. *Hypericum pulchrum*. 187. *Hypericum montanum*.

188. *Hypericum Elodes*.

189. *Linum usitatissimum*.

190. *Linum perenne*.

191. *Linum angustifolium*.

192. *Linum catharticum*. 193. *Radiola Millegrana*. 194. *Lavatera arborea*. 195. *Malva rotundifolia*.

196. *Malva sylvestris*. 198. *Althæa officinalis*. 197. *Malva moschata*. 199. *Althæa hirsuta*.

200. *Tilia europæa*. 201. *Geranium sanguineum*. 202. *Geranium phæum*. 203. *Geranium sylvaticum*.

204. *Geranium pratense*. 205. *Geranium pyrenaicum*. 206. *Geranium Robertianum*. 207. *Geranium lucidum*.

208. *Geranium molle* 209. *Geranium pusillum.* 210. *Geranium rotundifolium.* 211. *Geranium dissectum.*

212. *Geranium columbinum*. 214. *Erodium moschatum*. 213. *Erodium cicutarium*. 215. *Erodium maritimum*.

216. *Oxalis Acetosella*. 218. *Impatiens Noli-me-tangere*. 217. *Oxalis corniculata*. 219. *Impatiens fulva*.

220. *Acer campestre*. 221. *Acer Pseudo-platanus*. 222. *Ilex Aquifolium*. 223. *Evonymus europæus*.

224. *Rhamnus catharticus*. 225. *Rhamnus Frangula*. 226. *Ulex europæus*. 227. *Ulex nanus*.

228. *Genista tinctoria*.

229. *Genista pilosa*.

230. *Genista anglica*.

231. *Cytisus scoparius*.

232. *Ononis arvensis*. 233. *Ononis reclinata*. 234. *Medicago falcata*. 235. *Medicago sativa*.

236. *Medicago lupulina*.

237. *Medicago denticulata*.

238. *Medicago maculata*.

239. *Medicago minima*.

240. *Melilotus officinalis*. 242. *Melilotus alba*. 241. *Melilotus arvensis*. 243. *Trigonella ornithopodioides*.

244. *Trifolium incarnatum*.

246. *Trifolium arvense*.

245. *Trifolium Bocconi*.

247. *Trifolium stellatum*.

248. *Trifolium ochroleucum*. 249. *Trifolium pratense*. 250. *Trifolium medium*. 251. *Trifolium maritimum*.

252. *Trifolium striatum*.

253. *Trifolium scabrum*.

254. *Trifolium strictum*.

255. *Trifolium glomeratum*.

256. *Trifolium suffocatum*. 258. *Trifolium subterraneum*. 257. *Trifolium resupinatum*. 259. *Trifolium fragiferum*.

260. *Trifolium repens*.

261. *Trifolium hybridum*.

262. *Trifolium procumbens*.

263. *Trifolium minus*.

264. *Trifolium filiforme*. 266. *Lotus angustissimus*. 265. *Lotus corniculatus*. 267. *Anthyllis Vulneraria*.

268. *Astragalus hypoglottis*.

269. *Astragalus alpinus*.

270. *Astragalus glycyphyllos*.

271. *Oxytropis campestris*.

272. *Oxytropis uralensis*. 273. *Ornithopus ebracteatus*. 274. *Ornithopus perpusillus*. 275. *Hippocrepis comosa*.

276. *Onobrychis sativa*.

277. *Vicia hirsuta*.

278. *Vicia tetrasperma*.

279. *Vicia Cracca*.

280. *Vicia sylvatica*. 281. *Vicia Orobus*. 282. *Vicia sepium*. 283. *Vicia lutea*.

284. *Vicia sativa*.

285. *Vicia lathyroides*.

286. *Vicia bithynica*.

287. *Lathyrus Nissolia*.

283. *Lathyrus Aphaca*. 289 *Lathyrus hirsutus*. 290. *Lathyrus pratensis*. 291. *Lathyrus tuberosus*.

292. *Lathyrus sylvestris*.

293. *Lathyrus palustris*.

294. *Lathyrus maritimus*.

295. *Lathyrus macrorrhizus*.

295. *Lathyrus niger*. 297. *Prunus communis*. 298. *Prunus Cerasus*. 299. *Prunus Padus*.

300. *Spiræa salicifolia*.

301. *Spiræa Ulmaria*.

302. *Spiræa Filipendula*.

303. *Dryas octopetala*.

304. *Geum urbanum*. 305. *Geum rivale*. 306. *Rubus Idæus*. 307. *Rubus fruticosus*.

308. *Rubus cæsius*.

309. *Rubus saxatilis*.

310. *Rubus Chamæmorus*.

311. *Fragaria vesca*.

312. *Potentilla Fragariastrum*. 313. *Potentilla reptans*. 314. *Potentilla Tormentiella*. 315. *Potentilla argentea*.

316. *Potentilla verna*.

317. *Potentilla fruticosa*.

318. *Potentilla anserina*.

319. *Potentilla rupestris*.

320. *Potentilla Comarum*. 321. *Sibbaldia procumbens*. 322. *Alchemilla vulgaris*. 323. *Alchemilla alpina*.

324. *Alchemilla arvensis*.

325. *Sanguisorba officinalis*.

326. *Poterium Sanguisorba*.

327. *Agrimonia Eupatoria*

328. *Rosa pimpinellifolia*. 329. *Rosa villosa*. 330. *Rosa rubiginosa*. 331. *Rosa canina*.

332. *Rosa arvensis*.

333. *Pyrus communis*.

334. *Pyrus Malus*.

335. *Pyrus Aria*.

336. *Pyrus torminalis*. 337. *Pyrus Aucuparia*. 338. *Crataegus Oxyacantha*. 339. *Cotoneaster vulgaris*.

340. *Mespilus germanica*. 341. *Epilobium angustifolium* 342. *Epilobium hirsutum*. 343. *Epilobium parviflorum*.

344. *Epilobium montanum*. 345. *Epilobium roseum*. 346. *Epilobium tetragonum*. 347. *Epilobium palustre*.

348. *Epilobium alsinefolium*. 349. *Epilobium alpinum*. 350. *Oenothera biennis*. 351. *Ludwigia palustris*.

352. *Circeæa lutetiana*. 353. *Circeæa alpina*. 354. *Lythrum Salicaria*. 355. *Lythrum hyssopifolium*.

356. *Peplis Portula*. 359. *Cotyledon Umbilicus*. 357. *Bryonia dioica*. 360. *Sedum Rhodiola*. 358. *Tillæa muscosa*.

361. *Sedum Telephium*. 362. *Sedum anglicum*. 363. *Sedum dasyphyllum*. 364. *Sedum album*.

365. *Sedum villosum*. 366. *Sedum acre*. 367. *Sedum sexangulare*. 368. *Sedum rupestre*.

369. *Sempervivum tectorum*. 370. *Ribes Grossularia*. 371. *Ribes rubrum*. 372. *Ribes alpinum*.

373. *Ribes nigrum*. 375. *Saxifraga aizoides*. 374. *Saxifraga oppositifolia*. 376. *Saxifraga Hirculus*.

377. *Saxifraga hypnoides*. 379. *Saxifraga granulata*. 378. *Saxifraga caespitosa*. 380. *Saxifraga cernua*.

381. *Saxifraga rivularis*. 382. *Saxifraga tridactylites*. 383. *Saxifraga nivalis*. 384. *Saxifraga stellaris*.

385. *Saxifraga umbrosa*. 386. *Saxifraga Geum*. 387. *Chrysosplenium oppositifolium*. 388. *Chrysosplenium alternifolium*.

389. *Parnassia palustris*

390. *Drosera rotundifolia*.

391. *Drosera longifolia*.

392. *Drosera anglica*.

393. *Myriophyllum spicatum*. 394. *Myriophyllum verticillatum*. 395. *Hippuris vulgaris*. 396. *Hydrocotyle vulgaris*.

397. *Sanicula europæa*.

399. *Eryngium maritimum*.

398. *Astrantia major*.

400. *Eryngium campestre*.

401. *Cicuta virosa*. 402. *Apium graveolens*. 403. *Apium nodiflorum*. 404. *Apium inundatum*.

405. *Sison Amomum*.

406. *Trinia vulgaris*.

407. *Ægopodium Podagraria*.

408. *Carum Petroselinum*.

409. *Carum segetum*. 410. *Carum verticillatum*. 411. *Carum Carvi*. 412. *Carum Bulbocastanum*.

413. *Sium latifolium*.

414. *Sium angustifolium*.

415. *Pimpinella Saxifraga*.

416. *Pimpinella magna*.

417. *Bupleurum rotundifolium* 418. *Bupleurum aristatum*. 419. *Bupleurum tenuissimum*. 420. *Bupleurum falcatum*.

421. *Cenanthe fistulosa*.

423. *Cenanthe crocata*.

422. *Cenanthe pimpinelloides*.

424. *Cenanthe Phellandrium*.

425. *Æthusa Cynapium*. 427. *Seseli Libanotis*. 426. *Foeniculum vulgare*. 428. *Ligusticum scoticum*.

429. *Silaus pratensis*.

430. *Meum athamanticum*.

431. *Chrithmum maritimum*.

432. *Angelica sylvestris*.

433. *Peucedanum officinale*. 435. *Peucedanum Ostruthium*. 434. *Peucedanum palustre*. 436. *Pastinaca sativa*.

437. *Heracleum Sphondylium*.

439. *Scandix Pecten*.

438. *Tordylium maximum*.

440. *Myrrhis odorata*.

441. *Conopodium denudatum*. 443. *Chærophyllum sylvestre*. 442. *Chærophyllum temulum*. 444. *Chærophyllum Anthriscus*.

445. *Caucalis nodosa*.

447. *Caucalis arvensis*.

446. *Caucalis Anthriscus*.

448. *Caucalis daucoides*.

449. *Caulalis latifolia*. 450. *Daucus Carota*. 451. *Conium maculatum*. 452. *Physospermum cornubiense*.

453. *Smyrnium Olusatrum*.

454. *Coriandrum sativum*.

455. *Hedera Helix*.

456. *Viscum album*.

457. *Cornus suecica*. 458. *Cornus sanguinea*. 459. *Adoxa Moschatellina*. 460. *Sambucus nigra*.

461. *Sambucus Ebulus* 462. *Viburnum Lantana.* 463. *Viburnum Opulus.* 464. *Lonicera Periclymenum.*

465. *Lonicera Caprifolium*. 466. *Lonicera Xylosteum*. 467. *Linnæa borealis* 468. *Rubia peregrina*.

469. *Galium Cruciatum*.

470. *Galium verum*.

471. *Galium palustre*.

472. *Galium uliginosum*.

473. *Galium saxatile*. 474. *Galium Mollugo*. 475. *Galium anglicum*. 476. *Galium boreale*.

477. *Galium Aparine*.

478. *Galium tricorn*.

479. *Asperula odorata*.

480. *Asperula cynanchica*.

481. *Sherardia arvensis*. 483. *Valeriana dioica*. 482. *Centranthus ruber*. 484. *Valeriana officinalis*.

485. *Valeriana pyrenaica*. 487. *Valerianella carinata*. 486. *Valerianella olitoria*. 488. *Valerianella Auricula*.

489 *Valerianella dentata*. 490. *Dipsacus sylvestris*. 491. *Dipsacus pilosus*. 492. *Scabiosa succisa*.

493. *Scabiosa Columbaria*. 494. *Scabiosa arvensis*. 495. *Eupatorium cannabinum*. 496. *Aster Tripolium*.

497. *Aster Linosyris*. 499. *Erigeron alpinus*. 498. *Erigeron acris*. 500. *Erigeron canadensis*.

501. *Solidago Virga-aurea*. 502. *Bellis perennis*. 503. *Filago Germanica* 504. *Filago minima*.

505. *Filago gallica*. 507. *Gnaphalium sylvaticum*. 506. *Gnaphalium luteo-album*. 508. *Gnaphalium supinum*.

509 *Gnaphalium uliginosum*. 510. *Antennaria dioica*. 511. *Antennaria margaritacea*. 512. *Inula Helenium*.

513. *Inula salicina*. 514. *Inula crithmoides*. 515. *Inula Conyza*. 516. *Inula dysenterica*.

517 *Inula Pulicaria.* 518. *Xanthium Strumarium.* 519. *Bidens cernua.* 520. *Bidens tripartita.*

521. *Chrysanthemum*
Leucanthemum.

522. *Chrysanthemum*
segetum.

523. *Chrysanthemum* *Parthenium*.

524. *Matricaria* *inodora*.

525. *Matricaria Chamomilla*. 526. *Anthemis Cotula*. 527. *Anthemis arvensis*. 528. *Anthemis nobilis*.

529. *Anthemis tinctoria*. 530. *Achillea Ptarmica*. 531. *Achillea Millefolium*. 532. *Diotis maritima*.

533. *Tanacetum vulgare*. 534. *Artemisia campestris*. 535. *Artemisia maritima*. 536. *Artemisia vulgaris*.

537. *Artemisia Absinthium*. 538. *Tussilago Farfara*. 539. *Tussilago Petasites*. 540. *Senecio vulgaris*.

541. *Senecio viscosus*. 542. *Senecio sylvaticus*. 543. *Senecio squalidus*. 544. *Senecio aquaticus*.

545. *Senecio Jacobæa*. 546. *Senecio erucifolius*. 547. *Senecio paludosus*. 548. *Senecio saracenicus*.

549. *Senecio palustris*. 550. *Senecio campestris*. 551. *Doronicum Pardalianches*. 552. *Doronicum plantagineum*.

553. *Arctium Lappa*. 554. *Serratula tinctoria*. 555. *Saussurea alpina*. 556. *Carduus Marianus*.

557. *Carduus nutans*. 558. *Carduus acanthoides*. 559. *Carduus pycnocephalus*. 560. *Carduus lanceolatus*.

561. *Carduus palustris*. 562. *Carduus arvensis*. 563. *Carduus eriophorus*. 564. *Carduus heterophyllus*.

565. *Carduus tuberosus*. 566. *Carduus pratensis*. 567. *Carduus acaulis*. 568. *Onopordon Acanthium*.

569. *Carlina vulgaris*. 570. *Centaurea nigra*. 571. *Centaurea Scabiosa*. 572. *Centaurea Cyanus*.

573. *Centaurea aspera*. 574. *Centaurea Calcitrapa*. 575. *Centaurea solstitialis*. 576. *Tragopogon pratensis*.

577. *Tragopogon porrifolius*. 578. *Helminthia echioides*. 579. *Picris hieracioides*. 580. *Leontodon hispidus*.

581. *Leontodon autumnalis*. 582. *Leontodon hirtus*. 583. *Hypochoeris glabra*. 584. *Hypochoeris radicata*.

585. *Hypochoeris maculata*. 586. *Lactuca muralis*. 587. *Lactuca Scariola*. 588. *Lactuca saligna*.

589. *Lactuca alpina*. 590. *Sonchus arvensis*. 591. *Sonchus palustris*. 592. *Sonchus oleraceus*.

593. *Taraxacum Dens-leonis*. 594. *Crepis taraxacifolia*. 595. *Crepis foetida*. 596. *Crepis virens*.

597. *Crepis biennis*. 599. *Crepis paludosa*. 598. *Crepis hieracioides*. 600. *Hieracium Pilosella*.

601. *Hieracium alpinum*. 602. *Hieracium murorum*. 603. *Hieracium cerinthoides*. 604. *Hieracium umbellatum*.

605. *Hieracium sabaudum*. 606. *Hieracium prenanthoides*. 607. *Cichorium Intybus*. 608. *Arnosotis pusilla*.

609. *Lapsana communis*. 611. *Lobelia urens*. 610. *Lobelia Dortmanna*. 612. *Jasione montana*.

613. *Phyteuma orbiculare*.

614. *Phyteuma spicatum*.

615. *Campanula glomerata*.

616. *Campanula Trachelium*.

617. *Campanula latifolia*. 618. *Campanula rapunculoides*. 619. *Campanula Rapunculus*. 620. *Campanula patula*.

621. *Campanula rotundifolia*. 623. *Campanula hybrida*. 622. *Campanula hederacea*. 624. *Vaccinium Myrtillus*.

625. *Vaccinium uliginosum*.

626. *Vaccinium Vitis-idaea*.

627. *Vaccinium Oxycoccus*.

628. *Arbutus Unedo*.

629. *Arctostaphylos Uva-ursi*. 631. *Andromeda polifolia*. 630. *Arctostaphylos alpina*. 632. *Loiseleuria procumbens*.

633. *Menziesia polifolia*. 634. *Menziesia cærulea*. 635. *Erica cinerea*. 636. *Erica Tetralix*.

637. *Erica ciliaris*.

638. *Erica carnea*.

639. *Erica vagans*.

640. *Calluna vulgaris*.

641. *Pyrola uniflora*. 642. *Pyrola rotundifolia*. 643. *Pyrola media*. 644. *Pyrola minor*.

645. *Pyrola secunda*.

646. *Monotropa Hypopitys*.

647. *Hottonia palustris*.

648. *Primula vulgaris*.

649. *Primula veris*. 650. *Primula farinosa*. 651. *Cyclamen europæum*. 652. *Lysimachia vulgaris*.

653. *Lysimachia thyrsiflora*.

655. *Lysimachia nemorum*.

654. *Lysimachia Nummularia*.

656. *Trientalis europæa*.

657. *Glaux maritima*. 658. *Anagallis arvensis*. 659. *Anagallis tenella*. 660. *Centunculus minimus*. 661. *Samolus Valerandi*.

662. *Pinguicula vulgaris*.

664. *Pinguicula lusitanica*.

663. *Pinguicula alpina*.

665. *Utricularia vulgaris*.

666. *Utricularia minor*. 667. *Utricularia intermedia*. 668. *Fraxinus excelsior*. 669. *Ligustrum vulgare*.

670. *Vinca major*. 671. *Vinca minor*. 674. *Erythræa Centaurium*. 672. *Cicendia filiformis*. 673. *Cicendia pusilla*.

675. *Gentiana Pneumonanthe*. 676. *Gentiana verna*. 677. *Gentiana nivalis*. 678. *Gentiana Amarella*.

679. *Gentiana campestris*. 681. *Menyanthes trifoliata*. 680. *Chlora perfoliata*. 682. *Limnanthemum nymphaeoides*.

683. *Polemonium cæruleum*. 684. *Convolvulus arvensis*. 685. *Convolvulus sepium*. 686. *Convolvulus Soldanella*.

687. *Cuscuta europæa*.

690 *Echium vulgare*.

688. *Cuscuta Epilinum*.

689. *Cuscuta Epithimum*.

691. *Echium plantagineum*.

692. *Pulmonaria officinalis*. 693. *Mertensia maritima*. 694. *Lithospermum arvense*. 695. *Lithospermum officinale*.

696. *Lithospermum purpureo-cæruleum*.

697. *Myosotis palustris*.

698. *Myosotis sylvatica*.

699. *Myosotis arvensis*.

700. *Myosotis collina*. 701. *Myosotis versicolor*. 702. *Anchusa officinalis*. 703. *Anchusa sempervirens*.

704. *Lycopsis arvensis*.

705. *Symphytum officinale*.

706. *Symphytum tuberosum*.

707. *Borago officinalis*.

708. *Asperugo procumbens*. 710. *Cynoglossum montanum*. 709. *Cynoglossum officinale*. 711. *Datura Stramonium*.

712. *Hyoscyamus niger*.

713. *Solanum Dulcamara*.

714. *Solanum nigrum*.

715. *Atropa Belladonna*.

716. *Orobanche major*. 717. *Orobanche caryophyllacea*. 718. *Orobanche rubra*. 719. *Orobanche elatior*.

720 *Orobanche minor*.

721. *Orobanche cærulea*.

722. *Orobanche ramosa*.

723. *Lathræa squamaria*.

724. *Verbascum Thapsus*. 725. *Verbascum Blattaria*. 726. *Verbascum virgatum*. 727. *Verbascum nigrum*.

728. *Verbascum Lychnitis*.

729. *Verbascum pulverulentum*.

730. *Antirrhinum majus*.

731. *Antirrhinum Orontium*.

372. *Linaria vulgaris*. 733. *Linaria repens*. 734. *Linaria Pelisseriana*. 735. *Linaria supina*.

736. *Linaria minor*.

738. *Linaria spuria*.

737. *Linaria Cymbalaria*.

739. *Linaria Elatine*.

740. *Scrophularia nodosa*.

741. *Scrophularia aquatica*. 742. *Scrophularia Scorodonia*. 743. *Scrophularia vernalis*. 744. *Mimulus luteus*.

745. *Limosella aquatica*.

746. *Sibthorpia europæa*.

747. *Digitalis purpurea*.

748. *Veronica spicata*.

749. *Veronica saxatilis*. 750. *Veronica alpina*. 751. *Veronica serpyllifolia*. 752. *Veronica officinalis*.

753. *Veronica Anagallis.*

755. *Veronica scutellata.*

754. *Veronica Beccabunga.*

756. *Veronica montana.*

757. *Veronica Chamædrys.* 758. *Veronica hederæfolia.* 759. *Veronica agrestis.* 760. *Veronica Buxbaumii.* 761. *Veronica arvensis.*

762. *Veronica verna*.

763. *Veronica triphyllos*.

764. *Bartsia alpina*.

765. *Bartsia viscosa*.

766. *Bartsia Odontites*. 767. *Euphrasia officinalis*. 768. *Rhinanthus Crista-galli*. 769. *Pedicularis palustris*.

770. *Pedicularis sylvatica*.

771. *Melampyrum cristatum*.

772. *Melampyrum arvense*.

773. *Melampyrum pratense*.

774. *Melampyrum sylvaticum*. 775. *Salvia pratensis*. 776. *Salvia Verbenaca*. 777. *Lycopus europæus*.

778. *Mentha sylvestris*.

779. *Mentha rotundifolia*.

780. *Mentha viridis*.

781. *Mentha piperita*.

782. *Mentha aquatica*. 783. *Mentha sativa*. 784. *Mentha arvensis*. 785. *Mentha Pulegium*.

786. *Thymus Serpyllum*.

787. *Origanum vulgare*.

788. *Calamintha Acinos*.

789. *Calamintha officinalis*.

790. *Calamintha Clinopodium*. 791. *Nepeta Glechoma*. 792. *Nepeta Cataria*. 793. *Prunella vulgaris*.

794. *Scutellaria galericulata*.

795. *Scutellaria minor*.

796. *Melittis Melissophyllum*.

797. *Marrubium vulgare*.

798. *Stachys Betonica*. 799. *Stachys germanica*. 800. *Stachys sylvatica* 801. *Stachys palustris*.

802. *Stachys arvensis*.

803. *Galeopsis Ladanum*.

804. *Galeopsis ochroleuca*.

805. *Galeopsis Tetrahit*.

806. *Ballota nigra*. 807. *Leonurus Cardiaca*. 808. *Lamium amplexicaule*. 809. *Lamium purpureum*.

810. *Lamium album*.

811. *Lamium maculatum*.

812. *Lamium Galeobdolon*.

813. *Teucrium Scorodonia*.

814. *Teucrium Scordium*. 815. *Teucrium Botrys*. 816. *Teucrium Chamædrys*. 817. *Ajuga reptans*.

818. *Ajuga genevensis*.

819. *Ajuga Chamæpitys*.

820. *Verbena officinalis*.

821. *Statice Limonium*.

822. *Statice auriculæfolia*. 823. *Statice reticulata*. 824. *Armeria vulgaris*. 825. *Armeria plantaginea*.

826. *Plantago major*.

827. *Plantago media*.

828. *Plantago lanceolata*.

829. *Plantago maritima*.

830. *Plantago Coronopus*. 833. *Herniaria glabra*. 831. *Littorella lacustris*. 834. *Illecebrum verticillatum*. 832. *Corrigiola littoralis*. 835. *Scleranthus annuus*.

36. *Scleranthus perennis*.

837. *Salicornia herbacea*.

838. *Suaeda fruticosa*.

839. *Suaeda maritima*.

840. *Salsola Kali*. 841. *Chenopodium Vulvaria*. 842. *Chenopodium polyspermum*. 843. *Chenopodium album*.

844. *Chenopodium glaucum*. 845. *Chenopodium rubrum*. 846. *Chenopodium urticum*. 847. *Chenopodium murale*.

848. *Chenopodium hybridum*. 849. *Chenopodium Bonus-Henricus*. 850. *Beta maritima*. 851. *Atriplex portulacoides*.

852. *Atriplex pedunculata*. 853. *Atriplex hortensis*. 854. *Atriplex patula*. 855. *Atriplex rosea*.

856. *Rumex aquaticus*. 857. *Rumex crispus*. 858. *Rumex obtusifolius*. 859. *Rumex Hydrolapathum*.

860. *Rumex conglomeratus*. 861. *Rumex sanguineus*. 862. *Rumex pulcher*. 863. *Rumex maritimus*.

864. *Rumex Acetosa*. 865. *Rumex Acetosella*. 866. *Oxyria reniformis*. 867. *Polygonum aviculare*.

868. *Polygonum maritimum*.

869. *Polygonum Convolvulus*.

870. *Polygonum dumetorum*.

871. *Polygonum viviparum*.

872. *Polygonum Bistorta*. 873. *Polygonum amphibium*. 874. *Polygonum Persicaria*. 875. *Polygonum lapathifolium*.

876. *Polygonum Hydropiper*.

877. *Polygonum minus*.

878. *Daphne Mezereum*.

879. *Daphne Laureola*.

880. *Hippophæ rhamnoides*. 881. *Thesium linophyllum*. 882. *Asarum europæum*. 883. *Euphorbia Peplis*.

884. *Euphorbia Helioscopia*. *Euphorbia platyphyllos*. 886. *Euphorbia hiberna*. 887. *Euphorbia pilosa*.

888. *Euphorbia Peplus*. 889. *Euphorbia exigua*. 890. *Euphorbia Lathyris*. 891. *Euphorbia segetalis*.

892. *Euphorbia Paralias*. 893. *Euphorbia Esula*. 894. *Euphorbia amygdaloides*. 895. *Mercurialis perennis*.

896. *Mercurialis annua*. 897. *Buxus sempervirens*. 898. *Empetrum nigrum*. 899. *Ceratophyllum demersum*.

900. *Callitriche aquatica*.

901. *Urtica urens*.

902. *Urtica pilulifera*.

903. *Urtica dioica*.

904. *Parietaria officinalis*. 905. *Humulus Lupulus*. 906. *Ulmus montana*. 907. *Ulmus campestris*.

908. *Myrica Gale*.

909. *Alnus glutinosa*.

910. *Betula alba*.

911. *Betula nana*.

912. *Carpinus Betulus*. 913. *Corylus Avellana*. 914. *Fagus sylvatica*. 915. *Quercus Robur*.

916. *Salix pentandra*.

917. *Salix fragilis*.

918. *Salix alba*.

919. *Salix amygdalina*.

920. *Salix purpurea*. 921. *Salix viminalis*. 922. *Salix Caprea*. 923. *Salix aurita*.

924. *Salix phylicifolia*.

925. *Salix repens*.

926. *Salix Lapponum*.

927. *Salix lanata*.

928. *Salix Myrsinites*. 931. *Populus alba*. 929. *Salix reticulata*. 930. *Salix herbacea*. 932. *Populus tremula*.

933. *Populus nigra*. 934. *Pinus sylvestris*. 935. *Juniperus communis*. 936. *Taxus baccata*.

937. *Typha latifolia*. 938. *Typha angustifolia*. 939. *Sparganium ramosum*. 940. *Sparganium simplex*.

941. *Sparganium minimum*.

942. *Arum maculatum*.

944. *Lemna trisulca*.

943. *Acorus Calamus*.

945. *Lemna minor*.

946. *Lemna gibba*. 947. *Lemna polyrrhiza*. 948. *Lemna arrhiza*. 949. *Zostera marina*. 950. *Zostera nana*. 951. *Naias flexilis*.

952. *Naias marina*.

953. *Naias graminea*.

954. *Zannichellia palustris*.

955. *Ruppia maritima*.

956. *Potamogeton natans*. 957. *Potamogeton heterophyllus*. 958. *Potamogeton lucens*. 959. *Potamogeton prælongus*.

960 *Potamogeton perfoliatus*.

961. *Potamogeton crispus*.

962. *Potamogeton densus*.

963. *Potamogeton obtusifolius*.

964. *Potamogeton acutifolius*. 965. *Potamogeton pusillus*. 966. *Potamogeton pectinatus*. 967. *Butomus umbellatus*.

968. *Sagittaria sagittifolia*. 969. *Alisma Plantago*. 970. *Alisma ranunculoides*. 971. *Alisma natans*.

972. *Damasonium stellatum*. 973. *Scheuchzeria palustris*. 974. *Triglochin palustre*. 975. *Triglochin maritimum*.

976. *Elodea canadensis*.

977. *Hydrocharis morsus-ranæ*.

978. *Stratiotes aloides*.

979. *Malaxis paludosa*.

980. *Liparis Loeselii*. 981. *Corallorhiza innata*. 982. *Epipactis latifolia*. 983. *Epipactis palustris*.

984. *Cephalanthera grandiflora*.

985. *Cephalanthera ensifolia*.

986. *Cephalanthera rubra*.

987. *Listera ovata*.

988. *Listera cordata*. 989. *Neottia Nidus-avis* 990. *Epipogum aphyllum*. 991. *Spiranthes autumnalis*.

992. *Spiranthes æstivalis*.

993. *Spiranthes Romazoviana*.

994. *Goodyera repens*.

995. *Orchis Morio*

996. *Orchis militaris*. 997. *Orchis ustulata*. 998. *Orchis mascula*. 999. *Orchis laxiflora*.

1000 *Orchis maculata*.

1001. *Orchis latifolia*.

1002. *Orchis hircina*.

1003. *Orchis pyramidalis*.

1004. *Habenaria bifolia*. 1005. *Habenaria conopsea*. 1006. *Habenaria intacta*. 1007. *Habenaria albida*.

1008. *Habenaria viridis*.

1009. *Aceras anthropophora*.

1010. *Herminium Monorchis*.

1011. *Ophrys apifera*.

1012. *Ophrys aranifera*. 1013. *Ophrys mucifera*. 1014. *Cypripedium Calceolus*. 1015. *Iris Pseudacorus*.

1016. *Iris foetidissima*. 1017. *Gladiolus communis*. 1018. *Sisyrinchium angustifolium*. 1019. *Romulea Columnæ*.

1020. *Crocus vernus*. 1021. *Crocus nudiflorus*. 1022. *Narcissus Pseudonarcissus*. 1023. *Narcissus biflorus*.

1024. *Galanthus nivalis*.

1025. *Leucoium æstivum*.

1026. *Tamus communis*.

1027. *Paris quadrifolia*.

1028. *Polygonatum verticillatum*. 1029. *Polygonatum multiflorum*. 1030. *Polygonatum officinale*. 1031. *Convallaria majalis*.

1032. *Maianthemum Convallaria*.

1033. *Asparagus officinalis*.

1034. *Ruscus aculeatus*.

1035. *Fritillaria Meleagris*.

1036. *Tulipa sylvestris*. 1037. *Llyodia serotina*. 1038. *Gagea lutea*. 1039. *Ornithogalum umbellatum*.

1040. *Ornithogalum nutans*. 1041. *Ornithogalum pyrenaicum*. 1042. *Scilla verna*. 1043 *Scilla autumnalis*.

1044. *Scilla nutans*. 1045. *Muscari racemosum*. 1046. *Allium Ampeloprasum*. 1047. *Allium Scorodoprasum*.

1048. *Allium oleraceum*. 1049 *Allium Schoenoprasum*. 1050. *Allium sphærocephalum*. 1051. *Allium vineale*.

1052. *Allium ursinum*. 1053. *Allium triquetrum*. 1054. *Simethis bicolor*. 1055. *Narthecium ossifragum*.

1056. *Tofieldia palustris*.

1057. *Colchicum autumnale*.

1058. *Juncus communis*.

1059. *Juncus glaucus*.

1060 *Juncus filiformis*. 1061. *Juncus balticus*. 1062. *Juncus articulatus*. 1063. *Juncus obtusiflorus*.

1064. *Juncus compressus*. 1065. *Juncus tenuis*. 1066. *Juncus squarrosus*. 1067. *Juncus bufonius*.

1068. *Juncus pygmæus*. 1069. *Juncus capitatus*. 1070 *Juncus maritimus*. 1071. *Juncus acutus*.

1072. *Juncus trifidus*

1073. *Juncus castaneus*.

1074. *Juncus biglumis*.

1075. *Luzula pilosa*.

1076. *Luzula sylvatica*. 1078. *Luzula campestris*. 1077. *Luzula arcuata*. 1079. *Luzula spicata*.

1080. *Eriocaulon septangulare*. 1082. *Cyperus fuscus* 1081. *Cyperus longus*. 1083. *Schoenus nigricans*.

1084. *Cladium Mariscus*. 1085. *Rhynchospora fusca*. 1086. *Rhynchospora alba*. 1087. *Blysmus compressus*.

1088. *Blysmus rufus*. 1089. *Scirpus acicularis*. 1090. *Scirpus parvulus*. 1091. *Scirpus palustris*.

1092. *Scirpus multicaulis*. 1093. *Scirpus pauciflorus*. 1094. *Scirpus caespitosus*. 1095. *Scirpus fluitans*.

1096. *Scirpus setaceus*. 1097. *Scirpus Savii*. 1098. *Scirpus Holoschoenus* 1099. *Scirpus pungens*.

1100 *Scirpus triqueter*. 1101 *Scirpus lacustris*. 1102. *Scirpus maritimus*. 1103. *Scirpus sylvaticus*.

1104. *Eriophorum alpinum*. 1105. *Eriophorum vaginatum*. 1106. *Eriophorum polystachion* 1107. *Kobresia caricina*.

1108. *Carex dioica*. 1109. *Carex pulicaris*. 1110. *Carex rupestris*. 1111. *Carex pauciflora*.

1112. *Carex leporina*. 1113. *Carex lagopina*. 1114. *Carex elongata*. 1115. *Carex stellulata*.

1116. *Carex canescens*. 1117. *Carex remota*. 1118. *Carex axillaris*. 1119. *Carex paniculata*.

1120. *Carex vulpina*. 1122 *Carex arenaria*. 1121. *Carex inuricata*. 1123. *Carex divisa*.

1124. *Carex incurva*. 1125. *Carex saxatilis*. 1126. *Carex caespitosa*. 1127. *Carex acuta*.

1128. *Carex alpina*. 1129. *Carex Buxbaumii*. 1130. *Carex atrata*. 1131. *Carex humilis*.

1132. *Carex digitata*. 1133. *Carex præcox*. 1134. *Carex montana*. 1135. *Carex pilulifera*.

1136. *Carex tomentosa*. 1137. *Carex filiformis*. 1138. *Carex hirta*. 1139. *Carex pallescens*.

1140. *Carex extensa*. 1141. *Carex flava*. 1142. *Carex distans*. 1143. *Carex punctata*.

1144. *Carex panicea* 1145. *Carex capillaris*. 1146. *Carex limosa*. 1147. *Carex glauca*.

1148. *Carex sylvatica*. 1149. *Carex strigosa*. 1150. *Carex Pseudocyperus*. 1151. *Carex pendula*.

1152. *Carex ampullacea*. 1153. *Carex vesicaria*. 1154. *Carex paludosa* 1155. *Leersia oryzoides*.

1156. *Milium effusum*. 1157. *Panicum sanguinale*. 1158. *Panicum glabrum*. 1159. *Panicum verticillatum*.

1160. *Panicum glaucum*. 1161. *Panicum viride*. 1162. *Panicum Crus-galli*. 1163. *Hierochloe borealis*.

1164. *Anthoxanthum odoratum*. 1165. *Phalaris canariensis*. 1166. *Digraphis arundinacea*. 1167. *Phleum pratense*.

1168 *Phleum alpinum*. 1169. *Phleum Boehmeri*. 1170. *Phleum asperum*. 1171. *Phleum arenarium*.

1172. *Alopecurus agrestis*. 1173. *Alopecurus pratensis*. 1174. *Alopecurus geniculatus*. 1175. *Alopecurus alpinus*.

1176. *Chamagrostis minima*. 1177. *Lagurus ovatus* 1178. *Polypogon monspeliensis*. 1179. *Polypogon littoralis*.

1180. *Agrostis alba*. 1181. *Agrostis canina*. 1182. *Agrostis cetacea*. 1183. *Agrostis Spica-venti*.

1184. *Gastridium lepidigerum*. 1185. *Psamma arenaria*. 1186 *Calamagrostis Epigeios*. 1187. *Calamagrostis lanceolata*

1188 *Calamagrostis stricta*. 1189. *Aira cæspitosa*. 1190. *Aira flexuosa*. 1191. *Aira canescens*.

1192. *Aira præcox*. 1193. *Aira caryophyllea*. 1194. *Avena fatua*. 1195. *Avena pratensis*.

1196. *Avena flavescens*. 1197. *Arrhenatherum avenaceum*. 1198. *Holcus lanatus*. 1199. *Holcus mollis*.

1200. *Cynodon Dactylon*. 1201. *Spartina stricta*. 1202. *Lepturus incurvatus*. 1203. *Nardus stricta*.

1204. *Elymus arenarius*. 1205. *Hordeum sylvaticum*. 1206. *Hordeum pratense*. 1207. *Hordeum murinum*.

1208. *Hordeum maritimum*. 1210. *Agropyrum caninum*. 1209. *Agropyrum repens*. 1211. *Lolium perenne*.

1212. *Lolium temulentum* 1213. *Brachypodium sylvaticum*. 1214. *Brachypodium pinnatum*. 1215. *Bromus erectus*.

1216. *Bromus asper* 1217. *Bromus sterilis*. 1218. *Bromus maximus*. 1219. *Bromus madritensis*.

1220. *Bromus arvensis*. 1222. *Festuca ovina*. 1221. *Bromus giganteus*. 1223. *Festuca elatior*.

1224. *Festuca sylvatica*. 1226. *Festuca uniglumis*. 1225. *Festuca Myuros*. 1227. *Dactylis glomerata*.

1228. *Cynosurus cristatus*. 1230 *Briza media*. 1229. *Cynosurus echinatus*. 1231. *Briza minor*.

1232. *Poa aquatica*. 1233. *Poa fluitans*. 1234. *Poa maritima*. 1235. *Poa distans*.

1236. *Poa procumbens*. 1237. *Poa rigida*. 1238 *Poa loliacea*. 1239 *Poa annua*.

1240. *Poa compressa*. 1241. *Poa pratensis*. 1242. *Poa trivialis*. 1243. *Poa memorialis*.

1244. *Poa laxa*. 1245. *Poa alpina*. 1246. *Poa bulbosa*. 1247. *Catabrosa aquatica*.

1248. *Molinia cærulea*. 1249. *Melica nutans*. 1250. *Melica uniflora*. 1251. *Triodia decumbens*.

1252. *Koeleria cristata*. 1254. *Arundo Phragmites*. 1253. *Sesleria cærulea*. 1255. *Lycopodium clavatum*.

1256. *Lycopodium annotinum*.

1257. *Lycopodium alpinum*.

1258. *Lycopodium Selago*.

1259. *Lycopodium inundatum*.

1260. *Selaginella selaginoides*. 1261. *Isoetes lacustris*. 1261*. *Isoetes Hystrix*. 1262. *Pilularia globulifera*

1263. *Equisetum Telmateia*. 1264. *Equisetum arvense*. 1265. *Equisetum sylvaticum*. 1266. *Equisetum pratense*.

1267. *Equisetum limosum*. 1268. *Equisetum littorale*. 1269. *Equisetum palustre*. 1270. *Equisetum hyemale*.

1271. *Equisetum trachyodon*.

1272. *Equisetum variegatum*.

1273. *Ophioglossum vulgatum*.

1274. *Botrychium Lunaria*.

1275. *Osmunda regalis*. 1276. *Polypodium vulgare*. 1277. *Polypodium Phegopteris*. 1278. *Polypodium alpestre*.

1279. *Polypodium Dryopteris*.

1280. *Allosorus crispus*.

1281. *Grammitis leptophylla*.

1282. *Aspidium Lonchitis*.

1283. *Aspidium aculeatum*. 1284. *Aspidium Thelypteris*. 1285. *Aspidium Oreopteris*. 1286. *Aspidium Filix-mas*.

1287. *Aspidium cristatum*.

1288. *Aspidium spinulosum*.

1289. *Aspidium rigidum*.

1290. *Asplenium Filix-fœmina*.

1291. *Asplenium fontanum*. 1292. *Asplenium lanceolatum*. 1293. *Asplenium marinum*. 1294. *Asplenium Trichomanes*.

1295. *Asplenium viride*.

1296. *Asplenium Adiantum-nigrum*.

1297. *Asplenium Ruta-muraria*.

1298. *Asplenium germanicum*.

1299. *Asplenium septentrionale*. 1301. *Ceterach officinarum*. 1300. *Scolopendrium vulgare*. 1302. *Blechnum Spicant*.

1303. *Pteris aquilina*.

1304. *Adiantum Capillus-Veneris*.

1305. *Cystopteris fragilis*.

1306. *Cystopteris montana*.

1307. *Woodsia ilvensis*. 1308. *Trichomanes radicans*. 1309. *Hymenophyllum tunbridgense*. 1310. *Hymenophyllum unilaterale*.

INDEX.

(Synonyms and names of varieties are in Italics.)

	FIG.		FIG.		FIG.
<i>Acer campestre</i> . . .	220	<i>Alchemilla alpina</i> . . .	323	<i>Anacamptis</i> . . .	
<i>Pseudo-platanus</i> . . .	221	<i>argentea</i> . . .	323	<i>pyramidalis</i> . . .	1003
<i>Aceras anthropophora</i> . . .	1009	<i>arvensis</i> . . .	324	<i>Anacharis Alsinastrum</i> . . .	976
<i>Achillea Millefolium</i> . . .	531	<i>conjuncta</i> . . .	323	<i>canadensis</i> . . .	976
<i>Parmica</i> . . .	530	<i>hybrida</i> . . .	322	<i>Anagallis arvensis</i> . . .	658
<i>Achyrophorus</i> . . .		<i>montana</i> . . .	322	<i>cærulea</i> . . .	658
<i>maculatus</i> . . .	585	<i>vulgaris</i> . . .	322	<i>phænicea</i> . . .	658
<i>Aconitum Napellas</i> . . .	30	<i>Alisma lanceolatum</i> . . .	969	<i>tenella</i> . . .	659
<i>Acorus Calamus</i> . . .	943	<i>natans</i> . . .	971	<i>Anchusa arvensis</i> . . .	704
<i>Actæa spicata</i> . . .	31	<i>Plantago</i> . . .	969	<i>officinalis</i> . . .	702
<i>Actinocarpus</i> . . .		<i>ranunculoides</i> . . .	970	<i>sempervirens</i> . . .	703
<i>Damasonium</i> . . .	972	<i>repens</i> . . .	970	<i>Andromeda polifolia</i> . . .	631
<i>Adiantum</i> . . .		<i>Alliaria officinalis</i> . . .	72	<i>Anemone nemorosa</i> . . .	6
<i>Capillus-Veneris</i> . . .	1304	<i>Allium</i> . . .		<i>Pulsatilla</i> . . .	5
<i>Adonis autumnalis</i> . . .	7	<i>Ampeloprasum</i> . . .	1046	<i>Angelica sylvestris</i> . . .	432
<i>Adoxa Moschatellina</i> . . .	459	<i>arenarium</i> . . .	1047	<i>Antennaria dioica</i> . . .	510
<i>Egopodium Podagraria</i> . . .	407	<i>Babingtonii</i> . . .	1046	<i>hyperborea</i> . . .	510
<i>Æthusa cynapium</i> . . .	425	<i>carinatum</i> . . .	1048	<i>margaritacea</i> . . .	511
<i>Agraphis nutans</i> . . .	1044	<i>compactum</i> . . .	1051	<i>Anthemis anglica</i> . . .	527
<i>Agrimonia Eupatoria</i> . . .	327	<i>complanatum</i> . . .	1048	<i>arvensis</i> . . .	527
<i>odorata</i> . . .	327	<i>Halleri</i> . . .	1047	<i>Cotula</i> . . .	526
<i>Agropyrum acutum</i> . . .	1209	<i>oleraceum</i> . . .	1048	<i>maritima</i> . . .	527
<i>caninum</i> . . .	1210	<i>Porrum</i> . . .	1046	<i>nobilis</i> . . .	528
<i>littorale</i> . . .	1209	<i>rotundum</i> . . .	1047	<i>tinctoria</i> . . .	529
<i>pycnanthemum</i> . . .	1209	<i>Schœnoprasum</i> . . .	1049	<i>Anthoxanthum</i> . . .	
<i>repens</i> . . .	1209	<i>scorodoprasum</i> . . .	1047	<i>odoratum</i> . . .	1164
<i>Agrostemma githago</i> . . .	142	<i>Sibiricum</i> . . .	1049	<i>Puelii</i> . . .	1164
<i>Agrostis alba</i> . . .	1180	<i>sphærocephalum</i> . . .	1050	<i>Anthriscus Cerefolium</i> . . .	443
<i>Anemagrostis</i> . . .	1183	<i>triquetrum</i> . . .	1053	<i>sylvestris</i> . . .	443
<i>canina</i> . . .	1181	<i>ursinum</i> . . .	1052	<i>vulgaris</i> . . .	444
<i>interrupta</i> . . .	1183	<i>vineale</i> . . .	1051	<i>Anthyllis Dillenii</i> . . .	267
<i>nigra</i> . . .	1180	<i>Allosorus crispus</i> . . .	1280	<i>Vulneraria</i> . . .	267
<i>pumila</i> . . .	1180	<i>Alnus glutinosa</i> . . .	909	<i>Antirrhinum majus</i> . . .	730
<i>setacea</i> . . .	1182	<i>Alopecurus agrestis</i> . . .	1172	<i>Oroxtium</i> . . .	731
<i>Spica-venti</i> . . .	1183	<i>alpinus</i> . . .	1175	<i>Apargia autumnalis</i> . . .	581
<i>stolonifera</i> . . .	1180	<i>bulbosus</i> . . .	1174	<i>hispida</i> . . .	584
<i>vulgaris</i> . . .	1180	<i>fulvus</i> . . .	1174	<i>Taraxaci</i> . . .	581
<i>Aira alpina</i> . . .	1189	<i>geniculatus</i> . . .	1174	<i>Apera interrupta</i> . . .	1183
<i>cæspitosa</i> . . .	1189	<i>palustris</i> . . .	1174	<i>Spica-venti</i> . . .	1183
<i>canescens</i> . . .	1191	<i>pratensis</i> . . .	1173	<i>Apium graveolens</i> . . .	402
<i>canesophyllea</i> . . .	1193	<i>pronus</i> . . .	1174	<i>inundatum</i> . . .	404
<i>flexuosa</i> . . .	1190	<i>Alsine Cherleri</i> . . .	149	<i>nodiflorum</i> . . .	403
<i>lævigata</i> . . .	1189	<i>stricta</i> . . .	151	<i>Aquilegia vulgaris</i> . . .	28
<i>montana</i> . . .	1190	<i>tenusifolia</i> . . .	152	<i>Arabis ciliata</i> . . .	59
<i>præcox</i> . . .	1192	<i>verna</i> . . .	150	<i>glabrata</i> . . .	58
<i>setacea</i> . . .	1190	<i>Althæa hirsuta</i> . . .	199	<i>hirsuta</i> . . .	58
<i>uliginosa</i> . . .	1190	<i>officinalis</i> . . .	198	<i>hispida</i> . . .	62
<i>Ajuga Chamæpitys</i> . . .	819	<i>Alyssum calycinum</i> . . .	86	<i>perfoliata</i> . . .	56
<i>genevensis</i> . . .	818	<i>maritimum</i> . . .	87	<i>petræa</i> . . .	62
<i>pyramidalis</i> . . .	818	<i>Ammophila</i> . . .		<i>sagittata</i> . . .	58
<i>reptans</i> . . .	817	<i>arundinacea</i> . . .	1185	<i>stricta</i> . . .	61

	FIG.		FIG.		FIG.
Thaliana	60	remotum	1288	ruderalis	806
Turrita	57	rigidum	1289	Barbarea arcuata	51
Arbutus Unedo	628	spinulosum	1288	intermedia	51
Arctium intermedium	553	thelypteris	1284	parviflora	51
Lappa	553	Asplenium acutum	1296	præcox	51
majus	553	Adiantum-nigrum	1296	stricta	51
minus	553	alternifolium	1298	vulgaris	51
nemorosum	553	anceps	1294	Barkhausia foetida	595
pubens	553	Celerach	1301	taraxacifolia	594
tomentosum	553	Clermontæ	1294	Bartsia alpina	764
Arctostaphylos alpina	630	Filix-fœmina	1290	divergens	766
Uva-ursi	629	fontanum	1291	Odontites	766
Arenaria Cherleri	149	germanicum	1298	serotina	766
ciliata	155	incisum	1290	verna	766
Gerardi	150	lanceolatum	1292	viscosa	765
glutinosa	154	marinum	1293	Bellis perennis	502
hirta	150	molle	1290	Berberis vulgaris	33
hybrida	152	obtusum	1296	Beta maritima	850
laza	152	Petrarchæ	1294	Betonica officinalis	798
leptoclados	154	rhoeticum	1290	Betula alba	910
marginata	170	Ruta-muraria	1297	glutinosa	910
norwegica	155	septentrionale	1299	nana	901
peploidis	153	serpentini	1296	pendula	910
rubella	150	Trichomanes	1294	verrucosa	910
rubra	170	viride	1295	Biden cernua	519
serpyllifolia	154	Aster Linosyris	497	tripartita	520
sphaerocarpa	154	Tripolium	496	Blechnum boreale	1302
tenuifolia	152	Astragalus alpinus	269	Spicant	1302
triginervis	156	danicus	268	Blysmus compressus	1087
uliginosa	151	glycyphyllos	270	rufus	1088
verna	150	hypoglottis	268	Borago officinalis	707
Armeria duriuscula	824	Astrantia major	398	Botrychium Lunaria	1274
maritima	824	Athyrium Filix-fœmina	1290	rutaceum	1274
plantaginea	825	Atriplex angustifolia	854	Brachypodium	1214
pubescens	824	arenaria	855	pinnatum	1214
pubigera	824	Babingtonia	854	sylvaticum	1213
vulgaris	824	deltoides	854	Brassica adpressa	83
Armoracia		erecta	854	alba	80
amphibium	55	farinosa	855	brevipes	76
rusticana	84	hastata	854	campestris	79
Arnoseri pusilla	608	hortensis	853	Cheiranthus	77
Arrhenatherum		laciniata	855	monensis	77
avenaceum	1197	liloralis	854	muralis	76
elatius	1197	marina	854	napus	79
Artemisia Absinthium	537	nitens	853	nigra	82
campestris	534	patula	854	oleracea	78
gallica	535	pedunculata	852	polymorpha	79
maritima	535	portulacoides	851	Rapa	79
vulgaris	536	prostrata	854	Rula-baga	79
Arum italicum	942	rosea	855	Sinapis	81
maculatum	942	serrata	854	Sinapisrum	81
Arundo Calamagrostis	1187	Smithii	854	tenuifolia	75
Phragmites	1254	triangularis	854	Briza media	1230
Asarum europæum	882	Atropa belladonna	715	minor	1231
Asparagus officinalis	1033	Avena alpina	1195	Bromus arvensis	1220
Asperugo procumbens	708	elutior	1197	asper	1216
Asperula cynanchica	480	fatua	1194	Benekenii	1216
odorata	479	flavescens	1196	commutatus	1220
Aspidium aculeatum	1283	planiculmis	1195	diandrus	1219
æmulum	1288	pratensis	1195	erectus	1215
angulare	1283	pubescens	1195	giganteus	1221
Boottii	1288	strigosa	1194	hordeaceus	1220
cristatum	1287	Azalia procumbens	632	madritensis	1219
dilatatum	1288			maximus	1218
dumetorum	1288			mollis	1220
Filix-mas	1286			multiflorus	1220
lobatum	1283	Ballota alba	806	pratensis	1220
Lonechitis	1282	foetida	806	racemosus	1220
Oreopteris	1285	nigra	806	ramosus	1216

	FIG.		FIG.		FIG.
<i>rigidus</i>	1219	<i>sylvatica</i>	66	<i>irrigua</i>	1146
<i>secalinus</i>	1220	<i>Carduus acanthoides</i>	558	<i>laevigata</i>	1142
<i>serotinus</i>	1216	<i>acaulis</i>	567	<i>lagopina</i>	1113
<i>sterilis</i>	1217	<i>arvensis</i>	562	<i>Leesii</i>	1135
<i>velutinus</i>	1220	<i>crispus</i>	558	<i>lepidocarpa</i>	1141
<i>Brunella vulgaris</i>	793	<i>eriphorus</i>	563	<i>leporina</i>	1112
<i>Byronia dioica</i>	357	<i>Forsteri</i>	566	<i>ligerica</i>	1122
<i>Bulbocastanum Linnæi</i> 412		<i>heterophyllus</i>	564	<i>limosa</i>	1146
<i>Bunium</i>		<i>lanceolatus</i>	560	<i>Micheliana</i>	1147
<i>bulbocastanum</i>	412	<i>Marianus</i>	556	<i>montana</i>	1134
<i>denudatum</i>	441	<i>nutans</i>	557	<i>muricata</i>	1121
<i>flexuosum</i>	441	<i>palustris</i>	561	<i>Œderi</i>	1141
<i>Bupleurum aristatum</i> 418		<i>polyanthemus</i>	558	<i>ornithopoda</i>	1132
<i>falcatum</i>	420	<i>pratensis</i>	566	<i>ovalis</i>	1112
<i>Odontites</i>	418	<i>pycnocephalus</i>	559	<i>pallescent</i>	1139
<i>rotundifolium</i>	417	<i>setosus</i>	562	<i>paludosa</i>	1154
<i>tenuissimum</i>	419	<i>tenuiflorus</i>	559	<i>panicea</i>	1144
<i>Butomus umbellatus</i>	967	<i>tuberosus</i>	565	<i>paniculata</i>	1119
<i>Buxus sempervirens</i>	897	<i>Woodwardsii</i>	566	<i>paradoxa</i>	1119
		<i>Carex acuta</i>	1127	<i>pauciflora</i>	1111
<i>Cakile maritima</i>	110	<i>alpicola</i>	1116	<i>pendula</i>	1151
<i>Calamagrostis</i>		<i>alpina</i>	1128	<i>Persoonii</i>	1116
<i>Epigelos</i>	1186	<i>ampullacea</i>	1152	<i>phaeostachya</i>	1144
<i>lancoolata</i>	1187	<i>aquatilis</i>	1126	<i>pilulifera</i>	1135
<i>lapponica</i>	1188	<i>arenaria</i>	1122	<i>polygama</i>	1129
<i>stricta</i>	1188	<i>argyroglochin</i>	1112	<i>præcox</i>	1133
<i>Calamintha Acinos</i>	788	<i>atrata</i>	1130	<i>Pseudocyperus</i>	1150
<i>Clinopodium</i>	790	<i>axillaris</i>	1118	<i>Pseudo-divulsa</i>	1121
<i>menthaefolia</i>	789	<i>binervis</i>	1142	<i>Pseudo-paradoxa</i>	1119
<i>Nepeta</i>	789	<i>Bœnninghauseniana</i> 1118		<i>pulcaris</i>	1109
<i>officinalis</i>	789	<i>Buxbaumii</i>	1129	<i>pulla</i>	1125
<i>sylvatica</i>	789	<i>cæspitosa</i>	1126	<i>punctata</i>	1143
<i>Callitriche aquatica</i>	900	<i>canescens</i>	1116	<i>rariflora</i>	1146
<i>autumnalis</i>	900	<i>capillaris</i>	1145	<i>recurva</i>	1147
<i>hamulata</i>	900	<i>ciliata</i>	1132	<i>remota</i>	1117
<i>Lachii</i>	900	<i>clandestina</i>	1131	<i>rigida</i>	1126
<i>obtusangula</i>	900	<i>collina</i>	1134	<i>riparia</i>	1154
<i>pedunculata</i>	900	<i>curta</i>	1116	<i>rupestris</i>	1110
<i>platycarpa</i>	900	<i>Davalliana</i>	1108	<i>salina</i>	1144
<i>stagnalis</i>	900	<i>depauperata</i>	1142	<i>saxatilis</i>	1125
<i>truncata</i>	900	<i>digitata</i>	1132	<i>Saxumbra</i>	1135
<i>verna</i>	900	<i>dioica</i>	1108	<i>scotica</i>	1144
<i>vernulus</i>	900	<i>distans</i>	1142	<i>spadicea</i>	1154
<i>Calluna vulgaris</i>	640	<i>disticha</i>	1122	<i>sparsiflora</i>	1144
<i>Caltha palustris</i>	24	<i>divisa</i>	1123	<i>spirostachya</i>	1142
<i>radicans</i>	24	<i>divulsa</i>	1121	<i>spicata</i>	1121
<i>Calystegia Sepium</i>	685	<i>ebracteata</i>	1138	<i>stellulata</i>	1115
<i>Soldanella</i>	686	<i>echinata</i>	1115	<i>stictocarpa</i>	1147
<i>Camelina foetida</i>	93	<i>Ehrhartiana</i>	1119	<i>stricta</i>	1126
<i>sativa</i>	93	<i>elongata</i>	1114	<i>strigosa</i>	1149
<i>Campanula glomerata</i> 615		<i>erictetorum</i>	1132	<i>sylvatica</i>	1148
<i>hederacea</i>	622	<i>extensa</i>	1140	<i>tenella</i>	1117
<i>hybrida</i>	623	<i>filiformis</i>	1137	<i>teretiuscula</i>	1119
<i>latifolia</i>	617	<i>flava</i>	1141	<i>tomentosa</i>	1136
<i>patula</i>	620	<i>frigida</i>	1144	<i>tricotata</i>	1127
<i>persicifolia</i>	620	<i>fulva</i>	1142	<i>trinervis</i>	1126
<i>Rapunculoides</i>	618	<i>Gibsoni</i>	1126	<i>vaginata</i>	1144
<i>rapunculus</i>	619	<i>glauca</i>	1147	<i>Vahlîi</i>	1127
<i>rotundifolia</i>	621	<i>Goodenovii</i>	1126	<i>vesicaria</i>	1133
<i>Trachelium</i>	616	<i>gracilis</i>	1127	<i>vittilis</i>	1116
<i>Capsella Bursa-pastoris</i> 101		<i>Grahami</i>	1225	<i>vulgaris</i>	1126
<i>Cardamine amara</i>	63	<i>Grypos</i>	1115	<i>vulpina</i>	1120
<i>bulbifera</i>	67	<i>hirta</i>	1138	<i>Watsoni</i>	1126
<i>dentata</i>	64	<i>hirtæformis</i>	1138	<i>Xanthocarpa</i>	1142
<i>flexuosa</i>	66	<i>Horuschuchiana</i>	1142	<i>Carlina vulgaris</i>	569
<i>hastulata</i>	62	<i>humilis</i>	1131	<i>Carpinus Betulus</i>	912
<i>hirsuta</i>	66	<i>incurva</i>	1124	<i>Carum Bulbocastanum</i> 412	
<i>impatiens</i>	65	<i>intermedia</i>	1122	<i>Carvi</i>	411
<i>pratensis</i>	64	<i>involuta</i>	1153	<i>flexuosum</i>	441

	FIG.		FIG.		FIG.
Petroselinum . . .	408	hybridum . . .	848	<i>Conyza squarrosa</i> . . .	515
segetum . . .	409	<i>intermedium</i> . . .	846	<i>Corallorhiza innata</i> . . .	981
verticillatum . . .	410	murale . . .	847	<i>Coriandrum sativum</i> . . .	454
Catabrosa aquatica . . .	1247	<i>olidum</i> . . .	841	<i>Cornus sanguinea</i> . . .	458
Caucalis Anthriscus . . .	446	<i>paganum</i> . . .	843	suecica . . .	457
arvensis . . .	447	polyspermum . . .	842	<i>Coronopus didyma</i> . . .	108
daucoides . . .	448	rubrum . . .	845	<i>Ruellii</i> . . .	107
helvetica . . .	447	urbicum . . .	846	<i>Corrigiola littoralis</i> . . .	832
infesta . . .	447	viride . . .	843	<i>Corydalis bulbosa</i> . . .	47
latifolia . . .	449	Vulvaria . . .	841	claviculata . . .	47
nodosa . . .	445	Cherleria sedoides . . .	149	lutea . . .	46
Centaurea aspera . . .	573	Chlora perfoliata . . .	680	solida . . .	47
Calcitrapa . . .	574	Chrysanthemum . . .		Corylus Avellana . . .	913
Cyanus . . .	572	<i>inodorum</i> . . .	524	<i>Corynephorus</i> . . .	
decipiens . . .	570	Leucanthemum . . .	521	canescens . . .	1191
Isnardi . . .	573	Parthenium . . .	523	Cotoneaster vulgaris . . .	339
nigra . . .	570	segetum . . .	522	Cotyledon Umbilicus . . .	359
nigrescens . . .	570	<i>Chrysocoma Linosyris</i> . . .	497	Crambe maritima . . .	111
Scabiosa . . .	571	Chrysosplenium . . .		Cratægus monogyna . . .	338
solstitialis . . .	575	alternifolium . . .	388	Oxyacantha . . .	338
Centranthus ruber . . .	482	oppositifolium . . .	387	<i>Oxyacanthoides</i> . . .	338
Centunculus minimus . . .	660	Cicendia filiformis . . .	672	Crepis biennis . . .	597
Cephalanthera ensifolia . . .	985	pusilla . . .	673	foetida . . .	595
grandiflora . . .	984	Cichorium Intybus . . .	607	hieracioides . . .	598
pallens . . .	984	Cicuta virosa . . .	401	paludosa . . .	599
rubra . . .	986	<i>Cineraria integrifolia</i> . . .	550	setosa . . .	594
Cerastium alpinum . . .	161	Circæa alpina . . .	353	succisæfolia . . .	598
aquaticum . . .	163	intermedia . . .	353	taraxacifolia . . .	594
arvense . . .	160	luteoliana . . .	352	teclorum . . .	598
atrovirens . . .	159	Cirsium anglicum . . .	566	virens . . .	596
glomeratum . . .	159	Cistus anglicus . . .	117	Crithmum maritimum . . .	431
glutinosum . . .	159	marifolius . . .	117	Crocus nudiflorus . . .	1021
holosteoides . . .	159	tomentosus . . .	118	speciosus . . .	1021
lanatum . . .	161	Cladium germanicum . . .	1084	vernus . . .	1020
latifolium . . .	161	Mariscus . . .	1084	<i>Cryptogramme crispa</i> . . .	1280
pumilum . . .	159	Claytonia alsinoides . . .	173	<i>Cucubalus Behen</i> . . .	134
quaternellum . . .	157	perfoliata . . .	173	Cuscuta Epilinum . . .	688
semidecandrum . . .	159	Clematis Vitalba . . .	1	Epithymum . . .	689
tetrandrum . . .	159	Clinopodium vulgare . . .	790	europæa . . .	687
trigynum . . .	162	Cnicus acaulis . . .	567	Trifolii . . .	689
triviale . . .	159	arvensis . . .	562	Cyclamen europæum . . .	651
viscosum . . .	159	Carolorum . . .	564	hederæfolium . . .	651
vulgatum . . .	159	dubius . . .	567	neapolitanum . . .	651
Ceratophyllum . . .		erriophorus . . .	563	Cynodon Dactylon . . .	1200
apiculatum . . .	899	Forsteri . . .	566	Cynoglossum . . .	
demersum . . .	899	heterophyllum . . .	564	montanum . . .	710
submersum . . .	899	lanceolatus . . .	560	officinale . . .	709
Ceterach officinarum . . .	1301	palustris . . .	561	sylvaticum . . .	710
Charophyllum . . .		pratensis . . .	566	Cynosurus cristatus . . .	1228
Anthriscus . . .	444	setosus . . .	562	echinatus . . .	1229
sativum . . .	443	tuberosus . . .	565	Cyperus fuscus . . .	1082
sylvestre . . .	413	Woodwardi . . .	566	longus . . .	1081
temulentum . . .	442	Cochlearea alpina . . .	85	Cypripedium . . .	
temulum . . .	442	anglica . . .	85	Calceolus . . .	1014
Chamagrostis minima . . .	1174	Armoracia . . .	84	Cystopteris alpina . . .	1305
Cheiranthus cheiri . . .	50	danica . . .	85	dentata . . .	1305
Chelidonium . . .		grœnlandica . . .	85	Dickiana . . .	1305
laciniatum . . .	42	littoralis . . .	85	fragilis . . .	1305
majus . . .	42	officinalis . . .	85	montana . . .	1306
Chenopodina maritima . . .	839	polymorpha . . .	85	Cytisus scoparius . . .	231
Chenopodium . . .		Colchicum autumnale . . .	1057		
acutifolium . . .	842	Comarum palustre . . .	320	<i>Daboecia polifolia</i> . . .	633
album . . .	843	Conium maculatum . . .	451	Dactylis glomerata . . .	1227
Bonus-henricus . . .	849	Conopodium . . .		Damasonium stellatum . . .	972
botryoides . . .	845	denudatum . . .	441	Danthonia decumbens . . .	1251
candicans . . .	843	Convallaria majalis . . .	1031	Daphne Laureola . . .	879
deltoidesum . . .	846	Convulvulus arvensis . . .	684	Mezereum . . .	878
ficifolium . . .	843	sepium . . .	685	Datura Stramonium . . .	711
glaucum . . .	814	Soldanella . . .	686		

	FIG.		FIG.		FIG.
<i>Daucus Carota</i> . . .	450	<i>Empetrum nigrum</i> . . .	898	<i>gracile</i> . . .	1106
<i>gummifer</i> . . .	450	<i>Endymion nutans</i> . . .	1044	<i>latifolium</i> . . .	1106
<i>maritimus</i> . . .	450	<i>Enodium cœruleum</i> . . .	1248	<i>polystachyum</i> . . .	1106
<i>Delphinium Ajacis</i> . . .	29	<i>Epilobium alpinum</i> . . .	349	<i>pubescens</i> . . .	1106
<i>Consolida</i> . . .	29	<i>alsinefolium</i> . . .	348	<i>vaginatum</i> . . .	1105
<i>Demazeria liliacea</i> . . .	1223	<i>anagallidifolium</i> . . .	349	<i>Erodium charophyllum</i> . . .	213
<i>Dentaria bulbifera</i> . . .	67	<i>angustifolium</i> . . .	341	<i>cicutarium</i> . . .	213
<i>Deschampsia cæspitosa</i> . . .	1189	<i>brachycarpum</i> . . .	341	<i>commixtum</i> . . .	213
<i>fæcuosa</i> . . .	1190	<i>hirsutum</i> . . .	342	<i>hirtum</i> . . .	213
<i>Deyczia neglecta</i> . . .	1188	<i>intermedium</i> . . .	343	<i>maritimum</i> . . .	215
<i>Dianthus Armeria</i> . . .	129	<i>lanceolatum</i> . . .	344	<i>moschatum</i> . . .	214
<i>cæsius</i> . . .	131	<i>montanum</i> . . .	344	<i>pimpinellæfolium</i> . . .	213
<i>Caryophyllus</i> . . .	131	<i>obscurum</i> . . .	346	<i>Erophila brachycarpa</i> . . .	92
<i>deltoides</i> . . .	130	<i>palustre</i> . . .	347	<i>inflata</i> . . .	92
<i>glaucus</i> . . .	130	<i>parviflorum</i> . . .	343	<i>vulgaris</i> . . .	92
<i>pumarius</i> . . .	131	<i>rivulare</i> . . .	343	<i>Erucastrum incana</i> . . .	83
<i>prolifer</i> . . .	128	<i>roseum</i> . . .	345	<i>Eryngium campestre</i> . . .	400
<i>Digitalis purpurea</i> . . .	747	<i>tetragonum</i> . . .	346	<i>maritimum</i> . . .	399
<i>Digitaria filiformis</i> . . .	1158	<i>virgatum</i> . . .	346	<i>obovata</i> . . .	392
<i>humifusa</i> . . .	1158	<i>Epipactis atro-rubens</i> . . .	982	<i>Erysimum Alliaria</i> . . .	72
<i>sanguinalis</i> . . .	1157	<i>Helleborine</i> . . .	982	<i>cheiranthoides</i> . . .	73
<i>Digraphis arundinacea</i> . . .	1166	<i>latifolia</i> . . .	982	<i>orientale</i> . . .	74
<i>Diotis maritima</i> . . .	532	<i>media</i> . . .	982	<i>Erythraea capitata</i> . . .	674
<i>Diplotaxis muralis</i> . . .	76	<i>ovalis</i> . . .	982	<i>Centaurium</i> . . .	674
<i>tenuifolia</i> . . .	75	<i>palustris</i> . . .	983	<i>chloodes</i> . . .	674
<i>Dipsacus Fullonum</i> . . .	490	<i>purpurata</i> . . .	982	<i>conferta</i> . . .	674
<i>pilosus</i> . . .	491	<i>rubiginosa</i> . . .	982	<i>latifolia</i> . . .	674
<i>syvestris</i> . . .	490	<i>violacea</i> . . .	982	<i>linarifolia</i> . . .	674
<i>Doronicum</i> . . .		<i>viridiflora</i> . . .	982	<i>littoralis</i> . . .	674
<i>Pardalianches</i> . . .	551	<i>Epipogium aphyllum</i> . . .	990	<i>pulchella</i> . . .	674
<i>plantagineum</i> . . .	552	<i>Gmelini</i> . . .	990	<i>Eupatorium</i> . . .	
<i>Draba aizoides</i> . . .	88	<i>Equisetum arenarium</i> . . .	1272	<i>cannabinum</i> . . .	495
<i>confusa</i> . . .	90	<i>arvense</i> . . .	1264	<i>Euphorbia</i> . . .	
<i>contorta</i> . . .	90	<i>Drummondii</i> . . .	1266	<i>amygdaloides</i> . . .	894
<i>hirta</i> . . .	89	<i>fluviatile</i> . . .	1263	<i>Cyparissias</i> . . .	893
<i>incana</i> . . .	90	<i>hyemale</i> . . .	1270	<i>Esula</i> . . .	893
<i>muralis</i> . . .	91	<i>limosum</i> . . .	1267	<i>exigua</i> . . .	889
<i>rupestris</i> . . .	89	<i>littorale</i> . . .	1268	<i>Helioscopia</i> . . .	884
<i>verna</i> . . .	92	<i>Mackaii</i> . . .	1271	<i>hiberna</i> . . .	886
<i>Drosera anglica</i> . . .	392	<i>marimum</i> . . .	1263	<i>Lathyrus</i> . . .	890
<i>intermedia</i> . . .	391	<i>Moorei</i> . . .	1270	<i>palustris</i> . . .	887
<i>longifolia</i> . . .	391	<i>puleaceum</i> . . .	1270	<i>Paralias</i> . . .	892
<i>rotundifolia</i> . . .	390	<i>palustre</i> . . .	1269	<i>Peplis</i> . . .	883
<i>Dryas depressa</i> . . .	303	<i>pratense</i> . . .	1266	<i>Peplus</i> . . .	888
<i>octopetala</i> . . .	303	<i>ramosum</i> . . .	1271	<i>pilosa</i> . . .	887
		<i>sylvaticum</i> . . .	1265	<i>platyphyllos</i> . . .	887
		<i>Telmateia</i> . . .	1263	<i>portlandica</i> . . .	891
<i>Echinocloa Crus-galli</i> . . .	1162	<i>trachyodon</i> . . .	1271	<i>segetalis</i> . . .	891
<i>Echium italicum</i> . . .	690	<i>umbrosum</i> . . .	1266	<i>stricta</i> . . .	885
<i>Plantagineum</i> . . .	691	<i>variegatum</i> . . .	1272	<i>Euphrasia gracilis</i> . . .	767
<i>violaceum</i> . . .	691	<i>Wilsoni</i> . . .	1272	<i>nemorosa</i> . . .	767
<i>vulgare</i> . . .	690	<i>Erica carnea</i> . . .	638	<i>Odontites</i> . . .	766
<i>Elatine hexandra</i> . . .	176	<i>ciliaris</i> . . .	637	<i>officinalis</i> . . .	767
<i>Hydropiper</i> . . .	177	<i>cinerea</i> . . .	635	<i>rotundata</i> . . .	766
<i>tripetala</i> . . .	176	<i>hibernica</i> . . .	638	<i>viscosa</i> . . .	765
<i>Eleocharis acicularis</i> . . .	1089	<i>Mackaiana</i> . . .	636	<i>Evonymus europæus</i> . . .	223
<i>cæspitosa</i> . . .	1094	<i>Mackayi</i> . . .	636		
<i>multicaulis</i> . . .	1092	<i>mediterranea</i> . . .	638	<i>Fagus sylvatica</i> . . .	914
<i>palustris</i> . . .	1091	<i>Tetralix</i> . . .	636	<i>Falcata</i> . . .	
<i>parvula</i> . . .	1090	<i>vagans</i> . . .	639	<i>ornithopodioides</i> . . .	243
<i>pauciflora</i> . . .	1093	<i>vulgaris</i> . . .	640	<i>Fedia Auricula</i> . . .	488
<i>uniglumis</i> . . .	1041	<i>Erigeron acris</i> . . .	498	<i>carinata</i> . . .	487
<i>Walsoni</i> . . .	1041	<i>alpinus</i> . . .	499	<i>dentata</i> . . .	489
<i>Eleogiton fluitans</i> . . .	1095	<i>canadensis</i> . . .	500	<i>olitoria</i> . . .	486
<i>Elisina nutans</i> . . .	971	<i>uniflorus</i> . . .	499	<i>Festuca ambigua</i> . . .	1225
<i>Elodea canadensis</i> . . .	976	<i>Eriocaulon</i> . . .		<i>arenaria</i> . . .	1222
<i>Elymus arenarius</i> . . .	1204	<i>septangulare</i> . . .	1080	<i>arundinacea</i> . . .	1223
<i>europæus</i> . . .	1205	<i>Eriophorum alpinum</i> . . .	1104	<i>bromoides</i> . . .	1225
<i>geniculatus</i> . . .	1204	<i>angustifolium</i> . . .	1106		

	FIG.		FIG.		FIG.
<i>cæsia</i>	1222	<i>commutatum</i>	473	<i>Gnaphalium</i>	
<i>Calamaria</i>	1224	<i>Cruciata</i>	469	<i>luteo-album</i>	506
<i>decidua</i>	1224	<i>erectum</i>	474	<i>norvegicum</i>	507
<i>duriuscula</i>	1222	<i>Mollugo</i>	474	<i>pilulare</i>	509
<i>elator</i>	1223	<i>montanum</i>	473	<i>rectum</i>	507
<i>gigantea</i>	1221	<i>palustre</i>	471	<i>supinum</i>	508
<i>glauca</i>	1222	<i>pariense</i>	475	<i>sylvaticum</i>	507
<i>holiacea</i>	1223	<i>pusillum</i>	473	<i>uliginosum</i>	509
<i>Myurus</i>	1225	<i>saxatile</i>	473	<i>Goodyera repens</i>	994
<i>oraria</i>	1222	<i>spurium</i>	477	<i>Grammitis leptophylla</i>	1281
<i>ovina</i>	1222	<i>sylvestre</i>	473	<i>Gymnadenia albida</i>	1007
<i>pratensis</i>	1223	<i>tricornis</i>	478	<i>conopsea</i>	1005
<i>Pseudo-myurus</i>	1225	<i>uliginosum</i>	472	<i>Gymnogramma leptophylla</i>	1281
<i>rigida</i>	1237	<i>Vaillantii</i>	477		
<i>rubra</i>	1222	<i>verum</i>	470	<i>Habenaria albida</i>	1007
<i>sciuroides</i>	1225	<i>Gastridium</i>		<i>bifolia</i>	1004
<i>subulicola</i>	1222	<i>lendigerum</i>	1184	<i>chlorantha</i>	1004
<i>sylvatica</i>	1224	<i>Genista anglica</i>	230	<i>conopsea</i>	1005
<i>tenuifolia</i>	1222	<i>humifusa</i>	228	<i>intacta</i>	1006
<i>triflora</i>	1221	<i>pilosa</i>	229	<i>viridis</i>	1008
<i>uniglumis</i>	1226	<i>tinctoria</i>	228	<i>Haloscias scoticum</i>	428
<i>vivipara</i>	1222	<i>Gentiana Amarella</i>	678	<i>Hedera canariensis</i>	455
<i>Filago apiculata</i>	503	<i>campestris</i>	679	<i>Helix</i>	455
<i>canescens</i>	503	<i>germanica</i>	678	<i>Hedypnois hirtus</i>	532
<i>gallica</i>	505	<i>nivalis</i>	677	<i>hispidus</i>	580
<i>germanica</i>	503	<i>Pneumonanthe</i>	675	<i>Taraxaci</i>	581
<i>Jussiei</i>	503	<i>uliginosa</i>	678	<i>Helianthemum</i>	
<i>lutescens</i>	503	<i>verna</i>	676	<i>Breweri</i>	116
<i>minima</i>	504	<i>Geranium</i>		<i>canum</i>	117
<i>montana</i>	504	<i>carolinianum</i>	211	<i>guttatum</i>	116
<i>spatulata</i>	503	<i>columbinum</i>	212	<i>polifolium</i>	119
<i>Fœniculum officinale</i>	426	<i>dissectum</i>	211	<i>surrejanum</i>	118
<i>vulgare</i>	426	<i>lancostriense</i>	201	<i>vineale</i>	117
<i>Fragaria elatior</i>	311	<i>lucidum</i>	207	<i>vulgare</i>	118
<i>sterilis</i>	312	<i>molle</i>	208	<i>Heliocharis</i> , see <i>Eleocharis</i> .	
<i>vesca</i>	311	<i>perenne</i>	205	<i>Helleborus foetidus</i>	27
<i>Frankenia lævis</i>	127	<i>phæum</i>	202	<i>viridis</i>	26
<i>Fraxinus excelsior</i>	688	<i>pratense</i>	204	<i>Helminthia echioides</i>	578
<i>heterophylla</i>	688	<i>purpureum</i>	206	<i>Helosciadium</i>	
<i>Fritillaria Meleagris</i>	1035	<i>pusillum</i>	209	<i>inundatum</i>	404
<i>Fumaria agraria</i>	45	<i>pyrenaicum</i>	205	<i>repens</i>	403
<i>Borœi</i>	45	<i>Robertianum</i>	206	<i>Heracleum</i>	
<i>capreolata</i>	45	<i>rotundifolium</i>	210	<i>angustifolium</i>	437
<i>confusa</i>	45	<i>sanguineum</i>	201	<i>Sphondylium</i>	437
<i>densiflora</i>	45	<i>sylvaticum</i>	203	<i>Herminium Monorchis</i>	1010
<i>media</i>	45	<i>Geum intermedium</i>	305	<i>Herniaria ciliata</i>	833
<i>micrantha</i>	45	<i>rivale</i>	305	<i>glabra</i>	833
<i>muralis</i>	45	<i>urbanum</i>	304	<i>hirsuta</i>	833
<i>officinalis</i>	45	<i>Githago segetum</i>	142	<i>Hesperis matronalis</i>	68
<i>pallidiflora</i>	45	<i>Gladiolus communis</i>	1017	<i>Hieracium acutifolium</i>	608
<i>parviflora</i>	45	<i>illyricus</i>	1017	<i>aggregatum</i>	602
<i>tenuisecta</i>	45	<i>Glaucium luteum</i>	44	<i>alpinum</i>	601
<i>Vaillantii</i>	45	<i>violaceum</i>	43	<i>anglicum</i>	603
		<i>Glauz maritima</i>	657	<i>argenteum</i>	602
<i>Gagea lutea</i>	1038	<i>Glechoma hederacea</i>	791	<i>atratum</i>	601
<i>Galanthus nivalis</i>	1024	<i>Glyce maritima</i>	87	<i>aurantiacum</i>	600
<i>Galeobdolon luteum</i>	812	<i>Glyceria aquatica</i>	1232	<i>boreale</i>	605
<i>Galeopsis dubia</i>	804	<i>Borreri</i>	1235	<i>Borreri</i>	606
<i>Ladanum</i>	803	<i>conferta</i>	1235	<i>cæsium</i>	602
<i>ochroleuca</i>	804	<i>declinata</i>	1233	<i>calenduliflorum</i>	601
<i>speciosa</i>	805	<i>distans</i>	1235	<i>canadense</i>	604
<i>Tetrahit</i>	805	<i>fluitans</i>	1233	<i>cerinthoides</i>	603
<i>versicolor</i>	805	<i>holiacea</i>	1238	<i>chrysanthum</i>	601
<i>Galium anglicum</i>	475	<i>maritima</i>	1234	<i>cinerascens</i>	602
<i>Aparine</i>	477	<i>pedicellata</i>	1233	<i>corymbosum</i>	606
<i>aristatum</i>	474	<i>plicata</i>	1233	<i>crocatum</i>	606
<i>boreale</i>	476	<i>procumbens</i>	1236	<i>decipiens</i>	603
		<i>rigida</i>	1237	<i>denticulatum</i>	606
		<i>spectabilis</i>	1232		

	FIG.		FIG.		FIG.
<i>Dewari</i>	602	<i>Wilsoni</i>	1310	<i>cœnosus</i>	1064
<i>divaricatum</i>	601	<i>Hyoscyamus niger</i>	712	<i>communis</i>	1058
<i>eximium</i>	601	<i>pallidus</i>	712	<i>compressus</i>	1064
<i>filifolium</i>	604	<i>Hypericum</i>		<i>conglomeratus</i>	1058
<i>flaculosum</i>	602	<i>Audrosæmum</i>	179	<i>diffusus</i>	1059
<i>Gibsoni</i>	602	<i>anglicum</i>	179	<i>effusus</i>	1058
<i>globosum</i>	601	<i>boëticum</i>	182	<i>filiformis</i>	1060
<i>gothicum</i>	602	<i>calycinum</i>	178	<i>Gerardi</i>	1064
<i>gracilentum</i>	601	<i>decumbens</i>	184	<i>glaucus</i>	1059
<i>heterophyllum</i>	605	<i>dubium</i>	181	<i>glomeratus</i>	1058
<i>holosericeum</i>	601	<i>Elodes</i>	188	<i>lumprocarpus</i>	1062
<i>hypochœroides</i>	602	<i>hirsutum</i>	186	<i>maritimus</i>	1070
<i>inuloides</i>	606	<i>humifusum</i>	183	<i>nigrifolius</i>	1062
<i>Iricum</i>	603	<i>linariifolium</i>	184	<i>obtusiflorus</i>	1063
<i>juranum</i>	606	<i>montanum</i>	187	<i>pygmæus</i>	1068
<i>Lapyrousii</i>	603	<i>perforatum</i>	180	<i>squarrosus</i>	1066
<i>lasiophyllum</i>	602	<i>pulchrum</i>	185	<i>subverticillatus</i>	1062
<i>Lausoni</i>	601	<i>quadrangulum</i>	182	<i>supinus</i>	1062
<i>lingulatum</i>	601	<i>tetrapterum</i>	182	<i>sylvaticus</i>	1062
<i>maculatum</i>	602	<i>undulatum</i>	182	<i>tenuis</i>	1065
<i>melanocephalum</i>	601	<i>Hypochœris Balbisii</i>	583	<i>trifidus</i>	1072
<i>molle</i>	598	<i>glabra</i>	583	<i>triglumis</i>	1074
<i>murorum</i>	602	<i>maculata</i>	585	<i>uliginosus</i>	1062
<i>nigrescens</i>	601	<i>radicata</i>	584	<i>Juniperus communis</i>	935
<i>nitidum</i>	602	<i>Hypopethys multiflora</i>	646	<i>nana</i>	935
<i>obtusifolium</i>	602				
<i>pallidum</i>	602	<i>Iberis amara</i>	99	<i>Knappia agrosticea</i>	1176
<i>paludosum</i>	599	<i>Ilex Aquifolium</i>	222	<i>Knautia arvensis</i>	494
<i>Peleterianum</i>	600	<i>Illecebrum</i>		<i>Kobresia caricina</i>	1107
<i>Pilosella</i>	600	<i>verticillatum</i>	834	<i>Kœleria cristata</i>	1252
<i>pilosissimum</i>	600	<i>Impatiens fulva</i>	219	<i>Koniga maritima</i>	87
<i>prenanthoides</i>	606	<i>Noli-me-tangere</i>	218		
<i>pulmonarium</i>	601	<i>parviflora</i>	218	<i>Lactuca alpina</i>	589
<i>rigidum</i>	606	<i>Inula Conyza</i>	515	<i>muralis</i>	586
<i>sabaudum</i>	605	<i>crithmoides</i>	514	<i>saligna</i>	588
<i>saxifragum</i>	601	<i>dysenterica</i>	516	<i>Scariola</i>	587
<i>senescens</i>	601	<i>Helenium</i>	512	<i>virosa</i>	587
<i>stelligerum</i>	602	<i>Pulicaria</i>	517	<i>Lagurus ovatus</i>	1177
<i>strictum</i>	606	<i>salicina</i>	513	<i>Lanum album</i>	810
<i>sylvaticum</i>	602	<i>Iris acoriformis</i>	1015	<i>amplexicaule</i>	808
<i>tenellum</i>	601	<i>foetidissima</i>	1014	<i>dissectum</i>	809
<i>tridentatum</i>	602	<i>Pseudacorus</i>	1015	<i>Galeobdolon</i>	812
<i>umbellatum</i>	604	<i>Isatis tinctoria</i>	109	<i>hybridum</i>	809
<i>villosum</i>	601	<i>Isardia palustris</i>	351	<i>incisum</i>	809
<i>vulgatum</i>	602	<i>Isoetes Duriei</i>	1261	<i>intermedium</i>	808
<i>Hierochloë borealis</i>	1163	<i>echinospora</i>	1260	<i>maculatum</i>	811
<i>Hippocrepis comosa</i>	275	<i>hystrix</i>	1261	<i>purpureum</i>	809
<i>Hippophaë</i>		<i>lacustris</i>	1261	<i>Lapsana communis</i>	609
<i>rhamnoides</i>	880	<i>Morei</i>	1260	<i>pusilla</i>	608
<i>Hippuris vulgaris</i>	395	<i>Isoplepis fluitans</i>	1095	<i>Lastrea abbreviata</i>	1286
<i>Holcus lanatus</i>	1198	<i>Holoschoenus</i>	1098	<i>œmula</i>	1289
<i>mollis</i>	1169	<i>pygmæa</i>	1097	<i>collina</i>	1288
<i>Holostium umbellatum</i>	158	<i>Saviana</i>	1097	<i>cristata</i>	1287
<i>Honckeyna peploides</i>	153	<i>Savii</i>	1097	<i>dilatata</i>	1288
<i>Hordeum maritimum</i>	1208	<i>setacea</i>	1096	<i>Filix-mas</i>	1286
<i>murinum</i>	1207			<i>Oreopteris</i>	1285
<i>pratense</i>	1206	<i>Jasione montana</i>	612	<i>recurva</i>	1289
<i>sylvaticum</i>	1205	<i>Juncus acutiflorus</i>	1062	<i>rigida</i>	1289
<i>Hottonia palustris</i>	647	<i>acutus</i>	1071	<i>spinulosa</i>	1288
<i>Humulus Lupulus</i>	905	<i>arcticus</i>	1061	<i>Thelypteris</i>	1284
<i>Hutchinsia petræa</i>	100	<i>articulatus</i>	1062	<i>uliginosa</i>	1287
<i>Hyacinthus nonscriptus</i>	1044	<i>balticus</i>	1061	<i>Lathræa squamaria</i>	723
<i>Hydrocharis</i>		<i>biglumis</i>	1074	<i>Lathyrus Aphaca</i>	288
<i>Morsus-ranæ</i>	977	<i>boltnicus</i>	1064	<i>hirsutus</i>	289
<i>Hydrocotyle vulgaris</i>	396	<i>bufonius</i>	1067	<i>latifolius</i>	292
<i>Hymenophyllum</i>		<i>bulbosus</i>	1064	<i>macrorrhizus</i>	295
<i>alatatum</i>	1308	<i>capitatus</i>	1069	<i>maritimus</i>	294
<i>tunbridgense</i>	1309	<i>castaneus</i>	1073		
<i>unilaterale</i>	1310				

	FIG.		FIG.		FIG.
niger	296	Littorella lacustris	831	<i>Convallaria</i>	1032
Nissolia	287	Lloydia serotina	1037	<i>Malachium aquaticum</i>	163
palustris	293	Lobelia Dortmanna	610	Malaxis paludosa	979
pratensis	290	urens	611	Malva moschata	197
sylvestris	292	<i>Lobularia maritima</i>	87	<i>parviflora</i>	195
tuberosus	291	Loiseleuria procumbens	632	<i>pusila</i>	195
Lavatera arborea	194	<i>Lolium arvense</i>	1212	<i>rotundifolia</i>	195
<i>Olbia</i>	194	<i>italicum</i>	1211	<i>sylvestris</i>	196
Leersia oryzoides	1155	<i>multiflorum</i>	1211	<i>verticillata</i>	195
Lemna arrhiza	948	<i>perenne</i>	1211	Marrubium vulgare	797
<i>gibba</i>	946	<i>remotum</i>	1211	Matricaria Chamomilla	525
<i>Michelii</i>	948	<i>temulentum</i>	1212	<i>inodora</i>	524
<i>minor</i>	945	<i>Lomaria Spicant</i>	1302	<i>maritima</i>	524
<i>polyrhiza</i>	947	<i>Lonicera</i>		<i>Parthenium</i>	523
<i>trisolca</i>	944	<i>Caprifolium</i>	465	Marthiola incana	48
Leontodon autumnalis	581	<i>Periclymenum</i>	464	<i>sinuata</i>	49
<i>hastilis</i>	580	<i>Xylosteum</i>	466	Meconopsis cambrica	41
<i>hirtus</i>	582	Lotus angustissimus	266	Medicago upiculata	237
<i>hispidus</i>	580	<i>corniculatus</i>	265	<i>denticulata</i>	237
<i>pratensis</i>	581	<i>crassifolius</i>	265	<i>falcata</i>	234
<i>Taraxacum</i>	593	<i>decumbens</i>	265	<i>lappacea</i>	237
Leonurus Cardiacæ	807	<i>deflexus</i>	266	<i>lupulina</i>	236
Lepidium campestre	102	<i>diffusus</i>	266	<i>maculata</i>	238
<i>Draba</i>	104	<i>hirsutus</i>	265	<i>minima</i>	239
<i>hirtum</i>	102	<i>hispidus</i>	265	<i>sativa</i>	235
<i>latifolium</i>	105	<i>major</i>	265	<i>sylvestris</i>	234
<i>ruderales</i>	106	<i>tenuifolius</i>	265	<i>Melachium aquaticum</i>	163
<i>Smithii</i>	103	<i>tenuis</i>	265	Melampyrum arvense	772
<i>Lepigonum medium</i>	170	<i>uliginosus</i>	265	<i>cristatum</i>	771
<i>neglectum</i>	170	Ludwigia palustris	351	<i>montanum</i>	773
<i>rubrum</i>	170	Luzula arcuata	1077	<i>pratense</i>	773
<i>rupestre</i>	170	<i>Borreri</i>	1075	<i>sylvaticum</i>	774
<i>rupicola</i>	170	<i>campestris</i>	1078	Melica nutans	1249
<i>salinum</i>	170	<i>congesta</i>	1078	<i>uniflora</i>	1250
Lepturus filiformis	1202	<i>erecta</i>	1078	Melilotus alba	242
<i>incurvatus</i>	1202	<i>Forsteri</i>	1075	<i>altissima</i>	240
Leucoium æstivum	1025	<i>maxima</i>	1076	<i>arvensis</i>	241
<i>vernum</i>	1025	<i>multiflora</i>	1078	<i>leucantha</i>	242
<i>Libanotis montana</i>	427	<i>pilosa</i>	1075	<i>officinalis</i>	240
Ligusticum scoticum	428	<i>spicata</i>	1079	<i>vulgaris</i>	242
Ligustrum vulgare	669	<i>sylvatica</i>	1076	Melittis grandiflora	796
Limnanthemum		<i>vernalis</i>	1075	Melissophyllum	796
<i>nymphæoides</i>	682	Lychnis alba	140	<i>Mentha agrestis</i>	784
<i>peltatum</i>	682	<i>alpina</i>	145	<i>Allioni</i>	784
Limosella aquatica	744	<i>dioica</i>	141	<i>alopecuroides</i>	778
Linaria Cymbalaria	737	<i>dirurna</i>	141	<i>aquatica</i>	782
<i>Elatine</i>	739	<i>Flos-cuculi</i>	143	<i>arvensis</i>	784
<i>latifolia</i>	732	<i>Githago</i>	142	<i>cardiaca</i>	783
<i>minor</i>	736	<i>vespertina</i>	140	<i>citrata</i>	782
<i>Pelisseriana</i>	734	<i>Viscaria</i>	144	<i>gentilis</i>	783
<i>repens</i>	733	Lycopodium alpinum	1257	<i>gracilis</i>	783
<i>sepium</i>	733	<i>annotinum</i>	1256	<i>hircina</i>	782
<i>speciosa</i>	732	<i>clavatum</i>	1255	<i>hirsuta</i>	782
<i>spuria</i>	738	<i>comp.anatum</i>	1257	<i>mollissima</i>	778
<i>striata</i>	733	<i>inundatum</i>	1259	<i>nemorosa</i>	778
<i>supina</i>	735	<i>selaginoides</i>	1260	<i>nummularia</i>	784
<i>vulgaris</i>	732	<i>Selago</i>	1258	<i>officinalis</i>	781
Linnæa borealis	467	Lycopsis arvensis	704	<i>paludosa</i>	783
Linosyris vulgaris	497	Lycopus europæus	777	<i>palustris</i>	782
Linum angustifolium	191	<i>Lynosyris vulgaris</i>	497	<i>parietariaefolia</i>	784
<i>catharticum</i>	192	Lysimachia nemorum	655	<i>Pauiana</i>	783
<i>perenne</i>	190	<i>Nummularia</i>	654	<i>piperita</i>	781
<i>usitatissimum</i>	189	<i>punctata</i>	652	<i>præcox</i>	784
Liparis Loeselii	980	<i>thyrsiflora</i>	653	<i>pratensis</i>	783
Listera cordata	988	<i>vulgaris</i>	652	<i>pubescens</i>	782
<i>ovata</i>	987	Lythrum hyssopifolium	355	<i>Pulegium</i>	785
Litho-spermum arvense	694	<i>Salicaria</i>	354	<i>rotundifolia</i>	779
<i>officinale</i>	695	Maianthemum		<i>rubra</i>	783
<i>purpureo-cæruleum</i>	696	<i>bifolium</i>	1022	<i>sativa</i>	783

	FIG.		FIG.		FIG.
<i>subglabra</i>	782	<i>terrestre</i>	54	<i>pyramidalis</i>	1003
<i>sylvestris</i>	778	<i>Neottia intacta</i>	1006	<i>Simia</i>	996
<i>velutina</i>	783	<i>Neottia Nidus-avis</i>	989	<i>tephrosanthus</i>	996
<i>viridis</i>	780	<i>Nepeta Cataria</i>	792	<i>ustulata</i>	997
<i>vulgaris</i>	781	<i>Glechoma</i>	791	<i>Origanum</i>	
<i>Wirtgeniana</i>	783	<i>Nephradium æmulum</i>	1288	<i>megatachyum</i>	787
<i>Menyanthes trifoliata</i>	681	<i>cristatum</i>	1287	<i>vulgare</i>	787
<i>Menziesia cærulea</i>	634	<i>dilatatum</i>	1288	<i>Ornithogalum nutans</i>	1040
<i>polifolia</i>	633	<i>Filix-mas</i>	1286	<i>pyrenaicum</i>	1041
<i>Mercurialis ambigua</i>	896	<i>sceniseii</i>	1288	<i>umbellatum</i>	1039
<i>annua</i>	896	<i>montanum</i>	1285	<i>Ornithopus ebracteatus</i>	273
<i>perennis</i>	895	<i>Oreopteris</i>	1285	<i>perpusillus</i>	274
<i>Mertensia maritima</i>	493	<i>remotum</i>	1288	<i>Orobanche amethystea</i>	720
<i>Mespilus germanica</i>	340	<i>rigidum</i>	1289	<i>arenaria</i>	721
<i>Meum athamanticum</i>	430	<i>spinulosum</i>	1288	<i>barbata</i>	720
<i>Mibora verna</i>	1176	<i>Thelypteris</i>	1284	<i>cærulea</i>	721
<i>Microcala fliformis</i>	672	<i>Nuphar intermedium</i>	35	<i>caryophyllacea</i>	717
<i>Milium effusum</i>	1156	<i>luteum</i>	35	<i>elatior</i>	719
<i>Mimulus luteus</i>	744	<i>pumilum</i>	35	<i>Epithymum</i>	718
<i>Mœhringia trinervia</i>	156	<i>Nymphæa alba</i>	34	<i>Eryngii</i>	720
<i>Mœnchia erecta</i>	157			<i>Galii</i>	717
<i>Molinia cærulea</i>	1248	<i>Odontites divergens</i>	766	<i>Hederæ</i>	720
<i>depauperata</i>	1248	<i>rotundata</i>	766	<i>major</i>	716
<i>Moneses grandiflora</i>	641	<i>rubra</i>	766	<i>minor</i>	720
<i>Monotropa Hypopitys</i>	646	<i>serotina</i>	766	<i>Picridis</i>	720
<i>Montia fontana</i>	174	<i>verna</i>	766	<i>ramosa</i>	722
<i>minor</i>	174	<i>Enanthe crocata</i>	423	<i>Rapum</i>	716
<i>rivularis</i>	174	<i>fistulosa</i>	421	<i>rubra</i>	718
<i>Mulgedium alpinum</i>	589	<i>fluvialis</i>	424	<i>Orobuchus macrorrhizus</i>	295
<i>Muscari racemosum</i>	1045	<i>Lachenalii</i>	422	<i>niger</i>	296
<i>Myosotis alpestris</i>	698	<i>peucedanifolia</i>	422	<i>sylvaticus</i>	281
<i>arvensis</i>	699	<i>Phellandrium</i>	424	<i>tenuifolius</i>	295
<i>cæspitosa</i>	697	<i>pimpinelloides</i>	422	<i>tuberosus</i>	295
<i>collina</i>	700	<i>silaifolia</i>	422	<i>Osmunda regalis</i>	1275
<i>lingulata</i>	697	<i>Smithii</i>	422	<i>Oxalis Acetosella</i>	216
<i>Mitteni</i>	700	<i>Enothera biennis</i>	350	<i>corniculata</i>	217
<i>palustris</i>	697	<i>odorata</i>	350	<i>stricta</i>	217
<i>repens</i>	697	<i>Onobrychis sativa</i>	276	<i>Oxycoccus palustris</i>	627
<i>rupicola</i>	698	<i>Ononis antiquorum</i>	236	<i>Oxyria digyna</i>	866
<i>strigulosa</i>	697	<i>arvensis</i>	232	<i>reniformis</i>	866
<i>sylvatica</i>	698	<i>campestris</i>	232	<i>Oxytropis campestris</i>	271
<i>versicolor</i>	701	<i>inermis</i>	232	<i>Halleri</i>	272
<i>Myosurus minimus</i>	8	<i>procumbens</i>	232	<i>uralensis</i>	272
<i>Myrica Gale</i>	908	<i>procurrens</i>	232		
<i>Myriophyllum</i>		<i>reclinata</i>	233	<i>Pæonia officinalis</i>	32
<i>alterniflorum</i>	393	<i>repens</i>	232	<i>corallina</i>	32
<i>pectinotum</i>	394	<i>spinosa</i>	232	<i>Panicum Crus-galli</i>	1162
<i>spicatum</i>	393	<i>Onopordon Acanthium</i>	568	<i>glabrum</i>	1158
<i>verticillatum</i>	394	<i>Ophioglossum</i>		<i>glaucum</i>	1160
<i>Myrrhis odorata</i>	440	<i>lusitanicum</i>	1273	<i>sanguinale</i>	1157
		<i>vulgatum</i>	1273	<i>verticillatum</i>	1159
<i>Najas flexilis</i>	951	<i>Ophrys apifera</i>	1011	<i>viride</i>	1161
<i>graminea</i>	953	<i>arachnites</i>	1011	<i>Papaver Argemone</i>	40
<i>major</i>	952	<i>aranifera</i>	1012	<i>dubium</i>	38
<i>marina</i>	952	<i>fucifera</i>	1012	<i>hybridum</i>	39
<i>Narcissus biflorus</i>	1023	<i>muscifera</i>	1013	<i>Lamottei</i>	38
<i>Bromfieldii</i>	1022	<i>Trollii</i>	1011	<i>Leocgii</i>	38
<i>combricus</i>	1022	<i>Orchis fusca</i>	996	<i>Rhœas</i>	37
<i>lobularis</i>	1022	<i>hircina</i>	1002	<i>somniferum</i>	36
<i>major</i>	1022	<i>incarnata</i>	1001	<i>Parietaria diffusa</i>	904
<i>Pseudonarcissus</i>	1022	<i>latifolia</i>	1001	<i>officinalis</i>	904
<i>Nardus stricta</i>	1203	<i>laxiflora</i>	999	<i>Paris quadrifolia</i>	1027
<i>Narthecium</i>		<i>maculata</i>	1000	<i>Parnassia palustris</i>	389
<i>ossifragum</i>	1055	<i>majalis</i>	1001	<i>Pastinaca sativa</i>	436
<i>Nasturtium amphibium</i>	55	<i>mascula</i>	998	<i>Pedicularis palustris</i>	769
<i>officinale</i>	52	<i>mollitaris</i>	996	<i>sylvatica</i>	770
<i>palustre</i>	54	<i>Morio</i>	995	<i>Peplis Portula</i>	356
<i>sifolium</i>	52	<i>palmata</i>	1001	<i>Petasites vulgaris</i>	539
<i>sylvestre</i>	53	<i>purpurea</i>	996	<i>Petroselinum sativum</i>	408

	FIG.		FIG.		FIG.
<i>Peucedanum officinale</i>	433	<i>procumbens</i>	1236	<i>filiformis</i>	966
<i>Ostruthium</i>	435	<i>rigida</i>	1237	<i>flabellatus</i>	966
<i>palustre</i>	434	<i>stricta</i>	1244	<i>fruticans</i>	956
<i>salivum</i>	436	<i>strigosa</i>	1241	<i>Friesii</i>	965
<i>Phaca astragalina</i>	269	<i>sub-cærulea</i>	1241	<i>gracilis</i>	965
<i>Phalaris arundinacea</i>	1166	<i>sub-compressa</i>	1240	<i>gramineus</i>	963
<i>canariensis</i>	1165	<i>trivialis</i>	1242	<i>Griffithii</i>	959
<i>Phellandrium</i>		<i>Polemonium cæruleum</i>	683	<i>heterophyllum</i>	957
<i>aquaticum</i>	424	<i>Polycarpon</i>		<i>juncifolius</i>	966
<i>Phleum alpinum</i>	1168	<i>tetraphyllum</i>	172	<i>lanceolatus</i>	958
<i>arenarium</i>	1171	<i>Polygala amara</i>	126	<i>lithuanicus</i>	959
<i>asperum</i>	1170	<i>austriaca</i>	126	<i>Lonchites</i>	958
<i>Bœhmeri</i>	1169	<i>calcarca</i>	126	<i>longifolius</i>	958
<i>nodosum</i>	1167	<i>ciliata</i>	126	<i>lucens</i>	958
<i>phalaroides</i>	1169	<i>depressa</i>	126	<i>marinus</i>	966
<i>pratense</i>	1167	<i>oxyptera</i>	126	<i>mucronatus</i>	965
<i>Phragmites communis</i>	1254	<i>serpyllana</i>	126	<i>natans</i>	956
<i>Phyllodoce cærulea</i>	634	<i>uliginosa</i>	126	<i>nitens</i>	957
<i>taxifolia</i>	634	<i>vulgaris</i>	126	<i>oblongus</i>	956
<i>Physospermum</i>		<i>Polygonatum</i>		<i>obtusifolius</i>	963
<i>cornubiense</i>	452	<i>multiflorum</i>	1029	<i>pectinatus</i>	966
<i>Phyteuma orbiculare</i>	613	<i>officinale</i>	1030	<i>perfoliatus</i>	960
<i>spicatum</i>	614	<i>verticillatum</i>	1028	<i>plantagineus</i>	956
<i>Picris arvalis</i>	579	<i>Polygonum amphibium</i>	873	<i>polygonifolius</i>	956
<i>echioides</i>	578	<i>aviculare</i>	867	<i>prælongus</i>	959
<i>hieracioides</i>	579	<i>biforme</i>	874	<i>pusillus</i>	965
<i>Pilularia globulifera</i>	1262	<i>bi-torta</i>	872	<i>rufescens</i>	958
<i>Pimpinella dioica</i>	406	<i>Convulvulus</i>	869	<i>salicifolius</i>	959
<i>glauca</i>	406	<i>dumetorum</i>	870	<i>serratus</i>	961
<i>magna</i>	416	<i>flexile</i>	1278	<i>spathulatus</i>	958
<i>major</i>	416	<i>Hydropiper</i>	876	<i>trichoides</i>	965
<i>Saxifraga</i>	415	<i>lapathifolium</i>	875	<i>Zizii</i>	958
<i>Pinguicula alpina</i>	663	<i>laxum</i>	875	<i>Zosterifolius</i>	964
<i>grandiflora</i>	662	<i>littorale</i>	867	<i>Potentilla alpestris</i>	316
<i>lusitanica</i>	664	<i>maculatum</i>	875	<i>anserina</i>	318
<i>vulgaris</i>	662	<i>maritimum</i>	868	<i>argentea</i>	315
<i>Pinus sylvestris</i>	934	<i>minus</i>	877	<i>aurea</i>	316
<i>Pisum maritimum</i>	294	<i>mite</i>	877	<i>Comarum</i>	320
<i>Plantago Coronopus</i>	830	<i>nodosum</i>	875	<i>Fragariastrum</i>	312
<i>intermedia</i>	826	<i>Persicaria</i>	874	<i>fruticosa</i>	317
<i>lanceolata</i>	828	<i>Raii</i>	868	<i>maculata</i>	316
<i>major</i>	826	<i>Roberti</i>	868	<i>mixta</i>	313
<i>maritima</i>	829	<i>viviparum</i>	871	<i>nemoralis</i>	314
<i>media</i>	827	<i>Polypodium alpestre</i>	1278	<i>norvegica</i>	315
<i>Timbali</i>	828	<i>calcareum</i>	1279	<i>procumbens</i>	314
<i>Platanthera bifolia</i>	1004	<i>cambricum</i>	1276	<i>reptans</i>	313
<i>Poa alpina</i>	1245	<i>Dryopteris</i>	1279	<i>rupestris</i>	319
<i>angustifolia</i>	1241	<i>flexile</i>	1278	<i>salisburgensis</i>	316
<i>annua</i>	1239	<i>Phegopteris</i>	1277	<i>Sibbaldi</i>	321
<i>aquatica</i>	1232	<i>Robertianum</i>	1279	<i>Tormentilla</i>	314
<i>Balfourii</i>	1243	<i>vulgare</i>	1276	<i>verna</i>	316
<i>Borrieri</i>	1235	<i>Polypogon littoralis</i>	1179	<i>Poterium muricatum</i>	326
<i>bulbosa</i>	1246	<i>monspeliensis</i>	1178	<i>officinale</i>	325
<i>cæsia</i>	1243	<i>Polistichum</i>		<i>Sanguisorba</i>	326
<i>compressa</i>	1240	<i>aculeatum</i>	1283	<i>Prenanthes muralis</i>	586
<i>distans</i>	1235	<i>Lonchitis</i>	1282	<i>Primula acaulis</i>	649
<i>flexuosa</i>	1244	<i>Populus alba</i>	931	<i>elatior</i>	648
<i>fluitans</i>	1233	<i>canescens</i>	931	<i>farinosa</i>	650
<i>glauca</i>	1243	<i>fastigiata</i>	933	<i>officinalis</i>	648
<i>kœleri</i>	1242	<i>nigra</i>	933	<i>scotica</i>	650
<i>laxa</i>	1244	<i>tremula</i>	932	<i>variabilis</i>	648
<i>loliacea</i>	1238	<i>Potamogeton</i>		<i>veris</i>	648
<i>maritima</i>	1234	<i>acuminatus</i>	958	<i>vulgaris</i>	649
<i>minor</i>	1244	<i>acutifolius</i>	964	<i>Prunella vulgaris</i>	793
<i>montana</i>	1243	<i>compressus</i>	963	<i>Prunus Avium</i>	298
<i>nemorialis</i>	1243	<i>crispus</i>	961	<i>Cerasus</i>	298
<i>Parnellii</i>	1243	<i>cuspidatus</i>	964	<i>communis</i>	297
<i>polynoda</i>	1240	<i>decipiens</i>	958	<i>domestica</i>	297
<i>pratensis</i>	1241	<i>densus</i>	962	<i>insilitia</i>	297

	FIG.		FIG.		FIG.
<i>Padus</i>	299	<i>hederaceus</i>	10	<i>Blondæana</i>	331
<i>spinosa</i>	297	<i>heterophyllus</i>	9	<i>Borreri</i>	331
<i>Psama arenaria</i>	1183	<i>hirsutus</i>	21	<i>bractescens</i>	331
<i>baltica</i>	1185	<i>homophyllus</i>	10	<i>Briggsii</i>	330
<i>Pseudathyrium</i>		<i>intermedius</i>	10	<i>britannica</i>	329
<i>alpestre</i>	1278	<i>Lenormandi</i>	10	<i>cæsia</i>	331
<i>Pteris aquilina</i>	1303	<i>Lingua</i>	11	<i>canescens</i>	331
<i>Pulicaria disenterica</i>	516	<i>marinus</i>	9	<i>canina</i>	331
<i>vulgaris</i>	517	<i>ophioglossifolius</i>	13	<i>celerata</i>	331
<i>Pulmonaria</i>		<i>pantothyæ</i>	9	<i>cærulea</i>	329
<i>angustifolia</i>	692	<i>parviflorus</i>	22	<i>collina</i>	331
<i>officinalis</i>	692	<i>parvulus</i>	21	<i>concinna</i>	331
<i>Pyrola arenaria</i>	642	<i>peltatus</i>	9	<i>coronata</i>	329
<i>maritima</i>	642	<i>pencedanifolius</i>	9	<i>cortifolia</i>	331
<i>media</i>	643	<i>penicillatus</i>	9	<i>Crepiniana</i>	331
<i>minor</i>	644	<i>philonotis</i>	21	<i>cryptopoda</i>	330
<i>rotundifolia</i>	642	<i>pseudo-fluitans</i>	9	<i>decipiens</i>	331
<i>secunda</i>	645	<i>radians</i>	9	<i>Doniana</i>	329
<i>uniflora</i>	641	<i>repens</i>	18	<i>dumalis</i>	331
<i>Pyrus acerba</i>	334	<i>reptans</i>	12	<i>dumetorum</i>	331
<i>Achras</i>	333	<i>salsuginosus</i>	9	<i>Eglanteria</i>	330
<i>Aria</i>	335	<i>Sardous</i>	21	<i>farinosa</i>	329
<i>Aucuparia</i>	337	<i>sceleratus</i>	15	<i>fastigiata</i>	332
<i>Briggsii</i>	333	<i>tonicophyllus</i>	17	<i>Forsteri</i>	331
<i>communis</i>	333	<i>trichophyllus</i>	9	<i>frondosa</i>	331
<i>cordata</i>	333	<i>tripartitus</i>	10	<i>gallicoides</i>	332
<i>domestica</i>	337	<i>triphyllus</i>	9	<i>glabra</i>	329
<i>fennica</i>	335	<i>truncatus</i>	9	<i>glaucophylla</i>	331
<i>germanica</i>	340	<i>vulgaris</i>	9	<i>gracilescens</i>	329
<i>intermedia</i>	335	<i>vulgatus</i>	17	<i>gracilis</i>	329
<i>latifolia</i>	335	<i>Raphanus maritimus</i>	112	<i>Hailstonei</i>	331
<i>Malus</i>	334	<i>Raphanistrum</i>	112	<i>implexa</i>	331
<i>pinnatifida</i>	335	<i>Reseda alba</i>	115	<i>incana</i>	331
<i>Pyraster</i>	333	<i>fruticulosa</i>	115	<i>inodora</i>	330
<i>rupicola</i>	335	<i>Hookeri</i>	115	<i>involuta</i>	329
<i>scandica</i>	335	<i>lutea</i>	114	<i>Jundzilliana</i>	329
<i>torminalis</i>	336	<i>luteola</i>	113	<i>Koninciana</i>	331
		<i>soffruticulosa</i>	115	<i>lævigata</i>	329
<i>Quercus intermedia</i>	915	<i>Rhamnus catharticus</i>	224	<i>leucochroa</i>	332
<i>pedunculata</i>	915	<i>Frangula</i>	225	<i>lutetiana</i>	331
<i>Robur</i>	915	<i>Rhinanthus</i>		<i>marginata</i>	331
<i>sessiliflora</i>	915	<i>angustifolius</i>	768	<i>micrantha</i>	330
		<i>Rhodiola rosea</i>	360	<i>mollis</i>	329
<i>Radiola linoides</i>	193	<i>Crista-gali</i>	768	<i>mollissima</i>	329
<i>Millegrana</i>	193	<i>major</i>	768	<i>monsoniæ</i>	332
<i>Ranunculus acris</i>	17	<i>minor</i>	768	<i>monticola</i>	331
<i>aquatilis</i>	9	<i>Reichenbachii</i>	768	<i>Moorei</i>	329
<i>arvensis</i>	23	<i>Rhynchospora alba</i>	1086	<i>Nicholsoni</i>	329
<i>auricomus</i>	16	<i>fusca</i>	1085	<i>nivalis</i>	329
<i>Bachii</i>	9	<i>Ribes alpinum</i>	372	<i>nuda</i>	331
<i>Baudotii</i>	9	<i>Grossularia</i>	370	<i>obovata</i>	329
<i>Boræanus</i>	17	<i>nigrum</i>	373	<i>obtusifolia</i>	331
<i>bulbosus</i>	20	<i>petræum</i>	371	<i>occidentalis</i>	329
<i>chærophyllos</i>	19	<i>rubrum</i>	371	<i>opaca</i>	332
<i>circinatus</i>	9	<i>sativum</i>	371	<i>permixta</i>	330
<i>cænosus</i>	10	<i>spicatum</i>	371	<i>pimpinellifolia</i>	328
<i>confervoides</i>	9	<i>sylvestre</i>	371	<i>platyphylla</i>	331
<i>confusus</i>	9	<i>Uca-crispa</i>	370	<i>pomifera</i>	329
<i>divaricatus</i>	9	<i>Rœmeria hybrida</i>	43	<i>pruinosa</i>	331
<i>diversifolius</i>	9	<i>Romulea Columnæ</i>	1019	<i>Pseudo-rubiginosa</i>	329
<i>Drouetii</i>	9	<i>Rosa agrestis</i>	33	<i>pulverulenta</i>	330
<i>Ficaria</i>	14	<i>Andevagensis</i>	331	<i>repens</i>	332
<i>fissifolius</i>	9	<i>arvatica</i>	331	<i>Reuteri</i>	331
<i>Flammula</i>	12	<i>arvensis</i>	332	<i>Robertsoni</i>	329
<i>floribundus</i>	9	<i>aspernata</i>	331	<i>rubella</i>	330
<i>fluitans</i>	9	<i>Bakeri</i>	331	<i>rubiginosa</i>	330
<i>Godronii</i>	9	<i>bibracteata</i>	332	<i>Sabini</i>	329
		<i>Billietii</i>	330	<i>sarmentacea</i>	331
		<i>biserrata</i>	331	<i>scabriuscula</i>	329

	FIG.		FIG.		FIG.
<i>sclerophylla</i>	331	<i>Idæus</i>	306	<i>maximus</i>	859
<i>scuticosa</i>	331	<i>imbricatus</i>	307	<i>nemorosus</i>	861
<i>sepium</i>	330	<i>incurvatus</i>	307	<i>obtusifolius</i>	858
<i>Sherrardi</i>	329	<i>infestus</i>	307	<i>palustris</i>	863
<i>Smithii</i>	329	<i>intermedius</i>	308	<i>pratensis</i>	857
<i>sphaerica</i>	331	<i>Kœhleri</i>	307	<i>pulcher</i>	862
<i>spinonissima</i>	328	<i>latifolius</i>	307	<i>rupestris</i>	860
<i>stylosa</i>	332	<i>Leesii</i>	306	<i>sanguineus</i>	861
<i>subcristata</i>	331	<i>Leightonii</i>	307	<i>Steinii</i>	863
<i>subglobosa</i>	329	<i>Leightonianus</i>	307	<i>sylvestris</i>	858
<i>surculosa</i>	331	<i>Lejeunii</i>	307	<i>viridis</i>	861
<i>sylvestris</i>	329	<i>lenticinosus</i>	307	<i>Ruppia maritima</i>	955
<i>sylvicola</i>	330	<i>leucostachys</i>	307	<i>rostellata</i>	955
<i>systylis</i>	331	<i>Lindleianus</i>	307	<i>spiralis</i>	955
<i>tomentella</i>	331	<i>macrophyllus</i>	307	<i>Ruscus aculeatus</i>	1034
<i>tomentosa</i>	329	<i>mucronatus</i>	307		
<i>uncinella</i>	331	<i>mucronulatus</i>	307	<i>Sagina ambigua</i>	146
<i>urbica</i>	331	<i>mutabilis</i>	307	<i>apetala</i>	146
<i>verticillocanthu</i>	331	<i>nemorosus</i>	307	<i>ciliata</i>	146
<i>villosa</i>	329	<i>nitidus</i>	307	<i>debilis</i>	146
<i>vinacea</i>	331	<i>obliquus</i>	307	<i>densa</i>	146
<i>Watsoni</i>	331	<i>pallidus</i>	307	<i>Linæi</i>	147
<i>Wilsoni</i>	329	<i>pampinosus</i>	307	<i>maritima</i>	146
<i>Woodiana</i>	329	<i>plicatus</i>	307	<i>nivalis</i>	147
<i>Rubia peregrina</i>	468	<i>præruptorum</i>	307	<i>nodosa</i>	148
<i>tinctoria</i>	468	<i>Pseudo-idæus</i>	308	<i>procumbens</i>	146
<i>Rubus abruptus</i>	307	<i>Purchasii</i>	307	<i>saxatilis</i>	147
<i>adscitus</i>	307	<i>purpureus</i>	307	<i>subulata</i>	147
<i>affinis</i>	307	<i>pygmaeus</i>	307	<i>Sagittaria sagittifolia</i>	968
<i>althæifolius</i>	307	<i>pyramidalis</i>	307	<i>Salicornia herbacea</i>	837
<i>amplificatus</i>	307	<i>Radula</i>	307	<i>lignosa</i>	837
<i>Babingtonii</i>	307	<i>ramosus</i>	307	<i>megastachya</i>	837
<i>Balfourianus</i>	307	<i>Reuteri</i>	307	<i>procumbens</i>	837
<i>Bellardi</i>	307	<i>rhamnifolius</i>	307	<i>Salix acuminata</i>	921
<i>Bloxami</i>	307	<i>rosaceus</i>	307	<i>acutifolia</i>	924
<i>Borreri</i>	307	<i>rotundifolius</i>	307	<i>alba</i>	918
<i>Briggsii</i>	307	<i>rubicolor</i>	308	<i>ambigua</i>	925
<i>cæsius</i>	308	<i>rudis</i>	307	<i>amygdalina</i>	919
<i>calvatus</i>	307	<i>Salteri</i>	307	<i>Andersoniana</i>	924
<i>carpinifolius</i>	307	<i>Saltum</i>	307	<i>aquatica</i>	922
<i>cavatifolius</i>	307	<i>saxatilis</i>	309	<i>Arbuscula</i>	928
<i>Chamæmorus</i>	310	<i>scaber</i>	307	<i>arbutifolia</i>	928
<i>Colemanni</i>	307	<i>Schlechtendahlis</i>	307	<i>arenaria</i>	925
<i>concinus</i>	307	<i>Sprengelii</i>	307	<i>argentea</i>	925
<i>conjungens</i>	307	<i>suberectus</i>	307	<i>ascendens</i>	925
<i>cordifolius</i>	307	<i>subulstris</i>	307	<i>aurita</i>	923
<i>corylifolius</i>	307	<i>tenuis</i>	308	<i>bicolor</i>	924
<i>dentatus</i>	307	<i>thyrsoides</i>	307	<i>Barreriana</i>	924
<i>denticulatus</i>	307	<i>tuberculatus</i>	307	<i>carulea</i>	918
<i>derasus</i>	307	<i>ulmifolius</i>	308	<i>Caprea</i>	922
<i>discolor</i>	308	<i>umbrosus</i>	307	<i>carinata</i>	928
<i>diversifolius</i>	307	<i>vestitus</i>	307	<i>cinerea</i>	922
<i>dumetorum</i>	307	<i>villicaulis</i>	307	<i>contorta</i>	919
<i>Emersistylus</i>	307	<i>vulgaris</i>	307	<i>cotinifolia</i>	924
<i>fastigiatus</i>	307	<i>Wahlbergii</i>	307	<i>Croweana</i>	924
<i>fissus</i>	307	<i>Rumex Acetosella</i>	864	<i>cuspidata</i>	916
<i>foliosus</i>	307	<i>Acetosella</i>	865	<i>damascena</i>	924
<i>fruticosus</i>	307	<i>acutus</i>	857	<i>daphnoides</i>	924
<i>fusco-ater</i>	307	<i>alpinus</i>	856	<i>Davalliana</i>	924
<i>fuscus</i>	307	<i>aquaticus</i>	856	<i>decipiens</i>	917
<i>glandulosus</i>	307	<i>conglomeratus</i>	860	<i>Dicksoniana</i>	924
<i>Grabowskii</i>	307	<i>conspersus</i>	857	<i>Doniana</i>	920
<i>Guntheri</i>	307	<i>crispus</i>	857	<i>ferruginea</i>	921
<i>hemistemon</i>	307	<i>elongatus</i>	857	<i>floribunda</i>	924
<i>hirtus</i>	307	<i>Friesii</i>	858	<i>foetida</i>	925
<i>hirtifolius</i>	307	<i>Hydrolapathum</i>	859	<i>Forbyana</i>	920
<i>hippidus</i>	308	<i>Knaß</i>	863	<i>Forsteriana</i>	924
<i>humifusus</i>	307	<i>longifolius</i>	856	<i>fragilis</i>	917
<i>Hystrix</i>	307	<i>maritimus</i>	863		

	FIG.		FIG.		FIG.
<i>fusca</i>	925	<i>Verbenaca</i>	776	<i>multicaulis</i>	1092
<i>glauca</i>	926	<i>Sambucus Ebulus</i>	461	<i>palustris</i>	1091
<i>Grahami</i>	928	<i>nigra</i>	460	<i>parvulus</i>	1090
<i>Helix</i>	920	<i>Samolus Valerandi</i>	661	<i>pauciflorus</i>	1093
<i>herbacea</i>	930	<i>Sanguisorba officinalis</i>	325	<i>planifolius</i>	1087
<i>hirta</i>	924	<i>Sanicula europæa</i>	397	<i>pungens</i>	1099
<i>Hoffmanniana</i>	919	<i>Saponaria hybrida</i>	132	<i>pygmæus</i>	1097
<i>holosericea</i>	921	<i>officinalis</i>	132	<i>riparius</i>	1097
<i>incubacea</i>	925	<i>Sarothamnus scoparius</i>	231	<i>Rothii</i>	1099
<i>lævis</i>	928	<i>Saussurea alpina</i>	555	<i>rufus</i>	1088
<i>Lambertiana</i>	920	<i>Saxifraga affinis</i>	377	<i>Savii</i>	1097
<i>lanata</i>	927	<i>aizoides</i>	375	<i>setaceus</i>	1096
<i>lanceolata</i>	919	<i>autumnalis</i>	375	<i>sylvaticus</i>	1103
<i>Laponum</i>	926	<i>cæspitosa</i>	378	<i>Tabernaemontani</i>	1101
<i>laurina</i>	924	<i>cernua</i>	380	<i>triqueter</i>	1100
<i>laxiflora</i>	924	<i>decipiens</i>	377	<i>Scleranthus annuus</i>	835
<i>livida</i>	928	<i>elegans</i>	385	<i>biennis</i>	835
<i>Meyeriana</i>	916	<i>elongata</i>	377	<i>perennis</i>	836
<i>mollissima</i>	921	<i>Geum</i>	386	<i>Sclerochloa Borreri</i>	1235
<i>Myrsinites</i>	928	<i>gracilis</i>	385	<i>conferta</i>	1235
<i>myrtilloides</i>	924	<i>granulata</i>	379	<i>distans</i>	1235
<i>nigricans</i>	924	<i>greenlandica</i>	378	<i>loliacea</i>	1238
<i>nitens</i>	924	<i>hibernica</i>	377	<i>maritima</i>	1234
<i>oleifolia</i>	922	<i>Hirculus</i>	376	<i>multicaulis</i>	1235
<i>parvifolia</i>	925	<i>hirsutus</i>	385	<i>procumbens</i>	1236
<i>pentandra</i>	916	<i>hirta</i>	377	<i>rigida</i>	1237
<i>phyllicifolia</i>	924	<i>hypnoides</i>	377	<i>Scolopendrium vulgare</i>	1300
<i>petræa</i>	924	<i>incurvisfolia</i>	378	<i>Scrophularia aquatica</i>	741
<i>phillyræaefolia</i>	924	<i>læte-virens</i>	377	<i>Balbistia</i>	741
<i>pontederama</i>	920	<i>lævis</i>	377	<i>cinerea</i>	741
<i>propinqua</i>	924	<i>leptophylla</i>	377	<i>Ehrharti</i>	741
<i>procumbens</i>	928	<i>nivalis</i>	383	<i>nodosa</i>	740
<i>prostrata</i>	925	<i>oppositifolia</i>	374	<i>Scorodonia</i>	742
<i>prunifolia</i>	928	<i>pulmala</i>	377	<i>umbrosa</i>	741
<i>purpurea</i>	920	<i>platypetala</i>	377	<i>vernalis</i>	743
<i>radicans</i>	924	<i>punctata</i>	385	<i>Scutellaria galericulata</i>	794
<i>ramulosa</i>	220	<i>quinquefida</i>	377	<i>minor</i>	795
<i>repens</i>	925	<i>rivularis</i>	381	<i>Sedum acre</i>	366
<i>reticulata</i>	929	<i>serratifolia</i>	385	<i>albescens</i>	368
<i>rosmarinifolia</i>	925	<i>sponhemica</i>	377	<i>album</i>	364
<i>rubra</i>	920	<i>stellaris</i>	384	<i>anglicum</i>	362
<i>rugosa</i>	921	<i>Sternbergii</i>	377	<i>dasyphyllum</i>	363
<i>rupestris</i>	924	<i>tridaetylites</i>	382	<i>elegans</i>	368
<i>Russelliana</i>	917	<i>trifida</i>	377	<i>Fabaria</i>	361
<i>Sadleri</i>	928	<i>umbrosa</i>	385	<i>Forsterianum</i>	368
<i>serrata</i>	928	<i>Scabiosa arvensis</i>	494	<i>glaucum</i>	388
<i>Smithiana</i>	921	<i>Columbaria</i>	493	<i>micranthum</i>	364
<i>stipularis</i>	924	<i>succisa</i>	492	<i>pruinatum</i>	368
<i>spathulata</i>	922	<i>Scandix Anthriscus</i>	444	<i>purpureosens</i>	361
<i>sphacelata</i>	922	<i>cerefolium</i>	443	<i>reflexum</i>	368
<i>Stuartiana</i>	926	<i>Pecten</i>	439	<i>Rhodiola</i>	360
<i>tenuifolia</i>	924	<i>Scheuchzeria palustris</i>	973	<i>rupestre</i>	368
<i>tenuior</i>	924	<i>Schoberia fruticosa</i>	838	<i>sexangulare</i>	367
<i>tetraptla</i>	924	<i>maritima</i>	839	<i>Telephium</i>	361
<i>Trevirani</i>	919	<i>Schoenus nigricans</i>	1083	<i>teretifolium</i>	364
<i>triandra</i>	919	<i>Scilla autumnalis</i>	1043	<i>villosum</i>	365
<i>undulata</i>	919	<i>nutans</i>	1044	<i>Selaginella selaginoides</i>	1260
<i>vacciniifolia</i>	928	<i>verna</i>	1042	<i>spinosa</i>	1260
<i>venulosa</i>	928	<i>Scirpus acicularis</i>	1089	<i>Sempervivum tectorum</i>	369
<i>versifolia</i>	925	<i>cæspitosus</i>	1094	<i>Senebiera Coronopus</i>	107
<i>viminalis</i>	921	<i>caricinus</i>	1087	<i>didyma</i>	108
<i>viridis</i>	917	<i>Curcis</i>	1087	<i>Senecio aquaticus</i>	544
<i>vitellina</i>	918	<i>carinatus</i>	1101	<i>barbareaefolius</i>	544
<i>Weigeliana</i>	924	<i>Davallii</i>	1101	<i>campestris</i>	550
<i>Woolgariana</i>	920	<i>fluitans</i>	1095	<i>errucifolius</i>	546
<i>Wulfeniana</i>	924	<i>glaucus</i>	1101	<i>flosculosus</i>	545
<i>Walsola Kali</i>	840	<i>Holoschoenus</i>	1098	<i>Jacobæa</i>	545
<i>Salvia claudestina</i>	775	<i>lacustris</i>	1093	<i>lividus</i>	542
<i>pratensis</i>	775	<i>maritimus</i>	1102	<i>maritima</i>	550

	FIG.		FIG.		FIG.
paludosus	547	oleraceus	592	umbrosa	165
palustris	549	palustris	591	Stratiotes aloides	978
saracenicus	548	<i>Sorbus fennica</i>	335	<i>Sturmia Loeselii</i>	980
<i>spathulæfolius</i>	550	latifolia	335	minima	1176
squalidus	543	scandica	335	<i>Suæda fruticosa</i>	838
sylvaticus	542	<i>Sparganium affine</i>	940	maritima	839
tenuifolius	546	minimum	941	<i>Subularia aquatica</i>	94
viscosus	541	nutans	940	<i>Symphytum officinale</i>	705
vulgaris	540	ramosum	939	patens	705
<i>Serrafalcus arvensis</i>	1220	simplex	940	tuberosum	706
<i>Serratula tinctoria</i>	554	<i>Spartina alterniflora</i>	1201		
Seseli Libanotis	427	stricta	1201		
Sesleria cærulea	1253	<i>Townsendii</i>	1201	<i>Tamarix anglica</i>	175
<i>Setaria glauca</i>	1160	<i>Spartium scoparium</i>	231	gallica	175
verticillata	1159	<i>Specularia hybrida</i>	623	<i>Tamus communis</i>	1026
viridis	1161	<i>Spergula arvensis</i>	171	<i>Tanacetum vulgare</i>	533
<i>Sherardia arvensis</i>	481	nodosa	148	<i>Taraxacum Dens-leonis</i>	593
<i>Sibbaldia procumbens</i>	321	saginoides	147	erythrospermum	593
<i>Sibthorpia europæa</i>	746	sativa	171	lævigatum	593
<i>Silaua pratensis</i>	429	stricta	151	officinale	593
<i>Silene acaulis</i>	133	subulata	147	palustre	593
anglica	137	vulgaris	171	<i>Taxus baccata</i>	936
conica	138	<i>Spergularia marina</i>	170	fastigiata	936
<i>Cucubalus</i>	134	media	170	<i>Teesdalia Iberis</i>	98
gallica	137	rubra	170	nudicaulis	98
inflata	134	rupestris	170	<i>Teucrium Botrys</i>	815
maritima	134	salina	170	Chamædrys	816
noctiflora	139	<i>Spiræa Filipendula</i>	302	scordicoides	814
nutans	136	salicifolia	300	Scordium	814
Otites	135	Ulmaria	301	Scorodonia	813
paradoxa	136	<i>Spiranthes æstivalis</i>	992	<i>Thalictrum alpinum</i>	2
quinquevulnera	137	autumnalis	991	calcareum	3
<i>Silybum marianum</i>	556	cernua	993	flavum	3
<i>Simethis bicolor</i>	1055	gemmipara	993	flexuosum	4
planifolia	1055	Romanzoviana	993	Kochii	3
<i>Sinapis alba</i>	80	<i>Stachys ambigua</i>	801	majus	3
arvensis	81	arvensis	802	minus	3
<i>Chieranthus</i>	77	Betonica	798	montanum	3
incana	83	germanica	799	Morisonii	4
nigra	82	palustris	801	riparium	4
tenuifolia	75	sylvatica	800	saxatile	3
<i>Sison Amomum</i>	405	<i>Statice Armeria</i>	824	sphaerocarpum	4
<i>Sisymbrium alliaria</i>	72	bahusiensis	821	<i>Thesium divaricatum</i>	881
lirio	70	Behen	821	humifusum	881
murale	76	auriculæfolia	822	linophyllum	881
officinale	69	bellidifolia	823	<i>Thlaspi alpestre</i>	97
polyceratum	72	binervosa	822	arvense	95
Sophia	71	Caspia	822	occitanum	97
tenuifolium	75	Dodartii	822	perfoliatum	96
<i>Thaliana</i>	60	Limonium	821	sylvestre	97
<i>Sisyrinchium</i>		occidentalis	822	virens	97
angustifolium	1018	oxylepis	822	<i>Thrinicia hirta</i>	582
bermudiana	1018	rariflora	821	<i>Thymus Acinos</i>	788
<i>Sium angustifolium</i>	414	reticulata	823	Chamædrys	786
erectum	414	serotina	821	Serpyllum	786
latifolium	413	spathulata	822	<i>Tilia europæa</i>	200
repens	403	<i>Stellaria aquatica</i>	163	grandifolia	200
<i>Smilacina bifolia</i>	1032	Boræana	165	intermedia	200
<i>Smyrniolum Olusatrum</i>	453	cerastoides	162	parviflora	200
<i>Solanum Dulcamara</i>	713	Elizabethæ	165	platyphyllous	200
luteo-virescens	714	glauca	168	vulgaris	200
miniaturum	714	graminea	167	<i>Tillæa muscosa</i>	358
nigrum	714	Holostea	169	<i>Tinia cylindracea</i>	1006
<i>Solidago cambrica</i>	501	media	165	<i>Tofieldia borealis</i>	1056
Virga-aurea	501	neglecta	165	palustris	1056
<i>Sonchus alpinus</i>	589	nemorum	164	<i>Tordylium maximum</i>	438
arvensis	590	palustris	163	<i>Torilis Anthriscus</i>	446
asper	592	scapigera	167	infesta	447
cæruleus	589	uliginosa	166	nodosa	445

	FIG.		FIG.		FIG.
<i>Tormentilla erecta</i> . . .	314	<i>Ulex europæus</i> . . .	226	<i>triphyllus</i> . . .	763
<i>officinalis</i> . . .	314	<i>Gallii</i> . . .	227	<i>verna</i> . . .	762
<i>repans</i> . . .	314	<i>nanus</i> . . .	227	<i>Viburnum Lantana</i> . . .	462
<i>Tragopogon grandiflora</i> . . .	576	<i>strictus</i> . . .	226	<i>Opulus</i> . . .	463
<i>minor</i> . . .	576	<i>Ulmus campestris</i> . . .	907	<i>Vicia angustifolia</i> . . .	284
<i>porrifolius</i> . . .	577	<i>campestris</i> . . .	906	<i>bithynica</i> . . .	286
<i>pratensis</i> . . .	576	<i>carpinifolia</i> . . .	907	<i>Bobartii</i> . . .	284
<i>Trichomanes Andrewsii</i> . . .	1308	<i>glabra</i> . . .	907	<i>Cracca</i> . . .	279
<i>brevisetum</i> . . .	1308	<i>major</i> . . .	906	<i>gracilis</i> . . .	278
<i>radicans</i> . . .	1308	<i>montana</i> . . .	906	<i>hirsuta</i> . . .	277
<i>speciosum</i> . . .	1308	<i>stricta</i> . . .	907	<i>hybrida</i> . . .	283
<i>Trichonema</i> . . .		<i>suberosa</i> . . .	907	<i>lævigata</i> . . .	283
<i>bulbocodium</i> . . .	1019	<i>Urtica dioica</i> . . .	903	<i>lathyroides</i> . . .	285
<i>Columnæ</i> . . .	1019	<i>Dodartii</i> . . .	902	<i>lutea</i> . . .	283
<i>Trientalis europæa</i> . . .	656	<i>pilulifera</i> . . .	902	<i>Orobis</i> . . .	281
<i>Trifolium arvense</i> . . .	246	<i>urens</i> . . .	901	<i>sativa</i> . . .	284
<i>Bocconi</i> . . .	245	<i>Utricularia Bremii</i> . . .	666	<i>segetalis</i> . . .	284
<i>dubium</i> . . .	263	<i>intermedia</i> . . .	667	<i>sepium</i> . . .	282
<i>elegans</i> . . .	254	<i>minor</i> . . .	666	<i>sylvatica</i> . . .	280
<i>filiforme</i> . . .	264	<i>neglecta</i> . . .	665	<i>tetrasperma</i> . . .	278
<i>fragiferum</i> . . .	259	<i>vulgaris</i> . . .	665	<i>Villarsia reniformis</i> . . .	682
<i>glomeratum</i> . . .	255			<i>nymphæoides</i> . . .	682
<i>hybridum</i> . . .	261	<i>Vaccinium Myrtillus</i> . . .	624	<i>Vinca major</i> . . .	670
<i>incarnatum</i> . . .	244	<i>Oxycoccus</i> . . .	627	<i>minor</i> . . .	671
<i>maritimum</i> . . .	251	<i>uliginosum</i> . . .	625	<i>Viola arenaria</i> . . .	123
<i>medium</i> . . .	250	<i>Vitis idæa</i> . . .	626	<i>arvensis</i> . . .	125
<i>minus</i> . . .	263	<i>Valantia cruciata</i> . . .	409	<i>calcareæ</i> . . .	122
<i>Molineri</i> . . .	244	<i>Valeriana dioica</i> . . .	483	<i>canina</i> . . .	124
<i>ochroleucum</i> . . .	248	<i>Locusta</i> . . .	486	<i>Curtisii</i> . . .	125
<i>ornithopodioides</i> . . .	243	<i>micani</i> . . .	484	<i>flavicornis</i> . . .	124
<i>pratense</i> . . .	249	<i>officinalis</i> . . .	484	<i>grandiflora</i> . . .	125
<i>procumbens</i> . . .	262	<i>pyrenaica</i> . . .	485	<i>hirta</i> . . .	122
<i>repens</i> . . .	260	<i>sambucifolia</i> . . .	484	<i>lactea</i> . . .	124
<i>resupinatum</i> . . .	257	<i>Valerianella Auricula</i> . . .	488	<i>lutea</i> . . .	125
<i>scabrum</i> . . .	253	<i>carinata</i> . . .	487	<i>odorata</i> . . .	121
<i>stellatum</i> . . .	247	<i>dentata</i> . . .	489	<i>palustris</i> . . .	120
<i>striatum</i> . . .	252	<i>eriocarpa</i> . . .	489	<i>permixta</i> . . .	121
<i>strictum</i> . . .	254	<i>mixta</i> . . .	489	<i>persicæfolia</i> . . .	124
<i>subterraneum</i> . . .	258	<i>Morisonii</i> . . .	489	<i>pumila</i> . . .	124
<i>suffocatum</i> . . .	256	<i>olitoria</i> . . .	486	<i>Reichenbachiana</i> . . .	124
<i>Triglochin maritimum</i> . . .	975	<i>tridentata</i> . . .	488	<i>Riviniiana</i> . . .	124
<i>palustre</i> . . .	974	<i>Verbascum Blattaria</i> . . .	725	<i>sabulosa</i> . . .	125
<i>Trigonella</i> . . .		<i>Lychnitis</i> . . .	728	<i>sepincola</i> . . .	121
<i>ornithopodioides</i> . . .	243	<i>nigrum</i> . . .	727	<i>stagnina</i> . . .	124
<i>Trinia vulgaris</i> . . .	406	<i>pulverulentum</i> . . .	729	<i>sylvatica</i> . . .	124
<i>Triodia decumbens</i> . . .	1251	<i>Thapsus</i> . . .	724	<i>tricolor</i> . . .	125
<i>Trisetum flavescens</i> . . .	1196	<i>virgatum</i> . . .	726	<i>Viscum album</i> . . .	456
<i>Triticum acutum</i> . . .	1209	<i>Veronica officinalis</i> . . .	820	<i>Vulpia membranacea</i> . . .	1226
<i>alpinum</i> . . .	1209	<i>Veronica agrestis</i> . . .	759		
<i>caninum</i> . . .	1210	<i>alpina</i> . . .	750	<i>Wahlenbergia</i> . . .	
<i>juncum</i> . . .	1209	<i>Anagallis</i> . . .	753	<i>hederacea</i> . . .	622
<i>laxum</i> . . .	1209	<i>arvensis</i> . . .	761	<i>Woodsia hyperborea</i> . . .	1307
<i>littorale</i> . . .	1209	<i>Beccabunga</i> . . .	754	<i>ilvensis</i> . . .	1307
<i>loliaceum</i> . . .	1223	<i>Buxbaumii</i> . . .	760	<i>Wolfia arrhiza</i> . . .	918
<i>pungens</i> . . .	1209	<i>Chamædrys</i> . . .	757		
<i>repens</i> . . .	1209	<i>extima</i> . . .	761	<i>Xanthium Strumarium</i> . . .	518
<i>Trollius europæus</i> . . .	25	<i>hederæfolia</i> . . .	758		
<i>Tulipa sylvestris</i> . . .	1036	<i>hirsuta</i> . . .	752	<i>Zannichellia</i> . . .	
<i>Turritis glabra</i> . . .	56	<i>humifusa</i> . . .	751	<i>brachystemon</i> . . .	954
<i>hirsuta</i> . . .	58	<i>hybrida</i> . . .	748	<i>macrostemon</i> . . .	954
<i>Tussilago Farfara</i> . . .	538	<i>montana</i> . . .	756	<i>major</i> . . .	954
<i>hybrida</i> . . .	539	<i>officinalis</i> . . .	752	<i>palustris</i> . . .	954
<i>Petasites</i> . . .	539	<i>polita</i> . . .	759	<i>pedicellata</i> . . .	954
<i>Typa angustifolia</i> . . .	938	<i>saligna</i> . . .	752	<i>pedunculata</i> . . .	954
<i>latifolia</i> . . .	937	<i>saxatilis</i> . . .	749	<i>polycarpa</i> . . .	954
<i>media</i> . . .	937	<i>scutellata</i> . . .	755	<i>tenuissima</i> . . .	954
		<i>serpyllifolia</i> . . .	751	<i>Zostera marina</i> . . .	949
<i>Udora canadensis</i> . . .	976	<i>spicata</i> . . .	748	<i>nana</i> . . .	950

INDEX.

OF

ENGLISH AND POPULAR NAMES.

	FIG.		FIG.		FIG.
Absinth	537	Andromeda, Marsh	631	Barberry	33
Aceras, Man	1009	Anemone, Pasque	5	Barley, Meadow	1206
Achillea, Milfoil	531	Wood	6	Sea	1208
Sneezewort	530	Angelica, Wild	432	Wall	1207
Aconite	30	Antennaria, Mountain	510	Wood	1205
Acorus, Sweet	943	Pearl	511	Bartsia, Alpine	764
Adder's tongue	1273	Anthoxanth, Sweet	1164	Red	766
Adiant, Maidenhair	1304	Anthyllis	267	Viscid	765
Adonis	7	Apium, Celery	402	Basil	790
Æthusa	425	Lesser	404	Bastard-balm	796
Agrimony, Common	327	Procumbent	403	Beaksedge, Brown	1085
Hemp	495	Apple, Wild or Crab	334	White	1086
Agropyrum, Couch	1209	Arbutus	628	Beam, White	335
Fibrous	1210	Archangel, Yellow	812	Bearberry, Black	630
Agrostis, Bristle	1182	Arnoseris, Dwarf	608	Common	629
Brown	1181	Arrow-grass	974	Beardgrass, Annual	1178
Common	1180	Arrowhead	968	Perennial	1179
Silky	1183	Artimisia, Common	536	Bear's-foot	26
Aira, Early	1192	Field	534	Bedstraw, Ladies'	470
Grey	1191	Sea	535	Beech	914
Silvery	1193	Wormwood	537	Beech Fern	1277
Tufted	1189	Arum	942	Beet	850
Wavy	1190	Asarabacca	882	Belladonna	715
Alchemil, Alpine	323	Asarum	882	Betony	798
Common	322	Ash, Common	668	Bidens, Nodding	519
Field	324	Mountain	337	Three-cleft	520
Alder, Common	909	Asparagus	1033	Bilberry	624
Berry-bearing	224	Aspen	932	Bindweed, Black	866
Alexanders	453	Asperugo German	708	Small	684
Alisma, Common	969	Asperule, Small	480	Birch, Common	910
Floating	971	Woodruff	479	Dwarf	911
Lesser	970	Asphodel, Bog	1055	Bird's-foot, Common	274
Alkanet, Common	702	Lancashire	1055	Sand	273
Green	703	Scottish	1056	Trefoil	265
Allgood	849	Aster, Goldilocks	497	Bird's-nest, Orchis	989
All-heal	484	Sea	496	Yellow	646
Alliaria, Common	72	Astragal, Alpine	269	Bishopweed	407
Allium, Broad	1052	Purple	268	Bistort	872
Chive	1049	Sweet	270	Bittercress, Bulbiferous	67
Crow	1051	Astrantia, Larger	398	Hairy	66
Field	1048	Atropa, Deadly	715	Large	63
Large	1046	Avens, Common	304	Meadow	64
Round-headed	1050	Water	305	Narrow-leaved	65
Sand	1047	Awlwort, Water	94	Bittersweet	713
Triquetrous	1053	Baldmoney	430	Blackberry	307
Allosorus, Curled	1280	Ballota, Black	806	Blackthorn	297
Allseed	193	Balm, bastard	796	Bladderfern, Brittle	1305
Althæa, Hispid	199	Balsam, Orange	219	Mountain	1306
Marsh	198	Yellow	218	Bladder-seed	452
Alyssum, Small	86	Baneberry	31	Bladderwort, Common	665
Sweet	87			Intermediate	667

	FIG.		FIG.		FIG.
Bladderwort, Lesser	666	Burvet, Garden	326	Carex, Pendulous	1151
Bleaberry	624	Great	325	Pile-headed	1135
Blechnum, Hard	1302	Salad	326	Prickly	1121
Blinks	174	Saxifrage	415	Remote	1117
Bluebell	1044	Burweed, Broad	518	Rock	1110
Blueberry	624	Butcher's Broom	1034	Russet	1125
Bluebottle	572	Butterbur	539	Sand	1122
Blue-eyed Grass	1018	Buttercup	17	Slender	1137
Blysmus, Broad	1087	Butterwort, Alpine	663	Star-headed	1115
Narrow	1088	Common	662	Thin-spiked	1149
Bog-rush	1083	Pale	664	Tufted	1126
Borage	707	Butome, Common	967	Vernal	1133
Borecole	78			Whitish	1116
Box	897	Cabbage, St. Patrick's	385	Wood	1148
Brake or Bracken	1303	Calamint, Common	789	Yellow	1141
Rock	1280	Field	788	Carlisle thistle	569
Bramble	307	Hedge	790	Carnation	131
Brandy-bottle	35	Caltha, Marsh	24	Carrot	450
Brassica, Black	82	Camelina	93	Carum, Caraway	411
Cabbage	78	Campanula, Clustered	615	Corn	409
Charlock	81	Corn	623	Parsley	408
Field	79	Creeping	618	Tuberous	412
Hoary	83	Giant	617	Whorled	410
Isle of Man	77	Harebell	621	Catabrose, Water	1247
Mustard	80	Ivy	622	Catchfly, Nottingham	136
Sand	76	Nettle-leaved	616	Catmint	792
Wall	75	Rampion	619	Cat's-ear	510, 584
Broccoli	78	Spreading	620	Cat's-tail	937, 1167
Brome, Barren	1217	Campion, Bladder	134	Caucalis, Broad	449
Compact	1219	Moss	133	Knotted	445
Field	1220	Red	141	Small	448
Great	1218	White	140	Spreading	447
Hairy	1216	Canary-grass	1165	Upright	446
Tall	1221	Candytuft, Bitter	99	Cauliflower	78
Upright	1215	Caper-spurge	890	Celandine, Common	42
Brooklime	754	Capsell	101	Lesser	14
Brookweed	661	Caraway	411	Celery	402
Broom, Butcher's	1034	Carex, Acute	1127	Centaurea, Black	570
Common	231	Alpine	1128	Corn	572
Broomrape, Blue	721	Axillary	1118	Greater	571
Branched	722	Black	1130	Jersey	573
Clove-scented	717	Bladder	1153	Star-thistle	574
Great	716	Bottle	1152	Yellow	575
Lesser	720	Buxbaum's	1129	Centaury	674
Red	718	Capillary	1145	Centranth, Red	482
Tall	719	Carnation	1144	Centuncle, Small	660
Brussels sprouts	78	Curved	1124	Cephalanthera, Large	984
Bryony, Black	1026	Cyperus-like	1150	Narrow	985
Common	357	Diœcious	1108	Red	986
Buckbean	681	Distant	1142	Cerast, Alpine	161
Buckthorn, Alder	225	Divided	1123	Common	159
Common	224	Dotted	1143	Field	160
Sea	880	Downy	1136	Starwort	162
Buckwheat, Climbing	869	Dwarf	1131	Ceratophyll	899
Bugle, Creeping	817	Elongated	1114	Ceterach, Scaly	1301
Erect	818	Few-flowered	1111	Chaffweed	660
Yellow	819	Fingered	1132	Chamagrostis, Dwarf	1176
Bugloss, Small	701	Flea	1109	Chamomile, Common	528
Viper's	690	Fox	1120	Corn	527
Bullace	333	Glaucous	1147	Fetid	526
Bulrush	1101	Hairy	1138	Wild	525
Buplever, Falcate	420	Hare's-foot	1113	Yellow	529
Hare's-ear	417	Longbracted	1140	Charlock	81
Narrow	418	Marsh	1154	Jointed	112
Slender	419	Mountain	1134	White	112
Burdock, Common	553	Mud	1146	Cherleria, Mossy	149
Bur-Marigold	519	Oval	1112	Cherry, Dwarf or Wild	298
Parsley	448	Pale	1139	Bird	299
-reed	939	Paniced	1119	Chervil, Burr	444

	FIG.		FIG.		FIG.
Grass, Florin . . .	1180	Helleborine . . .	982, 983	Inule, Elecampane . . .	512
Foxtail . . .	1172—1175	Helminth, Oxtongue . . .	578	Rigid . . .	515
Hair . . .	1193	Hemlock, Common . . .	451	Samphire . . .	514
Hare's-tail . . .	1177	Water . . .	401	Small . . .	517
Holy . . .	1163	Hemp Agrimony . . .	495	Willow-leaved . . .	513
Lyme . . .	1204	Nettle . . .	805	Iris, Fetid . . .	1016
Manna . . .	1232—1237	Henbane . . .	712	Yellow . . .	1015
Marram . . .	1185	Henbit . . .	808	Ivy, Common . . .	455
Meadow . . .	1238—1246	Heracleum . . .	437	Ground . . .	791
Millet . . .	1156	Herb-Bennet . . .	304		
Nit . . .	1184	Herb, Christopher . . .	31		
Parnassus . . .	389	Gerard . . .	407	Jack-by-the-hedge . . .	72
Quaking . . .	1230, 1231	Paris . . .	1027	Jacob's Ladder . . .	683
Quitch . . .	1209	Robert . . .	206	Jasione, Sheep's-bit . . .	612
Rye . . .	1211	Herminium, Musk . . .	1010	Juniper . . .	935
Scorpion . . .	697—701	Herniary . . .	833		
Squirrel-tailed . . .	1208	Hesperis . . .	68		
Timothy . . .	1167	Hippocrepis . . .	275	Kail, Scotch . . .	78
Vernal . . .	1164	Hippophæ . . .	880	Kidney Vetch . . .	267
-wrack . . .	949	Hol's Fennel . . .	433	Knapweed . . .	570
Great Burnet . . .	325	Hogweed . . .	437	Knawel . . .	835
Great Willow-herb . . .	342	Holcus, Common . . .	1198	Knotgrass . . .	867
Greek Valerian . . .	683	Soft . . .	1199	Kobresia, Sedge-like . . .	1107
Greenwood . . .	228	Holly . . .	222	Koeleria, Crested . . .	1252
Gromwell, Common . . .	695	Sea . . .	399		
Corn . . .	694	Holosteum, Umbellate . . .	158		
Ground-Ivy . . .	791	Holygrass, Northern . . .	1163	Lady's Bedstraw . . .	470
Pine . . .	819	Honewort . . .	406	Fingers . . .	267
Groundsel . . .	540	Honeysuckle, Common . . .	464	Mantle . . .	322
Guelder-Rose . . .	463	Fly . . .	466	Slipper . . .	1014
Guimauve . . .	198	Perfoliate . . .	465	Smock . . .	64
		Hop . . .	905	Tresses . . .	991
Habenaria, Butterfly . . .	1004	Horehound, Black . . .	806	Lamb's-lettuce . . .	486
Dense-spiked . . .	1006	White . . .	797	Succory . . .	608
Fragrant . . .	1005	Hornbeam . . .	912	Lamium, Henbit . . .	808
Green . . .	1008	Horned pondweed . . .	954	Red . . .	809
Small . . .	1007	Poppy . . .	44	Spotted . . .	811
Hair-grass . . .	1193	Hornwort . . .	899	White . . .	810
Hardheads . . .	570	Horseradish . . .	84	Yellow . . .	812
Harebell . . .	621	Horsetail . . .	1264	Lapsane . . .	609
Hare's Ear . . .	74, 417	Hottonia, Water . . .	647	Larkspur . . .	29
Hare's-tail, Ovate . . .	1177	Hound's Tongue, . . .		Lathræa . . .	723
Hart's-tongue . . .	1300	Common . . .	709	Laurel, Spurge . . .	879
Hartwort, Great . . .	438	Green . . .	710	Lavatera, Sea . . .	194
Hawkbitt, Autumnal . . .	581	Houseleek . . .	369	Lavender, Sea . . .	821
Common . . .	580	Hutchinsia, Rock . . .	100	Leek, Sand . . .	1047
Lesser . . .	582	Hyacinth, Grape . . .	1045	Wild . . .	1046
Hawk's-beard . . .	594—599	Wild . . .	1044	Leersia . . .	1155
Hawkweed, Alpine . . .	601	Hydrocotyle, Common . . .	396	Lent Lily . . .	1022
Honeywort . . .	603	Hymenophyll, Tunbridge . . .	1309	Leonurus, Motherwort . . .	807
Mouse-ear . . .	600	Hypericum, Common . . .	180	Leopard's-bane . . .	551
Prenanth . . .	606	Flax-leaved . . .	184	Lepturus, Curved . . .	1202
Savoy . . .	605	Hairy . . .	186	Lettuce, Alpine . . .	589
Umbellate . . .	604	Imperforate . . .	181	Prickly . . .	587
Wall . . .	602	Large-flowered . . .	178	Wall . . .	586
Hawthorn . . .	338	Marsh . . .	188	Willow . . .	588
Hazel . . .	913	Mountain . . .	187	Lily, Lent . . .	1022
Heartsease . . .	125	Slender . . .	185	Lily-of-the-Valley . . .	1031
Heath, Ciliated . . .	637	Square-stalked . . .	182	Lime-tree . . .	200
Cornish . . .	639	Trailing . . .	183	Limnanth . . .	682
Cross-leaved . . .	636	Tutsan . . .	179	Limosel . . .	745
Mediterranean . . .	638	Hypochære, Glabrous . . .	583	Linaria, Common . . .	732
Scotch . . .	635	Long-rooted . . .	584	Ivy . . .	737
St. Dabeoc's . . .	633	Spotted . . .	585	Lesser . . .	736
Heather, Common . . .	640			Pale . . .	733
Scotch . . .	635			Pellisier's . . .	734
Hedge Mustard . . .	69			Pointed . . .	739
Hellebore, Fetid . . .	27	Illecebrum, Whorled . . .	834	Round-leaved . . .	738
Green . . .	26	Inule, Common . . .	516	Supine . . .	735

	FIG.		FIG.		FIG.
Ling	640	Matgrass	1203	Monotrope	646
Linnæa, Northern	467	Matricary, Common	525	Montia, Water	174
Linseed	189	Scentless	524	Moonwort	1274
Liparis, Two-leaved	980	Matweed, Sea	1185	Moscate, Tuberous	459
Listera, Heart-leaved	988	May	338	Moss Campion	133
Twayblade	987	May-lily	1032	Motherwort	807
Lithosperm, Common	695	Mayweed, Stink	526	Mountain-Ash	337
Corn	694	Maywort	469	Mouse-ear Chickweed	159
Creeping	696	Meadow Rue	4	Mousetail, Common	8
Littorel	831	Safron	1057	Mudwort	745
Livelong	361	Sweet	301	Mugwort	536
Lloydia, Mountain	1037	Medick, Black	236	Mullein, Dark	727
Lobelia, Acrid	611	Bur	239	Great	724
Water	610	Denticulate	237	Hoary	729
Loiseleuria, Trailing	632	Lucern	235	Moth	725
Lolium, Darnel	1212	Purple	235	Twiggy	726
Ryegrass	1211	Sickle	234	White	728
London Pride	385	Spotted	238	Muscari, Grape	1045
London Rocket	70	Medlar	340	Musk Thistle	557
Loosestrife	652	Melampyre, Common	773	Mustard, Black	82
Loosestrife, Purple	354	Crested	771	Cultivated	80
Lords-and-Ladies	942	Purple	772	Garlick	72
Lotus, Common	265	Small-flowered	774	Hedge	69
Slender	266	Melick, Mountain	1249	Mithridate	95
Lousewort	770	Wood	1250	Treacle	73
Lovage, Scotch	428	Melilot, Common	240	Tower	56
Lucern	235	Field	241	White	80
Ludwigia, Marsh	351	White	242	Wild	81
Lungwort	692	Melittis, Balm	796	Myosote, Changing	701
Lychnis, Alpine	145	Menziesia, Blue	634	Early	700
Corn	142	St. Dabeoc's	633	Field	699
Meadow	143	Mercury, Annual	896	Water	697
Red	140	Dog's	895	Wood	698
White	140	Perennial	895	Myriophyl, Spiked	393
Viscid	144	Mertensia, Sea	693	Whorled	394
Lycopus	777	Meu	430		
Lymegrass, Sand	1204	Mezereon	878	Naiad, Grassy	953
Lysimachia, Common	652	Midsummer-men	360	Holly-leaved	952
Moneywort	654	Mignonette, Cut-leaved	114	Slender	951
Tufted	653	Dyer's	113	Narcethium, Bog	1055
Wood	655	White	115	Narcissus, Daffodil	1022
Lythrum, Hyssop	355	Milfoil	531	Two-flowered	1023
Spiked	354	Milfoil, Water	393	Nard, Common	1203
		Whorled	394	Navelwort	359
		Milium, Spreading	1156	Neottia, Bird's-nest	989
Madder, Field	481	Milk-thistle	556	Nepeta, Catmint	792
Wild	468	Milkvetch	270	Ground-ivy	791
Madwort	703	Milkwort, Common	126	Nettle, Common	903
Maianthemum, Two- leaved	1032	Sea	657	Dead	810
Maiden-hair	1304	Millet-grass	1156	Roman	902
Malaxis, Bog	979	Mimulus, Yellow	744	Small	901
Male Fluellen	738, 739	Mint, Bergamos	782	Nightshade	713
Mallow, Common	196	Cat	792	Deadly	715
Dwarf	195	Corn	784	Enchanter's	352
Marsh	198	Horse	778	Nipplewort	609
Musk	197	Pennyroyal	785	Nitgrass, Awne	1184
Tree	194	Pepper	781	None-so-pretty	385
Maple, Common	220	Round-leaved	779	Nonsuch	236
Great	221	Spear	780	Nottingham Catchfly	136
Sycamore	221	Water	782	Nut	913
Maram, Sea	1185	Whorled	783	Nymphæa, White	34
Marestail	395	Mistletoe	456		
Marigold, Bur	519	Mithridate Mustard	95	Oak, British	915
Corn	522	Pepperwort	102	Fern	1279
Marsh	24	Moenchia, Upright	157	Oat, Perennial	1195
Marjoram, Wild	787	Molinia, Purple	1248	Wild	1194
Marram-grass	1155	Moneywort	654	Yellow	1196
Masterwort	435	Monkshood	30		
		Monk's Rhubarb	856		

	FIG.		FIG.		FIG.
<i>Ceanothus</i> , Common . . .	421	<i>Paris</i> . . .	1027	<i>Pine</i> , Ground . . .	819
Fine-leaved . . .	424	<i>Parnassia</i> , Marsh . . .	389	<i>Pink</i> , Cheddar . . .	131
Hemlock . . .	423	<i>Parsley</i> , Bastard Stone . . .	405	Clove . . .	131
Parsley . . .	422	Beaked . . .	444	Deptford . . .	129
<i>Oenothera</i> . . .	350	Bur . . .	448	Maiden . . .	130
Old Man's Beard . . .	1	Common . . .	408	Proliferous . . .	128
<i>Ononis</i> Restharrow . . .	232	Corn . . .	409	Sea . . .	824, 825
Small . . .	233	Fern . . .	1280	Wild . . .	131
<i>Onopord</i> , Common . . .	568	Fool's . . .	425	<i>Pipewort</i> . . .	1080
<i>Ophrys</i> , Bee . . .	1011	Hedge . . .	446	<i>Plane</i> , Scotch . . .	221
Fly . . .	1013	Milk . . .	434	<i>Plantain</i> , Bucks-horn . . .	830
Spider . . .	1012	Piert . . .	324	Greater . . .	826
<i>Opium</i> , Poppy . . .	36	<i>Parsnip</i> , Common . . .	436	Hoary . . .	827
<i>Orache</i> , Common . . .	854	Cow . . .	437	Ribwort . . .	828
Frosted . . .	855	Water . . .	413	Sea . . .	829
Garden . . .	853	<i>Pasque-flower</i> . . .	5	Water . . .	969
Lesser Shrubby . . .	851	<i>Pea</i> , Black . . .	296	<i>Ploughman's Spikenard</i> . . .	515
Purslane . . .	851	Earth Nut . . .	291	<i>Plum</i> . . .	297
Stalked . . .	852	Everlasting . . .	292	<i>Poa</i> , Alpine . . .	1245
<i>Orchis</i> , Bee . . .	1011	Grass . . .	287	Annual . . .	1239
Bird's-nest . . .	989	Marsh . . .	293	Bulbous . . .	1246
Boy . . .	979	Meadow . . .	290	Darnel . . .	1238
Butterfly . . .	1004	Sea . . .	294	Flattened . . .	1240
Dark-winged . . .	997	Rough . . .	289	Floating . . .	1233
Dwarf . . .	997	Tuberous . . .	295	Hard . . .	1237
Early . . .	998	Yellow . . .	288	Meadow . . .	1241
Fen . . .	980	<i>Pearlwort</i> , Alpine . . .	147	Procumbent . . .	1236
Fly . . .	1013	Knotted . . .	148	Reed . . .	1232
Fragrant . . .	1005	Procumbent . . .	146	Reflexed . . .	1235
Frog . . .	1008	<i>Pear-tree</i> . . .	333	Roughish . . .	1242
Green-winged . . .	995	<i>Pedicularis</i> , Common . . .	770	Sea . . .	1234
Lizard . . .	1002	Marsh . . .	769	Wavy . . .	1244
Loose . . .	999	<i>Pellitory</i> , Wall . . .	904	Wood . . .	1243
Man . . .	1009	<i>Pennycress</i> , Alpine . . .	97	<i>Polemonium</i> , Blue . . .	683
Marsh . . .	1001	Field . . .	95	<i>Polycarp</i> , Four-leaved . . .	172
Military . . .	996	Perfoliate . . .	96	<i>Polygonum</i> , Amphibious . . .	873
Musk . . .	1010	<i>Penny-royal</i> . . .	785	Bistort . . .	872
Purple . . .	998	<i>Pennywort</i> . . .	359	Climbing . . .	869
Pyramidal . . .	1003	Marsh . . .	396	Copse . . .	870
Spider . . .	1012	<i>Peplis</i> . . .	356	Knotweed . . .	867
Spotted . . .	1000	<i>Pepper-Saxifrage</i> . . .	429	Pale . . .	875
<i>Ornithogalum</i> , . . .		<i>Pepperwort</i> , Mithridate . . .	102	Persicaria . . .	874
Common . . .	1039	<i>Periwinkle</i> , Larger . . .	670	Sea . . .	868
Drooping . . .	1040	Lesser . . .	671	Slender . . .	877
Spiked . . .	1041	<i>Persicaria</i> , Common . . .	874	Viviporous . . .	874
Orpine . . .	361	<i>Petty Whin</i> . . .	230	Waterpepper . . .	876
<i>Osier</i> , Common . . .	921	<i>Pencedan</i> , Broad . . .	435	<i>Polypody</i> , Alpine . . .	1278
Purple . . .	920	Marsh . . .	434	Beech . . .	1277
<i>Osmund</i> , Royal . . .	1275	Sea . . .	433	Common . . .	1276
<i>Oxalis</i> , Procumbent . . .	217	<i>Phalaris</i> , Canary . . .	1165	Oak . . .	1279
Sorrel . . .	216	<i>Pheasant's Eye</i> . . .	7	<i>Pondweed</i> , Acute . . .	964
<i>Oxeye Daisy</i> . . .	521	<i>Phleum</i> , Alpine . . .	1168	Broad . . .	956
<i>Oxlip</i> . . .	649	Boehmer's . . .	1169	Curly . . .	961
<i>Oxtongue</i> . . .	578	Rough . . .	1170	Fennel . . .	966
<i>Oxyrea</i> , Kidney . . .	866	Sand . . .	1171	Horned . . .	954
<i>Oxytropis</i> , Purple . . .	272	Timothy . . .	1167	Long . . .	959
Yellow . . .	271	<i>Physosperm</i> , Cornish . . .	452	Obtuse . . .	963
<i>Paddock-pipes</i> . . .	1267	<i>Picris</i> , Hawkweed . . .	579	Opposite . . .	962
<i>Pæony</i> . . .	32	<i>Pignut</i> . . .	441	Perfoliate . . .	960
<i>Paigle</i> . . .	649	<i>Pilewort</i> . . .	14	Striving . . .	958
<i>Panicum</i> , Cockspur . . .	1162	<i>Pillow</i> , Creeping . . .	1262	Slender . . .	965
Fingered . . .	1157	<i>Pimpernel</i> , Bastard . . .	660	Various-leaved . . .	957
Glabrous . . .	1158	Bog . . .	659	<i>Poor man's weather-</i> glass . . .	658
Glaucous . . .	1160	Common . . .	658	<i>Poplar</i> , Aspen . . .	932
Green . . .	1161	Scarlet . . .	658	Black . . .	933
Rough . . .	1159	Yellow . . .	655	Grey . . .	931
<i>Pansy</i> , Field . . .	125	<i>Pimpinel</i> , Common . . .	415	White . . .	931
		Greater . . .	416		
		<i>Pine</i> . . .	934		

	FIG.		FIG.		FIG.
Poppy, Field	37	Ranunculus, Spear	12	Rush, Jointed	1062
Garden	36	Water	9	Obtuse	1063
Horned	44	Wood	16	Round-fruited	1064
Long-headed	38	Rape	79	Scouring	1270
Opium	36	Raspberry	306	Sea	1070
Pale	40	Rattle, Common	763	Sharp	1071
Rough	39	Red	769	Slender	1065
Sea	44	Reed	1254	Thread	1060
Welsh	41	Reed-mace, Cat's-tail	937	Toad	1067
Potentil, Creeping	313	Great	937	Two-leaved	1074
Goose	318	Lesser	938	Wood	1075—1079
Hoary	315	Rest-harrow	232, 233		
Marsh	320	Rhubarb, Monk's	856	Saffron, Meadow	1057
Rock	319	Ribes, Black	373	Sage, Meadow	775
Shrubby	317	Currant	371	Wild	776
Spring	316	Gooseberry	370	Wood	813
Strawberry-leaved	312	Mountain	372	Sainfoin, Common	276
Tormentil	314	Rib-grass	826	Salad Burnet	326
Potercum, Burnet	326	Ribwort	828	Salicorn	837
Prickwood	458	Roast-beef-plant	1616	Sallow	922
Primrose, Bird's-eye	650	Robin, Ragged	143	Sallow-Thorn	880
Common	648	Rock Braken	1280	Salsify, Meadow	576
Evening	350	Rockcist, Common	118	Purple	577
Mealy	650	Hoary	117	Saltwort, Black	657
Peerless	1023	Spotted	116	Prickly	840
Privet	669	White	119	Samole, Brookweed	661
Prunella	793	Rockcress, Bristol	61	Samphire, Golden	514
Prunus, Birdcherry	299	Fringed	59	Marsh	837
Blackthorn	297	Glabrous	56	Sea	431
Cherry	298	Hairy	58	Sandleek	1047
Pteris, Brake	1303	Northern	62	Sandspurry	170
Purple Loosestrife	354	Thale	60	Sandwort, Bog	151
Purslane, Sea	153, 851	Tower	57	Fine-leaved	152
Water	356	Rocket	75	Fringed	155
Pyrus, Apple	334	Dyer's	113	Ovate	153
Beam	335	London	70	Three-nerved	156
Cut-leaved	336	Sea	110	Thyme-leaved	154
Pear	333	Yellow	51	Vernal	150
Rowan	337	Rock-rose	118	Sanguisorb, Burnet	325
		Rœmerea	43	Sanicle, Wood	397
		Romulea	1019	Saponaria	132
Quakegrass, Common	1230	Rose-Bay	341	Sauce-alone	72
Lesser	1231	Burnet	328	Saussurea, Alpine	555
Queen of the Meadows	301	Dog	331	Savoy	78
Queenstock	48	Downy	329	Sawwort	554
Quilwort, European	1261	Field	332	Saxifrage, Alpine	383
Quitch Grass	1209	Scotch	328	Brook	381
		Sweetbriar	330	Burnet	415
Radish, Wild	112	Roseroot	360	Cut-leaved	377
Ragged Robin	143	Rowan-tree	337	Drooping	380
Ragwort	545	Rubus, Blackberry	307	Golden	387
Rampion, Garden	619	Cloudberry	310	Kidney	386
Round-headed	613	Dewberry	308	London-pride	385
Spiked	614	Raspberry	306	Marsh	376
Ramps	619	Stone	309	Meadow	379
Ramsons	1052	Rupia, Sea	955	Pepper	429
Ranunculus, Bulbous	20	Rupture-wort	833	Purple	374
Celery-leaved	15	Ruscus, Common	1034	Rue-leaved	382
Corn	23	Rush, Baltic	1061	Star	384
Creeping	18	Bog	1083	Tufted	378
Figwort	14	Capetate	1069	Yellow	375
Fine-leaved	19	Chestnut	1073	Scabious, Blue	492
Great	11	Common	1058	Field	494
Hairy	21	Dutch	1270	Small	493
Ivy	10	Dwarf	1068	Scandix, Needle	439
Meadow	17	Flowering	967	Schœnus, Black	1083
Small-flowered	22	Hard	1059	Scheuchzeria, Marsh	973
Snaketongue	13	Heath	1066	Scirpus, Bristle	1096
		Highland	1072		

	FIG.		FIG.		FIG.
Scirpus, Clustered . . .	1098	Shieldfern, Holly . . .	1282	Spleenwort, Lady . . .	1290
Creeping . . .	1091	Male . . .	1286	Lanceolate . . .	1292
Few-flowered . . .	1093	Marsh . . .	1284	Rock . . .	1291
Floating . . .	1095	Mountain . . .	1285	Sea . . .	1293
Lake . . .	1101	Prickly . . .	1283	Wallrue . . .	1297
Many-stalked . . .	1092	Rigid . . .	1289	Spiguel . . .	430
Needle . . .	1089	Shore weed . . .	831	Spikenard, . . .	
Savi's . . .	1097	Sibbaldia, Procumbent . . .	321	Ploughman's . . .	515
Sea . . .	1102	Siphthoria, Common . . .	746	Spindle-tree . . .	223
Sharp . . .	1099	Silau, Meadow . . .	429	Spiræa, Common . . .	302
Small . . .	1090	Silene, Bladder . . .	134	Meadow . . .	301
Triangular . . .	1100	Dwarf . . .	133	Willow . . .	300
Tufted . . .	1094	Night . . .	139	Spiranth, Common . . .	991
Wood . . .	1103	Nodding . . .	136	Drooping . . .	993
Scleranth, Annual . . .	835	Small-flowered . . .	137	Summer . . .	992
Perennial . . .	836	Spanish . . .	135	Spuræ, Broad . . .	885
Scorpion grass . . .	697—701	Striated . . .	138	Caper . . .	890
Scotch Fir . . .	934	Silver-weed . . .	318	Dwarf . . .	889
Scrophularia, . . .		Simethis, Variegated . . .	1054	Hairy . . .	887
Balm-leaved . . .	742	Sison, Hedge . . .	405	Irish . . .	886
Knotted . . .	740	Sisymbrium, Broad . . .	70	Laurel . . .	879
Water . . .	741	Common . . .	69	Leafy . . .	893
Yellow . . .	743	Fine-leaved . . .	71	Petty . . .	888
Scurvy-grass . . .	85	Sisyrinchium, . . .		Portland . . .	891
Sea-buckthorn . . .	880	Narrow-leaved . . .	1018	Purple . . .	883
Heath . . .	127	Sium, Broad . . .	413	Sea . . .	892
Holly . . .	399	Lesser . . .	414	Sun . . .	884
Kale . . .	111	Skullcap, Common . . .	794	Wood . . .	894
Lavender . . .	821	Lesser . . .	795	Spurrey, Corn . . .	171
Milkwort . . .	657	Sloe . . .	297	Knotted . . .	148
Pink . . .	824, 825	Smallreed, Narrow . . .	1183	Sandwort . . .	170
Purslane . . .	153	Purple . . .	1187	Squill, Autumn . . .	1043
Rocket . . .	110	Wood . . .	1186	Bluebell . . .	1044
Sedge, Sweet . . .	943	Smyrnium, Common . . .	453	Spring . . .	1042
Sedum, Biting . . .	366	Snake root . . .	872	Squinancywort . . .	480
English . . .	362	Snakes-head . . .	1035	Squirrel-tail Grass . . .	1208
Hairy . . .	365	Snakeweed . . .	872	Stachys, Betony . . .	798
Orpine . . .	361	Snapdragon, Great . . .	730	Downy . . .	799
Rock . . .	368	Lesser . . .	730	Field . . .	802
Roseroot . . .	360	Sneezewort . . .	530	Hedge . . .	800
Tasteless . . .	367	Snowdrop . . .	1024	Marsh . . .	801
Thick-leaved . . .	363	Snowflake . . .	1025	Star-fruit . . .	972
White . . .	364	Soapwort . . .	132	Star of Bethlehem . . .	1039
Selaginella, Common . . .	1260	Solanum, Bittersweet . . .	713	Yellow . . .	1038
Self-heal . . .	793	Black . . .	714	Star thistle . . .	574
Senebiera, Common . . .	107	Solomon-seal, Angular . . .	1030	Starwort, Bog . . .	166
Lesser . . .	108	Common . . .	1029	Chickweed . . .	165
Seneclio, Broad-leaved . . .	548	Whorled . . .	1028	Great . . .	169
Fen . . .	547	Sorrel . . .	864	Lesser . . .	167
Field . . .	550	Mountain . . .	866	Marsh . . .	168
Groundsel . . .	540	Sheep's . . .	865	Water . . .	163
Marsh . . .	549	Wood . . .	216	Wood . . .	164
Narrow-leaved . . .	546	Sowbread . . .	651	Statice, Common . . .	821
Ragwort . . .	545	Sowthistle, Common . . .	592	Matted . . .	823
Squid . . .	543	Corn . . .	590	Rock . . .	822
Viscous . . .	541	Marsh . . .	591	St. Dabeoc's Heath . . .	633
Water . . .	544	Sparganium, Branched . . .	939	St. John's-wort . . .	180
Wood . . .	542	Simple . . .	940	St. Patrick's Cabbage . . .	385
Service-tree, Wild . . .	336	Small . . .	941	Stinking May-weed . . .	526
Seseli, Mountain . . .	427	Spartina, Card . . .	1201	Stitchwort . . .	169
Sesleria, Blue . . .	1253	Spearwort . . .	12	Lesser . . .	167
Setter-wort . . .	27	Great . . .	11	Stock, Common . . .	48
Sheep's-bit . . .	612	Spear-thistle . . .	560	Queen . . .	48
Sheep-sorrel . . .	865	Speedwell . . .	748—763	Sea . . .	49
Shepherd's-needle . . .	439	Spleenwort, Alternate . . .	1298	Stonecrop . . .	360
Purse . . .	101	Black . . .	1296	Biting . . .	366
Sherardia, Blue . . .	481	Common . . .	1294	Stork's-bill . . .	213—215
Shieldfern, Broad . . .	1288	Forked . . .	1299	Strapwort . . .	832
Crested . . .	1287	Green . . .	1295	Stratiotes, Water . . .	978

	FIG.		FIG.		FIG.
Strawberry, Wild	311	Trefoil, Buckbean	681	Violet, Dog	124
-tree	628	Hare's-foot	246	Hairy	122
Suaeda, Herbaceous	839	Hop	262	Marsh	120
Shrubby	838	Marsh	681	Pansy	125
Succory	607	Triadia, Decumbent	1251	Sand	123
Lamb's	608	Trichomanes,		Sweet	121
Swine's	608	European	1308	Water	647
Sulphur-weed	433	Trientale, Common	656	Viper's Bugloss	690
Sundew, Common	390	Triglochio, Marsh	974		
English	392	Sea	975		
Oblong	391	Trigonel, Bird's-foot	243	Wake Robin	942
Sweet-briar	330	Trinia, Common	406	Wallcress	60
Flag	943	Trollius, Globe	25	Wallflower	50
Gale	908	Tulip, Wild	1036	Wall-Pepper	366
Sedge	943	Turnip	79	Wallrue	1297
Swine-cress	107	Swedish	79	Wartcress	107
Swine's Succory	608	Tutsan	129	Watercress, Common	52
Sycamore	221	Twayblade	987	Creeping	53
		Lesser	988	Great	55
				Marsh	54
Tamarisc, Common	175	Vaccinium, Bilberry	624	Water Dropwort	421
Tamus	1026	Bog	625	Hemlock	401
Tansy	533	Cowberry	626	Lily, White	34
Tare	277	Cranberry	627	Yellow	35
Teasel, Fuller's	490	Valerian, Cat's	484	Milfoil	393
Small	491	Greek	683	Parsnip	413
Wild	490	Marsh	483	Pepper	176
Teesdalia, Common	98	Pyrenean	485	Piantain	969
Thalecress	60	Red	482	Purslane	356
Thalictrum, Alpine	2	Spur	482	Soldier	978
Lesser	3	Venus's-comb	439	Starwort	900
Yellow	4	Veronica, Alpine	750	Thyme	976
Thesium, Flax-leaved	881	Brooklime	754	Violet	647
Thistle, Carline	569	Buxbaum's	760	Wort	176, 177
Cotton	568	Common	752	Waybent	1207
Creeping	562	Fingered	763	Wayfaring-tree	462
Dwarf	567	Germander	757	Weather-glass,	
Marsh	561	Ivy	758	Poor Man's	658
Meadow	566	Marsh	755	Shepherd's	658
Melancholy	564	Mountain	756	Weld	113
Milk	556	Procumbent	759	Welsh Poppy	41
Musk	557	Rock	749	Whin	226
Scotch	568	Spiked	748	Petty	230
Slender	559	Thyme-leaved	751	White Beam-tree	335
Spear	560	Vernal	762	Bottle	134
Star	574	Wall	761	White-rot	396
Tuberous	565	Water	753	Whitethorn	338
Wetted	558	Vervain	820	Whitlow-grass	92
Woolly	563	Vetch, Bithynian	286	Whortleberry	624
Thornapple	711	Bitter	281	Red	626
Thrift, Common	824	Bush	282	Willow, Almond	919
Plantain	825	Common	284	Bay	916
Thyme, Basil	788	Grass	287	Bedford	917
Water	976	Hairy	277	Common	918
Wild	786	Horse-shoe	275	Crack	917
Tillæa, Mossy	358	Kidney	267	Creeping	925
Timothy-grass	1167	Milk	270	Downy	926
Toadflax	732	Slender	278	Dwarf	930
Bastard	881	Spring	285	French	341, 919
Ivy-leaved	737	Tufted	279	Goat	922
Tofieldia, Marsh	1056	Upright	281	Golden	918
Toothwort	723	Wood	280	Herb	341—349
Touch-me-not	218	Yellow	283	Osier	921
Tower Mustard	56	Vetchling	287	Purple	920
Towercress	57	Yellow	288	Reticulate	929
Traveller's Joy	1	Vileurnum, Mealy	452	Rose	920
Treacle Mustard	73	Guelder Rose	463	Round-eared	923
Tree Mallow	194	Violet, Dame's	68	Sallow	922
Trefoil, Bird's-foot	265			Tea-leaved	924

	FIG.		FIG.		FIG.
Willow, White	918	Woodsia, Alpine . . .	1307	Yellow Archangel . .	812
Whortle	928	Woodruff	479	Centaury	680
Woolly	927	Woodrush, Curved . .	1077	Cress	55
Wintercress, American	51	Field	1078	Rattle	768
Common	51	Great	1076	Rocket	51
Wintergreen, Common	644	Hairy	1075	Weed	113
Intermediate	643	Spiked	1079	Wort	680
Larger	642	Wood-sage	813	Yew	936
One-flowered	641	Wood-sorrel	216		
Serrated	645	Wormwood	537		
Woad, Dyer's	109	Woundwort	799	Zannichellia	954
Wolfsbane	30			Zostera, Common . .	949
Wood Betony	798			Dwarf	950
Woodbine	464	Yarrow	531

STANDARD AND POPULAR WORKS ON BOTANY.

THE NATURAL HISTORY OF PLANTS. By H. BAILLON, Pres. Linn. Soc. of Paris. Super-royal 8vo. Vols. I. to VII., with 3200 Wood Engravings, 25s. each. [Vol. VIII. in the Press.]

HANDBOOK OF THE BRITISH FLORA: a Description of the Flowering Plants and Ferns indigenous to, or naturalized in, the British Isles. By G. BENTHAM, F.R.S. Fifth Edition, Revised by Sir J. D. HOOKER, F.R.S. 10s. 6d.

BRITISH WILD FLOWERS, Familiarly Described in the Four Seasons. By THOMAS MOORE, F.L.S. 24 Coloured Plates. 16s.

BRITISH FUNGOLOGY. By the Rev. M. J. BERKELEY, M.A., F.L.S. 24 Coloured Plates. 30s.

THE ESCULENT FUNGUSES OF ENGLAND. Containing an Account of their Classical History, Uses, Characters, Development, Structure, Nutritious Properties, Modes of Cooking and Preserving, &c. By C. D. BADHAM, M.D. Second Edition. Edited by F. CUREY, F.R.S. 12 Coloured Plates. 12s.

BRITISH MOSSES, containing all that are known to be Natives of the British Isles. By the Rev. M. J. BERKELEY, M.A., F.L.S. 24 Coloured Plates. 21s.

SYNOPSIS OF BRITISH MOSSES. By C. P. HOBKIRK, F.L.S. New Edition, Revised and entirely Rearranged. 7s. 6d.

BRITISH GRASSES. By M. PLUES. 16 Coloured Plates and 100 Wood Engravings. 10s. 6d.

BRITISH FERNS: with Chapters on the Structure, Propagation, Cultivation, Diseases, Uses, Preservation, and Distribution of Ferns. By M. PLUES. 16 Coloured Plates and 55 Wood Engravings. 10s. 6d.

BRITISH SEAWEEDS. By S. O. GRAY. 16 Coloured Plates. 10s. 6d.

THE BRITISH FERNS; Coloured Figures and Descriptions of the Ferns of Great Britain and Ireland. By Sir W. J. HOOKER, F.R.S. Royal 8vo. 66 Coloured Plates. £2 2s.

GARDEN FERNS; Coloured Figures and Descriptions of a Selection of Exotic Ferns, adapted for Cultivation in the Garden, Hothouse, and Conservatory. By Sir W. J. HOOKER, F.R.S. Royal 8vo. 64 Coloured Plates. £2 2s.

FERNY COMBES; a Ramble after Ferns in the Glens and Valleys of Devonshire. By CHARLOTTE CHANTER. Third Edition. 8 Coloured Plates and a Map of the County. 5s.

OUTLINES OF BOTANY, with Special Reference to Local Floras. By GEORGE BENTHAM, F.R.S. New Edition. 1s.

For other Works see Catalogue at the end of this Volume.

COLONIAL AND FOREIGN FLORAS.

FLORA OF BRITISH INDIA. By Sir J. D. HOOKER, Pres. R.S., and others. Parts I. to XIII., 10s. 6d. each. Vols. I. to IV., 32s. each.

FLORA OF MAURITIUS AND THE SEYCHELLES ; a Description of the Flowering Plants and Ferns of those Islands. By J. G. BAKER, F.L.S. Complete in one Vol., 24s. Published under the authority of the Colonial Government of Mauritius.

FLORA CAPENSIS ; a Systematic Description of the Plants of the Cape Colony, Caffraria, and Port Natal. By WILLIAM H. HARVEY, M.D., F.R.S., Professor of Botany in the University of Dublin, and OTTO WILHELM SONDER, Ph.D. Vols. I. and II., each 12s. ; Vol. III., 18s.

FLORA OF TROPICAL AFRICA. By DANIEL OLIVER, F.R.S., F.L.S. Vols. I. to III., each 20s. Published under the authority of the First Commissioner of Her Majesty's Works.

FLORA AUSTRALIENSIS ; a Description of the Plants of the Australian Territory. By G. BENTHAM, F.R.S., F.L.S., assisted by F. MUELLER, F.R.S., Government Botanist, Melbourne, Victoria. Complete in 7 vols., £7 4s. Published under the auspices of the several Governments of Australia.

HANDBOOK OF THE NEW ZEALAND FLORA ; a Systematic Description of the Native Plants of New Zealand, and the Chatham, Kermadec's, Lord Auckland's, Campbell's, and Macquarie's Islands. By Sir J. D. HOOKER, Pres. R.S. Complete in one vol., 42s. Published under the auspices of the Government of that Colony.

FLORA OF THE BRITISH WEST INDIAN ISLANDS. By Dr. GRISEBACH, F.L.S. 42s. Published under the auspices of the Secretary of State for the Colonies.

FLORA HONGKONGENSIS ; a Description of the Flowering Plants and Ferns of the Island of Hongkong. By GEORGE BENTHAM, F.R.S. With a Map of the Island and Supplement by Dr. HANCE. 18s. Published under the authority of Her Majesty's Secretary of State for the Colonies. The Supplement separately, 2s. 6d.

ON THE FLORA OF AUSTRALIA ; its Origin, Affinities, and Distribution. By Sir J. D. HOOKER, Pres. R.S. 10s.

CONTRIBUTIONS TO THE FLORA OF MENTONE, AND TO A WINTER FLORA OF THE RIVIERA, including the Coast from Marseilles to Genoa. By J. TRAHERNE MOGGIDGE. Royal 8vo. Complete in one vol. 99 Coloured Plates. 63s.

LAWS OF BOTANICAL NOMENCLATURE ADOPTED BY THE INTERNATIONAL BOTANICAL CONGRESS, with an Historical Introduction and a Commentary. By ALPHONSE DE CANDOLLE. 2s. 6d.

GENERA PLANTARUM, ad Exemplaria Imprimis in Herbariis Kewensibus servata definita. By GEORGE BENTHAM, F.R.S., F.L.S., and Sir J. D. HOOKER, Pres. R.S., late Director of the Royal Gardens, Kew. Complete in 3 vols. £3 2s.

For other Works see Catalogue at the end of this Volume.

L. REEVE & CO., 5, Henrietta Street, Covent Garden.

LIST OF WORKS

ON

NATURAL HISTORY, TOPOGRAPHY,
ANTIQUITY, AND SCIENCE.

CONTENTS.

	Page		Page
BOTANY . . .	3	SHELLS AND MOLLUSKS	10
FERNS . . .	8	ENTOMOLOGY . . .	11
MOSSES . . .	8	ZOOLOGY . . .	13
FUNGOLOGY . . .	9	ANTIQUITY . . .	13
SEAWEEDS . . .	9	MISCELLANEOUS . . .	14

PUBLISHED BY

L. REEVE AND CO.,

5, HENRIETTA STREET, COVENT GARDEN, W.C.

L. Reeve & Co.'s Crown Series of Natural History.

For descriptive details, see Catalogue.

British Beetles. By E. C. RYE. 2nd Edition, revised by REV. CANON FOWLER, M.A., F.L.S. 16 Coloured Plates, and Woodcuts, 10s. 6d.

British Zoophytes. By ARTHUR S. PENNINGTON, F.L.S. 24 Plates, 10s. 6d.

British Insects. By E. F. STAVELEY. 16 Coloured Plates and Woodcuts, 14s.

British Butterflies and Moths. By H. T. STAINTON. 16 Coloured Plates, and Woodcuts, 10s. 6d.

British Bees. By W. E. SHUCKARD. 16 Coloured Plates, and Woodcuts, 10s. 6d.

British Spiders. By E. F. STAVELEY. 16 Coloured Plates, and Woodcuts, 10s. 6d.

The Edible Mollusca of Great Britain and Ireland, with Recipes for Cooking them. By M. S. LOVELL. Second Edition. 12 Coloured Plates, 10s. 6d.

Synopsis of British Mosses. By C. P. HOBKIRK, F.L.S. Revised Edition, 7s. 6d.

British Grasses. By M. PLUES. 16 Coloured Plates, and Woodcuts, 10s. 6d.

British Ferns. By M. PLUES. 16 Coloured Plates, and Woodcuts, 10s. 6d.

British Seaweeds. By S. O. GRAY. 16 Coloured Plates, 10s. 6d.

Handbook of the British Flora. By G. BENTHAM, F.R.S. 5th Edition, Revised by Sir J. D. HOOKER, C.B., K.C.S.I., F.R.S., &c., 10s. 6d.

Illustrations of the British Flora. Drawn by W. H. FITCH, F.L.S., and W. G. SMITH, F.L.S. 1311 Wood Engravings. 2nd Edition, revised and enlarged, 10s. 6d.

BOTANY.

The Species of Ficus of the Indo-Malayan and Chinese Countries. By GEORGE KING, M.B., LL.D., F.L.S. Part I., Small folio, 91 Plates in Portfolio, 25s. Part II., 137 Plates in Portfolio, 40s. Appendix to Vol. I., 12 Plates, 10s. 6d. Vol. II., 104 Plates, 32s. 6d.

The Natural History of Plants. By H. BAILLON, President of the Linneæan Society of Paris, Professor of Medical Natural History and Director of the Botanical Garden of the Faculty of Medicine of Paris. Super-royal 8vo. Vols. I. to VIII., with 3545 Wood Engravings, 25s. each.

Handbook of the British Flora; a Description of the Flowering Plants and Ferns indigenous to, or naturalized in, the British Isles. For the use of Beginners and Amateurs. By GEORGE BENTHAM, F.R.S. 5th Edition, revised by Sir J. D. HOOKER, C.B., K.C.S.I., F.R.S., &c. Crown 8vo, 10s. 6d.

Illustrations of the British Flora; a Series of Wood Engravings, with Dissections, of British Plants, from Drawings by W. H. FITCH, F.L.S., and W. G. SMITH, F.L.S., forming an Illustrated Companion to BENTHAM's "Handbook," and other British Floras. New Edition, revised and enlarged. 1311 Wood Engravings, 10s. 6d.

Outlines of Elementary Botany, as Introductory to Local Floras. By GEORGE BENTHAM, F.R.S., F.L.S. New Edition, 1s.

British Wild Flowers, Familiarly Described in the Four Seasons. By THOMAS MOORE, F.L.S. 24 Coloured Plates, 16s.

The Narcissus, its History and Culture, with Coloured Figures of all known Species and Principal Varieties. By F. W. BURBIDGE, and a Review of the Classification by J. G. BAKER, F.L.S. Super-royal 8vo, 48 Coloured Plates, 32s.

The Botanical Magazine; Figures and Descriptions of New and Rare Plants suitable for the Garden, Stove, or Greenhouse. By Sir J. D. HOOKER, K.C.S.I., C.B., F.R.S., late Director of the Royal Gardens, Kew. Royal 8vo. Third Series, Vols. I. to XLVI., each 42s. Published Monthly, with 6 Plates, 3s. 6d., coloured. Annual Subscription, 42s.

RE-ISSUE of the THIRD SERIES in Monthly Vols., 42s. each; to Subscribers for the entire Series, 36s. each.

The Floral Magazine; New Series, Enlarged to Royal 4to. Figures and Descriptions of the choicest New Flowers for the Garden, Stove, or Conservatory. Complete in Ten Vols., in handsome cloth, gilt edges, 42s. each.

FIRST SERIES complete in Ten Vols., with 560 beautifully-coloured Plates, £18 7s. 6d.

The Young Collector's Handybook of Botany. By the Rev. H. P. DUNSTER, M.A. 66 Wood Engravings, 3s. 6d.

Laws of Botanical Nomenclature adopted by the International Botanical Congress, with an Historical Introduction and a Commentary. By ALPHONSE DE CANDOLLE. 2s. 6d.

Report on the Forest Resources of Western Australia. By Baron FERD. MUELLER, C.M.G., M.D., Ph.D., F.R.S., Government Botanist of Victoria. Royal 4to, 20 Plates of the Eucalyptus, 12s.

Flora Vitiensis; a Description of the Plants of the Viti or Fiji Islands, with an Account of their History, Uses, and Properties. By Dr. BERTHOLD SEEMANN, F.L.S. Royal 4to, Coloured Plates. Part X., 25s.

Flora Hongkongensis; a Description of the Flowering Plants and Ferns of the Island of Hongkong. By GEORGE BENTHAM, F.R.S. With a Map of the Island, and a Supplement by Dr. HANCE. 18s. Published under the authority of Her Majesty's Secretary of State for the Colonies. The Supplement separately, 2s. 6d.

Flora of Mauritius and the Seychelles ; a Description of the Flowering Plants and Ferns of those Islands. By J. G. BAKER, F.L.S. 24s. Published under the authority of the Colonial Government of Mauritius.

Flora of British India. By Sir J. D. HOOKER, K.C.S.I., C.B., F.R.S., &c. ; assisted by various Botanists. Parts I. to XIII., 10s. 6d. each, XIV. to XVII., 9s. each. Vols. I. to IV., cloth, 32s. each ; Vol. V., 38s. Published under the authority of the Secretary of State for India in Council.

Flora of Tropical Africa. By DANIEL OLIVER, F.R.S., F.L.S. Vols. I. to III., 20s. each. Published under the authority of the First Commissioner of Her Majesty's Works.

Handbook of the New Zealand Flora ; a Systematic Description of the Native Plants of New Zealand, and the Chatham, Kermadec's, Lord Auckland's, Campbell's, and Macquarrie's Islands. By Sir J. D. HOOKER, K.C.S.I., F.R.S. 42s. Published under the auspices of the Government of that Colony.

Flora Australiensis ; a Description of the Plants of the Australian Territory. By GEORGE BENTHAM, F.R.S., assisted by FERDINAND MUELLER, F.R.S., Government Botanist, Melbourne, Victoria. Complete in Seven Vols., £7 4s. Vols. I. to VI., 20s. each ; Vol. VII., 24s. Published under the auspices of the several Governments of Australia.

Flora of the British West Indian Islands. By Dr. GRISEBACH, F.L.S. 42s. Published under the auspices of the Secretary of State for the Colonies.

Flora Capensis ; a Systematic Description of the Plants of the Cape Colony, Caffraria, and Port Natal. By WILLIAM H. HARVEY, M.D., F.R.S., Professor of Botany in the University of Dublin, and OTTO WILHEM SONDER, Ph.D. Vols. I. and II., 12s. each. Vol. III., 18s.

Flora of West Yorkshire ; with an Account of the
Climatology and Lithology in connection therewith. By FREDERIC
ARNOLD LEES, M.R.C.S. Eng., L.R.C.P. Lond., Recorder for the
Botanical Record Club, and President of the Botanical Section of
the Yorkshire Naturalists' Union. 8vo, with Coloured Map, 21s.

Flora of Hampshire, including the Isle of Wight,
with localities of the less common species. By F. TOWNSEND,
M.A., F.L.S. With Coloured Map and two Plates, 16s.

Contributions to the Flora of Mentone, and to a
Winter Flora of the Riviera, including the Coast from Marseilles
to Genoa. By J. TRAHERNE MOGGRIDGE, F.L.S. Royal 8vo.
Complete in One Vol., with 99 Coloured Plates, 63s.

On the Flora of Australia : its Origin, Affinities,
and Distribution; being an Introductory Essay to the "Flora of
Tasmania." By Sir J. D. HOOKER, F.R.S. 10s.

Wild Flowers of the Undercliff, Isle of Wight.
By CHARLOTTE O'BRIEN and C. PARKINSON. Crown 8vo, 8
Coloured Plates, 7s. 6d.

Icones Plantarum. Figures, with Brief Descrip-
tive Characters and Remarks, of New and Rare Plants, selected
from the Author's Herbarium. By Sir W. J. HOOKER, F.R.S.
New Series, Vol. V. 100 Plates, 31s. 6d.

Illustrations of the Nueva Quinologia of Pavon,
with Observations on the Barks described. By J. E. HOWARD,
F.L.S. With 27 Coloured Plates. Imperial folio, half-morocco,
gilt edges, £6 6s.

The Quinology of the East Indian Plantations.
By J. E. HOWARD, F.L.S. Complete in One Vol., folio. With 13
Coloured and 2 Plain Plates, and 2 Photo-prints, 84s. Parts
II. and III., cloth.

Genera Plantarum, ad Exemplaria imprimis in
Herbariis Kewensibus servata definita. By GEORGE BENTHAM,
F.R.S., F.L.S., and Sir J. D. HOOKER, F.R.S., late Director of the
Royal Gardens, Kew. Complete in 7 Parts, forming 3 Vols., £8 2s.

Revision of the Natural Order Hederaceæ ; being
a reprint, with numerous additions and corrections, of a series of
papers published in the "Journal of Botany, British and Foreign."
By BERTHOLD SEEMANN, Ph.D., F.L.S. 7 Plates, 10s. 6d.

Orchids ; and How to Grow them in India and
other Tropical Climates. By SAMUEL JENNINGS, F.L.S., F.R.H.S.,
late Vice-President of the Agri-Horticultural Society of India.
Royal 4to. Complete in One Vol., cloth, gilt edges, 63s.

A Second Century of Orchidaceous Plants, selected
from the Subjects published in Curtis's "Botanical Magazine"
since the issue of the "First Century." Edited by JAMES BATE-
MAN, Esq., F.R.S. Complete in One Vol., Royal 4to, 100 Coloured
Plates, £5 5s.

Dedicated by Special Permission to H.R.H. the Princess of Wales.

Monograph of Odontoglossum, a Genus of the
Vandeous Section of Orchidaceous Plants. By JAMES BATEMAN,
Esq., F.R.S. Imperial folio, in One Vol., with 30 Coloured Plates,
and Wood Engravings, cloth, £6 16s. 6d.

The Rhododendrons of Sikkim-Himalaya ; being
an Account, Botanical and Geographical, of the Rhododendrons
recently discovered in the Mountains of Eastern Himalaya, by
Sir J. D. Hooker, F.R.S. By Sir W. J. HOOKER, F.R.S. Folio,
20 Coloured Plates, £4 14s. 6d.

British Grasses ; an Introduction to the Study
of the Gramineæ of Great Britain and Ireland. By M. PLUES.
Crown 8vo, with 16 Coloured Plates and 100 Wood Engravings,
10s. 6d.

Botanical Names for English Readers. By RANDAL
H. ALCOCK. 8vo, 6s.

Elementary Lessons in Botanical Geography. By
J. G. BAKER, F.L.S. 3s.

FERNS.

British Ferns; an Introduction to the Study of the FERNS, LYCOPODS, and EQUISETA indigenous to the British Isles. With Chapters on the Structure, Propagation, Cultivation, Diseases, Uses, Preservation, and Distribution of Ferns. By M. PLUES. Crown 8vo, with 16 Coloured Plates, and 55 Wood Engravings, 10s. 6d.

The British Ferns; Coloured Figures and Descriptions, with Analysis of the Fructification and Venation of the Ferns of Great Britain and Ireland. By Sir W. J. HOOKER, F.R.S. Royal 8vo, 66 Coloured Plates, £2 2s.

Garden Ferns; Coloured Figures and Descriptions with Analysis of the Fructification and Venation of a Selection of Exotic Ferns, adapted for Cultivation in the Garden, Hothouse, and Conservatory. By Sir W. J. HOOKER, F.R.S. Royal 8vo, 64 Coloured Plates, £2 2s.

Filices Exoticæ; Coloured Figures and Description of Exotic Ferns. By Sir W. J. HOOKER, F.R.S. Royal 4to, 100 Coloured Plates, £6 11s.

Ferny Combes; a Ramble after Ferns in the Glens and Valleys of Devonshire. By CHARLOTTE CHANTER. Third Edition. Fcap. 8vo, 8 Coloured Plates and a Map of the County, 5s.

MOSESSES.

Synopsis of British Mosses, containing Descriptions of all the Genera and Species (with localities of the rarer ones) found in Great Britain and Ireland. By CHARLES P. HOBKIRK, F.L.S., &c., &c. New Edition, entirely revised. Crown 8vo, 7s. 6d.

Handbook of British Mosses, containing all that are known to be natives of the British Isles. By the Rev. M. J. BERKELEY, M.A., F.L.S. 24 Coloured Plates, 21s.

The British Moss-Flora. By R. BRAITHWAITE, M.D., F.L.S. Vol. 1, Imperial 8vo, with 45 finely executed Plates, 50s. Part XI., 8s., Part XII., 7s., Part XIII., 6s.

FUNGI.

Outlines of British Fungology, containing Characters of above a Thousand Species of Fungi, and a Complete List of all that have been described as Natives of the British Isles. By the Rev. M. J. BERKELEY, M.A., F.L.S. 24 Coloured Plates, 30s.

The Esculent Funguses of England. Containing an Account of their Classical History, Uses, Characters, Development, Structure, Nutritious Properties, Modes of Cooking and Preserving, &c. By C. D. BADHAM, M.D. Second Edition. Edited by F. CURREY, F.R.S. 12 Coloured Plates, 12s.

Clavis Agaricinorum; an Analytical Key to the British Agaricini, with Characters of the Genera and Sub-genera. By WORTHINGTON G. SMITH, F.L.S. 6 Plates, 2s. 6d.

SEAWEEDES.

British Seaweeds; an Introduction to the Study of the Marine ALGÆ of Great Britain, Ireland, and the Channel Islands. By S. O. GRAY. Crown 8vo, with 16 Coloured Plates, 10s. 6d.

Phycologia Britannica; or, History of British Seaweeds. Containing Coloured Figures, Generic and Specific Characters, Synonyms and Descriptions of all the Species of Algæ inhabiting the Shores of the British Islands. By Dr. W. H. HARVEY, F.R.S. New Edition. Royal 8vo, 4 vols. 360 Coloured Plates, £7 10s.

Phycologia Australica; a History of Australian Seaweeds, comprising Coloured Figures and Descriptions of the more characteristic Marine Algæ of New South Wales, Victoria, Tasmania, South Australia, and Western Australia, and a Synopsis of all known Australian Algæ. By Dr. W. H. HARVEY, F.R.S. Royal 8vo, Five Vols., 300 Coloured Plates, £7 13s.

SHELLS AND MOLLUSKS.

Elements of Conchology; an Introduction to the Natural History of Shells, and of the Animals which form them. By LOVELL REEVE, F.L.S. Royal 8vo, Two Vols., 62 Coloured Plates, £2 16s.

Conchologia Iconica ; or, Figures and Descriptions of the Shells of Mollusks, with remarks on their Affinities, Synonymy, and Geographical Distribution. By LOVELL REEVE, F.L.S., and G. B. SOWERBY, F.L.S., complete in Twenty Vols., 4to, with 2727 Coloured Plates, half-calf, £178.

A detailed list of Monographs and Volumes may be had.

Conchologia Indica; Illustrations of the Land and Freshwater Shells of British India. Edited by SYLVANUS HANLEY, F.L.S., and WILLIAM THEOBALD, of the Geological Survey of India. Complete in One Vol., 4to, with 160 Coloured Plates, £8 5s.

The Edible Mollusca of Great Britain and Ireland, including the Oyster, Mussel, Cockle, Scallop, Limpet, Whelk, Periwinkle, and many others less generally known, with much curious and interesting information respecting them ; with the Modes of Cooking them. By M. S. LOVELL. Crown 8vo, with 12 Coloured Plates. New Edition, rewritten and much enlarged, 10s. 6d.

Testacea Atlantica ; or, the Land and Freshwater Shells of the Azores, Madeiras, Salvages, Canaries, Cape Verdes, and Saint Helena. By T. VERNON WOLLASTON, M.A., F.L.S. Demy 8vo, 25s.

ENTOMOLOGY.

The Coleoptera of the British Islands. A Descriptive Account of the Families, Genera, and Species indigenous to Great Britain and Ireland, with Notes as to Localities, Habitats, &c. By the Rev. W. W. FOWLER, M.A., F.L.S. Vol. I., with two Structural Plates and Wood Engravings, 14s.; Vol. II., 18s.; Vols. III. and IV., each 16s. Large Paper Illustrated Edition, Vol. I., with 36 Coloured Plates, 48s.; Vol. II., with 34 Coloured Plates, 58s.; Vol. III., with 28 Coloured Plates, 48s.; Vol. IV., with 42 Coloured Plates, 63s.

The Butterflies of Europe; Illustrated and Described. By HENRY CHARLES LANG, M.D., F.L.S. Complete in Two Vols., super-royal 8vo, with 82 Coloured Plates, containing upwards of 900 Figures, cloth, £3 18s.

** THE SYSTEMATIC LIST OF EUROPEAN BUTTERFLIES *from the above work separately, price 8d.; or printed on one side of the paper only for Labels, 1s.*

The Lepidoptera of Ceylon. By F. MOORE, F.L.S. Three Vols., Medium 4to, 215 Coloured Plates, cloth, gilt tops, £21 12s. Published under the auspices of the Government of Ceylon.

British Insects. A Familiar Description of the Form, Structure, Habits, and Transformations of Insects. By E. F. STAVELEY, Author of "British Spiders." Crown 8vo, with 16 Coloured Plates and numerous Wood Engravings, 14s.

British Beetles; an Introduction to the Study of our indigenous COLEOPTERA. By E. C. RYE. 2nd Edition, revised by REV. CANON FOWLER. Crown 8vo, 16 Coloured Steel Plates, and 11 Wood Engravings, 10s. 6d.

British Bees; an Introduction to the Study of the Natural History and Economy of the Bees indigenous to the British Isles. By W. E. SHUCKARD. Crown 8vo, 16 Coloured Plates, and Woodcuts of Dissections, 10s. 6d.

British Butterflies and Moths; an Introduction to the Study of our Native LEPIDOPTERA. By H. T. STAINTON. Crown 8vo, 16 Coloured Plates, and Wood Engravings, 10s. 6d.

British Spiders ; an Introduction to the Study of the ARANEIDÆ found in Great Britain and Ireland. By E. F. STAVELEY. Crown 8vo, 16 Coloured Plates, and 44 Wood Engravings, 10s. 6d.

Harvesting Ants and Trap-door Spiders ; Notes and Observations on their Habits and Dwellings. By J. T. MOGGRIDGE, F.L.S. With SUPPLEMENT, 17s. The Supplement separately, cloth, 7s. 6d.

Curtis's British Entomology. Illustrations and Descriptions of the Genera of Insects found in Great Britain and Ireland, containing Coloured Figures, from Nature, of the most rare and beautiful Species, and in many instances, upon the plants on which they are found. Eight Vols., Royal 8vo, 770 Coloured Plates, £28.

Or in Separate Monographs.

Orders.	Plates.	£ s. d.	Orders.	Plates.	£ s. d.
APHANIPTERA . . .	2	0 2 0	HYMENOPTERA . . .	125	6 5 0
COLEOPTERA . . .	256	12 16 0	LEPIDOPTERA . . .	193	9 13 0
DERMAPTERA . . .	1	0 1 0	NEUROPTERA . . .	13	0 13 0
DICTYOPTERA . . .	1	0 1 0	OMALOPTERA . . .	6	0 6 0
DIPTERA . . .	103	5 3 0	ORTHOPTERA . . .	5	0 5 0
HEMIPTERA . . .	32	1 12 0	STREPSIPTERA . . .	3	0 3 0
HOMOPTERA . . .	21	1 1 0	TRICHOPTERA . . .	9	0 9 0

“Curtis's Entomology,” which Cuvier pronounced to have “reached the ultimum of perfection,” is still the standard work on the Genera of British Insects. The Figures executed by the author himself, with wonderful minuteness and accuracy, have never been surpassed, even if equalled. The price at which the work was originally published was £43 16s.

Insecta Britânnica ; Diptera. Vol. III. By FRANCIS WALKER, F.L.S. 8vo, with 10 Plates, 25s.

The Structure and Life History of the Cockroach (*Periplaneta Orientalis*). An Introduction to the Study of Insects. By L. C. MIALl, Professor of Biology in the Yorkshire College, Leeds, and ALFRED DENNY, Lecturer on Biology in the Firth College, Sheffield. Demy 8vo, 125 Woodcuts, 7s. 6d.

ZOOLOGY.

British Zoophytes; an Introduction to the Hydroids, Actinozoa, and Polyzoa found in Great Britain, Ireland, and the Channel Islands. By ARTHUR S. PENNINGTON, F.L.S. Crown 8vo, 24 Plates, 10s. 6d.

Handbook of the Vertebrate Fauna of Yorkshire; being a Catalogue of British Mammals, Birds, Reptiles, Amphibians, and Fishes, which are or have been found in the County. By WILLIAM EAGLE and WILLIAM DENISON ROEBUCK. 8vo, 8s. 6d.

Handbook of the Freshwater Fishes of India; giving the Characteristic Peculiarities of all the Species at present known, and intended as a guide to Students and District Officers. By Capt. R. BEAVAN, F.R.G.S. Demy 8vo. 12 Plates, 10s. 6d.

The Zoology of the Voyage of H.M.S. *Samarang*, under the command of Captain Sir Edward Belcher, C.B., during the Years 1843-46. By Professor OWEN, Dr. J. E. GRAY, Sir J. RICHARDSON, A. ADAMS, L. REEVE, and A. WHITE. Edited by ARTHUR ADAMS, F.L.S. Royal 4to, 55 Plates, mostly coloured, £3 10s.

ANTIQUARIAN.

Sacred Archæology; a Popular Dictionary of Ecclesiastical Art and Institutions from Primitive to Modern Times. By MACKENZIE E. C. WALCOTT, B.D. Oxon., F.S.A., Precentor and Prebendary of Chichester Cathedral. 8vo, 18s.

A Manual of British Archæology. By CHARLES BOUTELL, M.A. 20 Coloured Plates, 10s. 6d.

The Antiquity of Man; an Examination of Sir Charles Lyell's recent Work. By S. R. PATTISON, F.G.S. Second Edition. 8vo, 1s.

MISCELLANEOUS.

Collections and Recollections of Natural History and Sport in the Life of a Country Vicar. By the Rev. G. C. GREEN. Illustrated with Woodcuts from Sketches by the Author. Crown 8vo, 7s. 6d.

West Yorkshire; an Account of its Geology, Physical Geography, Climatology, and Botany. By J. W. DAVIS, F.L.S., and F. ARNOLD LEES, F.L.S. Second Edition, 8vo, 21 Plates, many Coloured, and 2 large Maps, 21s.

Natal; a History and Description of the Colony, including its Natural Features, Productions, Industrial Condition and Prospects. By HENRY BROOKS, for many years a resident. Edited by Dr. R. J. MANN, F.R.A.S., F.R.G.S., late Superintendent of Education in the Colony. Demy 8vo, with Maps, Coloured Plates, and Photographic Views, 21s.

St. Helena. A Physical, Historical, and Topographical Description of the Island, including its Geology, Fauna, Flora, and Meteorology. By J. C. MELLISS, A.I.C.E., F.G.S., F.L.S. In one large Vol., Super-royal 8vo, with 56 Plates and Maps, mostly coloured, 42s.

The Young Collector's Handy Book of Recreative Science. By the Rev. H. P. DUNSTER, M.A. Cuts, 3s. 6d.

The Geologist. A Magazine of Geology, Palæontology, and Mineralogy. Edited by S. J. MACKIE, F.G.S., F.S.A. Vols. V. and VI., each with numerous Wood Engravings, 18s. Vol. VII., 9s.

Everybody's Weather-Guide. The use of Meteorological Instruments clearly explained, with directions for securing at any time a probable Prognostic of the Weather. By A. STEINMETZ, Esq., Author of "Sunshine and Showers," &c. 1s.

The Artificial Production of Fish. By PISCARIUS. Third Edition. 1s.

The Gladiolus: its History, Cultivation, and Exhibition. By the Rev. H. HONYWOOD DOMBRAIN, B.A. 1s.

Meteors, Aerolites, and Falling Stars. By Dr. T. L. PHIPSON, F.C.S. Crown 8vo, 25 Woodcuts and Lithographic Frontispiece, 6s.

Papers for the People. By ONE OF THEM. No. 1, OUR LAND. 8vo, 6d. (By Post, 7d. in stamps.)

The Royal Academy Album; a Series of Photographs from Works of Art in the Exhibition of the Royal Academy of Arts, 1875. Atlas 4to, with 32 fine Photographs, cloth, gilt edges, £6 6s.; half-morocco, £7 7s.

The same for 1876, with 48 beautiful Photo-prints, cloth, £6 6s.; half-morocco, £7 7s. Small Edit. Royal 4to, cloth, gilt edges, 63s.

On Intelligence. By H. TAINE, D.C.L. Oxon. Translated from the French by T. D. HAYE, and revised, with additions, by the Author. Complete in One Vol., 18s.

Manual of Chemical Analysis, Qualitative and Quantitative; for the use of Students. By Dr. HENRY M. NOAD, F.R.S. New Edition. Crown 8vo, 109 Wood Engravings, 16s. Or, separately, Part I., "QUALITATIVE," New Edition, new Notation, 6s.; Part II. "QUANTITATIVE," 10s. 6d.

PLATES.

Floral Plates, from the Floral Magazine. Beautifully Coloured, for Screens, Scrap-books, Studies in Flower-painting, &c. 6d. and 1s. each. Lists of over 1000 varieties, One Stamp.

Botanical Plates, from the Botanical Magazine. Beautifully-coloured Figures of new and rare Plants. 6d. and 1s. each. Lists of nearly 3000, Three Stamps.

SERIALS.

The Botanical Magazine. Figures and Descriptions of New and Rare Plants. By Sir J. D. HOOKER, C.B., F.R.S. Monthly, with 6 Coloured Plates, 3s. 6d. Annual subscription, post free, 42s.

Re-issue of the Third Series, in Monthly Vols., 42s. each; to Subscribers for the entire Series, 36s. each.

The Naturalist. Monthly, 6d.; per annum, post-free, 5s., in advance.

The Coleoptera of the British Islands. By the Rev. W. W. FOWLER. Illustrated Edition. Monthly, 5s.

THE VICTORIA LIBRARY.

A New Series of Standard and Popular Works in all departments of Literature, to be issued monthly, in handy pocket volumes, well printed and neatly bound in whole cloth, yellow edges, price 1s. each; or in paper covers, cut or uncut edges, 6d. each.

The Series will comprise Selected Works, in Poetry and Prose, from our Classic Literature, Biographies of Men and Women who have distinguished themselves in Literature, Science or Art, including great Statesmen, Generals, Admirals, Explorers, Inventors, Philanthropists, &c., &c.; Histories of Important Events and Epochs, Descriptions of Places of Note and Interest; with occasional Volumes of approved Fiction.

NOW READY.

Vol. I., BRITISH ORATORY, containing Six famous Speeches, viz.: Grattan on Irish Independence, Pitt on Union, Peel on Corn Laws, Bright on Reform, Jones on Democracy, Gladstone on Oaths.

Vol. II. ENGLISH DRAMAS: The Birth of Merlin, and Thomas Lord Cromwell.

Vol. III. ON THE STUDY AND USE OF HISTORY: By Lord Bolingbroke.

Vol. IV. ENGLISH DRAMAS: By Congreve. "The Way of the World," and "The Mourning Bride."

Vol. V. A TALE OF A TUB: By Dean Swift. With notes and translations.

Vol. VI. SPENSER'S FAIRY QUEEN: A selection of the most beautiful passages in modernized orthography, with analyses of each book. Notes and explanations of archaic words.

Vol. VII. LIFE OF WILLIAM PITT: By T. Evan Jacob, M.A.

Vol. VIII. ELIZABETHAN SONGS AND SONNETS. (In the Press).

Now Ready, Parts I. to V., each with 8 Coloured Plates. 15s.

LEPIDOPTERA INDICA.

By FREDERIC MOORE, Fellow of the Zoological and Entomological Societies of London, A.L.S., A. Asiat. Soc., Bengal, &c.

Prospectuses with full particulars may be had on application to the Publishers.

London:

L. REEVE & CO., 5, HENRIETTA STREET, COVENT GARDEN.

GILBERT AND RIVINGTON, LD., ST. JOHN'S HOUSE, CLERKENWELL, E.C.

UNIVERSITY
OF

RETURN **NATURAL RESOURCES LIBRARY**
TO → 40 Gianinni Hall Tel. No. 642-4493

LOAN PERIOD 1	2	3
7 DAYS		
4	5	6
	BOCC	

ALL BOOKS MAY BE RECALLED AFTER 7 DAYS

DUE AS STAMPED BELOW

UNIVERSITY OF CALIFORNIA, BERKELEY
FORM NO. DD0, 50m, 1/82 BERKELEY, CA 94720

U.C. BERKELEY LIBRARIES

C026296693