University of the State of New York

BULLETIN
OF THE
New York State Museum

FREDERICK J. H. MERRILL *Director*

UC-NRLF

B 3 319 841

No. 33 Vol. 7

April 1900

CHECK LIST
OF
NEW YORK BIRDS

By
MARCUS S. FARR D.Sc.

ALBANY
UNIVERSITY OF THE STATE OF NEW YORK

1900

M65m-F0-1500

Price 25 cents

THE LIBRARY
OF
THE UNIVERSITY
OF CALIFORNIA

PRESENTED BY
PROF. CHARLES A. KOFOID AND
MRS. PRUDENCE W. KOFOID

University of the State of New York

BULLETIN
OF THE
New York State Museum

FREDERICK J. H. MERRILL *Director*

No. 33 Vol. 7

April 1900

CHECK LIST
OF
NEW YORK BIRDS

By
MARCUS S. FARR D. Sc.

ALBANY
UNIVERSITY OF THE STATE OF NEW YORK
1900

PREFACE

This list was originally prepared for use in collecting data for a bulletin on the birds of New York, but, inasmuch as no check list of the birds of the entire state is available for the student of our avi-fauna, it has been thought advisable to publish it in this form, hoping that it may be of some use to students in ornithology and serve as a convenient means of keeping notes on the various species.

My purpose has been to include all the birds known to occur or to have occurred in our state, and only those forms have been admitted that have actually been taken in New York. Thus the list contains not only our regular summer and winter residents and migrants, but also those that occur as irregular visitants or stragglers. A number of the species recorded have been taken only once or twice in the state and this is in nearly every case indicated in a foot note with the proper reference. It is believed that nearly, if not quite all the birds of our state, that have been recorded, are included; but for any corrections or additions the author will be grateful.

The list is divided into two parts, the first containing those birds that have actually been taken in New York, the second including those of which we have no satisfactory state records, but which, having been taken in adjoining states, may be looked for in New York.

Strict adherence is given to the nomenclature of the American ornithologists union check list of 1895 and the supplements of January 1897 and 1899. The number of the species in this list is followed by the American ornithologists union number in parentheses or brackets, and as the pamphlet is designed for the use of students rather than advanced workers, the common name is given first.

My obligations are due to Dr F. J. H. Merrill, whose kind aid and criticism have been a source of inspiration in my work. Also to Dr J. A. Allen and Mr William Dutcher of New York, Dr William Brewster of Cambridge, and Dr A. W. Butler of Indianapolis, who have been so kind as to give me notes and suggestions on several species.

MARCUS S. FARR

Assistant zoologist

New York state museum

8 Feb. 1900

CHECK LIST OF NEW YORK BIRDS

PART I

Order **Pygopodes** *Diving birds*

Family **PODICIPIDAE** *Grebes*

- 1 ² (2) Holboell's grebe
Colymbus holboellii (Reinh.)

- 2 (3) Horned grebe
Colymbus auritus Linn.

- 3 (6) Pied-billed grebe
Podilymbus podiceps (Linn.)

Family **GAVIIDAE** *Loons*

- 4 (7) Loon
Gavia imber (Gunn.)

- 5 (9) Black-throated loon¹
Gavia artica (Linn.)

- 6 (11) Red-throated loon
Gavia lumme (Gunn.)

Family ALCIDAE *Auks, murrees and puffins*

- 7 (13) Puffin
Fratercula arctica (Linn.)

- 8 (27) Black guillemot
Cepphus grylle (Linn.)

¹ One New York record, Long Island. See *Auk*, 10:265-66.

- 9 (31) Brünnich's murre
Uria lomvia (Linn.)

- 10 (32) Razor-billed auk
Alca torda Linn.

- 11 (34) Dovekie
Alle alle (Linn.)

Order Longipennes *Long-winged swimmers*

Family STERCORARIIDAE *Skuas and jaegers*

- 12 (35) Skua¹
Megalestris skua (Brünn.)

¹ Long Island record, *Auk*, 3 : 432-33. Niagara river, spring of 1886. See *Auk*, 6 : 331; also Bergtold's *List of the birds of Buffalo and vicinity*, p. 3.

- 13 (36) Pomarine jaeger
Stercorarius pomarinus (Temm.)

- 14 (37) Parasitic jaeger
Stercorarius parasiticus (Linn.)

- 15 (38) Long-tailed jaeger
Stercorarius longicaudus Vieill.

Family LARIDAE *Gulls and terns*

- 16 (39) Ivory gull¹
Pagophila alba (Gunn.)

¹ One Long Island record. See *Auk*, 12: 290-91.

- 17 (40) Kittiwake
Rissa tridactyla (Linn.)

- 18 (42) Glaucous gull
Larus glaucus Brünn.

- 19 (43) Iceland gull
Larus leucopterus Faber

- 20 (47) Great black-backed gull
Larus marinus Linn.

- 21 (51) Herring gull¹
 Larus argentatus Brünn.
- 22 (51a) American herring gull
 Larus argentatus smithsonianus Coues
- 23 (54) Ring-billed gull
 Larus delawarensis Ord
- 24 (58) Laughing gull
 Larus atricilla Linn.

¹ Dr J. A. Allen writes me that this species is occasional in winter in Long Island sound and adjacent waters, and that several specimens taken in that locality and referable to this form have come under his observation.

- 25 (60) Bonaparte's gull
Larus philadelphia (Ord)

- 26 [60.1] Little gull¹
Larus minutus Pall.

- 27 (62) Sabine's gull²
Xema sabinii (Sab.)

- 28 (63) Gull-billed tern
Gelochelidon nilotica (Hasselq.)

¹ There is one American record of the occurrence of this European species. It was taken at Fire Island, Long Island. See *Auk*, 1888, 5: 172.

² An arctic form. Two Long Island records. See Giraud's *Birds of Long Island*, 1844, p. 363; Baird, Brewer & Ridgway's *Water birds*, 2:272; *Auk*, 1900, 17:63.

29 (64) Caspian tern
Sterna caspia Pallas

30 (65) Royal tern
Sterna maxima Bodd.

31 [68] Trudeau's tern¹
Sterna trudeaui Aud.

32 (69) Forster's tern
Sterna forsteri Nutt.

¹ One representative of this South American bird has been recorded from Long Island. See Aud. Orn. biog. 5:125; Aud. Syn. birds N. A., p. 319; Giraud's *Birds of Long Island*, p. 354; Baird, Brewer & Ridgway's *Water birds*, 2:291.

- 33 (70) Common tern
Sterna hirundo Linn
- 34 (71) Arctic tern
Sterna paradisaea Brünn.
- 35 (72) Roseate tern
Sterna dougalli Montag.
- 36 (74) Least tern
Sterna antillarum (Less.)

- 37 (75) Sooty tern
Sterna fuliginosa Gmel.

- 38 (77) Black tern
Hydrochelidon nigra surinamensis (Gmel.)

Family RYNCHOPIDAE *Skimmers*

- 39 (80) Black skimmer
Rynchops nigra Linn.

Order Tubinares *Tube-nosed swimmers*

Family PROCELLARIIDAE *Fulmars and shearwaters*

- 40 (88) Cory's shearwater
Puffinus borealis Cory

- 41 (89) Greater shearwater
Puffinus gravis (O'Reilly)
- 42 (92) Audubon's shearwater
Puffinus auduboni Finsch
- 43 (94) Sooty shearwater
Puffinus fuliginosus Strickland
- 44 [98] Black-capped petrel¹
Aestrelata hasitata (Kuhl)

¹ Long Island record, *Ann. lyc. nat. hist. N. Y.*, 5: 230. Also Onelda lake and Ulster co. records, *Auk*, 11: 162-63; 12: 179.

- 45 [99] Scaled petrel¹
 Aestrelata scalaris Brewst.
- 46 (106) Leach's petrel
 Oceanodroma leucorhoa (Vieill.)
- 47 (109) Wilson's petrel
 Oceanites oceanicus (Kuhl)

Order **Steganopodes** *Totipalmate swimmers*

Family **PHAËTHONTIDAE** *Tropic birds*

- 48 (112) Yellow-billed tropic bird²
 Phaëthon americanus Grant

¹ The single specimen taken in Livingston co. in 1880 is unique, as it has not been taken elsewhere. See *Bul. Nutt. orn. club*, 6 : 91-97; *Auk*, 11 : 389-93.

² This tropical form has once been taken at Knowlesville, Orleans co. See *Bul. Nutt. orn. club*, 5 : 63. See also Short's *Birds of western New York*. Also Langille's, *Our birds in their haunts*, p. 615. One other state record. See Maynard's *Birds of eastern North America*, 1881, p. 474

Family SULIDAE * *Gannets*

- 49 (115) Booby¹
Sula sula (Linn.)

- 50 (117) Gannet
Sula bassana (Linn.)

Family PHALACROCORACIDAE *Cormorants*

- 51 (119) Cormorant
Phalacrocorax carbo (Linn.)

- 52 (120) Double-crested cormorant
Phalacrocorax dilophus (Swain.)

¹ Accidental on Moriches bay, Long Island. See *Auk*, 10 : 271.

Family PELECANIDAE *Pelicans*

- 53_A(125) American white pelican
Pelecanus erythrorhynchos Gmel.

Family FREGATIDAE *Man-o'-war birds*

- 54 (128) Man-o'-war bird¹
Fregata aquila Linn.

Order **Anseres** *Lamellirostral swimmers*Family ANATIDAE *Ducks, geese and swans*

- 55_A(129) American merganser
Merganser americanus (Cass.)

- 56 (130) Red-breasted merganser
Merganser serrator (Linn.)

¹ There are two Long Island records. See *American naturalist*, 9 : 470; *Auk*, 5 : 173.

- 57 (131) Hooded merganser
Lophodytes cucullatus (Linn.)

- 58 (132) Mallard
Anas boschas Linn.

- 59 (133) Black duck
Anas obscura Gmel.

- 60 (135) Gadwall
Chaulelasmus streperus (Linn.)

- 61 (136) Widgeon
Mareca penelope (Linn.)
- 62 (137) Baldpate
Mareca americana (Gmel.)
- 63 (139) Green-winged teal
Nettion carolinensis (Gmel.)
- 64 (140) Blue-winged teal
Querquedula discors (Linn.)

65 (142) Shoveller
Spatula clypeata (Linn.)

66 (143) Pintail
Dafila acuta (Linn.)

67 (144) Wood duck
Aix sponsa (Linn.)

68 [145] Rufous-crested duck¹
Netta rufina (Pall.)

¹ This European species is known in the United States only by one specimen found in Fulton market, New York, and supposed to have been shot on Long Island. See *Bul. Nutt. orn. club*, 6:173; also *Proc. U. S. nat. mus.* 1331, p. 22-24.

69 (146) Redhead
Aythya americana (Eyt.)

70 (147) Canvas-back
Aythya vallisneria (Wils.)

71 (148) American scaup duck
Aythya marila (Linn.)

72 (149) Lesser scaup duck
Aythya affinis (Eyt.)

- 73 (150) Ring-necked duck
Aythya collaris (Donov.)
- 74 (151) American golden-eye
Clangula clangula americana Faxon
- 75 (152) Barrow's golden-eye
Clangula islandica (Gmel.)
- 76 (153) Buffle-head
Charitonetta albeola (Linn.)

- 77 (154) Old-squaw
Harelda hyemalis (Linn.)
- 78 (155) Harlequin duck
Histrionicus histrionicus (Linn.)
- 79 (156) Labrador duck¹
Camptolaimus labradorius (Gmel.)
- 80 (160) American eider
Somateria dresseri Sharpe

¹ Formerly a winter visitant to Long Island from the arctic regions. Now supposed to be extinct.

- 81 (162) King eider
Somateria spectabilis (Linn.)

- 82 (163) American scoter
Oidemia americana Swains.

- 83 (165) White-winged scoter
Oidemia deglandi Bonap.

- 84 (166) Surf scoter
Oidemia perspicillata (Linn.)

- 85 (167) Ruddy duck
Erismatura jamaicensis (Gmel.)
- 86 (169a) Greater snow goose
Chen hyperborea nivalis (Forst.)
- 87 (169.1) Blue goose
Chen caerulescens (Linn.)
- 88 (171a) American white-fronted goose
Anser albifrons gambeli (Hartl.)

89 (172) Canada goose

Branta canadensis (Linn.)

90 (172a) Hutchins's goose

Branta canadensis hutchinsii (Rich.)

91 (173) Brant

Branta bernicla (Linn.)

92 (174) Black brant

Branta nigricans (Lawr.)

- 93 [175] Barnacle goose¹
 Branta leucopsis (Bechst.)

- 94 (180) Whistling swan
 Olor columbianus (Ord)

Order **Herodiones** *Hérons, ibises, etc.*

Family IBIDIDAE *Ibises*

- 95 (184) White ibis
 Guara alba (Linn.)

- 96 (186) Glossy ibis
 Plegadis autumnalis (Hasselq.)

¹ One Long Island record of this European species. See *Bul. Nutt. orn. club*, 2:18.

- 97 (187) White-faced glossy ibis¹
Plegadis guarauna (Linn.)

Family CICONIIDAE *Storks and wood ibises*

- 98 (188) Wood ibis
Tantalus loculator Linn.

Family ARDEIDAE *Hérons, bitterns, etc.*

- 99 (190) American bittern
Botaurus lentiginosus (Montag.)

- 100 (191) Least bittern
Ardetta exilis (Gmel.)

¹ There is a specimen (no. 205) of this species in the New York state museum, taken on Grand island, Niagara river, Aug. 1844. See 3d ann. rept N. Y. state museum, p. 22; also *Auk*, 1887, 3:233-54.

101 (194) Great blue heron
Ardea herodias Linn.

102 (196) American egret
Ardea egretta Gmel.

103 (197) Snowy heron
Ardea candidissima Gmel.

104 (199) Louisiana heron¹
Ardea tricolor ruficollis (Gosse)

¹ One Long Island record. See DeKay, 1842, p. 223. See also Giraud's *Birds of Long Island*, 1844, p. 281-82.

- 105 (200) Little blue heron
Ardea caerulea Linn.
- 106 (201) Green heron
Ardea virescens Linn.
- { 107 (202) Black-crowned night heron
Nycticorax nycticorax naevius (Bodd.)
- 108 (203) Yellow-crowned night heron
Nycticorax violaceus (Linn.)

Order **Paludicolae** *Cranes, rails, etc.*Family GRUIDAE *Cranes*

- 109 (204) Whooping crane¹
 Grus americana (Linn.)

- 110 (206) Sandhill crane¹
 Grus mexicana (Müll.)

Family RALLIDAE *Rails, gallinules and coots*

- 111 (208) King rail
 Rallus elegans Aud.

- 112 (211) Clapper rail
 Rallus crepitans Gmel.

¹ Historic in New York.

to the New York State Museum

from the New York State Museum

to the New York State Museum

(1917) New York State Museum

to the New York State Museum

(1917) New York State Museum

to the New York State Museum

(1917) New York State Museum

(1917) New York State Museum

to the New York State Museum

(1917) New York State Museum

to the New York State Museum

- 113 (212) Virginia rail
Rallus virginianus Linn.
- 114 (214) Sora
Porzana carolina (Linn.)
- 115 (215) Yellow rail
Porzana noveboracensis (Gmel.)
- 116 (216) Black rail
Porzana jamaicensis (Gmel.)

- 117 [217] Corn crake
 Crex crex (Linn.)
- 118 (218) Purple gallinule
 Ionornis martinica (Linn.)
- 119 (219) Florida gallinule
 Gallinula galeata (Licht.)
- 120 (221) American coot
 Fulica americana Gmel.

Order **Limicolae** *Shore birds*Family PHALAROPODIDAE *Phalaropes*

- 121 (222) Red phalarope
Crymophilus fulicarius (Linn.)

- 122 (223) Northern phalarope
Phalaropus lobatus (Linn.)

- 123 (224) Wilson's phalarope
Steganopus tricolor Vieill.

Family RECURVIROSTRIDAE *Avocets and stilts*

- 124 (225) American avocet
Recurvirostra americana Gmel.

- 125 (226) Black-necked stilt
Himantopus mexicanus (Müll.)

Family SCOLOPACIDAE *Snipes, sandpipers, etc.*

- 126 (228) American woodcock
Philohela minor (Gmel.)

- 127 (230) Wilson's snipe
Gallinago delicata (Ord)

- 128 (231) Dowitcher
Macrorhamphus griseus (Gmel.)

129 (232) Long-billed dowitcher

Macrorhamphus scolopaceus (Say)

130 (233) Stilt sandpiper

Micropalma himantopus (Bonap.)

131 (234) Knot

Tringa canutus Linn.

132 (235) Purple sandpiper

Tringa maritima Brünn.

133 (239) Pectoral sandpiper
Tringa maculata Vieill.

134 (240) White-rumped sandpiper
Tringa fuscicollis Vieill

135 (241) Baird's sandpiper
Tringa bairdii (Coues)

136 (242) Least sandpiper
Tringa minutilla Vieill.

- 137 [243] Dunlin¹
Tringa alpina Linn.
- 138 (243a) Red-backed sandpiper
Tringa alpina pacifica (Coues)
- 139 (244) Curlew sandpiper²
Tringa ferruginea Bliinn.
- 140 (246) Semipalmated sandpiper
Ereunetes pusillus (Linn.)

¹ One Long Island record. See *Auk*, 10: 78.

² See Coues's, *New England bird life*, 2:221; *Auk*, 1884, 1:32-33.

- 141 (247) Western sandpiper
Ereunetes occidentalis Lawr.

- 142 (248) Sanderling
Calidris arenaria (Linn.)

- 143 (249) Marbled godwit
Limosa fedoa (Linn.)

- 144 (251) Hudsonian godwit
Limosa haemastica (Linn.)

- 145 (254) Greater yellow-legs
Totanus melanoleucus (Gmel.)

- 146 (255) Yellow-legs
Totanus flavipes (Gmel.)

- 147 (256) Solitary sandpiper
Helodromas solitarius (Wils.)

- 148 (258) Willet
Symphemia semipalmata (Gmel.)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

1894-1895 (1894-1895)

149 [260] Ruff¹

Pavoncella pugnax (Linn.)

150 (261) Bartramian sandpiper

Bartramia longicauda (Bechst.)

151 (262) Buff-breasted sandpiper

Tryngites subruficollis (Vieill.)

152 (263) Spotted sandpiper

Actitis macularia (Linn.)

¹ Long Island records. See *Ann. lyc. nat. hist. N. Y.* 5: 220.

- 153 (264) Long-billed curlew
Numenius longirostris Wils.
- 154 (265) Hudsonian curlew
Numenius hudsonicus Lath.
- 155 (266) Eskimo curlew
Numenius borealis (Forst.)
- 156 (H.L. 11.1) European curlew¹
Numenius arquatus (Linn.)

¹ There is in the New York state museum, (no. 324 in coll.) one individual of this species believed to have been taken on Long Island in 1853 and we think the evidence is sufficient to warrant its being included in the list of birds actually taken in New York. See *Auk*, 9: 390-92.

Family CHARADRIIDAE *Plovers*

- 157* [269] Lapwing¹
 Vanellus vanellus (Linn.)
- 158 (270) Black-bellied plover
 Squatarola squatarola (Linn.)
- 159 (272) American golden plover
 Charadrius dominicus Müll.
- 160 (273) Killdeer
 Aegialitis vocifera (Linn.)

¹ One specimen of this European form has been taken on Long Island. See *Auk*, 1886, 3: 438.

- 161 (274) Semipalmated plover
Aegialitis semipalmata Bonap.
- 162 (277) Piping plover
Aegialitis meloda (Ord)
- 163 (277a) Belted piping plover
Aegialitis meloda circumcincta Ridgw.
- 164 (280) Wilson's plover
Aegialitis wilsonia (Ord)

Family APHRIZIDAE *Surf birds and turnstones*

- 165 (283) Turnstone
Arenaria interpres (Linn.)

Family HAEMATOPODIDAE *Oyster-catchers*

- 166 (286) American oyster-catcher
Haematopus palliatus Temm.

Order Gallinae *Gallinaceous birds*Family TETRAONIDAE *Grouse, partridges, etc.*

- 167 (289) Bob-white
Colinus virginianus (Linn.)

- 168 (298) Canada grouse
Canachites canadensis (Linn.)

- 169 (300) Ruffed grouse
Bonasa umbellus (Linn.)
- 170 (300a) Canadian ruffed grouse
Bonasa umbellus togata (Linn.)
- 171 (301) Willow ptarmigan¹
Lagopus lagopus (Linn.)
- 172 (306) Heath hen²
Tympanuchus cupido (Linn.)

¹ Watson, Lewis co. record. See *Bul. Nutt. orn. club*, 3: 41; 6: 233.

² Historic in New York state.

Family PHASIANIDAE *Pheasants, etc.*

- 173 (310a) Wild turkey¹
Meleagris gallopavo fera (Vieill.)

Order Columbæ *Pigeons*Family COLUMBIDAE *Pigeons*

- 174 (315) Passenger pigeon
Ectopistes migratorius (Linn.)

- 175 (316) Mourning dove
Zenaidura macroura (Linn.)

Order Raptores *Birds of prey*Family CATHARTIDAE *American vultures*

- 176 (325) Turkey vulture
Cathartes aura (Linn.)

¹ Historic in New York state.

- 177 (326) Black vulture
Catharista urubu (Vieill.)

Family FALCONIDAE *Vultures, falcons, hawks, eagles, etc.*

- 178 (327) Swallow-tailed kite
Elanoides forficatus (Linn.)

- 179 (331) Marsh hawk
Circus hudsonius (Linn.)

- 180 (332) Sharp-shinned hawk
Accipiter velox (Wils.)

181 (333) Cooper's hawk
Accipiter cooperii (Bonap.)

182 (334) American goshawk
Accipiter atricapillus (Wils.)

183 (337) Red-tailed hawk
Buteo borealis (Gmel.)

184 (339) Red-shouldered hawk
Buteo lineatus (Gmel.)

185 (342) Swainson's hawk¹

Buteo swainsoni Bonap.

186 (343) Broad-winged hawk

Buteo latissimus (Wils.)

187 (347a) American rough-legged hawk

Archibuteo lagopus sancti-johannis (Gmel.)

188 (349) Golden eagle

Aquila chrysaëtos (Linn.)

¹ Cornwall N. Y. record. See *Auk*, 10: 83-84.

- 189 (352) Bald eagle
Haliaeetus leucocephalus (Linn.)

- 190 (353) White gyrfalcon¹
Falco islandus Brünn.

- 191 (354a) Gyrfalcon²
Falco rusticolus gyrfalco (Linn.)

- 192 (354b) Black gyrfalcon
Falco rusticolus obsoletus (Gmel.)

¹ One taken on Long Island in 1856. See *Auk*, 10: 274-75; *Ann. lyc. nat. hist. N. Y.* 8: 280.

² Long Island, fall of 1875.—*Lawrence*

193 (356) Duck hawk

Falco peregrinus anatum (Bonap.)

194 (357) Pigeon hawk

Falco columbarius Linn

195 (360) American sparrow hawk

Falco sparverius Linn.

196 (364) American osprey

Pandion haliaëtus carolinensis (Gmel.)

Family STRIGIDAE *Barn owls*

- 197 (365) American barn owl
Strix pratincola Bonap.

Family BUBONIDAE *Horned owls, etc.*

- 198 (366) American long-eared owl
Asio wilsonianus (Less.)

- 199 (367) Short-eared owl
Asio accipitrinus (Pall.)

- 200 (368) Barred owl
Syrnium nebulosum (Forst.)

- 201 (370) Great gray owl
 Scotiaptex cinerea (Gmel.)

- 202 (372) Saw-whet owl
 Nyctala acadica (Gmel.)

- 203 (373) Screech owl
 Megascops asio (Linn.)

- 204 (375) Great horned owl
 Bubo virginianus (Gmel.)

205 (376) Snowy owl

Nyctea nyctea (Linn.)

206 (377a) American hawk owl

Surnia ulula caparoch (Müll.)

207 (378) Burrowing owl¹

Speotyto cunicularia hypogaea (Bonap.)

Order **Psittaci** *Parrots, etc.*

Family **PSITTACIDAE** *Parrots*

208 (382) Carolina paroquet²

Conurus carolinensis (Linn.)

¹ One New York record. See *Forest and stream*, 12 Aug. 1875, 5: 4.

² Historic in New York state.

Order **Coccyges** *Cuckoos, etc.*

Family CUCULIDAE *Cuckoos, etc.*

- 209 (387) Yellow-billed cuckoo
Coccyzus americanus (Linn.)

- 210 (388) Black billed cuckoo
Coccyzus erythrophthalmus (Wils.)

Family ALCEDINIDAE *Kingfishers*

- 211 (390) Belted kingfisher
Ceryle alcyon (Linn.)

Order **Pici** *Woodpeckers, etc.*

Family PICIDAE *Woodpeckers*

- 212 (393) Hairy woodpecker
Dryobates villosus (Linn.)

- 213 (394c) Downy woodpecker
Dryobates pubescens medianus (Swains.)

- 214 (400) Arctic three-toed woodpecker
Picoides arcticus (Swains.)

- 215 (401) American three-toed woodpecker
Picoides americanus Brehm

- 216 (402) Yellow-bellied sapsucker
Sphyrapicus varius (Linn.)

- 217 (405a) Northern pileated woodpecker
Ceophloeus pileatus abieticola Bangs

- 218 (406) Red-headed woodpecker
Melanerpes erythrocephalus (Linn.)

- 219 (409) Red-bellied woodpecker
Melanerpes carolinus (Linn.)

- 220 (412a) Northern flicker
Colaptes auratus luteus Bangs

Order **Machrochires** *Goatsuckers, swifts, etc.*Family **CAPRIMULGIDAE** *Goatsuckers, etc.*

- 221 (417) Whip-poor-will
 Antrostomus vociferus (Wils.)

- 222 (420) Nighthawk
 Chordeiles virginianus (Gmel.)

Family **MICROPODIDAE** *Swifts*

- 223 (423) Chimney swift
 Chaetura pelagica (Linn.)

Family **TROCHILIDAE** *Hummingbirds*

- 224 (428) Ruby-throated hummingbird
 Trochilus colubris Linn.

Order **Passeres** *Perching birds*Family **TYRANNIDAE** *Tyrant flycatchers*

- 225 (444) Kingbird
Tyrannus tyrannus (Linn.)

- 226 (447) Arkansas kingbird
Tyrannus verticalis Say

- 227 (452) Crested flycatcher
Myiarchus crinitus (Linn.)

- 228 (456) Phoebe
Sayornis phoebe (Lath.)

- 229 (459) Olive-sided flycatcher
Contopus borealis (Swains.)
- 230 (461) Wood pewee
Contopus virens (Linn.)
- 231 (463) Yellow-bellied flycatcher
Empidonax flaviventris Baird
- 232 (465) Green-crested flycatcher
Empidonax virescens (Vieill.)

- 233 (466a) Alder flycatcher
Empidonax traillii alnorum Brewst.

- 234 (467) Least flycatcher
Empidonax minimus Baird

Family ALAUDIDAE *Larks*

- 235 (474) Horned lark
Otocoris alpestris (Linn.)

- 236 (474b) Prairie horned lark
Otocoris alpestris praticola Hensh.

Family CORVIDAE *Crows, jays, magpies, etc.*

- 237 (477) Blue jay
Cyanocitta cristata (Linn.)
- 238 (484) Canada jay
Perisoreus canadensis (Linn.)
- 239 (486a) Northern raven
Corvus corax principalis Ridgw.
- 240 (488) American crow
Corvus americanus Aud.

- 241 (490) Fish crow
Corvus ossifragus Wils.

Family ICTERIDAE *Blackbirds, orioles, etc.*

- 242 (494) Bobolink
Dolichonyx oryzivorus (Linn.)

- 243 (495) Cowbird
Molothrus ater (Bodd.)

- 244 (498) Red-winged blackbird
Agelaius phoeniceus (Linn.)

- 245 (501) Meadowlark
Sturnella magna (Linn.)
- 246 (506) Orchard oriole
Icterus spurius (Linn.)
- 247 (507) Baltimore oriole
Icterus galbula (Linn.)
- 248 (509) Rusty blackbird
Scolecophagus carolinus (Müll.)

- 249 (511) Purple grackle
Quiscalus quiscula (Linn.)

- 250 (511b) Bronzed grackle
Quiscalus quiscula aeneus (Ridgw.)

Family FRINGILLIDAE *Finches, sparrows, etc.*

- 251 (514) Evening grosbeak
Coccothraustes vespertinus (Coop.)

- 252 (515) Pine grosbeak
Pinicola enucleator canadensis (Cab.)

- 253 (517) Purple finch
Carpodacus purpureus (Gmel.)
- 254 (521) American crossbill
Loxia curvirostra minor (Brehm)
- 255 (522) White-winged crossbill
Loxia leucoptera Gmel.
- 256 (528) Redpoll
Acanthis linaria (Linn.)

- 257 (528b) Greater redpoll
Acanthis linaria rostrata (Coes)

- 258 (529) American goldfinch
Astragalinus tristis (Linn.)

- 259 (533) Pine siskin
Spinus pinus (Wils.)

- 260 (534) Snowflake
Passerina nivalis (Linn.)

- 261 (536) Lapland longspur
 Calcarius lapponicus (Linn.)
- 262 (538) Chestnut-collared longspur¹
 Calcarius ornatus (Towns.)
- 263 (540) Vesper sparrow
 Pooecetes gramineus (Gmel.)
- 264 (541) Ipswich sparrow
 Ammodramus princeps (Mayn.)

¹ Long Island record. See *Auk*, 6: 190.

- 265 (542a) Savanna sparrow
Ammodramus sandwichensis savanna (Wils.)

- 266 (546) Grasshopper sparrow
Ammodramus savannarum passerinus (Wils.)

- 267 (547) Henslow's sparrow
Ammodramus henslowii (Aud.)

- 268 (548) Leconte's sparrow¹
Ammodramus leconteii (Aud.)

¹ This is included on the authority of Mr Louis Agassiz Fuertes, who reports the capture of a young bird of this species at Ithaca, 11 Oct. 1897. See *Auk*, 1898, 15: 188-89.

- 269 (549) Sharp-tailed sparrow
Ammodramus caudacutus (Gmel.)
- 270 (549.1) Nelson's sparrow
Ammodramus nelsoni (Allen)
- 271 (549.1a) Acadian sharp-tailed sparrow
Ammodramus nelsoni subvirgatus (Dwight)
- 272 (550) Seaside sparrow
Ammodramus maritimus (Wils.)

- 273 (552) Lark sparrow
Chondestes grammacus (Say)
- 274 (554) White-crowned sparrow
Zonotrichia leucophrys (Forst.)
- 275 (558) White-throated sparrow
Zonotrichia albicollis (Gmel.)
- 276 (559) Tree sparrow
Spizella monticola (Gmel.)

277 (560) Chipping sparrow
Spizella socialis (Wils.)

278 (563) Field sparrow
Spizella pusilla (Wils.)

279 (567) Slate-colored junco
Junco hyemalis (Linn.)

280 (581) Song sparrow
Melospiza fasciata (Gmel.)¹

¹ Oberholser has recently shown that the species name *fasciata* is untenable for this form and that *melodia* should be adopted. See *Auk*, 16: 182-83.

- 281 (583) Lincoln's sparrow
Melospiza lincolnii (Aud.)
- 282 (584) Swamp sparrow
Melospiza georgiana (Lath.)
- 283 (585) Fox sparrow
Passerella iliaca (Merr.)
- 284 (587) Towhee
Pipilo erythrophthalmus (Linn.)

- 285 (593) Cardinal
Cardinalis cardinalis (Linn.)

- 286 (595) Rose-breasted grosbeak
Zamelodia ludoviciana (Linn.)

- 287 (597) Blue grosbeak¹
Guiraca caerulea (Linn.)

- 288 (598) Indigo bunting
Cyanospiza cyanea (Linn.)

¹ See De Kay, 1842, p. 146; *Bul. Nutt. orn. club*, 3:132; *Auk*, 10:276.

289 (601) Painted bunting¹

Cyanospiza ciris (Linn.)

290 (604) Dickcissel

Spiza americana (Gmel.)

291 (605) Lark bunting²

Calamospiza melanocorys Stejn.

Family TANAGRIDAE *Tanagers*

292 (607) Louisiana tanager³

Piranga ludoviciana (Wils.)

¹ See *Bul. Nutt. orn. club*, 3: 132; *Forest and stream*, 1884, p. 424.

² This western species has once been taken on Long Island. See *Auk*, 6: 192, 1889.

³ One New York record. See *Auk*, 1890, 7: 55.

- 293 (608) Scarlet tanager
Piranga erythromelas Vieill.

- 294 (610) Summer tanager
Piranga rubra (Linn.)

Family HIRUNDINIDAE *Swallows*

- 295 (611) Purple martin
Progne subis (Linn.)

- 296 (612) Cliff swallow
Petrochelidon lunifrons (Say)

- 297 (613) Barn swallow
Hirundo erythrogaster Bodd.
- 298 (614) Tree swallow
Tachycineta bicolor (Vieill.)
- 299 (616) Bank swallow
Clivicola riparia (Linn.)
- 300 (617) Rough-winged swallow
Stelgidopteryx serripennis (Aud.)

Family AMPELIDAE *Waxwings, etc.*

- 301 (618) Bohemian waxwing
 Ampelis garrulus Linn.

- 302 (619) Cedar waxwing
 Ampelis cedrorum (Vieill.)

Family LANIIDAE¹ *Shrikes*

- 303 (621) Northern shrike
 Lanius borealis Vieill.

- 304 (622) Loggerhead shrike
 Lanius ludovicianus Linn.

¹ Three species of shrikes have been recognized in New York state, but the status of the forms is not well understood, it often being a matter of difficulty to assign individual specimens to their proper species. William Palmer, after an examination of 176 specimens, proposes to "relegate *excubitorides* to the plains region west of the immediate Mississippi wooded drainage area, *ludovicianus* to the south Atlantic and gulf coasts, and Florida, and to recognize a new form (*L. l. migrans*) as occupying much of the remaining region of the east." The acceptance of his views has been deferred by the American ornithologists union for lack of material, and so it seems best for the present to let the species stand as given in *Auk*, 15: 244-58; also 16: 133.

- 305 (622a) White-rumped shrike
Lanius ludovicianus excubitorides (Swains.)

Family VIREONIDAE *Vireos*

- 306 (624) Red-eyed vireo
Vireo olivaceus (Linn.)
- 307 (626) Philadelphia vireo
Vireo philadelphicus (Cass.)
- 308 (627) Warbling vireo
Vireo gilvus (Vieill.)

309 (628) Yellow-throated vireo
Vireo flavifrons Vieill.

310 (629) Blue-headed vireo
Vireo solitarius (Wils.)

311 (629b) Plumbeous vireo¹
Vireo solitarius plumbeus (Coues)

312 (631) White-eyed vireo
Vireo noveboracensis (Gmel.)

¹ One New York record. See *Auk* 1894, 11:79.

Family MNIOTILTIDAE *Wood warblers*

- 313 (636) Black and white warbler
Mniotilta varia (Linn.)

- 314 (637) Prothonotary warbler
Protonotaria citrea (Bodd.)

- 315 (639) Worm-eating warbler
Helmitherus vermivorus (Gmel.)

- 316 (641) Blue-winged warbler
Helminthophila pinus (Linn.)

- 317 (642) Golden-winged warbler
Helminthophila chrysoptera (Linn.)
- 318 (H.L.20) Lawrence's warbler¹
Helminthophila lawrencei (Herrick)
- 319 (H.L.21) Brewster's warbler¹
Helminthophila leucobronchialis (Brewst.)
- 320 (645) Nashville warbler
Helminthophila rubricapilla (Wils.)

¹ These forms are included in the hypothetic list of the American ornithologists union check list, as they are supposed to be hybrids between *H. pinus* and *H. chrysoptera*. Both have been taken in New York, and are here included to learn more of their abundance and status in our state. See *Auk*, 1883, 5: 427; *Bul. Nutt. orn. club*, 4: 234, 1879; *Auk*, 1892, 9: 306.

- 321 (646) Orange-crowned warbler
Helminthophila celata (Say)

- 322 (647) Tennessee warbler
Helminthophila peregrina (Wils.)

- 323 (648a) Northern parula warbler
Compsothlypis americana usneae Brewst.

- 324 (650) Cape May warbler
Dendroica tigrina (Gmel.)

- 325 (652) Yellow warbler
Dendroica aestiva (Gmel.)
- 326 (654) Black-throated blue warbler
Dendroica caerulescens (Gmel.)
- 327 (655) Myrtle warbler
Dendroica coronata (Linn.)
- 328 (657) Magnolia warbler
Dendroica maculosa (Gmel.)

- 329 (658) Cerulean warbler
Dendroica rara Wils.
- 330 (659) Chestnut-sided warbler
Dendroica pensylvanica (Linn.)
- 331 (660) Bay-breasted warbler
Dendroica castanea (Wils.)
- 332 (661) Black-poll warbler
Dendroica striata (Forst.)

- 333 (662) Blackburnian warbler
Dendroica blackburniae (Gmel.)

- 334 (663) Yellow-throated warbler
Dendroica dominica (Linn.)

- 335 (667) Black-throated green warbler
Dendroica virens (Gmel.)

- 336 (671) Pine warbler
Dendroica vigorsii (Aud.)

- 337 (672) Palm warbler
Dendroica palmarum (Gmel.)
- 338 (672a) Yellow palm warbler
Dendroica palmarum hypochrysea Ridgw.
- 339 (673) Prairie warbler
Dendroica discolor (Vieill.)
- 340 (674) Oven-bird
Seiurus aurocapillus (Linn.)

341 (675) Water-thrush
Seiurus noveboracensis (Gmel.)

342 (676) Louisiana water-thrush
Seiurus motacilla (Vieill.)

343 (677) Kentucky warbler
Geothlypis formosa (Wils.)

344 (678) Connecticut warbler
Geothlypis agilis (Wils.)

345 (679) Mourning warbler
Geothlypis philadelphia (Wils.)

346 (681) Maryland yellow-throat
Geothlypis trichas (Linn.)

347 (683) Yellow-breasted chat
Icteria virens (Linn.) •

348 (684) Hooded warbler
Wilsonia mitrata (Gmel.)

- 349 (685) Wilson's warbler
 Wilsonia pusilla (Wils.)

- 350 (686) Canadian warbler
 Wilsonia canadensis (Linn.)

- 351 (687) American redstart
 Setophaga ruticilla (Linn.)

Family MOTACILLIDAE *Wagtails*

- 352 (697) American pipit
 Anthus pensilvanicus (Lath.)

Family TROGLODYTIDAE *Wrens, thrashers, etc.*

- 353 (703) Mockingbird
Mimus polyglottos (Linn.)
- 354 (704) Catbird
Galeoscoptes carolinensis (Linn.)
- 355 (705) Brown thrasher
Harporhynchus rufus (Linn.)
- 356 (718) Carolina wren
Thryothorus ludovicianus (Lath.)

- 357 (721) House wren
Troglodytes aëdon Vieill.
- 358 (722) Winter wren
Anorthura hiemalis (Vieill.)
- 359 (724) Short-billed marsh wren
Cistothorus stellaris (Licht.)
- 360 (725) Long-billed marsh wren
Cistothorus palustris (Wils.)

Family CERTHIIDAE *Creepers*

- 361 (726) Brown creeper
Certhia familiaris fusca (Barton)¹

Family PARIDAE *Nuthatches and tits*

- 362 (727) White-breasted nuthatch
Sitta carolinensis Lath.

- 363 (728) Red-breasted nuthatch
Sitta canadensis Linn.

- 364 (729) Brown-headed nuthatch¹
Sitta pusilla Lath.

¹ Oberholser has recently shown that this name is untenable and that the former *c. f. amert-*
cana (Bonap.) must be restored. See *Auk*, 16: 185.

² One New York record. See *Auk*, 1888, 5:432.

- 365 (731) Tufted titmouse
Parus bicolor Linn.

- 366 (735) Chickadee
Parus atricapillus Linn.

- 367 (740) Hudsonian chickadee
Parus hudsonicus Forst.

Family SYLVIIDAE *Warblers, kinglets, gnatcatchers*

- 368 (748) Golden-crowned kinglet
Regulus satrapa Licht.

- 369 (749) Ruby-crowned kinglet
Regulus calendula (Linn.)

- 370 (751) Blue-gray gnatcatcher
Poliophtila caerulea (Linn.)

Family TURDIDAE *Thrushes, stone-chats, blue-birds, etc.*

- 371 (755) Wood thrush
Hylocichla mustelina (Gmel.)

- 372 (756) Wilson's thrush
Hylocichla fuscescens (Steph.)

- 373 (757) Gray-checked thrush
Hylocichla aliciae (Baird)

- 374 (757a) Bicknell's thrush
Hylocichla aliciae bicknelli Ridgw.

- 375 (758a) Olive-backed thrush
Hylocichla ustulata swainsonii (Cab.)

- 376 (759b) Hermit thrush
Hylocichla aonalschkae pallasii (Cab.)

- 377 (761) American robin
Merula migratoria (Linn.)

- 378 (763) Varied thrush¹
Hesperocichla naevia (Gmel.)

- 379 (765) Wheatear²
Saxicola oenanthe (Linn.)

- 380 (766) Bluebird
Sialia sialis (Linn.)

¹ "There are no less than three valid records for this species near New York city." See Dwight. *Auk*, 12:70; *Proc. Boston soc. nat. hist.* 1848, 3:17; *Ann. lyc. nat. hist. N. Y.* 1867, 8:281; Coues's *Birds Colorado valley* 1878, p. 19; Baird Brewer and Ridgway's *Birds*, 1874, 1:29.

² Long Island records. See *Auk*, 3:490; also 10:277; *Ann. lyc. nat. hist. N. Y.* 8: 282, 1867.

INTRODUCED SPECIES¹Family ALAUDIDAE *Larks*

- 381 [473] Skylark²
Alauda arvensis Linn.

Family STURNIDAE *Starlings*

- 382 [493] Starling³
Sturnus vulgaris Linn.

Family FRINGILLIDAE *Finches, sparrows, etc.*

- 383 European goldfinch
Carduelis carduelis (Linn.)

- 384 House sparrow
Passer domesticus (Linn.)

¹ Exclusive of game birds.

² This European form is accidental in Greenland and Bermuda. Has been introduced in this country and in 1887 was found breeding at Flatbush L. I. See *Auk*, 5: 180; 12:390.

³ See *Auk*, 15: 55-56.

PART 2

HYPOTHETIC LIST

Including those forms, of which we have no satisfactory record, but which, having been taken in adjoining states, may be looked for in New York.

- 1 (28) Mandt's guillemot
Cepphus mandtii (Licht.)

Arctic regions . . . south . . . in winter, to Mass.—*American ornithologists union*

- 2 (30) Murre
Uria troile (Linn.)

Southward on the coast of North America, in winter, to southern New England.—*American ornithologists union*. This species has been reported from our state, but it seems probable that the specimens taken were immature individuals of *U. lomme*.

- 3 (67) Cabot's tern
Sterna sandvicensis acuflavida (Cabot.)

South Atlantic and gulf coasts of the United States, north, casually, to southern New England.—*American ornithologists union*

- 4 (86) Fulmar
Fulmarus glacialis (Linn.)

North Atlantic, south on the American side to the coast of Massachusetts, casually to New Jersey.—*American ornithologists union*. Accidental in northern New Jersey.—*Chapman*

5 (86a) Lesser fulmar

Fulmarus glacialis minor (Kjaerboelling)

North Atlantic, south on American side to coast of Massachusetts.—*American ornithologists union*

6 (126) Brown pelican

Pelecanus fuscus (Linn.)

Occasionally strays to Illinois and Massachusetts.—Chapman, *Birds of eastern North America*. De Kay (1842), mentions this form as "an occasional visitor to the coast of our state," but gives no records.—*Birds*, p. 294

7 [138] European teal

Nettion crecca (Linn.)

Occasional in eastern North America.—*American ornithologists union*. New Jersey, Connecticut, and Massachusetts records.—Abbott, *Geology of New Jersey*, p. 792; Treat, *Auk*, 8: 112; Mackay, *Auk*, 7: 294

8 (141) Cinnamon teal

Querquedula cyanoptera (Vieill.)

Accidental east of the Mississippi.

9 (173a) White-bellied brant

Branta bernicla glaucogastra (Brehm.)

This subspecies has been recognized in America by Coues. See *Auk*, 14 : 207-8.
This form may be looked for in our state, though I can find no records as yet.

10 (191.1) Cory's least bittern

Ardetta neoxena Cory

Michigan and Ontario records. Will undoubtedly be found in our state.

11 [227] European woodcock

Scolopax rusticola (Linn.)

Accidental in the United States. There are New Jersey, Pennsylvania and Rhode Island records; and we may expect to find this form in New York.

12 (371) Richardson's owl

Nyctala tengmalmi richardsoni (Bonap.)

South in winter into the northern United States. *American ornithologist union*. Rhode Island record. See *Auk*, 3 : 271

- 13 (395) Red-cockaded woodpecker
Dryobates borealis (Vieill.)

"A southern United States form has been taken as far north as Hoboken, New Jersey." See Lawrence, *Ann. lyc. nat. hist. N. Y.*, 8: 291.

- 14 (443) Scissor-tailed flycatcher
Milvulus forficatus (Gmel.)

A southwestern United States form that has occurred accidentally in New Jersey and New England.

- 15 (475) American magpie.
Pica pica hudsonica (Lab.)

De Kay (1842) mentions it as having occurred in the northwestern part of the state near Niagara, but does not give any records.

- 16 (497) Yellow-headed blackbird
Xanthocephalus xanthocephalus (Bonap.)

Accidental in Ontario and the Atlantic states, Massachusetts, etc.—*American ornithologists union*

- 17 (736) Carolina chickadee
Parus carolinensis Aud.

Princeton N. J., is usually considered its northern limit. See Scott's *The country*, 1878, 1:334.

INDEX

The superior figures tell the exact place on the page in ninths; e. g. 201⁸ means page 201 beginning in the third ninth of the page, i. e. about one third of the way down.

<p><i>Acanthis</i> linaria, 323⁷
 rostrata, 325¹
 <i>Accipiter atricapillus</i>, 287⁸
 cooperii, 287¹
 velox, 285⁷
 <i>Actitis macularia</i>, 271⁷
 <i>Aegialitis meloda</i>, 277⁸
 circumcincta, 277⁵
 semipalmata, 277¹
 vocifera, 275⁷
 wilsonia, 277⁷
 <i>Aestrelata hasitata</i>, 217⁷
 scalaris, 219¹
 <i>Agelaius phoeniceus</i>, 317⁷
 <i>Aix sponsa</i>, 229⁸
 <i>Alauda arvensis</i>, 387¹
 <i>Alaudidae</i>, 313⁸, 387¹
 <i>Alca torda</i>, 201⁸
 <i>Alcedinidae</i>, 301⁸
 <i>Alcidae</i>, 199⁵-201⁸
 <i>Alle alle</i>, 201⁸
 <i>Ammodramus caudacutus</i>, 331¹
 henslowii, 329⁸
 leconteii, 329⁷
 maritimus, 331⁷
 nelsoni, 331⁸
 subvirgatus, 331⁸
 princeps, 327⁷
 sandwichensis savanna, 329¹
 savannarum passerinus, 329⁸
 <i>Ampelidae</i>, 347¹
 <i>Ampelis cedrorum</i>, 347⁸
 garrulus, 347¹</p> | <p><i>Anas boschas</i>, 225⁸
 obscura, 225⁵
 <i>Anatidae</i>, 223⁵-43⁵
 <i>Anorthura hiemalis</i>, 375⁸
 <i>Anser albifrons gambeli</i>, 239⁷
 <i>Anseres</i>, 223⁵-43⁵
 <i>Anthus pensilvanicus</i>, 371⁷
 <i>Antrostomus vociferus</i>, 307⁸
 <i>Aphrizidae</i>, 279¹
 <i>Aquila chrysaetos</i>, 289⁷
 <i>Archibuteo lagopus sancti-johannis</i>,
 289⁵
 <i>Ardea caerulea</i>, 249¹
 candidissima, 247⁸
 egretta, 247⁸
 herodias, 247¹
 tricolor ruficollis, 247⁷
 virescens, 249⁸
 <i>Ardeidae</i>, 245⁵-49⁹
 <i>Ardetta exilis</i>, 245⁷
 neoxena, 393⁸
 <i>Arenaria interpres</i>, 279¹
 <i>Asio accipitrinus</i>, 295⁵
 wilsonianus, 295⁸
 <i>Astragalinus tristis</i>, 325⁸
 <i>Auk</i>, razor-billed, 201⁸
 <i>Avocet</i>, American, 257⁸
 <i>Aythya affinis</i>, 231⁷
 americana, 231¹
 collaris, 233¹
 marila, 231⁵
 vallisneria, 231⁸</p> |
|---|---|

- Baldpate**, 227^a
Bartramia longicauda, 271^a
 Birds of prey, 283⁷-99⁶
Bittern, American, 245⁵
 Cory's least, 393³
 least, 245⁷
Blackbird, red-winged, 317⁷
 rusty, 319⁷
 yellow-headed, 395⁷
Bluebird, 385⁷
Bobolink, 317^a
Bob-white, 279⁶
Bonasa umbellus, 281¹
 togata, 281³
Booby, 221¹
Botaurus lentiginosus, 245⁵
Brant, 241⁶
 black, 241⁷
 white-bellied, 393¹
Branta bernicla, 241⁶
 glaucogastra, 393¹
 canadensis, 241¹
 leucopsis, 243¹
 hutchinsii, 241³
 nigracans, 241⁷
Bubo virginianus, 297⁷
Bubonidae, 295^a-99⁶
Buffle-head, 233⁷
Bunting, indigo, 339⁷
 lark, 341³
 painted, 341¹
Buteo borealis, 287⁵
 latissimus, 289⁵
 lineatus, 287⁷
 swainsoni, 289¹
Calamospiza melanocorys, 341³
Calcarius lapponicus, 327^a
 ornatus, 327³
Calidris arenaria, 267³
Camptolaimus labradorius, 235⁵
Canachites canadensis, 279⁷
Canvas-back, 231^a
Caprimulgidae, 307¹
Cardinal, 339¹
Cardinalis cardinalis, 339¹
Carduelis carduelis, 387⁵
Carpodacus purpureus, 323¹
Catbird, 373⁷
Catharista urubu, 285¹
Cathartes aura, 283⁷
Cathartidae, 283⁷-85⁵
Ceophloeus pileatus abieticola, 305¹
Cepphus grylle, 199⁷
 mandtii, 389²
Certhia familiaris fusca, 377¹
Certhiidae, 377¹
Ceryle alcyon, 301³
Chaetura pelagica, 307⁵
Charadriidae, 275¹-77⁹
Charadrius dominicus, 275⁵
Charitonetta albeola, 233⁷
Chat, yellow-breasted, 369⁵
Chaulelasmus streperus, 225⁷
Chen caerulescens, 239⁵
 hyperborea nivalis, 239³
Chickadee, 379³
 Carolina, 397¹
 Hudsonian, 379⁵
Chondestes grammacus, 333¹
Chordeiles virginianus, 307³
Ciconiidae, 245³
Circus hudsonius, 285⁵
Cistothorus palustris, 375⁷
 stellaris, 375⁵
Clangula clangula americana, 233³
 islandica, 233³
Clivicola riparia, 345⁵
Coccothraustes vespertinus, 321⁵
Coccyges, 301¹
Coccyzus americanus, 301²
 erythrophthalmus, 301³
Colaptes auratus luteus, 305⁷
Colinus virginianus, 279⁵
Columbae, 283³
Columbidae, 283³
Colymbus auritus, 197⁴
 holboellii, 197³
Compothlypis americana usneae,
 357³
Contopus borealis, 311¹
 virens, 311³

- Conurus carolinensis*, 299⁷
 Coot, American, 255⁷
 Cormorant, 221⁵
 double-crested, 221⁷
 Corvidae, 315¹⁻¹⁷³
Corvus americanus, 315⁷
 corax principalis, 315⁵
 ossifragus, 317¹
 Cowbird, 317⁵
 Crane, corn, 255¹
 Crane, sandhill, 251³
 whooping, 251²
 Creeper, brown, 377¹
Crex crex, 255¹
 Crossbill, American, 323³
 white-winged, 323⁵
 Crow, American, 315⁷
 fish, 317¹
Crymophilus fulcarius, 257¹
 Cuckoo, black billed, 301³
 yellow-billed, 301²
 Cuculidae, 301¹
 Curlew, Eskimo, 273⁵
 European, 273⁷
 Hudsonian, 273³
 long-billed, 273¹
Cyanocitta cristata, 315¹
Cyanospiza ciris, 341¹
 cyanea, 339⁷
Dafila acuta, 229⁵
Dendroica aestiva, 359¹
 blackburniae, 363¹
 caerulescens, 359³
 castanea, 361⁵
 coronata, 359⁵
 discolor, 365⁵
 dominica, 363³
 maculosa, 359⁷
 palmarum, 365¹
 hypochrysea, 365³
 pensylvanica, 361³
 rara, 361¹
 striata, 361⁷
 tigrina, 357⁷
Dendroica vigorsii, 363⁷
 virens, 363⁵
 Dickcissel, 341³
 Diving birds, 197²⁻²⁰¹⁶
Dolichonyx oryzivorus, 317³
 Dove, mourning, 283⁵
 Dovekie, 201⁵
 Dowitcher, 259⁷
 long-billed, 261¹
Dryobates borealis, 395¹
 pubescens medianus, 303¹
 villosus, 301³
 Duck, American scaup, 231¹
 black, 225⁵
 harlequin, 235³
 Labrador, 235⁵
 lesser scaup, 231⁷
 ring-necked, 233¹
 ruddy, 239¹
 rufous-crested, 229⁷
 wood, 229⁵
 Dunlin, 265¹
Eagle, bald, 291¹
 golden, 289⁷
Ectopistes migratorius, 283³
 Egret, American, 247³
 Eider, American, 235⁷
 king, 237¹
Elanoides forficatus, 285³
Empidonax flaviventris, 311⁵
 minimus, 313³
 traillii alnorum, 313¹
 virescens, 311⁷
Ereunetes occidentalis, 267¹
 pusillus, 265⁷
Erismatura jamaicensis, 239¹
Falco columbarius, 293³
 islandus, 291³
 peregrinus anatum, 293¹
 rusticolus gyrfalco, 291⁵
 obsoletus, 291⁷
 sparverius, 293⁵
 Falconidae, 285³⁻⁹⁵³
 Finch, purple, 323¹
 Flicker, northern, 305⁷

- Flycatcher, alder, 313¹
 crested, 309⁵
 green-crested, 311⁷
 least, 313³
 olive-sided, 311¹
 scissor-tailed, 395³
 yellow-bellied, 311⁵
Fratercula arctica, 199⁵
Fregata aquila, 223³
Fregatidae, 223³
Fringillidae, 321⁵-41⁶, 387⁵
Fulica americana, 255⁷
Fulmar, 389³
 lesser, 391¹
Fulmarus glacialis, 389³
 minor, 391¹
Gadwall, 225⁷
Galeoscoptes carolinensis, 373³
Gallinae, 279⁵-83³
Gallinago delicata, 259⁵
Gallinula galeata, 255⁵
Gallinule, Florida, 255⁵
 purple, 255⁵
Gannet, 221³
Gavia arctica, 199¹
 imber, 197³
 lumme, 199³
Gaviidae, 197³-99⁵
Gelochelidon nilotica, 209⁷
Geothlypis agilis, 367⁷
 formosa, 367⁵
 philadelphia, 369¹
 trichas, 369³
Gnatcatcher, blue-gray, 381³
Godwit, Hudsonian, 267⁷
 marbled, 267⁵
Golden-eye, American, 233³
 Barrow's, 233⁵
Goldfinch, American, 325³
 European, 387⁵
Goose, American white-fronted,
 239⁷
 barnacle, 243¹
 blue, 239⁵
 Canada, 241¹
Goose, greater snow, 239³
 Hutchins's, 241³
Goshawk, American, 287³
Grackle, bronzed, 321³
 purple, 321¹
Grebe, Holboell's, 197³
 horned, 197⁴
 pied-billed, 197⁵
Grosbeak, blue, 339⁵
 evening, 321⁵
 pine, 321⁷
 rose-breasted, 339³
Grouse, Canada, 279³
 Canadian ruffed, 281³
 ruffed, 281¹
Gruidae, 251¹
Grus americana, 251²
 mexicana, 251³
Guara alba, 243⁵
Guillemot, black, 199⁷
 Mandt's, 389²
Guiraca caerulea, 339⁵
Gull, American herring, 207³
 Bonaparte's, 209¹
 glaucous, 205³
 great black-backed, 205⁷
 herring, 207¹
 Iceland, 205⁵
 ivory, 203⁷
 laughing, 207⁷
 little, 209³
 ring-billed, 207⁵
 Sabine's, 209⁵
Gyr Falcon, 291⁵
 black, 291⁷
 white, 291³
Haematopodidae, 279³
Haematopus palliatus, 279³
Haliaeetus leucocephalus, 291¹
Harelda hyemalis, 235¹
Harporhynchus rufus, 373³
Hawk, American rough-legged, 289⁵
 American sparrow, 293⁵
 broad-winged, 289³
 Cooper's, 287¹

- Hawk, duck, 293¹
 marsh, 285⁵
 pigeon, 293³
 red-shouldered, 287⁷
 red-tailed, 287⁵
 sharp-shinned, 285⁷
 Swainson's, 289¹
- Helminthophila celata, 357¹
 chrysoptera, 355¹
 lawrencei, 355³
 leucobronchialis, 355⁵
 peregrina, 357³
 pinus, 353⁷
 rubricapilla, 355⁷
- Helmitherus vermivorus, 353⁵
- Helodromas solitarius, 269³
- Hen, heath, 281⁷
- Herodiones, 243⁵-49⁹
- Heron, black-crowned night, 249³
 great blue, 247¹
 green, 249³
 little blue, 249¹
 Louisiana, 247⁷
 snowy, 247⁵
 yellow-crowned night, 249⁷
- Hesperocichla naevia, 385³
- Himantopus mexicanus, 259¹
- Hirundinidae, 343⁵-45⁹
- Hirundo erythrogaster, 345¹
- Histrionicus histrionicus, 235³
- Hummingbird, ruby-throated, 307³
- Hydrochelidon nigra surinamensis, 215⁵
- Hylocichla aliciae, 383¹
 bicknelli, 383³
 aonolaschkae pallasii, 383⁷
 fuscescens, 381⁷
 mustelina, 381⁵
 ustulata swainsonii, 383⁵
- Ibidae, 243⁵-45³
- Ibis, glossy, 243⁷
 white, 243⁵
 white-faced glossy, 245¹
 wood, 245³
- Icteria virens, 369³
- Icteridae, 317³-21⁵
- Icterus galbula, 319⁵
 spurius, 319³
- Ionornis martinica, 255³
- Jaeger, long-tailed, 203³
 parasitic, 203³
 pomarine, 203¹
- Jay, blue, 315¹
 Canada, 315³
- Junco, slate-colored, 335⁵
- Junco hyemalis, 335⁵
- Killdeer, 275⁷
- Kingbird, 309³
 Arkansas, 309⁴
- Kingfisher, belted, 301⁵
- Kinglet, golden-crowned, 379⁷
 ruby-crowned, 381¹
- Kite, swallow-tailed, 285³
- Kittiwake, 205¹
- Knot, 261⁵
- Lagopus lagopus, 281⁵
- Laniidae, 347⁵-49³
- Lanius borealis, 347⁵
 ludovicianus, 347⁷
 excubitorides, 349¹
- Lapwing, 275¹
- Laridae, 203⁷-15⁴
- Lark, horned, 313⁵
 prairie horned, 313⁷
- Larus argentatus, 207¹
 smithsonianus, 207³
 atricilla, 207⁷
 delawarensis, 207⁵
 glaucus, 205³
 leucopterus, 205⁵
 marinus, 205⁷
 minutus, 209³
 philadelphia, 209¹
- Limicolae, 257¹-79⁶
- Limosa fedoa, 267⁵
 haemastica, 267⁷
- Longipennes, 201⁷-15⁶
- Longspur, chestnut-collared, 327³
 Lapland, 327¹

- Loon, 197^a
 black-throated, 199¹
 red-throated, 199³
 Lophodytes cucullatus, 225¹
 Loxia curvirostra minor, 323³
 leucoptera, 323⁵
Machrochires, 307¹
 Macrorhamphus griseus, 259⁷
 scolopaceus, 261¹
 Magpie, American, 395⁵
 Mallard, 225³
 Man-o'-war bird, 223³
 Mareca americana, 227³
 penelope, 227¹
 Martin, purple, 343⁵
 Meadowlark, 319¹
 Megalestris skua, 201⁷
 Megascops asio, 297⁵
 Melanerpes carolinus, 305⁵
 erythrocephalus, 305³
 Meleagris gallopavo fera, 283¹
 Melospiza fasciata, 335⁷
 georgiana, 337³
 lincolnii, 337¹
 Merganser, American, 223⁶
 hooded, 225¹
 red-breasted, 223⁷
 Merganser americanus, 223⁶
 serrator, 223⁷
 Merula migratoria, 385¹
 Micropalma himantopus, 261³
 Micropodidae, 307⁵
 Milvulus forficatus, 395³
 Mimus polyglottos, 373¹
 Mniotilta varia, 353¹
 Mniotiltidae, 353¹⁻⁷¹
 Mockingbird, 373¹
 Molothrus ater, 317⁵
 Motacillidae, 371⁷
 Murre, 389⁴
 Brünnich's, 201¹
 Myiarchus crinitus, 309⁵
Netta rufina, 229⁷
 Nettion carolinensis, 227³
 crecca, 391⁵
 Nighthawk, 307³
 Numenius arquatus, 273⁷
 borealis, 273⁵
 hudsonicus, 273³
 longirostris, 273¹
 Nuthatch, brown-headed, 377⁷
 red-breasted, 377⁵
 white-breasted, 377³
 Nyctala acadica, 297³
 tengmalmi richardsoni, 393⁷
 Nyctea nyctea, 299¹
 Nycticorax nycticorax naevius, 249⁵
 violaceus, 249⁷
Oceanites oceanicus, 219⁴
 Oceanodroma leucorhoa, 219³
 Oidemia americana, 237³
 deglandi, 237⁵
 perspicillata, 237⁷
 Old-squaw, 235¹
 Olor columbianus, 243³
 Oriole, Baltimore, 319⁵
 orchard, 319³
 Osprey, American, 293⁷
 Otocoris alpestris, 313⁵
 praticola, 313⁷
 Oven-bird, 365⁷
 Owl, American barn, 295¹
 American hawk, 299³
 American long-eared, 295³
 barred, 295⁷
 burrowing, 299⁵
 great gray, 297¹
 great horned, 297⁷
 Richardson's, 393⁷
 saw-whet, 297³
 screech, 297⁵
 short-eared, 295⁵
 snowy, 299¹
 Oyster-catcher, American, 279³
Pagophila alba, 203⁷
 Paludicolae, 251¹⁻⁵⁵
 Pandion haliaëtus carolinensis, 293⁷
 Paridae, 377³⁻⁷⁹
 Paroquet, Carolina, 299⁷
 Parrots, 299⁷

- Parus atricapillus*, 379⁸
 bicolor, 379¹
 carolinensis, 397¹
 hudsonicus, 379⁵
Passer domesticus, 387⁷
Passerella iliaca, 337⁵
Passeres, 309¹-85⁹
Passerina nivalis, 325⁷
Pavoncella pugnax, 271¹
Pelecanidae, 223¹
Pelecanus erythrorhynchos, 223¹
 fuscus, 391³
Pelican, American white, 223¹
 brown, 391³
Perching birds, 309¹-87⁹
Perisoreus canadensis, 315⁸
Petrel, black-capped, 217⁷
 Leach's, 219³
 scaled, 219¹
 Wilson's, 219⁴
Petrochelidon lunifrons, 343⁷
Pewee, wood, 311³
Phaëthon americanus, 219⁷
Phaëthontidae, 219⁷
Phalacrocoracidae, 221⁵
Phalacrocorax carbo, 221⁵
 dilophus, 221⁷
Phalarope, northern, 257³
 red, 257²
 Wilson's, 257⁵
Phalaropodidae, 257¹
Phalaropus lobatus, 257³
Phasianidae, 283¹
Philohela minor, 259⁸
Phoebe, 309⁷
Pica pica hudsonica, 395⁵
Pici, 301⁷-5⁹
Picidae, 301⁷-5⁹
Picoides americanus, 303⁵
 arcticus, 303³
Pigeon, passenger, 283³
Pinicola enucleator canadensis, 321⁷
Pintail, 229³
Pipilo erythrophthalmus, 337⁷
Pipit, American, 371⁷
- Piranga erythromelas*, 343¹
 ludoviciana, 341⁷
 rubra, 343³
Plegadis autumnalis, 243⁷
 guarauna, 245¹
Plover, American golden, 275⁵
 belted piping, 277⁵
 black-bellied, 275³
 piping, 277³
 semipalmated, 277¹
 Wilson's, 277⁷
Podicipidae, 197³
Podilymbus podiceps, 197⁶
Polioptila caerulea, 381³
Poocetes gramineus, 327³
Porzana carolina, 253³
 jamaicensis, 253⁷
 noveboracensis, 253⁵
Procellariidae, 215⁷-19⁶
Progne subis, 343⁵
Protonotaria citrea, 353³
Psittaci, 299⁷
Psittacidae, 299⁷
Ptarmigan, willow, 281³
Puffin, 199⁵
Puffinus auduboni, 217³
 borealis, 215⁷
 fuliginosus, 217⁵
 gravis, 217¹
Pygopodes, 197³-201⁶
Querquedula cyanoptera, 391³
 discors, 227⁷
Quiscalus quiscula, 321¹
 aeneus, 321³
Rail, black, 253⁷
 clapper, 251⁷
 king, 251⁵
 Virginia, 253¹
 yellow, 253³
Rallidae, 251⁵-55⁹
Rallus crepitans, 251⁷
 elegans, 251⁵
 virginianus, 253¹
Raptores, 283⁷-99⁶
Raven, northern, 315⁵

- Recurvirostra americana*, 257^a
Recurvirostridae, 257^a-59^a
 Redhead, 231^a
 Redpoll, 323^a
 greater, 325^a
 Redstart, American, 371^a
Regulus calendula, 381^a
 satrapa, 379^a
Rissa tridactyla, 205^a
 Robin, American, 385^a
 Ruff, 271^a
Rynchopidae, 215^a
Rynchops nigra, 215^a
Sanderling, 267^a
Sandpiper, Baird's, 263^a
 Bartramian, 271^a
 buff-breasted, 271^a
 curlew, 265^a
 least, 263^a
 pectoral, 263^a
 purple, 261^a
 red-backed, 265^a
 semipalmated, 265^a
 solitary, 269^a
 spotted, 271^a
 stilt, 261^a
 western, 267^a
 white-rumped, 263^a
Sapsucker, yellow-bellied, 303^a
Saxicola oenanthe, 385^a
Sayornis phoebe, 309^a
Scolecophagus carolinus, 319^a
Scolopacidae, 259^a-73^a
Scolopax rusticola, 393^a
Scoter, American, 237^a
 surf, 237^a
 white-winged, 237^a
Scotiaptex cinerea, 297^a
Seiurus aurocapillus, 365^a
 motacilla, 367^a
 noveboracensis, 367^a
Setophaga ruticilla, 371^a
Shearwater, Audubon's, 217^a
 Cory's, 215^a
 Shearwater, greater, 217^a
 sooty, 217^a
 Shore birds, 257^a-79^a
 Shoveller, 229^a
 Shrike, loggerhead, 347^a
 northern, 347^a
 white-rumped, 349^a
Sialia sialis, 385^a
Siskin, pine, 325^a
Sitta canadensis, 377^a
 carolinensis, 377^a
 pusilla, 377^a
Skimmer, black, 215^a
Skua, 201^a
Skylark, 387^a
Snipe, Wilson's, 259^a
Snowflake, 325^a
Somateria dresseri, 235^a
 spectabilis, 237^a
Sora, 253^a
Sparrow, Acadian sharp-tailed, 331^a
 chipping, 335^a
 field, 335^a
 fox, 337^a
 grasshopper, 329^a
 Henslow's, 329^a
 house, 387^a
 Ipswich, 327^a
 lark, 333^a
 Leconte's, 329^a
 Lincoln's, 337^a
 Nelson's, 331^a
 Savanna, 329^a
 seaside, 331^a
 sharp-tailed, 331^a
 song, 335^a
 swamp, 337^a
 tree, 333^a
 vesper, 327^a
 white-crowned, 333^a
 white-throated, 333^a
Spatula clypeata, 229^a
Speotyto cunicularia hypogaea, 299^a
Sphyrapicus varius, 303^a
Spinus pinus, 325^a
Spiza americana, 341^a

- Spizella monticola*, 333^r
 pusilla, 335^s
 socialis, 335¹
Squatarola squatarola, 275^s
Starling, 387^s
Steganopodes, 219^s-23^s
Steganopus tricolor, 257^s
Stelgidopteryx serripennis, 345^r
Stercorariidae, 201^r-3^r
Stercorarius longicaudus, 203^s
 parasiticus, 203^s
 pomarinus, 203¹
Sterna antillarum, 213^r
 caspia, 211¹
 dougalli, 213^s
 forsteri, 211^r
 fuliginosa, 215¹
 hirundo, 213¹
 maxima, 211^s
 paradisaea, 213^s
 sandvicensis aculeiflata, 389^s
 trudeaui, 211^s
Stilt, black-necked, 259¹
Strigidae, 295¹
Strix pratineola, 295¹
Sturnella magna, 319¹
Sturnidae, 387^s
Sturnus vulgaris, 387^s
Sula bassana, 221^s
 sula, 221¹
Sulidae, 221¹
Surf birds, 279¹
Surnia ulula caparoch, 299^s
Swallow, bank, 345^s
 barn, 345¹
 cliff, 343^r
 rough-winged, 345^r
 tree, 345^s
Swan, whistling, 243^s
Swift, chimney, 307^s
Swimmers, lamellirostral, 223^s-43^s
 long-winged, 201^r-15^s
 totipalmate, 219^s-23^s
 tube-nosed, 215^r-19^s
Sylviidae, 379^r-81^s
Symphemia semipalmata, 269^r
Syrnium nebulosum, 295^r
- Tachycineta bicolor***, 345^s
Tanager, Louisiana, 341^r
 scarlet, 343¹
 summer, 343^s
Tanagridae, 341^r-43^s
Tantalus loculator, 245^s
Teal, blue-winged, 227^r
 cinnamon, 391^s
 European, 391^s
 green-winged, 227^s
Tern, arctic, 213^s
 black, 215^s
 Cabot's, 389^s
 Caspian, 211¹
 common, 213^r
 Forster's, 211^r
 gull-billed, 209^r
 least, 213^r
 roseate, 213^s
 royal, 211^s
 sooty, 215¹
 Trudeau's, 211^s
Tetraonidae, 279^s-81^s
Thrasher, brown, 373^s
Thrush, Bicknell's, 383^s
 gray-cheeked, 383¹
 hermit, 383^r
 olive-backed, 383^s
 varied, 385^s
 Wilson's, 381^r
 wood, 381^s
Thryothorus ludovicianus, 373^r
Titmouse, tufted, 379¹
Totanus flavipes, 269^s
 melanoleucus, 269¹
Towhee, 337^r
Tringa alpina, 265¹
 pacifica, 265^s
 bairdii, 263^s
 canutus, 261^s
 ferruginea, 265^s
 fuscicollis, 263^s
 maculata, 263¹
 maritima, 261^r
 minutilla, 263^r
Trochilidae, 307^r

Trochilus colubris, 307^a
Troglodytes aëdon, 375¹
Troglodytidae, 373¹-75⁹
 Tropic bird, yellow-billed, 219⁷
Tryngites subruficollis, 271^a
Tubinares, 215⁷-19⁵
Turdidae, 381^a-85⁹
 Turkey, wild, 283¹
 Turnstone, 279¹
Tympanuchus cupido, 281⁷
Tyrannidae, 309¹-13⁵
Tyrannus tyrannus, 309²
 verticalis, 309⁴

Uria lomvia, 201¹
 troile, 389⁴

Vanellus vanellus, 275¹

Vireo, blue-headed, 351^a
 Philadelphia, 349⁵
 plumbeus, 351⁵
 red-eyed, 349⁵
 warbling, 349⁷
 white-eyed, 351⁷
 yellow-throated, 351¹

Vireo flavifrons, 351¹
 gilvus, 349⁷
 noveboracensis, 351⁷
 olivaceus, 349⁵
 philadelphicus, 349⁵
 solitarius, 351⁵
 plumbeus, 351⁵

Vireonidae, 349⁵-51⁹

Vulture, black, 285¹
 turkey, 283⁷

Wagtails, 371⁷

Warbler, bay-breasted, 361⁵
 black and white, 353¹
 Blackburnian, 363¹
 black poll, 361⁷
 black-throated blue, 359⁵
 black-throated green, 363⁵
 blue-winged, 353⁷
 Brewster's, 355⁵
 Canadian, 371⁵
 Cape May, 357⁷

Warbler, cerulean, 361¹
 chestnut-sided, 361⁵
 Connecticut, 367⁷
 golden-winged, 355¹
 hooded, 369⁷
 Kentucky, 367⁵
 Lawrence's, 355⁵
 magnolia, 359⁹
 mourning, 369¹
 myrtle, 359⁵
 Nashville, 355⁷
 northern parula, 357⁵
 orange-crowned, 357¹
 palm, 365¹
 pine, 363⁷
 prairie, 365⁵
 prothonotary, 353⁵
 Tennessee, 357⁵
 Wilson's, 371¹
 worm-eating, 353⁵
 yellow, 359¹
 yellow palm, 365⁵
 yellow-throated, 363⁵

Water-thrush, 367¹

 Louisiana, 367⁵

Waxwing, Bohemian, 347¹
 cedar, 347⁵

Wheatear, 385⁵

Whip-poor-will, 307⁵

Widgeon, 227¹

Willet, 269⁷

Wilsonia canadensis, 371⁵

mitrata, 369⁷

pusilla, 371¹

Wood warblers, 353¹-71⁷

Woodcock, American, 259⁵

 European, 393⁵

Woodpecker, American three-toed,
 303⁵

 arctic three-toed, 303⁵

 downy, 303¹

 hairy, 301⁵

 northern pileated, 305¹

 red-bellied, 305⁵

 red-cockaded, 395¹

 red-headed, 305⁵

Wren, Carolina, 373⁷

house, 375¹

long-billed marsh, 375⁷

short-billed marsh, 375⁵

winter, 375⁵

Xanthocephalus xanthocephalus,

395⁷

Xema sabinii, 209⁵

Yellow-legs, 269⁵

greater, 269¹

Yellow-throat, Maryland, 369⁵

Zamelodia ludoviciana, 339⁵

Zenaidura macroura, 283⁵

Zonotrichia albicollis, 333⁵

leucophrys, 333⁵

- 22 Beauchamp, W: M. Earthenware of the New York aborigines. 78p. 33 pl. Oct. 1898. *Price 25 cents.*
- 23 Felt, E. P. 14th report of the state entomologist 1898. 150p. il. 9 pl. Dec. 1898. *Price 20 cents.*
- 24 ——— Memorial of the life and entomologic work of J. A. Lintner. 316p. 1 pl. Oct. 1899. *Price 35 cents.*
- 25 Peck, C: H. Report of the state botanist 1898. 76p. 5 pl. Oct. 1899. *Price 40 cents.*

Volume 6

- 26 Felt, E. P. Collection, preservation and distribution of New York insects. 36p. il. Ap. 1899. *Price 5 cents.*
- 27 ——— Shade-tree pests in New York state. 26p. 5 pl. May 1899. *Price 5 cents.*
- 28 Peck, C: H. Plants of North Elba. 206p. 1 map 12×16 cm. June 1899. *Price 20 cents.*
- 29 Miller, G. S., jr. Preliminary list of New York mammals. 124p. Oct. 1899. *Price 15 cents.*
- 30 Orton, Edward. Petroleum and natural gas in New York. 136p. il. 3 maps 13×23, 7×22, 9×14 cm. Nov. 1899. *Price 15 cents.*
- 31 Felt, E. P. 15th report of the state entomologist 1899. *In preparation.*

Volume 7

- 32 Beauchamp, W: M. Aboriginal occupation of New York. 190p. 16 pl. 2 maps 44×35, 93×68 cm. March 1900. *Price 30 cents.*
- 33 Farr, M. S. Check list of New York birds. 222p. Ap. 1900. *Price 25 cents.*
- 34 Cumings, E. R. Lower Silurian system of eastern Montgomery county; Prosser, C: S. Notes on the stratigraphy of the Mohawk valley and Saratoga county, N. Y. *In press.*
Clarke, J: M. Paleontologic papers; Simpson, G: B. Preliminary descriptions of new genera. *In press.*
Ries, Heinrich. Clays: their properties and uses. *In press.*
Miller, G. S., jr. Key to the land mammals of n e North America. *In press.*
Bean, Tarleton. Check list of the fishes of N. Y. *In preparation.*

Economic map. Merrill, F: J. H. Economic and geologic map of the state of New York. 59×67 cm. 1894. *Price, unmounted 25 cents, backed on muslin 75 cents.*

Scale 14 miles to 1 inch. New edition in preparation.

Museum memoirs. New York state museum. Memoirs. v.i, Q. Albany 1889.

Uniform with the *Paleontology*

- 1 Beecher, C: E. & Clarke, J: M. Development of some Silurian brachiopoda. 95p. 8 pl. Oct. 1889. *Price 80 cents.*
- 2 Hall, James & Clarke, J: M. Paleozoic reticulate sponges. 350p. il. 70 pl. Oct. 1899. *Price \$1.*
- 3 Clarke, J: M. The Oriskany fauna of Becraft mountain, Columbia co. N. Y. *In preparation.*

Natural history. New York state. Natural history of New York. 30 v. il. pl. maps, sq. Q. Albany 1842-94.

Divisions 1-5 out of print.

Division 1 De Kay, J. E. Zoology. 5 v. 1842-44.

“ 2 Torrey, John. Botany. 2 v. 1843.

“ 3 Beck, L. C. Mineralogy. 24+536p. 1842.

“ 4 Mather, W: W.; Emmons, Ebenezer; Vanuxem, Lardner & Hall, James. Geology. 4 v. 1842-43.

“ 5 Emmons, Ebenezer. Agriculture. 5 v. 1846-54.

“ 6 Hall, James. Paleontology. 8 v. 1847-94.