A resolution test chart featuring several groups of horizontal and vertical lines of varying thicknesses. Each group is accompanied by a numerical value indicating the resolution. The values include 1.0, 1.1, 1.25, 1.4, 1.6, 1.8, 2.0, 2.2, 2.5, 2.8, 3.2, 3.6, 4.0, 4.5, 5.0, 5.6, 6.3, 7.1, 8.0, 9.0, and 10.0. The chart is used to measure the resolving power of imaging systems.

**23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503**

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**

Canadian Institute for Historical Microreproductions

Institut canadien de microreproductions historiques

1980

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☒ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distortion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:/
Commentaires supplémentaires:

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☐ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☐ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

- ☒ This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
					✓						

The copy filmed here has been reproduced thanks to the generosity of:

Library,
Geological Survey of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol ➡ (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque,
Commission Géologique du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole ➡ signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

[FROM T

ART. I.-

I HAVE
of Pittst
specimen
nian) at
promises
fossil bot
to the D
a prelimi
will requ
done in
berg to t
hope will
specimen
which ne

The sp
and 46^{cm}
shows, un
surround
which is
treatment
portions o
and 3 to 4
base, on t
cases, but
It seems r

Received by J. M. Dawson

[FROM THE AMERICAN JOURNAL OF SCIENCE, VOL. XXXVIII, JULY, 1889.]

ART. I.—*A new Erian (Devonian) Plant allied to Cordaites*;
by Sir WM. DAWSON.

I HAVE recently, through the kindness of R. D. Lacoe, Esq., of Pittston, Pa., had an opportunity to study a remarkably fine specimen collected by him in the lower Catskill (Upper Devonian) at Meshoppen, Wyoming Co., Pennsylvania, and which promises to throw much light on some difficult questions of fossil botany, as well as to add a new and very interesting form to the Devonian flora. The present note is intended as merely a preliminary notice. The full discussion of this unique plant will require a reference to much of the work that has been done in *Cordaïtes*, *Næggerathia*, etc., from the time of Sternberg to the recent reports of Lesquereux and Fontaine, and I hope will illustrate a number of fragmentary and enigmatical specimens which have long been in my own collections, and which need further study in connection with it.

The specimen is a branch or small stem $2\frac{1}{2}$ cm in diameter and 46 cm in total length. It is flattened and pyritised, and shows, under the microscope, merely the indications of a pith surrounded by a fibrous envelope, the minute structure of which is not very well preserved, but it is hoped by proper treatment may give some further information. The stem shows portions of about 15 leaves which have been at least 16 cm long and 3 to 4 cm broad. They are decurrent, apparently by a broad base, on the stem. Their distal extremities are seen in a few cases, but in all seem injured by mechanical abrasion or decay. It seems most probable that they were truncate and uneven at

their extremities. The stem is terminated by a cluster or compound corymb of spikes of which 20 are seen. They are slender, but seem to have been stiff and woody, and the largest are about 15^{cm} in length. They have short pointed bracts, and some of them bear oval fruits, but only a few of these remain, the greater part of them having apparently fallen off before the plant was fossilized. So far the characters do not differ

from those of the genus *Cordaites*, except that in those plants the spikes of fructification are more usually lateral than terminal. A remarkable peculiarity, however, appears in the leaves, which instead of having the veins parallel, have them forking at a very acute angle, and slightly netted, by the spreading branches of the veins uniting with the others near them. This allies the leaves with those of the provisional genus *Næggerathia*, some of

which belong to the genus *Cordaites* out to *Cordaites* is believed to be near *Eury* in name *D* name *D*

It is a of the thus *cord* are now entertain into *cord* which h it will th Canada *Nægger* *Lepido* some sp with each

I hope will need my own ing meet

I may *Robbie* found in is a some *rathia* an

EXPLAN duced.

which have this peculiarity, as also certain modern Cycads of the genus *Zamia*, which Professor Penhallow has kindly pointed out to me. The present plant would seem to be a form of *Cordaiteæ*, tending to *Næggerathia*, which many paleobotanists believe to have been a gymnospermous genus allied to *Cordaites*. The affinities, however, so far as can be judged, are nearer to the latter; and following the example of Grand Eury in his nomenclature of the genera, I would propose the name *Dictyo-cordaites* for the present genus, and the specific name *Lacoi*, in honor of its discoverer.

It is apparent that this specimen combines the fructification of the *Cordaiteæ* with leaves akin to those of *Næggerathia*, thus connecting two groups of paleozoic plants, both of which are now considered as allied to *Cycadeæ* and *Taxineæ*, and I entertain the hope that when it is fully studied and brought into comparison with other specimens in my collections, or which have been figured and described by other paleobotanists, it will throw additional light on a great number of Paleozoic Canadian leaves, fruits and stems, now designated as *Cordaites*, *Næggerathia*, *Psymophyllum*, *Gingkophyllum*, *Sternbergia*, *Lepidoxylon*, *Saportea*, etc.; and which have been waiting for some specimen thus complete to bring them into harmony with each other.

I hope to be able to bring the whole of this material, which will necessitate some change in the nomenclature of some of my own species, under the notice of geologists at the approaching meeting of the American Association.

I may add that the oldest true *Cordaites* known to me is *C. Robbii* of the Middle Devonian, which is said to have also been found in the Silurian. *C. angustifolia* of the Lower Devonian is a somewhat uncertain species. Plants of the genus *Næggerathia* are known in the Upper Devonian.

EXPLANATION OF FIGURE.—*Dictyo-cordaites Lacoi*, much reduced. (a) Venation of leaf, natural size. (b) Fruit enlarged.