LIST
OF THE
LEPIDOPTERA
OF
NORTH AMERICA.

BY
AUG. R. GROTE & C. T. ROBINSON.

I.

PHILADELPHIA:
AMERICAN ENTOMOLOGICAL SOCIETY.
SEPTEMBER, 1868.

LIST
OF THE
LEPIDOPTERA
OF
NORTH AMERICA.

BY
AUG. R. GROTE & C. T. ROBINSON.

I.

PHILADELPHIA:
AMERICAN ENTOMOLOGICAL SOCIETY.
SEPTEMBER, 1868.

P R E F A C E.

We have compiled the present List of the Lepidoptera of North America on the plan chosen by Dr. John L. LeConte in his Catalogue of the Coleoptera published by the Smithsonian Institution in 1863. We suggest that an uniformity in the style of the Lists of the different Suborders of North America Insecta, would be of advantage to the Student of Natural History and advance the diffusion of Entomological Knowledge.

It is to be regretted that as yet but very partial Collections of Lepidoptera have been received from California and the Territories; our acquaintance with the Lepidopterological Faunæ of these lands is thus at present quite limited.

The present Number contains the Sphingidae, Aegeriidae, Thyridae, Zygaenidae and Bombycidae. The manuscript on the Butterflies is in course of completion; that on the remaining Families of the Moths awaits the publication of monographic Papers now known to be preparing for the press.

The geographical area here considered, and styled North America, embraces all that part of the Continent lying North of Mexico.

The following marks are used in the List: — after a species indicates that it is unknown to the Authors, who are therefore not responsible for its value as a distinct species; || signifies that the name has been previously employed for another species; ‡ denotes erroneous determinations; † shows that the name to which it is placed is not entitled to acceptance owing to its not having been accompanied by a description at the time of its use; Greek letters are employed to distinguish forms which are considered as races of the preceding species.

AUG. R. GROTE,
C. T. ROBINSON.

NEW YORK, October 1st, 1868.

LIST

OF THE

LEPIDOPTERA OF NORTH AMERICA.

SPHINGIDAE.

MACROGLOSSINI.

Arctonotus Bois.

lucidus Bois.

Lepisesia Grote.

flavofasciata Grote.

Macroglossa flav. Walk.

Sesia Fabr.

‡ *SESIA* G. & R.

thetis G. & R.

Macroglossa thetis Bois.

diffinis Harris.

Macroglossa diff. Bois.

Sphinx fuciformis ‡ Smith.

axillaris G. & R.

‡ *HAEMORRHAGIA* G. & R.

gracilis G. & R.

Haemorrhagia grac. G. & R.

buffaloensis G. & R.

Haemorrhagia buff. G. & R.

thyabe Fabr.

Sphinx pelargus Cram.

† *Sesia cimbiciformis* Steph.

a. uniformis G. & R.

Sesia ruficaudis ‡ Walk.¹

ruficaudis Walk.

floridensis G. & R.

Haemorrhagia florid. G. & R.

Aellopos Hübner.

titan Hübner.

Sphinx titan Cramer.

Macroglossum annulosum Swains.

Macroglossa balteata Kirtland.

tantalus Hübner.

Sphinx tantalus Linn.

Sphinx zonata Drury.

Euproserpius G. & R.

phaeton G. & R.

Euyo Hübner.

lugubris Walk.

Sphinx lug. Linn.

Sphinx fergus Cram.

Thyreus Swainson.

abbottii Swains.

Amphion Hübner.

nessus Hübner.

Sphinx ness. Cram.

Deldamia Clemens.

inscripta Clem.

Pterogon inscriptum Harris.

Proserpius Hübner.

gaurae Hübner.

Sphinx gaurae Smith.

clarkiae Clem.—

Pterogon clarkiae Bois.

CHOEROCAMPINI.

Durapsa Walker.²

choerilus Walk.

Sphinx choerilus Cram.

Sphinx azaleae Smith.

myron Walk.

Sphinx myron Cram.

Sphinx pampinatrix Smith.

Otus enotus Hübner.

1—Not *Sesia ruficaudis* Kirby (non allor), a species not recognizable from the description given.
2—*Otus* Hübner. Ver. is preoccupied in Ornithology; the species here cited under *Durapsa* are typical of the genus.

versicolor Clemens.*Choerocampa versie* Harris.**Choerocampa** Duponchel.
procne Clemens.—‡ *Metopisilus* Dunean.**tersa** Harris.*Sphinx tersa* Linn.**Dellephila** Ochsenh.
chamaenorii Harris.*Deilephila gatii* ‡ Walk.† *Deileph. intermedia* Kirby.**lineata** Harris.*Sphinx lineata* Fabr.³*Sphinx daucus* Cram.*Deilephila daucus* Steph.**Philampelus** Harris.
vitis Harris.*Sphinx vitis* Linn., Drury, Fabr.,

W. V., Cram. 267 C., Smith, Westw.

— Merinn, Plate 47 (upper figure),
fide Linn.*Sphinx fasciatus* Sulzor.*Dupo jussieuae* Hübner.*Philamp. jussieuae* Walk.*Philamp. fasciatus* Lucas, H-S.*Philamp. vitis* (larva) Clem.*Philamp. jussieuae* (imago) Clem.**linnei** G. & R.*Sphinx vitis* ‡ Cram. (268 E).*Philamp. vitis* ‡ Walk.*Philamp. vitis* ‡ (imago) Clem.*Philamp. fasciatus* ‡ Grote.*Philamp. vitis* ‡ H-S.**pandorus** Walker.*Daphne pandorus* Hübner.*Phil. satellitia* ‡ Harris, Clem., Grote
et nob.*Philamp. ampelophaga* ‡ Boisd.† *Sphinx satellitia* Fabr., Drury.**satellititia** Walker.⁴*Sphinx satellitia* Linn.*Sphinx licaon* Cram.*Philamp. satellitia* Burm.**a. posticatus** Grote.*Pholus licaon* Hübner.*Philamp. licaon* Grote.**achemon** Harris.*Sphinx achemon* Drury.*Sphinx erantor* Cram.

SMERINTHINI.

Smerinthus Latr.**geminatus** Say.**cerisii** Kirby.**ophthalmicus** Boisd.**exonecatus** Harris.*Sphinx exonecatus* Smith.? *Paonius paronius* Geyer.**myops** Harris.*Sphinx myops* Smith.*Smerinthus rosacearum* Boisd.**astylus** Westwood.*Sphinx astylus* Drury.*Sphinx io* Guér.*Smerinthus integerrima* ‡ Harris.**modestus** Harris.*Smerinthus princeps* Walk.**Cressonia** G. & R.**juglandis** G. & R.*Sphinx juglandis* Smith.*Smerinthus juglandis* Harris.

SPHINGINI.

Ceratonia Harris.**amyntor** G. & R.*Agrus amyntor* Hübner.*Ceratonia quadricornis* Harris.**Daremma** Walker.**undulosa** Walk.*Sphinx brontes* ‡ Boisd.*Macrosila brontes* ‡ Walk.*Ceratonia repentinus* Clem.*Daremma repentinus* G. & R.**Diludia** G. & R.**jasminearum** G. & R.*Sphinx jasmin*, Boisd.

4—This is the species first described by Fabricius, Syst. Ent. 1775, not the *Sph. lineata* ‡ of his later works (*Dellephila lineata* ‡ Steph.) which is the European *D. livornica*. Dell. *intermedia* Kirby, described from an injured specimen, cannot be properly identified; Dell. *oxybaphi Clemens*, described from a larva, is as yet apocryphal.

4—This species is not yet taken in the United States; it occurs in the West Indies, Mexico and South America and appears to replace there our U. S. *Phil. pandorus* (*Phil. satellitia* ‡ Harris).

5—Not yet taken in the United States. This species is figured by Mr. Grote in his Notes on the Sphingidae of Cuba, Proc. Ent. Soc. Phil. Vol. 5, pl. 1, fig. 5, male; the student is referred to that paper for remarks on the synonymy of this species and of *Dar. undulosa*—the two distinct forms having been confounded by authors.

leucophaea (Clem).—

Sphinx leuoph. Clem.

brontes G. & R.⁵

Sphinx brontes Drury.

Macrosila collaris Walk.

Macrosila Walk. (emend.)

rustica Walk.

Sphinx rustica Fabr.

Sphinx chinanthi Smith.

carolina Clemens.

Sphinx carolina Linn.

celeus G. & R.

Phlegothantius celeus Hubn.

Sphinx 5-maculata Steph. (Haw. MS.)

Sphinx carolina ‡ Don.

Macrosila 5-maculata Clem.

cingulata Clem.

Sphinx convoluti ‡ Drury.

Sphinx cingul. Fabr.

Sphinx drucei Don.

Sphinx Linn.

cheris G. & R.

Lethia cheris Hubn.

Sph. cinerea Harris.

drupiforarum Smith.

kalmiae Smith.

gordius Cramer.

luscitiosa Clemens.

eromitus Walker.

Agrilus erom. Hubn.

Sphinx sordida Harr.

lugens Walker.⁶

‡ *HYLOICUS* Hubn.

plebeia Fabr.

coniferarum Smith.

harrisii Grote.

Sphinx coniferarum ‡ Harr.

Ellema harrisii Clem.

un spec. sequent.?

bombycoides Grote.—

Lapara bombyc. Walk.

Dolba Walk.

hylaens Walk.

Sphinx hyl. Drury.

Sphinx prini Smith.

Dilophonota Burm.

ello Burm.

Sphinx ello Linn.

obscura G. & R.

Sphinx obscura Fabr.

AEGERIIDAE.⁷

Melittia Hübner.

satyriniformis Hübner.—

ceto Walker.—

Trochilium ceto Westw.

cucurbitae (Harris).—

Aegeria cucur. Harr.

var? *Mel. ceto* Walk.

flavitibia Walker.—

Trochilium tibiale ‖ Harr.

Trochilium Scopoli.

apiforme (Linn).⁸

marginatum Harris.—

denudatum Harris.

Aegeria Fabr.

exitiosa Say.

Sannina uroceriformis Walk.

? *Paranthrene pepsidiformis* Hübner.

quinquecaudata Ridings.

caudata Harris.—

tricinota Harris.—

syringae Harris.—

fulvipes Harris.—

hospes (Walsh).—

Trochilium hospes Walsh.

tipuliformis (Linn).⁹

pictipes G. & R.

scitula Harris.—

pyri Harris.

acerni Walker.

Trochilium acern. Clem.

bassiformis Walk.—

pyramidalis Walk.—

pleciaeformis Walk.—

odyneripennis Walk.—

emphytiformis Walk.—

hylotomiformis Walk.—

pyralidiformis Walk.—

sapygaeformis Walk.—

6—As yet received only from Mexico near the Texan border.

7—No revision of the North American species has been lately published; most of our species belong to *Aegeria* Fabr.

8—An European species introduced and acclimated in the vicinity of New York.

9—Considered by Harris as identical with an European species.

geliformis Walk.

Zenodoxus G. & R.
maculipes G. & R.

THYRIDAE.

THYRINI.

Thyris Illiger.
maculata Harris.
Sagalassa? perspicua Walk.
Thyris vitrina † Walk.
lugubris Boisduval.

PLATYTHYRINI. 10

Dysodeu Clemens.
oculata Clemens.
Platythyris fasciata G. & R.
Varnia plena Walk.
vitrina (Boisd.)—
Thyris vitrina Boisd.
an rite Amer. bor.?
aequalis G. & R.
Varnia aequ. Walk.
Varnia flugrata Walk.
an rite Amer. bor.?

ZYGAENIDAE.

CASTNIINAE.

ALYPIINI.

Alypia Hübner.
octomaculata Hübner.
Zygena octom. Fabr.
langtonii Couper.
Alypia octomaculata † Walk. p.
dipsaci G. & R.
sacramenti G. & R.
maccullochii Kirby.
ridingsii Grote.
lorquinii G. & R.
mariposa G. & R.

PSYCHOMORPHINI.

Psychomorpha Harris.
epimenis Harris.
Noctua epim. Drury.

EUDRIINI.

Euscirrhopterus Grote.
gloveri G. & R.
♂ ignot.

Endryus Boisd.

unio Boisd.
Eathisonotia unio Hübner.
grata Harris.
Bombyx grata Fabr.

Ciris Grote.

wilsonii Grote.

ZYGAENINAE.

Horama Hübner.
texana Grote.
Hor. plumipes † Clem.
Callicurus tex. Grote.

Laemocharis H-S.
pertyi H-S.—

Cosmosoma Hübner.
omphale Hübner.

Syntomeida Harris.
ipomaeae Harris.—
Euchromia ferox Walk.

Acroleithus Clemens.
falsarius Clem.
Harrisina sanborni Packard.
americanus Grote.
Procris amer. Boisd.
Procris dispar † Harr. Cat.
coracinus.
Aglaope coracin. Clem.

Procris Fabr.
smithsonianus Clem.—

Pyromorpha H-S.
dimidiata H-S.
Lycomorpha centralis Walk.
Malthaca perlucidula Clem.

Scopsis Walk.
fulvicollis Walk.
Glaucopis fulvic. Hübner.
Glaucopis semidiaphana Harr.
packardii Grote.

Ctenucha Kirby.
virginica Grote.
Sphinx virg. Charp.
Cten. latreillana Kirby.

oressonana Grote.
♀
ochroscupsus G. & R.

multifaria.

Apistoxia ? *multif.* Walk.
Glaucoptis rubroscapsus Mén.
Cten. rubros. G. & R.

♀ *Philoros* Walk.

venosa Walk.

Eupsychoma Grote.
geometroides Grote.

Guophaela Walk.

vermiculata G. & R.
Callulacia verm. Grote.
hopfferi G. & R.
latipennis (Boisd.)—
Glaucoptis latip. Boisd.

Lycomorpha Harris.

pholus Harris.
Sphinx pholus Prury.

Anatolmis Packard.

grotei Packard.
aequalis G. & R. 11
Lithosia aequa. Walk.

Cydosia Westw.

aurivitta G. & R.
nobilitella Westw.
Tinea nobil. Cramer.
aurea (Fitch).—
Deiopeia aur. Fitch.

Oeta Grote.

compta Grote.
Pocilloptera || *compta* Clem.

BOMBYCIDAE.

LITHOSIINAE.

Hypoprepia Hübn.

fucosa Hübn.
Atalmis bicolor Fitch.
a. miniata.
Lithosia miniata Kirby.
Guophris vittata Harris.

Cisthene Walk.

subjecta Walk.
Hypoprepia packardii Grote.

a. unifascia G. & R.**Lithosia** Fabr.

argillacea Packard.
Lith. bicolor Grote.

Crambidia Packard.

pallida Packard.

Eustixis Hübn.

pupula Hübn. 12
Eust. pup. Hübn. (489—90.)
Eust. lacta Geyer. (Einkl. 4 Hübnd.)
Mieza ignitix Walk.
subfervens.
Mieza subfer. Walk.
 spec. distinct.?

Clemensia Packard.

albata Pack.
Repa cana Walk.
Uxia albida Walk.

Enphaessa Pack.

mendica Pack.
Nectaris mend. Walk.
Eudule biseriata H-S.

Dysauxes Hübn.

mediastina Hübn.—

Crocota Hübn.

rubicundaria Hübn.
brevicornis Walk.
 var. *Croc. rubicundaria* ‡ Walk.
 ? *Eubaphe aurantiaca* Hübn.

quinaria Grote.

Croc. choronia Reakirt.
nigricans Reakirt.—
immaculata Reakirt.—
 var. *3-maculosa* Reak.

ferruginosa Walk.

opella Grote.
 ? **laeta** (Boisd.).
Lithosia lacta Boisd.
Croc. treatii Grote.

Utetheisa Hübn.

ornatrix Hübn.
Noctua orn. Linn.
a. bella Hübn.
Tinea bella Linn.

11—As yet only received from Mexico, near the Texan border.

12—*Eustixia pupula* Hübn. 327—8 is considered to represent *Thelecteria pupula* Zeller (Pyralidae). In any event, the genera being distinct, *Eustixia Hübn.* must be retained for the present genus. Geyer's correction arose probably from the fact that he considered the two species congeneric and inferred that they were so intended by Hübn. owing to the similarity of the generic names.

- β. speciosa* Grote.
Deiopeia spec. Walk.
γ. ornatrix Hübn.
Noctua orn. Linn.

'ARCTIINAE.

Callimorpha Latr.

clymene Pack.

- Hypercompa clym.* Esper.
Call. carolina Harris.

interrupto-marginata Pack.

- Bombyx interr.* Beauv.
Hypercompa comma Walk.

lecontei Bois.

- Call. militaris* Harris.
Call. leucomelas H-S.
 var. *Hypercompa confinis* Walk.
 var. *Hypercompa contigua* Walk.
 var. *Hypercompa fulvicosta* Clem.
 var. *Call. vestulis* Pack.
Tanada conscita Walk.

Epicallia Hübn.

virginalis Pack.

- Chelonia virg.* Boisd.

guttata G. & R.

- Agurista gutt.* Boisd.

Plataretia Pack.

parthenos Pack.

- Arctia parth.* Harris.
Arctia americana ‡ Walk.

borealis Pack.—

- Arctia bor.* Mösch.

hyperborea G. & R.

- Euprepia hyper.* Curtis.

scudderi Pack.—

- modesta* Pack.—

Euprepia Germar.

americana Pack.

- Arctia amer.* Harris.
Arctia cajo ‡ Fitch, Walk., Mösch.

Callaretia Pack.

ornata Pack.—

Arctia Schrank.

virgo Harris.

- Bombyx virgo* Linn.
Arctia parthenice Saund.
 ? *Call. parthen.* Kirby.

saundersii Grote.

- Arctia virguncula* ‡ Saund.

achaia G. & R.

blakei Grote.

phyllira Harris.

- Bombyx phyl.* Drury.

figurata Harris.

- Bombyx fig.* Drury.
Arctia celia var. Saund.

a. celia Saund.

- Bombyx fig.* Beauv.
Arctia celia Saund.

nais Hübn.

- ♀ *Bombyx nais* Drury.
 ♂ *Arctia nais* Hübn.
 ♂ *Arctia phalerata* Harris.

a. decorata Saund.

- ♀ *Arctia dec.* Saund.
 ♀ *Apantesis rudians* Walk. (aberr.)
 ♀ *Aloa colorata* Walk.

nevadensis G. & R.

anna Grote.

complicata Walk.

persephone Grote.

- Arctia virguncula* ‡ Walk.

virguncula Pack.

- Callimorpha virg.* Kirby.
Arctia nais ‡ Saund.

dahurica Walk.

- Chelonia dahur.* Boisd.

speciosissima Mösch.—

quenselii Geyer.—

gelida Mösch.—

arge Harris.

- Bombyx arge* Drury.
Phalaena dione Smith.

placencia Walk.

- Phalaena plac.* Smith.

pallida Pack.

Nemcophila Stephens.

caespitis G. & R.

cichorii G. & R.

petrosa Walk.

californiae Walk.

rufula Boisd.—

Sciraretia Pack.

echo Pack.—

- Phalaena echo* Smith.

clio Pack.—

Ectypia Clemens.

bivittata Clemens.

Pyrrharetia Pack.*isabella* Pack.*Phalaena isab.* Smith.*californica* Pack.—**Phragmatobia** Steph.*rubricosa* Grote.*Arctia rubric* Harris.*Phrag. fuliginosa* ‡ Walk.*vagans* Walk.—*Arctia vagans* Boisd.*dubia* G. & R.*Cyenia dubia* Walk.*assimilans* Walk.

an rite Amer. bor.?

Antaretia Hübn.*punctata* Pack.**Leucaretia** Pack.*acraea* Pack.♀ *Bombyx acraea* Drury.♂ *Bombyx caprotina* Drury.*californica* Pack.—**Spilosoma** Steph.*virginica* Walk.*Bombyx virgin.* Fabr.*congrua* Walk.*vestalis* Pack.**Hyphantria** Harris.*textor* Harris.*Spilosoma candida* Walk.*punctata* Fitch.—*cunea* Fitch.*Bombyx cunea* Drury.*Phalaena punctatissima* Smith.**Euchaetes** Harris.*egle* Harris.*Bombyx egle* Drury.*a. collaris.**Hyphantria coll.* Fitch.*Tanada antica* Walk.*eglenensis* Clemens.**Arachnis** Hübn.*picta* Pack.—**Epantheria** Hübn.*scribonia* Hübn.*Phalaena scrib.* Stoll.*Phalaena oculatissima* Smith.*Bombix cuneigunda* Beauv.**Halistidota** Hübn.*tessellaris* Hübn.*Phalaena tess.* Smith.*Hal. antiphola* Walsh.*Hal. harrisii* Walsh.*cinctipes* Grote.¹³*Hal. tessellaris* ‡ Walk. (descr.)*caryae* Clemens.*Lophocampa car.* Harris.*Hal. annulifascia* Walk.*Phragmatobia porphyria* H-S.*maculata* Clemens.*Lophocampa macul.* Harris.*Hal. fulvostava* Walk.*Phragmatobia guttifera* H-S.*californica* Walk.*Hal. angulifera* Walk.*agassizii* Pack.—*edwardsii* Pack.*Hal. transueida* Walk.*argentata* Pack.—*roseata* Walk.

DASYCHIRINAE.

Orgyia Oechsenheim.*nova* Fitch.*Org. antiqua* ‡ Walk.*leucostigma* Harris.*Phalaena leuc.* Smith.*definita* Pack.—*vetusta* Boisd.—**Parorgyia** Pack.*plagiata* G. & R.*Edema? plag.* Walk.*clintonii* G. & R.*leucophaea* ‡ Hübn.*Par. achatina* ‡ Pack.*leucophaea* Pack.*Phalaena leuc.* Smith.*basiflava* Fick.*obliquata* G. & R.*parallela* G. & R.*achatina* (Smith.).—*Phalaena uchat.* Smith.*cinnamomea* G. & R.*clandestina* (Walk.).—*Dasychira clandest.* Walk.**Laria** Curtis.*rossii* Curtis.—

13.—Not yet taken within our Territory. Specimens examined came from Mexico (Vera Cruz) and Cuba; it will probably occur in Texas.

Carama Walk.**cretata.***Lagoa cretata* Grote.**Lagoa** Harris.**crispata** Pack.*Lagoa opercularis* ‡ Harris.**opercularis** Pack.*Phalaena opere*, Smith.*Pimclo lanuginosa* Clem.**pyxidifera** Pack.—*Phalaena pyxid*, Smith.

COCHLIDIINAE.

Euclea Hübn.**querceti** Pack.*Limacodes rippus* ‡ Harris, Walk.*Limacodes querc.* H-S.*Euclea monitor* Pack.**quercicola** Pack.—*Limacodes quercic.* H-S.**bifida** Pack.—**ferruginea** Pack.—**paenulata** Pack.*Empretia paen* Clem.**Parasa** Moore.**chloris.***Neaera chloris* H-S.*Limacodes viridus* Reakirt.*Callochloa vernata* Pack.**Monoleuca** G. & R.**semifascia** G. & R.*Limacodes semif.* Walk.**Nocheia** Clemens.**tardigrada** Clem.—**Empretia** Clemens.**stimulea** Clem.**Phobetron** Hübn.**pithecium** Pack.♂ ♀ *Phalaena pithee*, Smith.*Phobetron abbotana* Hübn.♂ *Thyridopteryx ephemeræformis* ‡
hyalinum (Walsh).— [Pack.]♂ *Limacodes hyal.* Walsh.

spec. distinct.?

nigricans Grote.*Thyridopteryx nigr.* Pack.**Limacodes** Latr. † ‡**scapha** Harris.*Lim. undifera* Walk.**inornata** G. & R.**biguttata** Pack.**y-inversa** Pack.

‡ LIMACODES Pack.

rectilinea G. & R.**fasciola** H-S.*Lim. latitlavia* Clem.**Packardia** G. & R.**fusca** G. & R.*Cyrtosia fusca* Pack.**geminata** G. & R.*Cyrtosia gemin.* Pack.**ocellata** G. & R.*Cyrtosia ocell.* Grote.**albipuncta** G. & R.*Cyrtosia albip.* Pack.**Adoneta** Clemens.**spinuloides** Grote.*Limacodes spin.* H-S.*Adoneta voluta* Clem.**leucosigma** Grote.*Cyclopteryx leucos.* Pack.

un spec. praece.?

pygmaea G. & R.**Heterogenea** Knoch.**shurtleffi** Pack.**Kronaea** Reakirt.**minuta** Reakirt.*Limacodes min.* Reak.**Isa** Pack.**textula** Pack.—*Limacodes tec.* H-S.**Tortricidia** Pack.**pallida** Pack.*Limacodes pall.* H-S.**testacea** Pack.**flavula** Pack.—*Limacodes flav.* H-S.

PSYCHIINAE.

Psyche Ochs.**confederata** G. & R.14—*Limacodes*? *ferrigera* Walk. and *L.?* *tetradaetylus* Walsh are doubtful species.

Phryganidia Pack.
californica Pack.

Thyridopteryx Stephens.
ephemeraeformis Steph.
Oiketius coniferarum Harr.

Iacosoma Grote.
chiridota Grote.

Perophora Harris.
melsheimeri Harris.
Arrhodia egenaria Walk.

PTILODONTINAE.

Ichthyura Hübner.
inclusa Hübner.
Clostera americana Harr.
ornata G. & R.
inversa Pack.
indentata Pack.—
albosigma Morris.
Clostera albos. Fitch.
vau Morris.—
Clostera vau Fitch.

Apatelodes Packard.
torrefacta Pack.
Phalaena torref. Smith.
angelica Grote.
Parathyris angel. Grote.
Apat. hyalinopuncta Pack.

Datana Walk.
ministra Walk.
Phalaena min. Drury.
angusii G. & R.
major G. & R.
integerrima G. & R.
?Phalaena ministra Smith.
contracta Walker.
perspicua G. & R.

Nadana Walk.
gibbosa Walker.
Phalaena gibb. Smith.
doubledayi Pack.—

Hyparpax Hübner.
aurora Hübner.
Phalaena aur. Smith.
♂ Dryocampa venusta Walk.
♀ Sangata rosea Walk.

Gluphisia Boisid.
trilineata Pack.
? Gluph. ? septentrionalis Walk.

Notodonta Ochsen.
stragula Grote.
basitriens Walk.¹⁵

Lophodonta Pack.
ferruginea Pack.
angulosa Pack.
♂ Phalaena ang. Smith.
(fig. inf.)
georgica G. & R.
♂ Phalaena angulosa ‡ Smith.
(fig. sup.)
Notodonta georg. H-S.

Pheosia Hübner.
rimosa Pack.
dimidiata (H-S).—
an rite Amer. bor.?

Nerice Walk.
bidentata Walk.

Edema Walker.
albifrons Walk.¹⁶
Phalaena albif. Smith.

Scirodonta G. & R.
bilineata G. & R.
Cecrita ? bilineata Pack.
Heterocampa turbida Walk.
Edema ? associata Walk.
mustelina (Pack.).—
Cecrita ? mustelina Pack.

Oedemasia Pack.
concinna Pack.
Phalaena concinna Smith.
nitida Pack.—
badia Pack.
Heterocampa significata Walk.

Dasylophia Pack.
anguina Pack.
Phalaena anguina Smith.
♀ Drymonia cucullifera H-S.
♂ Heterocampa punctata Walk.
interna Pack.
Heterocampa tripartita Walk.

Schizura Doubleday.
ipomeae Doubleday.—

15—*Notodonta plagiata* || Walk. is the European *N. trilophus* with an erroneous locality.

16—*Edema producta* Walk. and *Edema fuscescens* Walk. belong to *Inguva* (Noctuidae).

Coclodasys Pack.**unicornis** Pack.*Phalaena unicornis* Smith.var. ♂ *Edema semirufescens* Walk.*Edema humilis* Walk.**edmandsii** Pack.—**apicalis** G. & R.**leptinoides** G. & R.*Heterocampa leptin.* Grote.**biguttata** Pack.♂ *Heterocampa ducens* Walk.♀ *Heteroc. compta* Walk.? ♂ *Heteroc. corticea* Walk.**harrisii** Pack.—**cinereofrons** Pack.*Heterocampa ustipennis* Walk.**Inuassa** Walk.**lignicolor** Walk.♂ *Xylinaodes virgata* Pack.♂ *Edema? transversata* Walk.♀ *Exaereta lignigeru* Walk.**Heterocampa** Doubleday.**astarte** Doubled.—♀ *Het. varia* Walk. 17**obliqua** Pack. 18**brunnea** G. & R. 19

♂ ignot.

umbrata Walk.—**trouvelotii** Pack.—**pulverea** G. & R. 20

♂ ignot.

marthesia. 21*Phalaena mar.* Cramer. (264 B.)*Lochmaeus tessella* Pack.*Cerura turbida* Walk.*Heterocampa tess.* G. & R.**elongata** G. & R.**guttivitta** G. & R.*Cecrita gutt.* Walk.*Het. biundata* † Pack.*Drymonia mucorea* H-S.*Drymonia indeterminata* Walk.**biundata** Walk. 22*Lochmaeus olivata* Pack.*Het. semiplaga* Walk.*Stauropus viridescens* Walk.**thyatirides** Walk.—**cinerea.***Lochmaeus cin.* Pack.*Misoguda sobria* Walk.**unicolor.***Lochmaeus unic.* Pack.**marina.***Lochmaeus mar.* Pack.‡ *LOCHMAEUS* Doubleday.**manteo** Walk.*Lochm. manteo* Doubl.*Het. subalbicans* Grote.*Tudanu cinerascens* Walk.**Platyecrura** Packard.**furcilla** Pack.**Cerura** Schrank.**borealis** Harris.*Phalaena furcula* † Smith.*Dicranura bor.* Boisd.**cinerea** Walk.**scitiscrupta** Walk. 23

PLATYPTERYGINAE.

Drepana Schrank.**arcuata** Walk.*Platypteryx furcula* Grote.**genicula** Walk.*Platypteryx genic.* Grote.**Platypteryx** Laspeyres.**bilineata** Grote.*Edapteryx bilin.* Pack.**Dryopteris** Grote.**rosea** Grote.*Drepana ros.* Walk.*Citix americana* H-S.*Platypteryx formula* Grote.var. *Drepana marginata* Walk.**irrorata** Packard.

17—Teste Abbot, p. 116 †—in libr. Dr. Gray.

18—Male and female, G. & R. Trans. Am. Ent. Soc. Vol. 1, figs. 26—27.

19—Abbot, Pl. 121 †, female.

20—Abbot, Pl. 120 †.

21—Abbot, Pl. 119 †.

22—Abbot, Pl. 118 †.

23—The following species described by Mr. Walker are irreconizable owing to the vague descriptions given of them in the Brit. Mus. Lists: *Drymonia? confusa*, p. 413, *Heterocampa mollis*, p. 422, *Het. nigrosignata*, p. 422, *Psaphida resunens*, p. 448, *Certilia flexuosa*, p. 449, *Hatima semirufescens*, p. 450, *Acherdoia ferraria*, p. 451, *Bellura gortynoides*, p. 463. The specimens determined as *Notodontia stragula* belong to *N. basitrons*.

ATTACINAE.

Telea Hübner.**polyphemus** Hübner.*Attacus polyph.* Linn.**Actias** Leach.**luna** Leach.*Attacus luna* Linn.**Attacus** Linn.**splendida** (DeBeaur.).—**Samia** Hübner.**cynthia** Hübner.²⁴*Attacus cyn.* Drury.**Callosamia** Pack.**promethea** Pack.*Attacus prom.* Drury.**angulifera** Pack.*Samia angulif.* Walk.*Saturnia atys* † Boisd.**Platysamia** Grote.**cecropia** Grote.*Attacus cecropia* Linn.**columbia** Grote.*Samia columbia* Smith.**californica** Grote.*Saturnia caryalc* † Boisd.*Saturnia ceanoti* † Behr.**Saturnia** Schrank.**galbina** Clemens.²⁵

CERATOCAMPINAE.

HEMILEUCINI.

Hemileuca Walker.**maia** Walk.*Bombyx maia* Drury.*Bombyx proserpina* Fabr.**grotei** Hopffer.**Pseudohazis** G. & R.**eglanterina** G. & R.*Saturnia eglant.* Boisd.**pica** G. & R.*Hemileuca pica* Walk.**hera** G. & R.—*Saturnia hera* Harris.**Coloradia** Blake.**pandora** Blake.**Hyperchiria** Hübner.**varia** Walker.*Phalaena io* † Smith.*Saturnia io* † Harris.*Io fabricii* † Boisd.**zeller** G. & R.

DRYOCAMPINI.

Eacles Hübner.**imperialis** Hübner.*Bombyx imper.* Drury.*Bombix didyma* Beauv.**Citheronia** Hübner.**regalis** Hübner.♀ *Phalaena laocoon* † Cram.²⁶♂ *Phalaena laocoon* † Stoll.*Bombyx regalis* Fabr.*Eacles laocoon* † Walk.**sepulchralis** G. & R.**Adelocephalia** Boisd.**bicolor** Grote.*Dryocampa bic.* Harris.♂ ♀ *Sphingicampa distigma* Walsh.♂ *Dryocampa bivolor* Walsh.**Anisota** Hübner.**stigma** Hübner.*Phalaena stigma* Smith.**senatoria** Hübner.*Phalaena senat.* Smith.**pellucida** Grote.*Phalaena pellucida* Smith.**virginiensis** Pack.—*Bombyx virginiensis* Drury.*Anisota pellucida* Hübner. Verz.

‡ DRYOCAMPA Harris p.

rubicunda Grote.²⁷*Bombyx rubic.* Fabr.*Dryocampa rubic.* Harris.

24—An Asiatic species cultivated in the United States for its silk, and acclimated on the alanthus in Brooklyn, L. I.

25—The genus *Saturnia* is restricted properly to the European *S. pyri*, *S. carpani*, and *S. spinl*, and to the Asiatic *S. pyretorum*.

26—Pl. 117, figs. B—C; fig. A (male) *Cith. laocoon* Cram. sp. and is distinct from our U. S. C. *regalis*. Vide G. & R. Ann. N. Y. Lyc. N. Hist. Vol. viii, 1866; and Trans. Am. Ent. Soc. Vol. 2, 1868.

27—*Dryocampa rubicunda* Walk., from "Brazil", is our species with an erroneous locality. *Dryocampa venusta* Walk. is male *Hyparpax aurora* Hübner. Hence *Anis. walkeri* Grote, proposed for *Dry. rubic.* Walk., falls away.

LACHNEIINÆ.

Gastropacha Ochsen.*americana* Harris.*Gastr. occidentis* Walk.*?Phalaena ilicifolia* † Smith.*ferruginea* Pack.—**Tolyte** Hübner.*velleda* Hübner.*Bombyx velleda* Stoll.*a. minuta* Grote.

spec. distinct.?

laricis Pack.*Planosa laric.* Fitch.**Artace** Walker.*punctistriga* Walker.**Clisiocampa** Curtis.*americana* Harris.*Phalaena castrensis* † Smith.*Clisioc. decipiens* Walk.*?Bombyx americana* Fabr.*disstria* Grote.*Phalaena neustria* † Smith.*Malacosoma dis.* Hübner. Verz.*Clisioc. sylvatica* Harris.*californica* Pack.

HEPIALINÆ.

COSSINI.

Xyleutes Hübner.*robiniae* Harris.*Cossus robiniae* Pack.**maomurtrei.***Cossus macm.* Boisd.*crepera* Harris.—*querciperda* Fitch.*populi* Pack.*Cossus pop.* Walk.*plagiatus* Pack.*Cossus plag.* Walk.**Zeuzera** Fabr.*pyrina* Fabr.—*canadensis* H.S.—

HEPIALINI.

Sthenopsis Packard.*argenteomaculata.**Hepialus argent.* Harris.*Gorgopsis arg.* Grote.*quadriguttata* Packard.*Gorgopsis 4-guttata* Grote.♀ *Hepialus argenteomaculata* † Harris in Lake Sup.*Hepialus argentcom.* † Walk.*Sthen. argent.* † Pack.*purpurascens* Pack.—*argentata* Pack.—**Hepialus** Linn.*hyperboreus* Moeschler.—*pulcher* Grote.*mustelinus* Pack.—*labradoriensis* Pack.—*gracilis* Grote.

INDEX OF GENERA.

	PAGE		PAGE
Accolithus.....	vi	Dellephila.....	iv
Aetias.....	xiii	Dilophonota.....	v
Adeloccephala.....	xiii	Diludia.....	iv
Adoneta.....	x	Dolba.....	v
Aegeria.....	v	Drepana.....	xli
Aellops.....	lii	Dryopteris.....	xli
Alypia.....	vi	Dysauxes.....	vii
Amphion.....	lii	Dysodea.....	vi
Anatolmis.....	vii	Eacles.....	xiii
Anisota.....	xiii	Ecantheria.....	ix
Antaretia.....	ix	Ectypia.....	viii
Apatelodes.....	xi	Edema.....	xi
Arachnis.....	ix	Empretia.....	x
Aretia.....	viii	Euyo.....	iii
Arctonotus.....	lii	Epicallia.....	viii
Artace.....	xiv	Euchaetes.....	ix
Attacus.....	xiii	Euclea.....	x
Callaretia.....	viii	Eudryas.....	vi
Callimorpha.....	viii	Euphanessa.....	vii
Cullosamia.....	xiii	Euprepia.....	viii
Carama.....	x	Euproserpinus.....	lii
Ceratonia.....	iv	Eupsychoma.....	vii
Cerura.....	xii	Enseirrhopterus.....	vi
Choerocampa.....	iv	Eustixis.....	vii
Ciris.....	vi	Gastropacha.....	xiv
Cisthene.....	vii	Glyphisia.....	xi
Citheronia.....	xiii	Gnophacta.....	vii
Clemensia.....	vii	Halididota.....	ix
Clisiocampa.....	xiv	Hemileuca.....	xiii
Coelodasys.....	xii	Hepialus.....	xiv
Coloradia.....	xiii	Heterocampa.....	xii
Cosmosoma.....	vi	Heterogenea.....	x
Crambidia.....	vii	Horama.....	vi
Cressonia.....	iv	Hyparpax.....	xi
Crocota.....	vii	Hyperchiria.....	xlii
Ctenucha.....	vi	Hyphantria.....	ix
Cydosis.....	vii	Hypoprepia.....	vii
Darapsa.....	iii	Ianassa.....	xii
Daremma.....	iv	Ichthyura.....	xi
Dasylophia.....	xi	Ira.....	x
Datana.....	xi	Kronaea.....	x
Deidamia.....	iii	Lacosoma.....	xi

Laemocharis	vi	Platysamia.....	xiii
Lagon	x	Procris	vi
Laria	ix	Proserpinus	iii
Lepaesia.....	iii	Pseudohuzis	xiii
Leucaretia	ix	Psyche	x
Limacodes.....	x	Psychomorpha	vi
Lithosia	vii	Pyromorpha.....	vi
Lophodonta	xi	Pyrrharetia,	ix
Lycomorpha	vi	Samia	xiii
Macrosila.....	v	Saturnia	xiii
Melittia	v	Scopula	vi
Monoleuca.....	x	Schizura	xi
Nadata	xi	Sciraretia	viii
Nemophila.....	viii	Sciodonta	xi
Nerice.....	xi	Sesia.....	iii
Nochelia.....	x	Smerinthus	iv
Notodonta.....	xi	Sphinx.....	v
Oedenasia.....	ix	Spilosoma.....	ix
Oeta	vii	Sthenopsis.....	xiv
Orgyia	ix	Syntomeida.....	vi
Packardia.....	x	Tela.....	xiii
Parasa.....	x	Thyreus	iii
Parorgyia.....	ix	Thyridopteryx	xi
Perophora.....	xi	Thyris	vi
Pheosia.....	xi	Tolype.....	xiv
Philampelus.....	iv	Tortricidia.....	x
Phobetrus.....	x	Trochilium.....	v
Phragmatobia.....	ix	Utetheisa,	vii
Phryganidia.....	xi	Xylentes.....	xiv
Plataretia.....	viii	Zenodorus.....	vi
Platyserena.....	xii	Zenura.....	xiv
Platypteryx.....	xii