OBSERVATIONS OF PARTICLE
MOTIONS IN OCEAN WAVES
(Vol. 2: Appendices)
by D. H. Shonting

July 67

NAVAL UNDERWATER WEAPONS
RESEARCH AND ENGINEERING STATION
NEWPORT, RHODE ISLAND

GC
211
556
v. 2

Recommendations in
appendices)

ns Res. and Eng.
ol.2)] Sta.

RETURNED

276 4 Mar 74

19 Nov 76

OCT 02 1985

NAVAL UNDERWATER WEAPONS RESEARCH AND ENGINEERING STATION
NEWPORT, RHODE ISLAND

TECHNICAL MEMORANDUM

OBSERVATIONS OF PARTICLE MOTIONS
IN OCEAN WAVES
(Vol. 2: Appendices)

Prepared by: D. H. Shonting

July 1967

G. G. GOULD
Technical Director

W. W. WITTER
Captain, USN
Commanding Officer

WEPTASK Assignment No.
RU22-20-000/219 1/R104-03-01

Distribution of this
document is unlimited.

UNCLASSIFIED

APPENDIX A

SUPPLEMENTARY DISCUSSIONS

Dynamics of a Ducted Meter

Response to a Step Input -- In discussing the dynamic characteristics of the ducted meter in chapter II, there is frequent mention of the terms "time constant", "response time", and "frequency response". Since these terms are often used (and also misused) in discussions of fluid flow sensors, it is desirable to clarify these meanings as they apply to the wave meters. The first step is to derive the relation for instrument response to a step increase in the driving force function.

The equation of motion representing the balance of forces on a ducted meter system can be written as:

$$\underset{\text{A}}{I} \frac{d\omega}{dt} = - \underset{\text{B}}{K_1} \omega + \underset{\text{C}}{K_2} u \quad ; \quad (\text{A-1})$$

where I is the moment of inertia of the impeller (gm cm^2), ω is the instantaneous angular velocity (sec^{-1}), u is the velocity of fluid through the meter, and K_1 and K_2 are proportionality constants.

Equation (A-1) represents the inertial force (term A) as equal to the sum of the drag force (B) produced by the impeller as it spins in the fluid and the dynamic thrust (C) caused by the moving fluid on the impeller. In other words, the drag force (B) is merely the reaction to the impressed force (C).

To investigate the solution $\omega(t)$, one must rewrite equation (A-1) in the form:

$$\frac{d\omega}{dt} + \frac{K_1}{I} \omega = \frac{K_2}{I} u. \quad (\text{A-2})$$

The initial conditions are given by:

$$\begin{aligned} \omega(t) = u(t) &= 0 \quad t < 0 ; \text{ and} \\ u(t) = U_T &= \text{constant} \quad t \geq 0. \end{aligned} \quad (\text{A-3})$$

These conditions imply that the driving velocity U_T is applied instantaneously to the impeller at time $t = 0$. The solution to equation (A-2) is obtained by substitution of:

$$\omega = \omega' + \frac{K_2}{K_1} u \quad ; \quad (\text{A-4})$$

giving

$$\frac{d\omega'}{dt} + \frac{\kappa_2}{\kappa_1} \frac{du}{dt} + \frac{\kappa_1}{I} \omega' = 0. \quad (\text{A-5})$$

From conditions (A-3), the time derivative of U_1 is zero, producing the homogeneous equation:

$$\frac{d\omega'}{dt} + \frac{\kappa_1}{I} \omega' = 0. \quad (\text{A-6})$$

Solving equation (A-6):

$$\omega' = \kappa_3 e^{-\frac{\kappa_1}{I} t}; \quad (\text{A-7})$$

where κ_3 is an integration constant. Substituting this in equation (A-4) yields the complete solution:

$$\omega = \kappa_3 e^{-\frac{\kappa_1}{I} t} + \frac{\kappa_2}{\kappa_1} u. \quad (\text{A-8})$$

At time $t=0$, from the initial conditions (A-3), one can evaluate:

$$\kappa_3 = -\frac{\kappa_2}{\kappa_1} U_T. \quad (\text{A-9})$$

Thus:

$$\omega = -\frac{\kappa_2}{\kappa_1} U_T e^{-\frac{\kappa_1}{I} t} + \frac{\kappa_2}{\kappa_1} u. \quad (\text{A-10})$$

This is the general solution of (A-2), which contains the sum of the transient and steady state solutions.

It is evident that:

$$\lim_{t \rightarrow \infty} \omega(t) = \frac{\kappa_2}{\kappa_1} U_T = \omega_T. \quad (\text{A-11})$$

For steady flow, the frequency of the impeller is directly proportional to the linear speed U_T . This important property is borne out by the calibration curves of the three ducted meter systems in figures II-5, II-9, and II-20.

Referring to chapter II, the ducted meter is subjected to a step input of velocity U_T at a point in time where:

$$t = \frac{I}{K_1} = T_r \quad (A-12)$$

In equation (A-10) $\omega(t)$ can be evaluated, utilizing (A-11), as:

$$\omega(t) = \omega \frac{I}{K_1} = \frac{K_2}{K_1} U_T \left(1 - \frac{1}{e}\right) \approx 63\% \omega_T \quad (A-13)$$

The value $T_r = I/K_1$ is defined as the response time. Likewise, T^{-1} (sec^{-1}) may be defined as the frequency response. Generally speaking, the instrument is incapable of registering fluctuations in flow greater than T_r^{-1} cps. The dividing line is completely arbitrary. However, for OMDUM III, having $T_r \approx 60$ milliseconds, this response time is surely small enough to observe fluctuations due to surface waves which are of the order of 3000-4000 milliseconds.

Response to a Sinusoidal Input -- The next step is to examine the response characteristics of the ducted meter to a sinusoidal driving function, which might be crudely compared to a single Fourier component of an ocean wave.

One can assume the same equation of motion given in equation (A-2), except that u is given as a sinusoidal function. Thus, instead of (A-2):

$$\frac{d\omega}{dt} + \frac{K_1}{I} \omega = \frac{K_2}{I} \cos \Omega t \quad (A-14)$$

The Ω is the driving frequency given by $2\pi T_F^{-1}$; where T_F is the period of the forcing function on the right hand side of (A-14).

Letting $K_1/I = \Omega_0$, the auxiliary equation becomes:

$$\omega = A e^{-\Omega_0 t} \quad (A-15)$$

It is assumed that $A=A(t)$ can serve as part of the solution to equation (A-14). Substituting (A-15) into (A-14), with the necessary adjustment, gives:

$$A = \frac{K_2}{I} \int e^{-\Omega_0 t} \cos \Omega t dt \quad (A-16)$$

The term B is an integration constant. Substituting (A-16) into (A-15) and integrating:

$$\omega = \frac{K_2}{I} \left[\frac{\Omega_0 \cos \Omega t + \Omega \sin \Omega t}{\Omega_0^2 + \Omega^2} \right] + B e^{-\Omega_0 t} \quad (A-17)$$

(A') (B')

or simplifying with trigonometric relationships:

$$\omega = \frac{K_2}{I \sqrt{\Omega_0^2 + \Omega^2}} \cos(\Omega t - \alpha) + B e^{-\Omega_0 t} \quad (A-18)$$

(A') (B')

Equation (A-12) has been used in (A-18) to define:

$$\alpha = \text{ARCTAN} \frac{\Omega}{\Omega_0} = \text{ARCTAN} \Omega T_r \quad (A-19)$$

As with the solution (A-10) for response to a step function, solution (A-18) contains a steady oscillatory component term (A') and a time variable solution term (B'). The angle α can be thought of as the phase shift angle between the response function ω and the driving function $K_2 \cos \Omega t$. It is clear from (A-19) that the phase angle α increases with an increasing time constant T_r . Likewise, for a system with a constant T_r , the phase angle α increases as the frequency of the driving function. Also, the amplitude of the instrument response decreases as Ω increases.

In chapter II a test was made of the response of OMDUM II to a vertical oscillation. The period of oscillation was about 0.7 second. The phase angle α was found to be about 12° . Substituting these values into equation (A-19) written as

$$T_r = \frac{\tan \alpha}{\Omega} \quad (A-20)$$

results in $T_r \sim 24$ milliseconds. This value for T_r is somewhat lower than the value obtained for OMDUM III by the method described in (A-1).

Relationship Between Instrument Output and Driving Motion Spectra -- The measurement in ocean waves using the ducted meters provides a time series record of the angular velocity vector of each impeller. From the time variable magnitude and direction of this vector one can infer, on the basis of steady flow and response time calibrations, an estimate of the Eulerian particle velocity at the position of the meter system. From this velocity data one can estimate averages, auto-covariance, covariance, and their related spectral functions. The accuracy of the statistical description of the actual motions is based on the assumption that the statistics of the impeller motion can be identified with statistics of ambient random motions driving the impellers. A simple analysis can be made of the criteria by which one can justify the correspondence of the statistics of the angular velocity vector with the particle velocity vector.

Write the equation of motion (A-1) in the form:

$$\frac{I}{K_2} \frac{d\omega}{dt} + \frac{K_1}{K_2} \omega = u(t) ; \quad (A-21)$$

where $u(t)$ is considered to be a quasi-random function of time. The functions $\omega(t)$ and $u(t)$ may be written as the complex Fourier integrals:

$$\omega(t) = \int_{-\infty}^{\infty} e^{i\nu t} dW(\nu) \quad (A-22)$$

and

$$u(t) = \int_{-\infty}^{\infty} e^{i\nu t} dZ(\nu). \quad (A-23)$$

The term ν represents angular frequency, and $dW(\nu)$ and $dZ(\nu)$ are increments in the quasi-random complex functions $W(\nu)$ and $Z(\nu)$. These functions have the following properties:

$$\left. \begin{aligned} \lim_{d\nu_1 = d\nu_2 = d\nu \rightarrow 0} \frac{dW^*(\nu_1) dW(\nu_2)}{d\nu} &= 0, \\ \lim_{d\nu_1 = d\nu_2 = d\nu \rightarrow 0} \frac{dZ^*(\nu_1) dZ(\nu_2)}{d\nu} &= 0. \end{aligned} \right\} \quad (A-24)$$

and

$$\text{Also:} \quad \lim_{d\nu \rightarrow 0} \frac{dW^*(\nu) dW(\nu)}{d\nu} = \Psi(\nu), \quad (A-25)$$

and

$$\lim_{d\nu \rightarrow 0} \frac{dZ^*(\nu) dZ(\nu)}{d\nu} = \Phi(\nu). \quad (A-26)$$

The asterisk indicates the complex conjugate, and $\Psi(\nu)$ and $\Phi(\nu)$ represent the energy density of the spectrum functions of $\omega(t)$ and $u(t)$, respectively (see Batchelor, 1953).

Substituting equations (A-22) and (A-23) into (A-21), and remembering that $dW(\nu)$ and $dZ(\nu)$ are independent of t , the result is:

$$\frac{iI\nu}{k_2} \int_{-\infty}^{\infty} e^{i\nu t} dW + \frac{k_1}{k_2} \int_{-\infty}^{\infty} e^{i\nu t} dW = \int_{-\infty}^{\infty} e^{i\nu t} dz, \quad (\text{A-27})$$

or simply

$$\left(\frac{iI\nu}{k_2} + \frac{k_1}{k_2} \right) dW = dz, \quad (\text{A-28})$$

Dividing (A-28) by $d\nu$ and multiplying both sides of the equation by the respective complex conjugates gives:

$$\left(\frac{k_1^2}{k_2^2} + \frac{I^2\nu^2}{k_2^2} \right) \frac{dW^* dW}{d\nu}. \quad (\text{A-29})$$

Taking the limit of (A-29) as $d\nu \rightarrow 0$, we have from equations (A-25) and (A-26):

$$\Phi(\nu) = \left(\frac{k_1^2}{k_2^2} + \frac{I^2\nu^2}{k_2^2} \right) \Psi(\nu). \quad (\text{A-30})$$

Equation (A-30) gives the relation between the spectra of quasi-random function $u(t)$ and the spectrum of impeller rotational response $\omega(t)$.

The next relationship to be examined is between the auto-covariance functions of both the turbulent velocity fluctuations $u(t)$ and the impeller response function $\omega(t)$. In order to compare the response of each function at an instant T and at a later time τ , we must determine the relation between the auto-covariance functions given by:

$$\phi_u(\tau) = \overline{u(t)u(t+\tau)} \quad (\text{A-31})$$

and

$$\phi_\omega(\tau) = \omega(t)\omega(t+\tau). \quad (\text{A-32})$$

These functions are defined in chapter III.

It is relation (A-32) that is actually measured. From this, (A-31) is interpreted and the spectrum function $\Phi(\nu)$ inferred. From equations (A-15) and (A-16), and the properties (A-18) and (A-19):

$$\overline{u(t)u(t+\tau)} = \int_{-\infty}^{\infty} \Phi(\nu) e^{i\nu\tau} d\nu, \quad (\text{A-33})$$

and

$$\overline{w(t)w(t+\tau)} = \int_{-\infty}^{\infty} \Psi(\nu) e^{i\nu\tau} d\nu. \quad (\text{A-34})$$

Thus, the auto-covariance, as shown in chapter III, is the Fourier transform of the spectrum function. Substituting equation (A-23) into (A-26):

$$\Phi_w(\tau) = \overline{w(t)w(t+\tau)} = \int_{-\infty}^{\infty} \frac{\Phi(\nu) e^{i\nu\tau}}{\left(\frac{K_1^2}{K_2^2} + \nu^2 \frac{I^2}{K_2^2}\right)} d\nu. \quad (\text{A-35})$$

Letting

$$\nu_c = \frac{K_1}{I}, \quad (\text{A-36})$$

and since

$$\frac{\nu_c^2}{\nu_c^2 + \nu^2} = 1 - \frac{\nu^2}{\nu_c^2 + \nu^2},$$

equation (A-35) may be written in the form:

$$\Phi_w(\tau) = \frac{K_2^2}{I^2 \nu_c^2} \int_{-\infty}^{\infty} \Phi(\nu) e^{i\nu\tau} \left[1 - \frac{\nu^2}{\nu_c^2 + \nu^2}\right] d\nu;$$

or

$$\Phi_w(\tau) = \frac{K_2^2}{I^2 \nu_c^2} \Phi_u(\tau) - \frac{K_2^2}{I^2 \nu_c^2} \int_{-\infty}^{\infty} \frac{\nu^2 \Phi(\nu) e^{i\nu\tau}}{\nu_c^2 + \nu^2} d\nu. \quad (\text{A-37})$$

Now:

$$-\nu^2 e^{i\nu\tau} = \frac{d^2}{d\tau^2} e^{i\nu\tau}.$$

Thus:

$$\Phi_w(\tau) = \frac{K_2^2}{K_1^2} \Phi_u(\tau) + \frac{K_2^2}{I^2 \nu_c^2} \frac{d^2}{d\tau^2} \int_{-\infty}^{\infty} \frac{\Phi(\nu) e^{i\nu\tau}}{\nu_c^2 + \nu^2} d\nu;$$

or

$$\Phi_w(\tau) = \frac{K_2^2}{K_1^2} \Phi_u(\tau) + \frac{1}{\nu_c^2} \frac{d^2}{d\tau^2} \Phi_w(\tau). \quad (\text{A-38})$$

This may be written:

$$\Phi_w(\tau) = \frac{K_1^2}{K_2^2} \left[\Phi_w(\tau) - \frac{1}{\nu_c^2} \frac{d^2}{d\tau^2} \Phi_w(\tau) \right]. \quad (A-39)$$

This equation provides a simple relationship of the auto-covariance of the driving motion $u(t)$ with that of the instrument response function $\psi(t)$.

Since $T_r = K_1 (I)^{-1}$ and, from (A-12), equals $(T_r)^{-1}$, the limit may be written:

$$\lim_{T_r \rightarrow 0} \Phi_w(\tau) = \frac{K_1^2}{K_2^2} \Phi_w(\tau). \quad (A-40)$$

Of course, this limiting condition ($T_r \rightarrow 0$) is not very realistic, since, for any instrument, T_r is finite.

Examining the relation (A-39) further -- the formal equation for $\Phi_w(\tau)$ may be written, from (III-24):

$$\Phi_w(\tau) = \lim_{T \rightarrow \infty} \frac{1}{T} \int_{-T/2}^{T/2} w(t) w(t+\tau) dt. \quad (A-41)$$

Lee (1960) shows that the second derivative of $\Phi_w(\tau)$ is given as:

$$\frac{d^2 \Phi_w(\tau)}{d\tau^2} = \lim_{T \rightarrow \infty} \frac{1}{T} \int_{-T/2}^{T/2} \frac{dw(t)}{dt} \cdot \frac{dw(t+\tau)}{dt} dt. \quad (A-42)$$

The second derivative of the auto-covariance function is another auto-covariance function of the derivative of $w(t)$ except for the negative sign. Thus, in (A-39) the correction term

$$-\frac{1}{\nu_c^2} \frac{d^2}{d\tau^2} \Phi_w(\tau)$$

is a positive bias in relation to the estimate of $\Phi_w(\tau)$. The probable magnitudes of the derivative term with respect to the auto-covariance in equation (A-39) can now be examined. Assume that the driving function w is represented simply as:

$$w = \sin \Omega t; \quad (A-43)$$

where Ω is the frequency of the oscillation. The auto-covariance function is $\Phi_w(\tau)$, which is approximated by:

$$\Phi_w(\tau) \cong \frac{1}{T} \int_{-T/2}^{T/2} \sin \Omega t \sin \Omega(t+\tau) d\tau. \quad (A-44)$$

Integration gives:

$$\phi_w(\tau) = \frac{1}{2} \cos \Omega \tau. \quad (A-45)$$

The second derivative of $\phi_w(\tau)$ is given by:

$$\frac{d^2 \phi_w(\tau)}{d\tau^2} = -\frac{\Omega^2}{2} \cos \Omega \tau. \quad (A-46)$$

The derivative term in (A-39) may be neglected if:

$$\frac{1}{2} \gg \frac{\Omega^2}{2\nu_c^2} \quad \text{OR} \quad 1 \gg \frac{\Omega^2}{\nu_c^2}. \quad (A-47)$$

Since $\Omega = 2\pi (T_w)^{-1}$ (where T_w is the period of the oscillation), and $\nu_c = K_1(I)^{-1} = (T_r)^{-1}$; then from (A-47):

$$1 \gg \frac{4\pi^2 T_r^2}{T_w^2} \sim \frac{40 T_r^2}{T_w^2}.$$

As shown in chapter IV, T_r for the wave meters was roughly 50 milliseconds. If the dominant period of driving oscillations of wind waves is about 4000 milliseconds (4 sec), then:

$$\frac{40 T_r^2}{T_w^2} \sim 0.04.$$

Thus, if the auto-covariance function is of the form given by (A-43), then the error in the estimate of $\phi_u(\tau)$ in equation (A-39) will be about 4 percent too small.

This simple example is given only to demonstrate that the relative magnitudes of the instrument frequency response and the dominant frequencies of the driving motions must be considered in providing an accurate statistical analysis of the motions. Thus, both the spectrum function and auto-covariance of the driving functions can be evaluated to an accuracy which is unavoidably dependent upon the amount by which the instrument response exceeds the ambient driving frequencies.

Amplitude Probability Distribution of Sinusoidal Waves

Consider a wavy ocean surface made up of an ensemble of Fourier components of equal amplitude and frequency, but of random phase. Two of the waves are pictured in figure A-1. The random parameter in the waves is the phase angle with respect to time $t = 0$. Letting α be the random phase angle of the wave with an angular frequency Ω , and having an amplitude A , the random amplitude η of the wave at $t = t_1$ is expressed by:

$$\eta(t) = A \sin(\Omega_1 t + \alpha). \quad (A-48)$$

Given the probability density of α , the probability density of the random variable η can be estimated. In other words, the aim is to estimate the instantaneous amplitude of the wave at $t = t_1$, using the knowledge of the probability density of the phase angle. The method used here is discussed by Lee (1960).

The phase angle α need only be specified between 0 and 2π . Let the probability density of α be $P_\alpha(\gamma)$, and that of η be $P_\eta(x)$. For every value of η in its range $(-A, A)$, there are two possible values of α in its range $(0, 2\pi)$, except when $\eta = \pm A$.

Letting
$$\xi = \Omega_1 t + \alpha, \quad (A-49)$$

equation (A-48) becomes:

$$\eta = A \sin \xi; \quad (A-50)$$

where the range of ξ is $(\Omega_1 t_1, \Omega_1 t_1 + 2\pi)$. The relation between the range of variables of X and Z of the random variables η and ξ is thus:

$$x = A \sin z; \quad (A-51)$$

where

$$z = \Omega_1 t_1 + \gamma. \quad (A-52)$$

Assuming that z_1 and z_2 are two solutions of (A-51) for z in the interval $(\Omega_1 t_1, \Omega_1 t_1 + 2\pi)$, then:

$$P(x < \eta < x + dx) = P(z_1 < \xi < z_1 + d\xi) + P(z_2 < \xi < z_2 + d\xi). \quad (A-53)$$

This equation states that an event of η occurring in $(x, x+dx)$ is dependent upon the event of ξ occurring in $(z_1, z_1+d\xi)$ and $(z_2, z_2+d\xi)$ and nowhere else. If there were only one solution of (A-51), only one term would appear on the right side of (A-53). Equation (A-53) leads to:

$$P_{\eta}(x) dx = P_{\xi}(z_1) dz + P_{\xi}(z_2) dz. \quad (A-54)$$

Here, $P_{\xi}(z)$ is the probability density of S . It can be shown (Lee, 1960, p. 192) that:

$$P_{\xi}(z) = P_{\alpha}(z - R, t). \quad (A-55)$$

Equation (A-54) may be written:

$$P_{\eta}(x) = \frac{P_{\alpha}(z_1 - R, t) + P_{\alpha}(z_2 - R, t)}{\left| \frac{dx}{dz} \right|}; \quad (A-56)$$

where, for $-A < x < A$,

$$\left| \frac{dx}{dz} \right| = |A \cos z| = +\sqrt{A^2 - x^2}. \quad (A-57)$$

The absolute value of the slope $\frac{dx}{dz}$ is used, since in (A-56) the probability distributions must be positive.

The complete expression for $P_{\eta}(x)$ is given by:

$$P_{\eta}(x) = \begin{cases} \frac{P_{\alpha}(z_1 - R, t) + P_{\alpha}(z_2 - R, t)}{\sqrt{A^2 - x^2}} & \text{FOR } -A < x < A \\ 0 & \text{ELSEWHERE} \end{cases} \quad (A-58)$$

The term $P_{\eta}(x)$ is, generally, a function of t ; thus, according to the definition in chapter III, it is nonstationary. $P_{\alpha}(z - R, t_1)$ may be taken as a rectangular density function (i.e., constant probability over a specified interval) and defined as:

$$P_{\alpha}(z - R, t_1) = \begin{cases} \frac{1}{2\pi} & \text{FOR } -R, t_1 < z < R, t_1 + 2\pi \\ 0 & \text{ELSEWHERE} \end{cases} \quad (A-59)$$

This makes $P_{\eta}(x)$ independent of t_1 (i.e., become stationary), and reduces it to:

$$P_{\eta}(x) = \begin{cases} \frac{1}{\pi \sqrt{A^2 - x^2}} & \text{FOR } -A < x < A \\ 0 & \text{ELSEWHERE} \end{cases} \quad (A-60)$$

Since $z = \alpha, \beta, \gamma$, condition (A-59) is equivalent to

$$P_{\alpha}(\gamma) = \begin{cases} \frac{1}{2\pi} & \text{FOR } 0 < \gamma < 2\pi \\ 0 & \text{ELSEWHERE} \end{cases} \quad (\text{A-61})$$

Therefore, if the probability density of the phase angle given by equation (A-59), depicted by figure V-13 (upper plot), is uniform, the ensemble of sine waves is stationary and the probability density of the amplitude is given by equation (A-60). This density distribution is plotted in figure V-13 (lower plot).

Relationships for Motions Associated with a Turbulent Velocity Field

Reynolds Stresses -- To examine the concept of the Reynolds stress existing in the surface ocean layer, one must consider the time variable motions of the water particles at a point immediately beneath wind-driven ocean waves that are being subjected to a surface shear stress by the wind.

Let:

$$\begin{aligned} u(t) &= u = \bar{u} + u' \\ w(t) &= w = \bar{w} + w' \end{aligned} \quad (\text{A-62})$$

The terms u and w are the time-varying horizontal and vertical velocity components at a point in the water column of uniform density. The $\bar{u}$ and $\bar{w}$ are time mean values given by the following integrals:

$$\bar{u} = \frac{1}{T} \int_{-T/2}^{T/2} u \, dt, \quad (\text{A-63})$$

and

$$\bar{w} = \frac{1}{T} \int_{-T/2}^{T/2} w \, dt.$$

The terms u' and w' are the instantaneous deviations from the time mean velocities. Thus:

$$\bar{u'} \equiv \bar{w'} \equiv 0.$$

Consider a small area dA in a horizontal plane between two layers of water which are being subjected to a horizontal shear. The mass of water dm crossing this area vertically during the time dt is given by:

$$dm = \rho \, dA \, w \, dt = \rho \, dA (\bar{w} + w') \, dt; \quad (\text{A-64})$$

where ρ is the density = constant.

The momentum of the water is $dm (\bar{u} + u')$ in the horizontal, and $dm (\bar{w} + w')$ in the vertical. Thus, the time rate of total horizontal and vertical transport across this area is:

$$\rho(\bar{w} + w')^2 dA dt \quad \text{AND} \quad \rho(\bar{w} + w)(\bar{w} + u') dA dt. \quad (A-65)$$

Dividing through by $dA dt$, one obtains the time rate of vertical transfer of horizontal and vertical momentum per unit area, which is given by:

$$\rho(\bar{w}^2 + 2\bar{w}w' + w'^2) \quad (A-66)$$

and

$$\rho(\bar{u}\bar{w} + \bar{u}w' + w'\bar{w} + u'w'). \quad (A-67)$$

Taking averages over the period T , and utilizing equations similar to (A-63), produces:

$$\overline{\rho\bar{w}^2} + \overline{\rho w'^2} = \rho\bar{w}^2 + \overline{\rho w'^2}, \quad (A-68)$$

and

$$\overline{\rho\bar{u}\bar{w}} + \overline{\rho u'w'} = \rho\bar{u}\bar{w} + \overline{\rho u'w'}. \quad (A-69)$$

The turbulent transfer quantities are defined as $\overline{\rho w'^2}$ and $\overline{\rho u'w'}$.

Consider the turbulent term $\overline{\rho u'w'}$. This term represents a net transport of horizontal momentum in the vertical by means of a correlation of u' with w' . Correlation exists when

$$\overline{\rho u'w'} = \frac{\rho}{T} \int_{-T/2}^{T/2} u'w' dt \neq 0. \quad (A-70)$$

Note that in the case of ocean waves the time varying quantities oscillate and change sign. Thus, there must be an internal systematic relation; e.g., u' is large and negative when w' is large and negative; and u' is large and positive when w' is large and positive.

If u and w are measured at a fixed point beneath the surface of the ocean, and for a given time interval equation (A-75) holds true, one can then conclude that: (1) a much larger or much smaller eddy motion is instrumental in propagating momentum downward which the instruments did not detect; or (2) a mechanism of stress transfer exists which is unrelated to the Reynolds stress concept.

Both $\rho \overline{w'^2}$ and $\rho \overline{u'w'}$ in (A-68) and (A-69) have units of dynes per square centimeter or force per unit area. The former term is identified as a dynamic or turbulent pressure, and the latter as a turbulent (or shear) stress.

Momentum Equations for Turbulent Velocities -- To appreciate how the eddy stresses can be interpreted as real physical quantities, let us consider the Navier-Stokes equations for an incompressible fluid in two dimensions in the vertical XZ plane. These equations are:

$$\frac{du}{dt} = -\frac{1}{\rho} \frac{\partial p}{\partial x} + \nu \nabla^2 u \quad (\text{A-71})$$

and

$$\frac{dw}{dt} = -\frac{1}{\rho} \frac{\partial p}{\partial z} - G + \nu \nabla^2 w ; \quad (\text{A-72})$$

where p = pressure (dyne cm^{-2})

ν = kinematic viscosity ($\text{cm}^2 \text{sec}^{-1}$)

G = gravitational acceleration (980) cm sec^{-2}

∇^2 = laplacian operator ($\frac{\partial^2}{\partial x^2} + \frac{\partial^2}{\partial z^2}$) cm^{-2}

z = measured positively upward.

Note that:

$$\frac{d}{dt} = \frac{\partial}{\partial t} + u \frac{\partial}{\partial x} + w \frac{\partial}{\partial z} .$$

The two-dimensional continuity equation for an incompressible fluid can also be used:

$$\frac{\partial u}{\partial x} + \frac{\partial w}{\partial z} = 0 . \quad (\text{A-73})$$

Substituting the Reynolds formulations (A-62) and also the pressure relation

$$P = \overline{P} + P' \quad (\text{A-74})$$

into equations (A-71) and (A-72), and taking time averages in accordance with equation (A-63), gives:

$$\frac{\partial \bar{u}}{\partial t} + \bar{u} \frac{\partial \bar{u}}{\partial x} + \overline{u' \frac{\partial u'}{\partial x}} + \bar{w} \frac{\partial \bar{u}}{\partial z} + \overline{w' \frac{\partial u'}{\partial z}} = -\frac{1}{\rho} \frac{\partial \bar{P}}{\partial x} + \nu \left(\frac{\partial^2 \bar{u}}{\partial x^2} + \frac{\partial^2 \bar{u}}{\partial z^2} \right) \quad (\text{A-75})$$

$$\text{and } \frac{\partial \bar{w}}{\partial t} + \bar{u} \frac{\partial \bar{w}}{\partial x} + \overline{u' \frac{\partial w'}{\partial x}} + \bar{w} \frac{\partial \bar{w}}{\partial z} + \overline{w' \frac{\partial w'}{\partial z}} = \frac{1}{\rho} \frac{\partial \bar{P}}{\partial z} - G + \nu \left(\frac{\partial^2 \bar{w}}{\partial x^2} + \frac{\partial^2 \bar{w}}{\partial z^2} \right) . \quad (\text{A-76})$$

All terms involving time average products of mean values and fluctuations vanish, simplifying the equations considerably. By regrouping terms:

$$\frac{d\bar{u}}{dt} = \frac{1}{\rho} \frac{\partial \bar{P}}{\partial x} + \nu \left[\frac{\partial^2 \bar{u}}{\partial x^2} + \frac{\partial^2 \bar{u}}{\partial z^2} \right] - \overline{u' \frac{\partial u'}{\partial x}} - \overline{w' \frac{\partial u'}{\partial z}} ; \quad (\text{A-77})$$

and

$$\frac{d\bar{w}}{dt} = \frac{1}{\rho} \frac{\partial \bar{P}}{\partial z} - G + \nu \left[\frac{\partial^2 \bar{w}}{\partial x^2} + \frac{\partial^2 \bar{w}}{\partial z^2} \right] - \overline{u' \frac{\partial w'}{\partial x}} - \overline{w' \frac{\partial w'}{\partial z}} , \quad (\text{A-78})$$

Using the equation of continuity for turbulent velocity components obtained with equations (A-62) and (A-73), the result is:

$$\frac{\partial u'}{\partial x} + \frac{\partial w'}{\partial z} = 0 . \quad (\text{A-79})$$

Equations (A-77) and (A-78) may be put in the following form, with the assumption of no mean motion in the vertical ($\bar{w} \equiv 0$):

$$\frac{d\bar{u}}{dt} = -\frac{1}{\rho} \frac{\partial \bar{P}}{\partial x} + \frac{\partial}{\partial x} \left[\nu \frac{\partial \bar{u}}{\partial x} - \overline{u'^2} \right] + \frac{\partial}{\partial z} \left[\nu \frac{\partial \bar{u}}{\partial z} - \overline{u'w'} \right] ; \quad (\text{A-80})$$

and

$$0 = -\frac{1}{\rho} \frac{\partial \bar{P}}{\partial z} - G + \frac{\partial}{\partial x} \left[-\overline{u'w'} \right] + \frac{\partial}{\partial z} \left[-\overline{w'^2} \right] . \quad (\text{A-81})$$

Consider the relative magnitudes of the viscous and dynamic pressure terms in equation (A-80). Realistic values for the terms $\partial \bar{u} / \partial x$ and u' could be 5 cm sec⁻¹ per 10 meters and 50 cm sec⁻¹, respectively, for a wind wave regime. For $\nu = 10^{-2}$ gm cm⁻¹ sec⁻¹, the ratio

$$\nu \frac{\partial \bar{u}}{\partial x} / \overline{u'^2} \sim 2 \times 10^{-6} .$$

This small ratio indicates that the molecular viscosity term in equation (A-80) may be neglected. Also, assuming that the term is vanishingly small, we obtain the simplified momentum equations:

$$\rho \frac{d\bar{u}}{dt} = -\frac{\partial \bar{P}}{\partial x} + \frac{\partial}{\partial x} \left[-\rho \overline{u'^2} \right] + \frac{\partial}{\partial z} \left[-\rho \overline{u'w'} \right] ; \quad (\text{A-82})$$

and

$$0 = -\frac{\partial \bar{P}}{\partial z} - \rho G + \frac{\partial}{\partial x} \left[-\rho \overline{u'w'} \right] + \frac{\partial}{\partial z} \left[-\rho \overline{w'^2} \right] . \quad (\text{A-83})$$

Equation (A-82) is a mathematical statement that the mean horizontal inertial acceleration of a water element is balanced by the mean horizontal pressure gradient, horizontal gradients of the mean horizontal dynamic pressure, and the vertical gradient of the mean eddy stress. Equation (A-83) indicates that the vertical mean pressure gradient is balanced by the gravitational force upon the water element, the horizontal gradient of the eddy stresses, and the vertical gradient of the vertical dynamic pressure.

Comparing equations (A-82) and (A-83) with equations (A-71) and (A-72), it is evident that the Reynolds stresses are interpreted as real stresses on the fluid elements and that they act in addition to the forces imparted by the pressure and pure viscous stresses.

The Reynolds stresses have normal as well as tractive or tangential components. An interpretation of the normal stress can be made in a similar manner. Consider a horizontal element ds normal to the vertical axis. Further assume $\bar{w}=0$, allowing only a turbulent component normal to the element. Then $-\rho \bar{u'w'}$ denotes the average flow of momentum through the surface element, namely $-(\rho w)w'ds$. This flow of momentum causes a reaction on the surface; and, when integrated over the time T and averaged, it is sensed as a dynamic pressure.

Thus, the products of time variable advective quantities can be envisaged as real forces acting upon the particles of water.

The formulation of Reynolds stresses throws considerable light on the mechanism of turbulence, whereas the mathematical analysis is not readily soluble. In general, no analytical method is known whereby the Reynolds stresses can be expressed in terms of the mean velocities and their derivatives; so, for the most part, equations of the form of (A-82) and (A-83) remain intractable. One can try, however, to solve the equations experimentally; i.e., one can measure certain quantities in the equations experimentally and conjecture magnitudes of the unmeasurable quantities, thus providing an estimate of the validity of the equations themselves and a judgment on the assumptions made to develop them.

Kinetic Energy Relations -- To derive the equation expressing the flux of mean energy in the waves, consider the general momentum equations (A-80) and (A-81), neglecting the term $\frac{\partial}{\partial x} \gamma \frac{\partial \bar{u}}{\partial x}$ in equation (A-80). First multiply equations (A-80) and (A-81) by $\rho \bar{u}$ and $\rho \bar{w}$, respectively. Since $\bar{w}$ is defined as identically zero, the result is a single equation given by:

$$\rho \bar{u} \frac{d\bar{u}}{dt} = -\bar{u} \frac{\partial \bar{P}}{\partial x} + \bar{u} \frac{\partial}{\partial x} [-\rho \bar{u'^2}] + \bar{u} \frac{\partial}{\partial z} [\gamma_0 \frac{\partial \bar{u}}{\partial z}] + \bar{u} \frac{\partial}{\partial z} [-\rho \bar{u'w'}] \quad (A-84)$$

By definition the dynamic viscosity $\gamma_0 = \rho \nu$. The term

$$\rho \bar{u} \frac{d\bar{u}}{dt} = \frac{d}{dt} [\frac{1}{2} \rho \bar{u^2}]$$

is equivalent to the time rate of change of the kinetic energy of the mean

motion in the X direction. Now integrate (A-84) and examine each term for its physical significance.

If equation (A-84) is integrated over a vertical strip in the Z plane of unit width (in the Y direction) and bounded at the sea bottom, the result gives the balance of kinetic energy of the mean flow across this section of the current (see figure A-2). The integration is carried out from the bottom at $Z = -D$ to the surface $Z = \eta(x_0, t)$. The x coordinate of the strip is x_0 ; and the mean value of η , over the averaging period T, is zero. If it is assumed that the time-rate of change of mean kinetic energy is constant, then:

$$0 = - \int_{-D}^0 \underbrace{\bar{u} \frac{\partial \bar{P}}{\partial x}}_A dz - \int_{-D}^0 \underbrace{u \frac{\partial}{\partial x} [p \bar{u}^2]}_B dz - \underbrace{\int_{-D}^0 \bar{u} \frac{\partial}{\partial z} \eta_0 \frac{\partial \bar{u}}{\partial z}}_C dz + \underbrace{\int_{-D}^0 \bar{u} \frac{\partial}{\partial z} (-\rho u \bar{u})}_{D} dz. \quad (A-85)$$

Terms A and B represent contributions to the mean horizontal kinetic energy due to horizontal flow caused by the fluid response to horizontal gradients of hydrostatic and dynamic pressure, respectively. Assuming hydrostatic equilibrium of the mean pressure gradients, term A may be written:

$$- \int_{-D}^0 \bar{u} \frac{\partial \bar{P}}{\partial x} dz = \rho g \int_{-D}^0 \bar{u} \left(\frac{\partial z}{\partial x} \right)_P dz. \quad (A-86)$$

The term $\frac{\partial z}{\partial x}$ is the slope of the isobars and, in general, may be associated with semi-diurnal tidal motions or other types of motions having oscillatory components whose periods are much larger than the period of averaging T. This term could be evaluated from data obtained from appropriately spaced tide gauges.

Evaluation of term B in equation (A-85) requires measurements of the variance of $u(t)$ at two or more positions on the x axis, and also as a function of depth. From a practical point of view, the term would be most difficult to determine experimentally. In the region of a uniform wind field the horizontal gradient of the wind-driven perturbations contributing to the variance σ_u^2 would surely be small.

Term C in (A-85) represents the contribution of pure frictional stresses to the mean kinetic energy. The term must, of course, contribute negatively to the mean kinetic energy, since the viscous forces always act to impede fluid flow; hence, they tend to decrease kinetic energy of mean motion. The frictional stresses occur at the air-sea boundary and at the bottom. They are brought about by viscous interaction of the wind with the waves and the free surface, and by water interaction with the bottom roughness elements.

The integral C may be written as:

$$\begin{aligned} - \int_{-D}^0 \underbrace{\bar{u} \frac{\partial}{\partial z} \eta_0 \frac{\partial \bar{u}}{\partial z}}_C dz &= \int_{-D}^0 \frac{\partial}{\partial x} \left[\bar{u} \eta_0 \frac{\partial \bar{u}}{\partial z} \right] dz + \int_{-D}^0 \eta_0 \frac{\partial \bar{u}}{\partial z} \frac{\partial \bar{u}}{\partial z} dz \quad (A-87) \\ &= \underbrace{\bar{u} \eta \frac{\partial \bar{u}}{\partial z}}_E \Big|_{-D}^0 + \underbrace{\int_{-D}^0 \eta \left(\frac{\partial \bar{u}}{\partial z} \right)^2 dz}_F. \end{aligned}$$

This indicates that the horizontal mean and dynamic pressure gradients are balanced by the vertical gradient of the Reynolds stresses.

In general, the mean horizontal pressure gradients in this simple model can only be a result of wind set-up along a coast or in a bay. The important thing is that the depth variation of the observed Reynolds stress is not necessarily controlled only by the eddy diffusion properties of the waves, but by fundamental dynamic conditions associated with the horizontal static and dynamic pressure gradients. More generally, the coriolis force must also be considered as in the Eulerian theory.

Fig. A-1

Figure A-1 . An ensemble of sinusoids with random initial phase angles.

Fig. A-2

Figure A-2 . Model for vertical integration of Kinetic energy relations.

APPENDIX B

STATISTICAL ANALYSIS AND AUTO-SPECTRA PLOTS OF WAVE DATA

Spectral Data

Listings of spectral data are given for series 020 through 124 (BBELS-8 through BBELS-16, using the OMDUM III and LIMDUM I wave meters).

The first line contains the consecutive serial observation (020, etc.). This is followed by O III = OMDUM III measurement producing u and w ; or by LI- u or LI- w = LIMDUM I measurement of u_1 and u_2 or w_1 and w_2 , respectively. Note that the BBELS-11 series (030-069) was made with LIMDUM I; but only one channel is operative, thus the statistics of a single w are given.

The second line of the format consists of: the BBELS number, the depth (in meters) and the n th measurement at that depth (Roman numerals), the date, and the approximate time interval.

The third line consists of the lag number, the number of data points (N), and the interval of sampling of interpolated data (DT). The fourth line gives the mean values of the variables (u and w , u_1 and w_1 , or u_2 and w_2).

The fifth line lists the following parameters (column headings), which are defined in chapter III. (X = the variable measured.)

K = Frequency and lag index.

$\left. \begin{array}{l} \text{ACOV } X_1, \\ \text{ACOV } X_2 \end{array} \right\}$ = Auto-covariance functions of X_1 and X_2 . (Note, ACOV X at $K = 0$ is the variance of X or σ_X^2 .)

COV IN = In-phase covariance function of X_1 and X_2 . (Note, COV IN at $K = 0$ is the covariance or $\phi_{X_1 X_2}(0) = X_1' X_2'$.)

COV OUT = Out-of-phase covariance function of X_1 and X_2 .

SP X_1 SP X_2 = Auto-spectra functions of X_1 and X_2 .

CO = Co-spectrum function of X_1 and X_2 .

QUA = Quadrature spectrum function of X_1 and X_2 .

PER = Period in seconds.

R = Coherence function of the cross-spectrum with the auto-spectra.

PH1 = Phase lag function between X_1 and X_2 .

- Note 1. In some cases, some of the data are left out indicating missing or irretrievable information.
- Note 2. A 'U' following the consecutive serial observation indicates that the OMDUM data are uncorrected (see chapter III).

020 OMI

REFS R 1.0M-1 0. 07DEC-64 1310-1315

LAGE= 50 N= 1245 DT= 0.2SEC

MEAN U= 21.6 MEAN W= 6.4

K ACOV U ACOV W COV IN COVOUT SP U SP W CO QUA PER R PHI
CORRELATION COEFFICIENT .13

0	183.8	348.3	6.4	0	14.21	19.91	11.42	0	0
1	171.6	327.4	9.9	4.5	34.39	42.03	15.34	-4.23	20.00
2	146.1	281.0	19.3	7.8	31.48	60.83	8.53	.51	10.00
3	114.8	222.5	32.3	9.3	21.69	62.44	3.70	1.11	6.66
4	84.1	160.9	45.0	9.7	12.05	38.89	-3.99	-2.84	5.00
5	58.8	105.6	53.8	9.0	11.11	31.79	-5.55	1.70	4.00
6	42.5	62.0	56.5	6.7	9.97	26.46	-3.26	7.42	3.33
7	34.8	30.9	53.3	3.0	9.09	15.56	-2.53	4.19	2.85
8	33.8	10.7	45.8	-1.2	10.24	12.48	-5.09	.24	2.50
9	36.3	-2.0	36.7	-6.3	9.87	12.46	-6.18	-0.57	2.22
10	39.2	-11.0	28.4	-11.5	5.99	9.07	-4.14	-0.87	2.00
11	32.5	-19.9	22.8	-15.5	2.57	5.14	-1.57	-0.12	1.81
12	36.0	-30.0	20.4	-17.5	1.30	2.59	-0.26	.37	1.66
13	28.7	-39.8	21.3	-17.0	.93	1.32	-0.04	.21	1.53
14	18.5	-47.8	23.5	-13.4	.73	1.03	-0.05	.19	1.42
15	7.8	-52.9	24.6	-7.6	.59	.85	-0.03	.09	1.33
16	-1.0	-54.6	23.1	-0.8	.45	.57	0	.01	1.25
17	-6.4	-51.7	19.0	5.8	.34	.51	0	.03	1.17
18	-9.2	-46.9	12.4	10.7	.24	.49	0	.05	1.11
19	-7.1	-42.3	4.6	12.8	.19	.39	.03	.03	1.05
20	-5.0	-38.8	-2.6	12.3	.17	.31	.04	.01	1.00
21	-3.0	-37.7	-7.5	9.1	.17	.28	.05	.02	.95
22	-2.5	-39.3	-9.1	3.9	.15	.25	.03	.04	.90
23	-4.3	-42.8	-7.5	-2.4	.13	.21	0	.03	.86
24	-7.8	-46.0	-3.5	-9.3	.12	.16	0	.03	.83
25	-12.0	-46.5	2.0	-16.3	.10	.12	-0.01	.03	.80
26	-16.2	-43.4	7.5	-22.7	.09	.13	0	.02	.76
27	-18.6	-36.7	12.3	-27.6	.10	.19	.02	.02	.74
28	-18.3	-25.9	15.8	-31.4	.10	.20	.01	0	.71
29	-15.8	-11.9	17.9	-33.8	.08	.16	0	0	.68
30	-11.1	4.2	19.2	-34.3	.07	.13	0	0	.66
31	-5.3	21.9	19.5	-33.0	.08	.10	-0.01	-0.01	.64
32	1.1	40.0	19.6	-29.4	.07	.09	-0.01	-0.03	.62
33	6.8	56.8	19.8	-23.5	.05	.09	0	-0.02	.60
34	11.3	70.0	20.0	-15.8	.04	.10	0	-0.02	.58
35	14.7	78.8	20.4	-7.9	.05	.10	0	0	.57
36	17.0	83.3	21.4	-0.9	.05	.07	0	0	.55
37	19.0	84.5	23.0	4.5	.04	.05	0	0	.54
38	21.7	83.1	24.7	6.9	.04	.06	-0.01	0	.52
39	22.9	80.3	26.7	6.1	.04	.07	0	0	.51
40	24.7	77.1	29.3	3.8	.04	.06	0	0	.50
41	29.0	73.2	32.2	.3	.03	.04	0	0	.48
42	32.6	69.1	34.8	-2.6	.03	.03	0	0	.47
43	36.4	65.5	36.2	-4.4	.03	.02	0	0	.46
44	40.3	62.0	37.0	-5.2	.02	.02	0	0	.45
45	44.7	58.7	37.4	-4.8	.02	.03	0	0	.44
46	48.7	56.0	38.1	-3.9	.03	.04	0	0	.43
47	51.4	54.6	38.9	-2.8	.03	.04	0	0	.42
48	52.2	53.8	39.2	-1.5	.04	.03	0	0	.41
49	50.7	51.7	38.9	.2	.03	.02	0	0	.40
50	47.3	47.3	37.5	1.8	.01	.01	0	0	.40

O21 OIII

BRFIS R .5M= 1 0. 07DEC=64 1324-1329

LAGS= 50 N= 1576 DT= 0.2SEC

MEAN U= 16.8 MEAN W= 17.3

CORRELATION COEFFICIENT -.09

0	354.1	701.0	-46.9	0	19.71	12.43	6.07	0	0
1	325.8	605.8	-39.0	15.6	46.52	57.88	11.17	-16.39	20.00
2	264.0	445.7	-16.4	23.7	56.50	113.28	9.16	-24.79	10.00
3	189.4	268.2	16.1	21.3	45.12	99.60	.77	-11.99	6.66
4	116.4	123.5	49.2	9.6	26.42	56.96	-8.77	.49	5.00
5	56.0	39.0	73.4	-7.8	20.23	45.89	-7.11	4.89	4.00
6	16.2	13.4	81.9	-27.1	21.37	37.18	-5.44	8.56	3.33
7	-0.5	27.0	73.0	-44.6	29.46	29.29	-9.79	9.25	2.85
8	3.5	51.2	51.7	-57.7	33.45	30.92	-13.82	5.70	2.50
9	19.4	63.3	27.9	-65.0	23.84	47.34	-15.54	3.78	2.22
10	38.2	50.6	8.8	-68.8	10.37	51.52	-10.97	5.17	2.00
11	51.8	12.5	-3.3	-68.7	4.31	33.68	-4.12	3.32	1.81
12	54.4	-43.8	-4.4	-66.0	3.15	18.69	-1.08	1.21	1.66
13	45.6	-104.4	4.8	-61.4	2.60	12.62	.13	.81	1.53
14	25.9	-152.7	16.6	-57.4	1.70	9.30	.69	.34	1.42
15	-2.2	-178.4	26.2	-53.5	1.12	6.63	.36	.51	1.33
16	-32.4	-177.3	30.1	-49.3	.80	4.50	.14	.67	1.25
17	-59.0	-157.0	26.0	-43.8	.62	3.58	.25	.27	1.17
18	-76.1	-129.9	15.9	-36.5	.70	3.12	.33	-0.13	1.11
19	-80.4	-101.9	2.9	-28.2	.72	2.26	.23	0	1.05
20	-73.4	-86.3	-10.4	-20.4	.69	1.71	.13	.18	1.00
21	-58.9	-90.7	-20.9	-14.2	.58	1.54	.20	.07	.95
22	-41.7	-110.8	-26.8	-12.8	.41	1.22	.13	-0.02	.90
23	-26.6	-139.9	-28.1	-15.0	.37	1.13	-0.04	.03	.86
24	-16.5	-166.4	-26.0	-16.8	.35	1.35	-0.14	.17	.83
25	-13.2	-179.2	-23.3	-14.5	.27	1.20	-0.05	.14	.80
26	-16.2	-173.1	-16.6	-12.6	.25	.93	-0.01	-0.02	.76
27	-22.9	-148.8	-10.3	-9.7	.24	.91	-0.06	-0.04	.74
28	-29.6	-111.3	-7.0	-4.0	.20	.83	0	.02	.71
29	-33.4	-72.9	-6.7	4.9	.18	.78	.10	.03	.68
30	-33.3	-43.1	-6.9	15.7	.16	.85	.13	-0.03	.66
31	-20.2	-22.3	-5.7	26.4	.13	.81	.07	-0.05	.64
32	-21.0	-8.3	-1.7	33.7	.10	.65	0	.01	.62
33	-10.7	-2.3	4.7	35.6	.08	.60	0	.04	.60
34	-0.4	-3.6	13.2	32.5	.10	.63	-0.02	0	.58
35	8.5	-3.4	22.5	26.8	.11	.72	-0.05	0	.57
36	16.4	7.1	29.1	21.3	.12	.71	-0.04	0	.55
37	23.5	29.8	31.9	19.3	.11	.61	.02	.01	.54
38	28.7	57.9	30.4	20.4	.08	.57	.05	0	.52
39	31.5	92.4	24.6	24.8	.05	.54	.01	0	.51
40	32.7	125.1	16.4	31.9	.04	.59	0	0	.50
41	34.3	151.4	8.0	40.1	.04	.62	0	0	.48
42	37.5	170.0	3.0	44.5	.04	.60	.01	-0.02	.47
43	42.9	177.6	-0.9	42.9	.04	.58	-0.01	-0.03	.46
44	50.4	178.7	-5.3	35.2	.05	.54	-0.03	0	.45
45	58.6	177.6	-8.5	24.2	.05	.53	0	.01	.44
46	66.2	167.8	-9.3	12.8	.05	.55	.01	0	.43
47	71.1	160.4	-6.8	1.4	.05	.53	0	0	.42
48	72.6	157.1	-0.6	-8.6	.05	.52	-0.02	.02	.41
49	70.2	156.9	7.0	-15.7	.05	.52	0	.04	.40
50	63.9	155.9	13.2	-20.5	.03	.25	.01	0	.40

O22 OIII

REFS R 2.0M- 1 0, 07DEC-64 1337-1342

LAGS= 50 N= 1359 DT= 0.2SEC

MEAN U= 13.6 MEAN W= 2.9

CORRELATION COEFFICIENT .31

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	239.7	250.6	76.7	0	35.90	25.08	16.08	0	0		
1	233.5	244.1	77.1	2.0	64.57	55.15	28.60	-8.80	20.00		
2	219.9	229.8	78.5	4.2	55.66	68.52	25.70	-0.02	10.00		
3	200.1	210.6	80.2	6.5	37.15	53.50	14.80	6.77	6.66		
4	179.3	188.5	81.0	8.4	15.11	20.72	.55	4.24	5.00		
5	158.6	165.1	80.0	9.7	8.19	9.31	-1.86	1.60	4.00		
6	139.7	141.4	76.8	10.3	5.38	5.25	-1.79	.86	3.33		
7	123.3	118.2	71.5	9.9	3.97	2.85	-1.46	.49	2.85		
8	109.0	95.5	64.5	8.6	3.62	2.15	-1.13	-0.28	2.50		
9	95.8	73.6	56.3	6.3	3.41	2.04	-1.36	-0.41	2.22		
10	82.7	52.4	47.8	3.4	2.45	1.66	-1.03	-0.19	2.00		
11	69.4	32.1	39.4	.2	1.24	.89	-0.35	-0.14	1.81		
12	55.8	12.9	31.5	-3.3	.59	.61	-0.03	-0.02	1.66		
13	42.1	-4.7	24.3	-6.8	.37	.43	-0.06	-0.02	1.53		
14	29.1	-20.3	17.7	-9.9	.32	.32	-0.07	-0.06	1.42		
15	17.4	-33.3	11.6	-12.6	.23	.25	-0.02	-0.03	1.33		
16	7.6	-43.8	5.6	-15.0	.17	.18	-0.01	-0.01	1.25		
17	-0.1	-51.9	-0.2	-17.1	.10	.17	-0.01	0	1.17		
18	-5.4	-57.6	-5.8	-19.0	.09	.16	.01	-0.01	1.11		
19	-9.9	-61.3	-10.7	-20.7	.11	.12	.01	-0.02	1.05		
20	-11.3	-63.1	-14.5	-22.6	.13	.11	0	0	1.00		
21	-13.3	-63.6	-17.1	-24.5	.10	.08	.01	0	.95		
22	-15.1	-63.0	-18.2	-26.3	.07	.07	0	0	.90		
23	-16.4	-61.3	-17.9	-27.8	.07	.07	0	-0.01	.86		
24	-17.0	-58.5	-16.6	-28.8	.07	.07	0	0	.83		
25	-16.8	-54.1	-14.7	-29.4	.07	.06	.01	0	.80		
26	-15.6	-48.4	-12.6	-29.5	.05	.05	0	0	.76		
27	-13.1	-41.2	-10.4	-29.3	.04	.05	0	0	.74		
28	-9.5	-32.5	-8.1	-28.5	.03	.05	0	0	.71		
29	-4.7	-22.7	-5.7	-27.1	.03	.03	0	0	.68		
30	.6	-12.4	-2.6	-25.3	.03	.03	0	0	.66		
31	6.2	-1.7	1.3	-23.3	.02	.03	0	0	.64		
32	11.7	8.9	6.0	-21.3	.01	.03	0	0	.62		
33	17.3	19.3	11.3	-19.3	.01	.03	0	0	.60		
34	22.9	29.1	16.7	-17.6	.01	.02	0	0	.58		
35	29.5	38.1	22.1	-16.5	.01	.02	0	0	.57		
36	33.8	46.7	27.4	-15.9	.01	.02	0	0	.55		
37	34.0	55.2	32.4	-15.5	.01	.01	0	0	.54		
38	44.1	63.6	36.8	-15.1	.01	.01	0	0	.52		
39	49.2	71.8	40.5	-14.3	0	.02	0	0	.51		
40	54.2	78.9	43.4	-13.0	0	.02	0	0	.50		
41	58.9	84.4	45.6	-11.1	0	.01	0	0	.48		
42	63.3	88.1	47.0	-8.8	0	.01	0	0	.47		
43	67.2	89.9	47.8	-6.2	0	.01	0	0	.46		
44	70.0	90.1	48.2	-3.5	0	.01	0	0	.45		
45	71.3	88.7	47.8	-0.9	0	.01	0	0	.44		
46	70.9	85.4	46.8	1.6	0	.01	0	0	.43		
47	68.6	80.4	45.1	4.1	0	.01	0	0	.42		
48	64.8	74.2	42.9	6.6	0	.01	0	0	.41		
49	59.3	66.6	40.0	9.3	0	.01	0	0	.40		
50	52.6	57.9	36.5	11.9	0	0	0	0	.40		

023 U O III

BBFIS 9 .5M= 1 0, 27JAN-65 1145-1150

LAGS= 50 N= 1441 DT= 0.2SEC

MEAN U= -5.5 MEAN W= .3

CORRELATION COEFFICIENT .52

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	555.0	739.1	-333.5	0	14.23	6.28	-4.06	0	0		
1	542.6	714.5	-331.5	60.1118	59117.00	-80.12	62.55	20.00			
2	513.5	659.9	-325.9	116.8217	06258.56	162.9*	139.99	10.00			
3	474.7	591.1	-315.5	166.6124	76192.83	-92.79	95.14	6.66			
4	429.4	518.8	-299.3	208.4	25.00	67.59	-2.67	27.94	5.00		
5	381.2	446.0	-277.0	242.1	17.81	35.50	4.22	17.90	4.00		
6	329.1	370.1	-249.4	267.7	13.24	17.89	1.70	10.92	3.33		
7	273.1	288.1	-217.1	285.5	5.93	8.07	.73	4.06	2.85		
8	214.7	198.9	-181.7	295.6	2.37	4.43	.25	1.27	2.50		
9	155.7	105.0	-144.0	298.5	1.25	2.66	.12	.58	2.22		
10	99.2	17.1	-104.1	294.8	.91	2.36	.20	.30	2.00		
11	43.8	-41.6	-61.6	285.3	1.24	2.82	.55	.27	1.81		
12	-4.6	-127.7	-17.2	271.4	1.61	4.18	.49	.50	1.66		
13	-52.8	-183.3	28.1	255.0	1.59	4.71	.36	.68	1.53		
14	-95.8	-231.5	72.7	237.9	1.19	3.84	.35	.55	1.42		
15	-137.0	-275.0	115.7	220.2	.77	2.60	.28	.09	1.33		
16	-177.0	-314.4	156.0	201.5	.58	1.75	.07	-0.02	1.25		
17	-215.7	-349.4	192.8	180.9	.42	1.08	-0.01	-0.01	1.17		
18	-252.3	-378.8	225.7	158.0	.32	.64	-0.05	-0.02	1.11		
19	-285.6	-400.1	254.1	133.3	.30	.48	-0.05	.04	1.05		
20	-314.6	-413.4	277.1	107.5	.22	.40	-0.02	.07	1.00		
21	-339.6	-420.2	294.4	80.7	.18	.30	0	.03	.95		
22	-357.3	-421.7	306.4	53.0	.15	.25	0	0	.90		
23	-370.0	-417.0	312.8	24.5	.09	.26	0	-0.01	.86		
24	-376.9	-409.5	314.0	-5.3	.07	.31	0	-0.01	.83		
25	-377.6	-397.4	309.6	-35.7	.08	.27	.02	-0.02	.80		
26	-371.7	-381.0	299.9	-66.6	.07	.16	0	-0.01	.76		
27	-352.8	-358.6	284.9	-96.8	.06	.13	-0.01	-0.01	.74		
28	-339.0	-329.7	264.7	-125.4	.07	.13	-0.01	-0.01	.71		
29	-312.8	-295.0	239.9	-151.1	.07	.13	-0.01	0	.68		
30	-280.8	-256.4	211.4	-173.2	.06	.11	-0.01	0	.66		
31	-243.6	-214.3	180.3	-192.1	.06	.08	0	0	.64		
32	-203.0	-169.8	147.3	-207.8	.05	.07	0	0	.62		
33	-160.2	-123.8	112.6	-220.2	.04	.06	0	-0.01	.60		
34	-115.2	-75.8	76.9	-228.4	.04	.07	0	-0.01	.58		
35	-68.9	-26.1	40.2	-232.2	.05	.08	-0.01	0	.57		
36	-22.6	24.8	3.0	-231.6	.03	.07	0	0	.55		
37	22.6	75.5	-34.2	-227.2	.03	.07	0	0	.54		
38	65.9	124.4	-70.3	-219.6	.03	.06	0	0	.52		
39	104.8	170.8	-104.8	-210.0	.02	.06	0	0	.51		
40	146.1	214.4	-137.3	-198.1	.01	.06	0	0	.50		
41	183.1	253.2	-166.9	-183.0	.01	.07	0	0	.48		
42	217.6	286.5	-193.5	-164.4	.02	.06	0	0	.47		
43	248.9	314.5	-216.5	-142.7	.02	.05	0	0	.46		
44	276.5	336.8	-235.3	-118.4	.01	.04	0	0	.45		
45	299.9	352.7	-249.4	-92.8	.01	.04	0	0	.44		
46	310.0	362.1	-258.2	-66.6	.01	.04	0	0	.43		
47	333.5	366.3	-261.5	-39.6	.02	.04	0	0	.42		
48	342.7	365.7	-259.9	-11.2	.02	.06	0	0	.41		
49	346.4	359.3	-253.7	18.6	.02	.06	-0.01	0	.40		
50	344.5	346.2	-243.7	49.9	0	.03	0	0	.40		

024 U OIII

BBFIS 9 .5M-II 0, 27JAN-65 1224-1228

LAGS= 50 N= 918 DT= 0.2SEC

MEAN U= 3.2 MEAN W= 2.7

CORRELATION COEFFICIENT = .40

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	490.0	892.0	-261.7	0	37.60	5.91	1.89	0	0		
1	474.9	854.5	-260.7	59.5	113.73	98.28	-47.79	39.92	20.00		
2	450.8	762.3	-257.5	113.4	160.16	267.77	-124.8*	117.90	10.00		
3	416.1	642.1	-250.4	157.5	105.48	252.89	-89.08	102.00	6.66		
4	377.5	518.7	-235.9	191.0	28.34	96.45	-11.72	32.35	5.00		
5	337.1	409.9	-213.1	215.0	12.32	35.48	1.68	9.72	4.00		
6	296.3	322.3	-182.9	233.0	7.57	24.61	-0.49	5.81	3.33		
7	254.7	250.0	-148.4	248.0	4.16	13.70	-0.09	1.86	2.85		
8	212.0	181.1	-111.6	261.1	3.28	12.25	.35	1.14	2.50		
9	168.3	103.2	-74.5	271.3	3.08	17.36	1.82	1.98	2.22		
10	123.7	10.4	-38.6	276.2	3.47	23.62	2.46	4.48	2.00		
11	78.8	-94.7	-3.8	272.6	2.61	20.61	1.51	4.61	1.81		
12	34.5	-202.4	30.5	259.3	1.52	10.32	1.13	2.12	1.66		
13	-7.2	-300.6	64.6	237.1	1.02	3.95	.97	.66	1.53		
14	-44.9	-377.8	97.9	208.8	.81	1.84	.48	.16	1.42		
15	-78.2	-427.9	130.1	178.0	.67	1.15	.23	-0.08	1.33		
16	-107.8	-453.1	160.4	147.1	.46	.97	.11	-0.01	1.25		
17	-132.5	-461.6	187.9	118.4	.31	.70	.06	-0.05	1.17		
18	-153.3	-463.8	211.5	91.5	.34	.59	-0.03	-0.09	1.11		
19	-170.2	-466.0	230.8	65.7	.32	.39	0	-0.04	1.05		
20	-184.6	-470.4	244.6	39.4	.26	.26	.02	.05	1.00		
21	-195.9	-474.9	252.8	10.8	.21	.23	-0.01	.02	.95		
22	-204.2	-473.2	254.6	-20.5	.14	.24	-0.03	0	.90		
23	-209.2	-459.5	251.0	-52.7	.11	.25	0	-0.01	.86		
24	-207.7	-430.0	242.1	-84.0	.10	.25	-0.03	0	.83		
25	-202.0	-384.9	228.6	-112.2	.09	.20	-0.04	-0.01	.80		
26	-191.4	-327.0	211.1	-135.9	.12	.16	-0.04	0	.76		
27	-177.4	-262.9	191.2	-154.6	.14	.12	-0.05	0	.74		
28	-160.2	-197.8	169.0	-168.4	.10	.10	-0.03	0	.71		
29	-140.9	-135.6	145.2	-177.6	.09	.11	-0.01	0	.68		
30	-119.1	-77.7	119.1	-183.1	.09	.12	0	.02	.66		
31	-96.1	-23.0	90.3	-186.5	.07	.10	0	.01	.64		
32	-71.7	29.7	58.8	-188.6	.07	.09	0	0	.62		
33	-45.5	81.9	26.2	-188.8	.08	.07	0	0	.60		
34	-12.1	133.9	-5.8	-185.5	.06	.07	0	0	.58		
35	7.7	183.4	-36.3	-177.6	.06	.07	0	0	.57		
36	35.4	228.4	-64.8	-164.4	.06	.05	0	0	.55		
37	63.2	265.6	-89.9	-146.6	.05	.04	0	-0.01	.54		
38	89.3	291.3	-110.7	-125.6	.05	.05	-0.01	-0.01	.52		
39	112.5	304.4	-128.1	-103.6	.06	.04	-0.01	-0.01	.51		
40	132.1	306.4	-143.4	-82.6	.05	.04	-0.01	0	.50		
41	147.8	301.4	-157.4	-63.8	.04	.05	0	0	.48		
42	160.1	294.0	-170.7	-47.5	.06	.04	0	0	.47		
43	169.1	287.9	-182.6	-32.6	.06	.02	0	0	.46		
44	175.2	283.1	-193.2	-18.4	.04	.02	0	0	.45		
45	178.3	278.0	-199.7	-2.6	.05	.03	0	-0.01	.44		
46	178.9	270.0	-201.0	15.5	.07	.04	0	-0.01	.43		
47	178.1	255.1	-196.6	35.8	.08	.03	.01	0	.42		
48	175.0	231.7	-187.0	56.4	.06	.03	.02	0	.41		
49	168.3	200.1	-173.9	75.7	.04	.04	0	0	.40		
50	158.4	162.8	-159.0	91.6	.02	.02	0	0	.40		

025 U OIII

BREIS 9 2.0M- 1 0, 27JAN-65 1235-1240

LAGS= 50 N= 13 65 DT= 0.25FC

MEAN U= 11.4 MEAN W= 4.6

CORRELATION COEFFICIENT = .43

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	444.4	493.4	-202.4	0	24.23	24.17	-0.40	0	0		
1	439.2	483.8	-200.9	35.91	105.59	90.72	-35.82	48.98	20.00		
2	422.8	461.8	-196.2	71.01	175.36	171.70	-91.92	114.12	10.00		
3	400.1	429.4	-187.9	104.01	108.63	140.50	-68.02	76.35	6.66		
4	371.5	389.3	-175.5	134.2	16.29	39.90	-10.42	10.81	5.00		
5	339.3	343.3	-158.7	161.2	1.94	8.69	.73	1.26	4.00		
6	300.9	293.0	-138.0	184.6	2.78	5.13	.14	1.71	3.33		
7	267.3	239.9	-114.0	204.3	1.41	2.14	.42	.24	2.85		
8	217.1	185.1	-87.4	219.9	1.31	2.08	.51	.09	2.50		
9	171.6	129.1	-59.2	231.2	1.10	2.17	1.05	.03	2.22		
10	124.8	73.1	-30.3	238.0	.97	1.80	.78	.28	2.00		
11	77.2	17.5	-1.5	240.1	.56	.97	.33	.19	1.81		
12	29.7	-36.4	26.1	237.6	.35	.52	.03	.14	1.66		
13	-14.8	-87.1	52.3	230.8	.26	.28	.01	.05	1.53		
14	-61.3	-133.1	76.8	219.9	.26	.29	.02	.01	1.42		
15	-103.2	-173.5	99.6	205.3	.17	.25	.04	-0.01	1.33		
16	-141.6	-207.3	120.6	187.6	.13	.20	.05	0	1.25		
17	-175.9	-234.2	139.4	167.2	.11	.14	.04	0	1.17		
18	-205.7	-253.8	155.5	144.3	.09	.14	.01	0	1.11		
19	-231.6	-266.5	168.2	119.2	.07	.14	0	0	1.05		
20	-251.7	-273.0	177.1	92.3	.08	.14	0	-0.01	1.00		
21	-265.7	-274.0	181.9	64.0	.06	.10	0	-0.01	.95		
22	-275.7	-269.5	182.4	34.7	.04	.07	0	0	.90		
23	-281.5	-259.7	179.0	5.1	.04	.05	0	0	.86		
24	-280.0	-244.4	171.9	-24.3	.04	.06	0	0	.83		
25	-274.1	-224.2	161.5	-52.9	.03	.06	0	0	.80		
26	-262.1	-199.3	148.3	-80.0	.03	.06	0	0	.76		
27	-244.9	-170.5	132.9	-105.2	.03	.05	0	0	.74		
28	-224.3	-138.4	115.6	-127.6	.02	.05	0	0	.71		
29	-201.6	-103.6	96.6	-147.2	.01	.04	0	0	.68		
30	-173.6	-67.4	76.3	-163.4	.01	.04	0	0	.66		
31	-142.9	-30.4	54.7	-176.2	.01	.03	0	0	.64		
32	-109.9	6.4	32.4	-185.3	.01	.03	0	0	.62		
33	-75.0	42.0	9.6	-190.6	.01	.02	0	0	.60		
34	-39.9	75.6	-13.2	-192.3	.01	.03	0	0	.58		
35	-2.5	106.6	-35.3	-190.4	.01	.03	0	0	.57		
36	33.6	134.7	-56.7	-185.1	.02	.03	0	0	.55		
37	68.8	159.4	-76.6	-176.3	.02	.04	0	0	.54		
38	102.6	180.6	-94.7	-164.2	.01	.04	0	0	.52		
39	134.4	198.0	-110.5	-149.3	.01	.03	0	0	.51		
40	163.6	211.9	-123.9	-132.1	.01	.02	0	0	.50		
41	189.8	221.6	-134.6	-112.9	.01	.03	0	0	.48		
42	212.3	227.4	-142.6	-92.2	.01	.03	0	0	.47		
43	230.4	229.2	-147.8	-70.4	.01	.02	0	0	.46		
44	243.9	227.0	-150.2	-48.3	.01	.02	0	0	.45		
45	252.4	220.5	-149.8	-26.3	0	.03	0	0	.44		
46	255.9	210.5	-146.7	-4.7	0	.03	0	0	.43		
47	254.4	197.6	-141.1	16.1	0	.02	0	0	.42		
48	249.0	182.2	-133.0	36.2	.01	.02	0	0	.41		
49	237.2	164.3	-122.6	55.3	.01	.03	0	0	.40		
50	222.2	144.4	-109.8	73.1	0	.02	0	0	.40		

026 OM
 BBFLS 10 0.5M-01 0. 25MAY-65 1141-1146
 LAGS= 50 N= 1443 DT= 0.2SEC
 MEAN W= -8.1 MEAN V=-26.9

TM No. 377

K	ACOV W	ACOV V	COV	IN COVOUT	SP W	SP V	CO	QUA	PER	R	PHI
0	73.0	43.5	5.4	0	9.01	5.86	3.59	0	0	.44	0
1	69.9	37.3	5.8	-3.6	15.36	8.51	4.35	-0.62	20.00	.38	-8.04
2	62.9	32.7	6.8	-7.1	11.12	3.71	.78	-0.63	10.00	.16	-38.99
3	53.5	27.0	8.0	-9.9	7.57	1.79	.58	-0.33	6.67	.19	-29.57
4	43.0	20.6	9.2	-11.8	6.57	3.37	.54	-1.80	5.00	.40	-73.32
5	32.8	14.5	10.3	-12.2	8.25	6.27	-1.31	-4.30	4.00	.62	73.05
6	23.5	9.5	11.2	-11.2	7.01	5.22	-1.97	-3.88	3.33	.72	63.08
7	15.8	5.0	11.8	-8.8	3.47	2.16	-0.76	-1.37	2.86	.58	60.39
8	9.8	1.9	11.9	-5.5	1.37	.97	-0.10	-0.09	2.50	.11	41.25
9	5.9	.1	11.7	-2.0	.75	.61	.07	.12	2.22	.21	61.95
10	4.1	.3	11.1	1.5	.55	.32	.05	.08	2.00	.22	57.50
11	4.2	2.0	9.8	4.5	.37	.22	-0.06	.01	1.82	.21	-7.00
12	5.8	4.8	8.1	6.8	.24	.24	-0.09	0	1.67	.36	1.56
13	8.4	8.0	6.3	8.3	.24	.27	-0.06	.06	1.54	.35	-44.55
14	11.1	11.6	4.5	8.6	.25	.26	-0.04	.12	1.43	.49	-70.84
15	13.4	14.4	3.0	7.8	.18	.24	-0.03	.08	1.33	.40	-69.03
16	15.0	16.5	2.1	5.7	.10	.22	-0.03	.04	1.25	.32	-54.97
17	15.7	17.8	1.9	2.9	.06	.15	-0.01	.02	1.18	.24	-56.68
18	15.4	18.5	2.2	-0.2	.05	.11	0	.01	1.11	.11	61.11
19	14.2	17.9	3.1	-3.2	.04	.13	0	0	1.05	.03	71.66
20	12.1	16.5	4.5	-5.7	.04	.12	-0.01	0	1.00	.14	23.31
21	9.1	14.7	6.0	-7.3	.04	.08	-0.01	0	.95	.18	12.05
22	5.7	11.4	7.5	-8.1	.03	.09	-0.01	0	.91	.13	-15.68
23	2.2	8.3	8.7	-8.1	.02	.10	0	0	.87	.06	-43.86
24	-0.9	5.3	9.6	-7.4	.02	.09	0	0	.83	.11	-31.47
25	-3.3	2.1	10.2	-6.2	.02	.08	-0.01	0	.80	.25	-8.84
26	-4.7	-0.2	10.4	-4.5	.02	.10	-0.01	0	.77	.31	1.09
27	-5.1	-2.4	10.1	-2.6	.02	.11	-0.01	0	.74	.24	-2.83
28	-4.8	-3.6	9.5	-0.5	.01	.12	0	0	.71	.10	-57.62
29	-3.8	-3.6	8.5	1.4	.01	.12	0	0	.69	.10	70.81
30	-2.3	-2.6	7.1	3.0	.02	.10	0	0	.67	.14	41.88
31	-0.7	-1.1	5.6	4.1	.01	.08	0	0	.65	.14	19.43
32	1.2	.7	4.0	4.6	.01	.09	0	0	.63	.02	17.97
33	3.1	2.4	2.5	4.5	.01	.11	0	0	.61	.12	29.68
34	5.0	4.4	1.1	4.0	.01	.13	0	0	.59	.11	27.20
35	6.5	6.4	-0.1	3.3	.01	.10	0	0	.57	.06	-15.58
36	7.7	7.6	-0.7	2.4	.01	.08	0	0	.56	.03	52.14
37	8.5	8.4	-1.0	1.5	.01	.10	0	0	.54	.10	63.50
38	8.9	8.6	-0.7	.4	.01	.11	0	0	.53	.09	88.92
39	8.8	8.0	0	-0.6	.01	.09	0	0	.51	.10	-74.94
40	8.6	7.2	.9	-1.4	.01	.07	0	0	.50	.11	16.78
41	8.2	6.0	1.9	-2.0	.01	.07	0	0	.49	.10	-27.35
42	7.6	4.7	3.0	-2.2	.01	.09	0	0	.48	.03	-40.34
43	7.0	3.2	4.1	-1.8	.01	.09	0	0	.47	.07	-47.56
44	6.2	1.4	5.0	-1.1	.01	.07	0	0	.45	.09	32.03
45	5.4	.3	5.6	-0.1	.01	.07	0	0	.44	.05	73.97
46	4.7	-0.9	6.1	1.1	.01	.08	0	0	.43	.04	14.36
47	4.4	-1.9	6.3	2.4	0	.09	0	0	.43	0	-39.18
48	4.5	-1.8	6.2	3.5	0	.09	0	0	.42	.05	-70.71
49	5.0	-1.1	5.7	4.5	0	.10	0	0	.41	.18	-27.18
50	5.7	-0.5	4.9	5.3	0	.06	0	0	.40	.29	0

027 OIII
HREFS 10 3.0M-01 0, 25MAY-65 1242-1252

TM No. 377

LAGS= 50 N= 1649 DT= 0.2SEC
MEAN U=-25.6 MEAN W= -5.8

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	14.8	16.7	.8	0	2.76	4.27	.36	0	0	.11	0
1	8.5	16.5	.8	.3	3.68	6.36	.43	.62	20.00	.15	55.31
2	8.9	16.0	.8	.6	1.35	2.96	-0.02	.44	10.00	.22	-87.91
3	8.7	15.4	.8	.8	.59	1.30	-0.08	.19	6.57	.23	-57.31
4	8.1	14.6	.8	1.1	.44	.74	.05	.23	5.00	.42	77.21
5	7.4	13.8	.8	1.2	.52	.49	.07	.26	4.00	.54	74.57
6	7.1	12.9	.7	1.3	.36	.23	.02	.10	3.33	.35	77.14
7	6.5	12.0	.6	1.3	.18	.09	0	-0.01	2.86	.08	-60.51
8	6.1	11.2	.7	1.3	.13	.05	0	0	2.50	.02	45.30
9	5.7	10.4	.6	1.2	.11	.04	-0.01	0	2.22	.16	-25.42
10	5.3	9.6	.5	1.1	.09	.04	-0.01	.01	2.00	.19	-28.29
11	5.4	8.9	.7	1.0	.09	.02	0	0	1.82	.11	5.16
12	5.1	8.3	.7	.9	.09	.01	0	0	1.67	.14	59.06
13	5.2	7.8	.7	.8	.09	.01	0	0	1.54	.07	9.74
14	5.0	7.3	.8	.7	.09	.01	0	.01	1.43	.19	-59.15
15	5.0	6.9	.8	.7	.09	.01	0	.01	1.33	.21	-70.63
16	5.0	6.5	.9	.7	.09	.01	0	0	1.25	.16	64.28
17	4.9	6.2	.9	.6	.10	0	0	0	1.18	.14	1.32
18	4.9	5.9	1.0	.7	.09	.01	0	0	1.11	.04	-80.92
19	4.6	5.6	1.0	.8	.09	.01	0	0	1.05	.06	82.78
20	4.5	5.4	1.0	.9	.09	0	0	0	1.00	.10	-23.34
21	4.2	5.1	1.0	1.1	.09	0	0	0	.95	.10	-57.76
22	4.0	4.7	.9	1.2	.10	0	0	0	.91	.09	-53.01
23	3.7	4.4	.9	1.3	.10	0	0	0	.87	.09	-78.59
24	3.5	4.0	.9	1.4	.11	0	0	0	.83	.05	63.78
25	3.2	3.7	.8	1.4	.12	0	0	0	.80	.02	55.43
26	2.7	3.4	.8	1.4	.12	0	0	0	.77	.04	13.23
27	2.7	3.1	.7	1.3	.11	0	0	0	.74	.10	36.35
28	2.5	2.8	.6	1.2	.12	0	0	0	.71	.21	31.25
29	2.3	2.5	.5	1.1	.13	0	0	0	.69	.05	1.14
30	2.3	2.3	.4	1.0	.12	0	0	0	.67	.12	55.22
31	2.3	2.1	.3	.8	.12	0	0	0	.65	.14	49.97
32	2.3	2.0	.2	.7	.13	0	0	0	.63	.12	46.03
33	2.3	1.9	.1	.5	.14	0	0	0	.61	.04	-5.70
34	2.6	1.8	.1	.4	.13	0	0	0	.59	.13	-1.54
35	2.8	1.7	.1	.3	.14	0	0	0	.57	.17	-5.50
36	2.8	1.7	.1	.3	.14	0	0	0	.56	.22	-48.67
37	2.9	1.8	0	.3	.15	0	0	0	.54	.21	-43.38
38	3.1	1.8	0	.4	.14	0	0	0	.53	.10	-10.19
39	3.1	1.8	0	.5	.12	0	0	0	.51	.02	52.43
40	3.3	1.9	0	.6	.12	0	0	0	.50	.08	11.81
41	3.2	1.9	0	.7	.11	0	0	0	.49	.14	5.84
42	3.3	1.8	0	.8	.10	0	0	0	.48	.17	30.45
43	3.2	1.9	0	.9	.12	0	0	0	.47	.20	72.39
44	3.1	1.7	0	.9	.14	0	0	0	.45	.07	71.91
45	3.1	1.5	-0.1	1.0	.15	0	0	0	.44	.13	-17.66
46	2.9	1.3	-0.1	1.0	.14	0	0	0	.43	.15	4.49
47	2.7	1.1	-0.1	1.1	.14	0	0	0	.43	.03	3.20
48	2.8	.8	-0.2	1.1	.14	0	0	0	.42	.05	-41.43
49	2.5	.5	-0.2	1.1	.13	0	0	0	.41	.14	-41.52
50	2.6	.2	-0.3	1.0	.07	0	0	0	.40	.19	0

028 OIII
 RBFLS 10 3.0M-III 25MAY-65 1256-1306
 LAGS=50 N= 2320 DT= 0.2SEC
 MEAN U=-17.7 MEAN W= 1.5
 CORRELATION COEFFICIENT .14

K	ACOV U	ACOV W	COV IN	COVOUT	U	SP W	CO	QUA	PER	R	PHI
0	9.3	50.3	3.0	0	1.17	10.41	.33	0	0	.09	0
1	8.5	49.3	2.9	1.5	2.03	15.92	.78	1.11	20.00	.24	54.81
2	7.5	47.0	2.6	2.9	1.34	7.78	.21	1.12	10.00	.35	79.57
3	6.5	43.6	2.1	4.1	.73	4.01	-0.28	.59	6.67	.38	64.76
4	5.5	39.5	1.6	4.9	.83	4.22	.46	.99	5.00	.58	65.05
5	4.4	34.9	1.0	5.3	1.19	4.30	.87	1.58	4.00	.80	60.98
6	3.3	30.2	.5	5.2	.82	2.30	.46	1.00	3.33	.80	65.33
7	2.3	25.8	0	4.9	.26	.64	.09	.22	2.86	.58	68.34
8	1.5	21.9	-0.4	4.2	.09	.20	.03	.02	2.50	.26	41.55
9	.9	18.8	-0.6	3.2	.07	.10	.02	.01	2.22	.27	28.80
10	.6	16.5	-0.6	2.2	.06	.08	.01	.01	2.00	.16	51.02
11	.5	15.0	-0.4	1.3	.05	.04	-0.01	0	1.82	.12	26.39
12	.7	14.4	-0.1	.4	.04	.03	-0.01	0	1.67	.14	10.50
13	.9	14.4	.4	-0.2	.04	.03	0	0	1.54	.13	57.97
14	1.4	15.0	.9	-0.6	.04	.02	.01	0	1.43	.33	21.65
15	1.8	15.8	1.4	-0.6	.04	.02	.01	0	1.33	.27	14.69
16	2.2	16.7	1.8	-0.4	.04	.02	0	0	1.25	.10	7.36
17	2.5	17.5	2.2	.1	.03	.01	0	0	1.18	.06	57.23
18	2.6	18.0	2.5	.7	.03	.01	0	0	1.11	.12	79.87
19	2.6	18.0	2.6	1.5	.03	.01	0	0	1.05	.09	63.09
20	2.5	17.6	2.6	2.3	.03	.01	0	0	1.00	.03	32.25
21	2.1	16.7	2.4	3.0	.02	.01	0	0	.95	.04	10.11
22	1.6	15.3	2.1	3.5	.02	.01	0	0	.91	.16	80.48
23	1.0	13.5	1.6	3.8	.02	.01	0	0	.87	.18	68.88
24	.4	11.5	.9	3.9	.02	.01	0	0	.83	.21	36.07
25	-0.2	9.4	.3	3.8	.02	.01	0	0	.80	.26	34.62
26	-0.7	7.3	-0.4	3.4	.02	0	0	0	.77	.13	4.73
27	-1.1	5.4	-1.0	2.8	.02	.01	0	0	.74	.19	58.59
28	-1.3	3.8	-1.6	2.1	.02	.01	0	0	.71	.18	58.98
29	-1.4	2.5	-2.1	1.3	.01	0	0	0	.69	.09	59.00
30	-1.4	1.6	-2.4	.5	.01	0	0	0	.67	.03	29.51
31	-1.2	1.0	-2.7	-0.2	.01	0	0	0	.65	.07	29.74
32	-0.9	.8	-2.8	-0.8	.01	0	0	0	.63	.23	34.79
33	-0.6	.9	-2.8	-1.2	.01	0	0	0	.61	.29	24.41
34	-0.2	1.2	-2.7	-1.5	.01	0	0	0	.59	.18	3.85
35	.2	1.7	-2.6	-1.6	.01	0	0	0	.57	.19	34.92
36	.5	2.4	-2.4	-1.6	.01	0	0	0	.56	.23	35.01
37	.8	3.0	-2.2	-1.4	.01	0	0	0	.54	.19	36.90
38	1.0	3.6	-2.0	-1.1	.01	0	0	0	.53	.14	32.46
39	1.1	4.1	-1.9	-0.8	.01	0	0	0	.51	.19	3.89
40	1.1	4.4	-1.7	-0.4	.01	0	0	0	.50	.25	21.76
41	1.1	4.5	-1.7	0	.01	0	0	0	.49	.20	50.70
42	1.0	4.3	-1.6	.4	.01	0	0	0	.48	.13	58.43
43	.9	3.9	-1.6	.6	.01	0	0	0	.47	.21	12.25
44	.8	3.3	-1.7	.9	.01	0	0	0	.45	.24	5.88
45	.7	2.5	-1.8	1.0	.01	0	0	0	.44	.24	5.37
46	.6	1.6	-1.9	1.0	.01	0	0	0	.43	.26	.58
47	.5	.6	-2.0	1.0	0	0	0	0	.43	.14	14.40
48	.5	-0.3	-2.1	.9	.01	0	0	0	.42	.13	3.47
49	.5	-1.0	-2.2	.7	.01	0	0	0	.41	.28	4.80
50	.5	-1.7	-2.2	.6	0	0	0	0	.40	.34	0

029

OMI

TM No. 377

BFIS 10 1.0M- 1 0. 25MAY-65 1340-1350

AGS= 50 N= 1764 DT= 0.2SEC

MEAN U=-18.5 MEAN W= 3.7

	ACOV U	ACOV W	COV	IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	14.8	68.4	8.9	0	.98	3.69	.17	0	0	0	.09	0
1	15.9	65.6	8.4	5.0	1.72	7.80	.44	-0.25	20.00	.14	-29.34	
2	13.4	54.4	7.1	9.4	1.20	9.17	.42	.41	10.00	.18	44.41	
3	9.9	48.0	5.2	12.7	.88	10.01	.44	.84	6.67	.32	62.43	
4	5.0	35.6	2.9	14.6	2.24	11.56	1.65	2.98	5.00	.67	61.01	
5	2.1	22.4	.5	14.8	4.15	12.52	2.95	5.45	4.00	.86	61.54	
6	-1.6	9.7	-1.7	13.3	3.37	8.06	2.01	4.07	3.33	.87	63.76	
7	-4.3	-1.4	-3.6	10.5	1.33	2.80	.43	1.38	2.86	.75	72.61	
8	-6.1	-10.2	-4.9	6.9	.44	.89	.03	.32	2.50	.51	84.57	
9	-6.8	-16.5	-5.6	2.7	.28	.47	.06	.14	2.22	.43	66.10	
10	-6.6	-20.2	-5.8	-1.4	.24	.44	.11	.11	2.00	.44	45.54	
11	-5.5	-21.1	-5.4	-5.1	.15	.32	.04	.04	1.82	.45	22.91	
12	-3.8	-19.6	-4.5	-8.1	.10	.16	.03	-0.01	1.67	.26	-20.43	
13	-1.4	-16.2	-3.1	-10.0	.08	.08	.01	-0.02	1.54	.23	-53.86	
14	1.1	-11.4	-1.4	-10.8	.07	.06	0	-0.01	1.43	.10	53.92	
15	3.4	-6.0	.5	-10.5	.06	.05	-0.01	0	1.33	.23	18.75	
16	5.4	-0.5	2.3	-9.2	.05	.03	0	-0.01	1.25	.15	67.47	
17	6.9	4.3	3.9	-7.0	.05	.02	0	0	1.18	.16	-52.26	
18	7.7	7.4	5.0	-4.2	.05	.02	0	0	1.11	.11	-54.72	
19	7.7	9.4	5.4	-1.2	.05	.02	0	0	1.05	.09	-63.27	
20	6.9	10.3	5.2	1.6	.05	.02	0	0	1.00	.14	-54.87	
21	5.6	9.1	4.5	4.1	.07	.02	.01	0	.95	.22	-24.64	
22	3.8	6.9	3.3	5.9	.06	.02	.01	0	.91	.23	20.96	
23	1.7	3.6	1.8	6.9	.05	.02	0	0	.87	.22	44.17	
24	-0.4	.3	.2	8.9	.04	.02	0	0	.83	.17	39.27	
25	-2.1	-2.9	-1.3	6.1	.05	.01	0	0	.80	.12	35.17	
26	-3.8	-5.5	-2.6	4.7	.04	.01	0	0	.77	.15	-13.26	
27	-4.5	-7.4	-3.6	2.9	.04	.01	0	0	.74	.16	-4.84	
28	-4.7	-8.6	-4.1	.8	.05	.01	0	0	.71	.09	37.36	
29	-4.7	-8.8	-4.2	-1.3	.04	.01	0	0	.69	.11	74.30	
30	-4.2	-8.2	-4.0	-3.2	.03	.01	0	0	.67	.22	79.33	
31	-3.3	-6.9	-3.5	-4.8	.04	.01	0	0	.65	.20	66.34	
32	-2.1	-4.9	-2.8	-6.0	.04	.01	0	0	.63	.18	33.26	
33	-1.0	-2.5	-1.8	-6.8	.04	.01	0	0	.61	.19	11.63	
34	.0	.2	-0.8	-7.1	.03	.01	0	0	.59	.18	-5.14	
35	1.1	2.4	.3	-7.0	.03	0	0	0	.57	.22	-11.18	
36	2.0	5.4	1.2	-6.5	.05	0	0	0	.56	.26	-6.92	
37	2.7	7.5	2.0	-5.6	.05	0	0	0	.54	.21	20.35	
38	3.2	9.1	2.4	-4.4	.04	0	0	0	.53	.08	37.46	
39	3.3	10.0	2.4	-3.2	.04	0	0	0	.51	.07	37.07	
40	3.2	10.1	2.1	-1.8	.04	0	0	0	.50	.12	21.18	
41	2.7	9.4	1.6	-0.5	.04	0	0	0	.49	.08	5.76	
42	2.2	7.9	.9	.7	.04	0	0	0	.48	.11	-13.15	
43	1.4	5.8	.2	1.6	.05	0	0	0	.47	.20	10.98	
44	.6	3.3	-0.6	2.3	.05	0	0	0	.45	.21	32.98	
45	-0.2	.7	-1.3	2.6	.04	0	0	0	.44	.15	53.75	
46	-0.8	-1.9	-1.8	2.7	.04	0	0	0	.43	.03	-21.04	
47	-1.4	-4.2	-2.2	2.4	.04	0	0	0	.43	.09	-64.09	
48	-1.9	-6.0	-2.5	1.8	.04	0	0	0	.42	.13	-16.55	
49	-2.2	-7.0	-2.7	1.1	.03	0	0	0	.41	.02	68.67	
50	-2.5	-7.3	-2.5	.2	.01	0	0	0	.40	.12	0	

030 LI-W
RRFIS 11 0.54-02 I C. 29MAR-65 1630-1634

LAGE= 50 N= 974 DT= 0.2SEC

MEAN W_1 = -1.1 MEAN W_2 = 0.3

CORRELATION COEFFICIENT .92

K	ACOV W_1	ACOV W_2	COV	IN	COVUT	SP W_1	SP W_2	CO	QUA	PER	R	PHI
0	1282.2	624.1	829.2	0.	2.67	4.93	-0.45	.00			.12	.00
1	1195.4	584.7	784.5	3.6	11.47	11.57	2.47	.31	20.00		.22	7.26
2	973.3	497.6	655.1	7.9	9.88	10.95	3.56	.46	10.00		.34	1.48
3	654.8	367.2	462.1	9.0	52.34	41.81	42.22	.25	6.66		.90	.34
4	283.6	206.3	22.7	50.02	77.20	162.40	208.20	-2.34	5.00		.98	-.64
5	-92.7	33.6	-20.6	8.44	37.40	220.90	307.40	.82	4.00		.98	.15
6	-437.1	-135.0	-257.5	4.92	81.00	117.30	178.40	5.33	3.33		.98	1.90
7	-713.4	-283.3	-459.2	1.8	99.91	28.73	51.90	3.20	2.85		.97	3.52
8	-894.9	-396.3	-604.4	-2.8	44.52	9.35	18.77	.68	2.50		.92	2.09
9	-979.5	-466.9	-683.3	-7.0	25.76	3.69	8.48	.65	2.22		.87	4.41
10	-961.7	-490.5	-694.5	-9.5	14.79	2.07	4.43	.33	2.00		.80	4.32
11	-855.1	-467.0	-640.5	-9.8	6.67	.87	1.45	.03	1.81		.60	1.24
12	-681.5	-401.3	-532.4	-8.7	3.91	.62	.57	-.16	1.66		.38	-15.59
13	-454.4	-303.5	-382.5	-6.7	2.85	.45	.25	-.07	1.53		.23	-16.42
14	-205.1	-182.9	-207.6	-3.8	2.18	.49	.28	-.10	1.42		.28	-19.76
15	43.5	-52.5	-23.7	.0	1.62	.46	.20	-.03	1.33		.24	-9.96
16	283.1	75.0	151.5	4.0	1.28	.42	.21	.02	1.25		.28	6.36
17	477.3	190.7	303.0	7.8	1.12	.31	.20	.03	1.17		.35	10.19
18	614.9	283.0	418.9	10.7	1.36	.29	.29	.04	1.11		.46	9.65
19	701.1	345.4	492.8	13.5	1.38	.28	.34	.05	1.05		.54	9.65
20	718.1	375.3	519.1	14.0	1.04	.28	.27	.00	1.00		.50	1.29
21	662.5	370.3	498.0	13.0	.64	.26	.10	-.02	.95		.27	-14.79
22	563.3	332.7	433.7	11.3	.52	.30	.08	-.04	.90		.24	-25.98
23	411.3	270.9	335.5	7.4	.49	.27	.08	-.05	.86		.27	-30.06
24	231.7	186.8	213.5	1.9	.44	.23	.05	-.05	.83		.23	-41.19
25	42.4	93.3	80.7	-3.2	.45	.23	.03	-.04	.80		.18	-54.01
26	-138.6	-2.5	-50.3	-9.3	.44	.22	.01	-.00	.76		.03	-9.19
27	-296.5	-93.6	-170.1	-13.8	.34	.17	-.04	-.04	.74		.26	-45.60
28	-418.7	-171.0	-268.0	-17.4	.33	.15	-.07	.04	.71		.38	-33.45
29	-497.6	-230.3	-338.0	-19.2	.32	.17	-.04	.02	.68		.21	-22.97
30	-529.7	-266.6	-374.8	-18.0	.30	.18	.01	-.00	.66		.04	-27.21
31	-515.0	-278.5	-379.9	-15.0	.33	.15	.01	.00	.64		.08	6.77
32	-463.0	-267.7	-354.2	-10.1	.29	.15	.01	.00	.62		.05	27.47
33	-379.0	-236.1	-301.8	-3.7	.21	.20	.01	.00	.60		.09	12.36
34	-271.5	-186.4	-228.3	2.8	.25	.28	.04	-.03	.58		.21	-43.36
35	-149.3	-125.2	-140.5	9.0	.35	.31	.04	-.09	.57		.31	-63.86
36	-23.6	-56.4	-46.2	15.0	.40	.20	.05	-.06	.55		.29	-49.31
37	96.7	12.6	46.1	19.6	.35	.11	.03	-.02	.54		.21	-41.99
38	205.3	77.2	131.1	23.0	.33	.18	.00	-.05	.52		.23	-83.74
39	292.5	133.3	202.2	24.6	.34	.25	-.00	-.09	.51		.32	87.52
40	351.8	175.3	254.3	23.3	.30	.20	-.04	-.08	.50		.38	62.95
41	382.8	201.4	284.3	19.1	.27	.15	-.06	-.04	.48		.39	33.16
42	382.7	209.6	289.9	14.1	.26	.15	-.04	-.03	.47		.27	37.42
43	354.1	201.2	272.9	6.1	.23	.17	-.02	-.03	.46		.20	52.94
44	300.0	177.0	235.9	-2.7	.23	.15	-.04	-.01	.45		.23	26.35
45	225.7	139.4	181.1	-11.3	.22	.09	-.04	-.00	.44		.31	11.95
46	138.1	92.5	115.2	-17.7	.18	.11	-.00	-.01	.43		.09	67.51
47	42.9	39.4	42.5	-21.5	.18	.17	.00	-.00	.42		.04	-72.90
48	-49.7	-14.0	-32.3	-23.4	.23	.18	-.04	.02	.41		.24	-23.51
49	-143.4	-64.7	-102.7	-24.8	.24	.15	-.07	.01	.40		.39	-13.97
50	-222.4	-109.4	-164.5	-22.8	.11	.07	-.03	.00	.40		.39	-.00

031 CI-W
 RBEIS 11 0.5M-2111 C. 29MAR-65 1630-1631

TM No. 377

LAGS= 50 N= 339 DT= 0.2SEC
 MEAN W_F = -1.1 MEAN W_I = 0.2

K	ACOV W_A	ACOV W_I	COV IN	COV OUT	SP W_A	SP W_I	CO	QUA	PER	R	PHI
0	731.1	1615.9	1034.8	0	1.67	2.83	-0.34	0	0	.15	0
1	687.4	1496.4	974.2	28.7	6.41	12.48	4.13	3.60	20.00	.61	41.12
2	568.0	1199.1	797.3	53.2	3.77	6.74	1.22	4.82	10.00	.99	75.79
3	388.6	768.9	531.6	71.8	26.25	41.95	31.13	3.87	6.67	.95	7.09
4	173.6	272.9	213.0	83.7	146.29	272.10	196.30	21.28	5.00	.99	6.19
5	-51.8	-225.9	-116.6	87.72	49.42	503.64	348.13	41.41	4.00	.99	6.78
6	-263.2	-663.5	-417.6	85.01	97.51	446.02	291.28	22.44	3.33	.98	4.40
7	-436.9	-999.8	-658.9	75.9	78.09	207.75	124.55	-2.44	2.86	.98	-1.12
8	-557.1	-1211.0	-816.7	61.4	10.08	42.18	19.22	-2.25	2.50	.94	-6.69
9	-613.2	-1279.0	-881.0	40.6	.87	12.78	3.53	1.11	2.22	.11	17.40
10	-602.3	-1211.8	-848.5	16.2	2.41	16.20	5.97	.82	2.00	.97	7.83
11	-527.0	-1016.2	-728.1	-10.0	2.25	17.46	5.66	.35	1.82	.90	3.50
12	-398.4	-727.9	-537.4	-34.3	1.96	11.57	3.76	.38	1.67	.79	5.72
13	-233.5	-367.9	-298.2	-55.4	.96	3.43	.85	.68	1.54	.60	38.85
14	-53.6	12.3	-40.9	-69.8	.65	2.85	.20	.27	1.43	.25	53.67
15	120.0	370.0	206.3	-76.7	.46	2.40	-0.06	.19	1.33	.19	-72.42
16	269.1	663.3	414.8	-74.7	.42	1.64	.21	.23	1.25	.38	47.64
17	378.7	860.3	561.5	-64.1	.16	.68	-0.02	.05	1.18	.15	-67.03
18	438.2	944.4	632.9	-46.1	.08	.54	-0.04	.03	1.11	.25	-35.37
19	445.6	911.5	627.4	-21.3	0	.75	0	-0.01	1.05	0	-72.20
20	405.3	775.6	553.9	5.9	.06	.87	-0.03	-0.03	1.00	.16	44.63
21	327.3	566.2	428.6	34.4	.12	.57	-0.12	-0.01	.95	.46	2.45
22	225.4	322.4	273.6	59.2	.16	.50	-0.07	-0.03	.91	.27	22.73
23	113.3	80.7	111.7	78.5	.16	.30	-0.02	-0.01	.87	.11	37.84
24	5.5	-126.1	-37.0	89.0	.13	.29	.03	.03	.83	.23	46.16
25	-88.0	-282.9	-158.8	89.8	.05	.38	-0.01	.04	.80	.32	-73.67
26	-159.4	-384.6	-246.1	80.3	.02	.40	-0.04	.04	.77	.61	-47.13
27	-205.5	-435.6	-296.0	60.8	.02	.47	-0.04	.05	.74	.78	-53.12
28	-225.4	-439.4	-310.4	35.7	.03	.60	0	.06	.71	.42	-85.90
29	-222.3	-407.7	-294.2	7.6	.03	.47	0	.04	.69	.35	-83.74
30	-201.7	-350.3	-256.4	-19.5	.02	.35	.01	0	.67	.08	11.28
31	-169.9	-274.4	-207.5	-42.8	.02	.38	-0.01	.01	.65	.12	-35.48
32	-133.3	-194.8	-155.6	-59.3	.01	.30	-0.04	.02	.63	.80	-31.83
33	-97.5	-125.1	-109.5	-69.3	0	.17	-0.04	.01	.61	.11	-10.42
34	-66.4	-69.7	-72.4	-72.0	.02	.20	-0.03	-0.01	.59	.47	20.07
35	-41.5	-33.9	-45.7	-68.4	.03	.24	-0.02	0	.57	.29	2.44
36	-22.1	-20.4	-28.0	-58.7	.04	.27	0	0	.56	.03	48.33
37	-5.9	-22.3	-16.5	-42.8	.04	.26	.02	0	.54	.17	5.90
38	10.3	-23.8	-5.3	-21.9	.02	.24	.01	.01	.53	.24	51.78
39	27.9	-7.7	12.4	.2	.02	.12	-0.01	.02	.51	.44	-50.35
40	49.6	32.7	41.5	19.7	.03	.03	-0.03	0	.50	.95	7.25
41	76.6	103.0	85.6	33.2	.05	.06	-0.06	-0.02	.49	.07	19.83
42	107.7	194.6	141.2	40.0	.07	.13	-0.09	-0.01	.48	.02	5.00
43	140.2	292.2	200.2	40.5	.05	.25	-0.09	.04	.47	.88	-22.02
44	168.2	382.6	252.0	37.0	.04	.39	-0.05	.04	.45	.54	-39.30
45	186.3	439.7	285.7	31.6	.05	.50	-0.04	-0.01	.44	.23	18.15
46	189.6	444.9	291.4	25.3	.05	.51	-0.01	-0.06	.43	.37	78.53
47	173.2	387.0	263.6	17.4	.03	.35	-0.01	-0.05	.43	.45	82.64
48	136.4	273.0	201.7	8.0	.01	.19	-0.02	-0.02	.42	.54	40.37
49	80.8	117.6	110.9	-1.8	.02	.09	-0.03	-0.01	.41	.71	18.21
50	12.6	-54.8	3.5	-12.9	.01	.04	-0.01	0	.40	.48	0

032

LI-W

BRETS 11 0.54-III S. 29MAR-65 1713-1716

LAGS= 50 N= 646 DT= 0.25EC

MEAN W= -1.7

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	1062.196	4.025	0	0
1	989.330	9.935	20.0	50.0
2	816.339	16.910	10.0	100.0
3	550.635	65.039	6.7	150.0
4	251.152	224.958	5.0	200.0
5	-53.395	332.718	4.0	250.0
6	-331.722	222.293	3.3	300.0
7	-556.285	98.613	2.9	350.0
8	-709.311	43.947	2.5	400.0
9	-740.299	11.129	2.2	450.0
10	-767.462	7.396	2.0	500.0
11	-680.827	6.042	1.8	550.0
12	-534.403	3.098	1.7	600.0
13	-351.621	2.306	1.5	650.0
14	-153.759	2.597	1.4	700.0
15	37.301	2.454	1.3	750.0
16	203.465	1.543	1.3	800.0
17	338.706	.808	1.2	850.0
18	430.699	.652	1.1	900.0
19	475.770	.639	1.1	950.0
20	475.612	.466	1.0	1000.0
21	435.154	.470	1.0	1050.0
22	362.007	.452	.9	1100.0
23	267.259	.382	.9	1150.0
24	162.708	.254	.8	1200.0
25	55.795	.158	.8	1250.0
26	-46.388	.128	.8	1300.0
27	-142.013	.270	.7	1350.0
28	-224.430	.277	.7	1400.0
29	-289.265	.198	.7	1450.0
30	-329.419	.115	.7	1500.0
31	-340.597	.105	.6	1550.0
32	-310.744	.143	.6	1600.0
33	-264.372	.171	.6	1650.0
34	-192.241	.193	.6	1700.0
35	-95.913	.192	.6	1750.0
36	0.202	.147	.6	1800.0
37	113.104	.156	.5	1850.0
38	200.828	.179	.5	1900.0
39	262.007	.190	.5	1950.0
40	291.904	.245	.5	2000.0
41	285.477	.254	.5	2050.0
42	242.478	.232	.5	2100.0
43	180.437	.202	.5	2150.0
44	92.195	.164	.5	2200.0
45	-4.656	.218	.4	2250.0
46	-94.860	.267	.4	2300.0
47	-168.541	.243	.4	2350.0
48	-218.705	.190	.4	2400.0
49	-237.218	.197	.4	2450.0
50	-222.811	.118	.4	2500.0

033

CI-W

TM No. 377

REFS 11 0.54-II S. 29MAR-65 1715-1720

LAGE= 50 N= 1130 DT= 0.2SEC

MEAN N= -2.4

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	1034.285	3.276	0	0
1	965.504	7.748	20.0	50.0
2	786.011	10.446	10.0	100.0
3	525.129	56.973	6.7	150.0
4	222.582	221.882	5.0	200.0
5	-81.035	325.243	4.0	250.0
6	-351.182	216.744	3.3	300.0
7	-560.167	93.872	2.9	350.0
8	-696.531	41.597	2.5	400.0
9	-754.225	18.988	2.2	450.0
10	-736.632	14.362	2.0	500.0
11	-653.186	8.419	1.8	550.0
12	-518.428	4.248	1.7	600.0
13	-344.245	2.409	1.5	650.0
14	-160.103	1.580	1.4	700.0
15	27.811	.849	1.3	750.0
16	199.440	.687	1.3	800.0
17	337.556	.549	1.2	850.0
18	435.477	.402	1.1	900.0
19	486.437	.344	1.1	950.0
20	490.274	.274	1.0	1000.0
21	451.153	.216	1.0	1050.0
22	377.532	.188	.9	1100.0
23	270.980	.137	.9	1150.0
24	169.472	.144	.8	1200.0
25	56.569	.189	.8	1250.0
26	-49.301	.183	.8	1300.0
27	-141.206	.156	.7	1350.0
28	-215.455	.153	.7	1400.0
29	-269.619	.139	.7	1450.0
30	-302.474	.123	.7	1500.0
31	-313.333	.114	.6	1550.0
32	-301.744	.111	.6	1600.0
33	-269.608	.109	.6	1650.0
34	-213.752	.111	.6	1700.0
35	-147.957	.101	.6	1750.0
36	-56.110	.091	.6	1800.0
37	32.719	.093	.5	1850.0
38	117.620	.090	.5	1900.0
39	191.162	.078	.5	1950.0
40	246.489	.077	.5	2000.0
41	278.116	.078	.5	2050.0
42	242.199	.072	.5	2100.0
43	257.589	.082	.5	2150.0
44	205.635	.097	.5	2200.0
45	131.909	.090	.4	2250.0
46	45.162	.085	.4	2300.0
47	-43.194	.085	.4	2350.0
48	-122.329	.079	.4	2400.0
49	-182.376	.082	.4	2450.0
50	-217.443	.044	.4	2500.0

034 LI-W

RRFS 11 2.04-1 S, 29MAR-65 1734-1739

LAGE= 50 N= 1458 DT= 0.2SEC

MEAN ME = -0.2

K	ACQV	SD	PERIOD	FREQ(MCPS)
0	488.970	3.338	0	0
1	461.633	4.527	20.0	50.0
2	341.760	13.337	10.0	100.0
3	287.265	43.154	6.7	150.0
4	160.718	125.396	5.0	200.0
5	26.420	152.407	4.0	250.0
6	-101.804	93.991	3.3	300.0
7	-211.656	33.132	2.9	350.0
8	-293.975	12.848	2.5	400.0
9	-343.033	2.910	2.2	450.0
10	-356.773	1.609	2.0	500.0
11	-336.778	1.087	1.8	550.0
12	-288.109	.885	1.7	600.0
13	-218.952	.443	1.5	650.0
14	-135.089	.340	1.4	700.0
15	-49.152	.259	1.3	750.0
16	34.450	.217	1.3	800.0
17	106.258	.125	1.2	850.0
18	162.419	.104	1.1	900.0
19	200.029	.076	1.1	950.0
20	218.288	.071	1.0	1000.0
21	218.361	.063	1.0	1050.0
22	202.504	.066	.9	1100.0
23	173.481	.044	.9	1150.0
24	134.461	.040	.8	1200.0
25	88.642	.043	.8	1250.0
26	30.200	.051	.8	1300.0
27	-10.906	.045	.7	1350.0
28	-58.576	.037	.7	1400.0
29	-100.773	.024	.7	1450.0
30	-134.664	.022	.7	1500.0
31	-157.962	.021	.6	1550.0
32	-169.233	.024	.6	1600.0
33	-167.832	.023	.6	1650.0
34	-153.813	.023	.6	1700.0
35	-129.187	.019	.6	1750.0
36	-92.733	.016	.6	1800.0
37	-59.229	.012	.5	1850.0
38	-3.498	.012	.5	1900.0
39	42.562	.010	.5	1950.0
40	85.338	.010	.5	2000.0
41	126.773	.011	.5	2050.0
42	145.907	.011	.5	2100.0
43	158.678	.009	.5	2150.0
44	159.465	.009	.5	2200.0
45	145.711	.010	.4	2250.0
46	122.150	.012	.4	2300.0
47	96.273	.012	.4	2350.0
48	52.982	.011	.4	2400.0
49	13.457	.009	.4	2450.0
50	-24.902	.005	.4	2500.0

035

LI-W

RRFS 11 3.0M-1 S. 29MAR-65 1748-1753

LAGS= 50 N= 1486 DT= 0.2SEC

MEAN W= -0.9

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	308.883	1.648	0	0
1	291.943	3.759	20.0	50.0
2	254.129	8.239	10.0	100.0
3	197.017	43.663	6.7	150.0
4	126.166	100.103	5.0	200.0
5	44.028	94.471	4.0	250.0
6	-30.535	39.179	3.3	300.0
7	-103.022	9.542	2.9	350.0
8	-163.971	2.964	2.5	400.0
9	-209.914	1.182	2.2	450.0
10	-235.011	.710	2.0	500.0
11	-241.346	.467	1.8	550.0
12	-228.668	.331	1.7	600.0
13	-199.146	.211	1.5	650.0
14	-156.204	.190	1.4	700.0
15	-104.119	.161	1.3	750.0
16	-47.494	.139	1.3	800.0
17	8.918	.106	1.2	850.0
18	60.786	.085	1.1	900.0
19	104.383	.067	1.1	950.0
20	134.962	.062	1.0	1000.0
21	157.005	.047	1.0	1050.0
22	163.898	.044	.9	1100.0
23	158.191	.042	.9	1150.0
24	141.398	.040	.8	1200.0
25	115.662	.033	.8	1250.0
26	83.463	.033	.8	1300.0
27	47.709	.036	.7	1350.0
28	11.469	.035	.7	1400.0
29	-22.593	.026	.7	1450.0
30	-52.115	.022	.7	1500.0
31	-75.253	.021	.6	1550.0
32	-91.787	.019	.6	1600.0
33	-98.248	.015	.6	1650.0
34	-97.835	.012	.6	1700.0
35	-90.314	.012	.6	1750.0
36	-74.967	.014	.6	1800.0
37	-59.352	.014	.5	1850.0
38	-39.067	.013	.5	1900.0
39	-17.768	.012	.5	1950.0
40	2.436	.011	.5	2000.0
41	21.638	.011	.5	2050.0
42	37.355	.012	.5	2100.0
43	49.447	.013	.5	2150.0
44	57.580	.012	.5	2200.0
45	61.750	.010	.4	2250.0
46	62.018	.010	.4	2300.0
47	58.582	.010	.4	2350.0
48	52.088	.009	.4	2400.0
49	43.168	.009	.4	2450.0
50	32.634	.005	.4	2500.0

036

LI-W

RHEIS 11 1.5M-1 S. 29MAR-65 1803-1808

LAGS= 50 N= 1400 DT= 0.2SFC

MEAN W= 2.5

K	ACOV	SD	PERIOD	FREQ(MCPS)
0	537.0	37.7		
1	516.7	72.3	20.0	50.0
2	460.1	63.8	10.0	100.0
3	376.2	62.5	6.6	150.0
4	276.2	94.9	5.0	200.0
5	171.3	94.5	4.0	250.0
6	72.4	61.9	3.3	300.0
7	-12.4	25.8	2.8	350.0
8	-77.2	11.4	2.5	400.0
9	-119.1	5.5	2.2	450.0
10	-137.8	2.9	2.0	500.0
11	-145.6	1.5	1.8	550.0
12	-116.3	.8	1.6	600.0
13	-84.4	.4	1.5	650.0
14	-45.1	.3	1.4	700.0
15	-3.3	.2	1.3	750.0
16	36.6	.2	1.2	800.0
17	71.0	.1	1.1	850.0
18	96.9	.1	1.1	900.0
19	112.6	.0	1.0	950.0
20	117.4	.0	1.0	1000.0
21	111.5	.0	.9	1050.0
22	95.7	.0	.9	1100.0
23	74.8	.0	.8	1150.0
24	48.5	.0	.8	1200.0
25	20.1	.0	.8	1250.0
26	-7.8	.0	.7	1300.0
27	-33.2	.0	.7	1350.0
28	-54.6	.0	.7	1400.0
29	-70.7	.0	.6	1450.0
30	-80.6	.0	.6	1500.0
31	-94.2	.0	.6	1550.0
32	-91.9	.0	.6	1600.0
33	-74.4	.0	.6	1650.0
34	-63.0	.0	.5	1700.0
35	-49.2	.0	.5	1750.0
36	-34.1	.0	.5	1800.0
37	-19.3	.0	.5	1850.0
38	-6.0	.0	.5	1900.0
39	4.6	.0	.5	1950.0
40	12.2	.0	.5	2000.0
41	16.6	.0	.4	2050.0
42	17.7	.0	.4	2100.0
43	16.1	.0	.4	2150.0
44	12.2	.0	.4	2200.0
45	6.5	.0	.4	2250.0
46	-2.2	.0	.4	2300.0
47	-7.1	.0	.4	2350.0
48	-14.1	.0	.4	2400.0
49	-20.6	.0	.4	2450.0
50	-26.2	.0	.4	2500.0

037

CI-W

BBF.S 11 2.54-01 S, 29MAR-65 1820-1825

LAGS= 50 N= 1297 DT= 0.2SEC

MEAN W= -0.6

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	335.364	2.798	0	0
1	312.639	2.584	20.0	50.0
2	275.619	2.933	10.0	100.0
3	202.499	34.282	6.7	150.0
4	125.596	29.285	5.0	200.0
5	35.669	105.607	4.0	250.0
6	-52.359	57.040	3.3	300.0
7	-130.207	17.554	2.9	350.0
8	-191.019	5.523	2.5	400.0
9	-229.967	.937	2.2	450.0
10	-244.883	.503	2.0	500.0
11	-235.163	.270	1.8	550.0
12	-208.493	.163	1.7	600.0
13	-161.379	.107	1.5	650.0
14	-103.446	.134	1.4	700.0
15	-41.866	.095	1.3	750.0
16	12.481	.040	1.3	800.0
17	72.426	.054	1.2	850.0
18	115.990	.043	1.1	900.0
19	146.460	.039	1.1	950.0
20	162.607	.034	1.0	1000.0
21	164.488	.023	1.0	1050.0
22	153.555	.020	.9	1100.0
23	131.984	.014	.9	1150.0
24	102.563	.013	.8	1200.0
25	62.442	.013	.8	1250.0
26	32.539	.015	.8	1300.0
27	-2.310	.013	.7	1350.0
28	-33.612	.014	.7	1400.0
29	-50.363	.012	.7	1450.0
30	-77.944	.013	.7	1500.0
31	-88.408	.013	.6	1550.0
32	-90.283	.012	.6	1600.0
33	-82.444	.009	.6	1650.0
34	-69.803	.009	.6	1700.0
35	-49.698	.011	.6	1750.0
36	-29.585	.009	.6	1800.0
37	.184	.007	.5	1850.0
38	25.155	.006	.5	1900.0
39	47.111	.007	.5	1950.0
40	62.047	.009	.5	2000.0
41	74.490	.007	.5	2050.0
42	77.596	.006	.5	2100.0
43	72.980	.007	.5	2150.0
44	61.259	.008	.5	2200.0
45	43.866	.006	.4	2250.0
46	22.683	.005	.4	2300.0
47	-0.017	.005	.4	2350.0
48	-21.838	.004	.4	2400.0
49	-40.581	.005	.4	2450.0
50	-54.208	.003	.4	2500.0

038

Q-I-w

BBFIS 11 4.04-1 S. 29MAR-65 1832-1837

LAGS= 50 N= 1438 DT= 0.2SEC

MEAN W= -0.0

K	COV	SP	PERIOD	FREQ(MCPS)
0	222.004	1.612	0	0
1	211.351	4.455	20.0	50.0
2	186.646	11.821	10.0	100.0
3	148.635	39.106	6.7	150.0
4	100.858	69.619	5.0	200.0
5	47.596	59.858	4.0	250.0
6	-6.654	24.945	3.3	300.0
7	-57.268	5.826	2.9	350.0
8	-100.631	1.620	2.5	400.0
9	-133.934	.529	2.2	450.0
10	-154.998	.250	2.0	500.0
11	-162.793	.213	1.8	550.0
12	-158.128	.220	1.7	600.0
13	-141.871	.157	1.5	650.0
14	-116.343	.098	1.4	700.0
15	-84.582	.069	1.3	750.0
16	-49.542	.066	1.3	800.0
17	-14.193	.063	1.2	850.0
18	14.797	.049	1.1	900.0
19	46.904	.046	1.1	950.0
20	64.878	.058	1.0	1000.0
21	83.658	.057	1.0	1050.0
22	95.798	.050	.9	1100.0
23	90.759	.051	.9	1150.0
24	84.061	.056	.8	1200.0
25	72.092	.050	.8	1250.0
26	55.988	.050	.8	1300.0
27	37.811	.062	.7	1350.0
28	14.971	.061	.7	1400.0
29	1.484	.046	.7	1450.0
30	-14.339	.035	.7	1500.0
31	-26.909	.031	.6	1550.0
32	-35.890	.028	.6	1600.0
33	-41.104	.034	.6	1650.0
34	-42.743	.046	.6	1700.0
35	-41.145	.048	.6	1750.0
36	-36.983	.043	.6	1800.0
37	-31.893	.047	.5	1850.0
38	-23.798	.050	.5	1900.0
39	-16.235	.043	.5	1950.0
40	-9.058	.038	.5	2000.0
41	-2.760	.038	.5	2050.0
42	2.221	.034	.5	2100.0
43	5.857	.039	.5	2150.0
44	8.182	.050	.5	2200.0
45	9.332	.049	.4	2250.0
46	9.661	.037	.4	2300.0
47	9.443	.035	.4	2350.0
48	9.108	.045	.4	2400.0
49	9.153	.038	.4	2450.0
50	9.680	.014	.4	2500.0

039

LI-W

RBFIS 11 5.04- 1 S. 29MAR-65 1845-1849

LAGS= 50 N= 1600 DT= 0.2SFC

MEAN W= 0.5

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	101.734	2.698	0	0
1	99.120	5.845	20.0	50.0
2	89.656	10.664	10.0	100.0
3	74.343	22.213	6.7	150.0
4	55.274	24.181	5.0	200.0
5	36.844	20.665	4.0	250.0
6	14.583	7.424	3.3	300.0
7	-6.928	1.546	2.9	350.0
8	-24.583	.398	2.5	400.0
9	-39.965	.197	2.2	450.0
10	-51.334	.161	2.0	500.0
11	-59.215	.116	1.8	550.0
12	-60.484	.083	1.7	600.0
13	-54.386	.055	1.5	650.0
14	-52.505	.044	1.4	700.0
15	-43.555	.042	1.3	750.0
16	-32.486	.042	1.3	800.0
17	-20.361	.034	1.2	850.0
18	-9.160	.028	1.1	900.0
19	3.216	.023	1.1	950.0
20	12.966	.020	1.0	1000.0
21	26.671	.021	1.0	1050.0
22	26.044	.021	.9	1100.0
23	29.991	.017	.9	1150.0
24	29.608	.015	.8	1200.0
25	29.175	.015	.8	1250.0
26	25.087	.014	.8	1300.0
27	20.786	.011	.7	1350.0
28	15.761	.009	.7	1400.0
29	10.446	.009	.7	1450.0
30	5.323	.010	.7	1500.0
31	.739	.011	.6	1550.0
32	-3.118	.010	.6	1600.0
33	-6.956	.008	.6	1650.0
34	-7.998	.006	.6	1700.0
35	-9.933	.005	.6	1750.0
36	-8.913	.007	.6	1800.0
37	-8.126	.007	.5	1850.0
38	-6.749	.007	.5	1900.0
39	-4.078	.006	.5	1950.0
40	-2.998	.004	.5	2000.0
41	-6.978	.004	.5	2050.0
42	.427	.005	.5	2100.0
43	2.566	.004	.5	2150.0
44	3.819	.004	.5	2200.0
45	4.566	.004	.4	2250.0
46	4.829	.005	.4	2300.0
47	4.615	.005	.4	2350.0
48	3.946	.005	.4	2400.0
49	2.053	.004	.4	2450.0
50	1.756	.002	.4	2500.0

RBFIS- 11 2.04- 8

50LAGS 1132DATA POINTS

DT= .20SEC

040

LI-W

PRECIS 11 3.50-1 S. 29MAR-65 1851-1855

LARGE= 00 DE= 402 OF= 0.25FC

MEAN= -0.2

K	GVY	SD	PS-100	FREQ(MCPS)
0	141.518	2.322	0	0
1	132.707	4.471	20.0	50.0
2	101.105	10.055	10.0	100.0
3	128.232	15.055	6.7	150.0
4	87.058	57.772	5.0	200.0
5	41.436	45.539	4.0	250.0
6	-1.664	23.424	3.3	300.0
7	-47.504	7.084	2.9	350.0
8	-83.711	1.113	2.5	400.0
9	-11.435	.659	2.2	450.0
10	-127.533	.255	2.0	500.0
11	-133.047	.189	1.8	550.0
12	-128.142	.167	1.7	600.0
13	-113.391	.112	1.5	650.0
14	-73.174	.042	1.4	700.0
15	-67.671	.094	1.3	750.0
16	-4.215	.077	1.3	800.0
17	-12.930	.063	1.2	850.0
18	12.024	.043	1.1	900.0
19	32.863	.041	1.1	950.0
20	44.661	.039	1.0	1000.0
21	50.044	.047	1.0	1050.0
22	65.196	.043	.9	1100.0
23	64.623	.041	.9	1150.0
24	61.239	.031	.8	1200.0
25	55.096	.029	.8	1250.0
26	47.433	.036	.8	1300.0
27	30.004	.041	.7	1350.0
28	3.538	.033	.7	1400.0
29	22.579	.031	.7	1450.0
30	15.587	.031	.7	1500.0
31	4.772	.027	.6	1550.0
32	3.081	.026	.6	1600.0
33	-2.700	.031	.6	1650.0
34	-8.600	.031	.6	1700.0
35	-14.752	.028	.6	1750.0
36	-21.050	.027	.6	1800.0
37	-27.370	.029	.5	1850.0
38	-33.421	.030	.5	1900.0
39	-38.541	.028	.5	1950.0
40	-42.132	.026	.5	2000.0
41	-43.644	.023	.5	2050.0
42	-42.656	.019	.5	2100.0
43	-32.986	.018	.5	2150.0
44	-32.304	.020	.5	2200.0
45	-22.720	.024	.4	2250.0
46	-11.119	.027	.4	2300.0
47	1.905	.025	.4	2350.0
48	15.616	.022	.4	2400.0
49	25.780	.021	.4	2450.0
50	40.375	.011	.4	2500.0

041

CI-W

HREFS 11 4.5M-1 5. 24MAR-65 1900-1905

LAGS= 50 N= 1390

DT= 0.2SEC

MEAN W= -1.7

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	193.478	1.817	0	0
1	184.890	2.915	20.0	50.0
2	164.716	9.133	10.0	100.0
3	134.522	41.451	6.7	150.0
4	93.492	67.347	5.0	200.0
5	49.464	46.862	4.0	250.0
6	3.287	16.525	3.3	300.0
7	-40.469	4.236	2.9	350.0
8	-80.320	.877	2.5	400.0
9	-111.832	.293	2.2	450.0
10	-133.467	.181	2.0	500.0
11	-145.554	.181	1.8	550.0
12	-144.392	.129	1.7	600.0
13	-137.212	.098	1.5	650.0
14	-119.709	.091	1.4	700.0
15	-95.578	.098	1.3	750.0
16	-67.014	.070	1.3	800.0
17	-36.398	.055	1.2	850.0
18	-5.927	.050	1.1	900.0
19	22.355	.047	1.1	950.0
20	46.886	.041	1.0	1000.0
21	66.420	.047	1.0	1050.0
22	81.441	.049	.9	1100.0
23	88.711	.039	.9	1150.0
24	91.155	.028	.8	1200.0
25	88.524	.025	.8	1250.0
26	81.432	.024	.8	1300.0
27	70.602	.025	.7	1350.0
28	56.933	.025	.7	1400.0
29	41.574	.033	.7	1450.0
30	25.479	.046	.7	1500.0
31	9.525	.046	.6	1550.0
32	-5.350	.037	.6	1600.0
33	-18.621	.034	.6	1650.0
34	-30.143	.032	.6	1700.0
35	-39.240	.030	.6	1750.0
36	-45.731	.031	.6	1800.0
37	-49.711	.030	.5	1850.0
38	-51.097	.035	.5	1900.0
39	-50.635	.043	.5	1950.0
40	-46.858	.040	.5	2000.0
41	-41.707	.036	.5	2050.0
42	-35.164	.036	.5	2100.0
43	-27.497	.034	.5	2150.0
44	-18.986	.033	.5	2200.0
45	-10.027	.032	.4	2250.0
46	-0.951	.028	.4	2300.0
47	7.851	.024	.4	2350.0
48	16.282	.027	.4	2400.0
49	24.013	.025	.4	2450.0
50	30.730	.010	.4	2500.0

042

LI-w

HRTS 11 6.04- 1 S, 29MAR-65 1901-1911

LAGE= 60 N= 1600 DT= 0.2SEC

MEAN W= .5

K	COV	SP	PERIOD	FREQ(MCPS)
0	115.313	2.098	0	0
1	111.247	4.183	20.0	50.0
2	101.338	9.974	10.0	100.0
3	85.957	31.329	5.7	150.0
4	56.247	40.662	5.0	200.0
5	43.531	20.179	4.0	250.0
6	12.309	4.150	3.3	300.0
7	-4.919	1.308	2.9	350.0
8	-27.630	.283	2.5	400.0
9	-47.584	.194	2.2	450.0
10	-53.650	.111	2.0	500.0
11	-75.130	.098	1.8	550.0
12	-81.665	.057	1.7	600.0
13	-83.008	.053	1.5	650.0
14	-79.402	.041	1.4	700.0
15	-71.483	.041	1.3	750.0
16	-59.813	.031	1.3	800.0
17	-45.491	.028	1.2	850.0
18	-29.257	.028	1.1	900.0
19	-12.286	.028	1.1	950.0
20	4.357	.025	1.0	1000.0
21	19.922	.025	1.0	1050.0
22	33.573	.018	.9	1100.0
23	44.619	.015	.9	1150.0
24	52.782	.014	.8	1200.0
25	57.670	.014	.8	1250.0
26	59.298	.016	.8	1300.0
27	57.646	.020	.7	1350.0
28	53.044	.017	.7	1400.0
29	45.797	.013	.7	1450.0
30	36.443	.013	.7	1500.0
31	25.475	.014	.6	1550.0
32	13.694	.014	.6	1600.0
33	1.625	.012	.6	1650.0
34	-15.112	.010	.6	1700.0
35	-21.838	.010	.6	1750.0
36	-30.021	.015	.6	1800.0
37	-37.145	.020	.5	1850.0
38	-41.955	.016	.5	1900.0
39	-44.328	.011	.5	1950.0
40	-44.049	.008	.5	2000.0
41	-41.269	.009	.5	2050.0
42	-36.175	.012	.5	2100.0
43	-29.039	.014	.5	2150.0
44	-21.412	.013	.5	2200.0
45	-11.882	.012	.4	2250.0
46	-5.771	.012	.4	2300.0
47	9.089	.011	.4	2350.0
48	19.220	.010	.4	2400.0
49	26.191	.014	.4	2450.0
50	32.443	.009	.4	2500.0

043

CI-W

BRFIS 11 7.04- 1 S. 29MAR-65 1928-1933

I AGS= 50 N= 1600 DT= 0.2SEC

MEAN W= 0.9

K	ACOV	SD	PERIOD	FREQ(MCPS)
0	78.884	4.686		
1	75.389	4.442	20.0	50.0
2	59.662	9.308	10.0	100.0
3	61.160	22.883	6.6	150.0
4	50.644	22.545	5.0	200.0
5	38.354	8.256	4.0	250.0
6	25.066	1.743	3.3	300.0
7	11.254	.768	2.8	350.0
8	-2.188	.266	2.5	400.0
9	-14.497	.166	2.2	450.0
10	-24.599	.095	2.0	500.0
11	-32.451	.075	1.8	550.0
12	-34.129	.036	1.6	600.0
13	-41.713	.062	1.5	650.0
14	-42.508	.075	1.4	700.0
15	-40.730	.100	1.3	750.0
16	-36.868	.113	1.2	800.0
17	-31.130	.115	1.1	850.0
18	-23.858	.103	1.1	900.0
19	-15.491	.079	1.0	950.0
20	-6.561	.045	1.0	1000.0
21	2.526	.025	.9	1050.0
22	11.396	.017	.9	1100.0
23	19.650	.019	.8	1150.0
24	25.757	.026	.8	1200.0
25	32.724	.046	.8	1250.0
26	37.197	.058	.7	1300.0
27	40.144	.051	.7	1350.0
28	41.231	.036	.7	1400.0
29	40.662	.027	.6	1450.0
30	38.610	.024	.6	1500.0
31	35.028	.023	.6	1550.0
32	30.236	.025	.6	1600.0
33	24.450	.029	.6	1650.0
34	18.036	.031	.5	1700.0
35	11.302	.029	.5	1750.0
36	4.484	.027	.5	1800.0
37	-2.118	.024	.5	1850.0
38	-9.289	.022	.5	1900.0
39	-13.847	.026	.5	1950.0
40	-18.646	.030	.5	2000.0
41	-22.407	.029	.4	2050.0
42	-24.908	.025	.4	2100.0
43	-25.063	.027	.4	2150.0
44	-25.906	.026	.4	2200.0
45	-24.625	.022	.4	2250.0
46	-22.091	.023	.4	2300.0
47	-18.467	.030	.4	2350.0
48	-13.980	.036	.4	2400.0
49	-8.808	.036	.4	2450.0
50	-3.270	.017	.4	2500.0

044

LI-W

RRHS 11 5.54- 1 5, 24002-65 1934-1939

LAGE= 50 N= 1417 DT= 0.25EC

MEAN N= -0.1

K	Y(COV)	SD	PERIOD	FREQ(MCPS)
0	91.114	2.574		
1	89.184	5.375	20.0	50.0
2	81.498	11.525	10.0	100.0
3	64.793	22.357	6.6	150.0
4	52.988	25.574	5.0	200.0
5	37.121	14.965	4.0	250.0
6	14.300	5.055	3.3	300.0
7	1.715	1.423	2.8	350.0
8	-14.517	.286	2.5	400.0
9	-24.409	.142	2.2	450.0
10	-35.273	.094	2.0	500.0
11	-46.687	.071	1.8	550.0
12	-50.541	.045	1.6	600.0
13	-50.903	.042	1.5	650.0
14	-49.183	.040	1.4	700.0
15	-42.832	.041	1.3	750.0
16	-35.465	.042	1.2	800.0
17	-26.804	.035	1.1	850.0
18	-17.534	.022	1.1	900.0
19	-8.322	.021	1.0	950.0
20	.263	.022	1.0	1000.0
21	7.763	.017	.9	1050.0
22	12.470	.013	.9	1100.0
23	14.700	.011	.8	1150.0
24	21.905	.010	.8	1200.0
25	23.548	.009	.8	1250.0
26	23.753	.008	.7	1300.0
27	22.703	.006	.7	1350.0
28	21.572	.006	.7	1400.0
29	17.585	.008	.6	1450.0
30	13.943	.007	.6	1500.0
31	3.821	.006	.6	1550.0
32	5.433	.005	.6	1600.0
33	1.065	.004	.6	1650.0
34	-3.061	.004	.5	1700.0
35	-2.539	.004	.5	1750.0
36	-16.154	.005	.5	1800.0
37	-12.895	.005	.5	1850.0
38	-14.940	.005	.5	1900.0
39	-16.238	.004	.5	1950.0
40	-16.688	.004	.5	2000.0
41	-16.292	.004	.4	2050.0
42	-15.122	.003	.4	2100.0
43	-13.229	.003	.4	2150.0
44	-10.712	.004	.4	2200.0
45	-7.700	.005	.4	2250.0
46	-4.410	.004	.4	2300.0
47	-1.062	.003	.4	2350.0
48	2.212	.003	.4	2400.0
49	5.242	.003	.4	2450.0
50	7.916	.001	.4	2500.0

045

E-I-w

BBFIS 11 6.5M- 1 S. 29MAR-65 1942-1947

LAGS= 50 N= 1459 DI= 0.2SEC

MEAN W= .5

K	ACOV	SD	PERIOD	FREQ(MCPS)
0	79.560	3.623		
1	76.340	8.292	20.0	50.0
2	70.483	11.974	10.0	100.0
3	61.596	18.179	6.6	150.0
4	50.314	20.190	5.0	200.0
5	37.333	12.143	4.0	250.0
6	23.475	2.877	3.3	300.0
7	9.597	.366	2.8	350.0
8	-3.509	.290	2.5	400.0
9	-12.134	.128	2.2	450.0
10	-24.660	.088	2.0	500.0
11	-31.688	.069	1.8	550.0
12	-35.961	.055	1.6	600.0
13	-37.497	.033	1.5	650.0
14	-36.438	.041	1.4	700.0
15	-33.092	.042	1.3	750.0
16	-27.863	.032	1.2	800.0
17	-21.243	.020	1.1	850.0
18	-13.427	.018	1.1	900.0
19	-6.247	.016	1.0	950.0
20	.946	.013	1.0	1000.0
21	7.291	.013	.9	1050.0
22	12.392	.015	.9	1100.0
23	15.981	.012	.8	1150.0
24	12.989	.010	.8	1200.0
25	14.404	.008	.8	1250.0
26	17.285	.007	.7	1300.0
27	14.899	.008	.7	1350.0
28	11.482	.007	.7	1400.0
29	7.485	.005	.6	1450.0
30	3.324	.004	.6	1500.0
31	-6.605	.003	.6	1550.0
32	-3.983	.004	.6	1600.0
33	-6.573	.004	.6	1650.0
34	-8.256	.003	.5	1700.0
35	-8.946	.002	.5	1750.0
36	-8.654	.003	.5	1800.0
37	-7.499	.003	.5	1850.0
38	-5.677	.002	.5	1900.0
39	-3.337	.002	.5	1950.0
40	-1.682	.003	.5	2000.0
41	2.001	.003	.4	2050.0
42	4.472	.002	.4	2100.0
43	6.569	.002	.4	2150.0
44	8.168	.002	.4	2200.0
45	9.139	.002	.4	2250.0
46	2.376	.001	.4	2300.0
47	8.846	.002	.4	2350.0
48	7.657	.003	.4	2400.0
49	5.913	.003	.4	2450.0

046

LI-w

HRFIS 11 K.OM-1 S. 29MAR-63 1950-1955

IAGS= SC N= 1400 DT= 0.25EC

MEAN W= -0.1

K	FOV	SP	PERIOD	FREQ (MCPS)
0	60.469	4.458		
1	62.156	6.958	20.0	50.0
2	63.389	9.279	10.0	100.0
3	56.109	19.368	6.6	150.0
4	46.744	19.438	5.0	200.0
5	35.892	7.996	4.0	250.0
6	24.111	1.474	3.3	300.0
7	12.044	.329	2.8	350.0
8	.329	.094	2.5	400.0
9	-12.465	.044	2.2	450.0
10	-19.762	.048	2.0	500.0
11	-27.173	.059	1.8	550.0
12	-32.410	.061	1.6	600.0
13	-35.261	.065	1.5	650.0
14	-35.722	.067	1.4	700.0
15	-33.474	.063	1.3	750.0
16	-31.144	.064	1.2	800.0
17	-28.084	.064	1.1	850.0
18	-19.704	.065	1.1	900.0
19	-11.319	.067	1.0	950.0
20	-3.666	.068	1.0	1000.0
21	3.424	.066	.9	1050.0
22	11.931	.067	.9	1100.0
23	17.300	.066	.9	1150.0
24	22.670	.064	.9	1200.0
25	25.415	.064	.8	1250.0
26	22.026	.065	.7	1300.0
27	30.230	.068	.7	1350.0
28	30.146	.066	.7	1400.0
29	29.244	.064	.6	1450.0
30	25.463	.063	.6	1500.0
31	23.183	.063	.6	1550.0
32	14.218	.063	.6	1600.0
33	14.793	.063	.6	1650.0
34	11.132	.064	.5	1700.0
35	8.455	.064	.5	1750.0
36	1.483	.063	.5	1800.0
37	-3.122	.063	.5	1850.0
38	-6.755	.063	.5	1900.0
39	-4.207	.064	.5	1950.0
40	-13.166	.063	.5	2000.0
41	-13.757	.062	.4	2050.0
42	-14.577	.062	.4	2100.0
43	-14.519	.061	.4	2150.0
44	-13.431	.061	.4	2200.0
45	-12.578	.061	.4	2250.0
46	-10.656	.062	.4	2300.0
47	-4.289	.062	.4	2350.0
48	-5.409	.062	.4	2400.0
49	-2.752	.061	.4	2450.0
50	.157	.060	.4	2500.0

REI C= 44

047

CI-W

RRFIS 11 2.0M-II S. 29MAR-65 2000-2005

LAGS= 50 N= 1340 DT= 0.2SEC

MEAN W= 0.1

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	414.830	4.351	0	0
1	396.407	9.598	20.0	50.0
2	347.514	21.216	10.0	100.0
3	272.872	77.550	6.7	150.0
4	181.098	126.099	5.0	200.0
5	81.292	97.027	4.0	250.0
6	-17.334	46.813	3.3	300.0
7	-106.819	18.546	2.9	350.0
8	-180.800	6.274	2.5	400.0
9	-235.019	3.020	2.2	450.0
10	-267.298	1.487	2.0	500.0
11	-277.483	.727	1.8	550.0
12	-267.228	.458	1.7	600.0
13	-234.566	.360	1.5	650.0
14	-198.522	.230	1.4	700.0
15	-148.634	.150	1.3	750.0
16	-94.479	.099	1.3	800.0
17	-40.253	.081	1.2	850.0
18	10.576	.070	1.1	900.0
19	55.221	.069	1.1	950.0
20	91.591	.053	1.0	1000.0
21	118.594	.048	1.0	1050.0
22	135.837	.043	.9	1100.0
23	143.622	.038	.9	1150.0
24	142.872	.030	.8	1200.0
25	134.997	.033	.8	1250.0
26	121.543	.033	.8	1300.0
27	103.973	.028	.7	1350.0
28	83.647	.023	.7	1400.0
29	61.718	.020	.7	1450.0
30	39.080	.019	.7	1500.0
31	16.381	.021	.6	1550.0
32	-5.847	.018	.6	1600.0
33	-27.200	.015	.6	1650.0
34	-46.884	.014	.6	1700.0
35	-64.342	.014	.6	1750.0
36	-78.984	.012	.6	1800.0
37	-91.166	.013	.5	1850.0
38	-97.416	.012	.5	1900.0
39	-100.433	.009	.5	1950.0
40	-99.169	.009	.5	2000.0
41	-93.734	.009	.5	2050.0
42	-84.487	.009	.5	2100.0
43	-72.221	.010	.5	2150.0
44	-57.791	.010	.5	2200.0
45	-42.018	.009	.4	2250.0
46	-25.652	.010	.4	2300.0
47	-9.374	.011	.4	2350.0
48	6.447	.010	.4	2400.0
49	21.411	.010	.4	2450.0
50	35.327	.005	.4	2500.0

048

LI-W

REFS 11 0.5M-Y S, 23MAR-65 2009-2013

LARS= 50 ME 847 ME 0.2SEC

MEAN WE -2.5

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	777.121	6.480	0	0
1	723.514	11.218	20.0	50.0
2	586.755	24.274	10.0	100.0
3	380.675	39.060	6.7	150.0
4	154.637	140.513	5.0	200.0
5	-48.851	161.653	4.0	250.0
6	-220.441	144.464	3.3	300.0
7	-341.932	21.941	2.9	350.0
8	-409.531	41.046	2.5	400.0
9	-426.573	29.801	2.2	450.0
10	-401.323	16.891	2.0	500.0
11	-344.635	9.254	1.8	550.0
12	-269.917	5.671	1.7	600.0
13	-185.710	3.140	1.5	650.0
14	-103.380	1.549	1.4	700.0
15	-27.490	1.554	1.3	750.0
16	37.503	1.281	1.3	800.0
17	88.130	.859	1.2	850.0
18	121.560	.449	1.1	900.0
19	146.312	.244	1.1	950.0
20	133.605	.150	1.0	1000.0
21	117.267	.163	1.0	1050.0
22	91.834	.177	.9	1100.0
23	61.535	.157	.9	1150.0
24	31.070	.113	.8	1200.0
25	4.854	.117	.8	1250.0
26	-13.238	.103	.8	1300.0
27	-19.414	.087	.7	1350.0
28	-11.458	.071	.7	1400.0
29	8.868	.056	.7	1450.0
30	32.148	.044	.7	1500.0
31	72.304	.050	.6	1550.0
32	94.476	.067	.6	1600.0
33	113.196	.054	.6	1650.0
34	110.052	.043	.6	1700.0
35	49.923	.042	.6	1750.0
36	56.594	.034	.6	1800.0
37	15.616	.027	.5	1850.0
38	-23.470	.026	.5	1900.0
39	-60.143	.025	.5	1950.0
40	-89.561	.026	.5	2000.0
41	-111.142	.024	.5	2050.0
42	-124.391	.018	.5	2100.0
43	-129.889	.020	.5	2150.0
44	-127.730	.022	.5	2200.0
45	-116.915	.020	.4	2250.0
46	-103.430	.016	.4	2300.0
47	-81.331	.020	.4	2350.0
48	-53.500	.020	.4	2400.0
49	-21.310	.015	.4	2450.0
50	12.530	.006	.4	2500.0

049

C-D-W

TM No. 377

RRFIS 11 0.5M-V S. 29MAR-65 2158-2203

LAGS= 50 N= 1007 DT= 0.2SEC

MEAN W= -3.0

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	741.748	2.479	0	0
1	677.319	6.012	20.0	50.0
2	514.356	18.287	10.0	100.0
3	299.323	69.187	6.7	150.0
4	78.575	135.646	5.0	200.0
5	-113.362	140.961	4.0	250.0
6	-256.758	108.637	3.3	300.0
7	-345.417	91.561	2.9	350.0
8	-380.931	64.882	2.5	400.0
9	-372.470	35.005	2.2	450.0
10	-332.207	21.309	2.0	500.0
11	-272.291	13.628	1.8	550.0
12	-202.854	9.523	1.7	600.0
13	-134.371	7.406	1.5	650.0
14	-73.589	4.429	1.4	700.0
15	-24.358	2.540	1.3	750.0
16	11.958	2.118	1.3	800.0
17	36.664	1.735	1.2	850.0
18	52.050	1.218	1.1	900.0
19	62.505	.840	1.1	950.0
20	74.580	.597	1.0	1000.0
21	88.316	.537	1.0	1050.0
22	103.727	.506	.9	1100.0
23	116.772	.369	.9	1150.0
24	123.466	.251	.8	1200.0
25	122.000	.205	.8	1250.0
26	112.406	.180	.8	1300.0
27	95.925	.122	.7	1350.0
28	71.762	.090	.7	1400.0
29	41.554	.114	.7	1450.0
30	7.132	.130	.7	1500.0
31	-30.303	.112	.6	1550.0
32	-66.669	.113	.6	1600.0
33	-96.120	.115	.6	1650.0
34	-113.207	.084	.6	1700.0
35	-114.799	.072	.6	1750.0
36	-100.438	.081	.6	1800.0
37	-74.838	.064	.5	1850.0
38	-43.714	.041	.5	1900.0
39	-12.693	.041	.5	1950.0
40	13.944	.060	.5	2000.0
41	33.328	.068	.5	2050.0
42	44.609	.054	.5	2100.0
43	47.642	.039	.5	2150.0
44	44.770	.034	.5	2200.0
45	38.759	.029	.4	2250.0
46	31.435	.037	.4	2300.0
47	23.520	.060	.4	2350.0
48	14.823	.065	.4	2400.0
49	4.451	.054	.4	2450.0
50	-2.969	.025	.4	2500.0

050

LI-w

BRFIS 11 2.0M-III S. 29MAR-65 2204-2211

LAGS= 50 N= 1438 DT= 0.2SEC

MEAN W= -0.1

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	346.576	2.051	0	0
1	330.744	3.715	20.0	50.0
2	287.268	21.871	10.0	100.0
3	222.609	73.077	6.7	150.0
4	144.386	99.335	5.0	200.0
5	69.980	71.485	4.0	250.0
6	-19.657	37.509	3.3	300.0
7	-96.774	18.654	2.9	350.0
8	-147.662	4.702	2.5	400.0
9	-187.581	4.880	2.2	450.0
10	-210.023	1.644	2.0	500.0
11	-216.317	.523	1.8	550.0
12	-204.788	.409	1.7	600.0
13	-190.396	.368	1.5	650.0
14	-164.165	.262	1.4	700.0
15	-132.938	.162	1.3	750.0
16	-99.200	.104	1.3	800.0
17	-64.682	.113	1.2	850.0
18	-30.802	.110	1.1	900.0
19	1.363	.090	1.1	950.0
20	30.596	.064	1.0	1000.0
21	55.770	.058	1.0	1050.0
22	75.876	.045	.9	1100.0
23	90.100	.035	.9	1150.0
24	94.145	.028	.8	1200.0
25	100.449	.032	.8	1250.0
26	97.923	.032	.8	1300.0
27	91.466	.029	.7	1350.0
28	82.138	.022	.7	1400.0
29	70.969	.020	.7	1450.0
30	58.809	.021	.7	1500.0
31	46.300	.019	.6	1550.0
32	33.766	.014	.6	1600.0
33	21.340	.013	.6	1650.0
34	2.951	.012	.6	1700.0
35	-3.216	.011	.6	1750.0
36	-14.894	.009	.6	1800.0
37	-25.792	.008	.5	1850.0
38	-35.434	.008	.5	1900.0
39	-43.336	.009	.5	1950.0
40	-49.274	.010	.5	2000.0
41	-53.210	.010	.5	2050.0
42	-55.040	.009	.5	2100.0
43	-54.949	.007	.5	2150.0
44	-53.212	.004	.5	2200.0
45	-49.816	.005	.4	2250.0
46	-44.720	.006	.4	2300.0
47	-37.907	.006	.4	2350.0
48	-29.378	.005	.4	2400.0
49	-14.255	.004	.4	2450.0
50	-7.839	.002	.4	2500.0

051

CI-W

BRFIS 11 2.0M-IX S, 30MAR-65 0010-0015

I AGS= 50 N= 1425 DT= 0.2SEC

MEAN W= -0.8

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	286.302	2.431	0	0
1	274.152	5.650	20.0	50.0
2	241.679	27.105	10.0	100.0
3	194.059	70.887	6.7	150.0
4	136.745	92.425	5.0	200.0
5	75.427	49.300	4.0	250.0
6	15.261	20.780	3.3	300.0
7	-30.518	10.506	2.9	350.0
8	-85.999	6.825	2.5	400.0
9	-122.463	3.752	2.2	450.0
10	-148.272	1.729	2.0	500.0
11	-163.622	.914	1.8	550.0
12	-163.339	.546	1.7	600.0
13	-166.479	.347	1.5	650.0
14	-156.174	.251	1.4	700.0
15	-130.498	.207	1.3	750.0
16	-117.763	.153	1.3	800.0
17	-92.297	.139	1.2	850.0
18	-64.485	.120	1.1	900.0
19	-35.649	.093	1.1	950.0
20	-7.082	.066	1.0	1000.0
21	12.679	.057	1.0	1050.0
22	43.270	.050	.9	1100.0
23	62.574	.048	.9	1150.0
24	76.599	.051	.8	1200.0
25	85.756	.043	.8	1250.0
26	89.300	.030	.8	1300.0
27	87.920	.030	.7	1350.0
28	82.488	.028	.7	1400.0
29	73.932	.023	.7	1450.0
30	63.189	.021	.7	1500.0
31	51.386	.020	.6	1550.0
32	39.391	.016	.6	1600.0
33	27.549	.017	.6	1650.0
34	16.234	.016	.6	1700.0
35	5.734	.014	.6	1750.0
36	-3.626	.011	.6	1800.0
37	-11.918	.011	.5	1850.0
38	-19.177	.013	.5	1900.0
39	-25.338	.011	.5	1950.0
40	-30.716	.010	.5	2000.0
41	-35.398	.011	.5	2050.0
42	-39.468	.009	.5	2100.0
43	-42.946	.007	.5	2150.0
44	-45.317	.008	.5	2200.0
45	-46.262	.009	.4	2250.0
46	-45.517	.009	.4	2300.0
47	-42.904	.007	.4	2350.0
48	-38.431	.005	.4	2400.0
49	-32.205	.006	.4	2450.0
50	-24.598	.004	.4	2500.0

052

CT-W

BRFLS 11 0.54-VII S, 30MAR-65 0022-0027

I AGS= 40 N= 1168 DT= 0.2SEC

MEAN W= -3.7

K	ACOV	SD	PERIOD	FREQ(MCPS)
0	764.948	3.578	0	0
1	701.446	7.771	20.0	50.0
2	551.142	45.754	10.0	100.0
3	354.905	131.150	6.7	150.0
4	155.193	162.117	5.0	200.0
5	-14.536	112.036	4.0	250.0
6	-141.059	49.918	3.3	300.0
7	-220.816	54.363	2.9	350.0
8	-261.377	51.500	2.5	400.0
9	-275.454	41.168	2.2	450.0
10	-275.911	29.476	2.0	500.0
11	-271.467	15.113	1.8	550.0
12	-265.433	8.359	1.7	600.0
13	-257.916	7.310	1.5	650.0
14	-247.697	4.754	1.4	700.0
15	-231.500	2.429	1.3	750.0
16	-207.189	1.721	1.3	800.0
17	-171.722	1.317	1.2	850.0
18	-124.196	.918	1.1	900.0
19	-67.804	.838	1.1	950.0
20	-8.348	.810	1.0	1000.0
21	47.375	.616	1.0	1050.0
22	92.950	.414	.9	1100.0
23	125.440	.347	.9	1150.0
24	145.061	.284	.8	1200.0
25	154.103	.224	.8	1250.0
26	155.693	.180	.8	1300.0
27	157.078	.153	.7	1350.0
28	156.318	.136	.7	1400.0
29	151.373	.116	.7	1450.0
30	137.981	.087	.7	1500.0
31	113.696	.091	.6	1550.0
32	80.170	.102	.6	1600.0
33	42.566	.087	.6	1650.0
34	10.557	.057	.6	1700.0
35	-13.959	.040	.6	1750.0
36	-28.448	.038	.6	1800.0
37	-33.606	.046	.5	1850.0
38	-33.049	.054	.5	1900.0
39	-31.318	.057	.5	1950.0
40	-31.840	.050	.5	2000.0
41	-36.233	.040	.5	2050.0
42	-44.302	.037	.5	2100.0
43	-55.004	.036	.5	2150.0
44	-66.817	.036	.5	2200.0
45	-78.094	.043	.4	2250.0
46	-86.762	.048	.4	2300.0
47	-89.962	.047	.4	2350.0
48	-84.400	.043	.4	2400.0
49	-59.203	.036	.4	2450.0
50	-47.068	.015	.4	2500.0

053

LI-w

HREFS 11 0.5M-VIII S. ROMAR-65 0440-0445

LAGS= 50 N= 1401 DT= 0.2SEC

MEAN W= 1.5

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	337.292	5.826	0	0
1	315.151	11.418	20.0	50.0
2	259.196	27.536	10.0	100.0
3	182.996	64.523	6.7	150.0
4	99.582	71.978	5.0	200.0
5	22.042	41.436	4.0	250.0
6	-30.052	21.112	3.3	300.0
7	-78.637	24.628	2.9	350.0
8	-97.039	30.660	2.5	400.0
9	-99.182	21.671	2.2	450.0
10	-92.808	4.402	2.0	500.0
11	-85.761	2.371	1.8	550.0
12	-83.440	1.103	1.7	600.0
13	-88.056	.811	1.5	650.0
14	-98.157	.462	1.4	700.0
15	-100.652	.377	1.3	750.0
16	-115.808	.317	1.3	800.0
17	-114.708	.291	1.2	850.0
18	-100.812	.266	1.1	900.0
19	-74.384	.236	1.1	950.0
20	-32.216	.144	1.0	1000.0
21	2.575	.163	1.0	1050.0
22	41.883	.155	.9	1100.0
23	74.117	.154	.9	1150.0
24	95.403	.126	.8	1200.0
25	104.440	.104	.8	1250.0
26	102.095	.090	.8	1300.0
27	91.120	.083	.7	1350.0
28	75.494	.086	.7	1400.0
29	54.982	.084	.7	1450.0
30	44.391	.078	.7	1500.0
31	33.113	.067	.6	1550.0
32	25.140	.050	.6	1600.0
33	19.768	.043	.6	1650.0
34	15.796	.042	.6	1700.0
35	11.947	.044	.6	1750.0
36	7.299	.038	.6	1800.0
37	1.188	.027	.5	1850.0
38	-4.199	.021	.5	1900.0
39	-14.903	.021	.5	1950.0
40	-24.844	.022	.5	2000.0
41	-35.135	.024	.5	2050.0
42	-44.427	.024	.5	2100.0
43	-51.660	.019	.5	2150.0
44	-55.821	.015	.5	2200.0
45	-55.739	.014	.4	2250.0
46	-51.210	.016	.4	2300.0
47	-43.277	.019	.4	2350.0
48	-32.948	.019	.4	2400.0
49	-21.706	.017	.4	2450.0
50	-11.511	.008	.4	2500.0

054

LI-W

BRFIS 11 .54- II S. 30MAR-64 0810-0815

LAGE= 50 N= 1490 DT= 0.2SEC

MEAN W= -4.6

X	UV	SD	PERIOD	FREQ(MCPS)
0	507.132	2.331	0	0
1	456.877	2.327	20.0	50.0
2	327.560	23.752	10.0	100.0
3	157.065	31.497	6.7	150.0
4	-15.819	33.396	5.0	200.0
5	-157.277	61.868	4.0	250.0
6	-245.476	94.334	3.3	300.0
7	-277.776	99.253	2.9	350.0
8	-256.667	65.214	2.5	400.0
9	-195.148	41.071	2.2	450.0
10	-115.376	22.426	2.0	500.0
11	-32.492	11.140	1.8	550.0
12	36.247	6.212	1.7	600.0
13	82.383	3.885	1.5	650.0
14	102.605	2.598	1.4	700.0
15	94.503	1.979	1.3	750.0
16	74.441	1.251	1.3	800.0
17	45.512	.861	1.2	850.0
18	11.301	.797	1.1	900.0
19	-21.242	.585	1.1	950.0
20	-47.742	.347	1.0	1000.0
21	-66.935	.290	1.0	1050.0
22	-79.314	.218	.9	1100.0
23	-82.554	.166	.9	1150.0
24	-74.806	.172	.8	1200.0
25	-71.585	.162	.8	1250.0
26	-55.408	.133	.8	1300.0
27	-37.735	.129	.7	1350.0
28	-12.013	.113	.7	1400.0
29	2.118	.100	.7	1450.0
30	21.043	.123	.7	1500.0
31	38.155	.129	.6	1550.0
32	51.714	.105	.6	1600.0
33	59.658	.093	.6	1650.0
34	52.982	.078	.6	1700.0
35	53.405	.061	.6	1750.0
36	45.178	.049	.6	1800.0
37	35.901	.043	.5	1850.0
38	26.624	.038	.5	1900.0
39	17.707	.034	.5	1950.0
40	9.833	.037	.5	2000.0
41	.273	.042	.5	2050.0
42	-7.366	.038	.5	2100.0
43	-13.905	.032	.5	2150.0
44	-12.924	.036	.5	2200.0
45	-21.015	.040	.4	2250.0
46	-10.524	.033	.4	2300.0
47	-13.418	.025	.4	2350.0
48	-3.250	.024	.4	2400.0
49	0.558	.024	.4	2450.0
50	23.203	.012	.4	2500.0

055 LI-W
 BHFS 11 2.0M-Y S. 30MAR-65 0826-0831
 LAGS= 50 N= 1295 DT= 0.2SEC
 MEAN W= 1.4

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	304.193	4.146	0	0
1	289.521	10.613	20.0	50.0
2	235.557	26.617	10.0	100.0
3	160.064	36.966	6.7	150.0
4	72.463	24.240	5.0	200.0
5	-13.165	45.620	4.0	250.0
6	-85.165	64.797	3.3	300.0
7	-135.036	52.559	2.9	350.0
8	-158.433	20.469	2.5	400.0
9	-155.494	6.223	2.2	450.0
10	-130.273	2.524	2.0	500.0
11	-89.655	1.408	1.8	550.0
12	-41.977	.837	1.7	600.0
13	3.860	.400	1.5	650.0
14	43.366	.286	1.4	700.0
15	62.580	.237	1.3	750.0
16	64.196	.204	1.3	800.0
17	57.684	.157	1.2	850.0
18	33.599	.098	1.1	900.0
19	.724	.064	1.1	950.0
20	-34.802	.060	1.0	1000.0
21	-67.032	.060	1.0	1050.0
22	-91.025	.063	.9	1100.0
23	-103.260	.070	.9	1150.0
24	-102.258	.056	.8	1200.0
25	-88.778	.032	.8	1250.0
26	-65.137	.022	.8	1300.0
27	-34.787	.023	.7	1350.0
28	-1.659	.026	.7	1400.0
29	30.458	.027	.7	1450.0
30	57.858	.024	.7	1500.0
31	78.232	.019	.6	1550.0
32	90.190	.019	.6	1600.0
33	94.631	.023	.6	1650.0
34	88.477	.020	.6	1700.0
35	77.660	.014	.6	1750.0
36	61.813	.013	.6	1800.0
37	43.735	.011	.5	1850.0
38	24.047	.012	.5	1900.0
39	10.627	.015	.5	1950.0
40	-1.002	.015	.5	2000.0
41	-8.275	.013	.5	2050.0
42	-11.251	.013	.5	2100.0
43	-10.898	.010	.5	2150.0
44	-8.358	.008	.5	2200.0
45	-4.893	.010	.4	2250.0
46	-1.489	.010	.4	2300.0
47	1.227	.011	.4	2350.0
48	2.893	.011	.4	2400.0
49	3.099	.010	.4	2450.0
50	1.831	.006	.4	2500.0

056

LI-W

BRFLS 11 2.0M-VI S. 30MAR-65 1023-1030

LAGS= 40 N= 1547 DT= 0.25EC

MEAN W= -0.8

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	473.999	2.736	0	0
1	450.620	28.491	20.0	50.0
2	388.098	72.579	10.0	100.0
3	297.198	74.918	6.7	150.0
4	190.044	41.201	5.0	200.0
5	74.757	77.992	4.0	250.0
6	-21.059	27.315	3.3	300.0
7	-102.587	48.635	2.9	350.0
8	-158.236	14.568	2.5	400.0
9	-185.166	3.953	2.2	450.0
10	-186.244	2.147	2.0	500.0
11	-160.390	1.084	1.8	550.0
12	-121.374	.760	1.7	600.0
13	-75.640	.652	1.5	650.0
14	-31.939	.535	1.4	700.0
15	2.014	.334	1.3	750.0
16	20.621	.230	1.3	800.0
17	21.791	.148	1.2	850.0
18	6.105	.200	1.1	900.0
19	-23.342	.180	1.1	950.0
20	-61.933	.135	1.0	1000.0
21	-104.079	.086	1.0	1050.0
22	-144.157	.074	.9	1100.0
23	-176.652	.067	.9	1150.0
24	-197.053	.066	.8	1200.0
25	-202.573	.068	.8	1250.0
26	-192.685	.075	.8	1300.0
27	-168.983	.073	.7	1350.0
28	-134.387	.065	.7	1400.0
29	-93.049	.051	.7	1450.0
30	-48.888	.037	.7	1500.0
31	-5.765	.030	.6	1550.0
32	33.310	.030	.6	1600.0
33	66.399	.028	.6	1650.0
34	92.499	.026	.6	1700.0
35	111.270	.026	.6	1750.0
36	123.306	.025	.6	1800.0
37	129.757	.020	.5	1850.0
38	132.116	.020	.5	1900.0
39	131.993	.019	.5	1950.0
40	130.424	.015	.5	2000.0
41	127.804	.012	.5	2050.0
42	123.793	.012	.5	2100.0
43	117.878	.012	.5	2150.0
44	109.775	.011	.5	2200.0
45	99.326	.012	.4	2250.0
46	86.572	.017	.4	2300.0
47	72.131	.018	.4	2350.0
48	56.586	.014	.4	2400.0
49	40.212	.012	.4	2450.0
50	23.890	.006	.4	2500.0

057A CI-W

RRFIS 11 0.5M-D S. 30MAR-65 1036-1040

LAGS= 50 N= 1001 DT= 0.2SEC

MEAN W= -5.1

K	ICOV	SP	PERIOD	FREQ(MCPS)
0	1264.869	3.675	0	0
1	1162.878	23.508	20.0	50.0
2	894.477	70.054	10.0	100.0
3	526.241	74.720	6.7	150.0
4	130.937	81.648	5.0	200.0
5	-231.703	255.666	4.0	250.0
6	-518.107	360.171	3.3	300.0
7	-703.123	203.721	2.9	350.0
8	-777.674	66.604	2.5	400.0
9	-746.592	38.948	2.2	450.0
10	-625.742	26.585	2.0	500.0
11	-438.751	20.275	1.8	550.0
12	-214.240	12.531	1.7	600.0
13	17.707	7.155	1.5	650.0
14	228.741	4.372	1.4	700.0
15	394.564	3.167	1.3	750.0
16	495.963	2.914	1.3	800.0
17	520.243	2.318	1.2	850.0
18	463.033	1.395	1.1	900.0
19	333.507	.831	1.1	950.0
20	152.144	.723	1.0	1000.0
21	-53.914	.639	1.0	1050.0
22	-253.959	.446	.9	1100.0
23	-421.266	.378	.9	1150.0
24	-536.908	.375	.8	1200.0
25	-589.292	.255	.8	1250.0
26	-574.612	.164	.8	1300.0
27	-495.604	.154	.7	1350.0
28	-362.500	.145	.7	1400.0
29	-193.774	.129	.7	1450.0
30	-11.925	.119	.7	1500.0
31	162.813	.098	.6	1550.0
32	312.375	.065	.6	1600.0
33	422.093	.058	.6	1650.0
34	480.335	.074	.6	1700.0
35	482.791	.079	.6	1750.0
36	431.636	.061	.6	1800.0
37	335.389	.036	.5	1850.0
38	208.035	.038	.5	1900.0
39	68.282	.051	.5	1950.0
40	-62.993	.052	.5	2000.0
41	-166.182	.049	.5	2050.0
42	-227.857	.046	.5	2100.0
43	-242.150	.043	.5	2150.0
44	-210.079	.045	.5	2200.0
45	-140.469	.054	.4	2250.0
46	-49.815	.054	.4	2300.0
47	45.188	.051	.4	2350.0
48	126.441	.057	.4	2400.0
49	179.015	.053	.4	2450.0
50	195.336	.023	.4	2500.0

057 B

LI-W

TM No. 377

RRFS 11 0.5M-DB S. 30MAR-65 1040-1047

LAGE= 50 N= 1070 DT= 0.2SEC

MEAN = -2.4

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	1133.094	5.308	0	0
1	1044.294	35.400	20.0	50.0
2	823.930	87.054	10.0	100.0
3	516.744	75.790	6.7	150.0
4	170.237	76.325	5.0	200.0
5	-135.392	224.779	4.0	250.0
6	-391.725	244.115	3.3	300.0
7	-564.516	177.039	2.9	350.0
8	-641.591	69.946	2.5	400.0
9	-622.769	28.440	2.2	450.0
10	-532.278	13.571	2.0	500.0
11	-371.536	10.176	1.8	550.0
12	-173.123	8.729	1.7	600.0
13	31.224	7.551	1.5	650.0
14	210.575	4.770	1.4	700.0
15	334.340	2.871	1.3	750.0
16	402.108	1.945	1.3	800.0
17	344.392	1.219	1.2	850.0
18	325.846	.787	1.1	900.0
19	202.394	.608	1.1	950.0
20	62.909	.484	1.0	1000.0
21	-40.488	.461	1.0	1050.0
22	-233.900	.341	.9	1100.0
23	-351.605	.362	.9	1150.0
24	-432.595	.356	.8	1200.0
25	-473.737	.340	.8	1250.0
26	-469.450	.264	.8	1300.0
27	-423.163	.256	.7	1350.0
28	-333.577	.252	.7	1400.0
29	-230.157	.202	.7	1450.0
30	-107.285	.171	.7	1500.0
31	16.436	.162	.6	1550.0
32	129.507	.135	.6	1600.0
33	222.037	.140	.6	1650.0
34	288.646	.156	.6	1700.0
35	324.740	.146	.6	1750.0
36	340.769	.123	.6	1800.0
37	325.450	.122	.5	1850.0
38	285.552	.128	.5	1900.0
39	224.084	.128	.5	1950.0
40	153.404	.103	.5	2000.0
41	74.474	.080	.5	2050.0
42	10.582	.084	.5	2100.0
43	-41.737	.079	.5	2150.0
44	-75.665	.052	.5	2200.0
45	-82.659	.048	.4	2250.0
46	-80.575	.066	.4	2300.0
47	-54.397	.069	.4	2350.0
48	-15.843	.069	.4	2400.0
49	29.751	.080	.4	2450.0
50	76.887	.041	.4	2500.0

058

LI-W

HBFI S 11 0.54-XI S. 30MAR-65 1129-1131

LAGS= 50 N= 768 DT= 0.2SEC

MEAN W= -

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	952.3	67.8		
1	903.7	156.7		
2	779.2	154.7		
3	611.4	104.2		
4	433.5	85.5		
5	273.1	102.3		
6	146.1	90.8		
7	58.4	65.0		
8	9.6	49.2		
9	-4.9	29.8		
10	3.7	14.9		
11	24.4	8.7		
12	47.8	6.3		
13	67.3	4.3		
14	79.2	3.0		
15	80.9	1.7		
16	71.5	1.0		
17	52.8	1.0		
18	29.9	1.0		
19	7.3	.7		
20	-13.2	.5		
21	-31.6	.3		
22	-48.5	.1		
23	-66.9	.0		
24	-86.9	.1		
25	-108.1	.1		
26	-128.2	.1		
27	-145.1	.1		
28	-157.1	.0		
29	-162.6	.0		
30	-160.3	.1		
31	-149.0	.1		
32	-127.2	.0		
33	-97.9	.0		
34	-66.6	.0		
35	-37.6	.0		
36	-12.9	.0		
37	5.7	.0		
38	17.9	.0		
39	22.9	.0		
40	20.1	.0		
41	9.8	.0		
42	-6.6	.0		
43	-29.1	.0		
44	-55.6	.0		
45	-43.7	.0		
46	-109.7	.0		
47	-128.8	.0		
48	-137.0	.0		
49	-131.8	.0		
50	-114.4	.0		

059

LI-W

BRETS 11 2.04-III S. 30MAR-65 1134-1137

LAGE= 50 N= 751 DT= 0.25SEC

MEAN w= 2.9

K	CCV	SD	PERIOD	FREQ(MCPS)
0	485.6	41.0		
1	466.2	73.9	20.0	50.0
2	415.5	73.6	10.0	100.0
3	342.9	65.6	6.6	150.0
4	258.1	51.4	5.0	200.0
5	171.9	62.3	4.0	250.0
6	93.1	57.8	3.3	300.0
7	28.7	31.1	2.8	350.0
8	-16.4	13.0	2.5	400.0
9	-41.6	6.4	2.2	450.0
10	-68.7	3.2	2.0	500.0
11	-41.1	1.3	1.8	550.0
12	-23.4	.7	1.6	600.0
13	-1.9	.6	1.5	650.0
14	21.3	.5	1.4	700.0
15	39.4	.3	1.3	750.0
16	50.7	.2	1.2	800.0
17	54.7	.2	1.1	850.0
18	51.3	.1	1.1	900.0
19	41.1	.1	1.0	950.0
20	25.4	.1	1.0	1000.0
21	5.9	.1	.9	1050.0
22	-4.3	.1	.9	1100.0
23	-32.8	.0	.8	1150.0
24	-47.7	.0	.8	1200.0
25	-57.2	.0	.8	1250.0
26	-59.9	.0	.7	1300.0
27	-54.8	.0	.7	1350.0
28	-42.7	.0	.7	1400.0
29	-35.2	.0	.6	1450.0
30	-4.5	.0	.6	1500.0
31	17.6	.0	.6	1550.0
32	39.7	.0	.6	1600.0
33	60.1	.0	.6	1650.0
34	76.3	.0	.5	1700.0
35	88.4	.0	.5	1750.0
36	96.4	.0	.5	1800.0
37	100.4	.0	.5	1850.0
38	101.5	.0	.5	1900.0
39	99.9	.0	.5	1950.0
40	95.8	.0	.5	2000.0
41	99.6	.0	.4	2050.0
42	81.9	.0	.4	2100.0
43	72.8	.0	.4	2150.0
44	62.4	.0	.4	2200.0
45	50.7	.0	.4	2250.0
46	38.1	.0	.4	2300.0
47	25.4	.0	.4	2350.0
48	13.6	.0	.4	2400.0
49	3.5	.0	.4	2450.0
50	-3.5	.0	.4	2500.0

060 LI-W

HREFS 11 2.5M-II S. 30MAR-65 1140-1144

LAGS= 50 N= 1445 DT= 0.2SEC

MEAN W= --

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	475.5	4.2		
1	450.8	22.5		
2	389.9	57.9		
3	299.4	60.9		
4	189.7	71.5		
5	73.5	117.3		
6	-37.3	92.0		
7	-142.0	30.5		
8	-292.3	7.7		
9	-243.5	3.5		
10	-254.5	1.7		
11	-237.6	.8		
12	-138.0	.6		
13	-142.9	.4		
14	-20.1	.3		
15	-17.7	.2		
16	36.6	.2		
17	76.0	.2		
18	27.5	.2		
18	27.5	.2		
19	99.8	.1		
20	43.2	.1		
21	50.8	.1		
22	6.9	.0		
23	-42.7	.0		
24	-92.0	.1		
25	-135.4	.1		
26	-167.8	.1		
27	-145.4	.0		
28	-186.5	.0		
29	-170.8	.0		
30	-140.1	.0		
31	-97.5	.0		
32	-47.3	.0		
33	6.1	.0		
34	58.4	.0		
35	105.6	.0		
36	144.3	.0		
37	172.7	.0		
38	149.3	.0		
39	144.5	.0		
40	188.9	.0		
41	173.7	.0		
42	150.3	.0		
43	120.9	.0		
44	47.1	.0		
45	51.5	.0		
46	16.6	.0		
47	-15.3	.0		
48	-42.5	.0		
49	-63.4	.0		
50	-77.0	.0		

061

LI-W

RRHS 11 1.0M-1 S. 30MAR-65 1155-1158

LAGS= 50 N= 733 OT= 0.2SEC

MEAN W= —

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	970.4	35.9		
1	924.2	114.2	20.0	
2	819.8	178.5	10.0	
3	660.7	125.1	6.6	
4	474.3	91.6	5.0	
5	292.7	159.7	4.0	
6	105.9	147.9	3.3	
7	-39.8	64.4	2.8	
8	-144.9	18.6	2.5	
9	-205.4	8.5	2.2	
10	-223.2	7.7	2.0	
11	-203.6	4.4	1.8	
12	-156.0	1.8	1.6	
13	-92.3	1.1	1.5	
14	-23.9	.8	1.4	
15	38.7	.6	1.3	
16	85.1	.5	1.2	
17	107.7	.4	1.1	
18	101.9	.3	1.1	
19	66.5	.2	1.0	
20	5.4	.1	1.0	
21	-73.8	.1	.9	
22	-151.9	.1	.9	
23	-248.1	.2	.8	
24	-321.6	.1	.8	
25	-373.3	.1	.8	
26	-399.2	.1	.7	
27	-397.5	.0	.7	
28	-370.9	.0	.7	
29	-322.9	.0	.6	
30	-254.6	.0	.6	
31	-188.0	.0	.6	
32	-112.6	.0	.6	
33	-37.7	.0	.6	
34	32.5	.0	.5	
35	95.3	.0	.5	
36	148.4	.0	.5	
37	100.5	.0	.5	
38	220.2	.0	.5	
39	236.4	.0	.5	
40	238.4	.0	.5	
41	227.1	.0	.4	
42	294.6	.0	.4	
43	173.6	.0	.4	
44	136.9	.0	.4	
45	98.6	.0	.4	
46	61.8	.0	.4	
47	29.4	.0	.4	
48	3.5	.0	.4	
49	-13.0	.0	.4	
50	-19.2	.0	.4	

062

CI-W

RRFS 11 1.5M-II S. 30MAR-65 1159-1203

LAGS= 50 N= 1232 DT= 0.2SEC

MEAN W= -3.8

K	COV	SP	PERIOD	FREQ(MCPS)
0	859.276	1.052	0	0
1	811.507	25.716	20.0	50.0
2	681.903	78.187	10.0	100.0
3	490.341	74.944	6.7	150.0
4	262.468	112.759	5.0	200.0
5	24.521	238.311	4.0	250.0
6	-191.192	219.263	3.3	300.0
7	-368.236	76.532	2.9	350.0
8	-488.492	21.197	2.5	400.0
9	-543.303	8.148	2.2	450.0
10	-531.655	4.416	2.0	500.0
11	-461.781	3.036	1.8	550.0
12	-347.650	1.404	1.7	600.0
13	-215.428	.824	1.5	650.0
14	-55.469	.666	1.4	700.0
15	55.629	.605	1.3	750.0
16	200.746	.477	1.3	800.0
17	277.124	.449	1.2	850.0
18	307.686	.372	1.1	900.0
19	291.989	.256	1.1	950.0
20	231.081	.174	1.0	1000.0
21	137.132	.112	1.0	1050.0
22	21.448	.062	.9	1100.0
23	-101.578	.073	.9	1150.0
24	-217.573	.092	.8	1200.0
25	-313.667	.086	.8	1250.0
26	-385.748	.081	.8	1300.0
27	-412.732	.098	.7	1350.0
28	-407.616	.081	.7	1400.0
29	-367.188	.058	.7	1450.0
30	-296.311	.060	.7	1500.0
31	-212.198	.055	.6	1550.0
32	-92.618	.041	.6	1600.0
33	22.302	.038	.6	1650.0
34	131.921	.031	.6	1700.0
35	227.262	.032	.6	1750.0
36	301.372	.047	.6	1800.0
37	348.838	.052	.5	1850.0
38	367.985	.048	.5	1900.0
39	359.299	.048	.5	1950.0
40	325.663	.040	.5	2000.0
41	272.185	.029	.5	2050.0
42	205.632	.024	.5	2100.0
43	133.839	.027	.5	2150.0
44	64.390	.029	.5	2200.0
45	3.476	.025	.4	2250.0
46	-44.370	.026	.4	2300.0
47	-76.738	.032	.4	2350.0
48	-92.246	.029	.4	2400.0
49	-91.614	.024	.4	2450.0
50	-77.439	.012	.4	2500.0

063

LI-W

BRFIS 11 3.0M-II S. 30MAR-65 1205-1208

LAGS= 50 N= 1080 DT= 0.2SEC

MEAN W= —

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	226.3	22.5		
1	287.9	59.3	20.0	
2	265.4	60.4	10.0	
3	233.0	46.9	6.6	
4	184.4	22.3	5.0	
5	143.9	27.6	4.0	
6	115.1	23.0	3.3	
7	90.4	10.1	2.8	
8	51.9	4.0	2.5	
9	30.4	2.6	2.2	
10	16.0	1.5	2.0	
11	7.6	.5	1.8	
12	3.8	.3	1.6	
13	3.2	.3	1.5	
14	4.4	.2	1.4	
15	6.0	.1	1.3	
16	7.0	.1	1.2	
17	6.4	.1	1.1	
18	4.0	.0	1.1	
19	-1.4	.0	1.0	
20	-7.0	.0	1.0	
21	-15.3	.0	.9	
22	-24.3	.0	.9	
23	-33.2	.0	.8	
24	-40.7	.0	.8	
25	-45.9	.0	.8	
26	-47.7	.0	.7	
27	-45.6	.0	.7	
28	-39.5	.0	.7	
29	-29.9	.0	.6	
30	-17.7	.0	.6	
31	-4.1	.0	.6	
32	9.3	.0	.6	
33	21.7	.0	.6	
34	32.2	.0	.5	
35	40.2	.0	.5	
36	45.6	.0	.5	
37	48.6	.0	.5	
38	49.5	.0	.5	
39	48.4	.0	.5	
40	45.0	.0	.5	
41	39.6	.0	.4	
42	32.5	.0	.4	
43	23.7	.0	.4	
44	13.8	.0	.4	
45	3.5	.0	.4	
46	-6.1	.0	.4	
47	-14.6	.0	.4	
48	-21.3	.0	.4	
49	-25.8	.0	.4	
50	-28.3	.0	.4	

064

LI-W

HRFIS 11 3.5-11

S. 30MAR-65 1212-1216

LAGE= 50 N= 758

DT= 0.2SEC

MEAN W=

K	COV	SP	PERIOD	FREQ(MCPS)
0	297.4	25.6		
1	274.3	47.9	20.0	
2	253.5	46.9	10.0	
3	216.6	34.3	6.6	
4	171.4	32.4	5.0	
5	123.3	43.8	4.0	
6	75.9	35.1	3.3	
7	33.7	11.4	2.8	
8	-.1	2.0	2.5	
9	-13.6	.9	2.2	
10	-36.1	.6	2.0	
11	-37.8	.5	1.8	
12	-30.6	.2	1.6	
13	-16.6	.1	1.5	
14	1.0	.1	1.4	
15	19.3	.1	1.3	
16	35.2	.0	1.2	
17	46.3	.0	1.1	
18	51.1	.0	1.1	
19	48.8	.0	1.0	
20	39.7	.0	1.0	
21	25.2	.0	.9	
22	7.2	.0	.9	
23	-12.0	.0	.8	
24	-30.1	.0	.8	
25	-44.8	.0	.8	
26	-54.3	.0	.7	
27	-57.9	.0	.7	
28	-55.1	.0	.7	
29	-46.5	.0	.6	
30	-32.9	.0	.6	
31	-15.5	.0	.6	
32	3.8	.0	.6	
33	23.4	.0	.6	
34	41.4	.0	.5	
35	56.3	.0	.5	
36	67.0	.0	.5	
37	72.9	.0	.5	
38	73.9	.0	.5	
39	70.5	.0	.5	
40	53.7	.0	.5	
41	54.4	.0	.4	
42	43.8	.0	.4	
43	33.1	.0	.4	
44	23.2	.0	.4	
45	15.0	.0	.4	
46	9.0	.0	.4	
47	5.3	.0	.4	
48	4.1	.0	.4	
49	5.0	.0	.4	
50	7.5	.0	.4	

065

LI-W

BRFIS 11 2.04-VIII S. 30MAR-65 1218-1221

LAGS= 50 N= 1132

DT= 0.2SEC

MEAN W= -3.8

K	ACDV	SP	PERIOD	FREQ(MCPS)
0	419.072	2.856	0	0
1	396.993	21.191	20.0	50.0
2	338.836	53.751	10.0	100.0
3	254.696	54.301	6.7	150.0
4	155.635	55.287	5.0	200.0
5	53.432	40.929	4.0	250.0
6	-40.491	41.461	3.3	300.0
7	-114.281	34.473	2.9	350.0
8	-172.287	11.391	2.5	400.0
9	-200.019	5.289	2.2	450.0
10	-201.582	2.164	2.0	500.0
11	-180.441	1.265	1.8	550.0
12	-142.493	.842	1.7	600.0
13	-95.007	.537	1.5	650.0
14	-45.741	.479	1.4	700.0
15	-1.149	.482	1.3	750.0
16	34.093	.415	1.3	800.0
17	56.110	.257	1.2	850.0
18	63.077	.176	1.1	900.0
19	54.795	.126	1.1	950.0
20	32.962	.116	1.0	1000.0
21	1.354	.123	1.0	1050.0
22	-35.515	.132	.9	1100.0
23	-73.349	.121	.9	1150.0
24	-107.667	.086	.8	1200.0
25	-134.397	.065	.8	1250.0
26	-150.913	.070	.8	1300.0
27	-155.521	.067	.7	1350.0
28	-147.493	.050	.7	1400.0
29	-127.322	.044	.7	1450.0
30	-96.781	.047	.7	1500.0
31	-54.982	.045	.6	1550.0
32	-17.579	.036	.6	1600.0
33	23.900	.024	.6	1650.0
34	61.570	.017	.6	1700.0
35	92.348	.025	.6	1750.0
36	114.301	.035	.6	1800.0
37	126.463	.032	.5	1850.0
38	120.242	.028	.5	1900.0
39	123.864	.026	.5	1950.0
40	112.206	.021	.5	2000.0
41	96.746	.019	.5	2050.0
42	79.513	.020	.5	2100.0
43	62.405	.021	.5	2150.0
44	46.894	.020	.5	2200.0
45	33.709	.018	.4	2250.0
46	23.259	.014	.4	2300.0
47	15.693	.013	.4	2350.0
48	10.616	.014	.4	2400.0
49	7.861	.015	.4	2450.0
50	6.787	.008	.4	2500.0

066

LI-W

RRFIS 11 2.5v-III S. 30MAR-65 1226-1229

LAGS= 50 N=1055 DT= 0.2SEC

MEAN W=

K	ACOV	SD	PERIOD	FREQ(MCPS)
0	471.1	8.5		
1	445.2	29.1	20.0	
2	332.8	42.7	10.0	
3	291.6	42.7	6.6	
4	181.6	69.4	5.0	
5	65.0	131.3	4.0	
6	-45.3	96.3	3.3	
7	-139.3	24.7	2.8	
8	-208.3	7.3	2.5	
9	-247.8	4.4	2.2	
10	-255.7	1.8	2.0	
11	-235.5	1.3	1.8	
12	-190.8	.7	1.6	
13	-128.5	.4	1.5	
14	-56.9	.3	1.4	
15	15.4	.3	1.3	
16	80.8	.2	1.2	
17	131.5	.2	1.1	
18	162.5	.2	1.1	
19	171.3	.2	1.0	
20	157.2	.2	1.0	
21	122.0	.1	.9	
22	70.0	.1	.9	
23	7.2	.1	.8	
24	-59.0	.1	.8	
25	-122.2	.1	.8	
26	-175.5	.1	.7	
27	-213.7	.1	.7	
28	-232.6	.1	.7	
29	-230.2	.1	.6	
30	-205.9	.1	.6	
31	-162.8	.1	.6	
32	-105.5	.0	.6	
33	-38.7	.0	.6	
34	30.4	.0	.5	
35	95.3	.0	.5	
36	150.0	.0	.5	
37	188.8	.0	.5	
38	209.5	.0	.5	
39	211.0	.0	.5	
40	194.8	.0	.5	
41	164.1	.0	.4	
42	123.0	.0	.4	
43	76.7	.0	.4	
44	29.9	.0	.4	
45	-12.9	.0	.4	
46	-47.5	.0	.4	
47	-71.0	.0	.4	
48	-81.7	.0	.4	
49	-79.7	.0	.4	
50	-67.2	.0	.4	

067

LI-W

RREFS 11 4.04-II S. ROMAR-65 1234-1238

LAGE= 50 N= 1079 DT= 0.25SEC

MEAN W= -1.4

K	ACOV	SD	PERIOD	FREQ(MCPS)
0	475.663	2.787	0	0
1	453.510	22.748	20.0	50.0
2	392.767	66.350	10.0	100.0
3	301.885	68.800	6.7	150.0
4	192.329	64.133	5.0	200.0
5	76.645	194.491	4.0	250.0
6	-32.529	92.329	3.3	300.0
7	-124.344	36.108	2.9	350.0
8	-190.992	4.235	2.5	400.0
9	-224.416	3.892	2.2	450.0
10	-236.341	1.607	2.0	500.0
11	-217.914	.816	1.8	550.0
12	-178.822	.540	1.7	600.0
13	-126.735	.275	1.5	650.0
14	-70.219	.208	1.4	700.0
15	-17.258	.170	1.3	750.0
16	25.310	.163	1.3	800.0
17	52.949	.109	1.2	850.0
18	62.687	.074	1.1	900.0
19	54.105	.064	1.1	950.0
20	29.313	.071	1.0	1000.0
21	-7.511	.076	1.0	1050.0
22	-51.238	.079	.9	1100.0
23	-96.127	.056	.9	1150.0
24	-136.416	.041	.8	1200.0
25	-167.367	.027	.8	1250.0
26	-185.241	.026	.8	1300.0
27	-187.761	.032	.7	1350.0
28	-174.482	.033	.7	1400.0
29	-146.457	.026	.7	1450.0
30	-106.339	.020	.7	1500.0
31	-57.978	.015	.6	1550.0
32	-5.793	.019	.6	1600.0
33	45.562	.021	.6	1650.0
34	91.985	.016	.6	1700.0
35	130.219	.012	.6	1750.0
36	158.237	.011	.6	1800.0
37	175.106	.013	.5	1850.0
38	181.071	.014	.5	1900.0
39	177.955	.013	.5	1950.0
40	167.903	.016	.5	2000.0
41	153.080	.016	.5	2050.0
42	135.604	.013	.5	2100.0
43	117.138	.010	.5	2150.0
44	98.739	.010	.5	2200.0
45	81.140	.012	.4	2250.0
46	64.196	.016	.4	2300.0
47	47.421	.017	.4	2350.0
48	30.603	.015	.4	2400.0
49	13.460	.013	.4	2450.0
50	-4.147	.006	.4	2500.0

068

LI-W

RRFS 11 4.5M-0E S. 30MAR-65 1241-1244

LAGS= 50 N= 995 DT= 0.2SEC

MEAN W= —

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	311.7	4.7	∞	
1	297.8	17.2	20.0	
2	250.6	37.6	10.0	
3	205.0	40.9	6.6	
4	137.1	54.2	5.0	
5	63.8	81.4	4.0	
6	-7.7	53.6	3.3	
7	-71.0	13.2	2.8	
8	-120.7	3.6	2.5	
9	-153.4	1.5	2.2	
10	-167.6	.8	2.0	
11	-163.8	.5	1.8	
12	-144.0	.2	1.6	
13	-112.0	.2	1.5	
14	-72.4	.2	1.4	
15	-30.3	.1	1.3	
16	9.1	.0	1.2	
17	42.0	.0	1.1	
18	65.0	.0	1.1	
19	76.2	.0	1.0	
20	74.8	.0	1.0	
21	61.2	.0	.9	
22	37.7	.0	.9	
23	7.3	.0	.8	
24	-26.1	.0	.8	
25	-58.8	.0	.8	
26	-87.3	.0	.7	
27	-108.2	.0	.7	
28	-119.5	.0	.7	
29	-120.8	.0	.6	
30	-110.8	.0	.6	
31	-90.5	.0	.6	
32	-61.5	.0	.6	
33	-26.1	.0	.6	
34	12.2	.0	.5	
35	50.4	.0	.5	
36	85.0	.0	.5	
37	113.4	.0	.5	
38	133.6	.0	.5	
39	144.1	.0	.5	
40	144.4	.0	.5	
41	134.7	.0	.4	
42	116.4	.0	.4	
43	91.2	.0	.4	
44	61.4	.0	.4	
45	29.2	.0	.4	
46	-2.5	.0	.4	
47	-41.4	.0	.4	
48	-55.2	.0	.4	
49	-72.3	.0	.4	
50	-81.7	.0	.4	

069 LI-u
 HRFIS 11 3.0M-III S. 30MAR-65 1245-1251
 LAGS=100 N= 1059 DT= 0.25EC
 MEAN W= 0.5

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	228.4	1.4	0	0
1	220.4	2.5	40.0	25.0
2	198.3	.6	20.0	50.0
3	165.1	10.2	13.3	75.0
4	124.0	32.6	10.0	100.0
5	79.1	43.3	8.0	125.0
6	34.4	18.6	6.7	150.0
7	-6.1	7.2	5.7	175.0
8	-39.7	9.2	5.0	200.0
9	-64.3	15.0	4.4	225.0
10	-79.1	25.9	4.0	250.0
11	-84.3	28.4	3.6	275.0
12	-81.3	15.3	3.3	300.0
13	-72.0	4.8	3.1	325.0
14	-59.0	2.9	2.9	350.0
15	-45.1	1.6	2.7	375.0
16	-32.9	.7	2.5	400.0
17	-24.4	.4	2.4	425.0
18	-21.0	.3	2.2	450.0
19	-23.2	.2	2.1	475.0
20	-31.1	.2	2.0	500.0
21	-43.4	.2	1.9	525.0
22	-58.6	.2	1.8	550.0
23	-74.5	.1	1.7	575.0
24	-89.1	.1	1.7	600.0
25	-100.1	.1	1.6	625.0
26	-106.1	.0	1.5	650.0
27	-106.2	.0	1.5	675.0
28	-99.7	.1	1.4	700.0
29	-46.7	.0	1.4	725.0
30	-67.9	.0	1.3	750.0
31	-44.7	.0	1.3	775.0
32	-18.6	.0	1.3	800.0
33	8.5	.0	1.2	825.0
34	34.8	.0	1.2	850.0
35	58.4	.0	1.1	875.0
36	77.9	.0	1.1	900.0
37	92.2	.0	1.1	925.0
38	100.9	.0	1.1	950.0
39	123.8	.0	1.0	975.0
40	101.6	.0	1.0	1000.0
41	95.2	.0	1.0	1025.0
42	85.7	.0	1.0	1050.0
43	74.6	.0	.9	1075.0
44	63.2	.0	.9	1100.0
45	52.8	.0	.9	1125.0
46	44.4	.0	.9	1150.0
47	38.4	.0	.9	1175.0
48	35.0	.0	.8	1200.0
49	33.9	.0	.8	1225.0
50	34.2	.0	.8	1250.0
51	35.2	.0	.8	1275.0
52	35.8	.0	.8	1300.0
53	34.9	.0	.8	1325.0

069

-LI-W

BELS- 11

3 M- III

50LAGS 1059DATA POINTS

DT# .20SEC

MEAN U # =0.46275

K	ACOV	SP	PERIOD	F%MC
	228.405	1.275		

			30	.0
1	220.391	18.609	20.0	50.0
2	198.336	50.206	10.0	100.0
3	165.050	45.304	6.6	150.0
4	123.975	28.740	5.0	200.0
5	79.066	39.606	4.0	250.0
6	34.432	31.340	3.3	300.0
7	-6.146	9.205	2.8	350.0
8	-39.707	1.753	2.5	400.0
9	-64.300	.748	2.2	450.0
10	-79.101	.384	2.0	500.0
11	-84.325	.317	1.8	550.0
12	-81.276	.160	1.6	600.0
13	-71.973	.107	1.5	650.0
14	-58.993	.089	1.4	700.0
15	-45.088	.083	1.3	750.0
16	-32.874	.052	1.2	800.0
17	-24.387	.032	1.1	850.0
18	-20.957	.029	1.1	900.0
19	-23.241	.042	1.0	950.0
20	-31.053	.039	1.0	1000.0
21	-43.400	.028	.9	1050.0
22	-58.582	.023	.9	1100.0
23	-74.535	.023	.8	1150.0
24	-89.057	.019	.8	1200.0
25	-100.092	.015	.8	1250.0
26	-106.109	.018	.7	1300.0
27	-106.175	.017	.7	1350.0
28	-99.678	.010	.7	1400.0
29	-86.664	.007	.6	1450.0
30	-67.897	.008	.6	1500.0
31	-44.680	.009	.6	1550.0
32	-18.603	.007	.6	1600.0
33	8.524	.006	.6	1650.0
34	34.795	.007	.5	1700.0
35	58.427	.006	.5	1750.0
36	77.907	.005	.5	1800.0
37	92.249	.005	.5	1850.0
38	100.899	.005	.5	1900.0
39	103.821	.005	.5	1950.0
40	101.587	.004	.5	2000.0
41	95.156	.003	.4	2050.0
42	85.695	.003	.4	2100.0
43	74.558	.004	.4	2150.0
44	63.211	.004	.4	2200.0
45	52.846	.004	.4	2250.0
46	44.361	.004	.4	2300.0
47	38.379	.003	.4	2350.0
48	35.002	.003	.4	2400.0
49	33.851	.003	.4	2450.0
50	34.221	.001	.4	2500.

071 0 III
 BBELS 12 0.2M-III 0. 07APR-65 1235-1238

LAGS= 50 N= 585 DT= 0.2SEC

MEAN U= 4.5 MEAN W= 0.1

K	ACOV U	ACOV W	COV	IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	32.9	74.5	-7.0	0	5.02	5.18	-1.39	0	0	0	.27	0
1	32.3	71.0	-6.6	2.4	9.49	9.42	-1.23	3.04	20.00	.35-67.97		
2	31.0	62.0	-6.0	4.6	8.95	6.74	-0.20	4.03	10.00	.52-87.21		
3	29.3	49.3	-5.2	6.4	5.73	6.49	-0.78	2.26	6.67	.39-70.99		
4	27.3	34.5	-4.3	7.8	1.57	12.43	-1.13	.99	5.00	.34-41.02		
5	25.1	19.4	-3.3	8.6	.74	15.94	-1.38	1.07	4.00	.51-37.91		
6	22.8	5.2	-2.4	9.1	.51	10.07	-0.63	.91	3.33	.49-55.45		
7	20.3	-6.8	-1.5	9.2	.18	3.80	.06	.49	2.86	.61 82.54		
8	17.7	-15.8	-0.7	9.0	.11	1.78	.03	.16	2.50	.35 80.87		
9	15.2	-21.2	0	8.6	.07	.82	-0.01	.02	2.22	.10-61.51		
10	12.6	-23.0	.6	8.0	.07	.40	-0.03	0	2.00	.20 1.20		
11	10.2	-21.4	.8	7.4	.10	.25	-0.06	.01	1.82	.41-13.14		
12	7.8	-16.9	.8	6.9	.08	.24	-0.05	.05	1.67	.52-40.76		
13	5.7	-10.4	.4	6.6	.03	.21	-0.02	.03	1.54	.47-52.07		
14	3.7	-2.8	-0.2	6.4	.02	.14	-0.01	0	1.43	.21 -2.46		
15	2.0	5.0	-1.0	6.4	.03	.08	-0.02	0	1.33	.32 -9.41		
16	.5	12.2	-1.9	6.5	.03	.07	-0.01	.01	1.25	.28-52.06		
17	-0.8	18.1	-2.9	6.6	.02	.06	0	.01	1.18	.19-63.90		
18	-2.1	22.1	-3.6	6.6	.01	.06	-0.01	0	1.11	.23 8.88		
19	-3.2	24.3	-4.2	6.6	.02	.05	-0.01	-0.01	1.05	.39 43.76		
20	-4.1	24.8	-4.6	6.2	.01	.03	0	-0.01	1.00	.31 61.27		
21	-4.9	23.4	-4.7	5.7	.01	.02	0	0	.95	.09-11.78		
22	-5.5	20.4	-4.6	5.0	.01	.02	0	0	.91	.18 -6.80		
23	-5.8	15.9	-4.3	4.3	0	.03	0	0	.87	.27 14.83		
24	-5.8	10.5	-3.9	3.6	.01	.02	0	0	.83	.40 2.17		
25	-5.5	4.6	-3.4	2.8	.01	.02	0	0	.80	.46 10.39		
26	-5.1	-1.2	-2.9	2.0	0	.01	0	0	.77	.41 18.16		
27	-4.5	-6.4	-2.4	1.1	0	.01	0	0	.74	.45-17.30		
28	-3.8	-10.7	-2.0	.3	0	.01	0	0	.71	.60-22.04		
29	-2.8	-13.7	-1.7	-0.5	0	.01	0	0	.69	.54 -4.11		
30	-1.7	-15.2	-1.7	-1.2	0	.01	0	0	.67	.49 14.84		
31	-0.3	-15.3	-2.0	-1.7	0	.01	0	0	.65	.55 -0.79		
32	1.1	-14.1	-2.6	-2.1	0	0	0	0	.63	.80 -7.73		
33	2.7	-11.8	-3.3	-2.4	0	.01	0	0	.61	.80 .07		
34	4.2	-8.7	-4.1	-2.7	0	.01	0	0	.59	.79-14.84		
35	5.7	-5.1	-4.8	-2.9	0	.01	0	0	.57	.87-20.32		
36	7.1	-1.3	-5.6	-3.1	0	0	0	0	.56	.76 -5.87		
37	8.2	2.2	-6.1	-3.3	0	.01	0	0	.54	.61 .89		
38	9.1	4.9	-6.5	-3.3	0	.01	0	0	.53	.68 -3.72		
39	9.9	6.6	-6.6	-3.2	0	0	0	0	.51	.79 1.76		
40	10.4	7.4	-6.5	-3.0	0	.01	0	0	.50	.77 .08		
41	10.8	7.0	-6.1	-2.7	0	.01	0	0	.49	.91 -1.84		
42	10.9	5.6	-5.5	-2.3	0	0	0	0	.48	1.03 2.61		
43	10.8	3.1	-4.7	-1.9	0	0	0	0	.47	.95 2.34		
44	10.4	-0.2	-3.8	-1.4	0	0	0	0	.45	.88-12.26		
45	9.9	-4.1	-2.9	-1.0	0	0	0	0	.44	1.00-14.85		
46	9.2	-8.3	-2.2	-0.6	0	0	0	0	.43	1.08-10.17		
47	8.3	-12.3	-1.6	-0.3	0	0	0	0	.43	1.02 -7.98		
48	7.4	-15.7	-1.3	0	0	0	0	0	.42	.92 -2.00		
49	6.5	-18.1	-1.3	.4	0	0	0	0	.41	.96 3.89		
50	5.5	-19.2	-1.4	.7	0	0	0	0	.40	1.07 0		

072

O III

TM No. 377

BBELS 12 .2M-III 0, 07APR-65 1243-1249

LAGS= 50 N= 1551 DT= 0.2SEC

MEAN U= 9.4 MEAN W= .1

K	ACOV U	ACOV W	COV IN	COV OUT	SP U	SP W	CO	QUA	PER	H	PHI
0	19.9	87.5	-3.3	0	4.40	5.34	.15	0	0	.03	0
1	18.9	83.6	-3.0	.9	6.27	13.59	-0.14	1.23	20.00	.13	-83.61
2	16.9	73.9	-2.2	1.8	2.85	15.66	-0.67	1.22	10.00	.21	-61.36
3	15.0	60.8	-1.2	2.8	1.50	13.01	-0.56	.27	6.67	.14	-26.18
4	13.4	46.7	-0.3	3.5	.80	11.64	-0.25	.32	5.00	.13	-52.47
5	12.4	33.2	.3	3.7	.64	10.37	-0.24	.64	4.00	.27	-69.35
6	11.7	21.5	.4	3.5	.67	6.61	-0.33	.58	3.33	.32	-60.61
7	11.2	11.8	.2	2.9	.48	3.61	-0.22	.42	2.86	.36	-62.20
8	10.7	4.0	.1	2.1	.32	2.27	-0.15	.27	2.50	.36	-61.22
9	10.0	-2.3	.1	1.5	.27	1.45	-0.18	.17	2.22	.39	-42.56
10	9.3	-6.8	.3	1.1	.27	.88	-0.20	.03	2.00	.42	-9.00
11	8.8	-9.5	.6	1.1	.25	.72	-0.21	-0.06	1.82	.51	15.08
12	8.3	-10.4	.9	1.3	.23	.74	-0.18	-0.09	1.67	.49	26.36
13	8.0	-9.9	1.0	1.6	.22	.57	-0.11	-0.09	1.54	.40	38.90
14	7.8	-8.3	1.0	1.8	.16	.29	-0.04	-0.07	1.43	.38	61.36
15	7.6	-6.4	.9	2.1	.11	.16	-0.01	-0.04	1.33	.34	81.73
16	7.2	-4.7	.8	2.3	.07	.11	.01	-0.02	1.25	.28	-75.73
17	6.7	-3.5	.8	2.4	.05	.06	0	-0.01	1.18	.21	-74.93
18	6.2	-2.8	.9	2.6	.05	.04	0	0	1.11	.12	-61.13
19	5.8	-2.6	1.1	2.7	.04	.04	0	0	1.05	.13	5.49
20	5.3	-2.6	1.3	2.9	.03	.03	.01	0	1.00	.29	-8.71
21	4.9	-2.7	1.5	3.0	.02	.03	.01	0	.95	.26	-12.28
22	4.5	-3.1	1.6	3.0	.02	.03	0	0	.91	.12	-3.57
23	4.2	-3.8	1.6	3.0	.02	.02	0	0	.87	.02	-63.06
24	3.9	-5.0	1.7	2.9	.02	.03	0	0	.83	.01	24.11
25	3.7	-6.8	1.6	2.7	.02	.02	0	0	.80	.09	17.60
26	3.6	-8.8	1.5	2.4	.02	.02	0	0	.77	.12	31.62
27	3.6	-10.8	1.4	2.1	.01	.02	0	0	.74	.04	-18.02
28	3.7	-12.4	1.2	1.7	.01	.01	0	0	.71	.26	70.41
29	3.9	-13.2	1.0	1.2	.01	.01	0	0	.69	.31	48.27
30	4.0	-13.3	.7	.8	.01	.01	0	0	.67	.08	-32.32
31	4.1	-12.7	.5	.4	.01	0	0	0	.65	.46	71.16
32	4.2	-11.8	.2	.1	0	.01	0	0	.63	.29	49.24
33	4.2	-10.6	0	-0.2	0	.01	0	0	.61	.28	31.24
34	4.1	-9.3	-0.1	-0.5	0	0	0	0	.59	.15	7.31
35	3.9	-8.0	-0.1	-0.9	0	.01	0	0	.57	.03	63.03
36	3.8	-6.6	0	-1.2	0	0	0	0	.56	.15	-9.11
37	3.7	-4.2	.1	-1.6	0	0	0	0	.54	.19	-9.19
38	3.6	-3.1	.3	-1.9	0	.01	0	0	.53	.02	-39.54
39	3.5	-1.4	.3	-2.3	0	0	0	0	.51	0	-23.43
40	3.2	.0	.4	-2.7	0	0	0	0	.50	.31	-42.80
41	2.8	1.2	.4	-3.1	0	.01	0	0	.49	.26	-49.22
42	2.5	2.1	.4	-3.5	0	0	0	0	.48	0	-27.24
43	2.3	2.9	.5	-3.8	0	.01	0	0	.47	.09	58.14
44	2.4	3.7	.5	-4.1	0	0	0	0	.45	.19	87.33
45	2.6	4.8	.3	-4.4	0	0	0	0	.44	.13	-75.16
46	2.8	6.2	0	-4.5	0	.01	0	0	.43	.04	41.22
47	3.0	7.7	-0.4	-4.5	0	0	0	0	.43	.19	72.92
48	3.1	9.4	-0.9	-4.1	0	0	0	0	.42	.12	-37.10
49	3.2	11.0	-1.2	-3.5	0	.01	0	0	.41	.16	-24.63
50	3.1	12.1	-1.3	-2.6	0	0	0	0	.40	0	0

O73

OIII

RRFIS- 12 10.*M- 1 7APRIL-65 1316-1320

LAGS= 50 N= 1327 DT= .20SEC

MEAN U = 16.00972

K	ACOV	SP	PERIOD	F(MC)
0	3.5	.3	0	0
1	2.5	.5	20.0	50.0
2	1.8	.4	10.0	100.0
3	1.6	.3	6.7	150.0
4	1.3	.3	5.0	200.0
5	1.0	.2	4.0	250.0
6	.9	.1	3.3	300.0
7	.7	.1	2.9	350.0
8	.6	.1	2.5	400.0
9	.5	.1	2.2	450.0
10	.3	.1	2.0	500.0
11	.2	.1	1.8	550.0
12	.3	.1	1.7	600.0
13	.2	.1	1.5	650.0
14	.1	.0	1.4	700.0
15	.2	.1	1.3	750.0
16	.2	.0	1.3	800.0
17	.3	.0	1.2	850.0
18	.3	.0	1.1	900.0
19	.4	.0	1.1	950.0
20	.4	.0	1.0	1000.0
21	.4	.0	1.0	1050.0
22	.4	.0	.9	1100.0
23	.3	.0	.9	1150.0
24	.4	.0	.8	1200.0
25	.3	.0	.8	1250.0
26	.2	.0	.8	1300.0
27	.3	.0	.7	1350.0
28	.2	.0	.7	1400.0
29	.2	.0	.7	1450.0
30	.1	.0	.7	1500.0
31	.1	.0	.6	1550.0
32	.1	.0	.6	1600.0
33	.1	.0	.6	1650.0
34	.1	.0	.6	1700.0
35	.1	.0	.6	1750.0
36	.2	.0	.6	1800.0
37	.3	.0	.5	1850.0
38	.3	.0	.5	1900.0
39	.4	.0	.5	1950.0
40	.5	.0	.5	2000.0
41	.5	.0	.5	2050.0
42	.5	.0	.5	2100.0
43	.5	.0	.5	2150.0
44	.5	.0	.5	2200.0
45	.5	.0	.4	2250.0
46	.4	.0	.4	2300.0
47	.4	.0	.4	2350.0
48	.3	.0	.4	2400.0
49	.2	.0	.4	2450.0
50	.2	.0	.4	2500.0

074
 BRFLS= 12 .6M= 1 OFF BOTTOM
 LAGS= 50 N= 1202 7 APRIL - 65 1354-1359
 MEAN U = 16.74663 DT= .20550

TM No. 377

K	ACOV	SP	PERIOD	F (MC)
0	3.9	.5	0	0
1	3.3	1.0	20.0	50.0
2	2.8	.8	10.0	100.0
3	2.6	.4	6.7	150.0
4	2.4	.2	5.0	200.0
5	2.2	.1	4.0	250.0
6	2.0	.1	3.3	300.0
7	1.8	.1	2.9	350.0
8	1.6	.1	2.5	400.0
9	1.5	.1	2.2	450.0
10	1.3	.0	2.0	500.0
11	1.2	.0	1.8	550.0
12	1.1	.0	1.7	600.0
13	.9	.0	1.5	650.0
14	.7	.0	1.4	700.0
15	.5	.0	1.3	750.0
16	.4	.0	1.3	800.0
17	.3	.0	1.2	850.0
18	.2	.0	1.1	900.0
19	.1	.0	1.1	950.0
20	-0.1	.0	1.0	1000.0
21	-0.2	.0	1.0	1050.0
22	-0.2	.0	.9	1100.0
23	-0.2	.0	.9	1150.0
24	-0.2	.0	.8	1200.0
25	-0.2	.0	.8	1250.0
26	-0.2	.0	.8	1300.0
27	-0.2	.0	.7	1350.0
28	-0.2	.0	.7	1400.0
29	-0.3	.0	.7	1450.0
30	-0.3	.0	.7	1500.0
31	-0.2	.0	.6	1550.0
32	-0.1	.0	.6	1600.0
33	-0.1	.0	.6	1650.0
34	-0.1	.0	.6	1700.0
35	-0.1	.0	.6	1750.0
36	-0.1	.0	.6	1800.0
37	.0	.0	.5	1850.0
38	.0	.0	.5	1900.0
39	.1	.0	.5	1950.0
40	.1	.0	.5	2000.0
41	.2	.0	.5	2050.0
42	.3	.0	.5	2100.0
43	.3	.0	.5	2150.0
44	.3	.0	.5	2200.0
45	.3	.0	.4	2250.0
46	.2	.0	.4	2300.0
47	.2	.0	.4	2350.0
48	.2	.0	.4	2400.0
49	.1	.0	.4	2450.0
50	.1	.0	.4	2500.0

075 OIII OFF BOTTOM
 BRFLS 12 1.0M-2 0. 07APR-65 1415-1417
 LAGS= 50 N= 629 DT= 0.25EC
 MEAN U=-12.5

TM No. 377

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	4.386	1.862	0	0
1	7.899	2.821	20.0	50.0
2	7.487	1.664	10.0	100.0
3	7.180	.922	6.7	150.0
4	6.774	.261	5.0	200.0
5	6.367	.088	4.0	250.0
6	6.076	.077	3.3	300.0
7	5.684	.068	2.9	350.0
8	5.371	.057	2.5	400.0
9	5.036	.043	2.2	450.0
10	4.566	.053	2.0	500.0
11	4.077	.054	1.8	550.0
12	3.627	.046	1.7	600.0
13	3.220	.033	1.5	650.0
14	2.865	.021	1.4	700.0
15	2.535	.012	1.3	750.0
16	2.199	.011	1.3	800.0
17	1.917	.010	1.2	850.0
18	1.664	.009	1.1	900.0
19	1.410	.011	1.1	950.0
20	1.169	.015	1.0	1000.0
21	1.001	.018	1.0	1050.0
22	.871	.016	.9	1100.0
23	.818	.013	.9	1150.0
24	.820	.011	.8	1200.0
25	.831	.008	.8	1250.0
26	.876	.009	.8	1300.0
27	.967	.009	.7	1350.0
28	1.048	.009	.7	1400.0
29	1.135	.011	.7	1450.0
30	1.244	.011	.7	1500.0
31	1.325	.011	.6	1550.0
32	1.410	.013	.6	1600.0
33	1.541	.015	.6	1650.0
34	1.681	.013	.6	1700.0
35	1.806	.010	.6	1750.0
36	1.962	.008	.6	1800.0
37	2.108	.007	.5	1850.0
38	2.187	.005	.5	1900.0
39	2.220	.004	.5	1950.0
40	2.236	.003	.5	2000.0
41	2.272	.003	.5	2050.0
42	2.302	.003	.5	2100.0
43	2.259	.003	.5	2150.0
44	2.201	.003	.5	2200.0
45	2.225	.004	.4	2250.0
46	2.197	.005	.4	2300.0
47	2.104	.006	.4	2350.0
48	2.047	.006	.4	2400.0
49	1.979	.005	.4	2450.0
50	1.801	.003	.4	2500.0

076 0III OFF BOTTOM

TM No. 377

BREIS 12 5.04- 8 0. 07APR-65 1440-1443

LAGS= 50 N= 883 DT= 0.25EC

MEAN U= 17.5

K	ACOV	SP	PERIOD	FREQ(MCPS)
0	.125	.511	0	0
1	.636	.617	20.0	50.0
2	.372	.173	10.0	100.0
3	.303	.117	6.7	150.0
4	.285	.099	5.0	200.0
5	.281	.090	4.0	250.0
6	.147	.065	3.3	300.0
7	.039	.055	2.9	350.0
8	.949	.060	2.5	400.0
9	.465	.045	2.2	450.0
10	.993	.030	2.0	500.0
11	.991	.035	1.8	550.0
12	.409	.043	1.7	600.0
13	.828	.035	1.5	650.0
14	.935	.032	1.4	700.0
15	.880	.037	1.3	750.0
16	1.019	.037	1.3	800.0
17	.800	.036	1.2	850.0
18	.783	.042	1.1	900.0
19	.809	.059	1.1	950.0
20	.933	.060	1.0	1000.0
21	.805	.041	1.0	1050.0
22	.803	.027	.9	1100.0
23	.812	.028	.9	1150.0
24	.818	.033	.8	1200.0
25	.965	.038	.8	1250.0
26	.822	.035	.8	1300.0
27	.781	.028	.7	1350.0
28	.688	.029	.7	1400.0
29	.630	.028	.7	1450.0
30	.706	.031	.7	1500.0
31	.636	.034	.6	1550.0
32	.746	.027	.6	1600.0
33	.671	.023	.6	1650.0
34	.700	.024	.6	1700.0
35	.806	.028	.6	1750.0
36	.802	.035	.6	1800.0
37	.712	.032	.5	1850.0
38	.716	.025	.5	1900.0
39	.832	.024	.5	1950.0
40	.785	.029	.5	2000.0
41	.769	.025	.5	2050.0
42	.889	.022	.5	2100.0
43	.737	.034	.5	2150.0
44	.632	.039	.5	2200.0
45	.588	.028	.4	2250.0
46	.808	.018	.4	2300.0
47	.811	.016	.4	2350.0
48	.758	.020	.4	2400.0
49	.823	.028	.4	2450.0

077 OIII
 RBFIS 13 1.0M- 1 0. 25MAY-65 1705-1710
 LAGS= 50 N= 1294 DT= 0.25FC
 MEAN U=-20.1 * MEAN W= 0.4

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	128.8	964.0	68.8	0	4.81	1.61	-0.63	0	0	.23	0
1	114.7	903.9	64.7	74.8	8.06	6.11	-0.10	.05	20.00	.02-26.20	
2	87.6	754.8	52.0	139.8	6.73	6.58	.66	1.89	10.00	.30 70.80	
3	54.6	533.4	30.8	184.7	7.89	72.71	-1.70	13.53	6.67	.57-82.83	
4	22.0	269.2	5.6	205.2	15.20	260.08	6.25	49.55	5.00	.79 82.81	
5	-6.0	-5.9	-20.0	200.7	22.61	317.95	22.66	67.33	4.00	.84 71.40	
6	-27.4	-262.7	-42.9	173.1	19.84	166.33	22.67	43.81	3.33	.86 62.64	
7	-40.4	-475.6	-59.1	130.0	13.47	60.68	12.84	22.17	2.86	.90 59.92	
8	-48.0	-630.6	-66.5	78.8	9.01	32.82	6.97	12.96	2.50	.86 61.71	
9	-43.6	-714.9	-63.6	27.4	5.72	15.93	2.00	6.98	2.22	.76 74.02	
10	-36.6	-730.5	-52.0	-18.9	4.57	8.60	-0.64	4.01	2.00	.73-80.93	
11	-25.5	-685.5	-34.4	-58.4	2.33	4.11	-0.60	1.96	1.82	.66-72.88	
12	-13.4	-588.6	-14.0	-88.9	1.55	1.68	-0.36	.56	1.67	.41-56.85	
13	-2.0	-452.4	5.8	-108.9	1.14	.62	-0.32	-0.04	1.54	.39 7.05	
14	7.8	-290.6	22.5	-118.1	.95	.59	-0.24	-0.06	1.43	.33 13.72	
15	15.7	-117.5	34.5	-117.5	.80	.59	-0.12	-0.11	1.33	.24 43.56	
16	21.8	53.8	41.6	-108.8	.65	.66	-0.02	-0.18	1.25	.27 84.09	
17	25.0	211.2	43.0	-92.9	.51	.52	.04	-0.20	1.18	.40-79.41	
18	26.4	343.8	39.7	-70.9	.42	.39	.03	-0.12	1.11	.32-74.65	
19	25.7	442.1	33.0	-45.1	.32	.34	-0.03	-0.05	1.05	.16 60.36	
20	23.7	499.3	24.1	-17.2	.25	.39	-0.05	.05	1.00	.26-50.02	
21	19.9	515.2	14.7	9.7	.22	.33	-0.04	.12	.95	.47-69.79	
22	15.0	490.0	5.1	33.1	.20	.22	-0.04	.08	.91	.41-61.01	
23	9.9	429.6	-3.7	51.9	.20	.11	-0.05	.01	.87	.32-13.89	
24	4.7	340.2	-12.5	65.8	.23	.11	-0.05	0	.83	.34 4.07	
25	-0.2	229.1	-20.7	73.5	.22	.12	-0.05	-0.02	.80	.34 23.69	
26	-4.7	106.3	-27.7	75.3	.16	.15	-0.05	-0.03	.77	.38 36.18	
27	-8.2	-18.5	-33.5	71.0	.11	.19	-0.06	-0.05	.74	.44 39.42	
28	-10.5	-135.3	-37.2	63.7	.11	.23	-0.05	-0.04	.71	.39 34.90	
29	-12.1	-236.8	-38.4	51.1	.09	.24	-0.03	0	.69	.22 5.89	
30	-12.8	-315.2	-36.2	34.8	.07	.22	-0.01	.01	.67	.14-25.48	
31	-11.8	-365.6	-30.6	15.9	.07	.19	-0.01	-0.02	.65	.23 57.74	
32	-9.3	-395.2	-22.0	-4.1	.06	.19	-0.02	-0.04	.63	.40 55.68	
33	-6.1	-372.8	-11.2	-23.2	.07	.17	-0.03	-0.03	.61	.34 44.71	
34	-2.8	-331.8	.3	-39.6	.09	.11	-0.02	-0.02	.59	.27 42.88	
35	1.7	-266.2	11.3	-52.7	.09	.08	-0.02	-0.03	.57	.41 63.20	
36	5.8	-183.2	20.4	-61.4	.09	.09	-0.01	-0.04	.56	.48 74.71	
37	9.5	-90.2	26.9	-64.9	.10	.11	-0.01	-0.05	.54	.49 79.52	
38	12.8	3.5	30.2	-63.2	.10	.14	0	-0.04	.53	.34-85.01	
39	15.1	91.5	30.5	-56.9	.09	.15	.01	-0.02	.51	.19-68.22	
40	16.4	167.0	27.5	-47.2	.07	.16	0	-0.01	.50	.13-87.58	
41	17.3	224.3	22.6	-34.7	.04	.18	.01	0	.49	.06-18.48	
42	17.7	260.9	16.6	-20.1	.05	.21	.02	.01	.48	.22 20.57	
43	18.1	274.4	10.2	-4.7	.07	.21	.03	.01	.47	.25 11.53	
44	18.1	266.3	4.1	10.7	.07	.16	.01	.01	.45	.16 29.67	
45	17.2	238.8	-1.4	24.9	.06	.13	0	.01	.44	.13-77.77	
46	15.9	194.9	-6.4	37.1	.05	.14	0	.01	.43	.12-73.65	
47	14.1	149.4	-10.6	46.0	.04	.14	0	0	.43	.06 73.59	
48	11.7	75.8	-14.6	51.8	.05	.12	.01	0	.42	.10-10.32	
49	8.5	9.4	-17.8	54.0	.06	.10	.01	-0.01	.41	.14-35.50	
50	4.8	-63.9	-20.0	51.9	.03	.05	0	0	.40	.07 0	

* U SIGN REVERSED ON RAW DATA

078 0III
 BHLS 14 1.5M-1 25JUL-65 1714-1719
 LAGS= 50 N= 1540 DT= 0.2SEC
 MFAN U= 19.8 MFAN W= .13
 CORRELATION COEFFICIENT .07

K	ACOV U	ACOV W	COV IN	COV OUT	SP U	SP W	CG	QUA	PER	R	PHI
0	102.6	956.5	23.2	0	3.48	3.34	-1.17	0	0	.34	0
1	93.1	905.3	22.2	60.9	5.54	9.51	-1.42	.97	20.00	.22	-34.34
2	74.3	778.2	19.0	114.4	5.59	10.23	-1.55	2.66	10.00	.37	-59.81
3	50.5	586.7	12.5	154.3	9.21	114.92	-4.64	18.95	6.67	.60	-76.22
4	25.5	350.4	3.4	176.1	15.69	320.59	3.96	54.35	5.00	.77	85.83
5	2.5	97.9	-7.9	178.8	13.73	300.78	17.23	58.40	4.00	.81	73.56
6	-16.0	-150.4	-19.5	163.5	13.50	110.49	12.06	29.50	3.33	.83	67.76
7	-28.3	-370.1	-29.6	133.6	3.37	36.41	2.56	13.88	2.86	.81	79.56
8	-34.6	-546.6	-37.0	94.9	7.11	24.71	-0.07	10.19	2.50	.77	-89.59
9	-35.3	-668.4	-39.8	52.3	5.07	11.55	-1.06	5.54	2.22	.74	-79.17
10	-31.8	-730.4	-37.4	10.6	1.87	4.08	-0.88	1.34	2.00	.58	-56.73
11	-25.6	-734.3	-31.6	-26.2	.90	1.32	-0.53	.01	1.82	.49	-1.59
12	-14.2	-684.0	-21.5	-56.4	.91	1.21	-0.44	.04	1.67	.42	-5.78
13	-10.7	-589.6	-9.0	-78.8	.65	.72	-0.28	-0.01	1.54	.41	1.36
14	-4.1	-459.1	4.3	-93.4	.55	.62	-0.13	-0.07	1.43	.26	27.50
15	.8	-304.4	16.6	-100.9	.42	.41	-0.11	-0.07	1.33	.32	34.82
16	4.4	-136.6	27.1	-102.2	.32	.38	-0.08	.02	1.25	.24	-11.50
17	7.4	32.6	34.6	-97.9	.23	.28	-0.06	-0.02	1.18	.24	20.63
18	10.6	194.1	38.4	-88.0	.15	.26	-0.03	-0.03	1.11	.22	44.93
19	13.9	337.2	38.3	-73.1	.17	.19	-0.03	-0.03	1.05	.25	45.10
20	16.7	453.2	34.6	-53.8	.20	.21	-0.03	.01	1.00	.17	-25.44
21	18.7	534.3	27.7	-30.8	.18	.15	-0.02	.03	.95	.19	-58.28
22	19.4	575.6	18.4	-5.9	.15	.10	-0.01	.01	.91	.13	-54.31
23	18.5	574.2	7.5	20.0	.10	.11	-0.02	-0.01	.87	.23	21.50
24	15.2	531.2	-3.7	44.1	.09	.17	-0.02	-0.01	.83	.20	27.29
25	10.0	449.5	-14.6	64.4	.11	.19	-0.02	0	.80	.12	12.57
26	3.0	336.5	-24.1	78.1	.10	.19	-0.02	0	.77	.12	-3.89
27	-4.1	202.6	-31.6	84.2	.09	.17	-0.01	-0.01	.74	.08	42.42
28	-10.1	58.9	-36.8	82.6	.08	.18	0	0	.71	.04	57.02
29	-14.1	-42.9	-39.5	74.0	.06	.16	0	.01	.69	.07	48.64
30	-15.5	-212.2	-39.5	59.7	.06	.16	0	-0.01	.67	.16	-71.63
31	-14.1	-319.7	-36.4	42.2	.06	.18	0	-0.02	.65	.21	-86.87
32	-10.6	-397.7	-30.5	22.9	.06	.19	0	-0.01	.63	.14	84.50
33	-6.1	-443.2	-22.2	3.9	.05	.19	-0.01	-0.02	.61	.20	67.94
34	-1.6	-455.3	-12.0	-13.9	.05	.19	-0.01	0	.59	.16	19.83
35	2.2	-434.2	-1.0	-28.7	.05	.14	-0.01	.01	.57	.14	-26.33
36	4.4	-384.9	10.2	-40.5	.05	.14	-0.01	.01	.56	.13	-31.67
37	4.5	-311.2	20.1	-49.2	.05	.15	-0.01	.01	.54	.11	-33.54
38	3.6	-218.8	27.6	-54.1	.04	.14	0	.01	.53	.08	-78.05
39	2.8	-115.4	32.8	-56.0	.04	.14	-0.01	.02	.51	.25	-74.07
40	3.3	-8.5	35.0	-55.4	.04	.16	0	.02	.50	.27	-87.08
41	4.9	96.1	34.3	-52.2	.04	.17	.01	0	.49	.14	10.12
42	7.2	190.6	31.6	-46.7	.05	.17	.02	-0.01	.48	.21	-27.89
43	9.9	269.8	26.6	-38.2	.05	.15	.01	-0.01	.47	.20	-30.03
44	12.5	328.4	20.3	-26.2	.05	.12	.01	-0.01	.45	.17	-26.27
45	14.3	362.5	12.8	-11.5	.04	.10	.01	0	.44	.19	7.67
46	14.5	369.6	4.7	4.6	.03	.08	.01	0	.43	.22	-1.14
47	12.7	349.2	-3.5	20.9	.04	.06	.01	-0.01	.43	.23	-48.74
48	9.3	303.2	-11.5	36.0	.04	.08	0	.01	.42	.10	69.66
49	5.0	234.4	-18.5	47.9	.04	.12	.01	.02	.41	.28	65.54
50	.5	148.9	-23.8	55.0	.02	.06	.01	0	.40	.23	0

* U CHANNEL SIGN REVERSED

079

OMI

HREFS 13 2.5M- 1 0, 25MAY-65 1740-1745

LAGS= 50 N= 1461 DT= 0.2SEC

MEAN U= 15.5 MEAN W= -1.7

CORRELATION COEFFICIENT .11

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	51.3	668.6	20.2	0	4.15	7.02	-0.80	0	0	.15	0
1	47.4	634.9	19.1	22.9	6.55	16.35	-1.19	.11	20.00	.12	-5.46
2	40.2	558.6	15.3	43.6	5.01	23.86	-2.60	1.30	10.00	.27	-26.60
3	31.2	440.9	9.2	59.6	5.19	104.85	-2.91	10.04	6.67	.41	-73.83
4	21.9	294.5	1.7	70.0	7.62	226.84	6.54	24.58	5.00	.61	75.11
5	13.3	131.9	-6.9	73.4	5.87	186.00	12.78	22.99	4.00	.74	60.93
6	6.0	-31.2	-15.1	69.9	4.68	60.34	7.01	10.67	3.33	.76	56.69
7	.2	-142.4	-22.1	60.5	3.19	19.96	1.99	5.29	2.86	.71	69.43
8	-3.8	-309.8	-27.3	46.2	2.01	11.14	.27	2.51	2.50	.53	83.84
9	-6.3	-406.7	-29.8	29.6	1.08	3.46	-0.29	.55	2.22	.32	-61.92
10	-7.2	-466.1	-29.3	12.4	.75	1.53	-0.22	.18	2.00	.27	-40.10
11	-6.8	-487.7	-25.9	-4.1	.54	.47	-0.17	.06	1.82	.35	-18.74
12	-5.4	-473.2	-19.8	-18.7	.37	.47	-0.02	-0.02	1.67	.06	48.12
13	-3.4	-426.4	-11.7	-30.5	.35	.40	.01	-0.11	1.54	.30	-86.91
14	-1.2	-352.4	-2.7	-39.1	.32	.35	.03	-0.10	1.43	.32	-75.68
15	.9	-259.3	6.4	-44.0	.22	.25	0	-0.07	1.33	.28	88.00
16	2.7	-154.4	14.2	-45.5	.14	.26	-0.03	-0.03	1.25	.22	41.25
17	3.9	-44.6	20.6	-43.9	.10	.16	-0.04	-0.01	1.18	.34	16.90
18	5.1	62.5	25.2	-39.6	.10	.17	-0.03	0	1.11	.20	-9.75
19	6.1	161.2	27.5	-33.5	.10	.19	-0.01	.03	1.05	.23	-69.39
20	6.9	244.2	27.7	-26.1	.08	.19	0	.02	1.00	.17	76.88
21	7.4	307.8	25.7	-17.6	.06	.15	.01	0	.95	.08	-4.78
22	7.6	348.3	21.8	-8.7	.05	.16	0	.01	.91	.12	-82.68
23	7.5	363.5	16.7	0	.04	.13	-0.01	.01	.87	.23	-50.07
24	7.3	353.4	10.3	8.4	.06	.13	-0.01	.01	.83	.19	-53.30
25	7.0	319.0	3.5	16.3	.05	.17	0	0	.80	.07	40.74
26	6.6	264.0	-3.2	23.3	.04	.20	.01	-0.02	.77	.21	-56.15
27	6.2	191.8	-9.7	28.5	.04	.19	.01	-0.01	.74	.16	-29.36
28	5.5	109.1	-15.3	31.8	.03	.18	0	0	.71	.04	50.92
29	4.5	21.2	-19.9	32.6	.02	.15	0	0	.69	.05	11.48
30	3.3	-64.9	-23.0	31.2	.03	.13	0	0	.67	.02	55.78
31	2.1	-143.3	-24.8	27.4	.03	.12	0	0	.65	.09	-11.94
32	1.0	-208.7	-24.9	21.7	.03	.12	0	.01	.63	.16	-60.88
33	.3	-257.4	-23.6	14.2	.03	.10	0	.01	.61	.14	-78.39
34	.0	-284.8	-20.9	5.7	.02	.12	0	.01	.59	.12	83.47
35	.1	-289.9	-17.2	-3.2	.02	.15	-0.01	0	.57	.13	-3.55
36	.9	-273.0	-12.5	-11.5	.03	.16	-0.02	-0.01	.56	.37	19.07
37	1.8	-236.4	-6.8	-18.6	.03	.15	-0.02	-0.01	.54	.40	30.74
38	2.6	-143.6	-0.6	-24.1	.03	.14	-0.01	-0.01	.53	.28	59.70
39	3.2	-119.4	5.5	-27.9	.02	.12	0	-0.01	.51	.25	-82.35
40	3.8	-49.3	11.5	-29.2	.02	.12	0	-0.01	.50	.22	-89.66
41	4.3	21.1	16.9	-27.7	.02	.14	-0.01	-0.01	.49	.28	57.39
42	4.6	87.0	20.9	-24.3	.02	.14	-0.01	-0.01	.48	.28	57.49
43	4.6	144.2	23.1	-19.1	.02	.12	0	-0.01	.47	.16	-83.52
44	4.7	188.2	23.4	-13.0	.02	.10	0	0	.45	.03	62.85
45	4.9	217.3	21.8	-6.4	.02	.11	0	0	.44	.08	5.30
46	5.2	240.0	18.1	.3	.02	.15	0	0	.43	.09	-68.92
47	5.2	226.0	12.7	7.0	.02	.17	.01	.01	.43	.18	53.86
48	5.0	206.9	6.1	12.9	.02	.17	0	.01	.42	.22	-84.04
49	4.3	175.3	-1.2	18.0	.02	.19	-0.01	0	.41	.12	-8.79
50	3.3	133.5	-8.3	21.6	.01	.11	0	0	.40	.12	0

080 0III
 RBELS 13 2.5M-II 0, 25MAY-65 1747-1752
 LAGS= 50 N= 1532 DT= 0.2SEC
 MEAN U=-13.4 MEAN W= -2.6

TM No. 377

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	42.1	573.1	27.2	0	2.03	2.97	-0.07	0	0	.03	0
1	38.3	545.5	25.9	21.3	3.66	5.42	.13	.80	20.00	.18	80.83
2	30.5	475.8	21.1	40.6	3.25	13.02	-0.43	1.84	10.00	.29	76.72
3	20.8	369.9	13.6	55.9	3.32	100.64	-1.95	7.82	6.67	.44	75.94
4	11.2	238.1	4.2	65.0	4.61	193.44	3.77	16.26	5.00	.56	76.95
5	2.6	93.8	-5.9	66.9	6.77	148.57	12.24	18.82	4.00	.71	56.96
6	-4.3	-50.6	-15.2	61.4	6.90	67.18	10.21	15.22	3.33	.85	56.15
7	-9.1	-183.0	-22.7	49.9	4.50	26.48	3.61	7.97	2.86	.80	65.62
8	-11.7	-243.5	-27.4	34.1	2.05	6.46	.46	2.57	2.50	.72	79.81
9	-12.4	-375.0	-28.8	16.5	.89	2.47	-0.08	.64	2.22	.44	82.76
10	-11.4	-422.5	-26.8	-0.7	.63	1.04	-0.06	-0.12	2.00	.17	64.08
11	-8.8	-435.4	-21.5	-15.6	.69	.83	-0.09	-0.27	1.82	.37	70.63
12	-5.1	-415.5	-13.8	-26.5	.66	.61	-0.06	-0.29	1.67	.46	79.06
13	-0.6	-367.9	-4.6	-33.0	.45	.47	-0.03	-0.17	1.54	.38	79.44
14	3.8	-298.7	5.0	-35.1	.28	.34	-0.01	-0.11	1.43	.35	85.76
15	7.5	-215.2	13.7	-33.6	.21	.28	-0.02	-0.07	1.33	.30	75.80
16	9.8	-125.3	20.8	-29.2	.15	.24	-0.02	-0.06	1.25	.32	74.73
17	16.5	-35.8	25.5	-22.4	.12	.19	-0.02	-0.04	1.18	.30	70.04
18	9.7	47.6	27.4	-15.7	.10	.12	-0.02	-0.03	1.11	.36	54.89
19	7.7	119.8	26.5	-8.6	.09	.11	-0.02	-0.03	1.05	.39	57.09
20	5.1	178.2	23.1	-2.2	.09	.10	-0.01	-0.04	1.00	.47	75.73
21	2.4	221.0	17.5	2.9	.07	.10	-0.01	-0.03	.95	.35	69.24
22	.0	248.1	10.5	6.6	.06	.09	-0.01	-0.01	.91	.19	22.92
23	-1.7	260.1	2.8	8.8	.06	.09	-0.01	0	.87	.10	20.49
24	-2.8	258.3	-4.6	9.6	.04	.09	.01	-0.01	.83	.13	43.94
25	-3.2	244.2	-11.2	9.2	.03	.10	0	0	.80	.07	13.53
26	-3.2	219.7	-16.4	8.1	.04	.10	0	0	.77	.07	19.29
27	-3.1	187.1	-19.9	6.9	.03	.09	0	-0.01	.74	.19	71.87
28	-2.6	148.0	-21.4	5.8	.03	.07	0	-0.01	.71	.16	56.53
29	-1.9	104.7	-21.1	5.0	.03	.06	0	0	.69	.10	3.85
30	-1.0	58.6	-19.4	4.6	.02	.06	0	0	.67	.05	61.45
31	-0.0	11.0	-16.5	4.7	.02	.06	0	0	.65	.13	9.88
32	.9	-46.3	-12.7	5.3	.02	.07	0	0	.63	.03	79.85
33	1.7	-81.7	-8.5	6.2	.02	.09	.01	0	.61	.16	8.83
34	2.2	-123.6	-4.1	6.9	.02	.08	.01	0	.59	.17	34.22
35	2.4	-160.2	.1	7.5	.02	.06	0	0	.57	.09	24.41
36	2.2	-189.8	3.9	7.7	.01	.06	0	0	.56	.09	55.37
37	1.9	-210.6	7.3	7.2	.01	.07	0	0	.54	.07	41.14
38	1.9	-221.8	10.0	6.0	.02	.08	0	0	.53	.16	61.61
39	1.9	-220.8	12.3	3.7	.01	.08	0	-0.01	.51	.26	87.03
40	1.9	-207.5	14.0	.4	.01	.08	0	-0.01	.50	.21	85.42
41	1.9	-181.9	15.0	-3.6	.01	.07	0	0	.49	.10	72.78
42	1.8	-144.5	15.4	-8.2	.01	.06	0	0	.48	.06	42.59
43	1.6	-97.6	14.9	-12.4	.01	.05	0	0	.47	.03	24.07
44	1.2	-43.9	13.6	-17.2	.01	.05	0	0	.45	.12	16.06
45	.8	14.0	11.5	-20.3	.01	.06	0	0	.44	.14	49.17
46	.7	71.7	8.8	-21.9	.01	.05	0	0	.43	.08	67.50
47	1.0	125.4	5.5	-21.5	.01	.04	0	0	.43	.15	2.77
48	1.6	172.1	1.7	-19.2	.01	.05	.01	0	.42	.21	-0.56
49	2.4	207.4	-2.0	-15.1	.01	.06	0	0	.41	.18	11.55
50	2.9	228.4	-5.7	-9.7	.01	.03	0	0	.40	.13	0

081 0III
 BBFLS 13 1.0M-II 0. 25MAY-65 1828-1833

LAGS= 50 N= 1636 D1= 0.2SEC

MEAN U=-11.3 MEAN W= 1.2

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	200.8	878.0	-48.2	0	5.28	5.70	-1.13	0	0	.14	0
1	188.7	829.3	-44.8	67.2	12.34	13.88	-1.32	1.75	20.00	.17	-53.07
2	150.4	705.8	-35.7	128.1	11.66	18.36	-1.21	2.26	10.00	.18	-61.74
3	114.8	523.2	-22.5	177.2	21.07	113.20	-5.08	28.76	6.67	.60	-79.98
4	72.0	305.5	-6.9	209.3	41.85	265.43	-5.06	76.77	5.00	.73	-86.23
5	24.4	76.1	8.2	221.8	45.96	239.45	-4.85	70.91	4.00	.68	-86.09
6	-19.4	-141.8	20.5	214.0	30.29	109.81	-11.50	33.27	3.33	.61	-70.93
7	-55.3	-330.0	27.9	187.5	15.26	54.35	-11.14	15.20	2.66	.65	-53.77
8	-81.1	-475.2	29.8	146.3	5.27	29.48	-5.11	4.52	2.50	.50	-41.48
9	-94.1	-568.5	26.6	95.4	2.63	10.71	-1.58	.25	2.22	.30	-21.99
10	-99.7	-507.4	19.4	40.5	1.50	4.28	-0.02	0	2.00	.01	-1.85
11	-92.5	-596.1	10.0	-13.0	1.08	2.61	-0.14	-0.17	1.82	.13	50.02
12	-76.7	-541.3	.1	-60.9	.81	1.86	-0.06	-0.11	1.67	.10	61.35
13	-55.2	-453.0	-8.5	-99.9	.67	1.46	0	-0.23	1.54	.23	89.53
14	-31.3	-342.5	-14.4	-128.0	.54	1.14	.02	-0.19	1.43	.25	-84.08
15	-7.3	-220.3	-16.5	-143.5	.37	.76	.08	-0.16	1.33	.34	-84.29
16	14.5	-94.8	-14.9	-147.0	.27	.60	.05	-0.05	1.25	.20	-51.51
17	32.4	25.2	-10.4	-139.8	.20	.60	.02	0	1.18	.05	4.70
18	45.0	133.9	-3.7	-123.9	.16	.47	.02	.02	1.11	.10	40.79
19	52.5	227.0	3.4	-101.4	.14	.26	.01	-0.01	1.05	.08	-52.47
20	55.5	301.6	9.7	-75.0	.12	.19	0	-0.01	1.00	.04	74.38
21	54.2	355.2	13.7	-47.0	.08	.18	-0.01	0	.95	.12	6.44
22	49.1	387.8	14.7	-18.5	.09	.22	-0.03	.01	.91	.22	-11.64
23	41.3	395.5	12.9	9.5	.14	.21	-0.03	-0.03	.87	.24	46.25
24	32.4	378.2	8.9	35.4	.15	.15	-0.01	-0.04	.83	.24	79.13
25	23.0	338.2	2.8	58.1	.09	.14	0	-0.01	.80	.08	63.36
26	13.3	277.9	-4.2	77.1	.05	.16	-0.01	.03	.77	.33	-61.41
27	3.9	201.7	-11.1	92.0	.06	.14	-0.02	.02	.74	.29	-48.25
28	-4.4	113.1	-17.1	101.9	.07	.13	-0.02	-0.01	.71	.21	31.41
29	-11.4	19.1	-21.8	106.1	.05	.13	-0.01	-0.02	.69	.25	63.28
30	-17.6	-73.5	-24.6	104.3	.04	.14	-0.01	-0.01	.67	.15	27.08
31	-22.9	-159.1	-25.3	96.6	.03	.13	-0.01	0	.65	.18	-3.85
32	-26.6	-229.9	-24.1	82.6	.03	.09	0	.01	.63	.14	-88.74
33	-28.6	-281.8	-20.9	63.3	.03	.08	0	0	.61	.08	40.26
34	-29.1	-310.8	-16.1	39.5	.03	.08	-0.01	0	.59	.15	-27.97
35	-28.2	-317.3	-10.0	12.9	.03	.08	-0.01	.01	.57	.22	-38.52
36	-25.8	-302.2	-2.1	-15.4	.04	.10	-0.01	.01	.56	.14	-47.46
37	-22.3	-268.4	6.8	-42.9	.04	.10	0	0	.54	.07	-20.16
38	-17.7	-219.4	16.0	-67.8	.03	.08	0	0	.53	.08	-29.85
39	-12.4	-159.5	24.2	-88.3	.03	.07	0	.01	.51	.20	-57.56
40	-6.4	-94.0	30.4	-102.3	.03	.09	-0.01	.02	.50	.35	-62.93
41	.5	-28.1	33.0	-108.4	.02	.09	-0.01	.01	.49	.27	-51.68
42	7.8	35.2	31.7	-106.5	.02	.08	0	.01	.48	.18	-49.79
43	15.1	92.4	26.2	-97.3	.02	.10	0	.01	.47	.24	-69.54
44	22.3	141.9	17.3	-81.1	.02	.12	0	.01	.45	.19	89.85
45	28.7	192.0	5.8	-59.1	.02	.10	.01	0	.44	.18	37.81
46	33.5	211.0	-7.1	-33.5	.02	.09	.01	0	.43	.14	30.29
47	36.0	228.5	-19.9	-6.0	.02	.11	0	0	.43	.06	-64.75
48	35.8	234.1	-30.7	21.4	.02	.10	0	0	.42	.02	14.38
49	33.3	226.7	-37.5	46.0	.02	.09	0	.01	.41	.15	74.28

CORRELATION COEFFICIENT -0.115

082 0 III
 HREIS- 13 1.74- III 25 MAY-65 1835-1840
 LAGS= 50 N= 1304 DT= .20SEC
 MFAN U = 12.4 MEAN W = -3.2

TM No. 377

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	272.5	1106.4	-87.3	0	6.29	3.35	-2.22	0	0	.48	0
1	256.2	1039.3	-82.7	121.2	15.76	9.47	-5.13	1.38	20.00	.44	-15.08
2	218.3	885.9	-68.6	231.7	19.58	12.05	-6.18	5.32	10.00	.53	-40.74
3	164.0	654.1	-48.4	319.2	28.42	14.64	-10.08	41.19	6.67	.74	-76.25
4	100.3	371.7	-23.4	376.5	55.69	330.75	-12.64	123.26	5.00	.91	-84.14
5	34.2	70.4	.5	397.3	66.09	353.36	-11.14	141.69	4.00	.93	-85.50
6	-26.9	-221.0	20.9	381.0	41.60	169.66	-14.42	73.78	3.33	.89	-78.94
7	-77.4	-475.7	34.6	331.3	19.23	55.60	-14.85	22.43	2.86	.82	-56.48
8	-114.1	-675.2	40.4	254.1	8.36	24.58	-7.91	5.27	2.50	.66	-33.71
9	-134.8	-843.8	38.1	157.6	3.15	10.99	-2.69	-0.20	2.22	.46	4.19
10	-140.3	-856.9	29.7	53.2	1.99	4.57	-0.56	-0.37	2.00	.22	33.08
11	-131.1	-835.2	18.6	-49.8	1.39	1.99	.08	-0.06	1.82	.06	-39.10
12	-110.3	-748.1	5.9	-142.2	.78	1.75	.23	.11	1.67	.22	26.94
13	-81.4	-607.0	-3.3	-215.3	.49	1.44	.19	-0.02	1.54	.23	-4.55
14	-48.7	-428.3	-9.6	-264.0	.41	1.15	.17	-0.08	1.43	.28	-25.06
15	-15.2	-231.9	-11.7	-286.0	.33	.75	.11	-0.15	1.33	.37	-53.18
16	15.9	-30.7	-10.2	-281.7	.26	.62	.03	-0.14	1.25	.36	-77.53
17	41.6	158.4	-5.6	-254.0	.19	.53	.04	-0.11	1.18	.38	-69.47
18	60.5	322.3	.0	-208.4	.14	.46	.05	-0.03	1.11	.22	-34.12
19	71.5	451.7	5.7	-150.6	.11	.36	.01	-0.02	1.05	.11	-73.09
20	74.8	540.3	10.1	-86.5	.13	.30	-0.01	-0.04	1.00	.20	72.64
21	70.7	584.3	12.5	-21.9	.14	.29	-0.02	-0.04	.95	.21	61.00
22	61.4	582.2	11.7	38.6	.14	.31	-0.02	-0.01	.91	.10	30.78
23	48.2	538.1	8.3	90.5	.14	.28	.01	-0.02	.87	.12	-68.67
24	32.3	456.3	3.2	131.1	.13	.27	.03	-0.03	.83	.22	-48.24
25	15.4	346.7	-3.0	158.8	.12	.25	.02	-0.02	.80	.14	-47.22
26	-1.3	218.9	-9.5	172.4	.10	.23	-0.00	-0.02	.77	.10	74.71
27	-17.4	84.9	-14.6	173.4	.08	.27	-0.02	-0.02	.74	.21	39.61
28	-31.7	-46.6	-18.0	161.5	.06	.33	-0.02	.01	.71	.16	-22.86
29	-43.9	-162.9	-19.7	139.1	.06	.32	-0.02	.03	.69	.25	-54.68
30	-53.1	-260.9	-18.9	108.2	.08	.32	-0.06	.03	.67	.44	-29.02
31	-59.0	-331.9	-15.0	71.2	.08	.30	-0.07	.03	.65	.44	-21.10
32	-60.8	-374.1	-10.0	32.7	.07	.22	-0.02	.01	.63	.16	-26.59
33	-57.9	-388.0	-2.9	-6.6	.06	.22	-0.01	-0.01	.61	.14	65.96
34	-51.4	-375.3	4.8	-42.7	.06	.29	-0.01	-0.03	.59	.23	67.24
35	-40.8	-337.2	11.8	-73.7	.05	.28	.00	-0.03	.57	.29	-88.62
36	-27.3	-280.7	17.4	-97.8	.05	.27	-0.00	-0.04	.56	.38	85.27
37	-12.7	-210.7	22.0	-113.5	.04	.29	-0.02	-0.03	.54	.34	54.98
38	2.7	-132.2	24.7	-120.7	.04	.28	-0.02	-0.01	.53	.27	27.54
39	17.3	-50.9	25.2	-119.3	.05	.24	-0.02	-0.03	.51	.37	58.63
40	29.7	28.1	23.7	-109.5	.04	.25	-0.02	-0.03	.50	.37	51.07
41	39.6	100.5	20.0	-93.7	.04	.28	-0.02	.00	.49	.17	-15.37
42	46.5	161.7	14.1	-72.9	.05	.29	-0.01	-0.00	.48	.06	18.49
43	50.6	208.4	6.8	-48.8	.05	.30	-0.02	-0.03	.47	.30	62.83
44	51.5	239.6	-1.3	-23.6	.06	.32	-0.02	-0.03	.45	.26	52.81
45	49.8	253.5	-9.4	.4	.07	.31	-0.01	-0.02	.44	.13	57.57
46	45.7	253.1	-17.1	22.0	.06	.24	-0.01	-0.02	.43	.19	74.62
47	32.4	237.5	-24.0	39.5	.04	.23	-0.00	-0.02	.43	.19	86.89
48	31.7	209.0	-29.3	54.1	.03	.28	.01	-0.00	.42	.07	-18.71
49	23.1	170.9	-32.6	65.3	.03	.23	-0.01	-0.00	.41	.11	1.28
50	14.3	125.9	-34.3	73.8	.02	.09	-0.01	-0.00	.40	.35	.00

CORRELATION COEFFICIENT -0.159

083 0III 25 MAY-65 2016-2020
 BRFS-13 4.0M-III
 LAGE=50 N=1694 DT=.20SEC
 MEAN U = -13.6 MEAN W = -8.5
 K ACOV U ACOV W COV IN COVOUT SP U SP W CO QUA PER R PHI

0	89.7	424.0	-20.9	0	13.09	8.93	-1.87	0	0	.17	0
1	84.8	408.1	-20.7	22.0	19.32	14.74	-3.62	-2.18	20.00	.25	30.99
2	79.8	366.2	-19.9	42.3	11.09	27.46	-3.88	1.37	10.00	.24	-19.43
3	71.3	301.3	-18.3	59.4	12.67	92.06	-5.39	18.96	6.67	.58	-74.13
4	59.6	219.3	-15.9	71.9	14.19	139.64	-3.99	32.94	5.00	.75	-83.10
5	49.4	127.1	-12.8	79.1	9.24	94.65	-0.86	22.45	4.00	.76	-87.79
6	37.6	31.5	-9.3	80.3	4.03	32.14	-1.11	7.07	3.33	.63	-81.09
7	27.6	-60.4	-6.0	75.9	1.73	8.39	-1.04	1.40	2.86	.46	-53.50
8	19.8	-142.7	-2.9	66.4	1.08	2.15	.01	.07	2.50	.04	79.06
9	11.5	-209.8	-0.4	52.6	.90	.76	.22	-0.01	2.22	.26	-3.52
10	5.9	-258.2	1.4	35.4	.59	.52	.18	-0.04	2.00	.34	-11.37
11	2.2	-295.4	2.7	16.3	.33	.36	.07	.04	1.82	.22	31.25
12	.0	-291.2	3.6	-3.2	.24	.33	.08	.06	1.67	.36	39.68
13	-1.6	-276.6	4.1	-21.6	.21	.31	.09	.05	1.54	.41	25.65
14	.1	-244.4	4.3	-37.8	.15	.21	.07	.01	1.43	.39	7.84
15	.1	-198.3	4.3	-50.7	.13	.13	.04	-0.01	1.33	.34	-19.08
16	5.0	-142.9	4.4	-59.5	.13	.08	.03	-0.03	1.25	.38	-47.36
17	9.7	-82.7	4.5	-64.2	.10	.07	.01	-0.02	1.18	.29	-59.79
18	12.7	-22.0	4.6	-64.8	.06	.06	.00	-0.01	1.11	.20	-68.26
19	16.6	35.6	4.8	-61.7	.05	.05	.01	-0.01	1.05	.17	-38.49
20	20.1	86.4	4.7	-55.3	.04	.06	.00	-0.01	1.00	.26	-72.11
21	23.0	127.9	4.3	-46.3	.03	.05	-0.00	-0.01	.95	.13	73.11
22	25.0	158.6	3.5	-35.5	.03	.03	-0.00	.00	.91	.04	-1.22
23	26.2	177.7	2.1	-23.7	.02	.02	.00	.00	.87	.03	41.35
24	26.4	185.1	.2	-11.6	.02	.03	.00	.00	.83	.10	62.39
25	25.6	191.5	-2.0	-0.2	.02	.04	-0.00	.01	.80	.33	-77.98
26	24.2	168.4	-4.3	10.1	.02	.04	-0.00	.01	.77	.36	-73.75
27	22.3	147.8	-6.5	18.9	.01	.03	-0.00	.00	.74	.16	-47.91
28	20.2	121.2	-8.3	25.8	.01	.02	-0.00	-0.00	.71	.20	32.32
29	18.1	90.9	-9.4	30.6	.01	.03	-0.00	.00	.69	.04	-76.89
30	15.9	58.7	-9.9	33.1	.01	.03	.00	.00	.67	.17	5.27
31	13.6	26.4	-9.6	33.7	.01	.03	.00	-0.00	.65	.18	-2.76
32	11.2	-4.2	-8.6	32.5	.01	.03	.00	-0.00	.63	.15	-18.18
33	8.8	-31.5	-7.0	29.8	.01	.03	.00	-0.00	.61	.18	-10.28
34	6.5	-54.4	-4.7	25.7	.01	.03	.00	-0.00	.59	.26	-18.02
35	1.5	-72.1	-1.9	20.5	.01	.03	.00	-0.00	.57	.32	-17.72
36	2.7	-94.0	1.3	14.6	.00	.03	.00	-0.00	.56	.38	-13.96
37	1.1	-20.1	4.5	8.3	.01	.03	.00	-0.00	.54	.33	-6.33
38	-0.1	-90.6	7.4	1.8	.01	.03	.00	-0.00	.53	.21	-6.99
39	-1.0	-86.1	9.9	-4.6	.01	.03	.00	-0.00	.51	.14	-20.71
40	-1.6	-77.5	11.7	-10.7	.01	.02	.00	.00	.50	.14	.90
41	-1.8	-66.0	12.5	-16.2	.01	.03	.00	.00	.49	.20	50.87
42	-1.8	-52.2	12.3	-20.7	.01	.03	.00	.00	.48	.11	62.59
43	-1.6	-37.3	11.0	-24.0	.01	.03	.00	.00	.47	.06	59.55
44	-1.2	-22.0	8.9	-26.1	.00	.03	.00	.00	.45	.25	21.86
45	-0.5	-7.0	6.2	-27.0	.00	.03	.00	.00	.44	.34	11.67
46	.6	7.3	3.2	-26.8	.00	.03	.00	-0.00	.43	.15	-13.46
47	1.8	20.4	.3	-25.3	.00	.03	-0.00	-0.00	.43	.09	26.36
48	3.2	31.8	-2.2	-23.0	.01	.02	-0.00	.00	.42	.12	-4.66
49	4.6	41.6	-4.3	-19.8	.00	.02	-0.00	.00	.41	.10	-27.56
50	5.8	49.7	-5.9	-16.1	.00	.01	-0.00	.00	.40	.08	-0.00
CORRELATION COEFFICIENT -0.117											

084

OMI

BBELS 13 4.0M-~~II~~ 0. 05MAY-65 2034-2037

LAGS= 50 N= 723 DT= .20SEC

MEAN U = -10.8 MEAN W = -7.2

CORRELATION COEFFICIENT -0.120

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	K	PHI
0	133.2	468.9	-29.9	0	3.57	6.33	.32	0	0	.07	0
1	126.9	448.0	-27.6	40.7	10.67	9.57	.64	.68	20.00	.09	46.82
2	112.5	403.5	-23.3	78.8	16.70	25.58	.77	5.99	10.00	.29	82.66
3	92.1	335.5	-16.9	111.1	26.77	117.53	-3.46	38.61	6.67	.69	-84.87
4	68.8	249.2	-9.3	135.5	33.53	175.54	-10.19	64.69	5.00	.85	-81.05
5	44.5	150.5	-0.6	150.4	22.49	97.03	-9.88	39.90	4.00	.88	-76.09
6	21.1	44.9	7.9	154.9	8.14	21.77	-5.01	9.56	3.33	.81	-62.32
7	-0.5	-59.9	15.8	149.7	2.88	6.33	-1.58	1.45	2.86	.50	-42.49
8	-19.8	-155.6	21.6	134.6	1.61	1.86	-0.30	-0.01	2.50	.17	1.46
9	-36.2	-237.0	25.1	111.1	1.52	.81	-0.26	.23	2.22	.32	-41.70
10	-49.1	-299.3	26.6	81.3	1.37	.45	-0.21	.22	2.00	.38	-46.02
11	-58.2	-340.8	26.1	47.4	.95	.33	-0.12	.09	1.82	.26	-36.11
12	-62.9	-360.6	24.0	12.4	.71	.30	.02	-0.07	1.67	.16	-75.11
13	-62.8	-355.8	19.7	-22.2	.60	.29	.13	-0.05	1.54	.34	-22.12
14	-58.3	-329.6	14.6	-54.2	.30	.19	.05	-0.02	1.43	.20	-18.81
15	-50.4	-284.9	8.7	-81.5	.13	.15	-0.04	-0.01	1.33	.27	8.53
16	-40.0	-225.5	2.5	-102.5	.15	.20	-0.04	.03	1.25	.31	-34.74
17	-27.8	-156.1	-3.8	-115.5	.13	.28	-0.03	.07	1.18	.41	-63.90
18	-15.3	-80.4	-9.6	-120.0	.08	.30	-0.02	.04	1.11	.32	-62.36
19	-3.4	-3.9	-13.8	-117.2	.05	.33	-0.04	-0.02	1.05	.39	28.95
20	7.1	69.1	-16.6	-107.3	.07	.34	-0.07	-0.04	1.00	.68	49.56
21	15.8	135.4	-17.6	-91.4	.08	.29	-0.08	-0.06	.95	.63	37.74
22	22.4	190.6	-17.2	-70.9	.06	.19	-0.06	-0.02	.91	.63	15.77
23	26.4	233.3	-16.0	-47.2	.03	.12	-0.03	-0.00	.87	.48	2.45
24	27.6	260.3	-14.1	-22.7	.02	.09	-0.01	-0.01	.83	.20	48.05
25	26.0	272.6	-11.6	1.3	.02	.08	-0.01	-0.01	.80	.22	57.57
26	22.5	268.5	-8.7	23.7	.03	.09	-0.00	-0.01	.77	.11	68.74
27	18.0	250.5	-5.9	43.5	.03	.12	-0.00	.00	.74	.05	-20.96
28	12.8	220.6	-2.9	60.0	.04	.14	-0.02	.00	.71	.30	-5.37
29	7.3	179.9	-0.0	72.3	.04	.13	-0.03	.01	.69	.48	-13.25
30	1.2	131.4	2.6	80.0	.03	.09	-0.02	.01	.67	.41	-13.44
31	-5.1	78.4	4.5	83.0	.02	.10	-0.01	.00	.65	.33	-1.99
32	-11.5	23.3	6.1	81.4	.02	.11	-0.02	-0.00	.63	.42	13.76
33	-17.4	-30.3	7.5	75.7	.02	.08	-0.02	-0.01	.61	.49	21.26
34	-22.2	-79.1	8.4	66.0	.02	.07	-0.02	.00	.59	.37	-8.29
35	-25.4	-121.7	9.3	53.6	.02	.12	-0.01	.01	.57	.26	-44.91
36	-26.9	-155.6	10.1	38.9	.02	.14	-0.01	-0.00	.56	.15	30.84
37	-26.6	-179.0	10.9	22.9	.02	.14	-0.01	-0.02	.54	.55	63.66
38	-25.0	-191.7	11.2	6.5	.02	.15	-0.02	-0.04	.53	.79	59.27
39	-22.5	-193.6	10.7	-10.1	.02	.15	-0.02	-0.02	.51	.52	53.11
40	-19.4	-184.5	9.4	-25.7	.02	.11	-0.00	.00	.50	.07	-36.37
41	-15.7	-166.5	7.5	-39.4	.02	.07	.01	.00	.49	.20	33.20
42	-11.4	-140.8	5.3	-50.5	.02	.07	.01	-0.00	.48	.35	-9.57
43	-6.5	-109.4	3.1	-58.6	.02	.11	.00	.01	.47	.14	62.65
44	-1.0	-73.9	.9	-63.2	.02	.11	-0.02	.01	.45	.43	-31.79
45	4.7	-37.0	-1.2	-64.4	.03	.10	-0.03	.01	.44	.56	-25.12
46	9.8	-0.4	-3.0	-62.6	.03	.09	-0.02	.01	.43	.53	-25.58
47	13.8	34.2	-4.7	-57.9	.02	.12	-0.02	.01	.43	.46	-13.02
48	16.5	65.3	-6.3	-50.7	.02	.12	-0.02	.00	.42	.46	-4.77
49	17.9	91.2	-7.5	-41.3	.02	.09	-0.02	.00	.41	.54	-5.95
50	18.3	111.6	-7.8	-30.8	.01	.04	-0.01	.00	.40	.63	-0.00

085 0III
RREFS- 13 4.2M- VI 26 MAY- 65 0008-0011

TM No. 377

LAGE= 50 N= 719 DT= .20SEC
MEAN U = -5.2 MEAN W = .9

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	228.3	361.9	-41.9	0	1.28	1.26	-0.14	0	0	.11	0
1	219.0	348.9	-40.7	60.4	.96	.71	.09	-0.83	20.00	.01	-83.71
2	194.3	316.1	-37.1	116.9	14.33	24.61	-3.62	12.79	10.00	.71	-74.21
3	163.5	265.3	-31.4	165.8	67.49	110.06	-15.08	74.88	6.67	.89	-78.61
4	122.6	199.9	-24.2	204.0	88.27	140.71	-16.21	102.67	5.00	.93	-81.03
5	76.5	124.7	-16.1	229.3	40.39	63.63	-4.93	48.05	4.00	.95	-84.14
6	27.5	44.2	-7.7	240.3	7.38	11.88	-0.60	8.23	3.33	.98	-85.85
7	-21.7	-36.6	1.2	237.0	2.52	4.53	-0.82	2.67	2.86	.83	-72.98
8	-68.9	-112.7	10.0	219.6	.57	1.16	-0.34	.29	2.50	.55	-40.99
9	-111.3	-179.7	18.1	190.0	.52	.69	-0.12	.17	2.22	.35	-55.87
10	-146.1	-234.4	24.9	150.0	.35	.23	.07	-0.09	2.00	.40	-49.86
11	-171.2	-273.7	30.0	102.5	.64	.22	.06	-0.03	1.82	.18	-30.11
12	-185.3	-296.8	33.0	50.6	.66	.16	-0.01	-0.01	1.67	.04	58.61
13	-188.6	-302.0	34.7	-1.7	.47	.23	-0.08	.10	1.54	.40	-52.51
14	-181.3	-290.9	35.1	-51.7	.32	.21	-0.11	.04	1.43	.46	-21.24
15	-163.8	-265.1	34.0	-97.3	.34	.16	-0.12	.04	1.33	.54	-19.28
16	-138.3	-226.0	31.6	-135.8	.27	.08	-0.07	-0.01	1.25	.48	7.11
17	-106.8	-178.1	27.6	-165.4	.17	.06	-0.02	-0.02	1.18	.23	43.99
18	-71.1	-122.0	22.5	-184.9	.13	.06	.01	-0.03	1.11	.40	-69.60
19	-33.1	-62.0	16.0	-194.0	.11	.08	.03	-0.02	1.05	.36	-35.99
20	4.6	-1.4	8.0	-192.6	.07	.10	.03	-0.03	1.00	.52	-39.57
21	45.4	56.7	1.4	-180.8	.06	.10	.03	-0.01	.95	.42	-19.61
22	73.1	109.3	-6.2	-160.0	.06	.06	.02	.01	.91	.38	19.51
23	100.9	153.9	-13.3	-131.7	.06	.04	.01	.03	.87	.54	65.17
24	122.6	189.0	-19.7	-97.8	.07	.03	.01	.01	.83	.21	53.20
25	137.2	212.8	-25.0	-60.1	.10	.02	-0.01	-0.01	.80	.19	50.24
26	143.9	225.1	-29.0	-21.0	.09	.03	-0.00	-0.02	.77	.41	87.71
27	142.9	225.5	-31.4	17.7	.05	.05	.01	-0.02	.74	.50	-64.28
28	134.3	214.6	-32.3	54.1	.03	.05	.01	-0.01	.71	.38	-36.93
29	112.4	193.4	-31.3	86.2	.03	.05	.01	.01	.69	.42	56.39
30	99.7	163.2	-29.0	112.8	.03	.04	.00	.01	.67	.35	88.03
31	76.3	125.9	-25.3	133.1	.04	.03	-0.01	.01	.65	.41	-30.42
32	40.9	83.8	-20.4	145.8	.04	.03	-0.02	.01	.63	.44	-19.45
33	21.9	39.1	-14.4	150.5	.04	.03	-0.01	.00	.61	.31	-20.81
34	-6.5	-5.6	-7.8	147.3	.02	.04	-0.01	-0.01	.59	.43	60.94
35	-33.8	-48.5	-1.0	136.4	.02	.04	-0.00	-0.01	.57	.54	73.97
36	-58.5	-87.2	5.8	118.8	.03	.04	-0.00	-0.01	.56	.35	79.41
37	-79.4	-120.0	12.2	95.6	.03	.05	.00	-0.01	.54	.23	-69.41
38	-95.6	-145.2	17.7	68.2	.02	.04	.01	-0.00	.53	.26	-9.72
39	-106.2	-162.2	22.1	38.5	.03	.03	.01	.00	.51	.26	22.36
40	-111.0	-169.8	25.5	7.7	.03	.02	.00	-0.00	.50	.18	-75.18
41	-109.6	-168.1	27.5	-22.4	.04	.03	-0.00	-0.01	.49	.31	66.90
42	-102.2	-157.9	28.1	-50.4	.03	.03	-0.00	-0.01	.48	.28	67.63
43	-89.5	-139.5	27.2	-75.0	.02	.02	.00	-0.00	.47	.15	-6.08
44	-72.6	-114.9	25.0	-94.9	.01	.03	.01	.00	.45	.57	23.64
45	-52.5	-85.6	21.9	-108.8	.01	.04	.01	.01	.44	.50	36.65
46	-30.7	-53.2	17.9	-116.4	.01	.04	.00	.01	.43	.32	67.49
47	-8.5	-19.6	13.5	-117.1	.01	.04	.00	.01	.43	.32	68.70
48	13.1	13.3	8.8	-111.4	.01	.02	.00	.00	.42	.31	54.74
49	32.9	43.7	3.8	-99.8	.01	.01	.00	.00	.41	.32	41.98
50	50.0	69.8	-1.0	-83.3	.01	.01	.00	.00	.40	.35	.00

CORRELATION COEFFICIENT -0.146

086 0III
RRFS- 13 4.04- VII 26 MAY-65 0552-0557

TM No. 377

LAGE= 50 N= 1470 DT= .20SEC

MEAN U = -5.4 MEAN W = -6.4

K	ACOV U	ACOV W	COV	IN COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	83.4	156.5	3.2	0	7.36	4.81	.58	0	0	.10	0
1	81.1	151.5	3.1	17.3	12.20	9.71	.24	.79	20.30	.08	73.27
2	75.4	139.7	2.4	33.6	10.72	17.44	-0.43	5.90	10.00	.43	-85.87
3	66.9	119.7	2.6	47.8	18.15	41.61	1.27	21.98	6.57	.86	86.68
4	55.3	95.1	2.2	59.2	20.80	50.07	1.70	28.56	5.00	.89	86.60
5	44.0	60.5	1.9	66.9	10.02	24.71	.07	13.83	4.00	.88	89.70
6	31.1	36.0	1.4	70.5	2.04	4.84	-0.26	2.22	3.33	.71	-83.23
7	18.1	5.3	.9	69.8	.70	1.43	-0.02	.51	2.36	.51	-88.29
8	5.7	-23.6	.2	65.2	.31	.50	-0.02	.12	2.50	.31	-82.88
9	-5.4	-49.4	-0.4	57.1	.20	.25	-0.02	.04	2.22	.20	-68.35
10	-14.8	-70.6	-1.1	46.2	.12	.11	-0.01	-0.01	2.00	.13	45.01
11	-22.9	-86.3	-1.7	33.1	.12	.11	.02	-0.01	1.82	.21	-30.74
12	-26.7	-95.9	-2.2	18.8	.10	.12	.02	-0.04	1.67	.43	-57.68
13	-24.8	-99.0	-2.4	4.0	.08	.12	.02	-0.04	1.54	.45	-60.94
14	-25.5	-96.1	-2.5	-10.3	.05	.08	.02	-0.03	1.43	.64	-60.38
15	-26.1	-87.7	-2.8	-23.4	.04	.05	.02	-0.02	1.33	.51	-42.88
16	-21.6	-74.4	-2.2	-34.5	.04	.03	.01	-0.01	1.25	.27	-57.96
17	-15.6	-68.5	-1.7	-43.1	.03	.03	-0.00	-0.00	1.18	.10	20.38
18	-8.7	-39.7	-1.0	-48.8	.03	.03	-0.00	-0.00	1.11	.13	35.88
19	-1.2	-19.7	-0.2	-51.6	.02	.04	-0.00	.00	1.05	.12	-0.97
20	6.3	.4	.7	-51.2	.02	.04	-0.00	.00	1.00	.07	-32.16
21	13.5	19.3	1.8	-48.1	.02	.04	.00	.00	.95	.07	30.19
22	19.9	36.1	2.9	-42.5	.02	.03	.00	-0.00	.91	.17	-62.14
23	25.2	49.8	4.0	-34.9	.02	.03	.00	-0.00	.87	.09	-63.07
24	29.0	50.0	5.0	-25.8	.01	.02	-0.00	.00	.83	.18	-4.98
25	31.3	66.1	5.9	-15.7	.01	.02	-0.00	.00	.80	.24	-6.92
26	32.0	68.2	5.6	-5.3	.01	.02	-0.00	-0.00	.77	.14	87.41
27	31.0	66.4	7.1	4.8	.01	.02	.00	-0.00	.74	.23	-80.72
28	25.5	50.9	7.2	14.0	.01	.02	-0.00	-0.00	.71	.24	85.96
29	24.8	52.4	6.9	22.0	.01	.01	-0.00	-0.00	.69	.04	54.28
30	20.1	41.5	5.5	28.2	.01	.01	-0.00	.00	.67	.09	-8.79
31	14.7	29.1	5.7	32.6	.01	.01	-0.00	-0.00	.65	.10	53.89
32	9.0	15.2	4.8	34.8	.01	.01	.00	-0.00	.63	.17	-62.11
33	3.1	2.4	3.5	35.0	.01	.01	.00	-0.00	.61	.17	-47.98
34	-2.4	-10.2	2.4	33.3	.00	.01	.00	-0.00	.59	.24	-75.58
35	-7.6	-21.5	1.1	29.9	.01	.02	.00	-0.00	.57	.12	-78.69
36	-11.9	-30.8	-0.3	25.0	.01	.02	.00	-0.00	.56	.11	-10.77
37	-15.4	-37.8	-1.6	19.1	.01	.02	.00	-0.00	.54	.24	-9.68
38	-17.8	-42.1	-2.8	12.5	.01	.01	.00	-0.00	.53	.23	-24.54
39	-14.1	-43.5	-3.9	5.7	.00	.01	.00	-0.00	.51	.22	-25.42
40	-12.3	-42.5	-4.7	-1.1	.00	.01	.00	-0.00	.50	.27	-24.50
41	-15.4	-38.9	-5.4	-7.4	.00	.01	.00	-0.00	.49	.08	-4.42
42	-16.6	-43.2	-5.5	-12.8	.00	.01	-0.00	.00	.48	.07	-75.23
43	-14.8	-25.7	-5.8	-17.2	.00	.01	.00	.00	.47	.18	22.54
44	-10.2	-16.9	-5.5	-20.4	.00	.01	.00	.00	.45	.34	19.47
45	-6.0	-7.1	-5.2	-22.2	.00	.01	.00	.00	.44	.31	16.13
46	-1.5	2.9	-4.7	-22.5	.00	.01	.00	-0.00	.43	.23	-15.93
47	3.0	12.3	-3.9	-21.5	.00	.01	.00	-0.00	.43	.22	-26.40
48	7.3	20.7	-3.1	-19.1	.00	.01	.00	-0.00	.42	.18	-28.23
49	11.1	27.8	-2.1	-15.5	.00	.01	.00	-0.00	.41	.21	-7.97
50	14.2	32.9	-1.1	-10.9	.00	.01	.00	-0.00	.40	.27	-0.00

CORRELATION COEFFICIENT .028

I/O ERR 24, LUT 50

087 LI-W
REFIS- 14 0-2.1M- II 7 JUNE-65 1403-1408

LAGS= 50 N= 1408

DT= .20SFC

MEAN W_1 = -3.2MEAN W_2 = 1.6

K	ACOV W_2	ACOV W_1	COV IN	COV OUT	SP W_2	SP W_1	CO	QUA	PER	R	PHI
0	397.4	870.8	434.4	0	13.92	11.49	7.47	0	0	.59	0
1	344.4	724.8	403.0	7.0	21.94	17.42	9.86	-0.99	20.00	.51	-5.71
2	303.8	573.0	339.7	23.5	23.28	19.72	11.58	1.52	10.00	.55	7.49
3	231.5	352.2	241.1	26.8	50.63	53.85	39.01	9.98	6.67	.77	14.35
4	147.0	113.5	121.7	27.6	83.88	133.31	91.64	13.00	5.00	.88	8.07
5	63.1	-99.0	5.0	37.8	83.84	186.16	116.99	5.49	4.00	.94	2.69
6	-15.5	-259.9	-110.1	32.7	49.92	149.76	81.51	2.00	3.33	.94	1.41
7	-81.2	-375.4	-189.6	28.5	22.02	93.43	39.84	3.06	2.86	.88	4.39
8	-139.2	-451.3	-257.8	23.5	10.39	55.03	18.40	2.39	2.50	.78	7.40
9	-166.4	-438.0	-275.9	16.9	4.27	29.64	7.06	.96	2.22	.63	7.73
10	-182.9	-409.5	-274.0	10.9	2.25	18.62	3.02	-0.20	2.00	.47	-3.78
11	-183.0	-327.8	-243.3	9.3	1.95	13.40	1.30	-0.05	1.82	.25	-2.30
12	-159.2	-228.9	-190.6	2.7	1.94	9.67	.44	.32	1.67	.13	35.80
13	-129.1	-132.6	-129.1	-2.3	1.84	6.11	.08	-0.28	1.54	.09	-73.69
14	-85.5	-25.5	-58.4	-3.0	1.44	4.60	.34	-0.55	1.43	.25	-58.75
15	-42.4	58.8	-2.1	-9.1	.88	4.57	.64	-0.08	1.33	.32	-7.16
16	-5.0	131.5	56.0	-13.7	.69	4.22	.43	.07	1.25	.25	9.78
17	32.1	182.5	96.3	-16.1	.58	3.17	-0.02	.04	1.18	.03	-63.54
18	60.0	216.3	132.1	-18.7	.64	2.43	-0.13	.14	1.11	.15	-47.19
19	79.9	215.2	147.7	-23.5	.82	2.04	-0.05	.13	1.05	.11	-68.91
20	95.5	206.0	151.5	-22.5	.79	1.70	.14	.03	1.00	.13	11.88
21	102.3	181.9	142.3	-27.8	.76	1.44	.35	.21	.95	.39	30.26
22	100.0	140.0	121.2	-28.5	.67	1.23	.25	.31	.91	.43	50.93
23	95.2	111.4	100.0	-26.6	.53	1.05	-0.00	.12	.87	.16	-87.79
24	82.6	72.7	72.4	-21.1	.49	1.07	-0.09	-0.04	.83	.13	26.80
25	67.4	40.1	43.3	-15.5	.36	1.02	-0.10	-0.08	.80	.21	36.13
26	49.8	3.2	15.3	-8.4	.27	.93	-0.02	-0.04	.77	.09	64.05
27	32.2	-27.4	-7.7	-0.0	.30	1.29	.03	-0.18	.74	.29	-79.76
28	15.3	-60.5	-29.8	8.3	.34	1.64	.08	-0.30	.71	.42	-75.32
29	-0.3	-79.9	-48.0	10.8	.43	1.81	.33	-0.06	.69	.38	-11.11
30	-9.2	-83.4	-55.8	11.4	.53	2.03	.39	-0.03	.67	.38	-4.32
31	-19.7	-97.5	-60.5	14.7	.51	1.92	.18	-0.35	.65	.40	-62.39
32	-21.5	-89.2	-56.8	17.6	.60	2.11	.13	-0.55	.63	.50	-76.21
33	-21.6	-73.6	-46.0	19.1	.92	2.84	.23	-0.80	.61	.51	-73.78
34	-17.3	-54.9	-32.3	21.6	.96	2.98	.13	-0.84	.59	.50	-80.95
35	-11.9	-32.8	-17.5	22.1	.74	2.31	-0.07	-0.55	.57	.42	83.13
36	1.2	4.4	3.5	15.3	.53	1.52	-0.07	-0.34	.56	.38	78.75
37	9.6	31.9	24.5	11.4	.36	.94	-0.05	-0.24	.54	.42	77.33
38	16.0	60.0	42.2	7.8	.47	.91	.03	-0.27	.53	.41	-84.60
39	22.3	89.5	58.6	1.4	.81	1.05	.14	-0.23	.51	.29	-59.12
40	22.0	107.3	64.7	-7.2	1.07	1.09	.14	-0.11	.50	.17	-39.29
41	25.9	120.8	74.6	-6.8	1.20	1.46	.38	-0.03	.49	.29	-3.94
42	23.5	119.4	69.2	-12.8	1.17	2.09	.78	-0.01	.48	.50	-0.38
43	17.5	114.5	62.3	-14.5	1.18	2.86	1.16	-0.04	.47	.63	-2.05
44	7.1	93.6	50.6	-15.6	1.09	3.25	1.10	.07	.45	.58	3.59
45	-2.5	65.5	30.9	-22.3	.76	2.56	.48	.21	.44	.38	23.86
46	-13.5	27.9	13.2	-21.1	.69	1.75	-0.01	.36	.43	.33	-88.53
47	-24.7	-5.3	-12.3	-21.2	.69	1.61	-0.33	.30	.43	.42	-42.48
48	-35.4	-47.4	-32.0	-14.1	.50	1.63	-0.39	.02	.42	.43	-3.29
49	-42.5	-83.1	-52.2	-10.2	.41	1.43	-0.23	-0.07	.41	.31	16.43
50	-46.8	-100.5	-62.1	-4.6	.21	.62	-0.08	-0.00	.40	.22	.00

CORRELATION COEFFICIENT .738

088 LI-W
BREIS 14 00-02M-III C. 06JUL-65 1412-1417

TM No. 377

LAGS= 50 N= 1618 DT= 0.2SFC
MEAN W_1 = -3.4 MEAN W_2 = -6.0

K	ACOV W_1	ACOV W_2	COV IN	COVOUT	SP W_1	SP W_2	CO	QUA	PER	R	PHI
0	540.6	166.2	208.2	0	8.73	8.44	1.47	0	0	.17	0
1	497.8	158.1	197.6	4.7	16.24	14.72	4.25	-1.14	20.00	.28	-15.01
2	389.9	137.7	167.0	8.5	17.72	12.68	7.23	.71	10.00	.48	5.61
3	243.5	108.6	120.4	11.4	37.24	18.95	18.78	1.01	6.67	.71	3.97
4	87.2	74.2	63.4	12.9	86.70	33.82	46.51	3.84	5.00	.86	4.72
5	-55.1	38.1	4.7	13.2	118.73	38.29	60.82	6.41	4.00	.91	6.92
6	-166.7	3.6	-50.5	12.7	98.78	23.25	41.56	2.90	3.33	.87	4.00
7	-240.3	-26.6	-96.0	11.5	60.88	7.96	17.26	-0.01	2.86	.78	-0.93
8	-274.4	-50.1	-127.7	9.5	32.67	2.46	5.88	-0.31	2.50	.66	-3.01
9	-274.9	-65.3	-143.7	6.7	21.40	1.40	2.81	-0.33	2.22	.52	-6.78
10	-248.9	-72.0	-143.8	2.9	14.50	1.16	1.58	.13	2.00	.39	4.86
11	-203.7	-70.6	-130.5	-1.4	8.41	.73	.33	.43	1.82	.22	52.41
12	-146.6	-61.9	-106.5	-5.8	6.23	.39	-0.10	.29	1.67	.20	-71.92
13	-83.9	-47.4	-75.6	-9.9	3.48	.26	-0.08	.11	1.54	.14	-53.00
14	-21.4	-29.2	-41.3	-12.9	1.74	.20	-0.01	.08	1.43	.13	-81.75
15	34.0	-9.1	-6.9	-14.4	1.27	.18	0	.05	1.33	.11	-89.35
16	83.7	10.9	24.6	-14.2	.97	.18	.05	.01	1.25	.12	12.13
17	118.2	28.9	50.7	-12.4	.79	.16	.01	.01	1.18	.05	37.48
18	137.7	42.9	69.6	-9.4	.58	.11	-0.01	.01	1.11	.05	-63.48
19	142.0	51.9	80.2	-5.6	.37	.09	.02	0	1.05	.11	1.01
20	132.6	55.5	82.2	-1.9	.36	.07	.01	0	1.00	.04	-19.36
21	113.8	53.9	76.0	1.6	.37	.07	-0.02	0	.95	.15	-8.02
22	88.8	48.0	63.1	4.2	.28	.07	-0.02	0	.91	.17	11.49
23	60.8	38.8	45.8	6.0	.21	.06	-0.02	-0.01	.87	.18	24.20
24	31.9	27.6	26.3	7.0	.20	.04	-0.01	0	.83	.16	7.89
25	4.3	15.9	7.0	7.2	.17	.03	-0.01	0	.80	.13	-16.95
26	-19.3	4.7	-10.3	6.6	.14	.02	-0.01	.01	.77	.20	-38.21
27	-36.6	-4.9	-24.3	5.5	.12	.02	-0.01	0	.74	.20	-17.61
28	-46.5	-12.3	-34.1	3.7	.09	.03	0	0	.71	.09	-4.47
29	-49.4	-17.3	-39.6	1.0	.08	.03	0	.01	.69	.11	-56.51
30	-47.0	-19.9	-41.2	-2.4	.08	.03	0	.01	.67	.15	-67.93
31	-41.3	-20.3	-39.9	-6.4	.08	.03	0	0	.65	.03	58.26
32	-34.7	-18.8	-36.5	-10.5	.09	.03	0	0	.63	.06	-87.95
33	-30.2	-15.8	-31.6	-14.2	.08	.03	0	.01	.61	.11	89.97
34	-28.4	-11.7	-25.4	-16.8	.07	.02	0	.01	.59	.20	-82.50
35	-29.9	-6.8	-18.0	-18.4	.07	.02	-0.01	.01	.57	.23	-51.78
36	-29.8	-1.7	-10.1	-18.9	.07	.01	-0.01	.01	.56	.25	-46.11
37	-24.6	3.3	-2.2	-18.1	.07	.01	0	.01	.54	.24	-68.20
38	-12.5	7.5	5.2	-16.3	.07	.01	0	.01	.53	.24	69.80
39	6.8	10.5	12.1	-13.6	.05	.01	0	.01	.51	.28	51.26
40	30.3	12.5	18.2	-10.4	.04	.01	0	0	.50	.17	55.45
41	53.8	13.4	23.3	-6.8	.04	.01	0	0	.49	.05	-86.92
42	72.2	13.1	26.9	-3.3	.04	.01	0	0	.48	.07	16.36
43	82.3	11.7	28.6	0	.04	.01	0	.01	.47	.26	-64.66
44	82.3	9.6	27.8	2.5	.04	.01	0	.01	.45	.38	-67.87
45	73.0	7.1	24.5	3.9	.04	.01	0	0	.44	.17	-41.46
46	55.7	4.6	19.0	4.2	.04	.01	0	0	.43	.11	31.71
47	33.2	2.3	12.1	3.5	.05	.01	0	0	.43	.16	-41.41
48	8.4	.2	4.9	2.0	.06	.01	0	0	.42	.20	-61.55
49	-15.5	-1.6	-1.6	-0.7	.05	.01	0	0	.41	.09	70.83
50	-35.2	-3.2	-6.7	-4.2	.02	0	0	0	.40	.13	0

CORRELATION COEFFICIENT 0.695

089 LI-W
 BHEIS- 14 1-3.0M- 1 7 JUNE-65 1433-1438
 LAGS= 50 N= 1482 DT= .20SEC
 MFAN W_1 = -2.9 MEAN W_1 = .3

TM No. 377

K	ACOV W_1	ACOV W_2	COV IN	COVOUT	SP W_1	SP W_2	CO	QUA	PER	R	PHI
0	203.5	395.1	218.5	0	19.39	22.10	11.43	0	0	.55	0
1	196.4	374.4	209.3	3.8	30.63	32.64	16.30	2.92	20.00	.52	10.14
2	177.5	321.0	183.0	7.0	20.08	19.00	10.13	2.35	10.00	.53	13.04
3	149.3	242.9	143.2	9.5	22.78	31.87	21.49	2.45	6.67	.80	6.51
4	114.9	151.1	94.6	11.0	38.66	77.56	50.64	3.22	5.00	.93	3.64
5	77.9	57.4	42.4	11.5	39.72	97.71	58.33	1.31	4.00	.94	1.29
6	41.4	-28.3	-8.0	10.9	19.85	61.27	32.27	.77	3.33	.93	1.38
7	8.6	-98.1	-51.9	9.6	6.65	25.56	11.28	1.26	2.86	.87	6.37
8	-18.2	-147.2	-85.8	8.2	2.44	11.61	3.65	.86	2.50	.71	13.19
9	-37.3	-173.4	-107.4	6.8	1.10	6.03	1.24	.54	2.22	.53	23.61
10	-48.0	-177.3	-115.7	5.8	.65	3.39	.71	.25	2.00	.51	19.39
11	-50.4	-161.4	-111.3	5.3	.33	1.95	.40	.04	1.82	.51	5.98
12	-46.2	-129.3	-95.7	5.1	.21	1.23	.25	-0.06	1.67	.51	-13.05
13	-33.8	-85.8	-71.4	5.0	.13	.61	.09	-0.04	1.54	.33	-22.70
14	-18.1	-35.6	-41.4	4.7	.12	.35	.05	-0.03	1.43	.29	-35.09
15	.1	16.0	-8.9	4.2	.11	.30	.05	-0.02	1.33	.31	-23.81
16	19.0	64.5	22.9	3.4	.08	.23	.05	.00	1.25	.38	.71
17	36.6	105.8	51.3	2.6	.05	.15	.03	.00	1.18	.38	7.38
18	51.7	136.7	74.0	1.7	.05	.14	.02	.01	1.11	.27	19.18
19	62.9	155.8	89.6	.9	.04	.13	.01	.01	1.05	.27	48.05
20	69.6	162.3	97.4	.2	.03	.10	.01	.00	1.00	.22	12.24
21	71.5	157.1	97.7	-0.1	.02	.07	.01	-0.00	.95	.29	-16.07
22	68.7	141.4	91.3	-0.0	.02	.07	.01	.00	.91	.32	15.77
23	62.0	117.8	79.5	.4	.02	.06	.01	.01	.87	.33	55.48
24	52.1	88.9	63.8	1.0	.02	.06	.01	.01	.83	.35	55.63
25	40.1	57.2	45.7	2.0	.02	.05	.00	.01	.80	.25	54.72
26	27.1	25.6	26.8	3.2	.02	.05	.00	.00	.77	.20	46.57
27	13.9	-4.0	8.5	4.6	.01	.05	.00	.01	.74	.24	66.24
28	1.6	-29.2	-8.0	6.0	.01	.05	.00	.00	.71	.20	89.97
29	-9.1	-48.3	-21.6	7.5	.01	.05	.00	.00	.69	.12	75.49
30	-17.4	-60.1	-31.5	8.9	.01	.05	.00	.00	.67	.14	47.13
31	-23.0	-64.5	-37.5	10.0	.01	.04	.00	.00	.65	.17	61.30
32	-25.8	-61.9	-39.5	10.8	.01	.04	.00	.00	.63	.15	29.75
33	-25.8	-53.8	-37.7	10.9	.01	.04	.00	-0.00	.61	.08	-39.56
34	-23.2	-41.3	-32.5	10.2	.01	.04	.00	.00	.59	.04	16.51
35	-18.2	-25.5	-24.4	9.0	.01	.04	.00	.00	.57	.18	67.73
36	-11.2	-7.8	-14.1	7.2	.01	.04	.00	.00	.56	.23	77.49
37	-2.6	10.6	-2.2	5.1	.01	.04	-0.00	.00	.54	.24	-77.80
38	7.0	28.6	10.4	2.8	.01	.03	-0.00	.00	.53	.23	-71.44
39	17.2	45.1	22.9	.1	.01	.03	.00	.00	.51	.19	81.90
40	27.3	59.3	34.9	-2.8	.01	.03	.00	.00	.50	.26	31.93
41	36.8	70.2	45.5	-5.7	.01	.03	.00	.00	.49	.27	25.57
42	45.0	77.3	53.8	-8.4	.01	.04	.00	.00	.48	.11	82.75
43	51.7	80.5	59.5	-10.7	.01	.04	-0.00	.00	.47	.19	-25.84
44	56.6	79.7	62.4	-12.5	.01	.03	-0.00	.00	.45	.12	-17.92
45	59.4	75.6	62.6	-13.6	.01	.02	-0.00	-0.00	.44	.09	63.79
46	60.2	68.8	60.3	-13.8	.01	.03	-0.00	-0.00	.43	.29	72.13
47	59.1	60.3	55.9	-13.0	.01	.02	-0.00	-0.00	.43	.30	70.23
48	56.2	50.4	49.9	-11.2	.01	.02	-0.00	-0.00	.42	.02	3.29
49	51.7	39.4	42.6	-8.5	.01	.03	.00	.00	.41	.17	39.11
50	45.9	27.5	34.7	-5.2	.00	.02	.00	.00	.40	.26	.00

CORRELATION COEFFICIENT .771

090 LI-W
 BBELS- 14 2-4.0M- 1 7 JUNE-65 1454-1459
 LAGS= 50 N= 1395 DT= .20SEC
 MEAN W_2 = -3.1 MEAN W_1 = -1.8

TM No. 377

K	ACOV W_2	ACOV W_1	COV IN	COVOUT	SP W_2	SP W_1	CO	QUA	PER	R	PHI
0	145.2	253.0	150.4	0	14.25	8.10	4.59	0	0	.43	0
1	141.0	242.1	145.1	2.9	21.03	15.76	7.59	1.97	20.00	.43	14.57
2	129.7	213.5	129.6	5.5	14.90	20.02	11.08	1.24	10.00	.65	6.41
3	112.6	170.1	105.9	7.7	25.47	40.06	28.89	.05	6.67	.90	.10
4	91.3	117.3	76.1	9.3	32.93	60.11	42.19	2.40	5.00	.95	3.25
5	67.5	60.3	42.9	10.1	22.77	56.57	33.73	3.97	4.00	.95	6.71
6	42.8	4.4	9.0	10.1	9.28	33.44	16.19	2.07	3.33	.93	7.28
7	19.2	-45.5	-22.6	9.1	2.42	11.11	4.29	.36	2.86	.83	4.83
8	-1.8	-85.9	-49.7	7.4	.64	2.98	.82	-0.05	2.50	.60	-3.39
9	-19.2	-114.4	-70.6	5.1	.42	1.66	.46	-0.10	2.22	.56	-12.60
10	-31.9	-130.0	-84.2	2.5	.20	.88	.18	-0.06	2.00	.45	-16.91
11	-39.6	-132.5	-90.1	-0.0	.16	.60	.12	-0.03	1.82	.40	-15.45
12	-42.2	-123.3	-88.4	-2.2	.15	.40	.08	-0.04	1.67	.37	-24.37
13	-40.0	-104.3	-80.1	-3.7	.11	.24	.07	-0.03	1.54	.46	-24.53
14	-33.7	-78.5	-66.4	-4.6	.06	.14	.02	-0.01	1.43	.27	-19.27
15	-24.2	-48.9	-49.1	-4.7	.05	.11	.01	.01	1.33	.23	48.93
16	-12.7	-18.7	-29.9	-4.1	.03	.07	.00	.01	1.25	.23	68.30
17	-0.3	9.2	-10.6	-2.7	.03	.06	.01	.00	1.18	.25	19.46
18	12.0	32.6	7.2	-0.8	.03	.04	.01	.00	1.11	.24	3.88
19	23.4	49.9	22.5	1.5	.03	.05	.01	.00	1.05	.36	3.89
20	33.1	60.6	34.4	3.9	.03	.05	.01	.00	1.00	.32	5.42
21	40.7	64.5	42.4	6.3	.02	.04	.01	.00	.95	.32	18.66
22	45.8	62.4	46.6	8.2	.02	.03	.01	.01	.91	.37	37.17
23	48.5	55.7	47.3	9.7	.01	.03	.01	.01	.87	.40	38.87
24	48.8	45.8	45.0	10.5	.01	.03	.01	.00	.83	.39	33.31
25	47.1	34.3	40.4	10.8	.01	.02	.01	.00	.80	.41	34.33
26	43.7	22.7	34.5	10.6	.01	.02	.00	.00	.77	.29	41.32
27	39.2	12.2	27.9	9.8	.01	.02	.00	.00	.74	.21	66.04
28	34.0	3.9	21.5	8.5	.01	.02	-0.00	.00	.71	.26	-76.98
29	28.5	-1.7	15.7	6.9	.01	.02	.00	.00	.69	.19	35.85
30	23.2	-4.7	10.9	4.9	.01	.02	.00	-0.00	.67	.28	-32.27
31	18.1	-5.3	7.0	2.9	.01	.01	.00	-0.00	.65	.10	-56.62
32	13.5	-4.3	3.9	.9	.01	.01	-0.00	.00	.63	.17	-11.98
33	9.3	-2.5	1.4	-1.1	.00	.01	-0.00	-0.00	.61	.18	18.66
34	5.4	-0.9	-0.6	-2.7	.00	.01	-0.00	.00	.59	.21	-23.53
35	1.9	-0.2	-2.6	-4.0	.00	.02	-0.00	.00	.57	.38	-83.74
36	-1.2	-0.9	-4.6	-5.0	.00	.02	.00	.00	.56	.32	87.02
37	-4.1	-3.2	-6.8	-5.6	.00	.02	-0.00	.00	.54	.18	-38.21
38	-6.5	-7.0	-9.2	-5.8	.00	.02	-0.00	.00	.53	.23	-25.25
39	-8.3	-11.8	-11.8	-5.7	.00	.02	-0.00	.00	.51	.17	-55.14
40	-9.6	-17.1	-14.3	-5.3	.00	.01	-0.00	.00	.50	.17	-8.73
41	-10.4	-22.6	-16.4	-4.7	.00	.01	-0.00	-0.00	.49	.24	2.94
42	-10.5	-27.5	-18.2	-4.1	.00	.02	-0.00	.00	.48	.26	-1.95
43	-10.1	-31.4	-19.1	-3.5	.00	.02	-0.00	-0.00	.47	.15	16.10
44	-9.0	-33.8	-19.0	-3.1	.00	.02	-0.00	.00	.45	.09	-68.69
45	-7.3	-34.2	-17.6	-2.9	.00	.02	.00	.00	.44	.18	68.88
46	-4.8	-32.3	-15.0	-2.9	.00	.02	.00	-0.00	.43	.10	-24.36
47	-1.8	-27.8	-11.1	-3.1	.00	.02	-0.00	-0.00	.43	.11	38.76
48	1.7	-20.9	-6.0	-3.5	.00	.02	-0.00	.00	.42	.23	-22.68
49	5.6	-12.2	-0.1	-4.1	.00	.02	-0.00	.00	.41	.30	-16.91
50	9.6	-1.9	6.2	-4.7	.00	.01	-0.00	.00	.40	.38	-0.00

CORRELATION COEFFICIENT .785

091

LI-w

TM No. 377

RRFIS 14 03-05M-01 C. 06JUL-65 1502-1508

LAGS= 50 N= 1413 DT= 0.2SEC

MEAN w_f = -1.4 MEAN w_e = -2.6

K	ACOV w_1	ACOV w_2	COV IN	COV OUT	SP w_1	SP w_2	CO	QUA	PER	R	PHI
0	196.2	128.4	112.7	0	2.51	12.20	1.64	0	0	.30	0
1	188.6	125.1	109.0	-2.3	5.80	19.82	2.99	-0.17	20.00	.28	-3.19
2	168.3	116.2	98.5	-4.5	15.12	17.28	8.79	-1.71	10.00	.55	-11.00
3	137.6	103.1	82.0	-6.4	44.96	27.14	29.12	-2.86	6.67	.84	-5.61
4	99.2	86.7	61.1	-7.8	61.56	29.28	38.35	-2.87	5.00	.91	-4.29
5	56.3	68.1	37.3	-8.8	40.26	14.75	21.69	-1.82	4.00	.89	-4.80
6	12.3	48.7	12.4	-9.3	16.74	4.18	6.94	-0.66	3.33	.83	-5.42
7	-29.5	29.4	-11.9	-9.2	5.57	1.52	2.12	-0.08	2.86	.73	-2.13
8	-66.4	11.3	-34.1	-8.6	1.13	.58	.40	.03	2.50	.50	4.87
9	-96.1	-4.7	-52.9	-7.6	.66	.38	.21	-0.03	2.22	.42	-9.62
10	-117.0	-18.0	-67.2	-6.2	.41	.24	.07	-0.04	2.00	.27	-31.63
11	-128.8	-28.1	-76.4	-4.6	.30	.21	.11	-0.01	1.82	.44	-4.21
12	-131.2	-34.5	-80.4	-3.0	.20	.16	.09	.02	1.67	.53	15.00
13	-124.8	-37.4	-79.2	-1.5	.15	.12	.05	.04	1.54	.49	39.79
14	-111.1	-36.8	-73.4	0	.08	.08	0	.04	1.43	.43	-45.98
15	-91.8	-33.3	-63.8	1.3	.07	.07	-0.01	-0.02	1.33	.35	55.33
16	-68.8	-27.2	-51.3	2.4	.06	.05	0	-0.06	1.25	1.14	49.30
17	-44.1	-19.3	-35.3	4.7	.06	.04	.04	-0.04	1.18	1.18	-46.31
18	-19.7	-10.1	-21.4	3.7	.05	.03	.04	.01	1.11	1.27	17.59
19	3.2	-0.4	-6.0	3.8	.05	.03	.01	.04	1.05	1.29	77.59
20	23.3	9.2	8.5	3.8	.04	.02	-0.03	.03	1.00	1.39	-37.13
21	39.7	18.3	21.4	3.6	.04	.02	-0.03	-0.02	.95	1.30	27.64
22	52.1	26.3	32.2	3.2	.03	.02	0	-0.04	.91	1.74	-49.86
23	60.5	32.9	40.5	2.8	.03	.02	.04	-0.03	.87	1.87	-31.15
24	65.1	37.9	46.2	2.3	.03	.02	.04	.02	.83	2.13	28.54
25	66.2	41.0	49.3	1.9	.02	.02	0	.05	.80	2.61	86.65
26	64.2	42.1	49.8	1.5	.02	.01	-0.04	.03	.77	3.54	-32.79
27	59.8	41.5	48.0	1.4	.02	.01	-0.04	-0.02	.74	3.89	30.15
28	53.3	39.1	44.0	1.3	.02	.01	0	-0.04	.71	3.89	-44.86
29	45.3	35.2	38.3	1.3	.02	.01	.04	-0.02	.69	3.82	-24.57
30	36.0	30.1	31.2	1.2	.02	.01	.04	.03	.67	3.90	35.34
31	25.7	24.2	23.2	1.2	.02	.01	0	.04	.65	3.96	-86.80
32	14.8	17.7	14.6	1.1	.01	.01	-0.04	.02	.63	4.79	-24.00
33	3.5	10.9	5.8	1.1	.01	0	-0.03	-0.03	.61	5.80	40.72
34	-7.9	4.2	-3.0	1.2	.01	0	.01	-0.04	.59	6.17	-77.28
35	-18.9	-2.2	-11.4	1.3	.01	.01	.04	-0.01	.57	5.44	-16.79
36	-29.0	-7.9	-19.0	1.5	.01	0	.03	.03	.56	6.18	43.52
37	-37.7	-12.8	-25.4	1.7	.01	0	-0.01	.04	.54	7.32	-76.39
38	-44.6	-16.6	-30.5	2.0	.01	0	-0.04	.01	.53	6.73	-11.97
39	-49.2	-19.1	-33.8	2.2	.01	0	-0.03	-0.03	.51	6.52	49.94
40	-51.5	-20.4	-35.5	2.4	.01	0	.01	-0.04	.50	7.03	-72.22
41	-51.0	-20.2	-35.1	2.6	.02	0	.04	-0.01	.49	6.42	-10.97
42	-47.8	-18.8	-32.8	2.8	.01	0	.03	.03	.48	7.44	48.18
43	-41.9	-16.2	-28.7	3.2	.01	0	-0.01	.04	.47	1.14	-69.40
44	-33.8	-12.6	-23.2	3.6	.01	0	-0.04	.01	.45	3.74	-7.17
45	-23.7	-8.3	-16.5	3.9	.01	0	-0.02	-0.04	.44	2.34	55.03
46	-12.2	-3.4	-8.4	4.2	.01	0	.02	-0.04	.43	9.58	-63.36
47	.3	2.0	-1.0	4.3	.02	0	.05	0	.43	7.13	-4.98
48	13.1	7.4	7.0	4.4	.01	0	.03	.04	.42	6.15	54.39
49	25.4	12.5	14.6	4.3	.01	0	-0.02	.04	.41	6.79	-64.71
50	36.6	17.1	21.3	4.2	0	0	-0.02	0	.40	8.36	0

092

LI-W

BRFLS 14 4-6.0M-01 C, 06JUL-65 1511-1517

LAGS= 50 N= 1299

DT= 0.2SEC

MEAN W_F = -3.03MEAN W₂ = -3.57

CORRELATION COEFFICIENT = .70

K	ACOV W ₁	ACOV W ₂	COV IN	COVOUT	SP W ₁	SP W ₂	CO	QUA	PER	K	PHI
0	125.6	79.1	69.7	.0	5.95	9.96	3.43	0	0	.45	0
1	121.1	77.1	67.5	.3	4.48	15.21	4.52	-0.05	20.00	.38	-0.57
2	108.8	71.8	61.1	.7	4.63	10.17	4.87	-0.02	10.00	.49	-0.24
3	90.2	63.9	51.2	1.0	22.48	12.99	14.36	1.20	6.67	.84	4.79
4	67.0	54.2	38.6	1.3	34.60	15.21	21.02	1.23	5.00	.92	3.35
5	41.2	43.5	24.5	1.6	27.53	9.93	14.81	-0.11	4.00	.90	-0.41
6	14.9	32.4	9.8	1.8	11.33	3.27	5.05	-0.46	3.33	.83	-5.16
7	-10.0	21.6	-4.3	2.0	2.44	.75	.84	-0.07	2.86	.63	-4.68
8	-31.7	11.7	-16.9	2.2	.68	.50	.29	.05	2.50	.50	8.86
9	-44.9	3.2	-27.3	2.3	.43	.34	.20	.03	2.22	.54	9.70
10	-60.6	-3.4	-34.9	2.3	.30	.18	.13	.03	2.00	.60	12.28
11	-66.4	-8.1	-39.4	2.2	.17	.11	.08	.01	1.82	.56	10.52
12	-66.3	-10.7	-40.5	1.9	.11	.09	.04	.01	1.67	.44	15.29
13	-60.8	-11.2	-38.6	1.4	.09	.08	.02	-0.01	1.54	.30	-12.26
14	-50.7	-9.4	-33.9	.8	.07	.07	.02	-0.01	1.43	.29	-25.91
15	-37.3	-7.1	-26.9	-0.0	.06	.05	.02	-0.00	1.33	.34	-11.05
16	-21.9	-3.2	-18.3	-0.9	.04	.03	.01	-0.00	1.25	.19	-9.95
17	-5.7	1.5	-8.9	-1.8	.03	.02	.00	-0.00	1.18	.15	-73.67
18	9.7	6.7	.6	-2.6	.03	.02	.00	-0.00	1.11	.20	-48.14
19	23.3	11.8	9.6	-3.2	.02	.01	.00	-0.00	1.05	.19	-35.20
20	34.3	16.4	17.4	-3.7	.02	.01	.00	-0.00	1.00	.12	-41.13
21	42.0	20.3	23.6	-4.0	.02	.01	.00	-0.00	.95	.05	-23.74
22	46.2	23.1	27.9	-4.0	.02	.01	-0.00	.00	.91	.13	-49.84
23	47.0	24.6	30.3	-3.8	.01	.01	-0.00	.00	.87	.13	-10.69
24	44.7	25.0	30.7	-3.3	.01	.01	-0.00	-0.00	.83	.07	9.38
25	40.0	24.2	29.4	-2.5	.00	.00	-0.00	-0.00	.80	.08	35.12
26	33.6	22.3	26.8	-1.6	.01	.01	-0.00	.00	.77	.12	-12.78
27	26.2	19.7	23.2	-0.6	.01	.01	.00	.00	.74	.13	84.52
28	18.5	16.7	18.9	.5	.01	.01	.00	.00	.71	.12	67.12
29	11.1	13.4	14.4	1.5	.01	.00	.00	-0.00	.69	.14	-19.34
30	4.5	10.2	10.0	2.4	.01	.00	.00	-0.00	.67	.31	-25.44
31	-0.8	7.3	6.0	3.1	.01	.01	.00	-0.00	.65	.31	-40.34
32	-5.0	4.8	2.6	3.7	.00	.01	.00	-0.00	.63	.17	-39.60
33	-7.9	2.9	-0.0	4.1	.01	.00	.00	-0.00	.61	.07	-31.84
34	-9.6	1.4	-2.0	4.3	.01	.00	.00	-0.00	.59	.04	-39.89
35	-10.2	.5	-3.3	4.3	.00	.00	.00	-0.00	.57	.09	-3.55
36	-10.0	-0.0	-3.9	4.1	.00	.00	.00	.00	.56	.05	26.78
37	-9.2	-0.1	-4.1	3.7	.00	.00	-0.00	-0.00	.54	.04	62.54
38	-8.2	-0.1	-3.9	3.3	.00	.00	-0.00	-0.00	.53	.03	76.51
39	-7.1	.1	-3.4	2.8	.00	.00	-0.00	.00	.51	.07	-6.45
40	-6.3	.3	-3.0	2.4	.00	.00	-0.00	-0.00	.50	.08	17.29
41	-5.9	.4	-2.6	2.2	.00	.00	.00	-0.00	.49	.06	-50.91
42	-6.0	.5	-2.5	2.1	.00	.00	.00	.00	.48	.07	66.82
43	-6.5	.5	-2.4	2.1	.00	.00	-0.00	.00	.47	.14	-66.97
44	-7.3	.4	-2.5	2.3	.00	.00	-0.00	.00	.45	.30	-48.08
45	-8.3	.3	-2.7	2.5	.00	.00	-0.00	.00	.44	.30	-29.26
46	-9.1	.2	-2.8	2.8	.00	.00	-0.00	.00	.43	.11	-29.08
47	-9.5	.1	-2.8	3.2	.00	.00	-0.00	.00	.43	.26	-77.59
48	-9.3	.0	-2.5	3.5	.00	.00	-0.00	.00	.42	.45	-44.40
49	-8.2	.1	-1.9	3.8	.00	.00	-0.00	.00	.41	.32	-26.28
50	-6.2	.4	-0.8	3.8	.00	.00	-0.00	.00	.40	.22	-0.00

093 LI-W
BBEIS 14 05-07M-01 C. 06JUL-65 1520-1525

TM No. 377

LAGS= 50 N= 1330 DT= 0.25SEC

MEAN W_F = -2.0 MEAN $W_{\bar{F}}$ = -2.1

K	ACOV W_1	ACOV W_2	COV	IN	COVOUT	SP W_1	SP W_2	CO	QUA	PER	R	PHI
0	78.5	65.8	37.5	0	4.23	14.63	1.32	0	2.00	.17	0	
1	76.2	64.4	36.5	-0.4	7.86	20.12	2.57	.52	0	.21	11.52	
2	70.1	62.4	33.6	-0.7	10.33	8.31	4.23	.73	0	.46	9.83	
3	60.8	58.5	29.0	-0.9	18.51	7.58	9.46	-0.18	0	.80	-1.10	
4	49.1	53.7	23.0	-1.0	20.69	8.78	11.79	-0.87	0	.88	-4.23	
5	35.9	48.2	16.1	-1.1	11.45	4.80	6.44	-0.61	0	.87	-5.45	
6	21.9	42.2	8.7	-1.0	3.27	.92	1.31	-0.12	0	.76	-5.26	
7	8.1	36.1	1.3	-0.8	.90	.21	.22	.06	0	.53	14.25	
8	-4.7	30.3	-5.7	-0.6	.36	.12	.06	.01	0	.30	11.60	
9	-15.9	25.0	-11.9	-0.1	.25	.09	.05	0	0	.34	-4.85	
10	-25.0	20.5	-16.8	.4	.16	.05	.03	0	0	.38	-5.19	
11	-31.5	17.0	-20.4	.9	.09	.03	.01	0	0	.26	-10.30	
12	-35.4	14.5	-22.5	1.5	.05	.02	0	-0.01	0	.18	78.88	
13	-36.6	13.0	-23.1	2.0	.04	.02	0	0	0	.15	48.22	
14	-35.4	12.6	-22.2	2.5	.04	.02	0	0	0	.17	-62.91	
15	-32.0	13.2	-19.9	2.9	.04	.02	.01	-0.01	0	.28	-42.43	
16	-26.7	14.5	-16.5	3.2	.03	.02	0	-0.01	0	.32	-52.82	
17	-20.2	16.5	-12.3	3.3	.03	.01	0	0	0	.37	-31.53	
18	-12.8	18.8	-7.6	3.2	.02	.01	.01	0	0	.50	1.88	
19	-5.2	21.4	-2.7	3.0	.01	.01	0	0	0	.51	14.50	
20	.2.1	23.8	2.1	2.7	.01	.01	0	0	0	.36	8.17	
21	8.7	26.0	6.3	2.3	.01	.01	0	0	0	.14	31.19	
22	14.3	27.6	9.9	1.7	.01	.01	0	0	0	.06	-14.71	
23	19.6	28.6	12.6	1.2	.01	.01	0	0	0	.10	-72.81	
24	21.6	29.0	14.4	.6	.01	.01	0	0	0	.15	-80.50	
25	23.1	28.6	15.2	.1	.01	0	0	0	0	.16	66.23	
26	23.3	27.4	15.0	-0.4	.01	0	0	0	0	.11	-74.47	
27	22.3	25.6	14.0	-0.8	0	0	0	0	0	.19	-18.87	
28	20.3	23.3	12.3	-1.1	0	0	0	0	0	.08	54.79	
29	17.4	20.6	9.9	-1.3	0	0	0	0	0	.27	-7.69	
30	14.0	17.7	7.2	-1.4	0	0	0	0	0	.35	-27.66	
31	10.3	14.6	4.3	-1.5	0	0	0	0	0	.40	-88.11	
32	6.5	11.6	1.4	-1.5	0	0	0	0	0	.43	49.55	
33	2.8	8.9	-1.3	-1.5	0	0	0	0	0	.24	18.54	
34	-0.7	6.5	-3.7	-1.5	0	0	0	0	0	.18	28.36	
35	-3.7	4.5	-5.7	-1.5	0	0	0	0	0	.25	5.01	
36	-6.1	3.1	-7.1	-1.5	0	0	0	0	0	.09	4.20	
37	-8.0	2.2	-7.9	-1.5	0	0	0	0	0	.11	15.76	
38	-9.1	1.9	-8.0	-1.5	0	0	0	0	0	.05	18.94	
39	-9.4	2.1	-7.5	-1.6	0	0	0	0	0	.10	60.25	
40	-9.1	2.8	-6.5	-1.6	0	0	0	0	0	.39	-67.02	
41	-8.1	3.9	-5.0	-1.7	0	0	0	0	0	.65	-66.53	
42	-6.7	5.4	-3.1	-1.8	0	0	0	0	0	.53	-70.60	
43	-4.8	7.1	-1.0	-2.0	0	0	0	0	0	.18	-88.65	
44	-2.5	8.8	1.3	-2.0	0	0	0	0	0	.22	-73.43	
45	-0.1	10.5	3.5	-2.1	0	0	0	0	0	.39	77.19	
46	2.5	12.1	5.6	-2.1	0	0	0	0	0	.04	-86.28	
47	4.9	13.3	7.5	-2.1	0	0	0	0	0	.45	56.20	
48	7.2	14.3	9.0	-1.9	0	0	0	0	0	.27	73.21	
49	9.2	14.8	10.1	-1.7	0	0	0	0	0	.14	-45.11	
50	10.8	15.1	10.9	-1.5	0	0	0	0	0	.14	0	

094

LI-W

HBELS 14 6-H.UM-01 C. 06JUL-65 1539-1545

LAGS=50 N= 1402 DT= 0.2SEC

MEAN W_1 = .08 MEAN W_2 = 2.95

CORRELATION COEFFICIENT .54

K	ACOV W_1	ACOV W_2	COV IN	COV OUT	SP W_1	SP W_2	CO	QUA	PER	R	PHI
0	84.7	56.6	40.2	.0	8.83	12.35	2.44	0	0	.23	0
1	82.6	55.8	39.2	.5	12.82	16.40	3.97	2.52	20.00	.32	32.38
2	77.1	53.7	36.5	.9	10.13	7.43	5.18	1.20	10.00	.61	13.01
3	68.7	50.6	32.2	1.4	18.17	8.31	10.68	.40	6.67	.87	2.16
4	58.0	46.5	26.6	1.8	20.48	7.78	11.44	.41	5.00	.91	2.04
5	45.7	41.7	20.1	2.2	10.39	3.26	5.08	.09	4.00	.87	.98
6	32.6	36.6	13.2	2.6	2.43	.55	.87	-0.03	3.33	.75	-2.15
7	19.4	31.3	6.1	3.0	.59	.19	.23	-0.05	2.86	.72	-13.14
8	6.9	26.1	-0.8	3.3	.22	.10	.08	-0.03	2.50	.62	-21.38
9	-4.1	21.3	-7.0	3.5	.15	.06	.06	-0.01	2.22	.62	-13.21
10	-13.3	17.0	-12.2	3.7	.08	.03	.02	.00	2.00	.38	.60
11	-20.3	13.4	-16.3	3.8	.07	.03	.02	.00	1.82	.49	7.94
12	-24.7	10.6	-19.1	3.8	.05	.02	.01	.00	1.67	.47	4.43
13	-26.4	8.2	-20.5	3.8	.04	.01	.01	-0.00	1.54	.54	-2.79
14	-25.8	7.8	-20.6	3.8	.03	.01	.01	.00	1.43	.52	18.64
15	-22.9	7.6	-19.3	3.7	.03	.01	.01	.00	1.33	.55	3.10
16	-18.1	8.2	-16.9	3.7	.03	.01	.01	-0.00	1.25	.41	-16.14
17	-11.8	9.5	-13.7	3.6	.02	.01	.00	-0.00	1.18	.33	-53.15
18	-4.6	11.3	-9.7	3.6	.01	.01	.00	-0.00	1.11	.19	-64.98
19	2.9	13.4	-5.3	3.6	.01	.00	.00	.00	1.05	.29	17.80
20	10.4	15.7	-0.8	3.7	.01	.00	.00	.00	1.00	.38	40.84
21	17.3	18.0	3.6	3.9	.01	.00	.00	.00	.95	.33	8.31
22	23.4	20.2	7.7	4.0	.01	.00	.00	.00	.91	.16	12.71
23	28.3	22.0	11.1	4.1	.01	.00	.00	.00	.87	.11	50.33
24	31.8	23.5	13.4	4.3	.01	.00	.00	.00	.83	.19	87.95
25	33.8	24.4	15.8	4.5	.01	.00	.00	.00	.80	.18	78.66
26	34.3	24.8	16.9	4.7	.01	.00	.00	.00	.77	.17	34.14
27	33.4	24.7	17.0	4.8	.01	.00	.00	-0.00	.74	.33	-27.23
28	31.2	24.0	16.3	5.0	.01	.00	.00	-0.00	.71	.24	-10.59
29	28.1	22.9	15.0	5.2	.01	.00	.00	.00	.69	.32	10.07
30	24.2	21.3	13.0	5.3	.01	.00	.00	.00	.67	.46	11.64
31	19.7	19.5	10.6	5.4	.01	.00	.00	.00	.65	.58	6.40
32	15.1	17.5	7.9	5.5	.00	.00	.00	.00	.63	.52	13.76
33	10.3	15.3	5.1	5.6	.00	.00	.00	.00	.61	.23	20.24
34	5.9	13.2	2.3	5.6	.00	.00	.00	-0.00	.59	.05	-38.74
35	1.8	11.2	-0.3	5.6	.00	.00	.00	-0.00	.57	.27	-42.91
36	-1.5	9.4	-2.7	5.6	.00	.00	.00	-0.00	.56	.46	-22.26
37	-4.3	7.9	-4.5	5.6	.00	.00	.00	-0.00	.54	.72	-11.70
38	-6.4	6.7	-6.0	5.5	.00	.00	.00	-0.00	.53	.78	-5.76
39	-7.6	5.9	-6.9	5.3	.00	.00	.00	.00	.51	.67	2.36
40	-8.1	5.4	-7.2	5.2	.00	.00	.00	.00	.50	.56	26.23
41	-7.7	5.2	-7.0	5.0	.00	.00	.00	.00	.49	.53	33.29
42	-6.7	5.4	-6.2	4.8	.00	.00	.00	.00	.48	.34	36.42
43	-4.9	5.9	-4.9	4.6	.00	.00	.00	.00	.47	.31	18.28
44	-2.7	6.5	-3.3	4.4	.00	.00	.00	-0.00	.45	.59	-0.99
45	-0.0	7.4	-1.3	4.3	.00	.00	.00	-0.00	.44	.79	-8.85
46	2.8	8.4	.9	4.1	.00	.00	.00	-0.00	.43	.70	-5.93
47	6.0	9.4	3.1	4.0	.00	.00	.00	.00	.43	.64	9.77
48	9.1	10.4	5.4	3.9	.00	.00	.00	.00	.42	.66	23.31
49	12.1	11.3	7.5	3.9	.00	.00	.00	.00	.41	.68	12.26
50	14.8	12.1	9.4	3.9	.00	.00	.00	.00	.40	.71	.00

095

LJ-W

TM No. 377

BBEIS 14 07-09M-01 C. 06JUL-65 1553-1558

LAGS= 50 N= 1387

DT= 0.2SEC

MEAN W_1 = -0.1MEAN W_2 = -1.1

K	ACOV W_2	ACOV W_1	COV	IN COVOUT	SP W_2	SP W_1	CO	QUA	PER	R	PHI
0	49.7	69.4	24.7	0	11.86	9.09	.15	0	0	.01	0
1	49.1	68.0	24.0	-0.6	15.28	12.32	.04	-1.19	20.00	.04	-88.03
2	47.5	64.1	22.0	-1.1	6.40	8.76	2.89	-0.77	10.00	.40	-14.97
3	45.0	58.3	18.9	-1.6	7.03	15.55	8.82	-0.37	6.67	.84	-2.43
4	41.8	50.7	15.0	-2.1	5.96	15.38	8.74	-0.68	5.00	.92	-4.43
5	38.0	42.0	10.3	-2.4	2.23	6.22	3.24	-0.47	4.00	.88	-8.31
6	34.0	32.5	5.3	-2.6	.45	1.19	.46	-0.08	3.33	.64	-9.44
7	29.8	22.7	.1	-2.7	.17	.34	.13	-0.02	2.56	.53	-11.09
8	25.8	13.3	-4.9	-2.7	.09	.10	.04	-0.01	2.50	.47	-11.09
9	21.9	4.6	-9.6	-2.5	.07	.10	.05	.01	2.22	.63	15.13
10	18.4	-2.9	-13.6	-2.3	.03	.05	.02	.01	2.00	.56	20.69
11	15.5	-8.9	-16.8	-2.1	.02	.05	.02	0	1.82	.69	5.40
12	13.1	-13.3	-19.1	-1.8	.02	.03	.02	0	1.57	.71	1.00
13	11.4	-15.8	-20.4	-1.5	.01	.02	.01	0	1.54	.44	15.83
14	10.3	-16.6	-20.6	-1.3	.01	.02	0	0	1.43	.25	37.55
15	9.9	-15.6	-19.8	-1.1	.01	.02	.01	0	1.33	.54	11.13
16	10.0	-13.1	-18.1	-1.0	.01	.01	.01	0	1.25	.62	26.10
17	10.7	-9.3	-15.6	-1.0	.01	.01	0	0	1.18	.56	43.55
18	11.8	-4.6	-12.5	-1.0	0	.01	0	0	1.11	.40	32.11
19	13.3	.9	-8.9	-1.1	.01	.01	0	0	1.05	.43	12.84
20	14.9	6.6	-5.1	-1.2	0	.01	0	0	1.00	.33	21.55
21	16.6	12.2	-1.3	-1.4	0	.01	0	0	.95	.31	12.09
22	18.3	17.5	2.4	-1.7	0	.01	0	0	.91	.40	-5.35
23	19.8	22.3	5.8	-2.0	0	0	0	0	.87	.49	4.92
24	21.1	26.2	8.8	-2.2	0	0	0	0	.83	.56	32.97
25	22.1	29.2	11.2	-2.5	0	.01	0	0	.80	.66	32.07
26	22.7	31.1	12.9	-2.7	0	.01	0	0	.77	.58	26.24
27	23.0	32.0	14.0	-3.0	0	.01	0	0	.74	.48	16.53
28	22.8	31.8	14.3	-3.1	0	.01	0	0	.71	.36	-7.10
29	22.4	30.6	14.1	-3.1	0	.01	0	0	.69	.41	-35.44
30	21.6	28.6	13.3	-3.1	0	0	0	0	.67	.48	-38.29
31	20.6	25.8	12.0	-2.9	0	0	0	0	.65	.58	-20.28
32	19.3	22.5	10.4	-2.6	0	0	0	0	.63	.70	-1.97
33	17.9	18.7	8.4	-2.3	0	0	0	0	.61	.86	6.04
34	16.3	14.7	6.3	-1.9	0	0	0	0	.59	.88	2.55
35	14.7	10.7	4.1	-1.5	0	0	0	0	.57	.76	-1.25
36	13.0	6.8	1.9	-1.0	0	0	0	0	.56	.61	.30
37	11.5	3.1	-0.2	-0.6	0	0	0	0	.54	.68	-5.38
38	10.1	-0.1	-2.0	-0.2	0	0	0	0	.53	.74	-12.68
39	8.8	-2.8	-3.5	.2	0	0	0	0	.51	.79	-11.94
40	7.8	-4.9	-4.6	.4	0	0	0	0	.50	.89	-8.51
41	7.0	-6.2	-5.4	.6	0	0	0	0	.49	.95	-6.01
42	6.4	-6.7	-5.7	.7	0	0	0	0	.48	.98	-1.22
43	6.0	-6.5	-5.6	.8	0	0	0	0	.47	.99	8.45
44	5.9	-5.6	-5.2	.8	0	0	0	0	.45	.95	17.60
45	5.9	-4.1	-4.4	.7	0	0	0	0	.44	.91	16.61
46	6.0	-2.0	-3.3	.6	0	0	0	0	.43	.86	4.50
47	6.3	.5	-2.0	.5	0	0	0	0	.43	.95	-12.17
48	6.6	3.3	-0.6	.3	0	0	0	0	.42	1.04	-13.02
49	7.0	6.1	.8	.2	0	0	0	0	.41	1.10	-7.12
50	7.4	8.8	2.2	.1	0	0	0	0	.40	1.16	0

096

LI-W

TM No. 377

HRFIS 14 08-10M-01 C, 06JUL-65 1604-1609

LAGS= 60 N= 1278

DT= 0.2SEC

MEAN W_1 0.0MEAN W_2 -1.6

K	ACOV W_1	ACOV W_2	COV	IN	COVOUT	SP W_1	SP W_2	CO	QUA	PER	R	PHI
0	49.3	36.4	10.4	0	19.71	6.96	1.35	0	2.00	.12	0	
1	49.2	36.0	10.2	-0.4	22.97	11.58	2.97	-0.65	0	.19-12.35		
2	48.8	34.7	9.9	-0.7	4.11	7.69	2.70	-0.82	0	.50-16.43		
3	48.3	33.3	9.4	-1.1	1.36	5.22	1.79	-0.67	0	.72-20.59		
4	47.7	31.2	8.7	-1.4	.67	3.11	.99	-0.30	0	.72-16.85		
5	46.9	28.7	7.8	-1.6	.25	1.21	.37	-0.06	0	.69-9.44		
6	46.1	25.9	6.9	-1.4	.11	.35	.10	-0.02	0	.53-11.39		
7	45.2	23.0	5.9	-2.0	.05	.11	.03	-0.01	0	.47-20.13		
8	44.2	20.1	5.0	-2.1	.03	.04	.02	0	0	.54-13.84		
9	43.3	17.2	4.0	-2.2	.01	.01	0	0	0	.37 30.30		
10	42.3	14.5	3.1	-2.2	.01	.01	0	0	0	.26 36.35		
11	41.4	12.0	2.2	-2.1	.01	.01	0	0	0	.40 40.97		
12	40.5	9.9	1.5	-2.0	.01	.01	0	0	0	.48 12.87		
13	39.6	8.0	.8	-1.9	0	.01	0	0	0	.46 13.93		
14	38.8	6.6	.3	-1.8	0	.01	0	0	0	.44-20.20		
15	38.1	5.4	-0.2	-1.6	0	0	0	0	0	.44-5.54		
16	37.3	4.6	-0.5	-1.4	0	0	0	0	0	.42-14.22		
17	36.7	4.0	-0.8	-1.2	0	0	0	0	0	.50-10.66		
18	36.0	3.6	-0.9	-1.0	0	0	0	0	0	.89-16.70		
19	35.4	3.5	-1.0	-0.9	0	0	0	0	0	.84 6.39		
20	34.9	3.4	-1.1	-0.7	0	0	0	0	0	.76 .20		
21	34.3	3.5	-1.1	-0.5	0	0	0	0	0	.79 4.28		
22	33.8	3.7	-1.0	-0.4	0	0	0	0	0	.85 4.07		
23	33.3	3.8	-1.0	-0.2	0	0	0	0	0	.80 19.71		
24	32.8	4.0	-0.9	-0.1	0	0	0	0	0	.65 11.21		
25	32.4	4.1	-0.9	-0.1	0	0	0	0	0	.64 17.91		
26	31.9	4.2	-0.9	0	0	0	0	0	0	.73 6.11		
27	31.5	4.2	-0.8	0	0	0	0	0	0	01.09 11.10		
28	31.0	4.1	-0.9	0	0	0	0	0	0	01.44 -3.79		
29	30.5	4.0	-0.9	0	0	0	0	0	0	01.46 2.99		
30	30.1	3.8	-0.9	-0.1	0	0	0	0	0	01.35 7.05		
31	29.6	3.5	-1.0	-0.1	0	0	0	0	0	01.22 8.45		
32	29.2	3.2	-1.1	-0.2	0	0	0	0	0	01.11 3.11		
33	28.8	2.8	-1.2	-0.2	0	0	0	0	0	01.11 14.20		
34	28.3	2.4	-1.3	-0.3	0	0	0	0	0	01.35 4.50		
35	27.9	2.0	-1.3	-0.4	0	0	0	0	0	02.78 2.87		
36	27.4	1.6	-1.4	-0.4	0	0	0	0	0	0 .79		
37	27.0	1.3	-1.5	-0.5	0	0	0	0	0	0 1.63		
38	26.6	.9	-1.6	-0.6	0	0	0	0	0	03.50 -7.68		
39	26.2	.6	-1.7	-0.6	0	0	0	0	0	02.20 -8.58		
40	25.7	.4	-1.8	-0.7	0	0	0	0	0	02.00 -5.26		
41	25.3	.2	-1.9	-0.8	0	0	0	0	0	03.36 -3.85		
42	24.9	-0.0	-2.0	-0.9	0	0	0	0	0	00.9*-11.13		
43	24.5	-0.2	-2.1	-0.9	0	0	0	0	0	0 -3.03		
44	24.1	-0.3	-2.2	-1.0	0	0	0	0	0	0 -1.51		
45	23.7	-0.4	-2.3	-1.1	0	0	0	0	0	0 -5.30		
46	23.3	-0.5	-2.5	-1.2	0	0	0	0	0	0 -3.01		
47	22.9	-0.6	-2.6	-1.3	0	0	0	0	0	0 4.84		
48	22.5	-0.8	-2.8	-1.4	0	0	0	0	0	0 5.40		
49	22.1	-0.9	-3.0	-1.5	0	0	0	0	0	0 .60		
50	21.8	-1.1	-3.2	-1.5	0	0	0	0	0	0 0		

097 LI-W
 BRFLS 14 09-114- 1 C. 06JUL-85 1613-1618
 LAGS= 50 N= 1422 DT= 0.2SEC
 MEAN W_2 3.6 MEAN W_1 4.9

TM No. 377

K	ACOV W_2	ACOV W_1	COV	IN COVOUT	SP W_2	SP W_1	CO	NOA	PER	R	PHI
0	27.2	47.2	5.7	0	11.44	15.17	1.64	0	0	.12	0
1	27.1	46.9	5.7	-0.2	12.10	20.34	1.78	-0.41	20.00	.12-13.02	
2	26.8	46.2	5.5	-0.3	1.09	6.26	.25	-0.04	10.00	.10 -8.67	
3	26.3	45.2	5.1	-0.4	.95	2.21	.63	-0.07	6.67	.43 -6.21	
4	25.8	43.8	4.7	-0.5	.82	1.82	.88	-0.21	5.00	.74-13.29	
5	25.1	42.2	4.2	-0.6	.45	.88	.45	-0.11	4.00	.73-13.78	
6	24.5	40.5	3.7	-0.6	.19	.25	.09	-0.07	3.33	.52-34.97	
7	23.8	38.7	3.2	-0.6	.06	.11	.01	-0.02	2.86	.35-60.45	
8	23.2	36.9	2.7	-0.6	.02	.05	0	0	2.50	.16-21.02	
9	22.6	35.2	2.3	-0.5	.01	.02	0	0	2.22	.34-52.32	
10	22.1	33.6	1.9	-0.5	.01	.02	0	0	2.00	.34-59.28	
11	21.8	32.0	1.7	-0.4	.01	.01	0	0	1.82	.09 -8.82	
12	21.5	30.7	1.5	-0.3	0	.01	0	0	1.67	.45-53.32	
13	21.3	29.5	1.5	-0.2	0	0	0	0	1.54	.61-24.08	
14	21.2	28.5	1.6	-0.2	0	0	0	0	1.434.84	-1.04	
15	21.2	27.6	1.8	-0.2	0	0	0	0	1.33	0 -6.56	
16	21.3	26.8	2.0	-0.2	0	0	0	0	1.25	0-69.43	
17	21.4	26.2	2.3	-0.2	0	0	0	0	1.18	0-88.80	
18	21.5	25.6	2.7	-0.3	0	0	0	0	1.11	0 85.43	
19	21.6	25.0	3.0	-0.3	0	0	0	0	1.05	0-74.26	
20	21.7	24.5	3.4	-0.4	0	0	0	0	1.001.61	-75.64	
21	21.8	23.9	3.7	-0.5	0	0	0	0	.951.21	-59.04	
22	21.9	23.3	4.0	-0.6	0	0	0	0	.911.25	-27.64	
23	22.0	22.6	4.2	-0.6	0	0	0	0	.871.90	2.34	
24	22.0	21.9	4.3	-0.7	0	0	0	0	.83	0 17.56	
25	22.0	21.0	4.4	-0.9	0	0	0	0	.80	0 73.80	
26	22.0	20.1	4.3	-1.0	0	0	0	0	.77	0-20.01	
27	21.9	19.1	4.3	-1.1	0	0	0	0	.74	.17 54.77	
28	21.8	18.0	4.1	-1.2	0	0	0	0	.711.48	-6.23	
29	21.8	16.9	3.9	-1.3	0	0	0	0	.69	0-20.02	
30	21.7	15.7	3.6	-1.4	0	0	0	0	.671.66	-42.67	
31	21.5	14.5	3.3	-1.5	0	0	0	0	.65	.91 -5.93	
32	21.4	13.2	3.1	-1.6	0	0	0	0	.631.13	32.63	
33	21.3	12.0	2.8	-1.7	0	0	0	0	.611.47	49.02	
34	21.2	10.9	2.5	-1.7	0	0	0	0	.595.15	22.74	
35	21.0	9.8	2.3	-1.8	0	0	0	0	.57	0-40.77	
36	20.9	8.8	2.1	-1.8	0	0	0	0	.56	0-42.08	
37	20.8	7.9	1.9	-1.9	0	0	0	0	.54	0-26.71	
38	20.6	7.2	1.7	-1.8	0	0	0	0	.536.54	-9.65	
39	20.5	6.6	1.6	-1.8	0	0	0	0	.511.69	16.85	
40	20.3	6.1	1.5	-1.7	0	0	0	0	.503.22	24.53	
41	20.2	5.7	1.4	-1.7	0	0	0	0	.49	0 20.20	
42	20.0	5.4	1.3	-1.6	0	0	0	0	.48	0 8.72	
43	19.9	5.2	1.3	-1.4	0	0	0	0	.47	0 -7.12	
44	19.7	5.0	1.2	-1.3	0	0	0	0	.457.45	-19.86	
45	19.6	4.9	1.2	-1.2	0	0	0	0	.443.33	-20.44	
46	19.4	4.8	1.2	-1.1	0	0	0	0	.431.78	-10.80	
47	19.3	4.7	1.2	-0.9	0	0	0	0	.431.33	10.44	
48	19.2	4.6	1.1	-0.8	0	0	0	0	.421.94	32.36	
49	19.0	4.4	1.1	-0.7	0	0	0	0	.41	0 39.24	
50	18.9	4.2	1.1	-0.5	0	0	0	0	.40	0 0	

098

LI-W

TM No. 377

HBEIS- 14 2-4.0M-VI 7 JUNE-65 2228-2234

LAGS= 50 N= 1706 DT= .20SEC

MEAN W_2 = 4.2 MEAN W_1 = 3.1

K	ACOV W_2	ACOV W_1	COV IN	COV OUT	SP W_2	SP W_1	CO	QUA	PER	R	PHI
0	118.5	211.0	115.5	0	11.31	9.86	4.09	0	0	.39	0
1	115.0	202.6	111.4	2.6	16.68	17.69	5.47	.43	20.00	.32	4.53
2	105.7	180.4	99.6	5.0	11.11	16.73	5.58	-0.13	10.00	.41	-1.35
3	91.8	146.9	81.4	6.8	19.21	31.35	20.09	.82	6.67	.82	2.34
4	74.2	105.9	58.4	8.1	29.60	53.56	37.23	2.81	5.00	.94	4.32
5	54.3	61.2	32.6	8.5	21.58	46.98	29.83	2.98	4.00	.94	5.71
6	33.7	16.9	6.1	8.2	6.08	21.11	9.89	1.56	3.33	.88	8.98
7	13.7	-23.4	-19.1	7.1	1.10	7.29	1.98	.44	2.86	.72	12.58
8	-4.4	-56.8	-41.2	5.5	.55	2.70	.61	.12	2.50	.51	11.30
9	-19.5	-81.5	-58.7	3.4	.24	1.25	.18	.04	2.22	.34	12.30
10	-30.8	-96.3	-70.6	1.2	.23	.81	.22	.00	2.00	.51	.29
11	-37.7	-101.3	-76.4	-1.0	.15	.40	.12	.00	1.82	.50	.08
12	-40.3	-97.0	-75.8	-2.9	.10	.23	.08	-0.01	1.67	.52	-5.50
13	-38.4	-84.7	-69.5	-4.4	.05	.13	.03	-0.01	1.54	.42	-17.98
14	-32.7	-66.4	-58.0	-5.5	.04	.12	.03	-0.01	1.43	.37	-17.86
15	-23.7	-43.8	-42.7	-6.0	.04	.09	.01	.00	1.33	.25	.81
16	-12.3	-19.3	-24.9	-6.0	.04	.07	.02	.00	1.25	.36	4.90
17	.3	5.1	-6.2	-5.5	.03	.07	.01	.00	1.18	.32	4.19
18	13.2	27.5	12.1	-4.5	.03	.06	.01	.00	1.11	.34	1.65
19	25.4	46.3	28.5	-3.3	.02	.05	.01	-0.00	1.05	.32	-4.68
20	35.9	60.4	42.1	-1.8	.02	.04	.01	-0.00	1.00	.30	-10.16
21	44.1	69.2	52.1	-0.3	.02	.03	.00	-0.00	.95	.22	-37.59
22	40.5	72.6	58.1	1.2	.01	.03	.00	-0.00	.91	.29	-35.81
23	52.0	71.0	60.0	2.5	.01	.03	.00	.00	.87	.16	9.85
24	51.5	64.8	58.0	3.6	.02	.03	.00	.00	.83	.17	54.17
25	49.2	55.2	52.6	4.4	.02	.02	.00	.00	.80	.21	66.89
26	42.6	43.2	44.5	4.9	.02	.02	.00	.00	.77	.29	57.73
27	35.0	29.6	34.3	5.1	.01	.02	.00	.00	.74	.17	48.16
28	26.2	15.5	23.0	5.1	.01	.02	.00	-0.00	.71	.17	-24.03
29	16.9	1.8	11.3	4.8	.01	.01	.00	.00	.69	.20	6.85
30	7.7	-10.9	.2	4.3	.01	.01	.00	.00	.67	.35	31.17
31	-0.7	-21.7	-9.7	3.8	.01	.01	.00	.00	.65	.38	40.86
32	-7.8	-20.2	-17.8	3.2	.01	.01	.00	.00	.63	.28	50.35
33	-13.1	-36.1	-23.5	2.6	.01	.01	.00	.00	.61	.11	38.07
34	-16.3	-39.1	-26.7	2.2	.01	.01	.00	-0.00	.59	.13	-20.94
35	-17.3	-39.2	-27.1	1.8	.01	.01	.00	-0.00	.57	.22	-48.43
36	-16.2	-36.4	-25.0	1.5	.01	.01	.00	-0.00	.56	.21	-52.73
37	-13.1	-31.1	-20.6	1.3	.01	.01	.00	-0.00	.54	.09	-30.50
38	-8.4	-23.5	-14.4	1.2	.01	.01	.00	-0.00	.53	.05	-66.63
39	-2.7	-14.4	-7.0	1.2	.00	.01	-0.00	-0.00	.51	.13	9.21
40	3.7	-4.1	1.1	1.1	.00	.01	-0.00	.00	.50	.12	-39.94
41	10.2	6.3	9.1	1.0	.00	.01	.00	.00	.49	.14	78.83
42	16.3	16.3	16.5	.8	.00	.01	-0.00	.00	.48	.25	-86.56
43	21.6	25.1	22.7	.5	.00	.01	-0.00	.00	.47	.39	-52.83
44	25.8	32.0	27.2	.2	.00	.01	-0.00	.00	.45	.37	-31.69
45	28.5	36.6	29.9	-0.1	.00	.01	-0.00	.00	.44	.20	-11.37
46	29.7	38.5	30.6	-0.4	.00	.01	.00	-0.00	.43	.19	-63.48
47	29.2	37.4	29.2	-0.6	.00	.01	.00	-0.00	.43	.37	-70.41
48	27.1	33.7	26.1	-0.7	.00	.01	.00	-0.00	.42	.39	-84.69
49	23.7	27.6	21.6	-0.7	.00	.01	.00	-0.00	.41	.22	-72.82
50	19.4	19.8	16.0	-0.5	.00	.01	.00	-0.00	.40	.15	-0.00

CORRELATION COEFFICIENT .731

099

L III

TM No. 377

BBEIS 14 1.04- IV 0. 19 JUNE 65 2357-0008

LAGS= 50 N= 2296 DT= 0.2 SEC

MEAN U=-18.6 MEAN W= 1.4

K	ACOV U	ACOV W	COV IN	COV OUT	SP U	SP W	CO	QUA	PER	R	PHI
0	89.0	528.2	-21.8	0	2.60	5.71	-0.53	0	0	.14	0
1	76.9	492.5	-21.5	43.6	4.64	10.47	-0.26	.17	20.00	.04	-32.81
2	60.1	406.6	-20.4	81.6	4.47	9.66	.77	.75	10.00	.16	44.02
3	39.8	283.6	-18.0	108.7	8.87	46.56	-2.64	12.47	6.57	.65	-78.27
4	20.5	140.7	-14.2	122.0	15.72	128.24	-11.36	34.71	5.00	.81	-71.88
5	2.7	-2.9	-8.7	121.2	15.48	145.92	-11.30	37.82	4.00	.83	-73.24
6	-10.4	-131.1	-2.0	108.0	10.08	84.73	-1.74	23.46	3.33	.80	-45.64
7	-20.7	-231.9	5.7	86.2	6.56	39.92	2.55	12.19	2.86	.77	78.13
8	-27.3	-298.9	13.1	58.8	4.60	22.70	1.57	6.55	2.50	.66	76.52
9	-30.3	-331.6	19.8	29.2	3.06	13.82	.54	3.63	2.22	.56	81.52
10	-29.9	-331.3	25.1	.7	2.07	8.02	.22	1.74	2.00	.43	82.71
11	-27.7	-314.4	28.2	-23.9	1.74	3.46	.20	.86	1.82	.36	77.04
12	-23.6	-257.3	29.2	-43.9	1.19	1.49	.07	.37	1.67	.29	78.83
13	-17.5	-195.7	27.2	-58.0	.79	.90	.05	.05	1.54	.09	44.83
14	-12.5	-125.9	22.0	-66.3	.80	.85	.09	.09	1.43	.15	44.84
15	-6.4	-53.2	14.6	-69.4	.73	.61	.10	.09	1.33	.20	43.61
16	-0.8	17.8	5.8	-67.6	.56	.39	.06	.04	1.25	.17	35.12
17	4.7	83.6	-3.3	-61.5	.38	.32	.03	0	1.18	.07	-9.43
18	9.1	138.5	-12.5	-52.0	.33	.33	0	-0.03	1.11	.09	-43.17
19	13.5	181.6	-20.5	-39.5	.31	.33	-0.03	-0.06	1.05	.20	60.09
20	15.8	208.9	-26.6	-25.7	.26	.27	-0.04	-0.04	1.00	.23	46.84
21	17.3	218.8	-30.2	-11.8	.23	.18	0	-0.02	.95	.12	89.53
22	17.2	210.7	-31.3	1.7	.20	.17	.02	-0.02	.91	.14	-50.84
23	16.6	187.4	-29.4	13.4	.19	.19	.02	-0.03	.87	.19	-60.11
24	15.3	152.5	-25.0	23.7	.18	.21	.02	-0.03	.83	.19	-52.31
25	14.3	110.3	-19.2	31.1	.16	.18	0	-0.02	.80	.11	-75.16
26	12.0	64.4	-11.7	36.4	.13	.14	-0.02	-0.01	.77	.12	21.04
27	8.4	18.4	-3.9	38.9	.13	.15	-0.02	.01	.74	.18	-22.91
28	5.0	-24.4	3.3	38.8	.15	.17	-0.01	.02	.71	.14	-58.10
29	.6	-61.7	9.3	36.4	.16	.17	.01	.02	.69	.11	53.84
30	-3.4	-92.0	13.9	31.9	.18	.16	.01	.02	.67	.12	47.94
31	-6.4	-114.0	16.8	25.6	.20	.11	0	.01	.65	.08	89.08
32	-7.9	-126.7	18.4	18.8	.16	.08	0	0	.63	.03	-16.75
33	-8.8	-130.3	18.3	12.0	.10	.08	0	-0.01	.61	.10	-64.09
34	-8.7	-124.9	16.7	5.6	.07	.09	0	-0.01	.59	.16	82.76
35	-9.0	-111.9	13.7	-0.3	.07	.12	-0.02	-0.02	.57	.25	45.30
36	-7.2	-91.6	10.1	-5.7	.09	.13	-0.02	-0.02	.56	.26	42.93
37	-6.6	-66.7	5.9	-10.6	.10	.11	-0.01	0	.54	.08	28.99
38	-6.4	-38.6	1.4	-15.5	.10	.11	0	.01	.53	.14	72.22
39	-5.6	-8.0	-3.5	-19.7	.10	.10	.01	0	.51	.09	25.11
40	-4.6	21.9	-8.0	-23.1	.09	.10	.01	-0.01	.50	.17	-52.04
41	-2.5	48.8	-11.5	-25.1	.07	.11	.01	-0.01	.49	.19	-31.47
42	.9	70.6	-14.0	-25.5	.06	.09	.01	0	.48	.17	10.37
43	4.7	85.5	-15.4	-23.5	.07	.06	0	0	.47	.05	-75.27
44	8.3	93.5	-15.7	-19.5	.07	.05	-0.01	0	.45	.19	24.22
45	10.8	93.8	-15.0	-13.3	.09	.05	-0.01	-0.01	.44	.17	60.46
46	12.8	86.6	-13.5	-6.0	.14	.08	.01	0	.43	.06	34.83
47	12.4	73.5	-11.7	1.5	.18	.11	0	.02	.43	.16	79.04
48	11.0	54.9	-9.8	8.7	.16	.09	-0.01	.01	.42	.14	-38.60
49	8.6	33.1	-7.7	14.6	.11	.07	-0.02	-0.01	.41	.20	16.31
50	6.2	10.4	-5.1	19.0	.04	.03	-0.01	0	.40	.14	0

100 LI-W
BRFIS- 14 2-4.0M- VII 8 JUNE- 65

TM No. 377

LAGS= 50 N= 1346

DT= .20SEC

MEAN U = -3.4

MEAN W = -1.1

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	115.4	163.0	74.5	0	16.94	15.19	7.63	0	0	.48	0
1	112.8	157.3	72.4	2.8	29.95	25.51	12.09	-0.66	20.00	.44	-3.13
2	104.2	142.7	66.2	5.2	20.27	18.00	6.59	1.04	10.00	.35	8.97
3	94.6	120.9	56.6	7.0	13.47	17.96	7.19	1.57	6.67	.47	12.34
4	84.7	94.2	44.4	8.2	13.73	29.28	15.34	1.98	5.00	.77	7.32
5	71.6	65.0	30.7	8.7	11.68	32.13	16.32	2.83	4.00	.85	9.83
6	58.3	36.1	16.8	8.4	5.40	16.65	7.35	1.66	3.33	.79	12.71
7	45.7	9.7	3.8	7.4	1.80	4.59	1.74	.49	2.86	.63	15.56
8	34.5	-12.2	-7.1	5.8	.71	1.36	.30	.22	2.50	.38	36.46
9	25.2	-28.0	-15.2	3.9	.38	.60	-0.06	.02	2.22	.14	-20.28
10	18.1	-37.0	-19.9	1.8	.29	.41	-0.00	-0.01	2.00	.03	75.64
11	13.3	-39.3	-21.1	-0.2	.12	.21	-0.01	.00	1.82	.07	-0.79
12	10.8	-35.3	-19.0	-2.0	.07	.15	.00	.00	1.67	.04	23.70
13	10.1	-26.2	-14.0	-3.3	.07	.12	-0.00	.02	1.54	.17	-74.82
14	10.9	-13.3	-6.9	-4.2	.07	.10	.00	.02	1.43	.26	86.84
15	12.8	1.7	1.5	-4.6	.04	.06	-0.00	.01	1.33	.10	-87.15
16	15.4	17.1	10.2	-4.5	.03	.06	-0.01	.00	1.25	.14	-12.45
17	18.0	31.3	18.3	-4.0	.03	.07	-0.01	.00	1.18	.28	-14.08
18	20.3	42.9	25.2	-3.4	.03	.07	-0.00	.01	1.11	.28	-82.92
19	21.9	50.9	30.4	-2.6	.02	.04	.00	.01	1.05	.38	77.00
20	22.6	54.9	33.4	-1.8	.02	.03	.00	.01	1.00	.24	89.29
21	22.3	54.8	34.2	-1.0	.02	.03	-0.00	.00	.95	.20	-54.60
22	20.8	50.6	32.8	-0.2	.02	.03	-0.00	.00	.91	.14	-58.73
23	19.2	43.1	29.5	.3	.02	.02	-0.00	.00	.87	.12	-74.82
24	14.8	33.1	24.6	.4	.02	.02	.00	.00	.83	.22	67.19
25	10.8	21.7	18.8	.3	.01	.02	.00	.00	.80	.13	85.47
26	6.7	9.9	12.3	-0.2	.01	.02	-0.00	.00	.77	.12	-14.89
27	2.7	-1.1	5.7	-0.9	.01	.02	.00	.00	.74	.10	72.45
28	-1.1	-10.5	-0.7	-1.9	.01	.02	.00	.00	.71	.26	28.21
29	-4.5	-17.9	-6.3	-3.0	.01	.02	.00	-0.00	.69	.27	-17.53
30	-7.4	-22.9	-10.8	-4.2	.01	.01	.00	-0.00	.67	.33	-45.90
31	-9.7	-25.3	-14.1	-5.5	.01	.01	.00	-0.00	.65	.17	-74.52
32	-11.3	-25.1	-16.0	-6.7	.01	.01	-0.00	.00	.63	.10	-39.02
33	-12.1	-22.4	-16.5	-7.7	.01	.01	-0.00	.00	.61	.08	-46.68
34	-12.1	-17.8	-15.6	-8.4	.01	.01	-0.00	-0.00	.59	.03	74.40
35	-11.3	-11.5	-13.5	-8.6	.01	.01	-0.00	-0.00	.57	.08	49.91
36	-9.9	-4.3	-10.3	-8.4	.01	.01	-0.00	-0.00	.56	.07	61.19
37	-7.8	3.3	-6.2	-7.7	.00	.01	-0.00	-0.00	.54	.03	26.39
38	-5.2	11.0	-1.6	-6.5	.00	.01	.00	-0.00	.53	.04	-86.46
39	-2.5	17.9	3.0	-5.1	.00	.01	.00	-0.00	.51	.20	-63.83
40	.3	23.7	7.5	-3.4	.00	.01	.00	-0.00	.50	.18	-68.73
41	2.7	28.1	11.4	-1.7	.00	.01	-0.00	-0.00	.49	.14	30.93
42	4.6	30.8	14.5	-0.1	.00	.01	-0.00	.00	.48	.12	-12.25
43	5.7	31.9	16.6	1.5	.00	.01	-0.00	.00	.47	.11	-68.77
44	6.2	31.2	17.6	3.0	.00	.01	-0.00	-0.00	.45	.06	29.17
45	5.9	28.9	17.3	4.2	.00	.01	-0.00	-0.00	.44	.13	41.12
46	5.0	25.2	16.0	5.1	.00	.01	-0.00	.00	.43	.11	-45.86
47	3.7	20.5	13.7	5.6	.00	.01	-0.00	.00	.43	.13	-71.19
48	2.1	14.8	10.7	5.7	.00	.01	-0.00	.00	.42	.11	-6.88
49	.5	8.7	7.2	5.5	.00	.01	-0.00	-0.00	.41	.17	2.22
50	-1.1	2.4	3.5	5.1	.00	.00	-0.00	.00	.40	.12	-0.00

CORRELATION COEFFICIENT .543

101 OIII
 BBELS 14 0.0M-III 0. 06JUL-65 1411-1415
 LAGS= 50 N= 1262 DT= 0.2SEC
 MEAN U= 30.0 MEAN W= 1.5
 CORRELATION COEFFICIENT -1.3

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	257.4	953.2	-162.3	0	4.50	6.52	-1.74	0	0	.32	0
1	226.2	865.5	-152.2	110.4	7.04	13.27	-1.26	-0.12	20.00	.13	5.26
2	174.1	662.2	-123.7	204.6	5.35	21.38	.09	2.89	10.00	.25	88.16
3	106.9	393.9	-80.9	267.0	22.32	87.96	-17.98	30.75	6.67	.80	-59.69
4	34.1	120.3	-32.9	290.1	45.68	181.20	-41.20	72.12	5.00	.91	-60.26
5	-23.2	-116.8	13.6	274.6	47.40	185.68	-34.16	75.52	4.00	.88	-65.66
6	-71.0	-295.4	53.2	230.4	36.05	143.81	-21.54	54.97	3.33	.82	-68.60
7	-101.7	-411.2	80.1	168.2	26.68	109.87	-20.20	38.20	2.86	.80	-62.13
8	-115.2	-467.9	95.2	101.3	17.89	65.21	-13.62	22.27	2.50	.76	-58.55
9	-112.2	-476.1	97.6	36.6	12.61	39.12	-6.71	14.38	2.22	.71	-64.98
10	-99.5	-441.9	90.3	-20.6	5.37	28.78	-2.56	8.69	2.00	.58	-73.57
11	-82.5	-379.4	76.7	-66.2	4.14	18.46	-0.49	2.63	1.82	.31	-79.53
12	-63.3	-297.9	59.8	-98.2	2.54	13.14	-0.35	1.08	1.67	.20	-72.12
13	-44.5	-206.6	43.0	-116.6	2.04	10.15	-0.42	1.36	1.54	.31	-72.74
14	-25.1	-116.8	28.1	-122.9	1.36	7.06	-0.35	1.11	1.43	.38	-72.33
15	-8.4	-36.1	16.3	-120.3	.88	4.16	-0.03	.38	1.33	.20	-84.73
16	6.8	30.8	7.8	-113.1	.75	2.91	-0.04	-0.14	1.25	.10	72.97
17	19.5	82.2	-0.1	-103.7	.85	2.39	-0.05	-0.54	1.18	.38	84.67
18	30.6	117.2	-8.4	-91.2	.88	1.67	.07	-0.44	1.11	.36	-80.67
19	39.6	139.3	-17.6	-76.1	.76	1.06	.05	-0.13	1.05	.16	-70.17
20	46.6	151.4	-27.6	-54.9	.67	.84	0	-0.06	1.00	.08	-89.84
21	52.0	157.4	-38.7	-31.2	.56	.76	-0.02	-0.12	.95	.18	82.56
22	52.9	157.4	-49.8	-7.7	.42	.61	-0.04	-0.12	.91	.26	72.20
23	49.9	153.5	-58.5	11.9	.35	.48	.03	-0.06	.87	.16	-62.92
24	44.9	144.1	-63.9	27.3	.32	.41	.07	-0.01	.83	.21	-6.97
25	37.9	133.9	-65.0	37.2	.26	.36	.03	-0.01	.80	.12	-18.71
26	29.9	122.2	-62.8	44.3	.23	.33	0	-0.02	.77	.06	80.83
27	24.0	111.2	-56.3	48.3	.26	.34	-0.02	-0.01	.74	.07	42.80
28	19.0	97.6	-47.4	51.0	.32	.38	-0.01	-0.03	.71	.08	74.22
29	14.5	76.6	-35.1	53.8	.31	.34	.02	-0.03	.69	.13	-54.86
30	4.0	44.0	-20.3	58.5	.23	.28	.05	-0.02	.67	.20	-20.10
31	1.3	2.5	-4.0	61.9	.24	.27	.03	-0.02	.65	.16	-37.05
32	-7.4	-45.7	13.6	62.9	.28	.21	.02	-0.07	.63	.29	-77.21
33	-16.4	-94.1	30.6	58.9	.27	.16	.04	-0.05	.61	.29	-52.58
34	-25.2	-136.7	44.1	47.4	.23	.19	.04	.02	.59	.20	32.71
35	-32.9	-166.8	53.6	30.3	.21	.23	.03	.03	.57	.18	49.01
36	-37.1	-182.1	59.1	9.2	.22	.24	.04	.01	.56	.19	15.14
37	-37.4	-179.2	60.1	-13.1	.21	.24	.04	.01	.54	.18	10.04
38	-32.7	-158.2	56.9	-33.9	.20	.26	0	0	.53	.01	8.38
39	-25.6	-122.7	47.6	-50.8	.19	.27	-0.02	0	.51	.07	-3.20
40	-17.3	-76.0	33.3	-62.8	.19	.25	-0.02	.02	.50	.14	-40.33
41	-7.7	-25.7	15.3	-68.2	.25	.19	-0.05	.02	.49	.23	-20.20
42	.0	22.6	-2.7	-65.0	.28	.18	-0.06	-0.01	.48	.26	13.50
43	6.7	60.9	-18.9	-54.7	.26	.17	-0.04	-0.03	.47	.21	34.43
44	11.6	84.4	-31.6	-38.3	.26	.16	-0.01	-0.04	.45	.19	75.48
45	15.3	92.5	-38.6	-19.3	.22	.16	-0.02	-0.04	.44	.21	67.11
46	17.4	87.1	-40.1	-2.9	.17	.17	-0.03	0	.43	.20	.21
47	17.3	71.7	-37.4	8.3	.18	.24	-0.01	0	.43	.05	-14.73
48	15.9	54.1	-30.8	10.8	.22	.30	.02	-0.05	.42	.20	-68.10
49	14.5	39.5	-23.9	8.6	.23	.25	.02	-0.06	.41	.27	-74.38
50	12.4	31.0	-16.1	4.0	.11	.10	.01	0	.40	.06	-0.02

102

OIII

TM No. 377

BBFIS- 14 .54- 1 8 JUNE-65 1420-1424

LAGS= 50 N= 1136 DT= .20SEC

MEAN U = 31.4 MEAN W = 1.3

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	158.3	688.9	-117.2	0	1.67	3.96	.92	0	0	.36	0
1	138.1	639.1	-111.5	75.7	2.98	9.68	1.46	.81	20.00	.31	29.17
2	111.6	520.4	-94.6	141.0	4.71	14.28	.22	2.92	10.00	.36	85.62
3	74.9	351.6	-68.5	187.2	14.28	47.42	-9.44	17.84	6.67	.78	-62.13
4	34.9	188.0	-36.2	210.9	31.30	145.10	-33.04	51.93	5.00	.91	-57.53
5	-3.0	-33.8	-0.5	209.5	39.08	205.20	-44.27	71.65	4.00	.94	-58.29
6	-35.3	-202.4	33.7	186.1	26.07	135.10	-25.96	48.09	3.33	.92	-61.64
7	-60.3	-332.1	54.5	146.5	10.50	51.20	-5.92	18.10	2.86	.82	-71.88
8	-77.1	-418.2	88.8	96.5	5.78	25.32	-0.61	8.84	2.50	.73	-86.05
9	-85.8	-456.9	103.9	44.3	4.53	18.23	-0.50	6.31	2.22	.70	-85.48
10	-86.8	-451.9	109.6	-5.2	3.03	12.24	-0.13	3.75	2.00	.62	-88.01
11	-80.4	-408.5	103.5	-49.7	2.05	6.11	.15	1.69	1.82	.48	84.98
12	-60.0	-334.2	88.7	-86.2	1.65	2.98	.12	.61	1.67	.28	78.80
13	-52.2	-237.7	67.9	-113.2	1.23	1.99	-0.02	.21	1.54	.13	-83.59
14	-32.7	-129.0	41.4	-128.0	.72	1.70	-0.17	-0.07	1.43	.17	22.68
15	-11.6	-18.0	13.6	-131.6	.54	1.32	-0.13	-0.19	1.33	.27	55.93
16	0.0	86.9	-13.4	-124.3	.47	.67	-0.03	-0.13	1.25	.24	75.05
17	25.5	178.9	-37.2	-106.1	.37	.37	-0.00	-0.06	1.18	.16	88.74
18	39.3	251.7	-56.3	-80.4	.34	.34	.02	-0.02	1.11	.09	-51.63
19	48.4	297.0	-69.3	-49.2	.36	.32	.01	.07	1.05	.20	85.66
20	52.1	311.9	-74.7	-15.9	.32	.30	.04	.07	1.00	.26	59.63
21	51.5	296.4	-72.8	16.2	.22	.34	.06	.06	.95	.32	44.81
22	45.9	252.6	-63.9	44.4	.20	.35	.04	.08	.91	.35	66.75
23	36.9	187.3	-49.8	66.2	.22	.27	.02	.07	.87	.28	72.27
24	25.1	109.3	-31.8	78.9	.20	.18	.00	.00	.83	.02	15.56
25	12.6	28.9	-13.1	82.9	.24	.18	-0.02	-0.03	.80	.19	57.41
26	-0.5	-45.7	4.5	78.1	.25	.24	-0.06	-0.02	.77	.25	22.65
27	-11.7	-108.2	19.7	66.0	.22	.27	-0.04	-0.01	.74	.19	14.32
28	-20.1	-155.0	31.5	49.0	.22	.25	.02	.01	.71	.08	28.56
29	-24.3	-183.5	39.0	28.8	.20	.22	.03	.04	.69	.23	51.27
30	-24.7	-192.7	41.0	9.0	.19	.17	.01	.04	.67	.25	70.76
31	-21.1	-183.4	40.1	-8.6	.23	.16	.02	.04	.65	.22	63.16
32	-16.9	-159.5	35.1	-22.8	.24	.18	.00	.02	.63	.11	82.84
33	-11.2	-124.5	27.6	-33.3	.22	.17	-0.03	.00	.61	.19	-8.11
34	-4.6	-82.6	19.1	-39.0	.17	.15	-0.04	-0.00	.59	.27	6.04
35	1.2	-38.3	9.9	-39.6	.18	.12	-0.02	.01	.57	.18	-24.46
36	6.7	5.4	1.9	-35.2	.22	.11	-0.01	.03	.56	.19	-62.23
37	9.4	45.0	-5.0	-27.4	.23	.12	.01	.01	.54	.09	28.15
38	12.6	78.5	-9.6	-16.8	.25	.14	.06	-0.04	.53	.39	-35.51
39	13.5	102.1	-12.7	-5.8	.23	.15	.06	-0.06	.51	.47	-44.42
40	11.9	114.2	-15.2	5.1	.17	.13	.04	-0.04	.50	.38	-46.53
41	8.2	115.1	-16.0	14.5	.16	.14	.04	-0.03	.49	.32	-41.40
42	4.4	102.1	-15.6	22.1	.19	.15	.00	-0.02	.48	.12	-86.40
43	-0.2	79.1	-13.0	26.7	.21	.16	-0.04	.00	.47	.24	-1.60
44	-4.6	49.0	-10.4	27.1	.24	.17	-0.02	.01	.45	.12	-29.14
45	-7.5	15.5	-7.1	23.6	.24	.14	.00	.00	.44	.02	61.15
46	-9.9	-16.2	-4.9	17.2	.19	.11	-0.00	-0.02	.43	.12	78.25
47	-10.1	-42.4	-3.3	7.7	.21	.10	-0.01	-0.01	.43	.11	62.37
48	-8.8	-61.4	-1.8	-2.1	.22	.09	-0.00	.00	.42	.02	-51.21
49	-6.2	-71.6	-0.5	-11.9	.20	.08	.00	-0.00	.41	.03	-48.13
50	-2.5	-71.8	.3	-19.3	.10	.04	-0.00	-0.00	.40	.02	.01

CORRELATION COEFFICIENT -0.455

103 OIII 8 JUNE -65 1428-1432

TM No. 377

BBFLS- 14 1.04- 1 LAGS= 50 N= 1039 DT= .20SEC
MEAN U = 36.2 MEAN W = -1.2

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	117.7	402.6	-78.0	0	1.28	2.69	.19	0	0	.10	0
1	97.7	372.7	-72.5	53.1	1.95	5.88	.20	.66	20.00	.20	73.02
2	78.4	300.4	-58.6	98.7	2.10	9.87	.22	2.83	10.00	.62	85.51
3	49.3	195.0	-38.2	130.6	7.38	25.33	-3.40	10.77	6.67	.83	-72.50
4	18.9	74.5	-15.2	145.2	20.45	67.97	-16.96	29.70	5.00	.92	-60.27
5	-8.9	-44.2	8.4	141.5	28.32	105.96	-26.61	43.97	4.00	.94	-58.81
6	-32.7	-145.5	29.6	121.5	20.09	85.57	-17.50	34.03	3.33	.92	-62.78
7	-59.3	-219.0	46.4	89.8	11.53	45.71	-6.25	18.73	2.86	.90	-71.54
8	-61.6	-258.7	57.4	52.0	6.76	27.15	-3.74	11.35	2.50	.88	-71.76
9	-65.9	-264.2	62.1	13.3	3.24	13.59	-1.94	4.63	2.22	.76	-67.25
10	-64.1	-240.3	60.7	-21.4	1.31	4.52	-0.28	.94	2.00	.41	-73.33
11	-54.9	-193.4	53.8	-49.4	1.15	1.91	-0.24	.52	1.82	.38	-65.57
12	-41.9	-133.9	41.9	-68.3	1.19	1.00	-0.39	.38	1.67	.50	-44.33
13	-25.0	-70.1	27.2	-77.2	1.27	.76	-0.42	.27	1.54	.51	-32.30
14	-8.6	-10.5	11.4	-77.5	1.06	.60	-0.24	.09	1.43	.32	-21.42
15	5.0	40.9	-4.1	-69.8	.70	.44	-0.06	-0.08	1.33	.18	50.06
16	17.1	80.8	-17.2	-57.4	.50	.35	-0.05	-0.12	1.25	.31	65.09
17	24.6	107.8	-27.9	-42.1	.32	.29	-0.04	-0.05	1.18	.22	53.69
18	30.6	122.4	-34.9	-27.0	.21	.22	-0.04	-0.01	1.11	.18	14.82
19	33.6	126.5	-39.7	-12.3	.27	.16	-0.05	-0.01	1.05	.26	6.93
20	34.8	120.5	-41.1	.6	.31	.12	-0.05	-0.00	1.00	.24	4.50
21	33.6	106.0	-39.1	11.9	.28	.09	-0.05	.00	.95	.29	-6.04
22	30.6	85.5	-35.1	22.0	.24	.11	-0.06	.01	.91	.36	-11.88
23	25.8	58.5	-27.7	30.0	.21	.13	-0.03	.01	.87	.20	-23.41
24	18.6	28.2	-17.8	36.2	.20	.11	-0.01	.00	.83	.09	-18.02
25	12.0	-3.1	-6.1	38.9	.22	.10	-0.05	.01	.80	.36	-13.62
26	1.7	-33.1	5.7	38.9	.21	.10	-0.04	.02	.77	.32	-24.02
27	-6.5	-58.9	16.7	34.9	.22	.09	.00	.00	.74	.03	81.74
28	-13.4	-78.3	25.6	28.0	.23	.06	.02	-0.01	.71	.18	-23.94
29	-19.9	-88.4	31.3	17.9	.19	.05	.02	-0.01	.69	.19	-29.70
30	-22.7	-88.6	33.4	5.9	.16	.09	-0.01	-0.01	.67	.08	43.31
31	-23.2	-79.2	31.2	-6.6	.19	.11	-0.02	.00	.65	.16	-6.55
32	-22.2	-60.9	26.5	-18.2	.25	.09	-0.01	.02	.63	.13	-55.29
33	-17.2	-36.1	19.3	-27.3	.24	.07	.01	.01	.61	.10	50.54
34	-11.4	-8.1	10.5	-32.6	.19	.06	.01	.00	.59	.09	6.05
35	-2.8	19.4	1.2	-32.9	.23	.07	-0.01	-0.00	.57	.11	12.42
36	5.5	42.8	-7.4	-29.0	.31	.11	-0.01	-0.01	.56	.09	49.73
37	11.5	59.0	-13.1	-21.4	.26	.11	.02	-0.01	.54	.14	-37.36
38	15.4	66.8	-16.1	-11.5	.22	.07	.02	-0.01	.53	.14	-26.03
39	17.1	65.5	-16.8	-0.7	.30	.05	.00	-0.00	.51	.01	-36.40
40	16.4	56.2	-14.5	9.0	.30	.06	-0.01	-0.00	.50	.10	2.58
41	14.1	41.0	-11.0	16.9	.21	.07	-0.04	.00	.49	.32	-6.59
42	10.6	22.4	-6.8	21.5	.23	.06	-0.03	.02	.48	.30	-39.11
43	7.1	3.9	-3.6	23.1	.30	.06	.01	.03	.47	.23	64.80
44	2.5	-13.0	-0.3	22.4	.35	.08	.01	-0.00	.45	.08	-17.22
45	-1.1	-25.9	1.9	19.0	.33	.11	-0.01	-0.04	.44	.23	77.80
46	-3.8	-36.0	4.1	14.7	.29	.11	-0.03	-0.02	.43	.19	40.57
47	-6.0	-41.4	4.5	10.0	.28	.10	-0.03	.01	.43	.18	-24.91
48	-7.4	-43.6	4.6	5.5	.29	.08	-0.02	.01	.42	.16	-23.26
49	-6.4	-42.7	3.8	1.1	.25	.08	-0.02	-0.00	.41	.12	3.22
50	-6.1	-39.8	2.2	-2.4	.10	.04	-0.00	-0.00	.40	.03	.00

CORRELATION COEFFICIENT -0.359

104

OIII

TM No. 377

BRELS= 14 1.5M- 1 8 JUNE - 65 1435-1439

LAGS= 50 N= 1022 DT= .20SEC

MEAN U = 37.2 MEAN W = -2.4

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	72.0	243.6	-49.7	0	.60	6.18	-0.19	0	0	.10	0
1	54.8	230.6	-45.9	23.5	1.34	12.57	.04	1.00	20.00	.24	87.87
2	45.5	197.7	-39.6	44.4	2.18	12.52	.56	2.75	10.00	.54	78.53
3	31.4	149.1	-29.1	61.0	6.59	24.76	-3.86	9.21	6.67	.78	-67.23
4	17.5	91.1	-16.1	71.4	15.59	55.95	-15.56	21.57	5.00	.90	-54.19
5	4.0	30.3	-2.4	74.6	17.48	65.73	-18.96	25.02	4.00	.93	-52.84
6	-9.0	-26.8	10.9	71.1	8.70	37.66	-8.67	13.65	3.33	.89	-57.58
7	-18.4	-75.4	23.5	61.0	2.51	13.46	-1.36	4.22	2.86	.76	-72.09
8	-28.1	-111.5	34.3	45.4	1.19	6.62	-0.39	1.76	2.50	.64	-77.40
9	-34.4	-133.1	40.5	29.2	.76	3.38	-0.07	.74	2.22	.46	-84.86
10	-39.5	-140.0	44.1	11.3	1.05	1.43	-0.02	.50	2.00	.41	-87.39
11	-40.3	-133.2	43.7	-5.6	1.22	.75	-0.24	.25	1.82	.36	-45.33
12	-37.4	-114.8	39.5	-20.6	1.09	.43	-0.28	-0.18	1.67	.49	32.20
13	-31.0	-87.8	31.8	-32.2	.98	.30	-0.21	-0.23	1.54	.58	47.63
14	-22.5	-55.8	21.2	-40.8	.74	.25	-0.12	-0.09	1.43	.35	36.25
15	-11.2	-21.7	9.2	-45.2	.42	.20	-0.01	-0.01	1.33	.06	33.43
16	-0.9	11.5	-2.9	-45.8	.33	.15	-0.00	.01	1.25	.05	-84.30
17	2.7	41.4	-14.0	-42.1	.35	.11	-0.03	-0.01	1.18	.17	14.85
18	15.9	65.9	-23.2	-35.2	.29	.09	-0.05	-0.01	1.11	.33	13.35
19	21.4	83.1	-29.8	-25.5	.29	.07	-0.03	.01	1.05	.25	-20.14
20	25.5	92.7	-34.0	-14.2	.31	.05	-0.01	.02	1.00	.18	-57.11
21	26.2	94.0	-35.4	-2.7	.26	.05	-0.01	.00	.95	.11	-17.47
22	25.2	87.8	-34.2	7.6	.24	.07	-0.01	-0.00	.91	.11	19.98
23	22.1	74.7	-30.2	15.9	.27	.06	-0.00	.00	.87	.03	-5.04
24	18.1	56.3	-24.1	22.0	.31	.04	-0.01	.01	.83	.11	-61.04
25	12.0	34.8	-16.2	25.6	.36	.03	-0.00	.01	.80	.11	-67.81
26	5.6	12.0	-7.8	27.4	.30	.03	-0.00	-0.01	.77	.10	73.50
27	-0.2	-10.1	.9	26.4	.21	.03	-0.01	-0.02	.74	.24	66.37
28	-5.3	-29.7	8.7	23.7	.24	.03	-0.00	-0.00	.71	.05	69.22
29	-9.9	-45.1	15.5	19.4	.27	.03	-0.00	-0.00	.69	.00	41.86
30	-14.6	-55.2	20.3	13.4	.23	.04	-0.00	-0.00	.67	.02	24.83
31	-15.7	-59.5	23.0	5.6	.23	.04	-0.00	.01	.65	.10	-70.56
32	-18.5	-58.2	23.2	-0.4	.26	.04	-0.01	.01	.63	.19	-48.62
33	-17.6	-52.0	21.2	-7.0	.25	.04	-0.02	.01	.61	.25	-13.99
34	-14.6	-42.1	17.4	-12.6	.23	.04	-0.03	.00	.59	.35	-0.19
35	-10.0	-29.6	12.4	-16.1	.23	.03	-0.03	.01	.57	.39	-18.67
36	-5.0	-16.2	6.7	-17.5	.22	.02	-0.02	.01	.56	.35	-24.82
37	-1.1	-3.6	1.1	-16.5	.18	.02	-0.02	-0.00	.54	.25	2.80
38	3.6	7.2	-3.7	-14.0	.23	.02	-0.01	.00	.53	.19	-13.66
39	7.8	15.2	-7.5	-10.2	.29	.03	-0.01	.01	.51	.21	-50.97
40	9.8	20.5	-10.3	-5.8	.29	.03	-0.00	.01	.50	.15	-78.13
41	11.7	22.7	-12.3	-1.5	.33	.02	.01	.01	.49	.11	53.93
42	11.7	22.5	-13.0	2.3	.34	.02	.01	.01	.48	.17	35.20
43	10.6	20.1	-12.9	5.5	.28	.02	.01	.00	.47	.14	20.71
44	9.4	16.2	-12.1	7.5	.31	.03	.00	-0.02	.45	.17	-75.64
45	7.0	11.2	-10.5	8.5	.39	.03	-0.00	-0.03	.44	.24	86.75
46	4.1	5.8	-7.6	8.2	.35	.03	-0.00	-0.01	.43	.10	63.38
47	2.2	.4	-4.7	7.1	.28	.02	.00	.01	.43	.12	84.00
48	-0.6	-4.4	-1.5	5.1	.26	.02	.00	.01	.42	.16	83.01
49	-2.9	-8.7	1.7	2.3	.23	.03	-0.01	.01	.41	.20	-39.34
50	-4.8	-12.1	4.5	-0.4	.09	.02	-0.01	.00	.40	.25	-0.00

CORRELATION COEFFICIENT -0.376

105

OIII

TM No. 377

BBFIS- 14 2.5M- 1 8 JUNE- 65

LAGS= 50 N= 1088 DT= .20SEC

MEAN U = 35.2

MEAN W = -3.3

K ACOV U ACOV W COV IN COVOUT SP U SP W CO QUA PER R PHI

0	53.7	159.4	-34.6	0	.50	7.80	.37	0	0	.19	0
1	40.8	152.5	-34.6	13.1	1.01	13.97	.29	.80	20.00	.23	70.18
2	34.3	136.3	-29.7	25.0	2.58	13.42	-1.00	3.63	10.00	.64	-73.29
3	24.4	111.5	-22.3	35.4	8.10	25.63	-6.13	11.12	6.67	.88	-61.13
4	14.3	91.5	-13.7	42.8	12.49	39.17	-11.86	16.52	5.00	.92	-54.33
5	5.7	48.5	-4.0	47.2	9.46	31.81	-10.04	12.12	4.00	.91	-50.36
6	-1.6	15.7	5.2	47.9	4.21	16.13	-4.69	5.26	3.33	.86	-48.29
7	-8.2	-14.2	13.7	44.9	1.70	6.67	-1.90	1.82	2.86	.78	-43.80
8	-14.2	-39.0	20.6	39.0	.77	2.00	-0.62	.27	2.50	.54	-23.97
9	-18.9	-57.3	25.7	30.5	.74	.68	-0.13	-0.03	2.22	.19	14.15
10	-24.0	-68.1	28.4	20.8	1.14	.36	-0.10	-0.05	2.00	.18	24.36
11	-24.8	-71.9	29.0	10.9	1.25	.22	-0.14	-0.10	1.82	.33	34.07
12	-27.5	-68.6	27.4	.8	1.00	.19	-0.12	-0.12	1.67	.39	45.52
13	-24.3	-59.7	24.0	-7.9	.75	.15	-0.07	-0.09	1.54	.32	51.63
14	-22.3	-46.7	19.0	-15.3	.55	.12	-0.04	-0.02	1.43	.16	25.42
15	-16.4	-31.3	13.5	-20.6	.38	.08	-0.03	-0.02	1.33	.22	28.74
16	-11.0	-15.1	7.6	-24.2	.24	.05	-0.03	-0.02	1.25	.32	35.94
17	-4.8	.6	1.8	-25.7	.20	.04	-0.03	-0.00	1.18	.32	8.35
18	.5	14.5	-3.1	-25.5	.22	.05	-0.02	.00	1.11	.20	-2.67
19	4.8	26.2	-7.5	-23.8	.25	.04	-0.02	.01	1.05	.16	-21.26
20	8.5	34.9	-10.4	-20.6	.23	.05	-0.02	.02	1.00	.28	-45.14
21	11.4	40.7	-12.7	-16.6	.17	.05	-0.02	.02	.95	.29	-41.83
22	12.5	43.6	-13.0	-12.5	.15	.05	-0.01	.00	.91	.14	-4.50
23	12.8	43.9	-14.3	-8.1	.19	.04	-0.01	-0.01	.87	.15	61.62
24	12.9	42.0	-13.9	-3.8	.19	.03	.00	-0.01	.83	.17	-88.59
25	13.3	38.3	-12.6	-0.0	.17	.02	.00	-0.01	.80	.09	-56.69
26	12.0	33.3	-10.8	3.3	.15	.02	-0.01	-0.00	.77	.15	14.08
27	10.7	27.5	-8.4	6.1	.18	.02	-0.01	-0.01	.74	.22	46.02
28	8.9	20.8	-5.6	8.7	.20	.02	-0.01	-0.00	.71	.11	32.07
29	6.5	14.0	-2.7	10.5	.17	.03	-0.02	.01	.69	.27	-34.95
30	4.1	7.0	.4	11.9	.14	.03	-0.01	.01	.67	.32	-44.89
31	1.1	.3	3.1	12.3	.17	.02	-0.01	.00	.65	.10	-34.12
32	-1.6	-6.1	5.8	12.1	.22	.02	-0.01	-0.01	.63	.19	66.02
33	-3.5	-12.1	7.7	11.1	.26	.02	-0.00	-0.01	.61	.20	82.21
34	-5.4	-17.2	9.0	9.6	.26	.02	.00	-0.01	.59	.14	-83.58
35	-5.7	-21.4	10.0	7.7	.23	.02	-0.00	-0.00	.57	.09	48.58
36	-4.9	-24.3	10.3	5.5	.21	.02	-0.01	-0.00	.56	.11	6.58
37	-6.8	-25.7	9.9	2.8	.18	.02	-0.01	.00	.54	.09	-16.32
38	-6.1	-25.6	8.9	.0	.16	.02	-0.00	.01	.53	.16	-67.08
39	-5.5	-23.9	7.5	-2.8	.19	.02	.01	.02	.51	.29	70.00
40	-3.9	-20.9	5.8	-5.1	.23	.03	.01	.03	.50	.37	65.35
41	-4.0	-16.5	3.7	-7.2	.21	.03	-0.01	.03	.49	.32	-78.92
42	-2.6	-11.4	1.7	-8.2	.22	.03	-0.02	.01	.48	.30	-32.14
43	-1.7	-5.6	-0.4	-8.5	.25	.02	-0.01	.00	.47	.11	-23.28
44	.1	.2	-2.4	-8.1	.23	.02	.01	-0.00	.45	.09	-4.04
45	1.2	5.5	-4.4	-6.8	.23	.02	.01	-0.00	.44	.10	-42.03
46	3.8	9.9	-6.6	-5.1	.23	.02	-0.01	-0.00	.43	.11	38.23
47	6.1	13.2	-8.4	-3.2	.23	.03	-0.02	.01	.43	.23	-27.79
48	7.4	14.7	-9.5	-1.0	.23	.03	-0.02	.01	.42	.33	-30.76
49	8.3	14.4	-10.0	1.1	.19	.03	-0.02	.00	.41	.33	-3.70
50	8.1	12.3	-9.4	3.2	.08	.01	-0.01	-0.00	.40	.32	.00

CORRELATION COEFFICIENT -0.346

106

OIII

HBELS 14 3.0M-1 0.06JUL-65 1457-1501

LAGS= 50 N= 1143 DT= 0.2SEC

MEAN U= 18.9 MEAN W= -2.2

CORRELATION COEFFICIENT -.12

K	ACOV U	ACOV W	COV	IN	COVOUT	SP U	SP W	CO	QUA	PER	K	PHI
0	15.8	186.2	-6.9	0	.20	9.86	-0.24	0	0	.21	0	
1	8.7	178.0	-6.7	.4	1.43	16.25	-0.72	-0.36	20.00	.17	26.19	
2	8.9	156.8	-6.1	.6	3.00	13.99	-0.91	-0.60	10.00	.17	33.22	
3	6.8	125.2	-5.1	.7	2.38	22.37	-0.93	-0.25	6.67	.13	15.21	
4	6.2	86.6	-3.9	.8	.84	39.29	-1.43	.11	5.00	.25	-4.57	
5	4.2	45.2	-2.5	.8	.64	42.76	-1.72	.56	4.00	.34	-18.04	
6	3.2	4.9	-1.1	.8	.78	25.76	-0.86	.85	3.33	.27	-44.64	
7	2.1	-30.5	.4	.4	.56	9.92	-0.10	.23	2.86	.10	-65.76	
8	1.1	-58.0	1.6	-0.1	.34	2.89	0	-0.20	2.50	.20	88.59	
9	.6	-76.0	2.6	-0.8	.26	.89	-0.01	-0.06	2.22	.13	83.75	
10	-0.1	-83.8	3.0	-1.6	.21	.58	.03	-0.04	2.00	.14	-58.14	
11	-0.6	-81.6	3.1	-2.4	.17	.31	.01	-0.06	1.82	.27	-76.84	
12	-1.1	-70.9	3.0	-2.8	.16	.16	.01	-0.02	1.67	.14	-62.94	
13	-1.3	-53.8	2.6	-3.1	.14	.12	.01	.02	1.54	.16	65.50	
14	-2.1	-32.7	1.9	-3.1	.10	.13	0	.02	1.43	.17	84.22	
15	-2.5	-9.9	.9	-2.7	.09	.09	0	.01	1.33	.16	73.79	
16	-2.8	11.9	.1	-2.1	.12	.07	.01	.02	1.25	.23	71.48	
17	-3.0	30.9	-0.7	-1.5	.14	.06	0	.02	1.18	.21	85.40	
18	-3.7	45.5	-1.3	-0.7	.14	.06	-0.01	.01	1.11	.19	-43.08	
19	-4.3	55.0	-1.7	0	.11	.05	-0.01	.01	1.05	.22	-25.85	
20	-5.0	59.3	-2.0	.6	.08	.04	0	.01	1.00	.14	84.86	
21	-5.1	58.3	-2.1	1.1	.10	.03	.01	.01	.95	.21	44.04	
22	-5.5	53.2	-1.8	1.2	.14	.04	.01	.01	.91	.20	37.01	
23	-4.8	44.8	-1.3	1.3	.13	.03	0	0	.87	.09	39.85	
24	-5.6	34.5	-0.6	1.0	.12	.03	0	0	.83	.07	81.85	
25	-4.9	23.5	.1	.5	.11	.04	0	.01	.80	.21	71.91	
26	-4.8	12.9	.8	-0.2	.10	.03	0	.01	.77	.19	84.77	
27	-3.9	3.5	1.5	-0.8	.11	.02	0	.01	.74	.12	-73.19	
28	-3.6	-4.5	2.0	-1.4	.10	.02	0	0	.71	.06	-48.47	
29	-2.6	-10.8	2.4	-1.5	.11	.01	0	-0.01	.69	.18	82.20	
30	-1.9	-15.1	2.6	-1.5	.15	.01	0	-0.01	.67	.25	-66.25	
31	-1.2	-17.5	2.4	-1.1	.14	.01	.01	0	.65	.20	-24.09	
32	-0.2	-18.0	2.0	-0.3	.11	.01	0	0	.63	.13	-56.49	
33	.2	-16.8	1.6	.6	.10	.02	0	0	.61	.09	46.99	
34	1.0	-14.1	.8	1.4	.10	.02	-0.01	.01	.59	.21	-49.47	
35	.7	-10.1	.4	2.0	.11	.02	0	.01	.57	.19	-60.00	
36	2.0	-5.1	-0.3	2.7	.10	.02	0	0	.56	.10	-16.30	
37	1.8	.4	-0.8	2.8	.09	.02	0	-0.01	.54	.14	-51.89	
38	2.1	6.4	-1.3	2.8	.11	.02	0	0	.53	.13	49.65	
39	2.4	12.3	-1.4	2.4	.12	.02	0	0	.51	.08	32.83	
40	2.5	17.8	-1.5	1.8	.12	.02	0	0	.50	.06	-32.94	
41	2.5	22.6	-1.6	1.1	.12	.02	0	0	.49	.07	-26.93	
42	2.5	26.3	-1.7	.2	.12	.01	.01	0	.48	.15	12.62	
43	2.5	28.7	-1.9	-0.6	.16	.01	.01	0	.47	.29	-15.69	
44	2.7	29.5	-1.8	-1.2	.21	.01	.01	0	.45	.17	-28.34	
45	2.2	28.8	-1.8	-1.4	.17	.02	0	0	.44	.09	37.66	
46	2.3	26.6	-1.9	-1.4	.16	.02	0	0	.43	.04	59.57	
47	2.6	23.5	-1.8	-1.1	.22	.02	-0.01	-0.01	.43	.20	46.30	
48	2.3	19.9	-1.6	-0.5	.23	.01	0	-0.01	.42	.15	54.03	
49	2.1	16.2	-1.4	.3	.18	.01	0	0	.41	.06	50.98	
50	1.7	12.8	-1.3	1.0	.08	.01	0	0	.40	.11	0	

107 OIII
 BRFLS 14 3.5M-1 C, 06JUL-65 1508-1512
 LAGS= 50 N= 1267 DT= 0.25SEC
 MEAN U= 30.45 MEAN W= -3.73
 CORRELATION COEFFICIENT = .44

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	4.7	132.1	-36.1	0	.44	4.83	-0.27	0	0	.18	0
1	3.5	127.0	-34.7	6.4	.76	11.65	-0.51	.73	20.00	.30	-55.00
2	25.3	114.6	-31.1	12.3	1.46	13.98	-1.36	1.82	10.00	.50	-53.12
3	17.6	96.1	-25.6	17.6	1.04	24.70	-8.03	7.48	6.67	.83	-42.99
4	11.1	72.8	-18.3	22.0	11.36	35.48	-14.15	11.54	5.00	.91	-39.20
5	5.8	46.9	-10.2	25.4	6.33	25.06	-9.04	5.97	4.00	.86	-33.43
6	1.5	20.5	-1.7	27.1	1.14	9.71	-2.15	.78	3.33	.69	-19.88
7	-.5	-4.4	6.8	27.2	.54	3.32	-0.35	-0.10	2.86	.27	15.13
8	-7.8	-26.3	14.5	25.6	.64	1.29	.02	-0.40	2.50	.45	-86.88
9	-12.9	-43.7	21.3	22.3	.73	.64	.04	-0.19	2.22	.29	-79.04
10	-17.3	-55.4	26.2	17.8	.65	.19	-0.02	-0.01	2.00	.08	29.51
11	-21.7	-62.6	29.3	12.2	.78	.14	-0.05	-0.01	1.82	.14	10.54
12	-23.4	-64.0	30.2	6.2	1.11	.09	-0.06	-0.05	1.67	.25	41.97
13	-23.3	-60.6	29.0	-0.1	1.03	.08	-0.06	-0.04	1.54	.23	33.43
14	-21.3	-53.2	26.1	-6.1	.58	.06	-0.01	0	1.43	.06	16.21
15	-17.6	-42.8	21.2	-11.4	.30	.05	0	.02	1.33	.15	-88.18
16	-13.3	-30.4	15.4	-15.7	.31	.06	-0.02	.02	1.25	.19	-48.19
17	-9.1	-17.0	8.8	-18.8	.32	.05	-0.02	.01	1.18	.17	-30.70
18	-4.9	-3.6	2.1	-20.2	.23	.04	-0.01	0	1.11	.09	-19.64
19	-1.5	8.8	-4.3	-20.3	.19	.04	0	.01	1.05	.11	62.97
20	4.2	19.5	-9.9	-19.1	.19	.03	.01	.01	1.00	.18	42.02
21	1.2	28.1	-14.9	-16.8	.16	.03	.01	.01	.95	.12	50.65
22	14.0	34.0	-18.7	-13.6	.12	.03	0	.01	.91	.11	-83.38
23	17.8	37.2	-21.2	-10.0	.12	.03	0	.01	.87	.17	81.55
24	19.8	37.7	-22.2	-6.0	.12	.03	0	0	.83	.10	60.99
25	20.0	35.5	-21.8	-1.9	.12	.02	0	0	.80	.01	-13.53
26	17.9	31.1	-20.1	2.4	.12	.02	0	0	.77	.05	-16.01
27	15.4	24.9	-17.5	6.4	.12	.02	0	.01	.74	.21	-79.61
28	12.9	17.5	-13.9	10.0	.14	.02	0	.01	.71	.24	-85.76
29	9.8	9.4	-9.8	13.2	.17	.02	0	.01	.69	.09	-67.24
30	6.9	1.1	-5.3	15.6	.16	.02	0	-0.01	.67	.11	89.94
31	3.1	-6.8	-0.7	17.1	.17	.01	0	-0.01	.65	.22	73.41
32	-0.3	-14.2	3.8	17.6	.19	.02	-0.01	-0.01	.63	.20	39.62
33	-5.3	-20.7	8.0	16.9	.15	.02	-0.01	0	.61	.17	19.43
34	-7.8	-25.9	11.5	15.3	.12	.01	-0.01	0	.59	.22	-12.56
35	-11.4	-30.1	14.2	12.7	.12	.01	-0.01	0	.57	.19	-12.03
36	-13.5	-33.0	15.9	9.4	.12	.01	-0.01	-0.01	.56	.29	54.57
37	-14.6	-34.7	16.5	5.6	.14	.01	-0.01	-0.01	.54	.39	45.34
38	-14.8	-35.3	16.1	1.3	.16	.01	-0.01	-0.01	.53	.27	25.28
39	-14.4	-34.8	15.1	-3.0	.16	.01	-0.01	0	.51	.16	-19.60
40	-12.3	-32.8	13.1	-7.1	.18	.01	-0.01	0	.50	.19	-26.82
41	-10.1	-29.5	10.6	-10.7	.19	.01	-0.01	0	.49	.19	-26.05
42	-7.3	-24.9	7.6	-13.8	.16	.01	-0.01	0	.48	.14	-25.76
43	-4.9	-18.8	4.4	-16.1	.18	.01	0	0	.47	.01	-29.01
44	-0.9	-11.5	1.0	-17.4	.19	.01	.01	0	.45	.14	11.80
45	1.6	-3.4	-2.5	-18.1	.15	.01	.01	0	.44	.20	22.62
46	4.6	5.1	-5.7	-17.7	.15	.01	0	.01	.43	.16	66.70
47	6.7	13.4	-8.6	-16.6	.20	.01	-0.01	0	.43	.16	-12.01
48	9.7	21.1	-11.0	-14.4	.18	.01	-0.01	-0.01	.42	.23	36.70
49	12.0	27.4	-12.6	-11.6	.19	.01	0	0	.41	.10	-77.56
50	13.0	31.9	-13.7	-7.9	.11	.01	0	0	.40	.08	0

108 OIII
 HRFIS= 14 4.5M- 1 8 JUNE -65 1524-1528
 LAGS= 50 N= 1038 DT= .20SEC
 MEAN U = 23.3 MEAN W = -4.4

TM No. 377

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	20.4	112.8	-19.1	0	.48	5.82	.69	0	0	.41	0
1	16.7	108.8	-18.3	2.6	.76	11.70	.81	.38	20.00	.30	25.14
2	12.5	98.7	-16.1	5.1	1.07	11.35	-0.31	1.33	10.00	.39	-76.99
3	8.0	83.4	-12.8	7.4	3.40	18.17	-4.16	3.54	6.67	.70	-40.37
4	4.4	64.4	-8.5	9.2	4.71	29.81	-8.47	4.63	5.00	.81	-28.69
5	2.3	42.8	-3.4	10.5	2.52	24.40	-6.10	2.18	4.00	.83	-19.71
6	1.0	20.5	1.9	11.3	.73	8.36	-1.44	.06	3.33	.58	-2.53
7	-0.2	-1.0	7.0	11.5	.58	1.43	-0.08	-0.15	2.86	.19	61.57
8	-1.9	-20.0	11.7	11.1	.57	.46	.02	-0.09	2.50	.18	-78.05
9	-4.3	-35.5	15.6	10.1	.56	.20	.03	.00	2.22	.08	9.37
10	-6.5	-46.5	18.4	8.6	.55	.14	.00	.06	2.00	.22	86.17
11	-8.2	-52.6	20.0	6.6	.57	.11	-0.02	.04	1.82	.19	-69.56
12	-9.0	-53.4	20.4	4.3	.59	.10	-0.04	-0.03	1.67	.22	37.46
13	-8.7	-49.5	19.3	1.9	.65	.08	-0.03	-0.04	1.54	.21	50.89
14	-7.7	-41.4	16.9	-0.5	.55	.08	.02	-0.00	1.43	.10	-4.35
15	-6.7	-30.4	13.6	-3.0	.32	.06	.02	.02	1.33	.20	37.59
16	-5.5	-17.4	9.6	-5.2	.18	.04	.01	.02	1.25	.21	70.74
17	-4.5	-3.7	5.1	-6.9	.12	.03	.01	.01	1.18	.15	36.37
18	-3.0	9.7	.8	-7.9	.10	.03	-0.01	-0.00	1.11	.13	11.18
19	-1.0	21.6	-3.2	-8.2	.08	.03	-0.01	-0.01	1.05	.27	37.80
20	1.1	31.2	-6.8	-8.0	.09	.04	-0.00	-0.01	1.00	.22	66.10
21	3.2	37.8	-9.7	-7.3	.07	.04	-0.01	-0.00	.95	.17	13.99
22	5.0	41.2	-11.8	-6.3	.05	.03	-0.01	.01	.91	.30	-30.22
23	6.1	41.3	-12.9	-4.9	.05	.02	-0.00	.00	.87	.18	-58.37
24	7.0	38.2	-13.0	-3.4	.05	.01	-0.00	-0.00	.83	.10	76.76
25	7.3	32.5	-12.1	-1.8	.05	.02	-0.00	-0.01	.80	.21	78.23
26	7.0	24.8	-10.4	-0.2	.05	.02	-0.00	-0.00	.77	.18	64.88
27	6.9	15.9	-8.0	1.5	.05	.01	-0.00	-0.00	.74	.23	39.88
28	6.4	6.3	-5.1	3.0	.06	.01	-0.01	-0.00	.71	.33	13.95
29	5.6	-3.1	-2.1	4.3	.05	.01	-0.01	-0.00	.69	.37	4.18
30	4.3	-11.8	.8	5.1	.04	.01	-0.01	-0.00	.67	.24	4.51
31	2.7	-19.0	3.5	5.6	.04	.01	.00	.00	.65	.10	31.50
32	.9	-24.4	5.9	5.6	.04	.01	.01	.00	.63	.27	2.46
33	-0.6	-27.7	8.0	5.2	.04	.01	.00	.00	.61	.19	9.03
34	-1.9	-28.9	9.6	4.5	.03	.01	-0.00	.00	.59	.10	-76.25
35	-2.8	-28.1	10.5	3.5	.03	.01	-0.00	-0.00	.57	.06	4.61
36	-3.7	-25.7	10.6	2.3	.05	.01	.00	-0.00	.56	.06	-77.01
37	-4.4	-21.7	9.9	1.1	.06	.01	-0.00	-0.00	.54	.05	63.42
38	-4.7	-16.8	8.8	-0.3	.04	.01	-0.00	.00	.53	.19	-36.46
39	-4.9	-11.2	7.3	-1.5	.04	.01	-0.00	.01	.51	.36	-55.53
40	-5.0	-5.3	5.6	-2.9	.04	.01	-0.00	.00	.50	.20	-42.03
41	-4.8	.4	3.8	-4.2	.04	.01	-0.00	.00	.49	.07	-2.07
42	-3.9	5.6	1.7	-5.3	.04	.01	.00	-0.00	.48	.07	-29.77
43	-2.8	10.1	-0.3	-6.1	.04	.01	.00	.00	.47	.09	15.62
44	-1.5	13.5	-2.4	-6.5	.04	.01	.00	.00	.45	.16	84.34
45	-0.2	15.7	-4.3	-6.5	.04	.01	-0.00	.00	.44	.11	-71.58
46	1.1	16.8	-5.8	-6.1	.03	.01	-0.00	-0.00	.43	.09	19.75
47	2.3	16.7	-6.8	-5.3	.03	.01	-0.00	-0.00	.43	.21	49.05
48	3.0	15.5	-7.5	-4.4	.03	.01	-0.00	-0.00	.42	.13	50.20
49	3.7	13.4	-7.5	-3.3	.03	.01	.00	.00	.41	.11	45.97
50	3.9	10.5	-7.2	-1.9	.02	.01	.00	.00	.40	.14	.00

CORRELATION COEFFICIENT -0.398

109 OIII
 BBELS= 14 5.5M= 1 8 JUNE 1539-1542
 LAGS= 50 N= 918 DT= .20SEC
 MEAN U = 18.3 MEAN W = -4.8

TM No. 377

K	ACOV U	ACOV W	COV	IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	14.4	68.3	-3.0	0	1.04	3.58	.39	0	0	.20	0	0
1	12.4	65.5	-3.0	-0.3	1.58	7.01	.68	.49	20.00	.25	35.73	
2	7.6	58.5	-2.9	-0.7	1.09	6.71	-0.02	1.00	10.00	.37	-88.71	
3	4.6	48.4	-2.3	-1.1	1.42	8.36	-1.25	1.15	6.67	.49	-42.70	
4	2.4	35.8	-1.3	-1.1	1.62	14.86	-1.70	-0.14	5.00	.35	4.54	
5	2.9	21.9	-0.1	-0.9	1.40	17.19	-1.03	-1.47	4.00	.37	54.85	
6	1.7	7.9	1.0	-0.5	.93	8.21	-0.35	-0.88	3.33	.34	68.50	
7	.5	-5.1	2.0	.2	.55	.89	-0.09	-0.11	2.86	.20	48.92	
8	-0.0	-16.2	3.1	1.3	.53	.19	.00	-0.02	2.50	.06	-85.11	
9	.2	-24.6	4.0	2.3	.67	.21	.04	.01	2.22	.10	11.54	
10	.5	-29.8	4.6	3.3	.66	.20	.03	.01	2.00	.09	26.33	
11	.1	-31.4	4.4	4.0	.50	.15	.04	.05	1.82	.22	53.85	
12	-0.7	-29.7	4.8	4.7	.41	.11	.05	.05	1.67	.35	41.50	
13	-1.2	-25.0	4.6	5.1	.32	.06	.03	.01	1.54	.21	23.85	
14	-1.2	-17.8	4.2	5.0	.25	.05	.00	.00	1.43	.05	30.85	
15	-0.5	-9.0	3.8	4.6	.26	.05	.00	.02	1.33	.17	76.72	
16	.4	.5	3.1	3.9	.25	.04	.01	.02	1.25	.17	60.77	
17	.8	9.5	2.4	3.0	.23	.03	.01	.01	1.18	.18	42.87	
18	1.1	17.3	1.5	2.0	.35	.03	.02	.01	1.11	.23	15.00	
19	1.4	23.1	.7	.8	.44	.03	.04	-0.01	1.05	.31	-9.53	
20	2.3	26.3	.0	-0.5	.29	.03	.03	-0.01	1.00	.34	-14.82	
21	3.1	26.8	-0.5	-1.7	.15	.02	.02	-0.01	.95	.30	-18.09	
22	2.7	24.7	-1.1	-2.8	.13	.02	.01	-0.00	.91	.30	-10.14	
23	1.8	20.4	-1.4	-3.6	.15	.02	.02	.01	.87	.36	20.57	
24	1.5	14.3	-1.7	-4.1	.13	.02	.01	.01	.83	.39	45.58	
25	1.8	7.2	-1.8	-4.1	.06	.02	.01	.01	.80	.35	63.93	
26	2.0	-0.2	-1.9	-3.8	.05	.02	.00	.01	.77	.28	59.16	
27	1.3	-7.2	-2.0	-3.2	.06	.02	.00	.01	.74	.23	76.29	
28	.8	-13.0	-2.0	-2.4	.07	.02	-0.00	.00	.71	.08	-59.46	
29	.8	-17.2	-1.8	-1.5	.06	.01	-0.00	-0.00	.69	.13	44.72	
30	1.2	-19.4	-1.4	-0.4	.04	.01	-0.00	.00	.67	.10	-23.00	
31	1.9	-19.5	-1.1	.5	.05	.01	-0.00	-0.00	.65	.05	89.77	
32	2.0	-17.7	-0.7	1.3	.05	.01	.00	-0.00	.63	.19	-89.82	
33	1.7	-14.1	-0.4	2.2	.04	.01	-0.00	.00	.61	.05	-34.41	
34	1.2	-9.4	-0.2	2.9	.04	.01	.00	.00	.59	.14	86.15	
35	.9	-4.0	.0	3.3	.03	.01	.00	-0.00	.57	.16	-34.69	
36	.9	1.6	.1	3.3	.03	.01	.00	-0.00	.56	.26	-16.79	
37	1.2	6.6	.2	3.0	.04	.01	.00	-0.00	.54	.20	-6.19	
38	1.2	10.7	.3	2.4	.06	.01	.00	-0.00	.53	.21	-42.90	
39	1.0	13.3	.3	1.7	.05	.01	.00	-0.00	.51	.25	-43.30	
40	.7	14.3	.4	.8	.03	.01	.00	-0.00	.50	.10	-34.02	
41	.9	13.5	.5	-0.1	.03	.01	-0.00	.00	.49	.11	-8.35	
42	1.2	11.1	.5	-1.1	.03	.01	-0.00	-0.00	.48	.17	35.62	
43	.9	7.2	.3	-2.0	.03	.01	-0.00	-0.00	.47	.10	43.46	
44	.4	2.4	.0	-2.7	.03	.01	-0.00	.00	.45	.08	-86.63	
45	-0.2	-2.9	-0.3	-3.2	.02	.01	-0.00	.00	.44	.05	-62.50	
46	-0.1	-8.0	-0.5	-3.5	.02	.01	-0.00	-0.00	.43	.09	75.85	
47	.4	-12.4	-0.7	-3.6	.02	.00	.00	-0.00	.43	.12	-88.93	
48	.4	-15.7	-0.9	-3.6	.02	.00	-0.00	.00	.42	.12	-57.02	
49	.5	-17.4	-0.9	-3.3	.02	.00	-0.00	.00	.41	.27	-48.99	
50	.5	-17.4	-0.8	-2.9	.01	.00	-0.00	.00	.40	.26	-0.00	

CORRELATION COEFFICIENT -0.0000

IIO
 BRFS- 14 6.5M- I 8 JUNE - 65 1553 - 1557
 LAGS= 50 N= 1083 DT= .20SEC
 MEAN U = 15.6 MEAN W = -2.5

TM No. 377

	K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	17.8	77.9	-11.5	0	.48	5.41	-0.10	0	0	0	.06	0
1	18.0	75.5	-11.2	-0.3	1.04	9.03	-0.03	.24	20.00	.02	-82.41	
2	16.7	69.2	-10.3	-0.7	1.28	7.53	-0.35	.95	10.00	.33	-69.70	
3	6.2	59.7	-8.9	-0.8	1.98	14.02	-3.12	1.39	6.67	.65	-24.02	
4	2.3	47.6	-6.8	-0.9	2.42	21.63	-5.23	.14	5.00	.72	-1.58	
5	-1.2	33.9	-4.2	-0.8	1.99	15.00	-2.87	-1.46	4.00	.59	26.97	
6	-1.4	19.4	-1.3	-0.4	1.54	3.75	-0.24	-1.18	3.33	.50	78.43	
7	-1.8	5.2	1.6	.3	1.09	.47	.15	-0.24	2.86	.40	-57.67	
8	-2.1	-7.8	4.4	1.2	.83	.28	.08	.12	2.50	.30	54.04	
9	-2.4	-18.9	6.9	2.3	.91	.16	.07	.17	2.22	.49	67.26	
10	-2.7	-27.3	9.0	3.5	.84	.13	.04	.09	2.00	.30	63.55	
11	-3.1	-32.6	10.4	4.6	.69	.06	.03	.03	1.82	.22	38.03	
12	-3.3	-34.9	11.2	5.3	.56	.04	.03	.01	1.67	.20	28.05	
13	-3.1	-34.0	11.1	5.6	.41	.03	.00	.01	1.54	.11	79.48	
14	-2.9	-30.2	10.3	5.4	.28	.04	.01	-0.01	1.43	.09	-58.25	
15	-2.3	-24.1	8.9	4.7	.21	.04	.02	-0.02	1.33	.30	-52.34	
16	-1.5	-16.1	6.9	3.5	.15	.03	.02	-0.00	1.25	.33	-6.01	
17	-0.6	-6.9	4.7	2.1	.12	.03	.02	.01	1.18	.43	17.99	
18	.0	2.7	2.1	.5	.09	.03	.01	-0.01	1.11	.20	-31.64	
19	.6	11.9	-0.5	-1.0	.06	.02	-0.00	-0.01	1.05	.24	83.79	
20	.9	20.1	-3.0	-2.4	.04	.01	.00	-0.00	1.00	.07	-17.69	
21	1.1	26.7	-5.3	-3.6	.05	.02	-0.00	.00	.95	.08	-77.48	
22	1.2	31.4	-7.2	-4.5	.05	.02	-0.00	-0.00	.91	.16	59.50	
23	1.1	33.7	-8.4	-4.8	.05	.01	-0.00	-0.00	.87	.18	66.12	
24	1.1	33.8	-9.2	-4.7	.05	.02	-0.00	-0.00	.83	.17	2.47	
25	.9	31.8	-9.3	-4.3	.05	.01	-0.00	.00	.80	.17	-54.86	
26	.7	28.0	-8.9	-3.8	.04	.01	.00	.00	.77	.12	85.07	
27	.8	22.7	-8.0	-3.1	.03	.01	-0.00	-0.00	.74	.22	25.19	
28	.8	16.4	-6.7	-2.3	.04	.01	-0.00	-0.00	.71	.21	35.39	
29	.9	9.5	-5.1	-1.3	.04	.01	.00	.00	.69	.09	36.11	
30	1.0	2.6	-3.2	-0.3	.04	.01	.00	.00	.67	.21	36.17	
31	1.1	-3.2	-1.2	.6	.03	.01	.00	.00	.65	.11	64.41	
32	1.0	-9.3	.6	1.4	.03	.01	-0.00	.00	.63	.15	-81.39	
33	.8	-13.6	2.3	2.0	.03	.00	.00	.00	.61	.18	68.16	
34	.3	-16.5	3.9	2.3	.02	.00	.00	.00	.59	.11	9.02	
35	-1.4	-18.0	4.9	2.5	.01	.01	.00	.00	.57	.04	6.34	
36	-1.2	-17.9	5.5	2.4	.02	.01	-0.00	.00	.56	.20	-63.40	
37	-1.8	-16.5	5.7	2.1	.02	.00	-0.00	.00	.54	.29	-47.82	
38	-2.2	-13.8	5.6	1.7	.02	.00	-0.00	.00	.53	.16	-46.24	
39	-2.4	-10.3	5.3	1.1	.02	.00	.00	.00	.51	.23	31.99	
40	-2.4	-6.1	4.8	.4	.02	.00	.00	.00	.50	.39	29.81	
41	-2.1	-1.7	4.0	-0.4	.02	.00	.00	.00	.49	.31	40.47	
42	-1.9	2.7	3.2	-1.1	.02	.00	-0.00	.00	.48	.23	-86.66	
43	-1.5	6.6	2.2	-1.6	.01	.00	-0.00	.00	.47	.18	-37.47	
44	-1.0	10.0	1.1	-1.9	.01	.00	.00	-0.00	.45	.07	-62.75	
45	-0.5	12.5	.1	-2.1	.01	.00	.00	.00	.44	.17	29.88	
46	-0.0	14.1	-0.8	-2.1	.02	.00	.00	.00	.43	.33	58.57	
47	.5	14.5	-1.6	-2.0	.02	.00	.00	.00	.43	.29	64.10	
48	.9	14.0	-2.5	-1.7	.01	.00	-0.00	-0.00	.42	.14	48.37	
49	1.0	12.6	-3.2	-1.2	.01	.00	-0.00	-0.00	.41	.20	73.76	
50	1.2	10.5	-3.7	-0.6	.00	.00	.00	-0.00	.40	.07	-0.01	

CORRELATION COEFFICIENT -0.308

III LI-U
 BBFLS 15 0-2.5M- 1 C. 20JUL-65 1922-1924
 LAGS= 50 N= 2068 DT= 0.2SEC
 MEAN u_1 = 6.2 MEAN u_2 = 3.1

TM No. 377

K	ACOV u_1	ACOV u_2	COV IN	COV OUT	SP u_1	SP u_2	CO	QUA	PER	R	PHI
0	547.0	186.0	221.5	0	4.19	6.38	-1.13	0	0	.22	0
1	512.8	181.0	215.6	-14.3	27.94	22.82	14.93	-2.10	20.00	.60	-7.99
2	424.5	168.6	199.2	-27.0	87.81	51.47	59.04	-9.19	10.00	.89	-8.85
3	316.2	150.4	173.6	-36.81	113.67	54.66	70.57	-14.35	6.67	.91	-11.49
4	194.4	128.3	140.9	-42.7	70.48	25.21	36.12	-10.63	5.00	.89	-16.40
5	81.8	103.9	104.0	-44.6	45.23	9.02	15.24	-5.18	4.00	.79	-18.79
6	-10.1	78.6	65.6	-42.8	62.56	6.34	14.29	-4.77	3.33	.76	-18.46
7	-76.2	53.6	28.6	-38.5	58.94	4.54	10.09	-4.98	2.86	.69	-26.26
8	-115.9	30.0	-4.8	-32.8	29.90	2.15	2.24	-2.89	2.50	.46	-52.12
9	-133.1	8.3	-33.4	-26.8	14.18	.98	-0.15	-1.03	2.22	.28	81.52
10	-133.1	-11.1	-56.6	-21.4	9.57	.59	.02	-0.25	2.00	.11	-84.67
11	-122.6	-28.0	-74.1	-16.8	5.07	.33	-0.02	-0.14	1.82	.10	79.90
12	-108.2	-42.8	-86.8	-13.1	4.24	.25	.04	-0.18	1.67	.18	-77.47
13	-95.9	-55.4	-95.6	-10.4	2.78	.17	.01	-0.04	1.54	.06	-74.81
14	-89.4	-66.1	-101.4	-8.4	1.63	.16	.02	.04	1.43	.09	59.82
15	-92.1	-74.9	-107.0	-6.8	1.18	.14	0	.03	1.33	.08	-84.27
16	-103.4	-81.9	-111.5	-5.0	.97	.10	-0.02	.05	1.25	.17	-72.71
17	-122.4	-86.9	-116.9	-2.6	.69	.07	-0.02	.04	1.19	.19	-61.94
18	-145.9	-89.9	-119.7	.6	.51	.07	-0.01	0	1.11	.07	-4.42
19	-169.6	-90.6	-122.4	4.8	.38	.06	0	0	1.05	.03	82.18
20	-188.3	-89.0	-123.1	9.4	.30	.05	.01	0	1.00	.11	-8.53
21	-197.4	-85.1	-120.9	14.0	.23	.04	.01	0	.95	.13	4.78
22	-193.5	-79.0	-114.9	18.0	.21	.04	.02	0	.91	.25	11.29
23	-176.0	-70.8	-104.7	20.9	.19	.03	.02	0	.87	.26	8.78
24	-145.2	-60.7	-90.3	22.4	.17	.03	.01	0	.83	.22	-11.79
25	-104.2	-49.0	-72.2	22.3	.15	.02	.01	0	.80	.20	3.48
26	-57.1	-36.3	-51.4	20.7	.13	.02	.01	0	.77	.26	18.48
27	-9.3	-23.2	-29.3	18.0	.12	.02	.01	0	.74	.23	8.00
28	37.9	-10.3	-7.5	14.7	.11	.02	.01	0	.71	.16	-12.22
29	77.3	2.0	12.6	11.1	.08	.02	0	0	.69	.13	14.00
30	106.5	13.5	29.9	7.6	.08	.02	.01	0	.67	.16	17.22
31	123.4	23.7	43.4	4.4	.09	.01	0	0	.65	.13	7.10
32	127.4	32.5	52.7	1.3	.09	.01	.01	0	.63	.22	26.10
33	119.8	39.7	58.0	-1.4	.08	.01	.01	0	.61	.27	40.66
34	104.2	45.5	60.1	-3.5	.08	.01	.01	0	.59	.25	17.95
35	85.0	50.0	59.7	-4.6	.08	.01	.01	0	.57	.28	5.00
36	66.5	53.5	57.9	-4.8	.08	.01	.01	0	.56	.31	7.72
37	52.4	56.1	55.7	-4.1	.08	.01	.01	0	.54	.40	8.43
38	44.5	58.3	54.2	-3.0	.07	.01	.01	0	.53	.39	11.13
39	43.5	60.0	54.0	-1.7	.07	.01	.01	0	.51	.30	5.17
40	47.9	61.6	55.3	-0.7	.07	.01	.01	0	.50	.23	-16.12
41	56.2	62.9	57.7	-0.2	.06	.01	0	0	.49	.16	-15.35
42	66.5	63.7	60.6	-0.1	.05	.01	0	0	.48	.16	4.09
43	77.1	63.7	63.2	-0.4	.05	.01	.01	0	.47	.26	-3.80
44	86.2	62.7	64.8	-1.0	.05	.01	.01	0	.45	.36	-17.03
45	92.1	60.4	64.9	-1.9	.06	.01	.01	0	.44	.34	-28.89
46	93.2	56.6	62.9	-3.2	.06	.01	0	0	.43	.19	-19.96
47	88.3	51.5	58.6	-4.6	.05	.01	0	0	.43	.12	12.43
48	76.9	44.9	51.4	-6.0	.05	.01	0	0	.42	.13	-5.07
49	59.3	37.1	42.8	-7.1	.06	.01	0	0	.41	.16	-10.95
50	37.9	28.2	31.5	-8.0	.03	0	0	0	.40	.17	0

112 LI-u
RREIS 15 0-2.5M-II C. 20JUL-65 1940-1947

TM No. 377

LAGS= 50 N= 2013 DT= 0.2SEC

MEAN $\bar{u}_1$ = 1.7 * MEAN $\bar{u}_2$ = 3.2

K	ACOV $\bar{u}_1$	ACOV $\bar{u}_2$	COV IN	COV OUT	SP $\bar{u}_1$	SP $\bar{u}_2$	CO	QUA	PER	R	PHI
0	209.7	488.4	-123.0	0	6.32	5.78	-0.20	0	0	.03	0
1	204.3	456.8	-120.4	2.7	24.36	42.78	-9.04	4.54	20.00	.31	-26.67
2	192.2	405.9	-111.9	5.0	63.72	116.37	-32.64	15.63	10.00	.42	-25.59
3	174.2	337.8	-98.5	9.5	68.49	123.24	-39.54	9.08	6.67	.44	-12.94
4	152.1	260.5	-81.3	13.4	27.09	62.36	-21.95	-0.90	5.00	.54	2.35
5	126.8	184.8	-61.8	17.6	7.42	35.29	-9.50	.31	4.00	.59	-1.89
6	99.9	114.7	-41.0	21.5	4.51	30.78	-5.50	.69	3.33	.47	-7.12
7	71.9	55.8	-20.9	24.8	2.54	22.92	-3.12	-0.40	2.86	.41	7.24
8	44.2	6.4	-1.9	27.2	1.57	13.34	-1.11	-0.90	2.50	.31	39.08
9	17.2	-38.8	14.7	28.7	.82	8.25	-0.44	-0.73	2.22	.33	59.05
10	-8.3	-68.8	29.1	24.5	.56	5.99	-0.24	-0.16	2.00	.16	34.65
11	-31.9	-93.3	40.9	29.6	.36	3.50	-0.03	-0.01	1.82	.03	10.00
12	-53.2	-115.1	50.3	28.9	.27	2.21	.04	-0.04	1.67	.07	-49.77
13	-72.0	-135.1	57.8	27.6	.16	1.60	.07	-0.08	1.54	.21	-51.41
14	-88.1	-152.5	63.1	26.0	.18	1.27	.05	-0.07	1.43	.18	-52.77
15	-101.5	-166.9	66.5	24.6	.18	1.11	.03	-0.07	1.33	.17	-64.23
16	-111.7	-180.2	68.3	23.3	.14	1.10	0	-0.02	1.25	.05	79.78
17	-119.6	-190.0	68.5	22.2	.07	.95	-0.01	.01	1.18	.07	-44.52
18	-122.2	-196.3	57.3	20.8	.06	.60	0	.03	1.11	.14	86.43
19	-122.6	-201.0	65.1	19.0	.06	.33	.01	.01	1.05	.11	57.15
20	-119.8	-202.7	61.8	16.4	.07	.28	0	.02	1.00	.12	80.14
21	-114.4	-200.4	57.4	12.8	.05	.27	.01	.01	.95	.14	59.94
22	-106.1	-192.7	51.9	8.2	.05	.24	.01	0	.91	.10	-23.10
23	-95.3	-178.7	45.5	2.9	.04	.24	.01	-0.02	.87	.23	-52.22
24	-82.1	-162.3	38.0	-2.9	.04	.31	.01	-0.01	.83	.12	-57.48
25	-67.2	-140.1	30.2	-9.1	.04	.46	0	-0.01	.80	.11	-85.28
26	-51.0	-114.6	21.7	-15.3	.03	.59	0	-0.01	.77	.08	-62.46
27	-34.2	-86.0	13.1	-20.9	.02	.57	0	0	.74	.04	79.39
28	-17.0	-54.8	4.7	-26.1	.02	.46	.01	-0.01	.71	.10	-56.42
29	.1	-25.2	-3.5	-30.4	.02	.33	.02	-0.01	.69	.22	-21.95
30	14.9	3.6	-10.7	-33.9	.02	.23	.01	0	.67	.21	5.64
31	33.1	28.3	-16.9	-37.0	.02	.17	.01	0	.65	.26	-12.39
32	48.1	49.0	-22.2	-39.5	.02	.14	.01	0	.63	.14	-24.05
33	61.9	67.2	-26.2	-41.2	.02	.15	0	-0.01	.61	.10	68.35
34	74.0	91.9	-29.3	-42.1	.02	.19	0	0	.59	.05	72.06
35	84.4	94.9	-31.5	-42.1	.02	.26	.01	0	.57	.16	-10.23
36	92.9	106.1	-33.3	-41.4	.02	.30	.02	-0.01	.56	.26	-21.83
37	99.5	115.7	-34.5	-39.5	.02	.31	.01	0	.54	.17	-17.52
38	104.1	125.8	-35.4	-36.4	.01	.37	0	0	.53	.06	-7.54
39	106.9	134.5	-36.5	-32.7	.01	.47	.01	0	.51	.15	-21.48
40	107.7	142.0	-37.8	-28.1	.02	.40	.01	-0.01	.50	.14	-34.89
41	106.7	147.1	-39.0	-22.6	.02	.25	-0.01	0	.49	.12	23.50
42	103.8	149.1	-39.9	-16.9	.01	.20	-0.01	0	.48	.17	-32.79
43	99.1	148.1	-40.9	-10.3	.01	.18	0	.01	.47	.14	80.30
44	92.7	142.1	-41.6	-3.2	.02	.15	0	0	.45	.09	87.50
45	84.5	133.5	-41.2	3.7	.02	.12	0	0	.44	.07	5.40
46	74.7	122.3	-40.1	10.8	.02	.15	0	0	.43	.02	-4.24
47	63.3	106.8	-38.5	17.6	.02	.22	.01	0	.43	.19	19.63
48	50.8	89.5	-35.5	24.2	.03	.26	.02	.01	.42	.28	26.12
49	37.4	68.8	-31.4	31.0	.03	.26	.02	.01	.41	.25	28.86
50	23.2	46.1	-25.7	36.8	.02	.13	.01	0	.40	.19	0

* SIGN REVERSED ON COV AND CO

113 LI-U
 RBFIS- 15 Q-2.54- III 19 JULY-65 2003-2009
 LAGS= 50 N= 1705 DT= .20SEC
 MEAN u_1 = -3.5 * MEAN u_2 = 6.9

TM No. 377

K	ACOV u_1	ACOV u_2	COV IN	COV OUT	SP u_1	SP u_2	CO	QUA	PER	R	PHI
0	475.6	215.6	-242.9	0	5.96	12.97	-1.75	0	0	.20	0
1	455.0	210.9	-237.4	2.3	35.00	32.23	-21.70	-1.37	20.00	.65	3.62
2	402.3	198.6	-221.6	4.0	98.87	58.52	-68.83	-5.33	10.00	.91	4.43
3	326.3	140.3	-196.8	4.8	115.93	61.03	-77.53	-1.30	6.67	.92	.96
4	238.4	157.6	-164.8	4.5	64.72	27.65	-36.86	2.19	5.00	.87	-3.40
5	149.9	132.0	-128.5	3.1	41.31	9.88	-15.27	1.80	4.00	.76	-6.74
6	64.2	105.0	-90.2	.9	44.72	5.86	-11.86	1.88	3.33	.74	-9.01
7	1.9	77.6	-52.3	-2.1	33.50	2.96	-6.45	1.56	2.86	.67	-13.62
8	-49.1	50.9	-16.6	-5.3	16.17	1.54	-1.87	1.07	2.50	.43	-29.74
9	-84.2	25.6	15.5	-8.5	7.58	.81	-0.52	.38	2.22	.26	-35.93
10	-105.1	2.4	43.2	-10.9	4.08	.55	-0.20	.12	2.00	.15	-30.31
11	-115.6	-18.5	66.0	-12.3	2.12	.36	.06	.06	1.82	.04	44.76
12	-119.7	-36.8	84.3	-12.8	1.50	.25	.01	-0.05	1.67	.08	-83.83
13	-121.6	-52.3	98.8	-12.7	.99	.15	-0.02	-0.07	1.54	.19	70.50
14	-123.9	-65.0	110.1	-12.1	.56	.14	-0.07	-0.03	1.43	.27	21.16
15	-129.5	-75.0	118.9	-11.3	.33	.10	-0.03	.03	1.33	.23	-36.90
16	-136.2	-82.3	125.6	-10.4	.33	.08	-0.01	.04	1.25	.29	-79.46
17	-146.7	-96.9	130.3	-9.3	.29	.05	.02	.04	1.18	.35	64.67
18	-158.8	-89.1	132.9	-8.2	.21	.06	.02	.03	1.11	.32	52.78
19	-171.2	-88.8	133.3	-7.1	.12	.05	.02	.02	1.05	.36	52.13
20	-179.3	-86.3	131.3	-6.0	.09	.04	.01	.01	1.00	.25	43.90
21	-180.8	-91.6	126.8	-4.9	.07	.03	.01	.00	.95	.28	16.86
22	-176.1	-75.0	119.6	-3.8	.07	.03	.01	.00	.91	.17	14.37
23	-164.1	-66.7	109.6	-2.5	.06	.03	.00	-0.00	.87	.05	-21.87
24	-144.9	-56.7	96.6	-1.0	.06	.02	-0.00	-0.00	.83	.15	37.40
25	-119.5	-45.3	80.9	.8	.05	.02	-0.01	-0.00	.80	.17	13.71
26	-88.8	-32.8	63.1	3.0	.05	.02	-0.00	-0.00	.77	.16	.94
27	-54.8	-19.7	43.5	5.4	.04	.02	-0.00	.00	.74	.08	-38.78
28	-19.2	-6.5	23.2	7.7	.04	.01	-0.00	.00	.71	.13	-25.49
29	15.5	6.7	2.9	10.0	.03	.01	.00	.00	.69	.07	71.17
30	46.8	19.5	-16.3	12.0	.04	.01	.00	.00	.67	.22	28.09
31	72.9	31.7	-33.8	13.7	.04	.01	.00	.00	.65	.23	81.52
32	92.8	42.9	-48.8	15.2	.03	.01	-0.00	.00	.63	.22	-45.46
33	105.9	52.9	-60.9	16.5	.04	.01	-0.00	-0.00	.61	.12	50.02
34	112.5	41.5	-70.1	17.6	.04	.01	-0.00	-0.00	.59	.15	65.67
35	114.3	68.7	-76.5	18.7	.04	.01	-0.00	-0.00	.57	.15	40.67
36	112.3	74.2	-80.4	19.9	.04	.01	-0.00	-0.00	.56	.27	39.97
37	107.9	78.0	-82.2	21.0	.04	.01	-0.00	-0.00	.54	.29	22.94
38	102.6	80.2	-82.4	22.1	.04	.01	-0.01	.00	.53	.32	-17.01
39	97.4	81.0	-81.6	22.7	.04	.01	-0.00	.00	.51	.28	-46.34
40	92.9	80.3	-80.0	23.0	.04	.01	-0.00	.00	.50	.19	-47.40
41	89.0	78.3	-77.8	22.6	.04	.01	-0.00	.00	.49	.09	-13.56
42	85.3	75.2	-75.0	21.6	.04	.01	.00	.00	.48	.05	57.44
43	81.2	70.8	-71.3	19.7	.03	.00	.00	.00	.47	.19	77.39
44	75.7	65.3	-66.5	16.9	.03	.01	.00	.00	.45	.08	85.74
45	69.6	58.8	-60.2	13.3	.03	.01	.00	-0.00	.44	.11	-43.43
46	50.0	51.6	-52.4	8.9	.03	.01	.00	-0.00	.43	.18	-64.67
47	47.3	43.8	-43.3	4.2	.03	.01	.00	-0.00	.43	.19	-72.95
48	34.0	35.4	-33.2	-0.8	.03	.01	-0.00	-0.00	.42	.13	82.43
49	20.0	26.8	-22.4	-5.5	.03	.01	-0.00	-0.00	.41	.12	36.01
50	6.1	18.1	-11.6	-9.5	.02	.00	-0.00	-0.00	.40	.16	.00

CORRELATION COEFFICIENT = -0.758

1/0 ERR PA. LIN 60

SIGN REVERSED ON u_1 CHANNEL, COV, AND CO

114 LI-U

BBEIS 15 0-2.5M-III C, 19JUL-65 2201-2209

LAGS= 50 N= 1555 DT= 0.2SEC

MEAN U_1 = 26.4 MEAN U_2 = 24.1

CORRELATION COEFFICIENT .71

K	ACOV U_1	ACOV U_2	COV	IN COVOUT	SP U_1	SP U_2	CO	QUA	PER	R	PHI
0	135.0	82.9	75.4	0	2.47	2.99	.69	0	0	.25	0
1	126.1	77.8	73.8	-1.8	10.47	9.81	6.87	-0.07	20.00	.68	-0.59
2	112.0	71.0	69.1	-3.3	28.77	21.97	22.64	.26	10.00	.90	.65
3	92.5	61.8	61.7	-4.7	34.18	22.64	25.14	-0.79	6.67	.90	-1.81
4	69.7	51.0	52.1	-5.3	18.32	9.26	10.63	-1.84	5.00	.83	-9.81
5	46.7	40.6	41.1	-5.4	9.16	3.07	3.23	-1.46	4.00	.67	-24.35
6	25.6	30.5	29.6	-5.0	9.52	2.53	2.37	-0.81	3.33	.51	-18.82
7	7.3	21.1	18.6	-4.0	9.26	2.89	2.33	-0.51	2.86	.46	-12.24
8	-6.8	12.7	8.4	-2.6	5.13	2.51	1.46	-0.44	2.50	.42	-16.88
9	-16.6	5.9	-0.9	-1.3	1.74	1.27	.19	-0.23	2.22	.20	-50.33
10	-23.3	-0.3	-9.1	0	1.00	.62	-0.03	-0.01	2.00	.04	16.70
11	-27.5	-6.0	-16.4	.9	.66	.37	.04	.05	1.82	.13	51.34
12	-30.3	-11.4	-23.0	1.7	.42	.30	.06	.06	1.67	.23	44.96
13	-32.9	-17.6	-28.6	2.2	.27	.19	.01	.01	1.54	.07	64.02
14	-35.9	-23.4	-33.6	2.5	.24	.13	-0.05	.01	1.43	.30	-9.62
15	-39.6	-28.4	-38.2	2.7	.24	.14	-0.07	.03	1.33	.41	-23.68
16	-44.3	-33.6	-42.1	2.8	.20	.17	-0.04	.01	1.25	.23	-14.07
17	-49.0	-37.5	-45.3	2.9	.15	.16	-0.02	-0.01	1.18	.15	33.66
18	-53.1	-40.1	-47.6	3.0	.14	.12	-0.01	0	1.11	.09	-4.67
19	-56.3	-41.5	-48.9	2.9	.14	.11	-0.01	0	1.05	.10	-21.93
20	-57.5	-41.1	-48.5	2.7	.13	.09	-0.01	-0.01	1.00	.10	34.08
21	-56.4	-39.0	-46.4	2.3	.12	.06	0	-0.01	.95	.12	70.56
22	-52.5	-35.7	-42.5	1.6	.10	.05	.01	0	.91	.10	-12.67
23	-45.9	-31.0	-37.2	.8	.09	.05	.01	.01	.87	.17	55.16
24	-36.8	-25.7	-31.1	-0.2	.09	.05	0	.01	.83	.10	-89.94
25	-26.0	-20.2	-24.3	-1.2	.08	.04	-0.01	0	.80	.09	-6.79
26	-15.0	-14.8	-17.4	-1.8	.07	.04	0	0	.77	.09	-71.35
27	-4.2	-9.7	-10.9	-2.2	.08	.04	.01	.01	.74	.25	36.68
28	5.2	-5.0	-4.8	-2.6	.09	.05	.01	0	.71	.18	20.40
29	13.0	-0.3	.8	-2.9	.09	.06	0	0	.69	.05	10.29
30	18.7	4.1	5.6	-3.1	.08	.06	0	0	.67	.04	52.20
31	22.7	8.2	10.2	-3.2	.09	.06	0	0	.65	.03	87.03
32	25.4	12.3	14.3	-3.1	.10	.06	-0.01	0	.63	.12	25.05
33	26.9	16.2	18.0	-2.8	.10	.07	-0.02	-0.01	.61	.25	21.17
34	27.9	20.0	21.9	-2.7	.10	.07	-0.01	0	.59	.07	6.54
35	29.2	23.6	25.5	-2.5	.10	.06	.01	0	.57	.17	1.13
36	30.6	27.2	29.1	-2.7	.09	.05	0	-0.01	.56	.12	-57.69
37	32.6	30.2	32.3	-2.9	.08	.05	0	-0.01	.54	.17	84.71
38	35.0	32.8	34.8	-2.9	.07	.06	.01	-0.01	.53	.25	-51.20
39	37.0	34.8	36.6	-2.9	.07	.06	.01	-0.01	.51	.19	-35.13
40	39.2	36.0	37.5	-2.6	.08	.06	0	0	.50	.02	19.87
41	40.2	36.4	37.3	-2.1	.07	.05	0	0	.49	.04	75.45
42	39.9	35.6	35.7	-1.5	.06	.05	0	-0.01	.48	.16	54.64
43	38.4	33.7	33.5	-0.7	.06	.05	-0.01	0	.47	.12	34.59
44	35.4	30.8	30.3	.2	.07	.06	0	0	.45	.07	-37.01
45	31.0	27.4	26.5	1.1	.07	.05	0	0	.44	.04	-29.53
46	26.0	23.5	22.4	1.7	.07	.04	0	0	.43	.09	-8.89
47	20.5	19.3	18.2	2.1	.07	.05	-0.01	0	.43	.12	19.81
48	14.9	15.1	14.2	2.2	.07	.04	0	0	.42	.08	58.77
49	9.5	11.0	10.4	1.7	.06	.04	0	0	.41	.04	-18.44
50	3.9	7.2	7.0	1.4	.03	.02	0	0	.40	.04	0

115 A

LI-u

TM No. 377

BRFIS- 15 0-2.5M- V

20 JULY- 65

2400-0008

LAGS= 50 N= 2422

DT= .20SEC

MEAN U_2 = -9.1MEAN M_1 = -12.7

K	ACOV U_2	ACOV M_1	COV IN	COV OUT	SP U_2	SP M_1	CO	QUA	PER	R	PHI
0	41.2	121.1	-8.3	0	6.34	16.90	-0.21	0	0	.02	0
1	40.2	118.3	-8.2	-0.4	11.38	35.37	-0.99	-2.04	20.00	.11	64.16
2	38.1	112.1	-7.9	-0.8	9.47	30.66	-3.35	-1.26	10.00	.21	20.55
3	35.5	103.7	-7.4	-1.3	7.00	16.99	-3.27	-0.14	6.67	.30	2.51
4	32.5	94.3	-6.8	-1.6	3.29	7.19	-0.35	-0.07	5.00	.07	10.66
5	29.4	84.5	-5.9	-2.0	1.08	4.33	.20	-0.13	4.00	.11	-32.09
6	26.1	74.8	-5.0	-2.3	.61	2.96	-0.23	-0.23	3.33	.24	45.09
7	22.9	65.8	-4.0	-2.5	.49	1.96	-0.12	-0.10	2.86	.16	39.94
8	19.7	57.4	-2.9	-2.6	.36	1.45	-0.02	.07	2.50	.10	-72.05
9	16.7	49.7	-1.8	-2.6	.23	.84	.01	.05	2.22	.13	75.53
10	13.7	42.6	-0.8	-2.7	.19	.57	.02	.01	2.00	.06	24.28
11	10.9	35.8	.3	-2.7	.14	.45	.03	-0.00	1.82	.13	-5.12
12	8.3	29.4	1.3	-2.8	.09	.29	.00	.01	1.67	.03	71.93
13	6.0	23.4	2.2	-2.8	.08	.16	-0.01	.00	1.54	.09	-2.65
14	3.8	17.7	3.2	-3.0	.07	.12	.00	.00	1.43	.04	53.52
15	1.9	12.4	4.1	-3.2	.05	.11	.01	.00	1.33	.09	37.31
16	.4	7.5	5.0	-3.4	.05	.10	-0.00	-0.00	1.25	.01	62.71
17	-0.8	3.1	5.9	-3.7	.04	.08	.00	-0.00	1.18	.07	-61.49
18	-1.7	-1.0	6.7	-4.0	.03	.07	.00	-0.00	1.11	.11	-33.61
19	-2.2	-4.7	7.3	-4.3	.02	.05	.00	-0.00	1.05	.09	-74.60
20	-2.5	-8.1	7.7	-4.4	.02	.04	-0.00	.00	1.00	.07	-29.17
21	-2.5	-11.0	7.8	-4.5	.02	.05	-0.00	.00	.95	.01	-81.88
22	-2.3	-13.2	7.7	-4.4	.02	.04	.00	-0.00	.91	.05	-0.58
23	-1.8	-14.9	7.4	-4.3	.02	.03	.00	.00	.87	.06	66.81
24	-1.2	-16.1	6.8	-4.0	.01	.02	-0.00	.00	.83	.14	-50.90
25	-0.5	-16.9	5.9	-3.7	.01	.02	-0.00	.00	.80	.09	-88.51
26	.3	-17.3	4.9	-3.5	.01	.02	.00	.00	.77	.15	26.26
27	1.2	-17.5	3.7	-3.2	.01	.02	.00	-0.00	.74	.14	-12.47
28	2.0	-17.5	2.3	-3.1	.01	.02	.00	-0.00	.71	.09	-86.97
29	2.7	-17.4	.7	-3.0	.01	.01	-0.00	-0.00	.69	.11	38.29
30	3.2	-16.9	-0.9	-3.0	.01	.01	-0.00	.00	.67	.15	-6.27
31	3.6	-16.0	-2.5	-3.0	.01	.02	-0.00	-0.00	.65	.20	12.85
32	3.9	-14.7	-3.9	-3.1	.01	.01	-0.00	-0.00	.63	.17	44.49
33	4.1	-13.0	-5.2	-3.1	.00	.01	.00	-0.00	.61	.17	-77.09
34	4.2	-11.0	-6.2	-3.0	.00	.01	-0.00	-0.00	.59	.15	89.33
35	4.3	-9.0	-7.1	-2.8	.00	.01	-0.00	-0.00	.57	.19	86.35
36	4.3	-7.0	-7.9	-2.6	.00	.01	.00	-0.00	.56	.19	-62.56
37	4.2	-5.2	-8.4	-2.4	.00	.01	.00	-0.00	.54	.14	-30.58
38	4.1	-3.7	-8.8	-2.1	.00	.01	.00	-0.00	.53	.06	-18.46
39	3.8	-2.5	-9.0	-1.7	.00	.01	.00	-0.00	.51	.08	-50.44
40	3.4	-1.9	-8.9	-1.2	.00	.01	.00	-0.00	.50	.13	-36.40
41	2.9	-1.8	-8.7	-0.6	.00	.01	.00	-0.00	.49	.24	-49.10
42	2.3	-2.3	-8.2	-0.1	.00	.01	.00	-0.00	.48	.15	-88.62
43	1.7	-3.2	-7.5	.5	.00	.01	-0.00	.00	.47	.19	-8.93
44	1.1	-4.6	-6.5	1.1	.00	.01	-0.00	.00	.45	.18	-31.03
45	.6	-6.4	-5.5	1.8	.00	.01	.00	.00	.44	.04	18.28
46	-0.0	-8.4	-4.4	2.4	.00	.01	.00	-0.00	.43	.07	-47.49
47	-0.6	-10.5	-3.2	3.1	.00	.01	-0.00	-0.00	.43	.09	22.82
48	-1.2	-12.6	-2.1	3.9	.00	.01	-0.00	.00	.42	.17	-18.56
49	-1.8	-14.5	-1.0	4.7	.00	.01	-0.00	.00	.41	.10	-48.54
50	-2.3	-16.3	.1	5.3	.00	.00	.00	.00	.40	.05	.01

CORRELATION COEFFICIENT -0.117

1158 * LI-U

BRFIS- 15 0-2.5M- VI

20 JULY-56 0930-0934

TM No. 377

LAGS= 50 N= 806

DT= .20SEC

MEAN U = -21.00274

K ACQV SP PERIOD F(MC)

0	98.3	5.2	0	0
1	88.9	14.3	20.0	50.0
2	73.2	16.4	10.0	100.0
3	53.5	11.6	6.7	150.0
4	34.1	7.0	5.0	200.0
5	18.0	4.1	4.0	250.0
6	7.1	5.9	3.3	300.0
7	1.4	11.0	2.9	350.0
8	.9	9.6	2.5	400.0
9	4.3	3.9	2.2	450.0
10	9.7	1.9	2.0	500.0
11	15.3	1.6	1.8	550.0
12	18.1	1.0	1.7	600.0
13	17.4	.6	1.5	650.0
14	13.5	.4	1.4	700.0
15	7.1	.3	1.3	750.0
16	-0.8	.4	1.3	800.0
17	-9.6	.4	1.2	850.0
18	-18.8	.3	1.1	900.0
19	-25.5	.2	1.1	950.0
20	-29.2	.1	1.0	1000.0
21	-29.1	.1	1.0	1050.0
22	-25.2	.1	.9	1100.0
23	-18.2	.1	.9	1150.0
24	-10.3	.1	.8	1200.0
25	-3.1	.1	.8	1250.0
26	1.7	.1	.8	1300.0
27	3.7	.1	.7	1350.0
28	3.1	.1	.7	1400.0
29	-0.4	.1	.7	1450.0
30	-6.2	.1	.7	1500.0
31	-12.9	.1	.6	1550.0
32	-19.0	.1	.6	1600.0
33	-22.7	.1	.6	1650.0
34	-23.7	.1	.6	1700.0
35	-21.2	.1	.6	1750.0
36	-16.7	.1	.6	1800.0
37	-11.2	.1	.5	1850.0
38	-6.0	.1	.5	1900.0
39	-1.7	.1	.5	1950.0
40	.8	.1	.5	2000.0
41	1.4	.1	.5	2050.0
42	.2	.1	.5	2100.0
43	-2.5	.1	.5	2150.0
44	-5.6	.1	.5	2200.0
45	-9.2	.1	.4	2250.0
46	-10.4	.1	.4	2300.0
47	-11.3	.1	.4	2350.0
48	-10.9	.1	.4	2400.0
49	-9.1	.1	.4	2450.0
50	-5.4	.0	.4	2500.0

* 2.5 M CHANNEL OUT

* 2.5M CHANNEL OUT

116

LI-U

TM No. 377

BBFLS 15 1-3.54-1 C, 20JUL-65 1234-1237

LAGS= 50 N= 620 DT= 0.2SEC

MEAN U_1 = -28.3 MEAN U_2 = -28.5

K	ACOV U_1	ACOV U_2	COV	IN	COVOUT	SP U_1	SP U_2	CO	QUA	PER	R	PHI
0	72.4	49.3	6.0	0	12.33	7.70	-4.27	0	0	.44	0	
1	69.7	47.3	5.9	-2.6	13.94	12.00	-4.46	-1.49	20.00	.31	18.51	
2	65.7	45.4	5.2	-5.1	13.19	10.41	3.67	-4.35	10.00	.44	-44.83	
3	60.1	42.5	4.0	-7.5	11.35	10.42	7.16	-5.34	6.67	.82	-36.73	
4	53.4	38.9	2.4	-9.7	5.36	5.02	3.94	-2.69	5.00	.84	-34.26	
5	46.8	35.2	.4	-11.3	2.33	.99	.78	-0.58	4.00	.64	-36.90	
6	40.1	30.9	-2.0	-12.4	1.61	.50	-0.04	-0.29	3.33	.33	81.71	
7	34.1	26.4	-4.9	-13.1	2.19	.41	-0.38	-0.21	2.86	.46	29.59	
8	29.3	22.0	-8.0	-13.3	1.88	.27	-0.28	-0.05	2.50	.40	10.37	
9	25.2	17.7	-11.2	-13.0	.63	.16	-0.07	.04	2.22	.26	-26.85	
10	22.0	13.4	-14.3	-12.4	.13	.13	.01	.02	2.00	.18	72.49	
11	19.5	9.6	-17.1	-11.5	.10	.09	.02	.02	1.82	.27	36.94	
12	16.9	5.9	-19.5	-10.4	.09	.08	.01	.01	1.67	.25	45.32	
13	14.4	2.7	-21.5	-9.1	.09	.07	-0.01	.03	1.54	.42	-80.48	
14	11.7	.0	-22.7	-7.6	.09	.06	0	.03	1.43	.37	88.88	
15	8.8	-2.2	-23.3	-6.0	.07	.05	.01	.01	1.33	.33	48.60	
16	5.9	-3.7	-23.2	-4.3	.06	.05	.02	.01	1.25	.42	20.94	
17	3.2	-4.9	-22.5	-2.7	.06	.04	.02	0	1.18	.31	-0.63	
18	1.2	-5.6	-21.3	-1.1	.05	.04	0	0	1.11	.05	-49.92	
19	.1	-5.5	-19.8	.4	.05	.05	-0.01	.01	1.05	.19	-53.94	
20	.2	-4.8	-18.2	2.0	.05	.04	0	0	1.00	.07	61.15	
21	1.3	-3.8	-16.4	3.4	.04	.02	0	0	.95	.04	79.79	
22	3.3	-2.1	-14.5	4.7	.03	.02	-0.01	0	.91	.23	-26.78	
23	5.9	-0.4	-12.5	5.8	.03	.03	-0.01	0	.87	.39	1.24	
24	8.7	1.7	-10.5	6.6	.03	.03	-0.01	0	.83	.36	17.37	
25	11.4	4.0	-8.4	7.0	.03	.03	-0.01	-0.01	.80	.31	38.26	
26	13.5	6.3	-6.5	7.1	.03	.02	0	-0.01	.77	.31	57.02	
27	14.9	8.5	-4.5	7.1	.03	.01	0	-0.01	.74	.33	-88.38	
28	15.6	10.6	-2.6	6.6	.03	.01	0	-0.01	.71	.46	-80.95	
29	15.8	12.5	-0.8	6.0	.02	.01	0	-0.01	.69	.38	73.18	
30	15.3	14.1	.8	5.2	.02	.02	0	0	.67	.13	80.82	
31	14.6	15.3	2.2	4.3	.02	.03	0	0	.65	.25	-50.22	
32	13.9	16.2	3.4	3.5	.02	.02	0	-0.01	.63	.32	-53.40	
33	13.6	16.6	4.3	2.5	.02	.02	0	0	.61	.14	-54.41	
34	13.6	16.5	4.9	1.5	.02	.03	0	0	.59	.04	-81.31	
35	13.7	16.5	5.0	.5	.04	.03	0	0	.57	.06	24.60	
36	14.4	15.9	4.9	-0.4	.05	.04	0	0	.56	.09	-16.48	
37	14.7	15.1	4.3	-1.0	.04	.04	0	0	.54	.01	-48.36	
38	14.8	14.2	3.5	-1.6	.04	.02	0	0	.53	.14	-72.55	
39	14.4	12.9	2.7	-2.2	.04	.02	0	0	.51	.10	-11.39	
40	13.4	11.6	1.6	-2.7	.03	.03	-0.01	0	.50	.18	-3.63	
41	12.0	10.1	.6	-3.3	.03	.03	0	.01	.49	.26	-72.74	
42	10.1	8.7	-0.6	-3.9	.02	.03	0	.01	.48	.25	-67.94	
43	7.9	6.8	-1.7	-4.2	.02	.03	0	0	.47	.20	-14.05	
44	5.7	5.1	-2.9	-4.5	.02	.04	-0.01	0	.45	.23	-9.33	
45	3.4	3.2	-4.1	-4.6	.02	.04	-0.01	0	.44	.38	-8.70	
46	1.1	1.1	-5.5	-4.3	.02	.03	-0.01	0	.43	.41	3.01	
47	-0.8	-0.6	-6.8	-3.9	.02	.02	-0.01	0	.43	.34	35.42	
48	-2.8	-2.6	-7.9	-3.2	.02	.02	0	0	.42	.24	61.35	
49	-4.4	-4.2	-9.1	-2.4	.02	.02	0	0	.41	.08	-88.88	
50	-5.7	-5.5	-10.1	-1.6	.01	.01	0	0	.40	.01	-0.01	

117 LI-U
 RBFLS- 15 3-5.5M- 1 20 JULY-65 1252-1255
 LAGS= 50 N= 649 DT= .20SEC
 MEAN U_2 = -26.5 MEAN U_1 = -27.0

TM No. 377

K	ACOV U_2	ACOV U_1	COV	IN COVOUT	SP U_2	SP U_1	CO	QUA	PER	R	PHI
0	41.7	59.7	19.0	0	4.65	13.79	2.09	0	0	.22	0
1	39.3	57.4	19.1	1.9	11.89	19.85	4.81	4.46	20.00	.43	42.81
2	39.3	56.0	18.4	3.9	4.91	10.20	5.87	3.79	10.00	.70	32.86
3	36.6	53.8	17.7	5.7	7.29	7.90	4.83	3.47	6.67	.78	35.68
4	33.9	50.7	16.6	7.3	2.92	4.53	1.62	2.03	5.00	.71	51.51
5	31.5	47.5	15.2	8.7	.59	.95	-0.00	.19	4.00	.26	-89.86
6	28.4	43.9	13.6	9.9	.41	.37	.05	-0.05	3.33	.17	-45.68
7	25.2	40.0	11.7	10.8	.20	.28	-0.04	-0.04	2.86	.27	44.34
8	21.9	36.1	9.7	11.4	.13	.15	-0.05	.01	2.50	.33	-10.83
9	18.6	32.3	7.5	11.8	.09	.09	-0.02	.03	2.22	.41	-48.62
10	15.3	28.4	5.6	12.0	.06	.08	-0.00	.01	2.00	.11	-59.21
11	12.3	24.9	3.3	11.7	.05	.07	-0.01	.00	1.82	.22	-22.54
12	9.3	21.9	1.3	11.2	.05	.07	-0.00	.01	1.67	.24	-86.30
13	6.6	19.0	-0.4	10.7	.06	.06	.01	-0.00	1.54	.11	-6.20
14	4.4	16.4	-2.1	9.7	.06	.04	-0.00	-0.01	1.43	.20	89.47
15	2.2	14.8	-3.5	8.7	.04	.04	-0.00	-0.00	1.33	.17	48.76
16	.4	13.2	-4.7	7.6	.03	.04	-0.00	.00	1.25	.09	-66.36
17	-1.0	12.1	-5.7	6.5	.03	.04	-0.01	-0.00	1.18	.16	11.04
18	-2.2	11.6	-6.3	5.5	.04	.04	-0.01	-0.00	1.11	.16	31.98
19	-2.9	11.2	-6.7	4.5	.04	.03	.00	-0.00	1.05	.13	-75.29
20	-3.3	11.4	-6.9	3.7	.03	.03	.00	-0.01	1.00	.22	-52.71
21	-3.4	11.9	-6.8	3.0	.03	.03	.01	-0.00	.95	.23	-26.01
22	-3.1	12.7	-6.5	2.6	.03	.03	.01	.00	.91	.21	8.10
23	-2.8	13.6	-5.9	2.4	.02	.03	-0.00	.00	.87	.18	-67.42
24	-2.1	14.7	-5.4	2.2	.02	.03	-0.01	.00	.83	.34	-16.51
25	-1.3	15.7	-4.5	2.6	.03	.04	-0.01	-0.01	.80	.38	27.72
26	-0.4	16.7	-3.5	2.8	.03	.04	-0.00	-0.01	.77	.33	75.36
27	.7	17.7	-2.5	3.5	.03	.03	.00	-0.01	.74	.33	-63.11
28	1.9	18.2	-1.4	3.9	.04	.02	.00	-0.00	.71	.22	-41.44
29	2.9	18.6	-0.3	4.7	.03	.02	.00	-0.01	.69	.21	-76.38
30	3.9	18.8	.8	5.5	.03	.03	.00	-0.01	.67	.24	-68.48
31	4.9	18.6	1.9	6.3	.03	.03	.01	.00	.65	.25	10.88
32	5.6	17.8	2.6	7.3	.04	.06	.01	.00	.63	.18	21.42
33	6.3	16.9	3.2	8.2	.04	.07	-0.00	-0.01	.61	.10	85.92
34	6.5	15.7	3.6	9.2	.04	.05	-0.01	-0.00	.59	.16	38.83
35	6.7	14.0	3.8	9.9	.05	.04	-0.01	-0.00	.57	.19	14.54
36	6.4	12.3	3.8	10.7	.06	.03	-0.01	-0.00	.56	.21	16.12
37	6.0	10.5	3.5	11.2	.06	.04	-0.01	-0.00	.54	.23	18.86
38	5.3	8.5	3.2	11.6	.04	.05	-0.00	-0.01	.53	.18	85.34
39	4.3	6.4	2.4	11.8	.05	.04	.01	-0.01	.51	.31	-35.18
40	3.2	4.2	1.6	11.7	.05	.04	.00	.00	.50	.05	11.75
41	1.9	2.2	.6	11.6	.05	.04	-0.01	.01	.49	.34	-43.64
42	.5	.2	-0.6	11.1	.05	.03	-0.01	.01	.48	.30	-34.44
43	-0.8	-1.5	-1.9	10.8	.05	.03	-0.01	-0.01	.47	.46	44.47
44	-2.3	-3.2	-3.3	10.2	.04	.04	-0.01	-0.01	.45	.47	38.42
45	-3.9	-4.5	-4.6	9.6	.05	.04	-0.02	.00	.44	.37	-7.40
46	-5.0	-5.7	-6.0	8.8	.04	.04	-0.02	-0.00	.43	.42	3.05
47	-6.3	-6.9	-7.3	8.2	.02	.03	-0.01	-0.01	.43	.44	33.83
48	-7.5	-7.7	-8.6	7.5	.02	.03	-0.00	-0.00	.42	.10	16.12
49	-8.3	-8.5	-9.8	7.1	.02	.03	-0.00	.01	.41	.23	-77.76
50	-8.9	-8.9	-10.9	6.5	.01	.01	-0.00	.00	.40	.12	-0.01

CORRELATION COEFFICIENT .391

118

CI-U

TM No. 377

RRFS- 15 J-4.5M- 1 20 JULY-65 1241-1244

LAGS= 50 N= 552 DT= .20SEC

MEAN U_1 = -28.2 MEAN U_2 = -28.1

K	ACOV U_1	ACOV U_2	COV	IN	COVOUT	SP U_1	SP U_2	CO	QUA	PER	R	PHI
0	45.7	76.2	30.7	0	6.83	8.79	3.24	0	0	0	.42	0
1	40.9	67.9	30.4	1.9	12.12	18.40	6.18	3.48	20.00	.48	29.35	
2	40.0	64.8	29.0	3.6	4.04	16.53	6.57	3.48	10.00	.61	27.87	
3	37.6	61.4	27.0	5.1	6.98	12.27	7.25	2.79	6.67	.84	20.95	
4	34.3	54.9	23.8	6.4	4.40	7.83	5.10	1.79	5.00	.92	19.31	
5	31.0	47.9	20.3	7.6	1.57	2.97	1.67	.45	4.00	.80	14.99	
6	27.4	41.3	16.4	8.6	.68	1.13	.41	-0.08	3.33	.48	-11.34	
7	23.5	34.7	12.6	9.3	.42	1.18	.27	.02	2.86	.39	4.72	
8	20.0	27.8	8.8	9.8	.22	.88	.12	.04	2.50	.29	17.39	
9	15.9	22.1	5.4	10.0	.12	.42	.04	-0.01	2.22	.18	-15.99	
10	12.0	16.5	2.2	10.1	.10	.14	-0.01	.03	2.00	.25	-62.22	
11	10.2	12.0	-0.8	9.7	.11	.12	-0.01	.03	1.82	.26	-72.16	
12	7.1	7.9	-3.1	9.4	.09	.12	.00	.01	1.67	.14	73.82	
13	5.7	4.3	-4.9	8.6	.07	.14	-0.01	.02	1.54	.17	-70.44	
14	3.5	.7	-6.2	7.9	.07	.14	-0.02	.02	1.43	.27	-50.11	
15	2.4	-1.8	-7.1	6.9	.08	.12	-0.01	.00	1.33	.16	-16.16	
16	1.2	-4.2	-7.2	6.1	.07	.11	-0.02	-0.00	1.25	.19	13.18	
17	.9	-5.9	-7.3	5.1	.07	.12	-0.02	.01	1.18	.25	-27.26	
18	.4	-6.5	-6.9	4.5	.06	.13	-0.02	.02	1.11	.31	-52.62	
19	.4	-7.9	-5.7	3.7	.05	.13	-0.00	.01	1.05	.18	-70.83	
20	.5	-7.0	-4.5	2.9	.06	.09	.00	-0.00	1.00	.04	-30.98	
21	1.1	-5.8	-3.3	2.3	.06	.07	.00	-0.01	.95	.10	-77.80	
22	1.1	-4.3	-1.7	2.4	.05	.12	-0.01	.01	.91	.16	-24.23	
23	2.0	-3.5	.2	2.0	.05	.18	-0.02	.02	.87	.28	-39.22	
24	2.9	-1.8	1.7	2.0	.06	.18	-0.02	.01	.83	.21	-42.10	
25	3.3	-0.5	2.9	2.1	.06	.13	-0.00	.00	.80	.05	-29.51	
26	4.1	.4	4.2	2.4	.06	.15	.00	-0.01	.77	.08	-57.55	
27	4.4	1.1	5.2	2.8	.07	.19	-0.02	.00	.74	.20	-12.04	
28	4.8	.1	5.5	3.3	.09	.20	-0.04	.02	.71	.32	-26.09	
29	4.7	.1	5.9	3.9	.11	.20	.00	.01	.69	.05	63.23	
30	4.6	-0.7	5.9	4.3	.10	.19	.04	-0.01	.67	.27	-8.90	
31	4.1	-2.4	5.8	4.5	.07	.17	.03	-0.00	.65	.27	-7.04	
32	3.7	-3.8	5.0	4.6	.05	.20	.02	.01	.63	.21	26.99	
33	3.0	-5.0	4.4	4.7	.07	.23	.02	.01	.61	.18	31.87	
34	2.2	-6.5	3.7	4.3	.08	.22	.02	.01	.59	.15	18.14	
35	1.3	-7.3	2.4	4.3	.08	.15	.02	.00	.57	.17	2.13	
36	.1	-9.4	1.4	3.9	.09	.12	.01	-0.01	.56	.15	-19.36	
37	-0.8	-9.6	.4	3.8	.12	.16	.01	.01	.54	.07	42.50	
38	-2.3	-10.3	-0.4	3.6	.15	.14	.01	.01	.53	.06	52.42	
39	-3.2	-11.8	-1.3	3.3	.14	.14	-0.01	-0.01	.51	.07	48.79	
40	-4.5	-11.4	-1.9	3.3	.10	.17	-0.02	-0.01	.50	.14	23.12	
41	-5.4	-11.1	-2.2	3.5	.07	.14	-0.01	-0.00	.49	.06	5.65	
42	-6.1	-11.1	-2.5	3.3	.06	.10	-0.00	.00	.48	.07	-31.68	
43	-7.1	-9.9	-2.7	3.7	.07	.11	-0.02	.01	.47	.21	-23.03	
44	-7.3	-9.2	-2.5	4.1	.06	.15	-0.01	.00	.45	.13	-22.68	
45	-7.9	-7.6	-2.0	4.0	.07	.18	-0.01	.00	.44	.09	-28.58	
46	-8.2	-5.1	-1.8	4.3	.12	.14	-0.02	.01	.43	.19	-35.63	
47	-8.1	-3.7	-0.9	5.0	.13	.09	-0.01	.00	.43	.11	-4.55	
48	-7.9	-2.2	-0.1	5.5	.11	.09	.00	-0.03	.42	.25	-88.42	
49	-7.5	-1.1	.4	6.2	.08	.10	-0.01	-0.02	.41	.25	75.51	
50	-6.3	.1	1.2	7.4	.03	.05	-0.01	-0.00	.40	.17	.00	

CORRELATION COEFFICIENT .521

119 CI-W
 BBFIS- 16 10-3.5M-VII
 LAGS= 50 N= 1849 DT= .20SEC
 MEAN W_2 = -0.9 * MEAN W_1 = .4

TM No. 377

K	ACOV W_2	ACOV W_1	COV IN	COVOUT	SP U_2	SP W_1	CO	QUA	PER	R	PHI
0	87.6	158.0	-52.8	0	9.72	12.02	1.27	0	0	.12	0
1	82.6	155.0	-52.1	2.0	25.78	40.08	-10.43	3.98	20.00	.35	-20.90
2	80.2	148.2	-50.1	4.0	28.31	53.08	-23.86	7.41	10.00	.64	-17.25
3	76.8	138.4	-46.9	5.9	14.09	31.73	-14.18	4.05	6.67	.70	-15.93
4	72.4	126.6	-42.7	7.7	2.78	9.49	-3.14	.35	5.00	.61	-6.44
5	67.2	113.4	-37.7	9.4	1.31	4.20	-1.51	-0.02	4.00	.64	.79
6	61.4	99.5	-32.0	10.9	.50	2.14	-0.50	-0.02	3.33	.48	2.18
7	55.1	85.3	-25.9	12.2	.23	1.28	-0.15	.01	2.86	.27	-2.20
8	48.4	71.1	-19.6	13.3	.19	1.06	-0.10	-0.01	2.50	.22	6.97
9	41.5	56.9	-13.0	14.2	.14	.87	-0.07	-0.01	2.22	.21	4.10
10	34.5	42.8	-6.5	14.9	.08	.56	-0.05	.01	2.00	.25	-12.40
11	27.4	29.0	.0	15.3	.07	.30	-0.05	.01	1.82	.38	-10.81
12	20.5	15.5	6.3	15.4	.06	.20	-0.03	-0.00	1.67	.28	4.00
13	13.8	2.6	12.2	15.3	.05	.15	-0.00	-0.02	1.54	.20	76.76
14	7.4	-9.6	17.8	14.9	.03	.10	.00	-0.01	1.43	.23	-82.03
15	1.3	-20.7	22.8	14.3	.02	.07	.00	-0.00	1.33	.11	-13.26
16	-4.4	-30.7	27.3	13.4	.02	.07	.00	.00	1.25	.12	1.73
17	-9.6	-39.3	31.3	12.3	.01	.05	.00	-0.00	1.18	.07	-69.13
18	-14.4	-46.7	34.8	11.1	.01	.04	-0.00	-0.00	1.11	.19	47.54
19	-18.5	-52.7	37.8	9.8	.01	.04	-0.00	-0.00	1.05	.14	62.59
20	-22.2	-57.4	40.2	8.3	.02	.04	-0.00	-0.00	1.00	.05	86.65
21	-25.3	-61.1	42.2	6.7	.01	.03	-0.00	.00	.95	.09	-87.62
22	-27.9	-63.7	43.7	5.0	.01	.03	-0.00	.00	.91	.12	-89.25
23	-29.9	-65.4	44.6	3.3	.01	.02	.00	.00	.87	.16	86.55
24	-31.4	-66.2	45.0	1.5	.01	.02	.00	.00	.83	.23	85.86
25	-32.3	-66.2	44.9	-0.2	.01	.02	-0.00	.00	.80	.15	-69.44
26	-32.7	-65.2	44.2	-1.9	.01	.02	-0.00	.00	.77	.09	-13.53
27	-32.6	-63.2	43.1	-3.4	.01	.02	-0.00	.00	.74	.04	-50.16
28	-32.0	-60.3	41.4	-4.9	.01	.02	-0.00	.00	.71	.09	-64.14
29	-30.7	-56.5	39.3	-6.2	.00	.02	-0.00	.00	.69	.20	-42.41
30	-28.9	-51.9	36.7	-7.5	.00	.02	-0.00	.00	.67	.25	-57.01
31	-26.7	-46.6	33.6	-8.6	.01	.02	-0.00	.00	.65	.16	-68.26
32	-23.9	-40.8	30.0	-9.5	.00	.01	.00	.00	.63	.12	67.33
33	-20.7	-34.8	25.9	-10.3	.01	.01	.00	.00	.61	.20	38.16
34	-17.2	-28.4	21.6	-10.9	.00	.01	.00	-0.00	.59	.11	-9.95
35	-13.3	-21.7	17.0	-11.4	.00	.02	-0.00	.00	.57	.06	-15.81
36	-9.3	-15.0	12.3	-11.7	.00	.01	-0.00	.00	.56	.17	-56.74
37	-5.2	-8.4	7.5	-11.9	.00	.01	.00	-0.00	.54	.07	-39.71
38	-1.0	-1.9	2.6	-11.9	.00	.01	.00	-0.00	.53	.18	-73.21
39	3.1	4.5	-2.1	-11.7	.00	.01	.00	.00	.51	.12	83.19
40	7.2	10.5	-6.8	-11.4	.00	.01	.00	.00	.50	.32	72.06
41	11.1	16.1	-11.2	-10.8	.00	.01	.00	.00	.49	.17	55.38
42	14.9	21.2	-15.5	-10.1	.00	.01	.00	-0.00	.48	.15	-87.37
43	18.5	25.9	-19.5	-9.3	.00	.01	-0.00	-0.00	.47	.19	85.57
44	21.8	30.1	-23.1	-8.3	.00	.01	-0.00	.00	.45	.04	-4.96
45	24.6	33.6	-26.2	-7.4	.00	.01	-0.00	.00	.44	.04	-65.40
46	27.1	36.4	-28.8	-6.4	.00	.01	.00	-0.00	.43	.07	-50.62
47	29.1	38.5	-30.8	-5.3	.00	.01	-0.00	-0.00	.43	.10	36.67
48	30.6	39.8	-32.2	-4.2	.00	.01	-0.00	.00	.42	.15	-19.83
49	31.6	40.3	-33.0	-3.0	.00	.01	.00	.00	.41	.20	70.14
50	32.1	40.1	-33.2	-1.8	.00	.00	.00	.00	.40	.28	.00

CORRELATION COEFFICIENT -0.459

* SIGN REVERSED ON ONE CHANNEL, COV IN, CO

120 0M (θ = 5°)
 RBFI S 16 0.5M-11 0. 08SEP-65 1340-1346
 LAGS= 50 N= 702 DT= 0.2SEC
 MEAN U=-19.7 MEAN W= .4

TM No. 377

K	ACOV U	ACOV V	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	K	PHI
0	56.9	256.2	-7.6	0	1.37	5.88	.78	0	0	.27	0
1	49.2	241.5	-7.5	16.8	3.30	26.00	-0.40	1.51	20.00	.17	-75.06
2	33.7	206.1	-6.7	29.1	4.18	52.11	-1.94	2.11	10.00	.19	-47.35
3	14.6	158.2	-5.4	33.6	3.35	45.75	-0.82	1.55	6.67	.14	-62.25
4	-2.2	106.9	-3.8	29.5	3.17	24.95	-0.98	1.43	5.00	.19	-55.46
5	-13.9	60.7	-2.1	19.2	5.06	24.95	-2.28	2.50	4.00	.30	-47.61
6	-18.4	24.7	0	6.8	4.83	19.42	-2.38	2.10	3.33	.33	-41.47
7	-16.4	.3	2.1	-4.8	5.93	14.82	-1.31	5.17	2.86	.57	-75.75
8	-11.6	-13.0	4.3	-12.6	3.81	18.09	.65	9.94	2.50	.79	86.25
9	-4.6	-18.2	6.4	-15.5	6.49	11.71	1.31	6.85	2.22	.80	79.21
10	2.2	-18.7	7.6	-13.3	2.79	4.00	.14	2.28	2.00	.68	46.47
11	7.5	-18.2	7.7	-7.4	1.77	2.02	-0.21	1.22	1.82	.65	-80.39
12	10.6	-18.8	6.4	.5	1.43	1.55	.01	.98	1.67	.66	89.34
13	10.7	-22.7	4.1	8.3	1.16	1.39	-0.18	.69	1.54	.56	-75.60
14	8.1	-30.5	1.1	14.5	.74	.99	-0.14	.31	1.43	.43	-58.01
15	3.2	-41.5	-1.8	17.6	.47	.44	.03	.15	1.33	.33	79.64
16	-2.0	-54.0	-3.6	16.7	.35	.21	.04	.05	1.25	.24	48.66
17	-6.6	-65.3	-4.2	12.1	.21	.20	0	.05	1.18	.23	84.56
18	-9.1	-72.9	-3.4	5.4	.10	.17	.01	.03	1.11	.23	69.10
19	-8.9	-74.9	-1.5	-2.4	.08	.17	0	-0.01	1.05	.10	-87.64
20	-6.4	-71.3	1.1	-8.8	.09	.13	0	-0.03	1.00	.24	-80.88
21	-2.4	-64.4	3.8	-12.5	.08	.09	.02	0	.95	.20	-1.51
22	2.1	-56.7	6.5	-11.9	.07	.09	.02	.01	.91	.26	25.11
23	5.6	-51.4	8.8	-7.5	.07	.09	0	-0.03	.87	.39	-33.04
24	6.6	-49.6	9.9	-0.5	.07	.07	0	-0.04	.83	.60	-89.66
25	5.2	-51.9	9.7	7.1	.06	.05	0	-0.03	.80	.49	-86.16
26	.9	-57.0	8.3	13.0	.05	.05	0	-0.03	.77	.49	-87.60
27	-4.7	-62.8	6.2	16.1	.06	.04	0	-0.01	.74	.30	71.10
28	-10.1	-67.3	4.0	15.6	.05	.04	-0.01	0	.71	.13	25.48
29	-13.6	-67.9	2.7	11.4	.04	.06	.01	0	.69	.16	10.83
30	-15.2	-62.3	3.0	4.3	.05	.07	.02	-0.01	.67	.40	-25.55
31	-14.1	-50.7	4.6	-4.0	.07	.05	.02	-0.02	.65	.43	-46.17
32	-10.4	-32.6	6.9	-11.2	.04	.05	0	-0.01	.63	.24	-67.92
33	-5.0	-8.8	8.8	-16.2	.02	.06	0	0	.61	.09	-3.28
34	1.4	17.7	9.1	-18.0	.03	.04	.01	0	.59	.24	26.06
35	8.0	43.7	7.9	-16.4	.04	.03	.01	0	.57	.26	14.04
36	13.0	65.7	5.6	-11.6	.03	.04	.01	.01	.56	.37	22.98
37	15.8	81.0	3.0	-4.6	.02	.04	.01	.01	.54	.41	34.34
38	15.6	87.9	.7	3.3	.02	.02	0	0	.53	.20	22.91
39	12.8	87.1	-0.9	10.5	.02	.03	0	0	.51	.12	66.26
40	7.7	80.0	-1.7	16.1	.02	.04	0	.01	.50	.29	-64.19
41	1.9	68.5	-1.8	18.9	.03	.03	-0.01	.01	.49	.42	-40.68
42	-3.4	54.9	-1.5	17.8	.03	.02	-0.01	0	.48	.26	4.66
43	-6.5	41.6	-0.7	12.6	.04	.02	0	-0.01	.47	.44	-69.41
44	-7.1	29.9	.8	4.5	.05	.01	.01	-0.01	.45	.48	-50.91
45	-4.5	21.9	3.0	-4.4	.03	.02	0	0	.44	.18	10.05
46	.3	18.1	5.4	-12.6	.03	.03	.01	0	.43	.25	31.06
47	5.8	17.7	7.0	-18.1	.03	.02	.01	0	.43	.31	-8.38
48	10.5	19.3	7.8	-20.4	.05	.02	.01	-0.01	.42	.43	-48.47
49	13.0	21.0	7.3	-19.6	.05	.03	.01	-0.01	.41	.44	-50.72
50	13.1	21.4	5.8	-16.8	.02	.02	.01	0	.40	.32	0

121 OIII ($\theta = 20^\circ$)

TM No. 377

BRFIS- 16

.5M- 2

LAGS= 50 N= 1227

DT= .20SEC

MEAN U = -19.8

MEAN W = .6

K	ACOV U	ACOV W	COV	IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	66.1	266.1	-10.3	0	1.33	3.70	.09	0	0	.04	0	
1	52.8	246.6	-8.8	17.1	2.77	24.17	.72	-0.48	20.00	.15	-53.73	
2	35.9	201.6	-3.5	30.0	2.77	49.71	1.97	-2.22	10.00	.25	-48.54	
3	13.2	141.8	4.5	35.9	2.32	43.07	2.14	-0.99	6.67	.24	-24.85	
4	-2.2	90.1	12.4	32.3	2.80	23.27	1.70	.14	5.00	.21	4.81	
5	-24.8	27.3	18.6	20.3	3.07	15.17	1.53	-0.87	4.00	.26	-29.71	
6	-33.4	-8.6	20.9	2.9	4.69	14.20	-1.32	1.32	3.33	.23	-44.95	
7	-32.5	-24.9	18.8	-15.9	11.95	27.09	-6.61	11.57	2.86	.74	-60.25	
8	-23.8	-24.1	13.0	-31.4	14.87	31.58	-7.40	16.11	2.50	.82	-65.32	
9	-9.7	-12.6	4.2	-40.2	9.43	16.90	-2.93	8.07	2.22	.72	-70.07	
10	5.9	2.7	-5.2	-39.9	2.92	5.81	-0.25	1.60	2.00	.39	-81.10	
11	12.4	14.9	-13.1	-30.7	1.26	3.11	-0.27	.01	1.82	.13	-1.74	
12	27.8	18.7	-18.6	-15.0	.70	2.35	-0.28	-0.47	1.67	.43	59.21	
13	28.7	11.4	-20.5	2.9	.43	1.49	-0.09	-0.30	1.54	.39	73.81	
14	22.5	-6.6	-19.0	19.1	.39	.66	.04	-0.00	1.43	.07	-1.68	
15	11.5	-32.2	-14.2	28.9	.50	.42	.14	.12	1.33	.40	40.21	
16	-0.9	-61.2	-7.2	30.6	.44	.30	.13	.02	1.25	.36	10.08	
17	-12.3	-88.5	1.0	23.9	.30	.30	.04	-0.05	1.18	.22	-48.71	
18	-19.5	-108.6	8.4	11.5	.21	.30	.01	-0.07	1.11	.27	-80.51	
19	-22.0	-118.3	12.9	-3.2	.19	.20	.01	-0.04	1.05	.21	-75.15	
20	-19.6	-115.3	14.0	-16.6	.18	.11	.01	-0.02	1.00	.13	-66.29	
21	-12.8	-100.5	11.3	-26.3	.18	.14	.02	-0.00	.95	.11	-13.53	
22	-3.7	-78.1	6.0	-30.4	.18	.17	.04	-0.03	.91	.27	-34.59	
23	5.9	-53.8	-1.1	-28.6	.19	.16	.05	-0.04	.87	.34	-39.28	
24	14.0	-32.9	-7.6	-21.0	.18	.13	.02	-0.02	.83	.18	-46.43	
25	12.6	-18.9	-12.5	-9.5	.17	.12	-0.00	-0.01	.80	.06	88.09	
26	12.3	-13.9	-14.4	3.5	.14	.12	.02	-0.01	.77	.16	-15.41	
27	14.2	-17.4	-13.7	15.4	.12	.12	.03	.00	.74	.26	4.24	
28	6.4	-27.6	-10.6	24.0	.12	.09	.02	.01	.71	.18	26.02	
29	-2.2	-40.1	-5.4	27.5	.11	.07	.01	.01	.69	.15	57.55	
30	-9.9	-50.2	.3	25.6	.11	.06	.01	.00	.67	.11	7.20	
31	-15.5	-56.4	5.1	19.1	.11	.06	-0.00	-0.01	.65	.07	81.13	
32	-17.6	-55.0	7.8	9.5	.11	.06	-0.00	-0.00	.63	.06	63.47	
33	-15.6	-46.3	8.6	-0.1	.12	.07	.01	.01	.61	.14	29.83	
34	-12.9	-31.6	7.4	-8.5	.10	.06	.02	.01	.59	.24	31.95	
35	-7.0	-12.5	4.7	-13.2	.07	.05	.02	.00	.57	.32	8.57	
36	-2.5	8.8	2.0	-14.1	.09	.05	.02	.01	.56	.35	20.93	
37	5.8	30.0	-0.2	-10.8	.11	.06	.02	.02	.54	.38	39.75	
38	10.6	47.9	-1.5	-4.5	.10	.06	.03	.02	.53	.37	31.69	
39	13.7	60.3	-1.6	3.5	.09	.06	.01	.01	.51	.24	38.89	
40	13.8	66.2	-0.9	11.0	.10	.05	.00	.01	.50	.14	66.09	
41	11.7	65.4	.4	16.9	.10	.04	.01	.00	.49	.09	17.37	
42	7.7	59.4	2.4	20.0	.10	.04	.00	.00	.48	.04	64.16	
43	3.3	50.3	4.3	19.4	.11	.05	-0.01	.01	.47	.20	-49.78	
44	-1.3	40.9	6.0	15.0	.12	.05	-0.00	.01	.45	.09	-50.70	
45	-4.8	33.3	7.4	8.3	.11	.05	.01	.00	.44	.17	6.74	
46	-6.4	29.7	8.2	.2	.09	.04	.01	.01	.43	.24	38.83	
47	-6.3	31.3	8.4	-7.8	.10	.05	-0.00	-0.01	.43	.10	53.50	
48	-4.5	36.7	7.8	-14.0	.12	.05	-0.01	-0.03	.42	.35	64.86	
49	-2.9	44.8	6.5	-17.0	.11	.05	-0.01	-0.01	.41	.18	57.29	
50	-0.5	53.4	4.5	-16.3	.05	.03	-0.00	-0.00	.40	.04	.00	

CORRELATION COEFFICIENT -0.078

122 OIII ($\theta=50^\circ$)
 BBELS 16 .5M-4 0, 08SEP-65 1420-1425
 LAGS= 50 N= 1374 DT= 0.2SEC
 MEAN U=-18.4 MEAN W= -0.9
 CORRELATION COEFFICIENT -0.1

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	37.7	278.0	-11.2	0	.68	6.78	-0.67	0	0	.31	0
1	32.0	240.2	-10.0	6.5	2.31	31.35	-0.92	-3.64	20.00	.44	75.77
2	22.1	205.7	-6.7	10.9	3.18	54.23	-0.59	-5.69	10.00	.44	84.07
3	10.3	159.8	-2.5	11.9	2.58	43.90	-1.17	-3.99	6.67	.39	73.57
4	-0.0	110.7	1.4	8.6	2.52	25.85	-0.83	-1.02	5.00	.16	50.97
5	-7.0	66.9	3.6	1.8	2.72	21.10	.25	.55	4.00	.08	65.49
6	-10.3	32.8	3.6	-6.9	2.89	16.28	.27	1.71	3.33	.25	80.92
7	-10.5	11.3	1.7	-15.7	4.62	16.74	-0.79	4.56	2.86	.53	-80.13
8	-8.2	-0.4	-0.9	-23.3	5.41	18.01	-2.24	6.11	2.50	.66	-69.88
9	-4.1	-4.3	-3.7	-27.9	3.69	11.49	-2.11	3.83	2.22	.67	-61.17
10	.5	-4.6	-5.2	-28.4	1.86	4.90	-1.07	1.13	2.00	.52	-46.54
11	4.8	-4.5	-5.6	-24.7	.94	2.92	-0.69	-0.02	1.82	.42	1.25
12	7.2	-8.3	-4.7	-18.5	.63	2.47	-0.41	-0.19	1.67	.37	24.43
13	7.2	-15.1	-2.7	-11.1	.53	1.59	-0.13	.03	1.54	.14	-11.97
14	5.0	-26.0	-0.1	-4.5	.47	1.01	-0.09	.12	1.43	.22	-54.06
15	1.3	-38.4	2.5	0	.45	.80	-0.07	.03	1.33	.13	-23.98
16	-2.6	-52.0	4.4	1.5	.39	.72	-0.02	-0.01	1.25	.04	29.40
17	-5.7	-64.4	5.2	.3	.27	.73	.03	.04	1.18	.10	53.33
18	-7.3	-73.3	5.1	-3.0	.17	.74	.03	.06	1.11	.18	64.66
19	-7.4	-77.7	4.1	-7.1	.12	.68	.01	.05	1.05	.16	82.98
20	-6.4	-76.9	2.0	-10.2	.09	.56	.02	0	1.00	.08	7.96
21	-4.4	-71.0	0	-11.7	.08	.54	.03	-0.04	.95	.20	-53.89
22	-2.0	-62.4	-1.9	-10.3	.08	.57	0	-0.03	.91	.13	-83.61
23	.3	-54.3	-3.9	-7.2	.06	.54	0	-0.02	.87	.10	82.85
24	1.7	-48.4	-4.8	-3.8	.04	.52	0	-0.01	.83	.10	84.10
25	2.2	-46.4	-5.4	.3	.05	.54	-0.01	-0.03	.80	.21	72.86
26	1.5	-47.2	-5.1	3.8	.05	.59	0	-0.03	.77	.16	-82.10
27	.0	-51.2	-4.0	6.5	.05	.59	.02	.01	.74	.11	27.97
28	-2.1	-56.5	-2.4	7.8	.04	.54	.01	.02	.71	.11	64.42
29	-4.1	-60.4	-0.8	7.9	.04	.54	-0.01	0	.69	.04	21.38
30	-5.7	-60.2	-0.1	7.3	.03	.52	-0.01	.01	.67	.10	-27.57
31	-6.6	-55.4	-0.2	5.2	.04	.50	-0.01	.02	.65	.17	-72.36
32	-6.9	-46.9	-1.0	2.8	.04	.51	0	.01	.63	.09	76.44
33	-6.6	-34.3	-1.8	.6	.03	.51	0	0	.61	.01	-14.91
34	-5.7	-20.6	-3.1	-1.3	.04	.50	-0.01	-0.01	.59	.08	28.17
35	-4.1	-6.6	-3.4	-1.9	.04	.48	-0.01	0	.57	.09	-4.93
36	-2.0	6.6	-3.6	-1.9	.04	.50	0	.01	.56	.07	78.34
37	-0.0	17.8	-2.0	-0.3	.04	.52	.03	.02	.54	.20	30.84
38	1.8	27.0	-0.1	1.2	.04	.52	.02	0	.53	.12	14.03
39	2.9	32.7	1.9	2.8	.04	.52	0	-0.01	.51	.10	-86.79
40	3.5	37.3	3.7	4.4	.03	.50	0	.01	.50	.06	-80.41
41	3.6	40.7	5.0	5.5	.03	.49	0	.02	.49	.18	87.48
42	3.1	40.9	5.4	6.3	.03	.50	.01	0	.48	.06	-25.79
43	2.4	38.6	5.5	6.4	.03	.49	-0.01	-0.01	.47	.11	66.86
44	1.4	34.9	4.9	5.1	.04	.49	-0.02	0	.45	.16	.73
45	.2	30.0	4.4	4.2	.04	.52	-0.01	0	.44	.04	-30.96
46	-0.9	25.0	4.3	3.7	.03	.52	.01	.01	.43	.09	49.40
47	-1.8	21.1	4.0	3.3	.03	.49	0	.01	.43	.09	-75.29
48	-2.1	18.5	3.5	2.5	.04	.46	.01	0	.42	.08	18.78
49	-1.6	16.8	3.3	1.9	.03	.44	.01	.01	.41	.13	20.45
50	-0.4	16.3	2.7	1.8	.01	.22	0	0	.40	.01	.04

123 OIII ($\theta=80^\circ$)
 88F15-16 .5M- V 8 SEP-63 1431-1436

TM No. 377

LAGS= 50 N= 1152

DT= .20SEC

MEAN U = -12.9

MEAN W = -1.2

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	39.4	250.8	-15.1	0	1.72	4.80	-0.01	0	0	.00	0
1	35.4	235.6	-13.3	-6.4	4.05	26.71	.11	-3.66	20.00	.35	-88.21
2	28.3	200.5	-8.3	-12.1	4.76	53.28	.15	-9.04	10.00	.57	-89.07
3	19.2	153.0	-1.6	-16.8	4.07	47.98	.26	-9.03	6.67	.65	-88.32
4	10.4	103.5	5.2	-20.7	3.55	26.39	-0.35	-6.40	5.00	.66	86.92
5	2.8	60.3	10.4	-23.7	3.75	16.13	-1.70	-4.71	4.00	.64	70.16
6	-2.5	28.5	12.9	-26.2	3.72	12.83	-2.05	-1.39	3.33	.36	34.21
7	-5.3	9.4	12.4	-28.4	4.14	16.59	-3.11	1.61	2.86	.42	-27.42
8	-5.6	1.2	9.3	-29.8	3.61	17.86	-3.93	1.36	2.50	.52	-19.08
9	-4.2	-0.5	4.6	-30.2	1.94	11.52	-2.51	.08	2.22	.53	-1.73
10	-2.0	-0.8	-0.4	-28.9	1.01	6.55	-1.21	-0.47	2.00	.51	21.26
11	.4	-3.7	-4.3	-25.5	.65	4.16	-0.55	-0.59	1.82	.49	47.02
12	2.3	-11.6	-6.5	-20.5	.39	1.72	-0.11	-0.36	1.67	.46	72.30
13	3.4	-24.3	-6.8	-14.6	.28	.66	-0.06	-0.17	1.54	.40	70.47
14	3.4	-40.7	-5.8	-8.5	.22	.55	-0.01	-0.08	1.43	.25	80.46
15	2.3	-57.7	-3.6	-3.0	.17	.40	.03	-0.03	1.33	.18	-47.92
16	.6	-72.9	-1.3	.9	.12	.31	.00	-0.00	1.25	.01	-71.65
17	-1.2	-84.0	.6	3.1	.10	.26	-0.02	.01	1.18	.14	-15.55
18	-2.9	-90.5	1.8	3.5	.08	.20	-0.02	.00	1.11	.13	-5.57
19	-4.1	-92.3	2.0	2.7	.09	.17	-0.01	.00	1.05	.08	-17.84
20	-4.6	-89.7	1.5	1.2	.08	.13	-0.01	.01	1.00	.13	-49.20
21	-4.4	-83.1	.3	-0.5	.06	.11	-0.01	-0.00	.95	.14	1.73
22	-3.8	-74.5	-1.1	-1.9	.06	.11	-0.01	-0.01	.91	.19	66.63
23	-2.7	-64.4	-2.2	-2.4	.05	.10	.00	-0.01	.87	.22	-72.38
24	-1.6	-53.8	-2.7	-2.0	.04	.08	.01	-0.01	.83	.28	-52.06
25	-0.7	-44.5	-2.5	-0.8	.04	.06	.01	-0.01	.80	.25	-51.43
26	-0.2	-37.3	-1.7	1.2	.03	.04	.00	-0.00	.77	.05	-39.25
27	-0.3	-33.1	-0.4	3.5	.03	.05	-0.01	.01	.74	.21	-46.15
28	-0.9	-32.0	1.1	6.0	.04	.06	-0.01	.00	.71	.17	-26.50
29	-1.9	-33.1	2.6	8.5	.03	.06	-0.01	-0.00	.69	.16	38.25
30	-3.1	-34.6	4.1	10.8	.03	.04	-0.00	-0.00	.67	.15	62.15
31	-4.0	-35.0	5.0	12.6	.02	.04	-0.00	-0.00	.65	.15	78.20
32	-4.6	-31.8	5.2	13.7	.02	.04	.00	-0.01	.63	.21	-72.43
33	-4.6	-24.8	4.3	13.8	.02	.05	.00	-0.00	.61	.14	-26.81
34	-3.8	-13.8	2.3	13.3	.03	.05	.00	-0.00	.59	.08	-1.76
35	-2.1	-0.1	-0.5	11.9	.03	.04	.00	.00	.57	.02	62.39
36	-0.1	13.7	-3.6	10.0	.02	.04	-0.00	-0.00	.56	.02	81.73
37	1.7	25.5	-6.2	8.0	.02	.05	.00	-0.00	.54	.06	-29.55
38	3.1	34.0	-7.8	6.1	.02	.05	.00	.00	.53	.17	60.90
39	4.4	38.8	-8.0	4.8	.02	.04	.00	.01	.51	.23	56.17
40	5.2	41.3	-7.0	4.2	.02	.04	.00	.00	.50	.18	22.09
41	5.1	41.4	-5.0	4.2	.02	.03	-0.00	.00	.49	.11	-85.49
42	4.3	41.0	-2.4	4.7	.02	.04	-0.01	.00	.48	.25	-29.51
43	3.2	40.5	.1	5.6	.03	.04	-0.00	.00	.47	.08	-72.44
44	2.0	40.6	2.3	6.2	.03	.04	.01	.00	.45	.24	11.91
45	1.4	41.4	3.7	6.6	.03	.04	.01	-0.00	.44	.31	-10.94
46	1.0	42.4	4.6	6.4	.03	.05	.01	-0.00	.43	.36	-18.47
47	1.0	43.4	4.7	5.3	.03	.06	.01	-0.00	.43	.26	-2.43
48	1.3	43.9	4.5	3.0	.03	.05	.01	-0.00	.42	.15	-7.07
49	1.8	43.6	3.9	-0.6	.03	.03	.00	-0.00	.41	.17	-43.83
50	2.2	41.3	2.9	-4.8	.02	.01	.00	-0.00	.40	.13	-0.00

CORRELATION COEFFICIENT -0.151

124

OMI

(θ=95°)

TM No. 377

RRFIS-16

.5M-VI

8 SEP-65

1441-1446

LAGS= 50 N= 1205

DT= .20SEC

MEAN U = -13.3

MEAN W = -2.3

K	ACOV U	ACOV W	COV IN	COVOUT	SP U	SP W	CO	QUA	PER	R	PHI
0	30.3	239.2	-5.2	0	3.17	5.16	.02	0	0	.00	0
1	24.1	228.5	-4.6	-4.7	5.63	33.26	.68	-2.96	20.00	.22	-77.05
2	27.9	204.5	-2.8	-9.0	4.48	67.10	1.00	-8.99	10.00	.52	-83.63
3	18.8	172.2	-0.5	-12.9	3.30	54.94	-0.50	-8.06	6.67	.60	86.44
4	14.0	138.1	1.8	-16.2	2.29	23.72	-1.43	-3.67	5.00	.53	68.79
5	9.8	106.1	3.7	-18.8	1.94	12.18	-0.81	-1.87	4.00	.42	66.63
6	4.8	78.8	5.1	-20.7	2.18	7.02	-0.52	-0.52	3.33	.19	45.07
7	4.8	56.3	5.5	-22.1	2.31	8.85	-1.00	.20	2.86	.23	-11.24
8	3.8	37.8	5.1	-22.9	1.64	10.69	-1.39	-0.08	2.50	.33	3.25
9	3.6	21.9	4.0	-22.9	.87	5.93	-0.86	-0.07	2.22	.38	4.80
10	3.9	7.6	2.6	-22.2	.46	2.45	-0.20	.05	2.00	.19	-14.43
11	4.5	-6.3	1.3	-20.9	.38	1.70	-0.08	-0.11	1.82	.17	54.81
12	5.1	-20.8	.5	-18.9	.34	1.46	-0.05	-0.12	1.67	.19	67.18
13	5.4	-36.4	.2	-16.4	.20	1.25	.02	-0.05	1.54	.10	-70.97
14	5.3	-52.7	.5	-13.8	.16	.76	-0.02	-0.02	1.43	.08	55.60
15	4.6	-69.6	.8	-11.3	.15	.42	-0.01	.01	1.33	.05	-43.31
16	3.6	-85.5	1.4	-8.8	.12	.33	.00	.02	1.25	.11	83.97
17	2.4	-99.3	1.6	-6.5	.09	.27	-0.04	.01	1.18	.24	-13.22
18	1.1	-109.3	1.6	-4.4	.07	.20	-0.04	.01	1.11	.35	-13.95
19	-0.1	-114.2	1.0	-2.3	.04	.13	-0.02	.00	1.05	.22	-5.36
20	-1.1	-113.6	-0.1	-0.3	.04	.10	-0.01	-0.01	1.00	.23	32.01
21	-1.6	-108.0	-1.6	1.3	.04	.09	-0.01	-0.00	.95	.09	6.88
22	-1.5	-99.1	-3.3	2.8	.04	.07	-0.00	.00	.91	.11	-49.69
23	-1.0	-88.9	-4.7	4.1	.03	.08	-0.00	.00	.87	.09	-5.08
24	-0.3	-79.5	-5.8	5.1	.02	.08	-0.00	-0.00	.83	.05	20.17
25	.4	-72.2	-6.2	6.0	.02	.06	-0.00	-0.00	.80	.06	.84
26	1.1	-67.2	-6.1	7.0	.03	.06	-0.00	-0.00	.77	.13	82.98
27	1.5	-64.1	-5.5	8.0	.02	.06	.00	-0.01	.74	.26	-74.40
28	1.5	-61.8	-4.5	9.4	.02	.05	.00	-0.01	.71	.34	-64.65
29	1.3	-59.3	-3.3	10.9	.02	.05	.01	-0.01	.69	.35	-59.01
30	1.1	-55.5	-2.1	12.5	.02	.05	.01	-0.01	.67	.28	-45.54
31	.9	-49.8	-1.3	14.0	.02	.03	.00	.00	.65	.20	12.10
32	.8	-41.2	-1.0	15.3	.01	.03	.00	.00	.63	.25	41.75
33	.8	-29.4	-1.2	16.1	.01	.03	.00	.00	.61	.17	35.32
34	.7	-14.8	-1.5	16.1	.01	.03	.00	-0.00	.59	.07	-55.90
35	.5	1.5	-1.7	15.3	.01	.03	.00	-0.00	.57	.17	-57.10
36	.4	18.5	-1.3	13.9	.01	.03	.00	-0.00	.56	.15	-22.08
37	.2	34.7	-0.5	12.3	.01	.03	.00	.00	.54	.05	62.06
38	.4	48.2	.5	10.8	.01	.03	-0.00	.00	.53	.17	-48.20
39	.8	57.7	1.2	9.5	.01	.02	-0.00	.00	.51	.27	-11.49
40	1.5	63.2	1.9	8.4	.01	.02	-0.00	-0.00	.50	.29	11.64
41	2.5	65.2	2.4	7.6	.01	.03	-0.00	.00	.49	.16	-6.63
42	3.5	64.6	2.9	7.0	.01	.03	.00	.00	.48	.15	22.43
43	4.3	62.3	3.1	6.4	.01	.03	.01	.00	.47	.33	3.10
44	4.7	59.2	3.4	5.8	.01	.03	.00	.00	.45	.23	7.78
45	4.7	56.7	3.6	5.2	.01	.03	-0.00	.00	.44	.11	-39.21
46	4.3	54.8	3.9	4.5	.01	.03	-0.00	.00	.43	.30	-13.62
47	3.6	53.4	4.1	3.4	.01	.04	-0.00	.00	.43	.10	-11.88
48	3.0	52.7	4.4	2.1	.01	.04	.00	-0.00	.42	.17	-7.25
49	2.4	52.0	4.6	.3	.01	.04	.01	-0.00	.41	.32	-4.46
50	2.1	50.9	4.8	-1.6	.01	.02	.01	-0.00	.40	.38	-0.00

CORRELATION COEFFICIENT -0.061

1/2 FOR RS. LON 60

Auto-Spectra of Wave Meter Data

Following are plots of the auto-covariance spectra of the wave velocity components measured with the wave meter systems. Curves are presented for series 001-124 - BBELS-5 through BBELS-16. (Series 017 and 070 are not listed.) On each plot the pertinent information is given for the particular measurement. The statistical nomenclature is defined as follows:

N = The number of interpolated data points.

ΔT = The time interval spacing (sec) of the interpolated data;
 $N\Delta T$ = the length of the record.

m = Number of time lags for computation of auto-covariance (and covariance function) and hence the divisions on the frequency scale. The frequency resolution is $100 (2 m\Delta T)^{-1}$ in millicycles per second.

DF = The degrees of freedom calculated by the equation approximately equal to $\frac{2N}{m}$. By use of curves in figure III-3, the given value can be determined for an 80% confidence limit band (assuming the spectral data are approximately Gaussian distributed).

σ_X^2 = The variance of the velocity component X ($\text{cm}^2 \text{sec}^{-2}$).

$\bar{X}$ = The mean value of the quantity X (cm sec^{-1}) over the sampling period N .

$\overline{u'w'}$ = The covariance of u' and w' at zero lag in $\text{cm}^2 \text{sec}^{-2}$ (given for measurements of u and w only).

r = The correlation coefficient in the case of OMDUM measurements of u and w .

$$r(u,w) = \frac{\overline{u'w'}}{\sqrt{\sigma_u^2 \sigma_w^2}}$$

In the case of LINDUM measurements giving pairs of u_1 and u_2 (or w_1 and w_2):

$$r(u_1 u_2) = \frac{\overline{u_1' u_2'}}{\sqrt{\sigma_{u_1}^2 \sigma_{u_2}^2}} \quad \text{and similarly for } w_1 \text{ and } w_2.$$

- V = The estimated wind speed (m sec^{-1}) at the time of measurement.
- [R = The vertical extension of the 80% confidence range when the middle cross bar is centered on the spectrum point.

Note: In series 120 through 124 the angle θ appears, indicating the azimuth of the u meter with respect to the direction of propagation of the wind waves.

TM No. 377

P 001 BBELS -5 (A)

0.0 m I (1135-)

27 APRIL 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 888$

$\Delta T = 0.2$

$m = 32$

$DF = 56$

$\sigma_u^2 = 116.5 \quad \bar{u} = -39.5$

$\sigma_w^2 = 1368 \quad \bar{w} = -1.8$

$\bar{u}\bar{w} = 0.114.9$

$r = +0.28$

$V = 6.8 \text{ m SEC}^{-1} \text{ WSW}$

[R

B-112

TM No. 377

P 002 BBELS - 5(A)

1.0 m I (1145)

27 APRIL 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

N = 888

$\Delta T = 0.2$

m = 32

DF = 56

$\sigma_u^2 = 77.6$ $\bar{u} = -32.3$

$\sigma_w^2 = 888.6$ $\bar{w} = -1.5$

$\overline{u'w'} = +49.9$

r = +0.19

V = 68 m SEC WSW

[R

B-113

TM No. 377

P 003 BBELS-5 (A)
2.0 m I (1155-)
27 APRIL 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 888$

$\Delta T = 0.2$

$m = 32$

$DF = 56$

$\sigma_u^2 = 69.5 \quad \bar{u} = -33.1$

$\sigma_w^2 = 557.6 \quad \bar{w} = -1.2$

$\overline{u'w'} = +6.8$

$r = 0.35$

$V = 6.8 \text{ m SEC}^{-1} \text{ WSW}$

[R

B-114

TM No. 377

P 004 BBELS -5 (A)
4.0 m I (1255-)
27 APRIL 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

N = 288

$\Delta T = 0.2$

m = 32

DF = 18

$\sigma_u^2 = 11.8$ $\bar{u} = -30.2$

$\sigma_w^2 = 186.3$ $\bar{w} = -3.9$

$\overline{u'w'} = -14.1$

r = -0.30

V = 6.9 m sec⁻¹ WSW

[R]

TM No. 377

P 005 BBELS - 5 (B)

3 m II (1305-)

27 APRIL 1964

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

N = 876

$\Delta T = 0.2$

m = 32

DF = 55

$\sigma_u^2 = 30.3$ $\bar{u} = -30.8$

$\sigma_w^2 = 279.1$ $\bar{w} = +1.2$

$\frac{\bar{u}\bar{w}}{\sigma_u\sigma_w} = +11.6$

$r = +0.13$

$V = 6.9$ m SEC⁻¹ WSW

[R

SEC

B-116

MCPS

TM No. 377

P 006 BBELS -5 (B)

2.0 m II (1312 -)

27 APRIL 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 888$

$\Delta T = 0.2$

$m = 32$

$DF = 56$

$\sigma_u^2 = 56.7$

$\sigma_w^2 = 401.4$

$\overline{u'w'} = +0.9$

$r = 0.00$

$V = 6.9 \text{ m SEC}^{-1} \text{ WSW}$

TM No 377

P 007 BBELS-5(B)
1.0m II (1320-)
27 APRIL 1964

$\Phi_w(f)$ —————

$\Phi_w(f)$ - - - - -

$N = 888$

$\Delta T = 0.2$

$m = 32$

$DF = 56$

$\sigma_w^2 = 621.8 \quad \bar{w} = -1.0$

$\sigma_k^2 = 63.6 \quad \bar{k} = -35.3$

$\overline{k'w'} = +50.0$

$r = +0.19$

$V = 6.9 \text{ m sec}^{-1} \text{ WSW}$

[R

TM No. 377

P 008 BBELS -5 (B)

0.0m II (1330-)

27 APRIL 1964

$\Phi_u(k)$ - - - - -

$\Phi_w(k)$ - - - - -

N = 876

$\Delta T = 0.2$

m = 32

DF = 55

$\sigma_u^2 = 79.6$ $\bar{u} = 33.4$

$\sigma_w^2 = 890.1$ $\bar{w} = -0.8$

$\overline{uw} = -5.2$

r = -0.02

V = 6.9 m SEC⁻¹ WSW

[R]

TM No. 377

P 009 BBELS-7

0.5 m I (1021-1026)

5 AUGUST 1964

$\Phi_w(t)$

$N = 1328$

$\Delta T = 0.2$

$m = 50$

$DF = 55$

$\sigma_w^2 = 117.9$ $\bar{w} = -8.5$

$\sigma_u^2 = 366.0$ $\bar{u} = -25.7$

$\overline{u'w'} = -145.2$

$r = -0.22$

$V = 7.5 \text{ M SEC}^{-1} \text{ SSW}$

E_R

SEC

B-120

MCPS

TM No. 377

P 010 BBELS-7

7.0 m I (1112-1116)

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1340$

$\Delta T = 0.2$

$m = 50$

$DF = 54$

$\sigma_u^2 = 19.5 \quad \bar{u} = -16.2$

$\sigma_w^2 = 127.9 \quad \bar{w} = -1.8$

$\bar{u} \cdot \bar{w} = -0.8$

$r = -0.11$

$V = 7.9 \text{ m SEC}^{-1} \text{ SSW}$

[R

SEC

B-121

TM No. 377

P O I I BBELS - 7

10.0 MI (1127-1132)

5 AUGUST 1969

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1356$

$\Delta T = 0.2$

$m = 30$

$DF = 54$

$\sigma_u^2 = 20.8$ $\bar{u} = -20.5$

$\sigma_w^2 = 60.9$ $\bar{w} = +1.1$

$\bar{u}\bar{w} = +1.6$

$r = +0.11$

$V = 7.4 \text{ m sec}^{-1} \text{ SSW}$

[R

TM No. 377

P 012 BBELS - 7

15m I (1144-1200)

5 AUGUST 1964

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

N = 1386

$\Delta T = 0.2$

m = 50

DF = 55

$\sigma_u^2 = 89.9$ $\bar{u} = -16.2$

$\sigma_w^2 = 586.0$ $\bar{w} = -2.1$

$\overline{u'w'} = -71.7$

$r = -0.31$

V = 7.2 m SEC⁻¹ SSW

[R

TM No. 377

P 013 BBELS -7
10.0 m III (1309-1314)
5 AUGUST 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ ———

$N = 1328$

$\Delta T = 0.2$

$m = 50$

$DF = 53$

$\sigma_u^2 = 7.1$ $\bar{u} = -10.9$

$\sigma_w^2 = 36.7$ $\bar{w} = +6.2$

$\overline{u'w'} = +0.73$

$r = +0.05$

$V = 5.4 \text{ m sec}^{-1} \text{ SSW}$

[R

TM No. 377

P 014 BBELS-7
3.0 m I (1319-1324)
5 AUGUST 1964

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

$N = 1218$

$\Delta T = 0.2$

$m = 50$

$DF = 49$

$\sigma_u^2 = 4.5 \quad \bar{u} = -9.8$

$\sigma_w^2 = 54.8 \quad \bar{w} = +3.8$

$\overline{uw} = -0.24$

$r = -0.02$

$V = 5.4 \text{ m sec}^{-1} \text{ SSW}$

[R

TM No. 377

P 015 BBELS-7

8.0 m I (1328-1333)

5 AUGUST 1964

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

$N = 1129$

$\Delta T = 0.2$

$m = 50$

$DF = 45$

$\sigma_u^2 = 18.0 \quad \bar{u} = -9.3$

$\sigma_w^2 = 58.5 \quad \bar{w} = +5.3$

$\bar{u}\bar{w} = +7.7$

$r = +0.24$

$V = 5.4 \text{ m SEC}^{-1} \text{ SSW}$

[R

TM No. 377

P 016 BBELS - 7

6.0 m I (1348-1353)

5 AUGUST 1964

$\Phi_u(f)$ -----

$\Phi_w(f)$ -----

N = 1266

$\Delta T = 0.2$

m = 50

DF = 51

$\sigma_u^2 = 10.0$ $\bar{u} = -12.7$

$\sigma_w^2 = 80.9$ $\bar{w} = -3.5$

$\overline{u'w'} = +2.3$

$r = +0.08$

$V = 5.7 \text{ m SEC}^{-1} \text{ SSW}$

[R

TM No. 377

P 018 BBELS-7

3-0 m II (1417-1422)

5 AUGUST 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1021$

$\Delta T = 0.2$

$m = 50$

$DF = 41$

$\sigma_u^2 = 150.4 \quad \bar{u} = +0.3$

$\sigma_w^2 = 371.3 \quad \bar{w} = +3.2$

$\overline{u'w'} = -0.17$

$r = -0.01$

$V = 6.4 \text{ m sec}^{-1} \text{ SSW}$

[R

TM No. 377

P 019 BBELS-7

2.0m I (1426-1431)

5 AUGUST 1964

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1490$

$\Delta T = 0.2$

$m = 50$

$DF = 60$

$\sigma_u^2 = 223.1$

$\sigma_w^2 = 455.3$

$\overline{u \cdot w} = -105.7$

$r = -0.33$

$V = 6.4 \text{ m sec}^{-1} \text{ SSW}$

[R

TM No. 377

P 020 BBELS-8

1.0 m I (1310-1315)

7 DEC. 1969

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1245$

$\Delta T = 0.2$

$m = 50$

$DF = 50$

$\sigma_u^2 = 183.8$ $\bar{u} = 21.6$

$\sigma_w^2 = 348.3$ $\bar{w} = 6.4$

$\bar{u}\bar{w} = +6.36$

$r = +0.03$

$V = 5.0 \text{ m sec}^{-1} \text{ WNW}$

[R

TM No. 377

P 021 BBELS - 8

0.5 m I (1324-1329)

7 DEC. 1964

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

$N = 1576$

$\Delta T = 0.2$

$m = 50$

$DF = 63$

$\sigma_u^2 = 354.1 \quad \bar{u} = +16.8$

$\sigma_w^2 = 701.0 \quad \bar{w} = +7.3$

$\bar{u}'w' = -46.9$

$r = -0.09$

$V = 5.0 \text{ m SEC}^{-1} \text{WNW}$

[R

TM No. 377

P 02288ELS - 8

2.0 m I 1337-1342

7 DEC. 1964

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

N = 1359

$\Delta T = 0.2$

m = 50

DF = 54

$\sigma_u^2 = 239.7$ $\bar{u} = +3.7$

$\sigma_w^2 = 250.6$ $\bar{w} = +2.9$

$\bar{u}\bar{w} = +76.7$

$r = +0.32$

V = 5.0 m SEC⁻¹ WNW

[R]

SEC B-132

TM No. 377

P 0230 BBELS 9

0.5 m I (145) 1150

26 JANUARY 1965

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

N = 1341

$\Delta T = 0.2$

m = 50

DF = 54

$\sigma_u^2 = 570.0$ $\bar{u} = -5.5$

$\sigma_w^2 = 708.5$ $\bar{w} = 0.3$

$\bar{u}w' = -337.9$

r = 0.52

V = 3.8 m/sec ESE

[R

10^3

10^2

10^1

10^0

10^{-1}

10^{-2}

Φ

500

1000

1500

2000

2500

SEC

B-133

MCPS

5 CYCLES X 10 DIVISIONS PER INCH

MADE IN U.S.A.

TM No. 377

P 024 BBELS-9
0.5m II (1224-1229)
26 JANUARY 1965

N = 422
 $\Delta T = 0.2$
m = 50
DF = 37
 $\sigma_w^2 = 415.3$ $\bar{u} = 3.1$
 $\sigma_w^2 = 823.5$ $\bar{w} = 2.5$
 $\bar{u}\bar{w} = -216.2$
 $r = -3.7$
V = 5m Sec⁻¹ SE

[R]

TM No. 377

P 025 BBELS 9

26 JANUARY 1965

2.0 M I (1235-1240)

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1562$

$\Delta T = 0.2$

$m = 50$

$DF = 62$

$\sigma_u^2 = 391.1$ $\bar{u} = 10.9$

$\sigma_w^2 = 430.1$ $\bar{w} = 4.5$

$\bar{u}\bar{w} = -169.8$

$r = -0.41$

$V = 5.9 \text{ M SEC}^{-1} \text{ SE}$

[R]

TM No. 377

P 026 BBELS - 10

0.5 mI (1141-1146)

3 MARCH 1965

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1443$

$\Delta T = 0.2$

$m = 50$

$DF = 58$

$\sigma_u^2 = 43.5$ $\bar{u} = -26.9$

$\sigma_w^2 = 73.0$ $\bar{w} = -8.1$

$\overline{u'w'} = 5.4$

$r = 0.10$

$v = 1.8 \text{ M SEC}^{-1} \text{ NE}$

[R

SEC B-136

P 027 BBELS - 10

3.0 m I (1242-1252)

3 MAR CH 1965

$$\Phi_u(f) \text{ -----}$$
$$\Phi_w(f) \longrightarrow$$

N = 1549

$$\Delta T = 0.2$$

m = 50

DF-62

$$\sigma^2 = 14.8 \quad \bar{u} = -25.6$$
$$\sigma_w^2 = 16.7 \quad \bar{w} = -5.8$$
$$\overline{u'w'} = 0,8$$
$$r = 0.05$$

$v = 0.5 \text{ M SEC}^{-1} \text{ ENE}$

FR

SEC

B-137

MCP S

TM No. 377

P 028 BBELS 10

30mII (1256-1306)

3 MARCH 1965

$\Phi_U(f)$ - - - -

$\Phi_W(f)$ - - - -

$N = 2320$

$\Delta T = 0.2$

$m = 50$

$DF = 93$

$\sigma_U^2 = 93$

$\bar{U} = -17.7$

$\sigma_W^2 = 50$

$\bar{W} = 1.5$

$\overline{UW} = 3.0$

$r = 0.14$

$v = 0.5 \text{ m Sec}^{-1}$ ENE

TM No. 377

P 029 BBELS 10-2

10m I (1340-1350)

3 MARCH 1965

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1764$

$\Delta T = 0.2$

$m = 50$

$DF = 71$

$\sigma_u^2 = 18.8 \quad \bar{u} = -18.6$

$\sigma_w^2 = 68.4 \quad \bar{w} = 3.7$

$\bar{u}\bar{w} = 8.9$

$r = 0.25$

$V = 3.2 \text{ MSEC}^{-1} W$

[R

10^1

10^0

10^{-1}

10^{-2}

0 500 1000 1500 2000 2500 SEC

MCPS

B-139

Φ

10

4

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

4

3

2

1

10

9

8

7

6

5

TM No. 377

P 030 BOELS -11-55

0.5-2.0 m (622-

29 MARCH 1965

UP $\Phi_w(f)$ - - - - -

LO $\Phi_w(f)$ - - - - -

N = 974

$\Delta T = 0.2$

m = 50

DF = 38

UP $\sigma_w^2 = 1289.2$ $\bar{\omega} = -1.1$

LO $\sigma_w^2 = 624.1$ $\bar{\omega} = +0.3$

$\omega_w = 8.9$

r = +0.92

V = 10.2 m sec⁻¹ ENE

[R

TM No. 377

P 031 BDELS -11-52

0.5-2.0 MHz (1630-1633)

29 MARCH 1965

UP $\Phi_w(f)$ - - - - -

LO $\Phi_w(f)$ - - - - -

N = 339

$\Delta T = 0.2$

m = 50

DF = 14

UP $\sigma_w^2 = 1615.9$ $\bar{\omega} = -1.1$

LO $\sigma_w^2 = 731.1$ $\bar{\omega} = +0.2$

$r = +0.95$

$V = 10.7 \text{ M SEC}^{-1} \text{ E}$

[R]

TM No. 877

P 032 BBELS-11-59
05m III 1713-1716
29 MARCH 1965
 $\Phi_w (K)$

N = 646

$\Delta T = 0.2$

m = 50

DF = 26

$\sigma_w^2 = 1062.2$

$\bar{\omega} = -1.7$

V = 11.0 m SEC⁻¹ ENE

R

B-142

TM No. 377

P 033 BBELS-11-70
0.5 m IV (1715-1720)
29 MARCH 1965

$\Phi_w(t)$

$N = 1130$

$\Delta T = 0.2$

$m = 50$

$DF = 45$

$\sigma_w^2 = 1034.3$

$\bar{\omega} = -2.8$

$V = 11.0 \text{ m SEC}^{-1} \text{ ENE}$

[R]

TM No. 377

P 034 BBELS-11-69
2.0 MI (1734-1739)
30 MARCH 1965
 $\bar{\Phi}_w (K)$

$N = 1458$

$\Delta T = 0.2$

$m = 50$

$DF = 58$

$\sigma_w^2 = 487.0$

$\bar{w} = -0.2$

$V = 10.8 \text{ m sec}^{-1} \text{ WNW}$

[R

TM No. 377

P 035 BBELS-11-68
3.0 m I (1748-1753)
29 MARCH 1965

$\Phi_w(f)$

N = 1486

$\Delta T = 0.2$

m = 50

DF = 59

$\sigma_w^2 = 305.9$

$\bar{\omega} = -0.9$

V = 10.0 m SEC⁻¹ ENE

[R

TM No. 377

P 036 BBELS-11-34
15m I (1803-1808)
23 MARCH 1965

$\Phi_L(f)$

$N = 1600$

$\Delta T = 0.2$

$m = 50$

$DF = 64$

$\sigma_w^2 = 537.5$

$\bar{w} = +2.5$

$V = 9.7 \text{ m sec}^{-1} \text{ ENE}$

[R

TM No. 377

P 037 BBELS-11-61
2.5 m I (1820-1825)
29 MARCH 1965
 $\Phi_w (f)$

N = 1297

$\Delta T = 0.2$

m = 50

DF = 52

$\sigma_w^2 = 335.4$

$\bar{w} = -0.6$

V = 9.6 m sec⁻¹ ENE

[R

TM No. 377

P 038 BBELS-11-40
4.0 MI (1832-1837)
29 MARCH 1965
 $\Phi_w(f)$

$N = 1438$

$\Delta T = 0.2$

$m = 50$

$DF = 56$

$\sigma_w^2 = 222.0$

$\bar{w} = -0.6$

$V = 9.4 \text{ M SEC}^{-1} \text{ ENE}$

$\left[R \right]$

TM No. 377

P 039 BBELS-11-36
5.0m I (1845-1849)
29 MARCH 1965
 $\Phi_w(\tau)$

$N = 1600$

$\Delta T = 0.2$

$m = 50$

$DF = 64$

$\sigma_w^2 = 101.7$

$\bar{\omega} = +0.5$

$V = 9.2 \text{ MSEC}^{-1} \text{ ENE}$

$\left[R \right]$

TM No. 377

P 040 / BBELS -11-35
3.5 MI (1851-1855)
29 MARCH 1965
 $\Phi_w(f)$

N = 992

$\Delta T = 0.2$

m = 50

DF = 40

$\sigma_w^2 = 192.0$

$\bar{\omega} = -0.9$

V = 9.2 msec⁻¹ ENE

[R

TM No. 377

P 042 BBELS - 11-34

6.0 MI

(1906-1911)

29 MARCH

$\Phi_w(f)$

$N = 1600$

$\Delta T = 0.2$

$m = 50$

$DF = 64$

$\sigma_w^2 = 115.3$ $\bar{w} = 0.6$

$V = 9.0 \text{ MSEC}^{-1} \text{ ENE}$

[R

MADE IN U. S. A.

5 CYCLES X 10 DIVISIONS PER INCH

TM No. 377

P044 BBELS-11-32
5.5 m I (1934-1939)
29 MARCH 1965
 $\Phi_w(f)$

$N = 1417$

$\Delta T = 0.5$

$m = 50$

$DF = 57$

$\sigma_w^2 = 91.1$

$\bar{\omega} = -0.3$

$V = 9.0 \text{ m sec}^{-1} \text{ ENE}$

[R

TM No. 377

P 045 / BBELS-11-33A
6.5 m I (1942-1947)
29 MARCH 1965
 $\Phi_w(f)$ —————

N = 1459
 $\Delta T = 0.2$
m = 50
DF = 58
 $\sigma_w^2 = 78.6$
 $\bar{\omega} = +0.5$
V = 8.3 m sec⁻¹ ENE

[R

TM No. 377

P 046 BBELS-11-39
8.0 m I 1950-1955
29 MARCH 1965
 $\Phi_w(f)$

$N = 1500$

$\Delta T = 0.2$

$m = 50$

$DF = 60$

$\sigma_w^2 = 70.0$

$\bar{\omega} = -0.1$

$V = 8.2 \text{ M SEC}^{-1} \text{ ENE}$

[R

TM No. 377

P 047 BBELS-11-33B
2.0 m H (2000-2005)
29 MARCH 1965

$\Phi_w(f)$

$N = 1360$

$\Delta T = 0.2$

$m = 50$

$DF = 54$

$\sigma_w^2 = 414.8$

$\bar{w} = +0.1$

$V = 7.4 \text{ m SEC}^{-1} \text{ ENE}$

[R

TM No. 377

P 049 BBELS-11-66

0.5m VI (2158-2203)

29 MARCH 1965

$\Phi_w(f)$

$N = 1007$

$\Delta T = 0.2$

$m = 50$

$DF = 40$

$\sigma_w^2 = 741.7$

$\bar{\omega} = -3.0$

$V = 6.2 \text{ m sec}^{-1} \text{ NE}$

[R

TM No. 377

P 050 BBELS -11-65
2.0M III (2204-2211)
20 MARCH 1965
 $\Phi_w(\epsilon)$

N = 1938

$\Delta T = 0.2$

m = 50

DF = 78

$\sigma_w^2 = 346.6$

$\bar{w} = -0.1$

V = 6.1 m SEC⁻¹ NE

[R

TM No. 377

P 051 BBELS-11-60
2.0m IV (0010-0015)
30 MARCH 1965
 $\Phi_w(f)$

$N = 1425$

$\Delta T = 0.2$

$m = 50$

$DF = 57$

$\sigma_w^2 = 286.3$

$\bar{w} = -0.8$

$V = 5.1 \text{ m sec}^{-1} \text{ NE}$

[R

TM No. 377

P 052 BEELS -11-64
0.5 m VII (0022-0027)
30 MARCH 1965
 $\Phi_w(\epsilon)$

$N = 1168$
 $\Delta T = 0.2$
 $m = 50$
 $DF = 47$
 $\sigma_w^2 = 760.9$
 $\bar{\omega} = -3.7$
 $V = 5.2 \text{ m sec}^{-1} \text{ NNE}$

[R

SEC

B-162

MCPS

TM No. 377

P 053 BBELS -11-63
 Q5m VII 0440-0445
 30 MARCH 1963
 $\Phi_w(t)$

N = 1401
 $\Delta T = 0.2$
 m = 50
 DF = 56
 $\sigma_w^2 = 337.3$
 $\bar{w} = +1.5$
 V = 9.0 m sec⁻¹ WNW

[R

TM No. 377

P 054 BBELS-11-58

0.5 m² (0810-0815)

30 MARCH 1965

$\Phi_w(\epsilon)$

N = 1480

$\Delta T = 0.2$

m = 50

DF = 59.

$\sigma_w^2 = 507.7$

$\bar{w} = -4.6$

V = 10.9 m sec⁻¹ WNW

[R

TM No. 377

P 055/BBELS-11-72

20m II

0826-0831

30 MARCH 1965

$\Phi_w(f)$

$N = 1295$

$\Delta T = 0.2$

$m = 50$

$DF = 52$

$\sigma_w^2 = 309.2$

$\bar{w} = 1.8$

$V = 10^{-9} \text{ m}^2 \text{ SEC}^{-1} \text{ W}^{-1} \text{ W}^{-1}$

[R

10³
10²
10¹
10⁰
10⁻¹
10⁻²

SEC

B-165

MCPS

MADE IN U. S. A.

5 CYCLES X 10 DIVISIONS PER INCH

TM No. 377

P 056 BBELS-11-57
2.0 m VI (1023-1030)
30 MARCH 1965
 $\Phi_w(t)$

$N = 1537$

$\Delta T = 0.2$

$m = 50$

$DF = 62$

$\sigma_w^2 = 474.0$

$\bar{w} = -0.8$

$V = 13.8 \text{ m SEC}^{-1} \text{ WNW}$

[R

TM No. 377

P 057A / BBELS -11- 62A
 0.5 m X (1036-1047)
 30 MARCH 1965
 $\Phi_w(t)$

N = 1001
 $\Delta T = 0.2$
 m = 50
 DF = 40
 $\sigma_w^2 = 1264.9$
 $\bar{\omega} = -5.1$
 V = 14.0 m sec⁻¹ WNW

[R

TM No. 377

P 057B / BBELS-11-62B
0.5 M I (1040-1047)
30 MARCH 1965

$\Phi_w(t)$

$N = 1070$

$\Delta T = 0.2$

$m = 50$

$DF = 42.8$

$\sigma_w^2 = 1133.1$

$\bar{w} = -2.9$

$V = 140 \text{ MSEC}^{-1} \text{ WNW}$

[R

TM No. 377

P 058 BBELS-11-45
05m II (1129-1131)
30 MARCH 1965
 $\Phi_w(f)$

N = 768
 $\Delta T = 0.2$
m = 50
DF = 30
 $\sigma_w^2 = 952.3$
 $\bar{w} = -$
V = 14.7 m SEC⁻¹ WNW

R

MADE IN U.S.A.

1 / 5 CYCLES X 10 DIVISIONS PER INCH

B-169

TM No. 377

P 059 BBELS - 11-42

20 m VII (1134-1137)

Φ_w (f) 30 MARCH 1963

N = 751

$\Delta T = 0.2$

m = 50

DF = 50

$\sigma_w^2 = 485.6$

$\bar{w} = +2.9$

V = 14.6 m SEC⁻¹ WNW

[R

TM No. 377

P 060 BBELS -11-50
25m II (1140-1144)
30 MARCH 1965
 $\Phi_w(f)$

$N = 1445$

$\Delta T = 0.2$

$m = 50$

$DF = 58$

$\sigma_w^2 = 475.5$

$\bar{w} = \text{---}$

$V = 15.5 \text{ m SEC}^{-1} \text{ WW}$

[R

TM No. 377

061 BBELS-11-49
1.0m I (1133-1158)
30 MARCH 1965

$\Phi_{10}(\omega)$

$N = 733$

$\Delta T = 0.2$

$m = 50$

$DF = 20$

$\sigma_w^2 = 970.4$

$\bar{u} = \text{---}$

$V = 15.3 \text{ m sec}^{-1} \text{ WNW}$

R

B-172

TM No. 377

P 062 BBELS-11-71
1.5 m II (1159-1203)
30 MARCH 1965
 $\Phi_w(f)$

$N = 1232$

$\Delta T = 0.2$

$m = 50$

$DF = 49$

$\sigma_w^2 = 859.3$

$\bar{w} = -3.8$

$V = 15.2 \text{ m sec}^{-1} \text{ WNW}$

[R

SEC
B-173

TM No. 377

P 063 BBELS-11-41
3.0 m II (1205-1208)
30 MARCH 1965
 $\Phi_w(f)$

$N = 1080$

$\Delta T = 0.2$

$m = 50$

$DF = 42$

$\sigma_w^2 = 296.3$

$\bar{w} = \text{---}$

$V = 15.4 \text{ m SEC}^{-1} \text{ WNN}$

[R

10^1

10^0

10^{-1}

10^{-2}

10 4 2 1

0.5

0.4

SEC

B-174

MCPS

0 500 1000 1500 2000 2500

TM No. 377

P064/BBELS II
35m II (1212-1216)
30 MAR 1965

$\bar{\Phi}_w(f)$

$N = 768$

$\Delta T = 0.2$

$m = 50$

$DF = 30$

$\sigma_w^2 = 287.4$ $\bar{w} = \text{---}$

$V = 15 \text{ m Sec}^{-1}$ WNW

TM No. 377

P 065 BBELS-11-67
2.0 m VII (1218-1221)
30 MARCH 1965
 $\Phi_w(\kappa)$

N = 1132

$\Delta T = 0.2$

m = 50

DF = 45

$\sigma_w^2 = 419.1$

$\bar{w} = -3.8$

V = 15.0 MSEC⁻¹ WNW

[R

SEC

B-176

MCPS

TM No. 377

P 066/BBELS-11-51
25 M III (1226-1229)
30 MARCH 1965
 $\Phi_w (\epsilon)$

N = 1055
 $\Delta T = 0.2$
m = 50
DF = 42
 $\sigma_w^2 = 471.1$
 $\bar{w} = \text{---}$
V = 15.1 msec⁻¹ WNW

[R

TM No. 377

P 067 BBELS - 11-53
4.0 m II (1234-1238)
30 MARCH 1965

$\Phi_w(f)$

$N = 1008$

$\Delta T = 0.2$

$m = 50$

$DF = 40$

$\sigma_w^2 = 462.0$

$\omega = -1.4$

$V = 15.2 \text{ m sec}^{-1} \text{ WNW}$

[R

B-178

TM No. 377

P 068 BBELS-11-31
4.5 m II 1241-1244
30 MARCH 1965

$\Phi_w(f)$

N = 885

$\Delta T = 0.2$

m = 50

DF = 35

$\sigma_w^2 = 311.7$

$\bar{w} = \text{---}$

V = 17.0 m SEC⁻¹ WNW

[R

TM No. 377

P 069 BBELS-11-43
3.0 m III (1245-1251)
30 MARCH 1965

$N = 1059$

$\Delta T = 0.2$

$m = 50$

$DF = 42$

$\sigma_w^2 = 228.4$

$\bar{w} = +0.5$

$V = 17.0 \text{ m sec}^{-1} \text{ WNW}$

[R

TM No. 377

P 071 BBELS - 12 - 2
0.2 m II 1235-1238

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 585$

$\Delta T = 0.2$

$m = 50$

$DF = 23$

$\sigma_u^2 = 32.9 \quad \bar{u} = 4.5$

$\sigma_w^2 = 74.5 \quad \bar{w} = 0.1$

$\bar{uw} = -07.0$

$r = -0.14$

$V = 4.4 \text{ m SEC}^{-1} \text{ E}$

[R]

TM No. 377

P 072/BBELS 12-4
0.2 M III 1243-1248

$\Phi_L(t)$ - - - - -

$\Phi_W(t)$ - - - - -

$N = 1551$

$\Delta T = 0.2$

$m = 54$

$DF = 62$

$\sigma_u^2 = 19.9 \quad \bar{u} = 9.4$

$\sigma_w^2 = 87.5 \quad \bar{w} = 0.1$

$\overline{u'w'} = -3.3$

$r = -0.8$

$V = 5.4 \text{ m sec}^{-1} \text{ ESE}$

R

$\overline{u'w'} = -7.0$

TM No. 377

P 073 / BBELS 12

10.0mI (1316-1320)

7 APR. 1965

Φ_u (f)

$N = 1327$

$\Delta T = 0.2$

$m = 50$

$DF = 53$

$\sigma^2 = 3.5$ $\bar{u} = 16.0$

$V = 4.5$ m Sec ESE

P 074 BBELS 12

(OFF BOTTOM) 0.6m I (1354-1359)

7 APRIL 1965

 $\Phi_U(f)$

N 1202

 $\Delta T = 0.2$

m = 50

 $DF = 48$
$$\sigma_u^2 = 3.9 \quad \bar{u} = 16.75$$

$V = 4.5 \text{ m Sec}^{-1}$ ESE

TM No. 377

P 075 BBELS-12-1
1.0 m $\bar{u}$ Bottom 1415-1417

$\bar{\Phi}_u(f)$ - - - - -

$N = 629$

$\Delta T = 0.2$

$m = 50$

$DF = 25$

$\sigma_u^2 = 8.4$ $\bar{u} = 12.5$

$V = 5.4 \text{ MSEC}^{-1} \text{ ESE}$

$\left[R \right]$

TM No. 377

P 076 / BBELS -12-3
5.0M ABOVE BOTTOM
1440 - 1443

$\bar{\Phi}_u(f)$ - - - - -

$N = 883$

$\Delta T = 0.2$

$m = 50$

$DF = 35$

$\sigma_u^2 = 3.13$ $\bar{u} = 17.5$

$V = 5.4 \text{ m sec}^{-1} \text{ ESE}$

[R

TM No. 377

P 077 / BBELS 13

1.0mI (1705-1710)

25 MAY 1965

$\Phi_U(f)$ - - - -

$\Phi_W(f)$ - - - -

$N = 1292$

$\Delta T = 0.2$

$m = 50$

$DF = 58$

$\sigma_U^2 = 128.8 \quad \bar{U} = -20.1$

$\sigma_W^2 = 964.0 \quad \bar{W} = 0.4$

$V = 17.7 \text{ mSec SW-SSW}$

$W'W' = 66.8$

$r = 0.20$

TM No. 377

P 078 BBELS 13

1.5 MI (1714-1719)

25 MAY 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1540$

$\Delta T = 0.2$

$m = 50$

$DF = 62$

$\sigma_u^2 = 103$ $\bar{u} = +19.8$

$\sigma_w^2 = 957$ $\bar{w} = +0.1$

$\bar{u}\bar{w} = +23.2$

$r = 80.07$

$V = 14.5 \text{ m Sec}^{-1} \text{ SW-SSW}$

TM No. 377

P 079 BBELS 13

2.5 m I (1740-1745)

25 MAY 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

N = 1461

$\Delta T = 0.2$

m = 50

DF = 59

$\sigma_u^2 = 51.3$ $\bar{u} = 15.5$

$\sigma_w^2 = 668.6$ $\bar{w} = -0.7$

V = 14.7 m Sec⁻¹ SW-SSW

$\overline{u'w'} = 20.2$

r = +0.11

TM No. 377

P 080 BBELS-13-3

2.5 m II (1747-1752)

25 MAY 1965

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 1532$

$\Delta T = 0.2$

$m = 50$

$DF = 61$

$\sigma_u^2 = 42.1 \quad \bar{u} = +13.9$

$\sigma_w^2 = 573.1 \quad \bar{w} = -2.6$

$\overline{u'w'} = +27.5$

$r = -0.18$

$V = 14.5 \text{ m Sec SW-SSW}$

[R]

MADE IN U. S. A.

5 CYCLES X 10 DIVISIONS PER INCH

TM No. 377

P 082 / BBELS13

10m III (1835-1840)

25 MAY 1965

$\Phi_U(f)$ - - - -

$\Phi_W(f)$ ————

$N = 1304$

$\Delta T = 0.2$

$m = 50$

$DF = 52$

$\sigma_U^2 = 272.5 \bar{u} = 12.4$

$\sigma_W^2 = 406.4 \bar{w} = -3.2$

$V = 8 \text{ m Sec}^{-1} \text{ SW-SSW}$

$r = -0.16$

$\overline{u'w'} = -873$

SEC

B-192

MCPS

TM No. 377

P 083 BBELS 13

4.0m III (2016-2020)

25 MAY 1965

$\Phi_U(f)$ - - - -

$\Phi_W(f)$ - - - -

$N = 1684$

$\Delta T = 0.2$

$m = 50$

$DF = 67$

$\sigma_U^2 = 200.8$ $\bar{U} = -13.6$

$\sigma_W^2 = 878.0$ $\bar{W} = -8.5$

$\bar{UW} = -48.2$

$r = -0.11$

$V = 16 \text{ m Sec}^{-1} \text{ SW}$

TM No. 377

P 084 / BBELS 13
40m IV (2034-2037)
25 MAY 1965

$\Phi_U(f)$ - - - - -

$\Phi_W(f)$ - - - - -

$N = 723$

$\Delta T = 0.2$

$m = 50$

$DF = 29$

$\sigma_U^2 = 1332 \quad \bar{U} = -10.8$

$\sigma_W^2 = 4689 \quad \bar{W} = -7.2$

$V = 12.2 \text{ m Sec}^{-1} \text{ WSW}$

$r = -0.12$

$\overline{u'w'} = -299$

SEC
B-194

TM No. 377

P 085 BBELS 13

4.0 m VI (0008-0011)

25 MAY 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 719$

$\Delta T = 0.2$

$m = 50$

$DF = 29$

$\sigma_u^2 = 228 \bar{u} = -5.2$

$\sigma_w^2 = 362 \bar{w} = 0.9$

$V = 13 \text{ m Sec}^{-1} \text{ SSW-SW}$

$r = -0.15$

$\overline{u'w} = -419$

TM No. 377

P 086 BBELS 13

4.0m VII (0552-0557)

26 MAY 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1470$

$\Delta T = 0.2$

$m = 50$

$DF = 59$

$\sigma_u^2 = 83.4$ $\bar{u} = -5.4$

$\sigma_w^2 = 156.6$ $\bar{w} = -6.4$

$V = 8 \text{ m Sec WSW}$

$r = 0.03$

$\overline{u'w'} = +3.2$

TM No. 377

P 087 BBELS 14

0.0-2.0mII(1403-1408)

7 JUNE 1965

UP $\Phi_w(f)$ - - - - -

LO $\Phi_w(f)$ —————

N = 1408

$\Delta T = 0.2$

m = 50

DF = 56

UP $\sigma_w^2 = 397.4 \bar{w} = -3.2$

LO $\sigma_w^2 = 870.8 \bar{w} = 1.6$

V = 8m Sec SW-SSW

r = 0.74

TM No. 377

P 088BBELS - 14 - 5

O - 2m III

1412-1418

7 JUNE 1965

UP $\Phi_w(f)$ -----

LO $\Phi_w(f)$ —————

N = 1618

$\Delta T = 0.2$

m = 50

DF = 64

UP $\sigma_w^2 = 540.6 \bar{w} = 3.4$

LO $\sigma_w^2 = 166.2 \bar{w} = -6.0$

$\gamma = 0.69$

V = 8m Sec SSW

[R

TM No. 377

P 089 BBELS 14

10-30mI (1433-1438)

7 JUNE 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1482$

$\Delta T = 0.2$

$m = 50$

$DF = 59$

$\sigma_u^2 = 203.5$ $\bar{u} = -2.9$

$\sigma_w^2 = 395.1$ $\bar{w} = 0.3$

$r = 0.77$

$V = 8 \text{ m Sec}^{-1} \text{ SW-SSW}$

TM No. 377

P 090 BBELS 14

2-4.0 mI (1454-1459)

7 JUNE 1965

UP $\Phi_w(f)$ ———

LO $\Phi_w(f)$ - - -

$N = 1395$

$\Delta T = 0.2$

$m = 50$

$DF = 56$

UP $\sigma_w^2 = 253.0 \bar{w} = -1.8$

LO $\sigma_w^2 = 145.2 \bar{w} = -3.1$

$V = 8 \text{ m Sec}^{-1} \text{ SW-SSW}$

$r = 0.79$

TM No. 377

P.091 BBELS 14-8

3.0-5.0 mI (1502-1508)

7 JUNE 1965

UP $\Phi_w(f)$ -----

LO $\Phi_w(f)$ —————

N = 1413

$\Delta T = 0.2$

m = 50

DF = 57

UP $\sigma_w^2 = 1962 \quad \bar{w} = -1.4$

LO $\sigma_w^2 = 120.4 \quad \bar{w} = -2.6$

r = +0.71

V = 10 m Sec⁻¹ SSW

[R

TM No. 377

P.092 BBELS-14-6

4.0-6.0 M I (1512-1517)

7 JUNE 1965

UP $\Phi_w(f)$ -----

LO $\Phi_w(f)$ -----

N = 1299

$\Delta T = 0.2$

m = 50

DF = 52

UP $\sigma_w^2 = 125.7$ $\bar{w} = -3.0$

LO $\sigma_w^2 = 79.2$ $\bar{w} = -3.6$

r = 0.70

v = 10 m Sec⁻¹ SSW

[R

SEC
B-202
MCPS

TM No. 377

P 093 BBELS -14-1

5.0-7.0m I (1520-1525)

7 JUNE 1965

UP $\Phi_w(f)$ - - - - -

LO $\Phi_w(f)$ - - - - -

N = 1330

$\Delta T = 0.2$

m = 50

DF = 33

UP $\sigma_w^2 = 78.5$ $\bar{w} = -2.0$

LO $\sigma_w^2 = 65.8$ $\bar{w} = -0.1$

r = 0.52

V = 9.5 m Sec⁻¹ SSW

[R]

MADE IN U.S.A.

5 CYCLES X 10 DIVISIONS PER INCH

TM No. 377

P 096 BBELS-14-9
8.0-10.0m I (1604-1609)
7 JUNE 1965

UP $\Phi_w(f)$ - - - - -

LO $\Phi_w(f)$ - - - - -

N = 1278

$\Delta T = 0.2$

m = 50

DF = 31

UP $\sigma_w^2 = 49.3$ $\bar{w} = -1.6$

LO $\sigma_w^2 = 36.4$ $\bar{w} = +3.6$

r = 0.24

v = 10 m Sec⁻¹ SSW-SW

[R]

SEC B-206
MCPS

TM No. 377

P 097 BBELS -14-3
 9.0-11.0 m I (1613-1618)
 7 JUNE 1965 (w)
 UP $\Phi_w(f)$ -----
 LO $\Phi_w(f)$ —————

N = 1422

$\Delta T = 0.2$

m = 50

DF = 57

UP $\sigma_w^2 = 44.6$ $\bar{w} = +4.9$

LO $\sigma_w^2 = 23.1$ $\bar{w} = +2.1$

r = +0.16

V = 9.5 m Sec⁻¹ SSW-SW

[R

SEC

B-207

TM No. 377

P 098 BBELS 14

2.0-4.0m VI(2228-2234)

7 JUNE 1965

$\phi_w(f)$ - - - -

$\phi_w(f)$ ————

$N = 1706$

$\Delta T = 0.2$

$m = 50$

$DF = 68$

$\sigma_w^2 = 118.5$ $\bar{w} = 4.2$

$\sigma_w^2 = 211.0$ $\bar{w} = 3.1$

$r = 0.73$

$v = 8 \text{ m Sec}^{-1}$ SSW

TM No. 377

P 099 BBELS -14-2
1.0 m IV (2357-0008)
8 JUNE 1965

$\Phi_u(f)$ - - - - -

$\Phi_w(f)$ - - - - -

$N = 2296$

$\Delta T = 0.2$

$m = 30$

$DF = 52$

$\sigma_u^2 = 89.0$ $\bar{u} = -18.6$

$\sigma_w^2 = 528.2$ $\bar{w} = +1.4$

$\overline{w'u'} = -21.8$

$r = -0.10$

$V = 7 \text{ m Sec}^{-1} \text{ SSW}$

[R

SEC
B-209

5 CYCLES X 10 DIVISIONS PER INCH

TM No. 377

P 100 BBELS 14

2.0-4.0m VII (0010-0015)

8 JUNE 1965

UP $\bar{\sigma}_w(f)$ ———

LO $\bar{\sigma}_w(f)$ ———

$N = 1346$

$\Delta T = 0.2$

$m = 50$

$DF = 54$

UP $\sigma_w^2 = 115.4$ $\bar{w} = -3.4$

LO $\sigma_w^2 = 153.0$ $\bar{w} = -1.1$

$r = 0.54$

$v = 7 \text{ m Sec}^{-1}$ SSW

SEC

B-210

MCPS

TM No. 377

P 101 BBELS 14
0.0m II (1411-1415)
8 JUNE 1965

$\Phi_U(f)$ - - - - -

$\Phi_W(f)$ - - - - -

$N = 1262$

$\Delta T = 0.2$

$m = 50$

$DF = 50$

$\sigma_U^2 = 257$ $\bar{u} = 30.0$

$\sigma_W^2 = 953$ $\bar{w} = +15$

$\bar{u}'w' = -1.62$

$r = -0.33$

$V = 8 \text{ m Sec}^{-1}$ SW-SSW

TM No. 377

P 102BBELS 14

0.5mI (1420-1424)

8 JUNE 1965

$\Phi_U(f)$ - - - - -

$\Phi_W(f)$ - - - - -

$N = 1136$

$\Delta T = 0.2$

$m = 50$

$DF = 45$

$\sigma_U^2 = 158.3 \quad \bar{U} = 31.4$

$\sigma_W^2 = 688.9 \quad \bar{W} = 13$

$V = 8 \text{ m Sec}^{-1} \text{ SW-SSW}$

$r = -0.36$

$\overline{U'W'} = -117.2$

SEC

B-212

MCPS

TM No. 377

P 103 BBELS 14
1.0mI (1428-1432)
8 JUNE 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1039$

$\Delta T = 0.2$

$m = 50$

$DF = 42$

$\sigma_u^2 = 117.7$ $\bar{u} = 36.2$

$\sigma_w^2 = 402.6$ $\bar{w} = -1.2$

$\overline{u'w'} = -78.0$

$r = 0.36$

$V = 8m \text{ Sec}^{-1} \text{ SW-SSW}$

TM No. 377

P 104 BBELS 14

1.5 mI (1435-1439)

8 JUNE 1965

$\Phi_U(f)$ - - - -

$\Phi_W(f)$ - - - -

$N = 1022$

$\Delta T = 0.2$

$m = 50$

$DF = 41$

$\sigma_U^2 = 72.0$ $U = 37.2$

$\sigma_W^2 = 243.6$ $\bar{W} = -2.4$

$\overline{U'W'} = -49.7$

$r = -0.38$

$V = 8 \text{ m Sec}^{-1}$ SW-SSW

SEC
B-214
MCPS

TM No. 377

P 105 DDELS 14

25mI (1450-1454)

8 JUNE 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1088$

$\Delta T = 0.2$

$m = 50$

$DF = 42$

$\sigma_u^2 = 537$ $\bar{u} = 35.2$

$\sigma_w^2 = 1594$ $\bar{w} = -3.3$

$V = 9m \text{ Sec}^{-1} \text{ SSW}$

$\overline{u'w'} = -36.5$

$r = -0.40$

TM No. 377

P 106 BBELS 14

3.0 mI (1457-1501)

8 JUNE 1965

$Q(f)$ - - - - -

$Q_w(f)$ - - - - -

$N = 1143$

$\Delta T = 0.2$

$m = 50$

$DF = 46$

$\sigma_w^2 = 16$ $\bar{u} = +18.9$

$\sigma_w^2 = 186$ $\bar{w} = -2.2$

$\bar{u} \cdot \bar{w} = -6.9$

$r = 0.13$

$V = 9 M S \cdot S S W$

SEC

B-216

TM No. 377

P 107 BBELS 14

35mI (1508-1512)

8 JUNE 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1267$

$\Delta T = 0.2$

$m = 50$

$DF = 51$

$\sigma_u^2 = 41$

$\bar{u} = +30.4$

$\sigma_w^2 = 132$

$\bar{w} = -3.7$

$\overline{u'w'} = -361$

$r = -0.49$

$V = 9.5m$ Sec SSW-SW

10^1

10^0

10^{-1}

10^{-2}

5 CYCLES X 10 DIVISIONS PER INCH

MADE IN U.S.A.

SEC

B-217

MCPS

0 500 1000 1500 2000 2500

TM No. 377

P 108 BBELS 14

4.5m I (1524-1528)

8 JUNE 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1038$

$\Delta T = 0.2$

$m = 50$

$DF = 42$

$\sigma_u^2 = 20.4$ $\bar{u} = 233$

$\sigma_w^2 = 112.8$ $\bar{w} = -4.4$

$\overline{uw} = -19.1$

$r = -0.4$

$v = 12$ m Sec SSW

TM No. 377

P109 BBELS 14

55mI (1539-1542)

8 JUNE 1966

$\bar{\phi}_u(f)$ - - - -

$\bar{\phi}_w(f)$ ————

$N = 918$

$\Delta T = 0.2$

$m = 50$

$DF = 37$

$\sigma_u^2 = 16.4$

$\bar{u} = 18.3$

$\sigma_w^2 = 68.3$

$\bar{w} = -4.8$

$\bar{u}w = -3.1$

$r = -0.1$

$V = 12 \text{ m Sec}^{-1} \text{ SSW}$

TM No. 377

P 110

BBELS 14

6.5mI (1553-1557)

8 JUNE 1965

 $\Phi_U(f)$ - - - - - $\Phi_W(f)$ - - - - - $N = 1083$ $\Delta T = 0.2$ $m = 50$ $DF = 43$ $\sigma_U^2 = 17.8 \quad \bar{U} = 15.6$ $\sigma_W^2 = 77.9 \quad \bar{W} = -2.5$ $V = 1.5 \text{ m Sec}^{-1} \text{ SSW}$ $\overline{U'W} = -11.5$ $r = -0.31$

TM No. 377

P III BBELS 15

0-2.5 m I (1922-1929)

19 JULY 1965

U $\Phi_u(f)$ —————

L $\Phi_u(f)$ - - - - -

N = 2068

$\Delta T = 0.2$

m = 50

DF = 83

U $\sigma_u^2 = 547.0$ $\bar{u} = +6.2$

L $\sigma_u^2 = 186.0$ $\bar{u} = +3.1$

r = +0.69

V = 7.5 M SEC⁻¹ W

[R]

B-221

TM No. 377

P 112 BBELS - 15 - 2
0.0-2.5 m II (1940-1951)
19 JULY 1965 (u)

UP $\Phi_u(\kappa)$ - - - - -

LO $\Phi_u(\kappa)$ - - - - -

N = 2013

$\Delta T = 0.2$

m = 50

DF = 80

UP $\sigma_u^2 = 488.4$ $\bar{u} = +1.7$

LO $\sigma_u^2 = 209.7$ $\bar{u} = +3.2$

r = -0.11

V = 4 m Sec W

[R

B-222

TM No. 377

P 113 / BBELS 15

0.0-25mIII(2003-2009)

19 JULY 1965

UP $\Phi_u(f)$ - - - - -

LO $\Phi_u(f)$ —————

N = 1705

$\Delta T = 0.2$

m = 50

DF = 68

UP $\sigma_u^2 = 475.6 \bar{u} = +3.5$

LO $\sigma_u^2 = 215.6 \bar{u} = 6.9$

V = 7m Sec⁻¹ WSW

r = +0.76

TM No. 377

P 114 BBELS 15

0.0-2.5 m IV (2201-2209)

19 JULY 1965

UP $\Phi_u(f)$ - - - -

LO $\Phi_u(f)$ ————

N = 1555

$\Delta T = 0.2$

m = 50

DF = 62

UP $\sigma_u^2 = 135$ $\bar{U} = +26.4$

LO $\sigma_u^2 = 83$ $\bar{U} = +24.2$

r = 0.71

V = 3 m Sec⁻¹ NW

SEC

B-224

MCP5

TM No. 377

P 115A BBELS 15-5

0.0-2.5mV(2400-0008)

19 JULY 1965

up $\Phi_U(f)$ ---
lo $\Phi_U(f)$ ---

N = 2422

$\Delta T = 0.2$

m = 50

DF = 97

up $\sigma_U^2 = 41.2$ $\bar{U} = -9.1$

lo $\sigma_U^2 = 121.1$ $\bar{U} = -12.7$

r = -0.12

V = 3m Sec⁻¹ N-NW

TM No. 377

P 115B/BBELS 15

00-2.5m VI (0930-0934)

20 JULY 1965

UP $\bar{\Phi}_u(f)$

$N = 806$

$\Delta T = 0.2$

$m = 50$

$DF = 32$

UP $\sigma_u^2 = 98.3$ $\bar{u} = -21.0$

$V = 4.4m \text{ Sec}^{-1} N$

SEC
B-226

TM No. 377

P 116 BBELS -15-10
I-2.5m I 20 JULY (2034-2037)

UP $\Phi_u(f)$ - - - - -
LO $\Phi_l(f)$ —————

N = 628

$\Delta T = 0.2$

m = 50

DF = 25

UP $\sigma_u^2 = 72.4$ $\bar{u} = -28.32$

LO $\sigma_l^2 = 49.3$ $\bar{l} = -28.95$

r = 0.10

v =

[R]

10^3

10^2

10^1

10^0

10^{-1}

10^{-2}

Φ

0

10

4

2

1

0.5

0.4

SEC

B-227

0

500

1000

1500

2000

2500

MCPS

5 CYCLES X 10 DIVISIONS PER INCH

MADE IN U.S.A.

TM No. 377

P 119 BBELS 16-10

1-35m VII (0200-0207)

8 SEPT 1965

up $\bar{\phi}_w(f)$ - - - - -
lo $\phi_w(f)$ - - - - -

N = 1849

$\Delta T = 0.2$

m = 50

DF = 74

up $\sigma_w^2 = 158$ $\bar{w} = +0.4$

lo $\sigma_w^2 = 84$ $\bar{w} = -0.9$

$\overline{u'w} = -52.8$

$r = -0.46$

$v = 16m \text{ Sec}^{-1}$ NW-WNW

TM No. 377

P 120 BBELS-16-1
0.5 m I (1340-1346)
8 SEPT. 1965

$\Phi_u(t)$ - - - - -

$\Phi_w(t)$ - - - - -

$N = 702$

$\Delta T = 0.2$

$m = 50$

$DF = 28$

$\sigma_u^2 = 56.9$ $\bar{u} = -19.7$

$\sigma_w^2 = 256.2$ $\bar{w} = +0.4$

$\overline{u'w'} = -7.6$

$r = -0.06$

$V = 4 \text{ m Sec}^{-1} \text{ W}$

$\left[\begin{array}{c} R \\ \theta \approx 0^\circ \end{array} \right]$

$\theta \approx 0^\circ$

TM No. 377

P 121 BBELS 16

0.5mII (1350-1357)

8 SEPT 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

N = 1227

$\Delta T = 0.2$

m = 50

DF = 49

$\sigma_u^2 = 66.1$ $\bar{u} = -19.8$

$\sigma_w^2 = 266.1$ $\bar{w} = 0.6$

$\bar{u}\bar{w} = -10.3$

r = -0.1

V = 3.5 m Sec⁻¹ WSW(250°)

$\theta = 20^\circ$

TM No. 377

P122 BBELS 16

0.5m IV (1420-1425)

8 SEPT. 1965

$\Phi_u(f)$ - - - -

$\Phi_w(f)$ - - - -

$N = 1374$

$\Delta T = 0.2$

$m = 50$

$DF = 55$

$\sigma_u^2 = 38$ $\bar{u} = -18.4$

$\sigma_w^2 = 278$ $\bar{w} = -0.9$

$\overline{u'w'} = -11.2$

$r = -0.11$

$v = 3.7 \text{ m Sec}^{-1} \text{ W}$

$\theta = 50^\circ$

SEC
B-233

TM No. 377

P 123 BBELS 16-6'

0.5m VI (1431-1436)

8 SEPT. 1965

$\bar{\Phi}_w(f)$ - - - - -

$\bar{\Phi}_w(f)$ - - - - -

$N = 1152$

$\Delta T = 0.2$

$m = 50$

$DF = 46$

$\sigma_w^2 = 39.4$ $\bar{u} = -12.9$

$\sigma_w^2 = 250.8$ $\bar{w} = -1.2$

$\bar{u}\bar{w} = -15.1$

$r = -0.15$

$V = 5 \text{ m Sec}^{-1} \text{ WSW}(250^\circ)$

$\theta = 80^\circ$

SEC B-234

TM No. 377

P 124 BBELS 16-7

0.5m VII (1441-1446)

8 SEPT 1965

$\bar{\phi}_u(f)$ - - - -

$\bar{\phi}_w(f)$ - - - -

$N = 1205$

$\Delta T = 0.2$

$m = 50$

$DF = 48$

$\sigma_u^2 = 30.3$

$\bar{u} = -13.3$

$\sigma_w^2 = 239.2$

$\bar{w} = -2.3$

$\bar{u} \bar{w}' = -5.2$

$r = -0.06$

$V = 4 \text{ m Sec}^{-1}$

$W(270^\circ)$

$\theta = 45^\circ$

SEC

B-235

MCPS

Auto-Spectra of Wave Staff Data

Following are plots of waves staff data obtained on BBELS using the CERC wave staff system (see chapter IV). Plots WS-1 through WS-14 are spectral data obtained from the CERC analog auto-spectrum analyzer. The curves have been translated to the Tukey spectrum equivalents using the method noted in chapter IV. The ordinate values, however, are to be considered relative magnitudes of cm^2 per cycle per second ($\text{cm}^2 \text{ sec}$).

Plots WS-15 and WS-16 are also auto-spectra of CERC wave staff data. However, the data were read off the CERC paper tape record aboard BBELS and processed at the NUWS computer laboratory. The interpolated data were then analyzed with the NUWS Tukey spectrum analysis program.

APPENDIX C

MISCELLANEOUS TABULATED DATA

Wave Meter Calibration Data

Rotating Boom Calibration of OMDUM II - The OMDUM II wave meter system was calibrated using the rotating boom tow system of the Department of Civil Engineering, Worcester Polytechnical Institute, Worcester, Mass., on 11 and 15 June 1964.

The calibration equipment details and procedures are discussed in chapter II. The following two series (1 and 2) contain tabulations of the calibration data used for preparing the calibration curves of figures II-9 and II-12.

Series 1. Data were tabulated from OMDUM II towed at steady speed with the w cylinder axis parallel to the tangential velocity vector V_T (figure II-10). The water temperature was 20.6°C. These data include run number, V_T (cm sec⁻¹), pulses per cycle per sec (pcps), and time spacing between voltage pulses (milliseconds per cycle).

Run	V_T	cm sec ⁻¹	pcps	msec cycle ⁻¹
1	+u	23.7	4.76	210.0
2	"	38.4	7.94	126.0
3	"	50.9	10.99	91.0
4	"	59.4	12.35	81.0
5	"	74.1	14.71	68.0
6	"	82.6	17.39	57.5
7	"	101.5	21.51	46.5
8	"	114.9	24.10	41.5
9	"	132.0	27.78	36.0
10	"	147.2	30.77	32.5
11	"	162.8	33.22	30.1
12	"	172.2	35.97	27.8
13	-u	24.1	5.03	199.0
14	"	36.0	8.93	112.0
15	"	49.1	10.64	94.0
16	-u	67.1	14.81	67.5
17	"	81.1	17.39	57.5
18	"	100.0	21.51	46.5
19	"	112.2	23.53	42.5
20	"	125.3	26.32	38.0
21	"	142.7	29.41	34.0
22	"	158.2	33.44	29.9
23	"	178.6	36.50	27.4

Run	V_T	cm sec ⁻¹	pcps	msec cycle ⁻¹
24	-w	22.0	4.50	222.0
25	"	37.8	8.33	120.0
26	"	49.7	10.87	92.0
27	"	65.5	14.18	70.5
28	"	79.6	16.26	61.5
29	"	99.4	21.05	47.5
30	"	111.0	23.81	42.0
31	"	126.2	27.03	37.0
32	"	143.0	29.85	33.5
33	"	157.6	33.78	29.6
34	"	186.5	41.32	24.2
35	+w	21.9	4.13	242.0
36	"	35.4	7.25	138.0
37	"	50.0	10.58	94.5
38	"	64.0	13.79	72.5
39	"	81.4	18.69	53.5
40	"	96.0	21.28	47.0
41	"	110.4	24.10	41.5
42	"	127.4	27.78	36.0
43	"	140.2	30.49	32.8
44	"	160.0	35.21	28.4
45	"	175.0	38.02	26.3

Series 2. The w meter of OMDUM II was towed at steady speeds for various values of ϕ , the angle subtending the w meter axis and the tangential velocity V_T . The water temperature was 22.8°C.

	Run	V_T cm sec ⁻¹	msec cycle ⁻¹
($\phi = -20^\circ$)	46	9.45	592.0
	47	37.79	122.0
	48	17.07	302.0
	49	77.13	180.0
	50	47.24	99.5
	51	53.95	82.5
	52	67.06	71.5
	53	75.90	61.5
	54	112.17	42.5
	55	18.90	30.4
($\phi = -40^\circ$)	56	37.49	132.0
	57	54.25	86.0
	58	75.89	70.5
	59	98.76	52.0
	60	118.26	43.5
	61	146.61	35.5

	Run	V_T cm sec ⁻¹	msec cycle ⁻¹
($\emptyset = -60^\circ$)	62	17.98	400.0
	63	37.80	164.0
	64	47.24	120.0
	65	66.14	96.5
	66	98.15	64.6
	67	98.15	61.6
	68	129.5	48.5
($\emptyset = -80^\circ$)	69	19.51	604.0
	70	37.49	282.0
	71	51.51	208.0
	72	66.72	170.0
	73	98.15	119.0
	74	130.76	78.5
	75	157.58	64.0
($\emptyset = +20$)	77	12.59	480.0
	78	34.14	160.0
	79	48.16	108.0
	80	74.67	69.5
	81	107.90	48.0
	82	135.33	39.5
	83	157.89	33.2
($\emptyset = +40$)	84	22.86	300
	85	43.89	148.0
	86	60.66	103.5
	87	71.63	92.0
	88	103.94	42.5
	89	133.81	39.0
	90	157.28	40.5
($\emptyset = +60^\circ$)	91	188.67	34.4
	92	28.96	346.0
	93	46.94	194.0
	94	56.08	158.0
	95	74.37	114.5
	96	104.85	83.5
	97	134.42	67.5
($\emptyset = +80$)	98	160.02	36.0
	99	43.59	256.0

Towing Tank Calibrations of OMDUM III and LINDUM I (individual meters) - The following are tabulations of the tow tank calibration data of the OMDUM III and LINDUM I (individual meters) obtained with the Capt. Mary P. Converse Tow Tank, in Marion, Mass. Details of the experimental setup and procedures are given in chapter II. The data presented were used to prepare calibration curves in figure II-21. An explanation of the table headings follows.

Serial: The numbered sequence of runs of steady velocity response. N or S indicates the towing direction as north or south.

V_T (cm sec⁻¹): The average speed of the carriage between two fixed points on the tank.

V_1 , V_2 , and V_3 (cm sec⁻¹): These are carriage velocities calculated at the beginning, middle, and end of the steady speed towing. They are derived from measurements of the drive shieve rotation and knowledge of its circumference.

T_p (msec cycle⁻¹): This is the average interval of time between voltage pulses from the ducted meter.

The value of angle θ subtended by the cylinder axis and the towing direction is also given in the tables. It is estimated that the uncertainty in θ is about $\pm 2^\circ$.

Series 1. This series comprises calibration data for steady towing of individual ducted meters.

Serial	V_T	V_1	V_2	V_3	T_p
u meter $\theta = 0^\circ$					
1 S	12.6	12.5	12.5	12.7	288.7
2 N	9.1	9.2	9.1	9.2	430.7
3 S	8.2	8.1	8.3	8.2	509.0
4 N	7.0	7.0	7.2	7.0	612.7
5 S	9.5	9.6	9.6	9.6	412.3
6 N	12.3	12.3	12.4	12.4	289.7
9 S	14.6	14.4	14.7	14.7	239.2
10 N	18.2	18.1	18.2	18.3	183.8
11 S	27.8	27.5	28.1	27.9	117.2
12 N	28.4	28.2	28.2	28.2	115.5
13 S	54.4	53.7	55.1	54.4	58.0
14 N	47.0	47.4	-	47.5	67.9
15 S	71.0	69.8	70.8	70.6	44.03
16 N	79.0	-	79.4	-	39.68
17 S	64.9	67.1	-	65.8	47.92
18 N	65.8	65.9	65.7	65.5	47.52

Serial	V _T	V ₁	V ₂	V ₃	T _p
19 S	44.0	43.3	44.0	44.0	73.61
20 N	92.5	91.0	92.9	91.6	33.48
21 S	64.9	63.8	65.1	65.1	48.39
22 N	117.1	116.1	118.0	117.1	26.49
23 S	92.4	92.7	92.7	92.7	33.47
24 N	148.9	149.7	149.2	148.2	20.99
25 S	142.5	141.6	141.1	142.0	22.01
26 N	130.9	132.7	131.6	130.0	24.41
27 S	176.0	175.6	177.7	177.0	17.75
28 N	166.2	165.2	164.6	165.0	18.92
29 S	210.7	205.5	211.4	214.4	15.54
30 N	166.6	170.2	166.4	167.7	17.22
31 S	8.25	8.11	8.14	8.26	638.8

u meter $\theta = 10^\circ$

32 S	7.7	7.6	-	7.6	625.0
33 N	14.6	14.5	14.5	14.5	235.9
34 S	7.47	7.4	7.5	7.4	628.6
35 N	12.5	12.5	12.5	12.4	281.3

u meter $\theta = 20^\circ$

36 S	7.0	6.8	6.9	6.9	760.9
37 N	6.5	6.5	6.6	6.5	744.3

u meter $\theta = 45^\circ$

38 S	7.0	7.4	7.7	7.7	337.55
39 N	15.1	15.0	15.0	15.1	265.7
40 S	21.2	21.2	21.2	21.3	184.1
41 N	23.2	23.1	23.1	23.0	164.5
42 S	51.0	53.1	51.3	52.5	90.84
43 N	67.8	67.6	69.7	68.6	53.38
44 S	127.3	128.2	127.1	128.5	28.81
45 N	120.0	120.2	120.9	120.5	29.54

u meter $\theta = 60^\circ$

47 N	15.1	15.0	14.9	15.0	357.1
49 N	11.9	11.9	12.1	12.0	467.5
50 S	83.3	83.2	84.0	83.5	57.36
51 N	33.2	33.3	33.0	33.5	152.3

u meter $\theta = 80^\circ$

52 S	39.9	39.8	39.5	40.2	420.0
53 N	23.0	22.9	23.1	23.2	797.8
54 S	57.5	57.2	57.9	57.9	252.7
55 N	63.5	61.9	63.7	62.8	227.3

Serial	V_T	V_1	V_2	V_3	T_p
u meter $\theta = 10^\circ$					
56 S	39.3	38.8	39.1	39.8	80.84
57 N	54.8	54.7	54.7	54.7	57.15
58 S	136.1	134.7	136.8	136.8	22.73
59 N	50.7	50.7	50.7	50.7	60.35
u meter $\theta = 20^\circ$					
60 S	12.6	12.6	12.6	12.6	281.8
61 N	28.5	28.1	28.6	28.6	114.5
62 S	46.0	45.6	45.8	46.0	69.88
63 N	78.0	76.9	77.6	77.4	40.02
64 S	172.1	169.6	174.2	172.2	18.59
w meter $\theta = 0^\circ$					
65 S	9.6	9.6	9.7	9.7	425.1
66 N	7.3	7.2	7.2	7.3	773.0
67 S	19.6	19.5	19.7	19.6	173.1
68 N	34.6	34.8	34.8	34.3	93.6
69 S	26.6	26.2	26.2	26.4	126.3
70 N	24.8	25.2	24.8	24.9	135.1
71 S	54.9	55.1	54.6	54.7	58.42
72 N	45.2	45.5	44.6	44.8	71.20
73 S	102.6	99.8	102.8	102.3	30.86
74 N	76.1*	75.3	75.5	75.3	42.78
75 S	153.6	149.2	153.3	153.3	20.65
76 N	140.0	139.4	141.6	141.1	23.00

* Wire lying in front of cylinder.

Series 2. This series comprises calibration data for steady towing of coupled meters (OMDUM III). The same tabulated variables are given as in series 1, except that values of both $T_p(u)$ and $T_p(w)$ are given as the output for each meter. Blank spaces in the T_p columns indicate no meter response. The estimated uncertainty in θ is about 2° .

Serial	V_T	V_1	V_2	V_3	$T_p(u)$	$T_p(w)$
$\theta = 0^\circ$						
1 S	6.9	7.1	7.3	7.2	-	643.6
2 N	11.6	11.7	11.8	11.6	-	269.8
3 S	28.5	28.6	28.7	28.4	-	98.74
4 N	18.1	17.8	18.1	18.1	-	152.9
5 S	51.5	51.3	51.3	51.6	-	53.41
6 N	77.8	76.9	77.2	76.8	-	34.3
7 S	99.2	97.4	99.8	99.3	443.0	27.37
8 N	123.5	123.2	123.5	122.9	-	21.68

Serial	V_T	V_1	V_2	V_3	$T_p(u)$	$T_p(w)$
$\theta = 10^\circ \pm 2^\circ$						
9 S	7.1	7.1	7.1	7.1	-	657.6
10 N	10.6	10.4	10.6	10.5	-	302.3
11 S	21.3	21.2	21.5	21.3	-	135.6
12 N	35.5	35.1	36.0	35.1	-	77.57
13 S	64.9	64.5	64.3	64.4	379.8	42.52
14 N	144.2	144.8	143.9	142.9	-	18.98
$\theta = 20^\circ \pm 2^\circ$						
15 S	9.2	9.1	9.1	9.2	-	409.4
16 N	22.0	22.1	22.0	21.9	400.1	132.8
17 S	34.9	35.1	35.4	35.1	223.9	82.76
18 N	58.5	58.5	58.1	58.1	124.8	48.18
19 S	136.1	133.9	136.8	137.7	48.82	21.01
$\theta = 45^\circ \pm 2^\circ$						
21 S	11.5	11.3	11.4	11.6	335.0	386.5
22 N	9.9	9.0	9.7	9.9	436.1	441.6
23 S	21.5	21.8	21.4	21.2	165.2	172.1
24 N	51.6	51.9	51.9	51.3	67.0	68.1
25 S	-	28.4	28.6	28.4	121.3	126.7
28 N	30.9	30.8	30.9	30.6	113.2	116.3
29 S	80.0	79.6	70.8	79.6	41.44	43.33
$\theta = 60^\circ \pm 2^\circ$						
30 N	9.9	9.9	9.8	9.6	381.5	704.9
31 S	20.9	20.9	20.8	21.0	150.9	247.2
32 N	49.1	48.8	48.6	48.9	60.58	97.65
33 S	24.9	25.0	24.8	24.9	126.1	204.9
34 N	76.7	75.3	75.3	75.1	38.02	61.44
35 S	142.3	143.4	142.9	144.8	20.78	33.88
$\theta = 80^\circ \pm 2^\circ$						
37 S	8.4	8.5	8.4	8.4	423.1	-
38 N	18.3	18.3	18.4	18.3	160.5	-
39 S	32.4	32.6	32.8	32.6	87.84	919.1
40 N	46.8	46.8	46.9	46.3	59.59	783.6
41 S	152.9	153.3	154.9	154.3	20.36	194.4

Environmental Data for BBELS Current Measurements

Two series of horizontal current measurements were made at the BBELS and are discussed in chapter IV. Figures IV-6 and IV-10 show plots of the current data and the tidal height associated with the two series. The raw tide level data are presented here for completeness, along with the wind and sea conditions for the periods depicted in the plots. For

further information regarding the environmental measurements see chapter IV.

Series 1 (1964) - The series 1 record (plotted in figure IV-6) covers 29 April (1200 hours) through 11 May (1200 hours).

Tide Level Data. These data were abstracted from the Coast and Geodetic Survey raw data tapes and are given at local time (EST). The wave height η is in centimeters.

t (29 April)	η (cm)	t (30 April)	η (cm)	t	η (cm)	t	η (cm)
				14	214	03	204
12	253	01	238		198		198
	241		223				
13	226	02	210	15	195	04	192
	210		198		195		186
					195		183
14	207	03	192	16	195	05	183
	201		189				
					201		186
15	201	04	186	17	207	06	195
	201		183				
					210		201
16	201	05	186	18	220	07	207
	204		189				
					226		217
17	204	06	195	19	235	08	226
	214		204				
					241		235
18	220	07	210	20	247	09	244
	232		217				
					250		247
19	241	08	232	21	262	10	250
	250		241				
					271		253
20	259	09	250	22	275	11	353
	268		253				
					278		853
21	274	10	259	23	278	12	250
	284		259				
					271		241
22	290	11	259	24	265	13	285
	284		259				
				(1 May)			
23	284	12	253	01	250		
	281		244		241		
24	271	13	235	02	226		
	253		223		220		

						TM No. 377	
t	η (cm)	t	η (cm)	t	η (cm)	t	η (cm)
14	226	08	201	02	250		214
	220		207		241	21	217
15	210	09	217	03	229		217
	204		223		220	22	223
16	198	10	232	04	214		229
	195		241		204	23	232
17	198	11	247	05	204		241
	198		250		201	24	247
18	204	12	256	06	198	(4 May)	250
	210		253		198	01	253
19	217	13	247	07	198		253
	223		247		198	02	256
20	229	14	241	08	201		250
	229		223		204	03	250
21	241	15	223	09	210		244
	247		210		214	04	229
22	256	16	204	10	217		223
	265		201		226	05	210
23	268	17	195	11	229		210
	288		192		238	06	201
24	271	18	192	12	247		198
(2 May)	268		198		253	07	198
01	265	19	201	13	253		192
	256		204	14	250	08	12
02	241	20	207		244		195
	226		214	15	238	09	204
03	217	21	220		232		204
	210		226	16	226	10	207
04	201	22	235		217		214
	198		241	17	210	11	223
05	195	23	250		201		229
	192		256	18	198	12	235
06	192	24	259		201		288
	192	(3 May)	262	19	204	13	241
07	195	01	262		204		244
	198		259	20	204	14	247

t	η (cm)	t	η (cm)	t	η (cm)	t	η (cm)
	250	08	201		238	19	214
15	244		198	02	244		204
	241	09	198		247	20	198
16	235		198	03	253		195
	229	10	201		253	21	192
17	223		204	04	253		189
	217	11	210		250	22	186
18	210		214	05	244		186
	207	12	220		238	23	189
19	201		229	06	229		189
	201	13	238		217	24	195
20	198		244	07	207	(7 May)	204
	201	14	247		198	01	214
21	204		250	08	192		223
	204	15	253		189	02	235
22	207		253	09	186		244
	217	16	250		186	03	250
23	223		244	10	183		256
	229	17	235		186	04	262
24	207		229	11	189		262
(5 May)	247	18	220		198	05	259
01	256		210	12	201		250
	256	19	204		204	06	241
02	259		201	13	223		235
	256	20	198		232	07	223
03	256		195	14	241		210
	256	21	195		247	08	198
04	250		198	15	250		192
	254	22	198		250	09	186
05	235		204	16	253		186
	229	23	207		250	10	180
06	220		210	17	244		180
	214	24	220		241	11	183
07	210	(6 May)	226	18	235		186
	207	01	232		223	12	192

t	η (cm)	t	η (cm)	t	η (cm)	t	η (cm)
	198	06	268		186	17	293
13	204		262	24	186		305
	217	07	253	(9 May)	186	18	311
14	229		241	01	192		314
	288	08	229		198	19	314
15	247		217	02	207		308
	353	09	207		217	20	296
16	262		198	03	229		281
	265	10	192		244	21	265
17	271		189	04	259		250
	268	11	186		268	22	232
18	259		186	05	278		217
	253	12	189		287	23	204
19	244		192	06	290		195
	238	13	201		290	24	189
20	223		210	07	284	(10 May)	186
	210	14	220		275	01	180
21	198		235	08	265		180
	192	15	247		247	02	183
22	186		259	09	235		189
	183	16	271		223	03	201
23	183		281	10	210		217
	183	17	290		201	04	232
24	186		296	11	195		250
(8 May)	195	18	296		195	05	265
01	201		290	12	189		281
	210	19	284		189	06	290
02	220		271	13	195		299
	232	20	259		204	07	302
03	244		241	14	210		299
	256	21	226		223	08	290
04	262		210	15	235		278
	268	22	201		250	09	265
05	271		195	16	268		247
	271	23	189		284	10	235

t	η (cm)	t	η (cm)	t	η (cm)
	217	21	287		299
11	201		271	08	299
	195	22	353		296
12	189		235	09	284
	183	23	214		271
13	180		201	10	353
	183	24	192		232
14	189	(11 May)	183	11	214
	195	01	177		195
15	207		174	12	180
	223	02	171		
16	238		171		
	256	03	174		
17	271		186		
	287	04	198		
18	299		210		
	311	05	229		
19	317		250		
	317	06	268		
20	311		284		
	302	07	293		

Wind Speed and Direction Data. These data were obtained from the Coast Guard Log Book at BBELS.

Day	Time (EST)	Wind Speed (cm sec ⁻¹)	Wind Direction From °T
29 April	00	7.0	080
	04	7.0	080
	08	7.0	080
	12	10.0	090
	16	7.0	090
	20	7.0	-
30 April	00	7.0	045

Day	Time (EST)	Wind Speed (cm sec ⁻¹)	Wind Direction (From) (°T)
1 May	04	4.3	045
	08	4.3	045
	12	4.3	045
	16	4.3	045
	20	4.3	045
	00	4.3	045
	04	4.3	045
	08	4.3	045
	12	2.5	045
	16	4.3	025
	20	4.3	025
	00	4.3	045
2 May	04	4.3	045
	08	4.3	045
	12	2.7	045
	16	2.7	045
	20	2.7	045
	00	1.0	025
3 May	04	1.0	025
	08	1.0	075
	12	1.0	045
	16	1.0	045
	20	1.0	045
	00	0	-
4 May	04	0	-
	08	0	-
	12	0	-
	16	1.0	180
	20	1.0	135
	00	1.0	025
5 May	04	2.5	025
	08	2.5	025
	12	2.5	025
	16	2.5	025
	20	2.5	090

Day	Time (EST)	Wind Speed (cm sec ⁻¹)	Wind
			Direction (From) (°T)
6 May	00	1.0	045
	04	2.5	075
	08	2.5	045
	12	1.0	045
	16	1.0	180
	20	1.0	165
7 May	00	0	-
	04	1.0	225
	08	1.0	225
	12	1.0	225
	16	4.4	225
	20	6.9	225
8 May	00	2.5	225
	04	2.5	250
	08	2.5	250
	12	2.5	225
	16	4.4	225
	20	4.4	225
9 May	00	1.0	225
	04	2.6	225
	08	2.6	225
	12	2.6	225
	16	4.4	225
	20	6.9	225
10 May	00	1.0	225
	04	1.0	250
	08	1.0	225
	12	4.4	225
	16	4.4	225
	20	6.9	280
11 May	00	2.6	270
	04	4.4	280
	08	2.6	270

Series 2 (1965) - The series 2 record (plotted in figure IV-10) covers from 24 November (1230 hours) to 25 November (1000 hours).

Tide Level Data. These data were abstracted from the Coast and Geodetic Survey raw data tapes and are given at local time (EST).

t	η (cm)	t	η (cm)
24 November	189	01	189
13	189		192
	183	02	195
14	180		198
	180	03	204
15	183		210
	189	04	220
16	198		232
	210	05	241
17	223		253
	235	06	265
18	244		277
	259	07	290
19	268		299
	274	08	305
20	274		309
	274	09	302
21	268		298
	259	10	286
22	244		265
	229	11	250
23	216		232
	204	12	220
25 November			
00	189		
	192		

Wind Speed and Direction and Sea State Data. These data were obtained from the Coast Guard Log Book at BBELS.

Day	Time (EST)	Wind Speed (m sec ⁻¹)	Wind Direction(From) (°T)	Estimated Sea Height (cm)
November 24	12	6.2	315	30
	16	5.3	000	30
	20	6.2	315	30
November 25	00	3.8	335	30
	04	2.6	315	30
	08	2.2	180	Calm
	12	2.2	180	Calm
	16	6.2	210	30
	20	8.5	210	60
November 26	00	6.7	210	30
	04	14.8	210	90
	08	11.0	220	60
	12	4.4	220	30
	16	3.5	210	60

Wave Model Data

The following are the computer listings of the Tukey spectrum analysis and the raw u and w tabulations associated with the wave models discussed in chapter V. The symbols used on the spectra tables are defined in the explanation of the plots and listings in appendix B. The definitions are also discussed in chapter III. (Note that the symbols $\phi_{uw}^{in}(\tau)$ and $\phi_{uw}^{out}(\tau)$ represent the in-phase and out-of-phase covariance functions, respectively). In the raw data tabulations the units are cm sec⁻¹, and the consecutive values run from left-to-right.

RBM

TM No. 377

RANDOM DATA

K	$\Phi_u(\tau)$	$\Phi_w(\tau)$	$\Phi_{uw}^{IN}(\tau)$	$\Phi_{uw}^{OUT}(\tau)$	$\Phi_u(f)$	$\Phi_w(f)$	$C_{uw}(f)$	$Q_{uw}(f)$
0	14.922	16.354	-3.703	.000	.127	.061	.019	.000
1	-.010	1.008	.486	.888	.226	.114	.013	.050
2	-1.500	-.750	.065	-2.915	.143	.301	-.023	.050
3	-.102	-1.319	.501	-1.690	.171	.658	.000	-.035
4	-.733	-.456	.570	1.423	.537	.802	-.001	-.189
5	-1.956	-1.289	1.090	-.841	.885	.900	-.167	-.325
6	-.357	-.170	-.081	.463	.703	.851	-.277	-.290
7	-2.134	-3.437	.745	.368	.474	.517	-.231	-.143
8	.054	-1.109	-1.052	-.044	.542	.327	-.176	-.092
9	1.333	-1.921	-.046	.953	.422	.400	-.116	-.174
10	-.648	.718	-.542	1.112	.372	.658	-.172	-.188
11	.145	.071	.732	.370	.561	.742	-.150	-.126
12	2.926	.424	-.664	-.024	.430	.598	.058	-.126
13	.627	1.416	-1.120	.072	.251	.713	.028	-.100
14	1.113	-.090	.924	.243	.575	.751	-.168	.050
15	-.584	-.549	.811	-.977	.833	.472	-.209	.150
16	.549	-.263	.684	-.221	.564	.462	-.141	.118
17	.440	-1.171	.291	-.544	.433	.475	-.032	.118
18	1.284	.548	-.508	.656	.470	.372	-.027	.147
19	-3.325	2.438	-.252	.086	.367	.481	-.109	.224
20	-2.676	-.381	1.219	.929	.510	.565	-.160	.354
21	-.055	.080	-.397	-1.270	.806	.511	-.240	.387
22	1.783	-.244	.337	.783	.794	.393	-.107	.320
23	.167	2.470	-.385	-.530	.581	.456	-.050	.271
24	.145	1.832	-2.228	.659	.378	.631	-.229	.214
25	1.295	-.963	.715	-.754	.270	.506	-.200	.092
26	-.643	-1.248	.864	.494	.272	.289	-.110	-.003
27	-.072	.484	-.824	-.253	.328	.237	-.043	-.063
28	-1.341	-1.110	1.315	.045	.438	.214	.031	-.126
29	.594	-1.532	.327	-.990	.349	.273	-.041	-.039
30	1.398	-1.132	-1.166	-.538	.262	.536	-.207	-.007
31	-1.911	-.545	.052	.174	.498	.714	-.300	-.157
32	.069	-.446	-.860	.375	.338	.358	-.154	-.000
CORRELATION COEFFICIENT				-.23709				

RANDOM - BIASED DATA - W

PSEUDO DATA RUN 1

	600	032	1	1	0	0						
→ 2	3	0	3	-2	-1	-1	-3	-5	7	2	1	
2	2	-1	-1	-6	3	5	1	-1	1	-1	-1	
1	3	-1	1	0	-3	-7	4	4	-2	1	3	
-2	-3	-7	-9	1	1	-5	3	1	-6	4	-1	
-7	-2	1	-8	-1	3	-2	1	1	6	-3	-9	
-4	2	-7	-1	1	1	0	6	5	1	0	1	
-7	2	-3	-1	-8	-3	-1	4	2	-1	6	-1	
5	1	-1	2	-3	-1	1	1	0	-5	-7	6	
1	4	3	-9	3	1	-3	-7	2	-4	-1	3	
-1	0	-1	-9	5	1	7	-7	-2	-3	1	-1	
-1	4	6	-3	-7	3	1	-1	-1	0	9	3	
-1	-9	2	-4	1	0	-3	-1	-1	1	3	4	
2	-9	4	7	-3	-1	-1	0	-1	-8	6	6	
2	3	0	3	-2	-1	-1	-3	-5	7	2	1	
2	2	-1	-1	-6	3	5	1	-1	1	-3	-1	
1	3	-1	1	0	-3	-7	4	4	-2	1	3	
-2	-3	-7	-9	1	3	-5	3	1	-6	4	-1	
-7	-2	1	-8	-1	3	-2	7	1	6	-3	-9	
-4	2	-7	-1	1	1	0	6	5	1	0	1	
-7	2	-3	-1	-8	-3	-1	4	2	-1	6	-1	
5	1	-1	2	-3	-1	1	1	0	-5	-7	6	
1	4	3	-9	3	1	-3	-7	2	-4	-1	3	
-1	0	-1	-9	5	1	7	-7	-2	-3	1	-1	
-1	4	6	-3	-7	3	1	-1	-1	0	9	3	
-1	-9	2	-4	1	0	-3	-1	-1	1	3	4	
2	-9	4	7	-3	-1	-1	0	-1	-8	6	6	
2	3	0	3	-2	-1	-1	-3	-5	7	2	1	
2	2	-1	-1	-6	3	5	1	-1	1	-3	-1	
1	3	-1	1	0	-3	-7	4	4	-2	1	3	
-2	-3	-7	-9	1	3	-5	3	1	-6	4	-1	
-7	-2	1	-8	-1	3	-2	7	1	6	-3	-9	
-4	2	-7	-1	1	1	0	6	5	1	0	1	
-7	2	-3	-1	-8	-3	-1	4	2	-1	6	-1	
5	1	-1	2	-3	-1	1	1	0	-5	-7	6	
1	4	3	-9	3	1	-3	-7	2	-4	-1	3	
-1	0	-1	-9	5	1	7	-7	-2	-3	1	-1	
-1	4	6	-3	-7	3	1	-1	-1	0	9	3	
-1	-9	2	-4	1	0	-3	-1	-1	1	3	4	
2	-9	4	7	-3	-1	-1	0	-1	-8	6	6	
2	3	0	3	-2	-1	-1	-3	-5	7	2	1	
2	2	-1	-1	-6	3	5	1	-1	1	-3	-1	
1	3	-1	1	0	-3	-7	4	4	-2	1	3	
-2	-3	-7	-9	1	3	-5	3	1	-6	4	-1	
-7	-2	1	-8	-1	3	-2	7	1	6	-3	-9	
-4	2	-7	-1	1	1	0	6	5	1	0	1	
-7	2	-3	-1	-8	-3	-1	4	2	-1	6	-1	
5	1	-1	2	-3	-1	1	1	0	-5	-7	6	
1	4	3	-9	3	1	-3	-7	2	-4	-1	3	
-1	0	-1	-9	5	1	7	-7	-2	-3	1	-1	
-1	4	6	-3	-7	3	1	-1	-1	0	9	3	
-1	-9	2	-4	1	0	-3	-1	-1	1	3	4	
2	-9	4	7	-3	-1	-1	0	-1	-8	6	6	
2	3	0	3	-2	-1	-1	-3	-5	7	2	1	
2	2	-1	-1	-6	3	5	1	-1	1	-3	-1	
1	3	-1	1	0	-3	-7	4	4	-2	1	3	
-2	-3	-7	-9	1	3	-5	3	1	-6	4	-1	
-7	-2	1	-8	-1	3	-2	7	1	6	-3	-9	
-4	2	-7	-1	1	1	0	6	5	1	0	1	
-7	2	-3	-1	-8	-3	-1	4	2	-1	6	-1	
5	1	-1	2	-3	-1	1	1	0	-5	-7	6	
1	4	3	-9	3	1	-3	-7	2	-4	-1	3	
-1	0	-1	-9	5	1	7	-7	-2	-3	1	-1	
-1	4	6	-3	-7	3	1	-1	-1	0	9	3	

RBM-2

TM No. 377

RANDOM-BIASED DATA - U

→	-1	-3	2	6	-5	-3	3	1	7	-1	-2	-2
1	9	2	7	2	-3	-2	-1	3	-1	-6	-7	
-1	-6	5	2	3	1	4	-2	-1	1	-3	-1	
1	7	2	1	1	-6	-4	-1	-7	3	1	3	
1	8	-1	3	4	-1	-2	-7	5	9	1	-2	
-3	-7	4	-1	-2	-7	5	0	0	-1	5	5	
6	1	-2	4	3	-3	1	-9	-1	3	-1	-1	
0	2	7	-3	-4	1	-3	-7	-4	3	1	-3	
5	-3	-4	2	2	-4	-7	6	-1	3	1	-2	
3	3	-6	-3	1	-7	-9	-3	4	2	-1	8	
8	6	3	2	1	-5	-1	3	0	-4	-2	-1	
1	1	-3	5	1	7	-8	-2	-1	3	-1	7	
-7	3	-1	1	1	6	-4	7	-3	5	-2	-7	
-1	-3	2	6	-5	-3	3	1	7	-1	-2	-2	
1	9	2	7	2	-3	-2	-1	3	1	-6	-7	
-1	-6	5	2	3	1	4	-2	-1	1	-3	-1	
1	7	2	1	1	-6	-4	-1	-7	3	1	3	
1	8	-1	3	4	-1	-2	-7	5	9	1	-2	
-3	-7	4	-1	-2	-7	5	0	0	-1	5	5	
6	1	-2	4	3	-3	1	-9	-1	3	-1	-1	
0	2	7	-3	-4	1	-3	-7	-4	3	1	-3	
5	-3	-4	2	2	-4	-7	6	-1	3	1	-2	
3	3	-6	-3	1	-7	-9	-3	4	2	-1	8	
8	6	3	2	1	-5	-1	3	0	-4	-2	-1	
1	1	-3	5	1	7	-8	-2	-1	3	-1	7	
-7	3	-1	1	1	6	-4	7	-3	5	-2	-7	
-1	-3	2	6	-5	-3	3	1	7	-1	-2	-2	
1	9	2	7	2	-3	-2	-1	3	1	-6	-7	
-1	-6	5	2	3	1	4	-2	-1	1	-3	-1	
1	7	2	1	1	-6	-4	-1	-7	3	1	3	
1	8	-1	3	4	-1	-2	-7	5	9	1	-2	
-3	-7	4	-1	-2	-7	5	0	0	-1	5	5	
6	1	-2	4	3	-3	1	-9	-1	3	-1	-1	
0	2	7	-3	-4	1	-3	-7	-4	3	1	-3	
5	-3	-4	2	2	-4	-7	6	-1	3	1	-2	
3	3	-6	-3	1	-7	-9	-3	4	2	-1	8	
8	6	3	2	1	-5	-1	3	0	-4	-2	-1	
1	1	-3	5	1	7	-8	-2	-1	3	-1	7	
-7	3	-1	1	1	6	-4	7	-3	5	-2	-7	
-1	-3	2	6	-5	-3	3	1	7	-1	-2	-2	
1	9	2	7	2	-3	-2	-1	3	1	-6	-7	
-1	-6	5	2	3	1	4	-2	-1	1	-3	-1	
1	7	2	1	1	-6	-4	-1	-7	3	1	3	
1	8	-1	3	4	-1	-2	-7	5	9	1	-2	
-3	-7	4	-1	-2	-7	5	0	0	-1	5	5	
6	1	-2	4	3	-3	1	-9	-1	3	-1	-1	
0	2	7	-3	-4	1	-3	-7	-4	3	1	-3	
5	-3	-4	2	2	-4	-7	6	-1	3	1	-2	
3	3	-6	-3	1	-7	-9	-3	4	2	-1	8	
8	6	3	2	1	-5	-1	3	0	-4	-2	-1	
1	1	-3	5	1	7	-8	-2	-1	3	-1	7	
-7	3	-1	1	1	6	-4	7	-3	5	-2	-7	
-1	-3	2	6	-5	-3	3	1	7	-1	-2	-2	
1	9	2	7	2	-3	-2	-1	3	1	-6	-7	
-1	-6	5	2	3	1	4	-2	-1	1	-3	-1	
1	7	2	1	1	-6	-4	-1	-7	3	1	3	
1	8	-1	3	4	-1	-2	-7	5	9	1	-2	
-3	-7	4	-1	-2	-7	5	0	0	-1	5	5	
6	1	-2	4	3	-3	1	-9	-1	3	-1	-1	
0	2	7	-3	-4	1	-3	-7	-4	3	1	-3	
5	-3	-4	2	2	-4	-7	6	-1	3	1	-2	
3	3	-6	-3	1	-7	-9	-3	4	2	-1	8	
8	6	3	2	1	-5	-1	3	0	-4	-2	-1	→

000000

SUM

TM No. 377

SINE WAVE

K	$\Phi_u(\tau)$	$\Phi_w(\tau)$	$\Phi_{uw}^{IN}(\tau)$	$\Phi_{uw}^{OUT}(\tau)$	$\Phi_u(f)$	$\Phi_w(f)$	$C_{uw}(f)$	$Q_{uw}(f)$
0	49.899	50.027	.000	.000	.010	.006	-.001	.000
1	29.248	29.063	-.040	-40.226	-.015	-.023	-.003	.004
2	-15.344	-15.338	-.101	-47.315	.027	.025	-.003	-.008
3	-47.282	-47.257	.002	-15.268	-.019	-.010	-.006	.035
4	-40.237	-40.188	.035	29.236	.058	.057	-.009	-.031
5	-.001	.073	.080	49.730	-.073	-.083	-.005	.077
6	40.126	40.222	.056	29.182	.190	.189	-.000	-.179
7	47.256	47.117	-.056	-15.357	-.493	-.495	-.007	.498
8	15.429	15.188	-.087	-47.218	3.029	2.991	-.028	-3.005
9	-29.234	-29.209	-.007	-40.160	19.609	19.554	-.026	-19.583
10	-49.698	-49.722	-.050	.043	22.392	22.390	.013	-22.389
11	-29.264	-29.035	.157	40.188	5.588	5.622	.027	-5.606
12	15.370	15.367	.087	47.181	-.651	-.629	.013	.642
13	47.243	47.137	.007	15.292	.219	.233	.007	-.226
14	40.174	40.131	-.057	-29.217	-.094	-.084	.005	.090
15	.102	-.120	-.132	-49.718	.055	.051	.006	-.050
16	-40.160	-40.256	-.087	-29.212	-.007	-.024	.006	.022
17	-47.316	-47.185	.047	15.281	.028	.022	.003	-.023
18	-15.456	-15.204	.052	47.333	-.014	-.007	.001	.013
19	29.149	29.193	.092	40.223	.008	.018	.000	-.007
20	49.899	50.027	.000	.000	-.007	-.002	-.000	.007
21	29.250	29.060	-.043	-40.226	.004	.012	.003	-.004
22	-15.342	-15.341	-.103	-47.315	-.001	.030	.012	.005
23	-47.281	-47.259	.001	-15.268	.005	.036	.012	-.003
24	-40.238	-40.187	.037	29.237	.000	.006	.002	.002
25	-.003	.076	.083	49.730	.018	.013	-.007	.006
26	40.125	40.223	.058	29.182	.016	.013	-.009	.012
27	47.256	47.116	-.057	-15.358	.004	.010	-.001	.002
28	15.430	15.184	-.090	-47.219	-.001	.026	.002	.008
29	-29.234	-29.212	-.010	-40.160	.004	.039	.002	.010
30	-49.698	-49.722	-.050	.044	-.000	.011	.001	.004
31	-29.264	-29.032	.160	40.189	.005	.012	-.006	-.001
32	15.369	15.370	.090	47.180	.003	.011	-.006	.000
CORRELATION COEFFICIENT .00000								

TM No. 377

PSEUDO DATA: RUN 2

[illegible]

SINUSOIDAL- UNBIASED DATA - U

TM No. 377

[illegible]

SBM

TM No. 377

BIASED SINE WAVE

K	$\Phi_u(\tau)$	$\Phi_w(\tau)$	$\Phi_{uw}^{IN}(\tau)$	$\Phi_{uw}^{OUT}(\tau)$	$\Phi_u(f)$	$\Phi_w(f)$	$C_{uw}(f)$	$Q_{uw}(f)$
0	49.899	53.927	-1.799	.000	.010	.006	-.002	.000
1	29.248	31.308	-1.094	-41.776	-.015	-.025	-.002	.005
2	-15.344	-16.535	.448	-49.064	.027	.029	-.004	-.009
3	-47.282	-50.953	1.703	-15.818	-.019	-.007	-.005	.037
4	-40.237	-43.249	1.482	30.338	.058	.065	-.011	-.032
5	-.001	.124	.079	51.584	-.073	-.091	-.003	.080
6	40.126	43.333	-1.364	30.256	.190	.195	-.010	-.185
7	47.256	50.769	-1.754	-15.912	-.493	-.542	.008	.517
8	15.429	16.327	-.661	-48.997	3.029	3.222	-.136	-3.117
9	-29.234	-31.470	1.045	-41.659	19.609	21.070	-.731	-20.315
10	-49.698	-53.621	1.749	.049	22.392	24.124	-.792	-23.226
11	-29.264	-31.274	1.203	41.690	5.588	6.058	-.173	-5.817
12	15.370	16.528	-.488	48.952	-.651	-.669	.038	.661
13	47.243	50.784	-1.695	15.837	.219	.262	.002	-.240
14	40.174	43.220	-1.486	-30.293	-.094	-.089	.009	.093
15	.102	-.071	-.131	-51.564	.055	.057	.001	-.056
16	-40.160	-43.294	1.365	-30.310	-.007	-.017	.002	.013
17	-47.316	-50.889	1.746	15.831	.028	.029	.000	-.029
18	-15.456	-16.407	.603	49.084	-.014	-.010	.002	.012
19	29.149	31.448	-.953	41.772	.008	.015	.002	-.011
20	49.899	53.927	-1.799	.000	-.007	-.003	.002	.005
21	29.250	31.306	-1.097	-41.776	.004	.013	.003	-.005
22	-15.342	-16.538	.445	-49.064	-.001	.028	.012	.002
23	-47.281	-50.954	1.702	-15.818	.005	.034	.012	-.005
24	-40.238	-43.249	1.484	30.339	.000	.006	.002	.001
25	-.003	.128	.082	51.584	.018	.012	-.009	.001
26	40.125	43.335	-1.362	30.255	.016	.011	-.011	.006
27	47.256	50.769	-1.755	-15.913	.004	.011	-.001	.001
28	15.430	16.323	-.664	-48.998	-.001	.036	.002	.009
29	-29.234	-31.473	1.043	-41.658	.004	.052	.002	.012
30	-49.698	-53.621	1.749	.051	-.000	.016	.001	.004
31	-29.264	-31.271	1.206	41.690	.005	.011	-.006	-.001
32	15.369	16.531	-.485	48.951	.003	.011	-.006	.000
CORRELATION COEFFICIENT			-.03469					

SINUSOIDAL-BIASED DATA-W

PSEUDO DATA RUN 3

600	032	1	1	0	0							
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
-9	-3	6	10	6	-3	-10	-8	0	8	9	3	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
-9	-3	6	10	6	-3	-10	-8	0	8	9	3	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
-9	-3	6	10	6	-3	-10	-8	0	8	9	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
-9	-3	6	10	6	-3	-10	-8	0	8	9	3	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
-9	-3	6	10	6	-3	-10	-8	0	8	9	3	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
9	9	0	-8	-9	-3	6	10	6	-3	-10	-8	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
-5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
0	8	9	3	-5	-10	-7	3	9	9	0	-8	
-9	-3	6	10	6	-3	-10	-8	0	8	9	3	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	
5	-10	-7	3	9	9	0	-8	-9	-3	6	10	
6	-3	-10	-8	0	8	9	3	-5	-10	-7	3	

SBM-2

TM No. 377

SINUSOIDAL-BIASED DATA - U

-10	-6	3	9	10	1	-7	-10	-4	6	11	7
-3	-9	-9	0	8	9	4	-7	-10	-6	3	9
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
-3	-9	-9	0	8	9	4	-7	-10	-6	3	9
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-3	-9	-9	0	8	9	4	-7	-10	-6	3	9
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
-3	-9	-9	0	8	9	4	-7	-10	-6	3	9
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
10	1	-7	-10	-4	6	11	7	-3	-9	-9	0
-3	-9	-9	0	8	9	4	-7	-10	-6	3	9
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
10	1	-7	-10	-4	6	11	7	3	9	-9	0
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
-4	6	11	7	-3	-9	-9	0	8	9	4	-7
10	1	-7	-10	-4	6	11	7	3	9	-9	0
-10	-6	3	9	10	1	-7	-10	-4	6	11	7
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
10	1	-7	-10	-4	6	11	7	3	-9	-9	0
8	9	4	-7	-10	-6	3	9	10	1	-7	-10
10	1	-7	-10	-4	6	11	7	3	-9	-9	0
8	9	4	-7	-10	-6	3	9	10	1	-7	-10

0000000

APPENDIX D

DIGITAL COMPUTER PROGRAMS

The various computer programs discussed in chapter III are presented here in abbreviated form for the convenience of those wishing to consider similar analysis of oceanographic data. These programs were used on one or all of the following digital computers.

(1) An International Business Machine (I.B.M.) 7090 digital computer at the Massachusetts Institute of Technology Computation Center.

(2) An I.B.M. 1620 and a Control Data Corporation (C.D.C.) 3200 digital computer at the Naval Underwater Weapons Research and Engineering Station computer laboratory.

The programs are in standard fortran language. A brief statement of definitions of non-standard or unique symbols and other helpful information are included.

The programs listed here were designed specifically for the wave studies. However, they can be made generally applicable to stationary time series data.

Velocity Conversion Program (VELTIME)

This program (discussed in chapter III) converts the punch card data, which contains the sign and relative time of voltage pulse occurrence (along with zero crossover information), into uninterpolated velocity data (cm sec^{-1}). The raw data punch cards contain five sequential pieces of data. A negative velocity is indicated by the number 2 (two) in the output listing.

Abbreviations used are:

EMSEC = The chart speed of the Sanburn recorder read in mm sec^{-1} .

IND(k) = Indicator of the direction of the positive pulses on the strip chart (to provide the proper sign for the velocity values);

i.e., IND = $\begin{cases} 0 & \text{denotes upward pulses} \\ 1 & \text{denotes zero crossing} \\ 2 & \text{denotes downward pulses.} \end{cases}$

Combination Spectrum Program (Program BBELS)

This flexible program contains three subprograms which include linear interpolation, orthogonal velocity corrections (of OMDUM III data), and spectrum analysis. The input is the velocity time data generated in the velocity


```

PROGRAM VELTIME
DIMENSION X(4500),IND(4500)
1 I=2
NN=1
N=1
READ(60,100)EMSEC
READ(60,102)X(1),IND(1),X(2),IND(2),X(3),IND(3),X(4),IND(4),X(5),
1 IND(5)
8 IF(X(I) .LT. 999999)9,5
9 IF(IND(I)-1)70,16,70
70 IF(IND(I)-IND(I-1))16,71,16
16 I=I+1
28 IF(I-(5*N+1))8,7,22
22 N=N+1
GO TO 28
7 READ(60,102)X(I),IND(I),X(I+1),IND(I+1),X(I+2),IND(I+2),X(I+3),
1 IND(I+3),X(I+4),IND(I+4)
GO TO 8
71 CONTINUE
14 D=X(I)-X(I-1)
TIME=(X(I)+X(I-1))/2.
D=((D/15.6)/EMSEC)*1000.
TIME=TIME/15.6
TIME=TIME/EMSEC
IF(D .LE. 20.99)36,37
36 Y=(D-15.54)/(7410.2907E-05-7837.2527E-06*D)+210.70000
GO TO 25
37 IF(D .LE. 33.48)38,39
38 Y=(D-23.00)/(5994.0137E-05-8476.9629E-06*D)+140.000
GO TO 25
39 IF(D .LE. 93.62)40,41
40 Y=.66680522E-07*D**5-.14699011E-04*D**4+.72463350E-03*D**3
Y=Y+.55538870E-01*D**2-.69160109E+01*D+.25032362E+03
GO TO 25
41 IF(D .LE. 239.2)42,43
42 Y=(D-115.5)/(1.20498400-.038643265*D)+28.40
GO TO 25
43 Y=(D-288.7)/(34.199517-.16685755*D)+12.60
25 IF(IND(I)-1)26,26,27
27 Y=-1.*Y
26 WRITE(10,101)Y,TIME,I
WRITE(61,101)Y,TIME,I
I=I+1
NN=NN+1
GO TO 28
5 END FILE 10
REWIND 10
DO 60 K=1,NN
READ(10,101)Y,TIME,I
WRITE(62,101)Y,TIME,I
60 CONTINUE
REWIND 10
100 FORMAT(F6.0,I3,I3,F4.0)
101 FORMAT(F10.5,F10.5,I5)
102 FORMAT(5(F6.0,I2,8X))
GO TO 1
END

```

conversion program. The input can be a single time series (as $w(t)$), a paired time series (as $u(t)$, $w(t)$) from the OMDUM system, which may or may not be corrected; or a paired time series from the LINDUM system (as w_1 and w_2 , or u_1 and u_2). The usual auto-spectrum analysis is performed on the single time series. On all paired time series both the auto-spectrum and cross-spectrum operations are performed (as discussed in chapter III). The interpolation program (entitled PROGRAM BBELS) is discussed in chapter III. The correction program is entitled SUBROUTINE CORRECT. The third program, the spectrum analysis, is entitled SUBROUTINE SPECTRA. The following abbreviations are used.

$u(I)$ = Interpolated velocity data from u meter (or upper meter)

$w(I)$ = Interpolated velocity from vertical w (or lower meter)

ML = Number of lags for spectral estimates (limit is set at 100)

CODE = $\begin{cases} 0 & \text{denotes single time series} \\ 1 & \text{denotes OMDUM data} \\ -1 & \text{denotes LINDUM data} \end{cases}$

IO1 = Number of series

YO2 = Depth of instrument

IO3 = The nth measurement at the particular depth.

YO4 = Time interval (sec)

$U(J)$ = Uninterpolated velocity

$T(J)$ = Time of occurrence of $U(J)$ velocity.

Note: The CDC 3200 program has a capacity to take 32×10^3 single time series data pieces or 2400 data pairs.


```

PROGRAM BRFLS
  DIMENSION T(2400),V(2400)
  COMMON VNEW(2400),YNEW(2400)
731 READ(60,600) M1,CODE
  READ(60,604) I01,Y02,I03,Y04
  WRITE(61,605) I01,Y02,I03
  WRITE(62,605) I01,Y02,I03
1000 FORMAT(1X,10H OK SO FAR)
  10 FORMAT(2F10.5,I1)
  11 FORMAT(1X,2F10.5,I5)
 600 FORMAT(14,F4.0,I4,I4)
 604 FORMAT(5X,I3,F4.1,I2,F5.2)
 605 FORMAT(1H1,6HBRFLS-,I3,3X,F3.1,2HM-,I3)
  A=.2
  Z=.2
  M=1
  B=.2
  N=0
  J=1
 15 READ(60,100) V(J),T(J),LL
  N=N+1
  J=J+1
  IF (LL)2,15,2
  2 DO 90 J=2,N
  9 IF (T(J-1)-A)4,5,21
  21 A=A+Z
  GO TO 9
  4 IF (T(J)-A) 90,90,5
  5 TDIFF=T(J)-T(J-1)
  VDIFF=V(J)-V(J-1)
  6 TNUM=A-T(J-1)
  IF (T(J-1)-A)8,20,21
  8 RATIO=TNUM/TDIFF
  DINTP=RATIO*VDIFF
  VNEW(M)=V(J-1)+DINTP
  GO TO 220
  20 VNEW(M)=V(J-1)
 220 WRITE(61,11) VNEW(M),A,M
  M=M+1
  TEST=TDIFF-TNUM
  IF (TEST-8)90,90,25
  25 A=A+Z
  GO TO 6
  90 CONTINUE
  J1=M-1
  IF (CODE)732,555,732
732 AA=.2
  WRITE(61,1000)
  Z=.2
  M=1
  N=0
  J=1
 16 READ(60,10) V(J),T(J),LL
  N=N+1
  J=J+1
  IF (LL)22,16,22

```

```
22 DO 990 J=2,NO
98 IF (T(J-1)-AA) 44,55,210
210 AA=AA+7
    GO TO 98
44 IF (T(J)-AA) 990,990,55
55 TDIFF=T(J)-T(J-1)
    VDIFF=V(J)-V(J-1)
66 TNUM=AA-T(J-1)
    IF (T(J-1)-AA) 88,211,210
88 RATIO=TNUM/TDIFF
    DINTP=RATIO*VDIFF
    YNEW(MO)=V(J-1)+DINTP
    GO TO 222
211 YNEW(MO)=V(J-1)
222 WRITE(61,11) YNEW(MO),AA,MO
    MO=MO+1
    TEST=TDIFF-TNUM
    IF (TEST-R) 990,990,250
250 AA=AA+7
    GO TO 66
990 CONTINUE
    WRITE(61,1000)
    IF(M-MO)888,443,777
777 JJ=MO-1
    GO TO 443
888 JJ=M-1
443 IF(CODE) 555,555,444
444 CALL CORRECT (JJ)
555 CALL SPECTRA (JJ, CODE, M1, Y04, I01, Y02, I03)
    GO TO 731
END
```

3200 FORTRAN DIAGNOSTIC RESULTS - FOR BBELS

NO ERRORS


```

SUBROUTINE CORRECT (JJ)
COMMON U(2400), W(2400)
REAL LOGF
WRITE(61,1000)
DO 999 J=1,JJ
  IF (W(J)) 4,99,4
4  Y=U(J)/W(J)
  YY=ABSF(Y)
  IF (YY-1.5649) 10,11,11
10 X=(((-.71624037*YY-3.5271192)*YY+1.1616579)*YY+47.905764)*YY
  X=X-.0001549985
  GO TO 90
11 IF (YY-29.743803) 111,111,1111
1111 X=ATANF(YY)
  X=X*57.295788
  GO TO 90
111 X=(LOGF(YY-1.2058034)+9.7816200)/.14598791
90 THETA=X
  IF (Y) 3,98,2
  2 IF (THETA-45.) 18,18,19
18 RYTH=(-.001+.000085*THETA)*(THETA)+1.00
  A=90.-THETA
  IF (A-70.) 122,122,121
122 RXTH=-.00009*(A*A)+.01238*A+.758
  GO TO 20
121 RXTH=-.0005*(A*A)+.071*A-1.34
  GO TO 20
19 IF (THETA-70.) 118,118,119
118 RYTH=-.00009*(THETA*THETA)+.01238*THETA+.758
  A=90.-THETA
  GO TO 120
119 RYTH=(-.0005*(THETA*THETA)+.071*THETA-1.34)
  A=90.-THETA
120 RXTH=(-.001+.000085*A)*(A)+1.00
20 IF (U(J)) 7,98,8
  7 THETA=270.-THETA
  GO TO 9
  8 THETA=90.-THETA
  9 U(J)=U(J)/RXTH
  W(J)=W(J)/RYTH
  GO TO 25
98 IF (W(J)) 87,88,88
87 THETA=270.
  W(J)=-W(J)
  U(J)=0.
  GO TO 25
88 THETA=90.
  W(J)=W(J)
  U(J)=0.
  GO TO 25
3 IF (THETA-45.) 28,28,29
28 RYTH=(-.001+.000085*THETA)*THETA+1.00
  A=90.-THETA
  IF (A-70.) 222,222,221
222 RXTH=(-.00009*(A*A)+.01238*A+.758)
  GO TO 30

```

```

221 RXTH=(-.0005*(A*A)+.071*A-1.34)
    GO TO 30
29 IF (THETA-70.) 218,218,219
218 RYTH=(-.00009*(THETA*THETA)+.01238*THETA+.758)
    A=90.-THETA
    GO TO 220
219 RYTH=(-.0005*(THETA*THETA)+.071*THETA-1.34)
    A=90.-THETA
220 RXTH=(-.001+.000085*A)*(A)+1.00
    30 IF (U(J)) 37,98,38
    37 THETA=90.+THETA
    GO TO 40
    38 THETA=270.+THETA
    40 U(J)=U(J)/RXTH
    W(J)=W(J)/RYTH
    25 PRINT 6,U(J),W(J),THETA
    GO TO 999
    99 IF (U(J)) 103,102,101
101 THETA=0.
    U(J)=U(J)
    W(J)=0.
    GO TO 25
102 THETA=0.
    U(J)=0.
    W(J)=0.
    GOTO 25
103 THETA=180.
    U(J)=U(J)
    W(J)=0.
    GO TO 25
    77 FORMAT(F10.5)
    6 FORMAT(2F10.5,F7.2)
666 FORMAT (I5)
1000 FORMAT(1X,10H OK SO FAR)
999 CONTINUE
    RETURN
    END

```

3200 FORTRAN DIAGNOSTIC RESULTS - FOR CORRECT

NULL STATEMENT NUMBERS

666

77


```

SUBROUTINE SPECTRA(N, CODE, M1, Y04, I01, Y02, I03)
  DIMENSION A(100), R(100), C(100), D(100), E(100), F(100)
  COMMON X(2400), Y(2400)
  PI=3.14159
  WRITE(61,605) I01, Y02, I03
  SUMX=0.0
  SUMY=0.0
  IF(CODE) 11, 12, 11
11 DO 5 I=1, N
  SUMX=SUMX+X(I)
  5 SUMY=SUMY+Y(I)
  EN=N
  SUMY=SUMY/EN
  SUMX=SUMX/EN
  WRITE(62,606) M1, N, Y04
  WRITE(61,606) M1, N, Y04
  WRITE(62,607) SUMX
  WRITE(61,607) SUMX
  WRITE(62,608) SUMY
  WRITE(61,608) SUMY
  WRITE(62,609)
  WRITE(61,609)
  DO 973 I=1, N
  X(I)=X(I)-SUMX
973 Y(I)=Y(I)-SUMY
  GO TO 16
12 DO 4 I=1, N
  4 SUMX=SUMX+X(I)
  EN=N
  SUMX=SUMX/EN
  WRITE(62,606) M1, N, Y04
  WRITE(61,606) M1, N, Y04
  WRITE(62,607) SUMX
  WRITE(61,607) SUMX
  WRITE(61,603)
  WRITE(62,603)
  DO 913 I=1, N
913 X(I)=X(I)-SUMX
  15 M=M1+1
  M2=M1+1
  DO 22 L=1, M2
  SUM1=0.0
  SUM2=0.0
  SUM3=0.0
  DO 23 I=L, N
  L7=I-L+1
  SUM1=SUM1+X(L7)*X(I)
  SUM2=SUM2+X(L7)
23 SUM3=SUM3+X(I)
  Z7=N-L+1
  COEF=1./Z7
  COEF2=COEF**2
  A(L)=COEF*SUM1-COEF2*SUM2*SUM3
  IF(CODE) 25, 24, 25
25 SUM4=0.0
  SUM5=0.0

```

```

SUM5=0.0
SUM7=0.0
SUMR=0.0
DO 26 I=L,N
  L7=I-L+1
  SUM4=SUM4+Y(LZ)*Y(I)
  SUM5=SUM5+Y(LZ)
  SUM6=SUM6+Y(I)
  SUM7=SUM7+X(LZ)*Y(I)
26 SUMR=SUMR+Y(LZ)*X(I)
  B(L)=COEF*SUM4-COEF2*SUM5*SUM6
  C(L)=COEF*SUM7-COEF2*SUM2*SUM6
  D(L)=COEF*SUMR-COEF2*SUM5*SUM3
  E(L)=(D(L)+C(L))/2.
  F(L)=(D(L)-C(L))/2.
24 CONTINUE
22 CONTINUE
  DO 27 K=1,M2
    IF(K-1) 28,28,29
28 ZM1=M1
    DELT=1./(2.*ZM1)
    GO TO 32
29 IF(K-M2) 31,28,28
31 ZM1=M1
    DELT=1./ZM1
32 SUM1=0.0
    SUM2=0.0
    SUM3=0.0
    SUM4=0.0
    EM1=M1
    CAY=K-1
    DO 33 L=2,M2
      EL=L-1
      GUT=(1.+COSF(PI*EL/EM1))*COSF(PI*CAY*EL/EM1)
      SUM1=SUM1+GUT*A(L)
      IF (CODE) 35,33,35
35 SUM2=SUM2+GUT*B(L)
      SUM3=SUM3+GUT*E(L)
      SUM4=SUM4+(1.+COSF(PI*EL/EM1))*SINF(PI*CAY*EL/EM1)*F(L)
33 CONTINUE
      X1=DELT*(SUM1+A(1))
      IF (CODE) 37,36,37
37 Y1=DELT*(SUM2+B(1))
      Z=DELT*(SUM3+E(1))
      W=DELT*SUM4
      R=SQRT((Z**2+W**2)/(X1*Y1))
      T=ATANF(W/Z)
      T=T/.0174533
      P=7/SQRT(X1*Y1)
      Q=W/SQRT(X1*Y1)
      KK=K-1
      X1Q=M1
      XLQP=KK
      FXLP=(2.*XLQ*Y04)/XLQP
      WRITE(61,602)KK,A(K),B(K),E(K),F(K),X1,Y1,Z,W,FXLP,R,T
      WRITE(62,602)KK,A(K),B(K),E(K),F(K),X1,Y1,Z,W,FXLP,R,T
      GO TO 27

```



```

36 KK=K-1
   XI Q=M1
   XI QP=KK
   FXLP=(2.*XLQ*Y04)/XLQ
   FREQ=1000./FXLP
   WRITE(62,602)KK,A(K),X1,FXLP,FREQ
   WRITE(61,602)KK,A(K),X1,FXLP,FREQ
27 CONTINUE
   IF(CODE)39,38,39
39 CC=E(I)/SQRT(A(I)*R(I))
   WRITE(62,3)CC
   WRITE(61,3)CC
38 CONTINUE
609 FORMAT(48H K   ACOV U   ACOV W   COV IN   COV OUT SP U   SP W,28H CO
1   QUA   PER   R   PHI)
608 FORMAT(1X,2HMEAN v =,F10.5)
607 FORMAT(1X,2HMEAN U =,F10.5)
606 FORMAT(1H1.6HBHFLS=,I3,3X,F3.1,2HM=,I3)
602 FORMAT(I3,2F9.3,2F8.1,7F6.2)
606 FORMAT(I3,4HLAGS,3X,I5,11HDATA POINTS,5X,3HDT=,F4.2,3HSEC)
603 FORMAT(38H K   ACOV   SP   PERIOD   F(MC))
3   FORMAT(23H CORRELATION COEFFICIENT,F10.5)
RETURN
END

```

3200 FORTRAN DIAGNOSTIC RESULTS - FOR SPECTRA

7 ERRORS

040.56

IN 30. NM

Head-to-Tail Vector Plot Program (entitled PROGRAM NUWS)

This program (discussed in chapter III) prepares data punch cards from current meter data (consisting of current vector speed and direction). These cards are then placed in the Benson-Lehner electro-plotter, which plots the head-to-tail vector plot.

The abbreviations used are the following:

D = Direction of current ($^{\circ}$ T)

S = Magnitude of vector (cm sec^{-1})

L = $\begin{cases} 1 & \text{signifies end of data} \\ 0 & \text{continue reading.} \end{cases}$


```
PROGRAM NUUS
10 XX=0
11 YY=0
   K=1
   1 READ 2,DATE,S,0,L
   2 FORMAT(F6.1,25X,F4.0,24X,F4.0,I1)
     IF(L)10,S,10
   3 FORMAT(3F10.2,I4)
   5 IF (90.-D)4,6,6
   6 THETA=(90.-D)*.01745329
     GO TO 7
   4 THETA=(450.-D)*.01745329
   7 X=S*COSF(THETA)
     Y=S*SINF(THETA)
     XX=XX+X
     YY=YY+Y
   PUNCH 3,DATE,XX,YY,K
   PRINT 3,DATE,XX,YY,K
     K=K+1
     GO TO 1
   END
```

3200 FORTRAN DIAGNOSTIC RESULTS - FOR NUUS

NULL STATEMENT NUMBERS

11
LOAD,56

DISTRIBUTION

<u>Addressee</u>	<u>No. of Copies</u>
Director of Defense Research and Engineering Office of the Secretary of Defense Washington, D. C. 20301 Attn: Office, Assistant Director (Research)	1 1
Office of Naval Research Ocean Science & Technology Group Department of the Navy Washington, D. C. 20360 Attn: Surface & Amphibious Programs (Code 463) Attn: Undersea Programs (Code 466) Attn: Field Projects (Code 418) Attn: Geography Branch (Code 414) Attn: Ocean Science Programs (N61S)	2 1 1 1 1 1
Commanding Officer Office of Naval Research Branch Office 495 Summer Street Boston, Massachusetts 02210	1
Commanding Officer Office Of Naval Research Branch Office 219 South Dearborn Street Chicago, Illinois 60604	1
Commanding Officer Office of Naval Research Branch Office 1030 East Green Street Pasadena, California 91101	1
Commander Naval Ordnance Test Station Pasadena Annex 3202 Foothill Blvd. Pasadena, California 91107	1
Commanding Officer Naval Torpedo Station Keyport, Washington 98345	1
Commanding Officer Office of Naval Research Branch Office Navy #100, Fleet Post Office New York, New York 09510	5
Chief of Naval Operations (Op03EG)	1

<u>Addressee</u>	<u>No. of Copies</u>
Director Naval Research Laboratory Washington D. C. 20390 Attn: Code 5500	6
Commander U. S. Naval Oceanographic Office Washington, D. C. 20390 Attn: Code 1640 (Library) Attn: Code 031 Attn: Code 70 Attn: Code 90 Attn: Mr. Pat DeLeonibus	2 1 1 1 1 1
West Coast Support Group U. S. Naval Oceanographic Office c/o U. S. Navy Electronics Laboratory San Diego, California 92152	1
U. S. Naval Oceanographic Office Liaison Officer (Code 332) Anti-Submarine Warfare Force U.S. Atlantic Fleet Norfolk, Virginia 23511	1
U. S. Naval Oceanographic Office Liaison Officer Anti-Submarine Warfare Force Pacific Fleet Post Office San Francisco, California 96610	1
Commanding Officer Naval Torpedo Station Keyport, Washington 98345 (QEL Technical Library)	1
Commanding Officer and Director Naval Ship Research and Development Center Washington, D. C. 20007	1
Commander-in-Chief Submarine Force Pacific Fleet Fleet Post Office San Francisco, California 96610	1
Commander-in-Chief Pacific Fleet Fleet Post Office San Francisco, California 96610	1

<u>Addressee</u>	<u>No. of Copies</u>
Chief Naval Ordnance Systems Command Department of the Navy Washington, D. C. 20360 Attn: Mr. John Ropek 03C	1 2
Chief Naval Air Systems Command Department of the Navy Washington, D. C. 20360 Attn: AIR 370E	1 1
Office of the U. S. Naval Weather Service Washington Navy Yard Washington, D. C. 20390	 1
Chief Naval Facilities Engineering Command Department of the Navy Washington, D. C. 20390 Attn: Code 70	1 1
U. S. Navy Electronics Laboratory San Diego, California 92152 Attn: Code 3102 Attn: Code 3060C Attn: Dr. E. C. LaFond	 1 1 1
Commanding Officer and Director U. S. Naval Civil Engineering Laboratory Hueneme, California 93041	 1
Commanding Officer Pacific Missile Range Pt. Mugu, Hueneme, California 93041	 1
Commander, Naval Ordnance Laboratory White Oak Silver Spring, Maryland 20910	 1
Commanding Officer Naval Ordnance Test Station China Lake, California 93557	 1
Commanding Officer Naval Radiological Defense Laboratory San Francisco, California 94135	 1

<u>Addressee</u>	<u>No. of Copies</u>
Chief	1
Naval Ship Systems Command	
Department of the Navy	
Washington, D. C. 20360	
Attn: Code 1622B	1
Officer-in-Charge	1
U. S. Navy Weather Research Facility	
Naval Air Station, Bldg. R-48	
Norfolk, Virginia 23511	
Commanding Officer	1
U. S. Navy Air Development Center	
Warminster, Pennsylvania 18974	
Attn: NADC Library	1
U. S. Fleet Weather Central Joint Typhoon Warning Center	1
COMNAVMARIANAS Box 12	
San Francisco, California 94101	
Superintendent	1
U. S. Naval Academy	
Annapolis, Maryland 21402	
Department of Meteorology & Oceanography	2
U. S. Naval Postgraduate School	
Monterey, California 93940	
Commanding Officer	1
U. S. Navy Mine Defense Laboratory	
Panama City, Florida 32402	
Attn: Mr. Robert Williams	1
Commanding Officer	1
U. S. Naval Underwater Sound Laboratory	
New London, Connecticut 06321	
Officer-in-Charge	1
U. S. Fleet Numerical Weather Facility	
U. S. Naval Postgraduate School	
Monterey, California 93940	
Commanding Officer and Director	1
Naval Training Device Center	
Orlando, Florida 32813	

<u>Addressee</u>	<u>No. of Copies</u>
Headquarters, Air Weather Service (AWSS/TIPD) U. S. Air Force Scott Air Force Base, Illinois 62225	1
AFCRL (CRZF) L. G. Hanscom Field Bedford, Massachusetts 01730	1
Coastal Engineering Research Center Corps of Engineers Department of the Army Washington, D. C. 20310 Attn: Mr. Leo C. Williams	1
Army Research Office Office of the Chief of R&D Department of the Army Washington, D. C. 20310	1
U. S. Army Beach Erosion Board 5201 Little Falls Road, N.W. Washington, D. C. 20016	1
Director U. S. Army Engineers Waterways Experiment Station Vicksburg, Mississippi 49097 Attn: Research Center Library	1
Defense Documentation Center Cameron Station Alexandria, Virginia 20305	20
National Research Council 2101 Constitution Avenue, N. W. Washington, D. C. 20418 Attn: Committee of Undersea Warfare Attn: Committee on Oceanography	1 1
Laboratory Director California Current Resources Laboratory Bureau of Commercial Fisheries P. O. Box 271 La Jolla, California 92038	1

<u>Addressee</u>	<u>No. of Copies</u>
Commander First Coast Guard District Headquarters 1400 Custom House Boston, Massachusetts 02109	1
Director Coast & Geodetic Survey - U.S. ESSA Attn: Office of Hydrography & Oceanography Washington Science Center Rockville, Maryland 20852	1
Director Atlantic Marine Center Coast & Geodetic Survey - U.S. ESSA 439 West York Street Norfolk, Virginia 23510	1
Director Institute for Oceanography U. S. ESSA Gramax Building Silver Spring, Maryland 20910	1
U. S. ESSA Geophysical Sciences Library (AD 712) Washington Science Center Rockville, Maryland 20852	1
Commanding Officer Coast Guard Oceanographic Unit Bldg. 159, Navy Yard Annex Washington, D. C. 20390 Attn: Mr. Melvin Light	1
Chief, Office of Marine Geology & Hydrology U. S. Geological Survey Menlo Park, California 94025	1
Director Pacific Marine Center Coast and Geodetic Survey - U.S. ESSA 1801 Fairview Avenue, East Seattle, Washington 98102	1

<u>Addressee</u>	<u>No. of Copies</u>
Geological Division Marine Geology Unit U. S. Geological Survey Washington, D. C. 20240	1
National Science Foundation Office of Sea Grant Programs 1800 G Street, N. W. Washington, D. C. 20550	1
Director Geophysical Fluid Mechanic Research Laboratory ESSA 615 Pennsylvania Avenue, N. W. Washington D. C. 20004 Attn: Dr. A. H. Dort	1
Bureau of Commercial Fisheries & Wildlife U. S. Fish and Wildlife Service, Librarian Sandy Hook Marine Laboratory P. O. Box 428 Highlands, New Jersey 07732	1
Director National Oceanographic Data Center Washington, D. C. 20390	2
Laboratory Director Biological Laboratory Bureau of Commercial Fisheries #75 Virginia Beach Drive Miami, Florida 33149	1
Director, Bureau of Commercial Fisheries U. S. Fish & Wildlife Service Department of the Interior Washington, D. C. 20240	1
Dr. Gene A Rusnak U. S. Geological Survey Marine Geology & Hydrology 345 Middlefield Road Menlo Park, California 94025	1
Assistant Director Oceanography Museum of Natural History Smithsonian Institution Washington, D. C. 20560	1
Laboratory Director, Biological Laboratory Bureau of Commercial Fisheries, P. O. Box 6 Woods Hole, Mass. 02543	1

AddresseeNo. of Copies

Advanced Research Projects Agency The Pentagon Washington, D. C. 20310 Attn: Nuclear Test Detection Office	1
Director Woods Hole Oceanographic Institution Woods Hole, Massachusetts 02543	2
Director Narragansett Marine Laboratory University of Rhode Island Kingston, Rhode Island 02881	1
Gulf Coast Research Laboratory Ocean Springs, Mississippi 39564 Attn: Librarian	1
University of Rhode Island Kingston, Rhode Island 02881 Attn: Prof. R. Hill Attn: Prof. R. Dowdell Attn: Prof. F. Middleton	1 1 1
Chairman, Department of Meteorology & Oceanography New York University New York, New York 10453 Attn: Prof. A. D. Kirwan	1 1
Director Lamont Geological Observatory Columbia University Palisades, New York 10964 Attn: Dr. Takash Ichive	1 1
Director Hudson Laboratories 145 Palisade Street Dobbs Ferry, New York 10522	1
Great Lakes Research Division Institute of Science & Technology University of Michigan Ann Arbor, Michigan 48105 Attn: Dr. Vincent E. Noble	1 1

<u>Addressee</u>	<u>No. of Copies</u>
Department of Physics Northern Michigan University Marquette, Michigan 49855	1
Director Chesapeake Bay Institute Johns Hopkins University Baltimore, Maryland 21218 Attn: Prof. Blair Kinsman	1
Director, Marine Laboratory University of Miami #1 Rickenbacker Causeway Miami, Florida 33149 Attn: Prof. Eric Kraus	1
Head, Department of Oceanography & Meteorology Texas A&M University College Station, Texas 77843	2
Director Scripps Institution of Oceanography La Jolla, California 92038	1
Allan Hancock Foundation University Park Los Angeles, California 90007	1
Head, Department of Oceanography Oregon State University Corvallis, Oregon 97331	1
Director, Arctic Research Laboratory Pt. Barrow, Alaska 99723	1
Director SACLANT ASW Research Centre Viale San Bartolameo, 92 La Spezia, Italy	1
Head, Department of Oceanography University of Washington Seattle, Washington 98105	1
Geophysical Institute of the University of Alaska College, Alaska 99735	1

<u>Addressee</u>	<u>No. of Copies</u>
Director Bermuda Biological Station for Research St. Georges, Bermuda	1
Director Hawaiian Marine Laboratory University of Hawaii Honolulu, Hawaii 96825	1
President Osservatorio Geofisico Sperimentale Trieste, Italy	1
Department of Engineering University of California Berkeley, California 94720	1
Applied Physics Laboratory University of Washington 1013 N. E. Fortieth Street Seattle, Washington 98105	1
Physical Oceanographic Laboratory Nova University 1786 S. E. Fifteenth Avenue Fort Lauderdale, Florida 33316	1
Director Ocean Research Institute University of Tokyo Tokyo, Japan	1
Marine Biological Association of the United Kingdom The Laboratory Citadel Hill Plymouth, England	1
Serials Department University of Illinois Library Urbana, Illinois 61801	1
New Zealand Oceanographic Institute Department of Scientific and Industrial Research P. O. Box 8009 Wellington, New Zealand Attn: Librarian	1

AddresseeNo. of Copies

Director Instituto Nacional de Oceanographia Rivadavia 1917-R25 Buenos Aires, Argentina	1
Lieutenant Nestor C. L. Granelli Head, Geophysics Branch Montevideo 459, 4 ^o "A" Buenos Aires, Argentina	1
Oceanographische Forschungsanstalt der Bundeswehr Lornsenstrasse 7 Kiel, Federal Republic of Germany	1
Underwater Warfare Division of the Norwegian Defense Research Establishment Karljohansvern, Horten, Norway	1
Department of Geodesy & Geophysics Columbia University Cambridge, England	1
Institute of Oceanography University of British Columbia Vancouver, B. C., Canada	1
Department of the Geophysical Sciences University of Chicago Chicago, Illinois 60637	1
Coastal Engineering Laboratory University of Florida Gainesville, Florida 32601	1
Marine Science Center Lehigh University Bethlehem, Pennsylvania 18015	1
Dr. W. Krauss Institute Für Meereskunde Universität Kiel Hohenberg Strasse 2 Kiel Federal Republic of Germany	1

AddresseeNo. of Copies

Institute of Geophysics	1
University of Hawaii	
Honolulu, Hawaii 96825	

Department of Geology & Geophysics	1
Massachusetts Institute of Technology	
Cambridge, Massachusetts 02139	
Attn: Prof. William von Arx	1

Division of Engineering and Applied Physics	1
Harvard University	
Cambridge, Massachusetts 02138	

Department of Geology	1
Yale University	
New Haven, Connecticut 06520	

Westinghouse Electric Corporation	1
1625 K Street, N. W.	
Washington, D. C. 20006	

Director	1
Department of Meteorology	
Massachusetts Institute of Technology	
Cambridge, Massachusetts 02139	
Attn: Prof. Erik Mollö-Christensen	1
Attn: Prof. Delbar Keily	1
Attn: Prof. Henry Stommel	1

Dr. E. A. Earlston Doe	1
Bedford Institute of Oceanography	
Dartmouth, Nova Scotia	
Canada	

Mr. Henry Charnock	1
National Institute of Oceanography	
Wormley, Godalming	
Surrey, England, U.K.	
Attn: Mr. Norman Smith	1

Director	1
Ordnance Research Laboratory	
Penn State University	
University Park, Pa. 16801	

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Naval Underwater Weapons Research and Engineering Station, Newport, R. I.		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP	
3. REPORT TITLE OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) (2 Volumes)			
5. AUTHOR(S) (Last name, first name, initial) Shonting, David H.			
6. REPORT DATE July 1967		7a. TOTAL NO. OF PAGES Vol. 1 - 320 Vol. 2 - 300	7b. NO. OF REFS 111
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) TM No. 377	
b. PROJECT NO.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
c. Task Assignment No. RU22-2E-000/219 1/R104-03-01			
d.			
10. AVAILABILITY/LIMITATION NOTICES Distribution of this report is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY NUWS - NOSC	
13. ABSTRACT Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quasisinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.			

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Ocean Waves Oceanographic Research Sea Surface Wave Meters (ocean) Wave Motions Wind Waves						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICES:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.

<p>Naval Underwater Weapons Research and Engineering Station, Newport, R. I. (TM No. 377)</p> <p>OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.</p> <p>UNCLASSIFIED</p> <p>Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave</p>	<ol style="list-style-type: none"> 1. Oceanographic Research 2. Ocean Waves 3. Sea Surface 4. Wind Waves 5. Wave Meters (ocean) 6. Wave Motions <p>1. Shonting, D. H.</p> <p>Task Assignment No. RU22-2E-000/219 1/R004-03-01</p> <p>UNCLASSIFIED</p>
<p>Naval Underwater Weapons Research and Engineering Station, Newport, R. I. (TM No. 377)</p> <p>OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.</p> <p>UNCLASSIFIED</p> <p>Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave</p>	<ol style="list-style-type: none"> 1. Oceanographic Research 2. Ocean Waves 3. Sea Surface 4. Wind Waves 5. Wave Meters (ocean) 6. Wave Motions <p>1. Shonting, D. H.</p> <p>Task Assignment No. RU22-2E-000/219 1/R004-03-01</p> <p>UNCLASSIFIED</p>
<p>Naval Underwater Weapons Research and Engineering Station, Newport, R. I. (TM No. 377)</p> <p>OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.</p> <p>UNCLASSIFIED</p> <p>Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave</p>	<ol style="list-style-type: none"> 1. Oceanographic Research 2. Ocean Waves 3. Sea Surface 4. Wind Waves 5. Wave Meters (ocean) 6. Wave Motions <p>1. Shonting, D. H.</p> <p>Task Assignment No. RU22-2E-000/219 1/R004-03-01</p> <p>UNCLASSIFIED</p>
<p>Naval Underwater Weapons Research and Engineering Station, Newport, R. I. (TM No. 377)</p> <p>OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.</p> <p>UNCLASSIFIED</p> <p>Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave</p>	<ol style="list-style-type: none"> 1. Oceanographic Research 2. Ocean Waves 3. Sea Surface 4. Wind Waves 5. Wave Meters (ocean) 6. Wave Motions <p>1. Shonting, D. H.</p> <p>Task Assignment No. RU22-2E-000/219 1/R004-03-01</p> <p>UNCLASSIFIED</p>

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

Naval Underwater Weapons Research and Engineering Station, Newport, R. I.
(TM No. 377)

OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.

UNCLASSIFIED

Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave

1. Oceanographic Research
2. Ocean Waves
3. Sea Surface
4. Wind Waves
5. Wave Meters (ocean)
6. Wave Motions

I. Shonting, D. H.

Task Assignment No.
RU22-2E-000/219
1/R004-03-01
UNCLASSIFIED

Naval Underwater Weapons Research and Engineering Station, Newport, R. I.
(TM No. 377)

OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.

UNCLASSIFIED

Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave

1. Oceanographic Research
2. Ocean Waves
3. Sea Surface
4. Wind Waves
5. Wave Meters (ocean)
6. Wave Motions

I. Shonting, D. H.

Task Assignment No.
RU22-2E-000/219
1/R004-03-01
UNCLASSIFIED

Naval Underwater Weapons Research and Engineering Station, Newport, R. I.
(TM No. 377)

OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.

UNCLASSIFIED

Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave

1. Oceanographic Research
2. Ocean Waves
3. Sea Surface
4. Wind Waves
5. Wave Meters (ocean)
6. Wave Motions

I. Shonting, D. H.

Task Assignment No.
RU22-2E-000/219
1/R004-03-01
UNCLASSIFIED

Naval Underwater Weapons Research and Engineering Station, Newport, R. I.
(TM No. 377)

OBSERVATIONS OF PARTICLE MOTIONS IN OCEAN WAVES (2 Vol.), by D. H. Shonting. July 1967, Vol. 1 - 320pp; Vol. 2 (Appendices) - 300pp.

UNCLASSIFIED

Ducted impeller wave meters were suspended from the Buzzards Bay Entrance Light Station to measure particle motions in wind waves at various depths beneath the free surface. The motions recorded display quas sinusoidal oscillations having an approximate 90° phase shift between the horizontal and vertical velocity components that lie normal to the wave

1. Oceanographic Research
2. Ocean Waves
3. Sea Surface
4. Wind Waves
5. Wave Meters (ocean)
6. Wave Motions

I. Shonting, D. H.

Task Assignment No.
RU22-2E-000/219
1/R004-03-01
UNCLASSIFIED

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.

crests. The wave kinetic energy associated with the variances in the wave motions shows a strong depth attenuation, but this attenuation is not as great as the exponential energy decrease exhibited by a classical trochoidal wave. Integrals of the wave kinetic energy contained in the water column were approximately equal to the estimated potential energy of the waves.