IMAGE EVALUATION TEST TARGET (MT-3)

Photographic
Sciences
Corporation

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1981

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

- ☒ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distortion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:/
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☐ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☐ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
☐	☐	☐	☒	☐	☐
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:

National Library of Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\rightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque nationale du Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\rightarrow$ signifie "À SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

Can.
Pam. Whiteaves, June 17.
C. S.

COLONIAL AND INDIAN EXHIBITION.

CATALOGUE

OF

CANADIAN PINNIPEDIA, CETACEA,
FISHES

AND

MARINE INVERTEBRATA

EXHIBITED BY THE

DEPARTMENT OF FISHERIES OF THE DOMINION
GOVERNMENT.

BY

J. F. WHITEAVES, F.G.S., F.R.S.C.

OTTAWA.

1886

CANADA

NATIONAL LIBRARY
BIBLIOTHÈQUE NATIONALE

CATALOGUE
OF
CANADIAN PINNIPEDIA, CETACEA,
FISHES
AND
MARINE INVERTEBRATA

EXHIBITED BY THE
DEPARTMENT OF FISHERIES OF THE DOMINION
GOVERNMENT.

BY
J. F. WHITEAVES, F.G.S, F.R.S.C.

OTTAWA.

1886

CA

EX

No

No
19

18

CATALOGUE
OF
CANADIAN PINNIPEDIA. CETACEA, FISHES
AND MARINE INVERTEBRATA
EXHIBITED BY THE DEPARTMENT OF FISHERIES OF
THE DOMINION GOVERNMENT.

By J. F. WHITEAVES, F.G.S., F.R.S.C., &c.

PINNIPEDIA.

FAMILY ODOBENIDÆ.—(Walruses.)

Odobæus rosmarus, L. (Sp.).—*Atlantic Walrus*.

Skull. Locality not stated. Also specimen, stuffed,
from Hudson's Bay.

FAMILY PHOCIDÆ.—(Earless Seals.)

Phoca vitulina, L.—*Harbour Seal*.

No. 194. One specimen, stuffed, from the Gulf of St. Lawrence.

Phoca Grœnlandica, Fabricius.—*Harp Seal*.

Nos. 191, Specimens from one to three years old, from the Gulf
192, 193. of St. Lawrence.
One adult specimen from Blanc Sablon, Strait of Belle
Isle.

Cystophora cristata, Erxleben.—*Hooded Seal*.

Nos. Two specimens, stuffed, from the Gulf of St. Lawrence.
188, 189.

CETACEA.

FAMILY DELPHINIDÆ.—(The Dolphins, etc.)

Phocæna communis, Cuvier.—*Common Porpoise*.Nos.
198, 199.

Two stuffed specimens from the Gulf of St. Lawrence.

FISHES.

In this list the classification and nomenclature adopted (except some of the local English names) are those of Jordan & Gilberts' "Synopsis of the Fishes of North America," published in 1883 in the 24th Volume of the Smithsonian Miscellaneous Collections.*

CLASS ELASMOBRANCHII.

SUB-CLASS SELACHII.
(The Sharks and Rays.)ORDER SQUALI.
(The Sharks.)

FAMILY SCYMNIIDÆ.—(The Sleeper Sharks.)

Somniosus microcephalus, Bloch. (*Scyrnus borealis*, auct.)—*The Greenland Shark*.

No. 181.

One large specimen, stuffed, from opposite the mouth of the Saguenay River, P. Q., the original weight of which was 600 lbs. Said to be a formidable foe of the whale.

* These identifications of fishes must be regarded as provisional to a certain extent, most of the species being represented by stuffed specimens, which could not be closely examined owing to their being mounted in closed cases.

FAMILY SPINACIDÆ.—(The Dog-fishes.)

Squalus acanthias, L.—*Picked Dog-fish*.Nos. 155,
140 & 144.

One female (stuffed) from British Columbia.
Two stuffed specimens from the Gulf of St. Lawrence.
Two fetal specimens, in alcohol.

FAMILY LAMNIDÆ.—(The Porbeagles.)

Lamna cornubica, Gmelin.—*Beaumaris Shark*—*Porbeagle*.No. 186.
No. 187.

One male specimen (stuffed) from the Gulf of St. Lawrence.
One female specimen from the Gulf of St. Lawrence.

ORDER RAJÆ.
(The Rays.)

FAMILY RAJIDÆ.—(The True Rays.)

Raja radiata, Donovan.—*Starry Ray*.

No. 202.

One specimen, in alcohol. With egg capsule.

Raja lævis, Mitchell.—*Smooth Skate*.

No. 179.

Two large specimens from New Brunswick.

SUB-CLASS HOLOCEPHALI.
(The Chimæras.)ORDER HOLOCEPHALI.
(The Chimæras.)

FAMILY CHIMERIDÆ.—(The Chimæras.)

Chimæra Colliei, Bennett.—*Rat-fish*—*Elephant-fish*.

No. 163.

Male and female (stuffed) from the coast of British Columbia.

Mr. Anderson, late Inspector of Fisheries for that province, says: "This fish is viviparous. The male is provided with a cartilaginous snout, armed with recurved teeth on its extremity. This projection is described as being used occasionally as a weapon of defense, but its normal use is that of a prehensile organ subservient to the purpose of reproduction."

CLASS PISCES.
(The True Fishes.)

SUB-CLASS CHONDROSTEI.
(The Sturgeons.)

ORDER SELACHOSTOMI.
(The Paddle-fishes.)

FAMILY POLYODONTIDÆ.—(The Paddle-fishes.)

Polyodon spathula, Walbaum.—*Paddle-nosed Sturgeon.*

No. 99.

One stuffed specimen from Lake Ontario, near Sarnia,
Ont.

ORDER GLANIOSTOMI.
(The Sturgeons.)

FAMILY ACIPENSERIDÆ.—(The Sturgeons.)

Acipenser sturio, L., *var oxyrhynchus*, Mitchill.—*Sharp-nosed Sturgeon—American Sturgeon.*

No. 196.

One large stuffed specimen, about 8 ft. in length, from
the St. Lawrence River.

No. 103.

Seven small specimens from Lake Erie.

Nos.

111, 123.

Two do. from the Lower St. Lawrence, and one from
the same locality.

No. 203.

Two small specimens in alcohol.

Acipenser brevirostris, Le Sueur.—*Short-nosed Sturgeon.*

No. 98.

One large stuffed specimen from Lake Ontario.

Acipenser transmontanus, Richardson.—*White Sturgeon—Columbia River Sturgeon.*

No. 195.

One stuffed specimen, whose weight when caught was
150 lbs., from the mouth of the Fraser River, British
Columbia.

SUB-CLASS HOLOSTEI.
(The Bony Ganoids.)

ORDER GINGLYMODI.
(The Gar Pikes.)

FAMILY LEPIDOSTEIDÆ.—(The Gar Pikes.)

Lepidosteus osseus, L.—*Common Gar-pike—Long-nosed Gar.*

- No. 8. Two stuffed specimens from Lake Ontario.
No. 8. (a) One specimen from the Catineau River, P. Q.

ORDER HALECOMORPHI.
(The Amias.)

FAMILY AMIIDÆ.—(The Mud-fishes.)

Amia calva, L.—*Mud-fish—Beaver-fish—Dog-fish.*

- No. 112. One stuffed specimen from Lake St. Peter, P. Q.
No. 159. Two stuffed specimens from Lake Ontario.

SUB-CLASS PHYSOSTOMI.
(The Soft-rayed Fishes.)

ORDER NEMATOGNATHI.
(The Cat-fishes.)

FAMILY SILURIDÆ.—(The Cat-fishes.)

Amiurus catus, L.—*Common Cat-fish—Small Cat-fish—Horned Pout.*

- No. 133. Two stuffed specimens from Lake Ontario.

Ictalurus nigricans, Le Sueur.—*Lake Cat-fish—Great Forked-tailed Cat-fish.*

- No. 131. One stuffed specimen from Lake Ontario.
No. 132. One stuffed specimen from Red River, Manitoba..

ORDER EVENTOGNATHI.
(The Plectospondylous Fishes.)

FAMILY CATASTOMIDÆ.—(The Suckers.)

- Carpistes cyprinus**, Le Sueur.—*High-finned Sucker—Quill-back—Sail-fish, etc.*
- No. 147. One stuffed specimen from Lake Erie.
- Catostomus Commersoni**, Lacépède. (C. Teres, Mitchill.)—*Small-seated Sucker—Common Sucker.*
- No. 137. Two stuffed specimens from Lake Ontario.
- Moxostoma aureolum**, Le Sueur.—*Large-seated Sucker—Red-finned Sucker.*
- No. 124. One stuffed specimen from Lake Ontario.
- No. 135. One stuffed specimen from Lake Ontario.
- No. 136. One stuffed specimen from Ontario.
- No. 146. Two stuffed specimens from Lake Ontario.

ORDER ISOSPONDYLI.
(The Isospondylous Fishes.)

FAMILY HYODONTIDÆ.—(The Moon-Eyes.)

- Hyodon tergisus**, Le Sueur.—*Moon Eye—Toothed Herring.*
- No. 63. Five stuffed specimens from Lake Ontario.

FAMILY CLUPEIDÆ.—(The Herrings.)

- Clupea harengus**, L.—*Common Herring—Labrador Herring.*
- No. 204. Several specimens in alcohol, in one large bottle.
- Clupea vernalis**, Mitchill. (*Alosa tyrannus*, Storer.)—*Gaspereau—Alewife.*
- No. 205. Six specimens in alcohol, in one bottle.
- Clupea (Alosa) sapidissima**, Wilson.—*Common Shad.*
- No. 151. One stuffed specimen.
- No. 153. One stuffed specimen.
- No. 206. Six specimens in alcohol, three bottles.

FAMILY SALMONIDÆ.—(The Salmon Family.)

Mallotus villosus, Muller.—*Capelin*.

- No. 207. Three specimens, in alcohol, from the Gulf of St. Lawrence.

Osmerus mordax, Mitchell.—*American Smelt*.

- No. 152. Eleven stuffed specimens from the Miramichi River, New Brunswick.
No. 208. A number of specimens in alcohol, in one large bottle.

Coregonus clupeaformis, Mitchell.—*Common White-fish*.

- No. 31. Seven small stuffed specimens of a local variety from Lake Simcoe.
No. 32. Five specimens from Lake Erie.
No. 45. One large specimen, stuffed.
No. 46. One large specimen, stuffed.
No. 62. Four stuffed specimens of a variety from Ontario locally known as "greybacks."

Coregonus (Argyrosomus) Artedii, Le Sueur.—*Lake Herring—Ciscu*.

- No. 30. Nine stuffed specimens from Lake Erie.
No. 209. Three specimens in alcohol.

Onchorhynchus keta? Walbaum.—*Hook-nosed Salmon—Dog Salmon—Quô-lo*.

- No. 14. One specimen from coast of British Columbia (stuffed).
No. 25. " " " " "
No. 36. " " " " "
No. 53. " " " " "

Onchorhynchus tshawytscha, Walbaum. (*Salmo quinnat*, Richardson.)—"Quinnat"—*Spring Salmon—Saw-quai*.

- No. 2. Large specimen from River's Inlet, opposite Queen Charlotte's Sound, B.C., which weighed 73 lbs. when caught.
No. 3. Another specimen from the same locality, which weighed 70 lbs. when caught.
No. 12. Another specimen from British Columbia.
No. 13. Specimen caught in Royal Roads, near Victoria, V. I., whose weight was 20 lbs.

Nos. 15, 35, and 37.	Specimens from British Columbia. (One in case No. 35 doubtful.)	No. 20
No. 56.	Young specimen hatched at Newcastle, Ont.	No. 27
No. 57.	Five young salmon belonging to this species.	No. 28
	Onchorhynchus nerka? Walbaum.— <i>Suck-kai</i> or <i>Blue-back Salmon</i> .	No. 29
No. 68.	"Ripe" male, stuffed, from New Westminster; original weight $7\frac{1}{2}$ lbs.	No. 40
	Salmo salar , L.— <i>Salmon</i> — <i>Atlantic Salmon</i> .	No. 41
No. 1.	Adult male in breeding season, from Restigouche River.	No. 42
No. 10.	Adult female, from the same river.	No. 43
No. 11.	Adult male, from the Restigouche River.	No. 44
No. 22.	Female, from Lake Ontario.	No. 45
No. 23.	Male, from Lake Ontario.	No. 46
No. 24.	Female, species doubtful; locality not stated.	No. 47
No. 36.	Specimen from Restigouche River.	No. 48
No. 51.	Specimen from Lake Ontario.	No. 49
No. 52.	Another specimen from the same locality.	No. 50
No. 54.	Two stuffed grilse from Lake Ontario.	No. 51
No. 55.	One specimen, species doubtful; locality not stated.	No. 52
No. 210.	Specimen raised artificially in pond at Tadoussac, which weighed 10 lbs. when caught. In alcohol.	No. 53
	Two young specimens in alcohol in one bottle.	No. 54
	Ten smolts or parrs in alcohol, in two bottles.	No. 55
	Number of fry in alcohol, in two bottles.	No. 56
	Salmo salar , var. Sebago .— <i>Land-locked Salmon</i> — <i>Winninich</i> .	No. 57
No. 39.	One specimen from Lake St. John, at the head of the Saguenay River, P. Q., stuffed.	No. 58
	Salvelinus namaycush , Bloch. Including the vars. <i>niscochet</i> , <i>confinis</i> and <i>toma</i> .— <i>Great Lake Trout</i> — <i>Lunge</i> (of Lake Memphremagog)— <i>Tuladi</i> (of New Brunswick).	No. 59
No. 4.	One large specimen from Lake Huron; weight $7\frac{1}{2}$ lbs.; stuffed.	No. 60
No. 9.	One small specimen from the Province of Quebec. (With four other Salmonide.)	No. 61
No. 16.	One large specimen from Lake Superior.	No. 62
No. 17.	One large specimen of the variety <i>confinis</i> , known locally as the "black or copper lunge," from Lake Memphremagog, P. Q.	No. 63

One in case No. 26.
 No. 27.
 Ont. No. 28.
 species. No. 29.
Blue-back Salmon. No. 42.
 inster; original No. 43.
 No. 44.
 Restigouche River. No. 58.
 No. 59.
 No. 60.
 No. 61.
 No. 75.
 No. 76.
 No. 211.
 Winnish.
 e head of the
 No. 9.
 No. 71.
 Nos. 72, 73,
 74 and 84.
 No. 85.
 No. 88.
 No. 212.

Another from Lake Superior.
 One from Lake Huron.
 One from Lake Superior, known there as the "red salmon."
 Five small specimens from Georgian Bay, Lake Huron.
 Stuffed specimen, var. *toma* (the Tuladi) from Lake Metapedia.
 Stuffed specimen, var. *toma* (the Tuladi) from Lake Metapedia.
 One specimen from the Province of Quebec.
 Specimen from Lake Superior, at Port Arthur, of the variety *siscowet*.
 Specimen from the Province of Quebec.
 Specimen from Lake Ontario; caught in breeding season.
 Specimen caught in breeding season; (locality not stated).
 Specimen from the Province of Quebec.
 { Young of the "copper lunge" of Lake Memphremagog, P. Q.
 { Young of the normal form of the species, from Georgian Bay, Lake Huron, for comparison.
 Four specimens in alcohol, two in one bottle, and two in another.

Salvelinus malma? Walbaum.—*Pacific Red spotted Trout.*

Coquitlam River, Fraser River, B.C. Two stuffed specimens.

Salvelinus fontinalis, Mitchill.—*Speckled Trout—Brook Trout.* (Including the var. *immaculatus*—*The Sea Trout.*)

Two specimens, one from Restigouche River (stuffed).
 Two specimens from the Province of Quebec.
 Four from Nepigon Bay, Lake Superior, stuffed, in separate cases.
 One from Restigouche River, stuffed.
 One from the Moisie River, P. Q., stuffed (the var. *immaculatus*).
 Ten in alcohol, in one bottle, and two (var. *immaculatus*) in another.

ORDER HAPLOMI.

FAMILY UMBRIDÆ.—(The Mud Minnows.)

Umbra limi, Kirtland.—*Black Minnow*.

No. 213.

Several specimens in alcohol, in one bottle.

FAMILY ESOCIDÆ.—(The Pikes.)

Esox reticulatus, Le Sueur.—*Green Pike*.

No. 19.

No. 93.

Three specimens from Lake Menphremagog, P. Q.
One specimen from Lake Menphremagog, P. Q.**Esox lucius**, L.—*Common Pike*.

No. 7.

No. 18.

No. 94.

One specimen from Lake St. John, P. Q., which weighed
21 lbs., stuffed.
One specimen from Ontario, stuffed.
One specimen from Newcastle, Ontario, stuffed.**Esox nobilior**, Thompson.—*Muskallunge—Maskinongé*.

No. 5.

No. 6.

Specimen from Bay of Quinte, Ont., which weighed 42
lbs., stuffed.
Specimen from Bay of Quinte, Ont., which weighed 35
lbs., stuffed.ORDER APODES.
(The Eels.)

FAMILY ANGUILLIDÆ.—(The True Eels.)

Anguilla rostrata, Le Sueur.—*Common Eel*.

No. 106.

No. 133.

No. 214.

Two specimens from the St. Lawrence River, P. Q.,
stuffed.
One specimen from Lake Ontario, stuffed.
One specimen, in alcohol.

SUB-CLASS PHYSOCLISTI.
(Air bladder without duct, in the adult.)

ORDER SYNENTOGNATHI.

FAMILY SCOMBERESOCIDÆ.—(The Gar-fishes and Flying-fishes.)

Scomberesox saurus, Walbaum.—*Saury—Skipper—Bill-fish.*

No. 215.

One specimen from the Atlantic coast of Canada, in alcohol.

ORDER LOPHOBRANCHII.
(Gills tufted.)

FAMILY SYNGNATHIDÆ.—(The Pipe-fishes.)

Siphostoma Californiense, Storer. (Sp.) (*Syngnathus*, auct.)—*Big Pipe-fish.*

No. 216.

Six specimens from the coast of British Columbia, in alcohol.

FAMILY HIPPOCAMPIDÆ.—(The Sea Horses.)

Hippocampus heptagonus, Rafinesque. (H. antiquorum, Leach, and H. Hudsonius, DeKay.)—*Sea Horse.*

No. 217.

One specimen from the Atlantic coast of Canada, in alcohol.

ORDER ACANTHOPTERI.
(The Spiny-rayed Fishes.)

FAMILY ATHERINIDÆ.—(The Silversides.)

Menidia notata, Mitchill.—*Silverside.*

No. 218.

Twelve specimens from the Atlantic coast of Canada, in one bottle, in alcohol.

FAMILY AMMODYTIDÆ.—(The Sand Launces.)

Ammodytes Americanus, DeKay.—*American Sand Launce*.

No. 219.

Many specimens from the Gulf of St. Lawrence, in alcohol, in two bottles. No. 1

FAMILY ECHENEIDIDÆ.—(The Remoras.)

Remora squalipeta, Daldorf. (*Echeneis remora*, L.)—*Remora*.

No. 220.

Atlantic coast of Canada, one specimen in alcohol. No. No. No. No.

FAMILY SCOMBRIDÆ.—(The Mackerels.)

Scomber scombrus, L. *Common Mackerel*.

No. 139.

No. 140.

No. 221.

Two specimens from the Gulf of St. Lawrence, stuffed.
 Three specimens from the Gulf of St. Lawrence, stuffed.
 Three specimens in alcohol, one in each bottle.
 Six specimens from the coast of Prince Edward Island,
 in one bottle.

Scomberomorus maculatus, Mitchill.—*Spanish Mackerel*.

No. 150.

Two stuffed specimens. No. No. No. No.

Oryzias thynnus, L.—*Tunny*—*Horse Mackerel*—*Albacore*.

No. 182.

One large specimen from the Saguenay district, which weighed 400 lbs. when caught; stuffed.

Euthynnus pelamys, L.—*Oceanic Bonito*.

No. 222.

One specimen in alcohol. No. No.

FAMILY STROMATEIDÆ.—(The Broad Shiners.)

Stromateus triacanthus, Peck.—*Dollar fish*—*Harvest-fish*—*Butter-fish*.

No. 223.

Four specimens in alcohol, in two bottles. No. No.

FAMILY CENTRARCHIDÆ.—(The Sun-fishes.)

Pomoxys sparoides, Lacépède. *Calico Bass—Grass Bass—Strawberry Bass.*

Four specimens from Burlington Bay, Ont.; stuffed.

Ambloplites rupestris, Rafinesque. (*Centrarchus tomentosus*, Cuv. & Val.)—*Rock Bass.*

Two specimens from Lake Ontario, stuffed.

One specimen from the Province of Quebec, stuffed.

One specimen from the Province of Quebec, stuffed.

Four specimens from Lake Ontario, also stuffed.

Lepomis gibbosus, L. (*Pomotis vulgaris*, Cuv. and Val., and *P. auritus*, auct.)—*Common Sun-fish.*

No. 134.

Six specimens, stuffed, from the Bay of Quinte, Lake Ontario.

This and the preceding species are among the commonest fresh-water fishes of the Provinces of Ontario and Quebec.

Micropterus salmoides, Lacépède. (*Huro nigricans*, Cuv. and Val.)
Large-mouthed Black Bass—Owego Bass.

No. 20.

Five specimens from the Bay of Quinte, Ont.; stuffed.

No. 48.

One specimen from Rice Lake, Ont.; stuffed.

No. 49.

One specimen from Rice Lake, Ont.; stuffed.

No. 175.

One specimen from the upper Gatineau River, in the Ottawa valley.

FAMILY PERCIDÆ.—(The Perches.)

Perca Americana, Schranck.—*Yellow Perch—American Perch.*

No. 18.

One specimen from the Bay of Quinte, Ont.; stuffed.

No. 223 (a)

One specimen from the Ottawa River, in alcohol.

Stizostedion vitreum, Mitchill. (*Lucioperca Americana*, auct.)—*Doré—American Pike Perch.*

No. 79.

One large specimen from the Bay of Quinte, Ont.; stuffed.

No. 80.

One large specimen from Lake Erie, Ont.; stuffed.

No. 81.

Four small specimens from Lake Erie, Ont.; stuffed.

FAMILY SERRANIDÆ.—(The Sea Basses.)

Roccus lineatus, Bloch.—*Striped Bass*.

- No. 21. One stuffed specimen from the Miramichi River, N. B.
 No. 33. " " " "
 No. 34. " " " "
 No. 82. Five small specimens, stuffed, also from the Miramichi River, N. B.
 No. 83. One specimen, stuffed, from the Miramichi River, N. B.
 No. 224. Two specimens in alcohol.

Roccus chrysops? Rafinesque.—*White Bass—Bur-fish*.

- No. 102. Six specimens from Lake Erie, stuffed.

Roccus Americanus, Gmelin.—*White Sea Perch*.

- No. 225. One specimen, in alcohol.

FAMILY SCIÆNIDÆ.—(The Croakers or Maigres.)

Haploidonotus grunniens, Rafinesque.—*Sheepshead—Grunter*.

- No. 110. One specimen from the Detroit River, Ont.; stuffed.
 No. 122. " " " " " "

FAMILY LABRIDÆ.—(The Wrasse-fishes.)

Ctenolabrus dispersus, Walbaum.—*Cunner—Blue Perch*.

- No. 226. Six small specimens from the Gulf of St. Lawrence, in alcohol, in one bottle.

FAMILY CHIRIDÆ.—(The Chiroids.)

Hexagrammus decagrammus, Pallas.—*Rock Trout—Green Cod—Ling*.

- No. 127. One specimen from Esquimalt Harbour, British Columbia.
 No. 129. Another specimen from the same locality.

Ophiodon elongatus, Girard.—*Cultus Cod*—*Blue Cod*—*Ling*.

- No. 104. One specimen from deep water near Victoria, V. I.
 No. 113. Another specimen from deep water near Victoria, V. I.
 No. 161. Another specimen from the same locality.

FAMILY SCORPENIDÆ.—(The Rock-fishes.)

Sebastes marinus, L. (*Perca Norwegica*, Mull.)—*Rose-fish*—*Red-fish*
—*Norway Haddock*—*Snapper*.

- No. 169. One specimen from the Atlantic coast of Canada; stuffed.

Sebastes ruber, Ayres.—*Red Rock-fish*.

- No. 108. One specimen from the coast of British Columbia; stuffed.

According to the late Mr. Alexander C. Anderson, formerly Inspector of Fisheries for British Columbia, "this is considered to be one of the finest food-fishes of that province. Its habitat is in very deep water, along deep rocky shores. It attains a weight of eleven or twelve pounds or more, and is little if at all inferior to the Cod for salting. It is caught with hook and line and is reported to be specially numerous in the Goletas Channel, at the North end of Vancouver Island."

Sebastes — ?

- No. 142. One specimen from the coast of British Columbia; stuffed.

Sebastes nigrocinctus, Ayres.—*Black-banded Rock-fish*.

- No. 227. One specimen from the coast of British Columbia, in alcohol.

FAMILY COTTIDÆ.—(The Sculpins.)

Hemitripterus Americanus, Gmelin.—*Sea Raven*.

- No. 143. One specimen from the Atlantic coast of Canada; stuffed.
 No. 228. Two specimens in alcohol.

No. 143.
No. 229.

Cottus octodecimspinosus, Mitchill.—*Common Sculpin*.

Two specimens from the Gulf of St. Lawrence; stuffed.
One specimen in alcohol.

No. 230.

Cottus æneus, Mitchill.—*Brazen Bullhead*.

One small specimen from the Atlantic coast of Canada,
in alcohol.

No. 231.

Blepsias cirrhosus, Pallas.

One specimen from the coast of British Columbia, in
alcohol.

FAMILY LIPARIDIDÆ.—(The Sea Snails.)

No. 232.

Liparis Montagni, Donovan.

One specimen from the Atlantic coast of Canada, in
alcohol.

FAMILY CYCLOPTERIDÆ.—(The Lump Suckers.)

No. 125.

Cyclopterus lumpus, L.—*Lump-sucker—Lump-fish*.

One specimen from the Gulf of St. Lawrence; stuffed.

FAMILY BLENNIIDÆ.—(The Blennies.)

No. 233.

Cryptacanthodes maculatus, Storer.—*Wry-mouth—Ghost-fish*.

One specimen from the Atlantic coast of Canada, in
alcohol.

No. 97.
No. 160.

Anarrhichas lupus, L.—*Wolf-fish*.

One specimen from the Gulf of St. Lawrence; stuffed.
One small specimen from the mouth of the River St.
Lawrence; stuffed.
Two specimens in alcohol.

No. 234.

FAMILY LYCODIDÆ.—(The Eel Pouts.)

Zoarces anguillaris, Peck.—*Thick-tipped Eel Pout*.

- No. 235. One specimen from the Atlantic coast of Canada or Gulf of St. Lawrence, in alcohol.

FAMILY GADIDÆ.—(The Cod-fishes.)

Lota maculosa? Le Sueur.—*Burbot—Fresh-water Ling*.

- No. 154. Two specimens from Georgian Bay, Lake Huron; stuffed.

Brosimius brosme, Muller.—*Cusk*.

- No. 162. One specimen from the Atlantic coast of Canada; stuffed.
No. 236. One specimen in alcohol.

Gadus æglifinus, L.—*Haddock*.

- No. 114. One specimen from Halifax, N. S.; stuffed.
No. 116. " " " " "
No. 237. Two specimens in alcohol.

Gadus callarias, L. (G. morrhua, L.)—*Cod-fish*.

- No. 100. One large specimen from Halifax, N. S.; stuffed.
No. 101. One large specimen from the Gulf of St. Lawrence, which weighed 63 lbs. when caught; stuffed.
No. 105. One large specimen from the Gulf of St. Lawrence; stuffed.
No. 118. One specimen from Halifax, N. S.; stuffed.
No. 120. " " " " "
No. 128. Two young specimens from the Gulf of St. Lawrence; stuffed.
No. 238. One specimen in alcohol.

Gadus tomcod, Walbaum.—*Tom-cod—Frost-fish*.

- No. 141. Six typical specimens from Halifax, N. S.; stuffed.
No. 239. Four specimens in alcohol.

ORDER HETEROSOMATA.
(The Flat-fishes.)

FAMILY PLEURONECTIDÆ.—(The Flounders.)

Bothus maculatus, Mitchill.—*Sand-flounder*.

- No. 240. One specimen in alcohol.

Hippoglossus vulgaris, Fleming.—*Halibut*.

- No. 171. Small specimen caught near Victoria, V. I., whose weight when caught was 35 lbs.; stuffed.
No. 183. One large specimen from the Gulf of St. Lawrence; stuffed.
No. 184. Another large specimen from the Gulf of St. Lawrence; stuffed.
No. 241. One small one in alcohol.

Hippoglossoides platessoides, Fabricius.—*Rough Dab*.

- No. 107. Two large specimens from the Gulf of St. Lawrence; stuffed.
No. 242. One specimen in alcohol.

Pleuronectes bilineatus, Ayres.—"*Black Sole*,"

- No. 168. One specimen from the coast of British Columbia; stuffed.

Pleuronectes stellatus, Pallas.—*California Flounder*.

- No. 170. One specimen from the coast of British Columbia; stuffed.

Pleuronectes glaber, Storer.—*Smooth Flounder*.

- No. 167. Two small females from the Gulf of St. Lawrence, stuffed.

No. 167.

Pleuronectes Americanus, Walbaum.—*Winter Flounder—Sand Dab.*Three specimens from the Gulf of St. Lawrence; stuffed,
in the same case as the last.ORDER PEDICULATI.
(The Pediculate Fishes.)

FAMILY LOPHIIDÆ.—(The Fishing Frogs.)

No. 185.

Lophius piscatorius, L.—*Angler or Fishing Frog.*

One specimen from the Gulf of St. Lawrence; stuffed.

INVERTEBRATA.*

CRUSTACEA.

DECAPODA.

BRACHYURA.

A. (From the Gulf of St. Lawrence and Atlantic Coast of
of Canada.)**Cancer irroratus** Say.

No. 166.

Four dried specimens.

No. 242.

{ One dried specimen from Métis, P. Q.
Five specimens in alcohol.

*Most of the invertebrata from the Gulf of St. Lawrence were contributed by Sir William Dawson, L.L.D., F.R.S., &c.

Hyas coarctata, Leach.

- No. 243. Five dry specimens from Métis, P. Q. Four in one box and one in another.

Hyas aranea, L.

- No. 244. One dry specimen from Gaspé, P. Q.

Chionocates opilio, Kroyer.

- No. 245. { Carapace of a large specimen from the Moisie River,
P. Q.
{ One small but entire specimen from Gaspé, P. Q.

ANOMURA.

Eupagurus pubescens? Kroyer. (Sp.)

- No. 246. From Métis, P. Q.

MACRURA.

Homarus Americanus, M. Edwards.—*American Lobster*.

- No. 109. Two dry specimens.
No. 178. One dry specimen.
No. 247. One specimen in alcohol, and a number of abnormal claws, dry.

Crangon vulgaris, Fabricius.—*Common Shrimp*.

- No. 248. { Specimen from Métis, P. Q., dry.
{ Several specimens in alcohol.

Crangon boreas, Fabricius.—*Northern Shrimp*.

- No. 249. { One dry specimen from Métis, P. Q.
{ One from a different locality, in alcohol.

Sabinea septemcarinata, Sabine.

- No. 250. From the Bradelle Bank, east of Prince Edward Island.

- Nectocrangon** *lar*, Owen.
 No. 251. From Métis, P. Q.
- Hippolyte** *Fabricii*, Kroyer.
 No. 252. Three specimens from Métis, P. Q., dry.
- Hippolyte** *spina*, White.
 No. 253. Three specimens from the Bradelle Bank, dry.
- Hippolyte** *aculeata*, Fabricius.
 No. 254. From Métis, P. Q.
- Pandalus** *Montagui*, Leach. (*P. annulicornis*, Leach.)
 No. 255. Three specimens from Métis, P. Q., and one from the Bay of Fundy, all dry. Also a number of specimens, exact locality not given, in alcohol.
- ISOPODA.
- Oega** *psora*, L.—*Parasite of Halibut*.
 No. 256. Two specimens in alcohol.
- PYCNOGONIDA.
- Pycnogonum** *littorale*, Ström.
 No. 257. One specimen from La Have Bank, U. S. Fish Commission, in alcohol.
- CIRRIPIEDIA.
- Balanus**, Sp. Undt.
Balanus, Sp. Undt.
Coronula *diadema*, Blainville.
 No. 258. A number of specimens, dry, attached to a piece of whale's skin.

	Lepas fascicularis , Ellis & Solander.
No. 259.	Five specimens in alcohol.
	<i>B.</i> (From the Pacific Coast.)
	BRACHYURA.
	Cancer magister , Dana.— <i>King Crab</i> .
No. 260.	One specimen from near Victoria, V. I., in alcohol.
	Echinoceros ciliaris , White.— <i>Great Stone Crab</i> .
No. 261.	One specimen from near Victoria, V. I., in alcohol.
	Small Crab , genus and species undetermined.
No. 262.	Several specimens from near Victoria, V. I., in alcohol.
	CIRRIPEDIA.
	Balanus , Sp. Undt.
No. 263.	Near Victoria, V. I.
-
- MOLLUSCA.
- A.* (From the Gulf of St. Lawrence or Atlantic Coast.)
- CEPHALOPODA.
- DECAPODA.
	Ommatostrephes illecebrosa , Le Sueur.—Common " <i>Squid</i> " of the Gulf of St. Lawrence.
No. 264.	{ Several specimens (species doubtful) in one large bottle.
	{ Two others (which are almost certainly <i>O. illecebrosa</i> ,) in separate bottles.
No. 165.	Three dry specimens.

FAMILY NEPTUNIDÆ.

- No. 265. **Sipho Kroyeri**, Møller. (Sp.)
Three dry specimens from Métis, P. Q.
- No. 266. **Sipho pygmaeus**, Gould.
Two dry specimens from the Bay of Fundy.
- No. 267. **Neptunea despecta**, L.
From Métis, P. Q.
- No. 267 (a) **Neptunea decemcostata**, Say.
One specimen.

FAMILY BUCCINIDÆ.

- No. 268. **Buccinum undatum**, L.
{ Six specimens from Métis, P. Q.
 Two specimens (locality not stated), dry, and four in
 alcohol, in one bottle.
- No. 269. **Buccinum tenue**, Gray.
Three specimens from Métis, P. Q.
- No. 270. **Buccinum plectrum**, Stimpson.
Two specimens from Métis, P. Q.

FAMILY NASSIDÆ.

- No. 271. **Nassa obsoleta**, Say.
Two dry specimens from Pointe du Chêne, N. B.
- No. 272. **Nassa trivittata**, Say.
Six dry specimens from Pictou, N. S.

FAMILY PURPURIDÆ.

Purpura lapillus, L.

No. 273.

{ Six dry specimens from Métis, P. Q.
 { Also specimens in alcohol, with egg capsules.

FAMILY MURICIDÆ.

Trophon scalariforme, Gould.

No. 274.

Five specimens from Métis, P. Q.

Urosalpinx cinerea, Say.

No. 275.

Four specimens from Prince Edward Island.

FAMILY TURRIDÆ.

Bela harpularia? Couthuoy.

No. 276.

Three specimens from Métis, P. Q.

FAMILY CANCELLARIADÆ.

Admete viridula, Fabricius.

No. 277.

Five specimens from Murray Bay, P. Q.

FAMILY APORRHAIIDÆ.

Aporrhais occidentalis, Beck.

No. 278.

Ten specimens from Métis, P. Q.

FAMILY TURRITELLIDÆ.

Turritella orosa, Couthuoy.

No. 279.

Four specimens from Métis, P. Q., dry.

No. 280.	<p>Turritella reticulata, Mighels.
Seven specimens from Gaspé, P. Q., dry.</p> <p>FAMILY LACUNIDÆ.</p>
No. 281.	<p>Lacuna vineta, Montagu.
Six specimens from the Bay of Fundy, dry.</p> <p>FAMILY LITTORINIDÆ.</p>
No. 282.	<p>Littorina littorea, L.
{ Five specimens from Prince Edward Island.
Four specimens from Cape Breton, N. S.
Seven specimens from Nova Scotia; all dry.</p>
No. 283.	<p>Littorina rudis, Maton.
Nine specimens from the Bay of Fundy, dry.</p>
No. 284.	<p>Littorina palliata, Say.
Seven specimens from Pictou, N. S.; dry.</p> <p>FAMILY TRICHOTROPIDÆ.</p>
No. 285.	<p>Trichotropis borealis, Broderip & Sowerby.
Five specimens from Métis, P. Q.; dry.</p> <p>FAMILY NATICIDÆ.</p>
No. 286.	<p>Natica clausa, Broderip & Sowerby.
Six specimens from Métis, P. Q.; dry.</p>

- Lunatia heros**, Say. (Sp.)
- No. 287. Eight specimens from Pictou, N. S.; dry.
- Lunatia triseriata**, Say. (Sp.)
- No. 288. Four specimens from the Bay of Fundy; dry.
- Lunatia Grœnlandica**, Møller. (Sp.)
- No. 289. Five specimens from Gaspé Bay, P. Q.; dry.
- FAMILY VELUTINIDÆ.
- Velutina (Morvillia) undata**, Brown. (V. zonata, Gould.)
- No. 290. Two specimens from Murray Bay, P. Q., dry.
- Velutina lævigata**, L.
- No. 291. One dry specimen from Gaspé Bay, P. Q.
- FAMILY CALYPTREIDÆ.
- Crepidula fornicata**, Lamarek.
- No. 292. { Five specimens from Pictou, N. S., dry.
A few specimens in alcohol.
- FAMILY TROCHIDÆ.
- Margarita cinerea**, Couthouy.
- No. 293. Six specimens from Métis, P. Q.; dry.
- Machæroplax varicosa**, Mighels. (Sp.)
- No. 294. Five specimens from Métis, P. Q.; dry.

FAMILY TECTURIDÆ.—(Acmæidæ.)

Acmæa testudinalis, Muller.

- No. 295. Six specimens from Tadoussac, P. Q.; dry.

FAMILY CHITONIDÆ.

Amicula vestita, Gray, var. **Emersoni**, Couthuoy.

- No. 296. One specimen from Rivière du Loup, dry.

Tonicella marmorea, Fabricius.

- No. 297. Two specimens from Gaspé Bay, P. Q.; dry.

CONCHIFERA.

FAMILY PHOLADIDÆ.

Zirphæa crispata, L.

- No. 298. One specimen from Sable Island, near Halifax, N. S.; dry.

FAMILY SAXICAVIDÆ.

Saxicava rugosa, Lamarek.

- No. 299. { Four specimens from Nova Scotia, dry.
Four specimens burrowing into nullipore, and one specimen in alcohol.

FAMILY MYIDÆ.

Mya arenaria, L.

- No. 300. { Several specimens from Gaspé and Métis, P. Q.; dry.
 { Two bottles full of specimens in alcohol.

Mya truncata, L.

- No. 301. Seven specimens from Métis, P. Q.

Cyrtodaria siliqua, Spengler.

- No. 301(a) One perfect specimen, and three single valves, dry.

FAMILY ANATINIDÆ.

Cochlodesma Leanum, Conrad.

- No. 302. Two specimens from Pictou, N. S.; dry.

Lyonsia arenosa, Möller.

- No. 303. One specimen from Gaspé Bay, P. Q.; dry.

Pandora (Kennerlia) glacialis, Leach.

- No. 304. One specimen from Gaspé Bay, P. Q.; dry.

FAMILY SOLENIDÆ.

Ensatella Americana, Gould. (Sp.)

- No. 305. { Seven specimens from Métis, P. Q.; dry.
 { One specimen in alcohol, locality not stated.

Siliqua costata, Say.

- No. 306. Four specimens from the Bay of Fundy; dry.

FAMILY TELLINIDÆ.

Macoma calcarea, Chemnitz.

- No. 307. One specimen from Gaspé Bay, P. Q.; dry.

Macoma fragilis, Fabricius. (Tellina Grœnlandica, Beck.)

- No. 308. Four specimens from Tadoussac, P. Q.; dry.

Macoma inflata, Stimpson.

- No. 309. Three specimens from Murray Bay, P. Q.; dry.

FAMILY PAPHIDÆ.

Ceronia deauratum, Turton.

- No. 310. Four specimens from Métis, P. Q.; dry.

FAMILY MACTRIDÆ.

Mactra (Spisula) solidissima, Dillwyn.

- No. 311. Thirteen specimens from the Bay of Fundy; dry.

Mactra (Spisula) ovalis, Gould.

- No. 312. One perfect specimen, and one single valve from Gaspé Bay, P. Q.

FAMILY VENERIDÆ.

Mercenaria violacea, Schumacher. (Venus mercenaria, Say.)

- No. 313. { One perfect specimen and six single valves, dry, from
Pictou, N. S., and Prince Edward Island.
Also a bottle of specimens, locality not stated, in
alcohol.

Callista convexa, Say. (Sp.)

- No. 314. One specimen from Prince Edward Island, dry.

- Liocyma fluctuosa*, Gould.**
 No. 315. Three specimens from the Bradelle Bank, off P.E.I.; dry.
- Petricola pholadiformis*, Say.**
 No. 316. One specimen from Prince Edward Island; dry.
- FAMILY ASTARTIDÆ.
- Astarte lactea*, Broderip & Sowerby.**
 No. 317. Two left valves, from Métis, P. Q.
- Astarte elliptica*, Brown.**
 No. 318. Four specimens from Métis, P. Q.; dry.
- Astarte Banksii*, Leach.**
 No. 319. Six specimens from Métis, P. Q.; dry.
- FAMILY CYPRINIDÆ.
- Cyprina Islandica*, L.**
 No. 320. Three specimens from the Bay of Fundy; dry.
- FAMILY CARDIADÆ.
- Serripes Grœnlandicus*, Gmelin.**
 No. 321. Five specimens from Métis, P. Q.; dry.
- Cardium pinnulatum*, Conrad.**
 No. 322. Two specimens from Gaspé Bay, P. Q.; dry.
- Cardium Islandicum*, L.**
 No. 323. Four specimens from Gaspé Bay, dry.

FAMILY UNIONIDÆ.

Margaritana margaritifera, L. (Fresh-water Pearl-mussel.)

- No. 337 (a) Several specimens in alcohol, locality not stated, in one bottle.

FAMILY ARCIDÆ.

Arca pectunculoides, Scacchi.

- No. 324. Two specimens from between Anticosti and Cape Rosier Lighthouse, in 200 fathoms mud; dry.

FAMILY LEDIDÆ.

Yoldia myalis, Couthuoy.

- No. 325. Specimens from Nova Scotia; dry.

Yoldia thracisformis, Storer.

- No. 325 (a) Two specimens in alcohol.

Yoldia sapotilla, Gould.

- No. 326. Two specimens from Pictou, N. S.; dry.

Yoldia limatula, Say.

- No. 326 (a) Two specimens.

Leda pernula, Muller.

- No. 327. Three specimens from Métis, P. Q.; dry.

Leda minuta, Muller.

- No. 328. One specimen from Gaspé Bay, P. Q.

FAMILY NUCULIDÆ.

Nucula tennis, Montagu.

- No. 329. Two specimens from Labrador; dry.

FAMILY MYTILIDÆ.

- Crenella glandula**, Totten.
 No. 330. Four specimens from Gaspé Bay, P. Q.; dry.
- Crenella pectinula**, Gould.
 No. 331. Seven specimens from Murray Bay, P. Q.; dry.
- Modiolaria corrugata**, Stimpson.
 No. 332. Four specimens from Murray Bay, P. Q.; dry.
- Modiolaria lævigata**, Gray.
 No. 333. Two specimens from Gaspé Bay, P. Q.; dry.
- Modiolaria nigra**, Gray.
 No. 334. Three specimens from Gaspé Bay, P. Q.; dry.
- Modiola plicatula**, Lamarck.
 No. 335. { Three specimens from Pictou, N. S., dry, and one
 bottle full of specimens in alcohol.
- Modiola modiolus**, L.
 No. 336. { Two specimens from Nova Scotia, dry, and a bottle full
 of specimens in alcohol.
- Mytilus edulis**, L.
 No. 337. { Five specimens from Métis, P. Q., dry, and two bottles
 full of specimens in alcohol.

FAMILY PECTINIDÆ.

- Pecten tenuicostatus**, Mighels. (P. Magollanicus, Lamarck.)
 No. 338. { Four dry specimens and nine in alcohol. The exact
 locality or localities of these are not stated, but the
 species ranges from Gaspé Bay southward to Cape Cod.

- No. 339. **Pecten Islandicus**, L.
Five specimens from the northern part of the Gulf of St. Lawrence; dry.

- No. 340. **Pecten Grœnlandicus**, Sowerby.
{ Three dry specimens, from between Cape Rosier, Gaspé and the S. W. point of Anticosti, in 200 fathoms mud.

FAMILY ANOMIADÆ.

- No. 341. **Anomia ephippium**, L.
Two specimens from Prince Edward Island; dry.

FAMILY OSTREIDÆ.

- No. 342. **Ostrea Virginiana**, Lister, and var. **borealis**, Lamarek.
American Oyster.
{ One cluster of the short form (variety *borealis*) and a number of the long and typical form; the latter from Prince Edward Island.

B. (From the Pacific Coast of Canada.)

CEPHALOPODA.

- Ommatostrephes**, Sp. Undt.

Specimens in alcohol.

GASTEROPODA.

FAMILY PURPURIDÆ.

- Cerostoma foliatum**, Gmelin.

Two specimens from the Queen Charlotte Islands; dry.

FAMILY TRITONIDÆ.

Priene Oregonensis, Redfield.

- No. 343. One specimen from near Victoria, V. I.; dry.

FAMILY NATICIDÆ.

Lunatia Lewisii, Gould.

- No. 344. One specimen from near Victoria, V. I.; dry.

FAMILY TROCHIDÆ.

Pachypoma gibberosum, Chemnitz.

- No. 345. Two specimens from near Victoria, V. I.; dry.

FAMILY HALIOTIDÆ.

Haliotis Kamtschathana, Jonas.

- No. 345 (a) Three specimens from the Queen Charlotte Islands; dry.

FAMILY CHITONIDÆ.

Katherina tunicata, Gray.

- No. 346. One specimen from near Victoria, V. I.; dry.

Cryptochiton Stelleri, Middendorf.

- No. 347. One specimen from near Victoria, V. I., in alcohol.

CONCHIFERA.

FAMILY PHOLADIDÆ.

Zirphæa crispata, L.

No. 348.

Two specimens from near Victoria, V. I., in alcohol.

FAMILY ANATINIDÆ.

Lyonsia saxicola, Baird.

No. 349.

One specimen from near Victoria, V. I.; dry.

FAMILY MACTRIDÆ.

Schisothærus Nuttalli, Conrad. (*Tresus maximus*, Midd.)

No. 350.

{ Semi-fossil from Esquimalt Harbour, V. I.; two perfect specimens and two odd valves.

FAMILY VENERIDÆ.

Saxidomus squalidus, Deshayes.

No. 351.

Specimens from near Victoria, V. I., in alcohol.

FAMILY CARDIADÆ.

Cardium Nuttalli, Conrad.

No. 352.

{ Two specimens, dry, and a bottle full of specimens in alcohol.

FAMILY MYTILIDÆ.

Mytilus Californianus, Conrad.

No. 353.

Four specimens from near Victoria, V. I.; dry.

	Mytilus edulis , L.	
No. 353 (a)	Near Victoria, V. I.	
	Modiola modiolus , L.	
No. 353 (b)	Four specimens from near Victoria, V. I.; dry.	
	FAMILY PECTINIDÆ.	
	Pecten caurinus , Gould.	
No. 355.	One specimen from the Strait of Georgia; dry.	
	FAMILY SPONDYLIDÆ.	
	Hinnites giganteus , Gray.	
No. 354.	Three specimens from near Victoria, V. I.; dry.	
	FAMILY OSTREIDÆ.	
	Ostrea lurida , Carpenter.	
No. 356.	One large jar of specimens from near Victoria, V. I., in alcohol.	
	BRACHIOPODA.	
	FAMILY TEREBRATULIDÆ.	
	Terebratulina septentrionalis , Couthuoy.	
No. 357.	{ One dry specimen from the Bay of Fundy. Three specimens in alcohol.	
	Terebratella Spitzbergensis , Davidson.	
No. 358.	Two specimens from Murray Bay, P. Q.; dry.	

No. 359.

No. 360.

No. 361.

No. 362.

No. 363.

No. 364.

No. 365.

No. 366.

FAMILY RHYNCHONELLIDÆ.

Rhynchonella psittacea, Gmelin.

- No. 359. Five specimens from Murray Bay, P. Q.; dry.

TUNICATA.

FAMILY ASCIDIADÆ.

Holocynthia pyriformis, Rathke.

- No. 360. One specimen from Métis, P. Q.

Pelonala arenifera, Stimpson.

- No. 361. Two specimens from the Straits of Northumberland,
off Richibucto; dry.

Boltenia Bolteni, L.

- No. 362. { One specimen from Métis, P. Q., dry. Also one speci-
men in alcohol, locality not stated.

POLYZOA.

Escharopsis lobata, Lamouroux. (Escharoides Sarsii, Smitt.)

- No. 363. One specimen from the Orphan Bank, Gulf of St. Lawrence.

Porella (Eschara) elegantula, d'Orbigny.

- No. 364. One specimen from the Orphan Bank, Gulf of St. Lawrence.

Leieschara subgracile, d'Orbigny.

- No. 365. One specimen from the Gulf of St. Lawrence.

Celleporaria surcularis, Packard.

- No. 366. One specimen from the Orphan Bank, Gulf of St. Lawrence.

ECHINODERMATA.

ORDER HOLOTHUROIDEA.

***Psolus phantapus*, Oken.**

- No. 367. One dry specimen from Métis, P. Q. Also one in alcohol, locality not stated.

***Pentaacta frondosa*, Jæger.**

- No. 368. One specimen from the Gulf of St. Lawrence, in alcohol.

ORDER ECHINOIDEA.

***Strongylocentrotus Drobachiensis*, Muller. (Sp)**

- No. 369. { Three specimens from Métis, P. Q., dry; also two dry specimens and two bottles of specimens in alcohol, locality not stated, but from the Gulf of St. Lawrence or Atlantic coast of Canada.

***Loxechinus purpuratus*, Stimpson.**

- No. 370. Four specimens from near Victoria, V. I.; dry.

***Echinarachnius parma*, L.**

- No. 371. Six dry specimens from Gaspé, P. Q.
No. 176. Two dry specimens.

ORDER ASTEROIDEA.

***Asterias polaris*, Muller & Troschel.**

- No. 372. One dry specimen from Métis, P. Q.
No. 176. Another dry specimen.

Asterias vulgaris, Stimpson.

- No. 373. Two specimens from Gaspé, P. Q.; dry.
Represented also in case No. 176.

Asterias littoralis, Stimpson.

- No. 374. Two specimens from the Bay of Fundy; dry.
Represented also in case No. 176.

Cribrella sanguinolenta, Muller. (Sp.)

- No. 375. Three dry specimens from Métis, P. Q.

Crossaster papposus, L. (Sp.)

- No. 376. One specimen from the Gulf of St. Lawrence, dry, and
another in case No. 176.

Solaster endeca, L.

- No. 377. One specimen from Murray Bay, P. Q.; dry.

ORDER OPHIUROIDEA.

Ophioglypha nodosa, Lutken.

- No. 378. Three specimens from Kamouraska, P. Q.; dry.

Ophioglypha Sarsii, Lutken.

- No. 379. Two specimens from Kamouraska, P. Q.; dry.

Ophiopholis aculeata, Muller.

- No. 380. { Four specimens from Gaspé, P. Q.; also several speci-
mens from the Gulf of St. Lawrence, in alcohol.

ORDER ASTROPHYTIDÆ.

Astrophyton Agassizii, Stimpson.

- No. 381. One dry specimen from the Gulf of St. Lawrence.
No. 177. Another large specimen from the same locality.

ANTHOZOA.

ORDER ALCYONARIA.

***Alcyonium rubiforme*, Ehrenberg.**

- No. 382. Two dry specimens from the Gulf of St. Lawrence.

***Pennatula aculeata*, Daniellson.**

- No. 383. Two specimens from between Cape Rosier and the S. W. point of Anticosti, in 200 fathoms mud; dry.

***Verrillia Blakesi*, Stearns.**

- No. 384. Three specimens in alcohol, from Burrard's Inlet, B. C.

PORIFERA.—(SPONGES.)

ORDER SILICEA.

***Isodictya infundibuliformis*? (or *Phakellia* sp.)**

- No. 385. Two specimens from Métis, P. Q.; dry.

***Isodictya* (or *Phakellia*). Species undetermined.**

- No. 386. Four specimens from Métis, P. Q.

***Halichondria panicea*, L.**

- No. 387. Two specimens from Métis, P. Q.

ORDER KERATOSA.

***Chalina oculata*, Pallas.**

- No. 388. Three specimens from the Gulf of St. Lawrence.

Also a number of sponges, undetermined, from Clayoquot Sound, Fort Rupert and Nootka Sound, V. I., and from Musset in the Queen Charlotte Islands.