IMAGE EVALUATION TEST TARGET (MT-3)

Photographic
Sciences
Corporation

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1983

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☒ Bound with other material/
Relié avec d'autres documents
- ☒ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distortion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☒ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
☐	☐	☒	☐	☐	☐
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:

Library
Agriculture Canada

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol → (meaning "CONTINUED"), or the symbol ▼ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Bibliothèque
Agriculture Canada

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaît sur la dernière image de chaque microfiche, selon le cas: le symbole → signifie "A SUIVRE", le symbole ▼ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

TARIO AGRICULTURAL COLLEGE

EXPERIMENT STATION

BULLETIN LXX.

Office of
Experiment Stations.

Rec'd.....**91229**.....

Ans'd.....

ING GRADE STEERS OF DIFFERENT BREEDS

**BY THOMAS SHAW, PROFESSOR OF AGRICULTURE, AND
C. A. ZAVITZ, EXPERIMENTALIST.**

**PUBLISHED BY THE DEPARTMENT OF AGRICULTURE
Dec. 1, 1891.**

TORONTO

PRINTED BY WARWICK & SONS

Ontario Agricultural College and Experimental Farm, Guelph
under control of the Minister of Agriculture.

ADVISORY BOARD.

C. C. JAMES, M.A., Secretary **Deputy Minister of Agriculture,**
JOHN I. HOBSON, Chairman **Mosborough, County of W.**

**1 Farm, G
culture.**

FINISHING GRADE STEERS OF DIFFERENT BREEDS

The primary objects of the experiment were to ascertain:—1. The cost of rearing grade steers, for purposes of beef production, from birth until the period of early maturity, when fed upon a heavy ration. 2. The comparative cost of rearing grade steers on whole and skim milk respectively, and the effects of these on the animal after the termination of the milk period of feeding. 3. The comparative cost of producing beef from well-graded and from scrub animals respectively. The chief objects of the secondary experiment were to ascertain:—1. The relative cost of rearing animals for beef production during different periods of growth when fed upon a heavy ration. 2. The relative daily gains; and 3. The total relative increase in weight.

ANIMALS SELECTED. The animals secured, eight in all, were obtained from leading breeders and wherever they got of a suitable character. Each individual was the offspring of a pure registered sire, except in the case of the native or the aim was in every instance, except in that of the native, the dam a common grade cow. The effort to secure them as early in the birth period as possible was also fairly successful, except in the case of the Galloway grade, which was fifty-three days old when it reached the farm. The Shorthorn grade to which was fed milk was fourteen days old, and the others were all less than thirty days old. The more important particulars regarding these animals are given in the subjoined table. The color generally speaking is typical of the breed of the sire.

Table 1 gives particulars regarding the breeding and the ing characteristics of the different animals :

Grade.	Date when calved.	Sire.	Dam.	Character of stock.
Galloway...	Nov. 2, 1889	Rajah of Brooke (3970).	$\frac{1}{2}$ Shorthorn and $\frac{1}{2}$ Canadian.	Short blocky
Shorthorn..	Dec. 22, 1889	Methlick Hero, =2723=(imp.)	A Shorthorn grade.	Rather blocky
Aberdeen Poll.	Jan. 1, 1890	Runnymede 2nd, 5220.	A common two-year-old heifer.	Not robustly developed
Hereford...	Jan. 5, 1890	King Hal.	A good common cow.	Short heavy
Devon	Jan. 8, 1890	Duke (947)	A Shorthorn grade.	Neatly square frame.
Holstein...	Feb. 17, 1890	African Prince, (H. F. H. B.) 1270.	A common cow	Large rather in the
Shorthorn..	April 1, 1890	Macduff.....	A Shorthorn grade.	Medium neatly frame.
Native or scrub.	April 16, 1890	A native bull of the rangey type.	A three-year-old native.	Narrow flat rib long leg

FOOD AND FEEDING. Milk was fed to each of the until six months old. Of this they were given a fair allowance not all they would take. They were all given whole milk as in Table II, except one of the Shorthorn grades, which was skim milk. They were fed by hand morning and evening skim milk was warmed by heating before being fed. The was fed in addition to the milk were clovery hay cut, green fodder season, and meal consisting of equal proportions by weight of oats, wheat screenings and bran. None of the meal was given with the milk. During the second six months they were fed green food, roots and meal. The hay was similar in kind mentioned above. The green fodder consisted of oats and clover and millet, as these crops came in season. The roots comprised turnips and mangels. They were not fed at the same time and were sliced before being fed. The meal during the first months of this period consisted of peas, oats and wheat screenings ground, bran and oil cake in the proportions of 4, 4, 4, 4 parts respectively. During the next three months they received a meal ration of peas and oats ground and bran, in the proportions of 2, 2 and 1 respectively. The meal throughout was fed dry, also the hay, which was cut. The aim was to give each animal about the same quantity of meal, but some would not take so much as

ding and the

	Character of stall
Short blocky	
Rather blocky	
Not robustly developed	
Short blocky heavy	
Neatly squared frame	
Large size rather in the	
Medium neatly framed	
Narrow flat ribs long legs	

each of the
a fair allowance
whole milk as
grades, which were
g and evening
g fed. The
at, green fodder
ns by weight
meal was given
s they were
imilar in kind
ted of oats and
ason. The root
fed at the same
uring the first
and wheat some
of 4, 4, 4, 4
onths they received
in the proportion
as fed dry, also
each animal about
ke so much as

ch accounts for the difference in the amount eaten as given in the joined table. The food was given in three meals per day, and they usually had access to water at will. The animals were kept in stalls until they were about six months old. After that time they were tied in stalls and were allowed to exercise about one hour a day in the barnyard. The first six months will be referred to as the first period, and the next six months as the second period.

FOOD EATEN. It will be observed in the subjoined table that the consumption of food was large, more especially with the more concentrated and costly rations, as milk and meal, but this was in keeping with the objects of the experiment, as already expressed. The kinds of meal fed were doubtless too concentrated and costly, and the quantities too large to give the best results financially. Table II gives the consumption of food during the first and second periods respectively :

Grades.	First six months.				Second six months.			
	Milk.	Hay.	Meal.	Green fodder.	Hay.	Meal.	Green fodder.	Roots.
	lb.	lb.	lb.	lb.	lb.	lb.	lb.	lb.
Loway.....	2091.5	215.5	281.5	20.0	721	1489	826	511
Northorn.....	4383.6	107.0	196.5	68.0	855	1779	615	1575
Arden Poll.....	4182.2	113.0	195.5	57.0	717	1500	857	906
Reford.....	4154.0	140.0	243.5	66.0	788	1754	561	1500
Don.....	3611.4	112.0	134.5	70.5	912	1682	648	1541
Western.....	4475.5	110.0	190.5	125.5	884	1744	219	2377
Average (six animals).	3815.4	132.9	207.0	67.8	812.8	1658	604.3	1401.7
Northorn.....	4691.5	175.5	188.0	212.0	1059	1652		3261
Sub or native.....	3761.7	71.5	92.4	148.0	757	1246		2898

* Fed on skim milk.

It has been already mentioned that the Galloway grade did not reach the farm until 53 days old. Prior to that time he was suckled by the dam. The estimate for the consumption of whole milk by this animal during that period was the average of the consumption by all the other animals which were given this ration. It will be noticed that the total consumption of milk by this calf was small relatively. This was owing to the fact that he would not suck it regularly, but made up for the deficiency apparently in the consumption of hay and meal. The Shorthorn grade to which skim milk was fed, took more of this in quantity than the average

grade consumed of whole milk, and also more of hay and roots, but little less of meal. The native or scrub consumed considerably more than the average of all the food factors, except roots.

WEIGHTS. Table III gives an analysis of weights.

Grades.	Weights at end of—		Daily increase during—		
	First six months.	Second six months.	First six months.	Second six months.	First two months.
	lb.	lb.	lb.	lb.	lb.
Galloway.....	457	800	2.51	1.86	2.19
Shorthorn.....	530	800	2.91	1.96	2.44
Aberdeen Poll.....	485	754	2.66	1.46	2.07
Hereford.....	545	900	2.99	1.93	2.47
Devon.....	434	803	2.38	2.01	2.20
Holstein.....	537	883	2.95	1.86	2.42
Average (six breeds).	498	838.3	2.73	1.85	2.30
*Shorthorn.....	454	848	2.49	2.16	2.32
Scrub or native.....	386	700	2.12	1.76	1.92

*Fed on skim milk.

NOTE. In all the figures given in Table III the weight at birth is included. It was impossible to ascertain the birth weight of the calves to the way in which the calves were obtained.

It will be observed that at the close of the first period, the animal to which skim milk was fed was but forty-four lb. less than the average grade in weight, while he weighed sixty-eight lb. more than the native or scrub. At the end of one year he weighed 9.7 lb. more than the average grade, and 148 lb. more than the native or scrub. The latter weighed 112 lb. less than the average grade at the end of the first period, and 138.3 lb. less at the end of the second period. It will also be observed that the lightest animal at the end of both periods is the native or scrub.

ESTIMATED VALUE OF THE FOOD. The fodder, the grain and the roots were estimated at the current market values in Guelph, the cost of marketing from an Ontario farm under average conditions, (see Bulletin LXVIII, p. 5). The home value put upon the roots, therefore, when cut, was \$5.00 per ton; the green fodder \$2.00 per ton; the oats 24½ cents per bushel; the peas 47 cents; the whole screenings 30 cents, and the roots when sliced 8 cents. The grading of the grain was put at six cents per 100 pounds. The

and roots, but
considerably
ts.
ights.

crease during—

cond six months.	First two months
lb.	lb.
1.86	2.19
1.96	2.44
1.46	2.07
1.93	2.47
2.01	2.20
1.86	2.42
1.85	2.30
2.16	2.32
1.76	1.92

the weight at birth weight own

period, the animal
r lb. less than
ght lb. more than
e weighed 9.7
than the native
verage grade at
end of the second
animal at the

lder, the grain
ues in Guelph,
lder average com
e put upon the
a fodder \$2.00
cents; the whole
cents. The grain
pounds. The

oil cake reckoned as delivered at the average Ontario farm
put at \$12.80 and \$26.66 $\frac{2}{3}$ per ton respectively. The home
put upon the whole milk was 60 cents per 100 pounds. This
clusion was reached by valuing the milk delivered at an average
ario factory at 70 cents per 100 pounds, and allowing 10 cents
100 pounds for delivering the same. The price allowed for
ving the milk may be considered a shade high for some localities.
home value put upon the skim milk, the buttermilk reckoned
e same rate, was 15 cents per 100 pounds. This conclusion
reached by deducting the value of the butter, less the cost of
ing, from the home value of the whole milk. It was estimated
the average yield of butter from 100 pounds of whole milk in
farm dairy is 3 $\frac{3}{4}$ lb., that the cost of making is 3.9 cents per
d, and the average price obtained for it is 16 cents per pound.
will be observed that in all probability a profit has already
made on the marketable food used, providing it has been
yn upon the farm, as in this experiment the food was charged
he full market values, less the cost of marketing from an average
ario farm. This profit will be represented by the difference
ween the cost of growing and the market value put upon it.

VALUES. Table IV gives the financial results at the close of the
period:

Grade.	Cost of—			Total Cost.	Value of—		Total value.	Gain+ or Loss—
	Animal at birth.	Food.	Attendance.		Animals when six months old.	Manure.		
	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.
Loway.....	2 00	11 79	2 60	16 39	25 14	1 27	26 41	+10 02
Northorn.....	2 00	28 11	2 60	32 71	29 15	1 27	30 42	- 2 29
Merdeen Poll...	2 00	26 89	2 60	31 49	26 68	1 27	27 95	- 3 54
Reford.....	2 00	27 93	2 60	32 53	29 98	1 27	31 25	- 1 28
Don.....	2 00	23 01	2 60	27 61	23 87	1 27	25 14	- 2 47
Stein.....	2 00	28 66	2 60	33 26	25 51	1 27	26 78	- 6 48
Average (grade of six breeds).	2 00	24 40	2 60	29 00	26 72	1 27	27 99	- 1 01
Northorn.....	2 00	9 06	2 60	13 66	21.57	1 27	22 84	+ 9 18
Sub or native..	1 00	23 58	2 60	27 18	14 48	1 27	15 75	-11 43

*Fed on skim milk.

no conclusions should be drawn from this table without carefully
weighing all the facts contained in the bulletin.

The value put upon the animals at birth was of necessity an estimate that would be about the real value when they were dropped. The cost of attendance was reckoned on the basis that one man would feed and care for 75 calves per day under ordinary conditions when the food has all been made ready.

The following was the valuation put upon the different animals at the experiment, viz.:—Galloway grade, $5\frac{1}{2}$ cts. per pound live weight; Shorthorn grade, $5\frac{1}{2}$ cts.; Aberdeen Poll grade, $5\frac{1}{2}$ cts.; Hereford grade, $5\frac{1}{2}$ cts.; Holstein grade, $4\frac{1}{2}$ cts.; Shorthorn grade fed on skim milk, $4\frac{1}{2}$ cts., and native or scrub, $3\frac{1}{2}$ cts. This valuation was made at our request by Mr. James Millar and Mr. A. White, live stock dealers, Guelph. Notwithstanding that each of those gentlemen estimated separately, the respective valuations made by them were in substantial agreement.

The estimated amount of manure made per animal during the first period was $3,891\frac{1}{2}$ lb. This was reckoned as worth \$1.00 per ton. From the sum thus obtained the deduction was made of $903\frac{1}{2}$ lb. of straw allowed for bedding, the home value of which was put at \$1.50 per ton. This estimate was based upon actual results obtained from a test conducted simultaneously with another calf, and mainly with the object of ascertaining the amount of manure produced by a cattle beast during different stages of growth.

The following facts stand out prominently at the close of the period, viz.:—1. The much greater cost of a whole milk ration with adjuncts, as compared with a skim milk ration with the same. With the first the average cost of the food was \$24.40 per animal, and with the last \$9.06, or nearly two-thirds less. 2. That although the comparison just drawn there is a difference of \$15.34 in the cost of the food, the difference in the value of the animals at the close of the periods is only \$5.15. 3. The small amount of milk consumed by the Galloway grade after the first 53 days reduced the cost of the ration fed to him to \$11.79, or \$12.61 less than the average, and yet the difference in the average gains per day was not very marked. This would seem to indicate that a liberal whole milk ration is not an absolute necessity after the first two months of the life of the animal, and that the nature of the ration given affects the cost of production more than the particular improved breed with which the animal is connected. 4. The difference in the total value of the animal fed on skim milk, as compared with the average of those fed on whole milk, cost considered, is \$10.19 in favor of the former as compared with the native or scrub \$20.61.

necessity an e... ble v gives the financial results at the end of one year.

rent animals
and live weight
cts.; Herefo
grade fed on sk
ation was ma
white, live sto
those gentleme
e by them we

animal during
oned as wor
deduction w
home value
was based up
ltaneously wi
ing the amou
nt stages of i

Grades.	Cost of—			Value of—			Total value.	Gain + or Loss.—
	Animal at birth.	Food.	Attendance.	Total cost.	Animals.	Manure.		
	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.	\$ c.
Downy.....	2 00	27 22	5 63	34 85	44 00	6 00	50 00	+15 15
Thorn.....	2 00	47 53	5 63	55 16	48 95	6 00	54 95	- 0 21
Green Poll...	2 00	43 02	5 63	50 65	39 59	6 00	45 59	- 5 06
Stord.....	2 00	46 47	5 63	54 10	49 50	6 00	55 50	+ 1 40
on.....	2 00	41 62	5 63	49 25	44 17	6 00	50 17	+ 0 92
tein.....	2 00	48 63	5 63	56 16	41 94	6 00	47 94	- 8 22
Average (grades of six breeds).	2 00	42 40	5 63	50 03	44 69	6 00	50 69	+ 0 66
Thorn.....	2 00	29 59	5 63	37 22	40 28	6 00	46 28	+ 9 06
Scrub or native.	1 00	39 61	5 63	46 24	27 13	6 00	33 13	-13 11

*Fed on skim milk.

he close of the
milk ration wi
he same. Wi
per animal, a
hat although
5.34 in the co
s at the close
milk consum
d the cost of
average, and y
ot very mark
k ration is m
the life of the
fects the cost
with which the
al value of the
rage of those i
the former a

conclusions should be drawn from this table without carefully
ning all the facts contained in the bulletin.

During the second period the allowance for attendance is the same as
the previous one, with the difference, that one person is supposed to
for 60 animals instead of 75, as in the former period. The
als were valued at the same rate per pound live weight as at
close of the milk period. The amount of the manure made per
al was put at 9,996 lb. and it was reckoned at \$1.25 per ton.
the sum thus obtained there was deducted 2,021½ lb. straw,
ed as in the former instance. This estimate was also based upon
al results obtained as in the first reckoning of the manure.

It will be observed that the animal fed on skim milk cost \$12.81
than the average grade fed on whole milk, and \$9.02 less than
native or scrub, whereas he gave a net gain of \$9.72 in advance
the former, and of \$22.17 in advance of the latter. While the
e or scrub cost \$3.79 less than the average grade, the net
n given by him was also \$17.56 less, that is to say, he cost
77 more than the former when one year old. He not only made
lowest gain per day, but was also rated the lowest by the valu.

CONCLUSIONS. The following are a few of the conclusions that may be drawn from the experiment :

1. That we should be slow to draw conclusions as to the relative value of the different improved breeds for making beef as the food and individuality of the animal exert marked influences.

2. That the behavior of the Galloway grade gives countenance to the idea, that when a calf has been fed liberally on the dam for about two months, a milk ration is not indispensable after that period.

3. That the average grade of the different breeds in the experiment when well fed, will make a daily gain of one pound during the first year, when the weight at birth is included.

4. That animals without improved blood are not capable of making gains so rapidly as those of good breeding, though fed with the same liberality.

5. That a young cattle beast fed on a skim milk ration with adjuncts, may be made to weigh almost as much when one year old as one of similar breeding fed on a whole milk ration with adjuncts similar in kind.

6. That the cost of making beef from young animals on which a whole milk ration has been fed, is much greater relatively than from those to which a skim milk ration has been given.

7. That while making beef from grade calves up to the age of one year is highly profitable when they are fed upon a milk ration followed by a heavy meal ration, that but little profit can be obtained when they are fed upon a whole milk ration followed by the same.

8. That some animals are more capable of producing beef of a higher quality than others.

9. That it is decidedly unprofitable to attempt to make beef from native or scrub stock, even when the conditions are all favorable.

v of the conclus

clusions as to
breeds for mal
e animal exer

rade gives con
en fed liberall
ation is not in

ent breeds in
daily gain of
ight at birth is

d are not cap
good breeding

skim milk ra
ost as much w
l on a whole

young animal
, is much gre
m milk ration

alves up to the
are fed upon a
ion, that but
upon a whole

of producing

attempt to g
en the condit