IMAGE EVALUATION TEST TARGET (MT-3)

Photographic Sciences Corporation

**23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503**

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1985

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☐ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distortion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:/
Commentaires supplémentaires:

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☒ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☒ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	14X	18X	22X	26X	30X
☐	☐	☐	☒	☐	☐
12X	16X	20X	24X	28X	32X

The copy filmed here has been reproduced thanks to the generosity of:

Seminary of Quebec
Library

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\rightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Séminaire de Québec
Bibliothèque

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\rightarrow$ signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

[From the Proceedings of the Entomological Society of Philadelphia, Feb. 1863.]

Importance of INSECT ARCHITECTURE to Entomologists.

BY WILLIAM COUPER,

Assistant Secretary of the Literary and Historical Society, Quebec, &c.

That the study of forms constructed by the *Articulata* lead to the determination of the parent architects, is evident to every intelligent investigator of the insect world. Yet strange to say, I have not met with an Entomologist on this side of the Atlantic who specially devoted his leisure in collecting them. It cannot be said that it is for want of material that this neglect arises, for in Canada, I have collected upwards of six thousand specimens of both animal and vegetable structures formed by *larvæ*, or made use of by perfect insects to fulfill their ends.

A well arranged Cabinet of Insect Architecture presents a most charming picture to the lover of Nature — when these various and curious works of insects are brought together — then it is, that sensation and appreciation will be realized. It is at this stage that the Entomologist sees the real connective use of a collection of this nature with the Order of his study. A hasty glance over this accumulation of buildings erected by our little architects presents us the numerous and various shaped galls produced

by *Cynipidæ*; stems of plants exhibiting the labour of the parent insects in boring through the pith to form cells for their progeny. Plants, such as the *Conioselinum Canadensis*, the interior of the stem of which is occupied by hundreds of cocoons of a Moth. Leaves of plants rolled, curled, tented and mined by Caterpillars and Aphides. Cells of the various Hymenopterous insects; the beautiful little nests of wasps, some quite round, others pear-shaped, *the work of a single pair*. What a contrast between these little structures and the nest of the common Wasp, which is sometimes twelve inches in diameter. A wasp occurs in Western Canada that illustrates the constancy of specific work. This species generally selects a hole in a bank, such as would be left by the falling out of a round stone. The foundation is laid by a substance similar to that used by the common species; this is worked upwards for a short distance. They then procure a much whiter substance, and with it a second ring is formed of about three quarters of an inch wide. The nest is thus a continuation of white and brown rings, and from this peculiar instinct in the insect's mode of architecture, it is named *Vespa marginata*. Hymenopterous insects, also construct nests of mud and clay, laboring from day to day (in their season) until completion; and the species called hornet make use of the same kind of material that the cliff swallow selects to build its nest. The leaf-cutting Bee is provided with mandibles formed to cut circular pieces from leaves of plants, and often have I watched its dexterity and neatness of work. The collector of insect architecture may sometimes find under the bark of trees, three or four rolls of semi-decayed leaves, from one to two inches in length. —They are frequently placed side by side, and contain food on which the *larvæ* feed. The cells are not unlike a continuation of thimbles placed equidistant into each other. We also have the architectural labor of Ants in beautiful galleries, supported by pillars and traverses on which generations of the insects move up and down in the decayed tree.

The tubular aquatic nests of the *larvæ* of Caddis-flies are subjects for an enquiring mind; some being formed of grains of sand, others of leaves and pieces of wood.

A Coleopterist is content when the *imago* is discovered, and after describing it, considers his part performed towards the advancement of human knowledge. Another goes further in delineating forms of *larvæ*, but their architecture, in all cases, whether the work of *larvæ* or of *imago* is altogether neglected. Can not beauty and design be seen in the cocoons of *Osmoderma scabra* and *Osmoderma eremicola*? When the egg-shaped cocoons of these pith-eating *larvæ* are examined, we perceive them formed of fine par-

ticles of ejectamenta with fragments of wood, which the insect cements together by means of a saliva; and these pretty structures are formed in total darkness in the interior of trees. Does not the *imago Canthon laevis* teach us a lesson in the mode by which it provides food for its progeny; and why should the globular structure be rejected by the Entomologist? It is no wonder that the ancient Egyptians worshipped its relative.

The *Modus operandi* of the *Cicada* may be familiar to Entomologists; we know that they deposit their *ova* in branches of fruit trees, and I find the *exuviae* of the *nympha* state in forests, therefore, it is a nice investigation to determine the trees on which it is a parasite. What a pretty Collection the Lepidopterous Cocoons make of themselves? How many Students are there to day, who looks on the cocoons of this order as possessing interest?

The insects are all they care to make room for; large sums are expended to procure descriptive books, at the very time nature's information is within reach. Little thinking that the *Chrysalis* covering formed by the Caterpillar reveals the genus to which it belongs. For instance, this year a young beginner rears the Caterpillar of *Attacus luna*, which forms its cocoon, and in due time he procures the *imago*. Next year, he finds a Caterpillar of *Attacus polyphemus*, which, although a cogener, differs from the former in form and markings. It also spins a like cocoon in size and texture, and in this way, our young beginner discovers that he is the possessor of two species of a genus. In Lepidoptera a remarkable analogy appears in the cocoons of every species of a genus; and we discover a difference between generic forms throughout the order. Hence, I am of the opinion that the cocoon is an easy means of specific identification, as well as to enhance classification. Insect Architecture supplies us with a correct history of Hymenopterous and Dipterous parasites. Its study makes us better acquainted with the destructive insects, and gives us a knowledge wherewith we can check their progress. The collector will also devote a space in the cabinet to spider architecture. They are the most ingenious structures, many of them, mathematically speaking, surpasses any form produced by true insects.

Two cases 18 by 24 inches will suffice to hold a large number of specimens. One should be 2½ inches deep, to contain small forms, and the other 6 inches, for larger ones. To have a glass frame on hinges,—the frame to fit into the case when closed; this is to prevent the escape of small parasitic Hymenoptera &c., which may from day to day appear. Mount the specimens on colored cards, that they may be better exhibited,—write remarks &c., relating thereto on the card, and with strong pins place it in the cabinet.

Remarks on Tent-building Ants.

BY WILLIAM COUPER,

Assistant Secretary of the Literary and Historical Society, Quebec, &c.

An Ant occurs on the Homewood estate, near Toronto, U. Canada, that constructs a kind of *papier mâché* tent over *Aphides*, parasitic on a species of Alder. This structure is attached to the smaller branches of the tree, generally about two or three feet from the ground. The material used by the Ants appears to be fine dust fallen from the interior of decayed hard-wood trees. They convert the dust into a sort of paste which is carried up in small particles. It is wonderful to notice the steadiness and rapidity of these little architects about their work. During the cooler portions of sunny days, the whole working force (*neuters*) of the nest are out at labor, running up and down on the main trunk of the shrub on which the *Aphides* are living. Each ant on its upward course, having a small particle of the ready-made building material in its mandibles, which it adds to the structure, and the work is continued daily until the extent of the colony of *Aphides* is under cover. The form of structure altogether depends on the position of the *Aphides*. It is sufficiently open interiorly to give the ants and plant-parasites plenty of room and ventilation, and there are also several holes leading from underneath the tent for the passage of the ants. I am led to mark this form of Insect Architecture as heretofore unnoticed in America, and although sufficiently familiar with the structure, the species, which is black, and about four lines long, is unknown to me. Could not a correspondent of the Society at Toronto, procure the insect, and its architecture? The locality is mentioned and the objects can be found during the month's of June, July and August. Kirby, in his Introduction to Entomology, Vol. 1. p. 480, mentions the European *F. æthiops* and *F. flava*, as using "sawdust in forming their buildings", but does not speak of the structure in connection with other insects. In Vol. II, p. 89, he says: "sometimes to rescue them from their rivals, they take their aphides* in their mouth, they generally keep guard round them, and when the branch is conveniently situated, they have recourse to an expedient still more effectual to keep off interlopers,—they inclose it in a tube of earth or other materials, and thus confine them in a kind of paddock near their nest, and often communicating with it".

* The ant ascends the tree, says Linné, that it may milk its cows, the *Aphides*, not kill them. Syst. Nat. 962, 3.

This structure made over the Aphides is not the ants nest, but the property of the laboring portion of the colony, which are at a short distance in the earth. Against foes, it is guarded in daytime with more attention than soldiers guard the gates of a military city; and should an ant, even be it of the same species, from a neighboring nest, attempt to visit their "milk cows", it is pounced on and tumbled to the earth. Kirby says: "severe as this constant and unremitted daily labor seems, it is but a small part of what the affection of the working ants leads them readily to undertake. The *feeding* of the young brood, which rests solely upon them, is a more serious charge. The nest is constantly stored with larvæ the year round, during all which time, except in winter when the whole society is torpid, they require feeding several times a day with a viscid half-digested fluid that the workers disgorge into their mouths, which when hungry they stretch out to meet those of their nurses".

To advance our knowledge of insects is the object of Entomological Societies, but in some classes such cannot be perfected without attention to their architecture. Through it European Entomologists have made progress. The London Society possess a Cabinet of Insect Architecture, as is seen from the following,—“Prof. Westwood also exhibited numerous specimens of leaves which had been mined by larvæ of Diptera and Lepidoptera, arranged on card-board for the Cabinet, in such manner as to exhibit at a glance the difference between the various mines—a matter of considerable importance for the determination of the species”.— *Athenæum*, Nov. 1. 1862.