591.96

THUNBERG

9 Mus
207. 6.20.12.
591.96
Mas. Cass

FAUNA
GVINEENSIS.

QUAM
VENIA. EXP. FACULT. MED. UPSAL.

PRÆSIDE

Carl P. THUNBERG

COMMENDATORE REG. ORD. DE WASA
MED. DOCT. PROF. MED. ET BOT. REG. ET ORD. REG. COLL. SANIT. MEMB.
HON. ACAD. CÆSAR. PETROPOL. ET NAT. CURIOS. REG. SCIENT. UPS. LOND.
HOLM. AGRIC. MED. ET EVANG. SOCIET. OECON. UPSAL. PATR. HOLM. ET.
CIV. OECON. FINL. HONOR. WERMEL. JUNEC. WESTM. CALM. ET ÖREBR
BEROL ET LIPS. NAT. SCRUT. PARIS. HAFN. MOSCOU. ET HALENS. HIST. NAT.
GORENK. PHILAD. LUND. HARLEM. AMSTELD. BONNENS. OECON. ET INST.
LITT. ZELAND. NIDROSIENS TURICENS. IENENS. LINN. LONDIN. ET HORTI-
CULTUR. REG. SCIENT. PHYS. ET PHYTOGRAPH. GÖTTINGENS. SCIENT. GO-
THOB. MONACH. ERLANG. WETTER. NANCIENS. MARPURG. MED. PA-
RIS. EMUL. ET LINN. MONSPEL. MED. MATRITENS. MED. ET NAT. STUDIOS. E-
DIMBURG. ET PETROP. MEDICO CHIR. ET PHARMAC. MEMBRO NEC NON
ACAD. SCIENT. PARIS ET INSTITUT. NATION. MONSPELIENS. AGRICULT. PARIS.
MEDIC. LONDIN. SCANDINAV. FLORENTIN. ET BATAVIN. IND. OR. CORRESPOND.

P. P.

MAURITZ KAHN

Holm.

IN AUDIT. BOTANICO DIE XIV JUNII MDCCCXXIII.

H. A. M. S.

UPSALIÆ
EXCUBEANT PALMBLAD ET C.

ADJUTANT
GENERAL

OFFICE OF THE ADJUTANT GENERAL

THE ADJUTANT GENERAL IS THE OFFICER
CHARGED WITH THE DUTY OF
RECEIVING AND FORWARDING
ALL COMMUNICATIONS TO AND
FROM THE HEADQUARTERS OF THE
ARMY, AND WITH THE
DISTRIBUTION OF THE
SUPPLIES OF THE ARMY.

ADJUTANT GENERAL

OFFICE OF THE ADJUTANT GENERAL

ADJUTANT GENERAL

OL
337
677
748
1823
SCHNEZ

IN
SACRAM REGIAM MAJESTATEM
MAGNÆ FIDEI VIRO
REGIS AUGUSTISSIMI A SACRIS SUPREMIS
AD ECCLESIAM S. TI JACOBI ET JOHANNIS PASTORI
REGII AULICI CONSISTORII PRÆSIDI
REGII ORDINIS DE STELLA POLARI MEMBRO
MAXIME REVERENDO ATQUE CELEBERRIMO
S. S. THEOLOGIÆ DOCTORI

DOMINO

JOHANNI JACOBO HEDRÉN.

FAUTORI PIA MENTE SEMPER COLENDO,

SACRUM

Voluit, debuit

M. KARR.

Den Huldaste Fader

HELGADT

af

SONLIG KÆRLEK.

FAUNA GVINEENSIS

Gvineæ ora in Africa, unde in opprobrium plurium Nationum Europæarum tot millia infelicium indigenorum nigritarum ad Americam, capta vel emta, translata fuerunt, ut in Coloniiis Sacharum. Oryzam, Coffeam et alia similia deliciarum genera Europæis colerent atque pararent, valde sunt depressa, humidis vaporibus onusta, ardentiori Sole simul quasi adusta, et ideo ob insalubritatem summam maxime sanitati Europæorum noxia, rarius occupata, inhabitata et culta fuerunt.

ADANSON, Gallus, illustris Historiæ Naturalis cultor Senegaliz Historiam Naturalem nobis notam laudabiliter reddidit Deinde celebris Professor SPARMANN, popularis noster atque DINUS ARRHENIUS has oras maritimas viderunt, et non paucas res naturales, in patriam suam adduxerunt. Dn SMEATMAN, Anglus, etiam ex hisce Africæ regionibus redux non pauca pro Musæis Londinensibus secum adduxit. Plura adhuc debemus Peregrinator in Sierram Leonam illustris. Dno Professore ADAMO AFZELIO nostrati, qui e nova hac et celebri Colonia Anglica, ex omni classe regni vegetabilis et animalis Specimina, plurima ante incognita, collegit, in Angliam et Sveciam attulit, et non pauca cum orbe erudito communicavit, sic ut, per operam horum virorum insatigabilem, zelum indefessum et curam laude dignissimam, recentioribus seculis, cognitio nostra increverit et multum fuerit adaucta eorum Animalium, quæ in hac ingentis Africæ parte vivunt, habitant et multiplicantur.

Comprehendimus sub hac Fauna Gvineensi non solum GVINEAM proprie sic dictam, sed etiam SENEGALIAM et SIERRAM LEONAM atque adjacentes regiones, fluvios et tractus maritimos, unde parum usque huc ad interiores provincias penetrare licuit.

FAUMA GVINEENSIS

* MAMMALIA

Simia Maimon.
 Diana.
 Cephus.
 Nictitans.
 Petaurista.
 Maura
 Rolowaij.
Lemur Potto.
Vespertilio hispidus.
 nigrita.
Manis pentadactyla.
Hyæna crocuta.
Felis pardus.
 Leopardus.
Viverra capensis.
 galera.
Cervus gvineensis.
Antilope dama.
 redunca.
 kewella.
 grimmia.
 strepsiceros?
Sus porcus.

** AVES

Falco coronatus.
 piscator.
Lanius collurio.
 barbarus.
 senegalus.

Psittacus erithacus.
 cinereus.
 gvineensis.
 senegalus.
 pullatus.
Buceros nasutus.
Buphaga africana.
Corvus dauricus.
 senegalensis.
Coracias senegalensis.
Oriolus textor.
Bucco parvus.
Cuculus senegalensis.
Picus senegalensis.
 goertan.
Alcedo senegalensis.
Merops erythropterus.
Certhia senegalensis.
 pulchella.
Scopus umbretta.
Ardea pavonina.
 senegalensis.
Glareola senegalensis.
Parra senegala.
Numida meleagris.
 cristata.
Perdix bicalcarata.
Columba senegalensis.
 vinacea.
 afra.
 macrocera.
Alauda senegalensis.
Turdus æneus.

auratus.
leucogaster.
fenegalenfis.
erythropterus.
chryfogaster.

Colius fenegalenfis.

Loxia macroura.

Astrild.

perlata.

Embriza quelea.

Fringilla longirostris.

fenegala.

cyanoccephala.

domestica

Muscicapa paradisi.

fenegalenfis

cristata.

melanoptera.

Motacilla Leucorhoa.

fervida

fenegalenfis.

aurorea.

flavescens.

undata.

fuscata.

subflava.

boarula.

Hirundo fenegalenfis.

Caprimulgus macrodipterus.

*** AMPHIBIA.

Lacerta Alligator?

Lacerta gangetica.
lemniscata.

**** PISCES.

Gymnotus electricus.

Ostracion quadricornis.

***** INSECTA

Geotrupes Elephas.

Boas.

Ateuchus inuus.

Melolontha versicolor

lineata.

crenata.

retusa.

dichroa.

murina.

carinata.

tuberculata.

imputata.

olivacea

Rutela oblitterata.

Trichius barbatus.

alutaceus.

vi guttatus.

iv maculatus.

Pausus bncephalus.

Hispa spinulosa.

spinigera.

echinata.

fulcicollis.

porrecta.

La-

- Lagria brevicollis.**
 striatella.
Hallomenus pallens.
Lytta ictorica.
Elater gvineensis.
 glabratus.
 pulveteus.
 rugicollis.
 parviceps.
 umbilicatus.
Pasandra vi-striata.
Prionus yslotus.
Cerambyx fragrans.
 afer.
 Fabricii.
 speciosus.
 torquatus.
 plagiatus.
 gracilipes.
 brevicornis.
 torridus.
Lamia mammillata.
 principalis.
 nubifer
 dentipes
 bella.
 amoena.
 pulchella
Stenocorus strigosus.
 mythicus.
 geminatus
Saperda giraffa.
 bidentula.
 deusta.
Callidium fasciatum.
- Clytus scriptus.**
Lycus præmorsus.
 corniger.
 foliaceus.
 melanurus.
 sinuatus.
 terminatus.
 flabellatus.
 canaliculatus.
Cetonia gagates.
 cinnamomea.
 Afzelii.
 punctata.
 guttigera.
 ventricosa.
 africana.
 olivacea.
 afra
 micans.
 trivitata.
Lucanus tarandus.
 Antilope.
Cassida tuberculata.
Curculio hebes.
Anthribus gvineensis.
Necydalis brevicornis.
Forficula flavipes.
 flavipennis.
 pygmæa.
Lycus laticornis.
Cantharis violacea.
Lymexylon abbreviatum.
Cicindela interrupta.
Buprestis punctatissima.
- Bu.

Buprestis VIII. signata.
violacea.

Carabus femoralis.

Tenebrio ferratus.
chalybeus.

Fulgora tenebrosa.
tænia.

Alydus dentipes.
senegalensis.

Reduvius barbicornis.
gvineensis.
biguttatus.
albomarginatus.
cruciger.
elegans.
rufipennis.
leucocephalus.

Lygæus furcatus.
oblongipes.
tristator.
festivus.
gvineensis.
alboftriatus.

Zelus tipuliformis.
præcatorius.

Tetyra signata.
comes.
Sehestedii
Annulus.
stigma.
Argus?
Lundii.
Edessa gvineensis
viduata.
modesta.

Cimex rugosus.
splendidulus.
calens.
gladiator.
debellator.
azureus.
alienatus.
adpersus.
senegalensis.
signatus.
papillofus.
funebri.
calidus.
collaris.

Halys ferrata.
jaculus
plana.

Ælia lanceolata.
hastata.

Coræus elevator.
lanciger.

Nepa grossa.
nigra.

Naucoris nepoides.

Gryllus cinctus.
nervosus.
ruficornis.

Conocephalus lanceolatus.

Acrydium morbillosum.
afrum.

Acheta vastatrix.
bimaculata.
maura.
marginata.

ob-

Acheta obscura.
 ciliata.
 varia.
 vittata.
 longicornis.
Tettigonia strumosa.
Lystra viridipes.
Cercopis flavescens.

olivacea.
 livida.
 cincta.
 obscura.
 rubra.

Papilio Dædalus.
 Absalon.
 Castor
 Pollux.
 Decius.
 Rebecca.
 Lucretius.
 Clelia.
 Laodice.
 Iole.
 Althea.
 Amphiceda.
 Pythia.
 Melantha.
 Ophione.
 Veronica.
 Cupavius.
 Zetes.
 Pasiphae.
 Narica.
 Delila.
 Therfander.

Papilio Zenobia.
 Hippocoon.
 Niavius.
 Enothrea.
 Etheocles.
 Doreus.
 Ceres.
 Cato.
 Terea.
 Leda,
 Berenice.
 Semire.
 Zingla
 Amalia.
 Octavia.
 Hostilia.
 Opis
 Crithea.
 Lycia.
 Bonasia.
 Poppea.
 Sylvia.
 Argia.
 Calypso.
 Chloris.
 Rhodope.
 Eudoxia.
 Saba.
 Florella.
 Melusina.
 Melicerta.
 Dryope.
Hesperia faunus.
 Hymen.

Alci.

- Hesperia** Alcides.
 Parthenon.
 Juba.
 Silenus.
 Jupiter.
 Thyra.
Sphinx funebris.
 Clio.
 rhadamistus.
Zygæna Hyparchus.
 gvineensis.
Bombyx Dione.
 Epimethea.
 puella.
 Argus.
 Olivacea.
Noctua bicolora.
 formosa.
 alienata.
 Sidæ.
 hircus.
 dimidiata.
Phalæna sponsata.
 diaphanata.
 bicolor.
Libellula notata.
Myrmeleon caninum.
 lynceum.
Termes arda.
 mordax.
Chrysis festiva.
 lyncea.
Formica foetens.
 gvineensis.
 tarsata.
- Lasius** fericeus.
Dorylus nigricans.
Mutilla gvineensis.
 continua.
 flabellata.
Scolia ruficornis.
Elis cochleata.
Dryinus æneus.
Chlorion mandibulare.
Eumenes grisea.
Pepsis tomentosa.
 pubescens.
 cincta.
 hirtipes.
 albifrons.
Pompilus hæmorrhoidalis.
Zethus gvineensis.
Philanthus histrio.
Megilla circulata.
Apis gvineensis.
Antophora bucephala.
Bombus olivaceus.
Centris acraensis.
 musciformis.
Anthidium terfatum.
Vespa calida.
 africana.
 aurata.
 squamigera.
 gvineensis.
Cryptus ferruginatorius.
Bracon itinerator.
 mercator.
Musca megacephala.

meo-

<i>Musca moerens.</i>	<i>Cypria stercoraria.</i>
<i>elongata.</i>	<i>plumbea.</i>
<i>lugens.</i>	<i>fasciata.</i>
<i>Stratiomys quadrilineata.</i>	<i>Zonaria.</i>
<i>Syrphus salviae.</i>	<i>Voluta reticulata.</i>
<i>Afilus morio.</i>	<i>cancellata.</i>
<i>fasciatus.</i>	<i>nigra.</i>
<i>Tabanus fasciatus.</i>	<i>volva.</i>
<i>Scorpio hottentottus.</i>	<i>rhinoceros.</i>
<i>Trombidium tinctorium.</i>	<i>nassa.</i>
<i>Aranea calceata.</i>	<i>Buccinum fenegalicum.</i>

***** VERMES.

Filaria medinenfis

***** TESTACEA.

<i>Mya anatina.</i>	<i>cutaceus.</i>
<i>syrmatophora.</i>	<i>hippocastanum.</i>
<i>Tellina papyracea.</i>	<i>trigonus.</i>
<i>hyalina.</i>	<i>femilunaris.</i>
<i>Cardium æolicum.</i>	<i>costatus.</i>
<i>Mactra pellucida.</i>	<i>fulcatus.</i>
<i>Venus contraria</i>	<i>fuciformis.</i>
<i>hermaphrodita.</i>	<i>asper.</i>
<i>fenegalensis.</i>	<i>asper.</i>
<i>Spondylus plicatus.</i>	<i>fenegalensis.</i>
<i>Chama oblonga.</i>	<i>sinensis.</i>
<i>Ostrea japonica.</i>	<i>Trochus gvineensis.</i>
<i>stellata.</i>	<i>corallinus.</i>
<i>Anomia muricata.</i>	<i>griseus.</i>
<i>Mytilus versicolor.</i>	<i>asper.</i>
<i>murinus.</i>	<i>pantherinus.</i>
<i>Conus papiliois.</i>	<i>Turbo punctatus.</i>
	<i>asper.</i>
	<i>exoletus.</i>
	<i>Helix afra.</i>
	<i>pyrum</i>
	<i>flammea.</i>

cre-

Helix crepuscularis.
 hyalina.
 venatorum.
Nerita senegalensis.
Haliotis gvineensis.
Patella goreensis.
 porcellana.
 atra

Patella gvineensis.
 muricata
 grisea.
Serpula atra.
 goreensis.
 intestinalis.
Spongia muricata.

THESES.

I

Nemo mortalium in adyta Historiæ Naturalis solum legendo unquam penetravit, ni ipse quantum potuit corrigere defectus conatus est.

II

Sicut Natura, ita Scientia Naturalis Totum quoddam organicum constituit: quævis igitur hujus pars principalis Naturæ scrutandæ æque est necessaria ejusdemque momenti.

III

Cuique fane notitia Historiæ Naturalis jucundissima est atque utilissima, iis vero, qui in studiis litterarum progressus facere cupiunt, summæ necessitatis.

IV

Lichenes, licet vulgo minoris habiti, Oeconomix naturæ quam maxime sunt necessarii, et maximum hominibus præbent usum.

SMITHSONIAN INSTITUTION LIBRARIES

3 9088 01347 9480