IMAGE EVALUATION TEST TARGET (MT-3)

Photographic
Sciences
Corporation

23 WEST MAIN STREET
WEBSTER, N.Y. 14580
(716) 872-4503

**CIHM/ICMH
Microfiche
Series.**

**CIHM/ICMH
Collection de
microfiches.**

Canadian Institute for Historical Microreproductions / Institut canadien de microreproductions historiques

© 1982

Technical and Bibliographic Notes/Notes techniques et bibliographiques

The Institute has attempted to obtain the best original copy available for filming. Features of this copy which may be bibliographically unique, which may alter any of the images in the reproduction, or which may significantly change the usual method of filming, are checked below.

L'Institut a microfilmé le meilleur exemplaire qu'il lui a été possible de se procurer. Les détails de cet exemplaire qui sont peut-être uniques du point de vue bibliographique, qui peuvent modifier une image reproduite, ou qui peuvent exiger une modification dans la méthode normale de filmage sont indiqués ci-dessous.

- ☐ Coloured covers/
Couverture de couleur
- ☐ Covers damaged/
Couverture endommagée
- ☐ Covers restored and/or laminated/
Couverture restaurée et/ou pelliculée
- ☒ Cover title missing/
Le titre de couverture manque
- ☐ Coloured maps/
Cartes géographiques en couleur
- ☐ Coloured ink (i.e. other than blue or black)/
Encre de couleur (i.e. autre que bleue ou noire)
- ☐ Coloured plates and/or illustrations/
Planches et/ou illustrations en couleur
- ☐ Bound with other material/
Relié avec d'autres documents
- ☐ Tight binding may cause shadows or distortion
along interior margin/
La reliure serrée peut causer de l'ombre ou de la
distortion le long de la marge intérieure
- ☐ Blank leaves added during restoration may
appear within the text. Whenever possible, these
have been omitted from filming/
Il se peut que certaines pages blanches ajoutées
lors d'une restauration apparaissent dans le texte,
mais, lorsque cela était possible, ces pages n'ont
pas été filmées.
- ☐ Additional comments:/
Commentaires supplémentaires:

- ☐ Coloured pages/
Pages de couleur
- ☐ Pages damaged/
Pages endommagées
- ☐ Pages restored and/or laminated/
Pages restaurées et/ou pelliculées
- ☐ Pages discoloured, stained or foxed/
Pages décolorées, tachetées ou piquées
- ☐ Pages detached/
Pages détachées
- ☐ Showthrough/
Transparence
- ☐ Quality of print varies/
Qualité inégale de l'impression
- ☐ Includes supplementary material/
Comprend du matériel supplémentaire
- ☐ Only edition available/
Seule édition disponible
- ☐ Pages wholly or partially obscured by errata
slips, tissues, etc., have been refilmed to
ensure the best possible image/
Les pages totalement ou partiellement
obscurcies par un feuillet d'errata, une pelure,
etc., ont été filmées à nouveau de façon à
obtenir la meilleure image possible.

This item is filmed at the reduction ratio checked below/
Ce document est filmé au taux de réduction indiqué ci-dessous.

10X	12X	14X	16X	18X	20X	22X	24X	26X	28X	30X	32X
☐	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐

The copy filmed here has been reproduced thanks to the generosity of:

Library of Congress
Photoduplication Service

The images appearing here are the best quality possible considering the condition and legibility of the original copy and in keeping with the filming contract specifications.

Original copies in printed paper covers are filmed beginning with the front cover and ending on the last page with a printed or illustrated impression, or the back cover when appropriate. All other original copies are filmed beginning on the first page with a printed or illustrated impression, and ending on the last page with a printed or illustrated impression.

The last recorded frame on each microfiche shall contain the symbol $\rightarrow$ (meaning "CONTINUED"), or the symbol ∇ (meaning "END"), whichever applies.

Maps, plates, charts, etc., may be filmed at different reduction ratios. Those too large to be entirely included in one exposure are filmed beginning in the upper left hand corner, left to right and top to bottom, as many frames as required. The following diagrams illustrate the method:

L'exemplaire filmé fut reproduit grâce à la générosité de:

Library of Congress
Photoduplication Service

Les images suivantes ont été reproduites avec le plus grand soin, compte tenu de la condition et de la netteté de l'exemplaire filmé, et en conformité avec les conditions du contrat de filmage.

Les exemplaires originaux dont la couverture en papier est imprimée sont filmés en commençant par le premier plat et en terminant soit par la dernière page qui comporte une empreinte d'impression ou d'illustration, soit par le second plat, selon le cas. Tous les autres exemplaires originaux sont filmés en commençant par la première page qui comporte une empreinte d'impression ou d'illustration et en terminant par la dernière page qui comporte une telle empreinte.

Un des symboles suivants apparaîtra sur la dernière image de chaque microfiche, selon le cas: le symbole $\rightarrow$ signifie "A SUIVRE", le symbole ∇ signifie "FIN".

Les cartes, planches, tableaux, etc., peuvent être filmés à des taux de réduction différents. Lorsque le document est trop grand pour être reproduit en un seul cliché, il est filmé à partir de l'angle supérieur gauche, de gauche à droite, et de haut en bas, en prenant le nombre d'images nécessaire. Les diagrammes suivants illustrent la méthode.

y errata
ed to
nt
ne pelure,
açon à

THE PLANTS OF THE EASTERN COAST OF LAKE HURON,

AND THEIR DISTRIBUTION THROUGH THE NORTHERN AND
WESTERN PORTIONS OF BRITISH NORTH AMERICA.

BY JOHN GIBSON, B.A., F.G.S., F.B.S.E.; AND
JOHN MACOON, M.A., *Botanist to the British Columbia Exploring Expedition of 1875.*

The following lists of plants collected or observed upon the eastern coast of Lake Huron, and the southern and western shores of the Georgian Bay, with their eastern and western ranges indicated by a dash (—) in the respective columns, though necessarily very imperfect in detail, are presented to the botanists of Ontario in the hope that they may be of service in elucidating some points in the Geographical Botany of Canada.

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
RANUNCULACEÆ.			
<i>Clematis Virginiana</i> , L.	—	—	Rocky Mountains.
<i>Anemone Virginiana</i> , L.	—	—	"
" <i>Pennsylvanica</i> , L.	—	—	"
" <i>nemorosa</i> , L.	—	—	"
<i>Hepatica triloba</i> , Chaix.	—	—	Sitka Sound.
" <i>acutiloba</i> , D. C.	—	—	"
<i>Thalictrum anemonoides</i> , Mx.	—	—	Vancouver's Island.
" <i>dioicum</i> , L.	—	—	Peace River valley.
" <i>Cornuti</i> , L.	—	—	
<i>Ranunculus aquatilis</i> , L., var.	—	—	Rocky Mountains.
<i>trichophyllus</i> , Chx.	—	—	Kotzebue's Sound.
" <i>multifidus</i> , Pursh.	—	—	
" <i>Flammula</i> , L., var. <i>rep-</i>	—	—	
<i>tans</i> .	—	—	
" <i>rhomboides</i> , Goldie.	—	—	North-West to lat. 57°.
" <i>abortivus</i> , L.	—	—	McKenzie River to lat. 67° N.
" <i>sceleratus</i> , L.	—	—	Unalaska.
" <i>recurvatus</i> , Poir.	—	—	Pacific coast.
" <i>Pennsylvanicus</i> , L.	—	—	
" <i>fascicularis</i> , Muhl.	—	—	Peace River valley.
" <i>repens</i> , L.	—	—	Vancouver's Island.
" <i>acris</i> , L.	—	—	Pacific coast.
<i>Caltha palustris</i> , L.	—	—	Sitka and Unalaska.
<i>Coptis trifolia</i> , Salisb.	—	—	Rocky Mountains.
<i>Aquilegia Canadensis</i> , L.	—	—	"
<i>Actæa spicata</i> , L., var. <i>rubra</i> .	—	—	"
" <i>alba</i> , Bigel.	—	—	"

	Eastern Lake Ontario, Superior	Western and North-western Extension.
MAGNOLIACEÆ		
Liriodendron Tulipifera, L.		
MENISPERMACEÆ		
Menispermum Canadense, L.	—	Saskatchewan plains.
BERBERIDACEÆ		
Canthophyllum thalictroides, Mx.	—	
Podophyllum peltatum, L.	—	
NYMPHÆACEÆ		
Brasenia peltata, Pursh.	—	Rocky Mountains.
Nymphaea odorata, Ait.	—	Pacific coast.
Nuphar advena, Ait.	—	
SARRACENIACEÆ		
Sarracenia purpurea, L.	—	Peace River valley.
PAPAVERACEÆ		
Chelidonium majus, L.	—	
Sanguinaria Canadensis, L.	—	Saskatchewan plains.
FUMARIACEÆ		
Adlumia cirrhosa, Raf.	—	
Dicentra cucullaria, D. C.	—	North-West America.
" Canadensis, D. C.	—	
Corydalis glauca, Pursh.	—	Upper British Columbia.
" aurea, Willd.	—	Rocky Mountains.
CRUCIFERÆ		
Nasturtium officinale, R. Br.	—	N. W. coast of America.
" palustre, D. C.	—	Pacific coast.
Dentaria diphylla, L.	—	
" laciniata, Muhl.	—	
Cardamine rhomboidea, D. C., var., purpurea, Torr.	—	
" pratensis, L.	—	North-West America.
" hirsuta, L.	—	Pacific coast.
Arabis lyrata, L.	—	
" hirsuta, D. C.	—	Peace River valley.
" laevigata, D. C.	—	
" Canadensis, L.	—	
" perfoliata, L.	—	Rocky Mountains.
" Drummondii, Graham.	—	Pacific coast.
Barbarea vulgaris, R. Br.	—	Pacific coast.
Erysimum cheiranthoides, L.	—	Pacific coast.
Sisymbrium officinale, Scop.	—	Vancouver's Island.
" caulescens, Nutt.	—	Rocky Mountains.
Brassica Sinapistrum, Bois.	—	
Camelina sativa, Crantz.	—	
Capsella bursa-pastoris, Moench	—	Vancouver's Island.
Lepidium Virginicum, L.	—	Rocky Mountains.
" intermedium, Gray.	—	

PLANTS OF THE EASTERN COAST OF LAKE HURON.

3

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
VIOLACEÆ.			
<i>Viola lanceolata</i> , L.	—	—	Peace River valley.
" <i>blanda</i> , Willd.	—	—	Arctic America.
" <i>encollata</i> , Ait.	—	—	
" <i>sagittata</i> , Ait.	—	—	
" <i>canina</i> , L. var. <i>sylvestris</i> , Reg.	—	—	McKenzie River, lat. 59° N.
" <i>rostrata</i> , Pursh.	—	—	Pacific coast.
" <i>Canadensis</i> , L.	—	—	Saskatchewan plains.
" <i>pubescens</i> , Ait.	—	—	
CISTACEÆ.			
<i>Helianthemum Canadense</i> , Michx.	—	—	Saskatchewan plains.
<i>Lechea minor</i> , Lane.	—	—	
<i>Hudsonia tomentosa</i> , Nutt.	—	—	Little Slave Lake.
DROSERACEÆ.			
<i>Drosera rotundifolia</i> , L.	—	—	Unalaska, Pacific coast.
" <i>longifolia</i> , L.	—	—	
" <i>linearis</i> , Goldie.	—	—	Jasper Lake, Rocky Mts.
HYPERICACEÆ.			
<i>Hypericum Canadense</i> , L.	—	—	
" <i>corymbosum</i> , Muhl.	—	—	
" <i>ellipticum</i> , Hooker.	—	—	
" <i>Kalmianum</i> , L.	—	—	
" <i>mutilum</i> , L.	—	—	
" <i>perforatum</i> , L.	—	—	Saskatchewan plains.
" <i>pyramidatum</i> , Ait.	—	—	
<i>Elodea Virginica</i> , Nutt.	—	—	
CARYOPHYLLACEÆ.			
<i>Saponaria officinalis</i> , L.	—	—	
<i>Vaccaria vulgaris</i> , Host.	—	—	Pacific coast.
<i>Silene antirrhina</i> , L.	—	—	
" <i>noctiflora</i> , L.	—	—	
<i>Agrostemma Githago</i> , L.	—	—	
<i>Lychnis vespertina</i> , Sibth.	—	—	
<i>Arenaria serpyllifolia</i> , L.	—	—	Arctic Sea.
" <i>stricta</i> , Michx.	—	—	Arctic coast.
" <i>lateriflora</i> , Fenzl.	—	—	Little Slave Lake.
<i>Stellaria media</i> , Smith.	—	—	Sitka Sound.
" <i>longifolia</i> , Muhl.	—	—	Arctic America.
" <i>borealis</i> , Bigelow.	—	—	
<i>Cerastium vulgatum</i> , L.	—	—	
" <i>viscosum</i> , L.	—	—	Pacific coast, Oregon.
" <i>arvense</i> , L.	—	—	
PORTULACACEÆ.			
<i>Portulaca oleracea</i> , L.	—	—	Fort Francis, Dawson route.
<i>Claytonia Virginica</i> , L.	—	—	
" <i>Caroliniana</i> , Michx.	—	—	Rocky Mountains.

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
MALVACEÆ			
<i>Malva rotundifolia</i> , L.	—	—	
" <i>moschata</i> , L.	—	—	
<i>Abutilon Avicennæ</i> , Gaertn.	—	—	
TILIACEÆ			
<i>Tilia Americana</i> , L.	—	—	Rainy River, Dawson route
LINACEÆ			
<i>Linum usitatissimum</i> , L.	—	—	
" <i>striatum</i> , Walt.	—	—	
GERANIACEÆ			
<i>Geranium maculatum</i> , L.	—	—	
" <i>Robertianum</i> , L.	—	—	
" <i>Carolinianum</i> .	—	—	W. of Rocky Mts. lat. 55° N
<i>Impatiens pallida</i> , Nutt.	—	—	Pacific coast, Oregon.
" <i>fulva</i> , Nutt.	—	—	British America, lat. 66° N
<i>Oxalis Acetosella</i> , L.	—	—	
" <i>stricta</i> , L.	—	—	West of Rocky Mountains
RUTACEÆ			
<i>Xanthoxylum Americanum</i> .	—	—	
Mill.	—	—	
ANACARDIACEÆ			
<i>Rhus typhina</i> , L.	—	—	
" <i>glabra</i> , L.	—	—	Saskatchewan plains.
" <i>Toxicodendron</i> , L.	—	—	N. W. America, Rocky Mts.
" <i>aromatica</i> , Ait.	—	—	Saskatchewan River.
VITACEÆ			
<i>Vitis cordifolia</i> , Michx.	—	—	
" <i>riparia</i> , Michx.	—	—	
<i>Ampelopsis quinquefolia</i> , Michx.	—	—	
RHAMNACEÆ			
<i>Rhamnus alnifolia</i> , L'Her.	—	—	Hudson's Bay.
<i>Ceanothus Americanus</i> , L.	—	—	
" <i>ovalis</i> , Bigel.	—	—	
CELASTRACEÆ			
<i>Celastrus scandens</i> , L.	—	—	
<i>Enonymus atropurpureus</i> , Jacq.	—	—	
" <i>Americanus</i> , L., var.	—	—	
obovatus.	—	—	
SAPINDACEÆ			
<i>Staphylea trifolia</i> , L.	—	—	
<i>Acer Pennsylvanicum</i> , L.	—	—	British America, lat. 51° N.
" <i>spicatum</i> , Lam.	—	—	British America, lat. 51° N.
" <i>saccharinum</i> , Wang.	—	—	
" <i>dasycarpum</i> , Ehr.	—	—	
" <i>rubrum</i> , L.	—	—	Oregon.

HURON.

and North-western
Extension.

er, Dawson route

cky Mts. lat. 55° N

st, Oregon.

merica, lat. 66° N

Rocky Mountains

wan plains.

merica, Rocky Mts.

wan River.

Bay.

merica, lat. 51° N.

merica, lat. 51° N.

PLANTS OF THE EASTERN COAST OF LAKE HURON.

5

	Eastern Ontario	Lake Superior	Western and North-western Extension.
POLYGALACEÆ			
<i>Polygala Senega</i> , L.	—	—	Saskatchewan plains.
" <i>paucifolia</i> , Willd.	—	—	Saskatchewan plains.
" <i>polygama</i> , Walt.	—	—	
LEGUMINOSÆ			
<i>Lupinus perennis</i> , L.	—	—	Behring's Strait and Arctic c.
<i>Trifolium pratense</i> , L.	—	—	
" <i>hybridum</i> , L.	—	—	
" <i>repens</i> , L.	—	—	
<i>Melilotus alba</i> , Lam.	—	—	
<i>Medicago sativa</i> , L.	—	—	
" <i>lupulina</i> , L.	—	—	
<i>Robinia Pseudacacia</i> , L.	—	—	
" <i>viscosa</i> , Bent.	—	—	Rocky Mountains, lat. 58° N.
<i>Astragalus Canadensis</i> , L.	—	—	
" <i>Cooperi</i> , Gray.	—	—	
<i>Desmodium nudiflorum</i> , D. C.	—	—	
" <i>acuminatum</i> , D. C.	—	—	
" <i>cuspidatum</i> , L. & G.	—	—	
" <i>Canadense</i> , D. C.	—	—	
<i>Lespedeza hirta</i> , Ell.	—	—	
" <i>capitata</i> , Michx.	—	—	
<i>Vicia sativa</i> , L.	—	—	Rocky Mountains, lat. 67° N.
" <i>Americana</i> , Muhl.	—	—	Kotzebue's Sound, Arctic Am.
<i>Lathyrus maritimus</i> , Bigel.	—	—	Bear Lake, lat. 67° N.
" <i>ochroleucus</i> , Hook.	—	—	Oregon and N. to lat. 55° N.
" <i>palustris</i> , L.	—	—	
" <i>palustris</i> , L., var. <i>myr-</i> <i>tifolius</i> .	—	—	
<i>Apios tuberosa</i> , Moench.	—	—	Woods of the Rocky Mts.
<i>Amphicarpea monoica</i> , Nutt.	—	—	
ROSACEÆ			
<i>Prunus Americana</i> , Marsh.	—	—	Saskatchewan valley.
" <i>pumila</i> , L.	—	—	Saskatchewan & Hudson's Bay.
" <i>Pennsylvanica</i> , L.	—	—	Rocky Mountains, lat. 57° N.
" <i>Virginiana</i> , L.	—	—	Great Slave Lake, lat. 62°, and west to the Rocky Mts.
" <i>scrobinia</i> , Ehr.	—	—	Saskatchewan plains.
<i>Spiraea opulifolia</i> , L.	—	—	Saskatchewan plains.
" <i>salicifolia</i> , L.	—	—	
<i>Agrimonia Eupatoria</i> , L.	—	—	
<i>Cicum album</i> , Gmelin.	—	—	Rocky Mountains, lat. 56° N.
" <i>strictum</i> , Ait.	—	—	Rocky Mountains, lat. 55° N.
" <i>rivale</i> , L.	—	—	Rocky Mountains, lat. 56° N.
" <i>triflorum</i> , Pursh.	—	—	
<i>Waldsteinia fragarioides</i> , Tratt.	—	—	Arctic America to Sitka Sound
<i>Potentilla Norvegica</i> , L.	—	—	
" <i>Canadensis</i> , L.	—	—	
" <i>argentea</i> , L.	—	—	Rocky Mountains, lat. 65° N.
" <i>arguta</i> , Pursh	—	—	Arctic America to Pacific c.
" <i>anserina</i> , L.	—	—	Kotzebue's Sound.
" <i>fruticosa</i> , L.	—	—	Pacific coast, Kotzebue's Sound
" <i>palustris</i> , Scop.	—	—	

	Eastern Ontario	Lake Superior	Western and North-western Extension.
<i>Fragaria Virginiana</i> , Ehrh.	—	—	North-West coast, lat. 64° N.
" <i>vesca</i> , L.	—	—	North-West coast, lat. 64° N.
<i>Dalibarda repens</i> , L.	—	—	Saskatchewan plains.
<i>Rubus odoratus</i> , L.	—	—	Rocky Mountains, lat. 56° N.
" <i>triflorus</i> , Rich.	—	—	Rocky Mountains, lat. 56° N.
" <i>strigosus</i> , Michx.	—	—	
" <i>neglectus</i> , Peck.	—	—	
" <i>occidentalis</i> , L.	—	—	
" <i>villosus</i> , Ait.	—	—	
" <i>hispidus</i> , L.	—	—	
<i>Rosa Carolina</i> , L.	—	—	
" <i>blanda</i> , Ait.	—	—	Bear Lake, lat. 67° N.
" <i>rubiginosa</i> , L.	—	—	
<i>Crataegus coccinea</i> , L.	—	—	
" <i>tomentosa</i> , L. var. <i>punctata</i> , Gray.	—	—	
" <i>Crus-Galli</i> , L.	—	—	
<i>Pyrus coronaria</i> , L.	—	—	
" <i>arbutifolia</i> , L. var. <i>melanocarpa</i> , Gray.	—	—	Saskatchewan plains.
" <i>Americana</i> , D. C.	—	—	Sub-Arctic America & N.W. c.
<i>Amelanchier Canadensis</i> , T. & G.	—	—	Sub-Arctic America.
" var. <i>Botryapium</i> , Gray.	—	—	Sub-Arctic America, lat. 56° N.
" var. <i>oblongifolia</i> , Gray.	—	—	
SAXIFRAGACEÆ.			
<i>Ribes Cynosbati</i> , L.	—	—	Rocky Mountains.
" <i>hirtellum</i> , Michx.	—	—	Saskatchewan plains.
" <i>laetevirens</i> , Poir.	—	—	N. and W. to the Arctic circle.
" <i>prostratum</i> , L'Her.	—	—	W. America to lat. 57° N.
" <i>floridum</i> , L.	—	—	Rocky Mountains, lat. 56° N.
" <i>rubrum</i> , L.	—	—	North of the Arctic circle.
" <i>oxyacanthoides</i> , L.	—	—	Rocky Mountains, lat. 56° N.
" <i>Parnassia parviflora</i> , D. C.	—	—	Rocky Mountains, lat. 53° N.
" <i>Caroliniana</i> , Mx.	—	—	
<i>Saxifraga Virginiana</i> , Mx.	—	—	Rocky Mountains, lat. 56° N.
<i>Mitella diphylla</i> , L.	—	—	
" <i>nuda</i> , L.	—	—	West of Rocky Mountains, and [Arctic Sea.
<i>Tiarella cordifolia</i> , L.	—	—	
<i>Chrysosplenium Americanum</i> , L.	—	—	Saskatchewan valley.
CRASSULACEÆ.			
<i>Penthorum sedoides</i> , L.	—	—	
<i>Sedum Telephium</i> , L.	—	—	
HAMAMELACEÆ.			
<i>Hamamelis Virginica</i> , L.	—	—	
HALORAGACEÆ.			
<i>Myriophyllum spicatum</i> , L.	—	—	Bear Lake, lat. 57° N.
" <i>heterophyllum</i> , Mx.	—	—	
<i>Proserpinaca palustris</i> , L.	—	—	
<i>Hippuris vulgaris</i> , L.	—	—	Sub-Arctic America, Sitka Id.

PLANTS OF THE EASTERN COAST OF LAKE HERON.

7

and North-western
Extension.st coast, lat. 64° N.
st coast, lat. 64° N.wan plains.
ountains, lat. 56° N.
ountains, lat. 56° N.

, lat. 67° N.

wan plains.
e America & N.W. c.e America.
e America, lat. 56° N.ountains.
wan plains.. to the Arctic circle.
ica to lat. 57° N.

ountains, lat. 56° N.

the Arctic circle.
ountains, lat. 56° N.

ountains, lat. 53° N.

ountains, lat. 56° N.

Rocky Mountains, and
[Arctic Sea.
wan valley.

e, lat. 57° N.

e America, Sitka Sd.

	Eastern Lake Ontario, Superior	Western and North-western Extension.
ONAGRACEÆ.		
<i>Circea luteoliana</i> , L.	—	—
" <i>Alpina</i> , L.	—	—
<i>Epilobium angustifolium</i> , L.	—	Arctic America to lat. 69° N.
" var. <i>canescens</i> , Wood.	—	—
" <i>palustre</i> , var. <i>lineare</i> .	—	Arctic America.
" <i>coloratum</i> , Muhl.	—	Rocky Mountains, lat. 56° N.
" <i>paniculatum</i> , Nutt.	—	Straits of De Fuca, Pacific c.
<i>Eurothera bicoloris</i> , L.	—	—
var. <i>muricata</i> , Gray.	—	Rocky Mountains, lat. 56° N.
var. <i>grandiflora</i> , Gray.	—	Rocky Mountains, lat. 56° N.
<i>Eurothera pumila</i> , L.	—	Hudson's Bay.
<i>Ludwigia palustris</i> .	—	Saskatchewan plains.
UMBELLIFERÆ.		
<i>Hydrocotyle Americana</i> , L.	—	—
<i>Sanicula Marilandica</i> , L.	—	Oregon; Pacific c. lat 56° N.
<i>Daucus Carota</i> , L.	—	—
<i>Heraclium lanatum</i> , Mx.	—	Rocky Mts. and Pacific coast.
<i>Pastinaca sativa</i> , L.	—	—
<i>Archangelica atropurpurea</i> , Hof.	—	—
<i>Thaspium aureum</i> , Nutt, var., <i>apterum</i> , Gray.	—	—
<i>Zizia integrifolia</i> , D. C.	—	Oregon, Pacific coast.
<i>Cheuta maculata</i> , L.	—	—
" <i>bulbifera</i> , L.	—	—
<i>Sium lineare</i> , Michx.	—	Lake of Woods, Dawson route.
<i>Cryptotenaria Canadensis</i> , D. C.	—	—
<i>Osmorrhiza longistylis</i> , D. C.	—	Rocky Mountains, lat. 56° N.
" <i>brevistylis</i> , D. C.	—	Oregon, Sitka, Unalaska.
<i>Erigenia bulbosa</i> , Nutt.	—	—
ARALIACEÆ.		
<i>Aralia racemosa</i> , L.	—	Rocky Mountains, lat. 54° N.
" <i>hispida</i> , Michx.	—	Hudson's Bay. Lake of Woods.
" <i>nudicaulis</i> , L.	—	Pence River valley, lat. 56° N.
" <i>quinquefolia</i> , Gray.	—	—
" <i>trifolia</i> , Gray.	—	—
CORNACEÆ.		
<i>Cornus Canadensis</i> , L.	—	Pacific coast, Unalaska.
" <i>florida</i> , L.	—	—
" <i>circinata</i> , L'Her.	—	Lake of Woods, Dawson route.
" <i>sericea</i> , L.	—	N. W. coast, Vancouver's Isl.
" <i>stolonifera</i> , L.	—	Rocky Mts. & McKenzie River.
" <i>paniculata</i> , L'Her.	—	—
" <i>alternifolia</i> , L.	—	Lake of the Woods.
CAPRIFOLIACEÆ.		
<i>Linnaea borealis</i> , Gronov.	—	Arctic circle, Kotzebue's Sd.
<i>Symphoricarpos racemosus</i> , Mx.	—	North-West coast.
<i>Lonicera parviflora</i> , Lam.	—	Rocky Mountains, lat. 53° N.
" var. <i>Douglasii</i> .	—	Rocky Mountains, lat. 56° N.
" <i>hirsuta</i> , Eaton.	—	Edmonton, on Saskatchewan. R.

	Eastern Ontario	Lake Superior	Western and North-western Extension.
<i>Lonicera eiliata</i> , Muhl.	—	—	Saskatchewan valley.
" <i>oblongifolia</i> , Muhl.	—	—	Saskatchewan valley.
<i>Diervilla trifida</i> , Moench.	—	—	Rocky Mts. & Hudson's Bay.
<i>Triosteum perfoliatum</i> , L.	—	—	
<i>Sambucus Canadensis</i> , L.	—	—	
" <i>pubens</i> , Michx.	—	—	Rocky Mts. Oregon and Sitka.
<i>Viburnum Lentago</i> , L.	—	—	Saskatchewan valley.
" <i>pubescens</i> , Pursh.	—	—	Lake Winnipeg, lat. 51° N.
" <i>acerifolium</i> , L.	—	—	
" <i>Opulus</i> , L.	—	—	Arctic circle and Rocky Mts.
RUBIACEÆ			
<i>Galium Aparius</i> , L.	—	—	Oregon, Pacific coast.
" <i>asprellum</i> , Michx.	—	—	Lake of Woods, Dawson route.
" <i>trifidum</i> , L.	—	—	Oregon, Unalaska, Sitka.
" <i>triflorum</i> , Michx.	—	—	Unalaska, Sitka, Oregon, Cal.
" <i>lanceolatum</i> , Torrey.	—	—	
" <i>boreale</i> , L.	—	—	Oregon, North to Arctic circle.
<i>Cephalanthus occidentalis</i> , L.	—	—	
<i>Mitchella repens</i> , L.	—	—	
<i>Houstonia purpurea</i> , L., var.	—	—	
<i>longifolia</i> , Gray.	—	—	Saskatchewan valley.
<i>Valeriana edulis</i> , Nutt.	—	—	Oregon and the Rocky Mts.
COMPOSITEÆ			
<i>Liatris cylindracea</i> , Michx.	—	—	North-West Territory.
" <i>squarrosa</i> , Willd.	—	—	Edmonton, on Saskatchewan.
<i>Eupatorium purpureum</i> , L.	—	—	Saskatchewan valley.
" <i>perfoliatum</i> , L.	—	—	
" <i>ageratoides</i> , L.	—	—	
<i>Aster corymbosus</i> , Ait.	—	—	
" <i>macrophyllus</i> , L.	—	—	Saskatchewan valley.
" <i>laevis</i> , var. <i>levigatus</i> ,	—	—	
T. & G.	—	—	Lake of the Woods and Saskat-
" <i>laevis</i> , var. <i>cyaneus</i> ,	—	—	chewan River.
T. & G.	—	—	Saskatchewan valley.
" <i>azureus</i> , Lindley.	—	—	
" <i>undulatus</i> , L.	—	—	
" <i>sagittifolius</i> , Willd.	—	—	
" <i>cordifolius</i> , L.	—	—	
" <i>borealis</i> , Provancher.	—	—	Saskatchewan valley.
" <i>multiflorus</i> , Ait.	—	—	Rocky Mountains, lat. 56° N.
" <i>miser</i> , L., Ait.	—	—	
" <i>simplex</i> , Willd.	—	—	
" <i>pumilus</i> , L.	—	—	Hudson's Bay to Rocky Mts.
" <i>Novae-Angliae</i> , L.	—	—	
" <i>ptarmicoides</i> , T. & G.	—	—	Saskatchewan valley.
<i>Erigeron Canadensis</i> , L.	—	—	Saskatchewan valley.
" <i>Philadelphicum</i> , L.	—	—	Arctic circle, Behring's Strait.
" <i>annuum</i> , Pers.	—	—	
" <i>strigosum</i> , Muhl.	—	—	Oregon.
<i>Diplopappus umbellatus</i> , T. & G.	—	—	
<i>Solidago bicolor</i> , L.	—	—	Saskatchewan valley.
" <i>latifolia</i> , L.	—	—	

PLANTS OF THE EASTERN COAST OF LAKE HURON.

and North-western
Extension.van valley.
van valley.
& Hudson's Bay.Oregon and Setka.
van valley.
veg. lat. 51° N.

e and Rocky Mts.

cille coast.
oods, Dawson route.
alaska, Sitka.
Sitka, Oregon, Cal.

rth to Arctic circle.

van valley.
the Rocky Mts.at Territory.
on Saskatchewan.
van valley.

van valley.

o Woods and Saskat.
chewan River.
van valley.van valley.
ountains, lat. 50° N.

Bay to Rocky Mts.

van valley.
van valley.
le, Behring's Strait.

van valley.

	Eastern Ontario	Lake Superior	Western and North-western Extension.
<i>Solidago cusia</i> , L.	—	—	Hudson's Bay & McKenzie Riv.
" <i>stricta</i> , Ait.	—	—	Sub-Arctic America.
" <i>Houghtonii</i> , T. & G.	—	—	
" <i>arguta</i> , Ait.	—	—	
" <i>Muhlenbergii</i> , T. & G.	—	—	
" <i>altissima</i> , L.	—	—	Saskatchewan valley.
" <i>memoralis</i> , Ait.	—	—	Sub-Arctic America to Oregon.
" <i>Canadensis</i> , L.	—	—	Sub-Arctic America to Oregon.
" <i>serotina</i> , Ait.	—	—	Sub-Arctic America.
" <i>lanceolata</i> , L.	—	—	
<i>Inula Helenium</i> , L.	—	—	
<i>Androsia artemisiifolia</i> , L.	—	—	Saskatchewan plains.
<i>Rudbeckia hirta</i> , L.	—	—	
<i>Helianthus strumosus</i> , L.	—	—	Saskatchewan plains.
" <i>divaricatus</i> , L.	—	—	
" <i>decapetalus</i> , L.	—	—	
<i>Coreopsis lanceolata</i> , L.	—	—	
<i>Bidens frondosa</i> , L.	—	—	
" <i>connata</i> , Muhl.	—	—	Little Slave Lake, lat. 54° N.
" <i>chrysanthemoides</i> , Mx.	—	—	Sub-Arctic America to Oregon.
" <i>Beckii</i> , Torrey.	—	—	
<i>Helenium autumnale</i> , L.	—	—	
<i>Maruta Cotula</i> , D. C.	—	—	Rocky Mts. to Arctic circle.
<i>Achillea Millefolium</i> , L.	—	—	Oregon.
<i>Leucanthemum vulgare</i> , Lam.	—	—	
<i>Tanacetum vulgare</i> , L.	—	—	Hudson's Bay West to Oregon.
" <i>Huronense</i> , Nutt.	—	—	
<i>Artemisia vulgaris</i> , L.	—	—	Oregon to the Arctic circle.
" <i>Canadensis</i> , Mx.	—	—	McKenzie River & Rocky Mts.
" <i>biennis</i> , Willd.	—	—	
" <i>Absinthium</i> , L.	—	—	
<i>Gnaphalium decurrens</i> , Ives.	—	—	Oregon.
" <i>polyccephalum</i> , Michx.	—	—	Rocky Mts. Unalaska & Oregon.
" <i>uliginosum</i> , L.	—	—	Rocky Mountains.
<i>Antennaria margaritacea</i> , R. Br.	—	—	Saskatchewan valley.
" <i>plantaginifolia</i> , Hook.	—	—	
<i>Erechtithes hieracifolia</i> , Raf.	—	—	
<i>Cacalia tuberosa</i> , Nutt.	—	—	Hudson's Bay.
<i>Senecio vulgaris</i> , L.	—	—	
" <i>aureus</i> , L., var. <i>lanceo-</i> <i>latus</i> .	—	—	Rocky Mountains.
<i>Centaurea Cyanus</i> , L.	—	—	
<i>Cirsium lanceolatum</i> , Scop.	—	—	Oregon.
" <i>undulatum</i> , Spreng.	—	—	
" <i>discolor</i> , Spreng.	—	—	Saskatchewan valley.
" <i>muticum</i> , Michx.	—	—	Saskatchewan valley.
" <i>arvense</i> , Scop.	—	—	
<i>Lappa major</i> , Gaertn.	—	—	
<i>Lapsana communis</i> , L.	—	—	
<i>Cichorium Intybus</i> , L.	—	—	McKenzie River, lat. 66° N. to [Oregon.
<i>Hieracium Canadense</i> , Michx.	—	—	
" <i>scabrum</i> , Michx.	—	—	
<i>Nabalus albus</i> , Hooker.	—	—	
" <i>altissimus</i> , Hooker.	—	—	

	Eastern Ontario	Lake Superior	Western and North-western Extension.
<i>Nabalus racemosus</i> , Hooker.	—	—	N. to lat. 56° in Peace River v.
<i>Taraxacum Dens-leonis</i> , Desf.	—	—	Pacific coast.
<i>Lactuca elongata</i> , Muhl.	—	—	Saskatchewan valley.
<i>Mulgedium leucophleum</i> , D. C.	—	—	Oregon and Saskatchewan v.
<i>Sonchus oleraceus</i> , L.	—	—	Saskatchewan valley.
“ <i>asper</i> , Vill.	—	—	Oregon.
LOBELIACEE.			
<i>Lobelia cardinalis</i> , L.	—	—	Saskatchewan valley.
“ <i>syphilitica</i> , L.	—	—	
“ <i>inflata</i> , L.	—	—	Saskatchewan v. & Hud. Bay.
“ <i>spicata</i> , Lam.	—	—	Peace River valley, lat. 56° N.
“ <i>Kalmii</i> , L.	—	—	N. to lat. 60°, McKenzie River.
CAMPANULACEE.			
<i>Campanula rotundifolia</i> , L.	—	—	N. to lat. 64°, McKenzie River.
“ var. <i>linifolia</i> , Gray.	—	—	North-West coast to lat. 64°.
“ <i>aparinoides</i> , Pursh.	—	—	Saskatchewan valley.
“ <i>Americana</i> , L.	—	—	
ERICACEE.			
<i>Gaylussacia resinosa</i> , T. & G.	—	—	Saskatchewan valley.
<i>Vaccinium Oxycoccus</i> , L.	—	—	Rocky Mountains, lat. 56° N.
“ <i>macrocarpon</i> , Ait.	—	—	Pacific coast.
“ <i>Pennsylvanicum</i> , L.	—	—	Saskatchewan valley.
“ <i>Canadense</i> , Kalm.	—	—	
“ <i>Corymbosum</i> , L.	—	—	
<i>Chiochens hispidula</i> , T. & G.	—	—	Rocky Mt. summits, lat. 54° N.
<i>Arctostaphylos Uva-ursi</i> , Lp.	—	—	Pacific coast.
<i>Epigaea repens</i> , L.	—	—	Saskatchewan plains.
<i>Gaultheria procumbens</i> , L.	—	—	
<i>Cassandra calyculata</i> , Don.	—	—	N. to lat. 60°, & W. to Rocky Mts.
<i>Andromeda polifolia</i> , L.	—	—	Arctic sea shore.
<i>Kalmia glauca</i> , Ait.	—	—	N. to lat. 60°, and near Pacific c.
<i>Ledum latifolium</i> , Ait.	—	—	Pacific coast to lat. 59° N.
<i>Pyrola rotundifolia</i> , L., var.	—	—	
“ <i>fuliginosa</i> , Gray.	—	—	Bear Lake, lat. 67° N.
“ <i>rotundifolia</i> , L., var.	—	—	
“ <i>lasarifolia</i> , Gray.	—	—	Bear Lake, lat. 67° N.
“ <i>elliptica</i> , Nutt.	—	—	Saskatchewan valley.
“ <i>chlorantha</i> , Swartz.	—	—	Bear Lake, lat. 67° N.
“ <i>secunda</i> , L.	—	—	Shores of Pacific.
<i>Moneses uniflora</i> , Gray.	—	—	N. to lat. 64°, & W. to Vancouver.
<i>Chimaphila umbellata</i> , Nutt.	—	—	Rocky Mountains in lat. 53° N.
<i>Monotropa uniflora</i> , L.	—	—	
<i>Monotropa Hypopitys</i> , L.	—	—	
AQUIFOLIACEE.			
<i>Ilex verticillata</i> , Gray.	—	—	
<i>Nemopanthes Canadensis</i> , D. C.	—	—	
PLANTAGINACEE.			
<i>Plantago major</i> , L.	—	—	N. to lat 68° on the McKenzie.
“ <i>lanccolata</i> , L.	—	—	

PLANTS OF THE EASTERN COAST OF LAKE HURON.

11

	Eastern Ontario	Lake Superior	Western and North-western Extension.
PRIMULACEÆ			
<i>Primula farinosa</i> , L.	—	—	N. to lat. 55° on the McKenzie.
" <i>Mistassinica</i> , Michx.	—	—	Great Bear Lake, lat. 67° N.
<i>Trientalia Americana</i> , Pursh.	—	—	Saskatchewan valley.
<i>Lysimachia thyrsoidea</i> , L.	—	—	McKenzie River, lat. 60° N.
" <i>stricta</i> , Ait.	—	—	Saskatchewan valley.
" <i>quadrifolia</i> , Ait.	—	—	Puget Sound, Pacific coast.
" <i>ciliata</i> , L.	—	—	
" <i>longifolia</i> , Pursh.	—	—	
<i>Samolus Valerandi</i> , L., var. <i>Americanus</i> , Gray.	—	—	North-West coast.
LENTIBULACEÆ			
<i>Utricularia vulgaris</i> , L.	—	—	Lakes near the Rocky Mts.
" <i>intermedia</i> , Hayne.	—	—	Bear Lake, lat. 67° N. & Rocky Mountains.
" <i>cornuta</i> , Michx.	—	—	McKenzie River, lat. 60° N.
<i>Pinguicula vulgaris</i> , L.	—	—	
OROBANCHACEÆ			
<i>Epiphegus Virginiana</i> , Bart.	—	—	
<i>Conopholis Americana</i> , Wallr.	—	—	
SOROPHULARIACEÆ			
<i>Verbasnum Thapsus</i> , L.	—	—	Saskatchewan valley.
" <i>Blattaria</i> , L.	—	—	
<i>Linaria vulgaris</i> , Mill.	—	—	Pacific coast.
<i>Scrophularia nodosa</i> , L.	—	—	
<i>Chelone glabra</i> , L.	—	—	
<i>Penstemon pubescens</i> , Solander.	—	—	Saskatchewan valley.
<i>Mimulus ringens</i> , L.	—	—	North-West coast.
<i>Gratiola Virginiana</i> , L.	—	—	
<i>Olysanthus gratioides</i> , Benth.	—	—	Rocky Mountains, lat. 56° N.
<i>Veronica Anagallis</i> , L.	—	—	
" <i>Virginica</i> , L., Gore Bay. (Dr. Bell).	—	—	Norway House, Lake Winnipeg.
" <i>Americana</i> , Schwein.	—	—	North-West coast.
" <i>Scutellata</i> , L.	—	—	Sitka and Unalaska.
" <i>serpyllifolia</i> , L.	—	—	McKenzie River to Unalaska.
" <i>peregrina</i> , L.	—	—	
" <i>arvensis</i> , L.	—	—	Saskatchewan valley.
<i>Gerardia purpurea</i> , L.	—	—	
" <i>aspera</i> , Dougl. (Dr. John Bell).	—	—	Eastern flanks of Rocky Mts.
" <i>flava</i> , L.	—	—	
" <i>quercifolia</i> , Pursh.	—	—	Saskatchewan valley.
<i>Castilleja coccinea</i> , Spreng.	—	—	Lake Winnipeg.
<i>Pedicularis Canadensis</i> , L.	—	—	Peace River valley, lat. 56° N.
<i>Melampyrum Americanum</i> , Mx.	—	—	
VERBENACEÆ			
<i>Verbena hastata</i> , L.	—	—	Saskatchewan valley.
" <i>urticifolia</i> , L.	—	—	Saskatchewan valley.
<i>Phryma Leptostachya</i> , L.	—	—	

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
LABIATÆ.			
<i>Teucrium Canadense</i> , L. (R. aux Sables).	—	—	
<i>Mentha viridis</i> , L.	—	—	
“ <i>piperita</i> , L.	—	—	
“ <i>Canadensis</i> , L.	—	—	McKenzie River & Rocky Mts.
<i>Lycopus Virginicus</i> , L.	—	—	Saskatchewan valley.
“ <i>Europæus</i> , L., var. <i>sin- uatus</i> .	—	—	North-West coast of America.
<i>Satureia hortensis</i> , L.	—	—	
<i>Calamintha glabella</i> , Benth.	—	—	
var. <i>Nuttallii</i> , Gray.	—	—	
<i>Calamintha Clinopodium</i> , Benth.	—	—	Norway House, Lake Winnipeg.
<i>Collinsonia Canadensis</i> , L.	—	—	
<i>Monarda didyma</i> , L.	—	—	
<i>Monarda fistulosa</i> , L.	—	—	Rocky Mountains, lat. 56° N.
<i>Nepeta Cataria</i> , L.	—	—	Little Slave Lake.
<i>Brickellia vulgaris</i> , L.	—	—	North-West coast.
<i>Scutellaria parvula</i> , Michx.	—	—	Saskatchewan valley.
“ <i>galericulata</i> , L.	—	—	McKenzie River to Pacific c.
“ <i>lateriflora</i> , L.	—	—	North-West America.
“ <i>versicolor</i> , ? Nutt. (Dr. Bell).	—	—	
<i>Marrubium vulgare</i> , L.	—	—	
<i>Galeopsis Tetralix</i> , L.	—	—	
<i>Stachys palustris</i> , L. var. <i>as- pera</i> , Gr.	—	—	N. W. America & McKenzie R.
<i>Leonurus Cardiaea</i> , L.	—	—	Norway House, Lake Winnipeg.
BORRAGINACEÆ			
<i>Echium vulgare</i> , L.	—	—	
<i>Symphytum officinale</i> , L.	—	—	
<i>Onosmodium Carolinianum</i> , D. C.	—	—	
<i>Lithospermum arvense</i> , L.	—	—	
“ <i>hirtum</i> , Lehm.	—	—	
<i>Myosotis palustris</i> , With. var. <i>laxa</i> .	—	—	
<i>Echinospermum Lappula</i> , Lehm.	—	—	North-West Pacific coast.
<i>Cynoglossum officinale</i> , L.	—	—	Saskatchewan valley.
“ <i>Virginicum</i> , L.	—	—	Rocky Mountains, lat. 53° N.
“ <i>Morisoni</i> , D. C.	—	—	Rocky Mountains, lat. 56° N.
HYDROPHYLLACEÆ			
<i>Hydrophyllum Virginicum</i> , L.	—	—	North-West Pacific coast.
“ <i>Canadense</i> , L.	—	—	
POLEXONIACEÆ			
<i>Phlox divaricata</i> , L.	—	—	
CONVOLVULACEÆ			
<i>Calystegia sepium</i> , R. Br.	—	—	Rocky Mountains, lat. 53° N.
<i>Calystegia spithamea</i> , Pursh.	—	—	Saskatchewan valley.
<i>Cuscuta Gronovii</i> , Willd.	—	—	

PLANTS OF THE EASTERN COAST OF LAKE HURON.

13

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
SOLANACEÆ.			
<i>Solanum Dulcamara</i> , L.	—	—	North-West Pacific coast.
" <i>nigrum</i> , L.	—	—	Saskatchewan River.
<i>Physalis grandiflora</i> , Hooker.	—	—	
" <i>viscosa</i> , L.	—	—	
<i>Datura Stramonium</i> , L.	—	—	
GENTIANACEÆ.			
<i>Halenia deflexa</i> , Griseb.	—	—	Rocky Mountains, lat. 56° N.
<i>Gentiana crinita</i> , Fries.	—	—	Bear Lake and Arctic Sea shore
" <i>detonsa</i> , Fries.	—	—	
" <i>alba</i> , Muhl.	—	—	
" <i>Andrewsii</i> , Griseb.	—	—	
" <i>Saponaria</i> , L. var. <i>linearis</i> .	—	—	
<i>Menyanthes trifoliata</i> , L.	—	—	Rocky Mts. and N. W. coast.
APOCYNACEÆ.			
<i>Apocynum androsaemifolium</i> , L.	—	—	Hudson's Bay.
" <i>Cannabinum</i> , L.	—	—	Pacific coast in N. W. America
ASCLEPIADACEÆ.			
<i>Asclepias Cornuti</i> , Decaisne.	—	—	Saskatchewan valley.
" <i>phytolaccoides</i> , Pursh.	—	—	Saskatchewan valley.
" <i>incarnata</i> , L.	—	—	Carleton House, Saskatchewan
" <i>tuberosa</i> , L.	—	—	
OLEACEÆ.			
<i>Fraxinus Americana</i> , L.	—	—	Saskatchewan valley.
" <i>pubescens</i> , Lam.	—	—	Saskatchewan valley.
" <i>Sambucifolia</i> , Lam.	—	—	Saskatchewan valley.
ARISTOLOCHIACEÆ.			
<i>Asarum Canadense</i> , L.	—	—	Pacific coast.
PHYTOLACCACEÆ.			
<i>Phytolacca decandra</i> , L.	—	—	
CHENOPODIACEÆ.			
<i>Chenopodium album</i> , L.	—	—	Bear Lake, lat. 67° N.
" <i>hybridum</i> , L.	—	—	Bear Lake, lat. 67° N.
" <i>urticum</i> , L.	—	—	
" <i>Botrys</i> , L.	—	—	
<i>Blitum capitatum</i> , L.	—	—	Great Slave Lake.
AMARANTACEÆ.			
<i>Amarantus paticulatus</i> , L.	—	—	Saskatchewan valley.
" <i>retroflexus</i> , L.	—	—	A weed at Carleton, on the
" <i>albus</i> , L.	—	—	[Saskatchewan.
<i>Montelia tamariscina</i> , Gray.	—	—	
POLYGONACEÆ.			
<i>Polygonum Pennsylvanicum</i> , L.	—	—	North-West coast of America
" <i>incarnatum</i> , Ell.	—	—	

	Eastern Ontario	Lake Superior	Western and North western Extension.
<i>Polygonum Persicaria</i> , L.	—	—	Saskatchewan valley.
" <i>Hydropiper</i> , L.	—	—	Saskatchewan valley (indig.)
" <i>hydropiperoides</i> , Michx.	—	—	"
" <i>amphibium</i> , L., var. <i>aquaticum</i> .	—	—	Great Slave Lake, lat. 60° N.
" <i>amphibium</i> , L., var. <i>ter-</i> <i>restre</i> .	—	—	North-West America.
" <i>aviculare</i> , L.	—	—	North-West coast to lat. 65° N.
" <i>ramosissimum</i> , Michx.	—	—	Saskatchewan valley.
" <i>sagittatum</i> , L.	—	—	Saskatchewan valley.
" <i>chinode</i> , Michx.	—	—	Hudson's Bay to Peace River
" <i>convolvulus</i> , L.	—	—	[valley, lat. 56° N.
" <i>dumetorum</i> , L.	—	—	
<i>Fagopyrum esculentum</i> , Moench.	—	—	
<i>Rumex Patientia</i> , L. (Colpoy's Bay).	—	—	
" <i>orbiculatus</i> , Gray.	—	—	Rocky Mts. and Arctic Sea c.
" <i>Salicifolius</i> , Wein. (Col- poy's Bay).	—	—	Great Bear Lake, McKenzie R.
" <i>verticillatus</i> , L.	—	—	
" <i>crispus</i> , L.	—	—	
" <i>obtusifolius</i> , L.	—	—	
" <i>aetosella</i> , L.	—	—	North-West Pacific coast.
LAURACEÆ			
<i>Sassafras officinale</i> , Nees.	—	—	
<i>Lindera Benzoin</i> , Meisner.	—	—	
THYMELÆACEÆ			
<i>Dirca palustris</i> , L.	—	—	
ELEAGNACEÆ			
<i>Shepherdia Canadensis</i> , Nutt.	—	—	Fort Franklin, on the McKenzie [and Rocky Mountains.
SANTALACEÆ			
<i>Comandra umbellata</i> , Nutt.	—	—	Rocky Mountains, lat. 56° N.
SAURURACEÆ			
<i>Saururus cernuus</i> , L.	—	—	
CERATOPHYLLACEÆ			
<i>Ceratophyllum demersum</i> , L.	—	—	
CALLITRICACEÆ			
<i>Callitriche verna</i> , L.	—	—	Rocky Mountains, lat. 56° N.
EUPHORBACEÆ			
<i>Euphorbia polygonifolia</i> , L. (R. aux Sables).	—	—	North-West Pacific coast.
" <i>glyptosperma</i> , Engelm.	—	—	
" <i>maculata</i> , L.	—	—	
" <i>corollata</i> , L.	—	—	
" <i>platyphylla</i> , L.	—	—	
" <i>Helioscopia</i> , L.	—	—	
<i>Acalypha Virginica</i> , L.	—	—	Saskatchewan valley.

Eastern Ontario.	Lake Superior	Western and North-western Extension.
URTICACEÆ		
<i>Ulmus fulva</i> , Michx.	—	—
“ <i>Americana</i> , L.	—	—
“ <i>racemosa</i> , Thomas.	—	—
<i>Urtica gracilis</i> , Ait.	—	—
<i>Laportea Canadensis</i> , Eaud.	—	—
<i>Pilea pumila</i> , Gray.	—	—
<i>Boehmeria cylindrica</i> , Willd.	—	—
<i>Cannabis Sativa</i> , L.	—	—
PLATANACEÆ		
<i>Platanus occidentalis</i> , L.	—	—
JUGLANDACEÆ		
<i>Juglans cinerea</i> , L.	—	—
“ <i>nigra</i> , L.	—	—
<i>Carya alba</i> , Nutt.	—	—
“ <i>amara</i> , Nutt.	—	—
CUPULIFERE.		
<i>Quercus alba</i> , L.	—	—
“ <i>macrocarpa</i> , Michx.	—	—
“ <i>bicolor</i> , Willd.	—	—
“ <i>ilicifolia</i> , Wang.	—	—
“ <i>coccinea</i> , Wang., var.	—	—
“ <i>tinctoria</i> .	—	—
“ <i>rubra</i> , L.	—	—
<i>Castanea vesca</i> , L., var. <i>Americana</i> .	—	—
<i>Fagus ferruginea</i> , Ait.	—	—
<i>Corylus Americana</i> , Walt.	—	—
“ <i>rostrata</i> , Ait.	—	—
<i>Carpinus Americana</i> , Michx.	—	—
<i>Ostrya Virginica</i> , Willd.	—	—
MYRICACEÆ		
<i>Myrica Gale</i> , L.	—	—
BETULACEÆ		
<i>Betula papyracea</i> , Ait.	—	—
“ <i>excelsa</i> , Ait.	—	—
“ <i>lenta</i> , L.	—	—
“ <i>pumila</i> , L.	—	—
<i>Alnus incana</i> , Willd.	—	—
SALICACEÆ		
<i>Salix candida</i> , Willd.	—	—
“ <i>humilis</i> , Marshall.	—	—
“ <i>discolor</i> , Muhl.	—	—
“ <i>petiolaris</i> , Smith.	—	—
“ <i>cordata</i> , Muhl.	—	—
“ <i>livida</i> , var. <i>occidentalis</i> .	—	—
“ <i>lucida</i> , Muhl.	—	—
“ <i>nigra</i> , Marshall.	—	—

York Factory, Hudson's Bay.

Fort Franklin, on the McKenzie
[and Rocky Mountains.

Lake Winnipeg.

Saskatchewan valley.

North-West coast.
Saskatchewan valley.

Lake Winnipeg.

McKenzie River valley.

Pacific coast, lat. 56° N.

Peace River valley, lat. 56° N.
Ft. Franklin, on McKenzie Riv.

Ft. Norman, on the McKenzie.

Saskatchewan valley.
Lake Winnipeg.

Great Slave Lake.

Rocky Mountains, lat 53° N.
Rocky Mountains, lat. 52° N.

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
<i>Salix longifolia</i> , Muhl.	—	—	West to the Pacific coast.
<i>Populus tremuloides</i> , Michx.	—	—	Rocky Mountains to lat. 64° N.
<i>grandidentata</i> , Michx.	—	—	
<i>monilifera</i> , Ait.	—	—	
<i>balsamifera</i> , L.	—	—	Pacific coast, lat. 68° N.
CONIFERÆ.			
<i>Pinus strobus</i> , L.	—	—	West of the Rocky Mountains
<i>resinosa</i> , Ait.	—	—	West of the Rocky Mountains
<i>Abies nigra</i> , Poir.	—	—	North to lat. 65° N.
<i>alba</i> , Mx.	—	—	Almost to the Arctic Sea.
<i>Canadensis</i> , Mx.	—	—	Pacific coast, lat. 57° N.
<i>balsamea</i> , Marshall.	—	—	Little Slave Lake.
<i>Larix Americana</i> , Mx.	—	—	Pence River valley, lat. 57° N.
<i>Thuja occidentalis</i> , L.	—	—	Saskatchewan valley.
<i>Juniperus communis</i> , L.	—	—	Pacific coast.
<i>sabina</i> , L., var. <i>procumbens</i> , Ph.	—	—	Rocky Mountains.
<i>Taxus baccata</i> , L., var. <i>Canadensis</i> , Gr.	—	—	Saskatchewan valley.
ARACEÆ.			
<i>Arisæma triphyllum</i> , Torr.	—	—	
<i>Calla palustris</i> , L.	—	—	Hudson's Bay and Saskatche-
<i>Symplocarpus fetidus</i> .	—	—	[wan valley.
<i>Orontium aquaticum</i> .	—	—	
<i>Acorus calamus</i> .	—	—	Saskatchewan valley.
TYPHACEÆ.			
<i>Typha latifolia</i> , L.	—	—	
<i>Sparganeum simplex</i> , Hudson,	—	—	
var. <i>angustifolium</i> .	—	—	Great Bear Lake.
<i>Sparganeum eurycarpum</i> , Engelm.	—	—	
LEMNACEÆ.			
<i>Lemna minor</i> , L.	—	—	Lat. 58° N., on McKenzie River.
<i>trisulca</i> , L.	—	—	Lat. 58° N., on McKenzie River.
<i>polyrhiza</i> , L.	—	—	Lat. 58° N., on McKenzie River.
NAIADACEÆ.			
<i>Nais flexilis</i> , Rostk.	—	—	
<i>Potamogeton natans</i> , L.	—	—	North-West coast.
<i>Claytonii</i> , Tuck.	—	—	
<i>amplifolius</i> , Tuck.	—	—	
<i>gramineus</i> , L.	—	—	Lake Athabaska.
<i>prælongus</i> , Wulf.	—	—	Great Slave Lake.
<i>perfoliatus</i> , L.	—	—	Lake Athabaska.
<i>compressus</i> , L.	—	—	
<i>pauciflorus</i> , Pursh.	—	—	
<i>pusillus</i> , L.	—	—	Lake Athabaska.
<i>pectinatus</i> , L.	—	—	North-West coast.
<i>heterophyllus</i> , Schreber.	—	—	Saskatchewan valley.

PLANTS OF THE EASTERN COAST OF LAKE HURON.

17

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
ALISMACEÆ.			
<i>Triglochin palustre</i> , L.	—	—	Peace River valley, lat. 56° N.
" <i>maritimum</i> , L., var. <i>elatium</i> .	—	—	North-West coast. Rocky Mountains, lat. 55° N.
<i>Scheuchzeria palustris</i> , L.	—	—	
<i>Alisma Plantago</i> , L., var. <i>Americana</i> , Gray.	—	—	Peace River valley, lat. 50° N. Pacific coast.
<i>Sagittaria variabilis</i> , Engelm.	—	—	
" <i>calycina</i> , Eng. (Dr. J. Bell).	—	—	
HYDROCHARIDACEÆ.			
<i>Anacharis Canadensis</i> , Plan.	—	—	Saskatchewan valley.
ORCHIDACEÆ.			
<i>Orchis spectabilis</i> , L.	—	—	
<i>Habenaria virescens</i> , Sprong.	—	—	
" <i>viridis</i> , var. <i>bracteata</i> , Reich.	—	—	Rocky Mountains, lat. 55° N. Ft. Franklin, on the McKenzie.
" <i>hyperborea</i> , R. Br.	—	—	North-West coast.
" <i>dilatata</i> , Gray.	—	—	Bear Lake and N. W. coast.
" <i>obtusata</i> , Rich.	—	—	Saskatchewan valley.
" <i>orbiculata</i> , Torrey.	—	—	
" <i>psychodes</i> , Gray.	—	—	
" <i>tridentata</i> , Hooker.	—	—	
" <i>Hookeri</i> , Torrey.	—	—	Rocky Mts. and Fort Franklin, [on the McKenzie].
<i>Goodyera repens</i> , R. Br.	—	—	
" <i>Menziesii</i> , Lind.	—	—	
<i>Spiranthes Romanzoviana</i> , Chap.	—	—	Ft. Franklin, on the McKenzie.
" <i>gracilis</i> , Bigel.	—	—	N. W. coast, Sitka, Unalaska.
<i>Listera cordata</i> , R. Br.	—	—	N. W. coast to Unalaska.
" <i>convallarioides</i> , Hook.	—	—	
<i>Pogonia ophioglossoides</i> , Nutt.	—	—	
<i>Calypso pulchellus</i> , R. Br.	—	—	Bear Lake and Pacific coast.
<i>Calypso borealis</i> , Salisb.	—	—	
<i>Lipularia discolor</i> , Nutt.	—	—	Saskatchewan valley.
<i>Corallorhiza innata</i> , R. Br.	—	—	Pacific coast.
" <i>multiflora</i> , Nutt.	—	—	
" <i>Macraei</i> , Gray.	—	—	Saskatchewan valley.
<i>Cypripedium pubescens</i> , Willd.	—	—	Rocky Mountains.
" <i>parviflorum</i> , Salisb.	—	—	
" <i>spectabile</i> , Swartz.	—	—	Ft. Franklin, on McKenzie Riv.
" <i>acaulis</i> , Ait.	—	—	
" <i>arietinum</i> , R. Br. (J. M. Buchan).	—	—	Saskatchewan valley.
AMARYLLIDACEÆ.			
<i>Hypoxys erecta</i> , L.	—	—	
IRIDACEÆ.			
<i>Iris versicolor</i> , L.	—	—	
" <i>lacustris</i> , Nutt.	—	—	Sitka and N. W. America.
<i>Sisyrinchium Bermudiana</i> , L.	—	—	

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
SMILACEÆ.			
<i>Smilax hispida</i> , Muhl.	—	—	Lake Winnipeg.
" <i>herbacea</i> , L.	—	—	
LILIACEÆ.			
<i>Trillium grandiflorum</i> , Salisb.	—	—	North-West coast.
" <i>erectum</i> , L.	—	—	
" <i>erectum</i> , L., var. <i>album</i> , Pursh.	—	—	
" <i>erythrocarpum</i> , Michx.	—	—	
<i>Medeola Virginica</i> , L.	—	—	Great Bear Lake & Rocky Mts.
<i>Zygadenus glaucus</i> , Nutt.	—	—	Bear Lake to Sitka Sound.
<i>Tofieldia glutinosa</i> , Willd.	—	—	Saskatchewan valley.
<i>Uvularia grandiflora</i> , Smith.	—	—	North-West coast.
<i>Streptopus roseus</i> , Michx.	—	—	Saskatchewan valley.
<i>Clintonia borealis</i> , Raf.	—	—	North-West America.
<i>Smilacina racemosa</i> , Desf.	—	—	North-West coast.
" <i>stellata</i> , Desf.	—	—	Bear Lake and Rocky Mts.
" <i>trifolia</i> , Desf.	—	—	North-West coast.
" <i>bifolia</i> , Ker.	—	—	Saskatchewan valley.
<i>Polygonatum biflorum</i> , Ell.	—	—	Rocky Mountains.
<i>Lilium Philadelphicum</i> , L.	—	—	North-West coast.
" <i>Canadense</i> , L.	—	—	
<i>Erythronium Americanum</i> , Smith.	—	—	
<i>Allium tricoccum</i> , Ait.	—	—	North-West coast.
" <i>Schoenoprasum</i> , L.	—	—	
JUNCACEÆ.			
<i>Juncus pilosa</i> , Willd.	—	—	Saskatchewan valley.
<i>Juncus alpinus</i> , Vill., var. <i>in-</i> <i>signis</i> , Fries.	—	—	Great Slave Lake.
" <i>articulatus</i> , L.	—	—	North-West coast.
" <i>Balticus</i> , Willd.	—	—	North-West coast.
" <i>bufonius</i> , L.	—	—	
" <i>Canadensis</i> , J. Gay, var. <i>coarctatus</i> , Eng.	—	—	Bear Lake.
" <i>effusus</i> , L.	—	—	North-West coast.
" <i>filiformis</i> , L.	—	—	Bear Lake.
" <i>nodosus</i> , L.	—	—	Bear Lake.
" <i>tenuis</i> , Willd.	—	—	Rocky Mts. and Bear Lake.
" <i>Stygius</i> , L. (R. Bell, La Cloche Island).	—	—	
PONTEDERIACEÆ.			
<i>Pontederia cordata</i> , L.	—	—	Saskatchewan valley.
ERIOCAULONACEÆ.			
<i>Eriocaulon septangulare</i> , Wish.	—	—	Saskatchewan valley.
EQUISETACEÆ.			
<i>Equisetum arvense</i> , L.	—	—	Rocky Mountains.
" <i>pratense</i> , Ehr.	—	—	Rocky Mountains.
" <i>sylvaticum</i> , L.	—	—	Ft. Franklin, on the McKenzie.

	Eastern Ontario.	Lake Superior	Western and North-western Extension.
<i>Equisetum limosum</i> , L.	—	—	Saskatchewan valley.
“ <i>palustre</i> , L.	—	—	Arctic Sea coast.
“ <i>hyemale</i> , L.	—	—	Western coast.
“ <i>variegatum</i> , Schleich.	—	—	Saskatchewan val. to Arctic Is.
“ <i>scirpoides</i> , Michx.	—	—	Peace River valley, lat. 56° N.
FILICES.			
<i>Polypodium vulgare</i> , L.	—	—	Vancouver Isl. and N.W. coast.
<i>Pellaea gracilis</i> , Hook.	—	—	Saskatchewan valley.
“ <i>atropurpurea</i> , Link.	—	—	Rocky Mts. and Bear Lake.
<i>Pteris aquilina</i> , L.	—	—	North-West coast.
<i>Adiantum pedatum</i> , L.	—	—	North-West coast.
<i>Scolopendrium vulgare</i> , Smith.	—	—	Saskatchewan valley.
<i>Camptosorus rhizophyllus</i> , Link.	—	—	North-West coast.
<i>Asplenium trichomanes</i> , L.	—	—	Rocky Mountains.
“ <i>viride</i> , Hudson.	—	—	
“ <i>angustifolium</i> , Mx.	—	—	
“ <i>thelypteroides</i> , Mx.	—	—	Sitka and N. W. coast.
“ <i>Filix-femina</i> , Bruh.	—	—	Bear Lake and Rocky Mts.
<i>Phegopteris Dryopteris</i> , Fée.	—	—	Rocky Mountains.
<i>Aspidium lonchitis</i> , Schw.	—	—	
“ <i>acrostichoides</i> , Schw.	—	—	
“ <i>Thelypteris</i> , Schw.	—	—	
“ <i>Novboracense</i> , Schw.	—	—	
“ <i>spinulosum</i> , Schw., var.	—	—	Rocky Mountains.
“ <i>intermedium</i> , Willd.	—	—	
“ <i>spinulosum</i> , Schw., var.	—	—	
“ <i>Boottii</i> , Gray.	—	—	
“ <i>crustatum</i> , Schw.	—	—	Saskatchewan valley.
“ <i>crustatum</i> , Schw., var.	—	—	
“ <i>Clintonianum</i> , Eat.	—	—	
“ <i>Goldianum</i> , Hooker.	—	—	
“ <i>Filix-mas</i> , Schw.	—	—	Saskatchewan valley.
“ <i>marginale</i> , Swartz.	—	—	Saskatchewan valley.
<i>Struthiopteris Germanica</i> , Willd.	—	—	Saskatchewan valley.
<i>Onoclea sensibilis</i> , L.	—	—	Rocky Mountains.
<i>Cystopteris fragilis</i> , Bernh.	—	—	
“ <i>bulbifera</i> , Bernh.	—	—	Saskatchewan valley.
<i>Osmunda regalis</i> , L.	—	—	
“ <i>Claytoniana</i> , L.	—	—	
“ <i>cinnamomea</i> , L.	—	—	
<i>Botrychium ternatum</i> , Swartz.	—	—	Peace River valley, lat. 56° N.
var. <i>lunarioides</i> , Milde.	—	—	North-West coast.
<i>Botrychium Virginicum</i> , Swartz.	—	—	
LYCOPODIACEÆ.			
<i>Lycopodium lucidulum</i> , Michx.	—	—	Peace River valley, lat. 56° N.
“ <i>annotinum</i> , L.	—	—	Slave Lake.
“ <i>dendroideum</i> , Mx.	—	—	Saskatchewan valley.
“ <i>clavatum</i> , L.	—	—	North-West coast.
“ <i>complanatum</i> , L.	—	—	Peace River valley, lat. 56° N.
<i>Selaginella selaginoides</i> , Link.	—	—	Saskatchewan valley.
“ <i>rupestris</i> , Spring.	—	—	North-West coast.
“ <i>apus</i> , Spring.	—	—	

In the following list no distribution has been attempted, inasmuch as we are yet in comparative ignorance regarding their range through British North America :

CYPERACEÆ.

Cyperus diandrus, Torr.
Dulichium spathaceum, Rich.
Eleocharis obtusa.
 " *palustris*, R. Br.
 " *acicularis*, Torr. and Gr.
Scirpus pauciflorus, Light.
 " *caespitosus*, L.
 " *pungens*, Vahl.
 " *riparius*, Presl.
 " *sylvaticus*, L.
 " *atrovirens*, Muhl.
 " *Eriophorum*, Michx.
Eriophorum alpinum, L.
 " *polystachyon*, L.
 " *Virginicum*, L.
 " *gracile*, Koch.
Rhynchospora alba, Vahl.
 " *capillacea*, Torr.
Cladium mariscoides, Torr.
Scleria verticillata, Muhl.
Carex gynocrates, Wormsk.
 " *monosperma*, Macoun.
 " *scirpoides*, Michx.
 " *polytrichoides*, Muhl.
 " *siccata*, Dewey.
 " *teretiuscula*, Good.
 " *vulpinoidea*, Michx.
 " *stipata*, Muhl.
 " *rosea*, Schk.
 " *tenella*, Schk.
 " *trisperma*, Dewey.
 " *canescens*, L.
 " *Deweyana*, Schw.
 " *stellulata*, Good.
 " *sychnocephala*, Carey.
 " *scoparia*, Schk.
 " *straminea*, Schk.
 " *stricta*, Lam.
 " *aquatilis*, Wahl.
 " *lenticularis*, Michx.
 " *limosa*, L.
 " *irrigua*, Smith.
 " *Buxbaumii*, Willd.
 " *aurea*, Nutt.
 " *livida*, Willd.
 " *tetanica*, Schk.
 " *Crawei*, Dewey.
 " *granularis*, Dewey.
 " *gracillima*, Schw.
 " *plantaginea*, Lam.
 " *platyphylla*, Cary.

CYPERACEÆ—Continued.

Carex laxiflora, Lam.
 " *eburnea*, Booth.
 " *vaginata*, Tausch.
 " *pedunculata*, Muhl.
 " *Pennsylvanica*, Lam.
 " *varia*, Muhl.
 " *scabrata*, Schw.
 " *arctata*, Booth.
 " *flexilis*, Rudge.
 " *flava*, L.
 " *Eleri*, Ehrh.
 " *filiformis*, L.
 " *lanuginosa*, Michx.
 " *riparia*, Curtis.
 " *Pseudo-Cyperus*, L.
 " *hystericina*, Willd.
 " *intumescens*, Rudge.
 " *lupulina*, Muhl.
 " *retrota*, Schw.
 " *utriculata*, Booth.
 " *Tuckermanni*, Booth.

GRAMINEÆ.

Leersia oryzoides, Swartz.
Zizania aquatica, L.
Alopecurus aristulatus, Mx.
Phleum pratense, L.
Vilfa vaginiflora, Torr.
Sporobolus heterolepis, Gray.
 " *cryptandrus*, Gray.
Agrostis scabra, Willd.
 " *vulgaris*, Willd.
 " *alba*, L.
Cinna arundinacea, L.
Muhlenbergia glomerata, Trin.
 " *Mexicana*, Trin.
Brachyelytrum aristatum, Beauv.
Calamagrostis Canadensis, Beauv.
 " *stricta*, Trin.
 " *arenaria*, Roth.
Oryzopsis asperifolia, Michx.
Spartina cynosuroides, Willd.
Graphephorum melicoides, Beauv.
Eatonia obtusata, Gray.
 " *Pennsylvanica*, Gray.
Glyceria nervata, Trin.
 " *pallida*, Trin.
 " *aquatica*, Smith.
 " *fluitans*, R. Brown.
Poa annua, L.

GRAMINEAE—Continued.

- Poa serotina*, Ehrh.
 " *caesia*, Smith.
 " *pratensis*, L.
 " *compressa*, L.
Festuca ovina, L. var.
 " *nutans*, Willd.
Bromus scaberrimus, L.
 " *ciliatus*, L.
Phragmites communis, Trin.
Triticum repens, L.
Elymus Virginicus, L.
 " *Canadensis*, L.
Gymnostichum Hystrix, Schreb.
Aira flexuosa, L.
 " *caespitosa*, L.
Danthonia spicata, Beauv.
Avena striata, Michx.
Phalaris arundinacea, L.
Milium effusum, L.
Panicum glabrum, Gand.
 " *capillare*, L.
 " *virgatum*, L.
 " *latifolium*, L.
 " *xanthophysum*, Gray.
 " *dichotomum*, L.
 " *depauperatum*, Muhl.
 " *Cris-Galli*, L.
Setaria verticillata, Beauv.
 " *glauca*, Beauv.
 " *viridis*, Beauv.
Andropogon furcatus, Muhl.
 " *scoparius*, Michx.
Sorghum nutans, Gray.

MUSCI.

- Sphagnum cymbifolium*, Dill.
 " *acutifolium*, Ehrh.
Gymnostomum curvirostrum, Hed.
 " *calcareum*, Nees.
 " *rupestre*, Schw.
Seligeria recurvata, Br. and Sch.
 " *pusilla*, Br. and Schimp.
Anodus Dormianus, Br. and Schimp.
Trematodon ambigua, James.
Dicranum viridis, Sulliv.
 " *virens*, Hedw.
 " *varium*, Hedw.
 " *heteromallum*, Hedw.
 " *Schreberi*, Hedw.
 " *montanum*, Hedw.
 " *flagillare*, Hedw.
 " *fulvum*, Hook.
 " *congestum*, Hedw.
 " *scoparium*, L.
 " *Schraderi*, Web and Mohr.
 " *undulatum*, Torr.
 " *Drummondii*, Mull.

MUSCI—Continued.

- Ceratodon purpureus*, Brid.
Leucobryum glaucum, Hampe.
Fissidens minutulus, Sulliv.
 " *incurvis*, Sulliv.
 " *osmundioides*, Hedw.
 " *adiantoides*, Hedw.
 " *grandifrons*, Brid.
 " *taxifolius*, Brid.
Trichostimum rigidulum, Smith.
 " *pallidum*, Hedw.
 " *glaucescens*, Hedw.
 " *trophaceum*, Brid.
Barbula unguiculata, Hedw.
 " *convoluta*, Hedw.
 " *fallax*, Hedw.
 " *tortuosa*, Web and Mohr.
 " *ruralis*, Hedw.
Didymodon rubellus, Br. and Sch.
 " *luridus*, Hornich.
 " *cylindricus*, Bruch.
Distichium capillaceum, Bruch.
Tetraphis pellucida, Hedw.
Encalypta ciliata, Hedw.
 " *streptocarpa*, Hedw.
Drummondia clavata, Hook.
Orthotrichum anomalum, Hedw.
 " *strigulatum*, Bruch.
 " *Ohioense*, Sulliv.
 " *speciosum*, Nees.
 " *leiocarpum*, Br.
 " *Ludwigii*, Schw.
 " *Hutchinsiae*, Smith.
 " *crispum*, Hedw.
 " *crispulum*, Hornsch.
 " *Bruchii*, Brid.
 " *Americanum*, Mit.
Schistidium apocarpum, Br.
Hedwigia ciliata, Ehrh.
Diphyseium foliosum, Web.
Atrichum angustatum, Br.
 " *undulatum*, Beauv.
Polytrichum commune, L.
 " *formosum*, Hedw.
 " *gracile*, Menzies.
 " *juniperinum*, Hedw.
Timmia megapolitana, Hedw.
Aulacomnium heterostichum, Br.
Aulacomnium palustre, Schw.
Bryum pyriforme, Hedw.
 " *amietinum*, Hedw.
 " *albicans*, Whl.
 " *nutans*, Schreb.
 " *roseum*, Schreb.
 " *argenteum*, L.
 " *Pseudo-triquetrum*, Hedw.
 " *Duvallii*, Voit.
 " *bimum*, Schreb.

MUSCI—Continued.

- Bryum* intermedium, Brid.
 " capillare, Hedw.
 " caespiticium, L.
 " pallescens, Schw.
 " Blindii.
Mnium affine, Bland.
 " orthorhynchium, Brid.
 " stellare, Hedw.
 " lycopodioides, Hook.
 " punctatum, Hedw.
 " serratum, Brid.
 " spinulosum, Bry. Enop.
 " Drummondii, Br. and Sch.
 " cuspidatum, Hedw.
 " rostratum, Schw.
Bartramia Olderi, Swartz.
 " pomiformis, Hedw.
 " fontana, Brid.
 " Marchica, Brid.
 " calcarea, Br. and Sch.
Meesia uliginosa, Hedw.
Cotocopium nigratum, Brid.
Funaria hygrometrica, Hedw.
Fontinalis antipyretica, L.
Leucodon julaceus, Sulliv.
Leptodon trichomitrium, Mohr.
Anomodon viticulosus, Host.
 " apiculatus, Br. and Sch.
 " obtusifolius, Br. and Sch.
 " attenuatus, Hedw.
Leskea nervosa, Schw.
 " rostrata, Hedw.
 " Woollei, Austin.
Thelia hirtella, Sulliv.
Mymella Careyana, Sulliv.
 " julacea, Bry. Enop.
Pylaisia intricata, Br. Enop.
 " polyantha, Br. Europ.
Platygyrium repens, Br. Europ.
Cylindrothecium cladorrhizans, Hedw.
Neckera pennata, Hedw.
Omalia trichomanoides, Brid.
Climacium Americanum, Brid.
 " dendroides, Dill.
Hypnum tamariscinum, Hedw.
 " deticulatum, L.
 " minutum, Hedw.
 " scitum, Beauv.
 " gracile, Br. and Sch.
 " abietinum, L.
 " Blandovii, Web.
 " trigentum, L.
 " splendens, Hedw.
 " brovirostre, Ehrh.
 " Oakesii, Sulliv.
 " Alleghaniense, C. Mull.
 " strigosum, Hoffm.

MUSCI—Continued.

- Hypnum* deplanatum, Schimp.
 " rusciforme, Weis.
 " Sullivantii, R. Spruce.
 " recurvans, Schw.
 " Schraderi, Willd.
 " cordifolium, Hedw.
 " giganteum, Schimp.
 " scorpioides, L.
 " Cononi, Br. and Schimp.
 " trifarium, Weis.
 " uncinatum, Hedw.
 " fidicium, L.
 " Crista-Castriense, L.
 " imponens, Hedw.
 " reptile, Michx.
 " curvifolium, Hedw.
 " Haldanianum, Grev.
 " fertile, Le. v. d. t.
 " nitens, Schreb.
 " salebrosum, Hoffm.
 " letum, Brid.
 " acuminatum, Beauv.
 " rutabulum, L.
 " velutinum, L.
 " rivulare, L.
 " pratense, Hook.
 " hispidulum, Brid.
 " polymorphum, Bry. Em.
 " Sommerfeltii, Myrin.
 " chrysophyllum, Brid.
 " minutissimum, Sulliv.
 " subtile, Hoffm.
 " plumosum, L.
 " populeum, Hedw.
 " aduncum, Hedw.
 " reflexum, Starke.
 " adnatum, Sulliv.
 " noterophyllum, Sulliv.
 " serpens, Hedw.
 " confervoides, Schw.
 " radicale, Brid.
 " orthocladon, Beauv.
 " riparium, Hedw.
 " denticulatum, L.
 " pulchellum, Dick.
 " turfaceum, Lindb.
 " compactum, C. Mull.
 " palustre, L.
 " nitidulum, L.
 " sylvaticum, L.

HEPATICÆ.

- Marchantia* polymorpha, L.
Freissia commutata, Nees.
Fegatella conica, Corda.
Aneura latifrons, Lind.
Steetzia Blyttii, Moench.

HEPATICÆ—Continued.

Geocalyx graveolens, Nees.
Lophocolea heterophylla, Nees.
 " *crocata*, Nees.
Jungermannia trichophylla, L.
 " *connivens*, Dick.
 " *curvifolia*, Dick.
 " *Schraderi*, Martin.
Scapania Peckii, Austin.
 " *nemorosa*, Nees.
Sphanacetis Hubnaria, Raben.
Plagiochela porcelloides, Lind.
Frullania Grayana, Montag.
 " *Virginica*, Gott.

HEPATICÆ—Continued.

Frullania Eboracensis, Lehm.
Jejenia serpyllifolia, Libert.
Madotheca platyphylla, Dumut.
 " *porcella*, Nees.
Radula complanata, Du.
Ptilidium ciliare, Nees.
Trichocolea Tormentilla, Nees.
Mastigobryum trilobatum, Nees.
Lepidozia reptans, Nees.
Calypoglia Trichomanes, Cerd.
Jungermannia cordifolia, Hook.
Riccia Sorocarpa, Bisch.
Chylocyphus ascendens, Sulliv.