Case 3023**DASYPODIDAE Börner, 1919 (Insecta, Hymenoptera): proposed emendation of spelling to DASYPODAIDAE, so removing the homonymy with DASYPODIDAE Gray, 1821 (Mammalia, Xenarthra)**

The late Byron A. Alexander and Charles D. Michener

Snow Entomological Museum, Snow Hall, University of Kansas, Lawrence, Kansas 66045, U.S.A.

(e-mail for Prof Michener: michener@falcon.cc.ukans.edu)

Alfred L. Gardner

Biological Resources Division, U.S. Geological Survey, National Museum of Natural History, Washington, D.C. 20560-0111, U.S.A.

(e-mail: gardner.alfred@nmnh.si.edu)

Abstract. The family-group name DASYPODIDAE Börner, 1919 (Insecta, Hymenoptera) is a junior homonym of DASYPODIDAE Gray, 1821 (Mammalia, Xenarthra). It is proposed that the homonymy between the two names, which relate to short-tongued bees and armadillos respectively, should be removed by emending the stem of the generic name *Dasypoda* Latreille, 1802, on which the insect family-group name is based, to give DASYPODAIDAE, while leaving the mammalian name (based on *Dasypus* Linnaeus, 1758) unchanged. *Dasypus novemcinctus* Linnaeus, 1758, the type species of *Dasypus*, has a wide distribution in the southern United States, Central and South America. The genus *Dasypoda* ranges throughout most of the Palearctic region.

Keywords. Nomenclature; taxonomy; Hymenoptera; Mammalia; Xenarthra; bees; armadillos; DASYPODAIDAE; DASYPODIDAE; *Dasypoda*; *Dasypus*.

1. A colleague, Douglas Yanega, has brought to our attention the homonymous use of the family-group name DASYPODIDAE in the mammalian order Xenarthra and in the insect order Hymenoptera.

2. The mammalian family DASYPODIDAE Gray, 1821 (p. 305) was based on the armadillo genus *Dasypus* Linnaeus, 1758 (p. 50). Gray's family included the single genus; he misspelled the generic name as '*Dasipus*' and rendered the family-group name as '*Dasipidae*', which is corrected under Article 35d(i) of the Code.

3. Linnaeus (1758) included six nominal species in *Dasypus*. He placed the name '*Dasypus*' among the synonyms of *D. novemcinctus* (p. 51; the nine-banded armadillo) and this species is the type of the genus by Linnaean tautonymy (Article 68e(i)). Thomas (1911, p. 141) recorded that the account of the Mexican armadillo in Hernandez (1651), against which the generic name *Dasypus* appeared, referred to the *D. novemcinctus* group of species and that recognition of *D. novemcinctus* as the type species of *Dasypus* necessitated adopting *Dasypus* as the valid name for the genus long known (see, for example, Lydekker, 1887, pp. 140–141) as *Tatusia* Lesson, 1827

(p. 309) or, later, as *Tatu* Blumenbach, 1779 (p. 74; type species by monotypy *D. novemcinctus*), thereby rendering *Tatu* a junior objective synonym of *Dasypus*. Thomas noted that 'this is [an] instance in which the use of tautonymy in selecting Linnean types brings out a result contrary to common use'. He adopted the name *Euphractus* Wagler, 1830 (p. 36; type species *D. sexcinctus* Linnaeus, 1758 by subsequent designation by Palmer, 1904, p. 278) for *Dasypus* as hitherto understood (six-banded armadillos) and recorded that 'this shifting is quite unavoidable if the invaluable principle of tautonymy is to be utilized at all'.

4. Not all authors followed Thomas's (1911) switch of the name *Dasypus* from one group of armadillos to another; Patterson (1913), Vanneman (1917), Edgeworth (1923) and Cooper (1930), for example, used *Tatusia* for *novemcinctus*, and Apstein (1915) cited *D. sexcinctus* as the type of *Dasypus*. In 1945 Simpson (p. 193; see also p. 72, footnote) wrote: 'The application of the Linnaean name *Dasypus* is unfortunately subject to confusion. Many writers, probably the majority, have used this name for the quirquinchos [six-banded armadillos], which would be desirable, both to follow usage and because this group of species is the most central and generalized among living forms. In this case the correct name for the nine-banded armadillos would be *Tatu* and so they have been widely called (by me among many others). Oldfield Thomas, however, attempted to fix *Dasypus* as the name for the nine-banded armadillos, making *Euphractus* valid for the quirquinchos. This is apparently gaining in authoritative usage (although it still appears to be open to debate) and is here reluctantly adopted'. Most recent authors have cited *D. novemcinctus* as the type species of *Dasypus* (see, for example, Cabrera, 1958, p. 223; Hall, 1981, p. 282; Gardner, 1993, p. 65). The designation of *D. septemcinctus* Linnaeus, 1758 as the type by Wetzel & Mondolfi (1979, pp. 44, 46), reported by McBee & Baker (1982, p. 1), is invalid. Linnaeus (1758) gave the locality of *D. novemcinctus* as 'in America meridionali'; the type locality was limited by Cabrera (1958, p. 225) to Pernambuco, Brazil. The name *Euphractus* Wagler, 1830 is currently in use for *D. sexcinctus* Linnaeus, 1758. Both *Dasypus* and *Euphractus* are placed in the DASYPODIDAE.

5. Linnaeus (1758) based *Dasypus novemcinctus* on six previous publications, including Hernandez's (1651) *Rerum medicarum Novae Hispaniae thesaurus* (p. 314) and Linnaeus's own (1754) *Museum Adolphi Friderici*, Class 1 (Quadrupedia; p. 6); all are identifiable as the nine-banded armadillo. Thomas (1911, pp. 141, 142) recorded that there were Linnean mammal specimens preserved in the Swedish Museum of Natural History, Stockholm, from information given to him by Prof Einar Lönnberg. This material was originally in the Crown Prince Adolf Fredrik collection (see Linnaeus, 1754) and includes specimens of *D. novemcinctus* and *D. sexcinctus*, catalogue nos. NRM 532077 and NRM 592711 respectively. These specimens have been authenticated as Linnean types by Dr Sven Kullander (Swedish Museum of Natural History) from good curatorial records originating from the Museum Adolphi Frederiki. A photograph of specimen NRM 532077 is available on the Website (Linnaeus server) in Stockholm (<http://linnaeus.nrm.se/zool>).

6. The insect subfamily DASYPODINAE Börner, 1919 (p. 180) was established for a group of bees based on *Dasypoda* Latreille, 1802 (p. 424). The genus included four nominal species, among them *Andrena hirtipes* Fabricius, 1793 (p. 312), and this species was designated the type by Blanchard (1840, p. 414). Fabricius

cited *A. hirtipes* as 'in Germania Dom Smidt'. Zimsen (1964, p. 414) listed seven specimens, which were originally in Kiel, in the Fabrician collections in the Zoologisk Museum in Copenhagen; Warncke (1973) mentioned a lectotype ('♀ Lectotypus, Kopenhagen') but gave no details. The species is widespread in Europe, from the U.K. to Russia. The subfamily name DASYPODINAE has been used in publications by Michener (1944, 1981), Stephen, Bohart & Torchio (1969), Michener & Brooks (1984) and Michener, McGinley & Danforth (1994). Alexander & Michener (1995, p. 422) adopted DASYPODIDAE at the family level.

7. The name DASYPODIDAE Gray, 1821 in addition to being much older than DASYPODIDAE Börner, 1919 has also been much more widely used than the latter. In addition to the works by Cabrera (1958), Hall (1981) and Gardner (1993) cited in para. 4 above, the mammal name has appeared in representative recent publications, covering biology, ecology and conservation, as well as taxonomy, by Findley, Harris, Wilson & Jones (1975), Wetzel (1985), Eisenberg (1989), Corbet & Hill (1991) and Mares & Schmidley (1991). *D. novemcinctus*, the type species of *Dasypus*, is widely distributed. The species is important in the subsistence economy of the area and in the manufacture of tourist goods. It is also valuable in medical research on leprosy and is well known for the propensity to give birth to monozygous quadruplets. We believe that there is good reason not to change the mammalian family-group name. We therefore propose that the insect name be emended to DASYPODAIDAE, while leaving the mammalian name unaltered.

8. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary powers to rule that for the purposes of Article 29 of the Code the stem of the generic name *Dasypoda* Latreille, 1802 (Hymenoptera) is DASYPODA-;
- (2) to place on the Official List of Generic Names in Zoology the following names:
 - (a) *Dasypus* Linnaeus, 1758 (gender: masculine), type species by Linnaean tautonomy *Dasypus novemcinctus* Linnaeus, 1758 (Xenarthra);
 - (b) *Dasypoda* Latreille, 1802 (gender: feminine), type species by subsequent designation by Blanchard (1840) *Andrena hirtipes* Fabricius, 1793 (Hymenoptera);
- (3) to place on the Official List of Specific Names in Zoology the following names:
 - (a) *novemcinctus* Linnaeus, 1758, as published in the binomen *Dasypus novemcinctus* (specific name of the type species of *Dasypus* Linnaeus, 1758) (Xenarthra);
 - (b) *hirtipes* Fabricius, 1793, as published in the binomen *Andrena hirtipes* (specific name of the type species of *Dasypoda* Latreille, 1802) (Hymenoptera);
- (4) to place on the Official List of Family-Group Names in Zoology the following names:
 - (a) DASYPODIDAE Gray, 1821, type genus *Dasypus* Linnaeus, 1758 (Xenarthra);
 - (b) DASYPODAIDAE Börner, 1919, type genus *Dasypoda* Latreille, 1802 (spelling emended by the ruling in (1) above) (Hymenoptera);
- (5) to place on the Official Index of Rejected and Invalid Generic Names in Zoology the name *Tatu* Blumenbach, 1779 (a junior objective synonym of *Dasypus* Linnaeus, 1758) (Xenarthra);

- (6) to place on the Official Index of Rejected and Invalid Family-Group Names in Zoology the name DASYPODIDAE Börner, 1919 (spelling emended to DASYPODAIDAE by the ruling in (1) above) (Hymenoptera).

References

- Alexander, B.A. & Michener, C.D. 1995. Phylogenetic studies of the families of short-tongued bees. *University of Kansas Science Bulletin*, **55**(11): 377–424.
- Apstein, C. 1915. Nomina conservanda. *Sitzungsbericht der Gesellschaft Naturforschender Freunde zu Berlin*, **1915**(5): 119–202.
- Blanchard, E. 1840. Hyménoptères. Pp. 219–415, 7 pls. in Castelnau, F.L.N. de Laporte, *Histoire naturelle des insectes*, vol. 3. Duménil, Paris.
- Blumenbach, J.F. 1779. *Handbuch der Naturgeschichte*. [8], 446 pp. Göttingen.
- Börner, C. 1919. Stammesgeschichte der Hautflügler. *Biologisches Zentralblatt*, **39**(4): 145–185.
- Cabrera, A. 1958. Catalogo de los mamíferos de America del Sur. *Revista del Museo Argentino de Ciencias Naturales 'Bernardino Rivadavia'*. Ciencias Zoológicas, **4**(1): 1–307.
- Cooper, Z.K. 1930. A historical study of the integument of the armadillo, *Tatusia novemcinctus*. *American Journal of Anatomy*, **45**: 1–32.
- Corbet, G.B. & Hill, J.E. 1991. *A world list of mammalian species*, Ed. 3. viii, 243 pp. Natural History Museum, London.
- Edgeworth, F.H. 1923. On the development of the cranial muscles of *Tatusia* and *Manis*. *Journal of Anatomy*, London, **57**: 313.
- Eisenberg, J.F. 1989. *Mammals of the neotropics*, vol. 1, x, 449 pp.; vol. 2 (coauthored with K.H. Redford), ix, 430 pp. University of Chicago, Chicago.
- Fabricius, J.C. 1793. *Entomologica systematica emendata et aucta* . . . , vol. 2. viii, 519 pp. Hafniae.
- Findley, J.S., Harris, A.H., Wilson, D.E. & Jones, C. 1975. *Mammals of New Mexico*. xxii, 360 pp. University of New Mexico, Albuquerque.
- Gardner, A.L. 1993. Order Xenarthra. Pp. 63–68 in Wilson, D.E. & Reeder, D.A.M. (Eds.), *Mammal species of the world. A taxonomic and geographic reference*, Ed. 2. xviii, 1206 pp. Smithsonian Institution Press, Washington & London.
- Gray, J.E. 1821. On the natural arrangement of vertebrate animals. *London Medical Repository, Monthly Journal and Review*, **15**(1): 296–310.
- Hall, E.R. 1981. *The mammals of North America*, Ed. 2, vol. 1. 690 pp. Wiley, New York.
- Hernandez, F. 1651. *Rerum medicarum Novae Hispaniae thesaurus, seu plantarum, animalium, mineralium mexicanorum historia*. [xiv], 950, [22], 90, [6]. Rome.
- Latreille, P.A. 1802. *Histoire naturelle des fourmis* ... xvi, 445 pp., 12 pls. Crapelet, Paris.
- Lesson, R.P. 1827. *Manuel de mammalogie, ou histoire naturelle de mammifères*. xv, 441 pp. Paris.
- Linnaeus, C. 1754. Classis 1. Quadrupedia. Pp. 1–12 in: *Museum S:rae R:ae M:tis Adolphi Friderici Regis ... Qudrupedia, Aves, Amphibia, Pisces, Insecta, Vermes describuntur et determinantur*. xxx, 96, [8] pp., 33 pls. Holmiae.
- Linnaeus, C. 1758. *Systema Naturae*, Ed. 10, vol. 1. 824 pp. Salvii, Holmiae.
- Lydekker, R. 1887. *Catalogue of the fossil Mammalia in the British Museum (Natural History)*, part 5. xxxv, 345 pp. British Museum (Natural History), London.
- McBee, K. & Baker, R.J. 1982. *Dasypus novemcinctus*. *Mammalian Species*, **162**: 1–9. (Published by the American Society of Mammalogists).
- Mares, M.A. & Schmidley, D.J. 1991. *Latin American mammalogy. History, biodiversity and conservation*. xii, 468 pp. Oklahoma Museum of Natural History, Norman & London.
- Michener, C.D. 1944. Comparative external morphology, phylogeny, and a classification of the bees. *Bulletin of the American Museum of Natural History*, **82**: 151–326.
- Michener, C.D. 1981. Classification of the bee family Melittidae with a review of the species of the Meganomiinae. *Contributions of the American Entomological Institute*, **18**(3): 1–135.
- Michener, C.D. & Brooks, R.W. 1984. Comparative study of the glossae of bees. *Contributions of the American Entomological Institute*, **22**(1): 1–73.

- Michener, C.D., McGinley, R.J. & Danforth, B.N. 1994. *The bee genera of North and Central America*. viii, 209 pp. Smithsonian Institution Press, Washington.
- Palmer, T.S. 1904. *Index Generum Mammalium: a list of the genera and families of mammals*, vol. 1 (A-O). Pp. 1-492. United States Department of Agriculture, Biological Survey Division, Washington. North American Fauna, No. 23.
- Patterson, J.T. 1913. Polyembryonic development in *Tatusia novemcinctus*. *Journal of Morphology*, **24**: 559-684.
- Simpson, G.G. 1945. The principles of classification and a classification of mammals. *Bulletin of the American Museum of Natural History*, **85**: 1-350.
- Stephen, W.P., Bohart, G.E. & Torchio, P.F. 1969. *The biology and external morphology of bees*. 140 pp. Agricultural Experimental Station, Oregon State University.
- Thomas, O. [M.R.] 1911. The mammals of the tenth edition of Linnaeus; an attempt to fix the types of the genera and the exact bases and localities of the species. *Proceedings of the Zoological Society of London*, **1911**: 120-158.
- Vanneman, A.S. 1917. The early history of the germ cells in the armadillo, *Tatusia novemcinctus*. *American Journal of Anatomy*, **22**: 341-363.
- Wagler, J.C. 1830. *Natürliches System der Amphibien, mit vorangehender Classification der Säugethiere und Vögel*. vi, 354 pp., 9 pls. Munich.
- Warncke, K. 1973. Die westpalaarktischen Arten der Bienenfamilie Melittidae (Hymenoptera). *Polskie Pismo Entomologiczne*, **43**: 97-126.
- Wetzel, R.M. 1985. Taxonomy and distribution of armadillos, Dasypodidae. Pp. 23-48 in Montgomery, G.G. (Ed.), *The evolution and ecology of armadillos, sloths and vermilinguas*. 10, 451 pp. Smithsonian Institution, Washington.
- Wetzel, R.M. & Mondolfi, E. 1979. The subgenera and species of long-nosed armadillos, genus *Dasypus* L. Pp. 43-63 in Eisenberg, J.F. (Ed.), *Vertebrate ecology in the northern neotropics*. 271 pp. Smithsonian Institution, Washington.
- Zimsen, E. 1964. *The type material of I.C. Fabricius*. 656 pp. Munksgaard, Copenhagen.

Alexander, Byron A., Michener, C D, and Gardner, Alfred L. 1998.
"DASYPODIDAE Boerner, 1919 (Insecta, Hymenoptera): proposed emendation of spelling to Dasypodaidae, so removing the homonymy with Dasypodaidae Gray, 1821 (Mammalia, Xenarthra)." *The Bulletin of zoological nomenclature* 55, 24–28. <https://doi.org/10.5962/bhl.part.137>.

View This Item Online: <https://www.biodiversitylibrary.org/item/45027>

DOI: <https://doi.org/10.5962/bhl.part.137>

Permalink: <https://www.biodiversitylibrary.org/partpdf/137>

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.