Plover (hiaticula) was usually present on the mudflats of the river in small groups of 4 or 5 birds and occasionally up to about a dozen or so.

It is very interesting to note from Table 1 that all the sightings of this species have been in the four months from January to April, although I have a doubtful record of it on 2nd September 1984. The earliest recorded date of the *hiaticula* in Madras was on 2nd January (1983) and the last on 29th April (also in 1983).

The water level of the Adyar river is quite high between the months of May and October and the sandbars and mudflats remain inundated during this period, depriving the Ringed Plover of its favourite habitat. I presume that this is perhaps the reason why I have not been able to record hiaticula here earlier in the season. The sandbar blocking the river mouth is washed off during the course of the (Northeast) monsoon that is normally active between October and November. Thereafter the river comes under tidal influence and mudflats and sandbars appear at low tide.

My observations indicate that the Ringed Plover is not all that uncommon as is suggested by Ali and Ripley (1983) - to quote: "Straggler or very rare winter visitor, possibly sometimes confused by observers with Little Ringed Plover, and in immature plumage with Lesser Sand Plover. So far recorded with specimens only from Gilgit (1881, GF 9: 359), Sultanpur near Delhi (1879, SF 8: 197) and Maldive Islands (1958, JBNHS 60: 571). Authentically sight-

Table 1
SUMMARY OF SIGHTINGS OF THE RINGED PLOVER AT
THE ADYAR ESTUARY, MADRAS CITY

Year	Jan.	Feb.	Mar.	April	Total
1979		_	_	1	i
1980	-	-	-	2	2
1981	-	-	3	3	6
1982	3	2	4	-	9
1983	3	2	4	7	16
1984	-	-	1	3	4
1985	1	3	-	1	5
1986	1	1	5	3	10
				Total	53

recorded: Karachi Harbour (C.B. Ticehurst, *Ibis* 1923: 655), Jaffna Peninsula, Ceylon (G.M. Henry 1944, *Loris* 3: 132)." Abdulali and Hussain (1971) have recorded this species in February 1970 at Muthupet, Thanjavur District, Tamil Nadu. Subsequently, I understand that the Avifauna project has also come across this species at Pt. Calimere. However, no further information could be elicited on these records. It would be interesting to compare the dates of arrival and frequency of sightings of the Ringed Plover in the two areas.

December 20, 1986.

V. SANTHARAM

REFERENCES

ABDULALI, HUMAYUN & HUSSAIN, S.A. (1971): Occurrence of Eastern Ringed Plover Charadrius hiaticula tundrae (Lowe) in Tamil Nadu. J. Bombay nat. Hist. Soc. 68: 450-51.

ALI, SALIM & RIPLEY, S.D. (1983): Handbook of the Birds of India and Pakistan. Compact Edition. Oxford University Press, New Delhi.

13. AN HITHERTO UNRECORDED NESTING SITE OF A REDVENTED BULBUL $PYCNONOTUS\ CAFER\ (LINNAEUS)$

On 25th July 1986, I noticed a nest of a Redvented Bulbul in an unusual habitat. It was placed on a dried Acacia arabica twig which was lying on a thick mat of floating water hyacinth (Eichhornia crassipes), in the Manasarovar area of the Keoladeo National Park, Bharatpur, and was well concealed by the water hyacinth. The water hyacinth was about 72 cm tall, and the nest, cup-shaped and made of dried grass, was about 22 cm above the water level. The acacia twig acted as a base of support to the nest, around which it was wrapped. On the day it was

found it contained one egg. Another was added the following day. But unfortunately on the 28th the eggs were missing, probably predated.

Considering the fact that as a rule Redvented Bulbuls build their nests in shrubs, hedges and on slender branches of trees, normally at heights between one and three metres, the present nesting site appears unique.

September 26, 1986.

C. NANJAPPA



Nanjappa, C. 1989. "A HITHERTO UNRECORDED NESTING SITE OF A RED-VENTED BULBUL PYCNONOTUS-CAFER LINNAEUS." *The journal of the Bombay Natural History Society* 86, 102–102.

View This Item Online: https://www.biodiversitylibrary.org/item/191352

Permalink: https://www.biodiversitylibrary.org/partpdf/156738

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In Copyright. Digitized with the permission of the rights holder

License: http://creativecommons.org/licenses/by-nc/3.0/ Rights: https://www.biodiversitylibrary.org/permissions/

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.