CHLORIS TRUNCATA R. BR. (GRAMINEAE), AN AUSTRALIAN WOOL-WASTE ADVENTIVE IN SOUTH CAROLINA.—The recent report of the African Eragrostis plana Nees as a wool-waste introduction in South Caroline makes it desirable to record another unusual alien. My thanks are due to Harry E. Ahles for showing me during April 1966 a large series of specimens from South Carolina localities where wool-waste had been discarded, and to Mr. Ahles and Dr. A. E. Radford for a number of duplicates later sent to SMU in exchange. Among them were numerous species/common in Texas, including at least one endemic to the state (Sida Lindheimer) Engelm. & Gray). An exotic-looking Chloris with elongate, digitate racemes and rather long-awned lemmas was identified by matching with an Australian specimen at SMU of C. trungata R. Br., received from the National Herbarium of New South Wales, Sydney: N.S.W., Narramine, R. Helms, XI. 1892 (Nat. Herb. N.S.W. No. 31321). The identification was later confirmed by plates and descriptions in vols. 1 and 2 of Australian Grasses (Burbidge, 1966 and 1968). Like the African Eragrosics plana, this is apparently new to North America. Three specimens are deposited at SMU. SOUTH CAROLINA. Berkeley Co.: waste ground around the Santee Wool Combing Mill, Jamestown on S. C. state route #45, Harry E. Ahles 25881 with John G. Haesloop, 20 May 1957. Florence Co.: waste ground around the Wellman Wool Combing Mill, north of Johnsonville on state route #41, Ahles 42889, 13 Jun 1958, Ahles 46959 with J. Haesloop, 21 Jul 1958. Ltoyd H. Shinners

## REFERENCES

BURBIDGE, NANCY T. 1966, 1968. Australian grasses. 1: 136, plate 54; 2: 144, plate 57. Angus & Robertson, Ltd., Melbourne. (Description and plate repeated in volume 2.) DVORAK, JOSEF and FRANTISEK KUHN. 1966. Eingeschleppte Pflanzen in Areal der Wollspinnerei "Mosilana" in Brno (Brünn). Preslia 38: 327-332. (In Czech with German abstract.)

GOULD, F. W. and R. I. LONARD. 1970. Eragrostis plana in South Carolina. Rhodora 72: 188.

HAYWARD, IDA M. and GEORGE CLARIDGE DRUCE. 1919. The Adventive Flora of Tweedside. Arbroath, T. Buncle & Co. 296 pp.

LOUSLEY, J. E. 1961. A census list of wool aliens found in Britain: 1946—1960. Proc. Bot. Soc. British Isles 4: 221-247.

PROBST, RUDOLF. 1949. Wolladventivflora Mitteleuropas. Vogt-Schild AG, Solothurn. 193 pp.

ROULEAU, ERNEST. 1953. Rhodora, Index to Volumes 1—50. p. 414: 9 titles with wool-waste or woolwaste.

(EDITOR'S NOTE: This is the last manuscript of Lloyd H. Shinners to be published.)



Shinners, Lloyd H. 1973. "CHLORIS TRUNCATA R. BR. (GRAMINEAE), AN AUSTRALIAN WOOL-WASTE ADVENTIVE IN SOUTH CAROLINA." *SIDA, contributions to botany* 5, 182–182.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/38232">https://www.biodiversitylibrary.org/item/38232</a>

Permalink: <a href="https://www.biodiversitylibrary.org/partpdf/161972">https://www.biodiversitylibrary.org/partpdf/161972</a>

## **Holding Institution**

Missouri Botanical Garden, Peter H. Raven Library

## Sponsored by

Missouri Botanical Garden

## **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <a href="http://creativecommons.org/licenses/by-nc-sa/3.0/">http://creativecommons.org/licenses/by-nc-sa/3.0/</a>

Rights: <a href="https://biodiversitylibrary.org/permissions">https://biodiversitylibrary.org/permissions</a>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.