PENSTEMON METCALFEI (SCROPHULARIACEAE), A VALID SPECIES

THOMAS K. TODSEN

Department of Biology New Mexico State University Las Cruces, NM 88003, USA

In 1905, O.B. Metcalfe collected a Penstemon under spruce at the Lookout Mine in upper Trujillo Canyon in the Black Range of southern New Mexico (*Metcalfe 1605*, NMC!, NY!). Wooton and Standley (1909a) described it as *Penstemon puberulus* Woot. & Standl. Then, realizing that the specific epithet was previously used, they (1909b) proposed the new name, *Penstemon metcalfei* Woot. & Standl. Keck (1945) decided that *P. metcalfei* was synonymous with *Penstemon whippleanus* Gray, based on his examination of the NY specimen cited above. His only reservation was that the stem was puberulous, which differed from the typically glabrous stem of *P. whippleanus*.

In 1967, I collected a *Penstemon* under spruce beside the Black Range Crest Trail on Cross O Mtn (*Todsen s.n.*, NMC) and determined it to be *P. metcalfei* using Wooton and Standley's "Flora of New Mexico" (1915). This was the second time the taxon had been collected. Only later did I become aware that Keck had submerged it under *P. whippleanus*.

In the summer of 1995, I collected plants from the Cross O Mtn. Location (*Todsen 95-7-1*, NMC) and compared the live material with the type and isotype sheets at NMC. There was no significant morphological difference in plants from the two locations. At the same time, I collected *P. whippleanus* (*Todsen 95-7-7*, NMC) from the Sandia Mountains, the type

TABLE 1. Morphological differences between P. metcalfei and P. whippleanus.

Characteristics	P. metcalfei	P. whippleanus
Stem	Puberulous	Glabrous
Leaves	Entire	Toothed
Corolla	Pale blue-lavender	Deep red-purple
	Slightly gibbous	Abruptly gibbous
Lower Lip	Wider than long	Longer than wide
Staminode	Not or slightly exserted	Well-exserted
	Bearded 1/2 its length	Glabrous or with tuft
Stamens	Not explanate	Explanate

locality, and compared that with the Cross O Mtn. Plants. Differences between the two are shown in Table 1. These characteristics put *P. metcalfei* in Keck's subsection *Graciles* rather than in subsection *Humiles* where he had placed *P. whippleanus*.

Later, when Crosswhite (1965a) was revising *Penstemon* section *Penstemon*, approximately equivalent to Keck's *Penstemon* section *Spermunculus*, he placed *P. whippleanus* in series *Whippleani* and retained series *Graciles*, equivalent to Keck's subsection *Graciles*. Crosswhite (1965b) also addressed a situation in series *Graciles*, where he divided the series into two "alliances," *Graciles* and *Oliganthi*, based on differences in distribution, habit, and habitat. *Penstemon metcalfei* falls within "alliance" *Oliganthi* as Crosswhite defined it.

I thank Richard Spellenberg for his many comments and suggestions.

REFERENCES

- CROSSWHITE, F.S. 1965a. Subdivisions of *Penstemon* section *Penstemon*. Sida 2:160-162.

 _____. 1965b. Revision of *Penstemon* section *Penstemon* (Scrophulariaceae). II. A western alliance in series *Graciles*. Amer. Midl. Naturalist 74:429–442.

 KECK, D.D. 1945. Studies in *Penstemon*. VIII. A cytotaxonomic account of the section *Spermunculus*. Amer. Midl. Naturalist 33:128–206

 WOOTON, E.O. and P.C. STANDLEY. 1909a. Plants from New Mexico. Bull. Torrefy Club
- 36:112.
 ____ and ____. 1909b. A new name—*Penstemon metcalfei* Wooton & Standley. Torreya 9:145.
- ____ and ____. 1915. Flora of New Mexico. Contr. U.S. Natl. Herb. 19:579–586.



Todsen, Thomas K . 1998. "PENSTEMON METCALFEI (SCROPHULARIACEAE), A VALID SPECIES." *SIDA, contributions to botany* 18, 621–622.

View This Item Online: https://www.biodiversitylibrary.org/item/34589

Permalink: https://www.biodiversitylibrary.org/partpdf/163199

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.