

DIAGNOSES OF NEW DELISSEA SPECIES (LOBELIACEAE)

HAWAIIAN PLANT STUDIES 162

Harold St. John

Bishop Museum, Box 19000A, Honolulu, Hawaii 96817, USA

The new types are in the Bishop Museum, Honolulu.

Delissea acuta sp. nov. Frutex est, caule simplici laevi, petiolis 10-16 cm longis glabris, laminis 18-28 X 6-11.3 cm glabris lanceo-ovalibus acutis basi cuneata marginibus crenatis, racemis 4-12-floriferis glabris, pedunculo 1-2 cm longo, pedicellis 7-15 mm longis, dentibus calycis 0.3 mm longis deltoideis, corolis 20 mm longis glabris cum vel sine tumuli lateralibus, antheris superis 7 mm longis. Typus: Oahu I., Kawaiiki Ditch Trail, H. St. John 21,368.

D. angusta sp. nov. Arbor 6 m alta est, ramis glabris, petiolis 2.5-6 mm longis pilosulis, laminis 14-18 X 2-3.2 cm oblanceolatis duploserratulis infra in nervis pilosulis, cymis 4-5 cm longis 5-6-floriferis pilosulis, pedunculo 2-2.8 cm longo, pedicellis 12-15 mm longis, lobis calycis 4-5 mm longis lanceolatis ciliatis, corollis 35 mm longis glabris, antheris superis 6 mm longis. Typus: Maui I., Haleakala, Maunawainui Gulch, 4,900 ft elev., K. Kepler 46.

D. angustior sp. nov. Frutex glaber est, caule 1.3 m longo simplici, petiolis 4-7 cm longis, laminis 23-27 X 7-8.5 cm oblanceolatis denticulatis, racemis 4-5 cm longis 13-17-floriferis, pedunculo 18-20 mm longo, pedicellis 10-13 mm longis, lobis calycis 2-2.5 mm longis lanceo-linearibus, baccis 9-10 mm longis. Typus: Hawaii I., Pahole Stream, J. Davis 688.

D. globosa sp. nov. Caulis 1 m altus simplex est, petiolis 2.5 cm longis puberulis, laminis 32-48 X 7-9.5 cm oblanceolatis subacuminatis serrulatis basi cuneata puberulis, pedicellis 15 mm longis 4-5 cm longis ligulatis hirsutis, corollis 8-9 cm longis pilosis albis, antheris superis 14 mm longis. Typus: Maui I., Iao, C. N. Forbes 106.M.

D. hanaensis (St. John) comb. nov.

Cyanea hanaensis St. John, Phytologia 62: 433-436, fig. 1, 1987.

D. inflatispinosa sp. nov. Frutex est, caule 1.4 m alto simplici hirsutulospinoso, petiolis 2.5-6.5 cm longis hirsutulis spinosis, laminis 25-41 X 8.5-9 cm oblanceolatis lobatis supra pilosis spinosis infra nervis hirsutulis spinosis, inflorescentia 8-12 cm longis pedicellis 15-23 mm longis hirsutulis, lobis calycis

3-4 mm longis subulatis. Typus: Hawaii I., Laupahoehoe, Kilau Stream, L. W. Cuddihy 989.

D. kawelaensis sp. nov. Frutex est, petiolis 3-6 cm longis glabris, laminis 13-21 X 2.7-3.7 cm ligulatis serrulatis acutis infra midnervo pilosulo, racemis 6-7 cm longis 7-floriferis, lobis calycis 2.5-3.5 mm longis lanceolatis, corollis 25-27 mm longis glabris, antheris inferis 6 mm longis. Typus: Molokai I., East Kawela Gulch, S. L. Montgomery.

D. kipahuluensis sp. nov. Frutex est, ramis glabris, petiolis 4-7 cm longis puberulis, laminis 33.5-37 X 14-18 cm in aspectu ellipticis sed pinnate vel bipinnate partitis serrato-dentatis infra nervis pilosulis, racemis 5-6 cm longis glabris, pedicellis 7-10 mm longis in fructu lobis calycis 14-16 mm longis ligulatis. Typus: Maui I., Kipahulu, C. N. Forbes 1,730.M.

D. kohalaensis sp. nov. Planta glabra est, petiolis 5-6.5 cm longis, laminis 20-21 X 9.8 cm obovatis subacuminatis basi cuneata, racemis glabris 9-11-floriferis, pedicellis 10-15 mm longis hirsutulis, lobis calycis 3-4 mm longis lanceolatis, corollis 37 mm longis, antheris superis 9 mm longis. Typus: Hawaii I., Waipio Valley, H. L. Lyon.

D. latior sp. nov. Frutex est, petiolis 4 cm longis puberulis, laminis 30-32 X 10.5-11 cm oblanceolatis serrulatis basi cuneata puberulis, racemis 8-9 cm longis 4-7-floriferis hirsutulis, lobis calycis 11-12 mm longis ellipticis emarginatis, corollis 33.5 mm longis purpureis pilosis. Typus: Maui I., Hanaula, K. M. Nagata & B. Kimura 1,924,

D. Lyonii sp. nov. Petiolis 3 cm longis glabris, laminis 25 X 6.5 cm oblanceolatis subintegribus supra aculeatis infra glabris, pedunculo 1.5 cm longo, pedicellis 12 mm longis hispidulis, lobis calycis 2.5-3 mm longis oblongis hirsutulis, antheris superis 7 mm longis. Typus: Maui I., Kailua, H. L. Lyon (Rock no.) 10,258.

D. molokaiensis sp. nov. Frutex 1.6-2.6 m altus eramosus glaber est, petiolis 1.8-7.3 cm longis, laminis 8.5-17.5 X 2.3-5.2 cm subcoriaceis ellipticis subacutis serrulatis basi cuneata, racemeis 4-5 cm longis 5-11-floriferis, pedunculo 2-3 cm longo, pedicellis 6-8 mm longis, lobis calycis 0.2-0.3 mm longis deltoideis, corollis 23 mm longis purpureis, antheris superis 5.5 mm longis, baccis 8 mm diametro. Typus: Molokai I., Pipiwai Gulch, S. Perlman 502.

D. muriculata sp. nov. Petiolis 7-8 cm longis puberulis, laminis 28-29 X 9.2-9.5 cm oblanceolatis obtusis denticulatis basi cuneata supra nervis muriculatis infra puberulis, inflorescentia 6-8-florifera, pedunculo 1.5-2 cm longo, pedicellis 1-2 cm longis glabris, lobis calycis

8-13 mm longis ligulatis apice bifido, corollis purpureis in alabastro 5.5-6.5 cm longis. Typus: Maui I., Wai Anapanapa, B. Harrison xi/22/73.

D. nemorosa sp. nov. Frutex 3 dm altus epiphyticus est, calule hirsutulo, petiolis 15 mm longis puberulis, laminis 15-21 X 4.5-6 cm ellipticis subacutis serrulatis basi cuneata puberulis, racemis 3-4 cm longis 7-8-floriferis, pedunculo 1 cm longo, puberulo, pedicellis 2-3 mm longis puberulis, lobis calycis 2.5-3.5 mm longis lanceolatis puberulis, corollis 25 mm longis albis puberulis, antheris superis 4 mm longis puberulis. Typus: Hawaii I., Kilauea Forest Reserve, L. Cuddihy.

D. olokuiensis sp. nov. Frutex 1.3 m altus est, petiolis 13.5-14 cm longis glabris, laminis 34-47 X 13-15 cm ellipticis subintegribus basi cuneata infra in nervis hirsutulis, racemis 10-10.5 cm longis 5-7-floriferis hirsutis, pedicellis 16-20 mm longis, lobis inferis calycis 4.5-5 mm longis ovatis acutis, corollis 45 mm longis albis glabris, antheris superis 10 mm longis glabris. Typus: Molokai I., Olokui plateau, P. K. Higashino & R. A. Holt 9,466.

D. puberula sp. nov. Frutex 2.6 m altus ramosus est, novellis puberulis, petiolis 7-11 mm longis puberulis, laminis 7.6-12.3 X 1.7-2.1 cm oblanceolatis serrulatis basi cuneata infra puberulis, cymis 4-5 cm longis 5-floriferis puberulis, pedicellis 9-11 mm longis, lobis calycis 2.5-4 mm longis lanceolatis, corollis 35 mm longis puberulis, antheris superis 9.5-11 mm longis. Typus: Maui I., Haleakala, Manawainui Gulch, K. Kepler 48.

D. sessilis sp. nov. Frutex 3 m altus eramosus est, foliis 44-45 X 8-10 cm sessilibus glabris oblanceolatis, cymis 13 cm longis 4-floriferis glabris, pedunculo 14 mm longo, pedicellis 10-12 mm longis, lobis calycis superis 12-13 mm longis deltoideis, corollis 10 cm longis obscure purpureis, antheris superis 20 mm longis. Typus: Maui I., Kipahulu Valley, P. K. Higashino & R. A. Holt 9,398.

D. subobtusa sp. nov. Frutex 3-6 dm altus ramosus puberulus est, petiolis 15-22 mm longis puberulis, laminis 17-21 X 4.2-6.2 cm ellipticis subintegribus puberulis, inflorescentia 3.5-5 cm longa 9-17 florifera puberula, pedunculo 8-12 mm longo, pedicellis 4-7 mm longis, lobis calycis 2-2.5 mm longis lanceolatis puberulis, corollis 18-20 mm longis albis puberulis, antheris superis 4 mm longis. Typus: Hawaii I., Kilauea Forest Reserve, J. Davis 397,

D. waikamoiensis sp. nov. Frutex est, novellis hirsutulis, petiolis 2-2.7 cm longis puberulis, laminis 19-26 X 4.4-6.7 cm oblanceolatis denticulatis basi cuneata infra puberulis, racemis 4.5-5 cm longis 4-9-floriferis, pedunculo 6-10 mm longo puberulo, pedicellis 4-6 mm longis puberulis, lobis calycis 6-7 mm longis subulatis

puberulis, corollis 3.5-3.7 cm longis puberulis, antheris superis 6 mm longis hirsutulis. Typus: Maui I., Waikamoi, J. F. Rock 8,806.

D. waikoluensis sp. nov. Frutex 2 m altus eramosus glaber est, petiolis 7-14 cm longis glabris, laminis 25-40 X 9-15 cm oblanceolatis basi cuneata infra nervis pilosulis, racemis 6-10 cm longis 5-9-floriferis hirsutulis, pedunculis 2.5-5 cm longis, pedicellis 15-25 mm longis, lobis calycis 3.5-5 mm longis ovatis. Typus: Molokai I., Waikolu Valleu, H. St. John 23,390.



St. John, Harold. 1988. "DIAGNOSES OF NEW DELISSEA SPECIES LOBELIACEAE HAWAIIAN PLANT STUDIES 162." *Phytologia* 64, 165–168.

View This Item Online: <https://www.biodiversitylibrary.org/item/46821>

Permalink: <https://www.biodiversitylibrary.org/partpdf/176065>

Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by

The LuEsther T Mertz Library, the New York Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Phytologia

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.