

one remarkable fact about this occurrence was that these insects occupied a limited belt in the centre of the valley, and did not extend to the elevated portions of the town on either side. There were no insects about the electric lights on the hillsides, and farther down in the valley the lights were frequented only by Lepidoptera. Where the small insects were most abundant the Lepidoptera were wanting. Probably the small insects drove them away. Looking from the hillsides a cloudy phosphorescence was seen to extend over the city in an irregular sheet, with here and there patches and protuberances rising high above the common mass. Comparing the position of this cloud at different times from seven until ten o'clock, it was evident that the centres of maximum density were moving northward, i. e., in the same direction that the insects moved in the early part of the evening. There was no perceptible moisture in the air so that this cloud could not be attributed to mist. It must have been caused by the reflection of the city lights upon the glossy wings of these insects.

Prof. D. A. Saunders tells me that a very similar cloud passed over Alfred Centre, a village about twelve miles southwest of Hornellsville, on the evening of August 16. The insects in this case were flying ants with deciduous wings, so that, after the cloud had passed, their wings were found very abundantly scattered over the ground. This cloud made its appearance about sunset and had passed over by dark. It came from a steep hill overlooking the town and swept across the town in a narrow belt, leaving the upper and lower parts unmolested. He has observed other clouds during the year in Florida, and says the inhabitants there are quite familiar with them. A rather remarkable cloud of this kind was particularly observed by him in the month of May at Sisco, Fla. The insects on this occasion were large, and had very glossy wings. The cloud began about eight o'clock in the morning and lasted

for half an hour. They seemed to rise from a flat meadow densely overgrown with grass. They ascended to an altitude of about twenty feet, and continued the rest of their course in a horizontal direction. The cloud seems to have been confined chiefly to a twenty-acre lot and did not pass to adjacent parts. It was a warm, bright day, and the reflection of light upon their wings gave the cloud a striking resemblance to a snowstorm. Their wings were deciduous, and neighboring pools were pretty much covered with them.

J. LAWTON WILLIAMS.

NOTES.—The Royal Society of New South Wales offers a prize of the Society's medal and £25 for the best essay containing the results of original research on the injuries occasioned by insect pests upon introduced trees, the essay to be sent in before May 1, 1893. The competition is in no way confined to residents in Australia, but is open without restriction to all.

In Nature Notes for August Mr. R. T. Lewis, on the authority of a correspondent in whose trustworthiness he has entire confidence, gives a curious account of the appreciation with which the song of the Cicada is heard by insects other than those of its own genus. The correspondent has frequently observed in Natal that when the Cicada is singing at its loudest, in the hottest portion of the day, it is attended by a number of other insects with lovely, gauze-like, iridescent wings, whose demeanour has left no doubt on his mind that the music is the attraction. The Cicada, when singing, usually stations itself upon the trunk of a tree with its head uppermost, and the insects in question, to the number sometimes of fifteen or sixteen, form themselves into a rough semicircle at a short distance around its head. During a performance one of the insects was observed occasionally to approach the Cicada and to touch it upon its front leg or antennae, which proceeding was resented by a vigorous stroke of the foot by the Cicada, without,

however, any cessation of its song. The insects composing the audience are extremely active; and so wary that they take flight at the least alarm on the too near approach of any intruder. Some of them, however, have been captured; and on examination these "proved to belong to the same family as that most beautiful of British insects—the lace-wing fly, which, indeed, they closely resemble except as to size, their measurement across the expanded wings being a little over two inches; they have since been identified by Mr. Kirby at the British Museum as *Nothochrysa gigantea*."—*Nature*.

PROCEEDINGS OF SOCIETIES.

CAMBRIDGE ENTOMOLOGICAL CLUB.

10 October, 1890.—The 155th meeting of the Club was held at 156 Brattle St. Mr. S. H. Scudder was chosen chairman.

The meeting was devoted almost entirely to informal remarks. Among other topics Mr. S. H. Scudder discussed further damage by white ants in New England. Referring to remarks made by him at a previous meeting on the injuries to geranium cuttings in the forcing houses attached to Mt. Auburn cemetery, and to an article in the Canadian entomologist, by Dr. H. A. Hagen, on their abundance in Cambridge, he proceeded to describe the injuries done by *Termes flavipes* to tree ferns growing in tubs at the Botanic Garden in Cambridge, as well as to the tubs themselves. This had been pointed out to him by Mr. F. A. Quinn and Mr. Cameron of the Botanic Garden. He suggested the practicability of using staves for the tubs made of galvanized iron, or some such material, in place of wooden ones. (See *Psyche*, 1891, v. 6, p. 15.)

Mr. Scudder also called attention to the issue of a work on the genus Ornithoptera by Robt. H. F. Rippon.

Mr. J. H. Emerton exhibited a few sketches of *A. polyphemus* in process of expansion.

12 DECEMBER, 1890.—The 158th meeting of the Club was held at 156 Brattle St. Mr. S. Henshaw was chosen chairman.

Mr. Henshaw read a letter from Mr. Mann in relation to vol. 4 of *Psyche*, action on which was necessarily postponed on account of the absence of a quorum.

Mr. S. H. Scudder read the first of a series of letters from Dr. T. W. Harris to Mr. Thos. Say, and the latter's reply. These letters will be published later in *Psyche* (See v. 6, pp. 57-60).

9 JANUARY, 1891.—The 159th regular meeting and 15th annual meeting (since incorporation) was held at 156 Brattle St. Mr. S. H. Scudder was elected chairman.

The annual reports of the secretary and of the retiring librarian were accepted and ordered to be placed on file.

The annual report of the treasurer was presented and referred to the auditors.

Owing to the absence of a quorum the regular election of officers was postponed.

Mr. S. H. Scudder then read the annual address of retiring President Woodworth. The address was entitled "On the relations between scientific and economic entomology," and will be published in full in *Psyche* (See v. 6, pp. 19-21).

Mr. Scudder stated that by request of Mr. F. Bolles he had recently examined the contents of the stomach of three golden winged woodpeckers (*Colaptes auratus*) which he found to consist almost entirely of the remains of ants of several species. Considerable discussion followed with regard to the insect food of several other birds, notably the English sparrow (*Passer domesticus*) and also the kingfisher (*Ceryle alcyon*) and killdeer and golden plovers. It seemed to be the general opinion that insects eaten by birds would be better preserved, owing to the chitine in their composition, than seeds, berries, and other more soluble material, so that when a bird had eaten any insects, unless it was shot immediately after its meal, the insect remains would appear in excess.

The second letter from Dr. Harris to Mr. Say, and the latter's reply was read (See *Psyche*, v. 6, pp. 121-123).



1891. "Notes." *Psyche* 6, 181–182. <https://doi.org/10.1155/1891/57463>.

View This Item Online: <https://www.biodiversitylibrary.org/item/47616>

DOI: <https://doi.org/10.1155/1891/57463>

Permalink: <https://www.biodiversitylibrary.org/partpdf/182014>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.