

INDEX

Synonyms are printed in *italics*; new names in **bold-face** type.

- Abelia brachystemon*, 117
Abies balsamea angustata, 29
 — *chensiensis*, 16
 — *Fargesii sutchuenensis*, 15
 — *Faxoniana*, 13
 — *firma*, 16
 — *Fraseri prostrata*, 30
 — *recurvata*, 16
 — *spec.*, 11, 16
 — *sutchuenensis*, 15
 Abnormal fruits of *Juglans nigra*, 27, fig.
Abutilon sinense, 94
Acanthopanax Giraldui, 98
 — *Giraldui pilosulus*, 99
 — *leucorrhizus*, 98
 — *stenophyllum angustissimus*, 99
Acer betulifolium, 91
 — *caudatum multiserratum*, 89
 — *Davidi*, 90
 — *erosum*, 89
 — *ginnala*, 89
 — *Grosseri*, 90
 — *Maximowiczii*, 90
 — *multiserratum*, 89
 — *pictum Mono*, 89
 — — *parviflorum*, 89
 — *tetramerum betulifolium*, 91
 — *ukurunduense multiserratum*, 89
 — *urophyllum*, 90
Actinidia tetramera, 94
 Additions to the knowledge of Chinese Trees,
 I, 150
Aesculus parviflora serotina, 30
Ailanthus altissima, 86
 — *glandulosa*, 86
 — *gracilis*, 3
Akebia lobata, 43
 — *quinata*, 42
 — *trifoliata*, 43
Ampelopsis aconitifolia palmiloba, 93
 — — *typica*, 93
 — *palmiloba*, 93
Amygdalus communis tangutica, 78
 — *tangutica*, 78
Aralia chinensis glabrescens, 100
 — — *nuda*, 100
 Arboretum, The Arnold Arboretum during
 the fiscal year ended June 30, 1928, 187
Arctostaphylos rubra, 107
Arctous alpinus ruber, 107
 — *ruber*, 107
Armeniaca vulgaris, 78
 Arnold Arboretum during the fiscal year
 ended June 30, 1928, 187
 Arnold Arboretum expedition to North-
 western China and Northeastern Tibet,
 Enumeration of the ligneous plants
 collected by J. F. Rock on the, 4, 37, pl.
 12-13
 Arnold Arboretum, 1928-29, The Staff of
 the, 192
Astragalus sp., 84
Atalantia disticha paniculata, 141
 — *maritima*, 141
 — *paniculata*, 141
Aurantiacearum II, Revisio, 137
 Bamboos from New Guinea, Two new, 144
Bambusa Brassii, 145
Benzoin strychnifolium Hemsleyanum, 48
 — *umbellatum*, 48
Berberis sp., 132
 — *aemulans*, 134
 — *aggregata Prattii*, 135
 — *Boschanii*, 46, 136
 — *brachypoda*, 47
 — *brevipaniculata*, 135
 — *Caroli*, 44, 135
 — — *hoanghensis*, 44
 — *Cavaleriei*, 133
 — — *pruinosa*, 132
 — *Coryi*, 135
 — *dasystachya*, 46, 136
 — *dasystachya*, 48
 — *densifolia*, 133
 — *diaphana*, 43, 134
 — *diaphana*, 134
 — *dolichobotrys*, 47, 137
 — *Faxoniana*, 134
 — *Geraldii*, 135
 — *Griffithiana*, 133
 — *heteropoda*, 136
 — — *oblonga*, 47, 137
 — *integerrima*, 135
 — — *stenophylla*, 44, 135
 — *kansuensis*, 48
 — *Kawakamii*, 133
 — *Lecomtei*, 136
 — *levis*, 43

- Berberis Mouillacana*, 45, 136
 — *pallens*, 136
 — *parvifolia*, 44
 — *polyantha*, 135
 — *Prattii*, 135
 — *reticulata*, 132
 — *Silva-Taroucana*, 45, 135
 — *silvicola*, 134
 — *sinensis typica*, 136
 — *Soulieana*, 43
 — *sp.*, 132
 — *stenophylla*, 43
 — *subcaulialata*, 135
 — *Thunbergii glabra*, 136
 — *Vernae*, 44
 — *vulgaris dasystachya*, 47, 137
 — *Wallichiana*, 43
 — *Wilsonae subcaulialata*, 135
 — *yunnanensis*, 134
Berberis, Notes on Chinese, 131
Berchemia pycnantha, 92
Betula albo-sinensis, 23
 — — *septentrionalis*, 23
 — *Delavayi*, 24
 — *japonica mandshurica*, 24
 — — *Rockii*, 25
 — — *szechuanica*, 24
 — *luminifera*, 26
 — *utilis sinensis*, 23
 Botanical trip through the Chisos Mountains of Texas, A, 153
Brucea amarissima, 3
 — *gracilis*, 3
 — *javanica*, 3, pl. 10
 — *sumatrana*, 3
 — *sumatrensis*, 3
Buddleia albiflora, 111
 — *alternifolia*, 112
 — *Hemsleyana*, 111
 — *nana*, 111
 — *officinalis*, 111
 BYHOUWER, J. T. P., *Berberidaceae*, 43
 — — Notes on Chinese *Berberis*, 131
Campylotropis Giraldui, 85
 CAMUS, AIMÉE, Two new Bamboos from New Guinea, 144
Caragana brevifolia, 82
 — *densa*, 82
 — *frutescens*, 82
 — *frutex*, 82
 — *jubata*, 83
 — *Maximovicziana*, 82
 — *Roborovskyi*, 83
 — *sp.*, 84
Caragana tibetica, 83
Caryopteris incana, 112
 — *Mastacanthus*, 112
Castanopsis Greenii, 150
Celtis Bungeana, 37
Cephalotaxus Fortunei, 5
Cercis chinensis, 81
 Chinese trees, I, Additions to the knowledge of, 150
 Chisos Mountains of Texas, A botanical trip through the, 153
 CHUN, WOON-YOUNG, Additions to the knowledge of Chinese trees, I, 150
 — — Four new ligneous plants from Kwangtung, 126
Citrus cornuta, 138
 — *dolichophylla*, 139
 — *grandiflora*, 139
 — *paludosa*, 139
Clausena Harmandiana papuana, 141
 — *hirta*, 141
 — *papuana*, 141
Clematis aethusifolia, 39
 — *Armandi*, 41
 — *brevicaudata*, 41
 — *brevipes*, 39
 — *Fargesii*, 40
 — *fruticosa*, 41
 — — *canescens*, 41
 — — *lobata*, 41
 — — *viridis*, 41
 — *fruticosa*, 41
 — *glauca phaeantha*, 43
 — *Gouriana Finetii*, 42
 — *gracilifolia*, 39
 — *hastata*, 40
 — *lasiandra*, 39
 — *macropetala*, 39
 — *nannophylla*, 41
 — *tangutica obtusiuscula*, 42
 — *trifoliata*, 43
Clematoclethera integrifolia, 95
 — *lasioclada*, 95
 Collector's note book, Leaves from a, 173
Comarum Salesowianum, 74
Cornus brachypoda, 100
 — *macrophylla*, 100
Corylus mandshurica, 22
 — *Sieboldiana mandshurica*, 22
Cotoneaster acuminata prostrata, 62
 — *acutifolia*, 63
 — — *pekinensis*, 63
 — — *villosula*, 63
 — — *villosula*, 63

- Cotoneaster acutifolia*, 64
 — *adpressa*, 62
 — *Davidiana*, 62
 — *Fontanesii soongorica*, 61
 — *horizontalis*, 62
 — — *adpressa*, 62
 — *lucida*, 64
 — *microphylla*, 62
 — *moupinensis*, 63
 — *multiflora*, 60
 — — *calocarpa*, 61
 — *nigra acutifolia*, 64
 — *nitens*, 63
 — *Nummularia*, 61
 — — *soongoricum*, 61
 — *obscura cornifolia*, 63
 — *racemiflora soongorica*, 61
 — — *Veitchii*, 62
 — *reflexa*, 60
 — *tenuipes*, 63
 — *vulgaris*, 62
 — — *glabrata*, 60
 — *Zabeli*, 62
Crataegus crenulata, 64
 — *kansuensis*, 58
 — — *aurantiaca*, 60
 — *Oxyacantha*, 58
 — *sanguinea*, 58
 — *Wattiana*, 58
Cryptomeria japonica, 17
Cunninghamia lanceolata, 16
Cupressus Duclouxiana, 17
 — *sempervirens*, 17
 — *torulosa*, 17
Daphne genkwa, 96
 — *Giraldii*, 96
 — *tangutica*, 97
 — *Wilsonii*, 97
Debregeasia longifolia, 38
Decumaria sinensis, 52
Deutzia albida, 50
Echinocitrus, 137
 — *Brassii*, 137
Elaeagnus angustifolia, 98
 — *hortensis angustifolia*, 98
Eleutherococcus leucorrhizus, 98
 Enumeration of the ligneous plants collected
 by J. F. Rock on the Arnold Arboretum
 expedition to Northwestern China and
 Northeastern Tibet, 4, 37, pl. 12-13
Eriolobus kansuensis, 70
Eurotia ceratoides, 38
Eurya Weissiae, 128
Evonymus alata aperta, 87
Evonymus Giraldii angustialata, 88
 — — *ciliata*, 88
 — *nanoides*, 87
 — *phellomana*, 87
 — *Przewalskii*, 88
Exchorda Giraldii, 58
Ficus Baileyi, 37
Forsythia Giraldiana, 109
 — *Giraldii*, 109
 — *suspensa*, 109
 Four new ligneous plants from Kwangtung,
 126
Fraxinus platypoda, 108
Ginkgo biloba, 5
Gonus amarissimus, 3
Grossularia stenocarpa, 54
Hamamelis vernalis carnea, 30
Hedera himalaica, 98
 — — *sinensis*, 98
 — *nepalensis sinensis*, 98
Hedysarum multijugum, 84
 Herbarium, The Arnold Arboretum during
 the fiscal year ended June 30, 1928, 188
Hippophae rhamnoides, 97
Hololachne songarica, 95
 Hu, H. H., *Sinojackia*, a new genus of
 Styracaceae from Southeastern China, 130
Hydrangea Bretschneideri, 51
 — — *glabrescens*, 51
 — *longipes*, 51
Ilex malabarica, 87
 Illustrations of Chinese plants (review), 32
Indigofera Bungeana, 81
 — — *spinescens*, 81
Jasminum humile, 111
Juglans nigra, Abnormal fruits of, 27, fig.
Juniperus chinensis, 20
 — — *arenaria*, 20
 — — *pendula*, 20
 — *distans*, 19
 — *Fargesii*, 18
 — *formosana*, 17
 — *Franchetiana*, 17
 — *glaucescens*, 19
 — *kansuensis*, 18
 — *Przewalskii*, 18
 — *pseudosabina*, 18
 — *saltuaria*, 19, 19
 — *saltuaria*, 18
 — *squamata*, 17
 — — *Fargesii*, 17
 — — *Wilsonii*, 18
 — *tibetica*, 19
 — *zaidamensis*, 18

- Kerria japonica*, 71
Keteleeria Davidiana, 13
KOBUSKI, CLARENCE E., Leguminosae, 81
Koelreuteria paniculata, 91
 Kwangtung, Four new ligneous plants from, 126
Larix chinensis, 8
 — *Griffithii*, 8
 — *Potaninii*, 8
 — *spec.*, 8
 — *thibetica*, 8
 Leaves from a Collector's note book, 173
Lespedeza floribunda, 85
 — *formosa*, 84
 Library, The, 33
 Library, The Arnold Arboretum during the fiscal year ended June 30, 1928, 189
Limonium aureum, 108
Lindera umbellata, 48
Linnaea brachystemon, 117
Lithocarpus cathayana, 153
 — *elaegnifolia*, 151
 — *litseifolia*, 152
 — *naiadarum*, 152
 — *silvicularum*, 152
 — *synbalanos*, 152
 — *truncata*, 153
 — *variolosa*, 153
Litsea citrata, 48
 — *cubeba*, 48
 — *gracilepis*, 153
 — *sericea*, 49
 — *wushanica*, 153
Lonicera aemulans, 120
 — *chrysantha longipes*, 124
 — *coerulea*, γ 121
 — — *edulis*, 120
 — *deflexicalyx*, 124
 — *Ferdinandi*, 121
 — *heteroloba*, 123
 — *hispida*, 122
 — *infundibulum Rockii*, 122
 — *microphylla*, 120
 — *mongolica*, 115
 — *nervosa*, 123
 — *ovalis*, 125
 — *pseudoproterantha*, 121
 — *saccata*, 120
 — *Standishii lancifolia*, 121
 — *syringantha*, 117
 — *szechuanica*, 119
 — *tangutica*, 119
 — — *glabra*, 119
 — *thibetica*, 118
Lonicera trichosantha, 125
Loranthus europaeus, 38
Lycium chinense, 113
Maddenia hypoleuca, 77
Mahonia Shenii, 127
Malus baccata, 68
 — *Halliana*, 68
 — *kansuensis*, 70
 — *kansuensis* $\times$ *toringoides*, 70
 — *toringoides*, 69
 — *transitoria*, 68, pl. 12
 — — *toringoides*, 69
Meliosma cuneifolia, 91
MERRILL, E. D., On the type of *Rhus javanica* Linnaeus, 1, pl. 10-11
Monanthocitrus, 138
 — *cornuta*, 138
 — *grandiflora*, 139
Myricaria alopecuroides, 96
 — *dahurica*, 96
 — *germanica alopecuroides*, 96
 — — *squamosa*, 96
Myrsine africana, 108
 — *semiserrata*, 108
 New species, Varieties and Combinations from the Herbarium and the Collections of the Arnold Arboretum, 29
Nitraria Schoberi, 85
 Notes, 32, 187
 Notes on Chinese Berberis, 131
Ostryopsis Davidiana, 22
PALMER, ERNEST J., A botanical trip through the Chisos Mountains of Texas, 153
 — — Leaves from a Collector's note book, 173
Paramignya Brassii, 138
Periploca calophylla, 112
Philadelphus pekinensis kansuensis, 49
 — *sericanthus*, 49
Picea asperata, 8
 — *Mastersii*, 11
 — *Maximowiczii*, 11
 — *Meyeri*, 8
 — *obovata Schrenkiana*, 10
 — *purpurea*, 12
 — *Schrenkiana*, 8, 11
 — *Watsoniana*, 11
 — *Wilsonii*, 10
Pinus Argyi, 7
 — *Armandi*, 7
 — — *Mastersiana*, 7
 — *Cavaleriei*, 7
 — *Cavendishiana*, 7
 — *densiflora*, 7

- Pinus densiflora tabuliformis*, 7
 — *excelsa chinensis*, 7
 — *funbris*, 7
 — *Henryi*, 7
 — *koraiensis*, 7
 — *leucosperma*, 7
 — *levis*, 7
 — *mandschurica*, 7
 — *Mastersiana*, 7
 — *scipioniformis*, 7
 — *sinensis*, 7, 8
 — *tabulaeformis*, 7
 — *Thunbergii*, 7
 — *Wilsonii*, 7
Piper arbuscula, 146
 — *Brassii*, 147
 — *corylistachyopse*, 147
 — *flavifructum*, 147
 — *fragrans*, 147
 — *Melula*, 148
 — *morianum*, 148
 — *pavimentifolium*, 148
 — *pullibaccum*, 149
 — *rhizocaulis*, 149
 — *rhodocarpum*, 149
 — *viridibaccum*, 150
Pipers from New Guinea, Some nondescript, 144
Pistacia chinensis, 86
Plectranthus discolor, 112
Podocarpus falcata R. Br., 143, pl. 14
Polygonum Auberti, 38
Potentilla biflora, 74
 — *davurica*, 73
 — — *Veitchii*, 73
 — *fruticosa*, 73
 — — *dahurica*, 73
 — — *parvifolia*, 72
 — — *Purdomii*, 73
 — — *Veitchii*, 73
 — *glabra*, 73
 — *parvifolia*, 72
 — *Salesoviana*, 74
 — *Salesovii*, 74
 — *Veitchii*, 73
Prinsepia uniflora, 81
 — *utilis*, 81
Prunus Armeniaca, 78
 — *dehiscens*, 78
 — *Padus*, 80
 — *paniculata*, 80
 — *Persica*, 78
 — *pseudocerasus*, 80
 — *pubigera Prattii*, 80
Prunus salicina, 77
 — *setulosa*, 79
 — *spec.*, 80
 — *stipulacea*, 79
 — *tangutica*, 78
 — *tomentosa*, 79
 — *triflora*, 77
Pterocarya stenoptera, 22
Pyracantha crenulata, 64
Pyrus baccata, 68
 — *kansuensis*, 70
 — *pashia*, 67
 — *ovoidea*, 67
 — *thianschanica*, 64
 — *transitoria*, 68
 — *ussuriensis ovoidea*, 67
Quercus Baronii, 26
 — *Blakei Vanioti*, 153
 — *cathayana*, 153
 — *elaeagnifolia*, 151
 — *funbris*, 26
 — — *undulatifolia*, 26
 — *Hui*, 126
 — *liaotungensis*, 26
 — *litseifolia*, 152
 — *mongolica liaotungensis*, 26
 — *naiadarum*, 152
 — *silvicularum*, 152
 — *synbalanos*, 152
 — *truncata*, 153
 — *undulatifolia*, 26
 — *Vanioti*, 153
 — *variolora*, 153
 REHDER, ALFRED, Abnormal fruits of *Juglans nigra*, 27, fig.
 — — New species, varieties and combinations from the herbarium and collections of the Arnold Arboretum, 29
 — — and WILSON, ERNEST H., Enumeration of the ligneous plants collected by J. F. Rock on the Arnold Arboretum expedition to Northwestern China and Northeastern Tibet, 4, 37, pl. 12-13
 Revisio Aurantiacearum, II, 137
Rhamnus leptophylla, 92
 — — *scabrella*, 93
Rhododendron anthopogonoides, 101
 — *capitatum*, 102
 — *micranthum*, 103
 — *Pritzelianum*, 103
 — *Przewalskii*, 104
 — *Rockii*, 103
 — *Rosthornii*, 103
 — *rufum*, 106, pl. 13

- Rhododendron thymifolium*, 101
Rhus chinensis, 3
— *javanica*, 3
— *javanicum*, 4
— *Osbeckii*, 4
— *semialata*, 3
— — *Osbeckii*, 4
— — *Roxburghii*, pl. 11
Rhus javanica Linnaeus, On the type, 1, pl. 10-11
Ribes Giralii, 54
— *glaciale*, 53
— *Meyeri*, 52
— *moupinense tripartitum*, 52
— *spec.*, 55
— *stenocarpum*, 54
— *Vilmorini*, 53
Rock, J. F., On the Arnold Arboretum expedition to Northwestern China and Northeastern Tibet, Enumeration of the ligneous plants collected by, 4, 37, pl. 12-13
Rosa bella, 75
— *Biondii*, 75
— *chinensis spontanea*, 74
— *Davidii*, 76
— *indica*, 74
— *macrophylla gracilis*, 74
— — *hypoleuca*, 75
— *omeiensis*, 76
— *pimpinellifolia*, 77
— *sericea*, 76
— — *aculeata eglandulosa*, 76
— — *denudata*, 76
— — *glabrescens*, 76
— — *inermis eglandulosa*, 76
— *sericea intermedia*, 76
— *sertata*, 74
— *Sorbus*, 76
— *spec.*, 75, 77
— *Sweginzowii*, 75
— *Sweginzowii*, 75
— *Webbiana*, 74
— *Willmottiae*, 76
— *xanthina*, 77
— *xanthinoides*, 77
Rubus amabilis, 71
— *corchorifolius*, 71
— *idaeus strigosus*, 72
— *pileatus*, 71
— *xanthocarpus*, 71
Rutaceae-Aurantiaeae from Papua, Two new genera and new combinations of, 137
Sabia Ritchieae, 91
Sabina kansuensis, 18
— *Przewalskii*, 18
— *tibetica*, 19
— *zaidamensis*, 18
Sageretia theezans, 92
Sarcozygium xanthoxylum, 85
Schizostachyum Brassii, 144
Sibiraea laevigata angustata, 57
Sinojackia, 130
— *xylocarpa*, 130
Sinojackia, a new genus of *Styracaceae* from Southeastern China, 130
Smilax rubriflora, 21
— *trachypoda*, 20
Some nondescript *Pipers* from New Guinea 146
Sorbaria arborea glabrata, 58
Sorbus aperta, 66
— *hupehensis aperta*, 66
— *Koehneana*, 66
— *Prattii*, 66
— *tapashana*, 65
— *thianschanica*, 64
Spiraea alpina, 55
— *Blumei microphylla*, 55
— *canescens glaucophylla*, 56
— *gemmata*, 55
— *longigemmis*, 57
— *media sericea*, 55
— *uratensis*, 56
— *Wilsonii*, 56
Staff of the Arnold Arboretum, 1928-29, The, 192
Statice aurea, 108
Stewartia koreana, 31
Streptocaulon calophyllum, 112
Styracaceae from Southeastern China, *Sinojackia*, a new genus of, 130
Symplocos Wilsonii, 108
Syringa affinis, 110
— — *Giralii*, 110
— *amurensis pekinensis*, 110
— *Giralii*, 110
— *microphylla*, 109
— *oblata affinis*, 110
— — *Giralii*, 110
— *pekinensis*, 110
— *Potanini*, 109
Tamarix songarica, 95
TANAKA, TYÔZABURÔ, Two new genera and new combinations of *Rutaceae-Aurantiaeae* from Papua (*Revisio Aurantiacearum*, II), 137
Tilia Baroniana, 94

- Tilia chinensis*, 94
 Tree and shrubs at Westonbirt (review), 32
 TRELEASE, WILLIAM, Some Nondescript
 Pipers from New Guinea, 146
Tutcheria Greeniae, 129
 Two new Bamboos from New Guinea, 144
 Two new genera and new combinations of
 Rutaceae-Aurantieae from Papua, 137
 Type of *Rhus javanica* Linnaeus, On the, 1,
 pl. 10-11
Ulmus pumila, 37
Viburnum betulifolium, 115
 — — *aurantiacum*, 116
 — *buddleifolium*, 114
 — *davuricum*, 115
 — *erubescens gracilipes*, 113
 — *fragrans*, 113
 — *glomeratum*, 114
Viburnum glomeratum Rockii, 115
 — *lobophyllum*, 115
 — *mongolicum*, 115
 — *Sargenti calvescens*, 116
 — *Veitchii*, 114
Wenzelia dolichophylla, 139
 — *paludosa*, 139
Wikstroemia chamaedaphne, 96
 WILSON, ERNEST H., *Podocarpus falcata*, 143,
 pl. 14
 — — and REHDER, ALFRED, Enumeration of
 the ligneous plants collected by J. F. Rock
 on the Arnold Arboretum expedition to
 Northwestern China and Northeastern
 Tibet, 4, 37, pl. 12-13
Zanthoxylum setosum, 86
Zelkova sinica, 37
Zygophyllum xanthoxylum, 85



1928. "Index [Vol. 9]." *Journal of the Arnold Arboretum* 9(4), 193–199.
<https://doi.org/10.5962/p.185197>.

View This Item Online: <https://www.biodiversitylibrary.org/item/33587>

DOI: <https://doi.org/10.5962/p.185197>

Permalink: <https://www.biodiversitylibrary.org/partpdf/185197>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.