

## INDEX

- Adinandra intermedia*, 153, 157  
 — *mannii*, 153, 154, 155  
 — *schliebenii*, 153, 156  
*Adinandropsis*, 154  
 — *sp.*, 157  
*Agyneia berterii*, 14  
 Amazon Indian and Evolution in Hevea  
 and Related Genera, The, 123  
*Andrachne*, 340, 341  
 — *arborea*, 14  
 — *pumila*, 349  
 Apple Trees, The Mechanism of Con-  
 trolled Growth of Dwarf, 307  
*Archboldiodendron*, 153  
 Arnold Arboretum during the Fiscal Year  
 Ended June 30, 1956, The. The Direc-  
 tor's Report, 375  
*Arundo mitis*, 192  
*Astrocasia*, 340, 341
- Baeckea crenulata*, 82  
 BAILEY, I. W. Nodal Anatomy in Retro-  
 spect, 269  
 BAILEY, I. W. The Relationship between  
*Sphenostemon* of New Caledonia and  
*Nouhuysia* of New Guinea, 360  
 Bamboo Genus *Phyllostachys* and Some  
 Nomenclatural Notes, New Species in  
 the, 180  
*Bambusa castilloni*, 192  
 — *edulis*, 189  
 — *mitis*, 192  
 — *puberula*, 194  
 — *reticulata*, 187  
 — *sulphurea*, 193  
 Bibliography of E. D. Merrill's Publica-  
 tions, 1945-1955, 213  
 Bibliography of the Published Writings  
 of the Staff and Students July 1, 1955-  
 June 30, 1956, 401  
 Boraginaceae, Studies in the, XXVIII.  
 New or Otherwise Interesting Species  
 from America and Asia, 288  
*Bourreria rowellii*, 293
- Cananga odorata*, The Conduplicate Car-  
 pel of, 366  
*Chascotheca*, 341  
*Cicca*, 344  
*Coccoloba*, Studies of the Genus, II. The  
 Identification of *Coccoloba swartzii*  
 Meisner and *Coccoloba barbadensis*  
 Jacquin and Their Relatives, 317  
*Coccoloba barbadensis*, 324  
 — *børgesenii*, 337  
 — — *ovato-lanceolata*, 337  
 — *borinquensis*, 328  
 —  $\times$  *boxii*, 329  
 — *coronata*, 324  
 — *diversifolia*, 324  
 — *klotzschiana*, 332  
 — *krugii*, 337  
 — *kunthiana*, 335  
 — *leonardii*, 339  
 — *microstachya*, 332  
 — — *lanceolata*, 332  
 — — *ovalifolia*, 332  
 — — *rotundifolia*, 332  
 — *neglecta*, 324  
 — *obtusifolia*, 332  
 — *parvifolia*, 332  
 — *pirifolia*, 335  
 — *punctata*, 324, 332  
 — — *jacquini*, 335  
 — *pyrifolia*, 335  
 — *swartzii*, 324  
 — — *portoricensis*, 324  
 — — *pubescens*, 326  
 — — *urbaniana*, 328  
 — *urbaniana*, 328  
*Coccolobis borinquensis*, 328  
 — *boxii*, 329  
 — *pirifolia*, 335  
*Coldenia conspicua*, 300  
 — *dichotoma*, 299  
 — *elongata*, 300  
 — *ferreyrae*, 296, 299  
 — *grandiflora*, 299  
 — *litoralis*, 300  
 — *paronychioides*, 300  
 — *simulans*, 298, 299  
 Conami, 345  
 Conduplicate Carpel of *Cananga odorata*,  
 The, 366  
 Controlled Growth of Dwarf Apple Trees,  
 The Mechanism of, 307  
*Cordia buchii*, 289  
 — *gharaf*, 292  
 — *lauta*, 288  
 — *lippioides*, 290  
 — *munda*, 290  
 — *nesophila*, 289  
 — *rothii*, 292

- Cordia salvifolia*, 289  
 — *sinensis*, 292  
 — *subopposita*, 292  
 — *vargasii*, 291  
*Cornus gharaf*, 292  
 — *sanguinea*, 292  
*Craniospermum echioides*, 302  
 — *mongolicum*, 302  
 — *parviflorum*, 305  
*Cunurí*, 123, 134, 138, 139, 140  
  
*Deutzia godohokeri*, 42  
 — *staminea*, 82, 83  
*Diasperus*, 343  
 — *carolinensis*, 347  
 — *heliotropus*, 355  
 — *hyssopifolius*, 353  
 DICKSON, A. Q. and EDMUND W. SAMUELS. The Mechanism of Controlled Growth of Dwarf Apple Trees, 307  
 DICKSON, ALAN Q. and KARL SAX. Phloem Polarity in Bark Regeneration, 173  
*Diploloma echioides*, 302  
 Director's Report, The. The Arnold Arboretum during the Fiscal Year Ended June 30, 1956, 375  
 Dwarf Apple Trees, The Mechanism of Controlled Growth of, 307  
  
 Elmer Drew Merrill 1876–1956, 197  
*Eritrichium nemorosum*, 305  
 — *ovalifolium*, 305  
*Eugenia uniflora*, 82  
*Euphorbia ludoviciana*, 349  
*Euphorbiaceae*, *Phyllanthoideae* II. The American Species of *Phyllanthus* Described by Linnaeus, Studies of the, 1  
*Exocarpus epiphyllanthus*, 12  
  
*Fabricia laevigata*, 82  
 — *myrtifolia*, 83  
 FAULL, J. H. A Rust on *Woodwardia fimbriata*, 314  
  
*Geminaria*, 346  
 — *obovata*, 348  
 GRAY, NETTA E. A Taxonomic Revision of *Podocarpus*. X. The South Pacific Species of Section *Eupodocarpus*, Subsection D, 160  
  
*Hackelia brachytuba*, 304  
 — *macrophylla*, 304  
 — *stewartii*, 303, 304  
 — *uncinata*, 304  
*Hé-che*, 137  
*Heliotropium ferreyrae*, 296  
  
*Heliotropium microcalyx*, 295  
*Hevea* and Related Genera, The Amazon Indian and Evolution in, 123  
*Hevea*, 124  
 — *benthamiana*, 125  
 — *brasiliensis*, 125  
 — *guianensis*, 125  
 — *lutea*, 126  
 — *microphylla*, 126  
 — *nitida*, 126  
 — *toxicodendroides*, 127  
 — *pauciflora*, 127  
 — *coriacea*, 127  
 — *rigidifolia*, 127  
 — *spruceana*, 128  
 HOWARD, RICHARD A. The Director's Report. The Arnold Arboretum during the Fiscal Year Ended June 30, 1956, 375  
 HOWARD, RICHARD A. Elmer Drew Merrill 1876–1956, 197  
 HOWARD, RICHARD A. Studies of the Genus *Coccoloba*, II. The Identification of *Coccoloba swartzii* Meisner and *Coccoloba barbadensis* Jacquin and Their Relatives, 317  
 HU, SHIU-YING. A Monograph of the Genus *Philadelphus*, 15  
*Hyalopsora polypodii*, 314  
*Hydrangea*, New Combinations in, 373  
*Hydrangea* subsect. *Macrophyllae*, 374  
 — *anomala petiolaris*, 373  
 — *arborescens discolor*, 373  
 — *radiata*, 373  
 — *aspera robusta*, 373  
 — *sargentiana*, 373  
 — *strigosa*, 373  
 — *chinensis*, 373  
 — *chungii*, 374  
 — *kwangtungensis*, 373  
 — *liukiensis*, 373  
 — *macrophylla*, 374  
 — *chungii*, 374  
 — *stylosa*, 373  
 — *petiolaris*, 373  
 — *radiata*, 373  
 — *robusta*, 373  
 — *sargentiana*, 373  
 — *scandens chinensis*, 373  
 — *kwangtungensis*, 373  
 — *liukiensis*, 373  
 — *strigosa*, 373  
 — *stylosa*, 373  
  
 Jebe, 125  
 JOHNSTON, IVAN M. Studies in the Boraginaceae, XXVIII. New or Otherwise

- Interesting Species from America and Asia, 288  
 Kirganelia, 344  
 KOBUSKI, CLARENCE E. Studies in the Theaceae, XXVIII. Melchiora, a New Genus in Africa, 153  
 Leptospermum arachnoides, 82  
   — arachnoideum, 82  
   — ericoides, 82  
   — fabricia, 83  
   — laevigatum, 82  
   — pubescens, 82  
   — scoparium, 82, 83  
   — squarrosus, 83  
 Lithospermum ovalifolium, 305  
 Madake, 187  
 Maharanga bhutanica, 301  
   — emodi stelligera, 302  
 Margaritaria, 341  
 McCLINTOCK, ELIZABETH. New Combinations in Hydrangea, 373  
 McCURE, F. A. New Species in the Bamboo Genus Phyllostachys and Some Nomenclatural Notes, 180  
 Mechanism of Controlled Growth of Dwarf Apple Trees, The, 307  
 Melchiora, a New Genus in Africa. Studies in the Theaceae, XXVIII, 153  
 Melchiora, 154  
   — intermedia, 157, 158  
   — mannii, 154, 155  
   — schliebenii, 156, 158  
 Merrill, Elmer Drew 1876-1956, 197  
 Mertensia coventryana, 306  
   — exserta, 305  
   — meyeriana, 304  
   — nemorosa, 305  
   — parviflora, 305  
   — popovii, 304  
   — trollii, 306  
 Micrandra, 128  
   — australis, 128  
   — bracteosa, 128  
   — brownsbergensis, 128  
   — elata, 129  
   — glabra, 129  
   — gleasoniana, 129  
   — lopezii, 129  
   — minor, 129  
   — rossiana, 130  
   — santanderiensis, 130  
   — siphonioides, 130  
   — spruceana, 130  
   — sprucei, 130  
 Milesia acuta, 314  
 Milesia polypodophila, 314  
   — tobinagai, 314  
 Moeroris stipulata, 13  
 Moltkia parviflora, 305  
   — trollii, 306  
 Monograph of the Genus Philadelphus, A, 15  
 Monographic Study of the West Indian Species of Phyllanthus, A, 91, 217, 340  
 Mosochiku, 189  
 Nageia alpina, 168  
 New Combinations in Hydrangea, 373  
 New or Otherwise Interesting Species from America and Asia. Studies in the Boraginaceae, XXVIII, 288  
 New Species in the Bamboo Genus Phyllostachys and Some Nomenclatural Notes, 180  
 Niruri, 343  
 Nodal Anatomy in Retrospect, 269  
 Nomenclatural Notes, New Species in the Bamboo Genus Phyllostachys and Some, 180  
 Nouhuysia of New Guinea, The Relationship between Sphenostemon of New Caledonia and, 360  
 Onosma brachylinum, 300  
   — waddellii brachylinum, 300  
 PERIASAMY, K. and B. G. L. SWAMY. The Conduplicate Carpel of Cananga odorata, 366  
 Philadelphus, A Monograph of the Genus, 15  
 Philadelphus sect. Californicus, 35  
   — sect. Hirsutus, 41  
   — sect. Microphyllus, 15  
   — sect. Pseudoserpyllifolius, 47  
   — sect. Serpyllifolius, 52  
   — ser. Decorticatae cymosae, 35  
   — ser. Decorticatae pauciflorae, 15, 40  
   — ser. Microphylli, 15  
   — subg. Deutzioides, 40  
   — subg. Macrothyrsus, 35  
   — subsect. Gemmati, 40, 41  
   — subsect. Microphylli, 15  
   — subsect. Paniculati, 36  
   — abelei, 82  
   — "Albâtre," 59  
   — "Amalthée," 59  
   — arachnoideus, 82  
   — arborescens, 82  
   — argenteus, 25  
   — "Argentine," 72  
   — argyrocalyx, 20  
   — — argenteus, 25

- Philadelphus aromaticus*, 82  
 — "Atlas," 68  
 — "Avalanche," 64  
 — "Bannière," 59  
 — "Belle étoile," 81  
 — "Bicolore," 80  
 — bifidus, 51  
 — billiardii, 39  
 — "Bonje," 64  
 — "Boule d'argent," 69  
 — "Bouquet blanc," 59  
 —  $\times$  burkwoodii, 71  
 — Californici, 35  
 — californicus, 35, 36  
 — "Campbell's seedling," 60  
 — "Candélabre," 64  
 — "Cole Glorious," 83  
 —  $\times$  congestus, 76  
 — "Conquête," 60  
 — cordifolius, 38  
 — corymbosus, 82  
 — "Coupe d'argent," 65  
 — crinitus, 34  
 —  $\times$  cymosus, 59  
 — "Dame blanche," 65  
 — "Dresden," 61  
 — ellipticus, 21  
 — "Enchantment," 73  
 — "Erectus," 65  
 — ernestii, 50  
 — "Etoile rose," 79  
 —  $\times$  falconeri, 58  
 — "Fantaisie," 79  
 — "Favorite," 69  
 — "Fleur de neige," 73  
 — floribundus, 59, 82  
 — fremontii, 36  
 — "Galathée," 79  
 — galenickii, 82  
 — "Girandole," 73  
 — "Glacier," 73  
 — "Gladwyne," 61  
 — godohokeri, 42  
 — gordonianus californicus, 36  
 — — monstrosus, 76  
 — gracilis, 42  
 — Hirsuti, 41  
 — hirsutus, 40, 41  
 — — gracilis, 42  
 — — intermedius, 44  
 — — nanus, 45  
 — hitchcockianus, 51  
 — imbricatus, 82  
 — "Innocence," 66  
 — inodorus hirsutus, 42  
 — insignis, 39  
 — intectus, 83  
 — *Philadelphus jansonii*, 82  
 — ketelêerii, 82  
 — laevigatus, 82  
 — laniger, 82  
 — latifolius pendulifolius, 67  
 — latvicus, 82  
 —  $\times$  lemoinei, 63  
 — — maculatus, 78  
 — "Le Roi," 74  
 — lewisii, 36  
 — — californicus, 36  
 — — cordifolius, 38  
 — — parvifolius, 36, 83  
 — — platyphyllus, 83  
 — — pygmaeus, 83  
 — loddigesianus, 82  
 — lucidus, 36  
 — maculatus, 28  
 — "Maculiflorus," 77  
 — madrensis, 28, 33  
 — maltae, 83  
 — "Manteau d'hermine," 66  
 —  $\times$  maximus, 75  
 — mearnsii, 47, 48  
 — — bifidus, 51  
 — — typicus, 49, 51  
 — melderi, 83  
 — "Mer de glace," 61  
 — mexicanus, 33  
 — Microphylli, 15  
 — microphyllus, 15, 17, 30, 31  
 — — argenteus, 25, 27, 33  
 — — argyrocalyx, 21, 33  
 — — crinitus, 34  
 — — linearis, 20  
 — — maculatus, 28  
 — — occidentalis, 23, 25  
 — — ovatus, 20  
 — — pumilus, 31  
 — — stramineus, 26, 30  
 — — — zionensis, 23  
 — — typicus, 17  
 — minutus, 25  
 — "Monster," 61  
 —  $\times$  monstrosus, 76  
 — "Mont Blanc," 70  
 — myrtifolius, 83  
 — nitidus, 25  
 —  $\times$  nivalis, 75  
 — "Norma," 70  
 — "Nuage rose," 79  
 — "Nuée blanche," 61  
 — occidentalis, 23  
 — — minutus, 25  
 — "Oeile de pourpre," 79  
 — palmeri, 27  
 — "Patricia," 66

- Philadelphus "Pavillon blanc," 70  
 —  $\times$  pendulifolius, 67  
 — "Perle blanche," 62  
 —  $\times$  phantasia, 78  
 —  $\times$  polyanthus, 68  
 — pubescens, 42  
 — pumilus, 31  
 — — ovatus, 33  
 —  $\times$  purpureo-maculatus, 78  
 — "Pyramidal," 74  
 — "Roméo," 79  
 — "Rosace," 62  
 — scoparius, 83  
 — sericanthus bockii, 83  
 — — rockii, 83  
 — serpyllifolius, 30, 31, 50, 52, 53  
 — — argyrocalyx, 21  
 — — var., 21  
 — sharpianus, 45  
 — — parviflorus, 47  
 — "Sirène," 79  
 — skujae, 83  
 — "Slavinii," 77  
 —  $\times$  splendens, 57  
 — squarrosus, 83  
 — stamineus, 83  
 — "Stenopetala," 77  
 — stramineus, 30  
 — "Surprise," 80  
 — "Sylviane," 80  
 — taujae, 83  
 — texensis, 54  
 — — coryanus, 55  
 — "Thelma," 67  
 — trebouxii, 83  
 — trinervius, 42  
 — — gracilis, 42  
 — "Umbellatus," 63  
 — "Undulatus," 63  
 — "Van Houttei," 71  
 — vegii, 83  
 — "Velleda," 62  
 — verrucosus nivalis, 75  
 — — pendulifolius, 67  
 — villosus, 41  
 — "Virginal," 74  
 —  $\times$  virginialis, 59, 72  
 — wootonii, 22  
 — zeyheri umbellatus, 63  
 Phloem Polarity in Bark Regeneration, 173  
 Phyllanthaceae, 340  
 Phyllanthus Described by Linnaeus, The American Species of. Studies of the Euphorbiaceae, Phyllanthoideae II, 1  
 Phyllanthus, A Monographic Study of the West Indian Species of, 91, 217, 340  
 Phyllanthus, 340, 341, 343  
 — sect. Euphyllanthus, 344  
 — sect. Loxopodium, 346  
 — sect. Paraphyllanthus, 345  
 — subg. Botryanthus, 345  
 — subg. Cicca, 344  
 — subg. Conami, 345  
 — subg. Eriococcus, 345  
 — subg. Isocladus, 344, 345  
 — subg. Kirganelia, 344  
 — subg. Phyllanthus, 344  
 — subg. Xylophylla, 345  
 — amarus, 13  
 — asperulatus, 14  
 — caroliniensis, 346, 347, 348  
 — — caroliniensis, 348  
 — — guianensis antillanus, 349  
 — — saxicola, 350  
 — — stenopterus, 348  
 — chlorophaeus, 13  
 — chryseus, 120  
 — diffusus, 14  
 — dingleri, 4, 13  
 — epiphyllanthus, 12, 120  
 — falcatus, 12  
 — fraternus, 14  
 — glaucescens, 14  
 — graminicola, 349  
 — grandifolius, 14, 345  
 — heliotropus, 354  
 — hyssopifolioides, 353  
 — hyssopifolius, 353  
 — incrustatus, 120  
 — isolepis, 13  
 — juglandifolius, 14  
 — lathyroides, 13  
 — latifolius, 12, 13  
 — maderaspatensis, 345  
 — microdictyus, 120  
 — monocladius, 353  
 — nanus, 13  
 — niruri, 13, 344  
 — — genuinus, 13  
 — — scabrellus, 14  
 — obovatus, 348  
 — orbicularis, 120  
 — pachystylus, 120  
 — pruinosis, 350  
 — purpurascens, 13  
 — quinquefidus, 14  
 — saxicola, 350  
 — schomburgkianus antillanus, 350  
 — stenopterus, 348  
 — stipulatus, 13  
 — subcarnosus, 120  
 — swartzii, 4, 13  
 — swartzii, 13

- Phyllostachys and Some Nomenclatural Notes, New Species in the Bamboo Genus, 180
- Phyllostachys bambusoides, 187, 192, 194
- — "Allgold," 193
- — "Castillon," 192
- — castilloni holochrysa, 193
- — castillonis, 192
- — "Slender Crookstem," 194
- — sulphurea, 193
- bissetii, 180
- boryana, 195
- castillonis, 192
- — holochrysa, 193
- decora, 182
- edulis, 186, 189
- elegans, 184
- glauca, 185
- henonis, 194
- mitis, 186, 192
- nigra, 194
- — "Bory," 195
- — castillonis, 192
- — "Henon," 194
- — henonis, 194
- — — boryana, 195
- puberula, 194
- — boryana, 195
- pubescens, 186, 189
- quilioi castillonis, 192
- — — holochrysa, 193
- reticulata, 187
- — castillonis, 193
- — geniculata, 194
- — holochrysa, 193
- — sulphurea, 193
- — sulphurea, 193
- — viridis, 187, 192
- viridis, 186, 187, 192, 195
- — "Robert Young," 195
- Podocarpus, A Taxonomic Revision of. X. The South Pacific Species of Section Eupodocarpus, Subsection D, 160
- Podocarpus acutifolius, 167
- alpina arborescens, 169
- — caespitosa, 169
- — lawrencii, 168
- alpinus, 168
- bidwillii, 163
- cunninghamii, 163
- gnidioides, 169
- — caespitosa, 169
- hallii, 165
- lawrencii, 168
- montanus, 166
- nivalis, 166
- — erectus, 167
- Podocarpus parvifolius, 167
- totara, 163
- — alpina, 168
- — hallii, 165
- Polarity in Bark Regeneration, Phloem, 173
- Polypodium virginianum, 314
- Relationship between Sphenostemon of New Caledonia and Nouhuysia of New Guinea, The, 360
- Rust on Woodwardia fimbriata, A, 314
- SAMUELS, EDMUND W. and A. Q. DICKSON. The Mechanism of Controlled Growth of Dwarf Apple Trees, 307
- Savia, 341
- SAX, KARL and ALAN Q. DICKSON. Phloem Polarity in Bark Regeneration, 173
- SCHULTES, RICHARD EVANS. The Amazon Indian and Evolution in Hevea and Related Genera, 123
- SCHWARTEN, LAZELLA. Bibliography of E. D. Merrill's Publications, 1945-1955, 213
- Securinega, 341
- Seringa, 125, 134
- Shiringa, 125
- Siringa, 125
- Sphenostemon of New Caledonia and Nouhuysia of New Guinea, The Relationship between, 360
- Staff of the Arnold Arboretum 1955-1956, 403
- Studies in the Boraginaceae, XXVIII. New or Otherwise Interesting Species from America and Asia, 288.
- Studies of the Euphorbiaceae, Phyllanthoideae II. The American Species of Phyllanthus Described by Linnaeus, 1
- Studies of the Genus Coccoloba, II. The Identification of Coccoloba swartzii Meisner and Coccoloba barbadensis Jacquin and Their Relatives, 317
- Studies in the Theaceae, XXVIII. Melchiora, a New Genus in Africa, 153
- SWAMY, B. G. L. and K. PERIASAMY. The Conduplicate Carpel of Cananga odorata, 366
- Synexemia, 346
- caroliniana, 348
- cuneifolia, 349
- obovata, 349
- pumila, 349
- Taxonomic Revision of Podocarpus, A.

- X. The South Pacific Species of Section  
 Eupodocarpus, Subsection D, 160  
 Theaceae, Studies in the, XXVIII. Mel-  
 chiora, a New Genus in Africa, 153  
 Theaceae sect. Eleutherandra, 153  
 — sect. Eleutherostyla, 153  
 — sect. Euadinandra, 153  
 — sect. Symphiandra, 153  
 Tournefortia microcalyx, 295  
 — obtusiflora, 295  
 — romeroi, 294  
 Uredinopsis arthurii, 314  
 — — maculata, 314  
 Urinaria, 343  
 Uvifera swartzii, 324  
 Vaupesia, 131  
 — cataractarum, 131  
 Wān-hoó-a, 137  
 Wān-hoó-a-ma-ka-na, 137  
 WEBSTER, GRADY L. A Monographic  
 Study of the West Indian Species of  
 Phyllanthus, 91, 217, 340  
 WEBSTER, GRADY L. Studies of the Eu-  
 phorbiaceae, Phyllanthoideae II. The  
 American Species of Phyllanthus De-  
 scribed by Linnaeus, 1  
 West Indian Species of Phyllanthus, A  
 Monographic Study of the, 91, 217, 340  
 Woodwardia fimbriata, A Rust on, 314  
 Woodwardia areolata, 314  
 — japonica, 314  
 — orientalis, 314  
 — virginica, 314  
 Xylophylla epiphyllanthus, 12  
 — falcata, 12  
 — latifolia, 12, 13  
 Ya-wá-ro, 137  
 Yě-cha, 137



1956. "Index [Vol. 37]." *Journal of the Arnold Arboretum* 37(4), 405–411.  
<https://doi.org/10.5962/p.186005>.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/33613>

**DOI:** <https://doi.org/10.5962/p.186005>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/186005>

#### **Holding Institution**

Missouri Botanical Garden, Peter H. Raven Library

#### **Sponsored by**

Missouri Botanical Garden

#### **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.