

PHRAGMITES COMMUNIS IN SOUTH CAROLINA

Phragmites communis Trinius, the tall reed, is a coarse rhizomatous perennial reed forming extensive colonies in open marshy habitats in almost every state of the eastern United States. It occurs sporadically in the southeastern states but has not been previously recorded in South Carolina or Georgia (Radford *et al.*, 1968). It does occur sporadically in North Carolina, favoring a few of the northeastern and southeastern counties.

A large colony of *Phragmites* was discovered by the author in Georgetown County, South Carolina, covering an area of several hundred square meters. The colony is located approximately 100 meters west of the Waccamaw River (at high tide) and 125 meters north of Route 17 South. Vouchers of immature specimens were collected and are on deposit at the herbarium of the University of South Carolina, Columbia, South Carolina.

LITERATURE CITED

- RADFORD, A. E., H. E. AHLES, & C. R. BELL. 1968. Manual of the vascular flora of the Carolinas. 1183 pp. Univ. North Carolina Press, Chapel Hill.

RICHARD STALTER
DEPARTMENT OF BIOLOGY
ST. JOHN'S UNIVERSITY
JAMAICA, NEW YORK 11432



Stalter, Richard. 1975. "PHRAGMITES COMMUNIS IN SOUTH CAROLINA."
Rhodora 77, 159–159.

View This Item Online: <https://www.biodiversitylibrary.org/item/14697>

Permalink: <https://www.biodiversitylibrary.org/partpdf/189488>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.