INDEX OF VOLUME VI.

- Abies*
amabilis, 165, 168, 169.
concolor, 162, 165, 168, 169.
grandis, 162, 165, 168, 169.
lasiocarpa, 163.
magnifica, 162, 165, 168, 169.
mariesi, 169.
nobilis, 161.
Acanaloniidæ, 347.
Acarus telarius.
Achilida, 341, 348.
Acinopterus, 107.
Aciura insecta, 452.
Acutalis, 85, 86.
Aedes calopus, 6.
sollicitans, 444.
taeniorhynchus, 445.
Agallia, 106, 108.
Agromyza, 269.
abbreviata, 271, 285.
abnormalis, 272, 322, 335.
æneiventris, 452.
affinis, 274, 317, 318.
amoena, 279, 278.
angulata, 273, 304, 333.
annulipes, 279.
anthrax, 329.
arctica, 330.
bicornis, 318.
borealis, 271, 280, 331.
brevicostalis, 271, 283.
blanda, 279, 278.
burgessi, 274, 323.
cærulea, 274, 322, 323, 334.
californiensis, 311.
canadensis, 271, 299.
capitata, 297.
citrefrons, 272, 290, 293, 333.
coloradensis, 272, 297.
coquilletti, 271, 295.
congregata, 274, 328.
coronata, 293, 294.
curvipalpis, 318.
davisi, 271, 284.
diminuta, 278.
discalis, 271, 277.
dubitata, 273, 311.
exilis, 278.
flaviventris, 282.
flavonigra, 271, 281.
fragariæ, 273, 306, 307.
geniculata, 297.
grossicornis, 300.
inconspicua, 273, 310.
indecisa, 272, 292.
immaculata, 272, 289.
innominata, 329.
insularis, 274, 318, 319.
isolata, 273, 306.
jucunda, 293, 294.
kincaidi, 285, 334.
lateralis, 293, 294.
laterella, 272, 300.
longispinosa, 271, 276, 280.
longipennis, 272, 296, 297, 299, 333.
longiseta, 274, 326.
luctuosa, 333.
maculosa, 273, 302, 306, 452.
magnicornis, 300.
malvæ, 293, 294.
marginalis, 283.
marginata, 272, 298.
minima, 274, 328.
melampyga, 271, 280, 281, 282, 283, 332, 333.
neptis, 286, 309.
nigripes, 286.
nitida, 271, 288.
orbona, 279, 278.
parvicella, 271, 284, 287.
parvicornis, 273, 305, 310, 313.
picta, 275.
pictella, 280.
platyptera, 272, 293.
plumiseta, 274, 324.
posticata, 273, 308.
pruinosa, 272, 291, 334.
puella, 279, 278.
pumila, 279, 278.
pusilla, 271, 278, 279, 280, 452.
pusio, 279, 278.
quadrisetosa, 332.
salicis, 273, 314.
schineri, 274, 316, 326, 327.
scutella, 271, 280.
setosa, 273, 305.
simplex, 273, 315.
sorosis, 282.
strigata, 278.
tæniola, 308, 309.
terminalis, 308, 309.
texana, 274, 319, 334.
tiliæ, 274, 321, 327.
trifolii,
variata, 271, 277.
varifrons, 272, 292, 329.
vibrissata, 274, 316.
virens, 274, 321.
viridula, 273, 313.
waltoni, 273, 303.
websteri, 274, 325, 327.
winnemanæ, 273, 314.
xanthophora, 271, 275, 276, 279.
xanthocephala, 297.
Agromyza Fallen, A Revision of the
Species in, 269.

- Agromyza, Synoptic Table of, 271.
 Allograpta obliqua, 447.
 Ambrosia artemisiæfolia, 321.
 American Greenbottle Flies, A Study in the Variation in the North, 241
 Amphiscepa, 343.
 Anasa tristis, Anatomy, 427.
 Anopheles, 8.
 Anopheles albimanus, 6, 16, 18, 19.
 Antherophagus megalops, 360.
 Atænuis patescens, 359.
 Antennal Variation, List of Figures, 236
 Antennal Variation, A Study in, 233
 Anthomyia lepida, 448.
 Anthrax fulvohirta, 215.
 impiger, 215, 222.
 molitor, 215.
 Archasia belfragei, 87, 91.
 Aspidiotus Perniciosus Comst., New Hymenopterous Parasite on, 125.
 Asilus, 446.
 Attagenus aboriginalis, 361.
 sopitus, 362.
 Bætinæ, 387, 390.
 Banks, Nathan, article by, 171.
 Bee-Fly, Life-History of a, 213.
 Bermuda, Dipteran Fauna of, 443.
 Betten, Cornelius, article by, 65.
 Bibliography of May-Flies, 401.
 Biology of May-Flies, Contribution to the, 371.
 Biology of Perla Immarginata, 203.
 Borborus minutus, 449.
 Bombylius major, 222.
 Brain, Chas. K., article by, 197.
 Bryobia, 460.
 Callidiopsites, 363.
 grandiceps, 363, 364.
 Calliphora
 erythrocephala, 264, 265, 266, 267.
 viridescens, 258, 264, 265, 266, 267.
 vomitoria, 264, 265, 267, 447.
 Calvert, Philip P., article by, 1.
 Campylenchia curvata, 77.
 Capnochroa, 365.
 fuliginosa, 366, 365.
 secilis, 365.
 Carynota, 86.
 Carynota mera, 91.
 Cecidomyia, 445.
 Centruchoides, 85.
 Centrotus cornutus, 94.
 Ceratitis capitata, 450.
 Ceratomyza, 331.
 Ceratopogon fur, 444.
 Ceresa bubalus, 77, 95.
 constans, 77.
 diceros, 77.
 Cerodontha dorsalis, 331.
 Cerodontha Rondani, A Revision of the Species in, 269.
 Chætopsis ænea, 450.
 debilis, 450.
 fulvifrons, 450.
 Chætotaxy of Calliphorinæ, Observations of the, 257.
 Chironomus cristatus, 444.
 Chlorotettix, 107, 108.
 Chrysotus bermudensis, 446.
 pallipes, 446.
 picticornis, 446.
 Cincindela formosa generosa, 222.
 lepida, 222.
 scutellaris, 213, 214.
 Cistela antiqua, 365.
 Cixiida, 343, 349.
 Cleveland Meeting, 130.
 Clisiocampa plumalis, 160.
 Coccinella, 360.
 sodoma, 360.
 Coenosia, 449.
 Colletes hirta, 222.
 Cornaphis populi, 491, 493.
 Cratægus, 233, 235.
 Crosby, C. R., article by, 155.
 Culux fatigans, 445.
 quinquefasciatus, 445.
 sollicitans, 444.
 tæniorhynchus, 445.
 Cyrtolobus, 95.
 Cyrtolobus vau, 86, 90.
 Delphacida, 343, 350.
 Deltoccephalus, 108.
 Derbida, 349.
 Dermestes marmoratus, 361.
 tertiarius, 361.
 Desmometopa m-nigrum, 452.
 Determining the Flight of Mosquitos, 5
 Diaphorus contiguus, 446.
 Dicranomyia, distans, 443.
 liberta, 443.
 Dictyophara, 344, 348.
 Diedrocephala versuta, 104.
 Dietz, W. G., article by, 461.
 Dilophus breviceps, 445.
 punctulata, 445.
 Dipterian Fauna of Bermuda, 443.
 Domomyza nigripes, 286, 288.
 Dræculacephala, 107, 110.
 Drosophila adusta, 452.
 ampelophila, 452.
 repleta, 452.
 Empoasca, 108, 110.
 Enchenopa binotata, 77, 85.
 Ensina picciola, 452.
 Entomologist in Costa Rica, an, 1.
 Entylia bactriana, 91.
 Ephemerinæ, 384, 389, 391.
 Ephydra austrina, 452.
 nana, 452.
 Eristallis æneus, 447.
 tenax, 447.

- Eutettix*, 107, 108.
Euxesta abdominalis, 450.
 annonæ, 450.
 pusio, 450.
 Ewing, H. E., article by, 453.
Exorista, 241.
 vulgaris, 242.
Exoprosopa, 215.
 fascipennis, 223.
Fannia polychæta, 448.
 pusio, 448.
Flatida, 347.
 Fossil Beetles from Florissant, The
 Princeton Collection of, 359.
Fucillia fucorum, 449.
 marnia, 449.
Fulgorida, 347.
Fulgoridæ, Reference to, 351.
Fulgoridæ, The Wing Venation of the,
 341.
Geolycosa, 216.
 Gillette, C. P., article by, 485.
Goniagnathus, 107, 109.
Gonomyia pleuralis, 443.
 Greenbottle Flies, A Study in the Vari-
 ation in the North American, 241
Gypona, 105, 106, 108,
Helicobia helicis, 447.
Helicopsyche, 65.
 borealis, 66, 67.
 minuscule, 66.
 sperata, 67.
Heptageninæ, 385, 390.
Hermetia illucens, 445.
Hexagenia, 389.
Hippelates plebejus, 452.
 pusio, 452.
 Homologies of the Wing Veins of the
 Membracidæ, 74.
Hordeum jubatum, 296.
Hymenopterous Parasite on Aspidiotus
 pernicius Comst., 125.
Issida, 348.
Jassidæ, summary of wing structure, 112
Jassidæ, Wing Venation of the, 103.
Jassus, 106, 109.
 Johnson, C. W., article by, 443.
Kolla, 104.
Lathyrrophthalmus æneus, 447.
Leptocera fontinalis, 449.
 illota, 449.
 venalicia, 449.
Leptocerus, 69, 70.
Leptura, 364.
 antecurrens, 364.
 leidy, 364.
 sphæricollis, 364.
Leptophlebia, 392.
Limnophila insularis, 443.
 recondita, 443.
Limnophora narona, 448.
Limosina fontinalis, 449.
Lispa albitarsis, 449.
Lochites, 168.
 Life-History of a Bee-Fly, Parasite of
 the Larva of a Tiger Beetle, 213.
Lucilia augustifrons, 253.
 australis, 254.
 barberi, 253.
 cæsar, 242, 246, 249, 253, 254, 255, 256,
 261, 448.
 giraultie, 251.
 infuscata, 254.
 mollis, 256.
 morilli, 252.
 pilatei, 254, 255, 256.
 problematica, 448.
 nigripalpis, 252.
 nobilis, 256.
 oculata, 255.
 purpurea, 254.
 rufipalpis, 256.
 sericata, 241, 242, 246, 247, 249, 253,
 257, 258, 261, 262, 264, 266,
 267, 448.
 sylphida, 256.
 sylvarum, 242, 245, 247, 252, 257,
 260, 261.
 terræ-novæ, 256.
 unicolor, 254.
 Malloch, J. R., article by, 269.
Malva rotundifolia, 294.
Mansonia titillans, 19.
 May-Flies, A Contribution to the
 Biology of, 371.
 May-Flies, Bibliography, 401.
Medeterus
 brasiliensis, 22.
 carbonifer, 22.
 decora, 22.
 dimidiata, 22.
 floridula, 22, 24.
 lateralis, 22.
 lienosa, 22.
 rubella, 22.
 signifer, 22.
 tenuis, 22, 24.
Megastigmus, 155.
Megastigmus, 155.
 aculeatus, 165, 158, 160, 169.
 albifrons, 167, 169.
 bipunctatus, 155, 157.
 borriesi, 169.
 brevicaudis, 156, 169.
 canadensis, 168.
 cecidomyiæ, 168.
 chloronotus, 155.
 collaris, 155, 165.
 cynorrhodi, 165.
 dorsalis, 155.
 ficigeræ, 168.
 flavipes, 166, 169.

- flavus, 165.
 illinoensis, 159.
 lasiocarpæ, 163, 169.
 nigrovariegatus, 158, 160, 166, 169.
 pinus, 160, 161, 163, 165, 168, 169.
 physocarpi, 158, 169.
 slossonæ, 157.
 spermotrophus, 161, 163, 169.
 strobilius, 169.
 trassversus, 165.
 tsugæ, 162, 169.
 vexillum, 165.
 Megastigmus Dalman, Revision of the
 N. A. Species of, 155.
 Table of Hosts of, 169.
 Membracidae, Homologies of the Wing
 Veins of the, 74.
 Mesogramma marginatum, 447.
 Metcalf, Z. P., article by, 103, 341.
 Metriocnemus knabi, 444.
 Microbembex, 222.
 monodonta, 222.
 Micrutalis, 86.
 calva, 75, 90.
 dorsalis, 87.
 Milichiella lacteipennis, 452.
 Molinnidae, 68, 70.
 Montgomery, T. H., On the Death
 of, 129.
 Morgan, Anna M., article by, 371.
 Mosillus nana, 452.
 Mosquitos, Determining the Flight of, 5.
 Musca domestica, 447.
 Mydæa, 448.
 Myndus, 344.
 Nabalus albus, 321.
 Napomyza lateralis, 285.
 Neurigona, 22, 25.
 æstiva, 50.
 albospinosa, 23, 59.
 aldrichii, 40.
 arcuata, 45.
 australis, 58.
 bivittata, 51.
 brasiliensis, 35.
 carbonifer, 29, 32, 38.
 ciliata, 56.
 decora, 44.
 deformis, 46.
 dimidiata, 29, 30, 31.
 disjuncta, 42.
 flava, 40.
 floridula, 37, 39, 43.
 infuscata, 39, 43.
 lateralis, 53.
 lienosa, 52.
 maculata, 36.
 minuta, 60.
 nitida, 29, 30, 33.
 pectoralis, 48, 49.
 perplexa, 29.
 perbrevis, 57.
 quadrifasciata, 22, 29.
 rubella, 27, 29, 30.
 setosa, 54, 56.
 signifer, 34, 35.
 suturalis, 23, 29.
 tarsalis, 51.
 tenuis, 47, 48.
 tibialis, 55.
 transversa, 40, 41.
 tridens, 34.
 viridis, 43.
 Neurigona, Table of Species, 25, 26, 27.
 Neuropterous Genus Palpares, 171.
 New Application of Taxonomic Prin-
 ciples, 226.
 North American Species of the Dip-
 terous Genus Neurigona, A Revi-
 sion of the, 22.
 Observations of the Chætotaxy of
 Calliphorinæ, 257.
 Odiina immaculata, 289.
 ornata, 290.
 Odontocera, 331.
 Odontomyia bermudensis, 445.
 cincta, 445.
 Oecetis, 71.
 borealis, 73.
 fumosa, 71.
 incerta, 71.
 testacea, 72.
 Officers for 1913, 127.
 Oncometopia, 106, 107.
 Ophiderma pubescens, 87, 90.
 Ophthalmomyia lacteipennis, 452.
 Ophyra ænescens, 448.
 Ormenis, 343.
 Orthocladus, 444.
 Oscinis coxendix, 452.
 trifolii, 278.
 trigramma, 452.
 umbrosa, 452.
 Palpares
 abyssinicus, 179.
 ægrotus, 183.
 æmulus, 179.
 amitinus, 178.
 angustus, 182.
 annulatus, 183.
 astarte, 187.
 astutus, 189.
 brachypterus, 186.
 brevifasciatus, 181.
 bifasciatus, 185.
 burmeisteri, 180.
 caffer, 184.
 calceata, 183.
 cataractæ, 178.
 cephalotes, 179, 180.
 chrysopterus, 183.
 compositus, 185.

- conspucatus, 186.
 contaminatus, 186.
 contrarius, 188.
 costatus, 179.
 damarensis, 185.
 digitatus, 184.
 dilatatus, 183.
 dubiosus, 184.
 elegantulus, 185.
 falcatus, 188.
 festivus, 185.
 flavofasciatus,
 formosus, 185.
 furfuraceus, 178, 179.
 geniculatus, 181.
 gigas, 177.
 hamata, 183.
 hispanus, 182.
 hildebrandti, 178.
 immensus, 180.
 inclemens, 178, 179.
 incommodus, 179.
 infirmus, 188.
 insularis, 178, 182.
 interioris, 181.
 kalahariensis, 180.
 karrooanus, 180.
 klugi, 181.
 languidus, 183.
 latipennis, 179.
 lentus, 181.
 leonina, 183.
 libelluloides, 183.
 lupina, 183.
 luteus, 186.
 manicatus, 182, 183.
 martini, 177.
 mœstus, 177.
 niansanus, 181.
 nigrita, 182.
 normalis, 181.
 nudatus, 178.
 nyassensis, 185.
 nyicanus, 178, 179.
 obscuratus, 178.
 obscuripennis, 177.
 obsoletus, 181.
 oneili, 180.
 oranensis, 182.
 ornatus, 183.
 ovampoanus, 186.
 papilionoides, 188.
 pardalinus, 186.
 pardaloides, 182.
 pardina, 183.
 pardus, 188.
 patiens, 188.
 percheroni, 183.
 prætor, 179.
 radiatus, 179, 180.
 reticulatus, 181.
 rieli, 179.
 rothschildi, 186.
 rubescens, 179.
 similis, 180.
 sobrinus, 178.
 solidus, 189.
 sollicitus, 180.
 sparsus, 179.
 speciosus, 178, 184.
 spectrum, 177, 186.
 stuhlmanni, 185.
 subducens, 180.
 sylphis, 183.
 taborensis, 183.
 tessellatus, 183.
 tigris, 183.
 tigroides, 189.
 translatus, 186.
 tristis, 181.
 ugandanus, 181.
 umbrosus, 184.
 varius, 184.
 venosus, 186.
 voeltzkowi, 178.
 walkeri, 177, 182.
 zebratus, 188.
 Palpares, Explanation of Plates, 191.
 Palpares, Indian species, 187.
 Pamexis, 186.
 Parabolocratus, 107, 108.
 Paratissa pollinosa, 452.
 Patch, Edith M., article by, 233.
 Patrobus, 364.
 Pemphiginæ Attacking Species of Populus in Colorado, Some, 485.
 Perla Immarginata, Biology of, 203.
 Phelpsuis, 107, 109.
 Phorbia fusciceps, 448.
 Phormia regina, 255.
 Phylia ferruginosa, 91.
 Phyllogaster cordyluroides, 448.
 Physocarpus opulifolius, 158.
 Phytomyza, 452.
 Picea bracteata, 161, 169.
 Pinus Abies nobilis, 161.
 Pinus ponderosa, 168.
 Piophila casei, 452.
 Pipunculus albiseta, 447.
 insularis, 447.
 Plantago major, 282.
 Platycentrus, 85.
 Platycotis sagittata, 90, 91.
 Platymetopius, 106, 108.
 Polymitarceys, 389.
 Populus augustifolia, 486, 490, 491.
 balsamifera, 485.
 candicans, 491.
 fremontei, 491.
 trichocarpa, 485.
 Populus in Colorado, Some Pemphiginæ Attacking Species, 485.

- Potamanthus, 389.
 Princeton Collection of Fossil Beetles
 From Florissant, 359.
 Proceedings of the Cleveland Meeting,
 130.
 Prospaltella perniciosi, 125.
 Pseudotsuga douglassi, 165, 169.
 taxifolia, 165, 169.
 Pseudopyrellia
 cornicina, 252.
 Psychoda alternata, 444.
 Pteromalus aculeatus, 165.
 Publilia concava, 91.
 Pyrus, 233, 234.
 sitchensis, 234, 235.
 americana, 235.
 Ranunculus abortivus, 285.
 Resolutions, On the Death of T. H.
 Montgomery, 129.
 Resolutions, On the Death of J. B.
 Smith, 128.
 Revision of Agromyza and Cero-
 dontha, 269.
 Revision of the North American Species
 of Megastigmus Dalman, 155.
 Revision of the North American
 Neurigona, 22.
 Rosa rugosa, 160.
 Sarcophaga assidua, 447.
 georgina, 447.
 Sapromyza savoria, 450.
 Sarcophagula, 447.
 Scaphoideus, 107.
 auronitens, 107.
 jucundus, 107, 108.
 Scatopse atrata, 445.
 pygmæa, 445.
 Scenopinus nubilipes, 446.
 Schizoneura, 233.
 Sciapus chrysoprasius, 446.
 Sciapus
 chrysoprasius, 446.
 pallens, 446.
 Siara, 445.
 Scolops, 343.
 Sepsis violacea, 452.
 Shelford, Victor E., article by, 213.
 Smilia camelus, 86, 87, 90.
 Smith, John B., On the Death of, 128.
 Smith, Lucy Wright, article by, 203.
 Sorbus aucuparia, 156.
 Spangbergiella, 106, 110.
 Spirea, 458.
 Spogostylum, 215.
 anale, 222, 223.
 Squash Bug, Anatomy of, 427.
 Stenares, 189.
 grandidieri, 189.
 harpyia, 189, 190.
 hyæna, 189, 190.
 improbis, 189, 190.
 irroratus, 189, 190.
 madagascariensis, 190.
 sinuatus, 189, 190.
 Stegomyia calopus, 444.
 fasciatus, 444.
 Stictocephala, 85.
 Stictocephala lutea, 90.
 Stobœra, 343.
 Stomoxys Calcitrans Linn, Part II,
 197, 447.
 Study in Antennal Variation, A, 233.
 Synthesiomysa brasiliensis, 447.
 Syntomaspis, 155.
 Tabanus atlanticus, 445.
 nigrovittatus, 446.
 Taxonomic Principles, New Applica-
 tion of, 226.
 Telemona ampelopsidis, 77, 90.
 Telemonanthe, 86.
 pulchella, 86.
 Telephorus humatus, 362.
 Tetanocera
 kincaidi, 449.
 pictipes, 450.
 setosa, 450.
 spiniornis, 449, 450.
 umbrarum, 450.
 Tettigoniella, 104.
 Tetranychus, The Taxonomic Value of
 the Character of the Male Geni-
 tal Armature in the Genus, 453.
 bimaculatis, 455, 456.
 borealis, 454, 457, 458.
 flavus, 454, 458.
 gloveri, 455, 457.
 longipes, 454.
 2-maculatus, 455.
 mytilaspidis, 454.
 pratensis, 454.
 sexmaculatus, 455, 457.
 telarius, 454, 455, 456, 457, 458.
 weldoni, 454, 457.
 Thecabius populimonilis, 485.
 Tipula
 abdominalis, 466.
 abluta, 468.
 acuta, 479.
 acutipleura, 464, 484.
 æqualis, 478.
 alara,
 albocaudata, 472.
 albocincta, 476.
 albimacula, 463, 484.
 albofascia, 476.
 albonotata, 469.
 albovittata, 463.
 alia, 467, 484.
 alta, 478, 484.
 angulata, 463.
 angustipennis, 471.
 annulicornis, 481.

- anstralis, 479.
 apicalis, 463.
 appendiculata, 471.
 arctica, 469.
 armata, 464, 469.
 aspersa, 463, 484.
 atrisumma, 477, 484.
 balioptera, 469.
 barbata, 478.
 beatula, 468.
 bella, 471.
 besselsi, 482.
 biarmata, 477, 484.
 bicornis, 475.
 bifalcata, 481, 484.
 bisetosa, 475.
 bituberculata, 482.
 biuncus, 478, 484.
 borealis, 481.
 calcarata, 478.
 casta, 474.
 californica, 469, 484.
 caloptera, 472.
 calva, 473.
 canadensis, 46.
 carinata, 482.
 centralis, 468.
 cervicula, 483.
 cincta, 482.
 cincticornis, 475.
 cineracea, 480.
 clara, 474, 479.
 cognata, 473.
 coloradensis, 467, 484.
 commiscibilis, 466, 484.
 concinna, 473.
 contaminata, 466.
 costalis, 443, 473.
 cunctans, 473.
 cuspidata, 475.
 cylindrata, 463, 484.
 decora, 463.
 dejecta, 481.
 derbyi, 464, 484.
 diluta, 480.
 discolor, 467.
 disjuncta, 482.
 dorsimacula, 470.
 dorsolineata, 479.
 duplex, 481.
 eluta, 471.
 fallax, 466.
 fasciata, 463, 469.
 filipes, 481.
 flavicoma, 484.
 flavescens, 468.
 flavocauda, 474, 484.
 flavomarginata, 473, 484.
 fragilis, 468.
 fraterna, 472.
 frigida, 469.
 fuliginosa, 463.
 fulvilineata, 471, 484.
 fulvinodus, 477, 479, 484.
 fumosa, 481.
 gelida, 480.
 grata, 466.
 graphica, 471.
 hebes, 467.
 helvocincta, 470.
 hirsuta, 476.
 ignobilis, 470.
 impudica, 477.
 incisa, 463.
 incurva, 464, 484.
 inermis, 474.
 infuscata, 474.
 illustris, 482.
 jejuna, 479, 484.
 lamellata, 475, 476.
 latipennis, 466.
 leucophæa, 465.
 longiventris, 465.
 lucida, 476.
 macrolabis, 469.
 maculatipennis, 469.
 madera, 466, 484.
 marina, 464, 484.
 megaura, 474.
 meridiana, 472.
 neucomeri, 467, 484.
 nigrocorporis, 470, 484.
 occidentalis, 464, 484.
 olympia, 473, 484.
 oropezoides, 478, 484.
 pacifica, 465, 484.
 pallida, 470.
 parrii, 466.
 pellucida, 474, 479, 484.
 perlongipes, 481.
 planicornia, 477, 484.
 platymera, 469.
 præcisa, 477.
 pubera, 468.
 pratorum, 483.
 puncticornis, 475.
 pyramis, 477, 484.
 quaylii, 483, 484.
 resurgens, 468.
 retorta, 465.
 retusa, 476.
 rohweri, 466, 484.
 rostellata, 483.
 rupicola, 467, 484.
 rusticola, 477, 484.
 septentrionalis, 465.
 serrulata, 467.
 serta, 471.
 simplex, 465, 483.
 simulata, 483.
 spatha, 476, 484.
 spectabilis, 463.

- speciosa*, 469.
spernax, 481.
splendens, 476.
stalactoides, 480.
sternata, 482, 484.
strepens, 472.
streptocera, 474, 477.
strigata, 480.
subcinerea, 465.
subeluta, 471, 484.
sub-fasciata, 464.
submaculata, 469.
subtenuicornis, 471.
subtilis, 479.
sulphurea, 482.
suspecta, 468.
sylvestra, 483, 484.
sylvicola, 477, 484.
tenebrosa, 480.
tephrocephala, 475.
tergata, 481, 484.
ternaria, 465.
tesselata, 465.
translucida, 475.
trivittata, 462.
tricolor, 472.
triplex, 481.
tristis, 464.
truncorum, 465.
ungulata, 473, 484.
umbrosa, 481.
unicincta, 479.
usitata, 478.
valida, 470.
varia, 469.
versicolor, 470.
vestigipennis, 483, 484.
vitrea, 473.
vittatapennis, 463, 484.
williamsii, 483, 484.
Tipula, L., Synopsis of the Described
 N. A. Species of the Dipterous
 Genus, 461.
Torymus collaris, 165.
 dorsalis, 155.
 punctum, 165.
 Tothill, John D., article by, 241.
 Tower, Daniel G., articles by, 125, 427.
Toxomerus marginatus, 447.
 Townsend, Chas. H. T., article by, 226.
Trypeta humilis, 452.
Trypherus
 aboriginalis, 362.
 latipennis, 362.
Tsuga hookeriana, 162, 169.
Tylopelta, 85.
Typhlocyba, 106, 107, 108.
Typhlocybidae, 110.
Ulmus, 233.
 campestris, 455.
Urophora fulvifrons, 450.
 Van Duzee, M. C., article by, 22.
Vanduzea arquata, 75, 77, 84.
 Whiting, Phineas W., article by, 257.
 Wickham, H. F., article by, 359.
 Wing Veins of the Membracidae, Homologies of, 74.
 Wing Venation of the Fulgoridae, The, 341.
 Wing Venation of the Jassidae, 103.
Xantholobus trilineatus, 87.
Xestobium alutaceum, 363.
 Zetek, James, article by, 5.
Zizania aquatica, 306.
-
- Dates of issue for Annals, 1913,
 Vol. VI.
 No. 1, (March) April 16, 1913.
 No. 2, (June) June 19, 1913.
 No. 3, (Sept.) Oct. 23, 1913.
 No. 4, (Dec.) Jan. 3, 1914.

1913. "Index of Volume VI." *Annals of the Entomological Society of America* 6, 495–502. <https://doi.org/10.1093/aesa/6.4.495>.

View This Item Online: <https://www.biodiversitylibrary.org/item/42403>

DOI: <https://doi.org/10.1093/aesa/6.4.495>

Permalink: <https://www.biodiversitylibrary.org/partpdf/193629>

Holding Institution

Smithsonian Libraries

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.