

INDEX

zusammengestellt von I. HAESLER

- Agavaceae 240
- Ageratum melissifolium DC. 334
- Allagopappus dichotomus (Jacq.)
Cass. 333
- * Anemone afghanica Podlech 477
- Archibaccharis Heering 46
- hirtella (DC.) Heering
var. intermedia Blake 47
- schiedeana (Benth.) J.D.
Jackson 47
- serratifolia (H.B.K.) Blake
48
- Aster L. 79
- angustus Torr. & A. Gray 333
- discoideus Sond. 317
- divaricatus (Fisch.) Nutt. 333
- dracunculoides Lam. 332, 333
- hyssopifolius Berg.
var. canescens Harv. 274
- - var. rigidulus (DC.) Harv.
274
- linosyris (L.) Bernh. 334, 336
- obtusatus Thunb. 303
- occidentalis (Nutt.) Torrey
& Gray 81
- regnellii (Sch. Bip.) Baker
80
- squamatus (Sprengel) Hieron.
79
- subulatus Michx. 334
- vahlui (Gaud.) Hooker &
Arnott 80
- virgatus Ell. 80
- Baccharidastrium Cabr. 51
- argutum (Less.) Cabr. 51
- Baccharis L. 52
- anomala DC. 53
- aphylla (Vell.) DC. 332, 334
- articulata (Lam.) Persoon 55
- brachylaenoides DC. 333
- buxifolia (Lam.) Persoon 64
- calvescens DC. 63
- camporum DC. 333
- cassiniifolia DC. 59, 335
- chilco H.B.K. 58
- concava (Ruiz & Pavon) Persoon
59
- conferta H.B.K. 61
- conyzoides DC. 53
- curitybensis Heering ex
Malme 61
- divaricata Haumann 59
- Baccharis douglasii DC. 54
- dracunculifolia DC. 64
- effusa Griseb. 57
- elliptica Gardner 61
- emoryi Gray 63
- gaudichaudiana DC. 55
- grandicapitulata Hieron. 65
- grisebachii Hieron. 57
- heterophylla H.B.K. 62
- latifolia (Ruiz & Pavon)
Persoon 54
- lundii DC. 52, 335
- macraei Hooker & Arnott 62
- myrtilloides Griseb. 58
- numularia Heering ex Malme 65
- orgyalis DC. 333, 334
- patagonica Hooker & Arnott 63
- pedunculata (Miller) Cabr. 56
- platipoda DC. 60
- pseudotenuifolia Teodoro 59
- punctulata DC. 53
- quitensis H.B.K. 56
- rufescens Sprengel 65
- salicifolia (Ruiz & Pavon)
Persoon 56
- schultzii Baker 60
- scoparia (L.) Sw. 335
- semiserrata DC.
var. elaeagnoides (Steudel)
Barroso 62
- spartioides (Hooker & Arnott)
Remy 54
- tandilensis Speg. 64
- tricuneata (L. f.) Persoon 64
- trimera DC. 55
- trinervis Persoon 56
- Bacidia ligniaria (Ach.) Lettau
542
- lugubris (Sommerf.) Zahlbr. 546
- Ballota L. 256
- africana (L.) Benth. 254, 257
- Bigelowia dracunculoides (Pursh)
DC. 333, 334
- nudata (Michx.) DC. 334, 336
- pluriflora A. Gray 333
- spec. 336
- Bryochiton perpusillus Döbb. 410
- * Bryorella complanata Döbb. 412
- compressa Döbb. 414
- * - conspecta Döbb. 416
- crassitecta Döbb. 419
- Calonectria biseptata Döbb. 421

- Calonectria celata Döbb. 422
 - phycophora Döbb. 422
 Campanulaceae 239
 Campovassouria cruciata (Vell.)
 King & Rob. 332
 Catillaria athallina (Hepp.)
 Arnold 537
 - chalybeia (Borr.) Massal. 538
 Celsia longirostris Murbeck 475
 Cephalostigma DC. 240
 - hirsutum Edgew. 239
 Chrysanthemum flosculosum L. 333
 Chrysocoma L. 270, 360
 - acaulis Walt. 332
 * - acicularis Bayer 296, 350, 373
 - adpressa Vell. 332
 - aitonii Spreng. 332
 - alata Vell. 332
 - albida Vell. 332
 - alterna Vell. 332
 - amara Schum. & Thonn. 332
 - angustifolia (Michx.) Steud.
 332
 - aphylla Vell. 332
 - arborea Vell. 332
 - artemisifolia Poepp. ex Steud.
 332
 - aspera F. G. Dietr. 332
 - aurea Salisb. 290
 - biflora L. 332
 - camphorata Rob. & Cass. 332
 * - candelabrum Bayer 294, 350,
 372, 392
 - candicans Del. 332
 - capillacea Michx. 332
 - cernua L. 285, 348, 367
 - ciliaris auct. 285
 - ciliata E. Mey. 283
 - - auct. 285
 - cinerea Labill. 332
 - coma-aurea L. 270, 290, 349,
 369, 370
 - - var. cernua (L.) DC. 285
 - - var. patula (Berg.) DC. 290
 - coronopifolia (Willd.) Michx.
 332
 - crassa Vell. 332
 - cruciata Vell. 332
 - cuneifolia Jacq. 332
 - cymosa Vell. 333
 - decurrens DC. 333
 - decussata Vell. 333
 - dentata Vell. 333
 - denticulata Jacq. 333
 - dichotomata Jacq. 333
 - dinteri Muschler 333
 - divaricata Fisch. 333
 Chrysocoma dracunculoides Lam.
 333
 - dracunculoides Pursh 333
 - duriuscula L. ex Jackson 333
 * - esterhuyseniae Bayer 313, 356,
 380
 - ferruginea Spreng. 333
 * - flava Bayer 315, 356, 381
 - florida Vell. 333
 - foetida Lam. 333
 - fruticosa J. F. Gmel. 333
 - - Steud. 333
 - gigantea Walt. 333
 - gnaphaloides Burm. 281
 - graminifolia L. 333
 - - Walt. 333
 - grandis Lepech. 333
 - graveolens Nutt. 333
 - - Torr. 333
 - herbacea Vell. 333
 - heterophylla Rafin. 333
 - hirsuta Vell. 333
 - horizontalis Vell. 333
 - humilis DC. 333
 - imberbis Vell. 333
 - incana Burm. 281, 333
 - - Lev. 281, 333
 - indivisa Vell. 333
 - integerrima Vell. 333
 - juncea Desf. 333
 - lappulina Boj. ex DC. 334
 - liburnica Spreng. 333
 - linearis Vell. 334
 - linifolia Steud. 334
 - linosyris L. 334
 - longifolia DC. 307, 354, 377
 - - var. patula DC. 307
 - maculata Vell. 334
 - maritima Vell. 334
 - mediserrata Vell. 334
 - megapotamica Spreng. 334
 - microcephala DC. 317
 - microphylla Thunb. 311, 355,
 379
 - monantha Vell. 334
 - montana Vahl 334
 * - mozambicensis Bayer 309, 354,
 378
 - mucronata Forsk. 334
 - nauseosa Pursh 334
 - nivea Willd. 281
 - noveboracensis Desf. 334
 - nuda Vell. 334
 - nudata Michx. 334
 - nupera S.F. Gray 334
 - oblongifolia DC. 283, 347, 366
 - obscura Vell. 334

- * *Chrysocoma obtusata* (Thunb.)
Bayer 303, 352, 353, 376
- *odoratissima* J.F. Gmel. 334
 - - *Raeusch.* 334
 - *oligophylla* Vell. 334
 - *opposita* Vell. 334
 - *oppositifolia* L. 334
 - - *Vell.* 334
 - *ovata* Forsk. 334
 - *palustris* Savi ex Bertol. 334
 - *paniculata* J.F. Gmel. 334
 - - *Mutis* 334
 - - *Vell.* 334
 - *patula* Berg. 290
 - *pauciflora* Vell. 334
 - *peduncularis* DC. 311
 - *pedunculata* Vell. 334
 - *phosphorica* Vell. 334
 - *pilosa* J.F. Gmel. 335
 - - *Vell.* 335
 - *pinnatifida* DC. 298
 - *pinifolia* Burm. f. 335
 - - *Spreng.* 335
 - *polygalifolia* S. Moore 303
 - *praeacoa* Steud. 335
 - *praealta* Desf. 335
 - *praecaa* Vell. 335
 - *pteroaula* DC. 335
 - *puberula* Merxm. 276, 346, 362, 363
 - - *Schlechter* ex Hutchinson 276, 279
 - *pumila* Vell. 335
 - *punctata* Steud. 335
 - *punctulatum* Vell. 335
 - *purpurascens* Vell. 335
 - *purpurea* Forst. 335
 - - *Rafin.* 335
 - - *Vell.* 335
 - - *Willd.* 335
 - *quadrangularis* Vell. 335
 - *radiata* Fisch. ex Steud. 335
 - *ramosa* Raeusch. 335
 - *repanda* Vell. 335
 - *reticulata* Labill. 335
 - * - *rigidula* (DC.) Bayer 274, 345, 361
 - *rosmarinifolium* Spreng. 335
 - *sancta* Vell. 335
 - *saxatilis* DC. 335
 - *scabra* L. 335
 - - *Ledeb.* 335
 - * - *schlechteri* Bayer 276, 279, 346, 364
 - *scoparia* L. 335
 - *sericea* L. 335
- Chrysocoma sernua* Hill. 285
- *serrata* Vell. 335
 - *sessilis* Vell. 335
 - *singularis* Vell. 335
 - *sparsifolia* Hutchinson 293, 349, 371
 - *spathulata* Forsk. 335
 - *sphacelata* Moench 335
 - *spicata* Forsk. 335
 - *spinosa* Del. 335
 - *squamata* Labill. 336
 - * - *strigosa* Bayer 288, 348, 368
 - *subumbellata* Thellung 307
 - *tartarica* Less. 336
 - *tenuifolia* Berg. 317, 357, 358, 359, 382, 383, 384
 - *tomentosa* L. 281, 347, 365
 - - *Vell.* 281, 336
 - - *Walt.* 281, 336
 - *tridentata* DC. 298, 351, 374
 - *trinervata* Sessé & Moc. 336
 - *trinervis* Vell. 336
 - *tuberosa* Vell. 336
 - *undulata* Thunb. 336
 - *uniflora* Raeusch. 336
 - - (Walt.) J.F. Gmel. 336
 - *uniflorus* Spreng. 336
 - * - *valida* Bayer 300, 351, 375
 - *verticaulis* Lag. 336
 - *verticillata* Vell. 336
 - *villosa* L. 336
 - *violacea* Schum. & Thonn. 336
 - *virgata* Nutt. 336
 - *virginiana* Hort. Par. ex DC. 336
 - *volubilis* Vell. 336
 - *vulgaris* Gueldenst. ex Ledeb. 336
 - * *Convolvulus deserticulus* Podlech 482
 - * - *longipedunculatus* Podlech 483
- Conyza* Less. 26
- *andicola* Phil. 29
 - *artemisiifolia* Meyen & Walp. 31
 - *bonariensis* (L.) Cronq. 28
 - *bustillosiana* Remy 6
 - *canadensis* (L.) Cronq. 27
 - *chilensis* Sprengel 30
 - *coronopifolia* H.B.K. 28
 - *coulteri* Gray 30
 - *deserticola* Phil. 28
 - *erythrolaena* Klatt 31
 - *floribunda* H.B.K. 27
 - *lasseriana* Aristeg. 29
 - *obtusa* H.B.K. 29
 - *ramosissima* Cronq. 29
 - *senecioides* (Weddell) Cabr. 32

Conyza sophiifolia H.B.K. 30
Crambe kralikii Coss.

subsp. *garamas* (Maire)
 Podlech 475

- - var. *garamas* Maire 475

Cryptantha sect. *Geocarya*
 Johnst. 516

- *affinis* (A. Gray) Greene 513

- - I. Johnst. 513

- *alyssoides* (DC.) Reiche 518

- *aprica* (Phil.) Reiche 518

- *chispae* Grau 513, 518, 521,
 526

- *dolichophylla* (Phil.) Reiche
 518

- *gayi* (Phil.) Reiche 518

- *involucrata* (Phil.) Reiche 517

- *kingii* (Phil.) Reiche 518

- *linearis* (Colla) Greene 515,
 518

- - auct. 515

- *macrocalyx* (Phil.) Reiche 515

- - auct. 515

* - *marticorenae* Grau 515, 518,
 522, 526

- *volckmannii* (Phil.) Johnst.
 517

Cyperaceae 241

Cyphia dentariifolia C. Presl
 243

* *Dawsicola neglecta* Döbb. 422

* *Dawsomyces* Döbb. 426

* - *mirabilis* Döbb. 426, 427

* - *subinvisibilis* Döbb. 431

Dawsonia siehe Wirtsverzeichnis
 464

* *Dawsophila* Döbb. 432

* - *callichroma* Döbb. 435

* - *pygmaea* Döbb. 434, 438

* *Deverra battandieri* (Maire)
 Podlech 475

* *Dionysia wendelboi* Podlech 481

Diplostephium H.B.K. 67

- *callaensis* Cuatr. 70

- *haenkei* (DC.) Weddell 69

- *ochraceum* (H.B.K.) Nees 68

- *phylicoides* (H.B.K.) Weddel
 67

- *revolutum* Blake 69

- *rosmarinifolium* (Bentham)
 Weddel 69

- *rupestre* (H.B.K.) Weddell 68

* *Doliocarpus leiophyllus* Kubitzki
 237

* - *paucinervis* Kubitzki 237

Egletes Cass. 43

- *florida* Shinners 44

Egletes liebmannii Sch. Bip. 43

- *prostrata* (Swartz) Kuntze 45

- *viscosa* (L.) Less. 44

Epibryon dawsoniae Döbb. 444

- *elegantissimum* Döbb. 446

- *interlamellare* (Racov.) Döbb.
 448

- *notabile* Döbb. 449

* - *odontophilum* Döbb. 449

- *pogonati-urnigeri* Döbb. 453

Erigeron L. 14

- *alcicornutus* Greenm. 23

- *andicola* DC. 20

- *aphanactis* (Gray) Greene 21

- *arenarioides* (D.C. Eaton ex
 Gray) Rydberg 17

- *barbellulatus* Greene 20

- *bloomeri* Gray 19

- *caeruleus* Urban 23

- *cinereus* Hooker & Arnott 20

- *compositus* Pursh 18

- *cuneifolius* DC. 24

- *dissectus* Urban 24

- *divergens* Torrey & Gray 22

- *eatonii* Gray 17

- *elegantulus* Greene 19

- *fernandezius* (Colla) Harling 24

- *foliosus* Nuttall 16

- *hyssopifolius* Michx. 16

- *inornatus* Gray 15

- *jamaicensis* L. 23

- *linearis* (Hooker) Piper 21

- *maximus* (D. Don.) DC. 18

- *pazensis* Sch. Bip. ex Rusby 18

- *petrophilus* Greene 16

- *philadelphicus* L. 23

- *philippii* Sch. Bip. ex Weddell
 18

- *pulchellus* Michx. 17

- *pygmaeus* (Gray) Greene 20

- *quercifolius* Lam. 22

- *speciosus* DC. 21

- *strigosus* Muhl. ex Willd. 25

- *tener* Gray 16

- *tenuis* Torrey & Gray 24

- *tweediei* Hooker & Arnott 19

Eritrichium affine R. A. Phil. 51

Eupatorium conyzoides Vahl 334

- *coronopifolium* Willd. 332

- *ericoides* DC. 334

- *foeniculaceum* Willd. 332

- *laevigatum* Lam. 335

- *spec.* 332

* *Euphorbia gulestanica* Podlech 481

Felicia reflexa (L.) DC. 335

- *rigidula* DC. 274

- - var. *subcanescens* DC. 274

- Grindelia* Willd. 100
 - *camporum* Greene 102
 - *chiloensis* (Corn.) Cabr. 101
 - *glutinosa* (Cav.) Dunal 100
 - *subdecurrens* DC. 102
 - *tehuelches* (Speg.) Cabr. 101
Gutierrezia Lag. 75
 - *ameghinoi* Speg. 76
 - *mandonii* (Sch. Bip.) Solbrig 76
 - *resinosa* (Hooker & Arnott) Blake 75
 - *texana* (DC.) Torrey & Gray 76
Haplopappus Cass. 86
 - - sect. *Latiseta* Grau 529
 - *acradenius* (Green) Blake 93
 - *arbutoides* Remy 91
 - *aureus* Gray 96
 - *bloomeri* Gray 95
 - *canescens* (Phil.) Reiche 91
 - *cerberoanus* (Remy) Reiche 87
 - *chrysanthemifolius* (Less.) DC. 88
 - *ciliatus* (Nuttall) DC. 96
 - *cooperi* (Gray) Hall 94
 - *cuneatus* Gray 94
 - *diplopappus* Remy 87
 - *foliosus* DC. 89
 - *glutinosus* Cass. 90
 - *gracilis* (Nuttall) Gray 93
 - *illinitus* Remy 90
 - *junceus* Greene 93
 - *macraeanus* (Remy) Reiche 92
 - *macrocephalus* (Less.) DC. 90
 - *marginalis* R.A. Phil. 88, 529, 531
 - *mucronatus* Hooker & Arnott 87
 - *nanus* (Nuttall) D.C. Eaton 94
 - *parvifolius* (DC.) Gray 88
 - *pectinatus* R.A. Phil. 529, 531, 535
 - *punctatus* (Willd.) Hall 89
 - *rigidus* Phil. 92
 - *spinulosus* (Pursh) DC. 92
 - *squarrosus* Hooker & Arnott 95
 - *suffruticosus* (Nuttall) Gray 95
 - *taeda* Reiche 89
 - *uncinatus* Phil. 91
 - *uniflorus* (Hooker) Torrey & Gray 96
Helichrysum cinereum (Labill.) F.v. Muell. ex Benth. 332
 - *reticulatum* (Labill.) Less. ex Steud. 335
 - *squamosum* Thunb. 333
Helichrysum spec. 335
Heteromma decurrens (DC.) Benth. 333
Heterothalamus Lass. 48
 - *alienus* (Sprengel) O. Kuntze 49
Hinterhubera Sch. Bip. ex Weddell 49
 - *ericoides* Weddell 50
 - *laseguei* Weddell 50
Huilia crustulata (Ach.) Hertel 538
 - *panaeola* (Ach.) Hertel 171
 - *superba* (Koerb.) Hertel 538
 * *Hymenoscyphus erythropus* Döbb. 458
Hysterionica Willd. 77
 - *jasionoides* Willd. 78
 - *pinifolia* (Poiret) Baker 77
 - *villosa* (Hooker & Arnott) Cabr. 78
Ifloga fontanesii Cass. 335
Inula germanica L. 332, 335
 - *viscosa* Ait. 332, 335, 336
 - spec. 335
Inulopsis O. Hoffm. 33
 - *scaposa* (DC.) O. Hoffm. 34
Iphiona juniperifolia Cass. 334, 335
Kickxia aegyptiaca (L.) Nabelek
 * subsp. *battandieri* (Maire) Podlech 476
 * - - subsp. *fruticosa* (Desf.) Podlech 476
Krynitzkia affinis A. Gray 513
Laestadia Kunth ex Less. 45
 - *costaricensis* Blake 46
Lagenophora Cass. 36
 - sect. *Pseudomyriactis* Cabr. 38, 39
 - *andina* Badillo 38
 - *cuchumatana* Beamen & De Jong 39
 - *hariotii* Franchet 37
 - *hirsuta* Poeppig ex Less. 37
 - *panamensis* Blake 39
Lecidea aglaea Sommerf. 539
 - *atrofulva* Sommerf. 172, 539
 - *auriculata* Th. Fr. 172, 539
 - *brachyspora* (Th. Fr.) Nyl. 172
 - *bullata* (Koerb.) Th. Fr. 180
 - *confluentula* Müll. Arg. 172
 - *crustulata* (Ach.) Spreng. 538
 - *diducens* Nyl. 173
 - *elabens* Fr. 540
 - *garovaglii* Schaer. 173
 - *haerjedalica* H. Magn. 173
 - *impavida* Th. Fr. 173
 - *lapicida* (Ach.) Ach. 174

- Lecidea leucothallina* Arnold 174
 - *lithophila* (Ach.) Ach. 540
 - *macrocarpa*
 var. *crucis* Lynge 182
 - *micheleri* Hertel 175
 - *molybdochroa* Hertel 176
 - *nansenii* Lynge 180
 - *plebeja* Nyl. 540
 - *polycocca* Sommerf. 177
 - *prasinula* (Wedd.) B. de Lesd. 541
 - *promiscens* Nyl. 177
 - *speirea* (Ach.) Ach. 541
 - *spitzbergensis* Lynge 181
 - *steineri* Hertel 177
 - *superba* Koerb. 538
 - *swartzioidea* Nyl. 178
 - *umbonata* (Hepp) Mudd 178
 - *umbonella* Nyl. 178
 - *verruca* Poelt 179
 - *vorticosa* (Flk.) Koerb. 179
Lecidella alaiensis (Vain.) Hertel 181
 - *bullata* Koerb. 180
 - *inamoena* (Müll. Arg.) Hertel 180
 - *prasinula* (Wedd.) Hertel 541
 - *stigmatea* (Ach.) Hertel & Leuckert 181, 542
Leptorhynchus squamatus (Labill.) Less. 336
Liatris pycnostachya Michx. 335
 - *spec.* 335
Lightfootia L'Hér. 239, 240
 - *hirsuta* (Edgew.) E. Wimmer ex Hepper 239
Limonium sect. *Myriolepis* 506
 - *acutifolium* (Reichenb.) Salmon
 subsp. *acutifolium* auct. 505
 - - subsp. *obtusifolium* auct. 494
 - - auct. 505
 - *angustifolium* (Tausch) Degen 504
 - *companyonis* (Gren. & Billot) O. Kuntze 500
 - *dictyocladium* (Boiss.) O. Kuntze 506
 - *diffusum* (Pour.) O. Kuntze 506
 - *duriusculum* auct. 500
 - *ferulaceum* (L.) Chaz. 506
 - *heterobracteatum* Erben 489
 - *nymphaeum* Erben 494
 - *sardoum* (Pignatti) Erben 506
 - *serotinum* (Reichenb.) Erben 504, 505
 * *Limonium tenuifolium* (Bertol. ex Moris) Erben 505
 * - *thinienense* Erben 485
 - *vulgare*
 subsp. *serotinum* (Reichenb.) Gams 505
Linaria aegyptiaca (L.) Dum.-Cours.
 subsp. *battandieri* Maire 476
 - *fruticosa* Desf. 476
Lipocarpa R. Br. 241
 - *pulcherrima* Ridley 241
Marrubium africanum L. 257
Melanolecia micropsis (Massal.) Hertel
 var. *lutescens* (Anzi) Hertel 182
Micarea ligniaria (Ach.) Hedl. 542
Microgynella Grau 34
 - *trifurcata* (Less.) Grau 35
Myriactis Less. 38
 * - *andina* (Badillo) Velez 38, 39
Nidorella amplexicaulis DC. 336
 - *foliosa* Cass. 333
 - *mucronata* DC. 334
Nolletia arenosa O. Hoffm. ex Schinz 333
Noticastrum DC. 84
 - *haplopappus* Remy 85
 - *marginatum* (H.B.K.) Cuatr. 85
 - *montevidense* (Sprengel) Cuatr. 85
 - *pradense* (Phil.) Phil. 86
Nymphaea stellata Willd. 479
 * *Ononis nuristanica* Podlech 480
Oritrophium (H.B.K.) Cuatr. 71
 - *peruvianum* (Lam.) Cuatr. 71
 - *venezuelense* (Steyermark) Cuatr. 72
Parastrephia Nuttall emend. Cabr. 73
 - *lepidophylla* (Weddell) Cabr. 73
 - *lucida* (Meyen) Cabr. 74
 - *phyliciformis* (Meyen) Cabr. 74
Phoma plagiochilae Racov. 231
Piptocarpa oxyphylla Baker 336
 - *quadrangularis* Baker 335
Pituranthos battandieri Maire 47
Plagiocheilus Arnott ex DC. 39
 - *bogotensis* (H.B.K.) Weddell 42
 - *ciliaris* Weddell 40
 - *frigidus* Poeppig & Endl. 41
 - *peduncularis* (H.B.K.) Weddell 41

- Plagiocheilus prostratus* Benth
 41
 - *soliviformis* DC. 42
 - *tanacetoides* Haenke ex DC. 40
Plagiochila asplenioides (L.
 emend. Tayl.) Dum.
 232
Podocoma Cass. 35
 - *hieraciifolia* (Poiret) Cass.
 36
Psilactis Gray 98
 - *asteroides* Gray 99
 - *brevilingulata* Sch. Bip. ex
 Hemsl. 98
 - *tenuis* S. Wats. 99
Pteronia divaricata Less. 334
 - spec. 281, 333
 * *Ranunculus bamianicus* Podlech
 479
Rhizocarpon atroflavescens
 Lynge 542
 - *disporum* (Hepp) Müll. Arg.
 545
 - *inarense* (Vain.) Vain. 545
 - *montagnei* (Flot.) Koerb. 545
 - *obscuratum* (Ach.) Massal. 545
Riccia albolimbata S. Arnell 247
 - *albomarginata* Bisch. ex
 Gottsche, Linden-
 berg & Nees 247
 - - auct. 245
 - *albosquamata* S. Arnell 247
 * - *albovestita* Volk 245, 247, 251,
 252
 - *concava* Bisch. ex Gottsche,
 Lindenberg & Nees
 247
 - *coronata* Sim 247
 - *villosa* Steph. 247
Ropalospora lugubris (Sommerf.)
 Poelt 546
Sansevieria Thunb. 240
 - *longiflora* Sims 240
Schaereria endocyanea (Stirt.)
 Hertel & G.
 Schneider 183
Senecio paniculatus Berg. 335
Sommerfeltia Less. 32
 - *spinulosa* (Sprengel) Less. 33
Solidago L. 81
 - *bicolor* L. 83
 - *chilensis* Meyen 82
 - *houghtonii* Torrey & Gray 83
Solidago lanceolata L. 333, 336
 - *latifolia* L. 83
 - *odora* Aiton 82
 - *paniculata* DC. 82
Statice acutifolia Reichenb.
 var. *obtusifolia* Rouy 494
 - *angustifolia* Tausch 504
 - *bianorii* Sennen & Pau 500
 - *companyonis* Gren. & Billot 500
 - *limonium* L.
 var. *genuina* Boiss. 505
 - - var. *macroclada* Boiss. 505
 - *rupicola* auct. 505
 - *serotina* Reichenb. 505
 - *tenuifolia* Bertol. & Moris
 505
Trilisia odoratissima (J.F.
 Gmel.) Cass. 334
 - *paniculata* (J.F. Gmel.) Cass.
 334
Varthemia candicans Boiss. 336
 * *Verbascum longirostre* (Murbeck)
 Podlech 475
Vernonia altissima Nutt. 333,
 335
 - *ammophila* Gardn. 334
 - *angustifolia* Michx. 332, 333
 - *atriplicifolia* Jaub. & Spach
 335
 - *cephalotes* DC. 334
 - *cinerea* Less. 336
 - *geminata* Less. 334
 - *grandiflora* Less. 335
 - *macrophylla* Less. 335
 - *missionis* Baker 333
 - *monticola* Mart. ex DC. 332
 - *noveboracensis* Willd. 334
 - *obovata* Less. 333
 - *obscura* Less. 333
 - *oligophylla* Michx. 332
 - *polyanthes* Less. 334
 - *rigida* Sw. 333
 - *scorpioides* Pers. 335
 - *senegalensis* Less. 332
 - *tweediana* Baker 332
 - spec. 281, 332, 336
Vezdaea dawsoniae Döbb. 460
 * - *obscura* Döbb. 461
Volkiella Merxm. & Czech 242
 - *disticha* Merxm. & Czech 242
Wahlenbergia Schrader ex Roth
 239, 240
 - *hirsuta* (Edgew.) Tuyn 239



Haesler, Irmgard. 1981. "Index." *Mitteilungen der Botanischen Staatssammlung München* 17, 565–571.

View This Item Online: <https://www.biodiversitylibrary.org/item/52364>

Permalink: <https://www.biodiversitylibrary.org/partpdf/194245>

Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by

The LuEsther T Mertz Library, the New York Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Botanische Staatssammlung München

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.