

STUDIES IN THE HELIANTHEAE (ASTERACEAE). XVI.

A NEW SUBTRIBE, ENHYDRINAE.

Harold Robinson
Department of Botany
Smithsonian Institution, Washington, DC., 20560.

The completed review of the tribe Heliantheae shows the need to recognize an additional subtribe which is validated here.

Enhydrinae H. Robinson, subtribus nov.

Plantae herbaceae aquaticae; folia opposita. Inflorescentiae axillares sessiles. Capitula paleacea. Flores radii fertiles feminei; corollae minute limbatae adaxialiter laeves; flores disci hermaphroditi; corollae adaxialiter laeves; thecae antherarum pallide nigrescentes, cellulis endothecialibus quadratis in parietibus transversalibus 1-noduliferis; appendices antherarum ovatae abaxialiter glanduliferae; lineae stigmataeae duplices; canales resiniferi in faucis solitarii interdum rubrescentes, ductis in stylis interioribus. Achaenia prismatica nigrescentia striata; cellulae superficiales ovularum inornatae. Pappus nullus. Grana pollinis ca. 27-35 μ in diam.

Type genus: Enhydra Lour.



Robinson, Harold E . 1979. "Studies in the Heliantheae (Asteraceae). XVI. A new subtribe, Ephydrinae." *Phytologia* 41(6), 398.

View This Item Online: <https://www.biodiversitylibrary.org/item/47696>

Permalink: <https://www.biodiversitylibrary.org/partpdf/219755>

Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

Sponsored by

The LuEsther T Mertz Library, the New York Botanical Garden

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Phytologia

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.