

EVALUATION OF H. LÉVEILLÉ'S NEW HAWAIIAN SPECIES  
Hawaiian Plant Studies 76

Harold St. John

Bishop Museum, Honolulu, Box 19000A, Hawaii, 96819, USA.

Abbe' Urbain Faurie was a French Catholic missionary to Japan. When so urged he made a plant collection, and sent it to Abbe (Augustin Abel) Hector Léveillé of Le Mans, France. Léveillé described a large percentage of them as new species, and named most of them Fauriei. Inspired by this distinction, Faurie made more and more collections, and finally resigned from the mission to become a plant collector. From April 1909 to June 1910 he explored the Hawaiian Islands, and collected some 1,160 numbers of plants.

On studying this Hawaiian collection (1911-1913) Léveillé published 114 of them as new species (or varieties). His diagnoses were about four or five lines in length, and seldom gave any measurements, or contained a comparison with the closest known species. His work was hasty and careless, and of his Hawaiian new species about half are synonyms of valid, earlier published species. J. F. Rock (1914) published a critical review of Léveillé's Hawaiian "novelties."

The writer is in general agreement with Rock's treatment, but subsequent monographs, and observations by the writer, have caused numerous changes. Consequently it is desirable to publish a new critique of the Hawaiian species published by Léveillé.

Of the 114 new Hawaiian taxa published by Léveillé 61 are synonyms, 5 have become basionyms, 2 are species dubia, and 46 are now accepted as good species or varieties.

Léveillé's Species arranged by Families according to Léveillé. The numbers are the collection numbers

Piperaceae

Peperomia Fauriei 108, Molokai

P. Helleri 109, Molokai

P. refractifolia 123, Molokai =P. Cookiana C. DC.  
Urticaceae

Pipturus hawaiiensis 508, Hawaii

Pittosporaceae

Pittosporum Fauriei 18, 38, Oahu = P. glabrum H. & A.

P. Hillebrandii 17, Molokai = P. insigne Hbd., var.  
Hillebrandii (Lévl.) Sherff

Rosaceae

Rubus Damieni 805, Molokai = R. hawaiiensis Gray

*Rubus Hillebrandii* 802, 806, Hawaii, Maui = *R. hawaiiensis* Gray

*R. Koehnei* 801, Maui, published in 1911, hence the earlier, valid binomial, and *R. penetrans* Bailey, 1933, becomes a synonym.

#### Rutaceae

*Pelea acutivalvata* 172, Kauai = *P. peduncularis* Lévl.

*P. Fauriei* 104, 203, Molokai = *P. clusiaeefolia* Gray, var. *Fauriei* (Lévl.) St. John & Hume

*P. Feddei* 194, Kauai

*P. foetida* 193, Maui = *P. molokaiensis* Hbd.

*P. grandipetala* 4, Oahu = in part *P. honoluluensis* St. John in part *P. peduncularis* Lévl.

*P. Hillebrandii* 183, 184, Kauai = *P. anisata* Mann

*P. Leveillei* 1, Kauai

*P. nodosa* 5, Kauai = *P. anisata* ?

*P. oahuensis* 11, 217, 217bis, Oahu

*P. peduncularis* 189, Oahu

*P. penduliflora* 9, Sandwich Is. = *P. peduncularis* Lévl.

*P. singuliflora* 194, 195, 224 = in part. *P. peduncularis* Lévl.; in part *P. Wawraeana* Rock

*P. subpeltata* 209, Kauai = *P. anisata* Mann

*P. waianaiensis* 215, Oahu = *P. peduncularis* Lévl., var. *quadrata* Stone

#### Euphorbiaceae

*Euphorbia Hillebrandi* 468, Oahu

*Phyllanthus sandwicensis* F. Muell., var. *hypoglauca* = *Breynia disticha* Forst f., f. *nivosa* (W. G. Sm.) Croizat

#### Aquifoliaceae

*Byronia Helleri* 280, Kauai = *Ilex anomala* H. & A.

#### Malvaceae

*Hibiscus Fauriei* 828, Oahu = *H. schizopetalus* (Mast.) Hook. f., fide Rock; or = *H. Arnottianus* Gray, fide Roe. These two species are strikingly different.

Neither of the botanists could have been mistaken, so there was doubtless a mixed number, with duplicate sheets, each with a different species.

*Malva hawaiiensis* 855, 858 = *M. moschata* L.

*Sida Fauriei* 5, Oahu = *Malvastrum coromandelianum* (L.) Garcke

*S. oahuensis* 839, Oahu = *Malvastrum coromandelianum* (L.) Garcke

*S. sandwicensis* 6, Sandwich Is. = *S. fallax* Walp.  
Sterculiaceae

*Waltheria Fauriei* 841, Oahu - *Triumfetta Bartramia* L.  
Violaceae

*Isodendrion* (as *Isodendron*) *Fauriei* 693, Molokai  
= *Gouania Hillebrandi* Oliver in Hbd.

*Viola sandwicensis* 1, Oahu - *Cyrtandra sandwicensis* (Lévl.) St. John & Storey

## Thymeliaceae

*Wikstroemia Fauriei* 548, Maui = *W. sandwicensis* Meisn.  
in A. DC.

## Myrtaceae

- X *Nania Fauriei* 27, Molokai. = *Metrosideros polymorpha*  
Gaud., ssp. *incana* (Lévl.) Skottsb., var. *Fauriei*  
(Lévl.) Skottsb.
- X *N. Feddei* 32, Kauai = *Metrosideros tremuloides* (Heller)  
Rock, fide Rock, but that species is known only on Oahu.
- N. macropus* (H. & A.) Ktze., f. *microphylla* 26, Kauai.  
This has not been seen or placed.
- N. polymorpha* (Gaud. Heller, var. *incana* 28, Molokai  
= *Metrosideros polymorpha* Gaud. subsp. *incana*  
(Lévl.) Skottsb.
- N. polymorpha* (Gaud.) Heller, var. *glaberrima* 35, Oahu.  
= *Metrosideros polymorpha* Gaud. subsp. *glaberrima*  
(Lévl.) Skottsb.
- N. polymorpha* (Gaud.) Heller, var. *nummulariaefolia* 34,  
Hawaii. = *Metrosideros polymorpha* Gaud., var.  
*polymorpha*.
- N. polymorpha* (Gaud.) Heller, var. *sessilis* 32. Oahu.  
This has not been seen or reassigned.

## Araliaceae

- Cheirodendron trigynum* (Gaud.) Heller, var. *Hawaiensis*  
262, = var. *trigynum*.  
var. *Kauaiensis* 266 = *C. Fauriei* Hochr., Kauai.  
var. *mauiensis* 265, Maui.

## Ericaceae

- Vaccinium Fauriei* 700, 702, Molokai = *V. calycinum* Sm.,  
var. *calycinum*, f. *Fauriei* (Lévl.) Skottsb.
- V. hamatidens* 699, Kauai = *V. calycinum* Sm., var.  
*calycinum*, f. *hamatidens* (Lévl.) Fosb.

## Epacridaceae

- Cyathodes imbricata* Stschegl., var. *volcanica* 442, 445,  
Hawaii = *Styphelia Douglasii* (Gray) F. Muell. ex Skottsb.

## Myrsinaceae

- Myrsine Fauriei* 422, 423, 427, Oahu = *M. Lessertiana* A. DC.
- M. molokaiensis* 435, Molokai = *Planchonella spathulata*  
(Hbd.) Pierre, var. *molokaiensis* (Lévl.) St. John.  
var. *punctata* 447, Kauai = *M. punctata* (Lévl.)  
Wilbur.

- M. sandwicensis* A. DC., var. *mauiensis* 449, Maui.

- M. Vanioti* 448, Oahu = *M. sandwicensis* A. DC.

- Suttonia apodocarpa* 446, Kauai = *Myrsine punctata*  
(Lévl.) Wilbur.

- S. cuneata* 2, 3, 431, Hawaii = *Myrsine Lessertiana* A. DC.

- S. flavidia* 4, 5, Maui = *Myrsine Lessertiana* A. DC.

- S. mauiensis* 449, Maui = *Myrsine sandwicensis* A. DC.,  
var. *mauiensis* Lévl.

- S. Meziana* 428, = *Myrsine Meziana* (Lévl.) Wilbur.

- Suttonia pukooensis* 426, Molokai = *Myrsine pukooensis* (Levl.) Hosaka.  
*S. punctata* 447, Kauai = *Myrsine punctata* (Levl.) Wilbur  
*S. Vanioti* 448, Oahu = *Myrsine sandwicensis* A. DC.  
 Primulaceae  
*Lysimachia daphnoides* Hbd., var. *Fauriei* 708, Oahu  
 = *L. Hillebrandii* Hook. f. ex Gray.  
 Apocynaceae  
*Alyxia* (as *Alixia*) *myrtillaefolia* (Gray) Levl., 455,  
 Molokai = *A. olivaeformis* Gaud., f. *myrtillaefolia* (Gray ex Hbd.) St. John.  
 Convolvulaceae  
*Ipomoea Fauriei* 1,035, 1,049 = *I. stolonifera* (Cyrill.) J. F. Gmel.  
*I. koloaensis* 1,036, Kauai = *I. stolonifera* (Cyrill.) J. F. Gmel. Rock called this *I. pes-caprae* Sw., so the several sheets under this number may have contained a mixture.  
 Labiateae  
*Stenogyne Fauriei* 911 = *Coleus Blumei* Benth.  
 Solanaceae  
*Solanum Fauriei* 861 = *S. nigrum* L.  
 Scrophulariaceae  
*Herpestis Fauriei* 1,126, Hawaii = *Bacopa Monnieria* (L.) Wettst.  
*Veronica hawaiensis* 892, Hawaii = *V. arvensis* L.  
 Gesneriaceae  
*Cyrtandra asaroides* in part, 623, Kauai = *C. oenobarba* Mann, var. *oenobarba*.  
 in part, 624, Kauai = *C. oenobarba* Mann, var. *petiolaris* (Wawra) Clarke  
*C. Fauriei* 632, Molokai = *C. lysiosepala* (Gray) Clarke, var. *Fauriei* (Levl.) Rock  
*C. Kamoloensis* 646, Molokai = *C. Grayana* Hbd.  
*C. oahuensis* 638, Oahu  
*C. Vanioti* 1,144, Oahu  
*C. Wainihaensis* 640, Oahu (probably = Kauai), not seen.  
 Myoporaceae  
*Myoporum Fauriei* 677, Molokai = *M. sandwicense* Gray, subsp. *Fauriei* (Levl.) Kraenzlin  
 Plantaginaceae  
*Plantago Fauriei* 1,078, Kauai = *P. princeps* C. & S., var. *longibracteata* Mann  
*P. Gaudichaudiana* 1,075, Hawaii = *P. hawaiensis* (Gray) Pilger, var. *hawaiensis*  
 Rubiaceae  
*Coprosma Fauriei* 330, Kauai = *C. stephanocarpa* Hbd.  
*C. parvifolia* = *C. stephanocarpa* Hbd. The data 324 and Molokai supplied by Rock (1914: 358).  
*Gouldia cirrhoptiolata* 344, 416, Maui, Molokai.  
 Of two different hybrids, fide Fosberg.

- Kadua herbacea* 368, Maui = *Hedyotis Cookiana* (C. & S.) Steud., var. *herbacea* (Lévl.) Fosb.
- Straussia Fauriei* 400, Oahu = *Psychotria Fauriei* (Lévl.) Fosb.
- Cucurbitaceae
- Sicyos Fauriei* 877, Oahu = *Momordica charantia* L.
- Lobeliaceae
- Clermontia carinifera* 10, Kauai = a species *dubia*, fide Rock.
- C. Fauriei* 578, Kauai = *C. clermontioides* (Gaud.) Heller
- C. fulva* 11, Kauai
- Cyanea Blinii* 575, Hawaii = *Clermontia parviflora* Gaud.
- C. Fauriei* 565, 591, Kauai = *C. coriacea* (Gray) Hbd., var. *Fauriei* (Lévl.) E. Wimm.
- C. Feddei* 567, Kauai = *C. fissa* (Mann) Hbd.
- C. multispicata* 576, 594, Kauai
- C. salicina* 569, Kauai. Described from a specimen with only leaves. Species *dubia*.
- Delissea Fauriei* 572, Molokai. Not seen by Rock, Wimmer, or the writer. The genus is otherwise unknown on Molokai.
- Rollandia Fauriei* 568, Kauai = *Cyanea spathulata* (Hbd.) Heller
- Goodeniaceae
- X Scaevola Blinii* 661, Kauai = *S. procera* Hbd.
- S. Chamissonis* Gaud, var. *caeruleascens* 659, Kauai
- S. Fauriei* 651, Kauai = *S. Taccada* (Gaertn.) Roxb., var. *Fauriei* (Lévl.) St. John
- Compositae
- Ageratum sandwicensis* 940, Maui, not seen, but probably = *A. conyzoides* L.
- Campylotheca rutifolia* = *Bidens Hillebrandiana* (Drake) Deg. ex Sherff
- Cnicus hawaiensis* 963, Hawaii = *Cirsium arvense* L. ? fide Rock
- Crepis molokaiensis* 974, 976, Molokai = *Hypochoeris radicata* L.
- Dubautia Faurie* 920, Maui - *D. laxa* H. & A., var. *hirsuta* Hbd.
- Lipochaeta asymmetrica* 960, Oahu = *Bidens asymmetrica* (Lévl.) Sherff
- L. Fauriei* 1,012, Kauai
- L. variolosa* 1,008, 1,009, Molokai, Kauai = *L. succulenta* (H. & A.) DC., Gardner chose 1,008 as lectotype.
- Raillaria Fauriei* 1,015, Hawaii = *R. ciliolata* DC., var. *laxiflora* (DC.) Sherff

Literature Cited

Léveillé, (Augustin Abel) Hector

1911. *Plantae novae sandwicenses*, Fedde Repert. 10: 120-124; 149-157.
- 1911a. *Decades plantarum novarum LXXV-LXXIX*, Fedde Repert. 10: 373; LXXX-LXXVI: 442-444; LXXXVII-LXXXVIII: 476.
1912. *Decades plantarum novarum LXXXIX*, Fedde Repert. 32; XC-XCII: 63.
1913. *Decades plantarum novarum CXXVI*, Fedde Repert. 12: 505-506.



BHL

# Biodiversity Heritage Library

St. John, Harold. 1980. "Evaluation of H. Léveillé's new Hawaiian species. Hawaiian plant studies 76." *Phytologia* 45(3), 289–294.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/48954>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/219799>

## Holding Institution

New York Botanical Garden, LuEsther T. Mertz Library

## Sponsored by

The LuEsther T Mertz Library, the New York Botanical Garden

## Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Phytologia

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.