# Notes on Acacia (Leguminosae: Mimosoideae) in Central Australia

### B.R. Maslin

Western Australian Herbarium, George Street, South Perth, Western Australia 6151

#### Abstract

Maslin, B.R. Notes on Acacia (Leguminosae: Mimosoideae) in Central Australia. Nuytsia 6(1):33-34 (1987). A new name, A. desmondii Maslin, is provided for the later homonym, A. nelsonii Maslin. A new subspecies, A. macdonnelliensis subsp. teretifolia Maslin, endemic in the Rawlinson Range-Petermann Range area, is described.

#### Introduction

The purpose of this paper is to provide names for two taxa intended for inclusion in the forthcoming second edition of the Flora of Central Australia.

Acacia desmondii Maslin, nom. nov.

Based on A. nelsonii Maslin, J. Adelaide Bot. Gard. 2: 314 (1980), non Staff., J. Wash. Acad. Sci. 4: 363 (1914).

The new epithet, as with the replaced synonym, honours Desmond J. Nelson. The species is described in Maslin (1980).

Acacia macdonnelliensis Maconochie subsp. teretifolia Maslin, subsp. nov.

Acacia macdonnelliensis subsp. teretifolia; differt a subsp. macdonnelliensis phyllodiis teretibus.

Typus: 6 km W of Docker River, just W of the W.A./N.T. border, Western Australia, 28 June 1983, A. Kalotas 1570 (holo: PERTH; iso: NT).

Selected specimens examined. WESTERN AUSTRALIA: Schwerin Mural Crescent, near Rebecca Hill, D.J. Edinger 124 (PERTH); Bungabiddy Rockhole, Walter James Range, A.S. George 12071 (NT, PERTH); Rawlinson Range, c. 3 km due N of Giles Meteorological Station, S. Midgley 578 (PERTH).

NORTHERN TERRITORY: E of Dean Range, Learmonth Park, A. Kalotas 1552 (NT, PERTH); c. 11 km N of Wangkari (Mount Bearteaux), A. Kalotas 1558 (NT, PERTH).

Distribution. Rawlinson Range (W.A.) east to the Petermann Range (N.T.). The typical subspecies occurs mainly in the Macdonnell Range, N.T., about 300 km NE of the Petermann Range with a few scattered occurrences between the two ranges; it is rare in W.A. having been recorded only from the Pollock Hills, about 250 km N of the Rawlinson Range.

Subspecies *teretifolia* is readily distinguished from subsp. *macdonnelliensis* by its terete phyllodes. Except for this character and also its often shorter racemes (1-5 mm long compared with 4-12 mm long) the new subspecies appears indistinguishable from the typical subspecies. The two subspecies grow in rocky ranges and their geographical distributions are not known to overlap.

The new subspecies is similar to A. tenuissima F. Muell. on account of its filiform phyllodes, spicate inflorescences and long, narrow legumes. It can, however, be distinguished in the following ways: branchlets sometimes hoary and not marked with such obvious crenulated resin-ribs, peduncles shorter, spikes longer, calyx smaller and villous, arils whitish. Descriptions of both A. tenuissima and A. macdonnelliensis are given in Maslin (1981).

## References

Maslin, B.R. (1980). Acacia (Leguminosae-Mimosoideae): a contribution to the Flora of Central Australia. J. Adelaide Bot. Gard. 2: 301-321.

Maslin, B.R. (1981). Acacia. In J. Jessop (ed.). "Flora of Central Australia." (A.H. & A.W. Reed: Sydney.)



Maslin, B. R. 1987. "Notes on Acacia (Leguminosae: Mimosoideae) in central Australia." *Nuytsia: journal of the Western Australian Herbarium* 6(1), 33–34. <a href="https://doi.org/10.58828/nuy00126">https://doi.org/10.58828/nuy00126</a>.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/223986">https://www.biodiversitylibrary.org/item/223986</a>

**DOI:** https://doi.org/10.58828/nuy00126

Permalink: <a href="https://www.biodiversitylibrary.org/partpdf/229876">https://www.biodiversitylibrary.org/partpdf/229876</a>

## **Holding Institution**

Western Australian Herbarium

## Sponsored by

Atlas of Living Australia

# **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder.

License: <a href="http://creativecommons.org/licenses/by-nc-sa/4.0/">http://creativecommons.org/licenses/by-nc-sa/4.0/</a>

Rights: <a href="https://biodiversitylibrary.org/permissions">https://biodiversitylibrary.org/permissions</a>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <a href="https://www.biodiversitylibrary.org">https://www.biodiversitylibrary.org</a>.