

Verzeichniss der Neuropteren Deutschlands (1), Oesterreichs (2) und der Schweiz (3).

Von M. Rostock, Dretschen (Sachsen).

I. Trichoptera.

A. Phryganeidae.

1. Neuronia Leach.

1. ruficus Scop. —
striata Burm.
striata L. Wgr.
2. reticulata L. —
3. clathrata Kol. — 1. Bor. 2. 3.
4. phalaenoides L. — 1. Bor. or.

2. Phryganea L.

5. grandis L. —
6. striata L. —
bipunctata Retz.
7. varia F. —
8. obsoleta Hg. — 1. Sa. Bav.
Bor. 2. 3.
9. minor Ct. — 1. Sa. Bav. Bor.
2. Ca.

3. Agrypnia Ct.

10. picta Kol. — 1. Sa. Si. Bor. or.
11. Pagetana Ct. —

B. Limnophilidae.

4. Colpotaulius Kol.

12. incisus Ct. — 1. Sa. Bor. or. 2. 3.
excisus Kol.

5. Grammotaulius Kol.

13. nitidus Müll. — 1. Sa. 2.
14. atomarius F. —

6. Glyphotaelius St.

15. punctato-lineatus Retz. — 1.
Bor. Si.
umbraculum Kol.
16. pellucidus Retz. — 1. Sa. 2. 3.

7. Limnophilus Leach.

17. rhombicus L. —
18. borealis Ztt. — 1. bor. or.
pavidus Hg.
19. flavicornis F. —

20. decipiens Kol. — 1. Sa. 2. 3.
21. marmoratus Ct. — 1. Si. 2. 3.
22. stigma Ct. — 1. Sa. 3.
grisea L. Wgr.
23. xanthodes M'L. — 1. Bor. or. Si.
borealis Kol. Br. Pos. 2.
24. lunatus Ct. —
vitratu Br.
25. subcentralis Hg. —
26. germanus M'L. — 1. Bav. 2.
affinis Hg.
27. elegans Ct. — 1. Bor.
28. politus M'L. — 1. Sa. 2.
vibex Br.
29. fuscinervis Ztt. — 1. Bor. Si.
vulsella Kol.
30. ignavus Hg. — 1. Sa. Bav.
Si. 2. 3.
31. nigriceps Ztt. — 1. Sa. 2. 3.
striola Br.
32. centralis Ct. — 1. Sa. 3.
flava L. Wgr.
33. vittatus F. —
34. affinis Ct. — 1. Sa. Si. 2.
35. auricula Ct. —
fenestratus Br.
36. griseus L. —
bimaculata L. Wgr.
37. bipunctatus Ct. —
tuberculatus Br.
38. despectus Walk. — 1. Bor. or.
39. extricatus M'L. —
40. hirsutus P. — 1. Sa. Bav. 3.
41. sparsus Ct. —
punctatissimus Br.
instillatus Wgr.
42. dispar M'L. — 1. Si. Pos.
nigridorsus Kol.
43. fuscicornis Rb. — 1. Sa. 2.
cingulatus Br.

8. *Anabolia* St.

44. *nervosa* Leach. — 1. Sa. 3.
 45. *soror* M'L. — 1. Pos.
 46. *sororcula* M'L. — 1. Bor. or.
 47. *laevis* Ztt. — 1. Sa. Bav. Si.
 Bor. 2.

furcata Hg.

9. *Phacopteryx* Kol.

48. *brevipennis* Ct. — 1. Si. Bor. or.
granulata Kol.

10. *Anisogamus* M'L.

49. *difformis* M'L. — 2. 3.
 50. *noricanus* M'L. — 2.

11. *Acrophylax* Br.

51. *zerberus* Br. — 2. 3.

12. *Asynarchus* M'L.

52. *coenosus* Ct. — 1. Sa. Si. 2. 3.
arcticus Kol.
var. paludum Kol.

13. *Stenophylax* Kol.

53. *alpestris* Kol. — 1. Si. 2. 3.
 54. *pivicornis* P. —
puberula Br.
 55. *montivagus* M'L. — 2.
 56. *consors* M'L. — 2.
 57. *dubius* St. — 1. Bor. Westph.
 58. *infumatus* M'L. — 1. Sa.
 59. *rotundipennis* Br. — 1. Sa. Bav.
 Pos. 2. 3.

60. *nigricornis* P. — 1. Bor. Si. 2.
areata Br.
var. testacea Ztt. — 2.

61. *stellatus* Ct. — 2. 3.
 62. *latipennis* Ct. — 1. Sa. Si. 2. 3.
pantherina Br.

63. *luctuosus* Piller. — 1. Sa. Si. 2.
gigantea Br.

64. *concentricus* Ztt. —
hieroglyphica Br.

65. *speluncarum* M'L. — 2.
 66. *vibex* Ct. — 1. Strassburg,
 Riesengeb.

67. *mitis* M'L. — 2.

68. *mucronatus* M'L. — 3.

14. *Micropterna* Stein.

69. *sequax* M'L. — 1. Si. 3.
striata P.
 70. *lateralis* St. — 1. Sa. 2. 3.
 71. *testacea* Gm. — 1. Altvater,
 Harz. 3.
 72. *nycterobia* M'L. — 2. 3.
pilosa Br.

15. *Platyphylax* M'L.

73. *Frauenfeldi* Br. — 2.
 74. *pallescens* M'L. — 3.

16. *Halesus* St.

75. *interpunctatus* Ztt. — 1. 2. 3.
 76. *tesselatus* Rb. — 1. Sa. Bav. Pos.
 77. *digitatus* Schr. —
 78. *ruficollis* P. — 3.
var. melancholicus M'L. — 2.
 79. *antennatus* M'L. — 3.
 80. *hilaris* M'L. — 3.
 81. *uncatus* Br. — 1. Si. 2.
nigricornis Kol.
 82. *mendax* M'L. — 3.
 83. *auricollis* P. — 1. Sa. Bav. 2. 3.
nigricornis Br.
 84. *Melampus* M'L. — 3.
 85. *moestus* M'L. — 1. Si. 2. (Elbfall).
 86. *rubricollis* P. — 3.
 87. *guttatipennis* M'L. — 3.
mucoreus M'L. 1876.
 88. *nepos* M'L. — 1. Si.
guttatipennis Stein. M'L. 1876.

17. *Metanoea* M'L.

89. *flavipennis* P. — 1. Bav. Harz.
 2. 3.

18. *Anomalopteryx* Stein.

90. *Chauviniana* Stein. — 1. Si.

19. *Drusus* St.

91. *discolor* Rb. — 1. Sa. Si. 2. 3.
flavipennis Br.
 92. *chrysotus* Rb. — 2. 3.
 93. *destitutus* Kol. — 1. Si. 2.
adustus M'L.
 94. *trifidus* M'L. — Si. Bav. Bad. 2. 3.

95. *mixtus* P. — 3.
sericea P.
 96. *alpinus* MD. — 3.
 97. *monticola* M'L. — 2. 3.
 98. *Mülleri* M'L. — 3.
 99. *nigrescens* MD. — 3.
 100. *Melanchaetes* M'L. — 2. 3.
 101. *annulatus* St. — 1. Sa.
flavipennis Hg.
 20. *Peltostomis* Kol.
 102. *sudetica* Kol. — 1. Si. Sa.
 21. *Cryptothrix* M'L.
 103. *nebulicola* Hg. — 2. 3.
 22. *Potamorites* M'L.
 104. *biguttatus* P. — 1. Bav. 2. 3.
limnophiloides Br.
 23. *Ecclisopteryx* Kol.
 105. *guttulata* P. — 1. Sa. 2. 3.
dalecarlica Kol.
 106. *madida* M'L. — 1. Si. 2.
 24. *Chilostigma* M'L.
 107. *Sieboldi* Hg. — 1. Bor. Danzig 2.
 25. *Psilopteryx* Stein.
 108. *Zimmeri* M'L. — 1. Sa. 3.
 109. *psorosa* Kol. — 1. Altvater.
 26. *Chaetopteryx* St.
 110. *villosa* F. —
tuberculosa P.
 111. *fusca* Br. — 2.
 112. *obscurata* M'L. — 3.
 113. *clara* M'L. — 2.
 114. *Gessneri* M'L. — 3.
 115. *major* M'L. — 1. Sa. 2. 3.
villosa Br.
 27. *Chaetopterygopsis* Stein.
 116. *Maclachlani* Stein. — 1. Sa.
 Si. 2.
 28. *Enoicyla* Rb.
 117. *pusilla* Burm. — 1. Sa. Bav. 2. 3.
 118. *amoena* Hg. — 3.
 29. *Apatania* Kol.
 119. *fimbriata* P. — 1. Sa. Si. 2. 3.
Hageni Kol.

120. *muliebris* M'L. — 3.

C. *Sericostomidae*.

30. *Sericostoma* Latr.
 121. *personatum* Kby. et Spence. —
collare Br.
var. multiguttatum P.
 122. *carinthiacum* M'L. — 2.
 123. *timidum* Hg. — 1. Bav. 2.
 124. *faciale* M'L. — 3.
 125. *indivisum* M'L. — 1. Pom.
 Elberfeld.
 31. *Oecismus* M'L.
 126. *monedula* Hg. — 1. Sa. Tau-
 nusgeb.
 32. *Notidobia* St.
 127. *ciliaris* L. —
 33. *Goëra* Leach.
 128. *pilosa* F. —
capillatum Br.
 34. *Lithax* M'L.
 129. *niger* Hg. — 1. Sa. Si. Bad.
 2. 3.
 130. *obscurus* Hg. — 1. Sa. Bor.
 35. *Silo* Ct.
 131. *pallipes* F. —
 132. *piceus* Br. — 1. Bav. Bad.
obtusum Hg. Si. Harz. 2. 3.
 133. *nigricornis* P. — 1. Sa. Pos
 2. 3.
fumipennis M'L.
 134. *duplex* Hg. — 1. Si.
 36. *Brachycentrus* Ct.
 135. *subnubilis* Ct. — 1. Sa. 2.
verna Br.
 37. *Oligoplectrum* M'L.
 136. *maculatum* P. — 1. Sa. Bav. 2. 3.
pulchellum Rb.
 38. *Micrasema* M'L.
 137. *morosum* M'L. — 2. 3.
 138. *microcephalum* P. — 3.
 139. *nigrum* Br. — 1. Sa. 2.
 140. *setiferum* P. — 3.

141. longulum M'L. — 1. Sa. Si.
 142. minimum M'L. — 1. Sa. Bav. 2.
 exiguum M'L.

39. *Crunoecia* M'L.

143. irrorata Ct. — 1. Sa. 3.

40. *Lepidostoma* Rb.

144. hirtum F. — 1. Sa. 2.

41. *Lasiocephala* Costa.

145. basalis Kol. — 1. Sa. 2. 3.

D. *Leptoceridae*.

42. *Beraea* St.

146. pullata Ct. — 1. Sa. Si. Bav. 2.
 melas P. (n. Br.)
 aterrima Br.

147. maurus Ct. — 1. Sa. Bav. 3.

148. articularis P. — 1. Si. 2.

149. vicina M'L. — 1. Bav. 2.
 barbata Hg.

150. minuta L. — 1. Sa. 2.
 (Beraeodes minuta Eat.)

43. *Odontocerum* Leach.

151. albicorne Scop. — 1. Sa. 2. 3.

44. *Molanna* Ct.

152. angustata Ct. 1. Sa.

45. *Molannodes* M'L.

153. Zelleri M'L. — 1. Sa. Si. Pos.

154. Steini M'L. — 1. Si.

46. *Leptocerus* Leach.

155. nigronevrosus Retz. — 1. Sa. 2.
 nevrosus F.

156. fulvus Rb. — 2. 3.
 grossus M'L.

157. senilis Burm. — 1. Sa.
 fulvus M'L.

158. alboguttatus Hg. — 1. Sa.
 bimaculatus St.

159. annulicornis St. — 1. Sa.

160. aterrimus St. — 1. Sa. 2. 3.
 var. tinecides Br. — 1. Sa. 2.

161. cinereus Ct. — 1. Sa. 3.
 var. bifasciatus Kol.

162. albifrons L. —

163. commutatus M'L. — 1. Sa.

164. bilineatus L. —
 bifasciatus Oliv.

165. aureus P. — 3.

166. dissimilis St. — 1. Sa.
 sericeus Kol.

167. riparius Alb. — 1. Sa. Rh.

47. *Mystacides* Latr.

168. nigra L.

atra P.

169. azurea L.

nigra P.

170. longicornis L.

quadrifasciatus F. Br.

171. concolor Burm. — 1. Halle.

172. monochroa M'L. — 3.

48. *Homilia* M'L.

173. leucophaea Rb. = ♂. — 1.
 Sa. 3.

subfasciata Rb. = ♀.

49. *Triaenodes* M'L.

174. bicolor Ct. — 1. Sa. 2. 3.

fusca Br.

175. conspersa Rb. — 1. Sa. Si. 3.

50. *Adicella* M'L.

176. reducta M'L. — 1. Sa. 3.

177. filicornis P. — 1. Sa. Si. 2. 3.

moestella M'L.

eremita Stein.

51. *Oecetis* M'L.

178. ochracea Ct. — 1. Sa. 2.

179. furva Rb. — 1. Sa.

intaminata M'L.

180. lacustris P. —

181. notata Rb. — 1. Sa. Si.

182. testacea Ct. — 1. Sa. 3.

183. tripunctata F. — 1. Sa. Si. Bav.
 punctatella Rb.

52. *Setodes* Rb.

184. tineiformis Ct. — 1. Sa. 3.

185. interrupta F. —

186. punctata F. — 1. Sa. Si. Rh. 3.
 hiera Kol.

187. *viridis* Geoffr. — 1. Sa. Si. 3.
punctata Rb.

E. **Hydropsychidae.**

53. *Hydropsyche* P.

188. *pellucidula* Ct. — 1. Sa. 2. 3.
maxima Br.
 189. *fulvipes* Ct. — 1. Sa. 2.
 190. *angustipennis* Ct. —
 191. *bulbifera* M'L. — 1. Sa. Bav. 2.
nebulosa Br.
 192. *ornatula* M'L. — 1. Si. Bav. 3.
atomaria P.
 193. *guttata* P. — 1. Sa. 2.
Danubii Br.
 194. *instabilis* Ct. — 1. Sa. 3.
 195. *lepidula* P. —

54. *Diplectrona* Westw.

196. *felix* M'L. — 1. Sa.
flavomaculata St.
 197. *atra* M'L. — 2.
 55. *Philopotamus* Leach.
 198. *ludificatus* M'L. —
montanus Br.
 199. *montanus* Don. —
tigrinus Br.
scopulorum Leach. M'L.

200. *variegatus* Scop. — 1. Sa. Si.
 2. 3.

56. *Dolophilus* M'L.

201. *copiosus* M'L. — 1. Bav. 2.
 202. *pullus* M'L. — 1. Sa. Si. (Riesengeb.) 2.

57. *Wormaldia* M'L.

203. *occipitalis* P. — 1. Sa. 2. 3.
 204. *subnigra* M'L. — 1. Sa. Si.
 Rh. 2.

58. *Neureclipsis* M'L.

205. *bimaculata* L. M'L. — 1. Sa. 3.
tigurinensis F.

59. *Plectrocnemia* St.

206. *conspersa* Ct. —
senex Br.
 207. *geniculata* M'L. — 1. Si. 3.

208. *brevis* M'L. — 3.

60. *Polycentropus* Ct.

209. *flavomaculatus* P. —
 210. *multiguttatus* Ct. —
irrorata Br.

61. *Holocentropus* M'L.

211. *dubius* Rb. —
subnebulosus M'L.
 212. *picicornis* St. — 1. Sa. Si.
 213. *auratus* Kol. — 1. Sa. Si.
 214. *stagnalis* Alb. — 1. Rh.

62. *Cyrnus* St.

215. *trimaculatus* Ct. —
 216. *flavidus* M'L. — 1. Sa.
 217. *crenaticornis* Kol. — 1. Pos.

63. *Ecnomus* M'L.

218. *tenellus* Rb. —

64. *Tinodes* Leach.

219. *Waeneri* L. — 1. Sa. 3.
luridus Ct.
 220. *aureola* Ztt. — 1. Si.
pusilla M'L.
 221. *maculicornis* P. — 3.
 222. *unicolor* P. — 3.
 223. *pallidula* M'L. — 1. Sa.
 224. *Zelleri* M'L. — 2.
 225. *Rostocki* M'L. — 1. Sa. Si.
 226. *dives* P. — 1. Si. 2. 3.
Schmidtii Kol.

65. *Lype* M'L.

227. *phaeopa* St. — 1. Sa. 3.
 228. *reducta* M'L. — 1. Si. Sa. 2. 3.
 229. *fragilis* P. — 3.
urbana P.
 230. *sinuata* M'L. — 2.
melas Br. (n. P.)

66. *Psychomia* Latr.

231. *pusilla* F. —
annulicornis P.

F. **Rhyacophilidae.**

67. *Rhyacophila* P.

232. *torrentium* P. — 1. Bav. 2.

233. Albardana M'L. — 3.
 234. dorsalis Ct. — 1. Bad. Si. 3.
 235. Palmeni M'L. — 2.
 236. obtusidens M'L. — 3.
 vulgaris P.
 237. persimilis M'L. — 1. Si. Bav.
 2. 3.
 vulgaris Br.
 238. nubila Ztt. — 1. Sa. Si. Rh.
 pauper Hg.
 239. fasciata Hg. — 1. Rh.
 240. septentrionis M'L. — 1. Sa.
 Si. 2.
 ferruginea Hg.
 241. oblitterata M'L. — 1. Sa.
 242. Hageni M'L. — 1. Sa. Si.
 243. praemorsa M'L. — 1. Sa. Si. 3.
 244. aurata Br. — 1. Bav. 2. 3.
 245. intermedia M'L. — 2.
 246. proxima M'L. — 3.
 247. Pascoei M'L. — 3.
 248. vulgaris P. — 1. Bav. Si. 2. 3.
 venusta P. MS.
 249. Rougemonti M'L. — 3.
 250. tristis P. — 1. Sa. 2. 3.
 umbrosa Br.
 251. aquitana M'L. — 2.
 252. pubescens P. — 3.
 253. glareosa M'L. — 1. Bav. 2.
 254. producta M'L. — 2.
 255. Meyeri M'L. — 3.
 256. stigmatica Kol. — 2.
 257. hirticornis M'L. — 2. 3.
 258. laevis P. — 3.
 68. Chimarra Leach.
 259. marginata L. —
 69. Glossosoma Ct.
 260. Boltoni Ct. — 1. Sa. 2. 3.
 fimbriata Br.
 261. vernale P. — 1. Bav. 2. 3.
 fimbriatum St.
 70. Agapetus Ct.
 262. fuscipes Ct. —
 tomentosa P.

263. nimbulus M'L. — 3.
 fuscipes MD.
 264. comatus P. — 1. Sa. 2. 3.
 265. laniger P. — 3.
 266. pactus M'L. — 1. Sa. Bad.
 Thur.
 71. Synagapetus M'L.
 267. iridipennis M'L. — 3.
 azurea P.
 268. dubitans M'L. — 3.
 72. Pseudagapetus M'L.
 269. armatus M'L. — 2.
 73. Ptilocolepus Kol.
 270. granulatus P. — 1. Sa. Bad.
 2. 3.
 turbidus Kol.

G. Hydroptilidae.

74. Agraylea Ct.
 271. multipunctata Ct. — 1. Sa.
 Bor. or.
 272. pallidula M'L. — 3.
 75. Hydroptila Dalm.
 273. sparsa Ct. — 1. Sa. 2.
 tinecides Br.
 274. occulta Eat. — 3.
 275. pulchricornis P. — 1. Sa.
 Bor. or.
 76. Ithytrichia Eat.
 276. lamellaris Eat. — 3.
 77. Staetobia M'L.
 277. Eatoniella M'L. — 3.
 78. Orthotrichia Eat.
 278. angustella M'L. — 1. Bor. 3.
 79. Oxyethira Eat.
 279. costalis Ct. — 1. Sa.

II. Planipennia.

1. Myrmeleontidae.

80. Acanthaclisis Rb.
 280. occitanica Vill. 1. Bor. bor. 3.
 81. Formicaleo Leach.
 281. tetragrammicus F. 1. Sa. 2.

82. Dendroleon Br.

282. pantherinus F. 1. Darmstadt 2.

83. Myrmeleon L.283. europaeus M'L. — 1. Sa. 2. 3.
formicarius aut.284. formicarius L. — 1. Sa. 2. 3.
formicalynx Br.**84. Ascalaphus F.**

285. macaronius Scop. — 2. 3.

286. coccajus W. V. — 1. Thur.
B. 2. 3.

287. longicornis. — 2. Görz.

85. Mantispa Illig.

288. styriaca Poda. — 2.

2. Osmylidae.**86. Osmylus Latr.**

289. maculatus F. —

87. Sisyr Burm.

290. fuscata F. — 1. Sa. 2.

291. Dalii M'L. — 1. Sa.

292. terminalis Ct. — 1. Sa.

88. Psectra Hg.

293. diptera Burm. — 1.

3. Hemerobidae.**89. Micromus Rb.**294. aphidivorus Schr. — 1. Sa. 2. 3.
villosus Br.

295. paganus L. —

296. variegatus F. —

90. Hemerobius L.

297. elegans Ct. —

pygmaeus Rb. Br.

298. pellucidus Walk. — 1. Sa. 3.

299. inconspicuus Walk. — 1. Sa.

300. micans Oliv. —

301. Numuli L. —

302. orotypus Wgr. — 1. Sa.

303. marginatus St. — 1. Sa. 2.

304. strigosus Ztt. —

limbatus Wesm.

305. limbatellus Ztt. — 1. Sa. 2.

punctatus Gözsy.

306. fasciatus Gözsy. — 1. Sa. 2.

307. atrifrons M'L. — 1. Sa.

308. pini St. — 1. Sa. 2. 3.

309. subnebulosus St. — 1. Sa.

310. nervosus F. —

311. concinnus St. — 1. Sa. 2. 3.
cylindripes Wesm.

312. nitidulus F. —

313. longifrons Walk. — 1. Si. 2.

91. Megalomus Rb.

314. hirtus L. —

92. Drepanopteryx Burm.

315. phalaenoides L. —

316. algida Erichs. — 1. Sa. Si.
Kollari Gözsy.**4. Chrysopidae.****93. Hypochrysa Hg.**

317. nobilis Heyd. — 1. Harz. 2. 3.

94. Nothochrysa M'L.

318. fulviceps St. — 1. Taunus. 2.

319. capitata F. — 1. 2.

320. Behni Beuth. — 1. Hamburg.

95. Chrysopa Leach.

321. abbreviata Ct. — 1. Sa. 2. 3.

322. abdominalis Br. — 1. Sa. 2.

323. alba L. —

324. aspersa Wesm. —

prasina Burm.

325. dorsalis Burm. — 1. Sa. Si. 2.

var. pini Br.

326. flava Scop. — 1. Sa. Si. 2.

vittata Br.

327. flavifrons Br. — 2. 3.

328. formosa Br. — 1. Sa. Si. 2.

329. gracilis Heyd. — 1. Sa. 2. 3.

tricolor Br.

330. microcephala Br. — 2. 3.

331. Heydeni Schn. — 1. Sa. 2.

nigricostata Br.

332. pallida Schn. — 1. Sa. Si. 2.

333. perla L. —

334. phyllochroma Wesm. —

335. septempunctata Wesm. —

336. tenella Schn. — 1. Si. 2.

337. ventralis Ct. — 1. Sa. 2.

338. vittata Wesm. —
 integra Br.

339. vulgaris Schn. —

340. Walkeri Br. — 1. Si. 2.

5. Coniopterygidae.

96. Coniopteryx Hal.

341. aleyrodiformis St. — 1. Sa. 3.

342. psociformis Ct. — 1. Sa. 2. 3.

343. tineiformis Ct. —

6. Sialidae.

97. Sialis Latr.

344. flavilatera L. Kolbe. —
 lutaria aut.

345. fuliginosa P. —

7. Raphididae.

98. Raphidia L.

346. Schneideri Ratz. — 1. Sa. 3.

347. ophiopsis L. —

348. notata F. — 1. Sa. Si. 2. 3.
 media Burm.

349. xanthostigma Schum. —

350. affinis Schn. —
 baetica Br.

351. laticeps Wgr. —
 notata Br.

352. bavarica Hg. — 1. Bav.

353. cognata Rb. — 3.

354. Ratzeburgi Br. — 2. 3.

99. Inocellia Schn.

355. crassicornis Schum. — 1. Sa.
 Si. 2.

8. Panorpidae.

100. Panorpa L.

356. alpina Rb. — 1. Sa. Si. 2. 3.
 variabilis Br.

357. communis L. —

358. germanica L. —
 montana Br.

359. vulgaris Imh. — 3.

360. hybrida M'L. — 1. Sa.

361. cognata Rb. — 1. Sa. 2. 3.
 germanica Br.

101. Bittacus Latr.

362. tipularius F. — 2. 3.

363. Hageni Br. — 1. Hoym. 2.

102. Boreus Latr.

364. hiemalis L. — 1. Sa. Si. 2. 3.

365. Westwoodii Hg. — 1.

366. Gigas Br. — 1. Harz.

III. Odonata.

103. Leucorrhinia Britt.

367. pectoralis Ch. — 1. Sa. W. 2. 3.

368. rubicunda L. — 1. Sa. W. 2. 3.

369. dubia Vand. — 1. W. 2. 3.

370. albifrons Burm. — 1. 2. 3.

371. caudalis Ch. — 1. 2. 3.

104. Sympetrum Newm.

372. vulgatum L. —

373. striolatum Ch. —

374. meridionale Sel. — 1. mer. 2. 3.

375. Fonscolombii Sel. — 1. W. 2. 3.

376. flaveolum L. —

377. scoticum Don. —

378. sanguineum Müll. —

379. depressiusculum Sel.

380. pedemontanum All. — 1. Sa.
 2. 3.

105. Libellula L.

381. quadrimaculata L. —

382. depressa L. —

383. fulva Müll. — 1. 2. 3.

106. Orthetrum Newm.

384. cancellatum L. — 1. Sa. W. 2. 3.

385. coerulescens F. — 1. Sa. 2. 3.

386. brunneum Fons. — 2. 3.

387. albistylum Sel. — 2.

107. Crocothemis Br.

388. erythraea Brullé. — 2.

108. Cordulia Leach.

389. aenea L. —

109. Epithea Ch.

390. bimaculata Ch. — 1. Si. W. 2.

391. metallica Vand. — 1. Sa. W.
 2. 3.

392. *arctica* Ztt. — 1. 2. 3.
 393. *alpestris* Sel. — 1. Sa. 2. 3.
 394. *flavomaculata* Vand. — 1. 2. 3.
 110. *Anax* Leach.
 395. *formosus* Vand. — 1. Sa. W
 2. 3.
 396. *Parthenope* Sel. — 1. 2.
 111. *Cyrtosoma* Sel.
 397. *ephippigerus* Burm. — 2.
 112. *Brachytron* Evans.
 398. *pratense* Müll. — 1. W. 2. 3.
 113. *Aeschna* F.
 399. *cyanea* Latr. —
 400. *junceae* L. — 1. Sa. 2. 3.
 401. *mixta* Latr. —
 402. *grandis* L. —
 403. *affinis* Vand. — 1. Si. 2. 3.
 404. *rufescens* Vand. — 1. W. 2. 3.
 405. *borealis* Ztt. — 1. Si. 2.
 406. *alpina* Sel. — 3.
 407. *viridis* Evers. — 1. Si. 2. 3.
 114. *Onychogomphus* Sel.
 408. *uncatus* Ch. — 2.
 409. *forcipatus* L. — 1. Sa. W. 2. 3.
 115. *Ophiogomphus* Sel.
 410. *serpentinus* Ch. — 1. Sa. W.
 2. 3.
 116. *Gomphus* Leach.
 411. *vulgatissimus* L. —
 412. *pulchellus* Sel. — 3.
 413. *flavipes* Ch. — 2. 3.
 117. *Cordulegaster* Leach.
 414. *annulatus* Latr. — 1. Sa. 2.
 415. *bidentatus* Sel. — 1. Sa. 2.
 118. *Calopteryx* Leach.
 416. *virgo* L. —
 417. *splendens* Harr. —
 119. *Lestes* Leach.
 418. *viridis* Vand. —
 419. *nympha* Sel. —
 420. *sponsa* Hans. —
 421. *virens* Ch. —
 422. *barbara* F. —

120. *Sympyena* Ch.
 423. *fusca* Vand.
 121. *Platynemis* Ch.
 424. *pennipes* Pall. —
 122. *Nehallenia* Sel.
 425. *speciosum* Ch. — 1. Si. Bor.
 or. 3.
 123. *Erythromma* Ch.
 426. *najas* Hans. —
 427. *viridulum* Ch. — 1. Si. W.
 124. *Pyrrhosoma* Ch.
 428. *minium* Harr. —
 429. *tenellum* Vand. — 3.
 125. *Ischnura* Ch.
 430. *pumilio* Ch. —
 431. *elegans* Vand. —
 126. *Agrion* Sel.
 432. *armatum* Heyer. — 1. bor.
 433. *pulchellum* Vand. —
 434. *puella* L. —
 435. *ornatum* Heyer. — 1. Sa. W. 2.
 436. *cyathigerum* Ch. —
 437. *hastulatum* Ch. —
 438. *lunulatum* Ch. — 1. Si. 2. 3.
 439. *mercuriale* Ch. — 1. bor. Bav.
 2. 3.
 440. *Lindenii* Sel. — 1. W. 2.

IV. Ephemeridae.

127. *Oligoneuria* P.
 441. *rhenana* Imh. — 3.
 128. *Polymitarcys* Eat.
 442. *virgo* Oliv. — 1. Sa. 2.
 horaria Burm.
 129. *Palingenia* Burm.
 443. *longicauda* Oliv. — 1. Elbing.
 130. *Ephemera* L.
 444. *vulgata* L. — 1. Sa. 2.
 445. *danica* Müll. — 1. Sa. 2. 3.
 446. *lineata* Eat. — 2. 3.
 447. *glaucops* P. —
 131. *Potamanthus* P.
 448. *luteus* L. — 1. Sa. 3.

132. *Leptophlebia* Westw.
449. *marginata* L. — 1. Sa. 3.
 reticulata Burm.

450. *helvipes* St. —
 Geerii Br.

451. *castanea* P. — 3.
452. *cincta* Retz. —

133. *Halecophlebia* Eat.
453. *Picteti* Eat. — 1. Sa. 2. 3.
 marginatus P.

454. *fusca* Ct. — 2. 3.
455. *mesoleuca* Br. — 1. Sa. 2.

134. *Caenis* St.
456. *macrura* St.
 grisea Br.
457. *dimidiata* St. — 1. Sa.
458. *chironomiformis* Ct. — 3.
459. *luctuosa* Burm. — 1. 3.

135. *Ephemerella* Walsh.
460. *ignita* Poda. — 1. Sa. 3.
461. *gibba* P. — 2. 3.
462. *aenea* P. — 3.

136. *Cloëon* Leach.
463. *dipterum* L. —
464. *rufulum* Müll. — 1. Sa. 3.

137. *Centropilum* Eat.
465. *luteolum* Müll. — 1. Sa. 3.
466. *pennulatum* Eat. — 1. Sa.
467. *litratum* P. — 3.
468. *stenopteryx* Eat. — 2.

138. *Baëtis* Leach.
469. *bioculatus* L. —
470. *finitimus* Eat. — 3.
471. *Rhodani* P. —
472. *phaeops* Eat. — 1. Sa. 3.
473. *tenax* Eat. — 1. Sa.
474. *amicus* Eat. — 3.
475. *pumilus* Burm. —

139. *Isonychia* Eat.
476. *ignota* Walsh. — 1. Sa.
 ferruginea Alb.

140. *Heptagenia* Walsh.
477. *semicolorata* Ct. — 1. Sa. 2. 3.

478. *nivata* Eat. — 3.
479. *flavipennis* Duf. — 1. Sa.
480. *flava* Rost. — 1. Sa.
481. *elegans* Ct. —
 sulphurea P.
482. *fluminum* P. — 1. Sa. 2. 3.
483. *coerulans* Rost. — 1. Sa.
484. *volitans* Eat. — 1. Sa.
485. *alpicola* Eat. — 2. 3.
486. *iridana* Kol. — 1. Si.
487. *aurantiaca* Burm. — 1. Sa. 3.
488. *venosa* F. —
489. *forcipula* P. — 1. Sa. 2. 3.
490. *montana* P. — 2. 3.
491. *lateralis* Ct. — 2. 3.
492. *obscura* P. — 3.
493. *purpurascens* P. — 2. 3.

V. Perlidae.

141. *Dictyopteryx* P.
494. *intricata* P. — 1. Si. 2. 3.
495. *microcephala* P. — 1. Sa. 2. 3.
 dispar Rb.
496. *alpina* P. — 1. 2. 3.
497. *Imhoffii* P. — 3.
142. *Isogenus* Newm.
498. *nubecula* Newm. —
 parisina et proxima Rb.
143. *Perla* Geoffr.
499. *maxima* Scop. — 1. Sa. 2. 3.
 bicaudata L.
 grandis Rb.
500. *marginata* Panz.
501. *cephalotes* Ct. — 1. Sa. 2. 3.
502. *pallida* Guer. — 3.
503. *abdominalis* Burm. —
504. *vitripennis* Burm. = ♀. 1. Sa.
 bicolor Burm. = ♂.
144. *Chloroperla* Newm.
505. *rivulorum* P. — 1. Sa. 2. 3.
506. *grammatica* Scop. —
 viridella Rb.
507. *griseipennis* P. — 1. Sa. 2. 3.
 rufescens St.
 venosa P.

508. *sudetica* Kol. — 1. Si.

145. *Isopteryx* P.

509. *torrentium* P. — 1. Sa. 2. 3.

510. *Burmeisteri* P. — 1. bor.

511. *tripunctata* Scop. —
flaveola Rb.

512. *neglecta* Rost. — 1. Sa. Si.

513. *apicalis* Newm. —
pallidella Rb.

514. *serricornis* P. — 1.

515. *montana* P. — 3.

146. *Capnia* P.

516. *nigra* P. — 1. Sa. 2. 3.

147. *Taeniopteryx* P.

517. *nebulosa* L. — 1. Sa. 2. 3.

518. *trifasciata* P. —

519. *praetexta* Burm. — 1. 2. 3.

520. *monilicornis* P. — 1. Ba. 2. 3.

148. *Leuctra* St.

521. *fusciventris* St. — 2. 3.

522. *cylindrica* DG. —

523. *nigra* Oliv. —

149. *Nemura* Latr.

524. *variegata* Oliv. —
lunata Rb.

lutarius L. Kolbe.

525. *Meyeri* P. — 1. Sa. 3.

526. *lateralis* P. = ♂. 1. Sa. 2. 3.
nitida P. = ♀.

527. *marginata* P. — 1. 2. 3.

528. *humeralis* P. — 2. 3.

529. *cinerea* Oliv. —

530. *inconspicua* P. — 3.

VI. Psocidae.

150. *Atropos* Leach.

531. *divinatoria* Müll. —

532. *formicaria* Hg. — 1. Bor. or.

151. *Clothilla* Westw.

533. *pulsatoria* L. —

534. *annulata* Hg. — 1. Sa.

152. *Hyperetes* Kolbe.

535. *pinicola* Kolbe. — 1. W.

153. *Graphopsocus* Kolbe.
(*Stenopsocus* Hg.)

536. *cruciatus* L. —

var. *nervosus* St.

154. *Stenopsocus* Hg.

537. *immaculatus* St.

saltatrix L. Wgr.

538. *Lachlani* Kolbe. — 1. W.

539. *stigmaticus* Labr. et Imh. —
1. Sa. 3.

155. *Psocus* Latr.

540. *longicornis* F. —

saltatrix L. Kolbe.

541. *nebulosus* St. —

similis Br.

542. *morio* Latr. — 1. W.

543. *sexpunctatus* L. — 1. Sa. 3.

544. *bipunctatus* L. —

545. *quadrifasciatus* Latr. — 1. Sa.

156. *Amphigerontia* Kolbe.
(*Psocus* Latr.)

546. *fasciata* F. —

547. *variegata* F.

548. *bifasciata* Latr. — 1. Sa. 3.

549. *subnebulosa* St. — 1. Sa.

157. *Caecilius* Ct.

550. *pedicularius* L. —

domesticus Br.

var. *flavicans* L. Kolbe.

551. *quercus* Kolbe. — 1. W.

552. *obsoletus* St. — 1. Sa. W. 3.

553. *flavidus* St.

554. *Burmeisteri* Br. — 1. W.

pedicularius Burm.

555. *vittatus* Dalm. — 1. Sa. 3.

fuscopterus Latr. —

556. *pusillus* Müll. — 1. bor.

158. *Mesopsocus* Kolbe.
(*Elipsocus* Hg.)

557. *unipunctatus* Müll. —

159. *Philotarsus* Kolbe.
(*Elipsocus* Hg.)

558. *picicornis* F. Kolbe. — 1. Sa. 3.



Roschtock, Michael. 1881. "Verzeichniss der Neuropteren Deutschlands (1), Oesterreichs (2) und der Schweiz (3)." *Entomologische Nachrichten* 7, 217–228.

View This Item Online: <https://www.biodiversitylibrary.org/item/110225>

Permalink: <https://www.biodiversitylibrary.org/partpdf/239377>

Holding Institution

California Academy of Sciences

Sponsored by

California Academy of Sciences Library

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.