

XXII. *Description of the Ribes spicatum.* By Mr. Edward Robson, A. L. S.

Read July 7, 1795.

RIBES SPICATUM. Tab. 21.

RIBES inerme, spicis erectis, petalis oblongis, bracteis flore brevioribus.

Habitat in sylvis. Near Richmond in Yorkshire, and between Pierisbridge and Gainford, in the county of Durham. h. v.

DESCRIPT.

Frutex erectus, 4 seu 5 pedalis.

Caulis inermis, ramosissimus.

Rami alterni erecti.

Cortex fusco-cinereus.

Folia alterna, erecto-patentia, petiolata, subcordata, triloba quinquelobaque, rugosa, inæqualiter ferrata; ferraturis lobisque acutis: supra subglabra, subtus tomentosa, juniora tomentosiora, inodora.

Petoli subteretes, foliorum longitudine.

Spicæ solitariae, laterales numerosæ, erectæ, bracteatae, 1—1½ pollicem longæ.

Flores

Linn. Trans. III. tab. 21. p. 240.





Robson, Edward. 1797. "XXII. Description of the Ribes Spicatum." *Transactions of the Linnean Society of London* 3, 240–241.

<https://doi.org/10.1111/j.1096-3642.1797.tb00566.x>.

View This Item Online: <https://www.biodiversitylibrary.org/item/46221>

DOI: <https://doi.org/10.1111/j.1096-3642.1797.tb00566.x>

Permalink: <https://www.biodiversitylibrary.org/partpdf/24308>

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.