

INDEX TO VOLUME XVII

Illustrations are in **bold face** type

-
- | | |
|--|---|
| <p><i>Abies concolor</i>, 24, 27</p> <p>— <i>fraseri</i>, 27</p> <p><i>Acanthopanax sieboldianus</i>, 28</p> <p><i>Acer barbinerve</i>, 52</p> <p>— <i>buergerianum</i>, 49, 52, 55</p> <p>— <i>campestre</i>, 20, 26</p> <p>— <i>capillipes</i>, 50, 52</p> <p>— <i>carpinifolium</i>, 52</p> <p>— <i>cissifolium</i>, 49, 50, 53</p> <p>— <i>ginnala</i>, 20, 27, 55</p> <p><i>Acer griseum</i>, Plate XII, 54; 56</p> <p>— <i>grosseri hersi</i>, 56</p> <p>— <i>mandshuricum</i>, 56</p> <p>— <i>miyabei</i>, 56</p> <p>— <i>platanoides</i>, 20, 28</p> <p>— <i>tataricum</i>, 49, 53</p> <p>— <i>tegmentosum</i>, 53</p> <p>— <i>triflorum</i>, 53, 55</p> <p>— <i>tschonoski</i>, 53</p> <p>American Horticultural Council, 57, 60</p> <p>Anderson, Edgar, 42</p> <p><i>Andromeda</i>, downy, 62</p> <p>— <i>glaucophylla</i>, 62</p> <p>—, Japanese, 74</p> <p>—, mountain, 74</p> <p><i>Arborvitae</i>, American, 25</p> <p>— —, globe, 25</p> <p>—, giant, 25</p> <p>—, Little Gem, 25</p> <p>—, spiral, 25</p> <p>—, Wagner, 25</p> <p>—, Ware's, 25</p> <p>—, Woodward, 25</p> <p><i>Arctostaphylos uva-ursi</i>, 62</p> <p>Arnold Arboretum, Plate IX, 34</p> | <p>— — Fall Classes, 60</p> <p>— — Spring Classes, 16</p> <p>— — Open House, 36</p> <p>Arrowwood, 22</p> <p>Asiatic Maples, Propagation from Softwood Cuttings, 45-56</p> <p><i>Azalea</i>, <i>Amoena</i>, 75</p> <p>—, <i>Kurume</i>, 75</p> <p>—, snow, 75</p> <p><i>Barberry</i>, black, 62</p> <p>—, box, 20</p> <p>—, <i>Chenault</i>, 62</p> <p>—, Korean, 20</p> <p>—, Japanese, 20</p> <p>—, —, red-leaved, 20</p> <p>— —, Thornless, 20</p> <p>— —, white-edged, 20</p> <p>—, <i>Magellan</i>, dwarf, 62</p> <p>—, <i>Mentor</i>, 20</p> <p>—, <i>Sargent</i>, 64</p> <p>—, <i>Sheridan Red</i>, 20</p> <p><i>Barberry</i>, threespine, 64</p> <p>—, warty, 64</p> <p>—, wildfire, 20</p> <p>—, wintergreen, 62</p> <p><i>Bartram</i>, John, 6</p> <p>—, William, 6</p> <p><i>Bearberry</i>, 62</p> <p><i>Berberis buxifolia nana</i>, 62</p> <p>— <i>chenaulti</i>, 62</p> <p>— <i>gagnepaini</i>, 62</p> <p>— <i>gilgiana</i>, 20, 27</p> <p>— <i>julianae</i>, 62, 63</p> <p>— <i>koreana</i>, 20, 27</p> <p>— <i>mentorensis</i>, 20, 26</p> <p>— <i>sargentiana</i>, 64</p> |
|--|---|

- Berberis* 'Sheridan Red,' 20, 28
 — *thunbergi*, 18, 20, 26
 — — *argenteo-marginata*, 20, 27
 — — *atropurpurea*, 20
 — — *erecta*, 20, 27
 — — *minor*, 20, 26
 — — 'Thornless,' 20, 27
 — *triacanthophora*, 64
 — *verruculosa*, 64
 — *vulgaris*, 28
Beech, American, 21
 —, European, 21
Betula populifolia, 20, 28
Birch, gray, 20
Blackhaw, 22
Box, common, 64
 —, Korean, 24, 64
Boxwood, new, 42-44
Broad-leaved evergreens, 61-76
Buckthorn, common, 22
 —, glossy, 22
Bush, beauty, 21
Buxus microphylla koreana, 24, 26, 64
 — — —, hybrid, 24
 — — 'Tide Hill,' 65
 — *sempervirens*, 42, 64, 65
 — — *angustifolia*, 65
 — — *arborescens*, 65
 — — 'Curlylocks,' 65
 — — *handsworthi*, 65
 — — 'Kingsville,' 65
 — — 'Northland,' 65
 — — *rotundifolia*, 65
 — — *suffruticosa*, 42, 65
***Buxus sempervirens* 'Vardar Valley'**
 42, 44; Plate X, 43; 65
Camellia, 1-12
Caragana frutex, 20, 28
 — *arborescens*, 20, 28
Carpinus betulus, 20, 26
 — *caroliniana*, 28
Case Estates, Open House, 36
Cercidiphyllum japonicum, 20, 28
Cercis canadensis, 58
Chaenomeles lagenaria, 20, 28
Chamaecyparis pisifera filifera, 24, 26
 — — *plumosa*, 24, 26
 — — *squarrosa*, 28
Chamaedaphne calyculata, 65
Cherry-laurel, Schipka, 74
Chloromone, 47
Cinquefoil, bush, Purdom, 22
 —, three-toothed, 74
 —, wineleaf, 74
Clethra alnifolia, 29
Clever, Andrew, 10
Cleyera, 10
 — *japonica*, 10, 12
 — — *forma tricolor*, 12
Color Chart, New, 57-60; Plate
 XIII, 59
Columnberry, truehedge, 20
Conversion data, Nickerson color fan,
 60
Cornelian-cherry, 20
Cornus mas, 20, 26
 — *racemosa*, 20, 26
Cotoneaster, bearberry, 65
 — *dammeri*, 65
 — *microphylla*, 65
***Cotoneaster microphylla cochleata*,**
 Plate XIV, 63
 —, small-leaved, 65
Cowberry, 75
Crataegus crus-galli, 21, 26
 — *monogyna*, 21, 26
 — *pruinosa*, 21, 27
Cultivated Relatives of the Camellia,
 1-12
Currant, mountain, 22
Cuttings, juvenile plants, 46
 —, mature plants, 46
Daphne cneorum, 65
Deutzia gracilis, 29

Dogwood, gray, 20
 Douglas-fir, 24
 Drought, 61
Elaeagnus angustifolia, 21, 27
 —, autumn, 21
 — umbellata, 21, 26
 Elm, Chinese, 22
Euonymus alata compacta, 21
 — *fortunei*, 66
 — — 'Berry Hill,' 66
 — — *carrierei*, 66
 — — *colorata*, 66
 — — 'Dupont,' 66
 — — *gracilis*, 66
 — — *kewensis*, 66
 — — 'Manhattan,' 66
 — — *minima*, 66
***Euonymus fortunei* 'Silver Queen,'**
 66; Plate XV, 67
 — — *vegeta*, 66
 — scale, 66
 —, winged, dwarf, 21
Eurya, 12
 — *chinensis*, 12
 — *japonica*, 12
 — *emarginata*, 12
 — *marginata*, 12
 — *latifolia variegata*, 12
 — *ochracea*, 10
 Evergreens, broad-leaved, 61-76
Fagus grandifolia, 21, 26
 — *sylvatica*, 21, 26
Fan, Nickerson Color, 57-60; Plate
 XIII, 59
 — — —, conversion data, 60
 Fir, white, 24
 Flower buds apparently not injured,
 14, 16
 — — killed, 14
Forsythia, border, 21
 — *intermedia*, 21, 26
 Frame, wire, 47

Franklin, Benjamin, 6
Franklinia, 6, 8
Franklinia alatamaha, 6; Plate II, 7
Gaultheria procumbens, 66
Gaylussacia brachycera, 66, 67
Genera of Theaceae Native to the
 United States, Plate I, 5
 Germander, *Chamaedrys*, 75
Ginkgo biloba fastigiata, 29
Gleditsia triacanthos, 21, 29
 Gordon, James, 4
Gordonia, 4, 5
 — *axillaris*, 2
 — *lasianthus*, 6
 — *pubescens*, 8
 Hawthorn, English, 21
 —, frosted, 21
Hedera helix, 68
 — — *baltica*, 68
 — — 'Rumania,' 68
 — — '268th Street,' 68
Hedge Demonstration Plot, 17-32;
 Plate VI, 19
Hedges, Plate VII, 23; Plate VIII,
 31
 Hedges, fair, 27
 Hedges, good to excellent, 26
 Hedges, poor, 27
Hemlock, Canada, Plate VII, 23; 25
 — —, compact, 25
 —, Carolina, 25
Hippophae rhamnoides, 29
 Holly, American, 69, 70
 — —, Clark, 24
 —, Japanese, 68, 69
Holly, Japanese, convex-leaved,
 Plate VII, 23; 24
 —, longstalk, 70
 —, Sugeroki, 70
 —, Yunnan, 70
 Holly-grape, Oregon, 73
 Honeylocust, common, 21

- Honeysuckle, Tatarian, 21
 —, winter, 21
 Hormodin No. 3, 47, 50
 Hormones, root-inducing, 46
 Hornbeam, European, 20
 Huckleberry, box, 66, 67
 Hypericum cistifolium, 21
 — densiflorum, 29
 Ilex aquipernyi, 68
 — crenata, 68, 69
Ilex crenata convexa, Plate VII, 22;
 24, 26
 — — 'Glass,' 69
 — — 'Green Island,' 69
 — — helleri, 69
 — — 'Kingsville,' 69
 — — 'Kingsville Green Cushion,' 69
 — — latifolia, 68
 — — microphylla, 68, 69
 — — stokesi, 69
 — glabra, 69
 — — compacta, 69
 — opaca, 69, 70
 — — 'Clark,' 24, 26
 — pedunculosa, 70
 — rugosa, 70
 — sugeroki, 70
 — yunnanensis, 70
 Indole-3-acetic acid, 47
 Indolebutyric acid, 50
 Inkberry, 69
 Ivy, English, 68
 Juniperus communis, 29
 — virginiana, 24, 26
 Kalmia angustifolia, 70
 — latifolia, 70, 71
 Katsura-tree, 20
 Key to Theaceae Cultivated in the
 United States, 3-4
 Kolkwitzia amabilis, 21, 26
 Labels, yellow, 34
 Labrador tea, 72
 Leatherleaf, 65
 Ledum groenlandicum, 72
 Leiophyllum buxifolium, 72
 Leucothoe catesbaei, 72, 73
 Ligustrum amurense, 21, 26
 — ibolium, 21, 26
 — ibota, 21, 29
 — obtusifolium regelianum, 21, 26
 — ovalifolium, 21, 26
 — sinense, 21, 27
 — vicaryi, 21, 26
 — vulgare, 21, 26
 — — 'Lodense,' 21, 26
 Lilac, Chinese, 22
 —, common, 22
 —, cutleaf, 22
 —, Hungarian, 22
 Linden, European, littleleaf, 22
 Lonicera fragrantissima, 21, 26
 — korolkowi floribunda, 29
 — tatarica, 18, 21, 27
 Maclura pomifera, 21, 27
Magnolia flowers, Plate V, 15
 Mahoberberis aquicandidula, 72, 73
Mahoberberis aquisargenti, 72, 73;
 Plate XIV, 63
 — miethkeana, 73
 Mahonia aquifolium, 73
 — repens, 73
 Malachodendron, 10
 Maple, Amur, 20
 —, hedge, 20
 —, Norway, 20
 Marsh, Dorothy, Mrs., 2
 Marshall, Humphry, 6, 8
 —, Moses, 6, 8
 Mockorange, Lemoine, upright, 21
 —, sweet, 21
 Mother-of thyme, 75
 Mountain-laurel, 70, 71
 Mulch, Cocoa-shell, 33-36
 Munsell Color System, 58

Myrtle, 76
 Nickerson, Dorothy, Miss, 58
New Horticultural Color Chart, 57-
 60; Plate XIII, 59
 Ninebark, 21
 —, Illinois, dwarf, 21
Oak, English, Plate VIII, 31
 — —, pyramidal, 22
 —, pin, 22
 —, shingle, 22
 Osage-orange, 21
 Pachistima canbyi, 73
 — myrsinites, 73
 Pachysandra terminalis, 73, 74
 Pea-tree, Russian, 20
 —, Siberian, 20
 Periwinkle, 76
 Philadelphus coronarius, 21, 26
 — — pumilus, 29
 — lemoinei erectus, 21, 27
 Physocarpus intermedius parvifolius,
 21, 27
 — opulifolius, 18, 21, 27
 Picea abies, 24, 26
 — omorika, 24, 26
 — orientalis, 24, 26
 — pungens glauca, 24, 26
 Pieris floribunda, 74
 — japonica, 74
 Pine, mugho, 24, 29
 —, scotch, 24
 —, white, 24
 Pinus mugo mughus, 24, 26
 — nigra, 29
 — strobus, 24, 26
 — sylvestris, 24, 26
 Plants killed to the ground, 38-39
 Plants partially injured, 39-41
 Plane tree, London, 21
 Platanus acerifolia, 21, 27
 Polyethylene plastic, 47, 48
 Poplar, Bolleana, 22

Populus alba pyramidalis, 22, 29
 — nigra italica, 29
 Potentilla fruticosa purdomi, 22, 29
 — tridentata, 74
 Prinsepia, cherry, 22
Prinsepia sinensis, 22, 26; Plate
 VIII, 31
 Privet, Amur, 21
 —, California, 21
 —, Chinese, 21
 —, dense, low, 21
 —, European, 21
 —, Ibolium, 21
 —, Ibota, 21
 —, Regel, 21
 —, Vicary, golden, 21
 Prunus japonica nakai, 30
 — laurocerasus schipkaensis, 74
 — tomentosa, 30
 Pseudotsuga taxifolia, 24, 26
 Quercus imbricaria, 22, 26
 — palustris, 22
 — robur fastigiata, 22, 27
 Quince, flowering, 20
 Red-cedar, 24
 Retinospora, plume, 24
 —, thread, 24
 Rhamnus cathartica, 22, 26
 — frangula, 22, 26
 Rhododendron arbutifolium, 74
Rhododendron carolinianum, Plate
 XVI, 71; 74
 — catawbiense, 74
 — fortunei hybrids, 74
 — keiski, 74
 — laetvirens, 75
 — maximum, 75
 — minus, 75
 — mucronatum, 75
 — myrtifolium, 75
 — obtusum amoenum, 75
 — — japonicum, 75

- Rhododendron racemosum*, 75
 — *smirnowi*, 75
 — *watereri*, 75
 — *wellesleyanum*, 75
Ribes alpinum, 22, 26
Rosa rugosa, 30
 — *virginiana*, 22, 30
 Rose, Virginia, 22
 Rooting results, preliminary experiments, hard-to-root Asiatic maples, 56
 — —, softwood cuttings, from mature plants of Asiatic maples, 52-53
 — —, — —, young seedling Asiatic maples forced in greenhouse, 55
 Royal Horticultural Society's Colour Chart, 60
 Russian-olive, 21
 St. Johnswort, California, 21
Salix pentandra, 22, 26
 — *purpurea*, 30
 Saran cloth, 48
Schima wallichii, 6
Serrata sinensis, 10
 Sheep-laurel, 70
Spiraea bumalda, 30
 — *nipponica*, 22, 27
 — *prunifolia*, 22, 26
 — *thunbergi*, 22, 30
 — *vanhouttei*, 22, 26
 — *veitchi*, 22, 30
Spirea, bridalwreath, 22
 —, Nippon, 22
 —, Thunberg, 22
 —, Vanhoutte, 22
 —, Veitch, 22
 Spruce, Colorado, blue, 24
 —, Norway, 24
 —, oriental, 24
 —, Serbian, 24
 Spurge, Japanese, 73
Stewartia, 8
 — *grandiflora*, 10
 — *koreana*, 8, 10
 — *malacodendron*, 8
 — *monadelphica*, 10
Stewartia ovata, 8, 10; Plate IV, 11
 — *pentagyna*, 8
Stewartia pseudo-camellia, Plate III 9; 10
 — *serrata*, 10
 Stuart, John, 8
Symphoricarpos albus laevigatus, 30
Syringa chinensis, 22, 26
 — *josikaea*, 22, 30
 — *laciniata*, 22, 26
 — *vulgaris*, 22, 26
Tamarix pentandra, 30
Taxus canadensis stricta, 30
 — *cuspidata*, 24, 26
 — — 'capitata,' 24, 26
 — — *nana*, 24, 26
 — *media*, 25
 — — *hatfieldi*, 25, 26
 — — *hicksi*, 25, 26
 Tea family, 2
Technique, Wounding, Plate XI, 51
 Temperature, minimum, 13
 Ternstroem, Christopher, 10
Ternstroemia, 10
 — *gymnanthera*, 10, 12
 — *sylvatica*, 10
Teucrium chamaedrys, 75
 — — *prostratum*, 75
Theaceae, Genera of, native to the United States, Plate I, 5
 Thorn, cockspur, 21
Thuja occidentalis, 25, 26
 — — *globosa*, 30
 — — 'Little Gem,' 25, 26
 — — *robusta*, 25, 26
 — — *spiralis*, 25, 26
 — — *wagneriana*, 25, 30
 — — *woodwardi*, 25, 30

- Thuja plicata, 25, 26
- Thymus serpyllum, 75
- Tilia cordata, 22, 26
- Tsuga canadensis, 25, 26
- — compacta, 25, 26
- caroliniana, 25, 26
- Ulmus parvifolia, 32
- pumila, 32
- Vaccinium vitis-idaea, 75
- — majus, 75
- Vaccinium vitis-idaea minus**, Plate XVI, 71; 75
- Viburnum dentatum, 22, 26
- lantana, 32
- , leatherleaf, 76
- opulus nanum, 32
- prunifolium, 22, 26
- Viburnum rhytidophyllum**, Plate XV, 67; 76
- sargentii, 22, 32
- Vinca minor, 76
- — 'Bowles variety,' 76
- Willow, laurel, 22
- Wintercreeper, 66
- Wintergreen, 66
- Winter Injury, 1957, 13-16; 37-44
- Yew, Hatfield, 25
- , Hicks, 25
- , Japanese, 24
- —, dwarf, 24



1957. "Index to Volume XVII." *Arnoldia* 17, 77–83.

View This Item Online: <https://www.biodiversitylibrary.org/item/217341>

Permalink: <https://www.biodiversitylibrary.org/partpdf/249334>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Arnold Arboretum of Harvard University

License: <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.